

AD-A273 295



①

DEPARTMENT OF DEFENSE

# Index of Specifications and Standards

## Part II Numerical Listing

DTIC  
ELECTE  
NOV 26 1993  
S E D



DTIC QUALITY INSPECTED 5

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

1 JULY 1993

922 P8

93-28887



93 11 24 060

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.



# NUMERICAL LISTINGS CONTENTS

	PAGE	
	ACTIVE SECTION	CANCELLED SECTION
FOREWORD	iv	
GENERAL PROVISIONS	vi	
Military Specifications.....	1	830
MS Drawing.....	438	873
Military Standards.....	517	886
Commercial Item Descriptions.....	551	890
Federal Specifications.....	607	892
Federal Standards.....	654	907
Federal Information Processing Standards.	657	
Qualified Products List.....	659	908
Military Handbooks.....	674	909
Military/AF-Navy AERO Bulletins.....	680	910
Guide Specifications.....	681	911
Air Force-Navy Aeronautical Standards....	688	912
Air Force-Navy Aeronautical Design Standards.....	696	
Standardization Documents.....	697	
International Standardization Documents..	698	913
Industry Documents		
AAMA-Architectural Aluminum Manufacturers Association.....	730	
AAMI-Association for the advancement of Medical Instrumentation.....	730	
ABS-Las Soap and Detergent Association...	730	
ACI-American Concrete Institute.....	730	
ADA-American Dental Association.....	731	
AGMA-American Gear Manufacturers' Assn...	731	
AHA-American Hardboard Association.....	731	
AIAA-American Institute Of Aeronautics & Astronautics.....	731	
AIIM-Association for Information and Image Management.....	731	
AISC-American Institute of Steel Construction.....		914
AITC-American Institute of Timber Construction.....	731	
AMCA-Air Movement And Control Association	731	
ANMC-American National Metric Council....	731	
ANSI-American National Standards Institute.....	731	914
APA-American Plywood Association.....	738	
API-American Petroleum Institute.....	738	914



	ACTIVE SECTION	CANCELLED SECTION
ARI-Air Conditioning and Refrigeration Institute.....	736	914
ASC-American National Standards Institute	739	
ASHRAE-American Society of heating, Refrigerating, and Air-Conditioning Engineers, Inc.....	739	
ASME-American Society of Mechanical Engineers.....	739	914
ASQC-American Society for Quality Control	740	
ASSE-American Society of Sanitary Engineering.....	741	
ASTM-American Society for Testing and Materials.....	741	914
AWI-Architectural Woodwork Institute.....	780	
AWPA-American Wood Preservers Association	780	915
AWPB-American Wood Preservers Bureau.....	782	
AWS-American Welding Society.....	782	
AWWA-American Water Works Association....	783	915
A2LA-American Association for Laboratory Accreditation.....	784	
BHMA-Builders Hardware Manufactures Association Inc.....	784	
CGA-Compressed Gas Association Inc.....	784	
CISPI-Cast Iron Soil Pipe Institute.....	784	
CSI-Construction Specification Institute.	784	
DFI-Deep Foundation Institute.....	784	
EIA-Electronic Industries Association....	784	915
GCA-Graphic Communications Association...	787	
HIMA-Health Industry Manufacturing Associates.....	787	
HPMA-Hardwood Plywood Manufactures Association.....	787	
IAPMO-International Associates of Plumbing and Mechanical Officials.....	787	
ICEA-Insulated Cable Engineers Association.....	787	
IEC-International Electrotechnical Commission.....		915
IEEE-Institute of Electrical and Electronic Engineers.....	787	
IPC-The institute for interconnecting and Packaging Electronic Circuits.....	788	
ISO-International Organization for Standardization.....	789	
JIC-Joint Industrial Counsel.....	790	



	ACTIVE SECTION	CANCELLED SECTION
MMPA-Magnetic Materials Products Association.....	790	
MSS-Manufactures Standardization Society of the valve and Fittings Industry Inc.	790	
NA-National Aerospace Standards Committee	790	
NAAMM-National Association of Architectural Metal Mfgr.....	797	
NACM-National Association of Chain Mfgr..	797	
NAPHCC-National Association of Plumbing Heating-Cooling Contractors.....	797	
NAS-National Aerospace Standards Committee.....	792	
NEMA-National Electrical Manufactures Association.....	797	915
NFPA-National Fluid Power Association....	798	
NFPA-National Fire Protection Association	798	915
NFPA-National Forest Products Association	798	
NHLA-National Hardwood Lumber Association	799	
NMA-National Micrographics Association...	799	
NSF-National Sanitation Foundation.....	799	
NWWDA-National Wood Window and Door Association.....	799	
PDI-Plumbing and Drainage Institute.....	799	
RMA-Rubber Manufactures Association.....	799	
RWMA-Resistance Welder Manufactures Association.....	799	
SACMA-SACMA.....	799	
AIR-Aerospace Information Report (SAE)...	799	
AMS-Aerospace Materials Specifications (SAE) for Flight Vehicle Construction..	800	915
ARP-Aerospace Recommended Practice (SAE).	818	
AS-Aerospace Standards (SAE).....	818	
SAE-Society of Automotive Engineers Inc..	821	
HIR-Society of Automotive Engineers, Inc (SAE).....	822	
MA-Society of Automotive Engineers Inc...	823	
MAM-Society of Automotive Engineers.....	825	
MAP-Society of Automotive Engineers Inc..	825	
SAMA-Scientific Apparatus Makers Association.....	825	
SDI-Steel Door Institute.....	825	
SES-Standards Engineering Society.....	826	
SFSA-Steel Founders Society Of America...	826	
SSPC-Steel Structures Painting Council...	826	
SWI-Steel Window Institute.....	826	
TRA-The Tire and Rim Association Inc.....	826	
UL-Underwriters Laboratories.....	826	
USAS-United States of America Standards Institute.....		914
WWPA-Western Wood Products Association...	829	



# DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS

## FOREWORD

The Department of Defense Index of Specifications and Standards (DODISS) and related standardization documents is comprised of four separate parts as follows:

- PART 1 - An alphabetic listing of all current standardization documents in order by the title of the document, plus all standardization documents cancelled since the last basic DODISS.
- PART 2 - A numerical listing of all current standardization documents in order by document identifier number, plus all standardization documents cancelled since the last basic DODISS.
- PART 3 - A Federal Supply Class (FSC) listing of all current standardization documents in alphabetical order within each FSC, plus all standardization documents cancelled since the last basic DODISS. FSC's are identified in the Cataloging Handbook H2-1. To order, contact the DODSSP Subscription Services desk.
- PART 4 - A numerical listing of all standardization documents cancelled from 1964 to date of the current edition. This is a triennial publication.

The cancellation listing may be kept current by adding thereto the cumulative cancellation listing of the DODISS Part 2 until the next basic revision of Part 4, 1 July 1996.

The Department of Defense Index of Specifications and Standards (DODISS) is published under authority of the Office of the Assistant Secretary of Defense for Production and Logistics, and is issued annually 1 July with supplements effective 1 September, 1 November, 1 January, 1 March and 1 May.

Comments or suggestions pertaining to the maintenance of this index should be addressed to:

Defense Printing Service Detachment Office  
Bldg 4D NPM-DODSSP  
700 Robbins Avenue  
Philadelphia, PA 19111-5094



**COLUMN 1**

**ACTION** - Indicates the type of computer transaction.

**A** - Indicates a change since the last published Index.

**C** - Indicates the document has been cancelled.

**D** - Indicates a DD1865 change/correction to the Index.

**M** - Indicates a modification to an existing document.

**N** - Indicates a new document being entered.

**COLUMN 2**

**QPL/QML** - **Q** - Indicates that the document has a QPL/QML established for that document.

**COLUMN 3**

**COORDINATION** - **L** - Indicates that the document has limited coordination.

**COLUMN 4**

**STATUS** - **I** - Indicates that the document is inactive.

**COLUMN 5**

**DOCUMENT NUMBER** - Contains the document number, revision, amendment number, notice number, supplement number and interim amendment or notice.

**COLUMN 6**

**DOCUMENT TITLE** - Contains the document title and identifies any interest for that document.

**\*\* CANCELLED DOCUMENTS** will either have the replacement document after the title or the phrase (NO S/S document)

**COLUMN 7**

**DIST STMT** - Indicates the distribution statement for that document.

**COLUMN 8**

**FSC/AREA** - Contains the Federal Supply Class or Area Assignment for that Document.

**COLUMN 9**

**MCA SYMBOL** - These symbols identify the degree of interest DOD has in Federal Specifications or Standards.

**COLUMN 10**

**PREPARING ACTY** - Identifies the DOD activity which prepared the document.

**COLUMN 11**

**DATE** - Contains the document date (DDMMYY).

**COLUMN 12**

**CUSTODIANS** - Identifies the activity within each service that is the custodian for that document.



**"The Department of Defense Index of Specifications and Standards is available as follows:**

**Military Activities:**

DODSSP  
Standardization Documents Order Desk  
700 Robbins Avenue Bldg. 4D  
Philadelphia, PA 19111-5094

**Government Civil Agencies and Non -Governmental Activities  
(subscription basis only):**

Superintendent of Documents  
U.S. Government Printing Office  
Washington, DC 20402

**GENERAL PROVISIONS**

1. This publication lists the unclassified Federal and Military specifications, standards, and related standardization documents, and those non-government standards adopted for DOD use.
2. Revisions are indicated by a suffix letter to the basic number, except for Air Force-Navy Aeronautical Standards (Sheet Form) and Qualified Products Lists which indicate revisions by a suffix number.
3. Amendments are indicated by a suffix number in parenthesis to the basic number. Interim amendments or changes appear as separate documents after the coordinated document.
4. The number of Qualified Products List is the number of the specification to which it is related. Specifications for which Qualified Products Lists are required are indicated to the left of the Specification number as follows:

Q - Qualified Products List issued.

N - Qualified Products List NOT yet issued.

5. In the active section under the column headed "DATE" the date listed in that of the latest document issue. In the active section under the column headed "Date" the date listed for Non-Government Standards is the date of the Adoption Notice (date of DOD adoption). The Adoption Notice is part of or attached to the Non-Government Standard adopted. The date appearing after title is the date of Specific Issue Adopted. In the cancelled section under the column headed "Date" the date listed is normally the date of cancellation.



6. "L" to the left of the document number indicates a limited coordination document.

7. The following control symbols pertain to Federal Specifications, Standards, and Qualified Products Lists only and appear immediately preceding the "Preparing Activity" column in the parts of this index indicated:

- # - The pound symbol (#) identifies Federal Documents for which no official DOD interest has been registered.
- \* - The asterisk (\*) identifies Federal Documents for which DOD has a coordination interest.
- % - The percent symbol (%) identifies Federal Documents for which DOD has waived coordination interest.
- / - The slash symbol (/) identifies Federal Documents prepared by a DOD activity.

8. Distribution Statements on Technical Documents

In accordance with the Department of Defense Directive 5230.24 of 20 November 1984, a Distribution Statement is required on all standardization documents.

Documents listed in this index with other than distribution statement "A" require release approval. To request copies of these documents all requests must be submitted via the preparing activity.

9. The codes listed in paragraph 16 are assigned to identify the activities of the military services and appear in column 10 headed "Preparing Activity" indicating preparing activities and column 12 headed "Custodians" designating custodians of specifications or standards. These codes will also identify Reviewer and User activities as explained in paragraph 11. Military Coordinating Activity for a Federal document which was prepared outside the Department of Defense is denoted by an asterisk "\*" preceding the Preparing Activity column.

10. Review and User Information is now included after all the title parts of the DOD Index of Specifications and Standards (DODISS).



11. Federal Standardization Documents are available for reference at General Service Administration Business Service Center and some Federal Government Depository Libraries. Federal Standardization Documents (single copies, priced or otherwise) are available from:

GSA Spec Activity  
Room 6039  
7th and D Street  
Washington, DC 20407

NOTE: International Standardization Documents listed in the Department of Defense Index of Specifications and Standards (DODISS) are not available on a subscription basis. These documents will be issued to private industry upon approval of the preparing activity. These documents are identified in the DODISS as ISDD, ISDA, ISDN and ISDF under the column FSC.

NOTE: To obtain a subscription to the documents listed in this index with an FSC symbol of two numeric characters suffixed with GP (EX: 16GP), the requester should subscribe to the first numeric FSC listed under each group in DOD Handbook H2-1.

NOTE: Subscription to this Service does not relieve contractors of the responsibility for application of specification of appropriate data in complying with military contracts.

12. Federal Supply Classification (FSC) Codes (numeric) reflected in this index are listed and described in DOD Handbook H2-1. In addition, the following alpha symbols reflected in this index as an FSC indicate standardization areas (not listed in DOD Handbook H2-1) and are defined as follows:

SYMBOL	DESCRIPTION
ATTS	Automatic Test Technology Standards
AVCS	Avionics
CDNC	Computer Aided Design Numerical Control
CMAN	Configuration Management
CMPS	Composites Technology
DCPS	Data Communication Protocol Standards
DRPR	Drawing Practices
EDRS	DOD Engineering Data Reproduction Systems
EGDS	Engineering Data Systems
EMCS	Electromagnetic Compatibility
ENVR	Environmental Requirements and Related Test Methods
FACR	Facilities Engineering and Design Requirements
FORG	Forgings
GDRQ	General Design Requirements
HFAC	Human Factors
ILSS	Integrated Logistics Support Standards
IPSC	Information Processing Standards for Computers



MCCR	Mission Critical Computer Resources
MCGT	Mapping, Charting and Geodesy Technology
MECA	Metal Castings
MFFP	Metal Finishes & Finishing Processes & Procedures
MISC	Miscellaneous
MNTY	Maintainability
NDTI	Nondestructive Testing and Inspection
NUOR	Nuclear Ordnance
PACK	Packing, Packaging, Preservation and Transportability
QCIC	Quality Control/Assurance and Inspection
RELI	Reliability
SAFT	System Safety
SDMP	Standardization and Data Management Programs
SLHC	Long Haul Communications
SOLD	Soldering
TCTS	Tactical Communications Systems Technical Standards
*TELE	Federal Telecommunications Standards
THDS	Screw Threads
THJM	Thermal Joining of Metals (except soldering)
TMSS	Technical Manual Specifications and Standards

"Copies of approved program plans are available on request from the DODSSP. They are not issued on a subscription basis".

\* AREA "TELE" is for indexing purposes only. It is not a DOD AREA Assignment.

13. International Standardization Documents have been included in the DOD Index of Specifications and Standards. They are identified under areas, ISDD, ISDA, ISDN and ISDF (International Standardization Documents sponsored by DOD, Army, navy and Air Force respectively). However, ISDD, ISDA, ISDN and ISDF are symbols identifying the documents as being other than those in the FSC Classes and Areas reflected in the Standardization Directory (SD-1).

14. DODISS lists those non-government standards which have been adopted officially by the Department of Defense. Other standardization documents developed by Industry, which may contain useful information, are listed in "An Index of U.S. Voluntary Engineering Standards" prepared by the National Institute of Standards and Technology (NIST).



15. A form for requisitioning standardization documents, DD Form 1425, Specifications and Standards Requisition, is available through the forms distribution systems of the Army, Navy and Air Force. However, all requests will be honored despite the requisition form. All Requests for Specifications, Standards, handbooks, Qualified Products List, International Standardization Documents and other DOD, Army, Navy and Air Force Standardization documents listed in this index, except as noted below, should state the identifying number and title of the document and be submitted to:

DODSSP  
Standardization Documents Order Desk  
700 Robbins Avenue Bldg. 4D  
Philadelphia, PA 19111-5094

Exceptions:

a. Military activities having a requirement for automatic distribution of standardization documents in specific FSC's and Areas should refer to Defense Standardization Manual 4120.3-M (Chapter III, Section 9) for information.

b. Copies of cancelled or superseded documents required for contractual purposes will have to be obtained from the contracting officer of the concerned service.

c. Industry standardization documents adopted by DOD will not be furnished by the DODSSP to commercial concerns. Copies of these documents may be purchased from the appropriate Industry Association.

d. Security Classified documents are available only through the proper releasing authorities within the military services on a "need to know" basis. Departments of the Navy and Air Force classified standardization documents are stocked by Naval Publications and Forms Center Directorate Philadelphia. Request for the specification should be submitted via the preparing activity of the document. Not all Department of the Army Classified standardization documents are stocked by naval Publications and Forms Center, Directorate, Philadelphia. Army activities requiring classified documents should normally be made aware of the source upon determination of their "need to know". If the source is unknown, submit requests to Commander, U.S. Army Material Command, Attn: AMCRD-IC, 5001 Eisenhower Avenue, Alexandria, VA 22333-0001.



16. SERVICE CODES

<u>CODE</u>	<u>OFFICE OF ASSISTANT SECRETARY OF DEFENSE FOR PRODUCTION AND LOGISTICS</u>
	Manufacturing Modernization Directorate Attn: OASD (P&L) MMD Room 3B253, Pentagon Washington, DC 20301-8000
SO	Chief, Standardization Program Division 5203 Leeburg Pike, Suite 1406 Falls Church, VA 22041-3466
WS	Weapons Systems Improvement and Analysis Group 5109 Leeburg Pike, Suite 306 Falls Church, VA 22041-3466
DO	Cals Evaluation and Integration Office Department of Defense Room 3D833, Pentagon Washington, DC 20301-8000
HP	Deputy Director for Equal Opportunity Policy (Handicapped Individuals Program) ODASD (CPP), OASD (FM & P), Department of Defense Room 3A272, Pentagon Washington, DC 20301-4000
IR	Director of Defense Information ODASD(C3I) Information Technology Directorate Crystal Gateway 2, Suite 910 1225 Jefferson Davis Highway Arlington, VA 22202
NT	OASD (ISP) / EUR-NATO Assistant for Armaments Corporation Pentagon, Room ID469 Washington, DC 20301-2600



<u>CODE</u>	<u>ARMY ACTIVITIES</u>
AI	Commander U.S. Army Material Command Attn: AMCICP AA 5001 Eisenhower Avenue Alexandria, VA 22333-0001
AL	Commander U.S. Army Armament Research, Development Engineering Center (ARDEC) Attn: SMCAR-EST Rock Island, IL 61299-7300
AM	Commander (DEPSO) U.S. Army Material Command Attn: AMCRD-IC 5001 Eisenhower Avenue Alexandria, VA 22333-0001
AR	Commander US Army Armament, Munitions and Chemical Command (AMCCOM) Armament Research, Development and Engineering Center (ARDEC) Attn: SMCAR-BAC-S Picatinny Arsenal, NJ 07806-5000
AT	Commander US Army Tank-Automotive Command Attn: AMSTA-GDS Warren, MI 48397-5000
AV	Commander US Army Aviation and Troop Command Attn: AMSAV-EDS 4300 Goodfellow Blvd. St. Louis, MO 63120-1798
CD	Commander USA MC Catalog Data Activity Attn: AMXCA-C/AMXCA-P New Cumberland, PA 17070-5010
CE	CDR, USACE (CEMP-EA) 20 Massachusetts Avenue N.W. Washington, DC 20314-1000
CR	Commander U.S. Army Communications Electronics Command and Fort Monmouth Attn: AMSEL-ED-TM Fort Monmouth, NJ 07703-5023



**CODE****ARMY ACTIVITIES**

**CU** Commander  
U.S. Army CECOM Intelligence Materiel  
Management Center  
Attn: SELIM-MSL (Standardization)  
Vint Hill Farms Station  
Warrenton, VA 22186-5141

**EA** Technical Director  
U.S. Army Edgewood Research  
and Development Engineering Center (ERDEC)  
Attn: SCBRD-ENE (STD/SPECS/PKG)  
Aberdeen Proving Ground, MD 21010-5423

**ER** Director  
U.S. Army Research Laboratory  
Electronics Sources Directorate  
Attn: AMSRL-EP-RD  
Fort Monmouth, NJ 07703-5601

**ET** Commandant  
U.S. Army Management Engineering College  
Attn: AMXOM-QSAT,  
Rock Island, IL 61299-7040

**GL** Commander  
U.S. Army Natick Research,  
Development Engineering Center  
Attn: SATNC-AED  
Natick, MA 01760-5000

**HD** Commander  
U.S. Army Laboratory Command  
Harry Diamond Laboratory (HDL)  
Attn: SLCHD-LA-S  
2800 Powder Mill Road  
Adelphi, MD 20783-1197

**IE** Director  
U.S. Army Industrial Engineering Activity  
Attn: AMXIB-PA  
Rock Island, IL 61299-7260

**IH** Director  
The Institute of Heraldry, US Army  
Attn: TAPC-PDH-T  
Cameron Station, Building 15  
Alexandria, VA 22304-5050



<u>CODE</u>	<u>ARMY ACTIVITIES</u>
LM	Commandant U.S. Army Logistics Management College Attn: ATSA-AMM Fort Lee, VA 23801-6048
MD	Office of the Surgeon General Attn: DASG-HCL-S 5109 Leesburg Pike Falls Church, VA 22041-3258
ME	Commander U.S. Army Belvoir Research, Development and Engineering Center Attn: SATBE-TSE Fort Belvoir, VA 22060-5606
MI	Commander U.S. Army Missile Command Attn: AMSMI-RD-SE-TD-ST Redstone Arsenal, AL 35898-5270
MR	Department of the Army U.S. Army Research Laboratory Materials Directorate Attn: AMSRL-MAS Watertown, MA 02172-0001
MT	Director Transportation Engineering Agency Attn: MTTE-TR 720 Thimble Shoals Blvd Suite 130 Newport News, VA 23606-2574
QM	Commander U.S. Army Quartermaster Center & School Army Center of Excellence, Subsistence Attn: ASTM-CES-OM Fort Lee, VA 23801-5041
SC	U.S. Army Information Systems Engineering Command Attn: ASQB-OSI-S Fort Hauchuca, AZ 85613-5300
SM	Chief AMC Packaging, Storage and Containerization Center Attn: AMXLS-TP-P 11 Midway Road Tobyhanna, PA 18466-5097



CODE      ARMY ACTIVITIES

TE            Commander  
             U.S. Army Test and Evaluation Command  
             Attn: AMSTE-TC-D  
             Aberdeen Proving Ground, MD    21005-5055

TM            Commander  
             USAMC Material Readiness Support Activity  
             Attn: AMXMD EP  
             Lexington, KY    40511-5101



CODE      NAVY ACTIVITIES

AS            Commander  
Naval Air Systems Command(Air 51122)  
Washington, DC    20361-5110

BC            Associate Director for Engineering  
Navy Broadcasting Service  
Director of Engineering  
Code NB-5 Building 168, Naval Station, Anacostia  
Washington, DC    20374-1682

CG            Commandant  
U.S. Coast Guard Headquarters  
Attn: G-ELM-2  
Washington, DC    20593-0001

EC            Commander  
Space & Naval Warfare System Command  
Crystal Park #5  
2451 Crystal Drive  
Attn: SPAWAR 211C  
Arlington, VA    22202

MC            Commanding General  
Marine Corps Research, Development,  
and Acquisition Command  
Attn: PSE-C  
Washington, DC    20380-0001

MS            Commanding Officer  
Naval Medical Logistics Command  
Fort Detrick Code 032  
Frederick, MD    21702-5015

NC            Office of the Chief of Naval Operations  
Information Transfer Division (N-61C)  
Washington, DC    20350

ND            Office of the Chief of Naval Operations  
Information System & Technology Branch  
Attn: OP-162F  
Washington, DC    20350

NI            Commander  
Naval Doctrine Command  
8952 First St, Suite 200  
Norfolk, VA    23511-3790

NO            Office of the Oceanographer of the Navy  
U.S. Naval Observatory  
(Attn: OP96) 34th and Massachusetts Ave, NW  
Washington, DC    20392-1800



CODE      NAVY ACTIVITIES

NU            Office in Charge  
Navy Clothing and Textile Research Facility  
Attn: Code 50, P O Box 59  
Natick, MA    01760-0001

NV            Chief of Naval Operations  
Attn: OP-09BP12  
Washington, DC    20350

OM            Commander  
Naval Information Systems Management Center  
Code 03 Attn: IPSC  
Crystal Plaza 5, Room 334g.166  
Washington, DC    20360-5000

OS            Commander  
Indian Head Division  
Naval Surface Warfare Center  
Standardization Branch(Code 8420)  
101 Strauss Ave  
Indian Head, MD    20640-5035

PE            Chief of Chaplains/Director  
of Religious Ministries  
Attn: OP-0972F  
Washington, DC    20350-2000

SA            Commander  
Naval Supply System Command  
Attn: SUP 4231D  
Washington, DC    20376-5000

SH            Commander  
Naval Sea Systems Command Sea 05Q42  
2531 National Center Bldg 3  
Department of Navy  
Washington, DC    20362-5101

TD            Commanding Office  
Naval Training Systems Center  
Attn; Code 413  
12350 Research Parkway  
Orlando, FL    32826-3224

YD            Commanding Officer  
Naval Construction Battalion Center  
CESO Code 156  
621 Pleasant Valley Road  
Port Hueneme, CA    93043-4300



<u>CODE</u>	<u>AIR FORCE ACTIVITIES</u>
01	SAF/AQKL 1060 AF Pentagon AF DEPSO WASHINGTON, DC 20330-1000
02	HQ USAF/SCXS 1250 AF Pentagon ATTN: STANDARDS WASHINGTON, DC 20330-5190
03	HQ USAF (AFMSA/SGSLS) Brooks AFB, TX 78235-5000
04	Directorate of Engineering and Services Facilities Branch HQ USAF/CEC Building 516, Bolling AFB Washington, DC 20332-5000
05	Manufacturing and Quality Division SAF/AQXM Washington, DC 20330-1000
06	International Standardization Office Directorate of Plans/DCS P&O HQ USAF/XOXX(ISO) Washington, DC 20330-5058
07	Office of the Administrative Assistant to the Secretary of the Air Force Directorate of Information Management Records Management Policy SAF/AAIA Washington, DC 20330-1000
09	HQ USAF/INTB Bolling AFB Washington, DC 20332-5000
10	HQ AFMC/ENSP 4275 Chidlaw Rd Suite 6 Wright-Patterson AFB, OH 45433-5006
11	Engineering Documents Branch ASC/ENES Bldg 126 2664 Skyline Dr Wright-Patterson AFB, OH 45433-7800
12	PL/TSTR 5 Pollux Dr Edwards AFB, CA 93524-7015



<u>CODE</u>	<u>AIR FORCE ACTIVITIES</u>
13	HQ ESC/EN-2 5 Eglin St., Bldg 1624 Standardization Office Hancom AFB, MA 01731-2109
15	PL/SUE 3550 Aberdeen Ave, S E Kirtland AFB, NM 87117-5776
16	HQ AFMC/ENCS 4375 Chidlaw Rd Suite 6 Wright-Patterson AFB, OH 45433-5006
17	RL/ERSS 525 Brooks Rd Griffiss AFB, NY 13441-4505
18	ASC-OL/YAE 207 West D Ave Suite 308 Elgin AFB, FL 32542-6846
19	SMC/SDFP P O Box 92960 Los Angeles AFS Los Angeles, CA 90009-2960
21	ASC/SMA 1895 5th St, BLdg 46 Wright-Patterson AFB, OH 45433-7200
28	HQ AFMC/HCM 4225 Logistics Ave, Suite 23 Wright-Patterson AFB, OH 45433-5762
30	AGMC/MLSR 813 Irving-Wick Dr W Newark Air Force Base, OH 45057-0001
45	AFC&TO/LDIC 2800 South 20th Street Philadelphia, PA 19101-8419
50	HQ USAF (AFESC) Tyndall AFB, FL 32403-6001
68	SA-ALC/SFRT 1014 Andrews Rd Kelly AFB, TX 78241-5603
69	HQ AFMC/LGTPP 5215 Thurlow St Wright-Patterson AFB, OH 45433-5540



<u>CODE</u>	<u>AIR FORCE ACTIVITIES</u>
70	OO/ALC/PKDEE 6032 Fir Ave Hill AFB, UT 84056-5820
71	OC-ALC/TICLA Tinker AFB, OK 73145-3037
79	SA-ALC/SWLL Kelly AFB, TX 78241-5000
80	SM-ALC/TILAE McClellan AFB, CA 95652-1095
82	SA-ALC/TIRDM Kelly AFB, TX 78241-6425
84	WR-ALC/LZMD 226 Cochran St Robbins AFB, GA 31098-1622
85	645 LOG/ES Gentile AF Station 1060 Hamilton St Dayton, OH 45444-5400
89	AFCSC/MMOLS San Antonio, TX 78243-5000
90	TIC/TIS Scott AFB, IL 62225-6343
93	HQ TAC/SCX LANGLEY AFB, VA 32663-6343
94	HQ ATC/TTOR Randolph AFB, TX 78150-5001
99	HQ CASC/POM Specs and Stds Office 74 N. Washington Avenue Battle Creek, MI 49017-3094



CODE            DEFENSE LOGISTICS AGENCY ACTIVITIES

CS            Commander Defense Construction Supply Center  
              Attn: DSCS-SSM  
              Columbus, OH    43216-5000

CT            Commander Defense Personnel Support Center  
              Attn: DSPC-FSSS  
              2800 South 20th Street  
              Philadelphia, PA    19101-8419

DD            Administrator  
              Defense Technical Information Center  
              Attn: DTIC-HDB Cameron Station  
              Alexandria, VA    22304-6145

DH            Director  
              Defense Logistics Agency(DEPSO)  
              Attn: DLA-SE Cameron Station  
              Alexandria, VA    22304-6100

DM            Commander  
              Defense Personnel Support Center  
              Attn: DPSC-MSE  
              2800 South 20th Street  
              Philadelphia, PA    19145

DP            Commander  
              Defense Personnel Support Center  
              Attn: DPSC-MSE  
              2800 South 20th Street  
              Philadelphia, PA 19145

ES            Commander  
              Defense Electronics Supply Center  
              1507 Wilmington Pike  
              Dayton, OH    45444-5274

GS            Commander  
              Defense General Supply Center  
              Attn: DGSC-SSM  
              Richmond, VA    23297-5000



CODE      DEFENSE LOGISTICS AGENCY ACTIVITIES

IS            Commander Defense Industrial Supply Center  
              Attn: DISC-ES  
              700 Robbins Avenue  
              Philadelphia, PA    19111-5096

LS            Commander  
              Defense Logistics Services Center  
              Attn: DLSC-FE  
              Federal Center  
              Battle Creek, MI    49017-3084

PS            Commander  
              Defense Fuel Supply Center  
              Attn: DFSC-QSS  
              Cameron Station  
              Alexandria, VA    22304-6160

SS            Commander  
              Defense Personnel Support Center  
              Attn: DPSC-HS  
              2800 South 20th St  
              Philadelphia, PA    19101-8419



CODE            DOD/NASA PARTICIPATION (MISCELLANEOUS)

CB            Executive Director  
              Armed Forces Chaplains Board  
              Room 4C759, Pentagon  
              Washington, DC    20301-4000

DS            Commander  
              Field Command  
              Defense Nuclear Agency  
              1680 Texas St S E  
              Attn: FCPNC  
              Kirtland AFB, NM    87117-5000

DC            Director  
              Joint Interoperability and Engineering Organization  
              (JIEO)  
              Center for Standards  
              Attn: TB  
              11440 Isaac Newtown Square, North  
              Reston, VA    22090-5006

MB            Staff Director  
              Defense Medical Standardization Board  
              Fort Detrick  
              Frederick, MD    21701

NA            NASA Headquarters  
              Technical Standards Division, Code QE  
              Washington, DC    20546

NS            Director  
              National Security Agency  
              Attn: Code K642  
              Fort George G. Meade, MD    20755-6000

MP            Director  
              Defense Mapping Agency  
              Attn: PRS  
              8613 Lee Highway  
              Fairfax, VA    22031-2137



## HOW TO ORDER SPECIFICATIONS AND STANDARDS

### Two Methods of Obtaining Documents

1. Private industry has two ways to obtain standardization documents from the DODSSP subscription to automatic distribution; or on an ad hoc basis. Automatic distribution provides new and /or revised documents on a "push" basis, whereas ad hoc needs are fulfilled on a "pull" basis in that specific document requests are made by private industry to the DODSSP. The method which is best for you is dependent on your needs. If your needs for Military Specifications and Standards documents are infrequent and limited in size, the ad hoc request method is recommended. For document needs on a recurring basis and broader in scope, the automatic distribution method would be best suited for you.

### AD Hoc Requests

2. All ad hoc standardization document requests are handled through an automated system called the Navy Publishing on Demand System (NPODS). NPODS stores most Standardization documents as images on optical discs. As document requests are received, the appropriate document images are retrieved from optical storage and printed "on demand" by high speed laser output devices, packaged and then shipped. For special documents (such as color or oversized) that cannot be optically stored and are warehouse maintained, NPODS retains inventory data for efficient management. NPODS generates status letters to customers if an order cannot be completed as requested. NPODS retains records of completed orders for customer follow-up for a limited time only. No confirmation of orders received/processed is provided.

### COST

Specifications and standards are generally issued to private industry without charge; however, a handling charge may be required for large orders.

### TELEPHONE

The fastest and most accurate way to obtain ad hoc documents is through TeleSpecs (previously called TOES). TeleSpecs is open for business from 7:00 A.M. to 8:00 P.M. Monday thru Friday (Eastern Time). We have twelve telephone lines (215) 697-1187 thru 1198 to serve you.

This automated system is your direct connection to the Navy Publishing on Demand System (NPODS), eliminating mail delays and putting you in control of the document request process. TeleSpecs requires only a touch tone phone, working similar to a bank's customer account information system.



To use TeleSpecs you first obtain a customer number. If you have placed an ad hoc document request within the last several years, a customer number was assigned and was shown on the shipping invoice or the status letter. If you have not been assigned a customer number and your request is urgent, you may obtain one from the Special Assistance Desk, (215) 697-2667/2179. TeleSpecs also allows you to receive immediate status or follow up on a previous order.

#### TELESPECS DOCUMENT ORDERING HINTS

Substitute the numbers "7" and "9" for letters "Q" or "Z" not found on touch tone phone. Example: to order MIL Q 9858, input MIL 7 9858.

Eliminate all document identifier special characters such as slashes, dashes, periods.

On-Line "Assistance Help" is available at any time during the call by pressing # key.

Maximum of 5 document requests per order.

Eliminate document identifier revision level as system always supplies current version. Example: input MIL STD 1840A as MIL STD 1840.

If a document cannot be furnished as requested, TeleSpecs provides on-line status only, i.e., no status letters are provided.

#### MAIL OF FAX

Requests may also be made by mail or FAX in any form, although we prefer to receive requests on the DOD Specification and Standards order form (DD Form 1425) or company letter head. Every order shipped will include a blank copy of the ordering form.

All requests shall include the following information:

1. Your assigned customer number or your CAGE (Commercial And Government Entity) number (formerly FSCM). If this is your first order and you do not have a CAGE number, a customer number will be assigned for future orders.
2. Indicate your complete mailing address, including any specific information required to identify and direct the order when received.



3. List each desired specification or standard by document identifier as recorded in the Department of Defense Index of Specifications and Standards (DODISS), e.g., MIL STD, MS, QPL, etc. document titles are also helpful.

4. Indicate the quantity desired. The maximum quantity issued per item is five (5).

5. Reproduction of Specifications and Standards

Firms desiring to reproduce and redistribute unclassified and unrestricted specifications and standards may do so without reference to the Navy Department or any other element of the Department of Defense since these documents are in the public domain.

Mail order to:

DODSSP  
Standardization Document Order Desk  
700 Robbins Avenue, Bldg. 4D  
Philadelphia, PA 19111-5094

FAX:

(215) 697-2978

TURNAROUND TIME

Document requests or status letters produced from mail and FAX requests are usually shipped within 1 to 5 days of request receipt. Because requests placed through TeleSpecs or FAX reach the DODSSP faster, turnaround is less than mailed requests. Orders are shipped from the DODSSP by several different carriers, depending on factors such as weight and destination. Be sure to allow 1 to 2 weeks for shipping.

IMPORTANT ORDERING INFORMATION FOR ALL AD HOC REQUESTS

Only the specification requested will be issued. Documents referenced within a specification must be requested individually.

All amendments and revisions will be automatically issued with the basic specification.

When submitting multiple mail requests, place the mailing address on each request form.

If handwritten requests are to be submitted, please use black or dark blue ink only.



Specification sheets, such as MIL-E-1/306 must be individually requested by document number. Specification sheets will not be issued as a set.

The DODSSP supplies the current version of the document. Superseded or canceled documents must be requested through the procurement or contracting officer of the military activity citing the need for the document.

Do not submit a request for a specification citing a national stock number of an item covered by the specification. DODSSP has no method to cross reference a national stock number to the applicable specification number.

Non-Government/Industry standards stocked at the DODSSP are not available to private industry and must be ordered from the preparing technical societies.

The DODSSP issues only printed documents. We do not maintain microfiche copies of standardization documents for issue.

The DODSSP does not maintain a file of Invitations for Bid. Requests for Proposals, contracts, etc., so each individual request must list the document identifier desired.

#### Automatic Distribution Subscription Service

A subscription service is available to private industry providing automatic distribution of new and/or revised unrestricted and unclassified standardization documents. Upon payment of a subscription fee, the subscriber will receive one copy each of any new or revised documents for a one year period after the effective subscription date. (Documents ordered prior to the subscription date must be ordered individually using the Ad Hoc request method).

Subscriptions will be accepted on a Federal Supply Class basis for a single class or for as many individual classes as the subscriber chooses. The cost per class is \$16.00.

The Catalog Handbook H2-1 lists all Federal Supply Classes according to subject (example: under group 47, the title of FSC 4710 is "Pipe and Tube"). Copies of this publication can be obtained at no charge from the Subscription Desk.

A subscription service is available to private industry providing automatic distribution of new and/or revised unrestricted and unclassified Data Item Description (DID's). Upon payment of a subscription fee, the subscriber will receive one copy each of any new or revised documents for a one year period after the effective subscription date. (AMSDL 5010.12L the index that list all active and cancelled DID's is included with this subscription). The AMSDL 5010.12L is issued twice a year with notices as needed. The cost is \$16.00 per year.



## The Procedure

The simple procedure for submitting a subscription request is simple:

1. Address your request in letter form, to the Subscription Services Desk address.
2. List the desired Federal Supply Class(es) or Area Assignment(s).
3. Enclose a check or money order (do not send cash) payable to DPSDO, Philadelphia for \$16.00 for each Federal Supply Class desired.

The Catalog Handbook H2-1 lists all Federal Supply Classes according to subject (example: under Group 47, the title of FSC 4710 is "Pipe and Tube"). Copies of this Publication can be obtained at no charge from the Subscription Desk.

Mail Subscription Request to :

DODSSP  
Subscription Services Desk  
700 Robbins Avenue, Bldg. 4D  
Philadelphia, PA 19111-5094

Phone:

(215) 697-2569

For further information about or questions concerning subscription services, contact the Subscription Services Desk.

Contractors using the subscription service are not relieved of any responsibilities in complying with military contracts.

Special Assistance desk is available Monday thru Friday 7:30 A.M. to 4:30 P.M. (Eastern Time) to assist you in matters such as:

Inquiries about our services;  
Status of orders previously placed;  
Establishing a Customer Account;  
Sources for documents not at the DODSSP;  
Researching special requests, such as obtaining a complete set of documents; and  
Assistance determining document identifiers.



We are also interested in your comments about the quality of our service, and any suggestions you may have to assist us in making future improvements to serve you better. Comments or suggestions may be forwarded to the following address:

Special Assistance Desk  
(215) 697-2667/2179)

Note: Orders not accepted on these lines.  
7:30 A.M. to 4:30 P.M.  
(Eastern Time)

or write to:

DODSSP  
Special Assistance Desk  
700 Robbins Avenue, Bldg 4D  
Philadelphia, PA 19111-5094



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active / Out  
Combination  
Index  
Document  
Number

Document  
Title

Dist. Smt.  
FAC / Area  
MCA Symbol  
Preparing Act.  
Date

Custodian  
Army  
Navy  
Air Force  
DLA

Doc. Smt. FAC / Area MCA Symbol Preparing Act. Date	Custodian Army Navy Air Force DLA	Document Title	Active / Out Combination Index Document Number
A 5960 EC 04-MAY-90	ER EC 85	ELECTRON TUBES, GENERAL SPECIFICATION FOR USER: 11 19 AS AT AV CG MC ME OS SH SH REVIEWER: 17 99 AR ES MI	0 MIL-E-1J(1) SUPPL 1
A 5960 EC 04-FEB-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5654 [VALIDATION DATE: 8104] USER: 11 AS AV CG MC ME OS REVIEWER: 99 AR ES MI	MIL-E-1/4H
A 5960 EC 18-FEB-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5670M [VALIDATION DATE: 8104] USER: AS CG MC OS REVIEWER: 11 99 ES MI	MIL-E-1/5J
A 5960 EC 11-FEB-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5725M USER: AS CG MC OS REVIEWER: 11 99 ES MI	MIL-E-1/6J
A 5960 EC 16-JUL-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5726 USER: AL AS CG MC OS REVIEWER: 11 99 AR ES	MIL-E-1/7H(1)
A 5960 EC 29-SEP-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5749M USER: 11 AS AV CG MC ME OS REVIEWER: 99 AR ES MI	MIL-E-1/8G(1)
A 5960 BS 20-MAY-88	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5750 [VALIDATION DATE: 8805] REVIEWER: 11 17 ES	MIL-E-1/9G NOTICE 1
A 5960 EC 05-NOV-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5751 USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES	MIL-E-1/10H(1)
A 5960 EC 05-NOV-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5814A USER: 11 AS AV CG MC OS SH REVIEWER: 99 AR ES MI	MIL-E-1/12K(1)
A 5960 EC 09-NOV-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6005M USER: 11 AS CG MC OS REVIEWER: 99 ES MI	MIL-E-1/13K(1)
A 5960 EC 23-FEB-81	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6072A USER: AS CG MC REVIEWER: 17 99 ES MI ..	MIL-E-1/14E
A 5960 EC 04-DEC-68	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 0A3 & 0A3A [VALIDATION DATE: 8104] USER: 19 AS CG MC OS REVIEWER: 11 99 ES	MIL-E-1/17C
A 5960 EC 23-JUL-70	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 1A3 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES	MIL-E-1/19B
A 5960 EC 16-JUN-72	ER EC 85	ELECTRON TUBE, GAS SWITCHING TYPE 1B23 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 11 17 99 ES	MIL-E-1/21B
A 5960 EC 13-MAY-75	ER EC 85	ELECTRON TUBE, GAS SWITCHING TYPE 1B35A, 1B37A, 6162 & 5864 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 99 ES	MIL-E-1/22H(1)
A 5960 EC 11-FEB-76	ER EC 85	ELECTRON TUBE, GAS SWITCHING JAN 1B63A [VALIDATION DATE: 8204] USER: AS CG MC SH REVIEWER: 11 99 ES	MIL-E-1/25E
A 5960 EC 05-MAY-72	ER EC 85	ELECTRON TUBE, GAS SWITCHING JAN 1B63A [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: 11 17 99 ES	MIL-E-1/26C
A 5960 EC 03-DEC-70	ER EC 85	ELECTRON TUBE, PHOTOTUBE, MULTIPLIER TYPE 1P21 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES	MIL-E-1/28G
A 5960 EC 19-FEB-70	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 122 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 17 99 ES ME	MIL-E-1/29C
A 5960 EC 13-FEB-69	ER EC 85	ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 2C36 [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES MI	MIL-E-1/30A
A 5960 ER 15-MAY-89	ER EC 11	ELECTRON TUBE, RECEIVING TYPE 3A5 [VALIDATION DATE: 8905] USER: 19 AR AS CG MC OS REVIEWER: 99 ES	MIL-E-1/33C NOTICE 1
A 5960 EC 12-DEC-78	ER EC 85	ELECTRON TUBES, CATHODE RAY TYPES 3JP1, 3JP2, 3JP7, 3JP11, & 3JP12 [VALIDATION DATE: 8505] USER: 11 AR AS AV CG ME OS REVIEWER: 99 ES	MIL-E-1/36E
A 5960 EC 22-JUL-75	ER EC 85	ELECTRON TUBE, POWER TYPE B166 [VALIDATION DATE: 8104] USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES	MIL-E-1/37C(1)
A 5960 EC 18-NOV-85	ER EC 85	ELECTRON TUBE, POWER TYPE 4B25 USER: AR AS CG MC OS REVIEWER: 11 99 ES ....	MIL-E-1/39C
A 5960 EC 13-MAY-75	ER EC 85	ELECTRON TUBE, MAGNETRON TYPES 4J57 THROUGH 4J59 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 99 AR ES MI	MIL-E-1/40D(1)
A 5960 EC 12-SEP-90	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6A67 USER: AR AS CG MC OS REVIEWER: 11 17 99 ES	MIL-E-1/45E(2)
A 5960 EC 16-MAR-70	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6A66 [VALIDATION DATE: 8404] USER: 19 AS CG MC ME REVIEWER: 11 99 ES MI	MIL-E-1/47C
A 5960 BS 14-JUL-89	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6A57G [VALIDATION DATE: 8907] USER: 11 AR AS CG MC REVIEWER: 17 99 ES	MIL-E-1/49E(2)
A 5960 EC 04-FEB-72	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6A66 [VALIDATION DATE: 8404] USER: AS CG MC ME OS REVIEWER: 11 17 99 ES MI	MIL-E-1/51D
A 5960 EC 12-SEP-90	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6E5 USER: 19 AS CG MC ME OS REVIEWER: 11 ES SH	MIL-E-1/57A(2)
A 5960 EC 20-JUL-76	ER EC 85	ELECTRON TUBE, RECEIVING TYPES 6SA7, 6SA7MGT, 12SA7, 12SA7GT, & 12SY7 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: 11 99 AR ES	MIL-E-1/60C
A 5960 BS 31-OCT-73	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 12SK7Y [VALIDATION DATE: 8704] USER: AS CG MC OS REVIEWER: 11 17 80 99 ES	MIL-E-1/61C(1) NOTICE 1
A 5960 EC 01-NOV-72	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 6517MGT & 12S17GT [VALIDATION DATE: 8505] USER: 19 AS CG MC REVIEWER: 11 99 ES MI	MIL-E-1/62C(1)
A 5960 BS 02-MAY-73	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 12SK7GT & 12SX7GT [VALIDATION DATE: 8704] USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES	MIL-E-1/63B(2) NOTICE 1
A 5960 EC 14-JAN-75	ER EC 85	ELECTRON TUBE, CATHODE RAY [VALIDATION DATE: 8104] USER: AS CG MC ME OS SH REVIEWER: 11 17 99 ES	MIL-E-1/66B
A 5960 EC 13-MAY-75	ER EC 85	ELECTRON TUBE, CATHODE RAY TYPE 7MP7 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 17 99 AR ES	MIL-E-1/67G
A 5960 EC 12-SEP-90	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 26A7GT USER: 19 AS CG MC OS REVIEWER: 99 ES ME	MIL-E-1/71E(1)
A 5960 EC 23-APR-65	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 26Z5W [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 99 ES	MIL-E-1/73A
A 5960 ER 31-MAY-89	ER EC 11	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5675 [VALIDATION DATE: 8905] USER: 19 AR AS CG MC ME OS REVIEWER: 17 99 ES MI	MIL-E-1/78E NOTICE 1
A 5960 ER 31-MAY-89	ER EC 80	ELECTRON TUBE, RECEIVING TYPE 5693 [VALIDATION DATE: 8905] USER: 19 AR AS CG MC OS SH REVIEWER: 11 99 ES MI	MIL-E-1/81C(1) NOTICE 1
A 5960 EC 20-JUL-81	ER EC 85	ELECTRON TUBE, THYRATRON TYPE 5727 USER: 11 AR AS CG MC ME OS REVIEWER: 17 99 ES	MIL-E-1/83F(1)
A 5960 EC 18-FEB-71	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5763 [VALIDATION DATE: 8304] USER: 19 AS CG MC REVIEWER: 17 99 ES MI	MIL-E-1/85C
A 5960 EC 12-SEP-90	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5783MA USER: AS CG MC OS REVIEWER: 11 17 99 ES MI	MIL-E-1/87F(1)
A 5960 EC 12-SEP-90	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5787MA USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES MI	MIL-E-1/89E(1)
A 5960 EC 10-MAR-75	ER EC 85	ELECTRON TUBE, RECEIVING TYPES 5839 AND 5852 [VALIDATION DATE: 8104] USER: AS CG MC REVIEWER: 17 99 ES	MIL-E-1/92D
A 5960 EC 04-JUN-70	ER EC 85	ELECTRON TUBE, RECEIVING JAN 5886 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES	MIL-E-1/95C
A 5960 EC 22-OCT-68	ER EC 85	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5893 [VALIDATION DATE: 8104] USER: 19 AS CG MC OS REVIEWER: 99 ES	MIL-E-1/98G
A 5960 EC 15-JAN-79	ER EC 85	ELECTRON TUBE, RECEIVING TYPE 5899 AND 6206 [VALIDATION DATE: 8505] USER: AS CG MC OS SH REVIEWER: 99 ES MI	MIL-E-1/97H
A 5960 EC 13-SEP-73	ER EC 85	ELECTRON TUBE, TRANSMITTING TYPES 807 AND 1625 [VALIDATION DATE: 8505] USER: 19 AS CG MC OS REVIEWER: 11 99 ES MI	MIL-E-1/99C(1)
A 5960 EC 24-OCT-74	ER EC 85	ELECTRON TUBE, TRANSMITTING TYPE 6000 [VALIDATION DATE: 8104] USER: AS AV CG OS SH REVIEWER: 11 99 ES	MIL-E-1/100A(1)
A 5960 EC 16-AUG-89	ER EC 85	ELECTRON TUBE, THYRATRON TYPE C1A USER: AR REVIEWER: 11 17 80 99 ES .....	MIL-E-1/102C(1)
A 5960 EC 11-MAY-76	ER EC 85	ELECTRON TUBE, THYRATRON TYPE 6014 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 99 ES	MIL-E-1/103F
A 5960 EC 15-FEB-73	ER EC 85 ES	ELECTRON TUBE, RECEIVING TYPE 1A5GT [VALIDATION DATE: 8505] USER: 19 AS CG MC ME OS REVIEWER: 11 99	MIL-E-1/104B(1)



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONSAction  
On/Off  
Coordination  
Inches  
Document  
NumberDocument  
TitleDist. Serv.  
Proc. / Ann.  
MCA Symbol  
Preparing Auth.  
DateCustodians  
Army  
Navy  
Air Force  
DLA

MIL-E-1/1088 NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 3A4 (VALIDATION DATE: 8905) USER: 17 19 AR	A 5960	ER	31-MAY-89	ER	EC	80
MIL-E-1/1110	AS CG MC OS SH REVIEWER: ES MI						
MIL-E-1/115H NOTICE 1	ELECTRON TUBE, THYRATRON TYPE 6130 (VALIDATION DATE: 8104) USER: 17 AR AS	A 5960	EC	12-DEC-74	ER	EC	85
MIL-E-1/1198	CG MC OS SH REVIEWER: 11 ES						
MIL-E-1/121D	ELECTRON TUBE, THYRATRON TYPE 5C22 (VALIDATION DATE: 8704) REVIEWER: 17 99	A 5960	MS	17-APR-87	ER	EC	85
MIL-E-1/1238(1)	AR SH						
MIL-E-1/125A(1)	ELECTRON TUBE, RECEIVING TYPES 6AT6 AND 12AT6 (VALIDATION DATE: 8304)	A 5960	EC	15-JUL-70	ER	EC	85
MIL-E-1/1260(2)	USER: 19 AS CG MC OS REVIEWER: 11 99 ES MI						
MIL-E-1/1298	ELECTRON TUBE, RECEIVING TYPE 6886 (VALIDATION DATE: 8505) USER: 11 19 AS	A 5960	EC	04-DEC-72	ER	EC	85
MIL-E-1/131G	CG MC OS SH REVIEWER: 99 ES						
MIL-E-1/1330	ELECTRON TUBE, RECEIVING TYPE 6J5MG7 (VALIDATION DATE: 8505) USER: 19 AS	A 5960	EC	15-SEP-72	ER	EC	85
MIL-E-1/1350	CG MC OS REVIEWER: 11 17 99 ES						
MIL-E-1/140G	ELECTRON TUBE, RECEIVING TYPE 6SR7 & 12SW7 USER: 17 19 AS CG MC ME OS	A 5960	EC	18-JUL-84	ER	EC	85
MIL-E-1/144E NOTICE 1	REVIEWER: 11 99 ES						
MIL-E-1/148C	ELECTRON TUBES, RECEIVING TYPES 6V6 & 6V6GT 1/2/ USER: 19 AL AS AV CG MC	A 5960	EC	01-APR-83	ER	EC	85
MIL-E-1/150F	OS SH REVIEWER: 11 99 AR ES MI						
MIL-E-1/152C(1)	ELECTRON TUBE, POWER TYPE 371B (VALIDATION DATE: 8204) USER: 11 AR AS AV	A 5960	EC	15-OCT-75	ER	EC	85
MIL-E-1/160L NOTICE 1	CG MC ME OS SH REVIEWER: 17 99 ES						
MIL-E-1/161D(1)	ELECTRON TUBE, THYRATRON TYPE 1258 USER: AR AS CG MC OS SH REVIEWER: 11 17	A 5960	EC	02-MAR-88	ER	EC	85
MIL-E-1/167B(1)	99 ES						
MIL-E-1/168J(1)	ELECTRON TUBE, RECEIVING TYPE 5691 USER: AS CG MC MI OS REVIEWER: 11 99 AR	A 5960	EC	19-NOV-85	ER	EC	85
MIL-E-1/169J(1)	ES						
MIL-E-1/170E NOTICE 1	ELECTRON TUBE, KLYSTRON TYPE 5721 (VALIDATION DATE: 8304) USER: AS CG MC	A 5960	EC	26-OCT-70	ER	EC	85
MIL-E-1/171E	OS REVIEWER: 11 99 ES						
MIL-E-1/172G(1)	ELECTRON TUBE, RECEIVING TYPE 6205 (VALIDATION DATE: 8505) USER: 11 19 AS	A 5960	EC	20-OCT-78	ER	EC	85
MIL-E-1/173H(1)	CG MC OS REVIEWER: 99 ES						
MIL-E-1/174G	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C43 (VALIDATION DATE: 8704)	A 5960	MS	17-APR-87	ER	EC	85
MIL-E-1/175H	REVIEWER: 11 17						
MIL-E-1/181E NOTICE 1	ELECTRON TUBE, THYRATRON TYPE C6A (VALIDATION DATE: 8104) USER: AR AS CG	A 5960	EC	12-DEC-74	ER	EC	85
MIL-E-1/187F(1)	MC OS SH REVIEWER: 11 17 99 ES						
MIL-E-1/188G	ELECTRON TUBE, THYRATRON TYPE 5685 (VALIDATION DATE: 8104) USER: AR AS CG	A 5960	EC	12-DEC-74	ER	EC	85
MIL-E-1/190H	MC OS SH REVIEWER: 11 17 99 ES						
MIL-E-1/191C(1)	ELECTRON TUBE, RECEIVING TYPE 5894 USER: AS CG MC REVIEWER: 11 17 99 ES ...	A 5960	EC	12-SEP-90	ER	EC	85
MIL-E-1/192B NOTICE 1	ELECTRON TUBE, POWER TYPE 7034 (VALIDATION DATE: 8905) USER: 11 AR AS CG	A 5960	ER	31-MAY-89	ER	EC	80
MIL-E-1/193C NOTICE 1	MC OS SH REVIEWER: 17 99 ES						
MIL-E-1/195B(1)	ELECTRON TUBE, POWER TYPE 35T USER: AS CG MC OS SH REVIEWER: 11 17 99 ES ..	A 5960	EC	12-SEP-90	ER	EC	85
MIL-E-1/196B(2)	ELECTRON TUBE, RECEIVING TYPE 5755 USER: 17 19 AS CG MC REVIEWER: 99 ES MI	A 5960	EC	04-MAY-83	ER	EC	85
MIL-E-1/197D(3)	ELECTRON TUBE, RECEIVING TYPE 5636 USER: 11 AS CG MC OS REVIEWER: 99 ES MI	A 5960	EC	03-FEB-82	ER	EC	85
MIL-E-1/199A(1)	ELECTRON TUBE, RECEIVING TYPE 5639 USER: 11 AR AS CG MC OS REVIEWER: 99 ES	A 5960	EC	09-NOV-81	ER	EC	85
MIL-E-1/200C(1)	ELECTRON TUBE, RECEIVING TYPE 5641 (VALIDATION DATE: 8805) USER: 11 19 AS	A 5960	MS	20-MAY-88	ER	EC	85
MIL-E-1/205G(1)	CG MC SH REVIEWER: 17 99 AR						
MIL-E-1/206F(1)	ELECTRON TUBE, RECEIVING TYPE 5686 (VALIDATION DATE: 8302) USER: 11 AS CG	A 5960	MS	30-MAR-83	ER	EC	85
MIL-E-1/211E	MC ME OS SH REVIEWER: 99 ES						
MIL-E-1/212C	ELECTRON TUBE, RECEIVING TYPE 5718 USER: 11 19 AS CG MC OS SH REVIEWER: 99	A 5960	EC	12-SEP-90	ER	EC	85
MIL-E-1/215A	ES						
MIL-E-1/215A	ELECTRON TUBE, RECEIVING TYPE 5719 USER: 11 AR AS CG MC OS SH REVIEWER: 99	A 5960	EC	12-SEP-90	ER	EC	85
MIL-E-1/223F(1)	ES						
MIL-E-1/232C NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 5896 (VALIDATION DATE: 8505) USER: 11 AS CG	A 5960	EC	12-DEC-78	ER	EC	85
MIL-E-1/240C NOTICE 1	MC OS SH REVIEWER: 17 99 ES						
MIL-E-1/243D(1)	ELECTRON TUBE, RECEIVING TYPE 5902 (VALIDATION DATE: 8505) USER: 11 AS CG	A 5960	EC	12-JAN-79	ER	EC	85
MIL-E-1/245D(2)	MC OS REVIEWER: 99 ES MI						
MIL-E-1/246J(1)	ELECTRON TUBE, RECEIVING TYPE 5644 (VALIDATION DATE: 8704) REVIEWER: 17 ...	A 5960	MS	17-APR-87	ER	EC	85
MIL-E-1/262F							
MIL-E-1/263F	ELECTRON TUBE, RECEIVING TYPE 5977 USER: 11 AS CG MC ME OS REVIEWER: 99 ES	A 5960	EC	12-SEP-90	ER	EC	85
MIL-E-1/264F	ELECTRON TUBE, RECEIVING TYPE 6021W 1/ AND 6021WSPL 2/ USER: 11 AS AV CG	A 5960	EC	06-JAN-83	ER	EC	85
MIL-E-1/267E	MC ME OS SH REVIEWER: 99 AR						
MIL-E-1/270C NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 6112 (VALIDATION DATE: 8505) USER: 11 AS CG	A 5960	EC	15-NOV-78	ER	EC	85
	MC OS REVIEWER: 17 99 AR ES MI						
	ELECTRON TUBE, RECEIVING TYPE 6846 (VALIDATION DATE: 8704) REVIEWER: 80 99	A 5960	MS	17-APR-87	ER	EC	85
	ELECTRON TUBE, RECEIVING TYPE 6P5 (VALIDATION DATE: 8905) USER: 19 AS CG	A 5960	ER	31-MAY-89	ER	EC	85
	MC ME OS REVIEWER: 99 ES						
	ELECTRON TUBE, RECEIVING TYPES OC3A AND OC3W (VALIDATION DATE: 8905) USER:	A 5960	ER	31-MAY-89	ER	EC	85
	11 19 AS CG MC OS REVIEWER: 99 AR ES MI						
	ELECTRON TUBE, RECEIVING TYPE OB3 & OB3A (VALIDATION DATE: 8304) USER: 19	A 5960	EC	26-FEB-71	ER	EC	85
	AS CG MC OS REVIEWER: 11 99 ES						
	ELECTRON TUBE, RECEIVING TYPES OD3 AND OD3W USER: 11 AS CG MC ME OS	A 5960	EC	12-SEP-90	ER	EC	85
	REVIEWER: 99 AR ES						
	ELECTRON TUBE, RECEIVING TYPE 6L08B USER: 11 19 AS CG MC OS REVIEWER: 17	A 5960	EC	15-AUG-85	ER	EC	85
	99 AR ES						
	ELECTRON TUBES, RECEIVING TYPES 6SC7, 6SC7GT, AND 12SC7 (VALIDATION DATE:	A 5960	ER	01-JUN-89	ER	EC	80
	8906) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES						
	ELECTRON TUBE, KLYSTRON TYPE 6133 USER: AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	12-SEP-90	ER	EC	85
	ELECTRON TUBE, MAGNETRON TYPE 5326 (VALIDATION DATE: 8304) USER: 11 AS AV	A 5960	EC	10-NOV-76	ER	EC	85
	CG MC ME OS REVIEWER: 99 ES						
	ELECTRON TUBE, GAS SWITCHING TYPE 1B27 (VALIDATION DATE: 8104) USER: 11 AS	A 5960	EC	05-JUN-75	ER	EC	85
	CG MC SH REVIEWER: 99 ES						
	ELECTRON TUBE, POWER TYPE 3C24 (VALIDATION DATE: 8104) USER: AS CG MC OS	A 5960	EC	18-DEC-74	ER	EC	85
	SH REVIEWER: 11 17 99 AR ES						
	ELECTRON TUBE, TRANSMITTING TYPE 3E29 (VALIDATION DATE: 8404) USER: AS CG	A 5960	EC	13-AUG-71	ER	EC	85
	MC REVIEWER: 99 ES						
	ELECTRON TUBE, TRANSMITTING TYPE 832A USER: 19 AS AV CG MC ME OS SH	A 5960	EC	14-APR-83	ER	EC	85
	REVIEWER: 11 99 ES						
	ELECTRON TUBE, RECEIVING TYPE 5AMG & 523 (VALIDATION DATE: 8304) USER: 19	A 5960	EC	01-DEC-70	ER	EC	85
	AS CG MC ME OS REVIEWER: 11 99 ES						
	ELECTRON TUBE, RECEIVING TYPE 114 (VALIDATION DATE: 8906) USER: 11 AR AS	A 5960	ER	01-JUN-89	ER	EC	85
	CG MC OS REVIEWER: 99 ES						
	ELECTRON TUBE, RECEIVING TYPE 6098 (VALIDATION DATE: 8906) REVIEWER: AR ES	A 5960	ER	01-JUN-89	ER	EC	85
	MI						
	ELECTRON TUBE, RECEIVING TYPE 6J08B USER: 19 AR AS CG MC ME OS REVIEWER:	A 5960	EC	12-DEC-85	ER	EC	85
	11 99 ES						
	ELECTRON TUBE, RECEIVING TYPE 6188 (VALIDATION DATE: 8704) REVIEWER: 99 ...	A 5960	MS	17-APR-87	ER	EC	85
	ES MI						
	ELECTRON TUBE, RECEIVING TYPE 6189W USER: AS CG MC OS SH REVIEWER: 11 99	A 5960	EC	14-OCT-81	ER	EC	85
	ES MI						
	ELECTRON TUBE, RECEIVING TYPE 6203 USER: 11 AR AS CG REVIEWER: 99 ES MC ...	A 5960	EC	03-APR-81	ER	EC	85
	ELECTRON TUBE, RECEIVING TYPE 6X4MA USER: 11 AS CG MC OS REVIEWER: 99 AR	A 5960	EC	17-FEB-81	ER	EC	85
	ES MI						
	ELECTRON TUBE, KLYSTRON JAN-6236 (VALIDATION DATE: 8304) USER: AS CG MC	A 5960	EC	26-JAN-71	ER	EC	85
	REVIEWER: 11 99 ES MI						
	ELECTRON TUBE, CATHODE RAY TYPES 3MP1 & 3MP2 (VALIDATION DATE: 8404) USER:	A 5960	EC	18-AUG-71	ER	EC	85
	AR AS CG MC REVIEWER: 11 17 99 ES MI						
	ELECTRON TUBE, RECEIVING TYPE 6286 (VALIDATION DATE: 8906) USER: AS CG MC	A 5960	ER	01-JUN-89	ER	EC	80
	SH REVIEWER: 11 17 99 AR ES						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONSAction  
Orig / Chg  
Coordinator  
Initiative  
Document  
NumberDocument  
TitleDist. Rpt.  
FDC / Area  
MCA Symbol  
Preparing Inst.  
DateCustodian  
Army  
Navy  
Air Force  
DLA

MIL-E-1/2720	ELECTRON TUBE, CATHODE RAY TYPE 2BP1 & 2BP11 (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES MI	A 5960	EC	11-MAY-76	ER	EC	85
MIL-E-1/273H	ELECTRON TUBES, CATHODE RAY TYPES 5CP1A, 5CP1B & 5CP12 USER: 11 19 AS CG MC OS REVIEWER: 99 AR ES	A 5960	EC	23-APR-84	ER	EC	85
MIL-E-1/275C	ELECTRON TUBE, CATHODE RAY TYPE 5LP1A, 5LP5A, 5LP7A, & 5LP11A (VALIDATION DATE: 8204) USER: AR AS CG MC OS REVIEWER: 11 99 ES	A 5960	EC	10-MAR-76	ER	EC	85
MIL-E-1/276B	ELECTRON TUBE, CATHODE RAY TYPES 5RP2 & 5RP7A 1/ (VALIDATION DATE: 8404) USER: 11 AS CG MC OS REVIEWER: 17 99 ES	A 5960	EC	21-JUL-72	ER	EC	85
MIL-E-1/281E NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 5678 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS SH REVIEWER: 99 ES	A 5960	ER	01-JUN-89	ER	EC	80
MIL-E-1/2900	ELECTRON TUBE, RECEIVING TYPE 6A2MA (VALIDATION DATE: 8304) USER: 17 AS CG MC REVIEWER: 99 AR ES MI	A 5960	EC	01-FEB-71	ER	EC	85
MIL-E-1/2920(1)	ELECTRON TUBE, RECEIVING TYPE 5829MA USER: AR AS CG MC OS REVIEWER: 11 99 ES MI	A 5960	EC	09-FEB-82	ER	EC	85
MIL-E-1/296C(2)	ELECTRON TUBE REFERENCE CAVITY TYPES 1Q22, 1Q23, 1Q24, 5846, 6040, 6041 REVIEWER: 11 80 AR SH	A 5960	BS	28-FEB-92	ER	EC	85
MIL-E-1/297C(1)	ELECTRON TUBE, MAGNETRON TYPE 2J55 (VALIDATION DATE: 8104) USER: 11 AS CG OS SH REVIEWER: 99 ES	A 5960	EC	05-JUN-75	ER	EC	85
MIL-E-1/299E	ELECTRON TUBE, GAS SWITCHING TYPE 5927 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: 11 17 99 AR ES	A 5960	EC	31-DEC-70	ER	EC	85
MIL-E-1/301C(1)	ELECTRON TUBE, POWER TYPE 578 USER: 11 AR MC REVIEWER: 17 80 99 ES	A 5960	EC	16-AUG-89	ER	EC	85
MIL-E-1/302M(1) NOTICE 1	ELECTRON TUBE, POWER TYPE 8172 (VALIDATION DATE: 8704) USER: AS CG ME OS REVIEWER: 11 99 ES SH	A 5960	BS	07-OCT-81	ER	EC	85
MIL-E-1/306C	ELECTRON TUBE, POWER TYPE 5667 (VALIDATION DATE: 8104) USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960	EC	09-MAY-75	ER	EC	85
MIL-E-1/311J	ELECTRON TUBE, CATHODE RAY TYPE 3ACP1A, 3ACP2A & 3ACP7A (VALIDATION DATE: 8204) USER: AS AV CG MC ME OS REVIEWER: 11 17 80 99 ES	A 5960	EC	20-JUL-76	ER	EC	85
MIL-E-1/325C	ELECTRON TUBE, RECEIVING TYPE 1R5 (VALIDATION DATE: 8404) USER: 11 19 AR AS CG MC OS REVIEWER: 99 ES	A 5960	EC	17-MAR-78	ER	EC	85
MIL-E-1/327D NOTICE 1	ELECTRON TUBES, RECEIVING TYPES 1S5 AND 1U5 (VALIDATION DATE: 8906) USER: 17 19 AR AS CG MC OS REVIEWER: 99 ES	A 5960	ER	01-JUN-89	ER	EC	85
MIL-E-1/333B(1)	ELECTRON TUBE, RECEIVING TYPE 2C51	A 5960	ER	26-SEP-89	ER		
MIL-E-1/334A	ELECTRON TUBE, RECEIVING TYPE 2C53 (VALIDATION DATE: 8304) USER: 19 AS CG MC MI OS REVIEWER: 11 99 ES	A 5960	EC	30-MAR-70	ER	EC	85
MIL-E-1/335A	ELECTRON TUBE, TRANSMITTING TYPE 2E22 (VALIDATION DATE: 8404) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	20-FEB-70	EM	EC	85
MIL-E-1/338F	ELECTRON TUBE, TRANSMITTING TYPE 2E26 (VALIDATION DATE: 8304) USER: 11 AS CG MC OS REVIEWER: 99 AR ES	A 5960	EC	16-MAR-77	EM	EC	85
MIL-E-1/343B(1)	ELECTRON TUBE, RECEIVING TYPES 3Q4 AND 3V4 (VALIDATION DATE: 8304) USER: 11 19 AS AV CG MC OS REVIEWER: 99 ES	A 5960	EC	17-AUG-77	ER	EC	85
MIL-E-1/344C	ELECTRON TUBE, RECEIVING TYPE 5R4GA USER: 11 19 AS CG MC OS REVIEWER: 99 ES	A 5960	EC	18-OCT-84	EM	EC	85
MIL-E-1/351A(1)	ELECTRON TUBE, RECEIVING TYPE 6A84 (VALIDATION DATE: 8404) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	05-MAR-70	ER	EC	85
MIL-E-1/358B	ELECTRON TUBE, RECEIVING TYPE 6A35 (VALIDATION DATE: 8304) USER: 17 19 AS CG MC OS REVIEWER: 11 99 ES	A 5960	EC	07-AUG-70	ER	EC	85
MIL-E-1/363A(1) NOTICE 1	ELECTRON TUBES, RECEIVING TYPES 6SF7 AND 12SF7 USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES SH	A 5960	BS	01-SEP-89	ER	EC	85
MIL-E-1/365C NOTICE 1	ELECTRON TUBE, RECEIVING TYPES 6SG7 AND 12SG7 (VALIDATION DATE: 8704) USER: AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	BS	20-APR-73	ER	EC	85
MIL-E-1/368E NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE 5865 (VALIDATION DATE: 8710) USER: AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960	EC	13-OCT-87	ER	EC	85
MIL-E-1/370E(1)	ELECTRON TUBE, GAS SWITCHING TYPE 6322 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 99 ES	A 5960	EC	05-JUN-75	ER	EC	85
MIL-E-1/371B	ELECTRON TUBE, POWER TYPE 5680 (VALIDATION DATE: 8304) USER: MC OS REVIEWER: 99 CG ES	A 5960	EC	23-SEP-70		EC	85
MIL-E-1/372A NOTICE 2	ELECTRON TUBE, FORCED-AIR COOLED TRIODE (VALIDATION DATE: 8304) USER: 17 AS MC OS REVIEWER: 85 CG ES	A 5960	EC	01-OCT-70		EC	
MIL-E-1/373C(1) NOTICE 1	ELECTRON TUBE, MAGNETRON TYPE 6002 (VALIDATION DATE: 8704) REVIEWER: 11 80 99 ES SH	A 5960	BS	20-AUG-75	ER	EC	85
MIL-E-1/374D(1)	ELECTRON TUBE, KLYSTRON TYPE 2K48 (VALIDATION DATE: 8204) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	20-JUL-76	ER	EC	85
MIL-E-1/375D	ELECTRON TUBE, THYRATRON TYPE 5684 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	09-MAY-75	ER	EC	85
MIL-E-1/381D(1)	ELECTRON TUBE, TRANSMITTING TYPE 6293 (VALIDATION DATE: 8204) USER: AR AS CG MC OS REVIEWER: 17 ES MI	A 5960	EC	11-FEB-76	ER	EC	85
MIL-E-1/383C NOTICE 1	ELECTRON TUBE, MAGNETRON, TYPE 6344A (NAVY) (VALIDATION DATE: 8710) USER: AS CG MC OS REVIEWER: ES	A 5960	EC	13-OCT-87		EC	
MIL-E-1/384B(1)	ELECTRON TUBE, GAS SWITCHING TYPE 6081 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	16-JUN-75	ER	EC	85
MIL-E-1/385B	ELECTRON TUBE, CATHODE RAY TYPE 30P1A & 30P1A PLUS S2 (VALIDATION DATE: 8104) USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960	EC	12-DEC-74	ER	EC	85
MIL-E-1/390D(1) NOTICE 1	ELECTRON TUBE, CATHODE RAY TYPES 3RP1 AND 3RP1A (VALIDATION DATE: 8906) USER: AS CG MC OS REVIEWER: 11 17 99 AR ES MI	A 5960	ER	01-JUN-89	ER	EC	85
MIL-E-1/396G	ELECTRON TUBE, GAS SWITCHING TYPE 5939A (VALIDATION DATE: 8404) USER: AS CG OS REVIEWER: 11 17 99 ES	A 5960	EC	04-OCT-77	ER	EC	85
MIL-E-1/410C	ELECTRON TUBE, PHOTOTUBE, VACUUM JAN-922 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	13-DEC-71	ER	EC	85
MIL-E-1/422G(3)	ELECTRON TUBE, CATHODE RAY TYPES 7YP1, 7YP2, AND 7YP7 USER: 11 AS AV CG MC ME OS REVIEWER: 17 99 ES	A 5960	EC	10-AUG-90	ER	EC	85
MIL-E-1/424B(2)	ELECTRON TUBE, RECEIVING TYPE 6F4 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	24-OCT-74	ER	EC	85
MIL-E-1/429D NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 6L7 (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS REVIEWER: 11 99 ES	A 5960	ER	01-JUN-89	ER	EC	85
MIL-E-1/431B	ELECTRON TUBE, RECEIVING TYPE 6X5MG7 (VALIDATION DATE: 8204) USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES	A 5960	EC	11-FEB-76	ER	EC	85
MIL-E-1/432B(1)	ELECTRON TUBE, RECEIVING TYPE 6Y6GT USER: 19 AS AV CG MC ME OS REVIEWER: 99 ES	A 5960	EC	01-APR-83	ER	EC	85
MIL-E-1/436B NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 12BA6 (VALIDATION DATE: 8704) USER: 17 19 AS CG MC OS REVIEWER: 99 ES	A 5960	BS	21-NOV-75	ER	EC	85
MIL-E-1/441B NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 35MA (VALIDATION DATE: 8906) USER: 19 AR AS CG MC OS SH REVIEWER: 11 99 AR ES	A 5960	ER	01-JUN-89	ER	EC	85
MIL-E-1/463A	ELECTRON TUBE, RECEIVING TYPE 5656 (VALIDATION DATE: 8304) USER: 19 AS CG MC OS REVIEWER: 11 99 ES	A 5960	EC	15-OCT-70	ER	EC	85
MIL-E-1/466B	ELECTRON TUBE, RECEIVING TYPE 5842 (VALIDATION DATE: 8104) USER: 17 AS CG MC ME OS REVIEWER: 11 99 AR ES	A 5960	EC	04-FEB-75	ER	EC	85
MIL-E-1/467A NOTICE 1	ELECTRON TUBE, RECEIVING PENTODE, HIGH GAIN JAN 5847 (USE MIL-E-1/1617) (VALIDATION DATE: 8301) USER: 11 AS CG MC OS REVIEWER: 99 AR MI	A 5960	ER	04-JAN-71		EC	85
MIL-E-1/470C	ELECTRON TUBE, RECEIVING TYPE 5915 (VALIDATION DATE: 8304) USER: AS CG MC ME OS REVIEWER: 11 99 AR ES SH	A 5960	EC	25-APR-77	ER	EC	85
MIL-E-1/476B	ELECTRON TUBE, RECEIVING TYPE 9006 (VALIDATION DATE: 8104) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	04-DEC-68	ER	EC	85
MIL-E-1/478E NOTICE 1	ELECTRON TUBE, KLYSTRON TYPE 8116 (VALIDATION DATE: 8704) USER: AS CG OS REVIEWER: 11 17 99 ES	A 5960	BS	23-NOV-70	ER	EC	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Machine Document Number	Document Title	Dist. Syst. FAC / Ave MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-E-1/480C	ELECTRON TUBE, CATHODE RAY TYPE 5SP1A, 5SP7A, & 5SP11A [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 11 99 ES	A 5960 EC 17-SEP-71	ER	EC	85	
MIL-E-1/484D	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6299 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 EC 31-MAR-75	ER	EC	85	
MIL-E-1/485E	ELECTRON TUBE, KLYSTRON 1 TYPE DOD 002 [VALIDATION DATE: 8204] USER: AS CG MC ME OS REVIEWER: 11 99 ES	A 5960 EC 20-FEB-76	ER	EC	85	
MIL-E-1/496C(1)	ELECTRON TUBE, KLYSTRON TYPE 2K28 [VALIDATION DATE: 8304] USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960 EC 23-OCT-70	ER	EC	85	
MIL-E-1/500B	ELECTRON TUBE, KLYSTRON TYPE 726B [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: 11 99 ES	A 5960 EC 01-FEB-71	ER	EC	85	
MIL-E-1/501B NOTICE 1	ELECTRON TUBE, CATHODE RAY TYPE 3KP1 [VALIDATION DATE: 8906] USER: AR AS CG MC OS SH REVIEWER: 11 17 ES	A 5960 ER 01-JUN-89	ER	EC	80	
MIL-E-1/504E	ELECTRON TUBE, GAS SWITCHING TYPE 5853 [VALIDATION DATE: 8304] USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES	A 5960 EC 08-JUL-77	ER	EC	85	
MIL-E-1/505F(1)	ELECTRON TUBE, GAS TYPE 5962 USER: 11 AS CG MC ME OS REVIEWER: 17 99 ES ...	A 5960 EC 23-APR-84	ER	EC	85	
MIL-E-1/507F NOTICE 1	ELECTRON TUBE, MAGNETRON, PULSE TYPE 7452A [VALIDATION DATE: 8906] REVIEWER: ES	A 5960 ER 01-JUN-89	ER			
MIL-E-1/516A	ELECTRON TUBE, RECEIVING TYPE 68H6 [VALIDATION DATE: 8304] USER: 17 19 AS CG MC OS REVIEWER: 11 99 ES MI	A 5960 EC 19-MAY-70	ER	EC	85	
MIL-E-1/521B	ELECTRON TUBE, RECEIVING TYPE 65J7, 65J7MGT, & 125J7 [VALIDATION DATE: 8204] USER: AR AS CG MC OS REVIEWER: 99 ES	A 5960 EC 15-APR-76	ER	EC	85	
MIL-E-1/566B	ELECTRON TUBE, RECEIVING TYPE 6K6GT [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES	A 5960 EC 24-JUL-70	ER	EC	85	
MIL-E-1/571B	ELECTRON TUBE, RECEIVING TYPE 12B66 [VALIDATION DATE: 8304] USER: 17 MC REVIEWER: 99 ES	A 5960 EC 23-JUL-70	ER	EC	85	
MIL-E-1/581C(1)	ELECTRON TUBE, GAS TYPE 83 USER: 11 AR AS REVIEWER: 17 80 99 ES .....	A 5960 EC 16-AUG-89	ER	EC	85	
MIL-E-1/588A	ELECTRON TUBE, CATHODE RAY TYPE 2AP1A [VALIDATION DATE: 8104] USER: 17 MC REVIEWER: 85 ES	A 5960 EC 18-DEC-74	ER	EC		
MIL-E-1/590A	ELECTRON TUBE, CATHODE RAY TYPE 3FP7A [VALIDATION DATE: 8104] USER: 11 19 AS CG MC ME OS SH REVIEWER: 17 99 ES	A 5960 EC 30-SEP-74	ER	EC	85	
MIL-E-1/591C	ELECTRON TUBE, RECEIVING TYPE 12AV7 [VALIDATION DATE: 8304] USER: 17 19 AS CG MC MI OS REVIEWER: 99 ES	A 5960 EC 17-FEB-70	ER	EC	85	
MIL-E-1/592A	ELECTRON TUBE, CATHODE RAY TYPE 5BP1A & 5HP1A [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 EC 14-JAN-75	ER	EC	85	
MIL-E-1/594A	ELECTRON TUBE, CATHODE RAY TYPE 3BP1A [VALIDATION DATE: 8104] USER: 17 MC MI REVIEWER: 99 ES	A 5960 EC 14-JAN-75	ER	EC	85	
MIL-E-1/596B	ELECTRON TUBE, RECEIVING TYPE 25L6GT & 50L6GT [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 ES	A 5960 EC 07-AUG-70	ER	EC	85	
MIL-E-1/597D	ELECTRON TUBE, PHOTOMULTIPLIER TYPE 931VA [VALIDATION DATE: 8404] USER: CG MC OS REVIEWER: 99 ES	A 5960 EC 15-NOV-71	ER	EC	85	
MIL-E-1/601D NOTICE 1	ELECTRON TUBE KLYSTRON JAN 5836 [VALIDATION DATE: 8704] REVIEWER: 80 99 ES MI	A 5960 BS 14-MAR-75	ER	EC	85	
MIL-E-1/602D	ELECTRON TUBE, KLYSTRON TYPE 5837 [VALIDATION DATE: 8204] USER: 19 AS CG MC OS SH REVIEWER: 11 99 ES	A 5960 EC 19-NOV-74	ER	EC	85	
MIL-E-1/605D NOTICE 1	ELECTRON TUBE, KLYSTRON TYPE 6310 [VALIDATION DATE: 8704] USER: 11 CG MC REVIEWER: 99 ES SH	A 5960 BS 17-APR-87	ER	EC	85	
MIL-E-1/607B	ELECTRON TUBE, GAS SWITCHING ATR JAM5921 5922 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS SA REVIEWER: 11 17 99 ES	A 5960 EC 02-NOV-70	ER	EC	85	
MIL-E-1/609E	ELECTRON TUBE, GAS SWITCHING TR JAN 1824A [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES MI	A 5960 EC 27-JAN-71	ER	EC	85	
MIL-E-1/610E	ELECTRON TUBE, GAS TYPES 3C23 AND 323B [VALIDATION DATE: 8204] USER: 19 AS CG MC OS REVIEWER: 11 99 AR ES	A 5960 EC 18-MAR-76	ER	EC	85	
MIL-E-1/612D	ELECTRON TUBE, GAS TYPE 249C [VALIDATION DATE: 8104] USER: 17 AS CG MC OS SH REVIEWER: 99 ES	A 5960 EC 30-APR-75	ER	EC	85	
MIL-E-1/615C	ELECTRON TUBE, POWER TYPE 4831 [VALIDATION DATE: 8204] USER: 11 AS AV CG MC OS REVIEWER: 99 AR ES	A 5960 EC 02-FEB-76	ER	EC	85	
MIL-E-1/617A	ELECTRON TUBE, RECEIVING TYPE 35L6GT [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 99 ES	A 5960 EC 24-SEP-68	ER	EC	85	
MIL-E-1/626B(1) NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 1U4 [VALIDATION DATE: 8906] USER: 11 19 AR AS CG MC OS REVIEWER: 99 ES	A 5960 ER 01-JUN-89	ER	EC	85	
MIL-E-1/629D	ELECTRON TUBE, RECEIVING TYPE 2AC15 & 2AS15 USER: 19 AS CG MC OS REVIEWER: 11 99 ES	A 5960 EC 03-MAY-84	ER	EC	85	
MIL-E-1/633A	ELECTRON TUBE, RECEIVING TYPE 6M7 & 6M7GT USER: AR AT AV ME REVIEWER: AS ES MI	A 5960 EC 17-JUL-84	CR	EC	11	
MIL-E-1/634B	ELECTRON TUBE, RECEIVING TYPE 6K7 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 EC 10-MAR-75	ER	EC	85	
MIL-E-1/636B	ELECTRON TUBE, RECEIVING TYPE 6SN7 & 12SH7 [VALIDATION DATE: 8104] USER: 19 CG ME OS REVIEWER: 99 ES	A 5960 EC 14-NOV-68	ER	EC	85	
MIL-E-1/639E	ELECTRON TUBE, 12AV7 [VALIDATION DATE: 8104] USER: 19 AS CG MC SH REVIEWER: 17 99 ES	A 5960 EC 10-MAR-75	ER	EC	85	
MIL-E-1/652B NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 9001 [VALIDATION DATE: 8710] USER: 17 19 AS CG MC ME OS REVIEWER: 99 ES	A 5960 EC 13-OCT-87	ER	EC	85	
MIL-E-1/653B(2)	ELECTRON TUBE, RECEIVING TYPE 9002 [VALIDATION DATE: 8304] USER: AS CG MC ME OS REVIEWER: 11 99 ES	A 5960 EC 25-JAN-77	ER	EC	85	
MIL-E-1/654B NOTICE 1	ELECTRON TUBE, TYPE 9003 [VALIDATION DATE: 8601] USER: 17 19 AS CG MC ME OS REVIEWER: 99 ES	A 5960 EC 18-APR-68	ER	EC	85	
MIL-E-1/663E	ELECTRON TUBE, RECEIVING TYPE 6SN7MGT USER: AS CG MC ME OS REVIEWER: 11 99 ES MI	A 5960 EC 14-APR-83	ER	EC	85	
MIL-E-1/664D	ELECTRON TUBE, THYRATRON TYPE 5665 [VALIDATION DATE: 8404] USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES	A 5960 EC 14-JUL-78	ER	EC	85	
MIL-E-1/665D NOTICE 1	ELECTRON TUBE, MAGNETRON TYPE 6410A [VALIDATION DATE: 8906] USER: AS CG MC OS SH REVIEWER: 11 17 99 AR ES	A 5960 ER 01-JUN-89	ER	EC	80	
MIL-E-1/666F	ELECTRON TUBE, MAGNETRON TYPE 6177A [VALIDATION DATE: 8104] USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 EC 19-NOV-74	ER	EC	85	
MIL-E-1/667G	ELECTRON TUBE, MAGNETRON TYPE 2J42 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 99 ES	A 5960 EC 07-JUL-75	ER	EC	85	
MIL-E-1/668D(1)	ELECTRON TUBE, KLYSTRON TYPE 6312 USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960 EC 16-DEC-82	ER	EC	85	
MIL-E-1/670E(1)	ELECTRON TUBE, MICROWAVE TYPE 6173 [VALIDATION DATE: 8505] USER: 19 AS CG MC OS REVIEWER: 11 17 99 AR ES MI	A 5960 EC 27-NOV-78	ER	EC	85	
MIL-E-1/671B(1) NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 2806 USER: 17 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960 ER 26-SEP-89	ER	EC	85	
MIL-E-1/673A	ELECTRON TUBE, RECEIVING TYPE 35C5 [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 99 ES MI	A 5960 EC 27-SEP-68	ER	EC	85	
MIL-E-1/689E NOTICE 1	ELECTRON TUBES, CATHODE RAY TYPES 5ADP1, 5ADP2, 5ADP7, AND 5ADP14 [VALIDATION DATE: 8906] USER: AS CG MC OS REVIEWER: 11 99 AR CE ES	A 5960 ER 01-JUN-89	ER	EC	80	
MIL-E-1/690C NOTICE 1	ELECTRON TUBE, GAS TYPE 5517 [VALIDATION DATE: 8704] USER: 11 AR AS CG MC MI OS SH REVIEWER: 17 99 ES	A 5960 BS 17-APR-87	ER	EC	85	
MIL-E-1/694B	ELECTRON TUBE, RECEIVING TYPE 608B [VALIDATION DATE: 8104] USER: 19 AS CG MC ME OS REVIEWER: 99 ES	A 5960 EC 14-NOV-68	ER	EC	85	
MIL-E-1/714E	ELECTRON TUBE, THYRATRON TYPE 6012 [VALIDATION DATE: 8104] USER: 11 REVIEWER: 17 99 AR ES	A 5960 EC 22-MAY-75	ER	EC	85	
MIL-E-1/730B	ELECTRON TUBE, KLYSTRON TYPE 2K41 [VALIDATION DATE: 8204] USER: 11 AS CG MC ME OS SH REVIEWER: 99 AR ES	A 5960 EC 02-FEB-76	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Correlation Indicate	Document Number	Document Title	Doc. Smt. Fnc / Area	MCA Symbol	Preparing Date	Custodian Army Navy Air Force DLA
	MIL-E-1/732D	ELECTRON TUBE, KLYSTRON TYPE 2K45 (VALIDATION DATE: 8505) USER: AS CG MC OS REVIEWER: 11 17 99 ES MI	A 5960	EC	02-FEB-73	ER EC 85
	MIL-E-1/736B	ELECTRON TUBE, MICROWAVE TYPE 2B22 (VALIDATION DATE: 8104) USER: 19 AS CG MC OS REVIEWER: 99 ES	A 5960	EC	02-OCT-68	ER EC 85
	MIL-E-1/738C NOTICE 1	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C42 (VALIDATION DATE: 8704) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	85	17-APR-87	ER EC 85
	MIL-E-1/739C NOTICE 1	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C46 (VALIDATION DATE: 8704) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	85	17-APR-87	ER EC 85
	MIL-E-1/744G	ELECTRON TUBE, KLYSTRON TYPE 6B86 (VALIDATION DATE: 8505) USER: AS CG MC OS SH REVIEWER: 11 99 ES	A 5960	EC	01-MAY-73	ER EC 85
	MIL-E-1/745G	ELECTRON TUBE, KLYSTRON TYPE 6H46 (VALIDATION DATE: 8304) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	28-OCT-69	ER EC 85
	MIL-E-1/746G	ELECTRON TUBE, KLYSTRON 1 TYPE 6B86A (VALIDATION DATE: 8505) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	24-APR-73	ER EC 85
	MIL-E-1/747D	ELECTRON TUBE, CATHODE RAY JAN 3XP1 (VALIDATION DATE: 8204) USER: CG MC OS REVIEWER: 11 17 99 ES MI	A 5960	EC	20-JUL-76	ER EC 85
	MIL-E-1/749C	ELECTRON TUBE, RECEIVING TYPE 2X2A USER: 11 19 AS CG MC OS REVIEWER: 99 AR ES	A 5960	EC	18-DEC-80	ER EC 85
	MIL-E-1/751D(1)	ELECTRON TUBE, GAS TYPE 3B22 (VALIDATION DATE: 8204) USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960	EC	15-APR-76	ER EC 85
	MIL-E-1/753F	ELECTRON TUBE, POWER RECTIFIER, GAS TYPE 3B2B (VALIDATION DATE: 8104) USER: 11 14 19 AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	21-MAY-75	ER EC 85
	MIL-E-1/757J NOTICE 1	ELECTRON TUBE, GAS TYPE 5643 (VALIDATION DATE: 8601) USER: 19 AS CG MC OS REVIEWER: 11 17 99 ES ME MI	A 5960	EC	21-NOV-73	ER EC 85
	MIL-E-1/766C	ELECTRON TUBE, MAGNETRON TYPE 4J38 (VALIDATION DATE: 8204) USER: 11 AS CG MC OS SH REVIEWER: 99 ES	A 5960	EC	02-FEB-76	ER EC 85
	MIL-E-1/767B	ELECTRON TUBE, RECEIVING TYPE 6C6 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 99 ES	A 5960	EC	07-OCT-68	ER EC 85
	MIL-E-1/770C NOTICE 1	ELECTRON TUBE, MAGNETRON TYPES 5586 AND 5657 (VALIDATION DATE: 8704) USER: 11 AS CG SH REVIEWER: 99 ES	A 5960	85	17-APR-87	ER EC 85
	MIL-E-1/776D NOTICE 1	ELECTRON TUBE, POWER TYPE 4021 (VALIDATION DATE: 8802) USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES	A 5960	ER	08-FEB-88	ER EC 85
	MIL-E-1/779J	ELECTRON TUBE, RECEIVING TYPE 5687WB USER: 11 AS MC ME OS REVIEWER: 99 AR ES MI	A 5960	EC	28-JAN-81	ER EC 85
	MIL-E-1/781D	ELECTRON TUBE, THYRATRON TYPE 604 (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	05-MAY-75	ER EC 85
L	MIL-E-1/789B NOTICE 3	ELECTRON TUBE, TYPE OK427 (VALIDATION DATE: 8710) USER: MC REVIEWER: 17 85 AR ES	A 5960	EC	13-OCT-87	EC
	MIL-E-1/796B NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE 6024 (VALIDATION DATE: 8704) USER: AS CG MC OS SH REVIEWER: 99 AR	A 5960	85	17-APR-87	ER EC 85
	MIL-E-1/800E(2)	ELECTRON TUBE, MAGNETRON TYPE 4J52A USER: AR AS CG ME OS SH REVIEWER: 11 17 ES	A 5960	EC	15-APR-87	ER EC 85
	MIL-E-1/804A NOTICE 1	ELECTRON TUBE, RECEIVING, PENTODE, MINIATURE TYPE 6AK5WB (VALIDATION DATE: 9007) USER: 11 AS CG MC OS SH REVIEWER: 99 AR MI	A 5960	ER	06-JUL-90	ER EC 85
L	MIL-E-1/805A	ELECTRON TUBE, MAGNETRON TYPE 6402 (VALIDATION DATE: 8304) USER: AS CG MC OS REVIEWER: ES	A 5960	EC	08-OCT-70	EC
	MIL-E-1/806F	ELECTRON TUBE, THYRATRON TYPE 4C35A (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	09-MAY-75	ER EC 85
	MIL-E-1/810D	ELECTRON TUBE, CATHODE RAY TYPE 5AMP2 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	17-MAR-69	ER EC 85
	MIL-E-1/812C	ELECTRON TUBE, POWER TYPE 5022 (VALIDATION DATE: 8104) USER: AS CG MC OS REVIEWER: 11 17 99 ES SH	A 5960	EC	22-MAY-75	ER EC 85
	MIL-E-1/815C	ELECTRON TUBE, POWER TYPE 211W (VALIDATION DATE: 8104) USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	29-MAY-75	ER EC 85
	MIL-E-1/816C	ELECTRON TUBE, POWER TYPE 845W (VALIDATION DATE: 8104) USER: AS CG MC OS SH REVIEWER: 11 17 99 ES ME	A 5960	EC	12-DEC-74	ER EC 85
	MIL-E-1/818E	ELECTRON TUBE, THYRATRON TYPE 627B (VALIDATION DATE: 8104) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	16-JUN-75	ER EC 85
	MIL-E-1/821E	ELECTRON TUBE, RECEIVING TYPE 6094 USER: 11 AS CG MC ME OS SH REVIEWER: 17 99 ES MI	A 5960	EC	28-APR-83	ER EC 85
	MIL-E-1/824B	ELECTRON TUBE, POWER TYPE 5762 (VALIDATION DATE: 8104) USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	22-MAY-75	ER EC 85
	MIL-E-1/825D	ELECTRON TUBE, RECEIVING TYPE 5651MA (VALIDATION DATE: 8404) USER: AR AS CG MC OS REVIEWER: 11 17 99 ES MI	A 5960	EC	14-JAN-72	ER EC 85
	MIL-E-1/832A NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 12AL5 (VALIDATION DATE: 8906) USER: 19 AS AV CG MC OS SH REVIEWER: 11 AR ES MI	A 5960	ER	01-JUN-89	ER EC 99
	MIL-E-1/835B	ELECTRON TUBE, MAGNETRON TYPE 6510 (VALIDATION DATE: 8104) USER: 19 AS CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	05-FEB-69	ER EC 85
	MIL-E-1/837D	ELECTRON TUBE, GAS SWITCHING TYPE 6560 (VALIDATION DATE: 8404) USER: 19 AS CG OS REVIEWER: 11 17 99 ES	A 5960	EC	05-MAY-72	ER EC 85
	MIL-E-1/839E(1)	ELECTRON TUBE, RECEIVING TYPE 6A85MA USER: 11 AS CG ME OS REVIEWER: 99 AR ES MI	A 5960	EC	09-FEB-82	ER EC 85
	MIL-E-1/840E	ELECTRON TUBE, KLYSTRON TYPE 6390 (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 99 AR ES	A 5960	EC	15-APR-76	ER EC 85
	MIL-E-1/842C NOTICE 1	ELECTRON TUBE, THYRATRON TYPE 2050W (VALIDATION DATE: 8704) USER: 11 AR CG MC REVIEWER: 17 99 ES SH	A 5960	85	17-APR-87	ER EC 85
	MIL-E-1/843D	ELECTRON TUBE, RECEIVING TYPE 6216 (VALIDATION DATE: 8204) USER: 19 AS CG MC OS REVIEWER: 11 17 ES	A 5960	EC	20-FEB-76	ER EC 85
	MIL-E-1/844B(1)	ELECTRON TUBE, RECEIVING, BEAM TETRODE, SUBMINIATURE JAN 6397 (VALIDATION DATE: 8204) USER: 19 AR AS CG OS REVIEWER: 99 ES	A 5960	EC	15-APR-76	ER EC 85
	MIL-E-1/845D	ELECTRON TUBE, KLYSTRON TYPE 6115A (VALIDATION DATE: 8204) USER: 11 AS CG MC OS REVIEWER: 99 ES	A 5960	EC	15-MAR-76	ER EC 85
	MIL-E-1/846J	ELECTRON TUBE, MAGNETRON TYPE 2J51A (VALIDATION DATE: 8204) USER: AR AS AV CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	18-MAR-76	ER EC
L	MIL-E-1/848B NOTICE 1	ELECTRON TUBE, MAGNETRON TYPE 6551 (VALIDATION DATE: 8805) REVIEWER: 11 ...	A 5960	85	20-MAY-88	85
	MIL-E-1/849F	ELECTRON TUBE, MAGNETRON TYPE 6543 (VALIDATION DATE: 8204) USER: AS CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	20-FEB-76	ER EC 85
	MIL-E-1/851G NOTICE 1	ELECTRON TUBE, MAGNETRON JAN 5780 (VALIDATION DATE: 8601) USER: AS CG MC OS SH REVIEWER: 11 17 99 AR ES MI	A 5960	EC	05-MAY-75	ER EC 85
	MIL-E-1/852D	ELECTRON TUBE, TRANSMITTING TYPE 5933MA USER: 11 AS CG MC OS REVIEWER: 99 ES	A 5960	EC	23-MAR-81	ER EC 85
	MIL-E-1/853B	ELECTRON TUBE, TRANSMITTING TYPE 829B (VALIDATION DATE: 8204) USER: 19 AS CG MC ME OS REVIEWER: 11 99 AR ES	A 5960	EC	01-JUL-76	ER EC 85
	MIL-E-1/857E	ELECTRON TUBE, RECEIVING TYPE 6C4MA USER: 19 AS CG MC OS REVIEWER: 11 99 AR ES MI	A 5960	EC	18-FEB-81	ER EC 85
L	MIL-E-1/858A	ELECTRON TUBE, TYPE 6542 (VALIDATION DATE: 8704) REVIEWER: 99 ES .....	A 5960	85	17-APR-87	85
	MIL-E-1/864E	ELECTRON TUBE, RECEIVING TYPE 6CL6 (VALIDATION DATE: 8404) USER: AS CG MC OS REVIEWER: 11 17 99 ES MI	A 5960	EC	09-FEB-72	ER EC 85
	MIL-E-1/866D	ELECTRON TUBE, CATHODE RAY TYPES 7ABP7A & 7ABP19A (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 11 17 99 ES MI	A 5960	EC	13-AUG-71	ER EC 85
	MIL-E-1/867B NOTICE 1	ELECTRON TUBE, POWER TYPE 4032 (VALIDATION DATE: 8704) USER: AS MC REVIEWER: 11 17 99 ES	A 5960	85	17-APR-87	ER EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / On Coordination Machine	Document Number	Document Title	Doc. Syst. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-E-1/868E(1) NOTICE 1	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C40A [VALIDATION DATE: 8704] USER: AR AS CG MC OS REVIEWER: 11 99 ES	A 5960	BS	17-APR-87	ER	EC	BS	
	MIL-E-1/869F	ELECTRON TUBE, POWER TYPE 304TL [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 AR ES	A 5960	EC	05-MAY-75	ER	EC	BS	
	MIL-E-1/871D	ELECTRON TUBE, POWER TYPE 811A [VALIDATION DATE: 8304] USER: 19 AS AV CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	05-MAR-70	ER	EC	BS	
	MIL-E-1/876E(2)	ELECTRON TUBE, POWER TYPE 8165 [VALIDATION DATE: 8204] USER: 19 AS CG MC ME OS REVIEWER: 11 17 99 ES MI	A 5960	EC	15-APR-76	ER	EC	BS	
	MIL-E-1/877C	ELECTRON TUBE, POWER TYPE 100TH [VALIDATION DATE: 8104] USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES	A 5960	EC	09-MAY-75	ER	EC	BS	
	MIL-E-1/878D NOTICE 1	ELECTRON TUBE, POWER TYPE 250TH [VALIDATION DATE: 8906] USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960	ER	01-JUN-89	ER	EC	BS	
	MIL-E-1/884E	ELECTRON TUBE, POWER TYPE 304TH USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES	A 5960	EC	05-APR-85	ER	EC	BS	
	MIL-E-1/887B NOTICE 1	ELECTRON TUBE, POWER TYPE 843B [VALIDATION DATE: 8906] USER: 19 AR AS AV CG MC OS SH REVIEWER: 11 99 ES	A 5960	ER	01-JUN-89	ER	EC	BS	
	MIL-E-1/889F NOTICE 1	ELECTRON TUBE, POWER TYPE 7203 [VALIDATION DATE: 8906] USER: 19 AR AS AV CG MC ME OS SH REVIEWER: 99 ES	A 5960	ER	01-JUN-89	ER	EC	BS	
	MIL-E-1/891B	ELECTRON TUBE, GAS TYPE 4832 [VALIDATION DATE: 8104] USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES	A 5960	EC	30-APR-75	ER	EC	BS	
	MIL-E-1/894E	ELECTRON TUBE, THYRATRON TYPE 884 USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	21-NOV-85	ER	EC	BS	
	MIL-E-1/898B(1) NOTICE 1	ELECTRON TUBE, THYRATRON TYPE 5560 USER: 14 AS CG MC REVIEWER: 11 17 99 ES	A 5960	EC	18-JUL-84	ER	EC	BS	
	MIL-E-1/901C	ELECTRON TUBE, KLYSTRON TYPE 6995 [VALIDATION DATE: 8204] USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES	A 5960	EC	20-FEB-76	ER	EC	BS	
	MIL-E-1/904D(1)	ELECTRON TUBE, RECEIVING TYPE 6167 [VALIDATION DATE: 8204] USER: 19 AS CG MC ME OS SH REVIEWER: 11 99 ES MI	A 5960	EC	02-FEB-76	ER	EC	BS	
L	MIL-E-1/905D NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 6211 [VALIDATION DATE: 8304] REVIEWER: ES ...	A 5960	EC	26-AUG-70		EC		
	MIL-E-1/906C(1)	ELECTRON TUBE, RADIATION COUNTER TYPE 5979 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: 11 99 ES	A 5960	EC	15-APR-76	ER	EC	BS	
	MIL-E-1/911C	ELECTRON TUBE, POWER TYPE 719A [VALIDATION DATE: 8104] USER: 14 19 AS CG MC OS REVIEWER: 11 99 ES	A 5960	EC	16-JUN-75	ER	EC	BS	
	MIL-E-1/912B	ELECTRON TUBE, POWER TYPE 836 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 11 99 ES	A 5960	EC	04-AUG-72	ER	EC	BS	
	MIL-E-1/913B	ELECTRON TUBE, GAS TYPE 869B [VALIDATION DATE: 8104] USER: 14 19 AS CG MC OS REVIEWER: 17 99 ES	A 5960	EC	10-JUL-75	ER	EC	BS	
	MIL-E-1/915B	ELECTRON TUBE, RECEIVING TYPE 1616 [VALIDATION DATE: 8204] USER: AS CG MC ME OS REVIEWER: 11 17 99 AR ES MI	A 5960	EC	10-MAR-76	ER	EC	BS	
	MIL-E-1/917D	ELECTRON TUBE, THYRATRON TYPE 5696 [VALIDATION DATE: 8104] USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 ES	A 5960	EC	22-MAY-75	ER	EC	BS	
	MIL-E-1/921C	ELECTRON TUBE, POWER TYPE 805 [VALIDATION DATE: 8204] USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	31-OCT-75	ER	EC	BS	
	MIL-E-1/923C	ELECTRON TUBE, KLYSTRON TYPE 6460 [VALIDATION DATE: 8505] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES MI	A 5960	EC	25-AUG-66	ER	EC	BS	
	MIL-E-1/9246(2)	ELECTRON TUBE, RECEIVING TYPE 5R4MB [VALIDATION DATE: 8907] USER: 11 AS CG MC OS REVIEWER: 99 AR ES MI SH	A 5960	BS	14-JUL-89	ER	EC	BS	
	MIL-E-1/928D	ELECTRON TUBE, POWER TYPE 813 [VALIDATION DATE: 8104] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	16-JUN-75	ER	EC	BS	
	MIL-E-1/933B NOTICE 1	ELECTRON TUBE, POWER TYPE 833A [VALIDATION DATE: 8704] USER: AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960	BS	17-APR-87	ER	EC	BS	
	MIL-E-1/934B	ELECTRON TUBE, TRANSMITTING TYPE 837 [VALIDATION DATE: 8204] USER: 11 AS CG MC ME OS REVIEWER: 99 ES	A 5960	EC	01-JUL-76	ER	EC	BS	
A	MIL-E-1/936C(1) NOTICE 1	ELECTRON TUBE, KLYSTRON JAN 5981 USER: 17 99 AS CG MC REVIEWER: ES .....	A 5960	EC	27-NOV-92	ER	EC	BS	
	MIL-E-1/940G	ELECTRON TUBE, RECEIVING TYPE 0B2WA [VALIDATION DATE: 8204] USER: AS CG MC ME OS REVIEWER: 11 99 AR ES MI	A 5960	EC	10-MAR-76	ER	EC	BS	
	MIL-E-1/942D	ELECTRON TUBE, RECEIVING TYPE 12BY7A [VALIDATION DATE: 8505] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	13-APR-67	ER	EC	BS	
	MIL-E-1/943C	ELECTRON TUBE, PHOTOMULTIPLIER TYPE 5819 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 11 99 ES	A 5960	EC	12-NOV-71	ER	EC	BS	
	MIL-E-1/945D	ELECTRON TUBE, MAGNETRON TYPES 2J49 AND 2J50 [VALIDATION DATE: 8104] USER: AS AV CG MC OS SH REVIEWER: 11 99 ES	A 5960	EC	08-MAY-75	ER	EC	BS	
	MIL-E-1/949B	ELECTRON TUBE, CATHODE TYPE 7AP7 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960	EC	19-NOV-74	ER	EC	BS	
	MIL-E-1/9526(1)	ELECTRON TUBE, RECEIVING TYPE 6AUMC USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES	A 5960	EC	05-AUG-81	ER	EC	BS	
L	MIL-E-1/953D	ELECTRON TUBE, RECEIVING TYPE 6386 USER: 11 AS CG MC ME OS REVIEWER: 99 ES MI	A 5960	EC	15-APR-81	ER	EC	BS	
	MIL-E-1/959D(2)	ELECTRON TUBE, POWER TYPE 576A [VALIDATION DATE: 8505] USER: 14 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES MI	A 5960	EC	15-NOV-78	ER	EC	BS	
	MIL-E-1/962C	ELECTRON TUBE, PHOTOTUBE TYPE 6363 [VALIDATION DATE: 8104] REVIEWER: 11 17 99 ES	A 5960	EC	31-JAN-75	ER	EC	BS	
	MIL-E-1/964C NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE 6378 [VALIDATION DATE: 8704] REVIEWER: 11 99 AR ES	A 5960	BS	17-APR-87	ER	EC	BS	
	MIL-E-1/970D(3)	ELECTRON TUBE, GAS SWITCHING TYPE 1858A USER: AS CG MC OS SH REVIEWER: 11 99 ES	A 5960	BS	22-FEB-85	ER	EC	BS	
	MIL-E-1/972E	ELECTRON TUBE, CATHODE RAY TYPE 5AP7A [VALIDATION DATE: 0505] USER: 11 AS CG MC OS REVIEWER: 17 99 ES	A 5960	EC	26-DEC-72	ER	EC	BS	
	MIL-E-1/973B(2)	ELECTRON TUBE, RADIATION COUNTER TYPE 5980 [VALIDATION DATE: 8204] USER: AS CG MC ME OS REVIEWER: 11 17 99 ES MI	A 5960	EC	15-APR-76	ER	EC	BS	
	MIL-E-1/974E	ELECTRON TUBE, CATHODE RAY TYPE 3ADP1, 3ADP2, 3ADP7, & 3ADP11 [VALIDATION DATE: 8204] USER: 11 AS CG MC ME OS REVIEWER: 99 ES	A 5960	EC	20-JUL-76	ER	EC	BS	
	MIL-E-1/981C	ELECTRON TUBE, KLYSTRON JAN 726C [VALIDATION DATE: 8304] USER: AS AV CG MC ME OS REVIEWER: 11 99 ES	A 5960	EC	31-MAR-70	ER	EC	BS	
	MIL-E-1/982B NOTICE 1	ELECTRON TUBE, KLYSTRON TYPE 2K25 [VALIDATION DATE: 8704] USER: AS CG MC ME OS REVIEWER: 11 99 AR ES	A 5960	BS	17-APR-87	ER	EC	BS	
	MIL-E-1/985B NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 5AUGB [VALIDATION DATE: 8704] USER: AS CG MC ME OS SH REVIEWER: 99 AR ES MI	A 5960	BS	17-APR-87	ER	EC	BS	
	MIL-E-1/988F	ELECTRON TUBE, RADIATION COUNTER TYPE 7616 [VALIDATION DATE: 8204] USER: AR AS MC ME OS REVIEWER: 17 99 ES	A 5960	EC	15-APR-76	ER	EC	BS	
	MIL-E-1/987F(1)	ELECTRON TUBE, GASEOUS DISCHARGE TYPE 7617 USER: 11 AS AT AV MC ME OS REVIEWER: 17 99 ES	A 5960	EC	01-FEB-84	ER	EC	BS	
	MIL-E-1/988F(1)	ELECTRON TUBE, VOLTAGE REGULATOR TYPE 7615 USER: 11 AR AS CG MC OS REVIEWER: 99 ES	A 5960	EC	23-APR-84	ER	EC	BS	
	MIL-E-1/999A NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE 6163 [VALIDATION DATE: 8906] USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES MI	A 5960	ER	01-JUN-89	ER	EC	BS	
	MIL-E-1/1000A NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE 6164 [VALIDATION DATE: 8906] USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES MI	A 5960	ER	01-JUN-89	ER		17	
	MIL-E-1/1005C	ELECTRON TUBE, CATHODE RAY TYPE 10MP7A [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 17 99 ES MI	A 5960	EC	05-NOV-74	ER	EC	BS	
	MIL-E-1/1008D NOTICE 1	ELECTRON TUBE, CATHODE RAY TYPE 40P7 [VALIDATION DATE: 8704] USER: 11 AS CG MC OS REVIEWER: 17 99 ES ME	A 5960	BS	17-APR-87	ER	EC	BS	
	MIL-E-1/1011D NOTICE 1	ELECTRON TUBE, THYRATRON TYPE 5957 [VALIDATION DATE: 8906] USER: 19 AR AS AV CG MC SH REVIEWER: 11 99 ES MI	A 5960	ER	01-JUN-89	ER	EC	BS	
L	MIL-E-1/1012A(1) NOTICE 1	ELECTRON TUBE, KLYSTRON TYPES SRL-7F, SRL-7G, SRL-7H [VALIDATION DATE: 8906] REVIEWER: ES	A 5960	ER	01-JUN-89	ER			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active GPN / OMA Classification Notice	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DLA
	MIL-E-1/1017E(1)	ELECTRON TUBE, RECEIVING TYPE 5879 USER: AS CG MC REVIEWER: 17 99 ES .....	A 5960	EC 05-JAN-84	ER	EC	BS	
	MIL-E-1/1021C	ELECTRON TUBE, RECEIVING TYPE 5Y3MGTA [VALIDATION DATE: 8704] USER: 19 AS	A 5960	BS 17-APR-87	ER	EC	BS	
	NOTICE 1	MC ME OS REVIEWER: 11 99 AR CG ES MI						
	MIL-E-1/1022D	ELECTRON TUBE, RECEIVING TYPE-6384 [VALIDATION DATE: 8304] USER: 11 17 AR	A 5960	EC 22-FEB-77	ER	EC	BS	
	NOTICE 1	AS CG MC OS REVIEWER: 99 ES						
L	MIL-E-1/1031C	ELECTRON TUBE CATHODE RAY TYPE 10UP148 [VALIDATION DATE: 8704] REVIEWER:	A 5960	BS 17-APR-87			BS	
	NOTICE 1	11 17 99 ES						
	MIL-E-1/1036D(1)	ELECTRON TUBE, MAGNETRON, PULSE, TYPE 7529 [VALIDATION DATE: 8704] USER:	A 5960	BS 17-APR-87	ER	EC	BS	
	NOTICE 1	11 AS CG MC OS SH REVIEWER: 99 AR ES MI						
	MIL-E-1/1037D(1)	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6897 [VALIDATION DATE: 8906]	A 5960	ER 01-JUN-89	ER	EC	BS	
	NOTICE 1	USER: AR AS CG MC ME OS SH REVIEWER: 11 19 99 ES						
L	MIL-E-1/1041A	ELECTRON TUBE, RECEIVING TYPE 6352 [VALIDATION DATE: 8704] REVIEWER: 11 99	A 5960	BS 17-APR-87			BS	
	NOTICE 1	ES MI						
	MIL-E-1/1043D	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5876A [VALIDATION DATE:	A 5960	BS 03-OCT-77	ER	EC	BS	
	NOTICE 1	8704] USER: 11 AS CG MC OS REVIEWER: 99 ES						
L	MIL-E-1/1044C(1)	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6263A [VALIDATION DATE:	A 5960	BS 19-JUL-78			BS	
	NOTICE 1	8704] REVIEWER: 11 17 99 ES						
L	MIL-E-1/1045C(1)	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 6264A [VALIDATION DATE:	A 5960	BS 17-APR-87			BS	
	NOTICE 1	8704] REVIEWER: 11 99 ES						
	MIL-E-1/1047B	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 2C41 [VALIDATION DATE: 8906]	A 5960	ER 01-JUN-89	ER	EC	BS	
	NOTICE 1	USER: 19 AS CG MC OS REVIEWER: 11 99 ES						
	MIL-E-1/1048B	ELECTRON TUBE, CATHODE RAY TYPE 5AF7 [VALIDATION DATE: 8304] USER: 19 AS	A 5960	EC 05-OCT-70	ER	EC	BS	
	NOTICE 1	CG MC OS REVIEWER: 11 17 99 ES						
	MIL-E-1/1049F(1)	ELECTRON TUBE, IMAGE CONVERTER TYPE 6914 USER: 19 AR AS CG MC SH REVIEWER:	A 5960	EC 14-MAY-92	ER	EC	BS	
	NOTICE 1	17 99 ES						
	MIL-E-1/1055D(2)	ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 6442 USER: 19 AS CG MC OS	A 5960	EN 30-MAY-88	ER	EC	BS	
	NOTICE 1	REVIEWER: 11 17 99 ES						
	MIL-E-1/1056D	ELECTRON TUBE, CATHODE RAY TYPE 12SP7D [VALIDATION DATE: 8304] USER: 19 AS	A 5960	EC 23-MAR-71	ER	EC	BS	
	NOTICE 1	CG MC REVIEWER: 11 17 99 ES						
	MIL-E-1/1065E	ELECTRON TUBE, CATHODE RAY TYPE 5BCP7 [VALIDATION DATE: 8204] USER: 11 AS	A 5960	EC 24-NOV-75	ER	EC	BS	
	NOTICE 1	CG MC OS SH REVIEWER: 99 ES						
	MIL-E-1/1069F(1)	ELECTRON TUBE, RECEIVING JAM 5702MB USER: 11 AR AS CG MC OS REVIEWER: 99	A 5960	EC 02-OCT-81	ER	EC	BS	
	NOTICE 1	ES						
	MIL-E-1/1070D(1)	ELECTRON TUBE, RECEIVING TYPE 5703MB USER: 11 AR AS CG OS REVIEWER: 99 ES	A 5960	EC 09-FEB-82	ER	EC	BS	
	NOTICE 1	MC MI						
L	MIL-E-1/1071B	ELECTRON TUBE, GAS SWITCHING TYPE 6962 [VALIDATION DATE: 8906] REVIEWER:	A 5960	ER 01-JUN-89	ER			
	NOTICE 1	ES MI						
L	MIL-E-1/1072F	ELECTRON TUBE, CATHODE RAY TYPE 22CP7A & 22CP25A [VALIDATION DATE: 8104]	A 5960	EC 05-SEP-75		EC		
	NOTICE 1	USER: AS CG MC OS REVIEWER: ES						
	MIL-E-1/1073F(1)	ELECTRON TUBE, RECEIVING TYPE 5744MB USER: 11 AS CG OS REVIEWER: 99 AR ES	A 5960	EC 06-OCT-81	ER	EC	BS	
	NOTICE 1	MC						
	MIL-E-1/1075C(1)	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 5768 [VALIDATION DATE: 8906]	A 5960	ER 01-JUN-89	ER	EC	11	
	NOTICE 1	USER: 19 AR AS CG ME OS SH REVIEWER: 99 ES						
L	MIL-E-1/1079C	ELECTRON TUBE, CATHODE RAY TYPE 6DP7 [VALIDATION DATE: 8104] USER: AS CG	A 5960	EC 04-FEB-75		EC		
	NOTICE 1	MC OS SH REVIEWER: ES						
	MIL-E-1/1082D	ELECTRON TUBE, RECEIVING TYPE 6832 [VALIDATION DATE: 8304] USER: AS CG MC	A 5960	EC 16-JUN-71	ER	EC	BS	
	NOTICE 1	REVIEWER: 17 99 ES MI						
Q	MIL-E-1/1090E	ELECTRON TUBE, RECEIVING TYPE 6829 USER: AS CG MC ME REVIEWER: 11 17 99 ES	A 5960	EC 03-APR-81	ER	EC	BS	
	NOTICE 1	MI						
	MIL-E-1/1091B	ELECTRON TUBE, TYPE 12AUG (NAVY) [VALIDATION DATE: 8404] USER: 19 AS CG MC	A 5960	EC 18-AUG-71		EC	BS	
	NOTICE 1	OS REVIEWER: 17 ES						
	MIL-E-1/1094B	ELECTRON TUBE, RECEIVING TYPE 6B36A [VALIDATION DATE: 8104] USER: 19 AS CG	A 5960	EC 08-NOV-68	ER	EC	BS	
	NOTICE 1	MC ME OS REVIEWER: 99 ES						
	MIL-E-1/1095B	ELECTRON TUBE, RECEIVING TYPE 6CG7 [VALIDATION DATE: 8704] REVIEWER: 99 ...	A 5960	BS 28-APR-77	ER	EC	BS	
	NOTICE 1							
	MIL-E-1/1097G(1)	ELECTRON TUBE, RECEIVING TYPE 12AT7MC USER: 11 AR AS CG MC ME OS SH	A 5960	EC 30-SEP-81	ER	EC	BS	
	NOTICE 1	REVIEWER: 99 ES MI						
	MIL-E-1/1099D	ELECTRON TUBE, THYRATRON TYPE 5948A [VALIDATION DATE: 8104] USER: 14 19 AS	A 5960	EC 06-AUG-75	ER	EC	BS	
	NOTICE 1	CG MC OS REVIEWER: 11 17 99 ES						
	MIL-E-1/1100D	ELECTRON TUBE, THYRATRON TYPE 5949A [VALIDATION DATE: 8104] USER: 14 19 AS	A 5960	EC 06-AUG-75	ER	EC	BS	
	NOTICE 1	CG MC OS REVIEWER: 11 ES MI						
L	MIL-E-1/1105(2)	ELECTRON TUBE TYPE 6664 [VALIDATION DATE: 8906] REVIEWER: 99 ES MI .....	A 5960	ER 01-JUN-89	ER			
	NOTICE 1							
	MIL-E-1/1111C	ELECTRON TUBE, RECEIVING TYPE 1X2C [VALIDATION DATE: 8104] USER: 11 AS CG	A 5960	EC 26-AUG-75	ER	EC	BS	
	NOTICE 1	MC OS SH REVIEWER: 99 ES						
	MIL-E-1/1112F(1)	ELECTRON TUBE, KLYSTRON TYPE 8493 [VALIDATION DATE: 8811] USER: 11 AR AS	A 5960	BS 18-NOV-88	ER	EC	BS	
	NOTICE 1	CG MC OS SH REVIEWER: 99						
	MIL-E-1/1120E	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7289 [VALIDATION DATE: 8906]	A 5960	ER 01-JUN-89	ER	EC	BS	
	NOTICE 1	USER: 19 AR AS CG MC ME OS SH REVIEWER: 11 17 99 ES						
L	MIL-E-1/1122A	ELECTRON TUBE, CATHODE RAY TYPE 12AKP7 [VALIDATION DATE: 8704] REVIEWER:	A 5960	BS 14-AUG-68			BS	
	NOTICE 1	99						
L	MIL-E-1/1127E	ELECTRON TUBE, RECEIVING, TYPE 6943 (NAVY) [VALIDATION DATE: 8404] USER:	A 5960	EC 28-SEP-78		EC		
	NOTICE 1	AS CG MC OS REVIEWER: ES MI						
	MIL-E-1/1130G	ELECTRON TUBE, RECEIVING TYPE 6AH6MA USER: 11 AS CG MC OS REVIEWER: 99 AR	A 5960	EC 13-AUG-82	ER	EC	BS	
	NOTICE 1	ES						
	MIL-E-1/1131D	ELECTRON TUBE, RECEIVING TYPE 6877 USER: AR AS CG MC OS SH REVIEWER: 17 99	A 5960	EC 24-JUN-83	ER	EC	BS	
	NOTICE 1	ES						
	MIL-E-1/1133C	ELECTRON TUBE, CATHODE RAY TYPE 5AQ7 [VALIDATION DATE: 8104] USER: 19 AS	A 5960	EC 22-OCT-68	ER	EC	BS	
	NOTICE 1	CG MC OS REVIEWER: 99 ES						
L	MIL-E-1/1147A(1)	ELECTRON TUBE, MICROWAVE NOISE SOURCE TYPE 6782 [VALIDATION DATE: 8906]	A 5960	ER 01-JUN-89	ER			
	NOTICE 1	REVIEWER: ES MI						
	MIL-E-1/1152E	ELECTRON TUBE, POWER TYPE 6942 [VALIDATION DATE: 8404] USER: 19 AS CG MC	A 5960	EC 09-JAN-78	ER	EC	BS	
	NOTICE 1	ME OS REVIEWER: 17 99 ES						
L	MIL-E-1/1158B	ELECTRON TUBE, POWER TYPE 5736 [VALIDATION DATE: 8704] REVIEWER: 17 .....	A 5960	BS 20-APR-73	ER	EC	BS	
	NOTICE 1							
	MIL-E-1/1159C(1)	ELECTRON TUBE, POWER TYPE 705MA USER: 14 19 AS CG MC ME OS REVIEWER: 11 17	A 5960	EC 18-JUL-84	ER	EC	BS	
	NOTICE 1	99 ES						
	MIL-E-1/1162C	ELECTRON TUBE, CATHODE RAY TYPE 10KP7A [VALIDATION DATE: 8404] USER: 14 19	A 5960	EC 04-APR-72	ER	EC	BS	
	NOTICE 1	AS CG MC OS REVIEWER: 11 17 99 ES						
	MIL-E-1/1165E(1)	ELECTRON TUBE, RECEIVING TYPE 6948 [VALIDATION DATE: 8805] USER: 11 AS CG	A 5960	BS 20-MAY-88	ER	EC	BS	
	NOTICE 1	MC OS SH REVIEWER: 99 ES						
L	MIL-E-1/1166C	ELECTRON TUBE, RECEIVING TYPE 1K3A [VALIDATION DATE: 8104] USER: AS CG MC	A 5960	EC 12-AUG-75		EC		
	NOTICE 1	OS SH REVIEWER: ES						
	MIL-E-1/1168F	ELECTRON TUBE, RECEIVING TYPE 6922 USER: 11 AS CG MC ME OS REVIEWER: 17 99	A 5960	EC 27-JUN-83	ER	EC	BS	
	NOTICE 1	AR ES MI						
	MIL-E-1/1169C	ELECTRON TUBE, RECEIVING TYPE 6UBA [VALIDATION DATE: 8304] USER: 19 AS CG	A 5960	EC 25-MAY-70	ER	EC	BS	
	NOTICE 1	MC OS REVIEWER: 11 99 ES MI						
	MIL-E-1/1174D	ELECTRON TUBE, POWER TYPE 6303 [VALIDATION DATE: 8104] USER: 14 19 AS CG	A 5960	EC 17-JUN-75	ER	EC	BS	
	NOTICE 1	MC OS REVIEWER: 11 17 99 ES MI						
L	MIL-E-1/1178D	ELECTRON TUBE, CATHODE RAY USN 7ACP19 (NAVY) [VALIDATION DATE: 8304] USER:	A 5960	EC 23-DEC-76		EC		
	NOTICE 1	AS CG MC OS REVIEWER: ES MI						
	MIL-E-1/1180C	ELECTRON TUBE, KLYSTRON TYPE 6781 [VALIDATION DATE: 8304] USER: AS CG ME	A 5960	EC 17-JUN-70	ER	EC	BS	
	NOTICE 1	OS REVIEWER: 11 99 ES						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Acct Gn / OMT Classification Inchase Document Number	Document Title	Dist. Smt FSC / Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
MIL-E-1/1203J	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7077 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: 11 99 ES MI	A 5960 EC 25-MAY-76 ER EC 85	
MIL-E-1/1204F	ELECTRON TUBE, CATHODE RAY TYPE 10P1 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 99 ES	A 5960 EC 09-APR-75 ER EC 85	
MIL-E-1/1205D NOTICE 1	ELECTRON TUBE, CATHODE RAY TYPE 5BFP7 [VALIDATION DATE: 8704] REVIEWER: 11 17	A 5960 BS 21-MAR-72 ER EC 85	
L MIL-E-1/1219F(1)	ELECTRON TUBE, CATHODE RAY TYPE 7KP25 [VALIDATION DATE: 8104] REVIEWER: ES MI	A 5960 EC 06-AUG-75 EC	
MIL-E-1/1221B	ELECTRON TUBE, RECEIVING TYPE 6939 [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: 11 17 99 ES MI	A 5960 EC 31-AUG-71 ER EC 85	
MIL-E-1/1222B NOTICE 1	ELECTRON TUBE, CATHODE RAY TYPE 120P7C [VALIDATION DATE: 8906] USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 ER 01-JUN-89 ER EC 85	
MIL-E-1/1225C	ELECTRON TUBE, RECEIVING TYPE 6688 USER: 11 AS CG MC ME OS REVIEWER: 99 AR ES MI	A 5960 EC 10-FEB-81 ER EC 85	
L MIL-E-1/1228C(3) NOTICE 1	ELECTRON TUBE, TYPE 8361 (NAVY) [VALIDATION DATE: 8601] USER: AS CG MC OS SH REVIEWER: ES	A 5960 EC 19-NOV-73 EC	
MIL-E-1/1232C(2) NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE 7166 [VALIDATION DATE: 8906] USER: 19 AR AS CG MC OS SH REVIEWER: 11 17 99 ES MI	A 5960 ER 01-JUN-89 ER EC 85	
MIL-E-1/1239D NOTICE 1	ELECTRON TUBES, POWER TYPES 6816 AND 6884 [VALIDATION DATE: 8802] USER: 19 AR AS CG MC OS REVIEWER: 11 17 99 ES	A 5960 ER 08-MAR-88 ER EC 85	
MIL-E-1/1245B	ELECTRON TUBE, RECEIVING TYPE 6086A [VALIDATION DATE: 8104] USER: 19 AS CG MC OS REVIEWER: 17 99 ES	A 5960 EC 03-DEC-68 ER EC 85	
MIL-E-1/1254C NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE 7381 [VALIDATION DATE: 8704] REVIEWER: 80	A 5960 BS 17-APR-87 ER EC 85	
MIL-E-1/1260C	ELECTRON TUBE, THYRATRON TYPES 7190 AND 7191 [VALIDATION DATE: 8204] USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES	A 5960 EC 11-NOV-75 ER EC 85	
MIL-E-1/1261F NOTICE 1	ELECTRON TUBES, CATHODE RAY TYPES 12ABP1A, 12ABP7A, AND 12ABP19A [VALIDATION DATE: 8704] REVIEWER: 11	A 5960 BS 21-MAR-72 ER EC 85	
MIL-E-1/1266D	ELECTRON TUBE, NUMERICAL INDICATOR TYPE 6844A [VALIDATION DATE: 8204] USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 ES MI	A 5960 EC 13-FEB-76 ER EC 85	
MIL-E-1/1272A NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 6814 [VALIDATION DATE: 8704] USER: OS REVIEWER: 11	A 5960 BS 17-APR-87 ER EC 85	
L MIL-E-1/1274B	ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7315 AND 7448 (NAVY) [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960 EC 03-MAR-75 EC	
MIL-E-1/1276D(1)	ELECTRON TUBE, RECEIVING TYPE 12AX7MA USER: 11 AR AS CG MC ME OS REVIEWER: 99 ES MI	A 5960 EC 30-SEP-81 ER EC 85	
MIL-E-1/1281D	ELECTRON TUBE, POWER TYPE SR 554 & 554 [VALIDATION DATE: 8104] USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES MI SH	A 5960 EC 01-AUG-75 ER EC 85	
MIL-E-1/1282E	ELECTRON TUBE, THYRATRON TYPE 7363 [VALIDATION DATE: 8204] USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES	A 5960 EC 11-NOV-75 ER EC 85	
L MIL-E-1/1283B	ELECTRON TUBE, TYPE 7471 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960 EC 03-MAR-75 EC	
MIL-E-1/1286C NOTICE 1	ELECTRON TUBE, POWER TYPE 577W [VALIDATION DATE: 9007] USER: 11 AS CG MC OS SH REVIEWER: 99 AR MI	A 5960 ER 06-JUL-90 ER EC 85	
MIL-E-1/1288E	ELECTRON TUBE, KLYSTRON TYPE 8316 [VALIDATION DATE: 8204] USER: AS CG MC OS SH REVIEWER: 11 99 ES	A 5960 EC 25-MAY-76 ER EC 85	
L MIL-E-1/1290D(2)	ELECTRON TUBE, KLYSTRON TYPES 8315 [VALIDATION DATE: 8505] USER: AS CG MC OS SH REVIEWER: ES MI	A 5960 EC 24-APR-79 EC	
MIL-E-1/1291F NOTICE 1	ELECTRON TUBE, THYRATRON TYPE 7410 [VALIDATION DATE: 8906] USER: 19 AS CG MC OS REVIEWER: 17 99 AR ES MI	A 5960 ER 01-JUN-89 ER SH 11	
L MIL-E-1/1292D(1)	ELECTRON TUBE, KLYSTRON, TYPE 8405 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 26-AUG-70 EC	
L MIL-E-1/1294B NOTICE 1	ELECTRON TUBE, VIDICOM TYPE 7263A [VALIDATION DATE: 8704] REVIEWER: 11 17	A 5960 BS 17-APR-87 EC	85
MIL-E-1/1295D NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 6842 [VALIDATION DATE: 8805] USER: 11 REVIEWER: 99 ES	A 5960 BS 20-MAY-88 ER EC 85	
MIL-E-1/1296E	ELECTRON TUBE, CATHODE RAY TYPE 4HP1 [VALIDATION DATE: 8104] USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 EC 30-OCT-74 ER EC 85	
L MIL-E-1/1297B	ELECTRON TUBE, CATHODE RAY TYPE 10AKP7 (NAVY) [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 07-FEB-72 EC	
MIL-E-1/1298C	ELECTRON TUBE, PHOTOTUBE TYPE CE75V [VALIDATION DATE: 8204] USER: AS CG MC ME OS REVIEWER: 11 99 ES	A 5960 EC 20-JUL-76 ER EC 85	
L MIL-E-1/1300A(1) NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 7246 [VALIDATION DATE: 8906] REVIEWER: ES ...	A 5960 ER 01-JUN-89 ER	
L MIL-E-1/1301D NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 7308 USER: AS CG MC OS SH REVIEWER: ES ...	A 5960 EC 27-JUN-83 EC	85
MIL-E-1/1308C	ELECTRON TUBE, RECEIVING TYPE 6360 [VALIDATION DATE: 8304] USER: 19 AS CG MC OS REVIEWER: 11 99 AR ES	A 5960 EC 17-AUG-70 ER EC 85	
MIL-E-1/1309A	ELECTRON TUBE, RECEIVING TYPE 6805 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: 99 ES	A 5960 EC 21-AUG-70 EC	85
MIL-E-1/1311A(1) NOTICE 1	ELECTRON TUBE, CW FIELD TUNED OSCILLATOR TYPE JAN-7533 [VALIDATION DATE: 8906] USER: 17 AR MC REVIEWER: 99 ES	A 5960 ER 01-JUN-89 ER SH 11	
MIL-E-1/1313D(1)	ELECTRON TUBE, POWER TYPE 8167 [VALIDATION DATE: 8304] USER: 11 AS CG MC ME OS REVIEWER: 17 99 ES	A 5960 EC 01-NOV-76 ER EC 85	
MIL-E-1/1314B(1) NOTICE 1	ELECTRON TUBE, POWER TYPES 6283 AND 8500 [VALIDATION DATE: 8704] REVIEWER: 11 17	A 5960 BS 17-APR-87 ER EC 85	
MIL-E-1/1315D(1) NOTICE 1	ELECTRON TUBE, MAGNETRON TYPE-6517 [VALIDATION DATE: 8704] REVIEWER: 99 ...	A 5960 BS 17-APR-87 ER EC 85	
MIL-E-1/1316C NOTICE 1	ELECTRON TUBE, POWER TYPE 8020W [VALIDATION DATE: 8704] REVIEWER: 80 99 ...	A 5960 BS 26-JUN-75 ER EC 85	
Q MIL-E-1/1317D NOTICE 1	ELECTRON TUBE, POWER TYPE 3829W [VALIDATION DATE: 8710] USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES MI	A 5960 EC 13-OCT-87 ER EC 85	
MIL-E-1/1319D NOTICE 1	ELECTRON TUBE, THYRATRON TYPE 7590 [VALIDATION DATE: 8710] USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES	A 5960 EC 13-OCT-87 ER EC 85	
L MIL-E-1/1320B NOTICE 1	ELECTRON TUBE, TYPE 4HP7 (NAVY) [VALIDATION DATE: 8404] REVIEWER: ES MI ...	A 5960 EC 11-MAR-66 EC	85
L MIL-E-1/1324A	ELECTRON TUBE, CATHODE RAY, RAY TYPE 8MP18 (NAVY) [VALIDATION DATE: 8404] REVIEWER: ES MI	A 5960 EC 12-NOV-65 EC	
MIL-E-1/1325D(1)	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7554 [VALIDATION DATE: 8304] USER: AR AS CG MC REVIEWER: 11 17 99 ES	A 5960 EC 17-NOV-76 ER EC 85	
MIL-E-1/1328B NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 5842MA [VALIDATION DATE: 8704] REVIEWER: 11 17	A 5960 BS 17-APR-87 EC	85
L MIL-E-1/1329(3) NOTICE 1	ELECTRON TUBE, MAGNETRON, PULSE TYPE 7521 [VALIDATION DATE: 8906] REVIEWER: 99 ES MI	A 5960 ER 01-JUN-89 ER	
MIL-E-1/1330E	ELECTRON TUBE, NEGATIVE GRID, MICROWAVE TYPE 7486 [VALIDATION DATE: 8104] USER: AS CG MC OS REVIEWER: 11 99 ES	A 5960 EC 09-JUL-75 ER EC 85	
MIL-E-1/1331D NOTICE 1	ELECTRON TUBE, POWER TYPE 7609 [VALIDATION DATE: 8704] USER: 19	A 5960 BS 17-APR-87 ER EC 85	
L MIL-E-1/1332B NOTICE 1	ELECTRON TUBE, TRIODE, POWER TYPE 6950 [VALIDATION DATE: 8805] REVIEWER: 11 17 99 ES MI	A 5960 BS 20-MAY-88 EC	85
MIL-E-1/1333F NOTICE 1	ELECTRON TUBE, MICROWAVE TYPE 7266 [VALIDATION DATE: 8705] REVIEWER: 17 99	A 5960 BS 17-APR-87 ER EC 85	
L MIL-E-1/1334F	ELECTRON TUBE, NEGATIVE GRID, (MICROWAVE) TYPE 7296 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 04-FEB-72 EC	85
MIL-E-1/1335F	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7462 [VALIDATION DATE: 8104] USER: AS CG ME OS REVIEWER: 99 AR ES	A 5960 EC 09-JUL-75 ER EC 85	
MIL-E-1/1336E	ELECTRON TUBE, PULSE MODULATOR TYPE 3021WP REVIEWER: 99 ES	A 5960 EC 03-MAY-85 ER EC 85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inches Document Number	Document Title	Dist Sent FSC / Aves MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
L MIL-E-1/1337C(2)	ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7423 (NAVY) USER: AS CG MC OS SH	A 5960 EC 16-JUL-84	EC			
L MIL-E-1/1338B(3)	ELECTRON TUBE, KLYSTRON TYPE 6584 [VALIDATION DATE: 8204] REVIEWER: AS CG MC OS	A 5960 EC 20-JUL-76	EC			
L MIL-E-1/1339B(1)	ELECTRON TUBE, CATHODE RAY TYPE SAMP1A USER: AS CG MC OS SA REVIEWER: ES MI	A 5960 EC 05-JUL-91	EC			
L MIL-E-1/1341(1)	ELECTRON TUBE, CATHODE-RAY ELECTROSTATIC DEFLECTION AND FOCUS TYPE 38GP1 [VALIDATION DATE: 8906] REVIEWER: ES	A 5960 ER 02-JUN-89	ER			
NOTICE 1	ELECTRON TUBE, CATHODE RAY TYPE 1EP1 [VALIDATION DATE: 8505] USER: AS CG MC OS SH REVIEWER: 11 17 AR ES	A 5960 EC 12-APR-79	ER	EC	BS	
L MIL-E-1/1342B(1)	ELECTRON TUBE, CATHODE RAY TYPE 12AMP12 (NAVY) [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960 EC 11-MAR-75	EC			
L MIL-E-1/1345B	ELECTRON TUBE, TYPE 6792 [VALIDATION DATE: 8304] USER: 19 AR AS CG MC ME OS REVIEWER: 11 17 99 ES MI	A 5960 EC 15-JUL-69	ER	EC	BS	
L MIL-E-1/1349C	ELECTRON TUBE, POWER TYPE 8295A [VALIDATION DATE: 8204] USER: 11 AS CG MC ME OS REVIEWER: 17 99 ES	A 5960 EC 20-FEB-76	ER	EC	BS	
L MIL-E-1/1350D	ELECTRON TUBE, RECEIVING TYPE 384MA [VALIDATION DATE: 8906] USER: 17 AR AS CG MC OS SH REVIEWER: 11 99 ES	A 5960 ER 02-JUN-89	ER	EC	BS	
L MIL-E-1/1358A	ELECTRON TUBE, RECEIVING TYPE 6028 [VALIDATION DATE: 8906] USER: 17 19 AR AS CG MC OS SH REVIEWER: 99 ES	A 5960 ER 02-JUN-89	ER	EC	BS	
NOTICE 1	ELECTRON TUBE, THYRATRON TYPES 7390 AND 7390A USER: 11 AR AS CG REVIEWER: 17 99	A 5960 EC 06-MAR-93	ER	EC	BS	
L MIL-E-1/1361E(2)	ELECTRON TUBE, RECEIVING, TYPE 6418 (NAVY) [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: AR ES MI	A 5960 EC 03-FEB-72	EC			
L MIL-E-1/1365D	ELECTRON TUBE, THYRATRON TYPE 7322 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS SH REVIEWER: 99 ES	A 5960 EC 11-MAY-76	ER	EC	BS	
L MIL-E-1/1371F	ELECTRON TUBE, CATHODE RAY TYPE 7AQP7 & 7AQP33 [VALIDATION DATE: 8505] USER: CG MC REVIEWER: ES	A 5960 EC 30-MAY-73	EC			
L MIL-E-1/1373C	ELECTRON TUBE, POWER TYPE 382MB [VALIDATION DATE: 8204] USER: 11 AR AS CG MC OS SH REVIEWER: 99 ES MI	A 5960 EC 02-FEB-76	ER	EC	BS	
L MIL-E-1/1374D	ELECTRON TUBE, RECEIVING, TYPES 7551, 7558 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 11-MAY-76	EC			
L MIL-E-1/1376A(1)	ELECTRON TUBE, POWER TYPE 2041 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES	A 5960 EC 23-OCT-75	ER	EC	BS	
L MIL-E-1/1383B(1)	ELECTRON TUBE, POWER TYPES 7580M AND 8930 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 99 ES	A 5960 EC 11-FEB-76	ER	EC	BS	
L MIL-E-1/1385G	ELECTRON TUBE, CATHODE RAY TYPE 4QP2 [VALIDATION DATE: 8204] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 20-JUL-76	EC			
L MIL-E-1/1386E	ELECTRON TUBE, RADIATION COUNTER, TYPE 7840 USER: AS MC OS REVIEWER: ES ...	A 5960 EC 02-DEC-80	EC			
L MIL-E-1/1388C(1)	ELECTRON TUBE, CATHODE RAY TYPE 10AMP7 USER: AS CG MC OS SH REVIEWER: ES ...	A 5960 EC 25-JUL-91	EC			
L MIL-E-1/1389E(1)	ELECTRON TUBE, CATHODE RAY TYPE 5FP14A, & 5FP25 [VALIDATION DATE: 8304] USER: 19 AS CG OS REVIEWER: 11 99 ES	A 5960 EC 02-NOV-70	ER	EC	BS	
L MIL-E-1/1392C	ELECTRON TUBE, NOISE SOURCE TYPE 6357 [VALIDATION DATE: 8704] REVIEWER: 99	A 5960 BS 17-APR-87	BS			
L MIL-E-1/1394B	ELECTRON TUBE, RECEIVING TYPE 7403 [VALIDATION DATE: 8705] REVIEWER: 11 17	A 5960 BS 17-APR-87	BS			
L MIL-E-1/1396B	ELECTRON TUBE, RECEIVING TYPE 7586 [VALIDATION DATE: 8906] USER: 19 AR AS CG MC ME OS REVIEWER: 11 99 ES MI	A 5960 ER 02-JUN-89	ER	EC	BS	
L MIL-E-1/1397E(1)	ELECTRON TUBE, CATHODE RAY TYPE 12 AMP 19 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 23-MAR-72	EC			
L MIL-E-1/1399B	ELECTRON TUBE, CATHODE RAY TYPE 12ATP28 (NAVY) [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 14-JUL-69	EC			
L MIL-E-1/1400B	ELECTRON TUBE, TRIODE, POWER [VALIDATION DATE: 8704] REVIEWER: 11 17 99 ES	A 5960 BS 17-APR-87	BS			
L MIL-E-1/1401A(1)	ELECTRON TUBE, RECEIVING TYPE 2DF4 [VALIDATION DATE: 8906] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 ER 13-JUN-89	ER	EC	BS	
L MIL-E-1/1404C	ELECTRON TUBE, TRAVELING WAVE TYPE 7640 [VALIDATION DATE: 8104] USER: AR AS CG MC OS SH REVIEWER: 11 99 ES GS	A 5960 EC 26-NOV-74	EL	EC	BS	
NOTICE 1	ELECTRON TUBE, VIDICON TYPE 7735A [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 EC 05-MAY-75	ER	EC	BS	
L MIL-E-1/1405C	ELECTRON TUBE, RECEIVING TYPE 5844 [VALIDATION DATE: 8906] USER: AR AS CG MC MI OS SH REVIEWER: 11 17 99 ES	A 5960 ER 13-JUN-89	ER	EC	BS	
L MIL-E-1/1410A	ELECTRON TUBE, CATHODE RAY TYPE 12ARP19M (NAVY) [VALIDATION DATE: 8404] USER: AS CG MC OS SH REVIEWER: ES	A 5960 EC 27-MAR-78	EC			
L MIL-E-1/1421A	ELECTRON TUBE, POWER, TYPE 6303A [VALIDATION DATE: 8710] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 13-OCT-87	EC			
L MIL-E-1/1423A(1)	ELECTRON TUBE, THYRATRON TYPE 8354 (NAVY) [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES MI	A 5960 EC 02-SEP-75	EC			
L MIL-E-1/1424A(1)	ELECTRON TUBE, POWER TYPE 8170M USER: 11 AS CG MC OS REVIEWER: 17 99 ES ...	A 5960 EC 15-NOV-83	ER	EC	BS	
L MIL-E-1/1426C	ELECTRON TUBE, THYRATRON TYPE 7621 [VALIDATION DATE: 8601] USER: 11 AS CG MC OS REVIEWER: 17 80 99 ES	A 5960 EC 03-SEP-80	ER	EC	BS	
L MIL-E-1/1427E(1)	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPES 7815, 7815R USER: AS CG MC OS REVIEWER: ES	A 5960 BS 22-APR-86	EC			
L MIL-E-1/1428E(1)	ELECTRON TUBE, GAS SWITCHING TR JAN 721B [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 11 99 ES MI	A 5960 EC 16-MAR-71	ER	EC	BS	
L MIL-E-1/1429G	ELECTRON TUBE, RECEIVING TYPE 7895 [VALIDATION DATE: 8906] USER: 11 AS CG MC OS REVIEWER: 99 ES	A 5960 ER 13-JUN-89	ER	EC	BS	
L MIL-E-1/1432A	ELECTRON TUBE, RECEIVING TYPE 7587 [VALIDATION DATE: 8906] USER: AS CG MC OS REVIEWER: 11 17 99 ES	A 5960 ER 13-JUN-89	ER	EC	BS	
L MIL-E-1/1433E	ELECTRON TUBE DIODE JAN 575AM [VALIDATION DATE: 8704] USER: AS REVIEWER: 11 17 99 ES	A 5960 BS 17-APR-87	ER	EC	BS	
L MIL-E-1/1434E	ELECTRON TUBE, TRIODE JAN 809M [VALIDATION DATE: 8304] USER: 19 AS CG MC REVIEWER: 11 99 ES	A 5960 EC 27-JUL-70	ER	EC	BS	
L MIL-E-1/1440C	ELECTRON TUBE, POWER TYPE 8013A [VALIDATION DATE: 8601] USER: 14 19 AS CG MC ME OS REVIEWER: 11 17 99 ES MI	A 5960 EC 28-MAR-67	ER	EC	BS	
L MIL-E-1/1442A	ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 7588 [VALIDATION DATE: 8104] USER: 11 17 99 ES	A 5960 EC 10-JUL-75	ER	EC	BS	
L MIL-E-1/1449A	ELECTRON TUBE, NUMERICAL INDICATOR TYPES 8037 AND 8421 [VALIDATION DATE: 8906] USER: AR AS CG MC OS SH REVIEWER: 11 17 99 ES ES MI	A 5960 ER 13-JUN-89	ER	EC	BS	
L MIL-E-1/1452E	ELECTRON TUBE, CATHODE RAY TYPE 78SP7 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES	A 5960 EC 22-FEB-77	EC			
L MIL-E-1/1454C	ELECTRON TUBE, POWER TYPE 7843 [VALIDATION DATE: 8906] USER: 11 19 AR AS CG MC OS SH REVIEWER: 17 99 ES	A 5960 ER 13-JUN-89	ER	EC	BS	
L MIL-E-1/1455C	ELECTRON TUBE, RECEIVING TYPE 7788 USER: AS CG MC OS SH REVIEWER: 17 ES MI	A 5960 EC 24-JUN-83	ER	EC	BS	
L MIL-E-1/1457D	ELECTRON TUBE, RECEIVING TYPE 5875 [VALIDATION DATE: 8906] USER: 11 19 AR AS CG MC OS SH REVIEWER: 17 ES MI	A 5960 ER 13-JUN-89	ER	EC	BS	
L MIL-E-1/1458C	ELECTRON TUBE, MAGNETRON TYPE 7006 USER: AS CG MC OS SH REVIEWER: 11 17 99 ES	A 5960 ER 16-MAR-87	ER	EC	BS	
L MIL-E-1/1460A	ELECTRON TUBE, RECEIVING TYPE 8334 [VALIDATION DATE: 8404] USER: 11 19	A 5960 EC 16-AUG-72	ER	EC	BS	
L MIL-E-1/1461D(1)	ELECTRON TUBE, MICROWAVE (NEGATIVE GRID) TYPE 7698 USER: AS CG MC OS REVIEWER: ES	A 5960 EC 04-NOV-85	EC			
L MIL-E-1/1463C(1)	ELECTRON TUBE, POWER TYPE 8188 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 99 ES	A 5960 EC 20-FEB-76	ER	EC	BS	
L MIL-E-1/1470C(1)	ELECTRON TUBE, POWER TYPE 8189 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: 17 99 ES	A 5960 EC 28-APR-75	ER	EC	BS	
L MIL-E-1/1472C	ELECTRON TUBE, TRIODE TYPE 756V [VALIDATION DATE: 8704] REVIEWER: 11 99 ES	A 5960 BS 17-APR-87	BS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off / Omb Coordination Inclusive Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol Preparing Acty	Date	Custodian Army Navy Air Force DIA
MIL-E-1/1478F	ELECTRON TUBE, RECEIVING TYPE 6336B [VALIDATION DATE: 8304] USER: 19 AS CG	A 5960	EC	15-NOV-76	ER EC 85
MIL-E-1/1479F	MC OS REVIEWER: 11 99 ES MI ELECTRON TUBE, RECEIVING TYPE 652BA [VALIDATION DATE: 8304] USER: 11 19 AS	A 5960	EC	15-NOV-76	ER EC 85
MIL-E-1/1485D	CG MC ME OS REVIEWER: 99 ES ELECTRON TUBE, THYRATRON TYPE 7665 AND 7665A [VALIDATION DATE: 8601] USER:	A 5960	EC	17-JAN-80	ER EC 85
L MIL-E-1/1488A(1)	AR AS CG OS SH REVIEWER: 11 99 ES MI ELECTRON TUBE, TYPE 7792 [VALIDATION DATE: 8104] USER: CG MC OS REVIEWER:	A 5960	EC	02-MAY-69	EC
MIL-E-1/1490E	ES ELECTRON TUBE, RECEIVING TYPE 8056 USER: 11 AS CG MC OS REVIEWER: 99 ES ...	A 5960	EC	23-FEB-81	ER EC 85
MIL-E-1/1491D	ELECTRON TUBE, RECEIVING TYPE 8058 [VALIDATION DATE: 8505] USER: 11 AS CG	A 5960	EC	08-NOV-78	ER EC 85
L MIL-E-1/1494B	MC OS REVIEWER: 99 AR ES ELECTRON TUBE, PULSE AMPLIFIER TYPES 842B AND 8455 (NAVY) [VALIDATION	A 5960	EC	15-AUG-66	EC
MIL-E-1/1496B(1)	DATE: 8104] USER: AS CG MC OS REVIEWER: ES MI ELECTRON TUBE, GAS TYPE 8435 [VALIDATION DATE: 8003] USER: 11 19 AR AS CG	A 5960	EC	12-APR-74	ER EC 85
MIL-E-1/1497B(1)	MC OS REVIEWER: 17 99 ES ELECTRON TUBE, NUMERICAL INDICATOR TYPE 7977 [VALIDATION DATE: 8404] USER:	A 5960	EC	16-MAR-78	ER EC 85
MIL-E-1/1498B	11 19 AS CG MC OS REVIEWER: 17 99 ES MI ELECTRON TUBE, RADIAL BEAM SWITCHING TYPE 6710 [VALIDATION DATE: 8304]	A 5960	EC	22-FEB-77	ER EC 85
MIL-E-1/1499A	USER: 11 AR AS CG MC OS REVIEWER: 17 99 ES ELECTRON TUBE, CATHODE RAY JAN 5A0P1B, 5A0P2B, 5A0P7, 5A0P11B, 5A0P31B	A 5960	EC	17-DEC-70	ER EC 85
MIL-E-1/1500B(1)	[VALIDATION DATE: 8304] USER: 19 AS CG MC REVIEWER: 11 17 99 ES MI ELECTRON TUBE, NUMERICAL INDICATOR TYPE 7009 [VALIDATION DATE: 8404] USER:	A 5960	EC	16-MAR-78	ER EC 85
MIL-E-1/1501B	11 19 AR AS CG MC OS REVIEWER: 17 99 ES ELECTRON TUBE, RADIAL BEAM SWITCHING TYPE 6703 [VALIDATION DATE: 8304]	A 5960	EC	23-NOV-76	ER EC 85
MIL-E-1/1502A	USER: 11 AS CG MC OS REVIEWER: 99 ES MI ELECTRON TUBE, TRANSMITTING TYPES 6146W AND 6159W [VALIDATION DATE: 8304]	A 5960	EC	15-JAN-71	ER EC 85
MIL-E-1/1504B	USER: 19 AR AS CG MC OS REVIEWER: 11 99 ES ELECTRON TUBE, RECEIVING TYPE 5965 [VALIDATION DATE: 8802] USER: 19 AS CG	A 5960	ER	08-FEB-88	ER EC 85
L MIL-E-1/1505B	MC ME OS SH REVIEWER: 11 99 ES MI ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7268A (NAVY) [VALIDATION DATE:	A 5960	EC	02-MAR-65	EC
MIL-E-1/1506C	8304] REVIEWER: ES ELECTRON TUBE, POWER TYPE 8245 USER: AS CG MC OS SH REVIEWER: 11 99 ES MC	A 5960	EC	15-NOV-83	ER EC 85
MIL-E-1/1507A	ELECTRON TUBE, RECEIVING TYPE 1284A [VALIDATION DATE: 8304] USER: 19 AS CG	A 5960	EC	17-AUG-70	ER EC 85
MIL-E-1/1508A(1)	MC OS REVIEWER: 11 99 ES ELECTRON TUBE, RECEIVING TYPE 6754 [VALIDATION DATE: 8104] USER: AS CG OS	A 5960	EC	05-FEB-75	ER EC 85
MIL-E-1/1509D	SH REVIEWER: 11 99 ES ELECTRON TUBE, POWER TYPE 6696A 6697A & 6697AW [VALIDATION DATE: 8204]	A 5960	EC	20-FEB-76	ER EC 85
L MIL-E-1/1511	USER: AS AV CG MC OS REVIEWER: 11 17 99 ES ELECTRON TUBE, CATHODE RAY TYPES 12AVP7, 12AVP19 [VALIDATION DATE: 8906]	A 5960	ER	13-JUN-89	ER
MIL-E-1/1512B(1)	REVIEWER: ES ELECTRON TUBE, POWER, TYPE 7248 [VALIDATION DATE: 8704] REVIEWER: 11 99 ES	A 5960	85	17-APR-87	ER EC 85
L MIL-E-1/1514A(1)	ELECTRON TUBE, CLIPPER, HYDROGEN TYPE 8492 [VALIDATION DATE: 8104] USER:	A 5960	EC	05-AUG-75	EC
MIL-E-1/1515A(1)	AS CG MC OS SH REVIEWER: ES ELECTRON TUBE, RECEIVING TYPE 6252 AND 6907 [VALIDATION DATE: 8404] USER:	A 5960	EC	08-DEC-71	ER EC 85
MIL-E-1/1516A	19 AS CG OS REVIEWER: 11 17 99 ES ELECTRON TUBE, RECEIVING TYPE 5963 [VALIDATION DATE: 9007] USER: 11 AS CG	A 5960	ER	06-JUL-90	ER EC 85
NOTICE 1	MC OS SH REVIEWER: 99 AR MI ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7768 [VALIDATION DATE: 8906]	A 5960	ER	13-JUN-89	ER EC 85
MIL-E-1/1517D	USER: 19 AR AS CG MC OS REVIEWER: 11 17 99 ES ME ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8423 [VALIDATION DATE: 8906] USER:	A 5960	ER	13-JUN-89	ER EC 85
NOTICE 1	17 AS CG MC OS SH REVIEWER: 11 99 ES ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8422 [VALIDATION DATE: 8906] USER:	A 5960	ER	13-JUN-89	ER EC 85
MIL-E-1/1519A	19 AR AS CG MC OS REVIEWER: 11 17 99 ES MI ELECTRON TUBE, KLYSTROM, TYPE 8196 [VALIDATION DATE: 8204] USER: AS CG MC	A 5960	EC	12-AUG-76	EC
L MIL-E-1/1520B	OS REVIEWER: ES ELECTRON TUBE, MAGNETRON TYPE 5795 [VALIDATION DATE: 8704] USER: 19 AS CG	A 5960	85	17-APR-87	ER EC 85
MIL-E-1/1522C(1)	MC OS REVIEWER: 17 99 ES ELECTRON TUBE, RECEIVING TYPE 8532W [VALIDATION DATE: 8906] USER: 19 AS CG	A 5960	ER	13-JUN-89	ER EC 85
NOTICE 1	MC OS REVIEWER: 11 99 ES ELECTRON TUBE, KLYSTROM TYPE SOU 293 [VALIDATION DATE: 8104] USER: AS CG	A 5960	EC	03-JUN-69	EC
MIL-E-1/1527C	MC OS REVIEWER: ES ELECTRON TUBE, TRAVELING WAVE TYPE M5058A [VALIDATION DATE: 8104] USER: AS	A 5960	EC	22-NOV-74	EC
L MIL-E-1/1528A	CG MC OS SH REVIEWER: ES ELECTRON TUBE, VIDICON TYPE 7038 [VALIDATION DATE: 8104] USER: 11 AS CG MC	A 5960	EC	05-MAY-75	ER EC 85
L MIL-E-1/1531A	OS SH REVIEWER: 17 99 ES ELECTRON TUBE, NUMERICAL INDICATOR TYPE 8502 [VALIDATION DATE: 9007] USER:	A 5960	ER	06-JUL-90	ER EC 85
MIL-E-1/1534A	11 AS CG MC OS SH REVIEWER: 99 AR MI ELECTRON TUBE, KLYSTROM TYPE 417C [VALIDATION DATE: 8204] USER: 11 AS CG	A 5960	EC	10-MAR-76	ER EC 85
MIL-E-1/1536A	MC OS REVIEWER: 99 AR ES ELECTRON TUBE, TYPE 8587/4605V2 [VALIDATION DATE: 8104] USER: AS CG MC OS	A 5960	EC	16-SEP-75	EC
NOTICE 1	REVIEWER: ES ELECTRON TUBE, TRAVELING WAVE, CW AMPLIFIER TYPE 8551 [VALIDATION DATE:	A 5960	ER	13-JUN-89	ER
MIL-E-1/1537B	8906] REVIEWER: ES ELECTRON TUBE, POWER TYPE 8561 [VALIDATION DATE: 8704] USER: 11 REVIEWER:	A 5960	85	17-APR-87	85
L MIL-E-1/1538B	99 ES ELECTRON TUBE, POWER TYPE 7402 [VALIDATION DATE: 8704] REVIEWER: 11 17 99	A 5960	85	17-APR-87	85
L MIL-E-1/1539(1)	ES ELECTRON TUBE, POWER TYPE 6166A [VALIDATION DATE: 8704] REVIEWER: 11 17 99	A 5960	85	17-APR-87	85
NOTICE 1	ES ELECTRON TUBE, POWER TYPE 6423 [VALIDATION DATE: 8704] REVIEWER: 11 17 99	A 5960	85	17-APR-87	85
L MIL-E-1/1541D	ES ELECTRON TUBE, RECEIVING TYPE 6550A [VALIDATION DATE: 8906] USER: 19 AS CG	A 5960	ER	13-JUN-89	ER EC 85
L MIL-E-1/1542A(1)	MC MI OS REVIEWER: 11 17 99 ES ELECTRON TUBE, RECEIVING TYPE 6807A [VALIDATION DATE: 8906] USER: AS CG MC	A 5960	ER	13-JUN-89	ER EC 80
NOTICE 1	SH REVIEWER: 17 99 ES MI ELECTRON TUBE, TYPE 5682 [VALIDATION DATE: 8704] REVIEWER: 11 17 99 ES ....	A 5960	85	17-APR-87	85
L MIL-E-1/1543A(1)	ES ELECTRON TUBE, POWER TYPE 7650 USER: AS CG MC OS SH ..... ELECTRON TUBE, POWER TYPE 7651 [VALIDATION DATE: 8204] USER: 11 AS CG MC	A 5960	EC	18-MAR-82	ER EC 85
L MIL-E-1/1544A	OS REVIEWER: 17 99 ES ELECTRON TUBE, MAGNETRON TYPE 6248 [VALIDATION DATE: 8704] REVIEWER: 99 ...	A 5960	85	17-APR-87	85
NOTICE 1	ES ELECTRON TUBE, RECEIVING TYPE 603B [VALIDATION DATE: 8704] USER: 19 AS CG	A 5960	85	17-APR-87	ER EC 85
MIL-E-1/1548C	MC ME OS REVIEWER: 17 99 ES MI ELECTRON TUBE, RECEIVING TYPE 60K6 [VALIDATION DATE: 8404] USER: AS CG MC	A 5960	EC	27-JAN-72	ER EC 85
NOTICE 1	REVIEWER: 11 17 99 ES ELECTRON TUBE, RECEIVING TYPE 5845 [VALIDATION DATE: 8505] USER: AS CG MC	A 5960	EC	17-JAN-73	ER EC 85
MIL-E-1/1549A	REVIEWER: 17 99 ES ELECTRON TUBE, NEGATIVE GRID TYPE 7644 [VALIDATION DATE: 8704] USER: 11 14	A 5960	85	17-APR-87	ER EC 85
L MIL-E-1/1551A	AR AS CG MC OS REVIEWER: 99 ES SH ELECTRON TUBE, STORAGE TYPE 7571 [VALIDATION DATE: 8304] USER: AS CG MC	A 5960	EC	17-MAY-65	ER EC 85
NOTICE 1	REVIEWER: 11 17 99 ES ELECTRON TUBE, RECEIVING TYPE 6A8BA [VALIDATION DATE: 9007] USER: 11 AS CG	A 5960	ER	06-JUL-90	ER EC 85
MIL-E-1/1552B	MC OS SH REVIEWER: 99 AR MI				
MIL-E-1/1553B(1)					
L MIL-E-1/1554B					
NOTICE 1					
MIL-E-1/1556A(1)					
NOTICE 1					
MIL-E-1/1560B					
MIL-E-1/1561A(1)					
MIL-E-1/1562C					
NOTICE 1					
MIL-E-1/1563(1)					
MIL-E-1/1567A(1)					
NOTICE 1					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / OMA Combination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
	MIL-E-1/15688(1) NOTICE 1	ELECTRON TUBE, RECEIVING TYPE 6DC6 [VALIDATION DATE: 8906] USER: AS CG MC	A 5960	ER	13-JUN-89	ER	EC	85		
	MIL-E-1/15698 NOTICE 1	ELECTRON TUBE, POWER TYPE 8168 [VALIDATION DATE: 8906] USER: AR AS CG MC	A 5960	ER	13-JUN-89	ER	EC	85		
L	MIL-E-1/1570C	OS REVIEWER: 11 17 99 CE ES MI SM ELECTRON TUBE, MAGNETRON, TYPE 7156A [VALIDATION DATE: 8104] USER: AS CG	A 5960	EC	30-SEP-74		EC			
	MIL-E-1/1571B NOTICE 1	MC OS SH REVIEWER: ES ELECTRON TUBE, KLYSTRON TYPE 8467 [VALIDATION DATE: 8704] USER: CG MC OS	A 5960	85	17-APR-87	ER	EC	85		
	MIL-E-1/1572A NOTICE 1	REVIEWER: 99 ES ELECTRON TUBE, VIDICON TYPE 7290 [VALIDATION DATE: 8704] USER: AS CG MC	A 5960	85	17-APR-87	ER	EC	85		
	MIL-E-1/1574B NOTICE 1	REVIEWER: 11 17 99 ES ELECTRON TUBE, PHOTOTUBE TYPE 6467 [VALIDATION DATE: 8304] REVIEWER: 99 ES	A 5960	EC	16-DEC-76	ER	EC	85		
L	MIL-E-1/1575A(1)	ELECTRON TUBE, CATHODE RAY TUBE TYPE 10VP7 [VALIDATION DATE: 8304] USER:	A 5960	EC	19-MAY-71		EC			
	MIL-E-1/1577B NOTICE 1	AS CG MC OS REVIEWER: ES ELECTRON TUBE, DIODE, HIGH VACUUM, TYPE 5973 [VALIDATION DATE: 8704] USER:	A 5960	85	17-APR-87	ER	EC	85		
	MIL-E-1/1580B	11 14 CG MC REVIEWER: 17 99 ES ELECTRON TUBE, POWER TYPE 8621 [VALIDATION DATE: 8204] USER: 19 AS CG MC	A 5960	EC	20-FEB-76	ER	EC	85		
L	MIL-E-1/1581A	OS SH REVIEWER: 11 99 ES ELECTRON TUBE, POWER TYPE 7030 [VALIDATION DATE: 8404] USER: AS CG MC	A 5960	EC	16-JUL-71		EC			
	MIL-E-1/1583A NOTICE 1	REVIEWER: ES ELECTRON TUBE, IMAGE CONVERTER TYPE 6929 [VALIDATION DATE: 9007] USER: 11	A 5960	ER	06-JUL-90	ER	EC	85		
L	MIL-E-1/1587C(1)	AS CG MC OS REVIEWER: 99 AR MI ELECTRON TUBE, POWER TYPE 8596 [VALIDATION DATE: 8811] REVIEWER: 99 .....	A 5960	85	30-NOV-88		85			
L	MIL-E-1/1588	NOTICE 1 ELECTRON TUBE, RECEIVING TYPE 6HMG7 (SEE MIL E 1/1599) [VALIDATION DATE:	A 5960	EC	03-FEB-66		EC			
L	MIL-E-1/1589C(1)	8404] USER: AS CG MC REVIEWER: ES ELECTRON TUBE, KLYSTRON TYPE 8237 [VALIDATION DATE: 8204] USER: AS CG MC	A 5960	EC	04-JUN-76		EC			
	MIL-E-1/1590B(1)	OS REVIEWER: ES ELECTRON TUBE, THYRATRON TYPE 8613 [VALIDATION DATE: 8505] USER: 11 AS CG	A 5960	EC	23-AUG-79	ER	EC	85		
L	MIL-E-1/1591A	MC ME OS REVIEWER: 17 99 ES ELECTRON TUBE, CATHODE RAY, STORAGE, TYPE 7268B [VALIDATION DATE: 8404]	A 5960	EC	30-NOV-66		EC			
L	MIL-E-1/1592A	REVIEWER: ES ELECTRON TUBE, VOLTAGE REGULATOR TYPE 6213A [VALIDATION DATE: 8304] USER:	A 5960	EC	23-SEP-70		EC			
	MIL-E-1/1593B	AS CG MC OS REVIEWER: ES ELECTRON TUBE, RECEIVING TYPE 8233 USER: 19 AS CG MC ME OS SH REVIEWER: 11	A 5960	EC	27-JUN-83	ER	EC	85		
L	MIL-E-1/1594C	99 ES ELECTRON TUBE, MAGNETRON, PULSED USER: MI REVIEWER: AR ES .....	A 5960	ER	29-JAN-86					
L	MIL-E-1/1595A	ELECTRON TUBE, GAS TYPE 8376 [VALIDATION DATE: 8304] USER: AS CG MC OS	A 5960	EC	01-FEB-71		EC			
L	MIL-E-1/1596A	REVIEWER: ES ELECTRON TUBE, POWER TYPE 8116 [VALIDATION DATE: 8104] USER: AS CG MC OS	A 5960	EC	30-OCT-74		EC			
	MIL-E-1/1599A NOTICE 1	SH REVIEWER: ES ELECTRON TUBE, RECEIVING TYPES 6H6 AND 12H6 [VALIDATION DATE: 8704] USER:	A 5960	85	17-APR-87	ER	EC	85		
L	MIL-E-1/1600	11 AR CG MC REVIEWER: 17 99 ES ELECTRON TUBE, MAGNETRON TYPE 7460 [VALIDATION DATE: 8304] USER: AS CG MC	A 5960	EC	19-SEP-66		EC			
L	MIL-E-1/1602B	OS REVIEWER: ES ELECTRON TUBE, TYPE B5961 [VALIDATION DATE: 8304] USER: AS CG MC OS	A 5960	EC	04-SEP-70		EC			
	MIL-E-1/1603	REVIEWER: ES ELECTRON TUBE, VIDICON TYPE 7325 [VALIDATION DATE: 8404] USER: AS CG MC	A 5960	EC	05-OCT-65	ER	EC	85		
L	MIL-E-1/1605A	REVIEWER: 11 17 99 ES ELECTRON TUBE, TRAVELING WAVE TYPE 812B [VALIDATION DATE: 8104] USER: AS	A 5960	EC	02-DEC-74		EC			
	MIL-E-1/1609A(1)	CG MC OS SH REVIEWER: ES ELECTRON TUBE, VOLTAGE REGULATOR TYPE 8515 [VALIDATION DATE: 8404] USER:	A 5960	EC	06-JUN-72	ER	EC	85		
L	MIL-E-1/1610C	AS CG MC REVIEWER: 11 17 99 ES ELECTRON TUBE, RECEIVING TYPE 8639 [VALIDATION DATE: 8204] USER: AS CG MC	A 5960	EC	04-JUN-76		EC			
L	MIL-E-1/1612 NOTICE 2	OS REVIEWER: ES ELECTRON TUBE, GAS TYPE 7620 [VALIDATION DATE: 8104] USER: CG MC REVIEWER:	A 5960	EC	19-MAY-75		EC			
	MIL-E-1/1613A	ES ELECTRON TUBE, POWER TYPE 810 [VALIDATION DATE: 8104] USER: AR AS CG MC	A 5960	EC	06-AUG-75	ER	EC	85		
	MIL-E-1/1614A	REVIEWER: 11 17 99 ES ELECTRON TUBE, GAS TYPE 857B [VALIDATION DATE: 8104] USER: AR AS CG MC OS	A 5960	EC	12-DEC-74	ER	EC	85		
L	MIL-E-1/1616E NOTICE 1	SH REVIEWER: 11 17 99 ES ELECTRON TUBE, POWER TYPES 7457, 7842 [VALIDATION DATE: 8704] USER: 11	A 5960	85	17-APR-87		85			
	MIL-E-1/1617B NOTICE 1	REVIEWER: 99 ES ELECTRON TUBE, RECEIVING TYPE 5847A [VALIDATION DATE: 8906] USER: AR AS CG	A 5960	ER	14-JUN-89	ER	EC	85		
	MIL-E-1/1618B NOTICE 1	MC MI OS SH REVIEWER: 11 17 99 ES ELECTRON TUBE, MAGNETRON TYPE 7256 [VALIDATION DATE: 8704] USER: AS CG OS	A 5960	85	17-APR-87	ER	EC	85		
	MIL-E-1/1619B NOTICE 1	REVIEWER: 11 99 ES ELECTRON TUBE, POWER TYPES 8161 AND 8251 [VALIDATION DATE: 8704] USER: 11	A 5960	85	17-APR-87	ER	EC	85		
	MIL-E-1/1621A NOTICE 1	19 AR AS CG MC REVIEWER: 99 ES SH ELECTRON TUBE, NEGATIVE GRID TYPE 7784 [VALIDATION DATE: 8704] REVIEWER:	A 5960	85	29-AUG-75	ER	EC	85		
L	MIL-E-1/1622A(1) NOTICE 1	17 80 SH ELECTRON TUBE, KLYSTRON TYPE 7829A REVIEWER: 99 ES .....	A 5960	85	17-APR-87		85			
	MIL-E-1/1623B	ELECTRON TUBE, TRAVELING WAVE TYPE 8175 [VALIDATION DATE: 8204] USER: 11	A 5960	EC	11-MAY-76	ER	EC	85		
L	MIL-E-1/1624A	AS CG MC OS REVIEWER: 99 ES MI ELECTRON TUBE, MAGNETRON TYPE 8682 [VALIDATION DATE: 8104] USER: AS CG MC	A 5960	EC	03-MAR-75		EC			
L	MIL-E-1/1627 NOTICE 1	OS SH REVIEWER: ES ELECTRON TUBE, KLYSTRON TYPE 8634 [VALIDATION DATE: 8906] REVIEWER: ES ....	A 5960	ER	14-JUN-89		85			
	MIL-E-1/1631A NOTICE 1	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7391 [VALIDATION DATE: 8104]	A 5960	EC	09-APR-75	ER	EC	85		
	MIL-E-1/1632A	USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES ELECTRON TUBE, KLYSTRON TYPE VA 220B USER: 11 AR AS CG MC OS REVIEWER: 99	A 5960	85	17-APR-87	ER	EC	85		
	MIL-E-1/1633(1)	ES ELECTRON TUBE, RECEIVING TYPE 6826 [VALIDATION DATE: 8104] USER: AS CG MC	A 5960	EC	30-JAN-75	ER	EC	85		
	MIL-E-1/1634B NOTICE 1	OS SH REVIEWER: 11 17 99 ES ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 7211 USER: 19 AR AS CG MC ME	A 5960	85	18-OCT-85	ER	EC	85		
L	MIL-E-1/1635A NOTICE 1	OS REVIEWER: 11 17 99 ES ELECTRON TUBE, POWER TYPES 8321 AND 8322 [VALIDATION DATE: 8802] USER: 11	A 5960	ER	08-FEB-88	ER	EC	85		
L	MIL-E-1/1636A(1)	AS AV CG MC ME OS REVIEWER: 99 CE ES MI SM ELECTRON TUBE, CATHODE RAY TYPE 10ALP19 [VALIDATION DATE: 8906] USER: AV	A 5960	ER	14-JUN-89		85			
	MIL-E-1/1638A	ME REVIEWER: ES ELECTRON TUBE, THYRATRON TYPE 7782 [VALIDATION DATE: 8304] USER: CG MC	A 5960	EC	22-FEB-77		EC			
L	MIL-E-1/1639B	REVIEWER: ES ELECTRON TUBE, KLYSTRON TYPE 2K22 [VALIDATION DATE: 8304] USER: AS CG MC	A 5960	EC	16-JUN-70	ER	EC	85		
	MIL-E-1/1640B	ME OS SH REVIEWER: 11 99 ES ELECTRON TUBE, RECEIVING TYPE 6414W USER: 11 REVIEWER: 17 99 ES .....	A 5960	85	17-APR-87		85			
	MIL-E-1/1643B	ELECTRON TUBE, MAGNETRON TYPE 8855 [VALIDATION DATE: 8204] USER: AS CG MC	A 5960	EC	29-JAN-76	ER	EC	85		
L	MIL-E-1/1647A(2)	OS REVIEWER: 11 ES ELECTRON TUBE, GAS SWITCHING TYPE 8770 [VALIDATION DATE: 8104] USER: 11 AR	A 5960	EC	08-MAY-75	ER	EC	85		
L	MIL-E-1/1648B	AS CG OS SH REVIEWER: 99 ES ELECTRON TUBE, RADIATION COUNTER TYPE 8767 USER: AS CG MC OS REVIEWER: ER	A 5960	EC	16-JAN-85		EC			
		ES ELECTRON TUBE, POWER TYPE 8660 [VALIDATION DATE: 8204] USER: AS CG MC OS	A 5960	EC	20-FEB-76		EC			
		REVIEWER: ES								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / ODA Coordination Notice Document Number	Document Title	Dist. Smt. FSC / Aves MCA Symbol Proprietary Acy Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-E-1/16498	ELECTRON TUBE, TETRODE TYPE 8866 [VALIDATION DATE: 8505] USER: 11 AS CG MC	A 5960 EC 16-FEB-79	EC	85		
L MIL-E-1/1650A	OS REVIEWER: 99 ES ELECTRON TUBE, KLYSTROM TYPE 8406 [VALIDATION DATE: 8304] USER: AS CG MC	A 5960 EC 23-JUL-69	EC			
MIL-E-1/1651A NOTICE 1	OS REVIEWER: ES ELECTRON TUBE, CATHODE RAY TYPE 58GP2 [VALIDATION DATE: 8906] USER: 19 AS	A 5960 ER 14-JUN-89	ER	EC	80	
L MIL-E-1/1652A	CG MC ME OS SH REVIEWER: 11 17 99 AR ES ELECTRON TUBE, VOLTAGE REGULATION TYPE 8797 [VALIDATION DATE: 8204] USER:	A 5960 EC 02-OCT-75	EC			
L MIL-E-1/1653A	AS CG MC OS SH REVIEWER: ES ELECTRON TUBE, TRAVELING-WAVE TYPE 8362 [VALIDATION DATE: 8404] USER: AS	A 5960 EC 04-NOV-70	EC			
L MIL-E-1/1654A	CG MC OS REVIEWER: ES ELECTRON TUBE, TRAVELING-WAVE TYPE 8364 [VALIDATION DATE: 8404] USER: AS	A 5960 EC 09-NOV-70	EC			
MIL-E-1/1655D	CG MC OS REVIEWER: ES ELECTRON TUBE, RECEIVING TYPE 6080MC USER: 11 AR AS CG MC OS REVIEWER: 99	A 5960 EC 30-APR-88	ER	EC	85	
MIL-E-1/1656B	ES ELECTRON TUBE, RECEIVING TYPE 5840W USER: AS CG MC ME OS SH REVIEWER: 11	A 5960 EC 03-SEP-82	ER	EC	85	
L MIL-E-1/1657B	ES ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8727 [VALIDATION DATE: 8304]	A 5960 EC 30-JUN-77	EC			
L MIL-E-1/1658A(1) NOTICE 1	USER: AS CG MC OS REVIEWER: ES ELECTRON TUBE, THYRATRON TYPE 8789 USER: 11 REVIEWER: 99 ES .....	A 5960 BS 17-APR-87		85		
L MIL-E-1/1659(1)	ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 5767 [VALIDATION DATE: 8104]	A 5960 EC 24-APR-69	EC			
MIL-E-1/1660A	USER: AS CG MC OS REVIEWER: ES ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE 6403 [VALIDATION DATE: 8204]	A 5960 EC 11-NOV-75	EH	EC	85	
MIL-E-1/1661A	USER: 11 AS CG MC OS REVIEWER: 17 99 AR ES ELECTRON TUBE, THYRATRON TYPE 8765 [VALIDATION DATE: 8204] USER: 11 AS CG	A 5960 EC 11-NOV-75	ER	EC	85	
L MIL-E-1/1664A	ME OS REVIEWER: 99 ES MI ELECTRON TUBE, MAGNETRON TYPE 8827 [VALIDATION DATE: 8104] USER: AS CG MC	A 5960 EC 16-JUN-75	EC			
L MIL-E-1/1665	OS REVIEWER: ES ELECTRON TUBE, CATHODE RAY CHARGE STORAGE TYPE 8602/CX1383A [VALIDATION	A 5960 EC 30-DEC-68	EC			
L MIL-E-1/1666	DATE: 8104] USER: AS CG MC OS REVIEWER: ES ELECTRON TUBE, D TYPE BACKWARD WAVE TYPE 8076A [VALIDATION DATE: 8104]	A 5960 EC 04-APR-69	EC			
MIL-E-1/1667A(2) NOTICE 1	REVIEWER: ES ELECTRON TUBE, POWER TYPE 5946 AND 6161 USER: AS CG MC OS REVIEWER: 11 99	A 5960 BS 17-APR-87	ER	EC	85	
MIL-E-1/1668A(1)	AR ES SH ELECTRON TUBE, KLYSTROM TYPES 8849 AND 8821 [VALIDATION DATE: 8304] USER:	A 5960 EC 14-APR-71	EH	EC	85	
L MIL-E-1/1669 NOTICE 1	19 AS CG MC ME OS REVIEWER: 11 17 99 ES ELECTRON TUBE, KLYSTROM TYPE 8766 [VALIDATION DATE: 8906] REVIEWER: ES ....	A 5960 ER 14-JUN-89	ER			
L MIL-E-1/1670B(1) NOTICE 1	ELECTRON TUBE, POWER TYPE 8590 USER: 11 REVIEWER: 99 ES .....	A 5960 BS 28-MAR-91		85		
L MIL-E-1/1675 NOTICE 1	ELECTRON TUBE, GAS-SWITCHING TYPE 6795A [VALIDATION DATE: 8906] REVIEWER:	A 5960 ER 14-JUN-89	ER			
MIL-E-1/1676A	ES ELECTRON TUBE, MAGNETRON TYPES 2J30 THROUGH 2J34 [VALIDATION DATE: 8104]	A 5960 EC 27-JUN-75	ER	EC	85	
L MIL-E-1/1677 NOTICE 1	USER: 11 AS AV CG MC ME OS SH REVIEWER: 99 AR ES ELECTRON TUBE, KLYSTROM TYPE 8759 [VALIDATION DATE: 8906] REVIEWER: ES ....	A 5960 ER 14-JUN-89	ER			
MIL-E-1/1679A NOTICE 1	ELECTRON TUBE, POWER TYPE 8252W [VALIDATION DATE: 8906] USER: 19 AR AS AV	A 5960 ER 14-JUN-89	ER	EC	85	
L MIL-E-1/1680B	CG MC ME OS SH REVIEWER: 11 17 99 ES MI ELECTRON TUBE, MAGNETRON TYPE 8763 [VALIDATION DATE: 8304] USER: AS MC OS	A 5960 EC 15-NOV-76	EC			
L MIL-E-1/1681	REVIEWER: ES ELECTRON TUBE, CATHODE RAY, CHARGE STORAGE TYPE 8832 REVIEWER: 11 17 99 ES	A 5960 BS 17-APR-87		85		
L MIL-E-1/1683	ELECTRON TUBE, PHOTOTUBE TYPE 2056A [VALIDATION DATE: 8206] REVIEWER: 11	A 5960 BS 13-MAR-70		85		
MIL-E-1/1684A	99 ES ELECTRON TUBE, KLYSTROM TYPE 8848 [VALIDATION DATE: 8204] USER: 19 AS CG	A 5960 EC 25-MAY-76	ER	EC	85	
L MIL-E-1/1685A	MC ME OS REVIEWER: 11 99 ES ELECTRON TUBE, BACKWARD WAVE OSCILLATOR TYPE 7661 [VALIDATION DATE: 8907]	A 5960 BS 14-JUL-89		85		
L MIL-E-1/1686A NOTICE 1	REVIEWER: 11 99 ES ELECTRON TUBE, BACKWARD WAVE OSCILLATOR TYPE 7824 REVIEWER: 11 99 .....	A 5960 BS 17-APR-87		85		
MIL-E-1/1687(1)	ELECTRON TUBE, KLYSTROM TYPE DOD 001 USER: 19 AR AS CG MC OS REVIEWER: 11	A 5960 EC 10-FEB-81	ER	EC	85	
L MIL-E-1/1688A NOTICE 1	17 99 ES ELECTRON TUBE, MAGNETRON TYPE 8798 REVIEWER: 11 99 ES .....	A 5960 BS 17-APR-87		85		
L MIL-E-1/1690A(1)	ELECTRON TUBE, KLYSTROM TYPE 8901 [VALIDATION DATE: 8206] USER: 11	A 5960 BS 17-FEB-82		85		
MIL-E-1/1691 NOTICE 1	REVIEWER: 99 ES ELECTRON TUBE, RECEIVING TYPE 7984 [VALIDATION DATE: 8906] REVIEWER: ES ...	A 5960 ER 14-JUN-89	ER	EC	85	
L MIL-E-1/1692A NOTICE 1	ELECTRON TUBE, TRAVELING WAVE TYPE 8878 [VALIDATION DATE: 8805] REVIEWER:	A 5960 BS 20-MAY-88		85		
L MIL-E-1/1693A NOTICE 1	11 99 ES ELECTRON TUBE, TRAVELING WAVE TYPE 8879 [VALIDATION DATE: 8805] REVIEWER:	A 5960 BS 20-MAY-88		85		
L MIL-E-1/1694A(1) NOTICE 1	11 99 ES ELECTRON TUBE, TRAVELING WAVE TYPE 8880 REVIEWER: 11 99 ES .....	A 5960 BS 17-APR-87		85		
L MIL-E-1/1695A(2) NOTICE 1	ELECTRON TUBE, TRAVELING WAVE TYPE 8881 [VALIDATION DATE: 8811] USER:	A 5960 BS 30-NOV-88		85		
L MIL-E-1/1696A(1)	11 REVIEWER: 99 ELECTRON TUBE, TRAVELING WAVE TUBE TYPE 8882 [VALIDATION DATE: 8805]	A 5960 BS 20-MAY-88		85		
MIL-E-1/1697A	REVIEWER: 11 99 ES ELECTRON TUBE, KLYSTROM TYPE DOD 003 [VALIDATION DATE: 8204] USER: 19 AS	A 5960 EC 20-JUL-76	ER	EC	85	
L MIL-E-1/1698A	ME OS REVIEWER: 11 99 ES ELECTRON TUBE, RADIATION COUNTER, TYPE 7301 [VALIDATION DATE: 8204] USER:	A 5960 EC 15-APR-76		EC		
L MIL-E-1/1699A NOTICE 1	AS CG MC OS REVIEWER: ES ELECTRON TUBE, GAS SWITCHING TYPE 7849 REVIEWER: 11 99 .....	A 5960 BS 17-APR-87		85		
L MIL-E-1/1700A NOTICE 1	ELECTRON TUBE, MAGNETRON TYPE 7547 REVIEWER: 11 99 ES .....	A 5960 BS 17-APR-87		85		
MIL-E-1/1701B	ELECTRON TUBE, GAS SWITCHING TYPE DOD 004 [VALIDATION DATE: 8204] USER: AS	A 5960 EC 21-JUN-76	ER	EC	85	
MIL-E-1/1702A	CG MC OS REVIEWER: 11 17 99 ES ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8745 USER: AS CG MC OS	A 5960 BS 06-DEC-85		EC	85	
MIL-E-1/1703(1)	REVIEWER: 99 ES ELECTRON TUBE, GAS SWITCHING TYPE DOD 005 [VALIDATION DATE: 8505] USER: 19	A 5960 EC 23-APR-73	ER	EC	85	
L MIL-E-1/1704 NOTICE 1	AS CG MC OS REVIEWER: 11 17 99 ES ELECTRON TUBE, MAGNETRON TYPE USAF 6233 REVIEWER: 11 99 ES .....	A 5960 BS 17-APR-87		85		
L MIL-E-1/1705A NOTICE 1	ELECTRON TUBE, MAGNETRON TYPE 8896 USER: 11 REVIEWER: 99 ES .....	A 5960 BS 17-APR-87		85		
MIL-E-1/1706	ELECTRON TUBE, RECEIVING TYPE 5998A [VALIDATION DATE: 8304] USER: 19 AS CG	A 5960 EC 29-APR-71	ER	EC	85	
MIL-E-1/1707A	MC REVIEWER: 99 AR ES ELECTRON TUBE, POWER 1/ TYPE DOD 006 [VALIDATION DATE: 8204] USER: AS CG	A 5960 EC 20-FEB-76	ER	EC	85	
L MIL-E-1/1708(2) NOTICE 1	MC OS REVIEWER: 11 17 99 ES ELECTRON TUBE, KLYSTROM TYPE DOD-007 1/ [VALIDATION DATE: 8601] REVIEWER:	A 5960 EC 11-JUN-74		EC		
MIL-E-1/1709A	AS CG ES MC OS SH ELECTRON TUBE, GAS SWITCHING TYPE 8919 USER: AR AS CG MC OS REVIEWER: 11	A 5960 EC 26-JUN-85	ER	EC	85	
L MIL-E-1/1710 NOTICE 1	17 99 ES ELECTRON TUBE, GAS SWITCHING TYPE DOD 008 REVIEWER: 17 99 ES .....	A 5960 BS 17-APR-87		85		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Circulation Section	Document Number	Document Title	Doc. Syst. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-E-1/1711(3)	ELECTRON TUBE, CATHODE RAY, CHARGE STORAGE TYPE 8931 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960	EC	05-AUG-75	EC			
	MIL-E-1/1712B	ELECTRON TUBE, TRAVELING WAVE TYPE 8742 [VALIDATION DATE: 8304] USER: AS CG MC OS REVIEWER: ES	A 5960	EC	05-OCT-76	ER	EC		
	MIL-E-1/1713B	ELECTRON TUBE, TRAVELING WAVE DOD 009 1/ [VALIDATION DATE: 8505] USER: 11 AR AS CG MC OS REVIEWER: 99 ES	A 5960	EC	26-FEB-79	ER	EC	85	
L	MIL-E-1/1714A	ELECTRON TUBE, GAS SWITCHING TYPE DOD 010 [VALIDATION DATE: 8304] REVIEWER: ES	A 5960	EC	10-NOV-76	EC			
	MIL-E-1/1715	ELECTRON TUBE, KLYSTRON TYPE 7049 [VALIDATION DATE: 8404] USER: AS CG ME OS REVIEWER: 11 99 ES	A 5960	EC	05-MAY-72	ER	EC	85	
	MIL-E-1/1716(1)	ELECTRON TUBE, POWER TYPE B171 [VALIDATION DATE: 8906] USER: 19 REVIEWER: 11 17 99 AR ES	A 5960	ER	14-JUN-89	ER		80	
	NOTICE 1	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8906 [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 80 ES	A 5960	EC	15-APR-76	ER	EC	85	
	MIL-E-1/1717A	ELECTRON TUBE, GAS SWITCHING TYPE 8922 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 99 AR ES MI	A 5960	EC	01-JUN-72	ER	EC	85	
	MIL-E-1/1718	ELECTRON TUBE, MAGNETRON TYPE DOD 011 [VALIDATION DATE: 8601] USER: AR AS CG MC OS REVIEWER: ES	A 5960	EC	12-APR-74	ER	EC		
	MIL-E-1/1719(1)	ELECTRON TUBE, MAGNETRON TYPE DOD 015 [VALIDATION DATE: 8204] USER: 19 REVIEWER: 11 17 99 AR ES	A 5960	EC	20-JUL-76	ER	EC	85	
	NOTICE 1	ELECTRON TUBE, TRAVELING WAVE TYPE DOD 017 [VALIDATION DATE: 8104] USER: AS CG MC OS REVIEWER: ES	A 5960	EC	06-AUG-75	EC			
L	MIL-E-1/1724A	ELECTRON TUBE, POWER TYPE B169 [VALIDATION DATE: 8906] USER: AR REVIEWER: 11 17 99 ES	A 5960	ER	14-JUN-89	ER		80	
	MIL-E-1/1725	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8533W [VALIDATION DATE: 8204] USER: 11 AS CG MC OS REVIEWER: 17 99 ES	A 5960	EC	11-MAY-76	ER	EC	85	
	NOTICE 1	ELECTRON TUBE, MICROWAVE, NEGATIVE GRID TYPE DOD-018 USER: AS CG MC OS REVIEWER: 99 ES	A 5960	EC	30-MAY-88	EC			
L	MIL-E-1/1727(2)	ELECTRON TUBE, POWER TYPE B904 [VALIDATION DATE: 8906] USER: 11 AS AV CG MC ME OS REVIEWER: 99 CE ES MI SH	A 5960	ER	14-JUN-89	ER	EC	85	
	MIL-E-1/1728A	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPES 8538B AND 8933 USER: 11 AR AS CG MC OS SH REVIEWER: 17 99 ES	A 5960	EC	25-SEP-85	ER	EC	85	
	NOTICE 1	ELECTRON TUBE, GAS SWITCHING TYPE DOD 020 1 USER: 11 AS CG MC OS REVIEWER: 99 AR ES ME	A 5960	85	17-APR-87	ER	EC	85	
	MIL-E-1/1731A(1)	ELECTRON TUBE, POWER TYPE B932 [VALIDATION DATE: 8601] USER: AS CG MC OS SH REVIEWER: ES	A 5960	EC	11-JUL-74	EC			
L	MIL-E-1/1733(2)	ELECTRON TUBE, MAGNETRON TYPE 8943 [VALIDATION DATE: 8805] USER: 11 AS CG MC OS SH REVIEWER: 99 ES	A 5960	85	20-MAY-88	ER	EC	85	
	NOTICE 1	ELECTRONIC TUBE, THYATRON TYPE 8951 USER: AS CG MC OS SH REVIEWER: ES ....	A 5960	EC	28-APR-82	EC			
	MIL-E-1/1735(1)	ELECTRON TUBE, MAGNETRON TYPE 1 DOD 023.2 DOD 024.3 DOD 025 [VALIDATION DATE: 8505] USER: 17 AR AS CG MC OS SH REVIEWER: 11 99 ES	A 5960	EC	25-JUN-73	ER	EC	85	
	MIL-E-1/1736	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE DOD 026 EC ELEC 80 5960 130873 [VALIDATION DATE: 8505] USER: AR AS CG MC OS REVIEWER: 11 17 99 ES	A 5960	EC	13-AUG-73	ER	EC	85	
	MIL-E-1/1737	ELECTRON TUBE, MAGNETRON TYPE 8939 [VALIDATION DATE: 8404] USER: 11 AR CG MC OS REVIEWER: 99	A 5960	EC	12-JUN-78	ER	EC	85	
	MIL-E-1/1738B	ELECTRON TUBE, MAGNETRON TYPE 8945 USER: 11 REVIEWER: 17 99 .....	A 5960	85	12-APR-79			85	
L	MIL-E-1/1739(1)	ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8934 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960	EC	01-JUL-75	EC			
L	MIL-E-1/1740(1)	ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8900 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960	EC	01-JUL-75	EC			
L	MIL-E-1/1741(1)	ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 81290 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960	EC	01-JUL-75	EC			
L	MIL-E-1/1742(1)	ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8129F [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960	EC	01-JUL-75	EC			
L	MIL-E-1/1743(1)	ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8898 [VALIDATION DATE: 8104] USER: AS CG MC OS SH	A 5960	EC	01-JUL-75	EC			
L	MIL-E-1/1744(1)	ELECTRON TUBE, CROSS FIELD AMPLIFIER TYPE 8899 [VALIDATION DATE: 8104] USER: AS CG MC OS SH REVIEWER: ES	A 5960	EC	01-JUL-75	EC			
L	MIL-E-1/1745(1)	ELECTRON TUBE, POWER TYPE B122 USER: 11 19 AR AS CG MC ME OS SH REVIEWER: 99 ES	A 5960	EC	09-APR-75	ER	EC	85	
L	MIL-E-1/1748(1)	ELECTRON TUBE, KLYSTRON TYPE 8956 USER: 11 REVIEWER: 99 .....	A 5960	85	17-APR-87			85	
L	MIL-E-1/1749B	ELECTRON TUBE, MAGNETRON TYPE DOD 028 [VALIDATION DATE: 8601] REVIEWER: AS CG MC OS SH	A 5960	EC	31-MAY-74	EC			
L	NOTICE 1	ELECTRON TUBE, MAGNETRON TYPE DOD 029 [VALIDATION DATE: 8304] USER: AS CG MC OS	A 5960	EC	10-NOV-76	EC			
L	MIL-E-1/1750	ELECTRON TUBE, MAGNETRON TYPE DOD 031 [VALIDATION DATE: 8204] USER: AS OS .	A 5960	EC	31-OCT-74	EC			
L	MIL-E-1/1751A(1)	ELECTRON TUBE, MAGNETRON TYPE DOD 032 [VALIDATION DATE: 8104] USER: AS OS .	A 5960	EC	31-OCT-74	EC			
L	MIL-E-1/1753	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8964 [VALIDATION DATE: 8104] USER: AS CG OS SH	A 5960	EC	14-JAN-75	EC			
L	MIL-E-1/1754	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE 8965 [VALIDATION DATE: 8104] USER: AS CG OS SH	A 5960	EC	14-JAN-75	EC			
L	MIL-E-1/1755	ELECTRON TUBE, KLYSTRON, AMPLIFIER, PULSED TYPE DOD-034 [VALIDATION DATE: 88101]	A 5960	AR	13-OCT-88	AR			
L	MIL-E-1/1756	ELECTRON TUBE, MAGNETRON TYPE DOD 035 [VALIDATION DATE: 8204] .....	A 5960	EC	20-FEB-76	EC			
L	MIL-E-1/1757	ELECTRON TUBE, MAGNETRON 1 TYPE DOD 036 [VALIDATION DATE: 8104] USER: 19 AR AS CG MC ME OS SH REVIEWER: 11 ES	A 5960	EC	28-JUL-75	ER	EC	85	
L	MIL-E-1/1758A(1)	ELECTRON TUBE, RECEIVING 1 TYPE 1636TA [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 17 99 ES	A 5960	EC	27-OCT-76	ER	EC	85	
L	NOTICE 1	ELECTRON TUBE, KLYSTRON 1 TYPE 8979 [VALIDATION DATE: 8104] USER: 11 AS CG MC OS SH REVIEWER: ES	A 5960	EC	16-SEP-75	ER	EC	85	
L	MIL-E-1/1762	ELECTRON TUBE, KLYSTRON TYPE DOD 037 [VALIDATION DATE: 8104] USER: AS CG MC OS SH	A 5960	EC	16-SEP-75	EC			
L	MIL-E-1/1763	ELECTRONIC TUBE, NEGATIVE GRID (MICROWAVE) 1/ TYPE DOD-038 [VALIDATION DATE: 9112]	A 5960	ER	05-DEC-91	ER			
L	MIL-E-1/1764B	ELECTRON TUBE, POWER 1 TYPE 8966 [VALIDATION DATE: 8204] .....	A 5960	EC	11-MAY-76	EC			
L	NOTICE 2	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) 1 TYPE 8980 [VALIDATION DATE: 8304]	A 5960	EC	30-JUN-77	EC			
L	MIL-E-1/1765	ELECTRON TUBE, POWER 1 TYPE 8281 USER: 11 AS DC MC OS REVIEWER: 99 ES .....	A 5960	EC	02-MAY-84	ER	EC	85	
L	MIL-E-1/1766	ELECTRON TUBE, MAGNETRON TYPE 8982 [VALIDATION DATE: 8505] USER: AS CG OS REVIEWER: ES	A 5960	EC	26-OCT-77	EC			
L	MIL-E-1/1767B	ELECTRON TUBE, NEGATIVE GRID (MICROWAVE) TYPE DOD-041 [VALIDATION DATE: 8906]	A 5960	ER	14-JUN-89	ER			
L	MIL-E-1/1769(1)	ELECTRON TUBE, MAGNETRON, KU BAND, PULSE TYPE [VALIDATION DATE: 8906] .....	A 5960	ER	14-JUN-89	ER			
L	MIL-E-1/1771(1)	ELECTRON TUBE, MAGNETRON, KU BAND, PULSE TYPE [VALIDATION DATE: 8906] .....	A 5960	ER	14-JUN-89	ER			
L	NOTICE 1	ELECTRON TUBE, MAGNETRON, KU BAND, PULSE TYPE [VALIDATION DATE: 8906] .....	A 5960	ER	14-JUN-89	ER			
L	MIL-E-1/1772(1)	ELECTRON TUBE, MAGNETRON, KU BAND, PULSE TYPE [VALIDATION DATE: 8906] .....	A 5960	ER	14-JUN-89	ER			
L	NOTICE 1	ELECTRON TUBE, MAGNETRON, KU BAND, PULSE TYPE [VALIDATION DATE: 8906] .....	A 5960	ER	14-JUN-89	ER			
Q	MIL-E-1/1773(1)	ELECTRON TUBE, MAGNETRON TYPE DOD-042 USER: AS CG ME OS SH REVIEWER: 11 17 84 ES	A 5960	EC	05-SEP-91	ER	EC	85	
DQ	MIL-V-20,3)	VALVE, CYLINDER, GAS (FOR COMPRESSED OR LIQUIFIED GASES), GENERAL SPECIFICATION FOR USER: AV MC YD1 REVIEWER: AS GS	A 8120	ME	18-FEB-81	ME	SH	68	
D	MIL-V-2/1C	VALVE, CYLINDER, GAS, ACETYLENE, OUTLET 510, INLET 3/4 INCH USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	18-FEB-81	ME	SH	68	
D	MIL-V-2/2C	VALVE, CYLINDER, GAS, ACETYLENE, OUTLET 510, INLET 1 INCH USER: AV MC YD1 REVIEWER: AS GS	A 8120	ME	18-FEB-81	ME	SH	68	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	CPL / OAK	Contribution	Document	Number	Document	Title	Dist. Sent	FSC / Area	MCA Symbol	Preparing Act	Date	Custodians			
												Army	Navy	Air Force	DLA
D				MIL-V-2/38		VALVE, CYLINDER, GAS, ACETYLENE, OUTLET 201 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/48		VALVE, CYLINDER, GAS, AEROSOL INSECTICIDE, OUTLET 621 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/58		VALVE, CYLINDER, GAS, AIR FOR HUMAN RESPIRATION OUTLET 1341 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/68		VALVE, CYLINDER, GAS, AIR INDUSTRIAL, OUTLET 591 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/78		VALVE, CYLINDER, GAS, AMHYDROUS AMMONIA (DISHD-HEAD CYLINDER) OUTLET 241, INLET 3/4 INCH [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/88		VALVE, CYLINDER, GAS, AMHYDROUS AMMONIA (CONVEX HEAD CYLINDER) OUTLET 241, INLET 3/4 INCH [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
				MIL-V-2/98		VALVE, CYLINDER, GAS, AMHYDROUS AMONIA (DISHD-HEAD CYLINDER) OUTLET 241, INLET 1 INCH [VALIDATION DATE: 8001] USER: AV REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/108		VALVE, CYLINDER, GAS, AMHYDROUS AMMONIA (CONVEX-HEAD CYLINDER) OUTLET 241, INLET 1 INCH [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/118		VALVE, CYLINDER, GAS, ARGON, HELIUM, NITROGEN, NEON AND XENON, (INERT-OIL FREE), OUTLET 581 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/14C		VALVE, CYLINDER, GAS, BUTANE, PROPANE, BUTANE-PROPANE MIXTURES AND MAPP GAS (MAXIMUM 100 POUND NOMINAL CAPACITY CYLINDER) OUTLET 511 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	28-AUG-73	ME	SH	68			
D				MIL-V-2/158		VALVE, CYLINDER, GAS, CARBON DIOXIDE, OUTLET, 321 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/168		VALVE, CYLINDER, GAS, CARBON DIOXIDE, OUTLET 321 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/17C		VALVE, CYLINDER, GAS, CARBON DIOXIDE OUTLET 941 (PIN INDEX MEDICAL [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/188		VALVE, CYLINDER, GAS, CARBON MONOXIDE, OUTLET 351 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/198		VALVE, CYLINDER, GAS, ETHYLENE OXID-CARBON DIOXIDE MIXTURE, OUTLET 351 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/208		VALVE, CYLINDER, GAS, CHLORINE OUTLET 661 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/218		VALVE, CYLINDER, GAS, CHLORINE (TON CONTAINER) OUTLET 661 [VALIDATION DATE: 8001] USER: MC YD1 REVIEWER: AS EA GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/22C(1)		VALVE, CYLINDER, GAS, DICHLORODIFLUOROMETHANE, MONOCHLORODIFLUOROMETHANE, DICHLOROTETRAFLUOROMETHANE, METHYL CHLORIDE, SULFUR DIOXIDE, BROMOCHLOROTRAFLUOROMETHANE, BROMOTRIFLUOROMETHANE, AND DIBROMODIFLUOROMETHANE: OUTLET 621 USER: AV MC YD1 REVIEWER: AR PS GS MI	A 8120	68	01-SEP-91	ME	SH	68			
D				MIL-V-2/238		VALVE, CYLINDER, GAS, ETHYL CHLORIDE OUTLET 301 [VALIDATION DATE: 8001] USER: AS AV MC YD1 REVIEWER: GS MD MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/248		VALVE, CYLINDER, GAS, ETHYLENE OXIDE OUTLET 511 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/268		VALVE, CYLINDER, GAS, HELIUM AND NITROGEN, (INERT-OIL TO LERANT) OUTLET 591 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/278		VALVE, CYLINDER, GAS, OXYGEN HELIUM MIXTURES (HELIUM NOT OVER 80 PERCENT), OUTLET 281 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/288		VALVE, CYLINDER, GAS OXYGEN HELIUM MIXTURE (HELIUM NOT OVER 80 PERCENT OUTLET (PIN INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/298		VALVE, CYLINDER, GAS, HYDROGEN OUTLET 351 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/33C		VALVE, CYLINDER, GAS, NITROGEN, RECOIL MECHANISMS, OUTLET 000 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	28-AUG-73	ME	SH	68			
D				MIL-V-2/378		VALVE, CYLINDER, GAS, NITROUS OXIDE, OUTLET 1321 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/38C		VALVE, CYLINDER, GAS, NITROUS OXIDE OUTLET 911 (PIN INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/398		VALVE, CYLINDER, GAS, OXYGEN OUTLET 541 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/418		VALVE, CYLINDER, GAS, OXYGEN, 3/4 INCH INLET CONNECTION, 450-, 750-, 1, 150-8 1.560 GALLON CAPACITY MEDICAL CYLINDERS, TYPE 01-541-4, 2,200 PSI SERVICE PRESSURE [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/42C		VALVE, CYLINDER, GAS, OXYGEN, 1/2-INCH INLET CONNECTION, TYPE 01-871-5, 2500-PSI SERVICE PRESSURE, 80, 95 AND 165 GALLON CAPACITY MEDICAL CYLINDERS [VALIDATION DATE: 8001] USER: AV MC MI YD1 REVIEWER: AS GS	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/438		VALVE, CYLINDER GAS, PHOSGENE, 3/4 INCH INLET CONNECTION, 1-TON CONTAINER, TYPE 11-641-1, 500 PSI SERVICE PRESSURE [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS EA GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/448		VALVE, CYLINDER, GAS, PROPANE, 3/4 INCH INLET CORRECTION, TYPE 08-511-18 300 PSI SERVICE PRESSURE [VALIDATION DATE: 8001] USER: AV MC MI YD1 REVIEWER: AS GS	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/468		VALVE, CYLINDER, GAS, SULFUR HEXAFLUORIDE OUTLET 591 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/47		VALVE, CYLINDER, GAS, AIR FOR HUMAN RESPIRATION, OUTLET 951 (PIN-INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS EA GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/48		VALVE, CYLINDER, GAS, AIR FOR HUMAN RESPIRATION, OUTLET 1341 (MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS EA GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/49		VALVE, CYLINDER, GAS, CYCLOPROPANE, OUTLET 921 (PIN INDEX MEDICAL) [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/50		VALVE, CYLINDER, GAS, METHYL BROMIDE, OUTLET 621 [VALIDATION DATE: 8001] USER: AV MC YD1 REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	SH	68			
D				MIL-V-2/51		VALVE, CYLINDER, GAS, HIGH PRESSURE GASES, 6000 PSI, OUTLET 67U [VALIDATION DATE: 8001] USER: AV REVIEWER: AS GS MI	A 8120	ME	09-SEP-70	ME	YD1	68			
D				MIL-V-3D		VALVE, FITTINGS, AND FLANGES (EXCEPT FOR SYSTEMS INDICATED HEREIN), PACKAGING OF USER: MC REVIEWER: 99 CS MI SA SH YD1	A PACK	SH	03-JUL-85	ME	SH	69			
D				MIL-T-4K		TIRES AND INNER TUBES: PACKAGING OF USER: AV MC REVIEWER: BA BN ME	A 2610	AT	08-AUG-91	AT	YD1	84			
L				MIL-T-004J		TIRE, PNEUMATIC, AND INNER TUBE, PNEUMATIC TIRE, TIRE WITH FLAP, PACKAGING OF 110276 [VALIDATION DATE: 8001] REVIEWER: CS	A 2610	AT	11-FEB-76	AT					
Q				MIL-C-5E(2)		CAPACITORS, FIXED, MICA DIELECTRIC GENERAL SPECIFICATION FOR [VALIDATION DATE: 9010] USER: 19 CG MC ME REVIEWER: 11 17 99 AS ES OS	A 5910	BS	26-OCT-90	ER	EC	85			
				SUPPL 1A, NOTICE 1		CAPACITORS, FIXED, MICA DIELECTRIC, STYLE CM15 [VALIDATION DATE: 8909] USER: ME REVIEWER: 11 99 ES MI	A 5910	ER	05-SEP-89	ER	EC	85			
				MIL-C-5/1F		CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 20 USER: CG MC REVIEWER: 11 17 99 AS ES OS SH	A 5910	EC	20-NOV-87	ER	EC	85			
				MIL-C-5/2G(1)		CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 30 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH	A 5910	EC	20-NOV-87	ER	EC	85			
				MIL-C-5/4E(1)		CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 35 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH	A 5910	EC	20-NOV-87	ER	EC	85			
				MIL-C-5/5G(1)		CAPACITOR, FIXED, MICA DIELECTRIC, STYLE CM 35 USER: 19 CG MC REVIEWER: 11 17 AS ES OS SH	A 5910	EC	20-NOV-87	ER	EC	85			
				MIL-C-5/7F(1)		CAPACITORS, FIXED, MICA DIELECTRIC STYLE CM45 USER: ME REVIEWER: 17 99 ES	A 5910	ER	07-AUG-91	ER	EC	85			
				NOTICE 1											



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active ON / Off Condition Indicator	Document Number	Document Title	Doc. Syst. FIC Area	MCA Symbol	Preparing Agency	Date	Custodian Army Navy Air Force DIA
	MIL-C-5/86	CAPACITORS, FIXED, NICA DIELECTRIC, STYLE CM60 USER: ME REVIEWER: 17 99 ES	A 5910	ER	07-AUG-91	ER EC 85	
	MIL-C-5/99(2) NOTICE 1	CAPACITORS, FIXED, NICA DIELECTRIC, STYLE CM66 REVIEWER: 99 ES	A 5910	ER	07-AUG-91	ER EC 85	
	MIL-C-5/106(1) NOTICE 1	CAPACITORS, FIXED, NICA DIELECTRIC, STYLE CM60 REVIEWER: 17 99 ES	A 5910	BS	06-MAY-91	ER EC 85	
	MIL-C-5/116(1) NOTICE 1	CAPACITORS, FIXED, NICA DIELECTRIC, STYLES CM65, CM66, AND CM68 USER: 19	A 5910	BS	30-OCT-89	ER EC 85	
	MIL-C-5/129(2)	OS MC ME REVIEWER: 11 17 99 ES	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-C-5/136(1) NOTICE 1	CAPACITORS, FIXED, NICA DIELECTRIC, STYLES CM70, CM71, AND CM73 USER: 19	A 5910	BS	30-OCT-89	ER EC 85	
	MIL-C-5/146(2)	OS MC REVIEWER: 11 17 AS ES OS SH	A 5910	ER	11-OCT-89	ER EC 85	
	MIL-C-5/156(2)	CAPACITORS, FIXED, NICA DIELECTRIC, STYLES CM75, CM76, AND CM78 USER: 9	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-C-5/166(2) NOTICE 1	OS MC ME REVIEWER: 17 99 ES	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-C-5/176(2)	CAPACITORS, FIXED, NICA DIELECTRIC, STYLES CM80, CM81, AND CM83 USER: 19	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-C-5/180(2)	OS MC REVIEWER: 11 17 99 ES OS	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-1-108(3)	CAPACITORS, FIXED, NICA DIELECTRIC, STYLES CM85, CM86, AND CM88 USER: 19	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-R-11F(3) SUPPL 1A, NOTICE 1	CAPACITORS, FIXED, NICA DIELECTRIC, STYLES CM90, CM91, AND CM93 USER: 19	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-R-11/30 NOTICE 1	CAPACITORS, FIXED, NICA DIELECTRIC, STYLE CM95 USER: 19 OS MC REVIEWER: 11	A 5910	EC	11-SEP-89	ER EC 85	
	MIL-R-11/6C NOTICE 1	17 AS ES OS SH	A 5910	EC	25-MAY-88	ER EC 85	
	MIL-R-11/7C NOTICE 1	CAPACITORS, FIXED, NICA DIELECTRIC, STYLES CM04, CM05, CM06, CM07, CM08,	A 5910	EC	25-MAY-88	ER EC 85	
	MIL-R-11/8C NOTICE 1	CM09, CM10, CM11, CM12, AND CM13 USER: 19 REVIEWER: 11 17 AS ES OS SH	A 5910	EC	25-MAY-88	ER EC 85	
	MIL-R-11/11E NOTICE 1	INSULATING COMPOUND, ELECTRICAL, CERAMIC CLASS L USER: AS AT AV MC ME OS	A 5970	ER	06-DEC-84	ER SH 85	
	MIL-M-14H(3) SUPPL 1A	REVIEWER: EA ES GS MI	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/1(3)	RESISTORS, FIXED, COMPOSITION (INSULATED), GENERAL SPECIFICATION FOR	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/2(2)	INVALIDATION DATE: 89061 USER: 19 AT MC ME REVIEWER: 17 AS AV ES MI OS	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/3(1)	RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC20 INVALIDATION DATE:	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/4(1)	89061 USER: 14 19 AT MC ME REVIEWER: 17 AR EA ES MI OS	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/5(3)	RESISTORS, FIXED, COMPOSITION (INSULATED), STYLE RC32 INVALIDATION DATE:	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/6(3)	89061 USER: 14 19 AT MC REVIEWER: 17 AR EA ES MI OS	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/7(2)	RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC42 INVALIDATION DATE:	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-M-14/8(2)	89061 USER: 19 MC ME REVIEWER: 17 AR AV EA ES MI OS	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-C-17G SUPPL 1A	RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC07 INVALIDATION DATE:	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-C-17/2A(2) NOTICE 1	89061 USER: 19 AT MC ME REVIEWER: 17 AR AV EA ES MI OS	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-C-17/6B(2) NOTICE 1	RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC05 INVALIDATION DATE:	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-C-17/158	89061 USER: 19 AT MC ME REVIEWER: 17 AR AV ES MI OS	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-C-17/160	RESISTOR, FIXED, COMPOSITION (INSULATED), STYLE RC05 INVALIDATION DATE:	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-C-17/21C	89061 USER: 19 AT MC ME REVIEWER: 17 AR AV ES MI OS	A 5905	ER	16-JUN-89	ER EC 85	
	MIL-C-17/24B(3) NOTICE 1	MOLDING COMPOUNDS, PHENOLIC, THERMOSETTING, CONTAINING CELLULOSE FILLERS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/28C	USER: EC YDI REVIEWER: AS EA GS MI NR OS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/29C(1) NOTICE 1	MOLDING COMPOUNDS, PHENOLIC, THERMOSETTING, CONTAINING MINERAL/GLASS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/30D	FILLERS USER: EC YDI REVIEWER: AS EA GS MI NR OS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/31B(1) NOTICE 1	MOLDING COMPOUNDS, MELAMINE, THERMOSETTING, CONTAINING CELLULOSE, MINERAL,	A 9330	SH	07-NOV-90	ME SH 11	
	MIL-C-17/34B NOTICE 1	OR GLASS FILLERS USER: EC REVIEWER: AR AS EA ER GS MI NR OS	A 9330	SH	07-NOV-90	ME SH 11	
	MIL-C-17/45E	MOLDING COMPOUNDS, POLYESTER, THERMOSETTING, CONTAINING MINERAL/GLASS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/47C(1)	FILLERS USER: EC REVIEWER: AR AS EA ER GS MI NR OS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/52B	MOLDING COMPOUNDS, DIALLYL ISO-PHTHALATE THERMOSETTING, CONTAINING MINERAL	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/54B NOTICE 1	FILLERS, GLASS OR POLYMERIC FILLERS USER: EC YDI REVIEWER: AS EA GS MI NR	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/56B NOTICE 1	OS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/58B NOTICE 1	MOLDING COMPOUNDS, DIALLYL ORTHO-PHTHALATE, THERMOSETTING, CONTAINING	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/59B NOTICE 1	MINERAL FILLERS, GLASS OR POLYMERIC FILLERS USER: EC YDI REVIEWER: AS EA	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/60B NOTICE 1	GS MI NR OS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/61B NOTICE 1	MOLDING COMPOUNDS, SILICONE, THERMOSETTING, CONTAINING MINERAL/GLASS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/62B NOTICE 1	FILLERS USER: EC YDI REVIEWER: AS EA GS MI NR OS	A 9330	SH	19-MAY-93	AR SH 11	
	MIL-C-17/63B NOTICE 1	MOLDING COMPOUNDS, EPOXY THERMOSETTING, CONTAINING MINERAL/GLASS FILLERS	A 9330	SH	28-MAY-91	ME SH 11	
	MIL-C-17/64B NOTICE 1	USER: EC REVIEWER: AR AS EA ER GS MI NR OS	A 9330	SH	28-MAY-91	ME SH 11	
	MIL-C-17/65B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR	A 6145	CR	09-MAR-90	CR EC 85	
	MIL-C-17/66B NOTICE 1	USER: 19 AS AT MC ME OS YDI REVIEWER: 11 17 99 AR ES IS MI NA SH	A 6145	CR	26-AUG-88	CR EC 85	
	MIL-C-17/67B NOTICE 1	CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/2-RG6 (VALIDATION	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/68B NOTICE 1	DATE: 89081 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/69B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS M17/6-RG11, UNARMORED,	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/70B NOTICE 1	M17/6-RG12, ARMORED (VALIDATION DATE: 89081 USER: 19 AR AS AT ES MC ME OS	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/71B NOTICE 1	REVIEWER: 11 17 99 IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/72B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN 95 OHMS, UNARMORED, M17/15-RG022	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/73B NOTICE 1	AND ARMORED, M17/15-RG11 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/74B NOTICE 1	USED IN AEROSPACE APPLICATIONS) USER: AS AT ES MC ME OS REVIEWER: 11 17 AR	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/75B NOTICE 1	EC IS TD	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/76B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, DUAL, 125 OHMS, M17/16-RG23	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/77B NOTICE 1	(UNARMORED, M17/16-RG24 (ARMORED) (THIS CABLE USES PVC MATERIAL AND IS NOT	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/78B NOTICE 1	TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AR AT MC ME OS REVIEWER: 11	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/79B NOTICE 1	17 99 ES IS MI TD	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/80B NOTICE 1	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, PULSE, 48 OHMS, M17/21-RG26	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/81B NOTICE 1	USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI TD	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/82B NOTICE 1	CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/24-RG34 USER: 19 AR	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/83B NOTICE 1	AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/84B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/28-RG058 (THIS	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/85B NOTICE 1	CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS)	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/86B NOTICE 1	USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR MI SH TD	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/87B NOTICE 1	CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/29-RG59 (VALIDATION	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/88B NOTICE 1	DATE: 89081 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 DS ES IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/89B NOTICE 1	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/30-RG062 (THIS	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/90B NOTICE 1	CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS)	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/91B NOTICE 1	USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 IS MI SH TD	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/92B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 125 OHMS, M17/31-RG63,	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/93B NOTICE 1	UNARMORED, 17/31-RG79, ARMORED (VALIDATION DATE: 89081 USER: 19 AR AS AT	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/94B NOTICE 1	MC ME OS REVIEWER: 11 17 ES IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/95B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, TIME DELAY, 950 OHMS,	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/96B NOTICE 1	M17/34-RG05 (VALIDATION DATE: 91101) USER: 19 AR AS AT MC ME OS REVIEWER:	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/97B NOTICE 1	11 17 99 ES IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/98B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/45-RG108 (THIS CABLE	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/99B NOTICE 1	USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER:	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/100B NOTICE 1	19 AS AT ES MC ME OS REVIEWER: 11 17 AR IS MI TD	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/101B NOTICE 1	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 185 OHMS, M17/47-RG114 USER: 19	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/102B NOTICE 1	AS AT ES MC ME OS REVIEWER: 11 17 99 AR IS MI SH TD	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/103B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/52-00001,	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/104B NOTICE 1	M17/52-RG119, UNARMORED, M17/52-RG120, ARMORED USER: 19 AR AS AT MC ME OS	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/105B NOTICE 1	REVIEWER: 11 17 85 ES IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/106B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/54-RG122	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/107B NOTICE 1	(VALIDATION DATE: 91081) USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/108B NOTICE 1	EC IS MI	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/109B NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, M17/56-RG130,	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/110B NOTICE 1	(UNARMORED), M17/56-RG131 (ARMORED) USER: 19 AR AS AT MC ME OS REVIEWER:	A 6145	CR	16-AUG-88	CR EC 85	
	MIL-C-17/111B NOTICE 1	11 17 99 ES IS MI SH	A 6145	CR	16-AUG-88	CR EC 85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / OMA Coordination Machine	Document Number	Document Title	Dist. Smt FAC / Ave	MCA Symbol	Preparing Acty	Date	Custodians			
							Army	Navy	Air Force	DLA
	MIL-C-17/60C(3) NOTICE 2	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/060-RG142 USER:	A 6145	CR	06-MAR-92	CR	EC	85		
	MIL-C-17/62C	19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/62 RG144 USER: 19 AR	A 6145	CR	24-SEP-86	CR	SH	85		
	MIL-C-17/64B(3)	AS AT MC ME OS REVIEWER: 11 17 ES IS MI CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/64-RG-164, UNARMORED, M17/64-RG35, ARMORED USER: 19 AR AS AT MC ME OS REVIEWER: 11 17	A 6145	CR	24-MAY-82	CR	EC	85		
	MIL-C-17/65B(2)	99 ES IS MI SH CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, UNARMORED M17/65-RG165, AND ARMORED, M17/65-RG166 USER: 19 AS AT MC ME OS REVIEWER:	A 6145	CR	15-JAN-91	CR	EC	85		
	MIL-C-17/67C(1)	11 17 99 AR ES IS MI SH CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/67 RG177 USER: 19 AS	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/72C(1) NOTICE 1	AT ES MC ME OS REVIEWER: 11 17 99 AR MI SH CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/72-RG211 USER: 19	A 6145	CR	07-OCT-91	CR	EC	85		
	MIL-C-17/73B	AS AT MC ME OS REVIEWER: 11 17 99 AR ER ES MI SH CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/73-RG212 (THIS	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/74C	CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 99 AR MI SH CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, UNARMORED	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/75F	M17/74-RG213, AND ARMORED M17/74-RG215 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT ES MC ME OS	A 6145	CR	24-SEP-86	CR	EC	85		
	MIL-C-17/77C	REVIEWER: 11 17 99 AR IS MI SH CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/75 RG214 & M17/75 RG365 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH	A 6145	CR	19-JUL-85	CR	EC	85		
	MIL-C-17/78C	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/77-RG216 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH	A 6145	CR	13-APR-93	CR	EC	85		
	MIL-C-17/79D(1)	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/78-RG217 AND M17/78-00001 (TEMPERATURE STABILIZED) USER: 19 AR AS AT MC ME OS REVIEWER:	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/81C	17 99 ES IS MI SH YDI CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS UNARMORED M17/079RG218 & ARMORED M17/079 RG219 USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 IS	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/84B(1)	MI SH CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/81-00001 AND M17/81-00002 (ARMORED) (INACTIVE FOR NEW DESIGN) (THIS CABLE USES PVC	A 6145	CR	14-SEP-87	CR	EC	85		
	MIL-C-17/86B NOTICE 2	MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AS ES MC OS SH REVIEWER: 11 17 99 IS TD CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/84-RG223 USER: 19	A 6145	CR	06-MAR-92	CR	EC	85		
	MIL-C-17/87A NOTICE 2	AS AT ES MC ME OS REVIEWER: 11 17 99 AR IS MI SH CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/86-00001 AND M17/86-00002 (ARMORED) USER: 19 AS MC OS REVIEWER: 11 17 99 ES IS SH	A 6145	CR	06-MAR-92	CR	EC	85		
	MIL-C-17/90A(1) NOTICE 1	CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/87-00001 USER: 19 AS MC OS REVIEWER: 11 17 99 ES IS SH CABLES, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/90-RG71 (VALIDATION DATE:	A 6145	CR	16-AUG-88	CR	EC	85		
	MIL-C-17/92D NOTICE 1	88081) USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 IS MI SH CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/92-RG115, M17/92-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH	A 6145	CR	06-MAR-92	CR	EC	85		
	MIL-C-17/93G NOTICE 2	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/93-RG178 AND M17/93-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH	A 6145	CR	18-JUL-85	CR	SH	85		
	MIL-C-17/94F	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/09 RG6179 USER: 19 AR AS AT ES MC ME MI OS SH REVIEWER: 11 17 IS CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 95 OHMS M17/095 RG180 USER: 19 AS	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/95E	AT MC ME OS REVIEWER: 11 17 AR ES MI CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 93 OHMS M17/97 RG210 USER: 19 AR	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/97C	AS AT MC ME OS REVIEWER: 11 17 99 IS MI SH CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 75 OHMS M17/110 RG302 USER: 19 AS	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/110D	AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/111 RG303 USER: 19 AS	A 6145	CR	18-JUL-85	CR	SH	85		
	MIL-C-17/111C	AT ES MC ME OS REVIEWER: 11 17 99 AR IS MI SH CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/112 RG304 USER: 19 AT	A 6145	CR	06-MAR-92	CR	EC	85		
	MIL-C-17/112A(1)	ES ME REVIEWER: 11 17 99 AR IS MI CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/113-RG316 USER: 19	A 6145	CR	13-JAN-93	CR	EC	85		
	MIL-C-17/113C(2) NOTICE 2	AS AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 75 OHMS, M17/116-RG307 USER:	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/116C(1)	19 AR AS AT CR MC ME OS REVIEWER: 11 17 99 ES IS MI SH CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/119-RG174 (THIS	A 6145	CR	26-AUG-88	CR	EC	85		
	MIL-C-17/119G	CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, LOW NOISE, 72 OHMS,	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/126B NOTICE 1	M17/126-RG391 (UNARMORED), M17/126-RG392 (ARMORED) (VALIDATION DATE: 88081) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/127 RG393 USER: 19 AR	A 6145	CR	18-JUL-85	CR	EC	85		
	MIL-C-17/127C(2)	AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL 50 OHMS M17/128 RG400 USER: 19 AS	A 6145	CR	17-JAN-92	CR	EC	85		
	MIL-C-17/128B(1)	AT MC ME OS REVIEWER: 11 17 99 AR ES IS MI SH CABLES, RADIO FREQUENCY, COAXIAL, .0250 (6.35 MM) DIAMETER, SEMIRIGID, 50	A 6145	CR	17-JAN-92	CR	EC	85		
	MIL-C-17/129D	OHMS, M17/129-RG401 AND M17/129-00001 USER: 19 AR AS AT MC ME OS REVIEWER:	A 6145	CR	17-JAN-92	CR	EC	85		
	MIL-C-17/130E	17 99 ES IS MI SH CABLES, RADIO FREQUENCY, COAXIAL, 0.141 INCH (3.58 MM) DIAMETER, SEMIRIGID, 50 OHMS USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH	A 6145	CR	31-MAR-92	CR	EC	85		
	MIL-C-17/131B	CABLES, RADIO FREQUENCY, FLEXIBLE, TRIAXIAL, 50 OHMS, M17/131-RG403 USER:	A 6145	CR	19-NOV-87	CR	EC	85		
	MIL-C-17/132B	19 AR AS AT MC ME OS REVIEWER: 11 17 ES IS MI SH CABLES, RADIO FREQUENCY, COAXIAL, LOW NOISE, 50 OHMS, M17/132-000 01 USER:	A 6145	CR	25-FEB-93	CR	EC	85		
	MIL-C-17/133D(1)	19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH CABLES, RADIO FREQUENCY, COAXIAL, 0.0865 (2.20 MM) DIAMETER, SEMIRIGID, 50	A 6145	CR	13-APR-93	CR	EC	85		
	MIL-C-17/134C	OHMS USER: 19 AR AS AT MC ME OS REVIEWER: 17 99 ES IS MI SH CABLE, RADIO FREQUENCY, TRIAXIAL, .245 INCH, 50 OHM, WATERBLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE USER: 19 AR AS AT MC ME OS	A 6145	CR	13-APR-93	CR	EC	85		
	MIL-C-17/135C	REVIEWER: 17 99 ES IS MI SH TD CABLES, RADIO FREQUENCY, TRIAXIAL, .500 INCH, 50 OHM, WATERBLOCKED, NON-WATER BLOCKED AND CROSSLINKED, LOW SMOKE USER: 19 AR AS AT MC ME OS	A 6145	CR	26-SEP-91	CR	EC	85		
	MIL-C-17/136B NOTICE 2	REVIEWER: 17 99 ES IS MI SH TD CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/136-00001 USER: 19	A 6145	CR	26-SEP-91	CR	EC	85		
	MIL-C-17/137 NOTICE 3	AR AS AT MC ME OS REVIEWER: 11 17 99 ES IS MI SH TD CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/137-00001 USER: 19	A 6145	CR	30-AUG-91	CR	EC	85		
	MIL-C-17/138A(1) NOTICE 1	AR AS AT MC ME OS REVIEWER: 11 17 ES IS MI SH CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/138-00001 (VALIDATION DATE: 91081) USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES	A 6145	CR	23-NOV-88	CR	EC	85		
	MIL-C-17/139C	IS MI SH CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 95 OHMS, M17/139-00001 USER: 19	A 6145	CR	21-SEP-92	CR	EC	85		
	MIL-C-17/151(3)	AS AT MC ME REVIEWER: 11 17 80 ES IS MI SH CABLES, RADIO FREQUENCY, COAXIAL, 0.047 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/151-00001 AND M17/151-00002 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17	A 6145	CR		CR	EC	85		
		99 ES IS MI SH								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

A	Doc. / Cmt. / Coordination / Machine / Document Number	Document Title	Doc. Synt. / FSC / JCS Symbol	JCS Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-C-17/152A	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS, M17/152-00001 USER: 19 AR AS AT MC OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
A	MIL-C-17/154(3)	CABLES, RADIO FREQUENCY, COAXIAL, 0.034 INCH DIAMETER, SEMIRIGID, 50 OHMS, M17/154-00001 AND M17/154-00002 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH	A 6145	CR	21-SEP-92	CR	EC	85	
	MIL-C-17/155A	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/155-00001 (THIS CABLE USES PVC MATERIAL AND IS NOT TO BE USED IN AEROSPACE APPLICATIONS) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/156 NOTICE 2	CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/156-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH	A 6145	CR	26-SEP-91	CR	EC	85	
	MIL-C-17/157A	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/157-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/158A	CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 50 OHMS, M17/158-00001 USER: 19 AR AS AT ES MC ME OS REVIEWER: 11 17 99 MI SH	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/159 NOTICE 2	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/159-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH	A 6145	CR	06-MAR-92	CR	EC	85	
	MIL-C-17/160B	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/160-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
1	MIL-C-17/161(1) NOTICE 1	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/161-00001 AND M17/161-00002 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 MI SH	A 6145	CR	07-OCT-91	CR	EC	85	
	MIL-C-17/162A	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/162-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	26-SEP-91	CR	EC	85	
	MIL-C-17/163A	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/163-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/164 NOTICE 2	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/164-00001 AND M17/164-00002 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 MI SH	A 6145	CR	06-MAR-92	CR	EC	85	
	MIL-C-17/165A	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/165-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/166B	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/166-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/167B	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/167-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH	A 6145	CR	22-MAR-86	CR		85	
	MIL-C-17/168A	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/168-00001 AND M17/168-00002 USER: 19 AS AT MC ME OS REVIEWER: 11 17 80 99 AR ES 15 MI SH	A 6145	CR	06-MAR-92	CR	EC	85	
	MIL-C-17/169A	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/169-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/170A	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/170-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/171A	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/171-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	26-SEP-91	CR	EC	85	
	MIL-C-17/172A	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/172-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/173A	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/173-00001 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH TO	A 6145	CR	26-SEP-91	CR	EC	85	
	MIL-C-17/174A	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/174-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 MI SH	A 6145	CR	06-MAR-92	CR	EC	85	
	MIL-C-17/175B	CABLE, RADIO FREQUENCY FLEXIBLE COAXIAL, 50 OHMS M17/175-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 MI SH	A 6145	CR	18-JUL-85	CR	EC	85	
	MIL-C-17/176D	CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, M17/176-00002 AND M17/176-00003 USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES 15 MI SH	A 6145	CR	07-JUN-90	CR	EC	85	
	MIL-C-17/177A	CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/177-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 MI SH	A 6145	CR	26-SEP-91	CR	EC	85	
	MIL-C-17/178A	CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 95 OHMS, M17/178-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 MI SH	A 6145	CR	26-SEP-91	CR	EC	85	
	MIL-C-17/179A	CABLES, RADIO FREQUENCY, FLEXIBLE TRIAXIAL, 75 OHMS, M17/179-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES 15 MI SH	A 6145	CR	26-SEP-91	CR	EC	85	
	MIL-C-17/180B	CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/180-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/181B	CABLES, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/181-00001 UNARMORED, M17/181-00002 ARMORED USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/182B	CABLES, RADIO FREQUENCY, FLEXIBLE, TWIN, 95 OHMS, M17/182-00001 UNARMORED, M17/182-00002 ARMORED USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/183B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/183-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/184B	CABLE, RADIO FREQUENCY, FLEXIBLE COAXIAL, 75 OHMS, M17/184-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/185B	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 93 OHMS, M17/185-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/186B	CABLE, RADIO FREQUENCY, FLEXIBLE, TWIN, 78 OHMS, M17/186-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/187B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/187-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/188B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/188-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/189B	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/189-00001 UNARMORED, M17/189-00002 ARMORED USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/190B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/190-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/191B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 75 OHMS, M17/191-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
A	MIL-C-17/192C	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/192-00001 AND M17/192-00002 USER: 19 AS AT MC ME OS REVIEWER: 80 99 AR ES 15 MI SH	A 6145	EC	15-MAR-93	CR	EC	85	
	MIL-C-17/193B	CABLES, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/193-00001 UNARMORED, M17/193-00002 ARMORED USER: 19 AS MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/194B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/194-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/195B	CABLE, RADIO FREQUENCY, COAXIAL, 93 OHMS, M17/195-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/196B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/196-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/197B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/197-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/198B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/198-00001 USER: 19 AS MC OS REVIEWER: 11 80 99 AR AT ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/199B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/199-00001 USER: 19 AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
	MIL-C-17/200B	CABLE, RADIO FREQUENCY, FLEXIBLE, COAXIAL, 50 OHMS, M17/200-00001 USER: AS AT MC ME OS REVIEWER: 11 80 99 AR ES 15 MI SH	A 6145	EC	20-FEB-91	CR	EC	85	
D	MIL-B-186(1)	BATTERY, DRY (VALIDATION DATE: 8301) USER: 11 AR MC ME MI YD: REVIEWER: 85 AR AS OS	A 6135	ER	12-MAY-83	ER	SH	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm OP / OMT Classification Inches	Document Title	Dist Spec FAC / Area MCA Symbol Preparing Date	Date	Custodians		
				Army	Navy	Air Force DLA
MIL-B-18/10	BATTERY DRY BA-402/U [VALIDATION DATE: 8502] USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/20	BATTERY, DRY, BA-8 USER: ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/30	BATTERY, DRY, BA-8 USER: MC ME REVIEWER: MI SA	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/40	BATTERY, DRY, BA-15A USER: ME REVIEWER: MC MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/50	BATTERY, DRY, BA-23 [VALIDATION DATE: 8110] USER: ES MC ME YDI REVIEWER: MI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/60	BATTERY, DRY, BA-26 USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/70	BATTERY, DRY, BA-27 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/80	BATTERY, DRY, BA-28 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/100	BATTERY, DRY, BA-31 USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/110	BATTERY, DRY, BA-33 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/120	BATTERY, DRY, BA-34 USER: MC ME REVIEWER: AR	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/130	BATTERY, DRY, BA-35 USER: MC ME REVIEWER: AR MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/140	BATTERY, DRY, BA-36 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/150	BATTERY, DRY, BA-37 [VALIDATION DATE: 8110] USER: MC ME YDI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/160	BATTERY, DRY, BA-38 USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/170	BATTERY, DRY, BA-39 USER: ES MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/180	BATTERY, DRY, BA-40 USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/210	BATTERY, DRY, BA-44 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/230	BATTERY, DRY, BA-48 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/250	BATTERY, DRY, BA-51 USER: MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/260	BATTERY, DRY, BA-53 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/270	BATTERY, DRY, BA-56 USER: ES MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	88
MIL-B-18/290	BATTERY, DRY, BA-59 USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/300	BATTERY, DRY, BA-70 USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/310	BATTERY, DRY, BA-65 USER: MC ME YDI REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/320	BATTERY, DRY, BA-67 USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/340	BATTERY, DRY, BA-200/U USER: AR MC ME YDI REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/360	BATTERY, DRY, BA-203/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/380	BATTERY, DRY, BA-206/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/400	BATTERY, DRY, BA-207/U USER: AR MC YDI REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/410	BATTERY, DRY, BA-208/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/430	BATTERY, DRY, BA-210/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/440	BATTERY, DRY, BA-216/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/500	BATTERY, DRY, BA-222/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/510	BATTERY, DRY, BA-223/U USER: AR MC YDI REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/530	BATTERY, DRY, BA-226/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/550	BATTERY, DRY, BA-228/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/560	BATTERY, DRY, BA-230/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/570	BATTERY, DRY, BA-231/U [VALIDATION DATE: 8110] USER: AR MC YDI REVIEWER: MI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/580	BATTERY, DRY, BA-232/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/590	BATTERY, DRY, BA-233/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/600	BATTERY, DRY, BA-234/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/740	BATTERY, DRY, BA-261/U USER: MC YDI REVIEWER: EA	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/750	BATTERY, DRY, BA-270/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/770	BATTERY, DRY, BA-279/U USER: AR MC REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/790	BATTERY, DRY, BA-401/U [VALIDATION DATE: 8110] USER: AR MC YDI REVIEWER: MI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/800	BATTERY, DRY, BA-402/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/810	BATTERY, DRY, BA-403/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/820	BATTERY, DRY, BA-404/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/830	BATTERY, DRY, BA-405/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/840	BATTERY, DRY, BA-406/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/870	BATTERY, DRY, BA-409/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/880	BATTERY, DRY, BA-410/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/890	BATTERY, DRY, BA-411/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/900	BATTERY, DRY, BA-412/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/910	BATTERY, DRY, BA-413/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/920	BATTERY, DRY, BA-414/U USER: MC ME YDI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/930	BATTERY, DRY, BA-415/U USER: MC ME YDI REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/940	BATTERY, DRY, BA-416/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/960	BATTERY, DRY, BA-418/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/970	BATTERY, DRY, BA-419/U USER: MC ME YDI REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/980	BATTERY, DRY, BA-420/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/990	BATTERY, DRY, BA-421/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/1020	BATTERY, DRY, BA-424/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/1060	BATTERY, DRY, BA-1030/U [VALIDATION DATE: 8110] USER: AV ES MC ME YDI REVIEWER: AS MI SA	A 6135	ER 21-AUG-76	ER	SM	88
MIL-B-18/1250	BATTERY, DRY, BA-1232/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/1270	BATTERY, DRY, BA-1234/U USER: MC ME YDI REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/1300	BATTERY, DRY, BA-1277/U USER: MC ME REVIEWER: MI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/1310	BATTERY, DRY, BA-1278/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/1980	BATTERY, DRY, BA-266/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/1990	BATTERY, DRY, BA-272/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2000	BATTERY, DRY, BA-291/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2020	BATTERY, DRY, BA-305/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2040	BATTERY, DRY, BA-314/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2060	BATTERY, DRY, BA-331/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2070	BATTERY, DRY, BA-332/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2080	BATTERY, DRY, BA-333/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2110	BATTERY, DRY, BA-358/U USER: MC ME YDI	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2150	BATTERY, DRY, BA-471/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2170	BATTERY, DRY, BA-1006/U [VALIDATION DATE: 8110] USER: MC ME YDI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/2180	BATTERY, DRY, BA-1288/U [VALIDATION DATE: 8110] USER: MC ME YDI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/2190	BATTERY, DRY, BA-1293/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2200	BATTERY, DRY, BA-1312/U [VALIDATION DATE: 8110] USER: MC ME YDI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/2220	BATTERY, DRY, BA-1315/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2230	BATTERY, DRY, BA-1318/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2240	BATTERY, DRY, BA-1328/U [VALIDATION DATE: 8110] USER: MC ME YDI REVIEWER: AS EA MI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/2250	BATTERY, DRY, BA-1330/U [VALIDATION DATE: 8301] USER: MC ME YDI	A 6135	ER 21-AUG-76	ER	SM	99
MIL-B-18/2260	BATTERY, DRY, BA-1363/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2450	BATTERY, DRY, BA-1264/U USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2480	BATTERY, DRY, BA-1387/U [C-10] USER: MC ME	A 6135	ER 21-MAY-85	ER	SM	99
MIL-B-18/2490	BATTERY, DRY, BA-1087/U USER: ES ME REVIEWER: SH	A 6135	FR 21-MAY-85	ER	SM	99
MIL-B-18/2500	BATTERY, DRY, BA-399/U USER: ME	A 6135	ER 28-MAY-85	ER	SM	99
MIL-B-18/2510	BATTERY, DRY, BA-505/U USER: ME	A 6135	ER 28-MAY-85	ER	SM	99
MIL-B-18/2530	BATTERY, DRY, BA-1100/U USER: ME	A 6135	ER 28-MAY-85	ER	SM	99
MIL-B-18/2540	BATTERY, DRY, BA-1110/U [VALIDATION DATE: 8110] USER: ME	A 6135	EN 26-FEB-88	ER	SM	99
MIL-B-18/2550	BATTERY, DRY, BA-1509/PWC-64 USER: ME	A 6135	ER 28-MAY-85	ER	SM	99
MIL-B-18/2560	BATTERY, DRY, BA-1083/U USER: AV ME	A 6135	ER 28-MAY-85	ER	SM	99
MIL-B-18/2570	BATTERY, DRY, BA-1086/U USER: AV ME	A 6135	ER 28-MAY-85	ER	SM	99
MIL-B-18/2590	BATTERY, DRY, BA-1389/U USER: AV ME	A 6135	ER 28-MAY-85	ER	SM	99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OOL Coordination Notice	Document Number	Document Title	Dist. Smt. FAC / Area	MCA Symbol Preceding Adj.	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-B-18/260A	BATTERY, NON-RECHARGEABLE, BA-1391/U	A 6135	ER	31-MAR-92	ER			
L	MIL-B-18/261A	BATTERY, DRY, BA-1396/U USER: ME	A 6135	ER	28-MAY-85	ER			
L	MIL-B-18/262A	BATTERY, DRY, BA-802/U USER: AV ME	A 6135	ER	28-MAY-85	ER			
L	MIL-B-18/265A	BATTERY, DRY, BA-1093/U REVIEWER: AV ME	A 6135	ER	28-MAY-85	ER			
L	MIL-B-18/266A	BATTERY, DRY, BA-1393A/U REVIEWER: AV ME	A 6135	ER	28-MAY-85	ER			
L	MIL-B-18/268A	BATTERY, DRY, BA-1094/U	A 6135	ER	28-MAY-85	ER			
L	MIL-B-18/269A	BATTERY, DRY, BA-90 USER: AT REVIEWER: ME	A 6135	ER	21-MAY-85	ER	SH	99	
L	MIL-B-18/270A	BATTERY, DRY, BA-803/U	A 6135	ER	21-MAY-85	ER	SH	99	
L	MIL-B-18/271A	BATTERY, DRY, BA-804/U	A 6135	ER	21-MAY-85	ER	SH	99	
L	MIL-B-18/275A	BATTERY, DRY, BA-1425/U USER: AT	A 6135	ER	28-NOV-88	ER	SH	99	
L	MIL-B-18/276A	TECHNICAL REQUIREMENT, BATTERY, DRY BA-1082/U USER: SH	A 6135	ER	21-MAY-85	ER			
L	MIL-B-18/277	BATTERY, NON-RECHARGEABLE, DRY	A 6135	AS	03-MAY-89	AS			
Q	MIL-R-198(3)	RESISTOR, VARIABLE, WIREWOUND (LOW OPERATING TEMPERATURE) GENERAL SPECIFICATION FOR (VALIDATION DATE: 8110) USER: 19 AT AV MC ME REVIEWER: 17 99 AS EA ES MI OS	A 5905	ER	27-APR-72	ER	EC	85	
	MIL-R-19/18	RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA10 (VALIDATION DATE: 9110) USER: 19 AT MC ME REVIEWER: 11 17 99 AR MI OS	A 5905	ER	25-OCT-91	ER	EC	85	
	MIL-R-19/28	RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA20 (VALIDATION DATE: 9110) USER: 19 AT MC ME REVIEWER: 11 17 99 AR MI OS	A 5905	ER	25-OCT-91	ER	EC	85	
	MIL-R-19/38	RESISTORS, VARIABLE, WIRE-WOUND (LOW OPERATING TEMPERATURE), STYLE RA30 (VALIDATION DATE: 9110) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR MI OS	A 5905	ER	25-OCT-91	ER	EC	85	
NO	MIL-C-20H(2)	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS MC SH REVIEWER: 99 ES MI OS	A 5910	85	06-MAY-93	ER	EC	85	
	SUPPL 1A								
I	MIL-C-20/1C(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC20 USER: AS MC SH REVIEWER: 99 ES	A 5910	85	12-DEC-91	ER	EC	85	
	MIL-C-20/2B	CAPACITOR FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED) NON ESTABLISHED RELIABILITY (VALIDATION DATE: 8604) USER: AS MC SH REVIEWER: ES OS	A 5910	85	02-APR-86	ER	EC	85	
I	MIL-C-20/3B(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC22 USER: AS MC SH REVIEWER: 99 ES	A 5910	85	12-DEC-91	ER	EC	85	
	MIL-C-20/4C	CAPACITOR FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED) NON ESTABLISHED RELIABILITY STYLE CC 25 (VALIDATION DATE: 8604) USER: AS MC SH REVIEWER: DS ES	A 5910	85	02-APR-86	ER	EC	85	
I	MIL-C-20/6B(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC27 USER: AS MC SH REVIEWER: 99 ES	A 5910	85	12-DEC-91	ER	EC	85	
I	MIL-C-20/7B(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC30 USER: AS MC SH REVIEWER: 99 ES	A 5910	85	12-DEC-91	ER	EC	85	
I	MIL-C-20/8B	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC31 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: ES OS	A 5910	85	13-JAN-89	ER	EC	85	
I	MIL-C-20/9C(1)	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), (UNINSULATED) NON-ESTABLISHED RELIABILITY CP32 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: 99 ES OS	A 5910	85	13-JAN-89	ER	EC	85	
I	MIL-C-20/10B(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC33 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: 99 ES OS	A 5910	85	13-JAN-89	ER	EC	85	
I	MIL-C-20/12B(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC36 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: 99 ES OS	A 5910	85	13-JAN-89	ER	EC	85	
I	MIL-C-20/16D(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY STYLE CC50 USER: AS MC SH REVIEWER: 99 ES OS	A 5910	85	10-DEC-91	ER	EC	85	
I	MIL-C-20/17C(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC51 USER: AS MC SH REVIEWER: 99 ES OS	A 5910	85	10-DEC-91	ER	EC	85	
I	MIL-C-20/18C(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC52 USER: AS MC SH REVIEWER: 99 ES OS	A 5910	85	10-DEC-91	ER	EC	85	
I	MIL-C-20/19B	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (INSULATED), NON-ESTABLISHED RELIABILITY, STYLE CC53 (VALIDATION DATE: 9107) USER: AS MC SH REVIEWER: 80 ES OS	A 5910	85	24-JUL-91	ER	EC	85	
	MIL-C-20/27E(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED & NON-ESTABLISHED RELIABILITY, STYLES CCR75 & CC75 USER: AS MC SH REVIEWER: ES OS	A 5910	85	09-MAY-89	ER	EC	85	
	MIL-C-20/28B	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR76 AND CC76 USER: AS MC REVIEWER: AV ES MI OS	A 5910	85	09-MAY-89	ER	EC	85	
	MIL-C-20/29C	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR77 AND CC77 USER: AS MC SH REVIEWER: ES OS	A 5910	85	09-MAY-89	ER	EC	85	
	MIL-C-20/30B	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR78 AND CC78 USER: AS MC SH REVIEWER: ES OS	A 5910	85	09-MAY-89	ER	EC	85	
	MIL-C-20/31A(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES CCR79 AND CC79 (VALIDATION DATE: 9009) USER: AS MC SH REVIEWER: 11 99 OS	A 5910	85	21-SEP-90	ER		85	ES
	MIL-C-20/32(2)	CAPACITORS FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR81 AND CC81 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: ES OS	A 5910	85	13-JAN-89	ER	EC	85	
	MIL-C-20/33A(2)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLE CCR82 AND CC82 (VALIDATION DATE: 8901) USER: AS MC SH REVIEWER: ES OS	A 5910	85	13-JAN-89	OR	EC	85	
	MIL-C-20/34B	CAPACITOR FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) (UNINSULATED) NON ESTABLISHED RELIABILITY STYLE CCR 83 & CC 88 USER: AS MC SH REVIEWER: ES OS	A 5910	85	31-MAR-88	ER	EC	85	
A	MIL-C-20/35H	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR05, CCR06, CCR09, AND CCR09 USER: AS MC SH REVIEWER: 99 ES OS	A 5910	85	21-APR-93	ER	EC	85	
A	MIL-C-20/36E(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR06 AND CCR06 USER: 11 AS MC SH REVIEWER: 99 ES OS	A 5910	85	21-APR-93	ER	EC	85	
	MIL-C-20/37D	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES CCR07 AND CCR07 USER: AS MC SH REVIEWER: AV ES OS	A 5910	85	30-JUN-88	ER	EC	85	
	MIL-C-20/38A	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES CCR08 AND CCR08 (VALIDATION DATE: 9009) USER: AS MC SH REVIEWER: 11 99 OS	A 5910	85	21-SEP-90	ER		85	ES



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn. Code Coordination Institute Document Number	Document Title	Dist. Smt.		FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
		Army	Navy	Air Force	DLA				
MIL-C-20/39C(3) NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES COR15 AND CC15, COR19 AND CC19 [VALIDATION DATE: 9009] USER: AS MC SH REVIEWER: 11 99 OS	A 5910	BS	21-SEP-90	ER	BS	ES		
MIL-C-20/40B(2) NOTICE 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES COR16 AND CC16 [VALIDATION DATE: 9107] USER: AS MC SH REVIEWER: ES OS	A 5910	BS	24-JUL-91	ER	EC	BS		
MIL-C-20/41B(2) NOTICE 2	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES COR17 AND CC17 [VALIDATION DATE: 9107] USER: AS MC SH REVIEWER: ES OS	A 5910	BS	24-JUL-91	ER	EC	BS		
MIL-C-20/43(1) NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES COR54 AND CC54 [VALIDATION DATE: 9009] USER: AS MC SH REVIEWER: 11 99 OS	A 5910	BS	21-SEP-90	ER	BS	ES		
MIL-C-20/44(1) NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES COR55 AND CC55 [VALIDATION DATE: 9009] USER: AS MC SH REVIEWER: 11 99 OS	A 5910	BS	21-SEP-90	ER	BS	ES		
MIL-C-20/45	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES COR56 AND CC56 [VALIDATION DATE: 8604] USER: AS MC SH REVIEWER: ES OS	A 5910	BS	02-APR-86	ER	EC	BS		
MIL-C-20/46 NOTICE 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING) ESTABLISHED & NON-ESTABLISHED RELIABILITY, STYLES COR 57 & CC 57 [VALIDATION DATE: 8604] USER: AS MC SH REVIEWER: ES OS	A 5910	BS	25-MAY-73	ER	EC	BS		
MIL-C-20/47J(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, STYLES COR13 AND CC13 USER: AS MC SH REVIEWER: 99 ES OS	A 5910	BS	15-DEC-89	ER	EC	BS		
MIL-C-20/48F	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY, STYLES COR14 AND CC14 USER: AS MC SH REVIEWER: ES OS	A 5910	BS	31-DEC-91	ER	EC	BS		
AQ MIL-R-22C SUPPL 1A	RESISTOR, VARIABLE, (WIRE-WOUND POWER TYPE), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	EC	01-JUL-92	ER	EC	BS		
MIL-R-22/1B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED STYLE RP 06 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES MI	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/2C	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 25 OVER TYPE) (ENCLOSED STYLE RP 07 [VALIDATION DATE: 8404] USER: MC ME MI REVIEWER: 17 ES	A 5905	EC	14-FEB-66	ER	EC	BS		
MIL-R-22/3B	RESISTOR, VARIABLE WIREWOUND, POWER TYPE (UNENCLOSED) STYLE RP 1 0 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 AR AS ES MI	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/4B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED STYLE RP11 OVER TYPE) (ENCLOSED) STYLE RP 11 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/5B(1)	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED) STYLE RP 15 [VALIDATION DATE: 8404] USER: 14 19 MC ME REVIEWER: 17 AR AS MI	A 5905	EC	05-APR-66	ER	EC	BS		
MIL-R-22/6C	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED) STYLE RP 16 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES MI	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/7B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 20 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/8B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED), STYLE RP25 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: 17 ES	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/9B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 30 [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 17 ES	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/10B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 35 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: ES MI	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/11B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 40 OVER TYPE) (UNENCLOSED) STYLE RP 40 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: ES	A 5905	EC	22-JUN-65	ER	EC	BS		
MIL-R-22/12B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 45 [VALIDATION DATE: 8404] USER: 14 19 MC ME REVIEWER: 17 ES MI	A 5905	EC	05-APR-66	ER	EC	BS		
MIL-R-22/13A	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 50 [VALIDATION DATE: 8304] USER: MC ME REVIEWER: ES	A 5905	EC	10-SEP-64	ER	EC	BS		
MIL-R-22/14B	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (UNENCLOSED) STYLE RP 55 [VALIDATION DATE: 8304] USER: CG MC ME REVIEWER: ES MI	A 5905	EC	14-APR-65	ER	EC	BS		
MIL-R-22/15A(1)	RESISTOR, VARIABLE (WIREWOUND, POWER TYPE) (ENCLOSED) STYLE RP 05 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	EC	30-JAN-86	ER	EC	BS		
MIL-D-24C	DYNAMOTOR, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 99 GS	A 6125	ER	20-APR-84	ER	AS	11		
MIL-D-24/7B	DYNAMOTOR, TYPE DY 97/GRC 9 [VALIDATION DATE: 8301] USER: MC REVIEWER: 11 99 GS	A 6125	ER	10-APR-64	ER	AS			
MIL-D-24/9B	DYNAMOTOR, TYPE DY 134/GRC 9X [VALIDATION DATE: 8301] USER: MC REVIEWER: 11 99 GS	A 6125	ER	10-APR-64	ER	AS			
Q 1 MIL-C-25D(4) SUPPL 1A, NOTICE 1	CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR [VALIDATION DATE: 9201] USER: 19 MC REVIEWER: 11 17 99 AR AS ES MI OS	A 5910	BS	23-JAN-92	ER	EC	BS		
MIL-C-25/2E(2) NOTICE 1	CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 26 CP 27 CP 28 & CP 29 USER: 19 REVIEWER: 11 17 99 AR AS ES MI OS	A 5910	BS	07-JUN-79	ER	EC	BS		
MIL-C-25/3E(1) NOTICE 1	CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 40 & CP 41 [VALIDATION DATE: 8206] USER: 19 MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5910	BS	20-MAR-69	ER	EC	BS		
MIL-C-25/4D(1) NOTICE 1	CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 53, CP 54 & CP 55 USER: MC REVIEWER: 17 99 AR AS ES MI OS	A 5910	BS	27-FEB-87	ER	EC	BS		
MIL-C-25/6C(1) NOTICE 1	CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLES CP 67 & CP 69 USER: 19 REVIEWER: 17 99 AR AS ES MI OS	A 5910	BS	27-FEB-87	ER	EC	BS		
1 MIL-C-25/12B(2)	CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 80 USER: 19 MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5910	BS	17-APR-91	ER	EC	BS		
1 MIL-C-25/13B(2) NOTICE 1	CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLE CP81 USER: MC ME REVIEWER: 17 19 AR AS ES MI OS	A 5910	BS	17-APR-91	ER	EC	BS		
1 MIL-C-25/14B(2) NOTICE 1	CAPACITORS, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), STYLES CP 82 USER: ( MC ME REVIEWER: 9 17 AR AS ES MI OS	A 5910	BS	17-APR-91	ER	EC	BS		
MIL-C-25/15C(1) NOTICE 1	CAPACITOR, FIXED, PAPER DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES) STYLE CP 91 REVIEWER: 17 99 AR AS ES MI OS	A 5910	BS	27-FEB-87	ER	EC	BS		
Q MIL-R-26E(5) SUPPL 1A	RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 11 17 AS EA ES MI OS	A 5905	ER	31-JUL-84	ER	EC	BS		
1 MIL-R-26/1A(1) NOTICE 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW10, RW11, RW12, RW13, RW14, RW15, AND RW16 [VALIDATION DATE: 8808] USER: 14 19 AT AV MC ME REVIEWER: 17 99 AR ES MI OS	A 5905	ER	18-AUG-88	ER	EC	BS		
1 MIL-R-26/2B(1) NOTICE 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW20, RW21, RW22, RW23 AND RW24 [VALIDATION DATE: 8808] USER: 14 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5905	ER	18-AUG-88	ER	EC	BS		
MIL-R-26/3C(1) NOTICE 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RW29, RW30, RW31, RW32, RW33, RW34, RE35, RW36, RW37, RW38, RW39 AND RW47 [VALIDATION DATE: 8808] USER: 19 AT MC ME REVIEWER: 11 17 99 AR AS EA ES MI OS	A 5905	ER	18-AUG-88	ER	EC	BS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Machine	Document Number	Document Title	Dist	Smt FSC / Area	MCA Symbol Preparing Assy	Date	Custodians			
							Army	Navy	Air Force	DIA
I	MIL-R-26/40(1) NOTICE 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), STYLES RM55, RM56, RM67, RM68 AND RM69 (VALIDATION DATE: 8808) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR EA ES OS	A	5905	ER	18-AUG-88	ER	EC	BS	
I	MIL-R-26/58(1) NOTICE 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE) STYLES RM70, RM74, RM78, AND RM79 (VALIDATION DATE: 8808) USER: 14 19 AT AV MC ME REVIEWER: 17 99 AR EA ES OS	A	5905	ER	18-AUG-88	ER	EC	BS	
I	MIL-R-26/68(1) NOTICE 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE) STYLES RM80 AND RM81 (VALIDATION DATE: 8808) USER: 14 19 AT AV MC ME REVIEWER: 11 17 99 AR EA ES OS	A	5905	ER	18-AUG-88	ER	EC	BS	
DQ	MIL-T-27(11) SUPPL 1C	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR USER: 11 19 MC ME REVIEWER: AR ES YD1	A	5950	ER	03-MAR-87	ER	EC	BS	
AQL	MIL-T-27(12) SUPPL 1C	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR	A	5950	CR	14-JUL-87	CR			
I	MIL-T-27/1E	TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A	5950	ER	23-JUL-90	ER	EC	BS	
I	MIL-T-27/2F	TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY AND TF4S21YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A	5950	ER	23-JUL-90	ER	EC	BS	
A	MIL-T-27/3A NOTICE 2	TRANSFER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 9208) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	24-AUG-92	ER	EC	BS	
A	MIL-T-27/4 NOTICE 2	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ002 (VALIDATION DATE: 9210) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	01-OCT-92	ER	EC	BS	
A	MIL-T-27/5A NOTICE 1	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 8906) .....	A	5950	ER	05-JUN-89	ER	EC	BS	
A	MIL-T-27/6A NOTICE 2	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 9210) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	01-OCT-92	ER	EC	BS	
A	MIL-T-27/7A NOTICE 2	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 9210) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	01-OCT-92	ER	EC	BS	
A	MIL-T-27/8A NOTICE 2	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 9210) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	01-OCT-92	ER	EC	BS	
A	MIL-T-27/9A NOTICE 2	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 9210) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	01-OCT-92	ER	EC	BS	
A	MIL-T-27/10A NOTICE 2	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 9210) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	01-OCT-92	ER	EC	BS	
A	MIL-T-27/11A NOTICE 1	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	18-AUG-88	ER	EC	BS	
A	MIL-T-27/18D	TRANSFORMER, POWER 5.76 VA 60 HZ TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A	5950	ER	25-APR-88	ER	EC	BS	
A	MIL-T-27/19C NOTICE 1	TRANSFORMER, POWER 52 VA, 60 HZ, TF5S03ZZ (VALIDATION DATE: 9208) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A	5950	ER	24-AUG-92	ER	EC	BS	
A	MIL-T-27/25B	TRANSFORMERS, POWER, STEP-DOWN, 3-PHASE, TYPE TP4S03YY312 USER: 19 AR AS MC REVIEWER: 17 80 ES MI SH	A	5950	ER	08-APR-92	ER	EC	BS	
A	MIL-T-27/26 NOTICE 2	TRANSFORMER, POWER, 3.0 VOLT-AMPERES, 400 HZ, TF5T03ZZ313 (VALIDATION DATE: 9208) USER: 19 AS MC ME REVIEWER: 11 17 AR ES	A	5950	ER	27-AUG-92	ER	EC	BS	
A	MIL-T-27/27 NOTICE 2	TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ314 (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A	5950	ER	27-AUG-92	ER	EC	BS	
A	MIL-T-27/29A NOTICE 1	TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ315 (VALIDATION DATE: 9208) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES	A	5950	ER	27-AUG-92	ER	EC	BS	
A	MIL-T-27/30B	TRANSFORMER, AUDIO FREQUENCY, TF4R21AJ316 USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A	5950	ER	05-APR-90	ER	EC	BS	
A	MIL-T-27/33 NOTICE 2	TRANSFORMER, POWER, STEP-UP, TF5S03ZZ319 (VALIDATION DATE: 9208) USER: 19 AR AS MC ME REVIEWER: 11 17 ES MI OS SH	A	5950	ER	27-AUG-92	ER	EC	BS	
I	MIL-T-27/36B	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TYPE TF4R03HA322 USER: 19 AR ME REVIEWER: 11 17 99 ES MI OS SH	A	5950	ER	13-MAR-91	ER	EC	BS	
	MIL-T-27/37B NOTICE 1	TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF5S03ZZ400 TO TF5S03ZZ443, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/38B NOTICE 1	TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ444 TO TF5S03ZZ487, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/39B NOTICE 1	TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF5S03ZZ488 TO TF5S03ZZ531, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/40B NOTICE 1	TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ532 TO TF5S03ZZ575, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/41B NOTICE 1	TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF5S03ZZ576 TO TF5S03ZZ619, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/42B NOTICE 1	TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ620 TO TF5S03ZZ663, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/43B NOTICE 1	TRANSFORMERS, POWER, 9 VOLT AMPERES, 400 HZ, TF5S03ZZ664 TO TF5S03ZZ707, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/44B NOTICE 1	TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, TF5S03ZZ708 TO TF5S03ZZ751, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/45B NOTICE 1	TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ752 TO TF5S03ZZ795, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/46B NOTICE 1	TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, TF5S03ZZ796 TO TF5S03ZZ839, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/47B NOTICE 1	TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF5S03ZZ840 TO TF5S03ZZ883, INCLUSIVE (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/48C NOTICE 1	TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, TF4S03YY (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/49C NOTICE 1	TRANSFORMERS, POWER, 1.5 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/50C NOTICE 1	TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, TF4S03YY (VALIDATION DATE: 8906) USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/51C NOTICE 1	TRANSFORMERS, POWER, 3 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/52C NOTICE 1	TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, TF4S03YY (VALIDATION DATE: 8906) USER: AS MC ME REVIEWER: 11 19 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/53C NOTICE 1	TRANSFORMERS, POWER, 6 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4S03YY (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/54C NOTICE 1	TRANSFORMERS, POWER, 9.0 VOLT AMPERES, 400 HZ, TF4S03YY (VALIDATION DATE: 8906) USER: 19 AS REVIEWER: 11 17 99 ES MC ME MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	
	MIL-T-27/55C NOTICE 1	TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, TF4S03YY (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A	5950	ER	05-JUN-89	ER	EC	BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn Off / OMA Coordination Institute Document Number	Document Title	Dist Smt FSC Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
MIL-T-27/56C NOTICE 1	TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/57C NOTICE 1	TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/58C NOTICE 1	TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/59C NOTICE 1	TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/60D NOTICE 1	TRANSFORMERS, POWER, 250 VOLT AMPERES, 400 HZ, TF403YY [VALIDATION DATE: 9110] USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950 ER 25-OCT-91	ER EC 85
MIL-T-27/61C NOTICE 1	TRANSFORMERS, POWER, 16 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/62C NOTICE 1	TRANSFORMERS, POWER, 25 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/63C NOTICE 1	TRANSFORMERS, POWER, 50 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/64C NOTICE 1	TRANSFORMERS, POWER, 75 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/65C NOTICE 1	TRANSFORMERS, POWER, 100 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4503YY [VALIDATION DATE: 8906] USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/66D NOTICE 1	TRANSFORMERS, POWER, 250 VOLT AMPERES, 400 HZ, ELECTROSTATIC SHIELDED, TF4503YY [VALIDATION DATE: 9110] USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950 ER 25-OCT-91	ER EC 85
MIL-T-27/67A NOTICE 1	TRANSFORMERS, AUDIO FREQUENCY, TF5521ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/68A NOTICE 1	TRANSFORMERS, AUDIO FREQUENCY, TF5521ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/69A NOTICE 1	TRANSFORMERS, AUDIO FREQUENCY, TF5521ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/70B NOTICE 1	TRANSFORMERS, AUDIO FREQUENCY, TF5521ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH	A 5950 ER 25-OCT-91	ER EC 85
MIL-T-27/71C NOTICE 1	TRANSFORMERS, AUDIO FREQUENCY, TF5521ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950 ER 23-JUL-90	ER EC 85
MIL-T-27/72A NOTICE 1	TRANSFORMERS, AUDIO FREQUENCY TF5521ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/74A	TRANSFORMER, AUDIO FREQUENCY, TF4R21AGB91 USER: 19 AR AS MC ME OS REVIEWER: 11 17 80 ES MI SH	A 5950 ER 13-MAR-91	ER EC 85
MIL-T-27/76C(1) NOTICE 1	TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC REVIEWER: 11 17 99 MI OS SH	A 5950 ER 25-OCT-91	ER EC 85
MIL-T-27/79 NOTICE 1	TRANSFORMER, AUDIO FREQUENCY, TF5R21ZZ896 [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/80A NOTICE 1	TRANSFORMER, POWER, STEPDOWN, TF5R03ZZ897 [VALIDATION DATE: 9208] USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950 ER 27-AUG-92	ER EC 85
MIL-T-27/82B	TRANSFORMER, POWER, STEPDOWN, TF5V03ZZ899 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/84B	TRANSFORMER AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5504ZZ901 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/85A NOTICE 1	TRANSFORMERS & INDUCTORS (AUDIO, POWER, & HIGH-POWER PULSE), INDUCTOR, POWER, TF5504ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 ES MI OS SH	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/86 NOTICE 1	TRANSFORMER & INDUCTORS (AUDIO, POWER & HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5504ZZ903 [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/88 NOTICE 2	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TYPE TF5504ZZ905 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH	A 5950 ER 27-AUG-92	ER EC 85
MIL-T-27/89A NOTICE 1	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5V04ZZ [VALIDATION DATE: 8906] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950 ER 05-JUN-89	ER EC 85
MIL-T-27/92A	TRANSFORMERS, SATURABLE, TF5540ZZ909 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/96 NOTICE 2	TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ915 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH	A 5950 ER 27-AUG-92	ER EC 85
MIL-T-27/97B	TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZX916 USER: 19 AS MC ME SC REVIEWER: 11 17 80 99 AR ES OS SH	A 5950 ER 14-JAN-88	ER EC 85
MIL-T-27/99B	TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH	A 5950 ER 13-MAR-91	ER EC 85
MIL-T-27/100A	TRANSFORMER, POWER, STEPDOWN, TF5V03ZZ919 USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH	A 5950 ER 13-MAR-91	ER EC 85
MIL-T-27/102A	TRANSFORMER, POWER, STEPDOWN, TF4R03KA921 USER: 19 AR REVIEWER: 11 17 99 ES MI OS SH	A 5950 ER 13-MAR-91	ER EC 85
MIL-T-27/103C NOTICE 2	TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [VALIDATION DATE: 9208] USER: 19 AR AS MC REVIEWER: 11 17 80 99 ES MI OS	A 5950 ER 27-AUG-92	ER EC 85
MIL-T-27/111(1)	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF4U20YY930 USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950 ER 09-JUN-92	ER EC 85
MIL-T-27/112 NOTICE 2	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, AUDIO, TYPE TF5U20ZZ931 [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 80 ES MI OS SH	A 5950 ER 27-AUG-92	ER EC 85
MIL-T-27/117B	TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ936 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/118B	TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ937 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/119B	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5504ZZ938 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/120B	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5504ZZ939 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/122C	TRANSFORMERS, SATURABLE, TF5540ZZ909 USER: 19 AR AS MC ME REVIEWER: 17 80 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/123B	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, POWER, TF5504ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES OS	A 5950 ER 19-APR-88	ER EC 85
MIL-T-27/124D	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR, HIGH Q, TYPE TF5520ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/126C	TRANSFORMER, AUDIO FREQUENCY, TF5521ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/127C	TRANSFORMER, POWER, STEP-DOWN TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950 ER 20-APR-93	ER EC 85
MIL-T-27/129A	TRANSFORMER, POWER, STEPDOWN, STEP-UP, TF5S03ZZ948 USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH	A 5950 ER 13-MAR-91	ER EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / CMA Classification Inclusion Document Number	Document Title	Doc. Sym. FSC / Area MCA Symbol Preparing Act.	Date	Custodians		
				Army	Navy	Air Force DIA
MIL-T-27/134A NOTICE 1	TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ (VALIDATION DATE: 9110) USER: 19	A 5950	ER 25-OCT-91	ER	EC	BS
1 MIL-T-27/136A	AS MC ME REVIEWER: 11 17 99 AR OS SH	A 5950	ER 13-MAR-91	ER	EC	BS
1 MIL-T-27/138A	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TYPE TF5T03ZZ955 USER: 19 AR AS	A 5950	ER 13-MAR-91	ER	EC	BS
MIL-T-27/140A	MC ME SC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 05-APR-90	ER	EC	BS
MIL-T-27/141 NOTICE 1	TRANSFORMER, POWER, STEP-DOWN, 3-PHASE, TF4S03YY USER: 19 AR AS MC ME	A 5950	ER 05-JUN-89	ER	EC	BS
MIL-T-27/142C	REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 31-MAR-92	ER	EC	BS
MIL-T-27/145 NOTICE 1	TRANSFORMERS, POWER, STEP-DOWN, TF4S03YY USER: 19 AR AS MC ME REVIEWER: 11	A 5950	ER 05-JUN-89	ER	EC	BS
A MIL-T-27/146A NOTICE 2	17 99 ES MI OS SH	A 5950	ER 27-AUG-92	ER	EC	BS
MIL-T-27/147C	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS,	A 5950	ER 31-MAR-92	ER	EC	BS
A MIL-T-27/148A NOTICE 1	AUDIO FREQUENCY, TF5R20ZZ USER: 19 AR MC REVIEWER: 17 99 AS ES OS SH	A 5950	ER 27-AUG-92	ER	EC	BS
MIL-T-27/149B	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS,	A 5950	ER 21-MAY-87	ER	EC	BS
1 MIL-T-27/151B	VARIABLE, HIGH Q, TF4R20YY (VALIDATION DATE: 8906) USER: 19 AR AS MC ME	A 5950	ER 13-MAR-91	ER	EC	BS
A MIL-T-27/153A NOTICE 1	REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 27-AUG-92	ER	EC	BS
MIL-T-27/154 NOTICE 1	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS,	A 5950	ER 05-JUN-89	ER	EC	BS
A MIL-T-27/155A NOTICE 1	HIGH Q, TF5R20ZZ (VALIDATION DATE: 9208) USER: 19 AR AS MC REVIEWER: 11 17	A 5950	ER 27-AUG-92	ER	EC	BS
A MIL-T-27/156A NOTICE 2	99 ES MI OS SH	A 5950	ER 27-AUG-92	ER	EC	BS
MIL-T-27/157C	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE),	A 5950	ER 23-JUL-90	ER	EC	BS
M 1 MIL-T-27/158A	INDUCTORS, AUDIO, HIGH Q, TF4R20YY USER: 19 AR AS MC ME REVIEWER: 17 80 ES	A 5950	ER 20-APR-93	ER	EC	BS
M 1 MIL-T-27/159A	MI OS SH	A 5950	ER 20-APR-93	ER	EC	BS
MIL-T-27/160A NOTICE 1	TRANSFORMER, POWER, STEP-DOWN, TF4S03HA (VALIDATION DATE: 9208) USER: 19	A 5950	ER 18-AUG-88	ER	EC	BS
A MIL-T-27/161A NOTICE 2	AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER 27-AUG-92	ER	EC	BS
MIL-T-27/162A	TRANSFORMER AND INDUCTOR (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR,	A 5950	ER 31-MAR-92	ER	EC	BS
M 1 MIL-T-27/163C	POWER, TF5S04ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER 20-APR-93	ER	EC	BS
MIL-T-27/164B	TRANSFORMER, POWER, STEP-DOWN, TF4S03KB USER: 19 AS MC ME REVIEWER: 11 17	A 5950	ER 08-APR-92	ER	EC	BS
MIL-T-27/165C	99 AR ES OS	A 5950	ER 07-JAN-91	ER	EC	BS
MIL-T-27/166A(1)	TRANSFORMER, POWER, STEP-DOWN, TF4S03FB (VALIDATION DATE: 9208) USER: 19	A 5950	ER 19-DEC-90	ER	EC	BS
MIL-T-27/167D	AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 07-APR-92	ER	EC	BS
MIL-T-27/168 NOTICE 1	TRANSFORMER, POWER, STEP-DOWN, TF4S03EB (VALIDATION DATE: 8906) USER: 19	A 5950	ER 05-JUN-89	ER	EC	BS
1 MIL-T-27/170B	AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 13-MAR-91	ER	EC	BS
MIL-T-27/171B	TRANSFORMER, POWER, STEP-DOWN, TF4S03EA (VALIDATION DATE: 9208) USER: 19	A 5950	ER 16-NOV-87	ER	EC	BS
A MIL-T-27/172D(1)	AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 30-JUN-92	ER	EC	BS
MIL-T-27/173E	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE),	A 5950	ER 07-APR-92	ER	EC	BS
M 1 MIL-T-27/174C	INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4S02YY USER: 19 AS MC ME REVIEWER:	A 5950	ER 20-APR-93	ER	EC	BS
M 1 MIL-T-27/175B	17 99 MI OS SH	A 5950	ER 20-APR-93	ER	EC	BS
1 MIL-T-27/176A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR,	A 5950	ER 13-MAR-91	ER	EC	BS
MIL-T-27/179C	POWER, TF5S04ZZ USER: 19 AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER 08-APR-92	ER	EC	BS
MIL-T-27/180A	TRANSFORMER, POWER, STEP-DOWN, TF4S03FA USER: 19 AR AS MC ME REVIEWER: 17	A 5950	ER 07-JAN-91	ER	EC	BS
MIL-T-27/181B NOTICE 1	99 ES MI OS SH	A 5950	ER 04-APR-89	ER	EC	BS
MIL-T-27/183B NOTICE 1	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP TF4S03FA USER: 19 AS MC ME	A 5950	ER 25-OCT-91	ER	EC	BS
MIL-T-27/184B	REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER 07-JAN-91	ER	EC	BS
MIL-T-27/185A	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TF4S03JA (VALIDATION DATE:	A 5950	ER 08-APR-92	ER	EC	BS
1 MIL-T-27/187B	9110) USER: 19 AR AS MC REVIEWER: 11 17 99 MI OS SH	A 5950	ER 13-MAR-91	ER	EC	BS
MIL-T-27/189A NOTICE 1	TRANSFORMER, POWER, STEP-DOWN, TF4S03AM USER: 19 AS MC ME REVIEWER: 17 99	A 5950	ER 25-OCT-91	ER	EC	BS
MIL-T-27/190 NOTICE 1	AR ES OS SH	A 5950	ER 25-OCT-91	ER	EC	BS
MIL-T-27/191 NOTICE 1	TRANSFORMER (CHOPPER INPUT), TF4R21YY USER: 19 AR AS MC ME REVIEWER: 17 99	A 5950	ER 25-OCT-91	ER	EC	BS
MIL-T-27/192 NOTICE 1	ES MI OS	A 5950	ER 25-OCT-91	ER	EC	BS
	TRANSFORMER, POWER, STEP-DOWN, AUTOTRANSFORMER, TF5T03ZZ USER: 19 AR AS MC	A 5950	ER 25-OCT-91	ER	EC	BS
	ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 25-OCT-91	ER	EC	BS
	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR,	A 5950	ER 25-OCT-91	ER	EC	BS
	POWER, TF5S04ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17	A 5950	ER 25-OCT-91	ER	EC	BS
	99 AR OS SH	A 5950	ER 25-OCT-91	ER	EC	BS
	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR,	A 5950	ER 25-OCT-91	ER	EC	BS
	POWER, TF5S04ZZ (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11	A 5950	ER 25-OCT-91	ER	EC	BS
	17 99 MI OS SH	A 5950	ER 25-OCT-91	ER	EC	BS
	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTOR,	A 5950	ER 25-OCT-91	ER	EC	BS
	POWER, TF5S04ZZ (VALIDATION DATE: 9110) USER: 19 AR AS MC ME REVIEWER: 11	A 5950	ER 25-OCT-91	ER	EC	BS
	17 99 MI OS SH	A 5950	ER 25-OCT-91	ER	EC	BS
	TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AR	A 5950	ER 25-OCT-91	ER	EC	BS
	AS MC ME REVIEWER: 11 17 99 MI OS SH	A 5950	ER 25-OCT-91	ER	EC	BS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / Onk Coordination Inactive	Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-T-27/193A	TRANSFORMERS, POWER, STEPDOWN, TF5S03ZZ AND TF5T03ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH	A 5950	ER	25-OCT-91	ER	EC	85	
	NOTICE 1								
	MIL-T-27/194A	TRANSFORMERS, POWER, STEPDOWN AND STEP-UP, TF5S03ZZ AND TF5T03ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 MI OS SH	A 5950	ER	25-OCT-91	ER	EC	85	
	NOTICE 1								
A	MIL-T-27/195	TRANSFORMER, POWER, STEP-DOWN, TF5S03ZZ [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	27-AUG-92	ER	EC	85	
	NOTICE 2								
A	MIL-T-27/197B	TRANSFORMERS, AUDIO FREQUENCY, TF4R21YY [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	27-AUG-92	ER	EC	85	
	NOTICE 1								
M 1	MIL-T-27/201A	TRANSFORMER, POWER, STEPDOWN, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/202A	TRANSFORMER, POWER, STEP DOWN, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
	MIL-T-27/205A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF4R20YY USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	08-APR-92	ER	EC	85	
I	MIL-T-27/207A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5V04ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	13-MAR-91	ER	EC	85	
M 1	MIL-T-27/209A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, POWER, TF4R04FA USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/210A	TRANSFORMER, POWER, STEP DOWN, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 AR ES OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/211B	TRANSFORMER, POWER, 15 VA, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 AR ES OS SH	A 5950	ER	20-APR-93	ER	EC	85	
I 1	MIL-T-27/212B	TRANSFORMER, POWER, 50 VA, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 AR ES OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/213B	TRANSFORMER, POWER, STEP-UP, 178 VOLTAMPERES, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 AR ES OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/214A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5S20ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
	MIL-T-27/215C(1)	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, TF5S20ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH	A 5950	ER	20-FEB-90	ER	EC	85	
M 1	MIL-T-27/221B	TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/222B	TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
A 1	MIL-T-27/223B	TRANSFORMERS, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	30-JUN-92	ER	EC	85	
M 1	MIL-T-27/224B	TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/225C	TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
	MIL-T-27/227	TRANSFORMER, POWER, STEP-DOWN, TF5T03ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR OS SH	A 5950	ER	25-OCT-91	ER	EC	85	
	NOTICE 1								
I	MIL-T-27/229A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5T04ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	13-MAR-91	ER	EC	85	
	MIL-T-27/235C	TRANSFORMERS, POWER, ISOLATION, SHIELDED, TF4R03YY USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH	A 5950	ER	08-APR-92	ER	EC	85	
A	MIL-T-27/240A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ [VALIDATION DATE: 9208] USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	27-AUG-92	ER	EC	85	
	NOTICE 2								
A	MIL-T-27/241A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ [VALIDATION DATE: 9208] USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	27-AUG-92	ER	EC	85	
	NOTICE 2								
	MIL-T-27/247B	TRANSFORMER, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 8704] USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH	A 5950	ER	06-APR-87	ER	EC	85	
	NOTICE 1								
I	MIL-T-27/255A	TRANSFORMER, POWER, STEPDOWN, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	13-MAR-91	ER	EC	85	
I	MIL-T-27/259A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, POWER (60 VA), TF5T04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER	13-MAR-91	ER	EC	85	
I	MIL-T-27/260B	TRANSFORMERS, POWER, TF5T03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER	13-MAR-91	ER	EC	85	
	MIL-T-27/261	TRANSFORMERS & INDUCTORS (AUDIO, POWER & HI H POWER PULSE), INDUCTOR, POWER 100 VA, TF5T04ZZ [VALIDATION DATE: 8502] USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER	23-OCT-78	ER	EC	85	
	MIL-T-27/263	TRANSFORMERS, AUDIO FREQUENCY, TF5R21ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR OS SH	A 5950	ER	25-OCT-91	ER	EC	85	
	NOTICE 1								
I	MIL-T-27/265A	TRANSFORMER, POWER, STEPDOWN AND STEP-UP, TYPE TF5S03ZZ	A 5950	ER	13-MAR-91	ER	EC	85	
	DOD-T-27/267B	TRANSFORMER, POWER, 7VA TF5S03ZZ, METRIC USER: AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER	25-APR-88	ER	EC	85	
M 1	MIL-T-27/267C	TRANSFORMER, POWER, 7 VOLTAMPERES, TF5S03ZZ, METRIC USER: 19 AR AS MC ME REVIEWER: 17 99 AR ES OS SH	A 5950	ER	20-APR-93	ER	EC	85	
	MIL-T-27/268B	TRANSFORMER, POWER, TF4V03JA [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR OS SH	A 5950	ER	25-OCT-91	ER	EC	85	
	NOTICE 1								
	MIL-T-27/269B	TRANSFORMER, POWER, TF5V03ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR OS SH	A 5950	ER	25-OCT-91	ER	EC	85	
	NOTICE 1								
	MIL-T-27/277	TRANSFORMER, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ [VALIDATION DATE: 9110] USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR OS SH	A 5950	ER	25-OCT-91	ER	EC	85	
	NOTICE 1								
I	MIL-T-27/285A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTORS, AUDIO FREQUENCY, HIGH Q, TF5R20ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	13-MAR-91	ER	EC	85	
	MIL-T-27/286B	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5R04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	05-APR-90	ER	EC	85	
	MIL-T-27/287A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	17-MAY-90	ER	EC	85	
	MIL-T-27/288A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	17-MAY-90	ER	EC	85	
	NOTICE 1								
	MIL-T-27/289A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	17-MAY-90	ER	EC	85	
	NOTICE 1								
A	MIL-T-27/290A	TRANSFORMER, AUDIO FREQUENCY, TF5S21ZZ [VALIDATION DATE: 9208] USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	27-AUG-92	ER	EC	85	
	NOTICE 2								
I	MIL-T-27/291B	TRANSFORMERS, POWER, STEP-DOWN, TF5S03ZZ USER: 19 AR AS MC REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER	13-MAR-91	ER	EC	85	
M 1	MIL-T-27/293A	TRANSFORMER, POWER, STEP DOWN, TF5R03ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
I	MIL-T-27/295B	TRANSFORMER, POWER, STEP-DOWN, TF5R03ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/296B	TRANSFORMER, POWER, STEP-DOWN, TF5V03ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	
M 1	MIL-T-27/298A	TRANSFORMER AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE) INDUCTOR, POWER, TF5R04ZZ USER: 19 AR AS MC REVIEWER: 17 99 AR ES MI OS SH	A 5950	ER	20-APR-93	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Correction Insertion	Document Number	Document Title	Dist. Smt FSC / Ans MCA Symbol	Preparing Acty Date	Custodians			
					Army	Navy	Air Force	DLA
	MIL-T-27/300C	TRANSFORMERS, POWER, STEPDOWN, TF4R03 USER: 19 AL AR AS CG MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 17-MAY-90	ER	EC	BS	
1	MIL-T-27/303A	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), INDUCTOR, POWER TF5S04ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH	A 5950	ER 13-MAR-91	ER	EC	BS	
1	MIL-T-27/306A	TRANSFORMER, SATURABLE, TF5S40ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS SH	A 5950	ER 13-MAR-91	ER	EC	BS	
	MIL-T-27/307 NOTICE 1	TRANSFORMER, AUDIO FREQUENCY, TF4S21AJ (VALIDATION DATE: 8808) .....	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/311C	TRANSFORMER, POWER, STEP UP TF4V03YY USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 25-APR-88	ER	EC	BS	
	MIL-T-27/312A NOTICE 1	TRANSFORMERS, POWER, 5 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/313A NOTICE 1	TRANSFORMERS, POWER, 10 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/314A NOTICE 1	TRANSFORMERS, POWER, 15 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/315A NOTICE 1	TRANSFORMERS, POWER, 20 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/316A NOTICE 1	TRANSFORMERS, POWER, 30 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/317A NOTICE 1	TRANSFORMERS, POWER, 40 VOLT-AMPERES, 60 HERTZ, TF4S03YY (VALIDATION DATE: 8808) USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/318B	TRANSFORMERS, POWER, 80 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER 19-JAN-89	ER	EC	BS	
	MIL-T-27/319B	TRANSFORMERS, POWER, 120 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER 19-JAN-89	ER	EC	BS	
	MIL-T-27/320B	TRANSFORMERS, POWER, 160 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER 19-JAN-89	ER	EC	BS	
	MIL-T-27/321C	TRANSFORMERS, POWER, 200 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER 19-JAN-89	ER	EC	BS	
	MIL-T-27/322C	TRANSFORMERS, POWER, 300 VOLT-AMPERES, 60 HERTZ, TF4S03YY USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS SH	A 5950	ER 19-JAN-89	ER	EC	BS	
	MIL-T-27/323B	TRANSFORMER, AUDIO FREQUENCY, TELEPHONE INTERCONNECT, TF5R21ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5985	ER 08-APR-92	ER	EC	BS	
	MIL-T-27/325C	TRANSFORMER, POWER, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 17 99 ES OS SH	A 5950	ER 08-APR-92	ER	EC	BS	
	MIL-T-27/326B NOTICE 1	TRANSFORMERS, POWER, 5 VA, 60 HZ, TF4S03EB (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 05-JUN-89	ER	EC	BS	
	MIL-T-27/327C	TRANSFORMERS, POWER, 15 VA, 60 HZ, TF4S03FA USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 19-JAN-89	ER	EC	BS	
	MIL-T-27/328B NOTICE 1	TRANSFORMERS, POWER, 30 VA, 60 HZ, TF4S03GA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 05-JUN-89	ER	EC	BS	
	MIL-T-27/329B NOTICE 1	TRANSFORMERS, POWER, 60 VA, 60 HZ, TF4S03HA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 05-JUN-89	ER	EC	BS	
	MIL-T-27/330B NOTICE 1	TRANSFORMERS, POWER, 100 VA TO 140 VA, 60 HZ, TF4S03JA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 05-JUN-89	ER	EC	BS	
	MIL-T-27/331B NOTICE 1	TRANSFORMERS, POWER, 160 VA AND 170 VA, TF4S03KA (VALIDATION DATE: 8906) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 05-JUN-89	ER	EC	BS	
	MIL-T-27/332C NOTICE 1	TRANSFORMERS, POWER, 7 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/333C NOTICE 1	TRANSFORMERS, POWER, 10 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/334C NOTICE 1	TRANSFORMERS, POWER, 25 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/335C NOTICE 1	TRANSFORMERS, POWER, 50 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/336C NOTICE 1	TRANSFORMERS, POWER, 120 VOLTAMPERES, 400 HZ, TF5S03ZZ (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 AR OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/337D	TRANSFORMERS, POWER, 150 AND 200 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/338D	TRANSFORMERS, POWER, 2 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/339D	TRANSFORMERS, POWER, 6 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/340D	TRANSFORMERS, POWER, 15 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/341D	TRANSFORMERS, POWER, 24 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/342D	TRANSFORMERS, POWER, 80 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/343D	TRANSFORMERS, POWER, 175 VOLTAMPERES, 400 HZ, TF5S03ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/344B NOTICE 1	TRANSFORMERS, POWER, 90 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/345B NOTICE 1	TRANSFORMERS, POWER, 120 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/346B NOTICE 1	TRANSFORMERS, POWER, 150 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/347B NOTICE 1	TRANSFORMERS, POWER, 200 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/348B NOTICE 1	TRANSFORMERS, POWER, 270 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/349B NOTICE 1	TRANSFORMERS, POWER, 375 VOLTAMPERES, 3-PHASE, TYPE TF5S03YY (VALIDATION DATE: 9110) USER: 19 AS MC ME REVIEWER: 11 17 99 MI OS	A 5950	ER 25-OCT-91	ER	EC	BS	
	MIL-T-27/350D	TRANSFORMERS, POWER, 15 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/351D	TRANSFORMERS, POWER, 25 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/352D	TRANSFORMERS, POWER, 50 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/353D	TRANSFORMERS, POWER, 75 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/354D	TRANSFORMERS, POWER, 100 VOLT-AMPERES, 400 HZ, TF5S03ZZ USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS SH	A 5950	ER 22-JAN-92	ER	EC	BS	
	MIL-T-27/355 NOTICE 1	TRANSFORMER, POWER TF5S03ZZ (VALIDATION DATE: 8808) USER: 19 AR AS MC ME REVIEWER: 17 99 ES MI OS SH	A 5950	ER 18-AUG-88	ER	EC	BS	
	MIL-T-27/356C	TRANSFORMERS AND INDUCTORS (AUDIO, POWER AND HIGH-POWER PULSE), INDUCTORS, POWER, TF5S04ZZ USER: 19 AR AS MC REVIEWER: 17 99 ES MI OS	A 5950	ER 08-APR-92	ER	EC	BS	
	MIL-T-27/357A	TRANSFORMER, AUDIO FREQUENCY, ULTRA MINIATURE, TF5R21ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 14-JUN-88	ER	EC	BS	
	MIL-T-27/358B	TRANSFORMERS, AUDIO FREQUENCY, SUB-MINIATURE, TF5R21ZZ USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES OS	A 5950	ER 14-JUN-88	ER	EC	BS	
	MIL-T-27/359B	TRANSFORMERS, AUDIO FREQUENCY, ULTRA-MINIATURE, TF5S21ZZ USER: 19 AS MC ME REVIEWER: 17 99 AR ES OS	A 5950	ER 08-APR-92	ER	EC	BS	



## NUMERICAL LISTING MILITARY SPECIFICATIONS

26



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm CPL / Osk Coordination Income	Document Number	Document Title	Dist. Smt FSC / Assn	MCA Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DLA
Q	1	MIL-R-93D(4) SUPPL 1A, NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/3F NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/4G NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/5F NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/6F NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	L	MIL-R-93/7B			A 5905	ER	12-JUN-70		
	L	MIL-R-93/8B			A 5905	ER	12-JUN-70		
	L	MIL-R-93/9B			A 5905	ER	12-JUN-70		
	1	MIL-R-93/10F NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/11D NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/12D NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/13D NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/14D NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/15B NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/16B NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
		MIL-R-93/17B(1)			A 5905	ER	20-APR-79	ER	EC 85
		MIL-R-93/18B(1)			A 5905	ER	20-APR-79	ER	EC 85
	1	MIL-R-93/19B NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
	1	MIL-R-93/20B NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
		MIL-R-93/27B(1)			A 5905	ER	20-APR-79	ER	EC 85
		MIL-R-93/28B(1)			A 5905	ER	20-APR-79	ER	EC 85
AQ		MIL-R-94E SUPPL 1A			A 5905	ER	10-SEP-92	ER	EC 85
		MIL-R-94/2C(1) NOTICE 1			A 5905	ER	12-OCT-89	ER	EC 85
		MIL-R-94/3K(2)			A 5905	ER	12-OCT-89	ER	EC 85
		MIL-R-94/4J(1)			A 5905	ER	12-OCT-89	ER	EC 85
		MIL-R-94/5G(1) NOTICE 1			A 5905	ER	12-OCT-89	ER	EC 85
		MIL-R-94/6C(1) NOTICE 1			A 5905	ER	25-OCT-91	ER	EC 85
		MIL-R-94/7A(1)			A 5905	ER	10-MAY-90	ER	EC 85
		MIL-G-96A NOTICE 1			A 6810	AR	13-JUN-88	AR	OS
		MIL-D-98A			A 6810	AR	14-MAY-82	AR	AS
		JAN-C-99(1)			A 1395	AR	30-NOV-45	AR	OS
D		MIL-C-104C			A 8115	YD1	30-MAR-92	ME	YD1 69
D		MIL-P-116J(1) NOTICE 1			A PACK	AS	24-OCT-91	SM	AS 69 ES
D		MIL-B-117F(1)			A 8105	GL	23-APR-90	GL	SA 69
D		MIL-B-121F			A 8135	GL	16-JUN-89	GL	SA 69
Q		MIL-R-122A(1)			A 5905	EC	26-MAY-92	ER	EC 85
		MIL-R-122/1C			A 5905	EC	18-AUG-89	ER	EC 85
		MIL-R-122/3C			A 5905	EC	18-AUG-89	ER	EC 85
		MIL-R-122/4B			A 5905	EC	10-JUN-85	ER	EC 85
		MIL-R-122/5D			A 5905	EC	25-SEP-89	ER	EC 85
		MIL-R-122/6C(1)			A 5905	EC	05-JUL-88	ER	EC 85
		MIL-R-122/10C			A 5905	EC	18-AUG-89	ER	EC 85
Q		MIL-C-123B(1) SUPPL 1A			A 5910	NA	15-JUL-91		19
L		MIL-C-123/1A(1)			A 5910	NA	09-APR-84		19 NA
L		MIL-C-123/2B(2)			A 5910	NA	25-FEB-87		19 NA
		MIL-C-123/3C			A 5910	NA	20-JUL-88		19
L		MIL-C-123/4A			A 5910	NA	10-AUG-82		19 NA
L		MIL-C-123/5			A 5910	NA	13-MAR-81		19 NA
L		MIL-C-123/6A(1)			A 5910	NA	09-APR-84		19 NA
L		MIL-C-123/7A			A 5910	NA	10-AUG-82		19 NA
L		MIL-C-123/8			A 5910	NA	13-MAR-81		19 NA
L		MIL-C-123/9A			A 5910	19	15-MAR-90		19
L		MIL-C-123/10A			A 5910	NA	27-AUG-90		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inches Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty. Date	Custodians			
			Army	Navy	Air Force	DIA
L MIL-C-123/11A	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS52 REVIEWER: 19 EC ER ES	A 5910 MA 27-AUG-90				
L MIL-C-123/12A	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS53 REVIEWER: 19 EC ER ES	A 5910 MA 27-AUG-90				
L MIL-C-123/13A	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED, STYLE CKS54 REVIEWER: 19 EC ER ES	A 5910 MA 27-AUG-90				
MIL-C-123/14	CAPACITORS, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED (HIGH FREQUENCY), STYLE CKS28 REVIEWER: 85 ES	A 5910 MA 21-NOV-89		19		
MIL-C-123/15	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, NONLEADED (HIGH FREQUENCY), STYLE CKS29 REVIEWER: 85 EC ER ES	A 5910 MA 21-NOV-89		19		
MIL-C-123/16	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS22 REVIEWER: 85 EC ER ES	A 5910 MA 21-NOV-89		19		
MIL-C-123/17	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS23 REVIEWER: 85 EC ER ES	A 5910 MA 21-NOV-89		19		
MIL-C-123/18	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED, STYLE CKS24 REVIEWER: 85 EC ER ES	A 5910 MA 21-NOV-89		19		
MIL-C-123/19	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED WITH STANDOFFS, STYLE CKS055 REVIEWER: 85 EC ER ES	A 5910 MA 09-MAR-90		19		
MIL-C-123/20	CAPACITORS, FIXED, CERAMIC DIELECTRIC, (TEMPERATURE STABLE AND GENERAL PURPOSE), HIGH RELIABILITY, LEADED WITH STANDOFFS, STYLE CKS065 REVIEWER: 85 EC ER ES	A 5910 MA 21-NOV-89		19		
D MIL-P-130F	PAPER, WRAPPING, LAMINATED AND CREPED USER: AT SH YD1 REVIEWER: 99 DS EA GS MC MD OS	A 8135 GL 30-SEP-85	GL	SA	69	
DO MIL-B-131H	BARRIER MATERIALS, WATERVAPORPROOF, GREASEPROOF, FLEXIBLE, HEAT SEALABLE USER: SS REVIEWER: 84 99 AT CK DS EA ES MI OS SA SH SM YD1	A 8135 AS 17-FEB-87	GL	AS	69	
Q MIL-P-1490 NOTICE 1	PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING) [VALIDATION DATE: 9103] USER: AR AS MC OS REVIEWER: ER GL ME SH	A 8030 MR 20-MAR-91	MR	99		
MIL-P-1500 NOTICE 1	POTASSIUM CHLORATE, TECHNICAL [VALIDATION DATE: 8903] USER: AS REVIEWER: AR GS MD	A 6810 EA 06-MAR-89	EA	OS		
MIL-P-151E	FAN, CIRCULATING, CEILING, REFRIGERATED SPACE [VALIDATION DATE: 8403] REVIEWER: ER GS	A 4140 SH 05-AUG-68	ME	SH		
D MIL-T-152B(2) NOTICE 1	TREATMENT, MOISTURE & FUNGUS RESISTANT, OF COMMUNICATIONS, ELECTRONIC & ASSOCIATED ELECTRICAL EQUIPMENT [VALIDATION DATE: 8708] REVIEWER: AR AV EA EC MI MR YD1	A MISC ER 03-AUG-87	ER	AS	11	
MIL-B-153A(1) NOTICE 1	BARIUM PEROXIDE [VALIDATION DATE: 8806] REVIEWER: GS OS	A 6810 AR 17-JUN-88	AR	AS		
MIL-C-155A(2) NOTICE 1	GRAPHITE, DRY (FOR USE IN AMMUNITION) [VALIDATION DATE: 8804] USER: ME REVIEWER: EA	A 1376 AR 25-APR-88	AR	OS	99	
MIL-P-1568	POTASSIUM NITRATE [VALIDATION DATE: 8301] REVIEWER: EA GS MI OS	A 6810 AR 18-APR-56	AR	AS		
L MIL-P-1568(13)	POTASSIUM NITRATE	A 6810 OS 30-APR-90		OS		
MIL-P-157A(3) NOTICE 1	PAPER, ONIONSKIN [VALIDATION DATE: 8803] REVIEWER: EA	A 1395 AR 23-MAR-88				
L MIL-A-1590	ANTIMONY SULFIDE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: EA GS MD OS	A 6810 AR 16-MAY-72	AR			
L MIL-A-1590(11)	ANTIMONY SULFIDE (FOR USE IN AMMUNITION)	A 6810 AR 13-DEC-85	AR			
MIL-B-1620	BARIUM NITRATE [VALIDATION DATE: 8202] REVIEWER: EA GS MD MI OS	A 6810 AR 07-FEB-68	AR	AS		
L MIL-B-1620(13)	BARIUM NITRATE	A 6810 AR 16-APR-90	AR			
D L MIL-F-163G NOTICE 2	FAUCET, SINGLE & DOUBLE, COMPRESSION & SELF CLOSING TYPE, NAVAL SHIPBOARD REVIEWER: CS YD1	A 4510 SH 13-DEC-85		SH		
MIL-A-166C NOTICE 1	AMMONIUM PICRATE (EXPLOSIVE D) [VALIDATION DATE: 8804]	A 1376 AR 25-APR-88	AR	OS	99	
Q JAN-T-171(2)	TOLUENE [VALIDATION DATE: 8004] USER: MC REVIEWER: EA GS MI PS	A 6810 AR 25-SEP-46	AR	OS		
MIL-C-172C(2) SUPPL 10	CASES: BASES, MOUNTING, AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [VALIDATION DATE: 8005] REVIEWER: 99 AR AV GS MI	A 5975 AS 17-FEB-69	ER	AS	11	
L MIL-C-172C(15) SUPPL 10	CASES: BASES, MOUNTING, AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) [VALIDATION DATE: 8005] REVIEWER: 11 99	A 5340 BS 14-FEB-77		BS		
D MIL-V-173C(2) NOTICE 1	VARNISH, MOISTURE AND FUNGUS RESISTANT (FOR TREATMENT OF COMMUNICATIONS, ELECTRONIC, AND ASSOCIATED EQUIPMENT [VALIDATION DATE: 8707] USER: MC ME SH REVIEWER: AV DS EA EC OS	A 8010 ER 07-JUL-87	ER	YD1		
MIL-G-1748	GLASS, OPTICAL REVIEWER: AV EA MI	A 6650 AR 05-DEC-86	AR	OS	99	
MIL-A-175C NOTICE 1	AMMONIUM NITRATE, TECHNICAL (METRIC) [VALIDATION DATE: 8903] USER: SM REVIEWER: GS MI	A 6810 EA 06-MAR-89	EA	OS	68	
JAN-C-178A(1)	CHARCOAL (FOR USE IN AMMUNITION) [VALIDATION DATE: 8204] REVIEWER: EA GS	A 6810 OS 28-OCT-49	AR	OS		
JAN-C-178A(12)	CHARCOAL (FOR USE IN AMMUNITION)	A 6810 AR 04-MAR-91				
JAN-A-179	ACID, SULFURIC, AND OLEUM [VALIDATION DATE: 8004] REVIEWER: GS	A 6810 AR 31-JAN-45	EA	OS		
L JAN-W-181A	WAX (CANDELLILLA) [VALIDATION DATE: 8204] REVIEWER: GS	A 9160 OS 18-AUG-75		OS		
JAN-A-183(3)	ACID, NITRIC (FOR ORDNANCE USE) [VALIDATION DATE: 8004] REVIEWER: GS	A 6810 AR 12-OCT-51	AR	OS		
JAN-A-187	ACID, PICRIC (TRINITROPHENOL) [VALIDATION DATE: 8004] REVIEWER: GS	A 6810 AR 28-FEB-45	AR	OS		
A MIL-A-192B	AMMONIUM PERCHLORATE [VALIDATION DATE: 8604] REVIEWER: 12 68 EA GS OS	A 6810 AR 10-APR-86	AR	AS	19	
L MIL-A-192B(12)	AMMONIUM PERCHLORATE, TECHNICAL	A 6810 AR 23-NOV-90	AR			
MIL-P-193A(1)	POTASSIUM SULFATE (FOR ORDNANCE USE) [VALIDATION DATE: 8601] REVIEWER: AS EA GS OS	A 6810 AR 02-AUG-65	AR	MS	68	
MIL-P-193A(13)	POTASSIUM SULFATE (FOR ORDNANCE USE) [VALIDATION DATE: 8601]	A 6810 AR 13-APR-81	AR	OS	99	
D MIL-S-196D	SUPPORT ITEMS, ACCESSORIES, AND KITS, MECHANICAL; PACKAGING OF USER: AT EC MC REVIEWER: 11 70 71 84 AR ME YD1	A PACK SH 15-JUL-88	SH	SH	69	
D MIL-B-197G	PACKAGING OF ANTI-FRICTION BEARINGS, ASSOCIATED PARTS AND SUBASSEMBLIES USER: MC REVIEWER: AS AT OS SA SH YD1	A PACK IS 03-MAR-92	AR	SH	99	15
MIL-E-199A(3)	ETHER, DIETHYL, TECHNICAL [VALIDATION DATE: 8907] USER: ME REVIEWER: GS OS	A 6810 AR 13-JUL-89	AR	AS		
MIL-A-202C NOTICE 1	ANTHRACENE, TECHNICAL (METRIC) [VALIDATION DATE: 8903] REVIEWER: AR GS MD MI	A 6810 EA 06-MAR-89	EA	OS		
MIL-D-204A(1)	DINITROTOLUENE FOR USE IN EXPLOSIVES [VALIDATION DATE: 8201] USER: MC	A 1375 AR 23-AUG-63	AR	OS	99	
MIL-D-204A(12)	DINITROTOLUENE FOR USE IN EXPLOSIVES [VALIDATION DATE: 8201]	A 1375 AR 21-NOV-75	AR			
MIL-C-206A NOTICE 1	CELLULOSE, COTTON (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8806] REVIEWER: MR	A 1376 AR 09-JUN-88	AR	OS	99	
L MIL-C-206A(12)	CELLULOSE, COTTON (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8806]	A 1376 AR 09-JUN-88	AR			
JAN-S-210A	SODIUM OXALATE, TECHNICAL (METRIC) REVIEWER: GS	A 6810 OS 23-OCT-85	AR	AS		
MIL-S-210A	SODIUM OXALATE, TECHNICAL (METRIC) REVIEWER: AS	A 6810 OS 23-OCT-85	AR	OS		
MIL-P-211E	PHOSPHORUS, RED, TECHNICAL REVIEWER: AR AS GS MD	A 6810 EA 28-MAY-91	EA	OS		
MIL-R-214E	REEL, PHOTOGRAPHIC FILM, AND CAN OR CASE, PHOTOGRAPHIC FILM STORAGE (16MM AND 35MM FILM USER: MI	A 6760 CR 20-SEP-76	CR	AS	99	
MIL-W-2150(2)	WHITE PHOSPHORUS (WP) USER: MC REVIEWER: AS MD	A 1365 EA 19-MAR-91	EA	OS		
MIL-C-216B	CELLULOSE, WOODPULP (SULFITE) [VALIDATION DATE: 8301] REVIEWER: GS	A 6810 AR 30-DEC-76	AR	OS		
L MIL-C-216B(11)	CELLULOSE, WOODPULP (SULFITE) [VALIDATION DATE: 8301]	A 6810 AR 29-AUG-80	AR			
MIL-P-217A(1) NOTICE 1	POTASSIUM PERCHLORATE [VALIDATION DATE: 8604] REVIEWER: EA GS MI OS	A 6810 AR 10-APR-86	AR	AC		
MIL-D-218B NOTICE 1	DIBUTYL PHTHALATE, TECHNICAL (METRIC) REVIEWER: GS MD MI	A 6810 EA 04-MAR-87	EA	OS		
MIL-P-223B(3) NOTICE 2	POWDER, BLACK [VALIDATION DATE: 9111]	A 1376 AR 04-NOV-91	AR	OS	99	
N L MIL-P-00223C	POWDER, BLACK	A 1376 AR 05-FEB-93	AR			
MIL-M-226F NOTICE 1	MALYARDS, SIGNAL, BRAIDED TREATED [VALIDATION DATE: 8904]	A 4020 GL 22-APR-89	GL		99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / OMA Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
I	MIL-C-228A NOTICE 1	CIRCLES, AZIMUTH; AND CIRCLES, BEARING USER: MI REVIEWER: AV	A 6605	SH	18-JAN-91	ME	SH		
	MIL-S-230C NOTICE 1	SILICON, POWDERED, TECHNICAL [VALIDATION DATE: 8903] USER: AS REVIEWER: AR	A 6810	EA	06-MAR-89	EA	OS		
L	MIL-P-231A(2)	PROPELLANT, PYROCELLULOSE [VALIDATION DATE: 8106]	A 1376	OS	17-MAY-72		OS		
L	MIL-B-2330	BOX REPAIR, PART, STORAGE USER: CS OS SA REVIEWER: AS EC	A 8115	SH	10-JUL-87		SH		
D	MIL-H-235C	HEXACHLORDETHANE, TECHNICAL USER: MC MI REVIEWER: GS MD OS	A 6810	EA	23-FEB-84	EA	AS	68	
	MIL-P-236J JAN-D-242	PIPE, CULVERT, NESTABLE REVIEWER: 82 CE CS MC	A 4710	ME	06-MAY-92	ME	YD1	99	
		DIETHYLPHTHALATE (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8004] REVIEWER: GS	A 6810	AR	30-JUL-45	AR	OS		
L	MIL-F-243E(2)	FURNITURE, SHIPBOARD, STEEL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104]	A 2090	SH	15-JAN-74		SH		
	MIL-W-244A(3) NOTICE 1	NITROCELLULOSE [VALIDATION DATE: 8806] REVIEWER: EA MI	A 1376	AR	13-JUN-88	AR	OS	70	
L	MIL-W-244A(16)	NITROCELLULOSE	A 1376	OS	30-APR-90		OS		
	MIL-W-246B	NITROGLYCERIN [VALIDATION DATE: 8505] REVIEWER: 99 EA	A 1376	AR	19-FEB-62	AR	OS	11	
L	MIL-W-246B(13)	NITROGLYCERIN	A 1376	OS	21-JUN-90		OS		
	MIL-T-248C	TRINITROTOLUENE (TNT) [VALIDATION DATE: 8201] USER: MC REVIEWER: EA	A 1376	AR	08-NOV-74	AR	OS	70	
L	MIL-T-248C(13)	TRINITROTOLUENE (TNT)	A 1376	AR	18-MAY-90		AR		
	MIL-E-255A(1) JAN-H-257	ETHYL CENTRALITE & CARBAMITE [VALIDATION DATE: 8004] REVIEWER: GS	A 6810	AR	08-JUN-66	AR	OS		
	JAN-C-263	HEXACHLOROBENZENE [VALIDATION DATE: 8004] REVIEWER: GS	A 6810	AR	27-SEP-45	AR	OS		
L	MIL-P-265C NOTICE 1	CALCIUM STEARATE [VALIDATION DATE: 8004] REVIEWER: EA GS	A 6810	AR	28-SEP-45	AR	OS		
	MIL-P-270A NOTICE 1	POLYVINYL ALCOHOL, GRANULAR (METRIC) [VALIDATION DATE: 8903] USER: MI	A 6810	EA	07-MAR-89	EA			
L	MIL-S-271B NOTICE 1	PROPELLANT, ARTILLERY [VALIDATION DATE: 9008]	A 1375	AR	27-AUG-90	AR			
	MIL-S-271B NOTICE 1	STEARIC ACID, TECHNICAL [VALIDATION DATE: 8505] REVIEWER: GS	A 6810	AR	25-MAY-62	AR	OS		
	MIL-B-273F	BAG, DRINKING WATER STORAGE, DISPENSING, CLOTH, COTTON DUCK, POROUS USER: MC REVIEWER: 82 CS MD	A 4610	GL	19-JAN-90	GL		99	
L	MIL-I-2750 JAN-G-276	IRON OXIDE, BLACK, TECHNICAL REVIEWER: AR AS GS MD MI	A 6810	EA	27-FEB-90	EA	OS		
	NOTICE 1	GUM, ESTER REVIEWER: GS	A 6810	EA	22-JUL-46	EA			
	MIL-F-279C NOTICE 1	FERROUS SULFIDE, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD	A 6810	EA	07-MAR-89	EA	OS	68	
D	MIL-W-283H	WATER PURIFICATION TABLET, IODINE USER: AR MC SH YD1 REVIEWER: DM EA GS MD	A 6850	GL	25-JUN-87	GL		68	
D	MIL-F-284E NOTICE 2	FORK, KNIFE, AND SPOON, FIELD MESS [VALIDATION DATE: 9302] USER: CG YD1	A 7340	GL	26-FEB-93	GL	SA		
A	MIL-B-286D	REVIEWER: 99 GS MC MD							
Q	MIL-W-287E SUPPL 10	BUTTON, TACK, AND TACK, BUTTON [VALIDATION DATE: 8104] REVIEWER: 82	A 8315	CT	05-MAY-69	GL	MU	99	CT
		WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE AND NONTWISTABLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85	
QL	MIL-W-287E(11) SUPPL 10	WAVEGUIDE ASSEMBLIES, FLEXIBLE, TWISTABLE, AND NON-TWISTABLE, GENERAL SPECIFICATION FOR	A 5985	CR	14-JUL-87	CR			
	MIL-W-287/3D NOTICE 1	WAVEGUIDE ASSEMBLY, FLEXIBLE, TWISTABLE, CLASS 1 [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85	
	MIL-W-287/4E NOTICE 1	WAVEGUIDE ASSEMBLY, FLEXIBLE, NON-TWISTABLE, CLASS 2 [VALIDATION DATE: 8710] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85	
	MIL-W-287/5E NOTICE 1	WAVEGUIDE ASSEMBLY, EXTRA FLEXIBLE, TWISTABLE, CLASS 3 [VALIDATION DATE: 8710] USER: 19 AR AS CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85	
	MIL-W-287/6 NOTICE 1	WAVEGUIDE ASSEMBLY, FLEXIBLE, TWISTABLE, CLASS 5 [VALIDATION DATE: 8710] USER: 11 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85	
	MIL-W-287/7 NOTICE 1	WAVEGUIDE ASSEMBLY, FLEXIBLE, NON-TWISTABLE, CLASS 7 [VALIDATION DATE: 8710] USER: 11 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85	
	MIL-W-287/8 NOTICE 1	WAVEGUIDE ASSEMBLY, MILLIMETER FLEXIBLE, NON-TWISTABLE, CLASS 8 [VALIDATION DATE: 8710] USER: 11 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85	
I	MIL-P-288B(1) NOTICE 1	PROTRACTORS ONE OR THREE ARM	A 6675	SH	15-MAR-91	ME	SH	99	
A	MIL-Z-291G	ZINC OXIDE, TECHNICAL REVIEWER: AR GS MD	A 6810	EA	04-DEC-92	EA	OS		
L	MIL-Z-291F(11)	ZINC OXIDE, TECHNICAL REVIEWER: GS MD	A 6810	AR	16-AUG-88	AR			
	MIL-C-293B NOTICE 1	CALCIUM CARBONATE [VALIDATION DATE: 8604] USER: MI OS REVIEWER: EA GS	A 6810	AR	10-APR-86	AR			
L	MIL-L-296B	LACQUER, PURPLE [VALIDATION DATE: 8301]	A 8010	AR	18-JUN-73	AR			
A	MIL-C-297G	CLOTH, INTERLINING, COTTON OR SYNTHETIC WARP, AND SPUN WARP-WOOL OR RAYON FILLING REVIEWER: 82 MC MD	A 8305	CT	21-DEC-87	GL	MU	99	CT
	MIL-T-301A(2)	TRIACETIN (GLYCERYL TRIACETATE) [VALIDATION DATE: 8907] REVIEWER: GS MR	A 6810	AR	13-JUL-89	AR	OS		
	MIL-C-303C	CASE, MEDICAL INSTRUMENT & SUPPLY SET, NYLON, NON RIGID, NR 2 REVIEWER: MB	A 6545	DM	08-MAR-79	DM	MS	03	
L	MIL-C-306C(1)	CARBON BLACK, POWDERED, DRY USER: MI REVIEWER: EA GS	A 6810	AR	24-NOV-85	AR	OS	68	
	MIL-C-306C(13)	CARBON BLACK, POWDERED, DRY	A 6810	AR	23-NOV-90	AR			
L	MIL-S-322C	SODIUM NITRATE [VALIDATION DATE: 8604] USER: MI REVIEWER: AS EA GS	A 6810	AR	10-APR-86	AR	OS	68	
L	MIL-S-322C(11)	SODIUM NITRATE	A 6810	OS	30-APR-90		OS		
L	MIL-P-323A	PROPELLANT, M2 AND M5 [VALIDATION DATE: 8505] USER: ME	A 1376	AR	09-MAR-59	AR			
L	MIL-P-323A(11)	PROPELLANT, M2 AND M5	A 1375	AR	28-OCT-88	AR			
	MIL-C-324C NOTICE 1	CALCIUM SILICIDE, TECHNICAL [VALIDATION DATE: 8903] USER: MC REVIEWER: AR	A 6810	EA	08-MAR-89	EA	OS		
A	MIL-C-332H	CLOTH, BALLOON, COTTON USER: MC REVIEWER: MD	A 8305	CT	17-OCT-86	GL	MU	11	CT
A	MIL-C-3330(1)	CLOTH, TON TARGET, ACETATE AND RAYON USER: 45	A 8305	CT	01-OCT-81	AS	99	CT	
D	MIL-P-335J	PAVING MACHINE, BITUMINOUS MATERIAL, CRAWLER MOUNTED, DIESEL ENGINE DRIVEN REVIEWER: AT	A 3895	ME	18-AUG-86	ME	YD1		
	MIL-C-337B(2)	CHEMICAL AGENT PLASTICIZED WHITE PHOSPHOROUS (PWP) [VALIDATION DATE: 8008] USER: MC REVIEWER: 99 GS MD	A 6810	EA	12-OCT-65	EA	OS	11	
L	MIL-C-00337C	CHEMICAL AGENT, PLASTICIZED WHITE PHOSPHOROUS (PWP)	A 1365	EA	20-FEB-69	EA			
	MIL-T-339C NOTICE 2	TETRYL (TRINITROPHENYLMETHYLNITRAMINE) [VALIDATION DATE: 9111]	A 1376	AR	04-NOV-91	AR	OS		
A	MIL-C-342J	CLOTH, WIND RESISTANT, POPLIN, COTTON USER: 45 MC REVIEWER: 82 MD	A 8305	CT	01-APR-88	GL	MU	99	CT
	MIL-A-356A	ASPHALTUM (GILSONITE) [VALIDATION DATE: 8204] REVIEWER: EA	A 9620	OS	25-SEP-73	MR	OS		
L	MIL-C-357A	CHEMICAL AGENT, TITANIUM TETRACHLORIDE [VALIDATION DATE: 8008]	A 1365	EA	11-MAY-60	EA			
	JAN-P-362(1)	POWDER, BLACK, SODIUM NITRATE [VALIDATION DATE: 8004]	A 1376	AR	23-DEC-46	AR	OS		
A	MIL-C-363A(1) NOTICE 1	CLOTH, WOOL, KNITTED [VALIDATION DATE: 8910]	A 8305	CT	31-OCT-89		99	CT	
	MIL-Z-365A NOTICE 2	ZINC - DUST (FOR USE IN PYROTECHNICS) [VALIDATION DATE: 9101] USER: MI	A 6810	AR	28-JAN-91	AR	OS	68	
	JAN-B-366	REVIEWER: AS GS							
A	MIL-C-368J	BARTIUM STEARATE [VALIDATION DATE: 8004] REVIEWER: EA GS	A 6810	AR	15-JUL-46	AR	OS		
D	MIL-H-370F	CLOTH, SATIN, RAYON AND CLOTH, TWILL, RAYON USER: MC REVIEWER: 82 99 MD	A 8305	CT	04-MAY-89	GL	MU	11	CT
		MOSES AND MOSE ASSEMBLIES, NONMETALLIC: RUBBER, LIQUID FUEL USER: MC REVIEWER: 82 CS SH	A 4720	ME	08-OCT-86	ME	YD1	99	
D	MIL-H-370F(11)	MOSES AND MOSE ASSEMBLIES, NONMETALLIC: RUBBER, LIQUID FUEL	A 4720	ME	31-MAR-87	ME	YD1	99	
A	MIL-B-371F	BRAID, TEXTILE, TUBULAR [VALIDATION DATE: 8303] REVIEWER: EA MC MD	A 8315	CT	25-AUG-77	GL	MU		CT
Q	MIL-C-372C(2)	CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS) USER: MC ME REVIEWER: GS OS PS SH	A 6850	MR	03-OCT-89	MR	AS	68	
	MIL-L-376C	LEAD DIOXIDE, TECHNICAL USER: AR REVIEWER: GS MD OS	A 6810	EA	12-JAN-83	EA	AS		
L	MIL-Q-378B	QUICKMATCH [VALIDATION DATE: 8403] REVIEWER: EA OS	A 1370	AR	30-AUG-63	AR			
L	MIL-Q-378B(11)	QUICKMATCH [VALIDATION DATE: 8403]	A 1370	AR	20-NOV-75	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OML Combination Inches Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-M-382C(1) NOTICE 1 MIL-B-385G(1) MIL-C-386D MIL-P-387C	MAGNESIUM POWDER (FOR USE IN AMMUNITION) [VALIDATION DATE: 8804] ..... BREAKERS, PAVING, PNEUMATIC POWERED (7/8 INCH HEXAGON BY 2 3/4 INCH CHUCK AND 7/8 INCH HEXAGON BY 3 1/4 INCH CHUCK) REVIEWER: CS CUTTER, BARBED WIRE, INSULATED HANDLES, HAND OPERATED [VALIDATION DATE: 8104] USER: ME PENTACRYTHRITE TETRAMITRATE (PETN) [VALIDATION DATE: 8505] USER: EA REVIEWER: MI	A 6810 AR 22-APR-88 AR A 3820 ME 01-DEC-87 ME 99 A 5110 GL 02-APR-74 GL MC 99 A 1376 AR 08-DEC-76 AR OS 99				
L MIL-P-387C(11) L MIL-C-392H(3) L MIL-I-394G NOTICE 1 MIL-M-395F(1) NOTICE 1	PENTACRYTHRITE TETRAMITRATE (PETN) ..... CONVEYOR, BELT, PORTABLE USER: CE ..... IGNITER, TIME, BLASTING FUSE, WEATHERPROOF, M60, PARTS FOR & LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8803] HEATER, BITUMEN [VALIDATION DATE: 8711] .....	A 1376 AR 26-MAR-90 AR A 3910 ME 23-MAY-88 ME A 1375 AR 22-MAR-88 AR A 3895 BA 30-NOV-87 99				
A L MIL-L-396E MIL-R-398C(4) A L MIL-R-398C(16) MIL-Z-399D(1)	LACES, LEGGINGS [VALIDATION DATE: 8011] USER: 45 ..... ROX [VALIDATION DATE: 8301] ..... ROX ..... ZIRCONIUM (GRANULAR AND POWDERED) [VALIDATION DATE: 8907] USER: MI REVIEWER: AS EA GS MD COMPOSITION B [VALIDATION DATE: 8604] REVIEWER: EA .....	A 8315 CT 28-JUL-75 MU CT A 1376 AR 12-JUL-77 AR OS 70 A 1376 AR 09-SEP-92 AR A 6810 AR 13-JUL-89 AR OS 68 A 1376 AR 10-APR-86 AR OS 99				
L MIL-C-401E NOTICE 1 L MIL-C-00401F A MIL-S-405H JAN-P-408 A MIL-T-411D JAN-M-412A	COMPOSITION B ..... SOCKS, MEN'S, WINTER (WOOL AND COTTON) USER: MC REVIEWER: B2 MD ..... PENTOLITE, 50/50 [VALIDATION DATE: 8403] ..... FASTENERS, BELT, CLIPS, END STRAP, WITH HOOKS AND KEEPERS, SLIDE USER: ME REVIEWER: B2 MC MD NICKEL, POWDERED (FOR USE IN AMMUNITION) [VALIDATION DATE: 8301] REVIEWER: CS	A 1376 AR 18-JUL-86 AR A 8440 CT 25-JUL-90 GL MU 99 CT A 1376 AR 17-OCT-46 AR AS A 8465 CT 02-MAR-90 GL MU 99 CT A 6810 AR 30-JUN-48 AR OS				
D L MIL-G-413C MIL-A-417G NOTICE 1 MIL-S-422B(1) MIL-R-423E D MIL-T-425H MIL-C-427A MIL-C-429D NOTICE 1 MIL-G-432G	CLUE, MARINE, AND AVIATION MARINE (WATERPROOF) REVIEWER: AS EA MR SA ..... ADAPTER, PRIMING, M1A4 [VALIDATION DATE: 8810] REVIEWER: OI 11 13 89 90 AS CE CG MC ME MI SH YDI SCARF, CHAPLAINS [VALIDATION DATE: 8104] REVIEWER: GS ..... RIPPING TOOLS, METAL DRUM, PAVING BREAKER USER: CE MC REVIEWER: AT CS MI .. TUBE, STEEL, PIPELINE SECTION, WITH GROOVED NIPPLE WELDED ON EACH END, USER: MC REVIEWER: CS COMPOSITION C-3 [VALIDATION DATE: 8204] USER: AS CG ..... CHLORINATED PARAFFIN, TECHNICAL [VALIDATION DATE: 8808] USER: AS OS REVIEWER: CS MD GASKETS, NONMETALLIC, SYNTHETIC RUBBER USER: CG REVIEWER: B2 AR AT IS MC MR	A 8040 SH 29-AUG-86 SH 99 A 1375 AR 24-OCT-88 AR A 9925 GL 25-JAN-67 GL PE 28 A 3820 ME 18-AUG-89 ME 99 A 4710 ME 22-DEC-86 ME YDI 99 A 1376 OS 13-SEP-68 OS 99 A 6810 EA 11-AUG-88 EA SH 68 A 5330 GL 21-NOV-89 GL AS 99				
L MIL-D-435F(4) MIL-M-438B	DISTRIBUTORS, LIQUID BITUMINOUS MATERIAL, TANKLESS-TYPE, TRAILOR-MOUNTED .. WIRE, PRIMER, ELECTRICAL [VALIDATION DATE: 8303] USER: MC MI REVIEWER: CR IS	A 3895 ME 19-JUL-88 ME A 6145 AR 06-MAY-65 AR OS 85				
L MIL-C-440C NOTICE 1 MIL-C-442D(1) NOTICE 1 Q MIL-T-443D(1) MIL-C-450C MIL-C-453C JAN-M-454(1) MIL-P-457C MIL-T-458A NOTICE 1 JAN-A-459 MIL-T-462E MIL-E-463B	COMPOSITIONS A-3 AND A-4 [VALIDATION DATE: 8804] REVIEWER: 99 EA OS ..... CABLE, (WIRE), TWO CONDUCTOR, PARALLEL [VALIDATION DATE: 8809] USER: AT MC ME REVIEWER: IS MI INDICATOR, CONNECTING ROD ALIGNMENT ..... COATING-COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION) [VALIDATION DATE: 8204] USER: MC ME REVIEWER: EA MI MR CORD, LACING, SILK (FOR ASSEMBLY OF PROPELLING CHARGES) [VALIDATION DATE: 8506] REVIEWER: IS MAGNESIUM ALUMINUM ALLOY, POWERED [VALIDATION DATE: 8103] ..... POT, COOKING, CORROSION RESISTING STEEL, WITH COVER [VALIDATION DATE: 8104] USER: CG MC MS TIM, PULVERIZED [VALIDATION DATE: 8806] REVIEWER: GS MD MI .....	A 1376 AR 25-APR-88 AR A 6145 CR 06-SEP-88 CR OS 85 A 4910 AL 09-JAN-86 AL 99 A 8030 OS 05-FEB-71 AR OS 99 A 4020 OS 05-NOV-76 AR OS A 1370 AR 15-FEB-52 AR OS A 7330 GL 30-JUL-68 GL SA 04 A 6810 AR 13-JUN-88 AR OS				
L MIL-E-463B(12) D MIL-S-464F(2) JAN-A-465 D MIL-B-467E(1) A MIL-S-475D JAN-M-476A	ETHYL ALCOHOL (FOR ORDNANCE USE) [VALIDATION DATE: 8907] ..... SPREADER, AGGREGATE, TOWED TYPE, TRACTION POWERED REVIEWER: AT CS ..... ACID, ACETIC (FOR ORDNANCE USE) [VALIDATION DATE: 8202] REVIEWER: GS ..... BREAKERS, PAVING, PNEUMATIC USER: MC REVIEWER: B5 AT CS ..... SUNGASSES (WITH CASE) [VALIDATION DATE: 8201] REVIEWER: 99 AS MC MD MS ... MANGANESE, POWDERED (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS	A 6810 AR 13-JUL-89 AR A 3895 ME 01-MAY-87 ME YDI A 6810 AR 18-APR-47 AR OS A 3820 ME 20-MAY-91 ME YDI 99 A 8465 CT 23-JUN-70 GL MU 11 CT A 6810 AR 13-AUG-48 AR OS				
L JAN-G-479 A MIL-C-483D(1) A MIL-C-484H(1) MIL-S-487B(2) NOTICE 1 JAN-L-488	GLASS, GROUND (FOR ORDNANCE USE) REVIEWER: EA ..... CLOTH, PILE, ALPACA AND WOOL [VALIDATION DATE: 8711] USER: AS REVIEWER: MD CLOTH, WIND RESISTANT OXFORD, COTTON, QUARREL TREATED USER: 45 REVIEWER: B2 MC MD SULFUR, GROUND (FOR USE IN AMMUNITION) [VALIDATION DATE: 9110] REVIEWER: EA OS LEAD CHROMATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8301] REVIEWER: GS OS	A 5350 AR 15-APR-91 AR A 8305 CT 30-NOV-87 GL MU 99 CT A 8305 CT 28-JUL-87 GL MU 99 CT A 6810 AS 24-OCT-91 AR AS 68 A 6810 AR 14-AUG-47 AR AS				
A L MIL-N-494A(7) MIL-N-00494B(2) MIL-F-495E(1) MIL-C-496D A MIL-C-498E D MIL-P-500H A MIL-P-501P MIL-M-502B NOTICE 1 L MIL-M-502B(11) D MIL-S-503B A MIL-C-507F NOTICE 1 A MIL-C-508J D MIL-P-509F L MIL-P-509F(11) L JAN-D-511	NITROGUANIDINE (PICRITE) REVIEWER: MI ..... NITROGUANIDINE ..... FINISH, CHEMICAL, BLACK, FOR COPPER ALLOYS USER: MC REVIEWER: 99 AR EA ME SA CLIP, END, STRAP USER: MC REVIEWER: B2 AR CG EA IS MD ME MI ..... CLOTH, PARACHUTE, SYNTHETIC FIBER (FOR AMMUNITION PARACHUTES) REVIEWER: MD PLATES, TENT, PEAK AND RIDGE USER: MC YDI REVIEWER: B2 MD ..... PIN, TENT, METAL USER: 45 MC ME REVIEWER: B2 MD ..... HEXAMETHYLENETETRAMINE, TECHNICAL [VALIDATION DATE: 8808] USER: AS REVIEWER: AR GS MD HEXAMETHYLENETETRAMINE, TECHNICAL ..... SIREN, ELECTRIC, 2 TDS HP USER: CS MC ME MI REVIEWER: EA GS ..... CLOTH, POPLIN, COTTON [VALIDATION DATE: 8711] USER: CG MS REVIEWER: 11 MC MD CLOTH, OXFORD, NYLON, 3 OUNCE USER: 45 AS REVIEWER: B2 MC MD ..... PUMPS, RECIPROCATING, POWER-DRIVEN: DIAPHRAGM, GASOLINE-ENGINE-DRIVEN, WHEEL-MOUNTED USER: CE REVIEWER: MC PUMPS, RECIPROCATING, POWER-DRIVEN: DIAPHRAGM, GASOLINE-ENGINE-DRIVEN, WHEEL-MOUNTED DYES, GREEN AND SCARLET (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS	A 1376 AR 11-APR-83 AR OS A 1376 AR 30-JUN-92 AR A MFFP GL 05-FEB-90 GL 11 A 5340 GL 14-DEC-82 GL 99 A 8305 CT 27-MAR-87 GL AS CT A 8340 CT 18-OCT-88 GL MU 99 CT A 8340 CT 01-MAR-91 GL MU 99 CT A 6810 EA 11-AUG-88 EA OS A 6810 AR 20-MAR-90 AR A 6350 B2 28-APR-88 YDI 99 A 8305 CT 30-NOV-87 GL MU 99 CT A 8305 CT 28-MAR-86 GL MU 99 CT A 4320 ME 07-NOV-83 ME YDI 99 A 4320 ME 04-MAY-88 ME A 6820 AR 04-DEC-47 AR				
MIL-A-512A(4) MIL-P-514D(2) MIL-P-514/1	ALUMINUM POWDER, FLAKED, GRAINED AND ATOMIZED ..... PLATE, IDENTIFICATION, INSTRUCTION AND MARKING, BLANK [VALIDATION DATE: 7909] USER: CE MC REVIEWER: AT PLATE-IDENTIFICATION DATA FOR TACTICAL VEHICLE AIR TRANSPORTABILITY WEIGHTS, M44 2-1/2 TON TRUCK SERIES USER: CE REVIEWER: 16 BA AR EA GS MI OS	A 6810 EA 11-JUN-69 EA OS A 9905 AR 07-JUL-71 AR A 9905 AT 22-MAY-89 AT AS 99				



## NUMERICAL LISTING MILITARY SPECIFICATIONS

Doc. Type	Doc. Title	Doc. No.	Doc. Date	Doc. Status	Doc. Class	Doc. Subclass	Doc. Symbol	Doc. Prep. Date	Doc. Prep. By	Customers			
										Army	Navy	Air Force	DLA
D	MIL-A-516J		AUGER, EARTH, SKIDMOUNTED; AND AUGER, EARTH, TURNABLE BASE MOUNTED, POWER DRIVEN USER: EL	A 3820	ME	01-SEP-81	ME	YD1	99				
L	MIL-A-516J(12)		AUGER, EARTH, SKIDMOUNTED; AND AUGER, EARTH, TURNABLE BASE MOUNTED, POWER DRIVEN	A 3820	ME	08-JAN-88	ME						
A	MIL-M-530M		WEBBING, TEXTILE, COTTON, GENERAL PURPOSE, NATURAL OR IN COLORS USER: MI	A 8305	CT	29-APR-88	GL	MU	99	CT			
	MIL-I-536C		REVIEWER: 45 82 AR DS EA MC MD INDICATOR SOLUTIONS, PH DETERMINATION (FOR WATER SUPPLY TESTING) REVIEWER: GS	A 6810	ME	25-APR-88	ME				68		
D	MIL-D-537F		DISKS, COLOR STANDARDS REVIEWER: MD	A 6630	ME	07-APR-92	ME	YD1	99				
D	MIL-C-538F		COMPANATOR, COLOR REVIEWER: MD	A 6630	ME	05-MAY-75	ME	YD1	99				
L	MIL-C-539A		CLOTH, SILK, CARTRIDGE-BAG REVIEWER: ME	A 8305	OS	20-MAY-92	OS						
	NOTICE 1												
L	MIL-M-542A(2)		MAGNESIUM STEARATE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8505)	A 6810	AR	03-JAN-73	AR						
	MIL-B-543G		REVIEWER: EA GS BUCKLES, TONGUELESS AND WEB STRAP USER: MC ME SA REVIEWER: 82 AR AN DM EA	A 5340	GL	11-APR-90	GL				99		
	IS MI												
	MIL-I-545B		INSULATION SHEET, ELECTRICAL, PAPER, PRESSBOARD (VALIDATION DATE: 8307)	A 5970	ER	30-MAR-76	ER	SH	85				
	REVIEWER: 99 AR ES MI												
D	MIL-P-549K		POLE, TENT, UPRIGHT AND RIDGE USER: 45 MC REVIEWER: 82 MD YD1	A 8340	CT	20-MAR-88	GL	MU	99	CT			
	MIL-B-550A(1)		BARIUM CHROMATE (VALIDATION DATE: 8505) USER: 68 REVIEWER: 11 EA GS MI OS	A 6810	AR	03-MAR-67	AR	AS					
	NOTICE 1												
L	MIL-B-550A(11)		BARIUM CHROMATE (VALIDATION DATE: 9101)	A 6810	AR	17-JAN-81	AR						
D	MIL-P-551E(2)		PIPES AND ELBOWS, AIR CONDITIONING-HEATING USER: MC REVIEWER: 84 CS ME	A 4520	GL	21-NOV-88	GL	YD1	99				
	JAM-D-552(1)		DIAZODINITROPHENOL (TABULAR) (VALIDATION DATE: 8505)	A 1376	AR	27-APR-50	AR	AS					
L	MIL-C-555L		COMPRESSORS, AIR, RECIPROCATING AND ROTARY, DIESEL ENGINE DRIVEN USER: CE	A 4310	ME	28-AUG-91	ME						
L	MIL-C-00555		COMPRESSOR, AIR, RECIPROCATING AND ROTARY, DIESEL ENGINE DRIVEN	A 4310	ME	07-MAY-90	ME						
A	MIL-C-557G		CLOTH, WIND RESISTANT SATEEN, COTTON (VALIDATION DATE: 8904) USER: 45 MS	A 8305	CT	22-APR-89	GL	MU	99	CT			
	NOTICE 1		REVIEWER: EA MD										
	MIL-G-558B		GUANIDINE CARBONATE, TECHNICAL (VALIDATION DATE: 8808) USER: MI MS	A 6810	EA	11-AUG-88	EA				68		
	NOTICE 1		REVIEWER: AR GS MD										
L	MIL-B-565A		BENZIL, TECHNICAL (VALIDATION DATE: 8404) REVIEWER: GS	A 6810	EA	30-SEP-58	EA						
	JAM-P-567		PIGMENT, SYNTHETIC, BLACK (DIMENT TYPE) REVIEWER: IS	A 6505	EA	19-FEB-48	EA	MS					
D	MIL-C-572G(1)		CORD, YAKNS AND MONOFILAMENTS ORGANIC SYNTHETIC FIBER (VALIDATION DATE: 8009) USER: SH YD1 REVIEWER: AV IS MI	A 4020	AR	22-NOV-72	ER				99		
D	MIL-D-575H		DISTRIBUTORS, BITUMINOUS MATERIAL, TANK TYPE	A 3895	YD1	19-MAY-89		YD1					
A	MIL-C-577M		CLOTH, TWILL, NYLON, 1.6 AND 3.0 OUNCE (VALIDATION DATE: 8711) REVIEWER: 82 MD	A 8305	CT	30-NOV-87	GL	MU	99	CT			
	NOTICE 1												
D	MIL-P-584B(2)		POKER (VALIDATION DATE: 8402) USER: CE MC REVIEWER: IS MI	A 5340	GL	07-JUL-77	GL	YD1	99				
A	MIL-B-593M		BRAID, TEXTILE (PLAT) USER: 45 MC REVIEWER: 82 99 MD	A 8315	CT	18-SEP-90	GL	MU	11	CT			
	MIL-I-594B		TEST SET, APPARATUS AND STATOR (VALIDATION DATE: 8106) USER: AT CG MC ME	A 6625	SH	17-SEP-74	OR				99		
	REVIEWER: ES												
	MIL-C-595E		CHEESE SPREAD, CHEDDAR (OPERATIONAL RATION COMPONENT) REVIEWER: MC MD QM	A 8940	GL	13-NOV-90	GL	SA	50				
	SS												
	MIL-C-601G(1)		CYLINDER, CARBON DIOXIDE FILLED, TECHNICAL (VALIDATION DATE: 7910) USER: MC REVIEWER: 11 AV CS MD MS SH	A 4220	AS	31-AUG-72	ME	AS	99				
A	MIL-C-606F		CLOTH, BANNER, RAYON (VALIDATION DATE: 8201) USER: MC REVIEWER: 82 IH	A 8305	CT	05-MAY-70	GL	MU	99	CT			
A	MIL-P-608K		POLE SECTION, TENT: UPRIGHT AND ADAPTER, TENT POLE USER: 45 REVIEWER: 82 MC MD	A 8340	CT	20-NOV-91	GL	MU	99	CT			
L	MIL-S-612B(1)		STRONTIUM PEROXIDE (VALIDATION DATE: 8403) REVIEWER: GS MD TE	A 6810	AR	27-JUL-78	AR						
L	MIL-S-612B(12)		STRONTIUM PEROXIDE	A 6810	AR	30-JUN-90	AR						
L	MIL-C-613C(1)		GRAPHNEL, MARINE, TRIP WIRE, AND CRASH TRUCK (VALIDATION DATE: 8411) REVIEWER: 99 MI	A 2040	SH	06-DEC-63		SH					
	MIL-A-615E		ALTAR, LECTERN AND PULPIT HANGINGS (ECCLESIASTICAL) (VALIDATION DATE: 8104) REVIEWER: GS	A 9925	GL	13-JUN-74	GL	PE	28				
D	MIL-B-624A		BARIUM CARBONATE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8103)	A 1375	AR	28-APR-69	AR	OS					
	MIL-M-626F(1)		MOWER, LAWN, TRACTOR PROPULSED, GANG-TYPE	A 3750	YD1	13-SEP-83		YD1	99				
L	JAM-S-627		SOLDER; LOW-MELTING-POINT (VALIDATION DATE: 8003)	A 1375	AR	24-JUN-66	AR						
L	MIL-S-627		SOLDER, LOW MELTING POINT (VALIDATION DATE: 8003) USER: AT	A 1375	AR	14-JUL-48	AR						
DO	JAM-C-628		CALCIUM OXALATE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8301)	A 1370	AR	30-JUN-48	AR	AS					
	MIL-I-631D(6)		INSULATION, ELECTRICAL, SYNTHETIC RESIN COMPOSITION, NON RIGID USER: ME	A 5970	SH	02-JUN-87	ER	SH	11				
	REVIEWER: 99 AR AS DS EA EC GS MI OS YD1												
	MIL-M-634C		NAVIGATOR, PLOTTING INSTRUMENT SET AND PLOTTING INSTRUMENTS (VALIDATION DATE: 8307) USER: AS REVIEWER: GS	A 6675	SH	18-NOV-77	ME	SH	99				
D	MIL-G-635C(2)		GOGGLES, SUN, WIND AND DUST (VALIDATION DATE: 8911) USER: 45 MC YD1	A 8465	CT	08-NOV-89		SA	99	CT			
	NOTICE 1		REVIEWER: MS										
L	JAM-P-637		POT, SMOKE, FLOATING, MC, M4A2 (VALIDATION DATE: 6408)	A 1365	EA	23-JUL-48	EA	OS					
L	MIL-P-00637B(2)		POT, SMOKE, FLOATING, MC, M4A2	A 1365	EA	07-MOV-86	EA						
D	MIL-M-639D		HOOK (FOR BELTS, STRAPS, AND EQUIPAGE ITEMS) USER: MC ME REVIEWER: 82 EA	A 5340	GL	30-SEP-86	GL	YD1	99				
	IS												
Q	MIL-J-641E(1)		JACKS, TELEPHONE, GENERAL SPECIFICATION FOR USER: 17 19 AV MC OS SH	A 5935	CR	18-JUL-85	CR	EC	85				
	SUPPL 1D		REVIEWER: 11 99 AR AS ES ME MI										
	MIL-J-641/D		JACKS, TELEPHONE TYPES JJ-015 AND JJ-019 (VALIDATION DATE: 8809) USER: 17	A 5935	CR	19-SEP-88	CR	EC	85				
	NOTICE 1		19 MC OS SH REVIEWER: 11 AR AS ES ME MI										
	MIL-J-641/2D		JACKS, TELEPHONE TYPES JJ-016, JJ-017, JJ-024, JJ-035, JJ-072, JJ-084,	A 5935	CR	19-SEP-88	CR	EC	85				
	NOTICE 1		JJ-085, JJ-086, AND JJ-087 (VALIDATION DATE: 8809) USER: 19 AT AV MC ME OS										
	REVIEWER: 11 17 AS ES												
	MIL-J-641/3D		JACKS, TELEPHONE TYPES JJ-022, JJ-042, JJ-073, JJ-074, JJ-075, JJ-077, AND	A 5935	CR	19-SEP-88	CR	EC	85				
	NOTICE 1		JJ-078 (VALIDATION DATE: 8809) USER: 14 19 CG MC OS SH REVIEWER: 11 17 AS										
	ES												
	MIL-J-641/4C		JACKS, TELEPHONE TYPE JJ-026 (VALIDATION DATE: 8809) USER: 17 19 MC OS	A 5935	CR	19-SEP-88	CR	EC	11				
	NOTICE 1		REVIEWER: ES										
	MIL-J-641/5D		JACKS, TELEPHONE TYPE JJ-033 (VALIDATION DATE: 8811) USER: 14 17 19 CG MC	A 5935	CR	14-NOV-88	CR	EC	85				
	NOTICE 1		OS REVIEWER: 11 AS ES MI										
	MIL-J-641/6C		JACKS, TELEPHONE TYPE JJ-034 (VALIDATION DATE: 8809) USER: 17 19 MC SH	A 5935	CR	19-SEP-88	CR	EC	85				
	NOTICE 1		REVIEWER: 11 ES										
	MIL-J-641/7C		JACKS, TELEPHONE, TYPE JJ-048 (VALIDATION DATE: 8809) USER: 19 MC	A 5935	CR	19-SEP-88	CR	EC	85				
	NOTICE 1		REVIEWER: 11 ES										
D	MIL-J-641/8D		JACKS, TELEPHONE, TYPE JJ-055 USER: 17 19 AV MC OS SH YD1 REVIEWER: 99 AR	A 5935	CR	30-OCT-91	CR	EC	11				
	NOTICE 1		AS ES ME MI										
	MIL-J-641/9D		JACKS, TELEPHONE, TYPES JJ-079, JJ-081, JJ-082, AND JJ-106 (VALIDATION	A 5935	CR	19-SEP-88	CR	EC	85				
	NOTICE 1		DATE: 8809) USER: 14 19 CG MC SH REVIEWER: 11 17 AS ES										
	MIL-J-641/10C		JACKS, TELEPHONE TYPE JJ-083 (VALIDATION DATE: 8809) USER: 19 MC OS	A 5935	CR	07-SEP-88	CR	EC	85				
	NOTICE 1		REVIEWER: 11 17 ES ME MI										
	MIL-J-641/11C		JACKS, TELEPHONE TYPE JJ-088 (VALIDATION DATE: 8809) USER: 19 AR MC OS	A 5935	CR	07-SEP-88	CR	EC	85				
	NOTICE 1		REVIEWER: 11 17 ES ME MI										
	MIL-J-641/12C		JACKS, TELEPHONE TYPE JJ-089 (VALIDATION DATE: 8809) USER: 14 19 AR CG MC	A 5935	CR	07-SEP-88	CR	EC	85				
	NOTICE 1		OS REVIEWER: 11 17 AS ES ME MI										
	MIL-J-641/13C		JACKS, TELEPHONE TYPES JJ-092, JJ-093, JJ-096, AND JJ-097 (VALIDATION	A 5935	CR	07-SEP-88	CR	EC	85				
	NOTICE 1		DATE: 8809) USER: 19 MC OS REVIEWER: 11 17 ES ME MI										
	MIL-J-641/14C		JACKS, TELEPHONE TYPES JJ-095, JJ-101, AND JJ-103 (VALIDATION DATE: 8809)	A 5935	CR	07-SEP-88	CR	EC	85				
	NOTICE 1		USER: 19 AV CG MC REVIEWER: 11 17 ES ME MI										
	MIL-J-641/15C		JACKS, TELEPHONE TYPES JJ-098, JJ-099, AND JJ-102 (VALIDATION DATE: 8809)	A 5935	CR	19-SEP-88	CR	EC	85				
	NOTICE 1		USER: 17 19 MC OS SH REVIEWER: 11 AS ES										



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active GPO / OMA Classification Inclusive		Document Number	Document Title	Dist Stmt FSC / Ave	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DIA
		MIL-J-641/16C NOTICE 1	JACKS, TELEPHONE TYPES JJ-104, JJ-105, AND JJ-107 [VALIDATION DATE: 8809] USER: 17 19 MC SH REVIEWER: 11 AS ES	A 5935	CR	19-SEP-88	CR	EC	85		
D	I	MIL-J-641/17D NOTICE 1	JACKS, TELEPHONE, TYPE JJ-133 USER: 17 19 AV MC OS SH YD1 REVIEWER: 11 80 AR AS ES ME MI	A 5935	CR	30-OCT-91	CR	EC	85		
D	I	MIL-J-641/18D NOTICE 1	JACKS, TELEPHONE, TYPE JJ-134 USER: 17 19 AV MC OS SH YD1 REVIEWER: 11 80 AR AS ES ME MI	A 5935	CR	30-OCT-91	CR	EC	85		
		MIL-J-641/19D NOTICE 1	JACKS (BANTAM), TELEPHONE 3 CONDUCTOR, SINGLE [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AR AS ES ME MI	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-J-641/20 NOTICE 1	JACKS, (BANTAM) TELEPHONE 3 CONDUCTOR, TRIPLE [VALIDATION DATE: 8809] USER: 17 19 AV MC SH REVIEWER: 11 99 ES MI	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-J-641/21 NOTICE 1	JACKS, (BANTAM) TELEPHONE 3 CONDUCTOR, DOUBLE [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AS ES	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-J-641/22 NOTICE 1	JACKS, TELEPHONE U-385/U [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AS ES	A 5935	CR	19-SEP-88	CR	EC	85		
Q		MIL-P-642D(1) SUPPL 1D, NOTICE 1	PLUGS, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR USER: 17 AV MC OS SH REVIEWER: 11 99 AR AS ES ME MI	A 5935	CR	28-JUN-90	CR	EC	85		
		MIL-P-642/1A NOTICE 1	PLUG, TELEPHONE AND ACCESSORY SCREWS TYPES PJ-047B AND PJ-047R [VALIDATION DATE: 8809] USER: 17 MC OS SH REVIEWER: 11 AR AS ES ME MI	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-P-642/2B	PLUG, TELEPHONE (TYPES PJ-051B AND PJ-051R) AND ACCESSORY SCREWS USER: 17 CG MC MI OS REVIEWER: 11 AR ES ME	A 5935	CR	23-SEP-87	CR	EC	85		
		MIL-P-642/3A NOTICE 1	PLUG, TELEPHONE (TYPES PJ-054B AND PJ-054R) AND ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: MC OS SH REVIEWER: 11 AR AS ME MI	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-P-642/4A(1) NOTICE 1	PLUG, TELEPHONE AND ACCESSORIES SCREWS TYPES PJ-055B AND PJ-055R AND PJ-055M [VALIDATION DATE: 8809] USER: 17 CG MC MI OS REVIEWER: 11 AR ES ME	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-P-642/5A	PLUG, TELEPHONE (TYPE PJ-068) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: MC OS SH REVIEWER: 11 AR AS ME MI	A 5935	CR	03-JUL-73	CR	EC	85		
		MIL-P-642/6A	PLUG, TELEPHONE (TYPE PJ-291) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: 17 CG MC MI OS REVIEWER: 11 ES ME	A 5935	CR	03-JUL-73	CR	EC	85		
		MIL-P-642/7A	PLUG, TELEPHONE (TYPE PJ-292) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: 17 MC OS SH REVIEWER: 11 AS ES ME MI	A 5935	CR	03-JUL-73	CR	EC	85		
		MIL-P-642/8A	PLUG, TELEPHONE (TYPE PJ-309) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: 17 CG MC MI OS REVIEWER: 11 AR ES ME	A 5935	CR	03-JUL-73	CR	EC	85		
		MIL-P-642/9A	PLUG, TELEPHONE (TYPE PJ-327) AND ACCESSORY SCREWS [VALIDATION DATE: 8002] USER: MC OS SH REVIEWER: 11 17 AR AS ES ME MI	A 5935	CR	03-JUL-73	CR	EC	85		
		MIL-P-642/10A NOTICE 1	PLUGS, TELEPHONE (TYPES PJ-540B & PJ-540R) AND ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: 17 CG MC MI OS REVIEWER: 11 ES ME	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-P-642/11A NOTICE 1	PLUG, TELEPHONE (TYPE PJ-636) AND ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: 17 MC OS SH REVIEWER: 11 AR AS ES ME MI	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-P-642/12B NOTICE 1	PLUG, TELEPHONE & ACCESSORY SCREWS [VALIDATION DATE: 8809] USER: 17 CG MC MI OS SH REVIEWER: 11 99 AR ES ME	A 5935	CR	19-SEP-88	CR	EC	85		
		MIL-P-642/13B	PLUGS, TELEPHONE (TYPE PJ-777, PJ-778) 3 CONDUCTOR, SINGLE, DOUBLE USER: 17 19 AV MC SH REVIEWER: 11 99 AR AS ME MI	A 5935	CR	31-OCT-88	CR	EC	85		
		MIL-P-642/14 NOTICE 1	PLUG, TELEPHONE (TYPE U-384/U) 5 CONDUCTOR, SINGLE [VALIDATION DATE: 8809] USER: 17 19 AV MC REVIEWER: 11 99 AR AS ME MI	A 5935	CR	19-SEP-88	CR	EC	85		
L		MIL-S-645C	STRIP METAL, CARBON STEEL, COLD ROLLED, DRAWING QUALITY, SPECIAL KILLED (FOR AMMUNITION COMPONENTS) REVIEWER: AR 15 MV	A 9515	MR	23-JAN-87	MR				
L		MIL-C-646A NOTICE 1 JAN-B-660	CLIP, CARTRIDGE CASE, STEEL (FOR SMALL ARMS AMMUNITION) [VALIDATION DATE: 8705]	A 1305	AR	21-MAY-87	AR				
		MIL-P-663A(1) JAN-D-664 JAN-D-666	BARIUM OXALATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] USER: SA REVIEWER: GS 15 MR POWDER, FUZE [VALIDATION DATE: 8601] REVIEWER: EA DINITROETHYLAAMINE IN SULFURIC ACID [VALIDATION DATE: 8004] REVIEWER: GS DINITROCHLOROBENZENE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS	A 1376 A 6810 A 6810	AR AR AR	11-MAR-80 27-AUG-48 20-AUG-48	AR AR AR				
		MIL-P-670A NOTICE 1 MIL-C-675C(3)	PHOSPHORUS, RED, STABILIZED [VALIDATION DATE: 8804] USER: MI REVIEWER: OS COATING OF GLASS OPTICAL ELEMENTS (ANTI-REFLECTION) USER: ME MI REVIEWER: AV	A 1370 A 6650	AR AR	22-APR-88 20-AUG-86	AR AR	AS 99			
L		JAN-C-677(2)	CELLULOSE, REGENERATED, STRIP (FOR USE IN AMMUNITION) [VALIDATION DATE: 8004] REVIEWER: GS	A 6810	AR	11-DEC-51	AR				
Q		MIL-C-679B	CUTTER, RIVET, SHEAR TYPE [VALIDATION DATE: 8506] REVIEWER: BS AR	A 5110	BA	24-MAY-76	GL	AS	99		
D		MIL-C-684D(2) MIL-M-686M(1) MIL-K-687E(2) MIL-W-694C(1) MIL-I-695B(1)	CLIPS; BULLET JACKET, COPPER ALLOY CLAD STEEL; FOR SMALL ARMS AMMUNITION MIXERS, CONCRETE, TRAILER MOUNTED, ENGINE DRIVEN USER: CG MC REVIEWER: BA KETTLE, HEATING, BITUMEN, TRAILER MOUNTED REVIEWER: BA AT WINCH, DIESEL DRIVEN, 2 DRUM, 5.9 TON PULL, WITH BOOM SWINGER REVIEWER: CS INSULATION, ELECTRICAL, PAPER (SLOT CELL) [VALIDATION DATE: 7903] USER: EC MC ME REVIEWER: 99 AR EA GS MI OS	A 1305 A 3895 A 3895 A 3950 A 5970	AR YD1 ME ME SH	15-MAY-90 12-NOV-91 22-DEC-87 22-JAN-86 21-NOV-72	AR ME ME ME ER	AS 99 99 YD1 SH			
D		MIL-T-704K	TREATMENT AND PAINTING OF MATERIEL USER: AT OS SH REVIEWER: AR AV EA GL MC MD MI MR MS	A 8010	ME	04-NOV-92	ME	YD1			
		MIL-I-706A(1) NOTICE 1 MIL-I-706A(11)	IRON OXIDE; FERRIC, RED DRY (NATURAL AND SYNTHETIC) [VALIDATION DATE: 8806] REVIEWER: EA GS IRON OXIDE; FERRIC, RED DRY (NATURAL AND SYNTHETIC) [VALIDATION DATE: 8806] REVIEWER: EA GS	A 6810 A 6810	AR AR	17-JUN-88 17-JUN-88	AR AR	OS OS			
A		MIL-C-707D(2) NOTICE 1 JAN-D-709(1)	CASE, SLEEPING BAG, M-1945, WATER REPELLENT [VALIDATION DATE: 8904] USER: 45 REVIEWER: MD MS DIMETHYLPHTHALATE (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8505] REVIEWER: EA	A 8465 A 1376	CT AR	22-APR-89 01-JUN-49	GL AR	MC 99	CT		
D		MIL-P-710F MIL-T-713E NOTICE 1	PUMPS, DEEP-WELL, PACKAGING OF REVIEWER: SM TYNIE, FIBROUS; IMPREGNATED, LACING AND TYING [VALIDATION DATE: 8904] USER: MC OS SH REVIEWER: AR OS 15 MD MI	A PACK A 4020	ME GL	21-NOV-90 22-APR-89	ME GL	YD1 99			
A	L	MIL-L-714G MIL-C-717F MIL-C-717F(11) JAN-S-732(1)	LEGGINGS, MEN'S USER: 45 CASTABLE MIX, REFRACTORY, HIGH-TEMPERATURE HYDRAULIC SETTING USER: MR CASTABLE MIX, REFRACTORY, HIGH-TEMPERATURE HYDRAULIC SETTING SHELLAC SOLUTION (FOR USE IN AMMUNITION) [VALIDATION DATE: 8103] REVIEWER: EA	A 8440 A 9350 A 9350 A 1395	CT SH SH AR	30-NOV-88 12-NOV-87 20-AUG-92 27-FEB-50	CT SH SH OS			CT	
D		MIL-B-734E(1) MIL-T-740G NOTICE 1	BREAKER, PAVING, GASOLINE POWERED, SELF CONTAINED USER: CE MC REVIEWER: BA TRUCKS; 5 TON, 6X6, MILITARY DESIGN, M39, M39A1, M39A2 AND M809 SERIES [VALIDATION DATE: 8906] USER: CG REVIEWER: BS MC	A 3820 A 2320	ME AT	01-JUN-88 05-JUN-89	ME AT	YD1 99			
L		MIL-I-742F(1) MIL-C-743A NOTICE 1	INSULATION BOARD, THERMAL, FIBROUS GLASS CARTRIDGE, CALIBER .30, CARBINE, TEST, HIGH PRESSURE, M18 [VALIDATION DATE: 8705] REVIEWER: 99	A 5640 A 1305	SH AR	30-APR-81 21-MAY-87	ME AR	SH OS	99		
D		MIL-P-747D MIL-L-757A(1) NOTICE 1 MIL-L-757A(12) MIL-L-758A	PILE DRIVING RIG, SKIDMOUNTED, STEEL, W/DOOR/BEAM ASSEMBLY LEAD STYPHATE, NORMAL [VALIDATION DATE: 8803] USER: MI REVIEWER: MD LEAD STYPHATE, NORMAL LEAD STERITE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8505] REVIEWER: EA GS	A 3895 A 1376 A 1376 A 6810	ME AR AR AR	27-MAY-87 21-MAR-88 18-MAY-90 25-MAY-62	ME AR AR AR	YD1 OS OS OS	99		
D		MIL-C-762E MIL-C-768 MIL-D-771E MIL-H-775E	GRADERS, ROAD, PACKAGING OF USER: CE REVIEWER: SM COPPER, POWDERED (FOR USE IN AMMUNITION) (METRIC) REVIEWER: GS DISTRIBUTORS, BITUMEN AND WATER, PACKAGING OF REVIEWER: SM MOSE, MOSE ASSEMBLIES; RUBBER, PLASTIC, FABRIC, OR METAL (INCLUDING TUBING) AND ASSOCIATED HARDWARE; PACKAGING OF USER: MC REVIEWER: B2 AR AS CS SM YD1	A PACK A 1370 A PACK A PACK	ME OS ME SH	26-OCT-90 28-FEB-90 26-OCT-90 19-OCT-87	ME OS ME SH	YD1 OS YD1 99			
L		MIL-S-777B	SIGHT REFLEX M24C [VALIDATION DATE: 8504]	A 1240	AR	28-JAN-72	AR				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Cmt Coordination Inactive	Document Number	Document Title	Dist. Smt FDC / Ave	MCA Symbol Preparing Act	Date	Customers			
						Army	Navy	As Force	CLA
D	MIL-R-779E MIL-T-780E	REFLECTORS, LIGHT: WITH HOLDER ..... TAMPER, PISTON-HAMMER TYPE, PNEUMATIC [VALIDATION DATE: 8201] USER: AV CE MC REVIEWER: CS	A 6210 A 3895	ME ME	21-NOV-90 30-APR-75	ME ME	MC YD1	99	
Q	MIL-T-781C	TERMINAL: WIRE ROPE SMAGING USER: ER MC REVIEWER: AR CS GL	A 4030	B2	22-AUG-90	ME	AS	99	
L	MIL-C-782B(1) NOTICE 1	CORES, STEEL: FOR USE IN BALL TYPES OF SMALL ARMS AMMUNITION .....	A 1305	AR	01-JUL-91	AR			
A L	MIL-C-788F	CLOTH, BRATTICE, COTTON, FIRE RESISTANT .....	A 8305	CT	20-AUG-81		MU	CT	
L	MIL-C-793B(2)	CONTROLLER, DRIVE, M12A1 & M12E2 [VALIDATION DATE: 8601] .....	A 1290	AR	30-MAR-60	AR			
A	MIL-M-809F	MITTEN INSERTS, COLD WEATHER, TRIGGER FINGER USER: 45 CG MC SM REVIEWER: 11 MD	A 8415	CT	23-AUG-88	GL	MU	99	CT
A	MIL-M-810H	MITTEN SHELLS COLD WEATHER (TRIGGER FINGER M-1965) USER: 11 45 MC REVIEWER: B2 MD	A 8415	CT	29-SEP-86	GL	MU	99	CT
A L	MIL-C-813E(5) MIL-K-818D	CAP, UTILITY, COTTON, SATEEN, GREEN .....	A 8405	CT	22-SEP-77		MC	CT	
A	MIL-G-822M	KNIFE, POCKET, GENERAL PURPOSE USER: MC REVIEWER: B4 GS	A 5110	GL	30-SEP-85	GL		99	
A	MIL-C-823K	GLOVES, MEN'S AND WOMEN'S, LIGHT DUTY USER: MC REVIEWER: 11 45 B2 MD	A 8415	CT	08-MAR-89	GL	MU	99	CT
A		CLOTH, SERGE, WOOL AND NYLON, POLYESTER AND WOOL USER: CG MC REVIEWER: B2 99 MD	A 8305	CT	21-SEP-90	GL	MU	11	CT
D	MIL-B-829M	BAG, DUFFEL USER: 45 YD1 REVIEWER: B2 MC MD	A 8465	CT	16-MAY-88	GL	MU	99	CT
A	MIL-B-833G	BELT, TROUSERS, COTTON MEDIUM, WITH CLIP REVIEWER: 45 99 MC MD	A 8440	CT	27-MAY-88	GL	MU	11	CT
D	MIL-M-834L	MITTEN SET, EXTREME COLD WEATHER USER: MC YD1 REVIEWER: MD	A 8415	CT	23-OCT-89	GL	MU		CT
A	MIL-G-835M	GLOVE INSERTS, COLD WEATHER USER: 45 AS CG MC MS REVIEWER: 11 MD	A 8415	CT	16-MAY-89	GL	MU	99	CT
A	MIL-O-836F	OVERSHOES, MEN S, RUBBER, 5 BUCKLE TYPE USER: 45 CG REVIEWER: MC MD	A 8430	CT	08-SEP-86	GL	MU	99	CT
A	MIL-T-842F(1)	TAG, IDENTIFICATION, PERSONNEL USER: 45 MC REVIEWER: B2 MD	A 8465	CT	01-AUG-86	GL	MU	99	CT
A	MIL-B-844L(2)	BLANKET, BED, (WOOL), SHINK RESISTANT AND MOTHPROOFED USER: 45 MC MS REVIEWER: 03 CT DM MD	A 7210	CT	31-DEC-85	GL	MU	99	CT
	MIL-L-850E MIL-S-851D(1)	LIFE PRESERVER, YOKE TYPE WITH REPLACEMENT TYPE COVER .....	A 4220	SH	07-JUN-91	ME	SH		
		STEEL GRIT, SHOT, AND OUT WIRE SHOT: AND IRON GRIT AND SHOT-BLAST CLEANING AND PENDING USER: AR REVIEWER: AS	A 5350	BA	31-AUG-90	MR	SH	99	
L	MIL-V-868	VALVES, HYDRAULIC DIRECTIONAL CONTROL, GENERAL SPECIFICATION FOR .....	A 4810	SH	21-JUL-89		SH		
L	MIL-V-868/1	VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 0-12 GPM .....	A 4810	SH	21-JUL-89		SH		
L	MIL-V-868/2	VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 3 - 25 GPM .....	A 4810	SH	21-JUL-89		SH		
L	MIL-V-868/3	VALVES, HYDRAULIC DIRECTIONAL CONTROL, FOUR-WAY, 10 - 50 GPM .....	A 4810	SH	21-JUL-89		SH		
MM	MIL-N-874(2) SUPPL 1A MIL-N-874/1	RESISTOR NETWORKS, FIXED, FILM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	21-JUN-90	ER	EC	85	
		RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZH10, 14 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5905	ER	21-JUN-90	ER	EC	85	
	MIL-N-874/2	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZH20, 16 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5905	ER	21-JUN-90	ER	EC	85	
M	MIL-R-874/3(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR30, 14 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/4(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR40, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/5(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR50, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/6(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR60, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/7(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR70, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/8(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR80, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/9(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR90, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
	MIL-R-874/10	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR95, 16 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5905	ER	21-JUN-90	ER	EC	85	
	MIL-R-874/11	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR11, 14 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	26-MAR-92	ER	EC	85	
	MIL-R-874/12	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR21, 16 PIN DIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	26-MAR-92	ER	EC	85	
M	MIL-R-874/13(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR31, 14 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/14(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR41, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/15(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR51, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/16(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR61, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/17(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR71, 6 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/18(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR81, 8 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
M	MIL-R-874/19(1)	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR91, 10 PIN SIP USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	28-APR-93	ER	EC	85	
	MIL-R-874/20	RESISTOR NETWORK, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RZR96, 16 PIN FLAT PACK USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	26-MAR-92	ER	EC	85	
A	MIL-C-882E	CLOTH, DUCK, COTTON OR COTTON-POLYESTER BLEND, SYNTHETIC RUBBER, IMPREGNATED, AND LAMINATED, OIL RESISTANT USER: AS ME REVIEWER: MI MR	A 8305	CT	27-JAN-89	GL	SH	99	CT
	MIL-R-900F NOTICE 1 MIL-S-901D	RUBBER GASKET MATERIAL, 45 DUROMETER HARDNESS [VALIDATION DATE: 9103] USER: MC REVIEWER: IS	A 5330	SH	27-MAR-91	ME	SH	82	
L		SHOCK TESTS, H.I. (HIGH-IMPACT) SHIPBOARD MACHINERY, EQUIPMENT, AND SYSTEMS, REQUIREMENTS FOR USER: OS REVIEWER: AS EC MC	A 6MVR	SH	17-MAR-89		SH		
L	MIL-F-902J(2)	FURNITURE, SHIPBOARD, ALUMINUM, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] USER: ME	A 2090	SH	15-JAN-74		SH		
DQ	MIL-M-904J	MOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION USER: CG MC YD1 REVIEWER: CS	A 3950	SH	13-JUN-91	ME	SH	84	
DQ	MIL-A-907E(1)	ANTISEIZE THREAD COMPOUND, HIGH TEMPERATURE USER: AR AT GL MC ME MI REVIEWER: B4 AS EA OS YD1	A 8030	SH	13-JAN-93	MR	SH	99	
	MIL-M-910F MIL-M-911G	MATS, FLOOR, STANDING REVIEWER: CE	A 7220	SH	09-AUG-91		SH	69	
A	MIL-B-913 SUPPL 1A MIL-B-913/1	MIXER, CONCRETE, TRUCK-MOUNTED .....	A 3895	YD1	07-FEB-92		YD1		
		BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS (METRIC), GENERAL SPECIFICATION FOR USER: B4 MC REVIEWER: IS SH	A 3110	AS	05-MAR-93	AT	AS	99	
M	MIL-B-913/2	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS	05-MAR-93	AT	AS	99	
M	MIL-B-913/3	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS	05-MAR-93	AT	AS	99	
M	MIL-B-913/4	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS	05-MAR-93	AT	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OIA Coordination Machine	Document Number	Document Title	Dist. Smt. FAC / Ave MCA Symbol	Preparing Date	Custodians			
					Army	Navy	Air Force	DLA
N	MIL-B-913/5	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/6	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/7	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/8	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 7P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/9	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/10	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/11	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/12	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/13	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/14	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/15	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-B-913/16	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) USER: B4 MC REVIEWER: IS SH	A 3110	AS 05-MAR-93	AT	AS	99	
N	MIL-R-914	RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES OS	A 5905	ER 12-FEB-91	ER	EC	85	
	MIL-R-914/1	RESISTOR NETWORK, FIXED, FILM, SURFACE MOUNT, 14-PIN, SMALL OUTLINE, ESTABLISHED RELIABILITY, STYLE RNS010 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS	A 5905	ER 12-FEB-91	ER	EC	85	
	MIL-R-914/2	RESISTOR NETWORK, SURFACE MOUNT, 16-PIN, SMALL OUTLINE, ESTABLISHED RELIABILITY, STYLE RNS020 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS	A 5905	ER 12-FEB-91	ER	EC	85	
	MIL-R-914/3	RESISTOR NETWORK, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, ESTABLISHED RELIABILITY, STYLE RNS030 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS	A 5905	ER 12-FEB-91	ER	EC	85	
	MIL-R-914/4	RESISTOR NETWORK, SURFACE MOUNT, 20-PIN, LEADLESS CHIP CARRIER, ESTABLISHED RELIABILITY, STYLE RNS040 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS	A 5905	ER 12-FEB-91	ER	EC	85	
	MIL-R-914/5	RESISTOR NETWORK, SURFACE MOUNT, 16-PIN, LEADLESS CHIP CARRIER, ESTABLISHED RELIABILITY, STYLE RNS050 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS	A 5905	ER 12-FEB-91	ER	EC	85	
DQ	MIL-C-915F(2) SUPPL 1B	CABLE AND CORD, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR USER: AL AR CG ME YDI REVIEWER: 99 CR EC ER IS	A 6145	SH 14-MAR-88		SH	85	
	MIL-C-915/1E	CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE CVSF USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/5D	CABLE, POWER ELECTRICAL, 300 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE DLT USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	KI	SH		
D	MIL-C-915/6J	CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE THOF USER: AL AR CG ME YDI REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/7F	CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE DSM5 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/8G	CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPES DSS, TSS, FSS AND TSS USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/9E	CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE JAS USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/10E	CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MCSF-4 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/13D	CABLE, ELECTRICAL, 600VOLTS, A.C., TYPE MDY (REFER TO MIL-C-24643/6) USER: AL AR CG ME REVIEWER: AV CR EC IS	A 6145	SH 18-JUN-85	MI	SH		
	MIL-C-915/20F	WIRE, ELECTRICAL, 600 VOLTS, FOR WELDING ELECTRIC CIRCUIT USE ONLY, TYPE TRF USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
D	MIL-C-915/21F	WIRE, ELECTRICAL, 125 VOLTS FOR WELDING ELECTRODE CIRCUIT USE ONLY, TYPE TRXF USER: AL AR CG ME YDI REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/22H	CABLE, SPECIAL PURPOSE ELECTRICAL, 300 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TSP (INCLUDING VARIATION TYPE TSPA) USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/47C	CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1SMF USER: AL AR CG IS ME REVIEWER: CR EC ER	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/48C	CABLE, SPECIAL PURPOSE, ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SMF USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/58E	CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MMF USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/61D	CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE S2S USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/66C	CABLE, SPECIAL PURPOSE, ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE NSPM USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/67C	CABLE, SPECIAL PURPOSE ELECTRICAL, 59-CONDUCTOR, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE MSP USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/74C	CABLE, POWER ELECTRICAL, 600 VOLTS, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE) TYPE SSS USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/79B	CABLE, POWER ELECTRICAL, FOR OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE TRPM-6 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/81	CABLE, ELECTRICAL, ONE TWISTED PAIR AWG-20, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-A20E USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 18-JUN-85	MI	SH		
	MIL-C-915/82A	CABLE, POWER ELECTRICAL, ONE TWISTED PAIR NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1PR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		
	MIL-C-915/83A	CABLE, POWER ELECTRICAL, SEVEN TWISTED PAIRS NO. 16 GAUGE FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7PR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145	SH 29-SEP-89	MI	SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Coordination Inches Document Number	Document Title	Dist Spec FSC / Area NCS Symbol Preparing Act Date	Custodian	Army	Navy	Air Force	DLA
MIL-C-915/84A	CABLE, POWER ELECTRICAL, TWO SHIELDED TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 2SPR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145 SH 29-SEP-89	MI	SH			
MIL-C-915/85A	CABLE, POWER ELECTRICAL, THREE TWISTED PAIRS NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 3PR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145 SH 29-SEP-89	MI	SH			
MIL-C-915/86A	CABLE, POWER ELECTRICAL, TWISTED QUAD NO. 16 GAUGE, FLUOROPOLYMER INSULATION FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1Q-16 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145 SH 29-SEP-89	MI	SH			
MIL-C-915/87A	CABLE, POWER ELECTRICAL, TWISTED TRIAD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1TR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145 SH 29-SEP-89	MI	SH			
MIL-C-915/88A	CABLE, POWER ELECTRICAL, SEVEN SHIELDED TWISTED PAIRS WITH OVERALL SHIELD, NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 7SPR-16S USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145 SH 29-SEP-89	MI	SH			
MIL-C-915/89A	CABLE, POWER ELECTRICAL, ONE SHIELDED TWISTED PAIR NO. 16 GAUGE, FLUOROPOLYMER INSULATION, FOR SUBMARINE OUTBOARD USE ONLY (NOT FOR INBOARD USE), TYPE 1SPR-16 USER: AL AR CG ME REVIEWER: CR EC ER IS	A 6145 SH 29-SEP-89	MI	SH			
D L MIL-E-9170(1)	ELECTRIC POWER EQUIPMENT, BASIC REQUIREMENTS (NAVAL SHIPBOARD USE) [VALIDATION DATE: 7903] USER: YDI REVIEWER: CS	A MISC SH 16-DEC-66		SH			
D MIL-B-920C(2)	BARBS, BUCKING, RIVET [VALIDATION DATE: 8710] USER: MC OS YDI REVIEWER: ME	A 5120 GL 01-OCT-87	GL		99		
L MIL-G-952	GUNS, SPRAY, OIL AND SOLVENT	A 4930 AS 15-FEB-85		AS			
L MIL-S-9550	SHOWER HEADS AND OUTFITS (SHIPBOARD USE) REVIEWER: CS	A 4510 SH 17-FEB-88		SH			
OL MIL-T-960E(3)	TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD	A 4730 SH 30-OCT-91		SH			
L MIL-H-965D(2)	HEATER, WATER, ELECTRIC, NAVAL SHIPBOARD (NAVY) [VALIDATION DATE: 8403] REVIEWER: 14 15 19 CS TD	A 4520 SH 16-DEC-70	AM	SH			
L MIL-L-970C	LAMPHOLDERS AND STARTER SOCKETS, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD USE) [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/1C	LAMPHOLDER, BASE-MOUNTED, CANDELABRA SCREW 125-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
D L MIL-L-970/2A	LAMPHOLDER, BAYONET CANDELABRA, DOUBLE CONTACT 125-VOLT, 75-WATTS [VALIDATION DATE: 9012] USER: ME YDI REVIEWER: GS	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/3A	LAMPHOLDER, BASE MOUNTED, CANDELABRA SCREW, 125-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/4A	LAMPHOLDER, BASE-MOUNTED, CANDELABRA SCREW, (TWO LAMP), 150-VOLT, 75 WATTS, SINGLE CIRCUIT AND TWO-CIRCUIT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/5A	LAMPHOLDER ASSEMBLY, MULTILAMP, (SIX LAMPS), NAVIGATIONAL LIGHT, CANDELABRA CREW, 125-VOLT, 450-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/6B	LAMPHOLDER, BASE MOUNTED, MEDIUM SCREW, 250-VOLT, 660-WATT, TWO OR THREE CONTACT [VALIDATION DATE: 9012] USER: ME REVIEWER: GS	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/7A	LAMPHOLDER, MODUL, 250-VOLT, 750-WATT, THREE CONTACT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/8A	LAMPHOLDER, BASE-MOUNTED, MODUL SCREW, 600-VOLT, 1500-WATT [VALIDATION DATE: 9012] USER: ME REVIEWER: GS	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/9B	LAMPHOLDER, WEATHERPROOF, MEDIUM SCREW, MOLDED RUBBER, 250-VOLT, 660-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/10B	LAMPHOLDER, MINIATURE BI-PIN FOR FLUORESCENT LAMPS, 250-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/11A	LAMPHOLDER, MEDIUM BI-PIN FOR FLUORESCENT LAMPS, 250-VOLT, 660-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/12B	LAMPHOLDER FOR F48T12/HO/MT AND F48T12/HO FLUORESCENT LAMPS, 600-VOLTS, 660-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/13A	LAMPHOLDER, SOCKET, FLUORESCENT LAMP STARTER, 250-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/14A	LAMPHOLDER, BAYONET CANDELABRA, DOUBLE CONTACT, FOR SMALL BOAT FIXTURES, 125-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/15A	LAMPHOLDER, MINIATURE BI-PIN, HEAT RESISTANT, FOR FLUORESCENT LAMPS, 250-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
LI MIL-L-970/16A	LAMPHOLDER, WEATHER PROOF, MEDIUM SCREW, MOLDED RUBBER, 250-VOLT, 660-WATT, STREAMER TYPE [VALIDATION DATE: 9012] USER: ME REVIEWER: GS	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/17	LAMPHOLDER FOR TWO OR THREE PRONG SEALED BEAM AUTOMOTIVE LAMP, 250-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/18	LAMPHOLDER, MEDIUM BI-PIN, HEAT RESISTANT, FOR FLUORESCENT LAMPS, 250-VOLT, 660-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
L MIL-L-970/19	LAMPHOLDER, SOCKET, FLUORESCENT LAMP STARTER, HEAT RESISTANT, 250-VOLT, 75-WATT [VALIDATION DATE: 9012]	A 6250 SH 17-DEC-90		SH			
MIL-S-980B	STEEL, CHROMIUM ALLOY, BARBS (FOR TORPEDO GYROSCOPE BEARINGS) [VALIDATION DATE: 8204] REVIEWER: IS	A 9510 OS 01-JUL-65	MR	OS			
L MIL-T-981A	TRANSFORMER, POWER, VOLTAGE REGULATING [VALIDATION DATE: 8505] REVIEWER: 99 ES MI	A 5950 EC 11-AUG-60		EC			
D I DOD-D-1000B(4)	DRAWINGS, ENGINEERING AND ASSOCIATED LISTS USER: ES GL REVIEWER: 11 AS AT	A DRPR AR 01-JUL-90	AR	OS	16	DM	
A MIL-C-1002J	AV CS EC IS MC ME MI NS SH YDI	A 8465 CT 30-SEP-86	GL		99	CT	
MIL-E-1006D(1)	CASE, FIELD, FIRST AID DRESSING, LEATHER (MILITARY POLICE) USER: 45	A 9930 GL 25-JUN-87	GL	MS	34		
A MIL-G-1007H	REVIEWER: 11 B2 MD						
MIL-R-1041D	EMBALMING FLUID, ARTERIAL [VALIDATION DATE: 8706] USER: 26 SH REVIEWER: GS	A 8445 CT 14-OCT-88	GL	MU	11	CT	
MIL-H-1048E	GLOVES, WOMEN'S USER: 45 CG REVIEWER: B2 99 MC MD	A 8970 GL 03-MAR-67	GL	SA	50		
MIL-S-1049H	RATION SUPPLEMENT, AID STATION [VALIDATION DATE: 8402] REVIEWER: MC MD SS	A 8905 GL 04-MAR-87	GL	SA	50		
MIL-G-1057H	HAMBURGER PATTIES WITH NATURAL JUICES, CANNED REVIEWER: MC MD MS SS	A 8935 GL 20-JUN-84	GL	SA	50		
MIL-B-1065F(3)	SOUP, DEHYDRATED, CHICKEN-FLAVORED, WITH NOODLES REVIEWER: MC MD MS SS TS	A 8415 CT 14-APR-88	GL	MU	99	CT	
MIL-B-1083D	GLOVES, CLOTH, COTTON, SPECIAL, OS 109 USER: 45 MC YDI REVIEWER: 11 B2 MD	A 8940 GL 30-MAR-78	GL	SA	50		
AV MIL-B-1107G	BEANS WITH FRANKFURTER CHUNKS IN TOMATO SAUCE, CANNED [VALIDATION DATE: 8402] REVIEWER: MC MD MS SS	A 3110 OS 16-OCT-87	AT	OS	99		
A MIL-T-1110F	BALLS, BEARING, FERROUS AND NON-FERROUS (FOR USE IN BEARINGS, VALVES AND BEARING APPLICATIONS) GENERAL SPECIFICATION FOR REVIEWER: AR EA IS MI SH	A 8465 CT 27-NOV-86	MI	MC	99	CT	
D MIL-T-1111G(2)	BELT, INDIVIDUAL EQUIPMENT, M-1936 USER: 45 CG REVIEWER: MD SA	A 8340 CT 27-MAR-89	GL		99	CT	
D DOD-E-1115C	TENT, ASSEMBLY, M-1942 REVIEWER: B2 MD	A 8340 CT 15-JUN-90	GL	MU	99	CT	
MIL-S-1123E(1)	TENT, COMMAND POST, M-1945, FIRE, WATER, WEATHER AND MILDEN RESISTANT, OLIVE DRAB, COMPLETE USER: 45 MC YDI REVIEWER: B2	A 8010 SH 24-FEB-82		SH	99		
MIL-L-1130E	ENHANEL INTERIOR, ALKYL, WHITE (FORMULA NO. 30) (METRIC) USER: YDI	A 3520 GL 12-MAR-71	GL		99		
A MIL-Y-1140H(1)	SHOE REPAIR SHOP, EQUIPMENT [VALIDATION DATE: 8201] REVIEWER: 85 CR ER GS						
MIL-C-1145E	LANTERN, ELECTRIC, STORAGE BATTERY, FLOODLIGHTING, HAND CARRIED USER: AS	A 6230 SH 26-JAN-90	ME	SH			
JAM-S-1146	MC OS REVIEWER: GS						
JAM-S-001146	YARN, CORD, SLEEVING, CLOTH, AND TAPE- GLASS USER: ME SH REVIEWER: 45 99	A 4020 CT 25-SEP-85	GL	MU	11	CT	
MIL-G-1149C	AR EA IS MD MI						
	CORD, FIBROUS (LINES, LEAD) [VALIDATION DATE: 8403] USER: MC ME REVIEWER: 15 MD	A 4020 SH 23-APR-73	GL	SH	99		
	SPONGE, LOOFA [VALIDATION DATE: 7706]	A 4610 SA 27-JUN-49	GL	SA	99		
	SPONGE, LOOFA	A 7920 SA 30-SEP-64		SA			
	GASKET MATERIALS, SYNTHETIC RUBBER, 50 AND 65 DUREOMETER HARDNESS USER: ME	A 5330 SH 09-NOV-88	AV	SH			
	REVIEWER: AS CS EA IS MI						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inactive	Document Number	Document Title	Der. Smt. FSC / Area	MCA Symbol Preparing Army	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-C-1161E	COLLAR, DOG, LEATHER USER: MC REVIEWER: 84 CS	A 3770	GL	20-OCT-88	GL		99	
	MIL-B-1163A	BAR, FLINDERS REVIEWER: 99 AV	A 6605	SH	26-DEC-90	SH			
A	MIL-C-1164G	CLOTH, TERRY, COTTON, COTTON AND POLYESTER USER: 45 REVIEWER: 82	A 8305	CT	26-OCT-84		MU	99	CT
	MIL-R-1167A	RIFLE, AUTOMATIC, BROWNING, CALIBER .30, M1918A2 [VALIDATION DATE: 8806]	A 1005	AR	17-JUN-88	AR	OS	99	
	MIL-C-1173E	USER: MC							
	MIL-G-1175B	CART, GENERAL HAULING [VALIDATION DATE: 8302] REVIEWER: GS	A 3920	ME	11-JUN-76	ME	SA	99	
	MIL-T-11800	GUN, SUBMACHINE, CALIBER .45, M3A1 [VALIDATION DATE: 8604] USER: MC	A 1005	AR	18-APR-86	AR		99	
	MIL-F-1183J	REVIEWER: 84							
	MIL-F-1183/1	THERMOMETER, SELF-INDICATING, LIQUID IN GLASS REVIEWER: 99 ER GS	A 6685	ME	05-AUG-81	ME			
	MIL-F-1183/2	FITTING, PIPE, CAST BRONZE, SILVER BRAZING, GENERAL SPECIFICATION FOR	A 4730	SH	05-MAY-87	ME	SH	99	
	MIL-F-1183/3	REVIEWER: CS							
	MIL-F-1183/4	FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: BEND, PIPE, RETURN	A 4730	SH	25-JAN-89	ME	SH	99	
	MIL-F-1183/5	[VALIDATION DATE: 8901] REVIEWER: CS							
	MIL-F-1183/6	FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: CAP, PIPE [VALIDATION DATE:	A 4730	SH	25-JAN-89	ME	SH	99	
	MIL-F-1183/7	8901] REVIEWER: CS							
	MIL-F-1183/8	FITTING, PIPE, CAST BRONZE, SILVER BRAZING, COUPLING, PIPE REVIEWER: CS	A 4730	SH	05-MAY-87	ME	SH	99	
	MIL-F-1183/9	FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: CROSS, PIPE [VALIDATION DATE:	A 4730	SH	25-JAN-89	ME	SH	99	
	MIL-F-1183/10	8901] REVIEWER: CS							
	MIL-F-1183/11	FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: ELBOW, PIPE [VALIDATION DATE:	A 4730	SH	25-JAN-89	ME	SH	99	
	MIL-F-1183/12	8901] REVIEWER: CS							
	MIL-F-1183/13	FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: LATERAL, PIPE [VALIDATION	A 4730	SH	25-JAN-89	ME	SH	99	
	MIL-F-1183/14	DATE: 8901] REVIEWER: CS							
	MIL-F-1183/15	FITTING, PIPE, CAST BRONZE, SILVER BRAZING, PLUG, PIPE REVIEWER: CS	A 4730	SH	05-MAY-87	ME	SH	99	
	MIL-F-1183/16	FITTING, PIPE, CAST BRONZE, SILVER BRAZING, REDUCER, PIPE REVIEWER: CS	A 4730	SH	05-MAY-87	ME	SH	99	
	MIL-F-1183/17	FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: TEE, PIPE [VALIDATION DATE:	A 4730	SH	25-JAN-89	ME	SH	99	
	MIL-F-1183/18	8901] REVIEWER: CS							
	MIL-F-1183/19	FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION, PIPE REVIEWER: CS	A 4730	SH	05-MAY-87	ME	SH	99	
	MIL-F-1183/20	FITTING, PIPE, CAST BRONZE, SILVER BRAZING, UNION ELBOW, PIPE & UNION TEE,	A 4730	SH	05-MAY-87	ME	SH	99	
	MIL-F-1183/21	PIPE REVIEWER: CS							
	MIL-F-1183/22	FITTINGS, PIPE, CAST BRONZE, SILVER-BRAZING: WITH FLANGED END(S)	A 4730	SH	25-JAN-89	ME	SH	99	
	MIL-F-1183/23	[VALIDATION DATE: 8901] REVIEWER: CS							
	MIL-F-1183/24	SALINOMETER EQUIPMENT, EVAPORATOR, SHIPBOARD USE [VALIDATION DATE: 7903]	A 6630	SH	30-OCT-61	EA	SH		
	MIL-F-1183/25	VALVE, GATE, BRONZE REVIEWER: CS	A 4820	SH	15-DEC-87	SH			
	MIL-F-1183/26	COMPASSES, SHIP, NAVY, NO. 1, MAGNETIC (REFLECTOR TYPE, 7-1/2 INCH CARD)	A 6605	SH	24-JAN-92	SH			
	MIL-F-1183/27	AND BINNACLE, REFLECTOR TYPE							
	MIL-F-1183/28	CLOCK, QUARTZ CRYSTAL, BATTERY POWERED [VALIDATION DATE: 9102] USER: CG MC	A 6645	SH	15-FEB-91	AR	SH	82	
	MIL-F-1183/29	ME REVIEWER: GS							
	MIL-F-1183/30	COCKS, DRAIN, COCKS, PLUG, AND COCKS, SHUTOFF, SCREW STEM [VALIDATION	A 4820	AR	31-JUL-73	ME		99	
	MIL-F-1183/31	DATE: 8609] USER: 82 CE GL MC MI							
	MIL-F-1183/32	CUP, GREASE USER: AS EL GL MC SH REVIEWER: AT CS	A 4730	AR	22-JAN-86	AR		99	
	MIL-F-1183/33	PINCH-OFF TOOL, TUBING USER: AL AT AV MC YDI REVIEWER: AR	A 5120	GL	31-JUL-90	GL		99	
	MIL-F-1183/34	NOTICE 2							
	MIL-F-1183/35	STUDS, BOLTS, HEX CAP SCREWS, SOCKET HEAD CAP SCREWS AND NUTS USER: AR AV	A 53GP	SH	31-MAR-89		SH	99	
	MIL-F-1183/36	ME REVIEWER: 82 IS MC							
	MIL-F-1183/37	STUDS, BOLTS, HEX CAP SCREWS, SOCKET HEAD CAP SCREWS, AND NUTS	A 53GP	SH	12-OCT-90		SH		
	MIL-F-1183/38	POST, DRILLING [VALIDATION DATE: 9302] USER: MC ME YDI REVIEWER: MI	A 5110	GL	26-FEB-93	GL			
	MIL-F-1183/39	NOTICE 2							
	MIL-F-1183/40	MEGAPHONE, HAND [VALIDATION DATE: 8101] USER: 45	A 8465	CT	31-MAR-75	GL	SA	99	CT
	MIL-F-1183/41	CAN, GASOLINE, MILITARY 5 GALLON USER: CG MC REVIEWER: 84 EA GL GS SH	A 7240	ME	10-MAR-87	ME	YDI	99	
	MIL-F-1183/42	ROLLER, TONED, SHEEPSFOOT, 2 OR 3 DRUMS 1 IN LINE USER: CE CS MC	A 3895	ME	16-FEB-82	ME			
	MIL-F-1183/43	SPOUT, CAN, FLEXIBLE USER: GL SH REVIEWER: MD	A 7240	ME	01-APR-91	ME	YDI	84	
	MIL-F-1183/44	BAG, COTTON DUCK, COAL, 1 BUSHEL [VALIDATION DATE: 8706] USER: MD	A 8105	GL	25-JUN-87	GL	SA	69	
	MIL-F-1183/45	REVIEWER: 99							
	MIL-F-1183/46	BAG, COTTON DUCK, TOOLS AND MAINTENANCE PARTS, STOVE, COOKING OUTFIT	A 5140	GL	01-OCT-87	GL	SA	69	
	MIL-F-1183/47	[VALIDATION DATE: 8701] USER: MC ME REVIEWER: 99 CE							
	MIL-F-1183/48	RIFLE, CALIBER .22 LR COMMERCIAL, FOR MATCH & TRAINING USER: MC	A 1005	AR	21-MAR-88	AR	OS	99	
	MIL-F-1183/49	GUN, MACHINE, CALIBER .50, BROWNING, M2, HEAVY BARREL [VALIDATION DATE:	A 1005	AR	10-OCT-55	AR	OS	99	
	MIL-F-1183/50	7905] USER: MC REVIEWER: 11							
	MIL-F-1183/51	GUN, MACHINE, CALIBER .50, BROWNING, M2, HEAVY BARREL	A 1005	AR	29-JAN-90	AR			
	MIL-F-1183/52	PISTOL, PYROTECHNIC, AM-MB AND MOUNT, MI [VALIDATION DATE: 8806]	A 1095	AR	17-JUN-88	AR	OS	99	
	MIL-F-1183/53	NOTICE 1							
	MIL-F-1183/54	BAYONET-KNIVES USER: MC	A 1005	AR	22-JUN-82	AR			
	MIL-F-1183/55	CARTRIDGE, BALL, CALIBER .45, M1911 USER: MC	A 1305	AR	16-APR-86	AR		99	
	MIL-F-1183/56	CARTRIDGE, CALIBER .30, BALL, M2 [VALIDATION DATE: 8603]	A 1305	AR	07-FEB-73	AR			
	MIL-F-1183/57	CARTRIDGE, CALIBER .45, TRACER, M26 REVIEWER: 99	A 1305	AR	16-APR-86	AR			
	MIL-F-1183/58	MACHINE, LINK LOADING AND DELINKING VALIDATED AUG 1964 [VALIDATION DATE:	A 1305	AR	15-NOV-50	AR	OS	99	
	MIL-F-1183/59	8304]							
	MIL-F-1183/60	CARTRIDGE, CALIBER .30, TRACER, M25 [VALIDATION DATE: 8603] USER: MC	A 1305	AR	13-MAR-86	AR			
	MIL-F-1183/61	NOTICE 1							
	MIL-F-1183/62	CARTRIDGE, CALIBER .50, TRACER, M17	A 1305	AR	23-MAR-93	AR		70	
	MIL-F-1183/63	GRENADES, HAND: INERT COMPONENTS FOR REVIEWER: OS	A 1330	EA	24-OCT-69	EA		70	
	MIL-F-1183/64	GRENADES, HAND: INERT COMPONENTS FOR	A 1330	EA	09-JUL-87	EA			
	MIL-F-1183/65	INSTRUMENT AUXILIARIES, ELECTRICAL MEASURING: SHUNTS, RESISTORS, AND	A 6625	SH	04-MAR-91	MR	SH	99	
	MIL-F-1183/66	TRANSFORMERS [VALIDATION DATE: 9103] USER: AS CG MC ME OS REVIEWER: ES MI							
	MIL-F-1183/67	WINDOWS, OPTICAL SENSOR	A 9340	11	26-FEB-88		AS	11	
	MIL-F-1183/68	NOTICE 1							
	MIL-F-1183/69	TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS AND WELDED [VALIDATION DATE:	A 4710	YDI	21-FEB-66	MR	YDI	69	
	MIL-F-1183/70	8412] USER: AR ME REVIEWER: AS CS MI							
	MIL-F-1183/71	TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS AND WELDED [VALIDATION DATE:	A 4710	SH	24-DEC-80		SH		
	MIL-F-1183/72	8412]							
	MIL-F-1183/73	PRIMER, ELECTRIC, MS2A381	A 1305	AR	28-FEB-90	AR		70	
	MIL-F-1183/74	SIGNAL, ILLUMINATION, AIRCRAFT DOUBLE STAR AM-M32A2 THROUGH AM-M42A2	A 1370	AR	31-OCT-90	AR			
	MIL-F-1183/75	PARTS, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]							
	MIL-F-1183/76	SIGNALS, ILLUMINATION, AIRCRAFT TRACER, DOUBLE STAR AM-M53A2 THROUGH	A 1370	AR	31-OCT-90	AR			
	MIL-F-1183/77	AM-M53A2 PARTS, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE:							
	MIL-F-1183/78	9010]							
	MIL-F-1183/79	HOLDER, CARD & LABEL [VALIDATION DATE: 8201] USER: MC YDI	A 9905	GL	06-FEB-70	GL		99	
	MIL-F-1183/80	BOTTLE, SCREW CAP, IDENTIFICATION, BURIAL [VALIDATION DATE: 8201] USER: MC	A 8125	GL	14-MAR-75	GL	MS	69	
	MIL-F-1183/81	REVIEWER: CS GS MD							
	MIL-F-1183/82	PIW SET, MARKING, LAUNDRY [VALIDATION DATE: 8104] USER: 50 MC MD REVIEWER:	A 3510	GL	20-MAR-68	GL	YDI	99	
	MIL-F-1183/83	GS							
	MIL-F-1183/84	CHAIN, HOOK & RING ASSEMBLY, TENT USER: YDI	A 8340	CT	30-SEP-85	GL	MU		CT
	MIL-F-1183/85	HOOK, TENT, ASSEMBLY, WALL SECTION REVIEWER: 82 MD	A 8340	CT	15-JAN-91	GL		99	CT
	MIL-F-1183/86	COOK SET, FIELD, 5-MAN [VALIDATION DATE: 8904] REVIEWER: GS MD YDI	A 7360	GL	22-APR-89	GL	MC	99	
	MIL-F-1183/87	NOTICE 1							
	MIL-F-1183/88	SIGNAL, ILLUMINATION, AIRCRAFT, SINGLE STAR AM/M43A2, AM/M44A2, AND M45A2,	A 1370	AR	15-MAY-87	AR			
	MIL-F-1183/89	LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8705]							
	MIL-F-1183/90	DAMPER, FLUE, 4-INCH USER: MC MD REVIEWER: 84 CS ME	A 4520	GL	09-SEP-88	GL		99	
	MIL-F-1183/91	CLEANER, BURNER SLOT, FOR RANGE, FIELD, M-1937 [VALIDATION DATE: 9203]	A 5120	GL	27-MAR-92	GL		99	
	MIL-F-1183/92	USER: MC							
	MIL-F-1183/93	HAMMER, HAND (PITON, MOUNTAIN) [VALIDATION DATE: 9301] REVIEWER: MD	A 5120	GL	04-JAN-93	GL		99	
	MIL-F-1183/94	NOTICE 2							
	MIL-F-1183/95	CHAIN, DOG, WITH SNAPHOOK USER: MC MD REVIEWER: CS	A 3770	84	23-APR-90			99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc / OML Coordination Inactive	Document Number	Document Title	Dist	SMT	FSC / Ane	MCA Symbol	Preparing Acty	Date	Custodians			
										Army	Navy	Al Force	DLA
A		MIL-F-1461H	FRAME SECTIONS, TENT, MAINTENANCE USER: 45 MC REVIEWER: 82	A	8340	CT	31-DEC-85	GL	NU	99	CT		
A		MIL-B-1462F	BELT, GENERAL OFFICER USER: 45 REVIEWER: MD	A	8440	CT	06-JAN-88	GL	MC		CT		
A		MIL-C-1472F	COMMISSARY OUTFIT, FIELD BREAKDOWN [VALIDATION DATE: 8710] REVIEWER: GS MD	A	7360	GL	01-OCT-87	GL	MC				
A		MIL-P-1474J	PITOM, MOUNTAIN [VALIDATION DATE: 8601] USER: 45 REVIEWER: MC	A	8465	CT	03-JUN-80	GL	NU	99	CT		
A		MIL-C-1476C	CREEPERS, ICE USER: 45 REVIEWER: 82	A	8465	CT	24-AUG-88	GL	NU	99	CT		
A		MIL-S-1478F	SNAPLINK, MOUNTAIN, PITOM USER: 45 MC REVIEWER: 82	A	8465	CT	31-DEC-85	GL	NU	99	CT		
D		MIL-S-1484E	SHIELD, STOVEPIPE, TENT REVIEWER: 15	A	8340	CT	31-MAR-86	GL	YD1	99	CT		
		MIL-L-1497F	LABELING OF METAL CANS FOR SUBSTANCE ITEMS REVIEWER: MD	A	89GP	GL	30-MAR-89	GL	SA	50			
		NOTICE 1											
		MIL-M-15190	MUZZLE, DOG, LEATHER USER: MC REVIEWER: CS MD	A	3770	GL	26-SEP-86	GL		99			
		MIL-L-1522C	LEASH, DOG, COTTON WEBBING, LONG TYPE [VALIDATION DATE: 8104] USER: MC REVIEWER: CS MD ME	A	3770	GL	14-MAY-68	GL		99			
		MIL-L-1531F	LEASH, DOG, LEAD TYPE, HOLDERS, DOG LEASH USER: MC REVIEWER: 84 CS MD	A	3770	GL	14-MAY-86	GL		99			
L		MIL-B-1547E	THIMBLES, ROPE (SOLID) [VALIDATION DATE: 8908] USER: ME REVIEWER: 15 MD	A	4030	GL	28-AUG-89	GL	SH	99			
L		MIL-B-1563C	BUTTONS, INSIGNIA AND FINDINGS (U.S.M.A.), GENERAL SPECIFICATION FOR REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/1	BUTTONS, INSIGNIA AND FINDINGS: SERVICE HAT, CADET FULL DRESS WITH POM POM (TYPE I, CLASS 1) U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/2	BUTTONS, INSIGNIA AND FINDINGS: SERVICE CAP, UNIFORM (TYPE I, CLASS 2), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/3	BUTTONS, INSIGNIA AND FINDINGS: BRANCH OF SERVICE, COLLAR, BLACK, GRAY OR GOLD SHIELD (TYPE I, CLASS 3), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/4	BUTTONS, INSIGNIA AND FINDINGS: BRANCH OF SERVICE, U.S. MILITARY ACADEMY STAFF, (TYPE I, CLASS 4), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/5	BUTTONS, INSIGNIA AND FINDINGS: BALL, 30 LIGNE (TYPE II, CLASS 1 AND CLASS 2), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/6	BUTTONS, INSIGNIA AND FINDINGS: 25 LIGNE WITH TOGGLE (TYPE II, CLASS 3), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/7	BUTTONS, INSIGNIA AND FINDINGS: 36 LIGNE WITH TOGGLE (TYPE II, CLASS 4), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/8A	BUTTONS, INSIGNIA AND FINDINGS: 43 LIGNE WITH TUBE SCREW AND HOOK (TYPE II, CLASS 5), U.S.M.A. REVIEWER: CT	A	8455	1H	30-JAN-91	1H					
L		MIL-B-1563/9	BUTTONS, INSIGNIA AND FINDINGS: 25 LIGNE WITH TUBE SCREW (TYPE II, CLASS 6), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/10	BUTTONS, INSIGNIA AND FINDINGS: FLAT 30 LIGNE (TYPE II, CLASS 7), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/11	BUTTONS, INSIGNIA AND FINDINGS: 36 LIGNE WITH TUNNEL BACK (TYPE II, CLASS 8), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/12	BUTTONS, INSIGNIA AND FINDINGS: BUCKLE, WAISTPLATE (TYPE III, CLASS 1), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/13	BUTTONS, INSIGNIA AND FINDINGS: BUCKLE, BREASTPLATE (TYPE III, CLASS 2), U.S.M.A. REVIEWER: CT	A	8455	1H	10-DEC-90	1H					
L		MIL-B-1563/14	BUTTONS, INSIGNIA AND FINDINGS: CHAIN, HAT, CADET, FULL DRESS WITH POM POM, (TYPE IV), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/15	BUTTONS, INSIGNIA AND FINDINGS: CUFF, BUTTON (TYPE V), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/16	BUTTONS, INSIGNIA AND FINDINGS: CHAIN, HANGING, OVERCOAT, CADET (TYPE VI), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/17	BUTTONS, INSIGNIA AND FINDINGS: EYELET, METALLIC (TYPE VII), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/18	BUTTONS, INSIGNIA AND FINDINGS: BURR, COAT, CADET, FULL DRESS (TYPE VIII), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/19	BUTTONS, INSIGNIA AND FINDINGS: TOGGLE (TYPE IX), U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
L		MIL-B-1563/20	BUTTONS, INSIGNIA AND FINDINGS: BALL, 30 LIGNE WITH TACK BACK, U.S.M.A. REVIEWER: CT	A	8455	1H	31-DEC-90	1H					
A		MIL-P-1577D	PANEL MARKER, RED CROSS, 8 FEET, 6 INCHES BY 19 FEET, 6 INCHES [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC	A	8345	1H	20-NOV-92	1H	NU	11			
D		MIL-C-1588C	COOKING OUTFIT, FIELD, SMALL DETACHMENT REVIEWER: GS	A	7360	GL	30-SEP-85	GL		99			
D		MIL-P-1601E	PROTECTOR, ARM, GASOLINE FIELD RANGE OUTFIT [VALIDATION DATE: 8303] USER: MC REVIEWER: GS MD	A	7360	GL	20-MAY-77	GL	YD1	99			
A		MIL-H-1608H	HOOKS, TENT REVIEWER: 45 82	A	8340	CT	25-NOV-91	GL	NU	99	CT		
D		MIL-F-1611E(1)	FAIRLEAD, TENT LINE, MAGNESIUM [VALIDATION DATE: 8702] USER: ME YD1	A	8340	CT	27-FEB-87	GL	SA	99	CT		
		NOTICE 1											
A		MIL-B-1658E	BAG, FIELD COOKING OUTFIT, CUTLERY USER: MC MS REVIEWER: GS MD	A	7360	GL	28-SEP-90	GL		99			
A		MIL-B-1667F(1)	BRAID, TEXTILE, CORD EDGE [VALIDATION DATE: 8511] REVIEWER: 99 MD	A	8315	CT	03-OCT-80	GL		11	CT		
D		MIL-H-1679F	HOOK, TENT, WITH THIMBLE, FOR GUY LINE, ASSEMBLY TENT USER: YD1 REVIEWER: 82	A	8340	CT	13-JAN-99	GL	NU	99	CT		
		NOTICE 1											
A		MIL-R-1688F	ROPE, FIBROUS, CLIMBING TYPE, NYLON REVIEWER: AR AS IS MD	A	4020	GL	26-APR-90	GL	MC				
A		MIL-C-1690D	CASE, SHOTGUN, AMMUNITION, COTTEN DUCK [VALIDATION DATE: 8801] USER: 45	A	8465	CT	25-JAN-88	GL		99	CT		
		NOTICE 1											
A		MIL-P-1691G	POCKET, AMMUNITION MAGAZINE, 2 CLIPS, .45 CAL. AUTOMATIC PISTOL, LEATHER USER: 45 REVIEWER: 82 MD	A	8465	CT	30-JUN-88	GL		99	CT		
A		MIL-S-1698G	SLING, CARRYING, BAG AND CASE USER: 45 AR MC REVIEWER: 82 ER MD	A	8465	CT	28-AUG-84	GL	NU	99	CT		
D		MIL-C-1700B	CHEST, TOOL, GASOLINE FIELD RANGE ACCESSORY OUTFIT [VALIDATION DATE: 8201] REVIEWER: GS MC	A	7310	GL	30-APR-70	GL	YD1	99			
D		MIL-L-1709E	LINES, TENT USER: 45 MC YD1 REVIEWER: 82	A	8340	CT	10-AUG-89	GL	NU	99	CT		
D		MIL-T-1712T	TENT, GENERAL PURPOSE, MEDIUM USER: 45 YD1 REVIEWER: 82 MD	A	8340	CT	16-SEP-91	GL	NU	99	CT		
L		MIL-M-1715C	MIRROR, GLASS, POSTURAL TRAINING, TRIPLE, FULL LENGTH [VALIDATION DATE: 8104] REVIEWER: MD	A	7105	GL	20-DEC-68	GL					
A		MIL-P-1716H(1)	POLE, TENT, TELESCOPIC, ADJUSTABLE 5 FEET TO 9 FEET, MAGNESIUM USER: 45 MC MD REVIEWER: 82	A	8340	CT	21-AUG-84	GL	NU	99	CT		
A		MIL-B-1718H	BELT, MILITARY POLICE, 1-3/4 INCH WIDE, MAN S REVIEWER: MD	A	8465	CT	15-SEP-86	GL	MC	99	CT		
		MIL-C-1726F	CHEST, FIELD TABLEWARE OUTFIT REVIEWER: GS MD	A	7360	GL	31-DEC-85	GL	MC				
D		MIL-S-1733C	SUPPORT, SNAP FASTENER [VALIDATION DATE: 8104] USER: MC SM	A	5325	GL	06-DEC-71	GL		99			
D		MIL-S-1734H	SLIP, TENT LINE USER: 45 MC MD YD1 REVIEWER: 82	A	8340	CT	06-DEC-84	GL	NU	99	CT		
		MIL-P-1735G	POTS, COOKING, WITH COVERS AND SPLASH PLATE [VALIDATION DATE: 9006] USER: MC REVIEWER: GS MD	A	7330	GL	19-JUN-90	GL	SA	99			
A		MIL-L-1741E(1)	LASTS, FOOTWEAR, FIELD, WOMEN'S [VALIDATION DATE: 8910]	A	8335	CT	02-OCT-89			99	CT		
		NOTICE 1											
		MIL-P-1747G	PAN, BAKING AND ROASTING, ALUMINUM, PAN, COVER AND WARMER ADAPTER, FOR RANGE, FIELD, GASOLINE [VALIDATION DATE: 8601] REVIEWER: GS MC MD	A	7330	GL	23-MAY-80	GL	SA	99			
		NOTICE 1											
		MIL-T-1748G	TABLEWARE OUTFIT, FIELD [VALIDATION DATE: 8710] USER: AV REVIEWER: GS MD	A	7360	GL	01-OCT-87	GL	MC	99			
		MIL-C-1761C	CASE, MAIL DISTRIBUTION, PORTABLE, 81 SEPARATIONS [VALIDATION DATE: 8104] REVIEWER: MC	A	7110	GL	13-AUG-68	GL		99			
		MIL-D-1769E	DESK, MAIL DISTRIBUTION, WOOD, PORTABLE [VALIDATION DATE: 8104] REVIEWER: MC	A	7110	GL	10-JUL-68	GL		99			
A		MIL-B-1771H	BARBER KIT, WITH PLASTIC CASE REVIEWER: 84 SA	A	3590	GL	28-DEC-92	GL	MC	99			
D		MIL-T-1774E	TABLE, FOOD PREPARATION (BAKERY PLANTS, FIELD, PORTABLE AND MOBILE) [VALIDATION DATE: 8201] USER: YD1 REVIEWER: GS MD	A	7320	GL	26-MAY-76	GL	MC				
A		MIL-S-1812C	SHELF, CARGO SUPPORT, PACKBOARD, PRESSED STEEL USER: 45 MC MD	A	8465	CT	04-SEP-81	GL	NU	99	CT		
A		MIL-P-1814E	PAD, SHOULDER, PACKBOARD [VALIDATION DATE: 8801] USER: 45 MC MD	A	8465	CT	25-JAN-88	GL	SA	99	CT		
		NOTICE 1											
A		MIL-S-1820C	SHOCK, FOOD INSPECTOR S USER: 45 REVIEWER: 82 MD	A	8415	CT	18-DEC-86	GL			CT		
A		MIL-T-1821J	INSOLE, FOOTWEAR (VENTILATING TYPE) USER: 45 MC REVIEWER: 82 99 MD	A	8335	CT	08-APR-88	GL		11	CT		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / Oth Coordinate Increase Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Agency	Date	Customs			
				Army	Navy	Air Force	DIA
D	MIL-R-18320 MIL-S-1837H	RUBBER BAND, PARACHUTE SUSPENSION LINE REVIEWER: B2 AV MC SPRAY GUN, INSECTICIDE DUSTING POWDER AND CONTAINER, POWDER [VALIDATION DATE: 8303] USER: MC REVIEWER: CS MD MS	A 1670 A 3740	GL 28-FEB-89 GL 25-MAR-77	GL AS GL YD1 99		
A	MIL-B-1851F NOTICE 1	BAND, HELMET, CAMOUFLAGE [VALIDATION DATE: 8702] USER: 45 REVIEWER: MD	A 8415	CT 27-FEB-87	GL 99	CT	
L	MIL-B-1851F(11)	BAND, HELMET	A 8415	GL 05-DEC-90	GL		
A	MIL-B-1860E NOTICE 1	BUCKLE, SLIDE, PLASTIC [VALIDATION DATE: 8402] USER: 11 CG MC	A 8315	CT 21-JUN-77	GL MU 99	CT	
A	MIL-C-1911J(1)	CAP, CAMOUFLAGE PATTERN USER: 45 REVIEWER: B2 MD	A 8415	CT 08-MAR-90	GL MC 99	CT	
L	MIL-C-1911J(12)	CAP, CAMOUFLAGE PATTERN	A 8415	GL 25-OCT-90	GL		
A	MIL-T-1926G	TENT, MOUNTAIN, TWO-PAN, COMPLETE WITH PINS AND POLES USER: 45 REVIEWER: B2 MD	A 8340	CT 30-JUN-86	GL MU 99	CT	
A	MIL-C-1933G	CARRIER, POLICEMANS CLUB, & GROMMET [VALIDATION DATE: 8501] USER: 45 MD	A 8465	CT 27-DEC-78	GL 99	CT	
L	MIL-T-1943C(3)	TELEPHONE EQUIPMENT, DIAL (SHIPBOARD USE)	A 5805	SH 09-JAN-87	SH		
L	MIL-B-1947A(5)	BLOWER, SOOT (SHIPBOARD USE) [VALIDATION DATE: 8404]	A 4410	SH 11-JUL-66	SH		
A	MIL-T-1956D(1)	TARPAULIN, WATERPROOF, SPECIAL PURPOSE, 10 FEET LONG BY 8 FEET WIDE [VALIDATION DATE: 8501] REVIEWER: MD	A 8340	CT 08-JAN-79	GL MU	CT	
A	MIL-B-1962C(1)	BUCKLES, END, 1-INCH REVIEWER: 15	A 5340	GL 30-SEP-91	GL 99		
A	MIL-B-1963J(1)	BUCKLES, AND CLIPS, END, STRAP (FOR BELT, TROUSERS) USER: CG REVIEWER: 45 B2 99 MC MD	A 8315	CT 01-AUG-90	GL MU 11	CT	
L	MIL-B-1977C(1)	BAG, VALUABLES, NUMBERED, WITH TAG, METAL IDENTIFICATION [VALIDATION DATE: 8306] USER: GL	A 8105	MC 14-OCT-77	MC		
A	MIL-L-1978B(2) NOTICE 1	LEATHER, CATTLEHIDE, RAMHIDE, HARD [VALIDATION DATE: 9007] USER: ME REVIEWER: MD	A 8330	CT 30-JUL-90	GL MU 99	CT	
D	MIL-S-1980D MIL-R-1982F NOTICE 1	STAND, MIXING BOWL, MOBILE [VALIDATION DATE: 8710] USER: MC REVIEWER: MD ROLLS, CUTLERY, CANVAS [VALIDATION DATE: 9203] REVIEWER: B4 GS MC MD MS	A 7330 A 7360	GL 23-OCT-87 GL 27-MAR-92	GL SA GL YD1 99		
D	MIL-R-1983G	RACK, BREAD, BAKERS, ONE WIRE SHELF, FOLDING TYPE [VALIDATION DATE: 8710] USER: MC YD1 REVIEWER: GS MD SA	A 7320	GL 23-OCT-87	GL 99		
A	MIL-I-1986E	INSOLE, FOOTWEAR, FELT, INSULATING USER: MC MD REVIEWER: B2	A 8335	CT 05-DEC-86	GL MU 99	CT	
D	MIL-H-1987G	HELMET, FIRE FIGHTERS [VALIDATION DATE: 8601] USER: 45 REVIEWER: MD YD1	A 8415	CT 27-JUN-80	GL MU 99	CT	
D	MIL-H-1988G	HELMET, GROUND TROOPS, PARACHUTISTS, STEEL, M-1 USER: 45 MC YD1 REVIEWER: B2 MD	A 8470	CT 30-MAR-88	GL MU 99	CT	
D	MIL-B-1995E	BRUSH, GREASE, COOKING AND BAKING [VALIDATION DATE: 8402] USER: YD1 REVIEWER: MC MD MS	A 7330	GL 24-MAY-78	GL SA 99		
A	MIL-C-1997C	COVER, WATERPROOF, MULTI PURPOSE USER: MC	A 8465	CT 11-APR-83	GL MU	CT	
D	MIL-P-2001D(2) NOTICE 1	PUNCH, CUTTING, REVOLVING HEAD [VALIDATION DATE: 8710] USER: MC ME YD1 REVIEWER: EA	A 5110	GL 01-OCT-87	GL 99		
L	MIL-I-2002C(1) NOTICE 1	INDICATORS, BOILER SMOKE, NAVAL SHIPBOARD	A 6320	SH 24-DEC-90	SH		
	MIL-C-2015B	CARRIAGE, MOWITZER, 105 MM, M2A2 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8502]	A 1015	AR 18-SEP-58	AR MC		
L	MIL-C-2015B(11)	CARRIAGE, MOWITZER, 105 MM, M2A2 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8502]	A 1015	AR 05-AUG-81	AR		
	MIL-M-2016A	MECHANISM, RECOIL, 75 MM PACK MOWITZER, M1A8 (W/REPAIR PARTS AND W/O EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8504]	A 1015	AR 22-SEP-58	AR MC		
	MIL-M-2017C(2) NOTICE 1	MECHANISM, RECOIL, 105 MM MOWITZER, M2A5 W/REPAIR PARTS & W/O EQUIPMENT OR ACCESSORIES [VALIDATION DATE: 8803]	A 1015	AR 22-MAR-88	AR		
	MIL-P-2018H MIL-S-2021E NOTICE 2	PAINT, FACE, CAMOUFLAGE; COMPACT-TYPE CONTAINER USER: MS REVIEWER: GS MD SUIT, CONVALESCENT (JACKET AND TROUSERS) REVIEWER: MD	A 6850 A 6532	GL 14-AUG-89 GL 17-SEP-90	GL MC GL MS 03		
D	MIL-B-2029F NOTICE 1	BURNER ASSEMBLY, SPACE HEATER [VALIDATION DATE: 8901] USER: MC REVIEWER: B4 CS	A 4520	GL 12-JAN-89	GL YD1 99		
A	MIL-R-2033B	RELAYS-POWER, ELECTRICAL, INDUCTION TYPE, NAVAL SHIPBOARD USE REVIEWER: 99	A 5945	SH 18-DEC-87	SH		
L	MIL-E-2036D	ENCLOSURE FOR ELECTRIC AND ELECTRONIC EQUIPMENT, NAVAL SHIPBOARD USER: ME REVIEWER: ES	A 5935	SH 10-MAR-88	SH		
	MIL-L-2037E	LUMBER, OAK, WHITE AND RED, FOR SHIP AND BOAT CONSTRUCTION USER: CG ME REVIEWER: B4 CS	A 5510	SH 21-AUG-90	SH 99		
L	MIL-M-2038C(2)	WOOD LAMINATES, DOUGLAS FIR (FOR SHIP AND BOAT USE) [VALIDATION DATE: 8408] REVIEWER: CS	A 5510	SH 01-DEC-65	SH		
L	MIL-S-2041A(1)	SINK (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8105] REVIEWER: CS	A 4510	SH 21-MAR-66	SH		
OL	MIL-V-2042E	VALVES, REDUCING, WATER SERVICE FOR NAVAL SHIPBOARD USE	A 4820	SH 06-JUN-90	SH		
D	MIL-L-2045B(1)	LOOP, STRAP FASTENER, (FOR MONEQUIPAGE ITEMS) [VALIDATION DATE: 8402] USER: AV MC ME REVIEWER: EA 15	A 5340	GL 18-OCT-77	GL YD1 99		
	MIL-E-2053D	EXTRACTOR, CITRUS FRUIT JUICE, HAND [VALIDATION DATE: 8710] USER: CG MC REVIEWER: MD MS	A 7330	GL 23-OCT-87	GL SA 99		
M	MIL-B-2054E NOTICE 2	BOWLS, FOOD MIXING, CORROSION-RESISTING STEEL [VALIDATION DATE: 9302] USER: CG MS REVIEWER: MC MD	A 7330	GL 26-FEB-93	GL SA 99		
A	MIL-S-2063J MIL-P-2067E	SCARF, NECKWEAR, WOOL USER: 45 MC REVIEWER: B2 MD	A 8440	CT 12-APR-89	GL MU 99	CT	
D	MIL-C-2070E	PAILS, METAL, MEASURING (FOR BAKERIES) USER: MC REVIEWER: B4 MD	A 7240	GL 30-AUG-88	GL 99		
		CHAIN ASSEMBLY, SINGLE LEG, FOR CABINET, GASOLINE, FIELD RANGE OUTFIT USER: MC YD1 REVIEWER: B2 15 MD	A 4010	GL 31-DEC-85	GL 99		
A	MIL-F-2071D(2) NOTICE 1	FLAG, NATIONAL, UNITED STATES OF AMERICA, GRAVE DECORATING, PRINT CLOTH [VALIDATION DATE: 9211] USER: 45 REVIEWER: B2 99 CG CT MC	A 8345	1H 20-NOV-92	1H MU 11		
L	MIL-M-2082C NOTICE 1	METERS, FLOW, MECHANICAL, VOLUMETRIC POSITIVE DISPLACEMENT, LIQUID, COLD WATER AND HOT WATER TYPE, NAVAL SHIPBOARD USE [VALIDATION DATE: 9205]	A 6680	SH 07-MAY-92	SH		
L	MIL-D-2087C(3) NOTICE 1	DEMOLITION KIT, TORPEDO BANGALORE, M1A2, HE LOADING, ASSEMBLING AND PACKING	A 1375	AR 29-JUN-90	AR		
L	MIL-D-2088B(2) NOTICE 1	DEMOLITION KIT, BANGALORE TORPEDO, M1A2 AND TORPEDO, BANGALORE, M1A1, INERT, PARTS FOR [VALIDATION DATE: 8805]	A 1375	AR 20-MAY-88	AR		
DQ	MIL-L-2104F(1)	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, COMBAT/TACTICAL SERVICE USER: 99 AT OS REVIEWER: 11 AR AS GS MC MI PS SA SM YD1	A 9150	ME 28-SEP-92	ME SH 68		
DQ	MIL-L-2105D	LUBRICATING OIL, GEAR, MULTIPURPOSE (METRIC) USER: 99 AT MC OS REVIEWER: 11 AR AV GS MD MI PS SA YD1	A 9150	ME 07-AUG-87	ME SH 68		
L	MIL-T-2118C	TRAP, STEAM, ANGLE, THERMOSTATIC REVIEWER: CS	A 4730	SH 22-AUG-90	SH		
A	MIL-S-2124K	SHOCK, GENERAL PURPOSE USER: 45 REVIEWER: B2 MD	A 8415	CT 23-AUG-89	GL MU 99	CT	
L	MIL-B-2128D	BURNERS, STEAM AND OIL PRESSURE, ATOMIZING	A 4530	SH 07-MAY-91	SH		
L	MIL-S-2143B(1)	SINK, SERVICE, NAVAL SHIPBOARD [VALIDATION DATE: 8104] REVIEWER: CS	A 4510	SH 31-MAR-69	SH		
L	MIL-C-2156C NOTICE 1	CHARGE, DEMOLITION, SHAPED, 15 LB, PRACTICE, M2A3 AND ME, M2A4 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008]	A 1375	AR 27-AUG-90	AR		
A	MIL-C-2181H	COVERALLS, TOXICOLOGICAL AGENTS PROTECTIVE, M-3 USER: 45 CG MC OS REVIEWER: B2 EA MD	A 8415	CT 27-SEP-90	GL MU 99	CT	
A	MIL-C-2184F NOTICE 1	CLOTH, FLANNEL, WOOL, 10-1/2 OUNCE, SHRINK RESISTANT [VALIDATION DATE: 8706] REVIEWER: 99 MD	A 8305	CT 25-JUN-87	GL 11	CT	
L	MIL-E-2185C(1) NOTICE 1	EXTINGUISHER, FIRE, CARBON DIOXIDE (HOSE REEL) SYSTEM (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8608] REVIEWER: CS	A 4210	SH 08-AUG-86	SH		
L	MIL-E-2186E	EXTINGUISHER, FIRE, CARBON DIOXIDE SYSTEMS (FIXED PIPE, NAVAL SHIPBOARD USE) [VALIDATION DATE: 8109]	A 4210	SH 19-OCT-70	SH		
A	MIL-C-2202H	COVERALLS, MEN'S, COTTON, SATEEN USER: 45 REVIEWER: 11 B2 MC	A 8405	CT 20-MAR-90	GL MU 99	CT	
D	MIL-T-2211E	TABLE, LAUNDRY, FOLDING, 3 BY 8 FEET [VALIDATION DATE: 8104] USER: MC ME YD1 REVIEWER: GS	A 3510	GL 21-JUN-73	GL 99		
OL	MIL-C-2212G(1)	CONTACTORS AND CONTROLLERS, ELECTRIC MOTOR AC OR DC, AND ASSOCIATED SWITCHING DEVICES	A 6110	SH 30-JUL-91	SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Contribution Machine	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol Proposed Any	Date	Custodians			
						Army	Navy	Air Force	DA
A L	MIL-B-2213D	BRIDGE CONVERSION SET, FIXED BRIDGE; BAILEY; CONSTRUCTION OF ONE PANEL	A 5420	ME	21-JUL-92	ME			
L	MIL-H-2217C(1)	CRIB PIER, 31 FEET 7 INCHES HIGH, 145-TON USER; MC REVIEWER: CS	A 4720	SH	22-MAR-83	SH			
L	MIL-I-2220C	MOSE ASSEMBLIES, WIRE REINFORCED SYNTHETIC RUBBER, SUBMARINE RESCUE	A 6625	SH	16-JAN-91	SH			
D L	MIL-C-2221B	CHAMBER REVIEWER: CS	A 736P	GL	23-OCT-87	GL			
	MIL-D-2222F	INSTRUMENTS, ELECTRICAL-MEASURING, HYDROGEN-GAS-MONITORING, NONPORTABLE	A 7320	GL	29-MAR-85	GL	MC		GS
	MIL-C-2233E	(SUBMARINE USE) USER: GL	A 7320	GL	19-JUN-90	GL	SA		99
L	NOTICE 1	CABINET, DOUGH PROOFING: INSULATED PORTABLE, 36 PAN CAPACITY FOR MOBILE	A 5975	ER	07-MAR-67	ER			
	MIL-S-2244A	FIELD BAKERY (VALIDATION DATE: 9006) USER: MC REVIEWER: 84 GS MD	A 7320	GL	06-DEC-85	GL	YD1		99
D	MIL-T-2256W(1)	SLEEVE, WIRE SPLICING, SINGLE TUBE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8307) REVIEWER: GS	A 7330	GL	11-FEB-81	GL	SA		99
D	MIL-F-2296E(1)	TABLE, FOOD PREPARATION, AND RACKS, TABLE, KITCHEN UTENSILS USER: CE MC	A 8315	CT	25-JUN-87	GL	NU		99
A	MIL-F-2310D	REVIEWER: GS MD SA TS	A 8305	CT	24-APR-89	GL	NU		99
A	MIL-F-2312F	FILTER, COOKING, GREASE REVIEWER: MC MD MS YD1	A 7310	GL	31-DEC-92	GL	YD1		99
D	MIL-B-2316E	FRINGE, ORNAMENTAL, RAYON (VALIDATION DATE: 8706) USER: MC	A 5365	GL	07-JUL-77	GL	YD1		99
D	MIL-R-2327F(1)	FELT, HAIR OR WOOL: MILDEN RESISTANT AND MOISTURE RESISTANT TREATMENT FOR	A 8465	CT	03-DEC-75	GL	MC		99
A	MIL-S-2329C	USER: AS SH REVIEWER: 82 MD	A 8465	GL	03-AUG-90	GL			99
L	MIL-S-2329C(11)	BAKERY EQUIPMENT, INCLUDING UNITS ASSEMBLIES REPAIR PARTS AND TOOLS,	A 5340	GL	30-SEP-91	GL			99
D	MIL-B-2331D(1)	PREPARATION FOR DELIVERY OF REVIEWER: 69 84 GS MC	A 8415	CT	15-MAR-91	GL	NU		11
	MIL-A-2334J	RING, CONNECTING, ROUND (VALIDATION DATE: 8303) USER: ME REVIEWER: EA IS	A 5990	AS	04-MAR-70	AR	AS		85
	MIL-S-2335(1)	SHEATH, MACHETE (FOR 18 INCH LONG, 2 1/4 INCH WIDE BLADE) (VALIDATION DATE: 8201) USER: 45 ME	A 7310	YD1	19-APR-88	GL	YD1		99
D	MIL-G-2338L(1)	SHEATH, MACHETE (FOR 18 INCH LONG, 2-1/4 INCH WIDE BLADE) REVIEWER: 82 IS	A 7310	SH	28-OCT-92	SH			99
A L	MIL-G-2338L(12)	BUCKLES, END BAR, WITH TONGUE USER: ME REVIEWER: 82 IS	A 7210	CT	30-JUL-90	GL			99
D	MIL-R-2341F	APHON, TOXICOLOGICAL AGENTS PROTECTIVE, M-2 USER: 45 AS MC REVIEWER: 82 99	A 8465	CT	25-JUN-87	GL	SA		99
D	MIL-P-2343F	MD YD1	A 7320	GL	09-JUL-68	GL	YD1		99
D	MIL-D-2351C	SYNCHROS, 60 CYCLE, 115 VOLT (INACTIVE) (VALIDATION DATE: 8509) USER: CG	A 7320	GL	11-APR-68	GL	YD1		99
D	MIL-D-2352C	MC REVIEWER: 11 17 99 AV EC ES MI OS	A 7310	GL	27-MAR-92	GL	YD1		99
D	MIL-C-2354F	GRIDDLE, SELF HEATING, ELECTRIC, AND STANDS, GRIDDLE REVIEWER: 84 CE GS MC	A 8415	CT	08-MAR-89	GL	NU		99
A	MIL-G-2366K	MD SA SH	A 8465	CT	20-MAY-85	GL			CT
A	MIL-B-2378M	CRIDDLES, SELF-HEATING, ELECTRIC: AND STANDS, GRIDDLE	A 8340	CT	26-AUG-86	GL	NU		99
D	MIL-P-2383M	ROD AND CLAMP, INSECT BAR (VALIDATION DATE: 9007) USER: YD1 REVIEWER: 82	A 8040	GL	04-JAN-93	GL	AS		84
A	MIL-C-2399B(2)	CT MD SA	A 8405	CT	15-AUG-88	GL			CT
A L	MIL-O-2414H	POCKET, AMMUNITION MAGAZINE, ENLISTED MEN S, M-1923 (VALIDATION DATE: 8706) USER: YD1 REVIEWER: MC MD	A 8415	CT	31-AUG-90	GL			CT
A	MIL-M-2418G	DOUGH INTERMEDIATE PROOFING MACHINES (VALIDATION DATE: 8103) USER: CE ME	A 8405	CT	30-SEP-88	GL	NU		CT
A L	MIL-T-2423L	REVIEWER: GS MD SA	A 3940	ME	06-OCT-83	ME			CT
D L	MIL-B-2424D	DOUGH ROUNDING MACHINE (VALIDATION DATE: 8103) REVIEWER: GS MD SA	A 8140	AR	28-APR-92	AR			OS
L	MIL-B-2427G(6)	COOKERS, STEAM, VERTICAL (VALIDATION DATE: 9203) USER: CE REVIEWER: 84 GS	A 8140	AR	28-APR-92	AR			OS
L	MIL-C-2439E(5)	MC MD	A 8140	AR	01-APR-92	AR			OS
L	MIL-C-2440F	GLOVES, MEN'S AND WOMEN'S, HEAVY DUTY USER: 45 EL MC SH REVIEWER: 11 82 MD	A 2320	AT	02-MAR-88	AT	YD1		99
D	MIL-T-2452J	BAG, BARRACKS REVIEWER: MD	A 4230	CS	01-NOV-88	MD	YD1		99
D	MIL-D-2457J	PIN, TENT, WOOD USER: 45 MC YD1 REVIEWER: 82	A 7360	GL	22-APR-89	GL	MC		CS
D	MIL-D-2461E	CEMENT, LIQUID, TENT PATCHING (VALIDATION DATE: 9301) USER: MC MI SM	A 7320	YD1	24-JUL-87	YD1			99
D	MIL-D-2467F	REVIEWER: EA MD MR	A 4110	GL	13-JAN-82	GL			99
D	MIL-R-2470E(1)	OVERCOAT, HAN'S, ENLISTED	A 7320	GL	19-JUN-68	GL	YD1		99
D	MIL-D-2471D	MITTEN SHELLS, SNOW CAMOUFLAGE, COTTON, WHITE, TWO FINGER USER: 11 45 MC	A 3605	GL	23-MAY-69	GL			99
	MIL-F-2473D	REVIEWER: MD	A 7320	SH	17-JUN-81	SH			99
D	MIL-D-2477C(1)	ROLL, FIELD BREAKDOWN, COMMISSARY OUTFIT (VALIDATION DATE: 8904) REVIEWER: GS MD	A 7310	GL	30-SEP-83	GL	YD1		84
L	MIL-B-2481E	DOUGH ROLLING MACHINE, PIE REVIEWER: 84 GS MC	A 3940	GL	25-JAN-88	GL			99
L	MIL-C-2486C	REFRIGERATOR, MECHANICAL, MORTUARY REVIEWER: GS MD	A 6145	CR	16-AUG-88	CR	SH		85
L	NOTICE 1	DOUGH DIVIDING MACHINE, AUTOMATIC, POCKET (VALIDATION DATE: 8103) REVIEWER: GS MD	A 6625	CR	06-JUN-86	CR			
L	MIL-T-2487B	FLOUR HANDLING PLANTS (VALIDATION DATE: 8101) REVIEWER: GS MD	A 1375	AR	27-AUG-90	AR			
L	MIL-P-2496D(1)	DOUGH HOLDING MACHINE, LOAF USER: MC SA REVIEWER: GS	A 1390	AR	22-AUG-88	AR			
L	MIL-P-2497B(3)	OVEN, BAKING & ROASTING, DECK, TWO COMPARTMENT, OIL USER: MC REVIEWER: GS	A 5340	GL	28-DEC-84	GL			99
L	MIL-B-2505G	TEST SET TS827( )-TSM (VALIDATION DATE: 8606) USER: AT MD SC	A 3895	ME	24-JAN-77	ME			99
L	MIL-H-2514D	PRIMER, PERCUSSION, M29A1 PARTS AND LOADING, ASSEMBLING AND PACKING	A 4020	GL	22-APR-89	GL			99
L	MIL-C-2522E	(VALIDATION DATE: 9008) REVIEWER: EA	A 8420	MC	29-DEC-72	GL	MC		
L	MIL-O-2525D	PRIMER, PERCUSSION, M27 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8808)	A 8420	MC	16-JUL-71	MC			
L	MIL-U-2528D	BUCKLE, CENTER BAR WITH TONGUE USER: AR MC REVIEWER: 82 IS ME	A 6940	CR	03-APR-89	CR			
L	MIL-T-2534B(1)	HAMMER, PILEDRIVER, DROP, 1,800 AND 3,000 POUNDS (VALIDATION DATE: 8111) USER: CE REVIEWER: CS	A 1395	AR	24-APR-73	AR	OS		99
L	MIL-A-2550B(1)	CORD, FIBROUS LINEN, SHOCK ABSORBER SERVING USE (VALIDATION DATE: 8904) USER: AV REVIEWER: IS	A 1395	AR	17-NOV-77	AR			
L	MIL-A-002550C	DRAWERS, MENS, COTTON, ANKLE LENGTH (VALIDATION DATE: 8502) USER: 45	A 6515	DM	15-JUN-72	MD	MS		03
L	MIL-A-002550C(12)	REVIEWER: CT MD	A 5510	SH	14-MAR-88	ME	SH		99
L	MIL-P-2586A(1)	UNDERSHIRT, MAN S, COTTON, FULL LENGTH SLEEVES (VALIDATION DATE: 8306) USER: 45 REVIEWER: CT	A 9905	GL	28-OCT-68	GL			99
L	MIL-L-2594D	TRAINING GENERATOR AM/URA-TI( ) (UNITS OF) REVIEWER: MC	A 7930	GL	15-SEP-67	GL			
L	MIL-S-2609D	AMMUNITION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 7905) USER: MC	A 6530	DM	30-DEC-57	MD	MS		03
L	MIL-P-2610B(1)	REVIEWER: EA MI	A 6530	DM	13-AUG-64	MD	MS		03
L	MIL-B-2619A	AMMUNITION, GENERAL SPECIFICATION FOR	A 6515	MB	19-JAN-90	MD	MS		03
L	MIL-B-002619B	AMMUNITION, GENERAL SPECIFICATION FOR							
L	MIL-C-2642A	PERIMETER, OPHTHALMOLOGICAL, SCHWEIGER, HAWK (VALIDATION DATE: 8406) USER: CS							
		LUMBER, SHIP & BOAT CONSTRUCTION, CEDAR, MAHOGANY, & DOUGLAS FIR REVIEWER: CS							
		SIGN BOX, INTERIOR ILLUMINATED, ELECTRIC (4 INCH BY 15 INCH MESSAGE) (VALIDATION DATE: 8104) USER: AT MC REVIEWER: GS							
		POLISH, METAL, LIQUID, MIRROR, SEARCHLIGHT, NON-FREEZING TYPE, (VALIDATION DATE: 8303) USER: MC REVIEWER: 99 GS MD							
		BAG, PATIENT S EFFECTS (VALIDATION DATE: 8202)							
		BAG, PATIENT S, EFFECTS (VALIDATION DATE: 8202)							
		CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL (NO S/S DOCUMENT)							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / Chk Combination Insects	Document Number	Document Title	Dist. Smt FSC / Ans	MCA Symbol Preparing Act	Date	Customers		
						Army	Navy	Air Force DLA
D L	MIL-S-2649B(1)	SEARCHLIGHT, INCANDESCENT, 7-INCH SEALED BEAM LAMP FOR SMALL BOATS USER; YD1 REVIEWER: GS	A 6230	SH	12-JUN-86	SH		
Q	MIL-B-2678C	BRUSHES, WIRE, BOILER TUBE, EXPANDING TYPE FOR USE WITH ELECTRIC AND AIR MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS, AND FIXED SECTIONAL HAND TYPE REVIEWER: AR CE	A 5120	SH	04-AUG-89	GL	SH	99
D	MIL-B-2680 MIL-C-2683A	BUOY, ANCHOR, SPAR [VALIDATION DATE: 8407] ..... CHAIN ASSEMBLY, SINGLE LEG, BOAT ANCHOR [VALIDATION DATE: 8405] USER: YD1 REVIEWER: IS	A 2050 A 4010	SH SH	23-AUG-51 20-JAN-55	ME SH	SH 99	
	DOD-C-2687B(1) NOTICE 1	COMPOUND, BATTERY SEALING (METRIC) [VALIDATION DATE: 8706] .....	A 8030	SH	02-JUN-87	SH		
L	MIL-F-2692H MIL-G-2697A(2)	FLAGS AND PENNANTS USER: 45 REVIEWER: B2 CT ..... GLASS, PORTLIGHT, CIRCULAR, HEAT TREATED [VALIDATION DATE: 8104] USER: CS REVIEWER: 99	A 8345 A 2040	1H SH	26-MAR-92 22-SEP-65	1H SH	MU 11	
LI	MIL-I-002703C(1) NOTICE 1	INDICATOR, COMBUSTIBLE GAS, PORTABLE .....	A 6665	SH	15-MAR-91	SH		
D	MIL-L-2710B MIL-H-2714A(1)	LINKS, CHAIN, DETACHABLE, REGULAR AND PEAR-SHAPED USER: YD1 REVIEWER: IS .. MICROPHONE, CARBON, HAND HELD [VALIDATION DATE: 8104] USER: AS CG REVIEWER: ES	A 4010 A 5965	SH EC	25-MAR-91 06-FEB-69	SH OR	SH EC	99 85
L	MIL-R-2726B	RECEPTACLE, RECEPTACLE PLUGS, SWITCH AND RECEPTACLES, AND OUTLETS, GENERAL SPECIFICATION FOR USER: CR REVIEWER: AR ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/1B	RECEPTACLE, PLUG, ELECTRICAL, 2 PIN, 40 AMPERE, 125 VOLT DIRECT CURRENT (SYMBOL NO. 715.1) [VALIDATION DATE: 8008] REVIEWER: ES	A 5935	SH	19-APR-68	SH		
L	MIL-R-2726/2B	RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT DIRECT CURRENT (SYMBOL NO. 716.1) [VALIDATION DATE: 8008] REVIEWER: ES	A 5935	SH	19-APR-68	SH		
L	MIL-R-2726/3C	RECEPTACLE, PLUG, ELECTRICAL, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT, 60 HZ (SYMBOL NR 717.1) [VALIDATION DATE: 8008] REVIEWER: ES	A 5935	SH	30-JUL-71	SH		
L	MIL-R-2726/5B	RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NO. 1140.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/6B	RECEPTACLE, PLUG, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NO. 1143.1)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/7A	RECEPTACLE, ELECTRICAL, 2 PIN, 40 AMPERE, 125 VOLT DIRECT CURRENT (SYMBOL NOS. 756.1 AND 756.2)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/8A	RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT DIRECT CURRENT (SYMBOL NOS. 757.1 AND 757.2)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/9A	RECEPTACLE, ELECTRICAL, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NOS. 758.1 AND 758.2)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/11B	RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NO. 1141.1)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/12A	RECEPTACLE, ELECTRICAL, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1144.1 & 1144.2)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/13D	RECEPTACLE, CAP ASSEMBLY, ELECTRICAL (SYMBOL NO. 1142.1) .....	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/15B	RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 50 AMPERE, 250 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1146.1, 1146.2, AND 1146.3)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/16A	RECEPTACLE, ELECTRICAL, ENCLOSED, 4 PIN GROUNDED, 40 AMPERE, 450 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1147.1, 1147.2 AND 1147.3)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/17B	RECEPTACLE, ELECTRICAL, ENCLOSED, 3 PIN GROUNDED, 40 AMPERE, 125 VOLT ALTERNATING CURRENT (SYMBOL NOS. 1148.1, 1148.2, AND 1148.3)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/18A	RECEPTACLE, ELECTRICAL, TRIPLE, 50 AMPERE, 250 VOLT DIRECT CURRENT, 3 POLE GROUNDED (SYMBOL NO. 1105.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/19B	RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 450 VOLT, ALTERNATING CURRENT, 60 HZ, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO 915.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/20A	RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 450 VOLT, 1 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 916.1)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/21A	RECEPTACLE WITH SWITCH, ELECTRICAL, 30 AMPERE, 250 VOLT DIRECT CURRENT, INTERLOCKING, GROUNDED (SYMBOL NO. 917.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/22A	RECEPTACLE, OUTLET, ELECTRICAL, WELDING, 200 AMPERE, DIRECT CURREN T, CONSTANT POTENTIAL (SYMBOL NO. 770.2)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/23A	RECEPTACLE, ELECTRICAL, ENCLOSED, 100 AMPERE, 250 VOLT DIRECT CURRENT, BULKHEAD MOUNTED (SYMBOL NO. 726.1)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/24B	RECEPTACLE, PLUG, ELECTRICAL, CONNECTOR, 25-AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 707.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/25A	RECEPTACLE, ELECTRICAL CONNECTOR, 25 AMPERE, 500 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 722.1)	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/26C	RECEPTACLE, PLUG, ELECTRICAL 4 PIN, 60 AMPERE, 208/117 VOLT, 3 PHASE (SYMBOL NO 728.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/27B	RECEPTACLE WITH SWITCH, ELECTRICAL, 60 AMPERE, 208/117 VOLT, 3 PHASE, INTERLOCKING, GROUNDED (SYMBOL NO. 776.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/28A	RECEPTACLE, ELECTRICAL 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE, ( SYMBOL NO. 1221) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-P-2726/29	PLUG, ELECTRICAL, 4 POLE GROUNDED, 100 AMPERE, 450 VOLT, 3 PHASE (SYMBOL NO. 1222) [VALIDATION DATE: 8301] REVIEWER: ES	A 5935	SH	30-JUN-67	SH		
L	MIL-R-2726/30A	PLUG, ELECTRICAL, 10 AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 727.1) [VALIDATION DATE: 8301] REVIEWER: ES	A 5935	SH	30-JUN-67	SH		
L	MIL-R-2726/31A	PLUG, ELECTRICAL, 10 AMPERE, 125 VOLT, DOUBLE POLE, MALE (SYMBOL NO. 729.1) 300667 [VALIDATION DATE: 8301] REVIEWER: ES	A 5935	SH	30-JUN-67	SH		
L	MIL-R-2726/32A	RECEPTACLE, ELECTRICAL, 10 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED (SYMBOL NO. 775.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/33B	RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, MALE (SYMBOL NO. 1214.2 - RED, SYMBOL NO. 1214.5 - BLACK) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/34C	RECEPTACLE, PLUG, ELECTRICAL, 40 AMPERES, 125 VOLT, SIGNAL POLE, FEMALE TYPE (SYMBOL NO 1214.3 RED, SYMBOL NO 1214.4 BLACK) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/35B	RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, FEMALE (SYMBOL NO. 1213.2) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/36B	RECEPTACLE, ELECTRICAL, 40 AMPERE, 125 VOLT, SINGLE POLE, PANEL MOUNTED, MALE TYPE (SYMBOL NO. 1213.3 - RED, SYMBOL NO. 1213.5 - BLACK) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/37E	RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, 60-HERTZ, BLADED TYPE, GROUNDED (SYMBOL NO. 1099.1) REVIEWER: ES	A 5935	SH	07-AUG-89	SH		
L	MIL-R-2726/38C	RECEPTACLE, PLUG, ELECTRICAL, 15 AMP, 125 V, BLADED TYPE, GROUNDED (SYMBOL NO. 1218.3) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/39A	RECEPTACLE AND SWITCH, ELECTRICAL, 15 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 919) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/40A	RECEPTACLE CHANNEL, ELECTRICAL, 10 AMPERE, 125 VOLT, BLADED TYPE, GROUNDED (SYMBOL NO. 730.4) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/41A	RECEPTACLE, ELECTRICAL, ENCLOSED, 15 AMPERE, 125 VOLT, C POLE (SYMBOL NO. 1098.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/42A	RECEPTACLE, ELECTRICAL, ENCLOSED, 60 AMPERE, 500 VOLT, 3 PHASE, GROUNDED (SYMBOL NO. 746.2) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/43A	RECEPTACLE, ELECTRICAL, (BLADED) 15 AMPERE WITH 3 AMPERE SWITCH, TYPE DPST, 125 VOLT, GROUNDED, TOTALLY ENCLOSED (SYMBOL 918.1) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		
L	MIL-R-2726/44A	RECEPTACLE, PORTABLE TRIPLE OUTLET, ELECTRICAL, 60-AMPERE, 500-VOLT, 3-PHASE GROUNDED (SYMBOL NO. 765.3) REVIEWER: ES	A 5935	SH	03-JUL-86	SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Obit Continuation Notice	Document Number	Document Title	Doc. Sym.	FAC / Area	MCS Symbol	Preparing Acty	Date	Custodians			
								Army	Navy	Air Force	DIA
L	MIL-R-2726/45B	RECEPTACLE, OUTLET SWITCH, ELECTRICAL, 100 AMPERE, 125 VOLT, 60 AMPERE, 250 VOLT, INTERLOCKING, GROUNDED (SYMBOL NO. 772.1) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/46A	RECEPTACLE, PLUG, ELECTRICAL, 100-AMPERE, 250 VOLT, DIRECT CURRENT, 3 POLE (SYMBOL NO. 721.1) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
LI	MIL-R-2726/47A NOTICE 1	RECEPTACLE, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT 2-POLE, GROUNDED (SYMBOL NO. 735.3) REVIEWER: ES	A	5935	SH	26-DEC-90		SH			
LI	MIL-R-2726/48B NOTICE 1	RECEPTACLE AND SWITCH, ELECTRICAL, ENCLOSED, 15-AMPERE, 125-VOLT INTERLOCKING, GROUNDED (SYMBOL NO. 900.1) REVIEWER: ES	A	5935	SH	26-DEC-90		SH			
L	MIL-R-2726/49D(1)	RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, 40-AMPERE, 450-VOLT, 60 HERTZ, ALTERNATING CURRENT, 4-POLE, PORTABLE, PLASTIC, GROUNDED (SYMBOL NOS. 765.6, 765.7 AND 765.8) REVIEWER: ES	A	5935	SH	01-MAR-91		SH			
LI	MIL-R-2726/50C NOTICE 1	RECEPTACLE, PLUG, ELECTRICAL, 15-AMPERE, 125/250-VOLTS, 2-POLE, GROUNDED (SYMBOL NO. 720.3) REVIEWER: ES	A	5935	SH	26-DEC-90		SH			
L	MIL-R-2726/51B	RECEPTACLE, ADAPTER, ELECTRICAL, 15-AMPERE, 125-VOLT, ALTERNATING CURRENT, GROUNDED (SYMBOL NO. 2440.2) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/52A	PLUG, ELECTRICAL, 3 PIN GROUNDED, 10 AMPERE, 450 VOLT, 60 CYCLE, SINGLE PHASE (SYMBOL NO. 1257) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/53A	PLUG, ELECTRICAL, 4 PIN GROUNDED, 10 AMPERE, 450 VOLT, 60 CYCLE, A.C., SYMBOL NO. 1258 REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/54A	RECEPTACLE, PLUG, ELECTRICAL, 3-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400 HERTZ, SINGLE-PHASE (SYMBOL NO. 1259) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/55A	RECEPTACLE, PLUG, ELECTRICAL, 4-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400-HERTZ, 3-PHASE (SYMBOL NO. 1260) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/56A	RECEPTACLE, PLUG, ELECTRICAL, 4-POLE GROUNDED, 60-AMPERE, 450-VOLT, 3-PHASE (SYMBOL NO. 1261) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/57A	RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1262) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/58A	RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450 VOLT, 60-HERTZ, ALTERNATING CURRENT (SYMBOL NO. 1263) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/59A	RECEPTACLE, ELECTRICAL, 3-PIN GROUNDED, 10 AMPERE, 450-VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1264) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/60A	RECEPTACLE, ELECTRICAL, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 400 HERTZ, 3-PHASE (SYMBOL NO. 1265) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/61A	RECEPTACLE, ELECTRICAL, 4-POLE GROUNDED, 60 AMPERE, 450 VOLT, 3 PHASE (SYMBOL NO. 1266) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/62B	RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 10-AMPERE, 450 VOLT, 60-HERTZ, SINGLE PHASE (SYMBOL NO. 1267) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/63B	RECEPTACLE, ELECTRICAL, ENCLOSED, 4-PIN GROUNDED, 10-AMPERE, 450-VOLT, 60-HERTZ, ALTERNATING CURRENT (SYMBOL NO. 1268) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/64B	RECEPTACLE, ELECTRICAL, ENCLOSED, 3-PIN GROUNDED, 10-AMPERE, 450 VOLT, 400 HERTZ, SINGLE PHASE (SYMBOL NO. 1269) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/65B	RECEPTACLE, ELECTRICAL, ENCLOSED, 4-PIN GROUNDED, 10-AMPERE, 450 VOLT, 400 HERTZ, 3-PHASE (SYMBOL NO. 1272) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/67A	RECEPTACLE, ELECTRICAL, ENCLOSED, 10 AMPERE, 125 VOLT, 3 PHASE GROUNDED (SYMBOL NO. 741.2) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/68C	RECEPTACLE, PLUG, CONNECTOR, ELECTRICAL, 10 AMPERE, 125 VOLT, 3 PHASE GROUND (SYMBOL NO. 706.1) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/69B	RECEPTACLE, OUTLET, TRIPLE, ELECTRICAL, PORTABLE, 15 - AMPERE, 125 - VOLT ALTERNATING CURRENT, DOUBLE POLE, GROUNDED, 25-FOOT CABLE EXTENSION (SYMBOL NO. 779) REVIEWER: ES	A	5935	SH	03-JUL-86		SH			
L	MIL-R-2726/72B	RECEPTACLE, ADAPTER, ELECTRICAL, 15 AMPERE, 125 VOLT, AC, 60 TO 400 HZ, GROUNDED (SYMBOL NO 2439) [INVALIDATION DATE: 7903] REVIEWER: ES	A	5935	SH	01-NOV-72		SH			
L	MIL-R-2726/73B NOTICE 1	RECEPTACLE, ELECTRICAL, 15-AMPERE, 125-VOLT, BLADED TYPE, GROUNDED (PORTABLE) (SYMBOL NO. 1215) [INVALIDATION DATE: 9202] REVIEWER: ES	A	5935	SH	20-FEB-92		SH			
L	MIL-R-2728C NOTICE 1	REFLECTOR, LIGHT: PARABOLIC, SEARCHLIGHT [INVALIDATION DATE: 9012] REVIEWER: GS	A	6210	SH	18-DEC-90	ME	SH	99		
L	MIL-R-2729D	REGULATOR-EXCITER SYSTEMS, VOLTAGE, A.C. GENERAL, NAVAL SHIPBOARD USE	A	6110	SH	28-JAN-92		SH			
A L	MIL-D-2759E	DEAD RECKONING TRACER (DRT) (NAVAL SHIPBOARD)	A	6605	SH	18-DEC-87		SH			
L	MIL-F-2763B	FILTER, LIGHT, OPTICAL INSTRUMENT, BINOCULAR [INVALIDATION DATE: 8506] USER: MC MI OS	A	6650	AR	01-DEC-86	AR	SH	99		
L	MIL-T-2764C	TESTER, DEAD WEIGHT PISTON [INVALIDATION DATE: 8312] REVIEWER: GS	A	6685	SH	13-MAR-72		SH			
L	MIL-R-2765D NOTICE 1	RUBBER SHEET, STRIP, EXTRUDED, AND MOLDED SHAPES, SYNTHETIC, OIL RESISTANT [INVALIDATION DATE: 9104] USER: ME REVIEWER: EA IS MI	A	5330	SH	04-APR-91	AR	SH			
L	MIL-G-2767C(1)	GUMDS, RAT, SHIP	A	2040	SH	05-APR-89	ME	SH			
L	MIL-R-2778B NOTICE 2	RUBBER SHEET, SOLID, UNVULCANIZED, HIGH GRAPHITE, GASKET USE, SYMBOL 2352 [INVALIDATION DATE: 9103] REVIEWER: IS	A	5330	SH	27-MAR-91		SH			
Q	MIL-I-2781F	INSULATION, PIPE, THERMAL	A	5640	SH	21-AUG-91	ME	SH	84		
L	MIL-R-2784A NOTICE 1	RULES, SOUNDING, JOINTED [INVALIDATION DATE: 9106] REVIEWER: GS	A	6680	SH	07-JUN-91	ME	SH			
D	MIL-H-2813A	HOIST, CHAIN AND WIRE ROPE, PNEUMATIC [INVALIDATION DATE: 7903] USER: AS OS REVIEWER: CS GL YD1	A	3950	SH	28-MAR-56	ME	SH	99		
L	MIL-H-2814E	HOOK, MATERIALS HANDLING, HAND, MEAT, AND HOOKS, MEAT HANGING [INVALIDATION DATE: 8104] USER: MC MS	A	5120	GL	25-SEP-73	GL		99		
L	MIL-H-2815G	HOSE ASSEMBLIES, RUBBER, DIVER'S BREATHING AIR AND GAS SUPPLY USER: ME MS REVIEWER: CS MD	A	4220	SH	17-FEB-89	EA	SH			
D	MIL-I-2818C(1)	INSULATION BLANKET, THERMAL, FIBROUS MINERAL USER: YD1	A	5640	SH	13-JUL-92	ME	SH			
Q	MIL-I-2819F(2)	INSULATION BLOCK, THERMAL	A	5640	SH	08-JUL-82	ME	SH	99		
L	MIL-P-2845D	PROPULSION SYSTEMS, BOAT AND SHIP: MAIN SHAFTING, PROPELLERS, BEARINGS, GAUGES, SPECIAL TOOLS, AND ASSOCIATED REPAIR PARTS: PACKAGING OF GLASS, MEAT-TREATED, GLAZING, RECTANGULAR (FOR BRIDGE WINDOWS)	A	5620	SH	10-NOV-88	ME	SH	84		
L	MIL-G-2867B	GLASS, SIGHT, FLAT, CLEAR, BOROSILICATE [INVALIDATION DATE: 8309] USER: ME REVIEWER: GS	A	2040	SH	30-DEC-77		SH			
L	MIL-G-2860E	GLASS, SIGHT, FLAT, CLEAR, BOROSILICATE [INVALIDATION DATE: 8309] USER: ME REVIEWER: GS	A	2040	SH	30-DEC-77		SH			
QL	MIL-C-2861E	CEMENT, INSULATION, HIGH TEMPERATURE REVIEWER: MI	A	5640	SH	05-AUG-88	ME	SH	99		
QL	MIL-P-2863B(2) NOTICE 1	PACKING, PREFORMED, CONDENSER-TUBE (SYMBOL 1435) REVIEWER: IS	A	5330	SH	15-JAN-88		SH			
A L	MIL-B-2873D	BOAT CLOTH	A	7210	CT	12-MAR-85		NU		CT	
A L	MIL-G-2874E	GLOVES, ANTI-FLASH, FLAME RESISTANT USER: 45 MC REVIEWER: 82	A	8415	CT	01-JUL-87	GL	NU	99	CT	
D	MIL-A-2877C NOTICE 1	ALUMINUM ALLOY TAPE [INVALIDATION DATE: 9102] USER: GL MC YD1 REVIEWER: AS IS	A	9535	SH	20-FEB-91	NR	SH			
A L	MIL-P-2880D	PAPER, TEMPLATE USER: CG SA	A	9310	GL	18-NOV-76	GL		99		
A L	MIL-B-2883D	BOATSMAN'S PIPE REVIEWER: CG	A	8465	CT	17-OCT-88		NU		CT	
A	MIL-B-2885F	BOOTS, FIREMENS USER: 45 AS SH REVIEWER: EA MD	A	8430	CT	06-OCT-87	GL	NU	99	CT	
L	MIL-L-2898D(1)	LOCKS, FLUSH, METAL AND WOOD DOOR AND DRAWER, NAVAL SHIPBOARD REVIEWER: IS MI	A	5340	SH	17-APR-89		SH			
L	MIL-L-2898/1	LOCK, FLUSH, TYPE A, DEAD BOLT	A	5340	SH	17-APR-89		SH			
L	MIL-L-2898/2	LOCK, FLUSH, TYPE B, DEAD BOLT	A	5340	SH	17-APR-89		SH			
L	MIL-W-2902D	WIRE ROPE ASSEMBLIES, SINGLE LEG, OXYGEN BREATHING APPARATUS SAFETY LINE REVIEWER: IS	A	4010	SH	23-DEC-88		SH			
Q	MIL-P-2911A(1)	PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES [INVALIDATION DATE: 8106] USER: AV REVIEWER: CS IS MI	A	5330	SH	07-DEC-60	AR	SH			
L	MIL-S-2912F	SYNTHETIC RUBBER COMPOUND, ACID AND OIL RESISTANT	A	9320	SH	26-JUL-88		SH			
QL	MIL-C-2939F	COOLING COILS, AIR, DUCT TYPE AND GRAVITY TYPE, NAVAL SHIPBOARD ENVIRONMENTAL CONTROL SYSTEMS REVIEWER: GS	A	4130	SH	31-DEC-90		SH			
Q	MIL-S-2940B(1)	SHUBBERS, FLUID PRESSURE, INSTRUMENT PROTECTION REVIEWER: 82 GS MI	A	6685	SH	12-NOV-86	ME	SH	99		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Coordination Initiative	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Body	Date	Custodians			
						Army	Navy	Air Force	DIA
D	MIL-S-2953C(1)	STRAINERS, STEAM (SIZES 3 INCHES AND BELOW) REVIEWER: AL AR CS YD1	A 4730	SH	23-APR-91	ME	SH		
L	MIL-V-29610	VALVES, GLOVE, PRESSURE REDUCING, GAS SERVICE REVIEWER: CS	A 4820	SH	03-APR-90	SH			
	MIL-V-2962B	VALVE, PRESSURE REGULATING, BOILER FUEL OIL [VALIDATION DATE: 8404]	A 4820	SH	20-OCT-61	ME	SH	99	
	MIL-R-2978C	REFLECTORS, 11 AR CS	A 4933	AR	08-SEP-88	AR	OS		
	NOTICE 1	REFLECTORS, BARREL [VALIDATION DATE: 8809] USER: MC							
	MIL-F-2980E(1)	FIRING ATTACHMENTS, BLANK AMMUNITION [VALIDATION DATE: 8502] USER: MC	A 1005	AR	14-MAR-79	AR	OS	99	
		REVIEWER: 84							
	MIL-H-2987B	HIDER, FLASH [VALIDATION DATE: 8201] USER: MC REVIEWER: 84	A 1005	AR	11-NOV-75	AR	OS		
A	MIL-P-3003K(1)	PONCHO, WET WEATHER, HEAVY DUTY USER: SH REVIEWER: MC MD	A 8405	CT	16-JUL-90	GL	MU	CT	
A	MIL-S-3007J(1)	SWEATER, MAN'S, OLIVE DRAB USER: 45 CG MU REVIEWER: 11 82 MD	A 8405	CT	10-JAN-89	GL		99	CT
A L	MIL-D-3018D(2)	DRESS, FOOD HANDLER'S, WOMAN'S [VALIDATION DATE: 8911] USER: 11 MC MS	A 8415	CT	08-NOV-89			99	CT
	NOTICE 1	REVIEWER: MD							
A	MIL-M-3019E	NECKLACE, PERSONNEL, IDENTIFICATION TAG USER: 45 CG MC REVIEWER: 82 MD PE	A 8465	CT	09-FEB-90	GL	MU	99	CT
	MIL-A-3029A	ASPHALT, WATERPROOFING (FOR USE IN MANUFACTURE OF FIBER AMMUNITION	A 5610	SH	20-MAY-89	AR	OS		
		CONTAINERS) REVIEWER: EA							
	MIL-C-3031J(1)	COCOA BEVERAGE POWDER REVIEWER: MC MD MS SS TS	A 8960	GL	01-DEC-87	GL	SA	50	
	MIL-G-3036C(1)	GROMMET, ELASTIC, HOT OIL & COOLANT RESISTANT [VALIDATION DATE: 8507]	A 5325	AR	15-NOV-78	AR	OS	99	
		USER: AS EC MC SA REVIEWER: EA ER GL IS MI NS							
L	MIL-S-3039C	STEEL, STRAP, HIGH CARBON, SPHEROIDIZED ANNEALED (FOR AMMUNITION CARTRIDGE	A 9515	MR	26-JAN-88	MR			
		CLIPS) REVIEWER: AR IS							
	MIL-R-3043B	RESIN COATING, UNIMPREGNATED, FOR ENGINE COMPONENTS AND METAL PARTS	A 8030	B4	05-JAN-72	MR	SH	99	
		[VALIDATION DATE: 8207] USER: AT SA REVIEWER: 11 AS AV OS							
D	MIL-T-3044E	TRUCK, DUMP, OFF ROAD, DIESEL ENGINE DRIVEN, 15 TO 50 TON PAYLOAD	A 3805	ME	03-SEP-76	ME	YD1		
		[VALIDATION DATE: 8108] USER: AT CE REVIEWER: CS							
A	MIL-D-3052E	DECORATION, FOURRAGERE [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT	A 8455	1H	20-NOV-92	1H		11	
A L	MIL-L-3055C(1)	LEAD AZIDE REVIEWER: OS	A 1376	AR	19-MAR-93	AK			
	MIL-L-003055B	LEAD AZIDE	A 1376	AR	26-APR-85	AK			
D	MIL-G-3056F(2)	GASOLINE, AUTOMOTIVE, COMBAT USER: MC YD1 REVIEWER: 11 AT EA SA	A 9130	ME	18-MAY-92	ME	SH	68	
D	MIL-L-3058C	LOADING STANDARDS, LIQUID TRANSFER, BULK: LIQUID FUELS, STATIONARY,	A 3990	ME	19-MAY-92	ME	YD1		
		3-INCH USER: CE REVIEWER: AT CS							
	MIL-S-3059E	SOUP, DEHYDRATED, GREEN PEA, SIMMER TYPE REVIEWER: MC MD MS SS TS	A 8935	GL	31-MAR-86	GL	SA	50	
L	MIL-B-3060E(4)	BOXES, SMALL ARMS AMMUNITION: M19A1 AND M2A1	A 8140	AR	05-MAR-92	AK			
L	MIL-L-3061B	LECITHIN (FOR USE IN EXPLOSIVES) [VALIDATION DATE: 8507] REVIEWER: CS	A 6810	OS	13-JUN-69	OS			
Q	MIL-I-3064B	INSULATION, ELECTRICAL, PLASTIC-SEALER [VALIDATION DATE: 9103] REVIEWER:	A 5970	SH	22-MAR-91	ER	SH	85	
	NOTICE 1	CS MI							
D	MIL-R-3065E(1)	RUBBER, FABRICATED PRODUCTS [VALIDATION DATE: 9006] USER: AS MC YD1	A 9320	MR	29-JUN-90	MR	SH	99	
	NOTICE 1	REVIEWER: AL AR CS DS ER GL GS MI OS							
L	MIL-C-3066B	CARTRIDGE, CALIBER .50: ARMOR-PIERCING-INCENDIARY, MB; AND	A 1305	AR	31-OCT-90	AR			
	NOTICE 1	ARMOR-PIERCING-INCENDIARY-TRACER, M20 [VALIDATION DATE: 9010]							
L	MIL-C-3066B(11)	CARTRIDGES, CALIBER .50: ARMOR-PIERCING-INCENDIARY, MB; AND	A 1305	AR	06-JAN-92	AR			
		ARMOR-PIERCING-INCENDIARY-TRACER, M20							
	MIL-B-3067B(1)	BRIDGE, RESISTANCE (RESISTANCE BRIDGE, ZN-4) (1U (ADDENDUM (1) )	A 6625	SH	06-JUN-86	CR	SH	99	
	NOTICE 1	[VALIDATION DATE: 8606]							
D	MIL-M-3070F	MIXERS, LIQUID, REVOLVING SHAFT AND AGITATOR TYPES USER: 82 ER MC	A 4940	AL	03-MAY-89	AL	YD1	99	
		REVIEWER: CS							
D	MIL-R-3074D	RAILWAY CAR, GONDOLA: HIGH SIDE 56-1/2-INCH GAGE, 50-TON, 8-WHEEL	A 2220	ME	28-SEP-79	ME	YD1	99	
		(WELDED), DOMESTIC SERVICE							
D	MIL-R-3075E	ROLLER, MOTORIZED, ROAD, DIESEL OR GASOLINE ENGINE DRIVEN, PACKAGING OF	A 3895	ME	11-JUN-82	ME	YD1	99	
		REVIEWER: SH							
	MIL-R-3080B(2)	RESISTOR, CURRENT REGULATING (BALLAST TUBES) [VALIDATION DATE: 8110] USER:	A 5905	ER	24-JUN-70	ER	EC	85	
	SUPPL 1A	AS MC REVIEWER: 11 17 99 AR AV ES OS							
	MIL-R-3080/1A	RESISTOR, CURRENT REGULATING (BALLAST TUBES), TYPE TJ601K01 [VALIDATION	A 5905	ER	24-JUN-70	ER	EC	85	
		DATE: 8110] USER: AS AV MC REVIEWER: 11 17 99 ES OS							
	MIL-R-3080/2A	RESISTOR, CURRENT REGULATING (BALLAST TUBES) TYPE TJ791K01 [VALIDATION	A 5905	ER	24-JUN-70	ER	EC	85	
		DATE: 8110] USER: AS MC REVIEWER: 11 17 99 ES OS							
	MIL-R-3080/5A	RESISTOR, CURRENT REGULATING (BALLAST TUBES) TYPE TJ311M01 [VALIDATION	A 5905	ER	24-JUN-70	ER	EC	85	
		DATE: 8110] USER: AV MC REVIEWER: 11 17 99 AR ES OS							
	MIL-R-3080/11A	RESISTOR, CURRENT REGULATING (BALLAST), TYPE TJ102L01 [VALIDATION DATE:	A 5905	ER	24-JUN-70	ER	EC	85	
		8110] USER: AS AV MC REVIEWER: 11 17 99 ES OS							
D	MIL-V-3083D	VIBRATOR, CONCRETE: PNEUMATIC USER: CE MC YD1 REVIEWER: CS	A 3895	ME	17-JUL-89	ME		99	
L	MIL-G-3087C	GENERATOR SETS, STEAM TURBINE (DIRECT AND ALTERNATING CURRENT) (NAVAL	A 6115	SH	15-NOV-73	SH			
		SHIPBOARD USE) [VALIDATION DATE: 8106] REVIEWER: GS							
D	MIL-C-3093A	CABLE, TELEPHONE INSIDE DISTRIBUTION WIRING (MD-15/U, WF-9/U AND WT-3/U)	A 6145	CR	16-AUG-88	CR	EC	85	
	NOTICE 1	[VALIDATION DATE: 8808] USER: AT REVIEWER: IS ME YD1							
A	MIL-C-3095G	CAP, SERVICE, MAN'S, AIR FORCE USER: 45 REVIEWER: 82 99	A 8405	CT	25-NOV-88			11	CT
Q	MIL-C-3098G(3)	CRYSTAL UNITS, QUARTZ, GENERAL SPECIFICATION FOR USER: 17 19 AS CG MC OS	A 5955	ER	14-SEP-88	ER	EC	85	
	SUPPL 1A	REVIEWER: 11 99 AR AV ES MI SH SH							
	MIL-C-3098/1D	CRYSTAL UNIT, QUARTZ, CR-158/U [VALIDATION DATE: 8811] USER: 17 19 AS CG	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	MC OS REVIEWER: 11 99 AR MI SH							
I	MIL-C-3098/2E	CRYSTAL UNIT, QUARTZ, CR-168/U [VALIDATION DATE: 8811] USER: 17 19 AS CG	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	MC OS REVIEWER: 11 99 AR MI SH							
	MIL-C-3098/3D	CRYSTAL UNIT, QUARTZ, CR-18A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 AR ES MI							
	MIL-C-3098/4D	CRYSTAL UNIT, QUARTZ, CR-19A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 AR ES MI							
I	MIL-C-3098/6F	CRYSTAL UNIT, QUARTZ, CR-24/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	OS REVIEWER: 11 99 AR MI SH							
	MIL-C-3098/7F	CRYSTAL UNIT, QUARTZ, CR-25B/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 AR ES MI							
	MIL-C-3098/8D	CRYSTAL UNITS, QUARTZ, CR-26A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 ES MI							
	MIL-C-3098/9E	CRYSTAL UNITS, QUARTZ, CR-27A/U [VALIDATION DATE: 8811] USER: 19 AS CG MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 17 AR ES MI							
	MIL-C-3098/10E	CRYSTAL UNITS, QUARTZ, CR-28A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 AR ES MI							
	MIL-C-3098/11D	CRYSTAL UNITS, QUARTZ, CR-29A/U [VALIDATION DATE: 8811] USER: 19 AS CG MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	REVIEWER: 11 17 AR MI							
	MIL-C-3098/12D	CRYSTAL UNIT, QUARTZ, CR-30A/U [VALIDATION DATE: 8811] USER: 17 19 AS CG	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	MC OS REVIEWER: 11 99 AR MI SH							
	MIL-C-3098/14D	CRYSTAL UNIT, QUARTZ, CR-33A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 AR ES MI							
	MIL-C-3098/15E	CRYSTAL UNIT, QUARTZ, CR-35A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 AR ES MI							
	MIL-C-3098/16F	CRYSTAL UNITS, QUARTZ, CR-36A/U [VALIDATION DATE: 8811] USER: 17 19 AS CG	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	MC SH REVIEWER: 11 AR ES MI							
	MIL-C-3098/17D	CRYSTAL UNIT, QUARTZ, CR-37A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 AR ES MI							
	MIL-C-3098/18D	CRYSTAL UNIT, QUARTZ, CR-38A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	SH REVIEWER: 11 99 AR MI							
	MIL-C-3098/19C	CRYSTAL UNIT, QUARTZ, CR-39/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	OS REVIEWER: 11 99 AR MI SH							
	MIL-C-3098/20C	CRYSTAL UNIT, QUARTZ, CR-40/U [VALIDATION DATE: 8811] USER: 19 AS CG MC	A 5955	ER	01-NOV-88	ER	EC	85	
	NOTICE 1	REVIEWER: 11 17 99 AR MI SH							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig./OMA Cancellation Inactive Document Number	Document Title	Dist. Sym. FDC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-C-3098/21E NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-42A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
1 MIL-C-3098/22C NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-43/U [VALIDATION DATE: 8811] USER: 17 19 AS CG MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/24C NOTICE 1	OS REVIEWER: 11 99 AR ES MI SH CRYSTAL UNIT, QUARTZ, CR-45/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/25D NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-46A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/26E NOTICE 1	SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-47A/U [VALIDATION DATE: 8811] USER: 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/28E NOTICE 1	REVIEWER: 11 17 AR ES MI CRYSTAL UNIT, QUARTZ, CR-50A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/29C NOTICE 1	OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNIT, QUARTZ CR-51A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/30D NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-52A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/31C NOTICE 1	SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-53A/U [VALIDATION DATE: 8811] USER: 17 19 AS CG	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/32D NOTICE 1	MC REVIEWER: 11 99 AR ES MI SH CRYSTAL UNITS, QUARTZ, CR-54A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/33G NOTICE 1	SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-55A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/34E NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNIT, QUARTZ, CR-56A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/35D NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNIT, QUARTZ, CR-57/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/36C NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-58A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/37C NOTICE 1	SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-59A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/38E NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNITS, QUARTZ, CR-60A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/39E NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH CRYSTAL UNIT, QUARTZ, CR-61/U [VALIDATION DATE: 8906] USER: 17 19 AS CG MC	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/40D NOTICE 1	OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNIT, QUARTZ, CR-62/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/41F NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-63B/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/42G NOTICE 1	SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-64A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG MC	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/43E NOTICE 1	OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNITS, QUARTZ, CR-65/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/44D NOTICE 1	SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-66A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/45G NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-67A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/46D NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNITS, QUARTZ, CR-68A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/47G NOTICE 1	OS SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-69A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/49B NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNITS, QUARTZ, CR-71/U [VALIDATION DATE: 8811] USER: AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
1 MIL-C-3098/50C NOTICE 1	REVIEWER: 11 ES MI CRYSTAL UNIT, QUARTZ, CR-72/U [VALIDATION DATE: 9111] USER: 17 19 AS CG MC	A 5955	ER 11-NOV-91	ER	EC	BS	
MIL-C-3098/51E NOTICE 1	OS REVIEWER: 99 AR ES MI SH TD CRYSTAL UNITS, QUARTZ, CR-74/U [VALIDATION DATE: 9111] USER: 17 19 AS CG	A 5955	ER 11-NOV-91	ER	EC	BS	
MIL-C-3098/52D NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNITS, QUARTZ, CR-75/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/53H NOTICE 1	OS SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-76A/U [VALIDATION DATE: 8906] USER: 17 19 AS CG	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/54C NOTICE 1	MC OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNIT, QUARTZ, CR-73/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/55C NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-77/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/56D NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-85/U [VALIDATION DATE: 8811] USER: 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/57E NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-80/U [VALIDATION DATE: 8906] USER: 17 19 AS CG MC	A 5955	ER 05-JUN-89	ER	EC	BS	
MIL-C-3098/58E NOTICE 1	OS REVIEWER: 11 99 AR ES MI SH SH CRYSTAL UNIT, QUARTZ, CR-81/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/59C NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-82/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/60D NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-83/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/61F NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-84/U [VALIDATION DATE: 8811] USER: 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/62C NOTICE 1	REVIEWER: 11 17 AR ES MI CRYSTAL UNIT, QUARTZ, CR-78A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/63C NOTICE 1	SH REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-79/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
1 MIL-C-3098/66F NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-88A/U [VALIDATION DATE: 8906] USER: 17 19 AS MC	A 5955	ER 05-JUN-89	ER	EC	BS	
L MIL-C-3098/67B NOTICE 1	SH REVIEWER: 11 AR ES MI SH CRYSTAL UNIT, QUARTZ, CR-89/U [VALIDATION DATE: 8811] REVIEWER: ES MI .....	A 5955	ER 01-NOV-88	ER			
MIL-C-3098/68C NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-91/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
L MIL-C-3098/70B NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-95/U [VALIDATION DATE: 8704] REVIEWER: 11 .....	A 5955	BS 17-APR-87				
L MIL-C-3098/71B NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-96/U [VALIDATION DATE: 8704] REVIEWER: 11 .....	A 5955	BS 17-APR-87				
MIL-C-3098/72B NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-97/U [VALIDATION DATE: 9111] USER: 17 19 84	A 5955	ER 11-NOV-91	ER	EC	BS	
L MIL-C-3098/73B NOTICE 1	REVIEWER: 11 ES CRYSTAL UNIT, QUARTZ, CR-98/U [VALIDATION DATE: 8704] REVIEWER: 11 .....	A 5955	BS 17-APR-87				
L MIL-C-3098/74D NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-99A/U (INACTIVE) [VALIDATION DATE: 8803] USER: 17	A 5955	BS 01-MAR-88				
MIL-C-3098/76B NOTICE 1	REVIEWER: 11 ES CRYSTAL UNIT, QUARTZ, CR-10/U [VALIDATION DATE: 8811] USER: 19 AS CG MC	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/77B NOTICE 1	REVIEWER: 11 17 AR ES MI CRYSTAL UNIT, QUARTZ, CR-5A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
MIL-C-3098/78B NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-6A/U [VALIDATION DATE: 8811] USER: 17 19 AS MC SH	A 5955	ER 01-NOV-88	ER	EC	BS	
L MIL-C-3098/79C NOTICE 1	REVIEWER: 11 AR ES MI CRYSTAL UNIT, QUARTZ, CR-104/U [VALIDATION DATE: 8803] USER: 17 REVIEWER:	A 5955	BS 01-MAR-88				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / OMA Combination Accessories	Document Number	Document Title	Dist Smt FSC / Arms MCA Symbol	Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-C-3098/80C NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-105/U [VALIDATION DATE: 9111] USER: 17 REVIEWER: 11 99 ES	A 5955	ER	11-NOV-91	ER	EC	BS	
L	MIL-C-3098/82A	CRYSTAL UNIT, QUARTZ, CR-106/U USER: 17 19 REVIEWER: 11 ES	A 5955	BS	02-NOV-83	ER	EC	BS	
M	MIL-C-3098/83D	CRYSTAL UNIT, QUARTZ, CR107/U USER: 17 REVIEWER: 99 ES	A 5955	ER	05-MAY-93	ER	EC	BS	
L	MIL-C-3098/84B NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-108/U [VALIDATION DATE: 8704] REVIEWER: 11 99	A 5955	BS	17-APR-87			BS	
L	MIL-C-3098/85A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-109/U [VALIDATION DATE: 8704] REVIEWER: 11	A 5955	BS	17-APR-87			BS	
M	MIL-C-3098/86C	CRYSTAL UNIT, QUARTZ, CR110/U USER: 17 84	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/87D	CRYSTAL UNITS, QUARTZ, CR-111/U USER: 17 REVIEWER: ES	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/88E	CRYSTAL UNIT, QUARTZ, CR-112/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	05-JUN-89	ER	EC	BS	
M	MIL-C-3098/89B	CRYSTAL UNIT, QUARTZ, CR113/U USER: 17 19	A 5955	ER	05-MAY-93	ER	EC	BS	
L	MIL-C-3098/90(1) NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-114/U [VALIDATION DATE: 8704] REVIEWER: 11	A 5955	BS	17-APR-87			BS	
	MIL-C-3098/92C NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-116/U [VALIDATION DATE: 8906] USER: 17 REVIEWER: 11 99	A 5955	ER	05-JUN-89	ER	EC	BS	
L	MIL-C-3098/93 NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-117/U [VALIDATION DATE: 8704] REVIEWER: 11 17 19	A 5955	BS	17-APR-87			BS	
M	MIL-C-3098/95C	CRYSTAL UNIT, QUARTZ, CR119/U USER: 17 19 84 AS MC SH REVIEWER: AR MI SM	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/96D	CRYSTAL UNIT, QUARTZ, CR90/U USER: 17 19 AS MC SH REVIEWER: AR MI SM	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/97E	CRYSTAL UNIT, QUARTZ, CR-120/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/98E	CRYSTAL UNIT, QUARTZ, CR121/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/99B	CRYSTAL UNIT, QUARTZ, CR122/U REVIEWER: 17 19	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/100B	CRYSTAL UNIT, QUARTZ, CR123/U USER: 17 19	A 5955	ER	05-MAY-93	ER	EC	BS	
	MIL-C-3098/101A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-124/U [VALIDATION DATE: 9111] USER: 17 19 REVIEWER: 11 ES	A 5955	ER	11-NOV-91	ER	EC	BS	
L	MIL-C-3098/102A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-125/U [VALIDATION DATE: 8704] REVIEWER: 11	A 5955	BS	17-APR-87			BS	
M	MIL-C-3098/103C	CRYSTAL UNIT, QUARTZ, CR101/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/104C	CRYSTAL UNIT, QUARTZ, CR102/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/105E	CRYSTAL UNIT, QUARTZ, CR103/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	05-MAY-93	ER	EC	BS	
L	MIL-C-3098/106A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-127/U [VALIDATION DATE: 8704] USER: 19 REVIEWER: 11 17 ES	A 5955	BS	07-APR-75			BS	
M	MIL-C-3098/107C	CRYSTAL UNIT, QUARTZ, CR126/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/108B	CRYSTAL UNIT, QUARTZ, CR128/U USER: 17 19 84	A 5955	ER	05-JUN-93	ER	EC	BS	
M	MIL-C-3098/109C	CRYSTAL UNITS, QUARTZ, CR130/U USER: 17 19 84 AS MC SH REVIEWER: AR MI SM	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/110B	CRYSTAL UNIT, QUARTZ, CR129/U USER: 17 19 84	A 5955	ER	05-MAY-93	ER	EC	BS	
M	MIL-C-3098/111B	CRYSTAL UNIT, QUARTZ, CR8/U USER: 17 19 AS MC SH REVIEWER: AR MD MI SM	A 5955	ER	05-MAY-93	ER	EC	BS	
L	MIL-C-3098/112B NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-133/U [INACTIVE] [VALIDATION DATE: 8803] USER: 17 REVIEWER: 11 19 ES	A 5955	BS	01-MAR-88			BS	
M	MIL-C-3098/113B	CRYSTAL UNIT, QUARTZ, CR134/U USER: 17 84 REVIEWER: 19	A 5955	ER	05-MAY-93	ER	EC	BS	
L	MIL-C-3098/114A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-135/U [VALIDATION DATE: 8704] REVIEWER: 11 19	A 5955	BS	17-APR-87			BS	
M	MIL-C-3098/115B	CRYSTAL UNIT, QUARTZ, CR135/U USER: 17 84	A 5955	ER	05-MAY-93	ER	EC	BS	
A	MIL-C-3098/116B	CRYSTAL UNIT, QUARTZ, CR137/U USER: 17 19 REVIEWER: ES	A 5955	ER	05-MAY-93	ER	EC	BS	
L	MIL-C-3098/117B NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-138/U [INACTIVE] [VALIDATION DATE: 8803] USER: 17 19 REVIEWER: 11 EC	A 5955	BS	01-MAR-88			BS	
A	MIL-C-3098/118B	CRYSTAL UNIT, QUARTZ, CR139/U USER: 17 REVIEWER: 99 ES	A 5955	ER	24-SEP-92	ER	EC	BS	
A	MIL-C-3098/120B	CRYSTAL UNIT, QUARTZ, CR131/U REVIEWER: AR ES MI	A 5955	ER	24-SEP-92	ER	EC	BS	
A	MIL-C-3098/121C	CRYSTAL UNIT, QUARTZ, CR132/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	24-SEP-92	ER	EC	BS	
A	MIL-C-3098/122B	CRYSTAL UNIT, QUARTZ, CR141/U USER: 17 REVIEWER: ES	A 5955	ER	24-SEP-92	ER	EC	BS	
L	MIL-C-3098/123A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-142/U [VALIDATION DATE: 8704] REVIEWER: 11	A 5955	BS	17-APR-87			BS	
L	MIL-C-3098/129A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-148/U [VALIDATION DATE: 8704] REVIEWER: 11	A 5955	BS	17-APR-87			BS	
A	MIL-C-3098/130B	CRYSTAL UNIT, QUARTZ, CR149/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	24-SEP-92	ER	EC	BS	
A	MIL-C-3098/131C	CRYSTAL UNIT, QUARTZ, CR150/U REVIEWER: AR ES MI	A 5955	ER	24-SEP-92	ER	EC	BS	
A	MIL-C-3098/132B	CRYSTAL UNIT, QUARTZ, CR151/U USER: 17 19 REVIEWER: 80 ES	A 5955	ER	24-SEP-92	ER	EC	BS	
A	MIL-C-3098/133C	CRYSTAL UNIT, QUARTZ, CR152/U USER: 17 AS CG MC OS REVIEWER: 19 AR ES MI	A 5955	ER	24-SEP-92	ER	EC	BS	
A	MIL-C-3098/134C	CRYSTAL UNIT, QUARTZ, CR153/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	24-SEP-92	ER	EC	BS	
I	MIL-C-3098/136C	CRYSTAL UNIT, QUARTZ, CR156/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	23-DEC-91	ER	EC	BS	
	MIL-C-3098/137A	CRYSTAL UNIT, QUARTZ, CR157/U USER: 17 19 84 AS MC SH REVIEWER: AR ES MI	A 5955	ER	23-DEC-91	ER	EC	BS	
	MIL-C-3098/138D	CRYSTAL UNIT, QUARTZ, CR154/U USER: 17 19 REVIEWER: 99 ES	A 5955	ER	23-DEC-91	ER	EC	BS	
	MIL-C-3098/139C	CRYSTAL UNIT, QUARTZ, CR158/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	23-DEC-91	ER	EC	BS	
	MIL-C-3098/140E	CRYSTAL UNIT, QUARTZ, CR159/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	23-DEC-91	ER	EC	BS	
I	MIL-C-3098/141B	CRYSTAL UNIT, QUARTZ, CR160/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	23-DEC-91	ER	EC	BS	
	MIL-C-3098/142C	CRYSTAL UNIT, QUARTZ, CR161/U USER: 17 19 AS CG MC OS REVIEWER: 99 AR ES	A 5955	ER	23-DEC-91	ER	EC	BS	
L	MIL-C-3098/143A NOTICE 1	CRYSTAL UNIT, QUARTZ, CR-162/U [VALIDATION DATE: 8803] USER: 17 19 ES REVIEWER: 99	A 5955	11	01-MAR-88			BS	
	MIL-C-3098/144B	CRYSTAL UNIT, QUARTZ, CR163/U USER: 17 19 AS MC REVIEWER: 99 AR ES MI SH	A 5955	ER	23-DEC-91	ER	EC	BS	
	MIL-C-3098/145A	CRYSTAL UNIT, QUARTZ, CR164/U USER: 17 19 84 AS MC SH REVIEWER: AR ES MI	A 5955	ER	23-DEC-91	ER	EC	BS	
L	MIL-C-3098/146A	CRYSTAL UNIT, QUARTZ, CR165/U	A 5955	ER	23-DEC-91	ER	EC	BS	
M	MIL-W-3100E(1)	WHEEL ASSEMBLIES, SOLID ELASTOMER TIRED, FOR TRACK LAYING VEHICLES USER: MC ME	A 2630	AT	15-APR-93	AT			
Q	MIL-S-3105C NOTICE 1	SEALING COMPOUND, INERT (FOR USE IN AMMUNITION) [VALIDATION DATE: 8610] USER: AS MC REVIEWER: EA MI	A 8030	OS	20-OCT-86	MR	OS	99	
	MIL-B-3106	BOARD, COMPOSITION, WATER-RESISTANT, SOLID (FOR FILLER OR CUSHIONING PADS) [VALIDATION DATE: 8302] USER: MC ME MS REVIEWER: EA MI SA SH	A 8140	AR	22-DEC-49	AR	OS	69	
A	MIL-B-3108K	BAG, CLOTHING, WATERPROOF USER: 45 MC REVIEWER: 82 MD	A 8465	CT	20-FEB-90	GL	NU	99	CT
	MIL-G-3111C(1)	GENERATOR, ELECTRIC, DIRECT-CURRENT NAVAL SHIPBOARD USE [VALIDATION DATE: 8404] REVIEWER: GS	A 6115	SH	09-OCT-69	SH		99	
L	MIL-S-3112C	SLING, CARGO, PALM IN USER: MC REVIEWER: 15 SH	A 3940	ME	26-OCT-83	ME			
D	MIL-F-3113D(1) NOTICE 1	FID [VALIDATION DATE: 8705] USER: MC YD1	A 5120	GL	20-MAY-87	GL		84	



## NUMERICAL LISTING MILITARY SPECIFICATIONS

45



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc. / Chg. / Coordination / Inactive / Document Number	Document Title	Dist. Smt. / FSC / Area	MCA Symbol / Proprietary / Date	Custodians			
					Army	Navy	Air Force	DLA
DO	MIL-A-3316C(2)	ADHESIVES, FINE-RESISTANT, THERMAL INSULATION USER: AS CG OS YD1	A 8040	SH 23-AUG-90	NR	SH		
D	MIL-W-3318A	WIRE, COPPER, AND WIRE, STEEL, COPPER/CLAD W-154 AND WS-24/U [VALIDATION DATE: 8009] USER: OS REVIEWER: IS	A 9505	ER 22-FEB-71	ER	YD1	99	
	MIL-A-3327A	SUPPORT, ARCH [VALIDATION DATE: 8406] USER: OS REVIEWER: IS	A 6515	DM 27-DEC-76	MD	MS	03	
	MIL-M-3336A(2)	MUT. SHEET SPRING, INSTRUMENT MOUNTING [VALIDATION DATE: 9109] REVIEWER: ER IS MI	A 5310	B2 14-JUN-85	AV	SH	99	
	NOTICE 1	MUT. SHEET SPRING REVIEWER: IS MI	A 7105	GL 05-SEP-91	GL		99	
	MIL-M-3337C	TABLE, FOLDING LEGS REVIEWER: 84 ME	A 2040	AS 19-AUG-88	ME	AS	99	
	MIL-T-3338M(1)	ANCHORS, SEA, LIFE RAFT REVIEWER: 82						
	MIL-A-3339C(1)	DIVING EQUIPMENT SET: TWO PERSON; 100 FOOT DEPTH, PACKAGING OF REVIEWER: 84 SM	A PACK	ME 21-NOV-90	ME		99	
	NOTICE 1	TRACTOR, FULL-TRACKED, LOW-SPEED; TRACTOR WHEELED, AGRICULTURAL; AND TRACTOR WHEELED, INDUSTRIAL; AND THEIR ATTACHMENTS, PACKAGING OF REVIEWER: AT MC SM	A PACK	ME 22-FEB-90	ME	YD1	84	
	MIL-D-3344D	FLEXIBLE & SHAFT MACHINE, RAILWAY, GASOLINE & ENGINE & DRIVEN [VALIDATION DATE: 8302] REVIEWER: CS	A 2230	ME 27-APR-78	ME			
A L	MIL-C-3363D	CHEST, MEDICAL EQUIPMENT MAINTENANCE AND REPAIR TOOL KIT REVIEWER: MD	A 5140	GL 26-OCT-92	GL			
A	MIL-H-3364D	HELMET, SUM [VALIDATION DATE: 8501] USER: MC REVIEWER: 45 MD	A 8415	CT 13-DEC-78	GL	MU	99	CT
	MIL-C-3367C	CANISTER, SMOKE, FOR CHEMICAL SHELL (BASE EJECTION), COMPONENTS FOR [VALIDATION DATE: 8006] REVIEWER: 99	A 1320	EA 08-APR-68	EA	OS		
L	MIL-C-3369C(1)	CARTRIDGE, CALIBER .30, CARBINE, BALL, MI [VALIDATION DATE: 8603] USER: AS ME OS REVIEWER: 85 GS	A 1305	AR 13-MAR-86	AR			
A	MIL-C-3372F	CASE, TENTACLE REPAIR KIT USER: 45 REVIEWER: 82 MD	A 8340	CT 12-DEC-90	GL	MC	99	CT
	MIL-I-3374A(2)	INSULATION CLOTH AND TAPE, ELECTRICAL, VARNISHED CAMBRIC [VALIDATION DATE: 8104] USER: AS ME OS REVIEWER: 85 GS	A 5970	SH 21-OCT-68	ER	SH	11	
L	MIL-C-3383B	CUPS, BULLET JACKET, COPPER ALLOY (FOR SMALL ARMS AMMUNITION)	A 1305	AR 03-APR-91	AR			
	MIL-Y-3388B(1)	YEAST FOOD, MINERAL [VALIDATION DATE: 8402] REVIEWER: MC MD SS	A 8950	GL 20-DEC-66	GL	SA	50	
	MIL-R-3390F	RINGS, DEE USER: MC ME REVIEWER: 82 AR	A 5365	GL 08-SEP-88	GL		99	
A	MIL-C-3395J(1)	CLOTH, NETTING; NYLON OR POLYESTER REVIEWER: 82 95 MC MD	A 8305	CT 16-SEP-88	GL	MU	11	CT
	MIL-N-3398B	2-NITRODIPHENYLAMINE [VALIDATION DATE: 8004] USER: MC REVIEWER: EA GS MI	A 6810	AR 14-MAY-62	AR	OS		
L	MIL-H-3407A	HOISTING UNIT, TRIPOD, DRUM, MI [VALIDATION DATE: 8009] USER: CS	A 3950	EA 05-JUN-58	EA			
	MIL-P-3409(2)	PLASTIC MATERIAL, MOLDING, RIGID THERMOPLASTIC, POLYDICHLOSTYRENE, FOR USE IN ELECTRONIC, COMMUNICATIONS, & ALLIED ELECTRICAL EQUIPMENT USER: AT REVIEWER: AS MR	A 9330	ER 07-JUL-87	ER	SH	11	
DO	MIL-P-3420F	PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR, TREATED, OPAQUE USER: AT SH REVIEWER: 99 AR AV DS EA GL OS SA YD1	A 8135	AS 12-NOV-87	SM	AS	69	
D	MIL-C-3432F	CABLES, (POWER AND SPECIAL PURPOSE) AND WIRE, ELECTRICAL (300 AND 600 VOLTS) USER: 11 15 MC REVIEWER: 17 99 AR AS 15 MI SH	A 6145	CR 02-NOV-92	CR	YD1	85	
D	MIL-B-3434C	BEATER, FOREST FIRE USER: YD1 REVIEWER: CS	A 4210	ME 12-MAY-81	ME		99	
	MIL-S-3443E	SHOTGUN, 12 GAGE, RIOT-TYPE USER: MC	A 1005	AR 20-MAR-89	AR	OS	84	
	MIL-P-3447D(1)	PAPER, MAP, (EXCEPT DIAZO-SENSITIZED) PACKAGING AND PACKING OF [VALIDATION DATE: 8201] USER: MC REVIEWER: ME SM	A 9310	GL 25-JUN-76	GL	SA	99	
	MIL-L-3454G	LIFE PRESERVERS; PACKAGING OF REVIEWER: 84 CS ME	A PACK	SH 19-MAR-91	SM	SH	99	
	MIL-W-3459D	WIPERS, WINDOW, ELECTRIC, PENDULUM TYPE (MARINE SERVICE, HEAVY DUTY) USER: CG ME REVIEWER: 85	A 2090	SH 18-APR-90	SH	SH	99	
A	MIL-B-3461G(2)	BUTTON, INSIGNIA, METAL, UNIFORM AND CAP [VALIDATION DATE: 9211] USER: 45 CG MC REVIEWER: 82 99 CT	A 8455	1H 04-NOV-92	1H	MU	11	
Q	MIL-D-3464E	DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEHUMIDIFICATION USER: AR CG ME REVIEWER: AS AT DS GS MI OS SA SM	A 6850	SH 21-APR-87	EA	SH	68	
L	MIL-S-3474	SHIPPING BOX AND TABLE [VALIDATION DATE: 7105] USER: GL MC	A 6640	EA 23-APR-51	EA			
	MIL-S-3475	SIGHT, MG [VALIDATION DATE: 8504] USER: GL MC	A 1240	AR 26-APR-51	AR	OS		
	MIL-B-3476H	BRASSARD, GENERAL SPECIFICATION FOR REVIEWER: CG CT	A 8455	1H 10-MAY-91	1H	MU	11	
	SUPPL 1A	BRASSARD: AIRBORNE OFFICER, AIR FORCE REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H		11	
	MIL-B-3476/1B	BRASSARD: ARMED FORCES POLICE REVIEWER: 82 CT MC SM	A 8455	1H 10-MAY-91	1H	MU	11	
	MIL-B-3476/2B	BRASSARD: BOARDING OFFICER, COAST GUARD USER: CG REVIEWER: CT	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/3B	BRASSARD: BOMB DISPOSAL PERSONNEL, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/4B	BRASSARD: CAPTAIN OF THE PORT, COAST GUARD USER: CG REVIEWER: CT	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/5B	BRASSARD: CAREER APPRAISAL, NAVY REVIEWER: CG CT	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/6A	BRASSARD: DAMAGE CONTROL, NAVY REVIEWER: CT	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/7C	BRASSARD: FIRE TRUCK AND HOSE COMPANY, AIR FORCE REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H		11	
	MIL-B-3476/8B	BRASSARD: GAS PERSONNEL, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/9B	BRASSARD: JUNIOR OFFICER OF THE DECK, NAVY REVIEWER: CT	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/10B	BRASSARD: MASTER AT ARMS, NAVY REVIEWER: CT	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/11B	BRASSARD: MEDICAL SERVICE, GENEVA CONVENTION REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H	MU	11	
	MIL-B-3476/12B	BRASSARD: MEDICAL SERVICE, VETERINARY CORPS REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H	MU	11	
	MIL-B-3476/13B	BRASSARD: MILITARY POLICE, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/14B	BRASSARD: MILITARY POLICE, MARINE CORPS REVIEWER: CT MC	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/15C	BRASSARD: MOURNING REVIEWER: 82 CT MC	A 8455	1H 10-MAY-91	1H	MU	11	
	MIL-B-3476/16C	BRASSARD: MOVEMENT CONTROL, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/17B	BRASSARD: OFFICER OF THE DAY, AIR FORCE REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H		11	
	MIL-B-3476/18B	BRASSARD: OFFICER OF THE DAY, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/19B	BRASSARD: OFFICER OF THE DECK, NAVY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/20B	BRASSARD: OFFICER OF THE DECK, AIR FORCE REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H		11	
	MIL-B-3476/21B	BRASSARD: OFFICER OF THE GUARD, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/22B	BRASSARD: PHOTOGRAPHER, AIR FORCE REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H		11	
	MIL-B-3476/23B	BRASSARD: PHOTOGRAPHER, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/24B	BRASSARD: PORT PERSONNEL, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/25A	BRASSARD: SECURITY POLICE, AIR FORCE REVIEWER: 82 CT	A 8455	1H 10-MAY-91	1H		11	
	MIL-B-3476/26B	BRASSARD: SHORE PATROL, NAVY USER: CG REVIEWER: CT	A 8455	1H 10-MAY-91	1H	MU		
	MIL-B-3476/27B	BRASSARD: TRAINEES IN LEADERSHIP COURSES, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/28B	BRASSARD: TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, CORPORAL, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/29B	BRASSARD: TRAINEES OR CANDIDATES ACTING AS NON-COMMISSIONED OFFICER AT TRAINING SCHOOL OR CENTER, SERGEANT, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/30B	BRASSARD: TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, CAPTAIN, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/31B	BRASSARD: TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, FIRST LIEUTENANT, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/32B	BRASSARD: TRAINEES OR CANDIDATES ACTING AS OFFICERS AT TRAINING SCHOOL OR CENTER, SECOND LIEUTENANT, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/33B	BRASSARD: UNIT POLICE, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/34B	BRASSARD: U.S. ARMY CLAIMS SERVICE, ARMY REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/35B	BRASSARD: ARMY COMMUNITY SERVICE, ARMY REVIEWER: CT SM	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/36C	BRASSARD: ARMED BOARDING OFFICER, USMC REVIEWER: CG CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/37A	BRASSARD: MILITARY POLICE, ARMY, SUBORD REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/38A	BRASSARD: CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY SUBORD AND DESERT REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/39A	BRASSARD: CRIMINAL INVESTIGATIONS DIVISION SPECIAL AGENT, ARMY, FULL COLOR REVIEWER: CT	A 8455	1H 10-MAY-91	1H			
	MIL-B-3476/40A	BRASSARD: MILITARY POLICE, MARINE CORPS, SUBORD REVIEWER: CT MC	A 8455	1H 19-MAR-92	1H	MU		
	MIL-B-3476/41	BRASSARD: MILITARY POLICE IN GARRISON, MARINE CORPS REVIEWER: CT MC	A 8455	1H 19-MAR-92	1H	MU		
	MIL-B-3476/42	STERN, ELECTRIC MOTOR OPERATED, VEHICULAR REVIEWER: GS	A 6350	ME 21-AUG-84	ME		99	
	MIL-S-3485D							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Index Document Number	Document Title	Doc. Smt. FSC / Area MCA Symbol Preceding Post.	Date	Custodian Army Navy Air Force DIA
L MIL-B-34930(1) MIL-C-3495E	BUCKLES, END BAR WITH TONGUE (FOR LEATHER) USER: MC REVIEWER: B2 IS ..... CONVERTER, LIQUID TO GAS OXYGEN, ARGON, AND NITROGEN, SKID MOUNTED, 1,200 SCF PER HOUR CAPACITY (VALIDATION DATE: 8302)	A 5340 A 3655	GL 30-SEP-91 ME 10-JAN-78	GL 99 ME
L MIL-C-34988(1) MIL-I-3505C	CARTRIDGES, DUMPEY (FOR SMALL ARMS) ..... INSULATION SHEET AND TAPE, ELECTRICAL, COIL AND SLOT, HIGH TEMPERATURE (VALIDATION DATE: 8104) USER: ME REVIEWER: 99 AR GS MI	A 1305 A 5970	AR 06-JAN-92 SH 13-OCT-60	AR 85 ER SH
L MIL-T-3510E MIL-L-3518D	TARGET, SURVEYING, BEACON (WITH CARRYING BAG) REVIEWER: GS ..... LEAK DETECTOR, REFRIGERANT GAS, ACETYLENE BURNING, WITH SEARCH HOSE (FOR NONCOMBUSTIBLE REFRIGERANTS) REVIEWER: CS MI	A 6675 A 4940	ME 21-AUG-89 MC 03-JUL-75	ME 99 MC
A MIL-T-3520C MIL-T-3530H	TUBING, STEEL (LOW-CARBON) MECHANICAL ROLLER USER: AV REVIEWER: AR AT CS MI THREAD AND TWINE, MILDEW RESISTANT OR WATER REPELLENT TREATED USER: ME REVIEWER: 11 B2 AR EA MC MD	A 4710 A 8310	ME 10-APR-84 CT 20-FEB-91	ME 99 GL NU CT
MIL-R-35338(2)	RUBBER, SYNTHETIC, SHEET, STRIP AND MOLDED (VALIDATION DATE: 8204) REVIEWER: AR AS IS MI	A 5330	OS 16-NOV-67	MR OS 99
D MIL-S-35340	SURVEYING INSTRUMENTS AND ACCESSORIES, PACKAGING OF (VALIDATION DATE: 8908) REVIEWER: SM	A 6675	ME 04-AUG-89	ME YD1 99
D MIL-C-3539 MIL-F-3541C SUPPL 1A	CALCIUM PHOSPHIDE (VALIDATION DATE: 8307) REVIEWER: GS ..... FITTINGS, LUBRICATION, GENERAL SPECIFICATION FOR USER: AT MC REVIEWER: 69 B2 CS EA ME MI SH YD1	A 6810 A 4730	OS 11-JUL-51 AS 28-FEB-89	OS 99 AR AS
D MIL-P-3558E(1) D MIL-A-3562B MIL-L-3572A MIL-I-3575F SUPPL 1A	PLATES, IDENTIFICATION: LOCOMOTIVES AND RAILWAY CARS ..... ADHESIVE, SEALING (FOR FILTERS) (VALIDATION DATE: 8201) USER: MC ..... LUBRICANT, COLLOIDAL GRAPHITE IN OIL ..... INSIGNIA, BRANCH OF SERVICE: GARRISON HAT; CAP: AND SERVICE CAP: OFFICERS, OFFICER CANDIDATES AND AVIATION CADETS, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: B2 99 MC	A 2240 A 8040 A 9150 A 8455	ME 12-JAN-89 EA 02-OCT-59 OS 06-OCT-83 IH 05-JAN-89	ME YD1 EA YD1 OS 68 IH NU 11
A L MIL-I-3575/1C MIL-I-3575/2C	INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, ARMY REVIEWER: CT ..... INSIGNIA, AIDE, PRESIDENT OF THE UNITED STATES, AIR FORCE REVIEWER: B2 85 CT	A 8455 A 8455	IH 14-AUG-92 IH 18-SEP-91	IH 11
MIL-I-3575/3C	INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, AIR FORCE REVIEWER: B2 85 CT	A 8455	IH 18-SEP-91	IH 11
A L MIL-I-3575/4C A L MIL-I-3575/5C	INSIGNIA, AIDE, SECRETARY OF DEFENSE, ARMY REVIEWER: CT ..... INSIGNIA, AIDE, SECRETARY AND UNDER SECRETARY OF THE ARMY, ARMY REVIEWER: CT	A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92	IH
MIL-I-3575/6C A L MIL-I-3575/7L MIL-I-3575/8C A L MIL-I-3575/9C A L MIL-I-3575/10F MIL-I-3575/11C L MIL-I-3575/12C	INSIGNIA, AIDE, SECRETARY OF THE AIR FORCE, AIR FORCE REVIEWER: B2 85 CT .. INSIGNIA, AIDE, CHIEF OF STAFF AND VICE CHIEF OF STAFF, ARMY REVIEWER: CT .. INSIGNIA, AIDE, CHIEF OF STAFF, AIR FORCE USER: B2 85 REVIEWER: CT ..... INSIGNIA, AIDE, GENERAL OF THE ARMY, ARMY REVIEWER: CT ..... INSIGNIA, AIDE, GENERAL OFFICERS, ARMY REVIEWER: CT ..... INSIGNIA, AIDE, GENERAL OFFICERS, AIR FORCE REVIEWER: B2 85 CT ..... INSIGNIA, BRANCH OF SERVICE, CHAPLAIN, CHRISTIAN FAITH, ARMY USER: SM	A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455	IH 18-SEP-91 IH 14-AUG-92 IH 18-SEP-91 IH 14-AUG-92 IH 14-AUG-92 IH 18-SEP-91 IH 14-SEP-90	IH 11 IH IH 11 IH IH 11 IH
MIL-I-3575/13C	INSIGNIA, BRANCH OF SERVICE, CHAPLAIN, CHRISTIAN FAITH, AIR FORCE REVIEWER: CT	A 8455	IH 14-SEP-90	IH 11
L MIL-I-3575/14C MIL-I-3575/15D	INSIGNIA, BRANCH OF SERVICE, CHAPLAIN, JEWISH FAITH, ARMY REVIEWER: CT .... INSIGNIA, BRANCH OF SERVICE, CHAPLAIN, JEWISH FAITH, AIR FORCE USER: 45 REVIEWER: 99 CT	A 8455 A 8455	IH 15-FEB-90 IH 14-SEP-90	IH 11
A MIL-I-3575/16E A L MIL-I-3575/17C A L MIL-I-3575/18B A L MIL-I-3575/19C A L MIL-I-3575/20C	INSIGNIA, OFFICERS, "U.S.", ARMY AND AIR FORCE USER: 45 REVIEWER: B2 99 CT INSIGNIA, WARRANT OFFICERS, ARMY REVIEWER: CT ..... INSIGNIA, BRANCH OF SERVICE, OFFICERS, GENERAL STAFF, ARMY REVIEWER: CT ... INSIGNIA, BRANCH OF SERVICE, OFFICERS, INFANTRY, ARMY REVIEWER: CT ..... INSIGNIA, BRANCH OF SERVICE, OFFICERS, AIR DEFENSE ARTILLERY, ARMY REVIEWER: CT	A 8455 A 8455 A 8455 A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92	IH 11 IH IH IH IH
A L MIL-I-3575/21C	INSIGNIA, BRANCH OF SERVICE, OFFICERS, CORPS OF ENGINEERS, ARMY REVIEWER: CT	A 8455	IH 14-AUG-92	IH
A L MIL-I-3575/22C	INSIGNIA, BRANCH OF SERVICE, OFFICERS, QUARTERMASTER CORPS, ARMY REVIEWER: CT	A 8455	IH 14-AUG-92	IH
A L MIL-I-3575/23D	INSIGNIA, BRANCH OF SERVICE, OFFICERS, INSPECTOR GENERAL, ARMY REVIEWER: CT	A 8455	IH 14-AUG-92	IH
L MIL-I-3575/24E	INSIGNIA, BRANCH OF SERVICE, OFFICERS, ADJUTANT GENERAL'S CORPS USER: SM REVIEWER: CT	A 8455	IH 14-SEP-90	IH
A L MIL-I-3575/25D A L MIL-I-3575/26C A L MIL-I-3575/27C	INSIGNIA, BRANCH OF SERVICE, OFFICERS, ARMOR, ARMY REVIEWER: CT ..... INSIGNIA, BRANCH OF SERVICE, OFFICERS, SIGNAL CORPS, ARMY REVIEWER: CT .... INSIGNIA, BRANCH OF SERVICE, OFFICERS, TRANSPORTATION CORPS, ARMY REVIEWER: CT	A 8455 A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92	IH IH IH
A L MIL-I-3575/28C	INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY POLICE CORPS, ARMY REVIEWER: CT	A 8455	IH 14-AUG-92	IH
A L MIL-I-3575/29D A L MIL-I-3575/30C A L MIL-I-3575/31D	INSIGNIA, BRANCH OF SERVICE, OFFICERS, CHEMICAL CORPS, ARMY REVIEWER: CT .. INSIGNIA, BRANCH OF SERVICE, OFFICERS, FINANCE CORPS, ARMY REVIEWER: CT ... INSIGNIA, BRANCH OF SERVICE, OFFICERS, MILITARY INTELLIGENCE, ARMY REVIEWER: CT	A 8455 A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92	IH IH IH
A L MIL-I-3575/32C A L MIL-I-3575/33C	INSIGNIA, BRANCH OF SERVICE, OFFICERS, ORDNANCE CORPS, ARMY REVIEWER: CT .. INSIGNIA, BRANCH OF SERVICE, OFFICERS, JUDGE ADVOCATE GENERAL'S CORPS, ARMY REVIEWER: CT	A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92	IH IH
A L MIL-I-3575/34C A L MIL-I-3575/35C A L MIL-I-3575/37C A L MIL-I-3575/38E A L MIL-I-3575/39D MIL-I-3575/40F MIL-I-3575/41B A MIL-I-3575/42C	INSIGNIA, BRANCH OF SERVICE, OFFICERS, STAFF SPECIALIST, ARMY REVIEWER: CT INSIGNIA, BRANCH OF SERVICE, OFFICERS, CIVIL AFFAIRS, ARMY REVIEWER: CT ... INSIGNIA, BRANCH OF SERVICE, OFFICERS, NATIONAL GUARD BUREAU REVIEWER: CT .. INSIGNIA, BRANCH OF SERVICE, OFFICER CANDIDATE SCHOOL, ARMY REVIEWER: CT .. INSIGNIA, BRANCH OF SERVICE, OFFICERS, ARMY MEDICAL SERVICE REVIEWER: CT .. INSIGNIA, NURSE, AIR FORCE REVIEWER: 12 CT ..... INSIGNIA, MEDICAL OFFICER AND NURSE, CIVIL AIR PATROL REVIEWER: CT ..... INSIGNIA, SERVICE CAP, OFFICERS, ARMY, AIR FORCE AND AVIATION CADETS USER: 45 REVIEWER: B2 99 CT	A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92 IH 14-AUG-92 IH 13-SEP-91 IH 15-FEB-90 IH 14-AUG-92	IH IH IH IH IH IH 11 IH 11 IH 11
A MIL-I-3575/43F	INSIGNIA, HAT, OFFICERS, FEMALE, ARMY AND AIR FORCE USER: 45 REVIEWER: B2 99 CT	A 8455	IH 14-AUG-92	IH 11
A L MIL-I-3575/44C A L MIL-I-3575/45D MIL-I-3575/46C MIL-I-3575/47D MIL-I-3575/48D MIL-I-3575/50B	INSIGNIA, SERVICE CAP, WARRANT OFFICERS, ARMY REVIEWER: CT ..... INSIGNIA, BRANCH OF SERVICE, WARRANT OFFICER CANDIDATE, ARMY REVIEWER: CT .. INSIGNIA, AIDE, SECRETARY OF DEFENSE, AIR FORCE REVIEWER: B2 85 CT ..... INSIGNIA, PHYSICIAN, AIR FORCE REVIEWER: CT ..... INSIGNIA, DENTIST, AIR FORCE REVIEWER: CT ..... INSIGNIA, AIDE, CHAIRMAN, JOINT CHIEFS OF STAFF, AIR FORCE REVIEWER: B2 85 CT	A 8455 A 8455 A 8455 A 8455 A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92 IH 13-SEP-91 IH 13-SEP-91 IH 18-SEP-91 IH 18-SEP-91	IH IH IH 11 IH 11 IH 11 IH 11
MIL-I-3575/51D A L MIL-I-3575/52C A L MIL-I-3575/53B MIL-I-3575/54C MIL-I-3575/55C A L MIL-I-3575/56D A L MIL-I-3575/57C	INSIGNIA, DEPARTMENT OF THE JUDGE ADVOCATE GENERAL, AIR FORCE REVIEWER: CT INSIGNIA, BRANCH OF SERVICE, OFFICERS, FIELD ARTILLERY, ARMY REVIEWER: CT ... INSIGNIA, AIDE, VICE PRESIDENT OF THE UNITED STATES, ARMY REVIEWER: CT .... INSIGNIA, MEDICAL SERVICE OFFICER, AIR FORCE REVIEWER: CT ..... INSIGNIA, BIOMEDICAL SCIENCES OFFICER, AIR FORCE REVIEWER: CT ..... INSIGNIA, BRANCH OF SERVICE, OFFICERS, CAVALRY, ARMY REVIEWER: CT ..... INSIGNIA, AIDE, CHAIRMAN AND VICE CHAIRMAN, JOINT CHIEFS OF STAFF, ARMY REVIEWER: CT	A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455	IH 13-SEP-91 IH 14-AUG-92 IH 14-AUG-92 IH 13-SEP-91 IH 13-SEP-91 IH 14-AUG-92 IH 14-AUG-92	IH IH IH IH 11 IH 11 IH IH
L MIL-I-3575/58B	INSIGNIA, HAT, OFFICERS, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION REVIEWER: CT	A 8455	IH 14-SEP-90	IH
A L MIL-I-3575/59B A L MIL-I-3575/60C	INSIGNIA, BRANCH OF SERVICE, OFFICERS, AVIATION, ARMY REVIEWER: CT ..... INSIGNIA, BRANCH OF SERVICE, OFFICERS, SPECIAL FORCES, ARMY REVIEWER: CT ..	A 8455 A 8455	IH 14-AUG-92 IH 14-AUG-92	IH IH



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ON Coordination Inactive	Document Number	Document Title	Dist Start FSC / JCS MCA Symbol	Proposing Activity Date	Custodians			
					Army	Navy	Air Force	DLA
	MIL-I-3575/61B	INSIGNIA, BRANCH OF SERVICE, AIDE TO VICE CHAIRMAN JOINT CHIEFS OF STAFF, AIR FORCE REVIEWER: B2 99 CT	A 8455	1H 18-SEP-91	1H		11	
	MIL-I-3575/62	INSIGNIA, BRANCH OF SERVICE, BUDDHIST CHAPLAIN, ARMY AND AIR FORCE REVIEWER: CT	A 8455	1H 29-JAN-91	1H		11	
L A	MIL-I-3575/63	INSIGNIA, SURGEON GENERAL, USPHS REVIEWER: CT	A 8455	1H 09-MAY-92	1H			
	MIL-I-3575/64	INSIGNIA, DEPUTY SURGEON GENERAL, USPHS REVIEWER: CT	A 8455	1H 09-MAY-92	1H			
	MIL-S-35775	SWEATBAND, HEADMAN (LEATHER) USER: 45 REVIEWER: 99 MD	A 8405	CT 29-SEP-86	GL	MU	11	CT
	MIL-I-35788	INKING PAD, RUBBER STAMP (FOOD INSPECTION, VETERINARY) [VALIDATION DATE: 8104] USER: 03 MS SA SH REVIEWER: EA MD	A 7510	GL 24-SEP-74	GL		99	
D	MIL-C-3580E	CRANE AND CRANE-SHOVELS, TRUCK, CRAWLER, AND WHEEL MOUNTED, FULL-REVOLVING, AND THEIR ATTACHMENTS, PACKAGING OF USER: MC REVIEWER: B4 AT SM	A PACK	ME 15-JAN-91	ME	YD1	99	
	MIL-P-3583	PLATE, EGG INSPECTION (ALUMINUM) [VALIDATION DATE: 9011]	A 6695	MB 15-NOV-90	MD	MS	03	
	NOTICE 1							
	MIL-P-3584A	PLASTIC SHEET, POLYVINYL CHLORIDE, PLASTICIZED, ELASTOMERIC USER: CG SA SH REVIEWER: 69 CR	A 9330	WP 21-JAN-63	MR	WP	11	
A	MIL-H-3586E	HOLDFAST ASSEMBLY: CHAIN TYPE [VALIDATION DATE: 9303]	A 5420	ME 23-MAR-93	ME	MC		
D	MIL-R-3593D	REFRIGERATION AND COOLING EQUIPMENT (EXCLUDING HOUSEHOLD REFRIGERATORS), PACKAGING OF USER: GL MC SH REVIEWER: B2 EA SM	A PACK	ME 18-MAR-91	ME	YD1	99	
I	MIL-T-3595B	TUBING, PHOSPHOR BRONZE: (CDA NO. 510) ROUND, SEAMLESS USER: ME OS REVIEWER: 99 EA	A 4710	AS 01-APR-90	MR	AS	11	
D	MIL-C-3600E	COMPRESSORS, ROTARY, POWER-DRIVEN: AND COMPRESSORS, RECIPROCATING, POWER-DRIVEN: AIR AND GAS (EXCEPT OXYGEN AND REFRIGERANT), PACKAGING OF USER: MC REVIEWER: B4 SH SM	A PACK	ME 15-JAN-91	ME	YD1	99	
L	MIL-I-3606E	INK, PRINTING, LITHOGRAPHIC OFFSET, WITH DRIER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 30-OCT-80	ME			
L	MIL-I-3606/1A	INK, PRINTING, LITHOGRAPHIC OFFSET, BLACK [VALIDATION DATE: 8411] USER: GL MC	A 7510	ME 07-JUL-75	ME			
	MIL-I-3606/2A	INK, PRINTING, LITHOGRAPHIC OFFSET, BROWN [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 07-JUL-75	ME		99	
L	MIL-I-3606/3A	INK, PRINTING, LITHOGRAPHIC OFFSET, RED [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 07-JUL-75	ME			
L	MIL-I-3606/4A	INK, PRINTING, LITHOGRAPHIC OFFSET, YELLOW [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 07-JUL-75	ME			
L	MIL-I-3606/5A	INK, PRINTING, LITHOGRAPHIC OFFSET, GREEN [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 07-JUL-75	ME			
L	MIL-I-3606/6A	INK, PRINTING, LITHOGRAPHIC OFFSET, BLUE [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 07-JUL-75	ME			
L	MIL-I-3606/7A	INK, PRINTING, LITHOGRAPHIC OFFSET, PURPLE [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 07-JUL-75	ME			
L	MIL-I-3606/8A	INK, PRINTING, LITHOGRAPHIC OFFSET, GRAY [VALIDATION DATE: 8411] USER: MC REVIEWER: GL	A 7510	ME 07-JUL-75	ME			
	MIL-C-3607A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] REVIEWER: 11 99 AR ES MI	A 5935	EC 30-AUG-61	CR	EC	85	
	MIL-C-3607/1A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-34/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/2A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-36/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/3B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-37A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES MI	A 5935	EC 12-DEC-63	CR	EC	85	
	MIL-C-3607/4B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, PRESSURIZED, TYPE UG-38A/U [VALIDATION DATE: 8404] USER: AS MC REVIEWER: 11 99 ES MI	A 5935	EC 01-NOV-65	CR	EC	85	
	MIL-C-3607/5B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, PRESSURIZED, TYPE UG-62A/U [VALIDATION DATE: 8404] REVIEWER: 11 99 ES	A 5935	EC 16-MAR-66	CR	EC	85	
	MIL-C-3607/6A	CONNECTOR, PLUG, ELECTRICAL, SERIES PULSE, TYPE UG-174/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES MI	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/7A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, PLUG, ELECTRICAL, TYPE UG-180A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/8B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-181A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 12-DEC-63	CR	EC	85	
	MIL-C-3607/9A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-182A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/10A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-222B/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/11	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-264/U [VALIDATION DATE: 8304] REVIEWER: 11 99 ES MI	A 5935	EC 30-AUG-61	CR	EC	85	
	MIL-C-3607/12A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-336A/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/13A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-350/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/14A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, ADAPTER, TYPE UG-1110/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
	MIL-C-3607/15A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES PULSE, RECEPTACLE, ELECTRICAL, TYPE UG-1141/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5935	EC 02-AUG-63	CR	EC	85	
D L	MIL-H-3611C	HOOK, LOG GRAB, 5 INCH BY 8 INCH [VALIDATION DATE: 8205]	A 4030	ME 01-APR-71	ME		99	
	MIL-T-3618C(2)	THERMOMETER, SELF INDICATING, BIMETALLIC [VALIDATION DATE: 8101] USER: MC YD1 REVIEWER: GS	A 6685	AR 30-MAY-75	AR			
D	MIL-I-3624D	ICE MAKING PLANT, BLOCK, SELF CONTAINED, SKID MOUNTED, 1 TON [VALIDATION DATE: 8201] USER: CE MC REVIEWER: GS MD ME	A 4110	GL 31-DEC-75	GL	YD1		
D	MIL-P-3627D	PENETROMETERS, SOIL: DIAL INDICATING (TWO CONES) AND SPRING INDICATING (AIRFIELD CONE) USER: CE GL MC REVIEWER: GS MT	A 6635	ME 10-MAY-88	ME	YD1	99	
	MIL-B-3628E	BADGE, BADGE CLASP, BAR AND PENDANT, QUALIFICATION, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: B2 99 CT MC	A 8455	1H 10-FEB-88	1H	MU	11	
L	MIL-B-3628/1D	BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, ARMY, PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 10-FEB-88	1H			
L	MIL-B-3628/2D	BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, ARMY, PENDANT AND SUSPENSION BAR REVIEWER: CT DP	A 8455	1H 10-FEB-88	1H			
	MIL-B-3628/3D	BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, NAVY, PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 07-AUG-91	1H	MU		
	MIL-B-3628/4E	BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, NAVY, PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 09-AUG-91	1H	MU		
L	MIL-B-3628/5D	BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, CIVILIAN AWARD, (ARMY), PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 10-FEB-88	1H	MU		
L	MIL-B-3628/6D	BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, CIVILIAN AWARD, (ARMY), PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 10-FEB-88	1H	MU		
	MIL-B-3628/7D	BADGE, QUALIFICATION, NATIONAL RIFLEMAN, NAVY, PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 09-AUG-91	1H	MU		
	MIL-B-3628/8D	BADGE, QUALIFICATION, FLEET RIFLEMAN, NAVY, PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 09-AUG-91	1H	MU		
	MIL-B-3628/9D	BADGE, QUALIFICATION, RIFLEMAN, NAVY, PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455	1H 09-AUG-91	1H	MU		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OMC Competition Inmate Document Number	Document Title	Dist. Sent FSC / Area MCA Symbol Preparing Army Date	Custodians Army Navy Air Force DLA
MIL-B-3628/100	BADGE, QUALIFICATION, NATIONAL PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455 1H 09-AUG-91	1H MU
MIL-B-3628/110	BADGE, QUALIFICATION, FLEET PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455 1H 09-AUG-91	1H MU
MIL-B-3628/120	BADGE, QUALIFICATION, PISTOL SHOT, NAVY; PENDANT AND SUSPENSION BAR REVIEWER: CT	A 8455 1H 09-AUG-91	1H MU
L MIL-B-3628/13C	BADGE, QUALIFICATION, EXCELLENCE, SMALL ARMS COMPETITION, RIFLE AND PISTOL, ARMY, PENDANT, SUSPENSION BAR, AND SUSPENSION DEVICE REVIEWER: CT DP	A 8455 1H 10-FEB-88	1H
L MIL-B-3628/14H	BADGE, QUALIFICATION, BASIC, EXPERT, SHARPSHOOTER AND MARKSMAN, ARMY REVIEWER: CT	A 8455 1H 08-JUL-91	1H
L MIL-B-3628/15F	BADGE CLASPS, BADGE, QUALIFICATION, BASIC, SHARPSHOOTER AND MARKSMAN, ARMY REVIEWER: CT	A 8455 1H 26-APR-91	1H
MIL-B-3628/16G	BADGE, QUALIFICATION, RIFLE, MARINE CORPS; PENDANT AND SUSPENSION BAR REVIEWER: CT MC	A 8455 1H 13-SEP-91	1H MU
MIL-B-3628/17F	BADGE, QUALIFICATION, PISTOL, MARINE CORPS; PENDANT AND SUSPENSION BAR REVIEWER: CT MC	A 8455 1H 14-SEP-90	1H MU
MIL-B-3628/18J	BADGE CLASPS, REQUALIFICATION, EXPERT RIFLE AND PISTOL, MARINE CORPS REVIEWER: CT MC	A 8455 1H 14-SEP-90	1H MU
MIL-B-3628/19C	BADGE, QUALIFICATION, BASIC; MARINE CORPS, PENDANT AND SUSPENSION BAR REVIEWER: CT MC	A 8455 1H 14-SEP-90	1H MU
MIL-B-3628/20B	BADGE CLASPS, BADGE, QUALIFICATION, BASIC, MARINE CORPS REVIEWER: CT	A 8455 1H 14-SEP-90	1H MU
L MIL-B-3628/21E	BADGE, QUALIFICATION, BASIC, DRIVER AND MECHANIC, ARMY REVIEWER: CT	A 8455 1H 26-APR-91	1H
L MIL-B-3628/22E	BADGE, QUALIFICATION, CLASPS, BASIC, DRIVER AND MECHANIC, ARMY REVIEWER: CT	A 8455 1H 26-APR-91	1H
L MIL-B-3628/23E	BADGE, QUALIFICATION, EXPERT INFANTRYMAN, ARMY REVIEWER: CT	A 8455 1H 26-APR-91	1H
L MIL-B-3628/24F	BADGE, QUALIFICATION, COMBAT INFANTRYMAN, ARMY REVIEWER: CT	A 8455 1H 01-JUN-91	1H
MIL-B-3628/25K	BADGE, QUALIFICATION, EXPLOSIVE ORDNANCE DISPOSAL REVIEWER: 82 99 CT MC	A 8455 1H 13-SEP-91	1H MU 11
MIL-B-3628/26G	BADGE, QUALIFICATION, DIVER REVIEWER: CG CT	A 8455 1H 26-APR-91	1H MU
L MIL-B-3628/27F	BADGE, QUALIFICATION, COMBAT MEDICAL, ARMY USER: 45 REVIEWER: 82 99 CT	A 8455 1H 26-APR-91	1H 11
MIL-B-3628/28G	BADGE, QUALIFICATION, MISSILEMAN, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/30H	BADGE, QUALIFICATION, PARACHUTIST, ARMY, NAVY, MARINE CORPS AND AIR FORCE SENIOR AND MASTER PARACHUTIST, ARMY AND AIR FORCE REVIEWER: 82 99 CT MC	A 8455 1H 13-SEP-91	1H MU 11
MIL-B-3628/31C	BADGE, QUALIFICATION, SENIOR PARACHUTIST, NAVY AND MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/32G	BADGE, QUALIFICATION, COMBAT CREW MEMBER, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/33F	BADGE, QUALIFICATION, EXPERT FIELD MEDICAL, ARMY REVIEWER: CT	A 8455 1H 26-APR-91	1H 11
L MIL-B-3628/34H	BADGE, QUALIFICATION, NUCLEAR REACTOR OPERATORS, ARMY REVIEWER: CT	A 8455 1H 10-FEB-88	1H
MIL-B-3628/35C	BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/36C	BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/37C	BADGE, QUALIFICATION, LAUCHHEIMER TROPHY, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/38C	BADGE, QUALIFICATION, MARINE CORPS RIFLE CHAMPIONSHIP (MCDUGAL TROPHY) REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/39D	BADGE, QUALIFICATION, MARINE CORPS PISTOL CHAMPIONSHIP (MALSH TROPHY) REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/40C	BADGE, QUALIFICATION, MARINE CORPS RIFLE COMPETITION REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/41C	BADGE, QUALIFICATION, MARINE CORPS, PISTOL COMPETITION REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/42C	BADGE, QUALIFICATION, MARINE CORPS, DIVISION RIFLE COMPETITION REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/43C	BADGE, QUALIFICATION, MARINE CORPS, DIVISION PISTOL COMPETITION REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/44C	BADGE, QUALIFICATION, ANNUAL RIFLE SQUAD COMBAT PRACTICE COMPETITION, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/45C	BADGE, QUALIFICATION, INTER-DIVISION RIFLE TEAM, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/46C	BADGE, QUALIFICATION, INTER-DIVISION PISTOL TEAM, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/47C	BADGE, QUALIFICATION, TROPHY, RIFLETEAM MATCHES, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
MIL-B-3628/48E	BADGES, QUALIFICATION, PISTOL TEAM MATCHES, MARINE CORPS REVIEWER: CT MC	A 8455 1H 10-FEB-88	1H MU
L MIL-B-3628/49E	BADGE, QUALIFICATION, GLIDER, ARMY REVIEWER: CT	A 8455 1H 26-APR-91	1H
MIL-B-3628/50C	BADGE, QUALIFICATION, PARARESQUE, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 1H 10-FEB-88	1H 11
L MIL-B-3628/51E	BADGE, QUALIFICATION, PATHFINDER, ARMY REVIEWER: CT	A 8455 1H 26-MAR-92	1H
MIL-B-3628/52E	BADGE, QUALIFICATION, WEAPONS CONTROLLER, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/53D	BADGE, QUALIFICATION, SCUBA DIVER USER: CG REVIEWER: CT	A 8455 1H 26-APR-91	1H MU
MIL-B-3628/54B	BADGE, QUALIFICATION, EXPERT PISTOL, NAVY REVIEWER: CT	A 8455 1H 09-AUG-91	1H MU
MIL-B-3628/55B	BADGE, QUALIFICATION, EXPERT RIFLEMAN, NAVY REVIEWER: CT DP	A 8455 1H 09-AUG-91	1H MU
MIL-B-3628/56C	BADGE, QUALIFICATION, OFFICER IN CHARGE, (AFLOAT), ENLISTED PERSONNEL, COAST GUARD REVIEWER: CG CT	A 8455 1H 09-JUL-90	1H MU
MIL-B-3628/57D	BADGE, QUALIFICATION, AIR TRAFFIC CONTROLLER, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/58F	BADGE, QUALIFICATION, SECURITY POLICE, FUNCTIONAL, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
L MIL-B-3628/59A	BADGE, QUALIFICATION, DIVER, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION REVIEWER: CT	A 8455 1H 10-FEB-88	1H
MIL-B-3628/60A	BADGE, QUALIFICATION, EXPERT RIFLEMAN, COAST GUARD REVIEWER: CG CT	A 8455 1H 10-FEB-88	1H MU
L MIL-B-3628/61B	BADGE, QUALIFICATION, EXPERT PISTOL, COAST GUARD USER: CG REVIEWER: CT MU	A 8455 1H 19-DEC-89	1H
MIL-B-3628/62B	BADGE, QUALIFICATION, COMMAND ASHORE, COAST GUARD USER: CG REVIEWER: CT	A 8455 1H 14-SEP-90	1H MU
L MIL-B-3628/63D	BADGE, QUALIFICATION, AIR ASSAULT, ARMY	A 8455 1H 26-APR-91	1H
MIL-B-3628/64C	BADGE, QUALIFICATION, SPACE OPERATIONS, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/65C	BADGE, QUALIFICATION, COMBAT PARACHUTIST, ARMY AND AIR FORCE REVIEWER: CT	A 8455 1H 03-JUN-92	1H 11
L MIL-B-3628/66B	BADGE, QUALIFICATION, RANGER TAB, ARMY REVIEWER: CT	A 8455 1H 26-MAR-92	1H
L MIL-B-3628/67B	BADGE, QUALIFICATION, SPECIAL FORCES TAB, ARMY REVIEWER: CT	A 8455 1H 26-MAR-92	1H
MIL-B-3628/68E	BADGE, QUALIFICATION, AIRCRAFT/MUNITIONS MAINTENANCE, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
L MIL-B-3628/69A	BADGE, QUALIFICATION, COMBAT AND SPECIAL SKILL, RIGGER REVIEWER: CT	A 8455 1H 23-APR-91	1H
MIL-B-3628/70B	BADGE, QUALIFICATION, TACTICAL AIR CONTROL PARTY, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 1H 15-JAN-92	1H 11
MIL-B-3628/71B	BADGE, QUALIFICATION, MEDICAL TECHNICIAN, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/72C	BADGE, QUALIFICATION, MISSILE WITH OPERATIONS CREW DESIGNATOR, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/73B	BADGE, QUALIFICATION, COMMUNICATIONS-ELECTRONICS MAINTENANCE, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/74B	BADGE, QUALIFICATION, METEOROLOGIST, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/75B	BADGE, QUALIFICATION, SUPPLY-FUELS, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/76B	BADGE, QUALIFICATION, INFORMATION MANAGER, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 13-SEP-91	1H 11
MIL-B-3628/77	BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN COAST GUARD REVIEWER: CG CT	A 8455 1H 28-MAY-91	1H MU
MIL-B-3628/78	BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD REVIEWER: CG CT	A 8455 1H 28-MAY-91	1H MU
MIL-B-3628/79	BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN NATIONAL, COAST GUARD REVIEWER: CG CT	A 8455 1H 28-MAY-91	1H MU



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Asst Op / Cmk Coordination Inches Document Number	Document Title	Dist. Smt FSC / Ave MCA Symbol Preparing Act Date	Custodians Army Navy Air Force DLA
MIL-B-3628/80	BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT NATIONAL, COAST GUARD REVIEWER: CG CT	A 8455 1H 28-MAY-91 1H NU	
MIL-B-3628/81	BADGE, QUALIFICATION, DISTINGUISHED MARKSMAN, COAST GUARD REVIEWER: CG CT	A 8455 1H 28-MAY-91 1H NU	
MIL-B-3628/82	BADGE, QUALIFICATION, PISTOL SHOT, COAST GUARD REVIEWER: CG CT	A 8455 1H 28-MAY-91 1H NU	
MIL-B-3628/83	BADGE, QUALIFICATION, DISTINGUISHED RIFLEMAN, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 12-SEP-91 1H 11	
MIL-B-3628/84	BADGE, QUALIFICATION, DISTINGUISHED PISTOL SHOT AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 12-SEP-91 1H 11	
MIL-B-3628/85	BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 12-SEP-91 1H 11	
MIL-B-3628/86	BADGE, QUALIFICATION, EXCELLENCE IN COMPETITION, PISTOL SHOT AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 14-SEP-91 1H 11	
MIL-B-3628/87	BADGE, QUALIFICATION, BROWSE EXCELLENCE IN COMPETITION, RIFLEMAN, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 12-SEP-91 1H 11	
MIL-B-3628/88	BADGE, QUALIFICATION, BROWSE EXCELLENCE IN COMPETITION, PISTOL SHOT, AIR FORCE REVIEWER: 82 99 CT	A 8455 1H 12-SEP-91 1H 11	
MIL-B-3628/968	LAPEL BUTTON, HONORABLE DISCHARGE, NAVY USER: CG REVIEWER: CT	A 8455 1H 09-AUG-91 1H NU	
MIL-B-3628/1048	LAPEL BUTTON, HONORABLE DISCHARGE, NAVY USER: CG REVIEWER: CT	A 8455 1H 09-AUG-91 1H NU	
MIL-C-3636C	CORDS AND TASSELS, FLAG VALIDATION DATE: 9210J USER: 45 REVIEWER: 82 99 CT	A 8345 1H 02-OCT-92 1H 11	
A MIL-C-3643A(3)	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES HM, AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3643/1A	CONNECTOR, PLUG, ELECTRICAL, SERIES HM, TYPE UG-59E/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/2A	CONNECTOR, PLUG, ELECTRICAL, SERIES HM, TYPE UG-60E/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/3A	CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HM, TYPE UG-61E/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/4A	CONNECTOR, ADAPTER, SERIES HM, TYPE UG-212C/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/5A	CONNECTOR, PLUG, ELECTRICAL, SERIES HM, TYPE UG-333C/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/6A	CONNECTOR, ADAPTER, SERIES HM, TYPE UG-413/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/7A	CONNECTOR, PLUG, ELECTRICAL, SERIES HM, TYPE UG-494B/U [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/8A	CONNECTOR, PLUG, ELECTRICAL, SERIES HM, TYPE UG-495D/U [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/9A	CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HM, TYPE UG-496/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/11A	CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES HM, TYPE UG-427C/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/12A	CONNECTOR, PLUG, ELECTRICAL, SERIES HM, TYPE UG-926B/U [VALIDATION DATE: 8808] USER: AR AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
1 MIL-C-3643/14A	CLAMP, ARMOR, SERIES HM, TYPE MX-1462/U [VALIDATION DATE: 8808] USER: AT REVIEWER: 99 AS ES MI	A 5935 CR 31-AUG-88 CR EC 80	
A L MIL-S-3644B	SHAFT ASSEMBLY, FLEXIBLE REVIEWER: AV CS SH	A 3040 82 10-MAY-85 ER AS 99	
MIL-S-3649F	SHIRTS, MEN'S; LONG SLEEVE [VALIDATION DATE: 8710] USER: 11 79 ES MI OS	A 8405 CT 23-OCT-87 MC	CT
MIL-C-3650A(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LC [VALIDATION DATE: 8104] USER: AS MC REVIEWER: 11 79 ES MI OS	A 5935 EC 16-JAN-64 CR EC 85	
MIL-C-3653A	CASE, VETERINARY EGG INSPECTION SET [VALIDATION DATE: 8106] REVIEWER: GS	A 6545 DM 18-JUN-75 MD MS 03	
MIL-C-3655C(1)	CONNECTOR, PLUG AND RECEPTACLE, ELECTRICAL (COAXIAL, SERIES TWIN), AND ASSOCIATED FITTINGS, GENERAL SPECIFICATION FOR USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 28-SEP-84 CR EC 85	
1 MIL-C-3655/1B	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-421B/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/2B	CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-422/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/3B	CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-423B/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/4B(2)	CONNECTOR ADAPTER, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-493A/U [VALIDATION DATE: 9110] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 30-OCT-91 CR EC 85	
1 MIL-C-3655/5B	CONNECTOR ADAPTER, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-981/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/6B	CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS II (COAXIAL, SERIES TWIN) TYPE UG-1057/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/7B	CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1058/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/8B	CONNECTOR ADAPTER, CLASS II (COAXIAL, SERIES TWIN), TYPE UG-1059/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/9B	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1060A/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
MIL-C-3655/10A	CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE MX-1556/U [VALIDATION DATE: 8501] USER: 19 AS AT MC SH REVIEWER: 11 17 ES MI OS	A 5935 CR 17-JUN-77 CR EC 85	
1 MIL-C-3655/11B	CONNECTOR SHIELD, ELECTRICAL (COAXIAL, SERIES TWIN), TYPE UG-106/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
1 MIL-C-3655/12B	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN), TYPE UG-1253/U [VALIDATION DATE: 8808] USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 31-AUG-88 CR EC 85	
A MIL-C-3655/13A(4)	CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, JAM MOUNT) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 21-JUL-92 CR EC 85	
A MIL-C-3655/14A(2)	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 21-JUL-92 CR EC 85	
A MIL-C-3655/15A(3)	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 21-JUL-92 CR EC 85	
A MIL-C-3655/16A(5)	CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 21-JUL-92 CR EC 85	
A MIL-C-3655/17(2)	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, RIGHT ANGLE) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 21-JUL-92 CR EC 85	
MIL-C-3655/18(1)	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWSMC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 08-JUN-90 CR EC 85	
MIL-C-3655/19(1)	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWSMC) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 08-JUN-90 CR EC 85	
MIL-C-3655/20(1)	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWSMB) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 08-JUN-90 CR EC 85	
MIL-C-3655/21(1)	CONNECTOR, PLUG, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWSMB) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 08-JUN-90 CR EC 85	
MIL-C-3655/22A(1)	CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS I (COAXIAL, SERIES TWIN, TWTNC, BULKHEAD) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935 CR 08-JUN-90 CR EC 85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Or / On Coordination Package	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-C-3655/23A(2)	CONNECTOR, RECEPTACLE, ELECTRICAL, CLASS 1, (COAXIAL, SERIES TWIN, TWBNC, BULKHEAD) USER: 19 AS AT MC SH REVIEWER: 11 17 99 ES MI OS	A 5935	CH	08-JUN-90	CR	EC	85	
Q	MIL-L-3661B(4) SUPPL 1B	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, GENERAL SPECIFICATION FOR USER: AS MC ME OS SH REVIEWER: 82 AR EA GS MI	A 6210	EC	09-DEC-91		EC	99	
	MIL-L-3661/1A(1) NOTICE 1	LAMP HOLDERS, STYLES LH20 AND LH22 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS MI	A 6250	EC	18-MAR-91	CR	EC	11	
	MIL-L-3661/2B NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES HOUSINGS, DRIPPROOF, STYLE LH50 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/5B NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT HOUSING STYLE LH73 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AR AS EA GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/6C	LAMP HOLDER, HOUSING, INDICATOR LIGHT, STYLE LH74 (VALIDATION DATE: 8104) USER: MC ME REVIEWER: AR AS GS MI	A 6210	EC	09-JUN-69	EL	EC	99	
	MIL-L-3661/8B	HOUSINGS, INDICATOR-LIGHT, STYLE LH76 USER: MC REVIEWER: 11 AR AS EA GS MI	A 6210	EC	31-AUG-89	ME	EC	99	
	MIL-L-3661/9B	HOUSINGS, INDICATOR-LIGHT, STYLE LH77 USER: MC ME REVIEWER: 11 AR AS EA GS MI	A 6210	EC	31-AUG-89	CR	EC	99	
	MIL-L-3661/10A NOTICE 1	HOUSINGS, INDICATOR-LIGHT, STYLE LH79 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/11B NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES, (FLAT, ROTATABLE) DUSTTIGHT, LENS, STYLE LC11 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/12A NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC12 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS EA GS MI	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/13B(1)	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENSES, STYLE LC13 USER: MC ME REVIEWER: 82 AR AS GS MI	A 6210	EC	26-AUG-91		EC	99	
	MIL-L-3661/14C NOTICE 1	LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC14 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/15C NOTICE 1	LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC15 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/16B NOTICE 1	LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC16 (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: EA GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/17C NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC17, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/18C NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC18, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/19B NOTICE 1	LENSES INDICATOR-LIGHT, DRIPPROOF, STYLE LC19 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AR AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/20B NOTICE 1	LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC20 (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/21B NOTICE 1	LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC21 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/22B NOTICE 1	LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC22 (VALIDATION DATE: 9103) USER: AT AV MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/23B NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC23, CONVEX, COMPLETE-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/24B NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC24, CONVEX, SEMI-BLACKOUT, DRIPPROOF, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/25A NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (FLAT) (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC25 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: 11 AS GS	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/26A NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC26 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/27A NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENS, STYLE LC27 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-C-3661/28B	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, (ELECTROMAGNETIC INTERFERENCE TYPE) DUSTTIGHT LENSES, STYLE LC28 USER: MC REVIEWER: AS GS	A 6210	EC	24-OCT-89	ME	EC	99	
	MIL-L-3661/29A NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENS, STYLE LC29 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/30A NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC30 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/31 NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC31 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/32A NOTICE 1	LENSES, INDICATOR-LIGHT, (ROTATABLE), STYLE LC32 (VALIDATION DATE: 9103) USER: AT AV MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/33 NOTICE 1	LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC33 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/34B NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES (PLASTIC PLATE LIGHTING PANEL) DUSTTIGHT LENS, STYLE LC34 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: 11 AR AS GS MI	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/35 NOTICE 1	LENSES, INDICATOR-LIGHT, WATERTIGHT, STYLE LC35 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AR AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/36A NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC36, COMPLETE-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/37A NOTICE 1	LENSES, INDICATOR-LIGHT, STYLE LC37, SEMI-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER (VALIDATION DATE: 9103) USER: AT MC ME OS REVIEWER: AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/38A NOTICE 1	HOUSINGS, INDICATOR-LIGHT, STYLE LH80 (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	11	
	MIL-L-3661/39C NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES INDICATOR LIGHTS, 2 LAMP, DISPLAY TYPE, STYLE LHCB1 (VALIDATION DATE: 9103) USER: AS MC ME REVIEWER: 11 GS	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/40A NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHCB2 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) (VALIDATION DATE: 9103) USER: MC ME REVIEWER: 11 AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/41B NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHCB3 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) (VALIDATION DATE: 9103) USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	82	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orl / Omb Coordination Inactive	Document Number	Document Title	Dist Smt FSC / Area	MCS Symbol Preparing Agency	Date	Customers			
						Army	Navy	Air Force	DLA
	MIL-L-3661/42A NOTICE 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS AND INDICATOR-LIGHT LENSES INDICATOR-LIGHT (NON-REMOVABLE), STYLE LHC84 (ELECTROMAGNETIC INTERFERENCE AND NON-ELECTROMAGNETIC TYPES) [VALIDATION DATE: 9103] USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/45 NOTICE 1	HOUSINGS, INDICATOR-LIGHT, 2-LAMP, STYLE LHB7 [VALIDATION DATE: 9103] USER: MC ME REVIEWER: AS GS	A 6210	EC	18-MAR-91	ER	EC	11	
A	MIL-L-3661/46A	LAMP HOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LHB8 USER: MC ME REVIEWER: 82 AS GS MI	A 6210	EC	02-NOV-92	CR	EC	99	
A	MIL-L-3661/47A	LAMP HOLDERS, HOUSING, INDICATOR-LIGHT, WATERTIGHT, STYLE LHB9 USER: MC ME REVIEWER: 82 AR AS GS MI	A 6210	EC	02-NOV-92	CR	EC	99	
	MIL-L-3661/488 NOTICE 1	HOUSINGS, INDICATOR-LIGHT, STYLE LH90 [VALIDATION DATE: 9103] USER: MC ME REVIEWER: 11 AS GS MI	A 6210	EC	18-MAR-91	ER	EC	82	
	MIL-L-3661/51B	LAMP HOLDER, DUSTTIGHT HOUSING, STYLE LH92 [VALIDATION DATE: 8104] USER: MC ME REVIEWER: AS GS MI	A 6210	EC	09-JUN-69	EL	EC	99	
L	MIL-L-3661/52C NOTICE 1	LAMP HOLDER, LENSES, INDICATOR LIGHT, TARGET, STYLE LC38 [VALIDATION DATE: 8706] USER: ME REVIEWER: GS	A 6210	SH	19-JUN-87		SH		
L	MIL-L-3661/53A	LAMP HOLDER, LENSES, INDICATOR LIGHT, DIMMER, STYLE LC39 [VALIDATION DATE: 8301] USER: ME REVIEWER: GS	A 6210	SH	28-MAY-71		SH		
L	MIL-L-3661/54A	LAMP HOLDER, LENSES, INDICATOR LIGHT, STYLE LC40 [VALIDATION DATE: 8301] USER: ME REVIEWER: GS	A 6210	SH	28-MAY-71		SH		
L	MIL-L-3661/55B NOTICE 1	LAMP HOLDER, LENSES, INDICATOR LIGHT, STYLE LC41 USER: ME	A 6210	SH	19-JUN-87		SH		
L	MIL-L-3661/56B NOTICE 1	LAMP HOLDER, LENSES, INDICATOR LIGHT, STYLE LC42 [VALIDATION DATE: 8706] ...	A 6210	SH	01-JUN-87		SH		
L	MIL-L-3661/57B NOTICE 1	LAMP HOLDER, LENSES, INDICATOR LIGHT, STYLE LC43 [VALIDATION DATE: 8706] ...	A 6210	SH	01-JUN-87		SH		
L	MIL-L-3661/58B NOTICE 1	LAMP HOLDER, LENSES, INDICATOR LIGHT, STYLE LC44	A 6210	SH	19-JUN-87		SH		
L	MIL-L-3661/59A	LAMP HOLDER, LENSES, INDICATOR LIGHT, STYLE LC45 [VALIDATION DATE: 8301] USER: ME REVIEWER: GS	A 6210	SH	28-MAY-71		SH		
L	MIL-L-3661/60C(1)	LAMP HOLDER, TRANSFORMER, LIGHT, INDICATOR, STYLE LH93 REVIEWER: GS	A 6210	SH	17-JUN-87		SH		
L	MIL-L-3661/61C NOTICE 1	LAMP HOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH94	A 6210	SH	19-JUN-87		SH		
L	MIL-L-3661/62C(2)	LAMP HOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH95 (FOR D.C. APPLICATIONS)	A 6210	SH	25-APR-91		SH		
L	MIL-L-3661/63C NOTICE 1	LAMP HOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH96 [VALIDATION DATE: 8706]	A 6210	SH	19-JUN-87		SH		
L	MIL-L-3661/64C(2)	LAMP HOLDER, LIGHTS, INDICATOR (HOUSING) STYLE LH97 REVIEWER: GS	A 6210	SH	17-JUN-87		SH		
L	MIL-L-3661/65C NOTICE 1	LAMP HOLDER, LIGHTS, INDICATOR (HOUSING), STYLE LH98	A 6210	SH	19-JUN-87		SH		
	MIL-W-003662A	WIRE, PLATINUM ALLOY (PLATINUM - RUTHENIUM, PLATINUM - IRIDIUM) [VALIDATION DATE: 8106]	A 9545	DM	21-MAR-68	MD	MS	03	
	MIL-A-3664	AURAMINE HYDROCHLORIDE (FOR COLORED SMOKE MIXTURES) [VALIDATION DATE: 8307]	A 1365	OS	09-JAN-52		OS		
	MIL-W-3667B	NOZZLE, METEOROLOGICAL, BALLON INFLATION (ML-373-GM) REVIEWER: GS	A 6660	CR	24-APR-84	CR		99	
L	MIL-D-3668D	DYE, 1,4-DIAMINO-2,3-DIHYDROANTHRANTHRAQUINONE (METRIC) REVIEWER: MD	A 6820	EA	09-DEC-85	EA			
	MIL-E-3677C	ERECTION EQUIPMENT FOR BRIDGE, FIXED, STEEL, PANEL, BAILEY TYPE REVIEWER: CS	A 5420	ME	07-FEB-85	ME			
	MIL-S-003678A	SLAKING MACHINE, LABORATORY (ROTATING TYPE) [VALIDATION DATE: 8406]	A 6640	MB	26-APR-72	MD	MS	03	
	MIL-C-3680C NOTICE 1	CASES, FLAGS AND GUIDONS, COTTON DUCK [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 8345	1H	29-MAY-92	1H		11	
	MIL-M-3685B	MACHINE, COMPUTING, DESK TYPE, AND PORTABLE TYPE WITH CARRYING CASE, PACKAGING OF VALIDATED OCT 1975 [VALIDATION DATE: 8404] USER: MC REVIEWER: SM	A 7420	GL	26-DEC-78	GL	SA		
D	MIL-W-3688C	WAX EMULSION (RUST INHIBITING) USER: AT MC SA REVIEWER: 20 AR GL 15 ME SM	A 8030	MR	23-DEC-87	MR	YD1	99	
	MIL-D-3691D	DYE MIX, VULCAN (METRIC) REVIEWER: AS GS MD	A 6820	EA	09-DEC-85	EA	OS		
	MIL-B-3694C NOTICE 1	BRIDGE CAPACITANCE INDUCTANCE RESISTANCE AN/UM-90 USER: AR MC OS REVIEWER: AS AT /V ME	A 6625	SH	06-JUN-86	CR	SH		
A	MIL-M-3697D	HARNESSEMAN SLED, SINGLE TRACE TYPE USER: 11 45 MC REVIEWER: 82 MD	A 8465	CT	29-APR-85	GL	SA	99	CT
	MIL-T-3700C	TANK, HOT WATER STORAGE (15 GALLON TO 120 GALLON CAPACITY) [VALIDATION DATE: 8511] REVIEWER: CE CS	A 4520	ME	09-APR-79	ME		99	
D	MIL-C-3701B(1)	CYLINDERS, COMPRESSED GAS DOT 8 & DOT 38 ACETYLENE, WITH VALVES [VALIDATION DATE: 8501] USER: MC YD1 REVIEWER: GS	A 8120	ME	24-NOV-81	ME	SH	99	
Q	MIL-C-3702B	CABLE, POWER, ELECTRICAL, IGNITION, HIGH TENSION USER: CR CS MC REVIEWER: AV EA 15 MI	A 6145	AT	10-MAR-87	AT	AS	85	
	MIL-W-3705C	WHEAT BASE [VALIDATION DATE: 8201] REVIEWER: MC MD SS	A 8920	GL	04-SEP-69	GL	SA	50	
	MIL-D-3716B	DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION USER: AS CR ER OS REVIEWER: AT GS MI	A 6850	SH	28-SEP-87	MR	SH	85	
L	MIL-D-3716B(11)	DESICCANTS, ACTIVATED FOR DYNAMIC DEHUMIDIFICATION	A 6850	68	14-MAR-88		68		
D LI	MIL-W-3717B NOTICE 1	WEIGHT, SOUNDING USER: YD1 REVIEWER: 99	A 6605	SH	18-JAN-91		SH		
	MIL-D-3718C	DYE MIX, DISPERSE RED 9 DEXTRIN (METRIC) REVIEWER: GS MD	A 6820	EA	11-JUL-86	EA	AS		
	MIL-S-3720E	SKETCHING BOARD, WITH WATERPROOF COVER, TRIPOD MOUNTING USER: MC REVIEWER: 82 GS	A 6675	EA	02-DEC-86	ME		99	
D	MIL-S-3725E	SHELTER HALF, TENT [VALIDATION DATE: 8904] USER: 45 MC YD1 REVIEWER: 82 MD	A 8305	CT	22-APR-89	GL	MU	99	CT
A	MIL-C-3727E	CLOTH, BARATHEA, WOOL REVIEWER: 82 MD	A 8305	CT	18-DEC-87	GL	MU	99	CT
	MIL-R-3734B	RUBBER TYPE SET, NUMERICAL, VETERINARY, FOR FOOD INSPECTION STAMP [VALIDATION DATE: 8201] REVIEWER: OS MD	A 7520	EA	06-AUG-81	GL	MS	99	
A	MIL-C-3735E	CUFFS, KNIT, WRIST AND ANKLE, AND CLOTH, KNITTED USER: 45 AS REVIEWER: 11 MC MD	A 8315	CT	30-NOV-88	GL	MU	99	CT
A	MIL-C-3738K	CLOTH, ELASTIQUE, WOOL REVIEWER: 82 99 MC MD	A 8305	CT	31-MAR-87	GL	MU	11	CT
	MIL-B-3743D	BRUSH, ELECTRICAL CONTACT [VALIDATION DATE: 8104] USER: AR AS MC REVIEWER: 99 ER GS MI	A 5977	SH	16-JUN-67	ME	SH	85	
D	MIL-R-3745	RESIN, PHENOL-FORMALDEHYDE, LAMINATING [VALIDATION DATE: 8004] USER: YD1 REVIEWER: GS	A 6810	AR	30-APR-52	AR	OS	68	
D	MIL-F-3747E(1)	FLASHLIGHTS, PLASTIC CASE, TUBULAR (REGULAR, EXPLOSION-PROOF, EXPLOSION-PROOF HEAT RESISTANT, TRAFFIC DIRECTING, AND INSPECTION-LIGHT) USER: AS ER MC YD1 REVIEWER: 82 EA GS	A 6230	ME	11-MAR-85	ME	SH	99	
	MIL-F-3747E(12)	FLASHLIGHTS, PLASTIC CASE, TUBULAR (REGULAR, EXPLOSION-PROOF, EXPLOSION-PROOF HEAT RESISTANT, TRAFFIC DIRECTING, AND INSPECTION-LIGHT) USER: AS ER MC REVIEWER: 82 EA GS	A 6230	ME	10-MAR-88	ME	SH	99	
	MIL-M-3751B	HARROW, DISK OFFSET, 8 FOOT, 24 INCH DISK [VALIDATION DATE: 8410] REVIEWER: CS	A 3710	ME	19-MAR-76	ME		99	
D	MIL-B-3753E	BUCKET, CONCRETE, HAND OPERATED 3/4 TO 2 CUBIC YARD CAPACITY USER: MC REVIEWER: CS	A 3815	ME	30-JUN-86	ME	YD1	99	
A	MIL-B-3759E	BAG, PERSONAL EFFECTS USER: 45 MC	A 8465	CT	23-SEP-85	GL	MU		CT
A	MIL-C-3760F NOTICE 1	CLOTH, FLANNEL, WOOL & COTTON, WOOL & NYLON [VALIDATION DATE: 8711] REVIEWER: 99 MD	A 8305	CT	30-NOV-87	GL	MU	11	CT
	MIL-C-3761	CLOTH, SILK (FOR AMMUNITION PARACHUTES) [VALIDATION DATE: 7603] REVIEWER: CT	A 8305	AR	22-MAY-52	AR	OS		
L	MIL-C-3761(11)	CLOTH, SILK (FOR AMMUNITION PARACHUTES)	A 8305	AR	02-NOV-88	AR			
D	MIL-C-3774B	CRATES, WOOD, OPEN 12,000- AND 16,000-POUND CAPACITY USER: AR AS AT REVIEWER: GL MC SM	A 8115	YD1	14-JUN-91	ME	YD1		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cpl / OMA Coordination Involvement Document Number	Document Title	Dist Smt FSC / Ase MCA Symbol Preceding Assy Date	Custodians Army Navy Air Force DIA
D MIL-C-3776A	CABLE LASHING MACHINE LC-231() (VALIDATION DATE: 8601) USER: MI REVIEWER: CS	A 3895 CH 04-APR-60 CR YD1 99	
D MIL-A-3777A(2)	ANCHOR, GUY AND RODS, ANCHOR (VALIDATION DATE: 8009) USER: CE REVIEWER: AV 15 SA	A 4030 ER 13-OCT-67 ER YD1 99	
L MIL-C-3779E	CASE, ENGINEER BATTALION, DRAFTING EQUIPMENT, CANVAS REVIEWER: GS	A 6675 ME 22-NOV-91 ME 99	
Q MIL-W-3783C	WINCH, DRUM, POWER OPERATED, 1 TON PULL, PNEUMATIC USER: SA REVIEWER: CS	A 3950 ME 26-AUG-86 ME AT	
Q MIL-S-3785E	STARTERS, ENGINE, ELECTRICAL: 24-VOLT DIRECT-CURRENT USER: ME REVIEWER: CS	A 2920 AT 24-MAR-89 AT ER EC 85	
Q MIL-S-3786F	SWITCHES, ROTARY (CIRCUIT SELECTOR, LOW-CURRENT CAPACITY), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC REVIEWER: 17 99 AS EA ES MI OS	A 5930 BS 17-MAY-93 ER EC 85	
M MIL-S-3786/1E	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR01 (VALIDATION DATE: 9305) USER: 19 AT AV CG MC ME SM REVIEWER: 11 17 99 AS ES MI OS	A 5930 BS 17-MAY-93 ER EC 85	
M MIL-S-3786/2E	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR02 (VALIDATION DATE: 9305) USER: 19 AT AV CG MC ME SM REVIEWER: 11 17 99 AS ES MI OS	A 5930 BS 17-MAY-93 ER EC 85	
M MIL-S-3786/3E	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR03 (VALIDATION DATE: 9305) USER: 19 AT AV CG MC ME SM REVIEWER: 11 17 99 AS ES MI OS	A 5930 BS 17-MAY-93 ER EC 85	
M MIL-S-3786/4J	SWITCH, ROTARY, CLOSED CONSTRUCTION, 2 AMPERES, LOW LEVEL, POSITIVE SHAFT GROUNDING, FLUX SEAL, STYLE SR04 USER: 19 AT AV CG MC ME OS SM REVIEWER: AR AS ES MI	A 5930 BS 06-DEC-91 ER EC 85	
MIL-S-3786/5F	SWITCH, ROTARY, OPEN CONSTRUCTION, .200 AMPERE, STYLE SR05 USER: 19 AT AV CG MC ME REVIEWER: 99 AR AS ES MI OS	A 5930 BS 02-JUN-92 ER EC 85	
MIL-S-3786/9D(1)	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR09 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/10D(1)	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR10 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/13D(1)	SWITCH, ROTARY, CLOSED CONSTRUCTION, .500 AMPERE, STYLE SR13 USER: 19 AT CG MC ME REVIEWER: 11 99 AR AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/15F(1)	SWITCH, ROTARY, OPEN CONSTRUCTION, .5 AMPERE, LOW LEVEL, POSITIVE SHAFT GROUNDING, EMI/RFI, STYLE SR15 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/18B(1)	SWITCH, ROTARY, ELECTRO-MECHANICAL, ACTUATED (SOLENOID TYPE), OPEN CONSTRUCTION, 1/2 AMPERE, STYLE SR18 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/19C(1)	SWITCH, ROTARY, CLOSED CONSTRUCTION, 1/10 AMPERE, STYLE SR19 USER: 19 AT AV CG MC ME SM REVIEWER: 11 99 AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/20C	SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, FLUX SEAL AND NON-FLUX SEAL, .500 INCH DIAMETER, .200 AMPERE, STYLE SR20 USER: 19 AT AV CG MC ME SM REVIEWER: 99 AS ES MI OS	A 5930 BS 31-JAN-92 ER EC 85	
MIL-S-3786/28D(3)	SWITCH, ROTARY, CLOSED CONSTRUCTION, 1 AMPERE AND LOW LEVEL STYLE SR28 USER: 19 AT CG MC ME SM REVIEWER: 11 AR AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
L1 MIL-S-3786/31B	SWITCH, ROTARY, OPEN CONSTRUCTION LEVER ACTUATED, 0.25 AMPERE, STYLE SR31 REVIEWER: ES	A 5930 EC 20-JUL-89 EC	
L MIL-S-3786/32B(1)	SWITCH, ROTARY, OPEN CONSTRUCTION, 1/5 AMPERE, STYLE SR32 REVIEWER: 99 ES	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/35D(1)	SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, .200 AMPERE, STYLE SR35 USER: 19 AT AV CG MC ME REVIEWER: 11 AR AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/36(3)	SWITCH, ROTARY, CLOSED CONSTRUCTION, 1/4 AMPERE, STYLE SR36 USER: 19 AT AV CG MC ME REVIEWER: 11 80 AR AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/39B(1)	SWITCH, ROTARY, CLOSED CONSTRUCTION, EXPLOSION PROOF, 400 MILLIAMPERES, STYLE SR39 USER: 19 AT AV CG MC ME REVIEWER: 11 99 AR AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
MIL-S-3786/40A(3)	SWITCH, ROTARY, OPEN CONSTRUCTION, 5 AMPERE AND LOW LEVEL, STYLE SR40 USER: 19 AT CG MC ME SM REVIEWER: 11 AR AS ES MI OS	A 5930 BS 21-FEB-90 ER EC 85	
L MIL-S-3786/41(1)	SWITCHES, ROTARY, CLOSED CONSTRUCTION, 0.5 AMPERE, STYLE SR41 REVIEWER: 99 ES	A 5930 BS 21-FEB-90 BS	
D MIL-G-3787G	GLASS, LAMINATED, FLAT; (EXCEPT AIRCRAFT) (VALIDATION DATE: 8908) USER: AV MC ME YD1 REVIEWER: AT GS MI	A 9340 MR 03-AUG-89 MR AS 99	
D MIL-S-3788G	SHAPER, WOODWORKING USER: MC SM YD1 REVIEWER: 84	A 3220 IP 08-FEB-91 AL SH 99 IP	
MIL-S-3793B	SMOKE POT, 30 POUND, HC, MS, COMPONENTS FOR (VALIDATION DATE: 8008)	A 1365 EA 16-DEC-59 EA OS	
L MIL-S-003793C	SMOKE POT, HC, 30 POUND, ABC-MS COMPONENTS FOR	A 1365 EA 16-JUL-81 EA	
A MIL-S-3794E	SHOES, CONDUCTIVE USER: OS REVIEWER: 11	A 8430 CT 21-APR-82 MU 99 CT	
MIL-W-3795B	WIRE, ELECTRICAL (TINSEL) (VALIDATION DATE: 8809) USER: AR ME MI OS REVIEWER: 15	A 6145 CR 19-SEP-88 CR	
L MIL-W-3795B(13)	WIRE, ELECTRICAL (TINSEL)	A 6145 CR 20-MAY-76 CR	
MIL-M-3800D(1)	METALLIZING SYSTEM (WIRE GAS), GUNS AND ACCESSORIES USER: AR MC ME OS REVIEWER: 84 GS MI	A 3433 IP 21-NOV-90 SH 99 IP	
MIL-S-3813C	STAND, OFFICE MACHINE, TYPEWRITER, STEEL, 5 POSITION (VALIDATION DATE: 8105)	A 7110 GL 17-DEC-69 GL 99	
A MIL-A-3816F	ABRASIVES AND ABRASIVE PRODUCTS; PACKAGING OF REVIEWER: SM	A PACK AL 05-NOV-92 AL SA	
L MIL-P-3819D	PNEUMATIC TOOL OUTFIT: 600 CFM, COMPRESSED AIR, PACKAGING OF REVIEWER: AT SM	A PACK ME 26-OCT-90 ME	
D MIL-I-3825B(3)	INSULATING TAPE, ELECTRICAL, SELF FUSING, FOR USE IN ELECTRONIC, COMMUNICATIONS, & ALLIED EQUIPMENT USER: CG GL REVIEWER: AR GS SH	A 590 ER 10-SEP-84 ER YD1 85	
MIL-R-3842A(1)	RUBBER STAMP KIT, FOOD INSPECTION (VALIDATION DATE: 8201) REVIEWER: 03 MD	A 7520 GL 19-SEP-68 GL MS 99	
MIL-I-3848A	INDICATOR, PROPELLANT TEMPERATURE, M13, M15 AND M33 (LESS PROPELLANT) (VALIDATION DATE: 8202)	A 1315 AR 12-APR-63 AR OS	
D I MIL-C-3849B	CORD, ELECTRICAL (TINSEL) USER: AR MC MS SA REVIEWER: 80 YD1	A 6145 CR 07-OCT-91 CR SH 17	
D MIL-C-3849B(11)	CORD, ELECTRICAL (TINSEL) USER: AR MC MS SA REVIEWER: 80 15 YD1	A 6145 CR 19-JUN-73 CR SH 17	
I MIL-C-3849/3C	CORD, ELECTRICAL (TINSEL) CLASS SSL, STYRENE BUTADIENE RUBBER (SBR) INSULATED AND JACKETED USER: MC MS SA REVIEWER: 85 15	A 6145 CR 30-AUG-91 CR SH 17	
D I MIL-C-3849/6C	CORD, ELECTRICAL (TINSEL) CLASS SPL, STYRENE BUTADIENE RUBBER (SBR) INSULATED, POLYCHLOROPRENE JACKETED USER: MC MS SA REVIEWER: 85 15 YD1	A 6145 CR 30-AUG-91 CR SH 17	
L MIL-C-3849/11B	CORD, ELECTRICAL (TINSEL), CLASS PSB, POLYAMIDE INSULATED (EXTRUDED), STYRENE BUTADIENE RUBBER (SBR) JACKETED AND POLYAMIDE BRAIDED (VALIDATION DATE: 8708) USER: AR MC MS SA REVIEWER: 85 15	A 6145 CR 03-AUG-87 CR	
MIL-A-3850	ACETYLENE BLACK (VALIDATION DATE: 8604) REVIEWER: GS OS	A 6830 AR 10-APR-86 AR AS	
D MIL-L-3851E	LOOPS, SLIDE (FOR EQUIPAGE) USER: AV MD ME MI REVIEWER: EA 15 MC	A 5340 GL 28-MAR-91 GL YD1 99	
D MIL-G-3859E	GREASE GUN, HAND OPERATED, LEVER, PUSH AND SCREW TYPE USER: MC REVIEWER: CS SH	A 4930 ME 15-MAR-78 ME YD1 99	
D MIL-G-3859/1	GREASE GUNS, HAND OPERATED, LEVER, PUSH & SCREW TYPE: TYPE I, LEVER OPERATED USER: CE MC OS REVIEWER: 82 CS SH	A 4930 ME 12-FEB-87 ME YD1 99	
D MIL-G-3859/2	GREASE GUNS, HAND OPERATED, LEVER, PUSH AND SCREW TYPE: TYPE II, PUSH OPERATED USER: CE MC OS SH REVIEWER: 82 CS	A 4930 ME 12-FEB-87 ME YD1 99	
D MIL-G-3859/3	GREASE GUNS, HAND OPERATED, LEVER, PUSH AND SCREW TYPE: TYPE III, SCREW OPERATED USER: CE MC OS REVIEWER: 82 CS SH	A 4930 ME 12-FEB-87 ME YD1 99	
D MIL-G-3859/4	GREASE GUNS, HAND OPERATED, LEVER, PUSH & SCREW TYPE: TYPE IV, PISTOL GRIP USER: CE MC OS REVIEWER: 82 CS SH	A 4930 ME 12-FEB-87 ME YD1 99	
I MIL-R-3860E	REFRIGERATOR, MECHANICAL, BIOLOGICAL, LOW TEMPERATURE (VALIDATION DATE: 8201) USER: MS REVIEWER: GS MD ME	A 4110 GL 12-JUN-75 GL	
D MIL-B-3865D	BLOCKS, ROPE, TACKLE; PACKAGING OF USER: MC OS SH REVIEWER: AT CS SM	A PACK ME 30-NOV-90 ME YD1 9	
A MIL-G-3866G	GLOVE, MEN'S, CLOTH, COTTON, KNITTED, LIGHTWEIGHT USER: 45 MC REVIEWER: 82 MD	A 8415 CT 17-JUN-87 GL MU 99 CT	
D MIL-M-3868F(2)	HOSE ASSEMBLIES, NON-METALLIC; GREASE GUN HIGH AND LOW PRESSURE USER: AS AT CG MC SH REVIEWER: 82 CS	A 4720 ME 31-OCT-89 ME YD1 99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CR / OML Coordination Inactive		Document Title		Dist Spt FAC / Area MCA Symbol Preparing Act		Date		Custodians	
Document Number		Document Title		Dist Spt FAC / Area MCA Symbol Preparing Act		Date		Army Navy Air Force DIA	
L	MIL-T-3879	TANK, FUEL, FOR PORTABLE FLAME THROWER, M2A1 (VALIDATION DATE: 8405) USER: MC		A 1040	AR	23-APR-53	AR		
A	MIL-C-3880E MIL-C-3883A	CLUB, POLICEMAN'S USER: 45 MC REVIEWER: 82 ..... CORD, ELECTRICAL, SHIELDED (AUDIO FREQUENCY) (VALIDATION DATE: 8207) USER: MC REVIEWER: AR AT AV EC 15 ME OS		A 8465 A 6145	CT CR	28-SEP-90 25-SEP-70	GL CR	MU SH	99 85
	MIL-C-3884B MIL-C-3885F	CORD, ELECTRICAL (SHORT LAY) USER: MC REVIEWER: 80 AT AV 15 ME ..... CABLE ASSEMBLIES AND CORD ASSEMBLIES, ELECTRICAL USER: 11 19 MC ME REVIEWER: 17 99 AR AS AT EA MI OS		A 6145 A 5995	CR CR	26-JUN-90 04-DEC-85	CR CR	SH EC	85 85
A	MIL-D-3886F NOTICE 1 MIL-B-3889B(2) NOTICE 1 MIL-L-3890A MIL-L-3890/1B	DOUGH DIVIDER, ROLL, HAND OPERATED, 36-PART AND DOUGH DIVIDER AND ROUNDRING MACHINE, ROLL, 36-PART (VALIDATION DATE: 9212) REVIEWER: 84 GS MC MD BOX, PLASTIC, COMPARTMENTED, SMALL PARTS (VALIDATION DATE: 8904) REVIEWER: 99 AR MD ME LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) (VALIDATION DATE: 8110) USER: 19 AS REVIEWER: 11 17 99 AR ES MC ME MI OS SH LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 50 OHMS (VALIDATION DATE: 8110) USER: AS AT MC SH REVIEWER: 11 17 99 AR ES ME MI OS		A 7320 A 8115 A 5985 A 5985	SA GL ER ER	18-DEC-92 22-APR-89 23-JAN-76 23-JAN-76	SA GL ER ER	99 69 EC EC	
	MIL-L-3890/2A	LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 75 OHMS (VALIDATION DATE: 8110) USER: 19 AS AT MC SH REVIEWER: 11 17 ES ME MI OS		A 5985	ER	23-JAN-76	ER	EC	85
L	MIL-L-3890/3A	LINE, RADIO FREQUENCY TRANSMISSION (COAXIAL, AIR DIELECTRIC) 50 OHMS TYPE RC-382/U (VALIDATION DATE: 8304) REVIEWER: ES LUMINESCENT MATERIAL AND EQUIPMENT, (NONRADIOACTIVE) (VALIDATION DATE: 8702) USER: SA SH REVIEWER: AV EA GS 15 MI		A 5985 A 9390	EC ME	02-FEB-70 16-DEC-74		EC	99
	MIL-L-3891B NOTICE 1 MIL-D-3898B SUPPL 1B MIL-D-3898/1 NOTICE 1 MIL-D-3898/2 NOTICE 1 MIL-D-3898/3 NOTICE 1 MIL-D-3898/4 NOTICE 1 MIL-D-3898/5 NOTICE 1 MIL-D-3898/6 NOTICE 1	DRAFTING MACHINE & SCALES GENERAL SPECIFICATION FOR USER: AT ME REVIEWER: 82 GS MC DRAFTING MACHINE AND SCALES, CHUCK PLATE FOR (VALIDATION DATE: 9106) USER: AT ME REVIEWER: 82 GS MC DRAFTING MACHINE AND SCALES, INSERT FOR (VALIDATION DATE: 9106) USER: AT ME REVIEWER: 82 GS MC DRAFTING MACHINE AND SCALES, SCALE ASSEMBLY (VALIDATION DATE: 9106) USER: AT ME REVIEWER: 82 GS MC DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 200 AND 1,000 YARDS PER INCH (VALIDATION DATE: 9106) USER: AT ME REVIEWER: 82 GS MC DRAFTING MACHINE AND SCALES RANGE-TIME-SPEED PLOTTING SCALE 500 AND 2,000 YARDS PER INCH (VALIDATION DATE: 9106) USER: AT ME REVIEWER: 82 GS MC DRAFTING MACHINE AND SCALES, RANGE-TIME-SPEED PLOTTING SCALE 25,000:1 AND 50,000:1 YARDS RATIO (VALIDATION DATE: 9106) USER: AT ME REVIEWER: 82 GS MC		A 6675 A 6675 A 6675 A 6675 A 6675 A 6675 A 6675 A 6675	SH SH SH SH SH SH SH SH	11-APR-85 07-JUN-91 07-JUN-91 07-JUN-91 07-JUN-91 07-JUN-91 07-JUN-91 07-JUN-91	MD SH SH SH SH SH SH SH	99 99 99 99 99 99 99 99	
A	MIL-T-3901E	TROUSERS, FIREMEN'S USER: OS REVIEWER: 45 MD		A 8415	CT	30-DEC-81	GL	MU	99
D	MIL-W-3903D	WIRE ROPE ASSEMBLY, SINGLE LEG USER: 17 19 MI REVIEWER: 85 ES 15 OS SH		A 4010	ME	06-OCT-83	ME	YD1	99
D	MIL-S-3905D(1)	SLING, PALLET USER: MC YD1 REVIEWER: 84 AV 15 MT SA		A 3940	ME	04-FEB-85	ME	SH	99
D	MIL-A-3908C(1) NOTICE 1	AUGER, POSTHOLE, HAND (VALIDATION DATE: 8705) USER: CE MC ME		A 5120	GL	20-MAY-87	GL	YD1	84
D	MIL-R-3911D	RAIL, TEE, RAILWAY, RELAYER RAIL REVIEWER: CE		A 2250	ME	02-OCT-85	ME	YD1	
D	MIL-H-3912G	HARDWOOD: FLOORBOARDS AND PLATFORMS: FOR MILITARY VEHICLES USER: 85 REVIEWER: AR CS MD MI		A 2510	AT	11-MAR-91	AT	YD1	99
	MIL-L-3918A NOTICE 1	LUBRICATING OIL, INSTRUMENT, JEWEL BEARING (VALIDATION DATE: 8603) USER: ME MI SH REVIEWER: 68 AV GS OS PS SA		A 9150	AR	10-MAR-86	AR	AS	11
Q	MIL-A-3920C	ADHESIVE, OPTICAL, THERMOSETTING (VALIDATION DATE: 8301) USER: MI REVIEWER: MR		A 8040	AR	21-FEB-77	AR	OS	
	MIL-F-3922B(3) SUPPL 1F	FLANGE, WAVEGUIDE, GENERAL PURPOSE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8204) USER: 14 19 AS MC OS REVIEWER: 11 99 AR AV ES MI		A 5985	EC	04-MAY-76	ER	EC	85
	MIL-F-3922/52B(1)	FLANGE, WAVEGUIDE (PRESSURIZABLE CONTACT) USER: 14 19 AS AV CG MC OS REVIEWER: 11 99 AR ES MI		A 5985	EC	09-AUG-85	ER	EC	85
	MIL-F-3922/53C(2)	FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) (CIRCULAR BACK) (VALIDATION DATE: 8304) USER: AR AS MC SH REVIEWER: 11 99 AR AV ES MI OS		A 5985	EC	09-MAY-77	ER	EC	85
	MIL-F-3922/54C(2)	FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE) (VALIDATION DATE: 8404) USER: AS AV MC SH REVIEWER: 11 99 ES MI OS		A 5985	EC	01-MAY-78	ER	EC	85
	MIL-F-3922/55B(1)	FLANGE, WAVEGUIDE (COVER) (ROUND, 6 HOLE) (VALIDATION DATE: 8304) USER: AS AV MC SH REVIEWER: 11 99 ES MI OS		A 5985	EC	09-MAY-77	ER	EC	85
	MIL-F-3922/56B(1)	FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE) (VALIDATION DATE: 8304) USER: AS AV MC REVIEWER: 11 99 AR ES MI OS		A 5985	EC	09-MAY-77	ER	EC	85
	MIL-F-3922/57B(1)	FLANGE, WAVEGUIDE (COVER) (ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY) (VALIDATION DATE: 8304) USER: AS AV MC SH REVIEWER: 11 99 AR ES MI OS		A 5985	EC	09-MAY-77	ER	EC	85
	MIL-F-3922/58C	FLANGE, WAVEGUIDE (CONTACT) (RECTANGULAR, 10 HOLE) (VALIDATION DATE: 8304) USER: 14 19 AS AV CG MC OS SH REVIEWER: 11 17 99 ES MI		A 5985	EC	04-MAY-76	ER	EC	85
	MIL-F-3922/59D(3)	FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE) USER: AR AS AV MC SH REVIEWER: 11 99 ES MI OS		A 5985	EC	09-AUG-85	ER	EC	85
	MIL-F-3922/60B(1)	FLANGE, WAVEGUIDE (CHOKE) (ROUND, 6 HOLE) (VALIDATION DATE: 8304) USER: AS MC SH REVIEWER: 11 99 AR ES MI OS		A 5985	EC	09-MAY-77	ER	EC	85
	MIL-F-3922/61C	FLANGE, WAVEGUIDE (CHOKE) (ROUND, 8 HOLE) (VALIDATION DATE: 8304) USER: AS AV MC SH REVIEWER: 11 17 99 ES MI OS		A 5985	EC	07-OCT-82	ER	EC	85
	MIL-F-3922/62B(2)	FLANGE, WAVEGUIDE (CHOKE), ROUND, 8 HOLE (2 HOLES CENTERED HORIZONTALLY, 2 HOLES CENTERED VERTICALLY) (VALIDATION DATE: 8304) USER: AS AV MC SH REVIEWER: 11 99 ES MI OS		A 5985	EC	09-MAY-77	ER	EC	85
	MIL-F-3922/63B(1)	FLANGE, WAVEGUIDE (MINIATURE, UNPRESSURIZED CONTACT) (4 HOLE AND 8 HOLE) (VALIDATION DATE: 8404) USER: 14 19 AS AV CG MC OS SH REVIEWER: 11 99 AR ES MI		A 5985	EC	18-NOV-77	ER	EC	85
	MIL-F-3922/64B	FLANGE, WAVEGUIDE, (MINIATURE, UNPRESSURIZED CONTACT) (6 THROUGH HOLE, 6 TAPPED HOLE) (VALIDATION DATE: 8204) USER: 14 19 AS AV CG MC OS SH REVIEWER: 11 99 ES MI		A 5985	EC	04-MAY-76	ER	EC	85
	MIL-F-3922/66B	FLANGE, WAVEGUIDE (CONTACT) (ROUND, 8 HOLE) (VALIDATION DATE: 8204) USER: 14 19 AS AV CG MC ME OS SH REVIEWER: 11 99 ES MI		A 5985	EC	04-MAY-76	ER	EC	85
	MIL-F-3922/67B	FLANGE, WAVEGUIDE (CONTACT), (ROUND, 4 HOLE), (MILLIMETER) (VALIDATION DATE: 8204) USER: 14 19 AS CG CS MC ME OS REVIEWER: 17 99 AR ES MI		A 5985	EC	17-DEC-75	ER	EC	85
	MIL-F-3922/68(1)	FLANGE, WAVEGUIDE COVER (BUTT MOUNT) (SQUARE, 4 HOLE) USER: AS AV MC ME SH REVIEWER: 11 99 AR ES MI OS		A 5985	EC	09-AUG-85	ER	EC	85
	MIL-F-3922/69	FLANGE, WAVEGUIDE (CHOKE) (SQUARE, 4 HOLE) (VALIDATION DATE: 8104) USER: AS AV MC ME SH REVIEWER: 11 99 AR ES MI OS		A 5985	EC	03-FEB-75	ER	EC	85
	MIL-F-3922/70A	FLANGE, WAVEGUIDE (COVER) (SQUARE, 4 HOLE BUTT MOUNT) (VALIDATION DATE: 8404) USER: AS MC SH REVIEWER: 11 99 ES OS		A 5985	EC	07-MAR-78	ER	EC	85
L	MIL-F-3922/71(1)	FLANGE, WAVEGUIDE (CONTACT) (WITH PRESSURIZATION FITTING) (VALIDATION DATE: 8404)		A 5985	EC	21-APR-78			
L	MIL-F-3922/72	FLANGE, WAVEGUIDE (COVER) (WITH PRESSURIZATION FITTING) (VALIDATION DATE: 8204)		A 5985	EC	24-JUN-76			
L	MIL-F-3922/73	FLANGE, WAVEGUIDE (CHOKE) (WITH PRESSURIZATION FITTING) (VALIDATION DATE: 8204)		A 5985	EC	24-JUN-76			
	MIL-F-3922/74	FLANGE, WAVEGUIDE (CONTACT) (ROUND, 4 HOLE) (SUBMILLIMETER) (VALIDATION DATE: 8204) USER: 14 19 AS CG MC ME REVIEWER: 11 99 AR ES MI OS		A 5985	EC	17-DEC-75	ER	EC	85
L	MIL-F-3922/75B MIL-F-3922/76	FLANGE, WAVEGUIDE, REDUCED HEIGHT USER: AS MC SH REVIEWER: 11 99 ES OS .... FLANGE, WAVEGUIDE, GENERAL PURPOSE, LARGE (UNPRESSURIZED CONTACT) (VALIDATION DATE: 8304) USER: 14 19 AR AS MC SH REVIEWER: 11 99 MI OS		A 5985 A 5985	EC EC	23-DEC-81 04-APR-77	ER ER	EC EC	85 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

	Active CPL / OMA Coordination Inches Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DLA
A	MIL-C-3924J	CLOTH, OXFORD, COTTON WARP AND NYLON FILLING, QUARPEL TREATED REVIEWER: 82 MC MD	A 8305	CT	11-DEC-91	GL	MU	99	CT
Q	MIL-K-3926B(1) SUPPL 1B, NOTICE 1	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) [VALIDATION DATE: 9102] USER: CG MC OS REVIEWER: 82 AT AV EA 15 ME MI	A 5355	EC	25-FEB-91	ER	EC	11	
	MIL-K-3926/1A	KNOBS, CONTROL, BALL .....	A 5355	82	28-MAY-87	ER	EC	11	
	MIL-K-3926/2A	KNOBS, CONTROL, OVAL TAPERED .....	A 5355	82	28-MAY-87	ER	EC	11	
	MIL-K-3926/3A	KNOBS, CONTROL, TAPERED .....	A 5355	82	28-MAY-87	ER	EC	11	
	MIL-K-3926/4	KNOBS, CONTROL, ROUND, EDGE LIGHTED AND NON-EDGE LIGHTED USER: CG MC OS REVIEWER: 82 99 AR AS AT AV EA 15 ME SH	A 5355	11	06-AUG-84	ER	EC	11	
Q	MIL-S-3928D(1) SUPPL 1B	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL), GENERAL SPECIFICATION FOR USER: 19 AS AV MC REVIEWER: 11 99 ES MI OS	A 5985	EC	10-JAN-92	ER	EC	85	
	MIL-S-3928/7C	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND SOLENOID OPERATED) CLASSES 1 (TYPE N CONNECTORS) AND 7 (TYPE BMC CONNECTORS) USER: AV MC REVIEWER: 11 99 ES MI	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/8C	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY AND MANUALLY OPERATED) CLASS 7 USER: AS MC SH REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/9C	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (MANUALLY AND MOTOR OPERATED) CLASS 1 (TYPE N CONNECTORS) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/10D	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 1 USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI	A 5985	EC	15-JUL-88	ER	EC	85	
I	MIL-S-3928/11B	SWITCH, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 7 (INACTIVE FOR NEW DESIGN) USER: AS MC SH REVIEWER: 11 19 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/15D	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P21 USER: 19 AS MC REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/16A	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P31 USER: 19 AS MC SH REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/17A	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P41 USER: 19 AS MC SH REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/18B	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P61 USER: 19 AS CG MC REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/19C	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, TR USER: 19 AS AV MC SH REVIEWER: 11 17 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/20C	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, 1P21 USER: 19 AS MC SH REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/21B	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, TR USER: 19 AS AV MC OS SH REVIEWER: 11 17 99 ES MI	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/23A	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 4, 2P21 USER: 19 AS CG MC REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
	MIL-S-3928/25	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P51 USER: 19 AS CG MC REVIEWER: 11 99 ES MI OS	A 5985	EC	15-JUL-88	ER	EC	85	
D	MIL-I-3930E(1) SUPPL 1A	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), GENERAL SPECIFICATION FOR USER: YDI REVIEWER: AR ER ME	A 5970	CR	21-APR-88	CR	SH	85	
I	MIL-I-3930/1 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES) INSULATING COMPOUND, TYPE 1P-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE ACETATE (PVCA) REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/2 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND TYPE 1S-MEDIUM-LOW TEMPERATURE, STYRENE-BUTADIENE RUBBER (SBR) REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/3 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE 1S-L-LOW TEMPERATURE, HEAT RESISTANT, STYRENE BUTADIENE RUBBER (SBR) REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/4 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE 1R-LOW TEMPERATURE, NATURAL RUBBER REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/5 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE 1L-LOW TEMPERATURE, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/6 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND TYPE 1J-S-MEDIUM-LOW TEMPERATURE INSULATING AND JACKETING, STYRENE-BUTADIENE INSULATING AND JACKETING, STYRENE-BUTADIENE RUBBER (SBR) REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/7 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND, TYPE 1L-H-LOW TEMPERATURE, HEAT RESISTANT, NATURAL RUBBER DEPOSITED FROM A RUBBER LATEX COMPOUND REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/8 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), INSULATING COMPOUND TYPE 1L-RN-LOW TEMPERATURE, LAYER OF NATURAL RUBBER LATEX AND A COLOR-CODED OUTER LAYER OF CHLOROPRENE RUBBER (CR) LATEX BONDED TOGETHER REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/9 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING COMPOUND, TYPE 1H-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, ETHYLENE-PROPYLENE RUBBER (KPM) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) REVIEWER: AR ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/10 NOTICE 1	INSULATING & JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, & WIRES), INSULATING COMPOUND, TYPE 1J-H-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, INSULATING & JACKETING, ETHYLENE-PROPYLENE RUBBER (EPH) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/11 NOTICE 1	INSULATING & JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, & WIRES), INSULATING COMPOUND, TYPE 1E-POLYETHYLENE IN ACCORDANCE WITH L-P-390, TYPE 11, CLASS L, GRADE 3 OR 4, CATEGORY 5 REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/12 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS AND WIRES), INSULATING AND JACKETING COMPOUND, TYPE TPE-S-LOW TEMPERATURE, HEAT AND OZONE RESISTANT, STYRENIC THERMOPLASTIC ELASTOMER REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/13 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES) INSULATING AND JACKETING COMPOUND, TYPE TPE-O-LOW TEMPERATURE, WEATHER RESISTANT, OLEFINIC THERMOPLASTIC ELASTOMER REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/14 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JP-MEDIUM-LOW TEMPERATURE, POLYVINYLCHLORIDE (PVC) AND POLYVINYLCHLORIDE-ACETATE (PVCA) REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/15 NOTICE 1	INSULATING & JACKETING COMPOUNDS, ELEC (FOR CABLES, CORDS, & WIRES), JACKETING COMPOUND, TYPE JS-MEDIUM-LOW TEMPERATURE STYRENE-BUTADIENE RUBBER (SBR) REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/16 NOTICE 1	INSULATING & JACKETING COMPOUNDS, ELECTRICAL (COMPOUND, TYPE JS-L-LOW TEMPERATURE HEAT-RESISTANT, STYRENE-BUTADIENE RUBBER REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	
I	MIL-I-3930/17 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JN-LOW TEMPERATURE, NATURAL RUBBER REVIEWER: AR IS ME MI	A 5970	CR	05-OCT-90	CR		85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op. / Chk Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Area MCSA Symbol Preparing Acty. Date	Army	Navy	Air Force	Custodians DLA
1 MIL-I-3930/18 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-MODERATE-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) REVIEWER: AR IS ME MI	A 5970 CR 05-OCT-90 CR	85			
1 MIL-I-3930/19 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-L-LOW TEMPERATURE, CHLOROPRENE RUBBER (CR) REVIEWER: AR IS ME MI	A 5970 CR 05-OCT-90 CR	85			
1 MIL-I-3930/20 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-LOW TEMPERATURE, HEAT RESISTANT, ETHYLENE-PROPYLENE (EPH) OR ETHYLENE-PROPYLENE-DIENE RUBBER (EPDM) REVIEWER: AR IS ME MI	A 5970 CR 05-OCT-90 CR	85			
1 MIL-I-3930/21 NOTICE 1	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JU-LOW TEMPERATURE, HEAT AND WEATHER RESISTANT, POLYURETHANE THERMOPLASTIC ELASTOMER REVIEWER: AR IS ME MI	A 5970 CR 05-OCT-90 CR	85			
MIL-I-3930/22	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-MODERATE-LOW TEMPERATURE, CHLORINATED POLYETHYLENE RUBBER (CM) REVIEWER: AR ME MI	A 5970 CR 21-APR-88 CR SH	85			
MIL-I-3930/23	INSULATING AND JACKETING COMPOUNDS, ELECTRICAL (FOR CABLES, CORDS, AND WIRES), JACKETING COMPOUND, TYPE JH-L-LOW TEMPERATURE, CHLORINATED POLYETHYLENE RUBBER (CM) REVIEWER: AR ME MI	A 5970 CR 21-APR-88 CR SH	85			
A Q MIL-L-3931K MIL-A-3933E(1) SUPPL 1A	LAST, FOOTWEAR, SHOE, MEN S, US MIL-1 USER: MC REVIEWER: 11 82 MD .....	A 8335 CT 17-JUN-86 GL MU 99 CT				
MIL-A-3933/1C	ATTENUATORS, FIXED GENERAL SPECIFICATION FOR USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 06-NOV-85 ER EC	85			
MIL-A-3933/2C	ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 3 GHZ, CLASS IIA, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/3B	ATTENUATOR, FIXED, COAXIAL LINE, FREQUENCY RANGE: 1 TO 4 GHZ, CLASS IIB MEDIUM POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/5B	ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 1.5 GHZ, CLASS III, MEDIUM POWER (VALIDATION DATE: 8505) USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 23-APR-85 ER EC	85			
MIL-A-3933/6B	ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: 1 TO 10 GHZ, CLASS IIB, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI SH	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/8B	ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 1.5 GHZ, CLASS IIA, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/9B	ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 4 GHZ, CLASS IIB, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/10C	ATTENUATORS, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 4.5 GHZ, CLASS III, LOW POWER USER: AS MC SH REVIEWER: 17 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/14C(1)	ATTENUATORS, FIXED COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 18 GHZ, CLASS III, MEDIUM POWER USER: AS MC REVIEWER: 11 99 ES MI SH	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/16C(1)	ATTENUATOR, FIXED, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 12.4 GHZ, CLASS IV, LOW POWER USER: AS MC REVIEWER: 11 99 ES MI	A 5985 EC 06-NOV-85 ER EC	85			
MIL-A-3933/17A	ATTENUATORS, FIXED, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC REVIEWER: 11 99 ES MI	A 5985 EC 06-NOV-85 ER EC	85			
L MIL-A-3933/18E(1)	ATTENUATOR, FIXED, COAXIAL LINE (TNC CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/19A	ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: DC TO 12.4 GHZ, & DC TO 18 GHZ, CLASS III, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/20	ATTENUATOR, FIXED, COAXIAL LINE (BNC CONNECTORS), FREQUENCY RANGE: DC TO 4.5 GHZ, CLASS III, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 25-NOV-74 ER EC	85			
L MIL-A-3933/21	ATTENUATOR, FIXED, WAVEGUIDE FREQUENCY RANGE, 7 TO 18 GHZ, CLASS LII (VALIDATION DATE: 8104) USER: AS MC SH REVIEWER: 11 99 ES MI OS	A 5985 EC 24-MAR-76 EC				
MIL-A-3933/22A	ATTENUATOR, FIXED, COAXIAL LINE (TYPE N CONNECTORS) FREQUENCY RANGE, DC TO 500 MHZ, CLASS III (VALIDATION DATE: 8204) USER: MC REVIEWER: AS ES OS SH	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/23B	ATTENUATOR, FIXED, STRIPLINE, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/24A	ATTENUATOR, FIXED, TO-5 CONFIGURATION, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/25A(2)	ATTENUATOR, FIXED, COAXIAL LINE, (SMA CONNECTORS), BULKHEAD, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
MIL-A-3933/26	ATTENUATORS, FIXED, MINATURE, COAXIAL LINE (SMA CONNECTORS), FREQUENCY RANGE: DC TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 22-SEP-89 ER EC	85			
MIL-M-3935C(1) NOTICE 2	ATTENUATOR, FIXED, COAXIAL LINE (SERIES N), FREQUENCY RANGE: 0.4 TO 18 GHZ, CLASS IV, LOW POWER USER: AS MC SH REVIEWER: 11 99 ES MI	A 5985 EC 24-APR-85 ER EC	85			
A MIL-D-3943D(2) SUPPL 1B	MARKER, SELF-LUMINOUS (VALIDATION DATE: 8409) REVIEWER: MD .....	A 9905 AV 11-JAN-72 AV	99			
A L MIL-D-3943/1C	DECORATIONS, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 CT MC .....	A 8455 1M 30-JUL-92 1M MU 11				
A MIL-D-3943/2C NOTICE 1	DECORATION, MEDAL OF HONOR, ARMY REVIEWER: CT .....	A 8455 1M 12-JUN-92 1M MU 11				
A MIL-D-3943/3C	DECORATION, MEDAL OF HONOR, NAVY (VALIDATION DATE: 9204) USER: 45	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/4B NOTICE 1	REVIEWER: 82 99 CG CT MC	A 8455 1M 12-JUN-92 1M MU 11				
A MIL-D-3943/5C NOTICE 1	DECORATION, MEDAL OF HONOR, AIR FORCE USER: 45 REVIEWER: 82 99 CT .....	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/6B NOTICE 1	DECORATION, DISTINGUISHED SERVICE CROSS, ARMY (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
A L MIL-D-3943/7E	DECORATION, NAVY CROSS (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/8D	DECORATION, AIR FORCE CROSS (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/9C	DECORATION, DISTINGUISHED SERVICE MEDAL, ARMY REVIEWER: CT .....	A 8455 1M 30-MAR-93 1M MU 11				
A MIL-D-3943/10B NOTICE 1	DECORATION, DISTINGUISHED SERVICE MEDAL, NAVY REVIEWER: CT MC .....	A 8455 1M 12-JUN-92 1M MU 11				
A MIL-D-3943/11B NOTICE 1	DECORATION, DISTINGUISHED SERVICE MEDAL, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/12C	DECORATION, DISTINGUISHED SERVICE MEDAL, COAST GUARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/13D	DECORATION, SILVER STAR MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 12-JUN-92 1M MU 11				
A MIL-D-3943/14C	DECORATION, LEGION OF MERIT, CHIEF COMMANDER USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1M 12-JUN-92 1M MU 11				
A MIL-D-3943/15C	DECORATION, LEGION OF MERIT, OFFICER AND LEGIONNAIRE USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1M 12-JUN-92 1M MU 11				
A MIL-D-3943/16B NOTICE 1	DECORATION, LEGION OF MERIT, COMMANDER USER: 45 CG REVIEWER: 82 99 CT MC ..	A 8455 1M 12-JUN-92 1M MU 11				
A MIL-D-3943/17C NOTICE 1	DECORATION, DISTINGUISHED FLYING CROSS USER: 45 REVIEWER: 82 99 CT .....	A 8455 1M 06-MAR-92 1M MU 11				
A MIL-D-3943/18B NOTICE 1	DECORATION, SOLDIER'S MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/19B NOTICE 1	DECORATION, NAVY AND MARINE CORPS MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
A MIL-D-3943/20B NOTICE 1	DECORATION, AIRMAN'S MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
	DECORATION, COAST GUARD MEDAL (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				
	DECORATION, GOLD LIFE-SAVING MEDAL AND BAR, COAST GUARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92 1M MU 11				



## NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Off / OLC Coordinator Inmate Document Number			Document Title	Dist Sent FSC / Asst MCA Symbol Preparing Asst Date	Army	Navy	Air Force	Custodian DLA
A		MIL-D-3943/21B NOTICE 1	DECORATION, SILVER LIFE-SAVING MEDAL AND BAR, COAST GUARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/22B NOTICE 1	DECORATION, BROWSE STAR METAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/23B NOTICE 1	DECORATION, AIR MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/24D	DECORATION, PURPLE HEART USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 12-JUN-92	1H	MU	11	
A		MIL-D-3943/26C	DECORATION, JOINT SERVICE COMMENDATION MEDAL USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 12-JUN-92	1H	MU	11	
A		MIL-D-3943/27C NOTICE 1	DECORATION, ARMY COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/28D NOTICE 1	DECORATION, NAVY COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/29B NOTICE 1	DECORATION, AIR FORCE COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/30C NOTICE 1	DECORATION, COAST GUARD COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A L		MIL-D-3943/31C NOTICE 1	DECORATION, NATIONAL SECURITY MEDAL REVIEWER: CT	A 8455 1H 12-JUN-92	1H	MU	11	
A		MIL-D-3943/32F NOTICE 1	DECORATION, UNIT AWARDS AND CITATIONS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/33D NOTICE 1	DECORATION, UNIT AWARDS AND CITATIONS, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
H		MIL-D-3943/34D	DECORATION, SUPERIOR CADET AWARD, ROTC USER: 45 REVIEWER: 82 99 CT	A 8455 1H 14-APR-93	1H			
A		MIL-D-3943/35B NOTICE 1	DECORATION, ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/36B NOTICE 1	DECORATION, CIVILIAN AWARD FOR VALOR, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/37C NOTICE 1	DECORATION, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/38B NOTICE 1	DECORATION, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/39B NOTICE 1	DECORATION, DISTINGUISHED CIVILIAN SERVICE, DOD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/40D	DECORATION, DISTINGUISHED CIVILIAN SERVICE, NAVY REVIEWER: CT	A 8455 1H 12-JUN-92	1H	MU	11	
A		MIL-D-3943/41C NOTICE 1	DECORATION, DISTINGUISHED CIVILIAN SERVICE, ARMY (NON-CIVIL SERVICE) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/42B NOTICE 1	DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, DOD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/43C NOTICE 1	DECORATION, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/44B NOTICE 1	DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/45B NOTICE 1	DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/46C NOTICE 1	DECORATION, EXCEPTIONAL CIVILIAN AWARD, CIVIL SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/47C NOTICE 1	DECORATION, MEDAL FOR MERIT USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 12-JUN-92	1H	MU	11	
A		MIL-D-3943/48C NOTICE 1	DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/49C NOTICE 1	DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/50B NOTICE 1	DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, OSD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/51C NOTICE 1	DECORATION, OUTSTANDING CIVILIAN SERVICE AWARD, ARMY (NON-CIVIL SERVICE) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/52C NOTICE 1	DECORATION, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/53C NOTICE 1	DECORATION, NAVY ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/54B NOTICE 1	DECORATION, MEDAL FOR HEROISM, ROTC & MDCC [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/55B NOTICE 1	DECORATION, DISTINGUISHED SERVICE AWARD, DCAA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/56B NOTICE 1	DECORATION, MERITORIOUS SERVICE AWARD, DCAA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/57C NOTICE 1	DECORATION, DISTINGUISHED SERVICE MEDAL, NASA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/58B NOTICE 1	DECORATION, OUTSTANDING LEADERSHIP MEDAL, NASA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/59B NOTICE 1	DECORATION, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NASA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/60C NOTICE 1	DECORATION, EXCEPTIONAL SERVICE MEDAL, NASA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/61C NOTICE 1	DECORATION, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/62C NOTICE 1	DECORATING, EXCEPTIONAL BRAVERY MEDAL, NASA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/63C NOTICE 1	DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, DNA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/64C NOTICE 1	DECORATION, EXCEPTIONAL CIVILIAN SERVICE AWARD, DNA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A L		MIL-D-3943/66C	DECORATION, MEDAL FOR VALOR, FEDERAL AVIATION ADMINISTRATION REVIEWER: CT	A 8455 1H 12-JUN-92	1H			
A		MIL-D-3943/66B NOTICE 1	DECORATION, MERITORIOUS SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/67B NOTICE 1	DECORATION, COAST GUARD ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/68B	DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, NAVY REVIEWER: CT	A 8455 1H 12-JUN-92	1H	MU	11	
A		MIL-D-3943/69C NOTICE 1	DECORATION, AWARD FOR VALOR, DOT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/70C NOTICE 1	DECORATION, AWARD FOR MERITORIOUS ACHIEVEMENT, DOT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/71C NOTICE 1	DECORATION, AWARD FOR OUTSTANDING ACHIEVEMENT, DOT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A		MIL-D-3943/72B NOTICE 1	DECORATION, DEFENSE DISTINGUISHED SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A L		MIL-D-3943/73C	DECORATION, EXCEPTIONAL CIVILIAN SERVICE, DIA REVIEWER: CT	A 8455 1H 12-JUN-92	1H			
A		MIL-D-3943/74B NOTICE 1	DECORATION, MERITORIOUS CIVILIAN SERVICE, DIA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
A L		MIL-D-3943/75C	DECORATION, PRESIDENTIAL CITIZENS MEDAL REVIEWER: CT	A 8455 1H 12-JUN-92	1H			
A		MIL-D-3943/76A NOTICE 1	DECORATION, CONGRESSIONAL SPACE MEDAL O* HONOR [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1H 27-APR-92	1H	MU	11	
L		MIL-D-3943/77D	DECORATION, EXCEPTIONAL CIVILIAN SERVICE, DLA REVIEWER: CT	A 8455 1H 22-APR-92	1H			
L		MIL-D-3943/78D	DECORATION, MERITORIOUS CIVILIAN SERVICE, DLA REVIEWER: CT	A 8455 1H 22-APR-92	1H			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / On Cancellation Notice	Document Number	Document Title	Dist. Smt FBO / Ave MCA Symbol Preparing / Adj Date	Custodians			
				Army	Navy	Air Force	DLA
A	MIL-D-3943/79A NOTICE 1	DECORATION: REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARD, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/80A NOTICE 1	DECORATION: EXCEPTIONAL SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/81A NOTICE 1	DECORATION: SUPERIOR SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/82A NOTICE 1	DECORATION: COMMENDABLE SERVICE AWARD, ENVIRONMENTAL PROTECTION AGENCY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/83A NOTICE 1	DECORATION: DISTINGUISHED CAREER SERVICE, EPA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/84B NOTICE 1	DECORATION: AWARD FOR SUPERIOR ACHIEVEMENT, DOT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/85C NOTICE 1	DECORATION: DISTINGUISHED SERVICE MEDAL, FEMA [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/86A NOTICE 1	DECORATION: OUTSTANDING PUBLIC SERVICE AWARD, OSD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/87A NOTICE 1	DECORATION, DEFENSE SUPERIOR SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/88A NOTICE 1	DECORATIONS: DISTINGUISHED AND MERITORIOUS PUBLIC SERVICE AWARDS, COAST GUARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/89A NOTICE 1	DECORATION: NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/90A NOTICE 1	DECORATION, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/91A NOTICE 1	DECORATION, DISTINGUISHED CAREER SERVICE AWARD, A.I.D., DEPT OF STATE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/92C NOTICE 1	DECORATION, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/93A NOTICE 1	DECORATION, DEFENSE MERITORIOUS SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/94C NOTICE 1	DECORATION, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY REVIEWER: CT .....	A 8455 1M 12-JUN-92	1M	MU		
A	MIL-D-3943/95A NOTICE 1	DECORATION, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/96A NOTICE 1	DECORATION, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/97A NOTICE 1	DECORATION: OUTSTANDING SERVICE AWARD, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/98A NOTICE 1	DECORATION: ACHIEVEMENT AWARD, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/99B NOTICE 1	DECORATION, CIVILIAN SERVICE MEDAL, OSD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/100A NOTICE 1	DECORATION, AIR FORCE ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/101A NOTICE 1	DECORATIONS, USPHS AWARDS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/102A NOTICE 1	DECORATION, ARMY ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/103A NOTICE 1	DECORATION, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/104A NOTICE 1	DECORATION, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/105A NOTICE 1	DECORATION, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/106A NOTICE 1	DECORATION, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/107B NOTICE 1	DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/108A NOTICE 1	DECORATION, JOINT SERVICE ACHIEVEMENT MEDAL, DOD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/109B NOTICE 1	DECORATION, NOAA ASSOCIATION OF COMMISSIONED OFFICERS AWARDS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/110B NOTICE 1	DECORATION, NOAA AWARD, VARIOUS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/111A NOTICE 1	DECORATION, DISTINGUISHED SERVICE MEDAL, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/112A NOTICE 1	DECORATION, MERITORIOUS SERVICE MEDAL, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/113A NOTICE 1	DECORATION, COMMENDATION MEDAL, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/114A NOTICE 1	DECORATION, MEDAL OF VALOR, CHAPLAIN, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/115A NOTICE 1	DECORATION, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/116 NOTICE 1	DECORATION, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, D.I.A. [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/117 NOTICE 1	DECORATION, SURGEON GENERAL'S MEDALLION, USPHS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/118 NOTICE 1	DECORATION, DEPARTMENT OF COMMERCE, GOLD, SILVER, BRONZE AWARD [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/119 NOTICE 1	DECORATION, US ARMY RECRUITING COMMAND AWARD FOR JROTC [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/120A NOTICE 1	DECORATION, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/121A NOTICE 1	DECORATION, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/122 NOTICE 1	DECORATION, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/123A NOTICE 1	DECORATION, SUPERIOR CIVILIAN SERVICE AWARD, ARMY [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/124B NOTICE 1	DECORATION, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY REVIEWER: CT .....	A 8455 1M 12-JUN-92	1M	MU		
A	MIL-D-3943/125 NOTICE 1	DECORATION, AERIAL ACHIEVEMENT, AIR FORCE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
L	MIL-D-3943/126B NOTICE 1	DECORATION, SUPERIOR CIVILIAN SERVICE, DLA REVIEWER: CT .....	A 8455 1M 22-APR-92	1M			
L	MIL-D-3943/127A NOTICE 1	DECORATION, DISTINGUISHED CIVILIAN SERVICE, DLA REVIEWER: CT .....	A 8455 1M 22-APR-92	1M			
A	MIL-D-3943/128 NOTICE 1	DECORATION, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	
A	MIL-D-3943/129 NOTICE 1	DECORATION, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455 1M 27-APR-92	1M	MU	11	



## NUMERICAL LISTING MILITARY SPECIFICATIONS

59



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn Off / OMA Coordination Package	Document Number	Document Title	Dist. Smt FDC / Area MCA Symbol Preparing Actn Date	Custodians		
				Army	Navy	Air Force DLA
	MIL-M-3946/358	MEDAL, PHILIPPINE CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	99 CG CT MC				
	MIL-M-3946/368	MEDAL, PHILIPPINE CONGRESSIONAL [VALIDATION DATE: 9204] USER: 45 REVIEWER:	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	82 99 CG CT MC				
	MIL-M-3946/378	MEDAL, SECOND NICARAGUAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/388	MEDAL, SPANISH CAMPAIGN [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	CG CT MC				
	MIL-M-3946/39C	MEDAL, SPANISH WAR SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	99 CG CT MC				
	MIL-M-3946/408	MEDAL, UNITED NATIONS SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER:	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	82 99 CG CT MC				
	MIL-M-3946/41B	MEDAL, VICTORY, WORLD WAR I [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	99 CG CT MC				
	MIL-M-3946/42B	MEDAL, VICTORY, WORLD WAR II [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	99 CG CT MC				
	MIL-M-3946/43B	MEDAL, WOMEN'S ARMY CORPS [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	CG CT MC				
	MIL-M-3946/44B	MEDAL, YANGTZE SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	CT MC				
	MIL-M-3946/45B	MEDAL, VIETNAM SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	CT MC				
	MIL-M-3946/46B	MEDAL, AIR FORCE COMBAT READINESS [VALIDATION DATE: 9204] USER: 45	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/47B	MEDAL, CIVILIAN SERVICE IN VIETNAM [VALIDATION DATE: 9204] USER: 45	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/48A	MEDAL, ARMY RESERVE COMPONENTS ACHIEVEMENT [VALIDATION DATE: 9204] USER:	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	45 REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/49A	MEDAL, AIR RESERVE FORCES MERITORIOUS SERVICE [VALIDATION DATE: 9204]	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	USER: 45 REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/50A	MEDAL, HUMANITARIAN SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	99 CG CT MC				
	MIL-M-3946/51A	MEDAL, COAST GUARD, ARCTIC SERVICE [VALIDATION DATE: 9204] USER: 45	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/52B	MEDAL, U.S. COAST GUARD RESERVE GOOD CONDUCT [VALIDATION DATE: 9204] USER:	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	45 REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/53	MEDAL, PRISONER OF WAR [VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	CT MC				
	MIL-M-3946/54	MEDAL, DEPARTMENT OF THE ARMY CIVILIAN AWARD FOR HUMANITARIAN SERVICE	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	[VALIDATION DATE: 9204] USER: 45 REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/56	MEDAL, MULTINATIONAL FORCE AND OBSERVERS [VALIDATION DATE: 9204] USER: 45	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	REVIEWER: 82 99 CG CT MC				
	MIL-M-3946/57	MEDAL, SOUTHWEST ASIA SERVICE [VALIDATION DATE: 9204] USER: 45 REVIEWER:	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	82 99 CG CT MC				
	MIL-M-3946/58	MEDAL, VIETNAM SERVICE, MERCHANT MARINE [VALIDATION DATE: 9204] USER: 45	A 8455	1M	20-APR-92	1M MU 11
	NOTICE 1	REVIEWER: 82 99 CG CT MC				
L	MIL-M-3946/59A	MEDAL, CIVILIAN SERVICE IN SOUTHWEST ASIA, DOD REVIEWER: CT	A 8455	1M	30-JAN-92	1M
L	MIL-M-3946/60	MEDAL, EXPEDITIONARY, MERCHANT MARINE REVIEWER: CT	A 8455	1M	18-SEP-91	1M
L	MIL-M-3946/61	MEDAL, DEFENSE, MERCHANT MARINE REVIEWER: CT	A 8455	1M	06-FEB-92	1M
L	MIL-M-3946/62	MEDAL, ATLANTIC WAR ZONE, MERCHANT MARINE REVIEWER: CT	A 8455	1M	06-FEB-92	1M
L	MIL-M-3946/63	MEDAL, PACIFIC WAR ZONE, MERCHANT MARINE REVIEWER: CT	A 8455	1M	06-FEB-92	1M
L	MIL-M-3946/64	MEDAL, KOREAN SERVICE, MERCHANT MARINE REVIEWER: CT	A 8455	1M	06-FEB-92	1M
L	MIL-M-3946/65	MEDAL, MEDITERRANEAN-MIDDLE EAST WAR ZONE, MERCHANT MARINE REVIEWER: CT	A 8455	1M	06-FEB-92	1M
L	MIL-M-3946/66	MEDAL, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA REVIEWER: 82 99 CG CT MC	A 8455	1M	26-FEB-92	1M MU 11
	MIL-M-3947B	WEIGHT AND BALANCE CONTROL SYSTEM FOR GUIDED MISSILES AND SPACE LAUNCH	A 1410	AS	18-SEP-91	NI AS 11
	NOTICE 1	VEHICLES [VALIDATION DATE: 9109] REVIEWER: 99				
	MIL-I-3948C	INDICATOR TUBE, CARBON MONOXIDE REVIEWER: DM MD	A 6665	EA	03-SEP-82	EA
	MIL-I-3948C(11)	INDICATOR TUBE, CARBON MONOXIDE	A 6665	EA	24-JUN-88	EA
A	MIL-I-3949D(2)	INSIGNIA, RANK, OFFICER'S, METAL: GENERAL SPECIFICATION FOR [VALIDATION	A 8455	1M	04-NOV-92	1M MU 11
	SUPPL 1A, NOTICE 1	DATE: 9211] USER: 45 MC REVIEWER: 82 99 CT				
	MIL-I-3949/1C	INSIGNIA, RANK: GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE	A 8455	1M	14-SEP-90	1M 11
		(PENTAGONAL STAR GROUP) REVIEWER: 82 99 CT				
	MIL-I-3949/2C	INSIGNIA, RANK: FLEET ADMIRAL (PENTAGONAL STAR GROUP) REVIEWER: DP MC	A 8455	1M	19-OCT-90	1M SA
	MIL-I-3949/3D	INSIGNIA, RANK: GENERAL OF THE ARMY AND GENERAL OF THE AIR FORCE COAT OF	A 8455	1M	26-MAR-92	1M 11
		ARMS REVIEWER: 82 99 CT				
	MIL-I-3949/4D	INSIGNIA, RANK: INDIVIDUAL STAR, GENERAL OFFICERS, ARMY AND AIR FORCE	A 8455	1M	30-JAN-91	1M 11
		REVIEWER: 82 99 CT				
	MIL-I-3949/5C	INSIGNIA, RANK: ADMIRAL, NAVY AND GENERAL, MARINE CORPS REVIEWER: CT MC	A 8455	1M	19-OCT-90	1M SA
	MIL-I-3949/6C	INSIGNIA, RANK: VICE ADMIRAL, NAVY AND LIEUTENANT GENERAL, MARINE CORPS	A 8455	1M	19-OCT-90	1M SA
		REVIEWER: CT MC				
A	MIL-I-3949/7D	INSIGNIA, RANK: REAR ADMIRAL, NAVY AND MAJOR GENERAL, MARINE CORPS	A 8455	1M	30-MAR-93	1M MU
		REVIEWER: CT MC				
	MIL-I-3949/8C	INSIGNIA, RANK: COMMODORE, NAVY AND BRIGADIER GENERAL, MARINE CORPS	A 8455	1M	19-OCT-90	1M SA
		REVIEWER: CT MC				
	MIL-I-3949/9E	INSIGNIA, RANK: GENERAL OFFICERS, ARMY AND AIR FORCE (MINIATURE SIZE)	A 8455	1M	14-SEP-90	1M 11
		REVIEWER: 82 99 CT DP				
	MIL-I-3949/11E	INSIGNIA, RANK: CAPTAIN, NAVY AND COLONEL, MARINE CORPS, AIR FORCE AND	A 8455	1M	14-SEP-90	1M SA 11
		ARMY REVIEWER: 82 99 CG CT MC				
	MIL-I-3949/12G	INSIGNIA, RANK: LIEUTENANT COLONEL AND MAJOR, ARMY AND AIR FORCE REVIEWER:	A 8455	1M	26-MAR-92	1M 11
		82 99 CT				
	MIL-I-3949/13C	INSIGNIA, RANK: COMMANDER AND LIEUTENANT COMMANDER, NAVY LIEUTENANT	A 8455	1M	19-OCT-90	1M SA
		COLONEL AND MAJOR, MARINE CORPS REVIEWER: CT MC				
	MIL-I-3949/14H	INSIGNIA, RANK: CAPTAIN, ARMY AND AIR FORCE REVIEWER: 82 99 CT	A 8455	1M	29-NOV-91	1M 11
	MIL-I-3949/16J	INSIGNIA, RANK: FIRST LIEUTENANT AND SECOND LIEUTENANT, ARMY AND AIR FORCE	A 8455	1M	26-MAR-92	1M 11
		REVIEWER: 82 99 CT				
	MIL-I-3949/18D	INSIGNIA, RANK: CHIEF WARRANT OFFICERS W-3 AND W-1, AIR FORCE REVIEWER: 82	A 8455	1M	14-SEP-90	1M 11
		99 CT DP				
	MIL-I-3949/19D	INSIGNIA, RANK: CHIEF WARRANT OFFICER W-3 AND WARRANT OFFICER W-1, NAVY	A 8455	1M	19-OCT-90	1M SA
		AND MARINE CORPS REVIEWER: CT MC				
	MIL-I-3949/20D	INSIGNIA, RANK: CHIEF WARRANT OFFICERS W-2 AND W-4, AIR FORCE USER: 45	A 8455	1M	14-SEP-90	1M 11
		REVIEWER: 82 99 CT				
	MIL-I-3949/21D	INSIGNIA, RANK: CHIEF WARRANT OFFICER W-2 AND W-4, NAVY AND MARINE CORPS	A 8455	1M	19-OCT-90	1M SA
		REVIEWER: CT MC				
L	MIL-I-3949/24E	INSIGNIA, RANK: WARRANT OFFICER WO1 AND CHIEF WARRANT OFFICERS OM2, OM3	A 8455	1M	14-SEP-90	1M
		AND OM4, ARMY REVIEWER: CT				
	MIL-I-3949/25B	INSIGNIA, RANK: 3/4 INCH STAR, GENERAL OFFICERS, AIR FORCE REVIEWER: 82 99	A 8455	1M	30-JAN-91	1M 11
		CT				
	MIL-I-3949/26A	INSIGNIA, RANK: LIEUTENANT, NAVY AND CAPTAIN, MARINE CORPS REVIEWER: CT MC	A 8455	1M	19-OCT-90	1M SA
	MIL-I-3949/27A	INSIGNIA, RANK: LIEUTENANT (JG) AND ENSIGN, NAVY LIEUTENANT AND SECOND	A 8455	1M	19-OCT-90	1M SA
		LIEUTENANT, MARINE CORPS REVIEWER: CT MC				
A	MIL-I-3949/28D	INSIGNIA, RANK: CHIEF WARRANT OFFICER OM5, ARMY AND AIR FORCE USER: 45	A 8455	1M	24-JUN-92	1M 11
		REVIEWER: 82 99 CT				
A	MIL-I-3949/29	INSIGNIA, RANK: CHIEF WARRANT OFFICER OM5, MARINE CORPS REVIEWER: CT MC	A 8455	1M	24-JUN-92	1M MU



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / Cals Coordination Insects	Document Number	Document Title	Dist. Smt FSC / Ave	MCA Symbol Preceding Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
Q	MIL-S-3950F(2)	SWITCHES, TOGGLE, ENVIRONMENTALLY SEALED, GENERAL SPECIFICATION FOR	A 5930	BS	30-SEP-88	ER	AS	BS	
L	SUPPL 1A MIL-S-3950/14	(VALIDATION DATE: 8809) USER: AR MC REVIEWER: 11 99 AR EC ES MI	A 5930	BS	09-MAR-88			BS	
H	MIL-S-3951D	SWITCHES, TOGGLE, ROCKER ACTUATED, ONE POLE, TWO POLE, FOUR POLE,	A 8455	1H	23-APR-93	1H	MU	11	
A	MIL-C-3953E	ENVIRONMENTALLY SEALED, FLUSH AND SUB-PANEL MOUNTING REVIEWER: 99	A 8305	CT	16-JUN-81	GL	MU	99	CT
Q	NOTICE 1 MIL-D-3954C(2)	SERVICE RIBBONS AND BARS, SERVICE RIBBONS USER: 45 REVIEWER: 82 99 CT MC ..	A 5985	EC	29-MAR-79	ER	EC	BS	
	SUPPL 1A MIL-D-3954/11A	CLOTH, DUCK, NYLON USER: MC REVIEWER: AS MD MI .....	A 5985	EC	27-OCT-87	ER	EC	BS	
	NOTICE 1	(VALIDATION DATE: 8710) USER: 14 19 AS CG MC OS SH REVIEWER: 11 17 99 AR							
	MIL-D-3954/13A	ES MI	A 5985	EC	27-OCT-87	ER	EC	BS	
	NOTICE 1	DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 12.4 TO 18.0							
	MIL-D-3954/15A	GIGAHERTZ) (VALIDATION DATE: 8710) USER: 14 19 AS CG MC OS SH REVIEWER: 11	A 5985	EC	27-OCT-87	ER	EC	BS	
	NOTICE 1	17 99 AR ES MI							
	MIL-D-3954/16A	DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 1.12 TO 1.70	A 5985	EC	27-OCT-87	ER	EC	BS	
	NOTICE 1	GIGAHERTZ) (VALIDATION DATE: 8710) USER: 14 19 AS CG MC OS SH REVIEWER: 11							
	MIL-D-3954/17A	17 99 AR ES MI	A 5985	EC	27-OCT-87	ER	EC	BS	
	NOTICE 1	DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 5.85 TO 8.20							
	MIL-D-3954/18A	GIGAHERTZ) (VALIDATION DATE: 8710) USER: 14 19 AS CG MC OS SH REVIEWER: 11	A 5985	EC	27-OCT-87	ER	EC	BS	
	NOTICE 1	17 99 AR ES MI							
	MIL-D-3954/19A	DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 2.6 TO 3.95 GIGAHERTZ)	A 5985	EC	27-OCT-87	ER	EC	BS	
	NOTICE 1	(VALIDATION DATE: 8710) USER: 14 19 CG MC OS REVIEWER: 11 17 99 AR ES MI							
D	MIL-C-3955C	DUMMY LOAD, ELECTRICAL, WAVEGUIDE, (FREQUENCY RANGE 8.2 TO 12.4 GIGAHERTZ)	A 5985	EC	27-OCT-87	ER	EC	BS	
L	MIL-C-3956C	(VALIDATION DATE: 8710) USER: 14 19 AS CG MC OS REVIEWER: 11 17 99 AR ES							
	NOTICE 1	MI SH	A 8110	AP	16-DEC-75	AR	SA	69	
A	MIL-C-3958C(2)	CAWS, COMPOSITE, SPIRALLY WOUND (VALIDATION DATE: 8201) USER: MC YDI	A 6645	GL	23-OCT-87	GL			
	NOTICE 1	REVIEWER: 99 DS EA GS ME MI OS SH							
	MIL-A-3962E	CLOCK, MESSAGE CENTER, M-2 (VALIDATION DATE: 8710) REVIEWER: GS MD MI .....	A 5130	GL	22-APR-89	GL	SH	99	
	MIL-U-3963A	CUTTER, CABLE, HAND OPERATED, WITH GRIPPING HOOK GUIDE (VALIDATION DATE:	A 4030	CI	16-OCT-81	GL		99	CT
Q	MIL-C-3965F(3)	8904) USER: CG MC REVIEWER: MD ME	A 3010	AS	12-DEC-58	AS		99	
QL	SUPPL 1A, NOTICE 1 MIL-C-3965F(12)	ANCHOR, GROUND, ANKORHEAD WITH DRIVING EQUIPMENT USER: MD REVIEWER: EA 15 .	A 5910	BS	29-MAR-91	ER	EC	BS	
	MIL-C-3965/1H(1)	UNIVERSAL JOINT, ANTI-FRICTION BEARINGS (VALIDATION DATE: 8208) REVIEWER:	A 5910	BS	17-JUN-76			BS	
1	NOTICE 1	MI	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/9H(1)	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL							
1	NOTICE 1	SPECIFICATION FOR USER: AS MC OS REVIEWER: 17 10 AR ES SH	A 5910	BS	24-AUG-90	ER	EC	BS	
1	MIL-C-3965/10H(1)	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, GENERAL							
1	NOTICE 1	SPECIFICATION FOR	A 5910	BS	24-AUG-90	ER	EC	BS	
1	MIL-C-3965/11H(1)	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM							
1	NOTICE 1	(POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C)	A 5910	BS	24-AUG-90	ER	EC	BS	
1	MIL-C-3965/12H(1)	STYLES CL14 AND CL16 REVIEWER: 17 99 AR ES MI SH							
1	NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM	A 5910	BS	24-AUG-90	ER	EC	BS	
1	MIL-C-3965/150(1)	(POLARIZED, PLAIN FOIL) 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), STYLE							
1	NOTICE 1	CL51 (VALIDATION DATE: 9008) USER: 19 AS MC OS REVIEWER: 11 80 ES MI SH	A 5910	BS	13-JAN-89	CR	EC	BS	
1	MIL-C-3965/160	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM,							
1	NOTICE 1	(NONPOLARIZED, PLAIN FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/17E	C), STYLES CL32 AND CL33 (INACTIVE USE MIL-C-39006/4) REVIEWER: 17 99 AR							
1	NOTICE 1	ES MI SH	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/18E	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM,							
1	NOTICE 1	(POLARIZED, ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C),	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/19E(2)	STYLES CL20 AND CL21 (INACTIVE USE MIL-C-39006/1) REVIEWER: 17 99 AR ES MI							
1	NOTICE 1	SH	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/20E(1)	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM,							
1	NOTICE 1	(NONPOLARIZED, ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/21E(1)	C), STYLES CL22 AND CL23 (INACTIVE USE MIL-C-39006/2) USER: SH REVIEWER:							
1	NOTICE 1	17 99 AR ES MI	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/22B(1)	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM,							
1	NOTICE 1	(POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C),	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/23B(1)	STYLES CL17 AND CL18 REVIEWER: 17 99 AR ES MI							
1	NOTICE 1	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM,	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/24A(1)	(POLARIZED, HIGH ETCHED FOIL) - 85 DEGREES C (VOLTAGE DERATED TO 125							
1	NOTICE 1	DEGREES C), STYLES CL70 AND CL71 (INACTIVE USE MIL-C-39006/16) REVIEWER:	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/24A(1)	17 99 ES MI SH							
1	NOTICE 1	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM,	A 5910	BS	27-FEB-87	ER	EC	BS	
1	MIL-C-3965/24A(1)	(NONPOLARIZED, HIGH ETCHED FOIL) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG.							
1	NOTICE 1	C), STYLES CL72 AND CL73 (INACTIVE USE MIL-C-39006/17) REVIEWER: 17 99 AR	A 5910	BS	13-JAN-89	ER	EC	BS	
1	MIL-C-3965/24A(1)	ES MI SH							
1	NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM,	A 5910	BS	13-JAN-89	ER	EC	BS	
1	MIL-F-3967E	(POLARIZED, SINTERED SLUG) - 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C),							
1	NOTICE 1	STYLES CL66 AND CL67 (VALIDATION DATE: 8901) USER: 19 MC ME REVIEWER: 11	A 3441	IP	31-OCT-90	AL	SH	99	IP
1	MIL-D-3968F	17 99 AR ES MI OS SH							
1	MIL-W-3970C	FORMING MACHINES, SHEET METAL, ROTARY, COMBINATION FLOOR MOUNTING, MOTOR	A 3895	ME	25-FEB-82	ME		99	
1	SUPPL 1A	DRIVEN USER: YDI REVIEWER: 84 GS	A 5985	EC	01-APR-83	ER	EC	BS	
1	MIL-W-3970/1A	DRIER MIXERS, BITUMINOUS CONCRETE MATERIALS, WHEEL MOUNTED REVIEWER: AT ...							
1	NOTICE 1	WAVEGUIDE ASSEMBLIES, RIGID, GENERAL SPECIFICATION FOR USER: AR AS CG MC	A 5985	EC	04-APR-77	ER	EC	BS	
1	NOTICE 1	REVIEWER: 11 17 99 ES MI OS SH							
1	NOTICE 1	WAVEGUIDE ASSEMBLIES, RIGID, STRAIGHT, 90-DEGREE TWIST (VALIDATION DATE:							
1	NOTICE 1	8304) USER: AR AS CG MC REVIEWER: 11 17 99 ES MI OS							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc. / OMA Coordination Inchance	Document Number	Document Title	Doc. Sym. FSC / Assn	NCS Symbol Preparing Acty	Date	Custodians			
						Army	Navy	AF / Cross	DLA
	MIL-W-3970/2	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE STEP TWIST CG-1130/U AND CG-1131/U [VALIDATION DATE: 8104] USER: AS MC REVIEWER: 11 99 ES	A 5985	EC	18-SEP-63	ER	EC	85	
	MIL-W-3970/3	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE STEP TWIST, CG-1128/U, CG-1129/U, CG-1132/U, AND CG-1133/U [VALIDATION DATE: 8104] REVIEWER: 99 ES	A 5985	EC	15-OCT-63	ER	EC	85	
	MIL-W-3970/4	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE STEP TWIST, CG-1134/U THROUGH CG-1147/U [VALIDATION DATE: 8104] REVIEWER: 11 99 ES	A 5985	EC	15-OCT-63	ER	EC	85	
	MIL-W-3970/58	WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE E-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/68	WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE E-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/78	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/88	WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE H-PLANE MITERED CORNER [VALIDATION DATE: 8304] USER: 14 17 19 AS CG MC REVIEWER: 11 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/9A	WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE E-PLANE MITERED CORNER [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/108	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE E-PLANE MITERED CORNER [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/118	WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE H-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/128	WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE H-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/138(1)	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEG. H-PLANE BEND USER: AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	17-JUL-89	ER	EC	85	
	MIL-W-3970/14A	WAVEGUIDE ASSEMBLIES, RIGID, 45-DEGREE H-PLANE MITERED CORNER [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/158	WAVEGUIDE ASSEMBLIES, RIGID, 60-DEGREE H-PLANE MITERED CORNER [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/168	WAVEGUIDE ASSEMBLIES, RIGID, 90-DEGREE H-PLANE, MITERED CORNER [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/17	WAVEGUIDE ASSEMBLIES, RIGID, STRAIGHT 45 DEGREE TWIST [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/18	WAVEGUIDE ASSEMBLIES, RIGID, 30-DEGREE E-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/19	WAVEGUIDE ASSEMBLIES, RIGID, 30-DEGREE H-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/20	WAVEGUIDE ASSEMBLY, RIGID, 40 DEGREE H-PLANE BEND [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	04-APR-77	ER	EC	85	
	MIL-W-3970/21	WAVEGUIDE ASSEMBLIES, RIGID, CAST, 45-DEGREE E-PLANE BEND, FULL CORRAL AND SELF JIGGING [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/22	WAVEGUIDE ASSEMBLIES, RIGID, CAST, 90-DEGREE E-PLANE BEND, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/23	WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE E-PLANE BEND, MITER AND RADIUS BACK MITER, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/24	WAVEGUIDE ASSEMBLY, RIGID, CAST, 45 DEGREE E-PLANE BEND, REDUCED HEIGHT, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/25	WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE E-PLANE BEND, REDUCED HEIGHT, RADIUS BACK MITER, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/26	WAVEGUIDE ASSEMBLIES, RIGID, CAST, 45-DEGREE H-PLANE BEND, FULL CORRAL AND SELF-JIGGING [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/27	WAVEGUIDE ASSEMBLY, RIGID, CAST, 60 DEGREE H-PLANE BEND, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/28	WAVEGUIDE ASSEMBLY, RIGID, CAST, 90-DEGREE H-PLANE BEND, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/29(1)	WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE H-PLANE BEND, MITER AND RADIUS BACK MITER, FULL CORRAL USER: AR AS GS MC REVIEWER: 11 14 17 19 99 ES MI OS	A 5985	EC	14-JAN-85	ER	EC	85	
	MIL-W-3970/30	WAVEGUIDE ASSEMBLY, RIGID, CAST, 45 DEGREE H-PLANE BEND, REDUCED HEIGHT, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
	MIL-W-3970/31	WAVEGUIDE ASSEMBLY, RIGID, CAST, 90 DEGREE H-PLANE BEND, REDUCED HEIGHT, FULL CORRAL [VALIDATION DATE: 8404] USER: 19 AR AS CG MC REVIEWER: 17 99 ES MI OS	A 5985	EC	30-AUG-78	ER	EC	85	
DQ	MIL-M-3971D(3)	METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: GENERAL SPECIFICATION FOR USER: MC ME Y01 REVIEWER: 11 ER ES	A 6645	AR	14-SEP-92	AR		99	
D	MIL-M-3971/D	METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE I, 10-40V OR 40-130V OR 10-130V; GRADES A AND B, 2 HOLE AND 3 HOLE FLANGE USER: MC ME Y01 REVIEWER: 11 ER ES	A 6645	AR	14-SEP-92	AR		99	
D	MIL-M-3971/2C NOTICE 1	METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL: TYPE II, 1120V, 60CPS AND 120V, 400CPS GRADE A AND B, 2 HOLE AND 3 HOLE FLANGE [VALIDATION DATE: 9101] USER: AS MC REVIEWER: 11 EC ER GS ME Y01	A 6645	AR	07-JAN-91	AR	SA	99	
L	MIL-C-39728(2) NOTICE 1	CARTRIDGE, 60MM, ILLUMINATING, M83A3 WITH FUZE, TIME, M65A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1310	AR	09-MAY-90	AR			
A	MIL-L-3976D(1)	LIGHTS, MARKER, CLEARANCE (SERVICE AND BLACKOUT) GENERAL SPECIFICATION FOR USER: AS GS MC REVIEWER: MI	A 6220	AT	16-JUN-92	AT		99	
A L	MIL-L-3976/1A	LIGHT EMITTING DIODE (LED), MARKER CLEARANCE-BLACKOUT, 14 AND 28 VOLT .....	A 6220	AT	16-JUN-92	AT		99	
A	MIL-L-3976/2 MIL-T-39770	LIGHT, MARKER CLEARANCE-BLACKOUT, 24 VOLTS USER: AS GS MC REVIEWER: MI .... TRUCK, FIXED PLATFORM, INTERNAL COMBUSTION ENGINE POWERED, PNEUMATIC RUBBER TIRES, GENERAL SPECIFICATION FOR REVIEWER: 85 CS	A 6220 A 3930	AT SA	16-JUN-92 31-OCT-90	AT		99 84	
Q	MIL-P-3984J	PROPELLANTS FOR SMALL ARMS AMMUNITION .....	A 1376	AR	25-MAY-92	AR	OS		
Q	MIL-B-3990D(3)	BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTI-FRICTION, INCH REVIEWER: 84 IS ....	A 3110	AS	21-AUG-91	AT	AS	99	
Q	MIL-M-3992D(1)	HOSE AND HOSE ASSEMBLY, RUBBER, AIR AND VACUUM BRAKE, AUTOMOTIVE USER: MC ME REVIEWER: 82 CS MI	A 4720	AT	29-APR-83	AT		99	
	MIL-C-3993C	COPPER AND COPPER-BASE ALLOY MILL PRODUCTS: PACKAGING OF [VALIDATION DATE: 8101] USER: EL MC REVIEWER: AS GL IS OS SM	A PACK	SH	14-SEP-62	AR	SH	99	
L	MIL-C-3993C(11)	COPPER AND COPPER-BASE ALLOY MILL PRODUCTS: PACKAGING OF [VALIDATION DATE: 8101]	A PACK	SH	29-SEP-72		SH		
	MIL-D-3994C NOTICE 1	DEXTRIN, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: AR GS MD OS .....	A 6810	EA	09-MAR-89	EA	AS		
D	MIL-M-3996C NOTICE 1	MATTRESSES (EXCEPT PNEUMATIC TYPE), PACKAGING AND PACKING OF [VALIDATION DATE: 8904] USER: MC REVIEWER: CT SM	A PACK	GL	22-APR-89	GL	Y01	99	
	MIL-T-3997D	TRUCK, FIXED PLATFORM, ELECTRIC POWERED, PNEUMATIC RUBBER TIRES USER: AS MC SH SM REVIEWER: 84 CS	A 3930	SA	05-SEP-88	ME	SA	99	
	MIL-C-3998D	CRANE, HYDRAULIC, MOBILE, DIESEL ENGINE DRIVEN, RUBBER TIRES USER: OS .....	A 3950	SA	16-FEB-88	ME	SA	99	
A L	MIL-T-4000D(1)	TEST SET, MOTOR-GENERATOR, AN/GSM-65 .....	A 4920	CH	15-APR-93	CR			
A	MIL-C-40048(2) NOTICE 1	CASE, INTELLIGENCE OFFICER'S SET [VALIDATION DATE: 8911] USER: 45 .....	A 8460	CT	08-NOV-89		99	CT	
L	MIL-C-4036C NOTICE 1	CLEANER, VAPOR PRESSURE, SPRAY RINSE [VALIDATION DATE: 9009] REVIEWER: CS .	A 4940	B2	04-SEP-90		99		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active OP / OMA Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Amt. Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-S-40400(1) NOTICE 1	SOLENOID, ELECTRICAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8804)	A 5945 85 15-APR-88	ER	EC	85	
L MIL-S-4040/4 NOTICE 1	USER: AT MC REVIEWER: 11 99 AR AS AV ES GL MI SOLENOID, ARMING ELECTRICAL 27 VOLT DC PUSH TYPE REVIEWER: 99 ES	A 5945 85 31-MAR-88			85	
MIL-B-4042E NOTICE 1	BORESCOPE ASSEMBLIES, CYLINDER INSPECTION	A 6650 AL 04-NOV-86	AL	AS		
MIL-S-4043B NOTICE 1	STEEL: CORROSION-RESISTING (EXTRA LOW CARBON TYPE 304), PLATE, SHEET, AND STRIP USER: ME REVIEWER: 99 EA 15 MI	A 9515 11 20-JAN-90		AS	11	
MIL-T-4053B	TAPE, PRESSURE-SENSITIVE, ADHESIVE (CORROSION-RESISTANT) (VALIDATION DATE: 7702) USER: AT ME REVIEWER: 11 MI MI	A 8030 84 20-AUG-82		AS	99	
MIL-H-4081B(3)	HOLDER, COUNTERSINK, ADJUSTABLE, MICROMETER STOP AND CUTTERS, COUNTERSINK USER: AR AV	A 5133 84 23-MAR-79	GL	99	IP	
MIL-S-4083C	SAW, RECIPROCATING, PORTABLE, PNEUMATIC, METAL-CUTTING (VALIDATION DATE: 8006) USER: GL	A 5130 ME 11-OCT-74	ME		99	
A MIL-H-4088K	WEBBING, TEXTILE, MOVEN NYLON USER: 45 AT MC MI REVIEWER: 82 MD MU	A 8305 CT 21-NOV-88	GL	AS	99	CT
LI MIL-T-4097(1)	TUBE, ELECTRON, TYPE USAF 2E32	A 5960 99 12-APR-80			99	
A MIL-C-4109F(1)	COUPLING VALVES, LOW PRESSURE, AIR HOSE, QUICK-DISCONNECT USER: AR GL REVIEWER: CS	A 4730 82 29-JUN-92	ME	AS	99	
MIL-C-4150J	CASES, TRANSIT AND STORAGE, WATERPROOF AND WATER-VAPORPROOF USER: MC ME SA REVIEWER: 13 18 99 CR EL MI OS SH	A 8115 69 29-NOV-89	GL	AS	69	
L MIL-E-4158E(3)	ELECTRONIC EQUIPMENT, GROUND, GENERAL REQUIREMENTS FOR REVIEWER: 11 13 18 19 99 ES	A 6800 17 31-DEC-86			17	
L MIL-B-4173B(1)	BENCH, WORK, GENERAL PURPOSE (VALIDATION DATE: 8205) USER: GL	A 7195 BA 28-JUL-75			99	
MIL-C-4232D NOTICE 1	CORD, RAYON, WITHOUT CORE, BRAIDED (VALIDATION DATE: 8904) USER: MC ME REVIEWER: 45 82 AV 15	A 4020 GL 22-APR-89	GL		99	
MIL-S-4243C(2)	SHOWER, RIVET HEAD, PORTABLE, PNEUMATIC MICROMETER ADJUSTMENT USER: MC REVIEWER: GL	A 5130 84 22-OCT-82		AS	99	
MIL-R-4286E	RIVETER, YOKE, PNEUMATIC, COMPRESSION TYPE, PORTABLE, WITH RIVET SETS (VALIDATION DATE: 8301) REVIEWER: AV GS	A 5130 GL 22-JUN-72	GL		99	
A MIL-C-4294A(1)	CLOTH, TWILL, NYLON	A 8305 CT 01-MAR-89			99	CT
A L MIL-C-4318B(1)	COMPUTER, AERIAL PHOTOGRAPHIC DATA	A 6760 AS 15-JUL-88		AS		
A MIL-B-4330C NOTICE 1	BOOT, EXTREME COLD WEATHER (VALIDATION DATE: 8911) REVIEWER: 11	A 8430 CT 08-NOV-89			99	CT
L MIL-C-4339D	CORROSION PREVENTIVE, SOLUBLE OIL FOR WATER INJECTION SYSTEMS, (MATO CODE NUMBER C-630) REVIEWER: 11 SH	A 6850 68 19-JUL-90			68	
Q MIL-G-4343C	GREASE, PNEUMATIC SYSTEMS (VALIDATION DATE: 8407) REVIEWER: AT AV DS EA GS MI OS	A 9150 AS 28-JUL-78	ME	AS	11	
MIL-L-4352D(1) NOTICE 1	LENSES, GUN CAMERA, MOTION-PICTURE, 16MM FORMAT (VALIDATION DATE: 8905) USER: AV REVIEWER: GS	A 6760 70 26-MAY-89	ER	AS	99	
Q MIL-S-4383C NOTICE 1	SEALING COMPOUND, TOPCOAT, FUEL TANK, BUNA-N TYPE (VALIDATION DATE: 9110)	A 8030 AS 24-OCT-91	MR	AS	11	
D MIL-L-4387D	LUBRICATION DISPENSING EQUIPMENT ACCESSORIES USER: MC OS SH SH REVIEWER: CS	A 4930 ME 16-JAN-90	ME	YD1	99	
MIL-S-4461H	SEALING MACHINES, HEAT, HOT JAM AND CONTINUOUS (VALIDATION DATE: 8104) REVIEWER: MD ME OS	A 3540 GL 19-SEP-74	GL	SA	99	
MIL-S-4473F NOTICE 1	SHIELDING OF MAGNETRON TUBES & MAGNETS FOR AIR SHIPMENT (VALIDATION DATE: 8708) REVIEWER: 99 AR AV ES ME MI SH SH	A 3600 69 02-FEB-82	CR	EC	69	
L MIL-H-4495D MIL-H-4497A(2)	HOSE ASSEMBLY, RUBBER, AERIAL REFUELING REVIEWER: 11 CS HOSE, COTTON, RUBBER LINED, WATER, BRAIDED CONSTRUCTION, WITH COUPLINGS USER: ME REVIEWER: CS	A 4720 AS 10-MAY-85 A 4210 84 23-JUL-82		AS	99 99	
D MIL-S-4510E NOTICE 1	SPOTLIGHT, INCANDESCENT, ROOF-MOUNTED, AUTOMOTIVE (VALIDATION DATE: 9001)	A 6220 82 18-JAN-90		YD1	99	
MIL-L-4533F MIL-S-4534C(1) MIL-D-4540B(1) MIL-L-4541C	LATHE, TURRET, HORIZONTAL, UNIVERSAL, RAM TYPE USER: AS MC REVIEWER: GS STAND, RADIATOR TEST AND REPAIR DIBROMODIFLUOROMETHANE, TECHNICAL (VALIDATION DATE: 8503) REVIEWER: GS ME LUBRICATING AND SERVICING UNIT, AIR OPERATED HIGH AND LOW PRESSURE DELIVERY	A 3416 1P 11-SEP-87 A 4910 AL 27-FEB-89 A 6830 68 30-JUL-79 A 4930 82 23-AUG-83	AL	SH	99 99 68 99	
MIL-T-4544J	TEST STAND, AUTOMOTIVE GENERATOR, ALTERNATOR, STARTER, ASSOCIATED EQUIPMENT USER: MC REVIEWER: AT	A 4910 AL 27-APR-87	AL		99	
D MIL-C-4551E	CRANE, FLOOR, PORTABLE USER: MC SA REVIEWER: CS	A 3950 84 03-FEB-71		YD1	99	
DO MIL-C-4556E	COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS USER: SH REVIEWER: 84	A 8010 ME 14-SEP-90	ME	YD1	11	
L MIL-D-4562(1) MIL-S-4569C	DIE, THREADING, DIE HEAD SHAFT ASSEMBLY FLEXIBLE DRIVE WITH 1/4 INCH CAPACITY CHUCK (VALIDATION DATE: 8506) USER: MC REVIEWER: GL	A 5136 84 16-MAR-81 A 5130 84 23-OCT-74			99 99	
D MIL-R-4582B(2)	REFRIGERATOR, ELECTRIC, PORTABLE, RIVET STORAGE (VALIDATION DATE: 8505) ...	A 4110 82 27-NOV-78	GL	YD1	99	
MIL-H-4607E MIL-A-4637(2) NOTICE 1	HEATER, ENGINE & SHELTER, GROUND REVIEWER: CS ATTENUATOR CH-29( )-UP, CH-42( )-UP, CH-43( )-UP (VALIDATION DATE: 8701) REVIEWER: 99 ES	A 4520 ME 11-JUN-87 A 5985 85 30-JAN-87			85	
L MIL-T-4638B NOTICE 1	TESTERS, MATERIAL HARDNESS (ROCKWELL TYPE) (VALIDATION DATE: 9001) USER: GL REVIEWER: GS	A 6635 82 30-JAN-90			99	
MIL-S-4639E	SPLICER AND REWINDER, PHOTOGRAPHIC FILM FM-16( ) (VALIDATION DATE: 8505) REVIEWER: CR GS	A 6740 AS 18-JAN-79		AS		
MIL-C-4710D	CASE SET, TRANSPORT AND STORAGE USER: CR MC ME OS REVIEWER: 70 71 80 84 99 GS SH	A 8115 69 29-JUN-88	GL	SA	69	
L MIL-D-4725C(1) MIL-T-4748B NOTICE 1	DIMPLING MACHINES, HOT AND COLD PROCESS, PORTABLE REVIEWER: 84 AS GS MC OS TESTER TEMPERATURE INSTRUMENTS, MJ61 (VALIDATION DATE: 8808)	A 3448 1P 25-MAR-88 A 4920 82 31-AUG-88			99	IP
DO MIL-C-4751D(2)	CASTERS, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBING USER: 11 GL MC ME REVIEWER: AR 15 MI SA YD1	A 5340 82 22-SEP-92			99	
L MIL-T-4782C NOTICE 1	TRANSPARENCIES, TECHNICAL TRAINING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9109) USER: AR REVIEWER: 99 AV	A 6910 AS 18-SEP-91		AS		
L MIL-V-4788A	VACUUM PUMP, ROTARY, POWER DRIVEN, 10 CFM, TYPE MA61 (VALIDATION DATE: 8410)	A 4310 84 09-MAY-57			99	
L MIL-B-4792D(1) NOTICE 1	BUMPER, RUBBER, DUPLEX ROUND (VALIDATION DATE: 8910)	A 5340 82 31-OCT-89			99	
L MIL-H-4820E	MOTOR-GENERATOR, SKID MOUNTED, TYPE MD-4 (VALIDATION DATE: 8508) REVIEWER: GS	A 6125 80 24-JUL-79			99	
L MIL-D-4824D(2) NOTICE 1	DEVELOPERS, PHOTOGRAPHIC, ARMED FORCES (VALIDATION DATE: 8809) USER: AV REVIEWER: GS MC SS	A 6750 CR 14-SEP-88	CR			
L MIL-P-4861C	PACKING, PREFORMED, RUBBER: PACKAGING OF REVIEWER: AR AV ES MI SH	A 3350 84 10-FEB-80		AS	99	
L MIL-A-4864A	ALUMINUM WOOL (VALIDATION DATE: 8506) USER: AV REVIEWER: DS 15	A 1730 82 13-NOV-84			99	
L MIL-P-4871C	MAINTENANCE PLATFORM	A 5180 GL 24-NOV-76	GL		99	
D MIL-T-4873B	TOOL KIT, PNEUMATIC TIRE SERVICING, AUTOMOTIVE (VALIDATION DATE: 8303) USER: CL MC YD1 REVIEWER: AR AT	A 3895 84 30-JUL-82		YD1	99	
D MIL-K-4877C	KETTLE, HEATING, BITUMEN, JOINT-SEALER, TRAILER-MOUNTED USER: CE	A 6130 80 03-JAN-79			99	
L MIL-C-4928A(1) MIL-A-4946B(1)	CHARGER, BATTERY, SILICON DIODE, TYPE A-1 REVIEWER: GS ANTENNA ASSEMBLY AT-197( )/GR (VALIDATION DATE: 7901) USER: 17 REVIEWER: 99 ES	A 5985 85 01-MAY-67	ER		85	
OL MIL-C-4952E	CARTRIDGES, DESICCANT, DEHYDRATOR REVIEWER: CS	A 4440 84 28-NOV-88			99	
L MIL-C-4976C	CABINET, DRYING, PARACHUTE, TYPE MA-1 REVIEWER: 11	A 4440 84 31-JAN-89			99	
L MIL-L-4997A(1) NOTICE 3	INSULATING AND JACKETING COMPOUNDS FOR USE IN CORDS, CORDAGES, AND CABLES (VALIDATION DATE: 9112)	A 6145 85 27-DEC-91			85	
MIL-S-5000E	STEEL, CHROME-NICKEL-MOLYBDENUM (E4340) BARS AND REFORGING STOCK USER: AT REVIEWER: 99 EA ER 15 MI	A 9510 AS 12-NOV-82	MR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ONL Coordination Inchase Document Number	Document Title	Dist. Stmt. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
A MIL-R-5001B	RUBBER CELLULAN SHEET, MOLDED AND HAND-BUILT SHAPES; LATEX FOAM USER: ME	A 9320 AS 31-JUL-92	MR	AS	11	
L MIL-R-5001A(15)	RUBBER CELLULAN SHEET, MOLDED AND HAND BUILT SHAPES; LATEX FOAM USER: EC	A 9320 SA 01-APR-91	SA			
MIL-S-5002D	SURFACE TREATMENTS AND INORGANIC COATINGS FOR METAL SURFACES OF WEAPONS	A MFFP AS 30-NOV-89	MR	AS	11	
L MIL-F-5003D	FLOODLIGHT SET, ELECTRIC, TRIPOD-MOUNTED, FOUR 150-WATT PROJECTOR LAMPS	A 6230 ME 30-JAN-92	ME			
MIL-E-5007D(2)	ENGINE, AIRCRAFT, TURBOJET AND TURBOFAN, GENERAL SPECIFICATION FOR	A 2840 AS 08-OCT-82	AV	AS		
MIL-C-5011A	CHART, STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, PILOTED AIRCRAFT	A 1500 11 05-NOV-51		AS	11	
L MIL-C-005011B	CHARTS, STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, PILOTED	A 15GP 11 21-JUN-77		11		
MIL-W-5013L	WHEEL AND BRAKE ASSEMBLIES, AIRCRAFT GENERAL SPECIFICATION FOR	A 1630 AS 31-OCT-91	AV	AS	99	
A MIL-T-5014F(4)	INNER TUBE, PNEUMATIC TIRE, AIRCRAFT	A 2620 70 16-NOV-92	AV	AS	99	
Q MIL-C-5015G(4)	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION	A 5935 AS 09-MAY-80	CR	AS	85	
MIL-V-5018B	VALVE, FUEL SELECTOR	A 4530 AS 01-MAY-85	AS	99		
MIL-L-5020C	LIQUID, COMPASS, AIRCRAFT REVIEWER: GS PS	A 9150 11 27-MAR-91	AV	AS	11	
MIL-L-5024A(1)	LUBRICANT, INNER TUBE, AIRCRAFT TIRE [VALIDATION DATE: 8509] USER: ME	A 2640 AS 02-JUN-65	AS	99		
L MIL-D-5025C	DIRECTION FINDER GROUP AN/APA-69A AND AN/APA-69C [VALIDATION DATE: 8712]	A 5826 AS 31-DEC-87	AS			
MIL-C-5026F	CUTOFF RELAY, ENGINE GENERATOR [VALIDATION DATE: 8911]	A 2925 82 21-NOV-89	AV	99		
Q MIL-V-5027D(1)	VALVES, CHECK, OXYGEN, HIGH PRESSURE REVIEWER: 11 GL	A 4820 AS 08-APR-88	AV	AS	99	
MIL-A-5034B	ADAPTER, BOMB RACK, 30 INCH, AERO 1A [VALIDATION DATE: 8703]	A 1095 AS 02-MAR-87	AV	AS	16	
MIL-M-5035B(1)	HOIST, BOMB, MANUAL, AERO 14B (ASG) [VALIDATION DATE: 8306]	A 1730 82 22-SEP-58		99		
A MIL-T-5038H	TAPE, TEXTILE AND WEBBING, TEXTILE, REINFORCING, NYLON USER: 45 OS	A 8305 CT 17-JUL-90	GL	AS	99	CT
MIL-C-5040G(1)	CORD, FIBROUS, NYLON USER: MC ME REVIEWER: 82 DS IS	A 4020 GL 10-SEP-90	GL	AS	99	
L MIL-C-5040G(12)	CORD, FIBROUS, NYLON	A 4020 GL 15-AUG-91	GL	AS	11	
Q MIL-T-5041H	TIRES, PNEUMATIC, AIRCRAFT USER: MC REVIEWER: CS	A 2620 70 13-MAR-89	AV	AS	99	
D MIL-W-5044C(1)	WALKWAY COMPOUND, NONSLIP AND WALKWAY W/ ING, NONSLIP [VALIDATION DATE: 8408]	A 5610 84 19-JUN-74	ME	AS	99	
MIL-B-5046D	BOARD, CHART PLOTTING, MARK 7 (ASG) [VALIDATION DATE: 8102] REVIEWER: 11	A 6660 AS 19-SEP-68	AS	99		
Q MIL-R-5049D	RING, WIPER, PISTON ROD REVIEWER: MI	A 1650 71 26-DEC-89	AV	AS	99	
MIL-W-5050A	WALKWAY, COATING AND MATTING, NONSLIP, AIRCRAFT, APPLICATION OF (ASG)	A 5610 AS 31-JAN-58	AV	AS	99	
MIL-C-5056	COATING, PERMANENT RESIN; PROCESS FOR APPLICATION OF, TO AIRCRAFT PARTS	A 15GP AS 24-OCT-91	AS	11		
MIL-L-5057F(2)	LIGHTS, INSTRUMENT, INDIVIDUAL, GENERAL SPECIFICATION FOR	A 6220 AS 15-DEC-89	AV	AS	11	
MIL-S-5059D(3)	STEEL, CORROSION-RESISTANT (18-8), PLATE, SHEET AND STRIP USER: ME	A 9515 AS 06-APR-90	AR	AS	11	
MIL-T-5066B(1)	TUBING CARBON STEEL (1025), SEAMLESS AND WELDED (AIRCRAFT QUALITY)	A 4710 11 12-JAN-89	MR	AS	11	
Q MIL-A-5070D(1)	ADAPTER, HOSE TO TUBE, PIPE AND FLANGE, REUSABLE; HYDRAULIC, FUEL AND OIL	A 4730 82 09-NOV-89	ME	AS	99	
Q MIL-W-5086C(1)	WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, COPPER OR COPPER ALLOY USER:	A 6145 AS 07-DEC-79	CR	AS	85	
MIL-W-5086/1B	WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN-COATED	A 6145 AS 23-NOV-83	CR	AS	85	
Q MIL-W-5086/2C	WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC GLASS NYLON, TIN COATED	A 6145 AS 23-NOV-83	CR	AS	85	
MIL-W-5086/3B	WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, PVC-GLASS-PVC NYLON,	A 6145 AS 23-NOV-83	CR	AS	85	
Q MIL-W-5086/4B	WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED	A 6145 AS 23-NOV-83	CR	AS	85	
MIL-W-5086/5C	WIRE, ELECTRIC, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDENE FLUORIDE	A 6145 AS 23-NOV-83	CR	AS	85	
Q MIL-W-5086/6C	WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYVINYLIDENE FLUORIDE	A 6145 AS 23-NOV-83	CR	AS	85	
Q MIL-W-5086/7B	WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, NYLON JACKET, TIN COATED	A 6145 AS 23-NOV-83	CR	AS	85	
MIL-B-5087B(2)	BONDING, ELECTRICAL, AND LIGHTING PROTECTION, FOR AEROSPACE SYSTEMS USER:	A 6150 11 31-AUG-70	AS	11		
L MIL-B-5087B(13)	BONDING, ELECTRICAL, AND LIGHTING PROTECTION, FOR AEROSPACE SYSTEMS	A 6150 11 24-DEC-84		11		
A MIL-W-5088L(1)	WIRING, AEROSPACE VEHICLE USER: AV ME REVIEWER: 11 17 19 99	A 60RQ AS 09-DEC-92	CR	AS	85	
MIL-T-5091	TRANSMISSION, POWER, CONSTANT RATIO, GENERAL SPECIFICATION (AIRCRAFT USE)	A 1680 AS 01-DEC-49	AV	AS		
QL MIL-T-5091/2	TRANSMISSION, POWER, CONSTANT RATIO SHAFT, FLEXIBLE DRIVE, 47 HP	A 1680 AS 15-MAR-88	AS			
QL MIL-T-5091/3	TRANSMISSION, POWER, CONSTANT RATIO GEARBOX, ENGINE MOUNTED 47 HP	A 1650 AS 06-JUL-65	AS			
A L MIL-W-5096E(2)	MANUALS, TECHNICAL: INSPECTION AND MAINTENANCE REQUIREMENTS; ACCEPTANCE	A 1680 16 22-JAN-93		16		
MIL-I-5099B(1)	INDICATOR CABIN AIR PRESSURE, 1-7/8 INCH DIAL, TYPE MA-1 [VALIDATION DATE:	A 6685 82 27-MAR-86		99		
L MIL-E-5135(1)	ELECTRONIC-STANDARD-ITEMS; PART, MATERIAL AND PROCESS	A 59GP 99 12-JUL-50		99		
MIL-C-5136C	CABLE, POWER, ELECTRICAL POLYCHLOROPRENE SHEATHED, BUNA COMPOUND INSULATED	A 6145 85 03-NOV-88	CR	AS	85	
MIL-R-5149B(1)	ROCKET ENGINE, LIQUID PROPELLANT GENERAL SPECIFICATION FOR [VALIDATION	A 2845 12 31-MAR-69	NI	AS	12	
L MIL-I-5154B(4)	INDICATOR, TRUE AIRSPEED, TYPE-M-5	A 6610 71 30-JAN-89		99		
Q MIL-I-5170C	INDICATOR, POSITION, HORIZONTAL STABILIZER	A 6610 71 24-SEP-87	AV	AS		
Q MIL-I-5184B	INDICATOR, POSITION USER: MI REVIEWER: 11	A 6610 71 10-JUL-89	AV	AS	99	
MIL-T-5208B	TANK, REMOVABLE, LIQUID PROPELLANT ROCKET ENGINE, GENERAL SPECIFICATION	A 2845 12 30-JUN-67	NI	AS	12	
A MIL-T-5237E	TAPE, TEXTILE; WEBBING, TEXTILE; RAYON REVIEWER: 82 99 EA NU	A 8305 CT 04-SEP-90	GL	AS	11	CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / OMA Coordination Package	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
	MIL-P-5238C	PUMP, CENTRIFUGAL, FUEL BOOSTER, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] REVIEWER: 99	A 2915	AS	12-SEP-74	AV	AS			
A L	MIL-J-5251A NOTICE 2	JACK U-82/U [VALIDATION DATE: 9302] .....	A 5935	85	03-FEB-93			85		
	MIL-M-5288G NOTICE 1	MANUALS, TECHNICAL: CARGO AIRCRAFT LOADING AND OFF-LOADING, PREPARATION OF USER: 70 99 REVIEWER: 01 10 16 AV	A THSS	11	07-OCT-88	TH	AS	11		
AQ	MIL-P-5315B(1) NOTICE 2	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT [VALIDATION DATE: 9212] USER: CS REVIEWER: 99 AR EA 15 MI	A 5330	11	10-DEC-92	AV	AS	11		
	MIL-T-5350E	TRANSMITTER, SYNCHRO OPERATED, AIRCRAFT, GENERAL SPECIFICATION FOR USER: CG MC	A 6620	71	31-OCT-88	AV	AS	99		
	MIL-M-5364D(3) NOTICE 1	HARNESSES, SHOULDER SAFETY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8808] REVIEWER: MI	A 1680	82	10-AUG-88	AV	AS	99		
A	MIL-S-5365F NOTICE 1	SCARF, NECKWEAR, SAGE GREEN, FLYING, TUBULAR H-1B (SCARF, SAGE GREEN, FLYING TUBULAR, TYPE H-1B) [VALIDATION DATE: 8910]	A 8440	CT	31-OCT-89			99	CT	
Q	MIL-F-5372D MIL-F-5372/I	FUSE, CURRENT LIMITER TYPE, AIRCRAFT .....	A 5920	AS	22-APR-92	AV	AS	85		
		FUSE, LIMITER TYPE ENCLOSED LINK, 1-60 AMP [VALIDATION DATE: 8002] REVIEWER: 11 99	A 5920	85	28-MAY-74			AS	85	
Q	MIL-F-5373D MIL-F-5373/I	FUSE HOLDER, BLOCK TYPE, AIRCRAFT .....	A 5920	AS	22-APR-92			AS	85	
		FUSEHOLDER RECEPTACLE, LIMITER TYPE, 1-60 AMP [VALIDATION DATE: 8001] REVIEWER: 11 99	A 5920	85	28-MAY-74			AS	85	
	MIL-V-5379A(1)	VALVE, SAFETY, CABIN AIR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8206]	A 4820	AS	10-SEP-57			AS		
Q	MIL-M-5388B(4)	MACHINERY: PITOT STATIC OPERATED, RANGE 0.5 TO 1.5, TYPE A-2B .....	A 6610	71	01-MAY-89	AV	AS	99		
L	MIL-I-5392A(3)	INDICATOR, AIRSPEED, PITOT STATIC, TYPE K63 .....	A 6610	71	09-FEB-84			99		
QL	MIL-T-5396C	TRANSMITTER, PRESSURE, FUEL, 0-1000 PSI .....	A 6620	71	28-SEP-87	AV		99		
A I	MIL-E-5400T(3) NOTICE 1	ELECTRONIC EQUIPMENT, AEROSPACE, GENERAL SPECIFICATION FOR USER: AV REVIEWER: 99 AR EC MI	A GDRQ	AS	14-AUG-92	CR	AS	11		
	MIL-G-5413D(2)	GENERATOR, TACHOMETER, FOUR POLE .....	A 6620	AS	09-APR-82	AV	AS	99		
A	MIL-C-5414C MIL-I-5415C	COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND TYPE CPU-26A/P ....	A 6605	71	15-FEB-93	AV	AS	99		
	MIL-I-5416B(1)	INDICATOR, AIR SPEED, PITOT STATIC PRESSURE, GENERAL SPECIFICATION FOR ....	A 6610	71	16-NOV-87	AV	AS	99		
Q	MIL-I-5418B	INDICATOR, INDICATED AIRSPEED, 10-150 KNOTS [VALIDATION DATE: 8308] .....	A 6610	AS	19-DEC-68	AV	AS	99		
		INDICATOR, AIRSPEED, PITOT STATIC, SENSITIVE, 50-650 KNOTS [VALIDATION DATE: 8410] USER: MI	A 6610	AS	08-JAN-63	AV	AS	99		
	MIL-I-5419B NOTICE 1	INDICATOR, INDICATED AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 50-650 KNOTS [VALIDATION DATE: 8712]	A 6610	AS	07-DEC-87			AS	99	
	MIL-T-5420B(2)	TUBES, PITOT STATIC, ELECTRICALLY HEATED, AIRCRAFT .....	A 6610	71	20-MAR-86	AV	AS	99		
Q	MIL-T-5421B(2)	TUBE, PITOT, ELECTRICALLY HEATED, AIRCRAFT REVIEWER: 11 .....	A 6610	AV	19-JUN-85	AV	AS			
	MIL-B-5423C SUPPL 1A, NOTICE 2	BOOT, DUST AND WATER SEAL (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY ACTUATED PARTS), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8707] USER: AT AV CG MC ME REVIEWER: 11 99 AR CS ES SH	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/1C NOTICE 1	BOOT, DUST & WATER SEAL, TYPE A (FOR TOGGLE SWITCHES) STYLE 1 (ONE-HOLE MOUNTING, ENCLOSED) STYLE 1S RFI SHIELDED, ONE-HOLE MOUNTING ENCLOSED [VALIDATION DATE: 8707] USER: AT AV CG MC ME OS REVIEWER: 11 99 EC ES MI	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/2C NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 3 (ONE-HOLE MOUNTING, THROUGH) [VALIDATION DATE: 8707] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/3B NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 4 (THREE-HOLE MOUNTING, THROUGH) [VALIDATION DATE: 8707] USER: AT CG MC ME OS REVIEWER: 11 99 AV EC ES MI	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/4B NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 6 (ONE-HOLE MOUNTING, MINIATURE, ENCLOSED) [VALIDATION DATE: 8707] USER: AT AV CG MC ME OS REVIEWER: 11 99 EC ES MI	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/5C NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 7 (ONE-HOLE MOUNTING, SUBMINIATURE, ENCLOSED) [VALIDATION DATE: 9110] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI	A 5930	ER	24-OCT-91	ER	AS	85		
	MIL-B-5423/6A NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 1 (ONE-HOLE MOUNTING, ADAPTER TYPE) [VALIDATION DATE: 8707] USER: AT CG MC ME OS REVIEWER: 99 EC ES MI	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/7D NOTICE 1	BOOT, DUST & WATER SEAL, TYPE B (FOR PUSHBUTTON SWITCHES) STYLE 2 (ONE-HOLE MOUNTING, DRILLED PANEL) STYLE 2S RFI SHIELDED, ONE-HOLE MOUNTING, DRILLED PANEL USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI	A 5930	ER	27-OCT-87	ER	AS	85		
	MIL-B-5423/9C NOTICE 1	BOOT, DUST & WATER SEAL, TYPE C (FOR USE AS ROTARY SHAFT SEALS), TYPE CS FOR USE AS RFI SHIELDED, ROTARY SHIELDED, ROTARY SHAFT SEALS [VALIDATION DATE: 8707] USER: AT CG MC ME OS REVIEWER: 11 99 AR EA EC ES MI	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/10B NOTICE 1	BOOTS, DUST AND WATER SEAL TYPE B (FOR PUSH-BUTTON SWITCHES), STYLE 4 (ONE-HOLE MOUNTING, MINIATURE, DRILLED PANEL) [VALIDATION DATE: 9110] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI	A 5930	ER	24-OCT-91	ER	AS	85		
	MIL-B-5423/11C NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 8 (ONE-HOLE MOUNTING, SUBMINIATURE, THROUGH) [VALIDATION DATE: 9110] USER: AT AV CG MC ME OS REVIEWER: 11 99 AR EC ES MI	A 5930	ER	24-OCT-91	ER	AS	85		
	MIL-B-5423/12B NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE A (FOR TOGGLE SWITCHES), STYLE 9 (FIVE-HOLE MOUNTING, THROUGH) [VALIDATION DATE: 8707] USER: AR MC REVIEWER: 11 99 ES SH	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/13A NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 1 (PANEL MOUNTED WITHOUT MOUNTING FRAME) [VALIDATION DATE: 8707] USER: AR AT AV CG MC ME REVIEWER: 99 ES	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/14B NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE D (FOR LEVER OPERATED CIRCUIT BREAKERS), STYLE 2 (PANEL MOUNTED COMPLETE WITH MOUNTING FRAME) [VALIDATION DATE: 8707] USER: AT AV CG MC ME REVIEWER: 11 99 ES SH	A 5930	ER	02-JUL-87	ER	AS	85		
	MIL-B-5423/15E NOTICE 1	BOOT, DUST AND WATER SEAL, TYPE B (FOR TOGGLE AND PUSHBUTTON SWITCHES, CIRCUIT BREAKERS, AND ROTARY-ACTUATED PARTS) (FOR HANDSET SWITCHES), STYLE 5 [VALIDATION DATE: 9110] USER: AT AV CG MC ME MI OS REVIEWER: AR EC ES	A 5930	ER	24-OCT-91	ER	AS	85		
	MIL-B-5423/16C	BOOT, DUST & WATER SEAL, BUSHING SEAL, TYPE A (FOR TOGGLE SWITCH 0.469 DIAMETER) STYLE 10 (PANEL BUSHING SEAL ONLY) USER: AT AV CG MC ME OS REVIEWER: 11 99 EC MI	A 5930	ER	18-FEB-87	ER	AS	85		
Q	MIL-P-5425D	PLASTIC, SHEET, ACRYLIC, HEAT RESISTANT USER: SH REVIEWER: AV DS EA GS ME OS	A 9330	AS	28-SEP-79	MR	AS	11		
L	MIL-B-5428B NOTICE 1	BELT, SAFETY, SHOULDER, HARNES, TROOP, TYPE D-2 [VALIDATION DATE: 8808] ..	A 1680	82	10-AUG-88			82		
D L	MIL-P-5431A(1)	PLASTIC, PHENOLIC, GRAPHITED, SHEETS, RODS, TUBES AND SHAPES [VALIDATION DATE: 8004] USER: ME REVIEWER: GS MR YD1	A 9330	AS	28-FEB-68			AS		
M	MIL-M-5440H SUPPL 1A	HYDRAULIC SYSTEMS, AIRCRAFT, DESIGN AND INSTALLATION REQUIREMENTS FOR USER: AR AT ME MI REVIEWER: 11 71 82 OS SH	A 1650	AS	25-MAY-93	AV	AS	99		
	MIL-V-5461C NOTICE 1	VALVE, VACUUM BREAKING [VALIDATION DATE: 8808] .....	A 4820	AV	30-AUG-88	AV	AS	99		
D	MIL-D-5480E	DATA, ENGINEERING AND TECHNICAL, REPRODUCTION REQUIREMENTS FOR [VALIDATION DATE: 8201] REVIEWER: 11 68 99 AV EC MC MI OS SH YD1	A DRPW	16	15-JUN-70	AR	AS	16		
QL	MIL-I-5482C(2)	INDICATOR, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE SCALE [VALIDATION DATE: 8303]	A 6620	AS	01-DEC-62			AS		
QL	MIL-T-5483D(1)	TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT [VALIDATION DATE: 8108]	A 6620	AS	14-JUL-71			AS		
	MIL-M-5484C(1)	HEATER, AIRCRAFT, COMBUSTION TYPE [VALIDATION DATE: 8509] .....	A 1660	AS	15-JUL-65	AV	AS	11		
A	MIL-G-5485D	GLASS, LAMINATED, FLAT, BULLET-RESISTANT USER: OS REVIEWER: 84 AV GS .....	A 9340	AS	27-FEB-93	MR	AS	99		
L	MIL-Y-5486C NOTICE 1	TEST SET, MAGNETIC DETECTOR AN/ASH-4 [VALIDATION DATE: 8107] .....	A 6625	AS	10-DEC-56			AS		



## NUMERICAL LISTING MILITARY SPECIFICATIONS

66



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Spec / OMA Coordinate Index	Document Number	Document Title	Dist. Smt. PSC / Area	MCA Symbol Preparing Body	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-R-5532E(1)	RADAR RECOGNITION SET AN/APX-7(*) (VALIDATION DATE: 8805) .....	A 5895	AS	23-MAY-88	AS			
A	MIL-C-5537A(1)	CELLULOSE ACETATE BUTYRATE (VALIDATION DATE: 9209) USER: 99 ME .....	A 8030	AS	30-SEP-92	AR	AS		
Q	MIL-A-5540B(2)	ADHESIVE, POLYCHLOROPRENE (VALIDATION DATE: 8004) USER: MC REVIEWER: EA GL	A 8040	AS	28-DEC-73	NR	AS	99	
D	MIL-C-5541E	CHEMICAL CONVERSION COATINGS ON ALUMINUM AND ALUMINUM ALLOYS USER: 80 ME	A MFFP	AS	30-NOV-90	NR	AS	11	
Q	MIL-T-5544C	YD1 REVIEWER: 99 AR AV ER MI OS SH THREAD COMPOUND, ANTISEIZE, GRAPHITE-PETROLATUM USER: MC ME SH YD1	A 8030	11	04-APR-91	NR		11	
Q	MIL-C-5545C	REVIEWER: AV MI CORROSION PREVENTIVE, AIRCRAFT ENGINE, HEAVY OIL TYPE (VALIDATION DATE:	A 6850	AS	24-OCT-91	SM	AS	11	
	MIL-D-5549B	91101) REVIEWER: 68 GS PS DOPE, CELLULOSE-ACETATE-BUTYRATE CLEAR FOR AIRCRAFT USE (VALIDATION DATE:	A 8010	AS	22-FEB-71	NR	AS	99	
L	MIL-H-5559A(2)	8304) REVIEWER: OS HYDRAULIC FLUID, ARRESTING GEAR (VALIDATION DATE: 8310) REVIEWER: 11 AR GS	A 9150	AS	08-JUN-76		AS		
Q	MIL-L-5567F(2)	MI LIFE RAFTS, INFLATABLE - 4 AND 7 MAN - FOR AIRCRAFT USE REVIEWER: 84 CS ...	A 4220	AS	07-NOV-86	ME	AS	99	
	MIL-F-5577B(1)	FITTING, TANK, POWERPLANT FLUID, REMOVABLE (VALIDATION DATE: 8505)	A 1560	80	25-FEB-60	AV	AS	99	
	SUPPL 1A	REVIEWER: MI							
Q	MIL-T-5578C(5)	TANK, FUEL, AIRCRAFT, SELF-SEALING REVIEWER: 99 .....	A 1560	AS	26-JUL-83	AV	AS		
	MIL-T-5583C	TRANSMITTER, POSITION, 28-VOLT DC USER: ME MI REVIEWER: 11 .....	A 6610	71	30-APR-82	AV	AS	99	
	MIL-C-5584D	CONTAINER, SHIPPING AND STORAGE, METAL REUSABLE REVIEWER: 99 AR AT ME MI ..	A 8145	69	21-APR-88	AV	AS	69	
	MIL-E-5589C(1)	EARPHONE, EXTENDED RANGE, H-301/U (VALIDATION DATE: 8003) REVIEWER: 99 MI ..	A 5965	EC	04-JAN-74	CR	EC	85	
Q	MIL-F-5591C(1)	FASTENERS, PANEL; NONSTRUCTURAL USER: MC ME REVIEWER: 82 AV CS EA IS MI ...	A 5325	AS	20-JUN-88	AR	AS	99	
Q	MIL-H-5593C	HOSE, AIRCRAFT, LOW PRESSURE, FLEXIBLE (VALIDATION DATE: 8901) REVIEWER:	A 4720	82	16-JAN-89	AV	AS	99	
	NOTICE 1	CS							
QL	MIL-S-5594B(1)	SWITCH, TOGGLE, ELECTRICALLY HELD SEALED GENERAL SPECIFICATION FOR	A 5930	AS	29-JUL-83		AS		
	SUPPL 1A	REVIEWER: ES MI							
	MIL-S-5594/1A	SWITCH, TOGGLE, MAGNETIC HOLD-IN, SPDT (VALIDATION DATE: 8509) .....	A 5930	AS	08-MAR-73	AS	85		
	MIL-S-5594/2B(1)	SWITCHES, TOGGLE, MAGNETIC HOLD-IN, DPDT (VALIDATION DATE: 9110) .....	A 5930	AS	09-OCT-91		AS	85	
	NOTICE 1								
	MIL-S-5594/3A	SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T (VALIDATION DATE: 9110) .....	A 5930	AS	09-OCT-91		AS	85	
	NOTICE 1								
L	MIL-S-5594/6	SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T, LEVER LOCK (VALIDATION DATE: 9110)	A 5930	AS	09-OCT-91		AS		
	MIL-C-5604B(3)	COMPASS, MAGNETIC, PILOT S STANDBY (VALIDATION DATE: 8509) USER: MC ME MI	A 6605	AS	06-JUL-79	AV	AS	99	
		REVIEWER: 11 DS							
Q	MIL-H-5606F(1)	HYDRAULIC FLUID, PETROLEUM BASE; AIRCRAFT, MISSILE AND ORDNANCE REVIEWER:	A 9150	11	26-AUG-91	ME	AS	11	
	MIL-E-5607F	68 AR GS MI OS SA SH SM ENGINE, GAS TURBINE, PREPARATION FOR STORAGE AND SHIPMENT OF, PROCESS FOR	A 2835	AV	16-MAR-83	AV	AS		
		USER: MC REVIEWER: 11 SH SM							
A	MIL-T-5608G(2)	TAPE, TEXTILE; WEBBING TEXTILE (VALIDATION DATE: 8911) REVIEWER: 45 .....	A 8315	CT	08-NOV-89		AS	99	CT
	NOTICE 1								
	MIL-P-5610D(4)	PARACHUTE ASSEMBLIES AND MAJOR SUB-ASSEMBLIES, PACKAGING AND PACKING OF	A 1670	B2	02-OCT-89	GL	AS	99	
	NOTICE 1	(VALIDATION DATE: 8910) USER: MC REVIEWER: 11 AV SM							
	MIL-A-5618	AMPLIFIER, INTERPHONE, AM-40/AIC (FOR AIRCRAFT) (VALIDATION DATE: 8307)	A 5831	AS	30-JAN-50	CR	AS		
		USER: AV							
	MIL-C-5619	CONTROL ASSEMBLY, INTERPHONE-RADIO, AN/AIA-2A (FOR AIRCRAFT) (VALIDATION	A 5830	AS	30-JAN-50	CR	AS		
		DATE: 8307) USER: AV							
	MIL-V-5622A	VOLT-AMMETER, DUAL POINTER DIRECT CURRENT (VALIDATION DATE: 8410) USER: MC	A 6625	AS	24-JUL-63	AV	AS	99	
		REVIEWER: MI							
A	MIL-T-5624P	TURBINE FUEL, AVIATION, GRADES JP-4, JP-5, AND JP-5/JP-8 ST REVIEWER: 68	A 9130	11	29-SEP-92	ME	AS	11	PS
		AR AV							
A	MIL-W-5625K	WEBBING, TEXTILE, NYLON, TUBULAR USER: 45 REVIEWER: 82 AS MC ME MI .....	A 8305	CT	23-AUG-91	GL	MU	99	CT
	MIL-S-5626C(1)	STEEL, CHROME-MOLYBDENUM (4140) BARS, RODS, AND FORGING STOCK (FOR	A 9510	AS	07-JUL-72	NR	AS	11	
		AIRCRAFT APPLICATION) (VALIDATION DATE: 8508) REVIEWER: 99 AV EA MI WV							
L	MIL-E-5627B(2)	EXTINGUISHERS, FIRE, CARBON DIOXIDE, PORTABLE (VALIDATION DATE: 9107)	A 4210	AS	16-JUL-91		AS		
	NOTICE 1	USER: ME REVIEWER: CS							
D	MIL-L-5630C	LENS AND COVER, BEACON LIGHT, DRUM TYPE, 24 INCH USER: YD1 REVIEWER: GS ...	A 6210	82	10-NOV-84		AS	99	
A	MIL-H-5631C	MOUTON (FOR FLIGHT CLOTHING) REVIEWER: 45 .....	A 8330	CT	15-JAN-91		AS	99	CT
	MIL-G-5634C(3)	GRAIN, ABRASIVE, SOFT, FOR CARBON REMOVAL (VALIDATION DATE: 8506) USER: MC	A 5350	84	22-JAN-79	NR		99	
		REVIEWER: AR ME SH							
	MIL-V-5635A(1)	VIBRATOR, IGNITION COIL, AIRCRAFT ENGINE STARTING, TYPE AM4181 .....	A 2925	82	21-AUG-86	AV	AS	99	
	NOTICE 1								
L	MIL-V-5636B(2)	VALVE, LUBRICATING OIL COOLER, PETROLEUM BASE, TEMPERATURE REGULATING WITH	A 2935	71	12-FEB-88		99		
		SURGE PROTECTION							
L	MIL-C-5637B(2)	COOLER, LUBRICATING OIL, PETROLEUM BASE, AIRCRAFT ENGINE, TUBULAR .....	A 2935	71	12-FEB-88		99		
	MIL-C-5638A	CASING, FLEXIBLE CONTROL, AIRCRAFT (VALIDATION DATE: 8210) REVIEWER: AT CS	A 3040	AS	24-JUL-58		AS	99	
A	MIL-C-5646F(2)	CLOTH, AIRPLANE (VALIDATION DATE: 9110) USER: 45 ME REVIEWER: 82 85 MD ....	A 8305	CT	24-OCT-91	GL	AS	99	CT
	NOTICE 1								
A	MIL-C-5651D	CORD, ELASTIC, EXERCISER AND SHOCK ABSORBER, FOR AERONAUTICAL USE	A 8305	CT	24-OCT-91	ME	AS		CT
	NOTICE 1	(VALIDATION DATE: 9110) USER: GL MC REVIEWER: AR AV MI							
A	MIL-T-5661E	TAPE AND WEBBING, TEXTILE, WOVEN REINFORCING, COTTON (VALIDATION DATE:	A 8315	CT	24-OCT-91	GL	AS	99	CT
	NOTICE 1	9110) USER: 45 MC ME MU							
A	MIL-W-5664D	WEBBING, TEXTILE, ELASTIC (VALIDATION DATE: 9110) USER: MC SM REVIEWER: 11	A 8305	CT	24-OCT-91	GL	AS	99	CT
	NOTICE 1	82 MD							
A	MIL-W-5665K(1)	WEBBING, TEXTILE, COTTON WARP USER: MC REVIEWER: 82 MD ME MU .....	A 8305	CT	25-APR-90	GL	AS	99	CT
A	MIL-T-5666D	TAPE, TEXTILE, NYLON, MULTIPLE TUBULAR USER: AV OS REVIEWER: 82 .....	A 8315	CT	11-SEP-90	GL	AS	99	CT
L	MIL-L-5667B(1)	LIGHTING EQUIPMENT, AIRCRAFT INSTRUMENT PANEL, GENERAL SPECIFICATION FOR	A 6220	11	30-SEP-88		11		
	NOTICE 1	INSTALLATION OF (VALIDATION DATE: 8809) USER: AT REVIEWER: 99 GS							
	MIL-P-5673C(2)	PIN, STRAIGHT, HEADED USER: MI REVIEWER: 82 AV IS ME .....	A 5315	AS	12-JUL-84	AR	AS	99	
	MIL-R-5674E	RIVETS, STRUCTURAL, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY GENERAL	A 5320	AS	12-JUL-89	AV	AS	99	
		SPECIFICATION FOR REVIEWER: 82 AR IS							
	MIL-S-5676A(1)	SPLICING, CABLE TERMINAL, PROCESS FOR, AIRCRAFT (VALIDATION DATE: 8205)	A 5130	AS	21-APR-53	AV	AS	99	
		USER: GL ME REVIEWER: MI							
	MIL-T-5677B	THIMBLES, WIRE-CABLE, AIRCRAFT (VALIDATION DATE: 8911) REVIEWER: ER IS ....	A 4030	82	13-NOV-89		AS	99	
	NOTICE 1								
	MIL-T-5683A	TERMINAL, TIE ROD, THREADED CLEVIS TYPE, AIRCRAFT (VALIDATION DATE: 8107)	A 5985	AS	16-MAY-50		AS	85	
		REVIEWER: 99 ES							
	MIL-T-5684B	TIE ROD, ROUND & SQUARE, AIRCRAFT REVIEWER: AV IS .....	A 5340	82	18-NOV-81		AS	99	
	MIL-B-5687D(1)	BEARINGS, SLEEVE, WASHERS, THRUST, SINTERED, METAL POWDER,	A 3120	84	06-APR-88	AT	OS	99	
		OIL-IMPREGNATED, GENERAL SPECIFICATION FOR REVIEWER: 11 AR AS CS IS MI HS							
	MIL-C-5688A(1)	CABLE ASSEMBLIES, AIRCRAFT, PROOF TESTING AND PRESTRETCHING OF (VALIDATION	A 4010	82	20-MAR-56	AV	AS	11	
	NOTICE 2	DATE: 8510) REVIEWER: 15 MI							
	MIL-T-5695D	TUBING, STEEL, CORROSION-RESISTANT (304), COLD DRAWN (VALIDATION DATE:	A 4710	11	02-MAR-92		AS	11	
	NOTICE 2	9203) USER: OS SH REVIEWER: 82 99 CS EA							
Q	MIL-T-5721C(1)	INDICATOR, INDICATED AIRSPEED, 20-250 KNOTS (VALIDATION DATE: 8403) .....	A 6610	AV	15-NOV-72	AV	AS	99	
	MIL-R-5755C	MIRROR, REARVIEW, NONMAGNETIC, GENERAL REQUIREMENTS FOR (FOR AERONAUTICAL	A 1680	82	16-APR-90	AV	AS	99	
		USE)							
Q	MIL-C-5756C	CABLE, POWER, ELECTRICAL, PORTABLE GENERAL SPECIFICATION FOR REVIEWER: CR	A 6145	AS	05-APR-90		AS	85	
		GS IS							
	MIL-C-5756/1	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE	A 6145	AS	10-APR-90		AS	85	
		RESISTANT REVIEWER: CR IS							
	MIL-C-5756/2(1)	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE	A 6145	AS	15-JUL-90		AS	85	
		RESISTANT REVIEWER: CR GS							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Oral / OMA Coordination Machine	Document Number	Document Title	Dist. Smt. FDC / Area	MCA Symbol Preparing Dept.	Date	Custodians		
						Army	Navy	As Force DLA
	MIL-C-5756/3(1)	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR REVIEWER: CR GS	A 6145	AS	15-JUL-90	AS	85	
	MIL-C-5756/4(1)	CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR OZONE RESISTANT REVIEWER: CR GS	A 6145	AS	15-JUL-90	AS	85	
	MIL-R-5757(2) SUPPL 1A	RELAY, ELECTROMAGNETIC, GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: 11 99 AS AV ES MI OS	A 5945	85	03-MAY-84	ER	EC	85
	MIL-R-5757/11(2)	RELAYS, ELECTRICAL, HERMETICALLY SEALED, 6PDT, LOW LEVEL TO 2 AMPERES USER: 19 AR AV MC REVIEWER: 11 17 99 AT ES MI SH	A 5945	EC	09-JUL-90	ER	EC	85
	MIL-R-5757/3A(1)	RELAY, ELECTROMAGNETIC, SEALED, WITH DPSTNO AND DPDT CONTACTS, 2 AMPERES [VALIDATION DATE: 8204] USER: MC SH SH REVIEWER: 17 99 AR AS AT AV ES ME OS	A 5945	85	28-NOV-75	ER	EC	85
I	MIL-R-5757/7E	RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES USER: AV ME REVIEWER: 99 AT ES MI SH	A 5945	EC	06-MAR-92	ER	EC	85
	MIL-R-5757/8E	RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 2 AMPERES (INACTIVE FOR NEW DESIGN AFTER 18 FEB 1986) USER: AV ME REVIEWER: 99 AR AT ES MI SH	A 5945	85	18-FEB-86	ER	EC	85
	MIL-R-5757/10K(2)	RELAYS, ELECTROMAGNETIC, HERMETICALLY SEALED, DPDT, LOW LEVEL AND 2 AMPERES USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 ES MI MS OS	A 5945	EC	27-MAR-90	ER	EC	85
	MIL-R-5757/13G	RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 2 AMPERES, (SENSITIVE, 40 MILLIWATT) USER: 19 AR MC ME SH REVIEWER: 11 17 99 AS AT ES MI OS	A 5945	EC	11-APR-90	ER	EC	85
L	MIL-R-5757/15D	RELAY, ELECTRICAL, HERMETICALLY, 4 PDT, 5 AMPERES (INACTIVE USE MS 25267) .	A 5945	85	12-APR-88	EC		
L	MIL-R-5757/16G	RELAYS, ELECTROMECHANICAL, HERMETICALLY SEALED, 6 PDT, 5 AMPERES . . . . .	A 5945	85	12-APR-88	EC	85	
L	MIL-R-5757/18F	RELAY, ELECTRICAL, HERMETICALLY SEALED, 4PDT, 10 AMPERES (INACTIVE USE MS 25271) REVIEWER: ES	A 5945	85	12-APR-88	EC		
I	MIL-R-5757/23J	RELAYS, ELECTRICAL, HERMETICALLY SEALED, DPDT, 10 AMPERES USER: AV MC ME REVIEWER: 11 AR AS AT ES MI OS SH	A 5945	EC	03-MAR-88	ER	EC	85
L1	MIL-R-5757/28C	RELAY, ELECTRICAL, HERMETICALLY SEALED, DPDT, 10 AMPERES REVIEWER: ES . . . . .	A 5945	EC	18-FEB-86	EC		
I	MIL-R-5757/29D(1)	RELAYS, ELECTRICAL, 1 PST TO 4 PDT CONTACTS LOW-LEVEL TO 1/2 AMPERE (DRY REED) USER: AV MC ME REVIEWER: AT ES MI	A 5945	EC	17-MAR-86	ER	EC	85
	MIL-R-5757/40F	RELAY, ELECTRICAL, HERMETICALLY SEALED, DPDT, LOW LEVEL TO 1.0 AMPERE (USE MIL-R-39016/9) B 011075 [VALIDATION DATE: 8304] USER: AV MC ME OS SH REVIEWER: AR AS AT ES MI	A 5945	85	10-FEB-76	ER	EC	85
	MIL-R-5757/103D	RELAY, ELECTRICAL, HERMETICALLY SEALED SPDT, LOW LEVEL TO 0.25 AMPERE USER: AS MC OS SH REVIEWER: 11 99 ES	A 5945	85	14-DEC-84	ER	EC	85
L	MIL-S-5765F	STRAND, WIRE ROPE, ARMORED STEEL REVIEWER: IS . . . . .	A 4010	18	14-JUN-90	AS	18	
	MIL-M-5776C	MAINTENANCE PLATFORM, AIRCRAFT ADJUSTABLE, 13 TO 20 FEET TYPE B-2 . . . . .	A 1730	82	30-AUG-90	AV	99	
	MIL-M-5777C	MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 10 FEET, TYPE B&1 [VALIDATION DATE: 8303]	A 1730	82	23-MAR-60	AV	AS	99
A	MIL-C-5778D	COVERS, AIRCRAFT COMPONENTS, GENERAL REQUIREMENTS FOR REVIEWER: 82 MC . . . . .	A 1730	AS	08-MAY-92	AV	AS	99
Q	MIL-T-5780D	TRANSMITTER, PRESSURE, MANIFOLD, 10-75 INCH MERCURY . . . . .	A 6620	71	23-JAN-88	AV	AS	99
L	MIL-T-5790E	TRANSMITTER, PRESSURE, OIL, SYNCHRO, 0-200 PSI 320 DEGREE MOVEMENT, 26V, SINGLE PHASE, 400 CYCLES	A 6620	71	04-JUL-88	AV	AS	99
	MIL-M-5793A	MICROPHONE M-3A/A [VALIDATION DATE: 9110] . . . . .	A 5965	AS	09-OCT-91	AS	85	
	NOTICE 1							
	MIL-M-5794B(2)	MICROPHONE UNIT M-6A/UR AND MICROPHONE, CARBON M-51/UR [VALIDATION DATE: 8011] REVIEWER: 85 EA ES MI	A 5965	AS	13-FEB-64	CR	AS	
L	MIL-M-5794B(13)	MICROPHONE UNIT M-6A/UR AND MICROPHONE, CARBON M-51/UR [VALIDATION DATE: 8011]	A 5965	CR	09-SEP-65	CR		
MO	MIL-M-5795A	HEADSET-MICROPHONE, M-46A/UR [VALIDATION DATE: 7802] REVIEWER: 99 ES . . . . .	A 5965	85	26-MAR-52	CR	SH	85
	MIL-T-5798D	TRANSMITTER, PRESSURE, OIL, 0-100 PSI . . . . .	A 6620	71	15-JUN-93	AV	AS	99
	MIL-S-5804C(2)	SEAT, AIRCRAFT, TROOP, WALL-STYLE [VALIDATION DATE: 8808] . . . . .	A 1680	82	10-AUG-88	AV	AS	99
	NOTICE 1							
	MIL-B-5806F	BOX, SHIPPING AND STORAGE, HELICOPTER BLADE USER: MC OS SH REVIEWER: 11 71 99 SA	A 8145	69	26-MAR-76	AV	AS	69
AQ	MIL-S-5807C(3)	SEXTANT, AIRCRAFT, PERISCOPIC [VALIDATION DATE: 8303] . . . . .	A 6605	AS	17-SEP-57	AS	99	
	MIL-C-5809G(1)	CIRCUIT BREAKERS, TRIP-FREE, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: AR AT AV MI	A 5925	AS	23-SEP-92	ER	AS	85
	SUPPL 1A							
	MIL-C-5809/1	CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE PUSH PULL, TYPE I, DUAL SAFETY, -55 THRU +121 DEG. C [VALIDATION DATE: 9110]	A 5925	AS	09-OCT-91	ER	AS	85
L	NOTICE 1							
	MIL-D-5813B	DOME, NAVIGATOR 5 OBSERVING, NON-PRESSURIZED AIRCRAFT, TYPE A-3A . . . . .	A 1680	82	13-JUL-87		99	
	MIL-A-5815E(1)	ANTENNA, AIRBORNE, UHF - BAND, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AV ES	A 5985	85	26-SEP-91	ER	85	
L	MIL-A-5815/1	ANTENNA, BLADE, UHF, AT-256A/ARC (SERIES H CONNECTOR) REVIEWER: 11 99 AV ES	A 5985	85	18-MAR-77		85	
	NOTICE 1							
	MIL-T-5842B	TRANSPARENT AREAS ON AIRCRAFT SURFACES (WINDSHIELDS AND CANOPIES), RAIN REMOVING AND WASHING SYSTEMS FOR, DE-FROSTING, DE-ICING, DEFOGGING, GENERAL SPECIFICATION FOR	A 1650	AS	29-MAR-85	AS		
I	MIL-M-5845C	WIRE, ELECTRICAL, IRON CONSTANTAN, THERMOCOUPLE REVIEWER: EC IS MI OS . . . . .	A 6145	85	29-SEP-90	CR	AS	85
A	NOTICE 2							
I	MIL-M-5846C(1)	WIRE, ELECTRICAL, CHROMEL AND ALUMEL, THERMOCOUPLE USER: GL ME OS	A 6145	MI	18-JUN-92	MI	AS	99
AQ	NOTICE 2							
	MIL-M-5877E	REVIEWER: EC ER IS						
	MIL-T-5882C	NOZZLE, PRESSURE FUEL SERVICING, LOCKING, TYPE D-1, D-1R, D-2 AND D-2R, NOMINAL 2 1/2 INCH DIAMETER USER: AV ME REVIEWER: 82 SS	A 4930	AS	01-JUL-92	AS	11	
Q	MIL-A-5885D	TRANSMITTER, PRESSURE, MULTIPURPOSE, 0-50 PSI, MS28005-1 (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 8708] REVIEWER: AV	B 6620	71	08-AUG-87	AS	99	
	MIL-C-5886E(1)	ACCELEROMETER, AIRCRAFT REVIEWER: 11 . . . . .	A 6610	71	09-FEB-87	AV	AS	99
L	MIL-C-5898D(2)	CYLINDER, AIRCRAFT OXYGEN, LOW PRESSURE, NONSHATTERABLE [VALIDATION DATE: 8602] REVIEWER: 11	A 1660	71	28-FEB-86	AV	AS	99
D	MIL-L-5904D(1)	CORDS, ELECTRICAL (WF-5/U, WF-14/U, WD-34/U, WM-53/U, WM-85/U) REVIEWER: IS	A 6145	85	26-SEP-89		85	
I	MIL-M-5908D	LIGHT, RUNWAY MARKER, ELEVATED, TYPE C-1 USER: YD1 REVIEWER: 11 GS . . . . .	A 6210	82	08-OCT-81	AV	AS	99
L	NOTICE 2							
	MIL-T-5913D	WIRE, ELECTRICAL, COPPER AND CONSTANTAN, THERMOCOUPLE REVIEWER: EC IS OS . .	A 6145	85	29-SEP-90	CR	AS	85
Q	MIL-I-5914D	TRANSMITTER, RATE OF FLOW, SYNCHRO, TYPE J-5 . . . . .	A 6620	71	15-FEB-88		99	
L	NOTICE 1							
	MIL-M-5920D	INDICATOR, RATE OF FLOW, FUEL, TYPE EPU-24/A AND TYPE EPU-25/A [VALIDATION DATE: 8605] REVIEWER: 11	A 6620	71	09-MAY-86	AS	99	
	NOTICE 1							
	MIL-C-5927D(2)	MANUAL, TECHNICAL, SAMPLE BASIC WEIGHT CHECKLISTS & LOADING DATA [VALIDATION DATE: 8802] REVIEWER: 10	A THSS	11	26-FEB-88		11	
	MIL-S-5944C	CONVEYORS, WHEEL GRAVITY, EXTRACTION KIT [VALIDATION DATE: 8903] REVIEWER: CS SA	A 3910	84	25-MAR-89	AS	99	
	MIL-P-5954A(1)	SLINGS, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: GL MC . . . . .	A 1730	AS	20-NOV-90	AV	AS	99
	MIL-T-5955C	PUMP UNIT, HYDRAULIC, ELECTRIC MOTOR DRIVEN FIXED DISPLACEMENT [VALIDATION DATE: 8304] REVIEWER: 99	A 1650	AS	08-SEP-55	AV	AS	
	MIL-P-5994D	TRANSMISSION SYSTEM, VTOL - STOL, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8409] REVIEWER: 99	A 1615	AV	17-SEP-70	AV		
L	MIL-A-5999B	PUMP UNITS, HYDRAULIC, ELECTRIC MOTOR DRIVEN, VARIABLE DELIVERY, GENERAL SPECIFICATION FOR REVIEWER: 82 MC	A 1650	71	24-DEC-92	AV	AS	99
Q	NOTICE 1							
	MIL-M-6000B(1)	ANTENNA SUBSYSTEM FOR AIRCRAFT MARKER BEACON EQUIPMENT GENERAL SPECIFICATION FOR	A 5826	11	30-JAN-87		11	
	NOTICE 1							
	MIL-F-6001A(1)	HOSE: RUBBER (FUEL, OIL, COOLANT, WATER AND ALCOHOL) [VALIDATION DATE: 8911] USER: AR MI REVIEWER: CS EA	A 4720	82	09-NOV-89	ME	AS	99
	MIL-M-6002A	FITTING, AIRCRAFT, SOLDER TYPE, TUBE (ASG) [VALIDATION DATE: 8509]	A 4730	AS	21-MAR-60	AS	99	
	NOTICE 1	REVIEWER: CS						
		MARKING: STANDARD HOSE, AIRCRAFT [VALIDATION DATE: 8911] REVIEWER: 11 . . . . .	A 4720	82	09-NOV-89	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / OLA Coordination Machine Document Number	Document Title	Doc. Syst. FSC / Area MCA Symbol Preparing Act. Date	Custodians Army Navy Air Force OLA
MIL-W-6015A(2)	WIRE ROPE, 6 BY 19, HIGH-STRENGTH (FOR AIRCRAFT LAUNCHING AND ARRESTING) REVIEWER: IS	A 4010 AS 03-JUL-91	AS 99
MIL-R-6018C(1)	REGULATOR, OXYGEN DILUTER DEMAND (ASG) (VALIDATION DATE: 7910)	A 1660 AS 23-NOV-71	AS 99
MIL-G-6019C(2)	GAGE, PRESSURE, DIAL INDICATING, LOW-PRESSURE OXYGEN	A 6685 82 29-JUN-78	AV AS 99
MIL-C-6026B	CONTROL UNIT, PRESSURE GENERATING, MANUALLY OPERATED, AIRCRAFT HYDRAULIC BRAKE SYSTEM (VALIDATION DATE: 8509) USER: ME REVIEWER: 99	A 1630 AS 09-OCT-69	AV AS
Q MIL-G-60320(1)	GREASE, PLUG VALVE, GASOLINE & OIL RESISTANT, NATO CODE NUMBER G-363, METRIC USER: AT REVIEWER: AR GS MI PS SH	A 9150 AS 08-APR-88	ME AS 68
MIL-B-6038A	BEARING, BALL, BALLRANK, ANTI FRICTION, AIRFRAME (VALIDATION DATE: 8205) REVIEWER: AR AV IS MI	A 3110 AS 28-MAR-61	AT AS 11
Q MIL-B-6039D	BEARING, DOUBLE ROW, BALL, SEALED ROD END, ANTI FRICTION, SELF ALIGNING REVIEWER: AT	A 3110 84 12-OCT-84	AS 99
L MIL-L-6048B	INTERCOMMUNICATION SETS, AM/AIC-5A AND AM/AIC-5B (VALIDATION DATE: 8103)	A 5831 AS 01-JUN-56	AS
I MIL-S-6049A(1)	STEEL, CHROME-NICKEL-MOLYBDENUM (8740) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) USER: AT OS REVIEWER: 99 AR AV IS MI	A 9510 11 22-JAN-91	NR AS 11
MIL-S-6050A(2)	STEEL, CHROME-NICKEL-MOLYBDENUM (8630) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) (VALIDATION DATE: 8901) USER: AT OS REVIEWER: 99 AR AV IS MI	A 9510 11 12-JAN-89	NR AS 11
MIL-E-6051D(1)	ELECTROMAGNETIC COMPATIBILITY REQUIREMENTS, SYSTEMS (VALIDATION DATE: 8104) REVIEWER: 17 68 99 AR MI	A 5831 11 05-JUL-68	TM AS 11
MIL-I-6052B	INTERCOMMUNICATION SETS, AM/AIC-4 AND AM/AIC-4A (VALIDATION DATE: 8307) REVIEWER: AV	A 5831 AS 16-DEC-52	CR AS
L MIL-T-6053C(1)	TESTS, IMPACT, SHOCK ABSORBER LANDING GEAR, AIRCRAFT (VALIDATION DATE: 8909)	A 1620 70 27-SEP-89	99
MIL-D-6054F(1)	DRUM, METAL-SHIPING AND STORAGE USER: AV CG MS REVIEWER: 99 AR GS MI SA SM	A 8110 69 30-JUN-89	GL AS 69
MIL-D-6055D(1)	DRUM, METAL REUSABLE, SHIPPING AND STORAGE (CAP. FROM 88 TO 510 CUBIC INCHES) USER: 80 OS SH REVIEWER: 84 AR EA GS SM	A 8110 69 30-JUN-89	GL SA 69
MIL-E-6058B(1)	ENGINE, AIRCRAFT, RECIPROCATING, PREPARATION FOR SHIPMENT AND STORAGE OF (VALIDATION DATE: 8405) REVIEWER: 11 CR ME SM	A 2810 AS 09-MAR-79	AV AS 99
MIL-E-6059A	ENGINE, AIRCRAFT, RECIPROCATING PROCESSES FOR CORROSION PROTECTION, PREHEATING AND GROUND OPERATIONS OF (VALIDATION DATE: 8708) REVIEWER: 99	A 2810 AS 25-FEB-54	AV AS 11
MIL-E-60600	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (VALIDATION DATE: 9110) USER: AR ER MC ME OS REVIEWER: 99 AR CR	A 8105 AS 24-OCT-91	GL AS 69
SUPPL 1A, NOTICE 1	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (R-985 AND R-1340 ENGINES) (VALIDATION DATE: 8911) USER: 70 71 REVIEWER: 80 82 99	A 8105 69 16-NOV-89	69
MIL-E-6060/1A	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (R-1820, R-1830 AND R-2000 ENGINES) (VALIDATION DATE: 8911) USER: 70 71 REVIEWER: 80 82 99	A 8105 69 18-NOV-89	69
MIL-E-6060/2A	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (R-2800 ENGINE) (VALIDATION DATE: 8911) USER: 70 71 REVIEWER: 80 82 99	A 8105 69 18-NOV-89	69
MIL-E-6060/3A	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (5 KW AIRCRAFT POWER PLANT) (VALIDATION DATE: 8911) USER: 70 71 REVIEWER: 80 82 99	A 8105 69 18-NOV-89	69
MIL-E-6060/4A	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (J-33 ENGINE) (VALIDATION DATE: 8911) USER: 70 71 REVIEWER: 80 82 99	A 8105 69 18-NOV-89	69
MIL-E-6060/5A	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (D-435 ENGINE) (VALIDATION DATE: 8911) USER: 70 71 REVIEWER: 80 82 99	A 8105 69 18-NOV-89	69
MIL-E-6060/6A	ENVELOPE, PACKAGING, WATER-VAPOR PROOF, FLEXIBLE (R-4360 ENGINE) (VALIDATION DATE: 8911) USER: 70 71 REVIEWER: 80 82 99	A 8105 69 18-NOV-89	69
MIL-E-6060/7A	PACKAGING OF BATTERIES, STORAGE, CHARGED AND DRY UNCHARGED AND MOIST, GENERAL SPECIFICATION FOR REVIEWER: GS	A 6140 80 22-MAR-78	GL AS 99
MIL-P-6070B	PLYWOOD AND VENEER, AIRCRAFT FLAT PANEL USER: AS OS REVIEWER: CS	A 5530 84 24-FEB-86	SH 99
MIL-P-6074B	PRESERVATION, PACKAGING, AND PACKING OF PROPELLERS, PROPELLER SPARES, AND PROPELLER ACCESSORIES (VALIDATION DATE: 8509) USER: MI REVIEWER: CR EL ME SM	A 5530 AS 18-DEC-69	AV AS 99
SUPPL 1A	LUBRICATING OIL, JET ENGINE (VALIDATION DATE: 8809) USER: OS REVIEWER: GS MI PS	A 9150 11 30-SEP-88	AS 11
Q MIL-L-6081C(2)	LUBRICATING OIL, AIRCRAFT PISTON ENGINE (NON-DISPERSANT MINERAL OIL) USER: ME OS REVIEWER: AV GS MI PS	A 9150 AS 01-DEC-90	NR AS 11
Q MIL-L-6082E	HYDRAULIC FLUID, PETROLEUM BASE, FOR PRESERVATION AND OPERATION USER: OS REVIEWER: AT AV GS MC MD MI PS SA SH SM	A 9150 ME 08-FEB-90	ME AS 68
Q MIL-H-6083E(2)	LUBRICATING OIL: INSTRUMENT, AIRCRAFT, LOW VOLATILITY REVIEWER: 68 AR GS MI OS SA SH SM	A 9150 11 05-FEB-91	ME AS 11
Q MIL-L-6085C	LUBRICATING OIL, GEAR, PETROLEUM BASE USER: AT SH REVIEWER: 68 AR MI SA ... HEAT TREATMENT OF ALUMINUM ALLOYS USER: ME OS REVIEWER: 99 AR AV IS MS SH	A 9150 11 30-JAN-91	ME AS 11
A MIL-H-6086G(1)	STEEL, CARBURIZING AND NITRIDING, PROCESSES FOR (VALIDATION DATE: 8901) USER: OS REVIEWER: 99 MI	A 956P AS 15-SEP-92	NR AS 11
MIL-S-6090A(1)	COMPUTER, AIRCRAFT LOAD BALANCING (VALIDATION DATE: 8310) REVIEWER: 99 ... THINNER, CELLULOSE-NITRATE-DOPE, BLUSH-RETARDING (VALIDATION DATE: 8401) USER: AV	A 1680 AS 02-MAR-60	AV AS
MIL-C-6092A	THINNER, CELLULOSE-NITRATE-DOPE, BLUSH-RETARDING (VALIDATION DATE: 8401) REVIEWER: 99	A 8010 AS 08-MAY-78	NR AS 99
MIL-T-6095B(1)	THINNER, CELLULOSE ACETATE BUTYRATE DOPE (VALIDATION DATE: 8401) REVIEWER: NR	A 8010 AS 14-AUG-51	AS 99
MIL-S-6098A	STEEL, CHROME-NICKEL-MOLYBDENUM (8735) BARS AND REFORGING STOCK (AIRCRAFT) USER: AR AT AV OS REVIEWER: 15	A 9510 11 20-JAN-90	NR AS 11
Q MIL-C-6100A	CONNECTOR, RECEPTACLE, ELECTRICAL, AIRCRAFT (VALIDATION DATE: 8304) ... RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), GENERAL SPECIFICATION FOR REVIEWER: 11 99 EC ES	A 5935 AS 15-OCT-73	AS
MIL-R-6106J(3)	RELAYS, ELECTROMAGNETIC, TYPE 1, 2PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES	A 5945 85 25-AUG-89	ER AS 85
SUPPL 2B	RELAYS, ELECTROMAGNETIC, TYPE 1, 4PDT, 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES	A 5945 85 28-MAR-90	85
L MIL-R-6106/1F	RELAYS, ELECTROMAGNETIC, TYPE 1, 4PDT, 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES	A 5945 85 28-SEP-92	85
A L MIL-R-6106/2F	RELAYS, ELECTROMAGNETIC, MOUNTING TRACK FOR REVIEWER: 99 ES	A 5945 85 13-NOV-87	85
L MIL-R-6106/3E	RELAYS, ELECTROMAGNETIC, 2PDT, BRACKET AND SOCKET ASSEMBLY FOR REVIEWER: 99 ES	A 5945 85 14-MAY-93	85
M L MIL-R-6106/4D	RELAYS, ELECTROMAGNETIC, BRACKET AND SOCKET ASSEMBLIES FOR REVIEWER: 99 ES RELAY, ELECTROMAGNETIC, PERMANENT MAGNET DRIVE, 10 AMPERES, 6 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99	A 5945 85 28-MAR-91	85
L MIL-R-6106/5E(1)	RELAY, ELECTROMAGNETIC, CONTINUOUS DUTY, 60 AMP, 3PDT, ENVIRONMENTALLY SEALED REVIEWER: 99 ES	A 5945 85 04-JUN-85	EC 85
MIL-R-6106/6C(1)	RELAYS, ELECTROMAGNETIC, NORMALLY OPEN, CONTINUOUS DUTY, 60 AMPERES, 3PST, ENVIRONMENTALLY SEALED REVIEWER: 99 ES	A 5945 85 14-JUL-92	85
A L MIL-R-6106/9C(1)	RELAYS, ELECTROMAGNETIC, NORMALLY CLOSED, CONTINUOUS DUTY, 60 AMP, 3PST, ENVIRONMENTALLY SEALED REVIEWER: 99 ES	A 5945 85 14-JUL-92	85
A L MIL-R-6106/10D(1)	RELAYS, ELECTROMAGNETIC (TYPE 1), MAGNETIC LATCH (INCLUDING UNSUPPRESSED AND SUPPRESSED COILS), LOW LEVEL AND 2 AMPERES, 1PDT, AUXILIARY CONTACTS, 25 AMPERES, 3 PHD MAIN CONTACTS, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 22-DEC-89	85
L MIL-R-6106/11C(1)	RELAYS, ELECTROMAGNETIC, 25 AMPERE, 3PST, NO, WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE, TYPE 1 REVIEWER: 99 ES	A 5945 85 26-MAY-89	85
L MIL-R-6106/12B	RELAY, ELECTRIC, PERMANENT DRIVE, 50 AMP, SPDT (DB) DOUBLE MAKE DOUBLE BREAK AUXILIARY CONTACTS (5 AMP), HERMETICALLY SEALED REVIEWER: 99	A 5945 85 10-MAR-89	85
L MIL-R-6106/13D(2)	RELAYS, ELECTROMAGNETIC, 50 AMPERES, DC, SPDT, HERMETICALLY SEALED REVIEWER: 99	A 5945 85 10-NOV-88	85
LI MIL-R-6106/14B	RELAYS, ELECTROMAGNETIC, PERMANENT MAGNET DRIVE, 25 AMPERES, SPDT, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 24-OCT-90	85
NOTICE 1			
L MIL-R-6106/15C(1)			
L MIL-R-6106/19E			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / OMA Combination Number	Document Title	Doc. Smt. FNC / Item MCA Symbol Proprietary Date	Customers			
			Army	Navy	AF Force	DLA
L MIL-R-6106/208	RELAYS, ELECTROMAGNETIC, MAGNETIC LATCH, 25 AMPERES, SPDT, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 23-MAR-90				85
M L MIL-R-6106/21J	RELAYS, ELECTROMAGNETIC, TYPE IER, ESTABLISHED RELIABILITY, TRACK MOUNTED, 5 AMPERES, 2PDT, HERMETICALLY SEALED, POLARIZED, TRANSIENT SUPPRESSED COIL REVIEWER: 99 ES	A 5945 85 26-APR-93				85
L MIL-R-6106/22H	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, TRACK MOUNTED, 5 AMPERES, 4PDT, HERMETICALLY SEALED, POLARIZED, TRANSIENT SUPPRESSED COIL REVIEWER: 99 ES	A 5945 85 23-MAR-90				85
M MIL-R-6106/23D	RELAY, ELECTROMAGNETIC, SOCKET MOUNT (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945 85 14-MAY-93	ER	AS		85
L MIL-R-6106/24H	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, TRACK MOUNTED, 10 AMPERES, 3PDT, HERMETICALLY SEALED, POLARIZED, TRANSIENT SUPPRESSED COIL REVIEWER: 99 ES	A 5945 85 23-MAR-90				85
L MIL-R-6106/25J	RELAYS, ELECTROMAGNETIC, BRACKET MOUNT REVIEWER: 99 ES	A 5945 85 20-JAN-89				85
M MIL-R-6106/26D(1)	RELAY, ELECTROMAGNETIC, 50 AMPERES, SPST, NC, WITH 5 AMPERE SPDT AUXILIARY, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945 85 14-MAY-93	ER	AS		85
MIL-R-6106/27D	RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES) TYPE 1, 2PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED REVIEWER: 99 ES	A 5945 85 14-DEC-90	ER	EC		85
MIL-R-6106/28D	RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES) TYPE 1, 4PDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED REVIEWER: 99 ES	A 5945 85 14-DEC-90	ER	EC		85
MIL-R-6106/29D	RELAYS, ELECTROMAGNETIC (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 21-DEC-90		EC		85
L MIL-R-6106/30A	RELAY, ELECTROMAGNETIC, DIRECT CURRENT, 28 VOLTS	A 5945 85 24-SEP-82		AS		85
L MIL-R-6106/31	RELAY, ELECTROMAGNETIC, RELAY EXTRACTION TOOL REVIEWER: 99 ES	A 5945 85 31-MAR-88				85
L MIL-R-6106/32	RELAY, ELECTROMAGNETIC, SOCKET MODULE EXTRACTION TOOL REVIEWER: 99 ES	A 5945 85 31-MAR-88				85
L MIL-R-6106/33C(1)	RELAYS, ELECTROMAGNETIC, TYPE 1, 400 AMPERES, WITH 5 AMPERE AUXILIARY CONTACTS, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 19-AUG-88				85
L MIL-R-6106/34B	RELAYS, ELECTROMAGNETIC, TYPE 11 (UNSEALED) 300 AMPERES, SPST (N.O.) WITH 5 AMPERE AUXILIARIES REVIEWER: 99 ES	A 5945 85 22-DEC-87				85
L MIL-R-6106/35A	RELAYS, ELECTROMAGNETIC, BUTTON, PLUG MOUNTING TRACK (VALIDATION DATE: 8811) REVIEWER: 99 ES	A 5945 85 18-NOV-88				85
L MIL-R-6106/36E	RELAYS, ELECTROMAGNETIC, TYPE 1, 2 PDT, 10 AMPERES, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES	A 5945 85 28-MAR-90				85
A L MIL-R-6106/37D	RELAYS, ELECTROMAGNETIC, TYPE 1, 4 PDT, 10 AMPERES, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED ASSEMBLY REVIEWER: 99 ES	A 5945 85 17-FEB-93				85
L MIL-R-6106/38A	RELAY, ELECTROMAGNETIC, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 2 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 07-SEP-84				85
L MIL-R-6106/39B	RELAYS, ELECTROMAGNETIC, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 4 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 15-MAR-85				85
L MIL-R-6106/40A(1)	RELAY, ELECTROMAGNETIC, MAGNETIC LATCH, PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 21-MAR-85				85
L MIL-R-6106/41A	RELAY, ELECTROMAGNETIC, 25 AMPERES, 3PNO, WITH 2 AMPERE, 1PDT AUXILIARY CONTACTS, HERMETICALLY SEALED, TYPE 1 REVIEWER: 99 ES	A 5945 85 27-DEC-89				85
L MIL-R-6106/42(1)	RELAYS, ELECTROMAGNETIC, 3PDT MAIN CONTACTS, 4PDT AUXILIARY CONTACTS, 135 AMPERES, 115/200 VOLTS, 400 HERTZ, GASKET SEALED REVIEWER: 99 ES	A 5945 85 28-SEP-90				85
M MIL-R-6106/43A	RELAYS, ELECTROMAGNETIC, 65 AMPERES, 1 PHO DOUBLE BREAK, HERMETICALLY SEALED, TYPE 1 (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945 85 14-MAY-93	ER	AS		85
L MIL-R-6106/44A	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 115/200 V AC, 400 HZ, 3PDT, SIDE STABLE, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 10-MAR-89				85
L MIL-R-6106/45A	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 115/200 V AC, 400 HZ, 3PST, WITH 5 AMPERE SPDT AUXILIARY, MAGNETIC LATCHING, HERMETICALLY SEALED	A 5945 85 29-APR-85				85
L MIL-R-6106/46(1)	RELAYS, ELECTROMAGNETIC, 120 AMPERES, 115/200 V AC, 400 HZ, 3PDT, CENTER OFF MAIN CONTACTS, 6PDT AUXILIARY CONTACTS, LATCHING, HERMETICALLY SEALED	A 5945 85 10-NOV-88				85
L DOD-R-6106/47	RELAYS, ELECTROMAGNETIC, 1000 AMPERES, SPST, N.O., D.B., TYPE 11, NON-HERMETICALLY SEALED (AND MOUNTING BRACKET), METRIC REVIEWER: 99 ES	A 5945 85 03-DEC-84				85
L MIL-R-6106/48A	RELAYS, ELECTROMAGNETIC, TYPE 1, HERMETICALLY SEALED, 100 AMPERES, SPST (N.O.) WITH SPDT (FORM 2) 5 AMPERES AUXILIARY CONTACTS REVIEWER: 99 ES	A 5945 85 28-MAR-91				85
A MIL-R-6106/50A	RELAYS, ELECTROMAGNETIC, TYPE 1, MAGNETIC LATCH, LOW LEVEL TO 10 AMPERES, 2 PDT, HERMETICALLY SEALED REVIEWER: 99 EC ES	A 5945 85 21-JUL-92	ER	AS		85
A MIL-R-6106/51A	RELAYS, ELECTROMAGNETIC, TYPE 1, MAGNETIC LATCH, LOW LEVEL TO 10 AMPERES, 4 PDT, HERMETICALLY SEALED REVIEWER: 99 EC ES	A 5945 85 21-JUL-92	ER	AS		85
MIL-R-6106/53	RELAY, ELECTROMAGNETIC (TYPE 1), MAGNETIC LATCH (WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION), PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES 4PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 30-SEP-86				85
MIL-R-6106/54	RELAY, ELECTROMAGNETIC (TYPE 1), MAGNETIC LATCH (WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION), PERMANENT MAGNET DRIVE, LOW LEVEL TO 5 AMPERES, 2 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 24-OCT-86				85
MIL-R-6106/55	RELAY, ELECTROMAGNETIC (TYPE 1), MAGNETIC LATCH (WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION), PERMANENT MAGNET DRIVE, LOW LEVEL TO 10 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945 85 24-OCT-86				85
MIL-I-6115A(3)	INSTRUMENT SYSTEMS, PITOT TUBE AND FLUSH STATIC PORT OPERATED, INSTALLATION OF (VALIDATION DATE: 8102)	A 6610 AS 31-DEC-60	AV	AS		
MIL-T-6117C	TERMINAL, CABLE ASSEMBLIES, SHAGED TYPE USER: ME	A 4030 82 28-OCT-81	MI	AS		99
MIL-C-6122	COLLIMATOR: SEXTANT, AIRCRAFT (VALIDATION DATE: 9110)	A 6605 AS 09-OCT-91		AS		99
MIL-V-6125D	VALVE, REGULATING, FLUID PRESSURE, TYPE C-1 (VALIDATION DATE: 9101)	A 4820 82 10-JAN-91		AS		99
MIL-V-6129A	VALVE, CHECK, VACUUM AND PRESSURE SYSTEM (VALIDATION DATE: 8304) REVIEWER: CS	A 4820 AS 15-JUN-64		AS		99
MIL-R-6130C	RUBBER, CELLULAR, CHEMICALLY BLOWN USER: MC REVIEWER: 99 AR DS EA GS MI NR OS	A 9320 AS 18-JUL-80	GL	AS		11
L MIL-R-6130C(11)	RUBBER, CELLULAR, CHEMICALLY BLOWN	A 9320 SA 01-APR-91		SA		
MIL-P-6131C	PLUGS, DEHYDRATOR, INDICATING HUMIDITY (VALIDATION DATE: 9110) USER: AR	A 6685 AS 24-OCT-91	AV	AS		99
MIL-T-6134C(1)	TAPE, TEXTILE, NYLON, PARACHUTE CONSTRUCTION (VALIDATION DATE: 8910)	A 8315 CT 31-OCT-89	GL	AS		99 CT
MIL-C-6136A(2)	CONDUIT: ELECTRICAL, FLEXIBLE, SHIELDED, ALUMINUM ALLOY FOR AIRCRAFT INSTALLATIONS (VALIDATION DATE: 9109)	A 5975 AS 18-SEP-91	ER	AS		85
MIL-F-6139D	FLOODLIGHT, ELECTRIC, EXPLOSION PROOF, 300 WATTS MAXIMUM, ADJUSTABLE STAND MOUNTED REVIEWER: AR GS	A 6230 82 25-MAY-83		AS		99
MIL-S-6144A	SOUND AND THERMAL INSULATION FOR AIRCRAFT GENERAL SPECIFICATION FOR THE INSTALLATION OF (VALIDATION DATE: 8209)	A 1560 AS 12-MAY-66	AV	AS		
Q MIL-S-6150D	STARTER, ENGINE, ELECTRICAL, DIRECT CRANKING, AIRCRAFT, 28-VOLT DC (VALIDATION DATE: 7709)	A 2925 82 22-JUN-65	AV	AS		99
Q MIL-G-6162B	GENERATOR AND STARTER GENERATOR, ELECTRIC DIRECT CURRENT, NOMINAL 30 VOLTS, AIRCRAFT GENERAL SPECIFICATION (VALIDATION DATE: 8508) USER: MI REVIEWER: AV GS	A 6115 80 15-FEB-72	ME	AS		99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active OR / OMA Coordination Notice Document Number	Document Title	Dist. Smt. FSC Area MCA Symbol Preparing Act. Date	Custodian Army Navy Air Force OIA
L MIL-G-6162/1C NOTICE 1	STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT 400 AMPERE, AIRCRAFT ENGINE DRIVEN [VALIDATION DATE: 8809]	A 6115 AS 02-SEP-88	AS
L MIL-G-6162/2A	STARTER-GENERATOR, 30 VOLT, DIRECT CURRENT, 200 AMPERE, AIRCRAFT ENGINE DRIVEN	A 6115 AS 15-MAR-85	AS
MIL-V-6164E MIL-S-6180B(1) NOTICE 1	VALVE, AIRCRAFT, AIR, HIGH-PRESSURE REVIEWER: 11 AV CS	A 4820 71 15-JUN-90	AS 99
D MIL-C-6183B	SMILING TOOLS, FLEXIBLE CABLE TERMINAL, HAND-OPERATED [VALIDATION DATE: 8803] REVIEWER: MI	A 5120 GL 04-MAR-88	GL AS 84
Q MIL-J-6193C MIL-F-6218C(1) MIL-A-6224E NOTICE 1	CORK AND RUBBER COMPOSITION SHEET, FOR AROMATIC FUEL AND OIL RESISTANT GASKETS USER: ME REVIEWER: AR 6A YD1	A 5330 AS 13-FEB-81	NR AS 11
L MIL-C-6235D(1) NOTICE 2	JOINT, UNIVERSAL, PLAIN, LIGHT AND HEAVY DUTY USER: CG MC REVIEWER: ME	A 3010 82 13-JAN-84	AS 99
A MIL-M-6269G NOTICE 1	FISHING KIT, SURVIVAL REVIEWER: CS	A 4220 84 09-APR-81	AS 99
A MIL-M-6270C NOTICE 1	ANTENNA SYSTEMS FOR UHF AIRBORNE COMMUNICATIONS EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 EC ES SC	A 5985 11 26-FEB-88	ER AS 11
A MIL-A-6271C NOTICE 1	COMPASS, MAGNETIC, UNMOUNTED, POCKET, SURVIVAL [VALIDATION DATE: 8106] REVIEWER: GS MI	A 6605 DM 17-NOV-72	DM
D MIL-L-6273D	MITTEN SET, FLYER'S [VALIDATION DATE: 8910] USER: 45	A 8415 CT 31-OCT-89	NU 99 CT
A MIL-P-6278G	MITTEN INSERTS, AIRCRAFT, WOOL, HEAVY, TYPE M-38 [VALIDATION DATE: 8911] USER: 45 REVIEWER: 11	A 8415 CT 08-NOV-89	99 CT
A MIL-P-6279K	ANTENNA, VHF AIRBORNE COMMUNICATIONS EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 ES SC	A 5985 11 26-FEB-88	ER EC 11
A MIL-T-6284K(1) NOTICE 1	LIGHT, NAVIGATIONAL, BEACON, OBSTACLE OR CODE, TYPE G-1 USER: YD1 REVIEWER: 01 11 GS	A 6210 82 09-NOV-83	AS 99
L MIL-A-6300	PARKA, EXTREME COLD WEATHER, ATTACHED HOOD M-28 USER: 45 REVIEWER: MD	A 8415 CT 30-NOV-83	GL 99 CT
Q MIL-I-6301A(2) NOTICE 1	PARKA, EXTREME COLD WEATHER, TYPE M-38 USER: 45 REVIEWER: 11 MD	A 8415 CT 15-MAR-87	GL 99 CT
L MIL-T-6302B(2) NOTICE 1	TROUSERS, EXTREME COLD WEATHER, TYPE T-18 [VALIDATION DATE: 8911] REVIEWER: 45	A 8415 CT 08-NOV-89	GL 99 CT
L MIL-R-6336D NOTICE 1	ANTENNA, OMNIDIRECTIONAL RECEIVING EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF (SUPERSEDES X7197) [VALIDATION DATE: 8205] REVIEWER: 85 ES	A 5985 11 08-JAN-51	11
L MIL-A-6348D(2) NOTICE 1	INDICATOR, PRESSURE, FUEL, 0-600 PSI (INACTIVE) [VALIDATION DATE: 8705] ...	A 6620 71 26-MAY-87	AS 99
L MIL-T-6361D NOTICE 1	TRANSMITTER, PRESSURE, FUEL, 0-600 PSI	A 6620 AS 15-OCT-78	AS
A L MIL-B-6362F(1) MIL-L-6363G SUPPL 1B	ANTENNAE, GLIDE PATH RADIO RECEIVING EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 ES	A 5985 11 26-FEB-88	11
MIL-L-6363/1B	RECTIFIER, SILICON, DIRECT CURRENT, TRAINER POWER SUPPLY, TYPE F-1 REVIEWER: GS	A 6130 80 04-FEB-87	99
MIL-L-6363/2B	AMPLIFIER AM-203C/ARA-19 [VALIDATION DATE: 8608] REVIEWER: AS	A 5826 84 20-AUG-86	99
MIL-L-6363/3C	TIEDOWN ASSEMBLY, CARGO, AIRCRAFT, TYPE A-1 [VALIDATION DATE: 9008] USER: MI REVIEWER: 11 82 AV MC SH	A 1670 GL 08-AUG-90	GL AS 99
A MIL-L-6363/8	BOOTS, EXTREME COLD WEATHER, M-18 REVIEWER: 45	A 8430 CT 07-JUN-78	99 CT
A MIL-L-6363/10	LAMPS, INCANDESCENT, AIRCRAFT SERVICE, GENERAL SPECIFICATION FOR REVIEWER: 11 82 GS SH	A 6240 AS 25-SEP-92	AV AS 99
A MIL-L-6363/11	LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE	A 6240 AS 15-SEP-89	AV AS 99
A MIL-L-6363/12	LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE	A 6240 AS 15-SEP-89	AV AS 99
A MIL-L-6363/13	LAMPS, INCANDESCENT, AIRCRAFT USE, SINGLE CONTACT BAYONET CANDELABRA BASE, REFLECTOR TYPE REVIEWER: 11 82 GS MC SH	A 6240 AS 05-NOV-90	AV AS 99
L MIL-T-6368A	LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT MIDGET FLANGED BASE, T-1-3/4 BULB REVIEWER: 11 82 GS MC SH	A 6240 AS 25-SEP-92	AV AS 99
L MIL-M-6370C(2)	LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-5 BULB REVIEWER: 11 82 GS MC SH	A 6240 AS 25-SEP-92	AV AS 99
L MIL-R-6371B	LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, G-6 BULB REVIEWER: 11 82 GS MC SH	A 6240 AS 25-SEP-92	AV AS 99
L MIL-C-6388A	LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, S-8 BULB REVIEWER: 11 82 GS MC SH	A 6240 AS 25-SEP-92	AV AS 99
MIL-C-6390B NOTICE 1	LAMPS, INCANDESCENT, AIRCRAFT SERVICE, SINGLE CONTACT BAYONET CANDELABRA BASE, S-11 BULB REVIEWER: 11 82 GS MC SH	A 6240 AS 25-SEP-92	AV AS 99
MIL-T-6396E	TRANSMITTER, FUEL FLOW, TOTALIZING, TYPE M-1A (CONTROLLED DISTRIBUTION) ...	B 6620 71 13-APR-83	99
MIL-M-6399B NOTICE 1	WIRE, ELECTRICAL, INSULATED, ANTENNA REVIEWER: 11 15	A 6145 AS 14-NOV-83	CR AS 85
L MIL-M-6404A(1) NOTICE 1	REGULATOR, DILUTOR, DEMAND OXYGEN, PRESSURE BREATHING, TYPE A-14	A 1660 71 20-SEP-84	99
L MIL-M-6439A(1) NOTICE 1	COMPRESSOR UNIT, AIR, AIRCRAFT, SHAFT POWER DRIVEN, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8008]	A 1650 AS 27-AUG-58	AS
A MIL-I-6447C(3) MIL-S-6451E	CLAMPS AND INSTRUMENTS, AIRCRAFT, INSTALLATION OF [VALIDATION DATE: 9109] USER: AR REVIEWER: GL 15	A 5340 AS 18-SEP-91	AV AS 99
L MIL-P-6457E NOTICE 2	TANKS, AIRCRAFT PROPULSION FLUID SYSTEM, INTERNAL, REMOVABLE, NON-SELF-SEALING USER: ME REVIEWER: 71 80 99	A 1560 AS 30-AUG-83	AV AS
MIL-C-6458C(6) NOTICE 1	HOSE, RUBBER, WIRE-WOUND, SYNTHETIC, ICE ELIMINATING SYSTEM [VALIDATION DATE: 8901] REVIEWER: CS	A 4720 82 16-JAN-89	AV AS 99
MIL-T-6480A	METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, TYPE F-1, AIRCRAFT FUEL, 300 GALLONS PER MINUTE [VALIDATION DATE: 8911] REVIEWER: GS	A 6680 82 13-NOV-89	99
Q MIL-M-6482D(1) NOTICE 1	HOSE, RUBBER, AIRCRAFT PAINT FINISH REMOVER REVIEWER: CS	A 4720 82 22-APR-74	99
Q MIL-M-6484C(3) NOTICE 1	INDICATOR, TRUE AIRSPEED, TYPE M-1A	A 6610 71 10-FEB-93	AS 99
MIL-M-6488B MIL-C-6497C MIL-C-6499E(2) MIL-L-6503H NOTICE 1	SHIELD, PROTECTIVE, AIRCRAFT AND MISSILES [VALIDATION DATE: 8304] USER: MI REVIEWER: 99	A 1730 11 09-AUG-77	AV AS
MIL-T-6508B(1)	POWER SUPPLY, METALLIC RECTIFIER TYPE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] REVIEWER: 99 GS	A 6130 11 30-AUG-74	11
L MIL-I-6514B NOTICE 1	CHAIN ASSEMBLIES, SINGLE LEG, AIRCRAFT CARGO TIE DOWN [VALIDATION DATE: 8911] USER: MI REVIEWER: AV	A 1670 82 13-NOV-89	GL 99
MIL-P-6525C	TIE DOWN, CARGO, AIRCRAFT, TYPE C-2 [VALIDATION DATE: 8410] REVIEWER: AV MI	A 1670 AS 11-JUN-53	GL AS
Q MIL-M-6529C(2)	MASK ASSEMBLIES, OXYGEN, PRESSURE BREATHING [VALIDATION DATE: 8401] ...	A 1660 AS 15-FEB-77	AV AS 99
MIL-I-6533B(3) NOTICE 1	LIGHTS, COCKPIT UTILITY, AIRCRAFT GENERAL SPECIFICATION FOR [VALIDATION DATE: 8904] REVIEWER: GS	A 6220 82 10-APR-89	AV AS 99
MIL-M-6536C NOTICE 1	WINCH, DRUM, ENGINE OR TURBINE HOIST, TYPE A-1	A 3830 84 10-JUN-82	EL 99
MIL-T-6551A NOTICE 1	CRANE, ENGINE OR TURBINE, PORTABLE, 5000 LB CAPACITY, TYPE 3818	A 3950 84 09-JUL-82	99
	CLOCK, AIRCRAFT MECHANICAL, TYPE A-13A USER: CG MC REVIEWER: AV GS	A 6645 82 01-JUL-78	AR AS 99
	LIGHTING EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATION FOR INSTALLATION OF [VALIDATION DATE: 8802] REVIEWER: 99 GS	A 6220 11 26-FEB-88	AV 11
	THERMOMETER, SELF INDICATING, BIMETALLIC [VALIDATION DATE: 6804] REVIEWER: GS	A 6685 82 24-JUN-63	AS 99
	INDICATOR, PRESSURE, OIL, TYPE B-9C (INACTIVE FOR NEW DESIGN) USER: AV REVIEWER: AS	A 6620 71 15-MAR-88	99
	PUMP, FUEL TRANSFER, AERIAL REFUELING, GENERAL SPECIFICATION FOR REVIEWER: 11	A 1680 82 07-AUG-85	AV AS 99
	CORROSION PREVENTIVE, AIRCRAFT ENGINE [VALIDATION DATE: 8604] REVIEWER: GS MI NR OS PS SH	A 6850 11 29-SEP-59	EA AS 11
	INDICATION, TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, TYPE G-10 [VALIDATION DATE: 8911] REVIEWER: GS	A 6685 82 13-NOV-89	AV AS 99
	HORN AND VALVE, CREW MEMBERS' RELIEF, PRESSURIZED AIRCRAFT [VALIDATION DATE: 8808]	A 1680 82 10-AUG-88	AV AS 99
	SEAT, CREW, COMMAND EJECTION, AIRCRAFT [VALIDATION DATE: 8808] REVIEWER: 11	A 1680 82 10-AUG-88	82



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active QCL / OML Classification Inches	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Unit	Date	Custodians		
						Army	Navy	AF Force DLA
A	MIL-C-6590C MIL-C-6591A	CLOTH, PILE (SYNTHETIC MOUTON, KNITTED) ..... COMPRESSOR UNIT, AIRCRAFT, ELECTRIC MOTOR DRIVEN, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8304) .....	A 8305 A 1650	CT AS	22-JAN-85 22-APR-52	AS	99	CT
Q	MIL-T-6598E(2)	TRANSMITTER, RATE OF FLOW, FUEL, SYNCHRO STYLE, TYPE J-6A .....	A 6620	71	15-AUG-86	AS	99	
Q	MIL-I-6599C NOTICE 1 MIL-M-6615E(3)	INDICATOR, RATE OF FLOW, FUEL, TYPE A-19 .....	A 6620	71	08-DEC-87	AS	99	
		HOSE ASSEMBLIES, RUBBER, FUEL AND WATER, WITH RETATTACHABLE COUPLINGS, LOW TEMPERATURE USER: ME REVIEWER: CS .....	A 4720	82	08-JUN-87	AS	99	
LI	MIL-L-6617C NOTICE 1	LIGHT, TRAFFIC, AIRCRAFT TYPE B-2 REVIEWER: GS .....	A 6210	ME	11-AUG-92	ME		
A	MIL-V-6618C MIL-S-6625A	VALVE, STOP CHECK, PURGE .....	A 4820	71	08-JAN-93	AS	99	
		SPRAY EQUIPMENT, AIRCRAFT WINDSHIELD, ANTI-ICING (VALIDATION DATE: 8409) REVIEWER: GS .....	A 6850	AS	26-MAR-53	AV	AS	
L	MIL-C-6629(1) NOTICE 1 MIL-U-6632B(1) MIL-P-6640C(1)	CARBON MICROPHONE M-15( )/UR REVIEWER: 99 ES .....	A 5965	85	27-FEB-87		85	
		URINAL, STATIONARY, AIRCRAFT REVIEWER: CS MD .....	A 4510	84	06-DEC-82	AS	99	
		PNEUMATIC BAG, AIRCRAFT, LIFTING, 12 TON CAPACITY, TYPE F-2 (VALIDATION DATE: 7709) .....	A 1730	82	28-JUN-71	AV	AS	99
Q	MIL-P-6645H(1) NOTICE 1 MIL-I-6669C(3) NOTICE 1 MIL-S-6709A(2) NOTICE 1	PARACHUTES, PERSONNEL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8911) REVIEWER: AV .....	A 1670	82	13-NOV-89	GL	AS	99
		INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTI-FUNCTION, -70 DEG. TO PLUS 150 DEG. C (VALIDATION DATE: 8812) REVIEWER: GS .....	A 6685	82	09-DEC-88	AS	99	
		STEEL, CHROME-MOLYBDENUM-ALUMINUM BARS, RODS, BILLETS AND FORGING STOCK (FOR NITRIDING) (AIRCRAFT QUALITY) (VALIDATION DATE: 8901) USER: AT ME MI REVIEWER: 99 IS .....	A 9510	11	12-JAN-89	MR	AS	11
	MIL-W-6712C(1) MIL-S-6715(2) NOTICE 3 MIL-E-6719A MIL-L-6723C	WIPE, METALLIZING USER: AR MI OS REVIEWER: 84 99 AS CS ME .....	A 3439	MR	21-MAY-87	MR	SH	11
		SPRING, HELICAL, AIRCRAFT (VALIDATION DATE: 8803) USER: AV REVIEWER: 99 AR IS MI .....	A 5340	AS	15-MAR-88	AS	11	
Q		ELBOW, ELECTRICAL CONDUIT (VALIDATION DATE: 7908) USER: AV REVIEWER: 99 EA LIGHT, AIRCRAFT, GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: 99 GS MI .....	A 2925 A 6220	85 AS	08-JUN-72 01-NOV-87	AS AV	85 11	
	MIL-I-6726B MIL-D-6728A	INCLINOMETER, AIRCRAFT (VALIDATION DATE: 8103) .....	A 6610	AS	16-NOV-66	AS	99	
		DAMPER, ENGINE EXHAUST FLAME AND GLARE (VALIDATION DATE: 8204) REVIEWER: 11 .....	A 1560	AS	15-NOV-56	AV	AS	99
A	MIL-W-6729C MIL-L-006730C NOTICE 2 MIL-T-6735A NOTICE 1 MIL-T-6736B NOTICE 1 MIL-T-6737C(1)	WATERPROOFNESS OF AIRCRAFT, GENERAL SPECIFICATION FOR .....	A 15GP	AS	08-MAR-93	AV	AS	99
		LIGHTING EQUIPMENT, EXTERIOR, AIRCRAFT (GENERAL REQUIREMENTS FOR) (VALIDATION DATE: 8306) REVIEWER: 82 AV GS .....	A 6220	AS	14-MAY-71	AS		
		TUBING, CHROME-MOLYBDENUM (4135) STEEL SEAMLESS (VALIDATION DATE: 8803) REVIEWER: CS MI .....	A 4710	11	04-MAR-88	MR	AS	11
		TUBING, CHROME-MOLYBDENUM (4130 OR 8630) STEEL, SEAMLESS AND WELDED (VALIDATION DATE: 8901) USER: ME REVIEWER: 99 CS EA MI .....	A 4710	11	12-JAN-89	MR	AS	11
		TUBING, STEEL, CORROSION AND HEAT RESISTING (18-8 STABILIZED), WELDED REVIEWER: 99 CS EA MI OS SH .....	A 4710	AS	30-JUN-83	MR	AS	11
	MIL-M-6748A	NIPPLE, ELECTRICAL TERMINAL (VALIDATION DATE: 8108) USER: CG MC ME MI REVIEWER: 99 ER ES GS .....	A 5975	AS	01-NOV-68	AS	85	
Q	MIL-R-6749(4) NOTICE 3 MIL-A-6752A(3) NOTICE 2 MIL-V-6753A(2)	RHEOSTAT, AIRCRAFT POWER (VALIDATION DATE: 8711) REVIEWER: 11 99 ES .....	A 5905	AS	20-NOV-87	ER	AS	85
		AMMETERS, VOLTMETERS, AND LOADMETERS: DIRECT CURRENT (VALIDATION DATE: 8401) REVIEWER: MI .....	A 6625	AS	01-MAR-78	AS		
Q		VOLTMETER, 0-150 VOLT, 330 TO 1,200 CYCLE, ALTERNATING CURRENT (VALIDATION DATE: 8205) USER: MC .....	A 6625	AS	24-NOV-58	AV	AS	99
M	MIL-S-6758B	STEEL, CHROME-MOLYBDENUM (4130) BARS AND REFORGING STOCK (AIRCRAFT QUALITY) USER: AT ME REVIEWER: EA IS MI OS .....	A 9510	AS	18-MAY-93	MR	AS	11
	MIL-M-6769E(3) MIL-R-6771B(2) MIL-R-6771B(13) MIL-C-6781B(1) NOTICE 1 MIL-C-6783 MIL-S-6790F(1) NOTICE 1 MIL-C-6799H(1)	HEATER, GUN (28VOLTS DC), TYPE J-4A .....	A 1005	84	25-OCT-84	OS	99	
		REFLECTOR, GUNLIGHT GLASS (VALIDATION DATE: 8101) .....	A 1270	AR	23-AUG-66	AR	OS	
		REFLECTOR, GUNLIGHT GLASS .....	A 1270	AR	23-APR-90	AR		
		CONTROL PANEL: AIRCRAFT EQUIPMENT, RACK OR CONSOLE MOUNTED (VALIDATION DATE: 9110) REVIEWER: 99 .....	A 1680	AS	09-OCT-91	AV	AS	11
A		CLAMP, BATTERY HOLD DOWN (VALIDATION DATE: 8005) REVIEWER: 99 ER GS .....	A 5975	AS	23-JUN-50	AS	85	
		SUSPENSORS, TROUSERS (SUSPENSORS, FLYING SUIT) (VALIDATION DATE: 8805) REVIEWER: 45 .....	A 8440	CT	27-MAY-88	AV	AS	99 CT
Q		COATINGS, SPRAYABLE, STRIPPABLE, PROTECTIVE, WATER EMULSION USER: AT SH REVIEWER: 99 AV .....	A 8030	AS	20-MAR-89	MR	AS	11
Q	MIL-S-6807D SUPPL 1B, NOTICE 1 MIL-P-6808C	SWITCHES, ROTARY, SELECTOR POWER, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8809) USER: ME REVIEWER: 11 17 99 EC ES MI OS .....	A 5930	85	30-SEP-88	ER	AS	85
		PRIMER COATING, ZINC CHROMATE, PROCESS FOR APPLICATION OF (VALIDATION DATE: 8401) REVIEWER: AV EA MI OS .....	A 8010	AS	29-JUN-73	MR	AS	99
D	MIL-B-6812D MIL-C-6818D MIL-F-6836A	BOLT, AIRCRAFT REVIEWER: 11 AV EA MI OS .....	A 5306	IS	20-FEB-86	AR	AS	99 15
		CLAMP, INSTRUMENT MOUNTING, AIRCRAFT (VALIDATION DATE: 7908) REVIEWER: IS FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG) (VALIDATION DATE: 8308) .....	A 5340 A 6620	82 AS	06-MAR-73 08-FEB-60	AV AS	99 99	
AQ	MIL-I-6839C	INDICATOR, POSITION, LANDING GEAR USER: MC REVIEWER: 11 MI .....	A 6695	71	30-JAN-93	AV	AS	99
A	MIL-T-6841D	TAPE AND SHEET, ADHESIVE, RUBBER AND CORK COMPOSITION USER: 84 AV SH REVIEWER: 85 99 CS GS .....	A 9320	11	26-JUN-92	MR	AS	11
	MIL-T-6845D NOTICE 1 MIL-S-6852B	TUBING, STEEL, CORROSION-RESISTANT (530400), AEROSPACE VEHICLE HYDRAULIC SYSTEM 1/8 HARD CONDITION (VALIDATION DATE: 8901) REVIEWER: 99 AR AV CS EA SPLICE, CONDUCTOR, ELECTRIC, DISCONNECT (VALIDATION DATE: 8410) REVIEWER: 99 CG EC GS MC .....	A 4710	11	20-JAN-89	MR	AS	11
D	MIL-R-6855E	RUBBER, SYNTHETIC, SHEETS, STRIPS, MOLDED OR EXTRUDED SHAPES, GENERAL SPECIFICATION FOR USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS ER GS IS MI OS SH .....	A 9320	AS	31-JUL-92	MR	AS	11
D	MIL-R-6855/1	RUBBER, SYNTHETIC, SHEETS USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH .....	A 4720	AS	16-FEB-87	MR	AS	11
D	MIL-R-6855/2	RUBBER, SYNTHETIC, STRIP (OR TAPE) USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH .....	A 4720	AS	16-FEB-87	MR	AS	11
D	MIL-R-6855/3	RUBBER, SYNTHETIC, RODS (OR ROUNDS) USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH .....	A 4720	AS	16-FEB-87	MR	AS	11
D	MIL-R-6855/4	RUBBER, SYNTHETIC, TUBING USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH .....	A 4720	AS	16-FEB-87	MR	AS	11
D	MIL-R-6855/5	RUBBER, SYNTHETIC, CHANNEL, EXTRUDED USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH .....	A 4720	AS	16-FEB-87	MR	AS	11
D	MIL-R-6855/6	RUBBER, SYNTHETIC, SPECIAL SHAPE, EXTRUDED USER: CE YD1 REVIEWER: 82 99 AR AT AV CR CS GS IS OS SH .....	A 4720	AS	16-FEB-87	MR	AS	11
Q	MIL-I-6856C MIL-M-6857D MIL-M-6858D(1) Q MIL-C-6864C(1)	INDICATOR, PRESSURE, SYNCHRO, 1-1/2 INCH REVIEWER: GS MI .....	A 6685	82	29-SEP-87		99	
		MAGNESIUM ALLOY CASTINGS, HEAT TREATMENT OF USER: AT REVIEWER: 99 MI .....	A MCA	AS	30-JUL-90	MR	AS	11
		WELDING, RESISTANCE: SPOT AND SEAM USER: 99 SH YD1 .....	A THJM	11	06-NOV-92	MR	AS	11
		CLEANING COMPOUND, SOLVENT, OIL-COOLER (VALIDATION DATE: 8203) USER: MR REVIEWER: GS .....	A 6850	AS	24-MAR-69	EA	AS	11
	MIL-M-6867C MIL-I-6870E NOTICE 1 MIL-M-6873C MIL-M-6875H	MAGNETIC INSPECTION UNITS USER: GL REVIEWER: GS OS SH .....	A 6635	82	27-JAN-69	MR	AS	99
		INSPECTION PROGRAM REQUIREMENTS, NONDESTRUCTIVE FOR AIRCRAFT AND MISSILE MATERIALS AND PARTS (VALIDATION DATE: 8803) REVIEWER: AV SH .....	A NOTI	11	04-MAR-88	MR	AS	11
		WELDING, FLASH, CARBON AND ALLOY STEEL USER: AT ME REVIEWER: EA GS MI .....	A 3432	11	13-MAY-91	MR	AS	11
		HEAT TREATMENT OF STEEL, PROCESS FOR USER: AT REVIEWER: 84 99 AR AV EA IS MI OS .....	A 95GP	AS	01-MAR-89	MR	AS	11



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Invoice	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
Q	MIL-W-6882F(1)	WATER REPELLENT KIT, WINDOW AND WINDSHIELD, GLASS AND PLASTIC USER: CG MC	A 6850	AS	13-MAR-84	EA	AS	11	
	MIL-P-6888C	REVIEWER: B2 GS							
	NOTICE 1	POLISH, METAL, ALUMINUM [VALIDATION DATE: 9110] REVIEWER: B4 AV MD .....	A 7930	AS	24-OCT-91	GL	AS	11	
	MIL-I-6903C(1)	INK, MARKING (FOR PARACHUTES AND OTHER TEXTILE ITEMS) [VALIDATION DATE:	A 7510	AS	24-OCT-91	GL	AS	99	
	NOTICE 1	9110] USER: ME SA REVIEWER: MI							
	MIL-S-6904B(1)	SIGNAL, EMERGENCY WARNING, GENERAL SPECIFICATION FOR [VALIDATION DATE:	A 6340	AS	03-DEC-69	AV	AS	99	
		8305] USER: CG REVIEWER: 11 MI							
	MIL-S-6904/1	SIGNAL, EMERGENCY WARNING (BELL) [VALIDATION DATE: 9110] USER: CG	A 6340	AS	09-OCT-91	AV	AS	99	
	NOTICE 1	REVIEWER: B2 OS							
	MIL-S-6904/2(1)	SIGNAL, EMERGENCY WARNING (HORN) [VALIDATION DATE: 8106] USER: CG .....	A 6340	AS	05-AUG-68	AV	AS	99	
	MIL-S-6904/3	SIGNAL, EMERGENCY WARNING (HORN WITH A PROJECTOR) [VALIDATION DATE: 8303]	A 6340	AS	19-APR-66		AS	99	
		USER: CG							
	MIL-P-6906B	PLATE, IDENTIFICATION, AIRCRAFT [VALIDATION DATE: 8307] USER: CG GL MC ME	A 9905	B4	24-FEB-69	EL	AS	99	
	NOTICE 2	REVIEWER: MI							
D	MIL-F-6939B	FLUX, ALUMINUM AND ALUMINUM ALLOY, GAS WELDING [VALIDATION DATE: 8304]	A 3439	AS	26-JUN-70	AT	AS	11	
		USER: MI REVIEWER: 99 AR AV EA GS OS YDI							
L	MIL-T-6945A	TUBING, BRASS SEAMLESS [VALIDATION DATE: 8911] REVIEWER: 11 AR ER MI MR ...	A 4710	B2	08-NOV-89		99		
	NOTICE 1								
Q	MIL-C-6985B(4)	CLAMP, HOSE USER: AR .....	A 4730	B2	02-FEB-87	AV	AS	99	
L	MIL-P-6992(1)	PUMP ASSEMBLY, FUEL, ELECTRICALLY DRIVEN, AIRCRAFT HEATER [VALIDATION	A 2915	AS	27-JAN-56		AS		
		DATE: 8509]							
	MIL-E-7016F(1)	ELECTRIC LOAD AND POWER SOURCE CAPACITY, AIRCRAFT, ANALYSIS OF [VALIDATION	A 1680	AS	15-APR-88	AV	AS	11	
	NOTICE 1	DATE: 8804]							
A	MIL-C-7020H	CLOTH, PARACHUTE, NYLON-RIP STOP AND TWILL WEAVE REVIEWER: 11 AV .....	A 8305	CT	16-MAR-92	GL	AS	99	CT
	MIL-A-7021C(1)	ASBESTOS RUBBER COMPRESSED SHEET, FOR FUEL, LUBRICANT, COOLANT, WATER &	A 5330	AS	23-JUN-83	AV	AS	11	
		TEMPERATURE RESISTANT GASKETS USER: MC ME REVIEWER: 99 AR EA IS MI SA							
	MIL-C-7024D	CALIBRATING FLUIDS, AIRCRAFT FUEL SYSTEM COMPONENTS REVIEWER: 11 EA GS MD,	A 6850	68	30-AUG-90	AV	AS	68	
	MIL-I-7028(1)	INSTRUMENT AND INSTRUMENT BOARDS, AIRCRAFT, INSTALLATION OF [VALIDATION	A 6610	AS	08-NOV-51	AV	AS		
		DATE: 8103] USER: GL MD REVIEWER: AR							
Q	MIL-I-7032F(2)	INVERTER, AIRCRAFT, GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE:	A 6125	AS	22-JUN-73	AV	AS	11	
	SUPPL 1B, NOTICE 1	8005] USER: MI							
Q	MIL-F-7034D(2)	PULLEY, GROOVE, ANTI-FRICTION-BEARING, GREASE-LUBRICATED, AIRCRAFT	A 3020	B2	10-APR-84	AV	AS	11	
		REVIEWER: IS							
	MIL-P-7041D	PRINTER, PHOTOGRAPHIC, AUTOMATIC FOCUS, 4 BY 5 INCH, TYPE EN-52( )	A 6740	AS	25-FEB-77	EK	AS	99	
		[VALIDATION DATE: 8303] REVIEWER: 85 CR GS							
	MIL-R-7052B	RECEPTACLE, RELEASE, BOMB, TYPE A&Z [VALIDATION DATE: 8608] USER: AS	A 5935	B5	04-MAY-59	CR		85	
	NOTICE 1	REVIEWER: 99 ES							
A	MIL-I-7057D	INDICATORS, SYNCHRO, AIRCRAFT, GENERAL SPECIFICATION FOR USER: CG MC SH	A 6620	71	15-DEC-92	AV	AS	99	
		REVIEWER: 11							
	MIL-H-7061B	HOSE, RUBBER, AIRCRAFT, SELF-SEALING, AROMATIC FUEL REVIEWER: AV .....	A 4720	B2	06-FEB-85		AS	99	
	MIL-T-7062C(1)	INDICATOR, POSITION, CONTROL SURFACES, 28 VOLT DC, GENERAL SPECIFICATION	A 6610	71	10-SEP-87	AV	AS	99	
		FOR USER: ME							
Q	MIL-I-7065A(1)	INDICATOR, POSITION, AILERON TRIM TAB [VALIDATION DATE: 8604] REVIEWER: 67	A 6610	71	18-APR-86	AV	AS	99	
L	MIL-I-7068A	IMOOT, ZINC ALLOY (FOR SHEET METAL FORMING DIES) .....	A 9650	AS	15-DEC-88		AS		
	MIL-I-7070B(1)	INDICATOR, TEMPERATURE, ELECTRICAL-RESISTANCE, HERMETICALLY SEALED,	A 6685	B2	21-JAN-72	AV	AS	99	
		GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] REVIEWER: GS							
	MIL-I-7071B(1)	INDICATOR, TEMPERATURE, THERMOCOUPLE HERMETICALLY SEALED, GENERAL	A 6685	B2	21-JUL-78		AS	99	
		SPECIFICATION FOR [VALIDATION DATE: 8510] USER: AT MI							
Q	MIL-W-7072B	WIRE, ELECTRIC, 600-VOLT, ALUMINUM, AIRCRAFT, GENERAL SPECIFICATION FOR	A 6145	AS	08-SEP-87		AS	85	
	NOTICE 1	(ASG) [VALIDATION DATE: 8709] REVIEWER: 1S							
Q	MIL-I-7075A	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -50 DEG. TO	A 6685	AS	01-JUN-65	AV	AS		
		PLUS 50 DEG. C, 2-INCH SIZE [VALIDATION DATE: 8103] REVIEWER: GS							
QL	MIL-I-7077B	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO	A 6685	B2	02-JUL-91		99		
		+150 DEG. C, 2 INCH SIZE REVIEWER: 11 ME WP							
	MIL-C-7078C	CABLE, ELECTRIC, AEROSPACE VEHICLE, GENERAL SPECIFICATION FOR [VALIDATION	A 6145	AS	09-AUG-71	CR	AS	11	
	SUPPL 1A	DATE: 8311] USER: AV ME REVIEWER: AR EA IS MI							
L	MIL-C-7078C(11)	CABLE, ELECTRIC, AEROSPACE VEHICLE, GENERAL SPECIFICATION FOR [VALIDATION	A 6145	AS	23-SEP-76		AS		
	SUPPL 1A	DATE: 8311]							
L	MIL-C-7078/1A	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81044/9 BASIC WIRES, COPPER	A 6145	AS	12-AUG-70		AS		
		SHIELD, POLYVINYLIDENE FLUORIDE JACKET, 600-VOLT, 110 DEG. C [VALIDATION							
		DATE: 8311]							
	MIL-C-7078/2	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/1 BASIC WIRES, COPPER	A 6145	AS	12-AUG-70	CR	AS		
		SHIELD, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: 1S							
		MI							
	MIL-C-7078/3	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/1 BASIC WIRES, COPPER	A 6145	AS	12-AUG-70	CR	AS		
		SHIELD, NYLON JACKET, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER:							
		AV REVIEWER: EA IS MI							
	MIL-C-7078/4	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/2 BASIC WIRES, COPPER	A 6145	AS	12-AUG-70	CR	AS		
		SHIELD, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: 1S							
		MI							
	MIL-C-7078/5	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/2 BASIC WIRES, COPPER	A 6145	AS	12-AUG-70	CR	AS		
		SHIELD, NYLON JACKET, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER:							
		AR AV REVIEWER: 1S MI							
	MIL-C-7078/6	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/3 BASIC WIRES, COPPER	A 6145	AS	12-AUG-70	CR	AS		
		SHIELD, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: 1S							
		MI							
	MIL-C-7078/7	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/3 BASIC WIRES, COPPER	A 6145	AS	12-AUG-70	CR	AS		
		SHIELD, NYLON JACKET, 600-VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER:							
		AV REVIEWER: 1S MI							
L	MIL-C-7078/8	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/11 BASIC WIRES, COPPER	A 6145	AS	05-AUG-70		AS		
		SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 150 DEGREES C [VALIDATION DATE:							
		8311]							
L	MIL-C-7078/9	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/12 BASIC WIRES, COPPER	A 6145	AS	05-AUG-70		AS		
		SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 150 DEGREES C [VALIDATION DATE:							
		8311]							
L	MIL-C-7078/10A	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/13 BASIC WIRES, COPPER	A 6145	AS	16-JUN-78		AS		
		SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 150 DEGREES C [VALIDATION DATE:							
		8410]							
L	MIL-C-7078/11	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/11 BASIC WIRES, COPPER	A 6145	AS	05-AUG-70		AS		
		SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 200 DEGREES C [VALIDATION DATE:							
		8311]							
L	MIL-C-7078/12	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/12 BASIC WIRES, COPPER	A 6145	AS	05-AUG-70		AS		
		SHIELDED, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE:							
		8311]							
L	MIL-C-7078/13	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/13 BASIC WIRES, COPPER	A 6145	AS	05-AUG-70		AS		
		SHIELD, POLYIMIDE TAPE JACKET, 600-VOLT, 200 DEGREES C [VALIDATION DATE:							
		8311]							
L	MIL-C-7078/14	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/14 BASIC WIRES, COPPER	A 6145	AS	05-AUG-70		AS		
		SHIELDED, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE:							
		8311]							
L	MIL-C-7078/15	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/11 BASIC WIRES,	A 6145	AS	05-AUG-70		AS		
		UNSHIELDED, UNJACKETED 600-VOLT 200 DEGREES C [VALIDATION DATE: 8311]							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / CMA Correlation Index	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-C-7078/16	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/12 BASIC WIRES, UNSHIELDED, UNJACKETED 600 VOLT, 200 DEG. C [VALIDATION DATE: 8311]	A 6145	AS	06-AUG-70	AS			
L	MIL-C-7078/17A	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/13 BASIC WIRES, UNSHIELDED, UNJACKETED 600-VOLT, 200 DEGREES C [VALIDATION DATE: 8410]	A 6145	AS	16-JUN-78	AS			
L	MIL-C-7078/18A	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/14 BASIC WIRES, UNSHIELDED, UNJACKETED 600-VOLT, 200 DEGREES C [VALIDATION DATE: 8410]	A 6145	AS	16-JUN-78	AS			
	MIL-C-7078/23	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/1 BASIC WIRES, UNSHIELDED, UNJACKETED, 600 VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: 11 AR 15 MI	A 6145	AS	09-AUG-71	CR	AS	85	
	MIL-C-7078/24	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/2 BASIC WIRES, UNSHIELDED, UNJACKETED, 600-VOLT, 105 DEGREES C [VALIDATION DATE: 8311] USER: AV REVIEWER: 11 15 MI	A 6145	AS	09-AUG-71	CR	AS	85	
	MIL-C-7078/25	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-5086/3 BASIC WIRES, UNSHIELDED, UNJACKETED, 600 VOLT, 105 DEG. C [VALIDATION DATE: 8311] USER: AV REVIEWER: 11 15 MI	A 6145	AS	09-AUG-71	CR	AS	85	
L	MIL-C-7078/26	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/8 BASIC WIRES, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410]	A 6145	AS	06-APR-72	AS			
L	MIL-C-7078/27	CABLE, ELECTRIC, AEROSPACE, MIL-W-81381/8 BASIC WIRES, UNSHIELDED, UNJACKETED 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410]	A 6145	AS	06-APR-72	AS			
L	MIL-C-7078/28	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/10 BASIC WIRE, COPPER SHIELD, POLYIMIDE TAPE JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410]	A 6145	AS	06-APR-72	AS			
L	MIL-C-7078/29	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-81381/10 BASIC WIRES, UNSHIELDED, UNJACKETED 600 VOLT, 200 DEG. C [VALIDATION DATE: 8410]	A 6145	AS	06-APR-72	AS			
	MIL-C-7078/30 NOTICE 1	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/12 BASIC WIRES, COPPER SHIELD, FEP JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8709]	A 6145	AS	08-SEP-87	AS	85		
	MIL-C-7078/31 NOTICE 1	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/12 BASIC WIRES, UNSHIELDED, UNJACKETED [VALIDATION DATE: 8709]	A 6145	AS	08-SEP-87	AS	85		
	MIL-C-7078/32 NOTICE 1	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/23 BASIC WIRES, COPPER SHIELD, FEP JACKET, 600 VOLT, 200 DEG. C [VALIDATION DATE: 8709]	A 6145	AS	08-SEP-87	AS	85		
L	MIL-C-7078/33 NOTICE 1	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/23 BASIC WIRES, UNSHIELDED, UNJACKETED, 600 VOLT, 260 DEGREES C [VALIDATION DATE: 8709]	A 6145	AS	08-SEP-87	AS			
	MIL-C-7078/34 NOTICE 1	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/12 BASIC WIRES, COPPER SHIELD, THE JACKET, 600 VOLT, 260 DEG. C [VALIDATION DATE: 8709]	A 6145	AS	08-SEP-87	AS	85		
L	MIL-C-7078/35 NOTICE 1	CABLE, ELECTRIC, AEROSPACE VEHICLE, MIL-W-22759/23 BASIC WIRES, COPPER SHIELD, THE JACKET, 600 VOLT, 260 DEGREES C [VALIDATION DATE: 8709]	A 6145	AS	08-SEP-87	AS			
OL	MIL-C-7079A(1) NOTICE 1	CIRCUIT BREAKERS, NOM TRIP-FREE GENERAL SPECIFICATION FOR [VALIDATION DATE: 8606] REVIEWER: 99 ES	A 5925	BS	27-JUN-86		85		
A	MIL-E-7080B(4)	ELECTRIC EQUIPMENT, AIRCRAFT, SELECTION AND INSTALLATION OF	A 16GP	AS	28-FEB-92	AV	AS	11	
A	MIL-T-7081D(5) NOTICE 1	TUBE, ALUMINUM ALLOY, SEAMLESS, ROUND, DRAWN 6061, AIRCRAFT HYDRAULIC QUALITY USER: OS REVIEWER: 82 84 SM	A 4710	11	29-JAN-93	AV	AS	11	
DQ	MIL-L-7082D(3)	LIGHT, RUNWAY MARKER, ELEVATED, TYPE M-1 [VALIDATION DATE: 8505] USER: AV CE YD1	A 6210	B2	04-AUG-78	ME	AS	99	
Q	MIL-I-7084A(1)	INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI REVIEWER: GS MI	A 6685	B2	15-FEB-84	AV	AS	99	
Q	MIL-I-7085B(1)	INDICATOR, PRESSURE, MULTIPURPOSE, 0-50 PSI	A 6620	71	10-APR-87	AV	AS	99	
Q	MIL-I-7086B(3)	INDICATOR, PRESSURE, OIL, 0-100 PSI REVIEWER: AV	A 6620	71	23-MAY-86	AS	99		
Q	MIL-I-7087A(2)	INDICATOR, PRESSURE, OIL, 0-200 PSI REVIEWER: 11	A 6620	71	07-NOV-86	AV	AS	99	
AQ	MIL-I-7088B	INDICATOR, PRESSURE, FUEL, 0-1,000 PSI	A 6620	71	30-JAN-93	AS	99		
	MIL-F-7092(2) NOTICE 3	FITTINGS, CARGO TIEDOWN, AIRCRAFT [VALIDATION DATE: 9109]	A 1670	AS	18-SEP-91	AV	AS		
L	MIL-J-7093A(2)	JATO MARK 6 MOD 1	A 1340	AS	03-JUN-82	AS			
Q	MIL-T-7099E SUPPL 1A	TERMINAL, LUG AND SPLICE, CRIMP STYLE ALUMINUM, FOR ALUMINUM AIRCRAFT WIRE [VALIDATION DATE: 8503] REVIEWER: 11 99 AV GS	A 5940	AS	23-FEB-79	ER	AS	85	
Q	MIL-T-7101A	TRANSMISSION, POWER, CONSTANT SPEED, GENERAL SPECIFICATION (AIRCRAFT USE) [VALIDATION DATE: 8005]	A 1650	AS	20-NOV-51	AV	AS	99	
L	MIL-T-7101/7	TRANSMISSION, CONSTANT SPEED, HYDRAULIC 20 KVA, 5-2/E1 AIRCRAFT [VALIDATION DATE: 8205]	A 1650	AS	03-AUG-65	AS			
L	MIL-E-7104D(2)	EJECTOR, RETRO, PNEUMATIC, MARINE MARKER A/A47U-1(*) [VALIDATION DATE: 8212] REVIEWER: GS	A 1055	AS	01-JUN-66	AS			
	MIL-P-7105B(1)	PIPE THREADS, TAPER, AERONAUTICAL NATIONAL FORM, SYMBOL AMPT, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8104] USER: ME MI REVIEWER: EA	A 4730	99	08-AUG-66	AR		99	
	MIL-S-7108A(1)	STEEL, ALLOY (MANGANESE-SILICON-NICKEL), BARS AND FORGING STOCK (AIRCRAFT QUALITY) (ASG) [VALIDATION DATE: 8508] REVIEWER: 15	A 9510	AS	30-AUG-56	AS	11		
Q	MIL-I-7112B NOTICE 1	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0 DEG. C TO 300 DEG. C [VALIDATION DATE: 8911] USER: ME REVIEWER: GS	A 6685	B2	13-NOV-89	AS	99		
AQ	MIL-C-7115F DOB-C-7115/1	CONVERTERS, AIRCRAFT, SPECIFICATION FOR REVIEWER: 80 CONVERTER, 100 AMPERE, APT, CLASS B, REGULATED, FAN COOLED [VALIDATION DATE: 8301]	A 6130	AS	18-SEP-92	ER	AS	99	GS
L	MIL-C-7115/2A	CONVERTER, 200 AMPERE, AIRCRAFT, CLASS B, FAN COOLED	A 6130	AS	15-AUG-86	AS			
L	MIL-C-7115/3B	CONVERTER, AIRCRAFT, 150 AMPERE TYPE 11, BLAST COOLED, CLASS C	A 6130	AS	26-AUG-91	AS			
Q	MIL-S-7124B NOTICE 1	SEALING COMPOUND, POLYSULFIDE, ACCELERATOR REQUIRED, FOR AIRCRAFT STRUCTURES [VALIDATION DATE: 9101] USER: OS REVIEWER: 11 AT AV MI	A 8030	AS	24-OCT-91	MR	AS	99	
	MIL-E-7125A NOTICE 1	ETHYLENE GLYCOL MONOETHYL ETHER ACETATE, TECHNICAL [VALIDATION DATE: 8903] USER: AR REVIEWER: AS GS MD	A 6810	EA	08-MAR-89	EA		68	
L	MIL-C-7135F NOTICE 1	COMPRESSOR, PNEUMATIC, 3,000 PSI -- 2 SCFM AERO 2A (*), AERO 2A-1 (*), AERO 2B (*), AND AERO 2B-1 (*) [VALIDATION DATE: 8708]	A 4310	AS	05-SEP-67	AS			
D	MIL-I-7158E NOTICE 1	LIGHT, BLACOM, ROTATING, 24 INCH [VALIDATION DATE: 9101] USER: YD1 REVIEWER: GS	A 6210	B2	15-JAN-91	AS	99		
M	MIL-I-7171D NOTICE 1	INSULATION BLANKET, THERMAL-Acoustical REVIEWER: 11	A 5640	AS	23-APR-93	AV	AS	99	
L	MIL-R-7172	REEL, TOW-TARGET, 12,000-FOOT CABLE CAPACITY, AIRBORNE [VALIDATION DATE: 8409]	A 1680	AS	20-MAR-51	AS			
M	MIL-F-7179G	FINISHES, COATINGS, AND SEALANTS FOR THE PROTECTION OF AEROSPACE WEAPONS SYSTEMS REVIEWER: 19 84 99 AR AV GS ME MI	A MFPP	AS	14-APR-93	MR	AS	11	
	MIL-I-7186(1)	INDICATOR, TACHOMETER, ELECTRIC, SENSITIVE, TYPE E-30 [VALIDATION DATE: 8102] REVIEWER: GS	A 6680	AS	09-AUG-55	AS	99		
L	MIL-C-7188 NOTICE 2	COMPASSES, PILOT'S STANDBY, INSTALLATION OF [VALIDATION DATE: 9110]	A 6605	AS	09-OCT-91	AS			
	MIL-F-7190B(1)	FORGING, STEEL, FOR AIRCRAFT/AEROSPACE EQUIPMENT AND SPECIAL ORDNANCE APPLICATIONS USER: MR REVIEWER: OS	A FORG	11	29-AUG-88	AL	AS	11	
L	MIL-F-7194C MIL-M-7195G MIL-M-7199A(2) NOTICE 1	FILTER, RECIPROCATING ENGINE, INDUCTION AIR, AIRCRAFT HARDWARE, PARACHUTE, GENERAL SPECIFICATION FOR HEAT TREATMENT OF WROUGHT COPPER-BERYLLIUM ALLOYS, PROCESS FOR (COPPER ALLOYS: NUMBERS C17000, C17200, C17300, C17500, AND C17510) [VALIDATION DATE: 9011] REVIEWER: AR AV EA ER MI	A 2945	AV	29-JUL-81	AV			
L	MIL-P-7204B(1)	POWER SUPPLY, 28 VOLT, TYPE B-9 REVIEWER: GS	A 6130	B0	24-JAN-79		99		
A	MIL-C-7219F(2)	CLOTH, DUCK, NYLON USER: 45 REVIEWER: 82 AR MD MI	A 8305	CT	02-APR-90	GL	AS	99	CT
L	MIL-T-7219H(13)	CLOTH, DUCK, NYLON	A 8305	GL	04-MAR-91	GL			
A	MIL-T-7249B(1) NOTICE 1	TARPULIN, LIGHT WEIGHT [VALIDATION DATE: 8911]	A 8340	CT	08-NOV-89	GL		99	CT
	MIL-P-7254F(2)	PROPELLANT, NITRIC ACID [VALIDATION DATE: 8512] REVIEWER: 12 19 EA OS TE	A 9135	68	18-JAN-72	MI	AS	68	
	MIL-M-7255B(1) NOTICE 1	MANOMETER, PRESSURE, DIFFERENTIAL AND ABSOLUTE, TYPE E-1 [VALIDATION DATE: 8911] REVIEWER: GS	A 6685	B2	13-NOV-89	AS	99		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off/On/Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Ams MCA Symbol	Preparing Date	Custodians			
					Army	Navy	Air Force	DLA
L	MIL-T-72508 NOTICE 1	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, TYPE B-4 [VALIDATION DATE: 8911] REVIEWER: GS	A 6685	82 13-NOV-89			99	
L	MIL-R-7276C(1)	RECEIVING SET, RADIO AM/APM-708 [VALIDATION DATE: 8112] .....	A 5826	13 14-MAR-69			13	
L	MIL-W-72840	NOZZLE, OIL SERVICING, PISTOL GRIP MONORIP, TYPE A-28 REVIEWER: CS	A 4930	82 11-FEB-85		AS	99	
L	MIL-A-7292A(1) NOTICE 1	ANTENNA AT&1908-AP [VALIDATION DATE: 8701] REVIEWER: 99 ES	A 5985	85 30-JAN-87			85	
	MIL-W-72980	MANUALS, COMMERCIAL OFF-THE-SHELF USER: 11 13 15 19 1P REVIEWER: AS AT AV	A TMS5	TH 01-FEB-88	TH	OS	16	CS
	MIL-L-7312E	CR CT EC GS MC ME MI SM TO						
	MIL-F-73266(1)	LUBRICATING UNIT, POWER-OPERATED, ELECTRIC, PORTABLE USER: MC REVIEWER: CS	A 4930	ME 12-DEC-84	ME	AS	99	
	MIL-W-7327C	FLASHLIGHTS, PENLIGHT STYLE REVIEWER: GS	A 6230	82 15-MAY-90	AV	AS	99	
		WEIGHING KIT, ELECTRONIC, AIRCRAFT AND MISSILE A/S 37M-1 AND A/S 37M-2	A 6670	AV 19-DEC-68	AV		99	
A	MIL-C-7350C NOTICE 1	[VALIDATION DATE: 8503] USER: GL REVIEWER: GS	A 8305	CT 17-APR-92	GL	AS	99	CT
	MIL-R-73620(4)	CLOTH, PARACHUTE, NYLON REVIEWER: 11 AV DP	A 5330	11 04-APR-91	NR	AS	11	
	MIL-W-73650	RUBBER, SYNTHETIC, SOLID, SHEET, STRIP AND FABRICATED PARTS, SYNTHETIC OIL						
L	MIL-B-73708(1)	RESISTANT REVIEWER: 99 AR 15 MI	A 4720	82 24-MAR-86		MC	99	
		HOSE, AIR DUCT, FOR GROUND HEATERS USER: GL ME REVIEWER: AT CS MD	A 6685	AS 12-AUG-74		AS		
	MIL-S-7393C NOTICE 1	[VALIDATION DATE: 8509] REVIEWER: AV ER GS	A 9510	11 04-MAR-88	AV	AS	11	
		STEEL ALLOY CARBURIZING, BARS AND BILLETS, STEEL NICKEL-CHROMIUM (3310, 3316 AND 9310), AIRCRAFT QUALITY [VALIDATION DATE: 8803] USER: AR						
	MIL-W-74040(3) NOTICE 1	REVIEWER: 99 MI MR	A 1730	82 09-MAY-90		AS	99	
	MIL-W-74050	MAINTENANCE PLATFORM, AIRCRAFT, ADJUSTABLE, 3 TO 7 FEET, TYPE B-4A						
L	MIL-C-7407(5) NOTICE 5	[VALIDATION DATE: 9005] REVIEWER: AV	A 1730	82 18-MAR-86			99	
	MIL-C-74138(1)	MAINTENANCE PLATFORM, AIRCRAFT, TYPE B&SA	A 1660	71 13-FEB-87				
		CONVERTER, LIQUID TO GASEOUS OXYGEN, AIRCRAFT TYPE A 3 [VALIDATION DATE: 8702]	A 4730	82 16-MAY-73	ME	AS	99	
L	MIL-T-7417	COUPLING, QUICK DISCONNECT, AUTOMATIC SHUTOFF, GENERAL SPECIFICATION FOR	A 13GP	18 22-JUL-52			18	
		[VALIDATION DATE: 8505] REVIEWER: AV CS MI						
	MIL-S-74208 NOTICE 1	FIXED GUN AND ROCKET INSTALLATIONS, ENGINEERING TEST OF [VALIDATION DATE: 7411] REVIEWER: 11	A 9510	11 20-JAN-89	MR	AS	11	
A	MIL-C-7438G(1)	STEEL BARS, ALLOY, CHROMIUM, HIGH CARBON E52100 (AIRCRAFT QUALITY)	A 5680	AS 26-FEB-86	ME	AS	11	
		[VALIDATION DATE: 8901] REVIEWER: 15 MI						
	MIL-I-74440(2) NOTICE 1	CORE MATERIAL, ALUMINUM, FOR SANDWICH CONSTRUCTION USER: AV OS REVIEWER: 99 MI MR	A 5970	11 26-MAY-89	ER	AS	11	
A	MIL-J-7448K	INSULATION SLEEVING, ELECTRICAL, FLEXIBLE REVIEWER: 80 85 99 SM	A 8405	CT 15-FEB-79	GL		99	CT
L	MIL-S-7470A NOTICE 1	JACKET, FLYERS, MAN, LIGHT ZONE L-28 [VALIDATION DATE: 8510] USER: 45	A 1680	82 10-AUG-88			82	
QQ	MIL-C-7474E NOTICE 1	REVIEWER: 11	A 5340	82 31-OCT-89	AR	AS	99	
L	MIL-T-7477C(4) NOTICE 1	SHAFT, POWER TRANSMISSION, AIRCRAFT ACCESSORY, GENERAL SPECIFICATION FOR	A 6620	71 06-OCT-86			99	
L	MIL-C-7488A(2)	CASTER, INDUSTRIAL [VALIDATION DATE: 8910] USER: AT AV MC ME SA YD1	A 2935	71 17-OCT-86			99	
Q	MIL-W-7507B(4)	REVIEWER: GL 15 MI	A 6610	71 31-MAR-89		AS	99	
L	MIL-W-7513F(1) NOTICE 1	TRANSMITTER, RATE OF FLOW, FUEL, SYNCHRO, TYPE J-7, INDIVIDUAL AND	A 1MSC	11 26-FEB-88			11	
D	MIL-C-7515F	TOTALIZING	A 4020	GL 27-JUN-88	GL	AS	99	
M	MIL-B-7525B(2)	COOLER, LUBRICATING OIL, AIRCRAFT ENGINE, PLATE	A 7310	84 24-FEB-86	GL	AS	99	
Q	MIL-C-7554F	MACHINERY, PITOT STATIC, RANGE .3 TO 1.0, TYPE A-1 REVIEWER: MI	A 1670	GL 19-MAY-93	GL		99	
L	MIL-V-7560C	NOMENCLATURE ASSIGNMENT, CONTRACTORS METHOD FOR OBTAINING [VALIDATION DATE: 8802] REVIEWER: 99 MI	A 4820	71 23-JAN-91	AV	AS	99	
Q	MIL-I-7566C(2) NOTICE 1	COND, NYLON, CORELESS USER: MC OS REVIEWER: 82 DS 15 MD	A 6620	71 23-MAY-86		AS	99	
L	MIL-L-7569A(1)	BRACKET AND RECEPTACLE, HOT CLIP, AIRBORNE USER: YD1 REVIEWER: GS	A 1670	82 13-NOV-89		AS	99	
L	MIL-L-7569A(13)	CONTAINER KITS, AIRDROP USER: MC REVIEWER: 11 82 AV	A 5850	71 24-SEP-70			71	
L	MIL-R-7575C(2) NOTICE 1	VALVE ASSEMBLIES, OXYGEN CYLINDER, BALLOUT REVIEWER: 11 CS	A 5850	99 23-MAY-79			99	
L	MIL-D-7579(1)	INDICATOR SYSTEM, FUEL FLOWMETER, GENERAL SPECIFICATION FOR	A 9330	AS 24-OCT-91	EP	AS	11	
Q	MIL-C-7580C	PARACHUTES, PERSONNEL, DETAIL MANUFACTURING INSTRUCTIONS FOR [VALIDATION DATE: 8911] REVIEWER: 11 AV	A EDS	16 26-NOV-52			16	
Q	MIL-G-7601B	DATA, DEVELOPMENT AIRPLANE ENGINEERING	A 4210	84 06-MAR-89		AS	99	
L	MIL-T-7610A(2)	COUPLING, FIRE HOSE, REUSABLE, HIGH PRESSURE REVIEWER: CS	A 6685	82 15-NOV-82		AS	99	
L	MIL-T-7612D	GAGE, EMERGENCY OXYGEN, TYPE L-2 REVIEWER: GS	A 1660	71 19-DEC-86	AV	AS	99	
L	MIL-B-7619A	REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21 REVIEWER: 11	A 4920	99 02-MAR-60			99	
L	MIL-P-7620C	TEST STAND, HYDRAULIC SYSTEM, ELECTRIC MOTOR DRIVEN, TYPE D-6A [VALIDATION DATE: 8502]	A 4920	AV 22-JUL-85		AV		
L	MIL-I-7627E(1)	TEST STAND, HYDRAULIC SYSTEM, GASOLINE ENGINE DRIVEN, TYPE D-50	A 4140	82 27-OCT-82			99	
L	MIL-R-7649A NOTICE 1	BLOWER, EXHAUST, ELECTRIC MOTOR DRIVEN, EXPLOSION PROOF, TYPE MA-1	A 1670	GL 22-APR-89	GL	AS		
L	MIL-W-77000	PARACHUTES AND COMPONENTS, CARGO, EXTRACTION AND DECELERATION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8904] REVIEWER: AV MC MD	A 6610	71 06-OCT-86	AV	AS	99	
Q	MIL-R-77008(1)	INDICATOR, TURN AND SLIP, 28V DC	A 5945	85 21-MAY-53			85	
Q	MIL-G-77030 SUPPL 1A, NOTICE 1	RELAY, AMMUTURE, EXCITER-CONTROL, 115/200 VOLT, 3-PHASE 4-WIRE 400 CYCLE, TYPE M-1 [VALIDATION DATE: 7701] USER: 17 MC REVIEWER: 99 AS ES MI	A TMS5	11 14-FEB-90			11	
L	MIL-R-77058 NOTICE 1	MANUALS, FLIGHT REVIEWER: 01 10 99 GS	A TMS5	11 01-JUL-74			11	
L	MIL-C-7712A	MANUAL, FLIGHT [VALIDATION DATE: 8205] REVIEWER: 10 16 70 71 80	A 5930	85 30-SEP-88	ER	AS	85	
L	MIL-D-7713 NOTICE 1	GUARD, SWITCH GENERAL SPECIFICATION FOR [VALIDATION DATE: 8809] REVIEWER: 99	A 5840	11 26-FEB-88	AV	AS	11	
Q	MIL-S-7720A(2)	RADOME, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8802]	A 2835	AS 13-NOV-52		AS		
A	MIL-I-77210	COMPRESSOR, AIR, GAS TURBINE TYPE GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205]	A 6605	AS 09-OCT-91	AV	AS		
Q	MIL-T-7723B(2)	DRIFT METER, TYPE B-5 [VALIDATION DATE: 9110]	A 9510	AS 26-JUL-74	MR	AS	11	
Q	MIL-R-7728M SUPPL 1A	STEEL, CORROSION-RESISTANT (18-8) BARS, WIRE AND FORGING STOCK (AIRCRAFT QUALITY) [VALIDATION DATE: 8004] USER: ME SM REVIEWER: 85 99 EA MI	A 6610	71 16-NOV-92	AV	AS	99	
A	MIL-S-77429(1)	INDICATOR, VERTICAL SPEED, 3-INCH	A 6685	AS 30-DEC-71	AV	AS	99	
L	MIL-S-007742C	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO PLUS 150 DEG. C, DUAL [VALIDATION DATE: 8103] USER: CG MC REVIEWER: GS	A 2620	70 02-FEB-90		AS	99	
A	MIL-T-7743F	REPAIR AND REBUILDING OF USED AIRCRAFT PNEUMATIC TIRES REVIEWER: 11	A 6685	AS 16-NOV-81	AV	AS	99	
A	MIL-W-7746C(1) NOTICE 1	GAGE, PRESSURE, ENGINE AND UTILITY AIRCRAFT REVIEWER: GS MC	A TMS5	11 02-SEP-92	AR	AS	11	
L	MIL-T-7748E(2)	SOREN THREADS, STANDARD, OPTIMUM SELECTED SERIES: GENERAL SPECIFICATION FOR USER: AT ME REVIEWER: AV 15 MI SM	A TMS5	11 29-JUL-88				
		SOREN THREADS, STANDARD, OPTIMUM SELECTED SERIES	A 6635	CT 08-APR-93		AS	18	
		TESTING, STORE SUSPENSION AND RELEASE EQUIPMENT, GENERAL SPECIFICATION FOR GLOVES, INSERTS, FLYER'S [VALIDATION DATE: 8911] REVIEWER: 11 45	A 8415	CT 08-NOV-89		AS	99	CT
		TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEGREE C.), GENERAL PURPOSE [VALIDATION DATE: 8509] USER: CG	A 6620	AS 29-NOV-78	AV	AS	99	
	MIL-I-7749A(1)	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO PLUS 150 DEG. C, SINGLE [VALIDATION DATE: 8403] REVIEWER: GS	A 6685	AS 12-JAN-62		AS		
	MIL-W-7750B(1) NOTICE 1	HOUSING, PARACHUTE RIPCORD [VALIDATION DATE: 9203] USER: MC MD REVIEWER: 11 82 AV	A 1670	GL 27-MAR-92	GL	AS	99	
	MIL-W-7752A(2)	METAL CLEANER SILICATE-SOAP [VALIDATION DATE: 8312] REVIEWER: GS MR	A 6850	AS 30-SEP-65		AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn / Class Combination Inchase Document Number	Document Title	Dist. Smt. FAC / Area MCA Symbol Preparing Acty.	Date	Custodians			
				Army	Navy	Air Force	DLA
L	MIL-L-7768B(1)	LIGHT, DESK, AIRCRAFT REVIEWER: GS	A 6230	AS	27-SEP-82	AS	99
Q	MIL-L-7768/1	LIGHT, DESK, AIRCRAFT [VALIDATION DATE: 8410] REVIEWER: GS	A 6230	AS	23-MAR-73	AS	
Q	MIL-S-7780B(3)	STARTER, ELECTRIC, CONSTANT CURRENT, DC [VALIDATION DATE: 8106] REVIEWER: CS MI	A 2990	AS	02-MAY-60	AV	AS 99
I	MIL-M-7786C(2)	NICKEL-CHROMIUM ALLOY, SHEET AND STRIP, AGE-HARDENABLE ANNEALED USER: AT	A 9535	11	06-APR-91	MR	AS 11
AO	NOTICE 2	MI REVIEWER: 99 AR					
Q	MIL-P-7788F	PANELS, INFORMATION, INTEGRALLY ILLUMINATED REVIEWER: 99 MC MI SH	A 6220	AS	16-NOV-92	AV	AS 11
Q	MIL-R-7790(1)	RESISTOR, THERMOCOUPLE LEAD SPOOL [VALIDATION DATE: 8702] REVIEWER: 99	A 5905	85	27-DEC-57	ER	AS 85
Q	NOTICE 1						
Q	MIL-M-7793F	METER, TIME TOTALIZING REVIEWER: ER ME MI	A 6645	AS	15-SEP-88	AR	AS 99
	SUPPL 1B						
	MIL-M-7793/1A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, SQUARE [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/2A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC, ROUND [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/3A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ, SQUARE	A 6645	AS	15-SEP-88	AR	AS 99
	MIL-M-7793/4A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V AC, ROUND [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/5A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 V DC [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/6A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/7A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/8A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 OR 400 HZ [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/9A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 400 HZ [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/10A	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 V, 60 HZ	A 6645	AS	15-SEP-88	AR	AS 99
	MIL-M-7793/11	METER, TIME TOTALIZING, DIGITAL, 20 TO 130 VOLTS, DC OR AC TO 500 HZ [VALIDATION DATE: 9110]	A 6645	AS	09-OCT-91	AR	AS 99
	NOTICE 1						
	MIL-M-7793/12	METER, READER FOR SOLID STATE ELAPSED TIME INDICATORS BATTERY OPERATED, PORTABLE, HAND-HELD [VALIDATION DATE: 9110] USER: OS SH	A 6645	AS	09-OCT-91	AS	99
	NOTICE 1						
	MIL-M-7793/13	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, PRINTED CIRCUIT MOUNT [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI	A 6645	AS	09-OCT-91	AS	99
	NOTICE 1						
	MIL-M-7793/14	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 28 VDC OR 26 VAC, 50 TO 2400 HZ, SQUARE [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI	A 6645	AS	15-OCT-91	AS	99
	NOTICE 1						
	MIL-M-7793/15	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 115 VAC, 50 TO 2400 HZ, SQUARE [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI	A 6645	AS	15-OCT-91	AS	99
	NOTICE 1						
	MIL-M-7793/16	METER, TIME TOTALIZING, MINIATURE, DIGITAL, 5 VDC, SQUARE [VALIDATION DATE: 9110] USER: OS SH REVIEWER: MI	A 6645	AS	15-OCT-91	AS	99
	NOTICE 1						
L	MIL-I-7802A	INDICATOR, MS2808B, TURN AND SLIP (THREE PHASE) [VALIDATION DATE: 8509] ...	A 6610	AS	14-JAN-67	AS	
	MIL-S-7804(1)	SHACKLE, BOMB, MARK 8 MOD 2, MARK 8, MOD 3, MARK 8, MOD 4 (INACTIVE) [VALIDATION DATE: 8408]	A 1095	AS	10-OCT-70	AR	AS
AO	NOTICE 1						
Q	MIL-L-7806A(1)	LIGHT, PANEL, PLASTIC PLATE, LIGHTING USER: AT REVIEWER: GS MI	A 6210	AS	25-SEP-92	ME	AS 99
	NOTICE 1						
Q	MIL-L-7808J	LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, NATO CODE NUMBER 0-148 [VALIDATION DATE: 8802] USER: SH REVIEWER: 68 AR MI	A 9150	11	26-FEB-88	ME	AS 11
	NOTICE 1						
I	MIL-G-7818(1)	GAGE, FUEL QUANTITY, CAPACITOR TYPE, COMPENSATED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8410] USER: AT REVIEWER: GS	A 6680	AS	15-JUN-71	AV	AS
	NOTICE 2						
	MIL-D-7822	DRAWINGS, FOR STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE CHARTS, PILOTED AIRCRAFT [VALIDATION DATE: 8404] REVIEWER: 99	A 7650	AS	16-NOV-51	AS	11
A L	MIL-J-7823E(3)	JACKETS, FLYERS INTERMEDIATE, TYPE G-1	A 8415	CT	18-OCT-84	NU	CT
D	MIL-L-78300	LIGHT ASSEMBLY, MARKER, AIRCRAFT OBSTRUCTION USER: YD1 REVIEWER: 11 GS	A 6210	82	15-SEP-83	ME	AS 99
Q	MIL-B-7838C	BOLT, INTERNAL WRENCHING, 160 KSI FTU REVIEWER: ER IS MI	A 5306	AS	01-MAR-89	AV	AS 99
A I	MIL-S-7839B(3)	SCREW, STRUCTURAL, AIRCRAFT [VALIDATION DATE: 9207] USER: IS REVIEWER: AR	A 5305	82	31-JUL-92	AV	AS 99
	NOTICE 1						
Q	MIL-S-7852B(2)	SEAT, AIRCREW, ADJUSTABLE, SWIVEL, TYPE E&I REVIEWER: 11	A 1680	82	05-SEP-78	AV	AS 99
Q	MIL-P-7858(2)	PUMP, HYDRAULIC, POWER DRIVEN, FIXED DISPLACEMENT [VALIDATION DATE: 7702] REVIEWER: MI	A 4320	AR	17-APR-56	AV	AS
	MIL-M-7866C(1)	MOLYBDENUM DISULFIDE, TECHNICAL, LUBRICATION GRADE [VALIDATION DATE: 9110] USER: ME REVIEWER: EA GS MI	A 6810	AS	24-OCT-91	AR	AS 68
AO	NOTICE 1						
	MIL-L-7870B	LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE USER: OS SH REVIEWER: 68 AR GS MI SA SH	A 9150	11	24-JUL-92	ME	AS 11
L	MIL-R-7871A	ROPE, EXTRA-HIGH-STRENGTH WIRE, 6 BY 19 WIDTH 7 BY 7 INDEPENDENT WIRE ROPE CENTER (FOR AIRCRAFT LAUNCHING AND RELATED APPLICATIONS)	A 4010	AS	03-JUL-91	AS	
	MIL-F-7872C(1)	FIRE AND OVERHEAT WARNING SYSTEMS, CONTINUOUS, AIRCRAFT, TEST AND INSTALLATION OF [VALIDATION DATE: 8709] REVIEWER: 99 MI	A 6340	AS	30-SEP-87	AV	AS 11
Q	NOTICE 1						
Q	MIL-M-7873A(1)	NUT, SELF LOCKING, 1200 DEG. F [VALIDATION DATE: 8310] REVIEWER: AR IS MI	A 5310	AS	05-FEB-71	AV	AS 11
Q	MIL-B-7874B	BOLT, MACHINE, 1200 DEG. F REVIEWER: IS MI	A 5306	AS	03-DEC-82	AV	AS 99
	SUPPL 1B						
L	MIL-S-7877B	SEAT, PASSENGER, CABIN FOLDING [VALIDATION DATE: 8410] REVIEWER: 11	A 1680	AS	20-AUG-56	AV	AS 99
	MIL-A-7879A	ANTENNA AT-141A/ARC [VALIDATION DATE: 8203] REVIEWER: 85 ES	A 5985	AS	01-SEP-54	AS	
	NOTICE 2						
	MIL-B-7883B	BRAZING OF STEELS, COPPER, COPPER ALLOYS, NICKEL ALLOYS, ALUMINUM AND ALUMINUM ALLOYS USER: CG REVIEWER: 99 AR AV EA ME MI OS	A THJM	AS	30-JUL-86	MR	AS 11
L	MIL-B-007883C	BRAZING OF STEELS, COPPER, COPPER ALLOYS, NICKEL ALLOYS, ALUMINUM & ALUMINUM ALLOYS	A THJM	AS	30-JUL-86	AS	
Q	MIL-R-7885D	RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED SPINDLE AND FRICTION LOCKED SPINDLE, GENERAL SPECIFICATION FOR USER: MC REVIEWER: AV IS MI	A 5320	AS	18-APR-88	AR	AS 99
	SUPPL 1B						
	MIL-R-7885/2C	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE 1, STYLE A, CLASS 1) USER: MC REVIEWER: 82 AV IS	A 5320	AS	18-APR-88	AR	AS 99
	MIL-R-7885/3C	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED ALLOY STEEL SPINDLE (TYPE 1, STYLE A, CLASS 2) USER: MC REVIEWER: 82 AV IS	A 5320	AS	18-APR-88	AR	AS 99
	MIL-R-7885/4C	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE (TYPE 1, STYLE A, CLASS 1) USER: MC REVIEWER: 82 AV IS	A 5320	AS	18-APR-88	AR	AS 99
	MIL-R-7885/5C	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE (TYPE 1, STYLE A, CLASS 2) USER: MC REVIEWER: 82 AV IS	A 5320	AS	18-APR-88	AR	AS 99
	MIL-R-7885/6C	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE OVERSIZE DIAMETER (TYPE 1, STYLE B, CLASS 1) USER: MC REVIEWER: 82 AV IS	A 5320	AS	18-APR-88	AR	AS 99
	MIL-R-7885/7C	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, 5056 AL ALLOY SLEEVE, MECHANICALLY LOCKED 8740 ALLOY STEEL SPINDLE, OVERSIZE DIAMETER (TYPE 1, STYLE B, CLASS 2)	A 5320	AS	30-AUG-85		
	MIL-R-7885/8B	RIVETS, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE OVERSIZE DIAMETER (TYPE 1, STYLE B, CLASS 1) USER: MC REVIEWER: 82 AV IS	A 5320	AS	14-APR-88	AR	AS 99
	MIL-R-7885/9B	RIVETS, BLIND, STRUCTURAL, 100 DEG. FLUSH HEAD, NICKEL-COPPER ALLOY SLEEVE, MECHANICALLY LOCKED 15-7PH CRES SPINDLE, OVERSIZE DIAMETER (TYPE 1, STYLE B, CLASS 2) USER: MC REVIEWER: 82 AV IS	A 5320	AS	18-APR-88	AR	AS 99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Or / On Coordination Machine	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-R-7885/10	RIVET, BLIND, STRUCTURAL, UNIVERSAL PROTRUDING HEAD, MULTI-GRIP, MECHANICALLY LOCKED (TYPE 1, STYLE A, CLASS 1) REVIEWER: AT	A 5320	AR	29-SEP-89	AR			
Q	MIL-S-7886(1)	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, GENERAL SPECIFICATION FOR REVIEWER: 82	A 2925	AS	11-JAN-84	AV	AS	99	
QL	MIL-S-7886/5	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL T2B/R1820A [VALIDATION DATE: 8107]	A 2925	AS	10-OCT-63		AS		
QL	MIL-S-7886/5A(1)	SPARK PLUG, SHIELDED AIRCRAFT RECIPROCATING ENGINE, MODEL R1820-B2B/C .....	A 2925	AS	27-SEP-85		AS		
QL	MIL-S-7886/9A	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL R1820-76B/D [VALIDATION DATE: 8106]	A 2925	AS	20-MAR-73		AS		
QL	MIL-S-7886/11	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL C/R2800A [VALIDATION DATE: 8106]	A 2925	AS	30-JAN-64		AS		
QL	MIL-S-7886/20	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL T34/0470A [VALIDATION DATE: 8106]	A 2925	AS	04-MAY-64		AS		
QL	MIL-S-7886/28	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL R1820-76A/C [VALIDATION DATE: 8106]	A 2925	AS	20-MAR-73		AS		
L	MIL-S-7886/29	SPARK PLUG, SHIELDED, FINE WIRE IRIIDIUM ELECTRODE, TYPE 1, 2, 3, 4, FOR AIRCRAFT RECIPROCATING ENGINES	A 2925	AV	12-SEP-83	AV			
L	MIL-S-7886/501C NOTICE 1	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, DETAILED SPECIFICATION FOR [VALIDATION DATE: 8911]	A 2925	82	10-NOV-89			99	
L	MIL-S-7886/503C NOTICE 1	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATION FOR [VALIDATION DATE: 8911]	A 2925	82	10-NOV-89			99	
QL	MIL-S-7886/10028	SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 1 FOR AIRCRAFT RECIPROCATING ENGINES [VALIDATION DATE: 8302]	A 2925	AV	14-OCT-75	AV			
QL	MIL-S-7886/10048	SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 4 FOR AIRCRAFT RECIPROCATING ENGINES [VALIDATION DATE: 8302]	A 2925	AV	14-OCT-75	AV			
	MIL-D-7890A(2)	DESIGN & INSTALLATION OF ANTI-G SUIT PRESSURE SYSTEM IN JET PROPELLED AIRCRAFT	A 1660	11	27-JUN-73		AS	11	
	MIL-V-7891E	VALVE, OXYGEN FILLER, LOW-PRESSURE REVIEWER: CS .....	A 4820	71	31-DEC-90	AV	AS	99	
Q	MIL-V-7899C	VALVE, CHECK, AIRCRAFT FUEL SYSTEM REVIEWER: CS ME MI .....	A 4820	82	30-APR-79	AV	AS	99	
Q	MIL-C-7905G	CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, SEAMLESS, 1800 PSI AND 2100 PSI REVIEWER: 11 71	A 1660	AS	24-AUG-90	AV	AS	99	
QL	MIL-L-7906A(2) NOTICE 1	INDICATOR, GYRO HORIZON, MANUALLY CAGED, ELECTRIC, TYPE MB-1 .....	A 6610	AS	08-JUL-87		AS		
L	MIL-C-7907A(2)	CLEANING COMPOUND, DECONTAMINATING (FOR SOILED AND RADIOACTIVE CONTAMINATED SURFACES) [VALIDATION DATE: 8508] REVIEWER: GS	A 6850	AS	20-NOV-78		AS		
	MIL-V-7908C(2)	VALVE, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS REVIEWER: CS .....	A 4820	71	05-FEB-88	AV	AS	99	
	MIL-S-7916C	SEALING COMPOUND, THREAD AND GASKET, FUEL, OIL, AND WATER RESISTANT [VALIDATION DATE: 7904] USER: AT CG ME REVIEWER: EA SH	A 8030	AS	16-MAY-73	EL	AS	99	
Q	MIL-T-7928G(1) SUPPL 1B	TERMINAL, LUG SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, GENERAL SPECIFICATION FOR USER: 17 AT CS REVIEWER: 11 80 AV EA GS MI OS SH	A 5940	AS	19-DEC-80	ER	AS	85	
Q	MIL-T-7928/10	TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TYPE 11 CLASS 1 FOR 105 DEG C TOTAL CONDUCTOR TEMPERATURE USER: AV MC OS REVIEWER: 11 99 EC GS MI NS SH	A 5940	AS	08-JUN-81	ER	AS	85	
	MIL-T-7928/20	TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE 11 CLASS 1 FOR 105 DEG C TOTAL CONDUCTOR TEMPERATURE USER: AV MC OS REVIEWER: 11 EC MI NS SH	A 5940	AS	08-JUN-81	ER	AS	85	
	MIL-T-7928/4A	TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL MOUTHED, TYPE 11, CLASS 1 FOR 150 DEG C TOTAL CONDUCTOR TEMPERATURE USER: 17 AT OS REVIEWER: 99 AR AV GS MI SH	A 5940	AS	08-JUN-81	ER	AS	85	
	MIL-T-7928/5B	TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE SPLICE, ELECTRIC, PERMANENT, TYPE 11, CLASS FOR 105 DEGREES CTOTAL CONDUCTOR TEMPERATURE USER: MC REVIEWER: 11 80 99 AV EC SH	A 5940	AS	08-JUN-81	ER	AS	85	
	MIL-T-7928/6A	TERMINAL, LUG & SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, PERMANENT, TYPE 11, CLASS 1 FOR 150 DEG C TOTAL CONDUCTOR TEMPERATURE REVIEWER: 11 99 AV EC GS SH	A 5940	AS	08-JUN-81	ER	AS	85	
	MIL-T-7928/7	TERMINAL LUG & SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE TYPE 1, CLASS 1 FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE USER: AV MC REVIEWER: 99 EC OS SH	A 5940	AS	08-JUN-81	ER	AS	85	
	MIL-G-7940C NOTICE 1	GAGES, LIQUID QUANTITY, CAPACITOR TYPE, INSTALLATION AND CALIBRATION OF [VALIDATION DATE: 8809] REVIEWER: GS	A 6680	11	30-SEP-88	AV	AS	11	
	MIL-C-7942B(1) NOTICE 1	CONNECTORS, MOSE, QUICK-DISCONNECT, ANTI "G" SUIT [VALIDATION DATE: 8911] USER: CT MC REVIEWER: CS	A 4730	82	09-NOV-89		AS	99	
	MIL-S-7947A NOTICE 1	STEEL, SHEET AND STRIP (1095) AIRCRAFT QUALITY [VALIDATION DATE: 8901] USER: ME REVIEWER: EA 15 MI NR	A 9515	11	20-JAN-89		AS	11	
Q	MIL-B-7949E(1) SUPPL 1B	BEARING, BALL, AIRFRAME, ANTI-FRICTION USER: AT REVIEWER: 84 15 .....	A 3110	AS	02-JUL-87	AV	AS	99	
	MIL-S-7952A(1) NOTICE 1	STEEL, SHEET AND STRIP, UNCOATED, CARBON (1020 AND 1025) (AIRCRAFT QUALITY) [VALIDATION DATE: 8901] USER: ME MI REVIEWER: 15 OS	A 9515	11	20-JAN-89		AS	11	
L	MIL-R-7957B NOTICE 1	RADAR SET AN/APG-45A [VALIDATION DATE: 8303] .....	A 5841	AS	01-MAY-57		AS		
Q	MIL-C-7958A(2)	CONTROL, PUSH PULL, FLEXIBLE AND RIGID USER: AT ME .....	A 2995	71	09-JAN-87	AV	AS	99	
	MIL-L-7961B(3)	LIGHT, INDICATOR, PRESS TO TEST .....	A 6210	82	25-JUL-78	ME	AS	99	
	MIL-P-7962D	PRIMER COATING, CELLULOSE NITRATE MODIFIED ALKYL TYPE, CORROSION INHIBITING, FAST DRYING (FOR SPRAY APPLICATION OVER PRETREATMENT COATING) USER: AT OS SH REVIEWER: AV	A 8010	AS	12-AUG-80	ME	AS		
	MIL-A-7965C SUPPL 1B	ANTENNA COMPONENTS, ANTIPRECIPITATION STATIC [VALIDATION DATE: 8103] REVIEWER: 99 ES	A 5985	AS	22-MAY-64	AV	AS	85	
A	MIL-C-7966C NOTICE 1	CLOTH, COATED, RUBBER, NYLON BASE [VALIDATION DATE: 9110] USER: NU	A 8305	CT	24-OCT-91		AS	99	CT
Q	MIL-P-7968A	POSITION INDICATING ASSEMBLIES, ELECTRICAL, WHEELS AND FLAPS [VALIDATION DATE: 8410] REVIEWER: 11	A 6610	AS	23-MAR-65	AV	AS	99	
	MIL-M-7969C	MOTOR, ALTERNATING CURRENT, 400-CYCLE, 115/200-VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8105] USER: AR ME REVIEWER: AV EA GS MI	A 6105	AS	25-MAY-65		AS	99	
	MIL-M-7973F NOTICE 1	WELDING MACHINE, ELECTRICAL RESISTANCE, SPOT, PRESS TYPE, THREE PHASE [VALIDATION DATE: 9105] USER: AV GS MC SH REVIEWER: BA AS GS OS	A 3432	1P	08-MAY-91	AL	SH	99	1P
DQ	MIL-C-7974D(1) SUPPL 1B	CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIRCRAFT, GENERAL SPECIFICATION FOR USER: CS ER ES SH YD1 REVIEWER: 11 17 99 AR GS MI	A 6150	AS	30-MAY-92	AV	AS	85	
	MIL-C-7974/1A	CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER [VALIDATION DATE: 8410] REVIEWER: 11	A 5935	AS	08-SEP-78	AV	AS	85	
	MIL-C-7974/2 NOTICE 1	CABLE ASSEMBLY, EXTERNAL POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ POWER DISTRIBUTION FLIGHT LINE (FOR A/E 24A-166A) [VALIDATION DATE: 9110]	A 6150	AS	15-OCT-91	AV	AS	85	
L	MIL-L-7976C	LIST AND CARD, TECHNICAL MANUAL DATA, FOR CONTRACTOR FURNISHED EQUIPMENT AND ACCESSORIES	A 1M55	AS	23-FEB-81		AS		
	MIL-C-7979B	CYLINDER, HYDRAULIC BRAKE, MASTER, POWER ASSISTED [VALIDATION DATE: 8509] USER: MI REVIEWER: 99	A 1630	AS	21-OCT-59	AV	AS	11	
	MIL-C-7989B(2) SUPPL 1B, NOTICE 1	COVER, LIGHT-TRANSMITTING, FOR AERONAUTICAL LIGHTS GENERAL SPECIFICATION FOR [VALIDATION DATE: 9103] REVIEWER: GS ME MI	A 6220	82	15-MAR-91	AV	AS	99	
AQ	MIL-T-7990B(3)	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C REVIEWER: GS	A 6685	82	30-SEP-92	AV	AS	99	
	MIL-M-7997C	MOTOR, AIRCRAFT HYDRAULIC, CONSTANT DISPLACEMENT GENERAL SPECIFICATION FOR	A 1650	AS	24-SEP-81	AV	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Inactive	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-S-7998A(1)	SANDWICH CONSTRUCTION CORE MATERIAL, Balsa wood (validation date: 8410)	A 5510	AS	13-FEB-78	ME	AS	11	
D	MIL-W-8005E(2)	REVIEWER: 99 CS MI WHEELS AND HUBS, FOR INDUSTRIAL PNEUMATIC TIRES USER: MC SA REVIEWER: AT	A 2530	99	30-APR-82	AR	YD	99	
A	MIL-C-8021D(2)	CS CLOTH, PARACHUTE, NYLON, CARGO AND DECELERATION (validation date: 8403)	A 8305	CT	26-SEP-78	GL	AS	99	CT
A L	MIL-L-8031E(1)	USER: 45 REVIEWER: EA LIST OF APPLICABLE PUBLICATIONS (LOAP), PREPARATION OF REVIEWER: 01 10 70	A TMSS	16	28-MAR-92			16	
	MIL-P-8045B(3)	71 80 82 84 99 PLASTIC, SELF-SEALING AND NON-SELF-SEALING TANK BACKING MATERIAL	A 8030	AS	22-FEB-74	MR	AS	11	
L	MIL-C-8052C(1)	(validation date: 8004) USER: MC REVIEWER: 99 AV OS	A 5895	84	20-AUG-86			99	
L	MIL-P-8053C	CONTROL, PRESSURIZING SET, C-1173/ASO (validation date: 8608) USER: 80 ....	A 5530	GL	23-OCT-87	GL			
L	MIL-V-8057F(3)	PLYWOOD, METAL-FACED (validation date: 8710) REVIEWER: CS .....	A 4820	71	01-AUG-88			99	
A	MIL-C-8068B(1)	NOTICE 1 VALVE, OXYGEN, PRESSURE BUILDUP AND VENT (validation date: 8808) REVIEWER:	A 8305	CT	30-JUL-87		AS	11	CT
	MIL-C-8073D(1)	NOTICE 1 CLOTH, COATED, NYLON, RUBBER-COATED, FUEL-RESISTANT (validation date:	A 5680	AS	24-OCT-91	ME	AS	11	
	MIL-B-8075D(1)	8707) USER: 45 ME REVIEWER: EA MI CORE MATERIAL, PLASTIC HONEYCOMB, LAMINATED GLASS FABRIC BASE, FOR	A 1630	70	10-MAR-77	AV	AS	99	
	MIL-C-8087C	AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS (validation date: 9110)	A 9330	AS	24-APR-68		AS	11	
	MIL-M-8090F	USER: AV REVIEWER: 84 MI BRAKE CONTROL SYSTEMS, ANTISKID, AIRCRAFT WHEELS, INSTRUCTIONS FOR	A MISC	AS	01-FEB-74	AT	AS		
A L	MIL-C-8104C	PREPARATION OF SPECIFICATIONS FOR CORE MATERIAL, FOAMED-IN-PLACE, URETHANE TYPE (validation date: 8004)	A 8305	CT	24-OCT-91		AS		CT
L	MIL-B-8111E	REVIEWER: 99 GS MI MOBILITY, TOWED AEROSPACE GROUND EQUIPMENT, GENERAL REQUIREMENTS FOR	A 8115	69	22-JUL-83			69	
L	MIL-F-8115D	(validation date: 8104) USER: ME REVIEWER: 99 AV	A 6230	71	27-MAY-88			99	
A	MIL-W-8116B	CLOTH, SHEETING, COTTON, TREATED (validation date: 9110) .....	A 8030	CT	26-APR-65	MR	SH	99	CT
A	MIL-C-8135A	REVIEWER: DS IS MI CLOTH, COATED, NYLON, BUNA N COATED, 1 SIDE .....	A 8305	CT	25-MAY-90			82	CT
L	MIL-K-8144B	KEYER, OVERHEAT WARNING LIGHT, TYPE MA81 REVIEWER: GS .....	A 6340	82	19-OCT-83			99	
Q	MIL-G-8170D(1)	GAGE, PRESSURE, DIAL INDICATING USER: AV .....	A 6620	71	27-MAY-88		AS	99	
	MIL-D-8181B	DETECTOR, ICE, AIR INTAKE DUCT, AIRCRAFT ENGINES AND AIRFRAME SYSTEMS,	A 6340	AS	15-MAR-65	AV	AS		
Q	MIL-P-8184E(2)	GENERAL SPECIFICATION FOR (validation date: 8005) REVIEWER: 99	A 9330	AS	16-JAN-92	ER	AS	11	
L	MIL-P-008184D	PLASTIC SHEET, ACRYLIC, MODIFIED USER: MC ME SH REVIEWER: AV EC GS MI MR ..	A 9330	AS	01-APR-85		AS		
Q	MIL-C-8188C	PLASTIC SHEET, ACRYLIC, MODIFIED .....	A 6850	11	26-FEB-88	MR	AS	11	
	MIL-E-8189H	CORROSION-PREVENTIVE OIL, GAS TURBINE ENGINE, AIRCRAFT SYNTHETIC BASE	A 6800	AS	31-OCT-75		AS	11	
A LI	MIL-T-8202D(2)	(validation date: 8802) REVIEWER: GS MI PS SM ELECTRONIC EQUIPMENT, MISSILES, BOOSTERS AND ALLIED VEHICLES, INACTIVE	A 1660	71	28-AUG-92			99	
	MIL-F-8209B	(validation date: 8303) REVIEWER: EC MI REGULATOR, OXYGEN, DILUTER DEMAND D-2A (REGULATOR, AUTOMATIC DILUTER	A 6230	AS	02-FEB-71		AS		
L	MIL-T-8231A	DEMAND, OXYGEN, PRESSURE BREATHING, TYPE D-2A) REVIEWER: 11 FLASHLIGHT, HAND GENERATED, TYPE A-9 (LAMP ASSEMBLY, FLASHLIGHT, TYPE A-9)	A 4710	11	02-SEP-70			11	
Q	MIL-R-8236E	(validation date: 8005) REVIEWER: GS TUBE, COPPER SILICON BRONZE, SEAMLESS, FOR AIRCRAFT (validation date:	A 1680	82	13-NOV-86	AV	AS	99	
	MIL-R-8236/1B	8505) REVIEWER: 99 CS REEL, SHOULDER HARNESS, INERTIA LOCK USER: CG MC .....	A 1680	82	25-AUG-89	AV	AS	99	
	MIL-R-8236/2B	REEL, SHOULDER HARNESS, INERTIA LOCK (validation date: 8908) USER: CG MC ..	A 1680	82	25-AUG-89	AV	AS	99	
A L	MIL-A-8243D(1)	REEL, SHOULDER HARNESS, INERTIA LOCK (validation date: 8908) USER: CG MC	A 1680	AV	01-FEB-79	AV	AS	99	
L	MIL-T-8249B(2)	REVIEWER: 11 BELT, SAFETY, LAP, TROOP, TYPE C83A (validation date: 8504) REVIEWER: B2 ..	A 6850	AS	21-DEC-89	AV	AS	11	
	MIL-P-8258D	ANTI-ICING AND DEICING-DEFROSTING FLUID USER: CG MC REVIEWER: 68 GS .....	A 6620	71	15-OCT-92			99	
QL	MIL-T-8275B(3)	TRANSMITTER, RATE OF FLOW, FUEL, TYPE MB-2 .....	A 4220	AS	13-APR-89		AS		
	MIL-I-8276B	PUMP, HAND, AIR (validation date: 8904) USER: MC ME REVIEWER: CS .....	A 6620	71	03-NOV-86		AS	99	
A	MIL-J-8279G(1)	INDICATOR, RATE OF FLOW, FUEL, SYNCHRO STYLE, TYPE MA-2 USER: AV REVIEWER:	A 6620	71	13-OCT-87			99	
D	MIL-L-8362C	AS GS JACKET, COLD WEATHER REVIEWER: 45 .....	A 8415	CT	31-OCT-90			99	CT
A	MIL-T-8363B(2)	GAGE ASSEMBLIES, AIR PRESSURE, DIAL INDICATING CHUCK TYPE, SELF CONTAINED	A 6685	82	15-OCT-81		AS	99	
QL	MIL-F-8378B	(ASG) REVIEWER: GS LUBRICANT, TIRE AND RIM, DEMOUNTING (validation date: 8208) USER: MC ME	A 2640	AT	10-OCT-68	AT	YD	99	
LI	MIL-C-8412B(3)	REVIEWER: AS AV TAPE AND WEBBING, TEXTILE, WOVEN, NYLON USER: 45 REVIEWER: GL .....	A 8305	CT	10-DEC-90		NU	11	CT
L	MIL-A-8416B	FREQUENCY METERS, AIRCRAFT 380 TO 420 HERTZ AND 350 TO 450 HERTZ .....	A 6625	82	30-JUN-83			99	
L	MIL-V-8419A(1)	COMPASS, MAGNETIC, SLAVED GYRO, TYPE J-4 .....	A 6605	71	01-FEB-92			99	
L	MIL-P-8422B	ADAPTER, HEADSET & MICROPHONE MK & 1646 REVIEWER: 99 ES .....	A 5965	85	18-OCT-79			85	
L	MIL-T-8429B	VACUUM PUMP, ROTARY, POWER DRIVEN .....	A 4310	84	13-MAY-81			99	
L	MIL-B-8437B	POWER SUPPLY, 28V DC INPUT, 15V AC 4 HERTZ 3 PHASE OUTPUT, TYPE MC-1 ..	A 6130	71	12-SEP-88			99	
	MIL-I-8474C	TESTER, LEAKAGE, DEMAND OXYGEN REGULATOR, TYPE MB-2 (S/S BY MIL-T-38180) ..	A 4920	82	11-JUL-83	AV		99	
A	MIL-F-8490A(4)	BELT, AIRCRAFT SAFETY, LAP, TROOP TYPE MC81A .....	A 1680	82	22-NOV-85			99	
L	MIL-C-8498D	INSPECTION OF ALUMINUM ALLOY PARTS, ANODIZING PROCESS FOR (validation	A MFP	MR	31-JUL-89	MR	SH	11	
	MIL-C-8499D	DATE: 8907) REVIEWER: SM FASTENER, CASE, FOR EQUIPMENT RACK SYSTEM IN AIRCRAFT .....	A 5325	82	14-MAR-85		AS	99	
A	MIL-I-8500D	COMPRESSOR, AIR, GASOLINE ENGINE DRIVEN, 15 CFM, 200 PSI, TYPE MC-2A	A 4310	84	14-APR-71			99	
	MIL-M-8501A(1)	(validation date: 8410) REVIEWER: CS COMPRESSOR, ROTARY, POWER DRIVEN, TYPE MB82 (validation date: 8410) .....	A 4310	84	08-JUN-71			99	
	MIL-S-8503B(1)	INTERCHANGEABILITY AND REPLACEABILITY OF COMPONENT PARTS FOR AIRCRAFT AND	A MISC	99	25-MAR-80	AV	AS	99	
	MIL-T-8504B	MISSILES REVIEWER: MI HELICOPTER FLYING AND GROUND HANDLING QUALITIES, GENERAL REQUIREMENTS FOR	A 1520	AV	03-APR-62	AV	AS		
L	MIL-I-8505	(AF USE MIL-F-83300) (validation date: 8011) REVIEWER: MI STEEL BARS, CHROME-VANADIUM (6150) (AIRCRAFT QUALITY) (ASG) REVIEWER: IS	A 9510	AS	06-JUN-83	MR	AS	11	
	MIL-T-8506A	MI TUBING, STEEL, CORROSION-RESISTANT (304), AEROSPACE VEHICLE HYDRAULIC	A 4710	11	25-JUL-91	AV	AS	11	
	MIL-C-8507D	SYSTEMS, ANNEALED, SEAMLESS AND WELDED USER: SH REVIEWER: 82 84 99 CS MR	A 6685	AS	06-JAN-53		AS		
	MIL-D-8510B(2)	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, -50 TO PLUS 300 C.	A 4710	11	20-JAN-89	MR	AS	11	
	MIL-S-8512D(2)	(validation date: 8103) REVIEWER: GS TUBING, STEEL, CORROSION-RESISTANT, (304) ANNEALED, SEAMLESS AND WELDED	A 8030	AS	23-DEC-63		AS	99	
		(validation date: 8901) USER: AT AV REVIEWER: 99 CS DS EA MI COATING, WASH PRIMER (PRETREATMENT) FOR METALS, APPLICATION OF (FOR	A DRPR	16	29-MAR-65		AS	16	
		AERONAUTICAL USE) (ASG) (validation date: 8407) REVIEWER: EA MI DRAWINGS, UNDIMENSIONED, REPRODUCIBLES, PHOTOGRAPHIC AND CONTACT,	A MISC	AV	14-MAR-80	AV	AS		
		PREPARATION OF (ASG) (validation date: 8202) REVIEWER: 11 17 99 EC MI SUPPORT EQUIPMENT, AERONAUTICAL, SPECIAL, GENERAL SPECIFICATION FOR THE							
		DESIGN OF USER: MC MI							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OMA Coordination Package	Document Number	Document Title	Dist. Smt. PAC / Area	MCA Symbol Preparing Acty.	Date	Customers			
						Army	Navy	Air Force	DIA
	MIL-C-8514C	COATING COMPOUND, METAL PRETREATMENT, RESIN-ACID (ASG) [VALIDATION DATE: 8004] USER: ME REVIEWER: DS EA MI OS	A 8030	AS	10-DEC-67	AS	99		
Q	MIL-S-8516F	SEALING COMPOUND, POLYSULFIDE RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED USER: AR MC REVIEWER: 11 AV MI OS	A 8030	AS	31-MAY-92	NR	AS	99	
Q	MIL-S-8516E(13)	SEALING COMPOUND, POLYSULFIDE RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED	A 8030	AS	27-NOV-89	AS			
L	MIL-M-8541 NOTICE 1 MIL-L-8552C(2)	HARNESSES: TEST BENCH, FOR INTERPHONE-RADIO CONTROL SET AN/AIC-4 [VALIDATION DATE: 9110]	A 5831	AS	15-OCT-91	AS			
	MIL-M-8555C	LANDING GEAR, AIRCRAFT SHOCK ABSORBER (AIR-OIL TYPE) [VALIDATION DATE: 8107] REVIEWER: 11	A 1620	AS	10-DEC-68	AV	AS	99	
	MIL-S-8559A(1) MIL-S-8559/B MIL-P-8564D	MISSILE, GUIDED, DESIGN AND CONSTRUCTION, GENERAL SPECIFICATION REVIEWER: OS	A 1410	AS	04-MAY-84	AS			
		STEEL BARS, CARBON, AISI (1095), AIRCRAFT QUALITY REVIEWER: 15 MI	A 9510	AS	06-FEB-81	AS	11		
		BEARINGS, ELASTOMERIC GENERAL SPECIFICATION FOR REVIEWER: 84 AV IS	A 3120	AS	04-JAN-88	AR	AS	99	
		PNEUMATIC SYSTEM COMPONENTS, AERONAUTICAL, GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8304] REVIEWER: 71	A 1650	AS	18-NOV-70	AV	AS	99	
Q	MIL-B-8565J	BATTERY STORAGE, AIRCRAFT REVIEWER: 82 GS MI	A 6140	AS	01-JUL-87	AS	99		
L	DOD-B-8565/1	BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 2 AMPERE HOURS, SEALED CELLS, 26 VOLTS WITH 115V 400 HZ INTEGRAL CHARGER [VALIDATION DATE: 8306]	A 6140	AS	23-MAY-77	AS			
L	DOD-B-8565/3E	BATTERY, STORAGE, AIRCRAFT, MEDIUM RATE, NO MAINTENANCE, 24-VOLT, 15 AMPERE-HOUR	A 6140	AS	26-JUN-87	AS			
L	DOD-B-8565/4C	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 7.5 AMPERE-HOUR	A 6140	AS	26-JUN-87	AS			
L	MIL-B-8565/5	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE FREE, 24 VOLT, 30 AMPERE-HOUR	A 6140	AS	21-NOV-86	AS			
L	DOD-B-8565/6	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 1.5 AMPERE-HOUR	A 6140	AS	26-JUN-87	AS			
L	DOD-B-8565/7	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 24-AMPERE-HOUR	A 6140	AS	09-OCT-87	AS			
M	MIL-B-8565/11C	BATTERY, STORAGE, AIRCRAFT, MEDIUM RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOUR	A 6140	80	31-MAR-93	AS	99		
A	MIL-B-008565/11B	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 10-AMPERE-HOUR	A 6140	80	27-OCT-92	AS	99		
N	MIL-B-8565/12	BATTERY, STORAGE, AIRCRAFT, MEDIUM-RATE, TYPE 1, MAINTENANCE-FREE, 24-VOLT, 35-AMPERE-HOUR	A 6140	AS	17-MAY-93	AS	99		
	MIL-V-8566B(1) MIL-B-8568B	VALVE, AIRCRAFT HYDRAULIC FLOW REGULATOR USER: MI REVIEWER: 11 CS	A 1650	71	17-NOV-86	AV	AS	99	
		BINOCULAR, PRISMATIC, HAND-HELD (FOR AERONAUTICAL USE) (7 X 50 AND 6 X 42 )WIDE FIELD( )ASG [VALIDATION DATE: 7909] REVIEWER: 11 SH	A 6650	AS	07-JUL-67	AS	99		
A	MIL-B-8571D(1) NOTICE 1 MIL-R-8573A(7) MIL-I-8574E(1) NOTICE 1 MIL-A-8576C NOTICE 1 MIL-I-8580B(1)	BAG, STORAGE, DRINKING WATER [VALIDATION DATE: 8608] REVIEWER: 45 MD	A 8465	CT	21-AUG-86	GL	AS	99	CT
		RESERVOIR, AIR, NONSHATTERABLE STEEL	A 1650	AS	18-NOV-83	AV	AS	99	
D		INHIBITORS, CORROSION, VOLATILE, UTILIZATION OF [VALIDATION DATE: 9110] USER: SH REVIEWER: 99 AT AV OH EA GL MC ME OS SA YDI	A PACK	AS	24-OCT-91	SM	AS	69	
		ADHESIVE, ACRYLIC BASE, FOR ACRYLIC PLASTIC [VALIDATION DATE: 9110] USER: ER MC ME REVIEWER: MD MI	A 8040	AS	24-OCT-91	NR	AS	99	
		INDICATOR, TACHOMETER, HELICOPTER, 0-4000 RPM, TYPE MA-1 [VALIDATION DATE: 8205]	A 6620	AS	29-JUN-73	AV	AS		
L	MIL-E-8581A MIL-B-8584C(1)	ENGINE, ROCKET, SOLID PROPELLANT, 5 SECOND DURATION, 4500 POUNDS THRUST ... BRAKE SYSTEMS, WHEEL, AIRCRAFT, DESIGN OF [VALIDATION DATE: 8509]	A 2845 A 1630	AS AS	05-MAY-83 28-OCT-85	AV	AS	99	
A	MIL-P-8587B MIL-A-8591H	REVIEWER: 70							
		PLASTIC: SHEET, COLORED, INSTRUMENT FLYING TRAINING USER: GS REVIEWER: 99	A 9330	11	09-FEB-93	AS	11		
		AIRBORNE STORES, SUSPENSION EQUIPMENT AND AIRCRAFT-STORE INTERFACE (CARRIAGE PHASE): GENERAL DESIGN CRITERIA FOR REVIEWER: 11 15	A 15GP	AS	23-MAR-90	AV	AS	18	
		RESCUE EQUIPMENT, HELICOPTER [VALIDATION DATE: 9110] REVIEWER: 11 8^	A 4240	AS	24-OCT-91	AS	99		
	MIL-R-8592B NOTICE 1 MIL-R-8592/1(1) NOTICE 1 MIL-R-8592/3(1) NOTICE 1 MIL-R-8592/4(1) NOTICE 1 MIL-E-8593A	CABLE GRIP, RESCUE EQUIPMENT HELICOPTER [VALIDATION DATE: 9110] REVIEWER: 11	A 4220	AS	24-OCT-91	AS	99		
		SURVIVORS, SLING, RESCUE EQUIPMENT HELICOPTER [VALIDATION DATE: 9110] ..	A 4240	AS	24-OCT-91	AS	99		
		COVER, CABLE WEIGHT, RESCUE EQUIPMENT HELICOPTER [VALIDATION DATE: 9110] ..	A 4240	AS	24-OCT-91	AS	99		
		ENGINE, AIRCRAFT, TURBOPROP, GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8410] REVIEWER: 71	A 2840	AS	15-OCT-75	AV	AS	99	
L	MIL-E-008593E	ENGINES, AIRCRAFT, TURBOSHAFT AND TURBOPROP, GENERAL SPECIFICATION FOR ....	A 2840	AS	01-MAR-84	AS			
L	MIL-T-8598B	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, FLUSH-MOUNTED, FREE AIR REVIEWER: 11 SH	A 6685	82	11-OCT-90		99		
	MIL-I-8599B(1)	INSTALLATION OF RECIPROCATING ENGINE INDUCTION AIR FILTERS, DESIGN REQUIREMENTS FOR USER: MC REVIEWER: 99	A 2945	AV	26-AUG-81	AV	AS		
	MIL-C-8603B(1) MIL-C-8605A	CLAMPS, LOOP TYPE, AND STRAPS, SUPPORT REVIEWER: 11 B2 IS	A 5340	AS	18-MAY-87	AV	AS	99	
Q	MIL-T-8606C(2)	CAP: PRESSURE FUEL SERVICING	A 1560	AS	31-OCT-90	AV	AS	11	
D	NOTICE 1 MIL-V-8608A(2)	TUBING, STEEL, CORROSION-RESISTANT (18-8 STABILIZED AND EXTRA LOW CARBON) USER: AT OS YDI REVIEWER: 13 19 99 AR CS ME MI	A 4710	11	08-FEB-93	NR	AS	11	
		VALVE, FUEL SHUTOFF, ELECTRIC MOTOR OPERATED [VALIDATION DATE: 8405] REVIEWER: MI	A 2915	99	09-NOV-66	AV	AS	99	
	MIL-M-8609B NOTICE 1 MIL-V-8610B MIL-V-8612A(1) NOTICE 1 MIL-F-8615D(2)	MOTOR, DC, 28 VOLT SYSTEM, AIRCRAFT, GENERAL SPECIFICATION FOR USER: 11 ME REVIEWER: EA GS MI	A 6105	AS	12-DEC-87	AV	AS	99	
		VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28 VOLT, DC (ASG) USER: SH	A 4810	82	25-JUN-84	AS	99		
		VALVE, HIGH PRESSURE OXYGEN LINE [VALIDATION DATE: 8709] REVIEWER: 11 ME	A 4820	AS	30-SEP-87	AV	AS	99	
		FUEL SYSTEM COMPONENTS, GENERAL SPECIFICATION FOR (ASG) USER: 79 REVIEWER: 99	A 2915	AS	03-SEP-86	AV	AS		
L	MIL-T-8619	TOWER, PARACHUTE DRYING [VALIDATION DATE: 8507] .....	A 5445	AS	15-JUL-53	AS			
L	MIL-B-8621A(1) MIL-V-8622B	BOARD, CHART, MARK 6A, MARK 6B & MARK 6C [VALIDATION DATE: 8303]	A 6605	AS	15-OCT-64	AS			
		VALVE, HIGH-PRESSURE, OXYGEN-CYLINDER AUTOMATIC OPENING (AERONAUTICAL USE) ASG REVIEWER: 11	A 4820	AS	01-OCT-82	AV	AS	99	
	MIL-A-8625E(1)	ANODIC COATINGS, FOR ALUMINUM AND ALUMINUM ALLOYS USER: AT ME REVIEWER: AR AV MI OS SH	A MFFP	AS	13-NOV-89	NR	AS	11	
A	MIL-S-8642E MIL-M-8650C(2) SUPPL 28, NOTICE 1 MIL-I-8651C	SURVIVAL KIT, INDIVIDUAL, TOOL [VALIDATION DATE: 8505] USER: AV MC	A 8465	CT	20-AUG-79	GL	AS	CT	
		MOCKUPS, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109] .....	A 6910	AS	24-SEP-91	AV	AS	11	
A		IDENTIFICATION AND MODIFICATION PLATES (FOR AIRCRAFT) INSTALLATION OF REVIEWER: 84	A 9905	AS	10-AUG-92	AV	AS	99	
DO	MIL-S-8660C(1) MIL-K-8662E(1) NOTICE 1 MIL-J-8667A	SILICONE COMPOUND, NATO CODE NUMBER S-736 USER: ME REVIEWER: ER MI OS YDI	A 6850	AS	01-APR-87	NR	AS	11	
		KNIFE, HUNTING, SHEATHED, SURVIVAL, PILOT'S [VALIDATION DATE: 9110] USER: CG REVIEWER: 11 74 85	A 7340	AS	24-OCT-91	GL	AS	99	
L		JET ASSISTED TAKE OFF SYSTEMS - DESIGN AND INSTALLATION OF, IN NAVAL AIRCRAFT [VALIDATION DATE: 8408] REVIEWER: 99	A 2845	AS	06-JAN-70	AS			
L	MIL-I-8670A NOTICE 1 MIL-I-8671C	INSTALLATION OF FIXED GUNS AND ASSOCIATED EQUIPMENT IN NAVAL AIRCRAFT [VALIDATION DATE: 8702]	A 1005	AS	26-FEB-87	AS			
L		INSTALLATION OF DROPPABLE STORES AND ASSOCIATED RELEASE SYSTEMS REVIEWER: AV	A 1095	AS	29-JUL-87	AS			
L	MIL-C-8678	COOLING REQUIREMENTS OF POWER PLANT INSTALLATIONS [VALIDATION DATE: 8410] REVIEWER: GS	A 6115	AS	19-JAN-54	AS			
	MIL-T-8679	TEST REQUIREMENTS, GROUND, HELICOPTER [VALIDATION DATE: 8205] .....	A 1520	AV	06-MAR-54	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Spec / OMA Classification	Document Number	Document Title	Doc. Syst. FSC / Issue	MCA Symbol Preceding Amt.	Date	Custodians			
						Army	Navy	Air Force	DA
	MIL-D-8683C	DESIGN AND INSTALLATION OF GASEOUS OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 71	A 1660	AS	05-FEB-88	AV	AS	11	
L	MIL-D-8684B	DATA AND TESTS, ENGINEERING, CONTACT REQUIREMENTS FOR AIR LAUNCHED GUIDED MISSILE SYSTEMS (VALIDATION DATE: 8303)	A 146P	AS	28-APR-67		AS		
L	MIL-D-8685B	DATA & TESTS, ENGINEERING, CONTRACT REQUIREMENTS FOR GUIDED MISSILE TARGET SYSTEMS (VALIDATION DATE: 8205) REVIEWER: MI	A 146P	AS	01-JUN-67		AS		
	MIL-P-8686	POWER UNITS, AIRCRAFT AUXILIARY, GAS-TURBINE-TYPE, GENERAL SPECIFICATION FOR (ASG) (VALIDATION DATE: 8509) REVIEWER: B2	A 2835	AS	04-NOV-55	AV	AS	99	
L	MIL-H-8689A MIL-S-8690B	NETWORK, PHASE DETECTING, CV-279/ARM (VALIDATION DATE: 8304) REVIEWER: ES STEEL, CHROME-NICKEL-MOLYBDENUM, 8620, BARS, AIRCRAFT QUALITY (VALIDATION DATE: 8407) USER: OS REVIEWER: 99 AR AT AV GL MI	A 5915 A 9510	AS AS	05-MAR-62 01-FEB-78		NR	11	
	MIL-I-866 A(1) MIL-I-8693 MIL-S-8698(1) MIL-S-8699A	INDICATOR, AZIMUTH, 10-307/ARM (ASG) (VALIDATION DATE: 8410) REVIEWER: 11 INDICATOR COUPLER CU-395/ARM-21A (VALIDATION DATE: 8509) ..... STRUCTURAL DESIGN REQUIREMENTS, HELICOPTERS (ASG) (VALIDATION DATE: 8205) STEEL BARS AND FORGING STOCK (4330) VANADIUM MODIFIED, AIRCRAFT QUALITY (VALIDATION DATE: 8508) REVIEWER: 15	A 6610 A 5826 A 1520 A 9510	AS AS AV AS	31-JAN-58 15-APR-55 28-FEB-58 22-JUL-57		AS AS AV NR	99 99 11	
	MIL-I-8700A(1)	INSTALLATION AND TEST OF ELECTRONIC EQUIPMENT IN AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 82 84 85	A MISC	AS	28-FEB-92	AV	AS	11	
Q	MIL-C-8703B	CHAIN ASSEMBLY, SINGLE LEG, 10,000 POUND CAPACITY, TYPE MA-1 USER: MI	A 1670	B2	09-SEP-83	GL	AS	99	
L	MIL-D-8708 MIL-S-8710B NOTICE 1	DEMONSTRATION: AIRCRAFT WEAPON SYSTEMS, GENERAL SPECIFICATION FOR STRAINER, AIRFRAME FUEL SYSTEM, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8910)	A 1510 A 2915	AS B2	12-AUG-91 03-OCT-89	AV	AS	99	
L	MIL-V-8712A	VALVE, AIR RELIEF, LOW PRESSURE(ASG) (VALIDATION DATE: 8410) REVIEWER: CS	A 4820	AS	08-OCT-65		AS		
L	MIL-C-8721 MIL-H-8775D(1)	MI CABLE, RADIO FREQUENCY, COAXIAL MINIATURE HYDRAULIC SYSTEM COMPONENTS, AIRCRAFT AND MISSILES GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: 71 MI	A 5995 A 1650	99 AS	13-SEP-54 28-JUL-76		AV AS	99 99	
Q	MIL-W-8777C	WIRE, ELECTRICAL, SILICONE INSULATED, COPPER, 600 VOLT, 200 DEG. C (VALIDATION DATE: 8608) USER: 14 17 MI REVIEWER: 15 MI	A 6145	B5	11-AUG-86	AV	AS	85	
	MIL-C-8779E(1) MIL-C-8783A	COLORS, INTERIOR, AIRCRAFT, REQUIREMENTS FOR ..... CLAMP, HOSE, FLAT BAND 500 DEG. F (VALIDATION DATE: 7908) REVIEWER: CS EA	A 15GP A 4730	AS B2	15-MAR-89 27-OCT-59	AV AR	AS	99	
	MIL-S-8784B	MI SEALING COMPOUND, ALUMINUM INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, LOW ADHESION, ACCELERATOR REQUIRED (VALIDATION DATE: 8207) USER: MC OS	A 8030	B4	12-APR-71	NR	AS	99	
	MIL-F-8785C NOTICE 1	FLYING QUALITIES OF PILOTED AIRPLANES (VALIDATION DATE: 9109) .....	A 15GP	AS	24-SEP-91	AV	AS		
Q	MIL-H-8788C(2)	HOSE, HYDRAULIC, HIGH PRESSURE REVIEWER: AV CS MI	A 4720	B2	30-MAY-90	ME	AS	99	
Q	MIL-F-8789C MIL-H-8790D	FITTING END, ATTACHABLE HYDRAULIC, HIGH PRESSURE HOSE REVIEWER: AV CS MI HOSE ASSEMBLY, RUBBER, HYDRAULIC, HIGH PRESSURE (3,000 PSI) REVIEWER: AV CS MI	A 4730 A 4720	B2 B2	01-DEC-81 30-DEC-81	ME ME	AS AS	99 99	
	MIL-R-8791D(1)	CS MI RETAINER, PACKING, HYDRAULIC, AND PNEUMATIC, TETRAFLUOROETHYLENE RESIN USER: ME SH REVIEWER: AR AV 15 MI	A 5330	B2	21-FEB-89	NR	AS	99	
	MIL-R-8791/1	RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUOROETHYLENE RESIN, (SINGLE TURN)	A 5330	B2	21-FEB-89	NR	AS	99	
Q	MIL-P-8793A(1)	PAINT, (GLOSS AND NONSPECULAR), FOR USE ON ELASTOMERIC PIGMENTED FILM (ASG) REVIEWER: MI OS	A 8010	AS	25-MAR-84		AS	99	
Q	MIL-H-8794D(1) MIL-H-8795D	HOSE, RUBBER, HYDRAULIC, FUEL AND OIL RESISTANT REVIEWER: AT AV CS MI HOSE ASSEMBLY, RUBBER, HYDRAULIC, FUEL AND OIL RESISTANT REVIEWER: AV CS	A 4720 A 4720	B2 B2	15-FEB-83 14-OCT-85	ME ME	AS AS	99 99	
MQ	MIL-H-8796C(1) MIL-S-8802F(3)	MI HOSE, AIRDUCT, FLEXIBLE, AIRCRAFT REVIEWER: CS SEALING COMPOUND, TEMPERATURE-RESISTANT, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, HIGH-ADHESION REVIEWER: 84 99 AR AT DS MI OS SH	A 4720 A 8030	AS 11	15-APR-83 03-MAY-93	AV NR	AS AS	99 11	
	MIL-D-8804A	DE-ICING SYSTEM, PNEUMATIC BOOT, AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8304) REVIEWER: 71 MI	A 1650	AS	26-SEP-58	AV	AS	99	
Q	MIL-S-8805D(3) SUPPL 1A	SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE AND PUSH (SNAP ACTION), GENERAL SPECIFICATION FOR USER: 19 MC OS SH REVIEWER: 99 AR AS AV ES MI	A 5930	EC	11-MAY-92	ER	EC	85	
M	MIL-S-8805/10(2)	SWITCHES, SENSITIVE, SPDT, UNSEALED USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH	A 5930	EC	23-APR-93	ER	EC	85	
	MIL-S-8805/2J NOTICE 1	SWITCHES, SENSITIVE, SPDT (VALIDATION DATE: 9107) USER: 19 MC MI OS REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	30-JUL-91	ER	EC	85	
	MIL-S-8805/3H(2)	SWITCHES, PUSH, 10 AMPERES OR LOW LEVEL, DUSTTIGHT USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS SH	A 5930	EC	30-APR-92	ER	EC	85	
	MIL-S-8805/4L	SWITCHES, SENSITIVE, SPDT, UNSEALED USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH	A 5930	EC	27-DEC-91	ER	EC	85	
	MIL-S-8805/5D(1) NOTICE 1	SWITCH, SENSITIVE, 4 CIRCUIT, 15 AMPERES, UNSEALED, LATCHING UNIT - MANUAL RESET (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	20-JUN-90	ER	EC	85	
	MIL-S-8805/7E	SWITCHES, SENSITIVE, MOMENTARY, 2 CIRCUIT OR SPST (10 AMPERES), UNSEALED USER: 19 AR MC MA REVIEWER: 99 AS AV OS SH	A 5930	EC	18-SEP-90	ER	EC	85	
	MIL-S-8805/8E NOTICE 1	SWITCHES, SENSITIVE, SPDT, LEAF ACTUATOR, LOW LEVEL TO 4 AMPS, HERMETIC SEAL (VALIDATION DATE: 9006) USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS SH	A 5930	EC	20-JUN-90	ER	EC	85	
	MIL-S-8805/11G NOTICE 1	SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 10 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS SH	A 5930	EC	20-JUN-90	ER	EC	85	
A	MIL-S-8805/14D(2)	SWITCH, SENSITIVE, MAINTAINED, 2 CIRCUIT, 10 AMPERES, UNSEALED USER: 19 MC MI REVIEWER: 99 AR AS ES	A 5930	EC	31-MAR-93	ER	EC	85	
	MIL-S-8805/15E(1) NOTICE 1	SWITCHES, SENSITIVE, MOMENTARY, 4 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	20-JUN-90	ER	EC	85	
	MIL-S-8805/16E(1) NOTICE 1	SWITCH, SENSITIVE, MAINTAINED, 4 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	20-JUN-90	ER	EC	85	
	MIL-S-8805/17E(1) NOTICE 1	SWITCH, SENSITIVE, MAINTAINED, 6 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	20-JUN-90	ER	EC	85	
	MIL-S-8805/18E(1) NOTICE 1	SWITCH, SENSITIVE, MOMENTARY, 6 CIRCUIT, 15 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	20-JUN-90	ER	EC	85	
	MIL-S-8805/19D NOTICE 1	SWITCHES, SENSITIVE-MOMENTARY, 2 CIRCUIT, 40 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 MC MI SH REVIEWER: 17 99 AR AS ES OS	A 5930	EC	20-JUN-90	ER	EC	85	
A	MIL-S-8805/20J	SWITCHES, PUSH, MOMENTARY, 2 CIRCUIT, UNSEALED AND SEALED USER: 19 AR MC REVIEWER: 99 AS AV ES OS	A 5930	EC	19-JAN-93	ER	EC	85	
I	MIL-S-8805/22C NOTICE 1	SWITCHES, SENSITIVE, SPDT, 5 AMPERES, UNSEALED (VALIDATION DATE: 9006) USER: 19 AV MC MI SH REVIEWER: 17 99 AR AS ES OS	A 5930	EC	20-JUN-90	ER	EC	85	
A	MIL-S-8805/23E(1)	SWITCH ASSEMBLIES, SENSITIVE, PUSH, MOMENTARY, 5 AMPERES, UNSEALED USER: 19 AR AS AV MC MI OS REVIEWER: 99 ES	A 5930	EC	31-MAR-93	ER	EC	85	
A	MIL-S-8805/25D(1)	SWITCH ASSEMBLY, SENSITIVE, PUSH, ALTERNATE, UNSEALED USER: 19 AR AS AV MC MI OS REVIEWER: 99 ES	A 5930	EC	31-MAR-93	ER	EC	85	
M	MIL-S-8805/26F(1)	SWITCH ASSEMBLIES, SENSITIVE, TOGGLE LEVER (WITH INTEGRAL LEAF), 5 AMPERES, UNSEALED USER: 19 AR MC REVIEWER: 99 AS AV ES MI	A 5930	EC	31-MAR-93	ER	EC	85	
A	MIL-S-8805/27C(1)	SWITCHES, SENSITIVE, 10 AMPERES AND LOW LEVEL, UNSEALED USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS SH	A 5930	EC	31-MAR-93	ER	EC	85	
	MIL-S-8805/28E NOTICE 1	SWITCH, SENSITIVE, MOMENTARY, SPDT, 7.5 AMPERES, UNSEALED (VALIDATION DATE: 9107) USER: 19 AV MC MI REVIEWER: 11 99 AR AS ES OS SH	A 5930	EC	30-JUL-91	ER	EC	85	
I	MIL-S-8805/29A	SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, 10 AMPERES, UNSEALED USER: 14 19 MC REVIEWER: 99 AR ES SH	A 5930	EC	19-JUN-92	ER	EC	85	
I	MIL-S-8805/30B NOTICE 1	SWITCH, SENSITIVE, SPDT, MOMENTARY, DOUBLE BREAK, DUSTTIGHT (VALIDATION DATE: 9006) USER: 19 MC MI SH REVIEWER: 17 AR AS ES OS	A 5930	EC	20-JUN-90	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OAL Condition Incidence	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-S-8805/31D NOTICE 1	SWITCH, SENSITIVE, DPDT, PLUNGER, 10 AMPERES, UNSEALED [VALIDATION DATE: 9107] USER: 19 MC MI SH REVIEWER: 17 AS ES OS	A 5930	EC	30-JUL-91	ER	EC		85
	MIL-S-8805/32F NOTICE 1	SWITCHES, SENSITIVE, SPDT, 7 AMPERES, WATERTIGHT [VALIDATION DATE: 9006] USER: 19 AV MC MI SH REVIEWER: 17 99 AR AS ES OS	A 5930	EC	20-JUN-90	ER	EC		85
	MIL-S-8805/34C NOTICE 1	SWITCHES, SENSITIVE-MAINTAINED, 2 CIRCUIT, 40 AMPERES, UNSEALED [VALIDATION DATE: 9006] USER: 19 AS AV MC MI REVIEWER: 17 99 AR ES OS SH	A 5930	EC	20-JUN-90	ER	EC		85
I	MIL-S-8805/35B	SWITCHES, PUSH, 2 CIRCUIT, ALTERNATE ACTION, 10 AMPERES, UNSEALED USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH	A 5930	EC	17-SEP-90	ER	EC		85
I	MIL-S-8805/36B	SWITCHES, PUSH, 2PDT, ALTERNATE ACTION, 10 AMPERES, UNSEALED USER: 19 AV MC MI SH REVIEWER: 99 AS ES OS	A 5930	EC	17-SEP-90	ER	EC		85
	MIL-S-8805/38L NOTICE 1	SWITCHES, PUSH, MOMENTARY, 4 CIRCUIT, 4 AMPERES OR LOW LEVEL, DUSTTIGHT [VALIDATION DATE: 9107] USER: 19 AS MC MI SH REVIEWER: 17 AR EA ES OS	A 5930	EC	30-JUL-91	ER	EC		85
A	MIL-S-8805/39E(1)	SWITCHES, SENSITIVE, LIMIT, PLUNGER, 7 AMPERES, RESILIENT SEAL, FLUID RESISTANT USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS SH	A 5930	EC	31-MAR-93	ER	EC		85
A	MIL-S-8805/40F(2)	SWITCHES, SENSITIVE, PLUNGER, RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES OS	A 5930	EC	31-MAR-90	ER	EC		85
	MIL-S-8805/41A NOTICE 1	SWITCH, SENSITIVE, DPDT, PLUNGER, 5 AMPERES, HERMETIC [VALIDATION DATE: 9006] USER: 14 19 MC REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	20-JUN-90	ER	EC		85
	MIL-S-8805/42B NOTICE 1	SWITCHES, SENSITIVE, SPDT, 6 AMPERES, WATERTIGHT [VALIDATION DATE: 9006] USER: 19 AV MC MI REVIEWER: 17 99 AR AS ES OS	A 5930	EC	20-JUN-90	ER	EC		85
A	MIL-S-8805/43G(1)	SWITCHES, SENSITIVE, LIMIT, PLUNGER, 7 AMPERES OR LOW LEVEL, RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES	A 5930	EC	31-MAR-93	ER	EC		85
	MIL-S-8805/44D NOTICE 1	SWITCHES, SENSITIVE, SPDT, 5 AMPERES, RESILIENT SEAL [VALIDATION DATE: 9006] USER: AR AS AV MC MI REVIEWER: 17 99 AS MC OS SH	A 5930	EC	20-JUN-90	ER	EC		85
	MIL-S-8805/45E NOTICE 1	SWITCHES, SENSITIVE, SPDT, 5 AMPERES, RESILIENT SEAL [VALIDATION DATE: 9006] USER: AR AS AV MC MI REVIEWER: 17 99 AS MC OS SH	A 5930	EC	20-JUN-90	ER	EC		85
	MIL-S-8805/46C(1) NOTICE 1	SWITCHES, SENSITIVE, LEAF, SPDT, HERMETIC [VALIDATION DATE: 9006] USER: 19 AR AS AT MC OS SH REVIEWER: 17 99 AV ES MI	A 5930	EC	20-JUN-90	ER	EC		85
	MIL-S-8805/47E NOTICE 1	SWITCHES, SENSITIVE, SPDT, LEVER, 25 AMPERES, HERMETIC [VALIDATION DATE: 9006] USER: 19 AS AV MC MI REVIEWER: 17 99 AR ES SH	A 5930	EC	20-JUN-90	ER	EC		85
A	MIL-S-8805/48F(1)	SWITCHES, SENSITIVE, LIMIT, ROLLER LEVER, SELF-RETURN, RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES OS	A 5930	EC	31-MAR-93	ER	EC		85
A	MIL-S-8805/49F(1)	SWITCHES, SENSITIVE, LIMIT, ROTARY LINKAGE LEVER (MONSELF-RETURN), RESILIENT SEAL, FLUID RESISTANT USER: 19 AV MC MI REVIEWER: 99 AR AS ES OS	A 5930	EC	31-MAR-93	ER	EC		85
M I	MIL-S-8805/50B	SWITCH, SENSITIVE, ROLLER-LEVER, WATERTIGHT USER: 19 AR MC REVIEWER: 99 AS ES GL MI OS SH	A 5930	EC	16-JUN-93	ER	EC		85
M I	MIL-S-8805/51B	SWITCH, SENSITIVE, ROLLER-LEVER, WATERTIGHT USER: 19 AR MC REVIEWER: 99 AS ES GL MI OS SH	A 5930	EC	16-JUN-93	ER	EC		85
M I	MIL-S-8805/53C	SWITCH, SENSITIVE, 4 CIRCUIT, ROLLER-LEVER, WATERTIGHT USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH	A 5930	EC	04-JUN-93	ER	EC		85
A	MIL-S-8805/55F	SWITCH, PUSH, MICROPHONE, DPST, NORMALLY OPEN, FOOT OPERATED, MOMENTARY, UNSEALED AND WATERTIGHT USER: 19 AS MC REVIEWER: 99 AR ES	A 5930	EC	26-FEB-93	ER	EC		85
A	MIL-S-8805/56E(1)	SWITCH ASSEMBLIES, SENSITIVE, INTERLOCK, UNSEALED USER: 19 AS AV MC MI OS REVIEWER: 99 AR ES	A 5930	EC	31-MAR-93	ER	EC		85
M I	MIL-S-8805/57C	SWITCH ACTUATOR, PLUNGER TYPE USER: 19 MC MI REVIEWER: 99 AR AS ES OS SH ..	A 5930	EC	16-JUN-93	ER	EC		85
M I	MIL-S-8805/58C	SWITCH ACTUATOR, EXTENDED PLUNGER TYPE USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS	A 5930	EC	16-JUN-93	ER	EC		85
M I	MIL-S-8805/59B	SWITCH ACTUATOR, ROLLER LEAF USER: 19 AS AV MC MI REVIEWER: 99 AR ES OS ...	A 5930	EC	16-JUN-93	ER	EC		85
I	MIL-S-8805/61B NOTICE 1	SWITCH, SENSITIVE, PLUNGER, SPDT, UNSEALED [VALIDATION DATE: 9006] USER: 19 MC MI REVIEWER: 17 99 AS ES OS	A 5930	EC	20-JUN-90	ER	EC		85
A LI	MIL-S-8805/62C(1) MIL-S-8805/65B	SWITCH, SENSITIVE, SPDT, MOMENTARY DUSTTIGHT REVIEWER: ES .....	A 5930	EC	31-MAR-93	ER	EC		85
		SWITCH, SENSITIVE, DPDT, PLUNGER, 5 AMPERES, RESILIENT SEAL USER: 19 MC REVIEWER: 99 AS ES MI SH	A 5930	EC	20-MAR-92	ER	EC		85
	MIL-S-8805/68G	SWITCHES, SENSITIVE, SPDT, 7 AMPERES, HERMETIC SEAL USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH	A 5930	EC	07-FEB-92	ER	EC		85
	MIL-S-8805/70G	SWITCHES, SENSITIVE, DPDT AND 4PDT, PLUNGER OR ROLLER, 7 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH	A 5930	EC	27-DEC-91	ER	EC		85
A	MIL-S-8805/72G(1)	SWITCHES, SENSITIVE, SPDT, PLUNGER, 7 AMPERES, HERMETICALLY SEALED CONTACTS, UNSEALED PLUNGER USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH	A 5930	EC	31-MAR-93	ER	EC		85
A	MIL-S-8805/73G(1)	SWITCHES, SENSITIVE, SPDT, PLUNGER, 7 AMPERES, HERMETICALLY SEALED CONTACTS, RESILIENT SEALED PLUNGER USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH	A 5930	EC	31-MAR-93	ER	EC		85
	MIL-S-8805/74H	SWITCHES, SENSITIVE, SPDT, PLUNGER OR ROLLER, 7 AMPERES, HERMETICALLY SEALED CONTACTS USER: 19 AR MC REVIEWER: 99 AS AV ES MI OS SH	A 5930	EC	27-DEC-91	ER	EC		85
	MIL-S-8805/76E	SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS SH	A 5930	EC	18-MAY-92	ER	EC		85
	MIL-S-8805/77F	SWITCHES, SENSITIVE, MOMENTARY, 4 CIRCUIT OR DPDT (10 AMPERES), UNSEALED USER: 19 AR MC REVIEWER: 99 AS AV OS SH	A 5930	EC	20-MAR-91	ER	EC		85
	MIL-S-8805/78A(1) NOTICE 1	SWITCH, SENSITIVE, MOMENTARY, 6 CIRCUIT OR 3PDT, UNSEALED [VALIDATION DATE: 9006] USER: 19 AV MC MI REVIEWER: 17 99 AR AS ES OS SH	A 5930	EC	20-JUN-90	ER	EC		85
M L	MIL-S-8805/80D(1) MIL-S-8805/82C(1) NOTICE 1	SWITCH, SENSITIVE, LIMIT, HERMETIC SEAL REVIEWER: 99 .....	A 5930	85	21-APR-93			85	
		SWITCHES, SENSITIVE, LEAF, SPDT, HERMETIC [VALIDATION DATE: 9006] USER: 19 AR AS AT MC OS SH REVIEWER: 17 99 AV ES MI	A 5930	EC	20-JUN-90	ER	EC		85
	MIL-S-8805/84C(1)	SWITCHES, SENSITIVE, WATERTIGHT, 10 AMPERES, DOUBLE BREAK USER: 19 AR AS AT MC OS REVIEWER: 99 AS ES MI SH	A 5930	EC	23-AUG-90	ER	EC		85
M L	MIL-S-8805/85C NOTICE 2	SWITCH, SENSITIVE, ROTARY (MON SELF RETURN), 4 AMPERES, RESILIENT SEAL [VALIDATION DATE: 9305] REVIEWER: 11 99	A 5930	85	21-MAY-93			85	
M L	MIL-S-8805/90D	SWITCH, SENSITIVE, LOW FORCE, SPDT, 10 AMPERES, UNSEALED .....	A 5930	EC	04-JUN-93	ER	EC		85
A	MIL-S-8805/92B(1)	SWITCH ASSEMBLIES, SENSITIVE, LEVER LOCK, 5 AMPERES, UNSEALED USER: 19 AR AS AV MC MI OS REVIEWER: 99 ES	A 5930	EC	31-MAR-93	ER	EC		85
A	MIL-S-8805/93B(2)	SWITCHES, TOGGLE, UNSEALED, 7.0 AMPERES USER: 19 AR MC REVIEWER: 99 AS AV ES MI	A 5930	EC	31-MAR-93	ER	EC		85
	MIL-S-8805/94A	SWITCH, SENSITIVE, SUBMINIATURE (0.100 X 0.300), SPDT, UNSEALED, 2 AMPERES AND LOW LEVEL USER: SH REVIEWER: ES MC MI	A 5930	AR	04-APR-91	AR	EC		
M	MIL-S-8805/95F	SWITCHES, PUSH, 2PDT, MOMENTARY, 1 AMPERE, UNSEALED USER: 19 AR AS MC OS SH REVIEWER: 99 AV ES	A 5930	EC	04-JUN-93	ER	EC		85
A	MIL-S-8805/96C(1)	SWITCHES, PUSH, MOMENTARY, SPST, 5 AMPERES USER: 19 AV MC MI REVIEWER: 99 AR AS ES SH	A 5930	EC	31-MAR-93	ER	EC		85
M L	MIL-S-8805/98C(1)	SWITCHES, SENSITIVE SWITCH ASSEMBLY, TOGGLE, 7 AMPERES, PAMEL SEAL, TOGGLE SEAL REVIEWER: 99	A 5930	85	21-APR-93			85	
M L	MIL-S-8805/99F	SWITCHES, PUSH, 2 CIRCUIT AND DPDT, ALTERNATE AND MOMENTARY ACTION, 2 AMPERES, WATERTIGHT REVIEWER: 99 ES	A 5930	85	07-MAY-93			85	
M L	MIL-S-8805/100D(1) NOTICE 2	SWITCH, SENSITIVE, PLUNGER, 10 AMPERES, 2PDT AND 7 AMPERES, 4PDT, RESILIENT SEAL [VALIDATION DATE: 9305] REVIEWER: 11 99	A 5930	85	21-MAY-93			85	
L	MIL-S-8805/101F	SWITCHES, SENSITIVE, 2 CIRCUIT (5 AMPERES) OR SPST (8 AMPERES), UNSEALED, LOW LEVEL SWITCHING, FORM C OR FORM Z	A 5930	EC	12-FEB-92			EC	
L	MIL-S-8805/104A(4) NOTICE 1	SWITCHES, SENSITIVE, PLUNGER, 7 AMPERES, 4PDT, RESILIENT SEAL, GROUNDED PLUNGER [VALIDATION DATE: 8809] REVIEWER: 99 ES	A 5930	85	30-SEP-88			85	
M L	MIL-S-8805/106 NOTICE 2	SWITCH, SENSITIVE, SPDT, LOW LEVEL TO 2 APPS, 400 DEG. F, UNSEALED [VALIDATION DATE: 9305] REVIEWER: 11 99	A 5930	85	21-MAY-93			85	
M L	MIL-S-8805/107A NOTICE 2	SWITCHES, PUSH, MOMENTARY AND PUSH PULL, 10 AMPERES, DUSTTIGHT [VALIDATION DATE: 9305] REVIEWER: 11 99	A 5930	85	21-MAY-93			85	
L	MIL-S-8805/109A	SWITCHES, SENSITIVE, SPDT, UNSEALED, 7 AMPERES 0.156 WIDTH BASE .....	A 5930	EC	12-FEB-92			EC	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active OR / ORA Cancellation Inactive	Document Number	Document Title	Dist. Sym. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
A L	MIL-S-8805/1108(1)	SWITCHES, PUSHBUTTON, MOMENTARY 5 AMPERES AND LOW LEVEL, MINIATURE, DUSTTIGHT OR WATERTIGHT	A 5930	EC	05-JAN-93	EC			
	MIL-S-8805/111	SWITCH ASSEMBLIES, SENSITIVE, TRIGGER, 7 AMPERES, UNSEALED [VALIDATION DATE: 9006] USER: 82 REVIEWER: 17 99 AS AV ES MI OS	A 5930	EC	20-JUN-90	ER	EC	85	
L	MIL-S-8805/114A MIL-A-8806A(1)	SWITCH ASSEMBLY, SENSITIVE, ROLLER PLUNGER, SPDT, 7 AMPERES RESILIENT SEAL ACOUSTICAL NOISE LEVEL IN AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8303] USER: CS MC REVIEWER: ME TE	A 5930 A 1500	AT AS	08-MAY-86 11-JUL-66	AT AV	AS	11	
A	MIL-T-88088 NOTICE 2 MIL-H-88108 NOTICE 1 MIL-S-88120(1)	TUBING, STEEL, CORROSION-RESISTANT (18-8 STABILIZED), AIRCRAFT HYDRAULIC QUALITY [VALIDATION DATE: 9302] USER: AR REVIEWER: 99 AV EA ME SH HANDLES, CONTROL, AIRCRAFT [VALIDATION DATE: 9103] .....	A 4710 A 1680	11 82	08-FEB-93 15-MAR-91	AV	AS	11 99	
Q	MIL-V-8813(2)	STEERING SYSTEM, AIRCRAFT GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8207] REVIEWER: 99	A 1620	AS	11-FEB-77	AV	AS		
Q	MIL-R-8814A(1) MIL-F-8815D SUPPL 1A	VALVE, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE 11 SYSTEMS (ASG) REVIEWER: CS MI	A 4820	AS	30-JUL-81	AV	AS	99	
	MIL-F-8815/1A NOTICE 1	RIVETS, BLIND, NONSTRUCTURAL TYPE USER: SH REVIEWER: AR IS MI .....	A 5320 A 1650	AS AS	15-APR-92 27-SEP-76	AS	99		
	MIL-F-8815/2A NOTICE 1	FILTER & FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON ABSOLUTE & 5 MICRON ABSOLUTE, TYPE 11 SYSTEMS GENERAL SPECIFICATION FOR [VALIDATION DATE: 8203] REVIEWER: 71 CS MI SH	A 1650	AS	24-SEP-91	AV	AS	11	
	MIL-F-8815/3B NOTICE 1	FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 99 MI SH	A 1650	AS	24-SEP-91	AV	AS	11	
	MIL-F-8815/4A NOTICE 1	FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 SH	A 1650	AS	24-SEP-91	AV	AS	11	
	MIL-F-8815/5A NOTICE 1	FILTER ELEMENT, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRONS, -65 DEGREES F TO PLUS 275 DEGREES F REVIEWER: 71 MI	A 1650	AS	16-JAN-81	AV	AS	11	
	MIL-F-8815/6B NOTICE 1	FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE A, BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 SH	A 1650	AS	24-SEP-91	AV	AS	11	
	MIL-F-8815/7B NOTICE 1	FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 5 MICRON, STYLE B, NON BYPASS, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 99 MI SH	A 1650	AS	24-SEP-91	AV	AS	11	
L	MIL-F-8815/8B NOTICE 1	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F [VALIDATION DATE: 9109] REVIEWER: 71 99 MI SH	A 1650	AS	24-SEP-91	AV	AS	11	
L	MIL-F-8815/9A	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, 0.5 TO 12.0 GPM [VALIDATION DATE: 9109] REVIEWER: 99 MI	A 1650	AS	15-AUG-86				
L	MIL-F-8815/10B	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 1.5 GPM [VALIDATION DATE: 8608]	A 1650	AS	14-OCT-76				
L	MIL-F-8815/11A	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 3.5 GPM [VALIDATION DATE: 8304]	A 1650	AS	04-APR-78				
L	MIL-F-8815/12B	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM [VALIDATION DATE: 8406]	A 1650	AS	14-OCT-76				
L	MIL-F-8815/18A NOTICE 1	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM (HIGH CAPACITY) [VALIDATION DATE: 8304]	A 1650	AS	04-APR-78				
L	MIL-F-8815/19	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 32 GPM [VALIDATION DATE: 8406]	A 1650	AS	24-SEP-91				
L	MIL-F-8815/20	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 4.5 GPM [VALIDATION DATE: 8304]	A 1650	AS	14-OCT-76				
L	MIL-F-8815/21A	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, F4 AIRCRAFT, 3.5 GPM [VALIDATION DATE: 8304]	A 1650	AS	14-OCT-76				
L	MIL-F-8815/22A NOTICE 1	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AIRCRAFT, 12 GPM [VALIDATION DATE: 9109]	A 1650	AS	30-JAN-80				
L	MIL-F-8815/23	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, MINUS 65 TO PLUS 275 DEG. F, F14 AIRCRAFT, 30 GPM	A 1650	AS	24-SEP-91				
L	MIL-F-8815/24A NOTICE 1	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, F14 AND F-18 AIRCRAFT, 84 GPM [VALIDATION DATE: 9109]	A 1650	AS	24-SEP-91				
L	MIL-F-8815/25 NOTICE 1	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 15 MICRON ABSOLUTE, -65 DEG. TO +275 DEG. F, P3 AIRCRAFT, RUDDER, 4 GPM [VALIDATION DATE: 9109]	A 1650	AS	24-SEP-91				
L	MIL-F-8815/26 NOTICE 1	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 25 MICRON ABSOLUTE, P3 AIRCRAFT, CASE DRAIN, 2 GPM [VALIDATION DATE: 9109]	A 1650	AS	24-SEP-91				
L	MIL-F-8815/27 NOTICE 1	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, P3 AIRCRAFT, RETURN, 14 GPM [VALIDATION DATE: 9109]	A 1650	AS	28-SEP-91				
L	MIL-F-8815/28(1) NOTICE 1	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 3000 PSI, 5 MICRON ABSOLUTE, -65 DEG. TO +160 DEG. F, P3 AIRCRAFT, PUMP OUTLET, 8 GPM [VALIDATION DATE: 9109]	A 1650	AS	09-MAR-83	AV	AS	99	
Q	MIL-B-8831B(1) SUPPL 1A MIL-B-8831/1	BOLT, 180 KSI FTU & 180 KSI FSU, 450 DEG F PROTRUDING & FLUSH HEAD, GENERAL SPECIFICATION FOR REVIEWER: 82	A 5306	AS	23-AUG-82	AV	AS	11	
	MIL-B-8831/2	BOLT, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, RELIABILITY & MAINTAINABILITY REQUIREMENTS FOR	A 5306	AS	23-AUG-82	AV	AS	11	
	MIL-B-8831/3	BOLT, 100 DEG REDUCED FLUSH HEAD, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU	A 5306	AS	23-AUG-82	AV	AS	11	
	MIL-B-8831/4	BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KSI FTU	A 5306	AS	23-AUG-82	AV	AS	11	
	MIL-B-8831/5	BOLT, 100 DEG REDUCED FLUSH HEAD, LOW INTERFERENCE, STRAIGHT SHANK, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 108 KSI FSU	A 5306	AS	23-AUG-82	AV	AS	11	
	MIL-S-8834F(3) NOTICE 1	BOLT, PROTRUDING HEAD, EXTERNAL WRENCHING, STRAIGHT SHANK, LOW INTERFERENCE, EXPANDABLE ALUMINUM ALLOY SLEEVE, ALLOY STEEL PIN, 180 KSI FTU	A 5306	AS	23-AUG-82	AV	AS	11	
D	MIL-I-8835A NOTICE 1 MIL-C-8837B(1)	SWITCHES, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR USER: AR REVIEWER: 17 99 AT AV EC ES MI	A 5930	85	07-APR-89	ER	AS	85	
	MIL-F-8839A MIL-S-8840B(1)	INDICATOR, HUMIDITY, CARD, CHEMICALLY IMPREGNATED [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 82 AT GS MI YOI	A 6685	AS	24-OCT-91		AS	99	
	MIL-S-88440(1)	COATING, CADMIUM (VACUUM DEPOSITED) USER: AT SH REVIEWER: 99 AR ER IS MI OS	A MFFP	AS	16-APR-85	MR	AS	11	
A	MIL-I-8846C	FITTINGS, LUBRICATION DRIVE TYPE USER: CE MC REVIEWER: 82 AR AT MI OS SH ..	A 4730	AS	23-DEC-88	AV	AS	99	
	MIL-M-8856B(1) MIL-A-8861B MIL-A-8863B	STEEL SHEET AND STRIP, CORROSION-RESISTANT, PRECIPITATION HARDENING (AK350 AND AK355), PREMIUM QUALITY [VALIDATION DATE: 8407] REVIEWER: IS	A 9515	AS	29-SEP-78	MR	AS	11	
		STEEL BAR, REFORMING STOCK, AND MECHANICAL TUBING, LOW ALLOY, PREMIUM QUALITY	A 9510	AS	01-DEC-90	MI	AS	11	
		INSERTS, SCREW-THREAD, HELICAL COIL USER: AT CR GL ME SH REVIEWER: AR EA	A 5340	82	18-AUG-92	AV	AS	99	
		MISSILES, GUIDED, STRUCTURAL INTEGRITY GENERAL SPECIFICATION FOR .....	A 1410	AS	22-JUL-91	MI	AS		
		AIRPLANE STRENGTH AND RIGIDITY FLIGHT LOADS .....	A 1510	AS	07-FEB-86				
		AIRPLANE STRENGTH AND RIGIDITY GROUND LOADS FOR NAVY PROCURED AIRPLANES ...	A 1510	AS	06-MAY-86				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OLA Coordination Machine Document Number		Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency		Date	Custodians			
						Army	Navy	Air Force	OLA
	MIL-A-8866C	AIRPLANE STRENGTH AND RIGIDITY RELIABILITY REQUIREMENTS, REPEATED LOADS, FATIGUE AND DAMAGE TOLERANCE	A 1510	AS	20-MAY-87				AS
A L	MIL-A-8867C(1)	AIRPLANE STRENGTH AND RIGIDITY GROUND TESTS	A 1510	AS	25-MAR-93				AS
L	MIL-A-8868B(1)	AIRPLANE STRENGTH AND RIGIDITY DATA AND REPORTS	A 1510	AS	24-MAY-91				AS
	MIL-A-8869B	AIRPLANE STRENGTH AND RIGIDITY SPECIAL WEAPONS EFFECTS (SUPERSEDES MIL-A-8629 IN PART AND MIL-A-5700 SERIES IN PART)	A 1510	AS	20-MAY-87				AS
A L	MIL-A-8870C	AIRPLANE STRENGTH AND RIGIDITY VIBRATION, FLUTTER, AND DIVERGENCE	A 1510	AS	25-MAR-93				AS
Q	MIL-T-8878C(1)	TURNBUCKLES, POSITIVE SAFETYING REVIEWER: 15 MC ME	A 5340	B2	30-OCT-87	AV	AS	99	
A	MIL-S-8879C(1)	SCREW THREADS, CONTROLLED RADIUS ROOT WITH INCREASED MINOR DIAMETER, GENERAL SPECIFICATION FOR USER: AT ME REVIEWER: AV 15 MI SH	A THDS	11	02-SEP-92	AR	AS	11	
	MIL-E-8881A	ENCLOSURE, ELECTROMAGNETIC SHIELDING, DEMOUNTABLE, PREFABRICATED GENERAL SPECIFICATION FOR [VALIDATION DATE: 8103] USER: 17 MC REVIEWER: CS MI	A 4940	AS	31-JAN-64	EL	AS	99	
	MIL-V-8883B(2)	VALVE, INLET, LIFE RAFT [VALIDATION DATE: 8706] REVIEWER: AV	A 4220	AS	23-JUN-87	MD	AS	11	
	NOTICE 1 MIL-H-8890	HYDRAULIC COMPONENTS, TYPE 111 (-65 DEG TO PLUS 450 DEG F) GENERAL SPECIFICATION FOR (ASG) [VALIDATION DATE: 8009] REVIEWER: 71	A 1650	AS	01-NOV-61		AS	99	
	MIL-H-8891A	HYDRAULIC SYSTEMS, MANNED FLIGHT VEHICLES, TYPE 111 DESIGN, INSTALLATION AND DATA REQUIREMENTS FOR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8406] REVIEWER: 71 AV	A 1650	AS	23-JAN-78		AS	99	
D	MIL-F-8901E	FILTER SEPARATORS, LIQUID FUEL, AND FILTER COALESCE ELEMENTS, FLUID PRESSURE, INSPECTION REQUIREMENTS AND TEST PROCEDURES FOR USER: AT AV SH YDI REVIEWER: 99 CS	A 4330	ME	06-JUN-80	ME	AS	11	
Q	MIL-R-8903A	RESISTOR, VARIABLE, LINEAR PRECISION, TAPPABLE (ASG) [VALIDATION DATE: 8503] REVIEWER: 99 ES MI	A 5905	AS	14-FEB-66		AS	85	
	MIL-F-8905B(1)	FITTINGS AND CARGO RINGS, TIEDOWN, AIRCRAFT FLOOR USER: B2 99 ME REVIEWER: AV CS	A 1670	AS	24-MAY-82	GL	AS		
Q	MIL-B-8906C	BOLT, ALLOY STEEL, SHEAR + TENSILE, (132 KSI FSU + 220 KSI FTU, 450 DEG. F), GENERAL SPECIFICATION FOR USER: MI REVIEWER: B2 AR 15	A 5306	AS	12-MAY-86	AV	AS	11	
	MIL-B-008906B	BOLT, ALLOY STEEL AND INCONEL 718 SHEAR AND TENSION, (132 KSI FSU AND 220 KSI FTU)	A 5306	AS	12-MAY-86		AS		
	MIL-B-8906/2A NOTICE 1	BOLTS, SHEAR, STEEL, 132 KSI FSU, 450 DEG. F [VALIDATION DATE: 9109] REVIEWER: 99 15	A 5306	AS	24-SEP-91	AV	AS	11	
Q	MIL-B-8907A	BOLT, ALLOY STEEL, SHEAR + TENSILE (156 KSI FSU + 260 KSI FTU, 450 DEG. F) EXTERNAL WRENCHING, FLANGED HEAD USER: MI REVIEWER: 99 AT 15	A 5306	AS	15-AUG-83	AV	AS	11	
L	MIL-H-008910A(2)	MANUALS, TECHNICAL, ILLUSTRATED PARTS BREAKDOWN, PREPARATION OF [VALIDATION DATE: 9110]	A THSS	AS	09-OCT-91		AS		
AQ	MIL-B-8914B(3)	BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTIFRICTION USER: CG MC REVIEWER: 84 AV 15 ME	A 3110	AS	21-DEC-89	AT	AS	99	
	MIL-H-8917A NOTICE 1	MAGNESIUM ALLOY SHEET AND PLATE (MM21A-78) (ASG) [VALIDATION DATE: 8803] ..	A 9535	11	04-MAR-88		AS	11	
Q	MIL-H-8922A MIL-H-8922/1A	NUT, SELF LOCKING ALLOY STEEL, 220 KSI FTU, 450 DEG F, REVIEWER: B2 15 ....	A 5310	AS	23-MAY-88	AV	AS	99	
	MIL-R-8931(1)	NUT, SELF-LOCKING, ASSEMBLED WASHER, ALLOY STEEL, 220 KSI FTU, 450 DEG. F, (12-SPLINE WRENCHING ELEMENT) REVIEWER: 11 B2	A 5310	AS	25-JUL-88	AV	AS	99	
	MIL-S-8932A NOTICE 2	RESERVOIRS, AIRCRAFT AND MISSILE, HYDRAULIC, SEPARATED TYPE [VALIDATION DATE: 8406] REVIEWER: 99 MI	A 1650	AS	10-MAY-72	AV	AS		
	MIL-S-8932/1 NOTICE 2	SWITCHES, PRESSURE, AIRCRAFT, GENERAL SPECIFICATION FOR	A 1650	AS	09-SEP-91	AV	AS	99	
	MIL-S-8932/2 NOTICE 2	SWITCHES, PRESSURE, AIRCRAFT, ABSOLUTE, TYPES I AND II, CLASS 1	A 1650	AS	09-SEP-91	AV	AS		
	MIL-S-8932/3 NOTICE 2	SWITCHES, PRESSURE, AIRCRAFT, DIFFERENTIAL, TYPES I AND II, CLASS 2	A 1650	AS	09-SEP-91	AV	AS		
	MIL-S-8932/4 NOTICE 2	SWITCHES, PRESSURE, AIRCRAFT, GAGE, TYPE I AND II, CLASS 3	A 1650	AS	09-SEP-91	AV	AS		
L	MIL-H-8939A	SWITCHES, PRESSURE, AIRCRAFT, APPROXIMATE GAGE, TYPES I AND II, CLASS 4	A 1650	AS	09-SEP-91	AV	AS		
Q	MIL-B-8942A(2)	WELDING, RESISTANCE, ELECTRONIC CIRCUIT MODULES	A 3439	MI	20-JUL-90	MI			
Q	MIL-B-8943A(3)	BEARINGS, PLAIN, TFE LINED, SELF ALIGNING [VALIDATION DATE: 8403] REVIEWER: 84 15	A 3120	AS	10-FEB-78	AT	AS	99	
D	MIL-P-8944A(1)	BEARING, JOURNAL PLAIN AND FLANGED, TFE LINED [VALIDATION DATE: 8403] REVIEWER: 84	A 3120	AS	10-FEB-78	AV	AS	99	
D	MIL-P-8945A	PANEL, AIRPORT LIGHTING CONTROL, GENERAL SPECIFICATION FOR USER: YDI REVIEWER: 11 GS	A 6210	B2	16-DEC-83		AS	99	
Q	MIL-B-8948A(1)	PANEL, RELAY, PILOT, ENCLOSED, AIRPORT LIGHTING [VALIDATION DATE: 8311] REVIEWER: 11 GS YDI	A 6110	AS	23-AUG-77		AS		
	MIL-S-8949 NOTICE 1	BEARING, PLAIN, ROD END, TFE LINED, SELF-ALIGNING [VALIDATION DATE: 8403] REVIEWER: 84 15	A 3120	AS	10-FEB-78	AV	AS	99	
Q	MIL-B-8952A(1)	STEEL BARS, PLATES, SHEETS, BILLETS, AND REFORGING STOCK TYPE 06AC [VALIDATION DATE: 8803] REVIEWER: 15 MI	A 9515	11	15-MAR-88		AS	11	
Q	MIL-B-8954B(1)	BEARING, ROLLER, ROD END, ANTIFRICTION SELF-ALIGNING REVIEWER: 84 15 .....	A 3110	AS	21-DEC-89	AT	AS	99	
	MIL-W-8957A NOTICE 2	BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS GENERAL SPECIFICATION FOR (ASG) REVIEWER: GS	A 6210	B2	04-AUG-78		AS	99	
	MIL-W-8958	WIRE, STEEL, CARBON HIGH STRENGTH REVIEWER: 15	A 9505	AR	13-MAY-66	AR		11	
	MIL-S-8959(1) NOTICE 1	WIRE, STEEL, CORROSION-RESISTANT, HIGH STRENGTH (AM 355) [VALIDATION DATE: 8505] REVIEWER: 15	A 9505	11	15-MAY-67		AS	11	
AQ	MIL-F-8961A	SPRING, HYDRAULIC: GENERAL SPECIFICATION FOR [VALIDATION DATE: 8909] .....	A 1620	70	27-SEP-89		AS	99	
	MIL-B-8964	FASTENER ELEMENT, SELF-LOCKING, EXTERNALLY THREADED, 450 DEG. F AND 1,200 DEG. F REVIEWER: B2 AR EA 15 MI OS	A 53GP	AS	28-SEP-92	AV	AS	99	
	MIL-V-8965B MIL-G-8968	BERYLLIUM SHEET, AND PLATE, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8104] REVIEWER: 99	A 9535	AS	17-JAN-69		AS	11	
	MIL-E-8970	VALVE CORE, OXYGEN, HIGH PRESSURE REVIEWER: 71	A 1660	AS	14-DEC-90		AS	11	
Q	MIL-E-8971B	GENERATING PLANT, OXYGEN-NITROGEN, TRAILER MOUNTED A/M 26U-1 [VALIDATION DATE: 8401] REVIEWER: GS	A 3055	AS	01-SEP-69		AS	99	
A	MIL-T-8973 NOTICE 1	ENGINE AND RELATED PROPULSION AND POWER EQUIPMENT, AIRCRAFT, ACCEPTANCE TESTS OF, SAMPLING PLAN FOR, STATISTICAL [VALIDATION DATE: 8205]	A MISC	AS	09-OCT-67		AS	11	
	MIL-I-8974A(1)	ELECTRODES, GRAPHITE, SPECTROSCOPIC GRADE USER: AT ME MI REVIEWER: 99 AR ER GS	A 5977	B5	23-OCT-91		AS	85	
	MIL-I-8974/2B NOTICE 1	TUBING, STEEL, CORROSION AND HEAT RESISTANT, FOR AEROSPACE VEHICLE HYDRAULIC SYSTEMS ASSEMBLED BY BRAZING [VALIDATION DATE: 9302] REVIEWER: 82	A 4710	11	08-FEB-93		AS	11	
	MIL-F-8975/1A NOTICE 1	INDICATOR, EVENT COUNTING, GENERAL SPECIFICATION FOR USER: SH REVIEWER: 71	A 6620	AS	02-MAY-88		AS	99	
	MIL-F-8975/2A	INDICATOR, EVENTS, MINIATURE, DIGITAL, 28 VDC [VALIDATION DATE: 9110] USER: SH REVIEWER: 71	A 6620	AS	15-OCT-91		AS	99	
	MIL-F-8975/3A	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL & TITANIUM, GENERAL SPECIFICATION FOR REVIEWER: B2 AR 15 MI OS SH	A 5320	AS	27-MAY-88	AV	AS	99	
		FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT AND HEAT RESISTANT STEEL AND TITANIUM, DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 9109] REVIEWER: 99 AR 15	A 5320	AS	24-SEP-91	AV	AS	11	
		FASTENER (BOLTS), BLIND, HIGH STRENGTH, CORROSION RESISTANT AND HEAT RESISTANT STEEL, FLUSH HEAD REVIEWER: 99 AR 15	A 5320	AS	29-SEP-82	AV	AS	11	
		FASTENERS, BLIND, TITANIUM, FLUSH HEAD, TYPE 2, CLASS 2 REVIEWER: 99 AR 15	A 5320	AS	29-SEP-82	AV	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Coordination Inhouse Document Number	Document Title	Doc. Smt. FAC Area MCA Symbol Proposing Agency	Date	Custodian Army Navy Air Force DLA
MIL-F-8975/4A(1)	FASTENERS, BLIND, HIGH STRENGTH, CORROSION RESISTANT & HEAT RESISTANT STEEL PROTRUDING HEAD, TYPE 2 CLASS 1 REVIEWER: 99 AR IS	A 5320	AS 15-OCT-85	AV AS 11
MIL-F-8975/5A	FASTENERS, BLIND, TITANIUM, PROTRUDING HEAD TYPE 2 CLASS 2 REVIEWER: 99 IS	A 5320	AS 29-SEP-82	AV AS 11
MIL-F-8975/6	FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE 1, CLASS 2	A 5320	AS 06-JUN-88	AV AS 99
MIL-F-8975/7	FASTENERS, BLIND, HIGH STRENGTH, TITANIUM/CRES, FLUSH HEAD, TYPE 1, CLASS 2 REVIEWER: 82 AR IS MI OS SH	A 5320	AS 06-JUN-88	AV AS 99
Q MIL-B-8976(2)	BEARING, PLAIN, SELF-ALIGNING, ALL-METAL REVIEWER: 84 IS	A 3120	AS 11-FEB-82	AV AS 99
MIL-W-89820(1)	WRENCHES, SPLINED, HIGH STRENGTH, THIN WALL, GENERAL SPECIFICATION FOR REVIEWER: GL	A 5120	AS 23-SEP-91	AV AS 99
SUPPL 1A	WRENCH, SPLINED SOCKET, SQUARE DRIVE, HIGH STRENGTH, THIN WALL REVIEWER: AR GL	A 5120	AS 27-FEB-89	AV AS 99
MIL-W-8982/1A	WRENCH, BOX, SPLINED, HIGH STRENGTH, THIN WALL REVIEWER: AR GL	A 5120	AS 27-FEB-89	AV AS 99
MIL-W-8982/2A	WRENCH, TORQUE ADAPTER, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL REVIEWER: GL	A 5120	AS 27-FEB-89	AV AS 99
MIL-W-8982/3A	WRENCH, BOX, RATCHETING, SPLINED, HIGH STRENGTH, THIN WALL REVIEWER: 99 AR GL	A 5120	AS 06-JUN-86	AV AS 11
MIL-W-8982/4	WRENCH, UNIVERSAL SOCKET, SPLINED, SQUARE DRIVE, HIGH STRENGTH, THIN WALL REVIEWER: 99 AR GL	A 5120	AS 06-JUN-86	AV AS 11
MIL-W-8982/5	WRENCH, COMBINATION BOX & OPEN END, HIGH STRENGTH, THIN WALL REVIEWER: 99 AR GL	A 5120	AS 06-JUN-86	AV AS 11
MIL-W-8982/6	ELECTRONIC EQUIPMENT, AEROSPACE, EXTENDED SPACE ENVIRONMENT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9209]	A MISC	19 04-SEP-92	19
A L DOD-E-8983C	MUT. SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG. F [VALIDATION DATE: 8907]	A 5310	AS 31-JUL-89	AV AS 99
Q MIL-N-8984	USER: MI REVIEWER: 82 AT IS	A 5310	AS 30-NOV-76	AV AS 99
Q MIL-N-8985(1)	MUT. SELF-LOCKING STEEL, 180 KSI FTU, 450 DEGREE F [VALIDATION DATE: 8310]	A 5310	AS 23-SEP-91	AV AS 11
MIL-N-8985/2	USER: MI REVIEWER: 82 AT IS	A 5310	AS 31-JUL-89	AV AS 99
NOTICE 1	MUTS, SHEAR, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F [VALIDATION DATE: 9109] REVIEWER: 82 IS	A 5310	AS 31-JUL-89	AV AS 99
MIL-N-8985/3	MUT, CAPTIVE WASHER, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, (12-SPLINE) WRENCHING ELEMENT [VALIDATION DATE: 8907]	A 5310	AS 31-JUL-89	AV AS 99
QL MIL-L-9000H	LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL TABEL, CYHO INSTRUMENT TESTING, TYPE MA-1	A 9150	SH 16-SEP-87	SH
MIL-T-90268(2)	SANDWICH CONSTRUCTION; PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND HONEYCOMB CORE FOR AIRCRAFT STRUCTURAL AND ELECTRONIC APPLICATIONS [VALIDATION DATE: 9110] USER: AR ME REVIEWER: 84	A 4920	82 07-FEB-86	AV 99
MIL-T-9046J(2)	TITANIUM AND TITANIUM ALLOY, SHEET, STRIP AND PLATE [VALIDATION DATE: 9105] USER: GL REVIEWER: 99 AR AV IS MI OS SH	A 5680	AS 24-OCT-91	AV AS 11
NOTICE 1	TITANIUM AND TITANIUM ALLOY BARS (ROLLED OR FORGED) AND REFORGING STOCK, AIRCRAFT QUALITY [VALIDATION DATE: 9302] USER: AV REVIEWER: 84 99 AR IS MI SH	A 9535	AS 25-MAY-91	MR AS 11
A MIL-T-9047G(2)	WEBBING, TEXTILE, NYLON, LOCKING LOOP REVIEWER: 99 CT	A 9530	11 08-FEB-93	MR AS 11
NOTICE 1	VALVE, OXYGEN, PRESSURE RELIEF, AIRCRAFT USER: AV REVIEWER: CS	A 1670	11 13-NOV-90	AS 11
Q MIL-W-90490	ADHESIVE BONDING, PROCESS AND INSPECTION REQUIREMENTS FOR [VALIDATION DATE: 8509] USER: ME REVIEWER: AR MI	A 4820	71 05-NOV-86	AS 99
MIL-V-9050E(1)	CLOTH, LAMINATED, SATEN, RUBBERIZED REVIEWER: ME	A 8040	AS 23-FEB-79	AV AS
MIL-A-9067C(1)	COMPUTER & TRANSMITTER, TRUE AIRSPEED, PITOT STATIC, 150-900 KNOTS, TYPE MA-1	A 8305	CT 12-NOV-87	GL CT
NOTICE 1	ANTENNA, LIAISON COMMUNICATIONS EQUIPMENT, GENERAL SPECIFICATION FOR DESIGN OF [VALIDATION DATE: 8802] REVIEWER: 85 ES	A 6610	71 19-JUN-87	99
Q MIL-C-9074C	CONVERTER, OXYGEN, AIRCRAFT, LIQUID TO GASEOUS, GENERAL SPECIFICATION FOR REVIEWER: AS	A 5985	11 26-FEB-88	11
NOTICE 1	CLOTH, GLASS, FINISHED, FOR RESIN LAMINATES [VALIDATION DATE: 8304] USER: 45 MC ME REVIEWER: 99 DS EA MI MR SH	A 1660	71 23-DEC-87	99
QL MIL-C-9075A(3)	ARRESTER, LIGHTNING, GENERAL SPECIFICATION FOR DESIGN OF REVIEWER: 99 ES MI	A 8305	CT 09-JUN-70	EL AS 11 CT
L MIL-A-9080	ARRESTER, AIRCRAFT LIGHTNING REVIEWER: 11 99 ES	A 5920	85 13-FEB-87	AS 85
NOTICE 1	ARRESTER, LIGHTING (AIRCRAFT) [VALIDATION DATE: 8206] REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
L MIL-C-9082H(1)	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99 ES	A 5920	85 10-OCT-74	ER AS 85
A MIL-C-9084C(1)	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
MIL-A-90940	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
NOTICE 1	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
MIL-A-9094/1C	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
NOTICE 1	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
MIL-A-9094/2A	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
MIL-A-9094/3A(1)	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
NOTICE 1	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
MIL-A-9094/4A	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
NOTICE 1	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
MIL-A-9094/7B	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
NOTICE 1	ARRESTER, LIGHTING (AIRCRAFT) REVIEWER: 11 99	A 5920	85 13-FEB-87	ER AS 85
A L MIL-N-9105D	MITTEN, INSERTS (GLOVES, AIR CREW, MITTEN STYLE, LEATHER, TYPE N-2) [VALIDATION DATE: 8910] USER: 45	A 8415	CT 31-OCT-89	99 CT
NOTICE 1	ADHESIVE, SEALING, FOR AROMATIC FUEL CELLS AND GENERAL REPAIR [VALIDATION DATE: 8207] USER: MC REVIEWER: 11 AR MD	A 8040	84 19-APR-71	MR AS 99
L MIL-R-9126A	REEL, FUELING HOSE, AERIAL, REFUELING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8908]	A 1680	82 16-AUG-89	99
NOTICE 1	DISCHARGES, ELECTROSTATIC GENERAL SPECIFICATION FOR USER: 14 19 MC REVIEWER: 17 99 CE ES MI	A 5920	85 09-NOV-90	ER AS 85
Q MIL-D-91290(1)	DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGRAL BASE, LESS THAN 300 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 10-MAR-89	ER AS 85
SUPPL 1A	DISCHARGER, ELECTROSTATIC, TRAILING EDGE, NON-INTEGRAL BASE, LESS THAN 300 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/1B	DISCHARGER, ELECTROSTATIC, TRAILING EDGE, INTEGRAL BASE, LESS THAN 600 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/2A	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE 11 CLASS 1, STYLE A USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/3A	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE 11, CLASS 1, STYLE B USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/4A	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE 11, CLASS 2, STYLE A USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/5A	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE 11, CLASS 2, STYLE B USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/6A	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, BOND MOUNTED, TYPE 11, CLASS 2, STYLE A USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/7A	DISCHARGER, ELECTROSTATIC, ORTHO-DECOUPLED, SCREW MOUNTED, TYPE 11, CLASS 2, STYLE B USER: 14 19 MC REVIEWER: 11 17 99 CE ES MI	A 5920	85 30-SEP-86	ER AS 85
MIL-D-9129/8	DISCHARGER, ELECTROSTATIC, WING TIP, NON-INTEGRAL BASE, GREATER THAN 600 KNOTS USER: 14 19 MC REVIEWER: 11 17 99 CE MI	A 5920	85 30-SEP-86	ER AS 85
A MIL-D-9129/9(1)	HOLDERS, DISCHARGER, ELECTROSTATIC USER: 14 19 MC REVIEWER: 17 99 CE ES MI	A 5920	85 20-OCT-92	ER AS 85
NOTICE 1	LIFE RAFTS, INFLATABLE, TWENTY MAN	A 4220	AS 07-JAN-83	ME AS 99
MIL-L-9131H	TIE DOWN, CARGO, AIRCRAFT, CABLE NET, 10,000 LB CAPACITY, TYPE A-2 REVIEWER: AV MI	A 1670	82 13-OCT-83	GL AS 99
QL MIL-C-9177B(2)	CONNECTOR, AUDIO, AIRBORNE, GENERAL SPECIFICATION FOR USER: 17 19 REVIEWER: 11 99 ES	A 5935	85 12-SEP-88	85
SUPPL 1A	CONNECTOR, AUDIO, AIRBORNE, PLUG, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES	A 5935	85 12-SEP-88	85
L MIL-C-9177/1B	CONNECTOR, AUDIO, AIRBORNE, PLUG, MINIATURE, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES	A 5935	85 12-SEP-88	85
MIL-C-9177/2B	CONNECTOR, AUDIO, AIRBORNE, JACK, CABLE, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES	A 5935	85 12-APR-84	85
NOTICE 1	CONNECTOR, AUDIO, AIRBORNE, JACK, CABLE, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES	A 5935	85 12-SEP-88	85
L MIL-C-9177/3B	CONNECTOR, AUDIO, AIRBORNE, JACK, CABLE, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES	A 5935	85 12-SEP-88	85
MIL-C-9177/4B	CONNECTOR, AUDIO, AIRBORNE, JACK, CABLE, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES	A 5935	85 12-SEP-88	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn Gn / Chk Combination Inches	Document Number	Document Title	Dist. Smt FSC / Ane MCA Symbol	Preparing Acty Date	Custodians			
					Army	Navy	Air Force	DLA
L	MIL-C-9177/58	CONNECTOR, AUDIO, AIRBORNE, JACK, SWITCH, 4 CONTACT USER: 17 19 REVIEWER: 11 99 ES	A 5935	85	12-SEP-88			85
Q	MIL-R-9198C	REGULATOR, OXYGEN, HIGH PRESSURE, TYPE MA-1 (INACTIVE FOR NEW DESIGN AFTER 28 JUN 1985 REVIEWER: CS MI	A 4820	82	28-JUN-85	AV	AS	99
L	MIL-R-92088	REPAIR MATERIAL, FOR SELF-SEALING FUEL TANKS (VALIDATION DATE: 8304) REVIEWER: 99 GS MI	A 9320	AS	07-JUL-68		AS	
L	MIL-T-9219(2)	TRANSFORMERS, POWER, AUTOTRANSFORMERS AND STEP DOWN, 400 CYCLE (VALIDATION DATE: 8804) REVIEWER: 99 ES MI	A 5950	85	15-APR-88			85
L	MIL-C-9226A NOTICE 1	CONTROL PANEL C8826-AIC810 (VALIDATION DATE: 8608) REVIEWER: GS	A 5831	84	12-AUG-86			99
L	MIL-I-9229A	INDICATOR, COURSE 10387/ARM	A 5826	84	20-OCT-86			99
L	MIL-A-9286C(1) NOTICE 1	AF AMPLIFIER AM-476(AIC-10) (VALIDATION DATE: 8608)	A 5831	84	12-AUG-86			99
L	MIL-R-9299C NOTICE 1	RESIN, PHENOLIC, LAMINATING (VALIDATION DATE: 9110) REVIEWER: 84 85 AR MI	A 9330	AS	24-OCT-91	MR	AS	11
L	MIL-R-9300B NOTICE 1	RESIN, EPOXY, LOW-PRESSURE LAMINATING (VALIDATION DATE: 9110) USER: 17	A 9330	AS	24-OCT-91	MR	AS	11
Q	MIL-S-9320C(2) NOTICE 1	REVIEWER: 69 AR ER MI OS SH SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1 (VALIDATION DATE: 8901)	A 6340	82	16-JAN-89	AV	AS	99
Q	MIL-F-9329B(1) NOTICE 1	FILTERS, LIGHT PHOTOGRAPHIC, GENERAL SPECIFICATION FOR USER: ME MI	A 6760	70	05-JUN-89		AS	99
Q	MIL-I-9343C	INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1 REVIEWER: GS	A 6685	82	05-APR-85		AS	99
L	MIL-R-9345(1)	REGULATOR AIR PRESSURE, AIRCRAFT CABIN, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8206) REVIEWER: 99	A 1660	AS	08-FEB-57		AS	
Q	MIL-V-9370D(1)	VALVE, AUTOMATIC, PRESSURE REGULATING, ANTI-G SUIT (VALIDATION DATE: 8505) REVIEWER: 99	A 1660	AS	05-MAY-72		AS	11
L	MIL-P-9388B	PUMP PRESSURE, OIL & FREE AIR, TYPE MA2	A 4310	71	27-OCT-86			99
L	MIL-P-9389A	PUMP PRESSURE, OIL & FREE AIR, TYPE MA3	A 1650	71	30-NOV-87			99
L	MIL-D-9394B	DEHYDRATOR, DESICCANT, MD-186/ASQ REVIEWER: CS	A 4440	84	14-APR-89			99
Q	MIL-S-9395F(1) SUPPL 1A	SWITCHES, PRESSURE, (ABSOLUTE, GAGE, AND DIFFERENTIAL), GENERAL SPECIFICATION FOR USER: MC REVIEWER: 11 17 99 AS AV ES	A 5930	85	17-MAR-86	ER	EC	85
L	MIL-S-9395/1B NOTICE 1	SWITCH, PRESSURE (GAGE), TYPE 11, SPDT, 3 AMPERES (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES	A 5930	85	11-AUG-86	ER	EC	85
L	MIL-S-9395/2C NOTICE 1	SWITCHES, PRESSURE, (GAGE) TYPE 11, SPDT, 4 AMPERES (VALIDATION DATE: 8905) USER: MC REVIEWER: 11 17 99 AS AV ES	A 5930	86	31-MAY-89	ER	EC	85
L	MIL-S-9395/3B	SWITCH, PRESSURE (VALIDATION DATE: 8004) USER: MC REVIEWER: 11 17 99 AS AV ES	A 5930	85	24-JAN-74	EL	EC	85
L	MIL-S-9395/5C(1) NOTICE 1	SWITCHES, PRESSURE, (GAGE), TYPE 11, SPST, 5 AMPERES USER: MC SH REVIEWER: 99 ES	A 5930	85	04-SEP-91	ER	EC	85
L	MIL-S-9395/6A NOTICE 1	SWITCHES, PRESSURE (ABSOLUTE), TYPE 1, SPDT, 3 AMPERES (VALIDATION DATE: 8809) USER: MC REVIEWER: 11 17 99 SH	A 5930	85	30-SEP-88	ER	EC	85
L	MIL-S-9395/8C NOTICE 1	SWITCH, PRESSURE, (GAGE), TYPE 11, SPDT, 10 AMPERES (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES	A 5930	85	11-AUG-86	ER	EC	85
L	MIL-S-9395/10D NOTICE 1	SWITCH, PRESSURE, (GAGE), TYPE 11 (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES	A 5930	85	11-AUG-86	ER	EC	85
L	MIL-S-9395/24A NOTICE 1	SWITCH PRESSURE GAGE (TYPE 11 CLASS 0 C1) SPDT, 5 AMPERES (VALIDATION DATE: 8608) USER: MC REVIEWER: 11 17 99 AS AV ES	A 5930	85	11-AUG-86	ER	EC	85
L	MIL-S-9395/26B(2) NOTICE 1	SWITCHES, PRESSURE, ABSOLUTE (TYPE 1) 3 AMPERES (VALIDATION DATE: 8809) USER: AS MC SH REVIEWER: 11 17 99 AV	A 5930	85	30-SEP-88	ER	EC	85
L	MIL-S-9395/27E(2) NOTICE 1	SWITCHES, PRESSURE, (GAUGE), TYPE 11 3 AMPERES (VALIDATION DATE: 8809) USER: AS MC SH REVIEWER: 11 17 99 AV ES	A 5930	85	30-SEP-88	ER	EC	85
L	MIL-S-9395/29A(1) NOTICE 1	SWITCHES, PRESSURE, (DIFFERENTIAL) (TYPE 111), 4 AMPERES (VALIDATION DATE: 8905) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES	A 5930	85	31-MAY-89	ER	EC	85
L	MIL-S-9395/30D NOTICE 1	SWITCH, PRESSURE, (GAGE) TYPE 11, 5 AMPERES (VALIDATION DATE: 8608) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES	A 5930	85	11-AUG-86	ER	EC	85
L	MIL-S-9395/31C	SWITCHES, PRESSURE, (GAGE) TYPE 11, 5 AMPERES USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES	A 5930	85	30-OCT-89	ER	EC	85
L	MIL-S-9395/32B NOTICE 1	SWITCHES, PRESSURE, DIFFERENTIAL (TYPE 111), 4 AMPERES (VALIDATION DATE: 8809) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV	A 5930	85	30-SEP-88	ER	EC	85
L	MIL-S-9395/33A	SWITCH, PRESSURE, DIFFERENTIAL (TYPE 111), 5 AMPERES (VALIDATION DATE: 8608) REVIEWER: 99	A 5930	85	11-AUG-86			85
L	MIL-S-9395/35C NOTICE 1	SWITCHES, PRESSURE, ABSOLUTE (TYPE 1), 3 AMPERES (VALIDATION DATE: 8608) REVIEWER: 99 ES MI	A 5930	85	11-AUG-86			85
L	MIL-S-9395/38A	SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 5 AMPERES (VALIDATION DATE: 8406) USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES	A 5930	85	06-FEB-78	ER	EC	85
A	MIL-S-9395/39B(1)	SWITCHES, PRESSURE, (GAUGE) TYPE 11, LOW LEVEL TO 5 AMPERES USER: 19 AS MC SH REVIEWER: 99 AV	A 5930	85	25-SEP-92	ER	EC	85
L	MIL-S-9395/40A	SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 5 AMPERES (VALIDATION DATE: 8406) USER: 19 AS AT MC SH REVIEWER: 11 99 AV ES MI	A 5930	85	30-JUN-78	ER	EC	85
L	MIL-S-9395/41B	SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 1 AMPERE USER: 19 AS AT MC SH REVIEWER: 11 17 99 AV ES	A 5930	85	24-JUL-87	ER	EC	85
L	MIL-S-9395/43A	SWITCH, PRESSURE, (GAGE) TYPE 11, LOW LEVEL TO 1 AMPERE USER: 19 AS AT MC REVIEWER: 11 17 99 AV ES	A 5930	85	18-OCT-85	ER	EC	85
L	MIL-S-9395/48A NOTICE 1	SWITCH, PRESSURE, ABSOLUTE TYPE 1, 5 AMPERES (VALIDATION DATE: 8701) REVIEWER: 99	A 5930	85	01-APR-81			85
L	MIL-A-9397E(2)	FREQUENCY CONVERTER, MOBILE, TYPE MC-1A REVIEWER: GS	A 6125	80	26-SEP-84			99
Q	MIL-G-9398C(2)	GENERATOR, TACHOMETER, TWO-POLE, HIGH TEMPERATURE, AIRCRAFT (VALIDATION DATE: 8103) REVIEWER: AV GS	A 6620	AS	30-MAY-73	ME	AS	99
L	MIL-P-9400C	PLASTIC LAMINATE AND SANDWICH CONSTRUCTION PARTS AND ASSEMBLY, AIRCRAFT STRUCTURAL, PROCESS SPECIFICATION REQUIREMENTS USER: ME REVIEWER: GS	A CMPS	AS	14-NOV-91	NI	AS	11
L	MIL-C-9401B	CANOPY, PARACHUTE, RING SLOT, GENERAL SPECIFICATION FOR CONSTRUCTION OF (ASG) (VALIDATION DATE: 8205) USER: MC REVIEWER: 82 99	A 1670	GL	09-JAN-68	GL	AS	
L	MIL-R-9409B(2)	RACK, BOMB, AIRCRAFT, TYPE MABAA	A 1095	84	11-MAR-82			99
L	MIL-D-9415A NOTICE 1	DYNAMIC LOUDSPEAKER LS8184A-AIC810 REVIEWER: 99 ES	A 5965	85	27-FEB-87			85
Q	MIL-S-9419E	SWITCH, TOGGLE, MOMENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL SPECIFICATION FOR REVIEWER: 11 ES	A 5930	85	10-MAR-89	AV	AS	85
M	MIL-S-9419/1B NOTICE 2	SWITCHES, TOGGLE, FOUR POSITION ON, CENTER OFF (.623 DIA) (VALIDATION DATE: 9305) REVIEWER: 99 ES MI	A 5930	85	28-MAY-93	ER		85
L	MIL-S-9419/2C	SWITCHES, TOGGLE, FOUR POSITION ON, MOMENTARY, CENTER OFF (.600 DIA) REVIEWER: 99	A 5930	85	12-JUN-91			85
L	MIL-S-9419/3	SWITCHES, TOGGLE, FOUR POSITION ON, MOMENTARY, CENTER OFF DOUBLE POLE PER THROW	A 5930	85	18-FEB-92			85
L	MIL-E-9426F(1)	ESCAPE SYSTEM, REQUIREMENTS CONFORMANCE DEMONSTRATIONS AND PERFORMANCE TESTS FOR, GENERAL SPECIFICATION FOR REVIEWER: AV	A 1680	AS	15-OCT-80		AS	
Q	MIL-V-9439D(2)	VALVE, OXYGEN, CYLINDER, HIGH PRESSURE REVIEWER: 11 CS	A 4820	71	09-OCT-87	AV	AS	99
Q	MIL-I-9443D(3) NOTICE 1	INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2 (VALIDATION DATE: 8812)	A 6685	82	09-DEC-88	AV	AS	99
L	MIL-S-9479B(2) NOTICE 1	SEAT SYSTEM, UPWARD EJECTION, AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8808)	A 1680	82	10-AUG-88	AV		99
L	MIL-A-9482(2) NOTICE 1	ANTI-ICING EQUIPMENT FOR AIRCRAFT, HEATED SURFACE TYPE GENERAL SPECIFICATION FOR REVIEWER: 99	A 1650	AV	30-NOV-87	AV		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn./Chg/ Cancellation Increase Decrease Document Number	Document Title	Dist Smt PAC Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
MIL-S-9487C	SWITCH, TRIGGER, SINGLE POLE, TWO STAGE, MOMENTARY (INACTIVE FOR NEW DESIGN AFTER 6 APR 84 FOR NEW DESIGN USE MIL S 8805/111) USER: MC REVIEWER: ES MI MC	A 5930 85 28-JAN-85	AS	11		
A MIL-F-9490D NOTICE 1 MIL-E-9500B NOTICE 1	FLIGHT CONTROL SYSTEMS - DESIGN, INSTALLATION AND TEST OF PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9210) ETHYLENE GLYCOL, TECHNICAL (VALIDATION DATE: 8810) USER: MI REVIEWER: GS ..	A 6610 AS 05-OCT-92 A 6810 68 06-OCT-88	AV AS	11		68
L MIL-T-9560B(2) L MIL-A-9597B(2) L MIL-T-9640C(1) L MIL-C-9660A(3) NOTICE 1	TEST SET, RADIO FREQUENCY POWER AM/USM-68 ..... ANTENNA AT 309 (GPX) (VALIDATION DATE: 8410) ..... TOWER AB-305 (FPS) ..... CABLES: COMPOSITE TELEPHONE AND TELEVISION (16 AUG. VIDEO PAIR-POLYETHYLENE INSULATED AND 19 AWG. PAPER-ON-PULP INSULATED, LEAD COVERED, AND TAPE ARMORED) (VALIDATION DATE: 9112) ..... HEADSET & MICROPHONE M 1630-U REVIEWER: ES ..... THRUSS, LIFT, AERIAL STORES, 3000 POUNDS CAPACITY MJ-1A & MJ-1B ..... PRESSURE-LIGHT SLIDE RULE ML-315/GM (VALIDATION DATE: 8001) REVIEWER: 99 GS	A 6625 82 21-DEC-83 A 5895 80 01-AUG-78 A 5445 84 29-SEP-77 A 6145 85 27-DEC-91		99 99 99 85		
L MIL-M-9697(1) L MIL-T-9720F L MIL-P-9772	HEADSET & MICROPHONE M 1630-U REVIEWER: ES ..... THRUSS, LIFT, AERIAL STORES, 3000 POUNDS CAPACITY MJ-1A & MJ-1B ..... PRESSURE-LIGHT SLIDE RULE ML-315/GM (VALIDATION DATE: 8001) REVIEWER: 99 GS	A 5965 85 30-SEP-58 A 1730 82 23-JUL-84 A 6660 13 20-AUG-65		85 99 13		
L MIL-T-9813A(1) NOTICE 1 L MIL-S-9814B NOTICE 1 L MIL-S-9822C MIL-M-9850C SUPPL 1A MIL-M-9854B(2)	TARGET SYSTEM, EXTERNAL TOW, GUNNERY A/A37U-15 (VALIDATION DATE: 8605) .... STAND, CABLE REWIND, REVERSIBLE THU-4/E (VALIDATION DATE: 8605) ..... SYSTEM, THU-28/B SPRAY TANK (VALIDATION DATE: 8006) REVIEWER: 18 ..... HINGE, BUTT, CONTINUOUS, PLANO (VALIDATION DATE: 8502) USER: AR AS MC ME REVIEWER: EA 15 MI MANUAL, TECHNICAL, STRUCTURAL REPAIR (FOR AIRCRAFT) (VALIDATION DATE: 8201) USER: CG REVIEWER: 10 11 99 AV MC	A 6920 70 22-MAY-86 A 6920 70 22-MAY-86 A 1040 EA 13-FEB-67 A 5340 ER 10-JUN-77 A TMSS 16 01-SEP-77	EA ER TM AS	11 99 16		
D MIL-Q-9858A(2)	QUALITY PROGRAM REQUIREMENTS USER: CS MC ME SS YDI REVIEWER: 23 AV CR EA EC MI TD	A QCIC 05 08-MAR-85	AK	NR	05	
MIL-M-9859A D MIL-M-9868E	HANDWHEEL, ORDNANCE (VALIDATION DATE: 7903) USER: AT MC MI REVIEWER: 15 ME MICROFILMING OF ENGINEERING DATA, 35MM, REQUIREMENTS FOR USER: 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AT AV CG CH DH DI DS EA EC ER ES GL IE 15 MC ME MP NA NM NS OM OS TO YDI REVIEWER: 11 AR CS MI SA SC SH	A 5340 AR 28-AUG-68 A EDRS 16 10-FEB-93	AR OS CR AS	99 16		GS
L MIL-M-9868/1B	MICROFILM OF ENGINEERING DOCUMENTS, 35MM, PREPARATION OF ROLL REVIEWER: AG EC	A EDRS SH 21-DEC-87	SH			
D MIL-C-9877B(2)	CAIDS, APERTURE USER: 13 14 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AT AV CG CS DH EA EC ER GL IE 15 MC ME NM OM OS TO YDI REVIEWER: 11 AR ES MI SA SC SH	A EDRS CR 24-APR-92	CR AS	16		GS
D MIL-P-9879A(1)	PHOTOGRAPHING OF CONSTRUCTION/ARCHITECTURAL DRAWINGS, MAPS AND RELATED DOCUMENTS, 105MM, REQUIREMENTS FOR (VALIDATION DATE: 8412) REVIEWER: 26	A EDMS YDI 06-DEC-66	CE YDI	85		DH
L MIL-M-9880A(1)	WIRING HARNESS, IGNITION, LONGTENSION, REWIREABLE, AIRCRAFT RECIPROCATING ENGINES, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8307)	A 2925 82 22-APR-71		99		
L MIL-C-9883B(1) NOTICE 1 L MIL-M-9884E(1) MIL-M-9890E	CHECKLISTS: ORGANIZATIONAL MAINTENANCE (FOR MISSILE AND SPACE SYSTEMS) (S/S BY MIL-M-5096) REVIEWER: 99 HONEYCOMB MATERIAL, CUSHIONING PAPER USER: MC SH REVIEWER: 82 TR ..... HARDWARE, INDIVIDUAL LOAD CARRYING EQUIPMENT: AND HARDWARE, MISCELLANEOUS REVIEWER: AR AV EA 15 MI	A 1670 GL 05-MAR-92 A 5340 GL 29-JUL-88	GL AS GL	99 99		
D MIL-M-9896C MIL-C-9897C	HARDWARE, UNIVERSAL LOAD CARRYING SLING USER: CE REVIEWER: 69 AV 15 ..... CRATES, SLOTTED ANGLE, STEEL OR ALUMINUM, FOR LIGHTWEIGHT AIRFRAME COMPONENTS AND BULKY ITEMS (FOR MAXIMUM LOADS OF 1363 KGS (3000 POUNDS)) USER: OS REVIEWER: 99 AV ME SM YDI	A 5340 GL 12-AUG-88 A 8145 69 15-APR-92	GL MC GL SA	99 69		
L MIL-D-9898C MIL-P-9902C	DRAWING, TUBE BEND USER: AS REVIEWER: 16 ..... PANEL, FULL CLEATED, PARTIALLY CLEATED AND UNCLEATED, PLYWOOD, VENEER PAPER-OVERLAD AND SOLID FIBERBOARD FOR BOX, MODULAR SYSTEMS USER: AV SA REVIEWER: AR ME MI SM	A DRPR 82 21-JAN-86 A 8115 69 21-JUL-85		99 69		
MIL-T-9906C	TAPE, IDENTIFICATION, AEROSPACE VEHICLE TUBING MARKER USER: AR AT MC ME REVIEWER: AL GS MI	A 7690 84 08-DEC-88	GL AS	99		
L MIL-L-9909A D MIL-C-9912B L MIL-D-9914A(1) L MIL-T-9918C MIL-B-9925D	LIGHT, ULTRAVIOLET, METALS EXAMINING ..... CUTTER, TILE, ASPHALT, PLASTIC, RUBBER USER: YDI ..... DIAMOND, INDUSTRIAL (VALIDATION DATE: 8410) REVIEWER: 15 MI ..... TOW TARGET, AERIAL DART, GUNNERY TYPE TDU-10/B AND TDU-108/B ..... BORING MACHINS, JIB, VERTICAL, SINGLE COLUMN AND DOUBLE COLUMN BRIDGE TYPES, MANUAL AND POWER FEED USER: MC REVIEWER: GS	A 6635 82 19-JUL-85 A 5110 84 19-MAR-80 A 5350 84 05-AUG-05 A 6920 70 05-JUN-89 A 3411 1P 15-MAR-88		99 99 99 99		
L MIL-S-9926A MIL-B-9946E(1) MIL-B-9946/1B MIL-B-9946/2 MIL-B-9946/3A MIL-B-9946/4A MIL-B-9946/5	SIGN, FOLLOW ME, TRUCK MOUNTING ..... BITS, SCREWDRIER, GENERAL SPECIFICATION FOR REVIEWER: 11 AR AV GS ..... BIT, SCREWDRIER, MI-TORQUE, TYPE I REVIEWER: 11 AR AV GS ..... BIT, SCREWDRIER, MI TORQUE, TYPE II (VALIDATION DATE: 8306) ..... BIT, SCREWDRIER, PHILLIPS USER: EL REVIEWER: 11 AR AV GS ..... BIT, SCREWDRIER, TORQ SET ..... BIT, SCREWDRIER, MI-TORQUE, TYPE V (VALIDATION DATE: 8306) REVIEWER: 11 AR AV GS MI	A 2540 84 15-MAR-82 A 5120 84 23-FEB-89 A 5120 84 09-SEP-87 A 5120 84 16-FEB-78 A 5120 84 09-SEP-87 A 5120 84 09-SEP-87 A 5120 84 19-MAR-80		99 99 99 99 99 99		
MIL-B-9946/9	BIT, SCREWDRIER, HEX, EXTERNAL HEX SHANK, MANUALLY DRIVEN REVIEWER: 80 AV 15	A 5120 84 09-SEP-87	GL AS	99		
MIL-B-9946/10	BIT, SCREWDRIER, SIX SPLINE, STRAIGHT, EXTERNAL HEX SHANK, MANUALLY DRIVEN	A 5120 84 09-SEP-87	GL AS	99		
MIL-B-9946/11	BIT, SCREWDRIER, PHILLIPS RIBBED, STANDARD AND LONG EXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV 15	A 5130 84 09-SEP-87	GL AS	99		
MIL-B-9946/12 MIL-B-9946/13 MIL-B-9946/14 MIL-B-9946/15	BIT, SCREWDRIER, TORQ-SET RIBBED, EXTERNAL HEX SHANK, POWER DRIVEN ..... BIT, SCREWDRIER, TORQ-SET RIBBED, LONG EXTERNAL HEX SHANK, POWER DRIVEN .. BIT, SCREWDRIER, SLOT, EXTERNAL HEX SHANK, MANUALLY DRIVEN ..... BIT, SCREWDRIER, PHILLIPS RIBBED, EXTERNAL HEX SHANK, MANUALLY DRIVEN REVIEWER: 80 AV 15	A 5130 84 09-SEP-87 A 5130 84 09-SEP-87 A 5120 84 09-SEP-87 A 5120 84 09-SEP-87	GL AS GL AS GL AS GL AS	99 99 99 99		
MIL-B-9946/16 MIL-B-9946/17	BIT, SCREWDRIER, TORQ-SET, RIBBED, EXTERNAL HEX SHANK, MANUALLY DRIVEN ... BIT, SCREWDRIER, SIX SPLINE, STRAIGHT, LONG EXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV 15	A 5120 84 09-SEP-87 A 5130 84 09-SEP-87	GL AS GL AS	99 99		
MIL-B-9946/18	BIT, SCREWDRIER, PHILLIPS, STANDARD AND LONG EXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV 15	A 5130 84 09-SEP-87	GL AS	99		
MIL-B-9946/19	BIT, SCREWDRIER, TORQ-SET, EXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV 15	A 5130 84 09-SEP-87	GL AS	99		
MIL-B-9946/20	BIT, SCREWDRIER, TORQ-SET, LONG EXTERNAL HEX SHANK, POWER DRIVEN REVIEWER: 80 AV 15	A 5130 84 09-SEP-87	GL AS	99		
D MIL-C-9949(4)	CARDS, COPY USER: 13 14 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AT AV CG CS DH EA EC ER GL IE 15 MC ME NM OM OS TO YDI REVIEWER: 11 AR EC MI SA SC SH	A EDRS CR 24-APR-92	CR AS	16		GS
L MIL-M-9950A	MISSILE COMPONENTS, LIQUID OXYGEN, LIQUID NITROGEN, GASEOUS OXYGEN, GASEOUS NITROGEN, INSTRUMENT AIR, HELIUM AND FUEL HANDLING SYSTEMS; CLEANING AND PACKAGING FOR DELIVERY	A 14GP MI 20-MAR-92	MI			
Q MIL-G-9954A(3) D MIL-T-9955A	GLASS BEADS, FOR CLEANING AND PEENING USER: CG REVIEWER: AR 15 ..... THERMOMETER, INDICATING, CAPILLARY TUBE AND BULB, FLUSH MOUNTING (VALIDATION DATE: 8301) USER: CE MC MS REVIEWER: GS MD	A 5350 84 15-OCT-87 A 6685 GL 22-SEP-67	NR AS GL YDI	99 99		
MIL-A-9962A(4)	ABRASIVE MATS, NON-WOVEN, NON-METALLIC (VALIDATION DATE: 8506) REVIEWER: 15 AR OS 15	A 5350 84 05-APR-77	NR AS	99		
L MIL-C-9963F(1) MIL-S-9964A(2)	CARTRIDGE, 5.56MM, BALL, M193 USER: MC OS ..... SAW, HAND, FINGER GRIP, SURVIVAL, TYPE MB-2	A 1305 AR 16-MAY-91 A 5110 84 19-MAR-80	AR GL	99		



## NUMERICAL LISTING MILITARY SPECIFICATIONS

87



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Custodian Machine Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Date	Custodians			
			Army	Navy	Air Force	DIA
A MIL-H-10056/35 NOTICE 2	HOLDER (ENCLOSURE), CRYSTAL, TYPE MC-48/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH SM	A 5955 ER 24-AUG-92	ER	EC	85	
A MIL-H-10056/36 NOTICE 2	HOLDER (ENCLOSURE), CRYSTAL, TYPE MC-49/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH SM	A 5955 ER 24-AUG-92	ER	EC	85	
A MIL-H-10056/37 NOTICE 2	HOLDER (ENCLOSURE), CRYSTAL, TYPE MC-50/U (VALIDATION DATE: 9208) USER: AS CG MC REVIEWER: 11 99 AR ES MI SH SM	A 5955 ER 24-AUG-92	ER	EC	85	
A MIL-H-10056/38 NOTICE 2	HOLDER, (ENCLOSURE), CRYSTAL, TYPE MC-51/U (VALIDATION DATE: 9208) USER: 17 19 AS CG MC OS REVIEWER: 11 99 AR ES MI SH SM	A 5955 ER 24-AUG-92	ER	EC	85	
A L MIL-S-10057H(4)	SIMULATOR, HAND GRENADE, M116A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING	A 1370 AR 11-FEB-93	AR			
A L MIL-S-10058H(3)	SIMULATOR, PROJECTILE, GROUND BURST, M115A2, PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING	A 1370 AR 12-FEB-93	AR			
L MIL-E-10062E(3) NOTICE 1	ENGINES: PREPARATION FOR SHIPMENT AND STORAGE OF (VALIDATION DATE: 9202) USER: AV MC REVIEWER: GL ME MI SH	A PACK AT 28-FEB-92	AT			
MIL-C-10065B NOTICE 1	CABLES, SPECIAL PURPOSE, ELECTRICAL (MULTIPAIR, AUDIO FREQUENCY) (VALIDATION DATE: 8808) REVIEWER: IS	A 6145 CR 16-AUG-88	CR		85	
A MIL-T-10069G(2)	TENT, MAINTENANCE SHELTER, FIRE, WATER, WEATHER AND MILDEN RESISTANT, OLIVE DRAB USER: 45 REVIEWER: 82	A 8340 CT 11-JUN-90	GL	99	CT	
L MIL-C-10082C	CANISTER, PARTICULATE, M14 (VALIDATION DATE: 8006) REVIEWER: GS	A 4240 EA 30-SEP-64	EA			
L MIL-C-10083C(1) NOTICE 1	CLAMPS, WIRE, GAS MASK (VALIDATION DATE: 8808) REVIEWER: GS	A 4240 EA 11-AUG-88	EA			
MIL-P-10096E	PRINTER, CONTACT, PHOTOGRAPHIC PH-649( )/U USER: MC MI REVIEWER: GS	A 6740 CR 07-JUN-85	CR	AS		
MIL-C-10101F(1)	CASE, FIELD, OFFICE MACHINE (PLYWOOD) (VALIDATION DATE: 8105)	A 7490 GL 18-SEP-73	GL		99	
D MIL-S-10104B	SHEET, METAL, COATED (CLEAR OR PIGMENT) (VALIDATION DATE: 8405) USER: GL SA REVIEWER: 15 MR OS	A 9535 EA 25-JUN-59	EA	YD1		
L MIL-C-10113C(1)	COVER, OUTLET VALVE (FOR C15 OUTLET VALVE) REVIEWER: GS	A 4240 EA 18-JUL-86	EA			
L MIL-L-10114A	LENS, CYLINDRICAL, LAMINATED, 3-PLY (FOR GAS MASKS) (VALIDATION DATE: 8505) REVIEWER: GS	A 4240 EA 27-JUN-58	EA			
L MIL-C-10116C(2)	CANISTER, M11	A 4240 EA 05-JUN-86	EA			
D MIL-F-10117A	FACEPIECE, COMBAT, MD REVIEWER: GS MI	A 4240 EA 04-FEB-53	EA	YD1		
L MIL-F-0010117B	FACEPIECE, COMBAT, M9	A 4240 EA 14-AUG-69	EA			
L MIL-C-10119C(1)	CANISTER, M11: COMPONENTS FOR	A 4240 EA 24-APR-86	EA			
L MIL-H-10120E	HEADHARNES, C8K1 USER: MC REVIEWER: GS MD	A 4240 EA 30-SEP-64	EA	SH	99	
L MIL-H-0010120K(1)	HEADHARNES, C8K1	A 4240 EA 03-SEP-86	EA			
L MIL-M-10121	MASK, GAS, M9 (VALIDATION DATE: 8405) USER: MC REVIEWER: GS	A 4240 EA 05-FEB-50	EA		99	
L MIL-B-10122E	BARGE, LIQUID CARGO: NONPROPELLED, STEEL, OFFSHORE, 4,160-BARREL, 120-FOOT, DESIGN 231C	A 1930 ME 16-JAN-91	ME			
L MIL-P-10129A	PLUG, AIR INLET (VALIDATION DATE: 8201) REVIEWER: GS	A 4240 EA 19-MAR-70	EA			
L MIL-D-10131B(3)	DISC, INLET VALVE REVIEWER: GS	A 4240 EA 08-MAY-86	EA			
L MIL-D-10132C	DISC, VALVE REVIEWER: GS	A 4240 EA 30-SEP-64	EA	SH	99	
L MIL-D-0010132K(3)	DISC, VALVE, OUTLET	A 4240 EA 30-AUG-91	EA			
L MIL-S-10133B(1)	SEAT, OUTLET-VALVE, ALUMINUM-BASE-ALLOY DIECASTING FOR OUTLET VALVE, C15 REVIEWER: GS	A 4240 EA 30-AUG-57	EA			
L MIL-S-0010133D	SEAT, OUTLET-VALVE, ALUMINUM-BASE-ALLOY DIECASTING FOR OUTLET VALVE, C15	A 4240 EA 29-OCT-74	EA			
L MIL-V-10134C(1)	VALVE, OUTLET, PROTECTIVE MASK, C15 USER: MC REVIEWER: GS	A 4240 EA 12-JUN-67	EA	SH		
L MIL-V-0010134E	VALVE, OUTLET, CHEMICAL-BIOLOGICAL MASK, C15 USER: MC	A 4240 EA 02-OCT-74	EA			
D MIL-F-10135B	FACEBLANK, FIELD PROTECTIVE MASK, NATURAL RUBBER, GENERAL SPECIFICATION USER: MC REVIEWER: 11 AS GS MI OS	A 4240 EA 02-MAR-55	EA	YD1	99	
L MIL-F-0010135C	FACEBLANK, FIELD PROTECTIVE MASK	A 4240 EA 16-DEC-68	EA			
L MIL-C-10147D	CABINET, PHOTOGRAPHIC STORAGE, FILM BM-11 USER: MC REVIEWER: GS	A 6760 CR 01-FEB-84	CR	AS	99	
L MIL-B-10154C(2)	BATTERIES, PRIMARY, WATER-ACTIVATED (DUNK TYPE) (VALIDATION DATE: 8101)	A 6135 SH 03-JUL-63	ER	SH	99	
L MIL-B-10154C(15)	BATTERIES, PRIMARY, WATER-ACTIVATED (DUNK TYPE) (VALIDATION DATE: 8101)	A 6135 ER 31-JAN-77	ER			
D MIL-M-10156A(1)	MOUNTING, CANISTER, GAS MASK REVIEWER: GS	A 4240 EA 06-AUG-54	EA	YD1		
L MIL-M-0010156B(1)	MOUNTING, CANISTER, GAS MASK	A 4240 EA 17-DEC-81	EA			
L MIL-T-10163E	TERRAIN MODELING KIT, TRAINING AID	A 6910 ME 08-JAN-92	ME			
A MIL-T-10168J	TENT, FRAME TYPE, INSULATED, SECTIONAL, WITH FLOOR, 16 FEET WIDE, M81948, COMPLETE REVIEWER: 82 MC MD	A 8340 CT 30-JUN-86	GL	NU	99	CT
L MIL-C-10176J	CLOTH, GABARDINE: WOOL, POLYESTER AND WOOL REVIEWER: 82 99 MC MD	A 8305 CT 06-JAN-89	GL	NU	11	CT
A MIL-R-10185E	RINGS, BREECH, STEEL FORGINGS FOR REVIEWER: AR	A 1305 AR 06-JAN-92	AR		70	
L MIL-C-10190D(2)	CARTRIDGE, CALIBER .50, BALL, M33	A 2590 AT 26-MAR-90	AT		99	
MIL-H-10201J	HORN, SOUND-WARNING, AIR-ACTUATED: HORN, ELECTRICALLY-ACTUATED; AND BUZZERS, ELECTRICALLY-ACTUATED USER: MC ME REVIEWER: 84 CS ER	A 6680 AT 04-NOV-92	AT			
AQL MIL-S-10215H	SPEEDOMETERS: TACHOMETERS: FLEXIBLE SHAFT ASSEMBLIES: FLEXIBLE SHAFT ASSEMBLY CORES, ADAPTERS, AND TRANSMITTERS USER: MC ME REVIEWER: GS MI	A 1366 EA 29-AUG-50	EA	OS		
MIL-I-10223A	INCENDIARY MIXTURE PT1 (VALIDATION DATE: 8008)	A 4210 ME 29-AUG-84	ME	MC		
MIL-T-10224L NOTICE 2	TRUCK, FIRE FIGHTING, STRUCTURAL, 1000 GPM	A 4210 ME 29-AUG-84	ME			
MIL-T-0010224H	TRUCK, FIRE FIGHTING: .....	A 4210 ME 29-AUG-84	ME			
L MIL-C-10244G(1)	CRYPTOGRAPHIC EQUIPMENT DESTROYER, INCENDIARY, TH4, M2A1 (VALIDATION DATE: 8405) USER: MC	A 1375 AR 12-MAY-71	EA	OS	99	
L MIL-C-0010244H(1)	CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M2A1	A 1375 AR 18-MAR-80	AR			
A MIL-D-10254C NOTICE 2	DECORATION, NETHERLANDS ORANGE LANYARD (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CT	A 8455 IM 20-NOV-92	IM		11	
MIL-L-10269H	LUBRICATING AND SERVICING UNIT, PUMER-OPERATED, PORTABLE USER: AT MC REVIEWER: 82 CS	A 4930 ME 05-JUL-91	ME		99	
L MIL-D-0010271G	DRILLING MACHINE, WELL, ROTARY, 1,500 FOOT	A 3820 ME 18-AUG-82	ME			
L MIL-L-10287B	LACQUER, CELLULOSE NITRATE FOR IDENTIFICATION OF SMALL ARMS AMMUNITION (VALIDATION DATE: 8302) USER: OS REVIEWER: AR EA IS	A 8010 ME 22-OCT-76	ME		11	
MIL-M-10289C	MOUNTING MT-791 ( )/U USER: 80 MC REVIEWER: 99	A 5805 CR 23-MAY-90	CR		17	
MIL-C-10296J	CLOTH, SATEEN, COTTON REVIEWER: 82 99 MC MD	A 8305 CT 12-SEP-86	GL	NU	11	CT
A Q MIL-M-10304E(1) SUPPL 1A	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED GENERAL SPECIFICATION FOR (VALIDATION DATE: 8210) USER: CG OS REVIEWER: 11 AR AS AT AV EA ES MC ME	A 6625 SH 26-FEB-76	CR	SH	99	
MIL-M-10304/4C NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLT METER, DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG REVIEWER: 11 AR AT AV ES ME MI	A 6625 SH 25-JUL-86	CR	SH	99	
MIL-M-10304/5F NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, DC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG MI REVIEWER: 11 AR AT EA ES MC ME	A 6625 SH 25-JUL-86	CR	SH	99	
MIL-M-10304/6E NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLT METER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625 SH 25-JUL-86	CR	SH	99	
MIL-M-10304/7D NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMP METER, AC (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 USER: CG MC MI REVIEWER: 11 AR AT AV ES ME	A 6625 CR 25-JUL-86	CR	SH	99	
MIL-M-10304/8B NOTICE 1	METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 26 & 28	A 6625 SH 25-JUL-86	CR	SH	99	
MIL-M-10304/9B NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 2-1/2 INCH) STYLE 26 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625 CR 25-JUL-86	CR	SH	99	
MIL-M-10304/10D NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, DECIBEL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 36 USER: CG REVIEWER: 11 AR AT AV ES MC ME MI	A 6625 CR 25-JUL-86	CR	SH	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Notice	Document Number	Document Title	Doc Smt FSC Area	MCA Symbol	Preceding Date	Custodians Army Navy Air Force DIA
	MIL-M-10304/11D NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 (VALIDATION DATE: 8607) USER: CG MC MI REVIEWER: 11 AR AT AV ES ME	A 6625	SH	01-JUL-86	CR SH 99
	MIL-M-10304/12E NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMPMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 USER: CG REVIEWER: 11 AT EA ES MC ME MI	A 6625	CR	25-JUL-86	CR SH 99
	MIL-M-10304/13D	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625	SH	25-JUL-86	CR SH 99
	MIL-M-10304/14C NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMPMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLE 36 USER: CG MI REVIEWER: 11 17 AR AT AV ES MC ME	A 6625	CR	25-JUL-86	CR SH 99
	MIL-M-10304/15C NOTICE 2	METER, ELECTRICAL INDICATING, AMPMETER, RI, PANEL TYPE, RUGGEDIZED (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH) STYLES 36 & 38 USER: CG REVIEWER: 11 AR AT AV ME	A 6625	CR	25-JUL-86	CR EC 99
	MIL-M-10304/16B NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 36 USER: CG MI REVIEWER: 11 AT AV ES MC ME	A 6625	CR	25-JUL-86	CR SH 99
	MIL-M-10304/17E	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, AMPMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 4 1/2 INCH) STYLE 46 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625	SH	25-JUL-86	CR SH 99
L	MIL-M-10304/18A(2) NOTICE 1	METERS, MULTISCALE, DC, PANEL TYPE, RUGGEDIZED (ROUND FLANGE, 3-1/2 INCH, STYLE 36) (VALIDATION DATE: 9103)	A 6625	SH	04-MAR-91	SH
	MIL-M-10304/19D NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, SPECIAL DECIBEL (FLUSH MOUNTING, SQUARE FLANGE, 1-1/2 INCH, STYLE 13) (VALIDATION DATE: 8704) USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625	SH	22-APR-87	CR SH 85
	MIL-M-10304/20C NOTICE 1	METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMPMETER, DC (SQUARE FLANGE, 1-INCH) STYLE 03 (VALIDATION DATE: 8911) USER: CG MI REVIEWER: 17 AR AS AT AV ES MC ME	A 6625	CR	02-NOV-89	CR SH 99
	MIL-M-10304/21F NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER, DC (SQUARE FLANGE, 1 1/2 INCH) STYLE 13 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625	SH	25-JUL-86	CR SH 99
	MIL-M-10304/22C NOTICE 1	METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER AND AMPMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 3-1/2 INCH) STYLE 34 (VALIDATION DATE: 8911) USER: CG MI REVIEWER: 1: AR AT AV EC ES MC ME	A 6625	CR	02-NOV-89	CR SH 99
	MIL-M-10304/23C NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, VOLTMETER & AMPMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE 4 1/2 INCH) STYLE 44 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625	SH	25-JUL-86	CR SH 99
	MIL-M-10304/24F(1) NOTICE 1	METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: AMPMETER, DC (SQUARE FLANGE, 1-1/2 INCH), STYLE 13 (VALIDATION DATE: 8911) USER: AR CG MI REVIEWER: AV EA ES MC	A 6625	CR	02-NOV-89	CR SH 99
	MIL-M-10304/25C NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, RECTIFIER-TYPE VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE 2-1/2 INCH) STYLE 26 (VALIDATION DATE: 8003) USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625	CR	17-DEC-75	CR SH 99
	MIL-M-10304/26D NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, RECTIFIER TYPE VOLTMETER, AC (FLUSH MOUNTING, ROUND FLANGE, 3 1/2 INCH), STYLES 34 & 36 USER: AR CG MI REVIEWER: 11 17 AS AT AV ES MC	A 6625	CR	25-JUL-86	CR SH 99
	MIL-M-10304/29 NOTICE 1	METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, MILLIVOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, AND 07 (VALIDATION DATE: 8803) USER: CG MI REVIEWER: 11 AT AV ES MC ME	A 6625	CR	26-MAR-88	CR EC 99
	MIL-M-10304/30	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, MILLIAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH) STYLES 05, 06, & 07 (VALIDATION DATE: 8003) USER: CG MI REVIEWER: 11 AT AV ES MC ME	A 6625	SH	24-MAY-74	CR SH 99
	MIL-M-10304/31 NOTICE 1	METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, MICROAMMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH) STYLES 05, 06, 07 (VALIDATION DATE: 8803) USER: CG MI REVIEWER: 11 AT AV ES MC ME	A 6625	CR	26-MAR-88	CR EC 99
	MIL-M-10304/32 NOTICE 1	METERS, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED: VOLTMETER, DC (FLUSH MOUNTING, ROUND FLANGE, 1 INCH), STYLES 05, 06, 07 (VALIDATION DATE: 8803)	A 6625	CR	26-MAR-88	CR EC 99
	MIL-M-10304/37 NOTICE 1	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED VOLTMETER & AMPMETER, DC, LONG SCALE (FLUSH MOUNTING, ROUND FLANGE, 2 1/2 INCH) STYLE 24 USER: CG MI REVIEWER: 11 AR AT AV ES MC ME	A 6625	SH	25-JUL-86	CR SH 99
L	MIL-C-10320E	COVER, LEVEL ROD, PHILADELPHIA, CANVAS REVIEWER: GS MC	A 6675	ME	02-DEC-82	ME
L	MIL-M-10323A(5)	MOUNT, TELESCOPE: M48	A 1240	EA	26-JUN-89	AR
L	MIL-D-10329A NOTICE 1	DYE, P-NITROPHENYLazo-BETA-NAPHTHYLAMINE (B-1) (VALIDATION DATE: 8808) REVIEWER: GS	A 6820	EA	11-AUG-88	EA
L	MIL-M-10330A	WAXES YELLOW G (VALIDATION DATE: 8405) REVIEWER: 99	A 6665	EA	21-SEP-50	EA OS
L	MIL-P-10334B	POT, SMOKE, FLOATING, MC, M42 COMPONENTS FOR	A 1365	EA	19-JAN-84	EA
A L	MIL-C-10351D NOTICE 1	CLOTH, LAMINATED AND COATED FOR WATERPROOF CONTAINERS (VALIDATION DATE: 9007) REVIEWER: MD	A 8305	CT	30-JUL-90	GL CT
	MIL-P-10360F	PUMP, CENTRIFUGAL, 4 INCH AND 6 INCH, GASOLINE ENGINE AND DIESEL ENGINE DRIVEN, FOR WATER USER: CS MC	A 4320	ME	30-MAY-84	ME 99
	MIL-C-10369D(2)	CABLE, TELEPHONE, FIELD, FOR RAPID PAYOUT (MX-306A/G) (METRIC) USER: 17 MC ME MI REVIEWER: IS	A 6145	CR	14-JAN-87	CR 99
L	MIL-T-10372A(1)	TAPE, TEXTILE, 1 INCH USER: 45 REVIEWER: CT	A 8315	EA	02-FEB-87	EA
	MIL-R-10374B NOTICE 1	RINGER, TELEPHONE TA-48/F1 (VALIDATION DATE: 8603) USER: MC	A 5475	CR	03-MAR-86	CR
L	MIL-C-10375C NOTICE 1	CUPS, CASE, COPPER ALLOY (FOR SMALL ARMS AMMUNITION)	A 1305	AR	03-APR-91	AR
	MIL-C-10382D	CORROSION PREVENTIVE, PETROLATUM, SPRAYING APPLICATION: FOR FOOD HANDLING MACHINERY AND EQUIPMENT (VALIDATION DATE: 8908) USER: MC ME REVIEWER: GL MD SA SH	A 8030	MR	01-AUG-89	MR SH 11
L	MIL-V-10386E	VALVES, CHECK; SWING, CAST-IRON AND STEEL USER: CE REVIEWER: CS	A 4820	ME	20-DEC-89	ME
D	MIL-C-10387J	COUPLINGS, CLAMP, PIPE: WITH BOLTS AND SYNTHETIC-RUBBER GASKETS FOR GROOVED-END PIPE REVIEWER: 82 CE CG CS	A 4730	ME	10-APR-92	ME YD1 99
D	MIL-P-10388H	PIPE FITTINGS: ONE OR MORE ENDS GROOVED USER: MC REVIEWER: CS	A 4730	ME	24-SEP-90	ME YD1
L	MIL-C-10392C(1) NOTICE 1	COND, ELECTRICAL (AUDIO, MINIATURE) USER: AR AV EC MC ME OS REVIEWER: 80 BS AT ES IS MI	A 6145	CR	07-OCT-91	CR AS 17
L	MIL-D-10398D NOTICE 1	DIMETHYL HYDROGEN PHOSPHITE, TECHNICAL (VALIDATION DATE: 8808) USER: OS REVIEWER: GS MD	A 6810	EA	11-AUG-88	EA
L	MIL-P-10398C NOTICE 1	PHOSPHORUS TRICHLORIDE, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: GS MD	A 6810	EA	08-MAR-89	EA
D L	MIL-S-10399D NOTICE 1	SWITCHBOARD, TELEPHONE MANUAL SB-22( )/PT (VALIDATION DATE: 8702) USER: MC YD1 REVIEWER: 99 MI	A 5805	CR	05-FEB-87	CR
D	MIL-M-10430C(1)	WELDING RODS AND ELECTRODES: PACKAGING OF USER: MC REVIEWER: AS EC ES GS ME MI SA SH YD1	A PACK	SH	05-JUL-85	AR SH 99
L	MIL-M-10430C(12) NOTICE 1	WELDING RODS AND ELECTRODES: PACKAGING OF	A PACK	SH	12-MAY-87	SH
	MIL-C-10436A	COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEG. AND 20 MIL GRADUATIONS USER: MC REVIEWER: SH	A 6605	ME	15-MAY-87	ME 99
L	MIL-C-10436L(12)	COMPASS, MAGNETIC, UNMOUNTED: LENSATIC, LUMINOUS, 5 DEGREE AND 20 MIL GRADUATIONS	A 6605	ME	08-NOV-90	ME
L	MIL-M-10442	WRENCHES, SPANNER & HYDRANT (S/S BY GGG-M-665)	A 5120	CE	26-JAN-84	CE
L	MIL-S-10448B NOTICE 1	SWITCHBOARD, TELEPHONE, MANUAL, SB-86( )/P (VALIDATION DATE: 8603)	A 5805	CR	03-MAR-86	CR
L	MIL-A-10450D NOTICE 1	ANILINE, TECHNICAL (METRIC) (VALIDATION DATE: 8903) REVIEWER: GS MD	A 6810	EA	08-MAR-89	EA



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ORL Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Ave MCS Symbol Preparing Agency	Date	Custodians		
				Army	Navy	Air Force DLA
L MIL-M-10452C	MONOCHLOROACETIC ACID, TECHNICAL REVIEWER: GS	A 6810	EA 03-JUL-84	EA		
L MIL-P-10455A	PHOSGENE [VALIDATION DATE: 8008]	A 1365	EA 18-APR-51	EA	OS	
L MIL-C-10463B	CHEMICAL AGENT, CYANOGEN CHLORIDE [VALIDATION DATE: 8008]	A 1365	EA 30-SEP-58	EA	OS	
L MIL-C-10464F	CANS, HERMETIC SEALING, METAL, LIGHT GAGE, TEAR-STRIP TYPE REVIEWER: OS	A 8140	AR 14-FEB-90	AR		
L MIL-L-10469B(4)	LIGHT, AIMING POST [VALIDATION DATE: 8301]	A 1290	AR 30-MAR-70	AR		
L MIL-L-10470D(2)	LIGHTS, INSTRUMENT: FIRE CONTROL EQUIPMENT [VALIDATION DATE: 8805]	A 1290	AR 16-MAY-88	AR		
L MIL-P-10476C	PRINT WASHER, PHOTOGRAPHIC, EK-1 REVIEWER: GS	A 6740	CR 12-APR-84	CR		
L MIL-C-10479B	CRYSTAL IMPEDANCE METER TS 683/TSN [VALIDATION DATE: 8003] REVIEWER: EC	A 6625	SH 24-FEB-69	CR	SH	99
L MIL-P-10480D(1)	PLUNGER, DELAY, M1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008]	A 1375	AR 27-AUG-90	AR		
L MIL-I-10493D	ICE MAKING PLANT, BLOCK [VALIDATION DATE: 8201] USER: MC REVIEWER: CG GS MD	A 4110	GL 16-DEC-70	GL	YD1	99
D MIL-R-10509F(7)	RESISTORS, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR USER:	A 5905	ER 19-APR-89	ER	EC	85
L SUPPL 1A	19 AT AV CG MC ME REVIEWER: 11 17 99 AR AS ES MI OS					
I MIL-R-10509/1L	RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RM60 [VALIDATION DATE:	A 5905	ER 25-OCT-91	ER	EC	85
L NOTICE 1	91101 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS MI OS					
I MIL-R-10509/2H(1)	RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RM65 [VALIDATION DATE:	A 5905	ER 25-OCT-91	ER	EC	85
L NOTICE 1	91101 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS MI OS					
A I MIL-R-10509/3H(2)	RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RM70 [VALIDATION DATE:	A 5905	ER 27-AUG-92	ER	EC	85
L NOTICE 2	92081 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS					
I MIL-R-10509/5H	RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RM75 [VALIDATION DATE:	A 5905	ER 25-OCT-91	ER	EC	85
L NOTICE 1	91101 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS					
I MIL-R-10509/6F	RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RM80 [VALIDATION DATE:	A 5905	ER 18-AUG-88	ER	EC	11
L NOTICE 1	88081 USER: 19 AT CG MC ME REVIEWER: 17 99 AR ES MI					
I MIL-R-10509/7G	RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RM85 [VALIDATION DATE:	A 5905	ER 25-OCT-91	ER	EC	85
L NOTICE 1	91101 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS					
I MIL-R-10509/8D	RESISTORS, FIXED, FILM (HIGH STABILITY), STYLE RM50 USER: 19 AR AT CG MC	A 5905	ER 19-APR-89	ER	EC	85
L NOTICE 1	ME REVIEWER: 17 99 AR AS ES MI OS					
A LI MIL-R-10509/13	RESISTORS, FIXED, FILM (HIGH STABILITY) STYLE RM75---TX [VALIDATION DATE:	A 5905	BS 12-APR-93			85
L NOTICE 2	93041 REVIEWER: 17					
A LI MIL-R-10509/14	RESISTOR, FIXED, FILM (HIGH STABILITY) STYLE RM80---TX [VALIDATION DATE:	A 5905	BS 12-APR-93			85
L NOTICE 2	93041 REVIEWER: 17 85					
L MIL-S-10520D	STEEL, FORGING, FOR PROJECTILE STOCK [VALIDATION DATE: 8804]	A FORG	AR 01-APR-88	AR		
L NOTICE 1						
A L MIL-S-10521K(3)	SIMULATOR, BOOBY TRAP, FLASH, M117 PARTS FOR AND LOADING ASSEMBLING AND	A 1370	AR 11-FEB-93	AR		
L	PACKING					
L MIL-S-10522K(1)	SIMULATOR, BOOBY TRAP, WHISTLING, M119, PARTS FOR AND LOADING, ASSEMBLING,	A 1370	AR 13-OCT-88	AR		
L NOTICE 1	AND PACKING [VALIDATION DATE: 8810]					
L MIL-C-10544C(2)	CONNECTORS, PLUG AND RECEPTACLE (ELECTRICAL, AUDIO, WATERPROOF, TEN	A 5935	CR 16-AUG-88	CR		
L NOTICE 1	CONTACT, POLARIZED) [VALIDATION DATE: 8808] USER: ME REVIEWER: AV EA ES MC					
D MIL-L-10547E	MI					
D L MIL-R-10550F	LINER, CASE, AND SHEET, OVERWRAP, WATER VAPORPROOF OR WATERPROOF, FLEXIBLE	A 8135	GL 26-NOV-75	GL	SA	69
L MIL-S-10555H(1)	[VALIDATION DATE: 8201] USER: MC REVIEWER: 99 AS EA GS MD OS SS YD1	A 3895	YD1 28-JAN-89		YD1	
L NOTICE 1	ROLLERS, MOTORIZED, TANDEN, 2-AXLE AND 3-AXLE, GED OR DED USER: CS	A 1370	AR 31-OCT-90	AR		
L MIL-P-10559A	SIMULATOR, BOOBY TRAP, ILLUMINATING M18 PARTS FOR, AND LOADING,					
L	ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 6740	AR 17-JUN-55	AR	OS	
L MIL-R-10572C(1)	PROCESSING MACHINE, PHOTOGRAPHIC FILM (AMMONIA PROCESS, CONTINUOUS TONE,					
L	42-INCH) REVIEWER: 69 CR GL SH	A 2230	ME 10-DEC-84	ME		
L MIL-C-10578D(3)	RAILWAY CARS, TRAILER: MAINTENANCE, 56-1/2- INCH GAGE, 5-TON, 4-WHEEL,	A 6850	MR 16-NOV-28	MR	AS	68
D	DOMESTIC SERVICE					
L MIL-T-10579H	CORROSION REMOVING AND METAL CONDITIONING COMPOUND (PHOSPHORIC ACID BASE)	A 2330	AT 17-FEB-88	AT	YD1	99
L MIL-P-10585A(1)	USER: AT CR MC ME REVIEWER: 11 GL GS MI SA SH	A 1040	EA 10-SEP-53	EA		
L NOTICE 2	TRAILER, CARGO, 2 WHEEL, 1/4 TON TO 1 1/2 TON USER: ME REVIEWER: MC					
L MIL-P-10590B(1)	PLUG, FILLING, PORTABLE FLAME THROWER, C23 [VALIDATION DATE: 7306] USER:					
D L MIL-C-10597E(1)	MC	A 1315	AR 26-JUN-67	AR		
D	PROJECTILE, ILLUMINATING, 81MM, M301A2 METAL PARTS ASSEMBLY [VALIDATION					
D	DATE: 7905]	A 6850	ME 24-AUG-84	MR	YD1	68
D MIL-P-10603E	CLEANING COMPOUND WITH CONDITIONER AND INHIBITOR FOR ENGINE COOLING	A PACK	ME 21-NOV-90	ME	YD1	99
L MIL-R-10622C	SYSTEMS USER: AT REVIEWER: GS SH	A 5805	CR 17-JUL-59	CR	SH	99
L MIL-C-10632C(3)	PUMPS AND PUMPING UNITS, CENTRIFUGAL, POWER-DRIVEN, FOR WATER, PACKAGING	A 8340	AR 15-AUG-91	AR		
L	OF REVIEWER: SH					
L MIL-I-10634D	REPEATER, TELEPHONE (REPEATER AM/TCC-11) INACTIVE FOR NEW DESIGN)	A 1340	AR 20-JUN-88	AR	OS	
L	[VALIDATION DATE: 7302] USER: MC					
L MIL-T-10648D	COVERS AND CASES, TEXTILE, ARMY EQUIPMENT, GENERAL SPECIFICATION FOR USER:	A 1240	AR 30-SEP-88	AR		
L MIL-P-10653D(2)	AT AV CR REVIEWER: CT GL ME	A 6115	ER 21-JUL-81	ER		
L MIL-D-10662D	IGNITER, ROCKET, M20A1 FOR ROCKET, M28A2, M29A2 AND M30 LOADING,	A 6810	EA 09-MAR-89	EA	68	
L	ASSEMBLING AND PACKING [VALIDATION DATE: 8806]					
L MIL-C-10664C	TELESCOPES, STRAIGHT: M80 SERIES & P/N 12599180					
L	POWER SUPPLY (PLATE SUPPLY-TIMER UNIT PE-244-) ( ), REVIEWER: GS					
L	1,2-DICHLOROETHANE, TECHNICAL [VALIDATION DATE: 8903] USER: MI REVIEWER:					
L	GS MD					
L MIL-M-10670A	CHLOROPICRIN, TECHNICAL [VALIDATION DATE: 8808] REVIEWER: GS MD MS	A 6810	EA 11-AUG-88	EA	AS	
L	MONITORING SET, TELEPHONE (MONITORING EQUIPMENT AM/PTA-1())	A 6625	CR 05-OCT-90	CR		
A MIL-S-10679E	SCARF, NECKWEAR, RAYON, WOMAN S REVIEWER: 99 SA	A 8445	CT 26-FEB-88	MC	11	CT
D MIL-W-10698C(1)	WRENCH, OPEN END, AND WRENCH ASSEMBLY, STAMPED STEEL [VALIDATION DATE:	A 5120	GL 20-MAY-87	GL	YD1	99
D	8705] USER: MC REVIEWER: 84					
D MIL-S-10699B(2)	SALT, HEAT TREATING (FOR METALS) [VALIDATION DATE: 8810] USER: MI SH	A 6850	AR 24-OCT-88	AR	YD1	68
L	REVIEWER: 20 AS GS MD					
L MIL-T-10727C	TIN PLATING: ELECTRODEPOSITED OR HOT-DIPPED, FOR FERROUS AND NONFERROUS	A MFP	MR 30-JUN-89	MR	OS	99
L	METALS USER: ME REVIEWER: AR DH EA EC ER MI					
L MIL-R-10735K(3)	REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, GASOLINE ENGINE AND ELECTRIC	A 4110	GL 27-SEP-79	GL		99
D	MOTOR DRIVEN, FOR SEMI-TRAILER REFRIGERATORS [VALIDATION DATE: 8404]					
D	REVIEWER: AT GS MD ME MI					
L MIL-S-10738H	STONE, GASOLINE BURNER, M1950, AND CASE [VALIDATION DATE: 8201] USER: 67	A 7310	GL 09-MAR-76	GL	YD1	99
L	CS SA REVIEWER: GS MC MD					
L MIL-S-10742B	SHROUD, BALLOON M1-424(A) REVIEWER: 13	A 6660	CR 29-NOV-90	CR	AS	99
L	BALLOON, PILOT AND CEILING REVIEWER: 13 AS CR	A 6660	ER 22-OCT-80	ER		99
L MIL-B-10743E	BOMB, SMOKE, 100-LB; AM-M4744, WP FILLING [VALIDATION DATE: 8808]	A 1325	EA 12-AUG-88	EA		99
L MIL-B-10748D	COAT, FIREMEN S USER: 45 AS OS REVIEWER: MD	A 8415	CT 17-JUN-88	GL	MU	99
A	CHEMICAL AGENT, GB [VALIDATION DATE: 8605]	A 1365	EA 28-MAY-86	EA		CT
L MIL-C-10750J	SEMITRAILER, REFRIGERATOR: 7 1/2-TON, 2-WHEEL, M349A1, M349A2, AND M349A3	A 2330	ME 24-MAR-65	ME		
L	TOWERS (COMPONENTS OF) [VALIDATION DATE: 8308] REVIEWER: CS	A 5445	ER 21-MAY-68	ER	YD1	84
L MIL-S-0010762D	TOWERS (COMPONENTS OF) [VALIDATION DATE: 8308]	A 5445	ER 29-DEC-71	ER		
D MIL-T-10767F	DRIVER TESTING AND TRAINING DEVICES, PORTABLE AND SIMULATOR USER: 70 MC SA	A 6930	ME 23-APR-87	ME	TD	99
L	REVIEWER: MD					
A L MIL-C-10797D	CLOTH, COATED, GLASS, SILICONE RUBBER COATED [VALIDATION DATE: 8711]	A 8305	CT 12-NOV-87	GL		CT
L	REVIEWER: MD					
A MIL-T-10798L	TRUNK LOCKER, BARRACKS USER: 45 MC REVIEWER: 82 EA MD	A 8460	CT 02-MAR-90	GL		99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / Code Coordination Machine	Document Number	Document Title	Dist Smt FBC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
A	MIL-C-10799H	CLOTH, COATED, COTTON, VINYL COATED, FIRE AND MILDEW RESISTANT (VALIDATION DATE: 8904) USER: 45 MC ME MI REVIEWER: B2 MD OS	A 8305	CT	22-APR-89	GL	AS	99	CT
D	MIL-P-108050(1)	FUEL, COMPRESSED, TRIOXANE, RATION HEATING (VALIDATION DATE: 8201) USER: MC YDI REVIEWER: GS MD PS	A 9110	GL	11-MAR-76	GL		68	
D	MIL-P-10808F(1)	POUCH, HUMAN REMAINS USER: YDI REVIEWER: GS MD	A 9930	GL	03-DEC-87	GL	MS	34	
A L	MIL-P-10808F(12)	POUCH, HUMAN REMAINS	A 9930	GL	10-AUG-92	GL			
A	MIL-P-10809G	PARKA, SNOW CAMOUFLAGE USER: 45 SA REVIEWER: 11 B2 MC MD	A 8415	CT	07-NOV-89	GL	MU	99	CT
L	MIL-P-0010809H	PARKA, SNOW CAMOUFLAGE, WHITE	A 8415	GL	10-FEB-92	GL			
	MIL-U-10815H(1)	UTENSILS, COOKING, CORROSION-RESISTING STEEL USER: CG REVIEWER: MC MD	A 7330	GL	14-DEC-88	GL	SA	99	
	MIL-D-10821F	DESKS, FIELD USER: MC SA	A 7110	GL	30-JUN-89	GL		84	
	OOD-A-10825A	ALUMINUM OXIDE, ANHYDROUS, ANALYZED REAGENT (METRIC)	A 6810	EA	22-OCT-79	EA		68	
L	MIL-P-10830	POTASSIUM PICRATE (VALIDATION DATE: 8301) REVIEWER: GS	A 6810	AR	15-JAN-51	AR			
	MIL-P-10831B	PAPER, TARGET (VALIDATION DATE: 8404) USER: GL	A 9310	AR	04-SEP-64	AR	MC		
L	MIL-P-10831B(12)	PAPER, TARGET (VALIDATION DATE: 8404)	A 9320	AR	30-JUN-66	AR			
L	MIL-A-10840D	ARSENIC TRIOXIDE, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: GS MD	A 6810	EA	09-MAR-89	EA			
	NOTICE 1								
	MIL-A-10841D	ANTIMONY, TECHNICAL (METRIC) (VALIDATION DATE: 8808) USER: MI REVIEWER: GS MD	A 6810	EA	11-AUG-88	EA	OS		
	NOTICE 1								
L	MIL-M-10842A	WAX, MICROCRYSTALLINE (METRIC) (VALIDATION DATE: 8903) REVIEWER: GS PS	A 9160	EA	09-MAR-89	EA			
	NOTICE 1								
D	MIL-G-10849F	GLOVE SHELLS, ELECTRICAL WORKER S (VALIDATION DATE: 8601) USER: 11 45 ER SM REVIEWER: MD OS YDI	A 8415	CT	09-NOV-79	GL	MU	99	CT
	MIL-P-10850E	PRINTER, PROJECTION, PHOTOGRAPHIC USER: MC MI REVIEWER: GS	A 6740	CR	08-APR-85	CR	AS		
L	MIL-B-10854	BINDER, CELLULOSE NITRATE CAMPHOR (FOR PYROTECHNIC MIXTURES), (VALIDATION DATE: 8404) REVIEWER: GS OS	A 6850	EA	28-MAY-81	EA			
	MIL-C-10856D	CHEMICAL AGENT, MUSTARD, SIMULATED (MOLASSES RESIDUUM (VALIDATION DATE: 8605) USER: AS MC REVIEWER: MD	A 1366	EA	28-MAY-86	EA	OS		
L	MIL-C-10857D	CLOTH, ANTIFOGGING (VALIDATION DATE: 8808) REVIEWER: GS	A 4240	EA	12-AUG-88	EA			
	NOTICE 1								
A	MIL-S-10858H	SHIRT, COLD WEATHER, FIELD, WOOL/MYLOM, OLIVE GREEN 108 USER: 45 REVIEWER: B2 MC MD	A 8415	CT	07-JAN-83	GL	MU	99	CT
A	MIL-C-10859J	CLOTH, OXFORD, COTTON, (PERMEABLE) USER: MC REVIEWER: B2 MD	A 8305	CT	24-SEP-90	GL	MU	99	CT
	OOD-U-10860B(3)	UREA, TECHNICAL (METRIC) USER: AS AV REVIEWER: GS MD	A 6810	EA	19-JUL-85	EA	OS	11	
A	MIL-L-10867E	LEATHER, CATTLEHIDE, GUSSET, CHROME TANNED, FATLIQUORED USER: MC REVIEWER: 11 B2 MD	A 8330	CT	29-MAR-91	GL	MU	99	CT
D	MIL-M-10868F	HOSE ASSEMBLY, RUBBER, UTILITY, GASOLINE (1/4-INCH INSIDE DIAMETER) REVIEWER: B2 CS MD ME	A 4720	GL	13-JUN-86	GL	YDI	95	
	MIL-P-10870G	FOOD CONTAINER, INSULATED, WITH INSERTS REVIEWER: B4	A 7330	GL	30-SEP-82	GL	SA	99	
	MIL-C-10872E	CAP, FLUR, 4-INCH, CYLINDRICAL USER: MC REVIEWER: CS MD ME	A 4520	GL	30-SEP-85	GL			
	MIL-R-10882D	RECORDER, RADIOSONDE AN/TMO-5(1) (UNITS OF) (VALIDATION DATE: 9104) REVIEWER: GS	A 6660	CR	30-APR-91	CR		99	
	NOTICE 2								
	MIL-F-10884F	FASTENERS, SNAP USER: AV ME REVIEWER: B2 AR 15 MI OS	A 5325	GL	30-DEC-88	GL	AS	99	
	MIL-W-10885B(1)	WAX, IMPREGNATING, WATERPROOFING, FOR LAMINATED PAPER TUBES FOR SMALL ARMS - AMMUNITION (VALIDATION DATE: 8003) REVIEWER: EA GS PS	A 9160	AR	22-JAN-62	AR	OS		
L	MIL-C-10888D	CANNON, 4.2 INCH MORTAR: M30 AND MOUNT, 4.2 INCH MORTAR: M24A1 (VALIDATION DATE: 8806)	A 1015	AR	20-JUN-88	AR			
	NOTICE 1								
L	MIL-M-10891C	METHYLPHOSPHONIC DICHLORIDE, TECHNICAL (VALIDATION DATE: 8811) REVIEWER: GS	A 6810	EA	01-NOV-88	EA			
	NOTICE 1								
A	MIL-I-10901H	INSECT BAR: FIELD TYPE, NYLON NETTING (VALIDATION DATE: 8908) USER: 45 MC REVIEWER: B2 CT MD	A 7210	CT	11-AUG-89	GL	MU	11	CT
	NOTICE 1								
A	MIL-G-10902J	GLOVES, MEN'S, AND WOMEN'S, ANTICONTACT USER: CG MC REVIEWER: MD	A 8415	CT	28-OV-89	GL	MU		CT
L	MIL-I-10903	ISOBUTYL METHACRYLATE POLYMER, AE (VALIDATION DATE: 8403) REVIEWER: GS	A 6810	EA	05-FEB-51	AR			
M	MIL-V-10908C	VALVE, DRIP, ADJUSTABLE FEED USER: MC REVIEWER: B4 CS	A 4520	GL	13-MAY-93	GL		99	
	MIL-L-10911D	LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 6-, 8-, 10-, AND 12-INCH DIAMETER CONE) USER: 17 AR AS AT MC ME MI REVIEWER: 13 99 ER ES	A 5965	EC	20-OCT-82	CR	EC	85	
	NOTICE 1A								
	MIL-L-10911/1B	LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 5-INCH DIAMETER CONE) (VALIDATION DATE: 9010) USER: 17 AS AT AV MC ME MI REVIEWER: 13 99 ER ES	A 5965	CR	23-OCT-90	CR	EC	85	
	NOTICE 1								
	MIL-L-10911/2A	LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 6-INCH DIAMETER CONE) (VALIDATION DATE: 9102) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH	A 5965	CR	05-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-L-10911/3B	LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 8-INCH DIAMETER CONE) (VALIDATION DATE: 9011) USER: 17 AS AT MC ME MI REVIEWER: 13 99 ER ES OS SH	A 5965	CR	29-NOV-90	CR	EC	85	
	NOTICE 1								
	MIL-L-10911/4A	LOUDSPEAKERS, PERMANENT MAGNET, (UNENCASED, 10-INCH DIAMETER CONE) (VALIDATION DATE: 9010) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH	A 5965	CR	23-OCT-90	CR	EC	85	
	NOTICE 1								
	MIL-L-10911/5A	LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 12-INCH DIAMETER CONE) (VALIDATION DATE: 9011) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH	A 5965	CR	29-NOV-90	CR	EC	85	
	NOTICE 1								
	MIL-L-10911/6A	LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 3-INCH DIAMETER CONE) (VALIDATION DATE: 8901) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH	A 5965	BS	13-JAN-89	CR	EC	85	
	NOTICE 1								
	MIL-L-10911/7A	LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 2.5-INCH DIAMETER CONE) (VALIDATION DATE: 8901) USER: 17 AR AS AV MC ME MI REVIEWER: 11 13 ER ES OS SH	A 5965	BS	13-JAN-89	CR	EC	85	
	NOTICE 1								
	MIL-L-10911/8A	LOUDSPEAKER, PERMANENT MAGNET, (UNENCASED, 4 INCH DIAMETER CONE) USER: 17 AS AT AV MC ME MI REVIEWER: 11 13 ER ES OS SH	A 5965	EC	20-OCT-82	CR	EC	85	
	NOTICE 1								
	MIL-F-10915L	FUZE, HAND GRENADE, R101, POCKET, CS, M201A1E1, FUZE, FLOATING SMOKE POT, M207A1, AND FUZE, INCENDIARY, M210 REVIEWER: AS	A 1330	EA	08-SEP-72	EA	OS	99	
A	MIL-C-10922G	CASE, PARACHUTISTS, INDIVIDUAL WEAPONS M-1950, ADJUSTABLE, USER: 11 45 AV MC REVIEWER: AS	A 8465	CT	20-FEB-85	GL	MU	99	CT
DQ	MIL-G-10924F	GREASE, AUTOMOTIVE AND ARTILLERY USER: AT REVIEWER: 11 AR AS EA GS MI PS SA SH	A 9150	ME	17-JUL-89	ME	YDI	68	
A	MIL-S-10928G	SUSPENDERS, TROUSERS, M-1950 USER: 45 CG REVIEWER: B2 MC MD	A 8440	CT	10-JUN-86	GL	MU	99	CT
A L	MIL-B-10930C	BAG, SIGNAL EQUIPMENT, WATERPROOF (VALIDATION DATE: 8402) REVIEWER: B2 MC MD	A 8465	CT	17-OCT-83	GL	MU	99	CT
D	MIL-R-10932H	REFRIGERATORS, PREFABRICATED, PANEL TYPE REVIEWER: B2 GS MC MD ME SH TS	A 4110	GL	30-JUN-88	GL	YDI	99	
	MIL-R-0010932	REFRIGERATORS, PREFABRICATED, PANEL TYPE USER: SM REVIEWER: GS MC MD ME	A 4110	GL	08-APR-86	GL		99	
D	MIL-C-10933E	CHILLED WATER UNIT, BAKERY REVIEWER: EL GS MD	A 7320	GL	07-NOV-85	GL	YDI	99	
	MIL-F-10934A(1)	FILTER UNIT, GAS & PARTICULATE, GED (OR EMP), 300 CFM, ABC & M6 (VALIDATION DATE: 8505) USER: MC REVIEWER: GS	A 4240	EA	30-SEP-83	EA		99	
A	MIL-P-10941D	PACKBOARD, PLYWOOD (VALIDATION DATE: 8801) USER: 45 MI REVIEWER: EA MC	A 8465	CT	25-JAN-88	GL	MU	99	CT
	NOTICE 1								
	MIL-G-10944B(3)	GAGE, DIMENSIONAL CONTROL USER: MC ME REVIEWER: MI	A 5220	AR	19-FEB-82	AR	AS	99	
Q	MIL-C-10950C(3)	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE, GENERAL SPECIFICATION FOR USER: 11 AS CG OS REVIEWER: 17 99 AR ES SH	A 5910	EC	05-OCT-87	ER	EC	85	
	NOTICE 1A								
	MIL-C-10950/1E(2)	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEED THRU) STYLES CB11, CB13, CB14 USER: AS CG OS REVIEWER: 17 ES	A 5910	EC	05-OCT-87	ER	EC	85	
	MIL-C-10950/2D(1)	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB21 USER: 11 AS CG OS REVIEWER: 17 99 AR ES	A 5910	EC	05-OCT-87	ER	EC	85	
	MIL-C-10950/3E(1)	CAPACITORS, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF) STYLE CB31 USER: 11 AS CG OS REVIEWER: 17 99 AR ES	A 5910	EC	05-OCT-87	ER	EC	85	
	MIL-C-10950/4D(1)	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU) STYLE CB50 USER: AS CG OS REVIEWER: 17 99 AR ES SH	A 5910	EC	05-OCT-87	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Omb Coordination Initiative	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol	Proposed Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-C-10950/7C(1)	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB60, CB61, AND CB62 USER: AS CG OS REVIEWER: 11 17 99 AR ES SH	A 5910	EC	05-OCT-87	ER	EC	BS	
	MIL-C-10950/8C(1)	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (FEEDTHRU, HERMETIC SEAL) STYLES CB55, CB56, AND CB57 USER: 11 AS CG OS REVIEWER: 17 99 AR ES SH	A 5910	EC	05-OCT-87	ER	EC	BS	
	MIL-C-10950/9C(1)	CAPACITOR, FIXED, MICA DIELECTRIC, BUTTON STYLE (STANDOFF, HERMETIC SEAL) STYLES CB65, CB66, AND CB67 USER: AS CG OS REVIEWER: 11 17 99 AR ES SH	A 5910	EC	05-OCT-87	ER	EC	BS	
A	MIL-B-10955F SUPPL 1A, NOTICE 1	BADGE, QUALIFICATION, AVIATION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CG CT MC	A 8455	IM	12-NOV-92	IM	MU	11	
A L	MIL-B-10955/1H	BADGE, QUALIFICATION, AVIATION, AVIATOR, ARMY REVIEWER: CT .....	A 8455	IM	04-AUG-92	IM			
A L	MIL-B-10955/2H	BADGE, QUALIFICATION, AVIATION, SENIOR AVIATOR, ARMY REVIEWER: CT .....	A 8455	IM	04-AUG-92	IM			
A L	MIL-B-10955/3H	BADGE, QUALIFICATION, AVIATION, MASTER AVIATOR, ARMY REVIEWER: CT .....	A 8455	IM	04-AUG-92	IM			
	MIL-B-10955/4E	BADGE, QUALIFICATION, AVIATION, ENLISTED AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/5E	BADGE, QUALIFICATION, AVIATION, SENIOR ENLISTED AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/6E	BADGE, QUALIFICATION, AVIATION, CHIEF ENLISTED AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/7F	BADGE, QUALIFICATION, AVIATION, NAVIGATOR OR AIRCRAFT OBSERVER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/8F	BADGE, QUALIFICATION, AVIATION, SENIOR NAVIGATOR OR AIRCRAFT OBSERVER AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/9F	BADGE, QUALIFICATION, AVIATION, MASTER NAVIGATOR OR AIRCRAFT OBSERVER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/10E	BADGE, QUALIFICATION, AVIATION, PILOT, AIR FORCE REVIEWER: 82 99 CT .....	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/11E	BADGE, QUALIFICATION, AVIATION, SENIOR PILOT, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/12E	BADGE, QUALIFICATION, AVIATION, COMMAND PILOT, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/13E	BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/14E	BADGE, QUALIFICATION, AVIATION, SENIOR FLIGHT SURGEON, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/15E	BADGE, QUALIFICATION, AVIATION, CHIEF FLIGHT SURGEON, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/16F	BADGE, QUALIFICATION, AVIATION, FLIGHT NURSE, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
A L	MIL-B-10955/17G	BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, ARMY REVIEWER: CT .....	A 8455	IM	04-AUG-92	IM			
A L	MIL-B-10955/18G	BADGE, QUALIFICATION, AVIATION, SENIOR FLIGHT SURGEON, ARMY REVIEWER: CT ..	A 8455	IM	04-AUG-92	IM			
A L	MIL-B-10955/19G	BADGE, QUALIFICATION, AVIATION, MASTER FLIGHT SURGEON, ARMY REVIEWER: CT ..	A 8455	IM	04-AUG-92	IM			
	MIL-B-10955/20D NOTICE 1	BADGE, QUALIFICATION, AVIATION, COMBAT AIRCREW MEMBER, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	IM	24-APR-92	IM	MU	11	
	MIL-B-10955/21C NOTICE 1	BADGE, QUALIFICATION, AVIATION, NAVAL AVIATOR, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	IM	24-APR-92	IM	MU	11	
	MIL-B-10955/22C NOTICE 1	BADGE, QUALIFICATION, AVIATION, NAVAL AVIATION OBSERVER, FLIGHT METEOROLOGIST, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	IM	24-APR-92	IM	MU	11	
	MIL-B-10955/25E	BADGE, QUALIFICATION, AVIATION, PILOT ASTRONAUT, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/26E	BADGE, QUALIFICATION, AVIATION, SENIOR PILOT ASTRONAUT, AIR FORCE REVIEWER: 82 99 CT DP	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/27E	BADGE, QUALIFICATION, AVIATION, COMMAND PILOT ASTRONAUT, AIR FORCE REVIEWER: 82 99 CT DP	A 8455	IM	13-SEP-91	IM		11	
A L	MIL-B-10955/28F	BADGE, QUALIFICATION, AVIATION, AIRCRAFT CREWMAN, ARMY REVIEWER: CT .....	A 8455	IM	04-AUG-92	IM			
A L	MIL-B-10955/29F	BADGE, QUALIFICATION, AVIATION, SENIOR AIRCRAFT CREWMAN, ARMY REVIEWER: CT	A 8455	IM	04-AUG-92	IM			
A L	MIL-B-10955/30F	BADGE, QUALIFICATION, AVIATION, MASTER AIRCRAFT CREWMAN, ARMY REVIEWER: CT	A 8455	IM	04-AUG-92	IM			
	MIL-B-10955/31E	BADGE, QUALIFICATION, AVIATION, SENIOR FLIGHT NURSE, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/32E	BADGE, QUALIFICATION, AVIATION, CHIEF FLIGHT NURSE, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/33B NOTICE 1	BADGE, QUALIFICATION, AVIATION, FLIGHT OFFICER, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	IM	24-APR-92	IM	MU	11	
	MIL-B-10955/34B NOTICE 1	BADGE, QUALIFICATION, AVIATION, EXPERIMENTAL PSYCHOLOGIST AND PSYCHOLOGIST, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	IM	24-APR-92	IM	MU	11	
	MIL-B-10955/35A NOTICE 1	BADGE, QUALIFICATION, AVIATION, AIR CREW, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	IM	24-APR-92	IM	MU	11	
	MIL-B-10955/36B	BADGE, QUALIFICATION, AVIATION, FLIGHT SURGEON, NAVY REVIEWER: CT .....	A 8455	IM	14-SEP-90	IM			
	MIL-B-10955/37C	BADGE, QUALIFICATION, AVIATION, OFFICER AIR CREW MEMBER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/38C	BADGE, QUALIFICATION, AVIATION, SENIOR OFFICER AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/39C	BADGE, QUALIFICATION, AVIATION, CHIEF OFFICER AIRCREW MEMBER, AIR FORCE REVIEWER: 82 99 CT	A 8455	IM	13-SEP-91	IM		11	
	MIL-B-10955/43A NOTICE 1	BADGE, QUALIFICATION, AVIATION, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	IM	24-APR-92	IM	MU	11	
A L	MIL-B-10955/44	BADGE, QUALIFICATION, AVIATION, ASTRONAUT DEVICE FOR AVIATOR, FLIGHT SURGEON AND AIRCRAFT CREWMAN, ARMY REVIEWER: CT	A 8455	IM	21-AUG-92	IM			
D	MIL-A-10957G	ADAPTER KIT, GRAVITY FEED, FOR 5 GALLON MILITARY GASOLINE CAN AND 55 GALLON DRUM USER: MC REVIEWER: 84 MC	A 7240	GL	09-DEC-86	GL	YD1	99	
	MIL-M-10958F	MARGARINE, CANNED [VALIDATION DATE: 8201] REVIEWER: MC MD .....	A 8945	GL	29-JUL-76	GL	SA	50	
L	MIL-F-10969B NOTICE 1	FILTER ELEMENT, AEROSOL [VALIDATION DATE: 8808] REVIEWER: GS .....	A 4240	EA	12-AUG-88	EA			
	MIL-P-10971E(3)	PIN, SPRING, TUBULAR (COILED AND SLOTTED) USER: AV ME SA SH REVIEWER: 82 AT IS MI	A 5315	AR	03-APR-92	AR	OS	99	
D I	MIL-I-10986F(2) NOTICE 1	INDICATORS AND TRANSMITTERS: LIQUID, TEMPERATURE AND PRESSURE USER: MC ME REVIEWER: ER GS	A 6620	AT	22-JAN-92	AT	YD1		
L	MIL-S-10987E	SCALE, PLOTTING, COORDINATE (PLASTIC, SQUARE, 1:25,000 SCALE AND 1:50,000 SCALE, GRADUATED IN METERS) REVIEWER: GS	A 6675	ME	02-DEC-91	ME			
L	MIL-B-10997B	BOOSTER M120, PARTS FOR [VALIDATION DATE: 8101] .....	A 1345	AR	21-APR-65	AR	OS	99	
	MIL-B-11007E	BURSTER, BOMB, AM-M20 [VALIDATION DATE: 8808] .....	A 1325	EA	12-AUG-88	EA	OS	99	
L	MIL-C-11009B NOTICE 1	CLIP, CARTRIDGE, CARBINE, CAL. .30 [VALIDATION DATE: 8705] .....	A 1305	AR	21-MAY-87	AR			
Q	MIL-C-11015D(8) SUPPL 1A	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), GENERAL SPECIFICATION FOR USER: 19 MC REVIEWER: 11 17 99 AR AS ES MI OS SH	A 5910	EC	14-JUN-84	ER	EC	BS	
	MIL-C-11015/D	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK21 (FOR REPLACEMENT PURPOSES ONLY) [VALIDATION DATE: 8104] USER: 19 MC REVIEWER: 11 17 99 EA ES MI	A 5910	EC	06-DEC-67	ER	EC	BS	
	MIL-C-11015/2C NOTICE 1	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK22 (FOR REPLACEMENT PURPOSES ONLY) [VALIDATION DATE: 8703] REVIEWER: 11 17 99 ES MC MI	A 5910	EC	02-MAR-87	ER	EC	BS	
I	MIL-C-11015/4C NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK27 [VALIDATION DATE: 8703] USER: 19 MC REVIEWER: 11 17 99 ES MI	A 5910	EC	02-MAR-87	ER	EC	BS	
	MIL-C-11015/9E(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK60 USER: 19 REVIEWER: 11 17 99 AS ES MI OS SH	A 5910	EC	14-JAN-86	ER	EC	BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Admin Cntr / OMA Classification Inactive	Document Number	Document Title	Diet Syst FSC / Aves	MCA Symbol Preparing Act	Date	Custodian Army Navy Air Force DIA
	MIL-C-11015/10E(1)	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK61 USER:	A 5910	EC	14-JAN-86	ER EC 85
	MIL-C-11015/11E(1)	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) STYLE CK62 USER: 19	A 5910	EC	14-JAN-86	ER EC 85
A	MIL-C-11015/12E(2)	AS SH REVIEWER: 11 17 99 ES MI OS CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK63 USER:	A 5910	EC	09-JUL-92	ER EC 85
	MIL-C-11015/13D	19 AS SH REVIEWER: 17 99 ES MI OS CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (FEED-THRU), STYLE	A 5910	EC	03-MAY-84	ER EC 85
	MIL-C-11015/14C NOTICE 1	CK70 USER: 19 MC REVIEWER: 11 17 99 ES MI CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE	A 5910	EC	02-MAR-87	ER EC 85
	MIL-C-11015/15C NOTICE 1	CK80 (INVALIDATION DATE: 8703) USER: 19 MC REVIEWER: 11 17 99 ES MI CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) (STAND-OFF), STYLE	A 5910	EC	02-MAR-87	ER EC 85
	MIL-C-11015/18D	CK81 (INVALIDATION DATE: 8703) USER: MC REVIEWER: 11 99 ES MI CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK05	A 5910	EC	28-SEP-70	ER EC 85
	MIL-C-11015/19D	(INVALIDATION DATE: 8304) USER: 19 MC REVIEWER: 11 17 99 ES MI CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLE CK06	A 5910	EC	28-SEP-70	ER EC 85
	MIL-C-11015/20C(2)	(INVALIDATION DATE: 8304) USER: 19 MC REVIEWER: 11 17 99 AR EA ES MI CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK12, CK13,	A 5910	EC	14-JUL-83	ER EC 85
	MIL-C-11015/21E(1)	CK14, CK15, AND CK16 (INACTIVE FOR DESIGN USE MIL-C-39014/5) USER: 19 MC REVIEWER: 17 99 AS ES MI OS SH	A 5910	EC	14-JAN-86	ER EC 85
	MIL-C-11015/23C NOTICE 1	CAPACITOR, FIXED CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK64, CK65, CK66, CK 67, CK68, AND CK69 USER: 19 AS SH REVIEWER: 11 17 99 ES MI OS	A 5910	EC	28-JUL-88	ER EC 85
	MIL-C-11015/24E(2)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK41, CK42, CK43, CK50, CK51, CK52, CK53, CK54 AND CK55 USER: 19 AS REVIEWER: 11	A 5910	EC	03-OCT-88	ER EC 85
L	MIL-C-11015/25B NOTICE 1	17 99 ES MI OS CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) STYLES CK31 AND CK32	A 5910	85	27-FEB-87	85
	MIL-C-11015/26B	INACTIVE USE MIL-C-39014/5 (INVALIDATION DATE: 8702) REVIEWER: 17 99 ES CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), STYLES CK18 AND	A 5910	EC	28-SEP-70	ER EC 85
L	MIL-C-11015/29C(1)	CK19 (INVALIDATION DATE: 8304) USER: 19 MC REVIEWER: 17 99 ES MI CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU OR	A 5910	85	17-JUN-88	85
LI	MIL-C-11015/32A NOTICE 1	STAND-OFF) STYLES CK74, CK75, CK78, CK79 AND CK85 REVIEWER: ES CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), (FEED-THRU) STYLE	A 5910	85	28-OCT-91	85
L	MIL-R-11019B NOTICE 1	CK99 REEL UNIT RL8128 (-)G (INVALIDATION DATE: 8609) REVIEWER: GS	A 8130	CK	23-SEP-86	CP
L	MIL-C-11020B(1)	CHESTS AND CASES, METAL, GENERAL SPECIFICATION FOR (INVALIDATION DATE: 8505)	A 8115	AK	01-MAY-72	AK
A L	MIL-S-11021F(1)	USER: GL REVIEWER: MI SWITCH, VEHICULAR LIGHTS: 24 VOLT DC USER: MC REVIEWER: CS	A 2590	AT	04-FEB-93	AT
L	MIL-M-11024B NOTICE 1	MECHANISM, RECOIL, 155MM HOWITZER (INVALIDATION DATE: 8804)	A 1025	AR	22-APR-88	AR
D	MIL-L-11025F MIL-C-11029D MIL-S-11030F	LEAD, PILE-DRIVER, WITH CATWALK USER: CE REVIEWER: 84 AT CS MC CITRIC ACID, TECHNICAL REVIEWER: GS MD SEALING COMPOUND, SINGLE-COMPONENT, NON-CURING, POLYSULFIDE BASE REVIEWER:	A 3815 A 6810 A 8030	ME EA MR	27-MAY-87 31-JUL-87 14-SEP-90	ME YD1 99 EA 68 MR AS 11
	MIL-S-11031B	84 99 AT EA MD ME MI SEALING COMPOUND, ADHESIVE, CURING (POLYSULFIDE BASE) (INVALIDATION DATE:	A 8030	AR	05-JUN-63	AR 11
	MIL-R-11038E	8004) USER: AT MC ME REVIEWER: 99 MI RANGES, OIL BURNING (HEAVY DUTY, MECHANICAL TYPE BURNERS, NO. 2 OR HEAVIER	A 7310	GL	14-JUN-73	GL 99
DQ	MIL-B-11040E(1) MIL-R-11050B SUPPL 1A	FUEL OIL) (INVALIDATION DATE: 8103) USER: CE MC REVIEWER: GS MD SA BELT, V: ENGINE ACCESSORY DRIVE USER: AR MC MI REVIEWER: CS SM RECTIFIER, METALLIC, SELENIUM (INVALIDATION DATE: 8301) USER: AS ES MC ME	A 3030 A 6130	AT ER	07-JUL-92 21-MAY-69	AT YD1 99 ER SH
	MIL-R-11050/1	REVIEWER: 99 AR GS MI RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, HALF WAVE, STYLE RS-10	A 6130	ER	22-JUN-55	ER SH
	MIL-R-11050/3	(INVALIDATION DATE: 8301) REVIEWER: GS RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, BRIDGE, STYLE RS10	A 6130	ER	22-JUN-55	ER SH
	MIL-R-11050/6	(INVALIDATION DATE: 8301) USER: MC REVIEWER: GS RECTIFIER, METALLIC, SELENIUM, SINGLE PHASE, BRIDGE, STYLE RS20	A 6130	ER	22-JUN-55	ER SH
D	MIL-C-11053F MIL-C-11055G NOTICE 1	(INVALIDATION DATE: 8301) USER: MC REVIEWER: GS COUPLING ASSEMBLY, HOSE (CHEMICAL, 3/4- AND 1-INCH) REVIEWER: AR CLOTH, FLANNEL, WOOL AND NYLON, 16-OUNCE, SHRINK RESISTANT (INVALIDATION	A 4210 A 8305	ME CT	28-DEC-83 22-APR-89	ME YD1 GL CT
L	MIL-R-11073C MIL-L-11075G NOTICE 1	DATE: 8904) REVIEWER: MD ROTATING BAND BLANK, SINTERED IRON (INVALIDATION DATE: 8505)	A 1395 A 5340	AR GL	02-SEP-66 30-DEC-88	AR GL 99
QL	MIL-C-11080A MIL-P-11082C	LOOPS, STRAP FASTENER USER: AR MC ME REVIEWER: IS MD MI COATING, CORROSION-RESISTANT (INVALIDATION DATE: 8402)	A 8030 A 7530	EA GL	30-DEC-68 30-APR-69	EA GL 99
DQ	MIL-P-11087F MIL-C-11090F(1)	PLOTTING SHEET, PLANE TABLE (UNMOUNTED, WHITE, SMOOTH SURFACE, HEAVY, GRIDDED) (INVALIDATION DATE: 8104) USER: MC REVIEWER: ME PIPE, STEEL, GROOVED, THREADED, OR PLAIN ENDS REVIEWER: CS	A 4710 A 6950	ME MR	22-NOV-85 14-APR-92	ME YD1
A	MIL-I-11132H SUPPL 1A, NOTICE 1	CLEANING COMPOUND, DEGREASING AND PREPRESERVING SOLVENT USER: MC ME OS SH REVIEWER: AR GL GS MD INSIGNIA: BRANCH OF SERVICE, GRADE, RANK, GARRISON CAP, AND SERVICE CAP,	A 8455	IM	12-NOV-92	IM MU 11
	MIL-I-11132/1D NOTICE 1	ROTC AND JROTC PERSONNEL, ARMY AND AIR FORCE (INVALIDATION DATE: 9211) USER:	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/2D NOTICE 1	45 REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: ROTC, DIAMOND, ARMY (INVALIDATION DATE: 9205) USER: 45	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/3D NOTICE 1	REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: ROTC, DISK, ARMY (INVALIDATION DATE: 9205) USER: 45	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/4D NOTICE 1	REVIEWER: 82 99 CG CT MC INSIGNIA, BRANCH OF SERVICE: ROTC, BASIC COURSE, SR. DIV. AND CORPS, JR.	A 8455	IM	28-MAY-92	IM MU 11
	MIL-I-11132/5D NOTICE 1	DIV., ARMY (INVALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, BRANCH OF SERVICE: ROTC, ADVANCE COURSE, SR. DIV. AND CADET	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/6G NOTICE 1	OFFICER, JR. DIV., ARMY (INVALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, GARRISON CAP, JROTC AND BASIC COURSE, SR. DIV. ROTC, AND	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/7C NOTICE 1	INSIGNIA, SERVICE CAP, BASIC COURSE, SR. DIV. ROTC, ARMY (INVALIDATION DATE:	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/8C NOTICE 1	9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, SERVICE AND GARRISON CAP, ROTC, AIR FORCE (INVALIDATION DATE:	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/9C NOTICE 1	9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, BRANCH OF SERVICE: ROTC, AIR FORCE (INVALIDATION DATE: 9205) USER:	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/10C NOTICE 1	45 REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: CADET, COLONEL, ROTC AND JROTC, AIR FORCE (INVALIDATION	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/11C NOTICE 1	DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: CADET, LIEUTENANT COLONEL, ROTC AND JROTC, AIR FORCE	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/12C NOTICE 1	(INVALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: CADET, MAJOR, ROTC AND JROTC, AIR FORCE (INVALIDATION DATE:	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/13C NOTICE 1	9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: CADET, CAPTAIN, ROTC AND JROTC, AIR FORCE (INVALIDATION	A 8455	IM	18-MAY-92	IM MU 11
	MIL-I-11132/20C NOTICE 1	DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: CADET, FIRST LIEUTENANT, ROTC AND JROTC, AIR FORCE	A 8455	IM	18-MAY-92	IM MU 11
		(INVALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, RANK: CADET, SECOND LIEUTENANT, ROTC AND JROTC, AIR FORCE	A 8455	IM	18-MAY-92	IM MU 11
		(INVALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC INSIGNIA, CAP: ADVANCE COURSE, SENIOR DIVISION, ROTC, ARMY (INVALIDATION	A 8455	IM	18-MAY-92	IM MU 11
		DATE: 9205) USER: 45 REVIEWER: 82 99 CG CT MC				



## NUMERICAL LISTING MILITARY SPECIFICATIONS

94



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active QPL / OML Coordination Package Document Number	Document Title	Doc. Smt. FNC / Area MCA Symbol Proprietary Abb.	Date	Custodians			
				Army	Navy	Air Force	DA
L MIL-P-11268L(11)	PNRIS, MATERIALS AND PROCESSES USED IN ELECTRONIC EQUIPMENT REVIEWER: AT AV ES ME MI	A GDRQ	ER 20-NOV-85	ER			
Q 1 MIL-C-11272C(11)	CAPACITORS, FIXED, GLASS DIELECTRIC, GENERAL SPECIFICATION FOR USER: 19 CG NC REVIEWER: 17 99 MI	A 5910	BS 11-DEC-91	ER	EC	BS	
Q 1 MIL-C-11272C(19)	CAPACITORS, FIXED, GLASS DIELECTRIC, GENERAL SPECIFICATION FOR REVIEWER: 99 ES	A 5910	BS 30-JUL-79			BS	
A 1 MIL-C-11272/1C	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY10 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI	A 5910	BS 29-JAN-93	ER	EC	BS	
A 1 MIL-C-11272/2D	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY15 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI	A 5910	BS 29-JAN-93	ER	EC	BS	
A 1 MIL-C-11272/3B	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY20 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI	A 5910	BS 29-JAN-93	ER	EC	BS	
A 1 MIL-C-11272/4B	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY30 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI	A 5910	BS 29-JAN-93	ER	EC	BS	
MIL-C-11272/5B	CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY12 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI	A 5910	BS 27-FEB-87	ER	EC	BS	
MIL-C-11272/6A	CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY13 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI	A 5910	BS 27-FEB-87	ER	EC	BS	
MIL-C-11272/7B	CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY16 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI	A 5910	BS 27-FEB-87	ER	EC	BS	
MIL-C-11272/8A	CAPACITOR, FIXED, GLASS DIELECTRIC, STYLE CY17 [VALIDATION DATE: 8702] REVIEWER: 17 99 ES MI	A 5910	BS 27-FEB-87	ER	EC	BS	
1 MIL-C-11272/12B(1)	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLE CY32 REVIEWER: 17 99 ES MI .....	A 5910	BS 30-OCT-89	ER	EC	BS	
LI MIL-C-11272/13A(3)	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY06 [VALIDATION DATE: 9008] REVIEWER: 11 19 99 ES	A 5910	BS 24-AUG-90			BS	
LI MIL-C-11272/14A(3)	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY07 [VALIDATION DATE: 9008] REVIEWER: 11 19 99 ES	A 5910	BS 24-AUG-90			BS	
LI MIL-C-11272/15A(3)	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY08 [VALIDATION DATE: 9008] REVIEWER: 11 19 99 ES	A 5910	BS 24-AUG-90			BS	
A 1 MIL-C-11272/16A(1)	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY81 AND CY82 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI	A 5910	BS 29-JAN-93	ER	EC	BS	
A 1 MIL-C-11272/17A(1)	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY83 AND CY84 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI	A 5910	BS 29-JAN-93	ER	EC	BS	
A 1 MIL-C-11272/18C(2)	CAPACITORS, FIXED, GLASS DIELECTRIC, STYLES CY85, CY86, CY87, CY88, AND CY89 [VALIDATION DATE: 9301] REVIEWER: 17 99 ES IS MI	A 5910	BS 29-JAN-93	ER	EC	BS	
D MIL-T-11292C(1)	TURNOUT, RAILWAY (UNASSEMBLED, COMPLETE WITH LOW STAND THROW AND RIGID BOLTED HROC)	A 2250	ME 27-DEC-84	ME	YD1		
L MIL-L-11296B	LIGHT ASSEMBLIES, ELECTRIC MX-129 ((/PAQ & MX-1292) (/PAQ)) [VALIDATION DATE: 8502] REVIEWER: 99 GS	A 6695	ER 06-JUL-66	ER			
D MIL-D-11302D	DERAIL, RAILWAY [VALIDATION DATE: 8301] .....	A 2250	ME 13-FEB-78	ME	YD1		
MIL-D-11303D	DRUM HANDLING ATTACHMENT, FORK LIFT TRUCK, (FOR HORIZONTAL HANDLING) [VALIDATION DATE: 8209] USER: CE MC SM REVIEWER: CS	A 3930	ME 26-AUG-71	ME	SA	99	
MIL-D-11309G(1)	DISINFECTANT, FOOD SERVICE USER: MC MS REVIEWER: 03 GS MD .....	A 6840	GL 03-JUN-91	GL		68	
MIL-S-11310E	STEEL BARS, CARBON, HOT ROLLED, FOR COLD SHAPING INCLUDING COLD EXTRUSION [VALIDATION DATE: 9101] USER: OS REVIEWER: MI MR	A 9510	AR 28-JAN-91	AR		84	
L MIL-P-11329E	PRIMER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8810]	A 1390	AR 13-OCT-88	AR			
L MIL-C-11334	CHLORAMINE T [VALIDATION DATE: 8404] REVIEWER: GS .....	A 6810	EA 13-AUG-51	EA			
D MIL-R-11337G	RANGES, PACKAGING AND PACKING OF USER: MC REVIEWER: 69 84 GS MD SA SM .....	A 7310	GL 31-DEC-92	GL	YD1	99	
MIL-C-11347E	CASE, BATTERY AND LIGHTING ACCESSORY, FOR SURVEYING EQUIPMENT, [VALIDATION DATE: 8209] REVIEWER: GS	A 6675	ME 16-MAR-77	ME		99	
L MIL-B-11352F	BLOCK, VISION: BULLET-RESISTANT REVIEWER: AR .....	A 256P	AT 01-DEC-88	AT			
L MIL-B-11353D	BRIDGE, FLOATING: ALUMINUM; FOOT, PACKAGING OF [VALIDATION DATE: 8908] USER: MC REVIEWER: CS SM	A 5420	ME 11-AUG-89	ME			
MIL-B-11353D(11)	BRIDGE, FLOATING: ALUMINUM; FOOT, PACKAGING OF REVIEWER: CS SM .....	A 5420	ME 18-OCT-88	ME	MC		
L MIL-A-11356F	ARMOR, STEEL, CAST, HOMOGENEOUS, COMBAT-VEHICLE TYPE (1/4 TO 8 INCHES, INCLUSIVE) USER: ME REVIEWER: AL AR AT IS	A MECA	MR 22-MAY-87	MR			
A MIL-M-11361C(1)	MAGNESIUM CARBONATE [VALIDATION DATE: 8501] USER: SM REVIEWER: GS MD .....	A 6810	EA 27-NOV-78	EA		68	
MIL-T-11372F	TRIVETS, SURVEYING INSTRUMENT REVIEWER: GS .....	A 6675	ME 02-JUL-91	ME		99	
MIL-P-11386G	PONTON FLOAT: PNEUMATIC, THREE-TUBE HALF FLOAT, 12-TON CAPACITY REVIEWER: CS	A 5420	ME 12-FEB-85	ME	MC		
MIL-P-11386G(11)	PONTON FLOAT: PNEUMATIC, THREE-TUBE HALF FLOAT, 12-TON CAPACITY .....	A 5420	ME 01-DEC-87	ME	MC		
MIL-S-11388D	SEALING MATERIAL FOR METAL CONTAINER SEAMS USER: MC REVIEWER: 84 .....	A 8030	MR 01-FEB-91	MR	OS	99	
A L MIL-C-11390C	CLOTH, LAMINATED, COTTON BALLOON, 3 PLY AIR RETAINING, CHLOROPRENE [VALIDATION DATE: 8711] REVIEWER: MD	A 8305	CT 12-NOV-87	GL		CT	
MIL-T-11393D(1)	TEST SET, CONTINUITY, IGNITER CIRCUIT [VALIDATION DATE: 8004] REVIEWER: 70 AS MC MI SM	A 4925	OS 03-JUN-74		OS		
MIL-C-11403C	CARBON, TECHNICAL (CARBON BLACK) [VALIDATION DATE: 8008] REVIEWER: AR GS MD MR	A 6810	EA 12-AUG-88	EA	OS		
MIL-T-11407L(1)	TRUCK, FIRE FIGHTING, 1000 GPM, TACTICAL TYPE, MULTIPURPOSE REVIEWER: CE MI	A 4210	ME 12-NOV-82	ME	MC	99	
L MIL-T-11407L(12)	TRUCK, FIRE FIGHTING, 1000 GPM, TACTICAL TYPE, MULTIPURPOSE .....	A 4210	ME 30-MAR-83	ME			
MIL-Z-11410B	ZIRCONIUM-NICKEL ALLOY, POWDERED [VALIDATION DATE: 8903] USER: MI REVIEWER: MD MR	A 9630	AR 22-MAR-88	AR	OS	99	
AQ MIL-P-11414E	PRIMER, ALKYL, FAST DRY, CORROSION INHIBITING, LEAD AND CHROMATE FREE, VOC COMPLAINT USER: AT OS REVIEWER: 84	A 8010	ME 22-JUL-92	ME		99	
MIL-T-11416C(1)	TABLE, DINING (HOSPITAL, METAL BASE) [VALIDATION DATE: 8104] REVIEWER: MD CLAMPS, LEAK REPAIR, PIPE COUPLING: FOR USE OVER GROOVED-TYPE COUPLINGS	A 7105	GL 29-NOV-67	GL	MS	99	
A L MIL-C-11418H	USER: CE REVIEWER: CS MC	A 4730	ME 30-JUN-92	ME			
MIL-C-11430E	CASE, MILITARY WATER CAN, INSULATED USER: MC REVIEWER: 84 GS .....	A 7240	GL 15-NOV-91	GL		99	
MIL-E-11450C	EVACUATION BAG, CASUALTY, INSULATED (WITH LINER AND CARRYING BAG) REVIEWER: 50 GL MC	A 6530	MB 23-NOV-91	MB	MS	03	
L MIL-B-11453A(4)	BATTERY, STORAGE BB-40X (A) [VALIDATION DATE: 8110] REVIEWER: GS .....	A 6140	ER 07-MAR-81	ER			
L MIL-C-11460(1)	CLOTH, RAYON (FOR LINERS FOR RECOILLESS CARTRIDGE CASES) [VALIDATION DATE: 8203] USER: CT	A 1315	AR 24-MAR-52	AR			
MIL-L-11484F	LAPEL BUTTON, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
A L MIL-L-11484F(11)	LAPEL BUTTON, GENERAL SPECIFICATION FOR .....	A 8455	1H 22-JUN-92	1H			
MIL-L-11484/1B	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE CROSS, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/2B	LAPEL BUTTON, DECORATION, NAVY CROSS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/3B	LAPEL BUTTON, DECORATION, AIR FORCE CROSS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/4C	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/5B	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, (N, MC) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/6B	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/7B	LAPEL BUTTON, DECORATION, GOLD LIFE-SAVING MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Inactive Document Number	Document Title	Dist. Syst. FSC / Ave MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-L-11484/88 NOTICE 1	LAPEL BUTTON, DECORATION, SILVER LIFE-SAVING MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/98 NOTICE 1	LAPEL BUTTON, DECORATION, SILVER STAR MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/108 NOTICE 1	LAPEL BUTTON, DECORATION, LEGION OF MERIT [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/118 NOTICE 1	LAPEL BUTTON, DECORATION, DISTINGUISHED FLYING CROSS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/128 NOTICE 1	LAPEL BUTTON, DECORATION, SOLDIER'S MEDAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/13C NOTICE 1	LAPEL BUTTON, DECORATION, NAVY AND MARINE CORPS MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/148 NOTICE 1	LAPEL BUTTON, DECORATION, ATKINSON'S MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/158 NOTICE 1	LAPEL BUTTON, DECORATION, COAST GUARD MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/168 NOTICE 1	LAPEL BUTTON, DECORATION, BRONZE STAR MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/178 NOTICE 1	LAPEL BUTTON, DECORATION, AIR MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/188 NOTICE 1	LAPEL BUTTON, DECORATION, PURPLE HEART [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/198 NOTICE 1	LAPEL BUTTON, DECORATION, JOINT SERVICE COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/208 NOTICE 1	LAPEL BUTTON, DECORATION, ARMY COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/218 NOTICE 1	LAPEL BUTTON, DECORATION, NAVY COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/228 NOTICE 1	LAPEL BUTTON, DECORATION, AIR FORCE COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/238 NOTICE 1	LAPEL BUTTON, DECORATION, COAST GUARD COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/248 NOTICE 1	LAPEL BUTTON, DECORATION, AIR FORCE OUTSTANDING UNIT AWARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
A MIL-L-11484/25C	LAPEL BUTTON, DECORATION, PRESIDENTIAL UNIT CITATION (A, AF) USER: 45 REVIEWER: 82 99 CT	A 8455 1H 04-NOV-92	1H		11	
MIL-L-11484/268 NOTICE 1	LAPEL BUTTON, DECORATION, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/278 NOTICE 1	LAPEL BUTTON, DECORATION, CIVILIAN AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/288 NOTICE 1	LAPEL BUTTON, DECORATIONS, CIVILIAN AWARD FOR VALOR AND COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/29E NOTICE 1	LAPEL BUTTON, DECORATIONS, EXCEPTIONAL, MERITORIOUS, SUPERIOR CIVILIAN, AND DISTINGUISHED CAREER SERVICE AWARDS, DLA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/30C NOTICE 1	LAPEL BUTTONS, DECORATIONS, EXCEPTIONAL CIVILIAN SERVICE AND MERITORIOUS CIVILIAN SERVICE AWARDS, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/31C NOTICE 1	LAPEL BUTTON, DECORATION, NAVY DISTINGUISHED PUBLIC SERVICE AWARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/328 NOTICE 1	LAPEL BUTTON, DECORATION, NAVY DISTINGUISHED CIVILIAN SERVICE AWARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/33C NOTICE 1	LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/34C NOTICE 1	LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE AWARD, NATIONAL SECURITY AGENCY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/35D NOTICE 1	LAPEL BUTTON, PRESIDENTIAL SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/368 NOTICE 1	LAPEL BUTTON, PATRIOTIC CIVILIAN SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/378 NOTICE 1	LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/38C NOTICE 1	LAPEL BUTTON, DECORATION, NAVY SUPERIOR CIVILIAN SERVICE AWARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/398 NOTICE 1	LAPEL BUTTON, NAVY MERITORIOUS PUBLIC SERVICE CITATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/408 NOTICE 1	LAPEL BUTTON, MERITORIOUS CIVILIAN SERVICE, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/41C NOTICE 1	LAPEL BUTTON, NAVY SAFE DRIVER AWARD, (N, MC) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/42C NOTICE 1	LAPEL BUTTON, NAVY SAFETY AWARD, (N, MC) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/43C NOTICE 1	LAPEL BUTTON, NAVY MATERIALS HANDLING AND CONSTRUCTION EQUIPMENT OPERATORS SAFETY AWARD, (N, MC) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/44D NOTICE 1	LAPEL BUTTON, GOLD STAR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/458 NOTICE 1	LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEPARTMENT OF DEFENSE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/468 NOTICE 1	LAPEL BUTTON, CIVILIAN LENGTH OF SERVICE, OFFICE OF THE SECRETARY OF DEFENSE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/478 NOTICE 1	LAPEL BUTTONS, VICTORY MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/488 NOTICE 1	LAPEL BUTTON, GOOD CONDUCT MEDAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/498 NOTICE 1	LAPEL BUTTON, ARMED FORCES EXPEDITIONARY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
A L MIL-L-11484/50D	LAPEL BUTTON, ARMY STAFF, ARMY REVIEWER: CT .....	A 8455 1H 15-JUL-92	1H			
MIL-L-11484/51D NOTICE 1	LAPEL BUTTON, NAVAL RESERVE MEMBERSHIP [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/52D	LAPEL BUTTON, RETIRED PERSONNEL, MARINE CORPS USER: MC REVIEWER: CT .....	A 8455 1H 09-JUN-92	1H	MU		
MIL-L-11484/53C NOTICE 1	LAPEL BUTTON, OSD IDENTIFICATION BADGE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/54C NOTICE 1	LAPEL BUTTON, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/558 NOTICE 1	LAPEL BUTTON, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/568 NOTICE 1	LAPEL BUTTON, FLEET MARINE CORPS RESERVE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H	MU	11	
MIL-L-11484/57D	LAPEL BUTTON, HONORABLE SERVICE (8 SEPTEMBER 1939 THROUGH 31 DECEMBER 1946) USER: 45 REVIEWER: 82 99 CT MC	A 8455 1H 17-JAN-92	1H		11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Acton CPL / OMA Coordination Inches Document Number	Document Title	Doc. Desc. FDC / Ave. MCA Symbol Proprietary Date	Custodians Army Navy Air Force DLA
MIL-L-11484/588 NOTICE 1	LAPEL BUTTON, HONORABLE DISCHARGE, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/590 NOTICE 1	LAPEL BUTTON, HONORABLE SERVICE (PRIOR TO 8 SEPTEMBER 1939) USER: 45 REVIEWER: 82 99 CT MC	A 8455 1H 17-JAN-92 1H MU 11	
MIL-L-11484/60C NOTICE 1	LAPEL BUTTON, HONORABLE DISCHARGE, NAVAL RESERVE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/61C NOTICE 1	LAPEL BUTTON, HONORABLE DISCHARGE, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/62B NOTICE 1	LAPEL BUTTON, HONORABLE DISCHARGE, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/63C NOTICE 1	LAPEL BUTTON, ROTC PERSONNEL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/64C NOTICE 1	LAPEL BUTTON, SUPERIOR CADET AWARD, SENIOR DIVISION ROTC [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/65B NOTICE 1	LAPEL BUTTON, ANTARCTICA SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/66B NOTICE 1	LAPEL BUTTON, COMBAT READINESS MEDAL, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/67C NOTICE 1	LAPEL BUTTON, MARINE CORPS CIVILIAN LENGTH OF SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/68B NOTICE 1	LAPEL BUTTON, DECORATION, NAVY ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/69B NOTICE 1	LAPEL BUTTON, MEDAL, VIETNAM SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/70B NOTICE 1	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/71C NOTICE 1	LAPEL BUTTON, BADGE, IDENTIFICATION, JOINT CHIEFS OF STAFF [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/72B NOTICE 1	LAPEL BUTTON, DECORATION, DISTINGUISHED CIVILIAN SERVICE, DEPARTMENT OF DEFENSE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/73B NOTICE 1	LAPEL BUTTON, DECORATION, MERITORIOUS CIVILIAN SERVICE, OFFICE OF THE SECRETARY OF DEFENSE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/74B NOTICE 1	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/75B NOTICE 1	LAPEL BUTTON, DECORATION, OUTSTANDING LEADERSHIP MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/76B NOTICE 1	LAPEL BUTTON, DECORATION, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/77B NOTICE 1	LAPEL BUTTON, DECORATION, EXCEPTIONAL BRAVERY MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/78B NOTICE 1	LAPEL BUTTON, DECORATION, DISTINGUISHED PUBLIC SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/79B NOTICE 1	LAPEL BUTTON, DECORATION, EXCEPTIONAL SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/80B NOTICE 1	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL AND MERITORIOUS SERVICE MEDAL, DEFENSE CONTRACT AUDIT AGENCY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/81C NOTICE 1	LAPEL BUTTON, DECORATIONS, EXCEPTIONAL AND MERITORIOUS CIVILIAN SERVICE, DMA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/82B NOTICE 1	LAPEL BUTTON, CIVILIAN SERVICE IN VIETNAM MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/83C NOTICE 1	LAPEL BUTTON, RETIRED PERSONNEL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/84A NOTICE 1	LAPEL BUTTON, DECORATION, COAST GUARD ACHIEVEMENT MEDAL, CG [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/85A NOTICE 1	LAPEL BUTTON, DECORATION, MERITORIOUS SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/86A NOTICE 1	LAPEL BUTTON, ACTIVE RESERVIST, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/87A NOTICE 1	LAPEL BUTTON, RETIRED CIVILIAN SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/88A NOTICE 1	LAPEL BUTTON, APOLLO ACHIEVEMENT, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/89A NOTICE 1	LAPEL BUTTON, ORGANIZATIONAL EXCELLENCE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/90A NOTICE 1	LAPEL BUTTON, LENGTH OF SERVICE, NATIONAL TRANSPORTATION SAFETY BOARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/91A NOTICE 1	LAPEL BUTTON, DEFENSE DISTINGUISHED SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/92A NOTICE 1	LAPEL BUTTON, DECORATION, EXCEPTIONAL CIVILIAN SERVICE, DIA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/93A NOTICE 1	LAPEL BUTTON, DECORATION, MERITORIOUS CIVILIAN SERVICE, DIA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/94A NOTICE 1	LAPEL BUTTON, DECORATION, PRESIDENTIAL CITIZENS MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/95A NOTICE 1	LAPEL BUTTON, DECORATION, CONGRESSIONAL SPACE MEDAL OF HONOR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/96B NOTICE 1	LAPEL BUTTON, PRESIDENTIAL UNIT CITATION, (NAVY) CIVILIAN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/97C NOTICE 1	LAPEL BUTTON, NAVY UNIT COMMENDATION, CIVILIAN REVIEWER: CT	A 8455 1H 09-NOV-92 1H MU 11	
MIL-L-11484/98C NOTICE 1	LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, NAVY CIVILIAN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/99A NOTICE 1	LAPEL BUTTON, SUPERIOR CADET AWARD, JUNIOR DIVISION, ROTC, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/100A NOTICE 1	LAPEL BUTTON, SUPERIOR CADET AWARD, MDCC, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/101A NOTICE 1	LAPEL BUTTON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/102A NOTICE 1	LAPEL BUTTON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIR AWARDS, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/103B NOTICE 1	LAPEL BUTTON, DISTINGUISHED CAREER, EXCEPTIONAL, SUPERIOR AND COMMENDABLE SERVICE AWARDS, EPA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/104C NOTICE 1	LAPEL BUTTON, U.S. NAVY RETIRED [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92 1H MU 11	
MIL-L-11484/105B NOTICE 1	LAPEL BUTTON, AIR RESERVE FORCES MERITORIOUS SERVICE MEDAL USER: 45 REVIEWER: 82 99 CT	A 8455 1H 09-JUN-92 1H MU 11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OAL Custodian Inches Document Number	Document Title	Dist. Syst. FIC Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-L-11484/106A NOTICE 1	LAPEL BUTTON, AIR FORCE RETIRED PERSONNEL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/107A NOTICE 1	LAPEL BUTTON, FEDERAL LABOR RELATIONS COUNCIL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/108A NOTICE 1	LAPEL BUTTON, NAVY CIVILIAN EXECUTIVE RECOGNITION (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/109A NOTICE 1	LAPEL BUTTONS, LENGTH OF SERVICE, DOT (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/110B NOTICE 1	LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, FEMA (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/111A NOTICE 1	LAPEL BUTTON, CIVILIAN AIDE, SECRETARY OF THE ARMY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/112A NOTICE 1	LAPEL BUTTONS, NATIONAL DEFENSE EXECUTIVE RESERVE LAPEL BUTTON AND CHARM (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/113A NOTICE 1	LAPEL BUTTON, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN MATERIEL ACQUISITION (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/114A NOTICE 1	LAPEL BUTTON, NONAPPROPRIATED FUND EMPLOYEE, NAVY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/115B NOTICE 1	LAPEL BUTTON, DEFENSE SUPERIOR SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/116A NOTICE 1	LAPEL BUTTONS, DISTINGUISHED AND MERITORIOUS PUBLIC SERVICE AWARDS, COAST GUARD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/117A NOTICE 1	LAPEL BUTTON, AND LAPEL EMBLEM, NATIONAL INTELLIGENCE ACHIEVEMENT AWARD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/118A NOTICE 1	LAPEL BUTTON, AND LAPEL EMBLEM, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/119A NOTICE 1	LAPEL EMBLEM, DISTINGUISHED CAREER SERVICE AWARD, A.I.D., DEPT OF STATE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/120B NOTICE 1	LAPEL BUTTON, VICE PRESIDENTIAL SERVICE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/121B NOTICE 1	LAPEL BUTTON, DECORATION, COMMANDER'S AWARD MEDAL, U. S. ARMY REVIEWER: CT	A 8455	1H 09-JUN-92	1H			
MIL-L-11484/122A NOTICE 1	LAPEL BUTTON, HUMANITARIAN SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/123A NOTICE 1	LAPEL BUTTON, NEXT OF KIN OF DECEASED PERSONNEL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/124A NOTICE 1	LAPEL BUTTON, DEFENSE MERITORIOUS SERVICE MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/125A NOTICE 1	LAPEL BUTTON, EMPLOYER SUPPORT OF THE GUARD AND RESERVE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/126A NOTICE 1	LAPEL BUTTON, TAGCEN ADVANCED MANAGEMENT WORKSHOP GRADUATE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/127A NOTICE 1	LAPEL BUTTON, DECORATION, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/128A NOTICE 1	LAPEL BUTTON, DECORATION, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/129B NOTICE 1	LAPEL BUTTON, OUTSTANDING SERVICE AWARD, USPHS (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/130A NOTICE 1	LAPEL BUTTON, ACHIEVEMENT AWARD, USPHS (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/131A NOTICE 1	LAPEL BUTTON, DECORATION, CIVILIAN SERVICE MEDAL, OSD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/132B NOTICE 1	LAPEL BUTTON, DECORATION, AIR FORCE ACHIEVEMENT MEDAL USER: 45 REVIEWER: 82 99 CT	A 8455	1H 09-JUN-92	1H		11	
MIL-L-11484/133B NOTICE 1	LAPEL BUTTON, USPHS COMMISSIONED OFFICER (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/134B NOTICE 1	LAPEL BUTTON, AIR FORCE RECOGNITION RIBBON USER: 45 REVIEWER: 82 99 CT	A 8455	1H 09-JUN-92	1H		11	
MIL-L-11484/135B NOTICE 1	LAPEL BUTTON, ARMY ACHIEVEMENT MEDAL (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/136A NOTICE 1	LAPEL BUTTON, DECORATION, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/137A NOTICE 1	LAPEL BUTTON, DECORATION, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/138A NOTICE 1	LAPEL BUTTON, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/139A NOTICE 1	LAPEL BUTTON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/140A NOTICE 1	LAPEL BUTTON, DECORATION, OUTSTANDING CIVILIAN CAREER SERVICE AWARD, AIR FORCE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/141B NOTICE 1	LAPEL BUTTON, DECORATION, JOINT SERVICE ACHIEVEMENT MEDAL, DOD USER: 45 REVIEWER: 82 99 CT MC	A 8455	1H 09-JUN-92	1H	MU	11	
MIL-L-11484/142A NOTICE 1	LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, USPHS (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/143B NOTICE 1	LAPEL BUTTON, COMMUNITY AND FAMILY SUPPORT CENTER, ARMY REVIEWER: CT	A 8455	1H 09-JUN-92	1H			
MIL-L-11484/144A NOTICE 1	LAPEL BUTTON, COMMENDATION MEDAL, USPHS (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/145A NOTICE 1	LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/146A NOTICE 1	LAPEL BUTTON, IDENTIFICATION, OFFICE OF THE INSPECTOR GENERAL, DOD (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/147A NOTICE 1	LAPEL BUTTON, DECORATION, ACHIEVEMENT MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/148A NOTICE 1	LAPEL BUTTON, MERITORIOUS SERVICE MEDAL, USPHS (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/149 NOTICE 1	LAPEL BUTTON, DEFENSE INTELLIGENCE DIRECTOR'S AWARD, D.I.A. (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/150A NOTICE 1	LAPEL BUTTON, FEDERAL SERVICE AND RETIRED, OPM (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/151C NOTICE 1	LAPEL BUTTON, LENGTH OF SERVICE, OFFICE OF PERSONNEL MANAGEMENT (OPM) (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/152 NOTICE 1	LAPEL BUTTON, PRISONER OF WAR (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/153 NOTICE 1	LAPEL BUTTON, DEPARTMENT OF THE ARMY CIVILIAN AWARD FOR HUMANITARIAN SERVICE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/154 NOTICE 1	LAPEL BUTTON, AIR TRAFFIC CONTROLLER, FAA (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	
MIL-L-11484/155 NOTICE 1	LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE (VALIDATION DATE: 9204) USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 24-APR-92	1H	MU	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm. Code CPL/Code Combination Machine Document Number	Document Title	Doc. Smt FSC/Ass MCA Symbol Preceding Assy Date	Custodians Army Navy Air Force DLA
MIL-L-11484/157 NOTICE 1	LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/158 NOTICE 1	LAPEL BUTTON, SURGEON GENERAL'S EXEMPLARY SERVICE MEDAL (CIVILIAN) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/159A NOTICE 1	LAPEL BUTTON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/160A NOTICE 1	LAPEL BUTTON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/161 NOTICE 1	LAPEL BUTTON, KOREAN AUGMENTATION TO THE U.S. ARMY (KATUSA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/162 NOTICE 1	LAPEL BUTTON, AERIAL ACHIEVEMENT, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/163 NOTICE 1	LAPEL BUTTON, DECORATION, SPACE FLIGHT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/164 NOTICE 1	LAPEL BUTTON, DECORATION, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/165 NOTICE 1	LAPEL BUTTON, DECORATION, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/166 NOTICE 1	LAPEL BUTTON, DECORATION, PUBLIC SERVICE MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/167 NOTICE 1	LAPEL BUTTON, LENGTH OF SERVICE, 5, 10 AND 15 YEARS NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/168 NOTICE 1	LAPEL BUTTON, LENGTH OF SERVICE, 20 THROUGH 55 YEARS NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/169A NOTICE 1	LAPEL BUTTON, COAST GUARD AUXILIARY DISTINGUISHED SERVICE AWARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/170A NOTICE 1	LAPEL BUTTON, GENERAL DEFENSE INTELLIGENCE PROGRAM, DOD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/171 NOTICE 1	LAPEL BUTTON, EXCEPTIONAL AND MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/172 NOTICE 1	LAPEL BUTTON, EXCEPTIONAL AND MERITORIOUS CIVILIAN SERVICE AWARD, ON-SITE INSPECTION AGENCY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/173 NOTICE 1	LAPEL BUTTON, EXCEPTIONAL ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/174 NOTICE 1	LAPEL BUTTON, MERITORIOUS UNIT COMMENDATION, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/175A NOTICE 1	LAPEL BUTTON, UNIT COMMENDATION, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/176 NOTICE 1	LAPEL BUTTON, RETIREE, CIVILIAN, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/177A NOTICE 1	LAPEL BUTTON, SOUTHWEST ASIA SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/178 NOTICE 1	LAPEL BUTTON, FEDERAL EMPLOYEE SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/179 NOTICE 1	LAPEL BUTTON, DISTINGUISHED AND OUTSTANDING SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/180 NOTICE 1	LAPEL BUTTON, EXCEPTIONAL AND MERITORIOUS SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/181 NOTICE 1	LAPEL BUTTON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/182 NOTICE 1	LAPEL BUTTON, CIVILIAN SERVICE IN SOUTHWEST ASIA, DOD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/183A	LAPEL BUTTON, JOINT MERITORIOUS UNIT AWARD, DOD USER: 45 REVIEWER: 82 99 CT MC	A 8455 1H 10-FEB-92	1H NU 11
MIL-L-11484/184 NOTICE 1	LAPEL BUTTON, CIVILIAN SUPPORT FOR DESERT SHIELD/STORM, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
MIL-L-11484/185 NOTICE 1	LAPEL BUTTON, NATIONAL DEFENSE SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 1H 24-APR-92	1H NU 11
L MIL-L-11484/186	LAPEL BUTTON, BUREAU OF INDIAN AFFAIRS REVIEWER: CT	A 8455 1H 10-FEB-92	1H
A L MIL-L-11484/187	LAPEL BUTTON, ARMY SUPERIOR UNIT AWARD REVIEWER: CT	A 8455 1H 23-JUN-92	1H
L MIL-L-11484/188	LAPEL BUTTON, BUREAU OF INDIAN AFFAIRS, LAW ENFORCEMENT SERVICES, U.S. DEPARTMENT OF THE INTERIOR REVIEWER: CT	A 8455 1H 14-AUG-92	1H
A L MIL-L-11484/189	LAPEL BUTTON, DISTINGUISHED AND MERITORIOUS CIVILIAN SERVICE AWARDS, AND CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT	A 8455 1H 04-NOV-92	1H
A L MIL-L-11484/190	LAPEL BUTTON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT	A 8455 1H 21-DEC-92	1H
A L MIL-L-11484/191	LAPEL BUTTON, CAREER ACHIEVEMENT AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT	A 8455 1H 21-DEC-92	1H
M L MIL-L-11484/192	LAPEL BUTTON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION REVIEWER: CT	A 8455 1H 17-MAY-93	1H
A MIL-L-11489E(1)	INSECT NET, HEAD [VALIDATION DATE: 8904] USER: 45 CG MS REVIEWER: 11 MC MD	A 8415 CT 22-APR-89	GL NU 99 CT
D MIL-L-11490E(1)	INSECTICIDE, LINDANE, POWDER, DUSTING USER: CE CG MD MI REVIEWER: EA GS	A 8840 GL 14-MAY-85	GL MS 68
L MIL-L-11491E	GLASSWASHER, ELECTRIC, PORTABLE USER: CG MS SA REVIEWER: MD	A 7320 GL 19-FEB-88	GL Y01 99
L MIL-T-11503C(1)	TRACER, HEAD201, HEAD301, AND T253, PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8203]	A 1315 AR 15-NOV-63	AR
L MIL-C-11504C	CHARGED, DEMOLITION, BLOCK INERT, 1 POUND PARTS AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8404]	A 1375 AR 01-OCT-64	AR
L MIL-B-11507D NOTICE 1	BOOSTER, M120, LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1345 AR 15-OCT-90	AR
MIL-M-11510(3)	HEATER, SPACE, MULTIFUEL, WITH BLOWER 60,000 BTU/HR USER: MC REVIEWER: 84 CS MI	A 4520 ME 19-OCT-84	ME 99
MIL-P-11520F	PRESERVATIVE COATING, RUBBER: FOR RUBBER SURFACES USER: AR MC OS SA REVIEWER: AS GL ME MR SM	A 8030 AT 10-MAY-89	AT SM 68
MIL-R-11521F	RING, EXPANSION, HOSE, BRASS [VALIDATION DATE: 8410] REVIEWER: CS	A 4730 ME 08-OCT-80	ME SM 99
MIL-F-11522F(1)	FUZE, SMOKE POT, M208 AND FUZE, HAND GRENADE, M226	A 1365 EA 26-JUL-89	EA OS
MIL-I-11525G	IGNITION CYLINDER, FLAME THROWER, PORTABLE, M1 [VALIDATION DATE: 8405] USER: MC	A 1375 EA 13-NOV-69	EA OS
L MIL-I-11525G(12)	IGNITION CYLINDER, FLAME THROWER, PORTABLE, M1 [VALIDATION DATE: 8405]	A 1375 EA 28-JAN-70	EA
L MIL-C-11532C NOTICE 1	CASEIN [VALIDATION DATE: 8808] REVIEWER: GS	A 6810 EA 12-AUG-88	EA
MIL-R-11534C(1)	REGULATOR, PRESSURE	A 1040 EA 19-JUL-89	EA MC 99
MIL-L-11538D	LINK, CARTRIDGE, METALLIC BELT, 20MM: M10	A 1305 AR 18-JAN-85	AR 99
D MIL-R-11567D	REPAIR KIT STEEL MEASURING TAPE WITH CASE [VALIDATION DATE: 8104] USER: CE MC ME Y01	A 5210 GL 29-MAR-74	GL 99
MIL-P-11570C	PYROMETER, INDICATING, THERMOCOUPLES REVIEWER: GS	A 6685 ME 30-JUL-84	ME SM



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / Off Coordination Inches Document Number	Document Title	Dist. Smt. FDC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-B-11582C(1) NOTICE 1	BASE PLATE, THEODOLITE; ALUMINUM [VALIDATION DATE: 9011] USER: MC REVIEWER: CS	A 6675	HE 02-NOV-90	HE			
D MIL-V-11583D	VALVE SECTIONS, PIPELINE; FOR PORTABLE PIPELINES REVIEWER: CS	A 3835	HE 28-NOV-89	HE	YD1		
A MIL-D-11586D NOTICE 2	DRIVER, ARMATURE WEDGE [VALIDATION DATE: 9302] REVIEWER: CR	A 5120	GL 26-FEB-93	GL	SH 99		
D L MIL-H-11588E	MOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE USER: AT MC YD1 REVIEWER: CS	A 4720	HE 17-SEP-86	HE			
L MIL-H-11588E(11)	MOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE USER: AT MC REVIEWER: CS	A 4720	HE 03-APR-87	HE			
M MIL-R-11589E SUPPL 1C	RIBBON, AWARDS, GENERAL SPECIFICATION FOR USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-NOV-92	1H	MU 11		
M MIL-R-11589/1C	RIBBON, AIR FORCE COMMENDATION USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/2C	RIBBON, AIR FORCE CROSS USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/3C	RIBBON, AIR FORCE LONGEVITY SERVICE AWARD USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/4C	RIBBON, AIR FORCE OUTSTANDING UNIT AWARD USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/5C	RIBBON, AIR FORCE SMALL ARMS MARKSMANSHIP USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/6B	RIBBON, AIRMAN'S MEDAL USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/7B	RIBBON, AIR MEDAL USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/8D	RIBBON, AIR RESERVE FORCES MERITORIOUS SERVICE AWARD USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/9D	RIBBON, AMERICAN CAMPAIGN USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/10B	RIBBON, AMERICAN DEFENSE SERVICE USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/11C	RIBBON, ANTARCTIC SERVICE USER: CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/12C	RIBBON, ARMED FORCES EXPEDITIONARY USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/13C	RIBBON, ARMED FORCES RESERVE USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/14C	RIBBON, ARMY OF CUBAN OCCUPATION REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/15D	RIBBON, ARMY OF OCCUPATION OF GERMANY, WORLD WAR I USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/16C	RIBBON, ARMY OF PUERTO RICO OCCUPATION USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/17C	RIBBON, ASIATIC - PACIFIC CAMPAIGN USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/18C	RIBBON, BRONZE STAR MEDAL USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/19C	RIBBON, BYRD ANTARCTIC EXPEDITION REVIEWER: CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/20C	RIBBON, CAPTAIN ROBERT DEXTER CONRAD AWARD FOR SCIENTIFIC ACHIEVEMENT REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/21C	RIBBON, CHINA CAMPAIGN REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/22C	RIBBON, CHINA RELIEF EXPEDITION REVIEWER: CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/23C	RIBBON, CHINA SERVICE REVIEWER: CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/24C	RIBBON, CHRYSOSOM ARISTON ANDRIAS (BRAVERY GOLD MEDAL OF GREECE) REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/25C	RIBBON, CIVIL WAR CAMPAIGN USER: CG REVIEWER: CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/26C	RIBBON, CIVILIAN AWARD FOR VALOR, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/27D	RIBBON, COAST GUARD COMMENDATION MEDAL USER: CG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/28C	RIBBON, COAST GUARD DISTINGUISHED SERVICE USER: CG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/29C	RIBBON, COAST GUARD EXPERT PISTOL SHOT USER: CG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/30C	RIBBON, COAST GUARD EXPERT RIFLEMAN USER: CG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/31D	RIBBON, COAST GUARD GOOD CONDUCT USER: CG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/32D	RIBBON, COAST GUARD MEDAL USER: CG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/33C	RIBBON, COMBAT AND EXPERT INFANTRY REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/34C	RIBBON, COMBAT READINESS MEDAL, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/35C	RIBBON, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/36C	RIBBON, COMMANDANT'S AWARD, COAST GUARD (RESERVE GUIDON) USER: CG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/37C	RIBBON, COMMENDATION MEDAL, ARMY REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/38C	RIBBON, CROIX DE GUERRE, BELGIAN USER: 45 REVIEWER: 82 99 CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/39C	RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR I USER: 45 REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/40C	RIBBON, CROIX DE GUERRE, FRENCH, WORLD WAR II USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/41C	RIBBON, CROIX DE GUERRE, LUXEMBOURG REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/42C	RIBBON, CUBAN PACIFICATION USER: 45 REVIEWER: CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/43C	RIBBON, DEWEY MEDAL USER: CG REVIEWER: CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/44C	RIBBON, DISTINGUISHED CIVILIAN SERVICE, DOD REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/45C	RIBBON, DISTINGUISHED CIVILIAN SERVICE, NAVY REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/46C	RIBBON, DISTINGUISHED CIVILIAN SERVICE, (NON-CIVIL SERVICE) ARMY REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/47C	RIBBON, DISTINGUISHED FLYING CROSS USER: CG REVIEWER: 82 99 CT MC	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/48C	RIBBON, DISTINGUISHED PUBLIC SERVICE, DOD REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/49C	RIBBON, DISTINGUISHED PUBLIC SERVICE, NAVY REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/50C	RIBBON, DISTINGUISHED SERVICE CROSS, ARMY REVIEWER: CT	A 8455	1H 30-MAR-93	1H	MU 11		
M MIL-R-11589/51B NOTICE 1	RIBBON, DISTINGUISHED SERVICE, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/52B NOTICE 1	RIBBON, DISTINGUISHED SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/53C NOTICE 1	RIBBON, DISTINGUISHED SERVICE, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/54C NOTICE 1	RIBBON, PRESIDENTIAL UNIT CITATION, (ARMY) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/55C NOTICE 1	RIBBON, DISTRICT AWARD, COAST GUARD, (RESERVE GUIDON) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/56B NOTICE 1	RIBBON, DOMINICAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/57B NOTICE 1	RIBBON, EUROPEAN-AFRICAN-MIDDLE EASTERN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/58C NOTICE 1	RIBBON, EXCEPTIONAL BRAVERY, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/59B NOTICE 1	RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/60B NOTICE 1	RIBBON, EXCEPTIONAL CIVILIAN SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/61C NOTICE 1	RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DLA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/62D NOTICE 1	RIBBON, EXCEPTIONAL CIVILIAN SERVICE, NSA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/63B NOTICE 1	RIBBON, EXCEPTIONAL SCIENTIFIC ACHIEVEMENT, NASA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/64B NOTICE 1	RIBBON, FEDERAL, STATE, CITY OR OTHER GOVERNMENTAL AWARD FOR COAST GUARD (RESERVE GUIDON) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/65B NOTICE 1	RIBBON, FRENCH MEDAILLE MILITAIRE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/66B NOTICE 1	RIBBON, GOLD LIFE-SAVING MEDAL, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		
M MIL-R-11589/67B NOTICE 1	RIBBON, GOOD CONDUCT, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU 11		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Acton CPL / OAL Concentration Inches Document Number	Document Title	Dist Sert FAC / Area MCA Symbol Preparing Act Date	Custodian Army Navy Air Force DLA
MIL-R-11589/688 NOTICE 1	RIBBON, GOOD CONDUCT, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/698 NOTICE 1	RIBBON, GOOD CONDUCT, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/708 NOTICE 1	RIBBON, GOOD CONDUCT, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/718 NOTICE 1	RIBBON, HAITIAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/72C NOTICE 1	RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS HS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/73C NOTICE 1	RIBBON, HONOR UNIT WITH DISTINCTION, JROTC, CLASS MI [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/74C NOTICE 1	RIBBON, HONOR UNIT WITH DISTINCTION, MDCC [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/758 NOTICE 1	RIBBON, INDIAN CAMPAIGN, ARMY; INDIAN WAR, MARINE CORPS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/768 NOTICE 1	RIBBON, ITALIAN CROCE AL MERITO DI GUERRA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/778 NOTICE 1	RIBBON, JOINT SERVICE COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/788 NOTICE 1	RIBBON, KOREAN SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/798 NOTICE 1	RIBBON, LEADING PLATOON AWARD, COAST GUARD (RESERVE GUIDON) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/808 NOTICE 1	RIBBON, LEGION OF MERIT [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/818 NOTICE 1	RIBBON, MARINE CORPS EXPEDITIONARY MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/828 NOTICE 1	RIBBON, MARINE CORPS RESERVE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/83C NOTICE 1	RIBBON, MEDAL OF HONOR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/848 NOTICE 1	RIBBON, AWARD FOR DISTINGUISHED ACHIEVEMENT IN SCIENCE, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/858 NOTICE 1	RIBBON, MEDAL FOR HUMANE ACTION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/868 NOTICE 1	RIBBON, MEDAL FOR MERIT [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/87C NOTICE 1	RIBBON, COMBAT AND EXPERT MEDICAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/88C NOTICE 1	RIBBON, MERITORIOUS CIVILIAN SERVICE, DLA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/898 NOTICE 1	RIBBON, MERITORIOUS CIVILIAN SERVICE, OSD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/908 NOTICE 1	RIBBON, MERITORIOUS CIVILIAN SERVICE, CIVIL SERVICE, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/91D NOTICE 1	RIBBON, US COAST GUARD RESERVE GOOD CONDUCT MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/928 NOTICE 1	RIBBON, MERITORIOUS UNIT COMMENDATION, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/938 NOTICE 1	RIBBON, MEXICAN BORDER SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/948 NOTICE 1	RIBBON, MEXICAN SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/958 NOTICE 1	RIBBON, MEXICAN WAR [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/968 NOTICE 1	RIBBON, MILITARY ORDER OF WILLIAM [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/978 NOTICE 1	RIBBON, NATIONAL DEFENSE SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/988 NOTICE 1	RIBBON, NAVAL RESERVE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/998 NOTICE 1	RIBBON, NAVAL RESERVE MERITORIOUS SERVICE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
MIL-R-11589/1008 NOTICE 1	RIBBON, NAVY COMMENDATION MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 24-APR-92 1M NU 11	
M MIL-R-11589/101C	RIBBON, NAVY CROSS REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/102D	RIBBON, NAVY DISTINGUISHED SERVICE MEDAL REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/103C	RIBBON, NAVY EXPEDITIONARY REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/104C	RIBBON, NAVY EXPERT PISTOL SHOT REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/105C	RIBBON, NAVY EXPERT RIFLEMAN REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/106C	RIBBON, NAVY AND MARINE CORPS MEDAL REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/107D	RIBBON, NAVY UNIT COMMENDATION USER: CG REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/109C	RIBBON, MCO PROFESSIONAL MILITARY EDUCATION GRADUATE USER: 45 REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M 11	
M MIL-R-11589/110C	RIBBON, NETHERLANDS ORANGE LANYARD USER: 45 REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M 11	
M MIL-R-11589/111C	RIBBON, NICARAGUAN CAMPAIGN REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/112C	RIBBON, ARMY OF OCCUPATION AND NAVY OCCUPATION SERVICE, WORLD WAR II USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M NU 11	
M MIL-R-11589/113D	RIBBON, ORGANIZED MARINE CORPS RESERVE REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M L MIL-R-11589/114C	RIBBON, OUTSTANDING CIVILIAN SERVICE (NON-CIVIL SERVICE), ARMY REVIEWER: CT MC	A B455 1M 30-MAR-93 1M	
M L MIL-R-11589/115C	RIBBON, OUTSTANDING LEADERSHIP, NASA REVIEWER: CT MC	A B455 1M 30-MAR-93 1M	
M MIL-R-11589/117C	RIBBON, PHILIPPINE CAMPAIGN REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M L MIL-R-11589/118C	RIBBON, PHILIPPINE CONGRESSIONAL REVIEWER: CT MC	A B455 1M 30-MAR-93 1M	
M MIL-R-11589/119C	RIBBON, PHILIPPINE DEFENSE USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M NU 11	
M MIL-R-11589/120C	RIBBON, PHILIPPINE INDEPENDENCE USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M NU 11	
M MIL-R-11589/121C	RIBBON, PHILIPPINE LIBERATION USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M NU 11	
M MIL-R-11589/122C	RIBBON, PHILIPPINE PRESIDENTIAL UNIT CITATION USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M NU 11	
M L MIL-R-11589/123C	RIBBON, PORTUGUESE ORDEN DA TORRE E ESPADA (ORDER OF TOWER AND SWORD) REVIEWER: CT MC	A B455 1M 30-MAR-93 1M	
M L MIL-R-11589/124C	RIBBON, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE REVIEWER: CT MC	A B455 1M 30-MAR-93 1M	
M MIL-R-11589/125C	RIBBON, PRESIDENTIAL UNIT CITATION, NAVY USER: CG REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/126C	RIBBON, PURPLE HEART USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 30-MAR-93 1M NU 11	
M MIL-R-11589/127E NOTICE 1	RIBBON, REPUBLIC OF KOREA PRESIDENTIAL UNIT CITATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
M MIL-R-11589/129C	RIBBON, REVOLUTIONARY WAR USER: CG REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/1328 NOTICE 1	RIBBON, SECOND NICARAGUAN CAMPAIGN [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A B455 1M 20-APR-92 1M NU 11	
M MIL-R-11589/133C	RIBBON, NAVY ACHIEVEMENT MEDAL REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/134D	RIBBON, COAST GUARD ACHIEVEMENT MEDAL USER: CG REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	
M MIL-R-11589/135D	RIBBON, SILVER LIFE-SAVING MEDAL USER: CG REVIEWER: CT MC	A B455 1M 30-MAR-93 1M NU	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op. / Code Coordination Inches	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Prepared Act. Date	Custodians			
						Army	Navy	Air Force	DA
M	MIL-R-11589/136C	RIBBON, SILVER STAR USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M L	MIL-R-11589/137C	RIBBON, SOLDIER'S MEDAL REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/138C	RIBBON, SPANISH CAMPAIGN USER: CG REVIEWER: CT MC	A 8455	1M	30-MAR-93	1M	MU		
M L	MIL-C-11589/139C	RIBBON, SPANISH WAR SERVICE REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/140C	RIBBON, SUPERIOR CADET AWARD, ROTC (JUNIOR DIVISION) REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/141C	RIBBON, SUPERIOR CADET AWARD, ROTC (SENIOR DIVISION) REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/142C	RIBBON, SUPERIOR CADET AWARD ROTC (NDC) REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/143C	RIBBON, SUPERIOR CADET AWARD, ROTC (MILITARY SCHOOL DIVISION) REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/144C	RIBBON, GORDON CAMFIELD TROPHY, COAST GUARD (RESERVE GUIDON) USER: CG REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/145C	RIBBON, COAST GUARD UNIT COMMENDATION USER: CG REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/146C	RIBBON, UNITED NATIONS SERVICE USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/148C	RIBBON, VICTORY WORLD WAR I USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/149C	RIBBON, VICTORY WORLD WAR II USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/150C	RIBBON, VIETNAM PRESIDENTIAL UNIT CITATION USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/151D	RIBBON, VIETNAM SERVICE USER: 45 REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/152D	RIBBON, WAR OF 1812 REVIEWER: CT MC	A 8455	1M	30-MAR-93	1M	MU		
M L	MIL-R-11589/153C	RIBBON, WOMEN'S ARMY CORPS SERVICE REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/154C	RIBBON, YANGTZE SERVICE USER: CG REVIEWER: CT MC	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/155C	RIBBON, VALOROUS UNIT AWARD REVIEWER: CT MC	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/156C	RIBBON, MERITORIOUS CIVILIAN SERVICE, AIR FORCE USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/157C	RIBBON, MEDAL FOR HEROISM, ROTC USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/158C	RIBBON, REPUBLIC OF VIETNAM CAMPAIGN MEDAL USER: 45 REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/159C	RIBBON, DISTINGUISHED SERVICE MEDAL, DCA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/160C	RIBBON, MERITORIOUS SERVICE MEDAL, DCA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/161C	RIBBON, MEDAL OF FREEDOM USER: 45 REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/162C	RIBBON, CIVILIAN SERVICE IN VIETNAM AWARD REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M L	MIL-R-11589/163D	RIBBON, DISTINGUISHED PUBLIC SERVICE MEDAL, NASA USER: NA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/164D	RIBBON, EXCEPTIONAL SERVICE MEDAL, NASA USER: NA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/165D	RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DNA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/166D	RIBBON, MERITORIOUS CIVILIAN SERVICE, DNA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/167D	RIBBON, MERITORIOUS UNIT COMMENDATION, NAVY USER: CG REVIEWER: CT MC	A 8455	1M	30-MAR-93	1M	MU		
M L	MIL-R-11589/168C	RIBBON, FRENCH NAVAL WAR USER: CG REVIEWER: CT MC	A 8455	1M	30-MAR-93	1M	MU		
M L	MIL-R-11589/169C	RIBBON, FEDERAL AVIATION ADMINISTRATION AWARD FOR VALOR REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/170C	RIBBON, OUTSTANDING AITHMAN OF THE YEAR USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/171C	RIBBON, COMBAT ACTION REVIEWER: CT MC	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/172C	RIBBON, MERITORIOUS SERVICE MEDAL USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/173C	RIBBON, VIETNAMESE GALLANTRY CROSS USER: 45 REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M	MIL-R-11589/174C	RIBBON, NAVY SUPERIOR CIVILIAN SERVICE AWARD REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M L	MIL-R-11589/175D	RIBBON, AWARD FOR VALOR, DOT REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/176D	RIBBON, AWARD FOR MERITORIOUS ACHIEVEMENT, DOT REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/177D	RIBBON, AWARD FOR OUTSTANDING ACHIEVEMENT, DOT REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/178C	RIBBON, ORGANIZATIONAL EXCELLENCE AWARD AIR FORCE USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M L	MIL-R-11589/179C	RIBBON, PRESIDENTIAL CITIZENS MEDAL REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/180C	RIBBON, CONGRESSIONAL SPACE MEDAL, NASA USER: NA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/181D	RIBBON, VIETNAMESE CIVIL ACTIONS USER: 45 REVIEWER: B2 99 CT MC	A 8455	1M	30-MAR-93	1M	MU	11	
M L	MIL-R-11589/182C	RIBBON, DEFENSE DISTINGUISHED SERVICE MEDAL REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/183C	RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DIA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/184C	RIBBON, MERITORIOUS CIVILIAN SERVICE, DIA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/185C	RIBBON, BARBARY WARS REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/186C	RIBBON, AFRICAN SLAVE PATROL REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/187C	RIBBON, OPERATIONS AGAINST WEST INDIAN PIRATES REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M	MIL-R-11589/188C	RIBBON, LATIN AMERICAN CAMPAIGNS REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M L	MIL-R-11589/189C	RIBBON, PHYSICAL PROFICIENCY AWARD, ROTC REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/190C	RIBBON, MILITARY PROFICIENCY AWARD, ROTC REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/191C	RIBBON, SIMULTANEOUS MEMBERSHIP PROGRAM (SMP) ACTIVATION AWARD, ROTC, ARMY REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/192B	RIBBON, PLATOON LEADERSHIP AWARD, ROTC REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/193C	RIBBON, CAMP COMMANDERS LEADERSHIP AWARD, ROTC REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/194C	RIBBON, ARMY COMMANDERS LEADERSHIP AWARD, ROTC REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/195C	RIBBON, ARMY ROTC LEADERSHIP AWARD REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/196C	RIBBON, ARMY RESERVE COMPONENTS ACHIEVEMENT MEDAL REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/197B	RIBBON, REGIONAL AND STATE SCIENCE AND ENGINEERING FAIRS AWARD, ARMY REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/198B	RIBBON, EXCEPTIONAL SERVICE AWARD, EPA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/199B	RIBBON, SUPERIOR SERVICE AWARD, EPA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/200B	RIBBON, COMMENDABLE SERVICE AWARD, EPA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/201B	RIBBON, DISTINGUISHED CAREER SERVICE AWARD, EPA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/202C	RIBBON, SUPERIOR ACHIEVEMENT AWARD, DOT REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/203D	RIBBON, DISTINGUISHED SERVICE MEDAL, FEMA REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/204B	RIBBON, OUTSTANDING PUBLIC SERVICE AWARD, OSD REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/205B	RIBBON, MERITORIOUS UNIT COMMENDATION, COAST GUARD USER: CG REVIEWER: CT	A 8455	1M	30-MAR-93	1M	MU		
M L	MIL-R-11589/206B	RIBBON, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION UNIT CITATION REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/207C	RIBBON, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION ADMINISTRATOR'S AWARD REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M L	MIL-R-11589/208C	RIBBON, NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION ASSOCIATION OF COMMISSIONED OFFICERS AWARDS REVIEWER: CT	A 8455	1M	30-MAR-93	1M			
M	MIL-R-11589/209B	RIBBON, AFJOTC LEADERSHIP AND AFJOTC OUTSTANDING CADET USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/210B	RIBBON, AFJOTC DISTINCTIVE G.W.C. CADET AND AFJOTC LEADERSHIP USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/211C	RIBBON, AFJOTC ACADEMIC AWARD (SIX WEEK FT.) AND AFJOTC SUPERIOR PERFORMANCE USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/212C	RIBBON, AFJOTC COLLEGE SCHOLARSHIP RECIPIENT AND AFJOTC HONOR UNIT USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/213B	RIBBON, AFJOTC HONORS AND AFJOTC MERITORIOUS UNIT USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/214B	RIBBON, AFJOTC ATHLETIC AWARD (FOUR AND SIX WEEK FT.) AND AFJOTC OUTSTANDING FLIGHT USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/215C	RIBBON, AFJOTC COMMANDANT'S AWARD (FT.) AND AFJOTC ACADEMIC USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/216C	RIBBON, AFJOTC WARRIOR SPIRIT AND AFJOTC COCIRCULAR ACTIVITIES USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	
M	MIL-R-11589/217B	RIBBON, AFJOTC MARKSMANSHIP AWARD (FOUR AND SIX WEEK FT.) AND AFJOTC SERVICE RIBBON USER: 45 REVIEWER: B2 99 CT	A 8455	1M	30-MAR-93	1M		11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / OLA Coordination Machine	Document Number	Document Title	Dist Sent FAC / Ave	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DLA
M	MIL-R-11589/2188 NOTICE 1	RIBBON, AFROTC SUPERIOR PERFORMANCE AND AFJROTC LONGEVITY USER: 45 REVIEWER: 82 99 CT	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/219C NOTICE 1	RIBBON, AFROTC CATEGORY AND AFJROTC SUMMER LEADERSHIP SCHOOL USER: 45 REVIEWER: 82 99 CT	A 8455	1H	30-MAR-93	1H	11		
M L	MIL-R-11589/2208 NOTICE 1	RIBBON, DEFENSE SUPERIOR SERVICE MEDAL REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2218 NOTICE 1	RIBBON, BASIC MILITARY TRAINING, HONOR GRADUATE, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/2228 NOTICE 1	RIBBON, COAST GUARD MERITORIOUS PUBLIC SERVICE AWARD USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2238 NOTICE 1	RIBBON, COAST GUARD DISTINGUISHED PUBLIC SERVICE AWARD USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2248 NOTICE 1	RIBBON, NATIONAL INTELLIGENCE DISTINGUISHED SERVICE MEDAL USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H	30-MAR-93	1H	MU	11	
M	MIL-R-11589/2268 NOTICE 1	RIBBON, NATIONAL INTELLIGENCE MEDAL OF ACHIEVEMENT USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H	30-MAR-93	1H	MU	11	
M	MIL-R-11589/227C NOTICE 1	RIBBON, NAVY "E" REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/2288 NOTICE 1	RIBBON, HONOR UNIT, JROTC, CLASS HS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2298 NOTICE 1	RIBBON, HONOR UNIT, JROTC, CLASS MI REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2308 NOTICE 1	RIBBON, HONOR UNIT, NDCC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/231C NOTICE 1	RIBBON, COMMANDER'S AWARD FOR CIVILIAN SERVICE, ARMY REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2328 NOTICE 1	RIBBON, COAST GUARD, ARCTIC SERVICE MEDAL USER: CG REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/2338 NOTICE 1	RIBBON, HUMANITARIAN SERVICE MEDAL REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2348 NOTICE 1	RIBBON, DEFENSE MERITORIOUS SERVICE MEDAL REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2358 NOTICE 1	RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, NAVY REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/2368 NOTICE 1	RIBBON, DISTINGUISHED SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2378 NOTICE 1	RIBBON, EXCEPTIONAL SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2388 NOTICE 1	RIBBON, COAST GUARD LETTER OF COMMENDATION USER: CG REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/2398 NOTICE 1	RIBBON, SPECIAL ASSIGNMENT, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2408 NOTICE 1	RIBBON, OUTSTANDING UNIT CITATION, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2418 NOTICE 1	RIBBON, OUTSTANDING SERVICE MEDAL, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2428 NOTICE 1	RIBBON, COMMENDATION UNIT, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2438 NOTICE 1	RIBBON, ISOLATED/HARDSHIP, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2448 NOTICE 1	RIBBON, HAZARDOUS DUTY, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2458 NOTICE 1	RIBBON, FOREIGN SERVICE, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/2468 NOTICE 1	RIBBON, ACHIEVEMENT MEDAL, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2478 NOTICE 1	RIBBON, MERITORIOUS ACHIEVEMENT, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2488 NOTICE 1	RIBBON, DISTINGUISHED CADET, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2498 NOTICE 1	RIBBON, HONOR CADET, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2508 NOTICE 1	RIBBON, APTITUDE AWARD, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2518	RIBBON, EXEMPLARY CONDUCT, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2528	RIBBON, EXEMPLARY PERSONAL APPEARANCE, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2538	RIBBON, MHI BOOT CAMP, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/254C	RIBBON, NAVAL SCIENCE I HONOR PLATOON, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2558	RIBBON, NAVAL SCIENCE III HONOR PLATOON, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2568	RIBBON, NAVAL SCIENCE II HONOR PLATOON, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2578	RIBBON, NAVAL SCIENCE I HONOR PLATOON, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2588	RIBBON, AT SEA CRUISE, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2598	RIBBON, COLOR GUARD, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2608	RIBBON, DRILL TEAM, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2618	RIBBON, RIFLE TEAM, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2628	RIBBON, UNIT AWARD (CNET), NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2638	RIBBON, COMMUNITY SERVICE, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2648	RIBBON, PHYSICAL FITNESS, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2658	RIBBON, RECRUITING, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2668	RIBBON, ORIENTEERING, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/267C	RIBBON, UNIT SERVICE, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/268C	RIBBON, PARTICIPATION AWARD, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/269C	RIBBON, ACADEMIC TEAM, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/270D	RIBBON, CNET HONOR UNIT, NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2718	RIBBON, UNTITLED ITEM "E", NJROTC REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2728	RIBBON, CIVILIAN SERVICE MEDAL, OSD REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2738	RIBBON, NAVY AND MARINE CORPS SEA SERVICE DEPLOYMENT REVIEWER: CT MC .....	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/2748	RIBBON, AIR FORCE ACHIEVEMENT MEDAL USER: 45 REVIEWER: 82 99 CT .....	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/2758	RIBBON, AIR FORCE TRAINING USER: 45 REVIEWER: 82 99 CT .....	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/2768	RIBBON, AIR FORCE RECOGNITION USER: 45 REVIEWER: 82 99 CT .....	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/2778	RIBBON, AIR FORCE OVERSEAS USER: 45 REVIEWER: 82 99 CT .....	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/278C	RIBBON, AIR FORCE OVERSEAS, WITH SHORT TOUR DESIGNATION USER: 45 REVIEWER: 82 99 CT	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/2798	RIBBON, CITATION, USPHS REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2808	RIBBON, ARMY ACHIEVEMENT MEDAL REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2818	RIBBON, ARMY SERVICE REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/282C	RIBBON, ARMY OVERSEAS SERVICE REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2838	RIBBON, ARMY MCO PROFESSIONAL DEVELOPMENT REVIEWER: CT .....	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2848	RIBBON, COMMENDABLE SERVICE MEDAL, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2858	RIBBON, OUTSTANDING SERVICE MEDAL, UNIFORMED SERVICES, UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2868	RIBBON, OUTSTANDING CAREER ACHIEVEMENT AWARD, A.I.D., DEPT OF STATE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/2878	RIBBON, AFROTC RECRUITING AWARD USER: 45 REVIEWER: 82 99 CT .....	A 8455	1H	30-MAR-93	1H	11		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Ops / OMA Coordination Institute	Document Number	Document Title	Der Smt FSC / Area	MCA Symbol	Preparing Date	Army	Navy	Air Force	DLA
M	MIL-R-11589/288C	RIBBON, AFROTIC OUTSTANDING FLIGHT AND AFROTIC ACHIEVEMENT USER: 45 REVIEWER: B2 99 CT	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/289B	RIBBON, JOINT MERITORIOUS UNIT AWARD, DOD REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/290B	RIBBON, COAST GUARD MARITIME PROTECTION FOR THE NEW REPUBLIC USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/291B	RIBBON, COMMANDER'S AWARD FOR PUBLIC SERVICE, ARMY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/292B	RIBBON, AIR FORCE OUTSTANDING CIVILIAN CAREER SERVICE AWARD USER: 45 REVIEWER: B2 99 CT	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/293B	RIBBON, JOINT SERVICE ACHIEVEMENT MEDAL, DOD REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/294B	RIBBON, NAVY FLEET MARINE FORCE SERVICE REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/295B	RIBBON, ARMY RESERVE COMPONENT, OVERSEAS TRAINING REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/296A	RIBBON, MERITORIOUS SERVICE MEDAL, USPHS REVIEWER: CT	A 8455	1H	30-MAR-92	1H			
M	MIL-R-11589/297A	RIBBON, COMMENDATION MEDAL, USPHS REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/298A	RIBBON, DISTINGUISHED SERVICE MEDAL, USPHS REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/299A	RIBBON, COAST GUARD SEA SERVICE REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/300A	RIBBON, COAST GUARD, RESTRICTED DUTY USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/301A	RIBBON, COAST GUARD, RECRUIT TRAINING, HONOR GRADUATE USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/302A	RIBBON, DEFENSE INTELLIGENCE AGENCY DIRECTOR'S AWARD REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/303A	RIBBON, MEDAL OF VALOR, CHAPLAIN, ARMY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/304A	RIBBON, ARMY SUPERIOR UNIT AWARD REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/305A	RIBBON, INFANTRY STREAMERS, ARMY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/306A	RIBBON, MEDICAL UNIT STREAMERS, ARMY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/307A	RIBBON, DEPARTMENT OF COMMERCE GOLD MEDAL REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/308A	RIBBON, DEPARTMENT OF COMMERCE SILVER MEDAL REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/309A	RIBBON, DEPARTMENT OF COMMERCE BRONZE MEDAL REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/310A	RIBBON, NOAA CORPS COMMENDATION MEDAL REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/311A	RIBBON, NOAA SPECIAL ACHIEVEMENT AWARD REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/312A	RIBBON, NOAA CORPS DIRECTOR'S RIBBON REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/313A	RIBBON, ARMY RECRUITING COMMAND AWARD FOR JROTC REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/314A	RIBBON, MEDAL OF ACHIEVEMENT, UNIFORMED SERVICES UNIVERSITY OF THE HEALTH SCIENCES REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/315C	RIBBON, SURGEON GENERAL'S MEDALLION AND EXEMPLARY SERVICE MEDAL, USPHS REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/316A	RIBBON, U.S. PUBLIC HEALTH SERVICE REGULAR CORPS REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/317A	RIBBON, DEPARTMENT OF THE ARMY CIVILIAN AWARD FOR HUMANITARIAN SERVICE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/318A	RIBBON, NAVY ARCTIC SERVICE REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/319A	RIBBON, PRISONER OF WAR MEDAL USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1H	30-MAR-93	1H	MU	11	
M L	MIL-R-11589/320A	RIBBON, INTERNATIONAL DUTY SERVICE, NOAA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/321A	RIBBON, MOBILE DUTY SERVICE, NOAA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/322A	RIBBON, PACIFIC SERVICE, NOAA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/323A	RIBBON, ATLANTIC SERVICE, NOAA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/324A	RIBBON, NAVY AND MARINE CORPS OVERSEAS SERVICE USER: MC REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/325A	RIBBON, MERITORIOUS SERVICE MEDAL, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/326A	RIBBON, DISTINGUISHED SERVICE MEDAL, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/327A	RIBBON, NAVAL RESERVE SEA SERVICE USER: MC REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/328A	RIBBON, SMALLPOX ERADICATION CAMPAIGN REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/329A	RIBBON, PHYSICAL FITNESS, AIR FORCE ROTC USER: 45 REVIEWER: B2 99 CT	A 8455	1H	30-MAR-93	1H	11		
M	MIL-R-11589/330B	RIBBON, SPECIAL OPERATIONS SERVICE, COAST GUARD USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/331A	RIBBON, ACHIEVEMENT MEDAL FOR CIVILIAN SERVICE, ARMY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/332A	RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, ARMY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/333B	RIBBON, AERIAL ACHIEVEMENT MEDAL, AIR FORCE USER: 45 REVIEWER: B2 99 CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/334A	RIBBON, MULTINATIONAL FORCE & OBSERVERS USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1H	30-MAR-93	1H	MU	11	
M L	MIL-R-11589/335A	RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DLA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/336A	RIBBON, DISTINGUISHED CAREER SERVICE AWARD, DLA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/337A	RIBBON, NATIONAL EMERGENCY PREPAREDNESS AWARD, USPHS REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/338A	RIBBON, CADET TROOP LEADERSHIP, ARMY ROTC REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/339A	RIBBON, HANGER CHALLENGE BRIGADE COMPETITION, ARMY ROTC REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/340A	RIBBON, EXCEPTIONAL ENGINEERING ACHIEVEMENT MEDAL, NASA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/341A	RIBBON, SPACE FLIGHT MEDAL, NASA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/342A	RIBBON, EQUAL EMPLOYMENT OPPORTUNITY MEDAL, NASA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/343A	RIBBON, NAVY RECRUITING SERVICE, NAVY REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/344A	RIBBON, PUBLIC SERVICE MEDAL, NASA REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/345A	RIBBON, MERITORIOUS SERVICE AWARD, ON-SITE INSPECTION AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/346B	RIBBON, EXCEPTIONAL SERVICE AWARD, ON-SITE INSPECTION AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/347A	RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/348A	RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INVESTIGATIVE SERVICE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/349B	RIBBON, COAST GUARD AUXILIARY DISTINGUISHED SERVICE AWARD USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M	MIL-R-11589/350A	RIBBON, COAST GUARD BICENTENNIAL UNIT COMMENDATION USER: CG REVIEWER: CT	A 8455	1H	30-MAR-93	1H	MU		
M L	MIL-R-11589/351A	RIBBON, VIETNAM SERVICE, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/352A	RIBBON, MEDITERRANEAN-MIDDLE EAST WAR ZONE, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/353A	RIBBON, EXEMPLARY CIVILIAN SERVICE AWARD, AIR FORCE USER: 45 REVIEWER: B2 99 CT	A 8455	1H	30-MAR-93	1H	11		
M L	MIL-R-11589/354A	RIBBON, EXCEPTIONAL ACHIEVEMENT MEDAL, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION (NASA) REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/355A	RIBBON, COAST GUARD "E" REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/356A	RIBBON, SOUTHWEST ASIA SERVICE MEDAL USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1H	30-MAR-93	1H	MU	11	
M L	MIL-R-11589/357A	RIBBON, COMMISSIONED OFFICERS ASSOCIATION MEMBERSHIP, UNITED STATES PUBLIC HEALTH SERVICE (USPHS) REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/358A	RIBBON, NATIONAL COMMUNICATIONS SYSTEM REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/359A	RIBBON, CIVILIAN SERVICE IN SOUTHWEST ASIA, DEPARTMENT OF DEFENSE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/360B	RIBBON, EXPEDITIONARY, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/361A	RIBBON, DEFENSE, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/362A	RIBBON, ATLANTIC WAR ZONE, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/363A	RIBBON, PACIFIC WAR ZONE, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/364A	RIBBON, KOREAN SERVICE, MERCHANT MARINE REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M	MIL-R-11589/365A	RIBBON, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA USER: 45 CG REVIEWER: B2 99 CT MC	A 8455	1H	30-MAR-93	1H	MU	11	
M L	MIL-R-11589/366A	RIBBON, DISTINGUISHED CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/367A	RIBBON, CIVILIAN CAREER SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/368A	RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/369A	RIBBON, MERITORIOUS CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			
M L	MIL-R-11589/370A	RIBBON, EXCEPTIONAL CIVILIAN SERVICE AWARD, DEFENSE INFORMATION SYSTEMS AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On	Doc Control Inch	Document Number	Document Title	Doc Ctrl FSC / Line	MCS Symbol	Preparing Acty	Date	Custodians			
								Army	Navy	Air Force	DIA
M L		MIL-R-11589/371A	RIBBON, SUPERIOR CIVILIAN SERVICE AWARD, DEFENSE COMMISSARY AGENCY REVIEWER: CT	A 8455	1H	30-MAR-93	1H				
M L		MIL-R-11589/372A	RIBBON, DISTINGUISHED SERVICE MEDAL, DEPARTMENT OF TRANSPORTATION REVIEWER: CT	A 8455	1H	30-MAR-93	1H				
M L		MIL-R-11589/373	RIBBON, CRISIS RESPONSE SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE (USPHS) REVIEWER: CT	A 8455	1H	30-MAR-93	1H				
D		MIL-T-11591D(1)	TAMPER, ARMATURE COIL WINDING (VALIDATION DATE: 8710) USER: MD SM YD1	A 5120	GL	13-OCT-87	GL				84
L		MIL-B-11595E	BAR, METAL AND BLANKS, STEEL (UNDER 2 INCHES IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS REVIEWER: AR IS	A 9510	MR	07-JUN-88	MR				
L		MIL-B-11596B	BASE COUPLING, FIRING DEVICE, NON-METALLIC, M2, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8705) USER: ME	A 1375	AR	08-FEB-68	AR				
L		MIL-T-11603E	TRANSMISSION, CROSS-DRIVE (CD850 SERIES)	A 2520	AT	22-AUG-85	AT				
L		MIL-C-11605B(1)	CANNON, 155MM GUN M46	A 1025	AR	28-MAY-87	AR				
L		MIL-C-11609E	CARTRIDGE, IGNITION, M5A2, M6 AND M8 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8504)	A 1315	AR	10-NOV-72	AR				
L		MIL-A-11610B(1)	ADAPTER, LINE, FILLING, 1&TON CONTAINER, M1 (VALIDATION DATE: 8410) REVIEWER: CS	A 4730	EA	22-JUN-67	EA				
L		MIL-P-11633D	PROJECTILE, 60-MILLIMETER, MORTAR, M302A1; WP FILLING ASSEMBLY	A 1310	EA	14-NOV-90	EA				
L		MIL-P-11635C	PROJECTILE, 57 MM, SMOKE, WP, M308A1, FILLING ASSEMBLY	A 1310	EA	22-JUL-87	EA				
L		MIL-D-11637A	DRIVES, BALLISTIC, M4 (T23), M3 (T23E1 AND T23E2) (VALIDATION DATE: 8601)	A 1270	AR	01-MAR-54	AR				
L		MIL-L-11647E	LEVER, BALK DEPRESSING; CLAW-BAR TYPE REVIEWER: CS MC	A 5420	ME	26-JUL-91	ME				
D		MIL-T-11663K	TRUCK, MATERIALS HANDLING, CONTAINER HOISTING, REAR HOIST, 21,000 TO 32,000 POUNDS GVW, 4X2 REVIEWER: 84	A 2320	AT	14-DEC-87	AT	YD1	99		
L		MIL-F-11673F	FUZE, SMOKE POT, FLOATING, ELECTRIC M209 REVIEWER: 99	A 1390	EA	17-DEC-87	EA				
L		MIL-S-11677B	SHELL, HOWITZER, 105-MM, M60, WP, FS, MD, AND H FILLING ASSEMBLY (VALIDATION DATE: 8301)	A 1315	EA	28-FEB-57	EA				
L		MIL-P-11678B	PROJECTILE, 90-MM, SMOKE, WP, M313; FILLING AND ASSEMBLY (VALIDATION DATE: 8808)	A 1315	EA	17-AUG-88	EA				
Q		MIL-M-11689C	HAMMER, PNEUMATIC, PORTABLE, NAIL-DRIVING (VALIDATION DATE: 8006) USER: GL	A 5130	ME	08-NOV-74	ME				99
		MIL-C-11693C(5) SUPPL 1B	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, AC AND DC (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR REVIEWER: 99 ES	A 5910	ER	15-OCT-91	ER	EC	85		
I		MIL-C-11693/5B NOTICE 1	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES), STYLE C220 (VALIDATION DATE: 8808) REVIEWER: 11 ES	A 5910	ER	17-AUG-88	ER	EC	85		
A		MIL-C-11693/7D(3)	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED AND NON-ESTABLISHED RELIABILITY STYLES C223, C224, C2R23 AND C2R24 REVIEWER: 99 EA ES MI	A 5910	ER	21-SEP-92	ER	EC	85		
		MIL-C-11693/8C NOTICE 1	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE REDUCTION, DC (HERMETICALLY SEALED IN METAL CASE), STYLE C225 (VALIDATION DATE: 8808) REVIEWER: 11 99 ES	A 5910	ER	17-AUG-88	ER	EC	85		
L		MIL-F-11698D	FASTENER, QUICK RELEASE, ALUMINUM REVIEWER: 15	A 5340	GL	16-AUG-88	GL				
D		MIL-F-11712F(1)	FLOODLIGHTS, ELECTRIC; UTILITY TYPE, PORCELAIN-COVERED STEEL OR ALUMINUM, BRACKET-MOUNTED, WEATHERPROOF, WITH OR WITHOUT LENS USER: YD1 REVIEWER: 82 GS	A 6230	ME	08-JAN-92	ME				99
		MIL-S-11713C NOTICE 1	STEEL STRIP, CARBON, SPRING; FOR MECHANICAL TIME FUZE COMPONENTS (VALIDATION DATE: 8805) USER: WV REVIEWER: 15 MI	A 9515	MR	26-MAY-88	MR	OS			
D		MIL-S-11716D MIL-P-11719E(1)	SUPERSTRUCTURE, STEEL, FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 .... PACKING, PREFORMED, PNEUMATIC HOSE COUPLINGS, UNIVERSAL USER: CS REVIEWER: 82 AT IS	A 5420 A 5330	ME ME	12-JAN-93 25-SEP-84	ME ME	MC YD1	99		
D		MIL-R-11723E	RADIATORS, HEATING, STEEL, MULTIFIN TYPE REVIEWER: 84 CS	A 4520	YD1	20-OCT-88	YD1	99			
L		MIL-G-11725B(1)	GUN, TWIN 40 MM, SELF-PROPELLED M2A1	A 2350	AT	04-SEP-87	AT				
L		MIL-T-11727B	TUBOGGAN, CARGO & CARRYING (TOWED TYPE, 28 INCHES BY 8 FEET) (VALIDATION DATE: 8402) REVIEWER: GS	A 3920	ME	15-NOV-73	ME				99
D		MIL-C-11732D	CYLINDER, COMPRESSED GAS, CHLORINE, 1CC 3A 1CC 3AA (VALIDATION DATE: 8402) USER: MC YD1 REVIEWER: GS	A 8120	ME	20-MAR-73	ME	SH	68		
D		MIL-C-11732/I	CYLINDER, COMPRESSED GAS, CHLORINE, DOT 3A480 OR DOT 3AA480 (VALIDATION DATE: 8402) USER: EA YD1 REVIEWER: GS MC	A 8120	ME	08-MAR-73	ME	SH	68		
D		MIL-C-11733D(1)	CYLINDER, COMPRESSED GAS, AMMONIA, WITH VALVE (DOT 4AA480) (VALIDATION DATE: 8501) USER: MC YD1 REVIEWER: GS	A 8120	ME	24-NOV-81	ME	SH	68		
		MIL-L-11734C	LUBRICATING OIL, SYNTHETIC (FOR MECHANICAL TIME FUSES) (VALIDATION DATE: 7901) USER: ME MI REVIEWER: GS MD PS	A 9150	AR	31-DEC-69	AR	OS	68		
L		MIL-C-11743F	CASE, MAINTENANCE AND OPERATIONAL MANUALS USER: GL MC	A 7520	ME	23-JAN-89	ME				99
L		MIL-M-11745D	MARKING AND LABELING OF U.S. ARMY MARINE CRAFT REVIEWER: OS	A 1910	ME	12-JUL-89	ME				
D		MIL-P-11751D	POTASSIUM HYDROXIDE SOLUTION REVIEWER: GS MD	A 1810	EA	18-OCT-84	EA				68
L		MIL-A-11755D(1)	ANTIFREEZE, ARCTIC-TYPE USER: MC SM SH REVIEWER: AR GS	A 6850	ME	21-AUG-81	ME	YD1	68		
L		MIL-C-11762B NOTICE 1	CAP, BLASTING, ELECTRIC INERT, ASSEMBLY (VALIDATION DATE: 8705)	A 1375	AR	05-SEP-75	AR				
		MIL-R-11764A NOTICE 1	RESISTOR, DECADE ZH-16 ( )/U (VALIDATION DATE: 8606) USER: MC REVIEWER: 99 MI	A 6625	CR	06-JUN-86	CR				13
L		MIL-R-11767F	RELAY ASSEMBLY, GUN-FIRING, WATERPROOF, 24 VOLT DC REVIEWER: AR	A 5945	AT	04-JUN-91	AT				
L		MIL-T-11776E	TABLE, LITHOGRAPHIC LAYOUT: TILT TOP, 24-INCH BY 30-INCH, NOMINAL ILLUMINATED AREA REVIEWER: GS	A 3610	ME	18-MAY-88	ME				
		MIL-S-11779(1)	SCALE, METEOROLOGICAL, ML-125, ML-177, & ML-301 TM (VALIDATION DATE: 8412) REVIEWER: GS	A 6675	CR	11-SEP-64	CR				99
Q		MIL-C-11796C	CORROSION PREVENTIVE COMPOUND, PETROLATUM, HOT APPLICATION USER: AS EA MS REVIEWER: GL MI OS SA	A 8030	MR	04-NOV-86	MR	SH	99		
AQ I		MIL-R-11804L(4) NOTICE 2	RESISTORS, FIXED, FILM (POWER TYPE), GENERAL SPECIFICATION FOR (VALIDATION DATE: 9208) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	27-AUG-92	ER	EC	85		
A I		MIL-R-11804/LC NOTICE 2	RESISTORS, FIXED, FILM (POWER TYPE), STYLES RD31, RD33, RD35, RD37, AND RD39 (VALIDATION DATE: 9208) USER: 19 99 AT AV MC ME SH REVIEWER: 17 AR ES OS	A 5905	ER	27-AUG-92	ER	EC	85		
A I		MIL-R-11804/2D NOTICE 2	RESISTORS, FIXED, FILM (POWER TYPE), STYLES RD60, RD65, AND RD70 (VALIDATION DATE: 9208) USER: 19 AS AT AV CG MC ME SH REVIEWER: 17 99 AR ES OS	A 5905	ER	27-AUG-92	ER	EC	85		
D L		MIL-R-11806C	ROLLER, TOWED, PNEUMATIC RED, HOPPER BODY, OSCILLATING WHEELS USER: CE CS MC REVIEWER: YD1	A 3895	BA	14-JAN-89					99
L		MIL-P-11807C	PROJECTILE, 155-MM, GUN AND HOWITZER, M104 AND M110, WP, FS, MD AND H FILLING ASSEMBLIES (VALIDATION DATE: 8006) USER: MC	A 1320	EA	06-JUN-57	EA				
LI		MIL-R-11809B NOTICE 1	RADAR INTERROGATOR SET AM/TPX-19, 20, 26 AND 27 PACKAGING AND PACKING OF ..	A 5895	CR	11-JAN-89	CR				
L		MIL-V-11815B MIL-M-11817C NOTICE 1	VIEWER, STILL PICTURE AR-12 REVIEWER: GS WATTMETER, TS-118/AP (VALIDATION DATE: 8606) USER: MI REVIEWER: 11 67	A 6730 A 6625	CR CR	02-NOV-84 06-JUN-86	CR CR				99
L		MIL-B-11818D	BAROMETER, ANEROID ML-102 REVIEWER: 80	A 6660	CR	17-DEC-85	CR				99
L		MIL-T-11823	TUBING, STEEL, ROUND, FOR PRIMERS AND BUSTERS	A 1315	EA	10-MAR-52	EA				
L		MIL-P-11824C NOTICE 1	PRIMER, MO, 1-1/2 (VALIDATION DATE: 8808)	A 1375	EA	17-AUG-88	EA				
D		MIL-B-11837C	BLOCK, TACKLE, WIRE ROPE, SNATCH, EXTRA HEAVY DUTY USER: MC YD1 REVIEWER: 84 ER IS	A 3940	ME	06-OCT-83	ME				99
		MIL-T-11838D(1)	TREADWAY, SUPERSTRUCTURE BRIDGE, FLOATING, FOOT, ALUMINUM, (VALIDATION DATE: 8205) REVIEWER: CS	A 5420	ME	27-NOV-73	ME	MC			
		MIL-B-11839D NOTICE 1	BAROMETER, ANEROID ML-434(PM) (VALIDATION DATE: 8804) REVIEWER: GS	A 6660	CR	27-APR-88	CR				99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op. / Unit Coordination Initiative	Document Number	Document Title	Dist. Smt. FSC / Ave	MCS Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-B-118440(2)	BRIDGE, FIXED: STEEL, PORTABLE PANEL, BAILEY TYPE M2 (WIDENED ROADWAY) REVIEWER: CS	A 5420	ME	06-MAR-90	ME			
L	MIL-L-11848C(1)	LIGHTS, POWER TOOL USER: SM REVIEWER: GS	A 6230	ME	17-SEP-90	ME	99		
D	MIL-P-11859H	PONTON BOATS, ALUMINUM, FOR FLOATING FOOTBRIDGE USER: CG REVIEWER: CS	A 5420	ME	26-JUN-91	ME			
L	MIL-S-11863C	SAMMILL, CIRCULAR, TRAILER-MOUNTED, 50 INCH BLADE, DIESEL ENGINE DRIVEN USER: YD1 REVIEWER: GS	A 3210	ME	25-JAN-88	ME	MC	99	
L	MIL-T-11865A(1)	TELESCOPE, M84 (VALIDATION DATE: 8601)	A 1240	AR	20-MAY-53	AR	OS		
L	MIL-C-11866C	CASTINGS, PRECISION, NONFERROUS (VALIDATION DATE: 9103) USER: AL ME REVIEWER: AR EA MI	A MECA	MR	10-MAR-91	MR			
D	MIL-I-11867K	ICE MAKING MACHINE, CUBE USER: CE MC REVIEWER: B2 GS MD ME MS TS	A 4110	GL	07-SEP-83	GL	YD1	99	
D	MIL-I-11873C	IMPREGNATING SET, CLOTHING, FIELD, M3 (VALIDATION DATE: 8505) USER: MC REVIEWER: GS	A 4230	EA	19-NOV-65	EA	YD1	99	
A L	MIL-S-118740	SHOULDER CORD, INFANTRY, BLUE (VALIDATION DATE: 9211) REVIEWER: CT	A 8455	1H	20-NOV-92	1H			
	NOTICE 2								
	MIL-P-118790	PYROMETER, OPTICAL (VALIDATION DATE: 8402) REVIEWER: GS	A 6685	ME	11-OCT-74	ME	99		
	MIL-B-11886K	BOX, METAL, SHIPPING, REUSABLE, TRANSPORTER, STEEL, MAX. LOAD 9,000 LBS. (VALIDATION DATE: 8302) USER: AT AV GL MC SM REVIEWER: 99 GS	A 8115	ME	13-OCT-72	ME	69		
QL	MIL-T-118910(1)	TRACK SHOE ASSEMBLY, TRACK SHOE SETS, TRACK SHOE PADS, & TRACK SHOE BUSHINGS, VEHICULAR, ELASTOMERIZED USER: ME REVIEWER: CS MI	A 2530	AT	25-OCT-84	AT			
A	MIL-S-11922E	SCARF, BRANCH OF SERVICE, B18 TYPE (VALIDATION DATE: 9211) USER: 45 REVIEWER: B2 99 CT	A 8455	1H	04-NOV-92	1H	NU	11	
L	MIL-C-11926B	CANNON, 90MM GUN: M54 (VALIDATION DATE: 9105)	A 9510	AR	06-MAY-71	AR			
	NOTICE 2								
L	MIL-C-11927D	CANNON, 90MM, M41 (VALIDATION DATE: 8203) USER: MC	A 1015	AR	25-MAR-70	AR			
L	MIL-A-11928B	AXLE RL-27( ) (FOR LAYING FIELD WIRE) (VALIDATION DATE: 8803)	A 3895	CH	26-MAR-86	CH	99		
	NOTICE 1								
I	MIL-L-11931C	LENS, CAMERA, COPYING Lt-5( ) REVIEWER: GS	A 6760	CH	05-OCT-90	CH	99		
	NOTICE 1								
L	MIL-C-11954A	CONTAINER, FOR FLOATING SMOKE POT (VALIDATION DATE: 8008) USER: MC	A 1365	EA	26-AUG-52	EA	OS		
L	MIL-C-11957C	CONVERTER, SINGLE SIDEBAND, CV-157( )/JMR REVIEWER: 99	A 5820	CR	17-OCT-89	CR			
	NOTICE 1								
	MIL-P-11970C	POTASSIUM PARMANGANATE, TECHNICAL (METRIC) (VALIDATION DATE: 8810) REVIEWER: GS	A 6810	68	07-OCT-88	ME	68		
	NOTICE 1								
	MIL-M-11982A(1)	MOUNT, A.A., MACHINE GUN, CALIBER .50, M63 (W/SPARE PARTS) (VALIDATION DATE: 8806) USER: MC	A 1005	AR	17-JUN-88	AR	OS		
	NOTICE 1								
	MIL-G-11994A(3)	GENERATOR, RINGING, MAN- G-42( )/PT (VALIDATION DATE: 8803) REVIEWER: 99 MC	A 5805	CR	31-MAR-88	CR	11		
	NOTICE 1								
	MIL-H-11996B	HANDSET H-60/PT, HANDSET H-156/U, AND HANDSET H-165/U REVIEWER: 99 AR ES MI SM	A 5965	CR	28-OCT-80	CR	85		
L	MIL-H-11996B(1)	HANDSETS GENERAL SPECIFICATION FOR	A 5965	CR	12-DEC-91	CR			
	NOTICE 1	HANDSET, H-60( )/PT (VALIDATION DATE: 8803) REVIEWER: 17 99 ES MI	A 5965	CR	29-MAR-88	CR	85		
	MIL-H-11996/2	HANDSET, H-156( )/PT (VALIDATION DATE: 8803) REVIEWER: 17 99 ES MI	A 5965	CR	29-MAR-88	CR	85		
	NOTICE 1								
	MIL-H-11996/3	HANDSET, H-165( )/PT (VALIDATION DATE: 8803) REVIEWER: 17 99 EA MI	A 5965	CR	25-MAR-88	CR	85		
	NOTICE 1								
D	MIL-C-11997B(1)	CORD ASSEMBLY, ELECTRICAL, CX-215/U (RETRACTILE) REVIEWER: GS	A 5995	CR	22-APR-87	CR			
	NOTICE 1	CABLE, CORD, AND WIRE, ELECTRIC; PACKAGING OF USER: MC MC SH REVIEWER: 99 AR AS AT ES IS MI OS SA SM	A PACK	YD1	27-SEP-90	CR	YD1	85	
	MIL-C-12000H	PROBE LIGHT KIT, INSPECTION (VALIDATION DATE: 8301) USER: AS MC REVIEWER: GS	A 6230	ME	29-MAR-77	ME	OS	99	
L	MIL-V-12003F(1)	VALVES, PLUG, CAST-IRON OR STEEL, MANUALLY OPERATED USER: 99 CE REVIEWER: CS	A 4820	ME	27-NOV-84	ME			
L	MIL-T-12014B	TRIBUTYLAMINE, NORMAL (METRIC REVIEWER: GS MD)	A 6810	EA	04-MAR-87	EA			
	NOTICE 1								
	MIL-T-12020C	TRIPOD, PHOTOGRAPHIC LM-41 USER: MI REVIEWER: GS	A 6760	CR	21-NOV-84	CR			
	MIL-S-12030B	SMOKE POT, MC, MI USER: MC	A 1365	EA	30-JUN-89	EA	OS		
L	MIL-C-12038C	CHLOROBENZENE, TECHNICAL (VALIDATION DATE: 8808) REVIEWER: GS MD MR	A 6810	EA	12-AUG-88	EA			
	NOTICE 1								
L	MIL-L-12039D	LITHIUM HYDRIDE, TECHNICAL (METRIC)	A 6810	OS	14-NOV-90		OS		
L	MIL-C-12044D	CHEST, PLYWOOD (VALIDATION DATE: 8311) USER: CE MC REVIEWER: CS	A 8145	ME	13-FEB-75	ME	99		
L	MIL-P-12048D(1)	PETROLEUM TESTING KIT, GROUND FUELS REVIEWER: GS	A 6630	CR	23-OCT-91	CR			
L	MIL-C-12051B	CHEMICAL AGENT, MUSTARD, DISTILLED (HD) (VALIDATION DATE: 8201) USER: OS REVIEWER: MD	A 1365	EA	23-JUN-69	EA			
	NOTICE 1								
	MIL-M-12054A	MUSTARD, M (LEVINSTEIN PROCESS) (VALIDATION DATE: 8008)	A 1365	EA	19-NOV-52	EA	OS		
L	MIL-C-12056C	CALCIUM OXIDE, TECHNICAL (METRIC) (VALIDATION DATE: 8808) USER: GS MD	A 6810	EA	12-AUG-88	EA			
	NOTICE 1								
L	MIL-I-12058C	IRON, TECHNICAL (VALIDATION DATE: 8903) USER: MI REVIEWER: AR GS MD	A 6810	EA	13-MAR-89	EA			
	NOTICE 1								
L	MIL-P-12059	POWDER, SULFURLESS MEAL (VALIDATION DATE: 8604) REVIEWER: GS	A 6810	AR	08-APR-86	AR			
	NOTICE 3								
L	MIL-S-12060D	SULFUR MONOCHLORIDE, TECHNICAL (METRIC) REVIEWER: GS MD	A 6810	EA	28-FEB-84	EA			
L	MIL-Z-12061B	ZINC CARBONATE, BASIC, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: GS MD	A 6810	EA	13-MAR-89	EA			
	NOTICE 1								
M L	MIL-W-12062A	MAX, PETROLEUM (METRIC) (VALIDATION DATE: 9303)	A 9160	EA	25-MAR-93	EA			
	NOTICE 1								
L	MIL-Z-12063B	ZINC BORATE, TECHNICAL (METRIC) USER: MC REVIEWER: GS	A 6810	EA	03-MAR-87	EA			
	NOTICE 1								
	MIL-W-12065D	WINCHES, DRUM, HAND OPERATED; SPUR GEAR, 2 OR 3 PURCHASE USER: CE MC REVIEWER: CS	A 3950	ME	09-AUG-84	ME	SH	99	
M	MIL-F-12070D(1)	FOG OIL USER: 68 MC REVIEWER: EA GS OS SA	A 9150	ME	29-APR-93	ME	SH		
	NOTICE 1	FORGING MACHINE, HAMMER, VERTICAL, ELECTRIC & PNEUMATIC, SELF CONTAINED (VALIDATION DATE: 8508) REVIEWER: AS GS	A 3446	1P	04-NOV-74	AR	SH	99	
	MIL-T-12076A	TIM, STRIP AND SHEET (VALIDATION DATE: 8406) REVIEWER: IS	A 9535	EA	19-JAN-53	EA	99		
A	MIL-C-12095G	CLOTH, WIND & RESISTANT SATEEN, COTTON, FIRE & WATER RESISTANT (VALIDATION DATE: 8711) USER: MC REVIEWER: 11 EL MD	A 8305	CT	12-NOV-87	GL	NU	99	CT
	NOTICE 1								
L	MIL-S-12100	SHOCK MOUNT M-447, M-448, M-449 AND BRACKET FT-512 (VALIDATION DATE: 7511) REVIEWER: IS MI	A 5340	ER	08-JUL-52	ER			
	NOTICE 1								
Q	MIL-C-12103C(1)	COMPUTER, STADIA, CIRCULAR SCALE	A 6675	B2	24-SEP-84	ME	99	GS	
	NOTICE 1	SOLENOID, ELECTRICAL; GUN-FIRING MECHANISMS (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR EA ES	A 9510	AT	25-JUN-90	AT	OS	85	
	MIL-S-12109C	SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
	NOTICE 1								
	MIL-S-12109/2	SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
	NOTICE 1								
	MIL-S-12109/3A	SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
	NOTICE 1								
	MIL-S-12109/4	SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
	NOTICE 1								
	MIL-S-12109/5	SOLENOID, ELECTRICAL; CLASS 2 (MACHINE GUN) CAL .30, 24 VOLT DC, 4.5 AMP MAX. (VALIDATION DATE: 9006) USER: AV MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
	NOTICE 1								
	MIL-S-12109/6	SOLENOID, ELECTRICAL; CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX (VALIDATION DATE: 9006) USER: MC REVIEWER: 99 AR ES	A 9510	AT	25-JUN-90	AT	OS	85	
	NOTICE 1								



## NUMERICAL LISTING MILITARY SPECIFICATIONS

Agency / Contract / Order / Revision / Document Number	Document Title	Doc Ident / FIC / AIA / NCA Symbol	Preparing Agency	Date	Army	Navy	Air Force	Other
MIL-S-12109/7 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON), 90 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/8 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/9 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/10 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/11 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 8 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/12 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES	A 9510	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/13 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES	A 9510	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/14 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN), CAL .50, 24 VOLT DC, 7.7 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES	A 9510	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/15 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) CAL .50, 24 VOLT DC, 7.7 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/16 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) CAL .30, 12 VOLT DC, 8 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/17 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES	A 9510	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/18 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: AV MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/19 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 90 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/20 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 1 (CANNON) 76 MM, 24 VOLT DC, 28 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES	A 9510	AT	25-JUN-90	AT	OS	85	
MIL-S-12109/21 NOTICE 1	SOLENOID, ELECTRICAL: CLASS 2 (MACHINE GUN) 7.62MM, 24 VOLT DC, 8 AMP MAX. [VALIDATION DATE: 9006] USER: MC REVIEWER: 99 AR ES	A 5945	AT	25-JUN-90	AT	OS	85	
L MIL-S-12115A	SNOWPLOW, RAILWAY, PUSH, WEDGE TYPE, LOCOMOTIVE PILOT MOUNTED. [VALIDATION DATE: 8501]	A 2230	ME	25-NOV-74	ME			
L MIL-V-12125F	VALVE, GATE: QUICK-OPENING, CLASS 125, CAST IRON, WITH POSITION LOCK REVIEWER: CG CS	A 4820	ME	21-DEC-89	ME			
D L MIL-V-12126E	VALVES, GATE: BRONZE, LEVER OPERATED, QUICK OPENING, 125 PSI AND 150 PSI USER: CE SH YD1 REVIEWER: AR CS	A 4820	ME	02-FEB-90	ME			
MIL-W-12133C	WASHER, SPRING TENSION GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: AS AV IS MI SH	A 5310	AR	24-APR-86	AR	OS	99	
D MIL-W-12133/1B	WASHER, SPRING TENSION, BELLEVILLE SPRING, SPRING STEEL USER: AT MC ME YD1 REVIEWER: AS AV GL MI SH	A 5310	AR	25-APR-86	AR	OS	99	
D MIL-W-12133/2A	WASHER, SPRING TENSION, BELLEVILLE SPRING, CORROSION RESISTANT STEEL USER: AT MC ME MI YD1 REVIEWER: 11 82 AS CR EC IS	A 5310	AR	18-APR-86	AR	OS	99	
D MIL-W-12133/3	WASHER, SPRING TENSION, WAVE, COPPER-BERYLLIUM USER: AT MC ME MI YD1 REVIEWER: 11 82 AS AV IS	A 5310	AR	30-JUL-84	AR	OS	99	
D MIL-W-12133/4A	WASHER, SPRING TENSION, WAVE, CRES 302 USER: AT IS MC ME YD1 REVIEWER: 11 82 AS AV GL SH	A 5310	AR	28-FEB-86	AR	OS	99	
D MIL-W-12133/5A	WASHER, SPRING TENSION, CURVED, SPRING STEEL USER: AT MC ME YD1 REVIEWER: 11 82 AS IS MI	A 5310	AR	28-APR-86	AR	OS	99	
D MIL-W-12133/6	WASHER, SPRING TENSION, WAVE, SPRING STEEL USER: CR MC YD1 REVIEWER: 11 82 AS ER IS MI	A 5310	AR	24-APR-86	AR	OS	99	
D MIL-W-12133/7	WASHER, SPRING TENSION, FINGER TYPE, STEEL USER: MC YD1 REVIEWER: 82 AS ER IS MI	A 5310	AR	18-APR-86	AR	OS	99	
D MIL-W-12133/8	WASHER, SPRING TENSION, CURVED, CRES, 302 USER: AT GL MC YD1 REVIEWER: 11 82 AS AV IS MI	A 5310	AR	18-JUN-87	AR	OS	99	
D MIL-W-12133/9	WASHER, SPRING TENSION, CURVED, COPPER, BERYLLIUM USER: AS CR MC YD1 REVIEWER: 11 82 AT ER IS MI	A 5310	AR	09-OCT-87	AR	OS	99	
MIL-S-12134C(1)	SYNCHROS, RESOLVERS, AND SERVO MOTORS: PACKAGING OF [VALIDATION DATE: 8901] USER: CG EC MC REVIEWER: AV EL ES MI OS SH	A PACK	AR	24-JAN-89	AR	AS	85	
MIL-S-12134C(12)	SYNCHROS, RESOLVERS, AND SERVO MOTORS: PACKAGING OF [VALIDATION DATE: 8901] USER: CG EC MC REVIEWER: AV EL ES MI OS SH	A PACK	AR	24-JAN-89	AR	AS	85	
D MIL-M-12135/5	WASHER, SPRING TENSION, CURVED, SPRING STEEL USER: AS AT IS MC ME MI YD1 REVIEWER: 11 82 AV	A 5310	AR	30-JUL-84	AR	OS	99	
D MIL-F-12138B	FACEFORM, GAS MASK [VALIDATION DATE: 8505] USER: MC MI REVIEWER: GS	A 4240	EA	01-JUL-54	EA	YD1		
MIL-R-12144F(1)	REFLECTOR, INDICATING, CLEARANCE USER: ME REVIEWER: GL	A 9905	AT	16-SEP-87	GL		99	
MIL-D-12150E	DETERGENT, DRY CLEANING SOLVENT [VALIDATION DATE: 8303] USER: MC SM REVIEWER: GS MD	A 7930	GL	22-NOV-76	GL	SH	99	
L MIL-S-12158D NOTICE 1	SEALING COMPOUND, NON-CURING, POLYBUTENE [VALIDATION DATE: 9202] REVIEWER: AR ME MR SH	A 8030	AT	28-FEB-92	AT			
D MIL-P-12164E MIL-S-12165F	PLAYPIPE, NOZZLE, FIRE HOSE REVIEWER: 84 CS STRAINER, SUCTION, FIRE HOSE, AND STRAINERS, SUCTION, HOSE [VALIDATION DATE: 8401] REVIEWER: CS EA	A 4210 A 4730	ME ME	29-MAR-84 01-AUG-79	ME ME	YD1	99	
L MIL-C-12166 MIL-T-12167E L MIL-R-12170B A L MIL-T-12173D M I MIL-M-12185C NOTICE 2	COPPER ROD FOR CRUSHER CYLINDERS [VALIDATION DATE: 8101] REVIEWER: AR TIP, NOZZLE, FIRE HOSE USER: AS MC REVIEWER: 84 CS RADIO FREQUENCY TRANSMISSION LINE ASSEMBLY CG-1013( )/U (UNITS OF) TRAVELER, BICYCLE REVIEWER: CS MOTORS, WINDSHIELD WIPER: PNEUMATIC, VACUUM, AND VALVES, CONTROL FOR USER: CS MC	A 1305 A 4210 A 5820 A 5420 A 2540	TE ME CH AT	14-AUG-52 19-OCT-83 18-SEP-90 26-OCT-92 17-MAR-93	TE ME CR AT	YD1		
A MIL-C-12189H	CLOTH, COATED: BUTYL COATED, TOXICOLOGICAL AGENTS PROTECTIVE USER: MC REVIEWER: 82 99 EA MD	A 8305	CT	30-JUN-88	GL	MU	11	CT
D MIL-D-12195D MIL-L-12197E(1)	DRIER, PHOTOGRAPHIC FILM EL-4/9 REVIEWER: GS LADDER, FIRE, EXTENSION, LADDERS, FIRE, SINGLE, AND LADDERS, FIRE, A-FOLDING EXTENSION [VALIDATION DATE: 8503] USER: CE MC REVIEWER: CS	A 6740 A 4210	CR ME	21-NOV-84 15-MAR-78	CR ME	AS	99	
MIL-S-12204C MIL-S-12210A NOTICE 1	SOLDER, LEAD-TIN ALLOY [VALIDATION DATE: 9101] USER: AT MC REVIEWER: GS MI STRONTIUM OXALATE [VALIDATION DATE: 8806] REVIEWER: GS	A 3439 A 6810	AR AR	17-JAN-91 17-JUN-88	AR AR	OS	11	
DQ I MIL-S-12210C NOTICE 1 A I MIL-R-12218C NOTICE 1 MIL-M-12218C(1)	SWITCH, PRESSURE USER: MC YD1 REVIEWER: 85 ES ME MI REFLECTOR, LIGHT: ALUMINUM, AND SHIELD, LIGHT: TELESCOPING, ALUMINUM REVIEWER: GS MONOBROMOTRIFLUOROMETHANE (LIQUIFIED) TECHNICAL GRADE FOR FIRE EXTINGUISHER [VALIDATION DATE: 8501]	A 5930 A 6210 A 6830	AT ME ME	30-NOV-92 11-AUG-92 24-DEC-81	AT ME ME		11	
L MIL-R-12221D A MIL-G-12223J O MIL-F-12224J	RIVET, SOLID, ALUMINUM ALLOY, GRADE 7277, TEMPERED REVIEWER: IS GLOVES, TOXICOLOGICAL AGENTS PROTECTIVE USER: 45 MC REVIEWER: 82 EA MD FOOTWEAR COVERS, TOXICOLOGICAL AGENTS PROTECTIVE, M-1 USER: 45 MC YD1 REVIEWER: 82 MD	A 5320 A 8415 A 8430	ME CT CT	25-FEB-85 15-MAR-90 03-MAY-89	GL GL GL	MU	99	CT
A MIL-M-12225H	HOOD, GAS MASK, TOXICOLOGICAL AGENTS PROTECTIVE: M-3 USER: 45 EA MC REVIEWER: 11 82 AS MD	A 8415	CT	06-MAR-90	GL	MU	99	CT
A MIL-C-12226G	COVER, TOXICOLOGICAL AGENTS PROTECTIVE GAS MASK HOOD, COOLING USER: 45 MC OS	A 8415	CT	23-DEC-87		MU	99	CT
A MIL-S-12227F	SUIT, TOXICOLOGICAL AGENTS PROTECTIVE COVER, COOLING USER: 45 MC OS REVIEWER: 11	A 8415	CT	08-MAY-89		MU	99	CT
L MIL-B-12223E L MIL-B-12233E(11) L MIL-T-12236A NOTICE 1	BAG, SAND, BURLAP AND COTTON REVIEWER: 84 BAGS, SAND: BURLAP AND COTTON TEST SET, ELECTRICAL POWER (TEST SET 1-199) [VALIDATION DATE: 8606]	A 8105 A 8105 A 6825	GL GL OR	31-DEC-86 12-DEC-90 06-JUN-86	GL GL OR		69	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / On Coordination Involvement	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
L	MIL-H-12240A	HYDROMETER, SYRINGE, BATTERY TS-765 [VALIDATION DATE: 8502]	A 6630	ER	18-AUG-58	ER				
L	MIL-T-12242A	TEST SET, TELEPHONE TS-716/U [VALIDATION DATE: 7509]	A 6625	CR	20-JUN-63	CR				
D L	MIL-B-12253E	BRACKS, MUZZLE, CANNON, STEEL CASTINGS FOR REVIEWER: WV	A MECA	AR	23-NOV-88	AR				
L	MIL-B-12264A	BEAM, MOISTING, LIQUID GAS TANK, MI [VALIDATION DATE: 8009]	A 1730	EA	27-MAR-61	EA				
L	MIL-G-12268(2)	GENERATORS GN-41 AND GN-41-B [VALIDATION DATE: 8803] REVIEWER: 99	A 5805	CR	31-MAR-88	CR				
D	MIL-T-12270C(1)	TIE-PLATE, RAILWAY	A 2250	ME	27-DEC-84	ME	YD1			
L	MIL-V-12276D(1)	VARNISH PHENOLIC, BAKING [VALIDATION DATE: 8512] USER: AR REVIEWER: EA MD	A 8010	ME	01-AUG-73	ME				
D	MIL-M-12279F	NOZZLE, FIRE HOSE, FOAM [VALIDATION DATE: 8412] USER: CG REVIEWER: CS SH	A 4210	ME	24-SEP-79	ME	YD1			
L	MIL-C-12280A	CARTRIDGE, ABSORBENT, M2	A 446P	EA	29-DEC-55	EA				
QL	MIL-S-12285D(1)	SWITCHES, THERMOSTATIC	A 5930	AT	07-APR-92	AT				
A L	MIL-S-12285/C	SWITCH, THERMOSTATIC (LONG SENSOR)	A 5930	AT	07-DEC-92	AT				
A L	MIL-S-12285/E	SWITCH, THERMOSTATIC (SHORT SENSOR)	A 5930	AT	21-JUL-92	AT				
D	MIL-T-12295E(2)	TANK, HOT WATER STORAGE USER: CG MC REVIEWER: CE CS MD	A 4520	ME	23-SEP-83	ME	YD1 99			
L	MIL-M-12296(1)	MASK, PROTECTIVE, FIELD, M9A1 REVIEWER: GS	A 4240	EA	11-SEP-87	EA				
L	MIL-F-12298A	GRENADE, HAND, INCENDIARY, TH3, AM-M14	A 1330	AR	17-JAN-86	AR				
L	MIL-M-12307C	FABRIC, GLASS, MOVEN [VALIDATION DATE: 8505]	A 1395	AR	26-OCT-65	AR				
L	MIL-D-12313C(2)	WRENCH, VALVE-REMOVING, M1 AND M2 USER: GL	A 5120	EA	16-JUN-87	EA				
D	MIL-M-12314E	DIMMER, LAMP, 60 WATT, 120 VOLT, MEDIUM SCREW BASE AND SOCKET REVIEWER: GS	A 6250	ME	06-SEP-88	ME				
A	MIL-C-12316E	NOZZLE, FIRE HOSE, WATER, SPRAY AND STEAM USER: B4 CE CS	A 4210	ME	20-OCT-83	ME	YD1 99			
L	MIL-M-12320A(4)	CASE, MAP AND PHOTOGRAPH, COTTON DUCK USER: 45 MC REVIEWER: B2 SA	A 8460	CT	10-AUG-84	GL	MU 99	CT		
D	MIL-H-12322D	MAST BASE, SECTION AND ADAPTER KIT [VALIDATION DATE: 8101] REVIEWER: ES	A 5985	ER	14-SEP-73	ER				
D	MIL-R-12323G	HEATER, WATER, STEAM-HOT WATER HEATED [VALIDATION DATE: 8511] USER: CE	A 4520	ME	08-DEC-78	ME	YD1 99			
L	MIL-G-12326K(3)	REFRIGERATORS AND RELATED EQUIPMENT, PACKAGING AND PACKING OF USER: MC ME	A 4110	GL	31-DEC-92	GL	YD1 99			
L	MIL-G-12327J	REVIEWER: GS								
L	MIL-G-0012327H	GRENADE, HAND, SMOKE, M18	A 1330	EA	21-APR-89	EA				
L	MIL-H-12329D(2)	GRENADE, HAND, SMOKE, HC, M2	A 1330	EA	06-JUN-89	EA	MC 99			
L	MIL-M-12332A(2)	GRENADE, HAND, SMOKE, H	A 1330	EA	18-JUN-84	EA				
L	MIL-T-12333C	REELING MACHINE, CABLE, HAND RL-31 REVIEWER: CS	A 3895	CR	30-OCT-86	CR				
D	MIL-M-12340C(2)	WELDING, RESISTANCE, SPOT, SLAM, AND PROJECTION, FOR FABRICATING ASSEMBLIES	A 1HJM	MR	04-OCT-68	MR				
D	MIL-T-12354K(1)	OF LOW-CARBON STEEL [VALIDATION DATE: 8501] USER: ME REVIEWER: EA MI OS	A 6625	CR	06-JUN-86	CR	99			
D	MIL-J-12368D(1)	TEST SET, CRYSTAL UNIT, QUARTZ TS-710/TS [VALIDATION DATE: 8606]	A 4520	GL	15-JUN-90	GL	YD1 99			
A L	MIL-C-12369F(1)	HEATER, SPACE (YUKON, M-1950, WITH ACCESSORIES) REVIEWER: 25 CS MD ME MS	A 8340	CT	23-AUG-91	GL	MU 99	CT		
L	MIL-C-12386E	JOINT BAR, RAIL	A 2250	ME	27-DEC-84	ME	YD1			
L	MIL-C-12386/1A	CLOTH, BALLISTIC, NYLON [VALIDATION DATE: 8904] REVIEWER: EA MD	A 8305	CT	27-APR-89	GL				
L	MIL-C-12386/2A	CLAMP, REPAIR, PIPE, WITH GASOLINE-RESISTANT GASKET, GENERAL SPECIFICATION	A 4730	ME	31-MAR-87	ME	99			
L	MIL-A-12391B	FOR USER: MC REVIEWER: CS	A 4730	ME	14-NOV-90	ME	99			
L	MIL-E-12397B	CLAMP, REPAIR, PIPE, WITH GASOLINE-RESISTANT GASKET: TYPE I, SPLIT	A 4730	ME	14-NOV-90	ME	99			
L	MIL-T-12400A	APPLICATION [VALIDATION DATE: 9011] USER: AS CE MC REVIEWER: CS	A 4730	ME	14-NOV-90	ME	99			
L	MIL-W-12404E	CLAMP, REPAIR, PIPE, WITH GASOLINE-RESISTANT GASKET: TYPE II, PINHOLE	A 1040	EA	20-OCT-77	EA				
L	MIL-R-12405D	APPLICATION [VALIDATION DATE: 9011] USER: AS CE MC REVIEWER: CS	A 7510	AR	18-NOV-54	AR				
L	MIL-T-12407X	APPARATUS, FILLING, FIELD, LAND MINE, M2 [VALIDATION DATE: 8405]	A 6625	CR	06-JUN-86	CR				
D	MIL-P-12420D	ERASER, RUBBER-PUMICE (FOR TESTING COATED OPTICAL ELEMENTS) [VALIDATION DATE: 8404] USER: GL OS REVIEWER: MI	A 6660	CR	07-JUL-70	CR	99			
L	MIL-C-12423C	TEST SET, BATTERY TS-776/U [VALIDATION DATE: 8606]	A 6660	CR	27-APR-88	CR				
L	MIL-T-12424D	WIND MEASURING SET AM/GHQ-11 (UNITS OF) [VALIDATION DATE: 7612]	A 2310	AT	28-SEP-89	AT				
D	MIL-C-12436C(1)	RECORDER, WIND DIRECTION AND SPEED RO-2( )/GHQ [VALIDATION DATE: 8804]	A 9330	GL	13-MAR-91	GL	OS			
A L	MIL-T-12442D	TRUCKS: PATIENT TRANSPORT, VAN CONVERSION, DIESEL OR GASOLINE ENGINE	A 6145	CR	02-NOV-61	CR	85			
L	MIL-I-12446B	DRIVEN, 4X2 AND 4X4, MODIFIED COMMERCIAL	A 6625	SH	06-JUN-86	CR	SH 99			
L	MIL-T-12459E	PLASTIC MATERIAL, CELLULAR, ELASTOMERIC USER: EC MC REVIEWER: AR AS ER GS	A 5510	ME	21-FEB-73	ME	YD1 99			
L	MIL-D-12468C	MD MR YD1	A 5420	ME	02-OCT-92	ME				
L	MIL-D-12468C(12)	CABLE, TELEPHONE, MD-33/U [VALIDATION DATE: 8207] USER: MC REVIEWER: IS	A 5830	CR	18-SEP-86	CR	99			
L	MIL-C-12469K	TEST SET, ELECTRON TUBE TV-7( )/U [VALIDATION DATE: 8606] USER: ME MI	A 2610	AT	16-FEB-88	AT	99			
L	MIL-C-0012469J(2)	REVIEWER: EC ES	A 9160	GL	11-JUN-75	GL	68			
A	MIL-T-12474D	CROSSARM, WOOD USER: CE MC REVIEWER: CS	A 6850	EA	12-MAR-87	EA	SH 68			
L	MIL-C-12475D	TOWER, CABLE ANCHOR REVIEWER: CS	A 6850	EA	16-APR-90	EA				
L	MIL-F-12476	INTERCOMMUNICATION STATION AND LOUDSPEAKER, MAGNETIC INTERCOMMUNICATION	A 1375	AR	13-OCT-88	AR	OS 99			
L	MIL-S-12479B(1)	STATION LS-130-F1 AND LOUDSPEAKER LS-114/U [VALIDATION DATE: 8609]	A 1375	AR	23-AUG-82	AR				
D	MIL-D-12491E	TIRE, PNEUMATIC, FOR MILITARY GROUND VEHICLES USER: MC ME REVIEWER: B4 CS	A 7105	GL	30-SEP-92	GL	99			
L	MIL-B-12504E(1)	WAX, MICROCRYSTALLINE, ELECTRICAL, INSULATING [VALIDATION DATE: 8104]	A 7105	GL	19-SEP-68	GL	99			
D	MIL-S-12511G	USER: MC ME REVIEWER: AR GS MD MI PS	A 1315	EA	16-FEB-53	EA				
D	MIL-S-12514C	DECONTAMINATING AGENT, STB REVIEWER: GS MD	A 5805	CR	31-MAR-88	CR				
L	MIL-S-12515C	DECONTAMINATING AGENT, STB	A 4940	AL	10-MAR-89	AL	YD1			
L	MIL-C-12517A	CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M1A2 [VALIDATION DATE: 8801] REVIEWER: 70 EA	A 9510	MR	16-AUG-90	MR				
L	MIL-G-12519(2)	CRYPTOGRAPHIC EQUIPMENT DESTROYER INCENDIARY, TH4, M1A2	A 3740	CS	31-JAN-83	ME	YD1 99	CS		
L	MIL-C-12520C(1)	TABLE, DINING, 4-SEAT CAPACITY USER: MC REVIEWER: B4	A 6110	ME	09-JAN-74	ME	YD1 11			
L	MIL-C-12520/3A	CHAIR, STRAIGHT, W/O ARMS, WOOD [VALIDATION DATE: 8104] USER: MC REVIEWER: MD	A 3655	CR	03-FEB-88	CR				
L	MIL-C-12520/5A	FILLING, METHOD OF, M, SHELL, CHEMICAL, 4.2-INCH, M2, M2 ALTERNATE, M2A1, AND M2A1 ALTERNATE, [VALIDATION DATE: 8006]	A 5805	CR	31-MAR-88	CR				
L	MIL-C-12520/6A	SWITCHBOARD, TELEPHONE, MANUAL SB-993( )/GT (UNITS OF) [VALIDATION DATE: 8803]	A 4940	AL	10-MAR-89	AL	YD1			
L	MIL-C-12520/7A	DEGREASER, SOLVENT, TANK IMMERSION-TYPE REVIEWER: AR CS SH	A 9510	MR	16-AUG-90	MR				
L	MIL-C-12520/7A	SPRAYER, INSECTICIDE, FRAME MOUNTED, GASOLINE ENGINE DRIVEN, MIST AND	A 3740	CS	31-JAN-83	ME	YD1 99	CS		
L	MIL-C-12520/7A	SOLID STREAM, 180 GPM USER: MC REVIEWER: B4 MD MS	A 6110	ME	09-JAN-74	ME	YD1 11			
L	MIL-C-12520/7A	STARTER, MOTOR, ACROSS-THE-LINE AND REDUCED VOLTAGE TYPES, AC INDUCTION, 3/4 TO 100 HP MANUAL AND ELECTRIC [VALIDATION DATE: 8205] USER: AR MC	A 3655	CR	03-FEB-88	CR				
L	MIL-C-12520/7A	REVIEWER: EA ER GS MI	A 5805	CR	31-MAR-88	CR				
L	MIL-C-12520/7A	SURFACE HARDENING: FLAME AND INDUCTION (FOR FERROUS ALLOYS) [VALIDATION DATE: 8907] USER: MI REVIEWER: AR AT	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	CASE, HYDROGEN GENERATOR SET (CASE CY-219( )/TMO-3) [VALIDATION DATE: 8802]	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	REVIEWER: GS	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	GENERATOR, RINGING, HAND GN-38-B [VALIDATION DATE: 8803] REVIEWER: 99	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	CONNECTOR, PLUG AND RECEPTACLE (ELECTRICAL, WATERPROOF), AND ACCESSORIES,	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	GENERAL SPECIFICATION FOR [VALIDATION DATE: 8603] USER: MI REVIEWER: 99 ES	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26,	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	FEMALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20,	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	FEMALE INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES MI	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 20, MALE	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE	A 5935	CR	01-MAR-86	CR	85			
L	MIL-C-12520/7A	INSERTS) [VALIDATION DATE: 8603] USER: MC REVIEWER: 17 99 ES	A 5935	CR	01-MAR-86	CR	85			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active On / OMA Continuation Inactive	Document Number	Document Title	Dist. Smt. FSC / Arms MCA Symbol	Preparing Agency	Date	Army Navy Air Force DIA
	MIL-C-12520/BA NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 20, MALE INSERTS) USER: MC REVIEWER: 17 99 ES	A 5935	CR	01-MAR-86	CR 85
	MIL-C-12520/9A NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 20, FEMALE INSERTS) (VALIDATION DATE: 8603) USER: MC REVIEWER: 17 99 ES	A 5935	CR	01-MAR-86	CR 85
	MIL-C-12520/10A NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 26, MALE INSERTS) USER: MC REVIEWER: 17 99 ES	A 5935	CR	01-MAR-86	CR 85
	MIL-C-12520/11A NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, WATERPROOF (SHELL SIZE 26, FEMALE INSERTS) (VALIDATION DATE: 8603) USER: MC REVIEWER: 17 99 ES	A 5935	CR	01-MAR-86	CR 85
	MIL-C-12520/12A NOTICE 1	COVER AND CHAIN ASSEMBLIES (EXTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS) (VALIDATION DATE: 8603) USER: MC MI REVIEWER: 99 ES	A 5935	CR	01-MAR-86	CR 85
	MIL-C-12520/13A NOTICE 1	COVER AND CHAIN ASSEMBLIES (INTERNAL THREADS, FOR USE ON WATERPROOF CONNECTORS) (VALIDATION DATE: 8603) USER: MC MI REVIEWER: 99 ES	A 5935	CR	01-MAR-86	CR 85
L	MIL-C-12520/14 NOTICE 1	CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS BELLIOUS CLAMP) (VALIDATION DATE: 8603) REVIEWER: ES	A 5935	CR	01-MAR-86	CR 85
L	MIL-C-12520/15 NOTICE 1	CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (ROUND SHAPE, SHELL SIZE 26, MALE INSERTS BELLIOUS CLAMP) (VALIDATION DATE: 8603) REVIEWER: ES	A 5935	CR	01-MAR-86	CR 85
	MIL-C-12520/16 NOTICE 1	CONNECTORS, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, FEMALE INSERTS) (VALIDATION DATE: 8603) REVIEWER: 99 ES MI	A 5935	CR	01-MAR-86	CR 85
	MIL-C-12520/17 NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 20, MALE INSERTS) (VALIDATION DATE: 8603) REVIEWER: 99 ES	A 5935	CR	05-NOV-65	CR 85
	MIL-C-12520/18 NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, WATERPROOF (CATHEDRAL SHAPE, SHELL SIZE 26, MALE INSERTS) (VALIDATION DATE: 8603) REVIEWER: 99 ES	A 5935	CR	01-MAR-86	CR 85
L	MIL-A-125460	ALUMINUM ALLOY IMPACTS REVIEWER: AL AR EA MI MI	A 95CP	MR	16-JUN-89	MR
	MIL-R-125510	RECHARGING UNIT, CARBON DIOXIDE, PUMPING METHOD USER: MC REVIEWER: GS SH ..	A 3655	ME	08-APR-86	ME 99
L	MIL-A-12560M(2)	AMMUNITION PLATE, STEEL, WROUGHT, HOMOGENEOUS (FOR USE IN COMBAT-VEHICLES AND FOR AMMUNITION TESTING) REVIEWER: AR AT AV IS TE	A 9515	MR	26-JUL-91	MR
L	MIL-M-12563 NOTICE 1	MANIFOLD, GAS CYLINDER (MANIFOLD ML-344/1HQ-3) (VALIDATION DATE: 8802) REVIEWER: GS	A 3655	CR	03-FEB-88	CR
D	MIL-W-12567C(1)	WIRE STRAND, STEEL (WIRES WS-3/U, WS-4/U, W-90, W-115, AND W-116) (VALIDATION DATE: 8101) USER: AR MC REVIEWER: GL IS	A 4010	ER	11-MAR-75	ER YD1 82
	MIL-B-125700	BAKERY OVEN, TRAILER MOUNTED, M-533 (VALIDATION DATE: 8303) USER: ME REVIEWER: MD MI	A 7310	GL	01-FEB-77	GL 99
D	MIL-W-12571M	REFRIGERATORS, MECHANICAL, FIELD, PORTABLE WALK-IN, PLUG-IN (150 CUBIC FOOT) USER: CE MC REVIEWER: B2 GS MD TS	A 4110	GL	31-DEC-91	GL YD1 99
L	MIL-R-12571M(12)	REFRIGERATORS, MECHANICAL, FIELD, PORTABLE WALK-IN, PLUG-IN (150 CUBIC FOOT)	A 4110	GL	13-JUN-90	GL
D	MIL-R-12574K(1)	REFRIGERATION UNITS, MECHANICAL, PANEL TYPE FOR REFRIGERATOR, FIELD, PORTABLE (150 CUBIC FOOT) USER: CE MC REVIEWER: B2 GS MD ME TS	A 4110	GL	02-MAR-89	GL YD1 99
L	MIL-R-0012574L	REFRIGERATION UNITS, MECHANICAL, PANEL TYPE FOR REFRIGERATOR, FIELD, PORTABLE (150 CUBIC FOOT) USER: CE MC REVIEWER: B2 GS MD ME TS	A 4110	GL	22-MAY-92	GL
LI	MIL-M-12575A(2) NOTICE 1	MOUNTING FOR STANDARDIZED SERIES EQUIPMENTS	A 5820	CR	03-APR-89	CR
D	MIL-B-12582C	BLOCK, TACKLE, HALL BACK, FOR WIRE ROPE USER: MC	A 3940	ME	20-JAN-84	ME YD1
A L	MIL-I-12597C(2)	IGNITER, BLASTING FUSE, FRICTION TYPE, M3A1 LOADING, ASSEMBLING AND PACKING	A 1375	AR	11-FEB-93	AR
L	MIL-W-12598(1) MIL-G-12604M	MAX. MICROCRYSTALLINE, IMPREGNATING (VALIDATION DATE: 8002) REVIEWER: GS .. GENERATOR, ENGINE ACCESSORY DIRECT CURRENT 28 VOLT, 25 AMPERE USER: MC REVIEWER: GS	A 9160 A 2920	AR AT	03-OCT-61 29-JUN-87	AR AT AS 99
L	MIL-R-12605A NOTICE 2	RIFLE, 57MM, M16A1 (VALIDATION DATE: 9105)	A 1010	AR	06-MAY-91	AR
Q	MIL-L-12608D(1) NOTICE 1	LOUDSPEAKER, PERMANENT MAGNET (UNENCASED, 3 INCH AND 4 INCH DIAMETER CONE, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT), TYPE LL-445/U, M12606-01, AND M12606-02 (VALIDATION DATE: 8609) USER: AV MC REVIEWER: 99 AR ES	A 5965	CR	18-SEP-86	CR EC 85
L	MIL-T-12612 MIL-S-12613C MIL-L-126320 NOTICE 1	THEODOLITE MOUNT ML 180 (VALIDATION DATE: 8412) REVIEWER: GS MI .. SILICA COLLOIDAL, SYNTHETIC USER: AR REVIEWER: GS MD MI .. LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), GENERAL SPECIFICATION FOR (VALIDATION DATE: 8609) USER: CG MC ME OS REVIEWER: 13 99 ES	A 6675 A 6810 A 5965	ER EA CR	02-APR-53 16-AUG-82 18-SEP-86	ER EA CR EC 85
	MIL-L-12632/1A NOTICE 1	LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS, GUNBLAST, AND IMMERSION RESISTANT) TYPE LS-590/U (VALIDATION DATE: 8609) USER: CG MC ME OS REVIEWER: 13 ES	A 5965	CR	18-SEP-86	CR EC 85
	MIL-L-12632/2A NOTICE 1	LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT), TYPE LS-166/U (VALIDATION DATE: 8609) USER: CG MC ME OS REVIEWER: 13 99 ES	A 5965	CR	18-SEP-86	CR EC 85
	MIL-L-12632/4A NOTICE 1	LOUDSPEAKER, PERMANENT MAGNET (ENCASED, 2 WATT, FUNGUS-, GUNBLAST-, AND IMMERSION RESISTANT, TYPE LS-454/U USER: CG MC ME OS REVIEWER: 13 99 ES	A 5965	CR	18-SEP-86	CR EC 85
	MIL-A-12636B NOTICE 1	ANALYZER ZN-3/U (VALIDATION DATE: 8606) USER: ME REVIEWER: MC MI ..	A 6625	CR	06-JUN-86	CR AS 99
L	MIL-I-12637B NOTICE 1	INTERCOMMUNICATION STATIONS LS-124( )/F1, LS-125( )/F1, LS-126( )/F1, LS-127( )/F1, LS-128( )/F1, LS-138( )/F1, LS-200( )/F1, LS-201( )/F1, LS-202( )/F1 (VALIDATION DATE: 8609)	A 5830	CR	18-SEP-86	CR
L	MIL-S-12645C MIL-S-12646A MIL-P-12647C	SLINGS, ENDLESS, FIBER ROPE AND NYLON WEBBING REVIEWER: BA AV IS MT .. SIGHT, COMPUTING, M19A1 (VALIDATION DATE: 8601) .. PUMP, INFLATING-DEFLATING, HAND-OPERATED, AIR, SINGLE-CYLINDER PLUNGER REVIEWER: CS	A 3940 A 1220 A 4320	ME AR ME	24-FEB-84 06-APR-55 03-JUL-80	ME SH 99 AR ME MC
L	MIL-S-12653B	SIGHT, LEAD COMPUTING, AUTOMATIC, M38 (VALIDATION DATE: 8601)	A 1220	AR	16-MAY-61	AR
L	MIL-I-12659A(1)	INVERTER, 350 VOLT AMPERE (VALIDATION DATE: 8002) REVIEWER: GS	A 6125	AR	28-APR-59	AR
L	MIL-T-12664B NOTICE 2	TREATMENT, FUNGUS RESISTANT, PARANITROPHENOL, FOR CORK PRODUCTS REVIEWER: GS	A 9390	MI	23-FEB-90	MI
L	MIL-C-12668D NOTICE 2	CANNON, 120MM GUN: M58 (VALIDATION DATE: 9105) USER: MC	A 9510	AR	06-MAY-91	AR
L	MIL-B-12672(1)	BRAZE-WELDING, OXYACETYLENE, OF BUILT-UP METAL STRUCTURES (VALIDATION DATE: 8004) USER: ME REVIEWER: 99 EA MI	A THJM	AR	09-JAN-61	AR
L	MIL-B-12673(1)	BRAZING, OXYACETYLENE, OF BUILT-UP METAL STRUCTURES, (VALIDATION DATE: 8004) REVIEWER: 99 MI	A THJM	AR	13-JAN-61	AR
D	MIL-T-12681A NOTICE 1	TEST SET, TELEPHONE (TEST SET TS-190)(/U) (VALIDATION DATE: 8606) USER: AR MC	A 6625	CR	06-JUN-86	CR YD1 99
L	MIL-C-12684D	CANNON, 155MM HOWITZER: M1A1 CANNON, 155MM HOWITZER: M1A2	A 1025	AR	24-APR-89	AR
L	MIL-M-12686B	MOUNT, QUADRANT, M1 (WITH EQUIPMENT) (VALIDATION DATE: 8101)	A 1290	AR	13-MAY-53	AR
L	MIL-M-12687A(1)	MOUNT, TELESCOPE, M2A1	A 1240	AR	28-NOV-86	AR
L	MIL-M-12698B(1) NOTICE 1	MOUNT, TELESCOPE, M23 (VALIDATION DATE: 8701)	A 1290	AR	30-JAN-87	AR
L	MIL-M-12699B	MOUNT, TELESCOPE, M25 AND M25E1	A 1240	AR	10-SEP-90	AR
L	MIL-P-12706	PERISCOPE, M15 (VALIDATION DATE: 8101) REVIEWER: MC	A 1240	AR	13-MAY-53	AR
L	MIL-S-12709	SIGHT, M4 (WITH CARRYING CASE) (VALIDATION DATE: 8504)	A 1240	AR	13-MAY-53	AR
L	MIL-T-12711A(3)	TELESCOPE, PANORAMIC, M1 (VALIDATION DATE: 8602)	A 1240	AR	01-MAR-74	AR
L	MIL-T-12712	TELESCOPE, M85 (SERIES) (VALIDATION DATE: 8602) REVIEWER: MC	A 1240	AR	13-MAY-53	AR
L	MIL-Q-12713D(1)	QUADRANT, FIRE CONTROL, GUNNER'S M1A1 (VALIDATION DATE: 8301)	A 1290	AR	16-AUG-76	AR
L	MIL-F-12716A	FILTER, LIGHT, TELESCOPIC INSTRUMENTS, LAMINATED (VALIDATION DATE: 8602) USER: AT	A 1240	AR	07-MAR-60	AR
L	MIL-F-12717	FILTER, RAY, GLASS, FINISHED, AND BLANKS AND PLATES (VALIDATION DATE: 8602)	A 1240	AR	13-MAY-53	AR



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Cntr / Cntr Machine Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Acty. Date	Custodians		
			Army	Navy	Air Force DLA
MIL-I-12718F	INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN [VALIDATION DATE: 9001] USER: 45 REVIEWER: 82 99 CT SM	A 8455 IH 09-JAN-90	IH	11	
A L MIL-I-12718F(13)	INSIGNIA, DISTINGUISHING, ARMY AND AIR FORCE, WOVEN	A 8455 IH 17-JUL-92	IH		
L MIL-B-12719C	BAG, CANVAS, CARRYING FOR DEMOLITION EQUIPMENT [VALIDATION DATE: 8705] ....	A 1375 AR 09-MAY-86	AR		
L MIL-S-12730E	SIGNALS, ILLUMINATION, RED STAR, DISTRESS, PARACHUTE, M131 PARTS AND	A 1370 AR 31-OCT-90	AR		
D MIL-H-12732E	LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]				
L MIL-H-12732E(11)	HYPOCHLORINATION UNIT, WATER PURIFICATION, FRAME MOUNTED, AUTOMATICALLY	A 4610 ME 16-JAN-87	ME	YD1 99	
L MIL-R-12744A	CONTROLLED 2 TO 100 GPM FLOW REVIEWER: 84 CE CS MD	A 4610 ME 30-OCT-91	ME		
D MIL-T-12755C(1)	HYPOCHLORINATION UNIT, WATER PURIFICATION, FRAME MOUNTED, AUTOMATICALLY				
L MIL-R-12744A	CONTROLLED 2 TO 350 GPM FLOW	A 1375 AR 30-DEC-60	AR		
D MIL-T-12755C(1)	RELAY, M1, LOADING, ASSEMBLING, AND PACKING. [VALIDATION DATE: 8705]				
L MIL-T-12756A	REVIEWER: M1	A 9905 GL 11-SEP-74	GL	YD1 99	
L MIL-T-0012756B(1)	TAG, BLANK, CABLE IDENTIFICATION, CABLE MARKERS MX-892/G, MX-893/G,				
L MIL-M-12760B(1)	MX-894/G AND MX-895/G [VALIDATION DATE: 8104] USER: AT MC SH REVIEWER: ER	A 6625 CR 06-JUN-86	CR	99	
L MIL-P-12764C(7)	SA	A 6625 CR 06-JUN-86	CR		
L MIL-F-12777A	TEST SET, BATTERY TESTER TS-183( )/U [VALIDATION DATE: 8606] USER: MI .....	A 1345 AR 20-MAY-88	AR		
L MIL-C-12779C	TEST SET, BATTERY (BATTERY TESTER TS-183 ( )/U) [VALIDATION DATE: 8606] ....	A 1315 AR 23-MAR-93	AR		
L MIL-S-12781C	DATE: 88051	A 1345 AR 15-OCT-90	AR		
D MIL-C-12786E	MINE, ANTI-PERSONNEL NON-METALLIC, M14E1 WITH INTEGRAL FUZE PARTS FOR				
L MIL-Q-12793A(1)	[VALIDATION DATE: 88051]	A 1345 AR 20-MAY-88	AR		
L MIL-D-12798C	PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING	A 1315 AR 23-MAR-93	AR		
L MIL-C-12800A(2)	FUZE, MINE, COMBINATION, M605 LOADING, ASSEMBLING AND PACKING [VALIDATION				
L MIL-G-12803C	DATE: 90101	A 1345 AR 20-MAY-88	AR		
D MIL-P-12808F	FUZE, MINE, AT, PRACTICE: M604 LOADING, ASSEMBLING AND PACKING [VALIDATION				
L MIL-C-12813A(5)	DATE: 88051	A 1305 AR 21-MAY-87	AR	OS 99	
L MIL-P-12815B(1)	CARTRIDGE, BLANK, LINE-THROWING CALIBER .45, M32 [VALIDATION DATE: 8705] ..				
L MIL-I-12822C	SINK, PHOTOGRAPHIC PROCESSING, AND SINK, LITHOGRAPHIC PROCESSING	A 3610 ME 11-DEC-79	ME	SA 99	
L MIL-A-12831D	[VALIDATION DATE: 8403] USER: GL MC REVIEWER: GS				
L MIL-C-12836A	CLEANER, PRESSURE, WATER USER: MC REVIEWER: CS SM	A 4940 AL 23-DEC-85	AL	YD1	
A L MIL-S-12840H	QUADRANT, RANGE: M401	A 1290 AR 05-JAN-90	AR		
D MIL-P-12851D	DETONATOR, FLASH, M49 PARTS FOR LOADING, ASSEMBLING AND PACKING	A 1375 AR 08-MAY-87	AR		
L MIL-D-12852A(1)	[VALIDATION DATE: 87051]				
L MIL-M-12863	CLOTH, ACRYLIC (FOR CARTRIDGE BAGS) [VALIDATION DATE: 8201] REVIEWER: CT ..	A 8305 AR 22-APR-76	AR		
L MIL-A-12868C	GASKET MATERIAL, NON-METALLIC USER: MC REVIEWER: AR GL MI OS SM	A 5330 ME 12-MAY-89	ME		
L MIL-S-12875B	PLUMBING FIXTURES AND ACCESSORIES, PACKAGING OF USER: MC REVIEWER: 84 CS	A 5330 ME 16-JUL-91	ME	YD1 99	
L MIL-S-0012877H	SM				
L MIL-S-12883C	CRYSTAL UNIT, QUARTZ WIRE-MOUNTED, METAL PLATED [VALIDATION DATE: 8308]	A 5955 BS 29-JUL-59	ER	BS	
L MIL-S-12883/10(1)	REVIEWER: ES	A 1315 AR 15-OCT-90	AR		
L MIL-S-12883/2C	POWER SOURCE, PIEZOID (LUCKY) [VALIDATION DATE: 9010] .....				
L MIL-S-12883/3C	IGNITER, ROCKET MOTOR, M26 PARTS AND LOADING, ASSEMBLING AND PACKING	A 1340 AR 20-JUN-88	AR		
L MIL-S-12883/4E	[VALIDATION DATE: 8806]				
L MIL-S-12883/5C	ACTIVATOR, M2, PARTS FOR [VALIDATION DATE: 9010] .....	A 1345 AR 15-OCT-90	AR		
L MIL-S-12883/6E	CLOTH, KNITTED, COTTON [VALIDATION DATE: 8504] REVIEWER: CT .....	A 8305 EA 19-NOV-65	EA		
L MIL-S-12883/8D	SADDLE ASSEMBLY: STEEL AND PLYWOOD, FOR 24-TON, 2-PART PNEUMATIC FLOAT,	A 5420 ME 06-NOV-92	ME		
L MIL-S-12883/9B	PONTON BRIDGE USER: MC				
L MIL-S-12883/10D	PAN, BAKING AND ROASTING, RECTANGULAR, WITH HANDLES [VALIDATION DATE:	A 7330 GL 09-JUN-71	GL	SA 99	
L MIL-S-12883/11C	8201] USER: CG YD1 REVIEWER: MC MD MS	A 5805 CR 03-MAR-86	CR		
L MIL-S-12883/22A(1)	DIAL, TELEPHONE (DIAL TA-45/GT [VALIDATION DATE: 8603] REVIEWER: 99 .....				
L MIL-S-12883/40D	MOUNT, VIBRATION (VIBRATION MOUNTS MT-1177/U, MT-1178/U, MT-1179/U	A 5340 ER 01-JUL-53	ER		
	[VALIDATION DATE: 8502] REVIEWER: IS				
	ANTENNA SUPPORT AB-105/FR TOWER AB-127/FR [VALIDATION DATE: 8110]	A 5985 CR 12-FEB-69	ER	99	
	REVIEWER: ES				
	SHEET, PREFORATED, METAL [VALIDATION DATE: 7411] USER: MI MR REVIEWER: AS	A 9515 EA 04-MAR-69	EA	SH	
	OS				
	SPRAY GUN, PAINT, (HEAVY DUTY), SIPHON FEED REVIEWER: CS .....	A 4940 AS 19-NOV-85	AS		
	SOCKET AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS GENERAL	A 5935 CR 22-DEC-83	CR	EC BS	
	SPECIFICATION FOR USER: 19 AS CG MC SH REVIEWER: 11 17 99 AT AV EA ES ME				
	MI OS				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE,	A 5935 CR 05-AUG-91	CR	EC BS	
	BOTTOM MOUNTING, SADDLE TYPE, 8 CONTACT, RADIAL) [VALIDATION DATE: 9108]				
	USER: AS CG MC SH REVIEWER: 11 17 99 AT AV EA ES ME MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE,	A 5935 CR 06-SEP-88	CR	EC 11	
	TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 7 CONTACT, RADIAL) [VALIDATION				
	DATE: 8809] USER: 19 CG MC OS REVIEWER: 17 99 AR AT AV ES ME MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE,	A 5935 CR 06-SEP-88	CR	SH 80	
	TOP MOUNTING, SADDLE TYPE WITH SHIELD BASE, 9 CONTACT, RADIAL) [VALIDATION				
	DATE: 8809] USER: 19 CG MC OS REVIEWER: 11 17 99 AR AS AT AV ES MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (CRYSTAL, TOP OR	A 5935 CR 19-SEP-88	CR	EC BS	
	BOTTOM MOUNTING, 2 CONTACT, IN-LINE) [VALIDATION DATE: 8809] USER: 19 CG				
	MC OS SH REVIEWER: 11 17 99 AR AS AT AV ES MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (VIBRATOR, TOP	A 5935 CR 19-SEP-88	CR	EC BS	
	OR BOTTOM MOUNTING, SADDLE TYPE, 7 CONTACT, RADIAL) [VALIDATION DATE:				
	8809] USER: 19 CG MC OS SH REVIEWER: 11 17 99 AR AS AT AV ES MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (RELAY, TOP	A 5935 CR 19-SEP-88	CR	EC BS	
	MOUNTING, 14 CONTACT, RADIAL) [VALIDATION DATE: 8809] USER: 19 CG MC				
	REVIEWER: 11 17 99 AR AS AT AV ES ME MI OS SH				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE,	A 5935 CR 06-SEP-88	CR	EC 11	
	TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL)				
	[VALIDATION DATE: 8809] USER: 19 CG MC OS REVIEWER: 17 99 AR AT AV ES ME				
	MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE,	A 5935 CR 06-SEP-88	CR	SH 11	
	TOP MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL)				
	[VALIDATION DATE: 8809] USER: 19 CG MC OS REVIEWER: 17 99 AS AT AV ES ME				
	MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE,	A 5935 CR 19-SEP-88	CR	EC BS	
	BOTTOM MOUNTING, SADDLE-TYPE WITHOUT SHIELD BASE, 7 CONTACT, RADIAL)				
	[VALIDATION DATE: 8809] USER: 19 CG MC OS SH REVIEWER: 11 17 99 AR AS AT				
	AV ES ME MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (ELECTRON TUBE,	A 5935 CR 19-SEP-88	CR	EC BS	
	BOTTOM MOUNTING, SADDLE TYPE WITHOUT SHIELD BASE, 9 CONTACT, RADIAL)				
	[VALIDATION DATE: 8809] USER: 19 AS CG MC OS SH REVIEWER: 11 17 99 AR AT				
	AV ES ME MI				
	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY,	A 5935 CR 31-OCT-91	CR	EC BS	
	ELECTRICAL, 20 CONTACT, 5 AMPERES) [VALIDATION DATE: 9110] USER: 19 CG MC				
	OS REVIEWER: 17 99 AR AT AV ES ME MI				
	SOCKET, PLUG-IN ELECTRONIC COMPONENTS, SOCKET FOR MIL-R-6106 AND	A 5935 BS 20-DEC-89	CR	EC BS	
	MIL-R-83726 RELAYS, SQUARE PATTERN USER: AS MC REVIEWER: 11 99 AR AT AV ES				
	ME OS SH				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Machine	Document Number	Document Title	Dist Smt FSC / Ans	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-S-12883/410	SOCKET, PLUG-IN ELECTRONIC COMPONENTS, SOCKET FOR MIL-R-6106 RELAYS USER: AS MC REVIEWER: 11 99 AR AT AV ES ME OS SH	A 5935	BS	20-DEC-89	CR	EC	BS	
	MIL-S-12883/42E	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (POWER TRANSISTOR, 2 CONTACT, 10 AMPERES, TO-3) USER: 19 AS CG MC OS REVIEWER: 11 99 AR AT AV ES ME SH	A 5935	CR	19-SEP-89	CR	EC	BS	
	MIL-S-12883/448	SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET, FOR MIL-R-6106/28 AND MIL-R-6106/39 RELAYS, 5 AMPERES, 4 POLE) USER: AS MC REVIEWER: 99 AT AV ES ME OS SH	A 5935	BS	20-DEC-89	CR	EC	BS	
	MIL-S-12883/458	SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET, FOR MIL-R-6106/27 AND MIL-R-6106/36 RELAYS, 5 AMPERES, 2 POLE) USER: AS MC REVIEWER: 99 AT AV ES ME OS SH	A 5935	BS	20-DEC-89	CR	EC	BS	
	MIL-S-12883/468	SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET, FOR MIL-R-6106/29 AND MIL-R-6106/40 RELAYS, 10 AMPERES) USER: AS CG MC OS REVIEWER: 99 AT AV ES ME	A 5935	BS	20-DEC-89	CR	EC	BS	
	MIL-S-12883/47A	SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY, 10 AMPERES, 20 CONTACTS 4 BY 6 PATTERN) USER: AS MC REVIEWER: 99 AR AT AV ES ME OS SH	A 5935	BS	20-DEC-89	CR	EC	BS	
	MIL-S-12883/48A	SOCKET, PLUG-IN ELECTRONIC COMPONENTS (SOCKET-RELAY, 25 AMPERES, 11 CONTACTS-SQUARE PATTERN) USER: AS MC REVIEWER: 99 AR AT AV ME MI OS SH	A 5935	BS	20-DEC-89	CR	EC	BS	
A	MIL-S-12883/49	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (MOUNTING TRACKS FOR RELAYS, ELECTROMAGNETIC) REVIEWER: 99 ES MI	A 5935	BS	24-JUL-92	CR	EC	BS	
A	MIL-S-12883/50	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (BRACKET AND SOCKET ASSEMBLY FOR RELAYS, ELECTROMAGNETIC, 2PDT) REVIEWER: 99 ES MI	A 5935	BS	24-JUL-92	CR	EC	BS	
A	MIL-S-12883/51	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (BRACKET AND SOCKET ASSEMBLY FOR RELAYS, ELECTROMAGNETIC, 4PDT) REVIEWER: 99 ES MI	A 5935	BS	24-JUL-92	CR	EC	BS	
A	MIL-S-12883/52	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (MOUNTING TRACKS FOR RELAYS, ELECTROMAGNETIC) REVIEWER: 99 ES MI	A 5935	BS	24-JUL-92	CR	EC	BS	
A	MIL-S-12883/53	SOCKETS AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS (MOUNTING BRACKETS FOR RELAYS, ELECTROMAGNETIC) REVIEWER: 99 ES MI	A 5935	BS	24-JUL-92	CR	EC	BS	
A L	MIL-S-12885/2F	SWITCH, THERMOSTATIC (SHORT SENSOR) .....	A 5930	AT	07-DEC-92	AT			
Q 1	MIL-C-12889A(3)	CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), GENERAL SPECIFICATION FOR (VALIDATION DATE: 8808) USER: AT MC ME REVIEWER: 11 99 AR AS ES MI	A 5910	ER	17-AUG-88	ER	EC	BS	
I	MIL-C-12889/18	CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA32, CA33, AND CA34 (VALIDATION DATE: 8808)	A 5910	ER	17-AUG-88	ER	EC	BS	
I	MIL-C-12889/28	CAPACITORS, BY-PASS, RADIO-INTERFERENCE REDUCTION, PAPER-DIELECTRIC, AC AND DC, (HERMETICALLY SEALED IN METALLIC CASES), STYLES CA36, CA37, AND CA38 (VALIDATION DATE: 8808)	A 5910	ER	17-AUG-88	ER	EC	BS	
L	MIL-C-12910F	CARTRIDGE, PHOTOFLASH, MIL2AI PARTS FOR AND LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010)	A 1370	AR	31-OCT-90	AR			
L	MIL-C-12918C	CHARGE, DEMOLITION, BLOCK, M5A1, ASSEMBLY PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8605)	A 1375	AR	09-MAY-86	AR			
D	MIL-T-12919F	TENT LINER, GENERAL PURPOSE, MEDIUM USER: MC YDI REVIEWER: 82 .....	A 8340	CT	31-MAR-86	GL	NU	99	CT
M L	MIL-C-12926E(5)	CARTRIDGE, 4.2 INCH, ILLUMINATING, M335A2 LOADING, ASSEMBLING AND PACKING	A 1315	AR	23-MAR-93	AR			
L	MIL-C-12927B(1)	CARTRIDGE, IGNITION, M2E1 PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8203)	A 1315	AR	28-APR-64	AR			
M	MIL-S-12928H	SEPARATORS, OIL AND WATER, COMPRESSED AIR USER: CS REVIEWER: 82 MC .....	A 4940	AL	30-APR-93	AL	YDI	99	
Q	MIL-R-12934H(1)	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8704) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	13-APR-79	ER	EC	BS	
	MIL-R-12934/1B(1)	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR0900 (VALIDATION DATE: 8502) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/2B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1100 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/4B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2000 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/5B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3000 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/6B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1000 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/9B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR2100 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/10C(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3100 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/15C(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3200 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/16D(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3300 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/17C(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3400 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/18C(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3500 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/19B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1300 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/20B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR1400 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/27C(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3600 (VALIDATION DATE: 9110) USER: 19 99 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/28D(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3700 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/29C(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3800 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/30D(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR3900 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
	MIL-R-12934/31D(1)	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR4000 USER: 19 AT AV ME REVIEWER: 17 99 AR ES MI	A 5905	ER	02-MAR-87	ER	EC	BS	
	MIL-R-12934/32B(1)	RESISTORS, VARIABLE, WIRE-WOUND, PRECISION, STYLE RR4100 (VALIDATION DATE: 9110) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	25-OCT-91	ER	EC	BS	
L	MIL-R-12934/33A	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR2002 .....	A 5905	EC	26-NOV-90	EC			
L	MIL-R-12934/34A	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR1004 .....	A 5905	EC	26-NOV-90	EC			
L	MIL-R-12934/35A	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION, STYLE 2RR2104 .....	A 5905	EC	26-NOV-90	EC			
L	MIL-R-12934/36A	RESISTOR, VARIABLE, WIRE-WOUND, PRECISION STYLE RR3601 .....	A 5905	EC	26-NOV-90	EC			
D	MIL-S-129350	SEALER, SURFACE, FOR KNOTS (VALIDATION DATE: 8311) REVIEWER: MR .....	A 8010	ME	12-NOV-73	ME	YDI	99	
L	MIL-M-12942(1)	MOUNT, 106MM RECOILLESS RIFLE, M79 AND M92 WITH TRIPOD, M27 (VALIDATION DATE: 8709) USER: MC	A 1015	AR	14-SEP-87	AR			
L	MIL-G-12947A(1)	GRENADE, RIFLE, ILLUMINATING, M27, ASSEMBLY, MARKING AND PACKING. (VALIDATION DATE: 8006)	A 1330	EA	21-JAN-66	EA			
L	MIL-P-12951F(1)	PRIMER, PENCUSSION, M39A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING REVIEWER: EA OS	A 1375	AR	04-MAR-85	AR			
	MIL-P-12953A(1)	PUBLIC ADDRESS SET (REPRODUCING EQUIPMENT MC-364 AND PUBLIC ADDRESS SET AN/UM-2 (VALIDATION DATE: 8703)	A 5830	CR	12-MAR-87	CR		99	
L	MIL-D-12957C	DESTRUCTOR, ME, UNIVERSAL, M10 ASSEMBLY PARTS, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8605)	A 1375	AR	09-MAY-86	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / Chg. Combination Inches	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-J-12959E	JETTING SET, PORTABLE; FOR PILEDRIVING OPERATION, PACKAGING OF REVIEWER: AT SM	A	PACK	ME 26-OCT-90	ME			
L	MIL-M-12971B NOTICE 1	MECHANISM, VALVE REPLACEMENT, MI (VALIDATION DATE: 8808) REVIEWER: CS	A	4940	EA 17-AUG-88	EA			
L	MIL-S-12991B	SURVEYING SET, TOPOGRAPHIC COMPANY; PACKAGING OF (VALIDATION DATE: 8908) REVIEWER: GS SM	A	6675	ME 04-AUG-89	ME			
L	MIL-W-12995B MIL-L-12997F NOTICE 1 MIL-C-12999B NOTICE 1 MIL-S-13001C(3)	WIRE, ELECTRICAL, ANTENNA (WIRE, W-120) (VALIDATION DATE: 8207) ..... LINK, CARTRIDGE, METALLIC BELT, 20MM; M12 (VALIDATION DATE: 8901) ..... CHEST, HYMN BOOK (VALIDATION DATE: 8105) REVIEWER: GS ..... SIFTING MACHINE, FLOUR, ELECTRIC (FOR FIELD BAKERIES) (VALIDATION DATE: 8201) USER: MD REVIEWER: GS	A	6145 1305	CR 16-AUG-88 AR 02-FEB-89	CR AR		99	
D	MIL-L-13009F(1)	LIGHT, IGNITION, TIMING, POWER REVIEWER: B2 AS CS MC	A	4910	AL 12-APR-88	AL	YD1	99	
M	MIL-T-13011H	TESTER, CYLINDER COMPRESSION (AUTOMOTIVE MAINTENANCE) REVIEWER: B2 CS ME ..	A	4910	AL 14-MAY-93	AL		99	
L	MIL-T-13013E(1) MIL-T-13020C	TESTER, INTERNAL-COMBUSTION ENGINE (VACUUM AND PRESSURE) ..... TAPE, RUBBER UNVULCANIZED, SPLICING AND MOLDING (TAPES TL-317/U AND TL-318/U) (VALIDATION DATE: 8504) USER: MI REVIEWER: AR AT AV GS ME	A	4910 5970	AL 09-JAN-86 ER 20-MAY-71	AL ER			
L	MIL-R-13028B NOTICE 1	RADIO SET CONTROL GROUP (CONTROL GROUP AM/GMA-6 (COMPONENTS FOR) INACTIVE FOR NEW DESIGN USER: AR MI	A	5820	CR 11-JUL-86	CR		99	
A L	MIL-R-13029C(1) MIL-P-13041E	RADIOMETER IM-93 ( )/UD RADIOMETER IM-147 ( )/PD ..... PROJECTILE, 4.2 INCH, SMOKE, M32BA1, WP FILLING (VALIDATION DATE: 8006) USER: MC	A	6665 1315	CR 03-NOV-92 EA 31-JAN-69	CR EA		99	
D	MIL-P-13044E(1) MIL-D-13053D NOTICE 1	PADDLE, FOOD-STIRRING (VALIDATION DATE: 8104) REVIEWER: MC MD MS ..... DOUGH THROUGH (VALIDATION DATE: 8706) USER: MC MS SA REVIEWER: GS MD	A	7330 7320	GL 19-DEC-69 GL 25-JUN-87	GL GL	SA YD1	99 84	
L	MIL-D-13060B NOTICE 2 MIL-S-13065C(1)	DYNAMOTOR POWER SUPPLYDY 105/CRC-9X (VALIDATION DATE: 8605) ..... SHELL FOR CARTRIDGE, 4.2-INCH MORTAR, M2, M2 ALTERNATE, M2A1 AND M2A1 ALTERNATE MD FILING ASSEMBLY (VALIDATION DATE: 8006) REVIEWER: OS	A	5820 1315	CR 28-MAY-86 EA 21-NOV-60	CR EA			MC
D	MIL-M-13071D	LAMP HOUSING, RESILIENT MOUNTING, FOR CONSTRUCTION MACHINERY USER: MC	A	6220	ME 16-MAR-83	ME	YD1	99	
L	MIL-W-13074A	WIRE, ELECTRICAL (WIRE W-27 AND WIRE WS-19)(U) (VALIDATION DATE: 8207) REVIEWER: IS	A	6145	CH 19-MAY-65	CH			
L	MIL-W-13075(1) NOTICE 1	WIRE, ELECTRICAL (W-124, W-125 AND W-128) .....	A	6145	CH 07-OCT-91	CH			
L	MIL-C-13077A	CABLE, SPECIAL PURPOSE, ELECTRICAL (CONDAGL CO-212 AND CABLE, SPECIAL PURPOSE, ELECTRICAL MD-32/U) (VALIDATION DATE: 8207) REVIEWER: IS	A	6145	CR 27-MAY-71	CR			
L	MIL-L-13078A(1) NOTICE 1	LOUDSPEAKER, DYNAMIC LS-112/U, LS-116/U, LS-148/U, LS-160/U, LS-179/U, LS-181/U AND LOUDSPEAKER LS-154/U AND LS-206/U (VALIDATION DATE: 8610) REVIEWER: 99 ES	A	5965	CR 09-OCT-86	CR		85	
D	MIL-E-13080D	ELECTRODES, WELDING, COVERED: AUSTENITIC STEEL (19-9 MODIFIED) FOR ARMOR APPLICATIONS (VALIDATION DATE: 9006) USER: MC YD1 REVIEWER: 84 99 AS AT GL GS ME OS	A	3439	MR 29-JUN-90	MR	SH	11	
D	MIL-M-13081F(3)	MIXER, ROTARY TILLER, SOIL STABILIZATION, SELF-PROPELLED .....	A	3895	ME 25-OCT-89	ME	YD1	99	
L	MIL-M-13081F(14)	MIXER, ROTARY TILLER, SOIL STABILIZATION, SELF-PROPELLED .....	A	3895	ME 14-SEP-90	ME			
D	MIL-A-13092C	ADAPTER SET, ENGINE ELECTRICAL TEST USER: ER ME REVIEWER: MC	A	4910	AL 21-SEP-90	AL	YD1		
L	MIL-G-1309B	GUN, FOR PORTABLE FLAME THROWER, M2A1 (VALIDATION DATE: 8405) .....	A	1040	AR 27-OCT-53	AR			
A	MIL-M-13102D	HOLDER, CARTRIDGE, BELT, CAL .38, LEATHER, BLACK, 6 ROUND USER: 45 82 REVIEWER: 11 MD	A	8465	CT 04-MAY-83	GL	99	CT	
L	MIL-M-13109A NOTICE 1	HEADSET, ELECTRICAL, GENERAL SPECIFICATION FOR USER: 17 CG MC REVIEWER: 99 ES	A	5965	CR 09-JAN-87	CR		85	
L	MIL-S-13119E MIL-C-13125C NOTICE 1	SPREADER, SLING, PLATE TYPE, MONOJUSTABLE REVIEWER: IS ..... COMPOUND, MOUNTING FOR OPTICAL LENS BLANKS (VALIDATION DATE: 8810) USER: MD REVIEWER: AL AR SM	A	3940 8030	ME 02-JUL-84 MR 31-OCT-88	ME MR		99	
L	MIL-M-13130C NOTICE 1 MIL-T-13133C	METER, AUDIO LEVEL TS-585(U) (VALIDATION DATE: 8606) .....	A	6625	CR 06-JUN-86	CR		99	
L	MIL-B-13136B	THERMOMETERS, SELF INDICATING, LIQUID-IN-GLASS ML-43B/PMD-1, ML-439/PMD-1, ML-440/PMD-1 AND ML-488/PMD-1 REVIEWER: CR	A	6660	ER 17-MAR-81	ER		99	
L	MIL-C-13139E(2)	BATTERY, DRY (VALIDATION DATE: 8110) USER: AV MC MI REVIEWER: AS	A	6135	ER 26-JAN-68	ER	SH	99	
L	MIL-J-13145	CHARGE, DEMOLITION, SHAPED, 15 LB, M2A3 AND M2A4, PARTS FOR .....	A	1375	AR 28-NOV-88	AR			
L	MIL-W-13154A NOTICE 1 MIL-S-13165C(1)	IGNITER, ELECTRIC, T1462 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8110) ..... WIRE, ELECTRICAL: ANTENNA, HIGH FREQUENCY, (WIRE W-146) (VALIDATION DATE: 8809) REVIEWER: IS	A	6145	CR 19-SEP-88	CR			
L	MIL-W-13169B NOTICE 1	SHOT PEENING OF METAL PARTS USER: 99 ME OS REVIEWER: 18 84 AR AT AV EA MI SH	A	MFPP	MR 27-NOV-91	MR	AS	11	
L	MIL-S-13171B	WIRE, ELECTRICAL (FOR INSTRUMENT TEST LEADS) (VALIDATION DATE: 8809) REVIEWER: OS IS MI	A	6145	CR 19-SEP-88	CR		85	
L	MIL-S-13175M(1) MIL-S-13183B(1) MIL-S-0013183C(1)	SWITCHBOARD, TELEPHONE, MANUAL (TELEPHONE SWITCHBOARD SB-55( )/FTC) (VALIDATION DATE: 8803) ..... STARTER, FIRE, MP3, M2 USER: MC ..... SMOKE POT, MC, 30 POUND, ABC ME ..... SMOKE POT, MC, 30 POUND, ABC-ME .....	A	5805 1370 1365 1365	CR 31-MAR-88 AR 15-NOV-85 EA 30-MAR-86 EA 20-MAY-86	CR AR EA EA			99
L	MIL-L-13188C(1)	SMOKE POT, MC, 30 POUND, ABC-ME ..... LEATHER, CATLEHIDE, CHROME-TANNED; HYDRAULIC PACKING FOR RECOIL MECHANISMS) USER: AT REVIEWER: AR IS	A	5330	MR 06-FEB-90	MR			
L	MIL-M-13189A(2)	MICROPHONE ELEMENT, CARBON AND LARPHONE, ELEMENT, MAGNETIC (FOR TELEPHONE AND RADIO USE), REVIEWER: ES	A	5965	CR 03-APR-64	CR			
A	MIL-S-13192P	SHOES, MEN'S, DRESS, OXFORD USER: 45 REVIEWER: 99 MC MD	A	8430	CT 30-JUN-88	CL	MU	11	CT
L	MIL-A-13196	ATTENUATOR, VARIABLE CM-7/LRA-11 (VALIDATION DATE: 8110) .....	A	5905	ER 07-JAN-54	ER			
A L	MIL-F-13198C NOTICE 3	FUSE, TIME, M6SA1 METAL PARTS FOR .....	A	1390	AR 30-JUN-92	AR			
L	MIL-B-13207D NOTICE 1	BODY, VAM, VEHICLE-MOUNTED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8906) .....	A	2510	AT 16-JUN-89	AT			
L	MIL-B-13207/1 NOTICE 1	BODY, VAM, VEHICLE-MOUNTED, ISO SIZE 10 (VALIDATION DATE: 8906) USER: GL ..	A	2510	AT 16-JUN-89	AT			
L	MIL-B-13207/2 NOTICE 1	BODY, VAM VEHICLE-MOUNTED, ISO SIZE 20 (VALIDATION DATE: 8906) USER: GL ...	A	2510	AT 16-JUN-89	AT			
L	MIL-B-13207/3 NOTICE 1	BODY, VAM, VEHICLE-MOUNTED, ISO SIZE 30 (VALIDATION DATE: 8906) USER: GL ..	A	2510	AT 16-JUN-89	AT			
L	MIL-B-13207/4 NOTICE 1	BODY, VAM VEHICLE-MOUNTED, ISO SIZE 40 (VALIDATION DATE: 8906) .....	A	2510	AT 16-JUN-89	AT			
L	MIL-G-1321G	GASKET, RUBBER REVIEWER: GS	A	4240	EA 14-JAN-54	EA			
D	MIL-M-13220C(1)	HOOK, SLIDING CHOKER (FOR USE WITH WIRE ROPE) (VALIDATION DATE: 8204) REVIEWER: ER GL IS YD1	A	4030	SH 16-SEP-66	ME	SH	99	
L	MIL-M-13231C(1)	MARKING OF ELECTRONIC ITEMS USER: ME REVIEWER: AR AV EA MI	A	MISC	ER 27-AUG-90	ER			
L	MIL-P-13232B(1)	POST, AIMING, M1A2 REVIEWER: MI	A	1290	AR 30-JAN-84	AR			
L	MIL-W-13241A	WIRE, ELECTRICAL, ANTENNA (WIRE WS-12/U AND WIRE WS-13/U) (VALIDATION DATE: 8204) REVIEWER: IS	A	6145	CR 19-MAY-65	CR			
L	MIL-D-13242	DRUM, PACKING, FOR M1A2 FLOATING SMOKE POT (VALIDATION DATE: 8009) .....	A	1365	EA 01-FEB-54	EA			
L	MIL-C-13246B	CRYSTIC ACID, TECHNICAL (VALIDATION DATE: 8201) USER: OS REVIEWER: GS	A	6810	EA 17-OCT-73	EA	AS	68	
L	MIL-C-13251C(1) NOTICE 1	CANNON, 8 INCH HOWITZER, M2A2 (VALIDATION DATE: 8703) .....	A	1030	AR 24-MAR-87	AR			
L	MIL-M-13253D SUPPL 1A	HANDSET (VALIDATION DATE: 8008) USER: CG MC REVIEWER: 80 SH SM	A	5965	ES 26-JUN-74	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Qty / On Hand	Doc Combination Notice	Document Number	Document Title	Doc Comb FSC / Ave	MCA Symbol	Preparing Date	Doc Comb FSC / Ave	Preparing Date	Customs Army Navy Air Force DIA
		MIL-H-13253/1	HANDSET, TYPE TS-9 ( ) [VALIDATION DATE: 8008] USER: CG MC REVIEWER: 80 MI SM	A 5965	ES	18-JUN-65	CR	SH	85
I		MIL-H-13253/4A NOTICE 1	HANDSET, TYPE H-23( )/U [VALIDATION DATE: 8803] USER: AS CG MC REVIEWER: 99 AR ES MI	A 5965	CR	25-MAR-88	CR	SH	
		MIL-H-13253/5	HANDSET, TYPE H-90/U [VALIDATION DATE: 8008] USER: CG MC REVIEWER: 80 MI SM	A 5965	ES	18-JUN-65	CR	SH	17
		MIL-H-13253/9A NOTICE 1	HANDSET, TYPE H-142/U [VALIDATION DATE: 8704] REVIEWER: 85 AR ES MI	A 5965	CR	10-APR-87	CR	EC	17
L		MIL-S-13257H(6)	SIGNALS, ILLUMINATION, GROUND RED STAR, M126A1, WHITE STAR, M127A1 AND GREEN STAR, M195, PARACHUTE, PARTS AND LOADING, ASSEMBLING AND PACKING	A 1370	AR	29-MAR-91	AR		
L		MIL-A-132598	ARMOR, STEEL, SHEET, STRIP AND FABRICATED FORMS, ROLLED, NON-MAGNETIC, FOR HELMETS AND PERSONNEL ARMOR REQUIREMENTS [VALIDATION DATE: 8302] REVIEWER: AT JS	A 9515	MR	06-MAY-66	MR		
L		MIL-S-13261G(6)	SIGNALS, ILLUMINATION, GROUND, GREEN STAR CLUSTER M125A1, RED STAR CLUSTER M158, AND WHITE STAR CLUSTER M159, PARTS AND LOADING, ASSEMBLING AND PACKING	A 1370	AR	29-MAR-91	AR		
L		MIL-P-13269A(5) MIL-C-13273(3) NOTICE 1	PERISCOPE, TANK, M20 SERIES [VALIDATION DATE: 8202] USER: AT	A 1240	AR	10-OCT-69	AR		
L		MIL-W-13276A(1)	CORD, ELECTRICAL (RETRACTILE, 2, 3 AND 4 CONDUCTOR, WD-9/U, WT-2/U, WF-4/U) [VALIDATION DATE: 8808] REVIEWER: 15 MI	A 6145	CR	16-AUG-88	CR		85
L		MIL-S-13281E	WIRE, ELECTRICAL, ANTENNA, (WIRE M-28) [VALIDATION DATE: 8204] REVIEWER: IS	A 6145	CR	04-MAR-66	CR		
L		MIL-S-13282B NOTICE 1	STEEL, CARBON, ALLOY, AND HIGH STRENGTH LOW ALLOY FOR WELDED STRUCTURES (STRESS RELIEVED) [VALIDATION DATE: 8601] USER: AT AV REVIEWER: 15 MI WV	A 9520	MR	20-SEP-85	MR		
L		MIL-L-13283C	SILVER AND SILVER ALLOYS [VALIDATION DATE: 9102] USER: 11 ME REVIEWER: AR	A 9545	MR	22-FEB-91	MR	AS	99
L		MIL-D-13284	EA MI	A 9650	MR	09-MAR-90	MR		
L		MIL-T-13285B(2)	LEAD-ANTIMONY (FOR USE IN AMMUNITION) REVIEWER: AR	A 1240	AR	03-MAR-54	AR		
L		MIL-T-13291F	DEVICE, AIMING, M2, (R.H) AND DEVICE, AIMING L.H [VALIDATION DATE: 8504]	A 6650	AR	03-OCT-88	AR		
L		MIL-P-13298A(1) NOTICE 1	TRIPPODS: M15 AND M17	A 3426	IP	30-JUN-86	AL	SH	99
L		MIL-T-13300E	TANK, HOT-DIP, DIRECTLY AND INDIRECTLY HEATED USER: AT REVIEWER: 84 GS ME SA	A 6810	AR	28-JUL-91	AR		
L		MIL-S-13303G(4)	POLYISOBUTYLENE (FOR AMMUNITION USE) REVIEWER: GS MI MR	A 2320	AT	22-FEB-91	AT		
L		MIL-M-13306A MIL-R-13312N	TRUCKS, HOPPER: COAL DELIVERY, CONVEYOR TYPE, DIESEL ENGINE DRIVEN, 24,000 GVW, 4X2 AND 39,500 GVW, 6X4, MODIFIED COMMERCIAL	A 1370	AR	10-APR-91	AR		
D		MIL-R-0013312P	SIGNALS, SMOKE, GROUND, HAND HELD PARACHUTE, GREEN SMOKE, M128A1, RED SMOKE, M129A1, AND YELLOW SMOKE, M194 PARTS AND LOADING, ASSEMBLING AND PACKING	A 1290	AR	09-JUN-61	AR		
D		MIL-T-13317F	MOUNT, TELESCOPE, T189 [VALIDATION DATE: 8602]	A 4110	GL	25-MAY-88	GL	VDI	99
L		MIL-M-13318B	REFRIGERATION UNITS, MECHANICAL, PANEL MOUNTED FOR REFRIGERATOR, PREFABRICATED, PANEL TYPE USER: MC REVIEWER: 82 GS MD ME TS	A 4110	GL	19-JUN-92	GL	VDI	99
L		MIL-A-13325A(2) MIL-P-13326D	REFRIGERATION UNITS, MECHANICAL, PANEL MOUNTED FOR REFRIGERATOR, PREFABRICATED, PANEL TYPE USER: CE MC REVIEWER: 82 GS MD ME TS	A 5180	GL	17-FEB-76	GL		99
L		MIL-M-13331A	TOOL KIT, OFFICE MACHINES, REPAIR [VALIDATION DATE: 8201] USER: MC	A 1240	AR	02-FEB-60	AR		
L		MIL-T-13338(3)	REVIEWER: AV	A 1240	AR	10-SEP-63	AR		
L		MIL-A-13338E(1) NOTICE 1	MOUNT, TELESCOPE, M79 [VALIDATION DATE: 8002] REVIEWER: MC	A 1240	AR	15-NOV-61	AR		
L		MIL-M-13347A	TELESCOPE, ELBOW, M62 SERIES [VALIDATION DATE: 8202] REVIEWER: GS MI	A 9515	MR	25-AUG-87	MR		
L		MIL-M-13348(1)	ADAPTER, TELESCOPE, M5A1 [VALIDATION DATE: 8504]	A 1240	AR	09-JUL-90	AR		
L		MIL-S-13352A	PLATE, METAL, STEEL ALLOY, HEAT TREATED, HIGH STRENGTH; FOR WELDED STRUCTURES REVIEWER: AR	A 1290	AR	21-OCT-88	AR		
L		MIL-C-13358F(1)	MOUNT, TELESCOPE, M18A1 REVIEWER: MC	A 1240	AR	24-OCT-88	AR		
L		MIL-S-13365C	TELESCOPE, M49	A 1240	AR	16-APR-90	AR		
L		MIL-M-13368	AIMING CIRCLE: M2 AND M2A2, WITH EQUIPMENT [VALIDATION DATE: 8810]	A 1240	AR	17-JAN-72	AR		
L		MIL-A-13374E NOTICE 1	MOUNT, TELESCOPE, M71	A 1290	AR	02-FEB-60	AR		
L		MIL-D-13383(1) NOTICE 1	MOUNT, PERISCOPE, M89 (T177) AND M94 (T177A2) [VALIDATION DATE: 8504]	A 1240	AR	02-FEB-60	AR		
L		MIL-S-13387(1)	SIGHT UNIT, M34 SERIES [VALIDATION DATE: 8602] REVIEWER: MC	A 1240	AR	15-OCT-92	AR		
L		MIL-T-13391	COBALT-CHROMIUM ALLOY CASTINGS (FOR BARREL TUBE LINERS)	A 3940	ME	22-OCT-89	ME		84
L		MIL-P-13392B(3)	SLING, ENDLESS: WIRE-ROPE, GROMMET-TYPE REVIEWER: GS	A 1290	AR	07-APR-54	AR		
L		MIL-B-13393E	MOUNT, SIGHT, M74C [VALIDATION DATE: 8602]	A 8040	MR	31-OCT-88	MR	OS	99
L		MIL-T-13405E	ADHESIVE, DEXTRIN, FOR USE IN AMMUNITION CONTAINERS [VALIDATION DATE: 8810] USER: SA REVIEWER: 84 AR	A 1376	AR	27-JAN-87	AR		
L		MIL-O-13417B	DI-(2-ETHYLMEXYL)-APIDATE [VALIDATION DATE: 8701]	A 1240	AR	25-MAR-70	AR		
L		MIL-T-13420A NOTICE 1	SIGHT, REFLEX, M18 [VALIDATION DATE: 8201]	A 1375	AR	21-APR-54	AR		
L		MIL-F-13424K(1) NOTICE 1	TORPEDO, BANGALORE, M1A1 INERT ASSEMBLY [VALIDATION DATE: 8304]	A 1375	AR	05-MOV-87	AR		
L		MIL-R-13427A	PRIMER, PERCUSSION, M54 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1325	EA	13-JUN-86	EA		
L		MIL-P-13436A(1) NOTICE 1	BOMB, SMOKE OR INCENDIARY, AR-M474, 100-LB, INERT COMPONENTS FOR	A 6810	EA	23-FEB-84	EA		
L		MIL-R-13442C	TITANIUM, TECHNICAL, POWER REVIEWER: GS MD MI	A 4930	ME	12-APR-83	ME		
DQ		MIL-M-13444E(1)	OILER, AIR LINES, FOR PNEUMATIC TOOLS USER: MC REVIEWER: CS	A 5805	CR	04-MAR-86	CR		99
L		MIL-T-13446D(1)	TELEPHONE SET, TA-264/PT [VALIDATION DATE: 8603]	A 1330	AR	31-OCT-90	AR		
L		MIL-S-13448A NOTICE 1	FUZES, HAND GRENADE, M204A2, M206A2 AND PRACTICE M205A2 PARTS FOR, LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 9010] REVIEWER: EA	A 5821	CH	13-MAY-91	CH		
L		MIL-G-13451B	RADIO SET AR/ARC-44( ) AND ASSOCIATED COMPONENTS: BENCH, PRE-FLIGHT AND FLIGHT TESTS OF [VALIDATION DATE: 9105]	A 9330	ER	07-JUL-87	ER	SH	11
A L		MIL-T-13452A(1)	PLASTIC SHEET, FILLED PHENOLIC, UNCURED [VALIDATION DATE: 8707] USER: AS	A 3895	CR	01-AUG-67	CR		99
A L		MIL-C-13453A(1)	REELING MACHINE, CABLE, HAND, ADJUSTABLE AND COLLAPSIBLE [VALIDATION DATE: 8305] USER: CE REVIEWER: CS ME	A 4720	AT	17-AUG-91	AT	VDI	
L		MIL-F-13455C	MOSE AND MOSE ASSEMBLIES, RUBBER: FUEL AND OIL USER: MC REVIEWER: AR ME MI	A 1240	AR	29-MAY-88	AR		
L		MIL-T-13458B	TELESCOPE, ELBOW, M16 SERIES, M116 SERIES, AND XM139	A 1005	AR	18-APR-86	AR		
L		MIL-C-13459B	SIGHT, RIFLE GRENADE LAUNCHER, M15 [VALIDATION DATE: 8604]	A 5999	ER	23-SEP-66	ER		
L		MIL-T-13460(2) NOTICE 1	GAGE, DIMENSIONAL CONTROL, MECHANICAL (FOR SIGNAL CORPS EQUIPMENT) [VALIDATION DATE: 8301] REVIEWER: AR ES	A 8305	AR	14-DEC-92	AR		
A L		MIL-B-13466F	TAPE, TEXTILE, COTTON FOR BANDOLEERS	A 8305	AR	14-DEC-92	AR		
L		MIL-S-13468A(1) NOTICE 1	CLOTH, COTTON, SHEETING (FOR BANDOLEERS)	A 6220	AT	17-FEB-88	AT		
L		MIL-C-13477C	FILTER, LIGHT (FOR BLACKOUT SECURITY) USER: ME REVIEWER: EA GS MI	A 1240	AR	16-APR-68	AR		
D		MIL-G-13481B	TELESCOPE PANORAMIC, M12A7 SERIES [VALIDATION DATE: 8602]	A 6650	AR	01-SEP-71	AR		
L		MIL-S-13483B(1) NOTICE 1	CASE, BINOCULAR, M62A1 AND M63A1 [VALIDATION DATE: 8506]	A 5805	CR	04-MAR-86	CR		99
QL		MIL-S-13484E	TELEPHONE SET TA-263-PT [VALIDATION DATE: 8603]	A 8315	CT	16-SEP-88	GL	CT	
			BRAID, TEXTILE AND LACE, VELLUM, WOVEN, TEXTILE (FOR BLUE DRESS UNIFORM) USER: MD	A 1305	AR	13-MAR-86	AR		
			STEEL, COPPER ALLOY CLAD, STRIP (FOR SMALL CALIBER BULLET JACKETS) [VALIDATION DATE: 8603]	A 1315	AR	15-OCT-90	AR		
			CAMTRIDGE, 106MM, HEAT, M344A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1375	AR	09-JUL-75	AR		
			CYCLOID [VALIDATION DATE: 8201]	A 3940	ME	18-AUG-83	ME	VDI	
			CLAMP, BEAM, RIDGER S	A 1330	AR	22-JAN-68	AR		
			GRENADE, HAND, OFFENSIVE, M63A2 PARTS FOR [VALIDATION DATE: 8704]	A 5930	AT	02-MAY-91	AT		
			SWITCH, SENSITIVE: 30 VOLTS DIRECT CURRENT MAXIMUM, WATERPROOF USER: AL REVIEWER: AR ES MI						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Calt Classification Notice	Document Number	Document Title	Dist. Smt. FSC / Ans MCA Symbol	Preparing Agency	Date	Customs			
						Army	Navy	Al Force	DLA
Q	MIL-C-13486C SUPPL 1	CABLES, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE-CONDUCTOR AND MULTICONDUCTOR, SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR USER: 71 79 80 84 ME REVIEWER: 99 EA 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/1B	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED USER: 71 79 84 MC REVIEWER: 99 AR OR EA 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/2B	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE-CONDUCTOR, SHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/3A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/4A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/5A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/6A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/7A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/8A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/9A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/10A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/11A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/12A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/13B	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, SHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT	SH	85	
	MIL-C-13486/14A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, MULTIPLE CONDUCTORS, UNSHIELDED USER: 71 79 80 84 REVIEWER: 99 1S	A 6145	AT	06-JUN-89	AT		85	
	MIL-C-13486/15A	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION, HEAVY-DUTY, SINGLE CONDUCTOR, UNSHIELDED USER: 71 79 80 84 MC OS REVIEWER: 99 CR 1S	A 6145	AT	06-JUN-89	AT	SH	85	
L	MIL-A-13488C(1)	AIR CLEANER, ENGINE, HEAVY-DUTY, OIL-BATH TYPE (FOR INTERNAL-COMBUSTION ENGINES) (VALIDATION DATE: 8304) REVIEWER: CS	A 2940	AT	12-MAY-78	AT			
L	MIL-C-134890	COVER AND END CURTAINS, CARGO BODY (FOR MILITARY VEHICLES), USER: MC REVIEWER: CS	A 2540	AT	14-FEB-85	AT			
L	MIL-G-13494C	GUN, FLUID, DIRECT DELIVERY (VALIDATION DATE: 8206) .....	A 4933	AR	16-MAY-75	AR			
D	MIL-R-13495F	RELINER, BRAKE AND CLUTCH RIVETING USER: MC REVIEWER: 82 CS .....	A 4910	AL	21-FEB-86	AL	YD1	99	
L	MIL-V-13497A	VARNISH, IMPREGNATING, ELECTRICAL-INSULATING (FOR FIRE CONTROL INSTRUMENTS), (VALIDATION DATE: 8504) USER: AT REVIEWER: GS 1S MI	A 5970	AR	02-MAR-62	AR			
L	MIL-S-13498	SOLENOID, FIRING, D7665749 AND F8208586 (VALIDATION DATE: 8504) REVIEWER: ES	A 5945	AR	24-JUN-54	AR			
L	MIL-T-13499C	TRAINING AID, MODEL BRIDGE, SUPERSTRUCTURE, GLASS 60, PNEUMATIC FLOAT, FLOATING BRIDGE, WITH CHEST USER: MC	A 6910	ME	19-APR-88	ME	70		
L	MIL-E-13500B	EXPOSURE CONTROL, PHOTOLITHOGRAPHIC, LIGHT INTEGRATING, REVIEWER: GS .....	A 6760	ME	26-OCT-78	ME			
L	MIL-B-13501D	BEARINGS AND BUSHINGS, BRASS AND BRONZE, MACHINED OR FORMED USER: ME REVIEWER: 1S SM	A 3120	MI	11-FEB-91	MI			
L	MIL-T-13505 NOTICE 1	THREAD, SILK, SEWING (FOR PROPELLANT BAGS) (VALIDATION DATE: 9108) REVIEWER: EA	A 1376	AR	29-AUG-91	AR			
L	MIL-G-13507	GEZ, OIL M5A1E1 (VALIDATION DATE: 8504) .....	A 1290	AR	24-JUN-54	AR			
L	MIL-M-13508C(1) NOTICE 1	MIRROR, FRONT SURFACED ALUMINIZED; FOR OPTICAL ELEMENTS (VALIDATION DATE: 8810) USER: ME MI OS REVIEWER: AV	A 6650	AR	24-OCT-88	AR	SH	99	
L	MIL-C-13510	COATED CELLOPHANE FILM FOR INCREMENT CHARGE CONTAINERS, (VALIDATION DATE: 8404)	A 8140	AR	24-JUN-54	AR			
L	MIL-D-13512B NOTICE 1	DELAY ELEMENT, NON-DELAY MI LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9008)	A 1375	AR	27-AUG-90	AR			
D	MIL-H-13514H	HEATERS, SPACE, RADIANT TYPE, PORTABLE, 45,000 BTU/HR, (H-45) USER: CE MC REVIEWER: 84 CS MD	A 4520	GL	26-FEB-92	GL	YD1	99	
	MIL-C-13516E(5)	CIRCUIT BREAKERS; MANUAL AND AUTOMATIC (28 VOLT) USER: AV ME REVIEWER: 99 AR CR ES	A 5925	AT	24-FEB-92	AT	MC	85	
	MIL-C-13516/1A NOTICE 1	CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, WATERPROOF, 15 TO 30 AMP (VALIDATION DATE: 9006) USER: AV ME REVIEWER: AR ER	A 5925	AT	28-JUN-90	AT	EC	85	
	MIL-C-13516/2A NOTICE 1	CIRCUIT BREAKER, 28 VOLT DC MANUAL, WATERPROOF, 15 TO 30 AMP USER: AV ME REVIEWER: 99 AR ER ES	A 5925	AT	21-OCT-86	AT	MC	85	
	MIL-C-13516/3C	CIRCUIT BREAKERS; 28 VOLT DC, MANUAL, NONWATERPROOF, 105 TO 200 AMP USER: ME REVIEWER: 99 AR AV ER ES	A 5925	AT	24-FEB-92	AT	MC	85	
	MIL-C-13516/4C	CIRCUIT BREAKERS; 28 VOLT DC, MANUAL, NONWATERPROOF, 35 TO 150 AMP USER: AV ME REVIEWER: 99 AR ER ES	A 5925	AT	24-FEB-92	AT	MC	85	
	MIL-C-13516/5C	CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, NONWATERPROOF, 10 TO 35 AMP USER: AV ME REVIEWER: 99 AR ER ES	A 5925	AT	24-FEB-92	AT	MC	85	
	MIL-C-13516/6C	CIRCUIT BREAKERS; 28 VOLT DC, MANUAL, NONWATERPROOF, 10 TO 35 AMP USER: ME REVIEWER: 99 AR ER ES	A 5925	AT	24-FEB-92	AT	MC	85	
	MIL-C-13516/7D	CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, NONWATERPROOF, 35 TO 150 AMP USER: AV ME REVIEWER: 99 AR ER ES	A 5925	AT	24-FEB-92	AT	MC	85	
	MIL-C-13516/8C	CIRCUIT BREAKERS; 28 VOLT DC, AUTOMATIC, NONWATERPROOF, 150 TO 200 AMP USER: ME REVIEWER: 99 AR ER ES	A 5925	AT	24-FEB-92	AT	MC	85	
L	MIL-M-13524B	HOSE ASSEMBLY, METAL, FLEXIBLE, FUEL AND OIL (VALIDATION DATE: 8308) REVIEWER: CS EA	A 4720	AT	12-JUN-74	AT			
L	MIL-F-13526B NOTICE 1	FIBER, RED (SHEET), FOR SMALL ARMS BUFFER DISKS (VALIDATION DATE: 8912) USER: 45 REVIEWER: AL AR MI	A 9420	MR	06-DEC-89	MR			
L	MIL-C-13527	CONTAINER ASSEMBLY, SAMPLE AND SPECIMEN SHIPPING, (VALIDATION DATE: 6508) REVIEWER: GS	A 8120	EA	24-JUN-54	EA			
A L	MIL-M-13528B NOTICE 2	HYDROCHLORIC ACID, INHIBITED, RUST-REMOVING (VALIDATION DATE: 9304) USER: MI REVIEWER: AT AV MD ME SM	A 6850	MR	13-APR-93	MR			
L	MIL-M-13529D(1)	MOUNT, GUN, RING TYPE, REVOLVING USER: AT MC .....	A 1005	AR	08-NOV-85	AR			
Q	MIL-M-13531C(5)	HOSE, RUBBER AND HOSE ASSEMBLY, RUBBER (HYDRAULIC, FLEXIBLE) USER: AR AV REVIEWER: 82 ME	A 4720	AT	16-AUG-91	AT	MC	99	
L	MIL-S-13544	SET, WIRING, M5A1E1 (VALIDATION DATE: 8504) .....	A 1290	AR	24-JUN-54	AR			
	MIL-I-13548A	INSULATION SLEEVING, ELECTRICAL (CABLE SPLICING) FT-96, FT-97, FT-98, AND FT-472 (VALIDATION DATE: 8309) USER: 17 CG MC REVIEWER: AR GS	A 5970	ER	16-MAR-66	ER	11		
	MIL-F-13549F(5)	FILE DESTROYER, INCENDIARY, ABC M4 USER: MC .....	A 1375	AR	30-JUL-70	AR	OS		
L	MIL-A-13550E(1) NOTICE 1	ANTIFOGGING KIT, MI (VALIDATION DATE: 8808) REVIEWER: GS .....	A 6850	EA	18-AUG-88	EA			
	MIL-T-13558B NOTICE 1	TARGET, PAPER AND PAPER ACCESSORIES (VALIDATION DATE: 8604) USER: MC .....	A 6920	AR	10-APR-86	AR	TD	99	
	MIL-T-13559B	TARGET EQUIPMENT (VALIDATION DATE: 8003) .....	A 6920	AR	17-DEC-73	AR	TD	99	
	MIL-T-13560D NOTICE 1	TARGET, PASTEBORD AND POLYETHYLENE (VALIDATION DATE: 8702) USER: MC OS ...	A 6920	AR	27-MAY-81	AR	TD	99	
L	MIL-R-13562A	ROTATING BAND, WELDED OVERLAY, FERROUS AND NONFERROUS, FOR PROJECTILE VALIDATED APR 1966 (VALIDATION DATE: 7905)	A 1395	AR	08-JAN-60	AR			
	MIL-S-13565D	SINK, PHOTOGRAPHIC PROCESSING, TEMPERATURE CONTROLLED (VALIDATION DATE: 8201) USER: ER	A 6740	ME	17-MAY-77	ME			
	MIL-M-13568B	MOCK, MOIST, REGULAR EYE REVIEWER: 1S .....	A 4030	ME	17-FEB-82	ME			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn. / Coord. Machine	Document Number	Document Title	Dist. Serv. FSC / Ave.	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	AF	DLA
D	MIL-S-13571	SYSTEM, LOCAL CONTROL M16A1 (VALIDATION DATE: 8504) .....	A 1290	AR	09-AUG-54	AR				
	MIL-S-13572C(1)	SPRINGS, HELICAL, COMPRESSION AND EXTENSION REVIEWER: AT AV IS ME MI YD1 ..	A 5360	AR	25-APR-90	AR	OS	99		
	MIL-R-13577C	ROD, CLEANING, FOR SMALL ARMS (VALIDATION DATE: 8604) REVIEWER: MC .....	A 1005	AR	18-APR-86	AR	OS	99		
	NOTICE 1									
L	MIL-B-13587E	BIN, STORAGE, AGGREGATE, PORTABLE, 60-TON (VALIDATION DATE: 8201) USER: MT	A 3895	ME	03-JAN-77	ME				
	REVIEWER: CS									
	MIL-G-13590A	GRENADE, RIFLE, SMOKE, M22A2, CHEMICAL LOADING ASSEMBLY (VALIDATION DATE:	A 1330	EA	28-FEB-57	EA	OS			
	80061)									
	MIL-G-13598A	GRENADE, RIFLE, SMOKE, M23A1, CHEMICAL LOADING ASSEMBLY (VALIDATION DATE:	A 1330	EA	28-FEB-57	EA	OS			
	80061)									
A	MIL-C-13600A	CUPRIC OXIDE (VALIDATION DATE: 8907) REVIEWER: GS OS .....	A 6810	AR	13-JUL-89	AR				
	MIL-C-13602C	CASE, PANEL MARKER FOR AERIAL COMMUNICATION PANEL MARKER SETS AP-30-C AND	A 8345	IM	02-OCT-92	IM	SA	11		
	NOTICE 1	AP-30-D (VALIDATION DATE: 9210) USER: 45 MC REVIEWER: 82 99 CT								
L	MIL-P-13607B(2)	PADDING MATERIALS, RESILIENT (FOR PACKAGING OF AMMUNITION) REVIEWER: EA ...	A 8140	AR	10-APR-89	AR				
L	MIL-C-13609B	CASTING SOLVENTS FOR OIA, OCK AND AMM PROPELLANTS (VALIDATION DATE: 8804) ..	A 1376	AR	25-APR-88	AR				
	NOTICE 1									
L	MIL-C-13613	CARBAZOLE (VALIDATION DATE: 8301) REVIEWER: GS .....	A 6810	AR	03-SEP-54	AR				
L	MIL-S-13623C	SWITCH, ROTARY, 28 VOLT DC USER: ME REVIEWER: EA ES MI .....	A 5930	AT	12-MAR-87	AT				
L	MIL-S-13623/I	SWITCHES, ROTARY: 28 VOLT DC USER: ME REVIEWER: EA ES MI .....	A 5930	AT	05-NOV-90	AT				
OL	MIL-S-13625D	SWITCH, PULL, SWITCH, PUSH, SWITCH, BEAM SELECTING, HEADLIGHT, ELECTRICAL	A 5930	AT	15-JUL-87	AT				
	(28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES USER: ME REVIEWER: ES MI									
L	MIL-S-13625/I	SWITCHES, PULL: SWITCHES, PUSH: SWITCHES, BEAM SELECTING, HEADLIGHT:	A 5930	AT	05-NOV-90	AT				
	ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES) USER: ME REVIEWER:									
	ES MI									
L	MIL-S-13625/2	SWITCHES, PULL: SWITCHES, PUSH: SWITCHES, BEAM SELECTING, HEADLIGHT:	A 5930	AT	05-NOV-90	AT				
	ELECTRICAL (28 VOLTS DC MAXIMUM, FOR MILITARY VEHICLES) REVIEWER: ES ME MI									
	TELEPHONE SET TA-1/PT (VALIDATION DATE: 8603) .....		A 5805	CR	04-MAR-86	CR		99		
	NOTICE 1									
L	MIL-T-13658	TELESCOPE, ELBOW, M26A1 (VALIDATION DATE: 8504) .....	A 1240	AR	21-SEP-54	AR				
L	MIL-C-13664A	CLIP, CARTRIDGE, FOR U.S. RIFLES, CALIBER .30MI, MIC AND MID (VALIDATION	A 1305	AR	13-MAR-86	AR				
	DATE: 8603) REVIEWER: 99									
	MIL-G-13665	GUN, MACHINE, BROWNING, CALIBER .30, M1919A6 (WITH SPARE PARTS)	A 1005	AR	24-SEP-54	AR		99		
	(VALIDATION DATE: 7904) USER: MC REVIEWER: 84									
L	MIL-M-13667B	MANGANESE CARBONATE, TECHNICAL (VALIDATION DATE: 8903) REVIEWER: GS MD ...	A 6810	EA	13-MAR-89	EA				
L	MIL-D-13670C	DETONATOR, STAB, M63 PARTS FOR LOADING, ASSEMBLING AND PACKING (VALIDATION	A 1375	AR	27-AUG-90	AR				
	DATE: 9008)									
L	MIL-C-13678B	CANNON, .37MM GUN, SUBCALIBER: M13 (VALIDATION DATE: 9105) .....	A 1010	AR	06-MAY-91	AR				
	NOTICE 2									
L	MIL-M-13685F(1)	MINE, AT, MM, M19 WITH ARMING WRENCH M22 LOADING ASSEMBLING AND PACKING ...	A 1375	AR	12-APR-91	AR				
	NOTICE 1									
	MIL-P-13692D	PLATE, LITHOGRAPHIC PRINTING, METAL, SENSITIZED, WITH PROCESSING CHEMICALS	A 3610	ME	31-OCT-79	ME		99		
	(VALIDATION DATE: 8403) REVIEWER: GL GS MC									
L	MIL-M-13693A(1)	MINE, APERS, MM, M14E1 WITH INTEGRAL FUZE, LOADING, ASSEMBLING, AND	A 1345	AR	15-OCT-90	AR				
	NOTICE 1	PACKING (VALIDATION DATE: 9010)								
L	MIL-M-13703D(1)	MARKER LOCATION, MARINE DYE AR-M59 .....	A 1370	AR	13-JAN-88	AR				
L	MIL-G-13706D	GRENADE, HAND, OFFENSIVE, M63A2 WITH M260A2 LOADING, ASSEMBLING AND	A 1330	AR	30-MAR-88	AR				
	NOTICE 1	PACKING (VALIDATION DATE: 8803)								
D	MIL-T-13714D(1)	TRAILER, UTILITY, CABLE REEL, 3 1/2 TON, M310 USER: 99 CE REVIEWER: YD1 ...	A 2330	AT	16-FEB-88	AT				
	MIL-R-13718C(1)	RELAY, ELECTRONIC 24 VOLT DC USER: MC ME REVIEWER: CS ER MI SC .....	A 2920	AT	13-NOV-84	AT				
OL	MIL-M-13719D	HOSE ASSEMBLY, RUBBER, HYDRAULIC BRAKE USER: MC ME SM REVIEWER: CS MI ...	A 4720	AT	07-FEB-92	AT				
L	MIL-T-13723A	TETRAINITROCARBAZOLE (TNC) (FOR ORDNANCE USE) (VALIDATION DATE: 9010)	A 1370	AR	31-OCT-90	AR				
	NOTICE 1	REVIEWER: OS								
D	MIL-C-13724A	CHARCOAL, ACTIVATED, IMPREGNATED, ASC USER: YD1 .....	A 6810	EA	04-MAY-60	EA	SH	68		
A	MIL-C-0013724D(2)	CHARCOAL, ACTIVATED, IMPREGNATED, ASC .....	X 6810	EA	28-JUL-82	EA				
L	MIL-C-13724A(12)	CHARCOAL, ACTIVATED, IMPREGNATED, ASC .....	A 6810	EA	30-JUN-66	EA				
	MIL-S-13727B	SODIUM PHOSPHATE, MONOBASIC, AMYDROUS, TECHNICAL (VALIDATION DATE: 8903)	A 6810	EA	13-MAR-89	EA		68		
	NOTICE 1	REVIEWER: GS MD								
L	MIL-G-13734B	GERMICIDE, QUARTERINARY AMMONIUM TYPE (VALIDATION DATE: 8404) REVIEWER: GS ..	A 6840	EA	25-MAR-68	EA				
	NOTICE 2									
OL	MIL-S-13735D	SWITCHES, TOGGLE: 28 VOLT DC REVIEWER: AR EA ES MI .....	A 5930	AT	07-MAR-89	AT				
L	MIL-C-13739A(1)	COMPOSITION, DELAY (VALIDATION DATE: 8604) REVIEWER: EA OS .....	A 1375	AR	08-APR-86	AR				
	NOTICE 1									
L	MIL-R-13742(1)	RDX, DESENSITIZED (VALIDATION DATE: 9108) .....	A 1376	AR	29-AUG-91	AR				
	NOTICE 1									
L	MIL-C-13743A	CORE, STEEL, HARDENER, FOR ARMOR-PIERCING TYPES OF SMALL-ARMS AMMUNITION ..	A 1305	AR	21-MAY-87	AR				
	NOTICE 1									
L	MIL-V-13750B	VARNISH, PHENOL-FORMALDEHYDE, CLEAR AND ALUMINUM PIGMENTED REVIEWER: MR ...	A 8010	AR	20-SEP-91	AR				
	NOTICE 4									
L	MIL-L-13751C	LACTOSE, TECHNICAL (METRIC) REVIEWER: GS .....	A 6810	EA	23-FEB-84	EA				
L	MIL-C-13753A	CHARGER, MANUAL, M6 (VALIDATION DATE: 8705) .....	A 1005	AR	28-MAY-87	AR				
	NOTICE 1									
	MIL-L-13762B	LEAD ALLOY COATING, HOT DIP (FOR IRON AND STEEL PARTS) (VALIDATION DATE:	A MFFP	MR	31-JUL-89	MR	SH	11		
	8907) REVIEWER: AL AR EA ME MI									
L	MIL-C-13766C(1)	CONVERSION KIT, BARGE, DECK ENCLOSURE DESIGN 7006, FOR DESIGNS 213A AND	A 1935	ME	23-JUN-87	ME				
	7005.									
Q	MIL-C-13777G(1)	CABLE, SPECIAL PURPOSE, ELECTRICAL, CONDUCTORS GENERAL SPECIFICATION FOR	A 6145	AR	16-SEP-77	AR	AS	85		
	SUPPL 1	(VALIDATION DATE: 8304) USER: EC MC REVIEWER: 11 17 AT CR IS ME MI								
	MIL-C-13777/1B(1)	CABLE SPECIAL PURPOSE ELECTRICAL 2 3 AND 4 CONDUCTORS (VALIDATION DATE:	A 6145	AR	05-AUG-71	AR	SH	17		
	8503) USER: 11 AT EC MC ME REVIEWER: CR IS MI									
	MIL-C-13777/2B(1)	CABLE, SPECIAL PURPOSE, ELECTRICAL 6, 7, 8, 9, 10, 12, 13, AND 15	A 6145	AR	18-MAR-71	AR	SH	17		
	CONDUCTORS (VALIDATION DATE: 8503) USER: 11 AT EC MC ME REVIEWER: CR IS MI									
	MIL-C-13777/3A	CABLE SPECIAL PURPOSE ELECTRICAL 16 17 19 AND 20 CONDUCTORS (VALIDATION	A 6145	AR	01-SEP-66	AR	SH	17		
	DATE: 8503) USER: 11 CE MC REVIEWER: 15 CR IS MI									
	MIL-C-13777/4B	CABLE, SPECIAL PURPOSE, ELECTRICAL 21, 22, 24, 26, 27, 28, AND 32	A 6145	AR	15-SEP-69	AR	SH	17		
	CONDUCTORS (VALIDATION DATE: 8202) USER: 11 AT MC ME REVIEWER: CR IS MI									
	MIL-C-13777/5C	CABLE SPECIAL PURPOSE ELECTRICAL 37 39 42 AND 46 CONDUCTORS (VALIDATION	A 6145	AR	15-SEP-69	AR	SH	17		
	DATE: 8304) USER: 11 CE MC REVIEWER: 15 CR IS MI OS									
	MIL-C-13777/6B(1)	CABLE, SPECIAL PURPOSE, ELECTRICAL, 60, 65, AND 78 CONDUCTORS USER: 11 AT	A 6145	AR	24-MAR-86	AR	SH	17		
	MC ME REVIEWER: CR IS MI									
L	MIL-C-13783C	COMPOUND, WATERPROOFING (FOR SMALL ARMS AMMUNITION) (VALIDATION DATE:	A 8030	MR	31-OCT-88	MR				
	8810) USER: MI REVIEWER: EA									
L	MIL-F-13785A(2)	FILTER MATERIAL REVIEWER: GS .....	A 4240	EA	01-JAN-69	EA	SH			
L	MIL-F-0013785B(6)	FILTER MATERIAL REVIEWER: GS .....	A 4240	EA	12-SEP-88	EA				
L	MIL-L-13788	LEAD SALICYLATE (VALIDATION DATE: 8604) REVIEWER: GS .....	A 6810	AR	08-APR-86	AR				
	NOTICE 1									
D	MIL-S-13789D	STRAINERS, SEDIMENT, PIPELINE, BASKET TYPE USER: CE CG REVIEWER: CS .....	A 4730	ME	31-JAN-90	ME	YD1			
	MIL-D-13791F	DISTRIBUTOR, IGNITION SYSTEM, INTEGRAL COIL, WATERPROOF, 24 VOLT USER: ER	A 2920	AT	10-JUN-88	AT				
	MC REVIEWER: CS ME									
A	MIL-T-13795B	TABLE, FOLDING LEGS, PORTABLE REVIEWER: 84 .....	A 7195	GL	02-NOV-92	GL		99		
L	MIL-D-13796A	DI-2 ETHYLENEXYLPHTHALATE (VALIDATION DATE: 8907) REVIEWER: GS .....	A 6810	AR	13-JUL-89	AR				
	NOTICE 1									
L	MIL-L-13802	LACQUER, CHLORINE RESISTANT, FOR FIBER CONTAINERS .....	A 8010	EA	22-NOV-54	EA				
L	MIL-V-13803E	VALVE, GATE, DOUBLE-DISK, CAST-IRON OR STEEL REVIEWER: CS .....	A 4820	ME	04-DEC-89	ME				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc GPO / OMA Classification Inches Document Number	Document Title	Doc Date FSC / Ave MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DLA
L	MIL-L-138088	LEAD PLATING (ELECTRODEPOSITED) [VALIDATION DATE: 8803] REVIEWER: AR EA GS	A MFPP	NR	30-MAY-88	NR
DQ	MIL-V-138110	VARNISH, WATERPROOFING, ELECTRICAL, IGNITION [VALIDATION DATE: 8302] USER: MC SA REVIEWER: AT EA IS SH	A 8010	AR	27-SEP-76	AR
L	MIL-C-13814(4)	CLOTH, IGNITER [VALIDATION DATE: 8905] REVIEWER: CT	A 1395	AR	09-MAY-89	AR
A	MIL-L-138160	LEATHER, CALFSKIN AND KIP, AND LACING, HANDICRAFT [VALIDATION DATE: 9008]	A 8330	CT	16-AUG-90	GL NU 11 CT
L	MIL-P-13822(1)	REVIEWER: 99 MD	A 1376	AR	27-JAN-87	AR
L	MIL-S-13823C	POLYISOBUTYLENE/OIL GEL [VALIDATION DATE: 8701] REVIEWER: GS	A FORG	NR	04-MAR-91	NR
L	MIL-T-13827	STEEL: SHAPES, ROLLED OR FORGED; BARS, FLATS AND SPECIAL SECTIONS (FOR ARMOR) USER: AT REVIEWER: EA	A 9630	AR	28-DEC-84	AR
L	MIL-O-13830A(3)	TUNGSTEN POWDER [VALIDATION DATE: 8004] USER: MR	A 6650	AR	28-SEP-87	AR
L	MIL-M-13837B	OPTICAL COMPONENT FOR FIRE CONTROL INSTRUMENT, GENERAL SPECIFICATION GOVERNING THE MANUFACTURE, ASSEMBLY, AND INSPECTION OF USER: AS AT MC ME SH REVIEWER: MI	A 4030	ME	09-FEB-71	ME
A	MIL-B-13842C(1)	HOCK, HOIST, BURTON STYLE [VALIDATION DATE: 8205] REVIEWER: IS	A 8465	CT	25-JAN-88	GL NU 99 CT
L	MIL-P-13850C(2)	BAG, SOILED CLOTHES [VALIDATION DATE: 8801] USER: MC	A 8345	IM	29-MAY-92	IM
L	MIL-M-138550	PANEL MARKER, AERIAL LIAISON, COTTON SHEETING PANEL AL-121, WHITE AND PANEL AL-122, BLACK [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 1005	AR	28-MAY-87	AR
L	MIL-M-13855D(14)	WEAPON, SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8705] USER: AV REVIEWER: AS MC	A 1005	AR	09-OCT-84	AR
L	MIL-I-13857B(1)	WEAPONS: SMALL ARMS AND AIRCRAFT ARMAMENT SUBSYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8705]	A MFPP	NR	01-AUG-89	NR
A	MIL-C-13864B	IMPREGATION OF METAL CASTINGS [VALIDATION DATE: 8908] USER: ME REVIEWER: AR MD MI	A 4240	EA	08-JUL-92	EA
D	MIL-T-13867C	CANISTER, CHEMICAL-BIOLOGICAL MASK: MIOA	A 8030	NR	01-AUG-89	NR
L	MIL-M-13871B(2)	TREATMENT, MOISTURE AND FUNGUS RESISTANT FOR FIRE CONTROL ELECTRICAL AND ELECTRONIC INSTRUMENTS AND EQUIPMENT [VALIDATION DATE: 8908] USER: AT SH	A 5510	AR	30-APR-91	AR
L	MIL-B-13872C(2)	YDI REVIEWER: AR MI	A 1375	AR	03-OCT-86	AR
L	MIL-K-13873	WOOD BLANKS FOR SMALL ARMS USER: MC REVIEWER: CS	A 1375	AR	23-DEC-84	AR
D	MIL-C-13874K	BOX, CONTAINERS, FOR NON-ELECTRIC BLASTING CAPS	A 4310	ME	16-JUL-92	ME
L	MIL-R-13877D	REEL, WIRE, FIRING MODEL 1942 [VALIDATION DATE: 8104]	A 4820	AR	27-MAY-81	AR
L	MIL-C-13879L(1)	COMPRESSORS, RECIPROCATING AND ROTARY, AIR, ELECTRIC MOTOR DRIVEN USER: MC	A 1375	AR	20-MAY-88	AR
D	MIL-T-13880M	REVIEWER: CS	A 3433	AL	07-NOV-85	AL
D	MIL-T-0013880G	REGULATOR, OXYGEN, ACETYLENE, WELDING APPLICATION REVIEWER: 84 CS ME	A 3433	AL	14-JUN-84	AL
L	MIL-A-13881C	CHARGE, CRACKING, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805]	A 8030	NR	01-AUG-89	NR
L	MIL-C-13882	TORCH, OXYACETYLENE WELDING AND CUTTING USER: AV MC REVIEWER: CS	A 1375	AR	23-DEC-84	AR
L	MIL-B-13889C	TORCH, OXYACETYLENE	A 1090	AR	07-MAR-87	AR
L	MIL-C-13892A	ANTI-SEIZE COMPOUND, MICA-BASE (FOR THREADED FITTINGS) [VALIDATION DATE: 8908] USER: SH REVIEWER: 84 ME MI	A 6145	CR	24-JAN-91	CR
L	MIL-F-13893E(5)	CHARGE EXPLOSIVE, SPRINGING FOR ROD, EARTH, BLAST-DRIVEN, M13, [VALIDATION DATE: 8104]	A 1375	AR	20-MAY-88	AR
L	MIL-L-13896E	BRUSH AND STAFF, CANNON BORE [VALIDATION DATE: 8703]	A 3416	IP	26-FEB-87	AL
L	MIL-C-13899F	CABLE, TELEPHONE (FLEXIBLE) (CORDS AND CORDAGE, MULTIPAIR) REVIEWER: IS	A 4310	ME	24-JUN-85	ME
L	MIL-B-13900D	FIRING DEVICE, DEMOLITION, DELAY TYPE, MI PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8905]	A 1040	AR	03-JUN-86	AR
L	MIL-C-13902A	LATHES, ENGINE, GAP, SLIDING BED AND REMOVABLE BLOCK USER: ME SH REVIEWER: 84 GS	A 8010	EA	26-DEC-86	EA
D	MIL-P-13905A	COMPRESSOR UNIT, ROTARY, AIR WHEELBARROW FRAME MOUNTED, TWO PNEUMATIC TIRES, GASOLINE ENGINE DRIVEN, 60 CFM, 6.5 PSIG REVIEWER: CS	A 5805	CR	03-APR-89	CR
L	MIL-T-13906G	COMPRESSOR UNIT, ROTARY, AIR, WHEELBARROW FRAME MOUNTED, TWO PNEUMATIC TIRES, GASOLINE ENGINE DRIVEN, 60 CFM, 6.5 PSIG [VALIDATION DATE: 8606] USER: MC	A 4910	AL	27-FEB-87	AL
L	MIL-T-13915E	COATING COMPOUND, ACETYLENE TETRACHLORIDE RESISTANT [VALIDATION DATE: 6508] USER: MR REVIEWER: IS	A FORG	MR	05-JUN-87	MR
L	MIL-T-13918D	PANEL, TELEPHONE, SWITCHBOARD (PANEL BD-132( ))	A 5180	GL	25-JUN-87	GL
L	MIL-C-13924C(1)	TABLE, WORK, MAINTENANCE REVIEWER: CS ME MI	A MFPP	NR	30-SEP-87	NR
L	MIL-F-13926B(5)	TUBE, STEEL, SEAMLESS, FOR CANNONS AND RECOILLESS RIFLES	A 12GP	AR	08-JUL-91	AR
L	MIL-F-13927A(3)	TOOL KIT, VALVE SEAT RING INSERTER [VALIDATION DATE: 8706] USER: AT CE MC ME SH	A 685G	AT	25-APR-83	AT
A	MIL-C-13931M(1)	COATING, OXIDE, BLACK, FOR FERROUS METALS USER: 68 AV ME SH REVIEWER: 99	A 10GP	AR	29-DEC-92	AR
L	MIL-W-13945D	FIRE CONTROL MATERIEL, MANUFACTURE AND INSPECTION, GENERAL SPECIFICATION FOR	A 6810	EA	13-MAR-88	EA
L	MIL-R-13947B(7)	FUNGUS RESISTANCE TEST, AUTOMOTIVE COMPONENTS USER: ME REVIEWER: EA GS MI	A 9160	GL	14-DEC-77	GL
AQ	MIL-S-13949M	CANNON: GENERAL SPECIFICATION FOR USER: MC OS	A 5820	CR	28-MAY-86	CR
L	MIL-P-13949/2B	SODIUM SULFITE, ANHYDROUS, TECHNICAL [VALIDATION DATE: 8903] REVIEWER: GS MD MI	A 5998	ER	31-MAR-93	ER
L	MIL-P-13949/4C	MAX, HYDROCARBON (FOR ORDNANCE USE) [VALIDATION DATE: 8402] USER: MC OS SH REVIEWER: AR CS MD	A 5999	ER	11-FEB-87	ER
L	MIL-S-13949/5C	RECEIVER, RADIO (RADIO RECEIVER R-390( ))/URR [VALIDATION DATE: 8605] USER: MI REVIEWER: 99	A 5999	ER	28-MAR-89	ER
L	MIL-P-13949/6D	SHEET, PRINTED WIRING BOARD GENERAL SPECIFICATION FOR USER: 19 AT MC ME REVIEWER: 11 85 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
L	MIL-P-13949/7E	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
L	MIL-P-13949/8D	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY DIFUNCTIONAL EPOXY RESIN FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
L	MIL-P-13949/9D	SHEET, PRINTED WIRING BOARD, LAMINATE, BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G6, GLASS BASE, WOVEN, MAJORITY POLY FUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GP, GLASS BASE, NON WOVEN, POLYTETRAFLUOROETHYLENE RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER
		PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GF, GLASS BASE, WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, FLAME RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Machine	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Any	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-P-13949/108	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL G1, GLASS BASE, WOVEN, POLYIMIDE RESIN, HEAT RESISTANT, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	BS	
	MIL-P-13949/11A	PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), GE BASE MATERIAL, GLASS FABRIC, WOVEN, MAJORITY DIFUNCTIONAL EPOXY RESIN PREIMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	BS	
	MIL-P-13949/12A	PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), GF BASE MATERIAL, GLASS FABRIC, WOVEN, MAJORITY DIFUNCTIONAL EPOXY RESIN PREIMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	BS	
	MIL-S-13949/138	SHEET, FOR PRINTED WIRING BOARD, LAMINATED, G1 BASE MATERIAL, GLASS FABRIC WOVEN, POLYIMIDE RESIN PREIMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	16-NOV-88	ER	EC	BS	
	MIL-P-13949/14A	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GY, GLASS BASE, WOVEN, POLYETHYLENEGLYCOL RESIN, FLAME RESISTANT, FOR MICROWAVE APPLICATION, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	BS	
	MIL-S-13949/158	SHEET, PRINTED WIRING BOARD, LAMINATE, METAL-CLAD, BASE MATERIAL AF, ARAMID FABRIC, WOVEN, MAJORITY POLYFUNCTIONAL, FLAME RESISTANT, EPOXY RESIN, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	12-OCT-88	ER	EC	BS	
A	MIL-S-13949/168	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL AF (WOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	28-MAR-93	ER	EC	BS	
	MIL-P-13949/17	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL A1, ARAMID FABRIC WOVEN, POLYIMIDE RESIN, COPPER-CLAD USER: 19 AT MC ME REVIEWER: 11 85 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	17	
	MIL-P-13949/18	PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), BASE MATERIAL GH, GLASS WOVEN, MAJORITY POLYFUNCTIONAL EPOXY RESIN, HOT STRENGTH RETENTION, FLAME RESISTANT, PRE-IMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 85 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	17	
	MIL-P-13949/19	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL Q1, QUARTZ BASE, WOVEN, POLYIMIDE RESIN, HEAT RESISTANT, COPPER-CLAD	A 5999	ER	11-FEB-87	ER	EC	BS	
	MIL-P-13949/20	PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), BASE MATERIAL Q1, QUARTZ BASE WOVEN, POLYIMIDE RESIN, HEAT RESISTANT PREIMPREGNATED (B-STAGE)	A 5999	ER	11-FEB-87	ER	EC	BS	
	MIL-P-13949/21	PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), BASE MATERIAL A1, ARAMID, WOVEN, MAJORITY POLYIMIDE RESIN PREIMPREGNATED (B-STAGE)	A 5999	ER	11-FEB-87	ER	EC	BS	
A	MIL-S-13949/228	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	25-JAN-93	ER	EC	BS	
A	MIL-S-13949/238	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL BF (NONWOVEN ARAMID REINFORCEMENT, EPOXY RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	25-JAN-93	ER	EC	BS	
	MIL-P-13949/24	PLASTIC SHEET, LAMINATED, METAL-CLAD (FOR PRINTED WIRING BOARDS), BASE MATERIAL GM, GLASS BASE WOVEN, TRIAZINE & OR BISMALEIMIDE MODIFIED EPOXY RESIN, COPPER CLAD USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	BS	
A	MIL-S-13949/258	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL CF (NONWOVEN POLYESTER, EPOXY RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	25-JAN-93	ER	EC	BS	
	MIL-P-13949/26	PLASTIC SHEET, LAMINATED, MATERIALS (FOR PRINTED WIRING BOARDS), BASE MATERIAL GM, GLASS BASE WOVEN, TRIAZINE & OR BISMALEIMIDE MODIFIED EPOXY RESIN PREIMPREGNATED (B-STAGE) USER: 19 AT MC ME REVIEWER: 11 AR AS ES MI OS SH	A 5999	ER	11-FEB-87	ER	EC	17	
	MIL-S-13949/27	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER 1/ REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	04-OCT-91	ER	EC	BS	
	MIL-S-13949/28	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL SC (WOVEN S-2 GLASS FIBER 1/ REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	04-OCT-91	ER	EC	BS	
	MIL-S-13949/29	SHEET, PRINTED WIRING BOARD, LAMINATED, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT, METAL CLAD OR UNCLAD) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	04-OCT-91	ER	EC	BS	
	MIL-S-13949/30	SHEET, PRINTED WIRING BOARD, PREPREG, BASE MATERIAL GC (WOVEN E-GLASS REINFORCEMENT, MAJORITY CYANATE ESTER RESIN, FLAME RESISTANT) USER: 19 AT MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5998	ER	04-OCT-91	ER	EC	BS	
L1	MIL-R-13963A(1)	RADIO SET AN/TRC-29( ) (COMPONENTS OF) REVIEWER: 99	A 5820	CR	03-APR-89	CR			
L	MIL-B-139658	BANDOLEER, M1 (VALIDATION DATE: 8603)	A 1305	AR	13-MAR-86	AR			
	MIL-C-13984C	CAN, WATER, MILITARY, 5 GALLON (19 L) REVIEWER: 84 GS MD	A 7240	GL	15-DEC-86	GL	MC	99	
	MIL-S-13985C	SODIUM HYDROSULFITE, ANHYDROUS, TECHNICAL (VALIDATION DATE: 8903)	A 6810	EA	14-MAR-89	EA		68	
	MIL-C-13998H	REVIEWER: GS MD							
A L	MIL-C-14003A	CAP, SERVICE, WOOL, ARMY GREEN 44 USER: 45 REVIEWER: MD	A 8405	CT	17-MAR-82	GL		CT	
	MIL-C-14003A	CAP, BLASTING, SPECIAL (VALIDATION DATE: 8805) USER: MC ME	A 1375	AR	20-MAY-88	AR	OS		
L	MIL-C-00140038	NOTICE 1							
	MIL-S-14022A(1)	CAPS, BLASTING, SPECIAL (VALIDATION DATE: 9109)	A 1375	AS	24-SEP-91	AC			
L	MIL-S-14022A(1)	SODIUM PERBORATE, TETRAHYDRATE REVIEWER: GS MD	A 6810	EA	14-NOV-83	EA			
L	MIL-C-140248	CANISTER, SMOKE, WP, 5-INCH PROJECTILE, MC, COMPONENTS FOR	A 1320	EA	21-JUL-86	EA			
L	MIL-C-14027A(1)	NOTICE 1							
A L	MIL-B-14036E	CANNON, 155MM HOWITZER, M45 (VALIDATION DATE: 8103)	A 1025	AR	30-OCT-64	AR			
	MIL-T-14038K	BRACKET, OUTBOARD MOTOR, BOW ATTACHMENT; 12-TON PNEUMATIC HALF FLOAT REVIEWER: MC	A 5420	ME	15-JUL-92	ME			
D	MIL-C-14041B(4)	TENT, GENERAL PURPOSE, LARGE USER: YDI REVIEWER: 82 MD	A 8340	CT	16-SEP-91	GL	MJ	99	CT
L	MIL-A-14053C	CARRIER, HOSPITAL PROTECTOR HEADPIECE, M12 REVIEWER: GS	A 4240	EA	20-MAY-87	EA			
	MIL-C-14055E(1)	ANTENNA AT-450/ARC (VALIDATION DATE: 8605) REVIEWER: ES	A 5821	CR	14-MAY-86	CR			
DQL	MIL-T-14058G	NOTICE 1							
	MIL-A-14064C	CLIP, HYDRAULIC BRAKE ACTUATING CYLINDER, SYNTHETIC RUBBER (VALIDATION DATE: 8606) USER: MC YDI REVIEWER: 85 AR CS	A 2530	AT	27-JUN-86	AT			
L	MIL-P-14067B(3)	TENT LINER, GENERAL PURPOSE, LARGE, FIRE, WATER AND MILDEW RESISTANT USER: 45 ER YDI REVIEWER: 82 MD	A 8340	CT	21-NOV-88	GL	MJ	99	CT
L	MIL-F-14072D	ADHESIVE: GRINDING DISK (VALIDATION DATE: 8908) USER: EL ME MI	A 8040	MR	02-AUG-89	MR			
	MIL-C-14076B	POWDERS, METAL (FOR USE IN AMMUNITION) (VALIDATION DATE: 8907) USER: MI	A 6810	AR	13-JUL-89	AR			
L	MIL-P-14100	REVIEWER: EA GS OS							
L	MIL-S-14102D	FINISHES FOR GROUND BASED ELECTRONIC EQUIPMENT USER: 99 ME REVIEWER: CR EA	A 8440	ER	04-OCT-90	ER			
	MIL-P-14105C	EC MC MI MR TD							
D	MIL-S-14105C	CLEANING ELEMENT, PIPELINE FLUID PRESSURE BRUSH TYPE, REVIEWER: CS	A 4940	ME	25-OCT-83	ME			
		PRIMERS, STAB TYPE LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010) REVIEWER: EA	A 1390	AR	31-OCT-90	AR			
		SPRAYERS, INSECTICIDE, MANUALLY CARRIED HAND OPERATED COMPRESSION USER: 99	A 3740	CS	18-OCT-82	YDI		CS	
		CG REVIEWER: MD MS							
		PAINT, HEAT-RESISTING (FOR STEEL SURFACES) (VALIDATION DATE: 8311) USER: AT MC REVIEWER: EA MD MI MR	A 8010	ME	01-NOV-73	ME	YDI	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Ctrl / Cmk Coordination Inclusion Document Number	Document Title	Dist Sent FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
L	MIL-G-141068	GENERATOR, DIRECT CURRENT, G-43C ( )/G (HAND CRANKED) (INACTIVE FOR NEW DESIGN) REVIEWER: GS	A 6115	CR	10-APR-87	CR
Q	MIL-L-14107C NOTICE 1	LUBRICATING OIL, WEAPONS, LOW TEMPERATURE (VALIDATION DATE: 8705) USER: AT ME REVIEWER: AV GS PS WV	A 9150	AR	28-MAY-87	AR OS 11
QL	MIL-L-14107C(12)	LUBRICATING OIL, WEAPONS, LOW TEMPERATURE (VALIDATION DATE: 8705) B, B -DIHYDROXYDIETHYL SULFIDE REVIEWER: GS MD	A 9150	AR	31-JAN-79	AR
L	MIL-D-14130A	THEODOLITES, SURVEYING, DIRECTION: SECOND ORDER USER: 82 MC REVIEWER: GS	A 6810	EA	26-FEB-86	EA
L	MIL-T-14132G	PRIMER, STAB M106 PARTS FOR, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8707)	A 6675	ME	07-MAY-91	ME 99
L	MIL-P-14137B NOTICE 1	PRIMER, STAB M72 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8803)	A 1375	AR	22-MAR-88	AR
L	MIL-P-14139A(1) NOTICE 1	DETONATOR, FLASH, M80 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1375	AR	12-MAY-87	AR
L	MIL-D-14140C NOTICE 1	TELEPHONE SET TA-105-FTC (VALIDATION DATE: 8606) REVIEWER: 99	A 5805	CH	06-JUN-86	CR 17
L	MIL-T-14147A(2)	TEST FACILITIES KIT, TELEPHONE CARRIER MK-155 ( )/TCC (INACTIVE FOR NEW DESIGN) REVIEWER: CT	A 6625	CR	22-APR-86	CR
L	MIL-R-14148A NOTICE 1	ROCKET, 3.5-INCH MEAT, M35; PRACTICE, M36; MOTOR METAL PARTS ASSEMBLY (VALIDATION DATE: 9101)	A 1340	AR	03-OCT-91	AR
L	MIL-B-14154E	BORING MACHINE, CAM AND MAIN BEARING, PORTABLE USER: MC REVIEWER: 82	A 4910	AL	30-MAR-92	AL 99
L	MIL-L-14161 NOTICE 2	LOADING WITH MBX COMPOSITIONS (VALIDATION DATE: 8505)	A 1376	AR	12-JAN-62	AR
L	MIL-F-14187D	FASTENER, REFRIGERATOR PANEL (VALIDATION DATE: 8601) USER: MC MD REVIEWER: JS	A 5325	GL	30-JUN-80	GL 99
L	MIL-S-14195A NOTICE 2	STYRENE MONOMER REVIEWER: GS MR	A 9330	OS	06-DEC-90	OS
D	MIL-C-14200C	CONTAINERS, SHIPPING AND STORAGE: METAL, REUSABLE; FOR ENGINES, TRANSMISSIONS, DIFFERENTIALS, TRANSFERS, AND SIMILAR ASSEMBLIES (METRIC) USER: GL ME REVIEWER: 84 MC SM	A 8145	AT	10-NOV-88	AT YD 99
A L	MIL-S-14210C	SOCKS, MEN S, NYLON AND COTTON, KNEE-LENGTH, STRETCH-TYPE (VALIDATION DATE: 8601) USER: CG	A 8440	CT	10-JUN-80	MU CT
L	MIL-P-14232E(2) NOTICE 2	PARTS, EQUIPMENT AND TOOLS FOR ARMY MATERIEL, PACKAGING OF (VALIDATION DATE: 9202) REVIEWER: AR EA MC ME MI SM	A PACK	AT	28-FEB-92	AT
L	MIL-P-14236	PACKAGING OF OIL, M3 SERIES, M6A1 OR M6A1E1 (VALIDATION DATE: 8504) REVIEWER: MI SM	A 1290	AV	27-JAN-56	AV
L	MIL-C-14242B(3) NOTICE 1	CABLE ASSEMBLY, FUZE CONTROL (VALIDATION DATE: 8703)	A 1325	AS	19-MAR-87	AS
L	MIL-G-14243D	GASKET: COMBINATION OF METAL, AND NONASBESTOS FACING MATERIAL REVIEWER: CS	A 2805	AT	26-APR-89	AT MC
L	MIL-S-14249C	STRAIGHTEDGE, RADIAL LINE, SLOTTED TEMPLT, REVIEWER: GS	A 6675	ME	04-AUG-81	ME
L	MIL-F-14252(2) NOTICE 2	FIRE CONTROL MATERIEL, GENERAL SPECIFICATION GOVERNING THE DESIGN AND INSPECTION OF, (VALIDATION DATE: 8104) REVIEWER: MI	A 12GP	AR	24-FEB-59	AR
L	MIL-M-14253E	HONING MACHINE, HORIZONTAL, WET TYPE USER: ME REVIEWER: GS	A 3419	AL	20-MAY-85	AL
MQ	MIL-F-14256F	FLUX, SOLDERING, LIQUID, PASTE FLUX, SOLDER PASTE AND SOLDER-PASTE FLUX, (FOR ELECTRONIC/ELECTRICAL USE), GENERAL SPECIFICATION FOR USER: 80 AS MC OS YD1 REVIEWER: 84 99 CR GS IP MI SM	A 3439	ER	26-APR-93	ER EC 11
L	MIL-D-14258A NOTICE 1	DRUM, FIBER, 20-GALLON CAPACITY, FOR CHEMICALS USER: GL MI REVIEWER: GS	A 8110	EA	21-JUL-86	EA
L	MIL-C-14264A	CALCIUM PHOSPHATE, TRIBASIC, TECHNICAL (VALIDATION DATE: 8501) REVIEWER: AR GS	A 6810	EA	28-NOV-78	EA 68
L	MIL-S-14268A NOTICE 1	SLING ASSEMBLY, HEAD HANDLING, 762MM ROCKET, M6 (VALIDATION DATE: 9101) REVIEWER: MI	A 1055	AR	17-JAN-91	AR
L	MIL-M-14274A NOTICE 1	MULTIPLIER, ELECTRICAL INSTRUMENT TS-265/UP (VALIDATION DATE: 8606)	A 6625	CR	06-JUN-86	CR
Q	MIL-R-14293A(4)	RESISTOR, FIXED, HIGH MEGOHM (HERMETICALLY SEALED) (INACTIVE 9-9-70) (VALIDATION DATE: 8301) USER: MC REVIEWER: 17 99 ES MI	A 5905	ER	16-AUG-76	ER EC 85
L	MIL-I-14303E NOTICE 1	IGNITER, BOMB, MP, AM-M23A1; COMPONENTS FOR (VALIDATION DATE: 9109) REVIEWER: SM	A 1325	AS	25-SEP-91	AR AS
L	MIL-P-14313D(2) NOTICE 1	PISTOLS AND REVOLVERS, PACKAGING OF USER: MC OS REVIEWER: SM	A 1005	AR	05-MAR-90	AR 84
L	MIL-R-14328B	RUBBER SHEET, SYNTHETIC, MEDIUM SOFT, GENERAL PURPOSE GASKET MATERIAL (FOR EXTREME CLIMATIC CONDITIONS) (VALIDATION DATE: 8112) REVIEWER: AR AV IS MD	A 5330	ME	12-DEC-75	ME
L	MIL-R-14330A	RIFLE, AUTOMATIC, CAL. .30, BROWNING M1918A2, PACKAGING OF (VALIDATION DATE: 8405) USER: MC	A 1005	AR	28-JUN-57	AR OS
L	MIL-C-14334	COMPOSITION, TRACER, R-45 IGNITER, K-29 (VALIDATION DATE: 8505)	A 1370	AR	06-JUL-56	AR
L	MIL-R-14346A(3)	RESOLVER, ELECTRICAL, AC REVIEWER: EL ES MI	A 5990	AR	26-OCT-84	AR
D	MIL-T-14358C	TELEPHONE SET TA-312 ( )/PT USER: MC REVIEWER: 17 80 MI	A 5805	CR	07-SEP-89	CR YD 99
L	MIL-T-14358C(11)	TELEPHONE SET TA-312 ( )/PT	A 5805	CR	12-DEC-91	CR
A	MIL-L-14362G	LUMBER: UNITIZING AND LOADING OF REVIEWER: 84 CS SM	A 5510	ME	15-DEC-92	ME 99
L	MIL-R-14364F	ROLLER, RUBBERIZED, PNEUMATIC, BRIDGE ERECTION REVIEWER: CS	A 5420	ME	18-MAR-85	ME MC
A	MIL-C-14366E	CLOTH, COATED, NYLON TWILL (ONE SIDE COATED) REVIEWER: 11 82 MC MD	A 8305	CT	18-JUN-86	GL MU 99
DQ	MIL-C-14370D(1)	COMPRESSOR, RECIPROCATING, POWER DRIVEN, OPEN-TYPE, FOR USE WITH REFRIGERANT 12 (VALIDATION DATE: 8303) USER: CG SM REVIEWER: CE MC ME	A 4130	GL	15-SEP-78	GL YD 99
L	MIL-S-14374C NOTICE 1	SILICA GEL, IRON FREE (VALIDATION DATE: 8904) REVIEWER: GS	A 6810	EA	04-APR-89	EA
L	MIL-C-14381A(4)	CASES, FIRE DIRECTION SET, ARTILLERY	A 1290	AR	22-MAY-91	AR
D	MIL-T-14382W	TRUCK, AMBULANCE, GASOLINE ENGINE DRIVEN, 10,500 POUNDS GUM, 4 X 4, 4 LITTER (COMMERCIAL, FIELD TYPE) REVIEWER: 84 MC MD	A 2310	AT	22-MAR-85	AT YD 99
L	MIL-C-14383D NOTICE 1	CANNON, 106MM RECOILLESS RIFLE, M206 AND M206A1 (VALIDATION DATE: 8706) USER: MC	A 1015	AR	03-JUN-87	AR
L	MIL-C-14384D	CANNON, 105MM HOWITZER, M242	A 1015	AR	07-APR-89	AR
L	MIL-C-14385D	CANNON, 40MM DUAL AUTOMATIC GUN, M241 AND CLIP, CHARGER, M3	A 1010	AR	09-DEC-91	AR
Q	MIL-C-14409D(4) SUPPL 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), GENERAL SPECIFICATION FOR (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS	A 5910	ER	22-APR-81	ER EC 84
L	MIL-C-14409/1A NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC35 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: ES	A 5910	ER	09-JUN-69	ER EC 85
L	MIL-C-14409/3B NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC37 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS	A 5910	ER	15-APR-75	ER EC 85
L	MIL-C-14409/4B NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE P38 AND PC48 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES	A 5910	ER	05-OCT-70	ER EC 85
L	MIL-C-14409/5C NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC39 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES	A 5910	ER	15-MAR-73	ER EC 85
L	MIL-C-14409/6A NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLES PC40, PC46, AND PC50 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS	A 5910	ER	09-JUN-69	ER EC 85
L	MIL-C-14409/7B NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLES PC41 AND PC51 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: OS AS ES MI	A 5910	ER	05-OCT-70	ER EC 85
L	MIL-C-14409/7B NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLES PC42 AND PC52 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS	A 5910	ER	09-JUN-69	ER EC 85
L	MIL-C-14409/7E NOTICE 1	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC43 (VALIDATION DATE: 8708) USER: CG MC REVIEWER: AS ES OS	A 5910	ER	11-MAY-81	ER EC 85
L	MIL-C-14409/10A	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER) STYLE PC44 (VALIDATION DATE: 8110) USER: CG MC REVIEWER: ES	A 5910	ER	09-JUN-69	ER EC 85
L	MIL-C-14409/12F	CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC25 AND PC31 USER: CG MC REVIEWER: AS ES OS	A 5910	ER	02-JUN-92	ER EC 85
L	MIL-C-14409/13K NOTICE 1	CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC26 (VALIDATION DATE: 8808) USER: CG MC REVIEWER: AS ES OS	A 5910	ER	17-AUG-88	ER EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Cntrl / OMA	Document	Document Title	Dist	Smt	FSC / Area	MCA Symbol	Preparing Acty	Date	Custodians			
										Army	Navy	Air Force	DIA
A		MIL-C-14409/14H	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC27, PC28, AND PC29 REVIEWER: ES	A	5910	85	05-JUN-92	ER	EC	85			
		MIL-C-14409/15F	CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC30, PC32, AND PC34 [VALIDATION DATE: 8808] USER: CG MC REVIEWER: AS ES OS	A	5910	ER	17-AUG-88	ER	EC	85			
L		MIL-C-14409/16D	CAPACITOR, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC21, PC22, PC23, AND PC24	A	5910	85	27-JUL-90			85			
		MIL-C-14409/17	CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLE PC17 [VALIDATION DATE: 8808] USER: CG MC REVIEWER: AS ES OS	A	5910	ER	17-AUG-88	ER	EC	85			
A		MIL-C-14409/18B	CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC18 AND PC46 USER: CG MC REVIEWER: AS ES OS	A	5910	ER	11-JAN-93	ER	EC	85			
A		MIL-C-14409/19B	CAPACITORS, VARIABLE (PISTON TYPE, TUBULAR TRIMMER), STYLES PC19 AND PC47 USER: CG MC REVIEWER: AS ES OS	A	5910	ER	11-JAN-93	ER	EC	85			
L		MIL-W-14411C	NICKEL-IRON ALLOY, HIGH MAGNETIC PERMEABILITY SHEET, STRIP, ROD, BAR, AND WIRE [VALIDATION DATE: 8901] REVIEWER: AR IS MI	A	9535	MR	24-JAN-89	MR					
L		MIL-T-14442D	TANK, FUEL, ENGINE: NONMETALLIC, NON-SELF SEALING, FOR MILITARY VEHICLES REVIEWER: ME	A	2910	AT	28-JUN-90	AT					
L		MIL-G-14451B(1)	GUN, SUBCALIBER, CALIBER .30; MG	A	1005	AR	15-APR-87	AR					
L		MIL-F-14452A	FILTER UNIT, GAS PARTICULATE, HOSPITAL SIX-PAK, 12 CFM, M7A1 [VALIDATION DATE: 8504] REVIEWER: GS	A	4240	EA	30-NOV-67	EA					
		MIL-C-14460C	CORROSION REMOVING COMPOUND, SODIUM HYDROXIDE BASE, FOR ELECTROLYTIC OR IMMERSION APPLICATION [VALIDATION DATE: 8908] USER: AR REVIEWER: 11 GS MI SA SH	A	6850	MR	03-AUG-89	MR	AS	68			
		MIL-P-14462A(3)	PROTRACTOR, FAN, RANGEDEFLECTION, ALUMINUM, GRADUATED IN MILS AND METERS [VALIDATION DATE: 8301] REVIEWER: ME	A	1290	AR	15-JUL-77	AR	MC	99			
L		MIL-L-14465C	LIGHTS, COMPOSITIL, VEHICULAR (METRIC) USER: MC ME REVIEWER: GS	A	6220	AT	09-NOV-88	AT					
L		MIL-C-14468	CONVERTER, TELEPHONE SIGNAL (CONVERTER 1A-187( )/U)	A	5805	CM	03-APR-89	CM					
L		MIL-C-14470A	CONVERTER, SIGNAL DATA CV-395(U) [VALIDATION DATE: 7201]	A	5815	CM	27-JAN-61	CM					
L		MIL-C-14505D(1)	CLOTH, NYLON, POLYCHLOROPRENE-COATED (FOR PNEUMATIC FLOATING EQUIPMENT) USER: B2 REVIEWER: CT GL MD	A	8305	ME	29-APR-92	ME			11		
L		MIL-H-14506E	MOSE, FOR FILTER UNITS USER: MC REVIEWER: 99 CS GS	A	4240	EA	08-JAN-70	EA					
L		MIL-H-0014506G(3)	MOSE, AIR DUCT, FOR FILTER UNITS USER: B4 MC	A	4240	EA	19-SEP-91	EA					
L		MIL-F-14512D	FILTER, GAS, M12A1 REVIEWER: GS	A	4240	EA	19-MAY-64	EA					
A		MIL-F-0014512J(1)	FILTER, GAS, 12 CFM, M12A1/M12A2	A	4240	EA	23-APR-92	EA					
L		MIL-P-14514C	PUMPS, CENTRIFUGAL, SELF-PRIMING, FRAME-MOUNTED, 1-1/2-INCH, 65-GPM AT 50 FEET TOTAL HEAD (FOR WATER) REVIEWER: B4 CS	A	4320	ME	18-AUG-87	ME			99		
L		MIL-P-14514G(12)	PUMPS, CENTRIFUGAL, SELF-PRIMING, FRAME MOUNTED, 1-1/2-INCH, 65-GPM AT 50 FEET TOTAL HEAD (FOR WATER)	A	4320	ME	25-SEP-91	ME					
D		MIL-H-14516E	HEATER, SPACE, OIL FIRED 70,000 BTU PER HOUR, THEATER OF OPERATIONS TYPE USER: MC REVIEWER: B4 CS ME	A	4320	GL	30-DEC-87	GL	YD1	99			
A		MIL-C-14518E	CONNECTOR, BRIDLE LINE, SHEAVE TYPE USER: MC REVIEWER: CS SH	A	5420	ME	06-NOV-92	ME					
D		MIL-L-14519C	LIMESTONE, PULVERIZED [VALIDATION DATE: 8403] USER: YD1 REVIEWER: GS	A	6810	ME	22-JUN-78	ME			68		
A		MIL-L-14519C(11)	LIMESTONE, PULVERIZED	A	6810	ME	16-JUN-92	ME					
L		MIL-T-14521E	TRESTLES, MOTOR VEHICLE MAINTENANCE AND STORAGE (VEHICLE SUPPORT STANDS) USER: AT REVIEWER: ME	A	4910	AL	05-OCT-90	AL	AS	99			
L		MIL-C-14522D	COMPONENT, PREFABRICATED STRONG ROOM, PORTABLE, FOR SMALL ARMS AND EQUIPMENT REVIEWER: B4 CS	A	5450	GL	20-MAR-87	GL					
L		MIL-P-14536	POLYISOBUTYLENE BINDER [VALIDATION DATE: 8301] REVIEWER: GS	A	6810	AR	12-JUN-57	AR					
D		MIL-T-14537G	TRUCK, LIFT, WHEEL USER: MC REVIEWER: SH	A	4910	AL	16-JUN-89	AL	YD1	99			
L		MIL-C-14538C	CHROMIUM PLATING, BLACK (ELECTRODEPOSITED) [VALIDATION DATE: 8907] USER: MI REVIEWER: AL AR	A	5136	MC	07-AUG-73	GL	MC	99			
A		MIL-D-14543B	DIE, RETREADING, AXLE [VALIDATION DATE: 7907] USER: GS	A	8465	CT	25-JAN-88	GL	MC	99			CT
L		MIL-C-14550B(3)	MAINTENANCE KIT, COLD WEATHER, INSULATED BOOT-PNEUMATIC MATTRESS [VALIDATION DATE: 8801] USER: CG REVIEWER: MC	A	5136	MC	07-AUG-73	GL	MC	99			
L		MIL-F-14552	COPPER PLATING (ELECTRODEPOSITED) USER: MI OS REVIEWER: EC IS SH	A	5136	MC	07-AUG-73	GL	MC	99			
OL		MIL-P-14553C	FIRE CONTROL SYSTEM REQUIREMENTS FOR GUN, 155-MM, SELF-PROPELLED, M53 AND HOWITZER, 8-INCH, SELF PROPELLED M55, [VALIDATION DATE: 8504]	A	1230	AR	30-JUN-57	AR					
D		MIL-D-14559C	PRIMER COATING, DIPPING AUTOMOTIVE [VALIDATION DATE: 8512] USER: AT REVIEWER: EA MI	A	8010	ME	13-NOV-72	MR					
L		MIL-L-14576F	OIL GUN, PNEUMATIC USER: MC REVIEWER: AR CS MD	A	4930	ME	13-AUG-81	ME	YD1	99			
L		MIL-P-14574B	SPRAY OUTFIT, PAINT, FOR USE WITH STRIPPABLE COMPOUND USER: SH REVIEWER: CS	A	4940	AL	26-SEP-85	AL					
D		MIL-L-14576F	PACKING (WIPER RING), SYNTHETIC RUBBER, CLOTH INSERTION [VALIDATION DATE: 8908] REVIEWER: AR	A	5330	MR	03-AUG-89	MR					
L		MIL-L-14580C	LATHE, ARMATURE AND UNDERCUTTER REVIEWER: B2 CS	A	4940	AL	24-MAR-89	AL			99		
L		MIL-C-14583A(1)	FERRIC CHLORIDE, AMHYDROUS, CRYSTALLINE, TECHNICAL [VALIDATION DATE: 8206] USER: MC REVIEWER: EA GS MD MI	A	6810	ME	25-FEB-75	ME	YD1	68			
L		MIL-W-14586A	CANISTER, SMOKE, WP, 5-INCH PROJECTILE, MS	A	1320	EA	21-JUL-86	EA					
L		MIL-P-14591D	WARHEAD, 5 INCH ROCKET, SMOKE, WP, MK 39, MOD 0, FILLING ASSEMBLY [VALIDATION DATE: 8006]	A	1340	EA	12-OCT-60	EA	OS				
L		MIL-R-14593A	PLASTIC FILM, NONRIGID, TRANSPARENT [VALIDATION DATE: 9104] USER: AR AT REVIEWER: GS ME	A	9330	MR	08-APR-91	MR					
D		MIL-R-14601F(1)	WIRE, RESISTANCE, ENAMELED [VALIDATION DATE: 8303] USER: AT REVIEWER: IS MI	A	6145	AR	24-JUN-65	AR					
L		MIL-T-14605A	RANGE AND ACCESSORY OUTFITS, FIELD, GASOLINE USER: SA REVIEWER: B4 GS MC MD TS	A	7360	GL	14-DEC-88	GL	YD1	99			
D		MIL-T-14608C	TRANSFORMER UNIT [VALIDATION DATE: 8808] REVIEWER: ES MI	A	5950	EA	18-AUG-88	EA					
A		MIL-C-14610C	TANKS, TESTING, TIRE AND TUBE USER: ME REVIEWER: B2 CS MC	A	4910	AL	22-JUN-92	AL	YD1	99			
A		MIL-C-14613A(1)	COVERALLS, EXPLOSIVES HANDLERS' USER: 45 CG OS REVIEWER: 11 B2 AS MD	A	8415	CT	17-OCT-88	GL	MC	99			CT
A		MIL-S-14630B	CHARGER, BOLT, CAL. .50 MACHINE GUN, M10	A	1005	AR	09-NOV-92	AR					
L		MIL-P-14631B	STREAMER SET ATTACHMENT, CAMPAIGN AND WAR SERVICE [VALIDATION DATE: 9211] USER: 45 REVIEWER: B2 99 CG CT MC	A	8345	1H	20-NOV-92	1H	MC	11			
L		MIL-P-14631A(11)	PLATE, AUTOMOBILE, INDIVIDUAL: GENERAL SPECIFICATION FOR REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/1A	PLATE, AUTOMOBILE, INDIVIDUAL: GENERAL SPECIFICATION FOR [VALIDATION DATE: 8407]	A	8345	1H	29-APR-74	1H					
L		MIL-P-14631/2B	PLATE, AUTOMOBILE, INDIVIDUAL: PRESIDENT OF THE UNITED STATES REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/3A	PLATE, AUTOMOBILE, INDIVIDUAL: VICE PRESIDENT OF THE UNITED STATES	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/4A	REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/5A	PLATE, AUTOMOBILE, INDIVIDUAL: SECRETARY OF DEFENSE REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/6A	PLATE, AUTOMOBILE, INDIVIDUAL: DEPUTY SECRETARY OF DEFENSE REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/7A	PLATE, AUTOMOBILE, INDIVIDUAL: ASSISTANT SECRETARY OF DEFENSE AND GENERAL COUNSEL, DEPARTMENT OF DEFENSE REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/8A	PLATE, AUTOMOBILE, INDIVIDUAL: CHAIRMAN, JOINT CHIEFS OF STAFF REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/9A	PLATE, AUTOMOBILE, INDIVIDUAL: SECRETARY OF THE ARMY REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/10A	PLATE, AUTOMOBILE, INDIVIDUAL: UNDER SECRETARY OF THE ARMY REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/11A	PLATE, AUTOMOBILE, INDIVIDUAL: ASSISTANT SECRETARY OF THE ARMY REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/12A	CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/13A	PLATE, AUTOMOBILE, INDIVIDUAL: CHIEF OF STAFF, ARMY REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/14A	PLATE, AUTOMOBILE, INDIVIDUAL: VICE CHIEF OF STAFF, ARMY REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/15A	PLATE, AUTOMOBILE, INDIVIDUAL: GENERAL OF THE ARMY REVIEWER: CT	A	8345	1H	05-FEB-92	1H					
L		MIL-P-14631/16A	PLATE, AUTOMOBILE, INDIVIDUAL: GENERAL, U.S. ARMY REVIEWER: CT	A	8345	1H	05-FEB-92	1H					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Ops / CMA Coordination Inactive	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Acty	Date	Custodians Army Navy Air Force DLA
L	MIL-P-14631/14A	PLATE, AUTOMOBILE, INDIVIDUAL: LIEUTENANT GENERAL, U.S. ARMY REVIEWER: CT	A 8345	1H	05-FEB-92	1H
L	MIL-P-14631/15A	PLATE, AUTOMOBILE, INDIVIDUAL: MAJOR GENERAL, U.S. ARMY REVIEWER: CT	A 8345	1H	05-FEB-92	1H
L	MIL-P-14631/16A	PLATE, AUTOMOBILE, INDIVIDUAL: BRIGADIER GENERAL, U.S. ARMY REVIEWER: CT	A 8345	1H	05-FEB-92	1H
L	MIL-P-14631/17A	PLATE, AUTOMOBILE, INDIVIDUAL: VICE CHAIRMAN, JOINT CHIEFS OF STAFF REVIEWER: CT	A 8345	1H	05-FEB-92	1H
L	MIL-P-14631/18A	PLATE, AUTOMOBILE, INDIVIDUAL: UNDER SECRETARY OF DEFENSE REVIEWER: CT	A 8345	1H	05-FEB-92	1H
L	MIL-B-14632C SUPPL 1 1	BADGE, QUALIFICATION, ROTC AND MOCC, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 99 CT	A 8455	1H	25-JUN-91	1H 11
L	MIL-B-14632/18	BADGE, QUALIFICATION, ROTC ACADEMIC ACHIEVEMENT WREATH, ARMY REVIEWER: CT	A 8455	1H	25-JUN-91	1H
L	MIL-B-14632/20	BADGE, QUALIFICATION, STAR, ROTC AND MOCC HONOR UNITS, ARMY REVIEWER: CT	A 8455	1H	29-NOV-91	1H
L	MIL-B-14632/38	BADGE, QUALIFICATION, DISTINGUISHED MILITARY STUDENT, ROTC, ARMY AND AIR FORCE USER: 45 SM REVIEWER: 99 CT	A 8455	1H	14-SEP-90	1H 11
L	MIL-B-14632/4C	BADGE, QUALIFICATION, RACONDO, ROTC, ARMY REVIEWER: CT	A 8455	1H	25-JUN-91	1H
L	MIL-B-14632/58	BADGE, QUALIFICATION, AVIATION, ROTC FLIGHT TRAINING GRADUATE, ARMY REVIEWER: CT	A 8455	1H	25-JUN-91	1H
L	MIL-B-14632/68	BADGE, QUALIFICATION, AVIATION, ROTC FLIGHT TRAINING STUDENT, ARMY REVIEWER: CT	A 8455	1H	25-JUN-91	1H
L	MIL-B-14632/78	BADGE, QUALIFICATION, ROTC ACADEMIC ACHIEVEMENT WREATH, ADDITIONAL, AWARDS, ARMY REVIEWER: CT	A 8455	1H	25-JUN-91	1H
L	MIL-B-14632/88	BADGE, QUALIFICATION, MODEL ROCKETRY, JROTC, AIR FORCE USER: 45 REVIEWER: 99 CT	A 8455	1H	25-JUN-91	1H 11
L	MIL-B-14632/98	BADGE, QUALIFICATION, MISSILEMAN, ROTC, AIR FORCE USER: 45 REVIEWER: 99 CT	A 8455	1H	25-JUN-91	1H 11
L	MIL-B-14632/108	BADGE, QUALIFICATION, PRE-HEALTH, AFROTC USER: 45 REVIEWER: 99 CT	A 8455	1H	25-JUN-91	1H 11
L	MIL-B-14632/118	BADGE, QUALIFICATION, NURSE, AFROTC USER: 45 REVIEWER: 99 CT	A 8455	1H	25-JUN-91	1H 11
L	MIL-C-14633C	CASES, DECORATION, PRESENTATION USER: 45 CG MC REVIEWER: 82 99 CT	A 8455	1H	05-FEB-92	MU 11
L	MIL-P-14634A	PANEL MARKER, RED CROSS, 4 FEET BY 4 FEET (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT MC	A 8345	1H	29-MAY-92	MU 11
A	MIL-C-14635B	COVER, PERSONNEL IDENTIFICATION TAG USER: 45 MS SM REVIEWER: 82 MC MD	A 8465	CT	16-JUL-90	GL MU 99 CT
A	MIL-P-14636C SUPPL 1 1	PLAQUE, DISPLAY AND WALL, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 CT GL	A 9905	1H	02-OCT-92	1H 11
A L	MIL-P-14636/18	PLAQUE, DEPARTMENT OF THE ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A	MIL-P-14636/2C	PLAQUE, DEPARTMENT OF AIR FORCE USER: 45 REVIEWER: 82 99 CT GL	A 9905	1H	14-SEP-92	1H
A	MIL-P-14636/3C	PLAQUE, AIR FORCE RECRUITING SERVICE USER: 45 REVIEWER: 82 99 CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/4A	PLAQUE, JROTC, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/5A	PLAQUE, SHOTC, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/6A	PLAQUE, BRANCH OF SERVICE, ADJUTANT GENERAL'S CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/8B	PLAQUE, NATIONAL GUARD BUREAU, ARMY AND AIR FORCE REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A	MIL-P-14636/9A	PLAQUE, AIR FORCE CHAPLAINS, AIR FORCE USER: 45 REVIEWER: 82 99 CT GL	A 9905	1H	14-SEP-92	1H 11
A L	MIL-P-14636/10A	PLAQUE, BRANCH OF SERVICE, INSPECTOR GENERAL, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/11A	PLAQUE, ARMY COMMUNITIES OF EXCELLENCE REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/12	PLAQUE, BRANCH OF SERVICE, AIR DEFENSE ARTILLERY, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/13	PLAQUE, BRANCH OF SERVICE, ARMOR, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/14	PLAQUE, BRANCH OF SERVICE, ARMY MEDICAL SPECIALIST, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/15	PLAQUE, BRANCH OF SERVICE, ARMY NURSE CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/16	PLAQUE, BRANCH OF SERVICE, AVIATION, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/17	PLAQUE, BRANCH OF SERVICE, CAVALRY, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/18	PLAQUE, BRANCH OF SERVICE, CHAPLAIN CORPS, ARMY REVIEWER: CT GL	A 9905	1H	29-DEC-92	1H
A L	MIL-P-14636/19	PLAQUE, BRANCH OF SERVICE, CHEMICAL CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/20	PLAQUE, BRANCH OF SERVICE, CIVIL AFFAIRS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/21	PLAQUE, BRANCH OF SERVICE, CORPS OF ENGINEERS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/22	PLAQUE, BRANCH OF SERVICE, DENTAL CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/23	PLAQUE, BRANCH OF SERVICE, FIELD ARTILLERY, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/24	PLAQUE, BRANCH OF SERVICE, FINANCE CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/25	PLAQUE, BRANCH OF SERVICE, INFANTRY, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/26	PLAQUE, BRANCH OF SERVICE, JUDGE ADVOCATE GENERAL'S CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/27	PLAQUE, BRANCH OF SERVICE, MEDICAL CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/28	PLAQUE, BRANCH OF SERVICE, MEDICAL SERVICE CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/29	PLAQUE, BRANCH OF SERVICE, MILITARY INTELLIGENCE, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/30	PLAQUE, BRANCH OF SERVICE, MILITARY POLICE CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/31	PLAQUE, BRANCH OF SERVICE, ORDNANCE CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/32	PLAQUE, BRANCH OF SERVICE, PUBLIC AFFAIRS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/33	PLAQUE, BRANCH OF SERVICE, PSYCHOLOGICAL OPERATIONS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/34	PLAQUE, BRANCH OF SERVICE, QUARTERMASTER CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/35	PLAQUE, BRANCH OF SERVICE, SIGNAL CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/36	PLAQUE, BRANCH OF SERVICE, SPECIAL FORCES, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/37	PLAQUE, BRANCH OF SERVICE, TRANSPORTATION CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A L	MIL-P-14636/38	PLAQUE, BRANCH OF SERVICE, VETERINARY CORPS, ARMY REVIEWER: CT GL	A 9905	1H	14-SEP-92	1H
A	MIL-C-14637A NOTICE 2	CASL, FLAG, INTERMENT (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CG CT MC	A 8345	1H	20-NOV-92	MU 11
L	MIL-I-14639D SUPPL 1 1, NOTICE 1	INSIGNIA, GRADE, ENLISTED PERSONNEL, METAL, ARMY AND AIR FORCE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9206) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	02-JUN-92	1H 11
A L	MIL-I-14639/10	INSIGNIA, GRADE, PRIVATE (E-2), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/20	INSIGNIA, GRADE, PRIVATE FIRST CLASS (E-3), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/30	INSIGNIA, GRADE, CORPORAL (E-4), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/40	INSIGNIA, GRADE, SERGEANT (E-5), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/50	INSIGNIA, GRADE, STAFF SERGEANT (E-6), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/60	INSIGNIA, GRADE, PLATOON SERGEANT (E-7) OR SERGEANT FIRST CLASS (E-7), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/70	INSIGNIA, GRADE, MASTER SERGEANT (E-8), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/80	INSIGNIA, GRADE, FIRST SERGEANT (E-9), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/90	INSIGNIA, GRADE, SERGEANT MAJOR (E-9), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/10E	INSIGNIA, GRADE, COMMAND SERGEANT MAJOR (E-9), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/110	INSIGNIA, GRADE, SPECIALIST 4 (SP-4), ARMY REVIEWER: CT	A 8455	1H	15-JUL-92	1H
A L	MIL-I-14639/15C NOTICE 1	INSIGNIA, GRADE, AIRMAN, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 99
L	MIL-I-14639/16C NOTICE 1	INSIGNIA, GRADE, AIRMAN FIRST CLASS, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 99
L	MIL-I-14639/17B NOTICE 1	INSIGNIA, GRADE, SERGEANT, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 99
L	MIL-I-14639/18B NOTICE 1	INSIGNIA, GRADE, STAFF SERGEANT, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 99
L	MIL-I-14639/19B NOTICE 1	INSIGNIA, GRADE, TECHNICAL SERGEANT, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 11
L	MIL-I-14639/20B NOTICE 1	INSIGNIA, GRADE, MASTER SERGEANT, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 11
L	MIL-I-14639/21B NOTICE 1	INSIGNIA, GRADE, SENIOR MASTER SERGEANT, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 11
L	MIL-I-14639/22B NOTICE 1	INSIGNIA, GRADE, SENIOR MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 99
L	MIL-I-14639/23B NOTICE 1	INSIGNIA, GRADE, CHIEF MASTER SERGEANT, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 99
L	MIL-I-14639/24B NOTICE 1	INSIGNIA, GRADE, CHIEF MASTER SERGEANT WITH FIRST SERGEANT DESIGNATION, AIR FORCE (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT	A 8455	1H	18-MAY-92	1H 99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig./Chk. Combination Inches Document Number	Document Title	Dist. Sent FSC / Area MCA Symbol Preparing Act Date	Custodians	
			Army	Navy Air Force DLA
MIL-I-14639/25B NOTICE 1	INSIGNIA, GRADE, CHIEF MASTER SERGEANT OF THE AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 18-MAY-92 1M	99	
MIL-I-14639/26C NOTICE 1	INSIGNIA, GRADE, DISTINCTIVE DEVICE, FIRST SERGEANT, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 18-MAY-92 1M	11	
MIL-I-14639/27A NOTICE 1	INSIGNIA, GRADE, SENIOR AIRMAN, AIR FORCE [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 18-MAY-92 1M	11	
A L MIL-I-14639/28A MIL-C-14640B NOTICE 1	INSIGNIA, GRADE, SERGEANT MAJOR OF THE ARMY (E-9), ARMY REVIEWER: CT ..... CASE, DECORATION, MEDALLION, PRESENTATION [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 15-JUL-92 1M A 8455 1M 29-MAY-92 1M	11	11
A MIL-A-14641B NOTICE 2	AIGUILLETTE, AF COMMAND BANDS [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 20-NOV-92 1M	11	
A MIL-S-14642A NOTICE 2	SHOULDER BOARD AFOTC CADETS [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 20-NOV-92 1M	11	
MIL-T-14643B NOTICE 1	TAG, IDENTIFICATION, INDIVIDUAL, PLASTIC, AIR FORCE .....	A 8455 1M 28-APR-89 1M	11	
A L MIL-D-14644 NOTICE 1	DECORATIONS PRESIDENTIAL MEDAL OF FREEDOM WITH DISTINCTION AND PRESIDENTIAL MEDAL OF FREEDOM [VALIDATION DATE: 9211]	A 8455 1M 04-NOV-92 1M		
A MIL-I-14645B NOTICE 1	INSIGNIA, RANK AND GRADE, SHOULDER MARK, AIR FORCE AND ARMY (EMBROIDERED) [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 20-NOV-92 1M	11	
MIL-I-14646(1) NOTICE 1	INSIGNIA, SHOULDER LOOP, COMBAT LEADER IDENTIFICATION [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 29-MAY-92 1M	11	
A MIL-I-14647A(1) NOTICE 1	INSIGNIA, RANK AND GRADE, SHOULDER MARKS, ROTC CADETS, ARMY AND AIR FORCE (EMBROIDERED) [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 20-NOV-92 1M	11	
A MIL-F-14648A NOTICE 1	FLAGS, ORGANIZATIONAL AND STATUTORY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9211] USER: 45 REVIEWER: 82 99 CT	A 8345 1M 20-NOV-92 1M	11	
MIL-R-14649 SUPPL 1 1, NOTICE 1	ROSETTES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9205] USER: 45 REVIEWER: 82 99 CT	A 8455 1M 29-MAY-92 1M	11	
MIL-R-14649/1A NOTICE 1	ROSETTE, MEDAL OF HONOR USER: 45 REVIEWER: 82 99 CG CT MC .....	A 8455 1M 02-MAY-92 1M MU 11		
MIL-R-14649/3 NOTICE 1	ROSETTE, DISTINGUISHED CIVILIAN SERVICE, DOD [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/4 NOTICE 1	ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, DOD REVIEWER: CT .....	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/5 NOTICE 1	ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, OSD [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/6 NOTICE 1	ROSETTE, DISTINGUISHED CIVILIAN SERVICE, NAVY [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU		
MIL-R-14649/7 NOTICE 1	ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, NAVY [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/8 NOTICE 1	ROSETTE, OUTSTANDING PUBLIC SERVICE AWARD, OSD [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/10 NOTICE 1	ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, NSA [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/11 NOTICE 1	ROSETTE, METAL FOR MERIT [VALIDATION DATE: 9204] REVIEWER: CT .....	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/14 NOTICE 1	ROSETTE, AWARD OF THE PRESIDENT OF THE UNITED STATES FOR DISTINGUISHED FEDERAL CIVILIAN SERVICE [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/15 NOTICE 1	ROSETTE, COMMAND CIVILIAN AWARD FOR VALOR, AIR FORCE [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/16 NOTICE 1	ROSETTE, CIVILIAN AWARD FOR VALOR, AIR FORCE [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/17 NOTICE 1	ROSETTE, EXCEPTIONAL CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] REVIEWER: CT	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/18 NOTICE 1	ROSETTE, MERITORIOUS CIVILIAN SERVICE AWARD, AIR FORCE [VALIDATION DATE: 9204] REVIEWER: CS	A 8455 1M 20-APR-92 1M MU 11		
MIL-R-14649/19 NOTICE 1	ROSETTE, DISTINGUISHED SERVICE MEDAL, AIR FORCE [VALIDATION DATE: 9204] REVIEWER: CS	A 8455 1M 20-APR-92 1M MU 11		
A MIL-S-14650A NOTICE 1	STREAMERS, FLAGS AND GUIDONS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9211] USER: 45 CG REVIEWER: 82 99 CT MC	A 8345 1M 20-NOV-92 1M MU 11		
MIL-S-0014650 NOTICE 1	STREAMER, FLAGS & GUIDONS .....	A 8345 1M 15-SEP-85 1M		
A L MIL-S-14650/1F NOTICE 1	STREAMERS, ARMY SET REVIEWER: CT .....	A 8345 1M 02-OCT-92 1M		
MIL-S-0014650/1F NOTICE 1	STREAMERS, ARMY SET .....	A 8345 1M 15-SEP-85 1M		
MIL-S-14650/2B NOTICE 1	STREAMERS, MARINE CORPS SET USER: MC .....	A 8345 1M 24-MAY-91 1M MU		
MIL-S-14650/3B NOTICE 1	STREAMERS, NAVY SET .....	A 8345 1M 24-MAY-91 1M MU		
A MIL-S-14650/4E NOTICE 1	STREAMERS, AIR FORCE SET USER: 45 REVIEWER: 82 99 CT .....	A 8345 1M 02-OCT-92 1M 11		
A MIL-S-14650/5A NOTICE 1	STREAMERS, UNIT AWARDS USER: 45 REVIEWER: 82 99 CT .....	A 8345 1M 02-OCT-92 1M 11		
MIL-I-14651 NOTICE 1	INSIGNIA, EMBROIDERED, RANK, GRADE AND SERVICE STRIPES, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 MC	A 8455 1M 31-JUL-86 1M MU 11		
L MIL-I-14651(11) NOTICE 1	INSIGNIA, EMBROIDERED, RANK, GRADE AND SERVICE STRIPES GENERAL SPECIFICATION FOR	A 8455 1M 25-NOV-91 1M		
MIL-I-14652A NOTICE 1	INSIGNIA, EMBROIDERED, ORGANIZATIONAL INSIGNIA AND BADGES, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 CT	A 8455 1M 13-MAR-92 1M 11		
A MIL-I-14653 NOTICE 1	INSIGNIA, EMBROIDERED FLAG COMPONENTS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9211] USER: 45 MC REVIEWER: 82 99 CT	A 8455 1M 04-NOV-92 1M MU 11		
A L MIL-I-14654 NOTICE 1	INSIGNIA, DISTINCTIVE UNIT AND SHOULDER LOOP [VALIDATION DATE: 9211] REVIEWER: CT	A 8455 1M 04-NOV-92 1M		
MIL-R-14655 SUPPL 1 1	RIBBON, AWARDS, ROTC AND MDCC, ARMY, GENERAL SPECIFICATION FOR REVIEWER: ER GS	A 8455 1M 29-MAR-89 1M MU 11		
L MIL-R-14655/1 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-1 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/2 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-2 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/3 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-3 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/4 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-4 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/5 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-5 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/6 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-6 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/7 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-7 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/8 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-8 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/9 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-9 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/10 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ACADEMIC R-1-10 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/11 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-1 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/12 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-2 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/13 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-3 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/14A NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-4 REVIEWER: CT .....	A 8455 1M 16-OCT-89 1M		
L MIL-R-14655/15 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-5 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/16 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-6 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/17 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-7 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/18 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-8 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/19 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-9 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/20 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, ATHLETIC R-2-10 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/21 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-1 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/22 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-2 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/23 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-3 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/24 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-4 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/25 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-5 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/26 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-6 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/27 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-7 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		
L MIL-R-14655/28 NOTICE 1	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-8 REVIEWER: CT .....	A 8455 1M 29-MAR-89 1M		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off	CMA Coordination Index	Document Number	Document Title	Dist Smt FIC Area	MCA Symbol	Preparing Agency	Date	Customers			
								Army	Navy	Air Force	DLA
L		MIL-R-14655/29	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-9 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/30	RIBBON, ACHIEVEMENT, SENIOR ROTC, MILITARY R-3-10 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/31	RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-1 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/32	RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-2 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/33	RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-3 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/34	RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-4 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/35	RIBBON, ACHIEVEMENT, SENIOR ROTC, MISCELLANEOUS, R-4-5 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/36	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-1 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/37	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-2 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/38	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-3 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/39	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-4 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/40	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-5 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/41	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-6 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/42	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-7 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/43	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-8 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/44	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-9 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/45	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ACADEMIC, N-1-10 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/46	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-1 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/47	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-2 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/48	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-3 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/49	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-4 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/50	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, ATHLETIC, N-2-5 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/51	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-1 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/52	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-2 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/53	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-3 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/54	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-4 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/55	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-5 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/56	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-6 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/57	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-7 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/58	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-8 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/59	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-9 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/60	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-10 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/61	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-11 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/62	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-12 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/63	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-13 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/64	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-14 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/65	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MILITARY, N-3-15 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/66	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-1 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/67	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-2 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/68	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-3 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/69	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-4 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
L		MIL-R-14655/70	RIBBON, ACHIEVEMENT, JUNIOR ROTC AND NDCC, MISCELLANEOUS, N-4-5 REVIEWER: CT	A 8455	IM	29-MAR-89	IM				
A L		MIL-B-14656	BUCKLE AND CATCH, CEREMONIAL, ARMY REVIEWER: CT GL	A 8315	IM	02-OCT-92	IM				
L		MIL-D-14707(1)	DISCRIMINATOR, ANTI-TANK MINE, M2 AND SPOOL ASSEMBLY (VALIDATION DATE: 8805)	A 1345	AR	20-MAY-88	AR				
L		MIL-F-14715A(1)	FUSE, TIME, M84A1 METAL PARTS FOR	A 1390	AR	22-JUL-87	AR				
A L		MIL-F-14716A(3)	FUSE, TIME, M84A1 LOADING, ASSEMBLING AND PACKING	A 1390	AR	08-SEP-92	AR				
L		MIL-W-14718A(1)	WARHEAD, GUIDED MISSILE, TRAINING, XM237E1, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8804)	A 1336	AR	18-APR-88	AR				
L		MIL-E-14719A	EXTENSION, FUZE, BOMB, M1A1 (M1E1), PARTS FOR (VALIDATION DATE: 8703)	A 1325	AS	02-MAR-87	AS				
L		MIL-I-14729A(2)	INCORPORATE, PROPELLANT, M80A1	A 1375	AR	27-AUG-90	AR				
L		MIL-P-14737(2)	PROPELLANT, M7 (VALIDATION DATE: 8902) REVIEWER: ME	A 1376	AR	02-FEB-89	AR				
L		MIL-W-14742A(3)	WARHEAD SECTION, GUIDED MISSILE, PRACTICE, M220, ASSEMBLING AND PACKING	A 1336	AR	01-JUL-87	AR				
L		MIL-W-14743C(7)	WARHEAD SECTION, GUIDED MISSILE HE, M207 LESS S AND A DEVICE PARTS FOR (VALIDATION DATE: 8301)	A 1336	AR	17-MAR-77	AR				
L		MIL-M-14745(1)	MINDOL 2 COMPOSITION (VALIDATION DATE: 8604)	A 1376	AR	08-APR-86	AR				
L		MIL-W-14746B(2)	WARHEAD, GUIDED MISSILE, HE, M155 LOADING, ASSEMBLING AND PACKING	A 1336	AR	19-NOV-87	AR				
L		MIL-C-14747(5)	CARTRIDGE, 105MM, APERS-T, M494 FOR 105MM GUN M68 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8811)	A 1315	AR	03-NOV-88	AR				
A L		MIL-C-14750B(2)	CARTRIDGE, 60MM, HE, M494A LOADING, ASSEMBLING AND PACKING	A 1310	AR	08-DEC-92	AR				
L		MIL-S-14751	SALT PELLET (FOR USE IN AMMUNITION) (VALIDATION DATE: 8302)	A 1345	AR	10-MAY-68	AR				
L		MIL-L-14758(2)	LEAD AZIDE (SPECIAL PURPOSE) (FOR USE IN AMMUNITION) REVIEWER: EA	A 1345	AR	09-DEC-86	AR				
L		MIL-S-14759	SILICA GEL (FOR USE IN AMMUNITION) (VALIDATION DATE: 8805)	A 1345	AR	20-MAY-88	AR				
L		MIL-S-14760	SILICA (FOR USE IN AMMUNITION) (VALIDATION DATE: 8805)	A 1345	AR	20-MAY-88	AR				
L		MIL-C-14762A(1)	CONTAINER SHIPPING AND STORAGE: M467	A MJOR	AR	14-DEC-90	AR				
L		MIL-E-14776A	EXTENSION, FIN (VALIDATION DATE: 8604)	A 1310	AR	10-APR-86	AR				
L		MIL-M-14779(3)	MAGNESIUM OXIDE, CALCINED (FOR USE IN AMMUNITION)	A 6810	AR	23-NOV-90	AR				
L		MIL-C-14780	CLOTH, SILK, MODRE (FOR USE WITH AMMUNITION) (VALIDATION DATE: 8003)	A 1315	AR	11-JUN-68	AR				
L		MIL-P-14785B	PROJECTILE, 60MM METAL PARTS ASSEMBLY	A 1310	AR	23-NOV-73	AR				
L		MIL-F-14788	FABRICATED PART, SILICONE RUBBER (FOR USE IN AMMUNITION) (VALIDATION DATE: 8203)	A 1345	AR	20-MAY-68	AR				
L		MIL-P-14790	PLASTIC SHEET AND STRIP (POLYOLEFIN) (FOR USE IN AMMUNITION) (VALIDATION DATE: 8805)	A 1345	AR	20-MAY-88	AR				
L		MIL-P-14796(2)	PROCESS OIL (FOR USE WITH AMMUNITION)	A 1375	AR	18-NOV-88	AR				
A L		MIL-S-14799C	SAFETY AND ARMING DEVICE, GUIDED MISSILE: M114, M114E1, AND M114E2	A 1336	AR	21-OCT-92	AR				
L		MIL-S-14799B(16)	LOADING, ASSEMBLING AND PACKING SAFETY AND ARMING DEVICE, GUIDED MISSILE: M114 LOADING, ASSEMBLING AND PACKING	A 1336	MI	19-APR-89	MI				
L		MIL-C-14800	COMPUTER, BALLISTICS, M13A1C	A 1220	AR	20-MAR-87	AR				
L		MIL-R-14801(1)	REMOVER, AIRCRAFT CANOPY, P/N 2218-18 OVERHAUL OF	A 1377	OS	15-JUL-86	OS				
L		MIL-I-14802A	INITIATOR, CARTRIDGE ACTUATED, M3A2, REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70	A 1377	OS	31-JAN-90	OS			99	
M L		MIL-I-14803A(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M30, M32A1, M92, M43A1, AND M120 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377	OS	19-MAR-93	OS				
L		MIL-I-14804(1)	INITIATOR, CARTRIDGE ACTUATED: DELAY M4A1, M12A1, M45A1 AND M49A1 REMANUFACTURED METAL PARTS ASSEMBLY (VALIDATION DATE: 9108)	A 1377	OS	14-AUG-91	OS				
L		MIL-F-14805B(1)	FUZE, M1, M571 ASSEMBLY (VALIDATION DATE: 8402)	A 1390	AR	08-JUN-78	AR				
L		MIL-C-14806A(2)	COATING, REFLECTION REDUCING, FOR INSTRUMENT COVER GLASSES AND LIGHTING WEDGES (VALIDATION DATE: 8705) USER: M1 REVIEWER: 99 AV OS	A 6650	AR	15-MAY-87	AR			11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cntr / Chk Coordination Inches	Document Number	Document Title	Dist. Smt FSC / Ans MCA Symbol	Preparing Date	Custodians			
					Army	Navy	Air Force	DLA
L	MIL-R-14807	REMOVER, AIRCRAFT CANOPY, M8A1 ASSEMBLY .....	A 1377	OS 10-MAR-87	OS			
L	MIL-C-14810(1)	CARTRIDGE, DELAY, XM86, ASSEMBLY .....	A 1377	OS 09-JUN-87	OS			
L	MIL-I-14811(2)	INDICATOR, DIGITAL DISPLAY, B215501 [VALIDATION DATE: 8303] .....	A 1290	AR 27-OCT-70	AR			
L	MIL-A-14812	ACTUATOR, CREW EJECTION 1000-42 ASSEMBLY .....	A 1377	OS 10-MAR-87	OS			
L	MIL-A-14813	ACTUATOR, CREW EJECTION 1000-42 REMANUFACTURED METAL PARTS ASSEMBLY .....	A 1377	OS 10-MAR-87	OS			
L	MIL-C-14814B(3)	CARTRIDGE, IMPULSE, M270 [VALIDATION DATE: 9108] .....	A 1377	OS 14-AUG-91	OS			
L	MIL-P-14818(1)	POWER SUPPLY, 10512499 [VALIDATION DATE: 8303] .....	A 1290	AR 13-OCT-70	AR			
L	MIL-A-14819(1)	AMPLIFIER, AUDIO FREQUENCY, 10512508 [VALIDATION DATE: 8303] .....	A 1290	AR 13-JUL-70	AR			
L	MIL-D-14820	DELAY ELEMENT, CARTRIDGE, XM43 ASSEMBLY [VALIDATION DATE: 8204] .....	A 1377	OS 22-JUL-69	OS			
L	MIL-R-14821	REMOVER, AIRCRAFT CANOPY, M9 REMANUFACTURED METAL PARTS ASSEMBLY .....	A 1377	OS 15-MAR-87	OS			
L	MIL-A-14822(2)	[VALIDATION DATE: 8703] .....						
L	MIL-S-14823A	AMPLIFIER - DETECTOR, 10525674 [VALIDATION DATE: 8303] .....	A 1290	AR 19-OCT-70	AR			
L	MIL-P-14824B(1)	STOP WATCH, MILITARY USER: B2 AS MC OS REVIEWER: ER GS .....	A 6645	AR 24-MAR-88	AR	SH	99	
L	MIL-P-14825A	PROJECTILE, H.E., 155MM, M107 METAL PARTS ASSEMBLY .....	A 1320	AR 15-APR-92	AR			
L	MIL-P-14826(1)	PROJECTILE, 152MM, HEAT, M409 METAL PARTS, LESS FLUTED LINER [VALIDATION DATE: 8505] .....	A 1320	AR 03-APR-72	AR			
L	MIL-D-14827A	DELAY ELEMENT, CARTRIDGE, M24 ASSEMBLY .....	A 1377	OS 14-OCT-86	OS			
L	MIL-P-14829(1)	PROJECTILE, 57MM, HE, M306A1, METAL PARTS ASSEMBLY [VALIDATION DATE: 8505] .....	A 1310	AR 06-JUL-73	AR			
L	MIL-P-14830A(2)	PROJECTILE, 4.2 INCH TACTICAL CS, XM633 METAL PARTS ASSEMBLY [VALIDATION DATE: 8705] .....	A 1315	AR 05-FEB-69	AR			
L	MIL-C-14836A	PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (ALLOY STEEL) .....	A 1315	AR 10-APR-86	AR			
L	MIL-C-14837B(2)	[VALIDATION DATE: 8604] .....						
L	MIL-P-14839(2)	CASE, PROJECTILE, BUNSTER, M8A1 [VALIDATION DATE: 8705] .....	A 1310	AR 05-MAY-72	AR			
L	MIL-B-14841A(1)	BODY ASSEMBLY: B619920 .....	A 1240	AR 17-JUN-91	AR			
L	MIL-C-14842(1)	PROJECTILE, 105MM, SMOKE, BE, M84E1 METAL PARTS ASSEMBLY [VALIDATION DATE: 8705] .....	A 1315	AR 27-MAY-87	AR			
L	MIL-D-14843B	CARTRIDGE, DELAY, XM231, ASSEMBLY .....	A 1377	OS 14-OCT-86	OS			
L	MIL-B-14844B(3)	DELAY ELEMENT, CARTRIDGE, M60 ASSEMBLY .....	A 1377	OS 14-OCT-86	OS			
L	MIL-F-14844B(8)	BODY ASSEMBLY, 10541950 [VALIDATION DATE: 8504] .....	A 1240	AR 28-FEB-72	AR			
L	MIL-F-14845A(4)	HEAD ASSEMBLY: B619900 .....	A 1240	AR 17-JUN-91	AR			
L	MIL-F-14846B(1)	WIPE ASSEMBLY, 10549760, 10538530 AND 10538600 [VALIDATION DATE: 8201] .....	A 1240	AR 01-APR-76	AR			
L	MIL-F-14847B(1)	FUSE, MTSQ, M564 ASSEMBLY LESS BOOSTER PELLET AND CLOSING CUP (LEAD) .....	A 1390	AR 10-JUL-79	AR			
L	MIL-F-14848B(1)	CHANGE [VALIDATION DATE: 8601] .....						
L	MIL-B-14849B	FUZE, MT, M565 ASSEMBLY [VALIDATION DATE: 8808] .....	A 1390	AR 22-AUG-88	AR			
L	MIL-D-14850(1)	BODY ASSEMBLY, B619880 [VALIDATION DATE: 8504] .....	A 1240	AR 31-DEC-71	AR			
L	MIL-G-14851(1)	OSCILLATOR, HIGH VOLTAGE, 10549785 [VALIDATION DATE: 8504] .....	A 1240	AR 20-MAR-73	AR			
L	MIL-P-14852B	GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, M17 METAL PARTS ASSEMBLY .....	A 1377	OS 15-JUL-86	OS			
L	MIL-F-14854A(4)	PROJECTILE, 105MM, ILLUMINATING, M314A3 METAL PARTS ASSEMBLY .....	A 1315	AR 30-NOV-88	AR			
L	MIL-I-14857A	FUSE, MTSQ, M564, ASSEMBLY - LOADING AND PACKING [VALIDATION DATE: 8506] .....	A 1390	AR 17-MAY-79	AR			
L	MIL-C-14858A(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, M31, M42, M72, AND M114 .....	A 1377	OS 30-MAR-90	OS	99		
L	MIL-I-14859	REMANUFACTURED METAL PARTS ASSEMBLY .....						
L	MIL-R-14864(2)	CARTRIDGE, CALIBER .50, REFERENCE .....	A 1305	AR 10-OCT-86	AR			
L	MIL-R-14865(3)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M14, ASSEMBLY [VALIDATION DATE: 8606] .....	A 1377	OS 20-JUN-86	OS			
L	MIL-C-14866(1)	RANGE FINDER, LASER, AN/VVA-1 [VALIDATION DATE: 8504] .....	A 1240	AR 30-MAY-72	AR			
L	MIL-C-14867(1)	RECEIVER-TRANSMITTER, LASER: 10559281 .....	A 1240	AR 30-APR-91	AR			
L	MIL-I-14868(1)	CONTROL, POWER SUPPLY, 10559261 [VALIDATION DATE: 8504] .....	A 1240	AR 30-JUL-73	AR			
L	MIL-I-14869(1)	CONTROL, GUNNERS, LASER RANGING, 10559221 [VALIDATION DATE: 8504] .....	A 1240	AR 30-JUL-73	AR			
L	MIL-I-14870(1)	INDICATOR, DIGITAL, DISPLAY, 10559241 [VALIDATION DATE: 8504] .....	A 1240	AR 30-JUL-73	AR			
L	MIL-C-14871(1)	INDICATOR, COMMAND, DISPLAY, 10559201 [VALIDATION DATE: 8504] .....	A 1240	AR 30-JUL-73	AR			
L	MIL-C-14872(1)	CIRCUIT CARD ASSEMBLY, 10559245 (INDICATOR, DIGITAL, DISPLAY) [VALIDATION DATE: 8504] .....	A 1240	AR 30-JUL-73	AR			
L	MIL-C-14873A(2)	CIRCUIT CARD ASSEMBLY, 10559205 (INDICATOR, COMMAND, DISPLAY) [VALIDATION DATE: 8504] .....	A 1240	AR 17-AUG-73	AR			
L	MIL-C-14874A(1)	CIRCUIT CARD ASSEMBLY, 10559315 (LINE DRIVER) [VALIDATION DATE: 8504] .....	A 1240	AR 17-AUG-73	AR			
L	MIL-C-14875B(1)	CIRCUIT CARD ASSEMBLY, 10559425 TRANSMITTER LOGIC .....	A 1240	AR 03-JUL-91	AR			
L	MIL-C-14876B(1)	COMPONENT ASSEMBLY: 10559404 TRANSMITTER LOGIC .....	A 1240	AR 03-JUL-91	AR			
L	MIL-C-14877(1)	CHASSIS ASSEMBLY: 10559435 PHOTOMULTIPLIER .....	A 1240	AR 03-JUL-91	AR			
L	MIL-A-14878A(1)	CIRCUIT CARD ASSEMBLY: 10559335 AND 11745329 -1600V POWER SUPPLIES .....	A 1240	AR 03-JUL-91	AR			
L	MIL-C-14879(1)	CIRCUIT CARD ASSEMBLY, 10559325 (POWER SUPPLY, LOW VOLTAGE) [VALIDATION DATE: 8504] .....	A 1240	AR 23-AUG-73	AR			
L	MIL-P-14881(2)	AMPLIFIER, VIDEO: 10559445 .....	A 1240	AR 03-JUL-91	AR			
L	MIL-C-14882A(1)	CIRCUIT CARD ASSEMBLY, 10559225 (CONTROL, GUNNERS, LASER RANGING) .....	A 1240	AR 18-OCT-74	AR			
L	MIL-C-14883A(1)	[VALIDATION DATE: 8101] .....						
L	MIL-C-14884(3)	COMPONENT ASSEMBLY: 10559479 TRANSMITTER .....	A 1240	AR 03-JUL-91	AR			
L	MIL-C-14885(1)	POWER SUPPLY, 10559345 (PFM CHARGE) [VALIDATION DATE: 8301] .....	A 1240	AR 17-FEB-77	AR			
L	MIL-C-14886(1)	CIRCUIT CARD ASSEMBLY: 10559295 REPLY GATING .....	A 1240	AR 12-AUG-91	AR			
L	MIL-C-14887(1)	CIRCUIT CARD ASSEMBLY: 10559305 COUNTERS .....	A 1240	AR 12-AUG-91	AR			
L	MIL-I-14888A	CATAPULT, AIRCRAFT EJECTION SEAT: M37 ASSEMBLY [VALIDATION DATE: 9108] .....	A 1377	OS 14-AUG-91	OS			
L	MIL-I-14889	INITIATOR, CARTRIDGE ACTUATED, DELAY M114 ASSEMBLY [VALIDATION DATE: 8606] .....	A 1377	OS 20-JUN-86	OS			
L	MIL-C-14891A(2)	CASE, CARTRIDGE, 106MM, M8431 ASSEMBLY [VALIDATION DATE: 8603] .....	A 1315	AR 12-MAR-86	AR			
L	MIL-C-14892(4)	FIN ASSEMBLY, XM170 .....	A 1315	AR 04-DEC-81	AR			
L	MIL-C-14894(2)	INITIATOR, CARTRIDGE ACTUATED, DELAY XM82 ASSEMBLY [VALIDATION DATE: 8606] .....	A 1377	OS 20-JUN-86	OS			
L	MIL-P-14895A(5)	CIRCUIT CARD ASSEMBLY: 10559285 OR 9360493 SELECT LOGIC .....	A 1240	AR 12-AUG-91	AR			
L	MIL-A-14897	CASE, CARTRIDGE, 105MM, M150B1 .....	A 1315	AR 28-MAR-91	AR			
L	MIL-C-14898	COMPUTER, BALLISTICS, M1381C [VALIDATION DATE: 8602] .....	A 1220	AR 06-NOV-72	AR			
L	MIL-P-14901(1)	PROJECTILE, 8 INCH, M509A1 METAL PARTS ASSEMBLY .....	A 1320	AR 11-APR-91	AR			
L	MIL-A-14902A	ACTUATOR, ROTARY 1000-34 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8808] .....	A 1377	OS 29-AUG-88	OS			
L	MIL-C-14909A(2)	ACTUATOR, ROTARY 1000-34 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] .....	A 1377	OS 20-JUN-86	OS			
L	MIL-P-14910(1)	PROJECTILE, 4.2 INCH: TACTICAL CS, XM633 LOADING, ASSEMBLING AND PACKING .....	A 1315	AR 15-OCT-90	AR			
L	MIL-F-14902A	(FOR CARTRIDGE, TACTICAL CS, XM630) [VALIDATION DATE: 9010] .....						
L	MIL-C-14909A(2)	FIN, ASSEMBLY, 60MM M2 [VALIDATION DATE: 8604] .....	A 1310	AR 10-APR-86	AR			
L	MIL-I-14925A(2)	CARTRIDGE, ILLUMINATING, M301A3 WITH FUZE, TIME M84A1 FOR 81MM MORTARS .....	A 1315	AR 11-MAR-76	AR			
L	MIL-M-14928D	LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8201] .....						
L	MIL-M-14927B(1)	IGNITER ASSEMBLY, M76 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804] .....	A 1336	AR 18-APR-88	AR			
L	MIL-S-14929	MOTOR, ROCKET, LAUNCH, M114 PARTS FOR .....	A 1336	MI 13-SEP-91	MI			
L	MIL-G-14931	MOTOR, ROCKET, LAUNCH, M114 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] .....	A 1336	AR 09-MAY-90	AR			
L	MIL-S-14929	SULFUR, COMMERCIAL GRADE (FOR USE WITH AMMUNITION) [VALIDATION DATE: 8201] .....	A 1175	AR 30-AUG-68	AR			
L	MIL-G-14931	GREASE, SILICONE FOR USE WITH AMMUNITION [VALIDATION DATE: 9008] .....	A 1375	AR 27-AUG-90	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OIA Coordination Initiative	Document Number	Document Title	Dist Sgt.	FAC / Area MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
A L	MIL-G-14933M(3)	GRENADE, HAND, FRAG, DELAY, M67 LOADING, ASSEMBLING AND PACKING .....	A 1330	AR	08-MAR-93	AR				
L	MIL-G-14934	GRENADE, HAND, FRAG, IMPACT, XM68 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8405]	A 1330	AR	06-AUG-68	AR				
L	MIL-G-14935(1)	GRENADE, XM67, SAFETY CLIP FOR [VALIDATION DATE: 8803] .....	A 1330	AR	30-MAR-88	AR				
L	MIL-G-14936(1)	GRENADE, XM68, SAFETY CLIP FOR [VALIDATION DATE: 8804] .....	A 1330	AR	22-APR-88	AR				
L	MIL-G-14939A(2)	CHARGE, PROPELLING, 155MM, M19A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8806]	A 1320	AR	20-JUN-88	AR				
L	MIL-P-14940B(1)	PROPELLANT M6 FOR USE IN CHARGE PROPELLING, M119, 155MM [VALIDATION DATE: 8705]	A 1376	AR	07-DEC-80	AR				
L	MIL-F-14943D(2)	FUSE, GRENADE, HAND, PRACTICE: M228, PARTS FOR, AND LOADING, ASSEMBLING AND PACKING	A 1330	AR	27-JUN-88	AR				
L	MIL-G-14944A	GRENADE, HAND, PRACTICE, DELAY, M69, BODY ASSEMBLY FOR [VALIDATION DATE: 8803]	A 1330	AR	30-MAR-88	AR				
A L	MIL-D-14951A(3)	DELAY ELEMENT M53 LOADING, ASSEMBLING AND PACKING .....	A 1390	AR	26-AUG-92	AR				
L	MIL-W-14960B(1)	WARHEAD, GUIDED MISSILE, HE, M155, AND WARHEAD GUIDED MISSILE, TRAINING M237 PARTS FOR [VALIDATION DATE: 9005]	A 1336	AR	09-MAY-90	AR				
A L	MIL-I-14961(4)	INCREMENTS, PROPELLANT M1A1, M2A1, M3A1, M1B1 AND M1B2 (MADE FROM PROPELLANT, M6)	A 1376	AR	12-OCT-92	AR				
L	MIL-W-14969	WARHEAD, 2.75 INCH ROCKET XM229, (TWO PIECE) PARTS FOR .....	A 1340	AR	10-APR-87	AR				
L	MIL-E-14970B(5)	EXPLOSIVE COMPOSITION A5 [VALIDATION DATE: 8301] REVIEWER: EA .....	A 1376	AR	13-DEC-76	AR	OS	99		
L	MIL-E-0014970C(2)	EXPLOSIVE COMPOSITION A-5 .....	A 1376	AR	12-SEP-89	AR				
L	MIL-G-14971A(3)	GRENADE, HAND, M33, M59, M67 AND M68 METAL PARTS ASSEMBLY FOR [VALIDATION DATE: 8704]	A 1330	AR	09-JUL-75	AR				
L	MIL-C-14972C	CLIP, SHORTING ASSEMBLY, FOR 2.75 INCH ROCKET MOTOR .....	A 1340	MI	25-MAR-92	MI				
A L	MIL-S-14977B	SQUIB, MARK 1 MOD 0 FOR 2.75 INCH ROCKET .....	A 1340	MI	18-SEP-92	MI				
L	MIL-D-14978A(4)	DETONATOR, STAB, M55 LOADING, ASSEMBLING AND PACKING .....	A 1375	AR	03-MAY-89	AR				
L	MIL-W-14979	WARHEAD, 2.75 INCH ROCKET, XM229, (INERT FILLING OUT), PARTS FOR .....	A 1340	AR	10-APR-87	AR				
L	MIL-W-14980A	WARHEAD, GUIDED MISSILE, HE, M224 PARTS FOR [VALIDATION DATE: 8704] .....	A 1336	AR	10-APR-87	AR				
L	MIL-C-14983(1)	CHARGE, PROPELLING FOR 1-5123E1 TEST SHELL .....	A 1145	AR	28-APR-89	AR				
L	MIL-S-14989(1)	SETTING DEVICE, TIME: M4195 [VALIDATION DATE: 9108] .....	A 1190	AR	20-AUG-91	AR				
L	MIL-S-14992A(9)	SAFETY AND ARMING DEVICE, GUIDED MISSILE: M118 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1336	AR	09-MAY-90	AR				
L	MIL-W-14993B	WARHEAD SECTION, GUIDED MISSILE, PRACTICE, M231 [VALIDATION DATE: 8704] ...	A 1336	AR	10-APR-87	AR				
L	MIL-C-14994	CHARGE PROPELLING, 152MM, XM189 AND XM190, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603]	A 1320	AR	13-MAR-86	AR				
L	MIL-A-14995(1)	ADAPTER, BOOSTER, BOMB, TAIL, XM150, PARTS FOR .....	A 1325	AS	08-OCT-87	AS				
L	MIL-P-14997A	PROJECTILE, 105MM, ILLUMINATING, M314A3 LOADING ACCESSORIES FOR .....	A 1315	AR	19-MAY-88	AR				
L	MIL-P-14999(2)	POWDER, MOLDING COMPOUND EXPLOSIVE (PBX) [VALIDATION DATE: 8803] .....	A 1376	AR	23-MAR-88	AR				
L	MIL-W-15000K	WATER-TESTING CHEMICALS, BOILER, SHIPBOARD USE USER: OS REVIEWER: CS .....	A 6810	SH	24-JUL-87	SH				
L	MIL-B-15004A	BALLOON, AEROLOGICAL [VALIDATION DATE: 8401] REVIEWER: 99 GS .....	A 6660	AS	01-SEP-53	AS				
D	MIL-T-15005F	TUBES, CONDENSER AND HEAT EXCHANGER, COPPER-NICKEL ALLOYS (UNS C70600 & C71500) USER: MC REVIEWER: CS YD1	A 4710	SH	06-DEC-89	SH				
L	MIL-P-15011J	PALLET, MATERIAL HANDLING, WOOD, POST CONSTRUCTION, 4 WAY ENTRY .....	A 3990	SA	16-SEP-85	ME	SA	99		
L	MIL-L-0015019D	LUBRICATING OIL, COMPOUNDED .....	A 9150	SH	13-MAR-81	SH				
L	MIL-V-15020F	VALVE, FLUSH (SHIPBOARD) [VALIDATION DATE: 8104] REVIEWER: CS .....	A 4510	SH	16-OCT-68	SH				
L	MIL-M-15021A(2)	HOOK, SNAP BOLT, SWIVEL-EYE, AND RINGS [VALIDATION DATE: 8108] USER: MC REVIEWER: GL 15 SA	A 5340	SH	04-NOV-59	AR	SH			
D	MIL-P-15024E	PLATES, TAGS, AND BANDS FOR IDENTIFICATION OF EQUIPMENT USER: CG MC REVIEWER: 16 84 AV GS ME MI OS YD1	A 9905	AS	29-JAN-93	GL	AS	99		
L	MIL-P-15024/1A(1)	PLATE, IDENTIFICATION SET OR GROUP [VALIDATION DATE: 9109] USER: 11 GL ....	A 9905	AS	25-SEP-91	AS	99			
L	MIL-P-15024/2	PLATE, IDENTIFICATION, UNIT OR PLUG-IN ASSEMBLY [VALIDATION DATE: 9109] USER: 11 GL	A 9905	AS	25-SEP-91	AS	99			
A	MIL-P-15024/3	BAND IDENTIFICATION, CABLE [VALIDATION DATE: 9301] .....	A 9905	AS	29-JAN-93	AS	99			
L	MIL-P-15024/4	PLATE IDENTIFICATION, MODIFICATION [VALIDATION DATE: 9109] USER: GL .....	A 9905	AS	25-SEP-91	AS				
L	MIL-P-15024/5	PLATE, IDENTIFICATION [VALIDATION DATE: 8401] USER: GL REVIEWER: EC .....	A 9905	SH	11-JUN-71	SH				
L	MIL-P-15024/6A	PLATE, IDENTIFICATION [VALIDATION DATE: 8502] USER: GL ME .....	A 9905	ER	19-DEC-77	ER				
L	MIL-P-15024/7	PLATE, TAGS AND BANDS, BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K1, ALUMINUM [VALIDATION DATE: 8606] USER: GL	A 9905	ER	25-JUN-86	ER				
L	MIL-P-15024/8	BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K2 HEAT SHRINKABLE TUBING [VALIDATION DATE: 8606] USER: GL	A 9905	ER	25-JUN-86	ER				
L	MIL-P-15024/8(11)	BAND, IDENTIFICATION, CABLE ASSEMBLY, TYPE K2 HEAT SHRINKABLE TUBING .....	A 9905	OR	27-JUN-88	CR				
L	MIL-P-15024/9	PLATE, TAGS AND BANDS, AIRCRAFT LOADING DATA PLATE [VALIDATION DATE: 8606] USER: GL	A 9905	ER	25-JUN-86	ER				
L	MIL-P-15024/10A	NAME PLATE, ORDAIT PLATES & INFORMATION PLATES USER: GL REVIEWER: EC .....	A 9905	OS	07-MAR-86	OS				
L	MIL-P-15024/15	PLATE, TAGS, HOSE ASSEMBLY IDENTIFICATION [VALIDATION DATE: 8901] .....	A 9905	SH	25-JAN-89	SH				
A	MIL-L-15040F(1)	LABEL, GARMENT (WOVEN, RAYON) USER: MC REVIEWER: B2 MI .....	A 8315	CT	12-NOV-87	GL	NU	11	CT	
L	MIL-R-15041C	RELEASE, LIFESAVING EQUIPMENT, HYDRAULIC AND MANUAL [VALIDATION DATE: 8104] USER: CS	A 4220	SH	04-APR-60	SH				
A	MIL-P-15064G(1)	PADS, SHOULDER AND SLEEVE-HEAD USER: CG MC REVIEWER: B2 99 .....	A 8315	CT	05-SEP-91	GL	NU	11	CT	
A	MIL-C-15065J	COAT FRONTS REVIEWER: CG MC MD .....	A 8315	CT	16-FEB-90	GL	NU			
L	MIL-M-15071H	MANUAL, TECHNICAL, EQUIPMENTS AND SYSTEMS CONTENT REQUIREMENTS FOR [VALIDATION DATE: 8307] REVIEWER: EA EC MI	A TMSS	SH	17-JUL-78	SH				
L	DOD-B-15072E	BATTERIES, STORAGE, LEAD-ACID, PORTABLE; GENERAL SPECIFICATION FOR (METRIC) [VALIDATION DATE: 8904] REVIEWER: GS MI	A 6140	SH	20-APR-89	SH				
L	DOD-B-15072/3F	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPE 2V - 20 AH - L/D - A (METRIC) [VALIDATION DATE: 8904] REVIEWER: GS	A 6140	SH	20-APR-89	SH				
L	DOD-B-15072/9	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 50 AH - L/D - A OR B AND 12V - 50 AH - L/D - A OR B (METRIC) [VALIDATION DATE: 8904]	A 6140	SH	20-APR-89	SH				
L	MIL-B-15072/9	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 50 AH, L/D, A OR B & 12 V - 50 AH, L/D, A OR B (METRIC)	A 6140	SH	02-SEP-81	SH				
L	DOD-B-15072/10	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 205 AH - M/S - A OR B AND 8V - 205 AH - M/S - A OR B (METRIC) [VALIDATION DATE: 8904]	A 6140	SH	20-APR-89	SH				
L	DOD-B-15072/11	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPE 12V - 15 AH - L/D - A OR B (METRIC) [VALIDATION DATE: 8904]	A 6140	SH	20-APR-89	SH				
L	MIL-B-15072/11	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPE 12V - 15 AH - L/D - A OR B (METRIC)	A 6140	SH	02-SEP-81	SH				
L	DOD-B-15072/12	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 100 AH - L/D - A OR B, 8V - 100 AH - L/D - A OR B, AND 12V - 100 AH - L/D - A OR B (METRIC) [VALIDATION DATE: 8904]	A 6140	SH	20-APR-89	SH				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / Omb Coordination Inches	Document Number	Document Title	Dist Smt FSC / Area	MCS Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
L	DOD-B-15072/13	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 130 AH - M/S - A OR B, 8V - 130 AH - M/S - A OR B, AND 12V - 130 AH - M/S - A OR B (METRIC) (VALIDATION DATE: 8904)	A 6140	SH	20-APR-89		SH			
	MIL-B-15072/13	BATTERY, STORAGE, LEAD ACID, PORTABLE, TYPES 6V - 130 AH - M/S - A OR B, 8V - 130 AH - M/S - A OR B, AND 12V 130 AH - M/S - A OR B (METRIC)	A 6140	SH	02-SEP-81		SH			
L	DOD-B-15072/14	BATTERY, STORAGE, LEAD-ACID, PORTABLE, TYPES 6V - 300 AH - L/D - A OR B AND 8V - 300 AH - L/D - A OR B (METRIC) (VALIDATION DATE: 8904)	A 6140	SH	20-APR-89		SH			
Q	MIL-C-15074E	CORROSION PREVENTIVE, FINGERPRINT REMOVER USER: MC ME MI SA REVIEWER: AS EA MD OS SH	A 8030	NR	30-JAN-91	NR	SH	99		
L	MIL-T-15089C(1)	TUBING, ALUMINUM ALLOY, ROUND, SEAMLESS (FOR ROCKET MOTORS) (VALIDATION DATE: 8204) REVIEWER: CS	A 4710	OS	03-FEB-76		OS			
D	MIL-E-15090C(2)	ENAMEL, EQUIPMENT, LIGHT GRAY (FORMULA NO. 111) USER: YD1 REVIEWER: DS EA EC MI OS	A 8010	SH	25-JUL-84	ME	SH	99		
A	MIL-C-15096H	COAT, FOOD HANDLER S (STEWART) (VALIDATION DATE: 8406) REVIEWER: 45	A 8415	CT	01-FEB-79		MU	99	CT	
	MIL-L-15098D(2)	LAMP, GLOW GENERAL SPECIFICATION FOR USER: AS MC ME REVIEWER: 82 AR CG GS MI	A 6240	ER	26-FEB-91	ER	SH	99		
	MIL-L-15098/18	LAMP, GLOW, INDICATOR, TYPES A9A-T, C2A-T AND A2A-T (VALIDATION DATE: 9010) USER: AS MC OS REVIEWER: GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/28	LAMP, GLOW, CIRCUIT CONTROL, TYPES SAC, SAG-A, 5AH, RT2-32-1A, AND SAJ (VALIDATION DATE: 9010) USER: AS MC REVIEWER: 11 AR CG GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/3A	LAMP, GLOW, INDICATOR, TYPES W1A AND R2A (VALIDATION DATE: 9010) REVIEWER: EC GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/48	LAMP, GLOW, INDICATOR, TYPE J5A (VALIDATION DATE: 9010) USER: AS CG MC REVIEWER: 11 AR GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/5A	LAMP, GLOW, INDICATOR, TYPES J2A AND B7A (VALIDATION DATE: 9010) USER: AS CG MC OS REVIEWER: EC GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/68	LAMP, GLOW, INDICATOR, TYPES J3A AND B9A (VALIDATION DATE: 9010) USER: AS MC REVIEWER: 11 AR CG GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/78	LAMP, GLOW, INDICATOR, TYPE B5A (VALIDATION DATE: 9010) USER: AS MC OS REVIEWER: 11 AR CG GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/88	LAMP, GLOW, INDICATOR, TYPE L5A (VALIDATION DATE: 9010) USER: AS MC REVIEWER: 11 AR CG GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/98	LAMP, GLOW, INDICATOR, TYPE R9A (VALIDATION DATE: 9010) USER: AS MC ME REVIEWER: 11 AR CG GS MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/10C	LAMP, GLOW, INDICATOR, TYPES B1A, B1AK, B2A AND B2AK (VALIDATION DATE: 9010) USER: AS MC REVIEWER: 11 AR CG GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/11B	LAMP, GLOW, INDICATOR, TYPES C7A, C9A, A1G, AND A1H (VALIDATION DATE: 9010) USER: AS REVIEWER: 11 AR CG GS ME MI	A 6240	ER	11-OCT-90	ER	SH	99		
	MIL-L-15098/12B	LAMP, GLOW, INDICATOR, TYPE R1A (VALIDATION DATE: 9010) USER: AS MC REVIEWER: AR CG GS ME MI	A 6240	ER	11-OCT-90	ER	SH	11		
L	MIL-M-0015100F(4)	HOSE, RUBBER, WIRE REINFORCED (OIL AND GASOLINE, SUCTION AND DISCHARGE SMOOTH BORE) (VALIDATION DATE: 8206) REVIEWER: CS	A 4720	SH	11-JUN-65		SH			
AQL	MIL-S-15103F(1)	SALINITY INDICATING EQUIPMENT	A 6630	SH	17-DEC-92		SH			
A L	MIL-C-15104F	CLOTH, COATED, FLAME RESISTANT, BERTH AND BEDDING COVER REVIEWER: SH	A 8305	CT	30-APR-91		MU		CT	
QL	MIL-T-15108C(1)	TRANSFORMERS, POWER, STEP DOWN, SINGLE PHASE, 60 HERTZ, 1 KILOVOLTAMPERE APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD USER: OS REVIEWER: GS	A 6120	SH	03-JUL-85		SH			
QL	MIL-R-15109C	RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD	A 5905	SH	17-FEB-89		SH			
D	MIL-W-15117F	WATER, DRINKING, CANNED, EMERGENCY REVIEWER: MC MD MI SS YD1	A 8860	GL	18-DEC-87	GL	SA	50		
L	MIL-T-15119A	TUBING, ROUND, SEAMLESS ALLOY STEEL (VALIDATION DATE: 8311)	A 4710	OS	20-OCT-76		OS			
	MIL-I-15126F(4)	INSULATION TAPE, ELECTRICAL, PRESSURE SENSITIVE ADHESIVE AND PRESSURE SENSITIVE THERMOSETTING ADHESIVE	A 5970	SH	23-OCT-90	ER	SH	85		
	MIL-P-15127D	PROJECTOR, STILL PICTURE, AP 4 USER: MC MI REVIEWER: GS	A 6730	CR	19-APR-84	CR		99		
	MIL-D-15141B	DRESSING, FIRST AID AND INDIVIDUAL TROOP, CAMOUFLAGED (VALIDATION DATE: 8106)	A 6510	DM	10-NOV-58	MD	MS	03		
	DOD-P-15144B	PAINT, FORMULA NO. 34 (BINDER FOR AMT1 SWEAT COATINGS) (METRIC) (VALIDATION DATE: 8209) USER: ME REVIEWER: MS	A 8010	SH	11-OCT-77	NR	SH			
	MIL-W-15154E	WOOD LAMINATES, OAK (FOR SHIP AND BOAT USE) (VALIDATION DATE: 8911)	A 5510	SH	03-NOV-89	ME	SH			
DQ	MIL-F-15160G	FUSES, INSTRUMENT, POWER, AND TELEPHONE USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1	A 5920	SH	29-OCT-90	ER	SH	85		
	MIL-F-15160/1D	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F01 USER: 19 AT CG MC ME OS REVIEWER: 17 99 AR AS ES MI	A 5920	SH	29-OCT-90	ER	SH	85		
	MIL-F-15160/2E	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F02 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH	29-OCT-90	ER	SH	85		
D	MIL-F-15160/3E	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F03 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1	A 5920	SH	29-OCT-90	ER	SH	85		
I	MIL-F-15160/6C	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F06 (VALIDATION DATE: 9012) USER: 19 AR AS AT CG MC ME REVIEWER: 17 99 EC ES MI	A 5920	SH	24-DEC-90	ER	SH	85		
I	MIL-F-15160/7C	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F07 (VALIDATION DATE: 9012) USER: 19 AR AT CG MC ME REVIEWER: 17 99 AS EC ES MI	A 5920	SH	24-DEC-90	ER	SH	85		
	MIL-F-15160/9D	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F09 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH	29-OCT-90	ER	SH	85		
D	MIL-F-15160/10E	FUSES, INSTRUMENT, POWER, AND TELEPHONE (INDICATING), STYLE F10 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1	A 5920	SH	29-OCT-90	ER	SH	85		
D	MIL-F-15160/15B	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F15 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1	A 5920	SH	29-OCT-90	ER	SH	85		
	MIL-F-15160/16B	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F16 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH	29-OCT-90	ER	SH	85		
	MIL-F-15160/19B	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F19 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH	29-OCT-90	ER	SH	85		
D	MIL-F-15160/20B	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F20 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1	A 5920	SH	29-OCT-90	ER	SH	85		
D	MIL-F-15160/21B	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F21 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1	A 5920	SH	29-OCT-90	ER	SH	85		
	MIL-F-15160/22B	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F22 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH	29-OCT-90	ER	SH	85		
I	MIL-F-15160/27A	FUSES, STYLE F27 REVIEWER: 99 ES	A 5920	SH	27-DEC-90	CR	SH	11		
I	MIL-F-15160/28A	FUSES, STYLE F28 REVIEWER: 99 ES	A 5920	SH	27-DEC-90	ER	SH	85		
I	MIL-F-15160/29	FUSES, STYLE F29 USER: MI REVIEWER: ES	A 5920	SH	27-DEC-90	ER	SH	99		
I	MIL-F-15160/30	FUSES, STYLE F30 REVIEWER: 99 ES MI	A 5920	SH	27-DEC-90	ER	SH	85		
I	MIL-F-15160/36	FUSES, STYLE F36 REVIEWER: 99 ES	A 5920	SH	27-DEC-90	ER	SH	85		
I	MIL-F-15160/37	FUSES, STYLE F37 REVIEWER: 99 ES	A 5920	SH	27-DEC-90	ER	SH	85		
I	MIL-F-15160/38	FUSES, STYLE F38 REVIEWER: 99 ES	A 5920	SH	27-DEC-90	ER	SH	85		
I	MIL-F-15160/39	FUSES, STYLE F39 REVIEWER: 99 ES	A 5920	SH	27-DEC-90	ER	SH	85		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Inclusion Machine	Document Number	Document Title	Dist. Smt. FSC / Ans MCA Symbol	Preparing Act Date	Custodians			
					Army	Navy	Air Force	DLA
I	MIL-F-15160/40 NOTICE 1	FUSES, STYLE F40 REVIEWER: 99 ES .....	A 5920	SH 27-DEC-90	ER	SH	85	
D	MIL-F-15160/50A MIL-F-15160/51A	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F50 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS YDI FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F51 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH 29-OCT-90	ER	SH	85	
D	MIL-F-15160/60F	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F60 USER: 19 CG MC REVIEWER: 17 99 AR AS ES MI OS YDI	A 5920	SH 29-OCT-90	ER	SH	85	
D	MIL-F-15160/61C	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F61 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS YDI	A 5920	SH 29-OCT-90	ER	SH	85	
D	MIL-F-15160/62D	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F62 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS YDI	A 5920	SH 29-OCT-90	ER	SH	85	
D	MIL-F-15160/63C	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F63 USER: 19 AT CG DS MC REVIEWER: 17 99 AR AS ES MI OS YDI	A 5920	SH 29-OCT-90	ER	SH	85	
D	MIL-F-15160/64C	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F64 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS YDI	A 5920	SH 29-OCT-90	ER	SH	85	
	MIL-F-15160/65C	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F65 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH 29-OCT-90	ER	SH	85	
	MIL-F-15160/66C	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F66 USER: 19 AT CG MC REVIEWER: 17 99 AR AS ES MI OS	A 5920	SH 29-OCT-90	ER	SH	85	
L	MIL-F-15160/77(2)	FUSES, (INDICATING), STYLE F77A .....	A 5920	SH 08-APR-88		SH		
D	MIL-F-15160/81	FUSES, CARTRIDGE, INSTRUMENT, POWER AND TELEPHONE (NONINDICATING), STYLE F81 USER: 19 AT CG MC REVIEWER: 17 80 99 AR AS EC MC MI OS YDI	A 5920	SH 03-MAR-93	ER	SH	85	
L	MIL-P-15169B(1)	PIGMENT, CURIOUS OXIDE (VALIDATION DATE: 8901) .....	A 8010	SH 19-JAN-89		SH		
L	MIL-P-15173B	MAGNESIUM SILICATE PIGMENT (TALC) REVIEWER: MI .....	A 8010	SH 09-JUL-87		SH		
L	MIL-R-15189B	RESIN, ALKYL PHENOLIC REVIEWER: GS .....	A 6810	SH 09-SEP-86		SH		
D	MIL-S-15191C	SILICA, DIATOMACEOUS, UNCALCINED USER: CG OS YDI REVIEWER: B4 AS ME .....	A 8010	SH 03-APR-86		SH	99	
D	MIL-C-15203D NOTICE 1	COATING COMPOUND, BITUMINOUS, EMULSION TYPE, COAL TAR BASE (VALIDATION DATE: 8706) REVIEWER: CE SH	A 8030	YDI 15-JUN-87	MR	YDI	99	
L	MIL-S-15204D NOTICE 1	SEALING COMPOUND, JOINT AND THREAD, HIGH TEMPERATURE (VALIDATION DATE: 9102) .....	A 8030	SH 07-FEB-91		SH		
QL	MIL-P-15208A(1)	PHROPTOMER, MECHANICAL FOAM LIQUID USER: ME .....	A 4210	SH 30-MAR-87		SH		
L	MIL-G-15214E NOTICE 1	GAGE, DEPTH, WRIST, DIVER'S, SELF-LUMINOUS DIAL (VALIDATION DATE: 9010) USER: CS	A 4220	SH 05-OCT-90		SH		
D	MIL-H-15217E NOTICE 1	HOSE, RUBBER, SANDBLAST (VALIDATION DATE: 8706) REVIEWER: CS .....	A 4720	YDI 12-JUN-87		YDI	99	
	DOD-V-15218C(2)	VARNISH (MIXING, PHENOLIC) (METRIC) .....	A 8010	SH 30-APR-90	MR	SH		
D	MIL-B-15228G	BED, BUNK, STEEL, ROUND TUBE, SINGLE AND DOUBLE-DECK (CONVERTIBLE TYPE) REVIEWER: B4 MC MD	A 7105	YDI 17-NOV-88	GL	YDI	99	
L	MIL-W-15234C	WHITING USER: MC REVIEWER: IS .....	A 8010	SH 13-JUN-88		SH		
AQL	MIL-T-15262D	TABLE, WORK (VALIDATION DATE: 8104) USER: CE REVIEWER: AR .....	A 7195	GL 05-MAR-68	GL		99	
DQ	MIL-I-15265C	INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING) .....	A 5970	SH 11-JUN-92		SH		
	MIL-P-15280J	PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES) USER: MC ME OS YDI REVIEWER: EA GS MI	A 5640	SH 19-DEC-88	ER	SH	11	
L	MIL-H-15289B	HEATER, SPACE, ELECTRIC, RADIANT, PANEL TYPE (VALIDATION DATE: 8204) REVIEWER: CS	A 4520	SH 10-JAN-63		SH		
AQL	MIL-S-15291E(1) SUPPL 1	SWITCHES, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION, GENERAL SPECIFICATION FOR	A 5930	SH 20-AUG-92		SH		
L	MIL-S-15291/1A	SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, BACK CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/2A	SWITCHES, ROTARY, SNAP ACTION CLASS 1SR FRONT MOUNTED, SIDE CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/3A	SWITCHES, ROTARY, SNAP ACTION CLASS 1SR BASE MOUNTED, SIDE CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/4A	SWITCHES, ROTARY, DETENT AND SPRING-RETURN ACTION CLASS 1 SRH FRONT MOUNTED, SIDE CONNECTED	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/5A	SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, BACK CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/6B	SWITCHES, ROTARY, SNAP ACTION CLASS 3SR FRONT MOUNTED, SIDE CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/7A	SWITCHES, ROTARY, SNAP ACTION CLASS 3SR BASE MOUNTED, SIDE CONNECTED .....	A 5930	SH 22-JUL-91		SH		
LI	MIL-S-15291/8A	SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, BACK CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/9A	SWITCHES, ROTARY, SNAP ACTION CLASS 6SR FRONT MOUNTED, SIDE CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/10A	SWITCHES, ROTARY, SNAP ACTION CLASS 6SR BASE MOUNTED, SIDE CONNECTED .....	A 5930	SH 22-JUL-91		SH		
LI	MIL-S-15291/11A	SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, BACK CONNECTED .....	A 5930	SH 22-JUL-91		SH		
L	MIL-S-15291/12A	SWITCHES, ROTARY, SNAP ACTION CLASS 20SR FRONT MOUNTED, SIDE CONNECTED .....	A 5930	SH 16-JUN-86		SH		
L	MIL-S-15291/13A	SWITCHES, ROTARY, SNAP ACTION CLASS 20SR BASE MOUNTED, SIDE CONNECTED .....	A 5930	SH 22-JUL-91		SH		
M	MIL-S-15297H	SPRAY OUTFITS, PAINT, PORTABLE REVIEWER: AL CS .....	A 4940	YDI 30-APR-93		YDI	99	
L	MIL-S-15297G(13)	SPRAY OUTFITS, PAINT, PORTABLE (VALIDATION DATE: 8706) .....	A 4940	SH 05-JUN-87		SH		
A L	MIL-L-15300D NOTICE 1	LANYARD, PISTOL AND WHISTLE, RAYON AND COTTON CORD, SCARLET AND GOLD (VALIDATION DATE: 8710)	A 8465	CT 23-OCT-87	MC		CT	
L	MIL-T-15301D(1)	TANK, PRESSURE, 600 PSI GAGE WORKING PRESSURE, NAVAL SHIPBOARD USE (VALIDATION DATE: 8401)	A 4310	SH 15-JUN-70		SH		
QL	MIL-A-15303P	AUDIBLE SIGNALS: ALARMS, BELL, BUZZERS, HORNS, SIRENS, AND ELECTRONIC SHIPBOARD REVIEWER: GS MI	A 6350	SH 19-NOV-86		SH		
Q	MIL-C-15305E(4) SUPPL 1A1	COILS, FIXED AND VARIABLE, RADIOFREQUENCY GENERAL SPECIFICATION FOR USER: 19 AS CG ME SH REVIEWER: 17 99 AR MI OS	A 5950	ER 04-DEC-91	ER	EC	85	
Q	MIL-C-15306F(1) MIL-H-15317C NOTICE 1	CALL SIGNAL STATION (TYPE 1C/D) (HAND CRANK MAGNETO & CALL SIGNAL) .....	A 5805	SH 21-NOV-86	OR	SH		
		HOISTS, CHAIN OR WIRE ROPE, ELECTRIC POWER OPERATED, LUG, HOOK, OR TROLLEY SUSPENSION AND BASE MOUNTED (VALIDATION DATE: 8806) USER: MC MI OS REVIEWER: CS	A 3950	SH 15-JUN-88	ME	SH		
	MIL-B-15319E(1) NOTICE 1	BRUSH, PLATER S. HAND, SWAB, POTASH, PLATER S. AND BRUSH, GOBLET (VALIDATION DATE: 8706) USER: MC SH REVIEWER: MD	A 7920	GL 25-JUN-87	GL		84	
D	DOD-P-15328D(1) NOTICE 1	PRIMER (WASH), PRETREATMENT (FORMULA NO. 117 FOR METALS) (METRIC) (VALIDATION DATE: 9203) USER: AR MC REVIEWER: AS AV SA YDI	A 8010	ME 21-MAR-92	ME	SH	99	
L	DOD-P-15328D(12)	PRIMER (WASH), PRETREATMENT (FORMULA NO. 117 FOR METALS) (METRIC) .....	A 8010	AR 04-MAR-91	AR			
L	MIL-E-15330D(1) NOTICE 1	EXPANSION JOINT, PIPE, NONMETALLIC, FIRE-RETARDANT (VALIDATION DATE: 8901) REVIEWER: CS	A 4730	SH 16-FEB-89		SH		
QL	MIL-G-15342E	GASKET, METALLIC ASBESTOS, SPIRAL WOUND, FOR BOILERS (VALIDATION DATE: 8207) .....	A 5330	SH 05-JUN-76		SH		
L	MIL-A-15344J(2)	AMPLIFIER, SYNCHRO SIGNAL REVIEWER: EC ES .....	A 5990	SH 02-NOV-90		SH		
L	MIL-H-15362B NOTICE 1	HARNESSES: TEST BENCH, AVIONIC EQUIPMENT GENERAL SPECIFICATION FOR (VALIDATION DATE: 8803) REVIEWER: 99	A 4920	AS 21-MAR-88		AS		
M	MIL-C-15370D SUPPL 1A1	COUPLERS, DIRECTIONAL, GENERAL SPECIFICATION FOR USER: CG MC SH REVIEWER: 11 17 99 AS ES MI OS	A 5985	EC 22-SEP-89	ER	EC	85	
	MIL-C-15370/3C	COUPLERS, DIRECTIONAL (COAXIAL, SERIES H CONNECTORS) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS	A 5985	EC 22-SEP-89	ER	EC	85	
	MIL-C-15370/4C	COUPLERS, DIRECTIONAL (WAVEGUIDE, MULTIHOLE) USER: CG MC SH REVIEWER: 11 17 99 AS ES OS	A 5985	EC 22-SEP-89	ER	EC	85	
	MIL-C-15370/5C	COUPLERS, DIRECTIONAL (WAVEGUIDE-CROSSGUIDE) USER: CG MC SH REVIEWER: 11 17 99 AS ES OS	A 5985	EC 22-SEP-89	ER	EC	85	
	MIL-C-15370/6C	COUPLERS, DIRECTIONAL (WAVEGUIDE, COAXIAL OUTPUT) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS	A 5985	EC 22-SEP-89	ER	EC	85	
	MIL-C-15370/9E(1)	COUPLERS, DIRECTIONAL COAXIAL, SMA CONNECTORS (1 TO 26.5 GHz) USER: CG MC REVIEWER: 11 99 AS ES MI OS	A 5985	EC 21-NOV-90	ER	EC	85	
	MIL-C-15370/10B	COUPLERS, DIRECTIONAL (COAXIAL, SMA CONNECTORS) (.50 TO 18 GHz) USER: CG MC SH REVIEWER: 99 AS OS	A 5985	EC 22-SEP-89	ER	EC	85	
	MIL-C-15370/11B	COUPLERS, DIRECTIONAL, DUAL (COAXIAL, SERIES H CONNECTORS) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS	A 5985	EC 22-SEP-89	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Army Navy Air Force DCA	Custodians
I MIL-C-15370/12A	COUPLERS, DIRECTIONAL (COAXIAL, TMC CONNECTORS) USER: CG MC SH REVIEWER: AS OS	A 5985 EC 22-SEP-89	ER EC 85	
L MIL-C-15370/14A	COUPLER, DIRECTIONAL (COAXIAL, SERIES M AND C CONNECTORS) USER: CG MC SH REVIEWER: AS OS	A 5985 EC 22-SEP-89	EC	
* MIL-C-15370/15A	COUPLERS, DIRECTIONAL, DUAL (WAVEGUIDE) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS	A 5985 EC 22-SEP-89	ER EC 85	
MIL-C-15370/16A	COUPLERS, DIRECTIONAL, (COAXIAL, SMA CONNECTORS) (2 TO 1000 MHZ) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS	A 5985 EC 22-SEP-89	ER EC 85	
MIL-C-15370/17A	COUPLER, DIRECTIONAL, DUAL (COAXIAL, SMA CONNECTORS) USER: CG MC SH REVIEWER: 11 99 AS ES MI OS	A 5985 EC 22-SEP-89	ER EC 85	
MIL-C-15370/18A	COUPLERS, DIRECTIONAL (PIN PLUG-IN TERMINATION) USER: CG MC SH REVIEWER: AS OS	A 5985 EC 22-SEP-89	ER EC 85	
MIL-C-15370/19	COUPLERS, DIRECTIONAL, FLAT PACK USER: CG MC SH REVIEWER: AS OS	A 5985 EC 22-SEP-89	ER EC 85	
MIL-C-15370/20	COUPLERS, DIRECTIONAL, 10 CONFIGURATION USER: CG MC SH REVIEWER: AS OS	A 5985 EC 22-SEP-89	ER EC 85	
L MIL-S-15371B	STARTER, ENGINE, ELECTRICAL MOTOR (SHIPBOARD USE) (VALIDATION DATE: 8210) REVIEWER: CS	A 2920 SH 14-NOV-77	SH	
L MIL-T-15377F(1)	TEMPERATURE MONITOR EQUIPMENT NAVAL SHIPBOARD USER: ME REVIEWER: GS	A 6685 SH 31-MAR-87	SH	
MIL-F-15381F	FOOD PACKET, SURVIVAL, AIRCRAFT LIFE RAFT REVIEWER: MC MD MS SS	A 8970 GL 31-DEC-85	GL SA 50	
L MIL-B-15382C(1)	BOLT, FIREBRICK ANCHOR REVIEWER: 15 MI	A 5306 SH 03-DEC-87	SH	
D MIL-D-15390L	DRAMERS, EXTREME COLD WEATHER USER: CG YD1 REVIEWER: 11 45	A 8415 CT 04-FEB-87	GL MU 99 CT	
L MIL-P-15418C	PLOTTING BOARD, TACTICAL DISPLAY (SYNCHRO, 24 INCH) (VALIDATION DATE: 8104)	A 6605 SH 27-OCT-61	SH	
L MIL-C-15430J(4)	CONDENSERS, STEAM, NAVAL SHIPBOARD	A 4420 SH 24-APR-89	SH	
L MIL-C-15452C(3)	CABLE, SPECIAL PURPOSE (TOW), ELECTRICAL, COAXIAL, LEAD SHEATHED, NYLON COVERED (VALIDATION DATE: 8304) REVIEWER: IS	A 6145 EC 02-JAN-68	EC	
MOL MIL-E-15465H	EJECTOR ASSEMBLIES, AIR	A 4320 SH 24-MAY-93	SH	
L MIL-C-15479C(1)	CABLE, POWER, ELECTRICAL, SUBMARINE, NAVY STANDARD HARBOR DEFENSE (VALIDATION DATE: 8104) REVIEWER: IS	A 6145 SH 18-JUN-58	SH	
A L MIL-H-15505K	HAT, SERVICE, WOMAN'S USER: CG	A 8410 CT 31-MAY-89	MU CT	
A L MIL-C-15507L	CAP, GARRISON, WOMAN'S (NAVY)	A 8410 CT 25-APR-86	MU CT	
Q MIL-V-15508B(1)	VALVE, REMOTE CONTROL, DIAPHRAGM ACTUATED (FLUID SYSTEMS, 150 AND 250 P.S.I. W.P., 140 DEG. F. MAXIMUM) USER: AT MC	A 4810 SH 10-DEC-84	ME SH 99	
QL MIL-T-15514K(1)	TELEPHONE EQUIPMENT, SOUND POWERED HANDSETS, HEADSET-CHST SETS, AND HEADSET-MICROPHONES, TYPES H-200/U, H-201/U, H-202/U, H-203/U, AND H-204/U USER: MC REVIEWER: ES	A 5965 SH 28-NOV-86	SH	
QL MIL-P-15554B(2)	PROPELLER REVOLUTION INDICATING EQUIPMENT, SYNCHRO (NAVAL SHIPBOARD USE) ...	A 6320 SH 28-NOV-86	SH	
L MIL-M-15562F(4)	MATTING ON SHEET, FLOOR COVERING, INSULATING FOR HIGH VOLTAGE APPLICATION USER: CG MC OS REVIEWER: AS	A 7220 SH 30-MAR-87	SH	
L MIL-S-15573A	STRAIERS, SEDIMENT, PIPELINE (FOR GASOLINE SERVICE) (INACTIVE FORMER DESIGN) (VALIDATION DATE: 8204) REVIEWER: AR	A 4730 SH 10-APR-52	SH	
QL MIL-L-15581K	LIFE PRESERVERS, CO2 INFLATABLE, POUCH TYPE USER: ME REVIEWER: AS CS	A 4220 SH 24-OCT-86	SH	
Q MIL-B-15606H	BRICK, REFRACTORY, & BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY USER: MC REVIEWER: GS	A 9350 SH 30-JUN-83	SH 99	
QL MIL-F-15618F(4)	FILTER-SEPARATORS AND FILTER ELEMENTS, FLUID, PRESSURE, AVIATION AND DIESEL FUEL, NAVAL SHIPBOARD REVIEWER: CS	A 4330 SH 28-FEB-85	SH	
MIL-R-15624E	RUBBER GASKET MATERIAL, 50 DUROMETER HARDNESS (MAXIMUM) (VALIDATION DATE: 8104) USER: AS GL MC ME OS REVIEWER: CS EA IS MI MR	A 5330 SH 15-JUL-66	AR SH 99	
MIL-T-15669H(1)	TERMINAL, LUG, SOLDER, COPPER AND PHOSPHOR BRONZE USER: AT AV MC REVIEWER: 11 ER GS ME MI SH	A 5940 AR 25-JUL-88	AR AS 85	
A MIL-I-15665G	INSIGNIA, BRANCH OF SERVICE, HAT, GARRISON CAP, AND SERVICE CAP: ENLISTED PERSONNEL, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 82 99 MC	A 8455 IH 15-MAR-88	IH MU 11	
A L MIL-I-15665/1C	INSIGNIA, BRANCH OF SERVICE, EP: ADJUTANT GENERAL'S CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A MIL-I-15665/2J	INSIGNIA, COLLAR, EP: "U.S.", AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 IH 30-JUL-92	IH 11	
A L MIL-I-15665/3C	INSIGNIA, BRANCH OF SERVICE, EP: ARMOR, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/4C	INSIGNIA, BRANCH OF SERVICE, EP: ARMY MEDICAL DEPARTMENT, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/5D	INSIGNIA, BRANCH OF SERVICE, EP: AIR DEFENSE ARTILLERY, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/6C	INSIGNIA, BRANCH OF SERVICE, EP: CHEMICAL CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/7C	INSIGNIA, BRANCH OF SERVICE, EP: CIVIL AFFAIRS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/8C	INSIGNIA, BRANCH OF SERVICE, EP: CORPS OF ENGINEERS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/9C	INSIGNIA, BRANCH OF SERVICE, EP: FINANCE CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/10C	INSIGNIA, BRANCH OF SERVICE, EP: INFANTRY, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/11D	INSIGNIA, BRANCH OF SERVICE, EP: MILITARY INTELLIGENCE, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A MIL-I-15665/12E	INSIGNIA, BRANCH OF SERVICE, COLLAR: AND INSIGNIA, CAP, GARRISON, EP: MARINE CORPS REVIEWER: CT MC	A 8455 IH 30-JUL-92	IH MU	
A L MIL-I-15665/13C	INSIGNIA, BRANCH OF SERVICE, EP: MILITARY POLICE CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/14C	INSIGNIA, BRANCH OF SERVICE, EP: ORDNANCE CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/15C	INSIGNIA, BRANCH OF SERVICE, EP: QUARTERMASTER CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/16D	INSIGNIA, BRANCH OF SERVICE, EP: SIGNAL CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/17C	INSIGNIA, BRANCH OF SERVICE, EP: TRANSPORTATION CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/18D	INSIGNIA, COLLAR, EP: COMMAND SERGEANT MAJOR, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/20D	INSIGNIA, HAT, EP: FEMALE, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/21F	INSIGNIA, SERVICE CAP, EP: AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 IH 30-JUL-92	IH 11	
A L MIL-I-15665/22C	INSIGNIA, SERVICE CAP, EP: ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/23D	INSIGNIA, SERVICE CAP, EP: MARINE CORPS REVIEWER: CT MC	A 8455 IH 13-JAN-93	IH MU	
A L MIL-I-15665/24C	INSIGNIA, COLLAR, EP: "U.S.", ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/25D	INSIGNIA, BRANCH OF SERVICE, EP: JUDGE ADVOCATE GENERAL'S CORPS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/26C	INSIGNIA, BRANCH OF SERVICE, EP: FIELD ARTILLERY, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A MIL-I-15665/27D	INSIGNIA, HAT: THE SERGEANT MAJOR OF THE U.S. ARMY AND THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 IH 30-JUL-92	IH 11	
A MIL-I-15665/28E	INSIGNIA, COLLAR, EP: THE CHIEF MASTER SERGEANT OF THE U.S. AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 IH 30-JUL-92	IH 11	
A MIL-I-15665/29E	INSIGNIA, HAT, EP: USAF COMMAND BANDS USER: 45 REVIEWER: 82 99 CT	A 8455 IH 30-JUL-92	IH 11	
A L MIL-I-15665/30C	INSIGNIA, HAT, EP: U.S. ARMY BAND REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/31C	INSIGNIA, COLLAR, EP: CAVALRY, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/32B	INSIGNIA, COLLAR, THE SERGEANT MAJOR OF THE U.S. ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/33B	INSIGNIA, COLLAR, EP: INSPECTOR GENERAL, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/34B	INSIGNIA, BRANCH OF SERVICE, EP: AVIATION, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/35C	INSIGNIA, BRANCH OF SERVICE, EP: SPECIAL FORCES, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/36B	INSIGNIA, COLLAR, EP: CHAPLAIN ASSISTANT, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/37B	INSIGNIA, COLLAR, EP: PUBLIC AFFAIRS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
A L MIL-I-15665/38A	INSIGNIA, COLLAR, EP: PSYCHOLOGICAL OPERATIONS, ARMY REVIEWER: CT	A 8455 IH 30-JUL-92	IH	
L MIL-T-15672D	TABLES, LINE-UP AND REGISTER, PRINTING, LITHOGRAPHIC USER: CE REVIEWER: GS	A 3610 ME 09-SEP-87	ME	
L MIL-I-15676K(1)	INDICATORS, SHIP'S COURSE	A 6320 SH 12-APR-91	SH	
D MIL-D-15691F	DISTILLATION UNITS, WATER, THERMOCOMPRESSION, DIESEL-ENGINE-DRIVEN, SKID-OR TRAILER-MOUNTED (GO TO 1,000 GPH) USER: MC REVIEWER: 84	A 4620 YD1 01-OCT-91	YD1 99	
MIL-S-15701D	STITCHERS, BOOK & PAMPHLET, SINGLE STITCHING HEAD, SADDLE & FLAT TABLE REVIEWER: GS	A 3610 GL 31-DEC-85	GL SA 99	
D L DOD-A-15707D(2)	ANCHORS, NAVY, LIGHTWEIGHT TYPE (METRIC) REVIEWER: YD1	A 2040 SH 25-JAN-89	SH	
Q MIL-L-15719A(3)	LUBRICATING GREASE (HIGH-TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER BEARINGS) (VALIDATION DATE: 8204) USER: AS AT MC REVIEWER: EA GS MI PS SA	A 9150 SH 21-FEB-61	ME SH 11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Coordination Indexing Document Number	Document Title	Doc. Smt. FSC / Area NAIC Symbol Preparing Acty. Date	Custodians Army Navy Air Force DLA
MIL-C-15726#(1)	COPPER-NICKEL ALLOY, SHEET, PLATE, STRIP, BAR, ROD AND WIRE USER: ME	A 9525 SH 08-OCT-91	MR SH
L MIL-C-15730L	REVIEWER: 15 MC MI	A 4420 SH 23-MAR-90	SH
Q MIL-P-15731D(1)	COOLERS, FLUID, NAVAL SHIPBOARD: LUBRICATING OIL, HYDRAULIC OIL, AND FRESH WATER	A 9350 SH 25-JUL-89	SH 99
DO MIL-F-15733G(2)	PLASTIC MIX, REFRACTORY, FINE CLAY, SUPER DUTY (VALIDATION DATE: 8907)	A 5915 EC 21-OCT-85	ER EC 85 ES
MIL-F-15733/I(1)	USER: AS REVIEWER: GS	A 5915 EC 11-JAN-83	ER EC 85
MIL-F-15733/I(1)	FILTERS & CAPACITORS, RADIO FREQUENCY INTERFERENCE USER: 19 AS AT MC OS	A 5915 EC 12-DEC-88	ER EC 85
MIL-F-15733/2J	REVIEWER: 11 17 80 99 AR AV MI SH YD1	A 5915 EC 27-DEC-88	ER EC 85
MIL-F-15733/4H	FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL22 (INACTIVE) USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH	A 5915 EC 16-SEP-88	ER EC 85
MIL-F-15733/16D	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL24	A 5915 EC 31-MAY-90	ER EC 85
MIL-F-15733/23A(2)	USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH	A 5915 EC 15-JAN-93	ER EC 85
A I MIL-F-15733/24B(1)	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL24	A 5915 EC 30-SEP-87	ER EC 85
MIL-F-15733/25B	USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI OS	A 5915 EC 24-MAY-91	ER EC 85
MIL-F-15733/26B(3)	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL12	A 5915 EC 11-AUG-86	ER EC 85
MIL-F-15733/27C(1)	USER: 19 AS AT AV MC ME SH REVIEWER: 99 AR ES MI OS	A 5915 EC 16-DEC-88	ER EC 85
MIL-F-15733/28E	FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL13	A 5915 EC 02-SEP-88	EC 85
MIL-F-15733/30E	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL14	A 5915 EC 23-FEB-87	85
L MIL-F-15733/31E(1)	USER: 19 AS AT AV MC ME SH REVIEWER: 99 AR ES MI OS	A 5915 EC 27-JUN-88	ER EC 85
MIL-F-15733/33C	FILTERS & CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL15	A 59GP EC 22-MAR-91	ER EC 85
MIL-F-15733/34H	USER: 19 AS AT AV MC ME SH REVIEWER: 11 17 99 AR ES MI OS	A 5915 EC 25-AUG-89	ER EC 85
MIL-F-15733/38H(3)	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL16	A 5915 EC 05-MAY-87	ER EC 85
MIL-F-15733/39H(1)	USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH	A 5915 EC 12-JUN-85	ER EC 85
MIL-F-15733/40B	FILTER, RADIO INTERFERENCE, HERMETICALLY SEALED, STYLE FL91	A 5915 EC 25-AUG-89	ER EC 85
MIL-F-15733/41G(2)	CG MC OS REVIEWER: 11 99 AR ES MI SH	A 5915 EC 05-MAY-93	ER EC 85
M I MIL-F-15733/43C(3)	FILTER, RADIO INTERFERENCE STYLE FL35 USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH	A 5915 EC 05-MAY-93	ER EC 85
M MIL-F-15733/44E(2)	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL84	A 5915 EC 05-MAY-93	ER EC 85
M MIL-F-15733/46B(1)	USER: 19 AS AT AV MC ME OS REVIEWER: 99 AR ES MI SH	A 5915 EC 05-MAY-93	EC 85
I MIL-F-15733/48F	FILTERS, RADIO FREQUENCY INTERFERENCE SUPPRESSION, STYLE FL41	A 5915 EC 14-MAR-89	ER EC 85
MIL-F-15733/49G(2)	USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 AR ES MI SH	A 59GP EC 10-AUG-90	ER EC 85
MIL-F-15733/51E	FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL92	A 5915 EC 10-SEP-86	ER EC 85
L MIL-F-15733/53B	STYLE FL93 USER: 19 AS AT AV MC ME OS REVIEWER: 99 AR ES MI SH	A 5915 EC 27-AUG-91	ER EC 85
MIL-F-15733/54F	FILTER, RADIO FREQUENCY INTERFERENCE FL48 USER: 19 REVIEWER: 11 17 99 AR AS AT AV CG MC MI SH	A 5915 EC 06-OCT-83	ER EC 85
L MIL-F-15733/55D	FILTERS, RADIO INTERFERENCE, STYLE FL86 (VALIDATION DATE: 9112) .....	A 5915 EC 31-AUG-92	85
A L MIL-F-15733/56C	VALIDATION DATE: 91081 USER: AS AT AV MC ME OS REVIEWER: 11 19 99 AR MI SH	A 5915 EC 19-DEC-91	85
L MIL-F-15733/57B	FILTER, RADIO INTERFERENCE, HERMETICALLY SEALED, STYLE FL85	A 5915 EC 31-MAY-90	ER EC 85
MIL-F-15733/58B(2)	STYLE FL81	A 5915 EC 24-MAY-79	85
L MIL-F-15733/59(1)	FILTERS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL62 (VALIDATION DATE: 9112) REVIEWER: ES	A 5915 EC 05-MAY-93	ER EC 85
M MIL-F-15733/61B(5)	FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL63	A 5915 EC 15-JAN-88	ER EC 85
MIL-F-15733/62C(3)	USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH	A 5915 EC 23-APR-82	ER EC 85
MIL-F-15733/63(2)	FILTER, RADIO FREQUENCY INTERFERENCE, STYLE FL64 (VALIDATION DATE: 8202)	A 5915 EC 16-SEP-88	ER EC 85
MIL-F-15733/64(2)	REVIEWER: 11 MI	A 5915 EC 17-APR-92	11
L MIL-F-15733/65A	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLES FL30, FL32, FL34, AND FL43	A 5915 EC 07-AUG-80	EC
L MIL-F-15733/66	USER: 19 AS AT AV MC ME OS REVIEWER: 99 AR ES MI SH	A 5915 EC 29-MAR-85	ER EC 85
MIL-F-15733/67A(2)	FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL63	A 5915 EC 19-NOV-86	ER EC 85
MIL-F-15733/72A	USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH	A 5915 EC 15-JAN-85	ER EC 85
MIL-F-15733/73(1)	FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL54	A 5915 EC 15-JAN-85	ER EC 85
MIL-F-15733/74(1)	USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH	A 5915 EC 18-JAN-84	ER EC 85
MIL-F-15733/75(1)	FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL55	A 5915 EC 18-JAN-84	ER EC 85
L MIL-C-15734B	USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR ES MI SH	A 5950 SH 06-OCT-89	SH
L MIL-P-15736D(4)	FILTER, RADIO FREQUENCY INTERFERENCE, HERMETICALLY SEALED, STYLE FL56	A 6130 SH 14-MAY-90	SH
L MIL-P-15736/10	COIL ASSEMBLY, COMPASS COMPENSATING (DEGAUSSING), TYPE "R-2" REVIEWER: ES	A 6130 SH 14-MAY-73	SH
L I MIL-P-15736/5	POWER SUPPLY, METALLIC RECTIFIER, NAVAL SHIPBOARD	A 6130 SH 03-OCT-89	SH
L I MIL-P-15736/8	(VALIDATION DATE: 8106) REVIEWER: GS	A 6130 SH 01-APR-91	SH
L I MIL-P-15736/9	SHIPBOARD USE REVIEWER: GS	A 6130 SH 01-APR-91	SH
L I MIL-P-15737C	POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC CONSTANT CURRENT TYPE, INACTIVE FLEET REVIEWER: GS	A 6130 SH 29-APR-91	SH
	POWER SUPPLY, CATHODIC PROTECTION, AUTOMATIC HULL POTENTIAL TYPE, INACTIVE FLEET REVIEWER: GS		
	PADDLES, BOAT, SOLID AND LAMINATED WOOD		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Or Doc Coordination Machine Document Number	Document Title	Dist. Smt. FSC Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DA
L MIL-P-15742C MIL-S-15743B SUPPL 1A1, NOTICE 1	PLUG, PLASTIC (HEAT-EXCHANGER TUBE) USER: MC REVIEWER: AR CS SWITCHES, ROTARY, ENCLOSED (VALIDATION DATE: 8912)	A 4730 SH 02-SEP-88 A 5930 SH 11-DEC-89	MR	SH		
L MIL-S-15743/1 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 801.1 (DPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/2 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 858 (DPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/3 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 801.2 (DPST), 804.1 (TPST), 829.1 (DPDT), AND 879.1 (DPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/4 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 805.1 (4PST), AND 857 (TPDT) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/5 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOLS 827.1 (SPECIAL), 850.1 (TPDT), AND 863 (4PDT) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/6 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 862 (TPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/7 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SPLASHPROOF, SNAP ACTION, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 814 (DPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/8 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT, 30 AMPERE, SYMBOLS 838.1 (DPDT), 840.1 (DPDT), AND 851 (TPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/9 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT 30 AMPERE, SYMBOL 839.1 (4PDT), 848.1 (TPDT), AND 2752.1 (SPECIAL) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/10 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT 30 AMPERE, SYMBOL 852 (4PDT) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/11 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, 500 VOLTS ALTERNATING CURRENT/250 VOLTS DIRECT CURRENT 30 AMPERE, SYMBOL 2753 (DPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/12 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, TRANSFER, WITH INDICATION, 125 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 2763 (4PDT) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/13 NOTICE 1	SWITCH, ROTARY, ENCLOSED, WATERTIGHT SNAP ACTION, TRANSFER, WITH INDICATION, 125 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 849 (TPDT) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/14 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, WATERTIGHT SNAP ACTION, TRANSFER, WITH INDICATION, SYMBOL 853 (TPDT), 500 VOLTS ALTERNATING CURRENT, 60 AMPERE, SYMBOL 854 (TPDT), 125 VOLTS ALTERNATING CURRENT, 60 AMPERE (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/15 NOTICE 1	SWITCH, ROTARY, ENCLOSED, WATERTIGHT, SNAP ACTION, PORTABLE, 500 VOLTS ALTERNATING CURRENT, 30 AMPERE, SYMBOL 817.1 (TPST) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/16 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2637.1 (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/17 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, TWO-POSITION, SPRING-RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2638.1 (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/18 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, SIX-POLE, TWO POSITION, POSITIVE DETENT, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2639.1 (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/19 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), SNAP ACTION, SIX-POLE, TWO-POSITION, POSITIVE DETENT, 125 VOLTS ALTERNATING CURRENT, 10 AMPERE, SYMBOL 2640.1 (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/20 NOTICE 1	SWITCH, ROTARY, ENCLOSED, SUBMERSIBLE (15 FEET), CONTACT MAKER, SIX-POLE, THREE-POSITION, SPRING RETURN, 125 VOLTS ALTERNATING CURRENT, 10 AMPERES, SYMBOL 2641.1 (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/21 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, WATERTIGHT, CONTACT MAKER, MULTIPOLE, EIGHT POSITION, 125 VOLTS ALTERNATING CURRENT, 5 AMPERE, SYMBOLS 867.1 THROUGH 872.1 (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15743/22 NOTICE 1	SWITCHES, ROTARY, ENCLOSED, WATERTIGHT, 6-SECTION, 16-POSITION, 125 VOLTS ALTERNATING CURRENT, 5 AMPERE, SYMBOLS 2785 (DECK MOUNTED) AND 2786 (BULKHEAD MOUNTED) (VALIDATION DATE: 8912)	A 5930 SH 11-DEC-89		SH		
L MIL-S-15754D(1) MIL-S-15769C NOTICE 1	SEAL, HAND IMPRESSION (VALIDATION DATE: 8402) USER: MC SA REVIEWER: MI STRAIGHTEDGE (STEEL, MACHINISTS AND TOOLMAKERS) (VALIDATION DATE: 8710) USER: AV MC ME	A 7520 GL 23-FEB-78 A 5210 GL 23-OCT-87	GL	99		
L MIL-A-15787F(1) OL MIL-A-15805F(3)	HEATERS (TANKS), FLUID, DEAERATING, BOILER FEED WATER, NAVAL SHIPBOARD USE WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE B (VALIDATION DATE: 8410) REVIEWER: GS	A 4420 SH 19-DEC-88 A 6660 AS 18-OCT-77	SH	AS		
D L MIL-E-158090 A MIL-S-15825A(1) NOTICE 2	EXPANDER, TUBE, CONDENSER AND HEAT EXCHANGERS USER: YD1 SCRIBER, DIAMOND POINT (VALIDATION DATE: 9302)	A 3441 SH 19-MAY-92 A 5120 GL 26-FEB-93	SH		99	
D MIL-G-15840C(3)	GARBAGE DISPOSAL MACHINE, COMMERCIAL AND HOUSEHOLD (VALIDATION DATE: 8201) USER: MC MS REVIEWER: CS	A 4540 GL 30-SEP-76	GL	YD1	99	
Q MIL-A-15842B	MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING) (VALIDATION DATE: 7809) USER: MR REVIEWER: GS	A 9350 SH 24-AUG-64		SH	99	
MIL-S-15847A	SPRAY GUN AND ACCESSORIES, PAINT AND COPE, AIRCRAFT USE (VALIDATION DATE: 8403) USER: GL REVIEWER: CS	A 4940 AS 10-AUG-53		AS	99	
A L MIL-I-15884K MIL-R-15872D(1) MIL-P-15877D	INSIGNIA, EMBROIDERED (MEN AND WOMEN) REVIEWER: MC RECEIVING SET, RADIO, AM/URR-27 (VALIDATION DATE: 8104) USER: CG PIPE SUPPORT DEVICES (HANGERS AND SHAYBRACES, SHIPBOARD USE) (VALIDATION DATE: 8108) REVIEWER: IS	A 8455 CT 07-SEP-90 A 5820 EC 24-JAN-69 A 5340 SH 29-JUN-73		NU EC SH		CT
L MIL-I-15883B NOTICE 1	INK, WRITING, PERMANENT, SEAWATER AND FUEL OIL RESISTANT (VALIDATION DATE: 8904) USER: MC SA REVIEWER: MD OS	A 7510 GL 22-APR-89	GL		99	
D L MIL-P-15918E NOTICE 1	PROPELLING UNITS, OUTBOARD, DIESEL ENGINE DRIVEN (VALIDATION DATE: 8612) REVIEWER: 99	A 2010 YD1 17-DEC-86	ME	YD1		
L MIL-R-15917F(1) L MIL-P-15919D	REEL, FUELING HOSE, MANUALLY OPERATED (VALIDATION DATE: 8108) FILTER, AIR, ACTIVATED CARBON, SUBMARINE SANITARY TANK VENT AND WATER CLOSET (VALIDATION DATE: 8106)	A 4930 SH 31-MAY-67 A 4460 SH 08-NOV-71	SH	SH		
D MIL-P-15930C	PRIMER COATING, SHIPBOARD, VINYL-ZINC CHROMATE (FORMULA NO. 120 - FOR HOT SPRAY) USER: AS YD1 REVIEWER: DS EA MI SA	A 8010 SH 14-OCT-81	MR	SH	99	
Q MIL-P-15931F	PAINT, ANTIFOULING, VINYL (FORMULAS NO. 121, 121A, 129 AND 129A) USER: CG MC OS REVIEWER: MR	A 8010 SH 19-JUN-91	ME	SH		
MIL-P-15943D	PALLET, MATERIAL HANDLING, WOOD, SHIP CARGO, STEVEDORING, 48 INCHES LONG BY 72 INCHES WIDE, 2-WAY ENTRY USER: MC OS REVIEWER: AS GS SH SM	A 3990 SA 30-MAR-82	ME	SA	99	
L MIL-C-15952G MIL-C-15987F(1)	COMPASS, GYRO, MINIATURE CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH GROUNDING, FOR 440-VOLT PORTABLE EQUIPMENT) USER: ME OS REVIEWER: ER GS	A 6605 SH 25-MAY-88 A 6110 SH 12-APR-91	SH		SH	
L MIL-A-15991D(1)	MARKING MACHINES, HAND OPERATED	A 3695 AS 15-AUG-86		AS		



## NUMERICAL LISTING MILITARY SPECIFICATIONS

130



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig./Chg. Coordination Initiative	Document Number	Document Title	Dist. Stmt. FSC / Line MCS Symbol	Preparing Acty Date	Custodians			
					Army	Navy	Air Force	DLA
D	MIL-A-16288/3 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO JAPANESE OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/4 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/5 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN OXYGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/6 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO BRITISH ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/7 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO DUTCH ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/8 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO GERMAN ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/9 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH ACETYLENE VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: AS GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/10 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. REGULATOR TO FRENCH HYDROGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/11 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U. S. REGULATOR TO GERMAN AND DUTCH HYDROGEN VALVE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/12 NOTICE 1	ADAPTER YOKE, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: U.S. ADAPTERS TO DUTCH, FRENCH OR GERMAN ACETYLENE VALVES [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/13 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-510, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/14 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-200, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/15 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 200-520, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/16 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-510, ACETYLENE [VALIDATION DATE: 9005] REVIEWER: GS	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/17 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-300, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/18 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 300-520, ACETYLENE [VALIDATION DATE: 9005] REVIEWER: GS	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/19 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-300, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/20 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 510-520, ACETYLENE [VALIDATION DATE: 9005] REVIEWER: GS	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/21 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 520-510, ACETYLENE [VALIDATION DATE: 9005] USER: AS AV MC REVIEWER: GS MD MS SH	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/22 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 580-000, NITROGEN [VALIDATION DATE: 9005] REVIEWER: GS MI	A 8120	68 01-MAY-90	ME	YD1	68	
D	MIL-A-16288/23 NOTICE 1	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS: CLASS 000-580, NITROGEN [VALIDATION DATE: 9005] REVIEWER: GS	A 8120	68 01-MAY-90	ME	YD1	68	
A L	MIL-C-16290K	CLOTH, MELTON, WOOL (MOTH-PROOFED) .....	A 8305	CT 24-APR-91	NU			CT
A L	MIL-C-16291G	CLOTH, FLANNEL, WOOL .....	A 8305	CT 06-JAN-84	NU			CT
D	MIL-E-16298D	ELECTRIC MACHINES HAVING ROTATING PARTS, ACCESSORIES AND ASSOCIATED SUPPORT ITEMS: PACKAGING OF USER: AT EC ME REVIEWER: EA SH YD1	A 8305	SH 07-MAR-89	AV	SH	69	
Q	MIL-B-163058	BRICK, REFRACTORY, INSULATING [VALIDATION DATE: 8907] USER: MR REVIEWER: GS	A 9350	SH 25-JUL-89	SH		99	
D	MIL-C-16310D	CYLINDER COMPRESSED GAS (COMPRESSED AIR AND CARBON DIOXIDE, NONSHATTERABLE AND NONMAGNETIC) REVIEWER: YD1	A 8120	SH 20-MAR-91	ME	SH	68	
L	MIL-H-16313D	HEATERS, FLUID, FUEL OIL, NAVAL SHIPBOARD [VALIDATION DATE: 8903] .....	A 4420	SH 20-MAR-89	SH			
L	MIL-T-16315C(4)	TRANSFORMERS, POWER, STEP-DOWN (MISCELLANEOUS, NAVAL SHIPBOARD USE) REVIEWER: ES MI	A 5950	SH 15-MAR-91	SH			
D	MIL-I-16341G	ICE MAKING MACHINE, FLAKE, ELECTRIC, SELF-CONTAINED, 1000-POUND/24 HOURS USER: MC REVIEWER: GS MD ME MS	A 4110	GL 17-DEC-84	GL	YD1	99	
D	MIL-T-16343C(1)	TUBING, STEEL, CARBON, STRUCTURAL USER: YD1 REVIEWER: CS EA GS .....	A 4710	DS 28-MAY-86	AV	OS	11	
A L	MIL-L-16355E	LEAD STYPHATE, BASIC REVIEWER: OS .....	A 1376	AR 12-JAN-93	AR			
L	MIL-L-0016355D	LEAD STYPHATE, BASIC .....	A 1376	AR 26-APR-85	AR			
D	MIL-G-16358D	GAGE, BOILER WATER, DIRECT READING USER: MC REVIEWER: GS YD1 .....	A 6680	SH 18-DEC-87	ME	SH		
L	MIL-T-16366F NOTICE 1	TERMINAL, ELECTRICAL LUG AND CONDUCTOR SPLICES, CRIMP STYLE [VALIDATION DATE: 8607] USER: ME MI	A 5940	SH 07-JUL-86	ME	SH		
A	MIL-C-16375G NOTICE 1	CLOTH, WIGAM, COTTON USER: MC REVIEWER: MD .....	A 8305	CT 12-NOV-87	GL	NU	99	CT
D L	MIL-F-16377G(1) SUPPL 2A1	FIXTURES, LIGHTING: AND ASSOCIATED PARTS: SHIPBOARD USE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8906] USER: YD1 REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/1B	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR MOTORS AND GENERATORS 50 WATTS, 120 VOLTS, SYMBOL 126.3 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/2A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 6 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 152 AND 154 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/3A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR WATER GAGES 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 151 AND 153 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/4A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR SECRETARY BUREAU 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 142.2 [VALIDATION DATE: 8906]	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/5A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 15 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 338.1, 338.2, 339.1 AND 339.2 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/6A(1)	FIXTURE, LIGHTING: FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 149.4 AND 149.5	A 6210	SH 30-JAN-86	SH			
L	MIL-F-16377/7A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 16 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 70.3, 70.4, 78.2, 336 AND 336.1 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/8A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING 20 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 331.1, 331.2, 347.2 AND 347.3 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/9A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING 24 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 73.3, 73.4, 346.2 AND 346.3 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/10A(1)	FIXTURE, LIGHTING: FLUORESCENT, GENERAL LIGHTING, DIRECTIONAL 32 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 145.4 AND 145.5	A 6210	SH 30-JAN-86	SH			
L	MIL-F-16377/11A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 40 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 77.4, 77.5, 344.2 AND 344.3 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op. / Chg. Combination Index	Document Number	Document Title	Dist. Smt. FSC / Area MCC Symbol	Preparing Act. Date	Custodians			
					Army	Navy	Air Force	DLA
L	MIL-F-16377/12A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 60 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT SYMBOLS 333.1, 333.2, 341.1, 341.2, 342.2 AND 342.3 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/13A(2)	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 180 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 74, 74.1, 75 AND 75.1	A 6210	SH 27-JUN-90	SH			
L	MIL-F-16377/14A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 79.1, 79.2, 80.1 AND 80.2 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/15A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 148.2 [VALIDATION DATE: 8906]	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/16A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR DESKS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 141.2 AND 150.2 [VALIDATION DATE: 8906]	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/17A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR BATHS 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 229.1, 231.1 AND 232.1 [VALIDATION DATE: 8906] REVIEWER: GS	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/18A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 15 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 337 AND 340 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/19A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR RADIO OPERATOR'S DESK 8 WATTS, 120 VOLTS, 60 HERTZ, SYMBOLS 270.3 AND 270.4 [VALIDATION DATE: 8906]	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/20A(1)	FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 64.1 & 65	A 6210	SH 06-MAY-85	SH			
L	MIL-F-16377/21A	FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOLS 89 AND 90.2 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/22A	FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 94.1 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/23A	FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 200 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 57, 57.1, 59, 59.1 AND 103 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/24	FIXTURES, INCANDESCENT, GENERAL LIGHTING, 330 WATTS, 120 VOLTS, SYMBOL 66.2 (INACTIVE) REVIEWER: GS	A 6210	SH 30-NOV-70	SH			
L	MIL-F-16377/25A(1)	FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING 110 WATTS, 120 VOLTS, EXPLOSIONPROOF, SYMBOLS 48.2 & 68.2 REVIEWER: GS	A 6210	SH 04-AUG-86	SH			
L	MIL-F-16377/26A(1)	FIXTURE, LIGHTING, INCANDESCENT, GENERAL LIGHTING, 110 WATTS, 120 VOLTS, WATERTIGHT SYMBOLS 112, 113 & 113.1	A 6210	SH 17-JUL-86	SH			
L	MIL-F-16377/27B	FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 92.2 AND 93.2 REVIEWER: GS	A 6210	SH 07-OCT-88	SH			
L	MIL-F-16377/28A	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR AMMUNITION MOIST, 50 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 25.1 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/29A	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR BOILER OUTER CASING 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 159.1 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/30A	FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING FOR PSYCHIATRIC WARDS 100 WATTS, 120 VOLTS, DRIPPROOF 15 DEGREES, SYMBOL 137 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/31A	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR SPOT ILLUMINATION 6-25 WATTS, 120 VOLTS, TOTALLY ENCLOSED, SYMBOL 147.2 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/32A	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR WATER GAUGES, 15 OR 25 WATTS, 120 VOLTS, SYMBOL 134.1 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/33A	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR SIGHTGLASSES 6 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 136.1 AND 156 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/34	FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR GYRO COMPASS FOR SUBMARINES, PRESSUREPROOF, 15 WATTS, 120 VOLTS, SYMBOL 335 [VALIDATION DATE: 8305] REVIEWER: GS	A 6210	SH 30-NOV-70	SH			
L	MIL-F-16377/35	FIXTURES, LIGHT, INCANDESCENT, DETAIL LIGHTING FOR SMALL BOATS, 3 CANDLEPOWER, 12 TO 16 OR 24 TO 28 VOLTS, SPLASHPROOF, SYMBOL 310 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/36	FIXTURES, LIGHTS, INCANDESCENT, GENERAL LIGHTING, 21 CANDLEPOWER OR 25 WATTS, 115 VOLTS, WATERTIGHT, SYMBOLS 95.1, 96.1, 97.1 AND 98.1 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/37A	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING MINESWEEPER BUNKS, 15 WATTS, 120 VOLTS, NONMAGNETIC, SYMBOLS 5.1 AND 8.1 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/38A	FIXTURES, LIGHTING: INCANDESCENT, DETAIL LIGHTING FOR HULL NUMERALS 100 WATTS, 120 VOLTS, WATERTIGHT, SYMBOL 304 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/39A	FIXTURE, LIGHT, INCANDESCENT, STREAMER TYPE, DETAIL LIGHTING FOR TOPSIDE SHIP DRESS LIGHTING, WATERTIGHT, 120 VOLTS, 425 WATTS SYMBOL 307 [VALIDATION DATE: 8906] REVIEWER: GS	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/40A	FIXTURES, LIGHTING: LOCKS FLUORESCENT LAMP [VALIDATION DATE: 8906] .....	A 6250	SH 22-JUN-89	SH			
L	MIL-F-16377/41A	FIXTURES, LIGHTING: SHOCKMOUNTS, FOR LIGHTING FIXTURES [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/42A(1)	FIXTURE, LIGHT, FILTER, PLASTIC, TUBULAR SHAPED FOR FLUORESCENT LAMPS .....	A 6210	SH 30-JAN-86	SH			
L	MIL-F-16377/43A	FIXTURES, LIGHTING: FILTERS, PLASTIC, ROUND SHAPED FOR LANTERN [VALIDATION DATE: 8906]	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/44A	FIXTURES, LIGHTING: BALLAST, FOR ONE 20-WATT T-12 FLUORESCENT LAMP [VALIDATION DATE: 8906] REVIEWER: GS	A 6250	SH 22-JUN-89	SH			
L	MIL-F-16377/45B	FIXTURES, LIGHT: BALLAST, FOR ONE 8-WATT T-5 FLUORESCENT LAMP .....	A 6250	SH 22-NOV-89	SH			
L	MIL-F-16377/46A	FIXTURES, LIGHTING: BALLAST BOX, FOR ONE 8-WATT T-5 FLUORESCENT LAMP, SYMBOLS 514 AND 514.1 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/47A	FIXTURES, LIGHTING: BALLAST AND STARTER BOX FOR FOUR 6-WATT OR 8-WATT FLUORESCENT LAMPS, T-5, WATERTIGHT, SYMBOLS 455 AND 455.1 [VALIDATION DATE: 8906]	A 6250	SH 22-JUN-89	SH			
L	MIL-F-16377/48A	FIXTURES, LIGHTING, FILTER ASSEMBLIES FOR DESK LIGHT, RED AND WHITE SYMBOL 121.1 AND BLUE AND WHITE SYMBOL 121.2 [VALIDATION DATE: 8906]	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/49A	FIXTURE, LIGHT, EXTENSION, FLUORESCENT, 8-WATT, 115 VOLTS, EXPLOSIONPROOF AND WATERTIGHT, DETAIL LIGHTING, SYMBOL 306.2 [VALIDATION DATE: 8906] REVIEWER: GS	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/50A	FIXTURES, LIGHTING: INCANDESCENT, LIGHT, EXTENSION, 12-28 VOLTS, WATERTIGHT, SYMBOL 302.2 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/51A	FIXTURES, LIGHTING: INCANDESCENT, LIGHT EXTENSION, 12-28 VOLTS, WATERTIGHT, SYMBOLS 290 AND 290.1 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/52B	FIXTURES, LIGHTING: INCANDESCENT, LIGHT, EXTENSION, 12-28 VOLTS, WATERTIGHT, SYMBOL 286 [VALIDATION DATE: 8906] REVIEWER: GS	A 6210	SH 22-JUN-89	SH			
L	MIL-F-16377/53A	FIXTURES, INCANDESCENT, DETAIL LIGHTING, LANTERN, 100 WATTS, 120 VOLTS, WATERTIGHT SYMBOLS 100.2, 101.2, 102.2 AND 108.2 [VALIDATION DATE: 8906] REVIEWER: GS	A 6230	SH 09-DEC-88	SH			
L	MIL-F-16377/54	FIXTURE, BRACKET, LUG SUPPORTING FOR HAND LANTERNS, SYMBOL 2432.1 [VALIDATION DATE: 8906] REVIEWER: GS	A 6230	SH 22-JUN-89	SH			
L	MIL-F-16377/55	FIXTURE, BRACKET ASSEMBLY, ADJUSTABLE FOR SUPPORTING HAND LANTERN, SYMBOL 2432.1 [VALIDATION DATE: 8906] REVIEWER: GS	A 6230	SH 22-JUN-89	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc/OML Coordination Machine	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol	Preparing Act	Date	Custodians			
							Army	Navy	Air Force	DLA
L	MIL-F-16377/56	FIXTURE, LIGHT, INCANDESCENT, 100-WATT, 120-VOLT, MACHINE TOOL, PORTABLE, FLOATING ADJUSTMENT SYMBOL 266.2 (VALIDATION DATE: 8906) REVIEWER: GS	A 6230	SH	22-JUN-89		SH			
L	MIL-F-16377/57A	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 60, 80 AND 120 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 348, 349 AND 350 (VALIDATION DATE: 8906) REVIEWER: GS	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/58B	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR MIRRORS 30 WATTS, 120 VOLTS, 60 HERTZ, DRIPPROOF, SYMBOLS 351, 351.1, 352 AND 352.1 (VALIDATION DATE: 8906) REVIEWER: GS	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/59A	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR STEP ILLUMINATION 8 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOL 353, 353.1 AND 353.2 (VALIDATION DATE: 8906) REVIEWER: GS	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/60A	FIXTURES, LIGHTING: INCANDESCENT, FLOODLIGHTS, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOLS 316 AND 317 (VALIDATION DATE: 8906)	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/61	FIXTURES, LIGHTING: INCANDESCENT, FLOODLIGHTS 300 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOL 303.1 (VALIDATION DATE: 8906)	A 6230	SH	22-JUN-89		SH			
L	MIL-F-16377/62	FIXTURES, LIGHTING: INCANDESCENT FLOODLIGHTS 500 WATTS, 120 VOLTS, WATERTIGHT, SYMBOLS 300 AND 300.1 (VALIDATION DATE: 8906)	A 6230	SH	22-JUN-89		SH			
L	MIL-F-16377/64	FIXTURES, LIGHTING: INCANDESCENT, GENERAL LIGHTING, DECORATIVE, 150 WATTS, 120 VOLTS, DRIPPROOF 15 DEG., SYMBOL 67 (VALIDATION DATE: 8906)	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/65	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 30 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 81, 81.1, 345.2 AND 345.3 (VALIDATION DATE: 8906)	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/66	FIXTURES, LIGHTING: FLUORESCENT, GENERAL LIGHTING, 45 WATTS, 120 VOLTS, 60 HERTZ, WATERTIGHT, SYMBOLS 82, 82.1, 343.1 AND 343.2 (VALIDATION DATE: 8906)	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/67	FIXTURES, LIGHTING: WINDOW ASSEMBLIES, CLEAR WHITE SHIELDED, TO BE USED FOR REPLACEMENT PARTS ONLY (VALIDATION DATE: 8906)	A 6210	SH	22-JUN-89		SH			
L	MIL-F-16377/68	FIXTURES, LIGHTING: FLUORESCENT, EXTENSION LIGHT FOR SERVICING ELECTRONIC EQUIPMENT, 4 WATTS, 120 VOLTS, 60 HERTZ, SYMBOL 165 (VALIDATION DATE: 8906)	A 6230	SH	22-JUN-89		SH			
L	MIL-F-16377/71	FIXTURES, LIGHTING: FLUORESCENT, DETAIL LIGHTING FOR MIRRORS FOR SMALL BOATS 8 WATTS, 120 VOLTS, 60 HERTZ, TOTALLY ENCLOSED, SYMBOL 354 (VALIDATION DATE: 8906)	A 6210	SH	22-JUN-89		SH			
OL	MIL-L-16383M	LIFE PRESERVER, CO2 INFLATABLE, UNDERWATER DEMOLITION TEAM (VALIDATION DATE: 8104) USER: ME REVIEWER: AS CS	A 4220	SH	04-DEC-64		SH			
D	MIL-H-16384E	HYDROMETER SETS AND PARTS, SYRINGE, LEAD-ACID STORAGE BATTERY TESTING USER: MC MI YDI	A 6630	SH	19-DEC-88		SH	99		
L	MIL-C-16385E(1)	CARTRIDGE, CARBON DIOXIDE, INFLATABLE LIFE PRESERVER USE USER: ME REVIEWER: CS	A 4220	SH	16-JUN-88		SH			
L	MIL-C-16388D	COOLERS, FLUID, NAVAL SHIPBOARD (HULL COOLERS) .....	A 4420	SH	03-APR-90		SH			
OL	MIL-B-16392C(4)	BRACE, MAGNET, NAVAL SHIPBOARD (VALIDATION DATE: 8104) REVIEWER: GS .....	A 6110	SH	01-OCT-65		SH			
L	MIL-V-16399A	VARNISH, MOISTUREPROOF (VALIDATION DATE: 8204) REVIEWER: EA MI .....	A 8010	OS	16-SEP-71		OS			
LI	MIL-P-16404B(1)	PACKING, ASBESTOS USER: AV REVIEWER: TS .....	A 5330	OS	17-OCT-89		OS			
L	MIL-P-16406A	PAINT, BLACK, HIGH-GLOSS, QUICK DRYING (VALIDATION DATE: 8204) .....	A 8010	OS	09-JUL-74		OS			
L	MIL-I-16411F	INSULATION FELT, THERMAL GLASS FIBER USER: MC OS REVIEWER: AT .....	A 5640	SH	14-NOV-88		ME	SH		
L	MIL-R-16417J	REPAIR KITS, CO2, INFLATABLE LIFE PRESERVERS (VALIDATION DATE: 9012) USER: ME REVIEWER: 84 CS	A 4220	SH	10-DEC-90		SH	99		
D L	MIL-T-16420K(1)	TUBE, COPPER-NICKEL ALLOY, SEAMLESS AND WELDED (COPPER ALLOY NUMBERS 715 AND 706) USER: ME YDI REVIEWER: CS	A 4710	SH	16-SEP-88		SH			
L	MIL-L-16446A	LITTER, FOLDING, FOLDING POLE (VALIDATION DATE: 8906) .....	A 6530	MB	15-JUN-89		MD	MS	03	
D	MIL-H-16451F	HEATERS, WATER, LIQUID FUEL (OIL-FIRED, STORAGE TYPE: NOT EXCEEDING 280,000 BTU/H INPUT CAPACITY) USER: MC REVIEWER: 84 CE CS	A 4520	YDI	10-APR-92		ME	YDI	99	
L	MIL-L-16462B	LITTER, FOLDING, RIGID POLE (VALIDATION DATE: 8906) USER: AV .....	A 6530	MB	15-JUN-89		MD	MS	03	
I	MIL-V-16468C(3)	VALVES, SHUTOFF, HYDROCARBON FUEL SERVICE 100 P.S.I. AND 150 P.S.I., WORKING PRESSURE	A 4820	SH	09-MAR-89		SH	99		
A	MIL-C-16472H	CAP, KNIT (WATCH) USER: 45 REVIEWER: 82 MC	A 8405	CT	30-JUN-88		NU	99	CT	
L	MIL-D-16475D	DEVICE, METAL, BREAST AND COLLAR, GENERAL SPECIFICATION FOR USER: CG .....	A 8455	NU	15-SEP-82		NU			
A L	MIL-D-16475/1A	DEVICE, METAL (BREAST AND COLLAR) .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/2A	DEVICE, METAL (BREAST AND COLLAR) COMMAND AT SEA .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/3B	DEVICES, METAL, (BREAST AND COLLAR) DIVER .....	A 8455	CT	03-JUN-91		NU	CT		
A L	MIL-D-16475/4A	DEVICE, METAL (BREAST AND COLLAR) SMALL CRAFT .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/5A	DEVICES, METAL, (BREAST AND COLLAR) SPECIAL WARFARE .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/6A	DEVICE, METAL (BREAST AND COLLAR) SUBMARINE COMBAT PATROL .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/7B	DEVICE, METAL (BREAST AND COLLAR) SUBMARINE ENGINEERING DUTY .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/8B	DEVICE, METAL (BREAST AND COLLAR) SUBMARINE INSIGNIA .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/9A	DEVICE, METAL (BREAST AND COLLAR) SUBMARINE MEDICAL .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/10A	DEVICE, METAL (BREAST AND COLLAR) SUBMARINE SUPPLY CORPS .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/11B	DEVICES, METAL (BREAST AND COLLAR) BADGE, QUALIFICATION, SUBMARINE: SSBN	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/12A	DETERRENT PATROL								
A L	MIL-D-16475/13A	DEVICES, METAL, (BREAST AND COLLAR) AVIATION ANTISUBMARINE WARFARE OPERATOR	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/14A	DEVICE, METAL (BREAST AND COLLAR) AVIATION BOATSWAIN .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/15A	DEVICE, METAL (BREAST AND COLLAR) AVIATION CONTROL TECHNICIAN .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/16A	DEVICE, METAL (BREAST AND COLLAR) AVIATION ELECTRONICS TECHNICIAN .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/17A	DEVICE, METAL (BREAST AND COLLAR) AVIATION MAINTENANCE TECHNICIAN .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/18A	DEVICE, METAL (BREAST AND COLLAR) AVIATION ORDNANCE TECHNICIAN .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/19A	DEVICE, METAL (BREAST AND COLLAR) AERODRAGRHER .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/20A	DEVICE, METAL (BREAST AND COLLAR) AIR INTELLIGENCE TECHNICIAN .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/21B	DEVICE, METAL (BREAST AND COLLAR) BOATSWAIN .....	A 8455	CT	28-OCT-87		NU	CT		
A L	MIL-D-16475/22A	CG								
A L	MIL-D-16475/22A	DEVICE, METAL (BREAST AND COLLAR) CHAPLAIN CORPS - CHRISTIAN (CHC-C) USER: 45 CG	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/23D	DEVICE, METAL (BREAST AND COLLAR) CHIEF PETTY OFFICER -E-10, E-9, E-8, E-7 - NAVY USER: 45 CG	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/24A	DEVICE, METAL (BREAST AND COLLAR) CIVIL ENGINEER CORPS USER: 45 CG .....	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/25A	DEVICE, METAL (BREAST AND COLLAR) COMMUNICATIONS TECHNICIAN USER: 45 CG .....	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/26A	DEVICE, METAL (BREAST AND COLLAR) DATA PROCESSING TECHNICIAN USER: 45 CG ..	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/27A	DEVICE, METAL (BREAST AND COLLAR) DENTAL CORPS USER: 45 CG ..	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/28A	DEVICE, METAL (BREAST AND COLLAR) ELECTRICIAN USER: 45 CG .....	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/29A	DEVICE, METAL (BREAST AND COLLAR) ELECTRONICS TECHNICIAN USER: 45 CG .....	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/30A	DEVICE, METAL (BREAST AND COLLAR) EXPLOSIVE ORDNANCE DISPOSAL USER: 45 CG ..	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/31A	DEVICE, METAL (BREAST AND COLLAR) JUDGE ADVOCATE GENERAL S CORPS (JAG) USER: 45 CG	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/32A	DEVICE, METAL (BREAST AND COLLAR) LEADER, U. S. NAVY BAND, BANDMASTER USER: 45 CG	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/33A	DEVICE, METAL (BREAST AND COLLAR) MACHINIST USER: 45 .....	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/34A	DEVICE, METAL (BREAST AND COLLAR) MEDICAL CORPS USER: 45 CG .....	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/35A	DEVICE, METAL (BREAST AND COLLAR) MEDICAL SERVICE CORPS USER: 45 CG .....	A 8455	CT	05-FEB-88		NU	CT		
A L	MIL-D-16475/36A	DEVICE, METAL (BREAST AND COLLAR) MEDICAL SERVICE/DENTAL SERVICE USER: 45 CG	A 8455	CT	05-FEB-88		NU	CT		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Inches	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Asy	Date	Custodians			
						Army	Navy	Air Force	DIA
A L	MIL-D-16475/378	DEVICE, METAL (BREAST & COLLAR) COMMUNICATION TECHNICIAN COMMUNITY (NAVY) COMMUNICATION (COAST GUARD) USER: 45 CG	A 8455	CT	05-FEB-88	MU	CT		
A L	MIL-D-16475/38A	DEVICE, METAL (BREAST AND COLLAR) NURSE CORPS USER: 45 CG	A 8455	CT	05-FEB-88	MU	CT		
A L	MIL-D-16475/39A	DEVICE, METAL (BREAST AND COLLAR) OPERATIONS TECHNICIAN	A 8455	CT	05-FEB-88	MU	CT		
A L	MIL-D-16475/40A	DEVICE, METAL (BREAST AND COLLAR) PHOTOGRAPHER USER: 45 CG	A 8455	CT	05-FEB-88	MU	CT		
A L	MIL-D-16475/41A	DEVICES, METAL, (BREAST AND COLLAR) SHIP'S CLERK USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/42A	DEVICES, METAL, (BREAST AND COLLAR) SHIP REPAIR TECHNICIAN USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/43A	DEVICES, METAL, (BREAST AND COLLAR) SUPPLY CLERK USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/44B	DEVICES, METAL, (BREAST AND COLLAR) SUPPLY CORPS USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/45A	DEVICES, METAL, (BREAST AND COLLAR) SURFACE ORDNANCE/ORDNANCE CONTROL TECHNICIAN USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/46A	DEVICES, METAL, (BREAST AND COLLAR) UNDERWATER ORDNANCE TECHNICIAN USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/47A	DEVICES, METAL, (BREAST AND COLLAR) DIVER, MEDICAL CORPS/MEDICAL SERVICE CORPS USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/48A	DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (U.S. COAST GUARD) USER: 45 CG	A 8455	CT	23-SEP-88	MU	CT		
L	MIL-D-16475/49A	DEVICES, METAL, (BREAST AND COLLAR) DIVER, MEDICAL TECHNICIAN USER: CG REVIEWER: CT	A 8455	MU	23-SEP-88	MU			
A L	MIL-D-16475/50A	DEVICES, METAL, (BREAST AND COLLAR) COMMAND AT SEA (U.S. COAST GUARD) USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/51A	DEVICES, METAL, (BREAST AND COLLAR) CHIEF PETTY OFFICERS (U.S. COAST GUARD) USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/52A	DEVICES, METAL, (BREAST AND COLLAR) COMMAND ASHORE/PROJECT MANAGER	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/53A	DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE OPERATOR	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/54B	DEVICES, METAL, (BREAST AND COLLAR) GROUP RATE SEAMAN/APPRENTICE ENLISTED WOMEN (NAVY) USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/55A	DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY AUXOP, QUALIFICATION (U.S. COAST GUARD) USER: 45 CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/56A	DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, PAST OFFICER (U.S. COAST GUARD) USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/57A	DEVICES, METAL, (BREAST AND COLLAR) ENLISTED WOMEN, HOSPITAL CORPSMAN, NAVY	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/58A	DEVICES, METAL, (BREAST AND COLLAR) ENLISTED WOMEN, DENTAL TECHNICIAN, NAVY	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/59A	DEVICES, METAL, (BREAST AND COLLAR) AVIATION OPERATIONS TECHNICIAN USER: 45	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/60B	DEVICES, METAL, (BREAST AND COLLAR) SENIOR ENLISTED ADVISOR IDENTIFICATION BREAST BADGE USER: CG	A 8455	CT	23-SEP-88	MU	CT		
A L	MIL-D-16475/61B	DEVICES, METAL, (BREAST AND COLLAR) SECURITY PERSONNEL	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/62A	DEVICES, METAL, (BREAST AND COLLAR) ENLISTED SURFACE WARFARE SPECIALIST	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/63A	DEVICES, METAL, (BREAST AND COLLAR) RELIGIOUS PROGRAM SPECIALIST REVIEWER: MC	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/64B	DEVICES, METAL, (BREAST AND COLLAR) OFFICER IN CHARGE ASHORE (U.S. COAST GUARD) USER: CG	A 8455	CT	16-OCT-90	MU	CT		
A L	MIL-D-16475/65A	DEVICES, METAL, (BREAST AND COLLAR) INTELLIGENCE TECHNICIAN	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/66A	DEVICES, METAL, (BREAST AND COLLAR) PHYSICAL SECURITY TECHNICIAN	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/67A	DEVICES, METAL, (BREAST AND COLLAR) FLIGHT SURGEON (U.S. COAST GUARD) USER: CG	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/68B	DEVICES, METAL, BREAST AND COLLAR COMMAND ENLISTED ADVISOR (U.S. COAST GUARD)	A 8455	CT	06-JAN-92		CT		
A L	MIL-D-16475/69A	DEVICES, METAL, (BREAST AND COLLAR) AVIATION WARFARE SPECIALIST	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/70A	DEVICES, METAL, (BREAST AND COLLAR) ENLISTED PERSONNEL (PETTY OFFICER 1, 2, & 3)	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/71A	DEVICES, METAL, (BREAST AND COLLAR) DEEP SUBMERGENCE	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/72A	DEVICES, METAL, (BREAST AND COLLAR) LIMITED DUTY OFFICER (LDO) LAW	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/73A	DEVICES, METAL, (BREAST AND COLLAR) AVIATION SUPPLY CORPS	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/74A	DEVICES, METAL, (BREAST AND COLLAR) SURFACE SUPPLY CORPS OFFICER	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/75A	DEVICES, METAL, (BREAST AND COLLAR) PHYSICIAN'S ASSISTANT (U.S. COAST GUARD) USER: CG	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/76A	DEVICES, METAL, (BREAST AND COLLAR) PORT SECURITYMAN (U.S. COAST GUARD) USER: CG	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/77A	DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY COXSWAIN (U.S. COAST GUARD) USER: CG	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/78A	DEVICES, METAL, (BREAST AND COLLAR) SCIENCE TECHNOLOGIST, (U.S. COAST GUARD) USER: CG	A 8455	CT	11-JAN-89	MU	CT		
A L	MIL-D-16475/79	DEVICES, METAL, (BREAST AND COLLAR) AUXILIARY, AVIATOR (U.S. COAST GUARD) USER: CG	A 8455	CT	16-OCT-90	MU	CT		
A L	MIL-D-16475/80	DEVICES, METAL, (BREAST AND COLLAR) NAVY FAMILY OMBUDSMAN	A 8455	CT	19-MAY-92	MU	CT		
A L	MIL-D-16475/81	DEVICES, METAL, (BREAST AND COLLAR) INTEGRATED UNDERSEA SURVEILLANCE SYSTEM	A 8455	CT	19-MAY-92	MU	CT		
A	MIL-D-16475/82	DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE NURSE	A 8455	CT	27-JUL-92	MU	CT		
A	MIL-D-16475/83	DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE DENTAL	A 8455	CT	27-JUL-92	MU	CT		
A	MIL-D-16475/84	DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE MEDICAL SERVICE	A 8455	CT	27-JUL-92	MU	CT		
A	MIL-D-16475/85	DEVICES, METAL, (BREAST AND COLLAR) SURFACE WARFARE MEDICAL CASE, HOSPITAL LINES, SMALL (VALIDATION DATE: 9103)	A 8455	CT	27-JUL-92	MU	CT		
	MIL-C-16489C		A 6545	MB	15-MAY-91	MD	MS	03	
D	MIL-G-16491F	GROMMET, METALLIC, GENERAL SPECIFICATION FOR USER: MC SA SH REVIEWER: AS DS CL MI	A 5325	IS	01-MAY-89	AR	YD1	99	IS
D	MIL-G-16491/1	GROMMET, METALLIC, PLAIN, WITH TOOTHED WASHER (TYPE II) USER: MC SA SH REVIEWER: AS CL MI	A 5325	IS	01-MAY-89	AR	YD1	99	IS
D	MIL-G-16491/2	GROMMET, METALLIC, OBLONG, WITH FLAT WASHER (TYPE IV)	A 5325	IS	01-MAY-89	AR	YD1	99	IS
D	MIL-G-16491/3	GROMMET, METALLIC, OBLONG, WITH RAISED WASHER (TYPE V) USER: MC SA SH REVIEWER: AS CL MI	A 5325	IS	01-MAY-89	AR	YD1	99	IS
L	MIL-T-16549G	TRUCKS, HAND, SHELF, UTILITY, 3 SHELVES REVIEWER: 84 GS MC MD MS	A 3920	GL	31-DEC-85	GL	SA	99	
L	MIL-F-16552E	FILTER, AIR ENVIRONMENTAL CONTROL SYSTEM, CLEANABLE, IMPINGEMENT (HIGH VELOCITY TYPE) REVIEWER: GS	A 4130	SH	28-OCT-86	SH			
	MIL-C-16555D	COATING COMPOUND, STRIPPABLE, SPRAYABLE (VALIDATION DATE: 8208) USER: AS MC SA SH REVIEWER: 99	A 8030	OS	24-FEB-75	NR	OS	11	
OL	MIL-V-16556E	VALVE, SOLENOID, THREE-WAY BYPASS (NAVAL SHIPBOARD USE)	A 4810	SH	29-MAR-88	SH			
L	MIL-J-16562A(1)	INSULATION, SYNTHETIC, RUBBER-LIKE, CHEMICALLY EXPANDED, CELLULAR (SHEET FORM) (VALIDATION DATE: 8402) REVIEWER: ME	A 1055	OS	14-JAN-77	OS			
L	MIL-G-16567D	GRIP, CABLE USER: GL	A 5120	MI	18-JUN-90	MI			
A L	MIL-S-16572F	SHOULDER BOARDS AND INSIGNIA, BRANCH OF SERVICE	A 8455	CT	23-JAN-91	MU	CT		
LI	MIL-P-16594A	PROJECTILES, BOMBS, ROCKETS, AND GUIDED MISSILE WARHEADS, INERT PARTS, MANUFACTURE OF REVIEWER: EA MI	A 1336	OS	07-FEB-91	OS			
	NOTICE 1								
	MIL-I-16596A	INHALATOR, MASK TYPE, OXYGEN ADMINISTRATION (VALIDATION DATE: 8808)	A 6515	MB	22-AUG-88	MD	MS	03	
	NOTICE 1								
	MIL-S-16598B(1)	STEEL BAR (LOW EXPANSION, FREE CUTTING, 36 PERCENT NICKEL), REVIEWER: 84 99 AS MI MB	A 9510	OS	24-SEP-86	ME	OS	11	
	MIL-P-16610B	PIN, TAPERED, PLAIN (VALIDATION DATE: 8504) REVIEWER: 82 IS	A 5315	AR	25-APR-73	AR	OS		
L	MIL-R-16620A(4)	RECHARGING SET, RADIO AM/UMR-35 (VALIDATION DATE: 8204) REVIEWER: 99	A 5820	LC	11-JUL-57	LC			
	MIL-S-16626D	STINGS, CARGO NET (NYLON OR MANILA) REVIEWER: 84 CG MC	A 3940	ME	14-AUG-84	ME		99	
L	MIL-W-16642D(1)	WATER TESTING OUTFIT, BOILER	A 6640	SH	23-JUL-82	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn. Coordination Inactive	Document Number	Document Title	Dist. Smt. FSC / Area	McA Symbol	Preparing Acty Date	Custodians Army Navy AF DIA
L	MIL-T-166440	TAPE, MEASURING, TANK GAGING TYPE, WITH REEL AND PLUMB BOB USER: 84 AV MC ME	A 5210	GL	30-SEP-86	GL
L	MIL-C-16645A(4)	COMPRESSOR, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD DIESEL ENGINE AIR STARTING SERVICE [VALIDATION DATE: 8105]	A 4310	SH	31-JAN-62	SH
	MIL-Y-166540 NOTICE 1	YARN, WOOL [VALIDATION DATE: 8708] USER: MD	A 8310	GL	03-AUG-87	GL NU
L	MIL-E-16663A(1)	ENAMEL, SEMI-GLOSS (FOR METAL SURFACES OF AMMUNITION AND AMMUNITION CONTAINERS) [VALIDATION DATE: 8204] REVIEWER: DS	A 8010	OS	24-FEB-76	OS
QL	MIL-D-166800	DECK COVERING MAGNESIA AGGERGATE MIXTURE	A 5610	SH	17-SEP-82	SH
L	MIL-P-166850	PACKING, MATERIAL AND PACKING PREFORMED (STUFFING TUBE FOR ELECTRIC CABLES) [VALIDATION DATE: 8104] USER: EC OS	A 5330	SH	30-APR-70	SH
AQL	MIL-P-166850(11)	PACKING, MATERIAL AND PACKING PREFORMED (STUFFING-TUBE FOR ELECTRIC CABLES)	A 5330	SH	13-JAN-93	SH
A L	MIL-Y-16698C NOTICE 1	YARN, COTTON [VALIDATION DATE: 8707] REVIEWER: MD	A 8310	CT	30-OCT-87	GL CT
D L	MIL-C-16703E	COLLECTOR UNIT, DUST, WITH FAM	A 4460	YD1	30-SEP-87	YD1
L	MIL-D-16712C(1)	DRILLING MACHINE, PAPER, ELECTRIC MOTOR DRIVEN [VALIDATION DATE: 8104] REVIEWER: GS	A 3610	GL	25-JAN-74	GL
D	MIL-F-16716E	FANS, CENTRIFUGAL, INDUSTRIAL USER: CE MC REVIEWER: GS	A 4140	YD1	23-AUG-90	ME YD1
L	MIL-L-16727D	LINK, AMMUNITION, 20MM, MARK 2 (FOR 20MM MARK 12 A/C GUNS) [VALIDATION DATE: 8402]	A 1305	AS	23-FEB-68	AS
D L	MIL-V-16733D	VALVES, PRESSURE REGULATING, STEAM REVIEWER: CS	A 4820	YD1	03-JAN-88	YD1
L	MIL-R-16743F SUPPL 1A1	REFRIGERATING PLANTS AND SYSTEMS, MECHANICAL; AND REFRIGERATING SYSTEM COMPONENTS-DICHLORODIFLUOROMETHANE (R-12) - NAVAL SHIPBOARD REVIEWER: GS	A 4130	SH	01-JAN-91	SH
L	MIL-B-16747C	BOILER, STEAM, HIGH PRESSURE, WATER TUBE TYPE, AUXILIARY NAVY SHIPBOARD [VALIDATION DATE: 8106]	A 4410	SH	22-APR-63	SH
L	MIL-A-16749E(2)	AMPLIFIER, AUDIO FREQUENCY, SOUND POWERED TELEPHONE SYSTEM [VALIDATION DATE: 8104]	A 5805	SH	17-JUN-68	SH
L	MIL-C-16751A	COVER, CANVAS (FOR NAVAL ORDNANCE EQUIPMENT) [VALIDATION DATE: 7907]	A 10GP	OS	26-JUN-63	OS
A	MIL-C-16775D	CHESTS, FIELD, ALUMINUM, EMPTY	A 6545	DM	12-JUN-89	MD OS 03 DM
	MIL-L-16785A	LUBRICATING OIL, BREACH BLOCK (FOR NAVAL ORDNANCE) (SEE NOTICE 3) [VALIDATION DATE: 8508] REVIEWER: GS PS SA	A 9150	OS	18-OCT-52	ME OS
	MIL-S-16788A	STEEL, CARBON, HOT-ROLLED OR FORGED (BLOOMS, BILLETS, & SLABS FOR REFORGING) ( INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 7611] USER: WV	A 9640	OS	29-MAR-71	MR OS 99
D L	MIL-P-16789D	PUMPS (INCLUDING PRIMEMOVERS & SUPPORT ITEM S); PACKAGING OF REVIEWER: YD1	A PACK	SH	30-OCT-86	SH
D	MIL-D-16791C(1)	DETERGENTS, GENERAL PURPOSE (LIQUID, NONIONIC) USER: 26 MC ME YD1 REVIEWER: 84 EA SH	A 7930	SH	15-JAN-93	GL SH 99
	MIL-C-16809A	CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 4, EMPTY [VALIDATION DATE: 8106]	A 6545	DM	16-JUN-58	MD MS 03
	MIL-C-0016809C	CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 4	A 6545	DM	07-AUG-69	MD MS 03 DM
	MIL-C-16813B(1)	CASE, BRONCHOSCOPIC INSTRUMENTS, STERILIZING AND STORAGE, EMPTY [VALIDATION DATE: 8808]	A 6515	DM	22-AUG-88	MD MS 03
	MIL-L-16815A NOTICE 1	LITTER, SEMIRIGID, POLELESS [VALIDATION DATE: 8906]	A 6530	MB	15-JUN-89	MD MS 03
	MIL-S-16829A NOTICE 1	STAND, IRRIGATOR, STEEL, FOLDING [VALIDATION DATE: 8906]	A 6530	MB	15-JUN-89	MD MS 03
L	MIL-C-16839E	CABLE, SPECIAL PURPOSE, ELECTRICAL (UNDERWATER USE) REVIEWER: JS	A 6145	OS	25-OCT-90	OS
L	MIL-W-16878E(1) SUPPL 1A1	WIRE, ELECTRICAL, INSULATED, GENERAL SPECIFICATION FOR USER: MC OS REVIEWER: AS AV EC	A 6145	SH	21-AUG-84	SH
M L	MIL-W-16878/1B	WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 600 VOLTS (NOT FOR NAVY SHIPBOARD USE)	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/2B	WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 1000 VOLTS (NOT FOR NAVY SHIPBOARD USE)	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/3B	WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS (NOT FOR NAVY SHIPBOARD USE)	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/4C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 600 VOLTS, EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/5C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH
L	MIL-W-16878/6C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 250 VOLTS, EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH
L	MIL-W-16878/7B	WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 600 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/8B	WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/10D	WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/11B	WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 600 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/12D	WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 1000 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/13B	WIRE, ELECTRICAL, FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATED, 200 DEG. C, 250 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/14A	WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 600 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/15A	WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 1000 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/16B	WIRE, ELECTRICAL, CROSSLINKED, MODIFIED POLYETHYLENE (XLPE) INSULATED, 125 DEG. C, 3000 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/17A	WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 600 VOLTS POLYAMIDE JACKET (NOT FOR NAVY SHIPBOARD USE)	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/18A	WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 1000 VOLTS, POLYAMIDE JACKET (NOT FOR NAVY SHIPBOARD USE)	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/19A	WIRE, ELECTRICAL, POLYVINYL CHLORIDE (PVC) INSULATED, 105 DEG. C, 3000 VOLTS, POLYAMIDE COVERING (NOT FOR NAVY SHIPBOARD USE)	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/20A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 250 VOLTS, WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/21A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 600 VOLTS, WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/22A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/23A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 250 VOLTS, EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/24A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 250 VOLTS, WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/25A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 600 VOLTS, EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/26A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 600 VOLTS, WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/27A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/28A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/29A(1)	WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 600 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/30A	WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS	A 6145	SH	11-SEP-92	SH
M L	MIL-W-16878/31A	WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 150 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT	A 6145	SH	11-SEP-92	SH



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	AF Force	DLA
M L	MIL-W-16878/32A(1)	WIRE, ELECTRICAL, SILICONE RUBBER INSULATED, 200 DEG. C, 1000 VOLTS, GLASS BRAID COVERING, ABRASION RESISTANT	A 6145	SH	11-SEP-92	SH			
M L	MIL-W-16878/33A	WIRE, ELECTRICAL, POLYETHYLENE INSULATED, 75 DEG. C, 600 VOLTS, POLYAMIDE COVERING, ABRASION RESISTANT	A 6145	SH	11-SEP-92	SH			
M L	MIL-W-16878/34A(1)	WIRE, ELECTRICAL, POLYTETRAFLUORETHYLENE (PTFE) INSULATED, 200 DEG. C, 1000 VOLTS, DOUBLE WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH			
M L	MIL-W-16878/35A	WIRE, ELECTRICAL, POLYTETRAFLUORETHYLENE (PTFE) INSULATED, 260 DEG. C, 1000 VOLTS, DOUBLE WRAPPED INSULATION	A 6145	SH	11-SEP-92	SH			
M L	MIL-W-16878/36	WIRE, ELECTRICAL, LOW SMOKE, CROSS LINKED POLYOLEFIN (XLPO) INSULATED, 105 DEG. C, 600 VOLTS	A 6145	SH	11-SEP-92	SH			
M L	MIL-W-16878/37	WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 150 DEG. C, 600 VOLTS, EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH			
M L	MIL-W-16878/38	WIRE, ELECTRICAL, ETHYLENE-PROPYLENE DIENE ELASTOMER (EPDM) INSULATED, 150 DEG. C, 5000 VOLTS EXTRUDED INSULATION	A 6145	SH	11-SEP-92	SH			
D	MIL-F-16884H(2)	FUEL, NAVAL DISTILLATE USER: CG MC REVIEWER: PS SA YD1	A 9140	SH	04-DEC-85	ME	SH	68	
D L	MIL-D-16886H	DEHUMIDIFIER, DRY DESICCANT TYPE, AUTOMATIC, CONTINUOUS DUTY USER: CG	A 4440	YD1	19-MAR-93	YD1			
	MIL-F-16895F(1)	FOOD PACKET, SURVIVAL, ABANDON SHIP REVIEWER: MC MD MS SS	A 8970	GL	15-SEP-88	GL	SA	50	
	MIL-D-16898B(1)	OPTICAL ELEMENTS, PACKAGING OF [VALIDATION DATE: 8304] REVIEWER: OS SH	A 1240	AR	03-AUG-70	AR	AS	99	
L	MIL-B-16907C	BOILER, STEAM, HIGH PRESSURE, AUXILIARY FIRE TUBE TYPL, NAVAL SHIPBOARD	A 4410	SH	27-MAY-88	SH			
	MIL-B-16909H	BUFFING AND POLISHING COMPOUNDS [VALIDATION DATE: 9101]	A 5350	AS	24-OCT-91	AS	99		
	NOTICE 1								
	MIL-S-16917B	SODIUM BISULFATE (MITER CAKE) USER: AS REVIEWER: GS	A 6810	SH	27-AUG-84	SH	68		
AQ	MIL-I-16923H	INSULATING COMPOUND, ELECTRICAL, EMBEDDING, EPOXY USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	13-AUG-91	ER	SH	11	
D L	MIL-S-16938C	SEARCHLIGHT, INCANDESCENT, SIGNALING, 8-INCH [VALIDATION DATE: 8106] USER: YD1 REVIEWER: GS	A 6230	SH	30-JUL-73	SH			
	MIL-L-16942B	LITTER, NONRIGID, POLELESS NYLON	A 6630	MB	25-JUN-89	MD	MS	03	
	MIL-G-16959B(1)	GASKETS: METALLIC, BOILER, ECONOMIZER AND SUPERHEATER HANDHOLE USER: ME REVIEWER: B2 85	A 5330	SH	12-DEC-91	SH	99		
L	MIL-T-16967D	TRANSMITTING SET, INHARED ANYSAT-2 [VALIDATION DATE: 8304]	A 5850	EC	16-FEB-71	EC			
OL	MIL-S-17000M	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION GENERAL SPECIFICATION FOR	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/1A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL AND INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (TERMINAL BOARD CONNECTED), TYPE II	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/2A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE III	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/3A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK-MOUNTED (PLUG CONNECTED) TYPE IV	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/4A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MTD (PLUG CON TYPE V)	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/5A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, TWO SEPARATE SECTIONS (TERMINAL BOARD & PLUG CONNECTED, TYPE VI	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/6A	SWITCHING EQUIPMENT, COMBAT SYSTEMS, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, POWER DISTRIBUTION (TERMINAL BOARD CONNECTED), TYPE VII	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/7A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED, DIGITAL SWITCHING (PLUG CONNECTED), TYPE VIII	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/8A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE, TYPE IX	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/9A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION CONTROL INDICATOR	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/10	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, DECK MOUNTED (TERMINAL BOARD CONNECTED) TYPE X	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/11	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SURFACE SHIP, BULKHEAD MOUNTED (TERMINAL BOARD CONNECTED) TYPE XI	A 1290	SH	02-MAY-83	SH			
L	MIL-S-17000/12	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION SWITCHBOARD, SUBMARINE DECK MOUNTED (PLUG CONNECTED) TYPE XII	A 1290	SH	02-MAY-83	SH			
L	MIL-G-17012G(1)	GYRO COMPASS EQUIPMENT, STABILIZED [ISSUE CONTROLLED REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC] [VALIDATION DATE: 8301]	A 6605	SH	14-FEB-77	SH			
D L	MIL-D-17013C(1)	DOUGH MIXING MACHINE, BAKER S [VALIDATION DATE: 8103] USER: GL YD1 REVIEWER: GS	A 7320	SH	29-JUL-71	SH			
L	MIL-D-17013C(12)	DOUGH MIXING MACHINE, BAKER'S	A 7320	SH	08-APR-92	SH			
D L	MIL-M-17024F	HOOD, EXTREME COLD WEATHER, IMPERMEABLE (SHORE) USER: 45 CG YD1	A 8415	CT	26-SEP-88	HU		CT	
L	MIL-M-17059A	MOTOR, 60 CYCLE, ALTERNATING CURRENT, FRACTIONAL H.P. (SHIPBOARD USE) [VALIDATION DATE: 8204] REVIEWER: AR GS	A 6105	SH	12-OCT-66	SH			
L	MIL-M-17060E(1)	MOTOR, 60 HZ, ALTERNATING CURRENT, INTEGRAL CURRENT, INTEGRAL HP (SHIPBOARD USE)	A 6105	SH	15-MAY-81	SH			
OL	MIL-L-17080C(4)	LOUDSPEAKER, PERMANENT MAGNET FOR SHIPBOARD ENTERTAINMENT SYSTEMS REVIEWER: ES	A 5965	SH	03-DEC-86	SH			
L	MIL-D-17084E	DUPPLY TRANSMITTER, SHIPS' DISTANCE AND SPEED	A 6320	SH	22-OCT-87	SH			
L	MIL-B-17089A(1)	BAROMETER, AMERID MI-448 UM [VALIDATION DATE: 8509]	A 6685	AS	26-SEP-57	AS			
D	MIL-B-17095H	BOILERS, STEAM, WATERTUBE (BENT TUBE, MULTI-DRUM AND CROSS DRUM) PACKAGED TYPE (10,000,000 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: B4 CE SA	A 4410	YD1	20-AUG-90	ME	YD1	99	
	MIL-P-17098A(1)	PSYCHROMETER, HAND, ELECTRIC, ASPIRATING, MI-450/UM AND CARRYING CASE, PSYCHROMETER, CY-1238/UM [VALIDATION DATE: 8410] REVIEWER: GS MS	A 6685	AS	20-JUN-57	ER	AS		
OL	MIL-F-17111B	FLUID, POWER TRANSMISSION USER: AL REVIEWER: GS	A 9150	OS	11-OCT-83	OS			
D	MIL-W-17122D	WATER SOFTENER UNIT, LIME-SODA TYPE	A 4610	YD1	30-AUG-91	YD1	99		
D L	MIL-C-17124C(2)	CORD, DETONATING [VALIDATION DATE: 7905] USER: CG MC YD1 REVIEWER: 99 EA	A 1375	AR	15-AUG-75	AR			
L	MIL-C-0017124D(4)	CORD, DETONATING	A 1375	AR	08-JUL-91	AR			
L	MIL-C-17124C(13)	CORD, DETONATING	A 1375	AR	16-JUN-80	AR			
A	MIL-T-17128C(2)	TRANSDUCER FLUID, SONAR USER: SC REVIEWER: GS	A 9150	SH	30-OCT-92	ME	SH		
L	MIL-R-17131C(1)	RODS AND POWDERS, WELDING, SURFACING USER: MC OS REVIEWER: 99 AS GS	A 3439	SH	21-AUG-84	AR	SH	11	
A L	MIL-B-17143G	BUTTON, INSIGNIA (ANCHOR, PLASTIC, BLACK) USER: CG	A 8455	CT	19-OCT-88	HU		CT	
A L	MIL-C-17155G	CLOTH, KNITTED, NYLON, FLEECE REVIEWER: EA	A 8305	CT	07-APR-88	GL	HU		
A	MIL-C-17157G	CLOTH, KNITTED, COTTON (WAFFLE TYPE) REVIEWER: B2	A 8305	CT	04-JUN-85	HU	99		
L	MIL-A-17161D	ABSORBER, RADIO FREQUENCY RADIATION (MICROWAVE ABSORBING MATERIAL), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8502] REVIEWER: AS	A 6MC5	SH	24-JUN-85	SH			
L	MIL-N-17163A	NICKEL-COPPER ALLOY, WROUGHT, (55-60 PERCENT NICKEL) LOW PERMEABILITY [VALIDATION DATE: 8104] REVIEWER: IS MI	A 9540	SH	03-APR-59	SH			
L	MIL-P-17171E	PLASTIC, LAMINATE, DECORATIVE, HIGH PRESSURE	A 9330	SH	25-MAY-90	SH			
L	MIL-C-17183B	CORD, NYLON BRAIDED, TUBULAR, SPLICEABLE [VALIDATION DATE: 8203] USER: MI REVIEWER: AR EA	A 4020	AS	03-DEC-69	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Item	Doc. / OMA Coordination Package	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Proposed Acty. Date	Custodians			
							Army	Navy	Air Force	OMA
L		MIL-M-17185A(1)	MOUNT, RESILIENT, GENERAL SPECIFICATIONS AND TESTS FOR (SHIPBOARD APPLICATION) [VALIDATION DATE: 8108] REVIEWER: IS MC MI	A 5340	SH	27-OCT-59	SH			
QL		MIL-M-17191D	MOUNT, RESILIENT, PORTSMOUTH BONDED SPOOL TYPE [VALIDATION DATE: 8202] REVIEWER: IS	A 5340	SH	22-SEP-70	SH			
QL		MIL-A-17196E	ALARM SWITCHBOARDS, ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, & SPECIAL ALARM CONNECTION BOX, NAVAL SWITCHBOARD [VALIDATION DATE: 8411] USER: CS REVIEWER: MI	A 6320	SH	07-OCT-77	SH			
D L		MIL-L-17202D	LOAD-TRANSFER DEVICES (FOR CONCRETE SLABS AND PAVEMENTS) ..... [VALIDATION DATE: 8104] USER: AS MC ME REVIEWER: 99 AR GS MI	A 3630	YD1	30-SEP-88		YD1		
		MIL-L-17205C	INSULATION CLOTH AND TAPE, ELECTRICAL, GLASS FIBER, VARNISHED [VALIDATION DATE: 8104] USER: AS MC ME REVIEWER: 99 AR GS MI	A 5970	SH	16-NOV-61	ER	SH	11	
L		MIL-C-17208B	CLOTH, PARACHUTE, 240-PERMEABILITY: FOR USE WITH UNDERWATER ORDNANCE [VALIDATION DATE: 9203]	A 8305	OS	18-MAR-92	OS			
L		MIL-W-17211B	WIRE, ELECTRICAL, RADIO ANTENNA, 7/12, 7/14, 7/16, 7/18, 7/20, 7/22 [VALIDATION DATE: 8204] REVIEWER: IS SA	A 6145	SH	28-JUL-65	SH			
QL		MIL-T-17221B(1)	TRANSFORMERS, POWER, DISTRIBUTION, SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220 DEG. C, DRY (AIR COOLER), (NAVAL SHIPBOARD USE) REVIEWER: GS MI	A 6120	SH	03-JUL-85	SH			
L		MIL-C-17226E	CHLORINATOR, WATER PURIFICATION USER: CE ..... [VALIDATION DATE: 8204] REVIEWER: CE	A 4610	B4	22-MAY-88			99	
D		MIL-B-17228F	BOILERS, STEAM AND HOT WATER, WATERTUBE (COIL AND SERPENTINE), PACKAGED TYPE (40,000 TO 10,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: CE	A 4410	YD1	23-AUG-90	ME	YD1	99	
A		MIL-C-17238D	CLOTH, KNITTED, WOOL AND COTTON FLEECE [VALIDATION DATE: 8601] USER: 11 45 REVIEWER: 82 MD	A 8305	CT	19-MAR-75	GL	NU	99	CT
L		MIL-I-17244E(5)	INDICATORS, TEMPERATURE, DIRECT-READING, BIMETALLIC, (3 AND 5 INCH DIAL) [VALIDATION DATE: 9106] USER: ME REVIEWER: GS	A 6685	SH	07-JUN-91	SH			
L		MIL-W-17247B	WIND MEASURING SET AN/UMQ-5 (COMPONENTS OF) [VALIDATION DATE: 8102] REVIEWER: GS	A 6660	AS	04-FEB-74	AS			
L		DOD-A-17254A	ANCHOR, MARINE, FLUKED (LIGHTWEIGHT TYPE (LWT) HADFIELD MANGANESE CAST STEEL) (LOW MAGNETIC PERMEABILITY) VALIDATED MAY 1964	A 2040	SH	23-AUG-85	SH			
L		MIL-I-17276A	INHIBITOR, CELLULOSE ACETATE, EXTRUDED [VALIDATION DATE: 8307] REVIEWER: EA GS MI	A 9330	OS	30-OCT-71	OS			
D L		MIL-F-17280D	FITTINGS, MARINE, MINESWEEPING, NONMAGNETIC USER: AR ME REVIEWER: YD1 .....	A 1075	SH	13-OCT-87	SH			
L		MIL-T-17286D	TURBINES AND GEARS, SHIPBOARD PROPULSION AND AUXILIARY STEAM: PACKAGING OF UNIT HEATER, AIR-CIRCULATING, STEAM (SHIPBOARD USE) [VALIDATION DATE: 8901] REVIEWER: CS	A 4520	SH	03-FEB-89	SH			
L		MIL-U-17293D	SHIP CONTROL ORDER AND INDICATING EQUIPMENT - SELF-SYNCHRONOUS, (NAVAL SHIPBOARD USE)	A 2030	SH	11-FEB-87	SH			
L		MIL-I-17301B(1)	INDICATOR, SHIP'S DISTANCE-SPEED .....	A 6320	SH	11-MAR-91	SH			
QL		MIL-P-17303D(2)	PACKING MATERIALS, PLASTIC METALLIC AND PLASTIC NONMETALLIC .....	A 5330	SH	24-OCT-91	SH			
A		MIL-M-17312D(1)	MEAT TENDERIZER, ELECTRIC [VALIDATION DATE: 9212] USER: MC MS REVIEWER: MD	A 7320	SA	18-DEC-92	GL	SA	99	
D		MIL-M-17321F	MARKER, TRAFFIC USER: CE MC ME YD1 REVIEWER: 84 .....	A 9905	GL	30-SEP-85	GL		99	
AQL		MIL-L-17331M(2)	LUBRICATING OIL, STEAM TURBINE AND GEAR, MODERATE SERVICE .....	A 9150	SH	31-DEC-92	SH			
A		MIL-W-17337F(1)	WEBBING, TEXTILE, MOVEN NYLON USER: SH REVIEWER: AS .....	A 8305	CT	22-JAN-90	GL	NU		CT
-L		MIL-E-17341C	ENGINE, GAS TURBINE, PROPULSION & AUXILIARY NAVAL SHIPBOARD [VALIDATION DATE: 8112]	A 2835	SH	09-APR-70	SH			
		MIL-R-17343D(1)	ROPE, NYLON [VALIDATION DATE: 8905] USER: CG MC MI REVIEWER: AR DS EA IS	A 4020	SH	05-MAY-89	GL	SH	99	
		NOTICE 1	ME							
		MIL-S-17346B(1)	STONE, COMPUTATOR BURNISHING (FLEXIBLE ABRASIVE) [VALIDATION DATE: 8804] USER: AR AV MC	A 5345	B4	11-APR-88	MR		99	
DQ		NOTICE 1	USER: AR AV MC							
		MIL-V-17360E	VALVE, CYLINDER, GAS, CARBON DIOXIDE FIRE EXTINGUISHER USER: MC REVIEWER: 84 CE CS YD1	A 4210	SH	19-MAR-87	ME	SH	99	
QL		MIL-C-17361F(2)	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE), GENERAL SPECIFICATION FOR	A 5925	SH	21-APR-92	SH			
L		MIL-C-17361/1(1)	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A50 AND MQB - A50	A 5925	SH	21-APR-92	SH			
L		MIL-C-17361/2	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A100 AND MQB - A100 (FOR REPLACEMENT ONLY)	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/3	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF100 (FOR REPLACEMENT ONLY)	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/4	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A101/A102 AND MQB - A101	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/5	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L200 OF, QN, QS	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/6	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A250 AND MQB - A250	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/7	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LF250	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/8	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A400 AND MQB - A400	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/9	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - L400 OF, QN	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/10	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LL400QS	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/11	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - LL400	A 5925	SH	10-MAR-89	SH			
L		MIL-C-17361/12	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A800 AND MQB - A800	A 5925	SH	10-MAR-89	SH			
A L		MIL-C-17361/13(1)	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1600 AND MQB - A1600	A 5925	SH	05-AUG-92	SH			
L		MIL-C-17361/14	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1601 AND MQB - A1601	A 5925	SH	10-MAR-89	SH			
A L		MIL-C-17361/15A	CIRCUIT BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) TYPE AQB - A1602 AND MQB - A1602	A 5925	SH	11-SEP-92	SH			
Q		MIL-T-17370C	TUBE AND FLUE CLEANER, BOILER, INTERNAL, AIR MOTOR DRIVEN REVIEWER: CS ....	A 4940	SH	10-MAR-89	SH	99		
D		MIL-C-17370E	CAPS AND FLANGES COMPRESSED-GAS CYLINDER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9207] USER: MC REVIEWER: MD	A 8120	68	20-JUL-92	ME	YD1	68	
		NOTICE 2	USER: MC REVIEWER: MD							
D		MIL-C-17376/1	CAPS AND FLANGES COMPRESSED-GAS CYLINDER: CAPS [VALIDATION DATE: 9207] USER: MC REVIEWER: MD	A 8120	68	20-JUL-92	ME	YD1	68	
		NOTICE 1	USER: MC REVIEWER: MD							
D		MIL-C-17376/2	CAPS AND FLANGES COMPRESSED-GAS CYLINDER: FLANGES, LOW PRESSURE [VALIDATION DATE: 9207] USER: CG REVIEWER: MD	A 8120	68	20-JUL-92	ME	YD1	68	
		NOTICE 1	USER: CG REVIEWER: MD							
D		MIL-C-17376/3	CAP AND FLANGE, COMPRESSED GAS CYLINDER, FLANGE, HIGH PRESSURE [VALIDATION DATE: 8402] USER: MC YD1 REVIEWER: GS MD	A 8120	ME	14-SEP-73	ME	SH	68	
L		MIL-S-17377D	SEALING COMPOUND, BOILER-CASING .....	A 8030	SH	06-SEP-88	SH			
L		DOD-T-17412C	TEST KIT, WATER, ENGINE COOLING SYSTEMS (METRIC) [VALIDATION DATE: 8501] REVIEWER: GS	A 6630	SH	20-SEP-78	SH			
L		MIL-M-17413A	MOTOR, DIRECT CURRENT, INTEGRAL H.P. NAVAL SHIPBOARD (NAVY) [VALIDATION DATE: 8104] USER: ME REVIEWER: AS GS DS	A 6105	SH	15-JUN-55	SH			
A		MIL-C-17415F	CLOTH, COATED, AND WEBBING, INFLATABLE BOAT AND MISCELLANEOUS USE USER: CE CG MC	A 8305	CT	31-MAY-89	ME	SH		CT
Q		MIL-P-17416C	PACKING MATERIAL, METALLIC, FLEXIBLE (SYMBOL 1430) [VALIDATION DATE: 8907] REVIEWER: IS	A 5330	SH	24-JUL-89	AR	SH		
LI		MIL-S-17422(6)	SHIP CONTROL CONSOLES AND COMBINATION EQUIPMENTS (NAVAL SHIPBOARD USE) REVIEWER: GS	A 2030	SH	21-MAR-91	SH			
		NOTICE 1	USER: GS							
L		MIL-M-17428B	HEATERS, FLUID, INDUSTRIAL (LUBRICATING OIL) (FOR NAVAL SHIPBOARD USE) ....	A 4420	SH	02-SEP-88	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Number	Document Title	Doc. Smt FSC / Area MCA Symbol	Preparing Act Date	Custodians			
				Army	Navy	Air Force	DLA
L1 MIL-D-17432C(1) NOTICE 1	DRIVE ASSEMBLY - ELECTROHYDRAULIC, AMMUNITION HOIST .....	A 2030	SH 15-AUG-91	SH			
L MIL-I-17433C MIL-C-17435C NOTICE 3	INHIBITOR, HYDROCHLORIC ACID DESCALING AND PICKLING SOLUTIONS REVIEWER: GS	A 6850	SH 04-JUN-86	SH			
L MIL-C-17435C(11) MIL-P-17440D	CUSHIONING MATERIAL, FIBROUS GLASS [VALIDATION DATE: 8703] REVIEWER: DS ...	A 8135	AR 24-MAR-87	AR	OS 69		
L MIL-T-17442B(1)	CUSHIONING MATERIAL, FIBROUS GLASS .....	A 8135	SA 01-APR-91	SA			
L MIL-P-17449(2) MIL-B-17452E	PAN, BAKING AND ROASTING [VALIDATION DATE: 8104] USER: CG MS REVIEWER: MC MD	A 7330	GL 13-MAR-69	GL	SA 99		
L MIL-P-17454B(1) MIL-P-17454B(12) MIL-V-17462B(1) NOTICE 1 MIL-T-17479G(1)	TENSIONMETER, DIAL INDICATING, HYDRAULIC, REMOTE READING AND MAINTENANCE KIT (MINESWEEPING) [VALIDATION DATE: 8501] USER: GL REVIEWER: GS	A 6635	SH 31-MAY-68	SH			
L MIL-P-17454B(1) MIL-P-17454B(12) MIL-V-17462B(1) NOTICE 1 MIL-T-17479G(1)	POWDER, PROPELLANT, CORDITE M [VALIDATION DATE: 8106] .....	A 1376	OS 17-MAY-72	OS			
L MIL-P-17454B(1) MIL-P-17454B(12) MIL-V-17462B(1) NOTICE 1 MIL-T-17479G(1)	BOILERS, STEAM AND HOT WATER, FIRETUBE, SCOTCH PACKAGED TYPE (320,001 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: BA CE MD	A 4410	YD1 28-AUG-90	ME	YD1 99		
L MIL-P-17454B(1) MIL-P-17454B(12) MIL-V-17462B(1) NOTICE 1 MIL-T-17479G(1)	PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE [VALIDATION DATE: 8105] .....	A 4320	SH 03-JUN-60	ME	SH		
L MIL-P-17454B(1) MIL-P-17454B(12) MIL-V-17462B(1) NOTICE 1 MIL-T-17479G(1)	PUMP, CENTRIFUGAL, PORTABLE, SUBMERSIBLE [VALIDATION DATE: 8105] .....	A 4320	SH 14-NOV-66	SH			
L MIL-P-17454B(1) MIL-P-17454B(12) MIL-V-17462B(1) NOTICE 1 MIL-T-17479G(1)	VALVE, SAFETY: BOILER (SHIPBOARD USE) REVIEWER: CS .....	A 4820	SH 12-MAR-90	SH			
L MIL-G-17489B(1) NOTICE 1 MIL-T-17491H	TRAILER, PLATFORM, WAREHOUSE, WOOD OR METAL PLATFORM, 6000 POUND CAPACITY, PNEUMATIC TIRES, FIFTH WHEEL STEER [VALIDATION DATE: 8501] USER: AS OS REVIEWER: GS	A 3920	ME 05-JAN-81	ME	SA		
L MIL-G-17489B(1) NOTICE 1 MIL-T-17491H	GAGES, PRESSURE (AIR), BOILER [VALIDATION DATE: 9103] REVIEWER: GS .....	A 6685	SH 27-MAR-91	SH			
L MIL-V-17501F(1) MIL-C-17504B(2)	TRUCK, HAND, LIFT, PALLET, MANUAL - HYDRAULIC FOR SHIPBOARD USE (6,000 POUND CAPACITY) REVIEWER: GS OS SH	A 3920	SA 31-OCT-86	SA			
L MIL-V-17501F(1) MIL-C-17504B(2)	VALVES, CONTROL TYPE, MAGAZINE, AND HANGAR DECK SPRINKLER .....	A 4810	SH 05-NOV-90	SH			
L MIL-V-17501F(1) MIL-C-17504B(2)	COATING COMPOUND, ACRYLIC, CLEAR [VALIDATION DATE: 8303] USER: ME REVIEWER: MI OS	A 8010	AR 16-APR-64	AR			
D L MIL-H-17505E	HOSE AND HOSE ASSEMBLY, RUBBER, OIL AND GASOLINE, SUCTION AND DISCHARGE REVIEWER: CS SH	A 4720	YD1 16-APR-90	YD1			
A MIL-L-17507F(1) QL MIL-L-17508F	LACE, ORNAMENTAL USER: 45 CG REVIEWER: 99 .....	A 8315	CT 03-SEP-85	GL	11 CT		
L MIL-T-17523D(1) MIL-C-17536D MIL-V-17547A QL MIL-F-17548B(2)	MOUNTS, RESILIENT: TYPES 6E100, 6E150, 7E450, 6E900, 6E2000, 5E3500, 6E100B, 6E150B, 7E450B, AND 6E900B REVIEWER: JS	A 5340	SH 12-DEC-90	SH			
L MIL-T-17523D(1) MIL-C-17536D MIL-V-17547A QL MIL-F-17548B(2)	TURBINE, STEAM, AUXILIARY (AND REDUCTION GEAR) MECHANICAL DRIVE .....	A 2825	SH 01-JUN-82	SH			
L MIL-T-17523D(1) MIL-C-17536D MIL-V-17547A QL MIL-F-17548B(2)	COFFEE BOILER, METAL [VALIDATION DATE: 8303] REVIEWER: MD MS .....	A 7330	GL 12-SEP-72	GL	SA 99		
L MIL-T-17523D(1) MIL-C-17536D MIL-V-17547A QL MIL-F-17548B(2)	VALVES, CHECK, BRONZE .....	A 4820	SH 09-NOV-88	SH			
L MIL-T-17523D(1) MIL-C-17536D MIL-V-17547A QL MIL-F-17548B(2)	FLAME ARRESTER, VENTILATION EXHAUST (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8310]	A 2040	SH 23-OCT-78	SH			
L MIL-P-17549D	PLASTIC LAMINATES, FIBROUS GLASS REINFORCED, MARINE STRUCTURAL [VALIDATION DATE: 8907] REVIEWER: MR	A 9330	SH 25-JUL-89	SH			
D L MIL-P-17551F D L MIL-P-17552F	PUMP UNIT, CENTRIFUGAL, SALT WATER, DIESEL-ENGINE-DRIVEN .....	A 4320	YD1 08-OCT-91	YD1			
L MIL-P-17553A A MIL-E-17555H(2)	PUMP UNITS, CENTRIFUGAL, WATER, HORIZONTAL: GENERAL SERVICE AND BOILER-FEED: ELECTRIC-MOTOR - OR STEAM-TURBINE-DRIVEN	A 4320	YD1 25-NOV-91	YD1			
L MIL-P-17553A A MIL-E-17555H(2)	PACKING, PREFORMED, O RING, SYNTHETIC RUBBER [VALIDATION DATE: 8204] .....	A 5330	OS 22-JUN-76	OS			
L MIL-P-17553A A MIL-E-17555H(2)	ELECTRONIC AND ELECTRICAL EQUIPMENT, ACCESSORIES, AND PROVISIONED ITEMS (REPAIR PARTS): PACKAGING OF USER: MC REVIEWER: 99 AS CS EC ES GS ME MI OS SA SM	A PACK	SH 02-NOV-92	CR	SH 69		
L1 MIL-M-17556(1) NOTICE 1 L MIL-C-17557E D L MIL-F-17559D AQ MIL-I-17563C A MIL-C-17564 A MIL-C-17566E A L MIL-E-17568C	MOTOR, DIRECT-CURRENT, FRACTIONAL HP (SHIPBOARD USE) USER: ME REVIEWER: GS MI	A 6105	SH 20-MAY-91	SH			
L MIL-C-17557E D L MIL-F-17559D AQ MIL-I-17563C A MIL-C-17564 A MIL-C-17566E A L MIL-E-17568C	COOLERS, FLUID, INDUSTRIAL, NAVAL SHIPBOARD (SAMPLE WATER COOLERS) .....	A 4420	SH 09-SEP-88	SH			
L MIL-C-17557E D L MIL-F-17559D AQ MIL-I-17563C A MIL-C-17564 A MIL-C-17566E A L MIL-E-17568C	FILTERS, FLUID, PRESSURE, FEEDWATER .....	A 4330	YD1 02-JAN-90	YD1			
L MIL-C-17557E D L MIL-F-17559D AQ MIL-I-17563C A MIL-C-17564 A MIL-C-17566E A L MIL-E-17568C	IMPREGNANTS FOR CAST OR POWER METAL COMPONENTS USER: AS OS REVIEWER: GS MR	A 6850	SH 18-SEP-92	EA			
L MIL-C-17557E D L MIL-F-17559D AQ MIL-I-17563C A MIL-C-17564 A MIL-C-17566E A L MIL-E-17568C	CLOTH, HOLLAND [VALIDATION DATE: 8601] .....	A 8305	CT 20-MAY-53	NU	99 CT		
L MIL-C-17557E D L MIL-F-17559D AQ MIL-I-17563C A MIL-C-17564 A MIL-C-17566E A L MIL-E-17568C	CLOTH, BILLIARD USER: 45 REVIEWER: 82 .....	A 8305	CT 31-MAY-88	NU	99 CT		
L MIL-C-17557E D L MIL-F-17559D AQ MIL-I-17563C A MIL-C-17564 A MIL-C-17566E A L MIL-E-17568C	EMBROIDERY MATERIALS, METALLIC AND SYNTHETIC METALLIC [VALIDATION DATE: 8601] USER: 45 CG	A 8315	CT 24-JAN-80	NU	99 CT		
D L MIL-P-17574D	PUMP-ENGINE SYSTEM, CENTRIFUGAL, WATER-GASOLINE-FUEL OIL, SKID-BASE-MOUNTED	A 4320	YD1 21-JUN-91	YD1			
QL MIL-P-17578A NOTICE 1 L MIL-G-17586	PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425) [VALIDATION DATE: 9103] REVIEWER: IS	A 5340	SH 27-MAR-91	SH			
L MIL-G-17586	GAGE KIT, ELECTRICAL, FOR BARE AND RIFLING OF 20MM GROOVE GUN BARRELS [VALIDATION DATE: 8106]	A 5280	OS 02-JUL-53	OS			
QL MIL-C-17587B(2) L MIL-C-17588E(4)	CIRCUIT BREAKER, LOW VOLTAGE, ELECTRIC POWER, AIR, OPEN FRAME, REMOVABLE CONSTRUCTION REVIEWER: ES	A 5925	SH 01-JUL-86	SH			
L MIL-G-17594B NOTICE 1 D MIL-C-17596F	CIRCUIT BREAKERS (AUTOMATIC - ALB-1) & SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUTOMATIC - MLB-1) AIR, INSULATED HOUSING, 125 VOLTS & BELOW, AC & DC, (NAVAL SHIPBOARD USE)	A 5925	SH 05-JUL-88	SH			
L MIL-G-17594B NOTICE 1 D MIL-C-17596F	GROMMET, PLASTIC, UNICELLULAR, HIGH DENSITY [VALIDATION DATE: 8905] REVIEWER: 99 IS	A 5325	SH 09-MAY-89	SH			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	COMPRESSORS, RECIPROCATING OR ROTARY POWER DRIVEN (EMD) AIR, BASE MOUNTED, 10 HP TO 300 HP USER: ER REVIEWER: 84 CS	A 4310	YD1 19-AUG-88	ME	YD1 99		
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	TURBINE, STEAM, PROPULSION NAVAL SHIPBOARD .....	A 2825	SH 03-NOV-82	SH			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	CHARCOAL, ACTIVATED, UNIMPREGNATED [VALIDATION DATE: 8903] REVIEWER: DS GS	A 6810	SH 22-MAR-89	SH			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	PUMPS, ROTARY, POWER-DRIVEN, VISCOUS LIQUIDS .....	A 4320	YD1 05-JUN-91	YD1			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	UNDERSHIRT, EXTREME COLD WEATHER USER: CG YD1 REVIEWER: 11 45 .....	A 8415	CT 04-FEB-87	GL	NU 99		
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	CAP, GARRISON, MAN S USER: CG .....	A 8405	CT 14-AUG-87	NU			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	SHRAP, CHIN (NAVY AND COAST GUARD) [VALIDATION DATE: 8601] USER: 45 CG ....	A 8405	CT 18-JAN-80	NU			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	SHIRT, MAN'S (POLYESTER/COTTON, TROPICAL, SHORT SLEEVE) .....	A 8405	CT 30-SEP-88	NU			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	FRAME, SERVICE CAP (MAN S) USER: CG .....	A 8405	CT 02-OCT-87	NU			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	CROWN, SERVICE CAP (MAN S) .....	A 8405	CT 28-MAR-90	NU			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	EXPANDER, TUBE, ROLLER, BOILER TUBE REVIEWER: GS .....	A 3441	SH 11-AUG-87	SH			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	PUMPS, CENTRIFUGAL, MISCELLANEOUS SERVICE NAVAL SHIPBOARD USE .....	A 4330	SH 17-JUN-87	SH			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	DISK, VALVE, RUBBER: INSERT TYPE REVIEWER: CS .....	A 4820	SH 02-DEC-88	SH			
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	LIFE PRESERVERS, VEST, WORK TYPE, UNICELLULAR PLASTIC REVIEWER: CS .....	A 4220	SH 01-MAY-87	ME	SH		
L MIL-T-17600D(4) L MIL-C-17605C(1) D L MIL-P-17608D D MIL-U-17611C A L MIL-C-17614F A L MIL-S-17615E A L MIL-S-17618H A L MIL-F-17619E(1) A L MIL-C-17620F L MIL-E-17624H QL MIL-P-17639F(2) L MIL-D-17650B MIL-L-17653B(4) D MIL-H-17660C	HEATER, FLUID, DEAERATING (FOR WATER ONLY) 1,000 TO 1,600,000 POUNDS PER HOUR CAPACITY [VALIDATION DATE: 8612] REVIEWER: CE	A 4420	YD1 17-DEC-86	ME	YD1		
A MIL-P-17662C L MIL-H-17666A	POLY, FOLDING COT INSECT BAR USER: MS REVIEWER: 85 CT MD .....	A 7210	CT 14-MAR-90	GL	MC 82 CT		
L MIL-H-17666A	HOSE, METAL, CORRUGATED BRONZE, HIGH PRESSURE AIR SERVICE [VALIDATION DATE: 8106] REVIEWER: CS	A 4720	SH 14-NOV-66	SH			
D MIL-P-17667D	PAPER, WRAPPING, CHEMICALLY NEUTRAL (NON CORROSIVE) [VALIDATION DATE: 8601] USER: MC OS SH YD1 REVIEWER: 99 AR AS AV OR DS EA GS	A 8135	GL 10-SEP-80	GL	SA 69		
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	CANISTER, OXYGEN BREATHING APPARATUS, FOR TYPE A-4 REVIEWER: 84 GS .....	A 4240	SH 11-MAY-89	EA	SH 99		
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	HYDRAULIC FLUID, PETROLEUM, INHIBITED USER: AT ME REVIEWER: AS GS PS .....	A 9150	SH 16-MAR-87	GL	SH 68		
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	PROPELLANT, DOUBLE BASE SHEET, TYPE N-5 [VALIDATION DATE: 8106] .....	A 1340	OS 30-JUL-53	OS			
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	FILTER ASSEMBLY, FLUID USER: CG .....	A 4330	YD1 29-JUL-91	ME	YD1		
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	UNIT HEATER, AIR CIRCULATING, STEAM HOT WATER REVIEWER: CS .....	A 4520	YD1 23-MAY-88	SH	YD1 99		
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	BELTS, COATS, MAN'S: POLYESTER/WOOL USER: 45 .....	A 8405	CT 19-MAY-88	MC			
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL, MAGNETIC MINESWEEPING GENERAL SPECIFICATION FOR	A 1075	SH 19-OCT-90	SH			
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	CABLE AND CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL MAGNETIC MINESWEEPING, QUAD CABLE AND QUAD CABLE ASSEMBLIES	A 1075	SH 19-OCT-90	SH			
L MIL-C-17671F Q MIL-H-17672D(2) L MIL-P-17689 D MIL-F-17690E D MIL-U-17691D A L MIL-B-17693E(1) L MIL-C-17694H	INSULATION TAPE, ELECTRICAL, FILLER TYPE, FLAMEPROOF, SYNTHETIC [VALIDATION DATE: 8810] REVIEWER: GS	A 5970	SH 28-OCT-88	SH			
L MIL-L-17699 L MIL-L-17700	LEAD 2-ETHYL HEXOATE [VALIDATION DATE: 8106] .....	A 6810	OS 24-AUG-53	OS			
L MIL-L-17700	LEAD SALICYLATE [VALIDATION DATE: 8507] REVIEWER: GS .....	A 6810	OS 17-SEP-53	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Or: / OMA Coordination Inactive Document Number	Document Title	Dist. Smt. FSC Area MCA Symbol Preparing Acty.	Date	Custodians			
				Army	Navy	Air Force	DLA
L	MIL-S-17709C NOTICE 1	SLOTTER TOOL, COMPUTATOR, HAND, AND SLOTTER AND SCRAPER, COMPUTATOR, HAND [VALIDATION DATE: 9203] USER: CE SH SH	A 5110	GL	27-MAR-92	GL	
L	MIL-C-17711B	COATINGS, CHROMATE, FOR ZINC ALLOY CASTINGS AND HOT DIP GALVANIZED SURFACES [VALIDATION DATE: 8204] REVIEWER: EA MI	A HFFP	OS	14-MAY-74	OS	
D L	MIL-G-17713D	GAGES, LIQUID LEVEL MEASURING, TANK REVIEWER: GS	A 6680	YD1	26-JUL-88	YD1	
D L	MIL-S-17717E	SAW, RADIAL OVERARM, WOODWORKING TRAILER MOUNTED REVIEWER: B4	A 3220	YD1	30-JUL-87	YD1	
D	MIL-R-17729C	RESPIRATOR OUTFIT, SUPPLIED AIR, TWO MAN [VALIDATION DATE: 8504] USER: CG SH REVIEWER: GS MD	A 4240	EA	28-NOV-72	EA	YD1 99
L	MIL-V-17737F(1) NOTICE 1	VALVES, BOILER BLOW, SHIPBOARD USE [VALIDATION DATE: 9002] REVIEWER: CS	A 4820	SH	16-FEB-90	SH	
L	MIL-S-17743E	STRETCHERS, STEEL STRAPPING HAND [VALIDATION DATE: 8104] USER: AR MC SH REVIEWER: SH	A 3540	GL	16-FEB-73	GL	SA 99
L	MIL-B-17748C(1) NOTICE 1	BOILERS, HEATING, LOW PRESSURE, HOT WATER NAVAL SHIPBOARD [VALIDATION DATE: 8905] USER: ME REVIEWER: CS	A 4520	SH	09-MAY-89	SH	
D L	MIL-P-17749E	PUMPING UNITS, CONDENSATE, RETURN, AND BOILER FEED PACKAGE USER: CG REVIEWER: CS	A 4520	YD1	22-MAR-93	YD1	
L	MIL-B-17757E(2) NOTICE 1	BOXES, SHIPPING, FIBERBOARD (MODULAR SIZES) [VALIDATION DATE: 8904] USER: MC REVIEWER: CT MD	A 8115	GL	22-APR-89	GL	SA 69
L	MIL-T-17760G	TRUCKS, PALLET, POWERED, ELECTRIC, NON-TIERING, INDUSTRIAL, WALKIE, WALKIE-RIDER, HAND GUIDED USER: B4 AS AT OS REVIEWER: CS	A 3930	ME	03-SEP-85	ME	SA 99
L	MIL-D-17762B(2)	DAVIS & WINCHES, BOAT POWER OPERATED [VALIDATION DATE: 8104]	A 2030	SH	03-JUL-67	SH	
D L	MIL-R-17772C NOTICE 1	RADIATOR, HEATING, BASEBOARD PANEL, STEAM AND HOT WATER [VALIDATION DATE: 9102] REVIEWER: CS	A 4520	YD1	15-FEB-91	YD1	
QL	DOD-S-17773B(2)	SWITCHES, BUS TRANSFER, ELECTRIC POWER, AUTOMATIC AND MANUAL (METRIC)	A 6110	SH	30-OCT-89	SH	
QL	MIL-C-17774A(1) NOTICE 1	COVER, BAYONET SCABBARD, COTTON DUCK, WHITE (WITH LEATHER TIP) [VALIDATION DATE: 8706] USER: 45	A 8465	CT	25-JUN-87	MC	CT
D	MIL-E-17777D(1)	ELECTRODES, CUTTING AND WELDING, CARBON-GRAPHITE, UNCOATED AND COPPER-COATED USER: AT REVIEWER: 99 GS MC YD1	A 3439	SH	24-JUL-87	SH	11
L	MIL-M-17779D	MOCK-UPS FOR SHIPBOARD COMMAND & CONTROL, COMBAT SYSTEMS, & COMMUNICATIONS STATIONS & SPACES	A 6910	SH	14-NOV-83	SH	
L	MIL-S-17803E	STEERING SYSTEM, ELECTROHYDRAULIC, MARINE	A 2030	SH	22-MAR-91	SH	
L	MIL-E-17807C	ELEVATOR, WEAPON AND CARGO, ELECTROMECHANICAL (SHIPBOARD)	A 3960	SH	12-FEB-91	SH	
D	MIL-E-17813F	EXPANSION JOINTS, PIPE, METALLIC BELLOWS USER: CE REVIEWER: B2 CS SH	A 4730	YD1	01-JUN-92	ME	YD1 99
D	MIL-E-17814F	EXPANSION JOINTS, PIPE, SLIP-TYPE, PACKED USER: CE REVIEWER: B2 CS	A 4730	YD1	01-JUN-92	ME	YD1 99
L	MIL-P-17840C	PUMP, CENTRIFUGAL, CLOSE COUPLED, NAVY STANDARD FOR USE ON NAVAL SHIPS	A 4320	SH	10-MAR-86	SH	
A L	MIL-C-17841B(2) NOTICE 1	CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, WHITE [VALIDATION DATE: 8710] USER: 45	A 8465	CT	23-OCT-87	MC	CT
L	MIL-P-17842	POWER PLANT VIBRATION ISOLATOR, DESIGN AND INSTALLATION REQUIREMENTS [VALIDATION DATE: 8410]	A 28GP	AS	01-JUL-54	AS	
L	MIL-D-17847E	DEHYDRATOR, DESICCANT, SEMI-AUTOMATIC, HIGH PRESSURE AIR	A 4460	SH	29-SEP-87	SH	
QL	MIL-V-17848C	VALVE, PRESSURE REDUCING, STEAM SERVICE [VALIDATION DATE: 8411] REVIEWER: CS	A 4820	SH	27-JUL-79	SH	
L	MIL-S-17849E	STRAINERS, SEDIMENT, PIPELINE, DUPLEX (WITH AND WITHOUT MAGNET)	A 4730	SH	19-MAR-92	SH	
L	MIL-C-17850A NOTICE 1	COMPASS, MAGNETIC, CARD, POCKET, TYPE MC-1 [VALIDATION DATE: 8904] REVIEWER: AV	A 6605	GL	22-APR-89	GL	
L	MIL-R-17852C	REDUCER, OXYGEN PRESSURE REVIEWER: EA	A 1660	AS	12-FEB-82	AS	
L	MIL-C-17858C(2)	COMPASS SYSTEM, MAGNETIC SLAVED, DIRECTIONAL GYRO STABILIZED, 4 DEG/HR TYPE MA-1 [VALIDATION DATE: 8303]	A 6605	AS	05-AUG-76	AS	
L	MIL-G-17859C(1)	GEAR ASSEMBLY, PROPULSION (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8107] ...	A 3010	SH	15-APR-68	SH	
D	MIL-P-17861F	PUMP UNIT, CENTRIFUGAL: PORTABLE, SELF-PRIMING, ENGINE-DRIVEN (DEWATERING: CONTRACTOR AND TRASH TYPE) USER: CE MC ME REVIEWER: CS	A 4320	YD1	30-SEP-91	YD1	99
A	MIL-P-17863C(1) NOTICE 1	POCKET, AMMUNITION MAGAZINE: MILITARY POLICE [VALIDATION DATE: 8710] ...	A 8465	CT	23-OCT-87	MC	CT
A	MIL-C-17864C NOTICE 1	CARRIER, PISTOL HOLSTER, COTTON, DUCK, WHITE (MP) [VALIDATION DATE: 8710]	A 8465	CT	23-OCT-87	GL	MC CT
QL	MIL-P-17869A(5)	PUMPS AND MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE)	A 4320	SH	08-JUL-85	SH	
L	MIL-S-17874B(1)	FUEL SYSTEMS, AIRCRAFT, INSTALLATION AND TEST OF REVIEWER: AV GS MI	A 2915	AS	12-AUG-85	AS	
QL	MIL-P-17881D	PUMP, CENTRIFUGAL, BOILER FEED, (MULTI STAGE) [VALIDATION DATE: 8105]	A 4320	SH	31-OCT-72	SH	
AQ	MIL-N-17882E	REPAIR KITS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL REVIEWER: CS MD	A 4730	SH	06-JAN-93	ME	SH
	MIL-E-17884B	EARPHONE (LOW IMPEDANCE) [VALIDATION DATE: 8104] USER: AS MC REVIEWER: ES	A 5965	EC	27-SEP-66	CR	EC
	MIL-E-17884/1	EARPHONE (LOW IMPEDANCE) TYPE MT-49016A [VALIDATION DATE: 8104] USER: 14	A 5965	EC	27-SEP-66	CR	EC 11
	MIL-E-17884/2	19 REVIEWER: 17 BS ES					
	MIL-E-17884/2	EARPHONE (LOW IMPEDANCE) TYPE MT-49505A [VALIDATION DATE: 8104] REVIEWER: ES	A 5965	EC	27-SEP-66	CR	EC 11
L	MIL-B-17896C NOTICE 1	BAROMETER, ANEROID REVIEWER: GS	A 6685	SH	07-JUN-91	SH	
QL	MIL-B-17901B(3)	BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED [VALIDATION DATE: 9012] REVIEWER: CS	A 3130	SH	12-DEC-90	SH	
L	MIL-M-17902F(1)	HOSE, END FITTINGS AND HOSE ASSEMBLIES, SYNTHETIC RUBBER, AIRCRAFT FUELS REVIEWER: CS	A 4720	SH	12-DEC-90	SH	
L	MIL-S-17903D	STEERING CONTROL SYSTEMS, NAVAL SHIPBOARD USE	A 2030	SH	14-NOV-91	SH	
A L	MIL-B-17910D	BUCKLE, BRASS, FOR BELT, COAT, MAN'S	A 8315	CT	02-JAN-90	MC	CT
L	MIL-S-17917A(1)	SANDWICH CONSTRUCTION, ALUMINUM ALLOY FACINGS, BALSA WOOD CORE [VALIDATION DATE: 8407] REVIEWER: MI	A 5680	AS	31-AUG-71	AS	
L	MIL-S-17923B(2) NOTICE 1	SQUIB, MARK 1 MODS [VALIDATION DATE: 8006]	A 1340	OS	17-MAY-73	OS	
L	MIL-G-17927C NOTICE 1	GASKETS, GLASS-METALLIC COVER, SILICON CORE [VALIDATION DATE: 9103] REVIEWER: IS	A 5330	SH	27-MAR-91	MR	SH
L	MIL-B-17931E(1)	BEARINGS, BALL, ANNULAR, FOR QUIET OPERATION USER: AT REVIEWER: B4 IS	A 3110	SH	03-JUL-91	AV	SH 99
L	MIL-C-17944A	CAPSTANS, ELECTRIC (FOR SHIPBOARD USE)	A 3950	SH	27-JAN-92	SH	
L	MIL-P-17945A NOTICE 1	PUMPS, CENTRIFUGAL, PERIPHERAL TYPE, MISCELLANEOUS NAVAL SHIPBOARD USE	A 4320	SH	01-APR-91	SH	
D	MIL-L-17948F	LOCKER, CLOTHING, STEEL, TWO DOOR USER: B4 GL SA	A 7125	YD1	28-JUN-91	YD1	99
A L	MIL-D-17951E(2)	DECK COVERING, LIGHTWEIGHT, NONSLIP, ABRASIVE PARTICLE COATED FABRIC, FILM, OR COMPOSITE, AND SEALING COMPOUND	A 7220	SH	17-SEP-82	SH	
L	MIL-P-17959(1)	POWDER, PROPELLANT, BALLISTICS OF, FOR 3 INCH/50 CALIBER GUN [VALIDATION DATE: 8106]	A 1376	OS	23-AUG-54	OS	
	MIL-S-17980D NOTICE 1	SEA MARKER PACKET, INFLATABLE SURVIVAL EQUIPMENT [VALIDATION DATE: 8706] USER: MC SH REVIEWER: 11 AV GS MD	A 6850	AS	23-JUN-87	AR	AS 68
	MIL-D-17984A(1)	DATA PRESENTATION REQUIREMENTS, INSTALLED PERFORMANCE AND AIR INDUCTION SYSTEMS (ASG) [VALIDATION DATE: 8304] REVIEWER: 99 AV	A 2840	AS	03-JUN-59	AR	AS
A L	MIL-I-17988C	INSIGNIA, CAP AND HAT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: CG	A 8455	CT	20-NOV-79	NU	CT
A L	MIL-I-17988/1C	INSIGNIA: CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER ...	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/2C	INSIGNIA: CAP AND HAT WARRANT OFFICERS USER: CG	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/3B	INSIGNIA: CAP AND HAT CHIEF PETTY OFFICER	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/4A	INSIGNIA: CAP AND HAT ENLISTED PERSONNEL WORK CAP	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/5C	INSIGNIA: CAP AND HAT ENLISTED PERSONNEL DRESS HAT	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/6C	INSIGNIA: CAP AND HAT OFFICER CANDIDATES USER: CG	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/7B	INSIGNIA: CAP AND HAT NAVAL ACADEMY MIDSHIPMEN-OFFICER CANDIDATES USER: CG	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/8C	INSIGNIA: CAP AND HAT U.S. NAVY BAND/NAVAL ACADEMY BAND	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/9C	INSIGNIA: CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (U.S. COAST GUARD) USER: CG	A 8455	CT	25-JUN-90	NU	CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ctry / Code Configuration Inches Document Number		Document Title	Dist Spec FSC / Ave MCA Symbol Preparing Acty Date	Custodians			
				Army	Navy	Air Force	DLA
A L	MIL-I-17988/11D	INSIGNIA, CAP AND HAT CHIEF PETTY OFFICERS (U.S. COAST GUARD) USER: CG ....	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/12B	INSIGNIA, CAP AND HAT CADET (U.S. COAST GUARD) USER: CG .....	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/13F	INSIGNIA, CAP AND HAT ENLISTED PERSONNEL (COAST GUARD) USER: CG .....	A 8455	CT	25-JUN-90	NU	CT
A L	MIL-I-17988/14A	INSIGNIA, CAP AND HAT COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER (OPTIONAL)	A 8455	CT	25-JUN-90	NU	CT
L	MIL-M-17999C	METAL, EXPANDED, ALUMINUM [VALIDATION DATE: 8908] USER: AT ME REVIEWER: EA IS	A 9535	NR	11-AUG-89	NR	
D	MIL-A-18001K	ANODES, SACRIFICIAL ZINC ALLOY USER: ME OS REVIEWER: AT CE IS YD1 .....	A 5340	SH	16-DEC-91	AR	SH 99
	MIL-M-18012B(3)	MARKINGS FOR AIRCREW STATION DISPLAYS DESIGN AND CONFIGURATION OF USER: EC REVIEWER: MI	A 1500	AS	15-MAR-89	AV	AS 11
L	MIL-G-18014B(1)	GRATINGS, METAL, BARTYPE FLOORING, NAVAL SHIPBOARD [VALIDATION DATE: 9104] USER: ME	A 5670	SH	04-APR-91	SH	
L	MIL-G-18015A(3)	GRATING, METAL, OTHER THAN BAR TYPE (SHIPBOARD USE) REVIEWER: 99 .....	A 5670	SH	03-JAN-83	SH	
L	MIL-C-18021B(1)	CONVERTER, SPEED, UNDERWATER LOG (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8104]	A 6605	SH	31-AUG-62	SH	
L	MIL-V-18030E	VALVES, CONTROL, AIR-DIAPHRAGM-OPERATED (COMPLETE WITH INSTRUMENTATION) REVIEWER: SS	A 4820	SH	24-AUG-90	SH	
L	MIL-U-18033F(3)	UNDERWATER LOG EQUIPMENT, ELECTROMAGNETIC TYPE [VALIDATION DATE: 8104] ....	A 6320	SH	28-JUL-67	SH	
L	MIL-L-18045F(1)	LIFE PRESERVERS, VEST, INHERENTLY BUOYANT REVIEWER: CS .....	A 4220	SH	30-MAR-88	MO	SH 99
QL	MIL-L-18052B(1)	LAMP, MERCURY XENON VAPOR, SEARCHLIGHT [VALIDATION DATE: 9012] REVIEWER: CS	A 6240	SH	18-DEC-90	SH	
L	MIL-C-18053A	CONTROL AMPLIFIER, ALTITUDE (P-1 AUTOMATIC PILOT RADAR SET, AM/APN-22) [VALIDATION DATE: 8107]	A 6615	AS	15-JUL-58	AS	
D	MIL-M-18058G	MACHINERY, METAL AND WOODWORKING PACKAGING OF USER: OS REVIEWER: 84 IP ME SM YD1	A PACK	AL	02-APR-90	AL	SH 99
D	MIL-P-18066C	PLYWOOD, SHIP AND BOAT CONSTRUCTION [VALIDATION DATE: 9012] USER: MC MR YD1 REVIEWER: 69 CS	A 5530	SH	27-DEC-90	ME	SH 99
D	MIL-D-18072D	DRILLING MACHINE, UPRIGHT, SENSITIVE, BENCH TYPE, SINGLE SPINDLE, 5/16 INCH AND UNDER, HAND FEED [VALIDATION DATE: 8708] USER: MC YD1 REVIEWER: 84 CS	A 3413	IP	19-AUG-87	AL	SH 99
L	MIL-P-18080A(2)	PLASTIC SHEETS, VINYL, FLEXIBLE, TRANSPARENT, OPTICAL QUALITY USER: ME REVIEWER: CS MR	A 9330	SH	07-APR-89	SH	
L	MIL-C-18087A	CLUTCHES FOR PROPULSION UNITS AND AUXILIARY MACHINERY, NAVAL SHIPBOARD ....	A 3010	SH	15-AUG-91	SH	
L	MIL-C-18106F	COMPASS, CYMO, VEHICLE [VALIDATION DATE: 8104] .....	A 6605	SH	11-AUG-67	SH	
QL	MIL-V-18110F	VALVES, GATE TYPE, STEEL (SIZES 2-1/2 INCHES TO 16 INCHES) .....	A 4820	SH	19-FEB-91	SH	
L	MIL-P-18111A(1)	PUMP, ROTARY, HAND DRIVEN; AND MOTOR, HYDRAULIC-REMOTE VALVE OPERATION NAVAL SHIPBOARD USE [VALIDATION DATE: 9102]	A 4320	SH	19-FEB-91	SH	
D	MIL-F-18113E	FEEDERS, BOILER WATER TREATMENT, BY-PASS AND COMPOUND RECEIVER TYPES REVIEWER: 84	A 4410	YD1	11-MAY-92	YD1	99
D	MIL-R-18115D	REGULATORS, BOILER-FEED WATER, AUTOMATIC USER: CG REVIEWER: CE .....	A 4410	YD1	28-OCT-88	YD1	99
D	MIL-T-18134C(1)	TORCHES, WELDING, HAND, OXYACETYLENE, LIGHT DUTY USER: CG MC OS YD1 REVIEWER: 84 GS	A 3433	IP	02-OCT-91	AL	99 1P
L	MIL-P-18140(4)	PUMP, ROTARY, FUEL OIL TRANSFER, POWER DRIVEN [VALIDATION DATE: 8310] ....	A 4320	SH	19-OCT-78	SH	
D	MIL-S-18141J	SWEEPER, ROTARY, TOWED REVIEWER: 84 ME .....	A 3825	YD1	26-SEP-91	YD1	99
	MIL-W-18142C(1)	WOOD PRESERVATIVE SOLUTIONS, OIL-SOLUBLE, SHIP AND BOAT USE REVIEWER: 20 84 AR	A 8030	SH	05-MAR-91	SH	99
QL	MIL-P-18144A	PUMPS, CENTRIFUGAL, CARGO OIL SERVICE, NAVAL SHIPBOARD USE .....	A 4320	SH	25-AUG-86	SH	
L	MIL-B-18147C(2)	BOATS AND CRAFT: PREPARATION FOR DELIVERY OF .....	A 1990	SH	30-OCT-91	SH	
Q	MIL-P-18148C(2)	PLUG, ELECTRIC, AIRCRAFT STORAGE BATTERY [VALIDATION DATE: 8709] REVIEWER: 11 99 ES MI	A 5935	AS	08-SEP-87	AV	AS 85
D L	MIL-H-18158E	HOSE DUCTING, LOW PRESSURE, NAVAL SHIPBOARD PORTABLE, VENTILATING SET USE REVIEWER: AR YD1	A 4720	SH	30-NOV-90	SH	
L	MIL-H-18160C(1)	HOSE ASSEMBLIES, CORRUGATED STEEL, 200 LB/1/42 AND 425 DEG. F MAXIMUM STEAM SERVICE RATING [VALIDATION DATE: 9104] USER: ME REVIEWER: CS	A 4720	SH	01-APR-91	SH	
L	MIL-D-18163A(3)	DRY-CLEANING UNIT ASSEMBLY, FULLY AUTOMATIC, SYNTHETIC SOLVENT (PERCHLOROETHYLENE) TYPE, (25-35 POUNDS CAPACITY) SHIPBOARD USE [VALIDATION DATE: 8501] REVIEWER: GS	A 3510	SH	17-JUN-64	SH	
L	MIL-C-18164A(1)	COMPOSITION D-2 REVIEWER: GS .....	A 1376	OS	23-JUL-86	OS	
D	MIL-F-18180D	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, GENERAL SPECIFICATION FOR USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/1A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, WELDING NECK FLANGES USER: CG MC REVIEWER: CS	A 4730	YD1	30-APR-81	ME	YD1
D	MIL-F-18180/2A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, SOCKET WELDING FLANGES USER: CG MC REVIEWER: CS	A 4730	YD1	30-APR-81	ME	YD1
D	MIL-F-18180/3A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, SLIP-ON WELDING FLANGES USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/4A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, LAPPED FLANGES USER: CG MC REVIEWER: CS	A 4730	YD1	30-APR-81	ME	YD1
D	MIL-F-18180/5A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500 THREADED FLANGES USER: CG MC REVIEWER: CS	A 4730	YD1	30-APR-81	ME	YD1
D	MIL-F-18180/6A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, BLIND FLANGES USER: CG MC REVIEWER: CS	A 4730	YD1	30-APR-81	ME	YD1
D	MIL-F-18180/7A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 45 & 90 DEGREE, STRAIGHT & REDUCING SIZE ELBOWS USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/8A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 90 DEG., STRAIGHT & REDUCING SIZES BASE ELBOWS USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/9A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 90 DEGREE, STRAIGHT & REDUCING SIZE, SIDE OUTLET ELBOWS USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/10A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZES TEES USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/11A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500 STRAIGHT & REDUCING SIZE BASE TEES USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/12A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZE, SIDE OUTLET TEES USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/13A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZES CROSSES USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/14A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZE, SIDE OUTLET CROSSES USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/15A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, 45 DEG., STRAIGHT & REDUCING SIZES LATERALS USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/16A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, CONCENTRIC REDUCERS USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/17A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, ECCENTRIC REDUCERS USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1
D	MIL-F-18180/18A	FLANGES & FLANGED FITTINGS, PIPE, STEEL, CLASSES 150, 300, 400, 600, 900, 1500 & 2500, STRAIGHT & REDUCING SIZE, TRUE WYES (Y) USER: CG MC REVIEWER: CS	A 4730	YD1	30-MAY-86	ME	YD1



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Acron Orn / OMA Classification Document Number	Document Title	Dist. Smt. FSC Area JCS Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DA
D MIL-U-18182E	UNION, PIPE, FORGED STEEL, THREADED, WATER-OIL-GAS (2,000, 3,000 AND 6,000 LB/IN <sup>2</sup> ) USER: CE REVIEWER: B2 CS	A 4730	YD1	29-MAR-91	ME	YD1 99
A L MIL-B-18184B	BELT, COAT, MAN S, WEBBING, COTTON, WHITE [VALIDATION DATE: 8710] USER: 45	A 8440	CT	23-OCT-87	MC	CT
A L MIL-C-18186D	CROWNS, SERVICE CAP	A 8405	CT	12-SEP-84	MC	CT
L MIL-A-18199	ATTENUATOR, CM 45/UP [VALIDATION DATE: 8106] REVIEWER: ES	A 5910	AS	15-SEP-84	AS	
A MIL-M-18203C	MITTEN SHELLS (LEATHER)	A 8415	CT	23-APR-82	NU	CT
L MIL-T-18232B	TARGET, AERIAL, POWERED, DESIGN AND CONSTRUCTION OF GENERAL SPECIFICATION FOR [VALIDATION DATE: 8209]	A 1550	AS	22-MAR-68	AS	
QL MIL-E-182390	EARPHONE H-87B/U REVIEWER: B5 ES	A 5965	AS	17-DEC-82	AS	
Q MIL-F-18240E	FASTENER ELEMENT, SELF-LOCKING, THREADED, FASTENER, 250 DEG. F MAXIMUM USER: ME REVIEWER: B2 99 AR EA 15 MI OS SH	A 53GP	AS	01-DEC-89	AV	11
D L MIL-W-18242B	WIRE, ROPE AND WIRE ROPE ASSEMBLIES: SINGLE LEG-CORROSION RESISTING STEEL, WINDSWEEPING USER: YD1 REVIEWER: IS	A 1075	SH	13-OCT-87	SH	
L MIL-D-18243B	DEMONSTRATION OF AIRBORNE TARGET AND MISSILE SYSTEMS GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109]	A 1420	AS	25-SEP-91	AS	
MIL-C-18244A	CONTROL AND STABILIZATION SYSTEMS, AUTOMATIC, PILOTED AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8202]	A MISC	AS	01-DEC-62	AV	AS
QL MIL-C-18255E(1)	CALKING COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION	A 8030	SH	20-DEC-89	SH	
MIL-J-18259	INSTALLATION OF WINDOW ANTI-ICING, DE-GREASING, AND WASHING SYSTEMS (GENERAL SPECIFICATION FOR) [VALIDATION DATE: 8304]	A 1500	AS	26-OCT-54	AV	AS
MIL-F-18264D(1)	FINISHES, ORGANIC, WEAPONS SYSTEM, APPLICATION AND CONTROL OF USER: AT REVIEWER: 99 AR AV MI	A 8010	AS	23-APR-71	NR	AS 11
L1 MIL-R-18265A(2)	RECEIVING SET, RADIO AM/AMR-41 (*)	A 5821	AS	17-DEC-90	AS	
QL MIL-C-18266A	CORD: P/O H-87B/U [VALIDATION DATE: 9101]	A 5965	AS	15-OCT-91	AS	
MIL-L-18276C(1)	LIGHTING, AIRCRAFT INTERIOR, INSTALLATION OF [VALIDATION DATE: 8107]	A 6220	AS	25-APR-69	AV	AS
L MIL-C-18277B(3)	COUPLER, ANTENNA CU-351/AM AND COUPLER, ANTENNA CU-509/AM [VALIDATION DATE: 8103] REVIEWER: B5 ES	A 5985	AS	15-MAY-64	AS	
Q MIL-F-18280E(1)	FITTINGS, FLARELESS TUBE, FLUID CONNECTION REVIEWER: MI	A 4730	AS	11-MAY-87	AV	AS 99
L MIL-I-18286A	INDICATOR GROUP, AM/APA-122	A 5895	AS	14-AUG-67	AS	
D L MIL-M-18294D	METER, FLUID QUANTITY VOLUMETRIC	A 6680	YD1	16-NOV-87	CE	YD1
D MIL-C-18295E	CHAINS AND FITTINGS FOR FLEET MOORING REVIEWER: IS SH	A 4010	YD1	14-APR-92	ME	YD1
A L MIL-D-18300M	DESIGN EXAMINATIONS, ENGINEERING AVIONIC SYSTEMS/EQUIPMENT GENERAL REQUIREMENTS FOR	A 58CP	AS	23-FEB-93	AS	
L MIL-T-18303B	TEST PROCEDURES: PREPRODUCTION, ACCEPTANCE, AND LIFE FOR AIRCRAFT ELECTRONIC EQUIPMENT, FORMAT FOR [VALIDATION DATE: 9101]	A MISC	AS	15-OCT-91	AS	
NOTICE 1	NOMENCLATURE - IDENTIFICATION FOR AERONAUTICAL SYSTEMS INCLUDING JOINT ELECTRONICS TYPE DESIGNATED SYSTEMS - ASSOCIATED SUPPORT SYSTEMS REVIEWER: OS	A CMAN	AS	15-SEP-86	AS	
MIL-N-18307G(2)						
L MIL-I-18309C(3)	INTEGRATED ELECTRONIC CENTRALS AM/ASQ-19A, AM/ASQ-19B, AND AM/ASQ-107 [VALIDATION DATE: 8103]	A 5895	AS	28-SEP-67	AS	
Q MIL-C-18312E(2)	CAPACITOR, FIXED, METALLIZED (PAPER, PAPER PLASTIC OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES) GENERAL SPECIFICATIONS [VALIDATION DATE: 8709] USER: 19 AS CG MC OS REVIEWER: 17 99 ES MI	A 5910	EC	29-SEP-87	ER	EC 85
I MIL-C-18312/2B(1)	CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), (INSULATED), STYLE CH09 USER: 19 AS CG MC OS REVIEWER: 17 99 AR ES	A 5910	EC	29-FEB-88	ER	EC 85
I MIL-C-18312/3B(2)	CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH12 USER: 19 AS CG MC OS REVIEWER: 11 17 AR ES	A 5910	EC	29-FEB-88	ER	EC 85
I MIL-C-18312/4B(2)	CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH13 USER: 19 AS CG MC OS REVIEWER: 17 AR ES	A 5910	EC	13-AUG-91	ER	EC 85
I MIL-C-18312/5B(2)	CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), STYLE CH14 USER: 19 AS CG MC OS REVIEWER: 17 AR ES	A 5910	EC	13-AUG-91	ER	EC 85
I MIL-C-18312/7B(2)	CAPACITORS, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES) STYLE CH12 USER: 19 AS CG MC OS REVIEWER: 17 AR ES	A 5910	EC	13-AUG-91	ER	EC 85
D MIL-S-18313G	SLINGS, CARGO, NET, NYLON WEBBING [VALIDATION DATE: 9102] USER: SH YD1 REVIEWER: IS MI OS	A 3940	SH	05-FEB-91	ME	SH 99
L MIL-P-18317	PLATING, BLACK NICKEL (ELECTRODEPOSITED) ON BRASS, BRONZE, OR STEEL [VALIDATION DATE: 8204] REVIEWER: EA	A MFPF	OS	22-DEC-54	OS	
MIL-V-18318B(2)	VALVE, PRESSURE REGULATING, OXYGEN SYSTEM [VALIDATION DATE: 8406]	A 4820	AS	05-JAN-78	AV	AS 99
Q MIL-P-18324D(2)	PLASTIC MATERIAL, LAMINATED PNEUMATIC, FOR BEARINGS (WATER OR GREASE LUBRICATION) [VALIDATION DATE: 8204] USER: AS ER MD ME OS REVIEWER: GS	A 9330	SH	14-JUN-68	NR	SH 11
MIL-M-18325B	HEATING AND VENTILATING SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8009]	A 1660	AS	04-MAY-59	AV	AS
Q MIL-F-18327E(2)	FILTER, HIGH PASS, LOW PASS, BAND PASS, BAND SUPPRESSION, AND DUAL FUNCTIONING, GENERAL SPECIFICATION FOR USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5905	EC	29-APR-88	ER	EC 85
SUPPL 1A1						
MIL-F-18327/7B	FILTER, BAND PASS, TYPE FR6PX22PB1 AND FR6PX22PC1 USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5915	BS	27-FEB-87	ER	EC 85
NOTICE 1						
I MIL-F-18327/7B	FILTER, BAND PASS, TYPE FR6QX22AH1 [VALIDATION DATE: 8808] USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5915	EC	12-AUG-88	ER	EC 85
NOTICE 1						
I MIL-F-18327/10B	FILTER, LOW PASS, TYPE FR6QX11VY1 [VALIDATION DATE: 8808] USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5915	EC	12-AUG-88	ER	EC 85
NOTICE 1						
I MIL-F-18327/11B	FILTER, LOW PASS, TYPE FR6QX11FB1 [VALIDATION DATE: 8808] USER: 19 AT AV MC ME SH REVIEWER: 11 17 99 AR AS ES MI OS	A 5915	BS	12-AUG-88	ER	EC 85
NOTICE 1						
I MIL-F-18327/12B	FILTER, LOW PASS, TYPE FR6QX11VY1 [VALIDATION DATE: 8808] USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5915	EC	12-AUG-88	ER	EC 85
NOTICE 1						
I MIL-F-18327/13B	FILTER, BAND PASS, TYPE FR6QX22VY1 USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5915	BS	12-AUG-88	ER	EC 85
NOTICE 1						
I MIL-F-18327/15C	FILTER, HIGH PASS, TYPE FR6QX33VY1 [VALIDATION DATE: 8808] REVIEWER: AS ...	A 5915	EC	12-AUG-88	ER	EC 85
NOTICE 1						
I MIL-F-18327/16B	FILTER, BAND PASS, TYPE FR6QX22VY2 [VALIDATION DATE: 8808] USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5915	EC	12-AUG-88	ER	EC 85
NOTICE 1						
I MIL-F-18327/17B	FILTER, BAND PASS, TYPE FR4QX22VY1 USER: 19 MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5915	BS	12-AUG-88	ER	EC 85
NOTICE 1						
A MIL-F-18327/30B(2)	FILTERS, LOW PASS, TYPE FR6RX11VY1 USER: 19 MC ME REVIEWER: 11 17 99 AR AS ES MI OS	A 5915	EC	31-DEC-92	ER	EC 85
A MIL-F-18327/31B(1)	FILTERS, HIGH PASS, TYPE FR6RX33VY1 USER: 19 MC ME REVIEWER: 99 AR AS ES MI OS	A 5915	EC	31-DEC-92	ER	EC 85
A MIL-F-18327/46C(1)	FILTERS, BAND PASS, TELEMETRY, TYPE FR7HX22ZZ1 USER: 19 MC ME REVIEWER: 11 17 99 AR AS ES MI OS	A 5915	EC	31-DEC-92	ER	EC 85
L MIL-L-18331B	LEAD ALLOY PIG	A 9650	AS	20-FEB-90	AS	
L MIL-C-18345A	CORE MATERIAL, CELLULAR CELLULOSE ACETATE [VALIDATION DATE: 8809]	A 9330	AR	13-SEP-88	NR	
NOTICE 1	REVIEWER: GS MR SH					
A L MIL-M-18351F	MATTRESS & MATTRESS Ticks, BERTH, SYNTHETIC CELLULAR RUBBER, NAVAL SHIPBOARD	A 7210	CT	22-APR-81	SH	CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OOL Coordination Inclusive Document Number	Document Title	Date Sent FSC / Area MCA Symbol Preparing Agency Date	Custodians Army Navy Air Force DLA
MIL-I-18369C NOTICE 1 MIL-M-18371E(2)	INFLATION EQUIPMENT, CARBON DIOXIDE FOR MULTIPLE LIFE RAFTS [VALIDATION DATE: 9110] USER: MC REVIEWER: 22 84 CG ME SH MIRROR, EMERGENCY SIGNALING, MARK 3 [VALIDATION DATE: 8507] USER: CG MC REVIEWER: 11 AV EA GS	A 4220 AS 24-OCT-91 A 6350 AS 06-AUG-79	AV AS 99 ME AS 99
MIL-F-18372	FLIGHT CONTROL SYSTEMS, DESIGN, INSTALLATION AND TEST OF, AIRCRAFT (GENERAL SPECIFICATION FOR) [VALIDATION DATE: 8209] REVIEWER: AV	A 1500 AS 31-MAR-55	AS
MIL-I-18373A	INSTRUMENT AND NAVIGATION EQUIPMENT, AIRCRAFT, INSTALLATION OF [VALIDATION DATE: 8206]	A 1500 AS 28-SEP-67	AV AS
Q MIL-W-18375B(1)	WIRE ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL REVIEWER: IS	A 4010 B2 30-OCT-87	AV AS 99
L MIL-E-18381D	BOILER, STEAM, HIGH PRESSURE, NAVAL SHIP PROPULSION [VALIDATION DATE: 8106]	A 4410 SH 23-SEP-75	SH
A MIL-C-18387F(2)	CLOTH, TWILL, COTTON, FIRE RETARDANT TREATED USER: 45 REVIEWER: 85 99	A 8305 CT 10-NOV-88	GL AS 11 CT
QL MIL-S-18396D(1)	SWITCHES, METER AND CONTROL, NAVAL SHIPBOARD REVIEWER: ES	A 5930 SH 15-MAY-87	SH
L MIL-T-18404(2)	TORPEDOES, ENVIRONMENTAL REQUIREMENTS, . . . . .	A 1355 OS 25-JUL-83	OS
L MIL-F-18405(2)	FUSE, FIRECRACKER, 30-SECOND [VALIDATION DATE: 8706] . . . . .	A 1375 OS 17-MAY-72	OS
L MIL-W-18418B	WAX, GASKET-SEALING [VALIDATION DATE: 8106] REVIEWER: GS	A 9160 OS 02-AUG-74	OS
L MIL-C-18419B(2)	COMPRESSORS, RECIPROCATING, MOTOR DRIVEN, NAVAL SHIPBOARD HIGH PRESSURE AIR SERVICE [VALIDATION DATE: 8402] USER: CS	A 4310 SH 06-JAN-65	SH
A MIL-F-18421E NOTICE 2	FOOD CONTAINER: VACUUM OR INSULATED, WITH INSERTS [VALIDATION DATE: 9302] REVIEWER: GS MD	A 7330 GL 26-FEB-93	GL SA
D L MIL-V-18433C	VALVES, TEMPERATURE-REGULATING (THERMOSTATICALLY CONTROLLED) REVIEWER: CS	A 4820 YD1 03-JAN-89	YD1
D MIL-V-18436F	VALVES, CHECK, BRONZE, CAST IRON, AND STEEL BODY USER: MC REVIEWER: CS	A 4820 YD1 06-NOV-67	ME YD1
L MIL-C-18438B(1)	CHARGERS, BATTERY, GENERATOR TYPE [VALIDATION DATE: 8910] REVIEWER: GS	A 6130 SH 03-OCT-89	SH
L MIL-W-18445D	WINDOWS, NON-ICING, LAMINATED FLAT GLASS, ELECTRICALLY HEATED, WITH CONTROLS	A 2090 SH 29-DEC-80	SH
D MIL-A-18455C NOTICE 1	ARGON, TECHNICAL [VALIDATION DATE: 9106] USER: AS MC ME YD1 REVIEWER: GS	A 6830 SH 07-JUN-91	MI SH 68
QL MIL-G-18458B(4)	GHEASE, WIRE ROPE-EXPOSED GEAR . . . . .	A 9150 SH 28-JUL-87	SH
L MIL-S-18471G	SYSTEM, AIRCREW AUTOMATED ESCAPE, EJECTION SEAT TYPE, GENERAL SPECIFICATION FOR REVIEWER: AV	A 1680 AS 08-JUN-83	AS
QL MIL-P-18472C	PUMPS, CENTRIFUGAL, CONDENSATE, FEED BOOSTER, WASTE HEAT BOILER, AND DISTILLING PLANT USER: CS	A 4320 SH 24-APR-89	SH
L MIL-G-18473B	GENERATOR, MOTOR, AND AUXILIARY EQUIPMENT, DIRECT CURRENT, NAVAL SHIP PROPULSION [VALIDATION DATE: 8312] REVIEWER: GS	A 6115 SH 24-NOV-78	SH
D MIL-C-18480B NOTICE 1	COATING COMPOUND, BITUMINOUS, SOLVENT, COAL-TAR BASE [VALIDATION DATE: 8706] REVIEWER: CE SH	A 8030 YD1 15-JUN-87	MR YD1 99
L MIL-C-18487A	COMPOUND, GUM SLUSHING [VALIDATION DATE: 8204] . . . . .	A 8030 OS 07-APR-72	OS
L MIL-C-18491A(1)	CURTAIN, FLAK PROTECTIVE [VALIDATION DATE: 9109] . . . . .	A 1680 AS 25-SEP-91	AS
L MIL-T-18492A(1)	TANKS, CARTRIDGE, TANKS, POWDER, TANKS, ROCKET (ALUMINUM) . . . . .	A 8140 OS 30-JUL-86	OS
L MIL-P-18493	PACKING, PREFORMED, CARBON, AND, CARBON STOCK, PACKING REVIEWER: IS	A 5330 SH 03-OCT-89	SH
QL MIL-L-18494D	LIFE RAFT, INFLATABLE, LRU-14/A . . . . .	A 4220 AS 18-DEC-86	AS
A L MIL-I-18496F	INSIGNIA, EMBROIDERED (WOMEN) REVIEWER: MC	A 8455 CT 21-NOV-89	MU
D MIL-V-18499E NOTICE 1	VALVES, AIR VENTING, STEAM [VALIDATION DATE: 9102] USER: CE CG REVIEWER: CS	A 4520 YD1 15-FEB-91	ME YD1 99
L MIL-D-18503	DETONATOR MK 22 MOD 0 [VALIDATION DATE: 8409] . . . . .	A 1375 AS 25-APR-55	AS
L MIL-D-18504	DETONATOR MK 27 MOD 0 [VALIDATION DATE: 8409] . . . . .	A 1375 AS 25-APR-55	AS
L MIL-D-18506(2)	DETONATOR MK 45 MOD 0 . . . . .	A 1375 OS 27-FEB-87	OS
D MIL-P-18515C NOTICE 1	PRIMER, PERCUSSION, MK 41 MOD 0 REVIEWER: 70 . . . . .	A 1390 OS 13-NOV-91	OS 99
L MIL-V-18524D	VALVE, RADIATOR, HEATING, AUTOMATIC THERMOSTATICALLY CONTROLLED (SELF CONTAINED) USER: MC REVIEWER: 84 CS	A 4520 YD1 19-OCT-84	ME YD1 99
QL MIL-P-18526A(1)	PUMP, POSITIVE DISPLACEMENT, MAIN/PORT USE, MAIN BOILER FUEL SERVICE, NAVAL SHIPBOARD USE	A 4320 SH 29-JUN-87	SH
L MIL-S-18538 NOTICE 2	SIGNAL MINIATURE PRACTICE BOMB, MK 4 MOD 3 AND MOD 4 [VALIDATION DATE: 8004]	A 1370 AS 05-MAY-55	AS 99
Q MIL-B-18544B	BOOSTER CAMS (FOR BOOSTERS MARK 8 AND MARK 12) . . . . .	A 1350 OS 15-MAY-85	OS
L MIL-R-18546D(7)	RESISTORS, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED) GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 11 17 80 AR ES MI	A 5905 EC 30-OCT-87	ER EC 85
L MIL-R-18546/1F	RESISTOR, FIXED, WIRE WOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE60, RE65, RE70, AND RE75 (INACTIVE, USE MIL-R-39009/1 AND 39009/2) [VALIDATION DATE: 8304] USER: 19 AS MC OS REVIEWER: 17 99 ES MI	A 5905 EC 22-APR-70	ER EC 85
L MIL-R-18546/2B	RESISTOR, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED), STYLES RE77 AND RE80 [VALIDATION DATE: 8404] USER: 14 19 MC REVIEWER: 11 17 99 ES MI	A 5905 EC 27-APR-66	ER EC 85
L MIL-P-18547A	PUMP, ROTARY, POWER DRIVEN, NAVAL SHIPBOARD MAIN LUBRICATING OIL SERVICE [VALIDATION DATE: 8106]	A 4320 SH 28-JUN-63	SH
D MIL-H-18551C NOTICE 1	HEATERS, CONVECTION, STEAM OR HOT WATER [VALIDATION DATE: 9102] REVIEWER: CS	A 4520 YD1 15-FEB-91	ME YD1 99
L MIL-B-18558B	BEARING, PROPULSION LINE SHAFT, OIL DISC LUBRICATED . . . . .	A 2010 SH 24-FEB-88	SH
L MIL-S-18570C NOTICE 1	SIGNAL, SMOKE AND ILLUMINATION, AIRCRAFT MARK 6 MOD 3 [VALIDATION DATE: 9109]	A 1370 AS 25-SEP-91	AS
L MIL-D-18576A	DUPPLY, LOAD, ELECTRICAL, NAVY TYPE 14ACN [VALIDATION DATE: 8003] REVIEWER: ES	A 5985 EC 25-AUG-61	EC
L MIL-P-18601(1)	PRIMING MIXTURE, WET MIX, FOR SMALL ARMS (F. A. NO. 70 AND F. A. NO. 70A . .	A 1375 OS 16-JAN-87	OS
L MIL-F-18602B	FANS, VANEAXIAL, FORCED DRAFT, STEAM TURBINE DRIVEN, NAVAL SHIPBOARD SERVICE REVIEWER: GS	A 4140 SH 12-FEB-89	SH
L MIL-T-18606(1)	TEST PROCEDURES FOR AIRCRAFT ENVIRONMENTAL SYSTEMS [VALIDATION DATE: 8410]	A 1660 AS 31-OCT-69	AV AS
L MIL-T-18607	THERMAL ANTI-ICING EQUIPMENT, WING AND EMPENNAGE [VALIDATION DATE: 8209] REVIEWER: AV	A 1650 AS 31-MAR-55	AS
L MIL-P-18612A(2)	PRIMER MARK 101 MOD 3 [VALIDATION DATE: 8402] . . . . .	A 1390 OS 07-JUL-78	OS
L MIL-P-18613(2)	PRIMER MARK 102 MOD 1 [VALIDATION DATE: 8608] REVIEWER: AR	A 1390 OS 11-AUG-86	OS
L MIL-Q-18616	DETONATOR MARK 56 MOD 0 [VALIDATION DATE: 8409] . . . . .	A 1375 AS 13-JUN-55	AS
L MIL-L-18618A	LEAD CARBONATE, BASIC, DRY (FOR ORDNANCE USE) [VALIDATION DATE: 8204] . . .	A 6810 OS 05-JAN-76	OS
L MIL-S-18631	SURFACER (SANDER), COMBINATION, BELT AND DISC, FLOOR MODEL [VALIDATION DATE: 8410] USER: GL	A 5130 AS 07-SEP-56	AS
D MIL-V-18634B NOTICE 1	VALVES: SAFETY, RELIEF, AND SAFETY-RELIEF [VALIDATION DATE: 9107] REVIEWER: CS	A 4820 YD1 26-JUL-91	ME YD1 99
L MIL-C-18636A	CAP, PROTECTING, WATERPROOF (PROJECTILE FUZE COVERS) . . . . .	A 8140 OS 13-FEB-84	OS
ML MIL-D-18641F	DISTILLATION UNITS, WATER: STEAM, OR FLASHED VAPOR OPERATED, OR HOT FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD	A 4620 SH 05-APR-93	SH
L MIL-T-18652A(1)	TANK, CARTRIDGE, POWDER, ROCKET (STEEL) . . . . .	A 8140 OS 01-JUN-86	OS
L MIL-C-18653B(1)	CARTRIDGE, ONE INCH, MARK 1 AND MARK 2 ALL MODS (BOMB EJECTOR) . . . . .	A 1377 AS 15-APR-87	AS 99
L MIL-D-18665B	DETONATOR MK 59 MOD 0 [VALIDATION DATE: 8206] REVIEWER: AR	A 1375 AS 13-MAR-69	AS 99
L MIL-B-18670A NOTICE 1	BOX, SMALL ARMS AMMUNITION, MARK 1 MOD 0 [VALIDATION DATE: 9103] REVIEWER: AR	A 8140 OS 21-MAR-91	OS
A L MIL-F-18680C	FLY, TENT, FIRE, WATER, WEATHER, AND MILDEW RESISTANT . . . . .	A 8340 CT 28-FEB-85	MC CT
L MIL-P-18682D	PUMP, CENTRIFUGAL, MAIN CONDENSER CIRCULATING, NAVAL SHIPBOARD . . . . .	A 4320 SH 23-NOV-84	SH
QL MIL-V-18683A(1)	VACUUM PUMPS, POWER DRIVEN, CENTRIFUGAL PUMP PRIMING SERVICE NAVAL SHIPBOARD	A 4310 SH 10-JUN-86	SH



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / OMA Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preceding Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
L MIL-G-18694A	GLYCERIN-WATER MIXTURES (FOR HYDRAULIC BUFFERS AND RECOILS) [VALIDATION DATE: 8107] REVIEWER: GS	A 6810	OS 02-JUN-75	OS			
L MIL-F-18698(1)	FUZE, DETONATING, MK 27 MOD 0 AND MOD 1 (40 MM) [VALIDATION DATE: 8503] ...	A 1390	OS 13-JUN-75	OS			
L MIL-P-18703(1)	PRIMER, COMBINATION, MARK 13 MODS 0, 1 AND 2 [VALIDATION DATE: 8610] ...	A 1390	OS 23-OCT-86	OS			
L MIL-P-18704A	PRIMER, LOCK, COMBINATION, MARK 15 MOD 2	A 1390	OS 13-MAY-92	OS			
L MIL-P-18713(1)	PRIMER, ELECTRIC, MARK 44 MOD 0 [VALIDATION DATE: 8302] ...	A 1390	OS 25-OCT-56	OS			
L MIL-P-18714C	PRIMER, ELECTRIC, MARK 45 MOD 1	A 1390	OS 27-MAR-91	OS	99		
L MIL-P-18715(1)	PRIMER, ELECTRIC, MARK 46 MOD 0	A 1390	OS 18-AUG-86	OS			
L MIL-P-18716C	PRIMER, ELECTRIC, MARK 48 MOD 2	A 1390	OS 27-MAR-91	OS	99		
L MIL-A-18717B(1)	ARRESTING HOOK INSTALLATIONS, AIRCRAFT	A 1710	AS 27-AUG-84	AS			
L MIL-S-18728D	STEEL PLATE, SHEET, AND STRIP, ALLOY, 8630, AIRCRAFT QUALITY USER: AR REVIEWER: AT IS MI	A 9515	AS 28-OCT-83	MR	AS	11	
L MIL-S-18729C(1)	STEEL PLATE, SHEET, AND STRIP, ALLOY, 4130, AIRCRAFT QUALITY [VALIDATION DATE: 8004] USER: ME REVIEWER: EA IS MI OS	A 9515	AS 28-APR-66	MR	AS	11	
I MIL-S-18732D	STEEL BARS, WIRE, FORGING STOCK, FORGINGS TUBING (431), SPECIAL QUALITY REVIEWER: AV EA IS MI	A 9510	AS 19-MAR-91	MR	AS	11	
L MIL-S-18737	SIGNAL LIGHT, PISTOL CARTRIDGE, MK 2 (WHITE) MK 2 (GREEN, & MK 2 (RED) (INACTIVE FOR NEW DESIGN)	A 1370	OS 31-MAR-87	OS			
L MIL-I-18746B	INSULATION TAPE, MONADHERING, GLASS FABRIC, POLYTETRAFLUOROETHYLENE COATED [VALIDATION DATE: 8803] USER: SH REVIEWER: 13 AS EC GS MI	A 5970	BS 25-MAR-88	ER	OS	99	
L MIL-C-18757D	CARTRIDGE CASES, STEEL (OTHER THAN SMALL ARMS) GENERAL SPECIFICATION FOR	A 1395	OS 19-JUN-91	OS			
L MIL-C-18757/1A	CARTRIDGE CASE, STEEL, 40-MILLIMETER, MK 3 MOD 0	A 1310	OS 27-NOV-89	OS			
L MIL-C-18757/2A	CARTRIDGE CASE, STEEL, 3 INCH MARK 9 ALL MODS (50 CALIBER) [VALIDATION DATE: 8104]	A 1315	OS 15-MAY-75	OS			
L MIL-C-18757/3(2)	CARTRIDGE CASE, STEEL, 5 INCH, MARK 10 ALL MODS (38 CALIBER) [VALIDATION DATE: 8204]	A 1320	OS 10-FEB-76	OS			
M L MIL-C-18757/4B	CARTRIDGE CASE, STEEL, 5-INCH, MARK 9 MODS 0 AND 1 (54 CALIBER)	A 1395	OS 09-APR-93	OS			
L MIL-C-18757/5	CARTRIDGE CASE, STEEL, 76-MILLIMETER (62-CALIBER)	A 1395	OS 19-JUN-91	OS			
L MIL-C-18759B	CARTRIDGE CASE, STEEL, 20 MILLIMETER MK 5 AND MODS (FOR 20 MM A/C GUNS) [VALIDATION DATE: 8105]	A 1305	AS 19-JUN-68	AS			
L MIL-C-18760	CARTRIDGE CASE, BRASS 8-INCH MARK 1 MOD 3 (55 CALIBER)	A 1320	OS 21-AUG-90	OS			
L MIL-P-18761B	PRIMER, PERCUSSION, MK 22 MOD 2	A 1390	OS 13-NOV-91	OS			
L MIL-H-18766	HYDRAULIC EQUIPMENT, ORDNANCE SHIPBOARD (GENERAL SPECIFICATION FOR) [VALIDATION DATE: 8204]	A 4320	OS 24-JUN-55	OS			
L MIL-A-18793	ANTENNA AS-333/AP [VALIDATION DATE: 8103] REVIEWER: BS ES	A 5985	AS 15-MAY-55	AS			
D L MIL-C-18795G	CART, CONCRETE	A 3895	YD1 01-JUN-92	YD1			
D MIL-B-18796F	BURNERS, SINGLE, OIL, GAS, AND GAS-OIL COMBINATION FOR PACKAGED BOILERS (320,000 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE	A 4530	YD1 12-JUL-90	ME	YD1	99	
D MIL-B-18797G	BURNERS, SINGLE, LIGHT OIL, GAS, AND LIGHT OIL-GAS COMBINATION FOR PACKAGED HEATING BOILERS (UP TO 320,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE	A 4530	YD1 27-JUN-90	ME	YD1	99	
D L MIL-I-18802A(1)	INSTALLATION OF FUEL AND OIL LINES, AIRCRAFT [VALIDATION DATE: 8408]	A 2915	AS 12-DEC-62	AV	AS		
Q L MIL-T-18803D(1)	TORCH OUTFIT, CUTTING AND WELDING REVIEWER: GS	A 3433	YD1 09-NOV-89	YD1			
Q L MIL-I-18804B(1)	INDICATOR, VERTICAL SPEED, 0 - 6000 FPM, 2 INCH [VALIDATION DATE: 8105]	A 6610	AS 14-JUN-67	AV	AS		
L MIL-H-18806	MICROPHONE MARK 10 MOD 0 REVIEWER: ES	A 5965	OS 21-AUG-90	OS			
L MIL-P-18811B	PROPELLANT GRAIN, MK43, MOD 1	A 1340	MI 19-OCT-90	MI			
L MIL-C-18832(2)	CONNECTOR, BREAKAWAY, ELECTRO-MECHANICAL REVIEWER: ES	A 5935	OS 17-FEB-88	OS			
L MIL-T-18833	TAPE INHIBITING, ETHYL CELLULOSE [VALIDATION DATE: 8405] REVIEWER: CT	A 1340	OS 30-JUN-55	OS			
L MIL-C-18835C	CARTRIDGE, 20 MM, FOR AIRCRAFT GUNS MK 11 AND MK 12 [VALIDATION DATE: 8303]	A 1305	AS 19-AUG-68	AS			
D MIL-C-18843E	CUTTING MACHINE, OXYGEN-FUEL, MOTOR-DRIVEN, PORTABLE USER: AR REVIEWER: GS	A 3433	1P 04-JUN-86	AL	YD1	99	
L MIL-T-18847C	TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL, DESIGN AND INSTALLATION OF	A 1560	AS 14-OCT-86	AS			
L MIL-A-18850C	AMPLIFIER, SERVO (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 9009] REVIEWER: ES	A 5990	OS 18-SEP-90	OS			
L MIL-G-18853C	GYRO, RATE (FOR TORPEDO MARK 37 MOD 0, 1, 2 AND 3) [VALIDATION DATE: 8108]	A 1355	OS 29-AUG-75	OS			
L MIL-B-18855D(1)	BATTERY MK 53 MOD 0 SECONDARY TYPE, SILVER-ZINC-ALKALI [VALIDATION DATE: 8708] REVIEWER: GS	A 6140	OS 19-AUG-87	OS			
Q MIL-I-18856B(1)	INDICATOR, ANGLE OF ATTACK, 28V DC MS28062 AND MS28067	A 6610	AS 04-DEC-87	AS	99		
D MIL-F-18866H	FITTING, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL USER: AT AV MC YD1 REVIEWER: B2 CS GL ME SH	A 4730	AR 06-MAY-87	AR	OS	99	
L MIL-F-18870E(1)	FIRE CONTROL EQUIPMENT, NAVAL SHIP AND SHORE, GENERAL SPECIFICATION [VALIDATION DATE: 8204] REVIEWER: ES	A 126P	OS 25-APR-75	OS			
L MIL-D-18873B(3)	DECK COVERING MAGNESIA AGGREGATE MIXTURE	A 5610	SH 15-JUL-82	SH			
L MIL-C-18875A(1)	CONTAINER, SIGNAL, MK 3 MOD 0 (FOR SIGNAL, SMOKE AND ILLUMINATION MK 13 MOD 0) [VALIDATION DATE: 9103]	A 8140	OS 13-MAR-91	OS			
L MIL-B-18876A	BOX, AMMUNITION, 40 MM MARK 1 MOD 0 [VALIDATION DATE: 9103]	A 8140	OS 13-MAR-91	OS			
L MIL-G-18879(1)	GROMMETS, FIBER (FOR PROJECTILE ROTATING BANDS) REVIEWER: IS	A 8140	OS 07-MAR-89	OS			
L MIL-R-18895A	RADAR BOMBING EQUIPMENT, AM/APA-16	A 1325	AS 14-AUG-67	AS			
D MIL-B-18897F	BOILERS, STEAM AND HOT WATER, WATERTUBE (STRAIGHT BARE AND FINNED TUBE), CAST IRON AND FIREBOX, PACKAGED TYPE (40,000 TO 35,000,000 BTU/HR THERMAL OUTPUT CAPACITY) USER: CE MC REVIEWER: 84 SA	A 4410	YD1 06-SEP-90	ME	YD1	99	
L MIL-B-18907A	BAND, PROJECTILE ROTATING	A 1320	OS 29-APR-88	OS			
A MIL-H-18911A	HEADS AND MOTORS, ROCKET, INERT PARTS, PAINTING AND MARKING REVIEWER: EA	A 1340	OS 28-FEB-90	MI	OS		
L MIL-T-18912A	TUBING, STEEL, FOR 3.25 INCH AND 5.0 INCH OD ROCKET MOTORS [VALIDATION DATE: 8312]	A 4710	OS 14-OCT-76	OS			
QL MIL-G-18916(3)	GOVERNORS, STEAM DRIVEN PUMP, PRESSURE REGULATING, NAVAL SHIPBOARD USER: CS	A 4820	SH 08-JUL-85	SH			
L MIL-P-18920A	PRIMER, ELECTRIC, MK 42 MODS 0, 1 & 2	A 1390	OS 09-JUL-81	OS			
L MIL-L-18925A(1)	LINE, SHOT, NYLON, FOR LINE THROWING GUNS REVIEWER: IS	A 4020	OS 12-JUN-84	OS			
L MIL-E-18927E(2)	ENVIRONMENTAL CONTROL SYSTEMS, AIRCRAFT, GENERAL REQUIREMENTS FOR	A 1660	AS 19-DEC-86	AS			
L MIL-L-18937D	LANTERN, ELECTRIC, HAND, SAFETY USER: CG REVIEWER: GS	A 6230	B2 13-MAY-76	99			
L MIL-P-18942A(3)	PROPELLANT FOR 20MM AIRCRAFT GUN MARK 12 [VALIDATION DATE: 8006]	A 1376	OS 25-AUG-71	OS			
D MIL-L-18947B(1)	LAPPERS, POPPET VALVE, HAND POWERED [VALIDATION DATE: 9302] USER: AR AT SM REVIEWER: MC SM	A 5120	GL 26-FEB-93	GL	YD1	84	
A L MIL-P-18948B	PROJECTILES, PRIMING, MARKING, AND GREASING OF	A 1320	OS 15-JUL-92	OS			
L MIL-P-18949A	PROJECTILES, ILLUMINATING, LOCALIZED HEAT TREATMENT OF [VALIDATION DATE: 8902]	A 1320	OS 23-FEB-89	OS			
L MIL-P-18950	PROJECTILE, HIGH CAPACITY, ANTI AIRCRAFT, AND ILLUMINATING [VALIDATION DATE: 8106]	A 1320	OS 23-JAN-56	OS			
DQL MIL-F-18953B	FAWS, VANEAXIAL AND TUBAXIAL, VENTILATION AND AIR CONDITIONING, NAVAL SHIPBOARD USER: YD1 REVIEWER: GS	A 4140	SH 22-OCT-90	SH			
D L MIL-R-18967C	RANGE, OIL BURNING (SUITABLE FOR USE WITH KEROSENE, DIESEL FUEL, & NO. 2 FUEL OIL)	A 7310	YD1 20-DEC-82	YD1			
L MIL-A-18977D	AMPLIFIER CHANNEL (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403]	A 1355	OS 07-JUN-71	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Package	Document Number	Document Title	Dist. Smt. FSC / Ave	MCS Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DLA
L	MIL-B-18984	RADAR BOMBING EQUIPMENT AN/APA-16, BENCH, PREFLIGHT, AND FLIGHT TEST. INSTRUCTIONS FOR	A 1285	AS	13-JUL-55		AS			
L	MIL-P-18987A(2)	PLOTTING BOARD, TACTICAL DISPLAY PT-396/AS (VALIDATION DATE: 8410) .....	A 6605	AS	12-OCT-65		AS			
L	MIL-G-18997E	GAUGE, PRESSURE, DIAL INDICATING .....	A 6685	SH	18-NOV-91		SH			
A	MIL-C-19002D	CLOTH, COATED, AND STRIP, COATED CLOTH - POLYCHLOROPRENE ON NYLON [VALIDATION DATE: 9110] USER: 45 MJ REVIEWER: 11 B2 SH	A 8305	CT	24-OCT-91		ME	AS	99	CT
QL	MIL-F-19004A	FANS, CENTRIFUGAL, FIXED AND PORTABLE, VENTILATION, NAVAL SHIPBOARD [VALIDATION DATE: 8903] REVIEWER: GS	A 4140	SH	10-MAR-89		SH			
L	MIL-P-19023D	PENDULUM (FOR TORPEDO MK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403] .....	A 1355	OS	19-NOV-70		OS			
L	MIL-G-19027D(1)	GYRO, STEERING (FOR TORPEDO MARK 37 MODS 0, 0)(M(, 1, 2, 3) [VALIDATION DATE: 8506]	A 1355	OS	08-DEC-72		OS			
L	MIL-I-19028E	INVERTER (FOR TORPEDO MARK 37 MODS 0, 0)(M(, 1, 2, AND 3) [VALIDATION DATE: 8403]	A 1355	OS	03-MAY-71		OS			
L	MIL-T-19029E	TIMER (FOR TORPEDO MARK 37 MODS 0 AND 3) [VALIDATION DATE: 8403] .....	A 1355	OS	27-AUG-70		OS			
D L	MIL-H-19034B	HOSE, METAL, FLEXIBLE, CORRUGATED CARBON STEEL AND CORROSION RESISTING STEEL TYPES, INTERNAL COMBUSTION ENGINE AIR INTAKE AND EXHAUST APPLICATIONS (FOR SURFACE VESSELS ONLY) [VALIDATION DATE: 8106] USER: AT ME YD1 REVIEWER: CS	A 4720	SH	23-MAR-72		SH			
D	MIL-R-19038E	RINSE SANITIZER, CAM [VALIDATION DATE: 8402] REVIEWER: GS MC MD .....	A 7320	GL	17-MAR-78		GL	YD1	99	
L	MIL-W-19044D	WASHER - EXTRACTOR MACHINE, LAUNDRY, COMMERCIAL (NAVAL SHIPBOARD) REVIEWER: GS	A 3510	SH	27-OCT-86		SH			
L	MIL-R-19046D	RELAY PANEL, FIRING (FOR TORPEDO MARK 37 MODS 0, 0)(M(, 1, 2, AND 3) [VALIDATION DATE: 8403]	A 1355	OS	12-NOV-70		OS			
L	MIL-G-19053C(1)	GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8509]	A 6685	AS	18-NOV-71		AS			
L	MIL-C-19062C	CONTROL CABLE ASSEMBLIES AND CONNECTOR PLUGS AND RECEPTACLES (FOR TORPEDOES) [VALIDATION DATE: 9011]	A 1355	OS	08-NOV-90		OS			
L	MIL-C-19064B(2)	CONNECTORS, OXYGEN HOSE TO REGULATOR [VALIDATION DATE: 9110] .....	A 1660	AS	24-OCT-91		AV	AS	99	
Q	MIL-V-19067A	VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE 11 SYSTEMS [VALIDATION DATE: 8708] REVIEWER: CS	A 1650	AS	25-AUG-87		AS	99		
Q	MIL-V-19068A	VALVE, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE 11 SYSTEMS [VALIDATION DATE: 8708] REVIEWER: CS	A 1650	AS	25-AUG-87		AS	99		
Q	MIL-V-19069B(1)	VALVE, CHECK, HYDRAULIC, AIRCRAFT, TYPE 11 SYSTEMS .....	A 1650	AS	28-MAR-91		AS	99		
L	MIL-A-19083C	ACOUSTIC DEVICES, MINESWEEPING, A MARK 4(V) MOD 1 AND MARK 4(V) NM .....	A 1075	SH	28-AUG-91		SH			
L	MIL-P-19086E	POWER SUPPLY, HIGH VOLTAGE (FOR TORPEDO MARK 37 MODS 2 AND 3) [VALIDATION DATE: 8108]	A 1355	OS	25-JUL-75		OS			
L	MIL-C-19087A	CONTACTOR (FOR TORPEDO MARK 37 MODS 0, 2 AND 3) [VALIDATION DATE: 8403] ...	A 1355	OS	27-AUG-70		OS			
QL	MIL-W-19088(10)	MATTRESS, SEITCHBOARD TYPE, 4-1/2 INCH .....	A 6625	AS	20-OCT-78		SH			
Q	MIL-H-19089B	HARNESSES, INTEGRATED PARACHUTE [VALIDATION DATE: 8405] REVIEWER: 82 99 .....	A 1670	AS	30-DEC-71		AS	11		
L	MIL-M-19097B(3)	MOTOR-GENERATORS, DC TO AC, SHIPBOARD SERVICE REVIEWER: GS .....	A 6125	SH	03-OCT-89		SH			
L	MIL-I-19105	INTERVAL GENERATOR MARK 1 MOD 0 [VALIDATION DATE: 9110] .....	A 6645	AS	15-OCT-91		AS			
L	MIL-C-19113A(2)	COMPRESSORS, RECIPROCATING, ELECTRIC MOTOR DRIVEN, NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE	A 4310	SH	04-APR-84		SH			
L	MIL-E-19122A	ELECTRODES, CARBON, LIGHTING, HIGH-INTENSITY SEARCHLIGHT SERVICE [VALIDATION DATE: 8204] REVIEWER: GS	A 5977	SH	01-MAY-73		SH			
L	MIL-P-19131(6)	PUMPS, ROTARY, POWER DRIVEN, MISCELLANEOUS USER: ME .....	A 4320	SH	28-JUN-85		SH			
DQL	MIL-L-19140E(1)	LUMBER & PLYWOOD, FIRE RETARDANT TREATED USER: CG REVIEWER: CS YD1 .....	A 5510	SH	01-OCT-85		SH			
L	MIL-E-19141D	ELECTRODE, WELDING, SURFACING, IRON BASE ALLOY USER: AT MC REVIEWER: 99 AS GS	A 3439	SH	21-MAY-84		AR	SH	11	
L	MIL-T-19147D	TRUCK, DOLLY, RECTANGULAR, WITH 4 SWIVEL CASTERS (GENERAL PURPOSE AND MACHINERY USER: MC REVIEWER: AT GS	A 3920	ME	16-NOV-84		ME			
L	MIL-W-19150B	WIRE, INSULATED, HARD DRAWN COPPER [VALIDATION DATE: 9011] REVIEWER: IS ...	A 6145	OS	08-NOV-90		OS			
L	MIL-D-19151A(2)	DETONATOR MARK 57 MODS 1 AND 2 .....	A 1356	OS	20-JUN-85		OS			
L	MIL-P-19152A	PACKINGS, HYDRAULIC, HIGH PRESSURE (FOR HYDRO-PNEUMATIC SYSTEMS) [VALIDATION DATE: 8210] USER: AT REVIEWER: AR IS	A 5330	OS	20-DEC-74		OS			
L	MIL-P-19158A(1)	PUMPS, RECIPROCATING, DIRECT-ACTING & POWER DRIVEN (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8106]	A 4320	SH	25-MAY-64		SH			
L	MIL-H-19160C	MOTOR-GENERATOR, 60-HERTZ A.C. TO 400-HERTZ A.C., SHIPBOARD SERVICE REVIEWER: GS	A 6125	SH	26-JUN-91		SH			
Q	MIL-T-19168C(1)	INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, PRESSURE-SENSITIVE [VALIDATION DATE: 8810] USER: MC ME REVIEWER: AR EC GS MI	A 5970	SH	28-OCT-88		ER	SH	85	
QL	MIL-C-19179B(3)	COUPLING ASSEMBLY, QUICK-DISCONNECT, FUEL REVIEWER: CS .....	A 4730	SH	23-MAY-90		ME	SH	99	
D	MIL-R-19180B	REGULATORS PRESSURE, COMPRESSED GAS USER: SH REVIEWER: 11 AR CS .....	A 4820	B2	18-JAN-89		99			
L	MIL-H-19181F	MARKERS, TRAFFIC LINE, SELF-PROPELLED USER: CE MC REVIEWER: CS .....	A 3825	YD1	19-MAY-89		YD1	99		
L	MIL-T-19198A	TRAILER, PLATFORM, WAREHOUSE, 5TH WHEEL STEER, 20,000 POUNDS CAPACITY, SOLID RUBBER TIRES [VALIDATION DATE: 8501]	A 3920	ME	29-JAN-81		SA			
Q	MIL-S-19208D	SHOARD AND SCABBARD (NONCOMMISSIONED OFFICERS) REVIEWER: CT .....	A 8465	MC	04-MAY-90		MC			
L	MIL-F-19207D	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, GENERAL SPECIFICATION FOR USER: 19 99 AS AT MC REVIEWER: 11 17 70 71 80 82 84 AR EC ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
A	MIL-F-19207/16(1)	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL10U AND FHL10G USER: 19 99 AS AT MC REVIEWER: 11 17 70 71 80 82 84 AR EC ME MI OS	A 5920	SH	17-JUL-92		ER	SH	85	
	MIL-F-19207/2F	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL11U AND FHL11G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ES ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
	MIL-F-19207/3F	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL12U AND FHL12G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
	MIL-F-19207/4G	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL13G USER: AS AT REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
	MIL-F-19207/5H	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL14G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
	MIL-F-19207/6K	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING AND NONINDICATING, TYPE FHL15G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
	MIL-F-19207/7K	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL16G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
	MIL-F-19207/8E	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL17G1 AND FHL17G2 [VALIDATION DATE: 8912] USER: 19 AS AT MC REVIEWER: 17 85 AR EC ES ME MI OS	A 5920	SH	11-DEC-89		ER	SH	11	
	MIL-F-19207/9H	FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHL18G1 AND FHL18G2 USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91		ER	SH	85	
I	MIL-F-19207/10C	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHL19G AND FHL19W [VALIDATION DATE: 8912] USER: 14 19 MC REVIEWER: 11 17 99 AS CE EC ES MI	A 5920	SH	11-DEC-89		ER	SH	85	
	MIL-F-19207/11F	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE NONINDICATING, TYPE FHL20G [VALIDATION DATE: 8912] USER: 19 AS AT MC REVIEWER: 11 17 99 AR EC ES ME MI OS	A 5920	SH	11-DEC-89		ER	SH	85	
	MIL-F-19207/12C	FUSEHOLDER, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL22WB USER: 14 19 MC REVIEWER: 11 17 99 AS CE ES MI	A 5920	SH	15-MAY-86		ER	SH	85	
	MIL-F-19207/13D	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHL23WB USER: 19 MC REVIEWER: 17 99 AS EA ES MI	A 5920	SH	15-MAY-86		ER	SH	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active OR / ONL Coordinate Inches	Document Number	Document Title	Doc. Num.	FSC / Ave.	MCA Symbol	Preparing Agency	Date	Army	Navy	Air Force	Custodians
	MIL-F-19207/16E	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHM26G1, FHM26G2, AND FHM26W USER: AT REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/17E	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPES FHM28M AND FHM28WB USER: AS AT MC REVIEWER: 11 17 70 71 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/18G	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL29C USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/19H	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL30G USER: 19 AS AT MC REVIEWER: 11 17 70 71 99 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/20C NOTICE 1	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHM31G1 AND FHM31G2 (VALIDATION DATE: 8912) USER: 14 19 MC REVIEWER: 17 99 AS CE ES MI	A 5920	SH	11-DEC-89	ER	SH	80			
	MIL-F-19207/21G	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL32W USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/22G	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL33W USER: AT MC REVIEWER: 11 17 70 71 AR AS EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/23H	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL34W USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/24G	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL35W USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/25D	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHM41W AND FHM41WB USER: AT REVIEWER: 11 17 70 71 99 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/26F(1)	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPE FHM42W USER: 19 AV CG MC ME REVIEWER: 17 99 AR AS CE ES MI	A 5920	SH	05-JUL-91	ER	SH	85			
	MIL-F-19207/28C NOTICE 1	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL44G (VALIDATION DATE: 8912) USER: 19 AS AT MC REVIEWER: 17 99 EC ES ME MI OS	A 5920	SH	11-DEC-89	ER	SH	11			
	MIL-F-19207/29C NOTICE 1	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL45G (VALIDATION DATE: 8912) USER: 19 AT MC REVIEWER: 17 99 AS EC ES ME MI OS	A 5920	SH	11-DEC-89	ER	SH	11			
	MIL-F-19207/30C	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHM46W AND FHM46WB USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/31C	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, TYPES FHM47W AND FHM47WB USER: AT MC REVIEWER: 11 17 70 71 80 AR AS ME MI	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/32C NOTICE 1	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL48U (VALIDATION DATE: 8912) USER: 19 AS AT MC REVIEWER: 17 AR EC ES ME MI OS	A 5920	SH	11-DEC-89	ER	SH	85			
	MIL-F-19207/33C NOTICE 1	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL49U (VALIDATION DATE: 8912) USER: 19 AS AT MC REVIEWER: 17 AR EC ES ME MI OS	A 5920	SH	11-DEC-89	ER	SH	85			
L	MIL-F-19207/36B NOTICE 1	FUSEHOLDERS, EXTRACTOR POST TYPE, NONINDICATING, R. F. SHIELDED TYPE FHM55W (VALIDATION DATE: 8912)	A 5920	SH	11-DEC-89		SH				
	MIL-F-19207/38B	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL57G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
	MIL-F-19207/39B	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL58G USER: AS AT MC REVIEWER: 11 17 70 71 80 AR EC ME MI OS	A 5920	SH	23-AUG-91	ER	SH	85			
QL	MIL-T-19229B NOTICE 1	TRANSMITTER, ANGLE OF ATTACK OR SLIDSLIP, LOCAL (VALIDATION DATE: 8712) ...	A 6610	AS	07-DEC-87		AS				
L	MIL-B-19231A	BAR, COPPER, SILVER BEARING (FOR COMMUTATORS) (VALIDATION DATE: 8204) REVIEWER: IS	A 9530	OS	07-SEP-72		OS				
L	MIL-P-19232A	PAPER, RECORDING, ELECTROSENSITIVE (VALIDATION DATE: 8104) USER: GL .....	A 7530	SH	08-SEP-60		SH				
D L	MIL-T-19233J	TRUCK, FIREFIGHTING; BRUSH, GRASS, AND STRUCTURAL, 500 GPH, 4 BY 4, COMMERCIAL CHASSIS USER: MC	A 4210	YD1	04-MAR-91		YD1				
Q	MIL-C-19246C(1)	CONNECTOR, OXYGEN MASK MOSE, TYPE MC-3A (VALIDATION DATE: 8406) .....	A 1660	AS	24-APR-78	AV	AS				
L	MIL-M-19249A	MOTOR GENERATORS, 300 KW DC TO AC, AC TODC SUBMARINE SERVICE (VALIDATION DATE: 8106) REVIEWER: GS	A 6125	SH	06-JUL-56		SH				
A L	MIL-C-19256F	CLOTH, TWILL, NYLON (LOW COUNT, 3-5 OUNCE) (VALIDATION DATE: 8503) .....	A 8305	CT	26-OCT-84		MU		CT		
QL	MIL-M-19261(8)	METER, POWER FACTOR 4-1/2 INCH, SWITCHBOARD TYPE USER: ME .....	A 6625	SH	13-FEB-87		SH				
L	MIL-C-19262A	CLOTH, PARACHUTE (VALIDATION DATE: 8405) REVIEWER: CT .....	A 8305	OS	15-NOV-76		OS				
A L	MIL-P-19264A NOTICE 3	PROPELLANT, CANNON, NACO - (U) .....	A 1376	OS	06-OCT-92		OS				
L	MIL-P-19277B	POSITIONER, STEP (FOR TORPEDO MK 37 MOD 2) (VALIDATION DATE: 8506) .....	A 1355	OS	03-NOV-72		OS				
L	MIL-R-19293A	RADOME CW-364/DPN-24 .....	A 5820	AS	14-AUG-67		AS				
L	MIL-R-19309C	RELAY, SENSITIVE (FOR TORPEDO MARK 37 MOD 2) (VALIDATION DATE: 8509) REVIEWER: ES	A 5945	OS	03-SEP-70		OS				
L	MIL-C-19311B	COPPER CHROMIUM ALLOY FORGINGS, WROUGHT ROD, BAR, AND STRIP (COPPER ALLOY NUMBERS 182, 184, AND 185) (VALIDATION DATE: 8204)	A 9530	OS	16-MAR-73		OS				
L	MIL-T-19314A	TRACER, MARK 20 MOD 0 (VALIDATION DATE: 8303) .....	A 1315	AS	20-MAR-59		AS				
L	MIL-D-19326H	DESIGN AND INSTALLATION OF LIQUID OXYGEN SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR	A 1660	AS	31-AUG-90	AV	AS	11			
L	MIL-G-19327B NOTICE 1	GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-5 (INACTIVE USE MIL-I-81387) (VALIDATION DATE: 8010)	A 6685	AS	14-JAN-57		AS				
Q	MIL-C-19328E(1)	CONVERTER, LIQUID OXYGEN, 5 LITER, MB-SA .....	A 1660	71	02-JUN-89		AS	99			
Q	MIL-R-19365C(2)	RESISTOR, ADJUSTABLE, WIREWOUND POWER (VALIDATION DATE: 8110) USER: 19 AT CG MC ME REVIEWER: 17 99 AS ES MI OS	A 5905	ER	24-NOV-70	ER	EC	85			
L	MIL-L-19368C	LATHE, ENGINE, MOTOR DRIVEN, BENCH, 16 INCH SWING, MODULAR IRON CONSTRUCTION, SUBMARINE USE REVIEWER: GS	A 3416	SH	25-SEP-87		SH				
A	MIL-C-19377C NOTICE 1	CLOTH, TWILL, NYLON (VALIDATION DATE: 8706) REVIEWER: B2 SH .....	A 8305	CT	03-JUN-87	GL	AS	99	CT		
L	MIL-M-19379B	MOUNT, RESILIENT, MARE ISLAND TYPES 11M15, 11M25, AND 10M50 (VALIDATION DATE: 8202) REVIEWER: IS	A 5340	SH	21-MAR-61		SH				
D	MIL-P-19380J(2)	PONTONS, STEEL, SECTIONAL, (P) SERIES, INCLUDING FITTINGS AND TOOLS (FOR COUPLING INTO FLOATING STRUCTURES)	A 1945	YD1	26-JUL-82	ME	YD1				
D	MIL-P-19380J(1)(2)	PONTON, STEEL, SECTIONAL, P SERIES, DETAIL SPECIFICATION FOR .....	A 1945	YD1	26-JUL-82	ME	YD1				
D	MIL-P-19380Z(1)	PONTON, JOINING FITTINGS, TOOLS, & CAGES, DETAIL SPECIFICATION FOR .....	A 1945	YD1	24-AUG-81	ME	YD1				
D	MIL-P-19380/3	PONTON, DECK FITTINGS & OUTFITTING ACCESSORIES, DETAIL SPECIFICATION FOR .....	A 1945	YD1	28-MAR-81	ME	YD1				
D	MIL-P-19380/4	DRYDOCK EQUIPMENT, MISCELLANEOUS FITTINGS AND ACCESSORIES, DETAIL SPECIFICATION FOR	A 1945	YD1	28-MAR-81	ME	YD1				
L	MIL-T-19383A NOTICE 1	TEST SET, SYNCHRO TRANSMITTER MARK 312 MOD 0 (FOR TORPEDO MARK 37 MODS 0, 0(M), 1, 2, 3) (VALIDATION DATE: 8708)	A 6625	OS	19-AUG-87		OS				
L	MIL-M-19387A	HEADS, SPRINKLER & WASHDOWN (INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8008) REVIEWER: CS	A 4510	SH	20-JUL-70		SH				
L	MIL-C-19397 NOTICE 2	COMPENSATOR, INERTIA, FOR AS-473/ASB-1 (BUORD DRAWING 790394 INERTIA COMPENSATING UNIT) (VALIDATION DATE: 9110)	A 6605	AS	15-OCT-91		AS				
L	MIL-A-19401 NOTICE 1	ACTUATOR, ELECTROMECHANICAL, ROTARY, FOR AS-473/ASB-1 (BUORD DRAWING 790459, 1332290, AZIMUTH TORQUE AMPLIFIER) (VALIDATION DATE: 9109)	A 1680	AS	25-SEP-91		AS				
L	MIL-D-19403 NOTICE 1	DRIVE, ANTENNA, VERTICAL STABILIZATION, FOR AS-473/ASB-1 (BUORD DRAWINGS 776405, 776483, VERTICAL STABILIZATION SERVO CLUTCH, FOR ASB-1; 864390, 1444062 FOR ASB-1A) (VALIDATION DATE: 9110)	A 5985	AS	15-OCT-91		AS				
AQ	MIL-M-19417D	MASK ASSEMBLIES, OXYGEN AND SMOKE, FULL FACE REVIEWER: 11 .....	A 1660	AS	29-SEP-92	AV	AS	99			
LI	MIL-P-19419A	PLATING, CHROMIUM, ELECTRO-DEPOSITED, (ON THE INTERIOR SURFACES OF 20 MM MARK 11 GUN BARRELS)	A 1005	AS	21-AUG-89		AS				
D	MIL-F-19428D(1)	FORMING MACHINES, SHEET AND PLATE USER: MC SH REVIEWER: 84 GS YD1 .....	A 3441	TP	12-SEP-91	AL	SH	99	IP		
L	MIL-S-19434B	STEEL GEAR AND PINION FORGINGS, CARBON AND ALLOY, HEAT TREATED, NAVAL SHIPBOARD PROPULSION UNIT AND AUXILIARY TURBINE	A 2030	SH	31-DEC-90		SH				
L	MIL-C-19437B	CHEST, TOOL, CARPENTER OR COMPANY USER: GL .....	A 5140	MC	12-SEP-83		MC				
L	MIL-R-19445A	RACK, BOMB, AERO BSA SERIES (VALIDATION DATE: 8304) .....	A 1095	AS	01-SEP-59		AS				
L	MIL-M-19457D	HYDRAULIC FLUID, FIRE-RESISTANT, NON-NEUTROXIC REVIEWER: GS .....	A 9150	SH	12-APR-89		SH				
L	MIL-M-19460C	WIRE ROPE ASSEMBLIES, SINGLE LEG, GRAPHITE AND BUDY TYPE .....	A 4010	SH	07-MAY-90		SH				
L	MIL-P-19461A	PLOTTING BOARD, TACTICAL DISPLAY, PT-429/A (VALIDATION DATE: 8509) .....	A 6605	AS	15-JUL-59		AS				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Or: / CML Continuation Inactive	Document Number	Document Title	Dist. Sym. FSC / Ave.	MCA Symbol Preparing Acty.	Date	Custodians			
						Army	Navy	Air Force	DLA
A L	MIL-G-19465E(1)	GLOVE, CHIPPER S. GAUNTLET .....	A 8415	CT	04-SEP-86	MJ		CT	
	MIL-T-19478A(1)	TRIPOD, PHOTOGRAPHIC, PNEUMATIC, METAL (VALIDATION DATE: 9111) REVIEWER:	A 6760	AS	05-NOV-91	AS	99		
	NOTICE 1	ER							
L	MIL-W-19487A	WIRE, NICKEL BASE ALLOY, AGE HARDENABLE (VALIDATION DATE: 8204) REVIEWER:	A 9525	OS	24-JUN-75	OS			
		15							
A	MIL-S-19491G(1)	SEMICONDUCTOR DEVICES, PACKAGING OF USER: 11 CG MC SA REVIEWER: 17 71 80	A PACK	EC	21-JUL-92	CR	EC	69	ES
		BS 99 AR AS ER MI OS SH SM							
A L	MIL-L-19493C(1)	LAUNDRY PRESSING AND FINISHING EQUIPMENT MODIFIED COMMERCIAL (SHIPBOARD) ..	A 3510	SH	05-APR-93	SH			
AQ	MIL-S-19500H(3)	SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR USER: 13 AS CG MC OS SM	A 5961	EC	30-AUG-92	ER	EC	17	
	SUPPL 1A1	REVIEWER: 19 BS 99 AR ES MI							
	MIL-S-19500/1A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N220	A 5961	EC	13-AUG-71	ER	EC	17	
		(VALIDATION DATE: 8404) USER: 14 15 19 AS AV CG MC REVIEWER: 11 AR ES MI							
	MIL-S-19500/2B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N117,	A 5961	LC	24-AUG-88	ER	EC	17	
	NOTICE 1	2N118 AND 2N119 (VALIDATION DATE: 8808) USER: AS CG MC SM REVIEWER: 11 19							
		AR ES MI							
	MIL-S-19500/40	SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N331	A 5961	EC	18-NOV-66	ER	EC	17	
		(VALIDATION DATE: 8505) USER: 14 AS CG MC REVIEWER: 11 19 AR ES MI							
	MIL-S-19500/68(2)	SEMICONDUCTOR, DEVICE TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N43A	A 5961	17	05-MAY-78	ER	EC	17	
		AND 2N44A (VALIDATION DATE: 8312)							
	MIL-S-19500/98	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH FREQUENCY, 25	A 5961	EC	12-MAR-70	ER	EC	17	
		MILLIWATT, TYPE JAN-2N128 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC							
		REVIEWER: 19 99 AR ES MI							
	MIL-S-19500/11C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, SWITCHING TYPE 2N167A	A 5961	EC	23-MAY-86	ER	EC	17	
		(INACTIVE FOR NEW DESIGN AFTER DATE OF AND 1) USER: 13 15 19 AS CG MC							
		REVIEWER: 11 99 AR ES MI							
	MIL-S-19500/13B(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N174A	A 5961	EC	23-JAN-67	ER	EC	17	
		(VALIDATION DATE: 8505) USER: 14 AS CG MC SM REVIEWER: 11 19 AR ES MI							
A	MIL-S-19500/16E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPES 2N342, 2N342A AND	A 5961	EC	24-NOV-64	ER	EC	17	
		2N343 (VALIDATION DATE: 8505) USER: AS CG MC MI REVIEWER: 11 19 ES							
	MIL-S-19500/29C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2N404 AND	A 5961	EC	09-JUL-71	ER	EC	17	
		2N40A (VALIDATION DATE: 8404) USER: 13 15 AS AV CG MC MI REVIEWER: 11 19							
		BS AR ES							
	MIL-S-19500/24D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPE 2N158	A 5961	EC	27-MAY-76	ER	EC	85	
		(VALIDATION DATE: 8304) USER: 13 15 19 AS CG MC REVIEWER: 11 17 AR ES MI							
		SH							
	MIL-S-19500/25B	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N240	A 5961	EC	24-AUG-88	ER	EC	17	
	NOTICE 1	(VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 ES MI							
	MIL-S-19500/27E(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-FREQUENCY TYPE	A 5961	ER	29-SEP-88	ER	EC	17	
	NOTICE 1	2N384 (VALIDATION DATE: 8809) USER: 13 15 AS CG MC REVIEWER: 11 19 BS AR							
		ES MI SM							
L	MIL-S-19500/30A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, ALLOY JUNCTION TYPE	A 5961	17	31-MAR-70			17	
		2N123 (VALIDATION DATE: 8212) REVIEWER: 11 19 99 ES							
	MIL-S-19500/31C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPE 2N341	A 5961	EC	04-OCT-72	ER	EC	17	
		(VALIDATION DATE: 8505) USER: 13 15 AS CG MC REVIEWER: 11 19 BS AR ES MI							
	MIL-S-19500/36C	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N297A	A 5961	ER	30-SEP-88	ER	SH	11	
	NOTICE 1	(VALIDATION DATE: 8809) USER: 14 AS CG MC OS SM REVIEWER: 19 BS AR ES MI							
A	MIL-S-19500/37D	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N333,	A 5961	EC	22-NOV-71	ER	EC	17	
		2N335, 2N336, 2N333A, 2N335A, AND 2N336A (VALIDATION DATE: 8404) USER: AS							
		CG MC REVIEWER: 11 19 BS 99 AR ES MI							
	MIL-S-19500/38C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N539 AND	A 5961	EC	28-OCT-88	ER	EC	17	
		2N539A USER: AS CG MC REVIEWER: 11 19 BS ES MI							
	MIL-S-19500/40B(1)	SEMICONDUCTOR, TRANSISTOR, NPN, GERMANIUM, POWER TYPE 2N326 (VALIDATION	A 5961	ER	26-FEB-68	ER	EC	17	
		DATE: 8307) USER: AS OS REVIEWER: 11 19 BS CG ES MC MI							
L	MIL-S-19500/41B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPES 2N425,	A 5961	ER	30-SEP-88	ER			
	NOTICE 1	2N426, 2N427 (VALIDATION DATE: 8809) REVIEWER: 19 ES							
	MIL-S-19500/44D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N428	A 5961	ER	30-SEP-88	ER	EC	17	
	NOTICE 1	(VALIDATION DATE: 8809) USER: 13 15 19 AS CG MC OS REVIEWER: 11 AR ES MI							
M LI	MIL-S-19500/46B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N574,	A 5961	ER	12-MAR-93	ER			
	NOTICE 1	2N575, 2N576, 2N1157A (VALIDATION DATE: 9303) REVIEWER: 19 ES							
L	MIL-S-19500/49C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N464, 2N465,	A 5961	ER	30-SEP-88	ER			
	NOTICE 1	2N467 (VALIDATION DATE: 8809) REVIEWER: 19 AR ES MI							
	MIL-S-19500/51E(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N466	A 5961	ER	01-MAY-85	ER	EC	17	
	NOTICE 1	USER: 13 15 AS AV CG MC SM REVIEWER: 19 AR ES MI							
I	MIL-S-19500/56B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N416, AND 2N417	A 5961	ER	06-JUL-90	ER	EC	17	
	NOTICE 1	(VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 BS 99 AR MI							
	MIL-S-19500/58D	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N665	A 5961	ER	07-OCT-88	ER	SH	11	
	NOTICE 1	(VALIDATION DATE: 8810) USER: CG MC SM REVIEWER: 70 BS AR ES MI							
	MIL-S-19500/60E	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE JAN-2N520	A 5961	EC	19-MAR-70	ER	EC	17	
		(VALIDATION DATE: 8304) USER: 13 15 AS CG MC REVIEWER: 11 19 99 AR ES MI							
	MIL-S-19500/62B(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N501A	A 5961	ER	07-OCT-88	ER	EC	17	
	NOTICE 1	(VALIDATION DATE: 8810) USER: AS CG MC OS SM REVIEWER: BS 99 ES MI SH							
	MIL-S-19500/63D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, LOW POWER TYPE 2N358A	A 5961	EC	02-NOV-72	ER	EC	17	
		(VALIDATION DATE: 8505) USER: 13 AS CG MC REVIEWER: 11 19 BS ES MI							
	MIL-S-19500/64D	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N396A	A 5961	EC	29-JUN-67	ER	EC	17	
		(VALIDATION DATE: 8505) USER: 14 AS CG MC REVIEWER: 11 19 ES MI							
	MIL-S-19500/65B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, SWITCHING TYPE 2N388	A 5961	EC	19-MAR-70	ER	EC	17	
		(VALIDATION DATE: 8304) USER: 13 15 AS CG MC REVIEWER: 11 19 99 ES MI							
L	MIL-S-19500/66B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2N422 (VALIDATION DATE: 8304) USER:	A 5961	EC	24-FEB-71	EC			
		AS CG MC REVIEWER: 19 ES							
L	MIL-S-19500/67A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, 50-WATT TYPE 2N1011	A 5961	ER	07-OCT-88	ER			
	NOTICE 1	(VALIDATION DATE: 8810) REVIEWER: 19 ES							
	MIL-S-19500/68A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1120	A 5961	ER	07-OCT-88	ER	SH	11	
	NOTICE 1	(VALIDATION DATE: 8810) USER: 14 19 AS CG MC OS SM REVIEWER: 17 BS AR ES							
		MI							
	MIL-S-19500/69E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES JAN-2N337 AND	A 5961	EC	22-NOV-71	ER	EC	17	
		JAN-2N338 (VALIDATION DATE: 8404) USER: 13 15 AS CG MC REVIEWER: 11 19 AR							
		ES MI							
L	MIL-S-19500/70A(2)	TRANSISTOR, TYPE 2N463 (INACTIVE FOR NEW DESIGN AFTER DATE OF AND 1) USER:	A 5961	EC	23-MAY-86	EC			
		AS CG MC REVIEWER: 19 99 ES							
	MIL-S-19500/71D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N1195	A 5961	EC	24-AUG-88	ER	EC	17	
	NOTICE 1	(VALIDATION DATE: 8808) USER: 14 AS CG MC REVIEWER: 11 19 ES MI							
L	MIL-S-19500/72C(4)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N499 AND 2N499A	A 5961	ER	07-OCT-88	ER			
	NOTICE 1	(VALIDATION DATE: 8810) REVIEWER: ES							
	MIL-S-19500/73B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N560	A 5961	EC	24-AUG-88	ER	EC	17	
	NOTICE 1	(VALIDATION DATE: 8808) USER: AS CG MC REVIEWER: 19 AR ES MI							
	MIL-S-19500/74E(4)	SEMICONDUCTOR DEVICE, TRANSISTORS, NPN SILICON, MEDIUM POWER, TYPES	A 5961	EC	11-AUG-86	ER	EC	17	
		2N497, 2N498, 2N656 AND 2N657 USER: 15 19 AS CG MC SH REVIEWER: 11 BS 99							
		AR ES MI							
	MIL-S-19500/75B(2)	SEMICONDUCTOR DEVICE, TRANSISTORS, PN, SILICON UNIJUNCTION TYPES 2N2417A	A 5961	17	16-AUG-82	ER	EC	17	
		THROUGH 2N2422A, AND TX2N2417A THROUGH TX2N2422A USER: CG MC REVIEWER: 11							
		19 AR ES MI							
L	MIL-S-19500/76C(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1412 AND	A 5961	EC	06-MAR-72	EC			
		2N1412A (VALIDATION DATE: 8404) USER: AS CG MC REVIEWER: 19 ES							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / Chk Coordination Inactive Document Number	Document Title	Dist Smt FSC Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-S-19500/77C(4) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPE 2N393 [VALIDATION DATE: 9007] USER: AS CG MC MI REVIEWER: 11 19 85 AR ES SM	A 5961 ER 06-JUL-90	ER	EC	17	
MIL-S-19500/78C NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR PNP, SILICON, LOW-POWER TYPES 2N1025, 2N1026 AND 2N1469 [VALIDATION DATE: 8810] USER: 13 15 AS CG MC OS SM SM REVIEWER: 11 80 85 AR ES MI	A 5961 ER 07-OCT-88	ER	EC	17	
MIL-S-19500/80E NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 3N35 [VALIDATION DATE: 8810] USER: AS CG MC SM REVIEWER: 11 80 AR ES MI	A 5961 ER 07-OCT-88	ER	EC	17	
MIL-S-19500/86A(4)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N705 USER: 14 19 AS CG MC SM REVIEWER: 11 85 AR ES MI SM	A 5961 EC 28-MAR-83	ER	EC	17	
L MIL-S-19500/87A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM LOW POWER TYPE 2N1142 [VALIDATION DATE: 8505] USER: 14 AS CG MC OS REVIEWER: 17 85 ES MI	A 5961 EC 01-JUN-73	ER			
L MIL-S-19500/88(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2N1046 (NAVY) [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 19 99 ES	A 5961 EC 15-MAR-83	EC			
A MIL-S-19500/89D	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2N1039, 2N1041, 2N2553, 2N2555, 2N2557 AND 2N2559 [VALIDATION DATE: 8304] USER: 13 15 AS CG MC MI OS REVIEWER: 11 19 85 AR ES	A 5961 EC 22-MAR-71	ER	EC	17	
MIL-S-19500/91(1) NOTICE 1	SEMICONDUCTOR DEVICE DIODE, SILICON, POWER RECTIFIER TYPE 1N2153 [VALIDATION DATE: 9007] USER: 15 AS CG MC SM REVIEWER: 11 19 85 99 AR MI	A 5961 ER 06-JUL-90	ER	EC	17	
MIL-S-19500/99E(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, MEDIUM POWER TYPES 2N696 AND 2N697 [VALIDATION DATE: 8307] USER: 14 AS CG MC OS REVIEWER: 17 19 AR EA ES MI	A 5961 ER 25-SEP-67	EM	EC	11	
I MIL-S-19500/100A(2) NOTICE 1	SEMICONDUCTOR DEVICES TRANSISTOR, PNP, GERMIUM TYPE 2N537 [VALIDATION DATE: 9007] USER: 15 AS CG MC SM REVIEWER: 11 19 85 99 AR MI	A 5961 ER 06-JUL-90	ER	EC	17	
MIL-S-19500/102A	SEMICONDUCTOR DEVICE, TRANSISTORS, NPN, SILICON, HIGH POWER TYPES 2N1016B, 2N1016C, AND 2N1016D [VALIDATION DATE: 8505] USER: 19 AS CG MC REVIEWER: 11 17 AR MI	A 5961 EC 29-DEC-66	ER	EC	85	
A MIL-S-19500/104C	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N1124A, 1N1126A, 1N1128A, 1N3649, 1N3650, 1N1124RA, 1N1126RA, 1N1128RA, 1N3649R AND 1N3650R [VALIDATION DATE: 8404] USER: 14 AS CG MC MI REVIEWER: 11 19 AR EA ES	A 5961 EC 29-NOV-65	ER	EC	17	
MIL-S-19500/108D(4)	SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS), SILICON TYPLS 2N682, 2N683, 2N685 THROUGH 2N692, 2N5206, 1X2N682, 1X2N683, 1X2N685 THROUGH 1X2N692, AND 1X2N5206 [VALIDATION DATE: 8808] USER: AS CG MC SM SM REVIEWER: 11 19 85 99 AR AV ES MI	A 5961 EC 24-AUG-88	ER	EC	17	
MIL-S-19500/110C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N328A, 2N329A, 2N328AS, AND 2N329AS USER: 13 15 AS AV CG MC REVIEWER: 11 19 85 AR ES MI	A 5961 ER 16-JUL-86	EM	EC	17	
L MIL-S-19500/112C(4) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPES 2N502A AND 2N52B [VALIDATION DATE: 8808]	A 5961 ER 25-AUG-83	ER			
MIL-S-19500/114E(4)	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOL REG 828B TYPE 1N2804-1N2811, 1N2813, 1N2814, 1N2816, 1N2818-1N2820, 12822-1N2827, 1N2829, 1N2831-1N2838, 1N2840-1N2846, 1N4557-1N4562, JAN, JANTX, JANTXV USER: 13 AS CG MC SM REVIEWER: 11 19 85 AR ES MI SM	A 5961 EC 21-MAR-84	ER	EC	17	
MIL-S-19500/115G(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N3821A THROUGH 1N3828A AND 1N3016B THROUGH 1N3051B, JAN, JANTX, AND JANTXV USER: AS CG MC OS SM REVIEWER: 11 99 AR ES MI SM	A 5961 EC 15-FEB-91	ER	EC	17	
A MIL-S-19500/116J	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N914, 1N4148-1 AND 1N4531 JAN, JANTX, AND JANTXV USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SM	A 5961 EC 23-JUL-92	ER	EC	17	
A MIL-S-19500/117J	SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N962B-1 THROUGH 1N992B-1, AND 1N962BUR-1 THROUGH 1N992BUR-1, JAN, JANTX, JANTXV, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR AV ES MI	A 5961 EC 08-SEP-92	ER	EC	17	
MIL-S-19500/118D(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, TYPES 1N483B, 1N485B, 1N486B, 1N5194, 1N5195, 1N5196, JAN, JANTX, JANTXV, AND JANS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA	A 5961 EC 28-APR-89	ER	EC	17	
A I MIL-S-19500/119B(1)	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, TYPE JAN-1N933 REVIEWER: 19 AR ES MI	A 5961 EC 15-MAR-83	ER	EC	17	
MIL-S-19500/120C(3) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, LOW-POWER TYPE 2N706 [VALIDATION DATE: 8808] USER: 13 AS AV CG MC SM REVIEWER: 11 19 80 85 AR ES MI	A 5961 ER 25-AUG-88	ER	EC	17	
MIL-S-19500/122C(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH-POWER TYPE 2N1358 [VALIDATION DATE: 8808] USER: 14 AS CG MC OS REVIEWER: 11 19 85 99 AR ES MI	A 5961 ER 25-AUG-88	ER	EC	17	
L MIL-S-19500/123A NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, VHF 2N700A [VALIDATION DATE: 8307] USER: 15 AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI	A 5961 ER 12-DEC-66	ER			
A MIL-S-19500/124G	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR B AND RB TYPES 1N2970 THROUGH 1N2977, 1N2979, 1N2980, 1N2982, 1N2984 THROUGH 1N2986, 1N2988 THROUGH 1N2993, 1N2995, 1N2997, 1N2999 THROUGH 1N3005, 1N3007, 1N3008, 1N3009, 1N3011, 1N3012, 1N3014, 1N3015, A AND RA TYPES 1N3993 THROUGH 1N3998, JAN, JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI SM	A 5961 ER 15-OCT-92	ER	EC	17	
MIL-S-19500/125C NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, SWITCHING TYPE 2N1500 [VALIDATION DATE: 8307] USER: 14 AS CG MC REVIEWER: 11 19 ES MI	A 5961 ER 01-JUN-67	ER	EC	17	
MIL-S-19500/126C	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN TYPES 2N1302, 2N1304, 2N1306, 2130B AND PNP TYPES 2N1303, 2N1305, 2N1307 AND 2N1309 [VALIDATION DATE: 8304] USER: 13 15 AS CG MC MI OS REVIEWER: 11 19 99 AR EA ES	A 5961 EC 24-MAR-71	ER	EC	17	
A MIL-S-19500/127L	SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR, TYPES 1N4370A-1 THROUGH 1N4372A-1, AND 1N746A-1 THROUGH 1N759A-1 1N4370AUR-1 THROUGH 1N4372AUR-1 AND 1N746AUR-1 THROUGH 1N759AUR-1, JAN, JANTX, JANTXV, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR AV ES MI	A 5961 EC 08-SEP-92	ER	EC	17	
MIL-S-19500/128A NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES JAN-1N268, JAN-1N268R, JAN-1N268M, AND JAN-1N268MR [VALIDATION DATE: 9007] USER: AS CG MC MI REVIEWER: 19 99 ES	A 5961 ER 06-JUL-90	ER	EC	17	
MIL-S-19500/130C NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N78C, 1N78CR, 1N78CM, 1N78CMR, 1N78F, 1N78FR, 1N78FM, AND 1N78FMR [VALIDATION DATE: 8808] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI	A 5961 ER 25-AUG-88	ER	EC	17	
L MIL-S-19500/133A(3) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N1411 [VALIDATION DATE: 8808] REVIEWER: 19 ES	A 5961 ER 25-AUG-88	ER			
L MIL-S-19500/135A(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2N695 (INACTIVE FOR NEW DESIGN AFTER 27 APR 1983) [VALIDATION DATE: 8104] USER: AS CG MC REVIEWER: 19 ES	A 5961 EC 18-DEC-68	EC			
L MIL-S-19500/136A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, GERMANIUM, LOW POWER TYPE 2N1310 REVIEWER: 19 ES	A 5961 EC 15-MAR-83	EC			
MIL-S-19500/137C NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM POWER TYPES 2N1042 THROUGH 2N1045 [VALIDATION DATE: 8808] USER: 13 15 REVIEWER: 11 85 99 AR ES MI	A 5961 ER 25-AUG-88	ER	EC	17	
MIL-S-19500/138C NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N1118 [VALIDATION DATE: 8808] USER: 13 AS CG MC REVIEWER: 11 19 AR ES MI	A 5961 ER 25-AUG-88	ER	EC	85	
MIL-S-19500/139B(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, TYPE JAN-2N1119 [VALIDATION DATE: 8808] USER: MC REVIEWER: 11 19 ES	A 5961 ER 25-AUG-88	ER	SM	17	
L MIL-S-19500/141A(1)	SEMICONDUCTOR DEVICE, DIODE, TYPE 1N697 (NAVY) [VALIDATION DATE: 8506] REVIEWER: 19 ES MI	A 5961 EC 29-AUG-66	EC			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Doc. Gp. / Cate. / Coordination / Inactive / Document Number	Document Title	Doc. Gp.	FSC / Army / NCS / Symbol / Preparing Act.	Date	Custodians	Army / Navy / Air Force / DLA
MIL-S-19500/142A(3) NOTICE 1	SEMICONDUCTOR DEVICES, SILICON, HIGH VOLTAGE RECTIFIER TYPES 1M1731A, 1M1733A, AND 1M1734A [VALIDATION DATE: 9007] USER: 14 AS CG MC MI REVIEWER: 11 19 AR ES	A 5961	ER 06-JUL-90	ER EC 17		
L MIL-S-19500/143B(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPES 2M1183, 2M1183A, 2M1183B AND 2M1184, 2M1184A, 2M1184B [VALIDATION DATE: 8808] REVIEWER: 19 ES MI	A 5961	ER 26-AUG-88	ER		
MIL-S-19500/144G(3)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1M3064 1M4454 1M4454-1 & 1M4532 JAN JANTZ JANTXV USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH	A 5961	EC 31-JUL-86	ER EC 17		
L MIL-S-19500/153B(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPES 2N702, AND 2N703 [VALIDATION DATE: 8808] REVIEWER: 19 ES MI	A 5961	ER 26-AUG-88	ER		
L MIL-S-19500/155E NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TYPES 1M3189, 1M3190, 1M3191, TX AND NON-TX TYPES [VALIDATION DATE: 8601] USER: AS CG MC SM REVIEWER: ES	A 5961	EC 25-SEP-86	EC		
A MIL-S-19500/156H	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1M935B, 1M937B, 1M938B, 1M939B, 1M940B, 1M935B-1, 1M937B-1, 1M938B-1, 1M939B-1, 1M940B-1, 1M935BUR-1, 1M937BUR-1, 1M938BUR-1, 1M939BUR-1, 1M940BUR-1, JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SH SM REVIEWER: 80 85 99 AR ES	A 5961	EC 23-NOV-92	ER EC 17		
A MIL-S-19500/157J	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1M941B, 1M943B, 1M944B, 1M945B, 1M946B, 1M941B-1, 1M943B-1, 1M944B-1, 1M945B-1, 1M946B-1, 1M941BUR-1, 1M943BUR-1, 1M944BUR-1, 1M945BUR-1, 1M946BUR-1, JANTX, JANTXV, AND JANS USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES	A 5961	EC 09-DEC-92	ER EC 17		
A MIL-S-19500/158J	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1M3154, 1M3155, 1M3156, 1M3157, 1M3154-1, 1M3155-1, 1M3156-1, 1M3157-1, 1M3154UR-1, 1M3155UR-1, 1M3156UR-1, 1M3157UR-1, JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SH SM REVIEWER: 80 85 99 AR ES	A 5961	EC 09-DEC-92	ER EC 17		
A MIL-S-19500/159G	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-REFERENCE TYPES 1M821, 1M823, 1M825, 1M827, 1M829, AND 1M821-1, 1M823-1, 1M825-1, 1M827-1, AND 1M829-1, 1M821UR-1, 1M823UR-1, 1M825UR-1, 1M827UR-1, AND 1M829UR-1, JANTX, JANTXV, JANS, AND JANC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 22-JAN-93	ER EC 17		
MIL-S-19500/162B(4) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1M1614, 1M1615, 1M1616, 1M445B, 1M445B, 1M1614R, 1M1615R, 1M1616R, 1M445BR, 1M4459R [VALIDATION DATE: 8808] USER: 14 AS CG MC MI SH REVIEWER: 11 19 99 AR EA ES	A 5961	EC 26-AUG-88	ER EC 17		
I MIL-S-19500/163(3) NOTICE 1	SEMICONDUCTOR DEVICE TRANSISTOR, NPN, SILICON TYPE 2M1072 [VALIDATION DATE: 9007] REVIEWER: 19 ES	A 5961	ER 06-JUL-90	ER EC 17		
L MIL-S-19500/166C(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, TYPE 2M599 [VALIDATION DATE: 8808] USER: AS CG MC REVIEWER: 19 ES	A 5961	EC 24-AUG-88	EC		
L MIL-S-19500/167B NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, TYPE 1M560 AND 1M561 (NAVY) [VALIDATION DATE: 8601] USER: AS CG MC REVIEWER: 19 ES	A 5961	EC 25-SEP-86	EC		
MIL-S-19500/168C NOTICE 1	SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS) SILICON TYPES 2M1771A, 2M1772A, 2M1774A, 2M1776A, 2M1777A, TX2M1771A, TX2M1772A, TX2M1774A, TX2M1776A, TX2M1777A [VALIDATION DATE: 8601] REVIEWER: 19 AV ES MI	A 5961	EC 25-SEP-86	ER EC 17		
MIL-S-19500/169F(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1M3070, 1M3070-1, 1M493B, 1M493B-1 JAN, JANTX, JANTXV, AND JANS USER: 14 AS CG MC REVIEWER: 11 19 ES MI	A 5961	EC 09-FEB-90	ER EC 17		
MIL-S-19500/170A NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2M1499A [VALIDATION DATE: 9007] REVIEWER: 19 ES	A 5961	ER 06-JUL-90	ER EC 17		
L MIL-S-19500/171B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE 2M1853 USER: AS CG MC REVIEWER: FS	A 5961	EC 15-MAR-83	EC		
L MIL-S-19500/172B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, TYPE 2M1854 [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 19 ES	A 5961	EC 24-FEB-71	EC		
A MIL-S-19500/173A	SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2M389 AND 2M424 (NAVY) [VALIDATION DATE: 8304] REVIEWER: 19 ES	A 5961	EC 24-NOV-64	EC 17		
MIL-S-19500/174B	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE JAN-2M398A [VALIDATION DATE: 8404] USER: 13 15 AS AV CG MC REVIEWER: 11 85 99 ES MI	A 5961	EC 29-NOV-71	EC 17		
MIL-S-19500/175C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPES 2M650A, 2M651A, AND 2M652A [VALIDATION DATE: 8505] USER: AS CG MC REVIEWER: 11 19 85 AR ES MI	A 5961	EC 09-MAR-73	ER EC 17		
MIL-S-19500/176B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M1047A, 2M1048A, 2M1049A AND 2M1050A [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: 11 13 15 19 85 AR ES MI	A 5961	EC 13-DEC-71	ER EC 17		
A MIL-S-19500/177D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2M1131, 2M1131L, 2M1132, 2M1132L, JAN USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 16-FEB-93	ER EC 17		
L MIL-S-19500/178B(4)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM TYPE 2M1165 [VALIDATION DATE: 8404] USER: AS CG MC REVIEWER: ES	A 5961	EC 25-FEB-72	EC		
MIL-S-19500/179A(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPE 2M1234 [VALIDATION DATE: 9007] REVIEWER: 19 ES	A 5961	ER 06-JUL-90	ER EC 17		
MIL-S-19500/180D(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, MEDIUM-POWER TYPES 2M1483, TX2M1483, 2M1484, TX2M1484, 2M1485, TX2M1485, 2M1486, TX2M1486 [VALIDATION DATE: 8808] USER: AS CG MC REVIEWER: 11 19 AR ES MI	A 5961	ER 26-AUG-88	ER EC 17		
MIL-S-19500/181D(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2M1718A, 2M1613, & 2M1613L JAN, JANTX, & JANTXV USER: AS AV CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA	A 5961	EC 01-NOV-83	ER EC 17		
MIL-S-19500/182C(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 2M720A, 2M1893, AND 2M1893S JAN AND JANTX [VALIDATION DATE: 8808] USER: 14 19 AS CG MC SM REVIEWER: 11 85 AR ES MI SH	A 5961	EC 24-AUG-88	ER EC 17		
I MIL-S-19500/183A(2) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, RF MIXER TYPE JAN-1M25MA [VALIDATION DATE: 9007] USER: 15 AS CG MC REVIEWER: 11 19 85 99 AR MI SH	A 5961	ER 06-JUL-90	ER EC 17		
MIL-S-19500/186B NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, RF MIXER TYPES JAN-1M53B, JAN-1M53BR, JAN-1M53BM AND JAN-1M53BRM [VALIDATION DATE: 8808] USER: AS CG MC MI REVIEWER: 19 ES	A 5961	ER 26-AUG-88	ER SH 11		
MIL-S-19500/187A(2) NOTICE 1	SEMICONDUCTOR DIODE, SILICON, HIGH-VOLTAGE TYPE 1M2361 [VALIDATION DATE: 9007] USER: 15 AS CG MC SM REVIEWER: 11 19 85 99 AR MI	A 5961	ER 06-JUL-90	ER EC 17		
A MIL-S-19500/188A(1) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPE JAN-1M251 [VALIDATION DATE: 8601] REVIEWER: 19 ES MI	A 5961	EC 25-SEP-86	ER EC 17		
MIL-S-19500/189B(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW-POWER TYPES 2M1224 AND 2M1225 [VALIDATION DATE: 9007] USER: 13 15 19 AS CG MC SM REVIEWER: 11 99 AR MI	A 5961	ER 06-JUL-90	ER EC 17		
A MIL-S-19500/191A(1)	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE 1M263 [VALIDATION DATE: 8404] USER: AS CG MC OS REVIEWER: 11 19 ES	A 5961	EC 26-OCT-71	ER EC 17		
MIL-S-19500/192B(1)	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1M276, JAN, JANTX, AND JANTXV USER: AS CG MC MI REVIEWER: 19 ES	A 5961	EC 14-NOV-90	ER EC 17		
L MIL-S-19500/193C NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1M457, 1M458, AND 1M459 [VALIDATION DATE: 8808] USER: AS CG MC OS REVIEWER: 19 AR ES MI	A 5961	ER 26-AUG-88	ER		
MIL-S-19500/195D NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, MICRO-MINIATURE, SWITCHING TYPE 1M3206 [VALIDATION DATE: 8808] USER: 13 15 AS CG MC MI REVIEWER: 19 85 AR ES	A 5961	ER 26-AUG-88	ER EC 11		
L MIL-S-19500/198A(1) NOTICE 1	SEMICONDUCTOR DEVICES, THYRISTORS TYPES 2M1870A, 2M1871A, 2M1872A AND 2M1874A [VALIDATION DATE: 8808] USER: AS CG MC REVIEWER: 19 ES MI	A 5961	EC 24-AUG-88	EC		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / Chk Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
	MIL-S-19500/199A(3) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, FORWARD-VOLTAGE REGULATOR TYPE 1N816 [VALIDATION DATE: 8808] USER: 19 CG MC MI SM REVIEWER: 11 85 AR ES SH	A 5961	EC	24-AUG-88	ER	EC	17		
	MIL-S-19500/200B NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N270 JAN, JANTX, AND JANTXV USER: AS CG MC MI REVIEWER: 19 99 AR EA ES	A 5961	EC	09-JUN-89	ER	EC	11		
	MIL-S-19500/201B	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM TYPE 1N277 JAN, JANTX, AND JANTXV USER: AS CG MC MI OS SH SM REVIEWER: 11 19 85 AR	A 5961	EC	25-SEP-89	ER	EC	17		
	MIL-S-19500/202A(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIERS, TYPES JAN-1N538M, JAN-1N540M, AND JAN1N547M [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 11 19 AR ES MI	A 5961	EC	14-DEC-64	ER	EC	17		
L	MIL-S-19500/203C(2)	SEMICONDUCTOR DEVICE, THYRISTORS, (CONTROLLED RECTIFIERS) SILICON TYPES 2N2024, 2N2025, 2N2027, 2N2029, 2N2030 [VALIDATION DATE: 8104] USER: AS CG MC REVIEWER: ES	A 5961	EC	20-MAY-75		EC			
	MIL-S-19500/204F(2)	SEMICONDUCTOR DEVICES, THYRISTOR, REVERSE BLOCKING, SILICON, TYPES 2N1792, 2N1793, 2N1795, 2N1797, 2N1798, 2N1799, 2N1800, 2N1805, 2N1806, 2N1910, 2N1911, 2N1913, 2N1915, 2N1916, 2N2031, JAN, JANTX, AND JANTXV USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	10-JAN-92	ER	EC	17		
A	MIL-S-19500/205B	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, LOW LEVEL, FORWARD-VOLTAGE-REFERENCE TYPE 1N3287 JAN, JANTX, AND JANTXV USER: CG MC	A 5961	EC	11-JUN-90	ER	EC	11		
L	MIL-S-19500/207C NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N1479, 2N1480, 2N1481, 2N1482 [VALIDATION DATE: 8808] REVIEWER: 19 AR ES MI	A 5961	ER	26-AUG-88		ER			
	MIL-S-19500/208B NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER, TYPES 2N1487, 22N1488, 2N1489 AND 2N1490 [VALIDATION DATE: 8808] USER: AS CG MC REVIEWER: 19 85 AR EA ES MI	A 5961	ER	29-AUG-88	ER	SH	11		
L	MIL-S-19500/210B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, PHOTO TYPE 2N986 [VALIDATION DATE: 8304] USER: AS CG MC REVIEWER: 19 ES	A 5961	EC	24-FEB-71		EC			
	MIL-S-19500/211B(3) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3164, 1N3168, 1N3170, 1N3172, 1N3174, 1N3175, 1N3176, 1N3177 AND R TYPES JAN, JANTX, JANTXV [VALIDATION DATE: 9007] USER: 15 AS CG MC MI SM REVIEWER: 11 19 85 99 AR	A 5961	ER	06-JUL-90	ER	EC	17		
I	MIL-S-19500/213C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, LOW POWER TYPE 2N2084 USER: 13 15 AS CG MC REVIEWER: 11 19 85 AR ES MI	A 5961	EC	15-MAR-83	ER	EC	17		
L	MIL-S-19500/215(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N1173 AND 2N1174 (NAVY) [VALIDATION DATE: 8505] USER: AS CG MC REVIEWER: 19 ES	A 5961	EC	14-NOV-66		EC			
L	MIL-S-19500/216A(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON TYPE 2N1051 [VALIDATION DATE: 8808] USER: AS CG MC REVIEWER: 19 ES	A 5961	EC	24-AUG-88		EC			
	MIL-S-19500/217B NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTORS, PNP, GERMANIUM, HIGH-POWER TYPES 2N4568, 2N4578, 2N4588, 2N1021A, 2N1022A [VALIDATION DATE: 8808] USER: AS MC REVIEWER: 11 19 85 EA ES MI	A 5961	ER	29-AUG-88	ER	EC	17		
	MIL-S-19500/218A NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N757A, 2N759A AND 2N760A [VALIDATION DATE: 8808] USER: 14 AS CG MC OS REVIEWER: 17 19 99 ES MI	A 5961	ER	29-AUG-88		SH	11		
L	MIL-S-19500/219A(6) NOTICE 1	TRANSISTOR, PNP, GERMANIUM, POWER, SWITCHING, TYPES 2N1651, 2N1652, 2N1653 [VALIDATION DATE: 8808] REVIEWER: 19 ES	A 5961	ER	29-AUG-88		ER			
	MIL-S-19500/225D(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, TYPES 2N1711, 2N1711S, 2N1890, AND 2N1890S JAN AND JANTX [VALIDATION DATE: 8808] USER: 13 AS AV CG MC SH REVIEWER: 11 19 85 99 AR ES MI	A 5961	EC	24-AUG-88	ER	EC	17		
	MIL-S-19500/226B	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, SWITCHING TYPE 1N3666(1) JAN, JANTX, AND JANTXV USER: 14 AS CG MC SH REVIEWER: 17 19 85 AR ES	A 5961	EC	11-JUN-90	ER	EC	17		
	MIL-S-19500/227(2)	SEMICONDUCTOR DEVICE, DIODE, TYPE 1N995M (NAVY) USER: AS CG MC REVIEWER: 19 ES MI	A 5961	EC	15-MAR-83		EC	17		
M	MIL-S-19500/228B	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER, TYPES 1N3611, 1N3612, 1N3613, 1N3614, 1N3957, JAN AND JANTX USER: AS CG MC SH REVIEWER: 19 85 99 AR AV ES MI	A 5961	EC	21-MAY-93	ER	EC	17		
L	MIL-S-19500/229(1)	SEMICONDUCTOR DEVICE, DIODE, TYPE 1N830AM (NAVY) [VALIDATION DATE: 8404] USER: CG MC REVIEWER: 19 ES MI	A 5961	EC	25-APR-66		EC			
	MIL-S-19500/230C(1) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-CONDUCTANCE TYPE JAN-1N3207 [VALIDATION DATE: 8808] USER: AS CG MC REVIEWER: 19 ES MI	A 5961	ER	29-AUG-88	ER	EC	11		
	MIL-S-19500/231E	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3600, 1N4150, AND 1N4150-1 JANTX AND JANTXV USER: 19 AS CG MC OS SH SM REVIEWER: 85 99 AR AV ES MI	A 5961	EC	10-MAR-92	ER	EC	17		
	MIL-S-19500/232B(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N21WE, 1N21WEH, AND 1N21WEHR [VALIDATION DATE: 8404] USER: 13 15 19 AS CG MC SH REVIEWER: 11 99 AR ES MI	A 5961	EC	26-JUN-78	ER	EC	17		
	MIL-S-19500/236A(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N31 [VALIDATION DATE: 8808] USER: 13 15 AS CG MC SH REVIEWER: 11 19 85 ES MI	A 5961	EC	24-AUG-88	ER	EC	17		
I	MIL-S-19500/237A(3)	SEMICONDUCTOR DEVICE, DIODE, SILICON, VIDEO DETECTOR TYPE 1N32 [VALIDATION DATE: 8808] USER: 13 15 AS CG MC SH REVIEWER: 11 85 99 AR ES MI	A 5961	EC	24-AUG-88	ER	EC	17		
A I	MIL-S-19500/240E(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1N645-1, 1N647-1, 1N649-1, JAN, JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR AV ES MI SM	A 5961	EC	10-NOV-92	ER	EC	17		
	MIL-S-19500/241E(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N3595 AND 1N3595-1 JAN, JANTX, JANTXV, AND JANS USER: AS CG MC OS SH REVIEWER: 11 19 85 AR AV ES MI	A 5961	EC	25-APR-90		EC	17		
L	MIL-S-19500/244B(6)	TRANSISTOR, PNP, GERMANIUM TYPE 2N2273	A 5961	ER	13-APR-92		ER			
	MIL-S-19500/246F(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N3289, 1N3291, 1N3293, 1N3294, 1N3295, AND R TYPES, JAN, JANTX, JANTXV USER: AS CG OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	ER	18-FEB-92	ER	EC	17		
A I	MIL-S-19500/247(4) NOTICE 1	SEMICONDUCTOR DEVICES TRANSISTOR, NPN, SILICON TYPE 2N1493 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER	06-JUL-90	ER	EC	17		
L	MIL-S-19500/248A(2) NOTICE 1	TRANSISTOR, NPN, SILICON TYPES 2N2015, 2N2016 [VALIDATION DATE: 8808] .....	A 5961	ER	29-AUG-88		ER			
	MIL-S-19500/250B NOTICE 1	SEMICONDUCTOR DIODE, SILICON, LMF MIXER TYPE 1N82AG [VALIDATION DATE: 8808] USER: 13 15 19 AS CG MC REVIEWER: 11 85 ES MI	A 5961	ER	29-AUG-88	ER	EC	17		
	MIL-S-19500/251G(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N221B, 2N221BA, 2N221BAL, 2N2219, 2N2219A, AND 2N2219AL JAN, JANTX, JANTXV, AND JANS [VALIDATION DATE: 8808] USER: 14 AS CG MC SH SM REVIEWER: 11 19 85 AR ES MI	A 5961	ER	29-AUG-88	ER	EC	17		
	MIL-S-19500/253C	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES 2N929, 2N930, JAN AND JANTX USER: 13 AS AV CG MC MI SM REVIEWER: 11 85 AR EA ES	A 5961	ER	07-DEC-90	ER	EC	17		
L	MIL-S-19500/254A NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N1147 AND 1N1149 [VALIDATION DATE: 8808] REVIEWER: 19 ES	A 5961	ER	29-AUG-88		ER			
A	MIL-S-19500/255G(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2221, 2N2222, 2N2221A, 2N2222A, 2N2221AJA, 2N2222AJA, 2N2222AUB, 2N2222AUC, AND 2N2222AUC JAN, JANTX, JANTXV, JANTXVD, JANTXVM, JANTXVM, JANTXVH, JANS, JANSO, JANSJ, JANSK, JANSR, AND JANS USER: 13 15 AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	ER	05-MAR-93	ER	EC	17		
	MIL-S-19500/256C(1) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING, TYPES 1N643, 1N662 AND 1N663 [VALIDATION DATE: 8808] USER: 13 15 19 AS CG MC REVIEWER: 11 85 AR ES MI	A 5961	ER	29-AUG-88	ER	EC	17		
	MIL-S-19500/257A NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N658 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER	06-JUL-90	ER	EC	17		
L	MIL-S-19500/258A(4) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR TYPES 2N962 AND 2N964 [VALIDATION DATE: 8808] REVIEWER: ES MI	A 5961	EC	24-AUG-88		EC			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adopting Org / Code Coordination Inches	Document Number	Document Title	Doc. Smt. FSC / Issue	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
A	MIL-S-19500/259A(2) NOTICE 1	SEMICONDUCTOR DEVICES, DIODES, SILICON, POWER RECTIFIERS TYPES JAN-1N1130 AND JAN-1N1131 USER: 15 19 AS CG MC MI SH REVIEWER: 11 85 99 AR	A 5961	ER	26-MAR-85	ER	EC	17	
	MIL-S-19500/2600(3)	SEMICONDUCTOR DEVICES, DIODES, SILICON, POWER RECTIFIERS TYPES 1N1202A, 1N1204A, 1N1206A, 1N3671A AND 1N3673A AND AR JAN, JANTX, JANTXV, AND JAMS USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	20-OCT-92	ER	EC	17	
	MIL-S-19500/262F(4) NOTICE 1	SEMICONDUCTOR DEVICES, TRANSISTORS, NPN, SILICON, HIGH-POWER TYPES 2N1722, 2N1722Z, 2N1724, AND 2N1724Z (VALIDATION DATE: 9007) USER: 15 19 AS CG MC SH REVIEWER: 11 85 99 AR MI	A 5961	ER	06-JUL-90	ER	EC	17	
L	MIL-S-19500/263A(4) NOTICE 1	SEMICONDUCTOR DEVICES, TRANSISTORS, NPN, SILICON, POWER TYPES 2N1714, 2N1714S, 2N1715, 2N1715S, 2N1716, 2N1716S, 2N1717, AND 2N1717S (VALIDATION DATE: 8807) REVIEWER: 19 EA ES	A 5961	ER	19-JUL-88	ER			
	MIL-S-19500/267(2) NOTICE 1	TRANSISTOR, PNP, GERMANIUM TYPE 2N987 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER	06-JUL-90	ER	EC	17	
	MIL-S-19500/268C(1)	SEMICONDUCTOR DEVICES, TRANSISTORS, NPN, SILICON SWITCHING TYPES 2N2481 AND 2N2481Z (VALIDATION DATE: 8808) USER: AS AV CG MC SH REVIEWER: 11 19 85 99 AR ES MI	A 5961	EC	24-AUG-88	ER	EC	17	
A L	MIL-S-19500/269(1)	SEMICONDUCTOR DEVICES, TUNNEL DIODE, TYPES 1N3713, 1N3715, 1N3717, 1N3719 AND 1N3721 (VALIDATION DATE: 8404) USER: CG MC REVIEWER: 19 ES	A 5961	EC	25-APR-66		EC		
A	MIL-S-19500/270E	SEMICONDUCTOR DEVICES, UNIMIZED, DIODE, TRANSISTOR, NPN, SILICON, TYPES 2N2060 AND 2N2060Z JANTX, JANTXV, AND JAMS USER: 13 19 AS AV CG MC OS SH SM REVIEWER: 11 15 85 AR ES MI	A 5961	EC	14-AUG-92	ER	EC	17	
L	MIL-S-19500/271A(5) MIL-S-19500/272C(5) NOTICE 1	SEMICONDUCTOR DEVICES, TRANSISTOR TYPE 2N916 USER: AS CG MC REVIEWER: 19 ES	A 5961	EC	01-OCT-87		EC		
		SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE-REGULATOR TYPES (TX AND NOM-TX) 1N3933A THROUGH 1N4000A AND THE RA (VALIDATION DATE: 8802) USER: AS CG MC SH REVIEWER: 11 19 99 AR AV ES MI	A 5961	ER	05-FEB-88	ER	EC	17	
L	MIL-S-19500/273A	SEMICONDUCTOR DEVICES, TRANSISTOR TYPE TYPE 2N744 (VALIDATION DATE: 8404) REVIEWER: 19 ES	A 5961	EC	21-MAR-66		EC		
L	MIL-S-19500/274E(2)	TRANSISTORS, NPN, SILICON TYPES 2N910, 2N911, 2N912, 2N910S, 2N911S, 2N912S JAN AND JANTX (VALIDATION DATE: 8307) REVIEWER: ES	A 5961	ER	27-MAR-73	ER			
	MIL-S-19500/276B(3)	SEMICONDUCTOR DEVICES, THYRISTORS (CONTROLLED RECTIFIERS), SILICON TYPES 2N2323, 2N2324, 2N2326, 2N2328, 2N2329 AND 5 VERSIONS 2N2323A, 2N2324A, 2N2326A, 2N2328A, AND 5 VERSIONS JAN, JANTX, JANTXV, AND JAMS USER: 19 AS CG MC OS SM REVIEWER: 85 ES MI SH	A 5961	EC	10-MAR-92	ER	EC	17	
A	MIL-S-19500/277D(1)	SEMICONDUCTOR DEVICES, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2150 AND 2N2151 JANTX USER: 19 AS CG MC OS SM REVIEWER: 85 AR ES MI SH	A 5961	ER	29-JUL-92	ER	EC	17	
A	MIL-S-19500/278E(1)	SEMICONDUCTOR DEVICES, DIODE, SILICON, MATCHED PAIR TYPES 1N4306, 1N4306M, JANTX AND JANTXV USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI SH	A 5961	EC	15-SEP-92	ER	EC	17	
L	MIL-S-19500/279C(4)	SEMICONDUCTOR DEVICES, DIODE, TYPES 1N3644, 1N3645, 1N3646, AND 1N3647 JAN AND JANTX USER: AS CG MC REVIEWER: 19 AV ES MI	A 5961	EC	01-APR-90		EC		
L	MIL-S-19500/280A(2)	SEMICONDUCTOR DEVICES, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3091, 2N3093, 2N3095, 2N3097, 2N3098, 2N3099, 2N3101, 2N3103, 2N3105, AND 2N3106 USER: AS CG MC SH	A 5961	EC	29-MAR-83		EC		
	MIL-S-19500/282C	SEMICONDUCTOR DEVICES, DIODE, SILICON, SWITCHING TYPE 1N4376 JAN AND JANTX USER: 19 AS CG MC MI OS SM REVIEWER: 70 80 85 99 AR	A 5961	EC	23-JUN-92	ER	EC	17	
A	MIL-S-19500/283D	SEMICONDUCTOR DEVICES, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N869A AND 2N4453 JANTX AND JANTXV USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 99 AR ES MI	A 5961	EC	29-JUL-92	ER	EC	17	
	MIL-S-19500/284E(1)	SEMICONDUCTOR DEVICES, DIODE, SILICON, MATCHED QUAD, TYPES 1N4307, 1N4307M JANTX AND JANTXV USER: 13 15 AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5961	EC	30-DEC-91	ER	EC	17	
A	MIL-S-19500/286D	SEMICONDUCTOR DEVICES, DIODE, SILICON, POWER RECTIFIER, MEDIUM-RECOVERY TYPES 1N4245 THROUGH 1N4249 JAN, JANTX AND JANTXV USER: 15 AS CG MC SH REVIEWER: 19 85 99 AR ES MI	A 5961	ER	15-MAR-93	ER	EC	17	
A	MIL-S-19500/287C(1)	SEMICONDUCTOR DEVICES, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3013, JAN AND JANTX USER: 13 15 19 AS CG MC OS SH SM REVIEWER: 70 80 85 99 ES MI	A 5961	EC	22-JAN-92	ER	EC	17	
L	MIL-S-19500/288(2) NOTICE 1	SEMICONDUCTOR DEVICES, TRANSISTOR, PNP, SILICON TYPE 2N2377 (VALIDATION DATE: 8809) REVIEWER: 19 ES	A 5961	ER	29-SEP-88	ER			
L	MIL-S-19500/289(3) NOTICE 1	SEMICONDUCTOR DEVICES, TRANSISTOR, PNP, SILICON TYPE 2N2378 (VALIDATION DATE: 8809) REVIEWER: 19 ES	A 5961	ER	29-SEP-88	ER			
	MIL-S-19500/290D	SEMICONDUCTOR DEVICES, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N2904, 2N2904A, 2N2904AL, 2N2905, 2N2905A, AND 2N2905AL, JAN, JANTX, JANTXV, JAMS, JANTXVM, JANTXVD, JANTXV, JANTXVM, JAMS, JAMS, JAMS, AND JAMSH USER: 13 15 AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	ER	05-MAR-93	ER	EC	17	
A	MIL-S-19500/291D(3)	SEMICONDUCTOR DEVICES, TRANSISTOR, PNP, SILICON SWITCHING TYPES 2N2906, 2N2906A, 2N2907, 2N2907A, 2N2906AL, 2N2906AUB, 2N2906AUC, 2N2907AL, 2N2907AUB, AND 2N2907AUC, JAN, JANTX, JANTXV, AND JAMS USER: 13 15 AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	ER	05-MAR-93	ER	EC	17	
	MIL-S-19500/292A	SEMICONDUCTOR DEVICES, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPE 2N2606 (VALIDATION DATE: 8304) USER: 13 15 AS CG MC REVIEWER: 11 19 AR ES MI	A 5961	EC	21-MAY-70	ER	EC	17	
I	MIL-S-19500/293A(1) MIL-S-19500/294A(1)	SEMICONDUCTOR DEVICES, DIODE, TYPE 1N93A REVIEWER: 19 ES ..... SEMICONDUCTOR DEVICES, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPE 2N2607 (INACTIVE FOR NEW DESIGN AFTER DATE OF AMD 1) USER: 13 15 AS CG MC REVIEWER: 11 19 AR ES MI	A 5961 A 5961	EC EC	15-MAR-83 28-MAY-86		EC EC	17 17	
A	MIL-S-19500/295B	SEMICONDUCTOR DEVICES, FIELD-EFFECT TRANSISTOR, P-CHANNEL SILICON, TYPES 2N2608 JAN USER: 13 15 AS CG MC REVIEWER: 19 AR ES MI	A 5961	EC	05-OCT-92	ER	EC	17	
	MIL-S-19500/296A(1)	SEMICONDUCTOR DEVICES, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPE 2N2609 USER: 13 15 AS CG MC OS SM REVIEWER: 11 85 99 AR ES MI SH	A 5961	EC	18-MAY-90	ER	EC	17	
A	MIL-S-19500/297B(2)	SEMICONDUCTOR DEVICES, DIODE, SILICON, POWER RECTIFIER, TYPES 1N1184, 1N1186, 1N1188, 1N1190, 1N3766, 1N3768, 1N1184R, 1N1186R, 1N1188R, 1N1190R, 1N3766R, 1N3768R, JAN, JANTX, AND JANTXV USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR ES MI	A 5961	17	20-OCT-92		EC	17	
L	MIL-S-19500/298(3) NOTICE 1	SEMICONDUCTOR DEVICES, DIODE, SILICON TYPE 1N1742A (VALIDATION DATE: 8708) REVIEWER: 19 85 ES	A 5961	17	17-AUG-87			17	
A	MIL-S-19500/301C	SEMICONDUCTOR DEVICES, TRANSISTOR, NPN SILICON, LOW-POWER TYPE 2N918 JAMS, JANTX, AND JANTXV USER: 15 AS CG MC SM REVIEWER: 19 85 99 AR ES MI	A 5961	ER	15-MAR-93	ER	EC	17	
	MIL-S-19500/302A NOTICE 1	SEMICONDUCTOR DEVICES, TRANSISTOR, NPN, SILICON, LOW-POWER TYPE 2N2708 (VALIDATION DATE: 8809) REVIEWER: 19 ES	A 5961	ER	29-SEP-88	ER	EC	11	
A L	MIL-S-19500/303(3)	SEMICONDUCTOR DEVICES, TRANSISTOR, TYPES 2N2631 AND 2N2876 (VALIDATION DATE: 8304) REVIEWER: 19 ES	A 5961	EC	26-FEB-71		EC		
A	MIL-S-19500/304C(2)	SEMICONDUCTOR DEVICES, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3885, 1N3886, 1N3888, 1N3890, 1N3891, 1N3893, 1N3890R, 1N3891R, 1N3893R AND A-VERSIONS JAN, JANTX, JANTXV, AND JAMS USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SH	A 5961	ER	17-NOV-92	1N3893		17	
	MIL-S-19500/308B(2)	SEMICONDUCTOR DEVICES, DIODE, SILICON, POWER RECTIFIER, FAST-RECOVERY TYPES 1N3909, 1N3910, 1N3911, 1N3912, 1N3913, R AND A VERSIONS JAN, JANTX, AND JANTXV USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR ES MI	A 5961	ER	17-NOV-92	ER	EC	17	
L	MIL-S-19500/309(2)	SEMICONDUCTOR DEVICES, TRANSISTOR, PNP, GERMANIUM TYPE 2N2528 (INACTIVE) USER: AR CG MC REVIEWER: SH	A 5961	EC	15-MAR-83		EC		
L	MIL-S-19500/310(2)	SEMICONDUCTOR DEVICES, TRANSISTOR, PNP, GERMANIUM TYPE 2N2834 (INACTIVE) USER: CG MC REVIEWER: SH	A 5961	EC	16-MAR-83		EC		
A	MIL-S-19500/312C	SEMICONDUCTOR DEVICES, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N708, JANTX USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 AR ES MI	A 5961	17	01-AUG-92	ER	EC	17	
	MIL-S-19500/313B	SEMICONDUCTOR DEVICES, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N2432, 2N2432Z, 2N2432A AND 2N2432A USER: 14 AS CG MC REVIEWER: 11 19 85 ES MI	A 5961	17	14-JUN-82	ER	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / On Coordination Include Document Number	Document Title	Dist. Sym FSC / Ans MCA Symbol Preparing Agency	Date	Custodians		
				Army	Navy	Air Force DLA
MIL-S-19500/315E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N2880, 2N3749, JAN, JANTX, JANTXV, AND JAMS USER: 14 AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5961	17 10-MAR-92	ER	EC	17
MIL-S-19500/317E(4)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2369A, 2N3227, 2N4449 JAN, JANTX, JANTXV, AND JAMS USER: 13 AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5961	17 26-JUN-90	ER	EC	17
I MIL-S-19500/318(7) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, POWER RECTIFIER JAN TYPE - 1N1084 [VALIDATION DATE: 9007] USER: 15 AS CG MC MI SM REVIEWER: 11 19 85 AR	A 5961	ER 06-JUL-90	ER	EC	17
A MIL-S-19500/321A(4)	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N21MG, 1N21MGH, AND 1N21MGH USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	ER 30-JUN-92	ER	EC	17
I MIL-S-19500/322B(3) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N23ME, 1N23MEH, 1N23MEH, 1N23MG, 1N23MGH, 1N23MGH USER: AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER 30-DEC-90	ER	EC	17
MIL-S-19500/323C(1)	SEMICONDUCTOR DEVICES TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3250A AND 2N3251A JAN, JANTX, JANTXV, AND JAMS USER: 13 AS CG MC SH SM REVIEWER: 11 19 85 99 AR AV ES MI	A 5961	EC 09-JUL-87	ER	EC	17 MA
MIL-S-19500/329C NOTICE 1	SEMICONDUCTOR DEVICE, DIODE SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N4801A THROUGH 1N4815A AND 1N4801B THROUGH 1N4815B JAN, JANTX AND JANTXV [VALIDATION DATE: 9007] USER: 15 CG MC MI REVIEWER: 11 19 85 99 AR MI	A 5961	ER 06-JUL-90	ER	EC	17
L MIL-S-19500/330A(5) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR PNP, GERMANIUM TYPES 2N1557A THROUGH 2N1560A [VALIDATION DATE: 8809] REVIEWER: 19 ES	A 5961	ER 29-SEP-88	ER		
L MIL-S-19500/331A(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, POWER TYPES 2N1553A THROUGH 2N1556A [VALIDATION DATE: 8809] REVIEWER: 19 ES	A 5961	ER 29-SEP-88	ER		
MIL-S-19500/334A(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N3655A, 1N3655AH, AND 1N3655AH [VALIDATION DATE: 8312] USER: 13 15 19 AS CG MC SH REVIEWER: 11 99 AR ES MI	A 5961	17 22-MAY-78	ER	EC	17
I MIL-S-19500/335(2) NOTICE 1	SEMICONDUCTOR DEVICE, SILICON, VOLTAGE REFERENCE (TEMPERATURE-STABLE) TYPE 1N430A, 1N430B [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 MI	A 5961	ER 06-JUL-90	ER	EC	17
A MIL-S-19500/336C	SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, PNP, SILICON TYPES 2N3810, 2N3810L, 2N3811, AND 2N3811L JANTX, JANTXV, AND JAMS USER: 13 15 AS CG MC REVIEWER: 85 99 AR ES MI	A 5961	EC 31-AUG-92	ER	EC	17
MIL-S-19500/337E(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1N4153, 1N4153-1, AND 1N4534, JAN, JANTX, JANTXV, AND JAMS USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MC MI NA	A 5961	EC 12-FEB-88	ER	EC	17
L MIL-S-19500/338(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP GERMANIUM, SWITCHING TYPE 2N3449 [VALIDATION DATE: 8708] REVIEWER: 85 ES	A 5961	17 17-AUG-87			17
MIL-S-19500/339	SEMICONDUCTOR DEVICE, DIODE, SILICON, VIDEO DETECTOR TYPES 1N358A, 1N358AH, 1N358AM, AND 1N358AMH [VALIDATION DATE: 8404] USER: 14 AS CG MC MI REVIEWER: 11 19 85 AR ES	A 5961	EC 17-DEC-65	ER	EC	17
A MIL-S-19500/340	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, GERMANIUM, HIGH POWER TYPE 2N2079A [VALIDATION DATE: 8404] USER: 14 AS CG MC MI REVIEWER: 11 19 85 ES	A 5961	EC 17-DEC-65	ER	EC	17
MIL-S-19500/341B(7)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY, POWER TYPES 2N3375, 2N3553, AND 2N4440 JAN, JANTX, AND JANTXV USER: 13 AS CG MC REVIEWER: 11 19 85 AR ES MI	A 5961	ER 16-SEP-88	ER	EC	17
MIL-S-19500/343B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N2857 AND TX2N2857 USER: 19 AS CG MC REVIEWER: 11 85 AR AV ES MI SH	A 5961	17 03-JUN-86	ER	EC	17
L MIL-S-19500/347(4)	SEMICONDUCTOR DEVICE, TRANSISTOR, TYPES 2N3253, 2N3444, S, NON-TX, AND TX [VALIDATION DATE: 8505] USER: AS CG MC SH REVIEWER: ES	A 5961	EC 12-JUL-79	EC		
L MIL-S-19500/348C	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3467, 2N3467L, 2N3468, & 2N3468L JAN, JANTX, & JANTXV USER: 13 15 AS CG MC SH REVIEWER: 11 19 85 AR AV ES MI	A 5961	EC 26-MAY-87	EC		
MIL-S-19500/349B NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES 2N3506 AND 2N3507 NON-TX, TX AND TXV USER: 13 AS CG MC MI REVIEWER: 11 19 85 AR AV ES	A 5961	EC 26-MAY-87	ER	EC	17
A MIL-S-19500/350C	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3867, 2N3867S, 2N3868, AND 2N3868S JANTX, JANTXV, JAMS, AND JAMC USER: 13 15 AS AV CG MC SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 25-SEP-92	ER	EC	17
L MIL-S-19500/352(1) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON TYPE 1N831A [VALIDATION DATE: 8809] REVIEWER: 19 ES MI	A 5961	ER 30-SEP-88	ER		
MIL-S-19500/353B NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON TYPES 1N832B, JAN, JANTX, AND JANTXV [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER 06-JUL-90	ER	EC	17
MIL-S-19500/354C(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW POWER TYPES 2N2604 & 2N2605 JAN, JANTX, JANTXV, & JAMS USER: 13 15 AS AV CG MC REVIEWER: 11 19 85 AR ES MI	A 5961	ER 30-OCT-87	ER	EC	17 MA
MIL-S-19500/355C(2) NOTICE 1	SEMICONDUCTOR DEVICE, UNITIZED DUAL-TRANSISTOR, NPN, SILICON TYPES 2N2919, 2N2919L, 2N2920 AND 2N2920L JAN, JANTX, JANTXV, AND JAMS USER: 13 AS CG MC SH REVIEWER: 11 19 85 99 AR AV ES MI	A 5961	ER 07-DEC-90	ER	EC	17
A MIL-S-19500/356D	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N4954 THROUGH 1N4996, 1N5968, 1N5969, AND 1N6632 THROUGH 1N6637, 1N4954US THROUGH 1N4996US, 1N5968US, 1N5969US, AND 1N6632US THROUGH 1N6637US JANTX, JANTXV, JAMS AND JAMC USER: 13 19 AS CG MC OS SH REVIEWER: 85 AR AV ES MI SH	A 5961	EC 19-JUN-92	ER	EC	17
A MIL-S-19500/357D	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPES 2N3634 THROUGH 2N3637, 2N3634L THROUGH 2N3637L JANTX, JANTXV, AND JAMS USER: 19 AS CG MC OS SH REVIEWER: 85 AR ES MI SH	A 5961	ER 31-DEC-92	ER	EC	17
A MIL-S-19500/358C	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR B AND RB, TYPES 1N3305, THROUGH 1N3350, 1N4649 THROUGH 1N4654 JAN, JANTX, JANTXV, AND JAMS REVIEWER: 80 85 99 ES	A 5961	ER 29-SEP-92	ER		17
A I MIL-S-19500/359C(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, 1N4942, 1N4944, 1N4946, 1N4947, AND 1N4948 JANTX AND JANTXV USER: 19 AS CG MC OS SH REVIEWER: 70 85 99 AR ES MI	A 5961	17 05-NOV-92	ER	EC	17
L MIL-S-19500/360(1)	SEMICONDUCTOR DEVICE, TRANSISTOR TYPES 2N2996 AND 2N2997 [VALIDATION DATE: 8304] REVIEWER: 19 ES	A 5961	EC 25-FEB-71	EC		
L MIL-S-19500/361(1)	TRANSISTOR, PNP, SILICON, DOUBLE-EMITTER TYPE 3N108 [INACTIVE FOR NEW DESIGN AFTER DATE OF AND 1] USER: AS CG MC OS REVIEWER: 19 ES	A 5961	EC 23-MAY-86	EC		
A L MIL-S-19500/362 NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N1132 AND 1N1132R [VALIDATION DATE: 9212] REVIEWER: 11 19 85	A 5961	17 07-DEC-92			17
L MIL-S-19500/363(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, DUAL TYPE 3N93 [VALIDATION DATE: 8304] USER: AS CG MC SH REVIEWER: 19 ES	A 5961	EC 26-FEB-71	EC		
MIL-S-19500/364(2)	SEMICONDUCTOR DEVICE, DIODE, GERMANIUM, MIXER TYPE 1N1838 [VALIDATION DATE: 8404] USER: 19 AS CG MC MI REVIEWER: ES	A 5961	EC 16-NOV-71	ER	EC	17
MIL-S-19500/366B(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, AMPLIFIER TYPES 2N3498, 2N3499, 2N3500, 2N3501, 2N3498L, 2N3499L, 2N3500L, AND 2N3501L JAN, JANTX, JANTXV, AND JAMS USER: AS CG MC SH SM REVIEWER: 11 19 85 AR ES MI	A 5961	ER 26-MAY-89	ER	EC	17
A MIL-S-19500/368B(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES: 2N3439, 2N3439L, 2N3440, 2N3440L, JANTX, JANTXV, AND JAMS USER: 15 AS CG MC SH SM REVIEWER: 19 85 99 ES MI	A 5961	EC 12-NOV-92	ER	EC	17
MIL-S-19500/369B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES: 2N3441, JANTX USER: 13 AS AV CG MC OS SH SM REVIEWER: 19 80 AR ES MI	A 5961	EC 21-OCT-91	ER	EC	17
MIL-S-19500/370B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPES 2N3442, JAN, JANTX, AND JANTXV USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI	A 5961	EC 26-FEB-90	ER	EC	17
A MIL-S-19500/371B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3902 AND 2N5157 JANTX USER: 19 AS CG MC REVIEWER: 85 ES	A 5961	MA 04-JAN-93	ER	EC	17



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OLA Coordination Institute	Document Number	Document Title	Dist. SMT PDC / Area	MCA Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	OLA
L	MIL-S-19500/372A(6)	SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N4199 THROUGH 2N4206	A 5961	ER 02-SEP-91	ER				
L	MIL-S-19500/373A(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING TYPES 2N914 AND TX2N914 [VALIDATION DATE: 8708] USER: 13 15 AS CG MC OS REVIEWER: 11 19 85 ES MI	A 5961	17 17-AUG-87			17		
M	MIL-S-19500/3748	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N3996 THROUGH 2N3999, JANTX, JANTXV, JAMS, AND JANC REVIEWER: 85 99 AV ES	A 5961	17 03-MAY-93	ER EC	17			
	MIL-S-19500/3758(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD-EFFECT, N-CANAL, DEPLETION MODE, SILICON TYPES 2N3821, 2N3822, 2N3823 JAM, JANTX, JANTXV AND JAMS USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	17 14-AUG-90	ER EC	17			
	MIL-S-19500/3768(2)	SEMICONDUCTOR, DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPE 2N2484 JAM, JANTX, JANTXV, & JAMS USER: 13 15 AR AS CG MC MI SH REVIEWER: 11 19 85 SM	A 5961	17 13-DEC-82	ER EC	17	NA		
	MIL-S-19500/3788	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CANAL, SILICON, TYPES 2N2497 THROUGH 2N2500, 2N3329 THROUGH 2N3332, JANTX USER: AS CG MC REVIEWER: 11 19 ES MI	A 5961	17 21-JUN-90	ER EC	17			
A	MIL-S-19500/3790	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPES 2N3791, 2N3792 JANTX, JANTXV, AND JAMS USER: 13 AS AV CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	ER 15-DEC-92	ER EC	17			
	MIL-S-19500/3808	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N4865, 2N5250, 2N5251, JANTX, JANTXV, AND JAMS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER 04-JUN-91	ER EC	17			
L	MIL-S-19500/381 NOTICE 2	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, JAM, JANTX AND JANTXV TYPES 2N2034, 2N2858, 2N2859 AND 2N2911 [VALIDATION DATE: 8312] REVIEWER: 19 ES	A 5961	17 18-SEP-68			17		
L	MIL-S-0019500/381A	SEMICONDUCTOR DEVICE, [VALIDATION DATE: 8312] REVIEWER: 11 19 85 ES .....	A 5961	17 14-JAN-72			17		
L	MIL-S-19500/382A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES 2N2944A, 2N2945A, AND 2N2946A JAM, JANTX, JANTXV, AND JAMS REVIEWER: 11 19 85 99 AV ES	A 5961	17 01-JUL-87	ER EC	17	NA		
A	MIL-S-19500/383A	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N4139A THROUGH 1N5148A NON-TX, TX, AND TXV USER: AS CG MC REVIEWER: 85 99 ES SM	A 5961	EC 02-MAR-93		EC	17		
L	MIL-S-19500/383(14)	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5139A THROUGH 1N5148A NON-TX, TX, AND TXV [VALIDATION DATE: 8808]	A 5961	EC 24-AUG-88		EC			
	MIL-S-19500/384C	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3584, 2N3585, JANTX, AND JANTXV USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 AR ES MI	A 5961	EC 03-JAN-92	ER EC	17			
A	MIL-S-19500/385A(3)	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CANAL, SILICON TYPES 2N4856 THROUGH 2N4861 JAM, JANTX, JANTXV, AND JAMS REVIEWER: 85 99 ES	A 5961	NA 02-JUL-92	ER EC	17			
	MIL-S-19500/388A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, UNIJUNCTION TYPES 2N4947, 2N4948 & 2N4949 JAM, JANTX, JANTXV, & JAMS USER: 13 AS MC SM REVIEWER: 11 19 80 85 AV ES MI SM	A 5961	17 11-JUL-83	ER EC	17			
I	MIL-S-19500/389(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, HIGH-VOLTAGE RECTIFIER TYPES 1N5181, 1N5182, 1N5183, 1N5184 AND TX1N5181, TX1N5182, TX1N5183, TX1N5184 [VALIDATION DATE: 9007] REVIEWER: 19 ES	A 5961	ER 06-JUL-90	ER EC	17			
L	MIL-S-19500/390 NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, DOUBLE-EMITTER TYPES 3N74, TX3N74, 3N75, TX3N75, 3N76, TX3N76, 3N127, TX3N127 [VALIDATION DATE: 8609] REVIEWER: 11 19 85 EC ES	A 5961	17 09-SEP-86			17		
	MIL-S-19500/391B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW POWER TYPES 2N3019, 2N3019S, 2N3057A & 2N3700 JAM, JANTX, JANTXV, AND JAMS USER: 13 AS CG MC SH SM REVIEWER: 11 19 85 99 AR AV ES MI	A 5961	17 14-MAY-84	ER EC	17			
	MIL-S-19500/392B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N3485A, 2N3486A JANTX, AND JANTXV USER: 13 15 AS AV CG MC OS SH SM REVIEWER: 19 80 85 AR ES MI	A 5961	17 15-MAY-92	ER EC	17			
	MIL-S-19500/393A(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N3418, 2N3418S, 2N3419, 2N3419S, 2N3420, 2N3420S, 2N3421, 2N3421S JAM, JANTX, JANTXV AND JAMS REVIEWER: 85 AR ES	A 5961	17 21-OCT-91	ER EC	17			
	MIL-S-19500/394A(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING, TYPES 2N4150, 2N5237, 2N5238, 2N4150S, 2N5237S, 2N5238S, JAM, JANTX, JANTXV, AND JAMS USER: 15 AS AV CG MC SH REVIEWER: 11 19 85 99 ES	A 5961	17 03-JUL-90	ER EC	17			
	MIL-S-19500/395B(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON SWITCHING, TYPES 2N3735, 2N3735L, 2N3737 JAM, JANTX, JANTXV, AND JAMS USER: 13 15 AS AV CG MC SH SM REVIEWER: 11 19 99 AR ES MI	A 5961	17 23-FEB-89	ER EC	17			
	MIL-S-19500/396C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON SWITCHING TYPES 2N3762, 2N3762L, 2N3763, 2N3763L, 2N3764, & 2N3765 JAM, JANTX, JANTXV, & JAMS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR ES MI	A 5961	17 26-DEC-84	ER EC	17			
M L	MIL-S-19500/397B	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON TYPES 2N3743, 2N4930, 2N4931 JANTX, AND JANTXV	A 5961	ER 28-MAY-93	ER				
L	MIL-S-0019500/397A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON JAM, JANTX AND JANTXV TYPES 2N3743, 2N4930 AND 2N4931 [VALIDATION DATE: 7812] REVIEWER: 19	A 5961	17 14-JAN-72			17		
	MIL-S-19500/398A	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH FREQUENCY TYPES 2N3866 AND TX2N3866 USER: 13 AS CG MC REVIEWER: 11 19 85 99 AR ES MI	A 5961	17 26-DEC-84	ER EC	17	NA		
	MIL-S-19500/399A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPE 2N3960, JANTX AND JANTXV USER: 19 AS CG MC REVIEWER: 85 AR ES MI	A 5961	17 06-SEP-91	ER EC	17			
A	MIL-S-19500/402B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N3739 JANTX AND JANTXV USER: 13 15 AS AV CG MC SH SM REVIEWER: 19 85 AR ES MI NA	A 5961	17 08-APR-93	ER EC	17			
L	MIL-S-19500/403(1) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N4500, JAM AND JANTX REVIEWER: 11 19 85 ES	A 5961	17 20-JUN-90			17		
	MIL-S-19500/404B(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER, MODULE HIGH VOLTAGE, 1N5597, 1N5600, 1N5603, JANTX AND JANTXV USER: AS CG MC OS REVIEWER: 70 80 85 ES	A 5961	17 20-DEC-91	ER EC	17			
A	MIL-S-19500/406B	SEMICONDUCTOR DEVICES, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N4460 THROUGH 1N4496 AND 1N6485 THROUGH 1N6491, 1N4460S THROUGH 1N4496S AND 1N6485S THROUGH 1N6491S JANTX, JANTXV, JAMS, AND JANC USER: 13 19 AS CG MC OS SM REVIEWER: 85 AR ES MI SH	A 5961	17 19-JUN-92	ER EC	17			
L	MIL-S-19500/407A NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3055 AND TX2N3055 [VALIDATION DATE: 8609] USER: AS AV CG MC OS SH REVIEWER: 11 19 85 AR ES MI	A 5961	17 09-SEP-86	ER EC	17			
A	MIL-S-19500/408D	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3715 AND 2N3716 JANTX, JANTXV AND JAMS USER: 13 15 AS AV CG MC REVIEWER: 19 85 99 AR ES MI	A 5961	ER 25-AUG-92	ER EC	17			
M	MIL-S-19500/411F	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY 1N5415 THROUGH 1N5420, 1N5415S THROUGH 1N5420S, JAM, JANTX, JANTXV, JAMS, JANTXVM, JANTXVD, JANTXVR, JANTXVM, JAMSH, JAMSD, JAMSR, AND JAMSH USER: AS CG MC SH SM REVIEWER: 19 80 85 99 AR AV ES MI	A 5961	ER 26-APR-93	ER EC	17			
L	MIL-S-19500/412A	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3846, 2N3847, JANTX, JANTXV AND JAMS REVIEWER: 11 85 ES	A 5961	17 19-JUN-90			17		
A	MIL-S-19500/413B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N3771 AND 2N3772, JANTX, AND JANTXV REVIEWER: 19 85 99 ES	A 5961	NA 24-MAR-93	ER EC	17			
	MIL-S-19500/414B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPE 2N5241, JAM, JANTX & JANTXV [VALIDATION DATE: 8312] USER: AS CG MC OS REVIEWER: 11 19 85 AR AV ES MI	A 5961	17 05-AUG-83	ER EC	17			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-S-19500/415(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPE JAN2N2812, JANTX2N2812, JAN2N2814 AND JANTX2N2814 [VALIDATION DATE: 8609] REVIEWER: 11 19 85 99 ES	A 5961 17 09-SEP-86				17
L MIL-S-19500/419(2)	SEMICONDUCTOR DEVICE, THYRISTOR (CONTROLLED RECTIFIER), SILICON TYPES 2N3027 THROUGH 2N3032, AND TX2N3027 THROUGH TX2N3032	A 5961 ER 29-JUN-90 ER				
MIL-S-19500/420C	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER, RECTIFIER, GENERAL PURPOSE TYPES 1N5550 THROUGH 1N5554, 1N5550S THROUGH 1N5554S JANTX, JANTXV, AND JAMS USER: 19 AS CG MC OS SH REVIEWER: 80 85 99 AR ES MI SH	A 5961 17 15-JUN-92 ER EC 17				
L MIL-S-19500/421C	SEMICONDUCTOR DEVICE, UNITIZED, DUAL TRANSISTOR, NPN/PNP, COMPLEMENTARY, SILICON TYPES 2N3838, 2N4854, AND 2N4854U, JANTX AND JANTXV	A 5961 17 13-MAR-92				17
L MIL-S-19500/423A	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING TYPES: JAN AND JANTX, 2N5581 AND 2N5582 USER: 13 15 REVIEWER: 11 19 85 ES	A 5961 17 28-SEP-89				17
MIL-S-19500/424(3)	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER TYPES 1N5186, 1N5187, 1N5188, AND 1N5190 JAN AND JANTX USER: AS CG MC REVIEWER: 11 19 85 AR ES MI	A 5961 17 20-JUN-90 ER EC 17				
L MIL-S-19500/425(4)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, UNIJUNCTION JAN2N5431, AND JANTX2N5431 REVIEWER: 85	A 5961 17 10-SEP-90				17
MIL-S-19500/426A(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER TYPE 2N4957 JAN, JANTX, JANTXV, AND JAMS USER: AR REVIEWER: 11 19 80 85 ES MI SH	A 5961 17 28-DEC-89 ER EC 17				
MIL-S-19500/427C(2) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER TYPES 1N5614, 1N5616, 1N5618, 1N5620, 1N5622, 1N5614US, 1N5616US, 1N5618US, 1N5620US, 1N5622US, JAN, JANTX, JANTXV, AND JAMS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961 ER 08-DEC-90 ER EC 17				
L MIL-S-19500/428A	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL, SILICON JAN, JANTX, JANTXV, AND JAMS USER: 14 REVIEWER: 11 19 85 ES	A 5961 17 07-DEC-87				17
MIL-S-19500/429C(2) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY TYPES 1N5615, 1N5617, 1N5619, 1N5621, 1N5623, 1N5615US, 1N5617US, 1N5619US, 1N5621US, 1N5623US, JAN, JANTX, JANTXV, AND JAMS USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961 ER 11-NOV-90 ER EC 17				
L MIL-S-19500/430(1)	SEMICONDUCTOR DEVICE, UNITIZED, DUAL FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES TX AND NON-TX 2N5545, 2N5546 AND 2N5547 [VALIDATION DATE: 8504] REVIEWER: 11 19 85 99 ES MI	A 5961 17 01-JUN-73				17
L MIL-S-19500/431(2)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2N4091, 2N4092, AND 2N4093, AND TX2N4091, TX2N4092 AND TX2N4093 REVIEWER: 11 70 85 ES	A 5961 17 14-AUG-85				17
L MIL-S-19500/432	SEMICONDUCTOR DEVICE, DIODE, SILICON JAN1N5624 THROUGH JAN1N5627 AND JANTX1N5624 THROUGH JANTX1N5627 [VALIDATION DATE: 8212] REVIEWER: 11 19 99 ES	A 5961 17 03-APR-70				17
A MIL-S-19500/433C(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPES 2N4399, 2N5745, JANTX, JANTXV AND JAMS USER: 13 15 19 AS AV CG MC OS SH REVIEWER: 99 85 MI	A 5961 ER 29-SEP-92 ER EC 17				
A MIL-S-19500/434B(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5610 THROUGH 1N5613 JAN, JANTX, JANTXV, AND JAMS USER: AS CG MC SH SH REVIEWER: 19 85 99 AR ES MI	A 5961 17 26-MAR-93 ER EC 17				
M MIL-S-19500/435B	SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW-NOISE VOLTAGE REGULATOR TYPES 1N4099-1 THROUGH 1N4135-1, 1N4614-1 THROUGH 1N4627-1, 1N4099UR-1 THROUGH 1N4135UR-1, 1N4614UR-1 THROUGH 1N4627UR-1, 1N4099US-1 THROUGH 1N4135US-1, 1N4614US-1 THROUGH 1N4627US-1, PLUS C- AND D- TOLERANCE SUFFIX, JAN, JANTX, JANTXV, JAMS, AND JANC USER: 19 AS CG MC OS SH REVIEWER: 70 80 85 99 AR AV ES MI	A 5961 NA 03-MAY-93 ER EC 17				
L MIL-S-19500/436(5)	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE-VARIABLE CAPACITOR TYPES 1N5461B THRU 1N5476B AND 1N5461C THRU 1N5476C JAN, JANTX AND JANTXV USER: 19 REVIEWER: 11 99	A 5961 17 09-JAN-84				17
L MIL-S-19500/437A(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW NOISE, VOLTAGE REGULATOR TYPES 1N5518B THROUGH 1N5546B, 1N5518B-1 THROUGH 1N5546B-1 JAN, JANTX AND JANTXV USER: 13 REVIEWER: 11 19 85 99 ES	A 5961 17 14-AUG-90				17
MIL-S-19500/438(1)	SEMICONDUCTOR DEVICE, TRIODE THYRISTOR (BI-DIRECTIONAL), SILICON, TYPES 2N5806 THROUGH 2N5809 [VALIDATION DATE: 8808] USER: AS CG MC REVIEWER: 11 19 85 99 AR AV ES MI SH	A 5961 EC 24-AUG-88 ER EC 17				
M MIL-S-19500/439C	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPES 2N5038 AND 2N5039 JANTX, JANTXV, JAMS, AND JANC USER: 13 15 AS CG MC SH SH REVIEWER: 19 80 85 99 ES MI	A 5961 17 28-MAY-93 ER EC 17				
A L MIL-S-19500/440A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N5927, JANTX AND JANTXV REVIEWER: ES	A 5961 ER 11-JAN-93 ER				
M MIL-S-19500/441D	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N3740 AND 2N3741, JANTX, JANTXV, JAMS, AND JANC USER: 13 15 AS AV CG MC OS SH SH REVIEWER: 19 85 99 AR ES MI	A 5961 NA 03-MAY-93 ER EC 17				
L MIL-S-19500/442(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HI FREQUENCY POWER TYPES 2N5071 AND TX2N5071 [VALIDATION DATE: 8307] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961 ER 22-MAR-72 ER				
MIL-S-19500/443(4)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING 1N5719 AND TX1N5719 USER: AS CG MC SH REVIEWER: 11 19 99 AR ES MI	A 5961 17 04-FEB-82 ER EC 17				
A MIL-S-19500/444B(3)	SEMICONDUCTOR DEVICE, DIODE, SWITCHING, TYPES 1N5711-1, 1N5711UR-1, 1N5711, AND 1N5711UR, JAN, JANTX, JANTXV, JAMS, AND JANC USER: 19 AS CG MC OS SH REVIEWER: 85 99 AR ES MI TD	A 5961 17 19-AUG-92 ER EC 17				
A MIL-S-19500/445B	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N5712, 1N5712-1, AND 1N5712UR-1 JAN, JANTX, JANTXV, JAMS, AND JANC USER: AS CG MC SH SH REVIEWER: 70 85 99 AR ES MI	A 5961 17 24-NOV-92 ER EC 17				
MIL-S-19500/446(2)	SEMICONDUCTOR DEVICE, SILICON, HIGH POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER TYPES SPA25, SPB25, SPC25, AND SPD25 [VALIDATION DATE: 8312] USER: AS CG MC REVIEWER: 11 19 85 99 ES MI	A 5961 17 14-JUL-72 ER EC 17 NA				
L MIL-S-19500/447A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPE 2N5926, JANTX AND JANTXV REVIEWER: ES	A 5961 ER 11-JAN-93 ER				
A L MIL-S-19500/448A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPE 2N4405 JANTX USER: 13 19 85 99 ES	A 5961 17 29-MAR-93				17
I MIL-S-19500/450A(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5958, 2N5960, TX2N5958, AND TX2N5960 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961 ER 06-JUL-90 ER EC 17				
I MIL-S-19500/451A(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5957, 2N5959, TX2N5957, AND TX2N5959 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: AR MI	A 5961 ER 06-JUL-90 ER EC 17				
MIL-S-19500/452B(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, LOW LEVEL, VOLTAGE-REFERENCE TYPES: 1N4565A THROUGH 1N4574A, 1N4564A-1 THROUGH 1N4574-1, AND 1N4564AUR-1 THROUGH 1N4574AUR-1, JANTX, JANTXV, JAMS AND JANC USER: 19 AS CG MC OS SH REVIEWER: 85 99 AR ES MI	A 5961 17 15-MAY-92 ER EC 17				
M L MIL-S-19500/453A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPE 2N5109, JAN, JANTX, AND JANTXV REVIEWER: 19 85 99 ES	A 5961 17 28-APR-93				17
MIL-S-19500/454A(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5660, 2N5661, 2N5662, AND 2N5663 JAN, JANTX, AND JANTXV USER: 13 AS CG MC OS SH REVIEWER: 19 80 85 99 AR MI SH	A 5961 17 10-JAN-92 ER EC 17				
MIL-S-19500/455B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER SWITCHING TYPES 2N5664, 2N5665, 2N5666, 2N5666S, 2N5667, AND 2N5667S JAN, JANTX, JANTXV, AND JAMS USER: 13 AS CG MC REVIEWER: 11 19 85 99 AR ES MI SH	A 5961 17 16-JUL-90 ER EC 17				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification Inclusive	Document Number	Document Title	Doc. Syst. FSC / AIA MCA Symbol	Preparing Date	Custodians	Army	Navy	Air Force	DIA
	MIL-S-19500/456B(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPES 2N5302, 2N5303, JAN, JANTX, JANTXV AND JAMS USER: 13 AS AV CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5961	17 14-MOV-83	ER EC 17	NA			
L	MIL-S-19500/457A(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N6060, 2N6062, NON-TX, TX, AND TXV [VALIDATION DATE: 8809] REVIEWER: 19 ES	A 5961	ER 30-SEP-88	ER				
L	MIL-S-19500/458A(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N6061, 2N6063, NON-TX, TX, AND TXV [VALIDATION DATE: 8809]	A 5961	ER 30-SEP-88	ER				
L	MIL-S-19500/459A(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2N5967 AND 2N5969 NON-TX, TX, AND TXV [VALIDATION DATE: 8809] REVIEWER: ES	A 5961	ER 30-SEP-88	ER				
L	MIL-S-19500/460(2) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, GALLIUM ARSENIDE, MIXER TYPE 1N5764, 1N5764M AND 1N5764MR USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER 11-FEB-85	ER				
L	MIL-S-19500/461(5)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPES 2N6211, TX2N6211, 2N6212, TX2N6212, 2N6213, TX2N6213 REVIEWER: 11 19 99 AV ES	A 5961	17 18-JUN-90				17	
L	MIL-S-19500/462A(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N5966 AND 2N5968 NON-TX, TX, AND TXV [VALIDATION DATE: 8809] REVIEWER: ES	A 5961	ER 30-SEP-88	ER				
A	MIL-S-19500/463C(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, CURRENT REGULATOR, TYPES 1N5283 THROUGH 1N5314, AND 1N5283-1 THROUGH 1N5314-1 AND 1N5283UR THROUGH 1N5314UR, AND 1N5283UR-1 THROUGH 1N5314UR-1 JANTX, JANTXV, AND JAMS USER: 13 AS CG MC OS SH REVIEWER: 19 85 99 AR ES MI SH	A 5961	17 24-SEP-92	ER EC 17				
M	MIL-S-19500/464A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPES 2N5685 AND 2N5686 JANTX AND JANTXV USER: 13 19 REVIEWER: 70 80 85 ES	A 5961	17 30-APR-93	ER EC 17				
	MIL-S-19500/465 NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER ASSEMBLY, HIGH VOLTAGE [VALIDATION DATE: 8809] USER: 19 AS CG MC OS SH REVIEWER: 11 80 99 AR ES MI	A 5961	ER 30-SEP-88	ER EC 17				
L	MIL-S-19500/466(3) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPES 2N5683, TX2N5683, 2N5684, TX2N5684 [VALIDATION DATE: 8708] USER: 13 REVIEWER: 11 19 85 ES	A 5961	17 17-AUG-87				17	
	MIL-S-19500/467(2)	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING TYPES JAN1N5765 AND JANTX1N5765 [VALIDATION DATE: 8212] USER: 19 AS CG MC SH REVIEWER: 11 99 AR ES MI	A 5961	17 24-MAY-77	ER EC 17				
	MIL-S-19500/469(2)	SEMICONDUCTOR DEVICE, SILICON, HIGH POWER, SINGLE PHASE, FULL WAVE BRIDGE RECTIFIER USER: AS CG MC REVIEWER: 11 19 85 AR ES MI	A 5961	EC 02-JAN-87	ER EC 17				
L	MIL-S-19500/472A(1)	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPE 2N6350, TX2N6350, 2N6352, 2N6353 AND TX2N6353 [VALIDATION DATE: 8502] REVIEWER: AV	A 5961	ER 20-JAN-83	ER				
	MIL-S-19500/4740(3)	SEMICONDUCTOR DEVICE, SILICON, MULTIPLE DIODE ARRAYS, TYPES 1N5768, 1N5770, 1N5772, 1N5774, 1N6100, 1N6101, 1N6496, 1N6506, 1N6507, 1N6508, 1N6509, 1N6510, AND 1N6511 JAN, JANTX, JANTXV, AND JAMS USER: AS CG CR MC OS SM REVIEWER: 19 80 85 AR AV ES MI SH	A 5961	17 05-APR-92	ER EC 17				
QL	MIL-S-19500/476(2) NOTICE 1	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2N5114 THROUGH 2N5116 AND TX2N5114 THROUGH TX2N5116 [VALIDATION DATE: 8708] USER: 13 REVIEWER: 11 19 85 AV ES	A 5961	17 17-AUG-87				17	
A	MIL-S-19500/477B	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER TYPES 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, AND 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, AND 1N5811US JAN, JANTX, JANTXV, JAMS, AND JAMC USER: AS CG MC OS SH SM REVIEWER: 19 80 85 AR AV ES MI	A 5961	EC 25-JAN-93	ER EC 17				
	MIL-S-19500/4780	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY TYPES 1N5812, 1N5814, 1N5816, AND R VERSIONS JANTX, JANTXV, AND JAMS USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 20-MAY-92	ER EC 17				
	MIL-S-19500/483(4)	SEMICONDUCTOR DEVICE, SILICON, HIGH POWER, THREE PHASE, FULL WAVE BRIDGE RECTIFIER PART NUMBERS M19500/483-01 THROUGH M19500/483-04 USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5961	EC 24-OCT-85	ER EC 17				
	MIL-S-19500/484(1) NOTICE 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, GENERAL PURPOSE TX AND NON-TX TYPES 1N5835 AND 1N5836 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER 06-JUL-90	ER EC 17				
L	MIL-S-19500/485A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, LOW-POWER TYPES: 2N5415, 2N5415S, 2N5416, 2N5416S, JAN, JANTX, AND JANTXV USER: 13 15 REVIEWER: 11 19 85 ES	A 5961	17 30-OCT-90				17	
L	MIL-S-19500/486C	SEMICONDUCTOR DEVICE, COUPLER, OPTOELECTRONIC, SOLID STATE TYPES 4N22, 4N22A, 4N23, 4N23A, 4N24, 4N24A, 4N22U, 4N22AU, 4N23U, 4N23AU, 4N24U, 4N24AU, JANTX AND JANTXV REVIEWER: 11 19 85 99 ES	A 5980	17 19-MAY-91				17	
	MIL-S-19500/488B	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH POWER TYPES 2N5671, & 2N5672, JAN, JANTX, & JANTXV USER: 13 15 SM REVIEWER: 11 19 80 AR ES MI SH	A 5961	17 18-FEB-88	ER EC 17				
A L	MIL-S-19500/493A(3)	SEMICONDUCTOR DEVICE, PNP, THYRISTOR, SILICON, (PROGRAMMABLE UNIJUNCTION TRANSISTOR), TYPES: 2N6116, 2N6117, 2N6118, 2N6137, 2N6138, JAN, JANTX, AND JANTXV	A 5961	ER 29-SEP-92	ER				
M L	MIL-S-19500/495A	SEMICONDUCTOR DEVICE, UNITIZED, DUAL-TRANSISTOR, NPN, SILICON, TYPES 2N5793, 2N5794 AND 2N5794U, JANTX AND JANTXV USER: 13 15 REVIEWER: 19 85 ES	A 5961	17 28-MAY-93				17	
M L	MIL-S-19500/496A	SEMICONDUCTOR DEVICE, UNITIZED, DUAL TRANSISTOR, PNP, SILICON, TYPES 2N5795 2N5796, AND 2N5796U, JANTX AND JANTXV USER: 13 15 REVIEWER: 19 85 99 ES	A 5961	17 01-JUN-93				17	
L	MIL-S-19500/498A(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2N6306, 2N6308, JAN, JANTX, AND JANTXV USER: 13 REVIEWER: 19 85 99 ES	A 5961	17 15-MAY-92				17	
A	MIL-S-19500/500B	SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N5555 THROUGH 1N5558, 1N5907, 1N5629A THROUGH 1N5665A JAN, JANTX, JANTXV, AND JAMS USER: AS CG MC SH SM REVIEWER: 19 85 AR ES MI	A 5961	NA 19-JAN-93	ER EC 17				
	MIL-S-19500/501A(1)	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPE 2N6051, 2N6052, JAN, JANTX, & JANTXV REVIEWER: 11 13 19 85 99 ES	A 5961	17 28-SEP-84	ER EC 17				
L	MIL-S-19500/502A	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN SILICON, POWER TYPES 2N6059, NON-TX, TX, AND TXV USER: 13 REVIEWER: 11 19 85 99 AV ES	A 5961	17 05-MAR-82				17	
M	MIL-S-19500/503A	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, ULTRA FAST RECOVERY, TYPES 1N6073 THROUGH 1N6081, JANTX AND JANTXV REVIEWER: 10 80 85 99 ES	A 5961	ER 12-APR-93	JAMTX			17	
L	MIL-S-19500/504A(1)	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPE 2N6283 AND 2N6284 JANTX AND JANTXV	A 5961	17 05-APR-92				17	
L	MIL-S-19500/505(2) NOTICE 1	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPE 2N6286, 2N6287, NON-TX, TX, AND TXV [VALIDATION DATE: 8609] USER: 13 REVIEWER: 11 19 85 99 ES	A 5961	17 09-SEP-86				17	
A	MIL-S-19500/507B	SEMICONDUCTOR DEVICE, DIODE, SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1N6036A THROUGH 1N6072A JAN, JANTX, JANTXV, AND JAMS REVIEWER: 19 99 ES MI	A 5961	17 09-DEC-92	ER EC 17				
	MIL-S-19500/508(3) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON POWER TYPES 2N6437, TX2N6437, TXV2N6437, 2N6438, TX2N6438, TXV2N6438 [VALIDATION DATE: 9007] USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER 06-JUL-90	ER EC 17				
	MIL-S-19500/509A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON POWER TYPES 2N6338 AND 2N6341, JAN, JANTX, AND JANTXV USER: 80 REVIEWER: 85 99 ES	A 5961	ER 21-OCT-90	ER			17	
L	MIL-S-19500/510	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N6249, 2N6250, 2N6251, NON-TX, TX AND TXV [VALIDATION DATE: 8212] REVIEWER: 19 85 99 ES	A 5961	17 23-OCT-75				17	
L	MIL-S-19500/511A(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4261 JAN, JANTX, JANTXV, AND JAMS USER: 13 15 REVIEWER: 19 85 99 ES	A 5961	17 09-AUG-88				17	
L	MIL-S-19500/512A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPES 2N4029 & 2N4033 JAN, JANTX, JANTXV, & JAMS REVIEWER: 11 19 80 85 AV ES	A 5961	17 08-JUN-87	ER EC 17	NA			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active GPO / ONA Classification Institute	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Army	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-S-19500/513(1) NOTICE 1	SEMICONDUCTOR DEVICE, THYRISTORS (CONTROLLED RECTIFIERS) SILICON TYPES: 2M6605, 2M6606, 2M6607, 2M6608, NON-TX, TX, AND TXV (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER	06-JUL-90	ER	EC	17	
M	MIL-S-19500/514A	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M6274 AND 2M6277, JANTX AND JANTXV REVIEWER: 85	A 5961	ER	31-MAR-93	ER	EC	17	
A	MIL-S-19500/515B	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPE 2M6378, 2M6379, JANTX, JANTXV, AND JANC USER: 13 15 19 AS AV CG MC SH SM REVIEWER: 85 99 MI	A 5961	ER	15-MAR-93	ER	EC	17	
A	MIL-S-19500/516B(2)	SEMICONDUCTOR DEVICE, DIODE SILICON, BIPOLAR TRANSIENT VOLTAGE SUPPRESSOR TYPES 1M6102 THROUGH 1M6137, 1M6102A THROUGH 1M6137A, 1M6138 THROUGH 1M6173, 1M6138A THROUGH 1M6173A, 1M6102US THROUGH 1M6137US, 1M6102AUS THROUGH 1M6137AUS, 1M6138US THROUGH 1M6173US, AND 1M6138AUS THROUGH 1M6173AUS, JAN, JANTX, JANTXV, AND JANS REVIEWER: ES	A 5961	ER	06-JUN-92	ER	EC	17	
L	MIL-S-19500/518A	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3766, TX2N3766, TXV2N3766, 2N3767, TX2N3767, TXV2N3767 REVIEWER: 11 19 85 99 ES	A 5961	17	14-MAY-84			17	
L	MIL-S-19500/519B	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, RED TYPES JAM1M6092, JANTX1M6092, JAM1M609 (CLEAR LENS), JANTX1M609 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JAM1M9500/S1901, JANTX1M9500/S1902, JAM1M9500/S1903 (CLEAR LENS), AND JANTX1M9500/S1904 (CLEAR LENS)	A 5980	ER	10-JAN-92	ER			
L	MIL-S-19500/520B	SEMICONDUCTOR DEVICES, DIODE, LIGHT EMITTING, YELLOW TYPES JAM1M6093, JANTX1M6093, JAM1M610 (CLEAR LENS), JANTX1M610 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JAM1M9500/S2001, JANTX1M9500/S2002, JAM1M9500/S2003 (CLEAR LENS), AND JANTX1M9500/S2004 (CLEAR LENS)	A 5980	ER	20-APR-92	ER			
L	MIL-S-19500/521B	SEMICONDUCTOR DEVICE, DIODE, LIGHT EMITTING, GREEN TYPES JAM1M6094, JANTX1M6094, JAM1M611 (CLEAR LENS), JANTX1M611 (CLEAR LENS), AND PANEL MOUNT ASSEMBLY TYPES JAM1M9500/S2101, JANTX1M9500/S2102, JAM1M9500/S2102, JAM1M9500/S2103 (CLEAR LENS), AND JANTX1M9500/S2104 (CLEAR LENS) REVIEWER: ES	A 5980	ER	20-APR-92	ER			
L	MIL-S-19500/522(5)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY DEVICE TYPES: JAN 2M6603 AND TXV 2M6603 JAN 2M6604 AND TXV 2M6604	A 5961	ER	14-FEB-89	ER			
L	MIL-S-19500/523(3) NOTICE 1	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN SILICON, POWER TYPES 2M6383, 2M6384, 2M6385 NON-TX, TX AND TXV (VALIDATION DATE: 8708) USER: 13 REVIEWER: 11 19 85 99 ES	A 5961	17	17-AUG-87			17	
L	MIL-S-19500/525(2)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M6546, TX2M6546, TXV2M6546, 2M6547, TX2M6547, TXV2M6547 USER: 13 REVIEWER: 11 19 85 99 ES	A 5961	17	07-DEC-87			17	
A L	MIL-S-19500/526B(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2N3879 JANTX AND JANTXV USER: 13 REVIEWER: 19 85 99 ES	A 5961	17	23-OCT-92			17	
L	MIL-S-19500/527(2)	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, POWER TYPES 2M6648, 2M6649 AND 2M6650 NON-TX, TX AND TXV (VALIDATION DATE: 8312) USER: 13 REVIEWER: 11 19 85 99 ES	A 5961	17	14-SEP-78			17	
A L	MIL-S-19500/528 NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M6032 AND 2M6033 NON-TX, TX, AND TXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99	A 5961	17	07-DEC-92			17	
	MIL-S-19500/529(1) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3904 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER	06-JUL-90	ER	EC	17	
	MIL-S-19500/530 NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, SILICON TYPE 2N3906 (VALIDATION DATE: 9007) USER: 15 AS CG MC SH REVIEWER: 11 19 85 99 AR MI	A 5961	ER	06-JUL-90	ER	EC	17	
A	MIL-S-19500/533C	SEMICONDUCTOR DEVICE, DIODE, SILICON, ZENER, VOLTAGE REGULATOR, SOLID GLASS MONOCAVITY CONSTRUCTION, TYPES 1M6309 THROUGH 1M6355, 1M6309US THROUGH 1M6335US; PLUS C AND D TOLERANCE SUFFIX: JANTX, JANTXV, AND JANS REVIEWER: 19 85 ES TD	A 5961	17	15-DEC-92	ER	EC	17	
L	MIL-S-19500/534 NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M5002, 2M5004, JAN, JANTX AND JANTXV REVIEWER: 11 19 85 99	A 5961	17	09-SEP-86			17	
L	MIL-S-19500/535 NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2M5003, 2M5005 JAN, JANTX & JANTXV REVIEWER: 11 19 85 99	A 5961	17	09-SEP-86			17	
A L	MIL-S-19500/536(3) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M6671, AND 2M6673 JAN, JANTX, AND JANTXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99	A 5961	17	07-DEC-92			17	
A L	MIL-S-19500/537(2) NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M6674, 2M6675, 2M6689, AND 2M6690 JAN, JANTX, AND JANTXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99	A 5961	17	07-DEC-92			17	
L	MIL-S-19500/538(3)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER, TYPES 2M6676, 2M6678, 2M6691, AND 2M6693 JAN, JANTX, AND JANTXV REVIEWER: 19 85 99	A 5961	17	17-SEP-90			17	
L	MIL-S-19500/539(1)	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, POWER TYPES 2M6300, 2M6301, JAN, TX AND TXV REVIEWER: 11 19 80 85 99 ES	A 5961	17	30-MAY-89			17	
A L	MIL-S-19500/540(2) NOTICE 1	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP SILICON, POWER TYPES 2M6298, 2M6299, JAN, TX, AND TXV (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99	A 5961	17	07-DEC-92			17	
A	MIL-S-19500/542D	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2M6756, 2M6758, 2M6760, 2M6762, JANTX, JANTXV, JANS, AND JANC USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	30-JUN-92	ER	EC	17	
A	MIL-S-19500/543D	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2M6764, 2M6766, 2M6768, 2M6770, JANTX, JANTXV, JANS, AND JANC USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	30-JUN-92	ER	EC	17	
L	MIL-S-19500/544(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPES 2M5152, JAN, JANTX & JANTXV REVIEWER: 11 19 85 99 ES	A 5961	17	03-MAY-82			17	
L	MIL-S-19500/545(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, POWER TYPES 2M5151, 2M5153 JAN, JANTX AND JANTXV	A 5961	17	03-MAY-82			17	
	MIL-S-19500/547A(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2M6660 AND 2M6661 JAN, JANTX, JANTXV, AND JANS USER: 13 15 REVIEWER: 19 85 99 ES TD	A 5961	17	03-AUG-91	ER	EC	17	
	MIL-S-19500/548A	COUPLER, OPTO ELECTRONIC, SEMICONDUCTOR DEVICE, SOLID STATE, TYPES 4M47, 4M48, 4M49, 4M47U, 4M48U AND JANTX, JANTXV AND JANS USER: 13 15 AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5961	NA	27-AUG-90	ER	EC	17	
A L	MIL-S-19500/550(2)	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, HIGH CURRENT TYPES 1M6305, 1M6306 AND -R TYPES JANTX AND JANTXV USER: 13	A 5961	17	03-NOV-92			17	
A L	MIL-S-19500/551A(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, TRANSIENT VOLTAGE SUPPRESSOR TYPES 1M6481 THROUGH 1M6488 AND 1M641US THROUGH 1M6468US JANTX AND JANTXV USER: 13 REVIEWER: 19 85 ES	A 5961	17	18-SEP-92			17	
L	MIL-S-19500/552	SEMICONDUCTOR DEVICE, DIODE SILICON TRANSIENT VOLTAGE SUPPRESSOR TYPES 1M6489 THROUGH 1M6476 JAN, JANTX, AND JANTXV	A 5961	17	26-OCT-81			17	
A L	MIL-S-19500/553(5)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1M6391 JAN, JANTX, AND JANTXV USER: 13 15 REVIEWER: 19 85 99 ES	A 5961	17	03-NOV-92			17	
L	MIL-S-19500/554(3)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY BARRIER, FAST RECOVERY, TYPE 1M6392 JAN, JANTX, AND JANTXV USER: 15 REVIEWER: 11 19 85 99 ES	A 5961	17	30-MAR-89			17	
	MIL-S-19500/555C(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2M6788, 2M6790, 2M6792 AND 2M6794 JANTX, JANTXV, AND JANS USER: 13 15 AS CG MC OS SH REVIEWER: 19 85 99 AR ES MI SM	A 5961	17	03-MAR-92	ER	EC	17	
A	MIL-S-19500/556C	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2M6782, 2M6784, AND 2M6786 JANTX, JANTXV, JANS, AND JANC USER: 13 SM REVIEWER: 19 85 99 AR AS CG ES MC MI OS	A 5961	NA	24-MAR-93	ER	EC	17	
A	MIL-S-19500/557C	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2M6796, 2M6798, 2M6800, AND 2M6802 JANTX, JANTXV, AND JANS USER: 19 AS CG MC OS SM REVIEWER: 70 80 AR ES MI SM	A 5961	NA	24-MAR-93	ER	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OIA Coordinate Package	Document Number	Document Title	Doc. Sym. FDC / Ane MCA Symbol	Preparing Date	Status Date	Custodians			
						Army	Navy	Air Force	OIA
A	MIL-S-19500/558A(1)	SEMICONDUCTOR DEVICE, UNITIZED, PNP, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY TYPES 2M6987, 2M6987U, AND 2M6988, JANTX, JANTXV, AND JAMS USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	17 17-AUG-92	ER EC 17				
	MIL-S-19500/559A(1)	SEMICONDUCTOR DEVICE, UNITIZED, MPN, SILICON, SWITCHING, FOUR TRANSISTOR ARRAY TYPES 2M6989, 2M6990, AND 2M6989U, JANTX, JANTXV, AND JAMS USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	17 26-MAY-92	ER EC 17				
M	MIL-S-19500/560A	SEMICONDUCTOR DEVICE, TRANSISTOR, MPN, SILICON, SWITCHING TYPE 2M5339 JANTX, JANTXV, JAMS, AND JAMC	A 5961	ER 31-MAR-93	ER EC 17				
M	MIL-S-19500/561A	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, SWITCHING TYPE 2M6193 JANTX, JANTXV, JAMS, AND JAMC REVIEWER: 99	A 5961	ER 21-APR-93	ER EC 17				
	MIL-S-19500/562A(2)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2M6804, 2M6806, JANTX, JANTXV, AND JAMS USER: 19 REVIEWER: 11 70 80 ES TD	A 5961	17 10-MAR-91	ER EC 17				
	MIL-S-19500/5638	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON TYPES 2M6845 AND 2M6847 JANTX, JANTXV, JAMS, AND JAMC USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	17 25-FEB-92	ER EC 17				
A	MIL-S-19500/5648(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2M6849 AND 2M6851 JANTX, JANTXV, AND JAMC USER: 19 AS CG MC OS SM REVIEWER: 70 80 85 99 AR ES MI TD	A 5961	17 26-MAY-92	ER EC 17				
	MIL-S-19500/565A(2)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, P-CHANNEL, SILICON, TYPES 2M6895, 2M6896, 2M6897, AND 2M6898 JANTX, JANTXV AND JAMS USER: 13 AM AS CG MC OS REVIEWER: 11 19 85 99 AR ES MI	A 5961	ER 02-JUL-91	ER EC 17				
	MIL-S-19500/566A(3)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2M6902 AND 2M6904 JANTX, JANTXV, AND JAMS USER: 13 15 AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI	A 5961	ER 27-MAR-91	ER EC 17				
A	MIL-S-19500/567 NOTICE 1	SEMICONDUCTOR DEVICE, DIODE SILICON SCHOTTKY BARRIER, FAST RECOVERY TYPE 1M6492 JANTX, JANTXV, AND JAMS (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99 AR MI SM	A 5961	17 07-DEC-92	ER EC 17				
	MIL-S-19500/568(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON TYPES 2M6962, 2M6963, 2M6964, AND 2M6965 JANTX, JANTXV AND JAMS REVIEWER: 11 19 AR MI	A 5961	EC 27-JUN-88	ER EC 17				
	MIL-S-19500/569(3)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPES 2M6966, 2M6967, 2M6968, AND 2M6969 JANTX, JANTXV, AND JAMS USER: 19 REVIEWER: 11 70 80 TD	A 5961	EC 12-JUN-92	ER EC 17				
M	MIL-S-19500/570A	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTOR, N-CHANNEL, SILICON LOGIC-LEVEL, TYPES 2M6901, AND 2M6903 JANTX, JANTXV, AND JAMS USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 AR ES MI SM	A 5961	ER 31-MAR-93	ER EC 17				
A	MIL-S-19500/571 NOTICE 1	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT, MOS, N-CHANNEL, TYPES 2N7104, 2N7106, 2N7108, 2N7105, 2N7107, 2N7109, JANTX, JANTXV, AND JAMS (VALIDATION DATE: 9212) REVIEWER: 11 19 85 99 AR MI SM	A 5961	17 07-DEC-92	ER EC 17				
L	MIL-S-19500/572	SEMICONDUCTOR DEVICE, DIODE, LIGHT-EMITTING TYPES JANTX 1M6493, 1M6494, 1M6495, 1M6500, 1M6501, AND 1M6502	A 5980	17 31-AUG-87					
	MIL-S-19500/573	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP SILICON, SWITCHING TYPE 2M4209 JANTX, JANTXV, AND JAMS	A 5961	ER 12-JAN-88	ER EC 17				
L	MIL-S-19500/574	SEMICONDUCTOR DEVICE, DIODE, LIGHT-EMITTING TYPES JANTX 1M6497, 1M6498, 1M6499, 1M6503, 1M6504, AND 1M6505	A 5980	17 01-AUG-88					
A	MIL-S-19500/575	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE 1M6512 THROUGH 1M6519 1M6512U THROUGH 1M6519U JANTX, JANTXV, AND JAMS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR AV ES	A 5961	ER 06-APR-89	ER EC 17				
A	MIL-S-19500/576	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE 1M6520 THROUGH 1M6527, 1M6520U THROUGH 1M6527U, JANTX, JANTXV, AND JAMS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR AV ES	A 5961	ER 26-MAY-89	ER EC 17				
	MIL-S-19500/577	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, FAST RECOVERY, HIGH VOLTAGE TYPES 1M6528 THROUGH 1M6535 JANTX, JANTXV, AND JAMS USER: 13 AS CG MC NA OS SM REVIEWER: 11 19 85 AR AV ES MI	A 5961	ER 05-APR-89	ER EC 17				
A	MIL-S-19500/578(5)	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING 1M6638, 1M6642, 1M6643, 1M6638U, 1M6642U AND 1M6643U JANTX, JANTXV, AND JAMS USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SM	A 5961	MA 08-NOV-92	ER EC 17				
	MIL-S-19500/579(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, FIELD EFFECT DMOS, QUAD N-CHANNEL TYPES 2N7116, 2N7117, AND 2N7118, JANTX, JANTXV, AND JAMS USER: 13 15 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI NA SM	A 5961	17 01-AUG-91	ER EC 17				
	MIL-S-19500/580	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV, 2M4234, 2M4235, AND 2M4236 USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI	A 5961	EC 23-APR-90	ER EC 17				
	MIL-S-19500/581	SEMICONDUCTOR DEVICE, TRANSISTOR, MPN, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV 2M4237, 2M4238 AND 2M4239 USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI	A 5961	EC 23-APR-90	ER EC 17				
	MIL-S-19500/582	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, AMPLIFIER, TYPES: JANTX AND JANTXV, 2M5679, AND 2M5680 USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI	A 5961	EC 03-MAY-90	ER EC 17				
	MIL-S-19500/583	SEMICONDUCTOR DEVICE, TRANSISTOR, MPN, SILICON, AMPLIFIER, TYPES JANTX AND JANTXV, 2M5681 AND 2M5682 USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI	A 5961	EC 23-APR-90	ER EC 17				
	MIL-S-19500/584	SEMICONDUCTOR DEVICE, RF POWER TRANSISTOR, MPN, SILICON, PUSH-PULL TYPES JANTX, JANTXV, AND JAMS 2M6985 AND 2M6986 USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI	A 5961	EC 25-JUL-90	ER EC 17				
	MIL-S-19500/585	SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, HIGH VOLTAGE, POWER RECTIFIER, 1M6620 THROUGH 1M6625 AND U SUFFIX VERSIONS, JANTX, JANTXV, AND JAMS USER: AS CG MC OS SM REVIEWER: 11 13 19 85 AR ES MI	A 5961	ER 12-APR-90	ER EC 17				
A	MIL-S-19500/586	SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1M5819-1, 1M5819U-1, 1M6650-1, AND 1M6650U-1, JANTX, JANTXV, AND JAMC USER: AS CG MC OS SM SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 01-FEB-93	ER EC 17				
A	MIL-S-19500/587	SEMICONDUCTOR DEVICE, DIODE, SILICON, RECTIFIER TYPES 1M6661, 1M6662, 1M6663, 1M6661US, 1M6662US, AND 1M6663US JANTX, JANTXV, AND JAMS USER: 19 AS CG MC OS SM REVIEWER: 85 99 AR AV ES MI SM	A 5961	EC 14-JAN-93	ER EC 17				
M	MIL-S-19500/588	SEMICONDUCTOR DEVICE, INSULATED GATE, BIPOLAR TRANSISTOR, N-CHANNEL, SILICON TYPE 2N7364 JANTX, JANTXV, AND JAMS USER: 19 REVIEWER: 70 80 85 99 ES TD	A 5961	EC 04-JUN-93	ER EC 17				
	MIL-S-19500/590	SEMICONDUCTOR DEVICE, DIODE, SILICON, ULTRA-FAST RECOVERY, HIGH VOLTAGE, POWER RECTIFIER, 1M6626 THROUGH 1M6631 AND U SUFFIX VERSIONS, JANTX, JANTXV, AND JAMS USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 AR ES MI	A 5961	ER 03-APR-90	ER EC 17				
A	MIL-S-19500/592(1)	SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR N-CHANNEL, SILICON TYPES 2N7224, 2N7225, 2N7227, 2N7228, 2N7224U, 2N7225U, 2N7227U, 2N7228U, JANTX, JANTXV, JAMS, AND JAMC USER: 19 REVIEWER: 70 80 ES TD	A 5961	EC 31-JUL-92	ER EC 17				
A	MIL-S-19500/595A	SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, P-CHANNEL, SILICON, TYPES 2N7236, 2N7237, 2N7236U, 2N7237U, JANTX, JANTXV, JAMS, AND JAMC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 01-SEP-92	ER EC 17				
A	MIL-S-19500/596A	SEMICONDUCTOR DEVICE, REPETITIVE AVALANCHE, FIELD EFFECT, TRANSISTOR, N-CHANNEL, SILICON, TYPES 2N7218, 2N7219, 2N7221, 2N7222, 2N7218U, 2N7219U, 2N7221U, 2N7222U, JANTX, JANTXV, JAMS, AND JAMC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 01-SEP-92	ER EC 17				
A	MIL-S-19500/597(2)	SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTORS, N-CHANNEL, SILICON TYPE 2N7334 JANTX, JANTXV, JAMS, AND JAMC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC 08-JAN-93	ER EC 17				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active GPN / ONA Combination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DIA
A	MIL-S-19500/598(2)	SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTOR, P-CHANNEL, AND N-CHANNEL, SILICON TYPE 2N7336, JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	08-JAN-93	ER	EC	17		
A	MIL-S-19500/599(2)	SEMICONDUCTOR DEVICE, QUAD, FIELD EFFECT TRANSISTORS, P-CHANNEL, SILICON TYPE 2N7335 JANTX, JANTXV, JANS, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	08-JAN-93	ER	EC	17		
	MIL-S-19500/601	SEMICONDUCTOR DEVICE, FIELD-EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7261 AND 2N7262 JANTXVM, D, R, H AND JANS, D, R, H USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	01-MAY-92	ER	EC	17		
	MIL-S-19500/602	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7265, 2N7266, AND 2N7267 JANTXVM, D, R, H AND JANS, D, R, H USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	05-MAY-92	ER	EC	17		
	MIL-S-19500/603	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7268, 2N7269, AND 2N7270 JANTXVM, D, R, H AND JANS, D, R, H USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	05-MAY-92	ER	EC	17		
A	MIL-S-19500/604	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE CHARACTERIZATION ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7272, 2N7275, 2N7278, AND 2N7281 JANTXVM, D, R, AND JANS, D AND R USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	10-NOV-92	ER	EC	17		
A	MIL-S-19500/605	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7292, 2N7294, 2N7296, AND 2N7298 JANTXVM, D, R, H AND JANS, D AND R USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	10-NOV-92	ER	EC	17		
A	MIL-S-19500/606	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE ONLY) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7291, 2N7293, 2N7295, AND 2N7297 JANTXVM, D, R, H AND JANS, D AND R USER: 19 REVIEWER: 70 80 ES TD	A 5961	NA	10-NOV-92	ER	EC	17		
A	MIL-S-19500/607(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT TRANSISTORS, N-CHANNEL AND P-CHANNEL, SILICON TYPE 2N7337 JANTX, JANTXV, JANS, AND JANC USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	08-JAN-93	ER	EC	17		
M	MIL-S-19500/608	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY, POWER RECTIFIER, COMMON CATHODE OR COMMON ANODE CENTER TAP, TYPES 1M6660 AND 1M6660N JANTX, JANTXV AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	22-APR-93	ER	EC	17		
A	MIL-S-19500/609	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPES 1M6639, 1M6640, 1M6641, 1M6639US, 1M6640US, AND 1M6641US JANTX, JANTXV, AND JANS USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI SH	A 5961	EC	25-JAN-93	ER	EC	17		
M	MIL-S-19500/610	SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, SCHOTTKY BARRIER, TYPES 1M6677-1 AND 1M6677UR-1 JANTX, JANTXV, AND JANC USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	22-APR-93	ER	EC	17		
M	MIL-S-19500/620	SEMICONDUCTOR DEVICE, HERMETIC, DIODE, SILICON, RECTIFIER, SCHOTTKY BARRIER, TYPES 1M5822 AND 1M5822US JANTX, JANTXV, AND JANC USER: AS CG MC OS SM REVIEWER: 19 85 99 AR ES MI	A 5961	EC	22-APR-93	ER	EC	17		
A	MIL-S-19500/621	SEMICONDUCTOR DEVICE, TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7369 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI	A 5961	EC	05-APR-93	ER	EC	17		
A	MIL-S-19500/622	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N7368 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI	A 5961	EC	05-APR-93	ER	EC	17		
A	MIL-S-19500/623	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, PNP, SILICON, HIGH-POWER TYPE 2N7371 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI	A 5961	EC	05-APR-93	ER	EC	17		
A	MIL-S-19500/624	SEMICONDUCTOR DEVICE, DARLINGTON TRANSISTOR, NPN, SILICON, HIGH-POWER TYPE 2N7370 JANTX, JANTXV, AND JANS USER: 13 AS CG MC OS SM REVIEWER: 19 85 99 AR MI	A 5961	EC	05-APR-93	ER	EC	17		
A	MIL-C-19516G(1)	COAT, MAN'S: POLYESTER/WOOL, GABARDINE: BLUE	A 8405	CT	04-MAY-92		MC		CT	
L	MIL-A-19521B	ANODE RETAINING SUPPORT PLUGS AND ANODE SELECTION AND INSTALLATION DESIGN CRITERIA FOR SHIPBOARD CONDENSERS AND HEAT EXCHANGERS	A 5340	SH	04-MAY-92		SH			
L	MIL-R-19523B	RELAYS, CONTROL REVIEWER: ES	A 5945	SH	30-MAR-90		SH			
L	MIL-A-19531B	AIRCRAFT: MAINTENANCE AND ENGINEERING INSPECTION REQUIREMENTS [VALIDATION DATE: 9109]	A 15GP	AS	25-SEP-91		AS			
	MIL-L-19537C(3)	LACQUER, ACRYLIC-NITROCELLULOSE GLOSS (FOR AIRCRAFT USE) [VALIDATION DATE: 8401] USER: ME REVIEWER: OS	A 8010	AS	28-OCT-77	MR	AS	11		
	MIL-L-19538C	LACQUER, ACRYLIC NITROCELLULOSE, CAMOUFLAGE (FOR AIRCRAFT USE) [VALIDATION DATE: 8304] REVIEWER: AV OS	A 8010	AS	11-MAY-70	MR	AS	99		
L	MIL-C-19547B(1)	CABLE, ELECTRICAL, SPECIAL PURPOSE, SHORE USE [VALIDATION DATE: 8304] REVIEWER: IS	A 6145	EC	07-JUN-71		EC			
L	MIL-P-19550B	PRESERVATIVE TREATMENT PLYWOOD (SHIP AND BOAT USE) [VALIDATION DATE: 8907] REVIEWER: AR CS	A 5530	SH	24-JUL-89		SH			
L	MIL-S-19551B	SEARCHLIGHT, INCANDESCENT LAMP AND MERCURY-XENON VAPOR LAMP, SIGNALING, 12-INCH [VALIDATION DATE: 8211]	A 6230	SH	30-NOV-77		SH			
QL	MIL-C-19553A(2)	COMPRESSORS, CENTRIFUGAL DISPLACEMENT TYPE MOTOR DRIVEN, OIL-FREE AIR FOR NAVAL SHIPBOARD LOW PRESSURE AIR SERVICE	A 4310	SH	04-APR-84		SH			
L	MIL-M-19556	MOUNT, GUN, LAUNCHING SYSTEMS, ROCKET AND GUIDED MISSILE, PROJECTORS, GENERAL SPECIFICATION [VALIDATION DATE: 8506]	A 1055	OS	17-JUL-56		OS			
QL	MIL-S-19557D	STARTER, AIRCRAFT ENGINE, AIR TURBINE	A 2995	AS	29-JAN-88		AS			
L	MIL-S-19557/1	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-14-1 [VALIDATION DATE: 8208]	A 2995	AS	11-SEP-72		AS			
L	MIL-S-19557/2	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19 [VALIDATION DATE: 8508]	A 2995	AS	11-SEP-72		AS			
L	MIL-S-19557/3	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-19-1 [VALIDATION DATE: 8508]	A 2995	AS	11-SEP-72		AS			
L	MIL-S-19557/4	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-21 [VALIDATION DATE: 8508]	A 2995	AS	11-SEP-72		AS			
L	MIL-S-19557/5	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-22-3 [VALIDATION DATE: 8508]	A 2995	AS	11-SEP-72		AS			
L	MIL-S-19557/6(1)	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24	A 2995	AS	11-AUG-83		AS			
L	MIL-S-19557/7	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-24-1 [VALIDATION DATE: 8508]	A 2995	AS	11-SEP-72		AS			
L	MIL-S-19557/8(1)	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-28 [VALIDATION DATE: 8508]	A 2995	AS	18-JUL-74		AS			
L	MIL-S-19557/9	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-29 [VALIDATION DATE: 8508]	A 2995	AS	11-SEP-72		AS			
L	MIL-S-19557/10A	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-30	A 2995	AS	09-FEB-87		AS			
L	MIL-S-19557/11	STARTER, AIRCRAFT ENGINE, AIR TURBINE, MODEL A-31	A 2995	AS	17-MAY-85		AS			
L	MIL-R-19558A(1)	REGULATOR, AIR, DEMAND, DIVER S [VALIDATION DATE: 8104]	A 4220	SH	07-JAN-63		SH			
A	MIL-C-19559C	CORD, SERVICE CAP, WOMEN S USER: 45	A 8455	CT	16-JUL-84		MC			CT
L	MIL-M-19562A	MAINTENANCE PRINTS FOR ELECTRONIC EQUIPMENT, INSTRUCTIONS FOR PREPARATION OF [VALIDATION DATE: 8204] REVIEWER: GS	A 7650	EC	29-JUN-66		EC			
DQ	MIL-C-19565C(1)	COATING COMPOUNDS, THERMAL INSULATION, FIRE AND WATER RESISTANT, VAPOR BARRIER USER: AS CE ME REVIEWER: YDI	A 8030	SH	08-APR-88		SH	99		
QL	MIL-T-19576A(1)	TRANSMITTER, REMOTE COMPASS, THIN WIND TYPE ML-1 (UNSTABILIZED) [VALIDATION DATE: 8706]	A 6605	AS	19-JUN-87		AS			
A	MIL-T-19578D	INSIGNIA, GRADE, ENLISTED PERSONNEL, METAL [VALIDATION DATE: 8403] USER: 45 REVIEWER: MC	A 8455	CT	09-NOV-79		MC			CT
L	MIL-F-19579B	FLAG, ORGANIZATIONAL, STANDARD, USMC [VALIDATION DATE: 8502] USER: 45 REVIEWER: CT	A 8345	MC	24-OCT-72		MC			
L	MIL-T-19588A(1)	TOLUENE-METHYL ISOBUTYL KETONE MIXTURE [VALIDATION DATE: 7802] REVIEWER: GS OS PS	A 6610	CG	19-MAY-69		CG			
L	MIL-V-19593	VALVE-CONTROL, AIRCRAFT PNEUMATIC 28 VOLT D-C SOLENOID OPERATED [VALIDATION DATE: 8209]	A 4810	AS	31-JUL-56		AS			
L	MIL-M-19595C	MAGNETIC EFFECT LIMITS FOR NON-MAGNETIC EQUIPMENT USED IN THE PROXIMITY OF MAGNETIC INFLUENCE ORDNANCE REVIEWER: CS GS	A NDT1	OS	07-MAY-87		OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-P-196028	PRIMER, SIZE COATING, BAKING, FOR ROLLER COAT APPLICATION [VALIDATION DATE: 8204] REVIEWER: EA	A 8010	OS 31-JUL-74	NR	OS		
MIL-E-19603C	ENAMEL, BAKING, FOR ROLLER COAT APPLICATION [VALIDATION DATE: 8204] USER: AT	A 8010	OS 31-JUL-74	NR	OS		
A L MIL-P-19611C	PLATES, AUTOMOBILE, INDIVIDUAL: METAL; EMBLEM, AND STAR (COMMANDANT'S AND GENERAL OFFICER'S, USMC)	A 8345	CT 08-MAY-85	MC		CT	
A L MIL-S-19622F SUPPL 1A1	STUFFING TUBES, NYLON; AND PACKING ASSEMBLIES; GENERAL SPECIFICATION FOR ..	A 5975	SH 11-DEC-92	SH			
A L MIL-S-19622/18	STUFFING TUBES, STRAIGHT, NYLON .....	A 5975	SH 11-DEC-92	SH			
A L MIL-S-19622/2C	STUFFING TUBES, 90 DEGREES, NYLON .....	A 5975	SH 11-DEC-92	SH			
A L MIL-S-19622/3B	STUFFING TUBES, MPT, NYLON .....	A 5975	SH 11-DEC-92	SH			
A L MIL-S-19622/4B	STUFFING TUBES, "Y"-TYPE NYLON .....	A 5975	SH 11-DEC-92	SH			
A L MIL-S-19622/14B	STUFFING TUBE, NYLON; PLUG, NEOPRENE .....	A 5975	SH 11-DEC-92	SH			
A L MIL-S-19622/16B	STUFFING TUBE, NYLON, SIZE 1: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/17D	STUFFING TUBE, NYLON, SIZE 2: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/18C	STUFFING TUBE, NYLON, SIZE 3: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/19D	STUFFING TUBE, NYLON, SIZE 4 AND 4T: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/20H	STUFFING TUBE, NYLON, SIZE 5: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/21E	STUFFING TUBE, NYLON, SIZE 6: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/22E	STUFFING TUBE, NYLON, SIZE 7: PACKING AND ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/23C	STUFFING TUBE, NYLON, SIZE 8: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
A L MIL-S-19622/24C	STUFFING TUBE, NYLON, SIZE 9: PACKING ASSEMBLIES FOR .....	A 5330	SH 11-DEC-92	SH			
L MIL-W-19623A	WINDLESS: ANCHOR, ELECTRIC-HYDRAULIC, VERTICAL AND NAVY TYPE, NAVAL SHIPBOARD	A 3950	SH 25-NOV-91	SH			
L MIL-I-19632B	INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND RAG PAPER [VALIDATION DATE: 8104] REVIEWER: GS	A 5970	SH 14-APR-60	SH			
L MIL-M-19633B(2) NOTICE 1	MOTOR-GENERATOR, 60-CYCLE, AC TO 400-CYCLE AC (VOLTAGE AND FREQUENCY REGULATED) SHIPBOARD SERVICE REVIEWER: GS	A 6125	SH 20-JUN-91	SH			
A L MIL-C-19635(1)	CLOTH, COATED, NON-SLIP TABLE COVERING [VALIDATION DATE: 7802] .....	A 8305	CT 24-JAN-57	CG		CT	
L MIL-A-19642B	ALIDADE, TELESCOPIC, MARINE, MARK 8 & ADAPTER RINGS .....	A 6605	SH 16-FEB-82	SH			
L MIL-P-19644C	PLASTIC MOLDING MATERIAL (POLYSTYRENE FOAM, EXPANDED BEAD) [VALIDATION DATE: 8204] USER: AS ME REVIEWER: 99 AR EA GS MI SH	A 9330	OS 10-JUL-70	NR	OS	11	
L MIL-P-19644C(11)	PLASTIC MOLDING MATERIAL (POLYSTYRENE FOAM, EXPANDED BEAD) .....	A 9330	SA 01-APR-91	SA			
D L MIL-T-19646A SUPPL 1A1	THERMOMETER, GAS ACTUATED, REMOTE READING USER: YD1 REVIEWER: GS .....	A 6685	SH 08-FEB-90	SH			
A MIL-R-19648C	RELAY, TIME DELAY, THERMAL GENERAL SPECIFICATION FOR USER: 19 MC MI OS SH REVIEWER: 11 17 80 99 AR AS AT AV ES ME	A 5945	EC 27-OCT-86	ER	EC	85	
MIL-R-19648/1E	RELAY, TIME DELAY, TIME [VALIDATION DATE: 8104] USER: 19 MC MI REVIEWER: 17 AT AV ES ME OS	A 5945	BS 18-OCT-74	ER	EC	85	
A L MIL-S-19653B(2)	SEALING COMPOUND (WOOD BEDDING) .....	A 8030	SH 26-AUG-92	SH			
L MIL-C-19654(1)	CABLE, TELEPHONE, SUBMARINE [VALIDATION DATE: 6704] REVIEWER: IS .....	A 6145	CG 29-SEP-61	CG			
L MIL-L-19661A(4)	LIGHT, MARKER, PORTABLE, EMERGENCY, AIRFIELD, BATTERY OPERATED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8306] USER: MC REVIEWER: GS	A 6230	AS 19-NOV-70	ME	AS	99	
A MIL-C-19663D	CLOTH, WOVEN ROVING, FOR PLASTIC LAMINATE REVIEWER: AS CG .....	A 8305	CT 04-AUG-88	SH	99	CT	
A L MIL-S-19672B(1)	SHOES, SWIM, CORAL USER: 45 .....	A 8430	CT 01-MAR-85	SH		CT	
A L MIL-C-19677C	CLASP, NECKTIE: METAL; GOLD COLOR .....	A 8455	CT 14-NOV-90	MC		CT	
L MIL-S-19678A	SLIP RING ASSEMBLY MARK 7 MOD 0 (GUN FIRE CONTROL SYSTEM MARK 68) .....	A 1210	OS 20-MAY-88	OS			
L MIL-C-19688B	CUMMERBUND, MAN'S: BLACK .....	A 8440	MC 11-OCT-90	MC			
A L MIL-P-19692D(1)	PUMP, HYDRAULIC, VARIABLE DELIVERY, GENERAL SPECIFICATION FOR .....	A 1650	AS 03-NOV-81	AV	AS	99	
QL MIL-C-19699E	CLOTH, COATED (NYLON TAFFETA) .....	A 8305	CT 21-APR-92	NU		CT	
QL MIL-L-19701B NOTICE 1	LUBRICANT, ALL-WEATHER, SEMI-FLUID, FOR AIRCRAFT ORDNANCE, METRIC [VALIDATION DATE: 9110]	A 9150	AS 24-OCT-91	AS			
L MIL-C-19713B	COOLERS, FLUID, BLEED AIR, GAS TURBINE, NAVAL SHIPBOARD .....	A 4420	SH 14-FEB-92	SH			
L MIL-M-19719A	METHYL CENTRALITE (FOR AMMUNITION USE) [VALIDATION DATE: 8302] REVIEWER: GS	A 6810	AR 05-JUL-60	AR	OS		
L MIL-C-19729A(2) NOTICE 1	COMPUTER, AERIAL PHOTOGRAPHIC DATA [VALIDATION DATE: 9111] .....	A 6760	AS 05-NOV-91	AS			
A L MIL-C-19734C	CARRIER: SWORD SCABBARD USER: 45 .....	A 8465	CT 09-OCT-90	MC		CT	
L MIL-A-19736A(2)	AIR REFUELING SYSTEMS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8407] REVIEWER: 99	A 1680	AS 16-MAR-66	AV	AS		
A MIL-C-19759E	CLOTH, COATED, TWILL, NYLON (LOW COUNT) REVIEWER: 82 .....	A 8305	CT 12-DEC-89	NU	99	CT	
L MIL-G-19769B	GASKET, SYNTHETIC RUBBER, OIL RESISTANT, SLIDE VALVE (FOR 21 INCH SUBMERGED TORPEDO TUBES) [VALIDATION DATE: 8204]	A 5330	OS 05-JAN-76	OS			
QL MIL-V-19772A(1)	VALVE, TEMPERATURE REGULATING AUTOMATIC, NAVAL SHIPBOARD .....	A 4820	SH 07-APR-87	SH			
QL MIL-C-19787C(4) NOTICE 1	CABLE, ELECTRIC, TORPEDO, 65 CONDUCTOR (FOR TORPEDO CONTROL, ELECTRIC SETTING) [VALIDATION DATE: 9010]	A 6145	OS 08-OCT-90	OS			
L MIL-M-19793C	HAVERLOCK, PLASTIC .....	A 8410	MC 29-MAY-79	MC			
L MIL-C-19794B	CASTABLE MIX, REFRACTORY, THERMAL INSULATING [VALIDATION DATE: 8907] REVIEWER: GS	A 9350	SH 25-JUL-89	SH			
Q MIL-C-19803F(4)	CONVERTER, LIQUID OXYGEN, 10-LITER GOU-24A/A REVIEWER: 71 .....	A 1660	AS 04-NOV-86	AS	99		
Q MIL-G-19804 NOTICE 1	GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN CONVERTER, TYPE MC-6 (INACTIVE - USE MIL-I-81387) [VALIDATION DATE: 8009]	A 6685	AS 12-JAN-57	AS			
L MIL-G-19807	GAGE, AIRCRAFT, CAPACITANCE, LIQUID OXYGEN QUANTITY INDICATOR REPEATERS, TYPES MC-SR, MC-GR, MC-7R, MC-BR (INACTIVE - USE MIL-I-81387) [VALIDATION DATE: 8009]	A 6685	AS 14-JAN-57	AS			
L MIL-A-19815A(2) NOTICE 1	ARMING DEVICE (UNLOADED AND LOADED) MARK 2 MODS 1 AND 3 (INACTIVE FOR NEW DESIGN)	A 1355	OS 31-OCT-86	OS			
L MIL-S-19816A(2)	SWITCH, STERILIZING, MARK 1 MODS 0 AND 1 (FOR EXPLODER MECHANISM MARK 19 SERIES) [VALIDATION DATE: 8506] REVIEWER: ES	A 1355	OS 09-MAR-73	OS			
L MIL-S-19819C	SWITCH, FIRING, MARK 8 MOD 0 AND 1 (INERTIA) FOR EXPLODER MECHANISM MARK 19 SERIES [VALIDATION DATE: 8507]	A 1355	OS 25-JAN-74	OS			
L MIL-S-19820B(1)	SWITCH, HYDROSTATIC, MARK 24, MODS 0, 1, 2, AND 3 (FOR EXPLODER MECHANISM MARK 19 SERIES) [VALIDATION DATE: 8506]	A 1355	OS 09-MAR-73	OS			
Q MIL-P-19834B(2)	PLATE, IDENTIFICATION, METAL FOIL, ADHESIVE BACKED USER: 11 AR GL MC MI SH REVIEWER: AS CR EA ES OS SA	A 9905	EC 13-JUL-83	ME	EC	99	
L MIL-T-19835(2)	TRANSMITTING SET, RADIO [VALIDATION DATE: 8204] REVIEWER: SH .....	A 5820	EC 04-FEB-60	EC			
D L MIL-C-19836B(1)	COOLERS, FLUID, INDUSTRIAL, AIR, MOTOR AND GENERATOR, NAVAL SHIPBOARD USER: YD1	A 4420	SH 19-DEC-88	SH			
L MIL-O-19838(1) NOTICE 1	OIL SYSTEMS: AIRCRAFT, INSTALLATION AND TEST OF [VALIDATION DATE: 9109] REVIEWER: AV GS	A 9150	AS 25-SEP-91	AS			
QL MIL-L-19844A	LEAD, SHIELDED, DETACHABLE IGNITION [VALIDATION DATE: 8410] REVIEWER: 99 AV	A 2925	AS 27-DEC-63	AS			
Q MIL-F-19849E	FILLER-BLEEDER, HYDRAULIC BRAKE SYSTEM, AUTOMOTIVE USER: AV MC ME .....	A 4910	AL 29-FEB-88	AL	99		
L MIL-C-19853C(1)	CARBON REMOVING COMPOUND (FOR USE IN AGITATED TANK) REVIEWER: GS MS .....	A 6850	AS 09-NOV-83	AS	11		
L MIL-M-19857C(1) NOTICE 1	NECKTIE, WOMAN'S, POLYESTER/WOOL [VALIDATION DATE: 8710] USER: 45 REVIEWER: CT	A 8445	MC 23-OCT-87	MC			
QL MIL-M-19863D	MOUNT, RESILIENT: TYPE 585,000H REVIEWER: IS .....	A 5340	SH 08-MAY-91	SH			
L MIL-A-19865C	AIR CONDITIONER, MECHANICALLY REFRIGERATED .....	A 4120	SH 20-MAR-91	SH			
A L MIL-I-19878C	INSIGNIA, BRANCH OF SERVICE: METAL; HOSPITAL CORPSMAN AND DENTAL TECHNICIAN	A 8465	CT 21-OCT-90	MC		CT	
L MIL-M-19882A(1)	WINCHES, DRUM, POWER OPERATED, BATHYTHERMOGRAPH (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8104] REVIEWER: CS	A 3950	SH 31-MAY-66	SH			
D L MIL-C-19902C NOTICE 1	CAPS, VENT, FUEL STORAGE TANK [VALIDATION DATE: 9110] REVIEWER: CS .....	A 5430	YD1 21-OCT-91	YD1			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OIA Coordination Inches Document Number	Document Title	Doc. Smt. FSC / Ans MCA Symbol	Preparing Date	Custodians		
				Army	Navy	Air Force DIA
L	MIL-B-19906A(1)	BOMB RACK AND ROCKET LAUNCHER, COMBINATION, AERO 15 SERIES (VALIDATION DATE: 8304)	A 1095	AS	15-OCT-68	AS
A	MIL-R-19907D(1)	REPAIR KIT, GLASS REINFORCED PLASTIC LAMINATE USER: AS CS	A 2090	SH	13-AUG-92	ME SH 99
D	MIL-C-19908D	CAPS, FUEL STORAGE TANK (VALIDATION DATE: 9110) REVIEWER: CS	A 5430	YD1	17-OCT-91	YD1 99
D	MIL-44-19910C(1)	HEATERS, SPACE, ELECTRIC REVIEWER: CS	A 4520	YD1	19-AUG-88	YD1
L	MIL-T-19917A	INSULATION SHEET, ELECTRICAL, NICA PAPER, SILICONE BONDED (VALIDATION DATE: 8104) REVIEWER: GS MI	A 5970	SH	12-DEC-68	SH
L	MIL-P-19918(1)	PACKING, V RING (VALIDATION DATE: 8307) REVIEWER: IS	A 5330	AS	30-SEP-57	AS
L	MIL-F-19924(1)	FEED, MECHANISMS, 20MM, MARK 7 MODS 0 & 2 (INACTIVE) (VALIDATION DATE: 8304)	A 1005	AS	05-FEB-58	AS
D	MIL-E-19933E(1)	ELECTRODES AND RODS - WELDING, BARE, CHROMIUM AND CHROMIUM-NICKEL STEELS USER: YD1	A 3439	SH	29-SEP-82	SH
L	MIL-A-19939A	AMPLIFIER, TWO CHANNEL, INTEGRAL, S-2 COMPASS (VALIDATION DATE: 8202)	A 6605	AS	15-SEP-66	AS
Q	MIL-A-19940	AMPLIFIER, CONTROL, SINGLE CHANNEL S-2 COMPASS (VALIDATION DATE: 8304)	A 6605	AS	03-JUN-57	AS
L	MIL-C-19941A	CONTROLLER, S-2 COMPASS, TYPE (VALIDATION DATE: 8202)	A 6605	AS	15-SEP-66	AS
Q	MIL-C-19978E(3)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL, CERAMIC, OR GLASS CASES), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: AT AV MC ME OS SH REVIEWER: 17 99 AR AS ES MI	A 5910	BS	22-OCT-90	ER EC BS
	MIL-C-19978/1D	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLES CQ08, CQ09, CQ12, AND CQ13 (VALIDATION DATE: 9010) USER: 19 AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	22-OCT-90	ER EC BS
	MIL-C-19978/2C	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN CERAMIC OR GLASS CASES) STYLE CQ20 (VALIDATION DATE: 9108) USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TO	A 5910	BS	30-AUG-91	ER EC BS
	MIL-C-19978/3E(2)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, (HERMETICALLY SEALED IN METAL CASES), STYLE CQ72 USER: AT AV MC ME OS SH REVIEWER: 17 99 AS ES MI	A 5910	BS	22-JUL-91	ER EC BS
	MIL-C-19978/5A(2)	CAPACITORS, FIXED, PLASTIC DIELECTRIC (HERMETICALLY SEALED IN METAL CASES), STYLES CQ06 AND CQ07 (VALIDATION DATE: 9010) USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TO	A 5910	BS	22-OCT-90	ER EC BS
	MIL-C-19978/8(3)	CAPACITOR, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY, STYLE CQ07 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TO	A 5910	BS	20-JUL-84	ER EC BS
	MIL-C-19978/9A(3)	CAPACITOR, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ09 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TO	A 5910	BS	20-JUL-84	ER EC BS
	MIL-C-19978/10(2)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES) ESTABLISHED RELIABILITY STYLE CQ12 (VALIDATION DATE: 8901) USER: 19 AT AV MC ME OS REVIEWER: 11 17 99 AR AS ES MI SH	A 5910	BS	13-JAN-89	ER EC BS
	MIL-C-19978/11(2)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ13 (VALIDATION DATE: 8901) USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	13-JAN-89	ER EC BS
I	MIL-C-19978/12(4)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ19 (VALIDATION DATE: 9010) USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI TO	A 5910	BS	22-OCT-90	ER EC BS
	MIL-C-19978/13(4)	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ29 (VALIDATION DATE: 9010) USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	22-OCT-90	ER EC BS
	MIL-C-19978/14(3)	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ32 (VALIDATION DATE: 8901) USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	13-JAN-89	ER EC BS
	MIL-C-19978/15(3)	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ33 (VALIDATION DATE: 9010) USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	22-OCT-90	ER EC BS
I	MIL-C-19978/16A(2)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ39 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	19-JUN-90	ER EC BS
I	MIL-C-19978/17A	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ42 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	19-JUN-90	ER EC BS
I	MIL-C-19978/18A	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, THREADED-STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CQ43 USER: AT AV MC ME OS SH REVIEWER: 11 17 99 AR AS ES MI	A 5910	BS	19-JUN-90	ER EC BS
I	MIL-C-19978/19A(2)	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED), (HERMETICALLY SEALED IN METAL CASES), STYLE CQ05 (VALIDATION DATE: 9010) USER: AT AV MC OS SH REVIEWER: 11 17 99 AR AS ME MI TO	A 5910	BS	22-OCT-90	ER EC BS
	MIL-C-19978/20(3)	CAPACITOR, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL WIRE TERMINAL, TANGENTIAL RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METALLIC CASES) STYL CQ10 (VALIDATION DATE: 8702) REVIEWER: 17 99 AR AS ES MI	A 5910	BS	27-FEB-87	ER EC BS
	MIL-C-19978/21(2)	CAPACITOR, FIXED, PLASTIC (OR PAPER-PLASTIC) DIELECTRIC, AXIAL WIRE TERMINAL, THREADED STUD RETAINER, TUBULAR (UNINSULATED) (HERMETICALLY SEALED IN METALLIC CASES) STYLE CQ11 (VALIDATION DATE: 8702) REVIEWER: 17 99 AR AS ES MI	A 5910	BS	27-FEB-87	ER EC BS
L	MIL-M-19981A	METER, AIR FLOW INDICATING, DIFFERENTIAL PRESSURE, SUBMARINE BATTERY VENTILATION, VARIABLE TRANSFORMER (VALIDATION DATE: 8202) REVIEWER: GS	A 6680	SH	26-FEB-62	SH
A	MIL-S-19984D	SHIRT, NAVY S, KWAKI, WITH QUARTER LENGTH SLEEVE USER: 45 REVIEWER: SA	A 8405	CT	03-AUG-84	MC CT
L	MIL-P-19990A(2)	PLOTTING TABLE, PHOTOGRAPHIC FILM (VALIDATION DATE: 8303) REVIEWER: GS	A 6740	AS	22-JUL-77	AS
A	MIL-C-20008F	CLOTHES STOP (VALIDATION DATE: 8503) USER: 45	A 8465	CT	04-MAY-79	MC CT
L	MIL-T-20037B	INDICATOR, SIGHT, LIQUID LEVEL, DIRECT READING, REFLEX TUBULAR GAGE GLASS REVIEWER: B2 GS	A 6680	SH	01-JUN-84	SH
D	MIL-F-20042D(1)	FLANGE, PIPE & BULKHEAD, BRONZE (SILVER BRAZING) USER: OS REVIEWER: CS YD1	A 4730	SH	22-NOV-85	ME SH
A	MIL-M-20048A	HOCK, CARGO (DROP FORGED) (VALIDATION DATE: 8204) REVIEWER: IS MI	A 4030	SH	08-APR-63	AR SH 99
I	MIL-C-20061D(1)	HANDCUFFS AND LEG IRONS USER: 45 MC REVIEWER: 11 B2	A 8465	CT	30-MAR-87	GL SA 99
D	MIL-V-20064E	CLIMOTENS, SHIP, AND ACCESSORIES	A 6605	SH	18-JAN-91	SH 99
L	MIL-V-20065D(3)	VALVE, NONFERROUS FOR USE WITH HALOGENATED REFRIGERANTS (VALIDATION DATE: 8204) REVIEWER: GL GS YD1	A 4130	SH	01-FEB-72	ME SH 99
		VALVE, ANGLE, PRESSURE RELIEF, NAVAL SHIPBOARD, FOR STEAM SERVICE (VALIDATION DATE: 8307) REVIEWER: CS	A 4820	SH	14-MAR-72	SH



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cntr / OMA Circulation Document Number	Document Title	Dist. Sent FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DLA
D	MIL-G-20078C NOTICE 1	GASKETS FOR BALLISTIC DOORS AND HATCHES [VALIDATION DATE: 9001] REVIEWER: AV 15	A 5330	SH	10-JAN-90	AR	SH
L	MIL-C-20079H	CLOTH, GLASS, TAPE, TEXTILE GLASS; & THREAD, GLASS & WIRE-REINFORCED GLASS USER: 45 AS REVIEWER: AR MI MV YD1	A 8305	CT	10-JUL-87	ME	SH 99 CT
L	MIL-C-0020079G(1)	CLOTH, GLASS, TAPE, TEXTILE GLASS & THREAD, GLASS ..... PRESERVATION SOLUTION CONCENTRATE, SONAR SEA CHEST VALIDATED MAR 74	A 8305	SH	29-JUN-83	SH	
L	MIL-P-20088C	REVIEWER: MR SA	A 8030	SH	14-OCT-86	SH	
L	MIL-R-20092L(1)	RUBBER OR PLASTIC SHEETS & ASSEMBLED & MOLDED SHAPES, SYNTHETIC, FOAM OR SPONGE, OPEN CELL USER: EC ME REVIEWER: 99 AR EA GS MC MI	A 9320	SH	25-FEB-88	MR	SH
L	MIL-R-0020092J	RUBBER SHEETS & ASSEMBLED & MOLDED SHAPES, CELLULAR, SYNTHETIC, OPEN CELL (FOAMED LATEX) [VALIDATION DATE: 8204]	A 9320	SH	22-APR-81	SH	
L	MIL-W-20096D	WEIGHT, BALLAST REVIEWER: 99	A 2040	SH	06-JUL-87	ME	SH
L	MIL-G-20098C	GYPSON, CALCINED [VALIDATION DATE: 8202] USER: MI REVIEWER: MD	A 5610	AR	31-JAN-69	AR	99
L	MIL-B-20100C(1)	BRUSHES, CLEANING, FOR BORE, CHAMBER AND FIRING PIN HOLE OF SMALL ARMS	A 1005	AR	12-APR-91	AR	
L	MIL-P-20102A	PROJECTOR, PYROTECHNIC, HAND, M9 [VALIDATION DATE: 8806] USER: MC	A 1095	AR	17-JUN-88	AR	
L	MIL-C-20109(1)	REVIEWER: 99					
L	MIL-B-20148D(1)	COPPER PRESSURE CYLINDERS AND COPPER PRESSURE SPHERES, CANNON (MAJOR AND MEDIUM), CANNON (MINOR), SMALL ARMS, AND PISTOL AND REVOLVER, [VALIDATION DATE: 8101] REVIEWER: AR AV	A 1090	TE	06-MAY-52	TE	
L	MIL-T-0020155B(1)	BRAZING SHEET, ALUMINUM ALLOY REVIEWER: AR AV EA ME	A 3439	AS	14-JUL-91	MR	AS 11
D	MIL-T-20168C	TUBE AND PIPE, CARBON-MOLYBDENUM ALLOY STEEL, SEAMLESS (ASTM A-335-55R, GRADE P-1) USER: 11 REVIEWER: CS	A 4710	SH	28-DEC-80	SH	
D	MIL-H-20176F	TUBE, BRASS (RED BRASS), SEAMLESS USER: AT REVIEWER: 99 CS MI MR YD1	A 4710	SH	04-AUG-86	ME	SH 11
D	MIL-T-20177D	HOSE AND HOSE ASSEMBLY, RUBBER, SMOOTH BORE, LIGHT-WEIGHT SEWAGE DISCHARGE AND DILLY WASTE DISCHARGE USER: CG REVIEWER: 82 CS SH	A 4720	YD1	19-MAY-89	MR	YD1 99
A L	MIL-B-20179E	TRAINING AID, MODEL-BRIDGE, FOR PANEL BRIDGE, M2, BAILEY-TYPE USER: MC	A 6910	ME	19-APR-88	ME	YD1
A L	MIL-H-20194E	BAG, BAILEY BRIDGE PARTS AND TOOLS: CLOTH, COTTON DUCK REVIEWER: CS MC	A 5420	ME	25-JUN-92	ME	
L	MIL-S-20197C	HELIDOTROP, SURVEYING, BOX-TYPE, WITH CASE REVIEWER: 82	A 6675	ME	23-JAN-89	ME	99
OL	MIL-L-20213E	SCALE, PLOTTING, PRECISION, CENTIMETERS AND INCHES WITH CASE [VALIDATION DATE: 9011] REVIEWER: GS	A 6675	ME	02-NOV-90	ME	99
D	MIL-T-20215C	LITHIUM HYDROXIDE (LiOH), TECHNICAL [VALIDATION DATE: 8607] REVIEWER: GS	A 6810	SH	16-JUL-86	SH	
D	MIL-C-20218F	TILE REFRACTORY, SILICON CARBIDE [VALIDATION DATE: 9102] USER: CG MR	A 9350	SH	05-FEB-91	ME	SH
L	MIL-T-20219D	REVIEWER: GS					
L	MIL-F-20236D(2)	CHROMIUM PLATING, ELECTRODEPOSITED, POROUS [VALIDATION DATE: 9102] USER: AT MR YD1	A 4710	SH	21-AUG-86	MR	SH 99
A L	MIL-C-20267C	TUBE, BRASS, VOICE AND PNEUMATIC (COPPER ALLOY NO. 260) USER: OS REVIEWER: CS	A 4730	SH	25-JUL-69	SH	
A L	MIL-F-20268F	FITTINGS, TUBE AND PIPE, BUTT WELDING, 300 PSI AND 775 DEG F MAXIMUM [VALIDATION DATE: 8109] USER: ME REVIEWER: CS	A 8465	CT	25-JUN-87	MC	CT
A L	MIL-B-20269E	CARRIER, CLUB, POLICEMAN S, COTTON WEBBING, OLIVE DRAB W/DOUBLE HOOKS [VALIDATION DATE: 8706] USER: 45	A 8405	CT	23-OCT-87		CT
L	MIL-L-20271C	FRAME, CAP, MAM S [VALIDATION DATE: 8710]	A 8315	CT	26-NOV-90	MC	CT
L	MIL-K-20277F	BUCKLES: INSIGNIA AND PLAIN	A 8315	MC	25-JUN-87	MC	
A L	MIL-B-20289D	LACE, GOLD, ORNAMENTAL [VALIDATION DATE: 8606] REVIEWER: CT					
L	MIL-P-20292A(2)	KNIFE, COMBAT, WITH SHEATH	A 1095	MC	07-JUL-82	MC	
L	MIL-P-20293A	BLADDER, FLOATATION (NAVY) [VALIDATION DATE: 8509] USER: MC SA REVIEWER: CT	A 2050	OS	09-MAR-56	OS	
L	MIL-B-20295	BUTTONS, INSIGNIA, PLASTIC	A 8455	CT	10-SEP-90	MC	CT
L	MIL-C-20301	BLANK, ROTATING BAND, FOR PROJECTILES [VALIDATION DATE: 8201]	A 1395	AR	10-SEP-68	AR	
L	MIL-P-20304	PAPER, KRAFT, ASPHALT IMPREGNATED [VALIDATION DATE: 8603] USER: GL	A 8135	AR	13-MAR-86	AR	59
L	MIL-C-20305	REVIEWER: EA					
L	MIL-D-20307A	BLANKS, CENTRIFUGAL CAST, ROTATING BAND [VALIDATION DATE: 8102]	A 1395	AR	04-FEB-75	AR	
L	MIL-P-20309	CELLULOSE ACETATE FOR USE IN PROPELLANT POWDER [VALIDATION DATE: 9108]	A 1376	AR	29-AUG-91	AR	
L	MIL-C-20312	REVIEWER: MR					
L	MIL-M-20344C	PENTAERYTHRITOL [VALIDATION DATE: 8806]	A 1376	AR	13-JUN-88	AR	
L	MIL-D-20309	DIMETHYLANILINE [VALIDATION DATE: 8806] REVIEWER: GS	A 6810	AR	13-JUN-88	AR	
L	MIL-C-20312	POLYVINYL CHLORIDE (FOR USE IN PYROTECHNICS) [VALIDATION DATE: 8803] USER: EL ME	A 1370	AR	21-MAR-88	AR	OS
L	MIL-S-20322B	DINITROMETHYLANILINE [VALIDATION DATE: 8505] REVIEWER: GS	A 6810	AR	23-NOV-51	AR	
L	MIL-S-20322B(11)	CORD, COTTON, BRAIDED (FOR PYROTECHNIC PARACHUTES), [VALIDATION DATE: 8705]	A 1395	AR	15-MAY-87	AR	
L	MIL-C-20327	CLOTH, COTTON, CARTRIDGE [VALIDATION DATE: 8301]	A 1395	AR	21-NOV-51	AR	
L	MIL-C-20330A(1)	STROMTIUM NITRATE, ANHYDROUS [VALIDATION DATE: 8505] REVIEWER: GS OS	A 6810	AR	19-APR-73	AS	
L	MIL-P-20334A	STROMTIUM NITRATE, ANHYDROUS	A 6810	AR	30-JUN-90	AR	
L	MIL-P-20338A(2)	CHARGE, PROPELLING, FOR SEPARATE LOADING AND SEMI-FIXED AMMUNITION USER: MC	A 1375	AR	12-MAY-87	AR	
L	MIL-M-20344C	CELLULOSE, WOODPULP (SULFATE) [VALIDATION DATE: 8702] REVIEWER: GS	A 6810	AR	12-FEB-87	AR	OS
L	MIL-C-20353C	PYROTECHNICS, WHITE AND COLOR COMPOSITIONS [VALIDATION DATE: 9010]	A 1370	AR	31-OCT-90	AR	
A L	MIL-C-20354C(1)	PRIMER, PERCUSSION, MARK 2A4 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR	
L	MIL-C-20356	MOTOR, ROCKET, M4 PARTS FOR [VALIDATION DATE: 9109]	A 1340	AR	12-SEP-91	AR	
L	MIL-F-20363B	CARTRIDGE, 90MM, CANISTER, M336 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR	
L	MIL-C-20367G	CARTRIDGE, 105MM, ILLUMINATING, M314A3, LOADING, ASSEMBLING AND PACKAGING	A 1315	AR	08-MAR-93	AR	
L	MIL-T-20371	CONC, GLASS [VALIDATION DATE: 8304]	A 1375	AR	27-NOV-51	AR	
L	MIL-P-20378D(1)	FLAKE, AIRCRAFT, PARACHUTE, M8A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1370	AR	31-OCT-90	AR	
L	MIL-B-20390B(2)	CASE, CARTRIDGE, 20MM, M21A1 REVIEWER: 70	A 1305	AR	23-JAN-86	AR	
L	MIL-S-20405C(1)	TUBE, BURSTER FOR SHELL, METAL PARTS [VALIDATION DATE: 8101]	A 1395	AR	28-NOV-51	AR	
L	MIL-F-20412	PLUNGER, DELAY M1, PARTS FOR [VALIDATION DATE: 8803]	A 1375	AR	22-MAR-88	AR	
L	MIL-C-20418B(2)	BOARD, AMMUNITION CONTAINER REVIEWER: EA OS	A 8140	AR	10-JUN-88	AR	
A L	MIL-F-20420J(4)	SHELL, ILLUMINATING, M314A1 AND M314A1B1 FOR 105MM HOWITZERS, M2 AND M4 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	OS	99
L	MIL-M-20439A	FUZE, BASE DETONATING, M91A2 METAL PARTS FOR [VALIDATION DATE: 8506]	A 1390	AR	07-DEC-78	AR	
L	MIL-S-20441C(1)	FUSE, SAFETY (BICKFORD TYPE)	A 1375	AR	12-MAY-87	AR	
L	MIL-P-20442B(3)	CARTRIDGE, 105MM, SMOKE MC, BE, M84A1 LOADING, ASSEMBLING, MARKING AND PACKING REVIEWER: EA	A 1315	AR	30-OCT-90	AR	
		FLAKE, SURFACE, TRIP, M9A1 PARTS, AND LOADING, ASSEMBLING AND PACKING	A 1370	AR	12-MAR-93	AR	
		FUZE, BASE DETONATING, M91A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601]	A 1390	AR	07-DEC-78	AR	
		MINE, ANTI-PERSONNEL, PRACTICE, M8 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9109]	A 1345	AR	05-SEP-91	AR	
		SIMULATOR, FLASH ARTILLERY, M10 PARTS, AND LOADING, ASSEMBLING AND PACKING	A 1370	AR	10-AUG-90	AR	
		PLUGS, LIFTING (EYEBOLT TYPE) FOR PROJECTILES	A 1320	AR	30-DEC-88	AR	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Chg / OMA	Coordination	Document	Number	Document Title	Dist. Smt	FSC Area	MCA Symbol	Preparing Agency	Date	Custodians			
											Army	Navy	Air Force	DLA
L					PRIMER, PERCUSSION, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603] REVIEWER: EA	A 1375	AR	19-MAR-86	AR	OS				
L					PRIMER, PERCUSSION, M61 PARTS AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8811]	A 1390	AR	03-NOV-88	AR					
A L					FUZE, TIME, M65A1 LOADING, ASSEMBLING AND PACKING	A 1390	AR	30-JUN-92	AR					
L					PYROTECHNICS, METHOD OF DETERMINATION OF CANDLE-POWER AND COLOR VALUE. [VALIDATION DATE: 8101]	A 1370	AR	26-NOV-51	AR					
L					BOXBOARD (FOR USE IN AMMUNITION) [VALIDATION DATE: 8704] USER: GL REVIEWER: EA	A 9310	AR	27-APR-87	AR					
					CALCIUM RESINATE [VALIDATION DATE: 9101] REVIEWER: EA GS	A 5810	AR	22-JAN-91	AR	AS				
					GRENADE, RIFLE, SMOKE, COLORED, M22A2 LOADING, ASSEMBLING, MARKING, AND PACKING [VALIDATION DATE: 8803]	A 1330	AR	18-MAR-88	AR	OS				
L					FUZE, MINE, COMBINATION M6A1 AND M10A1, PARTS FOR [VALIDATION DATE: 8809]	A 1390	AR	01-SEP-88	AR					
L					MOTOR, ROCKFT, M95 PARTS FOR [VALIDATION DATE: 8402]	A 1340	AR	12-DEC-68	AR					
L					MOTOR, ROCKFT, M4 LOADING, ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 9109]	A 1340	AR	12-SEP-91	AR					
L					PRIMER ELEMENTS, DETONATORS AND RELAYS METAL PARTS FOR REVIEWER: EA	A 1390	AR	22-AUG-90	AR					
L					DETONATION SIMULATOR, EXPLOSIVE, M80 LOADING, ASSEMBLING AND PACKING	A 1370	AR	10-JAN-86	AR					
L					PROJECTILE, 155 MM, SMOKE, MC BE, M16E2, LOADING, ASSEMBLING AND PACKING	A 1320	EA	12-MAY-87	EA					
L					ACTIVATOR, M1 LOADING, ASSEMBLING, AND PACKING, [VALIDATION DATE: 8704]	A 1345	AR	23-APR-87	EA					
L					REVIEWER: EA									
L					SIMULATOR, PROJECTILE, AIR BURST, M74A1 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1370	AR	10-APR-91	AR					
					COMMODE	A 4510	MB	25-JUN-89	MD	MS 03				
					LEAD NITRATE, TECHNICAL [VALIDATION DATE: 8904] USER: AR REVIEWER: GS MD	A 6810	EA	04-APR-89	EA	OS				
A					DIATOMACEOUS EARTH USER: AS REVIEWER: BA BS	A 9390	EA	20-OCT-92	EA	99				
L					SODIUM AZIDE, TECHNICAL (METRIC) [VALIDATION DATE: 8904] REVIEWER: GS MD	A 6810	EA	04-APR-89	EA					
					WAX, DESENSITIZING REVIEWER: GS	A 9160	AR	03-SEP-87	AR					
OL					SPRING, ESCAPEMENT, CORROSION-RESISTING [VALIDATION DATE: 8610] REVIEWER: 67 GS	A 6645	OS	29-OCT-86	OS					
L					ICE OXLAN PLANTS, PORTABLE [VALIDATION DATE: 8402] USER: 45 REVIEWER: GS MD ME	A 4110	GL	11-SEP-78	GL	99				
					ICE CREAM CABINETS, MECHANICALLY REFRIGERATED [VALIDATION DATE: 8904]	A 4110	GL	22-APR-89	GL	YD1 99				
D					REVIEWER: GS MC MD ME									
					OPENER, CAN, HAND, FOLDING USER: SS REVIEWER: EA GS MC MD	A 7330	GL	24-MAR-88	GL	SA 99				
					GLOVES, WIRE, MESH, ENTIRE HAND [VALIDATION DATE: 8801] REVIEWER: 45 MD	A 8415	CT	25-JAN-88	GL	99 CT				
A					BUCKLE, 1 3/4 INCH, CENTER AND BAR USER: MD	A 8315	CT	12-APR-85	GL	MC CT				
A					LOADING WITH INERT FILLERS, MARKING AND PACKING, [VALIDATION DATE: 8201]	A 1395	AR	17-JAN-52	AR					
L					CLOTH, CAMBRIC, VARNISHED, UNPARAFFINED, [VALIDATION DATE: 8301] REVIEWER: CT	A 8305	AR	15-JAN-52	AR					
L					TELESCOPE, M86C AND M86F [VALIDATION DATE: 8504]	A 1240	AR	19-SEP-72	AR					
L					UNIVERSAL JOINT, BLOCK TYPE, MECHANICAL REMOTE CONTROL SYSTEM [VALIDATION DATE: 8309] USER: AT REVIEWER: CS	A 3010	SH	12-MAY-59	SH					
Q					FILTER ASSEMBLY AND FILTER ELEMENTS, FLUID, PRESSURE (FOR ENGINES WITH LIQUID FUEL INJECTION SYSTEMS) USER: MC ME REVIEWER: 82 CS	A 2910	SH	19-DEC-83	AR	SH 99				
					PUTTY, SEALING (FOR BOLTED STEEL STORAGE TANKS) [VALIDATION DATE: 8109]	A 8030	ME	21-MAY-71	ME	99				
L					PURIFIERS, CENTRIFUGAL, FUEL AND LUBE OIL	A 4330	SH	20-APR-92	SH					
					SIGNS AND MARKER, ALUMINUM: MINED AREA MARKING USER: GL REVIEWER: BA GS MI	A 9905	ME	16-FEB-89	ME	99				
D					POSTS, FENCE, METAL: DRIVE-TYPE, SPADELESS USER: CE MC REVIEWER: CS	A 5660	ME	25-MAR-81	ME	YD1 99				
L					POSTS, FENCE, METAL: DRIVE-TYPE, SPADELESS	A 5660	ME	20-MAR-87	ME					
D					HOOK, CANT [VALIDATION DATE: 8104] USER: CE MC ME YD1	A 5120	GL	19-DEC-74	GL	99				
					RACK, STORAGE, MOTION PICTURE, FILM REVIEWER: 70 GS	A 6760	CR	22-SEP-83	CR	99				
					EYELETS, METALLIC, AND EYELET WASHERS, METALLIC, GENERAL SPECIFICATION FOR USER: AT MC ME REVIEWER: 82 AR IS	A 5325	GL	30-JUN-88	GL	NU 99				
					EYELET, METALLIC, ROLLED FLANGE TYPE, AND EYELET WASHER USER: AT MC ME REVIEWER: 82 AR IS	A 5325	GL	28-MAR-86	GL	NU 99				
					EYELET, METALLIC, FLAT FLANGE TYPE USER: AT MC ME REVIEWER: 82 IS	A 5325	GL	28-MAR-86	GL	NU 99				
					EYELET, METALLIC, TELESCOPIC TYPE [VALIDATION DATE: 8303]	A 5325	GL	31-MAR-72	GL	SA 99				
					STEREOSCOPE, LENS-PRISM-MIRROR, AERIAL PHOTOGRAPH INTERPRETATION (WITH BINOCULARS AND CASE) [VALIDATION DATE: 9011] REVIEWER: GS	A 6675	ME	02-NOV-90	ME	99				
LI					FLANGES, PIPE, CARBON STEEL, 150 P.S.I., W.S.P. (FOR NAVAL SHIPBOARD USE) REVIEWER: CS	A 4730	SH	26-MAR-91	SH					
					PLASTIC PLASTISOL (FOR COATING METALLIC OBJECTS) USER: AS AT EC ME REVIEWER: AN EA MI	A 8030	MR	01-JUN-90	MR	SH 84				
A					CLOTH, COATED, POLYESTER OR NYLON, WATERPROOF USER: 45 REVIEWER: 82 OS MC ME MI	A 8305	CT	01-JUN-87	GL	NU 99 CT				
					PIN, GROOVED, HEADLESS, LONGITUDINAL GROOVE [VALIDATION DATE: 8304] USER: AT MC SH REVIEWER: 82 AV EA IS	A 5315	AR	17-MAR-65	AR	AS 99				
D L					CUTTING EDGES, MOLDBOARD, GRADER USER: CE YD1 REVIEWER: CS	A 3805	ME	07-FEB-80	ME					
D					TEETH, SCARIFIER, BACK-RIP [VALIDATION DATE: 8205] USER: CE MC YD1 REVIEWER: CS	A 3830	ME	24-APR-70	ME	99				
D					SCARIFIER ASSEMBLIES, BACK-RIP, EARTH, DOZER MOUNTED [VALIDATION DATE: 8205] USER: CE REVIEWER: CS MC	A 3830	ME	21-APR-70	ME	YD1				
AQ					SYNCHROS, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 99 AV EC ES MI OS SH	A 5990	AS	25-NOV-92	AR	AS 85				
					SYNCHRO, CONTROL TRANSFORMER, TYPE 11CT4E USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, CONTROL TRANSMITTER, TYPE 11CX4E USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, TORQUE RECEIVER, TYPE 11TR4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, TORQUE TRANSMITTER, TYPE 11TX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, TORQUE RECEIVER, TYPE 26V-11TR4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, TORQUE TRANSMITTER, TYPE 26V-11TX4C USER: CG REVIEWER: 11 17 99 AV ES MC MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, CONTROL TRANSFORMER, TYPE 26V-11CT4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, CONTROL TRANSMITTER, TYPE 26V-11CX4C USER: CG REVIEWER: 11 17 99 AV ES MC MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, CONTROL DIFFERENTIAL TRANSMITTER, TYPE 26V-11CDX4C USER: CG REVIEWER: 11 17 99 AV ES MC MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, CONTROL TRANSMITTER, TYPE 15CX4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				
					SYNCHRO, CONTROL TRANSFORMER, TYPE 15CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS	13-MAR-89	AR	AS 85				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordnance Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-S-20708/16F	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX40 USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/17F	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER, TYPE 15TDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/19G	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 15TRX4A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/20E	SYNCHRO. CONTROL TRANSMITTER, TYPE 15CX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/21F	SYNCHRO. CONTROL TRANSFORMER, TYPE 15CT6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/22E	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 15CDX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/23E	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 15TRX6A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
A L MIL-S-20708/25A NOTICE 1	SYNCHRO. CONTROL TRANSFORMER, TYPE 16CTB4B REVIEWER: 99 ES	A 5990	OS 15-SEP-87		OS		
MIL-S-20708/28F	SYNCHRO. CONTROL TRANSMITTER, TYPE 18CX4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/29F	SYNCHRO. CONTROL TRANSFORMER, TYPE 18CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/30F	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/31F	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER, TYPE 18TDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/32G	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 18TRX4A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/33E	SYNCHRO. CONTROL TRANSMITTER, TYPE 18CX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/34E	SYNCHRO. CONTROL TRANSFORMER, TYPE 18CT6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/35E	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 18TRX6B USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/36E	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 18CDX6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
L MIL-S-20708/39A NOTICE 1	SYNCHRO. CONTROL TRANSFORMER, TYPE 19CTB4B REVIEWER: 99 ES	A 5990	OS 15-SEP-87		OS		
A L MIL-S-20708/42A(1) NOTICE 1	SYNCHRO. CONTROL TRANSFORMER, TYPE 19CTB6B REVIEWER: 99 ES	A 5990	OS 15-SEP-87		OS		
MIL-S-20708/45F	SYNCHRO. CONTROL TRANSMITTER, TYPE 23CX4D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/46E	SYNCHRO. CONTROL TRANSFORMER, TYPE 23CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/47E	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/48E	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
L MIL-S-20708/49C	SYNCHRO. DIFFERENTIAL RECEIVER, TYPE 23TR4B REVIEWER: 99 ES	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/50F	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 23TRX4A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/52E	SYNCHRO. CONTROL TRANSMITTER, TYPE 23CX6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/53E	SYNCHRO. CONTROL TRANSFORMER, TYPE 23CT6D USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/54E	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 23CDX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/55E	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER, TYPE 23TDX6C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/56E	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 23TRX6B USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
L MIL-S-20708/62F	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 31TRX4A USER: CG MC REVIEWER: EC ES	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/66E	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 31TRX6A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
L MIL-S-20708/67C	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER, TYPE 31TR6B REVIEWER: ES	A 5990	AS 13-MAR-89		AS		
A L MIL-S-20708/68C(1)	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER, TYPE 31TDX6C USER: CG MC REVIEWER: AS SH	A 5990	OS 09-SEP-97		OS		
L MIL-S-20708/70D	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 37TRX4A USER: CG MC REVIEWER: EC ES	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/74E	SYNCHRO. TORQUE RECEIVER TRANSMITTER, TYPE 37TRX6A USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
L MIL-S-20708/76C	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER, TYPE 37TDX6A REVIEWER: ES	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/78F	SYNCHRO. CONTROL TRANSMITTER, TYPE 26V-08CX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/79F	SYNCHRO. CONTROL TRANSFORMER, TYPE 26V-08CT4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/80F	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 26V-08CDX4C USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
MIL-S-20708/81E	SYNCHRO. CONTROL DIFFERENTIAL TRANSMITTER, TYPE 11CDX4B USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
L MIL-S-20708/94B(1)	SYNCHRO. 60 AND 400 HZ, SIZE 23 (VALIDATION DATE: 8404) USER: AT REVIEWER: ES ME MI	A 5990	AS 13-MAR-89		AS		
A L MIL-S-20708/100 NOTICE 1	SYNCHRO RECEIVER, TYPE 55N, MOD 1B (VALIDATION DATE: 8709) REVIEWER: ES	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/131D	SYNCHRO. CONTROL TRANSMITTER, TYPE 15CX4F USER: CG MC REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89	AR	AS	BS	
A L MIL-S-20708/138B(1)	SYNCHRO. CONTROL TRANSMITTER, TYPE 31CX4A USER: CG MC REVIEWER: AS SH	A 5990	AS 13-MAR-89		AS		
A L MIL-S-20708/139(2)	SYNCHRO. CONTROL TRANSMITTER, TYPE 31CX6A USER: CG MC REVIEWER: AS SH	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/143 NOTICE 1	SYNCHRO. TORQUE DIFFERENTIAL TRANSMITTER 26V-08TDX4A REVIEWER: AS SH	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/144	SYNCHRO. TORQUE RECEIVER TYPE 26V-08TR4A REVIEWER: 11 17 99 AV ES MI OS	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/145	SYNCHRO. TORQUE TRANSMITTER TYPE 26V-08TX4A (VALIDATION DATE: 8709) REVIEWER: 11 17 99 AV ES ME MI SH	A 5990	AS 13-MAR-89		AS		
MIL-S-20708/500A NOTICE 1	MILITARY SPECIFICATION SHEET SYNCHRO TORQUE RECEIVER, TYPE 31TRX6A USER: CG MC REVIEWER: 11 99 AT ES ME MI SA	A 5990	AS 13-MAR-89		AS		
L MIL-S-20708/504	SYNCHROS. CONTROL TRANSFORMER, TYPE 15CT6B (VALIDATION DATE: 8709) CASEWORK, METAL AND WOOD (MEDICAL AND DENTAL) REVIEWER: AS SH	A 5990	AS 13-MAR-89		AS		
D MIL-C-207090	ARMING DEVICE MARK 6 MOD 0 (TORPEDO PRACTICE) REVIEWER: AS SH	A 5990	AS 13-MAR-89		AS		
L MIL-A-21001A(2) NOTICE 1							
L MIL-C-21004B(2)	CANISTER, LITHIUM HYDROXIDE, SCREENED END						
MIL-T-21014D(1)	TUNGSTEN BASE METAL, HIGH DENSITY						
DQ MIL-A-21016F	ADHESIVE, RESILIENT DEX COVERING USER: AS SH						
MIL-G-21032D	GASKET, METALLIC ASBESTOS, SPIRAL WOUND (FOR PIPING SYSTEMS) (VALIDATION DATE: 8709) REVIEWER: AS SH						



## NUMERICAL LISTING MILITARY SPECIFICATIONS

[illegible]



## NUMERICAL LISTING MILITARY SPECIFICATIONS

164



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cntr / Chg Coordination Inches	Document Number	Document Title	Dist. Smt. Fnc / Area	MCA Symbol	Preparing Agency	Date	Custodians		
							Army	Navy	Air Force DLA
L1	MIL-Z-21353 MIL-A-21366A	ZIRCONIUM HYDRIDE ..... ADHESIVE, FOR BONDING PLASTIC TABLE TOP MATERIAL TO ALUMINUM [VALIDATION DATE: 8204] REVIEWER: MI	A 1375 A 8040	OS SH	15-JUN-89 16-FEB-66	OS MR	OS SH		
L	MIL-H-21367E SUPPL 181	MULL FITTINGS: CONNECTORS, ADAPTER, END SEALS, AND STUFFING TUBES FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLES [VALIDATION DATE: 9012] REVIEWER: ES	A 5935	SH	17-DEC-90		SH		
L	MIL-H-21367/1	MULL FITTING, STUFFING TUBE, TYPE MX8208/U FOR FLEXIBLE, SOLID DIELECTRIC, RADIO FREQUENCY CABLE	A 5975	SH	18-OCT-85		SH		
L	MIL-H-21367/2	MULL FITTING, STUFFING TUBE, TYPE MX8209/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE	A 5975	SH	18-OCT-85		SH		
L	MIL-H-21367/3	MULL FITTING, STUFFING TUBE, TYPE MX8210/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE	A 5975	SH	18-OCT-85		SH		
L	MIL-H-21367/4 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX8211/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/5 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX8212/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/6 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX8213/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/7	MULL FITTING, STUFFING TUBE, TYPE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE	A 5975	SH	18-OCT-85		SH		
L	MIL-H-21367/8 NOTICE 1	MULL FITTINGS, STUFFING TUBE, TYPE MX7637/U, LONG BODY, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/9 NOTICE 1	MULL FITTINGS, STUFFING TUBE, TYPE MX2327/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/10 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX2327/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/11 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX2326/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/12 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX2326/U (LONG BODY) FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/13 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX2646/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/14 NOTICE 1	MULL FITTING, STUFFING TUBE, TYPE MX2646/U (LONG BODY), FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/15	MULL FITTING, CONNECTOR, END SEAL TYPE MX1203/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE	A 5935	SH	18-OCT-85				
	MIL-H-21367/16	MULL FITTING, CONNECTOR, END SEAL TYPE MX2632/U FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE	A 5935	SH	18-OCT-85				
L	MIL-H-21367/17 NOTICE 1	MULL FITTING, BLANKING PLUGS FOR STUFFING TUBES MX2326/U, MX2327/U, AND MX2646/U, FOR FLEXIBLE SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/18 NOTICE 1	MULL FITTING, BLANKING PLUGS FOR STUFFING TUBE MX7637/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5975	SH	17-DEC-90		SH		
L	MIL-H-21367/19 NOTICE 1	MULL FITTING, CONNECTOR, ADAPTER, TYPE UG1404/U, FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5935	SH	17-DEC-90		SH		
L	MIL-H-21367/20	MULL FITTINGS, CONNECTOR, PLUG, TYPE UG-14 5/U, FOR FLEXIBLE, SOLID - DIELECTRIC, RADIO - FREQUENCY CABLE	A 5935	SH	18-OCT-85				
L	MIL-H-21367/21 NOTICE 1	MULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1406/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5935	SH	17-DEC-90		SH		
L	MIL-H-21367/22 NOTICE 1	MULL FITTING, CONNECTOR, PLUG, TYPE UG-1407/U FOR FLEXIBLE, SOLID-DIELECTRIC, RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5935	SH	17-DEC-90		SH		
L	MIL-H-21367/23	MULL FITTING, CONNECTOR, RECEPTACLE TYPE UG-1408/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE	A 5935	SH	18-OCT-85		SH		
L	MIL-H-21367/24 NOTICE 1	MULL FITTING, CONNECTOR, PLUG TYPE UG-1421/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE [VALIDATION DATE: 9012]	A 5935	SH	17-DEC-90		SH		
L	MIL-H-21367/25	MULL FITTING, CONNECTOR, PLUG (JACK), TYPE UG-1423/U, FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE	A 5935	SH	18-OCT-85		SH		
L	MIL-H-21367/26	MULL FITTING, CONNECTOR, PLUG TYPE UG-1424/U FOR FLEXIBLE, SOLID-DIELECTRIC RADIO-FREQUENCY CABLE	A 5935	SH	18-OCT-85		SH		
	MIL-H-21367/27	MULL FITTINGS, CONNECTOR, RECEPTACLE, TYPE UG-1439/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE	A 5935	SH	18-OCT-85				
	MIL-H-21367/28	MULL FITTING, CONNECTOR, RECEPTACLE, TYPE UG-1495/U, FOR FLEXIBLE, SOLID - DIELECTRIC RADIO - FREQUENCY CABLE	A 5935	SH	18-OCT-85				
L	MIL-T-21369C	TEST SET MARK 127 MOD 4 .....	A 4925	OS	18-SEP-90		OS		
D	MIL-A-21380B(1) NOTICE 1	ABRASIVE MATERIALS, FOR BLASTING [VALIDATION DATE: 9110] USER: AN CR MC YD1	A 5350	AS	24-OCT-91	MR	AS	99	
L	MIL-P-21381B(1)	PLOTTING BOARDS, SHIP S STATUS AND TACTICAL DISPLAY (NAVAL SHIPBOARD USE) [VALIDATION DATE: 8104]	A 6605	SH	13-MAY-63		SH		
L	MIL-H-21383A(1)	MANGANESE DELAY COMPOSITION [VALIDATION DATE: 8307] REVIEWER: AR .....	A 1375	OS	06-JUN-77	EA	OS		
L	MIL-P-21386E(1)	PAPER, FILTER MEDIA, ROLL-TYPE .....	A 6640	SH	18-MAY-92		SH		
OL	MIL-H-21393A(6)	MICROPHONE, DYNAMIC M-92C/U [VALIDATION DATE: 8106] REVIEWER: ES .....	A 5965	AS	15-NOV-68		AS		
L	MIL-P-21397C	PROPORTIONING UNIT, CHEMICAL (FOR DISTILLING PLANTS NAVAL SHIPBOARD USE) [VALIDATION DATE: 8106]	A 4620	SH	28-NOV-71		SH		
L	MIL-I-21400	INTERVALOMETER, ORDNANCE, RELEASE TD-239/A [VALIDATION DATE: 8205] .....	A 1280	AS	02-JUN-58		AS		
L	MIL-C-21402A NOTICE 1	CABLE ASSEMBLIES, NON-MAGNETIC (ORDNANCE) [VALIDATION DATE: 9203] .....	A 1075	OS	18-MAR-92		OS		
D	MIL-B-21408G NOTICE 1	BOOTS, SAFETY [VALIDATION DATE: 8908] USER: 45 MC YD1 REVIEWER: 11 82 AS ..	A 8430	CT	28-AUG-89	GL		99	CT
L	MIL-G-21410A	GOVERNING SYSTEMS, SPEED & LOAD-SENSING NAVAL SHIPBOARD USE .....	A 6115	SH	23-DEC-91		SH		
L	MIL-A-21412A NOTICE 1	ANODES, CORROSION PREVENTIVE, MAGNESIUM ALLOY, CAST OR EXTRUDED SHAPES WITH CAST-IN CORES [VALIDATION DATE: 9103] REVIEWER: IS	A 5340	SH	27-MAR-91		SH		
L	MIL-P-21415C	PROTECTIVE FINISH AND PAINTING FOR POLARIS FLEET BALLISTIC MISSILE [VALIDATION DATE: 8204] REVIEWER: 99	A MFFP	OS	01-FEB-73		OS		
L	ODD-A-21417A(1)	RESIN, CHLORINATED ALKYL, SOLUTION (METRIC) .....	A 8010	SH	20-NOV-86		SH		
L	MIL-B-21418	BELTING SYSTEM, AMMUNITION, MARK 2 MOD 0 (FOR 20MM MARK 100 SERIES AMMUNITION) [VALIDATION DATE: 8303]	A 1305	AS	28-MAY-58		AS		
L	MIL-F-21424A NOTICE 1	FILTERS, POLARIZING (FOR OPTICAL INSTRUMENTS) [VALIDATION DATE: 8809] .....	A 1240	OS	07-SEP-88		OS		
	MIL-H-21425B	WIRE, STEEL, HIGH CARBON, SQUARE, UNCOATED, FOR MECHANICAL SPRINGS (GENERAL PURPOSE) [VALIDATION DATE: 8204] USER: AR WV REVIEWER: GL MI	A 9505	OS	30-MAY-75	MR	OS	99	
L	MIL-S-21427B(1)	STRAINER, ASSEMBLIES, MAIN STEAM, HIGH PRESSURE (SIZES 4 INCHES AND ABOVE)	A 4730	SH	23-APR-91		SH		
L1	MIL-A-21430B NOTICE 2	ACCESSORY SET MARK 1 MOD 1 .....	A 4930	OS	27-MAR-92		OS		
L	MIL-H-21431	MANROPE, COMPOSITION, COVERED [VALIDATION DATE: 8104] .....	A 2090	SH	03-OCT-58		SH		
L	MIL-S-21433A(3)	SOCKETS, TURNBUCKLES, AND TURNBUCKLE ASSEMBLIES--WIRE ROPE, WEDGE, AND THREADED LOCK SLEEVE [VALIDATION DATE: 8108] REVIEWER: IS	A 5340	SH	07-JUN-66		SH		
L	MIL-T-21451(1) NOTICE 1	TEST SET MARK 77 MOD 0 [VALIDATION DATE: 8704] .....	A 4925	OS	08-APR-87		OS		
L	MIL-B-21465	BUTYL STEARATE - NORMAL [VALIDATION DATE: 8107] .....	A 6810	OS	15-JUL-58		OS		
L	MIL-S-21472C	SCREW, SHOULDER, HEXAGON SOCKET-HEAD AND SLOTTED-HEAD GENERAL SPECIFICATION FOR REVIEWER: IS ME OS	A 5305	AR	31-OCT-88	AR	AS	99	
L	MIL-C-21479B NOTICE 1	CABLE ASSEMBLIES, GENERAL SPECIFICATION FOR (ORDNANCE) [VALIDATION DATE: 9201]	A 1135	OS	08-JAN-92		OS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active OR / On Condition Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-G-21480A(1) NOTICE 1	GENERATOR SYSTEM 400 HERTZ, ALTERNATING CURRENT, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8712] REVIEWER: AV	A 6115 AS	15-DEC-87	AS	11		
QL MIL-G-21480/1B	EMERGENCY GENERATOR, ALTERNATING CURRENT, 3.0 KVA, F-4 AIRCRAFT [VALIDATION DATE: 8407] REVIEWER: GS	A 6115 AS	18-MAY-78	AS			
L MIL-G-21480/3B NOTICE 1	GENERATOR SYSTEM, EMERGENCY, 2.5 KVA, 400 HERTZ, ALTERNATING CURRENT, RAM AIR TURBINE DRIVEN, DETAIL SPECIFICATION FOR [VALIDATION DATE: 8712] REVIEWER: GS	A 6115 AS	31-DEC-87	AS			
QL MIL-G-21480/4C NOTICE 1	GENERATING SYSTEM, 25 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS [VALIDATION DATE: 8711]	A 6115 AS	30-NOV-87	AS			
QL MIL-G-21480/7A	GENERATOR SYSTEM, 10 KVA, 400 HZ, AC, INTEGRALLY EXCITED BRUSHLESS TYPE [VALIDATION DATE: 8407] REVIEWER: GS	A 6115 AS	21-JUL-78	AS			
QL MIL-G-21480/8A	GENERATOR SYSTEM, 34 KVA, 400 CYCLE, AC, INTEGRALLY EXCITED BRUSHLESS TYPE AND 200 AMPS AT 28 VOLTS, DC [VALIDATION DATE: 8407] REVIEWER: GS	A 6115 AS	04-NOV-77	AS			
QL MIL-G-21480/9B NOTICE 1	GENERATOR SYSTEM, EMERGENCY, 1.7 KVA, 400 HZ, AC, RAM AIR TURBINE DRIVEN REVIEWER: GS	A 6115 AS	20-NOV-87	AS			
QL MIL-G-21480/10B	GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, STATICALLY EXCITED, BRUSH TYPE [VALIDATION DATE: 8306]	A 6115 AS	20-DEC-76	AS			
L MIL-G-21480/11A	GENERATOR SYSTEM, 10 KVA, 400 CYCLE, AC, INTERGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8508] REVIEWER: GS	A 6115 AS	05-FEB-79	AS			
QL MIL-G-21480/12E	GENERATOR SYSTEM, 40 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE ...	A 6115 AS	15-JUL-83	AS			
L MIL-G-21480/13A	GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8407] REVIEWER: GS	A 6115 AS	20-JAN-78	AS			
QL MIL-G-21480/16A	GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8407] REVIEWER: GS	A 6115 AS	22-FEB-78	AS			
L MIL-G-21480/17A(1)	GENERATOR SYSTEM, 20 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE REVIEWER: 11	A 6115 AS	23-JUL-82	AS			
L MIL-G-21480/18	GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE [VALIDATION DATE: 8306]	A 6115 AS	20-OCT-76	AS			
L MIL-G-21480/19A NOTICE 1	GENERATOR SYSTEM, AIRCRAFT, 400 HZ, 3 PHASE 115/200 VOLT, 50 KVA AND 90 KVA	A 6115 AS	29-OCT-79	AS			
L MIL-G-21480/21A	GENERATOR SYSTEM, 30 KVA, 400 HZ, AC, INTEGRALLY EXCITED, BRUSHLESS TYPE ..	A 6115 AS	05-AUG-83	AS			
L MIL-G-21480/23	GENERATOR SYSTEM, AIRCRAFT 400 HZ, 3 PHASE 115/200 VOLT, 30/45 KVA .....	A 6115 AS	03-MAY-84	AS			
L MIL-C-21496D	CARTRIDGE, IMPULSE, MARK 104 MOD 0 [VALIDATION DATE: 8508] .....	A 1377 AS	05-OCT-72	AS			
L MIL-C-21499A NOTICE 1	CHEMICAL PACKET, POTASSIUM IODIDE, POTASSIUM IODIDE, AND SODIUM BICARBONATE [VALIDATION DATE: 8203] REVIEWER: GS	F 6810 SH	19-JUN-64	SH			
L MIL-L-21514C(1)	LAUNCHER TUBE, MISSILE, MARK 4, MODS 0, 1, 2, AND 3 AND MARK 8 MODS 0 AND 1 [VALIDATION DATE: 8306]	A 1440 OS	04-OCT-63	OS			
L MIL-S-21516B	SUPPORT RING, ASSEMBLY LAUNCHER TUBE, MISSILE [VALIDATION DATE: 8306] .....	A 1440 OS	28-MAY-63	OS			
L MIL-B-21518A	BELLOW ASSEMBLY, FLEXIBLE, FOR LAUNCHING SYSTEM, MISSILE MARK 17 MODS 0, 1, 2 & 3 [VALIDATION DATE: 8508]	A 1440 OS	04-APR-61	OS			
L MIL-S-21520C(1)	SEALS, INTERTUBE FOR LAUNCHER TUBE MARK 4 MODS 0, 1, 2 AND 3 AND MARK 8 MODS 0 AND 1 [VALIDATION DATE: 8306]	A 1440 OS	23-JUL-64	OS			
L MIL-S-21521A(2)	SPRINGS, LIQUID FOR SHOCK ABSORBER MISSILE LAUNCHER MARK 2 MOD 0 [VALIDATION DATE: 8306]	A 1440 OS	01-DEC-64	OS			
L MIL-C-21522(2)	CYLINDER, LOCKOUT FOR SHOCK ABSORBER, MISSILE LAUNCHER MARK 2 MOD 0 [VALIDATION DATE: 8306]	A 1440 OS	01-AUG-61	OS			
L MIL-D-21523A(2)	DIAPHRAGM ASSEMBLY [VALIDATION DATE: 8306] .....	A 1440 OS	28-APR-64	OS			
L MIL-C-21526B(2)	CONTROL ASSEMBLY, EJECTOR [VALIDATION DATE: 8306] .....	A 1440 OS	15-JAN-65	OS			
L MIL-F-21527B	FLASK, AIR, LAUNCHER [VALIDATION DATE: 8306] .....	A 1440 OS	26-JUN-61	OS			
L MIL-C-21529D(2)	CABLE ASSEMBLIES, ELECTRICAL [VALIDATION DATE: 8211] .....	A 1440 OS	18-NOV-64	OS			
L MIL-R-21530D(2)	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM GENERAL SPECIFICATION FOR [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/10(1)	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R2H4R100A [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/20	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R20M4R2A [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	26-FEB-62	OS			
L MIL-R-21530/30	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 25R27M8A [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	26-FEB-62	OS			
L MIL-R-21530/40	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R40M4R2A [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	26-FEB-62	OS			
L MIL-R-21530/50(1)	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R50M4R2A [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/12A(1)	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R59M4R2X [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/13A	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R40M4R2X [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	26-FEB-62	OS			
L MIL-R-21530/14A(1)	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 11R2H4R100X [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/15(1)	RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 54R1010B [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/16(2)	RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 54R1010B [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/18(1)	RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 28R42M2B [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/19(2)	RESOLVER, ELECTRICAL, AC, SPECIAL MOUNTING FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 28R42M2B [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21530/20A(1)	RESOLVER, ELECTRICAL, AC, FOR USE IN POLARIS FLEET BALLISTIC MISSILE WEAPON SYSTEM TYPE 41R47M2A [VALIDATION DATE: 8510] REVIEWER: ES	A 5990 OS	09-MAR-65	OS			
L MIL-R-21540B	MANUAL, TECHNICAL, FBW WEAPON SYSTEM, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8208]	A THSS OS	15-DEC-67	OS			
L MIL-S-21558A	SEAL, OIL, PLAIN OR PLAIN ENCASED [VALIDATION DATE: 8403] REVIEWER: IS MI	A 5330 OS	28-SEP-73	OS			
QL MIL-E-21562E	ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY REVIEWER: GS .....	A 3439 SH	24-MAR-89	SH			
Q MIL-P-21563B NOTICE 1	POINT SYSTEM, FLUORESCENT, FOR AIRCRAFT APPLICATION (ASA) [VALIDATION DATE: 8702] REVIEWER: EA MI OS	A 8010 AR	18-FEB-87	AR	99		
QL MIL-C-21567A	COMPOUND, SILICONE, SOFT FILM [VALIDATION DATE: 8208] USER: ME REVIEWER: EA GS MI	A 6850 OS	26-OCT-73	OS			
L MIL-G-21569B NOTICE 1	GASKETS, CYLINDER LINER SEAL, SYNTHETIC RUBBER [VALIDATION DATE: 8905] REVIEWER: IS	A 5330 SH	09-MAY-89	SH			
L MIL-F-21572 NOTICE 1	FUZE FUNCTION CONTROL SET AM/AMM-1 [VALIDATION DATE: 8107] REVIEWER: 99 ...	A 1290 AS	15-JUL-60	AS			
L MIL-D-21576	DEHYDRATOR, DESICCANT, ELECTRIC (FOR BAGGED DESICCANT [VALIDATION DATE: 8509])	A 4440 AS	11-AUG-58	AS			
L MIL-A-21577A(1) SUPPL 1A1	AMPLIFIER, AUDIO FREQUENCY, AND AMPLIFIER-CONTROL GROUPS-SHIPBOARD ANNOUNCING	A 5830 SH	29-OCT-82	SH			
L MIL-A-21577/1A(1)	AMPLIFIER-OSCILLATOR GROUP AM/SIA-114 .....	A 5830 SH	29-OCT-82	SH			
L MIL-A-21577/2(1)	AMPLIFIER-CONTROL GROUP, AM/SIA-115 .....	A 5830 SH	29-OCT-82	SH			
L MIL-A-21577/3(1)	AMPLIFIER-CONTROL GROUP, AM/SIA-116 .....	A 5830 SH	29-OCT-82	SH			
L MIL-A-21577/4B	AMPLIFIER-OSCILLATOR GROUP, AM/SIA-117 [VALIDATION DATE: 8209] .....	A 5830 SH	15-AUG-68	SH			
L MIL-A-21577/5A(1)	AMPLIFIER-OSCILLATOR GROUP, AM/SIA-118 [VALIDATION DATE: 8209] .....	A 5830 SH	15-AUG-68	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OOL Coordination Notice Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-A-21577/6A(1)	AMPLIFIER ASSEMBLY, AM-2316/SIA	A 5830 SH 29-OCT-82	SH			
L MIL-A-21577/7B	AMPLIFIER-CONTROL GROUP, TYPE AM/SIA-119 (VALIDATION DATE: 8209)	A 5830 SH 15-AUG-68	SH			
L MIL-A-21577/8A	AMPLIFIER-CONTROL GROUP, AM/SIA-120 (VALIDATION DATE: 8210)	A 5830 SH 27-FEB-67	SH			
L MIL-A-21577/9	AMPLIFIER-CONTROL GROUP, AM/SIA-122(V) (VALIDATION DATE: 8104)	A 5830 SH 31-JAN-64	SH			
L MIL-A-21577/10	AMPLIFIER, AUDIO FREQUENCY-EMERGENCY REPORT SYSTEM (VALIDATION DATE: 8209)	A 5830 SH 31-JUL-68	SH			
L MIL-A-21577/11(1)	AMPLIFIER, AUDIO FREQUENCY, BOOSTER AMPLIFIER - AUDIO - 20 WATT SHIPBOARD ANNOUNCING	A 5830 SH 17-JAN-83	SH			
L MIL-T-21578A	TEST EQUIPMENT, HAZARDOUS LOCATION, INSTALLED, BASIC REQUIREMENTS FOR (VALIDATION DATE: 8108)	A 4920 AS 28-JAN-66	AS			
LI MIL-C-21583(2)	CS MECHANISM MARK 1 MODS 3, 4, 9, AND 11	A 1350 OS 27-MAR-92	OS			
A L MIL-P-21593D	PANEL MARKERS: RANGE, FLANK, AND DEBARKATION POINT; MYLON, FLUORESCENT	A 8465 CT 14-FEB-91	MC	CT		
A LI MIL-H-21594C	HOOKPOINT, AIRCRAFT ARRESTING	A 1710 AS 06-JUL-92	AS			
LI MIL-T-21595D(2)	TAPES, PRESSURE-SENSITIVE ADHESIVE, MASKING, NON-STAINING, FOR AIRCRAFT PAINTING APPLICATIONS USER: AR MC REVIEWER: EA	A 7510 AS 25-SEP-86	MR	AS	99	
QL MIL-T-0021595C	TAPE, PRESSURE SENSITIVE, PLASTIC, MASKING (FOR PAINT COLOR SEPARATION) ...	A 7510 AS 25-FEB-81	AS			
QL MIL-P-21600A	PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION (VALIDATION DATE: 8004) REVIEWER: AV DS MI	A 8010 AS 26-OCT-62	AS			
QL MIL-S-21604D	SWITCHES, ROTARY, MULTIPOLE AND SELECTORS; GENERAL SPECIFICATION FOR	A 5930 SH 30-MAR-92	SH			
L MIL-S-21604/1A	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 1 AMPERE, STYLES JF AND JFM	A 5930 SH 30-MAR-92	SH			
L MIL-S-21604/2A	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JK	A 5930 SH 30-MAR-92	SH			
L MIL-S-21604/3B	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 5 AMPERE, STYLE JL	A 5930 SH 30-MAR-92	SH			
L MIL-S-21604/4A	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 7-1/2 AMPERE, STYLE JM	A 5930 SH 30-MAR-92	SH			
L MIL-S-21604/5A	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLE JR	A 5930 SH 30-MAR-92	SH			
LI MIL-S-21604/6A	SWITCH, ASSEMBLIES FOR REMOTE OPERATED SWITCHES, 10 AMPERE, STYLES RJR AND RJRA	A 5930 SH 30-MAR-92	SH			
L MIL-S-21604/7A	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, 10 AMPERE, STYLES JR 304 AND JRM 300	A 5930 SH 30-MAR-92	SH			
QL MIL-R-21607E	RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT	A 9330 SH 25-MAY-90	SH			
QL MIL-T-21608E(1)	FERRULE, SHIELD TERMINATING, CRIMP STYLE USER: AV REVIEWER: LS MS	A 5940 AS 21-MAY-80	CR	AS	85	
L MIL-G-21610C	GASKETS, HEAT EXCHANGER, VARIOUS CROSS SECTION RINGS, SYNTHETIC RUBBER	A 5330 SH 21-NOV-89	SH			
L MIL-G-21615(2)	REVIEWER: IS					
QL MIL-C-21617(1)	GUN, AIRCRAFT, 20MM MARK 12 MOD 0 & MOD 3 (INACTIVE) (VALIDATION DATE: 8306)	A 1005 AS 25-FEB-63	AS			
L MIL-A-21618B(2)	CONNECTOR, PLUG AND RECEPTACLE--ELECTRICAL RECTANGULAR, POLARIZED SHELL, MINIATURE TYPE (VALIDATION DATE: 8601) USER: AV REVIEWER: LS MI	A 5935 EC 05-MAR-59	EC			
L MIL-H-21623B	ADAPTER, PALLET, STEEL FOR CYLINDRICAL CONTAINERS (VALIDATION DATE: 8402)	A 3990 OS 22-NOV-78	OS			
LI MIL-D-21625F(1)	REVIEWER: GS					
QL MIL-D-21631A(1)	HOLDERS, RADIAC SAMPLE	A 6665 SH 30-APR-90	SH			
LI MIL-W-21632(1)	DESIGN AND EVALUATION OF CARTRIDGES FOR CARTRIDGE ACTUATED DEVICES (VALIDATION DATE: 8407) REVIEWER: MI	A 1377 AS 29-NOV-77	AS	99		
A MIL-L-21635D	DECK COVERING, LATEX CONCRETE (VALIDATION DATE: 9012)	A 5610 SH 26-DEC-90	SH			
L MIL-S-21639	WIRE ROPES, STEEL, BARE AND NYLON COVERED, CORROSION-RESISTING, FLEXIBLE, PREFORMED, OCEANOGRAPHIC AND BATHYOTHERMOGRAPHIC REVIEWER: IS MI	A 4010 SH 01-APR-91	SH			
L MIL-C-21640B	LAST, FOOTWEAR (SHOE, WOMAN S, OXFORDS) (VALIDATION DATE: 8503) USER: 45	A 8335 CT 30-NOV-79	GL	NU	99	CT
L MIL-T-21643D	MC REVIEWER: IS					
QL MIL-H-21649C	SEXTANT, BUBBLE AQU-1/A (VALIDATION DATE: 8303)	A 6605 AS 15-DEC-58	AS			
LI MIL-L-21652A(1)	CONTROL, DEGAUSSING COMPASS COMPENSATING TYPE A-1	A 1075 SH 08-JUL-88	SH			
L MIL-C-21657A	TRUCKS, LIFT, FORK, REACHING AND TIERING, NARROW AISLE, ELECTRIC, 3000 (1360 KG) AND 4000 POUNDS (1820 KG), CAPACITY REVIEWER: AT CS MT	A 3930 SA 02-OCT-89	ME	SA	99	
A L MIL-H-21660A	MOUNT, RESILIENT, TYPE SM10,000-H (VALIDATION DATE: 9103) REVIEWER: IS	A 5340 SH 27-MAR-91	SH			
LI MIL-T-21671	LIGHT, BEACON, ANTICOLLISION, AIRCRAFT, GENERAL SPECIFICATION FOR USER: AT	A 6220 AS 29-MAY-92	AV	AS	99	
LI MIL-T-21674(3)	REVIEWER: IS GS					
L MIL-C-21676(1)	COPPER-BERYLLIUM ALLOY, LOW MAGNETIC EFFECT (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) (VALIDATION DATE: 9203)	A 9530 OS 18-MAR-92	OS			
LI MIL-T-21677	HOOK, THRUST, JATO, 1000 POUNDS NOMINAL THRUST	A 1340 AS 30-SEP-92	AS			
L MIL-C-21679(1)	TEST SET MARK 126 MOD 0	A 6625 OS 27-MAR-92	OS			
LI MIL-T-21684	TEST SET MARK 177 MOD 0	A 6625 OS 21-AUG-90	OS			
QL MIL-I-21685(3)	MINE CASE MARK 36 MOD 2 (INACTIVE FOR NEW DESIGN)	A 1350 OS 28-MAY-86	OS			
L MIL-H-21688A(1)	TEST SET MARK 3 MOD 2	A 6625 OS 27-MAR-92	OS			
Q MIL-V-21701B(2)	CLOCK DELAY CD-10 MOD 1 MECHANISM (INACTIVE FOR NEW DESIGN (VALIDATION DATE: 8605)	A 1350 OS 28-MAY-86	OS			
A L MIL-T-21704F	TEST SET MARK 96 MOD 1	A 6625 OS 27-MAR-92	OS			
A L MIL-J-21708C	INDICATOR, COMPASS REPEATER, ROTATING DIAL, TYPE PM-2 (VALIDATION DATE: 8506)	A 6605 AS 28-MAR-79	AS			
A L MIL-S-21709E	MEASURING SYSTEM, FLOAT CURRENT, SUBMARINE STORAGE BATTERY (VALIDATION DATE: 8912)	A 2090 SH 08-DEC-89	SH			
A L MIL-C-21711E(1)	VALVE, CHECK, OXYGEN MASK, INLET (VALIDATION DATE: 9110)	A 1660 AS 24-OCT-91	AV	AS		
L MIL-D-21713A(1)	TRUSERS, COLD WEATHER REVIEWER: CG	A 8415 CT 01-JUL-87	NU	CT		
QL MIL-I-21718(1)	TRUSERS, EXTREME COLD WEATHER, IMPERMEABLE USER: 45 CG	A 8415 CT 24-MAY-84	NU	CT		
L MIL-T-21719	JACKET, COLD WEATHER USER: CG REVIEWER: SH	A 8415 CT 01-JUL-87	NU	CT		
A L MIL-S-21711E(1)	CAP, COLD WEATHER, IMPERMEABLE	A 8415 CT 09-FEB-84	NU	CT		
L MIL-D-21713A(1)	SHOES, WOMEN'S USER: 45 CG MC REVIEWER: IS 82 MD	A 8435 CT 19-OCT-88	GL	NU	99	CT
QL MIL-T-21718(1)	AIR DRYER MARK 12 MOD 0 (VALIDATION DATE: 8402) REVIEWER: GS	A 4440 OS 30-JUN-65	OS			
L MIL-H-21714A	WATER, DRINKING, NONMAGNETIC CANNED, EMERGENCY (VALIDATION DATE: 8208)	A 8960 SH 10-JUN-68	SH			
QL MIL-I-21718(1)	INDICATOR, AIRSPEED, PITOT STATIC, MAXIMUM ALLOWABLE SPEED, 40-400 KNOTS (VALIDATION DATE: 8410)	A 6610 AS 09-OCT-59	AS			
L MIL-T-21719	TEST SET MC 339 MOD 0 (VALIDATION DATE: 8208)	A 4931 OS 29-JAN-64	OS			
A L MIL-H-21722B	HOOKS, THRUST AND STABILIZING, JATO 4500 POUNDS NOMINAL THRUST	A 1680 AS 30-SEP-92	AS			
L MIL-C-21723A(1)	COMPOSITION CH-6 (VALIDATION DATE: 8107)	A 1376 OS 29-NOV-72	OS			
QL MIL-H-21733A	WEBBING, TEXTILE, NYLON-PNEUMATIC LIFE PRESERVER (VALIDATION DATE: 8304)	A 8305 AS 24-JAN-71	AS			
QL MIL-H-21734C	REVIEWER: CT					
QL MIL-I-21735A	MICROPHONE, DYNAMIC, OXYGEN MASK H-94B/A (VALIDATION DATE: 8106) REVIEWER: ES	A 5965 AS 25-SEP-74	AS			
L MIL-P-21755C	INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS (VALIDATION DATE: 8712)	A 6610 AS 07-DEC-87	AS			
MIL-D-21757C	PLOTTING SHEET, POLYESTER FILM, 1,000 METER GRID, 1.25,000 SCALE REVIEWER: ME	A 7530 GL 19-NOV-84	GL			
MIL-H-21826B	DISPENSER, COMPRESSIBLE BOTTLE, CONDIMENT (VALIDATION DATE: 8402)	A 7350 GL 09-JUN-78	GL	SA	99	
A MIL-F-21840G	REVIEWER: CG GS					
	MACHINE, PLASTIC SHEET, THERMOFORMING (FOR PACKAGING APPLICATIONS) (VALIDATION DATE: 8201) USER: MC SH REVIEWER: SM	A 3540 GL 16-FEB-73	GL	SA	99	
	FASTENER TAPES, HOOK AND PILE, SYNTHETIC USER: 45 AM AS MC REVIEWER: OS 99	A 8315 CT 18-FEB-83	GL	NU	11	CT
	OS EA MD OS					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inches	Document Number	Document Title	Dist. Spt. FAC / Area MCA Symbol	Preparing Acty Date	Custodians			
					Army	Navy	Air Force	DLA
A L	MIL-C-21850C	COVERALLS, CATAPULT, CREWMEN S (VALIDATION DATE: 8601) USER: 45 AS	A 8415	CT 13-DEC-79	NU	CT		
L	MIL-C-21851E	CLOTH, TWILL, POLYESTER AND COTTON REVIEWER: B2 99 CT MC MD	A 8305	NU 04-MAY-88	GL	NU	11	
A	MIL-C-21852F	CLOTH, TAFFETA, NYLON USER: CG REVIEWER: B2 99 MC MD	A 8305	CT 06-FEB-89	GL	NU	11	CT
A L	MIL-G-21854	GLOVES, PROTECTIVE, FUEL AND OXIDIZER RESISTANT (RESIN MODIFIED BUTYL) (VALIDATION DATE: 8112) USER: 45	A 8415	CT 30-AUG-62	NU			CT
	MIL-T-21858D(1)	TRUCK, HAND, SHELF, STOCKPICKER (VALIDATION DATE: 8302) USER: MC REVIEWER: AT GS	A 3920	ME 15-MAR-78	ME	SA	99	
	MIL-S-21859E	SUPPORT SETS, STACKING, MATERIAL HANDLING PALLET USER: SM REVIEWER: GS	A 3990	ME 04-FEB-85	ME		84	
	MIL-M-21861A	MANUAL, TECHNICAL, MATERIALS HANDLING EQUIPMENT USER: ME	A THSS	SA 03-OCT-89		SA	99	
	MIL-T-21867C	TRUCK, LIFT, FORK, TELESCOPING MAST, ELECTRIC, SELF PROPELLED (WALKIE) GENERAL SPECIFICATION FOR USER: AS DH MS OS REVIEWER: AT CS MC	A 3930	SA 31-OCT-89	ME	SA	99	
L	MIL-T-21868C	TRUCKS, LIFT, FORK, DIESEL; SHIPBOARD GENERAL SPECIFICATION FOR REVIEWER: SH	A 3930	SA 05-DEC-89		SA		
L	MIL-T-21868/3C	TRUCK, LIFT, FORK, DIESEL, SOLID TIRES, 6,000 POUND (2722 KG) CAPACITY, 130 INCH (3300 MM) LIFT, SHIPBOARD REVIEWER: SH	A 3930	SA 05-DEC-89		SA		
L	MIL-T-21868/4C	TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 6,000 POUND (2722 KG) CAPACITY, 130 INCH (3300 MM) LIFT, SHIPBOARD REVIEWER: SH	A 3930	SA 05-DEC-89		SA		
L	MIL-T-21868/7C	TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 15,000 POUND (6803 KG) CAPACITY, 220 INCH (5590 MM) LIFT, SHIPBOARD REVIEWER: SH	A 3930	SA 05-DEC-89		SA		
L	MIL-T-21868/8C	TRUCK, LIFT, FORK, DIESEL, PNEUMATIC TIRES, 20,000 POUND (9070 KG) CAPACITY, 220 INCH (5590 MM) LIFT, SHIPBOARD REVIEWER: SH	A 3930	SA 05-DEC-89		SA		
L	MIL-T-21868/9B	TRUCK, LIFT, FORK, DIESEL, SOLID TIRES, 6,000 POUND (2722 KG) CAPACITY, 92 INCH (2335 MM) LIFT, SHIPBOARD, LOW SILHOUETTE REVIEWER: SH	A 3930	SA 05-DEC-89		SA		
	MIL-T-21869E SUPPL 1A1	TRUCKS, LIFT, FORK, ELECTRIC, SIT-DOWN, FRONT WHEEL DRIVE, REAR WHEEL STEER; GENERAL SPECIFICATION FOR REVIEWER: CS MC SH	A 3930	SA 01-DEC-89	ME	SA	99	
	MIL-T-21869/12F	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2,000 POUND (910 KILOGRAM) CAPACITY, 127 INCH (3220 MILLIMETER) LIFT, GENERAL PURPOSE, TYPE "EE" USER: MC REVIEWER: SH	A 3930	SA 01-DEC-89	ME	SA		
L	MIL-T-21869/21G	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE "EE" USER: MC REVIEWER: OS SH	A 3930	SA 01-DEC-89		SA		
L	MIL-T-21869/22G	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6000 POUND (2730 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE "EE" USER: MC REVIEWER: OS SH	A 3930	SA 01-DEC-89		SA		
L	MIL-T-21869/32F	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (2540 MILLIMETERS) LIFT, SHIPBOARD, TYPE, "EX" REVIEWER: OS SH	A 3930	SA 01-DEC-89		SA		
	MIL-T-21869/34G	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2,000 POUND (910 KILOGRAM) CAPACITY, 144 INCH (3660 MILLIMETER) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST REVIEWER: CS SM	A 3930	SA 01-DEC-89	ME	SA	99	
L	MIL-T-21869/37F	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 100 INCH (4570 MILLIMETERS) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST REVIEWER: CS ME	A 3930	SA 01-DEC-89		SA		
	MIL-T-21869/38F	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST	A 3930	SA 01-DEC-89	ME	SA	99	
	MIL-T-21869/39F	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAM) CAPACITY, 180 INCH (4570 MILLIMETER) LIFT, GENERAL PURPOSE, TYPE "EE" TRIPLE STAGE MAST	A 3930	SA 01-DEC-89	ME	SA	99	
	MIL-T-21869/51E	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 10,000 POUND (4540 KILOGRAM) CAPACITY, 110 INCH (2800 MILLIMETER) LIFT, TYPE "EE"	A 3930	SA 01-DEC-89	ME	SA		
L	MIL-T-21869/60A	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE	A 3930	SA 01-DEC-89		SA		
L	MIL-T-21869/61A	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4,000 POUND (1820 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EX	A 3930	SA 01-DEC-89		SA		
L	MIL-T-21869/62A	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE REVIEWER: CS OS	A 3930	SA 01-DEC-89		SA		
L	MIL-T-21869/63A	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 144 INCH (3660 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EX REVIEWER: CS OS	A 3930	SA 01-DEC-89		SA		
L	MIL-T-21869/64A	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6,000 POUND (2720 KILOGRAMS) CAPACITY, 180 INCH (4570 MILLIMETERS) LIFT, ASHORE ORDNANCE HANDLING, TYPE EE REVIEWER: CS OS	A 3930	SA 01-DEC-89		SA		
	MIL-T-21869/65	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2500 POUND CAPACITY, 185 INCH LIFT GENERAL PURPOSE, TYPE "E" REVIEWER: CS SH	A 3930	84 13-MAR-87	ME	SA	99	
L	MIL-T-21876C	TRUCK, LIFT, FORK, ELECTRIC, SIDELOADER FOUR-DIRECTIONAL, SHIPBOARD, MISSILE-CARRYING, 4000 POUND CAPACITY	A 3930	SA 02-FEB-91		SA		
A L	MIL-B-21880D	BELT, MILITARY POLICE (WHITE) (VALIDATION DATE: 8312) USER: 45	A 8465	CT 13-JUN-78	NU		CT	
A	MIL-C-21881G	CLOTH, POPLIN, POLYESTER AND COTTON USER: CG MC REVIEWER: B2 MD	A 8305	CT 12-JUL-88	GL	NU	99	CT
A L	MIL-C-21883D	CLOTH, SATIN OR CLOTH TWILL, RAYON WARP AND COTTON FILLING USER: 45	A 8305	CT 01-OCT-85		NU		CT
L	MIL-G-21893C	GLOVES, CLOTH, NYLON, KNITTED (DRESS, MEN S) (VALIDATION DATE: 8011) USER: CG REVIEWER: CT	A 8440	NU 30-APR-81		NU		
A	MIL-S-21894F	SHOE, SAFETY (CHUCKA) USER: 45 CG MC MS OS REVIEWER: 11 AS	A 8430	CT 01-SE-82		NU	99	CT
A L	MIL-I-21899D	INSIGNIA, BRANCH OF SERVICE (COLLAR AND SLEEVE)	A 8455	CT 16-OCT-90		NU		CT
L	MIL-P-21904A	PARACHUTES FOR UNDERWATER MINES: GENERAL SPECIFICATION FOR (VALIDATION DATE: 9203)	A 1350	OS 18-MAR-92		OS		
L	MIL-M-21908(1) NOTICE 1	MICROBURET, KOCH TYPE (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITY MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) (VALIDATION DATE: 8203)	F 6640	SH 01-JUN-70		SH		
L	MIL-L-21910(1)	LAUNCHER, ROCKET LAU-10/A (INACTIVE) (VALIDATION DATE: 8304)	A 1055	AS 15-OCT-63		AS		
L I	MIL-S-21915B NOTICE 1	SWITCH, HYDROSTATIC, MARK 42 MOD 0	A 1350	OS 27-MAR-92		OS		
L I	MIL-S-21920C NOTICE 2	SWITCH, HYDROSTATIC, MARK 41 MODS 0 AND 1	A 1350	OS 27-MAR-92		OS		
	MIL-P-21922B(1) NOTICE 1	PLASTIC RODS AND TUBES, POLYETHYLENE (VALIDATION DATE: 8803) REVIEWER: AR EA GL GS MI	A 9330	NR 30-MAR-88	NR	AS	11	
L	MIL-S-21923 NOTICE 2	SYNTHETIC RUBBER COMPOUND, BUTADIENE-STYRENE TYPE, OZONE RESISTANT, FOR LOW TEMPERATURE SERVICE (VALIDATION DATE: 8307) REVIEWER: GS NR	A 9320	OS 04-FEB-59		OS		
O	MIL-P-21929C	PLASTIC MATERIAL, CELLULAR POLYURETHANE, FOAM-IN-PLACE, RIGID (2 POUNDS PER CUBIC FOOT) USER: AT REVIEWER: AS AV GL GS MI OS YDI	A 9330	SH 15-JAN-91	SH	SH	99	
L I	MIL-S-21944B NOTICE 2	SWITCH, THERMOSTATIC, MARK 3 MOD 0	A 5930	OS 27-MAR-92		OS		
L I	MIL-M-21945A NOTICE 1	NONMAGNETIC REQUIREMENTS FOR PARTS FOR MINES MARK 56 AND MARK 57	A 1350	OS 27-MAR-92		OS		
L	MIL-S-21946A	STEEL, WROUGHT, MANGANESE - NICKEL, AUSTENITIC (LOW MAGNETIC PERMEABILITY) (VALIDATION DATE: 8208) REVIEWER: IS	A 9520	OS 18-JUL-72		OS		
L	MIL-S-21952C	STEEL (MY-80 AND MY-100) BARS, ALLOY REVIEWER: IS	A 9510	SH 10-JAN-90		SH		
L	MIL-P-21960B	PAINTING AND MARKING, WAR HEADS, GUIDED MISSILE (VALIDATION DATE: 8208) REVIEWER: AS	A 8010	OS 11-MAY-67		OS		
	MIL-M-21965D	WATER COOLING OF SHIPBOARD ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR REVIEWER: EC	A 4420	SH 05-FEB-88		SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On: (OMB Coordination Involvement Document Number)	Document Title	Dist Smt FSC / Area MCS Symbol Preparing Act	Date	Custodians		
				Army	Navy	Air Force DIA
L	MIL-E-219818	ELECTRONICS TYPE DESIGNATIONS, IDENTIFICATION PLATES AND MARKINGS, REQUIREMENTS FOR REVIEWER: MC	A 9905	EC	15-AUG-86	EC
L	MIL-W-21985(2)	WHEEL - CUSHION TREAD (SEMI-PNEUMATIC) FOR MOBILE GROUND SUPPORT EQUIPMENT REVIEWER: CS	A 2530	AS	10-FEB-87	AS
LI	MIL-W-219938	WIRE ROPE ASSEMBLY, MOORING, MARK 1 MOD 1 .....	A 1350	OS	27-MAR-92	OS
LI	MIL-J-219948	JUNCTION BOX MARK 43 MOD 0 .....	A 1350	OS	27-MAR-92	OS
A L	MIL-D-220008(1)	DRY CLEANING PRESSES AND FINISHING EQUIPMENT, COMMERCIAL (SHIPBOARD) .....	A 3510	SH	22-MAR-93	SH
QL	MIL-M-22001(1)	MICROPHONE, CARBON, OXYGEN MASK, AMB-M-CI (VALIDATION DATE: 9110) .....	A 5965	AS	15-OCT-91	AS
L	MIL-T-22007A	TEST SET, BATTERY AN/AMM-1 (VALIDATION DATE: 8106) REVIEWER: 99 GS .....	A 6660	AS	28-NOV-73	AS
L	MIL-T-22012	TIMER, SEQUENTIAL, BATTERY CONDITIONING, TD-267/U (VALIDATION DATE: 8204) REVIEWER: 99	A 4935	OS	08-JUN-59	OS
L	MIL-C-22016(3)	CARTRIDGE, (STANDARD), MARTIN-BAKER MKS, EJECTION SEAT .....	A 1377	AS	15-APR-87	AS
DQ	MIL-B-22019C(2)	BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED USER: AV CG CS MC REVIEWER: EA ME MI SA SH SM YDI	A 8135	AS	28-NOV-86	GL AS 69
D	MIL-B-220200	BAGS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED USER: CS MC MI REVIEWER: 71 84 AT ES ME OS SA SH SM YDI	A 8105	AS	02-MAY-90	GL AS 69
D	MIL-I-220230(1)	INSULATION FELT, THERMAL AND SOUND ABSORBING FELT, FIBROUS GLASS, FLEXIBLE REVIEWER: MI YDI	A 5640	SH	21-FEB-84	ME SH 99
L	MIL-I-22027	IGNITER, JET ENGINE, MK 243 MOD 2 (VALIDATION DATE: 8204) .....	A 1375	AS	13-MAY-59	AS
QL	MIL-T-22030(1)	TRANSMITTER, RATE OF FLOW, FUEL: TRU-26/A (300 TO 10,000 PPH) .....	A 6620	AS	03-DEC-90	AS
QL	MIL-B-220360	BRIDLE AND PENDANT ASSEMBLIES AIRCRAFT LAUNCHING .....	A 1720	AS	20-SEP-91	AS
L	MIL-R-22040(2)	RANGEFINDER MARK 75 MOD 1 .....	A 1240	OS	27-JAN-87	OS
L	MIL-C-22043	COVER, COATED, NYLON (FOR NAVAL ORDNANCE EQUIPMENT) (VALIDATION DATE: 84031)	A 10CP	OS	22-APR-60	OS
LI	MIL-P-22046(1)	POWER SUPPLY MARK 20 MOD 1 .....	A 6625	OS	21-AUG-90	OS
LI	MIL-T-22047(1)	TEST SET MARK 27 MOD 1 .....	A 6625	OS	21-AUG-90	OS
M L	MIL-G-220500	GASKET AND PACKING MATERIAL, RUBBER, FOR USE WITH POLAR FLUIDS, STEAM, AND AIR AT MODERATELY HIGH TEMPERATURES	A 5330	SH	07-MAY-93	SH
QL	MIL-V-220520	VALVE, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER) REVIEWER: CS	A 4820	SH	20-MAR-78	SH
L	MIL-T-22053A	TEST CHAMBER, RADIAC DETECTOR, TS-1189/PD (VALIDATION DATE: 8104) .....	A 6625	SH	11-FEB-69	SH
L	MIL-I-22054A	INDICATOR, PRESSURE, SYNCHRO, DUAL, GENERAL PURPOSE (VALIDATION DATE: 82031)	A 6620	AS	01-NOV-64	AS
L	MIL-A-22055(3)	AMPLIFIER MARK 140 MODS 0, 1, AND 2 (VALIDATION DATE: 8902) .....	A 1290	OS	23-FEB-89	OS
QL	MIL-I-22062A(2)	INTERCONNECTING BOX J-1013A/AIC .....	A 5831	AS	15-MAY-90	AS
QL	MIL-H-22072C	HYDRAULIC FLUID, CATAPULT, NATO CODE NUMBER H-579 (VALIDATION DATE: 9110) ..	A 9150	AS	24-OCT-91	AS
QL	MIL-I-22075C	INDICATOR, BEARING-DISTANCE-HEADING ID-663/U .....	A 6605	AS	26-NOV-84	SH
Q	MIL-I-22076B(1)	INSULATION TUBING, ELECTRICAL NONRIGID, VINYL, VERY LOW TEMPERATURE GRADE REVIEWER: 99 EC GS MI	A 5970	SH	02-APR-84	ER SH 85
L	MIL-G-22077B	GENERATOR SETS, GAS TURBINE, DIRECT-AND ALTERNATING-CURRENT, NAVAL SHIPBOARD USE (VALIDATION DATE: 8301) REVIEWER: GS	A 6115	SH	01-AUG-77	SH
L	MIL-C-22079C	CARTRIDGE, IMPULSE, MARK 17 MOD 1 .....	A 1377	AS	10-DEC-85	AS
Q	MIL-T-22085D(2)	TAPE, PRESSURE-SENSITIVE, ADHESIVE, PRESERVATION AND SEALING USER: ME REVIEWER: 43 99 AR EA MR SM	A 7510	AS	10-SEP-85	GL AS 69
D	MIL-T-22085D(13)	TAPE, PRESSURE - SENSITIVE, ADHESIVE, PRESERVATION AND SEALING USER: ME REVIEWER: 43 84 99 AR EA MR SM YDI	A 7510	AS	30-SEP-86	GL AS 69
M L	MIL-P-22088B	PURIFIERS, JET FUEL CENTRIFUGAL, NAVAL SHIPBOARD .....	A 4330	SH	15-APR-93	SH
Q	MIL-R-22097F(5)	RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPES), GENERAL SPECIFICATION FOR (VALIDATION DATE: 8702) USER: 19 AT CG MC ME REVIEWER: 11 17 99 AR AS EA ES MI OS	A 5905	85	06-AUG-82	ER EC 85
M I	MIL-R-22097/G	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ11 (VALIDATION DATE: 9304) USER: 19 AT AV MC ME REVIEWER: 17 AR ES MI OS	A 5905	85	29-APR-93	ER EC 85
M I	MIL-R-22097/ZF(1)	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ12 (VALIDATION DATE: 9304) USER: 19 AT MC ME REVIEWER: 11 17 80 AR AS ES MI OS	A 5905	85	29-APR-93	ER EC 85
M I	MIL-R-22097/3G	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ22 (VALIDATION DATE: 9304) USER: 19 AT AV MC ME REVIEWER: 11 17 99 EA ES MI OS	A 5905	85	29-APR-93	ER EC 85
M I	MIL-R-22097/4D	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ24 (VALIDATION DATE: 9304) USER: 19 AT AV MC ME REVIEWER: 11 17 99 EA ES MI OS	A 5905	85	29-APR-93	ER EC 85
M I	MIL-R-22097/5C(1)	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RJ26 (VALIDATION DATE: 9304) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR AS MI OS	A 5905	85	29-APR-93	ER EC 85
M I	MIL-R-22097/6E(1)	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, SINGLE TURN), STYLE RJ50 (VALIDATION DATE: 9304) USER: 19 AT MC ME REVIEWER: 11 17 80 AR AS ES MI OS	A 5905	85	29-APR-93	ER EC 85
DQ	MIL-I-22110C	INHIBITOR, CORROSION, VOLATILE, CRYSTALLINE POWDER USER: MC REVIEWER: 99 AR AT GS OS SA SH SM YDI	A 6850	AS	26-SEP-85	EA AS 69
A L	MIL-G-22112B	GLASS, DARK ADAPTATION (VALIDATION DATE: 8401) .....	A 8465	CT	03-JUL-69	AS CT
L	MIL-E-22118B	ENAMEL, ELECTRICAL-INSULATING (VALIDATION DATE: 8204) REVIEWER: OS MI .....	A 8010	OS	09-JUL-74	OS
QL	MIL-I-22126B(2)	INDICATOR, TORQUEMETER, ENGINE, TURBOPROP (VALIDATION DATE: 8410) .....	A 6620	AS	11-JAN-74	AS
L	MIL-S-22128A(2)	SQUIP, ELECTRIC, MARK 2 MODS (VALIDATION DATE: 8006) .....	A 1340	AS	20-AUG-71	OS
L	MIL-I-22129C(2)	INSULATION TUBING, ELECTRICAL, POLYTETRAFLUORETHYLENE RESIN, NONRIGID USER: ME MI REVIEWER: 99 AR EA GS	A 5970	SH	30-AUG-89	ER SH 85
L	MIL-S-22135C(1)	SWITCH, FIRING, MARK 9 MOD 0 (FOR EXPLODER MECHANISM MARK 19 SERIES) (VALIDATION DATE: 85061)	A 1355	OS	11-APR-73	OS
I	MIL-S-22141B(1)	STEEL, INVESTMENT CASTINGS ALLOY AND CARBON (VALIDATION DATE: 9111) REVIEWER: AR AS EA	A MECA	OS	06-NOV-91	NR OS
L	MIL-T-22143A(3)	TELETYPewriter, TT-264/AG (VALIDATION DATE: 9110) .....	A 5815	AS	15-OCT-91	AS
A L	MIL-A-22145C	ACCELEROMETER GROUP, COUNTING (MS25447 AND MS25448) .....	A 6610	AS	13-NOV-92	AS
QL	MIL-A-22165(5)	AMPLIFIER, COMPASS, SERVO (TYPE MP-1 COMPASS) (VALIDATION DATE: 8304) .....	A 6605	AS	15-MAY-61	AS
QL	MIL-G-22169(2)	CYRO, VERTICAL AND HUNT (VALIDATION DATE: 8303) .....	A 6605	AS	01-DEC-60	AS
Q	MIL-W-22176A(4)	WATCH, WRIST, SUBMERSIBLE (400-FOOT), NON-MAGNETIC REVIEWER: GS .....	A 6645	SH	22-JUL-87	SH 99
QL	MIL-A-22179(6)	MICROPHONE, DYNAMIC M-98B/A (VALIDATION DATE: 8307) REVIEWER: OS .....	A 5965	AS	15-AUG-69	AS
DQ	MIL-B-221910(1)	BARRIER MATERIAL, TRANSPARENT, FLEXIBLE, HEAT SEALABLE USER: AT MC SS REVIEWER: 84 99 EA ES ME MI OS SA SH SM YDI	A 8135	AS	24-MAY-86	GL AS 69
DQ	MIL-E-22200G	ELECTRODES, WELDING, COVERED: GENERAL SPECIFICATION FOR USER: AT MC OS SUPPL 1A1 REVIEWER: EA GS MR YDI	A 3439	SH	03-MAY-89	AR SH 84



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Op / OML Classification Machine	Document Number	Document Title	Dist. Smt. FSC / Ams MCA Symbol	Preparing Date	Army Navy Air Force DLA	Custodians
	MIL-E-22200/1E	ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM AND HIGH TENSILE STEEL, AS WELDED OR STRESS-RELIEVED WELD APPLICATION [INVALIDATION DATE: 7911] USER: AT REVIEWER: EA GS MI OS	A 3439	SH 03-OCT-73	AR	SH 11
L	MIL-E-0022200/1F(1)	ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM & HIGH TENSILE STEEL, AS WELDED OR STRESS-RELIEVED WELD APPLICATION	A 3439	SH 14-AUG-85		SH
D	MIL-E-22200/2D	ELECTRODE, WELDING COVERED (AUSTENITIC CHROMIUM-NICKEL STEEL, FOR CORROSION AND HIGH TEMPERATURE SERVICES) USER: AR MC OS YDI REVIEWER: GS	A 3439	SH 19-SEP-86	AL	SH 11
D	MIL-E-22200/3F	ELECTRODES, WELDING, COVERED, NICKEL BASE ALLOY, AND COBALT BASE ALLOY USER: MC OS YDI REVIEWER: GS	A 3439	SH 19-SEP-86	NR	SH 11
	MIL-E-22200/4D	ELECTRODES, WELDING, COVERED, COPPER-NICKEL ALLOY USER: MC OS REVIEWER: AT	A 3439	SH 29-AUG-91	AL	SH 99
	MIL-E-22200/5C	ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, HIGH-TENSILE LOW ALLOY STEEL-HEAT-TREATABLE ONLY USER: AT REVIEWER: GS	A 3439	SH 01-MAR-84	AR	SH 11
L	MIL-E-0022200/5B	ELECTRODE, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, LOW-ALLOY STEEL FOR HARDENING AND TEMPERING HEAT TREATMENT APPLICATIONS ONLY [INVALIDATION DATE: 7911] REVIEWER: GS	A 3439	SH 11-JUN-71		SH
D	MIL-E-22200/8B(1)	ELECTRODES, WELDING, COVERED, LOW - HYDROGEN, & IRON - POWDER LOW - HYDROGEN, CHROMIUM - MOLYBDENUM ALLOY STEEL & CORROSION RESISTING STEEL USER: AT MC OS REVIEWER: AL EA GS MR YDI	A 3439	SH 20-JUN-84	AR	SH 11
L	MIL-E-22200/9B(1)	ELECTRODE, WELDING, MINERAL COVERED, LOW HYDROGEN, NICKEL MANGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS WELDED APPLICATION	A 3439	SH 26-MAR-87		SH
L	MIL-E-22200/10B(2)	ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, MEDIUM, HIGH TENSILE AND HIGHER-STRENGTH LOW ALLOY STEELS	A 3439	SH 14-NOV-90		SH
L	MIL-E-0022200/10A(2)	ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN MEDIUM, HIGH TENSILE AND HIGHER-STRENGTH LOW ALLOY STEELS REVIEWER: GS	A 3439	SH 25-OCT-84		SH
L	MIL-E-22200/11A	ELECTRODES, WELDING, MINERAL COVERED, IRON-POWDER, LOW-HYDROGEN, FOR PRODUCING HY-130 WELDMENTS TO BE HEAT-TREATED REVIEWER: GS	A 3439	SH 25-APR-89		SH
	MIL-M-22202C	MANUAL, TECHNICAL, AIRCRAFT CROSS SERVICING GUIDE, PREPARATION OF [INVALIDATION DATE: 8304]	A THSS	AS 08-JUL-77	TM	AS 16
	MIL-P-22203	PERFORMANCE DATA REPORT FOR STANDARD AIRCRAFT CHARACTERISTICS CHARTS FOR PILOTTED AIRCRAFT [INVALIDATION DATE: 8107]	A THSS	AS 21-SEP-59	AV	AS
L	MIL-A-22212(1)	ANTENNAS, AT-500 (+)/AP AND AT-929(+)/AP, AND ANTENNA BASE AB 117(+)/AP [INVALIDATION DATE: 8307] REVIEWER: ES	A 5985	AS 30-JAN-70		AS
L	MIL-T-22214B(1)	TUBE, CONDENSER AND HEAT EXCHANGER WITH INTEGRAL FINS (UNS ALLOY NOS. C71500, C70600, C12200)	A 4710	SH 05-NOV-90		SH
LI	MIL-S-22219 NOTICE 1	STAND, BOOSTER TEST, MK 12 MOD 0	A 4935	OS 20-MAY-92		OS
LI	MIL-S-22220 NOTICE 1	STAND, SUSTAINER TEST MK 13 MOD 0	A 4935	OS 20-MAY-92		OS
LI	MIL-S-22224 NOTICE 2	SENSITIVITY SWITCH MARK 5 MOD 1	A 5930	OS 27-MAR-92		OS
L	MIL-C-22226A	COPPER NICKEL MANGANESE ALLOY BARS, PLATES, AND SHEETS, LOW MAGNETIC EFFECT (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) [INVALIDATION DATE: 8204]	A 9530	OS 22-FEB-73		OS
Q	MIL-B-22227A	BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR [INVALIDATION DATE: 8101] REVIEWER: 11 IS MI	A 3110	AS 23-JAN-76	AV	AS
L	MIL-B-002227B	BEARING, BALL, ANNULAR, GENERATOR AND MOTOR GENERATOR [INVALIDATION DATE: 8509]	A 3110	AS 14-AUG-79		AS
A	MIL-C-22230B(1)	CLEANING COMPOUND, FUEL TANK AND BILGE	A 6850	SH 20-NOV-92		SH
L	MIL-I-22231(1) NOTICE 1	INDICATOR, AZIMUTH-ELEVATION-RANGE IP-446/APG-53A [INVALIDATION DATE: 8509]	A 5841	AS 20-FEB-61		AS
D	MIL-D-22233D	DRILL RODS, COUPLING, SPARKS, ROCK BITS, AND EXTRACTOR, FOR DRIFTER DRILLS USER: MC REVIEWER: AT CS	A 3820	YDI 21-JUN-91	ME	YDI
L	MIL-T-22238M(1)	TANK, LIQUID STORAGE, METAL, FOR PETROLEUM PRODUCTS, HORIZONTAL WITH SKIDS, 500-GALLON, LOW PROFILE REVIEWER: AT CS	A 5430	ME 18-OCT-88		ME
L	MIL-T-0022238J(1)	TANK, FUEL DISPENSING, METAL, FOR PETROLEUM PRODUCTS, HORIZONTAL, WITH SKIDS, 525-GALLON AND 600-GALLON CAPACITY REVIEWER: AT CS	A 5430	ME 16-OCT-91		ME
L	MIL-M-22239C(1)	NAVIGATIONAL SET, TACAM AN/ARN-52 (V) [INVALIDATION DATE: 8307]	A 5826	AS 15-JAN-70		AS
L	MIL-H-22240F(1)	HOSE, RUBBER, PETROLEUM BASED FUELS & WATER SERVICES, DISCHARGE ONLY, SMOOTH BORE LIGHTWEIGHT BULB/TYRE TYPE REVIEWER: CS	A 4720	SH 15-FEB-89		SH
	MIL-P-22241B NOTICE 1	PLASTIC SHEET FILM POLYTETRAFLUOROETHYLENE (TFE-FLUOROCARBON RESIN) [INVALIDATION DATE: 8702] REVIEWER: DS EA EC EL GL GS ME MI OS	A 9330	MR 10-FEB-87	MR	SH 11
	MIL-C-22244C	CARTRIDGE, MARK 23 MOD 0	A 1377	AS 10-DEC-85		AS
L	MIL-M-22248A(2)	WELDMENTS, ALUMINUM AND ALUMINUM ALLOY USER: ME	A THJM	OS 06-JUN-85	EA	OS 11
L	MIL-C-22249B SUPPL 1A1	CONNECTOR SETS, ELECTRICAL, HERMETICALLY SEALED, SUBMARINE GENERAL SPECIFICATION FOR	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/1A	CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/2A	CONNECTOR SETS, PLUG ASSEMBLY, 15-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/3A	CONNECTOR SETS, HEADER ASSEMBLY, 15-PIN	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/4A	CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/5A	CONNECTOR SETS, PLUG ASSEMBLY, 44-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/6A	CONNECTOR SETS, HEADER ASSEMBLY, 44-PIN	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/7B	CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/8A	CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/9A	CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/10A	CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/11A	CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/12A	CONNECTOR SETS, PLUG ASSEMBLY, 72-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/13A	CONNECTOR SETS, HEADER ASSEMBLY, 72-PIN	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/14A	CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/15A	CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/16A	CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/17A	CONNECTOR SETS, PLUG ASSEMBLY, 138-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/18A	CONNECTOR SETS, HEADER ASSEMBLY, 138-PIN	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/19A	CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/20A	CONNECTOR SETS, PLUG ASSEMBLY, 175-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/21A	CONNECTOR SETS, HEADER ASSEMBLY, 175-PIN	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/23A	CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 44- AND 72-PIN UMBILICAL PLUG COUPLING NUTS	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/24A	CONNECTOR SETS, SPANNER WRENCH ASSEMBLY FOR 138- AND 175-PIN UMBILICAL PLUG COUPLING NUTS	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/25A	CONNECTOR SETS, WATERTIGHT HEADER COVER ASSEMBLY FOR 15-PIN UMBILICAL PLUG	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/26B	CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/27B	CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (45 DEG. ORIENTATION)	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/28B	CONNECTOR SETS, HEADER ASSEMBLY, 208-PIN (310 DEG. ORIENTATION)	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/29B	CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE (45 DEG. ORIENTATION)	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/30B	CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, MISSILE SIDE, (310 DEG. ORIENTATION) REVIEWER: ES	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/31B	CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/32B	CONNECTOR SETS, HEADER ASSEMBLY, 3-PIN	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/33B	CONNECTOR SETS, PLUG ASSEMBLY, 3-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/34C	CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, COMPARTMENT SIDE	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/35A	CONNECTOR SETS, HEADER ASSEMBLY, 19-PIN	A 5935	SH 29-SEP-89		SH
L	MIL-C-22249/36C	CONNECTOR SETS, PLUG ASSEMBLY, 19-PIN, MISSILE SIDE	A 5935	SH 29-SEP-89		SH



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OIA Inchance Document Number	Document Title	Dist. Smt. FSC / Issue	MCA Symbol Preparing Act.	Date	Custodians			
					Army	Navy	Air Force	DIA
L MIL-C-22249/37B	CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN, COMPARTMENT SIDE	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/38A	CONNECTOR SETS, HEADER ASSEMBLY, 12-PIN	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/39B	CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/40B	CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, COMPARTMENT SIDE REVIEWER: ES	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/41A	CONNECTOR SETS, HEADER ASSEMBLY, 6-PIN REVIEWER: ES	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/42B	CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE REVIEWER: ES	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/43A	CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE REVIEWER: ES	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/44A	CONNECTOR SETS, SPANNER WRENCH FOR 208-PIN PLUG REVIEWER: ES	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/45C	CONNECTOR SETS, SPANNER WRENCH, FOR 3-, 6-, 12-, AND 19-PIN PLUG, MISSILE SIDE REVIEWER: ES	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/46B	CONNECTOR SETS, WATERTIGHT COVER ASSEMBLY, 208-PIN, HEADER ASSEMBLY REVIEWER: ES	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/47	CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, THREE-CABLE TYPE	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/48	CONNECTOR SETS, PLUG ASSEMBLY, 6-PIN, MISSILE SIDE, RIGHT ANGLE	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/49	CONNECTOR SETS, PLUG ASSEMBLY, 12-PIN, MISSILE SIDE, RIGHT ANGLE	A 5935	SH	29-SEP-89	SH			
L MIL-C-22249/50	CONNECTOR SETS, PLUG ASSEMBLY, 208-PIN, COMPARTMENT SIDE, FIVE CABLE TYPE	A 5935	SH	29-SEP-89	SH			
L MIL-H-22251	HYDRAZINE SOLUTION (22-PERCENT) [VALIDATION DATE: 8304] REVIEWER: GS	F 6810	SH	05-NOV-59	SH			
QL MIL-A-22262A(2)	ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING	A 5350	SH	14-FEB-89	SH			
MIL-C-22263B	CORPLING FUEL LINE, FLEXIBLE, 125 PSI, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8509] REVIEWER: 82 CS	A 4730	AS	28-JUN-72	AV	AS	99	
MIL-C-22263/1	CORPLING, TYPE 1, ROLLED BEAD CONNECTING FLUID LINE, FLEXIBLE, MAXIMUM ENVELOPE AND WEIGHT [VALIDATION DATE: 9108] REVIEWER: CS	A 4730	AS	12-AUG-91	AV	AS	11	
MIL-C-22263/2	CORPLING, TYPE 11, SWAGED FERRULE CONNECTING FLUID LINE, FLEXIBLE, MAX. ENVELOPE AND WEIGHT [VALIDATION DATE: 9108] REVIEWER: CS	A 4730	AS	12-AUG-91	AV	AS	11	
MIL-C-22263/3	SWAGE END FERRULE, VARIABLE CAVITY [VALIDATION DATE: 9108]	A 4730	AS	12-AUG-91	AV	AS	11	
L MIL-P-22264A(1)	POWDER, IGNITION, GASLESS, A-1A	A 1375	AS	28-SEP-88	AS			
MIL-I-22266C(1)	INSULATING COMPOUND, ELECTRICAL (FOR FIELD SPLICING APPLICATIONS) [VALIDATION DATE: 8004] USER: ME REVIEWER: 85 99 GS MI SH	A 5970	AS	15-NOV-73	ER	AS	11	
MIL-E-22267A	EXPLOSIVE COMPOSITION, HBX TYPE [VALIDATION DATE: 8804] USER: MC MI REVIEWER: 99	A 1376	AR	22-APR-88	AR	OS		
QL MIL-V-22272D(1)	VISORS, NEODYMIUM LASER, PROTECTIVE FOR AIRCRAFTMAN'S HELMET [VALIDATION DATE: 9110]	A 8475	AS	24-OCT-91	AS			
L MIL-C-22284A	CONTAINER, AIRCRAFT FIRE EXTINGUISHING SYSTEM, BROMOTRIFLUOROMETHANE, CF3BR [VALIDATION DATE: 8410] REVIEWER: 99 AV	A 1680	AS	07-SEP-65	AS			
L MIL-E-22285(1)	EXTINGUISHING SYSTEM, FIRE, AIRCRAFT, HIGH-RATE DISCHARGE TYPE, INSTALLATION AND TEST OF [VALIDATION DATE: 8410] REVIEWER: AV	A 1680	AS	27-APR-60	AS			
A MIL-P-22295C	PROTECTOR, TROUSERS, PISTOL HOLSTER [VALIDATION DATE: 8710]	A 8465	CT	10-APR-87	GL	MC	CT	
MIL-P-22296B	PLASTIC TUBES AND TUBING, POLYTETRAFLUOROETHYLENE, (TFEFLUOROCARBON RESIN), HEAVY WALLED [VALIDATION DATE: 8702] USER: 17 ME REVIEWER: EA GL GS MI	A 9330	MR	10-FEB-87	MR		11	
L MIL-P-22302A	PUMPS, CENTRIFUGAL, BOILER FEED, SINGLE STAGE, NAVAL SHIPBOARD USE	A 4320	SH	19-APR-91	SH			
QL MIL-A-22305C(7)	AMPLIFIER, DISTRIBUTION AM-2123(V)/U [VALIDATION DATE: 8612]	A 5820	EC	18-DEC-86	EC			
A L MIL-R-22307D	RADIAC SET AM/PDR-43( )	A 6665	SH	17-SEP-92	SH			
D MIL-S-22308D	SPRAYER, INSECTICIDE, ELECTRIC MOTOR DRIVEN, HAND CARRIED, ONE QUART TO ONE-AND-A-HALF GALLON CAPACITY REVIEWER: MD	A 3740	CS	10-OCT-80	ME	YD1	CS	
MIL-T-22309A	TELEVISION SYSTEM (HIGH DEFINITION FOR CIC DATA PICKUP, DISTRIBUTION AND DISPLAY) [VALIDATION DATE: 8204] USER: AS MC OS REVIEWER: 99	A 5820	EC	03-APR-63	CR	EC	11	
L DOD-C-22325A	COLOR, TINTING, FOR INTERIOR NONFLAMING (DRY) PAINTS (METRIC)	A 8010	SH	25-JUL-88	SH			
L MIL-C-22325B	COLORS, TINTING, FOR INTERIOR NONFLAMING (DRY) PAINTS (METRIC)	A 8010	SH	25-JUL-88	SH			
L MIL-C-22328A(2)	CARTRIDGE, DELAY, MK 31 MOD 0 [VALIDATION DATE: 8704]	A 1377	AS	26-SEP-66	AS			
Q MIL-P-22332B(1)	PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION) [VALIDATION DATE: 8204] REVIEWER: AR	A 8010	OS	18-JAN-73	MR	OS	99	
L MIL-A-22334(2)	AMPLIFIER, SYNCHRO SERVO, 6 WATT 400 CYCLE	A 1290	OS	27-JAN-87	OS			
L MIL-A-22335(2)	AMPLIFIER, VARIABLE GAIN	A 1290	OS	27-JAN-87	OS			
L MIL-A-22336B	AMPLIFIER, SYNCHRO SERVO, 6 WATT, 60 HZ [VALIDATION DATE: 8701]	A 1290	OS	27-JAN-87	OS			
L MIL-A-22337(2)	AMPLIFIER, RESOLVER ISOLATION	A 1290	OS	27-JAN-87	OS			
L MIL-A-22338(2)	AMPLIFIER, SOLUTION SERVO, 400 CYCLE	A 1290	OS	27-JAN-87	OS			
L MIL-A-22339(2)	AMPLIFIER, COMPUTATION	A 1290	OS	27-JAN-87	OS			
L MIL-P-22340(2)	POWER SUPPLY DIODE AND CAPACITOR ASSEMBLY	A 1290	OS	27-JAN-87	OS			
D L MIL-B-22342D	BROWS, ALUMINUM, BEAM AND TRUSS	A 2090	YD1	26-MAY-89	YD1			
L MIL-H-22343A(2)	HOSE ASSEMBLIES, METAL, LIQUID OXYGEN	A 4720	AS	20-NOV-81	AS			
L MIL-I-22344D	INSULATION, PIPE, THERMAL, FIBROUS GLASS	A 5640	SH	15-AUG-91	SH		99	
L MIL-E-22345(1)	EXTINGUISHER, FIRE, DRY CHEMICAL, WHEELED, 150-POUND CAPACITY [VALIDATION DATE: 8410] REVIEWER: CS	A 4210	AS	18-SEP-63	AS			
L MIL-D-22346B	D1 NORMAL PROPYL ADIPATE (DMPA) [VALIDATION DATE: 8107]	A 6810	OS	19-MAR-73	OS			
L MIL-I-22352D(1)	INTERCOMMUNICATION SETS AM/AIC-14A + AM/AIC-14, GENERAL SPECIFICATION FOR SUPPL 1A1	A 5831	AS	15-AUG-86	AS			
L MIL-I-22352/2	INTERCOMMUNICATION SETS AM/AIC-14A AMPLIFIER MODULE (INACTIVE)	A 5831	AS	10-AUG-84	AS			
L MIL-I-22352/5	INTERCOMMUNICATION SETS AM/AIC-14A AND AM/AIC-14A LAMP DRIVER MODULE [VALIDATION DATE: 9110]	A 5831	AS	15-OCT-91	AS			
L MIL-I-22352/6(1)	INTERCOMMUNICATION SETS, AM/AIC-14 & AM/AIC-14A VOX MODULE (INACTIVE	A 5831	AS	15-AUG-86	AS			
L MIL-I-22352/7(1)	INTERCOMMUNICATION SETS, AM/AIC-14 & AM/AIC-14A VOX MODULE	A 5831	AS	15-AUG-86	AS			
L MIL-I-22352/9	INTERCOMMUNICATIONS SETS, AM/AIC-14 AND AM/AIC-14A MONITOR AMPLIFIER MODULE [VALIDATION DATE: 9110]	A 5831	AS	15-OCT-91	AS			
L MIL-I-22352/11	INTERCOMMUNICATIONS SET, AM/AIC-14 & AM/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2642A/AIC-14 (INACTIVE USE MIL-I-22352/17 OR MIL-I-22352/11)	A 5831	AS	10-AUG-84	AS			
L MIL-I-22352/12	INTERCOMMUNICATIONS SET, AM/AIC-14 & AM/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2644/AIC-14 (INACTIVE MIL-I-22352/17 OR MIL-I-22352/18)	A 5831	AS	10-AUG-84	AS			
L MIL-I-22352/14	INTERCOMMUNICATION SETS AM/AIC-14 AND AM/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2647A/AIC-14 (INACTIVE FOR NEW DESIGN AFTER 10 AUG 1984 - FOR NEW DESIGN USE MIL-I-22352/17 OR /18)	A 5831	AS	10-AUG-84	AS			
L MIL-I-22352/16	PASSIVE INTERPHONE CONTROL PANEL C-2648B/AIC-14 (INACTIVE USE MIL-I-22352/17 OR /18)	A 5831	AS	10-AUG-84	AS			
L MIL-I-22352/18	INTERCOMMUNICATION SETS, AM/AIC-14 AND AM/AIC-14A R/T INTERPHONE CONTROL PANEL C-4952A/AIC-14A [VALIDATION DATE: 9110]	A 5831	AS	15-OCT-91	AS			
L MIL-I-22352/21	INTERCOMMUNICATIONS SET, AM/AIC-14 & AM/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645C/AIC-14 (INACTIVE USE MIL-I-22352/22)	A 5831	AS	10-AUG-84	AS			
L MIL-I-22352/23(2)	INTERCOMMUNICATION SETS, AM/AIC-14 AND AM/AIC-14A STATION INTERPHONE CONTROL PANEL C-4951/AIC-14A	A 5831	AS	13-OCT-89	AS			
L MIL-I-22352/25	INTERCOMMUNICATIONS SETS, AM/AIC-14 AND AM/AIC-14A MOUNTING PLATE MT-2075/AIC-14 [VALIDATION DATE: 9110]	A 5831	AS	15-OCT-91	AS			
L MIL-I-22352/26	INTERCOMMUNICATIONS SET, AM/AIC-14 & AM/AIC-14A PASSIVE INTERPHONE CONTROL PANEL C-2643/AIC-14 (INACTIVE USE MIL-I-22352/17 OR MIL-I-22352/18)	A 5831	AS	10-AUG-84	AS			
D L MIL-B-22353D	BATCHING PLANT, AGGREGATE, (WHEEL-MOUNTED, 30-TON CAPACITY)	A 3895	YD1	17-NOV-88	YD1			
L MIL-A-22354A(1)	ANTENNA AT-948/U [VALIDATION DATE: 9110]	A 5985	AS	15-OCT-91	AS			
NOTICE 1								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OFL / OMA Coordination Inchance Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Assy	Date	Custodians			
					Army	Navy	Air Force	DIA
L MIL-B-22356f	BATHYTHERMOGRAPH - TRANSMITTER SET AN/SSQ-36 (VALIDATION DATE: 8509)	A 5845	AS	20-FEB-85	AS			
LI MIL-I-22357	REVIEWER: GS							
LI MIL-N-22358	INTEGRATOR, BALL AND DISC	A 1290	OS	23-FEB-89	OS			
O MIL-T-22361(1)	MOTOR, CONTROL REVIEWER: GS	A 1290	OS	23-FEB-89	OS			
	THREAD COMPOUND, ANTISEIZE, ZINC DUST-PETROLATUM (VALIDATION DATE: 8410)	A 8030	AS	06-JUL-64	AS	99		
	USER: ME REVIEWER: DS MI YDI							
L MIL-C-22362D	CARTRIDGE, IMPULSE, MK 18 MOD 0	A 1377	AS	15-APR-87	AS			
LI MIL-N-22387	MOTOR, ALTERNATING CURRENT REVIEWER: GS	A 1290	OS	23-FEB-89	OS			
LI MIL-R-22388A	RESOLVER, BALL, 1 INCH, ASSEMBLY	A 1290	OS	20-JUN-89	OS			
L MIL-T-22393B	TEST SET MARK 292 MOD 1 (VALIDATION DATE: 8506)	A 4921	OS	21-SEP-73	OS			
L MIL-C-22395B	COMPOUND, END SEALING, THERMAL INSULATION PIPE COVERING-FIRE-, WATER-, AND WEATHER-RESISTANT (VALIDATION DATE: 8907) USER: MR	A 8030	SH	25-JUL-89	ME SH			
Q MIL-A-22397	ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE USE)	A 8040	SH	03-OCT-89	MR SH	99		
NOTICE 1	(VALIDATION DATE: 8910) USER: AT ME MI REVIEWER: II							
L MIL-A-22424A	ADAPTERS, COMPENSATING, MS28107, MA-1 COMPASS SYSTEM (VALIDATION DATE: 8102)	A 6605	AS	14-JAN-67	AS			
MIL-S-22432A	SERVOMOTOR, GENERAL SPECIFICATION FOR REVIEWER: 99 AV ER GS MI SH	A 6105	AS	28-NOV-90	AR	AS	11	
MIL-S-22432/68	SERVOMOTOR, TYPE MARK 7 MOD 7 (VALIDATION DATE: 9111) USER: AV CG MC ME	A 6105	AS	05-NOV-91	AR	AS	11	
NOTICE 1	REVIEWER: 82 EC ER MI OS SH							
MIL-S-22432/9E	SERVOMOTOR, TYPE 18SMAC USER: AV CG MC REVIEWER: 99 EC ER GS ME MI OS SH	A 6105	AS	28-NOV-90	AR	AS	11	
MIL-S-22432/31D	SERVOMOTOR, TYPE 11SMAC USER: AV CG MC ME REVIEWER: 99 EC ER GS MI OS SH	A 6105	AS	28-NOV-90	AR	AS	11	
L MIL-S-22432/34	SERVOMOTOR, TYPE 18SM4 (7631932 (VALIDATION DATE: 8603) REVIEWER: GS	A 6105	AR	28-MAR-86	AR			
NOTICE 1								
LI MIL-S-22432/35A	SERVOMOTOR, TYPE 18SM6 (CLEARHEADED) (VALIDATION DATE: 8502) REVIEWER: GS	A 6105	ER	03-AUG-70	ER			
LI MIL-A-22434A	ADHESIVE, POLYESTER, THIXOTROPIC	A 8040	OS	06-NOV-91	OS			
NOTICE 1								
L MIL-E-22437E	EQUIPMENT, DEGAUSSING, FOR MCM SHIPS (VALIDATION DATE: 9103) REVIEWER: MI	A 1075	SH	21-MAR-91	SH			
NOTICE 2								
L MIL-P-22438B	PANEL, RECEPTACLE, FOR ELECTRICAL AND ELECTRONICS TEST AND MAINTENANCE	A 6110	SH	10-MAY-77	SH			
	TABLE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8301) REVIEWER: GS							
L MIL-P-22438/1B	PANEL, RECEPTACLE, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 754.2)	A 6110	SH	22-JUN-89	SH			
	(VALIDATION DATE: 8906) REVIEWER: GS							
L MIL-P-22438/2B	PANEL, RECEPTACLE, ENCLOSED, ELECTRICAL AND ELECTRONIC (SYMBOL NO. 755.3)	A 6110	SH	19-APR-91	SH			
NOTICE 1	(VALIDATION DATE: 9104) REVIEWER: GS							
L MIL-N-22440	ROLLER, BEARING, NEEDLE, FERROUS, SOLID (VALIDATION DATE: 8204) USER: ME	A 3110	OS	02-JUN-60	AT OS	99		
	REVIEWER: 84 IS							
Q MIL-C-22442D(1)	CABLE ASSEMBLIES, RADIO FREQUENCY (AIRCRAFT AUDIO) GENERAL SPECIFICATION	A 5995	AS	24-MAY-91	CR	AS	85	
SUPPL 1A)	FOR REVIEWER: 11 99 ES							
L MIL-C-22442/1B(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), SWITCH ASSEMBLY	A 5995	AS	24-MAY-91	AS			
A LI MIL-C-22442/2C	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), MOLDED RUBBER CONNECTOR (QUICK DISCONNECT)	A 5995	AS	16-FEB-92	AS			
L MIL-C-22442/3A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE (RETRACTILE)	A 5995	AS	30-SEP-91	AS			
L MIL-C-22442/4B(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CONNECTOR (U-61/U)	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/5A(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CONNECTOR	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/6	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) QUALIFICATION BY	A 5995	AS	10-AUG-90	CR	AS	85	
	SIMILARITY REVIEWER: 11 99							
MIL-C-22442/8A(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CLOTHING CLIP REVIEWER: 11 99 ES	A 5995	AS	24-MAY-91	CR	AS	85	
LI MIL-C-22442/10D	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4620/AR	A 5995	AS	02-SEP-88	AS			
LI MIL-C-22442/11B	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4621/AR	A 5995	AS	02-SEP-88	AS			
LI MIL-C-22442/12B	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4622/AR	A 5995	AS	02-SEP-88	AS			
LI MIL-C-22442/13D	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4623/AR	A 5995	AS	02-SEP-88	AS			
LI MIL-C-22442/14B(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4831/AR	A 5995	AS	24-MAY-91	AS			
LI MIL-C-22442/15D(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-4832A/AR	A 5995	AS	24-MAY-91	AS			
LI MIL-C-22442/16B	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7888A/C-22(V)	A 5995	AS	02-SEP-88	AS			
LI MIL-C-22442/17C	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-7889A/C-22(V), CX-7890A/C-22(V), AND CX-11754	A 5995	AS	02-SEP-88	AS			
L MIL-C-22442/19C(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-12972/AR	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/20B(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12973/AR	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/21B	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12974/AR	A 5995	AS	02-SEP-88	AS			
L MIL-C-22442/22B	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12987/AR	A 5995	AS	02-SEP-88	AS			
L MIL-C-22442/23B	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-12988/AR	A 5995	AS	02-SEP-88	AS			
L MIL-C-22442/24B	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13017/AR	A 5995	AS	02-SEP-88	AS			
A LI MIL-C-22442/25A(1)	CABLE ASSEMBLY, AIRCRAFT AUDIO, MOLDED RUBBER CONNECTOR MECHANICAL GAUGES	A 5995	AS	18-FEB-92	AS			
A LI MIL-C-22442/26D	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-13126A/A	A 5995	AS	18-FEB-92	AS			
L MIL-C-22442/27B(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-13127/A	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/29A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13154/A	A 5995	AS	02-SEP-88	AS			
L MIL-C-22442/30A(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13155/A AND CX-13164/A	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/31A(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO)	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/32A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), ASSOCIATED PARTS	A 5995	AS	02-AUG-91	CR	AS	85	
	REVIEWER: 11 99 ES							
MIL-C-22442/33A(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-4707C/AIC REVIEWER: 11 99 ES	A 5995	AS	24-MAY-91	CR	AS	85	
LI MIL-C-22442/34A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE	A 5995	AS	30-SEP-91	AS			
L MIL-C-22442/35A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CABLE REVIEWER: 11 99	A 5995	AS	30-SEP-91	CR	AS	85	
L MIL-C-22442/36A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) REVIEWER: 11 99	A 5995	AS	02-SEP-88	CR	AS	85	
L MIL-C-22442/37A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) CX-4708A/AIC REVIEWER: 11 99 ES	A 5995	AS	12-JAN-90	CR	AS	85	
L MIL-C-22442/38A	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) REVIEWER: 11 99	A 5995	AS	02-SEP-88	CR	AS	85	
L MIL-C-22442/39	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO) EA-38 ADAPTER CABLE	A 5995	AS	02-SEP-88	AS			
L MIL-C-22442/40(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO)	A 5995	AS	24-MAY-91	AS			
L MIL-C-22442/42	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), S-3A CABLE ADAPTER	A 5995	AS	14-NOV-88	AS			
LI MIL-C-22442/47	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), ADAPTER ASSEMBLY	A 5995	AS	14-NOV-88	AS			
LI MIL-C-22442/52	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), AH-LW	A 5995	AS	14-NOV-88	AS			
L MIL-C-22442/57	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13165/A AH-1T & AH-1W	A 5995	AS	14-NOV-88	AS			
L MIL-I-22444C	INSULATION TAPE, ELECTRICAL, SELF BONDING, SILICONE RUBBER TREATED BIAS	A 5970	SH	28-OCT-88	SH			
NOTICE 1	WEAVE OR SINUSOIDAL WEAVE GLASS, CABLE SPLICING, NAVAL SHIPBOARD							
	(VALIDATION DATE: 8810) REVIEWER: GS MI							
L MIL-B-22446	BEARINGS, ANNULAR BALL, HIGH GRADE (VALIDATION DATE: 8509) REVIEWER: IS MI	A 3110	OS	01-SEP-64	OS			
L MIL-N-22447	MOTOR-TACHOMETER GENERATOR (VALIDATION DATE: 8303)	A 1290	AS	15-OCT-63	AS			
L MIL-T-22448(1)	TRANSFORMER, VARIABLE, PRECISION (VALIDATION DATE: 8701) REVIEWER: MI	A 1290	OS	21-JAN-87	OS			
NOTICE 1								
A LI MIL-B-22450C(1)	BOOSTER, GUIDED MISSILE, MARK 12 MOD 0 (LOADED ASSEMBLY)	A 1336	OS	20-MAY-92	OS			
NOTICE 2								
M MIL-S-22473E(6)	SEALING, LOCKING, AND RETAINING COMPOUNDS: (SINGLE-COMPONENT) REVIEWER: 84 99 DS ER MD ME MI OS SH	A 8030	MR	22-APR-93	MR	AS	11	
L MIL-P-22497C	POWER SUPPLIES, TYPE IV (TORPEDO TESTING) (VALIDATION DATE: 8204)	A 4921	OS	10-JUN-70	OS			
M MIL-S-22499C(1)	SHIM STOCK, LAMINATED USER: AT MC REVIEWER: AR CS EA IS MI SH	A 9535	AS	06-MAY-90	MR	AS		
M MIL-S-22499/1A	SHIM STOCK, LAMINATED, ALUMINUM ALLOY USER: AT MC REVIEWER: AR CS EA IS MI	A 9535	AS	20-MAY-93	MR	AS		
	MI							
MIL-S-22499/2	SHIM STOCK, LAMINATED, BRASS USER: AT MC REVIEWER: AR CS EA IS MI	A 9535	AS	01-SEP-89	MR	AS		
MIL-S-22499/3	SHIM STOCK, LAMINATED, CRCS USER: AT MC REVIEWER: AR CS EA IS MI	A 9515	AS	01-SEP-89	MR	AS		
MIL-S-22499/4	SHIM STOCK, LAMINATED, CARBON STEEL USER: AT MC REVIEWER: AR CS EA IS MI	A 9515	AS	01-SEP-89	MR	AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CNA / OMA Coordination Machine Document Number	Document Title	Doc. Smt FSC / Ass MCA Symbol Preparing Act. Date	Custodians		
			Army	Navy	Air Force OIA
L MIL-S-22518A(1)	STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR	A 2995 AS 22-NOV-82	AS		
L MIL-S-22518/1 NOTICE 1	STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL AT5/AD-1 [VALIDATION DATE: 8910]	A 2995 AS 01-OCT-89	AS		
L MIL-S-22518/2 NOTICE 1	STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL AT5/AD-2 [VALIDATION DATE: 8910]	A 2995 AS 01-OCT-89	AS		
L MIL-S-22518/3 NOTICE 1	STARTER, AIR TURBINE, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, MODEL AT5/AD-3 [VALIDATION DATE: 8910]	A 2995 AS 01-OCT-89	AS		
L MIL-C-22520F(1)	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, AND TOOL KITS GENERAL USER: AT GL MC ME REVIEWER: 12 17 AV EC MI SH	A 5120 AS 09-AUG-85	CR AS	BS	
MIL-C-22520/1C(2)	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 20 USER: AT MC ME REVIEWER: 11 12 17 99 AR AV EC MI OS SH	A 5120 AS 06-JUL-81	CR AS	BS	
Q MIL-C-22520/2C(1)	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 20 THROUGH 28 USER: AT MC ME REVIEWER: 11 12 17 99 AR AV EC MI OS SH	A 5120 AS 28-NOV-80	CR AS	BS	
Q MIL-C-22520/30	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES USER: GL MC ME REVIEWER: 11 12 17 99 AR AV EC ES MI OS SH	A 5220 AS 06-FEB-81	CR AS	BS	
Q MIL-C-22520/4A	CRIMPING TOOL, CONTACT, ELECTRIC, HAND FOR SHIELDED OUTER CONTACTS [VALIDATION DATE: 8205]	A 5120 AS 19-MAR-76	AR AS	BS	
Q MIL-C-22520/50	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS USER: AT MC REVIEWER: 12 17 99 AR AV EC MI OS SH	A 5120 AS 31-MAY-83	CR AS	BS	
L MIL-C-0022520/5E	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS GAGES FOR USER: 11 REVIEWER: 99 EC	A 5120 BS 15-MAY-87		BS	
QL MIL-C-22520/68	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES FOR USER: 11 REVIEWER: 99 EC	A 5220 AS 06-FEB-81	AS		
Q MIL-C-22520/7B	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 16, 20 AND 22 [VALIDATION DATE: 8205] REVIEWER: EC	A 5120 AS 19-MAR-76	CR AS	BS	
MIL-C-22520/100	CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION, LARGE FOR COAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS USER: AT MC REVIEWER: 12 99 AR AV EC MI OS SH	A 5120 AS 18-JUN-86	CR AS	BS	
MIL-C-22520/17B	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CRIMP TYPE REMOVABLE CONTACTS, ELECTRIC CONNECTORS REVIEWER: EC	A 5120 AS 25-APR-90	CR AS	BS	
L MIL-C-22520/18A	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION IN-SERVICE INSPECTION GAGE FOR MIL-C-22520/17 CRIMPING TOOL [VALIDATION DATE: 8205] REVIEWER: EC	A 5220 AS 19-MAR-76	AS		
MIL-C-22520/19	CRIMPING TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (OUTER CONTACT) [VALIDATION DATE: 8207] USER: 70 MC ME REVIEWER: 17 80 82 AR AV EC ES MI OS SH	A 5120 AS 19-MAR-76	CR AS	BS	
MIL-C-22520/20	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (SHIELD CRIMP SLEEVE) [VALIDATION DATE: 8207]	A 5120 AS 19-MAR-76	CR AS	BS	
MIL-C-22520/21	CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (OUTER CONTACT) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 12 17 80 99 AR AV EC ES MI OS SH	A 5120 AS 19-MAR-76	CR AS	BS	
MIL-C-22520/22	CRIMP TOOL, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (SHIELDED CRIMP SLEEVE) [VALIDATION DATE: 8207] USER: 70 AT ME REVIEWER: 17 80 82 AR AV EC ES MI OS SH	A 5120 AS 19-MAR-76	CR AS	BS	
MIL-C-22520/23	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8 [VALIDATION DATE: 8509] USER: 19 AT MC REVIEWER: 11 12 17 99 AR AV EC GL MI OS SH	A 5130 AS 02-JAN-79	CR AS	BS	
L MIL-C-22520/24A	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, TOOL FOR LUG TERMINAL AND EXTERNAL POWER PLUG SOCKET CONTACTS, SIZE 22-10 USER: MC REVIEWER: EC ES OS SH	A 5120 AS 09-AUG-85	AS		
MIL-C-22520/28	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 2 THROUGH 28 [VALIDATION DATE: 8410] USER: 19 MC REVIEWER: 11 17 99 AR AV EC GL MI OS SH	A 5130 AS 10-NOV-77	CR AS	BS	
MIL-C-22520/29	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 12 THROUGH 20 [VALIDATION DATE: 8410] USER: 19 MC REVIEWER: 11 12 17 99 AR AV EC GL MI OS SH	A 5130 AS 10-NOV-77	CR AS	BS	
MIL-C-22520/30	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, ACCESSORY HARDWARE FOR MIL-C-22520/28 AND MIL-C-22520/29 TOOLS [VALIDATION DATE: 8410]	A 5130 AS 10-NOV-77	EL AS	BS	
MIL-C-22520/31	CRIMPING TOOL, TERMINAL, HAND, FOR SHIELDED SIZE 12 OUTER CONTACTS USER: AT EC MC ME OS SH REVIEWER: 11 12 17 99 AR AV ES MI	A 5120 AS 28-NOV-80	CR AS	BS	
L MIL-C-22520/32 NOTICE 1	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION FOR CONNECTORS, ELECTRICAL, FLAT CABLE (TYPE 2) [VALIDATION DATE: 9107] REVIEWER: 12 17 84 99 ES	A 5120 BS 18-JUL-91		BS	
L MIL-C-22520/34B	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, FOR CRIMP TYPE REMOVABLE CONTACTS FOR MIL-C-28840 CONNECTORS USER: MC REVIEWER: OS SH	A 5120 EC 06-MAR-87	EC		
L MIL-C-22520/35C	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, IN-SERVICE INSPECTION GAGES FOR MIL-C-22520/34 CRIMP TOOLS USER: CG REVIEWER: ES SH	A 5220 EC 06-MAR-87	EC		
MIL-C-22520/36C	COMPRESSION TOOL, HAND, TYPE 2 FOR SEMIRIGID COAXIAL CABLE (CATEGORY F CONNECTORS) USER: 19 REVIEWER: 12 99 AR AV EC ES MI TO	A 5120 BS 31-JUL-90	CR AS	BS	
L MIL-C-22521A(1)	CHAIN, OPEN LINK, STEEL, WELDED (FOR MOORING BUOYS) [VALIDATION DATE: 7802]	A 4010 CG 10-OCT-63	CG		
L MIL-A-22523E NOTICE 1	ANALYZER-INDICATOR, DEAD RECKONING (DRAI) (NAVAL SHIPBOARD) [VALIDATION DATE: 8906]	A 6605 SH 22-JUN-89	SH		
L MIL-M-22525B NOTICE 1	MINE FIELD MARKER, BFMK 3 MOD 0, WM (HIGH INTENSITY FLASHING BEACON LIGHT) (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8106] REVIEWER: GS	A 6210 SH 15-MAY-72	SH		
L MIL-R-22527(2) NOTICE 1	RELAY, ARMATURE [VALIDATION DATE: 8902] REVIEWER: MI	A 5945 OS 23-FEB-89	OS		
L MIL-R-22528 NOTICE 1	RESISTORS, VARIABLE, PRECISION [VALIDATION DATE: 8902] REVIEWER: ES MI	A 1290 OS 23-FEB-89	OS		
L MIL-C-22529B NOTICE 1	GROMMET, PLASTIC [VALIDATION DATE: 9109] REVIEWER: IS MI	A 5325 AS 25-SEP-91	AS		
A L MIL-G-22529/1	GROMMET, COMPOSITE, EDGING	A 5325 99 31-JUL-92	AS	99	
L MIL-D-22531A(2)	DISPLAY-PLOTTING BOARD GROUP OA-1768/ASA-13 [VALIDATION DATE: 8307]	A 6605 AS 01-JUN-64	AS		
QL MIL-C-22542B	CLEANING COMPOUND, HIGH PRESSURE CLEANER, LIQUID REVIEWER: GS	A 6850 AS 26-AUG-87	AS		
L MIL-V-225490(1)	VALVE, ANGLE, RELIEF, FOR GAS AND OXYGEN SERVICE (SIZES 2 INCHES LPS AND BELOW), NAVAL SHIPBOARD [VALIDATION DATE: 8121] REVIEWER: CS	A 4820 SH 13-APR-77	SH		
L MIL-C-22553(3)	CONVERTER, SIGNAL DATA CV-1053A/ARC [VALIDATION DATE: 8103]	A 5895 AS 28-MAR-73	AS		
L MIL-I-22560B(1)	INTERCOMMUNICATION STATIONS (HANDS-FREE OPERATED REPLY REPRODUCER) NAVAL SHIPBOARD	A 5835 SH 02-SEP-86	SH		
D L MIL-P-22561C	PIPE AND PIPE FITTINGS, ACID RESISTANT	A 4710 YD1 10-MAY-82	YD1		
L MIL-L-22569A NOTICE 1	LIGHT, ULTRA-VIOLET, FLUORESCENT, POTABLE [VALIDATION DATE: 9012] REVIEWER: GS	A 6230 SH 18-DEC-90	SH		
L MIL-T-22576(1)	TERMINAL, AIR, DIFFUSING, CIRCULAR [VALIDATION DATE: 8204] REVIEWER: GS	A 4130 SH 10-JAN-64	SH		
D L MIL-H-22577C NOTICE 1	HEATING ELEMENTS ELECTRICAL: CARTRIDGE, STRIP AND TUBULAR TYPE [VALIDATION DATE: 8807] USER: MC YD1 REVIEWER: CS MD MI MS	A 4540 SH 08-JUL-88	ME SH	99	
L MIL-R-22578B	RESORCINOL [VALIDATION DATE: 8107] REVIEWER: GS	A 6810 OS 19-FEB-64	OS		
L MIL-P-22581C	PLASTIC TILES, VIBRATION DAMPING, TYPE III	A 9330 SH 23-OCT-91	SH		
L MIL-C-22585A	COMPUTER, PRESSURE REDUCTION, METEOROLOGICAL CP-402/JUM	A 6660 AS 24-MAY-84	AS		
Q MIL-C-22587B	CARTRIDGE, GREASE, 14 OUNCE (FOR CARTRIDGE-TYPE GREASE GUN) USER: AR MC REVIEWER: CS PS	A 4930 AS 17-AUG-83	ME AS	99	
L MIL-L-225890	LAUNCHING SYSTEM, NOSE GEAR TYPE, AIRCRAFT	A 1720 AS 10-SEP-91	AS		
MIL-I-22590C NOTICE 1	IMPREGNATED WADDING, METAL POLISH [VALIDATION DATE: 9110] REVIEWER: MD	A 7920 AS 24-OCT-91	GL AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc / OMA Coordination Inactive Document Number	Document Title	Doc Smt FSC / Area MCA Symbol Proposing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-H-22594A(1)	HEATERS, DUCT TYPE, ELECTRIC [VALIDATION DATE: 8904] REVIEWER: CS .....	A 4520 SH 21-APR-89	SH			
QL MIL-I-22596C	INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2-INCH SIZE USER: 99 CG REVIEWER: GS	A 6620 AS 17-MAR-82	AS			
L MIL-I-22598B	INTERPRETATION KIT, PHOTOGRAPHIC, POCKET-SIZE BS-5( ) REVIEWER: GS MC .....	A 6675 AS 29-DEC-89	AS			
A L MIL-F-22606C	FLASK COMPRESSED GAS AND END PLUGS FOR AIR, OXYGEN AND NITROGEN REVIEWER: GS	A 8120 SH 11-AUG-92	SH			
MIL-C-22608B	COMPOUND, INSULATING, HIGH, TEMPERATURE [VALIDATION DATE: 8407] USER: MI REVIEWER: OS	A 5640 AS 09-SEP-66	AS	99		
L MIL-D-22612C(1)	DETECTOR, CONTAMINATED FUEL .....	A 6630 AS 26-SEP-83	AS			
L MIL-C-22613	CABLES, SPECIAL PURPOSE, ELECTRICAL; SHIELDED (SHIPBOARD USE) [VALIDATION DATE: 8902]	A 6145 OS 23-FEB-89	OS			
L MIL-S-22614	SWITCHES, SENSITIVE [VALIDATION DATE: 8902] REVIEWER: ES MI .....	A 1290 OS 23-FEB-89	OS			
L MIL-C-22617	CABLES, SPECIAL PURPOSE, ELECTRICAL, NON-SHIELDED (SHIPBOARD USE) [VALIDATION DATE: 8902]	A 6145 OS 23-FEB-89	OS			
L MIL-R-22618(1)	RELEASE, BOMB SHACKLE, AERO 7A, SERIES AND RELEASE, BOMB RACK AERO 7B SERIES [VALIDATION DATE: 8304]	A 1095 AS 15-AUG-63	AS			
MIL-I-22620D(3)	LAUNCHER, GUIDED MISSILE, LAU-7 SERIES REVIEWER: 84 .....	A 1055 AS 31-AUG-64	AS	99		
L MIL-R-22622A	RACK, BOMB EJECTOR, AIRCRAFT, AERO 7A AND AERO 7B SERIES .....	A 1095 AS 25-APR-80	AS			
L MIL-R-22623A(1)	RACK, BOMB EJECTOR, AIRCRAFT, AERO 20A AND AERO 20B SERIES .....	A 1095 AS 15-SEP-80	AS			
L MIL-L-22624A(2)	LINK, AMMUNITION, 20MM, MARK 6 MODS 4, 5 AND 6 [VALIDATION DATE: 8507] .....	A 1305 AS 04-APR-66	AS			
L MIL-C-22625	CARTRIDGE, DUMPER VALVE, MARK 22 MOD 0 [VALIDATION DATE: 8203] .....	A 1375 AS 31-AUG-60	AS			
L MIL-Q-22631B(2)	QUALITY CONTROL OF METAL WROUGHT PRODUCTS EXCEPT FORGINGS PROCURED TO NON-GOVERNMENTAL SPECIFICATIONS [VALIDATION DATE: 9110]	A 0010 AS 09-OCT-91	AS			
L MIL-A-22641C(3)	ADAPTER, COAXIAL TO WAVEGUIDE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8404] USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS	A 5985 EC 21-SEP-78	FR	EC	85	
L MIL-A-22641/16F	ADAPTER, COAXIAL TO WAVEGUIDE (SERIES N TO WAVEGUIDE CLASS 1) [VALIDATION DATE: 8505] USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS	A 5985 EC 21-SEP-78	FR	EC	85	
L MIL-A-22641/17A	ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 3 - 7/8 INCH) TYPES UG-405/U, UG-522/U, UG-1622/U AND UG-1663/U [VALIDATION DATE: 8710] USER: AS AV MC REVIEWER: 17 99 ES MI	A 5985 EC 27-OCT-87	FR	EC	85	
L MIL-A-22641/18	ADAPTER, COAXIAL TO WAVEGUIDE (CLASS 2 - 5/8 INCH), TYPES UG-403/U, UG-404/U, UG-445/U, UG-520/U, UG-521/U, UG-523/U, UG-1647/U THRU UG-1652/U [VALIDATION DATE: 8710] USER: AS AV MC REVIEWER: 17 99 ES MI	A 5985 EC 27-OCT-87	FR	EC	85	
L MIL-A-22641/19	ADAPTER, COAXIAL TO WAVEGUIDE (TNC TO WAVEGUIDE - CLASS 4) [VALIDATION DATE: 8404] USER: AS MC OS REVIEWER: 11 17 99 ES MI	A 5985 EC 02-MAY-72	FR	EC	85	
L MIL-A-22641/20B	ADAPTER, COAXIAL TO WAVEGUIDE (SMA TO WAVEGUIDE - CLASS 5) [VALIDATION DATE: 8404] USER: AS MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 21-SEP-78	FR	EC	85	
L MIL-A-22641/21	ADAPTER, COAXIAL TO WAVEGUIDE (SERIES N TO WAVEGUIDE - CLASS 1), PRESSUREIZABLE [VALIDATION DATE: 8204]	A 5985 EC 24-JUN-76	EC			
L MIL-A-22641/22	ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4:1) (SERIES SMA TO WAVEGUIDE - CLASS 5) [VALIDATION DATE: 8404] USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS	A 5985 EC 21-SEP-78	FR	EC	85	
L MIL-A-22641/23	ADAPTER, COAXIAL TO WAVEGUIDE (DOUBLE RIDGE) (BANDWIDTH RATIO 2.4:1) (SERIES N TO WAVEGUIDE - CLASS 1) [VALIDATION DATE: 8404] USER: AR AS MC REVIEWER: 11 17 99 ES GL MI OS	A 5985 EC 21-SEP-78	FR	EC	85	
L MIL-P-22643B	PUMPING UNITS, HYDRAULIC MX-3196/APQ-83 AND MX-3197A/APQ-83 [VALIDATION DATE: 8410]	A 4320 AS 03-APR-63	AS			
L MIL-C-22650(3)	CONTROL-MONITOR DCU-77/A [VALIDATION DATE: 9108] .....	A 1135 AS 20-AUG-91	AS			
L MIL-C-22653C	CARTRIDGE, IMPULSE, MARK 19 MOD 0 .....	A 1377 AS 10-DEC-85	AS			
A L MIL-P-22655C	PANEL MARKERS: AERIAL LIAISON: MYLON; FLUORESCENT .....	A 8345 CT 28-MAR-91	MC	CT		
L MIL-C-22656B	CARTRIDGE, IMPULSE, MARK 14 MOD 0 [VALIDATION DATE: 8407] .....	A 1377 AS 22-FEB-71	AS			
L MIL-R-22659D	RADIO SETS AM/ARC-51A, AM/ARC-51B, AM/ARC-51AX, AND AM/ARC-51BX [VALIDATION DATE: 8706] USER: MC REVIEWER: CR	A 5821 AS 19-JUN-87	AS			
L MIL-H-22663(3)	HEATER, SPACE, ELECTRIC, BLOWER, RADIANT AND TURRET (NAVAL SHIPBOARD) [VALIDATION DATE: 8106] REVIEWER: CS	A 4520 SH 07-JAN-65	SH			
L MIL-S-22664B(1)	STEEL, STRUCTURAL SHAPES ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) (METRIC)	A 9520 SH 23-APR-91	SH			
L MIL-C-22667B	CABLE, SPECIAL PURPOSE, BUOYANT, ELECTRICAL, TYPE RG-298/U (SUBMARINE USE) [VALIDATION DATE: 9104] REVIEWER: IS	A 6145 SH 19-APR-91	SH			
L MIL-I-22668A(4)	INTEGRATED ELECTRONIC CENTRALS AM/ASQ-57, AM/ASQ-57A, AM/ASQ-57B, AM/ASQ-109, AM/ASQ-58, AM/ASQ-58A, AM/ASQ-58B AND AM/ASQ-110 [VALIDATION DATE: 8103]	A 5895 AS 28-SEP-67	AS			
L MIL-A-22669(1)	AMPLIFIER-POWER SUPPLY-RECEIVER AM-2310(*)/ASQ AND ANTENNA AS-909(*)/ARA-48 [VALIDATION DATE: 8103]	A 5895 AS 15-DEC-61	AS			
L MIL-C-22672B(2)	CODER-RECEIVER-TRANSMITTER KY-533(*)/ASQ [VALIDATION DATE: 8010] .....	A 5895 AS 15-AUG-66	AS			
L MIL-M-22673(2)	MOUNTING-PLENUM MT-2243(*)/ASQ-56 [VALIDATION DATE: 8103] REVIEWER: IS .....	A 5340 AS 15-FEB-68	AS			
L MIL-M-22674A	MOUNTING-PLENUMS MT-2244(*)/ASQ AND MT-3659(*)/ASQ [VALIDATION DATE: 8304] REVIEWER: IS	A 5340 AS 15-AUG-66	AS			
L MIL-R-22678(4)	RECEIVER-TRANSMITTER RADIO RT-542/ASQ AND RT-542A/ASQ [VALIDATION DATE: 9110]	A 5821 AS 15-OCT-91	AS			
L MIL-R-22679(4)	RECEIVER-TRANSMITTER RADIO RT-559/ASQ-58 AND RT-559A/ASQ-58 [VALIDATION DATE: 9110]	A 5821 AS 15-OCT-91	AS			
QL MIL-A-22681C(1)	ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR REVIEWER: GS	A 6140 SH 01-DEC-89	SH			
L MIL-A-22681/C	ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE I [VALIDATION DATE: 8910] REVIEWER: GS	A 6140 SH 02-OCT-89	SH			
L MIL-A-22681/2C	ARRESTER, FLASH, SUBMARINE MAIN STORAGE BATTERY, TYPE II [VALIDATION DATE: 8910] REVIEWER: GS	A 6140 SH 02-OCT-89	SH			
L MIL-V-22682A(2)	VALVE, ASTERN (FOR SHIPBOARD USE) [VALIDATION DATE: 8007] REVIEWER: CS ....	A 4820 SH 15-AUG-63	SH			
Q MIL-R-22684C(3)	RESISTORS, FIXED, FILM, INSULATED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] USER: 19 AT CG MC ME REVIEWER: 11 17 99 AR AS EA OS	A 5905 ER 25-OCT-91	ER	EC	85	
I MIL-R-22684/1A(1)	RESISTORS, FIXED, FILM, INSULATED, STYLE RL07 USER: 19 REVIEWER: 11 17 99 AR ES MI	A 5905 ER 08-AUG-89	ER	EC	85	
I MIL-R-22684/2B(2)	RESISTORS, FIXED, FILM, INSULATED, STYLE RL20 REVIEWER: 11 17 99 AR ES MI	A 5905 ER 08-AUG-89	ER	EC	85	
I MIL-R-22684/3B(1)	RESISTORS, FIXED, FILM, INSULATED, STYLE RL32 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR DM EA OS	A 5905 ER 08-AUG-89	ER	EC	85	
I MIL-R-22684/4A(2)	RESISTORS, FIXED, FILM, INSULATED, STYLE RL42 USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS EA OS	A 5905 ER 08-AUG-89	ER	EC	85	
M MIL-R-22684/BB(2)	RESISTORS, FIXED, FILM, INSULATED, STYLE RL42...TX [VALIDATION DATE: 9305] USER: 19 AT CG MC ME REVIEWER: 11 17 99 AR AS EA OS	A 5905 BS 14-MAY-93	ER	EC	85	
QL MIL-V-22687C	VALVE, BALL, NAVAL SHIPBOARD, FOR AIR, NITROGEN, HELIUM OR HYDRAULIC SERVICE (SIZE 2 1/2 INCHES IPS AND BELOW)	A 4820 SH 29-MAR-88	SH			
L MIL-L-22690(1)	LUBRICATION CHARTS, PLATES, AND MANUALS, PREPARATION AND PRODUCTION OF [VALIDATION DATE: 8502]	A TMSS MC 06-JUL-67	MC			
L MIL-L-22692A	LOCATOR, ORDNANCE, MARK 9 MOD 0 [VALIDATION DATE: 8204] .....	A 6665 OS 07-AUG-68	OS			
L MIL-S-22698C(1)	STEEL PLATE, SHAPES AND BARS, WELDABLE ORDINARY STRENGTH AND HIGHER STRENGTH, STRUCTURAL REVIEWER: IS	A 9515 SH 19-DEC-88	SH			
L MIL-C-22699	CASE, CARRYING, INSPECTION EQUIPMENT, COTTON DUCK [VALIDATION DATE: 7005] USER: 45 REVIEWER: CT	A 8465 CG 03-NOV-60	CG			
L MIL-B-22700	BRIDLE, CHAIN, BUOY [VALIDATION DATE: 7005] .....	A 2050 CG 03-NOV-60	CG			
L MIL-C-22704B	COMPUTER SET, NAVIGATIONAL AM/AYK-2 (*) [VALIDATION DATE: 8304] .....	A 6605 AS 15-FEB-65	AS			
QL MIL-D-22706F	DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE .....	A 4720 AS 08-JUL-91	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification Indication	Document Number	Document Title	Doc. Syst. FSC / Aves MCA Symbol	Preparing Date	Classifications			
					Army	Navy	Air Force	DIA
AQ	MIL-S-22710E(7) SUPPL 1A1	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), THUMBWHEEL AND PUSHBUTTON, GENERAL SPECIFICATION FOR USER: AS MC MD OS REVIEWER: 99 AV ES ME MI SM	A 5930	EC 08-FEB-93	ER	EC	BS	
	MIL-S-22710/11E	SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NONSEALED, ILLUMINATED OR NONILLUMINATED), STYLE SRPC11 USER: 11 MC ME OS REVIEWER: 17 AS ES MI SM	A 5930	EC 04-OCT-82	ER	EC	BS	
M	MIL-S-22710/12E(1) NOTICE 1	SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULE, ILLUMINATED OR NONILLUMINATED), (TOP RELAMPABLE), STYLE SRPC12 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM	A 5930	BS 21-MAY-93	ER	EC	BS	
M	MIL-S-22710/14E(1) NOTICE 1	SWITCH, ROTARY (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NONSEALED, NONILLUMINATED), STYLE SRPC14 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM	A 5930	BS 21-MAY-93	ER	EC	BS	
M	MIL-S-22710/15E NOTICE 1	SWITCH, CODE INDICATING WHEEL (PRINTED CIRCUIT) (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULE, ILLUMINATED OR NONILLUMINATED), (TOP, BOTTOM, OR REAR RELAMPABLE), STYLE SRPC15 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM	A 5930	BS 21-MAY-93	ER	EC	BS	
M	MIL-S-22710/17H NOTICE 1	SWITCH, ROTARY, PRINTED CIRCUIT, PUSH BUTTON, SEALED, ILLUMINATED AND NONILLUMINATED, STYLE SRPC17 [VALIDATION DATE: 9305] USER: 11 MC ME OS REVIEWER: 17 99 AS ES MI SM	A 5930	BS 21-MAY-93	ER	EC	BS	
	MIL-S-22710/18F	SWITCH, CODING INDICATING WHEEL (PRINTED CIRCUIT) (PUSHBUTTON, BIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED & NONILLUMINATED) STYLE SRPC18-1 & -2 USER: 11 17 AL AS MC ME REVIEWER: 99 ES SM	A 5930	EC 30-SEP-86	ER	EC	BS	
	MIL-S-22710/20C	SWITCH, ROTARY (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, DUAL ILLUMINATED), (RFI SHIELDED) (TOP & BOTTOM RELAMPABLE), STYLE SRPC20 USER: 11 MC ME OS REVIEWER: 17 AS ES MI SM	A 5930	BS 04-OCT-82	CR	EC	BS	
	MIL-S-22710/23C	SWITCH, ROTARY (PRINTED CIRCUIT), (PUSHBUTTON, UNIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED) (SIDE RELAMPABLE) (OR NONILLUMINATED), STYLE SRPC23 USER: 11 17 AS MC ME REVIEWER: 99 AS ES SM	A 5930	EC 30-SEP-86	ER	EC	BS	
	MIL-S-22710/24A(2)	SWITCH, ROTARY (PRINTED CIRCUIT) (TOGGLE, BIDIRECTIONAL, SEALED, ILLUMINATED OR NONILLUMINATED) STYLE SRPC24 USER: 11 MC ME REVIEWER: 17 99 AS ES MI SM	A 5930	EC 18-FEB-83	ER	EC	BS	
	MIL-S-22710/30	SWITCHES, ROTARY (PRINTED CIRCUIT), PUSHBUTTON BIDIRECTIONAL, SEALED, HIGH SHOCK, RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, LOW LEVEL, STYLE SRPC30 USER: 11 17 AL AS MC ME REVIEWER: 99 ES SM	A 5930	EC 25-NOV-83	ER	EC	BS	
LI	MIL-R-22717(3) NOTICE 1	RECORDER-REPRODUCER, SOUND PORTABLE, MAGNETICALLY COATED TAPE .....	A 5835	SH 26-DEC-90			SH	
L	MIL-C-22720(1) MIL-F-22735C	COUPLER, MONITOR CU-737/URC [VALIDATION DATE: 8204] REVIEWER: SH .....	A 5895	EC 11-JUN-63			EC	
		FILM, ELASTOMERIC, FLUORESCENT, FOR WEAPONS SYSTEM (ASG) REVIEWER: 69 GS .....	A 9330	AS 03-NOV-80			AS	11
Q	MIL-C-22750E(1) NOTICE 1	COATING, EPOXY, VOC - COMPLIANT REVIEWER: AR AV CR EA MC MI MR OS .....	A 8010	AS 20-JAN-92			ME	AS
LI	MIL-R-22754 NOTICE 1	RECORDER-REPRODUCER, SOUND (MAGNETIC TAPE), TYPE RD-219( )/U .....	A 5835	SH 26-DEC-90			SH	
L	MIL-T-22755B NOTICE 1	TAPE, REPAIR: MAGNETIC MINESWEEPING CABLE SHEATH [VALIDATION DATE: 8810] REVIEWER: GS	A 5970	SH 19-OCT-88			SH	
Q	MIL-W-22759E(1) SUPPL 1A1	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY USER: 11 AT MC REVIEWER: 80 AR AV IS ME MI OS	A 6145	AS 07-MAY-91	CR	AS	BS	
A	MIL-W-22759/1F	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, PTFE AND PTFE COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600-VOLT USER: AT AV MC REVIEWER: 99 AR EC IS ME MI OS	A 6145	AS 18-SEP-92	CR	AS	BS	
A	MIL-W-22759/2F	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT REVIEWER: 99 AR EC IS ME MI OS	A 6145	AS 18-SEP-92	CR	AS	BS	
	MIL-W-22759/3D	WIRE, ELECTRIC, FLUOROCARBON INSULATED, TFE GLASS TFE, MEDIUM WEIGHT, NICKEL COATED COPPER, 600 VOLT [VALIDATION DATE: 8203] USER: 11 AT MC REVIEWER: AR AV EC IS ME MI OS	A 6145	AS 10-SEP-76	CR	AS	BS	
	MIL-W-22759/4C	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT USER: AT AV MC REVIEWER: 99 EC IS ME MI OS	A 6145	AS 10-APR-92	CR	AS	BS	
	MIL-W-22759/5B(1)	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/6B(1)	WIRE, ELECTRICAL, FLUOROCARBON-INSULATED, ABRASION RESISTANT, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/7B(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT, EXTRUDED TFE, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/8B(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/9B(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1000-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/10B(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1000-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/11F(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 AT AV MC REVIEWER: 80 99 AR EC IS ME MI OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/12F(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 MC V0 REVIEWER: 80 99 AR EC IS ME OS	A 6145	AS 31-DEC-90	CR	AS	BS	
	MIL-W-22759/13D	WIRE, ELECTRIC, FLUOROCARBON INSULATED, FEP-PVF2 MEDIUM WEIGHT, TIN COATED COPPER, 600 VOLT [VALIDATION DATE: 8509] USER: AT AV MC REVIEWER: 11 AR EC IS ME MI OS	A 6145	AS 29-JUN-73	CR	AS	BS	
	MIL-W-22759/14B	WIRE, ELECTRIC, FLUOROCARBON-INSULATED, FEP-PVF2, LIGHTWEIGHT, TIN-COATED COPPER, 600 VOLT [VALIDATION DATE: 8509] USER: 11 AT AV MC REVIEWER: AR EC IS ME MI OS	A 6145	AS 29-JUN-73	CR	AS	BS	
	MIL-W-22759/15B	WIRE, ELECTRIC, FLUOROCARBON - INSULATED, FEP-PVF2 LIGHTWEIGHT, SILVER PLATED HIGH STRENGTH COPPER ALLOY, 600 VOLT [VALIDATION DATE: 8509] USER: AT AV MC REVIEWER: 11 AR EC IS ME MI OS	A 6145	AS 29-JUN-73	CR	AS	BS	
	MIL-W-22759/16A	WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED ESTFE, MEDIUM WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLT, 150 DEG C USER: 11 AT EC REVIEWER: 99 AR AV IS MC ME MA OS	A 6145	AS 10-MAR-81	CR	AS	BS	
	MIL-W-22759/17A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, 150 DEG. C USER: EC REVIEWER: 11 99 AR AT AV IS MC ME OS	A 6145	AS 10-MAR-81	CR	AS	BS	
	MIL-W-22759/18A	WIRE, ELECTRIC, FLUOROPOLYMER INSULATED, EXTRUDED ESTFE, LIGHT WEIGHT, TIN COATED COPPER CONDUCTOR, 600 VOLT, 150 DEG. C	A 6145	AS 10-MAR-81	CR	AS	BS	
	MIL-W-22759/19A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, 150 DEG C USER: 11 AT EC REVIEWER: 99 AR AV IS MC ME OS	A 6145	AS 10-MAR-81	CR	AS	BS	
	MIL-W-22759/20(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT USER: 11 REVIEWER: 80 99	A 6145	AS 31-DEC-90			AS	BS
	MIL-W-22759/21(1)	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT USER: 11 REVIEWER: 80 99	A 6145	AS 31-DEC-90			AS	BS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc/Coordination	Machine	Document Number	Document Title	Doc Smt	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
										Army	Navy	Air Force	DIA
L	MIL-W-22759/22			WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT (VALIDATION DATE: 8709) USER: 11 REVIEWER: 80 99	A 6145	AS	28-JAN-74			AS			
L	MIL-W-22759/23(1)			WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT USER: 11 REVIEWER: 80 99	A 6145	AS	31-DEC-90			AS	85		
	MIL-W-22759/28(1)			WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED CONDUCTOR, 600-VOLT USER: 11 REVIEWER: 80 99	A 6145	AS	31-DEC-90			AS	85		
	MIL-W-22759/29(1)			WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT USER: 11 REVIEWER: 80 99	A 6145	AS	31-DEC-90			AS	85		
	MIL-W-22759/30(1)			WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE-COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT USER: 11 REVIEWER: 80 99	A 6145	AS	31-DEC-90			AS	85		
	MIL-W-22759/31(1)			WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT USER: 11 REVIEWER: 80 99	A 6145	AS	31-DEC-90			AS	85		
	MIL-W-22759/32C			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED COPPER, 150 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/33C			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/34D			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED COPPER, 150 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/35D			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/41C			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED COPPER, 200 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 70 99 CR ES 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/42B			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/43C			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 DEG. C. 600 VOLT USER: SH REVIEWER: 11 70 99 AV ES 15 MI	A 6145	85	09-SEP-88	CR		AS	85		
	MIL-W-22759/44A			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/45A			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED COPPER, 200 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
	MIL-W-22759/46A			WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200 DEG. C. 600 VOLT USER: EC OS SH REVIEWER: 11 19 99 CR 15 MI	A 6145	85	09-SEP-88	AV		AS	85		
A L	MIL-S-22760C			SUPPORT, CROWN, SERVICE CAP, AND SUPPORT HOLDER	A 8405	CT	28-MAR-91			MC		CT	
L	MIL-R-22762(5)			RECEIVER-TRANSMITTER RADIO RT-546/ASQ-19, RT-546A/ASQ-19, RT-853/ASQ-19 AND RT-546B/ASQ-19 (VALIDATION DATE: 9110)	A 5821	AS	15-OCT-91			AS			
L	MIL-R-22763(2)			RECEIVER-TRANSMITTER, RADIO RT-547(*)/ASQ-19 AND DECODER, PULSE KY-312(*)/ASQ-19 (VALIDATION DATE: 8410)	A 5895	AS	01-APR-65			AS			
L	MIL-C-22764C(2)			CODER RECEIVER TRANSMITTER K&V532A/ASQ (VALIDATION DATE: 8010)	A 5895	AS	15-AUG-66			AS			
L	MIL-A-22765(2)			AMPLIFIER-POWER SUPPLY-RECEIVER AM-2349/ASQ-19 AND AM-2349A/ASQ-19 AND ANTENNA AS-909/ARA-48 AND AS-909A/ARA-48 (VALIDATION DATE: 9110)	A 5821	AS	15-OCT-91			AS			
L	MIL-C-22766(2)			CONTROLS, CENTRAL C-3076(*)/ASQ-19 AND C-6248(*)/ASQ-88 (VALIDATION DATE: 9111)	A 5841	AS	15-NOV-91			AS			
L	MIL-I-22767A			INTERCOMMUNICATION STATIONS LS-459(*)/AIC AND LS-460(*)/AIC (VALIDATION DATE: 9110)	A 5831	AS	15-OCT-91			AS			
L	MIL-I-22768(2)			INDICATORS, FREQUENCY CHANNEL ID-806(*)/ASQ AND ID-1311(*)/ASQ (VALIDATION DATE: 8010)	A 5895	AS	15-FEB-66			AS			
L	MIL-L-22769A(1)			LAUNCHER, WEAPONS, AIRBORNE AND ASSOCIATED EQUIPMENT GENERAL SPECIFICATION FOR	A 106P	AS	10-NOV-83			AS			
L	MIL-C-22770M			COIL, WIRE (VALIDATION DATE: 8403)	A 1355	OS	17-AUG-77			OS			
L	MIL-A-22771D			ALUMINUM ALLOY FORGINGS, HEAT TREATED USER: OS REVIEWER: MI	A FORG	AS	30-JAN-84	NR		AS	11		
L	MIL-I-22772(2)			INSECTICIDE, 2-PERCENT DIAZINON DUST (VALIDATION DATE: 8711) REVIEWER: GS	A 6840	GL	13-JUN-75	GL					
A	MIL-C-22775D			CLOTH, BUNTING, ACRYLIC USER: CG OS SH REVIEWER: 1H	A 8305	CT	06-JAN-84	GL		NU		CT	
A	MIL-S-22777F			SOLES AND HEELS, RUBBER, TRACTION TREAD, SHOE USER: 45 CG MC REVIEWER: 82 99 AS MD	A 8335	CT	18-OCT-82	GL		NU	11	CT	
A L	MIL-I-22782E			INSIGNIA, SHOULDER SLEEVE, AND BREAST USER: CG	A 8455	CT	13-NOV-85			GL		CT	
L	MIL-S-22783C(1)			SEALING MACHINES, ELECTRICAL IMPULSE (JAM TYPE) (VALIDATION DATE: 8201) USER: AR MC SH REVIEWER: ME SH	A 3540	GL	02-APR-76			GL	SA	99	
D	MIL-C-22785B			CAN, BEVERAGE, DISPENSER (VALIDATION DATE: 8402) USER: MC YD1 REVIEWER: GS	A 7310	SH	28-DEC-77			SH	99		
D	MIL-G-22786A			GRATER, FOOD, (NON-MECHANICAL) (VALIDATION DATE: 8708) USER: CG MC YD1 REVIEWER: MD MS	A 7330	GL	03-AUG-87			GL	SA		
A	MIL-C-22787D			CLOTH, COATED, FUEL AND FLAME RESISTANT USER: 45 REVIEWER: 82	A 8305	CT	08-DEC-87			NU	99	CT	
L	MIL-P-22798(2)			PUMP, CENTRIFUGAL, GASOLINE-ENGINE-DRIVEN, 60 G.P.M. (VALIDATION DATE: 6704)	A 4320	CG	20-FEB-62			CG			
L	MIL-C-22802(2)			CONTROL MONITOR DCU-75/A (VALIDATION DATE: 8307)	A 5821	AS	20-SEP-61			AS			
M	MIL-S-22805B			SPRAY KIT, SELF PRESSURIZED USER: AV ER SH YD1 REVIEWER: 82 CS OS	A 4940	AS	31-MAR-93			AL		99	
L	MIL-C-22809(1)			COOLING-PUMPING GROUP AM/AMA-6 (VALIDATION DATE: 8708)	A 4320	AS	25-AUG-87			AS			
L	MIL-I-22814			AM/APH-132 INCLINOMETER SET (VALIDATION DATE: 9109)	A 4931	AS	25-SEP-91			AS			
L	MIL-T-22815			AM/APH-131 TEST HARNESS, RADAR (VALIDATION DATE: 8103)	A 4931	AS	15-MAY-62			AS			
	MIL-S-22820B			SERVOMOTOR-TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR USER: MC REVIEWER: 79 ER MI	A 6105	AS	28-NOV-90			AR			
	MIL-S-22820/7C			SERVOMOTOR-TACHOMETER GENERATOR, TYPE 18SH-RG40 USER: MC REVIEWER: 17 ER MI	A 6105	AS	28-NOV-90			AR		11	
L	MIL-S-22820/34C			SERVOMOTOR-TACHOMETER GENERATOR, TYPE 15SH-1H4A (HEAT COMPENSATED) REVIEWER: GS	A 6105	AS	28-NOV-90			AS			
	MIL-T-22821C			TACHOMETER GENERATOR, AC; GENERAL SPECIFICATION FOR USER: CG MC REVIEWER: 99 ES GS	A 6680	AS	28-NOV-90			AR			
	MIL-T-22821/1B			TACHOMETER GENERATOR, TYPE 151H4A (HEAT COMPENSATED) USER: CG MC REVIEWER: 99 ES GS	A 6680	AS	28-NOV-90			AR			
	MIL-T-22821/2C			TACHOMETER GENERATOR, TYPE 15RG4A USER: CG MC REVIEWER: 99 ES GS	A 6680	AS	28-NOV-90			AR			
D L	MIL-S-22824D			SLINGS, MULTIPLE LEG, VEHICLE (SHIPBOARD LOADING) USER: CG REVIEWER: MC SH	A 3940	YD1	24-JUL-89			YD1			
D L	MIL-S-22824D(11)			SLINGS, MULTIPLE LEG, VEHICLE (SHIPBOARD LOADING) USER: CG REVIEWER: GS MC MI SH	A 3940	YD1	15-AUG-91			YD1			
D	MIL-D-22825C			DEHYDRATORS, DESICCANT, REFRIGERANT 12 (VALIDATION DATE: 8710) USER: MC REVIEWER: CE GS MD SH	A 4130	GL	01-OCT-87			GL	YD1	99	
D	MIL-R-22827E			REFUSE CONTAINER, MOISTING UNITS USER: MC REVIEWER: GS	A 3990	YD1	30-JUN-89			ME	YD1		
D	MIL-H-22832B			HEAT INTERCHANGER, REFRIGERANT 12 (VALIDATION DATE: 8710) USER: CE MC REVIEWER: GS 86	A 4130	GL	01-OCT-87			GL	YD1	82	



## NUMERICAL LISTING MILITARY SPECIFICATIONS

Admin / Doc. Coordination / Document Number		Document Title	Doc. Cont. / FSC / Ave. MCA Symbol	Doc. Preparing Act.	Date	Custodians	
						Army	Navy / Air Force / DLA
D	MIL-S-22833C	STRAINERS, SEDIMENT, REFRIGERANT 12 (VALIDATION DATE: 8806) USER: ME SH	A 4130	GL	30-JUN-88	GL	YD1 99
L	MIL-I-22834A(1)	REVIEWER: GS INSULATION, ELECTRICAL, DIELECTRIC BARRIER, LAMINATED, PLASTIC FILM AND SYNTHETIC FIBER MAT (VALIDATION DATE: 8104) USER: ME REVIEWER: GS MI	A 5970	SH	27-APR-64		SH
D	MIL-F-22839D	FURNITURE, MODULAR TYPE, STEEL, FIELD OFFICE USER: OS REVIEWER: 84	A 7110	YD1	17-NOV-88	GL	YD1 99
L	MIL-C-22845A	CARTRIDGE, DELAY, MARK 35 MOD 0 (VALIDATION DATE: 8704)	A 1377	AS	10-APR-87		AS
L	MIL-A-22847(1)	AIR REFUELING STORE SYSTEM, D-704 (VALIDATION DATE: 8407)	A 1680	AS	31-MAY-61		AS
L	MIL-C-22848B	CARTRIDGE, IMPULSE, MARK 37 MOD 0 (VALIDATION DATE: 8407)	A 1377	AS	27-OCT-70		AS
Q	MIL-L-22851D	LUBRICATING OIL, AIRCRAFT PISTON ENGINE (ASHLESS DISPERSANT) USER: MC REVIEWER: 68 AV OS PS	A 9150	AS	01-DEC-90	MR	AS 11
QL	MIL-A-22858A(5)	ATTITUDE INDICATING SYSTEM, REMOTE, STANDBY, TWO INCH (VALIDATION DATE: 8303) REVIEWER: GS	A 6610	AS	20-JUL-73		AS
L	MIL-I-22867	INSIGNIA, SLEEVE, SHIELD, PRINTED (VALIDATION DATE: 7005) USER: 45	A 8455	CG	29-MAR-61		CG
L	MIL-H-22868	REVIEWER: CT HYDROGEN PEROXIDE, E-STABILIZED, 70 PERCENT AND 90 PERCENT (FOR TORPEDO USE) (VALIDATION DATE: 8107)	A 6810	OS	21-MAR-61		OS
L	MIL-C-22869	COMPUTER, HELICOPTER PERFORMANCE (VALIDATION DATE: 8410)	A 6605	AS	19-JAN-61		AS
L	MIL-P-22871A	PROBES, CAPACITOR TYPE, FUEL QUANTITY GAGE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: GS	A 6680	AS	30-JAN-62		AS
L	MIL-C-22873A	CONVERTER - SHIFT REGISTER GROUP AM/JUGA-3 ( ) (VALIDATION DATE: 8104)	A 5815	EC	17-SEP-68		EC
L	MIL-H-22881D	HEATER, WATER, STEAM HEATED, NON-STORAGE TYPE (COMPLETE WITH CONTROL ACCESSORIES) (VALIDATION DATE: 8106) REVIEWER: CS	A 4520	SH	13-OCT-71		SH
Q	MIL-S-22885E	SWITCHES, PUSHBUTTON, ILLUMINATED, MOMENTARY AND PUSH-PULL, 2 CIRCUIT, 5 AMPERES USER: 19 AR MC SH REVIEWER: 99 AS AV ES MI OS	A 5930	EC	11-MAR-92	ER	EC 85
	MIL-S-22885/1G	SWITCH, PUSH BUTTON, ILLUMINATED LENSES (SCREW-IN, T-1-3/4 MFB LAMP) (VALIDATION DATE: 9103) USER: 19 AS AT AV MC ME OS SH REVIEWER: 17 BS AR ES	A 5930	EC	22-MAR-91	ER	EC 11
A	MIL-S-22885/8G	SWITCH, PUSH BUTTON, ILLUMINATED, MOMENTARY AND PUSH-PULL, 2 CIRCUIT, 5 AMPERES USER: 19 AR AS AT AV MC ME SH REVIEWER: 99 ES MI	A 5930	EC	23-APR-93	ER	EC 85
	MIL-S-22885/9K(1)	SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, (MODULAR CONSTRUCTED) (VALIDATION DATE: 9103) USER: 19 MC OS SH REVIEWER: 17 99 AS AV ES MI	A 5930	EC	22-MAR-91	ER	EC 85
	MIL-S-22885/10G(1)	SWITCH, PUSH BUTTON, ILLUMINATED INDICATOR LIGHT FOR, MODULAR, 4-LAMP (VALIDATION DATE: 9103) USER: 19 AR MC OS SH REVIEWER: 17 99 AS AV ES MI	A 5930	EC	22-MAR-91	ER	EC 85
M	MIL-S-22885/11G	SWITCH, PUSH BUTTON, ILLUMINATED, MODULAR SWITCH ASSEMBLIES FOR USER: 19 AR AT AV MC ME SH REVIEWER: 99 AS ES MI	A 5930	EC	14-MAY-93	ER	EC 85
	MIL-S-22885/12E	SWITCH SUBASSEMBLY, COLOR FILTERS (FOT, SWITCH, PUSH BUTTON, ILLUMINATED) USER: AT AV MC ME OS SH REVIEWER: 99 AS ES MI	A 5930	EC	04-DEC-87	ER	EC 17
	MIL-S-22885/13G	SWITCH, PUSH BUTTON, ILLUMINATED PANEL SEAL FOR USER: 17 AR MC ME OS SH REVIEWER: 85 AS ES MI	A 5930	EC	04-DEC-87	ER	EC 11
	MIL-S-22885/15D(1)	SWITCHES, PUSH, ILLUMINATED, 4 - LAMP, CLIP MOUNTED (MODULAR CONSTRUCTED) USER: 19 AR AS AT AV MC OS SH REVIEWER: 99 ES MI	A 5930	EC	22-AUG-91	ER	EC 85
	MIL-S-22885/16D	SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, CLIP MOUNTED, LIGHT MODULE FOR (VALIDATION DATE: 9103) USER: 19 AR AS AT AV MC ME OS SH REVIEWER: 11 17 99 ES MI	A 5930	EC	22-MAR-91	ER	EC 85
	MIL-S-22885/18G	SWITCH, PUSH BUTTON, ILLUMINATED, DRIP PROOF SEAL, MOMENTARY AND ALTERNATE ACTION (DPDT/TWO CIRCUIT - 2 AMPERES) USER: 19 AS MC SH REVIEWER: 17 99 AV ES MI OS	A 5930	EC	20-JUL-88	ER	EC 85
I	MIL-S-22885/19G	SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SNAP-IN, T-1-3/4 MFB LAMP) (INACTIVE FOR NEW DESIGN) USER: 19 AR AT AV MC ME OS SH REVIEWER: 17 99 AS ES	A 5930	EC	20-JUL-88	ER	EC 85
I	MIL-S-22885/22E	SWITCH, PUSH BUTTON, ILLUMINATED, LENSES FOR (SCREW-IN, T-1-3/4 MFB LAMP) (INACTIVE FOR NEW DESIGN) USER: 19 AR AS AT MC ME REVIEWER: 11 17 ES OS SH	A 5930	EC	20-JUL-88	ER	EC 85
I	MIL-S-22885/26A	SWITCH ASSEMBLIES, STYLE-SLO7 (10 AMPERE - DOUBLE BREAK) (VALIDATION DATE: 9103) USER: 14 19 AT AV ME REVIEWER: 11 17 AS ES MI OS SH	A 5930	EC	22-MAR-91	ER	EC 85
I	MIL-S-22885/27C	SWITCH, PUSH BUTTON, ILLUMINATED, SWITCH HOUSINGS FOR, 10 AMPERES, DOUBLE BREAK (VALIDATION DATE: 9103) USER: 19 AT AV MC ME OS SH REVIEWER: 17 AS ES MI	A 5930	EC	22-MAR-91	ER	EC 85
I	MIL-S-22885/28B	SWITCH, PUSH BUTTON, ILLUMINATED LENSES, STYLE L15 (VALIDATION DATE: 9103) USER: 19 AT MC ME REVIEWER: 11 17 99 AS ES MI OS SH	A 5930	EC	22-MAR-91	ER	EC 85
A	MIL-S-22885/52B	SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH PLAMAR COLOR FILTERS) USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH	A 5930	EC	19-FEB-93	ER	EC 85
A	MIL-S-22885/53C	SWITCH, PUSHBUTTON, ILLUMINATED, PUSHBUTTON FOR (WITH LAMP-CAP COLOR FILTERS) USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH	A 5930	EC	19-FEB-93	ER	EC 85
A	MIL-S-22885/54C	SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR, PLAMAR DESIGN USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH	A 5930	EC	19-FEB-93	ER	EC 85
A	MIL-S-22885/55E	SWITCH, PUSHBUTTON, ILLUMINATED CAP, COLOR FILTER FOR, LAMP-CAP DESIGN USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH	A 5930	EC	19-FEB-93	ER	EC 85
	MIL-S-22885/56F(1)	SWITCH, PUSH BUTTON, ILLUMINATED, 2POT, 4POT AND INDICATOR ASSEMBLIES, 4-LAMP, SOLID MOUNTING USER: 19 AR AS MC ME OS REVIEWER: 99 ES MI SH	A 5930	EC	22-AUG-91	ER	EC 85
	MIL-S-22885/58F(1)	SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, SOLID MOUNT, 3 AMPERES, UNSEALED USER: MC OS SH REVIEWER: 19 99 AS AV ES MI	A 5930	EC	19-JUL-91	ER	EC 85
	MIL-S-22885/59C	SWITCH, PUSH BUTTON, ILLUMINATED, 2-LAMP, LENS ARRANGEMENTS FOR USER: MC OS SH REVIEWER: 17 19 99 AS AV ES MI	A 5930	EC	20-DEC-89	ER	EC 85
	MIL-S-22885/67F	SWITCH, PUSHBUTTON, ILLUMINATED, 4 LAMP, 0.75 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED (VALIDATION DATE: 8601) USER: 19 AR MC SH REVIEWER: 17 99 AS AV ES MI OS	A 5930	EC	25-OCT-79	ER	EC 85
M	MIL-S-22885/71B	SWITCH, PUSH, ILLUMINATED, 4 LAMP, RFI SHIELDED (VALIDATION DATE: 9305) USER: 11 70 84 SA REVIEWER: 99 ES MI SH	A 5930	85	28-MAY-93	ER	EC 85
	MIL-S-22885/74F	SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, PLUG-IN MODULE (INSERTABLE TYPE TERMINATION) (VALIDATION DATE: 9103) USER: 19 AR AS MC OS SH REVIEWER: 17 99 AV ES MI	A 5930	EC	22-MAR-91	ER	EC 85
	MIL-S-22885/75D	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.87 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED USER: 11 AR MC REVIEWER: 99 AS AV ES ME OS SH	A 5930	EC	25-JUL-90	ER	EC 85
	MIL-S-22885/77C(1)	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.75 SQUARE, 7.5 AMPERES, AND LOW LEVEL INTEGRATED WIRE TERMINATION, ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE USER: 19 AR MC SH REVIEWER: 17 99 AS AV ES MI OS	A 5930	EC	26-MAR-91	ER	EC 85
LI	MIL-S-22885/78A	SWITCH, PUSHBUTTON, ILLUMINATED, COLOR FILTER FOR REVIEWER: ES	A 5930	EC	20-DEC-89		EC
	MIL-S-22885/79C	SWITCHES, PUSH BUTTON, ILLUMINATED, MOMENTARY, SPOT AND DPDT, ONE LAMP, 7 AMPERE SILVER CONTACTS, 1 AMPERE GOLD CONTACT (VALIDATION DATE: 9103) USER: 19 AR MC REVIEWER: 17 99 AS AV ES MI OS	A 5930	EC	22-MAR-91	ER	EC 85
A	MIL-S-22885/80E(3)	SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK RESISTANT USER: 19 AR AS MC OS SH REVIEWER: 99 AV OS ES MI	A 5930	EC	24-FEB-93	ER	EC 85
M	MIL-S-22885/81A	SWITCHES, PUSH BUTTON, ILLUMINATED, 5 AMPERES, 1 LAMP, DRIPPROOF (VALIDATION DATE: 9305) USER: 11 70 84 SA REVIEWER: 99 ES MI SH	A 5930	85	28-MAY-93	ER	EC 85
L	MIL-S-22885/82B	SWITCH, PUSH BUTTON, ILLUMINATED, LENS ASSEMBLIES FOR, .665 SQ AND .916 LG X .665 WIDE	A 5930	EC	05-FEB-90		EC
LI	MIL-S-22885/83D	SWITCH, PUSH BUTTON, ILLUMINATED, (.2330 LONG X .750 SQUARE) REVIEWER: 99 ES	A 5930	85	27-JUN-90		85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Inservice Document Number	Document Title	Dist Smt FSC / Ave MCS Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-S-22885/848 NOTICE 1	SWITCH, PUSHBUTTON, ILLUMINATED, MOMENTARY AND ALTERNATE ACTION, 4 LAMP, 7 AMPERES (2.43 LONG X .875 SQUARE) [VALIDATION DATE: 8809] REVIEWER: 99	A 5930 85 30-SEP-88		85		
L MIL-S-22885/85C	SWITCH, PUSH BUTTON, ILLUMINATED, LENS PLATE FOR, 1.030 LONG X .730 WIDE [VALIDATION DATE: 9103] USER: 19 AR MC OS SH REVIEWER: 17 99 AS AV ES MI	A 5930 EC 22-MAR-91	ER	EC	85	
L MIL-S-22885/868	SWITCH, PUSH BUTTON, ILLUMINATED, 4 LAMP, .870 SQUARE, 2 AMPERES, 2PDT AND 4PDT, PLUG-IN MODULE, EMI/RFI SHIELDING	A 5930 EC 21-DEC-89		EC		
MIL-S-22885/87B	SWITCH, PUSH BUTTON, ILLUMINATED, 4-LAMP, SOLID MOUNT, MODULAR CONSTRUCTED, HIGH IMPACT SHOCK USER: 19 AS AT AV MC ME OS SH REVIEWER: 17 99 ES	A 5930 EC 08-NOV-91	ER	EC	85	
MIL-S-22885/88A	SWITCH, PUSH BUTTON, ILLUMINATED, HIGH IMPACT SHOCK, MODULAR SWITCH ASSEMBLIES FOR [VALIDATION DATE: 9103] USER: 19 AR AT AV MC ME REVIEWER: 17 99 AS ES MI OS SH	A 5930 EC 22-MAR-91	ER	EC	85	
L MIL-S-22885/89A NOTICE 1	SWITCH, PUSHBUTTON, ILLUMINATED, SINGLE LAMP, 7 AMPERES, MOMENTARY ACTION [VALIDATION DATE: 8905] REVIEWER: 99 MI	A 5930 85 31-MAY-89			85	
MIL-S-22885/90B	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, LOW LEVEL TO 7 AMPERES, (DRIPPROOF, EMI/RFI SHIELDING, NIGHT VISION GOGGLE COMPATIBLE) USER: 19 AR MC OS SH REVIEWER: 17 99 AS AV OS ES MI	A 5930 EC 23-JUN-89	ER	EC	85	
MIL-S-22885/91B	SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, SOLID STATE HALL EFFECT, UNSEALED [VALIDATION DATE: 9103] USER: 13 OS REVIEWER: 11 99 ES MI	A 5930 EC 22-MAR-91	ER	EC	85	
MIL-S-22885/92A(2)	SWITCH, PUSHBUTTON, ILLUMINATED, ROCKER, PADDLE, POWER DUTY, UNSEALED USER: 13 OS REVIEWER: 99 ES	A 5930 EC 27-SEP-91		EC	85	
MIL-S-22885/93B(1)	SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, LOGIC LOAD TO 3 AMPERES, UNSEALED [VALIDATION DATE: 9103] USER: 13 OS REVIEWER: 11 99 ES MI	A 5930 EC 22-MAR-91	ER	EC	85	
M L MIL-S-22885/96B(1)	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, RFI SHIELDED REVIEWER: ES	A 5930 EC 04-JUN-93		EC		
MIL-S-22885/99(1)	SWITCH, PUSH BUTTON, ILLUMINATED, PUSH BUTTONS FOR (SNAP-IN AND SCREW-IN) USER: 19 AS MC SH REVIEWER: 99 AV ES MI OS	A 5930 EC 25-JUN-92	ER	EC	85	
L MIL-S-22885/100(1) NOTICE 1	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT & DPDT, 7.5 AMPERES, SILVER CONTACTS, 1 AMPERE, GOLD CONTACTS (DRIPPROOF, SUNLIGHT READABLE, RFI SHIELDED) [VALIDATION DATE: 8905]	A 5930 85 31-MAY-89			85	
L MIL-S-22885/101B	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SPDT AND DPDT, 5.0 AMPERES SILVER CONTACTS, 1 AMPERE MAX, GOLD CONTACTS, DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED, NVIS COMPATIBLE USER: 19 REVIEWER: 99	A 5930 85 11-DEC-90			85	
L MIL-S-22885/102A NOTICE 1	SWITCH, PUSHBUTTON, 4-LAMP, PUSHBUTTON & LENS ASSEMBLIES FOR, .610 SQUARE (DRIPPROOF, SUNLIGHT READABLE, EMI/RFI SHIELDED) [VALIDATION DATE: 8905]	A 5930 85 31-MAY-89			85	
L MIL-S-22885/103(1)	SWITCHES, PUSHBUTTON, ILLUMINATED, 2 AMPERES, 2PDT, 4PDT AND INDICATOR, 4 LAMP, SUNLIGHT READABLE (EMI/RFI SHIELDING, MODULAR CONSTRUCTION)	A 5930 EC 19-JUN-92		EC		
L MIL-S-22885/104A	SWITCH, PUSHBUTTON, ILLUMINATED, 4 LAMP, SUNLIGHT READABLE (FOR ILLUMINATED PUSHBUTTON SWITCH)	A 5930 EC 10-OCT-89		EC		
L MIL-S-22885/105(1)	SWITCH, PUSHBUTTON, ILLUMINATED, PLUG-IN, SWITCH MODULE FOR, 2PDT, 4PDT ...	A 5930 EC 19-JUN-92		EC		
MIL-S-22885/108B	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, SPDT, DPDT, 4PDT SILVER CONTACTS - 2 CIRCUIT (5 AMPERES) OR SPDT (7.5 AMPERES); GOLD CONTACTS - LOW LEVEL TO 1 AMPERE, SUNLIGHT READABLE DISPLAY (DRIPPROOF, WATERTIGHT, SPLASHPROOF, EMI/RFI SHIELDING, HIGH IMPACT SHOCK RESISTANT, COMMON TERMINATION SYSTEM, NIGHT VISION (GOGGLE COMPATIBLE) USER: AT REVIEWER: 99 MI	A 5930 EC 10-DEC-91	ER	EC	85	
MIL-S-22885/109A	SWITCHES, PUSH BUTTON, ILLUMINATED 4-LAMP, .75 SQUARE, 4PDT AND DPDT, 7 AMPERES, SUNLIGHT READABLE DISPLAY OPTION, NVIS COMPATIBLE OPTION, MOMENTARY AND ALTERNATE MOLDDOWN, LOW TOUCH TEMPERATURE, CONNECTOR MODULE TERMINATION OPTION	A 5930 85 16-FEB-90		99 ES		
L MIL-S-22885/110	SWITCH, PUSHBUTTON, ILLUMINATED, 4-LAMP, SUNLIGHT READABLE, NIGHT VISION IMAGING SYSTEM COMPATIBLE, EMI/RFI SHIELDED, DRIPPROOF, SNAP ACTION, 4PDT, MOMENTARY, ALTERNATE REVIEWER: 99 ES	A 5930 85 31-MAR-92			85	
A L MIL-S-22885/111	SWITCHES, PUSHBUTTON, LIGHT EMITTING DIODE (LED) ILLUMINATED, STANDARD, NIGHT VISION IMAGING SYSTEM (NVIS) AND SUNLIGHT READABLE DISPLAYS, SPDT AND DPDT, LOW LEVEL TO 7 AMPERES, SEALED AND UNSEALED, SOLDER AND COMMON TERMINATION SYSTEM (CTS) TERMINATIONS REVIEWER: ES	A 5930 EC 14-AUG-92		EC		
L MIL-A-22889(2)	AMPLIFIER, ERROR LEVEL, ASSEMBLY	A 1290 OS 27-JAN-87		OS		
L MIL-R-22890(2)	RECTIFIER, ERROR METER, ASSEMBLY	A 1290 OS 27-JAN-87		OS		
L MIL-A-22891(2)	AMPLIFIER, ERROR LIGHT, ASSEMBLY	A 1290 OS 27-JAN-87		OS		
D MIL-C-22894F	CLEANER, STEAM, PRESSURE JET, WHEEL-MOUNTED USER: MC REVIEWER: CS	A 4940 YD1 26-JUL-89		AL	YD1 99	
L MIL-C-22896A(1)	CONTACTOR [VALIDATION DATE: 8204]	A 1355 OS 23-DEC-69		OS		
OL MIL-W-22900A(2)	WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F [VALIDATION DATE: 8103] REVIEWER: 99 GS	A 6660 AS 26-JUL-68		AS		
MIL-C-22909B SUPPL 1A1	CRIMPING TOOL, TERMINAL AND CONNECTOR CONTACT, HYDRAULIC OPERATED [VALIDATION DATE: 8207] USER: OS REVIEWER: 85 EC GL	A 5130 AS 04-DEC-72	CR	AS	11	
L MIL-E-229110(2) NOTICE 1	ELECTRONIC PANEL (FOR TORPEDO MARK 37 MOD 2) (INACTIVE FOR NEW DESIGN) .....	A 1355 OS 31-OCT-86		OS		
L MIL-C-22912B	CONTROLLER, STEERING (FOR TORPEDO MARK 37 MOD 2) [VALIDATION DATE: 8403] ..	A 1355 OS 09-SEP-70		OS		
L MIL-T-22913C NOTICE 1	TIMER (FOR TORPEDO MARK 37 MOD 2) (INACTIVE FOR NEW DESIGN) .....	A 1355 OS 31-OCT-86		OS		
MIL-R-22928B NOTICE 1	RECEIVER, LIQUID REFRIGERANT 12 [VALIDATION DATE: 8708] USER: MC REVIEWER: GS MD ME SS	A 4130 GL 03-AUG-87		GL		
MIL-C-22931B(1) SUPPL 1A1	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304] USER: 19 AS AT ES MC ME OS REVIEWER: 11 17 AR AV IS MI	A 6145 EC 16-DEC-76	CR	EC	85	
MIL-C-22931/9	CABLE, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 AND .530 INCH OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 AR ES IS	A 6145 EC 10-FEB-68	CR	EC	85	
MIL-C-22931/10	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .500 INCH OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT MC ME OS REVIEWER: 11 17 AR ES IS	A 6145 EC 10-FEB-68	CR	EC	85	
MIL-C-22931/11A	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8404] USER: 19 AS AT MC ME OS REVIEWER: 11 17 AR ES IS MI	A 6145 EC 20-JAN-72	CR	EC	85	
MIL-C-22931/12	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .875 TO 1.005 INCHES OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AT AV MC ME OS REVIEWER: 11 17 ES IS	A 6145 EC 10-FEB-68	CR	EC	85	
MIL-C-22931/13A	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 TO 1.830 INCHES OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8404] USER: 19 AS AT MC ME OS REVIEWER: 11 17 ES IS MI	A 6145 EC 20-JAN-72	CR	EC	85	
MIL-C-22931/14	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 1.625 INCHES OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 ES	A 6145 EC 10-FEB-68	CR	EC	85	
MIL-C-22931/15A(2)	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, 2.850 AND 3.125 INCHES OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 8304] USER: 19 AS AT MC ME OS REVIEWER: 11 17 AR ES IS MI	A 6145 EC 11-FEB-77	CR	EC	85	
MIL-C-22931/16	CABLE, RADIO FREQUENCY, SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 3.125 INCHES OUTSIDE DIAMETER, 75 OHMS [VALIDATION DATE: 8601] USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 AR ES IS	A 6145 EC 10-FEB-68	CR	EC	85	
A L MIL-C-22931/17 NOTICE 2	CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC, .495 INCH OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 9301] REVIEWER: 17	A 6145 85 20-JAN-93			11	
A L MIL-C-22931/18 NOTICE 2	CABLES, RADIO FREQUENCY SEMIRIGID, COAXIAL, SEMI-AIR-DIELECTRIC 0.620 INCH OUTSIDE DIAMETER, 50 OHMS [VALIDATION DATE: 9301]	A 6145 85 20-JAN-93			11	
L MIL-C-22937 NOTICE 1	CONTROL-MONITOR DCU-74/A [VALIDATION DATE: 9110] .....	A 5821 AS 16-OCT-91		AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Part / Item / Description		Drawing Title		Part / Item / Description		Drawing Title		Customer	
Part / Item / Description	Drawing Title	Part / Item / Description	Drawing Title	Part / Item / Description	Drawing Title	Part / Item / Description	Drawing Title	Part / Item / Description	Drawing Title
L MIL-T-229396(1) NOTICE 1		TEST SET, TORPEDO, MARK 393 MOD 0 (INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8204)		A 4921	OS	08-SEP-75		OS	
D L MIL-C-229480		COOLERS, AIR, EVAPORATIVE		A 4120	YD1	10-JUL-89		YD1	
L MIL-T-22951		TEST WADNESS, RADIO SET AN/ARC-46(*) (VALIDATION DATE: 8103) REVIEWER: CS		A 4940	AS	24-JUL-81		AS	
L MIL-C-229548(1)		CONTROL, RADIO SET C-1138(J)/AR (VALIDATION DATE: 8404)		A 5820	EC	08-AUG-78		EC	
D L MIL-M-22957E		MIXER, PLASTER, & MORTAR, WHEEL-MOUNTED, 5-1/2 CUBIC FOOT MINIMUM CAPACITY		A 3895	YD1	19-NOV-88		YD1	
L MIL-C-22959(1)		CONTROL, RADIO SET C-1207(J)/AR (VALIDATION DATE: 8204) REVIEWER: SH		A 5820	EC	09-APR-82		EC	
L MIL-I-22960A		RADAR INDICATORS FOR NAVAL SURFACE SHIPS, SUBMARINES AND SHORE INSTALLATIONS REVIEWER: EC		A 5840	SH	08-JAN-87		SH	
L MIL-D-22962		DIVING APPARATUS, SELF-CONTAINED DEMAND TYPE (VALIDATION DATE: 8104)		A 4220	SH	20-SEP-81		SH	
L MIL-F-22963B(1)		FILTER, AIR, ELECTROSTATIC (PRECIPITATOR) POWER SUPPLY FOR ENVIRONMENTAL CONTROL SYSTEMS USER:		A 4460	SH	08-JUL-85		SH	
L MIL-P-22968B		PAPER, RECORDING, HEAT SENSITIVE		A 7530	AS	05-NOV-84		AS	
D MIL-C-22972E		CRANES, TRUCK MOUNTED, TWO-ENGINE DRIVE TYPE BOOM, DED USER: NC REVIEWER: CS		A 3810	YD1	30-OCT-87		YD1	99
Q MIL-F-22978A		FASTENER, ROTARY, QUICK-OPERATING, HIGH-STRENGTH (ASG) (VALIDATION DATE: 8204) REVIEWER: 82 IS MI		A 5325	AS	10-JUN-83		AS	99
DQ MIL-C-22992E(5) SUPPL 1A1		CONNECTOR, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE GENERAL SPECIFICATION FOR USER: 14 19 NC ME OS SH REVIEWER: 11 AR AS ES MI YD1		A 5935	EC	30-SEP-86	OF	EC	85
QL MIL-S-22999B		STARTER, AIRCRAFT ENGINE, HYDRAULIC GENERAL SPECIFICATION FOR REVIEWER: 99		A 2995	AS	15-JUN-81		AS	
L MIL-S-22999/1		STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T58 ENGINE (VALIDATION DATE: 8707)		A 2995	AS	07-JUL-87		AS	
L MIL-S-22999/2A		STARTER, AIRCRAFT ENGINE, HYDRAULIC FOR T64 ENGINE		A 2995	AS	06-JUN-86		AS	
L MIL-D-23000(2)		DECODER GROUP DA-3369(*)/APX-7 (VALIDATION DATE: 8103)		A 5895	AS	15-JUN-83		AS	
N MIL-E-23001B		ELECTRIC GENERATING SYSTEM, VARIABLE SPEED CONSTANT FREQUENCY, AIRCRAFT - GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: AV GS		A 6115	AS	28-JUN-76		AS	11
QL MIL-E-23001/3D(1)		ELECTRIC GENERATING SYSTEM, AIRCRAFT, VSCF, 20 KVA, 115/200 VOLT, 3 PHASE, 400 HZ (VALIDATION DATE: 8306) REVIEWER: GS		A 6115	AS	25-MAR-77		AS	
DQL MIL-D-23003A(1)		DOCK COVERING COMPOUND, NONSLIP, ROLLABLE USER: YD1		A 5610	SH	17-APR-89		SH	
L MIL-P-23004A NOTICE 1		POD (FOR GUN POD MARK 4 MOD 0) (INACTIVE) (VALIDATION DATE: 8304)		A 1005	AS	13-MAR-64		AS	
L MIL-S-23008B		STEEL CASTINGS, ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100)		A MECA	SH	25-JUN-88		SH	
L MIL-S-23009C		STEEL FORGINGS, ALLOY, HIGH YIELD STRENGTH (HY-80 AND HY-100) REVIEWER: IS		A FORC	SH	10-DEC-87		SH	
L MIL-G-23010A		GUN MECHANISM, 20MM, MARK 11 MOD 5 (ASSEMBLY)		A 1005	AS	21-AUG-89		AS	11
L MIL-I-23011C		IRON NICKEL ALLOYS FOR SEALING TO GLASSES AND CERAMICS (VALIDATION DATE: 8003) USER: 17 AT AV MI OS REVIEWER: 99 ME		A 9505	AS	29-MAR-74	MP	AS	11
L MIL-S-23012(1)		SUBMARINE INTERCOMMUNICATION SYSTEM AN/MIC-(V) (VALIDATION DATE: 8104)		A 5830	SH	25-FEB-86		SH	
L MIL-R-23014		RELAY ASSEMBLY, ANNING, MAGNETIC HYU-7(*)/A24 AND NACK, ELECTRICAL EQUIPMENT HTU-6(*)/A24 (VALIDATION DATE: 8203) REVIEWER: GS		A 5895	AS	22-DEC-61		AS	
L MIL-R-23016(3) NOTICE 1		RADIO SET AN/ARC-94 (VALIDATION DATE: 9110)		A 5821	AS	16-OCT-91		AS	
L MIL-M-23017 NOTICE 1		MOTOR-TACHOMETER GENERATOR, TEMPERATURE COMPENSATED (VALIDATION DATE: 8701)		A 1290	OS	21-JAN-87		OS	
D L MIL-F-23019E		FINISHING MACHINES, CONCRETE, ROTARY, POWER DRIVEN, HAND CONTROLLED		A 3895	YD1	27-NOV-91		YD1	
L MIL-C-23020B SUPPL 1A1		CABLE, COAXIAL (FOR SUBMARINE USE) (VALIDATION DATE: 8304) REVIEWER: IS		A 6145	EC	12-APR-85		EC	
L MIL-C-23020/1A		CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-293A/U (VALIDATION DATE: 8601) REVIEWER: IS		A 6145	EC	03-JUN-88		EC	
L MIL-C-23020/2A		CABLE, COAXIAL (SUBMARINE USE) TYPE RG-294A/U (VALIDATION DATE: 8601)		A 6145	EC	03-JUN-88		EC	
L MIL-C-23020/3		CABLE, COAXIAL (SUBMARINE USE) TYPE RG-295A/U (VALIDATION DATE: 8304) REVIEWER: IS		A 6145	EC	12-APR-85		EC	
L MIL-C-23020/4A(1)		CABLE, COAXIAL (SUBMARINE USE) TYPE RG-284C/U REVIEWER: IS		A 6145	EC	17-JUL-86		EC	
L MIL-C-23020/5A		CABLE, COAXIAL (FOR SUBMARINE USE) TYPE RG-317A/U (VALIDATION DATE: 8404) REVIEWER: IS		A 6145	EC	21-JAN-86		EC	
L MIL-C-23020/6		CABLE, COAXIAL (SUBMARINE USE) TYPE RG-14A/U (VALIDATION DATE: 8304) REVIEWER: IS		A 6145	EC	12-APR-85		EC	
L MIL-C-23020/7B		CABLE, COAXIAL (SUBMARINE USE) TYPE RG-17A/U (VALIDATION DATE: 8601)		A 6145	EC	03-JUN-88		EC	
L MIL-R-23021B		ROCKET MOTOR, MANUFACTURING INERT PARTS FOR, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8504)		A 1336	OS	17-JUL-69		OS	
L MIL-C-23024A(4)		CARTRIDGE, DELAY, MARK 36 MOD 0 (VALIDATION DATE: 8407)		A 1377	AS	20-MAR-78		AS	
L MIL-C-23044A(2) NOTICE 1		CHEST, COLLAPSIBLE TANK (VALIDATION DATE: 8605) USER: ME		A 4930	MC	30-MAY-86		MC	
D MIL-J-23049C		JUG, VACUUM OR INSULATED, THERMAL EFFICIENT USER: 84 YD1 REVIEWER: NC MD TS		A 7330	GL	30-SEP-86	GL	SA	99
MIL-I-23053D(1)		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR REVIEWER: 80 AR DS EA EC GS MI		A 5970	AS	22-MAY-87	ER	AS	85
MIL-I-23053/1B NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYCHLOROPRENE, FLEXIBLE (VALIDATION DATE: 9110) REVIEWER: 99 EA EC GS MI		A 5970	AS	24-OCT-91	ER	AS	85
MIL-I-23053/2C(1) NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE, CROSSLINKED AND NON-CROSSLINKED (INACTIVE FOR NEW DESIGN) REVIEWER: 99 EA EC GS MI		A 5970	AS	01-MAY-86	ER	AS	85
MIL-I-23053/3A(1) NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI-RIGID, CROSSLINKED AND NON-CROSSLINKED (INACTIVE FOR NEW DESIGN) REVIEWER: 99 AR EA EC GS MI		A 5970	AS	01-MAY-86	ER	AS	85
MIL-I-23053/4C(1)		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, DUAL-WALL, RIGID (OUTER WALL CROSSLINKED) USER: MC ME REVIEWER: 80 99 EC GS MI		A 5970	AS	29-APR-88	ER	AS	85
MIL-I-23053/5B NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE, CROSSLINKED (VALIDATION DATE: 9110) USER: MC ME REVIEWER: 99 AR EC GS MI		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/6C NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, SEMI-RIGID, CROSSLINKED (VALIDATION DATE: 9110) USER: MC ME REVIEWER: 99 EA EC GS MI		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/7B NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYETHYLENE TEREPHTHALATE, NON-CROSSLINKED (VALIDATION DATE: 9110) REVIEWER: 99 EA EC GS		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/8B(1)		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, SEMI-RIGID, CROSSLINKED REVIEWER: 99 EC GS		A 5970	AS	30-SEP-87	ER	AS	85
MIL-I-23053/10C NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, SILICONE RUBBER, FLEXIBLE (VALIDATION DATE: 9110) USER: MC REVIEWER: 99 AR EC GS MI SH		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/11B NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUORINATED ETHYLENE PROPYLENE, NON-CROSSLINKED (VALIDATION DATE: 9110) USER: SH REVIEWER: 99 EC GS MI		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/12B NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYTETRAFLUOROETHYLENE (VALIDATION DATE: 9110) REVIEWER: 99 EC GS MI		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/13A NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUOROELASTOMER, FLEXIBLE (VALIDATION DATE: 9110) REVIEWER: 99 EC GS MI		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/14A NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, ETHYLENE-TETRAFLUOROETHYLENE FLUOROPOLYMER, SEMI-RIGID (VALIDATION DATE: 9110) REVIEWER: 99 EA EC GS MI		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/15A NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, HEAVY-WALL, COATED, FLEXIBLE, OUTER WALL CROSSLINKED (VALIDATION DATE: 9110)		A 5970	AS	28-OCT-91	ER	AS	85
MIL-I-23053/16A(1)		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED, ELASTOMERIC POLYOLEFIN, FLEXIBLE USER: MC ME REVIEWER: 99 AR EC GS MI		A 5970	AS	29-APR-88	ER	AS	85
L MIL-I-23053/17A NOTICE 1		INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLAME RETARDED, MODIFIED, POLYOLEFIN, FLEXIBLE, CROSSLINKED (VALIDATION DATE: 9110)		A 5970	AS	28-OCT-91		AS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Coordination Inclusive Document Number	Document Title	Dist. Stmt. FSC / Area MCA Symbol Preparing Acty. Date	Custodians Army Navy Air Force DLA
MIL-I-23053/18A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, MODIFIED FLUOROPOLYMER, CROSSLINKED USER: MC ME REVIEWER: 80 99 AR EC MI	A 5970 AS 31-MAY-90 ER AS 85	
L MIL-A-23054A(1)	ACOUSTICAL ABSORPTIVE BOARD, FIBROUS GLASS PERFORATED FIBROUS GLASS CLOTH	A 5640 SH 24-DEC-90 SH	
L MIL-R-23057(1)	FACED (VALIDATION DATE: 9012) REGULATOR, COMPRESSED AIR, HIGH PRESSURE (3500 PSI) (VALIDATION DATE: 8112)	A 4310 AS 17-SEP-62 AS	
L MIL-I-23062(2)	IGNITER, MARK 247 MOD 0 (VALIDATION DATE: 8204) .....	A 1336 OS 22-JUL-76 OS	
L MIL-S-23069A	SAFETY REQUIREMENTS, MINIMUM, FOR AIR LAUNCHED GUIDED MISSILES .....	A 1410 AS 29-JUL-83 AS	
A MIL-C-23070B	CLOTH, LAMINATED, AND TAPE, COATED CLOTH, POLYISOPRENE, NATURAL OR SYNTHETIC, RUBBER ON NYLON (VALIDATION DATE: 8410) USER: 45 REVIEWER: 82	A 8305 CT 30-AUG-72 GL AS 99 CT	
AQ MIL-B-23071C(3)	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR USER: 11 17 MC OS REVIEWER: AS ES GS MI SH	A 4140 EC 23-MAR-93 ME EC 99	
MIL-B-23071/1D(1)	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT, TUBE AXIAL (26 AND 35 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 17 REVIEWER: 11 AS ES GS MI	A 4140 EC 11-FEB-91 ME EC 99	
MIL-B-23071/2B	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (105 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 REVIEWER: AS GS MI	A 4140 EC 11-FEB-91 ME EC 82	
MIL-B-23071/3B	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (50 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 REVIEWER: AS GS MI	A 4140 EC 11-FEB-91 ME EC 82	
MIL-B-23071/7C	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (14, 40, 17 AND 39 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 OS SH REVIEWER: 82 AS GS MI	A 4140 EC 11-FEB-91 ME EC 99	
MIL-B-23071/8C(1)	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBE AXIAL (69 AND 60 WATTS INPUT POWER) USER: 17 70 REVIEWER: 11 82 AS ES GS SH	A 4140 EC 28-MAY-92 ME EC 99	
MIL-B-23071/9A	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (138 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS SH REVIEWER: 82 GS	A 4140 EC 11-FEB-91 ME EC 99	
I MIL-B-23071/11B	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (9.8 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 REVIEWER: AS GS MI	A 4140 EC 11-FEB-91 ME EC 82	
MIL-B-23071/12	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT VANEAXIAL, (9.2 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS AT MC OS SH REVIEWER: 13 GS	A 4140 EC 11-FEB-91 ME EC 82	
MIL-B-23071/25	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.3, 19, 12, 12/23, 6.5/19, 16, AND 13 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 AS CS EK REVIEWER: ES GS	A 4140 EC 11-FEB-91 ME EC 99	
MIL-B-23071/26	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.5, 18, 8.2, 30, 9/15, 14, 9, AND 26 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS EK OS REVIEWER: ES GS	A 4140 EC 11-FEB-91 ME EC 99	
MIL-B-23071/27	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (9.5, 18, 12, 25, 13/22, 14, AND 24 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: 11 17 AS EK OS REVIEWER: ES GS	A 4140 EC 11-FEB-91 ME EC 99	
MIL-B-23071/29(1)	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (30 WATTS INPUT POWER) (VALIDATION DATE: 9102) USER: AS SH REVIEWER: GS	A 4140 EC 11-FEB-91 ME EC 99	
QL MIL-B-23072	BLOWER, ANTI-EXPOSURE SUIT VENTILATION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505)	A 1660 AS 27-OCT-61 AS	
L MIL-R-23074C	RUBBER TILE, RUBBER-AIR-LEAD-TYPE (RAL) .....	A 9320 SH 22-MAY-90 SH	
L MIL-T-23080(6)	TEST SET, D.C. POWER SUPPLY, MARK 366 MOD 1 (VALIDATION DATE: 8204) .....	A 1045 OS 20-FEB-70 OS	
L MIL-G-23081C(1)	GYROSCOPE INDICATOR SYSTEM, VERTICAL (VALIDATION DATE: 8103) .....	A 6610 AS 15-MAR-75 AS	
L MIL-G-23083C	GYROSCOPE, RATE SWITCHING MS 17399 (VALIDATION DATE: 8410) .....	A 6610 AS 15-JAN-72 AS	
L MIL-S-23086	SEA ANCHOR (VALIDATION DATE: 6705) .....	A 2040 CG 08-NOV-61 CG	
L MIL-A-23088A	AMPLIFIER, AUDIO FREQUENCY AM-3198(J) (VALIDATION DATE: 8204) .....	A 5820 EC 24-JUN-63 SH	
L MIL-C-23092B	CEMENT, NATURAL RUBBER; MAGNETIC MINESWEEPING CABLE REPAIR (VALIDATION DATE: 9102) USER: ME	A 8040 SH 07-FEB-91 SH	
QL MIL-R-23098A(6)	REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD (VALIDATION DATE: 8204) REVIEWER: GS	A 6110 SH 14-JUL-76 SH	
L MIL-P-23108(1)	PLUG-IN UNIT FOR TEST SET, ECHO SIMULATOR (U) (VALIDATION DATE: 7907) .....	A 1355 OS 09-AUG-63 OS	
A MIL-D-23119G	DRUMS, FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY USER: MC REVIEWER: 99 AT GS	A 8110 ME 15-JUL-92 ME SA 69	
MIL-A-23121C	AIRCRAFT ENVIRONMENTAL, ESCAPE AND SURVIVAL COCKPIT CAPSULE SYSTEM, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8402)	A 1680 AS 23-JUN-70 AV AS	
D MIL-C-23122B	CONDENSERS, AIR COOLED, REFRIGERANT-12 (VALIDATION DATE: 9203) USER: MC REVIEWER: GS ME	A 4130 GL 27-MAR-92 GL YD1 99	
L MIL-T-23132A(1)	TUNGSTEN DELAY COMPOSITION (VALIDATION DATE: 9109) .....	A 1375 AS 25-SEP-91 AS	
L MIL-D-23134A	DECK UNDERLAY AND COVERING, INSULATING, MAGNESIA AGGREGATE MIXTURE .....	A 5610 SH 14-SEP-88 SH	
MIL-C-23136B	CONDENSER, REFRIGERATING, WATER COOLED, REFRIGERANT 12 (VALIDATION DATE: 8303) USER: MC NO REVIEWER: GS ME	A 4130 GL 09-JUN-77 GL 99	
L MIL-F-23138	FLARE, TRACKING, MK 23 MOD 0 (VALIDATION DATE: 8410) .....	A 1370 AS 03-JAN-62 AS	
L MIL-R-23139B	ROCKET MOTORS, SURFACE LAUNCHED, DEVELOPMENT AND QUALIFICATION REQUIREMENTS FOR (VALIDATION DATE: 8505) USER: ME	A 1336 OS 18-AUG-65 OS	
L MIL-D-23140D	DRAWINGS, INSTALLATION CONTROL, FOR ELECTRONIC EQUIPMENT .....	A DRPR SH 30-APR-92 SH	
L MIL-P-23141D(1)	PLOTTING TABLE, ANTI-SUBMARINE AND DEAD RECKONING (NAVAL SHIPBOARD) (VALIDATION DATE: 8104)	A 6605 SH 15-AUG-68 SH	
MIL-T-23142B	TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR DISSIMILAR METAL SEPARATION (VALIDATION DATE: 9110) USER: ME REVIEWER: 69 MI	A 7510 AS 28-OCT-91 GL AS 99	
L MIL-D-23143A	DATA, TECHNICAL AIRCRAFT, FOR DESIGN OF AVIATION TRAINING DEVICES REVIEWER: AS	A 69GP TD 15-MAR-82 TD	
D MIL-I-23145B(3)	INFLATION ASSEMBLIES, LIFE PRESERVER USER: MC YD1 REVIEWER: 11 84 AV CS SH	A 4220 AS 16-OCT-85 ME AS 99	
QL MIL-V-23151B(4)	VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE) REVIEWER: MI	A 6625 SH 03-DEC-90 SH	
QL MIL-E-23155C	ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL USER: CS	A 4220 SH 14-SEP-81 SH	
A MIL-C-23157D	CLIPBOARD, PILOT'S, MKU-163/P, AND MARK 2A USER: 45 AV .....	A 8465 CT 23-JUL-79 AS 99 CT	
L MIL-C-23157D(13)	CLIPBOARD, PILOT'S, MKU-163/P, AND MARK 2A .....	A 8465 AS 30-JAN-85 AS	
QL MIL-M-23167B(1)	METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SWITCHBOARD USE) (VALIDATION DATE: 8312) REVIEWER: ES MI	A 6625 SH 20-OCT-78 SH	
MIL-M-23182A(1)	NETWORKS, PULSE FORMING, RADAR, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505)	A 5915 EC 30-APR-79 ER EC 85	
MIL-M-23182/1A(1)	NETWORK, PULSE FORMING, RADAR, TYPE PN3E202C262Q500 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH	A 5915 EC 30-APR-79 ER EC 85	
MIL-M-23182/2A(1)	NETWORK, PULSE FORMING, RADAR, TYPE PN4E331J142Q350 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH	A 5915 EC 30-APR-79 ER EC 85	
MIL-M-23182/3A(1)	NETWORK, PULSE FORMING, RADAR, TYPE PN2E302M361Q500 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH	A 5915 EC 30-APR-79 ER EC 85	
MIL-M-23182/4(1)	NETWORK, PULSE FORMING, RADAR, TYPE PN6E122J152Q150 (VALIDATION DATE: 8505) USER: 19 AS MC MI OS SH REVIEWER: 11 17 99 AR SH	A 5915 EC 30-APR-79 ER EC 85	
MIL-M-23182/5(1)	NETWORK, PULSE FORMING, RADAR, TYPE PN3E571J202Q500 (VALIDATION DATE: 8505) USER: AS MC MI OS SH REVIEWER: 11 17 99	A 5915 EC 30-APR-79 ER EC 85	
Q MIL-C-23183B(1)	CAPACITOR, FIXED OR VARIABLE, VACUUM OR GAS DIELECTRIC, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8404) USER: 19 AS MC OS REVIEWER: 17 80 AR ES	A 5910 EC 02-SEP-82 ER EC 85	
SUPPL 1A1			
MIL-C-23183/5A	CAPACITOR, VARIABLE, VACUUM DIELECTRIC STYLE CG60 (VALIDATION DATE: 8404) USER: 19 AS MC OS REVIEWER: 17 ES	A 5910 EC 07-APR-72 ER EC 85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Spec / OMA Classification Indicator	Document Number	Document Title	Doc. Syst. File / Name	MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-C-23183/7B(1)	CAPACITOR, VARIABLE, VACUUM OR GAS DIELECTRIC STYLES CG65 AND CG66 [VALIDATION DATE: 8404] USER: 19 AS MC OS REVIEWER: 11 17 AR ES	A 5910	EC	14-AUG-78	ER	EC	85	
Q	MIL-S-23190E(1)	STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT USER: 11 AR MC ME OS SH REVIEWER: 99 AV EA EC GS MI	A 5975	AS	30-DEC-87	ER	AS	85	
	MIL-S-23190/1A	STRAP, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT [VALIDATION DATE: 8108] USER: AV EC MC ME MI OS SH REVIEWER: 99 EA	A 5340	AS	27-SEP-74	EL	AS	85	
	MIL-S-23190/2	STRAPS, CLAMPS, PLASTIC AND METAL, MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, METAL, CUSHIONED, ADJUSTABLE, WIRE SUPPORT, TYPE V, CLASS 1 REVIEWER: 80 99 GS NS	A 5975	AS	28-MAR-86	CR	AS	85	
	MIL-S-23190/3	STRAP, CLAMPS, & MOUNTING HARDWARE, PLASTIC & METAL FOR CABLE HARNESS TYING & SUPPORT STRAP, TIE DOWN, ADJUSTABLE, CORROSION RESISTANT STEEL TYPE VI, CLASS 1 USER: AV MC ME OS SH REVIEWER: 80 99 AR EC GS MI NS	A 5975	AS	28-MAR-86	CR	AS	85	
L	MIL-S-23192	SPRING, HELICAL, AGE-HARDENABLE NICKEL CHROMIUM IRON ALLOY (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) REVIEWER: 15	A 5360	SH	11-MAR-86		SH		
L	MIL-S-231930	STEEL, CORROSION RESISTANT: CASTINGS - ISSUE CONTROLLED (REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA NAVAL SEA SYSTEMS COM. CODE 0982)	F MECA	SH	10-APR-87		SH		
L	MIL-S-23194G	STEEL FORGINGS, CARBON & ALLOY (ISSE CONTROLLED FURTHER DISSEMINATION ONLY AS DIRECTED BY NAVAL SEASYS COM (SEA 0982)	F FORG	SH	14-AUG-87		SH		
L	MIL-S-231950(1)	STEEL BARS AND FORGINGS CORROSION RESISTANT (CONTROLLED DISTRIBUTION) REVIEWER: 15	F 9510	SH	13-APR-84		SH		
L	MIL-S-23196C(1)	STEEL PLATE, SHEET AND STRIP, CORROSION RESISTANT (ISSUE CONTROLLED-REQSTS BY OTHER THAN DOD ACTYS MUST BE SUBMTD VIA THE PREPARING ACTY OF THE SPEC) REVIEWER: 15	F 9515	SH	13-APR-84		SH		
M L	MIL-P-231990	PACKAGING AND PACKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS AND REPAIRS PARTS	A PACK	SH	18-NOV-92		SH		
D	MIL-I-23208A(1)	INDICATOR, SIGHT, LIQUID, REFRIGERANT USER: MC SH REVIEWER: 11 .....	A 6680	GL	15-APR-87	GL	YD1		
D	MIL-P-23210E	PLATFORMS, ALUMINUM AND STEEL: AND ACCESSORIES (FOR SHIPS BROWS) .....	A 2090	YD1	05-FEB-91	ME	YD1		
L	MIL-C-23212B	COMMUNICATION SYSTEM, FLIGHT DECK, AM/SRC-22(V) [VALIDATION DATE: 8304] ...	A 5820	EC	05-MAR-71	EC			
	MIL-C-23217B(1)	COATING, ALUMINUM, VACUUM DEPOSITED (ASG) [VALIDATION DATE: 8304] REVIEWER: MI	A MFPF	AS	10-MAR-71	MM	AS	11	
L	MIL-C-23218C	CONVEYOR, VERTICAL, TRAY TYPE, 100 POUND PACKAGE TRAY CAPACITY (SHIPBOARD USE)	A 3910	SH	13-NOV-85		SH		
L	MIL-V-23219	VALVE MANIFOLDS, HIGH PRESSURE AIR REDUCING [VALIDATION DATE: 8109] .....	A 4730	SH	26-MAR-62		SH		
L	MIL-D-23222A(1)	DEMONSTRATION REQUIREMENTS FOR HELICOPTERS .....	A 1520	AS	30-JUN-83		AS		
A L	MIL-W-23223B	WEBBING, NYLON, SLOTTED USER: 45 .....	A 8305	CT	08-JAN-88		SH		CT
L	MIL-D-23224A	DOLLY, HANDLING, MK 24 MOD 1 [VALIDATION DATE: 8809] REVIEWER: GS .....	A 1398	OS	30-SEP-88		OS		
	NOTICE 1								
L	MIL-L-23225C	LATHE, PRECISION, INSTRUMENT REVIEWER: 84 GS .....	A 3416	IP	22-APR-85	AL	SH	99	
L	MIL-T-23226E(1)	TUBE AND PIPE, CORROSION-RESISTANT STEEL, SEAMLESS (ISSUE CONTROLLED-REQSTS BY OTHER THAN DOD ACTYS MUST BE SUBMTD VIA THE PREPARING ACTY OF THE SPEC) [VALIDATION DATE: 9202] REVIEWER: CS	A 4710	SH	28-AUG-85		SH		
L	MIL-T-23227E	TUBE & PIPE, NICKEL-CHROMIUM-IRON ALLOY (ISSUE CONTROLLED REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY)	A 4710	SH	27-FEB-84		SH		
L	MIL-W-23228C	NICKEL CHROMIUM IRON ALLOY PLATE, SHEET & STRIP (CONTROLLED DISTRIBUTION) REVIEWER: 15	B 9535	SH	23-DEC-83		SH		
L	MIL-W-23229C	NICKEL - CHROMIUM - IRON ALLOY BARS & FORGINS (ISSUE CONTROLLED (REQUESTS BY OTHER THAN DOD ACT, MUST BE SUBMITTED VIA NAVAL SEA SYSTEMS COM. SEA 0982) REVIEWER: 15	F 9535	SH	12-JUN-86		SH		
A L	MIL-C-23233A	COUPLINGS FOR PROPULSION UNITS, AUXILIARY TURBINES AND LINE SHAFTS, NAVAL SHIPBOARD	A 2010	SH	25-NOV-92		SH		
L	MIL-T-23234C	THERMOCOUPLES, CORROSION-RESISTANT, METAL SHEATHED (CONTROLLED DISTRIBUTION)	B 6685	SH	11-JUL-85		SH		
QL	MIL-P-23236B(2)	PAINT COATING SYSTEMS, FUEL AND SALT WATER BALLAST TANKS (METRIC) .....	A 8030	SH	30-APR-90		SH		
L	MIL-P-23242B	PLASTIC COATING COMPOUND, STRIPPABLE - ELECTROPLATING .....	A 8030	AS	22-MAR-82		AS		
	MIL-S-23244D	SHEARING MACHINES, METAL SQUARING, MANUALLY OPERATED USER: MC SH REVIEWER: 84 AL GS SH	A 3445	IP	29-MAR-91			99	IP
	MIL-L-23249D(3)	LATHE, ENGINE & TOOL ROOM 13 THROUGH 17 INCH USER: SH REVIEWER: GS MC .....	A 3416	IP	13-JUN-86	AL	SH	99	
L	MIL-L-23251E	LATHES, ENGINE AND TOOLROOM 2516 AND 3220 USER: MC REVIEWER: 84 GS .....	A 3416	IP	29-SEP-89	AL	SH	99	IP
L	MIL-I-23252B	INDICATOR, PRESSURE [VALIDATION DATE: 8712] .....	A 6685	AS	07-DEC-87		AS		
	NOTICE 2								
L	MIL-V-23254C(1)	VALVE, CONTROL REVIEWER: MI .....	A 1055	AS	14-MAY-87		AS		
L	MIL-V-23255B	VALVE, PRESSURE RELIEF REVIEWER: CS .....	A 4820	AS	03-FEB-81		AS		
L	MIL-V-23256B	VALVE ASSEMBLY, SEAL REVIEWER: CS .....	A 4820	AS	03-FEB-81		AS		
	MIL-L-23257E	LATHES, ENGINE AND TOOLROOM, SIZES 1609 AND 2013 USER: MC MV REVIEWER: 84 GS	A 3416	IP	30-JUN-89	AL	SH	99	IP
L	MIL-C-23261(1)	COMPUTER, DITCH HEADING [VALIDATION DATE: 7412] .....	A 6605	CG	22-MAY-62	CG			
	MIL-I-23264A	INSULATORS, CERAMIC, ELECTRICAL AND ELECTRONIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI SH	A 5970	EC	25-FEB-91	CR	EC	85	
	SUPPL 1A1, NOTICE 1								
	MIL-I-23264/1A	INSULATORS, STANDOFF (STYLES 01, 02, 03, 04, AND 06) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-I-23264/2A	INSULATORS, STANDOFF (STYLES 10, 11, 12, 13, AND 14) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-I-23264/3A	INSULATORS, STANDOFF (STYLE 19 AND 20) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-I-23264/4A	INSULATORS, STANDOFF (STYLE 21) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI	A 5970	EC	25-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-I-23264/5A	INSULATORS, STANDOFF (STYLE 26) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI SH	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/6A	INSULATORS, STANDOFF (STYLE 27) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI	A 5970	EC	25-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-I-23264/7A	INSULATORS, STANDOFF (STYLE 28) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-I-23264/8A	INSULATORS, STANDOFF (STYLE 29) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI	A 5970	EC	25-FEB-91	CR	EC	85	
	NOTICE 1								
	MIL-I-23264/9A	INSULATORS, FEEDTHRU (STYLE 30) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/10A	INSULATORS, FEEDTHRU (STYLE 31) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/11A	INSULATORS, FEEDTHRU (STYLE 32) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/12A	INSULATORS, FEEDTHRU (STYLE 33) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/13A	INSULATORS, FEEDTHRU (STYLE 34) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/14A	INSULATORS, FEEDTHRU (STYLES 35 AND 36) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/15A	INSULATORS, FEEDTHRU (STYLE 37) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								
	MIL-I-23264/16A	INSULATORS, BUSHING (STYLES 40, 41, AND 42) [VALIDATION DATE: 9102] USER: AS MC ME REVIEWER: 99 AR ES GS MI	A 5970	EC	25-FEB-91	ER	EC	85	
	NOTICE 1								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Old Coordination Notice	Document Number	Document Title	Doc. Syst. PDC / Area	MCA Symbol	Preparing Agency	Date	Customers			
							Army	Navy	Air Force	DLA
	MIL-I-23264/17A NOTICE 1	INSULATORS, BUSHING (STYLE 43) [VALIDATION DATE: 9102] USER: AS MC ME	A 5970	EC	25-FEB-91	ER	EC	85		
	MIL-I-23264/18A NOTICE 1	INSULATORS, BOML (STYLES 55, 56, AND 57) [VALIDATION DATE: 9102] USER: AS	A 5970	EC	25-FEB-91	ER	EC	85		
	MIL-I-23264/19A NOTICE 1	INSULATORS, BOML (STYLE 58) [VALIDATION DATE: 9102] USER: AS MC ME	A 5970	EC	25-FEB-91	ER	EC	85		
	MIL-I-23264/20A NOTICE 1	INSULATORS, STRAIN (STYLES 64, 66, 66, AND 67) [VALIDATION DATE: 9102]	A 5970	EC	25-FEB-91	ER	EC	85		
	MIL-I-23264/21B(1)	INSULATORS, STRAIN (STYLES 68, 69, 70, AND 71) USER: AS MC ME REVIEWER: 99	A 5970	EC	22-MAY-91	ER	EC	85		
	MIL-I-23264/22A NOTICE 1	INSULATORS, STRAIN (STYLES 60, 61, 73, 74, AND 75) [VALIDATION DATE: 9102]	A 5970	EC	25-FEB-91	ER	EC	85		
	MIL-I-23264/23A NOTICE 1	INSULATORS, SPREADER (STYLE 76) [VALIDATION DATE: 9102] USER: AS MC ME	A 5970	EC	25-FEB-91	ER	EC	85		
	MIL-I-23264/24B	INSULATOR, PIN, STYLE B2 [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 99	A 5970	EC	16-FEB-72	ER	EC	85		
	MIL-I-23264/25A NOTICE 1	INSULATORS, PIN (STYLE B1) [VALIDATION DATE: 9102] USER: AS MC ME	A 5970	EC	25-FEB-91	ER	EC	85		
AQ	MIL-C-23269E	CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL	A 5910	EC	04-FEB-93	ER	EC	85		
A	MIL-C-23269/1F	SPECIFICATION FOR USER: 19 AS CG MC OS SH REVIEWER: 17 ES	A 5910	EC	04-FEB-93	ER	EC	85		
A	MIL-C-23269/2F	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS),	A 5910	EC	04-FEB-93	ER	EC	85		
A	MIL-C-23269/3F	ESTABLISHED RELIABILITY, STYLE CYR15 USER: 19 AS CG MC OS SH REVIEWER: 17	A 5910	EC	04-FEB-93	ER	EC	85		
A	MIL-C-23269/4F	ES	A 5910	EC	04-FEB-93	ER	EC	85		
A 1	MIL-C-23269/5E	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL WIRE-LEAD TERMINALS),	A 5910	EC	04-FEB-93	ER	EC	85		
A 1	MIL-C-23269/6E	ESTABLISHED RELIABILITY, STYLE CYR13 USER: 19 AS CG MC OS SH REVIEWER: 17	A 5910	EC	04-FEB-93	ER	EC	85		
A 1	MIL-C-23269/7D	ES	A 5910	EC	04-FEB-93	ER	EC	85		
A 1	MIL-C-23269/8D	CAPACITORS, FIXED, GLASS DIELECTRIC, (AXIAL-RADIAL WIRE-LEAD TERMINALS),	A 5910	EC	04-FEB-93	ER	EC	85		
A 1	MIL-C-23269/9C	ESTABLISHED RELIABILITY, STYLE CYR22 USER: 19 AS CG MC OS SH REVIEWER: 17	A 5910	EC	04-FEB-93	ER	EC	85		
A	MIL-C-23269/10B	ES	A 5910	EC	04-FEB-93	ER	EC	85		
L	MIL-B-23276C(2)	CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD	A 5910	EC	04-FEB-93	ER	EC	85		
L	MIL-C-23280A	TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR41, CYR42, AND CYR43 USER:	A 5910	EC	04-FEB-93	ER	EC	85		
L	MIL-P-23281(2)	19 AS CG MC OS SH REVIEWER: 17 ES	A 5910	EC	04-FEB-93	ER	EC	85		
L	MIL-A-23282B(4)	CAPACITORS, FIXED, GLASS DIELECTRIC, (RADIAL OR AXIAL WIRE-LEAD	A 5910	EC	04-FEB-93	ER	EC	85		
L	MIL-S-23284A	TERMINALS), ESTABLISHED RELIABILITY, STYLES CYR51, CYR52, AND CYR53 USER:	A 5910	EC	04-FEB-93	ER	EC	85		
Q	MIL-R-23285B(5)	19 AS CG MC OS SH REVIEWER: 17 ES	A 5910	EC	04-FEB-93	ER	EC	85		
L	MIL-R-23285/1A	BALL, WRECKING EQUIPMENT AT CS	A 3815	ME	30-JAN-86	ME				
	MIL-R-23285/2C	CABINET, ELECTRICAL EQUIPMENT CY-2675 [VALIDATION DATE: 8003] REVIEWER: GS	A 5975	EC	26-NOV-62	EC				
	MIL-R-23285/3D	PRIMER, VINYL-RED LEAD (FOR BRUSH OR SPRAY) [VALIDATION DATE: 6904]	A 8010	CG	11-APR-69	CG				
L	MIL-B-23287(4)	ACTUATOR [VALIDATION DATE: 8304]	A 1355	OS	02-FEB-77	OS				
L	MIL-C-23288C	STEEL FORGINGS, CARBON AND ALLOY, FOR SHAFTS, SLEEVES, PROPELLER NUTS,	A 1355	SH	15-JUN-90	SH				
L	MIL-V-23289B	COUPLINGS, AND STOCKS (BUDDERS AND DIVING PLANES)	A 5905	ER	05-AUG-75	ER	EC	85		
L	MIL-D-23296A	RESISTOR, VARIABLE, NONWIRE-WOUND GENERAL SPECIFICATION FOR [VALIDATION	A 5905	EC	22-NOV-65	EC				
L	MIL-B-23297B(3)	DATE: 8110] USER: 19 AT AV MC ME REVIEWER: 17 AS ES MI OS	A 5905	EC	22-NOV-65	EC				
L	MIL-I-23298A(2)	RESISTOR, VARIABLE, METAL FILM (GERMET), STYLE RVC4 [VALIDATION DATE:	A 5905	EC	05-AUG-75	ER	EC	85		
A	MIL-V-23300C	8404] REVIEWER: ES	A 5905	ER	20-FEB-74	ER	EC	85		
L	MIL-W-23305(1)	RESISTOR, VARIABLE, NONWIRE-WOUND, STYLE RVC6 [VALIDATION DATE: 8110]	A 5905	ER	20-FEB-74	ER	EC	85		
L	MIL-B-23306B	USER: 19 AT MC ME REVIEWER: 17 ES MI OS	A 1355	OS	13-AUG-66	OS				
L	MIL-S-23311A	RESISTOR, VARIABLE, NONWIRE-WOUND, STYLE RVC6 [VALIDATION DATE: 8110]	A 1377	AS	24-DEC-85	AS				
L	MIL-P-23312C	USER: 19 AT AV MC ME REVIEWER: 17 AR ES MI	A 1350	GL	01-OCT-87	GL	82			
L	MIL-W-23315A	BATTERY SECTION ASSEMBLY [VALIDATION DATE: 8204] REVIEWER: 11	A 6810	OS	14-JUN-72	OS				
L	MIL-T-23322(2)	CUTTER, POWDER ACTUATED FACE CURTAIN CABLE, MARK 4 MOD 0	A 1336	OS	20-MAY-92	OS				
L	MIL-C-23331(1)	VALVE, SOLENOID, REFRIGERANT-12 [VALIDATION DATE: 8710] REVIEWER: GS MI	A 1337	OS	10-DEC-82	OS				
L	MIL-C-23333B	DIETHYLENE GLYCOL [VALIDATION DATE: 8107]	A 4820	GL	31-AUG-92	GL	99			
L	MIL-C-23334B(2)	BOOSTER, GUIDED MISSILE, MARK 12 MOD 1 (LOADED ASSEMBLY)	A 1336	OS	20-MAY-92	OS				
L	MIL-C-23337(3)	IGNITER, ROCKET MOTOR, LOADED MK 181 MOD 0 AND MK 200 MOD 0	A 1337	OS	10-DEC-82	OS				
L	MIL-C-23339(2)	VALVE, REGULATING, FLUID PRESSURE, CRANKCASE, REFRIGERANT-12 [VALIDATION	A 4820	GL	31-AUG-92	GL	99			
L	MIL-W-23346(2)	DATE: 9208] REVIEWER: CE CS GS	A 1336	AS	25-SEP-91	AS				
L	MIL-W-23351A	MANUAL, TECHNICAL OPERATION, MAINTENANCE, AND OVERHAUL INSTR WITH ILL	A 1336	AS	25-SEP-91	AS				
L	MIL-W-23351/1B	PARTS BREAKDOWN (FOR AIRCRAFT LAUNCHING AND RECOVERY EQUIPMENT),	A 1336	AS	25-SEP-91	AS				
L	MIL-W-23351/2B	PREPARATION OF [VALIDATION DATE: 8106]	A 1336	AS	25-SEP-91	AS				
L	MIL-W-23351/3B	BINOCULAR, SHIP, 20-POWER, AND ACCESSORIES	A 6650	SH	15-JUL-85	SH				
L	MIL-W-23351/3B	INHIBITOR, CORROSION, VOLATILE, OIL TYPE REVIEWER: GS OS YD1	A 6850	AS	09-OCT-84	AS				
L	MIL-W-23351/3B	SIGNAL, UNDERWATER SOUND, MARK 61 MOD 0 AND MARK 64 MOD 0 [VALIDATION	A 1361	AS	25-SEP-91	AS				
L	MIL-W-23351/3B	DATE: 9109]	A 1361	AS	25-SEP-91	AS				
L	MIL-W-23351/3B	PALLETS, MATERIAL HANDLING, METAL (FOR ORDNANCE ITEMS), MARK 3 MOD 0, MARK	A 3990	OS	18-MAR-92	OS	99			
L	MIL-W-23351/3B	12 MOD 0 AND MARK 12 MOD 1 [VALIDATION DATE: 9203] USER: MC ME MI SH SH	A 3990	OS	18-MAR-92	OS	99			
L	MIL-W-23351/3B	REVIEWER: AR AS	A 3990	OS	18-MAR-92	OS	99			
L	MIL-W-23351/3B	RAILWAY CAR SPOTTER, SELF-PROPELLED, GED OR DED REVIEWER: B4 MT	A 2210	YD1	28-JUN-85	ME	YD1	99		
L	MIL-W-23351/3B	IGNITER, MARK 173 MOD 1 (INERT ASSEMBLY) [VALIDATION DATE: 8506]	A 1340	AS	25-MAR-71	AS				
L	MIL-W-23351/3B	THIMBLE, SYNTHETIC ROPE REVIEWER: IS	A 4030	SH	28-DEC-84	SH				
L	MIL-W-23351/3B	COILS FOR SEARCH COIL ASSEMBLIES	A 1350	OS	27-MAR-92	OS				
L	MIL-W-23351/3B	CARTRIDGE, IMPULSE, MARK 38 MOD 0 [VALIDATION DATE: 8407]	A 1377	AS	04-FEB-69	AS	99			
L	MIL-W-23351/3B	CARTRIDGE, IMPULSE, MARK 33 MOD 1 [VALIDATION DATE: 8407]	A 1377	AS	12-SEP-66	AS				
L	MIL-W-23351/3B	GAGES, PRESSURE, DIAL INDICATING [VALIDATION DATE: 9110]	A 6685	AS	16-OCT-91	AS	99			
L	MIL-W-23351/3B	CLOCK, ELECTRIC, INTERNALLY-ILLUMINATED, WALL-MOUNTED [VALIDATION DATE:	A 6645	SH	09-OCT-63	SH				
L	MIL-W-23351/3B	8412] REVIEWER: GS	A 6645	SH	09-OCT-63	SH				
L	MIL-W-23351/3B	MOTOR FIRE CONNECTOR ASSEMBLY [VALIDATION DATE: 9109]	A 1338	AS	25-SEP-91	AS				
L	MIL-W-23351/3B	WAVEGUIDE, SINGLE RIDGE AND DOUBLE RIDGE, GENERAL SPECIFICATION FOR	A 5985	EC	20-OCT-77	ER	EC	85		
L	MIL-W-23351/3B	[VALIDATION DATE: 8404] USER: 19 AR AS MC REVIEWER: 11 17 99 ES OS SH	A 5985	EC	20-OCT-77	ER	EC	85		
L	MIL-W-23351/3B	WAVEGUIDE, SINGLE RIDGED (BANDWIDTH RATIO 3.6:1) [VALIDATION DATE: 8404]	A 5985	EC	20-OCT-77	ER	EC	85		
L	MIL-W-23351/3B	USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH	A 5985	EC	20-OCT-77	ER	EC	85		
L	MIL-W-23351/3B	WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 3.6:1) [VALIDATION DATE: 8404]	A 5985	EC	20-OCT-77	ER	EC	85		
L	MIL-W-23351/3B	USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH	A 5985	EC	20-OCT-77	ER	EC	85		
L	MIL-W-23351/3B	WAVEGUIDE, SINGLE RIDGED (BANDWIDTH RATIO 2.4:1) [VALIDATION DATE: 8404]	A 5985	EC	20-OCT-77	ER	EC	85		
L	MIL-W-23351/3B	USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH	A 5985	EC	20-OCT-77	ER	EC	85		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Code / Code Classification Index	Document Number	Document Title	Dist. Stmt. FSC / Item NAC / Symbol	Preparing Date	Custodian Army Navy Air Force DLA	Date	Status	Remarks
	MIL-W-23351/48	WAVEGUIDE, DOUBLE RIDGED (BANDWIDTH RATIO 2.4:1) [VALIDATION DATE: 8404]	A 5985	EC	20-OCT-77	ER	EC	85
	MIL-D-23359F(1)	USER: 14 19 AR AS MC REVIEWER: 11 17 99 ES OS SH	A 6665	ME	21-DEC-84	ME	MC	99
L	MIL-D-0023359G	DETECTING SET, MINE, PORTABLE, METALLIC-MINE, PORTABLE	A 6665	ME	23-MAR-90	ME		
L	MIL-D-0023359G(11)	DETECTING SET, METALLIC-MINE, PORTABLE	A 6665	ME	19-JUN-90	ME		
	MIL-B-233608	BOMB, INCENDIARY, TH3, 4-POUND, M126 [VALIDATION DATE: 9109]	A 1325	AS	25-SEP-91	AR	AS	99
	NOTICE 1							
L	MIL-C-23361C(1)	CARRIER TELEGRAPH TERMINAL EQUIPMENT AN/UCC-1C(V) [VALIDATION DATE: 8204]	A 5805	EC	10-MAR-70	EC		
D	MIL-C-23365C	COMPRESSOR, HERMETIC, FOR USE WITH REFRIGERANT 12 [VALIDATION DATE: 8710]	A 4130	GL	09-JUN-76	GL	YD1	99
	NOTICE 1	USER: SH REVIEWER: GS						
L	MIL-I-233668	INDICATOR, HORIZONTAL SITUATION ID-1013(*)/A	A 6610	AS	27-APR-87	AV	AS	
L	MIL-C-23367	COMPUTER, FLIGHT DIRECTOR, AIRCRAFT [VALIDATION DATE: 7402]	A 6605	AS	01-APR-63	AS		
	MIL-G-23368D	GRINDING MACHINES, CYLINDRICAL, EXTERNAL, PLAIN, POWER REVIEWER: 84 AS GS	A 3415	IP	25-MAY-89	AL	SH	99 1P
	OS							
L	MIL-T-233698(1)	TRANSMITTER GROUP, TELEMETRIC DATA OA-120B( )/DPM [VALIDATION DATE: 9110]	A 5821	AS	16-OCT-91	AS		
	NOTICE 1							
	MIL-S-23375D	SHAPER, METAL CUTTING, HORIZONTAL RAM, HYDRAULIC PLAIN AND UNIVERSAL	A 3418	IP	19-JUN-89	AL	SH	99 1P
	NOTICE 1	TABLE, SIZES 24 AND 28 [VALIDATION DATE: 8906] USER: AS SH WV REVIEWER: 84						
	CS							
Q	MIL-P-23377F	PRIMER COATINGS: EPOXY, CHEMICAL AND SOLVENT RESISTANT USER: CG EC MC	A 8010	AS	05-MAY-89	MR	AS	11
	REVIEWER: AR AV DS EA MI OS SH							
QL	MIL-P-23377E(11)	PRIMER COATINGS: EPOXY-POLYAMIDE, CHEMICAL AND SOLVENT RESISTANT	A 8010	MI	07-JUL-87	MI		
	MIL-S-23378D	SCREW MACHINE, AUTOMATIC, SINGLE SPINDLE 1/2 INCH TROUGH 2-3/8 INCH	A 3416	IP	22-JAN-88	AL	SH	99
		SPINDLE CAPACITY USER: AS MC REVIEWER: 84						
	MIL-B-23388A	BUNKERS FOR WP FILLED 5 INCH 54 CALIBER AND 6 INCH 47 CALIBER	A 1320	EA	10-JUL-86	EA	OS	99
	NOTICE 1							
	MIL-S-23389B	PROJECTILES, LOADING AND PACKING	A 8140	AR	15-JUL-88	AR		99
	NOTICE 1	SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 20MM, M548 [VALIDATION DATE:						
L	MIL-B-23394B(5)	8807]	A 6135	OS	22-FEB-88	OS		
	NOTICE 1	BATTERY MARK 46 MOD 1 PRIMARY TYPE, SILVER-ZINC-ALKALI [VALIDATION DATE:						
	MIL-T-23397B(2)	8802]	A 8010	AS	16-JUL-80	MR	AS	99
		TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR MASKING DURING PAINT STRIPPING						
Q	MIL-L-23398D(1)	OPERATIONS USER: GL	A 9150	AS	24-SEP-90	ME	AS	11
	MIL-L-23400E(1)	LUBRICANT, SOLID FILM, AIR-CURED, CORROSION INHIBITING, NATO CODE NUMBER						
		S-749 REVIEWER: AR AT AV DS MI SH						
L	MIL-B-23401E	LATH, ENGINE & TOOL ROOM, 19, 20 x 25 INCH 7-1/2 TO 15 HP USER: AS MC ME	A 3416	IP	20-FEB-87	AL	SH	99
		SM REVIEWER: 84 GS						
L	MIL-A-23404A	BURNER, CARBON MONOXIDE AND HYDROGEN, CATALYTIC TYPE (MARK IV E) NAVAL	A 4460	SH	24-APR-89	SH		
	NOTICE 1	SUBMARINE USE						
L	MIL-P-23405B	ADAPTER KIT, MARINE MARKER MC 34 MOD 0 [VALIDATION DATE: 9109]	A 1370	AS	25-SEP-91	AS		
L	MIL-P-23405B							
L	MIL-M-23407B(1)	PLOTTER MC 19 MODS 0 THROUGH 8 [VALIDATION DATE: 8701]	A 1260	OS	27-JAN-87	OS		
	NOTICE 1							
L	MIL-P-23408B	NAVIGATION SET, RADAR AN/APN-153(V) [VALIDATION DATE: 8804]	A 5841	AS	15-APR-88	AS		
	NOTICE 1							
L	MIL-P-23409B(1)	PLATING: TIN-CADMIUM (ELECTRODEPOSITED) [VALIDATION DATE: 9110] USER: MC	A MFPP	AS	28-OCT-91	MR	AS	11
	NOTICE 1	SH REVIEWER: AR CR IS OS						
L	MIL-P-23409B(1)	POTASSIUM TETRABORATE TETRAHYDRATE (ISSUE CONTROLLED-REQUESTS BY OTHER	F 6810	SH	14-AUG-81	SH		
	NOTICE 1	THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE						
		SPEC.) [VALIDATION DATE: 8203] REVIEWER: GS						
L	MIL-I-23413C	INSERTS, WELDING, FILLER MATERIAL, COILED AND SOLID RINGS	A 3439	SH	04-AUG-81	SH		
L	MIL-A-23416(1)	MEASURING SET, DEPTH-SOUND SPEED AN/BOP-1( ) [VALIDATION DATE: 8106]	A 6625	SH	25-FEB-65	SH		
	MIL-R-23417B	RESOLVERS, ELECTRICAL, AC GENERAL SPECIFICATION FOR USER: 14 19 AV CG MC	A 5990	AR	25-APR-91	AR	AS	85
	SUPPL 1B1	ME REVIEWER: 11 17 99 EC ER ES MI OS TO						
	MIL-R-23417/1A	RESOLVER, ELECTRICAL, AC TYPE 11R7M4A USER: 14 19 CG MC MI REVIEWER: 11 17	A 5990	AR	25-APR-91	AR	AS	85
		99 EC ES						
	MIL-R-23417/2A	RESOLVER, ELECTRICAL, AC TYPE 11R7M4A USER: 14 19 CG MC MI REVIEWER: 11	A 5990	AR	25-APR-91	AR	AS	85
		17 99 EC ES						
	MIL-R-23417/3A	RESOLVER, ELECTRICAL, AC TYPE 11R23M4A USER: 19 CG MC ME REVIEWER: 11 17	A 5990	AR	25-APR-91	AR	AS	85
		99 EC ES MI						
	MIL-R-23417/4A	RESOLVER, ELECTRICAL, AC TYPE 15R2M4A USER: 14 19 AT AV CG MC ME MI	A 5990	AR	25-APR-91	AR	AS	85
		REVIEWER: 17 99 EC ES OS						
	MIL-R-23417/5A	RESOLVER, ELECTRICAL, AC TYPE 15R8M4A USER: 14 19 AT AV CG MC ME MI	A 5990	AR	25-APR-91	AR	AS	85
		REVIEWER: 17 99 EC ES OS						
	MIL-R-23417/6	RESOLVER, ELECTRICAL, MK4 MOD 0 [VALIDATION DATE: 8108] REVIEWER: 99 EC ES	A 5990	AS	23-DEC-85	AS	85	
	MIL-R-23417/9A	RESOLVER, ELECTRICAL, AC TYPE 15R28M4A USER: 14 19 AT AV CG MC ME MI	A 5990	AR	25-APR-91	AR	AS	85
		REVIEWER: 17 99 EC ES OS						
	MIL-R-23417/12A	RESOLVER, ELECTRICAL, AC TYPE 15R28M4A USER: 19 CG MC ME MI REVIEWER: 11	A 5990	AR	25-APR-91	AR	AS	85
		17 99 EC ES						
	MIL-R-23417/17A	RESOLVER, ELECTRICAL, AC TYPE 23R32M4A USER: 14 19 AT CG MC ME MI	A 5990	AR	25-APR-91	AR	AS	85
		REVIEWER: 11 17 99 EC ES OS						
	MIL-R-23417/19A	RESOLVER, ELECTRICAL, AC TYPE 23R58M4A USER: 14 19 AT AV CG MC ME MI	A 5990	AR	25-APR-91	AR	AS	85
		REVIEWER: 99 EC OS						
	MIL-R-23417/20A	RESOLVER, ELECTRICAL, AC TYPE 23R58M4A REVIEWER: 99 EC	A 5990	AR	25-APR-91	AR	AS	85
L	MIL-R-23417/23A	RESOLVER TRANSMITTER, TYPE 26V-11R15M48 [VALIDATION DATE: 8307] REVIEWER:	A 5990	AS	05-NOV-68	AS		
		EC ES						
	MIL-R-23417/24A	RESOLVER TRANSMITTER, TYPE 26V-11R5M48 [VALIDATION DATE: 8307] REVIEWER:	A 5990	AS	05-NOV-68	AS		85
		99 EC ES						
	MIL-R-23417/25A	RESOLVER TRANSMITTER, TYPE 9V-11R41M40A [VALIDATION DATE: 8108] REVIEWER:	A 5990	AS	05-NOV-68	AS		85
		99 EC ES						
	MIL-R-23417/26A	RESOLVER, ELECTRICAL, AC TYPE 15R11M4A USER: 14 19 AT AV CG MC ME MI	A 5990	AR	25-APR-91	AR	AS	85
		REVIEWER: 11 17 99 EC ES OS						
	MIL-R-23417/27A	RESOLVER, ELECTRICAL, AC TYPE 15R28M4A USER: 14 19 AT CG MC ME MI	A 5990	AR	25-APR-91	AR	AS	85
		REVIEWER: 17 99 EC ES OS						
	MIL-R-23417/29A	RESOLVER, ELECTRICAL, AC TYPE 11R20M4A USER: 14 19 CG MC MI REVIEWER: 11	A 5990	AR	25-APR-91	AR	AS	85
		17 99 EC ES						
	MIL-R-23417/30A	RESOLVER, ELECTRICAL, AC TYPE 11R20M4A USER: 14 19 CG MC REVIEWER: 11 17	A 5990	AR	25-APR-91	AR	AS	85
		99 EC ES MI						
M	MIL-R-23417/31A	RESOLVER, ELECTRICAL TYPE 11R2M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						
M	MIL-R-23417/32A	RESOLVER, ELECTRICAL TYPE 11R1M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						
M	MIL-R-23417/33A	RESOLVER, ELECTRICAL TYPE 11R21M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						
M	MIL-R-23417/34A	RESOLVER, ELECTRICAL TYPE 08R6M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						
M	MIL-R-23417/35A	RESOLVER, ELECTRICAL TYPE 08R3M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						
M	MIL-R-23417/36A	RESOLVER, ELECTRICAL TYPE 08R10M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						
M	MIL-R-23417/37A	RESOLVER, ELECTRICAL TYPE 08R21M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						
M	MIL-R-23417/38A	RESOLVER, ELECTRICAL TYPE 08R7M48 [VALIDATION DATE: 9305] REVIEWER: 11 17	A 5990	85	03-MAY-93	ER	AS	85
	NOTICE 1	99 EC ES						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Notice	Document Number	Document Title	Dist. Smt FSC / Area NAIC Symbol	Preparing Date	Custodians	Army	Navy	Air Force	DLA
AQ	MIL-F-23419E SUPPL 181 MIL-F-23419/1H	FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR USER: ME OS SH REVIEWER: 19 AR ES MI FUSE, INSTRUMENT TYPE, STYLE FM01 (INDICATING) USER: 19 AR MC ME OS REVIEWER: 11 17 99 AR ES MI SH	A 5920	EC 01-AUG-92	ER	EC	85		
	MIL-F-23419/2H	FUSES, INSTRUMENT TYPE, STYLE FM02 (INDICATING) USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 AR ES MI SH	A 5920	EC 12-JAN-88	ER	EC	85		
	MIL-F-23419/4F	FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM04 (NONINDICATING) USER: AL ME REVIEWER: 11 17 99 AR AS ES MI SH	A 5920	EC 17-AUG-89	ER	EC	85		
	MIL-F-23419/7F	FUSES, CARTRIDGE, STYLE FM07, (SUBMINIATURE - HIGH PERFORMANCE) USER: 19 REVIEWER: 99 AR AS AT AV ES MI NS	A 5920	EC 23-JUL-90	ER	EC	85		
	MIL-F-23419/8F	FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM08 (SUBMINIATURE - HIGH PERFORMANCE) USER: 19 REVIEWER: 11 99 AS ES MI NS	A 5920	EC 17-AUG-89	ER	EC	85		
A	MIL-F-23419/9A(1)	FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM09, (NONINDICATING) USER: 19 AR MC ME OS REVIEWER: 99 AS ES MI NA SH	A 5920	EC 08-FEB-93		EC	85		
	MIL-F-23419/10	FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM10 (NONINDICATING) USER: 19 AL MC ME OS REVIEWER: 11 17 99 AR AS ES MI SH	A 5920	EC 23-JUN-87	ER	EC	85		
A L	MIL-F-23419/11A	FUSE, CARTRIDGE, INSTRUMENT TYPE, STYLE FM11 (SUBMINIATURE - HIGH PERFORMANCE)	A 5920	NA 23-NOV-92					
A L	MIL-F-23419/12	FUSES, CARTRIDGE, INSTRUMENT TYPE, STYLE FM12 (SUBMINIATURE - HIGH PERFORMANCE) REVIEWER: ES	A 5920	NA 11-JAN-93					
D	MIL-M-234210	MOWER, LAWN, FLAIL TYPE, TOWED AND TRACTOR MOUNTING USER: CE	A 3750	84 29-JUN-84	ME	YD1	99		
L	MIL-C-234220	CHROMIUM PLATING, ELECTRODEPOSITED (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTVS MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE SPEC)	A 3750	84 29-JUN-84	ME	YD1	99		
QL	MIL-T-234260	TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING	A 1720	AS 27-OCT-86		AS			
M L	MIL-B-234318	BEACON, RADAR AN/APN-154(V)	A 5841	AS 30-APR-93		AS			
D	MIL-T-23435F	TRUCK, TANK, SEWAGE OR WASTE COLLECTION, COMMERCIAL 4 BY 2 USER: MC REVIEWER: 84	A 2320	YD1 13-MAY-91	AT	YD1	99		
L	MIL-C-23437E	CABLE, SPECIAL PURPOSE, ELECTRICAL	A 6145	EC 09-MAR-87		EC			
QL	MIL-T-23439A	TOWLINES, AERIAL TARGET, CONSTANT AND STEPPED DIAMETER WIRE AND STRAND (VALIDATION DATE: 8205)	A 1680	AS 12-AUG-63		AS			
L	MIL-A-23442A(1)	AMMONIUM PERCHLORATE (VALIDATION DATE: 8504) REVIEWER: GS MI	A 6810	OS 18-APR-85		OS			
	DOD-D-23443B(1)	DI-(2 - ETHYLENYL) ADIPATE, TECHNICAL	A 6810	OS 20-MAY-92		OS	68		
LI	MIL-N-23444A	RESIN, POLYVINYL CHLORIDE, PLASTISOL GRADE	A 9330	OS 20-MAY-92		OS			
L	MIL-F-23447	FIRE WARNING SYSTEMS, AIRCRAFT, RADIATION SENSING TYPE, TEST AND INSTALLATION (VALIDATION DATE: 8408) REVIEWER: AV	A 6340	AS 14-SEP-62		AS			
L	MIL-T-23449A(1)	TRANSMITTING SET, RADIO AM/PM-5(5) (VALIDATION DATE: 8307)	A 5820	AS 20-OCT-69		AS			
A	MIL-V-23450C NOTICE 2	VALVE, EXPANSION, THERMOSTATIC, REFRIGERANT 12 AND REFRIGERANT 22 (VALIDATION DATE: 9208) USER: MC REVIEWER: GS ME	A 4820	GL 31-AUG-92	GL		99		
L	MIL-R-23452A(1)	ROCKET MOTOR MARK 25 MODS 0, 1, & 2	A 1340	AS 13-NOV-86		AS			
L	MIL-I-23453(3)	IGNITER, MARK 188 MOD 0	A 1340	AS 27-MAR-84		AS			
D	MIL-M-234550	WASHING AND SCREENING PLANT, AGGREGATE AND SAND, ELECTRIC-MOTOR-DRIVEN, TRAILER MOUNTED, 150 TONS PER HOUR USER: CE REVIEWER: AT	A 3820	YD1 04-JAN-89	ME	YD1			
L	MIL-E-23457B(1)	ENGINES, DIESEL MARINE, PROPULSION AND AUXILIARY, MEDIUM SPEED REVIEWER: CS	A 2815	SH 16-OCT-90		SH			
D L	MIL-B-234590	BUOY, MOSE SUPPORT, INFLATABLE	A 2050	YD1 13-SEP-88		YD1			
Q	MIL-P-23460E SUPPL 181	PIN, QUICK-RELEASE, SELF-RETAINING, POSITIVE-LOCKING REVIEWER: IS	A 5340	AS 20-NOV-91	AV	AS	99		
L	MIL-R-23461A	RESIN COMPOUND, THERMOSETTING, ROOM TEMPERATURE CURING, FOR METAL COATING REVIEWER: GS MR	A 9330	SH 26-JUN-87		SH			
L	MIL-F-23467F	FITTING AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING, AUSTENITIC CORROSION-RESISTANT STEEL (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTVS MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE SPEC)	A 4730	SH 11-MAR-85		SH			
A L	MIL-P-23469D	PIN-RIVET, GROOVED AND COLLAR, GROOVED PIN-RIVET, SWAGE-LOCKED (LOCKPIN) GENERAL SPECIFICATION FOR	A 5320	SH 22-DEC-92		SH			
L	MIL-P-23469/1B	PINS AND COLLARS, SWAGE-LOCKING, REGULAR HEIGHT, FLANGED AND LOW PROFILE, ALUMINUM ALLOY, CORROSION RESISTANT STEEL, CARBON STEEL AND ALLOY STEEL (VALIDATION DATE: 8104)	A 5320	SH 31-MAY-67		SH			
L	MIL-P-23469/2B	PIN-RIVET, GROOVED, BRAZIER HEAD, STRAIGHT SHANK, SIX LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT & CARBON STEELS (VALIDATION DATE: 8104)	A 5320	SH 31-MAY-67		SH			
A L	MIL-P-23469/4B(1)	PIN-RIVET, GROOVED, ROUND HEAD: STRAIGHT SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS	A 5320	SH 22-DEC-92		SH			
A L	MIL-P-23469/5B(1)	PIN-RIVET, GROOVED, TRUSS HEAD: STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS	A 5320	SH 22-DEC-92		SH			
A L	MIL-P-23469/6B(1)	PIN-RIVET, GROOVED, FLAT 90 DEG. COUNTERSUNK HEAD: STRAIGHT SHANK, SIX LOCKING GROOVES AND MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS	A 5320	SH 22-DEC-92		SH			
A L	MIL-P-23469/7B(1)	PIN-RIVET, GROOVED, OVAL 60 DEG. COUNTERSUNK HEAD: TAPERED-SECTION SHANK, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT STEEL AND CARBON STEELS	A 5320	SH 22-DEC-92		SH			
L	MIL-S-23471(1)	SWIVEL, BALL-BEARING OR ROLLER-BEARING (SPECIAL, WATER-TIGHT) (VALIDATION DATE: 9102) REVIEWER: IS	A 4030	SH 07-FEB-91		SH			
Q	MIL-I-23479B(1)	INDICATOR, PRESSURE, 1 1/2-INCH, INTEGRALLY LIGHTED (VALIDATION DATE: 9110) REVIEWER: 82	A 6620	AS 16-OCT-91	AV	AS	99		
A L	MIL-T-23480A(1)	TUMBLER-DRYER, LAUNDRY, STEAM, AND ELECTRIC, MODIFIED COMMERCIAL (SHIPBOARD)	A 3510	SH 26-JUN-92		SH			
LI	MIL-R-23481B(1)	ROCKET MOTOR, MARK 30 MODS 1 AND 2	A 1340	OS 20-MAY-92		OS			
A L	MIL-C-23488B	COLLAR, COAT, MAN'S: POLYESTER/WOOL, GABARDINE, BLUE	A 8315	CT 02-JUN-89		MC	CT		
L	MIL-I-23488(1)	IGNITION ELEMENT, ELECTRIC, MARK 10 MOD 0 (VALIDATION DATE: 8705)	A 1375	AS 14-MAY-87		AS			
L	MIL-R-23489A	RECEIVER, INFRARED (VIEWING SET), AM/SAR-7( ) (VALIDATION DATE: 8204)	A 5850	EC 12-MAY-70		EC			
Q	MIL-S-23492B(3)	SCALER, NEEDLE TYPE, PNEUMATIC, PORTABLE (VALIDATION DATE: 8301) USER: GL	A 5130	ME 22-SEP-78		SH	99		
L	MIL-P-23504	PUMP, VACUUM, COMPOUND, ROTARY, MOTOR DRIVEN, 12 CFM (VALIDATION DATE: 8112)	A 4310	AS 19-NOV-62		AS			
L	MIL-F-23508B(1)	FITTING & FLANGES, WROUGHT, SEAMLESS, BUTT & SOCKET WELDING, NICKEL CHROMIUM IRON ALLOY (ISSUE CONTROLLED REQUEST BY OTHER THAN DOD ACTVS MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE SPEC)	A 4730	SH 08-SEP-81		SH			
L	MIL-F-23509F	FITTINGS & FLANGES, WROUGHT, SEAMLESS BUTT & SOCKET WELDING, NICKEL-COPPER ALLOY (NO FORM REL TO OTHER THAN DOD ACT REQ PR APPR OF NAV SEA SYS COM)	A 4730	SH 04-JAN-85		SH			
L	MIL-T-23520C(1)	TUBE AND PIPE, NICKEL-COPPER ALLOY, SEAMLESS, AIR MELTED (CONTROLLED DISTRIBUTION) USER: ME	B 4710	SH 04-SEP-84		SH			
A L	MIL-D-23523D(1)	DEHYDRATOR, LOW PRESSURE AIR, FOR SPECIAL APPLICATIONS	A 4460	SH 05-APR-93		SH			
L	MIL-I-23524A	INDICATOR, ATTITUDE-DIRECTOR, REMOTE, 1D 1329A (V)	A 6610	AS 10-MAR-86		AS			
L	MIL-C-23525A	CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE REVIEWER: MI	A 8140	OS 12-MAY-87		OS			
L	MIL-A-23530A	ROCK-UP OF MAIN AND AUXILIARY SHIPBOARD MACHINERY SPACES (VALIDATION DATE: 8802)	A 1150	SH 09-FEB-88		SH			
L	MIL-S-23535	SYSTEM, INTEGRATED FLIGHT INSTRUMENTATION (VALIDATION DATE: 8410)	A 6610	AS 01-APR-63		AS			
L	MIL-P-23536A	POLYETHYLENE PLASTIC SHEETS, VIRGIN AND BORED (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 8106) USER: ME REVIEWER: GS MI	B 9330	SH 15-OCT-68		SH			
L	MIL-A-23547E	ANTENNA COUPLER CU-937( )/UR (VALIDATION DATE: 8404) REVIEWER: ES	A 5985	EC 28-OCT-77		EC			



## NUMERICAL LISTING MILITARY SPECIFICATIONS

185



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordnance Instruction Document Number	Document Title	Dist. Smt. FSC / Ave MCSA Symbol Preparing Acty Date	Custodians		
			Army	Navy	Air Force DLA
L MIL-A-236858	ADAPTER, PALLET, STEEL FOR PROJECTILES, ROCKET HEADS, CARTRIDGE CONTAINERS AND BOMB FINS [VALIDATION DATE: 8301]	A 3990 OS 27-MAY-77	OS		
L MIL-T-23693	TEST HARNESS, RADAR SET AN/APM-153(*) [VALIDATION DATE: 8103] REVIEWER: CS	A 4940 AS 15-MAY-63	AS		
L MIL-C-23697(2)	COMPUTER SET, NAVIGATIONAL AN/ASW-42(*) [VALIDATION DATE: 8509]	A 6605 AS 01-JAN-67	AS		
Q MIL-L-236990	LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, NATO CODE NUMBER 0-156 USER: AR REVIEWER: 68 AV GS SH	A 9150 AS 09-OCT-90	ME AS 11		
L MIL-K-23714C	KITS, SAMPLING, FOR AVIATION FUELS, REUSABLE REVIEWER: B2 AV MC SM	A 8115 AS 04-SEP-89	GL AS 69		
L MIL-C-23716A	COMPUTER SET, BOMB RELEASE, LOFT, AN/AJB-3 [VALIDATION DATE: 8103]	A 1280 AS 01-OCT-66	AS		
L MIL-G-23723(2)	GYROSCOPE, RATE SWITCHING CN-495/AJB-3 [VALIDATION DATE: 8712]	A 6615 AS 07-DEC-87	AS		
L MIL-C-23727A(2)	COMPUTER SET, LOFT BOMB RELEASE AN/AJB-3A [VALIDATION DATE: 8410]	A 1280 AS 26-AUG-70	AS		
L MIL-T-23733A	TRANSMITTER, RATE GYROSCOPE T-751( )/AJB-3 [VALIDATION DATE: 8102]	A 6615 AS 15-JAN-68	AS		
L MIL-C-23742(3)	CONTROL CENTERS, ALTERNATING CURRENT NAVAL SHIPBOARD [VALIDATION DATE: 8104] REVIEWER: GS	A 6110 SH 08-JUL-66	SH		
QL MIL-R-23750A(1)	RATE INTEGRATING GYRO MS 3391	A 1420 AS 28-FEB-83	AS		
L MIL-T-23752E	TRITIUM AIR MONITOR, PORTABLE OR FIXED	A 6665 SH 04-MAY-92	SH		
L MIL-B-23755D	BRAKE MACHINES, SHEET METAL, MANUALLY OPERATED, STANDARD AND BOX-PAN TYPE USER: AR SH REVIEWER: GS	A 3441 IP 29-MAR-91	AL 99 IP		
L MIL-R-23757C	RADAR IDENTIFICATION TRANSPONDER SET AN/APX-71A [VALIDATION DATE: 8208]	A 5895 AS 03-FEB-75	AS		
D MIL-T-237590	TANK, ASPHALT STORAGE, WHEEL MOUNTED	A 5430 YD1 28-FEB-89	ME YD1		
L MIL-C-237600	COATING, SPRAYABLE, STRIPPABLE, PROTECTIVE, FOR PACKAGING OF WEAPONS SYSTEMS & COMPONENTS, APPLICATION OF REVIEWER: 99 AL AT AV MI SM	A 8030 AS 04-OCT-83	NR AS 69		
Q MIL-R-23761B	REGULATOR, VOLTAGE, AND CONTROL PANELS AIRCRAFT, DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8202] REVIEWER: 80 99 GS	A 6110 AS 01-OCT-75	AV AS 11		
L MIL-R-23761/A(1)	REGULATOR CONTROL PANEL, AIRCRAFT DIRECT CURRENT GENERATOR, 28 VOLT [VALIDATION DATE: 8410] REVIEWER: GS	A 6110 AS 15-MAY-78	AS		
L MIL-K-23761/2B	REGULATORS, VOLTAGE, AIRCRAFT DIRECT CURRENT GENERATOR, 28-VOLT	A 6110 AS 08-FEB-91	AS		
QL MIL-E-23765B(1)	ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR USER: MI REVIEWER: EA GS	A 3439 SH 15-SEP-89	SH		
L SUPPL 1A1	ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, ORDINARY STRENGTH AND LOW ALLOY STEEL	A 3439 SH 23-OCT-90	SH		
L MIL-E-23765/E(1)	ELECTRODES AND RODS - WELDING, BARE, SOLID, OR ALLOYED CORED, LOW ALLOY STEEL	A 3439 SH 11-MAR-86	SH		
L MIL-E-23765/3A	ELECTRODES - WELDING, BARE, SOLID COPPER ALLOY	A 3439 SH 15-SEP-89	SH		
QL MIL-E-23765/4	ELECTRODES - WELDING, BARE, SOLID; AND FLUXES, SUBMERGED ARC WELDING, CARBON AND LOW ALLOY STEELS REVIEWER: 11 99 AR IS	A 3439 SH 15-SEP-89	SH		
L MIL-A-23766B	ANTENNA, AS-1018A/URC ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMDAF, (SPAMAR-003-121), WASH, DC 20363-5100) REVIEWER: ES	C 5985 EC 16-FEB-87	EC		
L MIL-R-23767B(1)	RECEIVING SET, RADIO AM/ARR-69 AND AN/ARR-69A [VALIDATION DATE: 8103]	A 5821 AS 03-JAN-72	AS		
L MIL-C-23768A(1)	CONTROL, INTEGRATED ELECTRONIC CENTRAL C-4850( * )/ASQ-85 [VALIDATION DATE: 8107]	A 5895 AS 08-NOV-71	AS		
L MIL-C-23771A	CONTROL UNIT (FOR MK-7 RETRACTABLE DECK SHEAVE) [VALIDATION DATE: 8204]	A 1710 AS 10-AUG-73	AS		
L MIL-S-23772(3)	SWITCH, HYDROSTATIC, MARK 63 MOD 0 AND MOD 1 [VALIDATION DATE: 9203]	A 1350 OS 18-MAR-92	OS		
LI MIL-A-23773A(1)	ANCHOR, UNDERWATER MINE, MARK 56 MOD 4 AND MOD 5	A 1350 OS 27-MAR-92	OS		
L MIL-Q-23774	QUARTZITE AGGREGATE [VALIDATION DATE: 8204]	A 5610 OS 25-JUN-63	OS		
L MIL-I-23775	INERT LOAD BINDER FOR DRILL MINE [VALIDATION DATE: 9203]	A 5610 OS 18-MAR-92	OS		
L MIL-M-23782C	MANUALS, TECHNICAL, WORK UNIT CODE, PREPARATION OF	A TMSS AS 02-NOV-83	AS		
L MIL-F-23788A	FENDERS, MARINE, VINYL, AIR FILLED	A 2040 SH 02-JAN-91	SH		
L MIL-A-23798B	AIR CONDITIONER, FAN-COIL ASSEMBLY [VALIDATION DATE: 8106] REVIEWER: GS	A 4120 SH 29-MAY-73	SH		
QL MIL-M-23799(1)	MOSE ASSEMBLY, METAL, TRANSFER, LIQUID OXYGEN [VALIDATION DATE: 7910]	A 4720 AS 10-MAR-66	AS		
L MIL-C-23806A(2)	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, GENERAL SPECIFICATION REVIEWER: IS	A 6145 EC 04-APR-84	EC		
MIL-C-23806/1C	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 1/2 INCH, 50 AND 75 OHM, (RG-231A/U, RG-331/U, RG-334/U AND RG-335/U)	A 6145 EC 20-FEB-90	EC 85		
MIL-C-23806/2C	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 7/8 INCH, 50 AND 75 OHM, (RG-332/U, RG-333/U, RG-336/U, AND RG-306A/U)	A 6145 EC 20-FEB-90	EC 85		
MIL-C-23806/3C	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, FOAM DIELECTRIC, 3/4 INCH, 50 OHM, JACKETED (RG-360/U)	A 6145 EC 20-FEB-90	EC 85		
L MIL-F-23808	FILING MACHINE, SAW BLADE, BAND AND CIRCULAR, AUTOMATIC [VALIDATION DATE: 8105] REVIEWER: GS	A 3419 SH 30-AUG-63	SH		
L MIL-S-23809C	SECTION, EXERCISE, TORPEDO, MARK 64 MOD 2 (FOR TORPEDO MARK 37 MODS 2 AND 3) (INACTIVE FOR NEW DESIGN)	A 1355 OS 31-OCT-86	OS		
L MIL-P-23810A(3)	PANEL, COMPONENT, RECORDING (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2 [VALIDATION DATE: 8403])	A 1355 OS 26-OCT-70	OS		
L MIL-R-23811(3)	RECORDER ASSEMBLY (FOR TORPEDO EXERCISE SECTION MARK 64 MOD 2) [VALIDATION DATE: 8403]	A 1355 OS 25-SEP-69	OS		
L MIL-C-23812B	CABLE, ELECTRONIC, TOW, FOR SUBMARINE APPLICATION [VALIDATION DATE: 8304] REVIEWER: IS	A 6145 EC 24-JUL-69	EC		
MIL-M-23813A	MICROPHONE, INTERCOMMUNICATION AND ANNOUNCING SYSTEM, NAVAL SHIPBOARD [VALIDATION DATE: 8104] USER: MC	A 5830 SH 21-DEC-64	CR SH		
L MIL-R-23818	RACK, BOMB, MULTIPLE PRACTICE A/A 37B-3 [VALIDATION DATE: 8407]	A 1095 AS 15-AUG-64	AS		
L MIL-S-23821A	STIMULATOR OWN SHIP S MOTION (OSMOS) (NAVAL SHIPBOARD) [VALIDATION DATE: 8104]	A 6930 SH 20-SEP-65	SH		
L MIL-L-23822C	LIQUID PROPELLANT ROCKET ENGINE LR64 FOR AQM-37A MISSILE TARGET SYSTEM	A 1430 AS 10-APR-87	AS		
L MIL-G-23823E	GRINDING MACHINES, CYLINDRICAL, EXTERNAL, CENTER TYPE UNIVERSAL, TRAVELING TABLE USER: AR MC WY REVIEWER: AS GS	A 3415 IP 16-APR-91	AL SH 99 IP		
L MIL-T-23824A(1)	TORPEDO BEACON LIGHT (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8506]	A 1355 OS 04-NOV-71	OS		
Q MIL-G-23827B(1)	GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW USER: AV OS REVIEWER: DS EA GS PS	A 9150 AS 07-APR-88	ME AS 11		
D MIL-D-23828C	DISPENSERS, SILVERMARK [VALIDATION DATE: 9203] REVIEWER: 84 GS MC MD TS	A 7320 GL 27-MAR-92	GL YD1 99		
L MIL-I-23830C(3)	INDICATOR, MULTI-VOLTAGE, MULTI-FREQUENCY AND POLARITY, HAND, PORTABLE REVIEWER: 99	A 6625 SH 30-APR-86	SH		
L MIL-I-23832A	INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER	A 6620 AS 25-JUN-80	AS		
L MIL-A-23836	ANTENNA SYSTEMS, SUBMARINE, DESIGN, LOCATION, AND INSTALLATION, GENERAL SPECIFICATION [VALIDATION DATE: 7903] REVIEWER: ES	A 5985 EC 03-SEP-63	EC		
L MIL-R-23837B	RADIAC SET AN/PDR-65( )	A 6665 SH 04-MAY-92	SH		
L MIL-C-23842A	CONVEYOR, VERTICAL, TRAY TYPE, FOR 3000 POUND PALLETIZED LOADS (SHIPBOARD USE)	A 3910 SH 22-JUN-82	SH		
D MIL-P-23857B	PUMPING ASSEMBLIES, ASPHALT, BULK TRANSFER	A 4320 YD1 08-NOV-82	YD1		
I MIL-D-23859C	DELAY LINES, PULSE, ELECTROMAGNETIC, FIXED GENERAL SPECIFICATION FOR USER: MC MI REVIEWER: 17 99 AR AS OS SH	A 5999 BS 12-OCT-90	ER EC 85		
I SUPPL 1A1, NOTICE 1	DELAY LINES, PULSE, ELECTROMAGNETIC, LUMPED CONSTANT USER: MC MI REVIEWER: 17 AR AS OS SH	A 5999 BS 12-OCT-90	ER EC 85		
QL MIL-R-23864B	RADAR TRANSPONDER AN/APM-77( ) [VALIDATION DATE: 8107]	A 5895 AS 20-NOV-72	AS		
L MIL-A-23865A(1)	ANTENNA GROUP AN/SRA-28( ) [VALIDATION DATE: 8610] REVIEWER: ES	A 5985 EC 15-OCT-86	EC		
L MIL-C-23866A(1)	CONTROL SET, APPROACH POWER AN/ASW-54 (V)	A 5825 AS 26-JUL-91	AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Chg Classification Inches	Document Number	Document Title	Dist. Smt FSC / Aves	MCA Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-I-23870(1)	INDICATOR, FUEL RATE OF FLOW, 0 TO 15 GPM (VALIDATION DATE: 8103)	A 6680	AS	29-JAN-64	AS			
D	MIL-C-238800	REVIEWER: GS CABINET, FOOD WARMING, ELECTRIC, PASS-THROUGH AND REACH-IN USER: CE MC	A 7310	YD1	23-DEC-83	GL	YD1	99	
OL	MIL-L-238868	REVIEWER: GS MD MS							
L	MIL-A-23887A(1)	LIQUID LEVEL INDICATING EQUIPMENT (ELECTRICAL) REVIEWER: GS	A 6680	SH	14-APR-89	SH			
D	MIL-S-23891C	ALTIMETER SET, ELECTRONIC AM/APM-141(V) (VALIDATION DATE: 8509)	A 5841	AS	01-MAR-66	AS			
L	MIL-A-23894	SPRAYER DUSTER, BACK PACK TYPE, GED BLOWER (COMMERCIAL) REVIEWER: CE CG MD	A 3740	CS	30-JAN-85	ME	YD1	99	CS
L	MIL-S-23895(1)	MS							
D	MIL-T-23896A	ALPHA-NITRONAPHTHALENE (FOR USE IN EXPLOSIVES) (VALIDATION DATE: 8204)	A 6810	OS	17-OCT-63	OS			
DOL	MIL-A-23899B	REVIEWER: GS							
L	MIL-S-23910B	SHACKLE, BOMB, MARK 8 MOD 5 (VALIDATION DATE: 8005)	A 1095	AS	15-DEC-65	AS			
L	MIL-P-23917(2)	TRUCKS, TIRE SERVICING: GASOLINE AND DIESEL ENGINE DRIVEN, 19,000 AND	A 2320	YD1	14-MAR-91	YD1			
L	MIL-E-23919A	24,000 POUNDS GVW, 4 BY 2, AND 4 BY 4 REVIEWER: AT MC							
D	MIL-S-239230	ALUM. PROTECTOR, SOUND USER: ME YD1 REVIEWER: GS MD	A 4240	AS	17-AUG-84	AS			
L	MIL-P-239280	SHAPER, METAL CUTTING, HORIZONTAL RAM, MECHANICAL, PLAIN AND UNIVERSAL	A 3418	IP	05-FEB-87	AL	SH	99	IP
L	MIL-P-23928/1B	TABLE, 16, 20, 24, 28 AND 32 INCH STROKE USER: MC SH REVIEWER: GS							
L	MIL-P-23928/2B	PRECIPITATOR (ELECTROSTATIC), VENT FOG SHIPBOARD USE (VALIDATION DATE:	A 4460	SH	21-JUN-67	SH			
L	MIL-P-23928/3A	8106)							
L	MIL-P-23928/4B	ELECTRODES, REFERENCE, CIRCULAR, CORROSION PREVENTIVE, (FLUSH TYPE):	A 2090	SH	22-MAR-90	SH			
L	MIL-P-23928/5A	SILVER-SILVER CHLORIDE (VALIDATION DATE: 9003)							
L	MIL-P-23928/6A	SPRAYER & DUSTER UNITS, INSECTICIDE, MIST DUST BLOWER TYPE, GED, 30 TO 100	A 3740	CS	21-JUN-84	YD1	99	CS	
L	MIL-P-23928/7A	GAL/M LIQUID, 30 TO 300 LB/M DUST (COMMERCIAL) USER: CG MC REVIEWER: 84 ME							
L	MIL-P-23928/8A	MS							
L	MIL-P-23928/9C	PANELS, ELECTRICAL, POWER DISTRIBUTION AND MANUAL TRANSFER, CIRCUIT	A 5925	SH	05-DEC-88	SH			
L	MIL-P-23929A	BREAKER TYPE REVIEWER: ES							
L	MIL-P-239310(2)	PANEL, ELECTRICAL, 125 VOLTS, POWER DISTRIBUTION FOR ALB-1 AND MLB-1	A 5925	SH	05-DEC-88	SH			
L	MIL-P-23933A	CIRCUIT BREAKERS, 4-20 CIRCUITS, DRIPPROOF TOTALLY ENCLOSED AND WATERTIGHT							
L	MIL-P-23934A	PANEL, ELECTRICAL, POWER DISTRIBUTION FOR AQB-A50 AND NOB-A50 CIRCUIT	A 5925	SH	05-DEC-88	SH			
L	MIL-P-23935A	BREAKERS BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT							
L	MIL-P-23938A	PANEL, ELECTRICAL, POWER DISTRIBUTION FOR SINGLE AQB-A101 AND NOB-A101	A 5925	SH	11-DEC-89	SH			
L	MIL-P-23942(1)	CIRCUIT BREAKER, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT (VALIDATION							
L	MIL-A-23946(1)	DATE: 8912)							
L	MIL-C-23947(1)	PANEL, ELECTRICAL, POWER DISTRIBUTION FOR DOUBLE AQB-A101 AND NOB-A101	A 5925	SH	05-DEC-88	SH			
L	MIL-A-23948(1)	CIRCUIT BREAKERS, 2-12 CIRCUITS, WITH AND WITHOUT MANUAL TRANSFER,							
L	MIL-G-23949(1)	DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT							
L	MIL-A-23950A(1)	PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NOB-A101 CIRCUIT BREAKERS,	A 5925	SH	11-DEC-89	SH			
L	MIL-I-23951(1)	DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT (VALIDATION DATE: 8912)							
A L	MIL-C-23952C	PANEL, ELECTRICAL, POWER DISTRIBUTION FOR SINGLE AQB-A250 AND NOB-A250	A 5925	SH	11-DEC-89	SH			
OL	MIL-V-23953C	CIRCUIT BREAKERS, DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT (VALIDATION							
L	MIL-L-23956A(2)	DATE: 8912)							
L	MIL-P-23957A	PANEL, ELECTRICAL, MANUAL TRANSFER FOR DOUBLE NOB-A250 CIRCUIT BREAKERS,	A 5925	SH	11-DEC-89	SH			
L	MIL-B-23958A(1)	DRIPPROOF, TOTALLY ENCLOSED AND WATERTIGHT (VALIDATION DATE: 8912)							
L	MIL-C-23961A(1)	PANEL, ELECTRICAL, SYMBOL 579, SUBPERSIBLE ENCLOSURE (15 FEET)	A 5925	SH	11-DEC-89	SH			
L	MIL-B-239640(1)	PROPELLANT, MS (VALIDATION DATE: 9008) REVIEWER: 14	A 1375	AR	27-AUG-90	AR	OS	99	
L	MIL-S-23965(1)	CARTRIDGE, IMPULSE, MARK 9 MOD 0	A 1377	AS	31-JUL-91	AS			
L	MIL-I-23970A	CARTRIDGE, IMPULSE, MARK 44 MOD 0 (VALIDATION DATE: 8407)	A 1 77	AS	20-DEC-71	AS			
L	MIL-P-23971A	CARTRIDGE, IMPULSE, MARK 49 MOD 0 (VALIDATION DATE: 8407)	A 1 77	AS	13-JAN-71	AS			
L	MIL-P-23971B	CARTRIDGE, IMPULSE, MARK 47 MOD 0 (VALIDATION DATE: 8407)	A 1377	AS	02-AUG-71	AS			
L	MIL-P-23971C	FERRIC OXIDE (VALIDATION DATE: 8509)	A 1336	AS	01-SEP-66	AS			
L	MIL-P-23971D	POLYBUTADIENE, LINEAR, CARBOXYL TERMINATED (VALIDATION DATE: 8509)	A 1336	AS	01-SEP-66	AS			
L	MIL-P-23971E	REVIEWER: OS							
L	MIL-P-23971F	AMMONIUM PERCHLORATE FOR SOLID PROPELLANT GRAINS (VALIDATION DATE: 8712)	A 1336	AS	23-DEC-87	AS			
L	MIL-P-23971G	COMPOUNDING OIL (VALIDATION DATE: 8509) REVIEWER: OS	A 1336	AS	01-SEP-66	AS			
L	MIL-P-23971H	AMMONIUM PERCHLORATE SPECIAL COARSE GRADE FOR SOLID PROPELLANT GRAINS	A 1336	AS	23-DEC-87	AS			
L	MIL-P-23971I	(VALIDATION DATE: 8712)							
L	MIL-P-23971J	GRAINS, TUBULAR, PYROTECHNIC (VALIDATION DATE: 9109)	A 1336	AS	25-SEP-91	AS			
L	MIL-P-23971K	ALUMINUM POWDER, SPHERICAL	A 1336	AS	13-MAR-84	AS			
L	MIL-P-23971L	IGNITION MATERIAL, PELLETED, PYROTECHNIC (VALIDATION DATE: 9109)	A 1336	AS	25-SEP-91	AS			
L	MIL-P-23971M	CONTROL EQUIPMENT AUTOMATIC DEGAUSSING (AUTO DEG), TYPE SSP	A 1075	SH	18-NOV-92	SH			
L	MIL-P-23971N	VALVES, COMBINED VENT-CHECK FOR SUBMARINE MBT BLOW LINES (SIZES 1-1/2 TO	A 4820	SH	11-MAY-90	SH			
L	MIL-P-23971O	2-1/2 INCHES) REVIEWER: CS							
L	MIL-P-23971P	LAUNCHING GROUP MARK 16 MOD 4 (VALIDATION DATE: 8204)	A 1055	OS	10-JUL-75	OS			
L	MIL-P-23971Q	POWER DRIVE, TRAIN, MC 61 MOD 2 POWER DRIVE, ELEVATION, MC 62 MOD 2	A 1055	OS	18-SEP-69	OS			
L	MIL-P-23971R	CHASSIS, AMPLIFIER, LD 272613 (VALIDATION DATE: 8402)							
L	MIL-P-23971S	BRUSH, CLEANING, AIRCRAFT, METAL BRIGHTENING (VALIDATION DATE: 8304)	A 7920	AS	12-NOV-75	GL	AS	99	
L	MIL-P-23971T	COMPRESSOR, HIGH PRESSURE AIR, 100 CFM, NAVAL SHIPBOARD SERVICE	A 4310	SH	22-AUG-66	SH			
L	MIL-P-23971U	(VALIDATION DATE: 8402)							
L	MIL-P-23971V	BOLT, SELF-RETAINING, POSITIVE LOCKING REVIEWER: 82	A 5306	AS	26-MAR-91	AS			
L	MIL-P-23971W	SHORES, DAMAGE CONTROL, AUTOMATIC, ADJUSTABLE TELESCOPING STEEL	A 2090	SH	01-JUL-88	SH			
L	MIL-P-23971X	INDICATOR, OWN SHIP 5 POSITION (NAVAL SHIPBOARD) (VALIDATION DATE: 8104)	A 6320	SH	15-MAY-64	SH			
L	MIL-P-23971Y	POWER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS GENERAL	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23971Z	SPECIFICATION FOR							
L	MIL-P-23972A(1)	POWER DIVIDER, 4 PORT QUADRATURE, SOLDER TERMINALS (VALIDATION DATE: 8301)	A 5985	ER	02-DEC-77	ER	EC	85	
L	MIL-P-23972B(1)	USER: AS MC OS							
L	MIL-P-23972C(1)	POWER DIVIDER, 4 PORT QUADRATURE, SMA CONNECTORS USER: AS MC OS REVIEWER:	A 5985	ER	21-SEP-81	ER	EC	85	
L	MIL-P-23972D(1)	ES							
L	MIL-P-23972E(1)	POWER DIVIDER, 4 PORT QUADRATURE, PLUG IN TERMINALS (VALIDATION DATE:	A 5985	ER	02-DEC-77	ER	EC	85	
L	MIL-P-23972F(1)	8301) USER: AS MC OS							
L	MIL-P-23972G(1)	POWER DIVIDER, 3 PORT QUADRATURE, SOLDER TERMINALS (VALIDATION DATE: 8301)	A 5985	ER	02-DEC-77	ER	EC	85	
L	MIL-P-23972H(1)	USER: AS MC OS							
L	MIL-P-23972I(1)	POWER DIVIDER, N-WAY, 0 DEGREES, FLAT PACK USER: AS MC OS REVIEWER: ES	A 5985	ER	22-FEB-80	ER	EC	85	
L	MIL-P-23972J(1)	POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, TO 5 USER: AS MC OS REVIEWER:	A 5985	ER	22-FEB-80	ER	EC	85	
L	MIL-P-23972K(1)	ES							
L	MIL-P-23972L(1)	POWER DIVIDER, 4 PORT QUADRATURES, N CONNECTORS (VALIDATION DATE: 8712)	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23972M(1)	USER: AS MC OS REVIEWER: ES							
L	MIL-P-23972N(1)	POWER DIVIDERS, QUADRATURE, FLAT PACK (VALIDATION DATE: 8710) USER: AS MC	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23972O(1)	OS REVIEWER: ES							
L	MIL-P-23972P(1)	POWER DIVIDER, N-WAY, 0 DEGREES, SMA CONNECTORS (VALIDATION DATE: 8710)	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23972Q(1)	USER: AS MC OS REVIEWER: ES							
L	MIL-P-23972R(1)	POWER DIVIDER/COMBINERS, QUADRATURE, RECTANGULAR, PC PINS (VALIDATION	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23972S(1)	DATE: 8710) USER: AS MC OS REVIEWER: ES							
L	MIL-P-23972T(1)	POWER DIVIDER/COMBINERS, QUADRATURE, TO 5 (VALIDATION DATE: 8710) USER: AS	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23972U(1)	MC OS REVIEWER: ES							
L	MIL-P-23972V(1)	POWER DIVIDER/COMBINERS, QUADRATURE, STRIPLINE (VALIDATION DATE: 8710)	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23972W(1)	USER: AS MC OS REVIEWER: ES							
L	MIL-P-23972X(1)	POWER DIVIDER/COMBINERS, 2 WAY, 180 DEGREES, SMA CONNECTORS (VALIDATION	A 5985	EC	27-OCT-87	ER	EC	85	
L	MIL-P-23972Y(1)	DATE: 8710) USER: AS MC OS REVIEWER: ES							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inclusive Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
MIL-P-23971/14(1)	POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, FLAT PACK USER: AS MC OS	A 5985	EC	24-NOV-81	ER	EC	85		
MIL-P-23971/15	REVIEWER: ES								
NOTICE 1	POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, RECTANGULAR, PC PINS	A 5985	EC	27-OCT-87	ER	EC	85		
MIL-P-23971/16(1)	[VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: ES								
	POWER DIVIDER/COMBINERS, N WAY, 0 DEGREES, SMA CONNECTORS USER: AS MC OS	A 5985	EC	12-JAN-84	ER	EC	85		
	REVIEWER: ES								
MIL-P-23971/17	POWER DIVIDER/COMBINERS, N-WAY, 0 DEGREES, TMC CONNECTORS [VALIDATION	A 5985	EC	22-FEB-80	ER	EC	85		
	DATE: 8601] USER: AS MC OS REVIEWER: ES								
L MIL-D-23973(3)	DUMMY LOAD, ELECTRICAL, 600 WATTS D.C. TO 3000 MC. [VALIDATION DATE: 8404]	A 5985	EC	30-JUN-66					
	USER: MC REVIEWER: ES								
A L MIL-G-23983A	GASKET AND PACKING MATERIAL, OIL RESISTANT RUBBER, ACCESS HALL	A 5330	SH	17-SEP-92					
	APPLICATIONS								
D L MIL-A-23987A	A-FRAME, PONTON TUG; PREFABRICATED, KNOCKED DOWN	A 2020	YD1	12-JAN-89					
MIL-T-23991E	TRAINING DEVICES, MILITARY: GENERAL SPECIFICATION FOR USER: MC SH	A 69GP	TD	20-FEB-74	AV	TD	11		
	REVIEWER: 70 99 AS MI OS								
L MIL-T-23991E(12)	TRAINING DEVICES, MILITARY: GENERAL SPECIFICATION FOR	A 69GP	TD	01-MAR-79					
L MIL-P-24002	PARACHUTE PACKS; GENERAL SPECIFICATION FOR [VALIDATION DATE: 9203]	A 1350	OS	18-MAR-92					
	NOTICE 1								
L MIL-P-24003(2)	PARACHUTE RELEASE MECHANISMS; GENERAL SPECIFICATION FOR [VALIDATION DATE:	A 1350	OS	18-MAR-92					
	NOTICE 1								
D MIL-R-24005F	ROLLERS, MOTORIZED, VIBRATING, TANDUM USER: MC REVIEWER: 84 ME	A 3895	YD1	29-JUN-92					
L MIL-R-24008	RECEIVER, RADIO R-1047A/A [VALIDATION DATE: 8203]	A 5826	AS	23-JAN-64					
L MIL-R-24011A	RADAR ALTITUDE WARNING SET AM/APQ-107(A) [VALIDATION DATE: 8409]	A 5841	AS	15-MAR-65					
L MIL-T-24015B	TRANSMITTING SET, TELEMETRY DATA AM/ACT-21 [VALIDATION DATE: 8106]	A 5821	AS	18-SEP-70					
L MIL-C-24016C(1)	CARTRIDGE, IMPULSE, MARK 51 MOD 1 [VALIDATION DATE: 8407]	A 1377	AS	29-NOV-77					
L MIL-C-24017B(1)	CARTRIDGE, IMPULSE, MARK 8 MOD 0	A 1377	AS	28-SEP-88					
M MIL-E-24021J	ELECTRIC POWER MONITOR, EXTERNAL, AIRCRAFT REVIEWER: 11 80 GS	A 6110	AS	30-JUN-86	AV				
L MIL-E-24021JH	ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT	A 6110	AS	13-DEC-85					
QL MIL-E-24021J(11)	ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT	A 6110	AS	10-APR-87					
L MIL-F-24032A	FLASK, SEPARATOR, 3000 PSI, K-MONEL	A 8120	SH	19-OCT-89					
L MIL-S-24034E	SAWS, BAND, METAL CUTTING, CONTOUR, POWER FEEDING TABLE, 19, 26, 35, AND	A 3405	IP	29-APR-88	AL	SH	99	IP	
	60 INCH THROAT WIDTHS USER: MC ME REVIEWER: 84 GS								
MIL-S-24035E	SAWS, BAND, CUTOFF, TRAVELING, TILTING, VERTICAL COLUMN REVIEWER: 84 GS	A 3405	IP	19-MAY-88					
MIL-S-24036E	SAWS, BAND, CUTOFF, HORIZONTAL, NON-ADJUSTABLE AND ADJUSTABLE CUTTING	A 3405	IP	25-OCT-89	AL	SH	99	IP	
	ANGLE USER: MC SH REVIEWER: 84								
MIL-R-24037A(4)	RADIOMETER, QUARTZ FIBER SELF INDICATING, GENERAL SPECIFICATION FOR	A 6665	SH	21-DEC-84	ER	EC			
	SUPPL 1A; REVIEWER: CG CR MC								
L MIL-R-24037/1A(1)	RADIOMETER - IM-9( )/PD REVIEWER: CG MC	A 6665	EC	07-AUG-70	ER	EC	82		
L MIL-R-24037/3	RADIOMETER - IM-107( )/PD [VALIDATION DATE: 8104]	A 6665	SH	29-MAY-64					
L MIL-R-24037/4A	RADIOMETER - IM-135( )/PD [VALIDATION DATE: 8104] REVIEWER: 99	A 6665	EC	09-JUN-67					
L MIL-R-24037/5A	RADIOMETER - IM-143( )/PD	A 6665	SH	21-DEC-84					
L MIL-R-24037/6C	RADIOMETER, QUARTZ FIBER SELF INDICATING RADIOMETER - IM-181( )/PD	A 6665	SH	30-MAR-72					
	[VALIDATION DATE: 8404]								
L MIL-T-24038D	TRANSMITTER, RADIO AM/URT-24( ) [VALIDATION DATE: 8404]	A 5820	EC	28-OCT-77					
A L MIL-C-24040B	COMPUTER-INDICATOR (SCALER), RADIAC, CP-792( )/UD	A 6665	SH	19-JAN-93					
Q MIL-R-24041C	MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE [VALIDATION	A 9320	SH	20-DEC-88	MR	SH	11		
	DATE: 8812] USER: AT AV CG REVIEWER: AR AS EC GS MI								
MIL-F-24044	FLANGE, COAXIAL LINE, RIGID AIR DIELECTRIC, GENERAL SPECIFICATION FOR	A 5985	EC	18-MAR-64	ER	EC	85		
	[VALIDATION DATE: 8104] USER: MC REVIEWER: 11 17 ES								
MIL-F-24044/1A	FLANGE, FIXED, COAXIAL LINE, RIGID [VALIDATION DATE: 8710] USER: AS MC OS	A 5985	EC	27-OCT-87	ER	EC	85		
NOTICE 1	REVIEWER: 11 17 AR ES								
MIL-F-24044/2	FLANGE, ROTATABLE, COAXIAL LINE, RIGID [VALIDATION DATE: 8104] USER: AS MC	A 5985	EC	18-MAR-64	ER	EC	85		
	REVIEWER: 11 17 ES								
MIL-R-24049B	ROPE, POLYPROPYLENE USER: MD REVIEWER: 99	A 4020	SH	14-JUN-91	GL	SH	69		
M MIL-R-24050D(1)	ROPE, FIBROUS, DOUBLE-BRAIDED (NYLON) USER: CG MC YD1 REVIEWER: 82 AS	A 4020	SH	31-JAN-93	GL	SH	99		
L MIL-R-24058A(1)	ASBESTOS PACKING & GASKETING MATERIAL, IMPREGNATED (CONTROLLED	F 5330	SH	19-APR-85					
	DISTRIBUTION) REVIEWER: ES IS								
L MIL-I-24063B(1)	INSERT SETS, SOUND ISOLATION FOR RISIC-1 FLEXIBLE CONNECTORS [VALIDATION	A 4730	SH	19-APR-91					
	DATE: 9104]								
A L MIL-C-24066C(1)	CLIP, COMPONENT, NON-ELECTRICAL, GENERAL SPECIFICATION FOR REVIEWER: AS IS	A 5340	EC	11-AUG-92					
L MIL-C-24066/2E	CLIP, SOLID, SPRING TENSION REVIEWER: AS AV GS	A 5340	EC	09-OCT-86					
L MIL-C-24066/3C	CLIP, SINGLE SLOT, SPRING TENSION REVIEWER: AS EA GS MI	A 5340	EC	09-OCT-86					
L MIL-C-24066/4D	CLIP, DOUBLE SLOT, SPRING TENSION REVIEWER: AS AV	A 5340	EC	09-OCT-86					
L MIL-S-24067(2)	SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH	A 5985	EC	19-NOV-65					
	ELECTRONIC COUNTERMEASURES EQUIPMENT), GENERAL SPECIFICATION [VALIDATION								
	DATE: 8404] REVIEWER: ES MI								
L MIL-S-24067/1B	SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH	A 5985	EC	21-JUL-65					
	ELECTRONIC COUNTERMEASURES EQUIPMENT) SINGLE POLE DOUBLE THROW, TYPE 1								
	[VALIDATION DATE: 8404] REVIEWER: ES								
L MIL-S-24067/2B	SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE (FOR USE WITH	A 5985	EC	21-JUL-65					
	ELECTRONIC COUNTERMEASURES EQUIPMENT) DOUBLE POLE, DOUBLE THROW, TYPE 2								
	[VALIDATION DATE: 8404] REVIEWER: ES								
L MIL-P-24074B	POLYTETRAFLUOROETHYLENE PARTS & COATINGS & POLYAMIDE PARTS (CONTROLLED	B 5330	SH	02-MAY-90					
NOTICE 1	DISTRIBUTION) [VALIDATION DATE: 9005] REVIEWER: EA IS MI								
L MIL-T-24075B	TRANSMITTING SET, INFRARED AM/URT-2 [VALIDATION DATE: 8204]	A 5850	EC	21-JAN-71					
L MIL-I-24078(1)	INTERCOMMUNICATION STATIONS NAVAL SHIPBOARD	A 5835	SH	26-DEC-90					
NOTICE 1									
L MIL-P-24082D	PLANT, CARBON DIOXIDE REMOVAL, LIQUID ABSORBENT TYPE (MARK 111B) (FOR	A 4460	SH	09-JUN-89					
	SUBMARINES)								
L MIL-R-24085A(1)	REFRIGERATING UNIT, CENTRIFUGAL FOR AIR CONDITIONING [VALIDATION DATE:	A 4130	SH	17-OCT-75					
	8204] REVIEWER: GS								
L MIL-R-24086B	RADIAC SET AM/PDR-45( ) [VALIDATION DATE: 8404]	A 6665	SH	16-MAY-72					
L MIL-D-24090	DISODIUM ETHYLENEDIAMINETETRAACETATE, DIHYDRATE [VALIDATION DATE: 8204]	F 6810	SH	05-OCT-64					
NOTICE 3	REVIEWER: GS								
L MIL-E-24091C(1)	EXTINGUISHER, FIRE PORTABLE, POTASSIUM BICARBONATE, DRY CHEMICAL,	A 4210	SH	21-SEP-90					
	CARTRIDGE-OPERATED TYPE REVIEWER: CS								
DQ MIL-I-24092C(1)	INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP	A 5970	SH	24-AUG-90	ER	SH	11		
	PROCESS USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1								
MIL-I-24092/1	INSULATING VARNISH, SOLVENT CONTAINING, AIR-DRY FOR SPOT PATCHING AND	A 5970	SH	04-MAY-89	ER	SH	11		
	EMERGENCY REPAIRS USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS								
D MIL-I-24092/2	INSULATING VARNISH, SOLVENT CONTAINING, BAKING, FLEXIBLE, FOR DIP	A 5970	SH	04-MAY-89	ER	SH	11		
	PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1								
D MIL-I-24092/3	INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SEMI-RIGID, FOR DIP	A 5970	SH	04-MAY-89	ER	SH	11		
	PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1								
MIL-I-24092/4	INSULATING VARNISH, SOLVENT CONTAINING, BAKING, SILICONE FOR DIP	A 5970	SH	04-MAY-89	ER	SH	11		
	PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS								
D MIL-I-24092/5	INSULATING RESIN, SOLVENTLESS, BAKING, FLEXIBLE, FOR DIP PROCESSING USER:	A 5970	SH	04-MAY-89	ER	SH	11		
	AS MC ME REVIEWER: 99 AR DS EC GS MI OS YD1								
MIL-I-24092/6	INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, FLEXIBLE, FOR DIP	A 5970	SH	04-MAY-89	ER	SH	11		
	PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS								
MIL-I-24092/7	INSULATING RESIN, SOLVENTLESS, BAKING, SEMI-RIGID, FOR DIP PROCESSING	A 5970	SH	04-MAY-89	ER	SH	11		
	USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS								
MIL-I-24092/8	INSULATING RESIN, SOLVENTLESS, THIXOTROPIC, BAKING, SEMI-RIGID, FOR DIP	A 5970	SH	04-MAY-89	ER	SH	11		
	PROCESSING USER: AS MC ME REVIEWER: 99 AR DS EC GS MI OS								



## NUMERICAL LISTING MILITARY SPECIFICATIONS

189



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / On Coordination Inspec	Document Number	Document Title	Doc. Syst. FAC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-E-24142B(1) SUPPL 1A1, NOTICE 1	ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/C NOTICE 1	ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 4 BY 4 (15-FOOT) [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/C NOTICE 1	ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 3 BY 5 [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/C NOTICE 1	ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, SIZE 6 BY 9 (15-FOOT) [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/C NOTICE 1	ENCLOSURE, SUBMERSIBLE (15-FOOT) SIZE 4 BY 7 [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/SC(1) NOTICE 1	ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE, (15-FOOT), SIZES 3K, 4R AND 5R [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/6C NOTICE 1	ENCLOSURE, SUBMERSIBLE (15-FOOT), SIZES 8 BY 10 AND THROUGH 14 BY 26 [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/7E NOTICE 1	ENCLOSURES, SUBMERSIBLE (15-FOOT), SIZE 20 BY 24 [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/8C NOTICE 1	ENCLOSURE, TOTALLY ENCLOSED, SIZE 2-1/4 BY 2-7/8 (OCTAGON), NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS MI	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/9B NOTICE 1	ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES, SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 3 [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/10B NOTICE 1	ENCLOSURE FOR ELECTRICAL FITTINGS AND FIXTURES SUBMERSIBLE (15-FOOT), SIZE 2-1/8 BY 4-1/2 [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/11 NOTICE 1	ENCLOSURES-PLASTIC, SUBMERSIBLE, (15-FOOT) 3 AND 4 - INCHES ROUND, GROUNDED [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/14A NOTICE 1	ENCLOSURE, SINGLE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/15A NOTICE 1	ENCLOSURE, WITH FUSE COVER, SIZES 10 BY 10 THROUGH 12 BY 12, TOTALLY ENCLOSED, NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/16A NOTICE 1	ENCLOSURE, SINGLE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/17A NOTICE 1	ENCLOSURE WITH FUSE COVER, SIZES 10 BY 14 THROUGH 12 BY 20, TOTALLY ENCLOSED, NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/18A NOTICE 1	ENCLOSURES, SINGLE COVER, SIZES 10 BY 20 THROUGH 18 BY 22, TOTALLY ENCLOSED, NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/19A NOTICE 1	ENCLOSURE, WITH FUSE COVER, SIZE 10 BY 20 THROUGH 12 BY 22, TOTALLY ENCLOSED, NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
L	MIL-E-24142/20A NOTICE 1	ENCLOSURES, WITH FUSE COVER, SIZE 10 BY 20 THROUGH 12 BY 22, TOTALLY ENCLOSED, NONMATERIGHT [VALIDATION DATE: 9012] REVIEWER: GS	A 5975	SH	17-DEC-90	SH			
QL	MIL-M-24144D	MONITORS, FROST-POINT/DEW-POINT, COMPRESSED AIR, SEMI-PORTABLE REVIEWER: GS	A 6685	SH	25-APR-88	SH			
	MIL-M-24146	HEAD, SPRINKLER, FIRE PROJECTION, FOAM WATER [VALIDATION DATE: 8109] USER: MC REVIEWER: GS	A 4210	SH	02-JUN-65	ME	SH	11	
QL	MIL-G-24147(1)	GAGE, DEPTH, HYDROGRAPHIC, NON-MAGNETIC SELF-LUMINOUS DIAL	A 4220	SH	29-JUL-87	SH			
L	MIL-S-24149C SUPPL 1A1	STUDS, WELDING, AND ARC SHIELDS (FERRULES), GENERAL SPECIFICATION FOR USER: AR ER MI REVIEWER: IS	A 5307	SH	27-MAR-89	SH			
L	MIL-S-24149/1D	STUD, WELDING, AND ARC SHIELDS (FERRULES); TYPE I, CLASS 1, 2, 3, AND TYPE II, CLASS 1, 4, 5, 6, CARBON STEEL, FOR DIRECT ENERGY, ARC WELDING USER: AR ER REVIEWER: IS	A 5307	SH	10-JUN-88	SH			
L	MIL-S-24149/2D	STUDS, WELDING, AND ARC SHIELDS (FERRULES); TYPE III, CLASS 1, 2, 3, AND TYPE IV, CLASS 1, 2, 3, 4, 5, 6, ALUMINUM ALLOY, FOR DIRECT ENERGY ARC WELDING USER: MI REVIEWER: EA	A 5307	SH	27-MAR-89	SH			
L	MIL-S-24149/3D	STUDS, WELDING, AND ARC SHIELDS (FERRULES); TYPE V, CLASS 1, 4, 5, 6, CORROSION-RESISTANT STEEL, FOR DIRECT ENERGY ARC WELDING REVIEWER: IS	A 5307	SH	27-MAR-89	SH			
L	MIL-S-24149/4C	STUDS, WELDING, TYPE VI, CLASS 1, 2, 3, CARBON STEEL, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING USER: EL MI REVIEWER: IS	A 5307	SH	27-MAR-89	SH			
L	MIL-S-24149/5C	STUDS, WELDING, TYPE VII, CLASS 1, 2, 3, ALUMINUM ALLOY, FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING USER: AR ER MI REVIEWER: IS	A 5307	SH	27-MAR-89	SH			
L	MIL-S-24149/6C	STUDS, WELDING, TYPE VIII, CLASS 1, 2, 3, CORROSION-RESISTANT STEEL FOR STORED ENERGY (CAPACITOR DISCHARGE) ARC WELDING USER: MI REVIEWER: IS	A 5307	SH	27-MAR-89	SH			
L	MIL-D-24151A	DOORS, ROLLING, CURTAIN, AND THEIR OPERATING EQUIPMENT	A 2040	SH	10-MAY-90	SH			
L	MIL-S-24154A(2)	SYNTACTIC BUOYANCY MATERIAL FOR HIGH HYDROSTATIC PRESSURES REVIEWER: GS	A 9330	SH	06-FEB-91	SH			
L	MIL-B-24155B	BOILER SCALE REMOVING COMPOUND REVIEWER: GS	A 6850	SH	27-OCT-86	SH			
L	MIL-R-24159A	RECEPTACLE, CANISTER, CO2 ABSORBENT [VALIDATION DATE: 8902]	A 4240	SH	06-FEB-89	SH			
L	MIL-C-24168B	COOLER, DRINKING WATER, MECHANICALLY REFRIGERATED, SELF-CONTAINED, NAVAL SHIPBOARD REVIEWER: GS	A 4110	SH	18-JUL-91	SH			
L	MIL-S-24167A	SYNTACTIC MATERIAL, RIGID, POUR-IN-PLACE, STRUCTURAL VOID FILLING [VALIDATION DATE: 8204] USER: ME REVIEWER: GS MR	A 9330	SH	06-DEC-72	SH			
D L	MIL-I-24172A	INSULATION, PLASTIC, CELLULAR POLYURETHANE, RIGID, PREFORMED & FOAM IN PLACE USER: YDI	A 5640	SH	19-NOV-86	SH			
L	MIL-C-24174A	CONTROL, NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR REVIEWER: GS	A 6110	SH	02-OCT-87	SH			
L	MIL-C-24174/3A	CONTROL (BLINKER) KEY, NAVIGATOR LIGHTS SYMBOL NO. 978.2 REVIEWER: GS	A 6110	SH	02-OCT-87	SH			
L	MIL-C-24174/4A	CONTROLS, PULSATOR, SUBMARINE IDENTIFICATION LIGHT, A.C. 125 VOLTS, SYMBOL NO. 932	A 6110	SH	02-OCT-87	SH			
L	MIL-P-24175(3) SUPPL 1A1	PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] REVIEWER: GS	A 6110	SH	27-AUG-71	SH			
L	MIL-P-24175/1B	PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, D.P., NON MAGNETIC, 10 AMPERES, 120 VOLTS, A.C., 60 HERTZ, 3 PHASE BUS, 6 CIRCUITS, SYMBOL NO. 944.2 [VALIDATION DATE: 8104] REVIEWER: GS	A 6110	SH	27-AUG-71	SH			
L	MIL-P-24175/2A	PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS A.C., 60 HERTZ 3 PHASE BUS, 8 CIRCUITS, SYMBOL NO. 940.1 [VALIDATION DATE: 8104] REVIEWER: GS	A 6110	SH	27-AUG-71	SH			
L	MIL-P-24175/3A	PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS D.C. D.P. BUS, 8 CIRCUITS, SYMBOL NO. 945.1 [VALIDATION DATE: 8104] REVIEWER: GS	A 6110	SH	27-AUG-71	SH			
L	MIL-P-24175/4A	PANEL, POWER SUPPLY AND CONTROL FOR NAVIGATION LIGHTS, N.W.T., 10 AMPERES, 120 VOLTS, D.C. D.P. BUS, 10 CIRCUIT, SYMBOL NO. 942.1 [VALIDATION DATE: 8104] REVIEWER: GS	A 6110	SH	27-AUG-71	SH			
L	MIL-P-24175/5B	PANEL, POWER SUPPLY AND CONTROL FOR SUBMARINE NAVIGATION LIGHTS, 10 AMPERES, 120 VOLTS A.C., 60 HZ T.E., SYMBOL NO. 2550.1 [VALIDATION DATE: 8104] REVIEWER: GS	A 6110	SH	27-AUG-71	SH			
L	DOD-C-24176B(1)	CEMENT, EPOXY, METAL REPAIR AND MULL SMOOTHING (METRIC) USER: ME	A 8030	SH	22-AUG-83	SH			
L	MIL-I-24178 NOTICE 1	INSULATION TAPE, ELECTRICAL, SEMI-CURED THERMOSETTING RESIN TREATED GLASS, AMMATURE BANDING, NAVAL SHIPBOARD [VALIDATION DATE: 8810] USER: ME REVIEWER: GS	A 5970	SH	28-OCT-88	SH			
QL	MIL-A-24179A(2) NOTICE 1	ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION [VALIDATION DATE: 8706]	A 8040	SH	22-JUN-87	SH			
L	MIL-T-24180A	TILE, RUBBER, UNDERWATER ACOUSTIC DECOUPLER	A 9320	SH	15-SEP-88	SH			
L	MIL-R-24182A	RADIO SETS AM/SRC-20A AND AM/SRC-21A (INCLUDING RADIO SET AM/IRC-9A AND RADIO SET CONTROL C-3866/SRC) [VALIDATION DATE: 8404]	A 5820	EC	22-NOV-71	EC			
L	MIL-R-24183A	ROPE AND YARN, PLIED, SYNTHETIC FIBER REVIEWER: IS	A 4020	SH	05-AUG-88	SH			
L	MIL-S-24186B NOTICE 1	SAMPLER, AIR PARTICLE, MD-732/UD [VALIDATION DATE: 9106]	A 6625	SH	07-JUN-91	SH			
QL	MIL-S-24187E SUPPL 1A1	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR	A 5930	SH	22-MAR-91	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OOL Coordination Index	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Act.	Date	Custodian Army Navy Air Force DIA
L	MIL-S-24187/1A	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/2B	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3 BLS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/3B	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE CLS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/4B	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE 3DLS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/5A	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATION, STYLE JLS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/6A	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, SNAP-ACTION, STYLE SLS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/7B	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL OPERATIONS, STYLE KLS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/8A	SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, TYPE R3DLSO-S3A3 MANUAL AND REMOTE OPERATION, STYLE DLS, TYPE R3DLSO-S3A4	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/9A	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE SDLS	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/10A	SWITCH ASSEMBLIES, LINEAR MOVEMENT, REMOTE OPERATION, STYLE SDLS, TYPE RSDLSO-S1A1	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/11	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATIONS, STYLE SBLs	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/12	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE LLS TYPE 5LLSO-1C AND 5 LLSO-S1C	A 5930	SH	22-MAR-91	SH
L	MIL-S-24187/13	SWITCH ASSEMBLIES, LINEAR MOVEMENT, MANUAL AND REMOTE OPERATION, STYLE VLLS TYPE 5VLLSO-1C	A 5930	SH	22-MAR-91	SH
L	MIL-S-24188	SYNCHRONIZING CONTROL EQUIPMENT, 60 CYCLES, 450 VOLTS, NAVAL SHIPBOARD [VALIDATION DATE: 8104] REVIEWER: GS	A 6110	SH	01-DEC-66	SH
L	MIL-P-24191C NOTICE 1	PLASTIC SHEET, CAST, ACRYLIC, SHIPBOARD APPLICATION (ILLUMINATION AND SIGNAL LIGHTING) [VALIDATION DATE: 8808] REVIEWER: GS	A 9330	SH	29-AUG-88	SH
L	MIL-D-24194(1)	DISHWASHING MACHINE, COMMERCIAL (SUBMARINE USE)	A 7320	SH	22-MAY-92	SH
L	MIL-R-24195(3)	RECEIVER-COMPARATOR R-1407( )/JURQ [VALIDATION DATE: 8204]	A 5820	EC	30-JAN-70	EC
L	MIL-C-24196A(1)	CLEANING SYSTEM, ULTRASONIC REVIEWER: CS	A 4940	SH	22-JAN-91	SH
L	MIL-C-0024196B	CLEANING SYSTEM, ULTRASONIC REVIEWER: CS	A 4940	82	28-JUN-91	99
L	MIL-F-24202(1)	FITTING, BUTT WELDING, SEAMLESS OR WELDED, 70-30 COPPER-NICKEL ALLOY 700 PSI, 200 DEG. F. REVIEWER: MI	A 4730	SH	26-JUL-85	SH
OL	MIL-I-24204A	INSULATION, ELECTRICAL, HIGH TEMPERATURE, BONDED, SYNTHETIC FIBER PAPER [VALIDATION DATE: 8104] REVIEWER: GS	A 5970	SH	15-AUG-75	SH
	MIL-G-24211	GASKET, WAVEGUIDE FLANGE GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] USER: 19 AS CG MC REVIEWER: 17 ES MI	A 5985	EC	28-MAR-66	ER EC 95
	MIL-G-24211/1A	GASKET, WAVEGUIDE FLANGE (COVER) [VALIDATION DATE: 8304] USER: 14 19 REVIEWER: 11 17 ES MI OS	A 5985	EC	28-FEB-69	ER EC 85
	MIL-G-24211/2B(1)	GASKET, WAVEGUIDE FLANGE (FLAT FACE) [VALIDATION DATE: 8404] USER: 14 AR AS CG MC REVIEWER: 11 17 19 ES OS SH	A 5985	EC	09-DEC-77	ER EC 85
OL	MIL-P-24212C(1)	PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL)	A 6685	SH	12-DEC-91	SH
	MIL-A-24215A SUPPL 1A1	ATTENUATOR, VARIABLE (COAXIAL AND WAVEGUIDE) GENERAL SPECIFICATION FOR [VALIDATION DATE: 8505] USER: 19 CG MC REVIEWER: 17 99 AS AV ES MI OS	A 5985	EC	17-SEP-73	ER EC 85
	MIL-A-24215/4B	ATTENUATOR, VARIABLE (WAVEGUIDE) CLASS 14 [VALIDATION DATE: 8104] USER: 19 AV CG MC SH REVIEWER: 11 17 99 AS ES OS	A 5985	EC	27-JUN-75	ER EC 85
	MIL-A-24215/5B	ATTENUATOR, VARIABLE (WAVEGUIDE, ROTATING VANE) CLASS 14 [VALIDATION DATE: 8104] USER: 19 AV CG MC SH REVIEWER: 11 17 99 AS ES OS	A 5985	EC	27-JUN-75	ER EC 85
	MIL-A-24215/6A(2)	ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 7 [VALIDATION DATE: 8505] USER: 19 AV CG MC SH REVIEWER: 11 17 99 AS ES OS	A 5985	EC	16-MAY-79	ER EC 85
	MIL-A-24215/8 NOTICE 1	ATTENUATOR, VARIABLE (COAXIAL), FREQUENCY RANGE DC TO 2 GHz [VALIDATION DATE: 8710] REVIEWER: 99 AR ES MI	A 5985	EC	27-OCT-87	ER EC 85
	MIL-A-24215/9B(2)	ATTENUATOR, VARIABLE (COAXIAL), CLASS 5 (SMA) USER: AS MC OS SH REVIEWER: 99 AR ES MI	A 5985	EC	02-JUL-86	ER EC 85
	MIL-A-24215/10	ATTENUATOR, VARIABLE (STEP) COAXIAL, CLASS 7 (BNC) [VALIDATION DATE: 8104] USER: AS MC OS SH REVIEWER: 11 99 AR ES MI	A 5985	EC	27-JUN-75	ER EC 85
	MIL-A-24215/11	ATTENUATOR, VARIABLE (COAXIAL), FREQUENCY RANGE DC TO 1 MHz (LOW FREQUENCY) [VALIDATION DATE: 8104] REVIEWER: 11 AR MI SH	A 5985	EC	27-JUN-75	ER EC 85
	MIL-A-24215/12A	ATTENUATOR, VARIABLE (COAXIAL), CLASS 1 (N) [VALIDATION DATE: 8104] USER: AS MC OS SH REVIEWER: 11 99 AR ES MI	A 5985	EC	22-SEP-75	ER EC 85
	MIL-A-24215/13 NOTICE 1	ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 5 (SMA) [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: 11 AR ES MI	A 5985	EC	27-OCT-87	ER EC 85
	MIL-A-24215/14 NOTICE 1	ATTENUATOR, VARIABLE (COAXIAL, STEP) CLASS 4 (TNC) [VALIDATION DATE: 8710] USER: AS MC OS REVIEWER: 11 AR ES MI	A 5985	EC	27-OCT-87	ER EC 85
L	MIL-P-24216B	POLYPROPYLENE CORES, STRAND CENTERS, AND SUBSTRANDS FOR WIRE ROPE REVIEWER: IS	A 4020	SH	27-APR-90	SH
L	MIL-C-24217A(1) SUPPL 1A1	CONNECTORS, ELECTRICAL, DEEP SUBMERGENCE, SUBMARINE REVIEWER: ES	A 5935	SH	17-JAN-89	SH
L	MIL-R-24217/1 NOTICE 1	RECEPTACLE ASSEMBLY (WELDED TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/2 NOTICE 1	RECEPTACLE ASSEMBLY (FLANGED - WELDED TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/3 NOTICE 1	RECEPTACLE ASSEMBLY (IN LINE TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/4 NOTICE 1	RECEPTACLE ASSEMBLY (MID-FLANGE BOLTED TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/5 NOTICE 1	RECEPTACLE ASSEMBLY (END-FLANGED BOLTED TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/6 NOTICE 1	RECEPTACLE ASSEMBLY (LOCKNUT FLANGE TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-P-24217/7 NOTICE 1	PLUG ASSEMBLIES, STRAIGHT [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-P-24217/8 NOTICE 1	PLUG ASSEMBLIES, RIGHT ANGLE [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-P-24217/9 NOTICE 1	PRESSURE PROOF PLUG CAP ASSEMBLY [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-P-24217/10 NOTICE 1	PRESSURE PROOF RECEPTACLE CAP ASSEMBLY [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/11 NOTICE 1	RECEPTACLE ASSEMBLY (UNION TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/12 NOTICE 1	RECEPTACLE ASSEMBLY (MID-FLANGE, BOLTED, UNION TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-R-24217/13 NOTICE 1	RECEPTACLE ASSEMBLY (MID-FLANGE, LOCKNUT, UNION TYPE) [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-U-24217/14 NOTICE 1	UNION PLUG ASSEMBLIES, STRAIGHT [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-U-24217/15 NOTICE 1	UNION PLUG ASSEMBLIES, RIGHT ANGLE [VALIDATION DATE: 8910]	A 5935	SH	03-OCT-89	SH
L	MIL-P-24218	POWER SUPPLY P P ( )/JURC-9 [VALIDATION DATE: 8404]	A 5820	EC	27-MAY-66	EC
L	MIL-C-24219A(1)	COUPLER, ANTENNA, AM/SMA-33, FOUR CHANNEL, AUTOMATICALLY TUNED [VALIDATION DATE: 8710] REVIEWER: ES	A 5985	EC	27-OCT-87	EC
L	MIL-B-24220	BLOCKS, TACKLE, SYNTHETIC ROPE	A 3940	SH	09-NOV-90	SH
OL	MIL-L-24223C	LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS GENERAL SPECIFICATION FOR	A 5965	SH	22-OCT-86	SH
L	MIL-L-24223/1A	LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 1 TO 5 VOLT AMPERES	A 5965	SH	22-OCT-86	SH



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Inactive	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-L-24223/2A	LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 6 TO 15 VOLT AMPERES	A 5965	SH	22-OCT-86		SH		
L	MIL-L-24223/3A	LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, 70.7 VOLT, 80 VOLT AMPERES	A 5965	SH	22-OCT-86		SH		
L	MIL-L-24223/4A	LOUDSPEAKER, SHIPBOARD ANNOUNCING SYSTEMS ENCASED, HIGH POWER, ROTATIONAL 70.7 VOLT	A 5965	SH	22-OCT-86		SH		
L	MIL-C-242248 NOTICE 1	CARTRIDGE, GAS PRESSURE, FOR PRESSURIZING DRY CHEMICAL FIRE EXTINGUISHERS (VALIDATION DATE: 9012) REVIEWER: CS	A 4210	SH	10-DEC-90		SH		
L	MIL-M-24225A	MONITOR, FREQUENCY, 60 CYCLES, A.C., 1 PHASE ELECTRIC POWER (NAVAL SHIPBOARD USE) REVIEWER: ES	A 5925	SH	30-MAR-87		SH		
L	MIL-F-24227(2)	FITTINGS AND FLANGES, CAST BRONZE, SILVER-BRAZING SUITABLE FOR ULTRASONIC INSPECTION	A 4730	SH	20-MAY-88		SH		
LI	MIL-C-24230 NOTICE 1	CIRCLE, AZIMUTH (MARK 4 MOD 1) AND CIRCLE, BEARING (MARK 2 MOD 1) FOR 6-INCH INDICATORS	A 6605	SH	18-JAN-90		SH		
L	MIL-C-242310(2) SUPPL 1A1	CONNECTORS, PLUGS, RECEPTACLES, ADAPTERS, HULL INSERTS, AND HULL INSERT PLUGS, PRESSURE-PROOF, GENERAL SPECIFICATION FOR	A 5935	SH	07-AUG-89		SH		
L	MIL-C-24231/1D	CONNECTOR, PLUG, TYPE 1, MOLDED, THREE-, FOUR-, & FIVE-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/2D	CONNECTOR, PLUG, TYPE 1, MOLDED, SEVEN- & NINE-CONDUCTOR (STRAIGHT & 90 DEGREES)	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/3D	CONNECTOR, PLUG, TYPE 1, MOLDED, SEVEN- & NINE-CONDUCTOR (STRAIGHT & 90 DEGREES)	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/4D	CONNECTOR, PLUG, TYPE 1, MOLDED, 14-, 24-, 30-, OR 40-CONDUCTOR (STRAIGHT & 90 DEGREES)	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/5D	CONNECTOR, SINGLE CABLE, TYPE III, THREE-, FOUR- OR FIVE-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/6E	CONNECTOR, SINGLE CABLE, TYPE III, FOR DSS-3 CABLE	A 5935	SH	15-MAY-87		EC		
L	MIL-C-24231/7E	CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/8D	CONNECTOR, SINGLE CABLE, TYPE III, SEVEN-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/9D	CONNECTOR, SINGLE CABLE, TYPE III, SEVEN- & NINE-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/10D(1)	CONNECTORS, SINGLE CABLE, TYPE III, 14-, 24-, 30-, OR 40-CONDUCTOR	A 5935	SH	02-MAR-92		SH		
L	MIL-C-24231/11D	CONNECTOR, MULTIPLE CABLE	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/12D(1)	CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, THREE-, FOUR-, AND FIVE-CONDUCTOR	A 5935	SH	02-MAR-92		SH		
L	MIL-C-24231/13D	CONNECTORS, RECEPTACLE, MULTI-PIN, TYPE V, SEVEN- AND NINE-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/14D	CONNECTORS, RECEPTACLE, MULTI-PIN, TYPE V, 14-, 24-, 30-, AND 40-CONDUCTOR REVIEWER: ES	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/15D	CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, THREE- AND FOUR-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/16D	CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, SEVEN-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/17D	CONNECTOR, ADAPTER, FOR MOLDED PLUG, TYPE II, NINE-CONDUCTOR	A 5935	SH	15-MAY-87		EC		
L	MIL-C-24231/18D	CONNECTOR, PLUG, TYPE I, MOLDED, 65-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/19D	CONNECTOR, SINGLE CABLE, TYPE III, 65-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/20D	CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, 65-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/21D	CONNECTOR, PLUG, TYPE I, MOLDED, 80-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/22D	CONNECTOR, RECEPTACLE, TYPE IV, 80-CONDUCTOR	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/23F	CONNECTOR, PLUG, TYPE I, MOLDED, THREE-CONDUCTOR, FOR THOF-9 CABLE	A 5935	SH	20-FEB-92		SH		
L	MIL-C-24231/24D	CONNECTOR, SINGLE CABLE, TYPE III, THREE-CONDUCTOR, FOR THOF-9 CABLE	A 5935	SH	15-MAY-87		SH		
A L	MIL-C-24231/25D(1)	CONNECTOR, HULL INSERTS, TYPE VII	A 5935	SH	02-APR-93		SH		
L	MIL-C-24231/26D	CONNECTOR, SINGLE CABLE, TYPE III, FOR TYPE 2SWF CABLES	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/27E	CONNECTOR, RECEPTACLE, MULTI-PIN, TYPE V, FOR TYPE 2SWF CABLES	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/28B	CONNECTOR, PLUG, FOR HULL INSERTS, TYPE VI	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/29	CONNECTOR, PREFORM MOLDED INSERTS, FOR MOLDED PLUGS, TYPE I	A 5935	SH	15-MAY-87		SH		
L	MIL-C-24231/30	CONNECTOR, PLUG, GLASS REINFORCED POLYMER, TYPE I MOLDED, THREE- AND FOUR-CONDUCTOR	A 5935	SH	18-FEB-92		SH		
L	MIL-V-24232A(1)	VALVE, PNEUMATIC 4-WAY, 2-POSITION, MANUALLY OPERATED REVIEWER: CS	A 4820	SH	09-APR-84		SH		
L	MIL-A-24233B	ANTENNA, AS-1735( )/SRC REVIEWER: ES	A 5985	EC	31-MAR-89		EC		
A L	MIL-S-24235C SUPPL 1A1	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/1F	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, PRESSUREPROOF	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/2C	STUFFING TUBE, PACKING ASSEMBLIES FOR PRESSUREPROOF BULKHEAD	A 5975	SH	28-DEC-92		SH		
L	MIL-S-24235/3A	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BULKHEAD, FOR BALLAST TANKS REVIEWER: GS	A 5975	SH	21-AUG-89		SH		
A L	MIL-S-24235/4C	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BULKHEAD (BALLAST TANKS)	A 5975	SH	28-DEC-92		SH		
L	MIL-S-24235/5A	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BALLAST TANK REVIEWER: GS	A 5975	SH	21-AUG-89		SH		
A L	MIL-S-24235/6C	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, PACKING ASSEMBLIES FOR BALLAST TANK	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/7B	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES, PRESSUREPROOF	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/8B	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES, PRESSUREPROOF	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/9E	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, BRASS AND STEEL, FOR DECKS AND BULKHEADS WITH PIPE PROTECTION	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/10B	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, STEEL, FOR DECKS AND BULKHEADS WITHOUT PIPE PROTECTION	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/11C	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, OUTLET, WEATHER DECK, NONMAGNETIC	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/12B	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SPLIT	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/13C	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR CAST ENCLOSURES	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/14C	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FOR SHEET METAL ENCLOSURES	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/15B	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, FITTERS FOR	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/16B	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, CABLE, SHEARING VALVE, HULL, PRESSUREPROOF, SYMBOLS 512.1, 513, AND 513.1	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/17B	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/18A	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SWAGE TYPE, REDUCED DIAMETER, STEEL AND ALUMINUM, FOR DECK AND BULKHEADS WITH PIPE PROTECTION	A 5975	SH	28-DEC-92		SH		
A L	MIL-S-24235/19A	STUFFING TUBES, METAL, AND PACKING ASSEMBLIES FOR ELECTRIC CABLES, SEALING PLUG FOR UNUSED STUFFING TUBES	A 5975	SH	28-DEC-92		SH		
Q	MIL-S-24236B(4) SUPPL 1B1	SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME SH REVIEWER: 99 AR AS ES MI OS	A 5930	EC	03-JUN-91	ER	EC	85	
	MIL-S-24236/1J	SWITCHES, THERMOSTATIC, (BIMETALLIC), SUBMINIATURE, TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES, AND LOW LEVEL USER: 11 19 AT AV MC OS REVIEWER: 17 99 AR AS ES MI	A 5930	EC	25-JUL-90	ER	EC	85	
	MIL-S-24236/2G	SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE 1, SINGLE POLE, SINGLE THROW (SPST), 5 AMPERES USER: 17 19 AS MC SH REVIEWER: 99 AR AT AV ES	A 5930	EC	27-MAR-92	ER	EC	85	
	MIL-S-24236/11F	SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE USER: AT AV MC OS REVIEWER: 99 AR AS ES MI	A 5930	EC	20-MAY-92	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc CPL / OOL Coordination Index	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol Proprietary Acq.	Date	Custodians			
						Army	Navy	Air Force	DIA
A	MIL-S-24236/13F(1)	SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL USER: AT AV MC OS	A 5930	EC	16-APR-93	ER	EC	BS	
A	MIL-S-24236/15E	REVIEWER: 99 AR AS ES MI SWITCH, THERMOSTATIC (METALLIC), TYPE 11, OVERHEAT DETECTOR, ADJUSTABLE, SINGLE TERMINAL, 3 AMPERES USER: 19 AT AV CG MC MR SH SM REVIEWER: 17 99	A 5930	BS	30-SEP-92	ER	EC	BS	
A	MIL-S-24236/16E	AR AS ES MI OS SWITCH, THERMOSTATIC (METALLIC), TYPE 11, OVERHEAT DETECTOR, ADJUSTABLE, DUAL TERMINAL, 3 AMPERES USER: 19 AT AV CG MC MR SH SM REVIEWER: 17 99 AR	A 5930	BS	30-SEP-92	ER	EC	BS	
	MIL-S-24236/19H	AS ES MI OS SWITCHES, THERMOSTATIC, (BIMETALLIC), (SUBMINIATURE), TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 1 AMPERE AND LOW LEVEL USER: AS	A 5930	EC	25-JUL-90	ER	EC	BS	
	MIL-S-24236/20H	AT AV MC OS SH REVIEWER: 11 17 99 AR ES MI SWITCHES, THERMOSTATIC, (BIMETALLIC), (SUBMINIATURE), TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES AND LOW LEVEL USER: 19	A 5930	EC	27-APR-90	ER	EC	BS	
A	MIL-S-24236/24C(1)	AS AT AV CG MC ME SH REVIEWER: 17 99 AR ES MI OS SWITCHES, THERMOSTATIC, (BIMETALLIC), (SUBMINIATURE), TYPE 1, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW (SPDT), 2 AMPERES AND LOW LEVEL USER: AR	A 5930	EC	31-DEC-92	ER	EC	BS	
A	MIL-S-24236/25B	AT AV MC ME MI OS REVIEWER: 99 AS ES SWITCHES, THERMOSTATIC, (BIMETALLIC), TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST), 2 AMPERES USER: AT AV MC REVIEWER: 99 AR ES MI	A 5930	EC	04-AUG-92	ER	EC	BS	
	MIL-S-24236/26B	SH SWITCHES, THERMOSTATIC, (BIMETALLIC) TYPE 1, HERMETICALLY SEALED, SINGLE POLE, SINGLE THROW (SPST) AND SINGLE POLE, DOUBLE THROW (SPDT), 2 AMPERES	A 5930	EC	27-AUG-91	ER	EC	BS	
L	MIL-S-24238D	USER: 19 AR AS AV MC SH REVIEWER: 17 99 ES	B 9515	SH	03-SEP-87		SH		
L	MIL-H-24239(2)	STEEL PLATE CARBON AND LOW ALLOY (CONTROLLED DISTRIBUTION) REVIEWER: 1S ... MOSE ASSEMBLIES, HYDRAULIC, NONMAGNETIC, FOR MINESWEEPING TENSIOPIETERS	A 1075	SH	22-MAY-67		SH		
	MIL-R-24243B	(VALIDATION DATE: 8104) RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL GENERAL SPECIFICATION FOR	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/1D	USER: ME MS REVIEWER: 11 82 AV MI RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD,	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/2B	ALUMINUM ALLOY, CARBON STEEL, CORROSION RESISTANT STEEL USER: MS REVIEWER: 11 82 AV MI	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/3C	RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, NICKEL-COPPER ALLOY USER: MS REVIEWER: 11 82 AV MI	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/4C	RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 3D DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL USER: MS REVIEWER: 11 82 AV MI	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/5C	RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY USER: MS REVIEWER: 11 82 AV MI	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/6D	RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY, CARBON STEEL, NICKEL-COPPER ALLOY USER:	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/7C	MS REVIEWER: 11 82 AV MI RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, DOMED HEAD,	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/8C	ALUMINUM ALLOY USER: MS REVIEWER: 11 82 AV MI RIVET, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, 120 DEG.	A 5320	AS	21-SEP-87	AR	AS	99	
	MIL-R-24243/9C	COUNTERSUNK HEAD, ALUMINUM ALLOY USER: MS REVIEWER: 11 82 AV MI RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, SNAP HEAD,	A 5320	AS	17-DEC-90	AR	AS	99	
	MIL-R-24243/10C	ALUMINUM ALLOY USER: MS REVIEWER: 11 82 AV MI RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEGREE	A 5320	AS	17-DEC-90	AR	AS	99	
	MIL-R-24243/10C	COUNTERSUNK HEAD, ALUMINUM ALLOY USER: MS REVIEWER: 11 82 AV MI RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD,	A 5320	AS	17-DEC-90	AR	AS	99	
L	MIL-I-24244C	ALUMINUM ALLOY USER: MS REVIEWER: 11 82 AV MI INSULATION MAT'L. WITH SPECIAL CORROSION, CHLORIDE, & FLUORIDE	F 5640	SH	21-SEP-87		SH		
L	MIL-P-24245	REQUIREMENTS (ISSE CONTROLLED FURTHER DISSEMINATION ONLY AS DIRECTED BY							
L	MIL-C-24246A	NAVSEASYSOON (SEA 9 82) POWER SUPPLY CONSTANT FREQUENCY, FOR CLOCKS (VALIDATION DATE: 8412) .....	A 6645	SH	30-NOV-66		SH		
QL	MIL-I-24247C	COIL ASSEMBLY, COMPASS COMPENSATING (DEGAUSSING), TYPE "K-2" REVIEWER: ES	A 5950	SH	06-OCT-89		SH		
L	MIL-C-24248B(1)	LIFE PRESERVER, VEST TYPE, U.S. NAVY, MARK 1 REVIEWER: CS .....	A 4220	SH	26-JAN-90		SH		
AOL	MIL-P-24249A(1)	COBALT ALLOY CASTINGS, WEAR AND CORROSION RESISTANT (CONTROLLED	F MECA	SH	06-APR-84		SH		
	MIL-S-24251B(2)	DISTRIBUTION) PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER,	A 9330	SH	30-OCT-92		SH		
	MIL-S-24251/1A(2)	FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF SHIELDS, RETAINERS (BASES), AND ADAPTERS, ELECTRON TUBE, HEAT DISSIPATING	A 5960	EC	15-JUL-88	ER	EC	BS	
	MIL-S-24251/2A(2)	GENERAL SPECIFICATION FOR USER: AR AS CG MC REVIEWER: 17 99 ES SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (CLAM	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/2A(2)	SHELL) (VALIDATION DATE: 8710) USER: 19 AS CG MC OS REVIEWER: 17 ES MI SHIELD, ELECTRONIC TUBE, RETAINER (BASE) HEAT DISSIPATING, 7 AND 9 PIN,	A 5960	EC	03-OCT-79	ER	EC	BS	
	MIL-S-24251/3A	MINIATURE (VALIDATION DATE: 8304) USER: AR AS CG MC REVIEWER: 11 17 99 ES							
	MIL-S-24251/4A(1)	MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (SPLIT	A 5960	EC	01-JUL-68	ER	EC	BS	
	MIL-S-24251/5A(1)	SHELL) (VALIDATION DATE: 8104) USER: 19 CG MC REVIEWER: 17 ES MI SHIELD, RETAINER (BASE), AND ADAPTER, ELECTRON TUBE, HEAT DISSIPATING, 7	A 5960	EC	11-JUN-70	ER	EC	BS	
	MIL-S-24251/6B(1)	AND 9 PIN, MINIATURE (VALIDATION DATE: 8304) USER: 19 AS CG MC OS							
	MIL-S-24251/7A(2)	REVIEWER: 17 ES MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (OPEN	A 5960	EC	11-JUN-70	ER	EC	BS	
	MIL-S-24251/8A(2)	SIDES) (VALIDATION DATE: 8304) USER: 19 AS CG MC OS REVIEWER: 17 ES MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, 7 AND 9 PIN, MINIATURE (RETROFIT	A 5960	EC	15-JUL-88	ER	EC	BS	
	MIL-S-24251/9A(2)	TYPE ONLY) USER: 19 AS AV CG MC OS SH REVIEWER: 17 99 AR ES MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T9 (SPLIT SHELL)	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/10A(2)	(VALIDATION DATE: 8710) USER: AR AS CG MC REVIEWER: 11 17 99 ES MI RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T9 (VALIDATION	A 5960	EC	03-OCT-79	ER	EC	BS	
	MIL-S-24251/11A(2)	DATE: 8601) SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T11 (SPLIT SHELL	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/12A(2)	(VALIDATION DATE: 8710) USER: AR AS CG MC REVIEWER: 11 17 ES MI SHIELD, RETAINER (BASE) ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T11	A 5960	EC	03-OCT-79	ER	EC	BS	
	MIL-S-24251/13A(2)	(VALIDATION DATE: 8304) USER: AR AS CG MC REVIEWER: 11 17 99 ES MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/14A(2)	DIAMETER 1.50 INCHES) (SPLIT SHELL) (VALIDATION DATE: 8710) USER: AR AS CG							
	MIL-S-24251/15A(2)	MC REVIEWER: 17 99 ES MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/16A(2)	DIAMETER 1.70 INCHES) (SPLIT SHELL) (VALIDATION DATE: 8710) USER: AR AS CG							
	MIL-S-24251/17A(2)	MC REVIEWER: 11 17 99 ES MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T12 (WITH TUBE BASE	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/18A(2)	DIAMETER 1.65 INCHES) (SPLIT SHELL) (VALIDATION DATE: 8710) USER: AR AS CG							
	MIL-S-24251/19A(2)	MC REVIEWER: 11 17 99 ES MI SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T12	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/20A(2)	(VALIDATION DATE: 8710) USER: AR AS CG MC OS REVIEWER: 11 17 99 ES MI SHIELD, ELECTRON TUBE, HEAT DISSIPATING, OCTAL T16 (SPLIT SHELL)	A 5960	EC	13-OCT-87	ER	EC	BS	
	MIL-S-24251/21A(2)	(VALIDATION DATE: 8710) USER: AR AS CG MC REVIEWER: 11 17 99 ES MI SHIELD, RETAINER (BASE), ELECTRON TUBE, HEAT DISSIPATING, OCTAL, T14 AND	A 5960	EC	03-OCT-79	ER	EC	BS	
L	MIL-C-24252B	T16 (VALIDATION DATE: 8710) USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI COBALT-CHROMIUM-TUNGSTEN-NICKEL & COBALT-CHROMIUM-TUNGSTEN ALLOY BARS &	F 9530	SH	14-OCT-85		SH		
L	MIL-F-24259A	FORGINGS (CONTROLLED DISTRIBUTION) FLUID FLOWMETER, VOLUME VELOCITY TYPE REVIEWER: GS .....	A 6680	SH	14-DEC-87		SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action QPL / OML Coordination Initiative	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Customers			
						Army	Navy	Air Force	DLA
L	MIL-E-242698(1)	EXTINGUISHER, FIRE, CARBON DIOXIDE, 15 POUND, PORTABLE, PERMANENT SHUTOFF, NAVY SHIPBOARD USE REVIEWER: CS	A 4210	SH	08-OCT-90	SH			
L	MIL-T-242708	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS GENERAL SPECIFICATION FOR REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/18	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/28	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/38	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/48	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 3/32 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 3/4 INCH NPS REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/70	THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 5-1/2 INCHES OR 3-1/2 INCHES, CONNECTION - BUTT WELD REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/128	THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED 1-1/8 INCH O.D. REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/138	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 4 INCHES, CONNECTION - SOCKET WELD OR SOCKET BRAZED, 1-1/8 INCH O.D. REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/188	THERMOWELL FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH, AS REQ, CONNECTION - BUTT WELD REVIEWER: GS	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/210	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, BORE - 1/4 INCH, CONNECTION - O-RING 1-5/16 - 12 UNS-2A S/S MIL-W-24270/210 28 FEB 73 & MIL-W-24270/23 13 MAY 71	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/228	THERMOWELLS FOR THERMOMETERS & ELECTRICAL TEMPERATURE SENSORS, INSERTION LENGTH - 2 INCHES, BORE - 3/8 INCH, CONNECTION - O-RING SEAL 1-5/16 - 12 UNS-2A S/S MIL-W-24270/22A 13 MAY 71	A 6685	SH	02-SEP-83	SH			
L	MIL-T-24270/258	THERMOWELL, ADAPTOR, THERMOWELL EXTENSION, FOR USE WITH BIMETALLIC TEMPERATURE INDICATORS	A 6685	SH	02-SEP-83	SH			
L	MIL-N-24271A NOTICE 1	NICKEL-CHROMIUM-IRON ALLOY CASTINGS (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTS) MUST BE SUBMITTED VIA PREPARING ACTY OF THE SPEC) (VALIDATION DATE: 8204)	F MECA	SH	10-OCT-74	SH			
L	MIL-V-242728	VALVE MANIFOLD, HIGH PRESSURE GAS REDUCING REVIEWER: CS	A 4820	SH	30-AUG-85	SH			
L	MIL-A-24280A	ANCHOR, MARINE FLUKED, LIGHT WEIGHT TYPE (LWT), (30 DEGREES AND 50 DEGREES FLUKE ANGLES WITH WEDGE BLOCK ADAPTERS), HIGH STRENGTH CAST STEEL (VALIDATION DATE: 8104)	A 2040	SH	11-DEC-72	SH			
L	MIL-L-24282	LIGHT, SIGNAL, MULTIPURPOSE, KIT, NONMAGNETIC, SYMBOL 106.1 (VALIDATION DATE: 8108)	A 5850	SH	03-JUL-68	SH			
L	MIL-S-24287C	STUD, BOLT-STUD, BOLTS, NUTS, ALLOY STEEL (FOR SERVICE TO 700 DEGREES F AND FATIGUE APPLICATION (CONTROLLED DISTRIBUTION)	F 5307	SH	11-APR-85	SH			
L	MIL-F-24291C	FLOWMETER, FLUID ELECTROMAGNETIC TYPE	A 6680	SH	30-MAR-90	SH			
L	MIL-P-24293A NOTICE 1	PACKING, HYDRAULIC, LEATHER, CATTLEHIDE, MINERAL-TANNED, IMPREGNATED (VALIDATION DATE: 9103)	A 5330	SH	27-MAR-91	SH			
L	MIL-T-24297 NOTICE 1	TUB, STATIONARY, LAUNDRY (VALIDATION DATE: 9102)	A 4510	SH	19-FEB-91	SH			
L	MIL-S-24298A NOTICE 1	SAFETY BELT AND HARNESS, SUBMARINE PERSONNEL (VALIDATION DATE: 9106)	A 4240	SH	07-JUN-91	SH			
L	MIL-C-24301B	REVIEWER: GS	A 6145	EC	03-OCT-69	EC			
QL	MIL-D-24304B(2)	CABLE, SPECIAL PURPOSE, RADIO FREQUENCY, BUOYANT, TYPE RG-374/U (VALIDATION DATE: 8304) REVIEWER: IS	A 6685	SH	22-FEB-91	SH			
MQ	MIL-C-24308C(1) SUPPL 1B1	DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE) REVIEWER: GS	A 5935	EC	26-JAN-90	CR	EC	85	
	MIL-C-24308/1F	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR USER: AT CG MC ME OS REVIEWER: 11 99 AR AS AV ES MI	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/2H	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, GENERAL PURPOSE, CLASS D AND G, SOLDER TYPE USER: CG MC ME SH REVIEWER: 11 99 AS AV ES MI	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/3E	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACT, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/4K	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G SOLDER TYPE USER: CG MC ME REVIEWER: 11 99 AS AT AV ES MI SH	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/5G	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, GENERAL PURPOSE, CLASS D AND G, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/6K	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACT, NONMAGNETIC, CLASS M AND N, SOLDER TYPE USER: AT CG MC ME SH REVIEWER: 11 99 AS ES MI	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/7E	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/8K	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE USER: CG MC ME SH REVIEWER: 11 99 AS AT ES MI	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/9E	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, NONMAGNETIC, CLASS M AND N, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/23B	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: AT CG MC MI SH REVIEWER: 11 99 AS AV ES	A 5935	EC	26-JAN-89	CR	EC	85	
	MIL-C-24308/24C	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: AT CG MC ME SH REVIEWER: 11 99 AS AV ES MI	A 5935	EC	26-JAN-89	CR	EC	85	
A	MIL-C-24308/25F	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, MALE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI SH	A 5935	EC	19-JAN-93	CR	EC	85	
A	MIL-C-24308/26G	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SCREW-LOCK ASSEMBLY, FEMALE USER: AT CG MC ME REVIEWER: 11 99 AS AV ES MI	A 5935	EC	19-JAN-93	CR	EC	85	
	MIL-C-24308/27A	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK & PANEL, INSULATION DISPLACEMENT, SOCKET CONTACTS, NONENVIRONMENTAL USER: AT CG MC ME OS REVIEWER: 11 99 AS ES MI NR	A 5935	EC	26-JAN-89	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / OMA Coordinate Inactive Document Number	Document Title	Dist. Org. FAC / Ave MCA Symbol Preparing Act	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-C-24308/28A	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, INSULATION DISPLACEMENT, PIN CONTACT, NONENVIRONMENTAL, CLASS G USER: AT CG MC ME OS REVIEWER: 11 99 AS ES MI MN	A 5935	EC 26-JAN-89	CR	EC	85	
L MIL-P-24310(1)	PROVISIONING MONITORING SYSTEM PROCEDURES FOR NAVAL SHIPBOARD ELECTRICAL AND MECHANICAL EQUIPMENT AND COMPONENTS [VALIDATION DATE: 8204]	A 1905	SH 06-NOV-87		SH		
L MIL-D-24312B	OPERATIONAL STATIONS BOOK (OSB) .....	A THSS	SH 16-SEP-87		SH		
L MIL-M-24315	MANIFOLD, SCUBA, NONMAGNETIC, SINGLE CYLINDER [VALIDATION DATE: 8104] .....	A 4220	SH 17-JUN-88		SH		
L MIL-C-24316A	CYLINDER, COMPRESSED GAS, DIVER'S, FOR DEMAND OPEN CIRCUIT SCUBA [VALIDATION DATE: 9010]	A 4220	SH 05-OCT-90		SH		
Q MIL-S-24317	SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: MC ME REVIEWER: 11 17 99 AS AV CE ES MI OS	A 5930	EC 15-MAR-88	ER	EC	85	
A L MIL-S-24317/8B(2)	SWITCHES, MULTISTATION, PUSH BUTTON, (ILLUMINATED MATRIX ARRANGEMENT), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, STYLE SHOB	A 5930	EC 24-FEB-93		EC		
MIL-S-24317/9A	SWITCHES, MULTISTATION, PUSH BUTTON, ILLUMINATED MATRIX ARRANGEMENT PLUG-IN MODULE, 2 AMPERES, UNSEALED, TYPE SH09L1 REVIEWER: 99 AS SH	A 5930	EC 21-DEC-89		EC	85	
L MIL-S-24317/11B	SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED MATRIX ARRANGEMENT) PLUG-IN MODULE, EMI/RFI SHIELDED, DRIPPROOF, STYLE SH11 USER: 19 REVIEWER: 11 99	A 5930	85 25-JUL-88			85	
L MIL-S-24317/12(2)	SWITCH, MULTISTATION, PUSHBUTTON, ILLUMINATED MATRIX ARRANGEMENT, SUNLIGHT READABLE, 4 LAMP, PLUG-IN MODULE, STYLE SH12L1	A 5930	EC 20-SEP-91		EC		
L MIL-A-24319B(5)	ANTENNA, WHIP, 10.67 METER (35 FEET), AS-2537 ( )/SR .....	A 5985	EC 24-JAN-86		EC		
A L MIL-C-24320A	CLOTH, ACETATE, FLUORESCENT .....	A 8305	CT 11-APR-90		SH		CT
L MIL-D-24322	DEHUMIDIFIERS, ROTARY, DESICCANT, ELECTRIC (FOR SHIPBOARD USE) [VALIDATION DATE: 8106]	A 4440	SH 02-FEB-88		SH		
L MIL-I-24330(1)	INSULATION SHEET, ELECTRICAL, LIGNO-CELLULOSIC, HIGH DENSITY, HARDBOARD [VALIDATION DATE: 8505] USER: ME REVIEWER: GS	A 5970	SH 01-NOV-88		SH		
L MIL-V-24332(2)	VALVE, ANGLE RELIEF, FOR LIQUID SERVICE (NAVAL SHIPBOARD [VALIDATION DATE: 8301] REVIEWER: CS	A 4820	SH 06-FEB-74		SH		
L MIL-V-24336A	VALVES, PRESSURE REDUCING, FOR OXYGEN SERVICE .....	A 4820	SH 08-JUL-88		SH		
L MIL-N-24337A	ROPE, NYLON, EIGHT STRAND PLAIDED .....	A 4020	SH 29-MAY-90		SH		
L MIL-P-24338A	PIPE, CARBON STEEL, SEAMLESS (CONTROLLED DISTRIBUTION) .....	B 4710	SH 10-OCT-85		SH		
L MIL-F-24339C	FITTINGS AND FLANGES, WROUGHT, SEAMLESS, BUTT AND SOCKET WELDING CARBON STEEL (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC)	A 4730	SH 22-OCT-85		SH		
QL MIL-S-24340A	SEALING COMPOUND, DUCK, POLYURETHANE (POLYETHER BASE) .....	A 8030	SH 14-SEP-88		SH		
L MIL-F-24342C	FITTING AND FLANGE, WROUGHT SEAMLESS, BUTT AND SOCKET WELDING, 70-30 COPPER NICKEL ALLOY (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC)	A 4730	SH 27-MAY-85		SH		
L MIL-P-24344C	PRODUCER, LIQUID OXYGEN AND LIQUID NITROGEN (SHIPBOARD TYPE-LOW PRESSURE)	A 3655	SH 02-JAN-91		SH		
L MIL-M-24347A	MONITOR, AVAILABLE LOAD, 60 AND 400 HERTZ, A.C., 1 PHASE, ELECTRICAL POWER (NAVAL SHIPBOARD USE)	A 5925	SH 10-FEB-89		SH		
L MIL-M-24350B(2)	MONITORS, REVERSE POWER AND POWER-SENSING, ELECTRICAL POWER (NAVAL SHIPBOARD USE) (METRIC)	A 5925	SH 16-APR-92		SH		
D L MIL-P-24351A	PRIMER COATING, ALKYL, BLUE (FORMULA NO. 6H35-2) USER: YD1 .....	A 8010	SH 27-AUG-85		SH		
L MIL-S-24354E	STUD, BOLT STUD NUT CORROSION-RESISTANT AND NON-FERROUS MATERIALS FOR FATIGUE APPLICATION (CONTROLLED DISTRIBUTION)	F 5307	SH 03-APR-85		SH		
MIL-E-24355B(1)	ELECTRODES, WELDING, BARE, SOLID NICKEL MANGANESE CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING MY 130 WELDMENTS FOR ASWELDED APPLICATIONS	A 3439	SH 26-MAR-87				
D L MIL-C-24356A(2)	COUPLING, SEGMENTED, & SPLIT CLAMPS REATTACHABLE, 2-1/2-, 4-, 6- & 7-INCH, FOR REFUELING-AT-SEA HOSE USER: YD1	A 4730	SH 01-MAR-88		SH		
L MIL-M-24359	METER, MILLIAMMETERS, DIRECT CURRENT PANEL MOUNTING (EDGEWISE TYPES) [VALIDATION DATE: 8106] REVIEWER: EC MI	A 6625	SH 05-FEB-89		SH		
L MIL-C-24367	CONTROLLER, MOTOR, DIRECT CURRENT, NONMAGNETIC, WATERTIGHT MARK 6(B), MOD 2 (MINESWEEPING) (INACTIVE FOR NEW DESIGN)	A 1075	SH 27-JAN-88		SH		
QL MIL-C-24368B	CONNECTOR ASSEMBLIES: PLUGS AND RECEPTACLES, ELECTRIC POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR USER: EC	A 5935	SH 25-MAR-87		SH		
L MIL-C-24368/1B	CONNECTOR ASSEMBLIES: PLUG, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBER 1160 USER: EC	A 5935	SH 25-MAR-87		SH		
L MIL-C-24368/2B	CONNECTOR ASSEMBLIES: RECEPTACLE, AND RECEPTACLE - CABLED, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBER 1161 USER: EC	A 5935	SH 25-MAR-87		SH		
D L MIL-C-24368/4A	CONNECTOR ASSEMBLIES: PLUGS & RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP & SHIP TO SHIP, 500 VOLTS, 500 AMPERES, 60 HERTZ, SYMBOL NUMBERS 1162.1, 1162.2 & 1162.3 USER: EC	A 5935	SH 25-MAR-87		YD1		
L MIL-C-24368/6	CONNECTOR ASSEMBLIES: DUAL PURPOSE, SUBMARINE SHORE POWER TRANSFER (AC) AND DSRV BATTERY CHARGING (DC), 500 VOLTS, 400 AMPERES, 60 HERTZ, THREE-PHASE, SYMBOLS 1150 AND 1150.1 USER: EC	A 5935	SH 25-MAR-87		SH		
L MIL-S-24371B	STEEL PLATE, STRUCTURAL, HIGH YIELD STRENGTH (MY-130) .....	A 9515	SH 02-AUG-89		SH		
MIL-P-24377A	PACKING MATERIAL, ASBESTOS, BRAIDED, IMPREGNATED WITH PTFE (POLYTETRAFLUOROETHYLENE), SURFACE LUBRICATED [VALIDATION DATE: 8805]	A 5330	SH 31-MAY-88	AR	SH	99	
L MIL-P-24380B	PAINT, ANCHOR CHAIN, SOLVENT TYPE, GLOSS BLACK (METRIC) .....	A 8010	SH 25-JAN-89		SH		
L MIL-T-24381(1)	TERMINAL, CASUALTY POWER SYSTEMS, GENERAL SPECIFICATION FOR (INACTIVE) REVIEWER: GS	A 5940	SH 20-JUN-80		SH		
L MIL-T-24381/1(1)	TERMINAL, CASUALTY POWER, BULKHEAD, 200 AMPERE, 500 VOLT, THREE PHASE, ALTERNATING CURRENT, SYMBOL NUMBER 1025 (INACTIVE) REVIEWER: GS	A 5940	SH 20-JUN-80		SH		
LI MIL-T-24381/2(1)	TERMINALS, CASUALTY POWER, RISER, 200-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT SYMBOL NUMBERS 1032, 1033, AND 1034 REVIEWER: GS	A 5940	SH 15-MAR-91		SH		
LI MIL-T-24381/3	TERMINAL, CASUALTY POWER, TERMINAL BLOCK, SINGLE POLL, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1035 REVIEWER: GS	A 5940	SH 31-MAY-88		SH		
LI MIL-T-24381/4	TERMINAL, CASUALTY POWER, BULKHEAD, 200-AMPERE, 120-VOLT, DIRECT CURRENT, SYMBOL NUMBER 1024 REVIEWER: GS	A 5940	SH 15-MAR-91		SH		
LI MIL-T-24381/5	TERMINAL, CASUALTY POWER, SWITCH, PORTABLE 60-AMPERE, 500-VOLT, THREE-PHASE, ALTERNATING CURRENT, SYMBOL NUMBER 1041 REVIEWER: GS	A 5940	SH 31-MAY-88		SH		
L MIL-T-24381/6	TERMINAL, CASUALTY POWER, CANVAS COVER (FOR RISER TERMINALS, SYMBOL NUMBERS 1032, 1033 & 1034) (INACTIVE) [VALIDATION DATE: 7905] REVIEWER: GS	A 5940	SH 21-SEP-72		SH		
L MIL-T-24381/7	TERMINAL, CASUALTY POWER, ALTERNATING CURRENT, ENCLOSURE ASSEMBLY FOR, SYMBOL NUMBER 1038 (INACTIVE) [VALIDATION DATE: 8105]	A 5940	SH 21-SEP-72		SH		
LI MIL-T-24381/8	TERMINAL, CASUALTY POWER, GUARD, SYMBOL NUMBER 1044 (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1024) REVIEWER: GS	A 5940	SH 15-MAR-91		SH		
LI MIL-T-24381/9	TERMINAL, CASUALTY POWER, TERMINAL GUARD, SYMBOL NUMBER 1037 (FOR TERMINAL BLOCK SYMBOL NUMBER 1035)	A 5940	SH 15-MAR-91		SH		
L MIL-T-24381/10	TERMINAL, CASUALTY POWER, CANVAS COVER (FOR BULKHEAD TERMINAL, SYMBOL NUMBER 1025) (INACTIVE) [VALIDATION DATE: 8105]	A 5940	SH 21-SEP-72		SH		
L MIL-C-24382A(1)	CANISTER, OXYGEN BREATHING APPARATUS, TYPE A-4 TRAINING KIT .....	A 4240	SH 17-MAY-90		SH		
D L MIL-V-24384B	VALVE, PRESSURE REGULATING, FOR LOW PRESSURE AIR OR NITROGEN SYSTEMS USER: YD1	A 4820	SH 17-FEB-88		SH		
QL MIL-F-24385F	FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER	A 4210	SH 07-JAN-92		SH		
QL MIL-T-24387A(3)	TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) NAVAL SHIPBOARD USE [VALIDATION DATE: 8412] REVIEWER: GS	A 6685	SH 10-APR-79		SH		
QL MIL-T-24388C	THERMOCOUPLE AND RESISTANCE TEMPERATURE DETECTION ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD)	A 6685	SH 30-MAR-90		SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Com Coordination Initiative	Document Number	Document Title	Dist. Smt FSC / Ans MCA Symbol	Preparing Acty Date	Custodians			
					Army	Navy	Air Force	DIA
L	MIL-N-243908(1)	NICKEL MOLYBDENUM CHROMIUM IRON SHEET & LOW CARBON, LOW SILICON	B 9535	SH 07-OCT-85	SH			
DQ	MIL-I-24391C(1)	NICKELMOLYBDENUM CHROMIUM IRON PLATE (CONTROLLED DISTRIBUTION)	A 5970	SH 05-AUG-91	ER	SH 11		
L	MIL-V-24394(1)	INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE USER: GS MC ME YD1 REVIEWER: DS EA EC GS OS	A 4820	SH 28-MAR-78	SH			
L	MIL-P-24395	VALVE, AUTOMATIC SHUT OFF, FOR GAS SERVICE (SIZES 1/4 TO 2 INCHES IPS) (VALIDATION DATE: 8401) REVIEWER: CS	A 6110	SH 02-MAY-72	SH			
A L	MIL-P-24395/1B	PANEL, GROUND DETECTOR, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8104) REVIEWER: GS	A 6110	SH 23-FEB-93	SH			
L	MIL-P-24395/2	PANEL, GROUND DETECTOR, 120 VOLTS (SYMBOL 1005.1) AND 450 VOLTS (SYMBOL 1005.2) ALTERNATING CURRENT, THREE PHASE, 60 OR 400 HERTZ, DRIPPROOF	A 6110	SH 19-APR-91	SH			
L	MIL-P-24396	NOTICE 1 PANEL, GROUND DETECTOR, 120-VOLT (SYMBOL 1005.3) AND 240 VOLT (SYMBOL 1005.4) DIRECT CURRENT, DRIPPROOF (VALIDATION DATE: 9104) REVIEWER: GS	A 5330	SH 09-MAY-89	SH			
L	MIL-T-24398(2)	PACKING MATERIAL, BRAIDED TFE (POLYTETRAFLUOROETHYLENE) (VALIDATION DATE: 8905)	A 2825	SH 14-FEB-83	SH			
AQ	MIL-F-24402E(1)	TURBINE, STEAM AND REDUCTION GEAR, AUXILIARY, GENERATOR-DRIVE (NAVAL SHIPBOARD USE)	A 4330	SH 07-JUL-92	SH 99			
A	MIL-F-24402/1(1)	FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR REVIEWER: 84 CS	A 4330	SH 07-JUL-92	SH 99			
A	MIL-F-24402/2(1)	FILTER HOUSINGS, HYDRAULIC, SINGLE ELEMENT REVIEWER: 84 CS	A 4330	SH 07-JUL-92	SH 99			
L	MIL-F-24402/3	FILTER HOUSINGS, HYDRAULIC, DUPLEX REVIEWER: 84 CS	A 4330	SH 03-APR-90	SH			
L	MIL-F-24402/4	FILTER ELEMENTS, HYDRAULIC, THREE ELEMENTS	A 4330	SH 03-APR-90	SH			
L	MIL-F-24402/5A	FILTER ELEMENTS, HYDRAULIC, DISPOSABLE	A 4330	SH 10-FEB-92	SH			
QL	MIL-E-24403A(1)	FILTER INDICATORS, DIFFERENTIAL PRESSURE, HYDRAULIC	A 3439	SH 30-AUG-83	SH			
L	MIL-E-24403/1D	ELECTRODE - WELDING, FLUX CORED GENERAL SPECIFICATION FOR REVIEWER: GS	A 3439	SH 14-NOV-85	SH			
QL	MIL-E-24403/2C	ELECTRODES - WELDING, FLUX CORED, ORDINARY STRENGTH & LOW ALLOY STEEL	A 3439	SH 07-JUL-89	SH			
L	MIL-C-24404	CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (NAVAL SHIPBOARD USE) GENERAL SPECIFICATION FOR (VALIDATION DATE: 8104)	A 1075	SH 01-SEP-71	SH			
L	MIL-C-24404/1	CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 477.1 AND 477.2) (VALIDATION DATE: 8104)	A 1075	SH 01-SEP-71	SH			
L	MIL-C-24404/2	CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 478.2, 478.3, 478.4) (VALIDATION DATE: 8104)	A 1075	SH 01-SEP-71	SH			
L	MIL-C-24404/3	CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 479.1 AND 479.2) (VALIDATION DATE: 8104)	A 1075	SH 01-SEP-71	SH			
L	MIL-C-24404/4	CONNECTION BOX, 15 FEET SUBMERSIBLE, FOR DEGAUSSING CABLES (SYMBOL NUMBERS 480.3, 480.4, 480.5, 480.6, 480.7) (VALIDATION DATE: 8104)	A 1075	SH 01-SEP-71	SH			
A L	MIL-N-24408D	NOZZLES, FIRE HOSE, COMBINATION AQUEOUS FILM FORMING FOAM, WATER SPRAY, ADJUSTABLE PATTERN (SHIPBOARD USE)	A 4210	SH 05-FEB-93	SH			
L	MIL-R-24414D	REELS AND GUIDES, HOSE, FIREFIGHTING MANUALLY OPERATED	A 4210	SH 19-NOV-91	SH			
L	MIL-E-24416B	EXTINGUISHING SYSTEM, FIRE, FIXED, AQUEOUS POTASSIUM CARBONATE	A 4210	SH 08-FEB-91	SH			
L	MIL-N-24422(3)	NICKEL CHROMIUM BORON AND NICKEL CHROMIUM CARBON ALLOY CASTINGS, WEAR AND CORROSION RESISTANT (CONTROLLED DISTRIBUTION)	F MECA	SH 25-MAR-83	SH			
L	MIL-P-24423(1)	PROPULSION AND AUXILIARY CONTROL CONSOLES AND ASSOCIATED CONTROL AND INSTRUMENTATION EQUIPMENT, NAVAL SHIPBOARD USE, BASIC DESIGN REQUIREMENTS	A 2030	SH 30-JAN-78	SH			
QL	MIL-V-24439A(1)	VALVE, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES REVIEWER: CS	A 4820	SH 07-JAN-88	SH			
QL	MIL-P-24441B(1)	PAINT, EPOXY-POLYAMIDE GENERAL SPECIFICATION FOR	A 8010	SH 28-FEB-92	SH			
L	MIL-P-24441/1C	PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE I	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/2C	PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, MAZE GRAY, FORMULA 151, TYPE I	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/3C	PAINT, EPOXY-POLYAMIDE, TOPCOAT, WHITE, FORMULA 152, TYPE I	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/4C	PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, BLACK, FORMULA 153-RO + 1.8, TYPE I	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/5C	PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 154-RO + 36.6, TYPE I	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/6C	PAINT, EPOXY-POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 155-RO + 6, TYPE I	A 8010	SH 23-JUL-91	SH			
D L	MIL-P-24441/7C	PAINT, EPOXY-POLYAMIDE, TOPCOAT, RED, FORMULA 156, TYPE I USER: YD1	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/8B	PAINT, EPOXY-POLYAMIDE, TOPCOAT, NO. 50 GRAY, FORMULA 157, TYPE I	A 8010	SH 23-JUL-91	SH			
D L	MIL-P-24441/9A	PAINT, EPOXY POLYAMIDE, PRIMER, YELLOW, FORMULA 158, TYPE I USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/10A	PAINT, EPOXY POLYAMIDE, GREEN PRIMER, FORMULA 150R66, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/11A	PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, MAZE GRAY, FORMULA 151R66, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/12A	PAINT, EPOXY POLYAMIDE, TOPCOAT, WHITE, FORMULA 152R66, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/13A	PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, BLACK, FORMULA 153R66-RO EQUAL 1.8, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/14A	PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 154R66-RO EQUAL 3.6, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/15A	PAINT, EPOXY POLYAMIDE, EXTERIOR TOPCOAT, DARK GRAY, FORMULA 155R66-RO EQUAL 6, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/16A	PAINT, EPOXY POLYAMIDE, TOPCOAT, RED, FORMULA 156R66, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/17A	PAINT, EPOXY POLYAMIDE, TOPCOAT, NO. 50 GRAY, FORMULA 157R66, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
D L	MIL-P-24441/18A	PAINT, EPOXY POLYAMIDE, PRIMER, YELLOW, FORMULA 158R66, TYPE II USER: YD1	A 8010	SH 15-MAY-86	SH			
L	MIL-P-24441/19A	PAINT, EPOXY-POLYAMIDE, ZINC PRIMER, FORMULA 159, TYPE II	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/20	PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/21	PAINT, EPOXY-POLYAMIDE, MAZE GRAY, FORMULA 151, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/22	PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/23	PAINT, EPOXY-POLYAMIDE, DARK GRAY R01.8, FORMULA 153, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/24	PAINT, EPOXY-POLYAMIDE, DARK GRAY R03.6, FORMULA 154, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/25	PAINT, EPOXY-POLYAMIDE, DARK GRAY R06, FORMULA 155, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/26	PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/27	PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/28	PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE III	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/29	PAINT, EPOXY-POLYAMIDE, GREEN PRIMER, FORMULA 150, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/30	PAINT, EPOXY-POLYAMIDE, MAZE GRAY, FORMULA 151, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/31	PAINT, EPOXY-POLYAMIDE, WHITE, FORMULA 152, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/32	PAINT, EPOXY-POLYAMIDE, DARK GRAY R01.8, FORMULA 153, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/33	PAINT, EPOXY-POLYAMIDE, DARK GRAY R03.6, FORMULA 154, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/34	PAINT, EPOXY-POLYAMIDE, DARK GRAY R06, FORMULA 155, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/35	PAINT, EPOXY-POLYAMIDE, RED, FORMULA 156, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/36	PAINT, EPOXY-POLYAMIDE, NO. 50 GRAY, FORMULA 157, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/37	PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 158, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/38	PAINT, EPOXY-POLYAMIDE, BLACK, FORMULA 160, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/39	PAINT, EPOXY-POLYAMIDE, YELLOW, FORMULA 161, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/40	PAINT, EPOXY-POLYAMIDE, RED, FORMULA 162, TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-P-24441/42	PAINT, EPOXY-POLYAMIDE, BLACK ABRASIVE NONSLIP, FORMULA 164, GENERAL PURPOSE TYPE IV	A 8010	SH 23-JUL-91	SH			
L	MIL-J-24445A	JOINT, BIMETALLIC BONDED, ALUMINUM TO STEEL (VALIDATION DATE: 8301)	A 9535	SH 25-JUL-77	SH			
L	MIL-T-24448A	TORSIONMETER (FOR MEASUREMENT OF TORQUE DEFLECTION OF PROPELLER PROPULSION SHAFTS OF NAVAL SHIPS) (VALIDATION DATE: 8204) REVIEWER: GS	A 6695	SH 20-APR-71	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / Out Correlation Inactive	Document Number	Document Title	Dist. Smt FSC / Ave	MCJ Symbol Preparing Act	Date	Custodians Army Navy Air Force DLA
L	MIL-C-24449A	CAST POLYMETHYL METHACRYLATE FOR SHEET STOCK, CUSTOM CASTINGS, AND	A 9330	SH	20-DEC-88	SH
L	NOTICE 1	FINISHED WINDOWS (VALIDATION DATE: 8812) REVIEWER: GS MR				
L	MIL-S-24451A	STEEL HEAT TREATED HEADS, ALLOY STRUCTURAL, HIGH YIELD STRENGTH (HY-80 AND	A 9515	SH	31-JUL-90	SH
QL	MIL-I-24453A	HY-100)				
L	MIL-E-24455	INHIBITOR, CORROSION, SOLUBLE-OIL REVIEWER: GS	A 6850	SH	11-DEC-86	SH
QL	MIL-A-24456(3)	ENGINE, DIESEL, PROPULSION AND AUXILIARY, HIGH SPEED, NAVAL SHIPBOARD	A 2815	SH	24-SEP-71	SH
L	MIL-C-24457A	[VALIDATION DATE: 8204] REVIEWER: 26 CS				
L	MIL-C-24458	ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILE (VALIDATION DATE: 8406) .....	A 8040	SH	15-JUN-79	SH
D	MIL-H-24460B	CONTAINER, SHIPPING & STORAGE, METAL REUSABLE (CONTROLLED DISTRIBUTION) ...	B 8115	SH	30-SEP-82	SH
L	MIL-G-24464A	CONTAINER, METAL REUSABLE, SHIPPING, INSPECTION AND REFINISHMENT OF	B 8115	SH	01-FEB-72	SH
L	MIL-C-24465A	(CONTROLLED DISTRIBUTION) USER: GL				
L	MIL-P-24466	HARNESSES, SAFETY; AND LANYARDS, SAFETY AND WORKING USER: YDI REVIEWER: GS ..	A 4240	SH	28-DEC-88	SH
L	MIL-V-24474	GENERATOR SET, GAS TURBINE, MAGNETIC MINESWEEPING, 1750 KW (VALIDATION	A 1075	SH	20-JAN-72	SH
L	MIL-P-24475(1)	DATE: 8307)				
L	MIL-M-24476A	CONTAINER, SHIPPING AND STORAGE, METAL REUSABLE (CONTROLLED DISTRIBUTION)	B 8115	SH	01-JUL-82	SH
L	MIL-G-24477	POLYETHYLENE BAGS, SHEET, AND TUBING, GREEN (CONTROLLED DISTRIBUTION) .....	B 9330	SH	14-JUL-72	SH
L	MIL-L-24478C	POLYBUTADIENE-POLYETHYLENE COPOLYMER SHEETS, VIRGIN AND BORATED (CONTROLLED	A 9330	SH	18-APR-86	SH
L	MIL-T-24483A(3)	DISTRIBUTION) REVIEWER: MR				
L	MIL-T-24487A	VALUE ENGINEERING PROGRAM REQUIREMENTS (NAVAL SHIP SYSTEMS COMMAND)	A MISC	SH	27-OCT-72	SH
QL	MIL-L-24489B(1)	INACTIVE FOR NEW DESIGN (VALIDATION DATE: 8104)				
L	MIL-I-24490B(1)	PUMP, CENTRIFUGAL, SEWAGE SERVICE FOR USE ON NAVAL SHIPS	A 4320	SH	23-AUG-84	SH
L	MIL-C-24491B(1)	MOUNT, RESILIENT, TYPES 7M50, 6M150, 6M450 AND 6M900 (VALIDATION DATE:	A 5340	SH	10-FEB-77	SH
L	MIL-N-24492A	8208)				
L	MIL-W-24493B	GENERATOR SET, DIESEL ENGINE ALTERNATING CURRENT (NAVAL SUBMARINE USE)	A 6115	SH	08-DEC-72	SH
L	MIL-T-24494B	(VALIDATION DATE: 8106) REVIEWER: GS				
L	MIL-C-24495	LUBRICANT, MOLYBDENUM DISULFIDE IN ISOPROPANOL	A 9150	SH	12-DEC-90	SH
L	MIL-A-24496A	LUBRICANT, RED LEAD AND GRAPHITE IN MINERAL OIL	A 9150	SH	12-DEC-90	SH
L	MIL-M-24497	BRONZE, NICKEL-ALUMINUM (UNS NO. C95800) CASTINGS FOR SEAWATER SERVICE	A MECA	SH	26-MAR-91	SH
L	MIL-C-24500A	(VALIDATION DATE: 9103)				
L	MIL-S-24502B(1)	DECK COVERING, SPRAY-ON, NONSLIP	A 5610	SH	17-APR-85	SH
L	MIL-P-24503B	TILE, RUBBER VIBRATION DAMPING, TYPE V	A 9320	SH	25-MAY-90	SH
L	DOD-B-24505C	LIFEBOAT, INFLATABLE, MARK 6, 25-PERSON CAPACITY	A 1940	SH	20-AUG-86	SH
L	DOD-G-24508A(3)	INFLATION SYSTEM EQUIPMENT, COMPRESSED AIR, FOR MARK 6, MOD 2 (15 PERSON)	A 1940	SH	26-MAR-91	SH
L	MIL-V-24509A	AND MARK 6 (25-PERSON) INFLATABLE LIFEBOATS (VALIDATION DATE: 9103)				
L	MIL-S-24512	CONTAINER, FIBERGLASS REINFORCED PLASTIC, FOR INFLATABLE LIFEBOATS, MARK	A 1940	SH	29-JAN-86	SH
L	MIL-T-24517(2)	5, MOD 2, AND MARK 6				
L	MIL-L-24518	NICKEL-CHROMIUM-IRON-COLUMBIUM AGE-HARDENABLE ALLOY BARS, REFORGING STOCK,	F 9530	SH	09-NOV-84	SH
L	MIL-M-24519E	& FORGINGS (ALLOY 718) (CONTROLLED DISTRIBUTION)				
L	MIL-S-24521A	WIRE, COLD DRAWN, AGE HARDENABLE NICKEL CHROMIUM IRON ALLOY (CONTROLLED	F 9506	SH	11-MAR-86	SH
L	MIL-S-24522(1)	DISTRIBUTION)				
L	MIL-C-24524	TETRA-, TRI-, AND DISODIUM SALTS OF ETHYLENEDIAMINETETRAACETIC ACID (EDTA)	A 6810	SH	19-OCT-88	SH
L	MIL-C-24526A	WATER TREATMENT CHEMICALS, BOILER, SHIPBOARD USE REVIEWER: GS				
L	MIL-C-24527A	CHAIR, STACKING, STEEL, NAVAL SHIPBOARD USE (VALIDATION DATE: 8104) .....	A 2090	SH	26-DEC-73	SH
L	MIL-S-24528B(2)	ACTIVATED, HIGH PURITY (U) (NONFORN - FURTHER DISSEMINATION ONLY AS	A 4810	SH	31-AUG-90	SH
L	DOD-B-24531(1)	DIRECTED BY NAVAL SEA SYSTEMS COMMAND (SEA 09T)				
L	DOD-B-24531/2(1)	HYDROXYETHYL ETHYLENEDIAMINE TRIACETIC ACID (HEDTA) (VALIDATION DATE:	F 6810	SH	20-FEB-74	SH
L	DOD-B-24531/5	8203) REVIEWER: GS				
L	MIL-B-24531/5	CLOTH, DRAPERY, BUNK CURTAIN, SLIPCOVERS, AND LABELS, FIRE RETARDANT	A 8305	CT	26-MAR-90	SH
L	MIL-A-24533/1	STEEL, CHROMIUM MOLYBDENUM VANADIUM BARS (CONTROLLED DISTRIBUTION) .....	B 9510	SH	19-AUG-87	SH
L	MIL-A-24533/2	PACKING MATERIAL, GRAPHITIC, CORRUGATED RIBBON OR TEXTURED TAPE AND	A 5330	SH	22-AUG-91	SH
L	MIL-P-24534A	PREFORMED RING				
L	MIL-B-24535A	BATTERY, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DSRV) (METRIC) .....	A 6140	SH	08-JUL-80	SH
L	MIL-R-24537	BATTERY CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR MR-1) (METRIC)	A 6140	SH	21-NOV-79	SH
L	MIL-S-24538A	(VALIDATION DATE: 8411) REVIEWER: GS				
L	MIL-P-24540A	GREASE, HIGH PERFORMANCE, MULTI-PURPOSE (METRIC) REVIEWER: AS DS	A 9150	SH	12-MAR-87	SH
L	MIL-C-24541A(1)	VALVES, FLANGED, BALL AND PLUG FOR SEWAGE AND SEA WATER SERVICE	A 4820	SH	24-DEC-92	SH
L	MIL-D-24542B	STEEL FORGINGS, ALLOY, STRUCTURAL, HIGH YIELD STRENGTH (HY-130)	A 4820	SH	10-FEB-77	SH
L	MIL-A-24533B	(VALIDATION DATE: 8106)				
L	MIL-A-24533/1	VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN (VALIDATION DATE: 8212) .....	A 9330	SH	12-MAR-75	SH
L	MIL-A-24533/2	LAMINATE, VINYL FILM-ALUMINUM, DECORATIVE (VALIDATION DATE: 8106)				
L	MIL-P-24534A	REVIEWER: GS				
L	MIL-B-24535A	HOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC USER: AS MC	A 5970	SH	03-MAR-92	SH
L	MIL-R-24537	SODIUM NITRITE, TECHNICAL REVIEWER: GS	A 6810	SH	20-JUN-86	SH
L	MIL-S-24538A	SEALER, DECK COVERING	A 8030	SH	17-NOV-81	SH
L	MIL-P-24540A	CABLE ASSEMBLIES, MAGNETIC MINESWEEPING, TYPE CL28 (VALIDATION DATE: 8104)	A 1075	SH	18-SEP-75	SH
L	MIL-C-24541A(1)	CONDITIONER SOLID STATE (NAVAL SHIPBOARD) (U) (CONTROLLED DISTRIBUTION) ...	B 6110	SH	17-JUL-91	SH
L	MIL-D-24542B	CHROMIUM NICKEL ALLOY STEEL BARS, RODS, AND FORGINGS, CORROSION RESISTANT,	B 9530	SH	28-FEB-85	SH
L	MIL-S-24528B(2)	PRECIPITATION HARDENING (CONTROLLED DISTRIBUTION)				
L	DOD-C-24529(6)	STEEL BARS AND FORGINGS, CHROMIUM-NICKEL-MOLYBDENUM (CONTROLLED	F 9510	SH	05-MAR-87	SH
L	DOD-B-24531(1)	DISTRIBUTION)				
L	DOD-B-24531/2(1)	CHARGES, BATTERY, LIFT TRUCK AND PALLET TRANSPORTER BATTERY SERVICE	A 6130	SH	06-SEP-83	SH
L	DOD-B-24531/5	(METRIC)				
L	MIL-B-24531/5	BATTERY, STORAGE, SILVER-ZINC ALKALINE (EMERGENCY), GENERAL SPECIFICATION	A 6140	SH	19-DEC-77	SH
L	MIL-A-24533/1	FOR (METRIC) (VALIDATION DATE: 8212) REVIEWER: GS				
L	MIL-A-24533/2	BATTERY, STORAGE, SILVER ZINC ALKALINE (EMERGENCY), FOR DSVR, TYPE 25 V -	A 6140	SH	19-DEC-77	SH
L	MIL-P-24534A	70 AH (METRIC) (VALIDATION DATE: 8310) REVIEWER: GS				
L	MIL-B-24535A	BATTERY, STORAGE, SILVER-ZINC ALKALINE (EMERGENCY), FOR DSV: TYPE 27 V -	A 6140	SH	19-DEC-77	SH
L	MIL-S-24538A	30 AH (METRIC)				
L	MIL-P-24540A	BATTERY, STORAGE, SILVER ZINC ALKALINE (EMERGENCY), FOR DSV, TYPE 27 V -	A 6140	SH	19-DEC-77	SH
L	MIL-C-24541A(1)	30 AH (METRIC) (VALIDATION DATE: 8310)				
L	MIL-D-24542B	ACTUATORS, ROTARY, HYDRAULIC, RACK AND PINION	A 3010	SH	01-APR-93	SH
L	MIL-A-24533B	ACTUATOR, ROTARY, HYDRAULIC, 2-POSITION, RACK-AND-PINION TYPE 3,000 TO	A 3010	SH	01-APR-93	SH
L	MIL-S-24538A	35,000 INCH-POUNDS TORQUE 2-BOLT MOUNTING				
L	MIL-P-24540A	ACTUATOR, ROTARY, HYDRAULIC 2-POSITION, RACK-AND-PINION TYPE 5,000 TO	A 3010	SH	01-APR-93	SH
L	MIL-C-24541A(1)	92,000 INCH-POUNDS TORQUE 4-BOLT MOUNTING				
L	MIL-D-24542B	PLANNED MAINTENANCE SYSTEM: DEVELOPMENT OF MAINTENANCE REQUIREMENT CARDS,	A MNTY	SH	21-MAR-91	SH
L	MIL-B-24535A	MAINTENANCE INDEX PAGES, AND ASSOCIATED DOCUMENTATION (VALIDATION DATE:				
L	MIL-R-24537	9103) REVIEWER: EC OS				
L	MIL-S-24538A	BURNER, CARBON MONOXIDE AND HYDROGEN, CATALYTIC TYPE (MARK V) .....	A 4460	SH	22-MAR-89	SH
L	MIL-P-24540A	ROPE, FIBROUS, DOUBLE BRAIDED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE	A 4020	SH	18-APR-78	SH
L	MIL-C-24541A(1)	MRA (VALIDATION DATE: 8306)				
L	MIL-D-24542B	ROPE, FIBROUS, PLAIDED, CONTINUOUS POLYESTER FILAMENT WITH A STAPLE WRAP	A 4020	SH	18-APR-78	SH
L	MIL-A-24533B	(VALIDATION DATE: 8306)				
L	MIL-S-24538A	STEEL BARS, RODS, & FORGINGS, HIGH CARBON, MARTENSITIC, CORROSION	F 9510	SH	23-NOV-83	SH
L	MIL-P-24540A	RESISTING (CONTROLLED DISTRIBUTION)				
L	MIL-C-24541A(1)	PLANT, CARBON DIOXIDE REMOVAL, LIQUID ABSORBENT TYPE (MARK IV) .....	A 4460	SH	31-AUG-89	SH
L	MIL-D-24542B	BATTERY CELLS AND ELEMENTS, LEAD-ACID, MAIN STORAGE, SUBMARINE: GENERAL	A 6140	SH	01-SEP-88	SH
L	MIL-A-24533B	SPECIFICATION FOR (METRIC)				
L	MIL-S-24538A	BATTERY CELLS AND ELEMENTS, LEAD-ACID, MAIN STORAGE, SUBMARINE, TYPE CUPPY	A 6140	SH	24-NOV-82	SH
L	MIL-P-24540A	1, MOD C (METRIC)				
L	MIL-C-24541A(1)	BATTERY CELLS AND ELEMENTS, LEAD-ACID, MAIN STORAGE, SUBMARINE, TYPE	A 6140	SH	24-NOV-82	SH
L	MIL-D-24542B	TRIDENT (METRIC)				
L	MIL-A-24533B	DIVING OUTFIT, LIGHTWEIGHT	A 4220	SH	15-SEP-88	SH



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Notice	Document Number	Document Title	Dist. Smt. FSC / Ave. MCS Symbol	Preparing Act Date	Custodians			
					Army	Navy	AF	DLA
L	MIL-V-24545 NOTICE 1	VALVE, DISTILLING PLANT, STEAM PRESSURE REDUCING, QUIET DESIGN, FOR SUBMARINE SYSTEMS (VALIDATION DATE: 9104)	A 4820	SH 19-APR-91	SH			
L	MIL-P-24548A	PENETRATING FLUID (VALIDATION DATE: 9004)	A 6850	SH 24-APR-90	SH			
L	MIL-N-24549A	NICKEL-COPPER-ALUMINUM ALLOY, AGE HARDENABLE, BARS AND RODS (CONTROLLED DISTRIBUTION)	F 9530	SH 16-DEC-83	SH			
L	MIL-S-24550B NOTICE 1	STEEL BAR, ROD & FORGING, AUSTENITIC, CORROSION RESISTANT, PRECIPITATION HARDENING (CONTROLLED DISTRIBUTION)	F 9520	SH 21-DEC-84	SH			
L	MIL-T-24552A(1)	TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION	A 5940	SH 17-JUN-87	SH			
L	MIL-T-24552/1A	TERMINAL, CASUALTY POWER, RECEPTACLE TYPE, BACK CONNECTED 200 AMPERE, 450VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1046	A 5940	SH 03-NOV-86	SH			
L	MIL-T-24552/2A	TERMINAL, CASUALTY POWER, RECEPTACLE TYPE, UPPER AND LOWER RISER 200 AMPERE, 450 VOLT, ALTERNATING CURRENT, THREE PHASE, SYMBOL NO. 1047	A 5940	SH 03-NOV-86	SH			
L	MIL-T-24552/3A	TERMINAL, CASUALTY POWER, SEAL, SYMBOL NO. 1048	A 5940	SH 03-NOV-86	SH			
L	MIL-T-24552/4A	TERMINAL, CASUALTY POWER, PLUG, 100 AMPERES, 450 VOLT, ALTERNATING CURRENT, THREE PHASE, SYMBOL NO. 1049	A 5940	SH 03-NOV-86	SH			
L	MIL-T-24552/5	TERMINALS & SEALS, PLUGS & SWITCH, CASUALTY POWER, SWITCH, PORTABLE 100-AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1041.1	A 5940	SH 03-NOV-86	SH			
L	DOD-P-24555(1)	PAINT, ALUMINUM, HEAT-RESISTING (650 DEG. C), LOW-EMISSIVITY (0.40 OR LESS) (METRIC)	A 8010	SH 12-FEB-91	SH			
L	MIL-P-24555(1) NOTICE 2	PAINT, ALUMINUM, HEAT-RESISTING (650 DEG. C) LOW-EMISSIVITY (0.40 OR LESS) (METRIC)	A 8010	SH 24-JAN-83	SH			
L	DOD-C-24556(2) NOTICE 1	CURTAIN, TRACK AND SUSPENSION SYSTEM, BERTH (SHIPBOARD USE) (METRIC) (VALIDATION DATE: 9103)	A 7230	SH 08-MAR-91	SH			
L	MIL-T-24558 SUPPL 1A1, NOTICE 1	TERMINAL BOXES, CONNECTION, FOR ELECTRICAL AND ELECTRONIC SYSTEMS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8901)	A 5940	SH 13-JAN-89	SH			
L	MIL-T-24558/1 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), SIX-TERMINAL, 18-WIRE, 600 VOLTS, SYMBOL NO. 520.1 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/2 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), EIGHT-TERMINAL, 32-WIRE, 600 VOLTS, SYMBOL NO. 435.1 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/3 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 10-TERMINAL, 30-WIRE, 600 VOLTS, SYMBOL NO. 526 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/4 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 20-TERMINAL, 80-WIRE, 600 VOLTS, SYMBOL 432.1 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/5 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 30-TERMINAL, 90-WIRE, 600 VOLTS, SYMBOL NO. 434 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/6 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 40-TERMINAL, 160-WIRE, 600 VOLTS, SYMBOL NO. 433.1 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/7 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 48-TERMINAL, 144-WIRE, 600 VOLTS, SYMBOL NO. 522.1 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/8 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 60-TERMINAL, 240-WIRE, 600 VOLTS, SYMBOL NO. 446 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/9 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 72-TERMINAL, 216-WIRE, 600 VOLTS, SYMBOL NO. 525 (VALIDATION DATE: 8901)	A 5940	SH 04-OCT-89	SH			
L	MIL-T-24558/10 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 80-TERMINAL, 320-WIRE, 600 VOLTS, SYMBOL NO. 438 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/11 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 96-TERMINAL, 288-WIRE, 600 VOLTS, SYMBOL NO. 523.1 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/12 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 120-TERMINAL, 480-WIRE, 600 VOLTS, SYMBOL NO. 450 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/13 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 144-TERMINAL, 432-WIRE, 600 VOLTS, SYMBOL NO. 524.1 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/14 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 192-TERMINAL, 576-WIRE, 600 VOLTS, SYMBOL NO. 451 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/15 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 200-TERMINAL, 800-WIRE, 600 VOLTS, SYMBOL NO. 452 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/16 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 288-TERMINAL, 864-WIRE, 600 VOLTS, SYMBOL NO. 453 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/17 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 384-TERMINAL, 1152-WIRE, 600 VOLTS, SYMBOL NO. 454 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/18 NOTICE 1	TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 600 VOLTS, 4-TERMINAL, 8-WIRE, SYMBOLS 400.1 AND 400.4, 4-TERMINAL, 12-WIRE, SYMBOLS 400.2 AND 400.3 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/19 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 4-TERMINAL, 8-WIRE 1000 VOLTS, SYMBOL NO. 444 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/20 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 10-TERMINAL, 20-WIRE, 1000 VOLTS, SYMBOL NO. 529 (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/21 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SYMBOL 476.1, 24 LUGS FOR TWELVE 2-CONDUCTOR 23 MCM CABLES OR EIGHT 3-CONDUCTOR 23 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/22 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, SINGLE PHASE, SYMBOL 415 - TWO 75 MCM CABLES, SYMBOL 415.1 - TWO 100 MCM CABLES, SYMBOL 415.2 - TWO 125 MCM CABLES, SYMBOL 415.3 - TWO 150 MCM CABLES AND SYMBOL 415.4 - TWO 200 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/23 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 403.1, TWO-CIRCUIT - THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/24 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 416, TWO-CIRCUIT, THREE-PHASE BUS LUGS FOR TWO 75 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/25 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 418.1, SIX BUS LUGS FOR TWO 3-CONDUCTOR 250 MCM CABLE; SYMBOL 418.2, SIX BUS LUGS FOR TWO 3-CONDUCTOR 300 MCM CABLE; SYMBOL 418.3, SIX BUS LUGS FOR TWO 3-CONDUCTOR 400 MCM CABLE (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/26 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 572.1, SIX BRANCH LUGS FOR TWO 3-CONDUCTOR 40 MCM CABLES, SIX BUS LUGS FOR TWO 3-CONDUCTOR 75 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/27A NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 573.1, TWELVE BRANCH TERMINALS FOR FOUR 3-CONDUCTOR 40 MCM CABLES; SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 04-OCT-89	SH			
L	MIL-T-24558/28 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 574.1, EIGHTEEN BRANCH TERMINALS FOR SIX 3-CONDUCTOR 40 MCM CABLES, SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/29 NOTICE 1	TERMINAL BOX, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 575.1, SIX BRANCH TERMINALS FOR TWO 3-CONDUCTOR 75 MCM CABLES SIX MAIN BUS TERMINALS FOR TWO 3-CONDUCTOR 200 MCM CABLES (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			
L	MIL-T-24558/30 NOTICE 1	TERMINAL BOXES, CONNECTION, SUBMERSIBLE (15-FOOT), 500 VOLTS, THREE-PHASE, SYMBOL 576.1-TWO CKTS FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND ONE CKT FOR 400 MCM CABLE SYMBOL 577.1-ONE CKT FOR 150 MCM CABLE, ONE CKT FOR 200 MCM CABLE AND TWO CKTS FOR 250 MCM CABLE (VALIDATION DATE: 8901)	A 5940	SH 12-JAN-89	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc / OMA Coordination Initiative	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-L-24560(1) SUPPL 1B1	LIGHTS AND GLASSWARE FOR NAVIGATION, SIGNAL, AND WARNING, NAVAL SHIPBOARD USE, GENERAL SPECIFICATION FOR	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/1A	LIGHT, AIRCRAFT WARNING, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 160.1 (VALIDATION DATE: 8902)	A 6220	SH	06-FEB-89		SH		
M L	MIL-L-24560/2B NOTICE 1	LIGHTS, NAVIGATION, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 114.1, 115.1, 116.1, 117.1 AND 118.1 (VALIDATION DATE: 9305)	A 6220	SH	25-MAY-93		SH		
L	MIL-L-24560/3A	LIGHT, APPROACH (HULL CONTOUR), BLUE, 120 VOLTS, 25 WATTS, ONE LAMP, SYMBOL 164.3 (VALIDATION DATE: 8902)	A 6220	SH	06-FEB-89		SH		
L	MIL-L-24560/4A	LIGHT, SIGNAL, RED, 120 VOLTS, 90 WATTS, SIX LAMPS, SYMBOL 190.1	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/5A	LIGHT, YARDARM BLINKER, CLEAR, 120 VOLTS, 180 WATTS, TWELVE LAMPS, SYMBOL 191.2	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/6B	LIGHT, SIGNAL, CLEAR, 120 VOLTS, 45 WATTS, THREE LAMPS, SYMBOL 192.1	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/7A(1)	LIGHT, NAVIGATION, RED AND CLEAR SYMBOL 193.1, RED AND GREEN-SYMBOL 194, 120 VOLTS, 135 WATTS, NINE LAMPS	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/8A(1)	LIGHTS, NAVIGATION, STERN, CLEAR, BLUE AND YELLOW, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 196.3, 196.4, AND 197.2	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/9B	LIGHTS, NAVIGATION, SIDE, RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 182.2 AND 183.2	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/10B	LIGHT, NAVIGATION, MASTHEAD, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 172.2	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/11A(1)	LIGHT, MAKE, WHITE, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 200.2	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/12B(1)	LIGHT, NAVIGATION, IDENTIFICATION (SUBMARINE), YELLOW, 120 VOLTS, 500 WATTS, ONE LAMP, SYMBOL 233.1	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/13C	LIGHTS, NAVIGATION, SUBMARINE, CLEAR, CLEAR (MASKED), RED AND GREEN, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOLS 174.4, 174.5, 188.3, AND 189.3	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/15B	LIGHT, LENS, FRESNEL, GLOBE, CLASS 3, TRANSPARENT (CLEAR, CLEAR MASKED, RED, GREEN, BLUE AND YELLOW)	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/16A	LIGHT, LENS, FRESNEL, CLASS 1, CLEAR, RED, AND GREEN	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/17A	LIGHT, LENS, CYLINDRICAL, CLASS 2, CLEAR	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/18A	LIGHT, LENS, DISK SHAPED, CLASS 2, CLEAR	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/19A	LIGHT, LENS, GLOBE, CLASS 2, MASKED, BLUE	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/20A	LIGHT, LENS, ROUND, CLASS 2, TRANSPARENT (RED, GREEN, AND YELLOW)	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/21	LIGHT, NAVIGATION, TRAFFIC CONTROL (AIRCRAFT CARRIERS), 120 VOLTS, 90 WATTS, SIX LAMPS, RED AND GREEN, SYMBOL 221 (VALIDATION DATE: 8902)	A 6220	SH	06-FEB-89		SH		
L	MIL-L-24560/22	LIGHT, NAVIGATION, TRAFFIC LIGHT (LST'S), 120 VOLTS, 90 WATTS, SIX LAMPS, RED, YELLOW, GREEN, SYMBOL 222 (VALIDATION DATE: 8902)	A 6220	SH	06-FEB-89		SH		
L	MIL-L-24560/23	LIGHT, NAVIGATION, ANCHOR AND BOOM, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 161.4 (VALIDATION DATE: 8902)	A 6220	SH	06-FEB-89		SH		
L	MIL-L-24560/24A	LIGHT, NAVIGATION, PORTABLE TOWING, CLEAR, 120 VOLTS, 50 WATTS, ONE LAMP, SYMBOL 206.2 (VALIDATION DATE: 8902)	A 6220	SH	06-FEB-89		SH		
L	MIL-L-24560/25	LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 114.1 AND 115.1 PLASTIC LIGHT FIXTURES	A 6220	SH	17-AUG-90		SH		
L	MIL-L-24560/26	LIGHT, TASK, AND SHIELD ASSEMBLY, FOR USE WITH SYMBOL 190.1 AND 192.1 BRASS LIGHT FIXTURES	A 6220	SH	17-AUG-90		SH		
L	MIL-S-24561	SENSING AND SIGNALING DEVICE, CURRENT-TIME (CTS) (NAVAL SHIPBOARD USE) (VALIDATION DATE: 8301)	A 6110	SH	15-AUG-77		SH		
L	DOD-P-24562A	PROPELLER, SHIP, CONTROLLABLE PITCH (METRIC)	A 2010	SH	01-NOV-82		SH		
L	MIL-H-24565(1)	HOSE AND FITTINGS, OIL AND TURBINE FUEL, SMOOTH BORE, CORRUGATED COVER, 7-INCH	A 4720	SH	19-AUG-87		SH		
L	MIL-P-24568A	POWER SUPPLY, D.C., FOR OXYGEN GENERATOR	A 6130	SH	28-FEB-86		SH		
A L	MIL-V-24569(3)	VALVE, QUICK-CLOSING, FOR FUEL OIL AND AUXILIARY STEAM EMERGENCY SHUTDOWN	A 4820	SH	02-NOV-92		SH		
L	MIL-M-24570	MANUAL, TECHNICAL, COMBAT SYSTEM TECHNICAL OPERATIONS, REQUIREMENTS FOR (VALIDATION DATE: 8307)	A TMSS	SH	30-JUN-78		SH		
L	MIL-M-24571(1)	MANUALS, TECHNICAL, TRAINING AID BOOKLET (TAB), FOR NAVAL SHIPS SYSTEMS ...	A TMSS	SH	16-SEP-88		SH		
QL	MIL-E-24572B	EXTINGUISHER, FIRE, BROMOTRIFLUOROMETHANE (HALON 1301) SYSTEM COMPONENTS (FIXED PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE)	A 4210	SH	17-MAR-92		SH		
QL	DOD-L-24574(2)	LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS MIXTURES	A 9150	SH	12-MAR-87		SH		
A L	MIL-C-24576A(1)	CLOTH, SILICA GLASS, CLOTH, COATED, GLASS, SILICONE RUBBER COATED	A 8305	CT	13-JAN-88		SH		CT
L	DOD-D-24577(2)	DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC)	A 6850	SH	19-DEC-86		SH		
L	MIL-V-24578B	VALVE, GLOBE, PRESSURE INSTRUMENT, STEM TEST CONNECTION, UNION END REVIEWER: CS	A 4820	SH	27-MAY-88		SH		
L	MIL-M-24579A	MEASURING SYSTEM, SUBMARINE STORAGE BATTERY CURRENT (METRIC)	A 6625	SH	17-AUG-88		SH		
L	MIL-H-24580(2) NOTICE 1	HOSE ASSEMBLIES, SYNTHETIC RUBBER, NONCOLLAPSIBLE, FIRE FIGHTING (VALIDATION DATE: 9012)	A 4210	SH	10-DEC-90		SH		
D L	DOD-A-24581	ANCHOR, NAVY STOCKLESS TYPE (METRIC) (VALIDATION DATE: 9103) REVIEWER: YD1	A 2040	SH	21-MAR-91		SH		
L	DOD-A-24582 NOTICE 1	ANCHOR, TWO-FLUKE, BALANCED FLUKE (METRIC) (VALIDATION DATE: 9103)	A 2040	SH	21-MAR-91		SH		
L	MIL-P-24583B	PACKING MATERIAL, GRAPHITIC OR CARBON BRAIDED YARN	A 5330	SH	22-AUG-91		SH		
L	MIL-S-24584	STOPPERS, CARPENTER AND ASSOCIATED BRIDLES (WIRE ROPE AND CHAIN LINK) (VALIDATION DATE: 8312)	A 4010	SH	01-DEC-78		SH		
L	MIL-T-24585A	TITANIUM ALLOY ROD, DISCS AND UPSET FORGINGS COMPOSITION TI-6Al-6V-2Sn (CONTROLLED DISTRIBUTION)	F FORG	SH	19-SEP-86		SH		
L	MIL-V-24586A NOTICE 1	VALVE, NEEDLE, SIZE 1/4-INCH AND 1/2-INCH, UNION BONNET CONSTRUCTION (VALIDATION DATE: 9108) REVIEWER: CS M1	A 4820	SH	29-AUG-91		SH		
L	MIL-P-24589A	PROPORTIONER SYSTEMS, BALANCED PRESSURE, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE	A 4210	SH	20-MAY-92		SH		
L	MIL-N-24590A	NICKEL CHROMIUM IRON ALLOY HEAT TRANSFER TUBING (CONTROLLED DISTRIBUTION)	B 4710	SH	01-SEP-83		SH		
L	MIL-H-24591A	HOISTS, CHAIN, PNEUMATIC, LOW HEADROOM, TROLLEY TYPE	A 3950	SH	19-AUG-87		SH		
L	MIL-H-24592(1) NOTICE 1	HOSE ASSEMBLY, TETRAFLUOROETHYLENE TUBE, NONCOLLAPSIBLE, HIGH TEMPERATURE (VALIDATION DATE: 9103)	A 4720	SH	26-MAR-91		SH		
L	MIL-C-24593A(1)	CLEANER, VACUUM, ASBESTOS REMOVAL	A 7910	SH	08-JUN-90		SH		
L	DOD-C-24594(1)	CELL, STORAGE, SILVER ZINC ALKALINE TYPE (FOR DEEP SUBMERGENCE APPLICATIONS) (METRIC)	A 6140	SH	01-SEP-82		SH		
L	MIL-M-24595 NOTICE 1	HOSE, WIRE-REINFORCED LARGE-DIAMETER WITH REUSEABLE END FITTINGS FOR FLEXIBLE CONNECTIONS (VALIDATION DATE: 8906)	A 4720	SH	15-JUN-88		SH		
L	DOD-C-24596(4)	COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC)	A 8010	SH	23-AUG-85		SH		
L	MIL-V-24598 NOTICE 1	VALVE, LITHIUM BROMIDE STEAM CONTROL, QUIET OPERATION (VALIDATION DATE: 9104)	A 4730	SH	19-APR-91		SH		
L	MIL-S-24603A	SEWAGE COMMINUTOR, AND ASSOCIATED MOTOR, CONTROLLER, AND DRIVE MECHANISM FOR SHIPBOARD USE	A 4630	SH	05-OCT-88		SH		
L	MIL-C-24604 NOTICE 1	CYLINDER, HIGH PRESSURE AIR, FIBERGLASS REINFORCED PLASTIC (FRP), METAL LINED (VALIDATION DATE: 8706)	A 1940	SH	22-JUN-87		SH		
L	MIL-M-24605A	MONITOR, HEAT STRESS	A 6665	SH	21-JUN-88		SH		
L	MIL-H-24606A(1)	HOSE ASSEMBLIES, CHLOROSULFONATED POLYETHYLENE IMPREGNATED, DOUBLE SYNTHETIC JACKET, WITH COUPLINGS, FIRE FIGHTING AND OTHER WATER SERVICE ENAMEL, INTERIOR, NONFLAMING (DRY), CHLORINATED ALKYL RESIN, SEMIGLOSS (METRIC) USER: CG MC OS REVIEWER: MR YD1	A 4210	SH	28-JUN-91		SH		
D	DOD-L-24607A	PIPE, FITTINGS, & ADHESIVE KITS, GLASS REINFORCED THERMOSETTING EPOXY RESIN FOR SHIPBOARD PIPING SYSTEMS	A 4710	SH	05-JUN-87		SH		
L	DOD-F-24610	FIXANT, HOLD DOWN REVIEWER: SH	A 4210	AS	19-MAR-82		AS		99
L	MIL-L-24611A	LIFE PRESERVER SUPPORT PACKAGE FOR LIFE PRESERVER, MK 4	A 4220	SH	30-NOV-90		SH		
L	MIL-F-24612 NOTICE 1	FLOWMETER, DIFFERENTIAL PRESSURE (WFORM PRIOR APPROVAL OF THE NAVAL SEA SYS COMD) (VALIDATION DATE: 9006)	F 6685	SH	28-JUN-90		SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / OMA Coordination Inactive	Document Number	Document Title	Dist Smt FAC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
QL	MIL-D-24613(2) NOTICE 1	DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC (VALIDATION DATE: 9012)	A 5610	SH	26-DEC-90	SH			
A L	DOD-M-24614 MIL-M-24614A	METERING SYSTEM, STORAGE BATTERY CURRENT & AMPERE HOUR, DIGITAL (METRIC) ..	A 6625	SH	21-JAN-83	SH			
L	MIL-C-24615A	METERING SYSTEM, STORAGE BATTERY CURRENT AND AMPERE-HOUR, DIGITAL (METRIC, NONMERCURY TYPE)	A 6625	SH	12-FEB-93	SH			
A L	MIL-M-24616	CASTINGS, NICKEL-CHROMIUM-MOLYBDENUM-COLUMBIUM ALLOY .....	A MECA	SH	14-OCT-88	SH			
L	MIL-B-24617	HELMET, PHONETALKER MK 4 MOD 0 .....	A 8470	CT	26-JAN-83	SH			CT
L	DOD-E-24618	BOILER FEEDWATER & BOILER WATER EDTA HARDNESS TEST KIT & COMPONENTS .....	A 6630	SH	10-MAR-83	SH			
L	NOTICE 1	ELECTRODES, SILVER-SILVER CHLORIDE, REFERENCE TYPE PORTABLE CELLS AND	A 2040	SH	22-MAR-90	SH			
L	MIL-V-24619(1)	REPLACEMENT ELEMENTS (METRIC) (VALIDATION DATE: 9003)	A 4820	SH	17-AUG-90	SH			
M	DOD-D-24620A	VALVE, QUICK CLOSING, FOR SATURATED STEAM SERVICE REVIEWER: CS .....	A 6030	SH	02-JUN-89	CR	SH	85	
	MIL-D-24620A	DETECTORS, PIN AND APD, FIBER OPTIC, GENERAL SPECIFICATION FOR USER: 13 14	A 6030	SH	02-JUN-89	CR	SH	85	
	MIL-D-24620/2	CG MC REVIEWER: 11 17 19 80 90 99 AS AV EC ES	A 6030	85	26-DEC-88	CR	SH	85	
	MIL-D-24620/3	DETECTOR, PIN, FIBER OPTIC, TYPES A AND B, CLASS 1, STYLE 3 USER: 13 14 CG	A 6030	85	26-DEC-88	CR	SH	85	
	MIL-D-24620/4A	MC REVIEWER: 11 17 19 AS EC ES MA	A 6030	85	26-DEC-88	CR	SH	85	
Q	DOD-C-24621	DETECTOR, PINFET, FIBER OPTIC, 1100-1600 NANOMETERS, GLASS PIGTAILED,	A 6030	CR	30-JUN-89	CR	SH	85	
M	MIL-C-24621B	HERMETICALLY SEALED, DUAL IN-LINE PACKAGE (DIP) REVIEWER: ES	A 6060	SH	31-AUG-84	CR	SH	85	
L	MIL-C-0024621A	COUPLERS, PASSIVE, FIBER OPTIC, GENERAL SPECIFICATION FOR (METRIC) USER:	A 6005	SH	06-JUN-91	CR	SH	85	
L	DOD-C-24621/1	CG MC REVIEWER: 11 17 19 80 99 AS EC ES	A 6060	SH	16-MAY-89	SH			
		COUPLERS, PASSIVE, FIBER OPTIC, GENERAL SPECIFICATION FOR .....	A 6060	SH	01-APR-91	SH			
		COUPLER, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS-CONNECTORIZED	A 6060	SH	01-APR-91	SH			
		OUTPUT: TYPE 1 820 TO 910 NANOMETERS WAVELENGTH RANGE, 2 X 2 SYMMETRICAL							
		TRANSMISSION STAR, 50/125 MICROMETER FIBER, GRADED INDEX MULTI-MODE							
		BIDIRECTIONAL (METRIC) (VALIDATION DATE: 9104) USER: CG MC REVIEWER: AS EC							
		ES							
		COUPLER, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS CONNECTORIZED	A 6060	SH	01-APR-91	SH			
		OUTPUT: TYPE 1 820 TO 910 NANOMETERS WAVELENGTH RANGE, 2X2 SYMMETRICAL							
		TRANSMISSION STAR, 50/125 MICROMETER FIBER, GRADED INDEX MULTI-MODE							
		BIDIRECTIONAL (METRIC) (VALIDATION DATE: 9104) USER: CG MC REVIEWER: 11 17							
		19 80 99 AS EC ES							
		COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE, GLASS-PIGTAILED	A 6060	SH	23-JUL-86	CR	SH	85	
		OUTPUT: TYPE 11, 820 TO 910 NANOMETERS WAVELENGTH RANGE, 20 X 20 PORT							
		TRANSMISSION STAR, 100/140 AND 50/125 MICROMETER FIBER USER: CG MC							
		REVIEWER: 11 17 19 80 99 AS EC ES							
		COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE, GLASS-PIGTAILED	A 6060	SH	23-JUL-86	CR	SH	85	
		OUTPUT: TYPE 11, 820 TO 910 NANOMETERS WAVELENGTH RANGE, 5 X 5 PORT							
		TRANSMISSION STAR, 50/125 AND 100/140 MICROMETER FIBER USER: CG MC							
		REVIEWER: 11 17 19 80 99 AS EC ES							
		COUPLERS, FIBER OPTIC CABLE, CABLE SPLITTER, PASSIVE GLASS-PIGTAILED	A 6005	SH	06-JUN-91	CR	SH	85	
		OUTPUT: TYPE 11, 1280 TO 1360 NANOMETER WAVELENGTH RANGE, 2 X 2							
		SYMMETRICAL TRANSMISSION STAR, 62.5/125 MICROMETER FIBER, BIDIRECTIONAL							
		USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES							
		SOURCES, LIGHT EMITTING DIODE (LED), FIBER OPTIC, GENERAL SPECIFICATION	A 6030	SH	02-JUN-89	CR	SH	85	MA
		FOR USER: CG MC REVIEWER: 11 17 19 80 99 AS EC ES							
		SOURCES, LIGHT EMITTING DIODE (LED), FIBER OPTIC, GENERAL SPECIFICATION	A 6030	SH	02-JUN-89	CR	SH	85	
		FOR USER: 13 14 CG MC REVIEWER: 11 17 19 80 99 AS AV EC ES							
		SOURCES, LED, FIBER OPTIC, TYPE A, CLASS 1, STYLE 3 USER: 13 14 CG MC	A 6030	85	26-DEC-88	CR	SH	85	
		REVIEWER: 11 17 19 80 99 AS EC ES							
		SOURCE, LED, FIBER OPTIC, 1290 NANOMETERS, GLASS PIGTAILED, HERMETICALLY	A 6030	CR	30-JUN-89	CR	SH	85	
		SEALED, DUAL IN-LINE PACKAGE (DIP) REVIEWER: ES							
		SPLICE, FIBER OPTIC CABLE GENERAL SPECIFICATION FOR (METRIC) USER: AR CG	A 6060	SH	25-MAR-85	CR	SH	85	
		MC REVIEWER: 11 17 19 80 99 AS EC ES MI							
		SPLICE, FIBER OPTIC CABLE GENERAL SPECIFICATION FOR (METRIC) USER: AR CG	A 6060	SH	10-JUN-91	CR	SH	85	
		MC REVIEWER: 11 17 19 80 99 AS EC MI							
		SPLICE, FIBER OPTIC, SHIPBOARD, GENERAL SPECIFICATION FOR .....	A 6060	SH	26-JUN-89	SH			
		SPLICE, FIBER OPTIC CABLE, FIBER SPLICE (METRIC) (VALIDATION DATE: 9106)	A 6060	SH	12-JUN-91	CR	SH	85	
		USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI							
		SPLICE, FIBER OPTIC CABLE, FIBER SPLICE ENCLOSURE (METRIC) USER: AR CG MC	A 6060	SH	25-MAR-85	CR	SH		
		REVIEWER: 11 17 19 80 99 AS EC ES MI							
		SPLICE, FIBER OPTIC, CABLE/FIBER USER: CG MC REVIEWER: AS EC .....	A 6060	SH	28-AUG-86	SH			
		SPLICE, FIBER OPTIC, HOUSING, FIBER REVIEWER: EC .....	A 6060	SH	10-JUN-91	CR	SH	85	
		SPLICE, FIBER OPTIC, CABLE HOUSING REVIEWER: EC YOI .....	A 6060	SH	10-JUN-91	CR	SH	85	
		VALVE, BUTTERFLY, WAFER & LUG STYLE, SHIPBOARD SERVICE REVIEWER: CS .....	A 4820	SH	13-FEB-84	SH			
		ANODES, CORROSION PREVENTIVE, PLATINUM PLATED NIOBIUM WIRE TYPE, CATHODIC	A 5340	SH	10-JAN-90	SH			
		PROTECTION (VALIDATION DATE: 9001)							
		HARNESSES ASSEMBLIES, CABLE, PRESSURE-PROOF, FIBER OPTIC REVIEWER: AS CG EC	A 6020	SH	27-NOV-87	SH			
		ES MC							
		HARNESSES ASSEMBLIES, CABLE, PRESSURE-PROOF, FIBER OPTIC USER: CG MC	A 6020	SH	27-NOV-87	SH			
		REVIEWER: AS EC ES							
		PENETRATORS, BULKHEAD, CONNECTORIZED, FIBER OPTIC, (FOR INBOARD USE ON	A 6060	SH	01-APR-91	SH			
		NAVY SHIPS AND SUBMARINES) GENERAL SPECIFICATION FOR (VALIDATION DATE:							
		9104) USER: CG MC REVIEWER: AS EC ES							
		PENETRATOR, BULKHEAD, CONNECTORIZED, FIBER OPTIC, 32 CHANNEL (FOR INBOARD	A 6060	SH	01-APR-91	SH			
		USE ON NAVY SHIPS AND SUBMARINES) (VALIDATION DATE: 9104) USER: CG MC							
		REVIEWER: AS EC ES							
		PENETRATORS, MULL, CONNECTORIZED, CONNECTORS, PRESSURE-PROOF, FIBER OPTIC,	A 6060	SH	31-AUG-84	SH			
		SUBMARINE USER: CG MC REVIEWER: AS EC ES							
		PENETRATORS, MULL, CONNECTORIZED, CONNECTORS, PRESSURE-PROOF, FIBER OPTIC,	A 6060	SH	01-APR-91	SH			
		SUBMARINE PLUG CONNECTOR, 32 CHANNEL, TYPE 1 (VALIDATION DATE: 9104) USER:							
		CG MC REVIEWER: AS EC ES							
		COMMUNICATIONS SYSTEMS INTEGRATED VOICE .....	A 5830	SH	21-FEB-84	SH			
		VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID	A 4820	SH	29-JUN-90	SH			
		REVIEWER: CS							
		VALVES, CHECK, IN-LINE, NON-REVERSIBLE INSTALLATION FOR HYDRAULIC FLUID	A 4820	SH	15-SEP-88	SH			
		AND LUBRICATING OIL FLUID REVIEWER: CS							
		VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID	A 4820	SH	15-SEP-88	SH			
		REVIEWER: CS							
		PAINT, CAMOUFLAGE FOR SUBMARINES, GENERAL SPECIFICATION FOR (METRIC) .....	A 8010	SH	16-OCT-87	SH			
		PAINT, EPOXY, BLACK, NAVY FORMULA 184, TYPE 1 (METRIC) .....	A 8010	SH	03-FEB-92	SH			
		PAINT, EPOXY, DARK GREY, NAVY FORMULA 185, TYPE 11 (METRIC) .....	A 8010	SH	13-APR-84	SH			
		PAINT, EPOXY, WHITE, NAVY FORMULA 186, TYPE 111 (METRIC) .....	A 8010	SH	16-OCT-87	SH			
		CHAIN, STUD LINK, ANCHOR, LOW ALLOY STEEL, FLASH BUTT WELDED USER: CG YOI	A 4010	SH	24-APR-90	SH		99	
		REVIEWER: B2 TS							
		TREAD, COMPOUND FILLED, FOR INCLINED LADDERS .....	A 2040	SH	25-JUL-84	SH			
		ENAMEL, SILICONE ALKYL COPOLYMER (METRIC) .....	A 8010	SH	19-JUN-91	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off Coordination Institute Document Number	Document Title	Dist. Smt FSC / Area MCS Symbol	Preparing Act Date	Custodians			
				Army	Navy	Air Force	DIA
L	00D-E-24636	ELECTRODE, PH. COMBINATION SEALED .....	A 6630	SH	15-JUL-84	SH	
L	MIL-F-24638	FREQUENCY CHANGER, SOLID STATE, AIR COOLED (NAVAL SHIPBOARD) (VALIDATION DATE: 8912)	A 6130	SH	21-DEC-89	SH	
Q	MIL-C-24640(3)	CABLE, ELECTRICAL, LIGHTWEIGHT FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR USER: AR ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	SUPPL 1A1						
	MIL-C-24640/1B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, TWO CONDUCTOR, POWER, TYPE DX (INCLUDING VARIATION TYPE DXA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/2B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, THREE CONDUCTOR, POWER, TYPE TX (INCLUDING VARIATION TYPE TXA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/3B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, FOUR CONDUCTOR, POWER, TYPE FX (INCLUDING VARIATION TYPE FXA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/4B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 20, TYPE TTX (INCLUDING VARIATION TYPE TTXA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/5B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 20, TYPE TTXS (INCLUDING VARIATION TYPES TTXSA AND TTXSO) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/6B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 22, TYPE 2XAO USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/7B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AMW 22, TYPE 1XMSO USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/8B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AMW 20, TYPE MXO USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/9B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 22, TYPE 2XS (INCLUDING VARIATION TYPES 2XSA AND 2XSO) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/10B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AMW 16, TYPE MXSO USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/11B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-TRIAD, AMW 18, TYPE 3XS (INCLUDING VARIATION TYPE 3XSA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/12B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 26, TYPE 2XO USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/13B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 26, TYPE 2XSXO USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/14B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AMW 22, TYPE 1XSOW USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/15B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 22, TYPE 2XSAM (INCLUDING VARIATION TYPES 2XSAM AND 2XSAM) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/16B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 18, TYPE 2XSW (INCLUDING VARIATION TYPES 2XSOW AND 2XSWA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/17B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 26, TYPE 2XOW USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/18B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-TRIAD, AMW 18, TYPE 3XSW (INCLUDING VARIATION TYPES 3XSOW AND 3XSWA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH 85
	MIL-C-24640/19B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, TWO CONDUCTOR, POWER, TYPE DXW (INCLUDING VARIATION TYPES DXOW AND DXWA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH
	MIL-C-24640/20B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, THREE CONDUCTOR, POWER, TYPE TWX (INCLUDING VARIATION TYPE TWXA AND TWXW) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH
	MIL-C-24640/21B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, FOUR CONDUCTOR, POWER, TYPE FXW (INCLUDING VARIATION TYPE FXWA AND FXW) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH
	MIL-C-24640/22B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, SEVEN CONDUCTOR, POWER, TYPE 7XW (INCLUDING VARIATION TYPE 7XWA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH
	MIL-C-24640/23B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-CONDUCTOR, AMW 18, TYPE MXCW (INCLUDING VARIATION TYPES MXCOW AND MXCWA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH
	MIL-C-24640/24B	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AMW 22, TYPE TTXW (INCLUDING VARIATION TYPES TTXOW AND TTXWA) USER: AR CG ME REVIEWER: 99 EC IS	A 6145	SH	31-JUL-89	MI	SH
L	MIL-A-24641A	ACID, HYDROFLUORIC: TECHNICAL .....	A 6810	SH	27-OCT-86	SH	
L	MIL-V-24642	VALVE, 2-INCH NPS, AUXILIARY TURBINE OVERSPEED TRIP, SOLENOID ACTIVATED (VALIDATION DATE: 9104)	A 4810	SH	19-APR-91	SH	
Q	MIL-C-24643(3)	CABLE & CORD, ELECTRICAL, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR USER: AR AV CG ME REVIEWER: 99 EC ER IS	A 6145	SH	28-SEP-84	MI	SH 85
	SUPPL 1A1						
	MIL-C-24643/1B	CABLE, ELECTRICAL, 600 VOLTS, TYPE LSCVSF USER: AR AV CG ME REVIEWER: OR EC ER IS	A 6145	SH	03-OCT-86	MI	SH
	MIL-C-24643/2B	CORD, ELECTRICAL, 300 VOLTS, TYPES LSCDOP AND LSTCOP (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: 99 AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/3B	CABLE, ELECTRICAL, 600 VOLTS, TYPES LSSHOF, LSHOF, LSTHOF, AND LSHOF (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/4B	CORD, ELECTRICAL, 600 VOLTS, TYPE LSCMOS (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/5B	CABLE, ELECTRICAL, 600 VOLTS, TYPE LSHDU (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-0024643/5C	CABLE, ELECTRICAL, 600 VOLTS, TYPE LSHDU .....	A 6145	SH	29-MAY-87	MI	SH
	MIL-C-24643/6B	CABLE, ELECTRICAL, 600 VOLTS, A.C., TYPE LSHDY USER: AL CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	03-OCT-86	MI	SH
L	MIL-C-0024643/6C	CABLE, ELECTRICAL, 600 VOLTS, A.C., TYPE LSHDY .....	A 6145	SH	29-MAY-87	SH	
	MIL-C-24643/7B	CABLE, ELECTRICAL, 600 VOLTS, TYPE LSHOF (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/8B	CORD, ELECTRICAL, 300 VOLTS, TYPE LSHOP (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/9B	CORD, ELECTRICAL, TYPE LSHRI (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/10	CABLE, ELECTRICAL, TYPE LSPBTH (INCLUDING VARIATION LSPBTH) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/11B	CABLE, ELECTRICAL, 600 VOLTS, TYPE LSSSF (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	25-MAR-91	MI	SH
	MIL-C-24643/12B	CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTOP (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/13B	CABLE, ELECTRICAL, 300 VOLTS, TYPE LSTTRS (INCLUDING VARIATION LSTTRSA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/14B	CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSSSGU (INCLUDING VARIATION LSSSGA) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/15B	CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSSDGS (INCLUDING VARIATION LSSDGA) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/16B	CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSTSGU (INCLUDING VARIATION LSTSGA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	MIL-C-24643/17B	CABLE, ELECTRICAL, 1000 VOLTS, TYPE LSPSGU (INCLUDING VARIATION LSPSGA) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV OR EC ER IS	A 6145	SH	26-MAR-91	MI	SH
	NOTICE 1						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig / Omb Coordination Inactive	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Proposing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-C-24643/188 NOTICE 1	CABLE, ELECTRICAL, 1000 VOLTS, TYPE L5MSCU (INCLUDING VARIATIONS L5MSCA AND L5MSCS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/198 NOTICE 1	CABLE, ELECTRICAL, 1000 VOLTS, TYPE L56SGU (INCLUDING VARIATION L56SGA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/208 NOTICE 1	CABLE, ELECTRICAL, 1000 VOLTS, TYPE L57SGU (INCLUDING VARIATION L57SGA) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/218 NOTICE 1	CABLE, ELECTRICAL, TYPES L5TCJU AND L5TCTU (INCLUDING VARIATIONS L5TCJA AND L5TCTA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/228 NOTICE 1	CABLE, ELECTRICAL, 5000 VOLTS, TYPE L5SKVTSGU (INCLUDING VARIATION L5SKVTSGA) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/238 NOTICE 1	CABLE, ELECTRICAL, 300 VOLTS, TYPE L5TTSU (INCLUDING VARIATION L5TTSJA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-0024643/23C	CABLE, ELECTRICAL, 300 VOLTS, TYPE L5TTSU (INCLUDING VARIATION L5TTSJA) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	25-NOV-87	MI	SH		
	MIL-C-24643/24 NOTICE 1	CABLE, ELECTRICAL, TYPES L5TCJX, L5TCJX AND L5TCTX (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/258 NOTICE 1	CABLE, ELECTRICAL, TYPE L5PI (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/268 NOTICE 1	CABLE, ELECTRICAL, 600 VOLTS, TYPES L5DPS, L5FPS, L5TPS AND L57PS (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/278 NOTICE 1	CABLE, ELECTRICAL, 600 VOLTS, TYPE L52AU (INCLUDING VARIATIONS L52A AND L52AUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/288 NOTICE 1	CABLE, ELECTRICAL, TYPE L51550MU (INCLUDING VARIATIONS L51550MA AND L51550MS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/298 NOTICE 1	CABLE, ELECTRICAL, 300 VOLTS, TYPE L5MU (INCLUDING VARIATIONS L5MA AND L5MUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/308 NOTICE 1	CABLE, ELECTRICAL, TYPE L51SMU (INCLUDING VARIATION L51SMA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/318 NOTICE 1	CABLE, ELECTRICAL, TYPE L52SU (INCLUDING VARIATIONS L52SA AND L52SUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/328 NOTICE 1	CABLE, ELECTRICAL, TYPE L52SMU (INCLUDING VARIATION L52SMA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/338 NOTICE 1	CABLE, ELECTRICAL, TYPE L52SMU (INCLUDING VARIATION L52SMUA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/348 NOTICE 1	CABLE, ELECTRICAL, 300 VOLTS, TYPE L5MS (INCLUDING VARIATION L5MSA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/35 NOTICE 1	CABLE, ELECTRICAL, TYPE L53SU (INCLUDING VARIATIONS L53SA AND L53SUS) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/368 NOTICE 1	CABLE, ELECTRICAL, TYPE L53SMU (INCLUDING VARIATIONS L53SMA AND L53SMUS) (VALIDATION DATE: 9103) USER: AL CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/378 NOTICE 1	CABLE, ELECTRICAL, TYPE L53U (INCLUDING VARIATION L53UA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/388 NOTICE 1	CABLE, ELECTRICAL, 600 VOLTS, TYPE L5ECM (INCLUDING VARIATION L5ECMA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/398 NOTICE 1	CABLE, ELECTRICAL, TYPE L51575MU (INCLUDING VARIATION L51575MA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: 99 AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/408 NOTICE 1	CABLE, ELECTRICAL, TYPE L51SMU (INCLUDING VARIATION L51SMA) (VALIDATION DATE: 9103) USER: AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/41 NOTICE 1	CABLE, ELECTRICAL, TYPE L51SAU (INCLUDING VARIATION L51SA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: 99 AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH	85	
	MIL-C-24643/42 NOTICE 1	CABLE, ELECTRICAL, TYPE L51SU (INCLUDING VARIATION L51SUA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/438 NOTICE 1	CABLE, ELECTRICAL, 600 VOLTS, TYPES L52SJ, L53SJ, AND L54SJ (INCLUDING VARIATIONS L52SJA, L53SJA, AND L54SJA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/448 NOTICE 1	CABLE, ELECTRICAL, 600 VOLTS, TYPE L53SF (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/458 NOTICE 1	CABLE, ELECTRICAL, 300 VOLTS, TYPE L52U (INCLUDING VARIATION L52UA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/468 NOTICE 1	CABLE, ELECTRICAL, 600 VOLTS, TYPE L52MAU (INCLUDING VARIATION L52MA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/47 NOTICE 1	CABLE, ELECTRICAL, TYPE L51SMU (INCLUDING VARIATION L51SMA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/488 NOTICE 1	CABLE, ELECTRICAL, 1000 VOLTS, TWO CONDUCTOR, TYPE L5DMW (INCLUDING VARIATION L5DMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/498 NOTICE 1	CABLE, ELECTRICAL, 1000 VOLTS, THREE CONDUCTOR, TYPE L5TNW (INCLUDING VARIATION L5TNWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/508 NOTICE 1	CABLE, ELECTRICAL, 1000 VOLTS, FOUR CONDUCTOR, TYPE L5FMW (INCLUDING VARIATION L5FMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/518 NOTICE 1	CABLE, ELECTRICAL, 1000 VOLTS, MULTICONDUCTOR, TYPE L5MMW (INCLUDING VARIATION L5MMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/528 NOTICE 1	CABLE, ELECTRICAL, 300 VOLTS, TYPE L5TPMW (INCLUDING VARIATION L5TPMWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/538 NOTICE 1	CABLE, ELECTRICAL, 3000 VOLTS, TYPES L5SHW, L5SDRW, AND L5TRW (INCLUDING VARIATIONS L5SRWA, L5DRWA, AND L5TRWA) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/548 NOTICE 1	CABLE, ELECTRICAL, TYPE L58MA6 (INCLUDING VARIATION L58MA6) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/558 NOTICE 1	CABLE, ELECTRICAL, TYPE L54MM8 (INCLUDING VARIATION L54MM8) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/568 NOTICE 1	CABLE, ELECTRICAL, TYPE L52SWL-7 (INCLUDING VARIATION L52SWL-7) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/578 NOTICE 1	CABLE, ELECTRICAL, TYPE AND SIZE L52W-42 (INCLUDING VARIATIONS L52WMA-42 AND L52WMS-42) (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	MIL-C-24643/588 NOTICE 1	CABLE, ELECTRICAL, 300 VOLTS, TYPE L52CS (VALIDATION DATE: 9103) USER: AL AR CG ME REVIEWER: AV CR EC ER IS	A 6145	SH	26-MAR-91	MI	SH		
	DOD-W-24644	WELDING MACHINE, ARC, DIRECT CURRENT, 300 AMPERE, VARIABLE VOLTAGE, TRANSFORMER RECTIFIER TYPE, DAMAGE CONTROL, LIGHT WEIGHT, PORTABLE (METRIC)	A 3431	SH	11-SEP-84		SH		
L	MIL-S-24645A(1)	STEEL PLATE, SHEET, OR COIL, AGE-HARDENING ALLOY, STRUCTURAL, HIGH YIELD STRENGTH (HSLA-80 AND HSLA-100)	A 9515	SH	24-SEP-90		SH		
L	MIL-F-24646	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 & 611	A 5920	SH	30-NOV-84		SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Asn Cn / CnM Inches Document Number	Document Title	Dist. Smt. FAC / Area MCA Symbol Preparing Act.	Date	Custodians		
				Army	Navy	AF / Force CJA
L MIL-F-24646/1 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 600, 601, 612.1, 613, 613.1 AND 614 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/2 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 609, 610 AND 611 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/3 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 125/250 VOLTS, DIRECT CURRENT, THREE WIRE BUSES, TWO WIRE BRANCHES, 0.30 AMPERE FUSES, SYMBOLS 540, 541 AND 542 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/4 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 450 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 543, 544, 545, 546 AND 547 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/5 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, TOTALLY ENCLOSED, 500 VOLTS, DIRECT CURRENT, TWO WIRE BUSES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 626 AND 627 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/6 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, TOTALLY ENCLOSED, 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDER, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES AND SNAP SWITCHES, SYMBOLS 602, 603, 604, 605, 606, 615, AND 617 [VALIDATION DATE: 9012]	A 6110	SH 27-DEC-90	SH		
L MIL-F-24646/7 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 635.1, 653.1 AND 654.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/8 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 125 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, SYMBOLS 646.1 AND 647.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/9 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 250 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30 AMPERE FUSES, SYMBOLS 555.1M, 556.1, 557.1, 558.1 AND 559.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/10 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AMPERE FUSES, SYMBOL 560.1, 561.1, 562.1 AND 563.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/11 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, WATERTIGHT (3 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE AND THREE PHASE BUSES, SINGLE AND DOUBLE FEEDERS, SINGLE PHASE BRANCHES, 0-30 AMPERE MIDGET FUSES, AND SNAP SWITCHES, SYMBOLS 645, 645.1, 645.1 AND 650.1 [VALIDATION DATE: 9012]	A 6110	SH 27-DEC-90	SH		
L MIL-F-24646/12 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, WITH SWITCHES, WATERTIGHT (3 FEET), 125 VOLTS, ALTERNATING CURRENT, SINGLE OR THREE PHASE BUSES, SINGLE PHASE BRANCHES, INTERLOCKING FUSE COVER, 0-30 AMPERE FUSES, AND SNAP SWITCHES, SYMBOLS 644 AND 648.1 [VALIDATION DATE: 9012]	A 6110	SH 27-DEC-90	SH		
L MIL-F-24646/13 NOTICE 1	FUSE BOXES, FEEDER DISTRIBUTION, SUBMERSIBLE (15 FEET), 500 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AMPERE FUSES WITH FUSE PULLER, SYMBOLS 568.1, 569.1, 570.1 AND 571.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/14 NOTICE 1	FUSE BOXES, FEEDER JUNCTION, TOTALLY ENCLOSED, 250 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 680 AND 681.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/15 NOTICE 1	FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, FEED THROUGH TWIN CONDUCTORS, SINGLE AND THREE PHASE BUSES, SINGLE AND THREE PHASE BRANCHES, 0-30 AND 31-60 AMPERE FUSES, SYMBOLS 685.1, 686.1, 691.1 AND 692.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/16 NOTICE 1	FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 250 VOLTS, ALTERNATING CURRENT, SINGLE PHASE BUSES, 0-30, 31-60, 61-100 AND 101-200 AMPERE FUSES, SYMBOLS 687.1, 688.1, 689.1 AND 690.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/17 NOTICE 1	FUSE BOXES, FEEDER JUNCTION, SUBMERSIBLE, (15 FEET), 500 VOLTS, ALTERNATING CURRENT, THREE PHASE BUSES, 0.30 AMPERE FUSES, SYMBOL 693.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
L MIL-F-24646/18 NOTICE 1	FUSE BOXES, BRANCH JUNCTION, SUBMERSIBLE (15 FEET), 125 VOLTS, TWO CONDUCTORS, 0.30 AMPERE MIDGET FUSES, SYMBOL 671.1 [VALIDATION DATE: 9012]	A 5920	SH 27-DEC-90	SH		
D MIL-P-24647B	PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL USER: CG Y01 REVIEWER: MR	A 8010	SH 02-APR-91	ME	SH	
D DOD-P-24648(1)	PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC) USER: CG MC REVIEWER: AS MR Y01	A 8010	SH 05-MAR-91	ME	SH	99
L MIL-J-24649(2)	JACKBOX, JACK AND PLUG FOR TELEPHONE, SOUND POWERED	A 5935	SH 29-MAY-90	SH		
DOD-G-24650 NOTICE 1	GREASE, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC) [VALIDATION DATE: 9102] REVIEWER: GS	A 9150	SH 07-FEB-91	ME	SH	68
DOD-L-24651 NOTICE 1	LUBRICATING OIL, FOOD GRADE, FOOD PROCESSING EQUIPMENT (METRIC) [VALIDATION DATE: 9105] REVIEWER: GS	A 9150	SH 20-MAY-91	ME	SH	68
L MIL-E-24652(1)	EXTINGUISHER, FIRE, AQUEOUS FILM FORMING FOAM, (AFFF), 2-1/2 GALLON	A 4210	SH 25-SEP-86	SH		
L MIL-H-24653	HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK	A 5340	SH 30-MAY-85	SH		
L MIL-H-24653/1	HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 1	A 5340	SH 30-MAY-85	SH		
L MIL-H-24653/2	HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 2	A 5340	SH 30-MAY-85	SH		
L MIL-H-24653/3	HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 3	A 5340	SH 30-MAY-85	SH		
L MIL-H-24653/4	HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 4	A 5340	SH 30-MAY-85	SH		
L MIL-H-24653/5	HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 5	A 5340	SH 30-MAY-85	SH		
L MIL-H-24653/6	HASP, HIGH SECURITY, SHROUDED FOR SHIPBOARD DOORS AND HATCHES USING HIGH AND MEDIUM SECURITY PADLOCK, STYLE 6	A 5340	SH 30-MAY-85	SH		
D DOD-C-24654	COATINGS, EPOXY, PORTABLE WATER TANKS (METRIC) USER: CG MC ME REVIEWER: 50 84 MS Y01	A 8010	SH 25-JUL-85	SH		99
L MIL-S-24656	SEXTANT, MARINE REVIEWER: 71	A 6605	SH 16-AUG-85	ME	SH	99
L DOD-V-24657 NOTICE 1	VALVE ACTUATOR, DIRECT COUPLED, GEAR DRIVEN ELECTRICALLY POWERED FOR NAVAL SHIPBOARD PROPULSION AND AUXILIARY SYSTEMS (METRIC) [VALIDATION DATE: 9104]	A 4810	SH 19-APR-91	SH		
L MIL-V-24658 NOTICE 1	VALVE MANIFOLDS, QUIET DESIGN, HIGH PRESSURE GAS REDUCING [VALIDATION DATE: 9104] REVIEWER: CS	A 4820	SH 19-APR-91	SH		
L MIL-G-24659(1)	GAUGE, DIFFERENTIAL, DIAL INDICATING	A 6685	SH 12-AUG-87	SH		
L MIL-S-24660 NOTICE 1	SPRINKLER HEAD, 180 DEGREES FULL CONE [VALIDATION DATE: 9012]	A 4210	SH 10-DEC-90	SH		
L MIL-R-24661 NOTICE 1	RING BUOY, LIFESAVING, AUTO-INFLATABLE [VALIDATION DATE: 9012]	A 4220	SH 10-DEC-90	SH		
L MIL-D-24662	DIVERS HELMET, UNDERWATER BREATHING APPARATUS MK-12	A 4220	SH 13-MAY-86			
L MIL-A-24663	ADAPTER, FIXED PLANT, FOR TSEC/KG-84	A 5810	EC 20-DEC-90	EC		
L MIL-T-24664	TEST SET, RADAR, AM/AFM(-)	A 6625	EC 28-MAY-86	EC		
L MIL-W-24665	WIPERS, WINDOW, ELECTRIC, SPINNING (MARINE SERVICE, HEAVY DUTY)	A 2090	SH 17-MAR-86	SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc CPL / OMA Combination Inchase Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Date	Custodians			
			Army	Navy	Air Force	DIA
A L	MIL-F-24666(1)	A 4330 SH 02-NOV-92	SH			
DOL	DOD-C-24667(2)	A 8010 SH 09-FEB-87	SH			
AOL	MIL-C-24667A	A 8010 SH 14-AUG-92	SH			
L	DOD-B-24668	A 3130 SH 27-AUG-86	SH			
	DOD-F-24669	A FORG SH 07-JUL-86	MR SH	99		
	DOD-F-24669/1	A FORG SH 07-JUL-86	MR SH	99		
	DOD-F-24669/2(1)	A FORG SH 02-OCT-87	MR SH	99		
	DOD-F-24669/3	A FORG SH 07-JUL-86	MR SH	99		
	DOD-F-24669/4	A FORG SH 07-JUL-86	MR SH	99		
	MIL-F-24669/4	A FORG SH 07-JUL-86	MR SH	99		
	DOD-F-24669/5	A FORG SH 07-JUL-86	MR SH	99		
	DOD-F-24669/6	A FORG SH 07-JUL-86	MR SH	99		
	DOD-F-24669/7	A FORG SH 07-JUL-86	MR SH	99		
	MIL-F-24669/8	A FORG SH 02-MAY-91	MR SH	99		
A L	MIL-C-24671A	A 8305 CT 25-APR-91	SH			CT
L	DOD-M-24672	A 5935 SH 27-OCT-86	SH			
	SUPPL 1A)					
L	DOD-M-24672/1	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/2	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/3	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/4	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/5	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/6	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/7	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/8	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/9	A 5935 SH 27-OCT-86	SH			
L	DOD-M-24672/10	A 5935 SH 27-OCT-86	SH			
	DOD-B-24673	A 6350 SH 31-JUL-86	ME SH			
L	DOD-K-24674	A 6630 SH 21-AUG-86	SH			
L	DOD-V-24675	A 4820 SH 18-AUG-86	SH			
L	MIL-V-24675	A 4820 SH 18-AUG-86	SH			
M	MIL-R-24677A(1)	A 4020 SH 31-MAR-93	GL SH	99		
L	MIL-M-24678	A 6625 SH 24-FEB-88	SH			
L	MIL-C-24679	A FORG SH 06-MAY-88	SH			
LI	DOD-L-24681	A 5830 SH 18-JAN-91	SH			
	NOTICE 1					
L	DOD-A-24682	A 6850 SH 18-AUG-87	SH			
L	MIL-I-24683A	A 5970 SH 26-NOV-90	SH			
L	DOD-D-24684	A 4220 SH 06-MAR-87	SH			
QL	MIL-F-24685	A 7930 SH 14-OCT-87	SH			
L	MIL-S-24686A	A 4210 SH 19-MAY-92	SH			
L	MIL-M-24687	F FORG SH 20-OCT-87	SH			
D	DOD-I-24688	A 5640 SH 18-AUG-87	ME SH	99		
A	MIL-C-24689B	A MECA SH 23-APR-92	MR SH	11		
L	MIL-V-24690	A 4220 SH 28-SEP-87	SH			
	MIL-P-24691(2)	A 4710 SH 04-FEB-91	ME SH			
	MIL-P-24691/1(1)	A 4710 SH 04-FEB-91	ME SH			
	MIL-P-24691/2(1)	A 4710 SH 04-FEB-91	ME SH			
	MIL-P-24691/3(1)	A 4710 SH 04-FEB-91	ME SH			
	MIL-B-24692	A 4240 SH 26-OCT-87	EA SH	69		
M L	MIL-D-24693(1)	A 4440 SH 02-APR-93	SH			
L	MIL-V-24694	A 4810 SH 28-OCT-87	SH			
L	MIL-V-24694/1	A 4810 SH 28-OCT-87	SH			
L	MIL-V-24694/2	A 4810 SH 28-OCT-87	SH			
ML	MIL-V-24695A	A 4810 SH 23-DEC-91	SH			
	GENERAL SPECIFICATION FOR (METRIC)					
A L	MIL-V-24695/1A(1)	A 4810 SH 23-JUL-92	SH			
A L	MIL-V-24695/2A(1)	A 4810 SH 23-JUL-92	SH			
L	MIL-A-24695/3	A 4810 SH 23-DEC-91	SH			
AM	MIL-C-24696A	A 5330 SH 30-DEC-92	SH			
A L	MIL-G-24696/1	A 5330 SH 30-DEC-92	SH			
L	MIL-C-24697	A 7125 SH 28-FEB-88	SH			
L	MIL-I-24698	A 5855 SH 12-FEB-88	SH			
L	MIL-A-24699	A 5640 SH 24-FEB-88	SH			
L	MIL-S-24700	A 5975 SH 12-FEB-88	SH			
	PROTECTION (METRIC)					
	MIL-F-24701	A 6680 SH 23-MAR-88	SH			
	FLOWMETER, LIQUID, ULTRASONIC, NON INTRUSIVE					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Combination Number	Document Title	Doc. Symb. FSC / Ane MCA Symbol	Preparing Acty Date	Custodians			
				Army	Navy	AF Force	OLA
QL MIL-F-24702(1)	FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC)	A 4330	SH 02-MAY-91	SH			
L MIL-F-24702/1(1)	FILTER ELEMENTS, HYDRAULIC, DISPOSABLE (METRIC)	A 4330	SH 02-MAY-91	SH			
L MIL-I-24703	INSULATION, PIPE, POLYPHOSPHAZENE, SHEET & TUBULAR USER: MC ME OS REVIEWER: EA GS MI	A 5640	SH 05-APR-88	ER	SH	11	
L MIL-F-24704A	FLANGES, FOUR BOLT SQUARE, HYDRAULIC GENERAL SPECIFICATION FOR	A 4810	SH 23-MAR-92	SH			
L MIL-F-24704/1A	FLANGES, FOUR BOLT SQUARE, SOCKET WELD FOR HYDRAULIC SYSTEMS	A 4810	SH 23-MAR-92	SH			
L MIL-F-24704/2A	FLANGES, FOUR BOLTS SQUARE, BUTT WELD FOR HYDRAULIC SYSTEMS	A 4810	SH 23-MAR-92	SH			
L MIL-F-24704/4A	FLANGES, FOUR BOLT SQUARE, BLIND FOR HYDRAULIC SYSTEMS	A 4810	SH 23-MAR-92	SH			
L MIL-F-24704/5A	FLANGES, FOUR BOLT, INSERT SLEEVES FOR HYDRAULIC SYSTEMS	A 4810	SH 23-MAR-92	SH			
AML MIL-P-24705A	PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, GENERAL SPECIFICATION FOR	A 5975	SH 19-JUL-92	SH			
A L MIL-P-24705/1A	PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, RECTANGULAR METAL FRAME, FOR SQUARE-FACED BLOCKS	A 5975	SH 19-JUL-92	SH			
L MIL-P-24705/2	PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, NOTCHED RECTANGULAR METAL FRAME, FOR RECTANGULAR-FACED BLOCKS	A 5975	SH 07-JUN-90	SH			
L MIL-P-24705/3	PENETRATORS, MULTIPLE CABLE, FOR ELECTRIC CABLES, ROUND FRAME, FOR SQUARE-FACED BLOCKS	A 5975	SH 07-JUN-90	SH			
L MIL-C-24706	COUPLING, PIPE, HEAT-RECOVERABLE	A 4730	SH 13-JUL-88	SH			
MIL-C-24707	CASTINGS, FERROUS, GENERAL SPECIFICATION FOR USER: ME	A MECA	SH 27-JAN-89	MR	SH	11	
MIL-C-24707/1	CASTINGS, FERROUS, FOR MACHINERY AND STRUCTURAL APPLICATIONS USER: ME	A MECA	SH 27-JAN-89	MR	SH	11	
MIL-C-24707/2	CASTINGS, FOR PRESSURE CONTAINING PARTS SUITABLE FOR HIGH TEMPERATURE SERVICE USER: MC ME REVIEWER: 84 AR AS MI OS	A MECA	SH 27-JAN-89	MR	SH	11	
MIL-C-24707/3	CASTINGS, FERROUS, CORROSION-RESISTANT, AUSTENITIC, CHROMIUM-NICKEL USER: MC ME REVIEWER: 84 AR AS MI OS	A MECA	SH 27-JAN-89	MR	SH	11	
MIL-C-24707/4	CASTINGS, FERROUS, AUSTENITIC MANGANESE (HARDFIELD MANGANESE), (LOW MAGNETIC PERMEABILITY AND/OR WEAR RESISTANT) USER: MC ME REVIEWER: 84 AR AS MI OS	A MECA	SH 27-JAN-89	MR	SH	11	
MIL-C-24707/5	CASTINGS, DUCTILE IRON AND AUSTENITIC DUCTILE IRON USER: MC REVIEWER: 84 AR AS MI OS	A MECA	SH 27-JAN-89	MR	SH	11	
MIL-C-24707/6	CASTINGS, FERROUS, CHROMIUM STEEL, FOR PRESSURE-CONTAINING PARTS SUITABLE FOR HIGH-TEMPERATURE SERVICE USER: MC ME REVIEWER: 84 AR AS MI OS	A MECA	SH 27-JAN-89	MR	SH	11	
L MIL-T-24708	THERMAL/ACOUSTIC INSULATION BARRIER MATERIAL: POLYIMIDE FOAM	A 5640	SH 29-JUL-88	SH			
L MIL-D-24709	DISTRIBUTED ISOLATION MATERIAL TYPE R-50-21/64	A 5330	SH 04-NOV-88	SH			
L MIL-P-24710	PURIFIERS, SOLIDS EJECTING (SELF-CLEANING), CENTRIFUGAL, FUEL AND LUBR OIL	A 4330	SH 12-DEC-88	SH			
A L MIL-S-24711(2)	SWITCH, PROXIMITY, SOLID-STATE	A 5930	SH 17-SEP-92	SH			
L MIL-C-24712	COATINGS, POWDERED EPOXY (METRIC) USER: CG MC REVIEWER: 84 AS MR	A 8010	SH 21-FEB-89	ME	SH	99	
L MIL-F-24713	FREQUENCY CHANGER, STATIC, AIR COOLED (NAVAL SHIPBOARD)	A 6130	SH 21-FEB-89	SH			
L MIL-C-24714	CONNECTOR TUBES, HYDRAULIC COMPONENT, GENERAL SPECIFICATION FOR	A 4810	SH 27-JAN-89	SH			
L MIL-C-24714/1	CONNECTOR TUBES, PREFERRED SIZES, VALVES AND SUBPLATES	A 4810	SH 27-JAN-89	SH			
D MIL-E-24715	EXTINGUISHERS, FIRE, VAPORIZING LIQUID (BROMOCHLORODIFLUOROMETHANE, HALON 1211) USER: YDI REVIEWER: 84 AS CS	A 4210	SH 10-MAR-89	ME	SH	99	
M L MIL-G-24716A	GASKETS, METALLIC-FLEXIBLE GRAPHITE, SPIRAL WOUND	A 5330	SH 05-APR-93	SH			
L MIL-G-24717	GASKET, SHEET, REFRIGERATION, NON-ASBESTOS	A 5330	SH 31-MAR-89	SH			
D MIL-I-24718	INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING; GENERAL SPECIFICATION FOR USER: AS MC ME REVIEWER: 99 AR OS EC GS MI OS YDI	A 5970	SH 06-APR-90	ER	SH	11	
MIL-I-24718/1	INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING EPOXY-LEWIS ACID, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR OS EC GS MI OS	A 5970	SH 06-APR-90	ER	SH	11	
MIL-I-24718/2	INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, EPOXY-LEWIS ACID, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR OS EC GS MI OS	A 5970	SH 06-APR-90	ER	SH	11	
MIL-I-24718/3	INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING POLYESTER DIALYL PHTHALATE, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR OS EC GS MI OS	A 5970	SH 06-APR-90	ER	SH	11	
MIL-I-24718/4	INSULATING RESINS, SOLVENTLESS, VACUUM-PRESSURE-IMPREGNATING REPLENISHMENT RESIN, POLYESTER DIALYL PHTHALATE, SLIGHTLY THIXOTROPIC USER: AS MC ME REVIEWER: 99 AR OS EC GS MI OS	A 5970	SH 06-APR-90	ER	SH	11	
L MIL-R-24719	RESINS, VINYL ESTER, LOW PRESSURE LAMINATING	A 9330	SH 04-MAY-89	SH			
L MIL-R-24720	RECEIVERS, DIGITAL, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: EC	A 6026	SH 07-JUL-89	SH			
D L MIL-R-24720/1	RECEIVER, DIGITAL, FIBER OPTIC, SHIPBOARD, 0.5 TO 16 MBPS (MANCHESTER ENCODED) (METRIC) REVIEWER: EC YDI	A 6026	SH 07-JUL-89	SH			
L MIL-T-24721	TRANSMITTERS, LIGHT SIGNAL, DIGITAL, FIBER OPTIC, SHIPBOARD (METRIC) GENERAL SPECIFICATION FOR	A 6025	SH 27-JUN-89	SH			
L MIL-T-24721/1	TRANSMITTER, DIGITAL, FIBER OPTIC, SHIPBOARD, DC TO 16 MBPS (MANCHESTER ENCODED) (METRIC) REVIEWER: EC	A 6025	SH 27-JUN-89	SH			
L MIL-V-24722	VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC, GENERAL SPECIFICATION FOR	A 4810	SH 15-JUN-90	SH			
L MIL-V-24722/1	VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 50 GALLONS PER MINUTE (GPM) AND 0 TO 80 GPM FLOW RANGES	A 4810	SH 15-JUN-90	SH			
L MIL-V-24722/2	VALVE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 10 GPM FLOW RANGE	A 4810	SH 15-JUN-90	SH			
L MIL-V-24722/3	VALVE AND SUBPLATE, SERVO FLOW-CONTROL, ELECTROHYDRAULIC FOR 0 TO 80 GPM	A 4810	SH 15-JUN-90	SH			
MIL-C-24723	CASTINGS, NICKEL-COPPER ALLOY USER: ER GL MC ME REVIEWER: 99 AR IS	A MECA	SH 07-JUN-89	MR	SH	11	
AML MIL-F-24724(2)	FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS, GENERAL SPECIFICATION FOR	A 4330	SH 16-OCT-92	SH			
L MIL-F-24724/1(1)	FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (1, 2, 3 ELEMENTS) REVIEWER: CS	A 4330	SH 02-JUN-92	SH			
L MIL-F-24724/2(1)	FILTER HOUSINGS (HYDRAULIC) AND DIFFERENTIAL PRESSURE INDICATORS (4 AND 6 ELEMENTS) REVIEWER: CS	A 4330	SH 02-JUN-92	SH			
L MIL-S-24725	SWITCHES, FIBER OPTIC, SHIPBOARD, (METRIC), GENERAL SPECIFICATION FOR	A 6021	SH 03-AUG-89	SH			
L MIL-S-24725/1	SWITCH, FIBER OPTIC, SHIPBOARD, ELECTRICAL NONLATCHING; BYPASS, MULTIMODE CABLE, STAND-ALONE (METRIC) REVIEWER: EC	A 6021	SH 03-AUG-89	SH			
L MIL-A-24726	ATTENUATORS, FIBER OPTIC, SHIPBOARD GENERAL SPECIFICATION FOR REVIEWER: EC	A 6006	SH 15-AUG-89	SH			
L MIL-A-24726/1	ATTENUATOR, FIBER OPTIC, SHIPBOARD, FIXED, CONNECTORIZED, SINGLE-MODE, STAND-ALONE REVIEWER: EC	A 6006	SH 15-AUG-89	SH			
L MIL-R-24727	ROTARY JOINTS, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC	A 6004	SH 31-AUG-89	SH			
L MIL-R-24727/1	ROTARY JOINTS, FIBER OPTIC, SHIPBOARD, SINGLE FIBER, ON-AXIS, MULTIMODE CABLE PIGTAIL (METRIC) REVIEWER: AS EC	A 6004	SH 31-AUG-89	SH			
L MIL-R-24727/2	ROTARY JOINTS, FIBER OPTIC, SHIPBOARD, MULTIPLE FIBERS, ON-AXIS, MULTIMODE CABLE PIGTAIL (METRIC) REVIEWER: AS EC	A 6004	SH 31-AUG-89	SH			
DM MIL-I-24728A	INTERCONNECTION BOX, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI YDI	A 6099	SH 23-JUL-92	CR	SH	85	
D MIL-I-24728/1A	INTERCONNECTION BOX, FIBER OPTIC, SUBVERSIBLE, 254 X 330 MM USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI YDI	A 6099	SH 23-JUL-92	CR	SH	85	
D MIL-I-24728/2A	INTERCONNECTION BOX, FIBER OPTIC, SUBVERSIBLE, 304.8 X 609.6 MM USER: AR CG MC REVIEWER: 11 17 19 80 99 AS EC ES MI YDI	A 6099	SH 23-JUL-92	CR	SH	85	
L MIL-H-24729	HARNESSES, SAFETY, SWIMMERS	A 4240	SH 26-JAN-90	SH			
L MIL-H-24730	ROPE, FIBROUS POLYESTER, EIGHT STRAND PLAITED USER: MC REVIEWER: 82 AS IS	A 4020	SH 27-APR-90	GL	SH	99	
L MIL-H-24731	MULTIPLEXERS, DEMULTIPLEXERS, MULTIPLEXERS/DEMULTIPLEXERS (MULTIPLX), FREQUENCY-DIVISION, FIBER OPTIC INTERFACABLE, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR REVIEWER: AS EC	A 6008	SH 31-AUG-89	SH			



## NUMERICAL LISTING MILITARY SPECIFICATIONS

206



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordinate Include	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
A	MIL-I-24768/1(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GME) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/2(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/3(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/4	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-1) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/5	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-2) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/6	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-3) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/7(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, POLYTETRAFLUOROETHYLENE-RESIN (GTE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/8	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, MELAMINE-RESIN (GME) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/9	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, NYLON-FABRIC-BASE, PHENOLIC-RESIN (MPG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/10	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/11	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/12	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/13	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (PBE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/14	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (PBG) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/15	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (PBI) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/16	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (PBM) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/17	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, SILICONE-RESIN (GSC) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/18	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, PHENOLIC-RESIN (GPC) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/19	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/20	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PC) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/21	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/22	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBG-P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/23	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PC) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/24	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBM-PF) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/25	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, PHENOLIC-RESIN (PBE-PCF) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/26	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, PAPER-BASE, EPOXY-RESIN (PEE) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/27(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEE-F) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/28(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-CLOTH, EPOXY-RESIN (GEB-F) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/29(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-1) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/30(1)	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, CONTINUOUS FILAMENT, GLASS-CLOTH, EPOXY-RESIN (CEM-3) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	06-DEC-92	ER	SH	11		
A	MIL-I-24768/31	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-1P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/32	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-2P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
A	MIL-I-24768/33	INSULATION, PLASTIC, LAMINATED, THERMOSETTING, GLASS-MAT, POLYESTER-RESIN (GPO M-3P) USER: AS MC ME REVIEWER: 85 AR EA EC MI OS	A 5970	SH	25-FEB-92	ER	SH	11		
L	MIL-C-24769	CRANE, ROTATING SHIPBOARD	A 3950	SH	16-MAR-92	SH				
L	MIL-C-24770	CARTRIDGES, BROWNE, FOR POTABLE WATER DISINFECTION	A 4610	SH	20-MAR-92	SH				
L	MIL-S-24771	SENSOR, LEVEL, FLOAT TYPE, SHIPBOARD SEWAGE SYSTEMS	A 5930	SH	08-APR-92	SH				
L	MIL-I-24772	INDICATOR, OXYGEN, COMBUSTIBLE GAS, CARBON MONOXIDE, AND HYDROGEN SULFIDE, PORTABLE (METRIC)	A 5665	SH	17-MAR-92	SH				
M L	MIL-L-24773A	LITHIUM BROMIDE AMYDROUS AND LITHIUM BROMIDE BRINE	A 6810	SH	25-MAY-93	SH				
A L	MIL-C-24774	CHAIN, STUD LINK, ANCHOR, FLASH BUTT WELDED, NONMAGNETIC	A 4010	SH	07-JUL-92	SH				
A L	MIL-A-24775	AIR CONDITIONING FAN COIL UNITS, HORIZONTAL AND VERTICAL TYPES, NAVAL SHIPBOARD	A 4120	SH	13-JUL-92	SH				
L	MIL-H-24776	HYDRAZINE TEST KIT, NAVAL SHIPBOARD (METRIC)	A 6810	SH	08-JUN-92	SH				
A L	MIL-L-24778	LIFE PRESERVER, UTILITY, AUTO-INFLATABLE, MC S, MOD 0	A 4220	SH	17-DEC-92	SH				
A L	MIL-A-24780	ACTUATING ASSEMBLY, SINGLE LINEAR MOTION, FOR THE REMOTE ACTUATION OF QUICK ACTING VALVES, GENERAL SPECIFICATION FOR	A 4820	SH	30-OCT-92	SH				
A L	MIL-B-24781	BATTERYBOARD SYSTEMS, SYNTHETIC	A 2040	SH	04-JAN-93	SH				
M L	MIL-I-24783	ISOLATOR, RING TYPE, PRESSURE, FOR SHIPBOARD SEWAGE SERVICE	A 4730	SH	15-APR-93	SH				
A L	MIL-H-24900A	HAT, COMBINATION, WOMAN'S (COAST GUARD) USER: CG	A 8410	CT	06-NOV-89	MU			CT	
A L	MIL-C-24903B	CLOTH, ELASTIQUE, POLYESTER/MOOL REVIEWER: CG	A 8305	CT	07-SEP-90	MU			CT	
A	MIL-G-24909A	GLOVE, LEATHER USER: 45 CG REVIEWER: 82 99 MC	A 8440	CT	13-NOV-86	GL			11	
A	MIL-C-24910B	CLOTH, TROPICAL, POLYESTER AND WOOL REVIEWER: MD	A 8305	CT	27-JAN-92	GL			MU	
A L	MIL-H-24913	MASK, EXTREME COLD WEATHER, DRY AND WET COLD USER: MC REVIEWER: SH	A 8415	CT	06-JAN-84	MU			CT	
A L	MIL-A-24914	ARM SLEEVE, RADIOACTIVE CONTAMINANTS, PROTECTIVE	A 8415	CT	22-MAY-84	MU			CT	
A L	MIL-C-24915A	CLOTH, DENIM, COTTON (FLAME RETARDANT TREATED) REVIEWER: MD	A 8305	CT	06-FEB-91	MU			CT	
A	MIL-C-24916A	CLOTH, CHAMBRAY, COTTON (FLAME RETARDANT TREATED)	A 8305	CT	09-JAN-91	GL			99	CT
A	MIL-S-24917	SOCK, MENS, ACRYLIC NY LON, RIBBED, STRETCH TYPE USER: 45 REVIEWER: 82 99	A 8440	CT	09-JAN-85	MU			11	CT
A	MIL-R-24918B	COAT, ALL-WEATHER, MAN'S, W/REMOVABLE LINER REVIEWER: 82 89	A 8405	CT	17-MAR-92	MU			11	CT
A L	MIL-R-24919A	RAINCOAT, WOMEN'S, W/REMOVABLE LINER (CG) REVIEWER: CG	A 8410	CT	15-NOV-88	MU			CT	
A	MIL-C-24920A	COAT, ALL-WEATHER, MAN S, WITH REMOVABLE LINER	A 8405	CT	15-JAN-88	MU			CT	
A	MIL-C-24921A	COAT, ALL-WEATHER, WOMANS, WITH REMOVABLE LINER	A 8410	CT	15-JAN-88	MU			CT	
A L	MIL-S-24922	SWEATER, MAN S (FLAME RETARDANT)	A 8405	CT	17-MAY-85	MU			CT	
A L	MIL-S-24923	SHIRT, UTILITY, WOMAN S, POLYESTER/COTTON (CG) REVIEWER: CG	A 8410	CT	29-JUL-85	MU			CT	
A	MIL-H-24925	HOOD, FIREMAN'S ALUMINIZED, PROXIMITY, WITH LIFT-UP VISION	A 8415	CT	14-SEP-87	GL			99	CT
A L	MIL-O-24926A	OVERCOAT, WOMAN'S, ENLISTED	A 8410	CT	03-APR-90	MU			CT	
A L	MIL-C-24927A	CLOTH, TWILL, POLYESTER/COTTON (DURABLE PRESS) USER: MC	A 8305	CT	01-OCT-91	MU			CT	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inches Document Number	Document Title	Doc Sect FSC / Ase MCA Symbol Preparing Date	Date	Army Navy Air Force DIA	Custodians
A	MIL-C-24929A(1)				
A L	MIL-C-24930				
A	MIL-C-24931				
A	MIL-C-24932				
A	MIL-C-24933				
A L	MIL-G-24934				
A L	MIL-C-24935				
A	MIL-M-24936				
A L	MIL-C-24937				
A	MIL-C-24938				
A	MIL-C-24939				
A	MIL-T-24940				
A	MIL-C-24941				
A	MIL-L-24942				
A	MIL-L-24943				
A L	MIL-C-24945				
A	MIL-C-24946				
A	MIL-B-24947				
A	MIL-S-24948A				
A L	MIL-J-24949				
A L	MIL-S-24950				
L	MIL-F-24951				
	MIL-T-24960				
Q	MIL-G-25013E				
	NOTICE 1				
Q	MIL-T-25017E				
Q	MIL-V-25023B(2)				
QL	MIL-I-25026B				
Q	MIL-W-25027E(5)				
	SUPPL 1A1				
L	MIL-W-25027/1				
Q	MIL-W-25038E				
	NOTICE 1				
	MIL-W-25038/1C				
	MIL-W-25038/3B				
	MIL-R-25042B				
	MIL-S-25043C				
Q	MIL-K-25049C				
	MIL-C-25050A(2)				
	MIL-P-25062B(1)				
	MIL-S-25073A				
L	MIL-R-25085C(3)				
QL	MIL-I-25091B				
L	MIL-C-25107B				
	NOTICE 1				
L	MIL-E-25109				
	NOTICE 1				
L	MIL-E-25110				
	NOTICE 2				
L	MIL-E-25112				
	NOTICE 1				
L	MIL-E-25113				
	NOTICE 2				
M L	MIL-I-25120C				
QL	MIL-I-25130B				
	NOTICE 1				
QL	MIL-K-25134B(2)				
Q	MIL-I-25135E				
L	MIL-W-25136(1)				
	NOTICE 2				
	MIL-W-25140B				
Q	MIL-W-25161C(3)				
Q	MIL-C-25162B(1)				
L	MIL-R-25170B				
	NOTICE 1				
L	MIL-F-25173A(2)				
A L	MIL-A-25175C(1)				
	MIL-T-25186A(3)				
L	MIL-T-25193B				
L	MIL-C-25200B				
	NOTICE 1				
A L	MIL-L-25242B				
	NOTICE 2				
	MIL-T-25307D				
QL	MIL-G-25308B(2)				
L	MIL-I-25324C				
L	MIL-I-25325A(1)				
	NOTICE 3				
L	MIL-B-25337B(1)				
M L	MIL-I-25355B				
A	MIL-W-25361E				
	CLOTH, LAMINATED, ALUMINIZED (PARA-ARAMID BASE) USER: CG REVIEWER: 50 B2 MC MD	A 8305	CT 04-JAN-93	GL	NU 99 CT
	CAP, COLD WEATHER	A 8415	CT 01-JUL-87	GL	NU 99 CT
	CLOTH, PLAIN WEAVE, ARAMID, WATER REPELLENT USER: MC REVIEWER: B2	A 8305	CT 15-JUL-87	GL	NU 99 CT
	CLOTH, KNITTED, FLAME RESISTANT RAYON/MOOL PILE USER: MC REVIEWER: B2	A 8305	CT 16-JUL-87	GL	NU 99 CT
	CLOTH, FLANNEL, COTTON (FLAME RETARDANT TREATED) REVIEWER: B2 MD	A 8305	CT 23-JUN-87	GL	NU 99 CT
	GLOVES, FIREMEN'S	A 8415	CT 20-SEP-88	GL	NU 99 CT
	COVERALLS, FIREMEN'S REVIEWER: CG	A 8415	CT 22-DEC-88	GL	NU 99 CT
	HOOD, ANTI-FLASH, FLAME RESISTANT REVIEWER: B2	A 8415	CT 01-JUL-87	GL	NU 99 CT
	CAP, COMBINATION, MAN'S, (CG) REVIEWER: CG	A 8405	CT 24-SEP-87	GL	NU 99 CT
	COATS, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY USER: 45 CG SH REVIEWER: 50 B2 MC MD	A 8415	CT 30-SEP-88	GL	NU 99 CT
	CLOTH, RIPSTOP, PARA-ARAMID/PBI, WATER REPELLENT USER: 45 REVIEWER: 50 B2 AS MC SH	A 8305	CT 30-SEP-88	GL	NU 99 CT
	TROUSERS, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY USER: SH REVIEWER: B2 MC MD	A 8415	CT 30-SEP-88	GL	NU 99 CT
	CLOTH, LAMINATED, ALUMINIZED (PARA-ARAMID/PBI BASE) USER: 45 CG REVIEWER: 50 B2 MC MD	A 8305	CT 30-SEP-88	GL	NU 99 CT
	LINER, FIREMAN'S TROUSER, QUILTED USER: 45 CG SH REVIEWER: 50 B2 MC	A 8415	CT 27-SEP-88	GL	NU 99 CT
	LINER, FIREMAN'S COAT, QUILTED USER: 45 CG SH REVIEWER: 50 B2 MC	A 8415	CT 27-SEP-88	GL	NU 99 CT
	COVERALLS, FLAME RESISTANT (COTTON FRT)	A 8415	CT 15-JUN-88	GL	NU 99 CT
	CLOTH, TWILL, COTTON (FLAME RETARDANT TREATED) USER: CG MC REVIEWER: MD	A 8305	CT 13-JUN-88	GL	NU 99 CT
	BADGE, BREAST, IDENTIFICATION (U.S. COAST GUARD USER: CG	A 8455	CT 14-JUN-88	GL	NU 99 CT
	SLACKS, WOMEN'S (WITH SIDE POCKETS)	A 8410	CT 10-FEB-93	GL	NU 99 CT
	JUMPER, WOMAN'S, WHITE	A 8410	CT 17-JUL-89	GL	NU 99 CT
	SHIRT, MAN'S DRESS WHITE, LONG SLEEVE (CG)	A 8405	CT 11-OCT-89	GL	NU 99 CT
	FUEL OIL RECLAIMED	A 9140	SA 01-FEB-83	GL	NU 99 CT
	TRUCKS, LIGHT, DIESEL ENGINE DRIVEN, PNEUMATIC RUBBER TIRES WITH TELESCOPING TOPHANDLER FOR HANDLING ISO & MILITARY CARGO CONTAINERS USER: MC SH REVIEWER: CS MT OS SH	A 3930	SA 07-MAR-88	GL	NU 99 CT
	GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC [INVALIDATION DATE: 9110] USER: OS REVIEWER: 68 PS SH	A 9150	AS 28-OCT-91	GL	NU 99 CT
	INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE (METRIC) USER: AT REVIEWER: 68 AV EA GS MD SH	A 6850	11 15-JUN-89	GL	NU 99 CT
	VALVE, FUEL DRAIN, SELF-LOCKING [INVALIDATION DATE: B209] REVIEWER: MI	A 4820	B2 08-JUL-69	GL	NU 99 CT
	INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-4 REVIEWER: GS	A 6685	B2 15-FEB-85	GL	NU 99 CT
	MUT, SELF-LOCKING, 250 DEG. F, 450 DEG. F, AND 800 DEG. F REVIEWER: B2 AV 15 MI OS SH	A 5310	AS 06-AUG-90	GL	NU 99 CT
	MUT, SELF-LOCKING, HEAVY HEX, (NON-METALLIC INSERT) 250 DEG. F, UNJC-3B, 1/4 THROUGH 2-1/2 INCH NOMINAL DIAMETERS, NICKEL-COPPER ALLOY	A 5310	SH 14-JUL-89	GL	NU 99 CT
	WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, GENERAL SPECIFICATION FOR [INVALIDATION DATE: B811] USER: ME OS REVIEWER: 11 99 AR AV 15 MI	A 6145	85 03-NOV-88	GL	NU 99 CT
	WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, NORMAL WEIGHT USER: AV OS REVIEWER: 99 AR ES MI	A 6145	85 20-SEP-91	GL	NU 99 CT
	WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, LIGHT WEIGHT, SMALL DIAMETER USER: AV OS REVIEWER: 99 AR ES MI	A 6145	85 20-SEP-91	GL	NU 99 CT
	RESIN, POLYESTER, HIGH TEMPERATURE RESISTANT, LOW PRESSURE LAMINATING, [INVALIDATION DATE: B004] USER: AT AV ME REVIEWER: 17 GS OS	A 9330	AS 12-SEP-67	GL	NU 99 CT
	STEEL PLATE, SHEET, AND STRIP, 17-7 PH, CORROSION RESISTANT, PRECIPITATION HARDENING [INVALIDATION DATE: B407] USER: AT REVIEWER: EA 15 MI	A 9515	AS 05-NOV-65	GL	NU 99 CT
	KNOB, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR REVIEWER: B2 99 AR AV 15 MI OS SH	A 5355	AS 28-MAR-84	GL	NU 99 CT
	COLORS, AERONAUTICAL LIGHTS AND LIGHTING EQUIPMENT, GENERAL SPECIFICATION FOR USER: ME REVIEWER: 99 GS MI	A 6220	AS 30-MAR-89	GL	NU 99 CT
	PARACHUTE RECOVERY SYSTEM, MISSILE AND DRONE, GENERAL REQUIREMENT FOR DEVELOPMENT OF [INVALIDATION DATE: B205] REVIEWER: 99	A 1670	AS 27-MAY-71	GL	NU 99 CT
	SEAT, AIRCRAFT [INVALIDATION DATE: B908]	A 1680	B2 25-AUG-89	GL	NU 99 CT
	ROCK, BOMB, AIRCRAFT, ELECTRIC, TYPE MB&3A	A 1095	B4 19-MAR-82	GL	NU 99 CT
	INDICATOR, CABIN AIR PRESSURE, PRESSURIZED AIRCRAFT, 1-7/8 INCH DIAL, TYPE MA-2 REVIEWER: GS	A 6685	B2 25-MAR-85	GL	NU 99 CT
	CARBON REMOVAL COMPOUND, ORTHODICHLOROBENZENE, FOR ENGINE PARTS [INVALIDATION DATE: B707] REVIEWER: GS OS	A 6850	11 30-JUL-87	GL	NU 99 CT
	ENGINE, AIRCRAFT, RECIPROCATING, GENERAL SPECIFICATION FOR [INVALIDATION DATE: B708]	A 2810	AS 25-AUG-87	GL	NU 99 CT
	ENGINE, AIRCRAFT, RECIPROCATING, MODEL SPECIFICATION FOR (OUTLINE AND INSTRUCTIONS F OR PREPARATION) [INVALIDATION DATE: B708]	A 2810	AS 25-AUG-87	GL	NU 99 CT
	ENGINE, AIRCRAFT, RECIPROCATING, ACCEPTANCE TESTS FOR [INVALIDATION DATE: B509] REVIEWER: 99	A 2810	AS 07-FEB-55	GL	NU 99 CT
	ENGINE, AIRCRAFT, RECIPROCATING, PRELIMINARY FLIGHT RATING TEST FOR [INVALIDATION DATE: B708]	A 2810	AS 25-AUG-87	GL	NU 99 CT
	INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY	A 6610	71 01-JUN-93	GL	NU 99 CT
	INDICATOR, PRESSURE, OIL, 0-300 PSI, TYPE MO-1 [INVALIDATION DATE: 9110] ....	A 6620	AS 16-OCT-91	GL	NU 99 CT
	REMOVER, PAINT AND LACQUER, SOLVENT TYPE	A 8010	B4 10-SEP-79	GL	NU 99 CT
	INSPECTION MATERIALS, PENETRANTS USER: ME REVIEWER: 68 99 OS EA GS OS SH ..	A 6850	11 26-JUN-89	GL	NU 99 CT
	WIRE W-106 AND W-106-A [INVALIDATION DATE: 7903] REVIEWER: 11 15	A 6145	85 10-JAN-63	GL	NU 99 CT
	WEIGHT AND BALANCE CONTROL SYSTEM (FOR AIRCRAFT AND ROTORCRAFT [INVALIDATION DATE: B410])	A 1500	AS 31-OCT-77	GL	NU 99 CT
	NOZZLE, AERIAL PRESSURE REFUELING, TYPE MA-2	A 1680	B2 12-FEB-81	GL	NU 99 CT
	COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING, TYPE MA-2 REVIEWER: B2	A 1680	AS 14-AUG-85	GL	NU 99 CT
	RELEASE, AUTOMATIC, AIRCRAFT SAFETY LAP BELT [INVALIDATION DATE: B909] .....	A 1680	B2 27-SEP-89	GL	NU 99 CT
	FASTENER, CONTROL PANEL, AIRCRAFT EQUIPMENT [INVALIDATION DATE: 7208] REVIEWER: 99 15 MI	A 5325	AS 23-NOV-59	GL	NU 99 CT
	AIR TRANSPORT, NONTACTICAL, PACKING FOR [INVALIDATION DATE: B112] REVIEWER: 99 EA MT SH	A 6605	69 03-MAY-76	GL	NU 99 CT
	TOILET, AIRCRAFT, CHEMICAL REVIEWER: CS	A 4510	B4 10-SEP-82	GL	NU 99 CT
	TRANSMITTER, REMOTE COMPASS, TYPE C-2 (UNSTABILIZED) [INVALIDATION DATE: B304] REVIEWER: 99	A 6605	AS 27-MAR-61	GL	NU 99 CT
	CABLE ASSEMBLY, SPECIAL WEAPON, ELECTRICAL, GENERAL REQUIREMENTS FOR [INVALIDATION DATE: B602] REVIEWER: 79	A 1190	15 12-FEB-86	GL	NU 99 CT
	LOADING DEVICE, PRACTICE BOMB, TYPE MD-1	A 1190	79 26-MAR-93	GL	NU 99 CT
	TRANSMITTER, PRESSURE, HYDRAULIC, TYPE MJ&1	A 6685	B2 21-AUG-85	GL	NU 99 CT
	GAGE, PRESSURE, DIAL INDICATING, HYDRAULIC, TYPE ME&1 REVIEWER: GS	A 6685	B2 21-OCT-74	GL	NU 99 CT
	INDICATOR, RATE OF FLOW, FUEL, 0-12,000 PPH	A 6620	71 15-JUN-92	GL	NU 99 CT
	INDICATOR, RATE OF FLOW, FUEL, TOTALIZING, 0-100,000 PPH, TYPE MA-B [INVALIDATION DATE: 9110]	A 6620	AS 16-OCT-91	GL	NU 99 CT
	BOTTLE ASSEMBLIES, VACUUM, AIRCRAFT REVIEWER: 03	A 7330	B4 08-SEP-82	GL	NU 99 CT
	INDICATOR, INSTRUMENT LANDING, AIRPORT RUNWAY	A 6610	71 01-JUN-93	GL	NU 99 CT
	WEAVING, TEXTILE, POLYESTER, LOW ELONGATION USER: 45 REVIEWER: MI	A 8305	CT 09-APR-90	GL	NU 99 CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Spec / Doc Coordination Index	Document Number	Document Title	Doc. Syst. FDC / Area	Spec. Symbol Preparing Act.	Date	Custodians			
						Army	Navy	As Force	DIA
L	MIL-A-25367B	ANTENNA AT&S36-ARM	A 5826	84	25-MAY-88			99	
	MIL-C-25369C	CYLINDER, CARBON DIOXIDE, FOR INFLATION OF PNEUMATIC LIFE PRESERVERS REVIEWER: 11 84 AS CS	A 4220	82	23-AUG-83	ME	SH	99	
L	MIL-L-25370D	LIFE PRESERVER INFLATING ASSEMBLY, MA-1 (VALIDATION DATE: 7305) REVIEWER: CS	A 4220	82	04-OCT-86			99	
Q	MIL-P-25374B	PLASTIC SHEET, ACRYLIC, MODIFIED, LAMINATED REVIEWER: GS	A 9330	AS	20-NOV-85	MR	AS	11	
L	MIL-F-25381A	FLIGHT TESTING, ELECTRIC SYSTEM, PILOTED AIRCRAFT AND GUIDED MISSILE, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8802) REVIEWER: 99	A MISC	11	26-FEB-88			11	
	NOTICE 1	SANDWICH CONSTRUCTION, PLASTIC RESIN, GLASS FABRIC BASE, LAMINATED FACINGS AND POLYURETHANE FOAMED-IN-PLACE CORE, FOR AIRCRAFT STRUCTURAL APPLICATIONS (VALIDATION DATE: 8804) REVIEWER: 99 GS	A 9330	AS	08-MAY-88			AS	11
	MIL-P-25395B	PLASTIC MATERIAL, HEAT RESISTANT, LOW PRESSURE LAMINATED GLASS FIBER BASE, POLYESTER RESIN REVIEWER: GS	A 9330	AS	25-MAR-86			AS	11
L	MIL-N-25410G	REGULATORS, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING REVIEWER: AV GS	A 1660	AS	15-APR-91			AS	
	MIL-P-25421B	PLASTIC MATERIALS, GLASS FIBER BASE - EPOXY RESIN, LOW PRESSURE LAMINATED (VALIDATION DATE: 9110) USER: 17 EC REVIEWER: 84 ER GS MI MR OS SH	A 9330	AS	28-OCT-91	AV		AS	11
Q	MIL-C-25427A(1)	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT (VALIDATION DATE: 8304) REVIEWER: AT CS MI	A 4730	AS	08-JAN-63			AS	99
	MIL-T-25435B(1)	TRANSMITTER, PRESSURE, AIRCRAFT VARIABLE RELUCTANCE TYPE, GENERAL SPECIFICATION FOR	A 6620	71	13-JUN-88	AV		AS	99
L	MIL-I-25437B(1)	INDICATOR, AIRCRAFT, PRESSURE, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR REVIEWER: 99 GS	A 6685	82	22-JUN-87			11	
QL	MIL-I-25438D	INDICATOR, PRESSURE, TYPE MD-2	A 6620	71	11-JAN-88			99	
QL	MIL-T-25439A(1)	TRANSMITTER, RATE OF FLOW, IN FLIGHT REFUELING, 0-10,000 PPM, TYPE MB-3 REVIEWER: GS	A 6680	82	24-JUL-81			99	
QL	MIL-T-25446D	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE REVIEWER: GS	A 6685	82	12-NOV-86			99	
L	MIL-T-25456B(1)	TESTER, HOSE ASSEMBLIES, HYDRAULIC, PNEUMATIC, HYDROCARBON FUEL AND OIL, AIRCRAFT AND MISSILE REVIEWER: CS	A 4940	AV	03-AUG-87	AV			
Q	MIL-A-25463B	ADHESIVE, FILM FORM, METALLIC STRUCTURAL SANDWICH CONSTRUCTION (VALIDATION DATE: 9110) USER: AT OS SH REVIEWER: 11 AR AV MR	A 8040	AS	28-OCT-91	MR	AS	99	
	NOTICE 1	LIGHTING, INTEGRAL, RED, AIRCRAFT INSTRUMENT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8304) REVIEWER: 99	A 6220	AS	12-JUL-77	AV	AS	11	
Q	MIL-V-25469H	VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE REVIEWER: CS	A 4820	71	17-AUG-90			AS	99
	MIL-H-25475B	HYDRAULIC SYSTEM, MISSILE, DESIGN, INSTALLATION TESTS, AND DATA REQUIREMENTS, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8304)	A 1410	AS	29-APR-71	MI		AS	99
	MIL-C-25478A(2)	COOLER, LUBRICATING OIL, AIRCRAFT ENGINE, SYNTHETIC OIL, GENERAL SPECIFICATION FOR	A 2935	71	04-AUG-86			99	
L	MIL-I-25479A	INDICATOR, MACH NUMBER, SENSITIVE, SERVOED, RANGE .5 TO 1.0, TYPE ME-5	A 6610	71	26-OCT-87			99	
QL	MIL-I-25482C	INDICATOR, THRUST, SYNCHRO STYLE, PRESSURE RATIO SENSITIVE, 1.1-3.4 UNITS, 2 INCH SIZE, TYPE MR-2	A 6620	71	18-DEC-86			99	
L	MIL-T-25485C(2)	TRANSMITTER, THRUST, SINGLE SYNCHRO STYLE, PRESSURE RATIO, TYPE MK-2	A 6620	71	30-MAY-92			99	
L	MIL-A-25487B	ANTENNA AT&I72(-)-ARM&I4	A 5826	84	16-MAY-87			99	
	MIL-E-25499C(1)	ELECTRICAL SYSTEM, AIRCRAFT, DESIGN AND INSTALLATION OF, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8809) REVIEWER: 99 CR ER	A MISC	11	30-SEP-88	AV	AS	11	
L	MIL-M-25500B	MOCKUP TESTING, ELECTRIC SYSTEM, PILOTED AIRCRAFT AND GUIDED MISSILE, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8802) REVIEWER: 99	A MISC	11	26-FEB-88			11	
	NOTICE 1	RESIN SOLUTION, SILICONE, LOW-PRESSURE LAMINATING (VALIDATION DATE: 9110) REVIEWER: 99 AR AV GS MI	A 9330	AS	28-OCT-91	MR	AS	11	
L	MIL-G-25507B	GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-2000 PSI, TYPE MF-2	A 6685	AS	15-APR-91			AS	
	MIL-P-25508E(3)	PROPELLANT, OXYGEN (VALIDATION DATE: 8808) REVIEWER: 19	A 9135	68	22-AUG-88	MI	AS	68	
	NOTICE 1	VALVE, CHECK, FOR 300 PSI LIQUID OXYGEN CONVERTER SYSTEMS, TYPE MH-1 REVIEWER: 82 CS	A 4820	71	05-MAY-86			99	
L	MIL-V-25513E	PLASTIC MATERIALS, PHENOLIC RESIN, GLASS-FIBER BASE, LAMINATED (VALIDATION DATE: 9110) REVIEWER: 84 85 AR AV MI	A 9330	AS	28-OCT-91	MR	AS	11	
	NOTICE 1	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9302) REVIEWER: 99 AS ES	A 5935	85	03-FEB-93	EC		85	
AO	MIL-C-25516D(6)	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES IV, CLASS G, TYPE 4 (VALIDATION DATE: 8702) REVIEWER: SH	A 5935	85	27-FEB-87	EC		85	
	SUPPL 1A1, NOTICE 1	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 4 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES	A 5935	85	27-FEB-87	EC		85	
	MIL-C-25516/17D	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL STRAIGHT, HERMETICALLY SEALED PANEL ADAPTER, TWO JACK ENDS, SERIES III, CLASS V, TYPE 5 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES	A 5935	85	03-NOV-88	EC		85	
	NOTICE 1	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PRESSURIZED RECEPTACLE, SERIES I, CLASS G, TYPE 1 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES	A 5935	85	27-FEB-87	EC		85	
	MIL-C-25516/18D	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PLUG, SERIES I, CLASS G, TYPE 1 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES	A 5935	85	27-FEB-87	EC		85	
	NOTICE 1	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, ISOLATED HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 2 REVIEWER: 99 AS ES	A 5935	85	19-MAY-80	EC		85	
	MIL-C-25516/22D	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, TRIAxIAL HERMETIC ADAPTER, ISOLATED GROUND, SERIES III, CLASS V, TYPE 6 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES	A 5935	85	03-NOV-88	EC		85	
	NOTICE 1	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE COAXIAL PLUG, TYPE 25516/23 (VALIDATION DATE: 8702) REVIEWER: 99 ES	A 5935	85	27-FEB-87	EC		85	
	MIL-C-25516/23	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE	A 5935	AS	16-OCT-91			AS	85
	MIL-C-25516/24	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE	A 5935	85	03-NOV-88	EC		85	
	NOTICE 2	COAXIAL PRESSURIZED RECEPTACLE, TYPE 25516/24 (VALIDATION DATE: 9110)	A 5935	85	03-NOV-88	EC		85	
	MIL-C-25516/25B	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES I, CLASS H, TYPE 1 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES	A 5935	85	27-FEB-87	EC		85	
	NOTICE 1	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL PLUG, SERIES I, CLASS G, TYPE 3 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES	A 5935	85	27-FEB-87	EC		85	
	MIL-C-25516/26A	CONNECTOR, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, COAXIAL HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS H, TYPE 4 (VALIDATION DATE: 8702) REVIEWER: 99 AS ES	A 5935	85	03-NOV-88	EC		85	
Q	MIL-C-25516/27A	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, PLUG (LAMPYARD RELEASE), SERIES I, CLASS G, TYPE 1 (VALIDATION DATE: 8811) USER: ME OS REVIEWER: 99 AS ES SH	A 5935	85	03-NOV-88	EC		85	
	NOTICE 1	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENT RESISTANT TYPE, HERMETICALLY SEALED RECEPTACLE, SERIES IV, CLASS G, TYPE 4 (VALIDATION DATE: 8811) REVIEWER: 99 AS ES	A 5935	85	03-NOV-88	EC		85	
	MIL-C-25516/28B	PLASTIC MATERIALS, SILICONE RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED USER: MC OS SH REVIEWER: 99 AV GS MI	A 9330	AS	29-SEP-81	MR	AS	11	
	NOTICE 1	GAGE, PRESSURE, DIAL INDICATION, OXYGEN 0-500 PSI, TYPE MF-3	A 6685	AS	15-APR-91			AS	
L	MIL-T-25524C(3)	TURBINE FUEL, AVIATION, THERMALLY STABLE REVIEWER: 68 PS	A 9130	11	07-NOV-86			11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Org / Code Coordination Inhouse Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
Q MIL-C-25531D	COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE	A 4730 82 21-MAR-86	AS	99		
L MIL-C-25531/1	REVIEWER: CS					
L MIL-C-25531/1	COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW	A 4730 AS 25-SEP-91	AS			
L MIL-R-25532A(2)	PRESSURE, DIRECT RELEASE [VALIDATION DATE: 9109]					
L MIL-R-25533A(1)	ROCKET MOTOR, AERONAUTICAL, QUALIFICATION TEST FOR [VALIDATION DATE: 8204]	A 1337 12 05-MAR-65		12		
	REVIEWER: 14 19 99 MI					
L MIL-R-25534A(1)	ROCKET MOTOR, AERONAUTICAL, MODEL SPECIFICATION FOR [OUTLINE AND	A 1336 12 26-JUN-59		12		
	INSTRUCTIONS FOR PREPARATION] [VALIDATION DATE: 8204] REVIEWER: 14 19 99					
L MIL-R-25534A(1)	MI					
L MIL-R-25535A(1)	ROCKET MOTOR, AERONAUTICAL, QUALIFICATION TEST FOR [VALIDATION DATE: 8204]	A 1336 12 26-JUN-59		12		
L MIL-R-25535A(1)	REVIEWER: 19 99 MI					
L MIL-R-25536A(1)	ROCKET MOTOR, AERONAUTICAL, PRELIMINARY FLIGHT RATING TEST FOR [VALIDATION	A 1336 12 26-JUN-59		12		
	DATE: 8204] REVIEWER: 19 99 MI					
Q MIL-G-25537C(1)	ROCKET MOTOR, AERONAUTICAL, ACCEPTANCE TEST FOR [VALIDATION DATE: 8204]	A 1336 12 26-JUN-59		12		
L MIL-C-25539B	REVIEWER: 14 19 99 MI					
L MIL-A-25546C(1)	GREASE, AIRCRAFT, HELICOPTER OSCILLATING BEARING, NATO CODE NUMBER G-366,	A 9150 AS 08-APR-88	ME	AS	11	
	METRIC REVIEWER: 68 AV GS PS					
L MIL-L-25547B(1)	CANDLE, ILLUMINATING, SURVIVAL, HIGH MELTING POINT [VALIDATION DATE:	A 6260 82 21-JUL-76		99		
	8212] REVIEWER: GL GS					
L MIL-L-25547B(1)	AMPLIFIER, AUDIO FREQUENCY AM-944/AIC-13	A 5831 84 04-AUG-86		99		
ML MIL-L-25547B(12)	NOTICE 1					
L MIL-C-25548C(1)	LOUDSPEAKER, PERMANENT MAGNET LS-211/AIC-13 [VALIDATION DATE: 9201] USER:	A 5965 85 24-JAN-92	CR	EC	85	
L MIL-G-25561A(3)	AN AT AV ME OS REVIEWER: 99 ES					
L MIL-H-25565E	LOUDSPEAKER, PERMANENT MAGNET, LS-211/AIC-13 [VALIDATION DATE: 8206]	A 5965 85 03-OCT-77		85		
	REVIEWER: 99 ES					
L MIL-C-25561A(3)	CONTROL, PUBLIC ADDRESS SET C&1614-AIC&13 [VALIDATION DATE: 8608]	A 5831 84 12-AUG-86		99		
L MIL-L-25567D(1)	NOTICE 1					
L MIL-R-25572A(1)	GRIP ASSEMBLY, CONTROLLER, AIRCRAFT, TYPE MC&2	A 1680 82 14-OCT-83		99		
L MIL-P-25576C(2)	RELEASE, PARACHUTE RIPCORD, AUTOMATIC, TYPES F-1B AND F-1 [VALIDATION	A 1670 82 13-AUG-74		99		
LI MIL-H-25579E	DATE: 8404] USER: GL REVIEWER: 11					
	LEAK DETECTION COMPOUND, OXYGEN SYSTEMS (METRIC) REVIEWER: 11 EA GS MI	A 6850 68 13-NOV-84	AV	AS	68	
Q MIL-G-25591E(1)	REGULATOR, OXYGEN, BAROMETRIC DEMAND, GENERAL SPECIFICATION FOR	A 1660 71 23-MAY-88		99		
	[VALIDATION DATE: 8805]					
Q MIL-K-25594D	PROPELLANT, KEROSENE REVIEWER: 14 19 68 EA MI PS	A 9130 11 15-JUN-82	ME	AS	11	
Q MIL-G-25597(4)	MOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE MEDIUM PRESSURE,	A 4720 82 24-JAN-85	AV	AS	99	
L MIL-C-25601C(2)	GENERAL REQUIREMENTS FOR USER: SH REVIEWER: 69 AN EA GL ME					
L MIL-P-25604D(1)	GYROSCOPE, RATE, SWITCHING, TYPE MC&1	A 6615 71 04-MAY-87		99		
L MIL-T-25620C	KNIFE, POCKET, HOOK BLADE AND SNAP BLADE MC-1 REVIEWER: 11 GS	A 5110 84 14-DEC-88		99		
Q MIL-T-25623A(3)	GYROSCOPE, DISPLACEMENT, ROLL AND PITCH, TYPE MD&1	A 6615 71 04-AUG-86		99		
Q MIL-T-25624F	COUPLER, ANTENNA CU-3080/U [VALIDATION DATE: 8403]	A 5985 84 26-JAN-71		99		
QL MIL-T-25627C(2)	PROPELLANT, UNS-DIMETHYLHYDRAZINE [VALIDATION DATE: 8512] USER: SH	A 9135 68 10-APR-78	MI	AS	68	
L MIL-I-25645D(2)	REVIEWER: 12 19 OS					
L MIL-C-25666E	CONTROL, ALARM, AIRSPEED AND LANDING GEAR WARNING, TYPE MJ-3 [VALIDATION	A 6340 82 28-JUN-78		AS	99	
L MIL-G-25667B(1)	DATE: 8508]					
QL MIL-E-25670A(1)	TESTER, OXYGEN MASK, HEADSET AND MICROPHONE, TYPE MQ-1A REVIEWER: GS	A 6695 82 23-JUL-87		99		
L MIL-E-25670/1A	INDICATOR, ELECTRICAL TACHOMETER, AIRCRAFT TURBO SPEED, 0-110 PERCENT RPM,	A 6620 71 30-JUN-83		AS	99	
L MIL-E-25670/2B	2 INCH SIZE, TYPE MU-1 (ASG) REVIEWER: 11 80					
QL MIL-C-25674C	TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI [VALIDATION	X 6620 71 01-AUG-87		AS	99	
Q MIL-V-25675B(5)	DATE: 8708]					
Q MIL-A-25676D	TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OR SIDESLIP	A 6610 71 06-NOV-87		99		
Q MIL-H-25677C	INDICATOR, LIQUID OXYGEN QUANTITY, CAPACITANCE TYPE, GENERAL SPECIFICATION	A 6680 82 26-JUL-77		11		
	FOR [VALIDATION DATE: 8304] REVIEWER: 99 GS					
L MIL-J-25689A	CONVERTER, LIQUID OXYGEN, CAPACITANCE TYPE GAGING, GENERAL SPECIFICATION	A 1660 71 07-MAR-86		99		
AQ MIL-P-25690B	FOR [VALIDATION DATE: 8603]					
A L MIL-C-25694B	CLASS, MONOLITHIC, AIRCRAFT GLAZING [VALIDATION DATE: 8901] REVIEWER: 99	A 9340 11 20-JAN-89	NR	AS	11	
L MIL-A-25707D	CS					
L MIL-A-25707/1A	EAPHONE ELEMENTS GENERAL SPECIFICATION FOR REVIEWER: 99 ES	A 5965 85 27-FEB-87		85		
L MIL-A-25707/2A	EAPHONE ELEMENTS, M-136/AIC [VALIDATION DATE: 8702] REVIEWER: 99 ES	A 5965 85 27-FEB-87		85		
L MIL-A-25707/3A	EAPHONE ELEMENT, M-143/AIC [VALIDATION DATE: 8702] REVIEWER: 99 ES	A 5965 85 27-FEB-87		85		
Q MIL-A-25708C	CONVERTER, LIQUID OXYGEN, TYPE ME-3 REVIEWER: 11	A 1660 71 17-MAR-86		99		
L MIL-A-25708/1D	NOTICE 1					
L MIL-A-25708/2A	VALVE, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE [VALIDATION DATE:	A 4820 71 02-MAY-72	AV	AS	99	
L MIL-A-25708/3B	8202] REVIEWER: CS MI					
L MIL-A-25708/5A	ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT	A 4730 82 27-JUL-83		AS	99	
L MIL-J-25718B(4)	NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING [VALIDATION DATE:	A 4930 82 18-OCT-68		AS	99	
L MIL-A-25719A(2)	8209]					
L MIL-P-25726B(3)	LUBRICANT MOLYBDENUM DISULFIDE, SILICONE [VALIDATION DATE: 9105] REVIEWER:	A 9150 11 01-MAY-91	ME	AS	68	
Q L MIL-C-25732C(1)	AR OS GS MI PS					
A L MIL-H-25744B(1)	INDICATOR, ELECTRICAL TACHOMETER ERU-4/A CRANKSHAFT SPEED, 500-4,000 RPM,	A 6620 71 23-SEP-88		99		
QL MIL-C-25777C(3)	2 INCH SIZE REVIEWER: GS					
	PLASTIC, SHEET AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK	A 9330 AS 29-JAN-93	ME	AS	11	
	PROPAGATION RESISTANT REVIEWER: AV GS					
	CLOTH, NYLON, METALIZED [VALIDATION DATE: 8707] USER: 45 REVIEWER: 99 MU	A 8305 CT 30-JUL-87	SA	11	CT	
	..					
	ANTENNA, FLUSH MOUNT, L-BAND, GENERAL SPECIFICATION FOR [VALIDATION DATE:	A 5985 85 30-JAN-87		85		
	8701] REVIEWER: 11 99					
	ANTENNA, FLUSH MOUNT, TYPE AT-740/A [VALIDATION DATE: 8701] REVIEWER: 11	A 5985 85 30-JAN-87		85		
	99					
	ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 14.90 INCHES) [VALIDATION	A 5985 85 30-JAN-87		85		
	DATE: 8701] REVIEWER: 11 99					
	ANTENNA, FLUSH MOUNT (RADIUS OF CURVATURE - 66.50 INCHES) [VALIDATION	A 5985 85 30-JAN-87		85		
	DATE: 8701] REVIEWER: 11 99					
	ANTENNA, BLADE, L-BAND, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AV ES	A 5985 85 02-MAR-87	ER	AS	85	
	...					
	ANTENNA, BLADE, AT-741B/B (HM CONNECTOR) USER: 70 71 84 REVIEWER: 11 80 AV	A 5985 85 27-DEC-85	ER	AS	85	
	ES					
	ANTENNA, BLADE, AS-2685/A [VALIDATION DATE: 8701] REVIEWER: 11 99 ES	A 5985 85 30-JAN-87		85		
	.....					
	ANTENNA, BLADE, AS-2686/A (HM CONNECTOR) REVIEWER: 11 99 AV ES	A 5985 85 02-MAR-87	ER	AS	85	
	.....					
	ANTENNA, BLADE, L-BAND (4 HOLE MOUNT, N-CONNECTOR) REVIEWER: 99 AV ES	A 5985 85 02-MAR-87	ER	AS	85	
	.....					
	JUG, INSULATED, TYPE CMJ-2/C	A 7330 84 14-SEP-87		99		
	ACCELEROMETER, MECHANICAL, AIRCRAFT, PILOTS WARNING, TYPE MA-1	A 6610 71 09-FEB-84		99		
	PROBE, TOTAL TEMPERATURE, TYPE MA-1 REVIEWER: 11 GS	A 6685 82 05-APR-67		AS	99	
	ANTENNA SUBSYSTEMS FOR AIRBORNE IDENTIFICATION AND NAVIGATION EQUIPMENTS,	A 5985 11 07-JUN-76	AV	11		
	GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205] REVIEWER: 85 ES SC					
	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE	A 5330 11 15-NOV-89	AV	AS	11	
	AT 275 DEG. F (135 DEG. C) USER: ME OS REVIEWER: 82 99 IS NR SH					
	MOOD, WINTER, KMT, MOOL USER: 45	A 8415 CT 20-OCT-86		99	CT	
	CONVERTER, LIQUID OXYGEN GCU-2A/A REVIEWER: 11	A 1660 71 08-APR-86		99		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / Ord Combination Notice	Document Number	Document Title	Dist. Smt. FSC / Ans	Mkt Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DLA
QL	MIL-C-25781C(1)	CONVERTER, LIQUID OXYGEN GOJ-3/A REVIEWER: 11	A 1660	71	17-NOV-86				99
QL	MIL-L-25798D	LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MB-1	A 4220	82	18-MAR-84				99
L	MIL-M-25802F	MANUAL TECHNICAL: LOADING & TRANSPORT OF NUCLEAR WEAPON CARGO IN CARGO	A TMSS	16	10-JUL-86				16
A LI	MIL-T-25821B	NOTICE 1 AIRCRAFT, PREPARATION OF [VALIDATION DATE: 8603] REVIEWER: 01 10 79							
A LI	MIL-C-25830A(2)	TEST SET, AIRCRAFT WIRING SYSTEM, SPECIAL WEAPON AN/GM-4 REVIEWER: 15	A 1190	79	31-AUG-92				79
L	MIL-M-25848B	NOTICE 2 CLIP-IN SUBASSEMBLY MHU-20/C	A 1190	79	31-AUG-92				79
QL	MIL-L-25852B(1)	TECHNICAL MANUAL, AIRCRAFT, SPECIAL WEAPON, AIR-TO-GROUND MISSILE DELIVERY,	A TMSS	16	10-JUL-86				16
QL	MIL-L-25859B(3)	STRATEGIC BOMBER AIRCRAFT, PREPARATION OF [VALIDATION DATE: 8607] REVIEWER: 10							
QL	MIL-L-25861D(3)	INDICATOR, TEMPERATURE, THERMOCOUPLE EMU-4/A REVIEWER: GS	A 6685	82	15-FEB-83				99
Q	MIL-L-25863D	INDICATOR, THRUST AEU-2/A, SYNCHRO STYLE, PRESSURE RATIO 1.2-3.4 UNITS, INTEGRALLY LIGHTED	A 6620	71	17-MAR-87				99
L	MIL-L-25866B(1)	INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI, INTEGRALLY LIGHTED REVIEWER: GS	A 6685	82	24-JUL-81				99
QL	MIL-G-25867C	INDICATOR, ELECTRICAL TACHOMETER 0-110 PERCENT RPM, 2 INCH SIZE, INTEGRALLY LIGHTED	A 6620	71	15-AUG-90			AS	99
QL	MIL-G-25871B(1)	LIGHT, EMERGENCY EXIT, AIRCRAFT LEU-1/A [VALIDATION DATE: 9103] REVIEWER: AV GS	A 6220	82	15-MAR-91				99
QL	MIL-S-25879C(1)	GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC REVIEWER: MI	A 6685	82	03-MAY-79				99
L	MIL-A-25895	GLASS, LAMINATED, AIRCRAFT GLAZING REVIEWER: GS	A 9340	11	30-DEC-85			SH	11
Q	MIL-A-25896E	SWITCH, RADIO FREQUENCY TRANSMISSION LINE SA-521A/A [VALIDATION DATE: 8206] REVIEWER: 11 99 AV ES OS	A 5985	85	01-AUG-76				85
L	MIL-T-25905C	ANTENNA AT&S05-AP [VALIDATION DATE: 8701] REVIEWER: ES	A 5985	85	30-JAN-87				85
L	MIL-L-25906C	ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5-INCH DIAMETER [VALIDATION DATE: 8912]	A 1560	84	28-DEC-89	AV	AS		99
L	MIL-L-25907B	TRANSMITTER, RATE OF FLOW, TRU-7/A FUEL, 0-15,000 PPM	A 6620	71	30-OCT-90				99
L	MIL-L-25908C	INDICATOR, RATE OF FLOW EFU-3-A, FUEL, 0-15,000 PPM	A 6620	71	31-OCT-86				99
L	MIL-L-25915A(2)	INDICATOR, RATE OF FLOW EFU-4/A, FUEL TOTALIZING 500-15,000 PPM	A 6620	71	04-FEB-86				99
QL	MIL-R-25916A(1)	INDICATOR, RATE OF FLOW EFU-5/A, FUEL TOTALIZING, 0-120,000 PPM	A 6620	71	11-MAY-87				99
QL	MIL-A-25933B	ACCELEROMETER, AIRCRAFT, PILOT'S WARNING, TYPE MA-2	A 6610	71	28-OCT-88				99
L	MIL-P-25941D	REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC PRESSURE BREATHING, (INACTIVE USE MIL-R-83178)	A 1660	71	05-JAN-88				99
L	MIL-P-25945B	ALTIMETER, PRESSURIZED COMPARTMENT, INTEGRALLY LIGHTED 0-50,000 FEET, 1-7/8 INCH DIAL REVIEWER: GS	A 6685	82	29-MAR-85				99
A	MIL-S-25948J(1)	INDICATOR, TURN AND SLIP, 2-INCH SIZE, INTEGRALLY LIGHTED	A 6610	71	17-OCT-86			AS	99
QL	MIL-A-25949E(2)	PILOT TUBE, ELECTRICALLY HEATED, TEMPERATURE CONTROLLED [VALIDATION DATE: 8410]	A 6610	AS	29-APR-59			AS	
QL	MIL-L-25950B(3)	SUNGLASSES, MGU-4/P (WITH CASE) USER: 45 REVIEWER: 82 MD MS	A 8465	CT	28-AUG-86	GL	AS		99 CT
QL	MIL-C-25955(3)	ACCELEROMETER, AIRCRAFT RANGE-5 TO PLUS 10G UNITS, INTEGRALLY LIGHTED	A 6610	71	19-JUN-85				99
Q	MIL-T-25959C(2)	INDICATOR, PRESSURE, OIL, 0-100 PSI	A 6620	71	12-SEP-86				99
Q	MIL-V-25961E(1)	CONNECTOR, ELECTRICAL, ENVIRONMENT RESISTING MINIATURE, WITH SNAP-IN CONTACTS [VALIDATION DATE: 8702] USER: MI REVIEWER: 11 99 ES	A 5935	85	15-FEB-87				85
QL	MIL-V-25962C	TIE DOWNS, CARGO, AIRCRAFT [VALIDATION DATE: 9012] USER: ME REVIEWER: AV	A 1670	82	19-DEC-90	GL	AS		99
L	MIL-L-25971B(1)	VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, CRU-50/A [VALIDATION DATE: 8801] REVIEWER: 99 CS	A 4820	71	21-JAN-88			AS	11
L	MIL-C-25972C	VALVE, LIQUID OXYGEN DRAIN REVIEWER: CS	A 4820	71	31-OCT-88				99
QL	MIL-C-25973B(4)	LIGHT, AIRPORT TRAFFIC REVIEWER: 11 AS GS	A 6210	82	27-JAN-84				99
L	MIL-S-25980A	CONVERTER, LIQUID OXYGEN GOJ-11/A	A 1660	71	31-OCT-83				99
A	MIL-R-25988B	CONVERTER, LIQUID OXYGEN GOJ-12/A	A 1660	71	05-SEP-86				99
A L	MIL-R-25988/1A	CONVERTER, LIQUID OXYGEN GOJ-10-A [VALIDATION DATE: 8901]	A 1660	71	13-JAN-89				99
A L	MIL-R-25988/2(1)	SWITCH, FLOAT, AIRCRAFT FUEL LEVEL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8306]	A 2915	82	15-JUN-65				99
A L	MIL-R-25988/3(1)	RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, SHEETS, STRIPS, MOLDED PARTS, AND EXTRUDED SHAPES [VALIDATION DATE: 9212] USER: SH	A 5330	11	10-DEC-92	NR	AS		11
A L	MIL-R-25988/4(1)	RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 70 [VALIDATION DATE: 9212] REVIEWER: MI OS	A 5330	11	10-DEC-92				11
L	MIL-L-25992A(5)	RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 60 [VALIDATION DATE: 9212] REVIEWER: OS	A 5330	11	10-DEC-92				11
D L	MIL-R-25995B	RUBBER, FLUOROSILICONE ELASTOMER, OIL-AND-FUEL-RESISTANT, O-RINGS, CLASS 1, GRADE 80 [VALIDATION DATE: 9212] REVIEWER: 99 OS	A 5330	11	10-DEC-92				11
L	MIL-S-26000C	INDICATOR BEARING DISTANCE HEADING ID-526A/ARM AND ID-79B/ARM	A 6605	71	01-DEC-86				99
L	MIL-T-26017C	PIPE, ALUMINUM ALLOY, DRAWN OR EXTRUDED USER: ME REVIEWER: CS EA YD1	A 4710	82	02-MAR-82				99
L	MIL-T-26025E	STAND TEST, AIRCRAFT HYDRAULIC SYSTEM, ELECTRIC MOTOR DRIVEN, TYPE MK2	A 4920	82	01-APR-87			AV	99
QL	MIL-B-26026B(1)	TEST STAND HYDRAULIC SYSTEM COMPONENTS TYPE MK-3A [VALIDATION DATE: 8808]	A 4920	82	31-AUG-88				99
QL	MIL-C-26058C(2)	TRACTOR, AIRCRAFT TOWING, DIESEL ENGINE DRIVEN (DED), 4X4, 4 WHEEL STEER, 10,300 POUNDS DRAWBAR PULL, PNEUMATIC RUBBER TIRED	A 1740	84	28-DEC-88				99
L	MIL-T-26089C	BATTERY, STORAGE, AIRCRAFT, TYPE MA-2-1 REVIEWER: GS	A 6140	80	24-JUL-79				99
A	MIL-G-26071B	CARTRIDGE, GAS PURIFIER, EXTREMELY LOW DEWPOINT, TYPE MA2 REVIEWER: CS	A 4440	84	17-MAR-81				99
L	MIL-C-26074E	TRAILER, COMPRESSED GAS CYLINDER AF-M32H3, HIGH PRESSURE 2 WHEEL 6 CYLINDER CAPACITY [VALIDATION DATE: 7507] REVIEWER: GS	A 3655	82	10-JUN-69				99
L	MIL-L-26087B(1)	GOGGLES, SWIM, GLOBAL SURVIVAL, TYPE MA81 USER: 45 REVIEWER: 85	A 8465	CT	17-OCT-84				99 CT
L	MIL-C-26094E	COATINGS, ELECTROLESS NICKEL REQUIREMENTS FOR USER: ME OS REVIEWER: 68 84 99 AR MI SH	A MFP	11	30-OCT-90	NR	AS		11
L	MIL-A-26107D	LUBRICATING OIL, RECIPROCATING COMPRESSOR, GROUND SUPPORT [VALIDATION DATE: 9105] REVIEWER: AR AT EA GS PS	A 9150	68	25-MAY-91	NR	AS		68
L	MIL-R-26126A	CAN, HERMETIC SEALING, ALUMINUM, TWO-PIECE USER: SH REVIEWER: 99 EA GS MI SH	A 8110	69	14-JUL-86	GL	SA		69
L	MIL-T-26139B	AIR CONDITIONER, TRAILER MOUNTED, FREON CYCLE, 11&1-2 TON REFRIGERATING CAPACITY, TYPE MA63 REVIEWER: GS	A 4120	82	05-OCT-60				99
L	MIL-T-26141D	RELAYS, ELECTRICAL, OVERVOLTAGE DC GENERAL SPECIFICATION FOR REVIEWER: 99 AV ES	A 5945	80	08-FEB-73				80
L	MIL-J-26149E	RELAY, ELECTRICAL, OVERVOLTAGE, TYPE 11, HYBRID, SEALED REVIEWER: 99 ES	A 5945	85	09-APR-78				85
L	MIL-C-26165D(1)	TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT AF-M24T&3	A 4920	82	15-JUN-83				99
L	MIL-P-26191B(1)	TESTER, PRESSURIZED CABIN LEAKAGE, AIRCRAFT AF-M32T-1	A 4920	82	15-JUN-83				99
D	MIL-B-26195C	JACK, HYDRAULIC, AIRCRAFT MAINTENANCE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109] USER: MC REVIEWER: 11 82	A 1730	AS	25-SEP-91	AV	AS		99
DO	MIL-L-26202D(2)	COMPRESSOR, AIR, ELECTRIC MOTOR DRIVEN, 30 CFM, 400 PSI, SKID MOUNTED TYPE AF/E32A-1	A 4310	84	06-DEC-79				99
L	MIL-M-26217B(1)	PUMPING UNIT, HYDRAULIC AF-M27H-1 AND F/M27H-2 [VALIDATION DATE: 8505]	A 1730	82	15-NOV-78				99
L	MIL-L-26202D(2)	BOX, WOOD-CLEATED, SKIDDED, LOAD-BEARING BASE USER: AV CE MC MI REVIEWER: 70 71 AS AT SH YD1	A 8115	69	15-MAY-87	GL	SA		69
L	MIL-M-26217B(1)	LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR [VALIDATION DATE: 7305] USER: YD1 REVIEWER: 11 GS	A 6210	82	02-AUG-66			AS	99
L	MIL-M-26217B(1)	WINCH, DRUM, POWER OPERATED AF/E24H-1, CARGO LOADING, 4000 POUND CAPACITY, VARIABLE SPEED, 20V DC PORTABLE REVIEWER: CS	A 3950	84	14-NOV-67				99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn Cntr / Cntr Cntr / Cntr Cntr / Cntr	Docu- ment Number	Docu- ment Title	Dist Smt	FSC / Ane MCA Symbol	Preparing Date	Custodians Army Navy Air Force DIA
Q	MIL-T-26219A(1)	TEST SET, INDICATOR-GENERATOR, TACHOMETER TTU-27/L, AIRCRAFT INSTRUMENTS, FIELD	A 4920	AS	02-FEB-87	AV AS
Q	MIL-B-26220D(4)	BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, GENERAL SPECIFICATION FOR REVIEWER: 11 GS	A 6140	80	26-FEB-85	AV 99
L	MIL-T-26225A	TRAILER, LIFT, AIRCRAFT & MISSILE ENGINE ETU8B-E [VALIDATION DATE: 7603] ..	A 1730	82	03-SEP-59	99
L	MIL-C-26237C	CRADLE, AIRCRAFT/MISSILE COMPONENTS MM8B1-E .....	A 1730	82	10-MAY-83	99
L	MIL-P-26292C(3)	PITOT AND STATIC PRESSURE SYSTEMS, INSTALLATION AND INSPECTION OF	A 6610	11	30-SEP-88	11
Q	MIL-T-26298E(2)	NOTICE 1 TRANSMITTER, RATE OF FLOW TRU-6/A, 0-5,000 PPM .....	A 6620	71	20-AUG-87	AS 99
	MIL-I-26299G	INDICATOR, RATE OF FLOW, 0-5000 PPM, INTEGRALLY LIGHTED (CONTROLLED DISTRIBUTION)	B 6620	71	16-JAN-90	AS 99
	MIL-F-26301E	FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 11 99 ER ES	A 5945	85	15-APR-91	AV AS 85
L	MIL-H-26312A	HEADSET/MICROPHONE M8157-AIC [VALIDATION DATE: 7801] REVIEWER: 99 ES .....	A 5965	85	20-DEC-62	85
L	MIL-A-26336(2)	ANTENNA AT&B40-ARC [VALIDATION DATE: 7602] REVIEWER: ES .....	A 5985	84	20-FEB-59	99
D	MIL-C-26339C	CARRIER, CARGO, ARCTIC TRACKLAYING, CARGO AND PASSENGER, OVER-THE-SNOW TYPE	A 2320	84	08-DEC-82	AT YD 99
L	MIL-P-26342B(1)	PALLET BOX, FIBERBOARD, EXPENDABLE, FOR AIR SHIPMENT USER: GL REVIEWER: 99 SM	A 8115	69	16-SEP-87	69
L	MIL-A-26360B(1)	AMPLIFIER, ELECTRICAL CONTROL ASU83-A .....	A 6610	71	12-NOV-86	99
D	MIL-P-26366A(1)	PROPELLER SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 99 .....	A 1610	AV	22-MAY-84	AV AS
	MIL-P-26367A	PROPELLER SYSTEMS, AIRCRAFT, MODEL SPECIFICATION FOR (OUTLINE AND INSTRUCTIONS FOR PREPARATION) [VALIDATION DATE: 8808]	A 1610	AV	30-AUG-88	AV YD 11
QL	MIL-I-26380B(1)	INDICATOR, LIQUID OXYGEN QUANTITY CMU-5/A REVIEWER: 11 GS .....	A 6680	82	25-SEP-68	99
QL	MIL-I-26382B	INDICATOR SET, LIQUID OXYGEN QUANTITY, A-A24384 REVIEWER: GS .....	A 6680	82	25-MAR-85	99
L	MIL-H-26385D(3)	MOSE, OXYGEN AND PRESSURIZATION, OZONE RESISTANT REVIEWER: 11 CS .....	A 4720	71	23-JUN-92	AT 99
L	MIL-D-26392B(1)	DUMMY CONVERTER, LIQUID OXYGEN INDICATOR SYSTEM, 10 LITER CRU-23/A REVIEWER: 11	A 1660	71	19-DEC-86	99
L	MIL-D-26393B(1)	DUMMY CONVERTER, LIQUID OXYGEN INDICATOR SYSTEM, 25 LITER, CRU-24/A REVIEWER: 11	A 1660	71	21-OCT-86	99
	MIL-I-26398D(1)	TEST STAND, AIRCRAFT HYDRAULIC SYSTEM, TRAILER-MOUNTED, A/M271-2, ELECTRIC-MOTOR-DRIVEN, TRIPLE SYSTEM [VALIDATION DATE: 7305]	A 4920	82	30-JUN-67	AV 99
A L	MIL-A-26442	ADAPTERS, WAVEGUIDE-TO-COAXIAL [VALIDATION DATE: 9301] .....	A 5935	85	29-JAN-93	85
	MIL-C-26460/12	CABLE, ELECTRICAL, 600 VOLTS, LIGHTWEIGHT, MULTI-PAIR, AWG, 26, TYPE 2X0 USER: AR CG ME REVIEWER: 99 EC 15	A 6145	SH	10-AUG-84	MI SH 85
Q	MIL-C-26482G(5)	CONNECTORS, ELECTRICAL, (CIRCULAR, MINIATURE, QUICK DISCONNECT, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR USER: AV REVIEWER: 17 99 AR EC ES SH TO	A 5935	CR	03-JAN-91	CR AS 85
	MIL-W-26497C	WRENCH, TORQUE, SCREWDRIVER TYPE [VALIDATION DATE: 9203] USER: AR REVIEWER: AV	A 5120	GL	27-MAR-92	GL AS 99
Q	MIL-H-26499C	MOSE ASSEMBLY, METAL, FLEXIBLE, BREATHING OXYGEN REVIEWER: CS .....	A 4720	82	10-APR-89	AV AS 99
QL	MIL-C-26500E(4)	CONNECTORS, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR REVIEWER: 99 ES	A 5935	85	30-SEP-88	85
L	MIL-T-26510E	TRUCK, TANK, A-532A-2	A 2320	84	28-DEC-87	99
D	MIL-P-26514F	POLYURETHANE FOAM, RIGID OR FLEXIBLE, FOR PACKAGING USER: AT MC ME OS PA YD1 REVIEWER: 99 AV DS SA SH	A 8135	69	18-DEC-87	GL AS 69
L	MIL-C-26516	CAP, LUBRICATION FITTING, PROTECTIVE [VALIDATION DATE: 8503] REVIEWER: CS	A 4730	AR	18-JUL-58	AR
Q	MIL-P-26517A(5)	POWER SUPPLY, TRANSFORMER-RECTIFIER, AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8209] REVIEWER: 11 GS	A 6130	80	13-OCT-71	AV 99
QL	MIL-C-26518B(3)	CONNECTOR, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEGREES C AMBIENT TEMPERATURE (INACTIVE FOR NEW DESIGN) USE MIL-C-83733C REVIEWER: 11 99 ES	A 5935	85	22-APR-88	85
D L	MIL-H-26521G	MOSE ASSEMBLY, NONMETALLIC, FUEL, COLLAPSIBLE, LOW TEMPERATURE WITH NON-REUSABLE COUPLINGS REVIEWER: AR AV CS YD1	A 4720	82	31-JAN-92	99
Q	MIL-I-26525F	INDICATOR, VOLTAGE, BATTERY GENERATOR 28 VOLT DC (NOMINAL) USER: MC REVIEWER: ME	A 6625	AT	24-FEB-88	AT 99
	MIL-P-26536D	PROPELLANT, HYDRAZINE REVIEWER: 12 19 OS .....	A 9135	68	27-JUL-87	68
	MIL-P-26539D(1)	PROPELLANTS, NITROGEN TETROXIDE REVIEWER: 12 14 19 .....	A 9135	68	12-MAR-91	MI AS 68
	MIL-M-26542D(1)	MICROPHONE, DYNAMIC GENERAL SPECIFICATION FOR USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	14-JUN-85	CL EC 85
	MIL-M-26542/1C	MICROPHONE, M26542/1-01 [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CL EC 85
	MIL-M-26542/2C	MICROPHONES, M87/AIC, M26542/2-01, M26542/2-02, AND M26542/2-03 [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/3B	MICROPHONE, M-100/AIC [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/4B	MICROPHONE ELEMENT, M-101/AIC [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/5B	MICROPHONE, DYNAMIC M-102/AIC [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/6B	MICROPHONE, M-103/AIC [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/7A	MICROPHONE, M-94B/A [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/8A	MICROPHONE, DYNAMIC, M-116( )/G [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/9A	MICROPHONE DYNAMIC, M-133/U [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/10A	MICROPHONE, M-138/G USER: AR AS AT AV ME OS REVIEWER: ES .....	A 5965	85	29-MAR-85	CL EC 85
	MIL-M-26542/11	MICROPHONE, M26542/11-01 [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
	MIL-M-26542/12	MICROPHONE, M-169/AIC [VALIDATION DATE: 9201] USER: AR AT AV ME OS REVIEWER: 99 AS ES	A 5965	85	20-JAN-92	CR EC 85
Q	MIL-S-26547C	STARTER-GENERATOR ENGINE STU-6A .....	A 2925	82	26-JUL-85	AV AS 99
QL	MIL-D-26549A(1)	DESCALING COMPOUND, ALKALINE, HOT SECTION JET ENGINE PARTS [VALIDATION DATE: 8707] REVIEWER: 68 GS	A 6850	11	30-JUL-87	11
L	MIL-T-26561C	TESTER, TYPE M82 RECEPTION COUPLING BREAKAWAY FORCE, PORTABLE .....	A 4920	82	21-NOV-84	99
L	MIL-T-26569B	TRANSMITTER, POSITION .....	A 6610	71	23-SEP-87	99
Q	MIL-G-26611C(1)	GENERATOR, TACHOMETER GEU-7/A, MINIATURE .....	X 6620	71	23-APR-86	AV AS 99
L	MIL-A-26624B	AIR CONDITIONER, M/M32C-5, TRAILER MOUNTED, VAPOR CYCLE, ELECTRIC MOTOR DRIVEN REVIEWER: GS	A 4120	82	10-SEP-81	99
	MIL-M-26626C	MOSE ASSEMBLY, NON METALLIC TETRAFLUOROETHYLENE, OXYGEN .....	A 4720	71	05-OCT-87	AV AS 99
QL	MIL-H-26633C	MOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, OXYGEN USER: 11 REVIEWER: CS .....	A 4720	82	10-JUN-85	99
A L	MIL-C-26637A	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES LT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9301] USER: 11 REVIEWER: 99	A 5935	85	29-JAN-93	85
A L	MIL-C-26637/1	CONNECTOR, PLUG, ELECTRICAL, SERIES LT, CABLED, CLASS 2 [VALIDATION DATE: 9301] USER: 11 REVIEWER: 99	A 5935	85	29-JAN-93	85
A L	MIL-C-26637/2	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LT, ADAPTER, 90 DEG. [VALIDATION DATE: 9302] USER: 11 REVIEWER: 99	A 5935	85	03-FEB-93	85
A L	MIL-C-26637/3	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES LT, CLASS 2, ADAPTER, 45 DEG. [VALIDATION DATE: 9302] USER: 11 REVIEWER: 99	A 5935	85	03-FEB-93	85
	MIL-I-26639C(4)	TESTER, TORQUE WRENCH USER: CE MC OS REVIEWER: AV .....	A 6635	82	17-NOV-89	GL AS 99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Custodian Increase Document Number	Document Title	Dist Smt FSC / Ase MCA Symbol	Preparing Acty Date	Army	Navy	Air Force	DLA
D	MIL-H-266650(1)	HOSE ASSEMBLY, PNEUMATIC, HIGH PRESSURE (VALIDATION DATE: 8405) USER: ME REVIEWER: CS MI YDI	A 4720	82	03-JUL-78	AR	SH 99
L	MIL-R-26672A	RIFLE, .22 HORNET AND .22 CALIBER LONG RIFLE RIM FIRE, SURVIVAL, TYPE MA-1 (VALIDATION DATE: 8909)	A 1005	84	05-SEP-89		99
L	MIL-S-26688(1)	SEAT, PASSENGER, AFT FACING, TRANSPORT AIRCRAFT (VALIDATION DATE: 8405) ...	A 1680	82	05-SEP-78		99
QL	MIL-T-26689C(1)	INDICATOR, HORIZONTAL SITUATION, AQU-2/A REVIEWER: 11	A 6610	71	13-NOV-87		99
L	MIL-P-266948(2)	PROPELLANT, UNS-DIMETHYLHYDRAZINE - JET FUEL (VALIDATION DATE: 8211) ...	A 9130	12	01-DEC-70		12
L	MIL-B-26701E(1)	BOTTLE, SCREW CAP AND CARBOYS, POLYETHYLENE PLASTIC USER: AS MC REVIEWER: 99 AR GS MD SM	A 8125	69	03-JUL-84	GL	SA 69
A	MIL-C-26712B	CLOTH, COATED, NYLON, CHLOROPRENE COATED REVIEWER: 99	A 8305	CT	26-FEB-82	AS	11 CT
L	MIL-S-26716A NOTICE 1	STAND, TEST, AIRCRAFT HYDRAULIC SYSTEMS, NON-PORTABLE (VALIDATION DATE: 8808)	A 4920	82	31-AUG-88		99
L	MIL-S-26753D	SANDER, DISK AND SPINDLE, WOODWORKING USER: AV CE MC REVIEWER: 84 GS	A 3220	1P	06-AUG-90	AL	SH 99
L	MIL-G-26762B	GAGE, DIAL BORE	A 5210	84	09-MAY-88		99
D	MIL-L-26764B	LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-2 (VALIDATION DATE: 7603) USER: YDI REVIEWER: GS	A 6210	82	04-MAR-70	AS	99
	MIL-P-26767C(1) NOTICE 1	PRINTER, CONTACT, PHOTOGRAPHIC CONTINUOUS EN-6B (VALIDATION DATE: 8803) REVIEWER: GS	A 6740	CR	17-MAR-88	CR	AS 99
	MIL-T-26772F	TRAILER, COMPRESSED GAS CYLINDER, AIR OR NITROGEN SERVICING, 28MMEL, 66CYLINDER 3500 PSI, TYPE MD83 (VALIDATION DATE: 7709) REVIEWER: GS	A 3655	82	19-MAY-70	AV	99
L	MIL-T-26780C(1)	TIE DOWN, CARGO, AIRCRAFT, NYLON WEB NET USER: MC	A 1670	82	15-JUL-83	AS	99
L	MIL-P-26795C	PUMP, ROTARY, POWER DRIVEN, 40 GPM CAP., TWO WHEELED HAND CART, TYPE MC-1	A 4320	84	02-NOV-90		99
L	MIL-C-26805C(2)	COMPRESSOR UNITS, AIR/GAS, GENERAL REQUIREMENTS FOR	A 4310	84	10-MAR-82		99
L	MIL-C-26811C	COMPRESSOR, POWER DRIVEN, AIR, TYPE MB88 (VALIDATION DATE: 8410)	A 4310	84	21-OCT-70		99
L	MIL-H-26827(1) NOTICE 1	HANDSET-HEADSET H-108( )/M AND CORD CX-1245( )/U (7 FT 6 IN) (VALIDATION DATE: 9201)	A 5965	85	02-JAN-92		85
L	MIL-T-26831B(3)	TELEPHONE CENTRAL OFFICE GROUP, MANUAL AN/GTA-6( )	A 5805	80	10-JUN-83		99
L	MIL-A-26846B	AIR CONDITIONER, A/M32C-4, TRAILER MOUNTED, VAPOR CYCLE, ELECTRIC MOTOR DRIVEN REVIEWER: GS	A 4120	82	14-MAY-84		99
L	MIL-S-26851B	STAIRCASE, AIRCRAFT BOARDING, MOBILE, TYPE MA81	A 1730	82	30-MAR-83		99
D	MIL-I-26860B(2)	INDICATOR, HUMIDITY, PLUG, COLOR CHANGE (VALIDATION DATE: 8011) USER: AV EA GL MI REVIEWER: 11 GS OS SA YDI	A 6685	82	25-APR-74	AS	99
D	MIL-C-26861C	CUSHIONING MATERIAL, RESILIENT TYPE, GENERAL USER: 15 MC SA YDI REVIEWER: 99 AR AT EA MD OS SM	A 8135	69	09-JUN-88	GL	AS 69
L	MIL-F-26862B(2)	FIBERBOARD, SOLID, NON-CORROSIVE, FUNGI-RESISTANT FOR INTERIOR BLOCKING APPLICATIONS REVIEWER: OS	A 8135	AK	10-APR-89	AK	
D	MIL-G-26869D	GROOVING MACHINE, SHEET METAL, FLOOR MOUNTING TYPE, POWER OPERATED, ELECTRIC MOTOR DRIVEN USER: AR YDI REVIEWER: GS	A 3441	1P	21-APR-89	AL	99
L	MIL-J-26870C	JOINT, SWIVEL, AIRCRAFT FUEL REVIEWER: CS ME	A 4730	82	25-MAR-74	AS	99
L	MIL-S-26873C	SUPPRESSOR, SURGE, FUEL TRANSFER TRAILER (VALIDATION DATE: 7105) REVIEWER: CS	A 4930	82	13-APR-65		99
L	MIL-A-26891C	AIR ELIMINATOR ASSEMBLY, RECESSED, AIRCRAFT FUEL FILTER	A 4930	82	07-JUL-70		99
L	MIL-M-26894C	HOSE ASSEMBLY, RUBBER, GASOLINE, REFUELING, LOW TEMPERATURE (VALIDATION DATE: 8203) REVIEWER: CS	A 4720	82	13-JUL-76		99
A	MIL-T-26898B	TEST SET, AIRFIELD LIGHTING SYSTEMS, TYPE MM-1 (VALIDATION DATE: 7507) ....	A 6625	82	21-FEB-68	CR	AS 99
L	MIL-P-26915C	PRIMER COATING, ZINC DUST PIGMENTED, FOR STEEL SURFACES USER: 70 71 80 REVIEWER: 82	A 8010	84	20-MAR-92	AS	99
L	MIL-T-26922D(1)	TEST SET, ELECTRICAL POWER A/M24T-B( ) (VALIDATION DATE: 8510)	A 6625	82	15-MAY-78		99
L	MIL-P-26958A(1)	PUMP, ROTARY, POWER DRIVE, 60 GPM CAPACITY MOBILE, TYPE MC82 (VALIDATION DATE: 7802)	A 4320	84	02-FEB-60		99
L	MIL-T-26963D	TESTER, PRESSURE GAGE, HYDRAULIC, PORTABLE, TYPE MP-1 REVIEWER: GS	A 6685	82	30-APR-92		99
L	MIL-G-26988C(1) NOTICE 1	GAGE, LIQUID QUANTITY, CAPACITOR TYPE TRANSISTORIZED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8809) REVIEWER: 99 GS	A 6680	11	30-SEP-88	AV	AS 11
D	MIL-L-26990B(2)	LIGHT, MARKER, AIRPORT APPROACH, HIGH INTENSITY, TYPE MB-1 USER: YDI REVIEWER: GS	A 6210	82	04-AUG-78	AS	99
	MIL-M-27000A NOTICE 1	BOMB, PRACTICE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8602) REVIEWER: 75	A 11GP	15	12-FEB-86	OS	15
A LI	MIL-A-27015 NOTICE 2	ADAPTER, TEST TS-1371/GMM-4	A 1190	79	31-AUG-92		79
L	MIL-T-27018E(1) NOTICE 1	TECHNICAL MANUAL, WEAPON LOADING PROCEDURES, AIR DEFENSE FIGHTER-INTERCEPTOR AIRCRAFT, PREPARATION OF (VALIDATION DATE: 8201) REVIEWER: 79	A TMSS	15	25-MAR-68		15
A LI	MIL-C-27022A NOTICE 4	CRADLE, BOMB HANDLING, MMU-27A/E	A 1190	79	31-AUG-92		79
L	MIL-M-27026E NOTICE 1	MANUAL, TECHNICAL, AND CHECKLIST, NUCLEAR DELIVERY, LEVEL, STRATEGIC BOMBER AIRCRAFT, PREPARATION OF (VALIDATION DATE: 8607) REVIEWER: 01 10 79	A TMSS	16	10-JUL-86		16
M LI	MIL-C-27027(3) NOTICE 1	CLIP-IN SUBASSEMBLY MMU-29/C REVIEWER: 15	A 1190	79	31-MAR-93		79
A LI	MIL-J-27028A(1) NOTICE 1	JACK KIT, HYDRAULIC, HAND MMU-128/E REVIEWER: 15	A 1190	79	31-MAR-93		79
L	MIL-C-27029A(1) NOTICE 1	CARTRIDGE, BOMB EJECTION MMU-11/C AND CARTRIDGE KIT, BOMB EJECTION MMU-12/C (VALIDATION DATE: 8810)	A 1377	70	26-OCT-88		99
L	MIL-B-27036A(1)	BOMB, LOADING PRACTICE BDU-9/E REVIEWER: 15	A 1105	79	01-APR-90		79
L	MIL-C-27072B SUPPL 1B1, NOTICE 1	CABLE, POWER, ELECTRICAL AND CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR AND SINGLE SHIELDED GENERAL SPECIFICATION FOR REVIEWER: 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/1B NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, NON-SHIELDED, TYPE 1, STYLE 1, 3 CONDUCTORS (NO. 16 AWG) (VALIDATION DATE: 8702) REVIEWER: 15	A 6145	85	27-FEB-87		85
L	MIL-C-27072/4B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/4BDD REVIEWER: 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/5B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/5BDD REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/7B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/7BDD REVIEWER: 15	A 6145	85	24-SEP-87		85
L	MIL-C-27072/8B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) M27072/8BDDC* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/9B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/9BDDC* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/12B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/12BDD* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/15B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/15BDD* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/16B NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) M27072/16BDDA* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/17B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/17BDDA* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/19B NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/19BDD REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/21A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/21BDDA* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/24A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/24BDDA* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85
L	MIL-C-27072/25A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/25BDDA* REVIEWER: 99 15	A 6145	85	24-SEP-87	CR	SH 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Machine	Document Number	Document Title	Dist. Smt FSC / Area	MCS Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-C-27072/26A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/26JACA REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/27A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (20 CONDUCTORS) M27072/27JAB REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/28A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/28KACA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/29A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (12 CONDUCTORS) AND SINGLE SHIELDED M27072/29MACA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/32A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (33 CONDUCTORS) M27072/32FBMA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/33A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/33KBCA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/34A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED M27072/34LACA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/35A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) AND SINGLE SHIELDED M27072/36FBCA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/36A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SHIELDED M27072/36GBCA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/41	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/41FACA REVIEWER: 15	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/42A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) AND SINGLE SHIELDED M27072/42JBCA REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/43 NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) AND SINGLE SHIELDED M27072/43LDDO REVIEWER: 99 ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/44A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/44MAAA REVIEWER: ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/45A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED M27072/45HACA REVIEWER: ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/47A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (12 SHIELDED PAIRS) AND SINGLE SHIELDED M27072/47MAMA REVIEWER: ES IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/48A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED M27072/48JDDO REVIEWER: 15	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/49 NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/49HBCX	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/51A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/51JACA REVIEWER: 15	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/53A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (26 CONDUCTORS) M27072/53MDC REVIEWER: 15	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/54A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/53MAQA REVIEWER: 15	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/55A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/55HBCA REVIEWER: 99	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/56B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/56MAQA	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/57A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR & SINGLE SHIELDED M27072/57MACA REVIEWER: 15	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/58A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR & SINGLE SHIELDED M27072/58MAAA	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/59A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/59MAQA	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/61A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/61GEDO	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/62A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/62JEDO	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/63A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/63SDDO	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/64A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (8 CONDUCTORS) M27072/64DBAA REVIEWER: 99	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/65A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (10 CONDUCTORS) & SINGLE SHIELDED M27072/65MACA	A 6145	85	24-SEP-87			85	
L	MIL-C-27072/66A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) & SINGLE SHIELDED M27072/66LDDO	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/67 NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/67FEDD* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/68A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (21 CONDUCTORS) & SINGLE SHIELDED M27072/68KACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/70 NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (4 CONDUCTORS) & SINGLE SHIELDED M27072/70MACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/73A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/73FDDO* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/75B NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) M27072/75JACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/76A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (1 SHIELDED PAIR & 8 WIRES UNDER A DOUBLE SHIELD) M27072/76SACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/77A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 SHIELDED CABLES & 19 WIRES UNDER A DOUBLE SHIELD) M27072/77MACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/78A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) & SINGLE SHIELDED M27072/78KBCA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/79A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) M27072/79KAAA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/80A	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) & SINGLE SHIELDED M27072/80KACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/81B NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) & SINGLE SHIELDED M27072/81EBCK REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/82A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (5 CONDUCTORS) & SINGLE SHIELDED M27072/82GACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/83A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (7 CONDUCTORS) & SINGLE SHIELDED M27072/83MACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/84A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (6 CONDUCTORS) M27072/84FACA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
L	MIL-C-27072/85A NOTICE 1	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (11 CONDUCTORS) M27072/85KAAA* REVIEWER: 99 IS	A 6145	85	24-SEP-87	CR	SH	85	
A I	MIL-C-27072/88B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (2 CONDUCTORS) AND SINGLE SHIELDED REVIEWER: ES IS	A 6145	85	23-MAR-93	CR	SH	85	
A I	MIL-C-27072/89B	CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR, (3 CONDUCTORS) AND SINGLE SHIELDED REVIEWER: ES IS	A 6145	85	23-MAR-93	CR	SH	85	
A I	MIL-C-27072/94B	CABLE, SPECIAL PURPOSE, ELECTRICAL, SINGLE CONDUCTOR, SINGLE SHIELDED M27072/94*DDO* REVIEWER: 85 ES	A 6145	85	23-MAR-93	CR	SH	85	
	MIL-L-27160C(1) NOTICE 1	LIGHTING, INSTRUMENT, INTEGRAL, WHITE, GENERAL SPECIFICATION FOR REVIEWER: 99 EC	A 6620	11	26-FEB-88	AV		11	
	MIL-V-27160C(1)	VALVE, PRESSURE EQUALIZING, GASEOUS PRODUCTS USER: AV OS REVIEWER: 18 B2 99 AR CS	A 4820	69	07-MAY-87	MI	AS	69	
L	MIL-C-27171 NOTICE 1	CHART, STANDARD MISSILE CHARACTERISTICS, PREPARATION OF .....	A MISC	11	26-FEB-88			11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op / OMA Coordination Inches	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-S-271748	SEAT, TROOP, VARIABLE SEATING WIDTH	A 1680	82	29-JUN-85				99
D	MIL-S-271786	SWEeper, ROTARY, TOWED A/M320-SA, SNOW, AIR BLAST USER: 11 CE	A 3825	84	17-DEC-82	ME	YD1		99
L	MIL-S-0027178M	SNOW SWEeper, TOWED, ROTARY, AIRBLAST	A 3825	84	10-JAN-89				99
QL	MIL-T-271798(3)	TRANSMITTER, RATE OF FLOW TRU-27/A, ENGINE	A 6620	71	24-APR-87				99
L	MIL-M-27186(1)	HEADSET-MICROPHONE, SOUND POWERED H-159/G1C/10 [VALIDATION DATE: 9201]	A 5965	85	24-JAN-92				85
	NOTICE 1								
QL	MIL-I-27188A(3)	INDICATOR, PRESSURE EGU-2/A, OIL, 0-100 PSI	A 6620	71	15-SEP-86				99
QL	MIL-I-27189C(1)	INDICATOR, PRESSURE OIL	A 6620	71	06-AUG-86				99
QL	MIL-I-271908	INDICATOR, PRESSURE AQU-3-A, HYDRAULIC, 0-84,000 PSI [VALIDATION DATE: 8205] REVIEWER: 99 GS	A 6685	82	31-OCT-87				82
QL	MIL-I-271918(1)	INDICATOR, POSITION, VARIABLE NOZZLE	A 6620	71	20-FEB-87				99
Q	MIL-I-271938(3)	INDICATOR, ATTITUDE ARU-2B/A	X 6610	71	10-MAR-83	AV			99
L	MIL-A-27195A	ACCELEROMETER, AIRCRAFT, MECHANICAL ABU-6/A	A 6610	71	10-AUG-89				99
L	MIL-I-27196C	INDICATOR, VERTICAL VELOCITY AAU-9/A, INTEGRALLY LIGHTED	A 6610	71	11-MAR-88				99
QL	MIL-I-27197C(1)	INDICATOR, AIRSPEED, MACH NUMBER AND MAXIMUM ALLOWABLE SPEED	A 6610	71	16-OCT-87				99
L	MIL-A-27198B	ALTIMETER, PRESSURE AAU-7-A	A 6610	71	29-DEC-87				99
QL	MIL-T-27200C(4)	TRANSMITTER, RATE GYROSCOPE TRU-2A/A REVIEWER: 11	A 6615	71	29-APR-87				99
L	MIL-P-27201B	PROPELLANT, HYDROGEN [VALIDATION DATE: 8808] REVIEWER: 12 19	A 9135	68	22-AUG-88	MI	AS		68
	NOTICE 1								
QL	MIL-I-27202A(1)	INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM, 2 INCH SIZE, INTEGRALLY LIGHTED	A 6620	71	07-FEB-83				99
QL	MIL-I-27203B	INDICATOR, POSITION, WING FLAP	A 6610	71	19-DEC-87				99
AO	MIL-R-27208D	RESISTOR, VARIABLE, WIRE-WOUND, NONPRECISION, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 80 AR AT AV ES MI OS	A 5905	85	24-AUG-92	ER	EC		85
	NOTICE 1								
	MIL-R-27208/2E	RESISTOR, VARIABLE, WIREWOUND (LEAD SCREW ACTUATED), STYLE RT10 USER: 19 AT AV MC ME REVIEWER: 11 17 99 ES MI OS	A 5905	85	27-FEB-87	ER	EC		85
	NOTICE 1								
	MIL-R-27208/4C	RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT 22 USER: 19 MC REVIEWER: 17 99 AR AT AV ES MI OS	A 5905	85	27-FEB-87	ER	EC		85
	NOTICE 1								
	MIL-R-27208/8F	RESISTOR, VARIABLE, WIRE WOUND (ADJUSTMENT TYPE, LEAD SCREW ACTUATED), STYLE RT12 USER: 19 AT AV MC ME REVIEWER: 11 17 99 ES MI OS	A 5905	85	27-FEB-87	ER	EC		85
	NOTICE 1								
	MIL-R-27208/9E	RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT24 (INACTIVE FOR DESIGN USE MIL-R-39015/3) USER: 19 AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5905	85	27-FEB-87	ER	EC		85
	NOTICE 1								
	MIL-R-27208/10A	RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT26 USER: 19 AT AV MC ME REVIEWER: 17 99 AR ES MI OS	A 5905	85	27-FEB-87	ER	EC		85
	NOTICE 1								
L	MIL-R-27208/11B	RESISTOR, VARIABLE, WIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), STYLE RT27 REVIEWER: 11 17 99 ES	A 5905	85	27-FEB-87				85
Q	MIL-I-27209C(2)	INDICATOR, TEMPERATURE, THERMOCOUPLE, SELF-BALANCING, POTENTIOMETER TYPE (ASC) [VALIDATION DATE: 8109] REVIEWER: GS	A 6685	82	29-AUG-87				99
	NOTICE 1								
A L	MIL-O-27210F	OXYGEN, AVIATOR'S BREATHING, LIQUID AND GAS USER: ME REVIEWER: GS	A 6830	68	01-AUG-90				AS
	NOTICE 1								
	MIL-C-27212B(1)	CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING CONTROL [VALIDATION DATE: 9301] REVIEWER: 11 19	A 6145	85	22-JAN-93				85
L	MIL-T-27213D	TRUCK, CRASH FIRE RESCUE, 3,000 GALLON CAPACITY, A/S32P-23	A 4210	84	14-OCT-88				99
L	MIL-T-27233C	TEST SET, PRESSURE INDICATING SYSTEM TUB26-E, VARIABLE RELUCTANCE, FIELD REVIEWER: GS	A 6685	82	07-NOV-85				99
	NOTICE 1								
	MIL-P-27235A	PIN, STRAIGHT, HEADED (CLEVIS PINS) [VALIDATION DATE: 8203] USER: AV CE MC ME OS REVIEWER: 82 15 MI	A 5315	AR	27-NOV-68	AR			99
QL	MIL-I-27247C	INDICATOR, TEMPERATURE, SYNCHRO REVIEWER: GS	A 6685	82	20-MAR-85				99
L	MIL-C-27259A	CHARACTERISTICS CHARTS (ORANGE BOOK) USAF GUIDE NR. 4 FOR USAF TRAINING EQUIPMENT [VALIDATION DATE: 8809]	A 6930	11	30-SEP-88				11
AO	MIL-T-27260B(2)	TIE DOWN, CARGO, AIRCRAFT, CGU-1/B USER: ME MT REVIEWER: AV	A 1670	82	23-JUN-92	GL	AS		99
L	MIL-A-27261A(4)	ACCELEROMETER, AIRCRAFT	A 6610	71	09-FEB-87				99
A	MIL-W-27265E	WEBBING, TEXTILE, WOVEN NYLON IMPREGNATED USER: 45 MC SH REVIEWER: 82 AR EA MD MJ OS	A 8305	CT	27-JUN-88	GL	AS		99
L	MIL-S-27266A(1)	STARTER, ENGINE, CARTRIDGE/PNEUMATIC SHAFT DRIVE, GENERAL SPECIFICATION FOR REVIEWER: AV	A 2995	71	18-AUG-88				99
Q	MIL-H-27267B	MOSE TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE USER: MI REVIEWER: CS GL ME	A 4720	82	30-MAY-84	AV	AS		99
L	MIL-H-27269A(3)	HORIZONTAL SITUATION INDICATOR GROUP AF/A24J-1	A 6605	71	27-JAN-89				99
Q	MIL-F-27272B	FITTINGS, TETRAFLUOROETHYLENE MOSE HIGH TEMPERATURE, MEDIUM PRESSURE SUPPL 1A1	A 4730	82	20-AUG-91	ME	SH		99
Q	MIL-I-27273A(3)	INVERTER, POWER, STATIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8210] REVIEWER: ER GS	A 6130	80	12-MAR-70	AV			99
L	MIL-M-27274D(1)	MASK, OXYGEN MBU-5/P REVIEWER: 11	A 1660	82	20-JUN-74				99
L	MIL-C-27278B(3)	CHECK LIST, FLIGHT CREW REVIEWER: 10 99	A 1655	11	26-FEB-88				11
	NOTICE 1								
QL	MIL-C-27287(3)	CAPACITORS, FIXED, PLASTIC DIELECTRIC, DC (NONMETALLIC CASES), GENERAL SPECIFICATION FOR REVIEWER: 99 ES MI	A 5910	85	16-APR-91				85
L	MIL-C-27287/1(1)	CAPACITOR, FIXED, PLASTIC (NON-METALLIC CASE) STYLE CTM- CHARACTERISTIC V REVIEWER: 99 AR ES	A 5910	85	27-FEB-87				85
	NOTICE 1								
Q	MIL-V-27296B	VALVE, OXYGEN MASK, COMBINATION INHALATION AND EXHALATION	A 1660	82	25-JUL-83	AV	AS		99
L	MIL-C-27298B	CLOCK, AIRCRAFT, MECHANICAL ABU9-A [VALIDATION DATE: 8706] REVIEWER: GS	A 6645	AS	19-JUN-87				AS
	NOTICE 1								
L	MIL-H-27301D(1)	MOSE ASSEMBLY, METAL, CRYOGENIC LIQUID, TRANSFER REVIEWER: 99	A 4720	68	30-NOV-78				68
L	MIL-I-27304E(3)	INDICATOR, RATE OF FLOW	A 6620	71	15-MAY-91				99
L	MIL-T-27305C(1)	TRANSMITTER, RATE OF FLOW REVIEWER: 11	A 6620	71	09-DEC-88				99
L	MIL-A-27328(6)	AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A24G-7	A 6610	71	20-MAR-92				99
	NOTICE 1								
QL	MIL-A-27330B	ACCELEROMETER, ELECTRICAL, LINEAR TRU-3/A	A 6610	71	25-MAR-87				99
L	MIL-S-27332B	SEAT CUSHION INSERT, POLYURETHANE FOAM, PLASTIC, GENERAL SPECIFICATION FOR OXYGEN SYSTEM, SURVIVAL CONTAINER/OXYGEN KIT, GENERAL SPECIFICATION FOR REVIEWER: 11	A 1660	82	26-OCT-83				99
L	MIL-O-27335B	CONVERTER, LIQUID OXYGEN TYPE GCU-17/A	A 1660	71	21-OCT-86				99
QL	MIL-C-27336B(2)	GENERATOR, HYDROGEN ML-539/TM [VALIDATION DATE: 8001] REVIEWER: GS	A 3655	13	03-APR-62				13
L	MIL-G-27368A	RIVET, BLIND, DRIVE TYPE [VALIDATION DATE: 8504] USER: AT GL MC REVIEWER: AV IS ME	A 5320	AR	28-OCT-70	AR	YD1		99
D	MIL-R-27384B	STAIRCASE, AIRCRAFT BOARDING, TRUCK MOUNTED A-S32S-3 [VALIDATION DATE: 8505]	A 1730	82	07-MAY-79				99
L	MIL-S-27396B(1)	PROPELLANT, PRESSURIZING AGENT, NITROGEN [VALIDATION DATE: 8808] USER: OS REVIEWER: 12 19	A 9135	68	22-AUG-88	MI	AS		68
	NOTICE 1								
	MIL-P-27402B(1)	PROPELLANT, HYDRAZINE - UNS-DIMETHYLHYDRAZINE (50 PERCENT M2M - 50 PERCENT UDMH) REVIEWER: 12 14 19 OS	A 9135	68	15-JUN-89	MI	AS		68
	NOTICE 1								
	MIL-P-27404B	PROPELLANT, MONOMETHYLHYDRAZINE [VALIDATION DATE: 8512] REVIEWER: 12 19	A 9135	68	22-MAY-79	MI	AS		68
	NOTICE 1								
	MIL-P-27405(2)	PROPELLANT, FLUORINE [VALIDATION DATE: 8808] REVIEWER: 12 19 23	A 9135	68	22-AUG-88	MI	AS		68
	NOTICE 1								
L	MIL-P-27407A(1)	PROPELLANT PRESSURIZING AGENT HELIUM USER: SH REVIEWER: 12 19	A 9135	68	17-JUN-88				68
L	MIL-P-27409(1)	PROPELLANT FEED SYSTEM, ROCKET PROPULSION, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] REVIEWER: 14 19 99	A 2845	12	16-JUN-69				12
L	MIL-C-27410(1)	COMPONENTS, ROCKET PROPULSION FLUID SYSTEM, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8204] REVIEWER: 14 19 99	A 2845	12	16-JUN-69				12
L	MIL-P-27415	PROPELLANT, PRESSURIZING AGENT, ARGON [VALIDATION DATE: 8808] REVIEWER: 12	A 9135	68	22-AUG-88				68
L	MIL-P-27418(1)	PLATING, SOFT NICKEL (ELECTRODEPOSITED, SULFAMATE BATH REVIEWER: 11 19 85	A 9640	12	14-JUL-67				12
L	MIL-S-27419	STEEL BILLET, CORROSION RESISTANT, ANNEALED, PREMIUM QUALITY [VALIDATION DATE: 8204] REVIEWER: 11 19	A 9640	82	24-JAN-68				99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc/Chg Coordination Inactive Document Number	Document Title	Doc Smt FSC/Asse MCA Symbol Preparing Date	Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-A-27420	AIR, LIQUID, FOR BREATHING PURPOSES [VALIDATION DATE: 8211] REVIEWER: 19 68 99 GS	A 6830	12 30-APR-70				12
MIL-T-27422B(1)	TANK, FUEL, CRASH-RESISTANT, AIRCRAFT [VALIDATION DATE: 7712] .....	A 1560	AV 13-APR-71	AV AS			
MIL-R-27426A	RING, RETAINING, SPIRAL (UNIFORM CROSS SECTION) [VALIDATION DATE: 8204] USER: MC ME SH REVIEWER: 15 MI	A 5365	05 01-MAY-72	AR OS			99
L MIL-P-27431B	PURGING KIT, CONVERTER SYSTEM, LIQUID OXYGEN KHLU-7B-E REVIEWER: 82 .....	A 1730	71 10-JAN-86				99
MIL-A-27434A(2)	ADAPTERS, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES AND WITHIN SUPPL 101, NOTICE 2	A 5935	CR 12-SEP-91	CR EC			85
L MIL-A-27434/5	SERIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9109] USER: 19 AS AT MC ME OS REVIEWER: 17 99 AR ES MI	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/6	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-637/U NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/7	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/8	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/9	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/10	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/11	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/13	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/15	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/16	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/18	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-605/U NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/20	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-690/U NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/21	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-691/U NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/22A	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/23A	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-970/U NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/24	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-971/U NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/25A	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/26	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/28	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/30	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/32A	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/33	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/36A	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
MIL-A-27434/38A	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE NOTICE 2	A 5935	CR 11-SEP-91	CR EC			85
A L MIL-C-27438G	COAT, MAN S, SERVICE USER: 45 REVIEWER: 99 .....	A 8405	CT 30-JAN-87			11 CT	
D L MIL-P-27443E	PALLET, CARGO, AIRCRAFT, TYPE HCU-6/E, HCU-12/E, AND HCU-10/C [VALIDATION DATE: 8204] USER: YD1 REVIEWER: MT	A 1670	84 24-FEB-67				99
L MIL-H-27444D	NET, CARGO TIEDOWN, PALLETS, HCU-7/E, HCU-15/C, HCU-11/C, AND HCU-16/C REVIEWER: MT	A 1670	84 02-JAN-86				99
L MIL-S-27447A(1)	SURVIVAL KIT, PARACHUTE PACK SRU-16/P REVIEWER: 11 .....	A 4240	84 22-JAN-79				99
L MIL-H-27467A	HEADSET ELECTRICAL H-154/A1C GENERAL SPECIFICATION FOR [VALIDATION DATE: 8702] REVIEWER: 99 ES	A 5965	85 27-FEB-87				85
L MIL-A-27471B(1)	ADAPTER, PRESSURE-REDUCER, IN-LINE CRU-43/A REVIEWER: 11 .....	A 1660	82 26-AUG-75				99
L MIL-T-27483F	TANK, STORAGE, LIQUID OXYGEN TRU-20/E REVIEWER: 99 .....	A 3655	68 30-AUG-85				68
A MIL-B-27486C	BOOTS, FLYING, HCU-3/P USER: 11 45 .....	A 8430	CT 04-OCT-85	GL			99
D MIL-C-27487G	COUPLING HALVES, QUICK-DISCONNECT, CAM-LOCKING TYPE USER: AT MC REVIEWER: SUPPL 101	A 4730	ME 25-NOV-92	ME YD1			99
MIL-T-27493A	TRANSFORMER, VARIABLE, SINGLE PHASE, 400 CYCLES GENERAL SPECIFICATIONS FOR NOTICE 1	A 5950	85 15-APR-88			AS	85
MIL-B-27497C	[VALIDATION DATE: 8804] REVIEWER: 11 ES MI BEARING, JEWEL, SAPPHIRE OR RUBY, SYNTHETIC [VALIDATION DATE: 8406] USER: MC REVIEWER: AS ER CS MI	A 6695	82 27-APR-78	AR SH			99
MIL-C-27500G(1)	CABLE, POWER, ELECTRICAL AND CABLE SPECIAL PURPOSE, ELECTRICAL SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AR 15 MI	A 6145	85 23-FEB-90	CR AS			85
L MIL-L-27502(1)	LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, ESTER BASE REVIEWER: 68 AV GS MI	A 9150	11 26-FEB-88	ME AS			11
L MIL-C-27505B(2)	CARTRIDGE, ENGINE STARTER MXU-44/A [VALIDATION DATE: 8810] .....	A 1377	70 26-OCT-88				99
L MIL-H-27507C(1)	HEATER, DUCT TYPE, PORTABLE, TRAILER MOUNTED, HCU-13/M REVIEWER: CS .....	A 4520	84 27-JAN-89				99
D MIL-H-27516D	HOSE AND HOSE ASSEMBLY, NONMETALLIC, SUCTION AND DISCHARGE REVIEWER: AV CS GS	A 4720	82 03-AUG-77	ME YD1			99
L MIL-R-27521A(1)	RECEPTACLE, FLYING BOOM, AERIAL REFUELING GENERAL SPECIFICATION FOR NOTICE 1	A 1680	82 25-AUG-89				99
A MIL-H-27529B	MITTENS, EXTREME COLD WEATHER SURVIVAL, SRU-10/P [VALIDATION DATE: 8910] ..	A 8415	CT 31-OCT-89				99
A L MIL-F-27531A(1)	FOOT SACK, EXTREME COLD WEATHER SURVIVAL TYPE SRU-12/P [VALIDATION DATE: 8404] REVIEWER: 45	A 8415	CT 06-SEP-78				CT
A L MIL-F-27532A(1)	FOOTWEAR COVERS, EXTREME COLD WEATHER SURVIVAL SRU-13/P [VALIDATION DATE: 8403] REVIEWER: 11 45	A 8430	CT 07-AUG-78				CT
DQ MIL-T-27535A(2)	TRANSFORMER, POWER, ISOLATION, SERIES CIRCUIT, AIRPORT LIGHTING, GENERAL SUPPL 1A1	A 5950	85 15-APR-88			AS	85
Q MIL-C-27536B	COUPLING, CLAMP, GROOVED, V-BAND REVIEWER: 11 15 .....	A 5340	82 13-MAR-87			AS	99
QL MIL-I-27544C	INDICATOR, LIQUID OXYGEN QUANTITY REVIEWER: 11 AS GS .....	A 6680	82 05-APR-85				99
MIL-K-27545B	KEY, WOODRUFF, ALLOY STEEL REVIEWER: 82 AV 15 .....	A 5315	AR 23-JUN-89	AR OS			99
A MIL-L-27546D	LINER, FLYER'S JACKET, AND FLYER'S, TROUSERS, CMU-9/P USER: 45 REVIEWER: DP	A 8415	CT 23-APR-91				99
QL MIL-I-27552B(2)	INDICATOR, TEMPERATURE, THERMOCOUPLE CMU-15A/A, POTENTIOMETER TYPE, WHITE LIGHTED REVIEWER: GS	A 6685	82 25-SEP-68				99
L MIL-C-27556A	CARTRIDGE KIT, PARACHUTE EJECTION MLU-14/B AND CARTRIDGE KIT, PARACHUTE NOTICE 1	A 1377	70 28-MAR-86				99
A L MIL-A-27582A(1)	EJECTION MLU-15/B [VALIDATION DATE: 8603] .....	A 1377	70 28-MAR-86				99
A L MIL-T-27584A	ADAPTER, TEST MX-6050/PSM-6 REVIEWER: 15 .....	A 1190	79 31-AUG-92				79
MIL-T-27584A	TRAINER, TEST SET TAU-62/E REVIEWER: 15 .....	A 1190	79 31-AUG-92				79



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	CPL / OMA	Coordination	Institute	Document	Number	Document	Title	Dist	Smt	FSC / Area	MCA Symbol	Preparing	Asy	Date	Army	Navy	Air Force	DLA
L	MIL-M-27586C						MANUAL, TECHNICAL AND CHECKLIST, NUCLEAR MUNITIONS LOADING PROCEDURES, STRATEGIC BOMBER AIRCRAFT, PREPARATION OF [VALIDATION DATE: 8607] REVIEWER: 01 10 79	A	TMSS	16	10-JUL-86							16
L	MIL-T-27594A(2)						TECHNICAL MANUAL AND CHECKLIST ASSEMBLY, TEST, AND STORAGE PROCEDURES, MISSILE/MARHEAD MATING, PREPARATION OF [VALIDATION DATE: 8609] REVIEWER: 01 10 79	A	TMSS	16	30-SEP-86							16
QL	MIL-C-27599B						CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY REVIEWER: 11 17 99	A	5935	85	27-MAR-87							85
QL	MIL-M-27601A(1)						HYDRAULIC FLUID, PETROLEUM BASE, HIGH TEMPERATURE, FLIGHT VEHICLE [VALIDATION DATE: 8901] REVIEWER: GS	A	9150	11	20-JAN-89							11
A	MIL-C-27613A(1)						COVERALLS, ROCKET FUEL HANDLERS, CMU-2/P [VALIDATION DATE: 8910] REVIEWER: 01 10 79	A	8415	CT	31-OCT-89							99 CT
A	MIL-M-27614A						HOOD, ROCKET FUEL HANDLERS, HCU-11/P [VALIDATION DATE: 8910] REVIEWER: 01 10 79	A	8415	CT	31-OCT-89							99 CT
Q	MIL-G-27617D						GREASE, AIRCRAFT AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT USER: MI SM REVIEWER: AR	A	9150	11	14-NOV-84	ME	AS					11
QL	MIL-G-27617D(11)						GREASE, AIRCRAFT AND INSTRUMENT, FUEL AND OXIDIZER RESISTANT REVIEWER: AR	A	9150	11	30-APR-87							11
Q	MIL-I-27619G(3)						INDICATORS, ATTITUDE DIRECTOR	A	6610	71	22-FEB-90							99
Q	MIL-I-27623C(3)						INDICATOR, ATTITUDE, REMOTE STANDBY, 2 INCH	A	6610	71	06-JUN-86	AV	AS					99
L	MIL-S-27626D(1)						SAMPLER, CRYOGENIC LIQUID REVIEWER: 12 99	A	6695	68	24-APR-81							68
D L	MIL-F-27629D(2)						FILTER-SEPARATOR, LIQUID FUEL FFU-1/E USER: YD1	A	4330	84	13-MAY-81							99
D L	MIL-F-27630D(2)						FILTER-SEPARATOR, LIQUID FUEL FFU-2/E USER: YD1	A	4330	84	12-MAY-81							99
L	MIL-L-27639C(2)						LIFE PRESERVER INFLATING ASSEMBLY FLU-1A/P	A	4220	82	18-SEP-70							99
QL	MIL-C-27652D						CONVERTER, LIQUID OXYGEN GCU-20/A [VALIDATION DATE: 8712] REVIEWER: 01 10 79	A	1660	71	18-DEC-87							99
QL	MIL-F-27656C(1)						FILTER UNIT, FLUID, PRESSURE, MXU-408/M, ABSOLUTE, 5 MICRON, HYDRAULIC REVIEWER: 82	A	4330	84	26-JAN-90							99
L	MIL-F-27660G(1)						FILTER ELEMENT, FLUID, PRESSURE FFU-3/E REVIEWER: CS	A	4330	84	18-MAR-81							99
D	MIL-S-27661C						STRAINER, SEDIMENT, JET FUEL UNIT, 600 GPM	A	4730	82	03-OCT-84	YD1	99					
L	MIL-I-27665B						INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE ABU-10/A, MINUS 50 DEG TO PLUS 50 DEG C REVIEWER: GS	A	6685	82	01-OCT-84							99
L	MIL-I-27667C						INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE REVIEWER: GS	A	6685	82	16-NOV-90							99
L	MIL-E-27669B(5)						ENGINE INSTRUMENTATION SYSTEM, AIRCRAFT A/A245-11 REVIEWER: 11	A	6620	71	25-APR-88							99
L	MIL-A-27670C(3)						AMPLIFIER-INDICATOR GROUP, INDICATED AIRSPEED A/A246-10	A	6610	71	01-DEC-86							99
L	MIL-A-27671B(3)						AMPLIFIER-INDICATOR GROUP, ALTITUDE-VERTICAL SPEED A/A246-11	A	6610	71	06-AUG-86							99
L	MIL-I-27672B						INDICATOR, POSITION ALU-4/1, HORIZONTAL STABILIZER REVIEWER: OS	A	6610	71	03-SEP-87							99
A L	MIL-I-27673C						INDICATOR, TRUE AIRSPEED AVU-15/A	A	6610	71	12-FEB-93							99
L	MIL-I-27674B(1)						INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE MULTIFUNCTION, MINUS 50 DEG TO PLUS 200 DEG C REVIEWER: GS	A	6685	82	01-FEB-83							99
QL	MIL-E-27675B(2)						ENGINE PRESSURE RATIO SYSTEM, TURBOFAN ENGINE A/A24J-13 [VALIDATION DATE: 8806] REVIEWER: 11 GS	A	6620	71	13-JUN-88							99
L	MIL-I-27676B(1)						INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE [VALIDATION DATE: 7603] REVIEWER: 11 GS	A	6685	82	22-APR-70							99
L	MIL-I-27677E						INDICATOR, LIQUID QUANTITY OXYGEN REVIEWER: GS	A	6680	82	18-MAY-90							99
QL	MIL-I-27680C(2)						INDICATOR, ALTITUDE ARU-12/A, REMOTE REVIEWER: 99	A	6610	AV	30-SEP-86	AV	AS					99
L	MIL-I-27686F						INHIBITOR, ICING, FUEL SYSTEM REVIEWER: AV GS	A	6850	11	10-JUN-91	ME	AS					11
L	MIL-F-27707H(2)						FILTER ELEMENT, FLUID, PRESSURE FFU-5/E REVIEWER: CS	A	4330	84	24-APR-80							99
Q	MIL-I-27710C						INDICATOR, ALTITUDE, REMOTE [VALIDATION DATE: 8205] REVIEWER: 01 10 79	X	6610	71	18-AUG-76	AV	11					85
QL	MIL-C-27715(1)						CIRCUIT BREAKER, TRIP-FREE, HIGH TEMPERATURE, AIRCRAFT GENERAL SPECIFICATION FOR REVIEWER: 99 ES MI	A	5925	85	06-OCT-86							85
L	MIL-C-27718D						CRANE, HYDRAULIC, TRUCK MOUNTED, A/S32A-16 16,500 POUND CRANE CAPACITY, 6X4, DED REVIEWER: CS	A	3810	84	06-AUG-84							99
L	MIL-T-27720D(2)						TANK, STORAGE, LIQUID OXYGEN/LIQUID NITROGEN, TMU-24/E REVIEWER: 11 99	A	3655	68	03-AUG-82							68
L	MIL-P-27723E						PROBE, TOTAL TEMPERATURE, DECEASE REVIEWER: GS	A	6685	82	15-MAR-85	AS	99					
Q	MIL-C-27725B						COATING, CORROSION PREVENTIVE, FOR AIRCRAFT INTEGRAL FUEL TANKS [VALIDATION DATE: 8707] REVIEWER: 99	A	8030	11	30-JUL-87	AS	11					99
D L	MIL-T-27730A						TAPE, ANTISEIZE, TETRAFLUOROETHYLENE, WITH DISPENSER [VALIDATION DATE: 7505] USER: ME YD1 REVIEWER: OS MI OS	A	8030	84	15-APR-64							99
L	MIL-M-27733B(1)						MODIFICATION & MARKING PROCEDURES FOR TEST EQUIPMENT IN AEROSPACE VEHICLES (CLASS II MODIFICATION)	A	1500	11	03-MAY-85							11
L	MIL-R-27777B(1)						RELAY, TELEGRAPH, PASSIVE, SOLID-STATE GENERAL SPECIFICATION FOR [VALIDATION DATE: 8803] USER: 14 AS MC OS REVIEWER: 11 13 89 99 AR ES MI	A	5945	85	31-MAR-88	ER	EC				85	
L	MIL-R-27777/1						RELAY, TELEGRAPH, PASSIVE, SOLID STATE (OCTAL BASE) [VALIDATION DATE: 8803] USER: 19 MC REVIEWER: 11 13 89 AR AS ES MI OS	A	5945	85	31-MAR-88	ER	EC				17	
L	MIL-R-27777/2						RELAY, TELEGRAPH, PASSIVE, SOLID STATE (255 BASE) [VALIDATION DATE: 8803] USER: 19 MC REVIEWER: 11 13 89 AR AS ES MI OS	A	5945	85	31-MAR-88	ER	EC				85	
L	MIL-R-27777/3						RELAY, TELEGRAPH, PASSIVE, SOLID STATE (UNIVERSAL (202 BASE) [VALIDATION DATE: 8803] USER: 19 MC REVIEWER: 11 13 89 AR AS ES MI OS	A	5945	85	31-MAR-88	ER	EC				85	
L	MIL-R-27777/4A						RELAY, TELEGRAPH, PASSIVE, SOLID STATE RELAY, ELECTRONIC, SPECIAL PURPOSE REVIEWER: ES	A	5945	85	31-MAR-88	EC	85					85
A	MIL-C-27845C						COVERALLS, MEN'S CMU-3/P [VALIDATION DATE: 8910] REVIEWER: MD	A	8405	CT	31-OCT-89	GL	99					CT
Q	MIL-I-27848A(6)						INDICATOR, HORIZONTAL SITUATION AQU-4/A	A	6610	71	02-SEP-88	AV	AS					99
QL	MIL-V-27853B(3)						VALVE, FEMALE FILLER, LIQUID NITROGEN NRU-2/E REVIEWER: 99	A	3655	68	24-APR-81							68
L	MIL-M-27856D						HELMET, FLYING HCU-7/P [VALIDATION DATE: 8805] REVIEWER: 11 CT	A	8475	82	27-MAY-88	AV	AS					99
QL	MIL-I-27882A(1)						INDICATOR, LIQUID OXYGEN QUANTITY GML-37/A [VALIDATION DATE: 8304] REVIEWER: GS	A	6680	82	25-SEP-68							99
A	MIL-L-27885C						LAST, FOOTWEAR FMU-5/P USER: 45	A	8335	CT	25-NOV-85							99 CT
L	MIL-W-27888B						WEIGHT, PARACHUTE PACKING [VALIDATION DATE: 9006] REVIEWER: B2 AV	A	1670	GL	19-JUN-90	GL	AS					99
L	MIL-T-27892F(3)						TANK, STORAGE, LIQUID OXYGEN TMU-7A/E REVIEWER: 99	A	3655	68	09-APR-85	AS	68					
L	MIL-M-27893E						HARNESSES, PARACHUTIST'S, INDIVIDUAL EQUIPMENT PACK ("H" - TYPE) REVIEWER: AV MD	A	1670	GL	10-APR-89	GL						
L	MIL-P-27965						PLOTTING SET, THEODOLITE M-625/JM [VALIDATION DATE: 8001] REVIEWER: GS ...	A	6660	13	21-SEP-67							99
D	MIL-D-28000A(1)						DIGITAL REPRESENTATION FOR COMMUNICATION OF PRODUCT DATA: IGES APPLICATION SUBSETS AND IGES APPLICATION PROTOCOLS USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI NR OS SA SM TE TM YD1 REVIEWER: 01 02 AM	A	1PSC	DO	14-DEC-92	CR	SH				16 DH	
D	MIL-M-28001A(1)						MARKUP REQUIREMENTS AND GENERIC STYLE SPECIFICATION FOR ELECTRONIC PRINTED OUTPUT AND EXCHANGE OF TEXT USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI NR OS SA SM TE TM YD1 REVIEWER: 24 AM	A	1LSS	CL	01-OCT-91	CR	SH				16 DH	
D	MIL-R-28002B						RASTER GRAPHICS REPRESENTATION IN BINARY FORMAT, REQUIREMENTS FOR USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI OS SA SM TE TM YD1 REVIEWER: 01 02 AM	A	1PSC	DO	14-DEC-92	CR	SH				16 DH	
D	MIL-D-28003A(1)						DIGITAL REPRESENTATION FOR COMMUNICATION OF ILLUSTRATION DATA: CGM APPLICATION PROFILE USER: 11 13 14 17 18 19 68 79 99 AL AS AT AV EA EC ER GL ME MI NR OS SA SM TE TM YD1 REVIEWER: 01 02 AM	A	1LSS	CL	14-AUG-92	CR	SH				24 DH	
D L	MIL-P-28501C						PUMP ASSEMBLIES, DEEP-WELL, ELECTRIC-MOTOR-DRIVEN	A	4320	YD1	02-JAN-92							YD1
D L	MIL-W-28517B						WATER SUPPLY SYSTEM, AUTOMATIC	A	4320	YD1	20-NOV-91							YD1
D L	MIL-P-28520C						PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, 600 GALLONS PER MINUTE, DIESEL-ENGINE-DRIVEN	A	4320	YD1	15-JAN-92							YD1
D L	MIL-M-28523B						HOSE ASSEMBLY, RUBBER, HYDRAULIC AND PNEUMATIC, JETTING (400 PSI WORKING PRESSURE) USER: SM REVIEWER: CS	A	4720	YD1	09-JAN-90							YD1



# NUMERICAL LISTING MILITARY SPECIFICATIONS

218



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / OMA Coordination Notice	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Acty	Date	Custodians		
						Army	Navy	Air Force DLA
L	MIL-A-28716(1) MIL-H-28719	AMPLIFIER, AUDIO FREQUENCY, AM-3729( )/SR (VALIDATION DATE: 8304) ..... HEADER, HERMETICALLY SEALED (VALIDATION DATE: 8104); USER: AT MC ME REVIEWER: 11 99 AR GS OS	A 5820 A 5940	EC EC	28-MAR-77 31-MAR-70	ER	EC	85
L	MIL-T-28721B(2)	TELEPHONE SET, TA-840/U (VALIDATION DATE: 8104) .....	A 5805	EC	03-SEP-74		EC	
L	MIL-P-28722	POWER SUPPLY, TELETYPEWRITER, LOW LEVEL (VALIDATION DATE: 8204) .....	A 5815	EC	01-DEC-69		EC	
L	MIL-C-28724A(1) NOTICE 1	CONTROL, REMOTE SWITCHING, C-7594( )/U AND C-7595( )/U GENERAL SPECIFICATION FOR (VALIDATION DATE: 8610)	A 5840	EC	15-OCT-86		EC	
L	MIL-C-28726(2)	CABLE, SPECIAL PURPOSE, RADIO FREQUENCY, BUOYANT, COAXIAL TYPE RG-384/U (VALIDATION DATE: 8304)	A 6145	EC	18-FEB-71		EC	
	MIL-D-28728B	DIAL, CONTROL, MULTI-TURN COUNTERS GENERAL SPECIFICATION FOR USER: AR ME REVIEWER: 17 82 99 AS AV MI OS SH	A 5355	EC	03-SEP-86	ER	EC	11
	MIL-D-28728/1B	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.81 DIAMETER USER: 17 AS ME OS SH REVIEWER: 80 82 99 ES MI	A 5355	EC	03-SEP-86	ER	EC	11
	MIL-D-28728/2B NOTICE 1	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.75 DIAMETER (VALIDATION DATE: 9102) USER: AR ME OS REVIEWER: 17 80 82 99 AS AV IS MI SH	A 5355	EC	25-FEB-91	ER	EC	11
	MIL-D-28728/3A NOTICE 1	DIAL, CONTROL, MULTITURN COUNTERS 10-TURN COUNTER, CONCENTRIC (1.810-1.000 DIAMETER) (VALIDATION DATE: 9102) USER: 17 ME OS REVIEWER: 82 99 ES MI	A 5355	EC	25-FEB-91	ER	EC	11
	MIL-D-28728/4B	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, 1.16 DIAMETER USER: AR ME REVIEWER: 17 80 82 99 AS AV IS MI OS SH	A 5355	EC	03-SEP-86	ER	EC	11
	MIL-D-28728/5B	DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS USER: 17 AR AS ME REVIEWER: 80 82 99 AV IS MI OS SH	A 5355	CR	03-SEP-86	ER	EC	11
	MIL-D-28728/6B	DIAL, CONTROL, MULTITURN COUNTERS, THREE DIGITS, ILLUMINATED AND NONILLUMINATED USER: 17 AR MC ME REVIEWER: 80 82 99 AS AV IS MI OS SH	A 5355	EC	03-SEP-86	ER	EC	11
	MIL-D-28728/7 NOTICE 1	DIAL, CONTROL, MULTITURN COUNTERS 100-TURN COUNTERS, 4-DIGIT (VALIDATION DATE: 9102) USER: 17 AS MC ME REVIEWER: 82 99 ES MI OS	A 5355	EC	25-FEB-91	CH	EC	11
	MIL-D-28728/8B	DIAL, CONTROL, MULTITURN COUNTERS, VERNIER, .88 DIAMETER USER: 17 AR MC ME REVIEWER: 80 82 99 AS AV IS MI OS SH	A 5355	EC	03-SEP-86	ER	EC	11
L	MIL-A-28729B(2)	ANTENNA COUPLER GROUP, CU-1382( ) (HF BROADBAND, WIDE DYNAMIC RANGE) REVIEWER: ES	A 5985	EC	26-MAY-81		EC	
Q	MIL-C-28731D(2)	CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CONTACT, FORMED BLADE, FORK TYPE (FOR JACK AND PANEL AND OTHER APPLICATIONS) GENERAL SPECIFICATION FOR REVIEWER: 11 99 AR AS AT ES MI OS SH	A 5935	EC	11-OCT-91	CR	EC	85
	MIL-C-28731/1F	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	21-JUL-88	CH	EC	85
	MIL-C-28731/2D	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH	A 5935	EC	25-MAY-84	CH	EC	85
	MIL-C-28731/3F	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	21-JUL-88	ER	EC	85
	MIL-C-28731/4E	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 100 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/5F	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	21-JUL-88	CR	EC	85
	MIL-C-28731/6E	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 130 REMOVABLE CONTACTS USER: 19 AV MC ME REVIEWER: 11 17 80 99 AR AS AT ES MI OS SH	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/7C	CONNECTOR, ELECTRICAL, SHIELD, RECTANGULAR FOR 75, 100 OR 130 REMOVABLE CONTACTS (VALIDATION DATE: 8601) USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI	A 5935	EC	19-SEP-79	CR	EC	85
	MIL-C-28731/9F	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT MI	A 5935	EC	08-FEB-88	CR	EC	85
	MIL-C-28731/10F	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 20 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	08-FEB-88	CR	EC	85
	MIL-C-28731/11E	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS USER: 19 AV ME OS REVIEWER: 11 17 80 99 AR AS AT ES MC MI SH	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/12E	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 38 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/13F	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	27-NOV-90	CR	EC	85
	MIL-C-28731/14E	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 56 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI SH	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/15E	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/16E(1)	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 90 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	27-NOV-90	CR	EC	85
	MIL-C-28731/17E	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/18E(1)	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	20-FEB-87	CR	EC	85
	MIL-C-28731/19D(1)	CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 20, 38, 56, 90, OR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT MI	A 5935	EC	27-NOV-90	CR	EC	85
	MIL-C-28731/20D	CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (8.5 AMPERES) USER: 19 AV MC ME OS REVIEWER: 11 17 80 99 AR AS AT ES MI	A 5935	EC	25-MAY-84	CR	EC	85
A	MIL-C-28731/23F	CONNECTOR ELECTRICAL, CONTACT, FORK TYPE, REMOVABLE, DOUBLE WIRE CRIMP USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	29-OCT-92	CR	EC	85
	MIL-C-28731/24C	CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR 120 REMOVABLE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT MI	A 5935	EC	25-MAY-84	CR	EC	85
	MIL-C-28731/25B	CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WIRE HOLE REMOVABLE USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AS AT ES	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/26B	CONNECTORS, ELECTRICAL, CONTACT, FORK TYPE, WRAPPOST, REMOVABLE USER: 19 AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/27B	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/28B	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 33 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85
	MIL-C-28731/29B	CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC	04-JUN-85	CR	EC	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig / OMA Continuation Revision	Document Number	Document Title	Dist. Sym. FSC / Ans MCA Symbol	Preparing Act Date	Custodians		
					Army	Navy	AF Force DLA
	MIL-C-28731/308	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 75 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC 04-JUN-85	CR	EC	85
	MIL-C-28731/318	CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC OS REVIEWER: 11 17 99 AM AS AT ES MI	A 5935	EC 04-JUN-85	CR	EC	85
	MIL-C-28731/328	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 117 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC 04-JUN-85	CR	EC	85
	MIL-C-28731/33C	CONNECTORS, ELECTRICAL, INSERT (INSULATOR), MALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS USER: 19 AL AV MC OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC 21-JUL-88	CR	EC	85
	MIL-C-28731/348	CONNECTOR, ELECTRICAL, INSERT (INSULATOR), FEMALE RECTANGULAR, POLARIZED, CENTER SCREW LOCK, FOR 165 REMOVABLE TYPE CONTACTS USER: 19 AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC 04-JUN-85	CR	EC	85
	MIL-C-28731/358	CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, CRIMP REMOVABLE (5.0 AMPERES) USER: 19 AV MC ME OS REVIEWER: 11 17 99 AM AS AT ES MI	A 5935	EC 04-JUN-85	CR	EC	85
	MIL-C-28731/368	CONNECTOR, ELECTRICAL, CONTACT, FORK TYPE, WHAPPOST REMOVABLE (3.0 AMPERES) USER: 19 AL AV MC OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC 04-JUN-85	CR	EC	85
	MIL-C-28731/37	CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR FEMALE RECTANGULAR 165 REMOVABLE TYPE CONTACTS USER: AL AV ME OS REVIEWER: 11 17 99 AR AT ES MC	A 5935	EC 21-FEB-85	CR	EC	85
	MIL-C-28731/38	CONNECTOR, ELECTRICAL, RECTANGULAR SHIELD, FOR USE WITH MIL-C-28731/32 USER: 19 AL AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES	A 5935	EC 15-JAN-86	CR	EC	85
	MIL-T-28732C	TRANSFORMER, IMPEDANCE MATCHING, BALANCE TO UNBALANCE (BALUN) .....	A 5950	EC 06-APR-84		EC	
L	MIL-D-287368(5)	DECODER GROUP, AM/UPA-59(V) IFF MK XII (SIF), WITH ACTIVE READOUT AND ASSOCIATED MODIFICATION TO INDICATORS (PPI) (VALIDATION DATE: 8304)	A 5895	EC 10-JUN-77		EC	
L	MIL-A-28737A(1)	ANTENNA, IFF, AS-128B( ) (3 METERS) (10 FEET), AS.2189 (1.8 METERS) 6 FEET( ) (VALIDATION DATE: 8505) REVIEWER: ES	A 5985	EC 16-DEC-78		EC	
L	MIL-S-28738C(1)	SWITCHING GROUP, RH, AM/UPA-61( ) (VALIDATION DATE: 8404) REVIEWER: ES ....	A 5985	EC 10-FEB-78		EC	
L	MIL-P-28739(2)	PEDESTAL GROUP, ANTENNA, FOR IFF ANTENNAS AM/UPA-57 (VALIDATION DATE: 8304) REVIEWER: ES	A 5985	EC 01-JUN-70		EC	
L	MIL-C-28741A	CONTROL MONITOR, C-8430/UPX (VALIDATION DATE: 8404) REVIEWER: ES .....	A 5985	EC 27-JUN-72		EC	
L	MIL-C-28742A	CONTROL ENCLOSURE CY-6816/APX-72 FOR TRANSPONDER SET CONTROL C-6280( ) (P)/APX (VALIDATION DATE: 8610)	A 5840	EC 15-OCT-86		EC	
L	MIL-M-28743A	MIXER, TRANSPONDER SUPPRESSION TD-937( )/SPX (VALIDATION DATE: 8104) .....	A 5825	EC 08-MAY-74		EC	
L	MIL-G-28744A	GENERATOR, AIMS PRETRIGGER SC-841( )/UPX (VALIDATION DATE: 8404) .....	A 5840	EC 22-MAR-78		EC	
L	MIL-A-28745A(2)	ANTENNA ASSEMBLY, OMNIDIRECTIONAL AS-177B/UPX (VALIDATION DATE: 8505) REVIEWER: ES	A 5985	EC 18-OCT-72		EC	
Q	MIL-C-287488	CONNECTOR, PLUG AND RECEPTACLE, RECTANGULAR, RACK AND PANEL SOLDER TYPE AND CRIMP TYPE CONTACTS GENERAL SPECIFICATION FOR USER: AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH	A 5935	EC 20-SEP-91	CR	EC	85
	MIL-C-28748/1C	CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 16 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC 30-NOV-81	CR	EC	85
	MIL-C-28748/2C	CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 16 USER: AR AV MC ME REVIEWER: 11 17 99 AS AT ES MI OS SH	A 5935	EC 30-NOV-81	CR	EC	85
	MIL-C-28748/3D	CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZES 16 AND 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC 04-FEB-85	CR	EC	85
	MIL-C-28748/4D	CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZES 16 AND 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC 18-MAR-85	CR	EC	85
A	MIL-C-28748/5D	CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC 25-MAR-93	CR	EC	85
A	MIL-C-28748/6D	CONNECTORS, ELECTRICAL RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET TYPE CONTACTS, SIZE 20 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC 25-MAR-93	CR	EC	85
A	MIL-C-28748/7E	CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE PIN CONTACTS, SIZE 22 USER: AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI SH	A 5935	EC 01-APR-93	CR	EC	85
A	MIL-C-28748/8E	CONNECTORS, ELECTRICAL, RECTANGULAR, RACK AND PANEL, SOLDER TYPE SOCKET CONTACTS, SIZE 22 USER: AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI SH	A 5935	EC 01-APR-93	CR	EC	85
	MIL-C-28748/9E	CONNECTORS, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 16 USER: AV MC ME REVIEWER: 11 99 AR AS AT ES MI OS SH	A 5935	EC 26-JAN-87	CR	EC	85
	MIL-C-28748/10E	CONNECTORS, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK AND PANEL, POLARIZED CENTER JACKSCREW OR GUIDEPIN STYLE, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 16 USER: AV MC ME REVIEWER: 11 99 AR AS AT ES MI OS SH	A 5935	EC 26-JAN-87	CR	EC	85
	MIL-C-28748/13B	CONNECTORS, PLUG, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE PIN CONTACTS, SIZE 22 USER: AR AV MC ME OS REVIEWER: 11 17 99 AS AT ES MI SH	A 5935	EC 09-FEB-87	CR	EC	85
	MIL-C-28748/14(1)	CONNECTOR, ELECTRICAL, RECTANGULAR, RACK AND PANEL, CRIMP TYPE REMOVABLE SOCKET CONTACTS, SIZE 22 USER: AR AV MC ME OS SH REVIEWER: 11 17 99 AS AT ES MI	A 5935	EC 20-AUG-81	CR	EC	85
AQ	MIL-R-28750C SUPPL 1A1	RELAY, SOLID STATE, GENERAL SPECIFICATION FOR USER: 19 AR AS AT MC ME SH REVIEWER: 17 99 ES MI OS	A 5945	BS 16-FEB-93	ER	EC	85
A	MIL-R-28750/50(2)	RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, PLUS OR MINUS 50 MA, PLUS OR MINUS 40 V, AC OR DC, ANALOG SIGNAL SWITCHING, SPST (N.O.) USER: 19 AR AS AT MC ME SH REVIEWER: 17 99 ES MI NA OS	A 5945	EC 16-FEB-93	ER	EC	85
A	MIL-R-28750/60(2)	RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 250 MA, 40 V D C, SIGNAL SWITCHING, SPST (N.O.) USER: 19 AR AS AT MC ME SH REVIEWER: 17 99 ES MI NA OS	A 5945	EC 16-FEB-93	ER	EC	85
A	MIL-R-28750/70(2)	RELAY, SOLID STATE, HERMETICALLY SEALED, ISOLATED, 100 MA, 250 V DC, SIGNAL SWITCHING, SPST (N.O.) USER: 19 AR AS AT MC ME SH REVIEWER: 17 99 ES MI OS	A 5945	EC 16-FEB-93	ER	EC	85
A	MIL-R-28750/80(1)	RELAY, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, 600 MA, 50 V DC, SIGNAL SWITCHING, SPST (N.O.) USER: 19 REVIEWER: ES OS	A 5945	EC 16-FEB-93		EC	85
A	MIL-R-28750/90(1)	RELAY, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, ZERO VOLTAGE TURN ON, 1 AMPERE (2 AMPERES WITH HEAT SINK), 40 - 440 HZ, POWER SWITCHING, SPST (N.O.) REVIEWER: ES	A 5945	EC 16-FEB-93		EC	85
A	MIL-R-28750/100(1)	RELAYS, SOLID STATE, HERMETICALLY SEALED, OPTICALLY ISOLATED, ZERO VOLTAGE TURN ON 25 AMPERES, 250 VOLTS MAXIMUM, 45-440 HZ, POWER SWITCHING, SPST (N.O.) REVIEWER: ES	A 5945	EC 16-FEB-93		EC	85
L	MIL-C-28751(1)	CABLE, RADIO FREQUENCY RG-373/U (VALIDATION DATE: 8304) .....	A 6145	EC 18-FEB-71		EC	
AQ	MIL-C-287540 SUPPL 1A1	CONNECTORS, ELECTRICAL, MODULAR, AND COMPONENT PARTS GENERAL SPECIFICATION FOR USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NM 21-APR-89	CR	NM	85
A	MIL-C-28754/6C(1)	CONNECTOR, ELECTRICAL, MODULAR, TYPE IV 40 PIN, STRAIGHT THROUGH USER: AS REVIEWER: 11 17 99 AR ES MC MI	A 5935	NM 11-MAY-84	CR	NM	85
D	MIL-C-28754/7C(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, SINGLE SPAM, CONNECTOR ASSEMBLY (VALIDATION DATE: 9001) USER: AR AS MI YDI REVIEWER: 11 17 99 ES MC	A 5935	SH 12-JAN-90	CR	SH	85
A	MIL-C-28754/8C	CONNECTORS ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NM 01-OCT-90	CR	NM	85
A	MIL-C-28754/9D	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, DOUBLE SPAM, CONNECTOR ASSEMBLY, (DIP FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NM 26-JUL-91	CR	NM	85
A	MIL-C-28754/10C(1)	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, PIN, CONTACT TAILS ON 0.50 USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NM 11-JUN-84	CR	NM	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

A	Doc. / CMA Coordination Inches	Document Number	Document Title	Doc. Syst. FSC / AIA MCA Symbol	Preparing Act. Date	Custodians			
						Army	Navy	Air Force	DIA
A		MIL-C-28754/11E	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 40 CONTACT, RIGHT ANGLE (FOR SOLID OR DIP FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 01-OCT-90	CR	NW	85	
A		MIL-C-28754/12F	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (FOR SOLID OR DIP FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 26-JUL-91	CR	NW	85	
A I		MIL-C-28754/13C(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN (WITHOUT GUIDE RIBS) USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 19-FEB-91	CR	NW	85	
A		MIL-C-28754/14C	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR, TYPE IV, 20 CONTACT, RIGHT ANGLE (FOR DIE CAST FRAME) USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 01-OCT-90	CR	NW	85	
A		MIL-C-28754/15A(1)	CONNECTOR, ELECTRICAL, MODULAR, CRIMP, CONTACT, TYPE V USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A		MIL-C-28754/16C NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, BLOCK, 40 PIN, TYPE V, STRAIGHT THROUGH (VALIDATION DATE: 9008) USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 17-AUG-90	CR	NW	85	
A		MIL-C-28754/17C(1)	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE 1, CONTACT TAILS ON .100 CENTERS USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
D		MIL-C-28754/18A(2) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN (VALIDATION DATE: 9111) USER: AR AS MI YDI REVIEWER: 11 17 99 ES MC	A 5935	NW 19-NOV-91	CR	NW	85	
D		MIL-C-28754/19A(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, SINGLE SPAN (VALIDATION DATE: 9112) USER: AR AS MI YDI REVIEWER: 11 17 99 ES MC	A 5935	NW 03-DEC-91	CR	NW	85	
A		MIL-C-28754/20A(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, SPACER, PIN, TYPE IV, DOUBLE SPAN (VALIDATION DATE: 9008) USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 17-AUG-90	CR	NW	85	
A		MIL-C-28754/21E	CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, DOUBLE SPAN USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 29-OCT-91	CR	NW	85	
A		MIL-C-28754/22C	CONNECTORS, ELECTRICAL, MODULAR, FRAME, CASTING, TYPE IV, SINGLE SPAN USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 29-NOV-91	CR	NW	85	
A		MIL-C-28754/23F	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, SINGLE SPAN USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 29-NOV-91	CR	NW	85	
A		MIL-C-28754/24B(1)	CONNECTOR, ELECTRICAL, MODULAR, PIN, KEYING USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A I		MIL-C-28754/25A NOTICE 2	CONNECTORS, ELECTRICAL, MODULAR, GUIDE, RETAINING (VALIDATION DATE: 9102) USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 19-FEB-91	CR	NW	85	
D		MIL-C-28754/31C(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, 40-PIN, TWO PIECE INSERT, AND 20-PIN, ONE HALF, ONE PIECE INSERT (VALIDATION DATE: 9209) USER: AR MI YDI REVIEWER: 11 17 99 ES MC	A 5935	NW 30-SEP-92	CR	NW	85	
D		MIL-C-28754/32D(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE 1, SLIP LOCK COVER PLATE (VALIDATION DATE: 9209) USER: AR MI YDI REVIEWER: 11 17 99 ES MC	A 5935	NW 30-SEP-92	CR	NW	85	
D		MIL-C-28754/33D(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, STYLE 111, SLIP LOCK COVER PLATE (VALIDATION DATE: 9209) USER: AR MI YDI REVIEWER: 11 17 99 ES MC	A 5935	NW 30-SEP-92	CR	NW	85	
A		MIL-C-28754/34C	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR TYPE 111, FEMALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 07-AUG-84	CR	NW	85	
A		MIL-C-28754/35D	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR TYPE 111, MALE CONTACT AND INSULATOR BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 07-AUG-84	CR	NW	85	
A		MIL-C-28754/36C	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE 111, FEMALE CONTACT AND GROUNDING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 07-AUG-84	CR	NW	85	
A		MIL-C-28754/37C	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE 111, FEMALE CONTACT AND POLARIZING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 07-AUG-84	CR	NW	85	
A		MIL-C-28754/38C	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE 111, WRAPPOST CONTACT AND GROUNDING BUSHING SET, REMOVABLE WIRE WRAPPOST TERMINAL USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 07-AUG-84	CR	NW	85	
A		MIL-C-28754/39B	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR, TYPE 111, KEYING PEGS USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 07-AUG-84	CR	NW	85	
A		MIL-C-28754/40B(1)	CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A		MIL-C-28754/41B(1)	CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SCREW, INSERT USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A L		MIL-C-28754/42C	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS USER: AS REVIEWER: MC	A 5935	NW 29-APR-85				
A		MIL-C-28754/43B(1)	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN CONTACT TAILS ON .050 CENTERS USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A I		MIL-C-28754/44B(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, 100 PIN, STRAIGHT, CONTACT TAILS ON .100 CENTERS USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 19-FEB-91	CR	NW	85	
A I		MIL-C-28754/45A(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 19-FEB-91	CR	NW	85	
A I		MIL-C-28754/46B(1) NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 PIN, DOUBLE SPAN USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 19-FEB-91	CR	NW	85	
A L		MIL-C-28754/47B	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, RIGHT ANGLE CONTACT TAILS ON .100 CENTERS USER: AS	A 5935	NW 29-APR-85				
A		MIL-C-28754/48B(1)	CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, SINGLE SPAN USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A		MIL-C-28754/49(1)	CONNECTOR, ELECTRICAL, MODULAR, HOUSING USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A		MIL-C-28754/50A(1)	CONNECTOR, ELECTRICAL, MODULAR, INSERT, TOP USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A		MIL-C-28754/51A(1)	CONNECTOR, ELECTRICAL, MODULAR, INSERT, BOTTOM USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 11-MAY-84	CR	NW	85	
A		MIL-C-28754/52A(1) NOTICE 1	CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE 1 (VALIDATION DATE: 9008) USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW 17-AUG-90	CR	NW	85	
D		MIL-C-28754/53A(1) NOTICE 1	CONNECTOR, ELECTRICAL, MODULAR, HOUSING, CONNECTOR ASSEMBLY, STYLE 11 (VALIDATION DATE: 9008) USER: AR AS MI YDI REVIEWER: 11 17 99 ES MC	A 5935	NW 17-AUG-90	CR	NW	85	
A		MIL-C-28754/54A	EXTRACTOR, ELECTRICAL CARD MODULE, SINGLE AND DOUBLE SPAN STYLES I AND II USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW 25-OCT-88	CR	NW	85	
A		MIL-C-28754/55	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, CABLE CONNECTOR, 100 PIN, CONTACTS ON .100 CENTERS REVIEWER: 11 17 99 AR AS ES MC	A 5935	NW 07-DEC-84	CR	NW	85	
A L		MIL-C-28754/56	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) USER: AS	A 5935	NW 29-APR-85				
A LI		MIL-C-28754/57 NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE) USER: AS	A 5935	NW 19-FEB-91				
A LI		MIL-C-28754/58 NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, OFFSET CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME) USER: AS	A 5935	NW 19-FEB-91				
A L		MIL-C-28754/59	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON .100 CENTERS (CERAMIC COMPATIBLE) USER: AS	A 5935	NW 29-APR-85				
A LI		MIL-C-28754/60 NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CONTACT TAILS ON .100 CENTERS USER: AS	A 5935	NW 19-FEB-91				
A L		MIL-C-28754/61	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER, CROSSOVER, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) USER: AS	A 5935	NW 29-APR-85				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Notice	Document Number	Document Title	Dist Smt FSC / Area MCS Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
A LI	MIL-C-28754/62 NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 100 PIN, CENTER CROSSOVER, CONTACT TAILS ON .050 CENTERS USER: AS	A 5935	NW	19-FEB-91	NW			
A LI	MIL-C-28754/63 NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) USER: AS	A 5935	NW	19-FEB-91	NW			
A LI	MIL-C-28754/64 NOTICE 1	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, OFFSET, CONTACT TAILS ON .050 CENTERS (MODIFIED FRAME, CERAMIC COMPATIBLE) USER: AS	A 5935	NW	19-FEB-91	NW			
A L	MIL-C-28754/65	CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CENTER CONTACT TAILS ON .100 CENTERS (CERAMIC COMPATIBLE) USER: AS	A 5935	NW	29-APR-85	NW			
A L	MIL-C-28754/66	CONNECTOR, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 40 PIN, CROSSOVER, CONTACT TAILS ON .050 CENTERS (CERAMIC COMPATIBLE) USER: AS	A 5935	NW	29-APR-85	NW			
A L	MIL-C-28754/67	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, CENTER USER: AS	A 5935	NW	29-APR-85	NW			
A L	MIL-C-28754/68	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, OFFSET	A 5935	NW	29-APR-85	NW			
A L	MIL-C-28754/69	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DOUBLE SPAN, OFFSET	A 5935	NW	29-APR-84	NW			
A L	MIL-C-28754/70	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLESPAN, CENTER	A 5935	NW	29-APR-85	NW			
A L	MIL-C-28754/71	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, OFFSET	A 5935	NW	29-APR-85	NW			
A L	MIL-C-28754/72	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, SINGLE SPAN, T-DIP	A 5935	NW	29-APR-85	NW			
A	MIL-C-28754/73A	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, DIP USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW	26-JUL-91	CR	NW	BS	
A	MIL-C-28754/74A	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, CENTER USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW	26-JUL-91	CR	NW	BS	
A	MIL-C-28754/75A	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 100 CONTACT, DOUBLE SPAN, OFFSET USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW	26-JUL-91	CR	NW	BS	
A	MIL-C-28754/76A	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, CENTER USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW	26-JUL-91	CR	NW	BS	
A	MIL-C-28754/77A	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, OFFSET USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW	26-JUL-91	CR	NW	BS	
A	MIL-C-28754/78A	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE IV, 40 CONTACT, SINGLE SPAN, DUAL INLINE PACKAGE (DIP) USER: AR AS MI REVIEWER: 11 99 ES MC	A 5935	NW	26-JUL-91	CR	NW	BS	
A L	MIL-C-28754/79	CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND INSULATOR BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/80	CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND GROUNDING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/81	CONNECTORS, ELECTRICAL, MODULAR, TYPE III, FEMALE CONTACT AND POLARIZING BUSHING SET, LOW INSERTION FORCE (LIF), REMOVABLE WIRE WRAPPOST TERMINAL USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/82	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR ASSEMBLY, FASTENER USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/83	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/84	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, OFFSET USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/85	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.3 PITCH, 100 CONTACT, DUAL INLINE PACKAGE (DIP) USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/86	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DUAL INLINE PACKAGE (DIP) USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/87	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/88	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.050 THICKNESS) USER: AS	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/89	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET, (0.071 THICKNESS) USER: SH	A 5935	NW	21-APR-89	NW			
A L	MIL-C-28754/90	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/91	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.5 PITCH, FORMAT C AND E USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/92	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.6 PITCH, FORMAT C AND E USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/93	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.3 PITCH, FORMAT C USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/94	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, DIP, 0.4 PITCH, FORMAT C, D AND E USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/95	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, OFFSET FIN, 0.3 PITCH, FORMAT C USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/96	CONNECTORS, ELECTRICAL, MODULAR, CONNECTOR FRAME, TYPE IV, CENTER FIN, 0.4 PITCH, FORMAT C AND E USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/97	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, RIGHT ANGLE, CONTACT TAILS ON 0.100 CENTERS USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/98	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, CENTER, CONTACT TAILS ON 0.100 CENTERS USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/99	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 150 CONTACT, OFFSET USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/100	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 200 CONTACT, CENTER USER: AS	A 5935	NW	31-OCT-89	NW			
A L	MIL-C-28754/101	CONNECTORS, ELECTRICAL, MODULAR, TYPE IV, CONNECTOR, 0.6 PITCH, 250 CONTACT, CENTER USER: AS	A 5935	NW	31-OCT-89	NW			
L	MIL-D-28755(3) NOTICE 1	DECODER GROUP, AM/UPA-60 (V) IFK MK YII (SIF), WITH ACTIVE READOUT AND ASSOCIATED FUNCTIONS (VALIDATION DATE: 8610)	A 5895	EC	15-OCT-86	EC			
L	MIL-T-28757	TELEGRAPH TERMINAL, TRANSISTORIZED VOICE FREQUENCY CARRIER AM/FCC-66( ) (VALIDATION DATE: 8304)	A 5805	EC	14-DEC-70	EC			
L	MIL-T-28758	TELEGRAPH TERMINAL, TRANSISTORIZED FREQUENCY CARRIER AM/FCC-67( ) (VALIDATION DATE: 8304)	A 5805	EC	14-DEC-70	EC			
L	MIL-M-28762C	MONITOR, PUMP NOISE, AM/MSQ-3 (METRIC) .....	A 6665	SH	01-AUG-90	SH			
L	MIL-I-28763C(2)	INTERROGATOR SET, AM/UPX-27 .....	A 5895	EC	30-AUG-85	EC			
L	MIL-P-28766(1)	POLE, STRUCTURAL WOODEN, FOR HIGH FREQUENCY (HF) ANTENNAS (VALIDATION DATE: 8304) REVIEWER: CS	A 5510	EC	24-AUG-72	EC			
L	MIL-T-28767	TRANSFORMER, IMPEDANCE MATCHING (BALUN), RECEIVE ONLY (VALIDATION DATE: 8304) REVIEWER: ES	A 5950	EC	26-MAR-71	EC			
L	MIL-A-28768(2)	ANTENNA, FIXED HIGH FREQUENCY GENERAL SPECIFICATION FOR USER: CS .....	A 5985	EC	18-SEP-86	EC			
L	MIL-A-28768/1B	ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL OMNIDIRECTIONAL BROADBAND REVIEWER: ES	A 5985	EC	30-MAR-84	EC			
L	MIL-A-28768/2A	ANTENNA, FIXED HIGH FREQUENCY, HIGH TAKE-OFF ANGLE (VALIDATION DATE: 8505) REVIEWER: ES	A 5985	EC	15-DEC-72	EC			
L	MIL-A-28768/3 NOTICE 1	ANTENNA, FIXED HIGH FREQUENCY, VERTICAL LOG PERIODIC (DIPOLE) (VALIDATION DATE: 8610)	A 5985	EC	15-OCT-86	EC			
L	MIL-A-28768/4(2)	ANTENNA, FIXED, HIGH FREQUENCY, HORIZONTAL OMNIDIRECTIONAL BROADBAND .....	A 5985	EC	18-SEP-86	EC			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification Includes	Document Number	Document Title	Doc Smt FSC / Ans	MCA Symbol	Preparing Date	Customers			
						Army	Navy	Air Force	DLA
L	MIL-A-28768/5	ANTENNA, FIXED, HIGH FREQUENCY, VERTICAL POLARIZATION, OMNIDIRECTIONAL, BROADBAND	A 5985	EC	20-FEB-87	EC			
L	MIL-C-28771B	COMMUNICATIONS CONTROL MONITOR GROUP, AIR TRAFFIC CONTROL AN/FSA-58(V) (VALIDATION DATE: 8304)	A 5895	EC	07-MAR-77	EC			
L	MIL-A-28772C	ANTENNA, HIGH FREQUENCY (HF) FIXED ROTATABLE LOG PERIODIC REVIEWER: ES ....	A 5985	EC	19-JUN-84	EC			
AQ	MIL-R-28776B(4)	RELAYS, HYBRID, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AR AS ME OS SH REVIEWER: 17 ES MI	A 5945	EC	17-SEP-92	ER	EC	85	
A	MIL-R-28776/1E(3)	RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI	A 5945	EC	29-OCT-92	ER	EC	85	
A	MIL-R-28776/3E(3)	RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, COIL OPERATE POWER AT 25 DEG. C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI	A 5945	EC	29-OCT-92	ER	EC	85	
A	MIL-R-28776/4E(4)	RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, COIL OPERATE POWER AT 25 DEG. C) (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI	A 5945	EC	29-OCT-92	ER	EC	85	
A	MIL-R-28776/5E(4)	RELAYS, HYBRID, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (TRANSISTOR DRIVEN) (ELECTROMECHANICAL OUTPUT) WITH DIODE COIL SUPPRESSION USER: 19 AR AS ME OS SH REVIEWER: 17 99 ES MI	A 5945	EC	29-OCT-92	ER	EC	85	
	MIL-R-28776/6C(3)	RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE INTERNAL MOSFET DRIVE WITH ZENER DIODE GATE PROTECTION, (ELECTROMECHANICAL OUTPUT), DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING REVIEWER: ES	A 5945	EC	13-APR-92	EC	85		
	MIL-R-28776/7D(3)	RELAYS, HYBRID, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE COIL OPERATE POWER AT 25 DEG. C), INTERNAL MOSFET DRIVER WITH ZENER DIODE GATE PROTECTION (ELECTROMECHANICAL OUTPUT), DIODE COIL SUPPRESSION AND TERMINALS WITH 0.100 GRID LEAD SPACING REVIEWER: ES	A 5945	EC	13-APR-92	EC	85		
	MIL-C-28777A SUPPL 1A1	CABLE ASSEMBLY, ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 AND 250 VOLTS AC AND 28 VOLTS DC) GROUNDING PLUG CONNECTOR GENERAL SPECIFICATION FOR (VALIDATION DATE: 8404) REVIEWER: 11 BS AS MC	A 6150	EC	03-APR-78	EL	EC	99	
L	MIL-C-28777/1C	CABLE ASSEMBLY, (TYPE 1) ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND MIL-C-5015 CONNECTOR WITH CABLE CLAMP REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
L	MIL-C-28777/2B	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND TERMINAL LUGS REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
L	MIL-C-28777/3C	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR AND 90 DEGREE MOLDED MIL-C-5015 CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/4C	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50/60 HERTZ), GROUNDING PLUG CONNECTOR AND STRAIGHT MOLDED MIL-C-5015 CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/5B	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUND, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/6A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE 11 EQUIPMENT CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/7A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE 11 EQUIPMENT CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/8A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE 11 EQUIPMENT CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/9A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND LEFT HAND ACCESS MOLDED TYPE 11 EQUIPMENT CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/10A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND RIGHT HAND ACCESS MOLDED TYPE 11 EQUIPMENT CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/11A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 250 VOLTS, 15 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND STRAIGHT MOLDED TYPE 11 EQUIPMENT CONNECTOR REVIEWER: 11 BS AS ES GS MC	A 6150	EC	17-JUL-85	CR	EC	99	
	MIL-C-28777/12A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 125 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE 1 EQUIPMENT CONNECTOR (THIS SPECIFICATION INACTIVE FOR NEW DESIGN AFTER 17 JULY 1985) REVIEWER: ES	A 6150	EC	17-JUL-85	EL	EC	99	
	MIL-C-28777/13A	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (2 POLES, 3 WIRES, GROUNDING, 250 VOLTS, 13 AMPERES, 50 OR 60 HERTZ), GROUNDING PLUG CONNECTOR, AND TYPE 1 EQUIPMENT CONNECTOR REVIEWER: 11 BS AS GS MC	A 6150	EC	03-APR-78	EL	EC	99	
	MIL-C-28777/14	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 7 PHONES, 28 VOLTS DC), TYPE 1 PLUG CONNECTOR AND EQUIPMENT CONNECTOR (VALIDATION DATE: 8404) REVIEWER: 11 BS AS GS MC	A 6150	EC	03-APR-78	EL	EC	99	
	MIL-C-28777/15	CABLE ASSEMBLY, (TYPE 1), ELECTRONIC TEST EQUIPMENT, (3 WIRES, 125 VOLTS, 400 HERTZ, 1 PHASE), GROUNDING CONNECTOR ADAPTER (VALIDATION DATE: 8404) REVIEWER: 11 BS AS GS MC	A 6150	EC	03-APR-78	EL	EC	99	
L	MIL-T-28778	TRANSFORMER, POWER, STEPUP, 3 PHASE (VALIDATION DATE: 8404) REVIEWER: ES ..	A 5950	EC	01-FEB-72	EC			
L	MIL-C-28779B	COMBINER, EXTENDED FREQUENCY RANGE CU-2007( )/SMR (VALIDATION DATE: 8404) REVIEWER: ES	A 5985	EC	31-MAR-72	EC			
L	MIL-C-28781B	CABLE, ELECTRICAL, SPECIAL PURPOSE, SAGRE USE (VALIDATION DATE: 8304) .....	A 6145	EC	18-JAN-77	EC			
L	MIL-A-28782(1)	ADAPTER UNIT, INPUT, NTDS INTERFACE (VALIDATION DATE: 7903) .....	A 5895	EC	14-DEC-72	EC			
L	MIL-T-28783B(1)	TRANSMITTING SET, RADIO, AM/FRT-84B(V) .....	A 5840	EC	10-NOV-82	EC			
L	MIL-T-28784(2)	TRANSMITTER, RADIO, AM/FRT-85(V) 40 KW PEP HIGH FREQUENCY, HIGH STABILITY (INDEPENDENT SIDE BAND (VALIDATION DATE: 8404))	A 5820	EC	02-MAY-72	EC			
L	MIL-P-28785(2)	POWER SUPPLY, VARIABLE OUTPUT (0 TO 50 VOLTS, 0 TO 5 AMPERES) (VALIDATION DATE: 8505)	A 5820	EC	29-AUG-73	EC			
	MIL-S-28786B	SWITCHES, ELECTRICAL AND FIBER OPTIC, PACKAGING OF USER: MC MI REVIEWER: AS SH SH	A PACK	EC	08-MAR-90	CR	EC	99	ES
AOL	MIL-A-28787D SUPPL 1A1	MODULES, STANDARD ELECTRONIC GENERAL SPECIFICATION FOR REVIEWER: 13 17 19 AS AT AN ES MC	A 5963	NW	30-MAR-89	NW			
L	MIL-A-28787/1C(3)	MODULES, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GDJ (VALIDATION DATE: 9203)	A 5963	NW	30-MAR-92	NW			
M I	MIL-A-28787/2B(1)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GDE REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-DEC-92	ER	NW	85	
A LI	MIL-A-28787/3B(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDA .....	A 5963	NW	29-MAR-91	NW			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op / OMA Coordination Insects Document Number	Document Title	Dist. Sent FSC / Ans MCA Symbol Preparing Agency Date	Custodians		
			Army	Navy	Air Force DLA
A L MIL-M-28787/48(1)	MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE-DIGITAL, KEY CODE GDK .....	A 5963 NW 14-FEB-86	NW		
A L MIL-M-28787/58(1)	MODULE, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDL .....	A 5963 NW 01-NOV-82	NW		
A MIL-M-28787/6C(2)	MODULES, STANDARD ELECTRONIC COUNTER, BINARY, SYNCHRONOUS, DIGITAL, KEY CODE FDA REVIEWER: 13 19 AS AT ES MC	A 5963 SH 31-DEC-92	ER SH	85	
A E MIL-M-28787/7C(4)	MODULES, STANDARD ELECTRONIC DECODER, BINARY, DIGITAL, KEY CODE GDN .....	A 5963 NW 18-DEC-91	NW		
M I MIL-M-28787/88(1)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDC REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-MAR-93	ER NW	85	
M MIL-M-28787/98(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDP REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-MAR-93	ER NW	85	
M I MIL-M-28787/108(1)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE GDB REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-MAR-93	ER NW	85	
A L MIL-M-28787/11A(3)	MODULES, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KDL .....	A 5963 NW 27-NOV-91	NW		
A L MIL-M-28787/12B(1)	MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE KDJ ..	A 5963 NW 16-DEC-92	NW		
A MIL-M-28787/148(1)	MODULES, STANDARD ELECTRONIC TERMINATOR, RESISTOR-CAPACITOR, LINEAR, KEY CODE JBD REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-DEC-92	ER NW	85	
A L MIL-M-28787/16A(1)	MODULE, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE JOK ....	A 5963 NW 01-NOV-82	NW		
A L MIL-M-28787/17A(2)	MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE LDJ ....	A 5963 NW 11-DEC-85	NW		
A L MIL-M-28787/18B(1)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDO .....	A 5963 NW 29-JUN-90	NW		
L MIL-M-28787/19B(1)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LDM (VALIDATION DATE: 9203)	A 5963 NW 30-MAR-92	NW		
A L MIL-M-28787/20A(2)	MODULE, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE LDC .....	A 5963 NW 06-MAR-86	NW		
L I MIL-M-28787/21B(1)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE MDU (VALIDATION DATE: 9203)	A 5963 NW 30-MAR-92	NW		
A L MIL-M-28787/22C(1)	MODULES, STANDARD ELECTRONIC DIODE, PROGRAMMABLE, DIGITAL, KEY CODE ABE ...	A 5963 NW 30-OCT-84	NW		
A L MIL-M-28787/23B(1)	MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE SBT ...	A 5963 NW 20-SEP-83	NW		
M L MIL-M-28787/24A(2)	MODULES, STANDARD ELECTRONIC RECTIFIER, LOW CURRENT, POWER, KEY CODE GPR [VALIDATION DATE: 9303]	A 5963 NW 31-MAR-93	NW		
A L MIL-M-28787/27A(2)	MODULES, STANDARD ELECTRONIC COUNTER, UP & DOWN, DIGITAL, KEY CODE GDM ....	A 5963 NW 28-FEB-84	NW		
M I MIL-M-28787/28A(2)	MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE PDM REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-MAR-93	ER NW	85	
A L I MIL-M-28787/29B	MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE FDM (VALIDATION DATE: 9209)	A 5963 NW 30-SEP-92	NW		
M MIL-M-28787/30B(1)	MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, KEY CODE BBA REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-MAR-93	ER NW	85	
M MIL-M-28787/31B(2)	MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BCD, PRESETTABLE, KEY CODE JDD REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-MAR-93	ER NW	85	
A L I MIL-M-28787/32B	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE KBR	A 5963 NW 15-JUN-82	NW		
A L MIL-M-28787/33B(3)	MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE JOJ .....	A 5963 NW 19-JUN-91	NW		
A MIL-M-28787/34B(2)	MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE JBM REVIEWER: 13 19 AS AT ES MC	A 5963 NW 16-DEC-92	ER NW	85	
A L MIL-M-28787/38B(1)	MODULES, STANDARD ELECTRONIC RELAY, DPDT, POWER, KEY CODE NPM .....	A 5963 NW 28-DEC-82	NW		
A L MIL-M-28787/39B	MODULE, STANDARD ELECTRONIC ADDER, DIGITAL, KEY CODE KBC (VALIDATION DATE: 8304)	A 5963 NW 14-DEC-82	NW		
M I MIL-M-28787/40B(1)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KBL REVIEWER: 13 19 AS AT ES MC	A 5963 NW 28-APR-93	ER NW	85	
A L MIL-M-28787/41B(2)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBL .....	A 5963 NW 08-MAR-91	NW		
A L I MIL-M-28787/42B(2)	MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JBK ...	A 5963 NW 19-MAR-92	NW		
A L I MIL-M-28787/44B(1)	MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE GBL .....	A 5963 NW 15-FEB-85	NW		
M I MIL-M-28787/45B(2)	MODULES, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ZBZ REVIEWER: 13 19 AS AT ES MC	A 5963 NW 28-APR-93	ER NW	85	
A L I MIL-M-28787/46C(2)	MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE ZBY .....	A 5963 NW 07-JAN-92	NW		
M L MIL-M-28787/47B(3)	MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE BBB REVIEWER: 13 19 AS AT ES MC	A 5963 NW 28-APR-93	ER NW	85	
A L MIL-M-28787/48A(2)	MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATE, DIGITAL, KEY CODE MDP ....	A 5963 NW 19-JUL-91	NW		
A L MIL-M-28787/49A(2)	MODULE, STANDARD ELECTRONIC DIODE, PAIRS, DIGITAL, KEY CODE KDF .....	A 5963 NW 21-OCT-82	NW		
A L MIL-M-28787/51B(1)	MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATE, DIGITAL, KEY CODE MDQ ...	A 5963 NW 19-JUL-91	NW		
A L MIL-M-28787/53B(3)	MODULES, STANDARD ELECTRONIC RECEIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDM	A 5963 NW 14-JAN-92	NW		
A MIL-M-28787/54B(1)	MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE QDH REVIEWER: 13 19 AS AT ES MC	A 5963 NW 16-DEC-92	ER NW	85	
A L MIL-M-28787/55B(3)	MODULES, STANDARD ELECTRONIC DRIVER, DIFFERENTIAL LINE, DIGITAL, KEY CODE KDM	A 5963 NW 08-MAR-91	NW		
M L MIL-M-28787/57A(4)	MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE TTY REVIEWER: 13 19 AS AT ES MC	A 5963 NW 28-APR-93	ER NW	85	
A L MIL-M-28787/58C	MODULE, STANDARD ELECTRONIC COUNTER, BINARY CODED DECIMAL, DIGITAL, KEY CODE ADK	A 5963 NW 03-AUG-83	NW		
A L MIL-M-28787/59B(2)	MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE KDP .....	A 5963 NW 08-MAR-91	NW		
A L MIL-M-28787/60B(2)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KDO .....	A 5963 NW 19-MAR-92	NW		
A L MIL-M-28787/61B(1)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KDR .....	A 5963 NW 13-SEP-85	NW		
M L MIL-M-28787/62C(3)	MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE CFA (VALIDATION DATE: 9303)	A 5963 NW 31-MAR-93	NW		
A MIL-M-28787/64A(3)	MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE LMJ REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-DEC-92	ER SH	85	
A L MIL-M-28787/65A(1)	MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AHA .....	A 5963 NW 20-DEC-83	NW		
A L MIL-M-28787/66B(2)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BHE .....	A 5963 NW 26-OCT-90	NW		
A L MIL-M-28787/67B(1)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE JMD .....	A 5963 NW 19-JUN-91	NW		
A MIL-M-28787/68A(1)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LMH REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-DEC-92	ER NW	85	
A L MIL-M-28787/69A(2)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, D TYPE, DIGITAL, KEY CODE KHR .....	A 5963 NW 19-JUL-91	NW		
A L MIL-M-28787/70B(1)	MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FMA .....	A 5963 NW 07-JUN-91	NW		
A L MIL-M-28787/71C(5)	MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CMF .....	A 5963 NW 23-MAR-92	NW		
A L MIL-M-28787/72B(2)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHD .....	A 5963 NW 24-AUG-90	NW		
A MIL-M-28787/73A(1)	MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE JHK REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-DEC-92	ER NW	85	
A L MIL-M-28787/74(4)	MEMORY, READ ONLY, DIGITAL .....	A 5963 NW 17-JUL-84	NW		
A MIL-M-28787/75A(1)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE LMP REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-DEC-92	ER SH	85	
A MIL-M-28787/76A(1)	MODULES, STANDARD ELECTRONIC ENCODER, PRIORITY, DIGITAL, KEY CODE MMH REVIEWER: 13 19 AS AT ES MC	A 5963 NW 16-DEC-92	ER NW	85	
A L MIL-M-28787/77A(1)	MODULE, STANDARD ELECTRONIC DECODER, PARITY, DIGITAL, KEY CODE MMK .....	A 5963 NW 30-OCT-84	NW		
A L MIL-M-28787/78A(2)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AMH .....	A 5963 NW 08-MAR-91	NW		
A MIL-M-28787/79A(3)	MODULES, STANDARD ELECTRONIC LOGIC UNIT, ARITHMETIC, DIGITAL, KEY CODE RDH REVIEWER: 13 19 AS AT ES MC	A 5963 NW 16-DEC-92	ER NW	85	
A L MIL-M-28787/80A(1)	MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE BYF ..	A 5963 NW 24-AUG-90	NW		
A L MIL-M-28787/81A(2)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE KHR .....	A 5963 NW 30-MAR-92	NW		
A L MIL-M-28787/82A(1)	MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE HBC .....	A 5963 NW 14-NOV-83	NW		
A L MIL-M-28787/83B	MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RBP .....	A 5963 NW 31-JAN-83	NW		
M MIL-M-28787/84A(1)	MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE CBH REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-MAR-93	ER NW	85	
M I MIL-M-28787/85A(1)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE BDH REVIEWER: 13 19 AS AT ES MC	A 5963 NW 28-APR-93	ER NW	85	
A MIL-M-28787/86B	MODULES, STANDARD ELECTRONIC RELAY, POWER, KEY CODE ERN REVIEWER: 13 19 AS AT AV ES MC	A 5963 NW 27-NOV-91	ER NW	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OPL / OAL Correlation Machine	Document Number	Document Title	Dist. Stmt FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
A L	MIL-M-28787/878(2)	MODULES, STANDARD ELECTRONIC REGULATOR, POSITIVE, POWER, KEY CODE ARM	A 5963	NW	17-MAR-93	NW			
	NOTICE 1	[VALIDATION DATE: 9303]							
A L	MIL-M-28787/88A(3)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE SEX	A 5963	NW	29-MAR-91	NW			
A L	MIL-M-28787/109A(1)	MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE MDL	A 5963	NW	18-DEC-91	NW			
A L	MIL-M-28787/110A(3)	MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, DIGITAL, KEY CODE MDH	A 5963	NW	19-FEB-85	NW			
A L	MIL-M-28787/111A(3)	MODULES, STANDARD ELECTRONIC TERMINATOR, INTERFACE, DIGITAL, KEY CODE MDH	A 5963	NW	16-DEC-92	NW			
A	MIL-M-28787/112C(1)	MODULES, STANDARD ELECTRONIC SHIFT REGISTER, SERIAL AND PARALLEL, DIGITAL, KEY CODE MDL REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
A L	MIL-M-28787/113A(2)	MODULES, STANDARD ELECTRONIC SWITCH, ANALOG, KEY CODE FAG [VALIDATION DATE: 9209]	A 5963	NW	30-SEP-92	NW			
A LI	MIL-M-28787/114A(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDA	A 5963	NW	04-JUN-84	NW			
A LI	MIL-M-28787/115A(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDB REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-DEC-92	ER	NW	85	
A I	MIL-M-28787/116A(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BDC REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-DEC-92	ER	NW	85	
M I	MIL-M-28787/117A(1)	MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDD REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
A LI	MIL-M-28787/118B	MODULE, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BDE (INACTIVE)	A 5963	NW	31-AUG-82	NW			
LI	MIL-M-28787/119A(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE BDH [VALIDATION DATE: 9203]	A 5963	NW	30-MAR-92	NW			
M I	MIL-M-28787/120B(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, POWER, DIGITAL, KEY CODE CDB REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A LI	MIL-M-28787/121B(1)	MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDD	A 5963	NW	08-MAR-91	NW			
A LI	MIL-M-28787/122B(2)	MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE CDE	A 5963	NW	07-JUN-91	NW			
A LI	MIL-M-28787/123A(2)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE ADH	A 5963	NW	24-AUG-90	NW			
A LI	MIL-M-28787/124A(1)	MODULES, STANDARD ELECTRONIC TEST POINT, DIGITAL, KEY CODE CHM	A 5963	NW	14-NOV-83	NW			
A LI	MIL-M-28787/125A(1)	MODULE, STANDARD ELECTRONIC EXTENDER, TEST POINT, & RESISTOR, MISCELLANEOUS, KEY CODE FLA	A 5963	NW	14-NOV-83	NW			
A L	MIL-M-28787/126A(2)	MODULES, STANDARD ELECTRONIC LOAD, RESISTOR, STANDARD, ANALOG, KEY CODE FLB	A 5963	NW	19-JUL-91	NW			
A LI	MIL-M-28787/1270(1)	MODULE, STANDARD ELECTRONIC CAPACITOR, DIGITAL, KEY CODE FLE	A 5963	NW	04-JUN-84	NW			
A L	MIL-M-28787/128B(1)	MODULE, STANDARD ELECTRONIC TRANSFORMER, ANALOG, KEY CODE CTH	A 5963	NW	06-OCT-83	NW			
A L	MIL-M-28787/129A(1)	MODULES, STANDARD ELECTRONIC ISOLATION MODULE, DIGITAL, KEY CODE LHM [VALIDATION DATE: 9212]	A 5963	NW	16-DEC-92	NW			
A L	MIL-M-28787/130A(1)	MODULE, STANDARD ELECTRONIC NETWORK, MISCELLANEOUS, POWER, KEY CODE OPL	A 5963	NW	30-NOV-83	NW			
M LI	MIL-M-28787/132A(1)	MODULES, STANDARD ELECTRONIC OSCILLATOR, SQUARE WAVE, ANALOG, KEY CODE MVJ [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93	NW			
M L	MIL-M-28787/133B(2)	MODULES, STANDARD ELECTRONIC RELAY, 4PDT, ANALOG, KEY CODE MRN [VALIDATION DATE: 9304]	A 5963	NW	28-APR-93	NW			
A L	MIL-M-28787/135A(2)	MODULES, STANDARD ELECTRONIC INDUCTOR, 1.5 AMPERE, POWER, KEY CODE QPM	A 5963	NW	19-JUL-91	NW			
M L	MIL-M-28787/136A(1)	MODULES, STANDARD ELECTRIC TRANSFORMER, POWER, KEY CODE RPM [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93	NW			
M L	MIL-M-28787/137A	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM INDUCTOR, POWER, KEY CODE VPX [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93	NW			
M	MIL-M-28787/140B(1)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE AGD REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A	MIL-M-28787/141B(2)	MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE GVB REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
A L	MIL-M-28787/142B(1)	MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE JDB	A 5963	NW	30-MAR-92	NW			
A L	MIL-M-28787/143B(1)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GBB	A 5963	NW	19-JUN-91	NW			
A L	MIL-M-28787/147A	MODULE, STANDARD ELECTRONIC OSCILLATOR, DIGITAL, KEY CODE HVA [VALIDATION DATE: B601]	A 5963	NW	23-JAN-80	NW			
A	MIL-M-28787/152A(2)	MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE ABF REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
A L	MIL-M-28787/153B(2)	MODULES, STANDARD ELECTRONIC RELAY, RELAY, KEY CODE HRF	A 5963	NW	19-JUL-91	NW			
A L	MIL-M-28787/154A(1)	MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, ANALOG TO DIGITAL, KEY CODE DBA [VALIDATION DATE: 9303]	A 5963	NW	17-MAR-93	NW			
A I	MIL-M-28787/155A(1)	MODULES, STANDARD ELECTRONIC LOGIC CONVERTER, DIGITAL TO ANALOG, KEY CODE DBC REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
A LI	MIL-M-28787/156A	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, INVERTER, DIGITAL, KEY CODE DBE	A 5963	NW	08-JUN-82	NW			
A LI	MIL-M-28787/157A	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, NAND, DIGITAL, KEY CODE DBF	A 5963	NW	08-JUN-82	NW			
M	MIL-M-28787/158A(2)	MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE DBG REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-DEC-92	ER	NW	85	
A LI	MIL-M-28787/159A	MODULE, STANDARD ELECTRIC GATE, NAND, DIGITAL, KEY CODE DBH	A 5963	NW	04-JUN-82	NW			
A LI	MIL-M-28787/160A(2)	MODULES, STANDARD ELECTRONIC REGISTER, SHIFT, DIGITAL, KEY CODE EBH	A 5963	NW	19-MAR-92	NW			
M	MIL-M-28787/161A(1)	MODULES, STANDARD ELECTRONIC TERMINATOR, NETWORK, LINEAR, KEY CODE AKE REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/162(2)	MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKB	A 5963	NW	16-MAY-84	NW			
A L	MIL-M-28787/163A(1)	MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, DIGITAL, KEY CODE EKC	A 5963	NW	23-MAR-92	NW			
A LI	MIL-M-28787/166B(2)	MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BBJ	A 5963	NW	24-SEP-90	NW			
A L	MIL-M-28787/168A(3)	MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GVC	A 5963	NW	30-JUL-91	NW			
A L	MIL-M-28787/169B(1)	MEMORY, READ ONLY, PROGRAMMABLE, DIGITAL, KEY CODE GVF	A 5963	NW	20-SEP-83	NW			
A LI	MIL-M-28787/170A	MODULE, STANDARD ELECTRONIC GATE, AND OR INVERT, DIGITAL, KEY CODE EBA	A 5963	NW	01-JUN-82	NW			
A LI	MIL-M-28787/171A(1)	MODULES, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE EBB	A 5963	NW	29-MAR-91	NW			
M I	MIL-M-28787/172A(1)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE EBC REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
M I	MIL-M-28787/173A(1)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE EBE REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
M I	MIL-M-28787/174A(3)	MODULES, STANDARD ELECTRONIC ARITHMETIC LOGIC UNIT, DIGITAL, KEY CODE FBA REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/175A(1)	MODULES, STANDARD ELECTRONIC ADDER, DISCRETE SUM, DIGITAL, KEY CODE FBG	A 5963	NW	24-AUG-90	NW			
A I	MIL-M-28787/176B(1)	MODULES, STANDARD ELECTRONIC REGISTER, PROGRAMMABLE, DIGITAL, KEY CODE FBH REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-DEC-92	ER	NW	85	
A L	MIL-M-28787/177C(1)	MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE FGC	A 5963	NW	30-SEP-92	ER	NW	85	
M	MIL-M-28787/178B(2)	MODULES, STANDARD ELECTRONIC DRIVER, FET, SWITCH, DIGITAL, KEY CODE GDP REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/179B	MODULE, STANDARD ELECTRONIC CAPACITOR, PROGRAMMABLE, ANALOG, KEY CODE GGD	A 5963	NW	12-OCT-83	NW			
A L	MIL-M-28787/180A(1)	MODULES, STANDARD ELECTRONIC NETWORK, RESISTOR, PROGRAMMABLE, ANALOG, KEY CODE GGG [VALIDATION DATE: 9303]	A 5963	NW	17-MAR-93	NW			
A	MIL-M-28787/182A(1)	MODULES, STANDARD ELECTRONIC DEMULTIPLEXER, ANALOG, KEY CODE VGS REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
M L	MIL-M-28787/183A(1)	MODULE, STANDARD ELECTRONIC SWITCH, ANALOG, ANALOG, KEY CODE ZSW [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93	NW			
A	MIL-M-28787/184B(1)	MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE SES REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
M L	MIL-M-28787/185B(1)	MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE STY [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93	NW			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adopt Ordn / OMA Combination Machine	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	Air Force	DIA
A	MIL-M-28787/186B(2)	MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, MSB, ANALOG, KEY CODE SHY REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
L	MIL-M-28787/187B(1)	MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, LSB, ANALOG, KEY CODE SHJ [VALIDATION DATE: 9203]	A 5963	NW	30-MAR-92		NW		
A L	MIL-M-28787/188B(1)	MODULES, STANDARD ELECTRONIC OCTANT/QUADRANT, ANALOG, KEY CODE SHV	A 5963	NW	19-MAR-92		NW		
A L	MIL-M-28787/189C	MODULE, STANDARD ELECTRONIC PROCESSOR, ERROR, S/D, ANALOG, KEY CODE SHV ...	A 5963	NW	21-NOV-80		NW		
M	MIL-M-28787/190A(1)	MODULES, STANDARD ELECTRONIC BUFFER LIMITER, ANALOG, KEY CODE BAC REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A	MIL-M-28787/191B(1)	MODULES, STANDARD ELECTRONIC SAMPLE AND HOLD, ANALOG, KEY CODE PEE REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
A L	MIL-M-28787/192B(2)	MODULES, STANDARD ELECTRONIC REGULATOR, NEGATIVE, POWER, KEY CODE ARN [VALIDATION DATE: 9303]	A 5963	NW	17-MAR-93		NW		
A L	MIL-M-28787/193A(4)	MODULE, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE SVT ..	A 5963	NW	07-AUG-85		NW		
M	MIL-M-28787/194A(2)	MODULES, STANDARD ELECTRONIC GENERATOR, FUNCTION, DIGITAL, KEY CODE UHX REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/196A(2)	MODULES, STANDARD ELECTRONIC RECEIVER, LINE, DIGITAL, KEY CODE BDM	A 5963	NW	24-AUG-90		NW		
A L	MIL-M-28787/197A(3)	MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE EBD	A 5963	NW	24-AUG-90		NW		
M	MIL-M-28787/200(1)	MODULES, STANDARD ELECTRONIC REGISTER, MULTIPORT, KEY CODE QQA REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/202B(1)	MODULES, STANDARD ELECTRONIC DRIVER, ANALOG, KEY CODE MAD	A 5963	NW	19-JUL-91		NW		
M L	MIL-M-28787/204A	MODULE, STANDARD ELECTRONIC NETWORK, RESISTOR, POWER, KEY CODE RUM [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93		NW		
A L	MIL-M-28787/205A(2)	MODULE, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BED	A 5963	NW	29-SEP-82		NW		
M	MIL-M-28787/206A(1)	MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FOB REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
M	MIL-M-28787/208(4)	MODULES, STANDARD ELECTRONIC PROGRAMMABLE TIMER, DIGITAL, KEY CODE HDE REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/209B	MODULES, STANDARD ELECTRONIC FUSE, KEY CODE GZC [VALIDATION DATE: 9212]	A 5963	NW	16-DEC-92		NW		
A L	MIL-M-28787/210A(1)	MODULES, STANDARD ELECTRONIC TEST POINT, KEY CODE CZH [VALIDATION DATE: 8505]	A 5963	NW	19-JUN-79		NW		
A L	MIL-M-28787/211A(2)	MODULES, STANDARD ELECTRONIC TEST POINT, ISOLATED, MISCELLANEOUS, KEY CODE FZJ	A 5963	NW	23-MAR-92		NW		
A L	MIL-M-28787/212A(1)	MODULES, STANDARD ELECTRONIC STANDARD SERIAL OUTPUT, DIGITAL, KEY CODE DDD	A 5963	NW	08-MAR-91		NW		
A L	MIL-M-28787/213A(1)	MODULES, STANDARD ELECTRONIC CONVERTER, PARALLEL/SERIAL, KEY CODE EOG	A 5963	NW	08-MAR-91		NW		
A L	MIL-M-28787/214(3)	MODULES, STANDARD ELECTRONIC CONVERTER, SERIAL/PARALLEL, DIGITAL, KEY CODE EQF	A 5963	NW	06-JAN-92		NW		
A L	MIL-M-28787/215A(1)	MODULES, STANDARD ELECTRONIC STANDARD SERIAL INPUT, DIGITAL, KEY CODE EQJ	A 5963	NW	24-AUG-90		NW		
A L	MIL-M-28787/216B(1)	MODULE, STANDARD ELECTRONIC RESISTOR, PULLUP, POWER, KEY CODE ADL	A 5963	NW	19-JUL-91		NW		
A L	MIL-M-28787/218A(1)	MODULES, STANDARD ELECTRONIC FILTER, LOW PASS, ACTIVE, ANALOG, KEY CODE EEE	A 5963	NW	19-NOV-90		NW		
A L	MIL-M-28787/219B(1)	MODULES, STANDARD ELECTRONIC AMPLIFIER, POWER, ANALOG, KEY CODE HEE	A 5963	NW	27-NOV-91		NW		
M L	MIL-M-28787/220A	MODULES, STANDARD ELECTRONIC MODULATOR, SYNCHRONOUS, ANALOG, KEY CODE KAD [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93		NW		
A L	MIL-M-28787/221A(1)	MODULE, STANDARD ELECTRONIC AMPLIFIER, PHASE SHIFT, ANALOG, KEY CODE LEE ..	A 5963	NW	19-NOV-90		NW		
A	MIL-M-28787/222A(1)	MODULES, STANDARD ELECTRONIC NAND/SCHMITT, DIGITAL, KEY CODE JQM REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
A L	MIL-M-28787/223A(2)	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM MULTIPLEXER, DIGITAL, KEY CODE KDC	A 5963	NW	06-JUL-83		NW		
M L	MIL-M-28787/224A(4)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE JDP REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
A L	MIL-M-28787/225B	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM SWITCH, S/D MULTISPEED, ANALOG, KEY CODE HUM	A 5963	NW	25-OCT-83		NW		
M L	MIL-M-28787/226A(1)	MODULES, STANDARD ELECTRONIC TRANSFORMER, SCOTT-T, ANALOG, KEY CODE PTE [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93		NW		
M L	MIL-M-28787/227A(2)	MODULES, STANDARD ELECTRONIC TRANSFORMER, RESOLVER, ANALOG, KEY CODE PTF [VALIDATION DATE: 9304]	A 5963	NW	28-APR-93		NW		
M L	MIL-M-28787/228A(3)	MODULES, STANDARD ELECTRONIC INTEGRATOR, S/D, ANALOG, KEY CODE PEG [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93		NW		
A L	MIL-M-28787/229A	MODULES, STANDARD ELECTRONIC AMPLIFIER, SUMMING, ANALOG, KEY CODE BEE [VALIDATION DATE: 9209]	A 5963	NW	30-SEP-92		NW		
A	MIL-M-28787/231A(1)	MODULES, STANDARD ELECTRONIC COMPARATOR, ANALOG, KEY CODE GEE REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
M L	MIL-M-28787/232A(2)	MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE QQQ [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93		NW		
A L	MIL-M-28787/233B(2)	MODULES, STANDARD ELECTRONIC AMPLIFIER, CLIPPER, ANALOG, KEY CODE FBE	A 5963	NW	30-MAR-92		NW		
A L	MIL-M-28787/234A(1)	MODULE, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE GVQ	A 5963	NW	25-MAY-82		NW		
A L	MIL-M-28787/235A	MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE OVQ [VALIDATION DATE: 9209]	A 5963	NW	30-SEP-92		NW		
M L	MIL-M-28787/236A	MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE OVQ [VALIDATION DATE: 9303]	A 5963	NW	31-MAR-93		NW		
A L	MIL-M-28787/237A(1)	MODULE, STANDARD ELECTRIC MICROPROCESSOR, DIGITAL KEY CODE HPH	A 5963	NW	03-JUN-85		NW		
A L	MIL-M-28787/238A(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, KEY CODE GHM	A 5963	NW	08-MAR-91		NW		
A L	MIL-M-28787/239A(1)	MODULE, STANDARD ELECTRONIC DRIVER, NTDS SLOW, DIGITAL, KEY CODE QBO	A 5963	NW	12-DEC-83		NW		
A L	MIL-M-28787/240A(2)	MODULES, STANDARD ELECTRONIC TRANSFORMER, SIGNAL, ANALOG, KEY CODE CGR [VALIDATION DATE: 9303]	A 5963	NW	17-MAR-93		NW		
A	MIL-M-28787/241(1)	MODULES, STANDARD ELECTRONIC DRIVER, INTERFACE, NTDS (ANEW), KEY CODE QOH REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
A	MIL-M-28787/242A(1)	MODULES, STANDARD ELECTRONIC RECEIVER, INTERFACE, NTDS (ANEW), DIGITAL, KEY CODE QOF REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
A L	MIL-M-28787/243A(2)	MODULES, STANDARD ELECTRONIC GATE, AND DIGITAL, KEY CODE DOK	A 5963	NW	08-MAR-91		NW		
A	MIL-M-28787/244A(1)	MODULES, STANDARD ELECTRONIC GATE, AND, DIGITAL, KEY CODE DQJ REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
A L	MIL-M-28787/245A(1)	MODULES, STANDARD ELECTRONIC AMPLIFIER, AGC, ANALOG, KEY CODE DPA	A 5963	NW	19-NOV-90		NW		
L	MIL-M-28787/246B	MODULES, STANDARD ELECTRONIC OPTICAL ISOLATOR, DIGITAL, KEY CODE NUM [VALIDATION DATE: 9203]	A 5963	NW	30-MAR-92		NW		
A L	MIL-M-28787/248A(2)	MODULES, STANDARD ELECTRONIC BUFFER, NON-INVERTING, DIGITAL, KEY CODE AMC	A 5963	NW	18-DEC-91		NW		
A L	MIL-M-28787/249A	MODULE, STANDARD ELECTRONIC GATE, NOR, KEY CODE AME	A 5963	NW	03-AUG-83		NW		
M	MIL-M-28787/250(2)	MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE AMF REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
A L	MIL-M-28787/251(2)	MODULE, STANDARD ELECTRONIC LATCH, DIGITAL, KEY CODE AMG	A 5963	NW	25-OCT-85		NW		
M	MIL-M-28787/252(2)	MODULES, STANDARD ELECTRONIC GATE, AND-OR-INVERT, DIGITAL, KEY CODE AMH REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
M	MIL-M-28787/253(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMA REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
A L	MIL-M-28787/254(1)	MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMB	A 5963	NW	12-MAY-83		NW		
A L	MIL-M-28787/255(1)	MODULE, STANDARD ELECTRONIC GATE, EXCLUSIVE OR, DIGITAL, KEY CODE BMC	A 5963	NW	06-JUL-83		NW		
M	MIL-M-28787/256(2)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, D-TYPE, DIGITAL, KEY CODE BMD REVIEWER: 13 19 AS AT ES MC	A 5963	NW	28-APR-93	ER	NW	85	
A L	MIL-M-28787/257(1)	MODULES, STANDARD ELECTRONIC MULTIVIBRATOR, MONOSTABLE, DIGITAL, KEY CODE BME	A 5963	NW	03-AUG-83		NW		
A L	MIL-M-28787/258A(1)	MODULE, STANDARD ELECTRONIC DECODER, BCD TO DECIMAL, DIGITAL, KEY CODE BMM	A 5963	NW	13-JUL-83		NW		
A L	MIL-M-28787/259(2)	MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE BMJ	A 5963	NW	16-SEP-85		NW		
A L	MIL-M-28787/260(1)	MODULE, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE BMK	A 5963	NW	06-JUL-83		NW		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Index	Document Number	Document Title	Doc Smt FSC Area	MCA Symbol Preceding Key	Date	Army	Navy	Air Force	Customs DIA
A L	MIL-M-28787/261(1)	MODULE, STANDARD ELECTRONIC GATE, INVERTER, DIGITAL, KEY CODE EMM	A 5963	NW	06-JUL-83				
A L	MIL-M-28787/262(2)	MODULE, STANDARD ELECTRONIC INVERTER, BUFFER, DIGITAL, KEY CODE EMN	A 5963	NW	31-JUL-86				
A L	MIL-M-28787/263(1)	MODULE, STANDARD ELECTRONIC GATE, NOR, DIGITAL, KEY CODE EMP	A 5963	NW	13-JUL-83				
A L	MIL-M-28787/264A	MODULES, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE EMQ	A 5963	NW	21-JUL-83				
A	MIL-M-28787/265A(3)	MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
A L	MIL-M-28787/266B(2)	MODULES, STANDARD ELECTRONIC DRIVER, BUS, DIGITAL, KEY CODE GOB	A 5963	NW	23-MAR-92				
M	MIL-M-28787/267B(1)	MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, KEY CODE YBZ	A 5963	NW	31-MAR-93	ER	NW	85	
M	MIL-M-28787/268A(1)	MODULES, STANDARD ELECTRONIC MULTIPLIER, DIGITAL, KEY CODE AGA REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/269A	MODULES, STANDARD ELECTRONIC AMPLIFIER, DIFFERENTIAL, ANALOG, KEY CODE FGH	A 5963	NW	19-NOV-90				
A L	MIL-M-28787/270(2)	MODULE, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE ZRX	A 5963	NW	30-OCT-84				
M	MIL-M-28787/271A(1)	MODULES, STANDARD ELECTRONIC CONVERTER, BINARY/BCD, DIGITAL, KEY CODE ROB	A 5963	NW	31-MAR-93	ER	NW	85	
M	MIL-M-28787/272A(2)	MODULES, STANDARD ELECTRONIC CONVERTER, BCD/BINARY, DIGITAL, KEY CODE ZEZ	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/273A(1)	MODULES, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE SJS	A 5963	NW	04-DEC-85				
A L	MIL-M-28787/274B(1)	MODULES, STANDARD ELECTRONIC TIMER, DIGITAL, KEY CODE YKV	A 5963	NW	29-MAR-91				
A L	MIL-M-28787/275A	MODULE, STANDARD ELECTRONIC COUNTER, BINARY/BCD, DIGITAL, KEY CODE BMG	A 5963	NW	10-NOV-83				
A L	MIL-M-28787/277(1)	MODULE, STANDARD ELECTRONIC SHIFT REGISTER, DIGITAL, KEY CODE EML	A 5963	NW	30-OCT-84				
A L	MIL-M-28787/278A(1)	MODULES, STANDARD ELECTRONIC DRIVER, LAMP/RELAY, DIGITAL, KEY CODE FOD	A 5963	NW	18-MAR-92				
M	MIL-M-28787/279(2)	MODULES, STANDARD ELECTRONIC RELAY, ANALOG, KEY CODE RRF REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/286(2)	MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, DIGITAL, KEY CODE KYF	A 5963	NW	23-SEP-83				
M	MIL-M-28787/287A(3)	MODULES, STANDARD ELECTRONIC BUFFER, BIDIRECTIONAL, DIGITAL, KEY CODE HRL	A 5963	NW	28-APR-93	ER	NW	85	
A L	MIL-M-28787/288A(3)	MODULE, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR, DIGITAL, KEY CODE JRH	A 5963	NW	27-APR-83				
A L	MIL-M-28787/291A	MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE AFA	A 5963	NW	25-OCT-82				
M	MIL-M-28787/292A(3)	MODULES, STANDARD ELECTRONIC COUNTER, UP/DOWN, BINARY, DIGITAL, KEY CODE BHA REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/293(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE CHH	A 5963	NW	26-NOV-91				
A L	MIL-M-28787/294A	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE CHP	A 5963	NW	02-AUG-83				
M	MIL-M-28787/295A(2)	MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE FEA	A 5963	NW	28-APR-93	ER	NW	85	
A	MIL-M-28787/296A(4)	MODULES, STANDARD ELECTRONIC FLIP-FLOP, JK, DIGITAL, KEY CODE GHK	A 5963	NW	16-DEC-92	ER	NW	85	
A L	MIL-M-28787/297A(2)	MODULES, STANDARD ELECTRONIC GATE, NAND, DIGITAL, KEY CODE RHF	A 5963	NW	03-DEC-91				
A	MIL-M-28787/298A(2)	MODULES, STANDARD ELECTRONIC INVERTER, DIGITAL, KEY CODE HMG REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
M	MIL-M-28787/300A(2)	MODULES, STANDARD ELECTRONIC COMPARATOR, MAGNITUDE, DIGITAL, KEY CODE HFB	A 5963	NW	28-APR-93	ER	NW	85	
A L	MIL-M-28787/301A(2)	MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE ERD	A 5963	NW	07-MAY-85				
A L	MIL-M-28787/302A(3)	MODULE, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJS	A 5963	NW	11-MAR-85				
A L	MIL-M-28787/303A(2)	MODULES, STANDARD ELECTRONIC MEMORY, RANDOM ACCESS, KEY CODE ZJT	A 5963	NW	06-JAN-92				
M	MIL-M-28787/304A(4)	MODULES, STANDARD ELECTRONIC MICROPROGRAM CONTROLLER, KEY CODE ZJU	A 5963	NW	28-APR-93	ER	NW	85	
A L	MIL-M-28787/305A(2)	MODULES, STANDARD ELECTRONIC CONTROLLER, INTERRUPT, DIGITAL, KEY CODE ZJK	A 5963	NW	14-JAN-92				
A L	MIL-M-28787/306A(2)	MODULE, STANDARD ELECTRONIC MICROPROCESSOR, KEY CODE MJA	A 5963	NW	13-JUL-83				
M L	MIL-M-28787/307A	MODULES, STANDARD ELECTRONIC REGULATOR, CURRENT, PROGRAMMABLE, ANALOG, KEY CODE MJB (VALIDATION DATE: 9303)	A 5963	NW	31-MAR-93				
A L	MIL-M-28787/308A(2)	MODULE, STANDARD ELECTRONIC PROGRAM CONTROL UNIT, KEY CODE MJC	A 5963	NW	11-FEB-86				
M L	MIL-M-28787/309A	MODULES, STANDARD ELECTRONIC AMPLIFIER, OPERATIONAL, ANALOG, KEY CODE DAA (VALIDATION DATE: 9303)	A 5963	NW	31-MAR-93				
A L	MIL-M-28787/310B(2)	MODULES, STANDARD ELECTRONIC COMPONENTS, MISCELLANEOUS, KEY CODE FMD	A 5963	NW	19-MAR-92				
M L	MIL-M-28787/311A	MODULES, STANDARD ELECTRONIC RELAY, SIGNAL, KEY CODE HRQ (VALIDATION DATE: 9303)	A 5963	NW	31-MAR-93				
A L	MIL-M-28787/312(2)	MODULES, STANDARD ELECTRONIC DRIVER, TRANSLATOR, DIGITAL, KEY CODE PLB	A 5963	NW	24-AUG-90				
A L	MIL-M-28787/313A(1)	MODULES, STANDARD ELECTRONIC RECEIVER, TRANSLATOR, DIGITAL, KEY CODE DLC	A 5963	NW	29-MAR-91				
M	MIL-M-28787/314(1)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, DIGITAL, KEY CODE FRC REVIEWER: 13 19 AS AT ES MC	A 5963	NW	31-MAR-93	ER	NW	85	
M	MIL-M-28787/315(1)	MODULES, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE FRE	A 5963	NW	28-APR-93	ER	NW	85	
A	MIL-M-28787/316A(1)	MODULES, STANDARD ELECTRONIC MEMORY, READ ONLY, DIGITAL REVIEWER: 13 19 AS AT ES MC	A 5963	NW	17-JUN-92	ER	NW	85	
A	MIL-M-28787/317A(1)	MODULES, STANDARD ELECTRONIC REGISTER, DIGITAL, KEY CODE PJB REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
A L	MIL-M-28787/318A(1)	MODULE, STANDARD ELECTRONIC RESISTOR, ANALOG, KEY CODE GRB	A 5963	NW	03-NOV-82				
A	MIL-M-28787/319A(2)	MODULES, STANDARD ELECTRONIC COUNTER, BINARY, DIGITAL, KEY CODE NZC	A 5963	NW	16-DEC-92	ER	NW	85	
A L	MIL-M-28787/320B(1)	MODULES, STANDARD ELECTRONIC SWITCH, CROSSPOINT, KEY CODE LZM (VALIDATION DATE: 9303)	A 5963	NW	17-MAR-93				
A L	MIL-M-28787/321A	MODULE, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE RRB	A 5963	NW	14-MAR-85				
A L	MIL-M-28787/322A(1)	MODULE, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE DBK	A 5963	NW	25-SEP-85				
A	MIL-M-28787/323(1)	MODULES, STANDARD ELECTRONIC AMPLIFIER, VIDEO, ANALOG, KEY CODE MFR	A 5963	NW	16-DEC-92	ER	NW	85	
A	MIL-M-28787/324(1)	MODULES, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE MGP REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	
A L	MIL-M-28787/325	MODULE, STANDARD ELECTRONIC MULTIPLEXER, ANALOG, KEY CODE MOD	A 5963	NW	12-OCT-83				
A	MIL-M-28787/327(1)	MODULES, STANDARD ELECTRONIC COMPARTOR, MAGNITUDE, DIGITAL, KEY CODE JHB	A 5963	NW	16-DEC-92	ER	NW	85	
A L	MIL-M-28787/328(1)	MODULES, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR, KEY CODE HOK	A 5963	NW	14-SEP-84				
A L	MIL-M-28787/329	MODULE, STANDARD ELECTRONIC FLIP FLOP, JK, DIGITAL, KEY CODE QHK	A 5963	NW	17-AUG-83				
M L	MIL-M-28787/330	MODULES, STANDARD ELECTRONIC CONTROLLER, MICROPROCESSOR, KEY CODE RRA (VALIDATION DATE: 9303)	A 5963	NW	31-MAR-93				
M	MIL-M-28787/331A(1)	MODULES, STANDARD ELECTRONIC OSCILLATOR, CRYSTAL, DIGITAL, KEY CODE YBS	A 5963	NW	31-MAR-93	ER	NW	85	
A L	MIL-M-28787/332	MODULE, STANDARD ELECTRONIC DECODER, DIGITAL, KEY CODE MFP	A 5963	NW	21-JUL-83				
A	MIL-M-28787/333(2)	MODULES, STANDARD ELECTRONIC CONVERTER, D/A, KEY CODE MGR REVIEWER: 13 19 AS AT ES MC	A 5963	NW	16-DEC-92	ER	NW	85	
A	MIL-M-28787/335	MODULES, DIGITAL, STANDARD ELECTRONIC DIRECT MEMORY ACCESS MODULE, KEY CODE MBP REVIEWER: 13 19 AS AT ES MC	A 5963	NW	19-NOV-90	ER	NW	85	
A L	MIL-M-28787/336A	MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, MICROPROCESSOR MODULE, KEY CODE MBQ	A 5963	NW	22-JAN-91				
A L	MIL-M-28787/337A(1)	MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JWP	A 5963	NW	24-AUG-90				
A L	MIL-M-28787/338(1)	MODULE, STANDARD ELECTRONIC ENCODER, PRIORITY, KEY CODE	A 5963	NW	22-AUG-86				
A L	MIL-M-28787/340	MODULES, STANDARD ELECTRONIC AMPLIFIER, ANALOG, KEY CODE LAP	A 5963	NW	03-MAY-84				
A L	MIL-M-28787/341	MODULE, STANDARD ELECTRONIC INTERFACE BUS, KEY CODE MHP	A 5963	NW	25-OCT-82				
L	MIL-M-28787/343(2)	MODULES, STANDARD ELECTRONIC RELAY, LATCHING, KEY CODE MFD (VALIDATION DATE: 9203)	A 5963	NW	30-MAR-92				
A L	MIL-M-28787/344(1)	MODULE, STAND ELECTRONIC ENCODER, FAULT ISOLATION, KEY CODE MFC	A 5963	NW	17-JUL-84				
A	MIL-M-28787/345(1)	MODULES, STANDARD ELECTRONIC CONVERTER, S/D, KEY CODE JAP REVIEWER: 13 19 AS AT ES MC	A 5963	NW	30-SEP-92	ER	NW	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / On Coordination Inactive	Document Number	Document Title	Dist. Smt. FSC / Ane MCA Symbol Preparing Acty Date	Custodians Army Navy AF Force DLA
A	MIL-M-28787/346	MODULES, DIGITAL, STANDARD ELECTRONIC INTERRUPT CONTROL UNIT MODULE, KEY CODE SOY REVIEWER: 13 19 AS AT AV ES MC	A 5963 NW 26-OCT-90	ER NW 85
A L	MIL-M-28787/347	MODULES, DIGITAL, STANDARD ELECTRONIC CLOCK, MICROPROCESSOR MODULE, KEY CODE TRU	A 5963 NW 26-OCT-90	NW
A L	MIL-M-28787/348	MODULES, STANDARD ELECTRONIC MIL-STD-1553 DUMB RTU MODULE, KEY CODE UKT ...	A 5963 NW 05-DEC-89	NW
A L	MIL-M-28787/349	MODULES, STANDARD ELECTRONIC MIL-STD-1553 RTU PROTOCOL MODULE, KEY CODE UKU	A 5963 NW 31-JAN-90	NW
A L	MIL-M-28787/350	MODULES, STANDARD ELECTRONIC BUFFER, THREE-STATE, DIGITAL, MODULE, KEY CODE YEZ	A 5963 NW 28-APR-89	NW
A	MIL-M-28787/351(1)	MODULES, DIGITAL, STANDARD ELECTRONIC 68000 SUPPORT MODULE, KEY CODE ASC REVIEWER: 13 19 AS AT ES MC	A 5963 NW 17-JUN-92	ER NW 85
A	MIL-M-28787/352	MODULES, DIGITAL, STANDARD ELECTRONIC 68000 CONTROL/MAINTENANCE MODULE, KEY CODE ADP REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 31-OCT-89	ER NW 85
A L	MIL-M-28787/353	MODULES, DIGITAL, STANDARD ELECTRONIC MICROPROCESSOR, 68000 MODULE, KEY CODE NAM	A 5963 NW 20-FEB-90	NW
A	MIL-M-28787/354	MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AFG REVIEWER: 13 19 AS AT ES MC	A 5963 NW 23-JUL-90	ER NW 85
A	MIL-M-28787/355	MODULES, STANDARD ELECTRONIC PROGRAMMABLE READ ONLY MEMORY MODULE REVIEWER: 13 19 AS AT ES MC	A 5963 NW 31-JUL-90	ER NW 85
A	MIL-M-28787/356	MODULES, DIGITAL, STANDARD ELECTRONIC SUPPORT, MPU COMMUNICATIONS MODULE, KEY CODE AMH REVIEWER: 13 19 AS AT ES MC	A 5963 NW 29-MAR-91	ER NW 85
A	MIL-M-28787/357	MODULES, DIGITAL, STANDARD ELECTRONIC CONTROL, DMA MODULE, KEY CODE FUN REVIEWER: 13 19 AS AT ES MC	A 5963 NW 29-MAR-91	ER NW 85
A	MIL-M-28787/358	MODULES, DIGITAL, STANDARD ELECTRONIC DMA SUPPORT MODULE, KEY CODE FUN REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 26-OCT-90	ER NW 85
A L	MIL-M-28787/359	MODULES, DIGITAL, STANDARD ELECTRONIC FLIP/FLOP, D TYPE MODULE, KEY CODE KLR	A 5963 NW 09-MAR-90	NW
A L	MIL-M-28787/360	MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER, DATA MODULE, KEY CODE DFH	A 5963 NW 29-JUN-90	NW
A L	MIL-M-28787/361	MODULES, STANDARD ELECTRONIC DYNAMIC RANDOM ACCESS MEMORY MODULE, KEY CODE CJK	A 5963 NW 10-MAY-91	NW
A	MIL-M-28787/362	MODULES, DIGITAL, STANDARD ELECTRONIC DRIVER/RECEIVER DIFFERENTIAL MODULE, KEY CODE HJN REVIEWER: 13 19 AS AT ES MC	A 5963 NW 26-OCT-90	ER NW 85
A	MIL-M-28787/363	MODULES, DIGITAL, STANDARD ELECTRONIC CONTROLLER/TIMING MODULE, KEY CODE CLM REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 23-JUL-90	ER NW 85
A	MIL-M-28787/364	MODULES, DIGITAL, STANDARD ELECTRONIC REGISTER MODULE, KEY CODE DGJ REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 23-JUL-90	ER NW 85
A	MIL-M-28787/365	MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE MODULE, KEY CODE DGP REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 26-OCT-90	ER NW 85
A L	MIL-M-28787/366	MODULES, DIGITAL, STANDARD ELECTRONIC STATIC RANDOM ACCESS MEMORY MODULE, KEY CODE DGG	A 5963 NW 24-AUG-90	NW
A L	MIL-M-28787/367	MODULES, STANDARD ELECTRONIC MIL-STD-1553 BUS CONTROLLER MODULE, KEY CODE UKS	A 5963 NW 13-DEC-89	NW
A L	MIL-M-28787/368	MODULES, DIGITAL, STANDARD ELECTRONIC DYNAMIC RAM CONTROLLER MODULE, KEY CODE FER	A 5963 NW 31-JUL-90	NW
A	MIL-M-28787/369	MODULES, STANDARD ELECTRONIC CONVERTER, ANALOG/DIGITAL, KEY CODE CKA REVIEWER: 13 19 AS AT ES MC	A 5963 NW 29-MAR-91	ER NW 85
A	MIL-M-28787/370	MODULES, STANDARD ELECTRONIC NETWORK, SPECIAL, KEYCODE HJL REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 26-OCT-90	ER NW 85
A	MIL-M-28787/371	MODULES, ANALOG, STANDARD ELECTRONIC INTERFACE, DISCRETE MODULE, KEY CODE TAV REVIEWER: 13 19 AS AT ES MC	A 5963 NW 29-MAR-91	ER NW 85
A	MIL-M-28787/393	MODULES, DIGITAL, STANDARD ELECTRONIC INTERFACE, BUS MODULE, KEY CODE AMJ	A 5963 NW 24-AUG-90	ER NW 85
A L	MIL-M-28787/394	MODULES, STANDARD ELECTRONIC MICROPROCESSOR MODULE, KEY CODE MHA	A 5963 NW 13-JAN-86	NW
A	MIL-M-28787/419	MODULES, STANDARD ELECTRONIC CONVERTER, A/D MODULE, KEY CODE JFJ REVIEWER: 13 19 AS AT ES MC	A 5963 NW 24-OCT-91	ER NW 85
A	MIL-M-28787/420	MODULES, STANDARD ELECTRONIC CONVERTER, D/A MODULE, KEY CODE JFK REVIEWER: 13 19 AS AT ES MC	A 5963 NW 24-OCT-91	ER NW 85
A	MIL-M-28787/421	MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL CONTROL MODULE KEY CODE ATK	A 5963 NW 17-MAY-91	ER NW 85
A	MIL-M-28787/428	MODULES, STANDARD ELECTRONIC MIL-STD-1553 SUBSYSTEM ADAPTER CARD MODULE KEY CODE GMA REVIEWER: 13 19 AS AT ES MC	A 5963 NW 26-NOV-91	ER NW 85
A	MIL-M-28787/429	MODULES, STANDARD ELECTRONIC MIL-STD-1553 COMMON BUS INTERFACE MODULE, KEY CODE GMB REVIEWER: 13 19 AS AT ES MC	A 5963 NW 05-AUG-91	ER NW 85
A	MIL-M-28787/432	MODULES, STANDARD ELECTRONIC MEMORY ARRAY, 128K DYNAMIC RANDOM ACCESS MODULE KEY CODE JEJ REVIEWER: 13 19 AS AT ES MC	A 5963 NW 17-MAY-91	ER NW 85
A	MIL-M-28787/433(1)	MODULES, STANDARD ELECTRONIC MEMORY TIMING MODULE, KEY CODE JEQ REVIEWER: 13 19 AS AT ES MC	A 5963 NW 17-JUN-92	ER NW 85
A	MIL-M-28787/434	MODULES, STANDARD ELECTRONIC MEMORY DATA MODULE, KEY CODE JML	A 5963 NW 17-MAY-91	ER NW 85
A L	MIL-M-28787/435	MODULES, STANDARD ELECTRONIC MEMORY ADDRESS MODULE, KEY CODE JMM	A 5963 NW 29-MAR-91	NW
A	MIL-M-28787/436	MODULES, STANDARD ELECTRONIC MEMORY CONTROL MODULE, KEY CODE JMN	A 5963 NW 17-MAY-91	ER NW 85
A	MIL-M-28787/437	MODULES, STANDARD ELECTRONIC MAINTENANCE PROCESSOR SERIAL INTERFACE MODULE, KEY CODE HRAA REVIEWER: 13 19 AS AT ES MC	A 5963 NW 06-AUG-91	ER NW 85
A	MIL-M-28787/438	MODULES, STANDARD ELECTRONIC BREAKPOINT, RCM MODULE, KEY CODE GTC REVIEWER: 13 19 AS AT ES MC	A 5963 NW 26-NOV-91	ER NW 85
A L	MIL-M-28787/458	MODULES, DIGITAL, STANDARD ELECTRONIC ULTRAVIOLET LIGHT ERASABLE PROGRAMMABLE READ ONLY MEMORY (UVPROM) MODULE	A 5963 NW 26-OCT-90	NW
A	MIL-M-28787/459	MODULES, STANDARD ELECTRONIC ENCODER, PARITY, DIGITAL, MODULE, KEY CODE JPJ REVIEWER: 13 19 AS AT ES MC	A 5963 NW 03-DEC-91	ER NW 85
A	MIL-M-28787/462	MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, DYNAMIC RAM, 1M MODULE, KEY CODE KJY REVIEWER: 13 19 AS AT ES MC	A 5963 NW 10-MAY-91	ER NW 85
A	MIL-M-28787/463	MODULES, STANDARD ELECTRONIC SEMICONDUCTOR MEMORY ARRAY, STATIC RAM, 256K MODULE, KEY CODE JMJ REVIEWER: 13 19 AS AT ES MC	A 5963 NW 22-MAY-91	ER NW 85
A L	MIL-M-28787/500	MODULES, STANDARD ELECTRONIC MIL-STD-1397 PARALLEL CHANNEL CONTROL MODULE, KEY CODE AMB	A 5963 NW 29-DEC-89	NW
A L	MIL-M-28787/501	MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE A/PIC MODULE, KEY CODE AMC	A 5963 NW 16-NOV-89	NW
A L	MIL-M-28787/502	MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE B/PIC MODULE, KEY CODE AGL	A 5963 NW 29-DEC-89	NW
A L	MIL-M-28787/503	MODULES, STANDARD ELECTRONIC MIL-STD-1397 INTERFACE, TYPE C/PIC, MODULE, KEY CODE AHL	A 5963 NW 18-AUG-89	NW
A L	MIL-M-28787/504	MODULES, STANDARD ELECTRONIC IOC CONTROL MEMORY MODULE, KEY CODE AMF	A 5963 NW 10-MAY-89	NW
A L	MIL-M-28787/505	MODULES, STANDARD ELECTRONIC IOC DATA BUS LOWER MODULE, KEY CODE AMG	A 5963 NW 23-JUN-89	NW
A L	MIL-M-28787/506	MODULES, STANDARD ELECTRONIC IOC CHANNEL CONTROL MODULE, KEY CODE AMH	A 5963 NW 18-AUG-89	NW
A L	MIL-M-28787/507	MODULES, STANDARD ELECTRONIC IOC SEQUENCER MODULE, KEY CODE BMAA	A 5963 NW 21-APR-89	NW
A L	MIL-M-28787/508	MODULES, STANDARD ELECTRONIC CENTRAL PROCESSOR SEQUENCER MODULE, KEY CODE BMAC	A 5963 NW 21-APR-89	NW
A L	MIL-M-28787/509	MODULES, STANDARD ELECTRONIC BUS ARBITRATOR MODULE, KEY CODE BMD	A 5963 NW 05-MAY-89	NW
A L	MIL-M-28787/510	MODULES, STANDARD ELECTRONIC ARITHMETIC-LOGIC UNIT MODULE, KEY CODE BME	A 5963 NW 21-APR-89	NW
A L	MIL-M-28787/511	MODULES, STANDARD ELECTRONIC IOC COMMON BUS CONTROL MODULE, KEY CODE BMF	A 5963 NW 23-JUN-89	NW
A	MIL-M-28787/512	MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O MODULE, KEY CODE BMG REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 15-SEP-89	ER NW 85
A	MIL-M-28787/514	MODULES, STANDARD ELECTRONIC MEMORY MAPPED I/O BUS INTERFACE MODULE, KEY CODE CMA REVIEWER: 13 17 19 AS AT AV ES MC	A 5963 NW 15-DEC-89	ER NW 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Org./Cmk Coordination Institute	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Acty Date	Custodians		
					Army	Navy	AF Forc DLA
A L	MIL-M-28787/517	MODULES, STANDARD ELECTRONIC SHIFT MATRIX AND GENERAL REGISTER MODULE, KEY CODE CMF	A 5963	NW 05-MAY-89	NW		
A L	MIL-M-28787/518	MODULES, STANDARD ELECTRONIC BOOTSTRAP MEMORY/RTC MODULE, KEY CODE CMF ...	A 5963	NW 05-MAY-89	NW		
AML	MIL-M-28787/519	MODULES, STANDARD ELECTRONIC MEMORY INTERFACE I MODULE, KEY CODE CMG .....	A 5963	NW 13-MOV-89	NW		
A L	MIL-M-28787/520	MODULES, STANDARD ELECTRONIC BIT ELECTRONICS MODULE, KEY CODE CMN .....	A 5963	NW 27-DEC-89	NW		
A L	MIL-M-28787/521	MODULES, STANDARD ELECTRONIC MIL-STD-188C/RS232C ASYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AEK	A 5963	NW 20-SEP-89	NW		
A L	MIL-M-28787/522	MODULES, STANDARD ELECTRONIC SYNCHRONOUS SERIAL CONTROL MODULE, KEY CODE AFK	A 5963	NW 22-DEC-89	NW		
A L	MIL-M-28787/523	MODULES, STANDARD ELECTRONIC MULTIPLY/MATH PACKAGE MODULE, KEY CODE CMAE ..	A 5963	NW 21-APR-89	NW		
A	MIL-M-28787/524	MODULES, STANDARD ELECTRONIC NATO-STD-4156 (MODIFIED) CHANNEL ADAPTER MODULE, KEY CODE ATL REVIEWER: 13 19 AS AT ES MC	A 5963	NW 26-NOV-91	ER	NW	85
A L	MIL-M-28787/525	MODULES, STANDARD ELECTRONIC MEMORY ADDRESS EXPANSION MODULE, KEY CODE CMF	A 5963	NW 15-SEP-89	NW		
A	MIL-M-28787/526	MODULES, STANDARD ELECTRONIC DIRECT MEMORY INTERFACE I MODULE, KEY CODE CMG REVIEWER: 13 19 AS AT ES MC	A 5963	NW 29-MAR-91	ER	NW	85
A	MIL-M-28787/527	MODULES, STANDARD ELECTRONIC DIRECT MEMORY ACCESS II MODULE, KEY CODE CMH REVIEWER: 13 17 19 AS AT AV ES MC	A 5963	NW 29-DEC-89	ER	NW	85
A	MIL-M-28787/528	MODULES, STANDARD ELECTRONIC MIL-STD-1397 TYPE D/E SERIAL CONTROL MODULE, KEY CODE AJK	A 5963	NW 17-MAY-91	ER	NW	85
A	MIL-M-28787/529	MODULES, STANDARD ELECTRONIC MIL-STD-1397 SERIAL INTERFACE ADAPTER MODULE, KEY CODE AJL REVIEWER: 13 19 AS AT ES MC	A 5963	NW 24-OCT-91	ER	NW	85
A	MIL-M-28787/534	MODULES, STANDARD ELECTRONIC TEMPERATURE SENSOR MODULE, KEY CODE ENB REVIEWER: 13 19 AS AT ES MC	A 5963	NW 30-MAR-92	ER	NW	85
A L	MIL-M-28787/535	MODULES, STANDARD ELECTRONIC I/O DATA BUS UPPER MODULE, KEY CODE EMC .....	A 5963	NW 20-SEP-89	NW		
A L	MIL-M-28787/536	MODULES, STANDARD ELECTRONIC MEMORY INTERFACE II MODULE, KEY CODE EMD .....	A 5963	NW 15-SEP-89	NW		
A L	MIL-M-28787/537	MODULES, STANDARD ELECTRONIC RS 232C INTERFACE ADAPTER MODULE, KEY CODE AML	A 5963	NW 20-OCT-89	NW		
A L	MIL-M-28787/538	MODULES, STANDARD ELECTRONIC MIL-STD-188C/VACUUM INTERFACE ADAPTER MODULE, KEY CODE APC	A 5963	NW 27-DEC-89	NW		
A L	MIL-M-28787/539	MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE ADDRESS GENERATION MODULE, KEY CODE CMK	A 5963	NW 05-MAY-89	NW		
A L	MIL-M-28787/540	MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION, CONTROL I, KEY CODE EWAH	A 5963	NW 10-MAY-89	NW		
A L	MIL-M-28787/541	MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL II MODULE, KEY CODE FWA	A 5963	NW 05-MAY-89	NW		
A L	MIL-M-28787/542	MODULES, STANDARD ELECTRONIC HIGH PERFORMANCE EMULATION CONTROL III MODULE, KEY CODE FWB	A 5963	NW 05-MAY-89	NW		
Q	MIL-S-28788A	SWITCH, AIR AND LIQUID FLOW, SENSING GENERAL SPECIFICATION FOR (VALIDATION DATE: 8601) USER: 11 19 AS AT AV ME REVIEWER: 17 99 ES MI OS	A 5930	85 12-SEP-79	ER	EC	85
	MIL-S-28788/1B	SWITCH, LIQUID FLOW, SINGLE POLE, DOUBLE THROW (SPDT), 3 AMPERES, OPERATING TEMPERATURE (32 DEG. F TO 185 DEG. F) USER: 19 AT AV ME REVIEWER: 17 80 AS ES MI OS	A 5930	85 04-JUN-84	ER	EC	85
	MIL-C-28790	CIRCUATOR, RADIO FREQUENCY, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505) USER: MC OS REVIEWER: 11 99 ES	A 59GP	EC 10-JAN-73	ER	EC	85
	SUPPL 1A1	CIRCUATOR, RADIO FREQUENCY, COAXIAL (SERIES SMA), THREE PORTS (VALIDATION DATE: 8710) USER: MC OS SH REVIEWER: 11 ES	A 5985	EC 27-OCT-87	ER	EC	85
	MIL-C-28790/1A	CIRCUATOR, RADIO FREQUENCY, COAXIAL, (3 PORTS, FREQUENCY RANGE - .15 TO .18 GHZ) (VALIDATION DATE: 8204)	A 5985	EC 24-SEP-76	EC		
L	MIL-C-28790/2	CIRCUATOR, RADIO FREQUENCY, COAXIAL, (4 PORTS, FREQUENCY RANGE - .60 TO .80 GHZ) (VALIDATION DATE: 8204)	A 5985	EC 24-SEP-76	EC		
L	MIL-C-28790/3	CIRCUATOR, RADIO FREQUENCY, WAVEGUIDE, THREE PORTS (VALIDATION DATE: 8710) USER: MC OS REVIEWER: 11 ES	A 5985	EC 27-OCT-87	ER	EC	85
	MIL-C-28790/6	ISOLATOR, RADIO FREQUENCY, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505) USER: MC OS REVIEWER: 11 99 ES	A 5985	EC 10-JAN-73	ER	EC	85
	NOTICE 1	ISOLATOR, RADIO FREQUENCY, COAXIAL USER: AS MC OS SH REVIEWER: 11 99 ES ...	A 5985	EC 18-DEC-81	ER	EC	85
	MIL-I-28791	ISOLATOR, RADIO FREQUENCY, COAXIAL FREQUENCY RANGE - .85 TO 1.05 GHZ (VALIDATION DATE: 8101) USER: AR REVIEWER: ES	A 5985	ER 29-SEP-76	ER		
	SUPPL 1A1	CONTROL SYSTEM, REMOTE, AM/FM-98(A)(V) (VALIDATION DATE: 8505) .....	A 5820	EC 03-AUG-84	EC		
	MIL-I-28791/1A(1)	CABLE, ELECTRICAL, SPECIAL PURPOSE, SHIP AND SHORE USE (VALIDATION DATE: 8505)	A 6145	EC 16-MAY-73	EC		
	NOTICE 1	CABINET, ELECTRONIC EQUIPMENT (SINGLE BAY) REVIEWER: GS .....	A 5975	EC 18-JUN-73	EC		
L	MIL-C-28794	DIGITIZER, VOICE, FULL AND HALF DUPLEX SPEECH COMPRESSION AND DIGITAL ENCODING (VALIDATION DATE: 8104)	A 5895	EC 04-FEB-75	EC		
L	MIL-D-28795(1)	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION GENERAL SPECIFICATION FOR (VALIDATION DATE: 8505) USER: MC REVIEWER: AS OS SH	A 5985	EC 10-AUG-73	EC		
L	MIL-L-28796	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH ELBOWS .....	A 5985	EC 07-JUN-82	EC		
L	SUPPL 1A1	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH ELBOWS (VALIDATION DATE: 8505) USER: MC REVIEWER: AS OS SH	A 5985	EC 10-AUG-73	EC		
L	MIL-L-28796/1A	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH GAS BARRIER USER: MC REVIEWER: AS OS SH	A 5985	EC 07-JUN-82	EC		
L	MIL-L-28796/2	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH GAS BARRIER (VALIDATION DATE: 8304) USER: MC REVIEWER: AS OS SH	A 5985	EC 22-APR-77	EC		
L	MIL-L-28796/3A	LINE ASSEMBLIES, RADIO FREQUENCY TRANSMISSION 1-5/8 INCH STRAIGHT SECTIONS FLANGED USER: MC REVIEWER: AS OS SH	A 5985	EC 07-JUN-82	EC		
L	MIL-L-28796/4A	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH STRAIGHT SECTIONS, FLANGED (VALIDATION DATE: 8104) USER: MC REVIEWER: AS OS SH	A 5985	EC 31-MAR-75	EC		
L	MIL-L-28796/5A	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 1 5/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED USER: AS MC REVIEWER: OS SH	A 5985	EC 07-JUN-82	EC		
L	MIL-L-28796/6	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED (VALIDATION DATE: 8104) USER: AS MC REVIEWER: OS SH	A 5985	EC 22-SEP-75	EC		
L	MIL-L-28796/7A	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED (VALIDATION DATE: 8104) USER: AS MC REVIEWER: OS SH	A 5985	EC 07-JUN-82	EC		
L	MIL-L-28796/8	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION 3-1/8 INCH STRAIGHT FLEXIBLE SECTIONS, FLANGED (VALIDATION DATE: 8104) USER: AS MC REVIEWER: OS SH	A 5985	EC 07-JUN-82	EC		
L	MIL-L-28796/9A	LINE ASSEMBLY, RADIO FREQUENCY TRANSMISSION REDUCER, FLANGE TYPE, 3-1/8 TO 1-5/8 INCH 50 OHM USER: AS MC REVIEWER: OS SH	A 5985	EC 14-MAR-77	EC		
L	MIL-B-28799(1)	BUOY, RADIO TRANSMITTING T-616( )/SRT (VALIDATION DATE: 8304) .....	A 5820	EC 14-MAR-77	EC		
D	MIL-T-28800E	TEST EQUIPMENT FOR USE WITH ELECTRICAL AND ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR USER: 10 15 18 CE MD SC YD1 REVIEWER: 13 17 19 99 AL AR AS AV EA MC MI OS TE	A 6625	SH 03-SEP-91	CR	SH	11
Q	MIL-D-28803A	DISPLAY, OPTOELECTRIC, READOUTS, BACKLIGHTED SEGMENTED, GENERAL SPECIFICATION FOR USER: AR AT AV MC ME MI OS SH REVIEWER: 11 17 99 AS ES	A 5980	EC 03-AUG-90	ER	EC	85
	MIL-D-28803/1D	DISPLAY, OPTOELECTRIC, SEGMENTED READOUT, BACKLIGHTED, STYLE 11 (LIGHT EMITTING DIODES), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, TYPE R01 USER: AR AT AV MC ME MI OS REVIEWER: 11 17 82 99 AS ES	A 5980	EC 11-JUL-88	ER	EC	85
	MIL-R-28803/2	READOUT, SEGMENTED, STYLE 1 (RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK) TYPE R02 (VALIDATION DATE: 8304) USER: AR AT AV MC ME MI OS SH REVIEWER: 17 99 AS ES	A 6240	EC 15-APR-77	EL	EC	11
	MIL-I-28803/3B	INDICATOR, DIGITAL DISPLAY, INCANDESCENT (STYLE 1), SEGMENTED, DOT PATTERN AND BAR PATTERN, RFI SHIELDED, MOISTURE SEALED, TYPE R03 USER: AR AT AV MC ME MI OS SH REVIEWER: 17 99 AS ES	A 6240	EC 14-AUG-85	EC	11	
	MIL-I-28803/4B	INDICATOR, DIGITAL DISPLAY, INCANDESCENT (STYLE 1), SEGMENTED, DOT PATTERN AND BAR PATTERN, TYPE R04 (REPLACEMENT PARTS FOR TYPE R03 INDICATOR ASSEMBLY) USER: AR AT AV MC ME MI OS SH REVIEWER: 17 99 AS ES	A 6240	EC 14-AUG-85	EC	11	
Q	MIL-C-28804C	CONNECTORS, PLUG AND RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935	EC 12-APR-91	CR	EC	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Inches Document Number	Document Title	Dist Smt FSC / Area MCS / Symbol Preparing Acty Date	Army Navy Air Force DLA	Custodians
MIL-C-28804/1D	CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS G USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/2D	CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS G USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/3D	CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/4D	CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS E USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/5D	CONNECTORS, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE SOCKET CONTACTS, CLASS P USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/6D	CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, CRIMP REMOVABLE PIN CONTACTS, CLASS P USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/7D	CONNECTOR, RECEPTACLE, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER SOCKET CONTACTS, CLASS S USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/8D	CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SOLDER PIN CONTACTS, CLASS S USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
MIL-C-28804/9D	CONNECTORS, PIN CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE USER: AM AR MC ME REVIEWER: 85 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 11		
MIL-C-28804/10D	CONNECTORS, SOCKET CONTACT, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, SIZE 22, CRIMP REMOVABLE USER: AM AR MC ME REVIEWER: 85 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 11		
MIL-C-28804/11D	CONNECTORS, PLUG, ELECTRIC, RECTANGULAR, HIGH DENSITY, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SOLDER PIN CONTACTS, CLASS SE USER: AM AR MC ME REVIEWER: 99 AS AT ES MI	A 5935 EC 12-APR-91 CR EC 85		
L MIL-C-28806	COUPLER GROUP, ANTENNA, AN/URA-38( ) [VALIDATION DATE: 8104]	A 5985 EC 24-MAR-75 EC		
L MIL-P-28808A	PRINTER, HIGH SPEED, DIGITAL DATA, T7624(V)UG	A 5815 EC 30-APR-87 EC		
MIL-C-28809B	CIRCUIT CARD ASSEMBLIES, RIGID, FLEXIBLL, & RIGID FLEX USER: 11 REVIEWER: 20 99 AR AS AT ES ME MI NS OS SH	A 5999 EC 13-MAY-88 ER EC 85		
L MIL-F-28811A	FREQUENCY STANDARD, Cesium BEAM TUBE	A 6625 EC 26-APR-85 EC		
L MIL-R-28812	RADIO SET AN/SRC-23A [VALIDATION DATE: 8104]	A 5820 EC 18-MAR-75 EC		
L MIL-A-28813	ANTENNA COUPLER GROUP AN/SRA-34A(V) [VALIDATION DATE: 8104]	A 5985 EC 18-MAR-75 EC		
L MIL-T-28815	TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT [VALIDATION DATE: 8104]	A 6625 SH 18-MAR-75 SH		
L MIL-T-28816(1)	TIME-FREQUENCY STANDARD, DISCIPLINED, AN/AURD-23, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104]	A 6625 SH 25-APR-75 SH		
L MIL-R-28819(1)	RADIO NAVIGATION RECEIVING SET, OMEGA, AN/BRN-7, AN/SRN-17	A 5825 EC 03-JAN-83 EC		
L MIL-F-28821(1)	FILTER UNIT, NOTCH [VALIDATION DATE: 8601]	A 5915 EC 02-JAN-80 EC		
L MIL-P-28824A	PUMP, VACUUM, POSITIVE DISPLACEMENT, AIR ROTARY VANE	A 4310 SH 28-SEP-84 SH		
L MIL-P-28824/1A	PUMP, VACUUM, POSITIVE DISPLACEMENT, AIR ROTARY VANE, TYPE 1, CAST IRON	A 4310 SH 28-SEP-84 SH		
L MIL-P-28824/2	PUMP, VACUUM, POSITIVE DISPLACEMENT, AIR ROTARY VANE, TYPE 2 CAST ALUMINUM	A 4310 SH 28-SEP-84 SH		
L MIL-S-28825(1)	SWITCHBOARD, AUDIO, DESIGN, TEST AND MANUFACTURE OF [VALIDATION DATE: 8204]	A 5820 EC 11-FEB-76 EC		
L MIL-A-28826	ANTENNA SYSTEM, BROADBAND IDENTIFICATION FRIEND OR FOE [VALIDATION DATE: 8204]	A 5985 EC 03-MAY-76 EC		
L MIL-S-28827A	SWITCH, THERMOSTATIC, (VOLATILE LIQUID), HERMETICALLY SEALED GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: AS MC OS REVIEWER: 11 17 99 AV ES SH	A 5930 EC 12-SEP-79 ER EC 85		
L MIL-S-28827/1A	SWITCH, THERMOSTATIC (VOLATILE LIQUID), HERMETIC SEALED, SINGLE POLE DOUBLE THROW (SPDT), MEDIUM RESPONSE TIME	A 5930 EC 20-NOV-90 EC		
Q MIL-C-28830B	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR USER: 19 SH REVIEWER: 17 99 AS IS MC	A 6145 EC 27-JAN-82 CR EC 85		
MIL-C-28830/1	CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, FOAM DIELECTRIC, 1/2 INCH, NOMINAL 50 OHMS [VALIDATION DATE: 8404] REVIEWER: AS ES IS MC	A 6145 EC 04-MAY-78 EC 85		
MIL-C-28830/2	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, FOAM DIELECTRIC, 7/8 INCH, NOMINAL 50 OHMS [VALIDATION DATE: 8404] REVIEWER: AS ES IS MC	A 6145 EC 04-MAY-78 EC 85		
MIL-C-28830/3B	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1/2 INCH NOMINAL, 50 OHMS USER: 19 SH REVIEWER: 17 99 AS IS MC	A 6145 EC 30-SEP-82 CR EC 85		
L MIL-C-28830/4B	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 7/8 INCH NOMINAL, 50 OHMS USER: 19 SH REVIEWER: 17 99 AS IS MC	A 6145 EC 30-SEP-82 EC		
MIL-C-28830/5B	CABLES, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, LOW LOSS FOAM DIELECTRIC, 1-5/8 INCH NOMINAL, 50 OHMS USER: 19 SH REVIEWER: 17 99 AS IS MC	A 6145 EC 12-JUN-89 CR EC 85		
MIL-M-28837(1)	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, PIN PLUG IN TERMINATION	A 5985 EC 07-FEB-85 ER EC 85		
SUPPL 1A1	CG MC REVIEWER: 11 17 ES MI OS			
MIL-M-28837/1B	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, PIN PLUG IN TERMINATION	A 5985 EC 07-FEB-85 ER EC 85		
	USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS			
MIL-M-28837/2B	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SOLDER LEADS USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 07-FEB-85 ER EC 85		
MIL-M-28837/3	MIXER STAGES, RADIO FREQUENCY, BALANCED, SMA FEMALE CONNECTORS [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 02-SEP-77 ER EC 85		
MIL-M-28837/4	MIXER STAGES, RADIO FREQUENCY, SINGLE BALANCED, TYPE N, BNC CONNECTORS [VALIDATION DATE: 8304] USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 02-SEP-77 ER EC 85		
MIL-M-28837/5A	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SMA FEMALE CONNECTORS	A 5985 EC 07-FEB-85 ER EC 85		
	USER: 14 19 99 AR AS CG MC REVIEWER: 11 17 MI OS			
MIL-M-28837/6	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, BNC FEMALE CONNECTORS [VALIDATION DATE: 8505] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 01-JUN-79 ER EC 85		
MIL-M-28837/7(1)	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO-5 CONFIGURATION USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 26-MAY-81 ER EC 85		
MIL-M-28837/8	MIXER STAGES, RADIO FREQUENCY, SINGLE BALANCED, PC MOUNTED [VALIDATION DATE: 8505] USER: 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 01-JUN-79 ER EC 85		
MIL-M-28837/9	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO CONFIGURATION USER: 14 19 AR AS CG MC REVIEWER: 11 17 99 ES MI OS	A 5985 EC 07-FEB-85 ER EC 85		
L MIL-C-28838C(2)	COMMUNICATIONS SETS, UHF AM/MSC-3(V) SATELLITE AND LOS VERSIONS	A 5820 EC 10-NOV-87 EC		
MIL-W-28839	WAVEGUIDES, ELLIPTICAL GENERAL SPECIFICATION FOR [VALIDATION DATE: 8404] REVIEWER: 11 17 99 ES MI OS SH	A 5985 EC 13-MAR-78 ER EC 85		
MIL-W-28839/1	WAVEGUIDES, ELLIPTICAL, SEMIRIGID [VALIDATION DATE: 8404] REVIEWER: 11 17 99 ES MI OS SH	A 5985 EC 13-MAR-78 ER EC 85		
DOI MIL-C-28840A(4)	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH DENSITY, HIGH SHOCK SHIPBOARD, CLASS D GENERAL SPECIFICATION FOR USER: OS YDI REVIEWER: SH	A 5935 EC 01-APR-93 EC		
SUPPL 1A1				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op./OML Classification Inactive Document Number	Document Title	Doc. Syst. FSC / Ane MCA Symbol	Preparing Acty Date	Custodians			
				Army	Navy	Air Force	DA
A L	MIL-C-28840/18	CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, STRAIGHT, OPEN FOR ELECTRICAL CONNECTORS	A 5935	EC	09-FEB-93	EC	
A L	MIL-C-28840/28	CONNECTOR, ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 90 DEG., OPEN FOR ELECTRICAL CONNECTORS	A 5935	EC	09-FEB-93	EC	
A L	MIL-C-28840/38	CONNECTOR ACCESSORIES, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CLAMPS, STRAIN RELIEF, 45 DEG., OPEN FOR ELECTRICAL CONNECTORS	A 5935	EC	09-FEB-93	EC	
L	MIL-C-28840/4	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT FOR EMI SHIELDING [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/5A	CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, METAL CONDUIT FOR EMI SHIELDING	A 5935	EC	26-MAY-81	EC	
L	MIL-C-28840/68	CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, STRAIGHT, CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC USER: OS SH	A 5935	EC	04-JAN-83	EC	
L	MIL-C-28840/7B	CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, CRIMP CONTACTS DUMMY RECEPTACLE, WALL MOUNTING [VALIDATION DATE: 9206] USER: OS REVIEWER: SH	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/8B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/90	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., CABLE SEALING AND SHIELD TERMINATION, CONNECTOR, ELECTRIC [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/10B(1)	CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, CLASSES D AND DS [VALIDATION DATE: 9206] USER: OS REVIEWER: SH	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/11A	CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, RECEPTACLE, CABLE CONNECTING, CLASSES D AND DS [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
M L	MIL-C-28840/12C(1)	CONNECTORS, ELECTRICAL, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, BOX MOUNTING, CLASSES D AND DS	A 5935	EC	20-APR-93	EC	
L	MIL-C-28840/13C	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, COVER, RECEPTACLE [VALIDATION DATE: 9206] USER: OS SH REVIEWER: ES	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/14D	CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, JAM NUT MOUNTING, CLASSES D AND DS [VALIDATION DATE: 9206] USER: OS SH	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/15B	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, DUST COVER, PLUG [VALIDATION DATE: 9206] USER: OS SH REVIEWER: ES	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/16A	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, CLASSES D AND DS	A 5935	EC	26-MAY-81	EC	
L	MIL-C-28840/17B	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG, ASSEMBLY OPEN WIRE CLASSES D AND DS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/18B	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE, 90 DEG., CLASSES D AND DS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/19B	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, OPEN WIRE 45 DEG., CLASSES D AND DS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/20E	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, WALL MOUNTING, ASSEMBLY, STRAIGHT CLASSES DJ & DJS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/21D	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS RECEPTACLE, CABLE CONNECTING ASSEMBLY, STRAIGHT CLASSES DJ & DJS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/22A	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT BUSHING [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/23A	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, GLAND NUT, WIRING, ELECTRIC CONNECTOR [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/24B	CONNECTORS, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS GASKET, FLANGE MOUNTING [VALIDATION DATE: 9206] USER: OS REVIEWER: SH	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/25A(1)	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 90 DEG., METAL CONDUIT FOR EMI SHIELDING [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/26B	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG ASSEMBLY, STRAIGHT CLASSES DJ AND DJS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/27A(1)	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, BACKSHELL, 45 DEG., METAL CONDUIT FOR EMI SHIELDING [VALIDATION DATE: 9206]	A 5935	EC	03-JUN-92	EC	
L	MIL-C-28840/28D	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS PLUG, ASSEMBLY, 90 DEG., CLASSES DJ AND DJS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/29D	CONNECTOR, ELECTRICAL, CIRCULAR, SCREW THREADS, HIGH DENSITY, HIGH SHOCK, SHIPBOARD, CRIMP CONTACTS, PLUG, ASSEMBLY, 45 DEG., CLASSES DJ AND DJS	A 5935	EC	16-JUL-86	EC	
L	MIL-C-28840/30A	CONNECTOR, ELECTRICAL, CIRCULAR THREADED, HIGH SHOCK, HIGH DENSITY, SHIPBOARD, METAL CONDUIT COUPLING	A 5935	EC	26-MAY-81	EC	
L	MIL-T-28842A(2)	TELEPHONE SETS, TA-970/U, TA-980/U, & TA-990/U	A 5805	EC	25-JUN-82	EC	
L	MIL-C-28843A	CONTROL UNITS, REMOTE SWITCHING, C-10315/U AND C-10979/U [VALIDATION DATE: 8705]	A 5840	EC	08-MAY-87	EC	
L	MIL-A-28844A	ANTIFOGGING COMPOUND 3 HEPT	A 6850	SH	19-DEC-86	EC	
L	MIL-R-28848(2)	RADIO SET AM/JRC-94(V)	A 5820	EC	16-DEC-85	EC	
L	MIL-T-28849(2)	TRANSCEIVER, VHF/UHF [VALIDATION DATE: 8505]	A 5820	EC	13-JUL-79	EC	
L	MIL-B-28850(7)	BLANKERS, INTERFERENCE, MX-8757/UPX, MX-8758/UPX, AND MX-8758A/UPX	A 5840	EC	15-SEP-86	EC	
L	MIL-S-28851B	SWITCHBOARD, TELETYPEWRITER SIGNAL, SECURE SB-3917/BGC AND RECEIVER AUDIO SB-3918/BRR	A 5895	EC	28-FEB-83	EC	
L	MIL-S-28852A	SWITCHBOARD, TELETYPEWRITER SIGNAL DISTRIBUTION, SB-3959/BGC	A 5815	EC	28-FEB-83	EC	
L	MIL-S-28853A	SWITCHBOARD, TRANSMITTER CONTROL, SB-3916/BRT	A 5820	EC	28-FEB-83	EC	
L	MIL-S-28854(2)	SWITCHING GROUP, TRANSMITTER ANTENNA OK-261/BRC	A 5820	EC	30-MAR-84	EC	
L	MIL-C-28855	CU-2113( )/SRC COUPLER ISOLATOR [VALIDATION DATE: 8212]	A 5825	EC	18-DEC-86	EC	
L	MIL-S-28856A	SYNCHRONIZER, VIDEO, SM-501/UPX	A 5840	EC	06-AUG-82	EC	
L	MIL-B-28857	BATTERY, PRIMARY, LITHIUM SULFUR DIOXIDE (FOR AM/PRC 96 RADIO TRANSCEIVER) [VALIDATION DATE: 8601]	A 6135	EC	28-SEP-79	EC	
L	MIL-C-28858A(2)	COUPLER GROUP, ANTENNA, OA-9123/SRC	A 5985	EC	20-JUL-89	EC	
AQ	MIL-C-28859B	CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR USER: MC REVIEWER: ES	A 5935	NW	19-JAN-90	OR NW	BS
A L	MIL-C-28859/1B	CONNECTOR COMPONENT PART, ELECTRICAL BACK PLANE, PRINTED WIRING COMPLIANT PIM REVIEWER: ES	A 5935	NW	16-APR-82	NW	
A L	MIL-C-28859/2C(2)	CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, HOUSING	A 5935	NW	23-JUL-85	NW	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Inactive	Document Number	Document Title	Dist. Smt Fnc / Ave MCA Symbol	Preparing Act Date	Custodians			
					Army	Navy	AF Force	DLA
A L	MIL-C-28859/3C	CONNECTOR, COMPONENT PART, ELECTRICAL BACK PLANE, PRINTED WIRING, COMPLIANT PIN, FEED THROUGH REVIEWER: ES	A 5935	NW 04-DEC-84	NW			
A L	MIL-C-28859/4D	CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, COMPLIANT PIN, FEED-TO REVIEWER: ES	A 5935	NW 25-OCT-83	NW			
A L	MIL-C-28859/5	CONNECTOR, COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, LOW INSERTION FORCE (LIF), COMPLIANT CONTACT USER: AS	A 5935	NW 19-FEB-90	NW			
Q	MIL-F-28861A SUPPL 1A1	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, GENERAL SPECIFICATION FOR USER: 19 AS AT AV CG MC ME OS REVIEWER: 17 99 AR ES MI SH	A 59GP	EC 03-AUG-90	ER	EC	85	
	MIL-F-28861/1B	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLES FS10 AND FS11 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH	A 59GP	EC 25-MAY-90	ER	EC	85	
	MIL-F-28861/2A	FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS20 USER: 19 AS AT AV CG MC ME OS REVIEWER: 17 99 AR ES MI SH	A 5915	EC 02-NOV-88	ER	EC	85	
	MIL-F-28861/3A	FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS30 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH	A 5915	EC 02-NOV-88	ER	EC	85	
	MIL-F-28861/4A	FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS40 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH	A 5915	EC 02-NOV-88	ER	EC	85	
	MIL-F-28861/5A	FILTERS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS50 USER: 19 AS AT AV MC ME OS REVIEWER: 11 99 AR ES MI SH	A 5915	EC 02-NOV-88	ER	EC	85	
	MIL-F-28861/6B(2)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS60 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI	A 59GP	EC 06-MAY-92	ER	EC	85	
	MIL-F-28861/7C(1)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS61 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI	A 59GP	EC 06-MAY-92	ER	EC	85	
	MIL-F-28861/8D	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS62 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI	A 59GP	EC 02-JUN-89	ER	EC	85	
	MIL-F-28861/9C(1)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, NONHERMETICALLY SEALED, STYLE FS63 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI	A 59GP	EC 06-MAY-92	ER	EC	85	
	MIL-F-28861/10D	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS64 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI	A 59GP	EC 02-JUN-89	ER	EC	85	
	MIL-F-28861/12C(1)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS70 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 99 AR ES MI	A 59GP	EC 19-OCT-90	ER	EC	85	
	MIL-F-28861/13A(1)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS72 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI	A 59GP	EC 12-OCT-90	ER	EC	85	
	MIL-F-28861/14A(1)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS73 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI	A 59GP	EC 12-OCT-90	ER	EC	85	
	MIL-F-28861/15A(1)	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED ON ONE END ONLY, STYLE FS74 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI	A 59GP	EC 12-OCT-90	ER	EC	85	
	MIL-F-28861/16	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS66 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 17 99 AR ES MI	A 59GP	EC 29-AUG-86	ER	EC	85	
A	MIL-F-28861/17	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS67 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 11 17 99 AR ES MI	A 59GP	EC 29-AUG-86	ER	EC	85	
A	MIL-F-28861/18	FILTERS AND CAPACITORS, RADIO FREQUENCY/ELECTROMAGNETIC INTERFERENCE SUPPRESSION, HERMETICALLY SEALED, STYLE FS68 USER: 19 AS AT AV CG MC ME OS SH REVIEWER: 99 AR ES MI	A 59GP	EC 26-JUN-92	ER	EC	85	
L	MIL-C-28863A	CONTROL GROUP, COMMUNICATION SECURITY, INTEGRATION & HOUSING GROUP COMPONENTS	A 5810	EC 31-JUL-85	EC			
L	MIL-A-28865A	ANTENNA GROUP, OE-82( )/WSC-1(V) .....	A 5985	EC 30-NOV-87	EC			
L	MIL-R-28866A	RECEIVING SET, SATELLITE SIGNAL, AM/SSR-1A .....	A 5820	EC 23-DEC-87	EC			
L	MIL-S-28868	SWITCH BOX, SA 1997/U .....	A 5805	EC 10-NOV-81	EC			
L	MIL-C-28869(1)	CONVERTER, INTERFACE UNIT, CV-3507/JUSQ-74 .....	A 7025	EC 25-JUL-86	EC			
Q	MIL-A-28870A	ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR USER: AS CG MC REVIEWER: ES	A 5998	NW 19-JAN-90	ER	NW	85	
L	MIL-C-28872	CABINET, ELECTRONIC EQUIPMENT C Y-45, C/S ( ) .....	A 5975	EC 17-MAR-83	EC			
L	MIL-F-28874(1)	FIELD CHANGE KIT FOR VARIABLE OUTPUT POWER CAPABILITY FOR TRANSMITTER AN/URT-23(C)	A 5820	EC 30-APR-84	EC			
Q	MIL-A-28875 SUPPL 1A1	AMPLIFIER, RADIO FREQUENCY AND MICROWAVE, SOLID STATE, GENERAL SPECIFICATION FOR USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/1	AMPLIFIER, RADIO FREQUENCY & MICROWAVE, SOLID STATE, NARROWBAND, DIP CONFIGURATION USER: AS AV MC REVIEWER: 11 19 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/2	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, NARROWBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/3	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, NARROWBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/4	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE LOGARITHMIC, COAXIAL CONFIGURATION USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/5	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, TO CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/6	AMPLIFIER RADIO FREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, COAXIAL CONFIGURATION USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/7	AMPLIFIER, RADIO FREQUENCY & MICROWAVE, SOLID STATE, LOW NOISE, WIDEBAND, FLATPACK CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/8	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, POWER, WIDEBAND, TO CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/9	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, POWER, WIDEBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/10	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, TO CONFIGURATION USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/11	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, COAXIAL CONFIGURATION USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
	MIL-A-28875/12	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE, WIDEBAND, LOW PROFILE, TO CONFIGURATION USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH	A 5985	EC 27-JUL-83	ER	EC	85	
DQ	MIL-C-28876D	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, GENERAL SPECIFICATION FOR USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A 6060	SH 09-JUL-92	CR	SH	85	
D	MIL-C-28876/1D	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A 6060	SH 09-JUL-92	CR	SH	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off / OMA Coordination Inhouse	Document Number	Document Title	Dist	Smt FSC / Area	MCA Symbol	Proposed Acty Date	Custodians			
							Army	Navy	Air Force	DIA
D	MIL-C-28876/20	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/30	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/40	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/50	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/60	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/70	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/80	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/90	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/100	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, SCREW THREADS, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/110	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMMUT MOUNTING, WITHOUT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/120	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMMUT MOUNTING WITH STRAIGHT STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/130	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMMUT MOUNTING, WITH 45 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/140	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, JAMMUT MOUNTING WITH 90 DEG. STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/150	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, DUST COVER, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/26C	CONNECTORS, FIBER OPTIC, CIRCULAR, RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, WALL MOUNTING, WITH SHORT BACKSHELL, NON-ENVIRONMENT USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/27C	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, SCREW THREADS, STRAIGHT BACKSHELL, STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/28C	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, 45 DEG. BACKSHELL, SCREW THREADS, WITH STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
D	MIL-C-28876/290	CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI, 90 DEG. BACKSHELL, SCREW THREADS, WITH STRAIN RELIEF, ENVIRONMENT RESISTING USER: 13 14 OS YDI REVIEWER: 17 19 80 90 99 AS ES MC MI	A	6060	SH	09-JUL-92	CR	SH	85	
L	MIL-R-28877	RECEIVER, PROGRAMMABLE SCANNING COMMUNICATIONS	A	5820	EC	17-FEB-84				
L	MIL-A-28879A	ANTENNA ASSEMBLY, BUOYANT CABLE, AS-26298/BR	A	5985	EC	10-JUN-85				
L	MIL-A-28880(1)	ANTENNA COUPLER GROUP, AN/SRA-49( )	A	5985	EC	20-DEC-84				
L	MIL-R-28881(2)	RADIOMETER, IM-239/ADO	A	6665	SH	31-JAN-86				
L	MIL-D-28882	DOSIMETER, THERMOLUMINESCENT, DT-526/ADO	A	6665	SH	20-APR-84				
L	MIL-T-28885	TRANSMITTER, RADIO, AM/FRT-83(B) 1000 WATTS PEAK ENVELOPE POWER & AVERAGE, HIGH FREQUENCY, INDEPENDENT SIDEBAND	A	5820	EC	06-AUG-84				
L	MIL-R-28886A	RECEIVER, LOW FREQUENCY, MEDIUM FREQUENCY, AND HIGH FREQUENCY COMMUNICATIONS	A	5820	EC	23-MAY-85				
L	MIL-R-28887	RADIO GROUP, VLF, LF, MF, AND HF	A	5820	EC	05-OCT-84				
L	MIL-A-28890	ANTENNA GROUP, OE-207/BR	A	5985	EC	10-DEC-84				
L	MIL-I-28892A	INTERFACE ADAPTER UNIT	A	5810	EC	16-SEP-85				
L	MIL-A-28893	ANTENNA COUPLER GROUP, AN/SRA-56, AN/SRA-57, AND AN/SRA-58	A	5985	EC	02-JUN-85				
L	MIL-A-28895(1)	ANTENNA ELEMENTS, AS-3435/BR & AS-3436/BR	A	5985	EC	15-NOV-85				
L	MIL-A-28896(1)	ANTENNA, TRANSMISSION LINE, AS-3437/BR	A	5985	EC	27-MAR-87				
L	MIL-A-28897(2)	AMPLIFIER, RADIO FREQUENCY, AM-7074/BR	A	5985	EC	12-FEB-88				
L	MIL-A-28898	ADAPTER, RADIO FREQUENCY, MX-10158/BR	A	5985	EC	15-NOV-85				
L	MIL-C-28899	CABLE ASSEMBLIES, RF, CG 3820/BR, CG 3819/BR	A	5995	EC	15-NOV-85				
L	MIL-C-28901	CONNECTOR, ELECTRICAL, PLUGS, TIP (TEST POINT PLUG, BANANA PLUG) GENERAL SPECIFICATION FOR USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 19 99 ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/1	CONNECTOR, ELECTRICAL, PLUGS, TIP SINGLE (BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/2	CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/3	CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/4	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, RIGHT ANGLE (BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/5	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, MINIATURE, (TEST POINT PLUG), .080 USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/6	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, RIGHT ANGLE, (TEST POINT PLUG), .080 USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/7	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (TEST POINT PLUG), .080, SOLDERLESS USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/8	CONNECTOR, ELECTRICAL, PLUGS, TIP, DUAL (TEST POINT PLUG), .080, SOLDERLESS USER: 11 17 19 99 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/9	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (TEST POINT PLUG TO BANANA PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	
L	MIL-C-28901/10	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE, (BANANA PLUG TO TEST POINT PLUG) USER: 19 AR AS CG MC MI OS REVIEWER: 11 17 99 EA ES ME	A	5935	EC	10-APR-80	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ONL Coordination Inactive Document Number	Document Title	Dist. Sgts. FSC / Aves MCA Symbol Preceding Acty	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-C-28901/11	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE USER: 19 AR AS CG MC MI OS	A 5935	EC 10-APR-80	CR	EC	85	
MIL-C-28901/12	CONNECTOR, ELECTRICAL, PLUGS, TIP, SINGLE .040 DIAMETER USER: 19 AR AS CG	A 5935	EC 10-APR-80	CR	EC	85	
L MIL-T-28902A	TROUSERS, MEN S, MUSICIANS USER: 45 REVIEWER: CT	A 8405	MC 18-AUG-81	MC			
L MIL-C-28914(1)	CONTROL UNIT-RECTIFIER, C-7673/PCC-1 [VALIDATION DATE: 8501]	A 5805	MC 30-JUL-69	MC			
L MIL-M-28915(1)	MODEM, TELEGRAPH TELEPHONE, MD-791/GCC [VALIDATION DATE: 8501]	A 5805	MC 10-SEP-69	MC			
L MIL-T-28916(1)	TERMINAL, TELEGRAPH-TELEPHONE, TH-81/GCC [VALIDATION DATE: 8501]	A 5805	MC 30-JUL-69	MC			
L MIL-C-28917(2)	CONTROL, POWER SUPPLY, C-7674/VCC, AND CONTROL, TERMINAL SET, C-7827/VCC	A 5805	MC 05-JUN-70	MC			
L MIL-T-28919(1)	TROUSERS, MEN S, SERVICE, SUMMER AND WINTER (OFFICER S) [VALIDATION DATE: 8706]	A 8405	MC 25-JUN-87	MC			
L MIL-T-28920A	TROUSERS, MEN S, DRESS (OFFICER S) [VALIDATION DATE: 8706]	A 8405	MC 25-JUN-87	MC			
L MIL-S-28921A	SWORD AND SCABBARD, OFFICER S, WITH CASE [VALIDATION DATE: 8710]	A 8465	MC 13-OCT-87	MC			
L MIL-S-28933A	SLING, SWORD, SHOULDER: NYLON WEBBING, WHITE USER: 45 REVIEWER: CT	A 8465	MC 26-MAY-88	MC			
A L MIL-I-28934A	INSIGNIA, GRADE, MARINE CORPS RESERVE OFFICERS TRAINING CORPS, (EMBROIDERED)	A 8455	CT 15-OCT-80	MC	CT		
L MIL-V-28936	VEST, MAN S DRESS, WHITE (OFFICER S) [VALIDATION DATE: 8710] REVIEWER: CT	A 8405	MC 23-OCT-87	MC			
L MIL-U-28946A(1)	UNIFORM, WOMAN S WHITE, DRESS (OFFICER S)	A 8410	MC 02-FEB-88	MC			
M L MIL-I-28947C	ILLUSTRATIONS FOR STOCK LIST PUBLICATIONS: PREPARATION OF	A TMSS	MC 19-MAY-93	MC			
L MIL-L-28948A	LANTERN, ELECTRIC, FLUORESCENT, HAND REVIEWER: GS	A 6230	MC 01-SEP-82	MC			
L MIL-C-28950A	COAT, MAN S, DRESS, BLUE (OFFICER S) [VALIDATION DATE: 8710] REVIEWER: CT	A 8405	MC 23-OCT-87	MC			
L MIL-C-28962	CAPE, MAN S, U.S. MARINE CORPS BAND [VALIDATION DATE: 8710] REVIEWER: CT	A 8405	MC 23-OCT-87	MC			
A L MIL-I-28964B	INSIGNIA, GRADE, PLASTIC [VALIDATION DATE: 8710] USER: 45	A 8455	CT 23-OCT-87	MC	CT		
L MIL-J-28978	JACKET, MAN S EVENING DRESS (STAFF, NONCOMMISSIONED OFFICER S) [VALIDATION DATE: 8306] USER: 45 REVIEWER: CT	A 8405	MC 01-DEC-71	MC			
L MIL-C-28981(1)	CASE, SMALL ARMS AMMUNITION, 30 ROUND MAGAZINE M-16 RIFLE [VALIDATION DATE: 8710] USER: 45 REVIEWER: CT	A 8465	MC 23-OCT-87	MC			
A L MIL-S-28982A	STAND, FLAGSTAFF, WOOD	A 8345	CT 06-MAY-91	MC	CT		
L MIL-P-28983A(1)	POLE, BEACH, PANEL MARKER, METAL	A 8345	CT 30-MAY-88	MC	CT		
L MIL-A-28988B	AMPLIFIER, RADIO FREQUENCY, AM-6545/GMC-193	A 5820	MC 07-DEC-82	MC			
L MIL-C-28989B	COUPLER, ANTENNA: CU-2064/GRC-193	A 5820	MC 07-DEC-82	MC			
L MIL-P-28991	PUBLIC ADDRESS SET, AM/UQ-10 [VALIDATION DATE: 8503]	A 5830	MC 22-DEC-72	MC			
L MIL-C-28998A	CLEANER-DRYER, ELECTRONIC TEST INSTRUMENT, PORTABLE REVIEWER: GS	A 4940	MC 16-SEP-80	MC			
L MIL-P-28999B	PUBLICATIONS, TECHNICAL, INSTRUCTION-TYPE: PREPARATION OF	A TMSS	MC 14-DEC-89	MC			
L MIL-P-29005B	PUBLICATIONS, PLANNED MAINTENANCE SYSTEM, FOR TRAINING DEVICES	A TMSS	TD 19-JAN-89	TD			
L MIL-G-29011(1)	GUIDE, OPERATION AND MAINTENANCE, FOR TRAINING AIDS, FOR PREPARATION OF	A TMSS	TD 15-JUN-84	TD			
L MIL-C-29025A	COMMUNICATION SYSTEMS FOR TRAINING DEVICES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8406]	A 696P	TD 14-SEP-78	TD			
D L MIL-F-29046(2)	FLOORING, RAISED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8405] USER: YD1	A 696P	TD 01-MAR-77	TD			
L MIL-M-29049(1)	MANUAL, TECHNICAL: FUNCTIONALLY ORIENTED FOR TRAINING DEVICES (FOTM)	A TMSS	TD 16-NOV-90	TD			
L DOD-T-29055	TRAINING DEVICES PHOTOGRAPHY REQUIREMENTS: GENERAL SPECIFICATION FOR [VALIDATION DATE: 9006]	A 6970	TD 26-JUN-90	TD			
A L MIL-M-29101C	HOODS, EXTREME COLD WEATHER, IMPERMEABLE USER: 45 CG	A 8415	CT 03-OCT-88	NU	CT		
A L MIL-C-29106B	COAT, MAN S, WOOL, WINTER	A 8405	CT 01-MAR-82	NU	CT		
A L MIL-C-29107C	COAT, MAN'S, POLYESTER/WOOL	A 8405	CT 07-JUN-89	NU	CT		
A L MIL-S-29108A	SHAPES, DAY SIGNAL, MARITIME [VALIDATION DATE: 8312] USER: 45 REVIEWER: SH	A 8345	CT 15-MAR-78	NU	CT		
A L MIL-C-29109B	COVERALLS, ANTI EXPOSURE USER: 45 SH	A 8415	CT 28-JUN-88	NU	CT		
A L MIL-B-29110B	BAG, LAUNDRY, SUBMARINE [VALIDATION DATE: 8011] USER: 45	A 8465	CT 25-FEB-81	NU	CT		
A L MIL-C-29111B	COVERALLS, EXPLOSIVE HANDLERS (WOMEN S) [VALIDATION DATE: 8601] USER: 45 REVIEWER: MD OS	A 8415	CT 21-JAN-80	GL	NU	CT	
A L MIL-T-29112C	TRUNKS, SWIMMERS USER: 45 OS SH	A 8415	CT 03-MAR-87	NU	CT		
A L MIL-M-29113B	NECKTIE, WOMAN S (BOW, BLACK) [VALIDATION DATE: 8601] USER: 45	A 8445	CT 08-NOV-78	NU	CT		
A L MIL-G-29114A	GLOVES, CLOTH, VINYL COATED, MEN S AND WOMEN S [VALIDATION DATE: 8211] USER: 45 OS REVIEWER: 82	A 8415	CT 13-APR-77	NU	99	CT	
D MIL-C-29118A	CLOTH, TWILL, COTTON [VALIDATION DATE: 8201] USER: 45 CG OS YD1 REVIEWER: 99 MS SH	A 8305	CT 28-MAY-76	GL	NU	11	CT
A L MIL-S-29122D	SKIRT, WOMAN'S, BLUE, DRESS	A 8410	CT 18-OCT-88	NU	CT		
A L MIL-C-29124D	COAT, WOMAN S, BLUE, DRESS	A 8410	CT 08-JAN-88	NU	CT		
L MIL-C-29126A	COVER, BEDDING, FLAMEPROOF [VALIDATION DATE: 8601] USER: SH REVIEWER: CT	A 7210	NU 15-AUG-79	NU			
A L MIL-C-29127A	CLOTH, TWILL, POLYESTER/COTTON (CREASE RESISTANT FINISH) [VALIDATION DATE: 8607] USER: 45	A 8305	CT 03-JUL-86	NU	CT		
A L MIL-S-29130A	SHORTS, MEN S, POLYESTER/COTTON [VALIDATION DATE: 8601] USER: 45	A 8405	CT 26-JUL-78	NU	CT		
A L MIL-A-29131B	ANKLETS, WOMAN S ACRYLIC AND NYLON, RIBBED, STRETCH TYPE USER: 45 CG REVIEWER: 82	A 8445	CT 17-MAR-86	NU	99	CT	
A L MIL-C-29133A	COVERALLS, DISPOSABLE, GENERAL PURPOSE USER: 45 REVIEWER: SH	A 8415	CT 23-OCT-80	NU	CT		
A L MIL-S-29134A	SHAPES, DAY, MARITIME, DIAMOND & DOUBLE FRUSTRUM USER: CG REVIEWER: SH	A 8345	CT 07-APR-81	NU	CT		
A L MIL-C-29135A	CLOTH, KNITTED, NYLON, SIMPLEX [VALIDATION DATE: 8403] USER: 45 CG REVIEWER: MC MD MS	A 8305	CT 14-AUG-80	GL	NU	11	CT
A L MIL-C-29136	CAP, FOOD HANDLER S [VALIDATION DATE: 8101] USER: 45	A 8415	CT 16-DEC-74	NU	CT		
A L MIL-C-29137A	CLOTH, FELT FABRIC COMPOSITE, UNDERCOLLAR [VALIDATION DATE: 8406] REVIEWER: 45 99 CG MC MD	A 8305	CT 06-MAR-79	GL	NU	11	CT
A L MIL-S-29138A(1)	SWEATER, WOMAN S, ACRYLIC USER: MC	A 8410	CT 29-JAN-86	NU	CT		
A L MIL-I-29139C	INSIGNIA, EMBROIDERED	A 8455	CT 30-JUN-89	NU	CT		
A L MIL-C-29140B	CLOTH, BASKET WEAVE, POLYESTER AND COTTON (CREASE RESISTANT FINISH) REVIEWER: CG	A 8305	CT 02-JUN-88	NU	CT		
A L MIL-C-29145B	COAT, FIREMAN S, ALUMINIZED, PROXIMITY USER: 45 AS CG SH REVIEWER: 50 82 MC MD	A 8415	CT 02-JUL-84	GL	NU	99	CT
A L MIL-T-29146B	TROUSERS, FIREMAN S, ALUMINIZED, PROXIMITY USER: 45 AS CG MC SH REVIEWER: 99 MD	A 8415	CT 02-JUL-84	GL	NU	11	CT
A L MIL-C-29147A	CLOTH, PLAIN WEAVE, POLYESTER AND RAYON, CREASE-RESISTANT FINISH [VALIDATION DATE: 8607] USER: 45 REVIEWER: CG	A 8305	CT 03-JUL-86	NU	CT		
A L MIL-S-29149C	SHIRT, MAN'S, POLYESTER AND WOOL, LONG SLEEVE USER: 45	A 8405	CT 12-JUL-88	NU	CT		
D L MIL-T-29152C	TRUCK, FIREFIGHTING, TRACTOR TRAILER TYPE, 100 FOOT AERIAL LADDER, DED 131274	A 4210	YD1 27-JUN-88	YD1			
D L MIL-M-29157B	MIXING PLANT, ASPHALT, BATCH MIX, SELF ERECTING, MANUAL OPERATING, PORTABLE, ELECTRIC MOTOR DRIVEN, 120 TON PER HOUR CAPACITY	A 3895	YD1 27-FEB-87	YD1			
D L MIL-W-29158B	WINCHES, DRUMS, POWER-OPERATED, DIESEL-ENGINE-DRIVEN	A 3950	YD1 11-JUL-89	YD1			
D L MIL-B-29159A	BOAT SYSTEM, UTILITY, NOMINAL, 20-FOOT REINFORCED PLASTIC WITH 100-HORSEPOWER OUTBOARD ENGINE AND TRAILER	A 1940	YD1 13-JAN-89	YD1			
D L MIL-F-29161C	FLOODLIGHT SET, ELECTRIC, DIESEL ENGINE DRIVEN, TRAILER MOUNTED USER: MC REVIEWER: GS	A 6230	YD1 21-JUN-85	YD1			
D L MIL-B-29163B	BUOYS, MARKER (METRIC)	A 2050	YD1 21-MAR-91	YD1			
D L MIL-G-29170B	GASKETS, SYNTHETIC RUBBER, REINFORCED (FOR DRYDOCK CAISSONS)	A 5330	YD1 28-OCT-88	YD1			
D L MIL-B-29171B	BUILDINGS, RELOCATABLE, INSULATED, METAL, FOLDING FRAME	A 5410	YD1 29-MAR-91	YD1			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inhouse	Document Number	Document Title	Det. Smt. FSC / Area	MCA Symbol Preparing Army	Date	Custodians			
						Army	Navy	Air Force	OMA
D	MIL-B-291728	BUILDING, PORTABLE, SKID MOUNTED, KNOCKDOWN REVIEWER: CL .....	A 5410	YDI 22-MAR-91	GL	YDI			
D L	MIL-B-29176A	BUILDING, PREFABRICATED, STEEL ARCH, DECONTAMINATION CENTER .....	A 5410	YDI 13-JAN-84		YDI			
D L	MIL-H-29179	MOORING SYSTEM, LIGHTWEIGHT (FOR USE WITH HARBOR FLOATING OIL BARRIER BOOM) (VALIDATION DATE: 8205) .....	A 2040	YDI 06-NOV-78		YDI			
L	MIL-S-29180A	SCAFFOLDING COMPONENTS, STEE (PIPE, TUBE, & COUPLER) .....	A 5440	SH 10-DEC-81	SH				
D L	MIL-H-29181A	HASP, HIGH SECURITY, SHROUDED, FOR HIGH AND MEDIUM SECURITY PADLOCK GENERAL SPECIFICATION FOR .....	A 5340	YDI 21-DEC-87		YDI			
D L	MIL-T-29182B	TRAILER, CARGO, 4,000 POUNDS PAYLOAD, TANDUM AXLE, COMMERCIAL .....	A 2330	YDI 25-JUN-90		YDI			
D	MIL-P-29183B	PANELBOARDS, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, GENERAL SPECIFICATION REVIEWER: 80 GS MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 99			
D L	MIL-P-29183/1A	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1, 208Y/120 VOLT, 10 KILOWATT, WITHOUT MAIN BREAKERS, WITH FEEDTHROUGH CONNECTOR REVIEWER: MC .....	A 6110	YDI 24-MAY-85		YDI			
D L	MIL-P-29183/2A	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT (VALIDATION DATE: 9005) REVIEWER: MC .....	A 6110	YDI 23-MAY-90		YDI			
D L	MIL-P-29183/3A	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 3: 208Y/120 VOLT, 30 KILOWATT (VALIDATION DATE: 9005) REVIEWER: MC .....	A 6110	YDI 23-MAY-90		YDI			
D	MIL-P-29183/4B	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 2, CLASS 1, CONFIGURATION 1: 150 KILOWATT, 15 KVA TRANSFORMER REVIEWER: GS MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 80			
D	MIL-P-29183/5B	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 2, CLASS 1, CONFIGURATION 2: 150 KILOWATT, 30 KVA TRANSFORMER REVIEWER: MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 99			
D L	MIL-P-29183/6A	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT (VALIDATION DATE: 9005) REVIEWER: MC .....	A 6110	YDI 23-MAY-90		YDI			
D L	MIL-P-29183/7A	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 5: 480 OM 208 VOLT, 120 KILOWATT, TERMINAL TYPE CONNECTORS (VALIDATION DATE: 9005) REVIEWER: MC .....	A 6110	YDI 23-MAY-90		YDI			
D L	MIL-P-29183/8A	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 6: 480 OM 208 VOLT, 240 KILOWATT TERMINAL TYPE CONNECTORS (VALIDATION DATE: 9005) REVIEWER: MC .....	A 6110	YDI 23-MAY-90		YDI			
D L	MIL-P-29183/9A	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 7: 480 OM 208 VOLT, 400 KILOWATT, TERMINAL TYPE CONNECTORS (VALIDATION DATE: 9005) REVIEWER: MC .....	A 6110	YDI 23-MAY-90		YDI			
D	MIL-P-29183/15	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 2: 208Y/120 VOLT, 15 KILOWATT REVIEWER: MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 99			
D	MIL-P-29183/16	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 60 KILOWATT REVIEWER: 80 GS MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 99			
D	MIL-P-29183/17	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 100 KILOWATT REVIEWER: 80 GS MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 99			
D	MIL-P-29183/18	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 200 KILOWATTS REVIEWER: 80 GS MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 99			
D	MIL-P-29183/19	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 5: 208Y/120 VOLT, 100 KILOWATT REVIEWER: 80 GS MC MS .....	A 6110	YDI 18-JUN-90	ME	YDI 99			
D L	MIL-P-29183/20	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208Y/120 VOLT, 25 KILOWATT REVIEWER: 80 GS MC MS .....	A 6110	YDI 18-JUN-90		YDI			
D	MIL-C-29184B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, GENERAL SPECIFICATION FOR REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/1B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 1, CLASS 1, 350 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/2B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 11, CLASS 1, 100 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/3B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 11, CLASS 1, 60 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/4B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 11, CLASS 1, 30 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/5B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 11, CLASS 1, 20 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D L	MIL-C-29184/6A	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, TYPE 2, CLASS 2, 20 AMPERE .....	A 6150	YDI 03-DEC-84		YDI			
D	MIL-C-29184/7B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/8B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/9B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 100 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/10B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 60 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/11B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 30 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-C-29184/12B	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 20 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D L	MIL-C-29184/13A	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS, TYPE 4, CLASS 2, 20 AMPERE REVIEWER: MC .....	A 6150	YDI 03-DEC-84		YDI			
D L	MIL-C-29184/14	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE 2, CLASS 2, 100 AMPERE .....	A 6150	YDI 08-NOV-84		YDI			
D	MIL-C-29184/16A	CABLE ASSEMBLIES, POWER, ELECTRICAL, FOR PORTABLE PANELBOARDS: TYPE IV, CLASS 1, 40 AMPERE REVIEWER: 80 GS MC MS .....	A 6150	YDI 09-DEC-91	ME	YDI 99			
D	MIL-T-29185B	TRUCK, FIREFIGHTING: BRUSH/GRASS, 18,000 POUNDS GVW, 4 BY 4, COMMERCIAL CHASSIS USER: MC .....	A 4210	YDI 19-SEP-89	ME	YDI			
D L	MIL-M-29190A	MONITORING DEVICES, EMISSION: STACK RELATED (VALIDATION DATE: 9107) .....	A 6630	YDI 25-JUL-91		YDI			
D L	MIL-P-29191A	PLATFORM, PONTOON, WORKBOAT (OIL CONTAINMENT BOOM HANDLING) .....	A 1945	YDI 13-JAN-89		YDI			
D L	MIL-V-29192B	VAN, RECRUITING/EXHIBIT, FORWARD CONTROL, 4 BY 2 .....	A 2320	YDI 27-SEP-90		YDI			
D L	MIL-B-29194A	BUILDING ADDITION, PREFABRICATED, READY CUT, METAL RIGID FRAME, FOR 40 BY 100 FOOT BUILDING .....	A 5410	YDI 24-JUN-88		YDI			
D L	MIL-P-29196B	PAVING MACHINES, BITUMINOUS MATERIAL, CRAWLER-OR RUBBER TIRE-MOUNTED, SELF-PROPELLED .....	A 3895	YDI 20-JUN-91		YDI			
D L	MIL-T-29197A	TRUCK, CLEANER, CATCH BASIN, VACUUM-PRESSURE JET, DED .....	A 2320	YDI 15-AUG-88		YDI			
D L	MIL-C-29202B	COACH RECRUITER, FORWARD CONTROL, 4 BY 2 .....	A 2320	YDI 04-APR-91		YDI			
D	MIL-B-29205A	BOILERS, FLUIDIZED BED, STEAM AND HOT WATER, PACKAGED TYPE (330 TO 51,500 POUNDS PER HOUR THERMAL OUTPUT CAPACITY) USER: MC REVIEWER: 84 CE .....	A 4410	YDI 17-SEP-90	ME	YDI 99			
D	MIL-P-29206A(2)	PIPE AND PIPE FITTINGS, GLASS FIBER REINFORCED PLASTIC, FOR LIQUID PETROLEUM LINES USER: 04 CE REVIEWER: CS SH .....	A 4710	YDI 07-AUG-92	ME	YDI			
D L	MIL-S-29208B	SPREADER, MATERIAL, POWER DRIVEN, TRUCK MOUNTED, COMMERCIAL .....	A 3895	YDI 17-JAN-92		YDI			
D L	MIL-M-29210A(2)	HOSE ASSEMBLY, RUBBER, METAL LINED, WIRE REINFORCED, 250 PSI, SATURATED AND SUPERHEATED STEAM SERVICE .....	A 4720	YDI 10-JUN-88		YDI			
D	MIL-M-29212B	MIXING PLANT, ASPHALT, DRUM TYPE, PORTABLE, ELECTRIC MOTOR DRIVEN, 120 TONS PER HOUR CAPACITY .....	A 3895	YDI 29-JAN-89	ME	YDI 99			
D L	MIL-C-29213A	CONCRETE PLACING BOOM, TRUCK MOUNTED, 6 X 4, DIESEL ENGINE DRIVEN, COMMERCIAL .....	A 3895	YDI 15-DEC-87		YDI			
D L	MIL-C-29216B	COMPRESSOR, AIR, HIGH PRESSURE .....	A 4310	YDI 30-MAY-91		YDI			
D L	MIL-T-29218A	TRUCK, LIFT, PLATFORM, GASOLINE-ENGINE-DRIVEN, TELESCOPING BOOM .....	A 3930	YDI 29-AUG-89		YDI			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Doc Op / OMA Inchase Document Number	Document Title	Doc Smt FSC Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
D L	MIL-M-29219A	A 3895	YD1			
D L	MIL-C-29221A	A 3820	YD1			
D L	MIL-C-29222A	A 4940	YD1			
D L	MIL-L-29223A	A 3510	YD1			
D L	MIL-D-29224A	A 3825	YD1			
D L	MIL-D-29226A	A 3820	YD1			
D L	MIL-D-29227A	A 3805	YD1			
D L	MIL-P-29228A	A 3895	YD1			
D L	MIL-S-29229A	A 2250	YD1			
D L	MIL-R-29231A	A 3895	YD1			
D L	MIL-T-29233A	A 2330	YD1			
D L	MIL-T-29234A	A 2320	YD1			
D	MIL-C-29240	A 6530	YD1			
D	MIL-M-29241	A 6530	YD1			
D L	MIL-P-29242	A 5680	YD1			
D L	MIL-T-29243A	A 2320	YD1			
D L	MIL-C-29244A	A 3810	YD1			
D L	MIL-F-29248	A 2040	YD1			
D L	MIL-L-29250A(1)	A 3950	YD1			
L	MIL-C-29352(2)	A 3810	MC			
L	MIL-S-29354B	A 5805	MC			
L	MIL-M-29355(3)	A 1M55	MC			
L	MIL-T-29357(1)	A 5895	MC			
L	MIL-D-29358	A 5820	MC			
L	MIL-D-29359	A 5840	MC			
L	MIL-B-29361(1)	A 6140	MC			
L	MIL-D-29362B	A 7690	MC			
D L	MIL-C-29365A	A 8305	MC			
D L	MIL-C-29366B	A 8405	CT			
A L	MIL-M-29367D(1)	A 8445	CT			
A L	MIL-S-29368C	A 8410	CT			
D L	MIL-E-29372(3)	A 3805	MC			
A L	MIL-C-29374(1)	A 8305	CT			
A L	MIL-T-29375A	A 8410	CT			
A L	MIL-S-29376A	A 8410	CT			
A L	MIL-S-29377A	A 8410	CT			
L	MIL-B-29378(1)	A 8440	MC			
A	MIL-C-293800	A 8405	CT			
A	MIL-C-29381C	A 8410	CT			
L	MIL-M-29383A	A 3431	MC			
L	MIL-V-29384	A 8410	MC			
L	MIL-R-29385A	A 3895	MC			
A L	MIL-C-29386	A 8410	CT			
L	MIL-M-29387A	A 8445	MC			
A L	MIL-S-29388B(1)	A 8410	CT			
L	MIL-V-29389	A 8405	MC			
L	MIL-C-29391A	A 8410	MC			
L	MIL-C-29393(1)	A 8410	MC			
L	MIL-S-29394A	A 8410	MC			
L	MIL-S-29395	A 8410	MC			
L	MIL-J-29396	A 8410	MC			
L	MIL-J-29397	A 8410	MC			
L	MIL-S-29398C(2)	A 1670	MC			
L	MIL-M-29399	A 1055	MC			
L	MIL-L-29400B	A 1055	MC			
L	MIL-R-29401B	A 5820	MC			
L	MIL-T-29402	A 6625	MC			
L	MIL-C-29403A(1)	A 1270	MC			
A L	MIL-C-29404B	A 8305	CT			
A L	MIL-C-29405	A 8305	CT			
L	MIL-E-29406(2)	A 4210	MC			
A	MIL-B-29407A	A 8405	CT			
A	MIL-B-29408A	A 8410	CT			
L	MIL-S-29409A	A 5411	MC			
L	MIL-S-29410B	A 5411	MC			
L	MIL-S-29411B	A 5411	MC			
L	MIL-S-29412B	A 5411	MC			
L	MIL-S-29413B	A 5411	MC			
L	MIL-M-29414(1)	A 5430	MC			
L	MIL-S-29415A	A 8405	CT			
L	MIL-M-29416(1)	A 2910	MC			
L	MIL-M-29417(1)	A 5430	MC			
L	MIL-M-29418(1)	A 5820	MC			
L	MIL-F-29419	A 8145	MC			
L	MIL-A-29420	A 5820	MC			
L	MIL-R-29421	A 5820	MC			
L	MIL-A-29423(1)	A 5985	MC			
L	MIL-C-29424A(1)	A 8405	CT			
L	MIL-C-29425	A 3810	MC			
L	MIL-A-29426	A 5985	MC			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
A	MIL-C-29427A(1)	COATS, WOMEN'S	A 8410	CT	24-DEC-91	MC	CT		
A L	MIL-S-29428A	SCARF: HEADOVER, WOOL	A 8440	CT	06-MAY-91	MC	CT		
A L	MIL-S-29429A	SKIRTS, WOMEN'S	A 8410	CT	21-DEC-90	MC	CT		
L	MIL-C-29430	CAP, EXTREME COLD WEATHER: WITH EXTENSION FLAP	A 8415	MC	01-MAY-87	MC			
L	MIL-C-29431	CAPS, GARRISON: WOMEN'S	A 8410	MC	04-JUN-87	MC			
A L	MIL-S-29432A	SLACKS, WOMEN'S	A 8410	CT	14-NOV-90	MC	CT		
L	MIL-S-29433	CAPS, GARRISON: MEN'S	A 8405	MC	08-JUN-87	MC			
L	MIL-S-29434	SHELTER ASSEMBLY, 10 FOOT RIGID, GENERAL PURPOSE REVIEWER: CS	A 5411	MC	20-JAN-88	MC			
L	MIL-S-29435	SHELTER, ELECTRONICS MAINTENANCE COMPLEX (EMC): 10 FT. ELECTROMAGNETIC INTERFERENCE, 20 FT. ELECTROMAGNETIC INTERFERENCE, 10 FT. RIGID-20 FT. RIGID REVIEWER: CS	A 5411	MC	20-JAN-88	MC			
L	MIL-M-29436	MODULE ASSEMBLY, PALLET TYPE, STORAGE	A 7125	MC	20-JAN-88	MC			
L	MIL-M-29437	MODULE ASSEMBLY, UNIVERSAL STORAGE	A 7125	MC	20-JAN-88	MC			
L	MIL-M-29438	MODULE ASSEMBLY, STORAGE, SHELF TYPE	A 7125	MC	20-JAN-88	MC			
L	MIL-M-29439	MODULE ASSEMBLY, STORAGE, DUAL SHELF	A 7125	MC	20-JAN-88	MC			
L	MIL-M-29440	MODULE ASSEMBLY, WORKBENCH	A 7125	MC	20-JAN-88	MC			
L	MIL-M-29441	MODULE ASSEMBLY, DESK	A 7110	MC	20-JAN-88	MC			
L	MIL-M-29442	MODULE ASSEMBLY, PERSONNEL STORAGE	A 7125	MC	20-JAN-88	MC			
L	MIL-M-29443	MODULE ASSEMBLY, SECURITY	A 7125	MC	20-JAN-88	MC			
L	MIL-C-29444	CONTAINER, PALLET (PALCON)	A 8145	MC	25-JAN-88	MC			
L	MIL-C-29445	CONTAINER, QUADRUPEL (QUADCON)	A 8145	MC	25-JAN-88	MC			
L	MIL-C-29446	CONTAINER, INSERT (INSERT)	A 8145	MC	25-JAN-88	MC			
L	MIL-C-29447	CONTAINER RACK, PALLET (PALCON RACK)	A 7125	MC	25-JAN-88	MC			
L	MIL-C-29448	CONTAINER RACK, QUADRUPEL (QUADCON RACK)	A 7125	MC	25-JAN-88	MC			
L	MIL-C-29449	CONTAINER CONNECTOR, HORIZONTAL (CONNECTOR)	A 8145	MC	25-JAN-88	MC			
L	MIL-C-29450	CHEST, GASOLINE LANTERN: ILLUMINATING EQUIPMENT, EMPTY	A 6260	MC	21-DEC-87	MC			
L	MIL-J-29451	JACKET, MEN'S: INTERMEDIATE WEIGHT, POLYESTER/WOOL	A 8405	MC	29-DEC-87	MC			
A	MIL-T-29452	TROUSERS, MEN'S POLYESTER/WOOL	A 8405	CT	20-JAN-88	MC	CT		
A L	MIL-C-29453A	COAT, WOMEN'S: WOOL/POLYESTER: CARABOLINE, BLUE	A 8410	CT	09-OCT-90	MC	CT		
A	MIL-C-29454	CAPS, SERVICE: WOMEN'S, POLYESTER/WOOL, WOOL	A 8410	CT	19-FEB-88	MC	CT		
L	MIL-C-29455	CONTROL INTERCOMMUNICATION SET C-11133/VIC-2(V) AND C-11135/VIC-2(V)	A 5830	MC	23-MAY-88	MC			
L	MIL-C-29456	CONTROL, INTERCOMMUNICATION SET C-11134/VIC-2 (V)	A 5830	MC	23-MAY-88	MC			
L	MIL-A-29457	AMPLIFIER, AUDIO FREQUENCY AM-7162/VIC-2(V)	A 5830	MC	23-MAY-88	MC			
L	MIL-M-29460	MODULE, WATER PUMP (SIXCON)	A 5430	MC	04-APR-90	MC			
A	MIL-S-29461(1)	SUIT, CHEMICAL AND BIOLOGICAL PROTECTIVE (CARBON SPHERE)	A 8415	CT	07-APR-92	MC	CT		
A	MIL-C-29462	CLOTH, LAMINATED, POLYESTER, TRICOI KMT, ACTIVATED CARBON SPHERE, CHEMICAL PROTECTIVE	A 8305	CT	15-APR-92	MC	CT		
L	MIL-T-29500	TERMINAL, VOICE FREQUENCY CARRIER TELEGRAPH (VFCT), AM/UCC-1 (V)	A 5805	EC	10-MAR-86	EC			
	DOD-C-29501	CAPACITORS, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON (METRIC) GENERAL SPECIFICATION FOR USER: 19 AS CG MC MI OS REVIEWER: 17 85 99 AV ES SH	A 5910	EC	09-JUN-86	EC	11		
	DOD-C-29501/1	CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (NONPOLARIZED), STYLE DLO1 (METRIC) USER: 19 AS CG MC MI OS REVIEWER: 17 85 99 AV ES SH	A 5910	EC	09-JUN-86	EC	11		
	DOD-C-29501/2	CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (POLARIZED), STYLE DLO2 (METRIC) USER: 19 AS CG MC MI OS REVIEWER: 17 85 99 AV ES SH	A 5910	EC	09-JUN-86	EC	11		
	DOD-C-29501/3	CAPACITOR, FIXED, ELECTROLYTIC, DOUBLE LAYER, CARBON, (POLARIZED) STYLE DLO3 (METRIC) USER: 19 AS CG MC MI OS REVIEWER: 17 85 99 AV ES SH	A 5910	EC	09-JUN-86	EC	11		
L	MIL-T-29502(1)	INTERCONNECTING GROUP, OM-143(V)/U50	A 5820	EC	20-NOV-86	EC			
L	MIL-T-29503	INTERCONNECTING GROUP, OM-143(V) 9/U50	A 5820	EC	21-APR-86	EC			
Q	MIL-T-29504A	TERMINI, FIBER OPTIC CONNECTOR, REMOVABLE, GENERAL SPECIFICATION FOR USER: 13 14 84 AV CG MC SH REVIEWER: 11 17 AS ES MI OS	A 6060	EC	19-DEC-89	CR	EC	85	
	SUPPL 1A1	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, PIN TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) USER: 13 14 84 AV CG OS YD1 REVIEWER: 11 17 ES MC MI SH	A 6060	EC	19-DEC-89	CR	EC	85	
	MIL-T-29504/1A	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, SOCKET TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) USER: 13 14 84 AV CG OS YD1 REVIEWER: 11 17 ES MC MI SH	A 6060	EC	19-DEC-89	CR	EC	85	
	MIL-T-29504/2A	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, DUMMY TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) USER: 13 14 84 AV CG OS YD1 REVIEWER: 11 17 ES MC MI SH	A 6060	EC	19-DEC-89	CR	EC	85	
	MIL-T-29504/3A	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 2, TYPE II, STYLE A, PIN TERMINUS, (FOR MIL-C-28876 AND MIL-C-83526 CONNECTORS) USER: 13 14 84 AV CG OS YD1 REVIEWER: 11 17 ES MC MI SH	A 6060	EC	19-DEC-89	CR	EC	85	
	MIL-T-29504/4B	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE MIL-C-38999, SERIES I, III, AND IV USER: CG REVIEWER: 11 17 19 70 80 AS ES MC MI SH	A 6060	85	07-JUN-91	CR	EC	85	
	MIL-T-29504/5B	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE MIL-C-38999, SERIES I, III, AND IV USER: AV CG OS YD1 REVIEWER: 11 17 19 70 80 ES MC MI SH	A 6060	85	07-JUN-91	CR	EC	85	
D	MIL-T-29504/6	TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE DOD-C-83527 USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH	A 6060	95	31-JAN-89	CR	EC	85	
D	MIL-T-29504/7	TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE DOD-C-83527 USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH	A 6060	85	31-JAN-89	CR	EC	85	
D	MIL-T-29504/8	TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, FRONT RELEASE MIL-C-28840 USER: OS YD1 REVIEWER: MC SH	A 6060	EC	21-OCT-88	CR	EC	85	
D	MIL-T-29504/9	TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, FRONT RELEASE MIL-C-28840 USER: OS YD1 REVIEWER: MC SH	A 6060	EC	21-OCT-88	CR	EC	85	
D	MIL-T-29504/10	TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL-C-26482, SERIES II USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH	A 6060	85	31-JAN-89	CR	EC	85	
D	MIL-T-29504/11	TERMINI, FIBER OPTIC, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, SIZE 16, REAR RELEASE MIL-C-83723, SERIES III, MIL-C-83733, MIL-C-26482, SERIES II USER: OS YD1 REVIEWER: 11 17 19 80 90 99 MC SH	A 6060	85	31-JAN-89	CR	EC	85	
D	MIL-T-29504/12	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, FRONT RELEASE, STAINLESS STEEL (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI	A 6060	SH	21-MAY-92	CR	SH	85	
D	MIL-T-29504/13	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, FRONT RELEASE STAINLESS STEEL (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI	A 6060	SH	21-MAY-92	CR	SH	85	
D	MIL-T-29504/14	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, PIN TERMINUS, FRONT RELEASE CERAMIC GUIDE BUSHING (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI	A 6060	SH	21-MAY-92	CR	SH	85	
D	MIL-T-29504/15	TERMINI, FIBER OPTIC, CONNECTOR, REMOVABLE, ENVIRONMENT RESISTING, CLASS 5, TYPE II, STYLE A, SOCKET TERMINUS, FRONT RELEASE, CERAMIC GUIDE BUSHING (FOR MIL-C-28876 CONNECTORS) USER: 13 14 OS YD1 REVIEWER: 17 19 80 90 99 AS MC MI	A 6060	SH	21-MAY-92	CR	SH	85	
L	MIL-A-29505	ANTENNA GROUP, TACAN, OE-273(V)/URN	A 5985	EC	30-JUN-86	EC			
L	MIL-M-29510	NAVIGATIONAL SET, AM/URN-25, TACAN	A 5825	EC	12-SEP-86	EC			
L	MIL-B-29511	BUDY INTERFACE UNIT (BIU), J-3958/BRT-6	A 5820	EC	26-JAN-88	EC			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Orl / Orl Coordination Inactive Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol Preparing Asy	Date	Custodians			
					Army	Navy	Air Force	DIA
L MIL-C-29512	CHARGER, BATTERY, PP-7806/BRT-6	A 5820	EC	26-JAN-88	EC			
L MIL-M-29515	MODEM, DIGITAL DATA, MD-1030A(V)	A 5820	EC	29-APR-88	EC			
L MIL-T-29516	TRANSMITTER, SECURE, AND ANCILLARY EQUIPMENT	A 5820	EC	15-JAN-88	EC			
L MIL-A-29517	ANTENNA GROUP, DE-417(V)/SRC 2-MHZ TO 30-MHZ TRANSMITTING WHIP (TILTING)	A 5985	EC	29-JAN-88	EC			
L MIL-A-29518	ANTENNA GROUP, DE-418(V)/SRC 10-MHZ TO 30-MHZ TRANSMITTING TWIN WHIP	A 5985	EC	29-JAN-88	EC			
L MIL-A-29519	ANTENNA GROUP, DE-415(V)/SRC 4-MHZ TO 12-MHZ TRANSMITTING TWIN WHIP	A 5985	EC	29-JAN-88	EC			
L MIL-A-29520	ANTENNA GROUP, DE-416(V)/SRC 4-MHZ TO 30-MHZ RECEIVING TWIN WHIP	A 5985	EC	29-JAN-88	EC			
L MIL-A-29521(2)	ANTENNA GROUP, AM/BRA-34(V), AM/BRA(V), AM/BRA-34B(V)	A 5985	EC	18-JAN-89	EC			
L MIL-R-29530	RECORDER-REPRODUCER, DIGITAL RD-433(1)/SSH	A 7025	EC	20-OCT-89	EC			
L MIL-M-29532	MASTER LIBRARY DATA ELEMENTS (FOR TECHNICAL PUBLICATIONS) REVIEWER: AS SH	A TMSS	EC	28-OCT-88	EC			
L MIL-R-29533	RADIO SET, AN/URC-( )	A 5820	EC	14-JUL-89	EC			
L MIL-A-29563	ANTENNA SYSTEM, AIMS SHIPBOARD, ELECTRONICALLY STEERED DE-120/UPX	A 5985	AS	24-FEB-89	AS			
L MIL-R-29565A	ROCKET MOTOR, MK 125 MOD 1	A 1340	AS	30-NOV-90	AS			
L MIL-S-29566	SOCKS, FLYER'S ANTI-EXPOSURE, CMU-75/P	A 8475	AS	19-OCT-90	AS			
A MIL-C-29567	CLOTH, LAMINATED, STRETCHABLE, WATERPROOF AND MOISTURE VAPOR PERMEABLE REVIEWER: 11 82	A 8305	CT	30-MAR-89	AS	99	CT	
L MIL-S-29574	SEALING COMPOUND, POLYTHIOETHER, FOR AIRCRAFT STRUCTURES, FUEL AND HIGH TEMPERATURE RESISTANT, FAST CURING AT AMBIENT AND LOW TEMPERATURE	A 8030	AS	04-DEC-89	AS			
L MIL-L-29575	LIGHT, WAVE-OFF, FLASHING, CAPACITANCE-DISCHARGE	A 6210	AS	31-MAY-89	AS			
AQ MIL-C-29576A	CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE, WELDED, REVIEWER: 11 71 GS	A 8120	AS	02-SEP-92	AV	AS	99	
MIL-S-29580A(1)	SPECTACLES, AVIATOR'S, MULTIPLE WAVE LENGTH LASER PROTECTIVE, EDU-5/P (WITH CASE)	A 8465	AS	01-APR-92	GL	AS	99	
ML MIL-L-29581	EARCUP, UNIT ACTIVE NOISE REDUCTION SYSTEM GENERAL SPECIFICATION FOR	A 5965	AS	21-JUN-91	AS			
L MIL-L-29581/1	EARCUP, UNIT ACTIVE NOISE REDUCTION SYSTEM, MH-53E AIRCRAFT	A 5965	AS	21-JUN-91	AS			
A L MIL-R-29583	RADIO SET, AN/ARC-210(V)	A 5821	AS	01-JUN-92	AS			
L MIL-C-29584(1)	COMPOUND, CLEANING, WATER MISCIBLE FOR AIRCRAFT AUTOMATIC WEAPONS AND AIRCRAFT AUTOMATIC GUN SYSTEMS	A 6850	AS	04-JAN-91	AS			
ML MIL-R-29585	REGULATOR, OXYGEN, CHEST MOUNTED, DILUTER-DEMAND, AUTOMATIC-PRESSURE BREATHING	A 1660	AS	15-MAY-91	AS			
ML MIL-T-29586	THERMOSETTING POLYMER MATRIX, UNIDIRECTIONAL CARBON FIBER REINFORCED PREPREG TAPE (WIDTHS UP TO 60 INCHES), GENERAL SPECIFICATION FOR	A CMPS	AS	30-APR-91	AS			
L MIL-T-29586/1	THERMOSETTING POLYMER (EPOXY) MATRIX, 350 DEG. F(177 DEG. C) CURE, INTERMEDIATE MODULUS CARBON FIBER REINFORCED PREPREG TAPE, (WIDTHS UP TO 60 INCHES)	A CMPS	AS	30-APR-91	AS			
L MIL-I-29589	INTERROGATOR SET, AN/UPX-24(V)	A 5895	AS	26-JUL-91	AS			
N MIL-P-29590	POWER SUPPLIES, AIRBORNE, ELECTRONIC GENERAL SPECIFICATION FOR REVIEWER: GS	A 6130	AS	29-NOV-91	ER	AS	99	
MIL-P-29590/1	POWER SUPPLIES, AIRBORNE, ELECTRONIC 5.0 VOLT, 40 AMPERE, KEY CODE ABGUC REVIEWER: GS	A 6130	AS	29-NOV-91	ER	AS	99	
AML MIL-V-29591	VISOR ASSEMBLY, AVIATOR'S SEVEN WAVELENGTH LASER PROTECTIVE, GENERAL SPECIFICATION FOR	A 8475	AS	17-JUL-92	AS			
A L MIL-V-29591/1	VISOR ASSEMBLY, AVIATOR'S SEVEN WAVELENGTH LASER PROTECTIVE, EEU-8/P	A 8475	AS	17-JUL-92	AS			
A L MIL-V-29591/2	VISOR ASSEMBLY, AVIATOR'S SEVEN WAVELENGTH LASER PROTECTIVE, EEU-9/P	A 8475	AS	17-JUL-92	AS			
A L MIL-V-29592	VALVE, AIR VENT, AUTOMATIC, HYDRAULIC, LOW PRESSURE TYPE II SYSTEMS, GENERAL SPECIFICATION FOR	A 1650	AS	04-JAN-93	AS			
A L MIL-V-29592/1	VALVE, AIR VENT, AUTOMATIC, LOW PRESSURE, MANIFOLD MOUNT	A 1650	AS	04-JAN-92	AS			
A L MIL-S-29593	SOMBUOY, AN/SSQ-110 (XJ-1) GENERAL SPECIFICATION FOR	C 5845	AS	09-DEC-92	AS			
MML MIL-S-29594(1)	SPECTACLES, AVIATOR'S, SEVEN WAVELENGTH LASER EYE PROTECTIVE	A 8465	AS	31-MAR-93	AS			
A L MIL-P-29596	PACKAGING MATERIAL, KRAFT PAPER, 3-PLY, FLEXIBLE, GENERAL SPECIFICATION FOR REVIEWER: SA	A 8135	AS	15-JAN-93	AS			
N MIL-C-29600(2)	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, ASSOCIATED HARDWARE GENERAL SPECIFICATION FOR USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	04-MAY-90	CR	AS	85	
MIL-C-29600/1	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE B, (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	22-FEB-90	CR	AS	85	
MIL-C-29600/2	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL, SHIELD TERMINATING, (SERIES A AND B) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	22-FEB-90	CR	AS	85	
MIL-C-29600/3	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 90 DEG., SELF LOCKING (SERIES A AND B) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	22-FEB-90	CR	AS	85	
MIL-C-29600/4	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 45 DEG., SELF LOCKING (SERIES A AND B) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	22-FEB-90	CR	AS	85	
MIL-C-29600/5	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, SELF LOCKING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, DUST COVER (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	22-FEB-90	CR	AS	85	
MIL-C-29600/6	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, STORAGE RECEPTACLE (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	22-FEB-90	CR	AS	85	
MIL-C-29600/7	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, THREADED, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, NUT, HEXAGON, CONNECTOR MOUNTING USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	22-FEB-90	CR	AS	85	
MIL-C-29600/10	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	20-DEC-89	CR	AS	85	
MIL-C-29600/11	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	20-DEC-89	CR	AS	85	
MIL-C-29600/12	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	20-DEC-89	CR	AS	85	
L MIL-C-29600/20	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	20-DEC-89	AS			
L MIL-C-29600/21	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	20-DEC-89	AS			
L MIL-C-29600/22	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B) USER: MC MI SH REVIEWER: 15 AV EC ES NA	A 5935	AS	20-DEC-89	AS			
L MIL-C-29600/23	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-29600 SERIES B)	A 5935	AS	22-FEB-90	AS			
L MIL-C-29600/24	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, PIN, CRIMP REMOVABLE, (SERIES B)	A 5935	AS	22-FEB-90	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OOL Coordinate Notice Document Number	Document Title	Dist Smt FSC / Area MCS Symbol Preparing Agency Date	Custodians					
			Army	Navy	Air Force	DLA		
A L	MIL-C-29627	COVERALLS, CATAPULT CREWMEN'S (FLAME RESISTANT) USER: AS	A 8415	CT	31-JAN-90	MU	CT	
A L	MIL-C-29628	COAT, WOMAN'S, BLUE, DRESS	A 8410	CT	02-JUL-91	MU	CT	
A L	MIL-S-29629	SKIRT, WOMAN'S (WITH WELT POCKETS)	A 8410	CT	01-FEB-90	MU	CT	
A L	MIL-S-29630	SLACKS, WOMEN'S	A 8410	CT	05-MAR-91	MU	CT	
A L	MIL-S-29631	SKIRT, WOMAN'S, BLUE, DRESS	A 8410	CT	03-JUN-91	MU	CT	
A L	MIL-C-29632	COAT, MAN'S, POLYESTER/WOOL, SERGE, FUSIBLE (COAST GUARD) REVIEWER: CG	A 8405	CT	20-MAR-90	MU	CT	
A L	MIL-S-29633A	SHIRT, WOMAN'S, DRESS, SHORT AND LONG SLEEVE (COAST GUARD) REVIEWER: CG	A 8410	CT	10-SEP-91	MU	CT	
A L	MIL-J-29634	JERSEY, FLIGHT DECK CREWMAN'S (FLAME-RESISTANT) USER: SH REVIEWER: AS CG	A 8415	CT	19-MAY-92	MU	CT	
A	MIL-G-29635	GLOVES, FIREMEN'S, STRUCTURAL/ALUMINIZED PROXIMITY USER: 45 AS CG SH REVIEWER: 11 50 82 MC MD	A 8415	CT	20-NOV-90	GL	MU 99 CT	
	MIL-R-305008(2) NOTICE 1	ROPE, POLYESTER USER: ME REVIEWER: IS	A 4020	GL	27-FEB-87	GL	SH 82	
	MIL-T-30502B	TONG, MATERIAL LIFTING REVIEWER: IS	A 3940	ME	19-JUL-83	ME	99	
D	MIL-S-30506C	SHACKLE, SHACKLE FITTING, AND SWIVEL, BUOY (VALIDATION DATE: 7903) REVIEWER: 99 IS	A 4030	CG	15-SEP-64	YD1	67	
D	MIL-B-30510B	BLOCK AND TACKLE SET, LINEMAN'S, WITH SNUBBING HOOK USER: MC REVIEWER: IS	A 3940	ME	18-AUG-83	ME	YD1 99	
D	MIL-T-31000	TECHNICAL DATA PACKAGES, GENERAL SPECIFICATION FOR REVIEWER: 10 11 19 26 AR AS AT AV CE CR EC NS SA SH YD1	A CMAN	DO	15-DEC-89	MI	OS 16 DM	
L	MIL-T-31000(12) MIL-V-31001 MIL-C-31002 MIL-C-31003 MIL-B-35023H	TECHNICAL DATA PACKAGES, GENERAL SPECIFICATION FOR VEST, AMMUNITION CARRYING REVIEWER: GL CAP, GARRISON, MAN'S (COAST GUARD) COVERALLS, UTILITY USER: MC REVIEWER: 11 45 CG MD BEVERAGE BASE, POWDERED - (OPERATIONAL RATIONS COMPONENT) REVIEWER: MC MD SS IS	A CMAN A 8515 A 8405 A 8415 A 8960	MI CT CT GL GL	30-SEP-91 25-FEB-92 30-MAR-92 01-JAN-93 06-SEP-88	MI MC CG GL GL	CT CT 99 SA 50	
	MIL-D-35033E MIL-A-35045D MIL-S-35046C NOTICE 1	DESSERT POWDER, PUDDING, INSTANT, REVIEWER: MC MD SS TS APPLESAUCE, INSTANT (VALIDATION DATE: 8501) REVIEWER: MC MD MS SS SOUP, DEHYDRATED, ONION (VALIDATION DATE: 8710) REVIEWER: MC MD SS	A 8940 A 8915 A 8935	GL GL GL	21-NOV-89 23-DEC-78 01-OCT-87	GL GL GL	SA SA 50 SA 45	
	MIL-J-35049E MIL-J-35050C MIL-S-35051D MIL-C-35053D MIL-C-35074G MIL-L-35078M SUPPL 1A1	JUICE, ORANGE, INSTANT REVIEWER: MC MD TS JUICE, GRAPEFRUIT, INSTANT REVIEWER: MC MD SS SOUP, DEHYDRATED, TOMATO-VEGETABLE, WITH NOODLES REVIEWER: MC MD QM SS CHEESE, AMERICAN, PROCESSED, DEHYDRATED REVIEWER: MC MD QM SS CEREAL BAR, SURVIVAL TYPE REVIEWER: MC MD MS SS TS LOADS, UNIT: PREPARATION OF SEMIPERISHABLE SUBSISTENCE ITEMS; CLOTHING, PERSONAL EQUIPMENT AND EQUIPAGE; GENERAL SPECIFICATION FOR USER: MC SS REVIEWER: 45 MD MS	A 8915 A 8915 A 8935 A 8910 A 8920 A PACK	GL GL GL GL GL GL	02-MAR-87 10-SEP-85 24-SEP-91 30-APR-90 17-APR-87 18-MAY-90	GL GL GL GL GL GL	SA SA 50 SA 50 SA 50 SA 50 SA 50	
	MIL-L-35078/1C	LOADS, UNIT: TYPE I, CLASS A - PALLETIZED, STRAPPED OR FILM BONDED LOAD USER: MC REVIEWER: 45 MD MS SS	A PACK	GL	18-MAY-90	GL	SA 50	
	MIL-L-35078/2C	LOADS, UNIT: TYPE I, CLASS B - PALLETIZED, STRAPPED LOAD WITH CAP USER: MC REVIEWER: 45 MD MS SS	A PACK	GL	18-MAY-90	GL	SA 50	
	MIL-L-35078/3C	LOADS, UNIT: TYPE I, CLASS C - PALLETIZED, STRAPPED LOAD WITH SHEATHING AND CAP USER: MC REVIEWER: 45 MD MS SS	A PACK	GL	18-MAY-90	GL	SA 50	
	MIL-L-35078/4C	LOADS, UNIT: TYPE I, CLASS D - PALLETIZED, STRAPPED LOAD WITH SHROUD, SHEATHING AND CAP USER: MC REVIEWER: 45 MD MS SS	A PACK	GL	18-MAY-90	GL	SA 50	
	MIL-L-35078/5C	LOADS, UNIT: TYPE II, CLASS E - CONTAINERIZED UNIT LOAD, FIBERBOARD BOX ON PALLET WITH CAP, AND NONMETALLIC STRAPPING ONLY USER: MC REVIEWER: MD MS SS	A PACK	GL	18-MAY-90	GL	SA 50	
	MIL-L-35078/6C	LOADS, UNIT: TYPE II, CLASS F - CONTAINERIZED UNIT LOAD, WOOD CLEATED OR WIREBOUND PLYWOOD BOXES WITH METALLIC STRAPPING ONLY USER: MC REVIEWER: 45 MD MS SS	A PACK	GL	18-MAY-90	GL	SA 50	
	MIL-L-35078/7D	LOADS, UNIT: TYPE III, CLASSES G AND H - COMMERCIAL LOADS, CLASS G, PALLETIZED: CLASS H, LOAD BASE USER: MC REVIEWER: 45 MD MS SS	A PACK	GL	18-MAY-90	GL	SA 50	
	MIL-F-35081E MIL-H-35082B(2)	FAT, HYDROGENATED, VEGETABLE REVIEWER: MC MD MS TS MILK (PLAIN OR CHOCOLATE FLAVORED), CREAM, HALF AND HALF, FILLED AND CHEESE, COTTAGE, CREAMED, AND FILLED (VALIDATION DATE: 8101) REVIEWER: MC MS SS	A 8945 A 8910	GL GL	31-DEC-84 10-DEC-74	GL GL	SA SA 50	
	MIL-R-35084A MIL-F-35100B	RICE, INSTANT, ENRICHED (VALIDATION DATE: 8402) REVIEWER: MC MD SS FLAVORED DAIRY DRINK, DRY, CHOCOLATE-COFFEE FLAVORED (VALIDATION DATE: 8402) REVIEWER: MC MD MS SS	A 8920 A 8910	GL GL	16-JUN-66 09-NOV-71	GL GL	SA SA 50	
	MIL-T-36012A NOTICE 1	TRAY, OPHTHALMIC SHOP (VALIDATION DATE: 9008)	A 6540	MB	30-AUG-90	MD	MS 03	
	MIL-I-36013B MIL-T-36015A MIL-S-36017 NOTICE 1	ILLUMINATOR, X-RAY FILM, COLLAPSIBLE TABLE, BEDSIDE, METAL, FOLDING LEGS STRAP, WEBBING, LITTER CARRYING, OLIVE DRAB (VALIDATION DATE: 8906)	A 6525 A 6530 A 6530	DM DM MB	13-JUL-72 05-JUN-70 15-JUN-89	MD MD MD	MS MS MS	03 03 03
	MIL-S-36019A MIL-C-36020 NOTICE 1	STRAP, WEBBING, PATIENT SECURING REVIEWER: MB CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NONRIGID, NO. 5, EMPTY (VALIDATION DATE: 9010)	A 6530 A 6545	DM MB	07-SEP-78 15-OCT-90	MD MD	MS MS	03 03
	MIL-T-36022B NOTICE 1	TABLE, OPHTHALMIC LABORATORY (VALIDATION DATE: 9008)	A 6540	MB	30-AUG-90	MD	MS 03	
	MIL-R-36025B MIL-C-36031 NOTICE 1	ROD, IRRIGATOR SUPPORTING CASE, DENTAL INSTRUMENT AND SUPPLY SET, EMPTY (VALIDATION DATE: 9010)	A 6530 A 6545	DM MB	17-SEP-76 15-OCT-90	MD MD	MS MS	03 03
	MIL-C-36033A NOTICE 1	CHEST, MEDICAL INSTRUMENT AND SUPPLY SET, RIGID, EMPTY (VALIDATION DATE: 9010)	A 6545	MB	15-OCT-90	MD	MS 03	
	MIL-A-0036035A MIL-C-36036B NOTICE 1	ADAPTIONETER, RADIOACTIVE PLAQUE, NIGHT VISION CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 7 (VALIDATION DATE: 9010)	A 6540 A 6545	DM MB	10-AUG-83 15-OCT-90	MD MD	MS MS	03 03
	MIL-R-36037B NOTICE 2	RACK, DRYING, CLINICAL UTENSILS (VALIDATION DATE: 8106)	A 6530	DM	25-OCT-67	MD	MS 03	
	MIL-B-36039B MIL-S-36042 NOTICE 1	BAG, GUN CREW FIRST AID KIT STRAPS, SPLINT (VALIDATION DATE: 8906)	A 6545 A 6515	MB MB	30-JUN-89 15-JUN-89	MD MD	MS MS	03 03
	MIL-F-36043D MIL-T-36045 NOTICE 1	FIRST AID KIT, EYE DRESSING TOURNIQUET, NONPNEUMATIC, CAMOUFLAGED 1-1/2 BY 42 INCHES (VALIDATION DATE: 8908)	A 6545 A 6515	DM MB	22-JUN-92 04-AUG-89	MD MD	MS MS	03 03
	MIL-I-36050A NOTICE 1	INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST PLASTIC DRAWERS (VALIDATION DATE: 9010)	A 6545	MB	15-OCT-90	MD	MS 03	
	MIL-F-36060C(1) MIL-C-36069A MIL-T-36072C MIL-A-36080C NOTICE 1	FORCEPS, UTERINE, CURVED, SKENE (VALIDATION DATE: 8406) CONDUCTOR, BOWE CUTTING WIRE SAW, BAILEY (VALIDATION DATE: 8106) TABLE, FOLDING LEGS, LABORATORY USER: GL ANESTHESIA SET, ENDOTRACHEAL (VALIDATION DATE: 8808)	A 6515 A 6515 A 7105 A 6515	DM DM DM MB	04-FEB-72 03-NOV-64 15-JUN-89 22-AUG-88	MD MD MD MD	MS MS MS MS	03 03 03 03
	MIL-E-0036083A	ELECTRON TUBE, RECTIFIER, X-RAY GENERATOR (VALIDATION DATE: 8106) REVIEWER: ES	A 5960	DM	13-NOV-70	MD	MS 03	
	MIL-S-36102 MIL-L-36115 MIL-B-36120 MIL-L-36142	SYRINGE AND CANNULA, LARYNGEAL, LUKENS (VALIDATION DATE: 8106) LATRINE BOX, PREFABRICATED, PORTABLE, M-2 (VALIDATION DATE: 8106) BACK REST, LITTER, NONADJUSTABLE (VALIDATION DATE: 8406) LITTER EXTENSION, PATIENT'S PILLOW SUPPORT-BACKREST (VALIDATION DATE: 8406)	A 6515 A 5450 A 6530 A 6530	DM DM DM DM	07-SEP-61 13-FEB-62 08-MAY-62 15-JUL-63	MD MD MD MD	MS MS MS MS	03 03 03 03
	MIL-W-36149A MIL-B-36162C MIL-C-36165B NOTICE 1	NEEDLE, HYPODERMIC, TONSIL (VALIDATION DATE: 8406) BLADES, LARYNGOSCOPE, MILLER COVER, MATTRESS, PLASTIC (VALIDATION DATE: 8812) REVIEWER: CT	A 6515 A 6515 A 7210	DM MB DM	13-MAR-68 03-NOV-87 13-DEC-88	MD MD MD	MS MS MS	03 03 03



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inactive	Document Number	Document Title	Dist Smt	FSC / Area	MCS Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DLA
L	MIL-P-36174A	PILLOW, PNEUMATIC [VALIDATION DATE: 8906] REVIEWER: CT	A	7210	MB	19-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-D-0036180A	DIAPER, INFANT S. COTTON, BIRDSEYE [VALIDATION DATE: 8406]	A	6532	DM	29-MAR-78				DM	
	MIL-A-36188B	APRON, DENTAL, PLASTIC	A	6532	MB	30-JUN-89	MD	MS	03		
	MIL-T-36192A(4)	TUBE, CONNECTING, SYRINGE AND NEEDLE, DISPOSABLE (WITH TWO INJECTION SITES) [VALIDATION DATE: 8810]	A	6515	DM	12-OCT-88	MD	MS	03	DM	
	NOTICE 1										
	MIL-T-36202B	TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING [VALIDATION DATE: 8406]	A	6530	DM	18-AUG-77	MD	MS	03		
	MIL-I-36207C	INSERT, OPTIONAL, CHEMICAL-BIOLOGICAL MASK, M-17	A	6540	MB	15-MAY-87	MD	MS	03		
	MIL-P-36215A	PILLOWCASE, PAPER, WHITE, DISPOSABLE [VALIDATION DATE: 8906]	A	6532	MB	15-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-M-36226	MATTRESS, PNEUMATIC, FIELD HOSPITAL FOLDING COT [VALIDATION DATE: 8906]	A	7210	MB	19-JUN-89	MD	MS	03		
	NOTICE 1	REVIEWER: CT									
	MIL-C-36228A	CHART SET, VISION ACUITY TESTING, CLINICAL AND SCREENING, DISTANT VISION [VALIDATION DATE: 8908]	A	6540	MB	04-AUG-89	MD	MS	03		
	MIL-M-36233	MARKER, CASUALTY, ARCTIC, CLOTH [VALIDATION DATE: 8906]	A	6530	MB	15-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-F-36240A	FRAME, CLOTH BASKET [VALIDATION DATE: 8906] USER: GL	A	7240	MB	15-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-W-36241C	WASHCLOTH, HOSPITAL PATIENT, DISPOSABLE [VALIDATION DATE: 8812] REVIEWER: CT	A	7210	DM	13-DEC-88	MD	MS	03	DM	
	MIL-M-36249	MOUNTING BOARD, ELECTROCARDIOGRAPH RECORDS [VALIDATION DATE: 8906]	A	6515	MB	15-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-I-36254A	INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, COMPARTMENTED, 7 DRAWER, WITH FOUR LEGS, TWO SPACERS AND TWO TIE DOWN RODS [VALIDATION DATE: 8202]	A	6545	MB	07-JAN-64	MD	MS	03		
	MIL-W-36258D	WATER TESTING KIT, BACTERIOLOGICAL [VALIDATION DATE: 8202]	A	6665	DM	27-SEP-76	MD	MS	03		
	MIL-D-36259A	DIVIDERS, TRAY CHEST [VALIDATION DATE: 9010]	A	6545	MB	15-OCT-90	MD	MS	03		
	NOTICE 1										
	MIL-S-36262	SHELF ASSEMBLY, MEDICINE CART, CORROSION-RESISTING STEEL	A	6530	DM	15-AUG-64	MD	MS	03	DM	
	MIL-T-36263A	TRAYS, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 9010]	A	6545	MB	15-OCT-90	MD	MS	03		
	NOTICE 1										
	MIL-M-36278B	MOULAGE SET, WAR WOUNDS, SET OF 19 [VALIDATION DATE: 8906] USER: DP	A	6910	MB	15-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-S-36280B	STAND, SURGICAL INSTRUMENT [VALIDATION DATE: 8908] USER: DM REVIEWER: 82 ME US	A	6530	MB	04-AUG-89	MD	MS	03		
A	MIL-S-36299	SUCTION APPARATUS, SURGICAL, AUTOMATIC, THERMOTIC, PORTABLE, 110 VOLT, AC-DC [VALIDATION DATE: 8908]	A	6515	MB	04-AUG-89	MD	MS	03		
	NOTICE 1										
	MIL-C-36332B	CASE, SPECTACLE, ENVELOPE TYPE [VALIDATION DATE: 9008]	A	6540	MB	30-AUG-90	MD	MS	03		
	NOTICE 1										
	MIL-C-36337B	COOLER, X-RAY FILM PROCESSING UNIT [VALIDATION DATE: 8810] REVIEWER: MB	A	6525	DM	31-OCT-88	MD	MS	03	DM	
	NOTICE 1										
	MIL-B-36341A	BURET, GAS, 100 ML [VALIDATION DATE: 9211]	A	6630	MB	02-NOV-92	MD	MS	03		
	NOTICE 1										
	MIL-C-36346	COMPARATOR, VISCOSITY, OIL, 200 - 2000 SAYBOLT SECONDS [VALIDATION DATE: 8106]	A	6630	DM	02-DEC-64	MD	MS	03		
	MIL-T-0036347A	TEST BRIDGE [VALIDATION DATE: 8106]	A	6630	DM	24-AUG-73	MD	MS	03		
A	MIL-M-36364B	HOLDER, RADIAC DETECTING ELEMENT, FILM BADGE TYPE	A	6665	MB	15-JUN-90	MD	MS	03		
	MIL-X-36386A	X-RAY APPARATUS, DENTAL, WALL MOUNTED, 15 MA, 90 PKV, 100-130 VOLTS, 50-60 HZ, A.C.	A	6525	MB	03-DEC-92	MD	MS	03		
	NOTICE 3										
	MIL-S-36390	SHIELD, HEAT, DISTILLING FLASK, COMPRESSED ASBESTOS AND CEMENT [VALIDATION DATE: 8106]	A	6640	DM	16-FEB-65	MD	MS	03		
	MIL-C-36398A	COVER, SURGICAL INSTRUMENT STAND (BAG TYPE)	A	6530	MB	15-JUN-89	MD	MS	03		
	MIL-I-36409A	INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 9010]	A	6545	MB	15-OCT-90	MD	MS	03		
	NOTICE 1										
	MIL-S-36423A	STAND, BASIN, FOLDING, SINGLE, ALUMINUM	A	6530	MB	15-JUN-90	MD	MS	03		
	MIL-I-36436	INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, SPECTACLE FRAME, 4 DRAWER [VALIDATION DATE: 9010]	A	6545	MB	15-OCT-90	MD	MS	03		
	NOTICE 1										
D	MIL-D-36449A	DRIER, X-RAY FILM, PORTABLE [VALIDATION DATE: 8810]	A	6525	DM	31-OCT-88	MD	MS	03	DM	
	NOTICE 1										
	MIL-C-36465A	COT, FOLDING, HOSPITAL ALUMINUM	A	6530	MB	25-JUN-89	MD	MS	03		
	MIL-S-36468A	SPRAY BOTTLE, PLASTIC REVIEWER: MB	A	6530	DM	06-OCT-78	MD	MS	03		
	MIL-E-36478B	ENVELOPE, STERILIZATION, PAPER, SELF-SEALING [VALIDATION DATE: 8406]	A	6530	DM	20-OCT-76	MD	MS	03		
	MIL-C-36493	CASE, VETERINARY FOOD INSPECTION SET [VALIDATION DATE: 9010]	A	6545	MB	15-OCT-90	MD	MS	03		
	NOTICE 1										
	MIL-C-36501B	CHART, RECORDING AUDIOMETER [VALIDATION DATE: 8202]	A	6515	DM	19-AUG-76	MD	MS	03		
	MIL-T-36503A	TRACTION APPLIANCE, CERVICAL INJURY [VALIDATION DATE: 8908]	A	6530	MB	04-AUG-89	MD	MS	03		
	MIL-M-36505(2)	HYPODERMIC INJECTION APPARATUS, JET, AUTOMATIC [VALIDATION DATE: 8808]	A	6515	MB	22-AUG-88	MD	MS	03		
	NOTICE 1										
	MIL-T-36522B	TABLE, ANESTHETIST S [VALIDATION DATE: 8202]	A	6530	DM	26-AUG-76	MD	MS	03		
	MIL-S-36524A	SPLINT, WRAP AROUND [VALIDATION DATE: 8406] REVIEWER: MB	A	6515	DM	27-SEP-78	MD	MS	03		
	MIL-I-36531A	LIGHT, SURGICAL, FIELD [VALIDATION DATE: 8406]	A	6530	DM	19-SEP-77	MD	MS	03		
	MIL-R-36540B	HAZOR, SURGICAL PREPARATION (FOR FIELD USE)	A	6515	MB	05-NOV-85	MD	MS	03		
	MIL-S-36545A	SUPPORT, LITTER [VALIDATION DATE: 8406]	A	6530	DM	29-MAR-77	MD	MS	03		
	MIL-E-36558B	BLDS, ADJUSTABLE REVIEWER: 50 TH YDI	A	6530	DM	24-JAN-92	MD	MS	03		
	MIL-A-36561	ALBUMIN, NORMAL HUMAN SERUM, WITH INJECTION APPARATUS [VALIDATION DATE: 8802]	A	6505	MB	26-FEB-88	MD	MS	03		
	NOTICE 1										
	MIL-G-36565A	GOWNS, OPERATING, SURGICAL, COTTON, VEST-TYPE, GREEN [VALIDATION DATE: 8908]	A	6532	MB	04-AUG-89	MD	MS	03		
	NOTICE 1										
	MIL-S-36567A	STERILIZER, SURGICAL INSTRUMENT AND DRESSING [VALIDATION DATE: 8906]	A	6530	MB	15-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-C-36570	CHAIR [VALIDATION DATE: 8906]	A	6530	MB	15-JUN-89	MD	MS	03		
	NOTICE 1										
	MIL-D-36572A	DESK, FLAT TOP [VALIDATION DATE: 8908]	A	6530	MB	04-AUG-89	MD	MS	03		
	MIL-S-36573B(2)	SMOCK, DENTAL OPERATING [VALIDATION DATE: 8106]	A	6532	DM	24-MAR-75	MD	MS	03		
	MIL-G-36592(3)	GLOVE, PATIENT EXAMINING AND TREATMENT, RUBBER LATEX, NON-STERILE [VALIDATION DATE: 8808]	A	6515	MB	22-AUG-88	MD	MS	03		
	NOTICE 1										
	MIL-P-0036599	PIPET, PLASTIC, DISPOSABLE, STERILE [VALIDATION DATE: 8406]	A	6640	DM	21-NOV-69	MD	MS	03		
	MIL-T-36606	TABLE, OBSTETRICAL AND GYNECOLOGICAL [VALIDATION DATE: 8406]	A	6530	DM	12-OCT-69	MD	MS	03		
	MIL-S-36609B	SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW [VALIDATION DATE: 9010]	A	6545	MB	15-OCT-90	MD	MS	03		
	NOTICE 1										
	MIL-L-36628C	LARYNGOSCOPE SET, MACINTOSH	A	6515	MB	06-MAR-92	MD	MS	03		
	MIL-S-36642C	STERILIZER, SURGICAL INSTRUMENT AND DRESSING [VALIDATION DATE: 8106]	A	6530	DM	18-SEP-75	MD	MS	03		
	MIL-G-36645A(1)	CONN, HOSPITAL, COTTON [VALIDATION DATE: 8106]	A	6532	DM	18-FEB-81	MD	MS	03		
	MIL-A-36665	ADAPTER, CONDUCTIVE NEOPRENE, ENDOTRACHEAL ANESTHESIA SET [VALIDATION DATE: 8202]	A	6515	DM	22-APR-70	MD	MS	03		
	MIL-T-36673B	TUBE, EXTENSION, INJECTION SET	A	6515	MB	22-JUL-87	MD	MS	03		
	MIL-G-0036683A	GAGE, FRUIT AND VEGETABLE SIZING [VALIDATION DATE: 8106] REVIEWER: GS	A	6695	MB	03-JAN-73	MD	MS	03		
	MIL-L-36696B	LARYNGOSCOPE, CHILD-ADULT, WISCONSIN	A	6515	MB	21-AUG-89	MD	MS	03		
	MIL-I-36708A	INTRAVENOUS INJECTION SET, WITH METERING CHAMBER, WITHOUT NEEDLE, DISPOSABLE	A	6515	DM	24-SEP-85	MD	MS	03		
	MIL-P-36714B	PLUG, EAR, NOISE PROTECTION, TRIPLE FLANGE [VALIDATION DATE: 8406]	A	6515	DM	06-OCT-76	MD	MS	03		
	MIL-T-36736	TRACTION DEVICE [VALIDATION DATE: 8406]	A	6530	DM	11-MAR-71	MD	MS	03		
	MIL-P-36744	SURGICAL PACK, DISPOSABLE, PREOPERATIVE PREPARATION, NONSTERILE	A	6530	DM	26-JAN-71	MD	MS	03		
	MIL-P-36745	PAPER, FILTER QUALITATIVE (SWIPE MATERIAL) [VALIDATION DATE: 8406]	A	6640	DM	15-MAR-71	MD	MS	03		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Off / OMA Coordination Index	Document Number	Document Title	Dist Smt	FSC / Area	MCA Symbol	Proposed Date	Custodians			
							Army	Navy	Air Force	DIA
L	MIL-P-36745(11)	PAPER, FILTER, QUALITATIVE (SWIPE MATERIAL) (VALIDATION DATE: 8406) .....	A 6640	DM	19-MAR-74	MD	MS	03		
	MIL-H-36746A	HUMIDIFIER, OXYGEN, DIFFUSER TYPE (VALIDATION DATE: 8908) .....	A 6515	MB	04-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-W-36775A	WET BULB-GLOBE TEMPERATURE KIT .....	A 6665	DM	28-FEB-79	MD	MS	03	DM	
	MIL-I-36783	INSERT, OPTICAL, CHEMICAL BIOLOGICAL MASK, UNIVERSAL SIZE (VALIDATION DATE: 8908) .....	A 6540	MB	04-AUG-89	MD	MS	03		
	MIL-R-36787(1)	RACK, SUTURE NEEDLE (VALIDATION DATE: 8106) .....	A 6515	DM	01-MAR-73	MD	MS	03		
	MIL-O-36788(3)	OXYGEN, USP, WITH TUBE AND FACE MASK 24 GAL. (90 LITER) (VALIDATION DATE: 8106) .....	A 6515	DM	01-DEC-73	MD	MS	03		
	MIL-W-36795(2)	WAX, BONE (VALIDATION DATE: 8106) .....	A 6515	DM	01-NOV-73	MD	MS	03		
	MIL-O-36811A	OTOSCOPE AND OPHTHALMOSCOPE SET, BATTERY TYPE, POCKET SIZE (VALIDATION DATE: 8406) REVIEWER: MB .....	A 6515	DM	21-SEP-78	MD	MS	03		
	MIL-P-36816A	PAD, LITTER (VALIDATION DATE: 8202) .....	A 6530	DM	06-JUL-76	MD	MS	03		
D	MIL-F-36825(3)	FORCEPS, ENDOTRACHEAL TUBE, MAGILL (VALIDATION DATE: 8908) .....	A 6515	MB	17-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-C-36828A	CASE, SPECTACLE, ENVELOPE TYPE, SOFT FABRIC LINING (VALIDATION DATE: 9008) .....	A 6540	MB	30-AUG-90	MD	MS	03		
	MIL-B-36836	BALANCE, TORSION, 500 GRAM CAPACITY (VALIDATION DATE: 7906) USER: GL .....	A 6670	DM	04-OCT-73	MD	MS	03		
	MIL-I-36854A	INSERT, FIRST AID KIT CASE, PLASTIC, OLIVE DRAB, 4-3/4 INCHES LONG BY 2-3/8 INCHES WIDE BY 4-1/2 INCHES HIGH .....	A 6540	DM	16-DEC-85	MD	MS	03		
	MIL-C-36856(1)	CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 3 .....	A 6545	DM	12-DEC-86	MD	MS	03		
	MIL-E-36890(2)	ESOPHAGOSCOPE, JESBERG, FIBER OPTIC, OVAL (VALIDATION DATE: 8908) .....	A 6515	MB	16-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-C-36891(1)	CATHETER, URETHRAL, SILICONIZED RUBBER, DISPOSABLE, FOLEY, ROUND TIP, VALUE TYPE (VALIDATION DATE: 8106) .....	A 6515	DM	07-JAN-74	MD	MS	03		
	MIL-L-36896	LARYNGOSCOPE, FIBER OPTICS (HOLINGER AND JACKSON DESIGNS) (VALIDATION DATE: 8905) .....	A 6515	MB	04-MAY-89	MD	MS	03		
	NOTICE 1									
	MIL-F-36901A(2)	FABRICS, NONWOVEN, SURGICAL PACKS, DISPOSABLE (VALIDATION DATE: 8908) .....	A 6530	MB	04-AUG-89	MD	MS	03		
	MIL-S-36903	SCISSORS, GENERAL SURGICAL, CURVED, 6-1/2 INCH (VALIDATION DATE: 8106) .....	A 6515	DM	11-OCT-72	MD	MS	03		
	MIL-C-36904C	COATS AND TROUSERS, PAJAMA, COTTON-POLYESTER REVIEWER: 50 TM YD) .....	A 6532	MB	15-JAN-93	MD	MS	03		
	MIL-C-0036904B	COAT AND TROUSERS, PAJAMA, COTTON POLYESTER (VALIDATION DATE: 8202) .....	A 6532	DM	25-AUG-76	MD	MS	03		
	MIL-F-36911A(1)	FABRIC, NONWOVEN, BED SHEETS AND GOWNS, DISPOSABLE (VALIDATION DATE: 8202) .....	A 6532	DM	26-FEB-76	MD	MS	03		
	MIL-D-36917(1)	DRAPES, SURGICAL, DISPOSABLE, NONWOVEN FABRIC (VALIDATION DATE: 8202) .....	A 6530	DM	23-OCT-75	MD	MS	03		
	MIL-C-36953	CANNULA, BRONCHIAL, OPEN END, WARNING STOP AT 40 CM. (VALIDATION DATE: 8106) .....	A 6515	DM	14-MAR-73	MD	MS	03		
	MIL-C-36961A	CASE, MEDICAL INSTRUMENT AND SUPPLY SET, PLASTIC, RIGID (VALIDATION DATE: 8907) .....	A 6545	MB	28-JUL-89	MD	MS	03		
	MIL-B-36964B	BLANKET, COMBAT, CASUALTY LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC (VALIDATION DATE: 8106) REVIEWER: CT .....	A 7210	DM	27-AUG-73	MD	MS	03		
	MIL-R-36967	RUBBER STAMP, FIXED AND REMOVABLE TYPE, DEPARTMENT OF DEFENSE, SURVEILLANCE INSPECTION, MEDICAL SERVICE (VALIDATION DATE: 9010) USER: GL .....	A 7520	MB	31-OCT-90	MD	MS	03		
	NOTICE 1									
	MIL-B-36970A	BOX, BLOOD PRODUCTS SHIPPING REVIEWER: GL .....	A 8115	MB	29-OCT-91	MD	MS	03		
	MIL-G-36972(1)	GOWN, OPERATING, SURGICAL (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	MIL-F-36975(1)	FORCEPS, UTERINE PACKING, CURVED, BOZEMAN, 10 INCH (VALIDATION DATE: 8905) .....	A 6515	MB	05-MAY-89	MD	MS	03		
	MIL-I-36996(2)	INTRAVENOUS INJECTION SET (VALIDATION DATE: 8106) .....	A 6515	DM	10-OCT-74	MD	MS	03		
	MIL-I-0036996A	INTRAVENOUS INJECTION SET .....	A 6515	MB	10-SEP-85	MD	MS	03		
	MIL-B-36998B	BANDAGE, COTTON, ELASTIC RUBBER WARP THREADS (VALIDATION DATE: 8406) REVIEWER: MB .....	A 6510	DM	21-SEP-77	MD	MS	03		
	MIL-C-37021	CHAIR AND STOOL UNIT, DENTAL OPERATING, PORTABLE, IN CARRYING CASE (VALIDATION DATE: 8202) .....	A 6520	DM	07-JAN-74	MD	MS	03		
	MIL-S-37025(2)	SPLIT, PNEUMATIC, ADULT, ZIPPER CLOSURE (VALIDATION DATE: 8202) .....	A 6515	DM	24-MAY-76	MD	MS	03		
	MIL-T-37030(1)	TROUSERS, OPERATING, SURGICAL, MEN'S COTTON-POLYESTER, STATIC RESISTANT (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	MIL-S-37039(1)	SHIRTS, OPERATING, SURGICAL, MAN'S COTTON-POLYESTER STATIC RESISTANT (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-T-37046(1)	TROUSERS, OPERATING, SURGICAL, WOMEN'S, COTTON-POLYESTER, STATIC RESISTANT (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	MIL-P-37055(1)	PLUG, EAR, HEARING PROTECTION, CYLINDRICAL, SILICONE BASE (VALIDATION DATE: 8908) .....	A 6515	MB	16-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-G-37061(1)	GUIDES, CIRCUMCISION, PLASTIC, DISPOSABLE (VALIDATION DATE: 8908) .....	A 6515	MB	18-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-T-37064	TUNICS, OPERATING, SURGICAL, WOMAN'S, COTTON-POLYESTER, STATIC RESISTANT, LONG SLEEVES (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	MIL-C-37066	CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NONRIGID, NO. 6 (VALIDATION DATE: 9010) .....	A 6545	MB	15-OCT-90	MD	MS	03		
	MIL-T-37069	TUNICS, OPERATING, SURGICAL, WOMAN'S, COTTON-POLYESTER, STATIC RESISTANT, SHORT SLEEVES (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	MIL-S-37071	SCALE, DIAL INDICATING, EGG, PLATFORM (VALIDATION DATE: 7906) USER: GL ....	A 6670	DM	25-JAN-74	MD	MS	03		
	NOTICE 1									
	MIL-H-37082	HYDROMETER, GRADUATED SCALE, SPECIFIC GRAVITY RANGE 1.196 TO 1.286 (VALIDATION DATE: 8202) .....	A 6630	DM	16-SEP-74	MD	MS	03		
	MIL-P-37083A	PLIERS, DENTAL .....	A 6520	DM	15-JUN-87	MD	MS	03	MB	
	MIL-H-37084	HYPODERMIC INJECTION APPARATUS, JET, FOOT OPERATED (VALIDATION DATE: 8202) .....	A 6515	DM	11-JUN-75	MD	MS	03		
	MIL-S-37092	SPONGE, ABSORBABLE GELTIN, USP (VALIDATION DATE: 8202) .....	A 6510	DM	09-APR-75	MD	MS	03		
	MIL-R-37103B	RETRACTOR, HEMILAMINECTOMY, HAVERFIELD-SCOVILLE AND BLADES, RETRACTOR, INTERCHANGEABLE .....	A 6515	MB	20-DEC-85	MD	MS	03		
	MIL-C-37106	CASE, MEDICAL LABORATORY EQUIPMENT SET (VALIDATION DATE: 8907) .....	A 6545	MB	28-JUL-89	MD	MS	03		
	MIL-C-37117A	CASE, EAR PLUG .....	A 6515	DM	07-NOV-85	MD	MS	03		
	MIL-S-37123A	SOUND CHAMBERS AND CUFF, BLOOD PRESSURE, CONDUCTIVE (VALIDATION DATE: 8202) .....	A 6515	DM	27-SEP-76	MD	MS	03		
	MIL-S-37129	SHIRTS, OPERATING, SURGICAL, MAN'S, COTTON, SLEEVELESS, STYLE A (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-S-37130	SHIRTS, OPERATING, SURGICAL, MAN'S, COTTON, QUARTER LENGTH SLEEVES, STYLE B (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	NOTICE 1									
	MIL-T-37131	TROUSERS, OPERATING, SURGICAL, MAN'S, COTTON, GREEN (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	MIL-D-37165(2)	DRESSING, FIRST AID, FIELD, INDIVIDUAL TROOP (VALIDATION DATE: 8202) .....	A 6510	DM	19-MAR-76	MD	MS	03		
	MIL-S-37172	SPONGE, SURGICAL, GAUZE (VALIDATION DATE: 8202) .....	A 6510	DM	13-MAY-75	MD	MS	03		
	MIL-B-37173	BOX, SETUP, MAILING, DENTAL (VALIDATION DATE: 8202) .....	A 8115	DM	15-APR-75	GL	MS	03		
	MIL-S-37180A	SATCHEL, PHYSICIAN'S, BOSTON STYLE, THREE COMPARTMENT (VALIDATION DATE: 8908) .....	A 6532	MB	04-AUG-89	MD	MS	03		
	MIL-C-37183(1)	CASE, MEDICAL INSTRUMENT AND SUPPLY SET, NYLON, NON-RIGID, NO. 8 .....	A 6545	DM	22-OCT-86	MD	MS	03		
	MIL-C-37186B	COATS, MEDICAL ATTENDANT S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS (VALIDATION DATE: 8406) .....	A 6532	DM	30-NOV-76	MD	MS	03		
L	MIL-B-0037189A	BAGS, URINE COLLECTION .....	A 6530	DM	22-FEB-91	MD	MS	03	DM	
	NOTICE 2									
	MIL-I-37195	INSERT CABINET, MEDICAL INSTRUMENT AND SUPPLY SET CHEST, 5 DRAWER (VALIDATION DATE: 8907) .....	A 6545	MB	28-JUL-89	MD	MS	03		
	MIL-I-37196	INSERT CABINET MEDICAL INSTRUMENT AND SUPPLY SET CHEST, OPHTHALMIC LENS, 10 DRAWER (VALIDATION DATE: 8907) .....	A 6545	MB	28-JUL-89	MD	MS	03		
	MIL-P-37199	PUMP AND FILLER, PRESCRIPTION BOTTLE (VALIDATION DATE: 8202) .....	A 6530	DM	05-SEP-75	MD	MS	03		
	MIL-T-37202	TAG, MEDICAL WARNING (VALIDATION DATE: 8908) .....	A 6530	DM	04-AUG-89	MD	MS	03		
	MIL-C-37203A	CATHETER AND NEEDLE UNIT, INTRAVENOUS, RADIOPAQUE, DISPOSABLE (CATHETER INTO NEEDLE) (VALIDATION DATE: 8406) .....	A 6515	DM	25-FEB-77	MD	MS	03		
	MIL-S-37205	SURVIVAL KIT, INDIVIDUAL (VALIDATION DATE: 9010) .....	A 6545	MB	15-OCT-90	MD	MS	03		
	NOTICE 1									



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / OMA Combination Inches Document Number	Document Title	Diet	Smt FSC / Area	MCC Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
MIL-D-37215	DRILL, HAND, BONE, SMOBERG [VALIDATION DATE: 8202]	A 6515	DM	24-OCT-75	MD	MS	03		
MIL-S-37223	STAND, SURGICAL INSTRUMENT [VALIDATION DATE: 8202]	A 6530	DM	11-JUN-76	MD	MS	03		
MIL-I-37225A	INTRAVENOUS INJECTION SET, WITH FLEXIBLE DRIP CHAMBER, DISPOSABLE [VALIDATION DATE: 8202]	A 6515	DM	31-JUL-75	MD	MS	03		
MIL-I-37238	INSERT SHELF UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 8907]	A 6545	MB	28-JUL-89	MD	MS	03		
MIL-I-37239(1)	INSERT MOUNTING UNIT, MEDICAL INSTRUMENT AND SUPPLY SET CHEST [VALIDATION DATE: 8907]	A 6545	MB	28-JUL-89	MD	MS	03		
MIL-T-37240	TABLE, SURGICAL INSTRUMENT, AND SURGICAL DRESSING [VALIDATION DATE: 8908]	A 6530	MB	04-AUG-89	MD	MS	03		
MIL-B-37246	BRACE, BIT, BONE, CRANIAL, HUDSON, AND BURS, DRILL, AND EXTENSION [VALIDATION DATE: 8202]	A 6515	DM	15-JUL-75	MD	MS	03		
MIL-A-37251	ANTIDOTE, NERVE AGENTS, INJECTOR [VALIDATION DATE: 8802]	A 6505	MB	26-FEB-88	MD	MS	03		
L MIL-A-37251(11)	ANTIDOTE, NERVE AGENTS, INJECTOR [VALIDATION DATE: 8802]	A 6505	MB	26-FEB-88	MD	MS	03		
MIL-C-37268	CAPS, OPERATING, SURGICAL, WOMAN S ADJUSTABLE, DISPOSABLE [VALIDATION DATE: 8202]	A 6532	DM	11-MAR-76	MD	MS	03		
MIL-B-37295A	BATH, WATER, DENTAL IMPRESSION MATERIAL, LOW TEMPERATURE [VALIDATION DATE: 8406] REVIEWER: MB	A 6520	DM	17-AUG-78	MD	MS	03		
MIL-G-37300	GOWN, PATIENT EXAMINING, DISPOSABLE [VALIDATION DATE: 8906]	A 6532	MB	15-JUN-89	MD	MS	03		
MIL-L-37313A	LIGHT, SURGICAL, CEILING [VALIDATION DATE: 8406] REVIEWER: MB	A 6530	DM	21-AUG-78	MD	MS	02		
MIL-P-37361	PLIERS, DENTAL, CONTOURING AND CRIMPING, NO. 137 [VALIDATION DATE: 8406]	A 6520	DM	04-FEB-77	MD	MS	02		
MIL-I-37365B	INTRAVENOUS INJECTION SET, WITH METERING CHAMBER, WITHOUT NEEDLE, DISPOSABLE	A 6515	DM	24-AUG-87	MD	MS	03		
MIL-M-37374	MELPACALINE HYDROCHLORIDE INJECTION, U.S.P. [VALIDATION DATE: 8202]	A 6505	DM	28-MAY-76	MD	MS	03		
MIL-Q-37379	QUINIDINE SULFATE TABLETS, U.S.P. [VALIDATION DATE: 8202]	A 6505	DM	04-JUN-76	MD	MS	03		
MIL-Q-37379(11)	QUINIDINE SULFATE TABLETS, USP [VALIDATION DATE: 8202]	A 6505	DM	22-JUL-76	MD	MS	03		
MIL-M-37397	MELPACALINE HYDROCHLORIDE INJECTION, U.S.P. [VALIDATION DATE: 8908]	A 6505	MB	14-AUG-89	MD	MS	03		
MIL-M-37401	METHYSENGIDE MALEATE TABLETS, U.S.P. [VALIDATION DATE: 8908]	A 6505	MB	14-AUG-89	MD	MS	03		
MIL-T-37402	TESTER, ANTIFREEZE SOLUTIONS [VALIDATION DATE: 8406]	A 6630	DM	06-APR-77	MD	MS	03		
MIL-P-37407B	PLUG, EAR, HEARING PROTECTION, UNIVERSAL SIZE, YELLOW, VINYL FOAM	A 6515	MB	08-NOV-85	MD	MS	03		
MIL-B-37409	BOX, INSECT, SPECIMEN [VALIDATION DATE: 8202]	A 6640	DM	12-MAY-76	MD	MS	03		
MIL-F-37418A	FLURANDRENOLIDE LOTION, U.S.P. [VALIDATION DATE: 8406]	A 6505	DM	25-JUL-77	MD	MS	02		
NOTICE 1									
MIL-S-37442	SHOCK, PHYSICIAN S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS [VALIDATION DATE: 8406]	A 6532	DM	12-NOV-76	MD	MS	02		
MIL-I-37443	ISOPROPYL ALCOHOL, N.F. [VALIDATION DATE: 8908]	A 6505	MB	04-AUG-89	MD	MS	03		
MIL-C-37458	CUPRIC SULFATE, NF [VALIDATION DATE: 8202]	A 6505	DM	01-SEP-76	MD	MS	03		
MIL-D-37492	ORPHENADRINE CITRATE, ASPIRIN, CAFFEINE, AND PHENACETIN TABLETS [VALIDATION DATE: 8406]	A 6505	DM	01-OCT-77	MD	MS	03		
MIL-S-37499A	SPLINT, PNEUMATIC, ADULT, SLIP-ON [VALIDATION DATE: 8406]	A 6515	DM	21-DEC-76	MD	MS	03		
MIL-S-37505	SINK SERVICE UNIT, CLINICAL LABORATORY [VALIDATION DATE: 8901]	A 6545	MB	09-JAN-89	MD	MS	03		
NOTICE 1									
MIL-M-37537	MEPERIDINE HYDROCHLORIDE INJECTION, USP [VALIDATION DATE: 8908]	A 6505	MB	14-AUG-89	MD	MS	03		
MIL-T-37538A	TRIMMER, DENTAL MODEL: WHEEL, ABRASIVE, SILICON CARBIDE, DENTAL MODEL TRIMMING	A 6520	DM	24-SEP-87	MD	MS	03		
MIL-P-37564	PLUGS, EAR, HEARING PROTECTION, UNIVERSAL SIZE, SINGLE FLANGE WITH HEADBAND	A 6515	DM	08-FEB-77	MD	MS	03		
MIL-P-0037564A	PLUGS, EAR, HEARING PROTECTION, UNIVERSAL SIZE, WITH HEADBAND [VALIDATION DATE: 9001]	A 6515	MB	05-JAN-90	MD	MS	03		
NOTICE 1									
MIL-F-37568	FILE, VISIBLE INDEX, BOOK UNIT [VALIDATION DATE: 8202]	A 7460	DM	24-MAR-77	MD	MS	03		
MIL-E-37579	ENVELOPE, DRUG DISPENSING, 100S [VALIDATION DATE: 8406]	A 8105	DM	17-JAN-77	MD	MS	03		
MIL-S-37581	SPLINT, LEG, PNEUMATIC, ADULT, WRAP-AROUND, HOOK AND CORD CLOSURE [VALIDATION DATE: 8406]	A 6515	DM	09-SEP-77	MD	MS	03		
MIL-C-37586	CAP, STERILE FLUID STORAGE BOTTLE [VALIDATION DATE: 8406] REVIEWER: MB	A 6530	DM	29-SEP-77	MD	MS	03		
MIL-P-37599	PLAQUE VACCINE, USP [VALIDATION DATE: 8908]	A 6505	DM	21-AUG-89	MD	MS	03		
MIL-S-37607	SYRINGE, CARTRIDGE, ASPIRATING, THUMB RING HANDLE [VALIDATION DATE: 8406] REVIEWER: MB	A 6515	DM	29-AUG-77	MD	MS	03		
MIL-T-37613	THROMBIN, USP [VALIDATION DATE: 8908]	A 6505	MB	30-AUG-89	MD	MS	03		
NOTICE 1									
MIL-F-37618B	FRAME, SPECTACLE, GOLD PLATED, BAYONET TEMPLES	A 6540	MB	15-JUN-90	MD	MS	03		
MIL-R-37624	RACK, TEST TUBE, LABORATORY, WINTROBE, ENAMELED STEEL, 10 TUBE [VALIDATION DATE: 8406] REVIEWER: MB	A 6640	DM	30-SEP-77	MD	MS	03		
MIL-T-37637A	TABLE, OPERATING, FIELD	A 6530	MB	01-OCT-90	MD	MS	03		
MIL-R-37640	RACK, TEST TUBE, LABORATORY, EPOXY COATED WIRE, 40 TUBE [VALIDATION DATE: 8406]	A 6640	DM	09-FEB-77	MD	MS	03		
MIL-P-37646	PROTECTORS, ORTHOPEDIC CAST [VALIDATION DATE: 8406]	A 6515	DM	31-MAR-77	MD	MS	03		
MIL-D-37651	DICHLOROTETRAFLUOROETHANE, NF [VALIDATION DATE: 8803]	A 6505	MB	29-MAR-88	MD	MS	03		
NOTICE 1									
MIL-T-37659	TRIAMTERENE CAPSULES, USP [VALIDATION DATE: 8908]	A 6505	MB	21-AUG-89	MD	MS	03		
MIL-Y-37687A	YORK-ADAPTER, COMPRESSED GAS CYLINDER	A 8120	MB	21-FEB-92	MD	MS	03		
MIL-T-37702	TABLE, OPERATING, HOSPITAL, PEDESTAL [VALIDATION DATE: 8406] REVIEWER: MB	A 6530	DM	27-APR-78	MD	MS	03		
MIL-S-37716	SODIUM CHLORIDE TABLETS, USP [VALIDATION DATE: 8908]	A 6505	MB	30-AUG-89	MD	MS	03		
NOTICE 1									
MIL-S-37721	SINK, CLINICAL LABORATORY, LIGHTWEIGHT [VALIDATION DATE: 8901]	A 6545	MB	09-JAN-89	MD	MS	03		
NOTICE 1									
MIL-R-37725B	REBREATHING BAG, GAS ANESTHESIA APPARATUS, DISPOSABLE	A 6515	MB	23-JUN-81	MD	MS	03		
MIL-D-37727	DIPHENHYDRAMINE HYDROCHLORIDE SYRUP [VALIDATION DATE: 8803]	A 6505	MB	29-MAR-88	MD	MS	03		
NOTICE 2									
MIL-C-37734	COVER, MATTRESS PAD [VALIDATION DATE: 8908]	A 7210	MB	19-JUN-89	MD	MS	03		
NOTICE 1									
MIL-P-37735	PAD, MATTRESS, HOSPITAL BED [VALIDATION DATE: 8906]	A 7210	MB	19-JUN-89	MD	MS	03		
NOTICE 1									
MIL-T-37742	TROUSERS, PNEUMATIC, ANTI-SHOCK, UNIVERSAL SIZE, BLUE [VALIDATION DATE: 8406]	A 6515	DM	28-MAR-78	MD	MS	03		
MIL-L-37745	LIGHT, SURGICAL, CEILING [VALIDATION DATE: 8406] REVIEWER: MB	A 6530	DM	27-SEP-78	MD	MS	03		
MIL-E-37816	ENVELOPE, RADIOGRAPHIC FILM MOUNT, DENTAL [VALIDATION DATE: 8406] REVIEWER: MB	A 7530	DM	28-NOV-77	MD	MS	03		
MIL-S-37826	STAND, BED SERVICE [VALIDATION DATE: 8406] REVIEWER: MB	A 6530	DM	25-AUG-78	MD	MS	03		
MIL-C-37827	COVER, BED FRAME [VALIDATION DATE: 8906]	A 7210	MB	19-JUN-89	MD	MS	03		
NOTICE 1									
MIL-R-37828	ROD, INSECT BAR [VALIDATION DATE: 8906] USER: 45	A 7210	MB	19-JUN-89	MD	MS	03		
NOTICE 1									
MIL-B-37829	BAG, PERSONAL EFFECTS [VALIDATION DATE: 8906]	A 8465	MB	19-JUN-89	MD	MS	03		
L MIL-M-37869	MICROSCOPE, OPTICAL, BINOCULAR [VALIDATION DATE: 8406]	A 6650	DM	28-APR-78	MD	MS	03		
L MIL-P-37920	PASTE, PERIODONTAL PROTECTIVE, SURGICAL, SOFT DRESSING	A 6520	DM	29-DEC-78	MD	MS	03		
MIL-T-37923	HYPODERMIC AUTO INJECTOR, DEMONSTRATION	A 6910	DM	31-OCT-78	MD	MS	03		
MIL-D-37945A	OPERATING AND TREATMENT UNIT, DENTAL, FIELD	A 6520	MB	19-JUN-89	MD	MS	03		
L MIL-D-37945(11)	DENTAL OPERATING AND TREATMENT UNIT, FIELD, PORTABLE, AIR OPERATED	A 6520	MB	13-APR-87	MD	MS	03		
MIL-C-37946	CASE, SPLINT SET, TELESCOPIC SPLINTS, COTTON DUCK, 36 INCHES LONG BY 12 INCHES WIDE BY 7 INCHES DEEP [VALIDATION DATE: 8901]	A 6545	DM	03-JAN-89	MD	MS	03		
NOTICE 1									
L MIL-P-37948A	PRALIDOXIME CHLORIDE INJECTION	A 6505	DM	17-MAR-84	MD	MS	03		
A MIL-F-37950B	FRAME, SPECTACLE, AVIATOR, METAL WIRE	A 6540	MB	15-JAN-93	MD	MS	03		
MIL-S-0037951	SHOCK, MEDICAL ASSISTANT S, MAN S, WHITE, COTTON-POLYESTER, DURABLE PRESS	A 6532	DM	08-FEB-84	MD	MS	03		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off/Coordination Initiative	Document Number	Document Title	Dist. Smt. FSC / Line	MCS Symbol	Proposing Act. Date	Custodians			
						Army	Navy	Air Force	DIA
A	MIL-S-37952	SPINEBOARD .....	A 6530	DM	03-JUN-83	MD	MS	03	
	MIL-A-37953	ANESTHESIA APPARATUS, GAS, NITROUS OXIDE .....	A 6515	MB	15-APR-83	MD	MS	03	
A	MIL-S-37954	SPECTACLE FRAME, FRONTS AND TEMPLES, CELLULOSE ACETATE .....	A 6540	MB	15-AUG-80	MD	MS	03	
	MIL-S-0037954A	SPECTACLE FRAME, FRONTS AND TEMPLES, CELLULOSE ACETATE .....	A 6540	MB	16-MAR-87	MD	MS	03	
L	MIL-F-37956	FILTER ELEMENT, AGENT SAMPLING EXTRACTOR [VALIDATION DATE: 8907] .....	A 6640	DM	13-JUL-89	EA	SH	99	DM
	MIL-L-37957A	LITTERS, RIGID, STOKES USER: AS AV CG MC SH .....	A 6530	MB	24-JAN-92	MD	MS	03	
L	MIL-B-0037958	BAG, PROTECTIVE, CASE, MEDICAL INSTRUMENT AND SUPPLY SET NO. 17 .....	A 6545	MB	15-FEB-84	MD	MS	03	
	MIL-B-37959	BURS, SURGICAL, TUNGSTEN CARBIDE, 2 MM BY 19 MM, SIDE CUTTING, TAPERED .....	A 6515	MB	14-FEB-84				
L	MIL-B-37959/1	BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM BY 19 MM, SIDE CUTTING, TAPERED .....	A 6515	MB	16-FEB-84				
		(SHAPE C), LONG SHANK (LENGTH 3) .....							
L	MIL-B-37959/2	BUR, SURGICAL, TUNGSTEN CARBIDE, 1.5 MM, ROUND CUTTING (SHAPE A), LONG .....	A 6515	MB	16-FEB-84				
		SHANK (LENGTH 3) .....							
L	MIL-B-37959/3	BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM, ROUND CUTTING (SHAPE A), LONG SHANK .....	A 6515	MB	16-FEB-84				
		(LENGTH 3) .....							
L	MIL-B-37959/4	BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM, ROUND CUTTING (SHAPE A), MEDIUM .....	A 6515	MB	16-FEB-84				
		SHANK (LENGTH 2) .....							
L	MIL-B-37959/5	BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM BY 7.5 MM HEAD, SIDE CUTTING, .....	A 6515	MB	23-FEB-84				
		TAPERED (SHAPE C), MEDIUM SHANK (LENGTH 2) .....							
L	MIL-B-37959/6	BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM, BY 19 MM HEAD, SIDE CUTTING, TAPERED .....	A 6515	MB	23-FEB-84				
		(SHAPE C), MEDIUM SHANK (LENGTH 2) .....							
L	MIL-B-37959/7	BUR, SURGICAL, TUNGSTEN CARBIDE, 1.5 MM, ROUND CUTTING (SHAPE A), MEDIUM .....	A 6515	MB	23-FEB-84				
		SHANK (LENGTH 2) .....							
L	MIL-B-37959/8	BUR, SURGICAL, TUNGSTEN CARBIDE, 2MM BY 7.5 MM HEAD, SIDE CUTTING, TAPERED .....	A 6515	MB	23-FEB-84				
		(SHAPE C), LONG SHANK (LENGTH 3) .....							
L	MIL-B-37959/9	BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM HEAD DIAMETER, 8 MM HEAD LENGTH, .....	A 6515	MB	27-FEB-84				
		OVAL CUTTING (SHAPE D), MEDIUM SHANK (LENGTH 2) .....							
L	MIL-B-37959/10	BUR, SURGICAL, TUNGSTEN CARBIDE, 5.5 MM HEAD DIAMETER, 10 MM HEAD LENGTH, .....	A 6515	MB	27-FEB-84				
		OVAL CUTTING (SHAPE D), MEDIUM SHANK (LENGTH 2) .....							
L	MIL-B-37959/11	BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM HEAD DIAMETER, 8 MM HEAD LENGTH, .....	A 6515	MB	27-FEB-84				
		OVAL CUTTING (SHAPE D), LONG SHANK (LENGTH 3) .....							
L	MIL-B-37959/12	BUR, SURGICAL, TUNGSTEN CARBIDE, 5.5 MM HEAD DIAMETER, 10 MM HEAD LENGTH, .....	A 6515	MB	27-FEB-84				
		OVAL CUTTING (SHAPE D), LONG SHANK (LENGTH 3) .....							
L	MIL-B-37959/13	BUR, SURGICAL, TUNGSTEN CARBIDE, 1 MM HEAD DIAMETER, 5 MM HEAD LENGTH, .....	A 6515	MB	28-FEB-84				
		SIDE CUTTING, STRAIGHT (SHAPE B), MEDIUM SHANK (LENGTH 2) .....							
L	MIL-B-37959/14	BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM HEAD DIAMETER, 10 MM HEAD LENGTH, .....	A 6515	MB	28-FEB-84				
		BARREL CUTTING (SHAPE E), MEDIUM SHANK (LENGTH 2) .....							
L	MIL-B-37959/15	BUR, SURGICAL, TUNGSTEN CARBIDE, 2 MM HEAD DIAMETER, 10 MM HEAD LENGTH, .....	A 6515	MB	28-FEB-84				
		BARREL CUTTING (SHAPE E), LONG SHANK (LENGTH 3) .....							
L	MIL-B-37959/16	BUR, SURGICAL, TUNGSTEN CARBIDE, 3 MM HEAD DIAMETER, ROUND CUTTING (SHAPE .....	A 6515	MB	29-FEB-84				
		A), LONG SHANK (LENGTH 3) .....							
L	MIL-B-37959/18	BUR, SURGICAL, TUNGSTEN CARBIDE, 5 MM, ROUND CUTTING (SHAPE A) LONG SHANK .....	A 6515	MB	15-MAR-84				
		(LENGTH 3) .....							
L	MIL-B-37959/19	BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM, ROUND CUTTING (SHAPE A) LONG SHANK .....	A 6515	MB	15-MAR-84				
		(LENGTH 3) .....							
L	MIL-B-37959/20	BUR, SURGICAL, TUNGSTEN CARBIDE, 4 MM, ROUND CUTTING (SHAPE A), MEDIUM .....	A 6515	MB	19-MAR-84				
		SHANK (LENGTH 2) .....							
L	MIL-B-37959/21	BUR, SURGICAL, TUNGSTEN CARBIDE, 1.5 MM BY 4.5 MM HEAD, SIDE CUTTING, .....	A 6515	MB	19-MAR-84				
		STRAIGHT (SHAPE B), MEDIUM (LENGTH 2) .....							
L	MIL-B-37959/23	BUR, SURGICAL, TUNGSTEN CARBIDE, 1.7 MM BY 12 MM HEAD, SIDE CUTTING, .....	A 6515	MB	14-MAY-84				
		TAPERED (SHAPE C), LONG SHANK (LENGTH 3) .....							
L	MIL-B-37960	BURS, SURGICAL, DIAMOND, GENERAL REQUIREMENTS FOR .....	A 6515	MB	23-FEB-84				
		BUR, SURGICAL, DIAMOND, 2 MM, ROUND HEAD (SHAPE B), LONG SHANK (LENGTH 3) .....	A 6515	MB	03-APR-84				
L	MIL-B-37960/1	BUR, SURGICAL, DIAMOND, 3 MM, ROUND HEAD (SHAPE B), LONG SHANK (LENGTH 3) .....	A 6515	MB	03-APR-84				
		BUR, SURGICAL, DIAMOND, 5 MM, ROUND HEAD (SHAPE A), LONG SHANK (LENGTH 3) .....	A 6515	MB	03-APR-84				
L	MIL-B-37960/2	BUR, SURGICAL, DIAMOND, 5 MM, ROUND HEAD (SHAPE A), LONG SHANK (LENGTH 3) .....	A 6515	MB	03-APR-84				
		BUR, SURGICAL, DIAMOND, 5 MM, ROUND HEAD (SHAPE A), LONG SHANK (LENGTH 3) .....	A 6515	MB	03-APR-84				
L	MIL-B-37960/3	BUR, SURGICAL, DIAMOND, 4 MM, ROUND HEAD (SHAPE B), LONG SHANK (LENGTH 3) .....	A 6515	MB	04-APR-84				
		(LENGTH 2) .....							
L	MIL-B-37960/4	BUR, SURGICAL, DIAMOND, 4 MM, DERMABRADER HEAD (SHAPE E), MEDIUM SHANK .....	A 6515	MB	04-APR-84				
		(LENGTH 2) .....							
L	MIL-S-37963	SPLING, LEG THOMAS, HALF-RING, TELESCOPING .....	A 6515	MB	16-NOV-84				
	MIL-C-37964	CONTAINER, ENVIRONMENTAL PROTECTION MEDICAL SUPPLIES .....	A 6530	DM	25-OCT-85				DM
L	MIL-T-37968	TOWEL, PAPER (DISPOSABLE), DENTAL .....	A 8540	MB	12-MAY-86	MD	MS	03	
	MIL-S-37988	SURVIVAL KIT, INDIVIDUAL, TROPICAL, TACTICAL AIR CREW, IN PLASTIC BAG .....	A 6545	DM	02-OCT-85	MD	MS	03	DM
L	MIL-M-37996	NITROUS OXIDE GAS, USPHIGH PRESSURE, CYLINDER REVIEWER: 68 ME SH .....	A 6505	MB	24-DEC-85	MD	MS	03	
	MIL-D-37997	OXYGEN GAS, USP, HIGH PRESSURE, CYLINDER REVIEWER: 68 ME SH .....	A 6505	MB	18-DEC-85	MD	MS	03	
L	MIL-C-37999	CABINMETRY SYSTEM, MEDICAL & PHARMACEUTICAL, DEPLOYABLE .....	A 6530	DM	15-JUN-87	MD	MS	03	
	MIL-S-38004C	SOCKS, EXTREME COLD WEATHER USER: 45 SA REVIEWER: 11 .....	A 8415	CT	26-FEB-85				CT
L	MIL-F-38007D(2)	FILTER ELEMENT, FLUID, PRESSURE MIL-233/E REVIEWER: CS .....	A 4330	BA	24-APR-80				
	MIL-F-38009F(1)	FILTER/SEPARATOR ELEMENT KIT, LIQUID FUEL FFU-11/E REVIEWER: CS .....	A 4330	BA	13-MAY-81	ME			
L	MIL-I-38021A	INDICATOR, LIQUID OXYGEN QUANTITY GBU-39/A [VALIDATION DATE: 7408] .....	A 6680	82	28-JAN-83				
		REVIEWER: GS .....							
A	MIL-D-38024B(1)	DROGUE, PARACHUTE STATIC LINE [VALIDATION DATE: 9208] REVIEWER: CE CS GS ..	A 1670	GL	31-AUG-92	GL			
	NOTICE 1								
OL	MIL-P-38026A(4)	POWER SUPPLY ECU-23/A REVIEWER: GS .....	A 6130	80	04-FEB-87				
	NOTICE 1								
L	MIL-P-38027A	PRESSURE INDICATING SYSTEM, HYDRAULIC A/A27J-1 .....	A 6685	82	12-NOV-73				
	MIL-I-38038A	INSTRUMENT LIGHTING SYSTEM, ELECTROLUMINESCENT, GENERAL SPECIFICATION FOR .....	A 66GP	11	30-SEP-88				
L	NOTICE 1	[VALIDATION DATE: 8809] REVIEWER: 99 .....							
	MIL-S-38039H	SYSTEM, ILLUMINATED, WARNING, CAUTION, AND ADVISORY, GENERAL SPECIFICATION .....	A 6340	82	11-APR-86	ME	AS		
L	NOTICE 1	FOR [VALIDATION DATE: 8604] REVIEWER: AV .....							
	MIL-S-38043(3)	STARTER, ENGINE, AIR TURBINE STU-16/A .....	A 2995	71	21-AUG-86				
L	MIL-T-38045B	TRUCK, AIRCRAFT, CARGO LOADING-UNLOADING, 25,000 POUNDS CAPACITY A/S32H-5 .....	A 3930	84	11-APR-88				
	NOTICE 2	REVIEWER: CS .....							
L	MIL-I-38120A(3)	INDICATOR, RATE OF FLOW AND TRANSFER EFU-20/A REVIEWER: GS .....	A 6680	82	16-AUG-82				
	MIL-I-38121C	INDICATOR, RATIO, ENGINE PRESSURE, EGU-9A (CONTROLLED DISTRIBUTION) .....	B 6620	71	30-NOV-89				
OL	MIL-I-38133A	INDICATOR, PRESSURE, OIL [VALIDATION DATE: 8203] REVIEWER: GS .....	A 6620	AS	14-NOV-87	AS			
	MIL-D-38134A(2)	DETECTOR, MAGNETIC AZIMUTH DSU-4/A, HIGH TEMPERATURE [VALIDATION DATE: .....	A 6605	AS	18-SEP-72	AS			
L	8103]	DETECTOR, MAGNETIC AZIMUTH DSU-4A/A, HIGH TEMPERATURE [VALIDATION DATE: .....							
	8410]	DETECTOR, MAGNETIC AZIMUTH DSU-4A/A, HIGH TEMPERATURE [VALIDATION DATE: .....							
A L	MIL-I-38135B(3)	INDICATOR, INDICATED AIRSPEED AMU-19/A, STANDBY .....	A 6610	71	10-AUG-92				
	MIL-I-38139C(3)	INDICATOR, VERTICAL VELOCITY AMU-18/A, INTEGRALLY LIGHTED .....	A 6610	71	16-AUG-88				
L	MIL-I-38143D	INDICATOR, RATE OF FLOW, FUEL REVIEWER: 11 .....	A 6620	71	30-MAY-92				
	MIL-T-38144C(1)	TRANSMITTER, RATE OF FLOW, FUEL REVIEWER: 11 .....	A 6620	71	10-JUL-87				
A L	MIL-C-38149C	CLOTH, COATED, CHLOROBUTYL, ARAMID, FUEL AND OXIDIZER RESISTANT .....	A 8305	CT	20-JAN-89				CT
		[VALIDATION DATE: 8901] USER: 70 .....							
L	MIL-C-38159B	CONNECTORS, ELECTRIC, RAMP POWER, 480/277 VOLTS, GENERAL SPECIFICATION FOR .....	A 5935	85	24-JAN-92				
	REVIEWER: 11 99								
L	MIL-C-38159/1	CONNECTORS, PLUG, ELECTRICAL, SERIES 1, NON-HAZARDOUS REVIEWER: 11 99 .....	A 5935	85	24-JAN-92				
	MIL-C-38159/2	CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, NON-HAZARDOUS REVIEWER: 11 .....	A 5935	85	24-JAN-92				
L	99								
	MIL-C-38159/3	CONNECTORS, PLUG, ELECTRICAL, SERIES 2, HAZARDOUS REVIEWER: 11 99 .....	A 5935	85	24-JAN-92				
L	MIL-C-38159/4	CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 2, HAZARDOUS REVIEWER: 11 99 ..	A 5935	85	24-JAN-92				
	MIL-S-38160B(3)	SELECTOR, ANTENNA C-480B/ARC .....	A 5821	84	15-DEC-86				
L	MIL-R-38162B(1)	RADIOSONDE SET AM/AMT-13 ( ) REVIEWER: GS .....	A 6660	80	03-MAY-79				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ops / OMA Coordination Inactive	Document Number	Document Title	Dist	Symb	FSC / Area	MCA Symbol	Preparing Body	Date	Custodians			
									Army	Navy	Air Force	DLA
L	MIL-L-38169(6)	LENSES, GOGGLE AND VISOR, HELMET, OPTICAL CHARACTERISTICS, GENERAL SPECIFICATION FOR USER: 45 REVIEWER: 99 CT	A	8475	82	25-FEB-91			82			
L	MIL-T-38170F(1)	TANK, MOBILE STORAGE, LIQUID OXYGEN TMU-27/M REVIEWER: 99	A	3655	68	05-MAR-82			68			
A	MIL-C-38182C	COVER, SERVICE CAP, MAN'S, WATER REPELLENT USER: 45 REVIEWER: 82 99	A	8405	CT	02-FEB-90			11	CT		
A	MIL-P-38184C	PARKA, EXTREME COLD WEATHER CMU-B/P (VALIDATION DATE: 8910) REVIEWER: 11	A	8415	CT	31-OCT-89			99	CT		
L	MIL-A-38187A(1)	ANTENNA AT-983/ARN AND ANTENNA AT-983A/ARN (VALIDATION DATE: 8605) .....	A	5826	84	02-MAY-86			99			
L	MIL-T-38191F(1)	TEST SET, PRESSURE TEMPERATURE TTU-205C/E .....	A	4920	82	10-AUG-78			99			
L	MIL-P-38193B	PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER PMU-27/M (VALIDATION DATE: 7709) .....	A	4320	84	23-APR-69			99			
D	MIL-G-38195C(2)	GENERATOR SET, GAS TURBINE ENGINE, 60 KW 400 HERTZ, GENERAL PURPOSE .....	A	6115	80	14-NOV-85			YD:	99		
L	MIL-P-38199B	PAD, PARACHUTE HARNES, QUICK RELEASE (VALIDATION DATE: 9006) REVIEWER: 11	A	1670	GL	19-JUN-90	GL	AS	99			
L	MIL-V-38201C(3)	VALVE, FILLER, LIQUID OXYGEN FEMALE CRU-59/E USER: ME REVIEWER: 11 99	A	3655	68	18-JUN-81			68			
L	MIL-A-38202C(1)	AIRCRAFT ARRESTING SYSTEM BAK-12A/E32A, PORTABLE, ROTARY FRICTION (VALIDATION DATE: 8609) USER: 11	A	1710	82	02-SEP-86			99			
L	MIL-D-38205A(1)	OVER, FOOD WARMING, ELECTRIC HDU-2/B AND HDU-23/B REVIEWER: GS .....	A	7310	84	19-MAY-82			99			
Q	MIL-C-38207A(2)	CLOCK, AIRCRAFT, MECHANICAL ABU-11/A (VALIDATION DATE: 8812) REVIEWER: GS	A	6645	82	15-DEC-88	AV	AS	99			
D L	MIL-H-38209B	HOSE REEL ASSEMBLY, FUEL SERVICING, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8304) USER: YD REVIEWER: 99	A	4930	CT	07-MAY-71			11			
A L	MIL-R-38213B(1)	RAINCOAT, MAN'S, LIGHTWEIGHT, BLUE (VALIDATION DATE: 8902) USER: 45	A	8405	82	14-FEB-89			11	CT		
L	MIL-C-38214B(4)	COMPASS, MAGNETIC, MOUNTED USER: ME .....	A	6605	71	10-OCT-88			99			
D	MIL-L-382170(2)	LIGHT, MARKER DISTRESS USER: YD REVIEWER: GS ME SH .....	A	6230	82	21-SEP-83			AC	99		
L	MIL-T-38219B(1)	TURBINE FUEL, LOW VOLATILITY, JP-7 REVIEWER: 68 .....	A	9130	11	30-NOV-87			11			
A	MIL-C-38227A	GLOVE, SKILLS FLYERS REVIEWER: MD .....	A	8415	CT	04-FEB-71	GL	AS		CT		
L	MIL-S-38228(2)	SEALING COMPOUND, ENVIRONMENTAL, FOR AIRCRAFT SURFACES (VALIDATION DATE: 8707) REVIEWER: 99	A	8030	11	08-MAY-67			11			
Q	MIL-T-38230B	TRANSMITTER, PRESSURE OIL, VARIABLE RELUCTANCE .....	A	6620	71	15-APR-86			AS	99		
L	MIL-C-38240/24B	COMPUTER, ALTITUDE, ALTITUDE ENCODING CPU-66/A-24, 1-2B (VALIDATION DATE: 8704) .....	A	6610	71	06-APR-87			99			
L	MIL-S-38249(3)	SEALING COMPOUND, FIREWALL (VALIDATION DATE: 8707) REVIEWER: 99 .....	A	8030	11	30-JUL-87			11			
L	MIL-I-38258(3)	INDICATOR, ATTITUDE ABU-18/A, DIRECTOR .....	A	6610	71	12-JUN-87			99			
L	MIL-T-38266C	TANK AND PUMP UNIT PMU-29/E, JET OIL SERVICING, 3 GALLON CAPACITY, PORTABLE .....	A	4930	82	10-JUL-87			99			
DO	MIL-A-38267A	APPLICATION OF POLYURETHANE FUEL TANK COATINGS REVIEWER: 99 .....	A	8030	11	30-JUL-87			AS	11		
AOL	MIL-P-38268C	AURAL PROTECTORS, SOUND USER: YD REVIEWER: GS .....	A	4240	84	02-AUG-88	EA	MS	84			
L	MIL-C-38271A(4)	CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/P REVIEWER: 11 .....	A	1660	99	11-DEC-92			99			
L	MIL-C-38286A	COMPUTER, FLIGHT DIRECTOR CPU-65/A (VALIDATION DATE: 8302) REVIEWER: 01	X	6610	71	15-DEC-77			99			
L	MIL-F-38299B(2)	FLUID, PURGING, FOR PRESERVING FUEL TANKS OF JET AIRCRAFT (VALIDATION DATE: 8808) .....	A	6850	68	22-AUG-88			68			
L	MIL-A-38307A(1)	ACCELEROMETER, AIRCRAFT MX-6663/AJB-7 .....	A	6610	71	05-JUN-87			99			
A L	MIL-M-38317B	MANUALS, TECHNICAL: OPERATION AND ASSOCIATED CHECKLIST (INTERCONTINENTAL BALLISTIC MISSILE) PREPARATION OF (VALIDATION DATE: 9302) REVIEWER: 16 99	A	THSS	19	17-FEB-93			19			
A L	MIL-M-38312B	MANUALS, EQUIPMENT, REAL PROPERTY INSTALLED EQUIPMENT, PREPARATION OF REVIEWER: 18	A	THSS	19	15-SEP-88			19			
A L	MIL-M-38313C	MANUALS, SYSTEM, REAL PROPERTY INSTALLED EQUIPMENT, PREPARATION OF USER: 14	A	THSS	19	15-SEP-88			19			
L	MIL-R-38327B(1)	RECEIVING SET, LORAN AN/ARN-78 (VALIDATION DATE: 8112) .....	A	5826	13	02-FEB-67			13			
A	MIL-T-38328B(1)	TAPE, TEXTILE, NYLON, AROMATIC, NONMELTING, REINFORCING REVIEWER: 99	A	8315	CT	09-AUG-82	SA	11	CT			
OL	MIL-C-38334A(2)	CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES REVIEWER: 68 99 GS	A	6850	11	30-JUL-87			11			
L	MIL-P-38336(1)	PRIMER COATING, INORGANIC, ZINC DUST PIGMENTED, SELF-CURING, FOR STEEL SURFACES .....	A	8010	11	30-JUL-87			11			
L	MIL-I-38338D	INDICATOR, OIL QUANTITY, CONTINUOUS TRANSMISSION, NUCLEONIC REVIEWER: GS	A	6680	82	09-JAN-91	AV		99			
A	MIL-J-38349B	JACKET, PARARESCUE SUIT CMU-14/P (VALIDATION DATE: 8301) .....	A	8415	CT	11-DEC-73			82	CT		
A	MIL-T-38350D	TROUSERS PARARESCUE CMU-5/I REVIEWER: 45 82	A	8415	CT	24-APR-92			99	CT		
A L	MIL-C-38351A(1)	CLOTH, PARACHUTE, NYLON, AROMATIC, NONMELTING REVIEWER: 11	A	8305	CT	31-OCT-91			99	CT		
L	MIL-T-38354D(2)(2)	TANK, STORAGE, LIQUID NITROGEN, TMU-35/E REVIEWER: 82 99	A	3655	68	18-JUN-81			68			
L	MIL-I-38357A(3)	INDICATOR, BEARING-DISTANCE-HEADING ID-1103/ARN (VALIDATION DATE: 8703) REVIEWER: 11	A	5826	84	03-MAR-87			99			
OL	MIL-C-38359A	CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE XLP (VALIDATION DATE: 9112) REVIEWER: 99 15	A	6145	85	27-DEC-91			85			
A	MIL-C-38373B(2)	CAP, FLUID TANK FILLER REVIEWER: 11 AV .....	A	1560	70	21-OCT-85			AS	99		
L	MIL-S-38380B	SURVIVAL KIT CONTAINER, CMU-68B/P AND CMU-155/P (VALIDATION DATE: 8008) ...	A	4220	82	05-MAY-70			99			
L	MIL-T-38381B(1)	TEST STAND, AIRCRAFT HYDRAULIC SYSTEM TTU-22B/E, TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN, TRIPLE SYSTEM (VALIDATION DATE: 8901) .....	A	4920	82	16-JAN-89	AV	AS	99			
A L	MIL-M-38384C	MANUALS, TECHNICAL AND CHECKLISTS: WEAPON DELIVERY AND AIRCRAFT PROCEDURES, NUCLEAR AND NONNUCLEAR, PREPARATION OF USER: 11 18 70 71 80 82 REVIEWER: 01 10 15 79 99	A	THSS	16	13-JAN-93			16			
L	MIL-D-38386E	DUCT ASSEMBLY, GROUND, CONDITIONED AIR, INSULATED, FLEXIBLE REVIEWER: GS	A	4720	82	28-AUG-89			99			
L	MIL-W-38387B	WEIGHT AND BALANCE SYSTEM, AIRCRAFT, INTEGRAL, A/A 32H-8 (VALIDATION DATE: 8808) .....	A	1680	82	10-AUG-88			82			
L	MIL-H-38390C	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, PNEUMATIC, HIGH PRESSURE USER: ME REVIEWER: CS	A	4720	82	27-JAN-84			99			
L	MIL-I-38391(4)	INDICATOR, ELECTRICAL TACHOMETER, ERU-12/A 0-350 RPM (ROTOR), 0-700 RPM (ENGINE) .....	A	6620	71	30-SEP-91			99			
L	MIL-C-38392A(1)	COMPRESSOR, HERMETIC, AIR CONDITIONING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 7603) REVIEWER: GS MC	A	4130	82	09-MAR-70			99			
OL	MIL-T-38394C	TRANSMITTER, PRESSURE, TRU-81/A OIL, 0-500 PSI .....	A	6620	71	30-MAY-93			99			
L	MIL-W-38398A(2)	VALVE, STARTER CONTROL, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR	A	2995	71	15-MAY-92			99			
L	MIL-S-38399A(2)	STARTER, PNEUMATIC, AIRCRAFT ENGINE GENERAL SPECIFICATION FOR .....	A	2995	71	04-AUG-90			99			
A L	MIL-B-38401A	BEACON SET, RADIO AN/URT-33 .....	A	5821	82	07-JUL-92			99			
L	MIL-D-38402A	DIRECTION FINDER GROUP AM/ARA-50 .....	A	5826	84	23-APR-87			99			
L	MIL-T-38403A	TRAILER, RAIL TYLE, LIFT ETU-77/E, 3,000 POUND CAPACITY .....	A	1730	82	19-MAR-84			99			
A L	MIL-C-38404E	COUPLINGS, HOSE, REATTACHABLE SCREW-ON REVIEWER: AV CS ME .....	A	4730	82	16-OCT-92			99			
L	MIL-M-38413C	MANUAL AND AIRCRAFT CHECKLIST FOR AIR REFUELING PROCEDURES, PREPARATION OF	A	THSS	11	14-AUG-87			11			
L	MIL-C-38418E(2)	CONTROL ASSEMBLY, GYROSCOPE, ATTITUDE A/A24G-39 REVIEWER: 99	A	6610	AS	21-MAR-85			AS			
A	MIL-S-38430(1)	SLEEPING BAG-CONTAINER, PARACHUTE BAILOUT SKU-15/P (VALIDATION DATE: 8910) USER: AS REVIEWER: 11 45 MC MD	A	8465	CT	31-OCT-89			SA	99	CT	
L	MIL-P-38447B(1)	PUMPING ASSEMBLY, FLAMMABLE LIQUID, BULK TRANSFER, TRAILER MOUNTED A/M32H-22 DIESEL ENGINE, 600 GPM (VALIDATION DATE: 7709) .....	A	4320	84	11-AUG-70			99			
ML	MIL-S-38449C	SIGNAL AND SIGNAL/INTERCOMMUNICATION AMPLIFIERS, UNIVERSAL, AERIAL REFUELING	A	5821	11	31-JUL-89			99			
L	MIL-T-38454A(2)	TRACTOR, WHEELED, AIRCRAFT TOWING A/S32U-30, FOR 500,000 TO 750,000 POUNDS	A	1740	82	30-AUG-90			99			
L	MIL-T-38457B	CROSS WEIGHT AIRCRAFT TRAILER, PALLETIZED CARGO A/M32H-6, 10,000-POUND REVIEWER: 85 .....	A	3920	84	23-APR-90			99			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OML Coordination Inchase		Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
L		MIL-W-38461C	WEBBING, NYLON, AIRCRAFT ARRESTING .....	A 1710	82	30-OCT-89			99	
L		NOTICE 2								
L		MIL-A-38462B(1)	AIR CONDITIONER A/E32C-30 REVIEWER: 17 GS .....	A 4120	82	14-NOV-77			99	
L		MIL-N-38466	NAVIGATION SET, LORAN AN/ARN-85(V) [VALIDATION DATE: 8112] .....	A 5826	13	22-MAR-66			13	
QL		MIL-I-38468A	INDICATOR, LIQUID OXYGEN QUANTITY GPM-59/A REVIEWER: GS .....	A 6680	82	02-MAY-83			99	
A		MIL-M-38471B	HAT AND INSECT NET HGU-18/P [VALIDATION DATE: 8910] REVIEWER: 11 .....	A 8415	CT	31-OCT-89			99	CT
		NOTICE 1								
L		MIL-T-38473A(2)	TIMER, PRECISION, BOMBING, 0 - 30 MINUTES REVIEWER: 11 GS .....	A 6645	82	15-FEB-85			99	
L		MIL-P-38477A	PLASTIC MATERIAL, PRESSURE SENSITIVE ADHESIVE, FOR AEROSPACE .....	A 9330	11	30-JUL-87			11	
		NOTICE 1	IDENTIFICATION AND MARKING REVIEWER: EA GS OS							
L		MIL-L-38484(5)	LIFE PRESERVERS, UNDERARM, PNEUMATIC [VALIDATION DATE: 9112] REVIEWER: 11 .....	A 4220	82	02-DEC-91			99	
		NOTICE 1	84							
		MIL-C-38488A(1)	COVERALL, FLYING, ANTI-EXPOSURE, QUICK DOWNGING CMU-16/P USER: CT REVIEWER: .....	A 8475	82	19-JUL-78	GL	AS	99	
		NOTICE 1	11							
L		MIL-T-38491A(1)	TEST SET, GUIDED MISSILE LAUNCHER A/E24T-B1 [VALIDATION DATE: 8606] .....	A 4935	84	1-JUN-86			99	
AQ		MIL-M-38510J(1)	MICROCIRCUITS, GENERAL SPECIFICATION FOR USER: 13 AS CG OS SH SM REVIEWER: .....	A 5962	17	01-JUL-92	ER	EC	17	
A		MIL-M-38510I(3)	19 85 99 AR ES MC MI TD MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, NAND GATES, MONOLITHIC SILICON USER: .....	A 5962	17	03-DEC-92	ER	EC	17	
		MIL-M-38510I(2E(7)	AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD							
		MIL-M-38510I(2E(7)	MICROCIRCUIT, DIGITAL, TTL, FLIP-FLOPS MONOLITHIC SILICON USER: 19 AS CG .....	A 5962	17	19-NOV-84	ER	EC	17	
		MIL-M-38510I(3F(1)	MC SH REVIEWER: 11 99 AR AV ES MI NA							
		MIL-M-38510I(4C	MICROCIRCUIT, DIGITAL, TTL, NAND BUFFERS MONOLITHIC SILICON USER: AS CG MC .....	A 5962	17	16-NOV-87	ER	EC	17	
		MIL-M-38510I(4C	SM REVIEWER: 11 85 99 AR MI OS SH							
		MIL-M-38510I(5C(1)	MICROCIRCUIT, DIGITAL, TTL, MULTIPLE NOR GATES MONOLITHIC SILICON .....	A 5962	17	25-FEB-77	ER	EC	17	
		MIL-M-38510I(5C(1)	[VALIDATION DATE: 8212] USER: 19 AS CG MC SH REVIEWER: 11 85 99 AR AV ES .....	A 5962	17	06-NOV-87	ER	EC	17	
		MIL-M-38510I(6C(2)	MI OS MICROCIRCUIT, DIGITAL, TTL, AND-OR-INVERT GATES MONOLITHIC SILICON USER: .....	A 5962	17	30-NOV-88	ER	EC	17	
		MIL-M-38510I(6C(2)	AS CG MC REVIEWER: 11 19 85 99 AR ES MI OS SH							
		MIL-M-38510I(7B(2)	MICROCIRCUITS, DIGITAL, TTL, BINARY FULL ADDERS, MONOLITHIC SILICON .....	A 5962	17	12-MAY-88	ER	EC	17	
		MIL-M-38510I(7B(2)	[VALIDATION DATE: 8811] USER: 19 AS CG MC SM REVIEWER: 11 99 AR ES MI .....	A 5962	17	08-DEC-87	ER	EC	17	
		MIL-M-38510I(8D(1)	MICROCIRCUIT, DIGITAL, TTL, EXCLUSIVE-OR GATES MONOLITHIC SILICON USER: AS .....	A 5962	17	14-DEC-92	ER	EC	17	
		MIL-M-38510I(8D(1)	CG MC SM REVIEWER: 11 19 85 99 AR ES MI							
A		MIL-M-38510I(9D(6)	MICROCIRCUIT, DIGITAL, TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH .....	A 5962	17	03-MAR-86	ER	EC	17	
		MIL-M-38510I(10C	VOLTAGE, MONOLITHIC SILICON USER: 19 AS CG MC OS SH SM REVIEWER: 11 85 99 .....	A 5962	17	19-MAY-78	ER	EC	17	
		MIL-M-38510I(11C	AR ES MI MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, SHIFT REGISTERS, MONOLITHIC SILICON .....	A 5962	17	17-NOV-92	ER	EC	17	
		MIL-M-38510I(10C	USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD							
		MIL-M-38510I(11C	MICROCIRCUIT, DIGITAL, BIPOLAR, TTL, DECODERS, MONOLITHIC SILICON USER: AS .....	A 5962	17	31-MAY-78			17	
		MIL-M-38510I(11C	CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH							
A		MIL-M-38510I(12G(1)	MICROCIRCUIT, DIGITAL, TTL, ARITHMETIC LOGIC UNITS/FUNCTION GENERATORS .....	A 5962	17	17-JUN-76	ER	EC	17	
		MIL-M-38510I(13F(5)	MONOLITHIC SILICON [VALIDATION DATE: 8312] USER: AS CG MC SM REVIEWER: 11 .....	A 5962	17	05-OCT-92	ER	EC	17	
		MIL-M-38510I(13F(5)	19 85 99 AR ES MI NA							
		MIL-M-38510I(14D(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MONOSTABLE MULTIVIBRATORS, .....	A 5962	17	27-FEB-89	ER	EC	17	
		MIL-M-38510I(15A(1)	MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD							
		MIL-M-38510I(15A(1)	MICROCIRCUIT DIGITAL TTL, COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM .....	A 5962	17	01-JUN-77	ER	EC	17	NA
		MIL-M-38510I(16(2)	[VALIDATION DATE: 8811] USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR MI .....	A 5962	17	05-APR-84	ER	EC	17	
		MIL-M-38510I(16(2)	DATE: 8212] USER: 19 REVIEWER: 11 85 99 AV ES							
L		MIL-M-38510I(17A(4)	MICROCIRCUIT, DIGITAL, TTL, FLIP-FLOPS, MONOLITHIC SILICON USER: 19 .....	A 5962	17	08-AUG-86	ER	EC	17	NA
		MIL-M-38510I(17A(4)	REVIEWER: 11 85 99 AV							
I		MIL-M-38510I(18A	MICROCIRCUITS, DIGITAL, TTL, REGISTER FILE, MONOLITHIC SILICON [VALIDATION .....	A 5962	17	17-JUN-76	ER	EC	17	
		MIL-M-38510I(18A	DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI							
L		MIL-M-38510I(19(3)	MICROCIRCUIT, DIGITAL TTL, PARTY GENERATORS/CHECKERS, MONOLITHIC SILICON .....	A 5962	17	17-JUN-76	ER	EC	17	
		MIL-M-38510I(19(3)	[VALIDATION DATE: 8312] USER: 19 REVIEWER: 11 99 ES							
		MIL-M-38510I(20A(2)	MICROCIRCUIT, DIGITAL, TTL, LOW POWER, NAND GATES MONOLITHIC SILICON .....	A 5962	17	05-OCT-92	ER	EC	17	
A		MIL-M-38510I(21D(1)	[VALIDATION DATE: 8212] USER: 13 15 AS CG MC REVIEWER: 11 19 85 ES MI .....	A 5962	17	27-FEB-89	ER	EC	17	
		MIL-M-38510I(22C	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, FLIP-FLOPS MONOLITHIC .....	A 5962	17	01-JUN-77	ER	EC	17	NA
		MIL-M-38510I(22C	SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD							
		MIL-M-38510I(23A(4)	MICROCIRCUITS, DIGITAL, BIPOLAR, HIGH-SPEED, TTL, FLIP-FLOPS MONOLITHIC .....	A 5962	17	05-APR-84	ER	EC	17	
		MIL-M-38510I(23A(4)	SILICON USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI SH							
		MIL-M-38510I(24A	MICROCIRCUIT, DIGITAL, TTL, HIGH SPEED, NAND GATES, MONOLITHIC SILICON .....	A 5962	17	08-AUG-86	ER	EC	17	NA
		MIL-M-38510I(24A	[VALIDATION DATE: 8212] USER: 15 AR AS CG MC SM REVIEWER: 11 85 99 ES MI .....	A 5962	17	17-JUN-76			17	
L		MIL-M-38510I(26(4)	MICROCIRCUIT, DIGITAL, TTL, NAND BUFFERS, HIGH SPEED, MONOLITHIC SILICON .....	A 5962	17	17-JUN-76			17	
		MIL-M-38510I(26(4)	(INACTIVE) USER: 19 AS CG REVIEWER: 11 85 99 ES MI							
L		MIL-M-38510I(26(4)	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, LOW POWER, COUNTERS, MONOMITHIC .....	A 5962	17	17-JUN-76			17	
		MIL-M-38510I(27(3)	SILICON USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI							
L		MIL-M-38510I(27(3)	MICROCIRCUIT, DIGITAL, TTL, LOW POWER, EXCLUSIVE-OR GATES, MONOLITHIC .....	A 5962	17	17-JUN-76			17	
		MIL-M-38510I(27(3)	SILICON [VALIDATION DATE: 8212] REVIEWER: 11 85 ES							
L		MIL-M-38510I(28B(2)	MICROCIRCUIT, DIGITAL, TTL, LOW-POWER, MULTIPLE NOR GATES, MONOLITHIC .....	A 5962	17	17-JUN-76			17	
		MIL-M-38510I(28B(2)	SILICON [VALIDATION DATE: 8212] REVIEWER: 11 19 99 ES							
		MIL-M-38510I(29C	MICROCIRCUIT, DIGITAL, TTL, LOW POWER SHIFT REGISTERS MONOLITHIC SILICON .....	A 5962	17	16-APR-84	ER	EC	17	
		MIL-M-38510I(29C	[VALIDATION DATE: 8212] REVIEWER: ES							
		MIL-M-38510I(30A(1)	MICROCIRCUIT, DIGITAL, TTL, LOW POWER DECODERS, MONOLITHIC SILICON .....	A 5962	17	19-JUL-76	ER	EC	17	
		MIL-M-38510I(30A(1)	(INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH							
		MIL-M-38510I(31A	MICROCIRCUIT, DIGITAL, DTL NAND GATES, MONOLITHIC SILICON [VALIDATION .....	A 5962	17	30-NOV-88	ER	EC	17	
		MIL-M-38510I(31A	DATE: 8212] USER: AS CG REVIEWER: 11 19 85 ES MI							
I		MIL-M-38510I(31A	MICROCIRCUITS, DIGITAL, DTL, NAND BUFFER/EXTENDER, MONOLITHIC SILICON .....	A 5962	17	30-NOV-88	ER	EC	17	
		MIL-M-38510I(31A	[VALIDATION DATE: 8811] USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI .....	A 5962	17	30-NOV-88	ER	EC	17	
		MIL-M-38510I(32A	SH							
I		MIL-M-38510I(32A	MICROCIRCUITS, DIGITAL, DTL, MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON .....	A 5962	17	30-NOV-88	ER	EC	17	
		MIL-M-38510I(32A	[VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI .....	A 5962	17	31-JUL-89	ER	EC	17	
		MIL-M-38510I(33A	DATE: 8811] USER: AS CG REVIEWER: 11 85 99 ES MI							
I		MIL-M-38510I(33A	MICROCIRCUITS, DIGITAL, DTL, FLIP FLOPS, MONOLITHIC SILICON [VALIDATION .....	A 5962	17	13-APR-84	ER	EC	17	
		MIL-M-38510I(35B	DATE: 8907] USER: AS CG MC SM REVIEWER: 11 19 70 85 99 AR ES MI SH							
		MIL-M-38510I(35B	MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, & OR INVERT GATES, MONOLITHIC .....	A 5962	17	30-NOV-88	ER	EC	17	
		MIL-M-38510I(40A	SILICON (INACTIVE) USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH							
I		MIL-M-38510I(41C	MICROCIRCUITS, DIGITAL, TTL, LOW-POWER, AND-OR-INVERT GATES, MONOLITHIC .....	A 5962	17	12-MAY-88	ER	EC	17	NA
		MIL-M-38510I(41C	SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 ES .....	A 5962	17	31-JUL-89	ER	EC	17	
		MIL-M-38510I(42C	SH							
I		MIL-M-38510I(42C	MICROCIRCUITS, DIGITAL, TTL, LOW POWER MONOSTABLE MULTIVIBRATORS, .....	A 5962	17	31-JUL-89	ER	EC	17	
		MIL-M-38510I(43B	MONOLITHIC SILICON [VALIDATION DATE: 8805] USER: AS CG MC SH							
		MIL-M-38510I(43B	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, PRIORITY ENCODERS, MONOLITHIC .....	A 5962	17	31-JUL-89	ER	EC	17	
		MIL-M-38510I(43B	SILICON [VALIDATION DATE: 8907] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR .....	A 5962	17	31-JUL-89	ER	EC	17	
		MIL-M-38510I(44B	ES MI SH							
I		MIL-M-38510I(44B	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, COMPARATORS, MONOLITHIC SILICON .....	A 5962	17	31-JUL-89	ER	EC	17	
		MIL-M-38510I(44B	[VALIDATION DATE: 8907] USER: 19 AS CG MC REVIEWER: 11 85 99 AR ES MI SH .....							
		MIL-M-38510I(44B	SH							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On: (OMB Coordination Inclusive Document Number)	Document Title	Dist. Stmt. FSC / Ave MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
MIL-M-38510/45B	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, BISTABLE LATCHES, MONOLITHIC SILICON (INACTIVE FOR NEW DESIGN AFTER DATE OF THIS REVISION) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 05-APR-84	ER	EC	17	NA
1 MIL-M-38510/46B NOTICE 1	MICROCIRCUITS, DIGITAL, TTL, LOW POWER, DATA SELECTORS/MULTIPLEXERS, MONOLITHIC SILICON (VALIDATION DATE: 8907) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 31-JUL-89	ER	EC	17	
MIL-M-38510/50E(2)	MICROCIRCUITS, DIGITAL, CMOS, NAND GATES MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI	A 5962 NA 16-AUG-88	ER	EC	17	
MIL-M-38510/51E(2)	MICROCIRCUITS, DIGITAL, CMOS, FLIP-FLOPS & LATCHES, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI	A 5962 NA 31-AUG-88	ER	EC	17	
MIL-M-38510/520(2)	MICROCIRCUITS, DIGITAL, CMOS, NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI	A 5962 NA 30-SEP-88	ER	EC	17	
MIL-M-38510/53E(1)	MICROCIRCUITS, DIGITAL, CMOS, COMPLEMENTARY PAIR PLUS INVERTER, AND OR SELECT EXCLUSIVE OR GATES, EXPANDABLE 8-INPUT GATE, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI	A 5962 NA 16-AUG-88	ER	EC	17	
MIL-M-38510/540(2)	MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FOUR-BIT FULL ADDER, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI	A 5962 NA 30-SEP-88	ER	EC	17	
MIL-M-38510/55F(2)	MICROCIRCUIT, DIGITAL, CMOS, BUFFER/CONVERTER, TRUE/COMPLEMENT BUFFER, MONOLITHIC SILICON USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962 NA 30-SEP-88	ER	EC	17	
MIL-M-38510/56F	MICROCIRCUITS, DIGITAL, CMOS, COUNTERS/DIVIDERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI	A 5962 NA 30-APR-84	ER	EC	17	NA
MIL-M-38510/57E(1)	MICROCIRCUITS, DIGITAL, POSITIVE LOGIC CMOS, STATIC SHIFT REGISTER, MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI	A 5962 NA 30-SEP-88	ER	EC	17	
MIL-M-38510/58C(3)	MICROCIRCUITS, DIGITAL, CMOS, SWITCHES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH SM REVIEWER: 11 19 85 99 MI	A 5962 NA 16-AUG-88	ER	EC	17	
MIL-M-38510/59C(2)	MICROCIRCUITS, DIGITAL, CMOS, DECODER, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SH REVIEWER: 11 19 85 99 ES MI SH	A 5962 NA 30-SEP-88	ER	EC	17	
MIL-M-38510/60A	MICROCIRCUIT, DIGITAL, ECL, MULTIPLE NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 05-AUG-85	ER	EC	17	
MIL-M-38510/61B	MICROCIRCUIT, DIGITAL, ECL, FLIP FLOPS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 15-JUL-85	ER	EC	17	
MIL-M-38510/62A	MICROCIRCUIT, DIGITAL, ECL, AND/NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 17-JUN-85	ER	EC	17	
MIL-M-38510/63A	MICROCIRCUIT, DIGITAL, ECL, QUAD TRANSLATOR, MONOLITHIC SILICON REVIEWER: 11 19 85 99	A 5962 17 17-JUN-85	ER	EC	17	
A MIL-M-38510/70B(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 19-NOV-92	ER	EC	17	
A MIL-M-38510/71C(5)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 19-NOV-92	ER	EC	17	
A MIL-M-38510/72B(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, NAND BUFFERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 23-NOV-92	ER	EC	17	
A MIL-M-38510/73A(3)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MULTIPLE NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 19-NOV-92	ER	EC	17	
A MIL-M-38510/74B(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND-OR-INVERT GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 19-NOV-92	ER	EC	17	
A MIL-M-38510/75B(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, EXCLUSIVE-OR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 19-NOV-92	ER	EC	17	
MIL-M-38510/76B	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SHIFT REGISTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 09-JUL-85	ER	EC	17	
A MIL-M-38510/77A(5)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 01-DEC-92	ER	EC	17	
A MIL-M-38510/78A(4)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, ARITHMETIC LOGIC UNIT/FUNCTION GENERATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 23-NOV-92	ER	EC	17	
A MIL-M-38510/79C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, DATA SELECTORS/MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 19-NOV-92	ER	EC	17	
A MIL-M-38510/80D(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 19-OCT-92	ER	EC	17	
A MIL-M-38510/81C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, LINE DRIVERS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 23-NOV-92	ER	EC	17	
A MIL-M-38510/82B(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, SCHOTTKY TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962 17 01-DEC-92	ER	EC	17	
MIL-M-38510/101G(1)	MICROCIRCUITS, LINEAR, OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA SH	A 5962 17 03-MAR-89	ER	EC	17	
MIL-M-38510/102B(1)	MICROCIRCUITS, LINEAR, VOLTAGE REGULATOR, MONOLITHIC SILICON USER: 19 REVIEWER: 11 99 AR ES MI	A 5962 17 27-JAN-89	ER	EC	17	
L MIL-M-38510/103D	MICROCIRCUITS, LINEAR, VOLTAGE COMPARATOR MONOLITHIC SILICON USER: AS CG OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962 17 24-JUN-88	ER	EC	17	NA
MIL-M-38510/104B(1)	MICROCIRCUIT, LINEAR, LINE DRIVERS AND RECEIVERS MONOLITHIC SILICON USER: AS CG OS MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 20-JUN-88	ER	EC	17	
MIL-M-38510/105(3)	MICROCIRCUIT, LINEAR, CMOS, HIGH LEVEL ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH	A 5962 17 17-OCT-85	ER	EC	17	NA
MIL-M-38510/106A(4)	MICROCIRCUITS, LINEAR, VOLTAGE FOLLOWER OPERATIONAL AMPLIFIERS MONOLITHIC SILICON (VALIDATION DATE: 8504) USER: 19 AR AS CG MC REVIEWER: 11 85 99 AR ES MI	A 5962 17 07-MAR-79	ER	EC	17	
MIL-M-38510/107C	MICROCIRCUITS, LINEAR, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 29-MAY-89	ER	EC	17	
L MIL-M-38510/108(2)	MICROCIRCUITS, LINEAR, TRANSISTOR ARRAYS, MONOLITHIC SILICON USER: 19 REVIEWER: 11 80 85	A 5962 17 26-SEP-86			17	
L MIL-M-38510/109A(3)	MICROCIRCUIT, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR AV ES MI	A 5962 17 20-MAR-87	ER	EC	17	NA
MIL-M-38510/110B	MICROCIRCUITS, LINEAR, QUAD OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA SH	A 5962 17 11-SEP-89	ER	EC	17	
A MIL-M-38510/111(7)	MICROCIRCUITS, ANALOG SWITCH WITH DRIVER, MONOLITHIC AND MULTI-CHIP SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962 17 07-JUL-92	ER	EC	17	
MIL-M-38510/112A(2)	MICROCIRCUIT, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 23-MAR-87	ER	EC	17	NA
MIL-M-38510/113(6)	MICROCIRCUITS, LINEAR, 8 BIT, DIGITAL TO ANALOG CONVERTERS, MONOLITHIC SILICON USER: 19 AS CG MC REVIEWER: 11 85 99 AR MI NA SH	A 5962 17 22-AUG-84	ER	EC	17	
MIL-M-38510/114A(6) NOTICE 1	MICROCIRCUITS, LINEAR, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC SM REVIEWER: 99 AR AV MI NS	A 5962 17 30-NOV-88	ER	EC	17	
MIL-M-38510/115A	MICROCIRCUITS, LINEAR, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AR AS CG MC OS SH REVIEWER: 11 19 99 OS ES MI	A 5962 17 04-SEP-89	ER	EC	17	
MIL-M-38510/116(5) NOTICE 1	MICROCIRCUITS, CMOS, ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA SH	A 5962 17 30-NOV-88	ER	EC	17	
MIL-M-38510/117A(3)	MICROCIRCUIT, LINEAR, ADJUSTABLE, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NS SH	A 5962 17 17-JUL-87	ER	EC	17	NA
MIL-M-38510/118(4)	MICROCIRCUIT, LINEAR, ADJUSTABLE, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NS OS SH	A 5962 17 20-NOV-87	ER	EC	17	NA
MIL-M-38510/119A	MICROCIRCUIT, LINEAR, LOW POWER, LOW NOISE, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 07-AUG-87	ER	EC	17	NA



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active / Obsolete / Cancelled / Document Number	Document Title	Dist. Smt. / FSC / Area	MCA Symbol	Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
I MIL-M-38510/1208	MICROCIRCUITS, LINEAR, HYBRID, 12 BIT ANALOG-TO-DIGITAL CONVERTERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	18-APR-90	ER EC 17				
MIL-M-38510/121A(3)	MICROCIRCUIT, LINEAR MONOLITHIC & MULTICHIP, SILICON 12 BIT DIGITAL TO ANALOG CONVERTERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	12-DEC-86	ER EC 17	MA			
MIL-M-38510/122A	MICROCIRCUITS, LINEAR, HIGH SLEW RATE OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON USER: 19 AS CG MC SM REVIEWER: 11 99 AR ES MI	A 5962	NA	15-SEP-89	ER EC 17				
MIL-M-38510/123A(2)	MICROCIRCUIT, LINEAR, CMOS NEGATIVE LOGIC, ANALOG SWITCH, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	NA	27-JUN-83	ER EC 17	MA			
MIL-M-38510/124C	MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	20-NOV-89	ER EC 17				
MIL-M-38510/125(1)	MICROCIRCUIT, LINEAR, SAMPLE & HOLD CIRCUITS, MONOLITHIC SILICON	A 5962	17	10-FEB-88	ER EC 17				
MIL-M-38510/126B	MICROCIRCUITS, LINEAR, REGULATING, PULSE-WIDTH MODULATOR, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 ES	A 5962	17	30-DEC-88	ER EC 17				
MIL-M-38510/127A(1)	MICROCIRCUITS, LINEAR, CMOS MULTIPLYING D/A CONVERTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	20-JUN-86	ER EC 17				
MIL-M-38510/128B(3)	MICROCIRCUITS, LINEAR, PROGRAMMABLE VOLTAGE REFERENCES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	04-AUG-87	ER EC 17	MA			
MIL-M-38510/129A(2)	MICROCIRCUIT, MONOLITHIC SILICON INTERFACES DUAL PERIPHERAL DRIVERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	20-NOV-86	ER EC 17				
MIL-M-38510/130B(2)	MICROCIRCUIT, MONOLITHIC SILICON, BIPOLAR, INTERFACE, MEMORY CORE DRIVERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	22-DEC-87	ER EC 17				
MIL-M-38510/131(1)	MICROCIRCUIT, LINEAR, LOW NOISE OPERATIONAL AMPLIFIERS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	14-AUG-84	ER EC 17	MA			
MIL-M-38510/133A(1)	MICROCIRCUIT, LINEAR, 10 BIT DIGITAL TO ANALOG CONVERTER, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	25-MAR-87	ER EC 17	MA			
MIL-M-38510/134(1)	MICROCIRCUITS, LINEAR, ANALOG-TO-DIGITAL CONVERTERS WITH 3-STATE BUFFERED 10 BIT OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	09-MAR-87	ER EC 17	MA			
MIL-M-38510/135B	MICROCIRCUIT, LINEAR, LOW OFFSET OPERATIONAL AMPLIFIERS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	10-JUL-85	ER EC 17				
A I MIL-M-38510/136A	MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, HYBRID SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	05-MAR-92	ER EC 17				
L MIL-M-38510/137A	MICROCIRCUIT, LINEAR, VOLTAGE OUTPUT 12 BIT DIGITAL-TO-ANALOG CONVERTERS, HYBRID & MONOLITHIC SILICON USER: AS MC SM REVIEWER: 11 19 80 85 99 AR ES MI OS SH	A 5962	17	17-SEP-86	ER EC 17				
MIL-M-38510/138	MICROCIRCUITS, LINEAR, VOLTAGE-TO-FREQUENCY CONVERTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	27-AUG-87	ER EC 17				
MIL-M-38510/139B(2)	MICROCIRCUITS, LINEAR, INTERNALLY TRIMMED ANALOG MULTIPLIER, HYBRID AND MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 80 85 99 AR ES MI SH	A 5962	17	16-MAY-88	ER EC 17				
MIL-M-38510/140	MICROCIRCUITS, LINEAR, MONOLITHIC & HYBRID SILICON, MICROPROCESSOR COMPATIBLE, (2 BIT ANALOG-TO-DIGITAL CONVERTERS USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA OS SH	A 5962	17	31-OCT-86	ER EC 17				
MIL-M-38510/141A	MICROCIRCUITS, DARLINGTON TRANSISTOR ARRAY, SEVEN GATE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 80 85 99 AR ES MI OS SH	A 5962	17	04-MAY-88	ER EC 17	MA			
MIL-M-38510/142	MICROCIRCUITS, LINEAR, HIGH SPEED TRACK AND HOLD AMPLIFIER, HYBRID, SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	17-AUG-88	ER EC 17				
MIL-M-38510/143	MICROCIRCUITS, LINEAR, INSTRUMENTATION AMPLIFIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	03-APR-87	ER EC 17	MA			
MIL-M-38510/144	MICROCIRCUITS, LINEAR, MICROPROCESSOR COMPATIBLE 8-BIT DIGITAL-TO-ANALOG CONVERTER, MONOLITHIC SILICON USER: 80 AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	22-JUL-87	ER EC 17				
MIL-M-38510/148A	MICROCIRCUITS, LINEAR, ADJUSTABLE, PRECISION VOLTAGE REFERENCE, SHUNT REGULATOR, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	05-SEP-89	ER EC 17				
MIL-M-38510/149	MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	07-APR-89	ER EC 17				
A MIL-M-38510/150C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, MAGNITUDE COMPARATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17	01-DEC-92	ER EC 17				
L MIL-M-38510/151A(1)	MICROCIRCUITS, DIGITAL, TTL, SCHMITT-TRIGGER NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	20-OCT-87	ER EC 17				
L MIL-M-38510/152B	MICROCIRCUITS, DIGITAL, TTL, DATA DECODERS/DEMULTIPLEXERS, MONOLITHIC SILICON (INACTIVE FOR NEW DESIGN AFTER 21 JULY 86) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	21-JUL-86	ER EC 17				
L MIL-M-38510/153A	MICROCIRCUIT, DIGITAL, TTL, QUADRUPLE BUS BUFFER GATES WITH THREE STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	11-MAR-85	ER EC 17				
I MIL-M-38510/155B	MICROCIRCUITS, DIGITAL, TTL, HIGH SPEED, AND GATES MONOLITHIC SILICON (VALIDATION DATE: 8907) USER: AS CG MC SM REVIEWER: 11 19 85 99 ES	A 5962	17	31-JUL-89	ER EC 17				
L MIL-M-38510/156B	MICROCIRCUITS, DIGITAL, TTL, DATA ENCODERS, MONOLITHIC SILICON REVIEWER: 11 19 85 99 AR AS CG ES MI SH	A 5962	17	01-MAR-85	ER EC 17				
I MIL-M-38510/157A	MICROCIRCUITS, DIGITAL, TTL, MULTIPLE PORT REGISTERS, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	30-NOV-88	ER EC 17				
MIL-M-38510/158A	MICROCIRCUIT, DIGITAL, TTL, DECODERS, MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 70 85 99 AR ES MI SH	A 5962	17	23-APR-84	ER EC 17				
MIL-M-38510/159B	MICROCIRCUITS, DIGITAL, TTL, SHIFT REGISTERS, MONOLITHIC SILICON (INACTIVE FOR NEW DESIGN AFTER 21 JULY 86) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA SH	A 5962	17	21-JUL-86	ER EC 17				
I MIL-M-38510/160A	MICROCIRCUITS, DIGITAL, TTL, ADDRESSABLE LATCHES, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	30-NOV-88	ER EC 17				
A L MIL-M-38510/161(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, COMMON OR GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES	A 5962	17	02-DEC-92		17			
MIL-M-38510/162A	MICROCIRCUIT, DIGITAL, SCHOTTKY, CLOCK GENERATOR & DRIVER, MONOLITHIC SILICON (INACTIVE) (VALIDATION DATE: 8312) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	09-AUG-83	ER EC 17				
A MIL-M-38510/163A(3)	MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, HEX BUS DRIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17	03-DEC-92	ER EC 17				
MIL-M-38510/170B(1)	MICROCIRCUITS, DIGITAL, CMOS, AND GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI	A 5962	NA	04-OCT-88	ER EC 17				
MIL-M-38510/171B(1)	MICROCIRCUITS, DIGITAL, CMOS, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI	A 5962	NA	04-OCT-88	ER EC 17				
MIL-M-38510/172B(1)	MICROCIRCUITS, DIGITAL, CMOS, AND-OR-INVERT, EXCLUSIVE-OR, EXCLUSIVE-NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI	A 5962	NA	31-AUG-88	ER EC 17				
MIL-M-38510/173B	MICROCIRCUIT, DIGITAL, CMOS, DECODERS, ENCODER, AND DECODERS/DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI	A 5962	NA	30-APR-84	ER EC 17	MA			
MIL-M-38510/174A(3)	MICROCIRCUITS, DIGITAL, CMOS, INVERTER, NAND BUFFER DRIVER, STROBED HEX INVERTER/BUFFER, VOLTAGE LEVEL SHIFTER MONOLITHIC, SILICON, POSITIVE LOGIC USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI	A 5962	NA	04-OCT-88	ER EC 17				
MIL-M-38510/175B(3)	MICROCIRCUITS, DIGITAL, CMOS, POSITIVE LOGIC, FLIP-FLOPS AND MONOSTABLE MULTIVIBRATOR, MONOLITHIC SILICON USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI	A 5962	NA	04-OCT-88	ER EC 17				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Circ./Data Combination Machine	Document Number	Document Title	Dist. Smt. RSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-M-38510/176A(1)	MICROCIRCUITS, DIGITAL, CMOS, LATCHES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR CG MC SM SH REVIEWER: 11 19 85 99 AS ES MI	A 5962	MA	04-OCT-88	ER	EC	17	
	MIL-M-38510/177B	MICROCIRCUIT, DIGITAL, CMOS, SCHMITT TRIGGERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SM SH REVIEWER: 11 19 85 99 ES MI	A 5962	MA	30-APR-84	ER	EC	17	NA
	MIL-M-38510/178A	MICROCIRCUIT, DIGITAL, CMOS MULTIPLEXERS DEMULTIPLEXERS MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC SM SH REVIEWER: 11 19 85 99 ES MI	A 5962	MA	30-APR-84	ER	EC	17	NA
	MIL-M-38510/190C	MICROCIRCUITS, LINEAR, CMOS/ANALOG MULTIPLEXERS/DEMUTIPLEXERS WITH OVERVOLTAGE PROTECTION, MONOLITHIC SILICON, POSITIVE LOGIC USER: AR AS CG MC OS SM SH REVIEWER: 11 19 85 99 ES MI	A 5962	MA	22-OCT-86	ER	EC	17	
	MIL-M-38510/201C	MICROCIRCUIT, DIGITAL, 512 BIT, BIPOLAR, PROGRAMMABLE READ ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17	24-MAR-86	ER	EC	17	
	MIL-M-38510/202B	MICROCIRCUIT, DIGITAL, 1024 BIT BIPOLAR PROGRAMMABLE READ ONLY MEMORY (P-ROM), MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	25-MAY-84	ER	EC	17	NA
	MIL-M-38510/203C	MICROCIRCUITS, DIGITAL 1024 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AR AS CG MC SM SH REVIEWER: 11 19 80 85 99 ES MI	A 5962	17	27-NOV-85	ER	EC	17	
	MIL-M-38510/204D	MICROCIRCUIT, DIGITAL, 2048 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ ONLY MEMORY (PROM) MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH TD	A 5962	17	06-FEB-86	ER	EC	17	
	MIL-M-38510/206C	MICROCIRCUIT, DIGITAL, 4096 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AR AS CG MC SM SH REVIEWER: 11 19 85 99 ES MI	A 5962	17	10-SEP-86	ER	EC	17	
	MIL-M-38510/207B(1)	MICROCIRCUITS, DIGITAL, 256 BIT, SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	28-OCT-88	ER	EC	17	
	MIL-M-38510/208C NOTICE 1	MICROCIRCUITS, DIGITAL, 4096-BIT SCHOTTKY BIPOLAR PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON (VALIDATION DATE: 8906) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	01-JUN-89	ER	EC	17	
	MIL-M-38510/209D(1)	MICROCIRCUITS, DIGITAL, 8192-BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	11-OCT-88	ER	EC	17	
	MIL-M-38510/210D	MICROCIRCUIT, DIGITAL, 16,384 BIT SCHOTTKY BIPOLAR PROGRAMMABLE READY ONLY MEMORY (PROM) MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 ES MI SH	A 5962	17	16-MAY-86	ER	EC	17	
	MIL-M-38510/211	MICROCIRCUITS, DIGITAL, 32,768 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON REVIEWER: 11 19 AR MI OS SH TD	A 5962	17	01-APR-87	ER	EC	17	
	MIL-M-38510/212	MICROCIRCUITS, DIGITAL, 65,536 BIT SCHOTTKY, BIPOLAR, PROGRAMMABLE READ-ONLY MEMORY (PROM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17	12-NOV-87	ER	EC	17	
L	MIL-M-38510/219A	MICROCIRCUITS, DIGITAL, 4096 BIT, CMOS, ULTRAVIOLET ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EPROM), MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES	A 5962	17	14-APR-89			17	
L	MIL-M-38510/220A NOTICE 1	MICROCIRCUITS, DIGITAL, 8192 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES MI	A 5962	17	14-APR-89			17	
L	MIL-M-38510/221A NOTICE 1	MICROCIRCUITS, DIGITAL, 16,384 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM), MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES	A 5962	17	14-APR-89			17	
L	MIL-M-38510/222A NOTICE 1	MICROCIRCUIT, DIGITAL, 32,768 BIT MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON (VALIDATION DATE: 8904) REVIEWER: 11 19 85 99 ES	A 5962	17	14-APR-89			17	
	MIL-M-38510/224	MICROCIRCUIT, DIGITAL, 262,144 BIT, MOS, ULTRAVIOLET ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EPROM) MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17	09-JUN-86	ER	EC	17	
	MIL-M-38510/226A	MICROCIRCUITS, DIGITAL, NMOS 16,384 BIT, ELECTRICALLY ERASABLE PROGRAMMABLE READ ONLY MEMORY (EEPROM) MONOLITHIC SILICON	A 5962	17	15-MAY-86	ER	EC	17	
	MIL-M-38510/227	MICROCIRCUITS, DIGITAL, NMOS, 16,384 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON USER: AS CG MC SM	A 5962	17	27-MAR-87	ER	EC	17	
	MIL-M-38510/228	MICROCIRCUITS, DIGITAL, NMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR MI OS	A 5962	17	22-SEP-87	ER	EC	17	
L	MIL-M-38510/230A	MICROCIRCUIT, DIGITAL, BIPOLAR 256 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES NA	A 5962	17	04-SEP-84			17	
	MIL-M-38510/231B(3)	MICROCIRCUIT, DIGITAL, SCHOTTKY TTL, 1024 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AR AS CG MC OS SH SM REVIEWER: 11 19 85 99 ES MI	A 5962	17	27-JUL-87	ER	EC	17	
L	MIL-M-38510/232 NOTICE 1	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, 576 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON (VALIDATION DATE: 8811) REVIEWER: 11 19 85 99 ES	A 5962	17	30-NOV-88			17	
L	MIL-M-38510/233A	MICROCIRCUIT, DIGITAL, TTL, 4096 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI NA OS SH TD	A 5962	17	20-OCT-87	ER	EC	17	
	MIL-M-38510/235C	MICROCIRCUIT, DIGITAL, MOS, 4096 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	25-MAY-84	ER	EC	17	NA
	MIL-M-38510/236A	MICROCIRCUITS, DIGITAL, MOS, 4096 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES NA	A 5962	17	04-SEP-84	ER	EC	17	
	MIL-M-38510/237B	MICROCIRCUIT, DIGITAL, MOS, 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON (INACTIVE) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	25-MAY-84			17	
	MIL-M-38510/238A(2)	MICROCIRCUIT, DIGITAL, MOS, 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON USER: 19 AS CG MC SM SH REVIEWER: 11 85 99 AR ES MI	A 5962	17	06-MAR-84	ER	EC	17	
L	MIL-M-38510/239B	MICROCIRCUITS, DIGITAL, CMOS 1024 BIT RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI NA OS SH	A 5962	17	04-SEP-84	ER	EC	17	
	MIL-M-38510/240A	MICROCIRCUITS, MEMORY, DIGITAL, NMOS, 16,384 BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962	17	11-MAY-89	ER	EC	17	
L	MIL-M-38510/244B(2)	MICROCIRCUITS, DIGITAL, NMOS, 65,536 BIT, DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962	17	12-AUG-85			17	
A	MIL-M-38510/245A(2)	MICROCIRCUITS MEMORY, DIGITAL, CMOS, 4096 BIT, STATIC RANDOM ACCESS MEMORY (SRAM), BULK SILICON AND SILICON ON SAPPHIRE USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17	24-FEB-93	ER	EC	17	
	MIL-M-38510/246(1)	MICROCIRCUITS, DIGITAL, NMOS, 246,144-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17	25-JUN-87	ER	EC	17	NA
	MIL-M-38510/249A	MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 1,048,576/1-BIT DYNAMIC RANDOM ACCESS MEMORY (DRAM), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR MI OS SH TD	A 5962	17	13-FEB-90	ER	EC	17	
	MIL-M-38510/250	MICROCIRCUITS, DIGITAL, CMOS, 512 X 9 BIT, FIRST IN - FIRST OUT DUAL PORT MEMORY (FIFO), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17	30-OCT-86	ER	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / OMA Cancellation Indication Document Number	Document Title	Dist. Smt. FEC / Area MCA Symbol Preparing Acty.	Date	Custodians			
				Army	Navy	AF Force	DIA
MIL-M-38510/260	MICROCIRCUITS, MEMORY, DIGITAL, CMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON USER: AS CG	A 5962	17 06-JAN-89	ER	EC	17	
MIL-M-38510/261	MICROCIRCUITS, MEMORY, DIGITAL, CMOS 32K X 8-BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON USER: AS CG SM	A 5962	17 27-MAR-89	ER	EC	17	
MIL-M-38510/265	MICROCIRCUITS, MEMORY, DIGITAL, CMOS 524,288 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON USER: AS CG SM	A 5962	17 12-JUL-90	ER	EC	17	
MIL-M-38510/274	MICROCIRCUIT, MEMORY, DIGITAL, 65,536 BIT, CMOS, ULTRAVIOLET ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (UVEPRM) MONOLITHIC SILICON USER: AS CG SM	A 5962	17 13-DEC-88	ER	EC	17	
MIL-M-38510/275	MICROCIRCUITS, MEMORY, DIGITAL, 65,536 BIT, CMOS, ULTRAVIOLET ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (UVEPRM), MONOLITHIC SILICON	A 5962	17 13-DEC-88	ER	EC	17	
MIL-M-38510/276	MICROCIRCUIT, MEMORY, DIGITAL, 262,144 BIT, CMOS, ULTRAVIOLET ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (UVEPRM) MONOLITHIC SILICON USER: AS CG MC	A 5962	17 12-DEC-88	ER	EC	17	
MIL-M-38510/289(2)	MICROCIRCUITS, DIGITAL, CMOS 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 09-MAY-91	ER	EC	17	
MIL-M-38510/291A	MICROCIRCUITS, DIGITAL, CMOS 16,384-BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON USER: AS CG ES MC SM REVIEWER: 11 19 85 99 AR MI	A 5962	17 12-SEP-88	ER	EC	17	
MIL-M-38510/292	MICROCIRCUITS, DIGITAL, CMOS, 65,536-BIT STATIC RANDOM ACCESS MEMORY (SHAM), MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17 30-SEP-87	ER	EC	17	
A MIL-M-38510/293A(1)	MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 262,144-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR	A 5962	17 09-SEP-92	ER	EC	17	
A MIL-M-38510/3000(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17 08-SEP-92	ER	EC	17	
MIL-M-38510/3010	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, FLIP FLOP MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 08-APR-88	ER	EC	17	
MIL-M-38510/302C(2)	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, LOW POWER BUFFERS MONOLITHIC SILICON REVIEWER: 11 19 85 99 AV ES	A 5962	17 16-OCT-85	ER		17	
A MIL-M-38510/303C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17 21-AUG-92	ER	EC	17	
MIL-M-38510/3048(2)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, AND OR INVERT GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17 23-OCT-85	ER	EC	17	
MIL-M-38510/3058(2)	MICROCIRCUITS, DIGITAL BIPOLAR, LOW POWER SCHOTTKY TTL, OR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 30-NOV-87	ER	EC	17	
A MIL-M-38510/3060(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES	A 5962	17 04-DEC-92	ER	EC	17	
MIL-M-38510/307C	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 05-NOV-87	ER	EC	17	
MIL-M-38510/308A(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, ARITHMETIC LOGIC UNITS/FUNCTION GENERATORS, MONOLITHIC SILICON USER: AS CG MC REVIEWER: 11	A 5962	17 13-SEP-85	ER	EC	17	
A MIL-M-38510/3090(4)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, DATA SELECTOR/MULTIPLEXER WITH THREE-STATE OUTPUTS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17 06-MAR-92	ER	EC	17	
A MIL-M-38510/310C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR LOW-POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17 09-DEC-92	ER	EC	17	
MIL-M-38510/311B(3)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, MAGNITUDE COMPARATORS MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 08-DEC-87	ER	EC	17	
MIL-M-38510/312B(1)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, 4 BIT BINARY FULL ADDERS WITH FAST CARRY MONOLITHIC SILICON USER: AS CG ES MC SM REVIEWER: 11 19 85	A 5962	17 10-JUN-85	ER	EC	17	
MIL-M-38510/313A(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, SCHMITT-TRIGGER POSITIVE-NAND GATES AND INVERTERS, MONOLITHIC SILICON USER: AS CG MC SM	A 5962	17 08-DEC-87	ER	EC	17	
MIL-M-38510/314B(1)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, MONOSTABLE MULTIVIBRATORS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 01-MAR-85	ER	EC	17	
A MIL-M-38510/315C(3)	MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, COUNTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17 21-AUG-92	ER	EC	17	
MIL-M-38510/3160	MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, LATCHES, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 10-DEC-87	ER	EC	17	
L MIL-M-38510/318A(1)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, BINARY MULTIPLIER, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962	17 10-JUN-85			17	
MIL-M-38510/319B(2)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, 4 BY 4 REGISTER FILE, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR	A 5962	17 11-AUG-86	ER	EC	17	
MIL-M-38510/320C(1)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 08-MAR-88	ER	EC	17	
MIL-M-38510/321B NOTICE 1	MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, BUFFERS/DRIVERS, OPEN COLLECTOR OUTPUT, HIGH VOLTAGE, MONOLITHIC SILICON (VALIDATION DATE: 8811)	A 5962	17 30-NOV-88	ER	EC	17	
A MIL-M-38510/322B(5)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85	A 5962	17 05-JUN-92	ER	EC	17	
A MIL-M-38510/323C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, QUADRUPLE BUS BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC	A 5962	17 24-FEB-92	ER	EC	17	
A MIL-M-38510/324C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, OCTAL BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM	A 5962	17 09-DEC-92	ER	EC	17	
A MIL-M-38510/325C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES	A 5962	17 31-JUL-92	ER	EC	17	
MIL-M-38510/326B(2)	MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, DEMULTIPLEXERS, MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 31-MAY-85	ER	EC	17	
MIL-M-38510/327A(4)	MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 31-JAN-92	ER	EC	17	
MIL-M-38510/328B(4)	MICROCIRCUITS, DIGITAL, BIPOLAR, LOW POWER SCHOTTKY TTL, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 29-SEP-87	ER	EC	17	
MIL-M-38510/329A(1)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR MI SH	A 5962	17 11-MAY-87	ER	EC	17	
MIL-M-38510/330B(2)	MICROCIRCUIT, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NAND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 27-OCT-87	ER	EC	17	
L MIL-M-38510/331A(1)	MICROCIRCUITS, DIGITAL, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 22-JUL-86	ER	EC	17	
A MIL-M-38510/332B(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, OCTAL BUFFERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17 15-OCT-92	ER	EC	17	
A MIL-M-38510/333B(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH	A 5962	17 29-OCT-92	ER	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Addn Chg / Chk Coordination Inches Document Number	Document Title	Dist. Smt FSC / Aves MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-M-38510/3348(4)	MICROCIRCUIT, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, AND-OR-INVERTGATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 AR ES MI SH	A 5962	17 10-SEP-87	ER	EC	17	
MIL-M-38510/3358(1)	MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, QUADRUPLER, 2 INPUT OR GATES, MONOLITHIC SILICON USER: SM REVIEWER: 11 19 85 99 AR ES MI SH TD	A 5962	17 08-DEC-87	ER	EC	17	
MIL-M-38510/336A(3)	MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, SHIFT REGISTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 27-OCT-87	ER	EC	17	
MIL-M-38510/337A(2)	MICROCIRCUIT, DIGITAL, ADVANCED SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON USER: CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17 30-NOV-87	ER	EC	17	
A MIL-M-38510/338A(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, ARITHMETIC LOGIC UNITS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 26-OCT-92	ER	EC	17	
A MIL-M-38510/339C(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DATA SELECTORS/MULTIPLEXERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 07-JUL-92	ER	EC	17	
A MIL-M-38510/340C(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 16-OCT-92	ER	EC	17	
A MIL-M-38510/341E(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 26-OCT-92	ER	EC	17	
L MIL-M-38510/342(2)	MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, 4-BIT BINARY FULL ADDERS WITH FAST CARRY, MONOLITHIC SILICON USER: SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 10-SEP-87			17	
A MIL-M-38510/343A(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BINARY COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 07-OCT-92	ER	EC	17	
A MIL-M-38510/344(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, DECADE COUNTERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 16-NOV-92	ER	EC	17	
MIL-M-38510/345B	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, EXCLUSIVE OR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 16-DEC-87	ER	EC	17	
A MIL-M-38510/346B(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, TRANSPARENT AND OCTAL D-TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 06-NOV-92	ER	EC	17	
MIL-M-38510/347(2)	MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, 8-BIT IDENTITY COMPARATOR MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 06-NOV-87	ER	EC	17	
MIL-M-38510/348B	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 10-NOV-88	ER	EC	17	
MIL-M-38510/349A(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, PARITY CHECKER, MONOLITHIC SILICON USER: CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17 22-OCT-87	ER	EC	17	
MIL-M-38510/350	MICROCIRCUITS, DIGITAL, ADVANCED SCHOTTKY TTL, QUAD 2-PORT REGISTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 24-JUN-85	ER	EC	17	
MIL-M-38510/351	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, HEX BUS DRIVERS WITH 3-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17 28-OCT-87	ER	EC	17	
MIL-M-38510/352	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED SCHOTTKY TTL, HAND BUFFERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 07-AUG-87	ER	EC	17	NA
MIL-M-38510/360A(2)	MICROCIRCUIT, DIGITAL, LOW POWER SCHOTTKY TTL, PRIORITY ENCODERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 10-JUN-85	ER	EC	17	
L MIL-M-38510/361A	MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, REGISTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	17 10-JUN-85	ER	EC	17	
A L MIL-M-38510/370(3)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, HAND GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES	A 5962	17 15-JUN-92			17	
A MIL-M-38510/371A(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED, LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 18-JUN-92	ER	EC	17	
A MIL-M-38510/372A(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, FLIP-FLOPS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 24-MAR-92	ER	EC	17	
A MIL-M-38510/373(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, NOR GATES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 24-MAR-92	ER	EC	17	
A L MIL-M-38510/374(2)	MICROCIRCUITS, DIGITAL, ADVANCED LOW POWER SCHOTTKY TTL, AND GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES	A 5962	17 17-JUN-92			17	
A L MIL-M-38510/375(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, OR GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES	A 5962	17 20-JUL-92			17	
L MIL-M-38510/376(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, SHIFT REGISTERS, CASCADABLE, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962	17 21-APR-87			17	
A L MIL-M-38510/377(2)	MICROCIRCUITS, DIGITAL, ADVANCED LOW-POWER SCHOTTKY TTL, DECODERS, MONOLITHIC SILICON REVIEWER: 19 85 99 ES	A 5962	17 18-JUN-92			17	
MIL-M-38510/379A	MICROCIRCUITS, DIGITAL, ADVANCED LOW POWER SCHOTTKY TTL, UNIVERSAL MULTIPLEXER WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH TD	A 5962	17 01-MAY-85	ER	EC	17	
A MIL-M-38510/380A(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, BINARY COUNTERS, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 25-MAR-92	ER	EC	17	
L MIL-M-38510/381(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, CASCADABLE, DECADE COUNTERS, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962	17 25-JAN-88			17	
A MIL-M-38510/382A(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, D-TYPE LATCHES, CASCADABLE, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 13-JUL-92	ER	EC	17	
A MIL-M-38510/383A(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, OCTAL BUFFER GATES WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 28-JUL-92	ER	EC	17	
A L MIL-M-38510/384(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW POWER SCHOTTKY TTL, AND, OR, HAND, AND NOR GATES, MONOLITHIC SILICON REVIEWER: 19 85 99 ES	A 5962	17 15-JUN-92			17	
A MIL-M-38510/385A(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, ADVANCED LOW-POWER SCHOTTKY TTL, BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TD	A 5962	17 29-OCT-92	ER	EC	17	
I MIL-M-38510/400A NOTICE 1	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION) [VALIDATION DATE: 8811] REVIEWER: 11 19 85 99 ES	A 5962	17 30-NOV-88	ER	EC	17	
I MIL-M-38510/401A NOTICE 1	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE, MONOLITHIC PERIPHERAL INTERFACE ADAPTER [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 30-NOV-88	ER	EC	17	
I MIL-M-38510/402A NOTICE 1	MICROCIRCUITS, DIGITAL, MOS, 1024-BIT STATIC RANDOM ACCESS MEMORY (RAM), MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: 19 AS CG MC SM REVIEWER: 11 85 99 AR ES MI SH	A 5962	17 30-NOV-88	ER	EC	17	
I MIL-M-38510/403A NOTICE 1	MICROCIRCUITS, DIGITAL, NMOS, 2048-WORD X 8-BIT STATIC READ ONLY MEMORY (ROM), MONOLITHIC SILICON [VALIDATION DATE: 8811] USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 30-NOV-88	ER	EC	17	
MIL-M-38510/420A(2)	MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	17 08-NOV-85	ER	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Org./Code Coordination Inclusive Document Number	Document Title	Dist. Sym. FSC / NSC MCS Symbol Proposed Act Date	Army EC	Navy EC	Air Force EC	Custodian DCA
I MIL-M-38510/421A NOTICE 1	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, INPUT/OUTPUT PORT WITH THREE-STATE OUTPUT, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 30-NOV-88	ER	EC	17	
MIL-M-38510/422A NOTICE 1	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, CLOCK GENERATOR AND DRIVER, MONOLITHIC SILICON (VALIDATION DATE: 8811) REVIEWER: 11 19 85 99 ES	A 5962 17 30-NOV-88	ER	EC	17	
I MIL-M-38510/423A NOTICE 1	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SYSTEM CONTROLLER AND BUS DRIVER, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR MI SH	A 5962 17 30-NOV-88	ER	EC	17	
MIL-M-38510/440C	MICROCIRCUIT, DIGITAL, FOUR BIT MICROPROCESSOR SLICE MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 17-JUL-86	ER	EC	17	NA
MIL-M-38510/441A NOTICE 1	MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, BUS TRANSCEIVER, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 30-NOV-88	ER	EC	17	
I MIL-M-38510/442A NOTICE 1	MICROCIRCUITS, DIGITAL, SCHOTTKY, TTL, D-TYPE REGISTER, WITH THREE-STATE OUTPUT, MONOLITHIC SILICON (VALIDATION DATE: 8811) USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 30-NOV-88	ER	EC	17	
L MIL-M-38510/460A	MICROCIRCUIT, DIGITAL, INTEGRATED INJECTION LOGIC (12L), PARALLEL 16 BIT MICROPROCESSOR, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES MI	A 5962 17 29-JUN-84			17	
L MIL-M-38510/465A	MICROCIRCUIT, DIGITAL, INTEGRATED INJECTION LOGIC (12L), PARALLEL 16-BIT MICROPROCESSOR, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962 17 08-AUG-86	ER	EC	17	
L MIL-M-38510/470A	MICROCIRCUITS, DIGITAL, CMOS MONOLITHIC 8-BIT MICROPROCESSOR (FIXED INSTRUCTION) (INACTIVE)	A 5962 NA 30-SEP-83				NA
MIL-M-38510/471A	MICROCIRCUITS, DIGITAL, CMOS/SOS 1024 BIT RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON (INACTIVE) USER: AR AS CG MC SM REVIEWER: 11 19 85 99 ES MI	A 5962 NA 30-SEP-83	ER	EC	17	
L MIL-M-38510/472A	MICROCIRCUIT, DIGITAL, CMOS, 512 WORD X 8-BIT STATIC READ ONLY MEMORY (ROM) MONOLITHIC SILICON (INACTIVE)	A 5962 NA 09-AUG-83				NA
L MIL-M-38510/473A	MICROCIRCUITS, DIGITAL, CMOS, MONOLITHIC 8-BIT INPUT/OUTPUT PORT (INACTIVE) REVIEWER: ES	A 5962 NA 30-SEP-83				NA
L MIL-M-38510/474A	MICROCIRCUIT, DIGITAL, CMOS, MONOLITHIC N-BIT ONE OF EIGHT DECODER (INACTIVE) REVIEWER: ES	A 5962 NA 30-SEP-83				NA
L MIL-M-38510/476A	MICROCIRCUIT, DIGITAL, CMOS 4-BIT BUS BUFFER/SEPARATOR, MONOLITHIC SILICON REVIEWER: ES	A 5962 NA 09-AUG-83				NA
MIL-M-38510/480B(2)	MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 8 BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 06-OCT-85	ER	EC	17	
L MIL-M-38510/481A	MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC DUAL SERIAL INPUT/OUTPUT CONTROLLER (INACTIVE) USER: 11 19 85 99 ES	A 5962 17 18-JUN-84			17	
L MIL-M-38510/482A	MICROCIRCUIT DIGITAL N-CHANNEL, SILICON GATE MONOLITHIC DIRECT MEMORY ACCESS CONTROLLER REVIEWER: 11 19 85 99	A 5962 17 18-JUN-84			17	
L MIL-M-38510/483A	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC COUNTER/TIMER UNIT (INACTIVE FOR NEW DESIGN AFTER DATE OF THIS REVISION) REVIEWER: 11 19 85 99 ES	A 5962 17 15-JUN-84			17	
L MIL-M-38510/484A	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE, MONOLITHIC, PARALLEL INPUT/OUTPUT CONTROLLER (INACTIVE FOR NEW DESIGN AFTER DATE OF THIS REVISION) REVIEWER: 11 19 85 99 ES	A 5962 17 29-JUN-84			17	
MIL-M-38510/485	MICROCIRCUITS, DIGITAL, CMOS, SILICON GATE, MONOLITHIC, 8-BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 30-MAR-89	ER	EC	17	
MIL-M-38510/486	MICROCIRCUITS, DIGITAL, CMOS, SERIAL COMMUNICATIONS CONTROLLER, MONOLITHIC SILICON USER: 13 AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI NA SH	A 5962 17 16-AUG-89	ER	EC	17	
L MIL-M-38510/490A	MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE, MONOLITHIC, 8-BIT MICROCOMPUTER (INACTIVE) REVIEWER: 11 19 85 99 ES	A 5962 17 11-SEP-86			17	
L MIL-M-38510/500B	MICROCIRCUIT, DIGITAL TTL, MULTIPLIER ACCUMULATORS/MULTIPLIERS, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 04-AUG-86	ER	EC	17	NA
L MIL-M-38510/502 NOTICE 1	MICROCIRCUITS, DIGITAL, BIPOLAR FIELD PROGRAMMABLE LOGIC ARRAY (FPLA) 16 X 48 X 8, MONOLITHIC SILICON (VALIDATION DATE: 8811) REVIEWER: 11 19 85 99 ES MI	A 5962 17 30-NOV-88			17	
L MIL-M-38510/503B	MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962 17 24-MAY-85			17	
L MIL-M-38510/504A(2)	MICROCIRCUIT, DIGITAL BIPOLAR PRC RAMMABLE LOGIC, MONOLITHIC SILICON REVIEWER: 11 19 85 99 ES	A 5962 17 11-SEP-86			17	
M MIL-M-38510/505A	MICROCIRCUITS, DIGITAL, BIPOLAR PROGRAMMABLE LOGIC, MONOLITHIC SILICON REVIEWER: 19 85 99 ES	A 5962 17 10-MAR-93	ER	EC	17	
MIL-M-38510/506(1)	MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 31-MAR-87	ER	EC	17	
MIL-M-38510/507A	MICROCIRCUITS, MEMORY, DIGITAL, CMOS ULTRAVIOLET ERASABLE PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TO	A 5962 17 26-MAR-92	ER	EC	17	
A MIL-M-38510/508(1)	MICROCIRCUITS, MEMORY, DIGITAL, CMOS ONE-TIME PROGRAMMABLE ARRAY LOGIC, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TO	A 5962 17 20-FEB-92	ER	EC	17	
MIL-M-38510/520B(2)	MICROCIRCUIT, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16 BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 23-AUG-85	ER	EC	17	
L MIL-M-38510/530(4)	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16 BIT MICROPROCESSOR, (FIXED INSTRUCTION) REVIEWER: 11 19 85 99 ES	A 5962 17 25-MAR-85			17	
MIL-M-38510/540B	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON GATE MONOLITHIC 16-BIT MICROPROCESSOR USER: AS CG MC SM REVIEWER: 11 19 85 99 AR MI OS SH	A 5962 17 20-APR-89	ER	EC	17	
MIL-M-38510/552	MICROCIRCUITS, DIGITAL, CMOS, TIMING CONTROL UNIT, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI SH TO	A 5962 17 20-JAN-89	ER	EC	17	
MIL-M-38510/555A	MICROCIRCUITS, DIGITAL, CMOS, REMOTE TERMINAL INTERFACE MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TO	A 5962 17 20-MAR-91	ER	EC	17	
MIL-M-38510/600(2)	MICROCIRCUITS, DIGITAL, BIPOLAR, SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: CG SM REVIEWER: 11 19 85 99 AR AS ES MI OS SH TO	A 5962 17 09-NOV-89	ER	EC	17	
MIL-M-38510/605B	MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TO	A 5962 17 29-JAN-92	ER	EC	17	
MIL-M-38510/606B	MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TO	A 5962 17 29-JAN-92	ER	EC	17	
MIL-M-38510/607A	MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TO	A 5962 17 29-JAN-92	ER	EC	17	
MIL-M-38510/608A	MICROCIRCUITS, DIGITAL, CMOS SEMICUSTOM (GATE ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 19 85 99 AR ES MI OS SH TO	A 5962 17 20-SEP-91	ER	EC	17	
MIL-M-38510/610A	MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TO	B 5962 ER 13-MAY-88	ER	EC	17	
MIL-M-38510/613	MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 65,536-BIT SELECTABLE MODE, STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962 17 12-MAY-88	ER	EC	17	
MIL-M-38510/615	MICROCIRCUITS, DIGITAL, VHSIC, CMOS, 4096-BIT, 4-PORT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TO	B 5962 ER 24-NOV-87	ER	EC	17	
MIL-M-38510/616	MICROCIRCUITS, DIGITAL, BIPOLAR, VHSIC, ADDRESS GENERATOR, MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TO	B 5962 ER 24-NOV-87	ER	EC	17	
MIL-M-38510/620	MICROCIRCUITS, DIGITAL, VHSIC, CMOS, SIGNAL PROCESSING ELEMENT, MONOLITHIC SILICON (CONTROLLED DISTRIBUTION) USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TO	B 5962 ER 21-DEC-87	ER	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn / COM Coordination Institute Document Number	Document Title	Dist. Syst. FSC / Area MCSA Symbol Preparing Act				Custodians			
		Date	Army	Navy	Air Force	DLA			
MIL-M-38510/630	MICROCIRCUITS, DIGITAL, CMOS, FFT PROCESSOR MONOLITHIC SILICON USER: AS CG SM REVIEWER: 11 19 85 99 AR ES MI OS SH TO	A 5962	17	11-DEC-87	ER	EC	17		
MIL-M-38510/650A	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, NAND GATES MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	22-MAY-87	ER	EC	17	MA	
MIL-M-38510/651A	MICROCIRCUIT, DIGITAL, HIGH SPEED, CMOS, NOR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	15-MAY-87	ER	EC	17	MA	
MIL-M-38510/652A	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	15-MAY-87	ER	EC	17		
MIL-M-38510/653A	MICROCIRCUIT, DIGITAL, HIGH SPEED, CMOS FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	31-MAR-86	ER	EC	17	MA	
MIL-M-38510/654	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS LATCHES, MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	19-DEC-86	ER	EC	17	MA	
MIL-M-38510/655(1)	MICROCIRCUITS DIGITAL, HIGH SPEED, CMOS BUS TRANSCEIVERS WITH THREE-STATE OUTPUTS, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	29-JAN-88	ER	EC	17		
A MIL-M-38510/656(2)	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, FLIP-FLOPS MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	31-MAR-92	ER	EC	17		
A MIL-M-38510/657(1)	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, BUFFER GATES, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	21-DEC-92	ER	EC	17		
MIL-M-38510/658	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, DECODERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	19-DEC-86	ER	EC	17		
MIL-M-38510/662	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS DATA SELECTORS/MULTIPLEXER .....	A 5962	17	31-MAR-88	ER	EC	17	MA	
MIL-M-38510/663	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, COUNTERS, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	30-SEP-87	ER	EC	17		
MIL-M-38510/665	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS, SHIFT REGISTER, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	31-AUG-88	ER	EC	17		
MIL-M-38510/702	MICROCIRCUITS, LINEAR, REGULATING PULSE-WIDTH, MODULATORS, MONOLITHIC SILICON USER: 19 AS CG MC REVIEWER: 11 99 AV ES MI OS SH	A 5962	17	29-SEP-89	ER	EC	17		
MIL-M-38510/706A	MICROCIRCUITS, LINEAR, BIPOLAR, SEMICUSTOM (CELL ARRAY) DEVICES, MONOLITHIC SILICON USER: AS CG MC SH REVIEWER: 11 19 85 99 AR ES MI OS SH TO	A 5962	17	29-OCT-91	ER	EC	17		
A MIL-M-38510/750A(1)	MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, NAND GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	29-DEC-92	ER	EC	17		
A MIL-M-38510/751A(1)	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, NOR GATES, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	29-DEC-92	ER	EC	17		
A MIL-M-38510/752A(1)	MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, AND GATES, OR GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	29-DEC-92	ER	EC	17		
A MIL-M-38510/753(1)	MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, FLIP-FLOPS, POSITIVE LOGIC, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	15-APR-92	ER	EC	17		
A MIL-M-38510/754A(1)	MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, LATCHES, MONOLITHIC SILICON USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	29-DEC-92	ER	EC	17		
A MIL-M-38510/755A(1)	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, TRANSCEIVERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	29-DEC-92	ER	EC	17		
A MIL-M-38510/756(1)	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, FLIP-FLOPS, MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	15-APR-92	ER	EC	17		
A MIL-M-38510/757A(1)	MICROCIRCUITS, DIGITAL, ADVANCED, CMOS, BUFFER GATES, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	29-DEC-92	ER	EC	17		
MIL-M-38510/758	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, DECODER/DEMULTIPLEXER, MONOLITHIC SILICON, POSITIVE LOGIC USER: SM REVIEWER: 11 19 85 99 AR ES MI	A 5962	17	28-DEC-89	ER	EC	17		
MIL-M-38510/762	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, MULTIPLEXERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	28-AUG-90	ER	EC	17		
MIL-M-38510/763(1)	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, COUNTERS, MONOLITHIC SILICON USER: AS CG MC SH SM REVIEWER: 19 85 99 AR ES MI	A 5962	17	15-JAN-92	ER	EC	17		
MIL-M-38510/765	MICROCIRCUITS, DIGITAL, ADVANCED CMOS, SHIFT REGISTERS, MONOLITHIC SILICON, POSITIVE LOGIC USER: AS CG MC OS SH REVIEWER: 19 85 99 AR ES MI	A 5962	17	25-FEB-91	ER	EC	17		
A MIL-R-38522B(2)	RADOME CW-860/GPS( ) REVIEWER: 85 ES .....	A 5985	80	11-SEP-84			99		
A MIL-M-38527D	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 19 99 ES	A 5999	85	06-NOV-92	ER	EC	85		
MIL-M-38527/1B(1)	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .100 DIAMETER PIN CENTER USER: CG MC REVIEWER: 11 19 99 AR ES SH	A 5999	85	17-OCT-91	ER	EC	85		
MIL-M-38527/2B(2)	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .200 OR .230 DIAMETER PIN CENTER USER: AS CG MC SH REVIEWER: 19 99 ES	A 5999	85	01-JUN-92	ER	EC	85		
MIL-M-38527/3B(2)	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	03-JUL-91	ER	EC	85		
MIL-M-38527/4B(2)	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A LARGER DIAMETER USER: AS CG MC SH REVIEWER: 19 99 ES	A 5999	85	27-JAN-92	ER	EC	85		
MIL-M-38527/5D(1)	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 OR .230 DIAMETER PIN CENTER TO A GRID PATTERN USER: AS CG MC SH REVIEWER: 11 17 19 99 ES	A 5999	85	13-NOV-91	ER	EC	85		
MIL-M-38527/6D	MOUNTING PAD, ELECTRICAL-ELECTRONIC COMPONENT, RELAY AND DISCRETE COMPONENT USER: AS CG MC SH REVIEWER: 19 99	A 5999	85	27-JAN-92	ER	EC	85		
MIL-M-38527/7A(1)	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, MULTIPLE APPLICATIONS (VALIDATION DATE: 9112) USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	27-DEC-91	ER	EC	85		
A I MIL-M-38527/8B	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .002, .005, AND .010 INCH THICK USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	25-SEP-92	ER	EC	85		
A I MIL-M-38527/9A	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, HARDWARE FOR MOUNTING USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	29-SEP-92	ER	EC	85		
MIL-M-38527/10B	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 DIAMETER PIN CENTER USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	19-MAY-89	ER	EC	85		
MIL-M-38527/11	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, VERTICLE TYPE (VALIDATION DATE: 9112) USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	27-DEC-91	ER	EC	85		
L MIL-T-38531(3)	TRANSDUCER, MOTIONAL PICKUP TR-299/G( ) (VALIDATION DATE: 8812) .....	A 6350	82	12-DEC-88			99		
MIL-S-38533A	SOCKET, CHIP CARRIER, GENERAL SPECIFICATION FOR USER: 19 AS AT MC ME REVIEWER: 11 85 99 AR ES MI SH	A 5935	17	14-JAN-85	CR	EC	17		
MIL-S-38533/1A	SOCKETS, CHIP CARRIER, CERAMIC, FOR USE WITH CHIP CARRIER, JEDEC, .050 CENTER, LEADLESS TYPES A, B, AND D USER: 19 AS AT AV MC ME REVIEWER: 11 85 99 AR ES MI SH	A 5935	17	14-JAN-85	CR	EC	17		
AQ MIL-M-38534B	HYBRID MICROCIRCUITS, GENERAL SPECIFICATION FOR USER: AS CG OS SH SM REVIEWER: 19 85 99 AR ES MC MI	A 5962	17	26-AUG-92	ER	EC	17		
AQ MIL-I-38535A(1)	INTEGRATED CIRCUITS (MICROCIRCUITS) MANUFACTURING, GENERAL SPECIFICATION FOR USER: 13 AS CG OS SH SM REVIEWER: 19 85 99 AR ES MC MI TO	A 5962	17	24-AUG-92	ER	EC	17		
L MIL-C-38612A	CONTAINER, SHIPPING AND STORAGE, CWJ-77/E23 (VALIDATION DATE: 8006) REVIEWER: 18 SH	A 1040	EA	06-FEB-67	EA				
L MIL-P-38633C	PRIMER, STAB, FOR MDU-4/A WARHEAD (VALIDATION DATE: 8604) .....	A 1390	70	04-APR-86			99		
L MIL-D-38636A(2)	DISPENSER, BOMB AND ROCKET, SUJ-208/A, TRAINING TYPE AND GUN ASSEMBLY, BOMB EJECTOR, SUJ-208/A	A 1095	84	09-DEC-86			99		
L MIL-T-38646B	TRUCK, LIFT, AERIAL STORES, 7000 POUND CAPACITY M4J-83A/E REVIEWER: 99 ....	A 1730	18	05-FEB-76			18		
L MIL-T-38676(1)	TRAILER, MUNITION'S HANDLING M4J-110/M (VALIDATION DATE: 8909) .....	A 1740	82	05-SEP-89			99		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / Data Coordination Involvement Document Number	Document Title	Dist Smt FSC / Ave MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
L MIL-S-387148	PACKAGING AND PACKING OF TWO COMPONENT MATERIALS IN SEMKITS .....	A 8030	84	14-MAY-87			99
L MIL-I-38715A(1)	INDICATOR, COMBUSTIBLE GAS AND TOXIC GAS .....	A 6665	82	20-APR-71			99
L MIL-B-38721B	BOXES, CONSOLIDATION, FIBERBOARD AND POLYOLEFIN (NO S/S DOCUMENT) USER: GL REVIEWER: 11 43 99 EA SM	A 8115	69	27-APR-89			69
MIL-S-38725A	SCRUBBING MACHINE, PAVEMENT SELF-PROPELLED, RIDER OPERATED [VALIDATION DATE: 7302] USER: CE REVIEWER: ME	A 3825	84	03-FEB-67	AT		99
L MIL-S-0038725B	SCRUBBING MACHINE, SELF-PROPELLED HEAVY DUTY, CYLINDRICAL BRUSH OPPOSED DIRECTION TYPE	A 3825	84	14-JAN-89			99
Q MIL-A-38726(3)	ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESSURE REVIEWER: CS .....	A 4730	82	21-SEP-83	ME	AS	99
L MIL-C-38736B	COMPOUND, SOLVENT, FOR USE IN INTEGRAL FUEL TANKS REVIEWER: 99 GS .....	A 6850	68	23-FEB-84			68
L MIL-B-38741(2)	BROMOCHLORODIFLUOROMETHANE, TECHNICAL REVIEWER: GS .....	A 6830	68	09-APR-84			68
L MIL-C-38747A	COVERING, FLOOR, MILITARY AIRCRAFT, GENERAL SPECIFICATION FOR .....	A 1680	82	21-JUN-87	AR	AS	99
MIL-M-38748A(1)	MICROFICHE, FOR ENGINEERING/TECHNICAL DATA, REPORTS, STUDIES AND RELATED DATA, REQUIREMENTS FOR [VALIDATION DATE: 8201] USER: GL MC REVIEWER: AR AT AV EC MI OS SS	A EDRS	16	20-MAY-77	ER	AS	16 DM
MIL-T-38760	TENSIONMETER DIAL INDICATING USER: EL GL REVIEWER: GS MI .....	A 6635	82	01-APR-66		AS	99
MIL-M-38761A	MICROFILMING AND PHOTOGRAPHING OF ENGINEERING/TECHNICAL DATA AND RELATED DOCUMENTS, PCAM CARD PREPARATION, ENGINEERING DATA MICRO-REPRODUCTION SYSTEM, GENERAL REQUIREMENTS FOR, PREPARATION OF [VALIDATION DATE: 8207] USER: MC REVIEWER: 44 AG AR AT AV EC MI OS SA	A EDRS	16	26-AUG-77	ER	AS	16 DM
L MIL-M-38761/1A	MICROFILM AND TABULATING CARDS USED FOR RECORDING ENGINEERING DRAWINGS AND ASSOCIATED DATA REVIEWER: AG	A EDRS	AS	01-MAY-82		AS	
L MIL-M-38761/2A	MICROFILM APERTURE, TABULATING CARDS AND SHIPS DRAWING INDEXES FOR NAVAL SEA SYSTEMS COMMAND SHIPS, SYSTEMS, AND EQUIPMENT, PREPARATION OF	A EDRS	SH	23-JUL-90		SH	
L MIL-F-38762(1)	FLUORESCENT PENETRANT INSPECTION UNITS USER: GL REVIEWER: GS .....	A 6635	82	10-JUN-68			99
L MIL-T-38767A	TRACTOR, WHEELED, WAREHOUSE, ELECTRIC MOTOR DRIVEN, WALKING TYPE, 700 POUNDS DRAWBAR PULL [VALIDATION DATE: 8804] REVIEWER: CS	A 3930	84	27-APR-88			99
L MIL-M-38769C	MANUALS, TECHNICAL WORK CODE USER: 11 13 80 82 84 .....	A TMSS	16	22-OCT-82			99
L MIL-L-38779(1)	LAVATORY AND ACCESSORIES, AIRCRAFT REVIEWER: CS .....	A 4510	84	25-JAN-82			99
L MIL-M-38781E	MANUAL, CHECKLISTS AND SOURCE DATA, STORAGE AND MAINTENANCE PROCEDURES (FOR NONNUCLEAR AND CHEMICAL MUNITIONS/BIOLOGICAL RESEARCH AGENTS) REVIEWER: 01 10 11 19 99	A TMSS	16	21-AUG-84			16
D MIL-M-38784C(3)	MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT REQUIREMENTS REVIEWER: 01 10 99 AR AS AT AV CE CR CS EC EH GS IS MC ME MI SA SC SH TO YDI	A TMSS	16	09-DEC-92	TH	OS	16
MIL-P-38790B	PRINTING PRODUCTION OF TECHNICAL MANUALS: GENERAL REQUIREMENTS FOR USER: 11 13 00 1P REVIEWER: 01 10 99 AS AT AV CE CS CT EC EH GS MC MI OS	A TMSS	16	12-OCT-90	TH	SA	16 DM
A MIL-M-38793A	MANUALS, TECHNICAL: CALIBRATION PROCEDURES PREPARATION OF .....	A TMSS	16	04-MAR-93	TH	OS	16
L MIL-M-38793/1A	MANUAL, TECHNICAL, CALIBRATION PROCEDURES, SUBMISSION OF [VALIDATION DATE: 8404]	A TMSS	SH	17-DEC-71		SH	
L MIL-S-38794B	SOURCE DATA: PREPARATION OF (FOR NON-NUCLEAR MUNITIONS DISPOSAL PROCEDURES MANUALS, LOADING PROCEDURES, MANUALS, AND POSITIONING AND TIEDOWN MANUALS) [VALIDATION DATE: 8901] REVIEWER: 01 10	A 13CP	70	22-SEP-89			99
L MIL-T-38804B	TIME COMPLIANCE TECHNICAL ORDERS, PREPARATION OF REVIEWER: 01 10 99 .....	A TMSS	16	10-MAY-91			16
A L MIL-M-38807B(1)	MANUALS, TECHNICAL: ILLUSTRATED PARTS BREAKDOWN, PREPARATION OF REVIEWER: 10 11 13 15 68 79 99	A TMSS	16	28-MAR-92			16
L MIL-M-38811A	MANUALS, TECHNICAL: METHODS AND PROCEDURES TECHNICAL MANUALS, PREPARATION OF	A TMSS	16	10-APR-91			16
QL MIL-R-38953C(1)	RACK, BOMB EJECTOR, AIRCRAFT MAJ-12B/A [VALIDATION DATE: 8403] .....	A 1095	84	08-OCT-76			99
QL MIL-R-38956C(2)	RACK, BOMB EJECTOR, AIRCRAFT MAJ-50/A [VALIDATION DATE: 8403] .....	A 1095	84	19-OCT-76			99
QL MIL-R-38957C(2)	RACK, BOMB EJECTOR, AIRCRAFT MAJ-40/A [VALIDATION DATE: 8403] .....	A 1095	84	19-OCT-76			99
A LI MIL-T-38964	TEST SET, WEAPON ELECTRICAL WIRING SYSTEMS AN/ANM-13A REVIEWER: 15 .....	A MJOR	79	26-MAR-93			79
L MIL-C-38965(1)	CONTROL-MONITOR DCU-116/A REVIEWER: 15 .....	A 1190	79	01-APR-90			79
L MIL-C-38972	CARTRIDGE, BOMB EJECTION COU-9/B .....	A 1377	18	01-JUN-70			18
L MIL-C-38973	CARTRIDGE, BOMB EJECTION COU-10/B .....	A 1377	18	26-JUN-70			18
A LI MIL-S-38975(5)	SIMULATOR, SELECTOR, BOMB-ROCKET DISPENSER SMU-75/A REVIEWER: 15 .....	A 1190	79	31-MAR-93			79
L MIL-B-38977(3)	BOMB, PRACTICE BDU-38/B REVIEWER: 15 .....	A 1105	79	31-AUG-91			79
L MIL-C-38979A	CARTRIDGE, BOMB EJECTION COU-1/B [VALIDATION DATE: 8602] .....	A 1377	70	21-FEB-86			99
L MIL-R-38980A	RACK, BOMB EJECTOR, AIRCRAFT BRU-4/A .....	A 1095	18	25-MAR-70			18
A LI MIL-S-38981(3)	SIMULATOR, SWITCH BOX, BOMB AND ROCKET DISPENSER SMU-64/A REVIEWER: 15 ....	A 1190	79	31-MAR-93			79
A LI MIL-T-38982(1)	TEST SET, SIMULATOR TTU-291/E REVIEWER: 15 .....	A 1190	79	31-MAR-93			79
A MIL-C-38983A	CARTRIDGE, IMPULSE, COU-11/B .....	A 1377	OS	23-JUN-92		OS	99
Q MIL-C-38993J	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	06-APR-90	CR	AS	85
MIL-C-38999/9	CONNECTOR ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED & BREECH COUPLING), ENVIRONMENT RESISTANT REMOVABLE CRIMP & HERMETIC SOLDER CONTACTS RECEPTACLE DUMMY STOMAGE, BAYONET COUPLING [VALIDATION DATE: 8612] REVIEWER: 11 15 17 99 EC ES MC MI OS	A 5935	85	30-DEC-86	CR	AS	85
MIL-C-38999/10	CONNECTOR, RECEPTACLE, DUMMY STOMAGE, BAYONET COUPLING, (MIL-C-27599, SERIES II & MIL-C-38999, SERIES II) [VALIDATION DATE: 8612] REVIEWER: 11 15 17 99 EC ES MC MI OS	A 5935	85	30-DEC-86	CR	AS	85
MIL-C-38999/20D	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, WALL MOUNTING FLANGE REMOVABLE CRIMP CONTACTS, SERIES III, METRIC REVIEWER: 11 15 99 AR EC ES MC MI OS	A 5935	85	07-MAY-90	CR	AS	85
DOD-C-38999/21A	CONNECTORS, ELEC, CIR, MIN, HIGH DENSITY QUICK DISCONNECT (BAYONET, THREAD, & BREECH COUP) ENVIRONMENT RESISTANT, REMOVABLE CRIMP & HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNT FLANGE HERMETIC, TRIPLE START THREAD COUP, HERMETIC SOLDER CONTACTS SER REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-JUN-84	CR	AS	85
MIL-C-38999/22C	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, DUMMY STOMAGE, (MIL-C-38999, SERIES III), METRIC REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	07-MAY-90	CR	AS	85
DOD-C-38999/23A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM-NUT MOUNTING, HERMETIC, TRIPLE START THREADED COUPLING, HERMETIC SOLDER CONTACTS, SERIES III, METRIC [VALIDATION DATE: 8901] REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	13-JAN-89	CR	AS	85
MIL-C-38999/24D	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, JAM-NUT MOUNTING, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC REVIEWER: 11 15 99 AR EC ES MC MI OS	A 5935	85	07-MAY-90	CR	AS	85
DOD-C-38999/25	CONNECTOR, ELEC CIR MIN HIGH DENSITY QUICK DISCONNECT BAYONET THREAD & BREECH COUP, RECEPTACLE SOLDER MOUNT HERMETIC TRI START THREAD COUP SOLDER CONTACTS, SERIES III, METRIC [VALIDATION DATE: 8612] REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	30-DEC-86	CR	AS	85
MIL-C-38999/26D	CONNECTORS, ELECTRICAL, PLUG, CIRCULAR, STRAIGHT, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC REVIEWER: 11 15 99 AR EC ES MC MI OS	A 5935	85	07-MAY-90	CR	AS	85
DOD-C-38999/27A	CONNECTORS, ELEC, CIR, MIN, HIGH DENSITY, QUICK DISCONNECT (BAYONET), THREAD, AND BREECH COUP, ENVIRONMENT RESISTANT, REMOVABLE CRIMP & HERMETIC SOLDER CONTACTS, RECEPTACLE, WELD MOUNT, HERMETIC, TRIPLE START THREAD COUP, HERMETIC SOLDER CONTACTS SER REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-JUN-84	CR	AS	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Asst Chf / Chf Coordination Inches Document Number	Document Title	Dist Smt FSC / Ave MCS Symbol Preparing Date	Preparing Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-C-38999/28E	CONNECTORS, ELECTRICAL, CIRCULAR, MUT, HEXAGON, CONNECTOR MOUNTING, SERIES 111 AND IV, METRIC REVIEWER: 11 15 99 AR EC ES MC MI SH	A 5935	85	28-JUN-90	CR	AS	85
DOD-C-38999/29A	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT, ETC. PINS, SERIES 111, METRIC REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-AUG-85	CR	AS	85
DOD-C-38999/30A NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, LANYARD RELEASE, FAIL-SAFE, TRIPLE START THREADED COUPLING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES 111, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/31A	CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, LANYARD RELEASE, FAIL-SAFE, REMOVABLE CRIMP CONTACTS, PINS, SERIES 111, SHELL SIZE 25, METRIC FOR MIL-STD-1760 APPLICATIONS USER: 80 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	13-NOV-87	CR	AS	85
MIL-C-38999/31B	CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, LANYARD RELEASE, FAIL-SAFE, REMOVABLE CRIMP CONTACTS, PINS, SERIES 111, SHELL SIZE 25, METRIC USER: 80 REVIEWER: 11 15 99 EC ES MC MI OS	A 5935	85	10-JUN-92	CR	AS	85
MIL-C-38999/32B	CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, PLUG (MIL-C-38999 SERIES 111), METRIC REVIEWER: 11 15 17 99 EC ES MC MI OS	A 5935	85	07-MAY-90	CR	AS	85
MIL-C-38999/33B	CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, RECEPTACLE, (MIL-C-38999 SERIES 111), METRIC REVIEWER: 11 15 17 99 EC ES MC MI OS	A 5935	85	07-MAY-90	CR	AS	85
L MIL-C-38999/34	CONNECTOR, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY, JAMNUT MOUNTING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES 111, SHELL SIZE 25, METRIC REVIEWER: 11 15 99	A 5935	85	21-APR-89			85
L MIL-C-38999/35	CONNECTOR, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY, WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES 111, SHELL SIZE 25, METRIC REVIEWER: 11 15 99	A 5935	85	21-APR-89			85
DOD-C-38999/40(3) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, WALL MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/41 NOTICE 2	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/42(1) NOTICE 2	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, BOX MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/43 NOTICE 2	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM NUT MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/44A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, JAM NUT MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	15-AUG-86	CR	AS	85
DOD-C-38999/45 NOTICE 2	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, SOLDER MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/46(2) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, BREECH COUPLING, EMI GROUNDING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/47 NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/48(2) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE WELD MOUNTING HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/49(1) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, RECEPTACLE, IN LINE CABLE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
DOD-C-38999/50A NOTICE 1	CONNECTORS, ELECTRICAL, RECEPTACLE, DUMMY STOWAGE, BREECH COUPLING (MIL-C-38999, SERIES IV) METRIC (VALIDATION DATE: 9110) REVIEWER: 11 15 17 99 EC ES MC MI OS	A 5935	AS	16-OCT-91	CR	AS	85
MIL-F-39000A	FLANGES, WAVEGUIDE, RIDGE GENERAL SPECIFICATION FOR (VALIDATION DATE: 8404) USER: 19 AR AS AV MC OS REVIEWER: 11 ES SH	A 5985	EC	21-OCT-77	ER	EC	85
MIL-F-39000/1B	FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) (VALIDATION DATE: 8404) USER: 14 19 AR AS AV CG MC REVIEWER: 11 99 ES OS	A 5985	EC	21-OCT-77	ER	EC	85
MIL-F-39000/2B	FLANGES, WAVEGUIDE, SINGLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) (VALIDATION DATE: 8404) USER: 14 19 AR AS AV CG MC OS REVIEWER: 11 99 ES	A 5985	EC	21-OCT-77	ER	EC	85
MIL-F-39000/3B(1)	FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 2.4 TO 1) USER: 19 AR AS AV CG MC OS REVIEWER: 11 99 ES	A 5985	EC	18-JUL-80	ER	EC	85
MIL-F-39000/4B	FLANGES, WAVEGUIDE, DOUBLE RIDGE, SOCKET MOUNT (BANDWIDTH RATIO 3.6 TO 1) (VALIDATION DATE: 8404)	A 5985	EC	21-OCT-77	ER	EC	85
Q MIL-C-39001B	CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 REVIEWER: 17 99 ES	A 5910	ER	02-APR-92	ER	EC	11
MIL-C-39001/5B(3) NOTICE 1	CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY STYLES CMR03, CMR05, CMR06, CMR07 AND CMR08 (VALIDATION DATE: 9110) USER: MC REVIEWER: 17 19 AV ES MI	A 5910	ER	23-OCT-91	ER	EC	85
MIL-C-39001/6(3)	CAPACITORS, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CMR16 USER: 19 MC REVIEWER: 99 ES	A 5910	ER	30-APR-91	ER	EC	85
Q MIL-R-39002(4) SUPPL 1A1, NOTICE 1	RESISTORS, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8906) USER: 19 AT CG MC ME REVIEWER: AR AS AV ES MI OS	A 5905	ER	16-JUN-89	ER	EC	85
MIL-R-39002/1D(1) NOTICE 1	RESISTOR, VARIABLE, WIRE-WOUND, SEMI-PRECISION, STYLE RK09 (VALIDATION DATE: 9111) USER: 19 AT AV CG MC ME REVIEWER: 17 99 MI	A 5905	ER	11-NOV-91	ER	EC	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Org./Dept. Contribution Initiative	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Proprietary Acy.	Date	Custodians			
						Army	Navy	Air Force	DIA
A L	MIL-R-39002/3 NOTICE 2	RESISTOR, VARIABLE, WIRE-WOUND SEMI-PRECISION, STYLE RK11 (VALIDATION DATE: 9208) USER: AR REVIEWER: ES	A 5905	ER	27-AUG-92	ER			
MQ	MIL-C-39003M(1) SUPPL 1A1	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS MC REVIEWER: 17 99 ES OS SH	A 5910	EC	07-MAY-93	ER	EC	85	
	MIL-C-39003/16	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR13 USER: 19 AS MC REVIEWER: 17 99 ES OS SH	A 5910	EC	31-JAN-92	ER	EC	85	
M I	MIL-C-39003/2E	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR09 USER: 19 AS MC OS REVIEWER: 17 85 99 ES SH	A 5910	EC	10-JUN-93	ER	EC	11	
M I	MIL-C-39003/3D(2)	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR23 USER: 19 AS MC REVIEWER: 17 99 ES OS SH	A 5910	EC	10-JUN-93	ER	EC	85	
	MIL-C-39003/4C(3)	CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR91 USER: 11 19 AS MC OS REVIEWER: 17 99 ES SH	A 5910	85	03-APR-87	ER	EC	85	
M I	MIL-C-39003/68(3)	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLE CSR33 USER: 19 AS MC REVIEWER: 17 99 ES OS SH	A 5910	EC	10-JUN-93	ER	EC	85	
M I	MIL-C-39003/9C(2)	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), HIGH FREQUENCY, ESTABLISHED RELIABILITY, STYLE CSR21 USER: 19 AS MC REVIEWER: 17 99 ES OS SH	A 5910	EC	10-JUN-93	ER	EC	85	
	MIL-C-39003/10(4)	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), ESTABLISHED RELIABILITY, STYLES CSS13 AND CSS33 (HIGH RELIABILITY APPLICATIONS) USER: AS MC OS REVIEWER: 11 17 85 99 ES SH	A 5910	19	08-AUG-89	ER	EC	19	
	MIL-C-39004 NOTICE 1	COUPLING ASSEMBLIES, QUICK-DISCONNECT, GENERAL PURPOSE, FOR SUBMINIATURE WAVEGUIDE FLANGES, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8710) USER: AS MC REVIEWER: 11 17 99 ES MI	A 5985	85	27-OCT-87	ER	EC	85	
	MIL-C-39004/1	COUPLING ASSEMBLIES, QUICK-DISCONNECT, GENERAL PURPOSE, FOR SUBMINIATURE WAVEGUIDE FLANGES (VALIDATION DATE: 8104) REVIEWER: 99 AV ES	A 5985	85	01-MAY-64	ER	EC	85	
	MIL-C-39004/2	COUPLING ASSEMBLY, QUICK DISCONNECT, FOR SUBMILLIMETER WAVEGUIDE FLANGES (VALIDATION DATE: 8204) USER: AS MC ME REVIEWER: 11 99 AR ES MI OS	A 5985	85	17-DEC-75	ER	EC	85	
Q	MIL-R-39005D(1) SUPPL 1A1	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	31-MAR-92	ER	EC	85	
	MIL-R-39005/1D	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH52 USER: 19 AT MC ME REVIEWER: 17 AR AS AV ES MI OS	A 5905	ER	06-NOV-89	ER	EC	85	
	MIL-R-39005/2D	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH53 USER: 19 AT MC ME REVIEWER: 17 AR AS AV ES MI OS	A 5905	ER	06-NOV-89	ER	EC	85	
	MIL-R-39005/3D	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH54 USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	06-NOV-89	ER	EC	85	
	MIL-R-39005/4E	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH55 USER: 19 AS AT AV MC ME REVIEWER: 17 AR ES MI	A 5905	ER	06-NOV-89	ER	EC	85	
	MIL-R-39005/5F	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH56 USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	06-NOV-89	ER	EC	85	
	MIL-R-39005/6D NOTICE 1	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH71 (VALIDATION DATE: 9111) USER: 19 AT MC ME REVIEWER: 17 AV MI	A 5905	ER	11-NOV-91	ER	EC	85	
	MIL-R-39005/7B	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH57 USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS	A 5905	ER	06-NOV-89	ER	EC	85	
L	MIL-R-39005/8A	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH74 USER: 19 REVIEWER: 17 ES	A 5905	85	27-DEC-89			85	
	MIL-R-39005/9A	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH75 USER: 19 AT AV MC ME REVIEWER: 17 AR AS MI	A 5905	ER	06-NOV-89	ER	EC	85	
L	MIL-R-39005/10A	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), ESTABLISHED RELIABILITY STYLE RBH76 USER: 19 REVIEWER: 17 ES	A 5905	85	27-DEC-89			85	
L	MIL-R-39005/11A	RESISTOR, FIXED, WIREWOUND (ACCURATE) ESTABLISHED RELIABILITY STYLES RBH80 AND RBH81 (VALIDATION DATE: 8204)	A 5905	85	13-JAN-76			85	
AQ	MIL-C-39006D SUPPL 1A1	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS MC OS REVIEWER: 17 99 AR ES SH	A 5910	EC	23-DEC-92	ER	EC	85	
	MIL-C-39006/1C(8)	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), ESTABLISHED RELIABILITY, STYLE CLR25 USER: 19 AS MC OS REVIEWER: 17 99 AR ES	A 5910	85	10-MAY-85	ER	EC	85	
	MIL-C-39006/2C(5)	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C) STYLE CLR27 USER: 19 AS MC OS REVIEWER: 17 99 AR ES	A 5910	85	03-SEP-82	ER	EC	85	
A	MIL-C-39006/3D	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR35 USER: 19 AS MC OS REVIEWER: 17 99 AR ES SH	A 5910	EC	23-DEC-92	ER	EC	85	
A	MIL-C-39006/4D	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, PLAIN FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR37 USER: 19 AS MC OS REVIEWER: 17 99 AR ES	A 5910	EC	23-DEC-92	ER	EC	85	
	MIL-C-39006/9D(2) NOTICE 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 85 DEG C) (VOLT DERATED TO 125 DEG C) EST REL STYLE CLR 65 (INACT NEW DESIGN 6/23/81 USE MIL C 39006/22)	A 5910	85	07-MAR-85	ER	EC	85	
	MIL-C-39006/16A(7)	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, HIGH ETCHED FOIL), 85 DEGREES C (VOLTAGE DERATED TO 125 DEGREES C), ESTABLISHED RELIABILITY, STYLE CLR71 USER: 19 AS OS REVIEWER: 11 17 99 AR ES	A 5910	85	10-MAY-85	ER	EC	85	
	MIL-C-39006/17A(5)	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (NONPOLARIZED, HIGH ETCHED FOIL), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR73 USER: 19 AS MC OS REVIEWER: 17 99 AR ES	A 5910	85	03-SEP-82	ER	EC	85	
I	MIL-C-39006/18(2) NOTICE 2	CAPACITORS, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR10 USER: 19 AS MC OS REVIEWER: 17 85 ES	A 5910	EC	11-JUN-82	ER	EC	11	
	MIL-C-39006/19(2) NOTICE 2	CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 85 DEG C) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 14 (INAC FOR NEW DESIGN 23 JUN 81 USE MIL C 39006/22)	A 5910	85	11-JUN-82	ER	EC	85	
	MIL-C-39006/20(3) NOTICE 2	(VALIDATION DATE: 8304) USER: 19 AS MC OS REVIEWER: 17 ES	A 5910	85	27-MAY-76	ER	EC	85	
	MIL-C-39006/21(5) NOTICE 2	CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE) TANTALUM (POLARIZED SINTERED SLUG 83 DEG C) (VOLTAGE DERATED TO 125 DEG C) ESTB RELIABILITY STYLE CLR 17 (INAC FOR NEW DESIGN 23 JUN 81 USE MIL C 39006/22) USER: 19 AS MC OS REVIEWER: 17 99 AR ES MI SH	A 5910	85	07-MAR-85	ER	EC	85	
A	MIL-C-39006/22E	CAPACITOR, FIXED ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR79 USER: 19 AS MC OS REVIEWER: 17 99 AR ES	A 5910	85	05-FEB-93	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc / OMA	Coordination	Increase	Document Number	Document Title	Dist. Smt.	FSC / Area	MCA Symbol	Preparing Act.	Date	Custodians			
											Army	Navy	Air Force	DLA
A	MIL-C-39006/25A				CAPACITORS, FIXED, ELECTROLYTIC (MONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLRBI USER: 19 AS MC OS REVIEWER: 17 99 AR ES	A 5910	EC	23-DEC-92	ER	EC	85			
A L	MIL-C-39006/28				CAPACITORS, FIXED, ELECTROLYTIC (MONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), HIGH RELIABILITY, STYLE CLS79 REVIEWER: 85 EC ER ES	A 5910	19	25-SEP-92			19			
A L	MIL-C-39006/29				CAPACITORS, FIXED, ELECTROLYTIC (MONSOLID ELECTROLYTE), TANTALUM (POLARIZED, SINTERED SLUG) (EXTENDED RANGE), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), HIGH RELIABILITY, STYLE CLS81 REVIEWER: 85 EC ER ES	A 5910	19	25-SEP-92			19			
AQ	MIL-R-39007G(1)				SUPPL 1A1									
I	MIL-R-39007/5G(1)				RESISTORS, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 CG MC REVIEWER: 17 80 85 AR AS ES MI OS	A 5905	ER	23-MAR-93	ER	EC	85			
I	MIL-R-39007/6F(1)				RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY, STYLE RMR71 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85			
	MIL-R-39007/7F(1)				RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RMR74 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85			
	MIL-R-39007/8J(1)				RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RMR78 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85			
	MIL-R-39007/9G(1)				RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RMR80 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85			
	MIL-R-39007/10F(1)				RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RMR81 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85			
	MIL-R-39007/11G(1)				RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RMR84 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85			
	MIL-R-39007/12D(1)				RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), ESTABLISHED RELIABILITY STYLE RMR89 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85			
MQ	MIL-R-39008C(1)				SUPPL 1A1									
	MIL-R-39008/1F				RESISTORS, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 99 AR AS MI OS	A 5905	ER	05-MAY-93	ER	EC	85			
	MIL-R-39008/2F(1)				RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR07 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	23-AUG-89	ER	EC	85			
	MIL-R-39008/3D				RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR20 USER: 19 80 AT AV MC ME REVIEWER: 11 AR AS ES MI OS	A 5905	ER	02-APR-91	ER	EC	85			
	MIL-R-39008/4F				RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR32 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	23-AUG-89	ER	EC	85			
	MIL-R-39008/5B				RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY STYLE RCR05 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	23-AUG-89	ER	EC	85			
Q	MIL-R-39009C				SUPPL 1A1									
	MIL-R-39009/1B				NOTICE 1									
	MIL-R-39009/2A				NOTICE 1									
Q	MIL-C-39010C(2)				SUPPL 1A1									
	MIL-C-39010/1C				NOTICE 1									
	MIL-C-39010/2C				NOTICE 1									
	MIL-C-39010/3C(1)													
	MIL-C-39010/4C				NOTICE 1									
	MIL-C-39010/5C				NOTICE 1									
	MIL-C-39010/6C				NOTICE 1									
	MIL-C-39010/7C				NOTICE 1									
	MIL-C-39010/8A				NOTICE 1									
	MIL-C-39010/9A				NOTICE 1									
	MIL-C-39010/10A				NOTICE 1									
Q	MIL-C-39012C(5)				SUPPL 1A1, NOTICE 1									
	MIL-C-39012/1F(1)													
	MIL-C-39012/2F(1)													
	MIL-C-39012/3F(1)													
	MIL-C-39012/4C(2)				NOTICE 1									
	MIL-C-39012/5F(1)													
	MIL-C-39012/6D													
	MIL-C-39012/7D(1)													



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Admin Cntr / OMA Classification Inclusive	Document Number	Document Title	Dist. Smt. FSC Area	MCA Symbol Preparing Assy.	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-C-39012/80(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/9C	CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES C (CABLED RECEPTACLE, FEMALE, JAM NUT, FRONT MOUNTED, CLASS 2) USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5935	CR	03-OCT-86	CR	EC	BS	
	MIL-C-39012/100(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED), MALE, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	05-JUN-89	CR	EC	BS	
	MIL-C-39012/110	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLE) FEMALE, JAM NUT, REAR MOUNTED, PRESSURIZED, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	14-DEC-87	CR	EC	BS	
	MIL-C-39012/128(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, FLANGE MOUNTED, REAR MOUNTED, CLASS 2) (VALIDATION DATE: 8808) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	31-AUG-88	CR	EC	BS	
	MIL-C-39012/138 NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, PRESSURIZED, CLASS 2) (VALIDATION DATE: 8808) USER: 19 AS AT AV MC ME SH REVIEWER: 11 17 99 AR ES MI OS	A 5935	CR	31-AUG-88	CR	EC	BS	
	MIL-C-39012/148(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES C (UNCABLED-RECEPTACLE, FEMALE, JAM NUT MOUNTED, HERMETIC SEAL, CLASS 2) (VALIDATION DATE: 8808) USER: 19 AM AS AT MC ME REVIEWER: 11 17 99 ES MI OS	A 5935	CR	31-AUG-88	CR	EC	BS	
	MIL-C-39012/150	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES C, (CABLED) MALE, CLASS 2 ) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	03-OCT-86	CR	EC	BS	
	MIL-C-39012/16f(2)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BMC (CABLED), PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	12-OCT-89	CR	EC	BS	
	MIL-C-39012/17f	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BMC, (CABLED), SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	14-DEC-87	CR	EC	BS	
	MIL-C-39012/18f(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BMC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/19f(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BMC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/20f(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BMC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/21A NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY (SERIES BMC (UNCABLED) - RECEPTACLES, FEMALE, JAM NUT MOUNTED, CLASS 1) (VALIDATION DATE: 9107) USER: 19 AS AT OS REVIEWER: 11 17 99 AR ES MI	A 5935	CR	25-JUL-91	CR	EC	BS	
	MIL-C-39012/22C(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, (SERIES BMC (UNCABLED) - RECEPTACLES, FEMALE, FLANGE MOUNTED, CLASS 1) (VALIDATION DATE: 9107) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	25-JUL-91	CR	EC	BS	
	MIL-C-39012/23A NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY (SERIES BMC (UNCABLED) - RECEPTACLES, FEMALE, RIGHT ANGLE, CLASS 1) (VALIDATION DATE: 9107) USER: 19 AS AT OS REVIEWER: 11 17 99 AR ES MI	A 5935	CR	25-JUL-91	CR	EC	BS	
	MIL-C-39012/24C	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES BMC (UNCABLED) - FEMALE, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 AR ES MI	A 5935	CR	07-FEB-85	CR	EC	BS	
	MIL-C-39012/25E	CONNECTORS, COAXIAL, RADIOFREQUENCY (HARDWARE FOR RADIOFREQUENCY COAXIAL CONNECTORS) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 AR EA ES MI SH	A 5935	CR	23-JUL-91	CR	EC	BS	
	MIL-C-39012/26f(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/27f(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/28f(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED), SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/29f(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 99 EA ES MI	A 5935	CR	12-JAN-90	CR	EC	BS	
	MIL-C-39012/30f(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES TNC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	17-OCT-88	CR	EC	BS	
	MIL-C-39012/31B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, JAM NUT MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	22-DEC-83	CR	EC	BS	
	MIL-C-39012/32A(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED-RECEPTACLE, SOCKET, FLANGE MOUNTED, CLASS 2) (VALIDATION DATE: 8808) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	31-AUG-88	CR	EC	BS	
	MIL-C-39012/33A(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, RIGHT ANGLE, CLASS 2) (VALIDATION DATE: 9107) USER: 19 AS AT AV MC ME OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	25-JUL-91	CR	EC	BS	
	MIL-C-39012/34A(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY SERIES TNC (UNCABLED - RECEPTACLE, SOCKET, HERMETIC SEALED, JAM NUT MOUNTED, CLASS 2) (VALIDATION DATE: 9107) USER: 19 AS AT AV MC ME OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	25-JUL-91	CR	EC	BS	
	MIL-C-39012/35f(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	02-MAR-89	CR	EC	BS	
	MIL-C-39012/36f(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC, (CABLED), SOCKET CONTACT, CLASS 2) USER: AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	02-MAR-89	CR	EC	BS	
	MIL-C-39012/38f(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, FLANGE MOUNTED, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI	A 5935	CR	02-MAR-89	CR	EC	BS	
	MIL-C-39012/39f	CONNECTOR, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	14-DEC-87	CR	EC	BS	
	MIL-C-39012/40f(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SC (CABLED), SOCKET CONTACT, JAM NUT, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	02-MAR-89	CR	EC	BS	
	MIL-C-39012/41A(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED-RECEPTACLE, FEMALE, FLANGE, REAR MOUNTED, CLASS 2) (VALIDATION DATE: 8808) USER: 19 AM AS AT AV MC ME OS REVIEWER: 17 99 ES MI	A 5935	CR	31-AUG-88	CR	EC	BS	
	MIL-C-39012/42A(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES SC (UNCABLED - RECEPTACLE, FEMALE, JAM NUT MOUNTED, FRONT MOUNTED, CLASS 2) (VALIDATION DATE: 9107) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR	25-JUL-91	CR	EC	BS	
	MIL-C-39012/55f	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - PLUG, PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR	27-JAN-92	CR	EC	BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Initiative	Document Number	Document Title	Dist. Sym. FSC / Area MCA Symbol Preparing Act	Date	Custodians			
					Army	Navy	Air Force	DLA
	MIL-C-39012/56E	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - PLUG, PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR 27-JAN-92	CR	EC	85	
	MIL-C-39012/57F	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR 27-JAN-92	CR	EC	85	
	MIL-C-39012/58F	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR 27-JAN-92	CR	EC	85	
	MIL-C-39012/59F	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (SERIES SMA (CABLED) - SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR 27-JAN-92	CR	EC	85	
	MIL-C-39012/60A(2)	CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH	A 5935	CR 24-SEP-86	CR	EC	85	
	MIL-C-39012/61A(2)	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH	A 5935	CR 24-SEP-86	CR	EC	85	
	MIL-C-39012/62A(2)	CONNECTOR, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AS AT ME OS REVIEWER: 11 17 99 AR ES MI	A 5935	CR 24-SEP-86	CR	EC	85	
	MIL-C-39012/63B	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, PIN CONTACT, CLASS 2) INACTIVE FOR NEW DESIGN AFTER 3 OCT 1986 USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/64C	CONNECTOR, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES OSC (CABLED, SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/65B	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QMC (CABLED, PIN CONTACT, CLASS 2) INACTIVE FOR NEW DESIGN AFTER 3 OCT 1986 USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/66B	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QMC (CABLED, SOCKET CONTACT, CLASS 2) INACTIVE FOR NEW DESIGN AFTER 3 OCT 86 USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/67B(1)	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/68B(1)	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 99 EA ES MI SH	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/69B(1)	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/70B(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (CABLED, PIN CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/71A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED RECEPTACLE, MALE, JAMNUT MOUNTED, CLASS 2) [VALIDATION DATE: B204] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 ES MI OS	A 5935	CR 22-JUN-71	CR	EC	85	
	MIL-C-39012/73B(1)	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (CABLED, SOCKET CONTACT, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/74B(1)	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (CABLED, PIN CONTACT, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/75B(1)	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (CABLED, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/76B(1)	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (CABLED, PIN CONTACT, JAMNUT MOUNTED, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS SH REVIEWER: 11 17 99 EA ES MI	A 5935	CR 17-OCT-88	CR	EC	85	
	MIL-C-39012/77A	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC (UNCABLED, MALE, JAMNUT MOUNTED, CLASS 2) USER: 19 AS AT MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5935	CR 24-SEP-86	CR	EC	85	
	MIL-C-39012/79F	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN, CLASS 2, SEMIRIGID CABLE) USER: 19 AM AS AT MC OS REVIEWER: 11 17 99 MI SH	A 5935	CR 24-JAN-92	CR	EC	85	
	MIL-C-0039012/79B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLE PLUG, PIN, CLASS 2 SEMIRIGID CABLE) USER: 19 REVIEWER: 17 80 ES	A 5935	BS 11-MAY-83			85	
A	MIL-C-39012/80E(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, PIN RIGHT ANGLE, CLASS 2, SEMIRIGID CABLE) USER: 19 AM AS AT MC OS REVIEWER: 11 17 99 ES MI SH	A 5935	CR 21-JUL-92	CR	EC	85	
	MIL-C-39012/81F	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, SOCKET, CLASS 2, SEMIRIGID CABLE) USER: AM AS AT MC ME OS REVIEWER: 11 17 19 MI SH	A 5935	CR 27-JAN-92	CR	EC	85	
	MIL-C-39012/82F	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, SOCKET, FLANGE MOUNTED, CLASS 2, SEMIRIGID CABLE) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 MI SH	A 5935	CR 24-JAN-92	CR	EC	85	
	MIL-C-39012/83F	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, SOCKET, JAM NUT MOUNTED, CLASS 2, SEMIRIGID CABLE) USER: AM AS AT MC OS REVIEWER: 11 17 99 MI SH	A 5935	CR 24-JAN-92	CR	EC	85	
L	MIL-C-0039012/83B	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED RECEPTACLE, SOCKET, JAM NUT MOUNTED, CLASS 2, SEMIRIGID CABLE) USER: 19 REVIEWER: 17 80 ES	A 5935	BS 11-MAY-83			85	
	MIL-C-39012/84B	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/85B	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, SOCKET CONTACT, JAM NUT MOUNTED, REAR MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/86B	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QSC (CABLED, SOCKET CONTACT, JAM NUT, FRONT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/87 NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES QSC (UNCABLED - RECEPTACLE, SOCKET SEALED, JAM NUT, FRONT AND REAR MOUNTED, CLASS 2) [VALIDATION DATE: B808] USER: AT AV REVIEWER: 99 AR ES MI	A 5935	CR 16-AUG-88	CR	EC	85	
	MIL-C-39012/88B	CONNECTORS, PLUGS, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QMC (CABLED, PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/89B	CONNECTORS, RECEPTACLES, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES QMC (CABLED, SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR 03-OCT-86	CR	EC	85	
	MIL-C-39012/90(1) NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES QMC (UNCABLED - RECEPTACLE, SOCKET CONTACT, JAM NUT, FRONT AND REAR MOUNTED, CLASS 2) [VALIDATION DATE: B808] USER: 19 AM AS AT AV MC ME OS REVIEWER: 11 17 99 ES MI SH	A 5935	CR 16-AUG-88				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Spec / OMA Classification Inches	Document Number	Document Title	Date Recd FSC / Aves	MCA Symbol	Preparing Act	Date	Custodians			
							Army	Navy	Air Force	DIA
A	MIL-C-39012/92C(1)	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (CABLED, CLASS 2, WITHOUT CONTACT, .141 SEMIRIGID CABLE) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH	A 5935	CR	07-APR-93	CR	EC	85		
	MIL-C-39012/93A	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 AV ES MI	A 5935	CR	24-SEP-86	CR	EC	85		
	MIL-C-39012/94A	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMA (UNCABLED, FEMALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI SH	A 5935	CR	24-SEP-86	CR	EC	85		
	MIL-C-39012/95A	CONNECTOR, COAXIAL, RADIO FREQUENCY, SERIES SMB (RECEPTACLE, MALE, PRINTED CIRCUIT, CLASS 2) USER: 19 AM AT MC ME REVIEWER: 11 17 99 ES MI	A 5935	CR	24-SEP-86	CR	EC	85		
	MIL-C-39012/96A	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMB (UNCABLED, MALE, PRINTED CIRCUIT, RIGHT ANGLE, CLASS 2) USER: 19 AR AT AV MC ME REVIEWER: 11 17 99 ES MI	A 5935	CR	24-SEP-86	CR	EC	85		
	MIL-C-39012/100A	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES MMW (CABLED) PLUG, PIN CONTACT, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	14-DEC-87	CR	EC	85		
	MIL-C-39012/103(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES MMW (UNCABLED) RECEPTACLES, FEMALE, FLANGE MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	17-SEP-82	CR	EC	85		
	MIL-C-39012/105(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHW (CABLED) - PLUG, SOCKET CONTACT, CLASS 2) USER: 19 20 AR AS AT MC ME REVIEWER: 11 17 99 ES MI	A 5935	CR	22-MAY-87	ER		85		
	MIL-C-39012/106(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHW (CABLED) PLUG, SOCKET CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	22-MAY-87	CR	EC	85		
	MIL-C-39012/107(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHW (CABLED) - RECEPTACLES, PIN CONTACT, CLASS 2) USER: AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	22-MAY-87	CR	EC	85		
	MIL-C-39012/108(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHW (CABLED) RECEPTACLES, PIN CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	22-MAY-87	CR	EC	85		
	MIL-C-39012/109(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHW (UNCABLED) - RECEPTACLES, PIN CONTACT, FLANGE MOUNTED, CLASS 2) USER: 19 AR AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	22-MAY-87	CR	EC	85		
	MIL-C-39012/110(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHW (UNCABLED) RECEPTACLES, PIN CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	22-MAY-87	CR	EC	85		
	MIL-C-39012/111(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY, HIGH VOLTAGE (SERIES SHW (CABLED) - RECEPTACLES, PIN CONTACT, JAM NUT MOUNTED, CLASS 2) USER: 19 AM AS AT MC ME OS REVIEWER: 11 17 99 ES MI	A 5935	CR	22-MAY-87	CR	EC	85		
	MIL-C-39012/112A	CONNECTOR, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - PLUG, PIN CONTACT, CLASS 2) FOR SEMI-RIGID CABLE USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES	A 5935	CR	03-OCT-86	CR	EC	85		
	MIL-C-39012/113A	CONNECTOR, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED)-PLUG, SOCKET CONTACT, CLASS 2) FOR SEMI-RIGID CABLE USER: AS MC ME OS REVIEWER: 11 17 99 ES	A 5935	CR	03-OCT-86	CR	EC	85		
	MIL-C-39012/114A	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - PIN CONTACT, RIGHT ANGLE, CLASS 2) FOR SEMI-RIGID CABLE USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES	A 5935	CR	03-OCT-86	CR	EC	85		
	MIL-C-39012/115A	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - SOCKET CONTACT, JAM NUT MOUNTED, CLASS 2) FOR SEMI-RIGID CABLE USER: 11 19 AS AT MC ME OS REVIEWER: 17 99 ES	A 5935	CR	03-OCT-86	CR	EC	85		
	MIL-C-39012/116A	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES TNC (CABLED) - SOCKET CONTACT, FLANGE MOUNTED, CLASS 2) FOR SEMI-RIGID CABLE USER: 19 AS AT MC ME OS REVIEWER: 11 17 99 ES	A 5935	CR	03-OCT-86	CR	EC	85		
L	MIL-C-39012/117(1)	CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUGS & JACKS, SEMIRIGID CABLE, MALE, CLASS 2) (FOR USE WITH MIL-C-28830/3)	A 5935	EC	13-JAN-83		EC			
	MIL-C-39012/118A	CONNECTOR PLUG, ELEC, COAXIAL, RADIO FREQUENCY, SER. N (SOCKET CONTACT, SEMIRIGID, CABLE, CLASS 2) USE WITH MIL-C-28830/3) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 SH	A 5935	EC	09-DEC-86	CR	EC	85		
L	MIL-C-39012/119A	CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUGS AND JACKS, SEMIRIGID CABLE, MALE, CLASS 2) (FOR USE WITH MIL-C-28830/4) USER: AM AS AT MC OS REVIEWER: 11 15 99 MI SH	A 5935	EC	09-DEC-86	CR	EC	85		
L	MIL-C-39012/120A	CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES N (PLUG & JACKS, SEMIRIGID CABLE, FEMALE, CLASS 2) (FOR USE WITH MIL-C-28830/4) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH	A 5935	EC	09-DEC-86	CR	EC	85		
L	MIL-C-39012/121A	CONNECTOR, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES N (SOCKET CONTACT, SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/5) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH	A 5935	EC	09-DEC-86	CR	EC	85		
	MIL-C-39012/122A	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES E1A FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/3) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 SH	A 5935	EC	09-DEC-86	CR	EC	85		
L	MIL-C-39012/123A	CONNECTOR, COAXIAL, RADIO FREQUENCY SERIES E1A FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/4) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH	A 5935	EC	09-DEC-86	CR	EC	85		
L	MIL-C-39012/124A	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES E1A FLANGE (SEMIRIGID CABLE, CLASS 2) (FOR USE WITH MIL-C-28830/5) USER: 90 AM AS AT MC OS REVIEWER: 11 15 99 MI SH	A 5935	EC	09-DEC-86	CR	EC	85		
	MIL-C-39012/128B	CONNECTORS, RECEPTACLE, ELECTRICAL COAXIAL, RADIO FREQUENCY (SERIES BNC, SOLDER POCKET, SOCKET CONTACT JAM NUT MOUNTED, ISOLATED, CLASS 2) USER: 19 AR AS AT MC OS REVIEWER: 11 99 MI SH	A 5935	CR	19-SEP-89	CR	EC	85		
	MIL-C-39012/129	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - PIN CONTACT, CLASS 2) FOR SEMIRIGID CABLE USER: 19 AT AV MC OS REVIEWER: 11 17 80 99 AS EA ES MI SH	A 5935	CR	10-JUL-85	CR	EC	85		
	MIL-C-39012/130	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - RIGHT ANGLE, PIN CONTACT, CLASS 2) FOR SEMIRIGID CABLE USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR	10-JUL-85	CR	EC	85		
	MIL-C-39012/131	CONNECTORS, PLUG, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLES) - SOCKET CONTACT, CLASS 2) FOR SEMIRIGID CABLE USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR	10-JUL-85	CR	EC	85		
	MIL-C-39012/132	CONNECTORS, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY (SERIES N (CABLED) - JAM NUT MOUNTED, SOCKET CONTACT, CLASS 2) FOR SEMIRIGID CABLE USER: 19 AS AT AV MC OS REVIEWER: 11 17 80 99 EA ES MI SH	A 5935	CR	10-JUL-85	CR	EC	85		
	MIL-C-39012/133	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85		
	MIL-C-39012/134	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SMC, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85		
	MIL-C-39012/135	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, RIGHT ANGLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cncl / Cncl Coordination Inches	Document Number	Document Title	Dist. Smt. FSC / Jans MCA Symbol	Preparing Date	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-C-39012/136	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR SEMIRIGID CABLE, CLASS 2 USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85	
	MIL-C-39012/137	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, RIGHT ANGLE, PIN CONTACT, FOR SEMIRIGID CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85	
	MIL-C-39012/138	CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES SSMA, SOCKET CONTACT, FOR SEMIRIGID CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85	
	MIL-C-39012/139	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, FOR FLEXIBLE CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85	
	MIL-C-39012/140	CONNECTOR, PLUG, ELECTRICAL, SERIES SSMA, PIN CONTACT, RIGHT ANGLE, FOR FLEXIBLE CABLE USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	27-JUN-89	CR	EC	85	
	MIL-C-39012/141	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, SERIES SSMB, PRINTED CIRCUIT BOARD MOUNT, STRAIGHT USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	02-MAR-89	CR	EC	85	
MQ	MIL-C-39014E(3) SUPPL 1A1	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC REVIEWER: 99 AR ES MI	A 5910	ER	21-APR-93	ER	EC	85	
A	MIL-C-39014/1F	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CK005, NATO TYPE DESIGNATION MCC61 USER: 19 AT AV MC REVIEWER: 99 AR ES MI TO	A 5910	ER	13-JAN-93	ER	EC	85	
A	MIL-C-39014/2J	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CK006, NATO TYPE DESIGNATION MCC62 USER: 19 AT MC REVIEWER: 99 AR AV ES MI TO	A 5910	ER	13-JAN-93	ER	EC	85	
I	MIL-C-39014/3D(1) NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CK007 USER: 19 AT AV MC REVIEWER: 11 17 99 AR ES MI TO	A 5910	ER	05-JUN-89	ER	EC	85	
	MIL-C-39014/5E(4)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR11, CKR12, CKR14, CKR15 AND CKR16 USER: 19 AT MC REVIEWER: 17 AR AV ES MI	A 5910	ER	10-APR-89	ER	EC	85	
I	MIL-C-39014/6B(1) NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR13 (INVALIDATION DATE: 9110) USER: 19 AT AV MC REVIEWER: 17 99 AR ES MI	A 5910	ER	23-OCT-91	ER	EC	85	
I	MIL-C-39014/13B(1) NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR20, CKR17, AND CKR18 (INVALIDATION DATE: 9110) USER: 19 AT AV MC REVIEWER: 17 99 AR ES MI	A 5910	ER	23-OCT-91	ER	EC	85	
	MIL-C-39014/16A	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR75 (FEEDTHROUGH) USER: AS MC SH REVIEWER: ES OS TO	A 5910	85	14-SEP-84	ER	EC	85	MA
	MIL-C-39014/17A	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR82 (STANDOFF) USER: AS MC SH REVIEWER: ES OS	A 5910	85	14-SEP-84	ER	EC	85	MA
	MIL-C-39014/18A	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR76 (FEEDTHROUGH) USER: AS MC SH REVIEWER: ES MI OS	A 5910	85	14-SEP-84	ER	EC	85	MA
	MIL-C-39014/19A	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR83 (STANDOFF) USER: AS MC SH REVIEWER: AR ES OS TO	A 5910	85	14-SEP-84	ER	EC	85	MA
	MIL-C-39014/20C(1)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR08 REVIEWER: ES	A 5910	EC	08-SEP-89		EC	85	
L	MIL-C-39014/21(2)	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLES CKR31 AND CKR32 REVIEWER: 17 99 ES	A 5910	85	09-MAY-89			85	
M	MIL-C-39014/22C	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, STYLE CKR22, CKR23, AND CKR24 USER: 19 AT AV MC REVIEWER: 17 99 AR ES MI	A 5910	ER	06-MAY-93	ER	EC	85	
	MIL-C-39014/23(2) NOTICE 1	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY STYLE CKR04 (INVALIDATION DATE: 9110) USER: 19 AT AV MC REVIEWER: 11 17 99 AR ES MI	A 5910	ER	23-OCT-91	ER	EC	85	
	MIL-C-39014/24A	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY, STYLE CKR03 USER: 19 AT AV MC REVIEWER: 17 AR ES MI	A 5910	85	06-AUG-85	ER	EC	85	
	MIL-C-39014/25(1)	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) ESTABLISHED RELIABILITY STYLES CKR25, CKR26, & CKR27 USER: 19 AT AV MC REVIEWER: 17 AR ES MI	A 5910	85	06-AUG-85	ER	EC	85	
MQ	MIL-R-39015C(2)	RESISTOR, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	27-APR-93	ER	EC	85	
	MIL-R-39015/1F NOTICE 1	RESISTORS, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RTR12 (INVALIDATION DATE: 9111) USER: 19 AT AV MC REVIEWER: 17 AR MI	A 5905	ER	11-NOV-91	ER	EC	85	
	MIL-R-39015/2G(2) NOTICE 1	RESISTORS, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RTR22 (INVALIDATION DATE: 9111) USER: 19 AT AV MC REVIEWER: 17 AR AS MI OS	A 5905	ER	11-NOV-91	ER	EC	85	
	MIL-R-39015/3K NOTICE 1	RESISTORS, VARIABLE, WIRE-WOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RTR24 (INVALIDATION DATE: 8808) USER: 19 AT MC REVIEWER: 17 AR AV ES MI OS	A 5905	ER	18-AUG-88	ER	EC	11	
Q	MIL-R-39016D(3) SUPPL 1A1	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 11 19 AR AS MC REVIEWER: 17 99 ES MI OS	A 5945	EC	03-DEC-91	ER	EC	85	
A	MIL-R-39016/6K(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING) USER: 19 MC OS SH REVIEWER: 99 AR AS ES	A 5945	EC	10-JUL-92	ER	EC	85	
A	MIL-R-39016/7F(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1 AMPERE USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	85	
A	MIL-R-39016/8F(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	85	
A	MIL-R-39016/9H(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE USER: 19 AR MC OS SH REVIEWER: 99 AR ES	A 5945	EC	21-SEP-92	ER	EC	85	
A	MIL-R-39016/10F(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 40 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	85	
A	MIL-R-39016/11F(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	85	
A	MIL-R-39016/12F(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	85	
A	MIL-R-39016/13H(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) USER: 19 AR AS MC OS SH REVIEWER: 17 ES	A 5945	EC	10-JUL-92	ER	EC	85	
A	MIL-R-39016/14D(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	10-JUL-92	ER	EC	85	
A	MIL-R-39016/15J(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC OS SH REVIEWER: 17 99 AR AS ES	A 5945	EC	21-SEP-92	ER	EC	85	
A	MIL-R-39016/16F(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE, 60 MILLIWATTS) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	85	
	MIL-R-39016/17G(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN USER: MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-JAN-92	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Ordnance Code	Ordnance Code	Document Number	Document Title	Doc. Ident. FSC / Item	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DIA
		MIL-R-39016/18G(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN USER: MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-JAN-92	ER	EC	BS		
A		MIL-R-39016/19G(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, TERMINALS 0.100-INCH GRID PATTERN USER: MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	11-AUG-92	ER	EC	BS		
A		MIL-R-39016/20H(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 MC REVIEWER: 17 99 AR AS ES OS SH	A 5545	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/21F(4)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE 60 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/22D(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING) COIL TRANSIENT SUPPRESSED USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH	A 5945	EC	10-JUL-92	ER	EC	BS		
A		MIL-R-39016/23E(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/24E(4)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/25E(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE 40 MILLIWATTS) WITH AN INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/26E(4)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 1.0 AMPERE (SENSITIVE 40 MILLIWATTS) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 AV MC ME REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/27E(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/28E(4)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, SPDT, LOW LEVEL TO 0.5 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/29F(4)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/30E(4)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION USER: 19 AV MC ME REVIEWER: 99 AR AS AT ES MI OS SH	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/31B(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING USER: 19 MC REVIEWER: AR AS ES OS SH	A 5945	EC	10-JUL-92	ER	EC	BS		
A		MIL-R-39016/32D(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (LATCHING) USER: AV ME OS SH REVIEWER: 99 AR AT ES MI	A 5945	EC	10-JUL-92	ER	EC	BS		
		MIL-R-39016/33E	RELAYS, RADIO FREQUENCY (COAXIAL), ESTABLISHED RELIABILITY, ELECTRICAL, HERMETICALLY SEALED, SPDT AND DPDT, DC TO 1 GHz	A 5945	EC	20-JUL-88			BS		
M I		MIL-R-39016/34E(2)	RELAYS, ELECTROMAGNETIC, DPDT, LOW LEVEL TO 1.0 AMPERE, (0.100-INCH TERMINAL SPACING) USER: AR AV REVIEWER: 99 AR AS ES ME MI OS SH	A 5945	EC	29-MAR-93	ER	EC	BS		
A		MIL-R-39016/35B(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH	A 5945	EC	10-JUL-92	ER	EC	BS		
A		MIL-R-39016/36B(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4 PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), LATCHING, WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH	A 5945	EC	10-JUL-92	ER	EC	BS		
A		MIL-R-39016/37B(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS CR ES OS SH	A 5945	EC	10-JUL-92	ER	EC	BS		
A		MIL-R-39016/38B(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	10-JUL-92	ER	EC	BS		
A		MIL-R-39016/39D(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW-LEVEL TO 3 AMPERES (400 MILLIWATTS) USER: AV ME REVIEWER: AR AT ES MI SH	A 5945	EC	22-JUN-92	ER	EC	BS		
M I		MIL-R-39016/40F(1)	RELAYS, ELECTROMAGNETIC, 4PDT, LOW LEVEL TO 2.0 AMPERES (0.100-INCH TERMINAL SPACING) USER: AV SH REVIEWER: AS AT ES ME OS	A 5945	EC	29-MAR-93	ER	EC	BS		
		MIL-R-39016/41D(6)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) REVIEWER: 99 AR AS	A 5945	EC	21-JAN-92	ER	EC	BS		
		MIL-R-39016/42D(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) USER: 19 MC OS SH REVIEWER: 99 AR ES	A 5945	EC	09-SEP-91	ER	EC	BS		
A		MIL-R-39016/43D(5)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS COIL OPERATE POWER AT 25 DEG. C) USER: MC OS SH REVIEWER: 99 AR ES	A 5945	EC	11-AUG-92	ER	EC	BS		
A		MIL-R-39016/44D(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES, TERMINALS 0.200-INCH GRID PATTERN (SENSITIVE, 100/125 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) REVIEWER: AS ES OS SH	A 5945	EC	10-JUL-92	ER	EC	BS		
A		MIL-R-39016/45B(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2.0 AMPERES (LATCHING) USER: 19 MC OS SH REVIEWER: AR AS AT AV ES ME MI	A 5945	EC	10-JUL-92	ER	EC	BS		
		MIL-R-39016/47B	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, BI-STABLE, LATCHING USER: 11	A 5945	EC	20-JUL-88	ER	EC	BS		
		MIL-R-39016/48B	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 0.5 AMPERE (100 D.I.P. TERMINAL SPACING) ONE-TENTH SIZE, SENSITIVE, MONOSTABLE	A 5945	EC	20-JUL-88	ER	EC	BS		
A		MIL-R-39016/49B(1)	RELAYS, ELECTROMAGNETIC, HIGH SHOCK AND HIGH VIBRATION, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE USER: 11	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/50B(1)	RELAYS, ELECTROMAGNETIC, HIGH SHOCK AND HIGH VIBRATION, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: AR MC OS SH REVIEWER: 99 AR ES	A 5945	EC	21-SEP-92	ER	EC	BS		
A		MIL-R-39016/53B(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	22-JUN-92	ER	EC	BS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Index	Doc. / Chg. / Revision	Document Title	Doc. Synt. / FSC / Aves. / MCA Symbol	Preparing Auth.	Date	Custodians			
						Army	Navy	Air Force	DA
A	MIL-R-39016/54C(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION USER: 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	BS	22-JUN-92	ER	EC	BS	
	MIL-R-39016/55A	RELAY, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING), WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION USER: 11 19 MC OS SH REVIEWER: 99 AR AS ES	A 5945	EC	15-FEB-91	ER	EC	BS	
	MIL-R-39016/606	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 2 AMPERES (0.200-INCH TERMINAL SPACING), INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: MC REVIEWER: 99 AR AS ES	A 5945	EC	24-AUG-89	ER	EC	BS	
	MIL-R-39016/609	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: AS CG MC OS SH REVIEWER: 11 19 AR AV ES MI	A 5945	EC	20-SEP-89	ER	EC	BS	
	MIL-R-39016/612	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING), INSPECTIONS OF APPENDIXES A AND B USER: AS CG MC OS SH REVIEWER: 11 19 AR AV ES MI	A 5945	EC	20-SEP-89	ER	EC	BS	
	MIL-R-39016/614	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING), INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH	A 5945	EC	24-AUG-89	ER	EC	BS	
	MIL-R-39016/615	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 17 19 AR AS ES	A 5945	EC	24-AUG-89	ER	EC	BS	
	MIL-R-39016/617(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 19 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	24-APR-90	ER	EC	BS	
	MIL-R-39016/618(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 REVIEWER: 99 AR AS OS SH	A 5945	EC	24-APR-90	ER	EC	BS	
	MIL-R-39016/619(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, TERMINALS 0.100-INCH GRID PATTERN INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 MC REVIEWER: 99 AR AS ES OS SH	A 5945	EC	24-APR-90	ER	EC	BS	
	MIL-R-39016/620	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH	A 5945	EC	24-AUG-89	ER	EC	BS	
	MIL-R-39016/629	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH	A 5945	EC	24-AUG-89	ER	EC	BS	
	MIL-R-39016/630	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1.0 AMPERE (LATCHING) WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION, INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: AS CG MC OS SH REVIEWER: 11 19 AR AV ES MI	A 5945	EC	20-SEP-89	ER	EC	BS	
	MIL-R-39016/641(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE, 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 19 REVIEWER: 99 AR AS ES NS OS SH	A 5945	EC	24-APR-90	ER	EC	BS	
	MIL-R-39016/642(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS, COIL OPERATE POWER AT 25 DEG. C) INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 19 AR MC OS SH REVIEWER: AS ES NS	A 5945	EC	24-APR-90	ER	EC	BS	
	MIL-R-39016/643(1)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 1 AMPERE WITH INTERNAL DIODES FOR COIL TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION TERMINALS 0.100-INCH GRID PATTERN (SENSITIVE 60 MILLIWATTS COIL OPERATE POWER AT 25 DEG. C) INCLUDING INSPECTIONS OF APPENDIXES A AND B USER: 11 AR MC OS SH REVIEWER: 99 AS ES NS	A 5945	EC	24-APR-90	ER	EC	BS	
	MIL-R-39016/653	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH	A 5945	EC	24-AUG-89	ER	EC	BS	
	MIL-R-39016/654	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, HERMETICALLY SEALED, 4PDT, LOW LEVEL TO 2 AMPERES (0.150-INCH TERMINAL SPACING) WITH INTERNAL DIODE FOR COIL TRANSIENT SUPPRESSION AND REVERSE POLARITY PROTECTION, INCLUDING INSPECTIONS OF APPENDIXES A AND B REVIEWER: 99 AR AS OS SH	A 5945	EC	24-AUG-89	EN	EC	BS	
AQ	MIL-R-39017E(1) SUPPL 1A1	RESISTORS, FIXED, FILM (INSULATED) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	07-JAN-93	ER	EC	BS	
A	MIL-R-39017/1H(1)	RESISTORS, FIXED, FILM (INSULATED), ESTABLISHED RELIABILITY STYLE RLJ07 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS	A 5905	ER	07-JAN-93	ER	EC	BS	
A	MIL-R-39017/2J(1)	RESISTORS, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLJ20 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS	A 5905	ER	07-JAN-93	ER	EC	BS	
A	MIL-R-39017/3G(1)	RESISTORS, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLJ32 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS	A 5905	ER	07-JAN-93	ER	EC	BS	
	MIL-R-39017/40	RESISTOR, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLJ42 USER: 19 AT CG MC ME REVIEWER: 17 AR AS AV ES MI OS	A 5905	BS	06-APR-87	ER	EC	BS	
A	MIL-R-39017/5L(1)	RESISTORS, FIXED, FILM, (INSULATED), ESTABLISHED RELIABILITY STYLE RLJ05 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS OS	A 5905	ER	07-JAN-93	ER	EC	BS	
Q	MIL-C-39018C SUPPL 1A1	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS CG MC OS REVIEWER: 17 99 ES MI SH	A 5910	EC	07-JAN-91	ER	EC	BS	
A	MIL-C-39018/1E	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY STYLES CUL2 (UNINSULATED), CUL3 (INSULATED), AND CUL13 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	16-JUL-92	ER	EC	BS	
	MIL-C-39018/2C	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (NONPOLARIZED), STYLES CUL4 (UNINSULATED) AND CUL15 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	07-JAN-91	ER	EC	BS	
	MIL-C-39018/3D(2)	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CUL6 (UNINSULATED), CUL7 (INSULATED), AND CUL17 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 AV ES SH	A 5910	EC	07-JAN-91	ER	EC	BS	
	MIL-C-39018/4B(2)	CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY STYLE CUL7 (INSULATED) AND CUL71 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 AV ES SH	A 5910	BS	24-FEB-82	ER	EC	BS	
	MIL-C-39018/5A(2)	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (STACKED FOIL), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLES CUL8 (INSULATED) AND CUL81 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 AV ES SH	A 5910	EC	07-JAN-91	ER	EC	BS	
	MIL-C-39018/6A(1)	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUL91 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	07-JAN-91	ER	EC	BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OMA Coordination Package	Document Number	Document Title	Dist. Smt. FSC / Area	NAF Symbol	Preparing Act Date	Custodian Army Navy Air Force DLA
	MIL-C-39018/7(3)	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), (FOUR-TERMINAL), ESTABLISHED RELIABILITY, STYLE CUR19 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	07-JAN-91	ER EC 85
	MIL-C-39018/8B	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), NON-ESTABLISHED RELIABILITY AND ESTABLISHED RELIABILITY, STYLE: ES CU01 (INSULATED) AND CU01 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	07-JAN-91	ER EC 85
	MIL-C-39018/9B	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CU02 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	07-JAN-91	ER EC 85
	MIL-C-39018/10(1)	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLE CUR92 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	07-JAN-91	ER EC 85
	MIL-C-39018/11	CAPACITORS, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) (POLARIZED), ESTABLISHED RELIABILITY, STYLES CU03 (INSULATED) AND CU04 (INSULATED) USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	EC	07-JAN-91	ER EC 85
	MIL-C-39019C	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR USER: 19 AR AS MC SH REVIEWER: 11 17 99 AV ES MI OS SC	A 5925	ER	13-OCT-87	ER EC 85
	MIL-C-39019/1F(1)	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE USER: 19 AS AT AV MC REVIEWER: 99 ES MI	A 5925	ER	24-MAR-92	ER EC 85
	MIL-C-39019/2F(1)	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE ONE-POLE, AUXILIARY CONTACTS USER: 19 AS AT AV MC REVIEWER: 99 ES MI	A 5925	ER	24-MAR-92	ER EC 85
	MIL-C-39019/3F(1)	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE USER: 19 AS AT AV MC REVIEWER: 99 ES MI	A 5925	ER	24-MAR-92	ER EC 85
	MIL-C-39019/4F(1)	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE TWO-POLE, AUXILIARY CONTACTS USER: 19 AS AT AV MC REVIEWER: 99 ES MI	A 5925	ER	24-MAR-92	ER EC 85
	MIL-C-39019/5F(1)	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE USER: 19 AS AT AV MC REVIEWER: 99 ES MI	A 5925	ER	24-MAR-92	ER EC 85
	MIL-C-39019/6F(1)	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER, SEALED, TRIP-FREE THREE-POLE, AUXILIARY CONTACTS USER: 19 AS AT AV MC REVIEWER: 99 ES MI	A 5925	ER	24-MAR-92	ER EC 85
Q	MIL-D-39021A(1)	OVEN, CRYSTAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8003) USER: 14 19 AS MC REVIEWER: 11 AR ES MI OS	A 5955	ER	20-MAY-75	ER EC 85
AO	MIL-C-39022E(2) SUPPL 1A1	CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS CG MC OS SH REVIEWER: AR ES	A 5910	EC	26-OCT-92	ER EC 85
	MIL-C-39022/1C(3)	CAPACITOR, FIXED, METALLIZED-PAPER, PAPER PLASTIC FILM, OR-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CH09 (INSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 AR ES	A 5910	85	20-JUL-83	ER EC 11
	MIL-C-39022/2C(3)	CAPACITOR, FIXED, METALLIZED, PAPER PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CH19 (INSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 AR ES	A 5910	85	15-JUL-85	ER EC 85
LI	MIL-C-39022/4A(4) NOTICE 1	CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CH29 (INSULATED)	A 5910	85	06-MAY-91	85
	MIL-C-39022/7C(1)	CAPACITOR, FIXED, PLASTIC DIELECTRIC (METALLIZED PLASTIC FILM), ALTERNATING CURRENT (RMS) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CH49 (UNINSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 AR ES	A 5910	85	28-JAN-85	ER EC 85
	MIL-C-39022/8B(4)	CAPACITORS, FIXED, METALLIZED, PAPER-PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CH12 (UNINSULATED) USER: 19 AS CG MC OS SH REVIEWER: 17 99 ES	A 5910	EC	25-JUL-89	ER EC 85
LI	MIL-C-39022/9C(7)	CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLES CH01A, CH01B, CH01C, CH01D, CH01E, CH01F, CH01G, CH01H, CH01J, CH01K, CH01L, CH01M, CH01N, CH01P, CH01R (INSULATED)	A 5910	85	17-MAR-89	85
L	MIL-C-39022/10(5)	CAPACITOR, FIXED, METALLIZED, PAPER PLASTIC FILM DIELECTRIC, DIRECT CURRENT, (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE CH10 (INSULATED)	A 5910	85	20-JUL-83	EC 85
L	MIL-C-39022/11A(1)	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DIRECT-CURRENT, HERMETICALLY SEALED, STYLES CH20, CH21, CH22, CH23, CH24, CH25	A 5910	ER	07-NOV-91	ER
Q	MIL-R-39023A(1) SUPPL 1A1, NOTICE 1	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION GENERAL SPECIFICATION FOR (VALIDATION DATE: 9111) USER: 19 AS AV CG MC ME MI REVIEWER: 17 AR OS	A 5905	ER	11-NOV-91	ER EC 85
	MIL-R-39023/1A(2)	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ090 USER: 19 AT CG MC ME REVIEWER: 17 99 AR ES ES MI OS	A 5905	ER	27-MAR-91	ER EC 85
	MIL-R-39023/2B(1)	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ110 USER: 19 AT AV CG MC REVIEWER: 17 99 AR ES ES MI OS	A 5905	ER	27-MAR-91	ER EC 85
	MIL-R-39023/3A(1) NOTICE 1	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION, STYLE RQ150 (VALIDATION DATE: 9111) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	11-NOV-91	ER EC 85
	MIL-R-39023/4A(1) NOTICE 1	RESISTORS, VARIABLE, NON-WIRE-WOUND PRECISION STYLE RQ200 (VALIDATION DATE: 9111) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	11-NOV-91	ER EC 85
	MIL-R-39023/5A(1) NOTICE 1	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ300 (VALIDATION DATE: 9111) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS MI OS	A 5905	ER	11-NOV-91	ER EC 85
	MIL-R-39023/6A(2) NOTICE 1	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ100 USER: 19 AT AV CG MC REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	27-MAR-91	ER EC 85
	MIL-R-39023/7A(1) NOTICE 1	RESISTOR, VARIABLE, NON-WIRE-WOUND, PRECISION, STYLE RQ160 (VALIDATION DATE: 8704) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	85	13-APR-79	ER EC 85
	MIL-R-39023/8A(1) NOTICE 1	RESISTOR, VARIABLE, NON WIRE WOUND, PRECISION, STYLE RQ210 (VALIDATION DATE: 8704) USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	85	13-APR-79	ER EC 85
L	MIL-R-39023/9(1)	RESISTOR, VARIABLE, NON WIRE WOUND, PRECISION, STYLE RQ091 (VALIDATION DATE: 8503) USER: 19 REVIEWER: 17 ES	A 5905	85	09-APR-79	85
L	MIL-R-39023/10A NOTICE 1	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION STYLE RQ051 (VALIDATION DATE: 9111) REVIEWER: AR MI	A 5905	ER	11-NOV-91	ER
Q	MIL-C-39024A(5) SUPPL 1A1	JACK, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR USER: 14 19 AR AS CG MC MI REVIEWER: 11 17 ES ME	A 5935	EC	19-JUL-88	OR EC 85
	MIL-C-39024/1C	CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE: SINGLE TEST POINT (THREADED), LOW VOLTAGE USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES ME MI	A 5935	EC	14-AUG-91	OR EC 85
	MIL-C-39024/2C	CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE: SINGLE TEST POINT (THREADED), HIGH VOLTAGE USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES ME MI	A 5935	EC	14-AUG-91	OR EC 85
	MIL-C-39024/3B	CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING: SINGLE TEST POINT (RIGHT ANGLE, 2-LEG MOUNTING), LOW VOLTAGE USER: 14 19 AR AS CG MC MI OS REVIEWER: 17 99 ES ME	A 5935	EC	14-AUG-91	OR EC 85
	MIL-C-39024/4C	CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE: SINGLE TEST POINT (RIGHT ANGLE, 3-LEG MOUNTING), LOW VOLTAGE USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 ES ME MI	A 5935	EC	14-AUG-91	OR EC 85
	MIL-C-39024/5C	CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE: SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE USER: 14 19 AR AS CG MC MI OS REVIEWER: 11 17 99 ES ME	A 5935	EC	14-AUG-91	OR EC 85
	MIL-J-39024/100	JACK, TIP (TEST POINT TYPE, PANEL TYPE: SINGLE TEST POINT (THREADED), LOW VOLTAGE, .080) USER: 19 AS CG MC MI OS REVIEWER: 11 17 99 AR EA ES ME	A 5935	EC	25-MAY-84	OR EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / Chg. Coordinate Include Document Number	Document Title	Doc. Ident. PAC / Area MCA Symbol Proprietary Ident.	Date	Custodians			
				Army	Navy	Air Force	DA
D	MIL-J-39024/11F	JACK, TIP, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT, RIGHT ANGLE, 2-LEG MOUNTING, LOW VOLTAGE, .080 USER: 19 AR AS CG MC MI YD1	A 5935	EC	13-APR-93	CR	EC 85
	MIL-C-39024/12D	CONNECTORS, ELECTRICAL, TEST POINT TYPE, PANEL TYPE; SINGLE TEST POINT (HOLE MOUNTING, PUSH-FIT), LOW VOLTAGE USER: 19 AR AS CG MC MI OS	A 5935	EC	14-AUG-91	CR	EC 85
	MIL-C-39024/13A	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT (RIGHT ANGLE, 2 LEG MOUNTING), LOW VOLTAGE, .080 (VALIDATION DATE: 8404) USER: 14 19 AR AS CG MC OS REVIEWER: 11 17 99 ES ME MI	A 5935	EC	09-JUN-78	CR	EC 85
	MIL-C-39024/14A	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PANEL TYPE, SINGLE TEST POINT, SUBMINIATURE (PUSH-IN), LOW VOLTAGE, .080 (VALIDATION DATE: 8404) USER: 14 19 AR AS CG MC MI OS REVIEWER: 11 17 99 ES ME	A 5935	EC	09-JUN-78	CR	EC 85
	MIL-C-39024/15A	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE, SINGLE TEST POINT, LOW VOLTAGE, .080 (VALIDATION DATE: 8404) REVIEWER: 99 ES MI	A 5935	EC	09-JUN-78	CR	EC 85
	MIL-C-39024/18D	CONNECTORS, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING TYPE; MICRO-MINIATURE, SINGLE TEST POINT (2-LEG MOUNTING), LOW VOLTAGE, .080 1NCH USER: 14 19 AR AS CG MC MI REVIEWER: 17 99 ES ME	A 5935	EC	19-JUL-88	CR	EC 85
Q	MIL-R-39027A	READOUTS, INCANDESCENT TYPE (VALIDATION DATE: 8304) REVIEWER: AS ES MI ....	A 6625	OS	23-JUN-70	ER	OS
	SUPPL 1A1						
Q	MIL-C-39028C	CAPACITORS, PACKAGING OF USER: 11 REVIEWER: AR AS SH SH .....	A PACK	EC	01-FEB-90	CR	EC 99 ES
	MIL-C-390290	CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9110) USER: 11 OS REVIEWER: 99 AR EC ES MC MI SH	A 5935	AS	16-OCT-91	ER	AS 85
	SUPPL 1A1, NOTICE 1						
	MIL-C-39029/1F	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEMS) USER: OS REVIEWER: 11 17 99 AR AV EC ES MC MI SH	A 5935	AS	12-MAR-82	CR	AS 85
	MIL-C-39029/2B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS) (VALIDATION DATE: 8207) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	02-AUG-76	CH	AS 85
	MIL-C-39029/3B	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS) (VALIDATION DATE: 8207) REVIEWER: 11 17 99 AR EC ES MC MI OS SH	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-39029/4F	CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 1 AND 111, AND MIL-C-83733 CONNECTORS) (VALIDATION DATE: 9110) USER: 80 OS REVIEWER: 11 99 AR EC ES MC MI SH	A 5935	AS	16-OCT-91	CR	AS 85
	NOTICE 1						
	MIL-C-39029/5G	CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 1 AND 111, AND MIL-C-83733 CONNECTORS AND MIL-S-12883/40 AND /41 RELAY SOCKETS)	A 5935	AS	16-OCT-91	CR	AS 85
	NOTICE 1						
	MIL-C-39029/6A	(VALIDATION DATE: 9110) USER: 80 OS REVIEWER: 11 99 AR EC ES MC MI SH	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-39029/7B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS) (VALIDATION DATE: 8207) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-39029/8B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES CONNECTORS) (VALIDATION DATE: 8205) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-39029/9E	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS) (VALIDATION DATE: 8205) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-39029/10E(1)	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	19-OCT-82	CR	AS 85
	MIL-C-39029/11J	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, MIL-C-83723 SERIES 3, AND MIL-C-83733 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	19-OCT-82	CR	AS 85
	MIL-C-39029/12J	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	25-APR-80	CR	AS 85
	MIL-C-39029/13A	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 2 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	25-APR-80	CR	AS 85
L	MIL-C-39029/13A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 CONNECTORS) (VALIDATION DATE: 8207) USER: OS REVIEWER: EC ES MC SH	A 5935	AS	02-AUG-75		AS
L	MIL-C-39029/14A	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 2 CONNECTORS) (VALIDATION DATE: 8207) USER: OS REVIEWER: EC MC SH	A 5935	AS	02-AUG-76		AS
L1	MIL-C-39029/16C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 4 CONNECTORS) (VALIDATION DATE: 9110) USER: OS REVIEWER: EC ES MC SH	A 5935	AS	17-OCT-91		AS
L	MIL-C-39029/17C	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 CONNECTORS) (VALIDATION DATE: 8709) USER: OS REVIEWER: EC ES MC SH	A 5935	AS	25-APR-80		AS
L1	MIL-C-39029/18C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS) (VALIDATION DATE: 9110) USER: OS REVIEWER: EC ES MC SH	A 5935	AS	17-OCT-91		AS
L	MIL-C-39029/19A	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS) (VALIDATION DATE: 8207) USER: OS REVIEWER: 99 EC ES MC SH	A 5935	AS	02-AUG-76		AS
L	MIL-C-39029/20A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 3 CONNECTORS) (VALIDATION DATE: 8207)	A 5935	AS	02-AUG-76		AS
L	MIL-C-39029/21A	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-81511 SERIES 4 CONNECTORS) (VALIDATION DATE: 8207) USER: OS REVIEWER: 99 EC ES MC SH	A 5935	AS	02-AUG-76		AS
	MIL-C-39029/22B	CONTACTS, ELECTRICAL, CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-T-81714 TERMINAL JUNCTION SYSTEM SERIES 11 AND MIL-C-81511 SERIES 3 AND 4 CLASS L CONNECTORS) USER: OS REVIEWER: EC ES MC SH	A 5935	AS	03-NOV-89	ER	AS 85
	MIL-C-39029/23B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 1 CONNECTORS) (VALIDATION DATE: 8709) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	25-APR-80	CR	AS 85
	NOTICE 1						
	MIL-C-39029/24B	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) (VALIDATION DATE: 8709) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	25-APR-80	CR	AS 85
	NOTICE 1						
I	MIL-C-39029/25C	CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) (VALIDATION DATE: 9110) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	17-OCT-91	CR	AS 85
	NOTICE 2						
I	MIL-C-39029/26C	CONTACTS, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26482 SERIES 1 CONNECTORS) (VALIDATION DATE: 9110) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	17-OCT-91	CR	AS 85
	NOTICE 1						
	MIL-C-39029/27C(1)	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-38999 SERIES 11 CONNECTORS) REVIEWER: 11 15 17 99 AR EC ES MC OS	A 5935	85	03-SEP-81	CR	AS 85
	MIL-C-39029/28C(2)	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP, REMOVABLE, SHIELDED, SIZE 12, (FOR MIL-C-38999 SERIES 1, 11, 111, & 1V CONNECTORS (VALIDATION DATE: 8702) REVIEWER: 11 15 17 99 AR EC ES MC OS	A 5935	85	13-FEB-87	CR	AS 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Ops / Cdn Coordination Inches	Document Number	Document Title	Dist. Smt. Fnc / Area	MCA Symbol	Proposed Army Date	Custodians Army Navy Air Force DLA
	MIL-C-39029/298 NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-5015 SERIES MS3450 AND MIL-C-83723 SERIES 2 CONNECTORS) [VALIDATION DATE: 9110] USER: 99 OS SH REVIEWER: 11 17 AR EC ES	A 5935	AS	17-OCT-91	CR AS BS
	MIL-C-39029/30A NOTICE 2	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES II CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	17-OCT-91	CR AS BS
	MIL-C-39029/31B NOTICE 2	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	17-OCT-91	CR AS BS
	MIL-C-39029/32B(1) NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-26482 SERIES 1, MIL-C-26500 AND MIL-C-26518 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	17-OCT-91	CR AS BS
	MIL-C-39029/33C(1)	CONTACTS, ELECTRICAL, PIN, CRIMP, REMOVABLE (FOR MIL-C-81511 SERIES 1 & 2 CONNECTORS) USER: OS REVIEWER: 99 EC ES MC MI SH TD	A 5935	AS	21-AUG-87	CR AS BS
	MIL-C-39029/34B(1) NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/3 AND MIL-C-28478/13 CONNECTORS) [VALIDATION DATE: 8909] USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH	A 5935	EC	29-SEP-89	CR EC BS
	MIL-C-39029/35C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/4 AND MIL-C-28748/14 CONNECTORS) USER: AV MC ME OS REVIEWER: 11 99 AR AS AT ES MI	A 5935	EC	02-MAR-92	CR EC BS
	MIL-C-39029/36A(1) NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-28748/9 CONNECTORS) [VALIDATION DATE: 8909] USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH	A 5935	EC	29-SEP-89	CR EC BS
	MIL-C-39029/37A(1) NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-28748/10 CONNECTORS) [VALIDATION DATE: 8909] USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI SH	A 5935	EC	29-SEP-89	CR EC BS
	MIL-C-39029/44D(2)	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	AS	31-DEC-90	CR AS BS
	MIL-C-39029/45D(1)	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-5015 SERIES MS3400 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI	A 5935	AS	15-SEP-89	CR AS BS
I	MIL-C-39029/46C(1) NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 2 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 99 EC ES MC MI SH TD	A 5935	AS	17-OCT-91	CR AS BS
I	MIL-C-39029/47C(1) NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS) [VALIDATION DATE: 9110] USER: OS REVIEWER: 99 EC ES MC MI SH TD	A 5935	AS	17-OCT-91	CR AS BS
	MIL-C-39029/48D	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-22992 CLASS I CONNECTORS) USER: AT OS SH REVIEWER: 11 17 99 AR AS ES MC MI	A 5935	EC	16-SEP-85	CR EC BS
	MIL-C-39029/49D	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-22992 CLASS I CONNECTORS) USER: AT OS REVIEWER: 11 17 99 AR AS ES MC MI	A 5935	EC	16-SEP-85	CR EC BS
	MIL-C-39029/50A NOTICE 1	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-83733 CONNECTORS) [VALIDATION DATE: 8701] USER: OS REVIEWER: 11 17 99 AR EC MC MI SH	A 5935	BS	30-JAN-87	CR AS BS
	MIL-C-39029/51A NOTICE 1	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE SHIELDED, (FOR MIL-C-83733 CONNECTORS) [VALIDATION DATE: 8608] USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	BS	25-APR-80	CR AS BS
L	MIL-C-39029/54B NOTICE 1	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26500)USAF( AND MIL-C-26518)USAF( CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 17 99 ES	A 5935	BS	30-JAN-87	BS
L	MIL-C-39029/55B NOTICE 1	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-26500)USAF( AND MIL-C-26518)USAF( CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 17 99	A 5935	BS	30-JAN-87	BS
	MIL-C-39029/56D	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS) USER: AT OS REVIEWER: 11 15 17 99 EC ES MC MI SH	A 5935	BS	12-APR-84	CR AS BS
	MIL-C-39029/57B NOTICE 1	CONTACT, ELECTRICAL CONNECTORS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-55302/68, /71, /72, /75, MIL-C-38999 SERIES II AND MIL-C-83733 CONNECTORS) [VALIDATION DATE: 8608] USER: AT OS REVIEWER: 11 15 17 99 EC ES MC MI SH	A 5935	BS	22-APR-80	CR AS BS
	MIL-C-39029/58D	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308, MIL-C-38999 SERIES I, II, III, IV & MIL-C-55302/69 & MIL-C-83733 CONNECTORS) USER: AT OS REVIEWER: 11 15 17 99 EC ES MC MI SH	A 5935	BS	12-APR-84	CR AS BS
	MIL-C-39029/59D	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS) USER: AT OS REVIEWER: 11 15 99 EC ES MC MI SH	A 5935	BS	26-DEC-88	CR AS BS
	MIL-C-39029/60D	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS) USER: AT OS REVIEWER: 11 15 99 EC ES MC MI SH	A 5935	BS	26-DEC-88	CR AS BS
	MIL-C-39029/63B	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS) USER: AV MC ME OS REVIEWER: 11 17 99 AR AS AT ES MI	A 5935	EC	27-JUL-87	CR EC BS
	MIL-C-39029/64C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-24308 CONNECTORS) USER: AV MC ME OS REVIEWER: 11 99 AR AS AT ES MI SH	A 5935	EC	10-FEB-92	CR EC BS
L	MIL-C-39029/69B NOTICE 1	CONNECTOR CONTACT, ELECTRICAL SOCKET, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS [VALIDATION DATE: 8903] REVIEWER: EC ES	A 5935	AS	31-MAR-89	AS
L	MIL-C-39029/70B NOTICE 1	CONNECTOR CONTACT, ELECTRICAL PIN, CRIMP REMOVABLE, FOR MIL-C-85028(AS) CONNECTORS [VALIDATION DATE: 8903] REVIEWER: EC ES	A 5935	AS	31-MAR-89	AS
	MIL-C-39029/71C	CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III AND IV, MIL-C-24308, MIL-C-83733, AND MIL-C-55302/69 CONNECTORS) USER: OS REVIEWER: 11 15 99 AR EC ES MC MI SH	A 5935	BS	19-AUG-88	CR AS BS
	MIL-C-39029/72D	CONTACTS, ELECTRICAL CONNECTOR SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-C-38999 SERIES I, II, III, AND IV, MIL-C-24308, AND MIL-C-65302/68, /71, AND /75 CONNECTORS) USER: 80 OS REVIEWER: 11 15 99 AR EC ES MC MI SH	A 5935	BS	19-AUG-88	CR AS BS
	MIL-C-39029/73C	CONTACT, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES III, MIL-C-26482 SERIES 2, MIL-C-83733, & D08-C-83527 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI	A 5935	BS	29-AUG-86	CR AS BS
	MIL-C-39029/74C	CONTACT, ELECTRICAL CONNECTORS, PIN, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-C-83723 SERIES III, MIL-C-26482 SERIES 2, MIL-C-83733 & D08-C-83527 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI	A 5935	BS	29-AUG-86	CR AS BS
	MIL-C-39029/75A(2)	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12, (FOR MIL-C-38999 SERIES I, III, & IV CONNECTORS) REVIEWER: 11 15 17 99 AR EC ES MC OS	A 5935	BS	24-AUG-82	CR AS BS
	MIL-C-39029/76A(1) NOTICE 1	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16, (FOR MIL-C-38999 SERIES I, II, III, IV & MIL-C-24308 CONNECTORS) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 AR EC ES MC OS	A 5935	BS	30-JAN-87	CR AS BS
	MIL-C-39029/77B	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES I, III AND IV CONNECTORS) REVIEWER: 11 15 17 99 AR EC ES MC OS	A 5935	BS	22-NOV-85	CR AS BS
	MIL-C-39029/78B	CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-C-38999 SERIES II & MIL-C-24308 CONNECTORS) REVIEWER: 11 15 99 AR EC ES MC OS	A 5935	BS	22-NOV-85	CR AS BS
	MIL-C-39029/79A	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/9 CONNECTORS) USER: AV OS REVIEWER: 11 17 99 AS ES MC MI	A 5935	EC	28-JUL-86	CR EC BS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Chg Coordination Inches Document Number	Document Title	Doc. Syst. Proc / App MCA Symbol Preparing Act.	Date	Army Navy Air Force DLA
MIL-C-39029/80A	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, (FOR MIL-C-28748/10 CONNECTORS) USER: AV OS REVIEWER: 11 17 99 AS ES MC MI	A 5935	EC 28-JUL-86	CR EC 85
L MIL-C-39029/83C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS) USER: OS	A 5935	EC 16-SEP-85	EC
L MIL-C-39029/84D	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-28840 CONNECTORS) USER: OS	A 5935	EC 16-SEP-85	EC
MIL-C-39029/85C	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES 2 CONNECTORS) USER: OS SH REVIEWER: 11 15 99 AR EC ES	A 5935	85 19-APR-88	CR AS 85
MIL-C-39029/86C	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-5015 MS3450 SERIES AND MIL-C-83723 SERIES 11 CONNECTORS) USER: OS REVIEWER: 11 17 99 AR EC ES MC MI SH	A 5935	85 19-APR-88	CR AS 85
MIL-C-39029/87C	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-C-38999 SERIES 1, 11, 111, & IV, MIL-C-24308, & MIL-C-83733) USER: OS SH REVIEWER: 11 99 AR EC ES	A 5935	85 19-APR-88	CR AS 85
MIL-C-39029/88A NOTICE 1	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-C-38999 SERIES 1, 111 AND IV CONNECTORS) (VALIDATION DATE: 8901) USER: ES OS SH REVIEWER: 11 17 99 AR EC	A 5935	85 13-JAN-89	CR AS 85
MIL-C-39029/89C	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (THERMOCOUPLE FOR MIL-C-38999 SERIES 11, MIL-C-83733, & MIL-C-24308 CONNECTORS) USER: OS SH REVIEWER: 11 17 99 AR EC ES	A 5935	85 19-APR-88	CR AS 85
MIL-C-39029/90A	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8 USER: AT OS REVIEWER: 11 1, 17 99 EC ES MC SH	A 5935	AS 18-JAN-85	CR AS 85
MIL-C-39029/91A	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SIZE 8 USER: AT OS REVIEWER: 11 15 17 99 EC ES MC SH	A 5935	AS 18-JAN-85	CR AS 85
MIL-C-39029/92B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-R-6106 AND MIL-S-12883/40 AND /41 RELAY SOCKETS) USER: AT AV ME REVIEWER: 99 AR ES MI	A 5935	CR 02-MAR-89	CH EC 85
MIL-C-39029/93A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR DOD-C-83527 CONNECTOR) USER: OS REVIEWER: 11 99 AR EC ES MC MI SH	A 5935	85 09-DEC-88	CR AS 85
MIL-C-39029/94A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR DOD-C-83527, CONNECTOR) USER: OS REVIEWER: 11 99 AR EC ES MC MI SH	A 5935	85 09-DEC-88	CR AS 85
MIL-C-39029/95	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR DOD - C - 83527, CONNECTOR) USER: AT OS REVIEWER: 11 15 17 99 EC ES MC SH	A 5935	85 08-AUG-85	CR AS 85
MIL-C-0039029/95	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR DOD-C-83527, CONNECTOR)	A 5935	85 15-MAY-87	85
MIL-C-39029/96	CONTACT, ELECTRICAL CONNECTOR CONCENTRIC TWINAX, PIN, SIZE 8 (FOR DOD - C - 83527 CONNECTOR) USER: AT OS REVIEWER: 11 15 17 99 EC ES MC SH	A 5935	85 08-AUG-85	CR AS 85
L MIL-C-0039029/96	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR DOD-C-83527 CONNECTOR)	A 5935	85 15-MAY-87	85
MIL-C-39029/97A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: 11 99 AR EC ES MC MI SH	A 5935	85 09-DEC-88	CR AS 85
MIL-C-39029/98A	CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: AR EC MC MI SH	A 5935	85 09-DEC-88	CR AS 85
MIL-C-39029/99A	CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: 11 99 AR EC ES MC MI SH	A 5935	85 09-DEC-88	CR AS 85
MIL-C-39029/100A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS) USER: AT OS REVIEWER: 11 99 AR EC ES MC MI SH	A 5935	85 09-DEC-88	CR AS 85
MIL-C-39029/101A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-S-12883/44, MIL-S-12883/45, MIL-S-12883/46 AND MIL-R-6106/23 RELAY) USER: AT AV ME OS REVIEWER: 11 15 17 99 AR EC ES MC SH	A 5935	85 10-MAR-89	CR AS 85
MIL-C-39029/102A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES 1, 11, 111 & IV CONNECTORS) USER: 19 REVIEWER: 11 15 17 99 AR AV EC MC OS	A 5935	85 31-MAR-88	ER AS 85
MIL-C-39029/103A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES 1, 11, 111 & IV CONNECTORS) USER: 19 REVIEWER: 11 15 17 99 AR AV EC ES MC OS	A 5935	85 31-MAR-88	CR AS 85
MIL-C-39029/104	CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR MIL-C-28840) USER: 11 OS REVIEWER: AS ES MC	A 5935	EC 09-NOV-87	CR EC 85
MIL-C-39029/105	CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR MIL-C-28840) USER: 11 OS REVIEWER: AS ES MC	A 5935	EC 09-NOV-87	CR EC 85
MIL-C-39029/106A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES 1, 111 AND IV AND MIL-C-29600 SERIES A CONNECTORS) USER: MC MI SH REVIEWER: 15 AV EC ES	A 5935	AS 21-SEP-90	CR AS 85
MIL-C-39029/107A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-38999 SERIES 1, 111 AND IV AND MIL-C-29600 SERIES A CONNECTORS) USER: MC MI SH REVIEWER: 15 AV EC ES	A 5935	AS 21-SEP-90	CR AS 85
L MIL-C-39029/108	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, SINGLE WIRE	A 5935	AT 30-APR-90	AT
L MIL-C-39029/109	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, MULTIPLE WIRES	A 5935	AT 30-APR-90	AT
Q MIL-D-39030(1) SUPPL 1A1	DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR USER: 19 REVIEWER: 11 ES MI OS SH	A 5905	EC 16-DEC-86	ER EC 85
MIL-D-39030/1A NOTICE 1	DUMMY LOADS, ELECTRICAL, COAXIAL FREQUENCY RANGE, DC TO 5 GHz (VALIDATION DATE: 8710) USER: 19 AS AV MC REVIEWER: 17 MI OS	A 5905	85 27-OCT-87	ER EC 85
MIL-D-39030/2A NOTICE 1	DUMMY LOADS, ELECTRICAL, COAXIAL FREQUENCY RANGE, DC TO 3.5 GHz (VALIDATION DATE: 8710) USER: 19 AV MC REVIEWER: 17 ES MI OS	A 5905	85 27-OCT-87	ER EC 85
MIL-D-39030/3A(2)	DUMMY LOADS, ELECTRICAL, COAXIAL TYPE I (SMA), LOW POWER USER: 19 AS AV REVIEWER: 17 ES MI OS SH	A 5905	85 13-DEC-82	ER EC 85
MIL-D-39030/4	DUMMY LOADS, ELECTRICAL COAXIAL TYPE I (SMA), MEDIUM POWER (VALIDATION DATE: 8104) USER: 19 AS AV MC REVIEWER: 17 99 ES MI OS SH	A 5905	85 27-JUN-75	ER EC 85
MIL-D-39030/5A(1)	DUMMY LOADS, ELECTRICAL, COAXIAL TYPE IV (TWC), LOW POWER USER: 19 AS AV REVIEWER: 17 ES MI OS SH	A 5905	85 21-SEP-81	ER EC 85
MIL-D-39030/6A(2)	DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE V (N), LOW POWER USER: 19 AR REVIEWER: 11 99 ES MI	A 5905	EC 19-DEC-90	ER EC 85
MIL-D-39030/7	DUMMY LOADS, ELECTRICAL, COAXIAL, TYPE III (BNC), LOW POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5905	85 22-DEC-80	ER EC 85
MIL-D-39030/8	DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE IV (TWC), MEDIUM POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5905	85 22-DEC-80	ER EC 85
MIL-D-39030/9	DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE IV (TWC), HIGH POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5905	85 22-DEC-80	ER EC 85
MIL-D-39030/10	DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE V (N), MEDIUM POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5905	85 22-DEC-80	ER EC 85
MIL-D-39030/11	DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE V (N), HIGH POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5905	85 22-DEC-80	ER EC 85
MIL-D-39030/12	DUMMY LOAD, ELECTRICAL, COAXIAL, TYPE VI (C), MEDIUM POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5905	85 22-DEC-80	ER EC 85
MIL-D-39030/13A	DUMMY LOAD, ELECTRICAL, TYPE XIV (SOCKET CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH	A 5905	85 19-NOV-85	ER EC 85
MIL-D-39030/14A	DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH	A 5905	85 19-NOV-85	ER EC 85
MIL-D-39030/15A	DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, HIGH POWER USER: 19 AS REVIEWER: 17 AV ES OS SH	A 5905	85 19-NOV-85	ER EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inhouse Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Act Date	Custodians Army Navy Air Force DLA	ER	EC	ES
MIL-D-39030/16A	DUMMY LOAD, ELECTRICAL, TYPE XIV (BIFURCATED CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH	A 5985 85 19-NOV-85	ER EC 85			
MIL-D-39030/17A	DUMMY LOAD, ELECTRICAL, TYPE XIV (TAB CENTER CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH	A 5985 85 19-NOV-85	ER EC 85			
MIL-D-39030/18	DUMMY LOAD, ELECTRICAL, TYPE XIV (PIN CONTACT), STRIPLINE, LOW POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5985 85 22-DEC-80	ER EC 85			
MIL-D-39030/19(2)	DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CENTER CONTACT), STRIPLINE, HIGH POWER USER: 19 AS AV REVIEWER: 11 17 ES MI OS SH	A 5985 85 13-DEC-82	ER EC 85			
MIL-D-39030/20A	DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, LOW POWER USER: 19 AS REVIEWER: 17 AV ES OS SH	A 5985 85 19-NOV-85	ER EC 85			
MIL-D-39030/21(1)	DUMMY LOADS, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, MEDIUM POWER REVIEWER: 11	A 5985 85 19-MAY-86	ER EC 85			
MIL-D-39030/22	DUMMY LOAD, ELECTRICAL, TYPE XIV (TAB CONTACT), STRIPLINE, HIGH POWER REVIEWER: 11	A 5985 85 22-DEC-80	ER EC 85			
MIL-R-390320	RESISTORS, PACKAGING OF USER: 17 AT REVIEWER: 99 AR CR MI SH SM	A PACK ER 11-FEB-91	ER EC 85 ES			
MIL-R-39035C(1)	RESISTOR, VARIABLE, NON-WIRE-WOUND (ADJUSTMENT TYPE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905 85 10-MAY-93	ER EC 85			
MIL-R-39035/1B(1)	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR12 USER: 19 AT MC ME REVIEWER: 17 AR AS AV ES MI OS	A 5905 85 28-AUG-89	ER EC 85			
MIL-R-39035/2E(1)	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR24 USER: 19 AT MC ME REVIEWER: 17 99 AR AS AV ES MI OS	A 5905 85 28-AUG-89	ER EC 85			
MIL-R-39035/3B(2)	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR26 USER: 19 AT MC ME REVIEWER: 17 99 AR AS AV ES MI OS	A 5905 85 28-AUG-89	ER EC 85			
MIL-R-39035/40(2)	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, SINGLE TURN), ESTABLISHED RELIABILITY, STYLE RJR50 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905 85 28-AUG-89	ER EC 85			
MIL-R-39035/5B	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY STYLE RJR28 USER: 19 AT AV MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905 85 30-SEP-90	ER EC 85			
MIL-R-39035/7A	RESISTORS, VARIABLE, NONWIRE-WOUND, (ADJUSTMENT TYPE, LEAD-SCREW ACTUATED), ESTABLISHED RELIABILITY, STYLE RJR32 (INACTIVE FOR NEW DESIGN) USER: 19 AT AV MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 85 25-SEP-84	ER EC 85			
MIL-P-39500(2)	POLYURETHANE FOAM KIT, RIGID REVIEWER: DS	A 1195 AR 01-JUN-82	AR			
MIL-T-40001E	TENT, OBSERVING, TRIANGULATION, GROUND TYPE, COMPLETE WITH FRAME USER: 45 ME REVIEWER: 82 MD	A 8340 CT 29-JUL-88	GL 99 CT			
MIL-C-40004C	CLOTH, KNITTED, COTTON, SIMPLEX REVIEWER: 82 MC MD SA	A 8305 CT 26-APR-90	GL MU 11 CT			
MIL-B-400060	BUCKLE, GENERAL OFFICERS' BELT, GOLD PLATED REVIEWER: CT GL	A 8315 JM 29-SEP-92	IM			
MIL-C-400080(1)	CABINET, SAW AND FILE REVIEWER: 84 GS	A 3460 AL 10-MAR-88	AL 99			
MIL-C-40009E	CABINETS, STORAGE, REPAIR PARTS AND TOOLS USER: AV CE REVIEWER: 84 GS	A 7125 GL 29-MAR-91	GL MC 99			
MIL-T-40019C	TANK, SHIPPING AND STORAGE, DRY ICE (VALIDATION DATE: 8302) REVIEWER: GS MD	A 3655 ME 28-APR-78	ME 99			
MIL-S-40022E	SHOULDER STRAP, SIDE ARM, MILITARY POLICE, LEATHER, BLACK REVIEWER: 11 45 MD	A 8465 CT 07-MAR-85	GL 99 CT			
MIL-P-40023D	PAPER, TELETYPEWRITER, CONTINUOUS FLATFOLD USER: MC SA	A 7530 GL 25-JAN-88	GL 99			
MIL-B-40028B	BAG, BARRIER, WITH VOLATILE CORROSION INHIBITOR TREATED LINERS (VALIDATION DATE: 8302) REVIEWER: SM	A 8105 AR 12-APR-76	AR AS 99			
MIL-P-40029B	PANEL MARKER, AERIAL LIAISON, COTTON DUCK, PANEL AL-125 (VALIDATION DATE: 9210) USER: 45 CG REVIEWER: 82 99 CT	A 8345 IM 02-OCT-92	IM 11			
MIL-D-40030A(1)	DRUMS, PLASTIC, MOLDED POLYETHYLENE (VALIDATION DATE: 9104) REVIEWER: GS SM	A 8110 EA 29-APR-91	EA 69			
MIL-T-40031E	TENT, OBSERVING, ASTRONOMIC, COMPLETE WITH FLY AND FRAME, USER: ME REVIEWER: 82 MD	A 8340 CT 31-MAR-87	GL 99 CT			
MIL-A-40032E	APRON, MEATCUTTER S REVIEWER: 82 MD	A 8415 CT 30-MAY-86	GL 99 CT			
MIL-S-40034B(1)	SCREEN, HALFTONE, CONTACT, FOR PHOTOLITHOGRAPHY (VALIDATION DATE: 8411) REVIEWER: GS	A 3610 ME 25-AUG-80	ME			
MIL-C-400390	CLOTH, COATED, NYLON, VINYL COATED REVIEWER: MC MD	A 8305 CT 20-OCT-81	GL MU 99 CT			
MIL-B-40042E	BOX, MATCH, WATERPROOF USER: 45 REVIEWER: 82 MS	A 8465 CT 22-JAN-88	GL MC 99 CT			
MIL-S-40043D	SOLES, RUBBER, SHOE USER: CG MC MS REVIEWER: 82 MD	A 8335 CT 15-MAR-91	GL SA 99 CT			
MIL-F-40045C	FLAG SET, SIGNAL, M-238 (TANK) (VALIDATION DATE: 9210) USER: MC REVIEWER: CT	A 8345 IM 02-OCT-92	IM			
MIL-S-40046D	SLING, FLAGSTAFF (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CG MC	A 8345 CT 20-NOV-92	IM MU 11 CT			
MIL-F-40047C	FLAG, SIGNAL, RED, VEHICLE, DANGER USER: MC REVIEWER: CT	A 8455 IM 12-MAY-92	IM MU			
MIL-F-40048C	FLAGSTAFFS AND INSIGNIA, FLAGSTAFF HEADS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9211) USER: 45 REVIEWER: 82 99 CG CT MC	A 8345 IM 20-NOV-92	IM MU 11			
MIL-F-0040048B	FLAGSTAFFS AND INSIGNIA, FLAGSTAFF HEADS GENERAL SPECIFICATION FOR (VALIDATION DATE: 8407) USER: 45	A 8345 IM 03-JUN-77	IM			
MIL-L-40051E	LEATHER, CATTLEHIDE, FOR GLOVES USER: MC REVIEWER: MD	A 8330 CT 29-MAR-91	GL MU 99 CT			
MIL-F-40054B	FLAG SET, M-133 (VALIDATION DATE: 9210) USER: 45 REVIEWER: 82 99 CT MC	A 8345 IM 14-OCT-92	IM MU 11			
MIL-F-40055A	FLAG SET M-113 (VALIDATION DATE: 9210) USER: CG REVIEWER: 82 99 CT MC	A 8345 IM 14-OCT-92	IM MU 11			
MIL-T-40057B	TABLE, WRAPPING, PLYWOOD, ALUMINUM TOP, (VALIDATION DATE: 8104) USER: SM	A 7195 GL 19-MAR-69	GL			
MIL-C-40058A(1)	CABINETS, STORAGE, PRESERVATION AND PACKAGING EQUIPMENT, (VALIDATION DATE: 8201)	A 7125 GL 26-JUN-68	GL			
MIL-S-40059E(1)	SEPARATORS, SUSPENSION LINE, PARACHUTE USER: MC REVIEWER: 82 TH	A 1670 GL 16-DEC-92	GL AS 99			
MIL-C-40060C(1)	CABINET, STORAGE, STEEL, MAP REPRODUCTION, PHOTOMAPPING, AND SURVEYING EQUIPMENT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8801)	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/1	CABINET, STORAGE, STEEL, MAP REPRODUCTION, DOUBLE DOOR, WALL, TYPE I (VALIDATION DATE: 8201) REVIEWER: ME NS	A 7125 GL 30-DEC-70	GL			
MIL-C-40060/2	CABINET, STORAGE, STEEL, MAP REPRODUCTION, SINGLE DOOR, WALL, TYPE II (VALIDATION DATE: 8201) REVIEWER: ME NS	A 7125 GL 30-DEC-70	GL			
MIL-C-40060/3	CABINET, STORAGE, STEEL, PHOTOMAPPING EQUIPMENT, TYPE III REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/4	CABINET, STORAGE, STEEL, GENERAL SUPPLIES - 1-DOOR, TYPE IV REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/5	CABINET, STORAGE, STEEL, GENERAL SUPPLIES - 2 DOOR, TYPE V REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/6	CABINET, STORAGE, STEEL, ROLLED MATERIAL, TYPE VI (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/7	CABINET, STORAGE, STEEL, GENERAL SUPPLIES, TYPE VII (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/8	CABINET, STORAGE, STEEL, MULTIPLEX SUPPLIES, TYPE VIII (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/9	CABINET, STORAGE, STEEL, MULTIPLEX LABORATORY SUPPLIES, TYPE IX (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/10	CABINET, STORAGE, STEEL, RECTIFIER EQUIPMENT, TYPE X (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			
MIL-C-40060/11	CABINET, STORAGE, STEEL, PHOTOGRAPHIC PAPER, TYPE XI (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125 GL 25-JAN-88	GL			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Insertion Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Acty	Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-C-40060/12 NOTICE 1	CABINET, STORAGE, STEEL, MAP, LAYOUT, UTILITY AND STORAGE, ASSEMBLY, TYPE XII (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125	GL 25-JAN-88	GL			
L MIL-C-40060/13 NOTICE 1	CABINET, STORAGE, STEEL, RECTIFIER, LABORATORY SUPPLIES, TYPE XIII (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125	GL 25-JAN-88	GL			
L MIL-C-40060/14 NOTICE 1	CABINET, STORAGE, STEEL, CARTOGRAPHIC SUPPLIES, TYPE XIV (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125	GL 25-JAN-88	GL			
L MIL-C-40060/15 NOTICE 1	CABINET, STORAGE, STEEL, PHOTOLITHOGRAPHIC SUPPLIES, FLOOR 5 DRAWERS, TYPE XV (VALIDATION DATE: 8801) REVIEWER: ME NS	A 7125	GL 25-JAN-88	GL			
L MIL-C-40060/16 NOTICE 1	CABINET, STORAGE, STEEL, PHOTOLITHOGRAPHIC SUPPLIES, FLOOR, 1-DRAWER, 2-DOOR, TYPE XVI REVIEWER: ME NS	A 7125	GL 25-JAN-88	GL			
A L MIL-C-40060/17A	CABINET, STORAGE STEEL: LITHOGRAPHIC, COMBINATION STORAGE AND INSPECTION STAND: TYPE XVII REVIEWER: ME	A 7125	GL 19-NOV-92	GL			
L MIL-C-40060/20 NOTICE 1	CABINET, STORAGE STEEL, BOOKCASE, VEHICULAR MOUNTING, TYPE XX (VALIDATION DATE: 8201) REVIEWER: ME NS	A 7125	GL 30-DEC-70	GL			
L MIL-C-40060/21 NOTICE 3	CABINET, STORAGE, STEEL, ADJUSTABLE SHELVES, VEHICULAR MOUNTING (FOR SURVEYING EQUIPMENT), TYPE XXI (VALIDATION DATE: 8104) REVIEWER: ME NS	A 7125	GL 30-DEC-70	GL			
L MIL-C-40060/22 NOTICE 1	CABINET, STORAGE, STEEL, THREE PARTITIONS, VEHICULAR MOUNTING, (FOR SURVEYING EQUIPMENT), TYPE XXII REVIEWER: ME NS	A 7125	GL 25-JAN-88	GL			
A MIL-P-40061B(1) NOTICE 1	PANEL MARKER, AERIAL LIAISON, VS-17/GVX (VALIDATION DATE: 9210) USER: 45 REVIEWER: 82 99 CT	A 8345	1H 02-OCT-92	1H	MC	11	
L MIL-L-40064E NOTICE 1	LOADING PLATES, STEEL AND ALUMINUM USER: SH REVIEWER: AT GS	A 3990	ME 20-FEB-86	ME	OS		
L MIL-M-40065C(2)	MEASURING AND CUTTING MACHINES, PAPER AND POLYETHYLENE FILM (VALIDATION DATE: 8104) USER: MD	A 3540	GL 01-MAR-73	GL			
A MIL-L-40069D NOTICE 1	LEATHER, CATTLEHIDE, CHROME-TANNED, COLD-CLIMATE (VALIDATION DATE: 8708) USER: AR MC REVIEWER: EA MD	A 8330	CT 05-AUG-87	GL	MU	99	CT
L MIL-C-40070(2)	CLOTH, ACRYLIC, RAYON (FOR CARTRIDGE BAGS), (VALIDATION DATE: 8201) REVIEWER: 99 MH OS	A 8305	AR 28-MAY-76	AR			
A MIL-L-40074E NOTICE 1	LEATHER, CALFSKIN AND KIP, FOR HEADBANDS USER: MC REVIEWER: 82 99 MD	A 8330	CT 29-MAR-91	GL	MU	11	CT
MIL-R-40075C NOTICE 1	REFLECTOR, LIGHT, GASOLINE LANTERN REVIEWER: GS MD	A 6260	GL 17-AUG-82	GL	MC	99	
MIL-C-40077E	CABINET, GASOLINE FIELD RANGE OUTFIT MODEL 59, AND CHADLE, COOK POT USER: MC ME REVIEWER: 84 GS MD	A 73GP	GL 30-DEC-85	GL			
L MIL-R-40080C	RAMP, LOADING, VEHICLE, PORTABLE, FOUR SECTION 12,000 POUND CAPACITY (VALIDATION DATE: 8303) USER: MT REVIEWER: GS	A 3990	ME 21-MAY-75	ME			
A MIL-M-40082B NOTICE 1	MUS AND DIES FOR HERALDIC ITEMS USER: 45 REVIEWER: 82 99 CT MC	A 8455	1H 17-SEP-92	1H	MU	11	
MIL-C-40084C	CORROSION PREVENTIVE COMPOUND, WATER-EMULSIFIABLE, OIL TYPE USER: AR MC SA SH REVIEWER: AT AV GL ME	A 8030	MR 08-JUN-90	MR	AS		
L MIL-L-40085F NOTICE 1	LINK ASSEMBLY, TYPE IV, AIR DELIVERY REVIEWER: 11 AV MC	A 1670	GL 26-JUN-89	GL	AS	99	
A MIL-B-40088A(1) NOTICE 1	CORD, ACRYLIC, LACING	A 4020	AR 08-MAR-84	AR			
MIL-B-40092D	BRAID, TEXTILE, CORD EDGE, POLYESTER USER: MC REVIEWER: 82 99 MD	A 8315	CT 27-MAR-87	GL	MU	11	CT
MIL-P-40096C(1) NOTICE 1	POLISHER, PORTABLE, ELECTRIC (VALIDATION DATE: 8904) USER: CE REVIEWER: ME	A 5130	GL 22-APR-89	GL			
D MIL-T-40097B NOTICE 1	TONGS, FOOD SERVING (VALIDATION DATE: 8708) USER: YD1	A 7330	GL 05-AUG-87	GL	SA	99	
D MIL-B-40098H NOTICE 1	BURNER UNIT, GASOLINE, FIELD RANGE OUTFIT, M2A USER: MC REVIEWER: GS MD	A 7310	GL 26-JUN-89	GL	YD1		
A MIL-D-40099H NOTICE 1	DRAWERS, MEN'S, BOXER STYLE USER: 45 MC REVIEWER: 82 MD	A 8420	CT 26-JAN-89	GL	MU	99	CT
D MIL-C-40100C	CABINET, DOUGH PROOFING, PORTABLE, INSULATED, 12 PAN CAPACITY (VALIDATION DATE: 8201) USER: ME MS YD1 REVIEWER: GS MD	A 7320	GL 02-OCT-73	GL	MC	99	
MIL-L-40101D NOTICE 1	LOADING STANDARDS, LIQUID TRANSFER, BULK, PORTABLE, 2 INCH USER: MT	A 3990	ME 05-DEC-84	ME			
MIL-S-40104B NOTICE 1	STRAINER, POT, CORROSION-RESISTING STEEL (VALIDATION DATE: 8708) USER: MC REVIEWER: MD	A 7330	GL 05-AUG-87	GL	SA	99	
MIL-T-40106 NOTICE 4	TESTER, PLIABILITY (VALIDATION DATE: 9008) REVIEWER: GS	A 6635	GL 08-AUG-90	GL	AS		
D MIL-M-40110C NOTICE 1	WAFFLE IRON, ELECTRIC (VALIDATION DATE: 8103) REVIEWER: GS SH	A 7310	GL 29-JUN-76	GL	YD1	99	
D MIL-T-40112B(1) NOTICE 1	TABLE, KITCHEN, DROPLEAF, PLASTIC TOP (VALIDATION DATE: 8104) REVIEWER: MD	A 7105	GL 30-SEP-68	GL	YD1	99	
A L MIL-T-40113(1) NOTICE 1	TROPHY, NATIONAL GUARD, EISENHOWER AWARD (VALIDATION DATE: 9210) REVIEWER: CT	A 9910	1H 02-OCT-92	1H			
MIL-C-40115B	CUTTER, DOUGHNUT, 3-INCH (VALIDATION DATE: 8201) USER: MC MS REVIEWER: 45 MD	A 7330	GL 26-SEP-67	GL	SA	99	
D MIL-B-40119D NOTICE 1	BROILER-TOASTER-GRIDDLE, GAS FIRED (VALIDATION DATE: 8708) REVIEWER: GS MD	A 7310	GL 05-AUG-87	GL	YD1	99	
A MIL-C-40121D NOTICE 1	CASE, HANDCUFFS, LEATHER, BLACK (VALIDATION DATE: 8904) USER: 45 MC REVIEWER: 82	A 8465	CT 22-APR-89	GL	MU	99	CT
D MIL-D-40123C NOTICE 1	DOUGH TROUGH, FERMENTATION, FIELD USER: MC REVIEWER: 84 GS MD SA	A 7320	GL 14-JUN-83	GL	YD1	99	
A MIL-C-40124E(2)	CANTEEN, WATER, INSULATED, CORROSION-RESISTING STEEL, WITHOUT CUP AND COVER USER: 45 REVIEWER: 82 MC MD	A 8465	CT 20-APR-90	GL	MU	99	CT
A MIL-C-40126F NOTICE 1	CUP, WATER CANTEEN (FOR INSULATED CANTEEN) USER: 45 MC REVIEWER: 82 MD	A 8465	CT 29-JUL-88	GL	MU	99	CT
A MIL-P-40130D NOTICE 1	PADDLE, PARACHUTE PACKING, ALUMINUM (VALIDATION DATE: 9203) REVIEWER: 82 AV MC	A 1670	GL 27-MAR-92	GL	AS	99	
A MIL-C-40131C NOTICE 1	COVER, WATER CANTEEN, INSULATED, COTTON DUCK USER: 45 MC REVIEWER: MD	A 8465	CT 15-SEP-86	GL	SA	99	CT
A MIL-F-40132G NOTICE 1	FRAME SECTIONS, TENT, MAINTENANCE, MEDIUM, LIGHT METAL REVIEWER: 82 MD	A 8340	CT 30-SEP-85	GL			
L MIL-M-40134D NOTICE 1	HOOK, PARACHUTE PACKING USER: MC REVIEWER: AV	A 1670	GL 30-SEP-86	GL	AS		
MIL-T-40136H(4)	TANK AND PUMP UNIT, LIQUID DISPENSING, FOR TRUCK MOUNTING AND TANK UNIT, LIQUID DISPENSING, FOR TRAILER MOUNTING REVIEWER: 82	A 4930	ME 22-NOV-88	ME			
MIL-C-40137E NOTICE 1	CLEAVES, RIGGING, AIR DELIVERY TYPE: GENERAL SPECIFICATION FOR (VALIDATION DATE: 9008) USER: AS MC REVIEWER: 82 99 AV	A 1670	GL 08-AUG-90	GL			11
MIL-L-40138D NOTICE 1	LOAD COUPLERS-B AND 12 SPOOL REVIEWER: 11 82 AV	A 1670	GL 31-DEC-85	GL			99
MIL-R-40141C NOTICE 1	RACK, INSERT, BAKING AND ROASTING PAN (VALIDATION DATE: 8201)	A 7330	GL 22-SEP-70	GL	SA	99	
D MIL-S-40144E(2)	SHELVING, STORAGE, STATIONARY AND MOBILE, FOOD SERVICE (VALIDATION DATE: 8601) USER: CG MC YD1 REVIEWER: MD	A 7125	GL 17-APR-80	GL			99
MIL-M-40145C NOTICE 1	WRENCHES, CROWFOOT, SPECIAL USER: MI REVIEWER: 84 AL ME	A 5120	GL 11-OCT-91	GL			99
D MIL-P-40148F NOTICE 1	POLE, TENT, TELESCOPIC, ADJUSTABLE, ALUMINUM USER: 45 YD1 REVIEWER: 82 MD	A 8340	CT 09-JAN-87	GL	MU	99	CT
MIL-C-40153L NOTICE 1	CLOTHING REPAIR SHOP, TRAILER MOUNTED USER: MC REVIEWER: 84 GS TR	A 3530	GL 30-SEP-91	GL			99
D MIL-D-40155C NOTICE 1	OPENER, CAN, ELECTRIC, HEAVY-DUTY (VALIDATION DATE: 8201) USER: MC MS YD1 REVIEWER: MD	A 7330	GL 27-SEP-71	GL	SA	99	
A MIL-F-40165C NOTICE 2	FIELD PACK, CANVAS, COMBAT, M61961 USER: 45 REVIEWER: 82 MD	A 8465	CT 05-AUG-87	GL			99
MIL-D-40167D	DOUGH PROOFING BOXES, STEAM HEATED (STEAM, OR STEAM AND WATER, HUMIDIFIED) USER: MS REVIEWER: 84 GS MC MD	A 7320	GL 31-DEC-91	GL	SA	99	
D MIL-M-40080D NOTICE 1	MIXER, FLUID, ELECTRIC (VALIDATION DATE: 8103) USER: CE REVIEWER: MD	A 7320	GL 01-FEB-73	GL	YD1	84	
A L MIL-S-40081D(3) NOTICE 1	SAW, BAND, MEAT-CUTTING USER: MC REVIEWER: GS TS	A 7320	GL 30-SEP-88	GL			99
MIL-C-40082B NOTICE 2	SAWS, BAND, MEAT-CUTTING	A 7320	SH 16-JUL-92	SH			
D MIL-D-40085C NOTICE 1	COOKIE CUTTING MACHINE, ELECTRIC (VALIDATION DATE: 8105) USER: YD1 REVIEWER: GS	A 7320	GL 29-DEC-67	GL			
L MIL-D-400805D NOTICE 1	DISPLAY CASES, MECHANICALLY REFRIGERATED, SELF-SERVICE USER: MC REVIEWER: GS MD ME	A 4110	GL 05-DEC-78	GL	YD1	99	
D MIL-R-400807D NOTICE 1	DISPLAY CASES, MECHANICALLY REFRIGERATED, SELF-SERVICE REVIEWER: GS MD ME	A 4110	GL 26-JUN-89	GL			99
D MIL-S-400808D NOTICE 1	RACK, CUTLERY USER: SA REVIEWER: 84 GS MC MD MS TS	A 7320	GL 17-JUN-86	GL	YD1	99	
L MIL-B-400811C NOTICE 1	STOVE, GASOLINE, 2-BURNER (VALIDATION DATE: 9006) USER: YD1 REVIEWER: MD	A 7310	GL 19-JUN-90	GL			
MIL-M-400814C NOTICE 1	BAGGING MACHINE, FRUIT AND PRODUCE (VALIDATION DATE: 8106) REVIEWER: MD	A 3540	GL 01-NOV-72	GL			99
MIL-S-400815B(1)	TYING MACHINES, BAG INDUSTRIAL (VALIDATION DATE: 8201) REVIEWER: MC MD ME MS SH	A 3540	GL 07-JUN-72	GL	SA		
	WRAPPING MACHINE, MEAT AND PRODUCE, AUTOMATIC, SHRINK FILM (VALIDATION DATE: 8201) REVIEWER: MD MS	A 3540	GL 30-JUN-76	GL	SA		
	SHOE REPAIR SHOP, TRAILER MOUNTED (VALIDATION DATE: 8501) REVIEWER: GS	A 3520	GL 26-JAN-79	GL			99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off Coordination Inactive	Document Number	Document Title	Dist Smt FBC / Area MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-P-406198(1) MIL-T-40620A	PLASTIC MATERIAL, CELLULAR, POLYSTYRENE (FOR BUOYANCY APPLICATIONS) ..... TAPE, PRESSURE-SENSITIVE ADHESIVE, LITHOGRAPH (VALIDATION DATE: 8104) USER: MC SA REVIEWER: 69	A 9330 A 7510	MI	05-MAR-92 GL 06-JUN-66	MI			99
D	MIL-T-406248 NOTICE 1 MIL-T-40625A NOTICE 2	TARPAULIN, LAUNDRY, TRAILER MOUNTED, SINGLE TRAILER TYPE M-532 (VALIDATION DATE: 8802) USER: MC REVIEWER: GS TUBING, BIAS SEWN (BURLAP OR OSNABURG) CLOTH (VALIDATION DATE: 8201) USER: MC REVIEWER: GS	A 3510 A 8135	GL	12-FEB-88 27-DEC-65	GL	YD1	99	69
L	MIL-S-40626C(1) MIL-T-40627B	SIGN KIT, VEHICLE CLASS USER: AT MC REVIEWER: GS MD ME ..... TIEDOWN ASSEMBLY, CHAIN TYPE, FOR DRUM(S), FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY USER: MC REVIEWER: GS MT	A 9905 A 8110	GL	07-NOV-80 ME 06-JUN-92	GL			69
	MIL-Y-40628D	YOKE, TOWING AND LIFTING, FOR DRUMS, FABRIC, COLLAPSIBLE (VALIDATION DATE: 8501) USER: MC REVIEWER: 99 GL GS	A 8110	ME	17-OCT-80	ME			69
L	MIL-T-40629B MIL-T-40629/1	TRUCK, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE, ELECTRIC, NON PALLET STRADDLING SHIPBOARD GENERAL SPECIFICATION FOR REVIEWER: CS MC TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 50 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE) USER: SH REVIEWER: CS MC	A 3930 A 3930	SA	03-OCT-85 03-OCT-85	SA			SA
	MIL-T-40629/2	TRUCK, LIFT, FORK, REACHING & TIERING, CONTINUOUS DUTY, NARROW AISLE 4,000 POUND CAPACITY, 68 INCH LIFT, ELECTRIC SHIPBOARD, TYPE (EE) USER: SH REVIEWER: MC	A 3930	SA	03-OCT-85	SA			SA
D	MIL-D-40631G MIL-T-40632(1)	DISPENSER, TABLEWARE, SELF LEVELING USER: MC REVIEWER: 82 GS MD SA ..... TRUCK, LIFT, FORK, DIESEL, PNEUMATIC-TIRED, GENERAL PURPOSE, 6,000-POUND CAPACITY AT 24-INCH LOAD CENTER (VALIDATION DATE: 7901) USER: MS REVIEWER: CS MC	A 7320 A 3930	GL	31-DEC-84 GL 23-NOV-65	GL	YD1	99	SA
	MIL-T-0040632A	TRUCK, LIFT, FORK, DIESEL, PNEUMATIC-TIRED, GENERAL PURPOSE, 6,000-POUND CAPACITY AT 24-INCH LOAD CENTER (VALIDATION DATE: 7901) REVIEWER: CS MC	A 3930	SA	09-JUN-67	ME	SA	84	
D	MIL-T-0040632A(12)	TRUCK, LIFT, FORK, DIESEL, PNEUMATIC-TIRED, GENERAL PURPOSE, 6,000-POUND CAPACITY AT 24-INCH LOAD CENTER (VALIDATION DATE: 8901) REVIEWER: 85 MC OS YD1	A 3930	SA	24-MAR-69	SA		84	
	MIL-R-40633C	REFRIGERATION UNITS, MECHANICAL (REMOTE TYPE ) FOR REFRIGERATOR, PREFABRICATED, PANEL TYPE (VALIDATION DATE: 8303) USER: CS MI REVIEWER: CE GS MD ME	A 4110	GL	23-SEP-77	GL			99
	MIL-R-40634(1)	PACK, MAILBAG, FOLDING TYPE, METAL, 68BAG CAPACITY (VALIDATION DATE: 8104) USER: MC SA	A 7110	GL	24-NOV-67	GL			99
D	MIL-L-40635E(3)	LAUNDRY UNIT, TRAILER MOUNTED, AND LAUNDRY UNITS SKID MOUNTED (VALIDATION DATE: 8501) REVIEWER: GS MD	A 3510	GL	24-MAY-79	GL	YD1	99	
D	MIL-P-40636A NOTICE 2 MIL-C-40638D NOTICE 1 MIL-C-40643B NOTICE 1	POTS, COOKING, ALUMINUM, RECTANGULAR (VALIDATION DATE: 9302) USER: CG MC REVIEWER: MD MS YD1 CANDLE, ECCLESIASTICAL (AND TAPER, CANDLELIGHTER) (VALIDATION DATE: 8101) REVIEWER: GS CLIP, FASTENER, CONTAINER (VALIDATION DATE: 8801) USER: CG MC REVIEWER: 11 99 GS SM	A 7330 A 9925 A 8135	GL	26-FEB-93 30-APR-73 25-JAN-88	GL	SA	99	28
A	MIL-L-41800G MIL-H-41802E	LINER, GROUND TROOP S - PARACHUTIST S HELMET USER: 45 REVIEWER: 82 MC MD .. HEADBAND AND NECKBAND, GROUND TROOPS, PARACHUTISTS, HELMET LINER USER: MC REVIEWER: MD	A 8470 A 8470	CT	31-DEC-85 03-OCT-86	GL	AS	99	CT
A	MIL-N-41804E MIL-B-41809C SUPPL 1A1, NOTICE 1 MIL-B-41809/1C MIL-B-41809/2F	MECKTIES, MEN S, FOUR IN HAND USER: 45 REVIEWER: 82 99 MC MD ..... BADGES AND INSIGNIA, IDENTIFICATION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9205) USER: 45 REVIEWER: 82 99 CT BADGE, IDENTIFICATION, PRESIDENTIAL SERVICE USER: 45 REVIEWER: CT MC ..... BADGE, IDENTIFICATION, JOINT CHIEFS OF STAFF USER: 45 REVIEWER: 82 99 CT MC	A 8440 A 8455 A 8455 A 8455	CT	20-AUG-87 1H 29-MAY-92	GL	NU	11	CT
	MIL-B-41809/3E	BADGE, IDENTIFICATION, JOINT CHIEFS OF STAFF USER: 45 REVIEWER: 82 99 CT	A 8455	1H	14-MAY-90	1H	NU	11	
	MIL-B-41809/4G	BADGE, IDENTIFICATION, RECRUITING SERVICE, AIR FORCE USER: 45 REVIEWER: 99 CT	A 8455	1H	19-OCT-90	1H			11
	MIL-B-41809/5D MIL-B-41809/6B	BADGE, IDENTIFICATION AND INSIGNIA, SERVICE CAP, CIVILIAN POLICE AND CIVILIAN GUARD, DOD USER: 45 REVIEWER: 82 CT NU BADGE, IDENTIFICATION, ARMY STAFF, ARMY REVIEWER: CT .....	A 8455 A 8455	1H	14-SEP-90	1H			99
L	MIL-B-41809/7C	BADGE, IDENTIFICATION, OFFICE OF THE SECRETARY OF DEFENSE USER: 45 CG REVIEWER: 82 99 CT MC	A 8455 A 8455	1H	30-APR-92	1H			11
L	MIL-B-41809/7C MIL-B-41809/8H	BADGE, IDENTIFICATION, HONOR GUARD, TOMB OF THE UNKNOWN SOLDIER, ARMY REVIEWER: CT BADGE, IDENTIFICATION, SECURITY POLICE, AIR FORCE USER: 45 REVIEWER: 82 99 CT	A 8455 A 8455	1H	14-MAY-90	1H			11
L	MIL-B-41809/9F MIL-B-41809/11H MIL-B-41809/12E	BADGE, IDENTIFICATION, DRILL SERGEANT, ARMY REVIEWER: CT .....	A 8455 A 8455 A 8455	1H	30-APR-92	1H			11
	MIL-B-41809/13C MIL-B-41809/14G	BADGE, IDENTIFICATION, U.S. ARMY RECRUITER, ARMY REVIEWER: CT ..... BADGE, IDENTIFICATION, PERMANENT PROFESSOR, U.S. AIR FORCE ACADEMY REVIEWER: 82 99 CT	A 8455 A 8455	1H	30-APR-92	1H			11
	MIL-B-41809/15J	BADGE, IDENTIFICATION, RECRUITING SERVICE, NAVY REVIEWER: CT .....	A 8455	1H	14-MAY-90	1H	SA		
	MIL-B-41809/16E MIL-B-41809/17F MIL-B-41809/18C MIL-B-41809/19B MIL-B-41809/20G	BADGE, IDENTIFICATION, INSTRUCTOR AND MASTER INSTRUCTOR AIR FORCE TRAINING COMMAND USER: 45 REVIEWER: 82 99 CT BADGE, IDENTIFICATION, FIRE PROTECTION, AIR FORCE USER: 45 REVIEWER: 82 99 CT BADGE, IDENTIFICATION, VICE PRESIDENTIAL SERVICE REVIEWER: 82 99 CT MC SA .. BADGE, IDENTIFICATION, U.S. ARMY NATIONAL GUARD RECRUITER REVIEWER: CT .... BADGE, IDENTIFICATION, COXSWAIN, COAST GUARD REVIEWER: CG CT .....	A 8455 A 8455 A 8455 A 8455 A 8455	1H	14-MAY-90	1H	NU	11	
L	MIL-B-41809/21D MIL-B-41809/22C MIL-B-41809/24C MIL-B-41809/25C MIL-B-41809/26B MIL-B-41809/27B MIL-B-41809/28B MIL-B-41809/29B MIL-B-41809/30C	BADGE, IDENTIFICATION, CAREER COUNSELOR, ARMY REVIEWER: CT ..... BADGE, IDENTIFICATION, JUNIOR ROTC INSTRUCTOR, AIR FORCE REVIEWER: 82 99 CT BADGE, IDENTIFICATION, MILITARY POLICE, ARMY REVIEWER: CT .....	A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455	1H	14-MAY-90	1H			11
L	MIL-B-41809/31A	BADGE, IDENTIFICATION, FOREST SERVICE VOLUNTEER REVIEWER: CT .....	A 8455	1H	14-SEP-90	1H			11
L	MIL-B-41809/32A MIL-B-41809/33D MIL-B-41809/35C MIL-B-41809/36B MIL-B-41809/37A	BADGE, IDENTIFICATION, OUTDOOR RECREATION SERVICES, ARMY REVIEWER: CT ..... BADGE, IDENTIFICATION, CUTTERMAN, US COAST GUARD REVIEWER: CT ..... BADGE, IDENTIFICATION, RECRUIT COMPANY COMMANDER, NAVY REVIEWER: CT ..... BADGE, IDENTIFICATION, CAREER COUNSELOR, NAVY REVIEWER: CT ..... BADGE, IDENTIFICATION, SENIOR ENLISTED ADVISOR, NAVY REVIEWER: CT ..... BADGE, IDENTIFICATION, US ARMY RESERVE RECRUITER, ARMY REVIEWER: CT ..... BADGE, IDENTIFICATION, US POSTAL SERVICE, DELIVERY SERVICES EMPLOYEES REVIEWER: CT	A 8455 A 8455 A 8455 A 8455 A 8455 A 8455 A 8455	1H	14-MAY-90	1H			11
L	MIL-B-41809/38A MIL-B-41809/39B MIL-B-41809/40A MIL-B-41809/41A	BADGE, IDENTIFICATION, ARMY CONTINUING EDUCATION SYSTEM PERSONNEL REVIEWER: CT BADGE, IDENTIFICATION, NAVAL INVESTIGATIVE SERVICE REVIEWER: CT ..... BADGE, IDENTIFICATION, OFFICER IN CHARGE, USPHS REVIEWER: CT ..... BADGE, IDENTIFICATION, ARMY ROTC NURSE CADET PROGRAM REVIEWER: CT ..... BADGE, IDENTIFICATION, HONOR GUARD, COAST GUARD USER: CG REVIEWER: CT .....	A 8455 A 8455 A 8455 A 8455 A 8455	1H	14-MAY-90	1H	SA		
L	MIL-B-41809/42A	BADGE, IDENTIFICATION, CHIEF OF PARTY, NOAA REVIEWER: CT .....	A 8455	1H	14-MAY-90	1H			11
	MIL-B-41809/43	BADGE, IDENTIFICATION, DEFENSE MAPPING AGENCY USER: CT ..... BADGE, IDENTIFICATION, REFUGEE OFFICER, U.S. FISH AND WILDLIFE REVIEWER: CT BADGE, IDENTIFICATION, CAP, POLICE, DEFENSE PROTECTIVE SERVICE, DOD REVIEWER: CT BADGE, IDENTIFICATION, POLICE, DEFENSE PROTECTIVE SERVICE, DOD REVIEWER: CT BADGE, IDENTIFICATION, AIR NATIONAL GUARD RECRUITER, AIR FORCE USER: 45 REVIEWER: CT	A 8455 A 8455 A 8455 A 8455 A 8455 A 8455	1H	14-MAY-90	1H			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / On Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty	Date	Custodians		
					Army	Navy	Air Force DLA
L	MIL-B-41809/44	BADGE, IDENTIFICATION, MEDICAL DEPARTMENT RECRUITER, ARMY REVIEWER: CT ....	A 8455	1H 14-JUN-91	1H		
A	MIL-B-41809/45	BADGE, IDENTIFICATION, UNITED STATES STRATEGIC COMMAND USER: 45 REVIEWER: 82 99 CT MC	A 8455	1H 22-DEC-92	1H	MU	11
A	MIL-T-41810K	TENT, GENERAL PURPOSE, SMALL USER: 45 REVIEWER: 82 .....	A 8340	CT 14-MAY-90	GL	MU	99 CT
A	MIL-T-41812H	TENT LINER SECTIONS, FRAME-TYPE MAINTENANCE, MEDIUM USER: 45 REVIEWER: 82 MD	A 8340	CT 30-JUN-88	GL	MU	99 CT
D	MIL-T-41813F	TENT SECTIONS, FRAME TYPE, MAINTENANCE, MEDIUM USER: 45 MC YD1 REVIEWER: 82 MD	A 8340	CT 20-AUG-87	GL	MU	99 CT
A	MIL-C-41814F	COUNTER, FOOTWEAR USER: MC REVIEWER: 82 MD .....	A 8335	CT 02-DEC-86	GL	MU	99 CT
A	MIL-L-41815H	LASTS, FOOTWEAR, COMBAT, U.S., MIL-S USER: MC REVIEWER: 82 MD .....	A 8335	CT 07-APR-86	GL	MU	99 CT
A	MIL-B-41816H	BOOTS, COLD WEATHER, INSULATED, RUBBER (WET-COLD: DRY-EXTREME COLD) USER: 11 MC REVIEWER: MD	A 8430	CT 03-APR-90	GL	MU	99 CT
A	MIL-G-41817E	GLOVES, MEN'S, CLOTH, DRESS, WHITE REVIEWER: 82 99 MC MD .....	A 8440	CT 06-SEP-90	GL	MU	11 CT
A	MIL-B-41818G	BOOTS, COMBAT, LEATHER, BLACK (MIL-S) USER: 45 CG MC REVIEWER: MD .....	A 8430	CT 25-JAN-88	GL	MU	99 CT
	MIL-R-41819C	RIBBON ATTACHMENTS, DECORATION AND MEDAL GENERAL SPECIFICATION FOR [VALIDATION DATE: 9206] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 02-JUN-92	1H	MU	11
	SUPPL 1, NOTICE 1	RIBBON ATTACHMENT: LEGION OF MERIT, CHIEF COMMANDER AND COMMANDER [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/1B	RIBBON ATTACHMENT: LEGION OF MERIT, OFFICER [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/2B	RIBBON ATTACHMENT: LETTER "M" [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/3C	RIBBON ATTACHMENT: OAK LEAF CLUSTER [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 CT MC	A 8455	1H 20-APR-92	1H	MU	99
	MIL-R-41819/4C	RIBBON ATTACHMENT: SUPERIOR CADET AWARD, ROTC [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/5B	RIBBON ATTACHMENT: ADDITIONAL CIVILIAN AWARDS, AIR FORCE [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/6C	RIBBON ATTACHMENT: STAR REVIEWER: 82 99 CG CT MC .....	A 8455	1H 03-JUN-92	1H	MU	11
	MIL-R-41819/7F	RIBBON ATTACHMENT: CLASP, GOOD CONDUCT MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/8D	RIBBON ATTACHMENT: CLASPS, CAMPAIGN AND SERVICE MEDALS (A, N, MC) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/9C	RIBBON ATTACHMENT: CLASPS, CAMPAIGN AND SERVICE MEDALS (N, MC, CG) [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/10C	RIBBON ATTACHMENT: ARMED FORCES RESERVE NUMERAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/11C	RIBBON ATTACHMENT: ARROWHEAD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/12C	RIBBON ATTACHMENT: BERLIN AIRLIFT [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/13D	RIBBON ATTACHMENT: LETTER "W" [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/14B	RIBBON ATTACHMENT: LETTER "A" [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/15B	RIBBON ATTACHMENT: FLEET MARINE FORCE COMBAT INSIGNIA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/16B	RIBBON ATTACHMENT: CLASP, ANTARCTICA SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/17B	RIBBON ATTACHMENT: DISC, ANTARCTICA SERVICE MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/18B	RIBBON ATTACHMENT: ADDITIONAL CIVILIAN AWARDS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/19C	RIBBON ATTACHMENT: ADDITIONAL AERONAUTICS AND SPACE ADMINISTRATION [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/21E	RIBBON ATTACHMENT: NUMERALS, STRIKE FLIGHT, NAVY AND AIR MEDAL, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/22C	RIBBON ATTACHMENT: PALM, VIETNAMESE GALLANTRY CROSS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/23C	RIBBON ATTACHMENT: DATE BAR, REPUBLIC OF VIETNAM CAMPAIGN MEDAL [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/24B	RIBBON ATTACHMENT: BRAVERY, NAVY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/25D	RIBBON ATTACHMENT: TORCH, ARMY AND AIR FORCE, SROTC [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/26C	RIBBON ATTACHMENT: ADDITIONAL AWARDS (LAMP), JROTC, ARMY [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/27A	RIBBON ATTACHMENT: HEROISM WREATH [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/28A	RIBBON ATTACHMENT: OPERATIONAL DISTINGUISHING DEVICE, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/29A	RIBBON ATTACHMENTS: AFJROTC DRILL TEAM AND COLOR GUARD BARS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/30A	RIBBON ATTACHMENT: AFROTC BRONZE CROSS [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/31A	RIBBON ATTACHMENT: NAVY "E" [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/32B	RIBBON ATTACHMENT: LETTER "S" [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/33A	RIBBON ATTACHMENT, LETTER "E" [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/34	RIBBON ATTACHMENTS: TRIANGLE, NOAA [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/35	RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, RIFLEMAN, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/36	RIBBON ATTACHMENT, EXCELLENCE IN COMPETITION, PISTOL SHOT, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/37	RIBBON ATTACHMENT, DISTINGUISHED MARKSMAN, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/38	RIBBON ATTACHMENT, DISTINGUISHED PISTOL SHOT, COAST GUARD [VALIDATION DATE: 9204] USER: 45 CG REVIEWER: 82 99 CT MC	A 8455	1H 20-APR-92	1H	MU	11
	MIL-R-41819/39	RIBBON ATTACHMENT, KUWAIT LIBERATION, KINGDOM OF SAUDI ARABIA REVIEWER: 82 99 CG CT MC	A 8455	1H 26-FEB-92	1H	MU	11
A	MIL-R-41819/40	RIBBON ATTACHMENT, LETTER "M" USER: 45 CG REVIEWER: 82 99 CT MC .....	A 8455	1H 02-FEB-93	1H	MU	11
A	MIL-C-41820D	CLOTH, GABARDINE, POLYESTER AND RAYON [VALIDATION DATE: 8711] USER: 45 REVIEWER: 82 MC MD	A 8305	CT 12-NOV-87	GL	MU	11 CT
A	MIL-S-41821H	SHOE, NONSPARKING, SAFETY, HIGH USER: CG SH REVIEWER: MD .....	A 8430	CT 12-MAY-88	GL	MU	99 CT
A	MIL-C-41824C	CLIMBERS, SKI, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER: 45 .....	A 8465	CT 28-NOV-89	GL	MU	99 CT
A	MIL-S-41825F	SLACKS, WOMEN'S	A 8410	CT 30-AUG-88			99 CT
A	MIL-B-41826G	BATTING, SYNTHETIC FIBERS, POLYESTER, (UNQUILTED AND QUILTED) REVIEWER: 11 82 MD	A 8320	CT 30-JUN-89	GL		
A	MIL-T-41828H	TROUSERS, MEN'S, POLYESTER/WOOL USER: 45 REVIEWER: 82 99 .....	A 8405	CT 22-OCT-87		MU	11 CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Chg Coordination Index	Document Number	Document Title	Doc Form	FSC / AIA	MCS Symbol	Preparing Date	Date	Custodians			
								Army	Navy	Air Force	DA
D	MIL-A-418290	APRON, UTILITY, IMPERMEABLE, RUBBER COATED FABRIC (GENERAL PURPOSE) USER: 11 45 MC YDI REVIEWER: MD	A 8415	CT	10-AUG-89	GL	NU	99	CT		
A L	MIL-T-41830E	TENT, VEHICLE MAINTENANCE, COMPLETE WITH A-FRAME USER: B2 REVIEWER: MD	A 8340	CT	30-SEP-86	GL			CT		
A	MIL-C-41831B	CLOTH, NYLON, KNITTED, RASCHEL REVIEWER: MD	A 8305	CT	15-MAR-86	GL	NU		CT		
A L	MIL-C-41833E	COVERALL, MECHANIC'S, COLD WEATHER REVIEWER: MD	A 8415	CT	30-MAR-90	GL			CT		
A L	MIL-T-41834E	TROUSERS, MEN'S, POLYESTER AND COTTON USER: GS	A 8405	CT	16-OCT-90	GL	NU		CT		
A	MIL-K-41835D	KIT BAG, FLYER S USER: 45 REVIEWER: 11 B2 MC	A 8460	CT	25-MAR-88	GL	AS	99	CT		
A	MIL-C-41836C(1)	CLOTH, DUCK, COTTON AND NYLON (VALIDATION DATE: 8711) USER: MC REVIEWER: MD	A 8305	CT	12-NOV-87	GL	NU	99	CT		
A	MIL-N-41837D	MAINTENANCE KIT, TOXICOLOGICAL AGENTS PROTECTIVE CLOTHING USER: 45 MC REVIEWER: B2 MD MS	A 8415	CT	27-JUN-88	GL	NU	99	CT		
A	MIL-O-41838D	OVERSHOES, WOMEN S, PLASTIC, GRAY (VALIDATION DATE: 8501) USER: 45 REVIEWER: 99 MC MD	A 8435	CT	06-JAN-78	GL	NU	11	CT		
	MIL-C-42003	CHISEL, PERIODONTAL (DOUBLE-ENDED)	A 6520	MB	20-JAN-86	MD	MS	03			
	MIL-C-42005A	CHAIR, DENTAL, PATIENT	A 6520	MB	24-MAR-87	MD	MS	03			
	MIL-L-42006A	LIGHT, DENTAL, OPERATING	A 6520	MB	04-AUG-86	MD	MS	03			
	MIL-D-42007	DENTAL OPERATING AND TREATMENT UNIT, OVER PATIENT TYPE, CHAIR MOUNTED	A 6520	MB	04-SEP-86	MD	MS	03			
	MIL-C-42008	CART, DENTAL ASSISTANT, MOBILE	A 6520	MB	04-SEP-86	MD	MS	03			
	MIL-I-42021	INTRAVENOUS INJECTION SET, PEDIATRIC, DISPOSABLE	A 6515	MB	27-OCT-86	MD	MS	03			
	MIL-C-42028	COMPRESSOR-DEHYDRATOR, DENTAL EQUIPMENT, PORTABLE, 115 VOLTS, 60 HZ, AC	A 6520	DM	06-OCT-86	MD	MS	03			
	MIL-D-42034	DRILL, BONE, PNEUMATIC	A 6515	MB	21-NOV-86	MD	MS	03			
	MIL-F-42042	FORCEPS, EYE, VITREOUS, MICROEXTRACTOR (NEUBAUER)	A 6515	MB	18-FEB-87	MD	MS	03			
	MIL-R-42043	REGULATOR, OXYGEN	A 6680	MB	06-APR-87	MD	MS	03			
	MIL-I-42044A	SEXUAL ASSAULT DETERMINATION KIT	A 6640	MB	20-MAY-91	MD	MS	03			
	MIL-D-42048	DEPLOYABLE MEDICAL SYSTEMS, GENERAL REQUIREMENTS FOR	A 6520	MB	26-JUN-87	MD	MS	03			
	MIL-D-42048/1	LIGHT SET, DENTAL OPERATING, FIELD	A 6520	MB	09-NOV-87	MD	MS	03			
	MIL-D-42054A	DEFIBRILLATOR, MONITOR-RECORDER (BATTERY OPERATED, WITH CHARGER)	A 6515	MB	30-MAY-89	MD	MS	03			
	MIL-S-42056	SAW SYSTEM, BONE, ELECTRIC	A 6515	MB	02-MAR-88	MD	MS	03			DM
	MIL-W-42059	WORK BOX, DENTAL LABORATORY	A 6520	MB	11-JUL-88	MD	MS	03			
	MIL-W-42062	WATER BATH, ELECTRIC, 120/230 VOLT, 50/60 HZ AC	A 6640	MB	15-AUG-88	MD	MS	03			
	MIL-H-42064	MOOD, DENTAL LABORATORY GRINDING AND POLISHING MACHINE, COLLAPSIBLE, FIELD	A 6520	MB	20-MAR-89	MD	MS	03			
	MIL-H-42065A	HANDPIECE KIT, DENTAL (PORTABLE, BATTERY POWERED)	A 6520	MB	20-MAR-92	MD	MS	03			
	MIL-C-42066	CARRIER, LITTER, WHEELED USER: MC REVIEWER: DM	A 6530	MB	15-JUN-89	MD	MS	03			
	MIL-H-42067	HUMIDIFIER, OPERATING ROOM	A 4520	MB	15-JUN-89	MD	MS	03			
	MIL-C-42068	CHEST, MEDICAL INSTRUMENT AND SUPPLY SET	A 6545	MB	25-JUN-89	MD	MS	03			
	MIL-I-42073	INSERT, OPTICAL, CHEMICAL-BIOLOGICAL MASK, XM-40	A 6540	MB	25-MAY-90	MD	MS	03			
	MIL-C-42074	CASE, SPECTACLE FITTING AND ADJUSTMENT SET	A 6540	MB	15-FEB-91	MD	MS	03			
	MIL-P-42075	PAD, HEATING, CHEMICAL	A 6530	MB	14-FEB-91	MD	MS	03			
D	MIL-H-42076	HOLDERS, HOSPITAL BED PATIENT IDENTIFICATION CARD REVIEWER: 50 TH YDI	A 6530	MB	06-MAR-92	MD	MS	03			
D	MIL-H-42077	HOLDER, PATIENT'S BED TRAY CARD REVIEWER: 50 TH YDI	A 6530	MB	06-MAR-92	MD	MS	03			
D	MIL-C-42078	CRADLES, HOSPITAL BED CLOTHING REVIEWER: 50 TH YDI	A 6530	MB	30-APR-92	MD	MS	03			
D	MIL-R-42301	RETRACTOR, RIB (TUFFIER)	A 6515	MB	22-OCT-86	MD	MS	03			
D	MIL-W-43001F	WASHER - EXTRACTORS, LAUNDRY, COMMERCIAL USER: CE MC REVIEWER: GS MD	A 3510	GL	30-SEP-87	GL	YDI	84			
D	MIL-S-43002D	SHIELD, STOVEPIPE, TENT, NONMETALLIC (VALIDATION DATE: 8908) USER: 45 MC YDI REVIEWER: B2 MD	A 8340	CT	11-AUG-89	GL	NU	11	CT		
	MIL-R-43003D	RELEASE, CARGO PARACHUTE, 5000-POUND CAPACITY REVIEWER: AV MC	A 1670	GL	06-JAN-92	GL	AS	99			
A	MIL-R-0043003E	RELEASE, CARGO PARACHUTE, 5000-POUND CAPACITY REVIEWER: AS MC TR	A 1670	GL	13-AUG-92	GL	SA	82			
A	MIL-C-43006G	CLOTH & STRIP, LAMINATED OR COATED, VINYL-NYLON OR POLYESTER HIGH STRENGTH, FLEXIBLE USER: 45 AT REVIEWER: B2 MD SH	A 8305	CT	10-APR-89	GL	NU	99	CT		
L	MIL-R-43010B	REMODELING SET, SOIL-COMPACTATION REVIEWER: GS	A 6635	ME	16-JUN-88	ME					
L	MIL-C-43011A	CARRYING CASE, TEST SET, SOIL TRAFFICABILITY (VALIDATION DATE: 9011) USER: GL REVIEWER: GS	A 6635	ME	02-NOV-90	ME					
L	MIL-S-43012C	SAMPLER, SOIL USER: GL REVIEWER: GS	A 6635	ME	24-AUG-81	ME					
A	MIL-S-43013C	SLING, UNIVERSAL, INDIVIDUAL LOAD CARRYING REVIEWER: MD	A 8465	CT	25-JAN-88	GL	MC	99	CT		
	MIL-D-43015D	QUICK RELEASE, TYPE B-2A (VALIDATION DATE: 8711) USER: B2 99 REVIEWER: MC	A 1670	GL	20-NOV-87	GL	AS				
A	MIL-B-43021E	BINDER, LOAD, CARGO TIE-DOWN, 10,000 POUND CAPACITY USER: MC REVIEWER: 11 TH	A 1670	GL	11-JUN-92	GL		99			
D	MIL-R-43024D	REFRIGERATOR, MECHANICAL, COMMERCIAL, PORTABLE, REACH IN, 70 CUBIC FOOT (2 H3) (LESS MECHANICAL UNIT) (VALIDATION DATE: 8303) USER: MC REVIEWER: MD ME	A 4110	GL	25-JUL-77	GL	YDI	99			
L	MIL-R-0043024E	REFRIGERATOR, MECHANICAL, COMMERCIAL, PORTABLE, REACH-IN, 70 CUBIC FOOT (LESS MECHANICAL UNIT) USER: CE MC REVIEWER: B2 GS MD TS	A 4110	GL	13-JUN-91	GL					
	MIL-S-43028D	SEWING MACHINES, INDUSTRIAL, COMPLETE WITH CARRYING, SHIPPING AND STORAGE CASES (VALIDATION DATE: 8908) USER: MC REVIEWER: B4 MD	A 3530	GL	31-AUG-89	GL		99			
	MIL-P-43027E	PAPER, CHART, MAP AND BOOK, LITHOGRAPHIC FINISH, COATED AND UNCOATED USER: MC ME SA REVIEWER: GS	A 9310	GL	31-DEC-90	GL		99			
D	MIL-R-43031E	REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, 3000 BTU/HR (879 W) CAPACITY (VALIDATION DATE: 8202) USER: MC REVIEWER: GS MD	A 4110	GL	02-NOV-77	GL	YDI	99			
L	MIL-R-0043031F	REFRIGERATION UNITS, MECHANICAL, PANEL TYPE, 3000 BTU/HR CAPACITY USER: CE MC REVIEWER: B2 GS MD ME TS	A 4110	GL	13-JUN-91	GL					
L	MIL-S-43032A(1)	SAW, HAND, CROSSCUT, 24 INCH BLADE (VALIDATION DATE: 8710)	A 5110	GL	01-OCT-87	GL					
L	MIL-C-43033(2)	CLOTH, COTTON, WATER REPELLANT REVIEWER: CT GL MR	A 8305	AR	09-JUL-85	AR					
L	MIL-C-43035A(1)	CHAIR, STRAIGHT, KITCHEN (VALIDATION DATE: 8201)	A 7105	GL	07-JUN-88	GL					
A	MIL-T-43036B(3)	TAPE, PRESSURE-SENSITIVE ADHESIVE, PLASTIC FILM, (FOR SEALING FIBER CONTAINERS AND CANS) USER: MI SA SH REVIEWER: AR GL	A 7510	AR	04-JAN-93	AR	OS	99			
L	MIL-P-43038B	PLASTIC HOLDING MATERIAL, POLYESTER, LOW-PRESSURE LAMINATING, HIGH TEMPERATURE RESISTANT (VALIDATION DATE: 9104) USER: CE REVIEWER: 99 AR GS MD	A 9330	NR	08-APR-91	NR					
	MIL-R-43040B(2)	REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT (VALIDATION DATE: 8710) USER: AS AT EL ME MI OS SH REVIEWER: AR EC	A 5120	GL	13-OCT-87	GL		84			
L	MIL-P-43043C	PLASTIC HOLDING MATERIAL, PRE-MIX, POLYESTER, GLASS FIBER REINFORCED (VALIDATION DATE: 8601) REVIEWER: AR ER GS	A 9330	NR	19-DEC-78	NR					
	MIL-C-43044C	CONTRO. PRESSURE, FILLING, NONVENTED DRUM USER: MC REVIEWER: 71 99 GL MD	A 4930	ME	08-APR-88	ME		69			
L	MIL-P-43045B	PLASTIC POTTING AND IMPREGATING MATERIAL, POLYBUTENE (VALIDATION DATE: 9104) REVIEWER: AR ER GS MI	A 9330	NR	08-APR-91	NR					
D	MIL-T-43047D	TRUCK, HAND, SHELF, 2 & 4 SHELVES USER: YDI REVIEWER: B4 GS MD ME TS	A 3920	GL	31-DEC-85	GL		99			
L	MIL-H-43048B	MOOD, FLEXIBLE, GASOLINE RESISTANT, PROTECTIVE (VALIDATION DATE: 8201) USER: AR GS REVIEWER: MD ME SH	A 5430	GL	12-JUN-81	GL					
A L	MIL-B-43049D	BACKING PLATES, INSIGNIA, BRANCH OF SERVICE AND CAP, INFANTRY, ARMY REVIEWER: CT	A 8455	IM	20-NOV-92	IM					
	MIL-E-43058A	ETCHERS, PNEUMATIC, PORTABLE (VALIDATION DATE: 8710) USER: AV	A 5130	GL	01-OCT-87	GL		99			
A	MIL-C-43062D	BEEF AND CARROTS IN GRavy, THERMOSTABILIZED, TRAY PACK USER: 45 REVIEWER: B2 MD ME SH	A 8305	CT	14-MAR-88	GL	NU	99	CT		
	MIL-C-43063F	COVERALLS, ROCKET FUEL HANDLER'S, IMPERMEABLE, FULL PROTECTION USER: 45 REVIEWER: B2 MD	A 8415	CT	14-JAN-91	GL	NU	99	CT		
	MIL-B-43064C(1)	BINDER, LOOSE LEAF (EQUIPMENT LOGBOOK) USER: AR MC ME SA SH REVIEWER: AV MI	A 7510	GL	28-FEB-83	GL		99			
A	MIL-H-43079F	MOOD, ROCKET FUEL HANDLER'S: IMPERMEABLE, LIMITED PROTECTION USER: 11 REVIEWER: 45 B2 MD OS SH	A 8415	CT	14-OCT-88	GL	NU	99	CT		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Coordination Inches	Document Number	Document Title	Doc. Desc FIC / Ave MCS Symbol	Proposed Date	Custodians			
					Army	Navy	AF	DoD
L	MIL-P-430818	PLASTIC MOLDING MATERIAL (POTTING AND IMPREGNATING), POLYETHYLENE, LOW	A 9330	NR	08-APR-91	NR		
A	MIL-C-43082E	MOLECULAR WEIGHT (VALIDATION DATE: 9104) USER: AT MD REVIEWER: ER GS ME	A 8415	CT	31-DEC-84	GL	MU	99 CT
D	MIL-O-43085C	COVERALLS, ROCKET FUEL HANDLERS, IMPERMEABLE, LIMITED PROTECTION USER: 45	A 7310	GL	13-DEC-76	GL	MC	
A	MIL-C-43086C	AS SH REVIEWER: B2 MD	A 8305	CT	30-JUL-90	GL	MU	CT
A L	MIL-H-43088E	OVEN, BAKING AND ROASTING, DECK, GASOLINE, 38COMPARTMENT (VALIDATION DATE: 8303) USER: Y01 REVIEWER: GS MD	A 8415	CT	26-DEC-84	GL		CT
L	MIL-P-43090B	CLOTH, COATED, NYLON, VINYL COATED (FOR AIR SUPPORTED SHELTERS)	A 9330	NR	30-MAR-88	NR		
L	MIL-F-43093F	(VALIDATION DATE: 9007) REVIEWER: MD	A 4930	ME	11-APR-89	ME		
A	MIL-F-43097H	HOOD, ROCKET FUEL HANDLERS, IMPERMEABLE, FULL PROTECTION USER: 45	A 8320	CT	30-JUL-90	GL	MU	99 CT
A L	MIL-M-43098B	REVIEWER: MD	A 8455	1M	20-NOV-92	1M		
	SUPPL 1A1, NOTICE 1	PLASTIC MOLDING MATERIAL, ASPHALT, ASBESTOS FILLED (VALIDATION DATE: 8803)	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/1A	REVIEWER: AR GS MD	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	FUEL SYSTEM SUPPLY POINT: PORTABLE REVIEWER: CS	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/2A	FEATHERS AND DOWN, WATERFOWL, TAN-O-QUIL TREATED (VALIDATION DATE: 9007)	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	USER: MS REVIEWER: B2 MC MD	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/3A	MEDALLION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9211) REVIEWER: CT	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	MEDALLIONS, WALTER REED ARMY INSTITUTE OF NURSING AWARD (VALIDATION DATE: 9204) USER: 45 REVIEWER: B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/4A	MEDALLION, THE GENERAL GEORGE C. MARSHALL AWARD (VALIDATION DATE: 9204)	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	USER: 45 REVIEWER: B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/5A	MEDALLION, THE GENERAL JOHN J. PERSHING AWARD (VALIDATION DATE: 9204)	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	USER: 45 REVIEWER: B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/6A	MEDALLION, PAUL A. SIPLE AWARD (VALIDATION DATE: 9204) USER: 45 REVIEWER:	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/7	MEDALLION, ARMY SCIENTIFIC ACHIEVEMENT AWARD (VALIDATION DATE: 9204) USER:	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	45 REVIEWER: B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/8	MEDALLION, QUARTERMASTER CORPS (VALIDATION DATE: 9204) USER: 45 REVIEWER:	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/9B	MEDALLION, SECRETARY OF THE ARMY'S AWARD FOR OUTSTANDING ACHIEVEMENT IN	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	MATERIEL ACQUISITION (VALIDATION DATE: 9204) USER: 45 REVIEWER: B2 99 CG	A 8455	1M	20-APR-92	1M	MU	11
	MIL-M-43098/10	CT MC	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 2	MEDALLION, NATIONAL WAR COLLEGE (VALIDATION DATE: 9204) USER: 45 REVIEWER:	A 8455	1M	20-APR-92	1M	MU	11
L	MIL-F-43101A(1)	B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
A	MIL-C-43103D	MEDALLION, SINGLETON GENERAL'S EXEMPLARY SERVICE PLAQUE (VALIDATION DATE:	A 8455	1M	20-APR-92	1M	MU	11
D	MIL-S-43104B	9204) USER: 45 REVIEWER: B2 99 CG CT MC	A 8455	1M	20-APR-92	1M	MU	11
	NOTICE 1	MEDALLION, HONORABLE SERVICE, CIA (VALIDATION DATE: 9204) USER: 45	A 8455	1M	20-APR-92	1M	MU	11
A	MIL-M-43105B(1)	REVIEWER: B2 99 CG CT MC	A 7110	GL	05-DEC-67	GL		
	NOTICE 2	FILING CABINET, LETTER SIZE DESIGN, STEEL, OD, ONE DRAWER HIGH, ONE DRAWER	A 8465	CT	15-AUG-88	GL	MU	99 CT
L	MIL-C-43108A(1)	WIDE (VALIDATION DATE: 8201)	A 3540	GL	12-FEB-88	GL	SA	
	NOTICE 1	CANTEEN, WATER, PLASTIC, WITH SCREW CAP USER: 45 REVIEWER: B2 MC MD	A 5120	GL	26-FEB-93	GL	SH	99
	NOTICE 2	OR MC SH Y01 REVIEWER: B5 MD SH	A 5140	GL	02-DEC-74	GL		
	NOTICE 1	WRENCHES, SOCKET, WHEEL STUD NUT, DOUBLE END: AND HANDLES BAR (VALIDATION	A 5180	AV	17-JUL-87	AV		
	NOTICE 2	DATE: 9302) USER: AT MC MD	A 5120	GL	20-MAR-75	GL	Y01	99
	NOTICE 1	CASE, CARRYING, HANDSOM, ONE MAN (VALIDATION DATE: 8104) USER: ME	A 1670	GL	08-AUG-90	GL	AS	
	NOTICE 1	REVIEWER: MD	A 8415	CT	28-JUN-88	GL		99 CT
	NOTICE 1	TOOL SET, STUD REMOVER AND SETTER (VALIDATION DATE: 8707) .....	A 8305	CT	16-SEP-88	GL	MU	99 CT
	NOTICE 1	PIKE, WIRE AND PIKES, POLE (VALIDATION DATE: 8201) .....	A 3510	GL	28-SEP-84	GL		99
	NOTICE 1	BRACKET, M21 REEFING LINE CUTTER, CARGO PARACHUTE CANOPY (VALIDATION DATE:	A 8305	CT	10-SEP-86	GL	MU	CT
	NOTICE 1	9008) USER: MC REVIEWER: AV	A 8305	CT	03-JUN-88	GL	MU	
	NOTICE 1	MAINTENANCE KIT, ROCKET FUEL HANDLERS' CLOTHING (RESIN MODIFIED BUTYL	A 8465	CT	22-APR-80	GL		99 CT
	NOTICE 1	RUBBER COATED) USER: 45 B2 REVIEWER: MD	A 1670	GL	27-MAR-92	GL	AS	99
	NOTICE 1	CLOTH, SATEEN, COTTON, FLAME RETARDANT TREATED USER: 45 ME OS REVIEWER: 11	A 8905	GL	30-MAR-81	GL	SA	50
	NOTICE 1	MD	A 8905	GL	14-APR-78	GL	SA	50
	NOTICE 1	TRUCK, HAND, PLATFORM, LAUNDRY & DRYCLEANING, SPECIAL DESIGN USER: CE	A 7195	GL	12-FEB-88	GL		99
	NOTICE 1	REVIEWER: B4 GS MD	A 3610	ME	15-NOV-78	ME		
	NOTICE 1	CLOTH, PLAIN WEAVE, NYLON: WATER REPELLENT, OS-106 REVIEWER: MC MD	A 8905	GL	30-JUN-89	GL	SA	50
	NOTICE 1	CLOTH, PLAIN WEAVE, NYLON: WATER REPELLENT, OS-106 REVIEWER: CT MC MD	A 8905	GL	30-JUN-86	GL	SA	50
	NOTICE 1	HAWMOCK, JUNGLE, M-1965 (VALIDATION DATE: 8601) .....	A 8905	GL	22-MAY-79	GL	SA	50
	NOTICE 1	PLATE, TENSION, PARACHUTE PACKING (VALIDATION DATE: 9203) USER: MC	A 8905	GL	15-AUG-85	GL	SA	50
	NOTICE 1	REVIEWER: B2 AV	A 1670	GL	08-AUG-90	GL	SH	99
	NOTICE 1	CHICKEN AND CHICKEN PRODUCTS, COOKED, DEHYDRATED REVIEWER: MC MD SS	A 6670	GL	30-JUN-83	GL		
	NOTICE 1	CHICKEN AND CHICKEN PRODUCTS COOKED, DEHYDRATED (VALIDATION DATE: 8402) ...	A 7195	GL	24-APR-92	GL	AS	99
	NOTICE 1	STAND, FOLDING, SERVICE TRAY REVIEWER: MD	A 8305	AR	31-JAN-75	AR		
	NOTICE 1	CUTTER, PAPER, GUILLOTINE, FLOOR MODEL, ELECTRIC-MOTOR-DRIVEN REVIEWER: GL	A 8430	CT	26-JUN-92	GL	MU	99 CT
	NOTICE 1	GS	A 3610	GL	29-AUG-85	GL		
	NOTICE 1	FISH SQUARES, RAW, DEHYDRATED REVIEWER: MC MD SS TS	A 8305	AR	02-MAR-90	AR		
	NOTICE 1	BEEF PATTIES, DEHYDRATED, UNCOOKED (VALIDATION DATE: 8702) REVIEWER: MC MD	A 3990	GL	07-FEB-79	GL	SA	
	NOTICE 1	MS SS	A 4020	GL	17-AUG-80	GL		99
	NOTICE 1	PORK CHOPS, DEHYDRATED, UNCOOKED (VALIDATION DATE: 8501) REVIEWER: MC MD	A 8410	CT	26-JUL-88	GL		CT
	NOTICE 1	MS SS	A 8105	GL	25-AUG-87	GL		
	NOTICE 1	SHRIMP, DEHYDRATED, COOKED REVIEWER: MC MD MS SS	A 8405	CT	21-SEP-87	GL		11 CT
	NOTICE 1	ACCESSORY SET, PARACHUTE, SCUBA ADAPTING (VALIDATION DATE: 9008) REVIEWER:	A 8415	CT	08-NOV-83	GL	MU	99 CT
	NOTICE 1	B2 AV	A 8340	CT	07-OCT-87	GL		99 CT
	NOTICE 1	SCALE SYSTEMS, PREPACKAGED FOOD (VALIDATION DATE: 8303) REVIEWER: GS	A 3540	GL	29-AUG-77	GL	SA	99
	NOTICE 1	TABLE, PARACHUTE PACKING USER: ME REVIEWER: B4 CS MC	A 8470	CT	29-DEC-89	GL		99 CT
	NOTICE 1	CLOTH, CARTRIDGE, POLYESTER/VISCOSE RAYON (FOR CARTRIDGE BAGS) (VALIDATION	A 9930	GL	30-JUN-89	GL	MU	99
	NOTICE 1	DATE: 8101) REVIEWER: CT	A 3540	GL	11-JUL-75	GL	SA	99
	NOTICE 1	BOOTS, HOT WEATHER USER: 45 REVIEWER: B2 MC MD	A 8465	CT	21-MAY-86	GL	SA	99 CT
	NOTICE 1	PRINTING PLANT, SPECIAL WARFARE, TRANSPORTABLE, (LIGHTWEIGHT) MODEL 800	A 8340	CT	08-JAN-80	GL		99 CT
	NOTICE 1	REVIEWER: MD	A 4020	GL	17-AUG-80	GL		99
	NOTICE 1	CLOTH, SPUN VISCOSE RAYON, RESIN IMPREGNATED	A 8410	CT	26-JUL-88	GL		CT
	NOTICE 1	BOX, TOTE, PLASTIC, HARDWARE (VALIDATION DATE: 8501) USER: 99 REVIEWER: GS	A 8105	GL	25-AUG-87	GL		
	NOTICE 1	ROPE, NYLON (SPUN YARN) USER: B2 ME SH REVIEWER: IS MD	A 8405	CT	21-SEP-87	GL		11 CT
	NOTICE 1	HAT, SERVICE, WOMAN'S, WOOL OR POLYESTER AND WOOL REVIEWER: MD	A 8410	CT	08-NOV-83	GL	MU	99 CT
	NOTICE 1	BAG, COTTON DUCK, MAIL (VALIDATION DATE: 8708) REVIEWER: MD	A 8340	CT	07-OCT-87	GL		99 CT
	NOTICE 1	BERET, MAN S WOOL REVIEWER: 45 B2 99 MD	A 3540	GL	29-AUG-77	GL	SA	99
	NOTICE 1	HELMET, PARACHUTIST S, FREE FALL (VALIDATION DATE: 8402) USER: 45	A 8470	CT	29-DEC-89	GL		99 CT
	NOTICE 1	REVIEWER: B2 MC MD	A 9930	GL	30-JUN-89	GL	MU	99
	NOTICE 1	SCREEN, LATRINE, FIRE, WATER, WEATHER AND MILDEW-RESISTANT TREATED, O.D. ..	A 3540	GL	11-JUL-75	GL	SA	99
	NOTICE 1	BALING PRESSES (VALIDATION DATE: 8303) USER: SH	A 8470	CT	29-DEC-89	GL		99 CT
	NOTICE 1	HARDWARE: FOR HELMETS, HELMET LINERS, AND BANDS USER: 45 AV MC REVIEWER:	A 9930	GL	30-JUN-89	GL	MU	99
	NOTICE 1	11 B2 MD	A 3540	GL	11-JUL-75	GL	SA	99
	NOTICE 1	CASE, TRANSFER, HUMAN REMAINS USER: MS REVIEWER: GS	A 8465	CT	21-MAY-86	GL	SA	99 CT
	NOTICE 1	SEALER, STEEL STRAPPING, HAND, NON-POWERED (VALIDATION DATE: 8402) USER:	A 8340	CT	08-JAN-80	GL		99 CT
	NOTICE 1	MC REVIEWER: SH	A 5120	GL	14-DEC-77	GL		99
	NOTICE 1	NET, MULTIPURPOSE REVIEWER: B2 MC MD	A 3520	GL	15-FEB-79	GL		
	NOTICE 1	TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE (MMK) REVIEWER: B2 MI						
	NOTICE 1	NEEDLE, ETCHING, HAND (VALIDATION DATE: 8402) USER: MC ME						
	NOTICE 1	TESTER, LEAK, INSULATED BOOT (VALIDATION DATE: 8501) REVIEWER: GS						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification Number	Document Title	Doc. Sym. FSC / Ans MCA Symbol	Preparing Act Date	Custodians			
				Army	Navy	Air Force	DLA
A	MIL-B-43188F	BEEFSTEAK, DEHYDRATED, UNCOOKED REVIEWER: MC MD OM SS	A 8905	GL	18-JUL-90	GL	SA 50
A	MIL-C-43191H	CLOTH, WIND RESISTANT SATEN, COTTON AND NYLON USER: MC REVIEWER: B2 MD	A 8305	CT	29-NOV-91	GL	NU 99 CT
D	MIL-S-43194C	STAPLER, BOX [VALIDATION DATE: 8201] USER: MD YD1 REVIEWER: SM	A 3540	GL	12-MAR-74	GL	SA 99
A	MIL-G-43196C	GLOVES, ROCKET FUEL HANDLERS USER: 11 MS OS REVIEWER: 45 B2 MD SM	A 8415	CT	12-MAR-87	GL	NU 99 CT
	MIL-C-43202A(1)	CLEANER SHEETS, OFFSET PRINTING PRESS ROLLER [VALIDATION DATE: 8201] USER: MD REVIEWER: GS	A 3610	GL	11-AUG-72	GL	SA 99
A L	MIL-C-43204C	CLOTH, SPACER (OLEFIN) REVIEWER: EA MD	A 8305	CT	31-DEC-85	GL	SA 50 CT
L	MIL-C-43205G	COOKIE MIX, DRY REVIEWER: MC MD MS SS TS	A 8920	GL	30-DEC-80	GL	SA 50
L	MIL-H-43208A	HANGER, PAPER HOLDING [VALIDATION DATE: 8710] USER: ME REVIEWER: GS	A 3610	GL	23-OCT-87	GL	
	NOTICE 1						
	MIL-H-43210A(1)	HARNESS, DOG LEADING (LEATHER) [VALIDATION DATE: 8104] USER: MC MD REVIEWER: CS	A 3770	GL	27-JUL-72	GL	99
L	MIL-C-43214D	CAMERA, COPYING, LITHOGRAPHIC PROCESS, DARKROOM TYPE, 20 BY 24 INCHES [VALIDATION DATE: 8303] REVIEWER: GS	A 3610	GL	16-SEP-77	GL	
D	MIL-T-43218D	TRUCK, HAND, PLATFORM, FOUR WHEELED, TILT AND NON-TILT, SOLID RUBBER TIRES OR PLASTIC TIRES USER: CE MC SM YD1 REVIEWER: AT GS	A 3920	ME	11-APR-86	ME	SA 99
D	MIL-P-43219A	PADDINGS AND COVERS FOR FLATIRON IRONER ROLL [VALIDATION DATE: 8802] USER: MC MD REVIEWER: GS	A 3510	GL	12-FEB-88	GL	YD1 99
	NOTICE 1						
	MIL-C-43222B	CHAIR, FOLDING, WOOD, WITH KNEELER [VALIDATION DATE: 8201] REVIEWER: GS	A 9925	GL	27-AUG-81	GL	PE 28
	MIL-H-43224G	HASH, BEEF, DEHYDRATED, COOKED REVIEWER: MC MD MS SS	A 8940	GL	18-DEC-81	GL	SA 50
L	MIL-P-43226A	POLYETHER CUSHIONING MATERIAL FOAM-IN-PLACE, FLEXIBLE	A 8135	MI	28-JUN-91	MI	
L	MIL-C-43227A	CUTTERS, PAPER, GUILLotine, HAND OPERATED [VALIDATION DATE: 8201] USER: MC MD ME REVIEWER: GS	A 3610	GL	11-MAY-73	GL	SA 99
	NOTICE 1						
	MIL-P-43228B	PRINTING PRESSES, LETTERPRESS (PLATEN PRESS) [VALIDATION DATE: 8402] REVIEWER: GS MD	A 3610	GL	17-NOV-77	GL	SA 99
A	MIL-F-43231D	FOOD PACKET, SURVIVAL, GENERAL PURPOSE, PACKAGING AND ASSEMBLY OF REVIEWER: MC MD OM SA SS	A 8970	GL	30-SEP-92	GL	50
	MIL-C-43232A	COMPOSING MACHINES, PHOTO-PRINTING TYPE, SINGLE LINE AND MULTI LINE [VALIDATION DATE: 8201] REVIEWER: MD ME SS	A 7430	GL	19-MAY-71	GL	SA 99
	NOTICE 1						
	MIL-T-43233B	TYING MACHINES, WIRE, HAND [VALIDATION DATE: 8802] USER: MD REVIEWER: SM	A 3540	GL	12-FEB-88	GL	SA 99
A L	MIL-C-43234C	CLOTH, PLAIN WEAVE, ACRYLIC [VALIDATION DATE: 8904] REVIEWER: MD	A 8305	CT	22-APR-89	GL	CT
	NOTICE 1						
	MIL-T-43238C	TABLE, SHADON, PARACHUTE CANOPY INSPECTION [VALIDATION DATE: 9203] REVIEWER: AV MC	A 1670	GL	27-MAR-92	GL	AS 99
	NOTICE 1						
	MIL-H-43241A	MILK, FILLED, DRY, PLAIN OR CHOCOLATE, FORTIFIED [VALIDATION DATE: 8402] REVIEWER: MC MD SS	A 8910	GL	29-DEC-71	GL	SA 50
A	MIL-S-43243C	SEPARATOR, PARACHUTE REMOVABLE CONNECTOR LINK [VALIDATION DATE: 9302] USER: MC REVIEWER: AV	A 1670	GL	26-FEB-93	GL	AS
	NOTICE 2						
	MIL-P-43244A(1)	PUNCHING MACHINE, PAPER, ELECTRIC MOTOR DRIVEN [VALIDATION DATE: 8708] REVIEWER: GS	A 3610	GL	25-AUG-87	GL	99
	NOTICE 1						
	MIL-B-43246C(1)	BINDING ASSEMBLY, SNOWSHOE (S/S BY MIL-B-44374) USER: 45 MC MD REVIEWER: CT	A 8465	GL	22-MAY-90	GL	NU 99
A	MIL-C-43247B(1)	CLOTH, KNITTED, NYLON, TUBULAR, STRETCH TYPE [VALIDATION DATE: 8904] USER: SH REVIEWER: 99 MD	A 8305	CT	22-APR-89	GL	NU 11 CT
D	MIL-H-43248C	MAT, REINFORCING GLASS FIBER [VALIDATION DATE: 8803] USER: AS YD1 REVIEWER: 99 AR GS MI	A 9340	MR	30-MAR-88	MR	11
A	MIL-C-43251C(1)	CLOTH, PILE, SYNTHETIC FIBER PILE REVIEWER: B2 MC MD	A 8305	CT	08-FEB-85	GL	NU 99 CT
	NOTICE 1						
	MIL-S-43252A(1)	SQUEEGEE, SILK SCREEN [VALIDATION DATE: 8402] USER: ME	A 7920	GL	14-DEC-77	GL	99
D	MIL-P-43253B	PUMP, LUBRICANT TRANSFER (HAND) USER: MC REVIEWER: CS MD	A 4930	ME	10-JAN-85	ME	YD1 99
	NOTICE 1						
	MIL-B-43255A	BAG, PLASTIC, ENTOMOLOGICAL SPECIMENS [VALIDATION DATE: 8702] REVIEWER: 99 MD SM	A 8105	GL	27-FEB-87	GL	MS 69
L	MIL-C-43256D	CORD, FIBROUS, POLYESTER, SOLID BRAID USER: MC ME REVIEWER: 15 MD MI	A 4020	GL	02-JUL-91	GL	
A	MIL-T-43260B(1)	TRUNK, LOCKER, BAND [VALIDATION DATE: 8104] USER: 45	A 8460	CT	08-JUN-72	GL	99 CT
A	MIL-D-43261E	DRAWERS, COLD WEATHER, MEN'S REVIEWER: MC MD	A 8415	CT	22-JAN-90	GL	NU 99 CT
A	MIL-U-43262D	UNDERSHIRT, COLD WEATHER, MEN'S REVIEWER: 11 B2 MC MD	A 8415	CT	26-JAN-88	GL	NU 99 CT
D	MIL-U-43263E	URN, COFFEE, TWIN AND SINGLE, AUTOMATIC (ELECTRIC, STEAM, AND GAS) USER: CE CG REVIEWER: B2 B4 GS MC MD MS TS	A 7310	SH	12-JUN-92	SH	
A L	MIL-U-43263E(11)	URNS, COFFEE, TWIN AND SINGLE, AUTOMATIC (ELECTRIC, STEAM, AND GAS) DESICCANTS AND DESICCATION, METHOD OF, FOR PACKAGING SUBSISTENCE REVIEWER: MC MD MS SS	A 896P	GL	26-MAY-87	GL	SA 50
	NOTICE 1						
	MIL-D-43268A(1)	DRAIN UNIT, WASTE OIL, PORTABLE REVIEWER: CS	A 4930	ME	02-JAN-85	ME	
L	MIL-T-43271C	TRAY, NESS, COMPARTMENTED, PLASTIC USER: MC REVIEWER: 50 B4 MD MS TS	A 7350	GL	10-DEC-91	GL	SA 99
	NOTICE 1						
	MIL-C-43274D	CHEESE, COTTAGE, DEHYDRATED REVIEWER: MC MD MS SS	A 8910	GL	28-SEP-87	GL	SA 50
	MIL-S-43275G	SPAGHETTI WITH MEAT SAUCE, DEHYDRATED, COOKED REVIEWER: MC MD MS SS TS	A 8940	GL	31-DEC-84	GL	SA 50
D	MIL-D-43278A	DISPENSER, GRAPHITE [VALIDATION DATE: 8201] USER: GL MC MD YD1	A 4930	ME	09-MAY-78	ME	99
	NOTICE 1						
	MIL-S-43279D	SLING, BAG AND CASE CARRYING, COMMUNICATIONS EQUIPMENT USER: 45 ER MC REVIEWER: B2 MD	A 8465	CT	30-AUG-84	GL	NU 99 CT
D	MIL-H-43280(1)	HOLDER, LABEL [VALIDATION DATE: 8402] USER: MC REVIEWER: MD	A 9905	GL	28-DEC-77	GL	YD1 99
	NOTICE 1						
	MIL-B-43282B(2)	BALANCE, TORSION [VALIDATION DATE: 8402] REVIEWER: GS MD	A 6670	GL	21-FEB-78	GL	99
A	MIL-L-43283B	LEATHER, CALFSKIN, KIP, AND CATTLEHIDE FOR FOOTWEAR UPPERS, CHROME TANNED [VALIDATION DATE: 8709] USER: MC REVIEWER: MD	A 8330	CT	01-SEP-87	GL	NU 99 CT
A	MIL-C-43285C	CLOTH, COATED (CHLOROPRENE BASE COATED, CHLOROSULFONATED POLYETHYLENE TOP COATED) USER: ME REVIEWER: B2 MD	A 8305	CT	15-SEP-86	GL	99 CT
A	MIL-C-43288B	CLOTH, PLAIN WEAVE, NYLON-CLOTH, PLAIN WEAVE, POLYESTER [VALIDATION DATE: 8709] USER: AT ME REVIEWER: MD MI	A 8305	CT	01-SEP-87	GL	NU 99 CT
	NOTICE 1						
	MIL-C-43287G	CHILI CON CARNE, COOKED, DEHYDRATED REVIEWER: MC MD MS SS	A 8940	GL	23-SEP-85	GL	SA 50
	NOTICE 1						
	MIL-C-43289E	CHICKEN WITH RICE, DEHYDRATED, COOKED [VALIDATION DATE: 8601] REVIEWER: MC MD MS SS	A 8940	GL	04-SEP-80	GL	SA 50
A	MIL-B-43290J	BAG, FLYER'S HELMET USER: 11 REVIEWER: 45 B2 MD	A 8415	CT	22-NOV-89	GL	99 CT
	NOTICE 1						
	MIL-S-43292D	STATIC LINES, CARGO PARACHUTES, GENERAL SPECIFICATION FOR REVIEWER: 11 AV MC	A 1670	GL	23-AUG-89	GL	AS 99
L	MIL-C-43293A	CASE, FIELD, OFFICE MACHINES, SURVEYING EQUIPMENT, STEEL [VALIDATION DATE: 8104] USER: CE REVIEWER: ME	A 7420	GL	04-JUN-73	GL	
D	MIL-C-43300G	COLD FOOD COUNTER, MECHANICALLY REFRIGERATED USER: CE MS SA REVIEWER: B4 GS MC MD SH	A 7310	GL	04-MAY-88	GL	YD1 99
L	MIL-S-43301C	SURVIVAL KIT, INDIVIDUAL, OVER WATER, ARMY [VALIDATION DATE: 8303] REVIEWER: CT MD	A 1680	GL	29-APR-77	GL	
L	MIL-S-43302C	SURVIVAL KIT, INDIVIDUAL, HOT CLIMATE, ARMY REVIEWER: AV MD	A 1680	GL	09-SEP-81	GL	
A	MIL-C-43303C	CORD, ELASTIC, COTTON USER: MC OS REVIEWER: MD	A 8305	CT	22-MAY-90	GL	NU 99 CT
A	MIL-P-43304C	PACK AND HARNESS ASSEMBLY, PARACHUTISTS WEAPONS AND INDIVIDUAL EQUIPMENT USER: MC REVIEWER: MD	A 8465	CT	30-MAR-81	GL	AS CT
A L	MIL-S-43306B	SLING, BAG AND CASE CARRYING, ST-33 [VALIDATION DATE: 8105] USER: 45 MC REVIEWER: MD	A 8465	CT	05-FEB-74	GL	CT
	NOTICE 1						
	MIL-C-43307B	CORD, NYLON, SOLID BRAID, GENERAL PURPOSE [VALIDATION DATE: 8904] USER: MC ME REVIEWER: AR EA MD MI	A 4020	GL	22-APR-89	GL	SH
L	MIL-B-43308B	BINDING MACHINE, PLASTIC BINDING ELEMENT, AND PUNCHING MACHINE, PAPER [VALIDATION DATE: 8709] REVIEWER: GS	A 3610	GL	01-SEP-87	GL	
	NOTICE 1						
	MIL-T-43309C	TARPULIN, COTTON DUCK, FOR WIND MEASURING SET [VALIDATION DATE: 9007] REVIEWER: ER	A 8340	CT	30-JUL-90	GL	NU 99 CT
A	MIL-F-43310A	FELT SHEET, NYLON, NON-WOVEN (NEEDLE PUNCHED) [VALIDATION DATE: 8711] USER: MD ME	A 8305	CT	30-NOV-87	GL	NU 99 CT
	NOTICE 1						
	MIL-B-43311E	BEEF, DICED, DEHYDRATED, UNCOOKED REVIEWER: MC MD MS SS TS	A 8905	GL	05-JUN-87	GL	SA 50
A L	MIL-P-43312C	POCKET, AMMUNITION MAGAZINE USER: MC REVIEWER: MD	A 8465	CT	23-DEC-85	GL	CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Code Combination Increase Document Number	Document Title	Doc. Synt. FSC / Issue MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DIA
L MIL-A-43316A(1)	ADHESIVE, PATCHING FOR CHLOROPRENE COATED OR CHLOROSULPHONATED POLYETHYLENE COATED FABRICS [VALIDATION DATE: 8303] USER: ME REVIEWER: MD MR	A 8040	GL	29-DEC-69	GL	
A L MIL-S-43317C MIL-F-43320A	SCARF, NECKWEAR, WOMAN'S ACRYLIC ..... FAN, TUBE AXIAL, FOR VENTILATING MAINTENANCE TENTS [VALIDATION DATE: 8104] REVIEWER: GS ME	A 8445 A 4140	CT GL	14-JUN-89 29-NOV-68	GL	NU 99 CT
D MIL-B-43322A	BAKERY PLANT, FIELD, PORTABLE [VALIDATION DATE: 8104] USER: MS REVIEWER: GS MC	A 7360	GL	30-MAY-75	GL	YD1 99
D MIL-R-43323E MIL-P-43325B	RIFLE BUTT POCKET AND STRAP ASSEMBLY USER: 45 YD1 ..... PAPER, BOOK REVIEWER: 84 MD ME	A 8465 A 9310	CT GL	26-SEP-86 31-DEC-90	GL	MC SA 99 CT
D MIL-A-43326A NOTICE 1 MIL-P-43327B MIL-P-43331A(1) NOTICE 1	ALTAR, PORTABLE [VALIDATION DATE: 8908] USER: YD1 REVIEWER: GS ..... PAPER, BOOK, WATER RESISTANT (TEXT) [VALIDATION DATE: 8403] ..... PAPER, MANILA [VALIDATION DATE: 8710] USER: MC REVIEWER: ME	A 9925 A 9310 A 9310	GL GL GL	31-AUG-89 18-MAR-77 01-OCT-87	GL	PE SA SA 84
D MIL-T-43333C	TENT LINER, GENERAL PURPOSE, SMALL AND ARCTIC, 10 MAN USER: 45 YD1 REVIEWER: 82 MD	A 8340	CT	31-OCT-88	GL	NU 99 CT
D MIL-P-43334C	PACKAGING OF TEXTILE WEBBING AND TAPE USER: 82 AR MC SH YD1 REVIEWER: MD SM	A PACK	CT	30-SEP-86	GL	NU 99 CT
D MIL-L-43335E(1) L MIL-L-0043335F L MIL-L-0043335F(11) MIL-S-43336C	LINER, WET WEATHER, PONCHO USER: 45 MC REVIEWER: 82 MD YD1 ..... LINER, WET WEATHER PONCHO ..... LINER, WET WEATHER PONCHO ..... SEALING IRONS AND SEALING PLATES, ELECTRIC, MANUALLY OPERATED [VALIDATION DATE: 8402] USER: MC REVIEWER: SM	A 8405 A 8405 A 8405 A 3540	CT GL GL GL	16-JUL-90 05-DEC-90 28-JUN-91 03-MAR-78	GL	NU SA SA 99
MIL-C-43338E	CREAM SUBSTITUTE, DRY, NON DAIRY [VALIDATION DATE: 8601] REVIEWER: 03 MC MD MS SS	A 8940	GL	19-DEC-79	GL	SA 50
A MIL-C-433390 MIL-B-43341B NOTICE 1 MIL-W-43342E(2) MIL-C-43343E MIL-C-43347D NOTICE 1 MIL-C-43348A NOTICE 1	COVERALLS, INDUSTRIAL, LINT-FREE USER: 45 REVIEWER: 82 84 MD ..... BREADBOX, DELIVERY, ALUMINUM REVIEWER: 82 84 MC MD ..... WEBBING ASSEMBLY, GENERAL SPECIFICATION FOR USER: MC REVIEWER: 82 AV ..... CONTROL, FUEL FLOW, OIL BURNER USER: CE MC REVIEWER: 84 CS MD ..... CLOTH, PLAIN WEAVE, POLYESTER, LOW AIR PERMEABILITY REVIEWER: 45 82 MI ..... CHALK, MARKING, REFLECTIVE REVIEWER: MD	A 8415 A 8115 A 1670 A 4530 A 8305 A 7510	CT CT GL GL CT GL	07-NOV-88 27-FEB-87 28-JUN-84 26-FEB-92 30-NOV-87 06-SEP-90	GL	NU NU AS YD1 99 CT GL
A MIL-C-43352D MIL-S-43355B	CLOTH, NETTING, NYLON, TULLE, TRICOT USER: 45 MC REVIEWER: 82 MD ..... STRAP, CHIN, AND SUSPENSION ASSEMBLY, CHIN STRAP USER: 45 CG REVIEWER: MC MD	A 8305 A 8470	CT CT	30-JUN-88 27-OCT-87	GL	NU NU 99 CT
A MIL-S-43357E	SHIRT, SLEEPING, HEAT RETENTIVE AND MOISTURE RESISTANT, NYLON/ACETATE, TRICOT KNIT REVIEWER: 45 82 MC MD	A 8415	CT	28-SEP-90	GL	NU 99 CT
A MIL-C-43358B	CLOTH, KNITTED, NYLON/ACETATE, TRICOT, CAMOUFLAGE GREEN 483 USER: MC MS REVIEWER: 82 MD	A 8305	CT	01-AUG-88	GL	NU 99 CT
D MIL-K-43359E(1) A L MIL-K-43359E(13) MIL-S-43361B	KETTLES, STEAM JACKETED, ELECTRICALLY HEATED REVIEWER: GS MC MS SA SH ..... KETTLES, STEAM-JACKETED (STAINLESS STEEL), ELECTRICALLY HEATED ..... STRETCHING AND SEALING MACHINE, STRAPPING, HAND [VALIDATION DATE: 8402] USER: AH CR MC ME SH REVIEWER: MI SM	A 7310 A 7310 A 3540	YD1 SH GL	01-APR-88 28-OCT-92 15-DEC-77	GL	YD1 SH SA 99
L MIL-D-43362B A MIL-B-43366C A L MIL-C-43368F	DETERGENT, LAUNDRY (ANIONIC, A STANDARD FOR TESTING) USER: MI REVIEWER: MD ..... BODY ARMOR, FRAGMENTATION PROTECTIVE, GROM USER: 45 REVIEWER: 11 82 MD ..... COATS, MEN'S, TROPICAL AND SERG, POLYESTER/WOOL, ARMY GREEN 344 REVIEWER: MD	A 7930 A 8470 A 8405	GL CT CT	27-FEB-87 06-MAR-90 07-OCT-88	GL	NU NU 99 CT CT
MIL-C-43369A NOTICE 1 A MIL-M-43371B A L MIL-C-43375E MIL-E-43377D MIL-W-43378A NOTICE 1 MIL-F-43381 MIL-I-43385B NOTICE 1 MIL-B-43386B NOTICE 1 MIL-K-43387(1) NOTICE 1 A MIL-T-43389(1)	CONTAINER ASSEMBLY, SAMPLE AND SPECIMEN SHIPPING, BOX TYPE, FOR MEAT AND DAIRY PRODUCT SAMPLES REVIEWER: 03 MS MAT, UN, RREVERSIBLE USER: 45 REVIEWER: MD ..... CLOTH, DUCK, NYLON, 12.5 OUNCE REVIEWER: MD ME ..... EGG MIX, DEHYDRATED REVIEWER: MC MD SS TS ..... WEBBING, TEXTILE, COTTON, SPLINT [VALIDATION DATE: 8702] USER: 45 REVIEWER: 82 MD MS FLAGON, CRUET AND CRUET TRAY [VALIDATION DATE: 8201] REVIEWER: GS ..... ICE CREAM CABINETS, MECHANICALLY REFRIGERATED, DISPENSING, MOBILE, SELF ELEVATING USER: ME REVIEWER: GS MC MD TS BIN, INGREDIENT, MOBILE, 150 AND 250 POUND CAPACITY REVIEWER: MC MD SA ..... KIDDUSH CUP REVIEWER: GS	A 8115 A 8415 A 8305 A 8910 A 8305 A 9925 A 4110 A 7320 A 9925 A 8340	GL CT CT GL CT GL GL GL GL CT	25-JAN-88 07-APR-88 18-SEP-90 12-JAN-88 27-FEB-87 12-NOV-65 09-SEP-88 27-FEB-87 27-FEB-87 29-MAR-78	GL	SA 99 CT CT SA 50 SA 11 CT PE 28 YD1 99 PE 28 MC 99 CT
MIL-F-43392B NOTICE 1 MIL-B-43395A NOTICE 1 D MIL-R-43399A(1) NOTICE 1 D MIL-F-43402D(2) A L MIL-F-43402D(13) MIL-B-43404E NOTICE 2 MIL-P-43406(1) NOTICE 1 D MIL-B-43407(1)	FOOD CONTAINER, DELIVERY AND STORAGE; DOLLY, FOOD HANDLING EQUIPMENT [VALIDATION DATE: 9203] USER: MS REVIEWER: GS MD SM BELL, SANCTUS [VALIDATION DATE: 8802] REVIEWER: GS ..... RACK, MOBILE (FOR ROLL-THROUGH REFRIGERATORS AND ROLL-THROUGH FOOD WARMERS) [VALIDATION DATE: 8702] REVIEWER: 45 GS MD SA FOOD CUTTERS, ELECTRIC USER: 84 REVIEWER: GS MD TS ..... FOOD CUTTER, ELECTRIC ..... BEEF STEW, DEHYDRATED, COOKED REVIEWER: MC MD MS SS TS ..... POINTER, TORAH [VALIDATION DATE: 8710] REVIEWER: GS ..... BARS, NONSPARKING AND NONMAGNETIC [VALIDATION DATE: 8104] USER: CE MC OS YD1 REVIEWER: AR AS	A 7330 A 9925 A 7320 A 7320 A 7320 A 8940 A 9925 A 5120	GL GL GL GL GL GL GL GL	27-MAR-92 12-FEB-88 27-FEB-87 24-MAR-88 29-OCT-92 20-SEP-91 12-NOV-65 21-APR-75	GL	SA PE 28 YD1 84 YD1 99 SH SA 50 PE 28 SH 99
D MIL-C-43410C	CLOTH, COATED: POLYESTER/COTTON, POLYESTER/RAYON; POLYVINYL CHLORIDE OR POLYCHLOROPRENE COATED USER: MR REVIEWER: 45 MD YD1	A 8305	CT	28-JUN-89	GL	NU 99 CT
D MIL-P-43413D MIL-M-43414(1) MIL-C-43415C	POLE, TENT, LIGHT METAL, SPECIAL USER: YD1 REVIEWER: 82 MD ..... HYMNODY SET, TAPE REVIEWER: GS ..... CAP, SERVICE, MILITARY POLICE, WHITE [VALIDATION DATE: 8511] REVIEWER: 45 99 MD	A 8340 A 9925 A 8405	CT GL GL	07-MAY-84 04-NOV-89 03-OCT-80	GL	NU PE 28 11 CT
A MIL-T-43416C A L MIL-C-43419E MIL-B-43420A MIL-C-43427C NOTICE 1 L MIL-C-0043427B	TEXT, SUNSHIELD, THEODOLITE USER: 45 REVIEWER: 82 MC MD ..... CAP, GARRISON, MEN'S POLYESTER/WOOL, ARMY GREEN 344 USER: 45 REVIEWER: MD ..... BASKETS, WOVEN WIRE USER: MC ..... CABINETS, FOOD SERVICE, REFRIGERATOR-WARMER, ROLL-THRU, ROLL-IN [VALIDATION DATE: 9203] USER: SA REVIEWER: GS MC MD TS CABINET, FOOD SERVICE, WARMER REFRIGERATOR, ROLL THRU, ROLL IN [VALIDATION DATE: 8201]	A 8340 A 8405 A 7290 A 4110	CT GL GL GL	29-DEC-88 12-APR-89 30-APR-70 27-MAR-92	GL	NU NU 99 CT 84 YD1 99
A MIL-P-43432B MIL-C-43434(1) NOTICE 1 MIL-T-43435B(1) NOTICE 1 D MIL-B-43436C NOTICE 1 D MIL-B-43436/1 NOTICE 1 D MIL-B-43436/2 NOTICE 1	PACKAGING OF LEATHER USER: OS SH REVIEWER: 11 82 SM ..... COMMUNION SET, CHAPEL, CHALICE TYPE [VALIDATION DATE: 8710] ..... TAPE, LACING AND TYING [VALIDATION DATE: 8904] USER: MC SH REVIEWER: 11 AR AS EA IS MD MI OS BAND, MARKER, BLANK [VALIDATION DATE: 8802] USER: MC OS REVIEWER: AR AT AV ME MI BAND MARKER, BLANK, SINGLE CRIMP STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV BAND MARKER, BLANK, TWO-PRONG CRIMP STYLE BAND [VALIDATION DATE: 8802] ....	A PACK A 9925 A 4020 A 9905 A 9905 A 9905	CT GL GL GL GL GL	29-JUN-87 23-OCT-87 22-APR-89 12-FEB-88 12-FEB-88 12-FEB-88	GL	NU PE 28 99 YD1 99 YD1 84 YD1 84



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ops / Com Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
D	MIL-B-43436/3 NOTICE 1	BAND MARKER, BLANK, THREE PRONG CRIMP STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV	A 9905	GL	12-FEB-88	GL	YD1 84
D	MIL-B-43436/4 NOTICE 1	BAND MARKER, BLANK, SINGLE BELT STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV	A 9905	GL	12-FEB-88	GL	YD1 84
D	MIL-B-43436/5 NOTICE 1	BAND MARKER, BLANK, DOUBLE BELT STYLE BAND [VALIDATION DATE: 8802] USER: AR MC ME OS REVIEWER: AT AV	A 9905	GL	12-FEB-88	GL	YD1 84
D	MIL-C-43438D NOTICE 1	CRIMPER, BLASTING CAP, NO. 2, PLIER TYPE, W/FUSE CUTTER [VALIDATION DATE: 8710] USER: YD1 REVIEWER: AR	A 5120	OS	13-OCT-87	GL	OS 99
D	MIL-P-43440A NOTICE 1	PAN, DOG FEEDING, (CORROSION-RESISTING STEEL) [VALIDATION DATE: 8904] USER: MC REVIEWER: CS MD	A 3770	GL	22-APR-89	GL	99
D	MIL-B-43444A NOTICE 1	BAG, PLASTIC, CONTAMINATED WASTE DISPOSAL [VALIDATION DATE: 8104] REVIEWER: OS 99 AR MD NS SM YD1	A 8105	GL	30-MAY-75	GL	SA 69
	MIL-R-43448A(1)	REELS, STRAPPING COIL AND TRUCKS, HAND, STRAPPING COIL [VALIDATION DATE: 8303] REVIEWER: SM	A 3540	GL	13-JUL-77	GL	99
A	MIL-C-43454C	CLEANING COMPOUND, OPTICAL LENS (READY TO USE) USER: AR REVIEWER: GS MD ...	A 6850	GL	17-APR-89	GL	OS 68
L	MIL-C-43455J	COAT, COLD WEATHER, FIELD USER: 45 REVIEWER: B2 MC MD	A 8415	CT	21-AUG-91	GL	NU 99 CT
L	MIL-C-43459H(12)	COAT, COLD WEATHER, FIELD	A 8415	GL	16-OCT-90	GL	NU 99
L	MIL-S-43456B	SURVIVAL KIT, INDIVIDUAL, COLD CLIMATE, ARMY [VALIDATION DATE: 8201] REVIEWER: AV MD	A 1680	GL	11-SEP-81	GL	
D	MIL-T-43463B	TABLE, DINING, PEDESTAL BASE [VALIDATION DATE: 8104] REVIEWER: MD NS YD1 ..	A 7105	GL	01-AUG-74	GL	MC 99
L	MIL-P-43465	PALLET, MATERIAL HANDLING, WOOD, DOUBLE FACED, (SPECIAL DESIGN FOR USE WITH CONEX CONTAINERS) USER: CE REVIEWER: GS NT SM	A 3990	ME	17-NOV-66	ME	
A	MIL-L-43466C(1)	LINER, EXTREME COLD WEATHER, PARKA USER: MC REVIEWER: MD	A 8415	CT	16-SEP-87	GL	NU 99 CT
	MIL-C-43468H	CLOTH, CAMOUFLAGE PATTERN, WIND RESISTANT POPLIN, COTTON USER: 45 REVIEWER: B2 CT GS MC MD	A 8305	GL	31-MAR-92	GL	NU 99
L	MIL-C-43468G(11)	CLOTH, CAMOUFLAGE PATTERN, WIND RESISTANT POPLIN, COTTON	A 8305	GL	15-OCT-90	GL	
D	MIL-C-43469B(2)	CHAPLAIN KITS, CATHOLIC AND PROTESTANT [VALIDATION DATE: 8402] USER: YD1 REVIEWER: GS	A 9925	GL	29-APR-77	GL	PE 28
A L	MIL-J-43470B	JACKET, AIR-TO-GROUND IDENTIFICATION REVIEWER: MD	A 8415	CT	25-JUL-82	GL	CT
A	MIL-C-43473F	CLOTH, COATED, NYLON, POLYURETHANE COATED USER: 45 REVIEWER: B2 MC MD ME ..	A 8305	CT	29-MAR-88	GL	NU 99 CT
L	MIL-C-43473F(11)	CLOTH, COATED, NYLON, POLYURETHANE COATED	A 8305	GL	03-DEC-90	GL	
	MIL-P-43475A	PRIL-DIEU [VALIDATION DATE: 8201] REVIEWER: GS	A 9925	GL	25-AUG-69	GL	PE 28
	MIL-C-43476A(1)	CHAPLAIN S KIT, JEWISH FAITH [VALIDATION DATE: 8710] REVIEWER: GS	A 9925	GL	27-OCT-87	GL	PE 28
L	MIL-P-43477A	PRINTING PRESS, OFFSET, WEB-FED, FOR SPECIAL WARFARE [VALIDATION DATE: 8710] REVIEWER: GS	A 3610	GL	23-OCT-87	GL	
L	MIL-P-43478A(1)	PRINTING PLANT ANNEX, SPECIAL WARFARE, SEMI-TRAILER MOUNTED [VALIDATION DATE: 8201] REVIEWER: GS	A 3610	GL	03-SEP-76	GL	
A	MIL-C-43479D	CLOTH, BROADCLOTH, POLYESTER AND COTTON USER: MC REVIEWER: B2 MD	A 8305	CT	23-MAR-87	GL	NU 99 CT
	MIL-C-43480B	CAMERA, COPYING, LITHOGRAPHIC PROCESS, OVERHEAD, DARKROOM TYPE, 11 BY 14 INCHES (279 BY 356 MM) [VALIDATION DATE: 8303]	A 3610	GL	24-FEB-77	GL	99
A	MIL-C-43482D	CLOTH, POPLIN, COTTON & POLYESTER (WATER REPELLENT) REVIEWER: 11 B2 CG MC MD	A 8305	CT	20-AUG-87	GL	NU 99 CT
L	MIL-S-43483A	STENCIL DUPLICATING PRINT KIT, HAND STAMP, MAN PACKED REVIEWER: MD	A 7520	GL	28-JAN-86	GL	
L	MIL-P-43484A(2)	PRINTING PLANT, SPECIAL WARFARE, SEMI-TRAILER MOUNTED [VALIDATION DATE: 8303] REVIEWER: GS MD	A 3610	GL	13-SEP-77	GL	
A	MIL-S-43486A	SANCTUARY LAMP, VOTIVE GLASS HOLDER, AND VOTIVE GLASS [VALIDATION DATE: 8710] REVIEWER: GS	A 9925	GL	23-OCT-87	GL	PE 28
A	MIL-C-43487A	CLOTH, TAFFETA, POLYESTER REVIEWER: B2 MD	A 8305	CT	30-NOV-87	GL	NU 11 CT
A	MIL-S-43489D	SLING, BAG AND CASE CARRYING: ST-35 REVIEWER: MC MD	A 8465	CT	13-OCT-87	GL	NU 99 CT
	MIL-D-43490A(5)	DOUGH MIXING AND MAKE-UP OUTFIT, TRAILER-MOUNTED, M-534 [VALIDATION DATE: 8103] REVIEWER: GS MD	A 7320	GL	20-APR-76	GL	MC 99
D L	MIL-T-43492C	TENT SECTIONS, FRAME TYPE, EXPANDABLE USER: 45 MC YD1 REVIEWER: B2 MD	A 8340	CT	01-MAY-86	GL	NU 99 CT
D	MIL-C-43495(1)	CASE, MERCHANDISE DISPLAY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] USER: YD1	A 7195	GL	17-DEC-74	GL	99
D	MIL-C-43495/2	CASE, MERCHANDISE DISPLAY, COUNTER USER: YD1	A 7195	GL	25-JAN-88	GL	99
D	MIL-C-43495/3	CASE, MERCHANDISE DISPLAY, WALL USER: YD1	A 7195	GL	25-JAN-88	GL	99
A	MIL-P-43496F	PARKA, EXTREME COLD WEATHER USER: 45 REVIEWER: B2 MC MD	A 8415	CT	16-APR-90	GL	NU 99 CT
A	MIL-T-43497D(1)	TROUSERS, COLD WEATHER, FIELD, NYLON AND COTTON USER: 45 REVIEWER: B2 MC MD	A 8415	CT	23-AUG-91	GL	NU 99 CT
A	MIL-L-43498D	LINER, COLD WEATHER TROUSERS, FIELD REVIEWER: MC MD	A 8415	CT	12-SEP-90	GL	NU 99 CT
	MIL-C-43499(1)	CANDLESTICK, ALTAR, CANDELABRA, CHAPEL, AND MEMORIAL [VALIDATION DATE: 8802] REVIEWER: GS	A 9925	GL	12-FEB-88	GL	PE 28
D	MIL-D-43503A(1)	DOUGH MIXING MACHINE, GASOLINE ENGINE DRIVEN [VALIDATION DATE: 8103] USER: MC YD1 REVIEWER: GS MD	A 7320	GL	29-JUN-73	GL	99
A L	MIL-S-43505D	SHIRT, WOMAN S, POLYESTER/COTTON REVIEWER: MD	A 8410	CT	10-SEP-82	GL	CT
A	MIL-C-43508B	COLLAR, DOG, CHOKE CHAIN [VALIDATION DATE: 8303] REVIEWER: B5 MD	A 3770	BA	20-JUN-67	MC	84
A	MIL-V-43511C	VISORS, FLYER'S HELMET, POLYCARBONATE REVIEWER: 11 B2 AV MD	A 8415	CT	16-JUL-90	GL	NU 99 CT
A	MIL-T-43512B(1)	TENTS, MISSILE SYSTEM EQUIPMENT CONSOLE, (HIGH-POWER ILLUMINATOR HAWK) USER: B2 MC REVIEWER: MI	A 8340	CT	30-AUG-90	GL	NU 99 CT
D	MIL-F-43514B	FASTENER, PLASTIC, FOR EQUIPMENT ITEMS USER: 45 MS YD1 REVIEWER: 99 MC	A 8465	CT	30-SEP-85	GL	SA 11 CT
A L	MIL-B-43515A	BELT, MAN'S, WAIST, BLUE 334 (ARMY BAND UNIFORM) [VALIDATION DATE: 8904] USER: 45	A 8405	CT	22-APR-89	GL	NU 99 CT
	MIL-C-43516A	CROSS-CRUCIFIX, METAL [VALIDATION DATE: 8802] REVIEWER: GS	A 9925	GL	12-FEB-88	GL	PE 28
A L	MIL-D-43517A	ORNAMENTATION (ARMY BAND) [VALIDATION DATE: 8904]	A 8455	CT	22-APR-89	GL	CT
A L	MIL-R-43518C	RAINCOAT, MAN S, QUIMPPEL REVIEWER: MD	A 8405	CT	15-JAN-88	GL	CT
	MIL-C-43519A(1)	CONVEYOR, STORAGE AND RETRIEVAL, DRY-CLEANED-GARMENT, MOTORIZED [VALIDATION DATE: 8104] REVIEWER: GS	A 3510	GL	27-NOV-72	GL	99
D	MIL-C-43522A	CAN, RADIATOR FILLING AND CAN SPRINKLING, PLASTIC [VALIDATION DATE: 8201]	A 7240	GL	02-MAY-73	GL	YD1 99
L	MIL-C-43528A	CONVEYOR, ROLLER, GRAVITY, 1000 LB/FT [VALIDATION DATE: 9203] REVIEWER: CS MD ME	A 3910	GL	27-MAR-92	GL	
	MIL-M-43530A(1)	MEASURES, LIQUID, PLASTIC, GRADUATED [VALIDATION DATE: 8201] USER: CG REVIEWER: MD	A 7240	GL	26-JUL-74	GL	MC 84
	MIL-M-43531A(2)	WASTE RECEPTACLES, PLASTIC [VALIDATION DATE: 8402] USER: CG MC REVIEWER: MD	A 7240	GL	22-SEP-78	GL	99
	MIL-C-43532A(1)	CONVEYOR, LAUNDRY, STORAGE BINS, ELECTRIC POWERED AUTO SELECTIVE [VALIDATION DATE: 8201] REVIEWER: GS	A 3510	GL	27-NOV-72	GL	99
A	MIL-L-43536F	LINER, COLD WEATHER COAT USER: 45 REVIEWER: 99 MC MD	A 8415	CT	16-JUN-89	GL	NU 11 CT
A L	MIL-D-43537C	OVERCOAT, MAN S, ARMY GREEN 44, WITH REMOVABLE LINER USER: 45 REVIEWER: MD	A 8405	CT	17-JUN-88	GL	99
L	MIL-F-43539A	FELT, BALLISTIC, NYLON REVIEWER: 11 B2 CT MD	A 8305	GL	20-NOV-86	GL	CT
D	MIL-M-43540C	HEATER, IMMERSION, NO. 7, LIQUID FUEL FIRED, FOR CORRUGATED CANS USER: AV MC REVIEWER: CS MD	A 4540	GL	15-SEP-88	GL	YD1
A	MIL-L-43541(3)	LEATHER, CATTLEHIDE, FOR VISORS AND CHINSTRAPS [VALIDATION DATE: 8710] REVIEWER: B2 MD	A 8330	CT	30-OCT-87	GL	11 CT
A L	MIL-V-43544A	CARRIER, BODY ARMOR, AIRCRAFTMAN, SMALL ARMS PROTECTIVE USER: 45 REVIEWER: MD NR	A 8470	CT	15-AUG-85	GL	CT
A	MIL-C-43549C	CAP, COLD WEATHER, INSULATING, HELMET LINER USER: 45 CG REVIEWER: MC MD ...	A 8415	CT	23-JUN-89	GL	NU 99 CT
A L	MIL-B-43550A	BAG, WATER REPELLENT, SIGNAL EQUIPMENT, BG 102 VALIDATED JUN 1972 [VALIDATION DATE: 8801] USER: 45	A 8465	CT	13-SEP-79	GL	NU 99 CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Item	QML / OML Code	Description	Document Title	Dist. Smt. PAC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DLA
A	MIL-P-43552(4)	PAPER, RECORDING, FACSIMILE (ELECTROSENSITIVE) REVIEWER: GS		A 7530	EC	12-JUL-85	GL	EC			
A	MIL-I-435538	INK, MARKING, EPOXY BASE USER: AL ME REVIEWER: 84 AK EA GL MD OS		A 7510	NI	16-DEC-92	NI	AS	99		
A	MIL-H-435550	HOOD, EXTREME COLD WEATHER, W/SYNTHETIC FUR RUFF, OG-107 USER: 45 B2 MC		A 8415	CT	30-MAR-88	GL	NU	99	CT	
		REVIEWER: MD									
L	MIL-H-435550(11)	HOOD, EXTREME COLD WEATHER, W/SYNTHETIC FUR RUFF, OG-107		A 8415	GL	28-JUN-91	GL				
	MIL-C-43558A(3)	CHAPLAIN S KIT, CATHOLIC AND PROTESTANT, LIGHTWEIGHT, FOR ACTIVE COMBAT		A 9925	GL	17-JAN-86	GL	PE			
		APPLICATION REVIEWER: GS									
	MIL-T-43560A(2)	TESTER, SPRING RESILIENCY [VALIDATION DATE: 9008] USER: ME REVIEWER: GS		A 6635	GL	08-AUG-90	GL	AS	99		
	NOTICE 1										
A	MIL-T-43566C	TAPE, TEXTILE, COTTON OR POLYESTER, GENERAL PURPOSE, NATURAL OR IN COLORS		A 8315	CT	01-AUG-90	GL	NU	11	CT	
		USER: 45 AR AT REVIEWER: 82 99 AS EA MC MD									
L	MIL-R-43567A	RACK, DELIVERY AND STORAGE FOOD CONTAINER [VALIDATION DATE: 8402]		A 7330	GL	01-MAY-78	GL				
		REVIEWER: MD									
D	MIL-F-43569B(1)	FOOD CUTTER AND MIXER MACHINES, VERTICAL, HIGH SPEED, ELECTRIC [VALIDATION		A 7320	GL	26-FEB-93	GL	YD1	99		
	NOTICE 1	DATE: 9302] USER: MC REVIEWER: 84 GS MD MS SA TS									
A	MIL-C-43570A	COVERALL, SAFETY, INDUSTRIAL		A 8415	CT	18-JUN-85	GL			CT	
A	MIL-F-43572	FEATHER AND DOWN, WATERFOWL, RECLAIMED AND TAN-O-QUIL-OM TREATED		A 8320	CT	28-FEB-88	GL			CT	
		[VALIDATION DATE: 8303] USER: 45									
L	MIL-F-43573A	FASTENER, SNAP, PLASTIC [VALIDATION DATE: 8104] USER: AT ER MI REVIEWER:		A 5325	GL	28-JUN-68	GL				
		ME									
D	MIL-L-43575A	LAUNDRY PRESS, COMMERCIAL, CABINET TYPE, SINGLE LAY, AND CABINET, DRYING,		A 3510	GL	01-JUN-70	GL	YD1	99		
		FOR WASHABLE TROUSERS [VALIDATION DATE: 8201] USER: CE MC REVIEWER: GS									
D	MIL-T-43578B	TROUSERS, TOP FORMER [VALIDATION DATE: 8403] USER: MC REVIEWER: GS MD ME		A 3510	GL	21-NOV-78	GL	YD1			
A	MIL-T-43579C(2)	LINER, TROUSERS, CHEMICAL PROTECTIVE USER: CG OS REVIEWER: MC MD		A 8415	CT	26-SEP-89	GL	NU		CT	
		FILM, COPYING, THERMOGRAPHIC (PROJECTION TRANSPARENCIES) USER: SA		A 7530	GL	09-MAY-85	GL		99		
		REVIEWER: 84 MD									
A	MIL-L-43582B(1)	LINER, SHIRT, CHEMICAL PROTECTIVE USER: OS REVIEWER: CG MC MD		A 8415	CT	26-SEP-89	GL	NU		CT	
O	MIL-C-43584B(4)	COUNTER, CHECKOUT, CONVEYOR REVIEWER: MC MD		A 7195	GL	07-OCT-85	GL	YD1	99		
L	MIL-C-0043584C	COUNTER, CHECKOUT, CONVEYOR		A 7195	GL	01-OCT-85	GL				
A	MIL-L-43585D	LAST, FOOTWEAR, SHOE, SAFETY TOE, MAN S, U.S. MIL-7 USER: AS REVIEWER: 82		A 8335	CT	18-JUN-86	GL	NU	99	CT	
		MD									
D	MIL-B-43587C	BAG, CHEMICAL PROTECTIVE CLOTHING OUTFIT USER: AS MC YD1 REVIEWER: 82 MD		A 8465	CT	16-JAN-87	GL	NU	99	CT	
		MS									
L	MIL-C-43588	CORD, POLYESTER, WAXED, CORELESS [VALIDATION DATE: 8104] USER: ME		A 4020	GL	12-JUL-68	GL				
		REVIEWER: AR 15 MD									
	MIL-S-43589C	SHAPER, POTATO MIX, FRENCH FRY REVIEWER: GS MC MD SA		A 7320	SH	31-MAR-83		SH	99		
D	MIL-H-43592A(1)	REFRIGERATOR, MECHANICAL, EXPLOSION-PROOF USER: MS REVIEWER: GS MC MD		A 4110	GL	24-MAR-81	GL	YD1	99		
A	MIL-H-43595B	HAMMOCK, JUNGLE, NYLON, M-1966 USER: 45 REVIEWER: MD		A 8465	CT	07-AUG-84	GL		99		
A	MIL-C-43603B(1)	CANTEEN, WATER, COLLAPSIBLE, 2 QUART CAPACITY USER: MC REVIEWER: MD		A 8465	CT	16-AUG-82	GL	NU	99	CT	
L	MIL-H-43606B	HAND CLEANER, WATERLESS [VALIDATION DATE: 8303] REVIEWER: MD		A 8520	GL	10-JUN-77	GL				
D	MIL-P-43607G(4)	PADLOCK, KEY OPERATED, HIGH SECURITY, SHROUDED SHACKLE USER: CE CG MC OS		A 5340	YD1	08-JUN-92	AR	YD1	99		
		SH REVIEWER: 82 GL 15									
	MIL-R-43608A	RIP CORD, PARACHUTE, PERSONNEL: GENERAL SPECIFICATION FOR [VALIDATION		A 1670	GL	10-SEP-90	GL	AS	11		
	NOTICE 1	DATE: 9009] REVIEWER: 82 99 AV MC									
A	MIL-C-43609B	CABINETS, FOOD WARMING, ELECTRICALLY HEATED, DRAWER TYPE [VALIDATION DATE:		A 7310	SA	18-DEC-92	GL	SA	99		
	NOTICE 1	9212] REVIEWER: MD									
D	MIL-T-43610A	TRUCK, HAND, BOX, LAUNDRY, PLASTIC [VALIDATION DATE: 8702] USER: 50		A 3510	GL	27-FEB-87	GL	YD1	84		
	NOTICE 1	REVIEWER: GS MC MD									
A	MIL-B-43611B	BAGS, PAPER, WAXED (FIELD BREAD) USER: MD SM REVIEWER: 99		A 8105	GL	31-DEC-90	GL	SA			
A	MIL-F-43612A	FEATHER, LANDFOWL, (WHOLE) AND (CRUSHED), TAN-O-QUIL-OM TREATED USER: MS		A 8320	CT	28-MAR-86	GL	NU	99	CT	
		REVIEWER: 82 MC MD									
D	MIL-C-43613C	CAN, WATER, MILITARY: PLASTIC, 5-GALLON CAPACITY [VALIDATION DATE: 9203]		A 7240	GL	27-MAR-92	GL		99		
	NOTICE 1	USER: YD1 REVIEWER: 84 MD									
D	MIL-L-43615A	LAUNDRY PRESS UNITS, COAT, TWO-OPERATOR [VALIDATION DATE: 8104] USER: 50		A 3510	GL	24-JUN-75	GL	YD1	99		
		CE MC REVIEWER: GS									
Q	MIL-C-43616C(2)	CLEANING COMPOUNDS, AIRCRAFT SURFACE [VALIDATION DATE: 9110] REVIEWER: AV		A 6850	AS	28-OCT-91	GL	AS	68		
	NOTICE 1	EA MD MR									
L	MIL-H-43617	NET, CARGO TIEDOWN, AIRCRAFT PLATFORM, ASSEMBLY [VALIDATION DATE: 9203]		A 1670	GL	27-MAR-92	GL				
	NOTICE 1	REVIEWER: MI									
	MIL-T-43618B	TAPE, PRESSURE SENSITIVE ADHESIVE, FOR MENDING NYLON PARACHUTE CANOPIES		A 1670	GL	08-AUG-90	GL	AS	11		
	NOTICE 1	[VALIDATION DATE: 9008] USER: MC REVIEWER: 82 99 AV MD									
A	MIL-S-43620B	SUSPENSION ASSEMBLY, GROUND TROOPS HELMET LINER USER: 45 REVIEWER: 82 MD		A 8470	CT	06-AUG-85	GL	MC	99	CT	
A	MIL-T-43624B	THREAD, POLYESTER, SPUN USER: MC REVIEWER: 99 MD		A 8310	CT	20-FEB-91	GL	NU	11	CT	
A	MIL-C-43626A	CLOTH, INTERLINING, ACETATE AND COTTON [VALIDATION DATE: 8711] REVIEWER:		A 8305	CT	30-NOV-87	GL	NU	11	CT	
	NOTICE 1	82 MD									
A	MIL-C-43627D	CLOTH, DUCK, COTTON, PLIED YARNS, FIRE, WATER, WEATHER AND MILDEW		A 8305	CT	07-NOV-90	GL	NU	99	CT	
		RESISTANT TREATED, LIGHTDUTY FINISH USER: 45 REVIEWER: 82 MC MD									
L	MIL-C-43627D(11)	CLOTH, DUCK, COTTON, PLIED YARNS, FIRE, WATER, WEATHER AND MILDEW		A 8305	GL	06-APR-92	GL				
		RESISTANT TREATED, LIGHTDUTY FINISH									
	MIL-T-43630B(2)	TABLES, FOOD PREPARATION, COMMISSARY STORES REVIEWER: 84 GS MD TS		A 7320	GL	31-AUG-88	GL		99		
L	MIL-C-43631	CONVEYOR, BELT, POWERED, MEAT LOAF [VALIDATION DATE: 8103] REVIEWER: GS MD		A 7320	GL	31-MAR-69	GL				
D	MIL-O-43633E	OVEN, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC USER: CE MC		A 7310	GL	26-JAN-88	GL	YD1	99		
		REVIEWER: GS MD SA SH									
L	MIL-O-0043633D	OVENS, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC		A 7310	GL	17-OCT-85	GL				
	MIL-O-43633E(11)	OVENS, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC		A 7310	SH	08-APR-92	GL	SH			
	MIL-S-43634B	STIMULATOR, INTERDENTAL [VALIDATION DATE: 8601] USER: MS SS REVIEWER: 45		A 8530	GL	05-JUN-80	GL		99		
		MD									
A	MIL-C-43637D	CLOTH, PLAIN WEAVE, RIPSTOP, NYLON REVIEWER: 82 MC MD		A 8305	CT	28-JAN-92	GL	NU	99	CT	
D	MIL-W-43638B	WEBBING, TEXTILE, MOVEN, FOR TENT FRAMING USER: YD1 REVIEWER: MD		A 8305	CT	17-MAY-91	GL	SA		CT	
	MIL-I-43639A	INK, MARKING, NAME TAPE [VALIDATION DATE: 8702] USER: MC ME PE		A 7510	GL	27-FEB-87	GL	SA	99		
	NOTICE 1										
	MIL-T-43641	TABLE, EMBALMING, MORTUARY [VALIDATION DATE: 8802] REVIEWER: GS		A 9930	GL	12-FEB-88	GL	MS	34		
	NOTICE 1										
L	MIL-W-43644A	WRAPPING, CONVEYING, WEIGHING AND LABELING SYSTEMS, MEAT AND PRODUCE,		A 3540	GL	06-JAN-77	GL				
		AUTOMATIC, SHRINK FILM AND STRETCH FILM [VALIDATION DATE: 8303] REVIEWER:									
		MD SM									
L	MIL-C-43647(1)	CASE, INDIVIDUAL, SURVIVAL KIT, ARMY [VALIDATION DATE: 8501] REVIEWER: AV		A 1680	GL	26-JUN-73	GL				
		MD									
L	MIL-B-43648B	BAGS, TOOL, ENVELOPE TYPE USER: AV MC		A 5140	GL	09-FEB-90	GL				
L	MIL-P-43649B	PARACHUTES, CARGO, 12-, 26-, AND 34- FOOT DIAMETER REVIEWER: AV		A 1670	GL	28-JUN-91	GL				
	MIL-R-43650(1)	RATION SUPPLEMENT, BEVERAGE PACK (USE 1L-B-35023) [VALIDATION DATE: 8712]		A 8970	GL	31-DEC-87	GL	SA	50		
	NOTICE 1	REVIEWER: MC MD SS									
A	MIL-I-43653A	ICE MAKING MACHINE, FLAKE [VALIDATION DATE: 8204] REVIEWER: GS MC MD ME MS		A 4110	GL	06-JUN-75	GL		99		
	MIL-T-43654D	TROUSERS, SNOW CAMOUFLAGE, WHITE, ARCTIC USER: 45 REVIEWER: 82 MC MD		A 8415	CT	15-APR-91	GL	NU	99	CT	
L	MIL-T-0043654E	TROUSERS, SNOW CAMOUFLAGE, WHITE		A 8415	GL	10-FEB-92	GL				
	MIL-B-43655A	BRUSHES, INJECTOR, CLEANING AND WIRE, TUBE [VALIDATION DATE: 8710] USER:		A 7920	GL	30-OCT-87	GL		99		
	NOTICE 1	MC MI REVIEWER: MD									
A	MIL-C-43656A	CLOTH, COATED, POLYESTER, SILICONE RUBBER [VALIDATION DATE: 9007] USER: AS		A 8305	CT	30-JUL-90	GL	NU	99	CT	
	NOTICE 1	REVIEWER: 82 MC MD									
D	MIL-A-43657(1)	ABSORBER, VAPOR, SYNTHETIC SOLVENT DRY CLEANING UNITS [VALIDATION DATE:		A 3510	GL	03-APR-75	GL	YD1	99		
		8104] USER: GS REVIEWER: EL MD									
D	MIL-R-43658A	RACK SET, BAKING FOR CABINETS, GASOLINE, FIELD RANGE M1937 AND M1959		A 7360	GL	19-SEP-83	GL	YD1	99		
		[VALIDATION DATE: 8104] USER: MC REVIEWER: 84 GS MD									



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orl./Ola Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Asy. Date	Custodians			
			Army	Navy	Air Force	Ola
D MIL-S-43659 NOTICE 1	STOPPER, INFLATING TUBE, PNEUMATIC MATTRESS [VALIDATION DATE: 8911] USER: 11 YDI REVIEWER: 45 MC	A 8465 CT 06-NOV-89	GL SA 99	CT		
D MIL-T-43660 NOTICE 1	TAGGING MACHINE, LAUNDRY MARKING [VALIDATION DATE: 8804] USER: CR ER MC SH REVIEWER: GS	A 3510 GL 05-APR-88	GL YDI 99			
A L MIL-B-43663C	BAGS, TOOL, SATCHEL USER: AV MC	A 5140 GL 23-JUL-92	GL			
A MIL-T-43664B	TAPE, TEXTILE, NYLON (FOR NAME TAPES) REVIEWER: 82 99 MD	A 8315 CT 09-FEB-88	GL	11	CT	
A MIL-C-43666C	CLOTH WOOL, MOTHPROOFING TREATMENT OF REVIEWER: MC MD	A 8305 CT 14-NOV-86	GL MU 99	CT		
A MIL-B-43666D(1)	BOXES, SHIPPING, CONSOLIDATION USER: AR CR OS SH REVIEWER: AS AT GS MC MD	A 8115 GL 04-JAN-91	GL SA 69			
A MIL-W-43668C	WEBBING, TEXTILE, TEXTURED OR MULTIFILAMENT NYLON USER: MC REVIEWER: 11 MD MU	A 8305 CT 21-NOV-88	GL AS 99	CT		
D MIL-S-43669A	STAND, LECTURE, ALUMINUM, FOLDING [VALIDATION DATE: 8104] USER: MC	A 7195 GL 08-AUG-74	GL YDI 99			
L MIL-P-43670	PAN, FRANKFURTER ROLLS, AND PANS, SANDWICH ROLLS [VALIDATION DATE: 8201] REVIEWER: MD	A 7330 GL 30-SEP-69	GL			
L MIL-A-43671(1)	ADAPTER, REVERSIBLE, QUICK FIT, 1-3/4 INCH [VALIDATION DATE: 8201]	A 5340 GL 15-APR-76	GL			
D MIL-L-43672C(1)	LINER, SNOW CAMOUFLAGE TROUSERS: WHITE, ARCTIC, M-65 USER: 45 MC YDI REVIEWER: MD	A 8415 CT 21-OCT-87	GL MU	CT		
A MIL-F-43673 NOTICE 1	FRAME, RUCKSACK, STEEL USER: 45 REVIEWER: 11	A 8465 CT 25-JAN-88	GL MC 99	CT		
A L MIL-S-43674C	SHOWER PAIL, COLLAPSIBLE, COTTON DUCK, 5-GALLON CAPACITY USER: MS REVIEWER: GS MD	A 8465 CT 25-APR-89	GL	CT		
A L MIL-C-43675A NOTICE 1	CLOTH, INTERLINING, COTTON WARP AND RAYON FILLING [VALIDATION DATE: 8711] REVIEWER: MD	A 8305 CT 30-NOV-87	GL	CT		
A L MIL-C-43677B(1)	CLOTH, COATED FOR HEAT SEAL PATCHING REVIEWER: MD	A 8305 CT 13-AUG-85	GL	CT		
L MIL-C-43678A	CORD, FIBROUS, POLYESTER, DIAMOND BRAID [VALIDATION DATE: 8402] REVIEWER: MD MC	A 4020 GL 23-MAR-78	GL			
A L MIL-C-43681A NOTICE 1	CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M14A1 USER: AR REVIEWER: MD	A 8465 CT 25-JAN-88	GL	CT		
D MIL-I-43682D(2)	ICEMAKER-DISPENSER: WITH WATER DISPENSER ATTACHMENT USER: MC REVIEWER: GS MD MS SA	A 4110 GL 01-FEB-88	GL YDI			
D MIL-L-43684B	INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT USER: MC YDI	A 5120 GL 30-JUN-89	GL SH 99			
A L MIL-W-43685B	WEBBING AND TAPE, TEXTILE, ARAMID FIBER REVIEWER: AV MD	A 8305 CT 20-SEP-89	GL	CT		
A MIL-C-43689C	COVER, WATER CANTEN, 2 QUART, COLLAPSIBLE (WITH PILE LINING) USER: 82 MC REVIEWER: MD	A 8465 CT 31-MAR-87	GL MU	CT		
L MIL-L-43693A	LOWERING DEVICE, PERSONNEL AND CANOE REVIEWER: AV	A 1670 GL 28-JUN-91	GL			
A L MIL-I-43694 NOTICE 2	TIEDOWN ASSEMBLIES, FLOOR ANCHORING [VALIDATION DATE: 9302] USER: MT REVIEWER: AV	A 1670 GL 26-FEB-93	GL			
A MIL-F-43695B	FRAME SECTION, TENT, FRAME TYPE, EXPANDABLE [VALIDATION DATE: 8402] USER: 45 MC REVIEWER: 82	A 8340 CT 21-SEP-83	GL MU 99	CT		
MIL-D-43699C	DRUMS, FABRIC, COLLAPSIBLE, (DRINKING WATER, 55-, 250- & 500 GALLON CAPACITIES) USER: MC REVIEWER: 99 GL GS MD	A 8110 ME 28-MAY-87	ME SA 69			
D MIL-P-43700C(1)	PONCHO, WET WEATHER USER: 45 YDI REVIEWER: MC MD	A 8405 CT 16-JUL-90	GL MU 99	CT		
L MIL-P-0043700D	PONCHO, WET WEATHER	A 8405 GL 04-DEC-90	GL			
A L MIL-P-0043700D(11)	PONCHO, WET WEATHER	A 8405 GL 28-JUN-91	GL			
A MIL-C-43701B	CORD, ELASTIC, NYLON OR POLYESTER REVIEWER: 82 MD	A 8305 CT 30-JUL-90	GL MU 99	CT		
MIL-D-43703B(2)	DRUM, SHIPPING AND STORAGE, MOLDED POLYETHYLENE USER: AR REVIEWER: 99 AS EA GS MD ME	A 8110 GL 13-JUN-84	GL SA 69			
A MIL-L-43704(1) NOTICE 1	LEATHER, CATTLEHIDE, CHROME TANNED, FATLIQUORED [VALIDATION DATE: 8710] REVIEWER: 82 MD	A 8330 CT 30-OCT-87	GL MU 11	CT		
D MIL-I-43705D	ICE CREAM MAKER, SHAKE MAKERS, AND COMBINATION ICE CREAM AND SHAKE MAKERS - SOFT-SERVE REVIEWER: 82 GS MC MD TS	A 4110 GL 09-JAN-86	GL YDI 99			
L MIL-I-43705D(11)	ICE CREAM MAKERS; SHAKE MAKERS; AND COMBINATION ICE CREAM AND SHAKE MAKERS - SOFT SERVE	A 4110 SH 07-APR-92	SH			
MIL-B-43706A	BAG, PLASTIC, BREAD [VALIDATION DATE: 8601] REVIEWER: 99 MD	A 8105 GL 20-MAR-80	GL	69		
A MIL-C-43708B	CLOTH, COATED OR CLOTH, LAMINATED, REFLECTIVE REVIEWER: 82 MD	A 8305 CT 30-SEP-86	GL	99	CT	
A L MIL-T-43709B	TAPE, TEXTILE, ARAMID FIBER REVIEWER: MD	A 8315 CT 13-NOV-90	GL			
MIL-B-43711(1)	BARRIER MATERIAL, WATERPROOF, FLEXIBLE; LUMBER PROTECTIVE [VALIDATION DATE: 8904] REVIEWER: 99 GS ME SH	A 8135 GL 22-APR-89	GL SA 69			
MIL-C-43712C	CAN, WATER, MILITARY, PLASTIC, COLLAPSIBLE USER: MC REVIEWER: 84 GS MS	A 7240 GL 22-DEC-86	GL	99		
MIL-B-43714	BALANCE, TRIP, LABORATORY [VALIDATION DATE: 8710] USER: MS REVIEWER: 03 EA GS ME	A 6670 GL 01-OCT-87	GL	99		
MIL-I-43717D	ICE MILK, MILK SHAKE AND YOGURT MIXES REVIEWER: MC MD MS SS	A 8910 GL 30-JUN-89	GL SA 50			
A MIL-C-43718C	CLOTH, POLYESTER; POLYESTER AND COTTON; POLYESTER AND RAYON, FOR POCKETS REVIEWER: MD	A 8305 CT 17-JUN-88	GL MU 11	CT		
A MIL-W-43719C	MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED: GENERAL SPECIFICATION FOR USER: AR ME OS REVIEWER: 84 AT AV ER GS MC MD	A 7690 GL 30-SEP-92	GL AS 99			
MIL-A-43719/1A NOTICE 1	MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED: LETTERS AND NUMERALS [VALIDATION DATE: 9007] REVIEWER: GS	A 7690 GL 30-JUL-90	GL AS			
MIL-A-43719/2A NOTICE 1	MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, LEGENDS [VALIDATION DATE: 8710] USER: AR ME SH REVIEWER: AT GS MC	A 7690 GL 23-OCT-87	GL AS 99			
MIL-A-43719/3A NOTICE 1	MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED: SYMBOLS [VALIDATION DATE: 9007] REVIEWER: GS	A 7690 GL 30-JUL-90	GL AS			
MIL-A-43719/4 NOTICE 1	MARKING MATERIALS & MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, HAZARDOUS MATERIAL SYMBOLS [VALIDATION DATE: 8710]	A 7690 GL 23-OCT-87	GL AS			
A MIL-L-43720C(1)	LINER, FIELD PACK USER: 45 REVIEWER: 82 MC MD	A 8465 CT 19-JUL-90	GL MU 99	CT		
A MIL-C-43724C(1) NOTICE 1	CAP, HOT WEATHER, OLIVE GREEN 507 [VALIDATION DATE: 8904] USER: 45 REVIEWER: MD	A 8415 CT 14-APR-89	GL SA 99	CT		
D MIL-I-4372B NOTICE 1	INJECTOR, RINSE, AUTOMATIC, FOR COMMERCIAL DISHWASHING MACHINES [VALIDATION DATE: 8801] USER: CE REVIEWER: GS MC MD MS	A 7320 GL 04-JAN-88	GL YDI 99			
D MIL-D-43729A	DISPENSING UNIT, DETERGENT, AUTOMATIC, FOR COMMERCIAL DISHWASHING MACHINES [VALIDATION DATE: 8103] USER: CE REVIEWER: GS MC MD MS	A 7320 GL 31-DEC-70	GL YDI 99			
A MIL-D-43732F	DRESS, WOMAN'S, HOSPITAL DUTY UNIFORM (MDU) REVIEWER: 82 99 MD	A 8410 CT 30-MAR-90	GL	11	CT	
D MIL-C-43734D	CLOTH, DUCK, TEXTURED NYLON USER: YDI REVIEWER: 82 MC MD	A 8305 CT 20-AUG-87	GL MU 99	CT		
D MIL-S-43736A(1)	SLIDE FASTENER UNITS, LACED BOOTS [VALIDATION DATE: 8501] USER: 45 YDI REVIEWER: 82 MC MD	A 8430 CT 03-APR-79	GL MU 99	CT		
A MIL-C-43737B NOTICE 1	CASE, MAINTENANCE EQUIPMENT, SMALL ARMS, M16A1 [VALIDATION DATE: 8801] USER: 45 REVIEWER: MD	A 8465 CT 25-JAN-88	GL MC 99	CT		
D MIL-B-43738B(1)	DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED USER: CE REVIEWER: GS MC MD MS SH	A 7310 GL 01-FEB-88	GL YDI 84			
A MIL-B-43739A	BOOT, SKI-MOUNTAIN REVIEWER: 11 82 AS MD	A 8430 CT 03-MAR-87	GL MU 99	CT		
A L MIL-P-43740C	PERSONNEL IDENTIFICATION BAND KIT WITH COMPONENTS AND CASE REVIEWER: MD	A 8465 CT 04-NOV-91	GL	CT		
A MIL-B-43741B	NECKERCHIEF, MAN'S, COTTON, KNITTED USER: 45 REVIEWER: 11 82 MD	A 8440 CT 30-AUG-89	GL MU 99	CT		
A MIL-C-43742B	COVER, WATER CANTEN, LC-2 USER: MC REVIEWER: AS MD	A 8465 CT 03-MAR-81	GL MU	CT		
A L MIL-P-43743B	PANEL MARKER, SURVIVAL, AVIATION PERSONNEL USER: AV REVIEWER: MD	A 8345 CT 29-SEP-88	GL MU	CT		
A MIL-C-43745B	CASE, FIELD, FIRST AID DRESSING-UNMOUNTED MAGNETIC COMPASS, LC-1 USER: MC REVIEWER: 82 MD ME	A 8465 CT 09-MAR-81	GL MU 99	CT		
MIL-I-43746B	INSECT NET, NAT, SUN, HOT WEATHER USER: 45 REVIEWER: 82 MD	A 8415 CT 30-MAR-88	GL MU	CT		
MIL-C-43748A	CUTTER, PAPER, GUILLOTINE, 12 INCH (304.8MM) CAPACITY, BENCH MOUNTED [VALIDATION DATE: 8303] REVIEWER: GS	A 3610 GL 01-FEB-78	GL SA			
MIL-E-43749F	ESCALOPED POTATOES WITH PORK, DEHYDRATED, COOKED REVIEWER: MC MD MS SS TS	A 8940 GL 25-MAR-85	GL SA 50			
MIL-B-43750C	BEEF WITH RICE, DEHYDRATED, COOKED REVIEWER: MC MD MS SS	A 8940 GL 29-JUN-84	GL SA 50			
A MIL-C-43753C	SAFETY CLOTHING, HIGH VISIBILITY USER: 45 MD REVIEWER: 82	A 8415 CT 25-AUG-87	GL MU 99	CT		
MIL-F-43754B NOTICE 1	FEED, HIGH CALORIC, MEDICATED, FOR MILITARY WORKING DOGS [VALIDATION DATE: 8710] USER: SS REVIEWER: MD	A 8710 GL 30-OCT-87	GL	99		
A MIL-P-43756	PACKBOARD, METAL [VALIDATION DATE: 8801] USER: 45 MC REVIEWER: 99	A 8465 CT 07-OCT-71	GL SA 11	CT		



## NUMERICAL LISTING MILITARY SPECIFICATIONS

278



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc CPL / ODA Coordinate Package	Document Number	Document Title	Doc Smt FSC / Area	MCA Symbol	Proposed Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-R-43837A	RELEASE, CARGO PARACHUTE, AIRDROP, M-1 REVIEWER: AV	A 1670	GL	30-MAR-83	GL			
M L	MIL-R-43838B	RELEASE, CARGO PARACHUTE, AIRDROP, M-2 REVIEWER: AV	A 1670	GL	25-MAY-93	GL			
D	MIL-D-43840(2)	DISPENSER, CONDIMENT, PUMP TYPE, MANUALLY OPERATED REVIEWER: GS MD TS	A 7320	GL	22-SEP-87	GL	YD1	84	
A	MIL-S-43841A(1)	STRAP, CHIN; GROUND TROOPS' HELMET, STEEL, M-1 (VALIDATION DATE: 8904)	A 8470	CT	22-APR-89	GL	MU	99	CT
A	MIL-C-43842C	USER: 45	A 8305	CT	11-JUN-92	GL	MU	99	CT
A	MIL-C-43843A(1)	CLOTH, OXFORD, ARAMID USER: MC REVIEWER: B2 AS MD	A 8305	CT	24-JUN-87	GL	MU	11	CT
D	MIL-D-43845A	CLOTH, PLAIN WEAVE, POLYESTER/COTTON, PRECURED, DURABLE PRESS USER: 45	A 7310	GL	27-JAN-78	GL	YD1	99	
L	MIL-D-43845A(11)	DISPENSER, ICED TEA (VALIDATION DATE: 8402) USER: CE SA REVIEWER: GS MD SH	A 7310	GL	25-FEB-81	GL			
	MIL-F-43846B(1)	DISPENSER, ICE TEA (VALIDATION DATE: 8402) REVIEWER: GS	A 8970	GL	22-MAR-76	GL	SA	50	
D	MIL-S-43852B	FOOD PACKET, LONG RANGE PATROL (VALIDATION DATE: 8201) REVIEWER: MC MD MS	A 7310	GL	27-MAR-92	GL	YD1	99	
	NOTICE 1	SS							
	MIL-T-43856A	SANDWICH UNIT, MECHANICALLY REFRIGERATED (VALIDATION DATE: 9203) USER: MC	A 8940	GL	23-MAY-78	GL	SA	50	
L	MIL-M-43857	SA REVIEWER: B4 GS MD	A 7530	GL	27-FEB-87	GL			
A L	MIL-C-43858B	TOPPING, DESSERT AND BAKERY PRODUCTS, FROZEN OR DEHYDRATED (VALIDATION DATE: 8402) REVIEWER: MC MD MS SS	A 8305	CT	31-DEC-85	GL			CT
L	MIL-C-43859A	NOTEBOOK, WATER RESISTANT, FOR FIELD USE (VALIDATION DATE: 8702)	A 1670	GL	08-AUG-90	GL			
A	MIL-S-43860D	CLOTH, LAMINATED, NYLON TRICOT KNIT, POLYURETHANE FOAM LAMINATE, CHEMICAL	A 8430	CT	31-MAY-90	GL	MU	99	CT
A	MIL-B-43861A	PROTECTIVE & FLAME RESISTANT REVIEWER: MD	A 9930	CT	09-JUL-86	GL	MS		
	NOTICE 1	COUPLING, EXTRACTION FORCE TRANSFER, AIRDROP (VALIDATION DATE: 9008)	A 8305	CT	30-NOV-87	GL	MU		CT
D	MIL-B-43866C(1)	REVIEWER: AV	A 7320	GL	30-DEC-87	GL	YD1	99	
	MIL-C-43867B	SHOES, ELECTRICAL HAZARDS PROTECTIVE, HIGH, MEN'S REVIEWER: 11 B2 MD	A 1670	GL	17-MAR-89	GL	AS	99	
L	MIL-C-43868B	BAG, PLASTIC, MORTUARY REVIEWER: DM GS	A 5410	GL	03-SEP-80	GL			
L	MIL-S-43869B	CLOTH, POPLIN, POLYESTER/COTTON, PRECURED, SOIL RELEASE DURABLE PRESS	A 5410	GL	20-MAR-79	GL			
D L	MIL-R-43870B	TREATMENT (VALIDATION DATE: 8711) REVIEWER: MD	A 7320	GL	26-NOV-86	GL		99	
	NOTICE 1	BREAD-SLICING MACHINE, ELECTRIC-OPERATED, MULTIPLE KNIFE USER: SA	A 7920	GL	30-OCT-87	GL	SA	99	
D	MIL-P-43873A	REVIEWER: B4 GS MC MD SH TS	A 8915	GL	30-JUN-86	GL	SA	50	
	NOTICE 1	COUPLERS, CARGO PARACHUTE EXTRACTION SYSTEM, 2, 4, AND 7 POINT REVIEWER:	A 7320	GL	19-MAY-78	GL	YD1	99	
D	MIL-C-43875A(1)	11 AV MC							
A	MIL-C-43876A(1)	CONNECTOR, CORRIDOR (MUST) (VALIDATION DATE: 8601) USER: MC REVIEWER: MD	A 8305	CT	11-AUG-89	GL	MU	99	CT
	NOTICE 1	SHELTER, INFLATABLE, WITH AIRLOCK AND CONNECTOR, CORRIDOR, INFLATABLE	A 8915	GL	31-DEC-87	GL	SA	50	
D	MIL-S-43877	(MUST) (VALIDATION DATE: 8501)	A 7310	GL	26-FEB-93	GL	YD1	99	
D	MIL-B-43878	RACK, STORAGE, MIXER BOWLS AND ATTACHMENTS, MOBILE USER: YD1 REVIEWER: B4	A 8465	CT	21-APR-89	GL	MU	99	CT
A	MIL-H-43879A	GS MD	A 8465	CT	05-SEP-85	GL	MU	99	CT
A	MIL-S-43880C(1)	BRUSH, CLEANING, TOOLS AND PARTS (VALIDATION DATE: 8710)	A 7310	SH	27-FEB-87	YD1			
D	MIL-F-43883A(1)	PEAS, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS	A 7310	GL	27-FEB-87	GL	YD1	84	
D	MIL-D-43884	KITCHEN EQUIPMENT, INCLUDING UNIT ASSEMBLIES, REPAIR PARTS AND TOOLS,	A 4110	GL	04-JUN-79	GL	YD1		
D	MIL-R-43891A(1)	PREPARATION FOR DELIVERY OF (VALIDATION DATE: 8402) USER: MC REVIEWER: GS	A 4110	GL	20-MAR-92	GL	YD1	99	
D	MIL-R-0043891B	SH	A 8305	CT	30-JUL-90	GL	MU	11	CT
A	MIL-C-43892A	CLOTH, WIND RESISTANT, OXFORD, NYLON AND COTTON, QUARREL TREATED	A 5410	GL	24-APR-79	GL			
L	MIL-S-43893A	(VALIDATION DATE: 8908) USER: B2 REVIEWER: 45 MC MD	A 7125	GL	19-AUG-74	GL			
L	MIL-S-43894	SPINACH, DEHYDRATED, COMPRESSED (VALIDATION DATE: 8712) REVIEWER: MC MD MS	A 7320	SA	18-DEC-92	GL	SA	99	
A	MIL-H-43895B(1)	SS							
A L	MIL-H-43895B(12)	BROILER, SELF-CLEANING, ELECTRIC; COUNTER MODEL (VALIDATION DATE: 9302)	A 7320	SH	18-AUG-92	SH			
A L	MIL-H-43896A	USER: CE REVIEWER: GS MC MD	A 7310	SH	27-DEC-84	SH			
A	MIL-S-43897B	MOOD, SLEEPING BAG USER: 45	A 8430	CT	28-AUG-89	GL	MU	99	CT
	NOTICE 1	SLEEPING BAG, EXTREME COLD WEATHER (DOWN AND POLYESTER BATTING) USER: 45							
L	MIL-S-43898B	REVIEWER: 11 B2 MC MD	A 5410	GL	21-JUL-77	GL			
L	MIL-C-43899A	FOOD WARMER, INFRA-RED, ELECTRIC USER: MC REVIEWER: CG MD MS SA	A 1670	GL	08-AUG-90	GL			
	NOTICE 1	OVEN, PIZZA, COUNTER TOP, ELECTRIC (VALIDATION DATE: 8702) USER: MC	A 4110	GL	27-MAR-92	GL	SA	99	
D	MIL-R-43900B	REVIEWER: GS MD MS SA							
	NOTICE 1	REFRIGERATION UNIT, ELECTRIC, FOR INSULATED MILITARY VAN CONTAINERS	A 8915	GL	31-DEC-86	GL	SA	50	
	NOTICE 1	(VALIDATION DATE: 8404) REVIEWER: GS MC MD MS	A 8915	GL	04-SEP-85	GL	SA	50	
	MIL-D-43901A	REFRIGERATION UNIT, ELECTRIC, FOR MILITARY VAN CONTAINER, REFRIGERATED,	A 5340	GL	11-JUL-90	ME	YD1	99	
	MIL-J-43904A	INSULATED USER: CE REVIEWER: B2 GS MC MD TS							
D	MIL-H-43905C	CLOTH, TWILL, COTTON AND NYLON, WATER REPELLENT TREATED (VALIDATION DATE: 9007) USER: 45 MC REVIEWER: B2 99 MD	A 8305	CT	30-JUL-90	GL	MU	11	CT
A	MIL-C-43906C	SHELTER, INFLATABLE, ONE SECTION ASSEMBLY (MUST) (VALIDATION DATE: 8501)	A 5410	GL	24-APR-79	GL			
L	MIL-P-43907D	REVIEWER: MD							
L	MIL-T-43908A(2)	SHELVING KIT, STORAGE AND DISPLAY, WOOD FOR BOXES, SHIPPING, METAL (CONEX	A 7125	GL	19-AUG-74	GL			
L	MIL-B-43908A	AND MILVAN) (VALIDATION DATE: 8201) REVIEWER: SH	A 7320	SA	18-DEC-92	GL	SA	99	
	NOTICE 1	HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING (VALIDATION DATE: 9212) REVIEWER: B4 GS MD SH TS	A 7320	SH	18-AUG-92	SH			
	NOTICE 1	HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING	A 7310	SH	27-DEC-84	SH			
L	MIL-S-43910	WELL, HOT FOOD STORAGE, ELECTRIC REVIEWER: GS YD1	A 8430	CT	28-AUG-89	GL	MU	99	CT
L	MIL-R-43911A(4)	SHOES, ELECTRICAL HAZARDS PROTECTIVE, OXFORD, MEN'S (VALIDATION DATE: 8908) REVIEWER: 11 45 B2 MC MD	A 5410	GL	21-JUL-77	GL			
A	MIL-S-43912	SHELTER, MULTI-PURPOSE (MUST) (VALIDATION DATE: 8303) REVIEWER: MD	A 1670	GL	08-AUG-90	GL			
A	MIL-D-43913	COUPLING, EXTRACTION FORCE TRANSFER, PLATFORM (VALIDATION DATE: 9008)	A 4110	GL	27-MAR-92	GL	SA	99	
	NOTICE 1	USER: 99 REVIEWER: AV GS							
D	MIL-G-43914D	REFRIGERATORS, FREEZERS, PREFABRICATED, MECHANICAL, COMMERCIAL, WALK-IN	A 8915	GL	31-DEC-86	GL	SA	50	
L	MIL-G-0043914E	(VALIDATION DATE: 9203) REVIEWER: B2 GS MD ME	A 8915	GL	04-SEP-85	GL	SA	50	
L	MIL-S-43915A(1)	ONIONS, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS	A 5340	GL	11-JUL-90	ME	YD1	99	
A L	MIL-P-43916A	JUICE, GRAPE, INSTANT, SWEETENED REVIEWER: MC MD MS SS TS							
A L	MIL-C-43919C	MASPS, HIGH SECURITY PADLOCKS USER: AR AS CE CG REVIEWER: B2 ER GL IS NP	A 8305	CT	31-MAR-92	GL	MU	99	CT
A	MIL-C-43920(2)	OS SH	A 8405	CT	12-MAR-93	GL			
A L	MIL-J-43924E	CLOTH, COATED, NYLON, POLYURETHANE DOUBLE COATED REVIEWER: B2 MC MD	A 7310	GL	15-DEC-77	GL			
	NOTICE 1	PARKA AND TROUSERS, MET WEATHER REVIEWER: 45 B2 GL MD	A 5410	GL	26-SEP-88	GL	SH	99	
	NOTICE 1	TABLE, HOT FOOD, GAS (VALIDATION DATE: 8402)	A 8850	GL	10-NOV-87	GL			
L	MIL-J-43924E	BELLOWS, EXPANDABLE SHELTER (MUST) REVIEWER: CS MD							
	NOTICE 1	SPOT REMOVER, (FOR REMOVAL OF OIL AND GREASE FROM CLOTHING) (VALIDATION DATE: 8711) USER: CG MC REVIEWER: GS MD MS	A 7380	GL	19-DEC-88	GL			
A	MIL-S-43912	KITCHEN, FIELD, TRAILER MOUNTED REVIEWER: GS MD	A 8470	CT	27-OCT-87	GL	MU	99	CT
D	MIL-G-43914D	STRAP, CHIN, PARACHUTIST S HELMET, STEEL, M-1 USER: MC REVIEWER: 45 MD	A 7310	CT	27-MAR-92	GL			
L	MIL-G-0043914E	DISPENSER, CARBONATED BEVERAGE, MECHANICALLY REFRIGERATED; COUNTERTOP							
L	MIL-S-43915A(1)	DISPENSING, REMOTE SYSTEM (VALIDATION DATE: 9203) USER: CE REVIEWER: GS MD	A 8465	CT	09-JAN-85	GL	MU	99	CT
	NOTICE 1	GORBLES, SUN, WIND AND DUST, 1974 USER: 45 YD1 REVIEWER: B2 MC MD	A 8465	GL	26-NOV-90	GL			
	NOTICE 1	GORBLES, SUN, WIND AND DUST, 1974	A 5410	GL	05-APR-79	GL			
L	MIL-D-43916A	SHELTER, EXPANDABLE FOR MEDICAL UNIT SELF-CONTAINED, TRANSPORTABLE (MUST)							
A L	MIL-P-43918A	(VALIDATION DATE: 8501) REVIEWER: MD	A 7320	GL	25-FEB-88	GL	SA	99	
A	MIL-S-43919C	DISPENSER, LIQUID, INSULATED REVIEWER: B4 GS MD TS	A 8470	CT	27-OCT-87	GL			CT
A	MIL-C-43920(2)	PAD, LINER, PARACHUTIST S HELMET (VALIDATION DATE: 8710) USER: 45 MC							
A L	MIL-J-43924E	REVIEWER: MD							
	NOTICE 1	SAUCE & GRAVY MIXES, DRY, CANNED REVIEWER: MC MD MS SS TS	A 8940	GL	29-JUN-87	GL	SA	50	
	NOTICE 1	CLOTH, INTERLINING, COTTON OR SYNTHETIC, AND NYLON (VALIDATION DATE: 8711)	A 8305	CT	30-NOV-87	GL	MU	11	CT
A L	MIL-J-43924E	REVIEWER: 99 MC MD							
A	MIL-J-43924E	JACKET, FLYER'S, LIGHTWEIGHT, (EXPANDABLE WRISTS AND WAIST) REVIEWER: MD	A 8415	CT	13-APR-90	GL			CT
	NOTICE 1	JACKETS, COLD WEATHER, (HIGH TEMPERATURE RESISTANT) USER: MC REVIEWER: 11	A 8415	CT	30-SEP-91	GL	MU	99	CT
L	MIL-J-43924E(11)	B2 MD							
	NOTICE 1	JACKET: COLD WEATHER, (HIGH TEMPERATURE RESISTANT)	A 8415	GL	27-NOV-90	GL			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off / Cdr Coordinate	Docu- ment Number	Docu- ment Title	Doc. Syst. PAC / Ase	MCA Symbol	Preparing Act.	Date	Custodians		
							Army	Navy	Air Force
A	MIL-H-439250	HELMET, FLYER S, PROTECTIVE, SPH-4 USER: 45 REVIEWER: B2 MD	A 8415	CT	27-APR-88	GL	99	CT	
A	MIL-S-43926J	SUIT, CHEMICAL PROTECTIVE USER: 45 REVIEWER: 11 B2 EA MD	A 8415	CT	30-AUG-91	GL	MU	99	CT
L	MIL-S-0043926F	SUIT, CHEMICAL PROTECTIVE REVIEWER: B2 99 CT EA MD SH	A 8415	GL	14-AUG-85	GL	MU	11	
L	MIL-S-43926H(11)	SUIT, CHEMICAL PROTECTIVE	A 8415	GL	18-OCT-90	GL			
D	MIL-B-43928A	BROILER, CONVEYORIZED, INFRA-RED, ELECTRIC USER: MC REVIEWER: GS MD MS	A 7310	YD1	18-SEP-87	SH	YD1	99	
L	MIL-B-43928A(11)	BROILER, CONVEYORIZED, INFRARED, ELECTRIC	A 7310	SH	22-MAY-92	SH			
A L	MIL-S-439298(1)	SHIRT, UTILITY (DURABLE PRESS) [VALIDATION DATE: 8802] REVIEWER: MC	A 8405	CT	26-FEB-88	MU		CT	
	NOTICE 1								
	MIL-B-43930B	BEANS, GREEN, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS	A 8915	GL	30-JUN-87	GL	SA	50	
	MIL-S-43931A	SOUP, DEHYDRATED, BEEF FLAVORED, WITH NOODLES AND VEGETABLES REVIEWER: MC MD OM SS	A 8935	GL	25-NOV-91	GL	SA	50	
D L	MIL-T-43932C(1)	TROUSERS, UTILITY, (DURABLE PRESS) [VALIDATION DATE: 8809] USER: YD1	A 8405	CT	30-SEP-88	MU		CT	
	NOTICE 1								
	MIL-P-43940A	PANS, STEAM TABLE, RECTANGULAR AND INSETS, STEAM TABLE, ROUND [VALIDATION DATE: 9203] USER: MC SH REVIEWER: B4 GS MD	A 7310	GL	27-MAR-92	GL	SA	99	
	NOTICE 1								
	MIL-R-43942	ROPE, FIBROUS, POLYESTER/POLYPROPYLENE DUAL FIBER [VALIDATION DATE: 8201] USER: ME REVIEWER: AR IS	A 4020	GL	16-MAR-76	GL		99	
	MIL-K-43943A	KETTLES, STEAM JACKETED: TWIN: 5-GALLON, TILTING, CABINET MOUNTED: NATURAL GAS HEATED REVIEWER: GS MD	A 7310	GL	01-DEC-89	GL		99	
A	MIL-C-43944(1)	CLOTH, LAMINATED, AND CLOTH, COATED (CHLOROPRENE COATED) [VALIDATION DATE: 8711] REVIEWER: 99 EA MD	A 8305	CT	30-NOV-87	GL	MU	11	CT
A	MIL-M-43945B	MASK, EXTREME COLD WEATHER USER: 45 REVIEWER: B2 MC MD	A 8415	CT	18-JUL-88	GL	MU	99	CT
A	MIL-M-43946A	MAINTENANCE KIT: WET WEATHER CLOTHING [VALIDATION DATE: 8908] REVIEWER: 45 B2 MC MD	A 8405	CT	28-AUG-89	GL	MU	99	CT
	NOTICE 1								
A	MIL-P-43948A	PILLOW, BED, POLYESTER FILLED REVIEWER: MD	A 7210	CT	31-DEC-86	GL	MU		CT
L	MIL-C-43949A	CLEANING AND SANITIZING MACHINES, SPRAYING HIGH PRESSURE, ELECTRIC [VALIDATION DATE: 9203] REVIEWER: GS	A 7320	GL	27-MAR-92	GL			
	NOTICE 1								
	MIL-P-43950	PIE FILLING, PREPARED, LEMON, CANNED [VALIDATION DATE: 8201] REVIEWER: MC MD MS SS	A 8940	GL	30-JUN-76	GL	SA	50	
D	MIL-P-43951A(2)	PADLOCK, KEY OPERATED, MEDIUM SECURITY, REGULAR SHACKLE USER: AL AS CE CG MC SH REVIEWER: B2 AR GL IS	A 5340	YD1	19-JUN-92	ME	YD1	99	
	NOTICE 1								
	MIL-R-43952	HOPE, FIBROUS, PLAATED, POLYESTER/POLYPROPYLENE DUAL FIBER [VALIDATION DATE: 8711] USER: AR ME	A 4020	GL	05-NOV-87	GL		99	
A L	MIL-K-43954A	RANGES, CONVECTION OVEN, ELECTRIC REVIEWER: MD SA	A 7310	SH	11-JUN-85	SH			
A L	MIL-T-43955B	TRUNK, GENERAL PURPOSE, EXERCISER REVIEWER: MD	A 8415	CT	31-DEC-85	GL			CT
A	MIL-C-43956(1)	CLOTH, TWILL, COTTON, 10.0 OUNCES (339 G) [VALIDATION DATE: 8711] USER: 45	A 8305	CT	30-NOV-87	GL	MU	99	CT
A L	MIL-T-439570	TROUSERS, MEN'S, DRESS, WOOL AND POLYESTER/WOOL REVIEWER: MD	A 8405	CT	16-SEP-91	GL			CT
A L	MIL-T-43958	GLOVES, CLOTH, BLACK, LINED, GIRL'S, JR. R.O.T.C. [VALIDATION DATE: 8904] USER: 45	A 8445	CT	22-APR-89	GL			CT
	NOTICE 1								
A L	MIL-S-43959A	SWEAT SHIRT, ZIPPER FRONT [VALIDATION DATE: 8601] USER: 45 REVIEWER: MD	A 8415	CT	24-SEP-79	GL			CT
A L	MIL-S-43960	SWEAT PANTS, LEG ZIPPER [VALIDATION DATE: 8801] USER: 45 REVIEWER: MD	A 8415	CT	25-JAN-88	GL			CT
	NOTICE 1								
L	MIL-H-43964	HONEYCOMB CORE, NON-METALLIC, SHELTER PANELS [VALIDATION DATE: 8908]	A 9999	GL	31-AUG-89	GL			
	NOTICE 1								
A	MIL-B-43965A	BAG, WET WEATHER CLOTHING: (PARKA AND TROUSERS) [VALIDATION DATE: 8910] USER: 45	A 8465	CT	31-OCT-89			99	CT
A	MIL-J-43967C	JERSEY, REVERSIBLE USER: B2 REVIEWER: MD	A 8415	CT	17-APR-89	GL	MU	99	CT
D	MIL-M-43968A	MATTRESS, PNEUMATIC, (INSULATED) USER: CG YD1 REVIEWER: MC	A 8465	CT	12-JUL-85	GL	SA		CT
	NOTICE 1								
	MIL-D-43970	DRY CLEANING, RECOVERY TUMBLER, FOR SYNTHETIC SOLVENT [VALIDATION DATE: 8303] REVIEWER: GS MD	A 3510	GL	27-SEP-77	GL		99	
	NOTICE 1								
	MIL-D-43971	DUPPLICATING MACHINE, STENCIL PROCESS, TABLE MOUNTED [VALIDATION DATE: 8402] USER: MC REVIEWER: GS	A 3610	GL	19-DEC-77	GL	SA	99	
A L	MIL-C-439720	COAT, ALL-WEATHER, WOMAN'S, BLACK WITH REMOVABLE LINER REVIEWER: MD	A 8410	CT	30-AUG-89	GL			CT
L	MIL-C-43973	CAMERA, COPYING, LITHOGRAPHIC, VERTICAL [VALIDATION DATE: 8402] REVIEWER: GS	A 3610	CT	19-JAN-78	GL			
D	MIL-D-43975	DISPENSER, BREAD, FRONT AND REAR LOADING [VALIDATION DATE: 9203] REVIEWER: MD SA	A 7320	GL	27-MAR-92	GL	YD1	99	
	NOTICE 1								
A	MIL-G-43976C	GLOVES AND GLOVE SET, CHEMICAL PROTECTIVE USER: 45 SH REVIEWER: B2 EA MD	A 8415	CT	05-SEP-90	GL	MU	11	CT
A	MIL-H-43981D	HANDBAG, WOMEN'S, SYNTHETIC, BLACK USER: 45 REVIEWER: B2 99 MD	A 8445	CT	30-MAR-90	GL		11	CT
A L	MIL-C-43983	CLOTH, KNITTED, POLYESTER, RIB KNIT [VALIDATION DATE: 9007] REVIEWER: MD	A 83	CT	30-JUL-90	GL			CT
	NOTICE 1								
L	MIL-F-43986A(1)	FOLDER FILE, EQUIPMENT RECORD REVIEWER: MD	A 7510	GL	23-JUL-81	GL			
A	MIL-F-43987A(2)	FOOTWEAR COVER, CHEMICAL PROTECTIVE (OVERBOOTS) USER: GS SH REVIEWER: 45 B2 EA	A 8430	CT	16-MAY-84	GL	MU	99	CT
	NOTICE 1								
A L	MIL-P-43988B	PAPER TOILET TISSUE (PACKET IN SHEET FORM) REVIEWER: B4 MD SS TS	A 8540	GL	29-JUN-88	GL	SA	99	
A L	MIL-C-43989A	CLOTH, KNITTED, RASCHEL, ARAMID REVIEWER: 11 B2 MD	A 8305	CT	19-SEP-86	GL			CT
	NOTICE 1								
	MIL-C-43992B	CLOTH, BROADCLOTH, POLYESTER/COTTON, DURABLE PRESS REVIEWER: B2 99 CG MC MD	A 8305	CT	28-JUN-89	GL	MU	11	CT
A	MIL-S-43993C	SWEATBAND, HEADWEAR, ARTIFICIAL LEATHER REVIEWER: B2 99 MD	A 8405	CT	01-APR-88	GL		11	CT
	NOTICE 1								
	MIL-M-43994C	MARKER, IDENTIFICATION, FIRE, CHEMICAL HAZARD, AND RESTRICTED AREA, REFLECTIVE REVIEWER: B4 MD	A 7690	GL	02-JAN-91	GL		99	
A	MIL-O-43995C	OVERSHOES, MEN'S AND WOMEN'S, BOOT, COMBAT USER: 45 MC REVIEWER: 11 B2 MD	A 846P	CT	15-SEP-89	GL	MU	99	CT
A L	MIL-F-43997A	FIELD PACK, TRAINING REVIEWER: MD	A 8465	CT	30-SEP-86	GL			CT
A	MIL-B-43998D	BATH UNIT, AUTOMATED, MULTI-HEAD USER: MC REVIEWER: B4 CS MD ME TR	A 4510	GL	17-NOV-92	GL		99	
A	MIL-C-44001B	COVER, HELMET, CHEMICAL PROTECTIVE USER: 45 MC REVIEWER: 11 B2 MD	A 8415	CT	30-MAR-90	GL	MU	99	CT
	NOTICE 1								
	MIL-C-44009A	CHARGER, BATTERY, PP-7562/JV REVIEWER: AL	A 6130	GL	28-JAN-82	GL		11	
L	MIL-P-44012(1)	PACK, PARACHUTIST S, DRAGON MISSILE [VALIDATION DATE: 8711] REVIEWER: MD	A 1670	GL	20-NOV-87	GL			
	NOTICE 1								
D	MIL-G-44013C	GLOVE, HEAT PROTECTIVE USER: MC SH YD1 REVIEWER: MD	A 8415	CT	27-APR-88	GL	MU		CT
A L	MIL-C-44014	CLOTH, CAMOUFLAGE PATTERN, DUCK, COTTON [VALIDATION DATE: 8511] REVIEWER: MD	A 8305	CT	17-SEP-79	GL			CT
L	MIL-R-44015(1)	REFRIGERATOR CONTAINER, FIELD, 8 FEET BY 8 FEET BY 10 FEET REVIEWER: MC	A 4110	GL	06-MAY-82	GL			
A	MIL-S-44016B	SLEEPING BAG, INTERMEDIATE COLD, SYNTHETIC FILLED REVIEWER: MC MD	A 8465	CT	21-JUN-89	GL	MU		CT
A L	MIL-C-44017	CLOTH, SPACER, POLYETHYLENE AND NYLON [VALIDATION DATE: 8511] REVIEWER: MD	A 8305	CT	20-DEC-79	GL			CT
	NOTICE 1								
	MIL-P-44019A	PIE FILLING MIX, LEMON REVIEWER: MC MD MS SS	A 8540	GL	21-DEC-84	GL	SA	50	
A L	MIL-S-44021A	SURVIVAL VEST, INDIVIDUAL, OV-1 AIRCRAFT REVIEWER: AV MD	A 8415	CT	22-AUG-89	GL			CT
	NOTICE 1								
	MIL-S-44022B	STRAP, RETENTION, PARACHUTISTS HELMET USER: 45 MC REVIEWER: B2 MD	A 8470	CT	19-JAN-90	GL		99	CT
L	MIL-R-44023A(3)	REPRODUCTION SET, DIAZO PROCESS, FOR FIELD USE REVIEWER: ME	A 3610	GL	29-NOV-90	GL			
	NOTICE 1								
	MIL-R-44024	REPAIR KIT, INFLATABLE SHELTER, (MUST) [VALIDATION DATE: 8601] REVIEWER: MD	A 5410	GL	29-MAR-80	GL			
A	MIL-S-44025(1)	SPECTACLE, LASER PROTECTIVE (WITH CASE) USER: MC REVIEWER: MD	A 8465	CT	05-MAY-81	GL	MU		CT
A	MIL-C-44026	CASE, LASER PROTECTIVE SPECTACLES [VALIDATION DATE: 8601] USER: MC REVIEWER: MD	A 8465	CT	08-MAY-80	GL	MU		CT
M	MIL-W-44027A	WEDGE KIT, RAMP BUNDLE DELIVERY SYSTEM, C-130 AIRCRAFT REVIEWER: AV	A 1670	GL	12-MAY-93	GL		99	
L	MIL-K-44028(1)	KIT, DRIVE-OFF AID, VEHICLE	A 1670	GL	30-AUG-90	GL			
	NOTICE 1								
	MIL-K-44029(1)	KIT, MODIFICATION, FOR DELAY TIMER, M1 AND M2 CARGO PARACHUTE RELEASE ASSEMBLIES REVIEWER: TR	A 1670	GL	03-FEB-92	GL			
A L	MIL-C-44030B	COAT, ALL-WEATHER, MAN'S, BLACK, WITH REMOVABLE LINER REVIEWER: MD	A 8405	CT	07-OCT-88	GL			CT
A	MIL-C-44031D	CLOTH, CAMOUFLAGE PATTERN: WOODLAND, COTTON AND NYLON REVIEWER: 11 B2 MC MD	A 8305	CT	22-AUG-89	GL	MU	99	CT
L	MIL-R-44032	REPAIR KIT, SEALS, EXPANDABLE AND MULTI-PURPOSE SHELTER (MUST) [VALIDATION DATE: 8601] REVIEWER: MD	A 5410	GL	15-SEP-80	GL			
	NOTICE 1								
	MIL-L-44033A	LINES, MULTI-LOOP, CONCENTRIC [VALIDATION DATE: 9006] REVIEWER: B2 99 AV	A 1670	GL	19-JUN-90	GL	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Ident Off / OMA Coordination Insects Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Army Navy Air Force DLA	Custodian
A	MIL-C-440340	CLOTH, TWILL, CAMOUFLAGE PATTERN, COTTON AND NYLON FOR DESERT UNIFORM REVIEWER: 82 99 MC MD	A 8305	CT 31-MAR-92 GL NU 11 CT
L	MIL-C-44034C(11) MIL-R-44035A	CLOTH, TWILL, CAMOUFLAGE PATTERN, COTTON AND NYLON FOR DESERT UNIFORM ..... REFRIGERATION UNIT, ELECTRIC FOR REFRIGERATION CONTAINER, FIELD, 8 X 8 X 10 FOOT	A 8305 A 4110	GL 15-OCT-90 GL GL 31-DEC-80 GL MC
	MIL-T-44036(1)	TIEDOWN ASSEMBLY, CARGO, AERIAL DELIVERY, LOAD BINDER TYPE USER: MC REVIEWER: 11 TR	A 1670	GL 25-FEB-92 GL 99
L	MIL-B-44037A	BLENDER, POWDERED MIX, MECHANICALLY REFRIGERATED REVIEWER: MC SH	A 7310	SA 08-DEC-86 SA
A L	MIL-B-44037A(11)	BLENDER, POWDERED MIX, MECHANICALLY REFRIGERATED	A 7310	SH 12-JUN-92 SH
D	MIL-B-44038A	BATTERY BREADER MACHINE, ELECTRIC	A 7320	YD1 28-NOV-86 YD1
A L	MIL-S-44039C	SHIRT, WOMAN'S, LONG SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD	A 8405	CT 10-OCT-90 GL CT
	MIL-C-44040	CHEESE, PIZZA BLEND (VALIDATION DATE: 8702) REVIEWER: MC MD MS SS	A 8910	GL 27-FEB-87 GL SA 50
A L	MIL-S-44041C	SHIRT, WOMAN'S, SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD	A 8405	CT 09-OCT-90 GL CT
A	MIL-L-44042	LINER, FOOD INSPECTOR S SMOCK	A 8415	CT 17-MAR-81 GL NU 99 CT
A	MIL-C-44043B	CLOTH, BALLISTIC, NYLON, LIGHTWEIGHT, WATER-REPELLENT TREATED REVIEWER: 82 MD	A 8305	CT 19-DEC-90 GL NU 99 CT
	MIL-C-44044	CABINET, STORAGE, MILK SHAKE, MECHANICALLY REFRIGERATED	A 7320	SH 30-MAR-81 SH
	MIL-C-44046A	CONTAINER, HIGH SPEED, AERIAL DELIVERY	A 1670	GL 18-JUL-89 GL AS
A	MIL-T-44047E	TROUSERS, CAMOUFLAGE PATTERN, COMBAT REVIEWER: 82 99 MC MD	A 8415	CT 26-JUN-91 GL NU 11 CT
A	MIL-C-44048F	COATS, CAMOUFLAGE PATTERN, COMBAT REVIEWER: 82 99 MC MD	A 8415	CT 27-AUG-91 GL NU 11 CT
A	MIL-W-44049A	WEBBING, TEXTILE AND TAPE, TEXTILE, POLYPROPYLENE, GENERAL PURPOSE, NATURAL OR IN COLORS REVIEWER: 82 89 MC MD	A 8305	CT 20-APR-89 GL NU 11 CT
A	MIL-C-44050A	CLOTH, BALLISTIC, ARAMID USER: MC REVIEWER: 99 MD	A 8305	CT 18-AUG-87 GL NU 11 CT
A	MIL-B-44053A(1)	BODY ARMOR, FRAGMENTATION PROTECTIVE VEST, GROUND TROOPS USER: 45 REVIEWER: 82 MC MD	A 8470	CT 22-JUN-90 GL NU 99 CT
L	MIL-B-44054B	BOTTLE, OIL SAMPLE, WITH CONTAINER REVIEWER: MD	A 8125	GL 18-JUN-85 GL
	MIL-B-44059C	BEEF STEW, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS	A 8940	GL 05-OCT-88 GL SA 50
	MIL-C-44060D	CHICKEN A LA KING, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL 05-MAR-91 GL SA 50
	MIL-T-44062B	FRANKFURTERS, BEEF, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS	A 8905	GL 09-APR-90 GL SA 50
	MIL-H-44063D	HAM SLICE, SMOKE FLAVORING ADDED, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS	A 8905	GL 26-OCT-88 GL SA 50
A	MIL-F-44067D	FRUITS, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS	A 8915	GL 09-JUN-92 GL SA 50
	MIL-C-44068B	CHEESE SPREAD, CHEDDAR; PEANUT BUTTER; AND JELLY, FOR MEAL READY-TO-EAT REVIEWER: MC MD SS TS	A 8930	GL 14-OCT-88 GL SA 50
	MIL-F-44070C	FRUITS, FREEZE-DEHYDRATED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS	A 8915	GL 24-APR-91 GL SA 50
	MIL-C-44071C	CAKE, THERMOSTABILIZED, FOR MEAL, READY TO EAT REVIEWER: MC MD MS SS TS	A 8920	GL 21-MAR-88 GL SA 50
	MIL-C-44072C	COOKIES, OATMEAL AND BROWNIES, CHOCOLATE COVERED REVIEWER: MC MD QM SS	A 8920	GL 30-APR-90 GL SA 50
	MIL-P-44073D	PACKAGING AND THERMOPROCESSING OF FOODS IN FLEXIBLE POUCHES REVIEWER: MC MD SS TS	A 896P	GL 06-JAN-92 GL SA 50
A	MIL-H-44074E	MEAL, READY-TO-EAT, INDIVIDUAL, ASSEMBLY OF REVIEWER: MC MD QM SS	A 8970	GL 31-DEC-92 GL SA 50
	MIL-L-44076A	LOWERING LINE ASSEMBLY REVIEWER: AV MC	A 1670	GL 30-JUL-90 GL AS
A	MIL-C-44077B	COVERALLS, COMBAT VEHICLE CREWMAN'S REVIEWER: MC MD	A 8415	CT 03-NOV-88 GL NU CT
L	MIL-C-0044077C	COVERALLS, COMBAT VEHICLE CREWMAN'S	A 8415	GL 27-NOV-90 GL
	MIL-C-44080	CONTAINER, SHIPPING, MULTIPURPOSE, CANINE (VALIDATION DATE: 8710) REVIEWER: GS MD MS	A 3770	GL 01-OCT-87 GL MC 99
A	MIL-P-44081A	PAD, PARACHUTISTS, HELMET USER: 45 MD REVIEWER: 82	A 8470	CT 31-MAR-86 GL MC 99 CT
A	MIL-C-44082A	CASE, SMALL ARMS, AMMUNITION, 200-ROUND MAGAZINE REVIEWER: MD	A 8465	CT 16-FEB-90 GL MC CT
A L	MIL-C-44083A	CARRIER, AM/PRC-68 OR AM/PRC-68A, RADIO SET USER: MC REVIEWER: 82 MD	A 8465	CT 25-APR-85 GL MC 99 CT
L	MIL-W-44084(1)	HAT, SILHOUETTE LAYOUT (VALIDATION DATE: 8908) REVIEWER: GS	A 7690	GL 11-AUG-89 GL
	MIL-R-44085A	REPAIR KIT, SKI MILITARY, ALL TERRAIN USER: 45	A 8465	CT 22-JUN-87 GL MC 99 CT
A	MIL-H-44086B	HEATER, WATER, LIQUID FUEL REVIEWER: 82 CS MD	A 4520	GL 31-MAR-92 GL 99
A	MIL-P-44087B	PARKA, NIGHT CAMOUFLAGE, DESERT USER: 45 REVIEWER: MC MD	A 8415	CT 17-APR-89 GL NU CT
L	MIL-P-44087B(11)	PARKA, NIGHT CAMOUFLAGE, DESERT	A 8415	GL 10-MAY-91 GL
L	MIL-C-44088	CELERY DEHYDRATED REVIEWER: MD TS	A 8915	GL 12-FEB-88 GL
A	MIL-L-44089A	LINER, NIGHT CAMOUFLAGE PARKA DESERT USER: 45 REVIEWER: MD	A 8415	CT 14-FEB-84 GL NU 99 CT
A L	MIL-S-44090C	SHIRT, WOMAN'S, SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD	A 8410	CT 07-NOV-90 GL CT
A	MIL-S-44091(1)	STRAP, CHIN, GROUND TROOPS' - PARACHUTISTS' HELMET USER: 45 REVIEWER: 82 MC MD	A 8470	CT 22-JUN-84 GL NU 99 CT
A L	MIL-S-44092B(1)	SLACKS, WOMAN'S: CLASSIC DESIGN, POLYESTER/MOOL	A 8410	CT 12-SEP-90 GL CT
A L	MIL-S-44093B	SHIRT, WOMAN'S, LONG SLEEVE, POLYESTER/COTTON, ARMY GREEN 415, DURABLE PRESS REVIEWER: MD	A 8410	CT 08-NOV-90 GL CT
	MIL-T-44094B	TROUSERS, NIGHT CAMOUFLAGE, DESERT USER: 45 REVIEWER: 82 MC MD	A 8415	CT 08-JAN-91 GL NU 99 CT
L	MIL-T-44094B(11)	TROUSERS, NIGHT CAMOUFLAGE, DESERT	A 8415	GL 10-MAY-91 GL
A L	MIL-S-44095A	SURVIVAL KIT, INDIVIDUAL, VEST TYPE REVIEWER: AV MD	A 8465	CT 19-APR-89 GL CT
A	MIL-U-44096A(1)	UNDERSHIRT, MAKS (QUARTER - SLEEVE) USER: 45 REVIEWER: 82 MC MD	A 8420	CT 09-DEC-87 GL NU 99 CT
A	MIL-S-44097A	SUSPENSION ASSEMBLY, GROUND TROOPS' - PARACHUTISTS' HELMET USER: 45 REVIEWER: 82 MD	A 8470	CT 18-JAN-90 GL MC 99 CT
A	MIL-H-44098A	HEADBAND, GROUND TROOPS' - PARACHUTISTS' HELMET USER: 45 REVIEWER: 82 MD	A 8470	CT 17-JAN-90 GL MC 99 CT
D	MIL-H-44099A(1)	HELMET, GROUND TROOPS AND PARACHUTISTS USER: YD1 REVIEWER: 11 82 MC MD	A 8470	CT 24-FEB-89 GL NU 99 CT
A	MIL-T-44100(1)	THREAD, PARA-ARAMID, SPUN, INTERMEDIATE MODULUS REVIEWER: 20 82 AS MD	A 8310	CT 28-SEP-84 GL NU 99 CT
A L	MIL-C-44101A(1)	COAT, WOMAN'S: CLASSIC DESIGN, POLYESTER/MOOL REVIEWER: MD	A 8410	CT 26-JUL-88 GL CT
A L	MIL-S-44102B	SKIRT, WOMAN'S, CLASSIC DESIGN, POLYESTER/MOOL REVIEWER: MD	A 8410	CT 13-JUN-89 GL CT
D	MIL-C-44103C	CLOTH, DUCK, POLYESTER, FIRE, WATER AND WEATHER RESISTANT USER: YD1 REVIEWER: 82 MC MD	A 8305	CT 23-OCT-90 GL NU 99 CT
D	MIL-H-44104A	HAT, SLEEPING USER: 45 YD1 REVIEWER: MC MD	A 8465	CT 30-OCT-87 GL NU 99 CT
D	MIL-H-44105B	HATS, SUN, HOT WEATHER USER: 45 YD1 REVIEWER: 82 NL MD	A 8415	CT 04-MAR-92 GL NU 99 CT
L	MIL-H-44105A(11)	HAT, CAMOUFLAGE PATTERN: DESERT	A 8415	GL 18-OCT-90 GL
A L	MIL-H-44106B	NECKTIE, WOMAN'S SHIRT REVIEWER: MD	A 8445	CT 03-MAY-89 GL CT
A	MIL-C-44107C	COVER, GROUND TROOPS-PARACHUTISTS HELMET USER: 45 REVIEWER: 82 MC MD	A 8415	CT 25-NOV-91 GL NU 99 CT
A L	MIL-B-44108A	GLOVE, COMBAT VEHICLE CREWMAN'S SUMMER REVIEWER: MD	A 8415	CT 10-JUN-87 GL NU CT
A	MIL-D-44109B	OVERALLS, COMBAT VEHICLE CREWMAN'S REVIEWER: 82 MC MD	A 8415	CT 31-DEC-90 GL NU 99 CT
A	MIL-S-44110B	SLACKS, MATERNITY, UTILITY WORK UNIFORM USER: 45 REVIEWER: 82 99 MD	A 8410	CT 10-JAN-91 GL 11 CT
A	MIL-C-44111B	COAT, MATERNITY, UTILITY WORK UNIFORM USER: 45 REVIEWER: 82 99 MD	A 8410	CT 28-DEC-90 GL 11 CT
	MIL-C-44112C	CRACKERS, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS	A 8920	GL 18-APR-89 GL SA 50
	MIL-P-44115B	PLATFORM, ASSEMBLY, CARGO, AERIAL DELIVERY, TYPE V USER: MC REVIEWER: 11 82 AV	A 1670	GL 31-MAR-92 GL AS 99
	MIL-C-44116	CARROTS, DEHYDRATED, COMPRESSED, DICED OR SHREDDED (VALIDATION DATE: 8908) REVIEWER: MC MD MS SS TS	A 8915	GL 11-AUG-89 GL SA 50
A L	MIL-H-44117A(1)	HELMET, COMBAT VEHICLE CREWMAN, BALLISTIC SHELL, DM-132A USER: MC REVIEWER: MD	A 8470	CT 06-MAR-90 GL CT
	MIL-C-44118	CORN, YELLOW, DEHYDRATED, COMPRESSED (VALIDATION DATE: 8908) REVIEWER: MC MD MS SS TS	A 8915	GL 11-AUG-89 GL SA 50
	MIL-P-44120A	PIE FILLING, PREPARED, APPLE, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS	A 8940	GL 10-MAR-88 GL SA 50
A	MIL-C-44121(1)	CLOTH, TWILL, POLYESTER USER: MC REVIEWER: 82 99 MD	A 8305	CT 18-FEB-86 GL NU 11 CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / ODA Coordination Include	Document Number	Document Title	Dist. Smt FAC / Area	MCA Symbol Preparing Act	Date	Customers			
						Army	Navy	Air Force	DLA
	MIL-C-44122	CABBAGE, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS	A 8915	GL	27-MAR-84	GL	SA	50	
	MIL-R-44123B	ROPE, FIBROUS, DOUBLE-BRAIDED, NYLON/POLYESTER COMPOSITE USER: SH	A 4020	GL	10-MAY-90	GL		99	
A	MIL-C-44124B	COVER, BODY ARMOR, FRAGMENTATION PROTECTIVE USER: 45 REVIEWER: B2 MC MD	A 8470	CT	30-SEP-91	GL	NU	99	CT
L	MIL-C-44124A(11)	COVER, BODY ARMOR, FRAGMENTATION PROTECTIVE	A 8470	GL	16-OCT-90	GL			
	MIL-V-44125A	VEAL STEAK, FROZEN, FLAKED, FORMED, BREADED REVIEWER: MC MD MS SS TS	A 8905	GL	30-MAR-87	GL	SA	50	
A	MIL-B-44126A	WATER, DRINKING, EMERGENCY, FLEXIBLY PACKAGED REVIEWER: AS MC MD SS TS	A 8960	GL	30-DEC-88	GL	SA	50	
	MIL-B-44127	BODY ARMOR, BONNET, FOR EXPLOSIVE ORDNANCE DISPOSAL (EOD) UNITS REVIEWER: B2 MD	A 8470	CT	01-MAY-84	GL		99	CT
A	MIL-M-44128	MASK, FACE, COMBAT VEHICLE CREWMEN'S FLAME, DUST, WIND & FRAGMENTATION PROTECTIVE REVIEWER: B2 MC MD	A 8470	CT	05-JUN-84	GL	NU	99	CT
L	MIL-M-0044128A	MASK, FACE, COMBAT VEHICLE CREWMEN'S FLAME, DUST, WIND AND FRAGMENTATION PROTECTIVE	A 8470	GL	26-OCT-90	GL			
	MIL-B-44129	BROCCOLI, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS	A 8915	GL	20-JUN-84	GL	SA	50	
A L	MIL-C-44130C	CAP, GARRISON, WOMEN'S, POLYESTER/WOOL, AG-344 REVIEWER: MD	A 8410	CT	11-JAN-91	GL			CT
	MIL-P-44131A	PORK STEAK, FLAKED, FORMED, BREADED, FROZEN REVIEWER: MC MD MS SS TS	A 8905	GL	30-MAR-87	GL	SA	50	
A	MIL-V-44132B	VEST, CONDITIONING MICROCLIMATE: AIR USER: MC REVIEWER: MD	A 8415	CT	20-FEB-90	GL	NU		CT
L	MIL-B-44133	BEEF, WITH NATURAL JUICES, CORNED, CHUNKED, FORMED, PRECOOKED, FROZEN	A 8905	GL	29-JUN-84	GL			
A	MIL-B-44134	BODY ARMOR, SMALL ARMS (HAND GUN) PROTECTIVE, UNDERGARMENT, MP-1 USER: 45 REVIEWER: B2 MD	A 8470	CT	13-AUG-84	GL		99	CT
L	MIL-B-44135A	BEVERAGE BASE, ORANGE, COMPRESSED - (OPERATIONAL RATION COMPONENT) REVIEWER: MC MD MS SS TS	A 8960	GL	31-AUG-88	GL			
	MIL-O-44136B	OATMEAL COOKIE AND GRANOLA BARS - (OPERATIONAL RATION COMPONENT) REVIEWER: MC MD SS TS	A 8920	GL	07-DEC-88	GL	SA	50	
L	MIL-C-44137	CHICKEN A LA KING, COOKED, DEHYDRATED - (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS	A 8940	GL	29-MAR-85	GL			
L	MIL-C-44138	CHICKEN & RICE, COOKED, DEHYDRATED - (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS	A 8940	GL	29-MAR-85	GL			
L	MIL-V-44139	VERMICELLI WITH MEAT & SAUCE, COOKED, DEHYDRATED (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS	A 8940	GL	27-MAR-85	GL			
L	MIL-B-44140	BEEF STEW, COOKED, DEHYDRATED (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS	A 8940	GL	28-MAR-85	GL			
L	MIL-E-44141	ESCALLOPED POTATOES WITH PORK, COOKED, DEHYDRATED (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS	A 8940	GL	28-MAR-85	GL			
L	MIL-L-44142A(1)	LAUNDRY UNIT, TRAILER MOUNTED	A 3510	GL	14-AUG-90	GL			
L	MIL-F-44143	FOOD PACKET, ASSAULT, ASSEMBLY OF REVIEWER: MD SS TS	A 8970	GL	19-MAR-85	GL			
L	MIL-D-44144A	DRYING TUMBLER, LAUNDRY	A 3510	GL	22-DEC-86	GL			
L	MIL-P-44145	VEGETABLE, MIXED, DEHYDRATED, COMPRESSED REVIEWER: MC MD MS SS TS	A 8915	GL	24-SEP-84	GL	SA	50	
L	MIL-P-44146	PACKAGING OF FOOD PACKET, ASSAULT COMPONENTS (IN POUCHES) REVIEWER: MD SS TS	A 89GP	GL	25-MAR-85	GL			
L	MIL-P-44147	PUDDING BAR (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS	A 8940	GL	28-MAR-85	GL			
L	MIL-C-44148	CHICKEN STEW, COOKED, DEHYDRATED - (OPERATIONAL RATION COMPONENT) REVIEWER: MD SS TS	A 8940	GL	29-MAR-85	GL			
A	MIL-P-44151A	PACKAGING INTO POUCHES AND MEAL ASSEMBLY OF ORAL LIQUID FEEDING POWDERS REVIEWER: MC MD QM SS	A 8970	GL	30-SEP-92	GL	SA	50	
M	MIL-B-44152C	BOOTS, COMBAT: MILDEW AND WATER RESISTANT, DMS REVIEWER: 45 B2 MC MD	A 8430	CT	28-MAY-93	GL	NU	99	CT
A L	MIL-P-44153A	POCKET, AMMUNITION MAGAZINE, 9 MM	A 8465	CT	26-AUG-85	GL			CT
A	MIL-C-44154B	CLOTH, INSULATION, MULTIPLE LAYER COMPOSITE, QUILTED, FLAME RESISTANT REVIEWER: B2 MD	A 8305	CT	06-SEP-89	GL	NU	99	CT
A	MIL-B-44155B	BODY ARMOR, COAT, FOR EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM REVIEWER: B2 MC MD	A 8470	CT	15-JAN-91	GL	NU	99	CT
L	MIL-K-44156B	KITCHEN, FIELD FEEDING, COMPANY LEVEL REVIEWER: MD MC TS	A 7360	GL	31-DEC-91	GL			
A	MIL-C-44157A	CLOTH, PLAIN WEAVE, POLYESTER/COTTON FOR POCKETS REVIEWER: B2 MC MD	A 8305	CT	06-AUG-86	GL	NU	99	CT
	MIL-B-44158B	BACON, SLICED, PRECOOKED REVIEWER: MC MD QM SS	A 8905	GL	19-FEB-92	GL	SA	50	
	MIL-M-44159A	HAM CHUNKS, WITH JUICE, CANNED REVIEWER: MC MD MS SS TS	A 8905	GL	31-MAR-87	GL	SA	50	
L	MIL-M-0044159B	HAM CHUNKS, WITH JUICES, CANNED REVIEWER: MC MD SS TS	A 8905	GL	11-FEB-88	GL	SA	50	
L	MIL-D-44160(1)	DETERGENT, LAUNDRY (LIQUID-COLD WATER) REVIEWER: CT MD	A 7930	GL	16-JUL-91	GL			
A	MIL-C-44161A	CLOTH, KNITTED, TERRY, SYNTHETIC FIBERS REVIEWER: MC MD	A 8305	CT	09-DEC-87	GL	NU		CT
A	MIL-C-44162A	CLOTH, PLAIN WEAVE, POLYESTER/COTTON REVIEWER: 11 B2 CG MC MD	A 8305	CT	20-SEP-89	GL	99		CT
A	MIL-S-44163B(1)	SHIRT, COLD WEATHER, SYNTHETIC FIBER PILE REVIEWER: MC MD	A 8415	CT	01-MAY-91	GL	NU		CT
A	MIL-U-44164A	UNDERSHIRT, COLD WEATHER, POLYPROPYLENE USER: 45 REVIEWER: MC MD	A 8415	CT	25-JAN-89	GL	NU		CT
A	MIL-D-44165A	DRAWERS, COLD WEATHER, POLYPROPYLENE USER: 45 REVIEWER: MC MD	A 8415	CT	25-JAN-89	GL	NU		CT
L	MIL-E-44166A	EXTRACTOR, LAUNDRY: HEAVY DUTY, TOP LOADING, TRAILER MOUNTED	A 3510	GL	22-DEC-86	GL			
L	MIL-U-44167B	WASHING MACHINE, LAUNDRY: OPEN END TYPE, TRAILER MOUNTED REVIEWER: TR	A 3510	GL	21-FEB-92	GL			
A	MIL-B-44168A	BAG, CARRYING, PROTECTIVE ENSEMBLE, NUCLEAR, BIOLOGICAL, CHEMICAL (NBC) USER: B2 REVIEWER: MD	A 8465	CT	04-MAY-88	GL	NU		CT
A	MIL-S-44170A	SPAGHETTI AND MEAT, WITH SAUCE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL	30-SEP-92	GL	SA	50	
A	MIL-C-44174A	CHILI CON CARNE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL	30-SEP-92	GL	SA	50	
A	MIL-C-44175A	CORN, BUTTERED, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL	30-SEP-92	GL	SA	50	
A	MIL-M-44176A	HONEY GRITS WITH CHEESE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL	30-SEP-92	GL	SA	50	
A	MIL-P-44182A	POTATOES, MASHED, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL	30-SEP-92	GL	SA	50	
A	MIL-C-44187B	CLOTH, LAMINATED, WATERPROOF AND MOISTURE VAPOR PERMEABLE REVIEWER: MC MD	A 8305	CT	31-MAR-88	GL	NU		CT
A	MIL-P-44188C	PARKA, COLD WEATHER, CAMOUFLAGE REVIEWER: MC MD	A 8415	CT	12-JUN-91	GL	NU		CT
A	MIL-T-44189C	TROUSERS, COLD WEATHER, CAMOUFLAGE REVIEWER: MC MD	A 8415	CT	08-MAY-91	GL	NU		CT
A	MIL-L-44190	LOBSTER TAIL, SPINY, RAW, FROZEN REVIEWER: MC MD MS SS TS	A 8905	GL	27-JUN-85	GL	SA	50	
A	MIL-O-44191A(1)	OVERALLS, COLD WEATHER, SYNTHETIC FIBER PILE	A 8415	CT	01-MAY-91	GL	NU		CT
A	MIL-C-44192A	CONTAINER, SHIPPING AND STORAGE, COAT (HANGER PACK) REVIEWER: B4 99 CT	A 8115	GL	18-JUL-90	GL	SA	69	
A	MIL-B-44194A	BODY ARMOR, FRAGMENTATION PROTECTIVE, UNDERGARMENT, COMBAT VEHICLE CREWMEN'S USER: 45 REVIEWER: B2 MD	A 8470	CT	04-APR-90	GL	MC	99	CT
	MIL-S-44195A	SHELTER, TACTICAL, EXPANDABLE, TWO-SIDE REVIEWER: B0	A 5411	GL	30-JUL-91	GL	MC	99	
	MIL-S-44196A	SHELTER, TACTICAL, NON-EXPANDABLE REVIEWER: TR	A 5411	GL	26-SEP-91	GL	MC	99	
A L	MIL-S-44197A	SHELTER, TACTICAL, EXPANDABLE, ONE-SIDE REVIEWER: B0	A 5411	GL	30-JUL-91	GL	MC	99	
	MIL-P-44198	POCKET AMMUNITION MAGAZINE, 9MM (TWO CLIP)	A 8465	CT	16-OCT-85	GL			CT
	MIL-B-44199	BANDOLEER FOR B6 RIFLE	A 1345	GL	04-NOV-85	GL			
	MIL-E-44200A	ESCALLOPED POTATOES WITH HAM, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD MS SS TS	A 8940	GL	26-OCT-88	GL	SA	50	
	MIL-P-44201A	PORK WITH RICE IN BARBECUE SAUCE - SMOKE FLAVORING ADDED, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL	31-OCT-88	GL	SA	50	
	MIL-O-44202A	ONILEY WITH HAM, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL	14-OCT-88	GL	SA	50	
A	MIL-M-44203B	MEATBALLS, BEEF AND RICE, IN SPICY TOMATO SAUCE, SMOKE FLAVORING ADDED, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS	A 8940	GL	23-JUL-92	GL	SA	50	
	MIL-C-44204A	CORNEED BEEF HASH, THERMOSTABILIZED, FOR MEAL READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL	14-OCT-88	GL	SA	50	
	MIL-S-44205A	SPAGHETTI WITH MEAT AND SAUCE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL	30-DEC-88	GL	SA	50	
	MIL-P-44206B	POTATOES AU GRATIN, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL	13-OCT-88	GL	SA	50	
	MIL-T-44208A	TUNA WITH NOODLES, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL	13-OCT-88	GL	SA	50	
	MIL-C-44209A	CHICKEN STEW, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD SS TS	A 8940	GL	03-APR-89	GL	SA	50	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn. Chg. Coordination Inspec. Document Number	Document Title	Dist. Smt. FSC / Ave.	MCA Symbol	Preparing Acty. Date	Custodians			
					Army	Navy	Air Force	DLA
MIL-C-44210A	CHICKEN AND RICE, THERMOSTABILIZED, FOR MEAL, READY-TO-EAT REVIEWER: MC MD	A 8940	GL	03-APR-89	GL	SA	50	
A L MIL-C-44211A(1)	SS TS	A 8405	CT	05-OCT-90	GL		CT	
A L MIL-S-44212A	COATS, MEN'S, TROPICAL AND SERGE, POLYESTER/WOOL, ARMY GREEN 489, FUSIBLE	A 8415	CT	23-FEB-89	GL		CT	
A L MIL-T-44213A	REVIEWER: MD	A 8415	CT	26-JAN-89	GL		CT	
A L MIL-T-44214A	SWEATSHIRT, HOODED, PHYSICAL FITNESS UNIFORM (PFU) REVIEWER: MD	A 8415	CT	26-JAN-89	GL		CT	
A L MIL-S-44215A	TRUNKS, PHYSICAL FITNESS UNIFORM (PFU) REVIEWER: MD	A 8415	CT	23-FEB-89	GL		CT	
A L MIL-C-44216A	T-SHIRT, PHYSICAL FITNESS UNIFORM (PFU) REVIEWER: MD	A 8465	CT	30-JUN-89	GL	MU	CT	
A L MIL-C-44217A	SWEATPANTS, PHYSICAL FITNESS UNIFORM (PFU) REVIEWER: MD	A 8465	CT	15-NOV-89	GL	MU	CT	
A L MIL-C-44218	CANTEEN, WATER, COLLAPSIBLE, 5-QUART CAPACITY	A 8465	CT	28-JAN-86	GL		CT	
A L MIL-C-44219	CAP, WATER CANTEEN, 5-QUART, COLLAPSIBLE USER: MC YDI REVIEWER: MD	A 8465	CT	28-JAN-86	GL		CT	
A L MIL-S-44220A	CARRIER AND CANTEEN/COLLAPSIBLE, 5-QUART CAPACITY	A 8465	CT	16-JUN-89	GL		CT	
A L MIL-S-44221A	CARRIER CANTEEN, COLLAPSIBLE, 5-QUART CAPACITY	A 8465	CT	03-MAR-89	GL	SA	99	CT
A L MIL-T-44222A	SLEEPING BAG, COLD WEATHER AIRCRAFT SURVIVAL KIT (VACUUM PACKED) REVIEWER: MD	A 8340	CT	01-MAR-91	GL		CT	
A L MIL-C-44223	STAND, CANTEEN CUP REVIEWER: MD	A 1095	GL	05-MAY-86	GL			
A L MIL-B-44224B	TENT LINER SECTIONS: INSULATED (TEMPER) REVIEWER: MD	A 8940	GL	20-SEP-90	GL	SA	50	
A L MIL-R-44226B	COVER, PROTECTIVE, MINE DISPENSER REVIEWER: AR	A 8940	GL	31-DEC-90	GL	SA	50	
MIL-B-44228A	BEEF IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	02-JUN-88	GL	SA	50	
MIL-B-44229B	RICE, SPANISH, FLAVORED WITH BACON, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8940	GL	27-SEP-90	GL	SA	50	
MIL-B-44230B	MC MD SS TS	A 8940	GL	28-MAR-90	GL	SA	50	
MIL-B-44231B	BEEF STRIPS WITH GREEN PEPPERS & GRAVY, THERMOSTABILIZED, TRAY PACK -	A 8940	GL	04-APR-90	GL	SA	50	
MIL-B-44232B	REVIEWER: MC MD MS SS TS	A 8905	GL	29-NOV-91	GL	SA	50	
MIL-P-44233B	BEEF AND CARROTS IN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM	A 8940	GL	09-APR-90	GL	SA	50	
MIL-P-44234A	SS	A 8940	GL	30-JUN-89	GL	SA	50	
MIL-C-44235A	BEEF CHUNKS WITH GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8920	GL	08-JAN-88	GL	SA	50	
MIL-C-44236	ESCALLOPED POTATOES, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8305	CT	27-AUG-86	GL	MU	99	CT
MIL-T-44237B	BACON, CANADIAN-STYLE, CURED, SMOKED, SLICED, IN BRINE, THERMOSTABILIZED,	A 8940	GL	30-JUN-91	GL	SA	50	
MIL-O-44238A	TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	14-OCT-88	GL	SA	50	
MIL-P-44239B	PORK SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	27-NOV-90	GL	SA	50	
MIL-P-44241B	POTATOES, DICED IN BUTTER SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC	A 8940	GL	28-NOV-90	GL	SA	50	
MIL-T-44243A(1)	MD MS SS TS	A 8940	GL	05-MAY-90	GL	SA	50	
MIL-C-44244B	CAKES, CANNED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS	A 8340	CT	24-FEB-92	GL	MU	CT	
MIL-B-44245B	CLOTH, KNITTED, ARAMID, BI-PLY REVIEWER: B2 MC MD	A 8940	GL	31-MAR-92	GL	SA	50	
MIL-P-44247(1)	TURKEY SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM	A 8915	GL	28-DEC-90	GL	SA	50	
MIL-O-44249A	SS	A 8940	GL	19-JUN-90	GL	SA	50	
MIL-C-44250A	OMELET WITH SMOKED SAUSAGE AND POTATOES, ARTIFICIALLY COLORED,	A 1670	GL	05-JUN-89	GL	SA	50	
MIL-A-44255B	THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS	A 8940	GL	25-NOV-88	GL	SA	50	
MIL-B-44256C	POTATOES WITH BACON PIECES IN SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER:	A 8920	GL	17-JUL-88	GL	SA	50	
MIL-E-44258A	MC MD QM SS	A 8940	GL	30-MAR-89	GL	SA	50	
MIL-L-44259C	POTATOES, SWEET, GLAZED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	14-OCT-88	GL	SA	50	
MIL-L-0044259B(1)	PORK AND BEANS, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	31-DEC-90	GL	SA	50	
MIL-P-44260B	TENT SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) USER: MC	A 6150	GL	30-SEP-91	GL	SA	50	
MIL-V-44261B	REVIEWER: MD	A 6230	GL	05-DEC-90	GL	SA	50	
MIL-C-44262A	CHILI CON CARNE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8915	GL	19-NOV-89	GL		99	
MIL-C-44263	BEANS, GREEN, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8915	GL	05-APR-90	GL			
MIL-A-44264	CHICKEN SLICES IN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8915	GL	28-DEC-90	GL	SA	50	
MIL-M-44265A	PACK, PARACHUTIST'S, AT4 ROCKET	A 8915	GL	09-APR-90	GL	SA	50	
MIL-B-44266B	OMELET WITH BACON AND CHEESE, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY	A 8305	CT	30-SEP-86	GL	MU	11	CT
MIL-C-44268A	PACK REVIEWER: MC MD SS TS	A 8940	GL	10-JAN-89	GL	SA	50	
MIL-C-44269B	BREAD PUDDING, IMITATION MAPLE FLAVORED, WITH, THERMOSTABILIZED, TRAY PACK	A 8940	GL	30-JUN-91	GL	SA	50	
MIL-C-44270	REVIEWER: MC MD MS SS TS	A 8305	CT	16-MAR-87	GL	MU	99	CT
MIL-T-44271A	OMELET WITH BACON PIECES, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY	A 8340	CT	24-FEB-92	GL	MU	CT	
MIL-F-44272	PACK REVIEWER: MC MD MS SS TS	A 8960	GL	05-MAY-87	GL	SA	50	
MIL-C-44273(12)	FRAME SECTIONS, TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) USER: 45 YDI	A 8305	CT	01-JUN-87	GL	MU	11	CT
MIL-R-44274A	REVIEWER: B2	A 8940	GL	17-MAR-92	GL		CT	
MIL-B-44275A	CORNED BEEF HASH, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS	A 8940	GL	10-JAN-89	GL	SA	50	
MIL-P-44276	SCRAMBLED EGGS WITH CHEESE, WESTERN-STYLE, ARTIFICIALLY COLORED,	A 8940	GL	30-JUN-91	GL	SA	50	
MIL-R-44277A	THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	05-DEC-90	GL	SA	50	
MIL-Q-44278A	APPLE DESSERT, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	30-SEP-91	GL	SA	50	
MIL-F-44279	BLUEBERRY DESSERT, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	05-DEC-90	GL	SA	50	
MIL-R-44280	ELECTRICAL DISTRIBUTION ASSEMBLIES FOR TENT, EXTENDABLE, MODULAR,	A 6150	GL	30-MAR-90	GL		99	
MIL-B-44281	PERSONNEL (TEMPER) REVIEWER: B2 GS	A 6230	GL	19-NOV-89	GL		99	
MIL-F-44282	LIGHT SET, PORTABLE, FLUORESCENT REVIEWER: B2 GS	A 6230	GL	05-APR-90	GL			
MIL-T-44284	LIGHT SET, PORTABLE, FLUORESCENT	A 8915	GL	28-DEC-90	GL	SA	50	
MIL-D-44285	PEAS AND MUSHROOMS, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8915	GL	09-APR-90	GL	SA	50	
MIL-B-44286A	VEGETABLES, MIXED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8915	GL	05-JAN-89	GL	SA	50	
MIL-P-44287B	CARROTS, SLICED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8305	CT	30-SEP-86	GL	MU	11	CT
MIL-C-44288A	CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE AND FLAME RESISTANT	A 8940	GL	10-JAN-89	GL	SA	50	
MIL-C-44289A	(WT. 3.4 OZ) USER: 45 REVIEWER: B2 99 MC MD	A 8940	GL	30-JUN-91	GL	SA	50	
MIL-S-44290	ADAPTER KIT, M-1 CAP: FOR CANTEEN, WATER, INSULATED USER: 45 REVIEWER: B2	A 8415	CT	05-FEB-90	GL	MU	99	CT
	MC MD	A 8470	CT	10-JAN-91	GL		99	CT
	MOOD, COMBAT VEHICLE CREWMEN'S, (BALACLAVA) USER: 45 MC REVIEWER: B2 MD	A 8940	GL	10-JAN-89	GL	SA	50	
	BODY ARMOR, TROUSERS, EXPLOSIVE ORDNANCE DISPOSAL (EOD) SYSTEM REVIEWER:	A 8940	GL	30-JUN-91	GL	SA	50	
	B2 MD	A 8305	CT	16-MAR-87	GL	MU	99	CT
	CARROTS, GLAZED, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8340	CT	24-FEB-92	GL	MU	CT	
	CHERRY DESSERT, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	10-JAN-89	GL	SA	50	
	CLOTH, POLYESTER/ COTTON, FOR HOSPITAL DUTY UNIFORM (HDU) REVIEWER: B2 MD	A 8940	GL	30-JUN-91	GL	SA	50	
	TENTS, EXTENDABLE, MODULAR, PERSONNEL (TEMPER), ASSEMBLY COMPONENTS	A 8305	CT	16-MAR-87	GL	MU	99	CT
	REVIEWER: MC	A 8340	CT	24-FEB-92	GL	MU	CT	
	FLAVORING, FRUIT, IODINE COMPATIBLE REVIEWER: MC MD MS SS TS	A 8960	GL	05-MAY-87	GL	SA	50	
	CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE, AND FLAME	A 8305	CT	01-JUN-87	GL	MU	11	CT
	RESISTANT (4.6 OZ) USER: MC REVIEWER: 99 MD	A 8305	CT	17-MAR-92	GL		CT	
	CLOTH, LAMINATED, WATERPROOF, MOISTURE VAPOR PERMEABLE, AND FLAME	A 8940	GL	10-JAN-89	GL	SA	50	
	RESISTANT	A 8940	GL	30-JUN-91	GL	SA	50	
	RICE, WHITE, THERMOSTABILIZED, TRAY PACK	A 8920	GL	07-APR-89	GL	SA	50	
	BAKERY MIXES, PREPARED REVIEWER: MC MD MS QM SS	A 8920	GL	21-SEP-92	GL	SA	50	
	PACKAGING OF RATION COLD WEATHER COMPONENTS (IN POUCHES) REVIEWER: 50 MC	A 896P	GL	30-SEP-87	GL			
	MD SA TS	A 8970	GL	15-NOV-90	GL			
	RATION, COLD WEATHER, ASSEMBLY OF REVIEWER: 50 MC MD QM SA SS	A 8920	GL	01-MAY-89	GL	SA	50	
	OATMEAL, INSTANT (OPERATIONAL RATION COMPONENT)	A 8920	GL	06-AUG-87	GL			
	FRUIT BARS (OPERATIONAL RATION COMPONENTS) REVIEWER: 50 MC MD MS SA SS TS	A 8920	GL	10-AUG-87	GL			
	NUT RAISIN MIX (OPERATIONAL RATION COMPONENT)	A 8925	GL	06-AUG-87	GL			
	BEVERAGE BASE, POWER, APPLE CIDER, NATURAL & ARTIFICIAL FLAVORED	A 8960	GL	06-AUG-87	GL			
	(OPERATIONAL RATION COMPONENT) REVIEWER: 50 MC MD MS SA SS TS	A 8915	GL	25-JUN-87	GL			
	FRUIT SOUP, ARTIFICIALLY FLAVORED (OPERATIONAL RATION COMPONENT)	A 8955	GL	28-SEP-87	GL			
	TEA MIX, INSTANT, SWEETENED, LEMON FLAVORED - (OPERATIONAL RATION	A 8340	CT	24-JUN-87	GL	MU	99	CT
	COMPONENT)	A 8940	GL	15-FEB-90	GL	SA	50	
	DOORS, DOUBLE BUMP THROUGH USER: MC MS REVIEWER: MD	A 8915	GL	15-JAN-91	GL	SA	50	
	BEEF, ROAST, CHUNKED AND FORMED WITH MUSHROOM GRAVY, THERMOSTABILIZED,	A 8940	GL	14-OCT-88	GL	SA	50	
	TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	14-OCT-88	GL	SA	50	
	PEAS AND CARROTS, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	14-OCT-88	GL	SA	50	
	CHICKEN STEW, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS	A 8940	GL	14-OCT-88	GL	SA	50	
	CHICKEN A LA KING, THERMOSTABILIZED, TRAY PACK	A 8405	CT	30-JUN-87	GL	11	CT	
	SMOCK, MEN'S: HOSPITAL DUTY UNIFORM (HDU) REVIEWER: B2 99 MD	A 8405	CT	30-JUN-87	GL	11	CT	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / OMA Coordinate Inactive	Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol Preparing Assy	Date	Custodians			
						Army	Navy	Air Force	DIA
A	MIL-T-44291	TROUSERS, MAN'S: HOSPITAL DUTY UNIFORM (HDU) REVIEWER: 82 99 MD	A 8405	CT	30-JUN-87	GL	11	CT	
A	MIL-S-44292A	SLACKS, WOMAN'S: HOSPITAL DUTY UNIFORM (HDU) REVIEWER: 82 99 MD	A 8410	CT	30-MAR-90	GL	11	CT	
A	MIL-T-44293A	TUNIC, WOMAN'S: HOSPITAL DUTY UNIFORM (HDU) USER: 45 REVIEWER: 82 99 MD	A 8410	CT	30-MAR-90	GL	11	CT	
	MIL-B-44294A	BEEF STEW, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD MS SS TS	A 8940	GL	30-JUN-89	GL	SA	50	
	MIL-C-44295A	CHICKEN BREAST MEAT IN GRAVY, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD	A 8940	GL	26-JUN-90	GL	SA	50	
		QM SS							
A	MIL-C-44296A	CLOTH, FUSIBLES REVIEWER: 82 99 CG MC MD	A 8305	CT	06-SEP-90	GL	MU	11	CT
	MIL-F-44297	FRANKFURTERS IN BRINE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8905	GL	24-SEP-87	GL	SA	50	
	MIL-H-44298A	HAM SLICES IN BRINE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8905	GL	09-APR-90	GL	SA	50	
A	MIL-L-44299A	LINER, COMBAT VEHICLE CREWMEN'S COVERALL REVIEWER: MC MD	A 8415	CT	13-JUN-90	GL	MU	99	CT
A	MIL-S-44300	SKI, MILITARY, ALL RAIN USER: MC REVIEWER: 82	A 8465	CT	08-OCT-87	GL	MU	99	CT
	MIL-I-44301	INK, MARKING, DRY FOIL, FOR NAME TAPES REVIEWER: 84 MD	A 7510	GL	21-OCT-87	GL	99		
A	MIL-H-44302	HOOD, BALACLAVA, EXTENDED COLD WEATHER USER: 45 MC REVIEWER: 82 MD	A 8415	CT	27-OCT-87	GL	MU	99	CT
	MIL-C-44303	CLOTH, POROUS, LAMINATED FABRIC SYSTEM USER: MS REVIEWER: CT EA	A 8305	MD	30-JUN-88	GL	MU	99	
M	MIL-C-44304A	CLOTH, COATED: CLOTH, LAMINATED, CHEMICAL PROTECTIVE REVIEWER: 82 99 EA	A 8305	CT	28-MAY-93	MD	MU	11	CT
		GL							
	MIL-P-44305	PLASTIC FILM, FLEXIBLE, POLYAMIDE AND POLYETHYLENE REVIEWER: MR	A 9330	MD	13-JUN-88	MD	SH	99	
A	MIL-B-44306B	BAG, STUFF, SLEEPING SYSTEM USER: 45 REVIEWER: 82 MC MD	A 8465	CT	30-SEP-91	GL	99		
A	MIL-C-44307B	COVER, BIVY, EXTREME AND INTERMEDIATE COLD WEATHER SLEEPING SYSTEMS	A 8465	CT	15-JAN-91	GL	99		
A	MIL-H-44308A	HOOD AND SOCKS, EXTREME COLD WEATHER SLEEPING SYSTEM (ECWSS)	A 8465	CT	27-APR-88	GL	99		
A	MIL-S-44309B	SLEEPING BAGS, FOR SLEEPING SYSTEMS USER: 45 REVIEWER: 82 MC MD	A 8465	CT	05-SEP-91	GL	99		
	MIL-H-44310A	MEATBALLS WITH RICE, AND CABBAGE, IN TOMATO SAUCE, THERMOSTABILIZED, TRAY	A 8940	GL	30-MAR-90	GL	SA	50	
		PACK REVIEWER: MC MD QM SS							
	MIL-P-44311A	PORK SAUSAGE LINKS IN BRINE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD	A 8905	GL	30-MAR-90	GL	SA	50	
		SS TS							
	MIL-M-44312	MILK, DRY, SUBSTITUTE, LOWFAT REVIEWER: MC MD SS TS	A 8910	GL	09-DEC-87	GL	SA	50	
L	MIL-C-44313	COVER, CHEMICAL PROTECTIVE, PATIENT WRAP REVIEWER: CT MD	A 8415	GL	30-JUN-88	GL			
A	MIL-B-44314	BODY ARMOR, SMALL ARMS PROTECTIVE, AIRCREWMAN USER: 45	A 8470	CT	30-DEC-87	GL	11	CT	
A	MIL-B-44315(1)	BODY ARMOR, CHEST PLATE AND FACE SHIELD, EXPLOSIVE ORDNANCE DISPOSAL	A 8470	CT	28-OCT-88	GL			
	MIL-M-44316	MEATBALLS, SWEDISH, WITH BROWN GRAVY, THERMOSTABILIZED, TRAY PACK	A 8940	GL	31-DEC-87	GL	SA	50	
		REVIEWER: MC MD SS TS							
A	MIL-C-44317A	CLOTH, LAMINATED, NYLON, WATER REPELLENT TREATED: FOR INDIVIDUAL	A 8305	CT	24-AUG-88	GL	99	CT	
		MULTIPURPOSE SHELTER (IMPS) REVIEWER: 82							
L	MIL-P-44318	PLACER, SEMI-SOLID, THERMOSTABILIZED TUBE PACK REVIEWER: 50 MC MD SA SS TS	A 8915	GL	19-FEB-88	GL			
L	MIL-P-44319	PEAR, SEMI-SOLID, THERMOSTABILIZED TUBE PACK REVIEWER: 50 MC MD SA SS TS	A 8915	GL	19-FEB-88	GL			
	MIL-P-44320	PACKAGING & PROCESSING OF FOODS IN COLLAPSIBLE CONTAINERS (TUBES)	A 8940	GL	24-MAR-88	GL	SA	50	
		REVIEWER: MC MD SS TS							
	MIL-A-44321	APPLESAUCE, SEMI-SOLID, THERMOSTABILIZED TUBE PACK REVIEWER: 50 MC MD SA	A 8940	GL	19-FEB-88	GL			
		SS TS							
L	MIL-A-44322	APPLE PIE, SEMI-SOLID, THERMOSTABILIZED TUBE PACK	A 8940	GL	19-FEB-88	GL			
A	MIL-V-44323A(1)	VEST, TACTICAL LOAD BEARING USER: 45 REVIEWER: 82 MD	A 8415	CT	31-JAN-89	GL	MU	99	CT
A	MIL-F-44324A	FIELD PACK, LARGE, WITH INTERNAL FRAME: & PACK, PATROL, COMBAT	A 8465	CT	15-APR-88	GL			
	MIL-P-44326A	PORK IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	09-APR-90	GL	SA	50	
	MIL-O-44327	OMELET WITH HAM, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK	A 8940	GL	04-MAR-88	GL	SA	50	
		REVIEWER: MC MD SS TS							
	MIL-C-44328A	CHICKEN CACCIAOTORE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	11-JUL-90	GL	SA	50	
L	MIL-K-44329	KITCHEN, FIELD, MODULAR REVIEWER: MD TS	A 7360	GL	25-NOV-88	GL			
L	MIL-F-44330	FOOD SANITATION CENTER, FOR USE WITH FIELD KITCHENS	A 7360	GL	28-NOV-88	GL			
	MIL-M-44331	MACARONI WITH BEEF & SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS	A 8940	GL	15-APR-88	GL	SA	50	
		TS							
A	MIL-B-44332	BAG, CARRYING, PROTECTIVE SUIT, EXPLOSIVE ORDNANCE DEVICE (EOD)	A 8465	CT	12-APR-88	GL			CT
	MIL-L-44333A	LASAGNA, WITH MEAT SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM	A 8940	GL	30-APR-90	GL	SA	50	
		SS							
	MIL-M-44335	MACARONI SALAD, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8940	GL	29-APR-88	GL	SA	50	
	MIL-B-44337A	BEEF, GROUND, CREAMED, THERMOSTABILIZED, TRAY PACK REVIEWER: MD QM SS	A 8940	GL	06-JUN-91	GL	SA	50	
	MIL-C-44338A	CORN, WHOLE KERNEL, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8915	GL	27-NOV-90	GL	SA	50	
	MIL-C-44339A	CORN, SWEET, CREAM STYLE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM	A 8915	GL	27-NOV-90	GL	SA	50	
		SS							
	MIL-C-44340	CAN, TRAY PACK REVIEWER: 50 MC MD SA SS TS	A 8110	GL	29-JUN-88	GL	SA	50	
	MIL-S-44341	SPAGHETTI WITH MEATBALLS IN SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER:	A 8940	GL	15-JUL-88	GL	SA	50	
		MC SS TS							
	MIL-M-44342	MACARONI AND CHEESE, ARTIFICIALLY COLORED, THERMOSTABILIZED, TRAY PACK	A 8940	GL	29-DEC-88	GL	SA	50	
		REVIEWER: MC MD SS TS							
L	MIL-M-44343A	MEAL MODULE, TRAY PACK, 18-SOLDIER, ASSEMBLY OF REVIEWER: 50 MC MD QM SA	A 8970	GL	30-APR-90	GL			
		SS							
D	MIL-S-44344	STOVE, MULTIFUEL SQUAD USER: MC REVIEWER: GS MD TS	A 7310	GL	28-JUN-88	GL	YD1		
	MIL-M-44345	MEATLOAF WITH MUSHROOM GRAVY, THERMOSTABILIZED, TRAY PACK	A 8940	GL	15-JUL-88	GL	SA	50	
A	MIL-B-44346	BATTERY, SYNTHETIC FIBER, MEDIUM DENSITY	A 8320	CT	24-MAY-89	GL			
A	MIL-C-44347	CARRIER, WATER CANTEEN, COLD WEATHER, CRS REVIEWER: MD	A 8465	CT	17-NOV-88	GL			CT
A	MIL-C-44348	CANTEEN, WATER, COLD WEATHER, CRS	A 8465	CT	13-DEC-88	GL			CT
A	MIL-C-44349	CUP, WATER CANTEEN, COLD WEATHER, CRS	A 8465	CT	09-DEC-88	GL			CT
L	MIL-C-44350	CLAM CHOWDER, MANHATTAN STYLE, SEMI-SOLID, TUBE PACK	A 8935	GL	19-SEP-88	GL			
	MIL-B-44351	BREAD PUDDING, IMITATION MAPLE FLAVORED, WITH SMOKED SAUSAGE,	A 8940	GL	30-SEP-88	GL	SA	50	
		THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS							
A	MIL-B-44353A	BEEF PATTIES IN BROTH, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL	30-SEP-92	GL	SA	50	
	MIL-R-44354	RUFF, PANKA, EXTENDED COLD WEATHER REVIEWER: 82 MD	A 8415	CT	27-SEP-88	GL	MU	99	CT
L	MIL-S-44355	SIGN MAKING KIT, PORTABLE	A 9905	GL	28-OCT-88	GL			
A	MIL-C-44356A	COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT REVIEWER:	A 8415	CT	11-MAR-92	GL	MU	99	CT
		MC MD							
L	MIL-C-44356(11)	COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT	A 8415	GL	03-OCT-90	GL			
L	MIL-H-44357	HEATER, RATION, INDIVIDUAL MOUNTED TROOPS REVIEWER: MD	A 7310	GL	29-JUN-89	GL			
A	MIL-C-44358A	COVER, INDIVIDUAL, CAMOUFLAGE USER: 45 REVIEWER: 82 MD	A 8415	CT	07-MAY-91	GL	MU	99	CT
	MIL-B-44359	BUNS, HAMBURGER, SHELF STABLE REVIEWER: MC MD SS TS	A 8920	GL	17-FEB-89	GL	SA	50	
A	MIL-B-44360A	BREAD, SHELF STABLE, FOR MEAL, READY-TO-EAT REVIEWER: MC MD QM SS	A 8920	GL	11-MAR-93	GL	SA	50	
A	MIL-S-44361	SLEEPING BAG SYSTEM, FOR EXTREME COLD WEATHER (ECWSS)	A 8465	CT	21-FEB-89	GL			CT
A	MIL-V-44362(1)	VEST, GRENADE, CARRIER (FOR 40-MM GRENADES) REVIEWER: MD	A 8415	CT	10-JAN-91	GL			CT
	MIL-P-44363A	POTATOES WITH SMOKED SAUSAGES IN GRAVY, THERMOSTABILIZED, TRAY PACK	A 8940	GL	31-DEC-90	GL	SA	50	
		REVIEWER: MC MD QM SS							
	MIL-C-44364	CHICKEN AND NOODLES, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8940	GL	10-APR-89	GL	SA	50	
	MIL-P-44365	PUDDING, CHOCOLATE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS	A 8940	GL	31-MAR-89	GL	SA	50	
A	MIL-S-44366A	SPECTACLES, PROTECTIVE, LASER, BALLISTIC	A 8465	CT	23-APR-91	GL			CT
	MIL-F-44367	FOOD PACKET, SUPPLEMENTAL, FOR MEAL, READY-TO-EAT, INDIVIDUAL, ASSEMBLY OF	A 8970	GL	27-APR-89	GL	SA	50	
		REVIEWER: MC MD SS TS							
	MIL-O-44368	OPENER, CAN, HAND, FOR TRAY PACKS AND ROUND CANS REVIEWER: 84 GS MC MD TS	A 7330	GL	29-JUN-89	GL	SA	99	
A	MIL-P-44369	PROTECTOR, BLANKET (TOW) REVIEWER: MC	A 8470	CT	13-JUN-89	GL	MU	99	CT
A	MIL-G-44370	GATERS, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) REVIEWER: MC MD	A 8415	CT	12-MAY-89	GL	MU	99	CT
A	MIL-C-44371A	COAT, AIRCREW, COMBAT USER: 45 MC REVIEWER: 82 MD	A 8415	CT	30-SEP-91	GL	MU	99	CT
L	MIL-C-44371(12)	COAT, AIRCREW, CAMOUFLAGE PATTERN, COMBAT	A 8415	CT	23-OCT-90	GL			
A	MIL-T-44372A	TROUSERS, AIRCREW, COMBAT USER: 45 MC REVIEWER: 82 MD	A 8415	CT	30-SEP-91	GL	MU	99	CT
L	MIL-T-44372(12)	TROUSERS, AIRCREW, CAMOUFLAGE PATTERN, COMBAT	A 8415	GL	23-OCT-90	GL			
	MIL-P-44373	PEPPERS, GREEN, HALVES, STUFFED WITH BEEF AND RICE IN SAUCE,	A 8940	GL	19-JUN-89	GL	SA	50	
		THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD SS TS							
A	MIL-B-44374	BINDING ASSEMBLY, SNOWSHOE, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER:	A 8465	CT	06-SEP-89	GL	MU	99	CT
		45 MC REVIEWER: 82 ES MD							



# B



# B



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Q / ORL Code Machine Document Number	Doc Title	Doc Part FSC / AUC MCA Symbol Preparing Date	Date	Custodians			
				Army	Navy	Air Force	DLA
A MIL-T-44452	TACO GRANDE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-D-44453	ONELET, GREEN PEPPER AND HAM, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-C-44454	CHICKEN BARBECUE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-M-44455	HAM AND CHEESE FONDUE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-P-44456	PORK, ORIENTAL AND VEGETABLES, WITH NOODLES, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-R-44457	RICE, FRIED, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-N-44458	MEAL MODULE, 10-PATIENT, PACKAGING OF ORAL LIQUID FEEDING POWDERS INTO CANS AND ASSEMBLY OF REVIEWER: MC MD QM SS	A 8970	GL 30-SEP-92	GL	SA	50	
A MIL-F-44459	FAHINA WITH PEACHES AND CREAM, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-G-44460	GREEN BLAM CASSEROLE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-P-44461	POTATOES, LYONNAISE, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-C-44462	CAKE, CHOCOLATE MOCHA, POWDER (FOR ORAL LIQUID FEEDING) REVIEWER: MC MD QM SS	A 8940	GL 30-SEP-92	GL	SA	50	
A MIL-S-44463	SHORTBREAD BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE REVIEWER: MC MD QM SA SS	A 8940	GL 30-SEP-92	GL		50	
A MIL-N-44464	WINTERGREEN BAR, FOOD PACKET, SURVIVAL, GENERAL PURPOSE REVIEWER: MC MD QM SA SS	A 8940	GL 30-SEP-92	GL		50	
A MIL-P-44465	PORK RIBS, BONELESS, IMITATION, FLAKED AND FORMED, IN BARBECUE SAUCE, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL 31-DEC-92	GL	SA	50	
H MIL-C-44467	CHICKEN CHOW MEIN, THERMOSTABILIZED, TRAY PACK REVIEWER: MC MD QM SS	A 8940	GL 23-FEB-93	GL	SA	50	
H MIL-C-44468	CHILI CON CARNE, WITHOUT BEANS, CANNED	A 8940	GL 29-MAR-93	GL	SA	50	
MIL-M-450000	MAINTENANCE FIXTURE, RADIATION, AIR-OPERATED HYDRAULIC REVIEWER: B2	A 4910	AL 30-JUL-86	AL		99	
MIL-R-450001	RIFLES, U.S., CAL. 30, M1, M1C, AND M1D, PACKAGING OF (VALIDATION DATE: 8901) USER: MC	A 4910	AL 24-JAN-89	AL	OS	99	
A L MIL-C-45003G	CLEANER, STEAM, PRESSURE JET, DIESEL FUEL FIRED, SKID MOUNTED USER: ME REVIEWER: SM	A 4940	AL 02-APR-93	AL			
MIL-S-45004E	STAND, MAINTENANCE, AUTOMOTIVE ENGINE USER: AT ME REVIEWER: B2 CS	A 4910	AL 27-APR-87	AL		99	
QL MIL-S-45005C	SEAL, PLAIN, AND SEAL, PLAIN, ENCASED, FLUID, RADIAL, SINGLE AND MULTIPLE LIP SEAL REVIEWER: AR IS MI	A 5330	AT 16-FEB-88	AT			
MIL-G-45006F	GRINDING MACHINE, CHAMFRAST USER: AT REVIEWER: B2	A 4910	AL 19-NOV-85	AL		99	
L MIL-C-45010A(4)	COMPOSITION C-4 REVIEWER: MR	A 1376	AR 02-MAR-90	AR			
L MIL-T-45011A	TELESCOPE, ELBOW M17C (VALIDATION DATE: 8705) USER: MC	A 6650	AR 15-MAY-87	AR			
MIL-R-45012E	RIFLE, 7.62MM, M14 (VALIDATION DATE: 8604) USER: MC	A 1005	AR 17-APR-86	AR	OS	99	
MIL-M-45013D(2)	MACHINE GUN, 7.62MM, M60 USER: MC REVIEWER: B4	A 1005	AR 26-OCT-84	AR	OS	99	
A MIL-B-45022F	BLAST CLEANING CABINETS	A 4940	AL 02-NOV-92	AL			
MIL-R-45024D(3)	ROTARY TOOL KIT, ELECTRIC (VALIDATION DATE: 8201) USER: MC ME REVIEWER: MI	A 5130	GL 21-NOV-75	GL		99	
L MIL-R-45036D(1)	RUBBER, HARD (EBONITE), NATURAL OR SYNTHETIC, SHEET, STRIP, ROD, TUBING, AND MOLDED PARTS (VALIDATION DATE: 8805) REVIEWER: AT AV GS ME MI	A 9320	MR 20-MAY-88	MR			
MIL-P-45042F	PUNCHING, SHEARING, NOTCHING, AND COPING MACHINE, METAL, MECHANICAL DRIVE USER: AV MC REVIEWER: B4 GS	A 3445	1P 27-NOV-91	AL	SH	99	1P
D MIL-L-45047F	LIFT, VEHICLE DRIVE/CLINE COMPONENTS (2000 POUND CAPACITY) USER: MC REVIEWER: B2 AT CS	A 4910	AL 23-AUG-89	AL	YD1	99	
D MIL-T-45049D	TESTER, DIESEL FUEL INJECTOR USER: ME OS REVIEWER: B2 AT CS MC SH	A 4910	AL 06-NOV-92	AL	YD1	99	
L MIL-P-45051D(1)	PRESS, CONNECTING ROD STRAIGHTENING, HYDRAULIC REVIEWER: CS	A 4940	AL 09-JAN-86	AL			
MIL-A-45059C	ADHESIVE FOR BONDING CHIPBOARD TO TERNEPLATE, TINPLATE, AND ZINCPLATE (VALIDATION DATE: 8905) REVIEWER: AR	A 8040	MR 10-MAY-89	MR	AS	99	
L MIL-F-45060D(1)	FUZE, MINE, COMBINATION M605, PARTS FOR (VALIDATION DATE: 8704)	A 1345	AR 23-APR-87	AR			
MIL-F-45061E(2)	FUZE, MINE, AT, NM, M606 PARTS FOR (VALIDATION DATE: 8805)	A 1345	AR 20-MAY-88	AR			
L MIL-A-45062E(2)	ACTIVATOR, M2 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8704)	A 1345	AR 23-APR-87	AR			
L MIL-D-45064D	DEGREASER, PORTABLE, SOLVENT TYPE, TANK IMMERSION (FOR CLEANING 20MM GUN COMPONENTS) REVIEWER: CS MD SM	A 4940	AL 29-NOV-85	AL			
L MIL-L-45068D	LIGHT, DOME, VENTILATOR, 24 VOLT DC USER: GS	A 6220	AT 22-JUN-89	AT			
L MIL-P-45069B(1)	PLOTTING BOARD, INDIRECT FIRE: M16 W/E (VALIDATION DATE: 9009)	A 1220	AR 28-SEP-90	AR			
MIL-G-45072C	GRINDING MACHINES, DRILL, MANUAL USER: AV MC SM REVIEWER: GS	A 3415	1P 10-NOV-88	AL	SH	99	1P
L MIL-B-45081E	BLAST CLEANING MACHINE: SELF-CONTAINED TUMBLE TYPE, WITH DUST COLLECTOR REVIEWER: CS	A 4940	AL 25-MAR-91	AL			
D MIL-M-45083F	MOUNTER-DEMOUNTER, PNEUMATIC TIRE, STATIONARY	A 4910	AL 01-MAR-89	AL	YD1	99	
QL MIL-C-45085C	OIL COOLER ASSEMBLY: ENGINE & TRANSMISSION	A 2930	AT 08-SEP-87	AT			
MIL-W-45087A	WARHEAD, 5 INCH ROCKET, GAS, GB, MK 40 MOD 0, FILING ASSEMBLY (VALIDATION DATE: 8006)	A 1340	EA 23-JUN-91	EA	OS		
L MIL-T-45088B	TRANSMITTER, SUPERELEVATION, M23 (VALIDATION DATE: 8504)	A 1265	AR 09-MAR-62	AR			
L MIL-D-45089A	DRIVE-MOUNT, PERISCOPE, M9 (VALIDATION DATE: 8504)	A 1290	AR 30-APR-62	AR			
L MIL-N-45094C	MOUNT, TELESCOPE, M107 (VALIDATION DATE: 8504) REVIEWER: MC	A 1240	AR 28-FEB-62	AR			
L MIL-C-45096D(1)	CARTRIDGE, 90MM, TP-T, M353A1 ASSEMBLING, MARKING AND PACKING (VALIDATION DATE: 9010)	A 1315	AR 15-OCT-90	AR			
L MIL-D-45099E	DEGREASERS, STATIONARY, HIGH VELOCITY, CENTRIFUGAL IMPACT TYPE, OIL FIRED USER: ME REVIEWER: CS CT MC MD SM	A 4940	AL 27-OCT-91	AL			
L MIL-N-45105D	MOUNT, PERISCOPE, M104, M104A1 AND M104A2 (VALIDATION DATE: 8504) REVIEWER: MC	A 1240	AR 20-DEC-66	AR			
MIL-S-45108C(1)	STEHT, INFINITY M44 AND M44C (VALIDATION DATE: 8303) REVIEWER: MC	A 1240	AR 05-MAY-71	AR			
L MIL-C-45110B	CARTRIDGE, 90MM, AP-T, M318A1 ASSEMBLING, MARKING AND PACKING (VALIDATION DATE: 8201)	A 1315	AR 31-MAR-76	AR			
L MIL-C-45113B(1)	COMPOSITION B-3	A 1376	AR 22-JAN-92	AR			
L MIL-P-45117E(2)	PROJECTILE, 20MM, TARGET PRACTICE, M55A2 (VALIDATION DATE: 9010)	A 1305	AR 31-OCT-90	AR			
MIL-M-45122	MOUNT, TELESCOPE, M30 (VALIDATION DATE: 8101) REVIEWER: MC	A 1290	AR 24-JUN-58	AR			
L MIL-R-45131A	MOUNT, PERISCOPE, M105 (VALIDATION DATE: 8202) REVIEWER: MC	A 1240	AR 29-OCT-63	AR			
MIL-G-45140B(1)	GUN, SPOTTING, CALIBER .50, M8C REVIEWER: B4 OS	A 1005	AR 15-MAR-88	AR	MC		
L MIL-F-45144D(2)	FUSE, BLASTING, TIME, M700, AND FUSE, BLASTING, TIME, INERT, LOADING, ASSEMBLING AND PACKING REVIEWER: EA	A 1375	AR 24-AUG-90	AR			
L MIL-D-45146A	DRIVE, BALLISTICS, M5A2 (VALIDATION DATE: 8602)	A 1220	AR 07-DEC-65	AR			
L MIL-N-45147F(2)	MINE, AT, NM, M19 PARTS FOR (VALIDATION DATE: 8805)	A 1345	AR 20-MAY-88	AR			
A MIL-C-45150J(2)	CHASSIS, TRAILER 2-WHEEL CART TYPE 1/4 TO 3 1/2 TON USER: CG ME	A 2330	AT 30-JUL-92	AT	MC		
MIL-N-45151C(2)	MOUNT, TRIPOD, MACHINE GUN, CAL. .50, M3	A 1005	AR 15-MAR-93	AR			
D MIL-S-45152H	SEMITRAILERS, LOWBED: COMMERCIAL REVIEWER: B4	A 2330	AT 22-JAN-90	AT	YD1	99	
D MIL-S-45154J	SEMITRAILERS, REFUSE COLLECTION, COMPACTION TYPE: COMMERCIAL USER: MC	A 2330	YD1 28-FEB-89	AT	YD1	99	
A L MIL-T-45169E(1)	TANK, PRESSURE, AIR, PORTABLE USER: AT REVIEWER: CS ME SM	A 4940	AL 04-JAN-93	AL			
L MIL-T-45170(4)	INCREMENTS, PROPELLANT M5, T8 AND T9	A 1315	AR 29-JUN-90	AR			
L MIL-P-45172F(2)	PROJECTILE, 20MM, API, M53, METAL PARTS	A 1305	AR 31-OCT-90	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / Chg. Condition Increase	Document Number	Document Title	Dist. Smt. FSC / Nms	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-M-451748	MINE, ANTIPERSONNEL, M16A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8604]	A 1345	AR	09-APR-86	AR			
L	MIL-I-45177A	INSTRUMENT, TRACER, SURFACE ROUGHNESS [VALIDATION DATE: 8306]	A 5220	BA	04-AUG-81		99		
L	MIL-G-45178A	GUN, SELF-PROPELLED, FULL TRACKED, TWIN 40MM, M42 AND M42A1, PREPARATION	A 2350	AT	16-JUL-87	AT			
A	MIL-S-451798	FOR STORAGE AND SHIPMENT OF. REVIEWER: MD SM	A 5120	GL	27-MAR-92	GL	99		
D	MIL-S-451800	STITCHERS, CEMENTING AND VULCANIZING, AND ROLLERS, HAND [VALIDATION DATE: 9203] USER: CE MI REVIEWER: ME	A 8030	MR	20-MAR-91	MR	SM	99	
L	MIL-P-451840(3)	SEALING COMPOUND, GASKET, HYDROCARBON FLUID AND WATER RESISTANT [VALIDATION DATE: 9103] USER: AS YD1 REVIEWER: 84 ME	A 1240	AR	11-JUL-88	AR			
L	MIL-G-45185(14)	PERISCOPE, TANK, M28 SERIES [VALIDATION DATE: 8807]	A 1005	AR	28-MAY-87	AR	99		
	MIL-C-451928(1)	GUN, 20MM, AUTOMATIC, M39A2 AND M39A3 (WITH REPAIR PARTS AND WITHOUT EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8705] REVIEWER: 84	A 1005	AR	06-JUN-87	AR			
	MIL-M-451930(1)	GUN, 20MM, AUTOMATIC, M39A2 AND M39A3 (WITH REPAIR PARTS AND WITHOUT EQUIPMENT OR ACCESSORIES) [VALIDATION DATE: 8705]	A 4910	AL	09-JAN-86	AL			
	MIL-L-451946(1)	CONSTRUCTOR, BEAD EXPANDING PNEUMATIC TIRE	A 4940	AL	09-JAN-86	AL	99		
L	MIL-C-451956(2)	HEATER, GUN TYPE, ELECTRIC REVIEWER: 82 CS	A 1305	AR	30-MAY-90	AR	99		
L	MIL-M-45196A(2)	LINK, CARTRIDGE, METALLIC BELT, 20MM, M14A2/M14A2N	A 1315	AR	10-JUN-86	AR			
	MIL-M-45202C	CARTRIDGE, 105MM, HE, M1, LOADING ASSEMBLING AND PACKING	A 1345	AR	15-DEC-83	AR			
	MIL-G-45204C(2)	MINE, ANTIPERSONNEL, M16A1 PARTS FOR [VALIDATION DATE: 8404]	A MFFP	MR	10-FEB-87	MR	AS	11	
D	MIL-I-45208A(1)	MAGNESIUM ALLOY, ANODIC TREATMENT OF [VALIDATION DATE: 8702] USER: AV REVIEWER: 99 AR MD MI	A MFFP	MR	13-MAR-84	MR	OS	11	
	MIL-P-452098	GOLD PLATING, ELECTRODE DEPOSITED USER: EC REVIEWER: AL AR AS CR MI	A QCIC	MR	24-JUL-81	MR	SA	05	DM
L	MIL-M-45210A	INSPECTION SYSTEM REQUIREMENTS USER: AT SS YD1 REVIEWER: AV CR MI TD	A MFFP	MR	10-FEB-87	MR	AS	11	
L	MIL-M-45212A(1)	PALLADIUM PLATING, (ELECTRODEPOSITED) [VALIDATION DATE: 8702] USER: 99 CR	A THJM	MR	15-JAN-85	MR			
L	MIL-P-45213E	ER REVIEWER: AR	A 1010	AR	17-JUN-88	AR			
L	MIL-D-45217A	WELDING, RESISTANCE, SPOT, WELDABLE ALUMINUM ALLOYS [VALIDATION DATE: 8501] USER: AT ME MI REVIEWER: AR	A PACK	MI	24-MAY-91	MI			
L	MIL-M-45223A	MOUNT, GUN, MOUNT, HOWITZER [VALIDATION DATE: 8806] REVIEWER: AT	A EMVR	MT	01-NOV-82	MT	SA	69	
	MIL-C-452240	PRESERVATION AND PACKING OF ROCKET AND MISSILE SYSTEMS EQUIPMENT FOR SHIPMENT [VALIDATION DATE: 9105] REVIEWER: SM	A THJM	MR	28-JUN-68	MR			
L	MIL-A-45225E	DATA ON TRANSPORTATION ENVIRONMENTS, MONITORING CARGO SHIPMENTS FOR ACQUISITION OF	A 1410	MI	27-JUN-91	MI	70		
A L	MIL-T-45277	WELDING, SPOT, HARDENABLE STEELS [VALIDATION DATE: 8501] USER: ME REVIEWER: AR AT	A FORG	MR	30-JAN-87	MR			
L	MIL-G-45279	CABLE AND HARNESS ASSEMBLIES, ELECTRICAL, MISSILE SYSTEM: GENERAL SPECIFICATION FOR USER: AT MC REVIEWER: 19 71 84 AR CR ER	A 6605	AV	14-FEB-86	AV			
L	MIL-G-45280	ALUMINUM ALLOY ARMOR, FORGED [VALIDATION DATE: 8704] USER: ME REVIEWER: AR AT TE	A 6615	ER	08-DEC-86	CR			
I	MIL-F-452898	TRANSMITTER, INDUCTION COMPASS T-611 ( )/ASH [VALIDATION DATE: 8602]	A 6605	ER	08-DEC-86	CR			
D	MIL-C-45300B(1)	GYRO, DIRECTIONAL CH-998( )/ASH-43 [VALIDATION DATE: 8612]	A 5855	CR	05-OCT-90	CR	EC		
	MIL-T-453010	GYROMAGNETIC COMPASS SET AM/ASH-43( ) [VALIDATION DATE: 8612]	A 2910	AT	12-AUG-92	AT	MC	99	
L	MIL-T-45305C	FILTER, INFRARED INTERFERENCE TYPE (PINK) FOR SEARCHLIGHT, INFRARED, AM/SS-3, 28 VOLT, 50-60 AMPERE	A 2640	AT	22-JUN-87	AT	99		
L	MIL-R-453060	CAP. FUEL TANK: FOR MILITARY COMBAT AND TACTICAL TRANSPORT VEHICLES USER: YD1 REVIEWER: CS GL MI	A 2320	AT	25-APR-91	AT			
L	MIL-P-45307B	TREAD ELASTOMER! SOLID TIRE, FOR TRACK LAYING VEHICLES USER: MC REVIEWER: CS	A 2930	ME	15-OCT-91	ME	99		
L	MIL-G-45308A(4)	TRUCK, BOOKMOBILE: DIESEL OR GASOLINE ENGINE DRIVEN, 16,000 POUNDS GVW, 4X2, MODIFIED COMMERCIAL	A 2520	AT	07-APR-89	AT			
L	MIL-T-45309E(1)	RADIATORS, ENGINE COOLING, INDUSTRIAL REVIEWER: 82 AT CS	A 2350	AT	16-JUL-87	AT			
D	MIL-S-45310H	PUMP, HYDRAULIC, AXIAL PISTONS: MANUAL, WITH FIRE-CONTROL SWITCH	A PACK	AT	05-SEP-90	AT			
D	MIL-T-453166(2)	TANK, MAIN BATTLE, 105MM GUN, M60 [VALIDATION DATE: 8707]	A 2330	YD1	01-MAR-89	AT	YD1		
	MIL-T-45317E	TRAILER, TANK: POTABLE WATER, 400 GALLON, 2 WHEEL, M14942 USER: YD1 REVIEWER: 84	A 2330	AT	16-FEB-88	AT	MC	99	
D	MIL-S-45322F	TRUCK, PLATFORM UTILITY 1/2 TON, 4X4, M274 SERIES [VALIDATION DATE: 8503]	A 2320	AT	21-FEB-73	AT	MC		
AQ I	MIL-S-45324L	DOLLY, TRAILER CONVERTERS, M197A1, M198A1, & M354 REVIEWER: MC	A 2330	AT	20-MAY-88	AT			
	MIL-P-453280	SCOOTERS, MOTOR: GASOLINE ENGINE DRIVEN, THREE- AND FOUR-WHEEL, COMMERCIAL	A 2340	AT	12-DEC-90	AT	YD1		
L	MIL-T-453298	PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DC REVIEWER: 82 CS ME	A 2910	AT	22-JAN-93	AT	99		
D	MIL-T-45331F(2)	TRANSMISSION, CROSS DRIVE, COMPLETE ASSEMBLY, CENTER SECTION, GEAR ASSEMBLIES, OUTPUT REDUCTION	A 2520	AT	29-AUG-84	AT			
L	MIL-E-45332C(1)	TRUCK, UTILITY, 1/4 TON, 4X4, M151A2, TRUCK, AMBULANCE, FRONT LINE, 1/4 TON, 4X4 M18A1, TRUCK, UTILITY, 1/4 TON, 4X4 CARRIER FOR 106MM RIFLE M825 [VALIDATION DATE: 8707] USER: ME YD1	A 2320	AT	16-JUL-87	AT	MC	99	
L	MIL-T-453330(1)	ENGINE, GASOLINE, 4 CYLINDER, IN LINE, LIQUID COOLED, 65 HP, M151-2	A 2805	AT	19-JUN-87	AT			
Q	MIL-C-45334C(2)	TRAILER, FLAT BED, 10 TON 4 WHEEL, M345 [VALIDATION DATE: 8705]	A 2330	AT	18-MAY-87	AT			
D	MIL-S-45337C(1)	COMPRESSOR ASSEMBLIES, AIRBRAKE SYSTEM, WHEELED VEHICLE USER: MC ME MI REVIEWER: 84 CS	A 2530	AT	11-MAR-87	AT	99		
D	MIL-S-45344H	SPOTLIGHT: 24 VOLT DIRECT CURRENT	A 6220	AT	07-MAR-89	AT	MC	99	
D	MIL-S-0045344H	SEMITRAILER, VAN: COMMERCIAL (FURNITURE, PERSONNEL, REFRIGERATOR, CARGO, AND SIDE CURTAIN) 7 TO 35 TON REVIEWER: MC	A 2330	YD1	04-DEC-91	AT	YD1		
L	MIL-T-45348(2)	SEMITRAILERS, VAN: MODIFIED COMMERCIAL USER: MC REVIEWER: 84	A 2330	AT	15-DEC-92	AT	YD1	99	
L	MIL-S-45351B(1)	TRANSMISSION, CROSS-DRIVE, CD-500 SERIES [VALIDATION DATE: 8707]	A 2520	AT	16-JUL-87	AT			
Q	MIL-C-453598	SEAL, ENGINE SHROUD	A 2930	AT	05-DEC-86	AT			
L	MIL-C-45360G	SEMITRAILER, LOWBED TACTICAL, 12 & 25 TON	A 2330	AT	04-FEB-88	AT	MC		
D	MIL-B-45367AA	FILTER, FLUID, PRESSURE AND FILTER ELEMENT, FLUID PRESSURE, FOR GASOLINE, INTERNAL COMBUSTION ENGINES, WITH CARBURETOR USER: MC MI REVIEWER: AV CS	A 2910	AT	25-JUL-84	AT	SM	99	
D	MIL-B-45371R	COIL, STARTING, ENGINE IGNITION WITH FILTER, 24 VOLT DIRECT CURRENT USER: CS MC ME	A 2920	AT	17-FEB-88	AT			
AML	MIL-H-45374E	CARRIERS, PERSONNEL, FULL-TRACKED: ARMORED, M113A2, AND M113A3; MORTARS, SELF-PROPELLED: 107MM, M106, M106A2, AND 81MM, M125A1 AND M125A2, AND 120MM, M106A; AND SMOKE GENERATOR: M1059; PROCESSING FOR STORAGE AND SHIPMENT OF	A 2350	AT	05-DEC-91	AT			
L	MIL-P-45377A	BUSES, MOTOR: TRANSIT, AMBULANCE CONVERSION, FORWARD CONTROL, WITH HIGH HEADROOM, 30 AND 44 PASSENGER, 2 WHEEL DRIVE REVIEWER: CR ER MC MD	A 2310	AT	15-SEP-90	AT	YD1	99	
		BUSES, MOTOR: SUBURBAN AND INTERCITY, 41 TO 53 ADULT PASSENGER, 4X2, 6X2 AND 6X4, COMMERCIAL REVIEWER: MC	A 2310	AT	05-MAR-90	AT	YD1		
		HOWITZER, MEDIUM, SELF-PROPELLED, 155-MM: M109, M109A1, M109A1B, M109A2, M109A3, AND M109A5	A 2350	AR	01-DEC-92	AR			
		POWER SUPPLY, HIGH VOLTAGE, 24 VOLT DIRECT CURRENT	A 2590	AT	15-JUN-87	AT			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn Ch / Cmk Coordination Inches	Document Number	Document Title	Dist. Syst. Pkg / Ans	MCA Symbol Preparing Ass.	Date	Custodians		
						Army	Navy	Air Force DLA
L	MIL-T-453790(2)	TANK, COMBAT, FULL-TRACKED, 105 MM GUN, M60A3-TTS	A 2350	AT	03-JAN-90	AT		
L	MIL-T-453806	TRUCKS, MAINTENANCE: EARTH AUGER, TURNTABLE BASE, DIESEL ENGINE DRIVEN, 28,000 POUNDS G.W., 4X4, MODIFIED COMMERCIAL	A 2320	AT	15-MAY-91	AT		
D	MIL-T-45381E	TRAILER, CABLE REEL USER: MC	A 2330	YD1	30-MAR-91	AT	YD1	99
D	MIL-T-45382A(2)	TRAILER, LOWBED, 4 WHEEL 2 TO 7 TON USER: MC	A 2330	AT	22-JUL-87	AT	YD1	
L	MIL-S-45387B(2)	SPRINGS, TORSION BAR, SUSPENSION	A 2530	AT	15-APR-92	AT		
L	MIL-B-45389A	BULLDOZER, EARTH MOVING, TANK MOUNTING, M9, PREPARATION FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 8411] REVIEWER: SM	A 2590	AT	16-NOV-79	AT		
L	MIL-B-45390A	BULLDOZER KIT, EARTH MOVING, TANK MOUNTING, M9	A 2590	AT	16-MAR-87	AT		
D	MIL-D-453940	DOLLIES, TRAILER CONVERTER: 9 TO 35 TONS PAYLOAD, COMMERCIAL USER: 84 ER MC	A 2330	AT	24-SEP-91	AT	YD1	99
L	MIL-G-45397D(2)	GUN, FIELD ARTILLERY, SELF PROPELLED, 175MM, M107, HOWITZER, HEAVY, SELF PROPELLED, 8 INCH, M110 AND M110A1 [VALIDATION DATE: 8301] REVIEWER: MC	A 2350	AR	17-FEB-77	AR		
L	MIL-F-45400A(2)	FIN ASSEMBLY, BOMB, 48POUND, M15 [VALIDATION DATE: 8201]	A 1325	AS	19-MAY-71	AR		
L	MIL-L-45403D(2)	LINK, CARTRIDGE, METALLIC BELT, 7.62MM, M13 USER: MC REVIEWER: 99	A 1305	AR	26-SEP-91	AR		
L	MIL-C-45404A(1)	CLIP, CARTRIDGE: 7.62MM, 5-ROUND [VALIDATION DATE: 8806] REVIEWER: M1	A 1305	AR	06-JUN-88	AR		
L	MIL-P-45405C	MINE, AT, M21 LOADING, ASSEMBLING AND PACKING	A 1345	AR	06-JUN-86	AR		
L	MIL-P-45406C	MINE, AT, M21 PARTS FOR	A 1345	AR	06-JUN-86	AR		
L	MIL-C-45408C	CARTRIDGE, IMPULSE, M44A1 ASSEMBLY REVIEWER: 70	A 1377	OS	17-MAR-92	AR	OS	99
L	MIL-D-45411B	DEMOLITION KIT, PROJECTED CHARGE, M1E1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805]	A 1375	AR	20-MAY-88	AR		99
L	MIL-D-45412B	DEMOLITION KIT, M1E1, CONTAINER AND ACCESSORIES [VALIDATION DATE: 8805]	A 1375	AR	20-MAY-88	AR		99
L	MIL-D-45413B	DYNAMITE, MILITARY, M1 [VALIDATION DATE: 8101]	A 1375	AR	30-APR-75	AR	OS	99
L	MIL-B-45417C	BANDOLEER, APERS, MINE, M7, ASSEMBLY [VALIDATION DATE: 9109]	A 1345	AR	05-SEP-91	AR		
L	MIL-C-45420G	CAP, BLASTING, ELECTRIC, M4, ASSEMBLY, ON CAP ASSEMBLY, BLASTING, CONNECTOR AND ELECTRIC [VALIDATION DATE: 8805]	A 1375	AR	20-MAY-88	AR		
L	MIL-F-45421D(6)	FIRING DEVICE, ELECTRICAL, M57 PARTS FOR, ASSEMBLING AND PACKING	A 1345	AR	29-JUN-90	AR		
L	MIL-P-45423C	MINE, APERS, M1B1 (WITH ACCESSORIES) LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109]	A 1345	AR	05-SEP-91	AR		
L	MIL-P-45424D(2)	MINE, ANTIPERSONNEL, M1B1 PARTS FOR [VALIDATION DATE: 9109]	A 1345	AR	05-SEP-91	AR		
L	MIL-S-45428D(2)	SQUIB, ELECTRIC, M2, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8812] REVIEWER: EA	A 1375	AR	16-DEC-88	AR		
L	MIL-F-45429C(1)	FUZE, M1M, AT, M607 LOADING, ASSEMBLING AND PACKING	A 1345	AR	12-SEP-86	AR		
L	MIL-F-45430C(3)	FUZE, MINE, AT, M607, PARTS FOR	A 1345	AR	29-JUN-90	AR		
M	MIL-F-45437D(4)	FUZZES, HAND GRENADE, M213 AND M215 PARTS FOR, LOADING, ASSEMBLING AND PACKING	A 1330	AR	08-MAR-93	AR		
L	MIL-D-45441D(2)	DETONATOR, STAB, M61 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1375	AR	01-APR-92	AR		
L	MIL-C-45443B(1)	CARTRIDGE, 76MM, TP-T, M540A1E1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705]	A 1315	AR	27-MAY-87	AR		
A	MIL-M-45444B(4)	MOX	A 1376	AR	09-SEP-92	AR		
L	MIL-D-45445B(1)	OCTOL [VALIDATION DATE: 8301] REVIEWER: M1	A 1376	AR	14-MAR-77	AR		
L	MIL-P-45446A	POWDER, HOLDING, PBX-9404 [VALIDATION DATE: 8806]	A 1376	AR	13-JUN-88	AR		
L	MIL-P-45447	POWDER, HOLDING, PBX 9010 [VALIDATION DATE: 8505]	A 1376	AR	15-JUL-60	AR		
A	MIL-P-45449B(4)	PALLET, UNITS, WOOD, FOR SHIPMENT OF PROJECTILE METAL PARTS, AND PROJECTILE AMMUNITION	A 8140	AR	10-NOV-92	AR		
L	MIL-B-45451B(4)	BENITE STRANDS	A 1375	AR	28-OCT-88	AR		
L	MIL-P-45454B(1)	PRIMER, PERCUSSION, M79 LOADING, ASSEMBLING, AND PACKING	A 1390	OS	13-DEC-89	AR	OS	
L	MIL-P-45455E	PROJECTILE, 175MM, HE, M437 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601]	A 1320	AR	07-NOV-79	AR		
L	MIL-L-45456E	LINK, CARTRIDGE, METALLIC BELT, 20MM, M17A2	A 1305	AR	06-DEC-85	AR		99
L	MIL-C-45459C(3)	CARTRIDGE, 75MM, BLANK, M337A2 LOADING, ASSEMBLING AND PACKING	A 1315	AR	22-FEB-85	AR		
L	MIL-P-45460A	PROPELLANT, T2 [VALIDATION DATE: 9110]	A 1340	AR	03-OCT-91	AR		
L	MIL-C-45461	CHARGE, PROPELLING FOR ROCKET MOTOR, M4 [VALIDATION DATE: 8505]	A 1375	AR	29-JAN-60	AR		
L	MIL-C-45463E	CHARGE, PROPELLING, 175MM, M66A2B1 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 9011]	A 1320	AR	01-NOV-90	AR		
L	MIL-T-45464(2)	TRACER ASSEMBLY, M9 PARTS FOR & LOADING, ASSEMBLING & PACKING	A 1315	AR	23-MAR-60	AR	OS	
L	MIL-F-45465F(2)	FUZE, PD, M52A6 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601]	A 1390	AR	15-AUG-80	AR		
L	MIL-C-45467D(7)	CARTRIDGE, 165MM, HE, M123A1 LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION)	B 1320	AR	28-FEB-90	AR		
L	MIL-C-45468E	CAP, BLASTING, ELECTRIC, M6 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING REVIEWER: OS	A 1375	AR	13-JAN-86	AR		
L	MIL-C-45469E	CAP, BLASTING, NON-ELECTRIC, M7, LOADING, ASSEMBLING AND PACKING	A 1375	AR	13-JAN-86	AR		
L	MIL-D-45470	DETONATOR, ELECTRIC, T76, METAL PARTS FOR [VALIDATION DATE: 8504]	A 1375	AR	28-MAR-60	AR		
L	MIL-D-45472C	DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS, ASSEMBLY AND PACKING [VALIDATION DATE: 8404]	A 1375	AR	30-APR-65	AR		
L	MIL-C-45474B(1)	CHARGE, SPOTTING, FOR WARHEAD, M38 FOR 762MM ROCKET LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109]	A 1340	AR	12-SEP-91	AR		
L	MIL-W-45475C(3)	WARHEAD, GUIDED MISSILE, HE, XM5E5 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8304] REVIEWER: M1	A 1336	AR	28-JAN-65	AR		
L	MIL-C-45476B	CHARGE, SPOTTING, FOR WARHEAD, M38 FOR 762MM ROCKET PARTS FOR [VALIDATION DATE: 8203] REVIEWER: M1	A 1340	AR	24-APR-64	AR		
L	MIL-D-45482B	DETONATOR, STAB M46, PARTS FOR [VALIDATION DATE: 8504]	A 1375	AR	15-APR-65	AR		
L	MIL-D-45483B(1)	DETONATOR, STAB, M46 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8812]	A 1375	AR	16-DEC-88	AR		
L	MIL-P-45486B	PELLET, RDX [VALIDATION DATE: 8704]	A 1375	AR	27-APR-87	AR		
L	MIL-C-45491B(1)	CARTRIDGE, 90MM, HEAT-T, M431A2 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8301]	A 1315	AR	07-JUN-77	AR		
L	MIL-D-45495A(1)	DETONATOR, ELECTRIC, M84 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1330	AR	31-OCT-90	AR		
M	MIL-T-45498C	THRUSTER, CARTRIDGE ACTUATED, M1A2 METAL PARTS ASSEMBLY REVIEWER: 70	A 1377	OS	19-MAR-93	OS	99	
M	MIL-T-45499C	THRUSTER, CARTRIDGE ACTUATED, M1A2 ASSEMBLY REVIEWER: 70	A 1377	OS	19-MAR-93	OS	99	
L	MIL-G-45500D(2)	GUN, AUTOMATIC, 20MM: GENERAL SPECIFICATION FOR USER: MC REVIEWER: 84	A 1005	AR	03-OCT-88	AR	OS	99
L	MIL-G-45500/1(2)	GUN, AUTOMATIC, 20MM: M61 AND M61A1 USER: MC	A 1005	AR	03-OCT-88	AR	OS	99
L	MIL-G-45500/2(2)	GUN, AUTOMATIC, 20MM: XM130 USER: MC	A 1005	AR	03-OCT-88	AR	OS	99
L	MIL-G-45500/3(2)	GUN, AUTOMATIC, 20MM: M168 USER: MC	A 1005	AR	03-OCT-88	AR	OS	99
L	MIL-G-45500/4(2)	GUN, AUTOMATIC, 20MM: M195 USER: MC	A 1005	AR	03-OCT-88	AR	OS	99
L	MIL-G-45500/5(3)	GUN, AUTOMATIC, 20MM: THREE-BARREL, HIGH RATE, M197 AND M197E1 USER: MC REVIEWER: 84	A 1005	AR	03-OCT-88	AR	OS	99
L	MIL-D-45502B	DRIVE, ELECTRIC, M7 [VALIDATION DATE: 8705] REVIEWER: 84	A 1005	AR	28-MAY-87	AR		99
L	MIL-D-45503A	DRIVE, HYDRAULIC, T46 [VALIDATION DATE: 8705] REVIEWER: 84	A 1005	AR	28-MAY-87	AR		99
L	MIL-C-45504E	CANNON, 105MM GUN: M58 CANNON, 105MM GUN: M68A1	A 1015	AR	08-JUN-92	AR		
L	MIL-T-45508B(2)	TARGET HOLDING, MECHANISM, TRAINFIRE, M31A1 [VALIDATION DATE: 8402]	A 6920	AR	04-APR-78	AR		
M	MIL-R-45511D	RIFLE, RECOILLESS, 90MM: M67	A 1015	AR	20-APR-93	AR		
L	MIL-G-45512A	GENERATOR SET, GASOLINE ENGINE, M25, (WITH SPARE PARTS), [VALIDATION DATE: 8504]	A 1055	AR	07-DEC-61	AR		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off. / OMA Coordination Institute Document Number	Document Title	Dist. Smt. Fnc / Ave MCA Symbol	Preparing Acty Date	Custodians			
				Army	Navy	Air Force	DLA
L	MIL-S-45513 NOTICE 1	SPRING, RING (FOR SMALL ARMS APPLICATION) (VALIDATION DATE: 8604) .....	A 1005	AR 17-APR-86	AR		
L	MIL-M-45520(3) NOTICE 1	HEATING AND TIE-DOWN UNIT, TRUCK MOUNTED 762 MM ROCKET, M78A1 (VALIDATION DATE: 8504) .....	A 1055	AR 08-DEC-84	AR		
L	MIL-L-45522A NOTICE 1	LINKER-DELINKER, HAND, 7.62MM, M21A1 (VALIDATION DATE: 8807) REVIEWER: AS .....	A 4925	AR 26-JUL-88	AR	OS 70	
L	MIL-C-45524D NOTICE 1	CANNON, 175MM GUN: M113A1 .....	A 1025	AR 21-OCT-87	AR		
L	MIL-C-45525B NOTICE 1	CANNON, 155MM HOWITZER, M126A1 (VALIDATION DATE: 8701) .....	A 1025	AR 27-JAN-87	AR		
L	MIL-C-45526B(1) NOTICE 1	CANNON, 105MM HOWITZER, M103 (VALIDATION DATE: 8103) .....	A 1015	AR 19-JUL-72	AR		
L	MIL-S-45527A NOTICE 1	SPRING, STANDARD WIRE, HELICAL COMPRESSION (FOR SMALL ARMS APPLICATION) (VALIDATION DATE: 8604) .....	A 1005	AR 17-APR-86	AR	99	
L	MIL-L-45528A NOTICE 1	LAUNCHER, GRENADE, M76 (VALIDATION DATE: 8004) REVIEWER: 84 .....	A 1005	AR 12-MAY-85	AR	99	
L	MIL-B-45529B NOTICE 1	BIPOD, RIFLE, M2 (VALIDATION DATE: 8604) .....	A 1005	AR 16-APR-86	AR		
L	MIL-B-45530A NOTICE 1	BOOSTER, AMMUNITION, ELECTRIC, CALIBER .50 .....	A 1005	AR 13-MAY-88	AR	99	
L	MIL-M-45531B NOTICE 1	METASCOPE, AM/PAS-6 REVIEWER: MC .....	A 5855	CR 05-OCT-90	CR		
L	MIL-M-45532B(2) NOTICE 1	MOUNT, TRIPOD, MACHINE GUN: M122 .....	A 1005	AR 28-JUL-91	AR		
L	MIL-P-45535A NOTICE 1	POWER SUPPLY, TRANSISTORIZED, 12-KILOVOLT .....	A 5855	CR 05-OCT-90	CR		
L	MIL-P-45535A(11) NOTICE 1	POWER SUPPLY, TRANSISTORIZED, 12 KILOVOLT REVIEWER: ME .....	A 5855	CR 05-OCT-90	CR		
L	MIL-P-45536A NOTICE 1	POWER SUPPLY, TRANSISTORIZED, 16-KILOVOLT .....	A 5855	CR 05-OCT-90	CR		
L	MIL-S-45537F NOTICE 1	SHOP EQUIPMENT, ORGANIZATIONAL REPAIR TRUCK-MOUNTED .....	A 4940	AL 07-SEP-90	AL	YD1	
D	MIL-S-45538D(1) NOTICE 1	SHOP EQUIPMENT, GENERAL-PURPOSE-REPAIR, SEMITRAILER-MOUNTED REVIEWER: CS .....	A 4940	AL 14-APR-89	AL		
L	MIL-T-45539 NOTICE 1	TRIGGER, WINTER (FOR SMALL ARMS) (VALIDATION DATE: 8604) .....	A 1005	AR 17-APR-86	AR		
L	MIL-T-45540B NOTICE 1	TARGET HOLDING MECHANISMS, TRAINFIRE, M30 AND M30A1 (VALIDATION DATE: 8503) USER: MC .....	A 6920	AR 31-AUG-73	AR	TD 99	
D	MIL-T-45542D NOTICE 1	TOOL SETS, SHOP SETS AND KITS MAINTENANCE, MODIFICATION AND TOOL PACKAGING OF REVIEWER: AV EL GL SM .....	A PACK	AL 01-JUL-90	AL	YD1 99	
L	MIL-C-45543 NOTICE 1	CALIBRATOR, THERMOMETER (VALIDATION DATE: 8403) REVIEWER: GS .....	A 6685	AR 13-SEP-83	AR		
L	MIL-B-45544D NOTICE 1	BORING, DRILLING AND MILLING MACHINES, HORIZONTAL TABLE TYPE, 4, 5 AND 6 INCH SPINDLE USER: AR AS MC SA REVIEWER: EL ER GS .....	A 3411	IP 18-NOV-88	AL	SH 99	IP
L	MIL-B-45548D NOTICE 1	BEAD BREAKER, PNEUMATIC TIRE, PORTABLE (TIRES SIZES 14.00 X 24 THROUGH 37.50 X 33) .....	A 4910	AL 10-MAY-88	AL		
L	MIL-T-45549C(1) NOTICE 1	TABLE, FOLDING LEGS, AUTOMOTIVE MAINTENANCE .....	A 4910	AL 01-APR-88	AL		
L	MIL-L-45550A(4) NOTICE 1	LINK, CARTRIDGE, METALLIC BELT, CALIBER .50, M15A2 .....	A 1305	AR 18-APR-91	AR		
D	MIL-V-45554D NOTICE 1	VULCANIZING EQUIPMENT, INCLUDING RELATED ITEMS, TIRE AND TUBE, REBUILD AND REPAIR: PACKAGING OF REVIEWER: 84 AT SM .....	A PACK	AL 30-MAY-89	AL	YD1 99	
L	MIL-T-45555(1) NOTICE 1	TRAINERS, TANK TURRET: GUNNERY, M26-(M48A2) AND M30A1 (M60A1); PROCESSING FOR STORAGE AND SHIPMENT OF (VALIDATION DATE: 9202) REVIEWER: SM .....	A PACK	AT 28-FEB-92	AT		
L	MIL-F-45556A NOTICE 1	FEEDER, AUTOMATIC GUN, M2A1 (VALIDATION DATE: 8705) USER: MC REVIEWER: 84 .....	A 1005	AR 28-MAY-87	AR	OS 99	
L	MIL-F-45557B NOTICE 1	FEEDER, AUTOMATIC GUN, M3A1 (VALIDATION DATE: 8705) USER: AS MC REVIEWER: 84 .....	A 1005	AR 28-MAY-87	AR	99	
L	MIL-A-45559B(1) NOTICE 1	ARMORED RECONNAISSANCE/AIRBORNE ASSAULT VEHICLE, FULL TRACKED, 152MM, XM551 (VALIDATION DATE: 8706) .....	A 2350	AT 19-JUN-87	AT		
L	MIL-D-45561C NOTICE 1	DYNAMOMETER, ENGINE RUN-IN, 500 HORSEPOWER CAPACITY USER: AT REVIEWER: ME .....	A 4910	AL 26-MAY-87	AL		
D	MIL-W-45562C NOTICE 1	WELDING AND SOLDERING EQUIPMENT, SUPPLIES, AND ACCESSORIES, PACKAGING OF REVIEWER: IP SM YD1 .....	A PACK	AL 15-AUG-92	AL	SH 99	
L	MIL-F-45569C NOTICE 1	FIXTURE, LATHE, METAL CUTTING REVIEWER: GS SM .....	A 3465	AL 03-JUN-88	AL		
L	MIL-P-45570B NOTICE 1	PLUG SET, RADIATOR TEST USER: AT ME .....	A 4910	AL 27-AUG-85	AL		
L	MIL-T-45572A(2) NOTICE 1	TRAINER, MORTAR, M32A1 .....	A 6920	AR 15-SEP-87	AR		
L	MIL-C-45573C NOTICE 1	CANNON, 165MM GUN: M135 .....	A 1025	AR 14-NOV-91	AR		
L	MIL-C-45574B NOTICE 1	CANNON, 152MM GUN-LAUNCHER: M81E1 AND M162 (INCLUDING BREECH MECHANISMS) ..	A 1025	AR 20-FEB-91	AR		
L	MIL-P-45575 NOTICE 1	PISTOL, CALIBER .22 AUTOMATIC, GENERAL TRAINING GRADE (VALIDATION DATE: 8604) USER: MC .....	A 1005	AR 01-APR-86	AR	OS 99	
L	MIL-S-45578B NOTICE 1	SAW, POWER HACK, PORTABLE, PNEUMATIC (2 INCH TO 8 INCH PIPE SIZE CAPACITY) REVIEWER: GS ME .....	A 3450	AL 29-APR-85	AL		
L	MIL-C-45579C NOTICE 1	CANNON, 105MM HOWITZER: M137A1 .....	A 1015	AR 08-MAR-89	AR		
L	MIL-D-45582B NOTICE 1	DESOLDERING AND RESOLDERING KITS, ELECTRIC REVIEWER: AT GS .....	A 3439	AR 20-MAR-86	AR		
L	MIL-L-45585D NOTICE 1	LINK CARTRIDGE: METALLIC BELT, 40MM, M16A2 (VALIDATION DATE: 8810) .....	A 1310	AR 24-OCT-88	AR		
A	MIL-M-45586A(3) NOTICE 1	HOWITZER, LIGHT, TOWED, 105MM, M102 (VALIDATION DATE: 8502) .....	A 1015	AR 01-FEB-79	AR	MC 99	
A	MIL-R-45587A(3) NOTICE 1	RIFLE, 5.56MM: M16 AND M16A1 USER: OS .....	F 1005	AR 12-NOV-92	AR	MC 99	
A	MIL-L-45589 NOTICE 1	LAUNCHER, GRENADE, 40MM, M79 (VALIDATION DATE: 8202) USER: MC .....	A 1010	AR 02-FEB-70	AR	OS 99	
A	MIL-M-45590A(1) NOTICE 1	MACHINE GUN, CALIBER .50: FIXED, MBS (VALIDATION DATE: 8301) USER: MC .....	A 1005	AR 17-FEB-77	AR	OS 99	
L	MIL-M-45590A(13) NOTICE 1	MACHINE GUN, CALIBER .50: FIXED, MBS .....	A 1005	AR 29-JUL-91	AR		
L	MIL-P-45592 NOTICE 1	PISTOL, CALIBER .22, AUTOMATIC, MATCH GRADE (VALIDATION DATE: 8604) .....	A 1005	AR 01-APR-86	AR		
D	MIL-T-45593 NOTICE 1	TRIGGER WINTER ASSEMBLY, XM152 (VALIDATION DATE: 8604) .....	A 1005	AR 16-APR-86	AR	99	
D	MIL-W-45595D NOTICE 1	WASHER, RECESSED, SADDLE AND SHOULDERED-METAL USER: ER GL OS REVIEWER: AV ..	A 5310	AR 16-AUG-85	AR	YD1	
L	MIL-W-45595/1 NOTICE 1	WASHER, SHOULDERED, POLYAMIDE (NYLON) USER: EC REVIEWER: 11 82 AV ER IS NS ..	A 5310	AR 16-AUG-85	AR	99	
L	MIL-W-45595/2 NOTICE 1	WASHER, SHOULDERED, POLYTETRAFLUOROETHYLENE USER: 11 EC REVIEWER: 82 AV ER ..	A 5310	AR 16-AUG-85	AR	99	
L	MIL-W-45595/3 NOTICE 1	WASHER, RECESSED, ALUMINUM ALLOY USER: EC REVIEWER: 11 82 AV ER IS NS .....	A 5310	AR 16-AUG-85	AR	99	
L	MIL-W-45595/4 NOTICE 1	WASHER, SADDLE, STEEL, CARBON USER: NS REVIEWER: 11 82 AV ER IS .....	A 5310	AR 16-AUG-85	AR	99	
L	MIL-W-45595/5 NOTICE 1	WASHER, SADDLE, ALUMINUM ALLOY USER: EC NS REVIEWER: 11 82 AV ER IS .....	A 5310	AR 16-AUG-85	AR	99	
L	MIL-W-45595/6 NOTICE 1	WASHER, CONVEX, STEEL, ALLOY USER: EC NS REVIEWER: 11 82 AV ER IS .....	A 5310	AR 16-AUG-85	AR	99	
L	MIL-W-45595/7 NOTICE 1	WASHER, CONCAVE, STEEL, ALLOY USER: EC NS REVIEWER: 11 82 AV ER IS .....	A 5310	AR 16-AUG-85	AR	99	
L	MIL-W-45595/8 NOTICE 1	WASHER, SHOULDERED, PHENOLIC .....	A 5310	AR 12-NOV-85	AR	99	
A	MIL-W-45595/9 NOTICE 1	WASHER, SHOULDERED, GLASS FILLED NYLON USER: 84 90 AV MC MI REVIEWER: 11 ..	A 5310	AR 21-OCT-92	AR	SH 99	
L	MIL-A-45597A(1) NOTICE 1	ANALYZER, ENGINE, ELECTRONIC, CONSOLE TYPE .....	A 4910	AL 09-JAN-86	AL		
L	MIL-F-45598(1) NOTICE 1	FEEDER, DELINKING, AIRCRAFT MACHINE GUN, MAU-56/A (VALIDATION DATE: 8705) ..	A 1005	AR 28-MAY-87	AR	99	
L	MIL-P-45602B(4) NOTICE 1	PERISCOPE, BATTERY COMMAND, M65 (VALIDATION DATE: 8506) .....	A 6650	AR 15-MAR-85	AR		
L	MIL-P-45605A(2) NOTICE 1	PLOTTING BOARDS, FLASH RANGING, FIRE CONTROL: M5A2 .....	A 1220	AR 17-DEC-90	AR		
L	MIL-I-45607C NOTICE 1	INSPECTION EQUIPMENT, ACQUISITION, MAINTENANCE AND DISPOSITION OF USER: AT ..	A QCIC	AR 31-AUG-87	AR		
L	MIL-Q-4561BF NOTICE 1	QUADRANT, FIRE CONTROL, ELEVATION, M13 SERIES (VALIDATION DATE: 8303) .....	A 1290	AR 26-MAY-71	AR		
L	MIL-M-4562DE NOTICE 1	MOUNT, PERISCOPE, M115 (VALIDATION DATE: 8504) .....	A 1240	AR 31-JUL-72	AR		
L	MIL-R-45633 NOTICE 1	RING ASSEMBLY, ELECTRICAL CONTACT 7665497 (VALIDATION DATE: 8504) .....	A 1290	AR 24-JUN-59	AR		
L	MIL-S-45635A NOTICE 1	SCALES, GRAPHICAL FIRING: SITE, M58, M67, M72, AND M86 (VALIDATION DATE: 9009) .....	A 1220	AR 28-SEP-90	AR		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Aeronautics / Ordnance / Miscellaneous / Document Number	Document Title	Dist. Smt. / FSC / Area / MCA Symbol	Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DIA
L MIL-P-45637B(2)	PERISCOPE, TANK, M19 AND M24 [VALIDATION DATE: 8705] USER: AT REVIEWER: MC	A 6650	AR	15-MAY-87	AR			
L MIL-P-456518	PERISCOPE, TANK, M31 AND M31C [VALIDATION DATE: 8303] REVIEWER: MC	A 1240	AR	30-APR-64	AR			
L MIL-G-45653(2)	GAGE, CYLINDRICAL PLUG AND RING, PLAIN	A 5220	AR	08-JUN-83	AR			
L MIL-G-45654(3)	GAGE, PLUG AND RING, THREAD	A 5220	AR	23-AUG-84	AR			
L MIL-H-45655A	HOLDER, TELESCOPE MOUNT, XM7 [VALIDATION DATE: 8103]	A 1240	AR	08-FEB-63	AR			
L MIL-D-45657A	DRIVE, BALLISTIC, M5A1	A 1220	AR	30-MAR-87	AR			
L MIL-T-45658F	TELESCOPE, STRAIGHT, M103 [VALIDATION DATE: 8504]	A 1240	AR	22-JUN-73	AR			
L MIL-H-45659C(2)	MOUNT, TELESCOPE, M110 [VALIDATION DATE: 8303]	A 1240	AR	12-FEB-71	AR			
L MIL-H-45664E	MOUNT, PERISCOPE, M118 AND M118E1 [VALIDATION DATE: 8602]	A 1240	AR	31-JAN-74	AR			
L MIL-S-45669A	SIGHT, BORE, OPTICAL M45 [VALIDATION DATE: 8303]	A 1240	AR	19-FEB-71	AR			
L MIL-H-45671E(2)	MOUNT, PERISCOPE, M119 [VALIDATION DATE: 8602]	A 1240	AR	31-JAN-74	AR			
L MIL-C-45675A(2)	COMPUTER, BALLISTICS, M13A1D [VALIDATION DATE: 8807]	A 1220	AR	11-JUL-88	AR			
L MIL-D-45676D	DRIVE BALLISTICS: M10 SERIES [VALIDATION DATE: 9009]	A 1220	AR	28-SEP-90	AR			
L MIL-R-45677(1)	RANGE-FINDER, FIRE CONTROL, M17C [VALIDATION DATE: 8504]	A 1240	AR	23-FEB-62	AR			
L MIL-P-45678	POWER UNIT ASSEMBLIES, 8289242 AND 8619600 [VALIDATION DATE: 8002]	A 1240	AR	25-JUL-60	AR			
L MIL-P-45682D(1)	PERISCOPE, TANK, M34 [VALIDATION DATE: 8201]	A 1240	AR	01-MAY-70	AR			
L MIL-P-45685A	PERISCOPE, M23 [VALIDATION DATE: 8602] USER: AT	A 1240	AR	12-FEB-68	AR			
L MIL-T-45687	FIRE CONTROL ELECTRONIC CALIBRATION STANDARDS, PACKAGING OF [VALIDATION DATE: 8504] REVIEWER: SM	A 1290	AR	16-FEB-61	AR			
L MIL-T-45688D(2)	TELESCOPES, ARTICULATED: M105 SERIES USER: AT	A 1240	AR	17-JUN-91	AR			
L MIL-P-45689D(2)	PERISCOPE, TANK, M36 [VALIDATION DATE: 8601]	A 1240	AR	15-OCT-79	AR			
L MIL-H-45690A(4)	MOUNT, TELESCOPE, M114 USER: AT REVIEWER: MC	A 1240	AR	31-MAY-85	AR			
L MIL-P-45694	PLOTTING BOARD, M17 [VALIDATION DATE: 8002]	A 1220	AR	24-FEB-61	AR			
L MIL-S-45743E(1)	SOLDERING, MANUAL TYPE, HIGH RELIABILITY ELECTRICAL AND ELECTRONIC EQUIPMENT USER: AV MR REVIEWER: 99 AR ER OS	A SOLD	MI	08-SEP-89	MI	AS	11	
L MIL-S-45743E(14)	SOLDERING, MANUAL TYPE, HIGH RELIABILITY, ELECTRICAL AND ELECTRONIC EQUIPMENT	A SOLD	MI	08-SEP-89	MI			
L MIL-F-45764C	FLUID LINES AND FITTINGS FOR MISSILES AND RELATED GROUND EQUIPMENT: FABRICATION AND INSTALLATION OF	A 1410	MI	09-JUN-90	MI			
A MIL-R-45774A	RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR FUSION WELDS IN ALUMINUM AND MAGNESIUM MISSILE COMPONENTS	A MD11	MI	29-JUN-92	MI			
L MIL-L-45779C(1)	LOADER - TRANSPORTER, GUIDED MISSILE: XM501E2 AND XM501E3; PROCESSING FOR STORAGE AND SHIPMENT OF	A PACK	AT	04-DEC-90	AT			
L MIL-E-45782B(1)	ELECTRICAL WIRING, PROCEDURES FOR USER: AR CG MC OS REVIEWER: EL ER	A 1430	MI	15-DEC-80	MI			
L MIL-R-45804D	ROLLS, TOOLS AND ACCESSORIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8104] USER: ME REVIEWER: MD	A 5140	GL	09-SEP-75	GL			99
A MIL-R-45804/1	ROLLS, TOOLS AND ACCESSORIES: SIZE 1 [VALIDATION DATE: 9302]	A 5140	GL	26-FEB-93	GL			99
L MIL-R-45804/2	ROLLS, TOOLS AND ACCESSORIES: SIZE 6	A 5140	GL	27-JAN-89	GL			
L MIL-R-45804/3	ROLLS, TOOLS AND ACCESSORIES: SIZE 9	A 5140	GL	27-JAN-89	GL			
A MIL-R-45804/4	ROLLS, TOOLS AND ACCESSORIES: SIZE 11 [VALIDATION DATE: 9302]	A 5140	GL	26-FEB-93	GL			99
L MIL-R-45804/5	ROLLS, TOOLS AND ACCESSORIES: SIZE 12	A 5140	GL	15-AUG-90	GL			99
L MIL-R-45804/6	ROLLS, TOOLS AND ACCESSORIES: SIZE 13	A 5140	GL	27-JAN-89	GL			
L MIL-R-45804/7	ROLLS, TOOLS AND ACCESSORIES: SIZE 14	A 5140	GL	15-AUG-90	GL			99
L MIL-R-45804/8	ROLLS, TOOLS AND ACCESSORIES: SIZE 15	A 5140	GL	15-AUG-90	GL			99
L MIL-R-45804/9	ROLLS, TOOLS AND ACCESSORIES: SIZE 16	A 5140	GL	27-JAN-89	GL			84
A MIL-R-45804/10	ROLLS, TOOLS AND ACCESSORIES: SIZE 17 [VALIDATION DATE: 9302]	A 5140	GL	26-FEB-93	GL			99
L MIL-R-45804/11	ROLLS, TOOLS AND ACCESSORIES: SIZE 18	A 5140	GL	15-AUG-90	GL			99
L MIL-R-45804/12	ROLLS, TOOLS AND ACCESSORIES: SIZE 19	A 5140	GL	27-JAN-89	GL			84
A MIL-R-45804/13	ROLLS, TOOLS AND ACCESSORIES: SIZE 20 [VALIDATION DATE: 9302]	A 5140	GL	26-FEB-93	GL			99
L MIL-P-45805C	POLISHING MACHINE, AUTOMOTIVE CRANKSHAFT AND CAM SHAFT USER: AT	A 4910	AL	04-DEC-85	AL			
L MIL-T-45809E	TABLE, WELDING	A 3436	AL	26-NOV-85	AL			
L MIL-G-45811D	GAGE, AIR, LOW PRESSURE, PNEUMATIC FLOATING EQUIPMENT USER: AT	A 5420	ME	06-FEB-92	ME			
L MIL-F-45813(1)	FIXTURE TEST, FINAL INSPECTION, 8237258; PACKAGING OF	A 4931	AR	21-JUN-90	AR			
D MIL-S-45814D	SAW, BAND, CUTOFF, HORIZONTAL, AND COMBINATION HORIZONTAL AND VERTICAL USER: MC REVIEWER: 84 YD1	A 3405	1P	29-JUN-87	AL	SH		99
L MIL-D-45815E	DRILLING MACHINE, RADIAL, BENCH TYPE, SLIDING ARM SWIVELHEAD, HANDFEED USER: AV OS REVIEWER: 84 GS SM	A 3413	1P	07-AUG-89	AL	SH		99 1P
L MIL-P-45819D	PANS, DRAIN, AUTOMOTIVE REVIEWER: CS	A 4910	AL	12-JUN-92	AL			MC
L MIL-C-45820D	CABLE ASSEMBLIES, ELECTRICAL REVIEWER: AT CS ER SM	A 4910	AL	20-JAN-89	AL			
L MIL-E-45829A	ELECTRODE, WELDING, COPPER, SILICON-DIOXIDIZED, SOLID, BARE [VALIDATION DATE: 9101] USER: MI REVIEWER: GS MR	A 3432	AR	28-JAN-91	AR			
L MIL-H-45844D	WELDING MACHINE, RESISTANCE, SPOT/TYPE PORTABLE, (AUTOMOTIVE REPAIR) REVIEWER: GS MI	A 3432	AL	30-DEC-87	AL			
L MIL-G-45851E	GRINDING MACHINE, CYLINDER HEAD (WET TYPE) REVIEWER: 82 MC	A 4910	AL	03-OCT-91	AL			99
L MIL-B-45852A(3)	BOROSCOPES M1 AND M2 USER: MC MI	A 6650	AR	23-MAR-87	AR			
A MIL-C-45854B(2)	CHASERS, THREAD, HAND (THREAD COMB) [VALIDATION DATE: 9302] USER: AT CL MC REVIEWER: AL AV ME	A 5136	GL	26-FEB-93	GL	SA		99
L MIL-S-45855E	SHOP EQUIPMENT, CONTACT MAINTENANCE, TRUCK MOUNTED REVIEWER: CS	A 4940	AL	14-MAR-88	AL			
L MIL-P-45859B	POP-VALVE-TEST BENCH ASSEMBLY [VALIDATION DATE: 8906] REVIEWER: 82 CS	A 4940	AT	06-JUN-89	AT			99
L MIL-S-45860D	SHRINKING AND STRETCHING MACHINE, SHEET METAL, MANUAL AND POWER OPERATED USER: MC SM REVIEWER: 84 GS	A 3441	1P	23-MAR-88	AR	SH		99
L MIL-C-45882	CONTROL UNIT: LANCE AK [VALIDATION DATE: 8902]	A MJOR	AR	16-FEB-89	AR			
L MIL-A-45883	ADAPTION KIT, ATOMIC WARHEAD TO GUIDED MISSILE, TRAINING, M246 (TYPE W) [VALIDATION DATE: 8809]	A 1135	AR	08-SEP-88	AR			
L MIL-S-45885	SWITCH, ROTARY [VALIDATION DATE: 8201]	A MJOR	AR	26-FEB-76	AR			
L MIL-T-45886A(1)	TIMER, SEQUENTIAL: M42E2	A 1135	AR	05-SEP-90	AR			
L MIL-B-45887A(2)	BOLT, TEE	A MJOR	AR	18-MAR-91	AR			
L MIL-C-45888(3)	CONNECTOR PLUG, THERMAL RELEASING [VALIDATION DATE: 8909]	A 1190	AR	01-SEP-89	AR			
L MIL-T-45890A(1)	TOOLS FOR PROJECTILE, M422	A MJOR	AR	24-JUL-89	AR			
L MIL-R-45906D(1)	RELEASE, TWO POINTS - SINGLE PULL, PARACHUTIST'S EQUIPMENT PACK REVIEWER: IS	A 5340	GL	08-APR-87	GL			
L MIL-H-45907A(1)	MOUNT, SHIPPING CONTAINER, RESILIENT - SHOCK AND VIBRATION DAMPING REVIEWER: IS	A 5340	AT	09-MAR-87	AT			
L MIL-B-45908B	BOLT, EYE, GENERAL SPECIFICATION FOR USER: ME REVIEWER: AV IS	A 5306	AR	26-SEP-85	AR			99
D MIL-S-45909C	STUD, LOCKED IN, RING LOCKED, SERRATED, GENERAL SPECIFICATION FOR USER: MC ME OS YD1 REVIEWER: 11 82 AT AV ER GL IS MS	A 5307	AR	27-MAR-89	AR	AS		99
L MIL-I-45910C	INSERT, SCREW THREAD LOCKED IN & RING LOCKED) SERRATED GENERAL SPECIFICATION FOR USER: MC OS REVIEWER: 11 82 AT AV ER GL IS MI MS	A 5340	AR	11-MAR-85	AR	AS		99
L MIL-B-45912A(1)	BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL REVIEWER: IS MI	A 5306	AR	24-MAY-91	AR			99
L MIL-H-45913B	NUTS, SELF-LOCKING, HEXAGON, PREVAILING-TORQUE [VALIDATION DATE: 8604] USER: AT AV MC OS REVIEWER: 82 IS MI	A 5310	AR	02-APR-86	AR			99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cntr / Odt Combination Machine	Document Number	Document Title	Dist. Smt. FDC / Area	MCA Symbol	Preparing Acty Date	Customers			
						Army	Navy	Air Force	DIA
	MIL-I-45914A	INSERT, SCREW THREAD - LOCKED IN, KEY LOCKED, GENERAL SPECIFICATION FOR USER: AT AV MC REVIEWER: AV IS MI SH	A 5340	AR	25-APR-91	AR	AS	99	
	MIL-S-45915A	STUD, LOCKED IN - KEY LOCKED, GENERAL SPECIFICATION FOR USER: GL MC REVIEWER: B2 AT AV IS MI SH	A 5307	AR	21-AUG-91	AR	AS	99	
	MIL-I-45916B	INSERT, SCREW THREAD - THREAD CUTTING AND THREAD FORMING (VALIDATION DATE: 8101) USER: AV MC ME OS REVIEWER: AT EA IS MI	A 5340	AR	24-JUL-75	AR		99	
	MIL-T-45917A	TARGET MECHANISM, NIGHT FIRING, SMALL ARMS, M40 (VALIDATION DATE: B604) ...	A 6920	AR	10-APR-86	AR	TD	99	
	NOTICE 1								
	MIL-C-45918	CLEVISES AND CONNECTORS (ROD END) (VALIDATION DATE: B203) USER: GL MC ME REVIEWER: AT AV IS MI SH	A 5340	AR	04-DEC-68	AR	AS	99	
L	MIL-T-45919	TARGET, SILHOUETTE, STANDING MAN HOLDING PISTOL AND 1000 INCH (VALIDATION DATE: B404)	A 6920	AR	13-DEC-68	AR			
	MIL-M-45920(1)	MACHINE GUN, AIRCRAFT 7.62MM, M134 (GAU-28/A) (VALIDATION DATE: B301) .....	A 1005	AR	14-DEC-76	AR	OS	99	
L	MIL-M-45920(12)	MACHINE GUN, AIRCRAFT 7.62MM, M134 (GAU-28/A) .....	A 1005	AR	08-MAY-90	AR			
	MIL-S-45921	STOCK, GUN, SHOULDER, ASSEMBLY W/O BUTT PLATE, FIBERGLASS REINFORCED, PLASTIC (PREMIX) (FOR RIFLE, 7.62MM, M14) (VALIDATION DATE: B604) USER: MC	A 1005	AR	16-APR-86	AR	OS	99	
	NOTICE 1								
L	MIL-L-45923A(4)	LINK, CARTRIDGE, METALLIC BELT, CALIBER .50, M9 .....	A 1305	AR	07-JUN-84	AR			
L	MIL-S-45927(2)	SIGHTING STATION (VALIDATION DATE: B201) .....	A 1090	AR	11-JUN-76	AR			
L	MIL-M-45928	MACHINE GUN, 7.62MM, FIXED, M219 (VALIDATION DATE: B705) .....	A 1005	AR	28-MAY-87	AR			
	NOTICE 1								
L	MIL-D-45929(2)	DRUM, AMMUNITION, ROTARY, 7.62MM (VALIDATION DATE: B201) .....	A 1090	AR	11-JUN-76	AR			
L	MIL-C-45931A(2)	CLIP, CARTRIDGE, 5.56MM, 10 ROUND (VALIDATION DATE: B502) .....	A 1305	AR	13-MAR-79	AR			
	MIL-I-45932(1)	INSERT, SCREW THREAD, THIN WALL, LOCKED IN; GENERAL SPECIFICATION FOR (VALIDATION DATE: B604) USER: AS AT MC OS REVIEWER: B2 AV IS ME	A 5340	AR	02-APR-86	AR		99	
D	SUPPL 1A1, NOTICE 1	INSERT, SCREW THREAD - THIN WALL, LOCKED IN USER: AT ER MC ME OS YD1 REVIEWER: AV IS MI NS	A 5340	AR	02-MAR-89	AR	AS	99	
	MIL-I-45932/2B	INSERT, SCREW THREAD - THIN WALL, LOCKED-IN, NON METALLIC LOCKING ELEMENT (-60 DEG. TO PLUS 250 DEG. F) (VALIDATION DATE: B304) REVIEWER: AV IS	A 5340	AR	20-SEP-77	AR		99	
	MIL-I-45932/3A	INSERT, SCREW THREAD - THIN WALL, LOCKED IN, OVERSIZE REPLACER USER: AT MC ME	A 5340	AR	01-MAR-89	AR	AS	99	
	MIL-S-45933	STUD, KEYRING LOCKED, 125 AND 160 KSI, FTU, GENERAL SPECIFICATION FOR (VALIDATION DATE: B504) USER: GL MC ME REVIEWER: 11 B2 AT AV IS	A 5307	AR	30-JUN-71	AR	AS	99	
	SUPPL 1A1	STUD, KEYRING LOCKED, 125 KSI FTU, SINGLE STEP (VALIDATION DATE: B304) REVIEWER: B2 AV EL IS NS	A 5307	AR	22-SEP-77	AR	AS	99	
	MIL-S-45933/1A	STUD, KEYRING LOCKED, 160 KSI FTU, MULTIPLE STEP (VALIDATION DATE: B304) REVIEWER: B2 AV IS	A 5307	AR	22-SEP-77	AR		99	
	MIL-S-45933/2A	STUD, KEYRING LOCKED, HOLE DIMENSIONS FOR AND ASSEMBLY OF (VALIDATION DATE: B304) USER: MC ME REVIEWER: 11 B2 AT AV IS	A 5307	AR	22-SEP-77	AR	AS	99	
	MIL-S-45933/3A	INSERT, SCREW THREAD, KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125, 180, AND 220 KSI FTU, GENERAL SPECIFICATION FOR (VALIDATION DATE: B504) USER: MC REVIEWER: 11 AT AV EL ER IS	A 5340	AR	30-JUN-71	AR	AS	99	
	MIL-I-45934	INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125 KSI FTU (VALIDATION DATE: B504) USER: MC REVIEWER: 11 AT AV ER IS	A 5340	AR	30-JUN-71	AR	AS	99	
	SUPPL 1A1	INSERT, SCREW THREAD-KEYRING LOCKED, SELF-LOCKING AND NON SELF-LOCKING, 180 KSI FTU (VALIDATION DATE: B504) USER: MC REVIEWER: 11 AT AV ER IS	A 5340	AR	30-JUN-71	AR	AS	99	
	MIL-I-45934/1	INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING, AND NON SELF LOCKING, 220 KSI FTU (VALIDATION DATE: B504) USER: MC REVIEWER: 11 AT AV ER IS	A 5340	AR	30-JUN-71	AR	AS	99	
	MIL-I-45934/2	INSERT, SCREW THREAD, KEYRING LOCKED, SELF LOCKING AND NON SELF LOCKING, 125, 180, AND 220 KSI FTU, GENERAL SPECIFICATION FOR (VALIDATION DATE: B504) USER: MC REVIEWER: 11 AT AV EL ER IS	A 5340	AR	30-JUN-71	AR	AS	99	
	MIL-I-45934/3	INSERT, SCREW THREAD KEYRING LOCKED, SELF LOCKING, AND NON SELF LOCKING, 220 KSI FTU (VALIDATION DATE: B504) USER: MC REVIEWER: 11 AT AV ER IS	A 5340	AR	30-JUN-71	AR	AS	99	
	MIL-I-45934/4	INSERT, SCREW THREAD, KEYRING LOCKED, SELF LOCKING, AND NON SELF LOCKING, 220 KSI FTU (VALIDATION DATE: B504) USER: MC REVIEWER: 11 AT AV ER IS	A 5340	AR	30-JUN-71	AR	AS	99	
L	MIL-L-45935A(3)	LAUNCHER, GRENADE, 40MM, DETACHABLE, M203 USER: MC .....	A 1010	AR	29-MAR-91	AR			
L	MIL-G-45936	GUN, AIR DEFENSE ARTILLERY 20MM, TONED M167 (VALIDATION DATE: B504) .....	A 1005	AR	22-MAY-73	AR			
D	MIL-N-45938	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH GENERAL SPECIFICATION FOR (VALIDATION DATE: B604) USER: AT ER MC YD1 REVIEWER: AV	A 5310	AR	02-APR-86	AR	OS		
	SUPPL 1A1, NOTICE 1	NUT, PLAIN, CLINCH (SELF-CLINCHING, ROUND) USER: MC REVIEWER: AV EA IS ....	A 5310	AR	02-OCT-84	AR	OS		
	MIL-N-45938/1B	NUT, PLAIN, CLINCH & NUT, SELF LOCKING, CLINCH (HEXAGON HEAD & SHANK, SMALL CLINCH) USER: AT ER MC REVIEWER: AV GL IS	A 5310	AR	18-AUG-87	AR	OS		
	MIL-N-45938/2A	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, 450 DEG. F. AND 600 DEG. F.) USER: AT ER MC SH REVIEWER: AV OR IS MI	A 5310	AR	04-MAR-88	AR	AS		
	MIL-N-45938/3B	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, 450 DEG. F. AND 600 DEG. F.) USER: AT ER MC SH REVIEWER: AV OR IS MI	A 5310	AR	18-AUG-87	AR	OS		
	MIL-N-45938/4A	NUT, SELF-LOCKING, CLINCH (SMALL-CLINCHING, KNURLED SHANK, MINIATURE, 250 DEG. F) USER: AS AT ER MC SH REVIEWER: AV GL IS NS	A 5310	AR	01-FEB-90	AR	OS		
	MIL-N-45938/5A(2)	NUT, SELF-LOCKING, CLINCH (SMALL-CLINCHING, KNURLED SHANK, MINIATURE, 250 DEG. F) USER: AS AT ER MC SH REVIEWER: AV GL IS NS	A 5310	AR	21-AUG-87	AR	OS		
	MIL-N-45938/6A	NUT, SELF-LOCKING, CLINCH (SMALL-CLINCHING, KNURLED SHANK, MINIATURE, 450 DEG. F.) USER: AT GL MC REVIEWER: AV IS MI	A 5310	AR	18-JUL-88	AR	OS		
	MIL-N-45938/7B	NUT, PLAIN CLINCH AND NUT, SELF-LOCKING CLINCH, (KNURLED COLLAR, MINIATURE, 450 DEG. F) USER: AT ER MC SH REVIEWER: AV IS MI	A 5310	AR	20-AUG-85	AR	OS		
	MIL-N-45938/8A	NUT, SELF LOCKING, CLINCH (SMALL CLINCHING, KNURLED SHANK, 250 DEG. F) REVIEWER: MI	A 5310	OS	27-JUN-85		OS	99	
D L	MIL-N-45938/9A	NUT, SELF LOCKING, CLINCH (SMALL CLINCHING, KNURLED SHANK, 250 DEG. F, UNJF-38) USER: AS MC YD1 REVIEWER: 11 B2 IS ME NS	A 5310	AR	18-DEC-80	AR	OS	99	
	MIL-N-45938/10	NUT, PLAIN, CLINCH AND NUT, SELF LOCKING, CLINCH (SELF CLINCHING) ROUND (VALIDATION DATE: B704) USER: AV MC REVIEWER: 11 AS AT ER IS MI NS	A 5310	IS	01-MAY-93	AR	OS	99	15
A	MIL-N-45938/11(1)	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 DEG. F) USER: AT MC MI REVIEWER: 11 B2 AV NS	A 5310	AR	21-APR-88	AR	OS	99	
	MIL-N-45938/12B	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, MINIATURE, FLOATING, 450 DEGREE F AND 600 DEGREE F (VALIDATION DATE: B906) USER: B2 AS AT MC ME MI SH REVIEWER: 11 AV IS NS	A 5310	AR	12-JUN-89	AR	OS	99	
	MIL-N-45938/13	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (SELF-CLINCHING, KNURLED COLLAR, FLOATING, 450 DEG. F 600 DEG. F) (VALIDATION DATE: B906) USER: B2 AS AT MC ME MI SH REVIEWER: 11 AV IS NS	A 5310	AR	28-MAY-87	AR	OS	99	
	NOTICE 1								
	MIL-F-45939	FEEDER, AUTOMATIC GUN, M4A-57A/A (VALIDATION DATE: B705) REVIEWER: B4 .....	A 1005	AR	07-DEC-71	AR			
L	MIL-A-45940	ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN, DOOR MOUNTED, LIGHT WEIGHT, M24 (LESS M600 MACHINE GUN) (VALIDATION DATE: 7904)	A 1005	AR	07-DEC-71	AR			
L	MIL-A-45941	ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN, DOOR MOUNTED, LIGHT WEIGHT, M23 (LESS M600 MACHINE GUN) (VALIDATION DATE: 7905)	A 1005	AR	07-DEC-71	AR			
L	MIL-L-45942A	LINK, CARTRIDGE, METALLIC BELT, 30MM, M203 (VALIDATION DATE: B201) .....	A 1305	AR	07-SEP-76	AR			
L	MIL-L-45943B	LATHE, ENGINE, FLOOR MOUNTED, 18 INCH SHING USER: AT .....	A 3416	AL	01-MAR-88	AL			
L	MIL-S-45944B	SLING, ENGINE AND TRANSMISSION, MOTOR VEHICLE (MECHANICAL TILTING REVIEWER: AT ME	A 4910	AL	30-OCT-87	AL			
L	MIL-M-45945(2)	MACHINE GUN, 7.62MM, M600 (VALIDATION DATE: 9010) USER: MC .....	A 1005	AR	12-OCT-90	AR			
	NOTICE 1								
L	MIL-L-45946A(2)	LINK, CARTRIDGE, METALLIC BELT, 20MM, M22 (VALIDATION DATE: B908) .....	A 1305	AR	02-AUG-89	AR		99	
L	MIL-A-45947	ARMAMENT SUBSYSTEM, HELICOPTER, 7.62MM MACHINE GUN, RAMP MOUNTED, LIGHT WEIGHT, M41 (LESS M600 MACHINE GUN) (VALIDATION DATE: 7904)	A 1005	AR	11-MAY-72	AR			
L	MIL-D-45950B	DEGREASER, VAPOR SPRAY, STATIONARY, SOLVENT-TYPE, STEAM OR ELECTRICALLY-HEATED USER: MC REVIEWER: CS MD SH	A 4940	AL	28-FEB-92	AL			
	MIL-P-45952	PIN, QUICK RELEASE, DETENT GENERAL SPECIFICATION FOR (VALIDATION DATE: B604) USER: MC ME REVIEWER: 99 AT AV GL IS	A 5340	AR	05-MAR-73	AR	OS	11	
	MIL-P-45952/1	PIN, QUICK-RELEASE, DETENT (VALIDATION DATE: B604) USER: MC ME REVIEWER: 99 AT AV GL IS	A 5340	AR	02-APR-86	AR	OS	11	
	NOTICE 1								
L	MIL-F-45955A	FLOW TEST MACHINE, RADIATOR USER: AT ME .....	A 4910	AL	05-JUN-85	AL			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orl / Oml Combin Inactive Document Number	Document Title	Dist Smt FSC / Jns MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA	
L MIL-C-45956(2)	CONTROLLER, WEAPONS-GUN SPEED AND LAUNCHER BRAKE, LH [VALIDATION DATE: 8201]	A 1090 AR 11-JUN-76 AR		
MIL-F-45961	FORGING, PREALLOYED STEEL POWDER	A FORG AR 21-MAR-86 AR		
NOTICE 1				
L MIL-E-45962(1)	ELECTRONIC COMPONENTS ASSEMBLY (11691622) [VALIDATION DATE: 8301]	A 1090 AR 11-JAN-77 AR		
MIL-L-45963	LOADER, DELINKING, AIRCRAFT MACHINE GUN, MAU-69A/A [VALIDATION DATE: 8806]	A 1005 AR 13-JUN-88 AR	OS 99	
NOTICE 1	USER: AS REVIEWER: 84			
L MIL-C-45964B(1)	CANNON, 155MM HOWITZER: M185	A 1025 AR 20-FEB-90 AR		
L MIL-M-45965(1)	MORTAR, 60MM: M19 [VALIDATION DATE: 9105]	A 1010 AR 06-MAY-91 AR		
NOTICE 1				
L MIL-F-45966(1)	FEEDER, AUTOMATIC GUN, M89 AND M89E1 [VALIDATION DATE: 8301]	A 1005 AR 17-DEC-76 AR	OS	
L MIL-P-45969B	POWER SUPPLY, HYDRAULIC AND ELECTRIC, PORTABLE	A 4933 AR 24-AUG-90 AR		
D MIL-L-45973A	LINER MATERIAL, GREASEPROOF [VALIDATION DATE: 8201] USER: MC SA YD1	A 8135 AR 08-JAN-76 AR	OS 69	
REVIEWER: 99 DS EA EC GS MI SM WV				
L MIL-M-45974(1)	MACHINE GUN, 7.62MM: M60E2 (FIXED) [VALIDATION DATE: 9010]	A 1005 AR 12-OCT-90 AR		
NOTICE 1				
L MIL-C-45975B(1)	CANNON, 155MM HOWITZER: M199	A 1025 AR 20-FEB-90 AR		
L MIL-M-45976(1)	MOUNT, GUN, M140, M140A1, M150 AND M150A1	A 1015 AR 08-FEB-82 AR		
D MIL-B-45977B	BINS, CABINETS, SHELVING, AND WORKBENCHES, PACKAGING OF REVIEWER: SM	A PACK AL 01-JUL-90 AL	YD1 99	
L MIL-C-45978A	CANNON, 105MM HOWITZER: M205	A 1015 AR 12-FEB-92 AR		
L MIL-M-45979(1)	RIFLE, 7.62MM, M14, NATIONAL MATCH	A 1005 AR 18-AUG-86 AR	OS	
L MIL-G-45980(1)	GUN, AIR DEFENSE ARTILLERY, 20MM, SELF-PROPELLED, M163A1 [VALIDATION DATE: 8301]	A 2350 AR 17-FEB-77 AR		
L MIL-G-45981(1)	GUN, AIR DEFENSE ARTILLERY, 20MM, TOWED, M167A1 [VALIDATION DATE: 8301]	A 1005 AR 17-FEB-77 AR		
L MIL-L-45983	LUBRICANT, SOLID FILM, HEAT CURED (TEMPERATURE RANGE 125 DEG. TO 250 )51.8 DEG. TO 121 DEG. C) CORROSION INHIBITING [VALIDATION DATE: 8302]	A 9150 AR 31-AUG-76 AR		
REVIEWER: AT AV GS ME MI PS				
L MIL-H-45984B(1)	HOWITZER, MEDIUM, TOWED, 155MM, M198 REVIEWER: MC	A 1025 AR 27-MAR-85 AR		
L MIL-M-45986(3)	MECHANISM, RECOIL, 155MM HOWITZER, M45	A 1025 AR 22-OCT-84 AR		
NOTICE 1				
L MIL-C-45987A(1)	CARRIAGE, 155MM HOWITZER, M39	A 1025 AR 31-JAN-86 AR		
L MIL-L-45990A	LATHE, ENGINE, 13-INCH SWING	A 3416 AL 31-MAR-92 AL		
L MIL-W-45991A	WELDING SHOP, TRAILER MOUNTED	A 3431 AL 28-SEP-89 AL		
A L MIL-W-45992A	WELDING MACHINE, ARC, DIRECT CURRENT (DC), CONSTANT CURRENT (CC), CONSTANT VOLTAGE (CV), 350 AMPERE, DIESEL ENGINE DRIVEN (DED), BASE MOUNTED	A 3431 AL 29-SEP-92 AL		
NOTICE 1	VALIDATION DATE: 92091			
MIL-B-45993A	BEAD BREAKER, PNEUMATIC TIRE, PORTABLE AIR OR AIR OVER HYDRAULIC OPERATED	A 4910 AL 09-JUN-89 AL	99	
USER: ME				
MIL-D-45994	DRILLING MACHINE, RADIAL, FLOOR MOUNTED, 11 INCH X 48 INCH	A 3413 AL 09-JUN-86 AL	84	
D MIL-U-45995	UNDERCUTTER, ARMATURE MICA, ELECTRICALLY OPERATED USER: YD1 REVIEWER: B2 CS SM	A 4940 AL 25-NOV-86 AL	99	
D L MIL-C-45996	CLEANER, STEAM AND HIGH PRESSURE HOT AND COLD WATER JET, TRAILER MOUNTED	A 4940 AL 20-MAR-87 AL		
USER: ME YD1				
D MIL-A-45997	ATTACHMENTS, CUTTING FOR TORCHES, OXYACETYLENE WELDING AND CUTTING	A 3433 AL 03-APR-87 AL	YD1 99	
REVIEWER: 84				
D MIL-H-45998	HANDLE, OXYACETYLENE WELDING AND CUTTING TORCH REVIEWER: 84	A 3433 AL 03-APR-87 AL	YD1 99	
L MIL-L-45999	LATHE, MEDIUM DUTY, BREAK DRUM AND DISC BREAK ROTORS	A 4910 AL 05-AUG-88 AL		
Q MIL-L-46000C	LUBRICANT, SEMI-FLUID (AUTOMATIC WEAPONS) USER: OS PS SA REVIEWER: GS MD	A 9150 AR 25-FEB-87 AR	AS 68	
MIL-H-46001D	HYDRAULIC FLUIDS, PETROLEUM BASE, FOR MACHINE TOOLS USER: MC SM REVIEWER: AV GS IP MD NS OS SM	A 9150 ME 07-DEC-89 ME	SA 68	
L MIL-P-46002B(3)	PRESERVATIVE OIL, CONTACT AND VOLATILE CORROSION-INHIBITED USER: AT	A 9150 ME 20-FEB-86 ME	OS	
REVIEWER: AR GS MD				
OL MIL-G-46003A	GREASE, RIFLE [VALIDATION DATE: 8302] REVIEWER: GS MC ME PS	A 9150 AR 31-DEC-76 AR		
Q MIL-L-46010B(2)	LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING REVIEWER: AL AR AT	A 9150 ME 05-SEP-90 ME	AS 68	
AV GS MD SM				
MIL-L-46014	LUBRICATING OIL, SPINDLE [VALIDATION DATE: 8805] REVIEWER: GS	A 9150 AR 05-MAY-88 AR	68	
NOTICE 1				
L MIL-G-46015B	GASOLINE, AUTOMOTIVE, COMBAT, REFERENCE GRADE USER: TE REVIEWER: AT CE PS	A 9130 ME 28-MAR-83 ME		
L MIL-O-46016	OIL, QUENCHING [VALIDATION DATE: 8805] REVIEWER: AV GS	A 9150 AR 05-MAY-88 AR		
NOTICE 1				
L MIL-L-46017(1)	LUBRICATING OIL, MACHINE TOOL SLIDWAYS [VALIDATION DATE: 8805] REVIEWER: GS ME	A 9150 AR 05-MAY-88 AR		
L MIL-M-46025B	NICKEL BAR, FLAT WIRE (RIBBON) AND STRIP (FOR ELECTRONIC USE) [VALIDATION DATE: 8908] USER: AT ME MI REVIEWER: AR IS	A 9525 MR 11-AUG-89 MR		
L MIL-M-46026A	NICKEL ROD AND WIRE (ROUND) (FOR ELECTRONIC USE) [VALIDATION DATE: 8908] USER: AT REVIEWER: AR EA IS MI	A 9525 MR 11-AUG-89 MR		
A L MIL-A-46027H	ARMOR PLATE, ALUMINUM ALLOY, WELDABLE 5083 AND 5456 USER: AT REVIEWER: AL	A 9535 MR 10-AUG-92 MR		
AR AV IS TE				
MIL-G-46030E	GLUE, ANIMAL (PROTECTIVE COLLOID) [VALIDATION DATE: 9103] REVIEWER: 84 AR	A 8040 MR 29-MAR-91 MR	AS 99	
NOTICE 1				
L MIL-F-46032A	FUNGUS RESISTANT TREATMENT FOR SANDBAGS, COPPER PROCESSES [VALIDATION DATE: 8109] USER: ME MI REVIEWER: EA IS	A 8030 GL 26-NOV-71 GL		
L MIL-T-46035B	TITANIUM ALLOY: HIGH STRENGTH, WROUGHT (FOR CRITICAL COMPONENTS) USER: AR	A FORG MR 31-JAN-89 MR		
REVIEWER: MI				
L MIL-P-46036B	PLASTIC SHEET, RODS, TUBES AND DISCS, POLYCHLOROTRIFLUOROETHYLENE	A 9330 MR 23-FEB-73 MR		
L MIL-S-46047E	STEEL, BARS AND BLANKS (1-3/4 INCHES AND OVER IN DIAMETER) FOR BARRELS OF SMALL ARMS WEAPONS REVIEWER: AR IS WV	A 9510 MR 21-SEP-88 MR		
L MIL-F-46048A	FLOOR PLATE, RAISED PATTERN, MAGNESIUM ALLOY (AZ31B), ROLLED [VALIDATION DATE: 8908] USER: ME MI REVIEWER: IS	A 9535 MR 11-AUG-89 MR		
L MIL-S-46049C	STRIP, METAL, CARBON STEEL, COLD ROLLED, HARDENED AND TEMPERED SPRING	A 9515 MR 06-FEB-87 MR		
D MIL-A-46050C(3)	QUALITY USER: AT OS SM REVIEWER: AV EA IS MI WV	A 8040 MR 27-JUL-88 MR	YD1 11	
ADHESIVES, CYANOACRYLATE, RAPID ROOM-TEMPERATURE CURING, SOLVENTLESS USER: AS MC REVIEWER: 84 AR ER GL MD ME MI				
Q MIL-L-46058C(6)	INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES) USER: AV MC OS SM REVIEWER: 99 AR AS GS MI	A 5970 ER 08-NOV-82 ER	EC 85	
MIL-M-46062C	MAGNESIUM ALLOY CASTINGS, HIGH STRENGTH [VALIDATION DATE: 9102] USER: AL	A MECA MR 22-FEB-91 MR	AS 11	
NOTICE 1	AR OS			
A MIL-A-46063G	ARMOR PLATE, ALUMINUM ALLOY, 7039 USER: SM REVIEWER: 84 99 AR AS AT IS TE	A 9535 MR 30-DEC-92 MR	11	
MIL-L-46064A	LEAD-TIN ALLOY COATING (ELECTRODEPOSITED) [VALIDATION DATE: 8907] REVIEWER: AL AR AT	A MPFP MR 31-JUL-89 MR	SM 11	
D L MIL-B-46066B	BANDS, ROTATING, COPPER ALLOY, CENTRIFUGAL CAST (FOR CRITICAL APPLICATIONS) [VALIDATION DATE: 8810]	A MECA AR 12-OCT-88 AR		
L MIL-P-46067B	PLASTIC EMBEDDING COMPOUND, EPOXY RESIN SYSTEM [VALIDATION DATE: 8601] USER: AT MD ME REVIEWER: GS MI	A 9330 MR 09-FEB-77 MR		
L MIL-S-46070(2)	STEEL BAR FOR PROJECTILE STOCK [VALIDATION DATE: 9101]	A 9510 AR 22-JAN-91 AR		
NOTICE 1				
L MIL-T-46072A	TUBE, ROUND, COPPER ALLOY NUMBERS 330, 331, 332, AND 370 (LEADED BRASS), SEAMLESS [VALIDATION DATE: 8501] USER: ME MI REVIEWER: AR CS EA	A 4710 MR 10-SEP-71 MR		
L MIL-L-46075A	LACQUER, RED (FOR AMMUNITION PRIMERS) [VALIDATION DATE: 8101]	A 8010 MR 29-SEP-71 MR		
MIL-A-46077D	ARMOR PLATE, TITANIUM ALLOY, WELDABLE [VALIDATION DATE: 8306] REVIEWER: AS AT AV IS TE	A 9535 MR 28-APR-78 MR	OS 11	
Q MIL-C-46081A	COATING COMPOUND, THERMAL INSULATING (INTUMESCENT) [VALIDATION DATE: 8301] REVIEWER: MR	A 8010 SH 05-AUG-70 ME	SH	



## NUMERICAL LISTING MILITARY SPECIFICATIONS

293



## NUMERICAL LISTING MILITARY SPECIFICATIONS

294



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Admin Cntr / OMA Code Index	Document Number	Document Title	Dist. Smt. FAC Area	MOA Symbol Preparing Acty.	Date	Custodians Army Navy Air Force DIA
L	MIL-C-46276	CASE, CARTRIDGE, 105MM, XM115 [VALIDATION DATE: 8004]	A 1315	AR	30-AUG-60	AR
L	MIL-C-46277B(2)	CARTRIDGE, 7.62MM; NATO, BALL, M59	A 1305	AR	28-APR-92	AR
L	MIL-P-46279	PRIMER, PERCUSSION, ELECTRIC, M75 LOADING, ASSEMBLING AND PACKING [INCLUDING LOADING OF PERCUSSION-ELECTRIC IGNITION ELEMENT T21E1] [VALIDATION DATE: 9010]	A 1390	AR	31-OCT-90	AR
L	MIL-C-46280E	CARTRIDGE, IGNITION, M56A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705]	A 1315	AR	27-MAY-87	AR
L	MIL-C-46281F	CARTRIDGE, 7.62MM, NATO, TRACER, M62	A 1305	AR	24-NOV-87	AR
L	MIL-D-46282	DETONATOR, STAB, M23 LOADING, ASSEMBLING AND PACKING	A 1375	AR	12-MAY-87	AR
L	MIL-F-46283	FIRING DEVICE, NON-METALLIC, PULL TYPE, T35E1, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8104]	A 1375	AR	19-SEP-60	AR
L	MIL-D-46284	DETONATOR, STAB, M45 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1375	AR	09-MAY-90	AR
L	MIL-D-46285	DETONATOR, STAB, M45 PARTS FOR [VALIDATION DATE: 8504]	A 1375	AR	26-SEP-60	AR
L	MIL-D-46286	DETONATOR, FLASH, M21 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1375	AR	09-MAY-90	AR
L	MIL-D-46288	DETONATOR, M23 PARTS FOR [VALIDATION DATE: 8504]	A 1375	AR	26-SEP-60	AR
L	MIL-W-46291C(3)	WARHEAD, GUIDED MISSILE, HE, M17A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1336	AR	09-MAY-90	AR
L	MIL-P-46292C(1)	PRIMER, PERCUSSION, M18A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR
L	MIL-P-46294B	PRIMER, PERCUSSION, M58, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1390	AR	31-OCT-90	AR
A L	MIL-P-46296C(5)	PRIMER, PERCUSSION, M62 LOADING, ASSEMBLING AND PACKING	A 1390	AR	08-FEB-93	AR
L	MIL-P-46297C	PRIMER, PERCUSSION, M62 METAL PARTS FOR [VALIDATION DATE: 9010]	A 1390	AR	31-OCT-90	AR
L	MIL-F-46298(1)	FIRING DEVICE, PULL RELEASE TYPE, M3 PARTS, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8301]	A 1375	AR	06-MAY-76	AR
L	MIL-D-46299	DETONATOR, STAB, M13, PARTS FOR [VALIDATION DATE: 8504]	A 1375	AR	26-OCT-60	AR
L	MIL-M-46309B(1)	MOUNT, TELESCOPE, M138	A 1240	AR	29-APR-82	AR
L	MIL-M-46310A	MOUNT, TELESCOPE, M137 [VALIDATION DATE: 8805]	A 1240	AR	16-MAY-88	AR
L	MIL-T-46311B(2)	TELESCOPE, PANORAMIC, M115	A 1240	AR	15-FEB-91	AR
L	MIL-M-46312B	MOUNT, TELESCOPE, M146 [VALIDATION DATE: 8504] USER: AT	A 1240	AR	15-AUG-72	AR
L	MIL-T-46313B(4)	TELESCOPE, PANORAMIC, M117 [VALIDATION DATE: 8805]	A 1240	AR	16-MAY-88	AR
L	MIL-M-46314B(2)	MOUNT, TELESCOPE, M145 [VALIDATION DATE: 8807]	A 1240	AR	11-JUL-88	AR
L	MIL-Q-46315C(2)	QUADRANT, FIRE CONTROL-M15 REVIEWER: MC	A 1290	AR	15-OCT-87	AR
L	MIL-T-46316B(3)	TELESCOPE, ELBOW, M118 SERIES AND T176E4	A 1240	AR	03-JUL-84	AR
L	MIL-M-46318A	MOUNT, TELESCOPE, M101 [VALIDATION DATE: 8504]	A 1240	AR	16-FEB-66	AR
OL	MIL-P-46320C(4)	POWER SUPPLY, 10516158 (TRANSISTORIZED) [VALIDATION DATE: 8504]	A 1240	AR	25-JAN-72	AR
L	MIL-P-46322B(1)	PERISCOPE, TANK, XM42 [VALIDATION DATE: 8601] REVIEWER: MC	A 1240	AR	13-FEB-80	AR
L	MIL-M-46323A(2)	MOUNT, TELESCOPE, M99 SERIES [VALIDATION DATE: 8504]	A 1240	AR	21-SEP-72	AR
L	MIL-T-46324D	TELESCOPE, ELBOW, M109 AND 10548042-2 [VALIDATION DATE: 8303]	A 1240	AR	17-FEB-71	AR
L	MIL-M-46325D(3)	MOUNT, TELESCOPE, M128 [VALIDATION DATE: 8101]	A 1240	AR	03-SEP-68	AR
L	MIL-P-46329A(3)	PERISCOPE, TANK, M13, M14A1, M17, M17C, M26, M27, M37, M45, PERISCOPE, 15 DEG. UPLOOK AND PERISCOPE, 20 DEG. UPLOOK	A 1240	AR	04-MAY-90	AR
L	MIL-A-46330	AMPLIFIER, VIDEO, AM81075 A/M [VALIDATION DATE: 8504]	A 1285	AR	15-FEB-62	AR
L	MIL-I-46331	INDICATOR, AZIMUTH RANGE, 1PM289/M [VALIDATION DATE: 8504]	A 1285	AR	15-FEB-62	AR
L	MIL-T-46333A(1)	TELESCOPE, ELBOW, M101 [VALIDATION DATE: 8504]	A 1240	AR	25-SEP-73	AR
L	MIL-B-46334C(1)	BINOCULAR, INFRARED, M18	A 6650	AR	16-AUG-85	AR
L	MIL-T-46335A	TELESCOPE, PANORAMIC, M100, M100C AND M100D [VALIDATION DATE: 8504]	A 1240	AR	27-DEC-71	AR
L	MIL-P-46337B(1)	PERISCOPE, TANK, M35 [VALIDATION DATE: 8504]	A 1240	AR	10-OCT-72	AR
L	MIL-P-46338B(3)	PERISCOPE, TANK, M32 [VALIDATION DATE: 8601] REVIEWER: MC	A 1240	AR	15-OCT-79	AR
L	MIL-T-46342A(1)	TELESCOPE, ELBOW, M101C AND M101D [VALIDATION DATE: 8602]	A 1240	AR	25-SEP-73	AR
L	MIL-C-46344A(3)	COMPUTERS, BALLISTICS, M13A2, M13A1/DEI, AND M13A4	A 1220	AR	28-AUG-90	AR
L	MIL-R-46345A(2)	RANGEFINDER, FIRE CONTROL, M17A1 [VALIDATION DATE: 8301]	A 1240	AR	13-DEC-76	AR
L	MIL-M-46346	HOLDER, TELESCOPE MOUNT, XM5 AND XM6 [VALIDATION DATE: 8002]	A 1240	AR	15-JUN-62	AR
L	MIL-S-46347B(1)	SIGHT, M53 [VALIDATION DATE: 8101]	A 1240	AR	06-JUN-69	AR
L	MIL-T-46353(1)	TRANSMITTER, SUPERELEVATION, -22 [VALIDATION DATE: 8202]	A 1265	AR	31-JUL-63	AR
OL	MIL-M-46354A(2)	HEADREST, OPTICAL INSTRUMENT	A 1240	AR	07-MAY-86	AR
L	MIL-P-46356	PERISCOPE, XM30 AND XM30C [VALIDATION DATE: 8101]	A 1240	AR	18-SEP-62	AR
L	MIL-R-46358A(1)	RANGE FINDER, FIRE CONTROL, XM24 [VALIDATION DATE: 8602]	A 1240	AR	29-JUL-66	AR
L	MIL-M-46363A	MOUNT, PERISCOPE, M113 [VALIDATION DATE: 8202]	A 1240	AR	27-JAN-64	AR
L	MIL-T-46366(4)	TELESCOPE, ELBOW, M82D AND M82F [VALIDATION DATE: 8303]	A 1240	AR	30-OCT-70	AR
L	MIL-B-46367A	BANDOLEER, M2 [VALIDATION DATE: 8603]	A 1305	AR	17-MAR-86	AR
L	MIL-M-46368B(3)	MOUNT, TELESCOPE, M134 [VALIDATION DATE: 8602]	A 1240	AR	28-MAR-74	AR
OL	MIL-C-46369(4)	CONVERTER - REGULATOR, 10553449 [VALIDATION DATE: 8002]	A 1240	AR	07-MAR-68	AR
L	MIL-S-46371(3)	SIGHT, INFINITY, 8635466 [VALIDATION DATE: 8602]	A 1240	AR	24-MAR-72	AR
L	MIL-C-46372A(4)	COLLIMATOR, INFINITY AIMING REFERENCE, M1 [VALIDATION DATE: 8601]	A 1240	AR	14-SEP-80	AR
AQ	MIL-W-46374F(1)	WATCH, WRIST: GENERAL PURPOSE USER: MC REVIEWER: 82 GS	A 6645	AR	07-SEP-92	SH 99
L	MIL-F-46375A(2)	FUZE SETTER SET: M63	A 1290	AR	10-AUG-88	AR
L	MIL-M-46377	MOUNT, ANTIOSCILLATION SIGHT, 10511004 [VALIDATION DATE: 8103]	A 1240	AR	29-APR-63	AP
L	MIL-M-46379A	MOUNT SIGHT, INFINITY REFLEX, 10511780 AND 10553489 [VALIDATION DATE: 8602]	A 1270	AR	03-JUN-68	AR
L	MIL-G-46382	GAGE, SNAP, THREAD ROLL [VALIDATION DATE: 8002]	A 5220	AR	28-JUN-63	OS 99
L	MIL-S-46383B	STRAP, WRIST, INSTRUMENT [VALIDATION DATE: 8301] USER: ME REVIEWER: GS	A 6645	AR	16-SEP-70	SH 99
L	MIL-T-46385A(2)	TELESCOPE, ELBOW, M114 [VALIDATION DATE: 8602]	A 1240	AR	20-APR-73	AR
L	MIL-T-46386A(5)	TELESCOPE, PANORAMIC, M113	A 1240	AR	22-MAR-85	AR
L	MIL-Q-46387A(2)	QUADRANT, FIRE CONTROL, M14	A 1290	AR	08-NOV-88	AR
L	MIL-I-46390	INTERCONNECTING BOX, 8932942 [VALIDATION DATE: 8202]	A 1270	AR	01-OCT-63	AR
L	MIL-R-46391	RANGE FINDER, FIRE CONTROL, M17B1C [VALIDATION DATE: 8202]	A 1240	AR	07-OCT-63	AR
L	MIL-C-46392	CARTRIDGE, REFERENCE, CALIBER .38, SPECIAL, (M41 TYPE) [VALIDATION DATE: 9010]	A 1305	AR	31-OCT-90	AR
L	MIL-C-46395(4)	CATAPULT, AIRCRAFT EJECTION SEAT, M8 ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS 99
L	MIL-C-46396A(3)	CARTRIDGE, CALIBER .50 SPOTTER-TRACER, M48A1 USER: MC	A 1305	AR	21-MAY-87	AR
L	MIL-C-46397C(2)	CARTRIDGE, 5.56MM, REFERENCE	A 1305	AR	11-MAY-92	AR
L	MIL-T-46398(1)	TOOLS FOR THE PRODUCTION OF FIRE CONTROL MATERIEL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8202]	A 1290	AR	20-NOV-69	AR
L	MIL-P-46403D	PRIMER, PERCUSSION, M181A2, METAL PARTS FOR [VALIDATION DATE: 8506]	A 1390	AR	21-DEC-78	AR
L	MIL-D-46404	DETONATOR, STAB, M13 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1375	AR	09-MAY-90	AR
L	MIL-D-46405B	DETONATOR, STAB, M18, PARTS FOR [VALIDATION DATE: 8203]	A 1375	AR	20-FEB-64	AR
L	MIL-D-46406B(1)	DETONATOR, FLASH, M17 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1375	AR	12-MAY-87	AR
L	MIL-C-46409D	CARTRIDGE, CALIBER .38, SPECIAL, BALL, M41	A 1305	AR	10-APR-91	AR
L	MIL-C-46411B(1)	CARTRIDGE, 4.2 INCH, SHOCK, WP, M32B1 W/FUZE, PD, M521, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808]	A 1315	EA	18-AUG-88	EA
L	MIL-P-46412C	PROJECTILE, 155MM, GAS, M121A1 ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 8405]	A 1320	EA	29-JUL-66	EA



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn / OMA Coordination Instructions	Document Number	Document Title	Dist. Start FSC / Ave MCA Symbol	Preparing Act Date	Custodians Army Navy Air Force DLA
L	MIL-B-46413C	BURSTER, PROJECTILE, M71 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 7905]	A 1315	AR 29-JUL-66	AR
L	MIL-I-46414A	INITIATOR, BURSTER, T7, (M13) LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8303]	A 1315	AR 03-MAY-65	AR
L	MIL-B-46415B	BURSTER, PROJECTILE, M35, PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601]	A 1315	AR 05-MAY-66	AR
L	MIL-P-46416A(1) NOTICE 1	PROJECTILE, 25 MILLIMETER, M379 FOR TRAINER MORTAR M32, ASSEMBLY [VALIDATION DATE: 8811]	A 1305	AR 02-NOV-88	AR
L	MIL-P-46420B(2)	PRIMER, PERCUSSION, M57, LOADING, ASSEMBLING, AND PACKING. [VALIDATION DATE: 8601]	A 1390	AR 23-MAY-80	AR
L	MIL-P-46421B NOTICE 1	PRIMER, PERCUSSION, M57, METAL PARTS FOR. [VALIDATION DATE: 8707] .....	A 1390	AR 10-JUL-87	AR
L	MIL-P-46425A NOTICE 1	PRIMER, PERCUSSION, M35 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1375	AR 09-MAY-90	AR
L	MIL-P-46426A NOTICE 1	PROPELLANT, M5, FOR USE IN AND CARTRIDGE, 90MM, HEAT, M371 & M371E1 [VALIDATION DATE: 9005]	A 1375	AR 09-MAY-90	AR
L	MIL-P-46428(2)	PRIMER, ELECTRIC, T104E9, LOADING, ASSEMBLING, AND PACKING (INCLUDING LOADING OF ELECTRIC IGNITION ELEMENT T9E6) [VALIDATION DATE: 8506]	A 1390	AR 15-JUN-82	AR
L	MIL-P-46431C(1) NOTICE 1	PRIMER, ELECTRIC, M86 PARTS FOR .....	A 1390	AR 05-FEB-87	AR
L	MIL-D-46432B(1) NOTICE 1	DETOMATOR, STAB, M18, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803]	A 1375	AR 22-MAR-88	AR
L	MIL-B-46433A NOTICE 1	BOMB, GAS, 500LB POUND, MARK 94 MOD 0, GBBFILLED, WITHOUT FUZE AND BURSTER [VALIDATION DATE: 8608]	A 1325	EA 06-AUG-86	AR AS 99
L	MIL-I-46434C(1) NOTICE 1	IGNITER, ELECTRIC, M59, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8701]	A 1375	AR 30-JAN-87	AR
L	MIL-P-46438A NOTICE 1	PLUG, CLOSING, FOR ARTILLERY AND MORTAR PROJECTILES [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR
L	MIL-P-46439C NOTICE 1	PRIMER, ELECTRIC, M56 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808]	A 1390	AR 22-JUL-88	AR
L	MIL-E-46440D NOTICE 1	ELEMENT, IGNITION, ELECTRIC, M18, PARTS. [VALIDATION DATE: 8506] .....	A 1390	AR 25-JUL-79	AR
L	MIL-R-46448 NOTICE 1	RELAY, M2, LOADING, ASSEMBLING, & PACKING. ....	A 1375	AR 12-MAY-87	AR
L	MIL-R-46449 NOTICE 1	RELAY, M3, LOADING, ASSEMBLING, & PACKING. [VALIDATION DATE: 8705] .....	A 1375	AR 30-DEC-60	AR
L	MIL-R-46450 NOTICE 1	RELAY, M4, LOADING, ASSEMBLING, & PACKING. ....	A 1375	AR 12-MAY-87	AR
L	MIL-R-46451 NOTICE 1	RELAY, M5, LOADING, ASSEMBLING, & PACKING. ....	A 1375	AR 12-MAY-87	AR
L	MIL-R-46453D NOTICE 1	RELAY, M7, PARTS FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1375	AR 09-MAY-90	AR
L	MIL-P-46458F(3)	PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, HEAT-T, M456A1 HEAT-T-MP, M456A1E2 (M456A2) AND TP-T, M490	A 1376	AR 20-MAR-90	AR
L	MIL-D-46462B(1) NOTICE 1	DETOMATOR, STAB, M19A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8812]	A 1375	AR 16-DEC-88	AR
L	MIL-P-46463C(1) NOTICE 1	PRIMER, PERCUSSION, M71A1 PARTS FOR [VALIDATION DATE: 8809] .....	A 1390	AR 01-SEP-88	AR
L	MIL-P-46464A(1) NOTICE 1	PELLET, TETRYL [VALIDATION DATE: 8701] REVIEWER: EA .....	A 1376	AR 30-JAN-87	AR
L	MIL-P-46465A NOTICE 1	PRIMER, PERCUSSION, M35, PARTS FOR. [VALIDATION DATE: 8203] .....	A 1375	AR 18-FEB-64	AR
L	MIL-C-46477B(3)	CARTRIDGE, 7.62MM, NATO, TEST, HIGH PRESSURE, M50 .....	A 1305	AR 28-APR-92	AR
L	MIL-C-46482B(2)	CARTRIDGE, CALIBER .45, BALL, M1911, MATCH GRADE .....	A 1305	AR 16-APR-86	AR
L	MIL-P-46484A	PROPELLANT, M6, FOR USE IN CARTRIDGE, 76MM, HEAT TM496 [VALIDATION DATE: 8504]	A 1376	AR 13-SEP-72	AR
L	MIL-F-46485D	FUZE, BASE DETONATING, M534A1 PARTS-WITH DETONATOR [VALIDATION DATE: 8707]	A 1390	AR 10-JUL-87	AR
L	MIL-D-46486F NOTICE 1	DELAY ELEMENT, M2, PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004]	A 1375	AR 20-APR-90	AR
L	MIL-C-46487	CLEANING, PREPARATION AND ORGANIC COATING OF STEEL CARTRIDGE CASES. [VALIDATION DATE: 8505] REVIEWER: OS	A 1395	AR 06-FEB-61	AR
L	MIL-P-46489C(1) NOTICE 1	PROPELLANT, M30 FOR USE IN CARTRIDGE, 105MM, APDS-T, M392A2 [VALIDATION DATE: 8705]	A 1375	AR 28-MAY-87	AR
L	MIL-P-46490F(1)	PROJECTILE, HEAT-FS, 90MM, M431E1, METAL PARTS ASSEMBLY [VALIDATION DATE: 8301]	A 1315	AR 31-AUG-77	AR
L	MIL-E-46495A(4) NOTICE 1	EXPLOSIVE COMPOSITION MTA-3 .....	A 1375	AR 08-FEB-90	AR
L	MIL-L-46496(1) NOTICE 1	LEAD MONONITRORESORCINATE (LMNR) [VALIDATION DATE: 8804] .....	A 1376	AR 25-APR-88	AR
L	MIL-I-46497A(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M4, M12, M45 AND M49, METAL PARTS ASSEMBLY	A 1377	OS 21-MAY-87	OS
L	MIL-P-46499(1)	PRIMER, PERCUSSION, M78 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506]	A 1390	AR 27-NOV-61	AR
L	MIL-P-46500	PRIMER, PERCUSSION, M78 PARTS FOR [VALIDATION DATE: 8506] .....	A 1390	AR 03-MAR-61	AR
L	MIL-C-46501C NOTICE 1	CHARGE, DEMOLITION, LINEAR, M96 AND M58 LOADING AND ASSEMBLING [VALIDATION DATE: 9004]	A 1375	AR 20-APR-90	AR
L	MIL-B-46506D(5)	BOXES, AMMUNITION PACKING WOOD, WIREBOUND REVIEWER: OS .....	A 8140	AR 18-MAR-91	AR
L	MIL-E-46510A(2) NOTICE 1	EXPLOSIVE HARNESS ASSEMBLY MISSILE ROCKET, XM84, PARTS FOR [VALIDATION DATE: 9005]	A 1336	AR 09-MAY-90	AR
L	MIL-P-46512A(1)	PROJECTILE FOR CARTRIDGE, 81MMILLIMETER MORTAR, SMOKE, M370, WP FILLING ASSEMBLY [VALIDATION DATE: 8006]	A 1315	EA 26-JUN-63	EA OS
L	MIL-C-46513B	CARTRIDGE, 81MM SMOKE, WP, M370, WITH FUZE, PD, M524 (T186E1) FOR 81MM MORTAR, ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 8302]	A 1315	AR 20-NOV-64	AR
L	MIL-B-46514B NOTICE 1	BURSTER, PROJECTILE, M47 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804]	A 1315	AR 19-APR-88	AR
A L	MIL-T-46515 NOTICE 2	TUBE, BURSTER, FOR BURSTER, PROJECTILE, T46E3, INERT .....	A 1315	AR 15-SEP-92	AR
L	MIL-P-46518D	PRIMER, ELECTRIC, M73, PARTS FOR [VALIDATION DATE: 8506] .....	A 1390	AR 25-JUL-79	AR
L	MIL-P-46519D	PRIMER, ELECTRIC, M73, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506]	A 1390	AR 25-JUL-79	AR
L	MIL-I-46520D	IGNITER, PRIMER, ELECTRIC, M74 PARTS FOR [VALIDATION DATE: 8506] .....	A 1390	AR 25-JUL-79	AR
L	MIL-I-46521D(1)	IGNITER, PRIMER, ELECTRIC, M74 LOADING, ASSEMBLING AND PACKING .....	A 1390	AR 11-APR-91	AR
L	MIL-P-46522(1) NOTICE 1	PROPELLANT, M17, FOR USE IN CARTRIDGES, 76MM, AP-T, M339 & 76MM, TP-T, M340A1 [VALIDATION DATE: 8806]	A 1376	AR 13-JUN-88	AR
L	MIL-C-46523B NOTICE 1	CARTRIDGE, 76MM, AP-T, M339 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR
L	MIL-I-46524A(1) NOTICE 1	FIRING KIT, DEMOLITION, ELECTRICAL XM 147E1 [VALIDATION DATE: 8805] .....	A 1375	AR 20-MAY-88	AR
L	MIL-S-46528E(1) NOTICE 1	SIMULATOR, ATOMIC EXPLOSION, M142 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1370	AR 31-OCT-90	AR
L	MIL-P-46530D(1)	PROJECTILE, 20MM, TARGET PRACTICE, M99A1 .....	A 1305	AR 30-JAN-92	AR
L	MIL-C-46535(1)	CASING, BURSTER, T21, ASSEMBLY [VALIDATION DATE: 7905] .....	A 1315	AR 02-OCT-61	AR
L	MIL-C-46540B(1) NOTICE 1	CASE, CARTRIDGE: 20MM, M103 [VALIDATION DATE: 8806] .....	A 1305	AR 06-JUN-88	AR
L	MIL-P-46541	PROJECTILE FOR CARTRIDGE, 105MMILLIMETER, M360, GBBFILLED, WITHOUT FUZE AND BURSTER [VALIDATION DATE: 8006]	A 1315	EA 06-JUN-61	EA
L	MIL-P-46542A(3) NOTICE 1	PRIMER, PERCUSSION, M27, PARTS FOR [VALIDATION DATE: 8803] .....	A 1375	AR 22-MAR-88	AR



## NUMERICAL LISTING MILITARY SPECIFICATIONS

297



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig / Comb Coordination Inches Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
L MIL-T-46632A NOTICE 1	THRUSTER, CARTRIDGE ACTUATED: M2A2 METAL PARTS ASSEMBLY [VALIDATION DATE: 8902]	A 1377 OS 01-FEB-89	OS			
L MIL-D-46634A(1)	DELAY ELEMENT, CARTRIDGE: M5 ASSEMBLY	A 1377 OS 08-MAR-89	OS			
L MIL-C-46635C(1) NOTICE 1	CARTRIDGE, 20MM, HIGH PRESSURE TEST, M54A1 [VALIDATION DATE: 8811]	A 1305 AR 02-1-88	AR			
L MIL-P-46636C NOTICE 1	PROJECTILE, 20MM, HIGH PRESSURE TEST, M54A1 [VALIDATION DATE: 8705]	A 1305 AR 21-MAY-87	AR			
L MIL-P-46642C NOTICE 1	PRIMER, PERCUSSION, M92E1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8809]	A 1390 AR 01-SEP-88	AR			
L MIL-G-46644A	GRENADE, HAND, PRACTICE, M30 W/FUZE M20SA2, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8203]	A 1330 AR 01-JUN-84	AR			
L MIL-W-46646C	WARHEAD SECTION, 762-MILLIMETER ROCKET, CHEMICAL AGENT, M190, WITHOUT FUZE [VALIDATION DATE: 8006]	A 1340 EA 18-AUG-86	EA			
L MIL-D-46647B(1) NOTICE 1	DETOMATOR, STAB, XMS8, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803]	A 1375 AR 22-MAR-88	AR			
L MIL-C-46649A NOTICE 1	CHARGE, PROPELLING, XM85 (WHITE BAG) FOR CARTRIDGE, 105MM, XM482 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1315 AR 15-OCT-90	AR			
L MIL-P-46651B(1) NOTICE 1	PROPELLANT M30E1 FOR USE IN PROPELLING CHARGE M85 AND XM121 FOR 105MM HOWITZER [VALIDATION DATE: 8705]	A 1376 AR 28-MAY-87	AR			
L MIL-C-46652(2) NOTICE 1	COMPOSITION B4 [VALIDATION DATE: 9108] REVIEWER: EA	A 1376 AR 29-AUG-91	AR			
L MIL-D-46653B NOTICE 1	DETOMATOR, M31A1 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004]	A 1375 AR 20-APR-90	AR			
L MIL-A-46655B(2) NOTICE 1	ATTACHMENTS, TOW AND PUSH FOR DEMOLITION KIT, PROJECTED CHARGE, M157 PARTS FOR AND PACKING [VALIDATION DATE: 8812]	A 1375 AR 16-DEC-88	AR			
L MIL-R-46656A(1) NOTICE 2	REMOVER, AIRCRAFT CANOPY, M4 ASSEMBLY [VALIDATION DATE: 9108]	A 1377 OS 14-AUG-91	OS			
L MIL-F-46657D(1) NOTICE 1	FIRING DEVICE, DEMOLITION, PULL TYPE, M1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9005]	A 1375 AR 09-MAY-90	AR			
L MIL-T-46659A(2) NOTICE 1	THRUSTER, CARTRIDGE ACTUATED, M5A3 ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 10-MAR-87	OS			
L MIL-C-46665A(1) NOTICE 1	CARTRIDGE, 105MM, TP-T, M467 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705]	A 1315 AR 27-MAY-87	AR			
L MIL-C-46666B(2)	CARTRIDGE, GRENADE: 7.62MM, NATO, RIFLE, M64	A 1305 AR 11-MAR-91	AR			
L MIL-B-46667A(3)	BURSTER, PROJECTILE, M83 LOADING, ASSEMBLING AND PACKING	A 1320 AR 30-OCT-92	AR			
QL MIL-E-46676A NOTICE 1	EXPLOSIVE, FLEXIBLE [VALIDATION DATE: 8604] REVIEWER: M1	A 1376 AR 08-APR-86	AR	OS	99	
L MIL-P-46678B	PROJECTILE, 8 INCH, GAS, M426 ASSEMBLING, MARKING AND PACKING [VALIDATION DATE: 8603]	A 1320 AR 17-MAR-86	AR			
L MIL-C-46679A(1) NOTICE 1	CHARGE, PROPELLING, DUMMY, M4 [VALIDATION DATE: 8804]	A 1320 AR 18-APR-88	AR			
L MIL-C-46680B	CARTRIDGE, CALIBER .30, MATCH, M72 [VALIDATION DATE: 8603]	A 1305 AR 18-MAR-86	AR			
L MIL-S-46681C(2)	SKID, LAUNCHING, DEMOLITION CHARGE, M3 PARTS AND ASSEMBLY [VALIDATION DATE: 8101]	A 1375 AR 20-MAY-66	AP			
L MIL-T-46682A(1)	THRUSTER, PROPELLANT ACTUATED, XM24 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8505]	A 1375 AR 10-MAY-66	AR			
L MIL-P-46683A(1) NOTICE 1	PROPELLANT, M31(T34), FOR USE IN CHARGE PROPELLING M45, FOR PROJECTILES M356 AND M357, FOR 120MM GUN, M58 [VALIDATION DATE: 8805]	A 1376 AR 05-MAY-88	AR			
L MIL-P-46686C NOTICE 1	PRIMER, PERCUSSION, M92E1 PARTS FOR [VALIDATION DATE: 8809]	A 1390 AR 01-SEP-88	AR			
L MIL-D-46688A(2) NOTICE 1	DEMOLITION KIT, PROJECTED CHARGE, M173, AND PRACTICE, M174 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008]	A 1375 AR 27-AUG-90	AR			
L MIL-C-46689A(3) NOTICE 1	CHARGE PROPELLING, M82 [VALIDATION DATE: 9010]	A 1315 AR 15-OCT-90	AR			
L MIL-G-46690E	GRENADE, HAND-RIFLE, SMOKE, WP, M34 FILLING AND ASSEMBLY	A 1330 EA 23-MAR-76	EA			
L MIL-T-46691A(1) NOTICE 1	THRUSTER, CARTRIDGE ACTUATED, M16 METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 10-MAR-87	OS			
L MIL-T-46692A NOTICE 1	THRUSTER, CARTRIDGE ACTUATED: M16, ASSEMBLY [VALIDATION DATE: 8902]	A 1377 OS 01-FEB-89	OS			
L MIL-G-46693F NOTICE 1	GRENADE, HAND-RIFLE, SMOKE, WP, M34, INERT COMPONENTS [VALIDATION DATE: 8608]	A 1330 EA 19-AUG-86	EA			
A L MIL-C-46694A(6)	CHARGE, PROPELLING, 8 INCH, M1 (GREEN BAG) LOADING, ASSEMBLING AND PACKING	A 1320 AR 07-JUL-82	AR			
M L MIL-C-46695B(4)	CHARGE, PROPELLING, 8 INCH, M2, (WHITE BAG) LOADING, ASSEMBLING AND PACKING	A 1320 AR 12-MAR-93	AR			
L MIL-M-46696D(4) NOTICE 1	MINE, ANTI-PERSONNEL, M16A1, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109]	A 1345 AR 05-SEP-91	AR			
M L MIL-P-46698(1)	PROPELLANT, M1, FOR USE IN CHARGE PROPELLING M1 (GREEN BAG) FOR 8 INCH HOWITZER	A 1375 AR 22-MAR-93	AR			
L MIL-P-46699B(1)	PROPELLANT, M1 FOR USE IN CHARGE PROPELLING M2 (WHITE BAG) FOR 8 INCH HOWITZER	A 1376 AR 11-MAY-84	AR			
D MIL-T-46701F	TRUCK, TILT-FRAME: CONTAINER HANDLING, WITH TILT CAB, DIESEL ENGINE DRIVEN, 51,000 POUNDS GVM, 6X4, COMMERCIAL; INCLUDING DETACHABLE BODIES AND STATIONARY COMPACTORS REVIEWER: MC	A 2320 AT 27-MAR-90	AT	YD1	99	
L MIL-V-46704A(2)	VALVE, RELAY EMERGENCY, BREAKAWAY & AIR BRAKE USER: ME REVIEWER: CS	A 2530 AT 27-JUN-83	AT			
D MIL-T-46705E	TRAILERS, STAKE: WAGON TYPE, 2270 AND 4540 KILOGRAM (5,000 AND 10,000 POUND) CAPACITY, 4-WHEEL, MODIFIED COMMERCIAL REVIEWER: 84 MC	A 2330 AT 19-FEB-93	AT	YD1	99	
A L MIL-M-46709E	HOWITZER, MEDIUM, SELF-PROPELLED: 155-MM, M109A2, M109A3, M109A4, AND M109A5; PROCESSING FOR STORAGE AND SHIPMENT OF USER: MT REVIEWER: AR SM	A PACK AT 12-OCT-92	AT			
L MIL-R-46710B NOTICE 1	RECOVERY VEHICLE, FULL-TRACKED: LIGHT, ARMORED, M578; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202]	A PACK AT 28-FEB-92	AT			
L MIL-R-46711D(1) NOTICE 1	RECOVERY VEHICLE, FULL-TRACKED: LIGHT, ARMORED, M578 [VALIDATION DATE: 8806] REVIEWER: AT	A 2350 AR 06-JUN-88	AR			
L MIL-S-46714C	SEMITRAILER VAN: ELECTRONIC, TACTICAL, 6-TON, 2-WHEEL, M373A2	A 2330 AT 14-AUG-90	AT			
D MIL-E-46717G(1)	ENGINES, GASOLINE: AIR-COOLED, INDUSTRIAL-TYPE, 4-CYCLE, MILITARY-DESIGN USER: AT AV GL MC REVIEWER: SM	A 2805 ME 22-FEB-90	ME	YD1		
L MIL-T-46719B(1)	TRANSMISSION, HYDRAULIC, MODEL 305 MC	A 2520 AT 24-MAY-84	AT			
L MIL-V-46720B	VALVE, SOLENOID	A 2590 AT 19-MAR-86	AT			
L MIL-C-46722A	CHASSIS, TRAILER, 1 TO 5 TON, 4 WHEEL GENERAL PURPOSE	A 2330 BA 28-JUN-86			99	
L MIL-G-46723C NOTICE 2	GUN, SELF-PROPELLED, FULL-TRACKED, 175MM, M107 AND HOWITZER, SELF-PROPELLED, FULL-TRACKED, 8-INCH, M110, M110A1, AND M110A2, PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202] REVIEWER: AR MC SM	A PACK AT 28-FEB-92	AT			
L MIL-V-46725B	VALVE, FOUR-WAY, HYDRAULIC, MANUAL USER: ME REVIEWER: M1	A 2590 AT 29-JUN-87	AT			
L MIL-V-46727C	VALVE, THREE POSITION, FOUR WAY, HYDRAULIC, MANUAL USER: ME REVIEWER: CS	A 2590 AT 10-OCT-86	AT			
L MIL-M-46728C(1)	MIRROR ASSEMBLY, REARVIEW, AUTOMOTIVE, EXTERIOR MOUNTING REVIEWER: CS	A 2540 AT 23-MAR-87	AT			
L MIL-W-46735A(1)	WINCH, DRUM, VEHICLE MOUNTING	A 2590 AT 22-JUL-87	AT			
L MIL-F-46736C	FILTER ELEMENT, INTAKE AIR CLEANER: DRY TYPE	A 2940 AT 12-APR-91	AT			
M L MIL-T-46744E	TRAILERS, MAINTENANCE: 454 AND 910 KILOGRAM (1000 AND 2000 POUND) PAYLOAD, TWO WHEEL, MODIFIED COMMERCIAL	A 2330 AT 30-APR-93	AT			
L MIL-C-46746D(3) NOTICE 1	CARRIER, COMMAND POST, LIGHT TRACKED: M577, M577A1, AND M577A2, PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202]	A PACK AT 28-FEB-92	AT			
D MIL-T-46748H	TRUCKS, REFUSE COLLECTION: WITH FRONT CONTAINER HOIST: 20 200 TO 25 400 KILOGRAMS (44,500 TO 56,000 POUNDS) GVM, 6X4, WITH TILT CAB, MODIFIED COMMERCIAL REVIEWER: 84 MC	A 2320 AT 08-NOV-91	AT	YD1	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Jans MCA Symbol Preparing Acty.	Date	Mtry	Navy	Air Force	Custodians DLA
A L MIL-T-46750D	TRANSMISSION, CROSS DRIVE, HYDRODYNAMIC MODEL XTG411	A 2520	AT 29-JUL-92	AT			
A L MIL-T-46750/1	TRANSMISSION, HYDRAULIC MODEL XTG411-2A	A 2520	AT 29-JUL-92	AT			
A L MIL-T-46750/2	TRANSMISSION, HYDRAULIC MODEL XTG411-4	A 2520	AT 29-JUL-92	AT			
D MIL-S-46752C(2)	SEMITRAILER, TANK, FUEL, 4 WHEEL, MILITARY DESIGN, M131 SERIES USER: YD1 REVIEWER: SM	A 2330	AT 16-FEB-88	AT	MC	99	
L MIL-S-46756D(4)	SEMITRAILERS, VAN: 10 TON, 4-WHEEL SERIES	A 2330	AT 08-FEB-91	AT			
L MIL-R-46762(2)	RUBBER STOCK, UNVULCANIZED, TRACK SHOES, PADS, AND PIN BUSHINGS [VALIDATION DATE: 8308] REVIEWER: CS	A 2530	AT 06-MAR-70	AT			
L MIL-T-46765D	TRUCKS, TANK: SEWAGE AND WASTE DUMP TYPE, 4550 AND 7570 LITER (1200 AND 2000 GALLON), MODIFIED COMMERCIAL	A 2320	AT 07-FEB-92	AT			
A L MIL-T-46768D	TRAILERS, LIVING QUARTERS: SELF-CONTAINED, MODIFIED COMMERCIAL	A 2330	AT 05-NOV-92	AT			
D L MIL-S-46777C	SEMITRAILERS, DUMP, COMMERCIAL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8906] USER: CE MC YD1	A 2330	AT 16-JUN-89	AT			
D L MIL-S-46777/1	SEMITRAILER, DUMP, COMMERCIAL SIZE 10, REFUSE SPECIAL [VALIDATION DATE: 8906] USER: CE MC YD1	A 2330	AT 16-JUN-89	AT			
D L MIL-S-46777/2	SEMITRAILER, DUMP, COMMERCIAL SIZE 12 [VALIDATION DATE: 8906] USER: CE MC YD1	A 2330	AT 16-JUN-89	AT			
D L MIL-S-46777/3	SEMITRAILER, DUMP, COMMERCIAL SIZE 20 [VALIDATION DATE: 8906] USER: CE MC YD1	A 2330	AT 16-JUN-89	AT			
D L MIL-S-46777/4	SEMITRAILER, DUMP, COMMERCIAL SIZE 25 [VALIDATION DATE: 8906] USER: CE MC YD1	A 2330	AT 16-JUN-89	AT			
D L MIL-S-46777/5	SEMITRAILER, HOPPER BOTTOM DUMP, COMMERCIAL SIZE 30 [VALIDATION DATE: 8906] USER: CE MC YD1	A 2330	AT 16-JUN-89	AT			
L MIL-T-46780D(3)	TRUCK, 2 1/2 TON, 6 X 6, MILITARY DESIGN, M44A2 MULTI-FUEL ENGINE SERIES REVIEWER: MC ME	A 2320	AT 14-FEB-85	AT			
D MIL-T-46786B	TANKS, FUEL, ENGINE: GENERAL REQUIREMENTS FOR USER: MC REVIEWER: AT CS	A 2910	ME 26-OCT-90	ME	YD1		
L MIL-B-46789B	BLASTING MACHINE, AUXILIARY FIRING, EMERGENCY	A 2590	AT 23-JAN-91	AT			
D MIL-T-46791D	TRAILERS, CARGO: 500, 2,000 AND 3,000 POUND PAYLOAD, 2 WHEEL, MODIFIED COMMERCIAL REVIEWER: BA MC	A 2330	AT 11-SEP-91	AT	YD1	99	
L MIL-C-46793C	CUPOLA BODY ASSEMBLY FOR ARMORED VEHICLE BRIDGE LAUNCHER, M50A1 AND M48A5 TANK CHASSIS USER: AT	A 5420	ME 24-APR-92	ME			
QL MIL-G-46795F(1)	GENERATING SYSTEM, ALTERNATOR, RECTIFIER 60 OR 25 AMPERES, 28 VOLTS USER: MR REVIEWER: CS	A 2920	AT 19-APR-83	AT			
L MIL-L-46796A	ENGINE, DIESEL, 8-CYLINDER, V-TYPE 390 HP REVIEWER: CS	A 2815	AT 06-JUL-87	AT			
L MIL-T-46797B NOTICE 1	TRUCK, WITH HIGH LIFT DUMP MECHANISM: DUMP, CARGO AND STAKE BODY TYPES, DIESEL AND GASOLINE ENGINE DRIVEN, 24,000 GVW, 4X2, COMMERCIAL [VALIDATION DATE: 8908]	A 2320	AT 28-AUG-89	AT			
L MIL-L-46811B	LUBRICATION OF GROUND HANDLING, LAUNCHING AND CONTROL EQUIPMENT FOR GUIDED MISSILES	A 1440	MI 10-SEP-90	MI			
L MIL-L-46821B(1)	LOADER TRANSPORTER, GUIDED MISSILE, XM501E3 REVIEWER: MI	A 1450	AT 25-APR-85	AT			
L MIL-H-46837B	RACEWAYS, STEEL, RIGID REVIEWER: GS	A 5975	MI 16-JUL-90	MI			
LI MIL-P-46843C NOTICE 2	PRINTED WIRING ASSEMBLIES, PRODUCTION OF USER: AR REVIEWER: ES	A 5999	MI 08-JUL-91	MI			
I MIL-S-46844C NOTICE 1	SOLDER BATH SOLDERING OF PRINTED WIRING ASSEMBLIES USER: AV REVIEWER: 17 AR CR MR OS	A 5010	MI 08-SEP-89	MI	AS	11	
L MIL-R-46846B NOTICE 2	RUBBER, SYNTHETIC, HEAT-SHRINKABLE USER: ME REVIEWER: EA GS MR	A 5970	MI 30-APR-92	MI			
D MIL-M-46849 NOTICE 2	MICROFILMING OF ENGINEERING AND RELATED DOCUMENTS, 16MM REQUIREMENTS FOR [VALIDATION DATE: 8411] REVIEWER: AR AV CR CE ER GL MC OS SA SH SM TM YD1	A 5975	MI 06-MAY-83	MI	AS	10	DM
L MIL-S-46850D(1)	STEEL: BAR, PLATE, SHEET, STRIP, FORGINGS, AND EXTRUSIONS, 18 PERCENT NICKEL ALLOY, MARAGING, 200 KSI, 250 KSI, 300 KSI, AND 350 KSI, HIGH QUALITY USER: OS REVIEWER: AR IS MR	A 9515	MI 22-NOV-91	MI	AS		
L MIL-F-46851B(1)	FAM, GUIDED MISSILE, GROUND SUPPORT EQUIPMENT, GENERAL SPECIFICATION FOR USER: MC REVIEWER: OS	A 1450	MI 03-SEP-87	MI	AS	99	
L MIL-I-46852C(1)	INSULATION TAPE, ELECTRICAL, SELF ADHERING UNSUPPORTED SILICONE RUBBER REVIEWER: 99 GS	A 5970	MI 22-JUN-92	MI		85	
L MIL-H-46855B(2)	HUMAN ENGINEERING REQUIREMENTS FOR MILITARY SYSTEMS, EQUIPMENT & FACILITIES REVIEWER: 19 24 AV GL MD MR MS OS PE SH TD	A 1420	MI 05-APR-84	MI	AS	11	
L MIL-G-46858A NOTICE 1	GUIDANCE AND CONTROL SYSTEMS, MISSILEBORNE, REMOTE CONTROL (COMMAND) GUIDED MISSILES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8712] USER: 15 MC OS REVIEWER: 70	A 1420	MI 28-DEC-87	MI	AS	19	
L MIL-S-46860B NOTICE 1	SOLDERING OF METALLIC RIBBON LEAD MATERIALS TO SOLDER COATED TERMINALS, PROCESS FOR REFLOW USER: AR AV REVIEWER: 17 99 MR OS	A 5010	MI 08-SEP-89	MI	AS	11	
L MIL-M-46861B	MOLDING MATERIAL, GLASS MAT, EPOXY COATED REVIEWER: GS MR	A 9330	MI 13-FEB-91	MI			
L MIL-M-46862B	MOLDING MATERIAL, GLASS, EPOXY IMPREGNATED REVIEWER: GS	A 9330	MI 24-FEB-92	MI			
L MIL-A-46864B	ADHESIVE, EPOXY, MODIFIED, FLEXIBLE, TWO COMPONENT	A 8040	MI 28-MAR-91	MI			
L MIL-I-46865B	INSULATING COMPOUND, ELECTRICAL, EPOXY, COLLOIDAL SILICA FILLED FOR POTTING AND ENCAPSULATION	A 5970	MI 28-JUN-91	MI			
L MIL-W-46870 NOTICE 1	WELDING OF ELECTRONIC CIRCUITRY, PROCESS FOR [VALIDATION DATE: 9009]	A 1430	MI 06-SEP-90	MI			
L MIL-P-46872A	POTTING AND MOLDING OF CABLE ASSEMBLIES, PROCESS FOR USER: AR	A 146P	MI 16-JUL-90	MI			
L MIL-G-46884(1) NOTICE 2	GLASS, METAL SEALING	A 8030	AR 31-MAY-91	AR			
A MIL-G-46886B	GREASE, SILICONE REVIEWER: CD GS PS	A 9150	MI 17-AUG-92	MI	OS		
L MIL-M-46888A	MAGNET MATERIALS, PERMANENT	A 9535	MI 10-DEC-90	MI			
L MIL-S-46889B	STEEL, SPRING, CHROMIUM-NICKEL ALLOY	A 9535	MI 25-JUL-90	MI			
L MIL-S-46897B	SEALING COMPOUND, POLYURETHANE FOAM REVIEWER: MR	A 8030	MI 05-OCT-90	MI			
L MIL-G-46898(1) NOTICE 1	GASKETING, RF AND PRESSURE [VALIDATION DATE: 9009] USER: AR	A 5330	MI 06-SEP-90	MI			
L MIL-P-46900A NOTICE 1	PRIMER, PERCUSSION, M49 PARTS FOR	A 1390	AR 10-JUL-87	AR			
L MIL-P-46901A NOTICE 1	PRIMER, PERCUSSION, M49 LOADING, ASSEMBLING AND PACKING	A 1390	AR 10-JUL-87	AR			
L MIL-R-46903B NOTICE 1	RELAY, EXPLOSIVE, XM10 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9008] REVIEWER: MI	A 1375	AR 27-AUG-90	AR			
L MIL-R-46904B	RELAY, EXPLOSIVE, XM10 PARTS FOR [VALIDATION DATE: 8504] REVIEWER: MI	A 1375	AR 13-AUG-85	AR			
L MIL-G-46905A(2) NOTICE 1	GROMMETS, PLASTIC, FILAMENT WOUND, (FOR SEPARATE LOADED PROJECTILES) [VALIDATION DATE: 8603]	A 8140	AR 19-MAR-86	AR			
L MIL-M-46908D NOTICE 1	HOLDERS, INCREMENT M1A1, M2A1 AND M3 PARTS FOR [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR			
L MIL-C-46907B(8)	CHARGE, PROPELLING, M36A1, BAG LOADING ASSEMBLY FOR	A 1315	AR 03-APR-90	AR			
L MIL-C-46908(3) NOTICE 1	CHARGE, PROPELLING, 155MM, M3, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1320	AR 15-OCT-90	AR			
L MIL-C-46909D	CHARGE, EXPPELLING, FOR PROJECTILE, MC SMOKE, 155 MM, M116A1	A 1320	EA 12-MAY-87	EA			
M L MIL-O-46910C(2)	OBTURATING MECHANISM PARTS FOR	A 1315	AR 23-MAR-93	AR			
L MIL-I-46912(5)	INCREMENT, PROPELLANT, XM90 (M90)	A 1375	AR 19-OCT-90	AR			
L MIL-C-46915	CAP, BLASTING, ELECTRIC, M6 INERT ASSEMBLY [VALIDATION DATE: 8203]	A 1375	AR 10-MAY-83	AR			
L MIL-C-46916C(2)	CAP, BLASTING, NON-ELECTRIC INERT	A 1375	AR 19-APR-91	AR			
L MIL-P-46917B NOTICE 1	PRIMER, PERCUSSION, M34 LOADING, ASSEMBLING AND PACKING	A 1390	AR 10-JUL-87	AR			
L MIL-P-46918A(1) NOTICE 1	PRIMER, PERCUSSION, M34 PARTS FOR [VALIDATION DATE: 8809]	A 1390	AR 01-SEP-88	AR			
L MIL-C-46919A(1) NOTICE 1	CARTRIDGE, ILLUMINATION, M301A2 WITH FUZE, TIME, M84 FOR 81MM MORTARS LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR			
M L MIL-C-46920B(2)	CHARGE, EXPPELLING, FOR CARTRIDGE ILLUMINATING, 4.2 INCH, M335A2	A 1315	AR 23-MAR-93	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification Inactive	Document Number	Document Title	Doc. Num.	Doc. Date	Doc. Type	Doc. Date	Doc. Type	Custodian
								Army Navy Air Force DIA
L	MIL-C-46921	CHARGE, PROPELLING DUMMY, M3 FOR CARTRIDGE TRAINING; 105MM, M14	A 1315	AR	15-OCT-90	AR		
	NOTICE 1	[VALIDATION DATE: 9010]						
L	MIL-C-46923A	CHARGE, PROPELLING, FOR 75MM HOWITZER M2A1 AND M3 [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR		
L	MIL-C-46927A	CARTRIDGE, 90MM, PRACTICE, M371 WITH FUZE, PIBD, M530A1 AND M28 PELLET	A 1315	AR	15-OCT-90	AR		
	NOTICE 1	LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]						
L	MIL-C-46930(1)	CHARGE, PROPELLING, M45 FOR 120MM GUN, M58 LOADING, ASSEMBLING AND PACKING	A 1315	AR	15-OCT-90	AR		
	NOTICE 1	[VALIDATION DATE: 9010]						
L	MIL-C-46931F	CARTRIDGE, 7.62MM, MATO, BALL, M80	A 1305	AR	29-MAR-91	AR		
L	MIL-C-46932A(3)	CARTRIDGE, 7.62MM, MATO, BALL, FRAGIBLE, M160 [VALIDATION DATE: 9010]	A 1305	AR	31-OCT-90	AR		
	NOTICE 1							
A	MIL-C-46933A(8)	CARTRIDGE, 7.62MM, MATO, BLANK, M82	A 1305	AR	29-OCT-92	AR		
L	MIL-C-46934B(6)	CARTRIDGE, 7.62MM, MATO, SPECIAL BALL, M118	A 1305	AR	11-MAR-91	AR		
	NOTICE 1							
L	MIL-C-46935B	CARTRIDGES, COMMERCIAL	A 1305	AR	14-MAY-90	AR		
L	MIL-C-46936B(3)	CARTRIDGE, 5.56MM, TEST, HIGH PRESSURE, M197	A 1305	AR	11-MAY-92	AR		
L	MIL-C-46937B(1)	CARTRIDGE, CALIBER .45, BLANK, M9	A 1305	AR	16-APR-86	AR		
L	MIL-T-46938B	TETRACENE [VALIDATION DATE: 9108]	A 1376	AR	29-AUG-91	AR		
	NOTICE 1							
L	MIL-C-46939	CASE, CARTRIDGE, 90MM, M19 [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR		
	NOTICE 1							
L	MIL-C-46940(4)	CASE, CARTRIDGE, 105MM, M14	A 1315	AR	11-APR-90	AR		
A	MIL-C-46941A	CARTRIDGE, IMPULSE, M46 ASSEMBLY REVIEWER: 70	A 1377	OS	11-FEB-93	OS	99	
L	MIL-C-46942(2)	CATAPIULT, AIRCRAFT EJECTION SEAT, M5A1 ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS		
	NOTICE 2	USER: 11						
L	MIL-C-46943(1)	CATAPIULT, AIRCRAFT EJECTION SEAT, M5A1 METAL PARTS ASSEMBLY	A 1377	OS	28-MAR-89	OS		
	NOTICE 1							
L	MIL-C-46944	CUTTER, POWDER ACTUATED, REEFING LINE, XM23 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN)	A 1377	OS	15-JUL-88	OS		
L	MIL-C-46945(1)	CUTTER, POWER ACTUATED, REEFING LINE, XM23 ASSEMBLY	A 1375	OS	26-SEP-88	OS		
L	MIL-C-46946A(1)	CARTRIDGE, IMPULSE, M43 ASSEMBLY	A 1377	OS	16-OCT-86	OS		
L	MIL-T-46947A(1)	THRUSTER, CARTRIDGE ACTUATED M11 METAL PARTS ASSEMBLY	A 1377	OS	15-JUL-86	OS		
L	MIL-T-46948A(1)	THRUSTER, CARTRIDGE ACTUATED, M11, ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	15-MAR-87	OS		
	NOTICE 1							
L	MIL-C-46956B	CARTRIDGE, 105MM, WP-T, XM416, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8702]	A 1315	EA	23-FEB-87	EA		
	NOTICE 1							
L	MIL-B-46957B	BURSTER, PROJECTILE, M48 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR		
	NOTICE 1							
L	MIL-T-46958A(1)	IGNITER, ROCKET MOTOR, T21E2 PARTS FOR [VALIDATION DATE: 9109]	A 1340	AR	12-SEP-91	AR		
	NOTICE 1							
L	MIL-L-46959B(2)	LUCKY ASSEMBLY, INSULATED, FOR CARTRIDGES 105MM, HEAT-T, M456A1 AND 90MM, HEAT-T, M431A2 PARTS FOR, ASSEMBLING AND PACKING	A 1315	AR	14-JUN-91	AR		
	NOTICE 1							
L	MIL-M-46960D	MINE, ANTIPERSONNEL, M16A2 PARTS FOR [VALIDATION DATE: 8803]	A 1345	AR	22-MAR-88	AR		
	NOTICE 1							
L	MIL-P-46964A	PROJECTILE, 8 INCH, CHEMICAL AGENT GB, M426, WITHOUT FUZE AND BURSTER, FILLING OF [VALIDATION DATE: 8006]	A 1320	EA	06-DEC-65	EA		
L	MIL-C-46965B	CARTRIDGE, 105MM, WP-T, M416, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8702]	A 1315	EA	23-FEB-87	EA		
	NOTICE 1							
L	MIL-B-46966	BURSTER, BOMB, M32 [VALIDATION DATE: 8608]	A 1325	EA	19-AUG-86	EA		
	NOTICE 1							
L	MIL-B-46967	BOMB, GAS, NONPERSISTENT, GB, 750-POUND MC-1, INERT COMPONENTS FOR [VALIDATION DATE: 8006]	A 1325	EA	27-DEC-63	EA		
L	MIL-B-46968	BOMB, GAS, NONPERSISTENT, GB, 750-POUND, (WITHOUT FUZE AND BURSTER) MC-1, FILLING ASSEMBLY AND MARKING [VALIDATION DATE: 8608]	A 1325	EA	19-AUG-86	EA		
	NOTICE 1							
L	MIL-C-46971	CASTING, PEARLITIC MALLEABLE IRON FOR ARTILLERY AND MORTAR AMMUNITION [VALIDATION DATE: 8803]	A 1395	AR	22-MAR-88	AR		
	NOTICE 1							
L	MIL-C-46982B(2)	CARTRIDGE, 4.2 INCH, HE, M329A1 WITH SUPPLEMENTARY CHARGE, WITH FUZE PD, M557, LOADING, ASSEMBLING AND PACKING	A 1315	AR	19-NOV-82	AR		
	NOTICE 1							
L	MIL-M-46984D	MINE, CHEMICAL AGENT, VX, M23 [VALIDATION DATE: 8006]	A 1345	EA	30-JUN-69	EA		
L	MIL-M-46985D	MINE, CHEMICAL AGENT, VX, M23, INERT COMPONENTS [VALIDATION DATE: 8112]	A 1345	EA	02-JUL-69	EA		
L	MIL-P-46987B	PROJECTILE, 8 INCH, CHEMICAL AGENT VX, M426, WITHOUT FUZE AND BURSTER, FILLING OF [VALIDATION DATE: 8006]	A 1320	EA	13-DEC-65	EA		
	NOTICE 1							
L	MIL-C-46988C(4)	CARTRIDGE, 105MM, TP-T, M490 LOADING, ASSEMBLING AND PACKING	A 1315	AR	27-JUN-88	AR		
L	MIL-S-46989A	SLEEVE, ENCASMENT, NYLON, KNITTED [VALIDATION DATE: 8203]	A 1375	AR	18-DEC-63	AR		
L	MIL-P-46990	PROPELLANT, M1 FOR USE IN CHARGE PROPELLING FOR 75MM HOWITZER M1A1 AND M3 [VALIDATION DATE: 8805]	A 1376	AR	05-MAY-88	AR		
	NOTICE 1							
L	MIL-C-46992B	CUTTER, DELAY, PROPELLANT ACTUATED, M21 (2 SEC) & M22 (10 SEC) [VALIDATION DATE: 8606]	A 1377	OS	30-JUN-86	OS		
	NOTICE 1							
L	MIL-P-46993	PROPELLANT M26 (T28) FOR USE IN INCREMENT XM90E1 FOR 81MM MORTAR [VALIDATION DATE: 8303]	A 1376	AR	15-NOV-63	AR		
L	MIL-P-46994B(3)	PELLETS/GRAMULES BORON/POTASSIUM NITRATE	A 1375	AR	23-SEP-88	AR		
L	MIL-C-46995C(3)	CARTRIDGE, 81MM, HE, M374 LOADING, ASSEMBLING AND PACKING	A 1315	AR	30-JAN-92	AR		
L	MIL-P-46999B	PROPELLANT M30 FOR USE IN CARTRIDGES, TP-T M353A1 AND AP-T M318A1E1 FOR 90MM GUNS [VALIDATION DATE: 8705]	A 1376	AR	28-MAY-87	AR		
	NOTICE 1							
L	MIL-C-47002A	COATING, POLYURETHANE, SINGLE COMPONENT SYSTEM REVIEWER: GS	A 5970	M1	24-MAY-91	M1		
L	MIL-R-47004	RESIN, EPOXY BASE, THIXOTROPIC [VALIDATION DATE: 9009] REVIEWER: GS	A 5970	M1	05-SEP-90	M1		
	NOTICE 1							
L	MIL-P-47005	PASTE, COLOR CONCENTRATE, EPOXY RESIN BASE [VALIDATION DATE: 9009]	A 5970	M1	06-SEP-90	M1		
	NOTICE 1	REVIEWER: GS						
L	MIL-C-47009B	COMPOUND, SILICONE, HEAT SINK USER: AR REVIEWER: GS	A 6850	M1	30-JUN-89	M1		
L	MIL-T-47012A(1)	TAPE, PRESSURE-SENSITIVE ADHESIVE, COPPER FOIL	A 8030	M1	05-NOV-90	M1		
L	MIL-T-47014(1)	TAPE, ALUMINUM FOIL, PRESSURE-SENSITIVE, HEAT REFLECTIVE	A 8030	AR	19-JUN-87	AR		
L	MIL-T-47023	TAPE, HEAT SHRINKABLE [VALIDATION DATE: 9011] REVIEWER: GS MR	A 9320	M1	05-NOV-90	M1		
	NOTICE 1							
L	MIL-R-47025A	RESIN, CASTING, FIRE RETARDANT, EPOXY BASE REVIEWER: GS	A 9330	M1	05-MAR-91	M1		
L	MIL-G-47032A	GLASS, POTASH SODA BARIUM, LEAD-FREE COMPRESSION SEALING	A 9340	M1	31-JUL-90	M1		
L	MIL-G-47033A(1)	GLASS, BOROSILICATE USER: AR REVIEWER: GS	A 9340	M1	02-JUL-90	M1		
L	MIL-G-47035A	GLASS, BARIUM, SODA, POTASH REVIEWER: GS	A 9340	M1	27-SEP-91	M1		
L	MIL-N-47037	NICKEL ALLOY, HIGH PERMEABILITY, SHIELDING GRADE [VALIDATION DATE: 9202]	A 9535	M1	10-FEB-92	M1		
	NOTICE 2							
L	MIL-C-47044	COATING, CONFORMAL OF WELDED MODULES, PROCESS REQUIREMENTS FOR (INACTIVE FOR NEW DESIGN)	A 146P	M1	17-APR-86	M1		
	NOTICE 1							
L	MIL-T-47045	TYING, LACING AND TYING, TETRAFLUOROETHYLENE (FOR USE IN ELECTRICAL AND ELECTRONIC EQUIPMENT) (INACTIVE FOR NEW DESIGN)	A 4020	M1	17-APR-86	M1		
	NOTICE 1							
L	MIL-T-47049	INSULATION TUBING, SILICONE RUBBER, HEAT SHRINKABLE [VALIDATION DATE: 9009] REVIEWER: GS	A 5970	M1	06-SEP-90	M1		
	NOTICE 1							
L	MIL-T-47051A	TUBING, HEAT SHRINKABLE REVIEWER: GS	A 5970	M1	22-FEB-91	M1		
L	MIL-T-47052(1)	TAPE, EPOXY-GLASS CLOTH, THERMOSETTING, PRESSURE SENSITIVE ADHESIVE [VALIDATION DATE: 9009] REVIEWER: GS	A 5970	M1	06-SEP-90	M1		
	NOTICE 1							
L	MIL-S-47053A(1)	SLEEVING, TEXTILE, BRAIDED, POLYAMIDE	A 5970	M1	07-OCT-91	M1		
L	MIL-Q-47057A	QUARTZ, FUSED, OPTICAL GRADE	A 6650	M1	16-JUL-90	M1		
L	MIL-L-47058A	LITHIUM CHLORIDE, PURIFIED GRADE REVIEWER: GS	A 6810	M1	28-FEB-91	M1		
L	MIL-A-47059	ACETYL TRIETHYL CITRATE REVIEWER: GS	A 6810	AR	14-APR-85	AR		
L	MIL-N-47061	N-PHENYLMORPHOLINE [VALIDATION DATE: 7906]	A 6810	OS	10-MAY-74	OS		
L	MIL-A-47062	AMINO PROPYL ALKYL AMINE [VALIDATION DATE: 9009] REVIEWER: GS	A 6810	M1	06-SEP-90	M1		
	NOTICE 1							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active OR / ONL Coordination Inactive	Document Number	Document Title	Doc Smt	FSC / Area	MCA Symbol	Preparing Date	Army Navy Air Force DIA	Custodians
L	MIL-T-47063A	TRIETHYL CITRATE REVIEWER: GS	A	6810	NI	14-JUN-91	NI	
L	MIL-T-47064A	TETRAETHYLENEPENTAMINE REVIEWER: GS	A	6810	NI	30-SEP-91	NI	
L	MIL-P-47067 NOTICE 3	2, 4-PENTAMEDIONE [VALIDATION DATE: 9202]	A	6810	NI	12-FEB-92	NI	
L	MIL-C-47069B	COATING, ELECTRICALLY CONDUCTIVE, AIR-DRYING	A	8030	NI	05-JUN-91	NI	
A LI	MIL-A-47073(1) NOTICE 3	ADHESIVE, PLASTIC RESIN	A	8040	OS	20-MAY-92	NI	OS
L	MIL-P-47075	PLASTIC, SHEET, POLYOLEFIN, SPUNBONDED	A	8135	NI	03-APR-85	NI	
L	MIL-F-47076A	FILM, POLYETHYLENE TEREPHTHALATE, METALLIZED	A	8135	NI	24-SEP-90	NI	
L	MIL-N-47084A	MORTAR, SODIUM SILICATE, HEAT RESISTANT REVIEWER: GS	A	9350	NI	30-OCT-90	NI	
L	MIL-W-47087 NOTICE 1	WIRE, MOLYBDENUM, PLATINUM CLAD [VALIDATION DATE: 9009]	A	9525	NI	06-SEP-90	NI	
L	MIL-L-47088 NOTICE 1	LAMINATE, ALUMINUM FOIL - POLYETHYLENE TEREPHTHALATE [VALIDATION DATE: 9009]	A	9535	NI	06-SEP-90	NI	
A L	MIL-W-47091A	WELDING, ARC AND GAS; FOR FABRICATING GROUND EQUIPMENT FOR ROCKETS AND GUIDED MISSILES	A	THJM	NI	30-JUN-92	NI	
L	MIL-P-47099A NOTICE 1	POLYURETHANE FOAM, POLYETHER TYPE, RIGID, FOR PACKAGING AND ENCAPSULATION OF ELECTRONIC COMPONENTS [VALIDATION DATE: 9009] REVIEWER: GS	A	5970	NI	06-SEP-90	NI	
L	MIL-I-47100 NOTICE 3	INSULATION SLEEVING, FLEXIBLE, BRAIDED, 200 DEGREES CELSIUS (HIGH TEMPERATURE POLYAMIDE) [VALIDATION DATE: 9203]	A	5970	NI	25-MAR-92	NI	
L	MIL-C-47116A NOTICE 2	COATING, EPOXY/AMINE	A	8010	NI	09-APR-91	NI	
L	MIL-S-47129A NOTICE 1	SILICON DIOXIDE, MICROFINE [VALIDATION DATE: 9009] REVIEWER: GS MR	A	9620	NI	24-SEP-90	NI	
L	MIL-P-47170A	PRIMER, SILICONE RUBBER SEALANT	A	8040	NI	30-MAR-92	NI	
L	MIL-C-47175A(1) NOTICE 1	COMPOUND, POLYURETHANE, FOR CONFORMAL COATING OF ELECTRONIC CIRCUITRY [VALIDATION DATE: 9010] REVIEWER: GS	A	9330	NI	04-OCT-90	NI	
L	MIL-P-47184A	PLATING, NICKEL-TUNGSTEN, ELECTRODEPOSITION ON ALUMINUM ALLOYS, BY SELECTIVE (BRUSH) METHOD	A	MF-P	NI	12-DEC-90	NI	
L	MIL-R-47195A NOTICE 1	RIVETS, BLIND, SELF-PLUGGING PREPARATION FOR AND INSTALLATION OF [VALIDATION DATE: 9010]	A	5320	NI	05-OCT-90	NI	
L	MIL-R-47196A(1) NOTICE 1	RIVETS, BUCK TYPE, PREPARATION FOR AND INSTALLATION OF [VALIDATION DATE: 8606]	A	5320	NI	13-SEP-77	NI	
L	MIL-C-47197B(1) NOTICE 2	GASKET, SHIELDING, ELECTRONIC-ORIENTED WIRES EMBEDDED IN SILICONE RUBBER, PRESSURE SEAL	A	5999	NI	30-SEP-91	NI	
L	MIL-K-47211A(1)	RUBBER, SILICONE, ROOM TEMPERATURE CURING REVIEWER: GS	A	9320	NI	01-AUG-90	NI	
A L	MIL-P-47215B	PRIMER, ABLATIVE RESISTANT COATING	A	8030	NI	09-DEC-92	NI	
L	MIL-C-47219A	GREASE, LUBRICATING, HALOGENATED REVIEWER: GS	A	9150	11	03-APR-86	ME	AS 11
L	MIL-C-47220B	COOLANT FLUID, DIELECTRIC REVIEWER: GS	A	9160	11	14-MAY-85	NI	AS 11
A L	MIL-C-47224B	COMPOUND, MOLDING, TRANSFER, EPOXY RESIN, SINGLE COMPONENT REVIEWER: GS	A	9330	NI	04-JAN-93	NI	
L	MIL-D-47225	DISC, PLASTIC, POLYETHYLENE TEREPHTHALATE, PRESSURE SENSITIVE, ADHESIVE COATED [VALIDATION DATE: 8303] REVIEWER: GS MR	A	9330	AR	12-JUL-74	AR	
L	MIL-P-47226A	PLATING, COPPER, ELECTROLESS (FOR NON-CONDUCTING MATERIAL)	A	956P	NI	30-MAR-92	NI	
L	MIL-E-47231	ELECTRICAL COMPONENTS, POTTING OF [VALIDATION DATE: 7912]	A	146P	AR	26-JUL-74	NI	
L	MIL-C-47238A	CABLE, ELECTRICAL, SHIELDED AND JACKETED, SPECIAL PURPOSE USER: AR	A	6145	NI	29-MAY-87	NI	
L	MIL-A-47240B	AMMONIUM NITRATE (UNCOATED)	A	6810	NI	27-JUL-90	NI	
L	MIL-C-47244A	COATING, ABLATIVE RESISTANT	A	8030	NI	30-OCT-90	NI	
L	MIL-C-47246A	COATINGS, ABLATIVE, APPLICATION OF	A	8030	NI	26-NOV-90	NI	
L	MIL-T-47248A	TAPE, PLASTIC, HEAT-SEALING, PERFORATED	A	8135	NI	13-FEB-91	NI	
A L	MIL-F-47249A	FILM, POLYAMIDE	A	8135	NI	29-JUN-92	NI	
L	MIL-C-47257C	COMPOUND, EPOXY, FILAMENT WINDING REVIEWER: GS MR	A	CMPS	NI	25-MAR-91	NI	
A L	MIL-C-47269A	CASTINGS, INSPECTION OF (FOR GUIDED MISSILE AND ROCKET MATERIEL)	A	1420	NI	14-DEC-92	NI	
L	MIL-P-47276B	PRIMER, BONDING	A	8040	NI	25-SEP-91	NI	
L	MIL-A-47280	ADHESIVES, EPOXY [VALIDATION DATE: 8303] REVIEWER: MR	A	8040	AR	09-AUG-74	AR	
L	MIL-A-47284A	ADHESIVE, EPOXY RESIN BASE	A	8040	NI	24-SEP-91	NI	
L	MIL-T-47287A	TUBE, SPIRAL WRAP, POLYTETRAFLUOROETHYLENE AND POLYAMIDE REVIEWER: GS MR	A	9330	AR	25-SEP-80	AR	
L	MIL-F-47299A NOTICE 2	FAIRING, FRANGIBLE, AIRBORNE ROCKET LAUNCHER FOR 2.75 INCH ROCKET SYSTEM [VALIDATION DATE: 8604]	A	1340	NI	18-APR-86	NI	
A L	MIL-T-47302B	TEST SET, ELECTRICAL, MK III	A	4927	NI	30-SEP-92	NI	
A L	MIL-T-47303A	TEST SET, ELECTRICAL, MK IV	A	4927	NI	30-SEP-92	NI	
L	MIL-C-47304A	CHAMBER, CALIBRATION	A	6636	NI	26-OCT-90	NI	
L	MIL-V-47306B	VALVE, STOP-LIFT-CHECK	A	4820	NI	25-MAR-91	NI	
L	MIL-V-47308A	VALVE, SERVO, HYDRAULIC FLOW CONTROL	A	4810	NI	18-OCT-91	NI	
L	MIL-A-47309A	AMPLIFIER, PNEUMATIC	A	4931	NI	18-OCT-91	NI	
L	MIL-A-47310	ADHESIVE SYSTEM, ADHESIVE AND PRIMER, FOR BONDING ETHYLENE-PROPYLENE RUBBER TO METAL [VALIDATION DATE: 9103]	A	8040	NI	31-MAR-91	NI	
L	MIL-V-47311	VALVE, PNEUMATIC EXHAUST	A	4820	NI	29-DEC-89	NI	
A L	MIL-A-47312A	ACTUATOR, HYDRAULIC	A	1420	NI	16-DEC-92	NI	
L	MIL-S-47314	SWITCH, MOMENTARY, ACCELERATION-SENSITIVE	A	5930	NI	31-JAN-90	NI	
L	MIL-A-47315A	ADHESIVE, POLYURETHANE	A	8040	NI	27-SEP-91	NI	
L	MIL-G-47316A	GRAPHITE, MOLDED, FOR HIGH TEMPERATURE APPLICATIONS	A	9390	NI	26-MAY-92	NI	
L	MIL-A-47318A	ADHESIVE, COPOLYMER POLYURETHANE	A	8040	NI	15-OCT-90	NI	
L	MIL-S-47319A	STEEL, BAR, BILLET AND FORGINGS COBALT-FREE MARAGING	A	9515	NI	26-NOV-90	NI	
L	MIL-V-47320A	VALVE, FLUID INJECTION, SOLENOID OPERATED REVIEWER: CS	A	4810	NI	14-DEC-90	NI	
L	MIL-R-47321(1)	REGULATOR, PRESSURE, WATER PUMPED NITROGEN REVIEWER: CS	A	4820	NI	02-AUG-90	NI	
L	MIL-T-47325	TAPE, PRESSURE-SENSITIVE ADHESIVE, ELECTRICAL INSULATION REVIEWER: 82 CI ER MD	A	5970	NI	13-OCT-89	NI	
L	MIL-T-47326	TAPE, PRESSURE-SENSITIVE ADHESIVE, ALUMINUM-BACKED, ELECTRICALLY CONDUCTIVE	A	5999	NI	05-JAN-90	NI	
LI	MIL-T-47500 SUPPL 1A1, NOTICE 1	TECHNICAL DATA PACKAGE, GENERAL SPECIFICATION FOR REVIEWER: AR AT AV CE CR GL MR SM	A	CMAN	NI	23-OCT-91	NI	
LI	MIL-T-47500/1 NOTICE 1	TECHNICAL DATA PACKAGES, DRAWINGS, DESIGN REVIEWER: AR AT AV CE CR GL ME SM	A	CMAN	NI	23-OCT-91	NI	
LI	MIL-T-47500/2 NOTICE 1	TECHNICAL DATA PACKAGES DRAWINGS, PRODUCT REVIEWER: AR AT AV CE CR GL ME SM	A	CMAN	NI	23-OCT-91	NI	
LI	MIL-T-47500/3 NOTICE 1	TECHNICAL DATA PACKAGES DRAWINGS, COMMERCIAL REVIEWER: AR AT AV CE CR GL ME SM	A	CMAN	NI	23-OCT-91	NI	
LI	MIL-T-47500/4 NOTICE 1	TECHNICAL DATA PACKAGES DRAWINGS, SPECIAL TEST EQUIPMENT (STE), SPECIAL INSPECTION EQUIPMENT (SIE), AND SPECIAL TOOLING REVIEWER: AR AT AV CE CR GL ME SM	A	CMAN	NI	23-OCT-91	NI	
LI	MIL-T-47500/5 NOTICE 1	TECHNICAL DATA PACKAGES SPECIFICATION, TYPES AND FORMS REVIEWER: AR AT AV CE CR GL ME SM	A	CMAN	NI	23-OCT-91	NI	
LI	MIL-T-47500/6 NOTICE 1	TECHNICAL DATA PACKAGES QUALITY ASSURANCE PROVISIONS REVIEWER: AR AT AV CE CR GL ME	A	CMAN	NI	23-OCT-91	NI	
L	MIL-P-48005 NOTICE 1	PACKING, PREFORMED [VALIDATION DATE: 9108]	A	NUOR	AR	20-AUG-91	AR	
L	MIL-C-48009(1) NOTICE 1	CHARGE, PROPELLING, 155MM, XM197 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603]	A	1145	AR	10-MAR-86	AR	
L	MIL-P-48011 NOTICE 2	PACKING, PREFORMED [VALIDATION DATE: 9108]	A	1110	AR	20-AUG-91	AR	
L	MIL-S-48015 NOTICE 2	STRAP ASSEMBLY [VALIDATION DATE: 9108]	A	1125	AR	20-AUG-91	AR	
L	MIL-D-48016(1) NOTICE 1	DASHPOT ASSEMBLY ATOMIC WEAPON [VALIDATION DATE: 8603]	A	1110	AR	10-MAR-86	AR	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OAL Coordination Inches	Document Number	Document Title	Dist. Smt. FSC / Ans MCS Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-C-48018	CONNECTOR, ELECTRICAL [VALIDATION DATE: 9108] .....	A 1110	AR	20-AUG-91	AR			
L	NOTICE 2								
L	MIL-C-48019	CONNECTOR, ELECTRICAL [VALIDATION DATE: 9108] .....	A 1110	AR	20-AUG-91	AR			
L	NOTICE 2								
L	MIL-B-48024(5)	BOXES, AMMUNITION PACKING: WOOD, (W/PLYWOOD TOP AND BOTTOM) MAILED .....	A 8140	AR	18-MAR-91	AR			
L	MIL-D-48025A(2)	DETONATOR, STAB, M99 PARTS FOR AND LOADING, ASSEMBLING AND PACKING .....	A 1375	AR	09-APR-92	AR			
L	MIL-A-48027A(1)	ADAPTER BOOSTER, BOMB, NOSE, THERMALLY PROTECTED, M148E1, LOADING, ASSEMBLING AND PACKING .....	A 1325	AS	23-OCT-87		AS		
L	MIL-A-48028A	ADAPTER BOOSTER, BOMB, NOSE, M148E1 PARTS FOR [VALIDATION DATE: 8704] .....	A 1325	AS	30-JUN-75		AS		
L	NOTICE 1								
L	MIL-R-48032	RING LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE, 105MM, HEAT-T: M456A1E1 [VALIDATION DATE: 8705] .....	A 1315	AR	27-MAY-87	AR			
L	NOTICE 1								
L	MIL-F-48033	FUZE, POINT INITIATING, BASE DETONATING M539, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506] .....	A 1390	AR	22-FEB-72	AR			
L	MIL-C-48038	CALCIUM CHROMATE, TECHNICAL [VALIDATION DATE: 8907] REVIEWER: GS .....	A 6810	AR	13-JUL-89	AR			
L	MIL-P-48043A(4)	PROJECTILE, 155MM, ILLUMINATING M485A2, METAL PARTS ASSEMBLY .....	A 1320	AR	20-APR-90	AR			
L	MIL-C-48044	CARTRIDGE, 40MM, PROOF, XM387E4 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8101] .....	A 1310	AR	28-JAN-72	AR			
L	MIL-C-48045	CARTRIDGE, 40MM, PROOF, XM387E4; BODY ASSEMBLY AND OGIVE FOR METAL PARTS [VALIDATION DATE: 9005] .....	A 1310	AR	09-MAY-90	AR			
L	NOTICE 1								
L	MIL-D-48046A	DETONATOR, STAB, XM91 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8504] .....	A 1375	AR	16-AUG-73	AR			
L	MIL-G-48047B(3)	GRENADE, GP, M46 BODY ASSEMBLY, TYPE CA, FOR .....	A 1330	AR	31-MAR-88	AR			
L	MIL-F-48048C	FLEXIBLE CABLE ASSEMBLY FOR M247 HEAT WARHEAD, ASSEMBLY AND PACKING [VALIDATION DATE: 8804] .....	A 1340	AR	18-APR-88	AR			
L	NOTICE 1								
L	MIL-P-48051A	PROPELLANT M10 FOR USE IN CARTRIDGES, FOR 57MM RIFLE, M18 AND M18A1 [VALIDATION DATE: 8101] .....	A 1375	AR	04-JUN-75	AR			
L	MIL-C-48052	CONTAINER, M473 AND M473A1, CLIP, DRAW-IN, FOR [VALIDATION DATE: 8504] .....	A 8140	AR	25-FEB-72	AR			
L	MIL-B-48056(1)	BARRIER MATERIAL, FLEXIBLE, WATERVAPOORPROOF, PUNCTURE-RESISTANT, HEAT SEALABLE FOR PACKAGING AMMUNITION [VALIDATION DATE: 8505] USER: GL .....	A 8135	AR	31-MAR-72	AR			
L	MIL-F-48057B(7)	FUZE, ROCKET, P180, M438 SUB-ASSEMBLY WITH DETONATOR .....	A 1340	AR	19-DEC-84	AR			
L	MIL-P-48058	PROPELLANT M6 FOR USE IN CARTRIDGE 105MM, HEAT-T, M327 [VALIDATION DATE: 8504] .....	A 1375	AR	18-APR-72	AR			
L	MIL-C-48059	CHARGE, PROPELLING, FOR CARTRIDGE, 105MM, HEAT-T, M327 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010] .....	A 1320	AR	15-OCT-90	AR			
L	NOTICE 1								
L	MIL-C-48060	CARTRIDGE, 105MM, HE, M444E1, FUSIBLE PLUG ASSEMBLY FOR [VALIDATION DATE: 8603] .....	A 1315	AR	17-MAR-86	AR			
L	NOTICE 1								
L	MIL-C-48061	CELLULOSE NITRATE, PLASTIC SHEETS [VALIDATION DATE: 9108] .....	A 1376	AR	29-AUG-91	AR			
L	NOTICE 1								
M	MIL-G-48062C(5)	GRENADE, HE, G.P., M46 LOADING AND ASSEMBLING .....	A 1330	AR	12-APR-93	AR			
L	MIL-L-48063A	LAUNCHER, ROCKET, LAU 688/A SHIPPING ASSEMBLY [VALIDATION DATE: 8109] .....	A 1340	AS	17-AUG-73		AS		
L	MIL-F-48065B(1)	FUZE, ROCKET, P180, M438 LOADING .....	A 1340	AR	01-SEP-83	AR			
L	MIL-L-48066B	LEAD, MULTI-PURPOSE PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8301] .....	A 1375	AR	01-APR-77	AR			
L	MIL-F-48067	FUZE, ROCKET, POINT DETONATING SQ AND DELAY, M440 LOADING, ASSEMBLING AND PACKING .....	A 1340	AR	10-APR-87	AR			
L	NOTICE 1								
L	MIL-C-48069(3)	CARTRIDGE, 40MM, HIGH VELOCITY, DUMMY ASSEMBLING AND PACKING .....	A 1310	AR	07-JUN-91	AR			
L	MIL-C-48070	CASE, CARTRIDGE ASSEMBLY, 40MM, M169, INERT METAL PARTS FOR [VALIDATION DATE: 9005] .....	A 1310	AR	09-MAY-90	AR			
L	NOTICE 1								
L	MIL-C-48072	CAP, WINDSHIELD ASSEMBLY, METAL PARTS ASSEMBLY [VALIDATION DATE: 9010] .....	A 1320	AR	15-OCT-90	AR			
L	NOTICE 1								
L	MIL-F-48076A	FIN ASSEMBLY, M158 [VALIDATION DATE: 9010] .....	A 1315	AR	15-OCT-90	AR			
L	NOTICE 1								
L	MIL-P-48077	PRIMER, M104, PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808] .....	A 1390	AR	22-AUG-88	AR			
L	NOTICE 1								
L	MIL-A-48078A	AMMUNITION, STANDARD QUALITY ASSURANCE PROVISIONS, GENERAL SPECIFICATION FOR .....	A 1395	AR	16-DEC-88	AR			
L	MIL-C-48081	CHARGE, PROPELLING, 175MM, M199 [VALIDATION DATE: 8504] .....	A 1320	AR	02-OCT-72	AR			
L	MIL-C-48082B(2)	CARTRIDGE, 40MM, MEDP, M433; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING .....	A 1310	AR	01-FEB-90	AR			
L	MIL-C-48083A	CONTAINER, CARTRIDGE FOR 4.2 INCH AMMUNITION [VALIDATION DATE: 9010] .....	A 1315	AR	15-OCT-90	AR			
L	NOTICE 1								
L	MIL-S-48084A	STRIKER NUT ASSEMBLY FOR 4.2 INCH AMMUNITION [VALIDATION DATE: 9010] .....	A 1315	AR	15-OCT-90	AR			
L	NOTICE 1								
L	MIL-H-48085A	HOLDER, PROPELLANT FOR 4.2 INCH AMMUNITION [VALIDATION DATE: 8701] .....	A 1315	AR	30-JAN-87	AR			
L	NOTICE 1								
L	MIL-I-48086(4)	INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A2 (MADE FROM PROPELLANT M8) .....	A 1376	AR	29-JUN-90	AR			
A	MIL-C-48087A(6)	CARTRIDGE, 4.2 INCH, HE, M329A2 M/SUPPLEMENTARY CHARGE LOADING, ASSEMBLING AND PACKING .....	A 1315	AR	07-DEC-92	AR			
L	MIL-B-48088A(2)	BAG LOADING ASSEMBLY FOR M36A2 PROPELLING CHARGE .....	A 1315	AR	16-JUL-87	AR			
L	MIL-P-48089(1)	PROPELLANT, M5 (FOR USE IN SPECIAL APPLICATIONS) .....	A 1376	AR	30-JAN-87	AR			
L	NOTICE 1								
L	MIL-G-48090A(1)	GROMMETS, POLYCARBONATE (FOR SEPARATE LOADED PROJECTILE) .....	A 8140	AR	11-APR-91	AR			
L	MIL-P-48091G(1)	PROJECTILE, 8 INCH, HE, M509A1 LOADING, ASSEMBLING AND PACKING .....	A 1320	AR	24-APR-91	AR			
L	MIL-P-48092B	PROJECTILE, 8 INCH, HE, M509A1; HARDWARE METALLIC FOR [VALIDATION DATE: 9010] .....	A 1320	AR	15-OCT-90	AR			
L	NOTICE 1								
L	MIL-P-48093A(3)	PROJECTILE, 8 INCH, HE, M509A1; HARDWARE NON-METALLIC FOR .....	A 1320	AR	06-APR-91	AR			
L	MIL-P-48094B	PROJECTILE, 8 INCH, HE, M509A1; HARDWARE NON-METALLIC [VALIDATION DATE: 8804] .....	A 1320	AR	18-APR-88	AR			
L	NOTICE 1								
L	MIL-C-48097B	CHARGE, SPOTTING, PROJECTILE, CUP FOR [VALIDATION DATE: 8804] .....	A 1320	AR	18-APR-88	AR			
L	NOTICE 1								
L	MIL-C-48098B(3)	CHARGE, SPOTTING, PROJECTILE LOADING, ASSEMBLING AND PACKING .....	A 1320	AR	06-APR-91	AR			
L	NOTICE 1								
L	MIL-P-48099A	PROPELLANT, M10 (FOR USE IN SPECIAL APPLICATIONS) [VALIDATION DATE: 9108] .....	A 1376	AR	29-AUG-91	AR			
L	NOTICE 1								
L	MIL-S-48102	SCREW, CAP, SOCKET HEAD [VALIDATION DATE: 9108] .....	A MUOR	AR	20-AUG-91	AR			
L	NOTICE 2								
L	MIL-C-48103A	CONTAINER, METAL, AMMO, FOR FUZE, TRAINING: M555 WITH TEST PLUG [VALIDATION DATE: 8901] .....	A MUOR	AR	10-JAN-89	AR			
L	NOTICE 1								
A	MIL-I-48110B(2)	IGNITER ASSEMBLY, ROCKET, FOR DEMOLITION KIT, CRATERING, M180 .....	A 1375	AR	08-SEP-92	AR			
L	MIL-D-48111A(2)	DETONATOR, STAB, M94 PARTS FOR AND LOADING, ASSEMBLING AND PACKING .....	A 1375	AR	01-APR-92	AR			
L	MIL-S-48112	SEALING COMPOUND BUTYL RUBBER SEALANT (FOR USE IN AMMUNITION) [VALIDATION DATE: 8505] .....	A 8030	AR	16-JUL-72	AR			
L	MIL-C-48115A(4)	CARTRIDGE, 40MM, MEDP, M430; SPITBACK ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING .....	A 1310	AR	01-FEB-90	AR			
L	MIL-D-48116	DELAY ELEMENT M2, FOR FUZES M557 AND M524 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8504] .....	A 1375	AR	14-NOV-72	AR			
L	MIL-D-48120A(2)	DETONATOR, ELECTRIC, M100 PARTS FOR AND LOADING, ASSEMBLING AND PACKING ...	A 1375	AR	16-APR-84	AR			
L	MIL-P-48127	PROPELLANT, M9 FOR USE IN CHARGE, PROPELLING, M36A2 [VALIDATION DATE: 8504] .....	A 1375	AR	04-OCT-72	AR			
L	MIL-C-48128(1)	CHARGE, PROPELLING, XM195 PARTS FOR [VALIDATION DATE: 8705] .....	A 1315	AR	27-MAY-87	AR			
L	NOTICE 1								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OAL Coordination Inches	Document Number	Document Title	Dist Smt	FSC / Ave	MCA Symbol Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DIA
L	MIL-C-48129(1)	CHARGE, PROPELLING, XM195 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 87051)	A 1315	AR	27-MAY-87	AR				
L	MIL-P-48130A(1)	PROPELLANT M10 FOR 81MM MORTAR M205 PROPELLING CHARGE (VALIDATION DATE: 89061)	A 1376	AR	22-JUN-89	AR				
L	MIL-C-48132	CARTRIDGE, 105MM, PRACTICE, M344A1, W/INERT PROJECTILE, W/O FUZE LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 85051)	A 1315	AR	30-NOV-72	AR				
L	MIL-T-48134A	TEST SET, BLASTING CAP, M51 PARTS, ASSEMBLING AND PACKING (VALIDATION DATE: 91091)	A 1345	AR	05-SEP-91	AR				
L	MIL-C-48135(2)	CARTRIDGE, 105MM, HE M1, (MOD) LOADING, ASSEMBLING AND PACKING	A 1315	AR	10-JUN-86	AR				
L	MIL-C-48136(2)	CHARGE, PROPELLING ASSEMBLY (SINGLE BAG) 105MM, HOWITZER M137 (MOD) (VALIDATION DATE: 87051)	A 1315	AR	27-MAY-87	AR				
L	MIL-F-48137A	FUZE, GM, ET, LANCE, XM819 PARTS, LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 82011)	A 1336	AR	27-JAN-76	AR				
L	MIL-C-48139B(1)	CARTRIDGE, 105MM, TPDS-T, M724A1 LOADING, ASSEMBLING AND PACKING	A 1315	AK	24-JUN-91	AR				
L	MIL-T-48140(1)	TUNGSTEN POWDER (FOR PYROTECHNICS) (VALIDATION DATE: 86041)	A 1376	AR	08-APR-86	AR				
L	MIL-C-48141(2)	COMPOSITION, TUNGSTEN, DELAY	A 1376	AR	16-APR-90	AR				
L	MIL-C-48143C(1)	CHARGE, PROPELLING, 8 INCH, M188 LOADING, ASSEMBLING, AND PACKING	A 1320	AR	22-APR-91	AR				
L	MIL-I-48145	IGNITER TUBE (VALIDATION DATE: 90101)	A 1320	AR	15-OCT-90	AR				
L	MIL-M-48146	MOLYBDENUM TRIOXIDE (FOR USE IN AMMUNITION) (VALIDATION DATE: 85051)	A 6810	AR	08-MAR-73	AR				
L	MIL-C-48147	REVIEWER: GS								
L	MIL-T-48149A(4)	CASTINGS, FERRITIC MALLEABLE IRON FOR M151 WARHEAD (VALIDATION DATE: 87041)	A 1340	AR	01-APR-87	AR				
L	MIL-C-48152	TITANIUM DIOXIDE, DRY REVIEWER: GS	A 6810	AR	05-OCT-89	AR				
L	MIL-M-48153	CAP, SPIKE, FOR CARTRIDGE, 105MM, HEAT-T, M456A1E1 (VALIDATION DATE: 85051)	A 1315	AR	27-MAY-87	AR				
L	MIL-C-48154B(3)	MOSE LUCKY AND INSULATOR ASSEMBLY FOR CARTRIDGE 105MM, HEAT-T, M456A1E1 PARTS FOR, ASSEMBLY AND PACKING (VALIDATION DATE: 87051)	A 1315	AR	27-MAY-87	AR				
A L	MIL-P-48154B(3)	PROPELLANT M1 FOR USE IN CARTRIDGE, 105MM, TPDS-T, M724A1	A 1376	AR	04-JAN-93	AR				
A L	MIL-C-48155(4)	CARTRIDGE, IGNITION, XM299 PARTS FOR	A 1315	AR	04-FEB-93	AR				
A L	MIL-C-48156(5)	CARTRIDGE, IGNITION, XM299 LOADING, ASSEMBLING AND PACKING	A 1315	AR	04-FEB-93	AR				
L	MIL-C-48161B(1)	CARTRIDGE, IGNITION, 702 PARTS FOR	A 1310	AR	12-AUG-88	AR				
A L	MIL-C-48162B(1)	CARTRIDGE, IGNITION, M702 LOADING, ASSEMBLING AND PACKING	A 1310	AR	04-NOV-92	AR				
L	MIL-R-48163(2)	REDUCER, FLASH, M3 FOR 8 INCH HOWITZER M1 AND M2	A 1320	AR	28-JUN-91	AR				
L	MIL-S-48164A(1)	SHIPPING AND STORAGE CONTAINER FOR WARHEAD SECTION, M544 PARTS AND ASSEMBLY FOR (VALIDATION DATE: 84021)	A 8140	AR	07-APR-78	AR				
L	MIL-G-48165	GRENADE, G.P., M43A1 AND BOMB, BLU-18 CONTAINER ASSEMBLY FOR (VALIDATION DATE: 90101)	A 1330	AR	31-OCT-90	AR				
L	MIL-P-48166	PRIMER, PERCUSSION, M88 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1390	AR	10-JUL-87	AR				
L	MIL-F-48167	FLECHETTE, EIGHT GRAIN (VALIDATION DATE: 86031)	A 1315	AR	12-MAR-86	AR				
L	MIL-F-48168	FLECHETTE, THIRTEEN GRAIN (VALIDATION DATE: 86031)	A 1315	AR	10-MAR-86	AR				
L	MIL-B-48169(1)	BAG, DYE, PROPELLANT AND BASE CHARGE, FOR ANTI-PERSONNEL ARTILLERY PROJECTILES (VALIDATION DATE: 87051)	A 1315	AR	27-MAY-87	AR				
L	MIL-C-48171(7)	CARTRIDGE, 81MM, HE, M374A3 LOADING, ASSEMBLING AND PACKING	A 1315	AR	20-MAY-90	AR				
L	MIL-F-48172(4)	FUZE, PD, M835 LOADING, ASSEMBLING AND PACKING	A 1390	AR	25-APR-90	AR				
L	MIL-D-48175B	DETONATOR, ELECTRIC, PATRIOT PARTS, ASSEMBLING, LOADING AND PACKING FOR	A 1336	AR	04-FEB-87	AR				
L	MIL-L-48176B(4)	LINER (TITANIUM DIOXIDE AND MAX) FOR USE IN CARTRIDGES	A 1375	AR	06-FEB-92	AR				
L	MIL-B-48177	BARIUM SULFATE (VALIDATION DATE: 91081)	A 1376	AR	29-AUG-91	AR				
L	MIL-D-48178	DYE, DIETHYLAMINO-AZOBEZENE (FOR COLORED SMOKE MIXTURES) (VALIDATION DATE: 86041) REVIEWER: GS	A 6810	AR	08-APR-86	AR				
L	MIL-C-48180	CARTRIDGE, HE, 60MM, M494A1 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 87051)	A 1310	AR	21-APR-75	AR				
L	MIL-P-48181C	PROPELLANT M30A2 FOR USE IN CHARGE PROPELLING, M188 AND M188E1 FOR 8 INCH PROJECTILES (VALIDATION DATE: 83011)	A 1375	AR	28-JAN-77	AR				
A L	MIL-M-48183B	MUNITION FOR PROJECTILE, 155MM, M692/M731, DELAY DETONATOR FOR	A 1375	AR	24-SEP-92	AR				
L	MIL-M-48184A	MUNITION FOR PROJECTILE, 155MM, M692/M731; LEAD CLIP ASSEMBLY FOR (VALIDATION DATE: 91091)	A 1345	AR	05-SEP-91	AR				
A L	MIL-M-48185B	MUNITION FOR PROJECTILE, 155MM, HE, M692/M731, DETONATING CORD ASSEMBLY FOR	A 1375	AR	25-SEP-92	AR				
L	MIL-M-48186B	MUNITION FOR PROJECTILE, 155MM, HE, M692/M731, LOADING AND ASSEMBLING OF	A 1320	AR	14-NOV-90	AR				
L	MIL-P-48187C	PROJECTILE, 155MM, HE; M692 AND M731, LOADING, ASSEMBLING AND PACKING	A 1320	AR	10-APR-92	AR				
L	MIL-P-48188A	PROJECTILES, 155MM, HE, M692 AND M731 METALLIC HARDWARE FOR	A 1320	AR	24-APR-92	AR				
A L	MIL-P-48189D	PROJECTILE, 155MM, HE, M692 AND M731 HOUSING, TIMING AND FUZING FOR	A 1345	AR	25-AUG-92	AR				
L	MIL-V-48190(1)	VENT ASSEMBLY	A 1190	AR	14-DEC-90	AR				
L	MIL-I-48191	INDICATOR, HUMIDITY, PLUG (VALIDATION DATE: 91081)	A MUOR	AR	20-AUG-91	AR				
L	MIL-D-48193	DRUM ASSEMBLY (VALIDATION DATE: 85031)	A MUOR	AR	02-OCT-72	AR				
L	MIL-I-48195	INDICATOR, HUMIDITY, CARD (VALIDATION DATE: 85051)	A MUOR	AR	03-OCT-72	AR				
L	MIL-K-48196	KEY (VALIDATION DATE: 91081)	A 1135	AR	20-AUG-91	AR				
L	MIL-I-48199	IGNITER TUBE ASSEMBLY (VALIDATION DATE: 91081)	A 1110	AR	20-AUG-91	AR				
L	MIL-I-48200	IGNITER ASSEMBLY, LOADING (VALIDATION DATE: 86031)	A 1110	AR	10-MAR-86	AR				
L	MIL-B-48201	BREECH BLOCK AND PIN ASSEMBLY (VALIDATION DATE: 91081)	A 1110	AR	20-AUG-91	AR				
L	MIL-D-48202	OGIVE AND OGIVE (ALTERNATIVE) (VALIDATION DATE: 91081)	A 1110	AR	20-AUG-91	AR				
L	MIL-C-48203	CRANK ASSEMBLY (VALIDATION DATE: 91081)	A 1190	AR	20-AUG-91	AR				
L	MIL-G-48204	GRONNET ASSEMBLY (VALIDATION DATE: 91081)	A 1110	AR	20-AUG-91	AR				
L	MIL-F-48208	FIXTURE, DASHPOT INSPECTION, ASSEMBLY (VALIDATION DATE: 91081)	A 1190	AR	20-AUG-91	AR				
L	MIL-R-48211	RING, EXTERNAL THREADED (SCREW, RETAINING) (VALIDATION DATE: 91081)	A MUOR	AR	20-AUG-91	AR				
L	MIL-R-48212	REVIEWER: MI								
L	MIL-R-48212	RESTRICTOR, FLUID FLOW (VALIDATION DATE: 91081) REVIEWER: MI	A MUOR	AR	20-AUG-91	AR				
L	MIL-C-48214	CAP (TRAINER) (VALIDATION DATE: 91081)	A 1135	AR	20-AUG-91	AR				
L	MIL-M-48215	HOOK (MODIFIED) (VALIDATION DATE: 91081)	A 1190	AR	20-AUG-91	AR				
L	MIL-B-48220	BREECHBLOCK-FUZE ASSEMBLY, ATOMIC WEAPON, TRAINING (VALIDATION DATE: 91081)	A 1110	AR	20-AUG-91	AR				
L	MIL-D-48221	DETONATOR ELECTRIC M95 (T61) PARTS FOR LOADING, ASSEMBLING, AND PACKING (VALIDATION DATE: 85041)	A 1375	AR	11-JUN-73	AR				
L	MIL-E-48223A	ELECTROCOLLOMETER, DUAL ANODE, TWO MICROAMPERE HOURS AND NINE HUNDRED AND SIXTY MICROAMPERE HOURS CAPACITY (VALIDATION DATE: 84041)	A 5999	AR	30-DEC-74	AR				
L	MIL-P-48224	PAPER, PRINGING, PLASTIC COATED (VALIDATION DATE: 85051)	A 8140	AR	29-MAY-73	AR				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Coordination Notice Document Number	Document Title	Doc. Ident. FSC / Item NCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DIA
L MIL-E-48225 NOTICE 1	ETHYLENE GLYCOL DINITRATE (EGDN) [VALIDATION DATE: 8604] .....	A 1376 AR 08-APR-86 AR				
L MIL-G-48226B(2)	GRENADES, GP: M42 AND M46 LEAD CUP ASSEMBLY FOR .....	A 1330 AR 01-MAY-90 AR				
L MIL-B-48227A NOTICE 1	BANDOLEER, 40MM AMMUNITION, SUPPORT, PLASTIC FOR [VALIDATION DATE: 8803] ..	A 1310 AR 21-MAR-88 AR				
L MIL-B-48228A NOTICE 1	BANDOLEERS FOR CARTRIDGES, 40MM AMMUNITION [VALIDATION DATE: 8803] .....	A 1310 AR 21-MAR-88 AR				
L MIL-M-48230	WARHEAD, 2.75 INCH ROCKET, M229 PARTS FOR [VALIDATION DATE: 8003] .....	A 1340 AR 07-DEC-73 AR				
L MIL-P-48231	PROPELLANT M6 FOR USE IN CARTRIDGE, 105MM APDS-T, M494 [VALIDATION DATE: 8504] .....	A 1375 AR 02-AUG-73 AR				
L MIL-R-48233A(4)	ROD, STABILIZING, COATED FOR 2.75 INCH ROCKET MOTOR MK4/MK40 AND MDS .....	A 1340 MI 01-FEB-91 MI				
L MIL-F-48235(2) NOTICE 1	FIRING DEVICE, ANTI-PERSONNEL MINE, ELECTRICAL M57E1 PARTS FOR, ASSEMBLING AND PACKING [VALIDATION DATE: 8604] .....	A 1345 AR 08-APR-86 AR				
L MIL-T-48236(1) NOTICE 1	TEST SET, ELECTRICAL CIRCUIT, M40E1 PARTS FOR, ASSEMBLING AND PACKING [VALIDATION DATE: 8604] .....	A 1345 AR 09-APR-86 AR				
L MIL-C-48237(3)	CARTRIDGE, 105MM, APDS-T, M728 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8303] .....	A 1315 AR 01-DEC-76 AR				
L MIL-M-48238A NOTICE 1	WRENCH, ARMING M22 [VALIDATION DATE: 8704] .....	A 1345 AR 23-APR-87 AR				
L MIL-P-48239(1) NOTICE 1	POWDER, PHOTOFLASH [VALIDATION DATE: 9010] .....	A 1370 AR 31-OCT-90 AR				
L MIL-P-48240 NOTICE 1	PYROTECHNIC FIRST FIRE COMPOSITIONS [VALIDATION DATE: 8704] .....	A 1370 AR 27-APR-87 AR				
L MIL-P-48241(1) NOTICE 1	PLUG, CLOSING 105MM [VALIDATION DATE: 8705] .....	A 1315 AR 27-MAY-87 AR				
L MIL-C-48243D NOTICE 1	CHARGE PROPELLING, 155MM, M203, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9011] .....	A 1320 AR 01-NOV-90 AR				
L MIL-C-48244 NOTICE 1	CELLULOSE, POWERED [VALIDATION DATE: 8604] .....	A 1395 AR 08-APR-86 AR				
L MIL-M-48245B NOTICE 1	MOLDING COMPOUND, HOUSING .....	A 1345 AR 02-AUG-88 AR				
L MIL-G-48246 NOTICE 1	GLYCERYL ESTER OF 12 HYDROXY STEARIC ACID [VALIDATION DATE: 8604] .....	A 6810 AR 08-APR-86 AR				
A L MIL-P-48249A(2)	REVIEWER: GS PROJECTILE, 155MM, ILLUMINATING, M485A2 ACCESSORIES FOR, AND ASSEMBLING AND PACKING .....	A 1320 AR 22-MAY-91 AR				
L MIL-P-48250 NOTICE 1	PRIMER, STAB, M55 PARTS AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8604] .....	A 1375 AR 09-APR-86 AR				
L MIL-S-48251(1) NOTICE 1	SIGNALS, ILLUMINATION, AIRCRAFT DOUBLE-STAR AM-M37A2 THROUGH AM-M42A2 (ALTERNATIVE CASE) PARTS, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804] .....	A 1370 AR 07-APR-88 AR				
L MIL-I-48252A(1) NOTICE 1	IGNITER TUBES [VALIDATION DATE: 9011] .....	A 1320 AR 01-NOV-90 AR				
A L MIL-C-48254A(1)	CHARGES, EXPELLING, FOR PROJECTILE, 155MM, ILLUMINATING, M485A2 LOADING, ASSEMBLING AND PACKING .....	A 1320 AR 22-MAY-91 AR				
L MIL-C-48258 NOTICE 1	CARTRIDGE, 40MM, PRACTICE, M407A2, PROJECTILE METAL PARTS FOR [VALIDATION DATE: 8705] .....	A 1310 AR 24-MAR-75 AR				
L MIL-C-48259 NOTICE 1	CARTRIDGE, 40MM, PRACTICE, M407A2 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705] .....	A 1310 AR 24-MAR-75 AR				
A L MIL-T-48260(3) NOTICE 1	TAPE, POLYESTER (FOR USE IN AMMUNITION) [VALIDATION DATE: 9207] .....	A 8305 AR 06-JUL-92 AR				
L MIL-M-48261(6)	MINES, M718/M741 SYSTEM, METAL PARTS .....	A 1345 AR 26-JUL-91 AR				
L MIL-M-48263(1) NOTICE 1	1-NITRO-2-PROPANOL (NPL) REVIEWER: GS .....	A 6810 AR 30-APR-90 AR				
L MIL-B-48265 NOTICE 1	BAND, OBTURATING, FOR 175MM, PROJECTILE [VALIDATION DATE: 8705] .....	A 1320 AR 07-DEC-73 AR				
L MIL-P-48266A NOTICE 1	PROPELLANT M30 FOR USE IN CARTRIDGE, 105MM, APDS-T, M728 [VALIDATION DATE: 8705] .....	A 1375 AR 28-MAY-87 AR				
L MIL-F-48267(2) NOTICE 1	FUZE TIMER, MINE (INTEGRATED CIRCUIT) [VALIDATION DATE: 8704] .....	A 1345 AR 23-APR-87 AR				
L MIL-D-48268 NOTICE 1	OBTURATOR [VALIDATION DATE: 8604] .....	A 1345 AR 08-APR-86 AR				
L MIL-M-48269(1)	HMX/KEL-F RESIN MOLDING POWER (FOR USE IN AMMUNITION) [VALIDATION DATE: 8803] .....	A 1376 AR 23-MAR-88 AR				
L MIL-R-48270(1) NOTICE 1	RDX/KEL-F RESIN MOLDING POWDER (FOR USE IN AMMUNITION) [VALIDATION DATE: 8805] .....	A 1376 AR 05-MAY-88 AR				
L MIL-M-48271A NOTICE 1	WARHEAD METAL PARTS ASSEMBLY M551 PARTS AND ASSEMBLING [VALIDATION DATE: 9109] .....	A 1340 AR 12-SEP-91 AR				
L MIL-M-48272(10)	WARHEAD SECTION, GM, HE: M251, M251A1 & M251 (MOD) WITH LIVE FLSC & INERT BOMBS, DUMMY LOADING, ASSEMBLING & PACKING .....	A 1340 AR 02-OCT-87 AR				
A L MIL-F-48275 NOTICE 2	FUZE, PIRD, M550; TEST VEHICLE FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING .....	A 1390 AR 30-AUG-91 AR				
L MIL-F-48277B(4)	FUZE, POINT DETONATING, M739 LESS BOOSTER PELLET .....	A 1390 AR 22-FEB-89 AR				
L MIL-I-48279(1) NOTICE 1	INTERVALOMETER ADAPTER FOR M56 AIRCRAFT SUBSYSTEM [VALIDATION DATE: 8704] ..	A 1345 AR 23-APR-87 AR				
L MIL-P-48280 NOTICE 1	POLARITY TEST PLUG [VALIDATION DATE: 8604] .....	A 1345 AR 08-APR-86 AR				
L MIL-P-48283 NOTICE 1	CALIBRATION PLUG [VALIDATION DATE: 8604] .....	A 1345 AR 08-APR-86 AR				
L MIL-A-48284(2) NOTICE 1	AIRCRAFT CABLE ASSEMBLY [VALIDATION DATE: 8704] .....	A 1345 AR 23-APR-87 AR				
L MIL-C-48286A(2) NOTICE 1	CHARGE, MINE EJECTION ASSEMBLY, M198 [VALIDATION DATE: 9109] .....	A 1345 AR 09-SEP-91 AR				
L MIL-C-48287(1) NOTICE 1	CYLINDER FOR M56 MINES [VALIDATION DATE: 8805] .....	A 1345 AR 20-MAY-88 AR				
L MIL-L-48288(1) NOTICE 1	LEAD ASSEMBLY (FOR MINE, M56 SUBSYSTEM) PARTS FOR, AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8704] .....	A 1345 AR 23-APR-87 AR				
L MIL-S-48290 NOTICE 1	SWITCH, ANTI-DISTURBANCE FOR M56 MINE [VALIDATION DATE: 8604] .....	A 1345 AR 08-APR-86 AR				
L MIL-T-48291(2)	TEST SET, ELECTRICAL CIRCUIT, BOMB DISPENSER A/E 24T-80 [VALIDATION DATE: 8101] .....	A 4925 AR 25-FEB-76 AR				
L MIL-M-48292(9)	MINE, ANTI-TANK, METAL PARTS ASSEMBLY FOR M56 MINE [VALIDATION DATE: 8805] ..	A 1345 AR 20-MAY-88 AR				
L MIL-F-48293A NOTICE 1	FUZE ASSEMBLY FOR M56 ANTI-TANK MINE [VALIDATION DATE: 8805] .....	A 1345 AR 20-MAY-88 AR				
L MIL-C-48294(2) NOTICE 1	CONTAINER, SHIPPING AND STORAGE, MINE CANNISTER, M602 [VALIDATION DATE: 8704] .....	A 1345 AR 09-JUN-75 AR				
L MIL-T-48295	TEST SET, ELECTRICAL CIRCUIT, BOMB DISPENSER A/E 24T-79 [VALIDATION DATE: 8003] .....	A 4925 AR 05-FEB-74 AR				
L MIL-P-48296 NOTICE 1	POLYTETRAFLUOROETHYLENE (PTFE) [VALIDATION DATE: 8604] REVIEWER: GS MR ....	A 9330 AR 08-APR-86 AR				
L MIL-T-48297(1) NOTICE 1	TEST SET ASSEMBLY, DISPENSER CONTROL PANEL FOR M56 AIRCRAFT SUBSYSTEM [VALIDATION DATE: 8704] .....	A 1345 AR 04-AUG-75 AR				
L MIL-M-48299 NOTICE 1	WARHEAD, 2.75 INCH ROCKET, FLECHETTE, XM255 WITH AND WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9110] .....	A 1340 AR 03-OCT-91 AR				
L MIL-M-48302 NOTICE 2	WINDOW, OBSERVATION [VALIDATION DATE: 9108] .....	A 1110 AR 20-AUG-91 AR				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Machine	Document Number	Document Title	Doc Sect	FAC / Area MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	AF Forc	DIA
L	MIL-S-48305(1)	SWITCH, SQUIB ACTUATED. M60, 61, 63, 64, 65, 66, 67, 68, 73 (VALIDATION DATE: 8402)	A	1135	AR	18-JUL-78	AR			
L	MIL-C-48315 NOTICE 2	COVER (VALIDATION DATE: 9108) .....	A	1135	AR	20-AUG-91	AR			
L	MIL-T-48321(1) NOTICE 1	TEST SET, BATTERY, FOR M56 MINE (VALIDATION DATE: 8704) .....	A	1345	AR	14-JUL-75	AR			
L	MIL-P-48322(8)	PROJECTILE, 8 INCH HE, RA, M650 AFT WARHEAD SECTION & STRIPPABLE COATING ASSEMBLY	A	1320	AR	16-JUN-87	AR			
L	MIL-P-48323(5)	PROJECTILE, 8 INCH, HE, RA, M650 ROCKET MOTOR BODY ASSEMBLY .....	A	1320	AR	31-MAR-89	AR			
L	MIL-I-48331A(2) NOTICE 1	INTEGRATED CIRCUIT, DIGITAL, CMDS, TIME BASE AND SPECIAL PURPOSE FUNCTION GENERATOR, MONOLITHIC, SILICON (VALIDATION DATE: 8805)	A	1345	AR	20-MAY-88	AR			
L	MIL-P-48333 NOTICE 1	PROPELLANT, LIQUID (VALIDATION DATE: 8704) .....	A	1376	AR	27-APR-87	AR			
L	MIL-P-48335 NOTICE 1	PROPELLANT, SPHEROIDAL BALL POWDER (VALIDATION DATE: 8704) .....	A	1376	AR	27-APR-87	AR			
A	MIL-B-48343A	BATTERY, PRIMARY RESERVE, AMMONIA, 5 MILLIAMPERE HOUR CAPACITY .....	A	1345	AR	11-MAR-93	AR			
L	MIL-G-48344(1) NOTICE 1	GYPSON, DEAD BURNED REVIEWER: GS .....	A	6810	AR	30-JAN-87	AR			
L	MIL-D-48345	DISPENSER, BOMB, SUJ-13-D/A (VALIDATION DATE: 8301) .....	A	1345	AR	02-DEC-76	AP			
L	MIL-W-48347(1) NOTICE 1	WARHEAD, 2.75 INCH ROCKET, PRACTICE WTU-1/B (VALIDATION DATE: 8804) .....	A	1340	AR	22-APR-88	AR			
L	MIL-P-48348	PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, XM164 (VALIDATION DATE: 8101)	A	1375	AR	24-OCT-74	AR			
L	MIL-P-48349 NOTICE 1	PROPELLANT M30A1 FOR USE IN 155M PROPELLING CHARGES (VALIDATION DATE: 8803)	A	1376	AR	21-MAR-88	AR			
L	MIL-D-48350(3) NOTICE 1	DISPENSER CONTROL PANEL FOR M56/XM58, MINES/MARKERS (VALIDATION DATE: 8704)	A	1345	AR	16-JUN-75	AR			
L	MIL-C-48352 NOTICE 1	CHARGE, SPOTTING, MODEL APG-2 (VALIDATION DATE: 8809) .....	A	1390	AR	01-SEP-88	AR			
L	MIL-C-48353 NOTICE 1	CARTRIDGE, 105MM, SMOKE WP, M60A2, (MOD) W/FUZE, M557 FOR HOWITZER, M137 LOADING ASSEMBLING AND PACKING (VALIDATION DATE: 8808)	A	1315	EA	31-AUG-88	EA			
L	MIL-C-48354 NOTICE 1	CARTRIDGE, IGNITION, XM702E2 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8705)	A	1310	AR	15-JAN-75	AR			
L	MIL-F-48355 NOTICE 1	FUZE, ROCKET, BASE DETONATING, M134, ALTERNATE CONSTRUCTION ASSEMBLING AND PACKING (VALIDATION DATE: 8704) REVIEWER: M1	A	1340	AR	02-APR-87	AR			
L	MIL-P-48357A(1) NOTICE 1	PROPELLANT, DOUBLE-BASE SHEET, M36 (VALIDATION DATE: 8806) .....	A	1376	AR	13-JUN-88	AR			
A	MIL-H-48358(3)	HMX/HESIN EXPLOSIVE COMPOSITION LX-14-0 (FOR USE IN AMMUNITION) .....	A	1376	AR	26-AUG-92	AR			
M	MIL-C-48360(4)	CHARGE, PROPELLING, M200, FOR 105MM HOWITZER, M119 LOADING, ASSEMBLING AND PACKING	A	1315	AR	12-MAR-93	AR			
L	MIL-C-48361 NOTICE 1	CHARGE, PROOF, 155MM, PXR-6255 LOADING, ASSEMBLING, AND PACKING (VALIDATION DATE: 9011)	A	1320	AR	01-NOV-90	AR			
L	MIL-S-48363 NOTICE 1	STAND, MAINTENANCE, FOR MINE DISPERSING SUBSYSTEM AIRCRAFT, M56 (VALIDATION DATE: 8604)	A	1345	AR	08-APR-86	AR			
L	MIL-P-48364(2) NOTICE 1	PARTS, MISCELLANEOUS, FOR MINE DISPERSING SUBSYSTEM AIRCRAFT: M56 (VALIDATION DATE: 9109)	A	1345	AR	05-SEP-91	AR			
L	MIL-P-48366(1)	PROPELLANT M30A1 FOR USE IN CHARGE, PROPELLING XM201E2 (VALIDATION DATE: 8101)	A	1375	AR	30-SEP-74	AR			
L	MIL-P-48367B NOTICE 1	PROPELLANT M30A1 FOR USE IN CHARGE PROPELLING M203 .....	A	1375	AR	22-MAR-88	AR			
L	MIL-C-48368A(3)	CARTRIDGE, HE, 60MM, M720 LOADING, ASSEMBLING AND PACKING .....	A	1310	AR	01-FEB-91	AR			
L	MIL-W-48369(5)	WARHEAD SECTION, GN, PRACTICE, LIGHTWEIGHT, M252 PARTS AND ASSEMBLING (VALIDATION DATE: 8601)	A	1340	AR	24-MAR-80	AR			
L	MIL-F-48370A(2)	FUZE M934E6, HYBRID MICROCIRCUITS FOR .....	A	1336	AR	19-JAN-90	AR			
L	MIL-C-48371(1) NOTICE 1	CYLINDER ASSEMBLY (REUSE) FOR M56 MINES (VALIDATION DATE: 8604) .....	A	1345	AR	08-APR-86	AR			
L	MIL-P-48372 NOTICE 1	PROPELLANT, M30A1 FOR USE IN CHARGE, PROOF, 155MM, PXR-6255 (VALIDATION DATE: 9108)	A	1376	AR	29-AUG-91	AR			
L	MIL-F-48373A NOTICE 1	FUZE, POINT DETONATING, M739 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010)	A	1390	AR	31-OCT-90	AR			
L	MIL-F-48375 NOTICE 1	FIRING TRAIN TEST HOUSING, OPERATOR CONTROLLED (VALIDATION DATE: 9109) ....	A	1345	AR	05-SEP-91	AR			
L	MIL-P-48376	PROJECTILE, 155MM, HE, M692 AND M731, NON-METALLIC HARDWARE FOR (VALIDATION DATE: 8201)	A	1320	AR	01-MAR-76	AR			
L	MIL-S-48377 NOTICE 1	SIGNAL, SMOKE, GROUND XM202 THRU XM205 RED, YELLOW, GREEN AND WHITE PARTS FOR AND LOADING ASSEMBLING AND PACKING (VALIDATION DATE: 8705)	A	1370	AR	15-MAY-87	AR			
L	MIL-H-48379 NOTICE 1	MINE, APERS, M1BA1E1 (WITH ACCESSORIES) LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8704)	A	1345	AR	03-MAR-75	AR			
L	MIL-S-48380 NOTICE 1	SUPPORT, PROPELLING CHARGE (FOR USE IN AMMUNITION PACKING) (VALIDATION DATE: 8705)	A	1315	AR	27-MAY-87	AR			
L	MIL-W-48381(3)	WARHEAD SECTION, GN, PRACTICE, LIGHTWEIGHT, M252E1 PARTS AND ASSEMBLING (VALIDATION DATE: 8101)	A	1340	AR	10-FEB-75	AR			
L	MIL-F-48382A(1)	FUZE, M934E6, IMPACT SWITCH FOR .....	A	1336	AR	27-JAN-89	AR			
L	MIL-H-48384	HOUSING, TIMING AND FUZING, IGNITOR ASSEMBLY AND SUSTAINER CHARGE ASSEMBLY FOR M7057B (VALIDATION DATE: 8402)	A	1345	AR	17-JUN-78	AR			
L	MIL-L-48385(1) NOTICE 1	LINE, EXTENSION AND SPOOL ASSEMBLY FOR MINE, APERS, M1BA1E1 (VALIDATION DATE: 8704)	A	1345	AR	07-MAY-75	AR			
L	MIL-H-48386 NOTICE 1	MINE, APERS, PRACTICE, M68E1 (WITH ACCESSORIES) ASSEMBLING AND PACKING (VALIDATION DATE: 8704)	A	1345	AR	03-MAR-75	AR			
L	MIL-B-48387(1) NOTICE 1	BALL POWDER, IGNITER (BP1) (SPHEROIDAL PROPELLANT IGNITER (SPI)) (VALIDATION DATE: 8902)	A	1376	AR	02-FEB-89	AR			
L	MIL-F-48388A(1)	FUZE, M934E6, LAUNCH SENSING SWITCH FOR .....	A	1336	AR	27-JAN-89	AR			
L	MIL-C-48393 NOTICE 1	CARTRIDGE, IGNITION, XM702E2 PARTS FOR (VALIDATION DATE: 8705) .....	A	1310	AR	21-MAY-87	AR			
L	MIL-C-48394(3)	CARTRIDGE, 81MM, SMOKE, WP, M375A3 ASSEMBLING, MARKING AND PACKING .....	A	1315	AR	29-MAY-91	AR			
A	MIL-P-48395(2)	PELLETS, EXPLOSIVE COMPOSITIONS (FOR USE IN AMMUNITION) .....	A	1376	AR	03-JUL-92	AR			
L	MIL-C-48396A(1)	CARTRIDGE, IGNITION, XM752E1 PARTS FOR .....	A	1315	AR	11-MAR-88	AR			
L	MIL-C-48397A(1)	CARTRIDGE, IGNITION, M752A1 LOADING, ASSEMBLING & PACKING .....	A	1315	AR	11-MAR-88	AR			
L	MIL-H-48398 NOTICE 1	HOLDER, BLASTING CAP, M6 (VALIDATION DATE: 8805) .....	A	1375	AR	20-MAY-88	AR			
L	MIL-P-48400A(4)	PROJECTILE, 60MM, HE, M720 (OR M688), METAL PARTS ASSEMBLY .....	A	1310	AR	03-OCT-84	AR			
L	MIL-R-48401A NOTICE 1	RING, OBSTURATING FOR 60MM MORTAR (VALIDATION DATE: 9109) .....	A	1310	AR	12-SEP-91	AR			
L	MIL-S-48403	STEEL SHEET, HOT DIP, ZINC COATED (GALVANIZED), MINIMIZED SPANGLE, FOR AUTOMOTIVE VEHICLE BODY USE (VALIDATION DATE: 8505) REVIEWER: AT	A	9515	AR	11-MAY-73	AR	99		
L	MIL-I-48404 NOTICE 1	INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-9/A ASSEMBLY (VALIDATION DATE: 8606)	A	1377	OS	20-JUN-86	OS			
L	MIL-S-48405 NOTICE 2	SHIELDED AND CONFINED MILD DETONATING CORD ASSEMBLIES (VALIDATION DATE: 9108)	A	1377	OS	14-AUG-91	OS			
L	MIL-L-48407B NOTICE 1	LASER, TANK GUNNERY TRAINER: M55 (VALIDATION DATE: 8805) .....	A	1240	AR	16-MAY-88	AR			
L	MIL-H-48408A	HIGH VOLTAGE POWER SUPPLY, 11739861 (VALIDATION DATE: 8201) .....	A	1240	AR	05-MAR-76	AR			
L	MIL-T-48409A	TIMING MODULE - 11737703 (VALIDATION DATE: 8201) .....	A	1240	AR	05-MAR-76	AR			
L	MIL-I-48410 NOTICE 1	INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-4/A2S ASSEMBLY (VALIDATION DATE: 8806)	A	1377	OS	20-JUN-86	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OK / CMA Coordination Machine Document Number	Document Title	Doc. Form FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
A	MIL-I-48412A	INITIATOR, CARTRIDGE ACTUATED, M53 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70	A 1377	OS	21-SEP-92	OS	99
L	MIL-T-48415(1) NOTICE 1	TRACER, PROJECTILE, M3A1, ASSEMBLY PARTS FOR, AND LOADING, ASSEMBLING AND PACKAGING [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR	
L	MIL-R-48416 NOTICE 1	REMOVER, AIRCRAFT CANOPY, RAU-1/A METAL PARTS ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	20-JUN-86	OS	
L	MIL-T-48419A	TESTER, SYSTEM, 10549290 [VALIDATION DATE: 8201]	A 1240	AR	01-DEC-75	AR	
A	MIL-C-48423A(3)	CASE, CARTRIDGE, 105MM, M1484	A 1315	AR	25-SEP-92	AR	
L	MIL-C-48424	CASE, CARTRIDGE, 76MM, M88B1 [VALIDATION DATE: 8603]	A 1315	AR	18-MAR-86	AR	
L	MIL-F-48425A(3) NOTICE 1	FIN ASSEMBLY, M24	A 1310	AR	31-JUL-89	AR	
L	MIL-S-48426A	SERVO ELECTRONICS, 10548193 [VALIDATION DATE: 8301]	A 1285	AR	30-NOV-82	AR	
A	MIL-R-48427C	REFLECTOR AND FEED ASSEMBLY: 10556313	A 1285	AR	09-NOV-92	AR	
A	MIL-M-48428A(2)	MICROWAVE CHASSIS ASSEMBLY: 10549047	A 1285	AR	24-JUL-92	AR	
A	MIL-S-48431B(1)	SOLID STATE X-BAND SOURCE: 10548182	A 1285	AR	24-JUL-92	AR	
A	MIL-M-48432B	MIXER PREAMPLIFIER: 10548160	A 1285	AR	25-AUG-92	AR	
A	MIL-B-48433A(1)	BOARD ASSEMBLY, GENERATOR: 10548611	A 1285	AR	24-JUL-92	AR	
L	MIL-D-48434(1)	OSCILLATOR, DOPPLER, COMPONENT BOARD ASSEMBLY, 10559694	A 1285	AR	30-DEC-80	AR	
A	MIL-D-48435A(1)	DISTRIBUTION BOX: 10548533	A 1285	AR	27-AUG-92	AR	
A	MIL-C-48436A(1)	TEST SET SUBASSEMBLY: 1172637B (7.5 MHZ CLOCK)	A 1285	AR	27-AUG-92	AR	
L	MIL-D-48437A	DISPLAY, IMAGE 11744684 [VALIDATION DATE: 8201]	A 1240	AR	01-DEC-75	AR	
L	MIL-G-48438A	GENERATOR, TARGET, SIMULATED 11741100 [VALIDATION DATE: 8201]	A 1240	AR	01-DEC-75	AR	
L	MIL-E-48441A(2)	ELBOW ASSEMBLY, PASSIVE: 11733401	A 1240	AR	17-JUN-91	AR	
L	MIL-R-48442	REGULATOR, 11733468 [VALIDATION DATE: 8602]	A 1240	AR	25-JAN-74	AR	
L	MIL-T-48445A	TARGET GENERATOR, SIMULATED, SUBSYSTEM OF TARGET SELECTOR GROUP, XM10 [VALIDATION DATE: 8201]	A 1240	AR	01-DEC-75	AR	
L	MIL-P-48446 NOTICE 1	PENETRATOR, CODE AND HOSE COMPONENTS FOR PROJECTILE, 105MM, APDS-T, M392A1 [VALIDATION DATE: 8705]	A 1315	AR	27-MAY-87	AR	
L	MIL-B-48447A(2)	BODY ASSEMBLY: 11744900 (PERISCOPE: M35E1)	A 1240	AR	17-JUN-91	AR	
L	MIL-C-48448(1)	CARTRIDGE, IMPULSE, CCU-28/A ASSEMBLY	A 1377	OS	16-OCT-86	OS	
L	MIL-A-48449A(3)	ALIGNMENT DEVICE, OPTICAL, GUN BORE	A 4931	AR	10-SEP-90	AR	
L	MIL-P-48450A(1)	PERISCOPE, TANK, M35E1 [VALIDATION DATE: 8601]	A 1240	AR	15-OCT-79	AR	
L	MIL-P-48451A(1)	PERISCOPE, TANK, M36E1 [VALIDATION DATE: 8601]	A 1240	AR	15-OCT-79	AR	
L	MIL-R-48452 NOTICE 1	REMOVER, AIRCRAFT CANOPY, RAU-1/A ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS	
L	MIL-C-48456B(1) NOTICE 1	COMPUTER UNIT, FIRE CONTROL: 11732400 [VALIDATION DATE: 9012]	A 1220	AR	14-DEC-90	AR	
L	MIL-C-48457B NOTICE 1	CONTROL, GUNNERS, COMPUTER, 11732500	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48458B NOTICE 1	CIRCUIT CARD ASSEMBLY, 11732392 GCU ELECTRONICS [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-S-48459B NOTICE 1	SELECT UNIT, AMMUNITION, 11732600 [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-T-48460B(1) NOTICE 1	TACHOMETER, RATE, COMPUTER, 11732700	A 1220	AR	29-APR-88	AR	
L	MIL-S-48461B(1) NOTICE 1	SENSOR, CAMT ANGLE, 11732800	A 1220	AR	14-SEP-87	AR	
L	MIL-S-48464B NOTICE 1	SENSOR, CROSSWIND, 11733251 [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-D-48465B(1) NOTICE 1	OUTPUT UNIT, 11733100	A 1220	AR	22-SEP-87	AR	
L	MIL-C-48468B NOTICE 1	CIRCUIT CARD ASSEMBLY, 11732332 INVERTER AND PLUS AND MINUS 15 VOLT REGULATOR [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48469B	CIRCUIT CARD ASSEMBLY 11732344 SWITCHING REGULATOR [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48470B(1) NOTICE 1	CIRCUIT CARD ASSEMBLY: 11732350 RETICLE PROJECTOR AND ELEVATION SERVO DRIVE	A 1220	AR	18-MAR-88	AR	
L	MIL-C-48471B NOTICE 1	CIRCUIT CARD ASSEMBLY 11732354 LEAD, WINDAGE AND REFERENCE [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48472B NOTICE 1	CIRCUIT CARD ASSEMBLY, 11732360 SUPERELEVATION & DRIFT [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48474B NOTICE 1	CIRCUIT CARD ASSEMBLY, 11834803 AMMO SELECT [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48475B(2) NOTICE 1	CIRCUIT CARD ASSEMBLY, 11732369 SELF TEST	A 1220	AR	22-SEP-87	AR	
L	MIL-C-48476B NOTICE 1	CIRCUIT CARD ASSEMBLY, 11732372 WIND ELECTRONICS [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48477B NOTICE 1	CIRCUIT CARD ASSEMBLY, 11732377 MIRROR DRIVE ELECTRONICS [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR	
L	MIL-C-48490B(2)	CONTROL, COMMANDER S SIGHT & RECEIVER TRANSMITTER, LASER RANGING, 11743121	A 1240	AR	09-NOV-87	AR	
L	MIL-E-48491B(1) NOTICE 1	ELECTRONIC UNIT: 11743131	A 1240	AR	02-MAR-88	AR	
L	MIL-C-48497A(1)	COATING, SINGLE OR MULTILAYER, INTERFERENCE: DURABILITY REQUIREMENTS FOR USER: OS	A 6650	AR	06-DEC-89	AR	AS
L	MIL-C-48498 NOTICE 1	CASE, PROJECTILE, BURSTER, M14 [VALIDATION DATE: 8808]	A 1315	EA	31-AUG-88	EA	
L	MIL-D-48499 NOTICE 1	DIIISOPROPYL HYDROGEN PHOSPHITE, TECHNICAL [VALIDATION DATE: 8604] USER: AT REVIEWER: GS MD ME MR	A 6810	AR	01-APR-86	AR	
L	MIL-C-48521(3) NOTICE 1	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL W47U THROUGH W55U AND W65U AND W72U [VALIDATION DATE: 8809]	A 1135	AR	09-SEP-88	AR	
L	MIL-D-48522(1) NOTICE 1	DELAY UNIT [VALIDATION DATE: 8902]	A NUOR	AR	16-FEB-89	AR	
L	MIL-C-48523 NOTICE 1	CASE, SECTION, BALLISTIC, CENTER AFT, SECTIONS C AND D [VALIDATION DATE: 8809]	A 1115	AR	08-SEP-88	AR	
L	MIL-S-48525 NOTICE 1	SHIPPING AND STORAGE CONTAINER, WARHEAD SECTION, M511 [VALIDATION DATE: 8201]	A NUOR	AR	16-DEC-75	AR	
L	MIL-C-48526(2)	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL: W30U THROUGH W33U, W36U, W38U, W45U, W58U, W70U, W71U W73U, W78U AND W79U	A 1135	AR	21-NOV-90	AR	
L	MIL-T-48527(2) NOTICE 1	TEST SET, ATOMIC WEAPON: T-4186	A 1190	AR	21-NOV-90	AR	
L	MIL-P-48528 NOTICE 1	PISTON MOTOR ASSEMBLY [VALIDATION DATE: 9108]	A NUOR	AR	20-AUG-91	AR	
L	MIL-G-48529 NOTICE 1	GYROSWITCH, RATE, M46 [VALIDATION DATE: 8809]	A 1135	AR	09-SEP-88	AR	
L	MIL-A-48530(2)	ARM-SAFE DEVICE: M120	A NUOR	AR	18-MAR-91	AR	
L	MIL-S-48532(2)	SWITCH, ACCELERATION, ATOMIC WEAPON: M54	A 1135	AR	21-NOV-90	AR	
L	MIL-P-48534(2)	PRINTED WIRING BOARD [VALIDATION DATE: 8403]	A NUOR	AR	16-DEC-77	AR	
L	MIL-A-48535(1) NOTICE 1	ADAPTION KIT, ATOMIC WARHEAD TO GUIDED MISSILE: M238 [VALIDATION DATE: 8809]	A 1135	AR	08-SEP-88	AR	
L	MIL-C-48550(3)	COLLIMATOR, INFINITY AIMING REFERENCE, M1A1	A 1240	AR	22-MAY-87	AR	
A	MIL-B-48553(3)	BANDOLEER, M8	A 1305	AR	28-OCT-92	AR	
L	MIL-T-48554A	TELESCOPE, PANORAMIC: M137 AND M137A1	A 1240	AR	22-MAY-90	AR	
L	MIL-Q-48555A	QUADRANT, FIRE CONTROL: M17	A 1290	AR	26-NOV-89	AR	
L	MIL-Q-48556A	QUADRANT, FIRE CONTROL: M18	A 1290	AR	26-NOV-89	AR	
L	MIL-R-48557A	MOUNT, TELESCOPE AND QUADRANT: M171	A 1240	AR	15-MAY-90	AR	
L	MIL-T-48558B	TELESCOPE, ELBOW: M138	A 1240	AR	29-MAY-90	AR	
L	MIL-R-48559A	MOUNT, TELESCOPE AND QUADRANT: M172	A 1240	AR	30-MAR-90	AR	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Ordn / OML Classification Inches	Document Number	Document Title	Doc. Sym.	FSC / AISC MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
L	MIL-D-48561A(1)	D1-2-ETHYLMEXYL AZELATE REVIEWER: GS MD PS	A 6810	AR	23-NOV-90	AR				
L	MIL-C-48565(1)	CASE, CARTRIDGE, 90MM M108B1 [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR				
L	MIL-P-48566(1)	PERISCOPES, TANK: 11747126 AND 11747127 [VALIDATION DATE: 8810]	A 1330	AR	25-OCT-88	AR				
L	MIL-S-48567(1)	SLEEVE AND GRAIN ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS	99			
L	MIL-C-48568	CATAPULT, AIRCRAFT EJECTION SEAT: CXL-7/A ASSEMBLY	A 1377	OS	12-MAY-88	OS	99			
L	MIL-C-48569(2)	CATAPULT, AIRCRAFT EJECTION SEAT: CXL-7/A METAL PARTS ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS				
L	MIL-B-48570A(3)	BAND, CENTERING FOR PROJECTILE 105MM DISCARDING SABOT [VALIDATION DATE: 8804]	A 1315	AR	19-APR-88	AR				
L	MIL-P-48571(1)	PERISCOPE, TANK, M32E1 [VALIDATION DATE: 8601]	A 1240	AR	15-OCT-79	AR				
L	MIL-S-48573(1)	SIGHTUNIT, M64	A 1240	AR	05-NOV-84	AR				
L	MIL-T-48574	TELESCOPE, ELBOW, 11733780 [VALIDATION DATE: 8301]	A 1240	AR	18-FEB-77	AR				
L	MIL-M-48575(1)	MOUNT, TELESCOPE, 11741796	A 1240	AR	05-NOV-84	AR				
L	MIL-R-48577(1)	REGULATOR ASSEMBLY, 11747171 [VALIDATION DATE: 8502]	A 1240	AR	30-APR-79	AR				
L	MIL-T-48578(1)	TRAINER, FIELD ARTILLERY: DIRECT FIRE (LASER): 11746409	A 1240	AR	15-FEB-91	AR				
M	MIL-F-48580B(1)	FIN, M27	A 1310	AR	16-APR-93	AR				
A	MIL-C-48581A(1)	CIRCUIT CARD ASSEMBLY 11747210 TARGET COINCIDENCE BOARD	A 4931	AR	01-SEP-92	AR				
A	MIL-C-48582B(1)	CIRCUIT CARD ASSEMBLY, TARGET POSITION BOARD, 11747198	A 4931	AR	08-FEB-93	AR				
L	MIL-C-48583(2)	CIRCUIT CARD ASSEMBLY TARGET ACCELERATION BOARD, 11747207	A 4931	AR	11-JUL-83	AR				
A	MIL-C-48584B(1)	CIRCUIT CARD ASSEMBLY, 11747101 (RANGE AND RANGE RATE GENERATOR)	A 1285	AR	09-SEP-92	AR				
L	MIL-C-48585(2)	CIRCUIT CARD ASSEMBLY 11748240 (SIGHT CURRENT GENERATOR ADAPTER) [VALIDATION DATE: 8502]	A 1285	AR	30-AUG-79	AR				
L	MIL-T-48586(1)	TEST SET ASSEMBLY, DIODE SWITCH, 11736249	A 4931	AR	29-JUN-84	AR				
L	MIL-T-48587	TEST SET, INVERTER, CONVERTER AND MOTOR CHASSIS ASSEMBLY: 11748238	A 4931	AR	07-MAY-91	AR				
A	MIL-T-48588B	TEST SET, INVERTER, CONVERTER PANEL ASSEMBLY: 11747097	A 1285	AR	16-JUN-92	AR				
L	MIL-B-48589(3)	BODY ASSEMBLY: 11747350 (DAYLIGHT)	A 1240	AR	27-JUN-91	AR				
L	MIL-M-48590(2)	HEAD ASSEMBLY: 11727486 (PERISCOPE M32E1 AND M35E1)	A 1240	AR	17-JUN-91	AR				
L	MIL-T-48593B	TEST SET, SIGHT CURRENT GENERATOR SERVO, 11747100, AM/TSM-100	A 4931	AR	02-OCT-91	AR				
L	MIL-B-48594A(1)	BOARD ASSEMBLY, COMPONENT: 11748254	A 4931	AR	01-JUN-92	AR				
L	MIL-M-48595A(1)	RANGEFINDER, FIRE CONTROL, LASER: 11743101	A 1240	AR	09-NOV-87	AR				
L	MIL-C-48596A	COMPUTER SYSTEM, BALLISTIC, M21 11732979 [VALIDATION DATE: 8701]	A 1220	AR	30-JAN-87	AR				
L	MIL-M-48598A	MOTOR, BRAKE ASSEMBLY, 11747088	A 4931	AR	28-JUN-84	AR				
L	MIL-T-48599(1)	TEST SET, INVERTER, CONVERTER CHASSIS ASSEMBLY, 11748234	A 4931	AR	30-JUN-82	AR				
L	MIL-B-48600A(3)	BASE PLUG ASSEMBLY	A 1315	AR	15-JUN-91	AR				
L	MIL-C-48601A	CIRCUIT CARD ASSEMBLY: 11746960 SWITCH & LIGHT CONTROL [VALIDATION DATE: 8701]	A 1336	AR	30-JAN-87	AR				
L	MIL-P-48602(1)	PLOTTING BOARD, XM19, (M19) W/E	A 1220	AR	15-MAR-91	AR				
L	MIL-S-48603	SIGHT, BORE, REFLECTING, XM15E1 [VALIDATION DATE: 8301]	A 1240	AR	29-OCT-76	AR				
A	MIL-T-48604(3)	TUBE, LASER, PLASMA, HELIUM NEON: 11746797	A 1240	AR	06-SEP-90	AR				
A	MIL-C-48605A(1)	CONTROL ASSEMBLY R.F. (UNIT 1): 11748205	A 1240	AR	25-SEP-92	AR				
A	MIL-P-48606B(1)	POWER SUPPLY ASSEMBLY (UNIT 2): 11748133	A 1240	AR	27-AUG-92	AR				
A	MIL-A-48607B(1)	AMPLIFIER, DOPPLER ASSEMBLY: 11740261	A 1285	AR	12-JUN-92	AR				
A	MIL-A-48608B	AMPLIFIER, DOPPLER BOARD ASSEMBLY: 11740262	A 1285	AR	28-JAN-93	AR				
L	MIL-P-48609	POWER SUPPLY ASSEMBLY, MIXIE [VALIDATION DATE: 8504]	A 1240	AR	31-DEC-78	AR				
L	MIL-C-48610B	CIRCUIT CARD ASSEMBLY: 11746908 LOW VOLTAGE POWER SUPPLY CONTROL LOGIC [VALIDATION DATE: 8701]	A 1240	AR	30-JAN-87	AR				
AQ	MIL-A-48611A(3)	ADHESIVE SYSTEM, EPOXY-ELASTOMERIC, FOR GLASS TO METAL REVIEWER: 11 69 MD	A 8040	AR	22-JUL-92	AR	99			
L	MIL-B-48612A	BONDING WITH EPOXY-ELASTOMERIC ADHESIVE SYSTEM, GLASS TO METAL REVIEWER: AV	A 12GP	AR	20-MAR-87	AR				
L	MIL-F-48616(2)	FILTER (COATINGS), INFRARED INTERFERENCE, GENERAL SPECIFICATION FOR	A 6650	AR	28-JAN-85	AR	99			
L	MIL-F-48616/100	COATING, LOW REFLECTANCE, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301]	A 6650	AR	29-JUL-77	AR				
L	MIL-F-48616/101	COATING, LOW REFLECTANCE ON GERMANIUM, 8.0 TO 11.5 MICROMETERS, HIGH DURABILITY, SPECIAL REQUIREMENTS FOR [VALIDATION DATE: 8301]	A 6650	AR	29-JUL-77	AR				
L	MIL-F-48616/102	COATING, ULTRA LOW REFLECTANCE ON GERMANIUM, 7.5 TO 12.3 MICROMETERS, SPECIAL REQUIREMENTS FOR [VALIDATION DATE: 8301]	A 6650	AR	29-JUL-77	AR				
L	MIL-F-48616/200	COATING, HIGH REFLECTANCE, FIRST SURFACE, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301]	A 6650	AR	29-JUL-77	AR				
L	MIL-F-48616/301	FILTER, WIDE BANDPASS, 7.7 TO 11.7 MICROMETERS, SPECIAL REQUIREMENTS FOR [VALIDATION DATE: 8301]	A 6650	AR	29-JUL-77	AR				
L	MIL-F-48616/500	COATING, LONG WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301]	A 6650	AR	29-JUL-77	AR				
L	MIL-F-48616/800	COATING, SHORT WAVELENGTH PASS FILTER, ORDINARY REQUIREMENTS FOR [VALIDATION DATE: 8301]	A 6650	AR	29-JUL-77	AR				
L	MIL-C-48617A(1)	CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, M56A4 LOADING, ASSEMBLING & PACKING	A 1305	AR	28-MAR-86	AR				
A	MIL-P-48618A(1)	PROJECTILE, 20MM, M1, M56A5: METAL PARTS	A 1305	AR	10-NOV-92	AR				
L	MIL-P-48619	PERISCOPE, TANK, M32CE1 [VALIDATION DATE: 8502]	A 1240	AR	30-APR-79	AR				
L	MIL-M-48620(2)	HEAD ASSEMBLY: 11747439 (PERISCOPE M32CE1)	A 1240	AR	17-JUN-91	AR				
A	MIL-T-48621A(1)	TESTER, NOISE, X-BAND, AM/PSM-44: 11822700	A 1290	AR	27-AUG-92	AR				
L	MIL-E-48622A(2)	EXTRACTOR FOR 155MM, GUIDED PROJECTILE, M712 AND TRAINING PROJECTILE M823 [VALIDATION DATE: 9011]	A 1320	AR	01-NOV-90	AR				
L	MIL-C-48623(3)	CARTRIDGE, BLANK, CALIBER .50, M1A1	A 1305	AR	21-MAR-91	AR				
A	MIL-F-48625A	FUZE, 25MM, POINT DETONATING, SELF DESTRUCT M758	A 1390	AR	11-SEP-92	AR				
L	MIL-R-48628(1)	RACK, STORAGE, SMALL ARMS: M14	A 1095	AR	08-SEP-91	AR				
L	MIL-M-48629(1)	MINE, ANTI-TANK, PRACTICE: M79 ASSEMBLING AND PACKING	A 1345	AR	03-FEB-87	AR				
L	MIL-E-48630(2)	ELECTRONICS ASSEMBLY, FOR MINES, M718A1/M741A1, SYSTEM	A 1345	AR	20-FEB-89	AR				
L	MIL-J-48632(1)	INTEGRATED CIRCUIT, DIGITAL, CMOS CONTROL AND TIMING BASE, MONOLITHIC, SILICON	A 1375	AR	23-JUL-88	AR				
L	MIL-C-48633	CONTAINER, AMMUNITION, FIBERBOARD	A 1345	AR	03-FEB-87	AR				
L	MIL-I-48634(2)	INTEGRATED CIRCUIT, DIGITAL, CMOS LOGIC ARRAY MONOLITHIC SILICON	A 1375	AR	20-FEB-89	AR				
L	MIL-C-48635	CARTRIDGE, 81MM, PRACTICE M879 LOADING, ASSEMBLING & PACKING	A 1315	AR	02-JUL-87	AR				
L	MIL-P-48636(1)	PROJECTILE, INERT LOADED, 81MM, FOR CARTRIDGE, PRACTICE M879	A 1315	AR	26-APR-91	AR				
A	MIL-F-48637A	FUZE, POINT DETONATING, PRACTICE, M751 WITH PYROTECHNIC SIGNATURE CARTRIDGE	A 1390	AR	08-SEP-92	AR				
L	MIL-M-48640(1)	MUZZLE BORESIGHT DEVICE 9364909 (M27 FOR 120MM GUN TUBE)	A 1240	AR	29-APR-91	AR				
L	MIL-T-48643A(3)	TILE, ARMOR: XM1 AND XM2, PARTS FOR	A 2350	AR	03-APR-89	AR				
L	MIL-M-48645(1)	MINE, ANTI-PERSONNEL, METAL PARTS FOR M31 SYSTEM	A 1345	AR	22-FEB-88	AR				
L	MIL-M-48646	MICROCIRCUIT, DIGITAL, SCOD/OLA MULTICHIP CMOS	A 1345	AR	20-OCT-86	AR				
L	MIL-M-48647	MICROCIRCUIT, DIGITAL, DECODER, LOGIC ARRAY	A 1345	AR	20-OCT-86	AR				
L	MIL-P-48648(2)	PROJECTILE, 155MM, TEST, NON-HAZARDOUS, M718A1/M741A1 TYPES LOADING, ASSEMBLING AND PACKING OF	A 1320	AR	27-JUL-91	AR				
L	MIL-P-48649(2)	PROJECTILE, 155MM, M718A1/M741A1 TYPES, LOADING, ASSEMBLING AND PACKING OF	A 1320	AR	27-JUL-91	AR				
L	MIL-C-48653	CARTRIDGE, IGNITION, M702A1 PARTS FOR	A 1310	AR	17-FEB-86	AR				
L	MIL-C-48654	CARTRIDGE, IGNITION, M702A1 LOADING, ASSEMBLING AND PACKING	A 1310	AR	17-FEB-86	AR				
L	MIL-P-48655(3)	PISTOL, SEMIAUTOMATIC, 9MM: M9	A 1005	AR	12-APR-91	AR				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ONL Coordination Notice Document Number	Document Title	Dist. Sym.	FSC / Area	MCA Symbol	Preparing Acty.	Date	Custodians			
							Army	Navy	Air Force	DLA
L MIL-C-48656A(1)	CARTRIDGES, SHOT/SHELL	A 1305	AR	04-MAR-92	AR					
L MIL-M-48658	MOUNTING KIT, MINE DISPENSER: GROUND SYSTEM FOR M139 DISPENSER (CONTROLLED DISTRIBUTION)	F 1095	AR	01-DEC-89	AR					
L MIL-C-48659(1)	CHARGE ASSEMBLY FOR M207E5 WARHEAD LOADING, ASSEMBLING AND PACKING (CLASSIFIED)	A 1336	AR	09-SEP-87	AR					
L MIL-P-48663(1)	PALLET, METAL, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION	A 8140	AR	11-JUL-90	AR					
L MIL-L-48664A	LOOSE PROJECTILE RESTRAINT SYSTEM (LPRS), 155MM	A 2590	AR	10-AUG-88	AR					
L MIL-C-48665	CORE: TOROID	A 1345	AR	28-APR-86	AR					
L MIL-C-48666(1)	CANISTER, ASSEMBLY, M87 LOADING, ASSEMBLING AND PACKING	A 1345	AR	21-DEC-87	AR					
L MIL-C-48669(3)	CARTRIDGE, 40MM, M918TP, ESCAPEMENT ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING	A 1390	AR	18-APR-91	AR					
L MIL-C-48670(4)	CHARGE ASSEMBLY FOR M207E5 OR M207E6 WARHEADS INERT PARTS, FOR	A 1336	AR	29-MAY-92	AR					
L MIL-F-48673	FIRE CONTROL COMPUTER, FIELD TEST SET (FCC-FIS)	A 1270	AR	12-AUG-86	AR					
L MIL-C-48683A(2)	CARTRIDGE, 40MM, M918 TP; PROJECTILE ASSEMBLY FOR METAL PARTS AND LOADING, ASSEMBLING AND PACKING	A 1310	AR	25-JAN-91	AR					
L MIL-C-48684(3)	CARTRIDGE, 40MM, M918 TP LOADING, ASSEMBLING AND PACKING	A 1310	AR	14-JUN-91	AR					
L MIL-S-48685(1)	SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 ELECTRICAL PARTS AND ASSEMBLIES FOR	A 1336	AR	16-FEB-90	AR					
L MIL-S-48686(1)	SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 MECHANICAL PARTS AND ASSEMBLY FOR	A 1336	AR	16-FEB-90	AR					
L MIL-S-48687(1)	SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143E1 LOADING, ASSEMBLING AND PACKING FOR	A 1336	AR	16-FEB-90	AR					
L MIL-D-48688A	DISPENSER, GROUND, HE, M131 MINE SYSTEM LOADING, ASSEMBLING AND PACKING INCLUDING HE MINE ANTIPERSONNEL AND ANTITANK (CONTROLLED DISTRIBUTION)	B 1345	AR	20-JUL-89	AR					
L MIL-A-48690	ACTUATOR, PISTON, PAS32 LOADING, ASSEMBLING AND PACKING	A 1345	AR	23-APR-87	AR					
A L MIL-C-48697(3)	CARTRIDGE 60MM, TP, M50A3 LOADING, ASSEMBLING AND PACKING	A 1310	AR	08-DEC-92	AR					
L MIL-P-48698(4)	PROBE AND SEA ASSEMBLY, TOW-276	A 1336	AR	11-MAY-92	AR					
L MIL-F-48700	FUZE, ELECTRONIC TIME, M587 (LOADING, ASSEMBLING, AND PACKING) [VALIDATION DATE: 8601]	A 1390	AR	01-OCT-79	AR					
L MIL-F-48701B	FUZE SETTER, M36 [VALIDATION DATE: 8705]	A 1390	AR	08-MAY-87	AR					
L MIL-F-48702(2)	FUZE, ELECTRONIC TIME: M724 [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR					
L MIL-F-48704(1)	FUZE SETTER, M38	A 1390	AR	13-APR-83	AR					
L MIL-F-48706A(1)	FUZE, PROXIMITY, ARTILLERY, M732 (LOADING, ASSEMBLY, & PACKING)	A 1390	AR	15-OCT-86	AR					
L MIL-L-48707A	INAMER, FIELD ARTILLERY: M735 FUZE MOSE SECTION, TYPE X [VALIDATION DATE: 8909]	A 1115	AR	01-SEP-89	AR					
A L MIL-F-48708(2)	FUZE, MULTI-OPTION: M734 (LOADING, ASSEMBLING, AND PACKING)	D 1390	AR	16-DEC-92	AR					
L MIL-F-48717	FUZE, PROXIMITY, ARTILLERY: (LOADING, ASSEMBLING, AND PACKING) (CONTROLLED DISTRIBUTION)	F 1390	AR	28-FEB-91	AR					
L MIL-S-48735A(4)	SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEMS METAL PARTS FOR	A 1345	AR	07-FEB-86	AR					
L MIL-G-48737	GRENADE, HAND, OFFENSIVE, M83A2 W/FUZE M206A2 WITH SAFETY CLIP LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8803]	A 1330	AR	30-MAR-88	AR					
L MIL-C-48740(3)	CANISTER, MINE PRACTICE, M56 SUBSYSTEM [VALIDATION DATE: 8604]	A 1345	AR	08-APR-86	AR					
L MIL-S-48741(5)	SHIPPING AND STORAGE CONTAINER, XM612 PARTS AND ASSEMBLING	A 8140	AR	24-MAR-87	AR					
L MIL-C-48742(1)	CANISTER, MINE, TRAINING DEVICES FOR M56 TRAINING [VALIDATION DATE: 9109]	A 1345	AR	05-SEP-91	AR					
L MIL-C-48743A	CHARGE, EJECTION ASSEMBLY -TRAINING [VALIDATION DATE: 8704]	A 1345	AR	03-JUL-75	AR					
L MIL-F-48746	FUZZ MB11, MB16, MB19E1, GM, ET, LANCE, SPARE PARTS FOR PARTS, ASSEMBLING AND PACKING [VALIDATION DATE: 8704]	A 1336	AR	10-APR-87	AR					
L MIL-S-48747B(4)	SAFE AND ARMING DEVICE FOR MINES, M718/M741 SYSTEM	A 1345	AR	31-JUL-86	AR					
A L MIL-P-487490(3)	PROJECTILE, 155MM, HE: M483A1 LOADING, ASSEMBLING AND PACKING	A 1320	AR	09-DEC-92	AR					
L MIL-M-48752	MINE, ANTI-TANK, PRACTICE, XM76 [VALIDATION DATE: 8704]	A 1345	AR	24-MAR-75	AR					
L MIL-S-48755A(4)	SENSOR, TRIPLINE: EXTENDED RANGE	A 1345	AR	26-JUN-89	AR					
L MIL-S-48756	SHIPPING AND STORAGE CONTAINER, WARHEAD SECTION, M544 SPARE PARTS FOR [VALIDATION DATE: 8703]	A 8140	AR	24-MAR-87	AR					
L MIL-W-48757(5)	WARHEAD SECTION, GM, HE: M251 AND M251A1 SPARE PARTS FOR	A 1340	AR	16-DEC-88	AR					
L MIL-C-48758(3)	CARTRIDGE, 90MM, TP-T, M764 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR					
L MIL-P-48759	PROPELLANT M1 FOR USE IN 90MM CARTRIDGES [VALIDATION DATE: 8705]	A 1375	AR	28-MAY-87	AR					
L MIL-P-48760	PRIMER, STAB, M56 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8705]	A 1375	AR	06-JUN-75	AR					
L MIL-B-48761(4)	BATTERY, SINGLE CELL, PRIMARY RESERVE	A 1345	AR	29-NOV-85	AR					
L MIL-P-48762(1)	PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549, INERT, SIMULATED PARTS AND LOADING FOR METAL PARTS AND PROPELLANT ACCEPTANCE TESTING ONLY [VALIDATION DATE: 9011]	A 1320	AR	01-NOV-90	AR					
L MIL-W-48763	WRENCH, FUZING, ANTI-PERSONNEL MINE, M25 [VALIDATION DATE: 8704]	A 1345	AR	21-MAY-75	AR					
L MIL-P-48764A(4)	PROJECTILE, 155MM, HE, ROCKET ASSISTED, M549 AND M549A1, AFT (AHM) PROPELLANT GRAIN FOR	A 1320	AR	22-SEP-87	AR					
L MIL-L-48765(2)	LITHIUM HEXAFLUOROARSENATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8907]	A 6810	AR	13-JUL-89	AR					
L MIL-L-48766(2)	REVIEWER: GS	A 6810	AR	13-JUL-89	AR					
L MIL-M-48767(3)	LITHIUM TETRAFLUOROBORATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8907]	A 6810	AR	13-JUL-89	AR					
L MIL-L-48768(3)	REVIEWER: GS	A 6810	AR	13-JUL-89	AR					
L MIL-L-48771(1)	METHYL FORMATE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8907] REVIEWER: GS	A 6810	AR	13-JUL-89	AR					
L MIL-L-48772A	LITHIUM RESERVE BATTERY ELECTROLYTE [VALIDATION DATE: 8907] REVIEWER: GS	A 6810	AR	13-JUL-89	AR					
L MIL-G-48773(2)	GRAPHITE - SPECIAL PURPOSE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8907]	A 6810	AR	13-JUL-89	AR					
L MIL-L-48772A	REVIEWER: GS	A 6810	AR	30-JAN-87	AR					
L MIL-V-48773(2)	LITHIUM (FOR USE IN AMMUNITION) [VALIDATION DATE: 8701] REVIEWER: GS	A 6810	AR	28-JAN-91	AR					
L MIL-R-48813	VANADIUM PENTOXIDE (FOR USE IN AMMUNITION) [VALIDATION DATE: 9101]	A 6810	AR	28-JAN-91	AR					
L MIL-C-48814	REVIEWER: GS	A 1195	AR	20-MAY-88	AR					
L MIL-T-48825	RING, ADAPTER FOR M75 ADAPTION KIT [VALIDATION DATE: 8805]	A 1135	AR	06-APR-87	AR					
L MIL-W-48846	CARTRIDGE ASSEMBLY, FOR M74 WARHEAD SECTION [VALIDATION DATE: 8704]	A 1135	AR	08-APR-88	AR					
L MIL-P-48850	TRAINING CABLE ASSEMBLY M5-F	A 1115	AR	20-AUG-91	AR					
L MIL-B-48852	WARHEAD SECTION METAL COMPONENTS [VALIDATION DATE: 9108]	A 1345	AR	20-MAY-88	AR					
L MIL-C-48853B(1)	PIN AND LANYARD ASSEMBLY [VALIDATION DATE: 8805]	A 1345	AR	25-MAY-75	AR					
L MIL-W-48855C(4)	BASE ASSEMBLY FOR M56 TRAINING MINE CANISTER [VALIDATION DATE: 8704]	A 1375	AR	05-JAN-84	AR					
	CIRCUIT, DEMOLITION, FOR DEMOLITION KIT, CRATERING, M180 ASSEMBLING AND PACKING	A 1336	AR	28-FEB-89	AR					
	WARHEAD BODY ASSEMBLY FOR WARHEAD SECTION, GM, HE, M258									



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc / Chg / Revision	Document Number	Document Title	Dist	Spec	MCA Symbol	Preparing Agency	Date	Custodians			
									Army	Navy	Air Force	DLA
L	MIL-W-48866(3)		WARHEAD SECTIONS, GUIDED MISSILE, H.E. M25B66 LOADING, ASSEMBLING AND PACKING	A	1336	AR	11-MAY-89	AR				
L	MIL-F-48863(2)		FUZE, GUIDED MISSILE, M93466 PARTS ASSEMBLY, LOADING AND PACKING FOR	A	1336	AR	17-APR-89	AR				
L	MIL-D-48865(1)		DETONATOR, ELECTRIC, PASO0 PARTS FOR, LOADING, ASSEMBLING AND PACKING	A	1375	AR	30-JAN-87	AR				
	NOTICE 1		[VALIDATION DATE: 8701]									
L	MIL-W-48866A		WARHEAD SECTION, GM, PRACTICE LIGHTWEIGHT, M252 AND SHIPPING AND STORAGE	A	1336	AR	10-APR-87	AR				
	NOTICE 1		CONTAINER, X0612, SPARE PARTS FOR [VALIDATION DATE: 8704]									
L	MIL-C-48867B(3)		CHARGE, PROPELLING, M204 LOADING, ASSEMBLING AND PACKING	A	1310	AR	21-DEC-87	AR				
A	MIL-C-48868E(1)		CHARGE, PROPELLING, M204 PARTS AND CONTAINER ASSEMBLY	A	1310	AR	25-SEP-92	AR				
L	MIL-M-48869		MINE, DUMMY [VALIDATION DATE: 8806]	A	1320	AR	06-JUN-88	AR				
	NOTICE 1											
L	MIL-P-48870		PROJECTILE, 155MM, TEST: M692 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8806]	A	1320	AR	06-JUN-88	AR				
	NOTICE 1											
L	MIL-F-48877(9)		FUZE, ROCKET: M439 PARTS AND ASSEMBLY WITH DETONATOR	A	1340	AR	20-FEB-91	AR				
L	MIL-M-48878(4)		RDX/ESTANE (PBX 0280) MOLDING POWDER (FOR USE IN AMMUNITION)	A	1376	AR	22-JUN-90	AR				
A	MIL-F-48880(4)		FUZE, MT, S0, M582 LOADING, ASSEMBLING AND PACKING	A	1390	AR	30-JUN-92	AR				
A	MIL-C-48881B(3)		CHARGE, PROPELLING, M205 LOADING, ASSEMBLING AND PACKING	A	1315	AR	25-SEP-92	AR				
A	MIL-C-48882D(1)		CHARGE, PROPELLING, 81MM PARTS AND CONTAINER ASSEMBLY	A	1315	AR	25-SEP-92	AR				
L	MIL-M-48883		MINE DISPERSING SUBSYSTEM AIRCRAFT, PRACTICE, M132 [VALIDATION DATE: 8805]	A	1345	AR	20-MAY-88	AR				
L	MIL-C-48884		CASE, CARTRIDGE, M205E1, 152MM, PARTS FOR [VALIDATION DATE: 8806]	A	1320	AR	20-JUN-88	AR				
	NOTICE 1											
L	MIL-M-48885(1)		MINE DISPERSING SUBSYSTEM AIRCRAFT, TRAINING M133 [VALIDATION DATE: 8805]	A	1345	AR	20-MAY-88	AR				
	NOTICE 1											
L	MIL-C-48887		CHARGE, PROPELLING, PASO0, FOR MINE M16 [VALIDATION DATE: 8805]	A	1345	AR	20-MAY-88	AR				
	NOTICE 1											
L	MIL-D-48888		DETONATOR, FLASH, PASO4 FOR MINE, ANTI-PERSONNEL, M16A2 [VALIDATION DATE: 8805]	A	1345	AR	20-MAY-88	AR				
	NOTICE 1											
L	MIL-D-48889		DELAY ELEMENT, PA 500, FOR MINE M16 [VALIDATION DATE: 8805]	A	1345	AR	20-MAY-88	AR				
	NOTICE 1											
L	MIL-C-48890B(1)		CONTROL PANEL ASSEMBLY FOR M130 DISPENSER SYSTEM	A	1345	AR	29-MAR-91	AR				
L	MIL-R-49016A(1)		RECORDER, CODE MATRIX BLOCK LA-434( ) REVIEWER: GS	A	6720	CR	16-FEB-82	CR				
	NOTICE 1											
L	MIL-R-49023		RADIO SET AM/GRC-103 (V) 1	A	5820	CR	21-JAN-74	CR				99
L	MIL-R-49024		RADIO SET AM/GRC-103 (V) 2	A	5820	CR	21-JAN-74	CR				99
L	MIL-B-49030(3)		BATTERY, DRY (ALKALINE)	A	6135	ER	07-FEB-84	ER				
	SUPPL 1A1											
L	MIL-B-49030/1A		BATTERY, NON-RECHARGEABLE, BA-3030/U	A	6135	ER	07-AUG-90	ER				
A	MIL-B-49030/2		BATTERY, DRY, BA-3036/U	A	6135	ER	01-FEB-93	ER				
	NOTICE 2											
L	MIL-B-49030/3A		BATTERY, NON-RECHARGEABLE, BA-3042/U	A	6135	ER	07-AUG-90	ER				
A	MIL-B-49030/5		BATTERY, DRY, BA-3051/U	A	6135	ER	01-FEB-93	ER				
	NOTICE 2											
L	MIL-B-49030/6A		BATTERY, NON-RECHARGEABLE, BA-3058/U	A	6135	ER	07-AUG-90	ER				
L	MIL-B-49030/9		BATTERY, DRY, BA-3955/TA [VALIDATION DATE: 8809]	A	6135	ER	06-SEP-88	ER				
	NOTICE 1											
L	MIL-B-49030/10		BATTERY, NON-RECHARGEABLE, BA-3590/U	A	6135	ER	09-MAY-88	ER				
L	MIL-B-49030/11		BATTERY, NON RECHARGEABLE, BA 3090/U	A	6135	ER	09-MAY-88	ER				
L	MIL-D-49031A		DARKROOM, PHOTOGRAPHIC, TRANSPORTABLE ES-82( )	A	6780	CR	21-NOV-84	CR				
L	MIL-G-49032A		GENERATOR, INTERFERENCE SG-886( )-1/UR [VALIDATION DATE: 8405]	A	6940	CR	16-APR-79	CR				
L	MIL-S-49036		SUPPRESSOR, ELECTRICAL TRANSIENT [VALIDATION DATE: 8703]	A	5915	ER	18-MAR-87	ER				
	NOTICE 1											
LI	MIL-S-49038		SHELTER, ELECTRICAL EQUIPMENT S-541( )/TTC-38(V)	A	5410	CR	10-OCT-90	CR				
	NOTICE 2											
N	MIL-I-49040E		IMAGE INTENSIFIER ASSEMBLY 25 MILLIMETER, MICROCHANNEL INVERTER MX-9644/UW	A	5855	CR	28-MAY-92	CR	EC			
L	MIL-B-49041(1)		BATTERY, DRY BA-1579/U [VALIDATION DATE: 8301] REVIEWER: AR	A	6135	ER	26-APR-77	ER				
LI	MIL-I-49043		IMAGE INTENSIFIER ASSEMBLY 18 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL	A	5855	CR	05-OCT-90	CR				
Q	MIL-I-49052F		IMAGE INTENSIFIER ASSEMBLY 18 MM MICROCHANNEL WAFER MX-9916/UW	A	5855	CR	21-MAY-92	CR	AS			
L	MIL-T-49053		TEST SET, RELAY TS-1775( )/U [VALIDATION DATE: 8606]	A	6625	CR	06-JUN-86	CR				
	NOTICE 1											
Q	MIL-C-49055B(2)		CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR USER: AT ME SH REVIEWER: 99 AR AV EC	A	6145	CR	16-FEB-90	CR	AS	85		
	SUPPL 1A1		ES 15 MI OS									
	MIL-C-49055/1C		CABLES, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), (WIRE SIZE 26, 7/34 OR 28, 7/36 STRANDING) USER: AT MC ME REVIEWER: 11 17 99 AR	A	6145	CR	16-FEB-90	CR	AS	85		
			AV EC ES 15 MI OS SH									
	MIL-C-49055/11B		CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 150 DEG. C USER: AT MC ME REVIEWER: 11 17 99 AR AV EC ES 15 MI	A	6145	CR	16-FEB-90	CR	AS	85		
			OS SH									
	MIL-C-49055/12B		CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 200 DEG. C USER: AT MC ME REVIEWER: 11 17 99 AR AV EC ES 15 MI	A	6145	CR	16-FEB-90	CR	AS	85		
			OS SH									
	MIL-C-49055/13B		CABLES, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, 260 DEG. C USER: AT MC ME REVIEWER: 11 17 99 AR AV EC ES 15 MI	A	6145	CR	16-FEB-90	CR	AS	85		
			OS SH									
A	MIL-C-49055/14A		CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 105 DEG. C, MULTIPLE TWISTED PAIRS USER:	A	6145	CR	11-FEB-93	CR	AS	85		
			AT MC ME REVIEWER: 17 99 AR AV EC ES 15 MI OS SH									
A	MIL-C-49055/15A		CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 150 DEG. C, MULTIPLE TWISTED PAIRS USER:	A	6145	CR	11-FEB-93	CR	AS	85		
			AT MC ME REVIEWER: 17 99 AR AV EC ES 15 MI OS SH									
A	MIL-C-49055/16A		CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 200 DEG. C, MULTIPLE TWISTED PAIRS USER:	A	6145	CR	11-FEB-93	CR	AS	85		
			AT MC ME REVIEWER: 17 99 AR AV EC ES 15 MI OS SH									
A	MIL-C-49055/17A		CABLE, SPECIAL PURPOSE, ELECTRICAL, FLEXIBLE, FLAT, UNSHIELDED, ROUND CONDUCTOR, COLOR CODED, STRANDED, 260 DEG. C, MULTIPLE TWISTED PAIRS USER:	A	6145	CR	11-FEB-93	CR	AS	85		
			AT MC ME REVIEWER: 17 99 AR AV EC ES 15 MI OS SH									
LI	MIL-T-49056A		TEST SET, TRANSPONDER SET AM/APN-305A	A	6625	CR	26-OCT-89	CR				
L	MIL-T-49057A		TEST SET, IFF INTERROGATOR AM/OTPH-25A	A	6625	CR	03-NOV-83	CR				
	MIL-C-49059A(1)		CABLE, ELECTRICAL (FLEXIBLE, FLAT, UNSHIELDED), (FLAT CONDUCTOR) GENERAL SPECIFICATION FOR [VALIDATION DATE: 8808] USER: AT ME SH REVIEWER: 11 17	A	6145	CR	31-AUG-88	CR	AS	85		
	SUPPL 1A1, NOTICE 1		AR AV EC ES 15 MI OS									
	MIL-C-49059/1A		CABLE, ELECTRICAL (FLEXIBLE, FLAT, UNSHIELDED) (FLAT CONDUCTOR-UNPLATED) 300 VOLTS, 105 DEGREE C [VALIDATION DATE: 8808] USER: AT ME SH REVIEWER:	A	6145	CR	31-AUG-88	CR	AS	85		
	NOTICE 1		11 17 AR AV EC ES 15 MI OS									
I	MIL-C-49059/2C		CABLE, ELECTRICAL (FLEXIBLE, FLAT, UNSHIELDED) (FLAT CONDUCTOR) 300 VOLTS, 150 DEG. C REVIEWER: 11	A	6145	CR	30-AUG-91	CR	AS	85		
	NOTICE 1											
N	MIL-N-49063D		NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AM/PVS-4 USER: AR	A	5855	CR	21-MAY-92	CR				99
Q	MIL-N-49064D		NIGHT VISION SIGHT, CREW SERVED WEAPON AM/PVS-5	A	5855	CR	21-MAY-92	CR				99
	MIL-N-49065E		NIGHT VISION GOGGLES AM/PVS-5A [VALIDATION DATE: 8604] REVIEWER: 99 AS AT	A	5855	CR	28-APR-86	CR				11
	NOTICE 1											
L	MIL-T-49066A		TEST SET, TSEC/ST-23( ) [VALIDATION DATE: 9101]	A	5810	CR	29-JAN-91	CR				
	NOTICE 1											
L	MIL-A-49067A		AIR TRAFFIC CONTROL CENTRAL AM/TSW-7A REVIEWER: AV	A	5895	CR	30-MAR-84	CR				
L	MIL-C-49073(1)		CONVERTER, TELEPHONE SIGNAL CV-1919( )/G [VALIDATION DATE: 8603]	A	5805	CR	03-MAR-86	CR				
	NOTICE 1											



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc CPL/DA Coordination Index Document Number	Document Title	Dist. Smt. F&C Area	MCA Symbol Prescribing Agency	Date	Custodians			
					Army	Navy	Air Force	DA
LI MIL-V-49074 NOTICE 1	VIEWER, INFRARED AM/PAS-7 USER: AR .....	A 5855	CR	05-OCT-90	CR			
L MIL-I-49075	INSTALLATION AND ACCEPTANCE TESTING OF RECEIVING SET, RADIO AM/ARN 123(V)( ) (VALIDATION DATE: 8501)	A 5826	AV	14-OCT-77	AV			
L MIL-I-49076	INSTALLATION AND ACCEPTANCE TESTING OF RECEIVER, RADIO R-1963/ARN (VALIDATION DATE: 8501)	A 5826	AV	15-MAR-78	AV			
L MIL-I-49077A NOTICE 1	INSTALLATION AND ACCEPTANCE TESTING OF ALTIMETER SET, ELECTRONIC AM/APH-209(V) IN ARMY AIRCRAFT (VALIDATION DATE: 8804)	A 5841	AV	22-APR-88	AV			
L MIL-H-49078(2)	HANDSET H-250( )/U .....	A 5965	CR	22-JUN-84	CR			
L MIL-A-49079A	ALTIMETER SET, ELECTRONIC AM/APH-209(V) (UNITS OF) REVIEWER: AV ER .....	A 5841	CR	09-JUN-86	CR			
L MIL-P-49080A	POWER SUPPLY PP-6224( )/U .....	A 6130	ER	24-NOV-80	ER			
L MIL-T-49081 NOTICE 1	TELEPHONE CIRCUIT, LINE RELAY TA-452( )24/GTA-14 (VALIDATION DATE: 8603) ..	A 5805	CR	03-MAR-86	CR			
L MIL-V-49082D	VIEWER, DRIVER'S, NIGHT VISION, AM/VVS-2(V) .....	A 5855	CR	22-MAY-92	CR			
LI MIL-E-49084 NOTICE 1	EYEPIECE ASSEMBLY FOR AM/PAS-7 .....	A 5855	CR	05-OCT-90	CR			
L MIL-C-49085 NOTICE 1	CHARGER, BATTERY PP-7311 /PAS-7 (VALIDATION DATE: 8703) USER: AR .....	A 6130	CR	26-MAR-87	CR			
LI MIL-Q-49086 NOTICE 1	OBJECTIVE LENS ASSEMBLY FOR AM/PAS-7 REVIEWER: AR .....	A 5855	CR	05-OCT-90	CR			
LI MIL-S-49087 NOTICE 1	SCANNER ASSEMBLY FOR AM/PAS-7 USER: AR .....	A 5855	CR	05-OCT-90	CR			
LI MIL-D-49088 NOTICE 1	DETECTOR/COOLER ASSEMBLY FOR AM/PAS-7 USER: AR .....	A 5855	CR	05-OCT-90	CR			
L MIL-H-49089	MAST AB-864( )/G AND MAST EXTENSION KIT MK-1624( )/G (VALIDATION DATE: 8101)	A 5985	ER	19-MAY-76	ER			
ML MIL-P-49090D	POWER SUPPLY 25 MILLIVOLT, MICROCHANNEL INVERTER USER: AR .....	A 5855	CR	26-MAY-92	CR			
L MIL-H-49092 NOTICE 1	HEADSET MICROPHONE H-325( )/TTC (VALIDATION DATE: 8703) .....	A 5966	CR	12-MAR-87	CR			
LI MIL-H-49094 NOTICE 1	NAVIGATION SET, POSITION FIXING, LORAN AM/PSW-6( ) AND (UNITS OF) .....	A 5825	CR	25-OCT-89	CR			
LI MIL-A-49095A NOTICE 1	AMPLIFIER, AUDIO FREQUENCY AM-6747( )/V .....	A 5830	CR	02-OCT-89	CR			
A L MIL-H-49098A(1)	NAVIGATIONAL SET, DOPPLER AM/ASN-128( ) (XE-2) .....	A 5841	CR	29-DEC-92	CR			
LI MIL-R-49100(1) NOTICE 1	RADIO SET AM/GRC-103(V)4 .....	A 5820	CR	05-OCT-90	CR			
L MIL-B-49101A(1) NOTICE 1	BUFFER, DATA TD-1065( )/G (VALIDATION DATE: 8802) .....	A 5805	CR	02-FEB-88	CR			
L MIL-H-49103 NOTICE 1	MULTIPLEXER, ASYNCHRONOUS DIGITAL COMBINER TD-976( )/G, RESTORER, PULSE FORM TD-982( )/G AND ANCILLARY ITEMS (VALIDATION DATE: 8805)	A 5805	CR	03-MAY-88	CR			
L MIL-C-49104 NOTICE 1	CABLE, TELEPHONE WD-1A/TT (FIELD WIRE, PARALLEL PAIR) (VALIDATION DATE: 9010)	A 6145	CR	23-OCT-90	CR			
L MIL-I-49105	INSTALLATION AND ACCEPTANCE TESTING OF NETWORK, ANTENNA COMPENSATION, CH-1404/ARN-89, IN ARMY AIRCRAFT (VALIDATION DATE: 8501)	A 5826	AV	22-NOV-76	AV			
L MIL-C-49109	COUNTER, ELECTRONIC, DIGITAL READOUT, TS-3662( )/V)U (VALIDATION DATE: 8307)	A 6625	CR	31-DEC-76	CR			
L MIL-T-49110(1)	TELEPHONE SET TA-838( )/TT .....	A 5805	CR	26-JAN-90	CR			
L MIL-P-49115A(2)	PLATFORM EARLY WARNING SYSTEM AM/TRS-2( ) .....	A 5895	CR	26-FEB-88	CR			
L MIL-H-49116	NETWORK, ANTENNA COMPENSATION CH-1404/ARN-89 (VALIDATION DATE: 8501) .....	A 5826	AV	08-FEB-77	AV			
L MIL-T-49117	TEST SET, RECEIVER TS-3565( )/TRS-2 (VALIDATION DATE: 8307) .....	A 6625	CR	28-JAN-77	CR			
L MIL-R-49118A	RADIO SET AM/PRC-70( ) AND (UNITS OF) .....	A 5820	CR	03-JAN-91	CR			
LI MIL-R-49122 NOTICE 1	RECORDER, SIGNAL DATA RD-481( )/TMS-10 .....	A 1290	CR	27-JUL-89	CR			
L MIL-H-49123	MICROPHONE M-161( )/TMS-10 .....	A 5965	CR	01-AUG-77	CR			
L MIL-T-49124	TEST SET, LASER RANGEFINDER, TS-3620( )/GVS-5 (VALIDATION DATE: 8307) .....	A 6625	CR	23-MAY-77	CR			
LI MIL-H-49125 NOTICE 1	MOUNTING GROUP, AZIMUTH-ELEVATION, OA-8933( )/GVS-5 .....	A 5860	CR	05-OCT-90	CR			
L MIL-R-49126A NOTICE 1	RADAR SET AM/PPS-15( ) (VALIDATION DATE: 8802) .....	A 5840	CR	16-FEB-88	CR			
L MIL-T-49129(1) NOTICE 1	TRANSCIVER, INTEGRATED TACTICAL VOICE SECURITY EQUIPMENT, TSEC/KY-67, BANCROFT, AND ANCILLARY EQUIPMENT (VALIDATION DATE: 9101)	A 5810	CR	29-JAN-91	CR			
L MIL-T-0049129A NOTICE 1	TRANSCIVER, INTEGRATED TACTICAL VOICE SECURITY EQUIPMENT, TSEC/KY-67, BANCROFT, AND ANCILLARY EQUIPMENT (VALIDATION DATE: 9101)	A 5810	CR	29-JAN-91	CR			
A L MIL-T-49136A	TEST SET, COUNTERMEASURES SET AM/ALM-178( ) .....	F 6625	CR	21-JUL-92	CR			
Q MIL-C-49137A(2) SUPPL 1A1, NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED, AND METAL CASE WITH PLASTIC END-FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9006) USER: 19 CG MC OS REVIEWER: 17 85 99 ES SH	A 5910	ER	15-JUN-90	ER	EC	11	
MIL-C-49137/1A(1)	CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX01 USER: 19 AS CG MC OS REVIEWER: 17 99 ES SH	A 5910	ER	09-OCT-87	ER	EC	11	
MIL-C-49137/2A NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, CONFORMAL COATED, NONHERMETICALLY SEALED, STYLES CX02 AND CX12 (VALIDATION DATE: 9110) USER: 19 AS CG MC REVIEWER: 17 99 ES MI SH	A 5910	ER	23-OCT-91	ER	EC	85	
I MIL-C-49137/3B	CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE) TANTALUM, POLAR, INSULATED, METAL CASE, WITH PLASTIC END-FILL NONHERMETICALLY SEALED, STYLE-CX03 USER: 19 AS CG MC OS REVIEWER: 99 ES SH	A 5910	ER	01-APR-92	ER	EC	85	
MIL-C-49137/4B NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, DUAL-IN-LINE PACKAGE, STYLE CX04 (VALIDATION DATE: 9110) USER: 19 AS CG MC REVIEWER: 17 99 ES SH	A 5910	ER	23-OCT-91	ER	EC	85	
MIL-C-49137/5(1) NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, MOLDED, NONHERMETICALLY SEALED, STYLE CX05 (VALIDATION DATE: 9110) USER: 19 AS CG MC REVIEWER: 17 99 ES SH	A 5910	ER	23-OCT-91	ER	EC	85	
L MIL-C-49137/6B	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, POLAR, NONHERMETICALLY SEALED STYLES CX06 AND CX16 REVIEWER: ES	A 5910	ER	27-JUL-88	ER			
L MIL-C-49137/7A	CAPACITORS, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, NON-POLAR, NONHERMETICALLY SEALED STYLES CX07 AND CX17	A 5910	ER	23-APR-92	ER			
L MIL-P-49139(2)	POWER SUPPLY PP-6148( )/U .....	A 6130	ER	13-JUL-87	ER			
L MIL-G-49140	GENERATOR, DIRECT CURRENT G-67( )/G (VALIDATION DATE: 8502) .....	A 6115	ER	19-OCT-77	ER			
Q MIL-C-49142(2) SUPPL 1A1	CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR USER: 19 AS AT MC REVIEWER: 17 99 AR ES MI OS SH	A 5935	CR	13-SEP-89	CR	EC	85	
M MIL-C-49142/3D(1)	CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB, PIN CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	
MIL-C-49142/4E	CONNECTORS, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRB, SOCKET CONTACT, JAMMUT MOUNTED, CLASS 2) HERMETIC AND NONHERMETIC USER: 19 AS AT MC REVIEWER: 11 17 99 AR ES MI OS SH	A 5935	CR	12-JAN-90	CR	EC	85	
M MIL-C-49142/5D(1)	CONNECTOR, RECEPTACLE, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, JAMMUT MOUNTED, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	
M MIL-C-49142/6C(1)	CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY (SERIES TRB (CABLED), SOCKET CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	OPL / OML Coordination Machine	Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol	Preparing Act Date	Custodians			
							Army	Navy	Air Force	DLA
M		MIL-C-49142/78(1)	CONNECTOR, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRB (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	
M		MIL-C-49142/88(1)	CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) PLUG, PIN CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	
M		MIL-C-49142/98(1)	CONNECTORS, TRIAXIAL, RADIO FREQUENCY (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, JAMMUT MOUNTED, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	
		MIL-C-49142/108	CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (UNCABLED) RECEPTACLE, SOCKET CONTACT, JAMMUT MOUNTED, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR ES MI OS SH	A 5935	CR	12-JAN-90	CR	EC	85	
M		MIL-C-49142/118(1)	CONNECTORS, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED) RECEPTACLE, SOCKET CONTACT, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	
M		MIL-C-49142/128(1)	CONNECTORS, PLUG, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, (SERIES TRT (CABLED), PIN CONTACT, RIGHT ANGLE, CLASS 2) USER: 19 AS AT MC REVIEWER: 11 17 99 AR MI OS SH	A 5935	CR	20-APR-93	CR	EC	85	
L		MIL-H-49143 NOTICE 1	MULTIPLEXER, TIME DIVISION DIGITAL TD-1069( )/G (VALIDATION DATE: 8805) ...	A 5805	CR	03-MAY-88	CR			
L		MIL-C-49144(3)	CHARGER, BATTERY, PP 7286/U	A 6130	CR	15-JAN-88	CR			
M		MIL-P-491468	POWER SUPPLY, 18 MILLIMETER, MICROCHANNEL WAFER	A 5855	CR	28-MAY-92	CR	EC	99	
ML		MIL-L-49147C	LENS ASSEMBLY, EYEPIECE VIEWER, DRIVER'S NIGHT VISION, AM/VVS-2(V)	A 5855	CR	27-MAY-92	CR			
ML		MIL-L-49148C	LENS ASSEMBLY, OBJECTIVE VIEWER, DRIVER'S NIGHT VISION, AM/VVS-2(V)	A 5855	CR	26-MAY-92	CR			
ML		MIL-L-49149C	ELECTRONIC CONTROL ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AM/VVS-2(V)	A 5855	CR	27-MAY-92	CR			
ML		MIL-E-49150C	ENTRANCE HOUSING ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AM/VVS-2(V)	A 5855	CR	26-MAY-92	CR			
ML		MIL-P-49151C	POWER ADAPTER ASSEMBLY VIEWER, DRIVER'S NIGHT VISION, AM/VVS-2(V)	A 5855	CR	26-MAY-92	CR			
L		MIL-C-49155	GENERATOR, SIGNAL (VALIDATION DATE: 8307) USER: SC REVIEWER: MD	A 6625	CR	24-MAR-78	CR			
		MIL-L-49156A(1) NOTICE 1	LENS ASSEMBLY, EYEPIECE, FOR NIGHT VISION GOGGLES, AM/PVS-5A (VALIDATION DATE: 8604) REVIEWER: 99 AS AT	A 5855	CR	28-APR-86	CR		11	
		MIL-L-49157A(1) NOTICE 1	LENS ASSEMBLY, OBJECTIVE FOR NIGHT VISION GOGGLES, AM/PVS-5A (VALIDATION DATE: 8604)	A 5855	CR	28-APR-86	CR		11	
L		MIL-H-49158 NOTICE 1	MEASURING SET, RADIO INTERFERENCE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9101) USER: AT SC REVIEWER: AR AV MD	A 6625	CR	31-JAN-91	CR			
L		MIL-H-49158/3	MEASURING SET, RADIO INTERFERENCE AM/ARM-199 (VALIDATION DATE: 8307) USER: AT SC REVIEWER: AR AV MD	A 6625	CR	01-MAY-78	CR			
L		MIL-S-49160A	SHELTER, ELECTRICAL EQUIPMENT S-561( )/TCC-4(V)	A 5805	CR	07-AUG-87	CR			
L		MIL-H-49161	HEADSET-MICROPHONE KIT MK-1697( )/G (VALIDATION DATE: 8307)	A 5965	CR	26-JUN-78	CR			
L		MIL-P-49163A NOTICE 1	PREAMPLIFIER, VIDEO AM-6923/U (REVIEWER: 11)	A 5855	CR	03-MAR-87	CR			
L		MIL-P-49164B	POSTAMPLIFIER CONTROL DRIVER, VIDEO AM-6924/U	A 5855	CR	18-NOV-85	CR			
L		MIL-S-49166A NOTICE 1	SCANNER, MECHANICAL MX-9872(V)/U (VALIDATION DATE: 8705)	A 5855	CR	28-MAY-87	CR			
L		MIL-S-49166/1 NOTICE 1	SCANNER, MECHANICAL MX-9872(V)1/U (VALIDATION DATE: 8911)	A 5855	CR	03-NOV-89	CR			
L		MIL-S-49166/2 NOTICE 1	SCANNER, MECHANICAL MX-9872(V)2/U (VALIDATION DATE: 8911)	A 5855	CR	03-NOV-89	CR			
L		MIL-S-49166/3 NOTICE 1	SCANNER, MECHANICAL MX-9872(V)3/U (VALIDATION DATE: 8911)	A 5855	CR	03-NOV-89	CR			
L		MIL-S-49166/4 NOTICE 1	SCANNER, MECHANICAL MX-9872(V)4/U (VALIDATION DATE: 8911)	A 5855	CR	03-NOV-89	CR			
L		MIL-S-49166/5 NOTICE 1	SCANNER, MECHANICAL MX-9872(V)5/U (VALIDATION DATE: 8911)	A 5855	CR	03-NOV-89	CR			
L		MIL-S-49166/6(1)	SCANNER, MECHANICAL MX-9872(V)6/U	A 5855	CR	29-MAR-84	CR			
L		MIL-S-49166/7	SCANNER, MECHANICAL, MX-9872(V)7/U	A 5855	CR	18-JUL-88	CR			
L		MIL-A-49167A NOTICE 1	AUXILIARY CONTROL, VIDEO PL-1402/U	A 5855	CR	03-MAR-87	CR			
L		MIL-S-49168B	SCAN-INTERLACE PL-1403/U, PL-1403A/U	A 5855	CR	02-NOV-87	CR			
L		MIL-L-49169A(1) NOTICE 1	LIGHT EMITTING DIODE ARRAY	A 5855	CR	03-MAR-87	CR			
L		MIL-L-49170A NOTICE 1	IMAGER, OPTICAL SU-97/U (VALIDATION DATE: 8705)	A 5855	CR	28-MAY-87	CR			
L		MIL-C-49171A NOTICE 1	COLLIMATOR, VISUAL SU-98/U (VALIDATION DATE: 8705)	A 5855	CR	28-MAY-87	CR			
L		MIL-D-49172A	DETECTOR DEMAR DT-594/U	A 5855	CR	06-MAR-86	CR			
L		MIL-L-49173A	IMAGER, OPTICAL SU-103/U (VALIDATION DATE: 8705)	A 5855	CR	28-MAY-87	CR			
L		MIL-C-49174A NOTICE 1	COLLIMATOR, VISUAL SU-102/U (VALIDATION DATE: 8705)	A 5855	CR	11-JUN-82	CR			
L		MIL-C-49175B(1)	COOLER, CRYOGENIC, MECHANICAL HD-1033B/U AND HD-1033C/U	A 5855	CR	20-FEB-92	CR			
L		MIL-R-49176A NOTICE 1	REGULATOR, VOLTAGE, BIAS CH-1503/U	A 5855	CR	03-MAR-87	CR			
L		MIL-S-49177A	SCAN INTERLACE PL-1408/U (VALIDATION DATE: 8705)	A 5855	CR	08-APR-82	CR			
L		MIL-L-49178	INTERCONNECTING BOX J-3176( )/JLR-17(V) (VALIDATION DATE: 8310)	A 5820	CR	19-JUL-78	CR			
LI		MIL-S-49181(1) NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-583( )/TRC-151(V)	A 5410	CR	10-OCT-90	CR			
LI		MIL-S-49182(1) NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-584 ( )/TRC-152(V)	A 5410	CR	10-OCT-90	CR			
LI		MIL-F-49183 NOTICE 1	FILTER, DIRECT CURRENT, POWER F-1461( )/VRC	A 5915	CR	05-OCT-90	CR			
L		MIL-R-49185A	RADIO SET AM/GRC-103(V)3	A 5820	CR	03-AUG-90	CR			
L		MIL-A-49186 NOTICE 1	ADAPTER, TONE-SIGNALING TA-977( )/PT (VALIDATION DATE: 8803)	A 5805	CR	31-MAR-88	CR			
LI		MIL-C-49187 NOTICE 1	COMMUNICATIONS CENTRAL AM/TSC-99	A 5820	CR	05-OCT-90	CR			
L		MIL-C-49191A NOTICE 1	CONTROL, INTERCOMMUNICATION SET C-10456( )/VRC (VALIDATION DATE: 8802)	A 5820	CR	16-FEB-88	CR			
L		MIL-G-49192 NOTICE 1	GENERATOR, SIGNAL, WWF SG 1170/U (VALIDATION DATE: 8606)	A 6625	CR	06-JUN-86	CR			
L		MIL-G-49193 NOTICE 1	GENERATOR, SIGNAL SG-1171/U (VALIDATION DATE: 8606) USER: AL REVIEWER: MD	A 6625	CR	06-JUN-86	CR			
L		MIL-B-49194	BRIDGE, IMPEDANCE ZH-78/U (VALIDATION DATE: 8307) USER: AL REVIEWER: MD	A 6625	CR	26-MAR-79	CR			
L		MIL-H-49195	HEADSET MICROPHONE KIT MK-1974( )/VRC	A 5965	CR	04-MAY-79	CR			
L		MIL-S-49196 NOTICE 1	STROBOSCOPE, TEST SET TS-805( )/U (VALIDATION DATE: 8606) USER: AL REVIEWER: MD	A 6625	CR	06-JUN-86	CR			
L		MIL-C-49197 NOTICE 1	COUNTER, ELECTRONIC, DIGITAL READOUT 18 GIGAHERTZ (GHZ) CONTINUOUS WAVE (CW) TD-1225 ( ) U (INACTIVE FOR NEW DESIGN)	A 6625	CR	17-FEB-81	CR			
I		MIL-H-49198A NOTICE 1	HEADSET-MICROPHONE KIT, MK-1564( )/AIC REVIEWER: ES	A 5965	CR	09-JAN-91	CR	EC	85	
LI		MIL-H-49199A NOTICE 1	MICROPHONE, LINEAR M-162/AIC GENERAL SPECIFICATION FOR	A 5965	CR	09-JAN-91	CR			
L		MIL-T-49200 NOTICE 1	TEST SET, RADIO, AM/USH-306( ) (VALIDATION DATE: 8606) REVIEWER: MD	A 6625	CR	06-JUN-86	CR			
L		MIL-A-49201(1)	ARRESTER, ELECTRICAL SURGE, F-1483( )/G AND F-1495( )/G	A 5920	CR	17-AUG-84	CR			
L		MIL-R-49203(2)	RECORDER-REPRODUCER SET, SOUND AM/TW-231( )	A 5835	CR	31-JAN-89	CR			
A L		MIL-A-49204A	ANTENNA GROUP DE-254/GRC	A 5985	CR	15-OCT-92	CR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig. Coordination Increase Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty. Date	Custodians Army Navy Air Force DLA
L MIL-C-49206	CONTROL, COMMUNICATIONS MODE SELECTOR, CMSC, C-10377( )/GTC (VALIDATION DATE: 8805)	A 5810 CR 03-MAY-88 CR	
L MIL-C-49208	CONTROL, RADIO SET C-6709( )/G	A 5820 CR 10-MAR-86 CR	99
L MIL-R-49209A(1)	RADIO TERMINAL SET AM/TRC-173	A 5820 CR 29-DEC-86 CR	
L MIL-R-49210A(1)	RADIO REPEATER SET AM/TRC-174	A 5820 CR 08-FEB-85 CR	
L MIL-R-49225	HEADSET MICROPHONE KIT MK-896A/AIC (COMPONENTS OF) (VALIDATION DATE: 8701)	A 5965 CR 09-JAN-87 CR	
L MIL-R-49226A	RADIO SET AM/GRC-144( ) (V)3 AND (V)4	A 5820 CR 31-JUL-90 CR	
L MIL-C-49227A(1)	CONTROL UNIT, COMMUNICATION SYSTEM C-10414(V) ( )/ARC REVIEWER: CR	A 5821 AV 16-MAR-87 AV	
L MIL-C-49228	COMMUNICATION CENTRAL AM/ASC-15( )/V1.2	A 5895 CR 16-JUN-81 CR	
L MIL-R-49229B	RADIO TERMINAL ASSEMBLY AM/TRC-173	A 5820 CR 16-AUG-88 CR	
L MIL-C-49230	COUNTER PULSE, ELECTRONIC, 18 GIGAHERTZ (GHz) TD-1338 ( )/USM (INACTIVE FOR NEW DESIGN)	A 6625 CR 16-JAN-81 CR	
L MIL-M-49231A	MODEM, CABLE DRIVER, MD-1023( )/G	A 5805 CR 29-APR-88 CR	
L MIL-M-49232A	MODEM, CABLE DRIVER, MD-1024 ( )/G	A 5805 CR 29-APR-88 CR	
L MIL-M-49233A	MODEM, CABLE DRIVER MD-1025( )/G	A 5805 CR 29-APR-88 CR	
L MIL-M-49234A	MODEM, DIGITAL DATA, MD-1026( )/P/G	A 5820 CR 20-APR-87 CR	
L MIL-M-49235A	MODEM, DIGITAL DATA MD-1065( )/P/G USER: 80	A 5805 CR 29-APR-88 CR	99
A L MIL-R-49236A(1)	RESTORER, PULSE FORM, TD-1218/G	A 5820 CR 24-JUN-92 CR	
L MIL-R-49237A	RESTORER, PULSE FORM, TD-1219( )/G	A 5820 CR 30-OCT-86 CR	
L MIL-M-49238A	MULTIPLEXER, TD-1233( )/TTC	A 5805 CR 30-OCT-86 CR	
A L MIL-M-49239A(1)	MULTIPLEXER-COMBINER, TD-1234(P)/TTC	A 5805 CR 30-JUN-92 CR	
A L MIL-M-49240A(1)	MULTIPLEXER, TD-1235(P)/TTC	A 5820 CR 02-OCT-92 CR	
A L MIL-M-49241A(1)	MULTIPLEXER, TD-1236/G	A 5805 CR 02-OCT-92 CR	
L MIL-M-49242A(1)	MULTIPLEXER, TD-1237(P)/G	A 5805 CR 06-OCT-88 CR	
L MIL-T-49243A	TEST SET, TELEPHONE TS-3647( )/G	A 6625 CR 29-APR-88 CR	
L MIL-C-49244A	CONTROL, ORDERWIRE C-10716( )/TRC	A 5805 CR 29-APR-88 CR	
L MIL-C-49245	CONTROL, ORDERWIRE C-10717( )/TRC REVIEWER: 80	A 5805 CR 19-NOV-81 CR	99
L MIL-C-49246	CODER-DECODER GROUP OX-54/TYC-39(V) (VALIDATION DATE: 8806)	A 5895 CR 20-JUN-88 CR	
L MIL-T-49247(2)	TRANSMITTER MULTIPLEXERS TD-1288 ( )/GRC AND TD-1289 ( ) (V)/GRC	A 5805 CR 23-JAN-91 CR	
L MIL-S-49248B	SHELTER, ELECTRONIC EQUIPMENT S-639/G & S-640/G REVIEWER: CS	A 5411 CR 12-FEB-87 CR	
L MIL-M-49258	MULTIPLEXER TD-202( )/U (VALIDATION DATE: 8803)	A 5805 CR 11-MAR-88 CR	
L MIL-T-49260A	TERMINAL, COMMUNICATIONS AM/UGC-74B(V) AND AM/UGC-74C(V)	A 5815 CR 05-DEC-89 CR	
L MIL-T-49269	TEST SET, RADIO, AM/PM-34	A 6625 CR 19-OCT-84 CR	
L MIL-M-49272	MOUNTING MT-6232/GRC-193A AND MOUNTING MT-6233/GRC-193A	A 5820 CR 13-FEB-87 CR	
L MIL-A-49273	AMPLIFIER, POWER SUPPLY AM-7152/GRC-213 & ADAPTER KIT, VEHICLE MK-2154/GRC-213	A 5820 CR 26-JAN-88 CR	
L MIL-G-49274	GENERATOR, DIGITAL DATA SG-1139 ( )/G USER: 13 MC	A 6625 CR 08-MAR-84 CR	
L MIL-M-49275	MASTS, QUICK ERECT, EXPANDABLE AB-1309(V)/TRC	A 5985 CR 26-FEB-87 CR	
L MIL-M-49275/1	MAST, AB-1309(V)4/TRC	A 5985 CR 26-FEB-87 CR	
L MIL-R-49276A	RADIO REPEATER SET AM/TRC-138A	A 5820 CR 05-OCT-90 CR	
L MIL-A-49277	AMPLIFIER, AUDIO FREQUENCY AM-1780A/VRC	A 5820 CR 05-OCT-90 CR	
L MIL-C-49285	CABLES, SPECIAL PURPOSE, ELECTRICAL, ALUMINUM FOIL SHIELDED PAIRS, TRIPLETS, OR QUADS GENERAL SPECIFICATION FOR REVIEWER: ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/1	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (16 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/2	CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/3	CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/4	CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/5	CABLE, SPECIAL PURPOSE, ELECTRICAL, NINETEEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/6	CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 18 (16 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/7	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/8	CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/9	CABLE, SPECIAL PURPOSE, ELECTRICAL, ELEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/10	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/11	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 18 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/12	CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/13	CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/14	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/15	CABLE, SPECIAL PURPOSE, ELECTRICAL, TWENTY-SEVEN INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/16	CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/17	CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/18	CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 22 AWG SOLID WIRE REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/19	CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 20 (7 X 28) AWG, ONE PAIR INDIVIDUALLY SHIELDED REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/20	CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/21	CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED CONDUCTORS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/22	CABLE, SPECIAL PURPOSE, ELECTRICAL, TWELVE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/23	CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/24	CABLE, SPECIAL PURPOSE, ELECTRICAL, FOUR INDIVIDUALLY SHIELDED PAIRS OF 22 (7 X 28) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/25	CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 20 (10 X 30) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/26	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 16 (19 X 29) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/27	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85
L MIL-C-49285/28	CABLE, SPECIAL PURPOSE, ELECTRICAL, TWO PAIRS OF 25 (7 X 33) AWG, ONE PAIR INDIVIDUALLY SHIELDED REVIEWER: 71 ES IS MI	A 6145 CR 19-OCT-89 CR	SH 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Osk Coordination Initiative	Document Number	Document Title	Dist. Smt FSC / Area	MCS Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-C-49285/29	CABLE, SPECIAL PURPOSE, ELECTRICAL, SEVEN QUADS CONSISTING OF TWO SHIELDED PAIRS OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/30	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 20 (7 X 28) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/31	CABLE, SPECIAL PURPOSE, ELECTRICAL, ONE INDIVIDUALLY SHIELDED PAIR OF 22 (7 X 30) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/32	CABLE, SPECIAL PURPOSE, ELECTRICAL, (LOW NOISE) ONE INDIVIDUALLY SHIELDED PAIR OF 24 (19 X 36) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/33	CABLE, SPECIAL PURPOSE, ELECTRICAL, TWENTY-SEVEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/34	CABLE, SPECIAL PURPOSE, ELECTRICAL, NINETEEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/35	CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/36	CABLE, SPECIAL PURPOSE, ELECTRICAL, FIFTEEN INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/37	CABLE, SPECIAL PURPOSE, ELECTRICAL, NINE INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/38	CABLE, SPECIAL PURPOSE, ELECTRICAL, SIX INDIVIDUALLY SHIELDED PAIRS OF 24 (7 X 32) AWG REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
	MIL-C-49285/45	CABLE, SPECIAL PURPOSE, ELECTRICAL, THREE INDIVIDUALLY SHIELDED PAIRS OF 24 AWG SOLID WIRE REVIEWER: 71 ES IS MI	A 6145	CR	19-OCT-89	CR	SH	85	
AQ	MIL-I-49287	INSTALLATION KIT, ELECTRONIC EQUIPMENT, MK-2488/G	A 5815	CR	03-MAR-88				
	MIL-F-49291B	FIBER, OPTICAL, (METRIC) GENERAL SPECIFICATION FOR USER: AV REVIEWER: 11	A 6010	CR	08-JUL-92	CR	EC	85	
	SUPPL 1A1	13 99 AR EC ES MI OS SC							
A	MIL-F-49291/1A	FIBER, OPTICAL, 50/125 MICROMETERS, RADIATION HARDENED (METRIC) REVIEWER: AS ES MI SC	A 6010	CR	08-JUL-92	CR	SH	85	
A	MIL-F-49291/2A	FIBER, OPTICAL, 100/140 MICROMETERS, RADIATION HARDENED (METRIC) USER: 17 REVIEWER: AS ES MI SC	A 6010	CR	08-JUN-92	CR	SH	85	
A	MIL-F-49291/3A	FIBER, OPTICAL, 50/125 MICROMETERS (METRIC) USER: 17 REVIEWER: AS ES MI SC	A 6010	CR	08-JUL-92	CR	SH	85	
A	MIL-F-49291/4A	FIBER, OPTICAL, 100/140 MICROMETERS, (METRIC) USER: 17 REVIEWER: AS ES MI SC	A 6010	CR	08-JUL-92	CR	SH	85	
A	MIL-F-49291/6A	FIBER, OPTICAL, 62.5/125 MICROMETERS, RADIATION HARDENED (METRIC) USER: 17 REVIEWER: AS ES MI SC	A 6010	SH	30-JUL-92	CR	SH	85	
A	MIL-F-49291/7A	FIBER, OPTICAL, SINGLE-MODE, DISPERSION UNSHIFTED, RADIATION HARDENED (METRIC) USER: 17 REVIEWER: AS ES MI SC	A 6010	SH	30-JUL-92	CR	SH	85	
	MIL-F-49291/8	FIBER, OPTIC, 400/430 MICROMETER, AVIONIC RATED (METRIC) REVIEWER: 11 17	A 6010	85	21-MAY-90	CR	EC	85	
	MIL-F-49291/9	FIBER, OPTIC, 400/430, MICROMETERS, RADIATION HARDENED, AVIONIC RATED (METRIC) USER: 17 REVIEWER: 11 71 AS ES MI SC	A 6010	85	21-MAY-90	CR	EC	85	
	MIL-C-49292A	CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, GENERAL SPECIFICATION FOR USER: AV REVIEWER: 99 AR AS CG EC ES MC MI SC	A 6020	CR	23-JUN-89	CR	SH	85	
	SUPPL 1A1	CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, BRANCHED, MIL-C-83522, MIL-C-83526 CONNECTORS, AND DOD-C-85045 CABLES REVIEWER: 11	A 6020	85	30-AUG-89	CR	SH	85	
	MIL-C-49292/1	99 AR AS CG ES MI SC							
	MIL-C-49292/2	CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, SINGLE BUNDLE, 6-POSITION MIL-C-83526 CONNECTORS AND DOD-C-85045 CABLES REVIEWER: 11 99	A 6020	85	30-AUG-89	CR	SH	85	
	MIL-C-49292/3	AR AS CG ES MI SC							
	MIL-C-49292/3	CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, CONNECTOR, 2-POSITION HERMAPHRODITIC, JAM NUT, MIL-C-83526 CONNECTORS AND DOD-C-85045 CABLES REVIEWER: 11 99 AR AS CG ES MI SC	A 6020	85	30-AUG-89	CR	SH	85	
	MIL-C-49292/4A	CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC	A 6020	CR	23-JUN-89	CR	SH	85	
	MIL-C-49292/6	CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, METRIC, SINGLE FIBER, GLASS, MIL-C-83522 CONNECTORS AND DOD-C-85045 CABLES REVIEWER: 11 99 AR AS	A 6020	85	30-AUG-89	CR	SH	85	
	CG ES MI SC								
A	MIL-C-49292/7A	CABLE ASSEMBLIES, NONPRESSURE PROOF, FIBER OPTIC, TEST, METRIC USER: AV REVIEWER: 99 AR AS CG EC ES MC MI SC	A 6020	CR	23-JUN-89	CR	SH	85	
L	MIL-R-49293(2)	RADIAC SET AM/PDR-75	A 6665	CR	04-APR-91	CR			
A L	MIL-E-49294	ELECTRONIC SHOP, SHELTER MOUNTED AM/MSM-108( ) (VALIDATION DATE: 9212) ....	A 5410	CR	17-DEC-92	CR			
	NOTICE 1								
	MIL-A-49295	ANTENNA GROUP DE-303( )/GRC	A 5985	AR	01-MAR-88				
L	MIL-D-49297	DETECTOR-DEWAR DT-636/U (CLASSIFIED)	A	CR		CR			
L	MIL-D-49298	DETECTOR-DEWAR DT-637/U (CLASSIFIED)	A	CR		CR			
L	MIL-S-49301(1)	SCANNER, MECHANICAL, MX-1071(V)2/U	A 5855	CR	28-FEB-90	CR			
L	MIL-S-49301/1	SCANNER, MECHANICAL, MX-1071(V)1/U	A 5855	CR	18-JUL-88	CR			
L	MIL-S-49301/2(1)	SCANNER, MECHANICAL, MX-1071(V)2/U	A 5855	CR	28-FEB-90	CR			
L	MIL-S-49301/3	SCANNER, MECHANICAL, MX-1071(V)3/U	A 5855	CR	18-JUL-88	CR			
L	MIL-S-49301/4	SCANNER, MECHANICAL, MX-1071(V)4/U	A 5855	CR	18-JUL-88	CR			
L	MIL-S-49301/5	SCANNER, MECHANICAL, MX-1071(V)5/U	A 5855	CR	18-JUL-88	CR			
L	MIL-S-49301/6	SCANNER, MECHANICAL, MX-1071(V)6/U	A 5855	CR	18-JUL-88	CR			
L	MIL-S-49301/7	SCANNER, MECHANICAL, MX-1071(V)7/U	A 5855	CR	18-JUL-88	CR			
L	MIL-T-49303(1)	TRANSPONDER SET AM/PPM-19 (V)	A 5895	CR	20-DEC-88	CR			
L	MIL-R-49304	RADIO SET, AM/PRC-126	A 5820	CR	20-SEP-88	CR			
L	MIL-T-49305	TEST SET, COUNTERMEASURE SET TS-3609( )/ALQ-156(V)	A 6625	CR	17-FEB-89	CR			
L	MIL-C-49307	COOLER-DEWAR GROUP, OR-332/A, OR-333/A	A 5855	CR	17-MAY-89	CR			
L	MIL-C-49308	COOLER-DEWAR GROUP, OR-334/V, OR-335/V	A 5855	CR	17-MAY-89	CR			
L	MIL-C-49309	COOLER-DEWAR GROUP, OR-336/A, OR-337/A	A 5855	CR	17-MAY-89	CR			
L	MIL-C-49310	COOLER-DEWAR GROUP, OR-338/V, OR-339/V	A 5855	CR	17-MAY-89	CR			
L	MIL-T-49311	TEST FACILITIES SET AM/TPM-24 ( ) (V) 4 REVIEWER: 80	A 6625	CR	05-OCT-89	CR			
L	MIL-G-49312	GOGGLES, NIGHT VISION AM/PPV-7A	A 5855	CR	06-NOV-89	CR			
L	MIL-G-49313	GOGGLES, NIGHT VISION AM/PPV-7B	A 5855	CR	06-NOV-89	CR			
L	MIL-A-49314	ANTENNAS, UHF SATCOM, PORTABLE, FOLDABLE (LIGHT WEIGHT, MEDIUM WEIGHT AND HEAVY DUTY), GENERAL SPECIFICATION FOR	A 5985	CR	22-FEB-90	CR			
L	MIL-A-49314/1	ANTENNA, UHF SATCOM, LIGHT WEIGHT, PORTABLE, FOLDABLE AS-4215( )/G	A 5985	CR	22-FEB-90	CR			
L	MIL-A-49314/2	ANTENNA, UHF SATCOM, MEDIUM WEIGHT, PORTABLE, FOLDABLE AS-4216( )/G	A 5985	CR	22-FEB-90	CR			
L	MIL-A-49314/3	ANTENNA, UHF SATCOM, HEAVY DUTY, PORTABLE, FOLDABLE AS-4217( )/G	A 5985	CR	22-FEB-90	CR			
L	MIL-A-49314/4	ANTENNA, UHF SATCOM, 11 DBIC PORTABLE, FOLDABLE AS-4218( )/G	A 5985	CR	13-FEB-91	CR			
L	MIL-A-49314/5	ANTENNA, UHF SATCOM, 14 DBIC PORTABLE, FOLDABLE AS-4219( )/G	A 5985	CR	13-FEB-91	CR			
L	MIL-A-49314/6	ANTENNA, UHF SATCOM 9 DBIC PORTABLE, AS-4220( )/G	A 5985	CR	25-JUN-91	CR			
L	MIL-R-49315	RADIOSONDE SET ML-659(V), FAMILY OF	A 6660	CR	13-APR-90	CR			
ML	MIL-Y-49316	TEST SET, ELECTRONIC SYSTEMS TS-3895B/AM	A 5855	CR	26-APR-91	CR			
L	MIL-D-49317	DETECTOR-DEWAR DT-635A/U	A 5855	CR	13-NOV-91	CR			
ML	MIL-T-49318	TEST SET, ELECTRONIC SYSTEMS, TS-434B/AM	A 5855	CR	21-NOV-91	CR			
L	MIL-D-49319	DETECTOR-DEWAR DT-591B/AM	A 5855	CR	22-JAN-92	CR			
AOL	MIL-L-49320	LASER INFRARED OBSERVATION SET, AM/PPV-6	A 5860	CR	14-APR-93	CR			
ML	MIL-A-49361C	MAGNIFIER, TAPERED FIBER OPTIC VISION, DRIVER'S NIGHT VISION, AM/PPV-2(V) USER: AR AT REVIEWER: ME TE	A 5855	CR	26-MAY-92	CR			
L	MIL-T-49363	TEST SET, COUNTERMEASURES SET TS-3614( )/ALQ-136(V)1	A 5865	CR	21-MAR-80	CR			
L	MIL-T-49364	TEST SET, COUNTERMEASURES SET TS 3615 ( )/ALQ 136(V)1	A 5865	CR	21-MAR-80	CR			
ML	MIL-L-49366B	LENS ASSEMBLY, OBJECTIVE, 95MM AM/PPV-4	A 5855	CR	27-MAY-92	CR			
ML	MIL-L-49367B	LENS ASSEMBLY, OBJECTIVE, 155MM AM/TVS-5	A 5855	CR	27-MAY-92	CR			
ML	MIL-L-49368B	LENS ASSEMBLY, EYEPIECE, AM/PPV-4 AND AM/TVS-5 USER: AR	A 5855	CR	27-MAY-92	CR			
L	MIL-G-49369A(3)	GENERATOR, DIRECT CURRENT, G-76 ( )/G WITH ACCESSORIES	A 6115	ER	25-OCT-84	ER			
L	MIL-G-49377	SUMMER S DISPLAY FOR AM/VSG-2 (VALIDATION DATE: 8604)	A 5855	CR	28-APR-86	CR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification	Document Number	Document Title	Doc Smt	FSC / Issue	MCA Symbol	Preparing Agency	Date	Army	Navy	Air Force	Custodians DLA
L	MIL-P-49378	POWER CONVERTER FOR AM/VSG-2 [VALIDATION DATE: 8604]	A	5855	CR	28-APR-86	CR				
L	MIL-C-49380	COMMANDER S DISPLAY FOR AM/VSG-2 [VALIDATION DATE: 8604]	A	5855	CR	28-APR-86	CR				
L	MIL-T-49381	TEST SET, THERMAL SIGHT, TS-3681/VSG-2 [VALIDATION DATE: 8604]	A	5855	CR	28-APR-86	CR				
L	MIL-A-49382	AFOCAL ASSEMBLY, AM/VSG-2 [VALIDATION DATE: 8604]	A	5855	CR	28-APR-86	CR				
L	MIL-E-49383	EYEPIECE, BINOCULAR, AM/VSG-2 [VALIDATION DATE: 8604]	A	5855	CR	28-APR-86	CR				
L	MIL-I-49384A	IMAGER, OPTICAL SU-121/UA [VALIDATION DATE: 8705]	A	5855	CR	11-JUN-82	CR				
L	MIL-T-49386	TEST SET GROUP, RADIO QO-273(1)/ARC-164(V)	A	5821	CR	05-NOV-82	CR				
L	MIL-E-49387	ENCODER, VIDEO KY-865(1)/AKT-188, CONTROL, DATA LINK C-10546(1)/AKT-188 AND	A	5841	CR	23-AUG-89	CR				
L	MIL-T-49388A	MOUNTING BASE MT-6016/AKT-188	A	6130	ER	19-JUL-83	ER				
L	MIL-P-49392	TRAY ASSEMBLY, BATTERY CHARGING MX-10154(1)/U	A	6685	ER	29-JAN-88	CR				
A	L	MIL-I-49394A(1)	INTERROGATOR SET AM/TPX-46A(V)7	A	5895	CR	13-JAN-93	CR			
L	MIL-R-49404	REGULATOR, VOLTAGE, BIAS CN-1559/UA	A	5855	CR	03-JUN-82	CR				
L	MIL-R-49421A	RADIAC DETECTOR DT-236(1)/PDR-75	A	6665	CR	05-JUN-90	CR				
ML	MIL-A-49426	AVIATOR'S NIGHT VISION IMAGING SYSTEM AM/AVS-6(V)1, AM/AVS-6(V)2	A	5855	CR	06-NOV-89	CR				
ML	MIL-L-49427	LENS ASSEMBLY, OBJECTIVE FOR AVIATOR'S NIGHT VISION IMAGING SYSTEM AM/AVS-6(V)1, AM/AVS-6(V)2	A	5855	CR	06-NOV-89	CR				
ML	MIL-I-49428	LENS ASSEMBLY, EYEPIECE FOR AVIATOR'S NIGHT VISION IMAGING SYSTEM, AM/AVS-6(V)1, AM/AVS-6(V)2	A	5855	CR	06-NOV-89	CR				
ML	MIL-P-49429	IMAGE INTENSIFIER ASSEMBLY, 18 MM, MICROCHANNEL WAFER MX-10160/AVS-6	A	5855	CR	06-NOV-89	CR				
L	MIL-B-49430C(2)	POWER SUPPLY FOR AM/VS 18 MM MICROCHANNEL WAFER	A	6135	ER	22-APR-92	ER				
L	MIL-B-49430/1F	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5599/U	A	6135	ER	01-AUG-91	ER				
L	MIL-B-49430/2E	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5598/U	A	6135	ER	01-AUG-91	ER				
L	MIL-B-49430/3C	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5590/U	A	6135	ER	01-AUG-91	ER				
A	L	MIL-B-49430/4C	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5567/U	A	6135	ER	24-DEC-92	ER			
L	MIL-B-49430/5F	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5847/U	A	6135	ER	01-AUG-91	ER				
L	MIL-B-49430/6L	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5557/U	A	6135	ER	01-AUG-91	ER				
A	L	MIL-B-49430/7D	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5588/U	A	6135	ER	17-FEB-93	ER			
L	MIL-B-49430/8B	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5600/U	A	6135	ER	01-AUG-91	ER				
L	MIL-B-49430/10C	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5112/U	A	6135	ER	01-AUG-91	ER				
L	MIL-B-49430/11E	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5800/U	A	6135	ER	01-AUG-91	ER				
L	MIL-B-49430/12C	BATTERY, NON-RECHARGEABLE, LITHIUM SULFUR DIOXIDE BA-5093/U	A	6135	ER	01-AUG-91	ER				
L	MIL-S-49433	SURFACE ACOUSTIC WAVE DEVICES, GENERAL SPECIFICATION FOR USER: NI REVIEWER: AV	A	5999	ER	16-FEB-84	ER				
L	MIL-L-49434	LIGHT, AIMING, INFRARED AM/PAQ-4 [VALIDATION DATE: 8705]	A	5855	CR	03-MAY-82	CR				
L	MIL-B-49436A	BATTERY, RECHARGEABLE, NICKEL CADMIUM SEALED REVIEWER: 80 AV CR GL	A	6140	ER	04-MAY-87	ER				99
L	MIL-B-49436/1A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-590/U REVIEWER: AV CR GL	A	6140	ER	05-OCT-90	ER				
L	MIL-B-49436/2A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-588/U REVIEWER: AV CR GL	A	6140	ER	29-MAR-91	ER				
L	MIL-B-49436/3A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-586/U REVIEWER: AV CR GL	A	6140	ER	20-DEC-91	ER				
L	MIL-B-49436/4A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-557/U REVIEWER: AV CR GL	A	6140	ER	29-MAR-91	ER				
L	MIL-B-49436/5	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-541/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL	A	6140	ER	23-AUG-88	ER				
L	MIL-B-49436/6B	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-516/U REVIEWER: AV CR GL	A	6140	ER	12-SEP-91	ER				
L	MIL-B-49436/7	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-507/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL	A	6140	ER	23-AUG-88	ER				
L	MIL-B-49436/8	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-506/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL	A	6140	ER	23-AUG-88	ER				
L	MIL-B-49436/9	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-505/U [VALIDATION DATE: 8808] REVIEWER: AV CR GL	A	6140	ER	23-AUG-88	ER				
L	MIL-B-49436/10	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-503/TAS [VALIDATION DATE: 8808] REVIEWER: AV CR GL	A	6140	ER	23-AUG-88	ER				
L	MIL-B-49436/11A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM, BB-593/U	A	6140	ER	20-MAY-88	ER				
L	MIL-T-49438	TRANSMITTING SET, RADAR DATA AM/ACT-188 AND RECEIVING SET, RADAR DATA AM/TKO-2B (SYSTEM OF) [VALIDATION DATE: 8802]	A	5841	CR	17-FEB-88	CR				
L	MIL-S-49442	SHOP EQUIPMENT, BATTERY SERVICING, SHELTER MOUNTED AM/TSM-133 REVIEWER: CS	A	4940	ER	20-JUL-84	ER				
L	MIL-R-49444	RECORDER-PROCESSOR-VIEWER, RADAR MAPPING RO-495(1)/U	A	5841	CR	23-AUG-89	CR				
L	MIL-D-49446A	DETECTOR DEMAR DT-591A/UA	A	5855	CR	06-NOV-87	CR				
L	MIL-T-49447	TEMPERATURE SENSOR, RESISTANCE	A	6660	CR	02-NOV-88	CR				
L	MIL-M-49448	HUMIDITY SENSOR, RESISTANCE	A	6685	CR	02-NOV-88	CR				
A	L	MIL-B-49450(4)	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A	A	6140	ER	03-SEP-92	ER			
L	MIL-B-49450/1	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, INTERCELL CONNECTORS	A	6140	ER	16-JAN-87	ER				
L	MIL-B-49450/2	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, DIODE ASSEMBLY	A	6140	ER	16-JAN-87	ER				
L	MIL-B-49450/3	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, BELLEVILLE SPRINGS	A	6140	ER	16-JAN-87	ER				
L	MIL-B-49450/4(1)	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, CELL VENT ASSEMBLY	A	6140	ER	03-APR-87	ER				
L	MIL-B-49450/5(2)	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT BB-716/A, HARNESS ASSEMBLY	A	6140	ER	19-JUL-88	ER				
L	MIL-B-49450/6A	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, LOW CAPACITY CELL	A	6140	ER	16-JUL-88	ER				
L	MIL-B-49450/7A(1)	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A, CELL ...	A	6140	ER	19-JUL-88	ER				
A	L	MIL-B-49450/8(3)	BATTERY, RECHARGEABLE, NICKEL-CADMIUM, VENTED, AIRCRAFT, BB-716/A	A	6140	ER	03-SEP-92	ER			
ML	MIL-P-49452	POWER SUPPLY 18 MM, MICROCHANNEL WAFER, GEN III, MX-10130(1)/U	A	5855	CR	06-NOV-89	CR				
ML	MIL-I-49453	IMAGE INTENSIFIER ASSEMBLY, 18 MM MICROCHANNEL WAFER MX-10130(1)/U	A	5855	CR	06-NOV-89	CR				
L	MIL-I-49458A	INSULATION SHEET, ELECTRICAL, SILICONE RUBBER THERMALLY CONDUCTIVE, FIBERGLASS REINFORCED REVIEWER: GS	A	5970	ER	07-JAN-91	ER				EC 85
L	MIL-D-49467A	DETECTOR DEMAR DT-617A/UA	A	5855	CR	06-NOV-87	CR				
L	MIL-B-49468(3)	BATTERIES, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE	A	6135	ER	14-APR-93	CR				
A	L	MIL-B-49468/1B	BATTERY, NON-RECHARGEABLE, LITHIUM MANGANESE DIOXIDE, BA-5372/U	A	6135	ER	13-NOV-92	ER			
L	MIL-G-49460(1)	GENERATOR, DIRECT CURRENT: G-768/G	A	6115	ER	04-MAR-87	ER				
L	MIL-B-49461B	BATTERIES, NON-RECHARGEABLE, LITHIUM THIOMYL CHLORIDE	A	6135	ER	03-JUN-91	ER				
A	L	MIL-B-49461/1B	BATTERY, NON-RECHARGEABLE, LITHIUM THIOMYL CHLORIDE, BA-6516/U	A	6135	ER	10-MAR-93	ER			
L	MIL-B-49461/2B	BATTERY, NON-RECHARGEABLE, LITHIUM THIOMYL CHLORIDE, BA-6598/U	A	6135	ER	03-JUL-89	ER				
A	L	MIL-B-49461/3(1)	BATTERY, NON-RECHARGEABLE, LITHIUM THIOMYL CHLORIDE BA-6704/U	A	6135	ER	10-JUL-92	ER			
L	MIL-B-49461/4	BATTERY, NON-RECHARGEABLE, LITHIUM THIOMYL CHLORIDE BA-6590/U	A	6135	ER	03-JUL-89	ER				
L	MIL-B-49461/5	BATTERY, NON-RECHARGEABLE, LITHIUM THIOMYL CHLORIDE BA-6557/U	A	6135	ER	03-JUL-89	ER				
L	MIL-B-49461/6A	BATTERY, NON-RECHARGEABLE, LITHIUM THIOMYL CHLORIDE, BA-6847/U, WITH DUAL CONNECTOR	A	6135	ER	03-JUN-91	ER				
AQ	MIL-R-49462A(1)	RESISTORS, FIXED, FILM, HIGH VOLTAGE GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES NI OS	A	5905	ER	24-SEP-92	ER				EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orl / Orl Coordinate Machine Document Number	Document Title	Dist. Smt. FSC / Age MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-R-49462/1	RESISTORS, FIXED, FILM, HIGH VOLTAGE STYLES RHW10 THRU RHW21 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 ER 04-MAR-87	ER	EC	85	
MIL-R-49462/2	RESISTORS, FIXED, FILM, HIGH VOLTAGE STYLES RHW22 THRU RHW29 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 ER 04-MAR-87	ER	EC	85	
MIL-R-49462/3A	RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHW30 THRU RHW35 USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 ER 27-APR-88	ER	EC	85	NA
L MIL-R-49462/4	RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHW36 RHW37, RHW38, RHW39, RHW40, RHW41, RHW42, RHW43, RHW44, RHW45, RHW46, RHW47	A 5905 NA 08-JUL-87				NA
MIL-R-49462/5	RESISTORS, FIXED, FILM, HIGH VOLTAGE, STYLES RHW50, RHW51, RHW52, RHW53, RHW54, RHW55, RHW56, RHW57 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905 ER 15-MAR-91	ER	EC	85	
AQ MIL-C-49464A	CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 MC SH REVIEWER: 17 99 AS ES	A 5910 ER 25-JUN-92	ER	EC	85	
A MIL-C-49464/1A	CAPACITORS, CHIP, SINGLE LAYER, FIXED UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CPC001 (HIGH FREQUENCY) USER: 19 MC SH REVIEWER: 17 99 AS ES	A 5910 ER 25-JUN-92	ER	EC	85	
Q MIL-R-49465A(1) SUPPL 1A1	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), (VERY LOW RESISTANCE VALUES), GENERAL SPECIFICATION FOR USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 10-OCT-91	ER	EC	85	
MIL-R-49465/1A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV10 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/2A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE) STYLE RLV20 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/3A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE) STYLE RLV21 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/4A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV22 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/5A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE) STYLE RLV23 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/6A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV30 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/7A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV31 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/8A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV32 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/9A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV40 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
A MIL-R-49465/10A(1)	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV41 USER: CG MC REVIEWER: 19 99 AR AS ES MI OS	A 5905 ER 12-MAR-93	ER	EC	85	
MIL-R-49465/11A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV42 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-R-49465/12A	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), STYLE RLV43 USER: 19 CG MC REVIEWER: 99 AR AS ES MI OS	A 5905 ER 06-JAN-92	ER	EC	85	
MIL-I-49466	INSULATOR: DISKS, PLATES, AND WASHERS GENERAL SPECIFICATION FOR USER: CG MC REVIEWER: 11 19 99 GS	A 5970 ER 02-APR-90	ER	SH	85	
MIL-I-49466/1(1)	INSULATOR: DISKS, PLATES, AND WASHERS POLYIMIDE .002 OR .005 INCH THICK USER: CG MC REVIEWER: 11 19 99 GS	A 5970 ER 17-JUN-91	ER	SH	85	
MIL-I-49466/2(1)	INSULATOR: DISKS, PLATES, AND WASHERS SILICON RUBBER, FIBERGLASS REINFORCED .010 AND .015 INCH THICK USER: CG MC REVIEWER: 11 19 99 GS	A 5970 ER 17-JUN-91	ER	SH	85	
MIL-I-49466/3(1)	INSULATOR: DISKS, PLATES, AND WASHERS INSULATORS FOR MOUNTING USER: CG MC REVIEWER: 11 19 99 GS	A 5970 ER 10-FEB-92	ER	SH	85	
M MIL-C-49467(1) SUPPL 1A1	CAPACITORS, FIXED, CERAMIC, MULTILAYER, HIGH VOLTAGE (GENERAL PURPOSE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV MC ME REVIEWER: 99 ES MI	A 5910 ER 29-JUL-91	ER	EC	85	
MIL-C-49467/1	CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 1000 V DC, ESTABLISHED RELIABILITY, STYLE HWR01 USER: AT AV MC ME REVIEWER: 11 19 ES MI	A 5910 ER 05-APR-90	ER	EC	85	
MIL-C-49467/2	CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 2000 V DC, ESTABLISHED RELIABILITY, STYLE HWR02 USER: AT AV MC ME REVIEWER: 11 19 ES MI	A 5910 ER 05-APR-90	ER	EC	85	
MIL-C-49467/3	CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 3000 V DC, ESTABLISHED RELIABILITY, STYLE HWR03 USER: AT AV MC ME REVIEWER: 11 19 ES MI	A 5910 ER 05-APR-90	ER	EC	85	
MIL-C-49467/4	CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 4000 V DC, ESTABLISHED RELIABILITY, STYLE HWR04 USER: AT AV MC ME REVIEWER: 11 19 ES MI	A 5910 ER 05-APR-90	ER	EC	85	
MIL-C-49467/5	CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 5000 V DC, ESTABLISHED RELIABILITY, STYLE HWR05 USER: AT AV MC ME REVIEWER: 11 19 ES MI	A 5910 ER 05-APR-90	ER	EC	85	
MIL-C-49467/6	CAPACITORS, CERAMIC, MULTILAYER, HIGH VOLTAGE, 10,000 V DC, ESTABLISHED RELIABILITY, STYLE HWR10 USER: AT AV MC ME REVIEWER: 11 19 ES MI	A 5910 ER 05-APR-90	ER	EC	85	
MIL-C-49468 SUPPL 1A1	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/1	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/2	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/3	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/4	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/5	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/6	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/7	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/8	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/9	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/10	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/11	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/12	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/13	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/14	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/15	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/16	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
MIL-C-49468/17	CRYSTAL UNITS, QUARTZ, PRECISION USER: 17 19 AS CG MC ME OS REVIEWER: 99 AR ES MI SH SH	A 5955 ER 14-SEP-90	ER	EC	85	
L MIL-G-49469	GENERATOR, HAND CRANKED G-67B/G .....	A 6115 ER 17-APR-91	ER			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc. / Chg. / Coordination	Document Number	Document Title	Doc. Syst.	FSC Area	MCA Symbol	Preparing Act.	Date	Custodians			
									Army	Navy	Air Force	DLA
D		MIL-P-49500	PESTICIDE DISPERSAL UNIT (PDU), MULTICAPABILITY, HELICOPTER SLUNG REVIEWER: 84 CE CG CS MS	A 3740	MD			20-NOV-87	MD	YD1	99	
L		MIL-R-49501	MANUALS, TECHNICAL: DAILY PREVENTIVE MAINTENANCE CHECKLIST	A THSS	TH			25-JAN-90	TH			
L		MIL-R-49502	MANUALS, TECHNICAL: REPAIR PARTS AND SPECIAL TOOLS LIST	A THSS	TH			06-NOV-90	TH			
L		MIL-R-49503	MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT, TEST PROGRAM SETS FOR AUTOMATIC TEST EQUIPMENT REVIEWER: AR AT AV CJ ME	A THSS	TH			23-JAN-91	TH			
L		MIL-R-49504	MANUALS, TECHNICAL: COMBAT VEHICLE PRECOMBAT CHECKLIST	A THSS	TH			23-JAN-91	TH			
M		MIL-C-49514	COPPER CRUSHER SPHERES FOR CANNON AND MORTAR PRESSURE GAUGES, GENERAL SPECIFICATION FOR USER: AR REVIEWER: AL OS	A 1090	TE			16-FEB-93	TE	MC	99	
A		MIL-S-500018	SHOWER UNIT, SAFETY, ROCKET PROPELLANT NEUTRALIZER, 100 GALLON WATER TANK, AND TWO AIR CYLINDERS, W/HEATING PROVISIONS. [VALIDATION DATE: 8408] REVIEWER: GS	A 4230	GL			12-JUL-78	GL		99	
		MIL-P-500028	PHOSPHATE COATING COMPOUNDS, FOR PHOSPHATING FERROUS METALS [VALIDATION DATE: 9104] USER: EL REVIEWER: 68 AS EA GS	A 6850	NR			04-APR-91	NR	OS	11	
L		MIL-S-500038	SIMULANT AGENT, BG-1	A 1380	EA			04-MAY-84	EA			
L		MIL-S-50004A	SODIUM SULFATE, AMYDROUS, TECHNICAL (FOR AMMUNITION USE). [VALIDATION DATE: 8604] USER: MI REVIEWER: GS	A 6810	AR			08-APR-86	AR			
L		MIL-S-50005A	STANNIC OXIDE, TECHNICAL [VALIDATION DATE: 8809] USER: MI REVIEWER: GS MD	A 6810	AR			13-SEP-88	AR			
L		MIL-D-50006	DIPHENYLPHTHALATE (TECHNICAL) [VALIDATION DATE: 8302] REVIEWER: AS GS	A 6810	AR			21-NOV-58	AR			
D		MIL-C-50007B	CHUTE, CONTAMINATED CLOTHING, MI REVIEWER: GS MD	A 4240	EA			21-AUG-68	EA	YD1	99	
L		MIL-C-0050007C(1)	CHUTE, CONTAMINATED CLOTHING, MI	A 4240	EA			12-JUN-87	EA			
L		MIL-T-50008A	THICKENER, INCENDIARY OIL, M4 [VALIDATION DATE: 8008] USER: MC	A 1365	AR			18-AUG-60	AR	AS		
L		MIL-V-50010	VALVE, ANTI-BACK DRAFT, PROTECTIVE SHELTER, M2 [VALIDATION DATE: 6607] REVIEWER: 11 GS	A 4240	EA			22-MAY-59	EA		99	
L		MIL-V-0050010A(1)	VALVE, ANTI-BACK DRAFT, PROTECTIVE SHELTER, M2 (USE IN LIEU OF MIL-V-50010) ETHANOLAMINES (MONOETHANOLAMINE, DIETHANOLAMINE, AND TRIETHANOLAMINE), TECHNICAL [VALIDATION DATE: 8808] USER: AS CT MI OS REVIEWER: GS MD ME	A 4240	CA			12-JUN-87	EA			
L		MIL-E-50011B	TECHNICAL [VALIDATION DATE: 8808] USER: AS CT MI OS REVIEWER: GS MD ME	A 6810	EA			31-AUG-88	EA		68	
L		MIL-B-50012	BAG, DELOUSING [VALIDATION DATE: 6607] USER: MC REVIEWER: GS	A 4230	EA			18-JUN-59	EA			
L		MIL-A-50013B	ADAPTER, CLUSTER, BOMB, 750 POUND, M30 AND M30A1	A 1325	EA			26-AUG-86	EA			
L		MIL-P-50014C(2)	PACKET, SODIUM PYROPHOSPHATE PEROXIDE	A 6665	EA			02-NOV-84	EA			
L		MIL-B-50015B	BULB, ASPIRATOR REVIEWER: B2	A 6640	EA			17-MAY-84	EA		99	
L		MIL-F-50022(1)	FACEBLANK (FOR CD V-805 MASK) [VALIDATION DATE: 6607] REVIEWER: GS	A 4240	EA			29-MAR-60	EA			
L		MIL-M-50023	MASK, PROTECTIVE, CD V-805 [VALIDATION DATE: 8201] REVIEWER: GS	A 4240	EA			23-JUN-59	EA			
L		MIL-D-50028A(1)	DB3 REVIEWER: GS	A 6810	EA			24-FEB-87	EA			
L		MIL-D-50029B	DYE, VAT YELLOW 4 REVIEWER: GS OS	A 6820	EA			15-JUL-63	EA			
L		MIL-D-00500290	DYE, VAT YELLOW 4 REVIEWER: GS	A 6820	EA			31-OCT-77	EA			
M		MIL-D-50030H	DECONTAMINATING AGENT, DS2 [VALIDATION DATE: 9304]	A 6850	EA			02-APR-93	EA			
L		MIL-T-50036A(1)	TALC, TECHNICAL, T1 AND T3 REVIEWER: GS MD	A 6810	EA			22-JUL-80	EA	SH		
L		MIL-P-50039	PAPER, NITRAZINE [VALIDATION DATE: 8404] REVIEWER: GS	A 6810	EA			26-JUN-59	EA			
L		MIL-F-50043	FILTER, PARTICULATE, 600 CFM, C18 [VALIDATION DATE: 8702] REVIEWER: GS	A 4240	EA			23-FEB-87	EA			
L		MIL-F-50044	FILTER, PARTICULATE, 1,200 CFM, C19 [VALIDATION DATE: 8702] REVIEWER: GS	A 4240	EA			24-FEB-87	EA			
L		MIL-F-50045	FILTER, PARTICULATE, 2,500 CFM, C30 [VALIDATION DATE: 8702] REVIEWER: GS	A 4240	EA			24-FEB-87	EA			
L		MIL-F-50046	FILTER, PARTICULATE, 5,000 CFM, C20 [VALIDATION DATE: 8702] REVIEWER: GS	A 4240	EA			24-FEB-87	EA			
L		MIL-F-50047	FILTER, GAS, 600 CFM, C22 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50048	FILTER, GAS, 1,200 CFM, C32 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50049	FILTER, GAS, 2,500 CFM, C29 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50050	FILTER, GAS, 5,000 CFM, C23 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50051	FILTER, GAS, AND PARTICULATE, 600 CFM, M14 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50052	FILTER, GAS AND PARTICULATE, 1,200 CFM, M15 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50053	FILTER, GAS AND PARTICULATE, 2,500 CFM, M16 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50054	FILTER, GAS AND PARTICULATE, 5,000 CFM, M17 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			29-JUN-59	EA			
L		MIL-F-50055	FILTER UNIT, GAS AND PARTICULATE, EMD, 600 CFM, M9, [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			30-JUN-59	EA			
L		MIL-F-50057	FILTER UNIT, GAS AND PARTICULATE, EMD, 2,500 CFM, M11, [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			30-JUN-59	EA			
L		MIL-F-50058	FILTER UNIT, GAS AND PARTICULATE, EMD, 5,000 CFM, M12, [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA			30-JUN-59	EA			
L		MIL-T-50059B	TITANOUS SULFATE SOLUTION, 20-PERCENT (METRIC) [VALIDATION DATE: 8904] REVIEWER: GS MD	A 6810	EA			04-APR-89	EA		68	
L		MIL-P-50060	PAPER, CONGO RED [VALIDATION DATE: 8404] REVIEWER: GS	A 6810	EA			26-JUN-59	EA			
L		MIL-C-500620	CARRIER, FIELD PROTECTIVE MASK, M15 REVIEWER: GS MI	A 4240	EA			26-AUG-86	EA	MC		
L		MIL-L-50064C	LENS, OPHTHALMIC, SIMPLE (FOR M17 MASK) USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA		99	
L		MIL-L-0050064F(2)	LENSE, OPHTHALMIC, SIMPLE	A 4240	EA			11-AUG-86	EA			
L		MIL-V-50065A(1)	VALVE, NOSECUP USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA		99	
L		MIL-V-0050065C	VALVE, NOSECUP [VALIDATION DATE: 8608]	A 4240	EA			26-AUG-86	EA			
L		MIL-V-50066B	VOICEMITTER&OUTLET VALVE ASSEMBLY, C29R1 REVIEWER: GS	A 4240	EA			30-SEP-64	EA	SH	99	
L		MIL-V-0050066C(1)	VOICEMITTER-OUTLET VALVE ASSEMBLY, C29R1	A 4240	EA			02-MAR-87	EA			
L		MIL-V-50067C	VOICEMITTER-OUTLET VALVE, C29R1; COMPONENTS FOR USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	84	
L		MIL-V-0050067D	VOICEMITTER-OUTLET VALVE, C29R1; COMPONENTS FOR	A 4240	EA			22-JAN-70	EA	SH	84	
L		MIL-V-50067C(11)	VOICEMITTER-OUTLET VALVE, C29R1; COMPONENTS FOR	A 4240	EA			30-JUN-66	EA			
L		MIL-R-50068A	RING, CRIMPING (FOR ABC-M17 MASK) USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	84	
L		MIL-R-0050068D	RING, CRIMPING (FOR ABC-M17 MASK)	A 4240	EA			08-AUG-83	EA			
L		MIL-R-50068A(11)	RING, CRIMPING (FOR ABC-M17 MASK) USER: MC REVIEWER: MD	A 4240	EA			30-JUN-66	EA			
L		MIL-E-50069B	EVERING, FIELD PROTECTIVE MASK, C4 USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	99	
L		MIL-E-0050069E	EVERING, FIELD PROTECTIVE MASK, C4 [VALIDATION DATE: 8504]	A 4240	EA			30-JUN-77	EA			
L		MIL-F-50070C	FACEBLANK, C17 [VALIDATION DATE: 8504] USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	99	
L		MIL-H-50071C	NOSECUP, C10 USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	99	
L		MIL-C-50072B	COVER, VOICEMITTER-OUTLET VALVE, C13 USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	99	
L		MIL-C-0050072C	COVER, VOICEMITTER-OUTLET VALVE, C13 (USE IN LIEU OF MIL-C-50072B) [VALIDATION DATE: 8504]	A 4240	EA			19-JUL-67	EA			
L		MIL-F-50073A	FACEFORM, FIELD PROTECTIVE MASK, MB USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	99	
L		MIL-F-0050073B	FACEFORM, FIELD PROTECTIVE MASK, MB [VALIDATION DATE: 8504]	A 4240	EA			28-JUL-67	EA			
L		MIL-D-50074D	DYE, BENZANTHRONE USER: SH REVIEWER: GS MD OS	A 6820	EA			22-JUN-71	EA	AS		
L		MIL-D-0050074E	DYE, BENZANTHRONE [VALIDATION DATE: 8703]	A 6820	EA			31-OCT-77	EA			
L		MIL-D-0050077F(1)	OUTSET, EYELENS, MI	A 4240	EA			11-AUG-86	EA			
L		MIL-D-50077B	OUTSET, EYELENS, MI USER: MC REVIEWER: MD	A 4240	EA			30-SEP-64	EA	SH	84	
L		MIL-M-50079D	MASK, PROTECTIVE, FIELD, ABC-M17 [VALIDATION DATE: 8504] USER: MC REVIEWER: GS MD	A 4240	EA			30-SEP-64	EA	SH	99	
L		MIL-M-0050079E	MASK, PROTECTIVE, FIELD ABC-M17	A 4240	EA			16-DEC-68	EA			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn. / Comb. Initiation Document Number	Document Title	Dist. Smt. FAC / Ave. MCA Symbol	Preparing Act. Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-S-50080A	SCREEN, FLOCKED GRID [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA 18-AUG-61	EA			
L MIL-V-50081F	VALVE, INLET, CHEMICAL-BIOLOGICAL MASK, C20R1 USER: MC REVIEWER: GS MD	A 4240	EA 14-OCT-76	EA	SH	99	
L MIL-V-50081F(12)	VALVE, INLET, CHEMICAL-BIOLOGICAL MASK, C20R1	A 4240	EA 18-JUN-87	EA			
L MIL-D-50082D	DISCS, INLET AND NOSECUP VALVE USER: MC REVIEWER: GS MD	A 4240	EA 30-SEP-64	EA	SH	84	
L MIL-D-50082D(1)	DISCS, INLET AND NOSECUP VALVE	A 4240	EA 14-NOV-86	EA			
L MIL-D-50082D(11)	DISCS, INLET AND NOSECUP VALVE	A 4240	EA 30-JUN-66	AR			
L MIL-C-50084A(1)	CENTRIFUGAL FAN AND MOTOR ASSEMBLY, 12CFM REVIEWER: 99 GS MI	A 4240	EA 08-MAY-62	EA	MC		
L MIL-F-50084F	FAN, CENTRIFUGAL, 12 CFM	A 4240	EA 06-SEP-90	EA			
L MIL-P-50085B	PRECLEAVER, AIR PURIFIER, M1A1 REVIEWER: GS	A 4240	EA 19-JUN-67	EA	99		
L MIL-P-50085D(1)	PRECLEAVER, AIR PURIFIER, M1A1	A 4240	EA 12-JUN-87	EA			
L MIL-F-50086A	FILTER UNIT, GAS-PARTICULATE, TANK, THREE-MAN, 12 CFM, M2A2 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA 29-DEC-60	EA			
D MIL-S-50087C	SEPARATOR, DUST REVIEWER: GS YD1	A 4240	EA 17-APR-68	EA	MC	99	
L MIL-S-50087D	SEPARATOR, DUST	A 4240	EA 25-JAN-80	EA			
L MIL-I-50089A	INSTALLATION KIT, GAS-PARTICULATE FILTER UNIT, COMBAT VEHICLE, M20 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA 31-MAR-60	EA	MC		
L MIL-R-50090D(2)	RIOT CONTROL AGENT, CS1	A 1365	EA 18-NOV-88	EA			
L MIL-A-50093A(1)	ADAPTER, COMPRESSED AIR BREATHING APPARATUS, M4 [VALIDATION DATE: 8609] REVIEWER: GS	A 4240	EA 19-SEP-86	EA			
L MIL-P-50202A(6)	PROPELLANT CHARGE, ROCKET, FOR DEMOLITION KIT, CRATERING, M180	A 1340	AR 10-JUN-88	AR			
L MIL-P-50203(1)	PROJECTILE METAL PARTS, LESS BALL ASSEMBLY, WITH FUZE, PD, M536 [VALIDATION DATE: 8803]	A 1310	AR 23-MAR-88	AR			
A L MIL-S-50204B(1)	SUPPORTS, MOLDED, PLASTIC (FOR USE IN AMMUNITION CONTAINERS)	A 8140	AR 08-FEB-93	AR			
L MIL-L-50205	LINER, CUP-FOR WARHEAD, 2.75 INCH ROCKET, M151 AND XM229 [VALIDATION DATE: 7603]	A 1340	AR 01-DEC-68	AR			
L MIL-P-50206(2)	PROPELLANT M9, FLAKE (FOR USE IN 40MM CARTRIDGES) [VALIDATION DATE: 8803] REVIEWER: EA	A 1376	AR 21-MAR-88	AR			
L MIL-A-50210(1)	ACID, MIXED (FOR USE IN NITRATION OF EXPLOSIVES)	A 1376	AR 30-JAN-87	AR			
L MIL-S-50218B(2)	SWITCH, NOSE CRUSH ASSEMBLY, ASSEMBLING AND PACKING (DRAGON)	A 1336	AR 30-JAN-87	AR			
L MIL-W-50219A(5)	WARHEAD SECTION, GUIDED MISSILE, HE, M225, ASSEMBLING AND PACKING [VALIDATION DATE: 9005] REVIEWER: CS	A 1336	AR 09-MAY-90	AR			
L MIL-F-50220A(1)	FUZE, ROCKET, BASE DETONATING, XM434E1 ASSEMBLING AND PACKING [VALIDATION DATE: 8806] REVIEWER: CS	A 1340	AR 20-JUN-88	AR			
L MIL-W-50232	WARHEAD SECTION, ATOMIC, TRAINING, M240 (TYPE X) [VALIDATION DATE: 8809]	A 1115	AR 08-SEP-88	AR			
L MIL-C-50242	CARTRIDGE, 40MM, HE, M383, BODY ASSEMBLY FOR METAL PARTS [VALIDATION DATE: 8705]	A 1310	AR 04-AUG-71	AR			
L MIL-C-50243(7)	CARTRIDGE, 40MM, HE, M383 LOADING, ASSEMBLING AND PACKING	A 1310	AR 14-JUN-91	AR			
L MIL-C-50245A	CLIP, SAFETY, FOR HAND GRENADES [VALIDATION DATE: 8803]	A 1330	AR 30-MAR-88	AR			
L MIL-C-50252(1)	CARTRIDGE, SEMI-FIXED, 105MM, APERS-T XM546E2, LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8705]	A 1315	AR 27-MAY-87	AR			
A L MIL-F-50253A(3)	FUZES, ROCKET, M423, M427 AND M433 LOADING, ASSEMBLING AND PACKING	A 1340	AR 26-DEC-92	AR			
L MIL-M-50256(1)	MINE, ANTI-PERSONNEL, BLU-54/B LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8905]	A 1345	AR 20-MAY-88	AR			
L MIL-P-50257	PROJECTILE, 8 INCH, HE, M404, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9011]	A 1320	AR 01-NOV-90	AR			
L MIL-W-50259(1)	WARHEAD SECTION, 762MM ROCKET, PRACTICE, M38 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9110]	A 1340	AR 03-OCT-91	AR			
L MIL-C-50261A	CARTRIDGE, IGNITION, XM285 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8705]	A 1315	AR 27-MAY-87	AR			
L MIL-B-50262(1)	BURSTER, PROJECTILE, M21, LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 8803]	A 1310	AR 23-MAR-88	AR			
L MIL-R-50263A(2)	ROCKET, 2.75 INCH, COMPLETE ROUND, ASSEMBLING, PACKING AND TESTING [VALIDATION DATE: 8804]	A 1340	AR 22-APR-88	AR			
L MIL-P-50265	PRIMER, ELECTRIC, XM114 PARTS FOR, AND LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8203]	A 1375	AR 21-APR-69	AR			
L MIL-C-50269B	CELLULOSE, WOODPULP (SULFATE) FOR NON-METALLIC CARTRIDGE CASES, KRAFT	A 1320	AR 04-DEC-87	AR			
L MIL-F-50274(2)	FUZES, GRENADE, H.E, M218, M219 AND XM224 LEAD CUP ASSEMBLY FOR LOADING, ASSEMBLING AND PACKING	A 1330	AR 09-NOV-90	AR			
L MIL-W-50275A(1)	WARHEAD, HE, M18A1 PARTS FOR [VALIDATION DATE: 9110]	A 1340	AR 03-OCT-91	AR			
L MIL-P-50286A	PROJECTILE, 155 MILLIMETER, M454, WITH ACCESSORIES DOD COMPONENTS ONLY: ASSEMBLY OF [VALIDATION DATE: 8909]	A 1110	AR 01-SEP-89	AR			
L MIL-P-50290(2)	PROJECTILE, 155MM: VELOCITY TEST, T5119 [VALIDATION DATE: 9108]	A 1190	AR 20-AUG-91	AR			
L MIL-T-50302A(1)	THRUSTER, CARTRIDGE ACTUATED, XM26, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS			
L MIL-T-50303A(1)	THRUSTER, CARTRIDGE ACTUATED, M26 METAL PARTS ASSEMBLY	A 1377	OS 15-JUL-86	OS			
L MIL-C-50306A	CASE, SHIPPING, REUSABLE, 10559875, 11730881 AND 11730882 [VALIDATION DATE: 8202]	A 1285	AR 01-MAY-70	AR			
L MIL-P-50307(2)	PROJECTOR, RECTICLE IMAGE: 10547353	A 1270	AR 30-MAR-90	AR			
L MIL-P-50308B	PROJECTILE, HEAT, 106MM, M344A1 WITH FIM MB METAL PARTS ASSEMBLY [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR			
L MIL-S-50312(1)	SHIPPING AND STORAGE CONTAINER, CARTRIDGE, 30MM, XM592	A 8140	AR 15-FEB-91	AR			
L MIL-C-50316(2)	CARTRIDGE, DELAY, M87, ASSEMBLY	A 1377	OS 16-OCT-86	OS			
A L MIL-P-50317B(1)	PROTECTOR, OVERVOLTAGE: 10548031 (<5 VOLT FILTER)	A 1285	AR 27-AUG-92	AR			
A L MIL-R-50318B(1)	REGULATOR, VOLTAGE: 10548034 AND 11727766	A 1285	AR 25-SEP-92	AR			
A L MIL-R-50319B(1)	REGULATOR, VOLTAGE: 10548043 AND 11727763	A 1285	AR 09-OCT-92	AR			
A L MIL-T-50320C(1)	TRANSMIT, GATE: 10549202	A 1285	AR 09-OCT-92	AR			
A L MIL-P-50321B(1)	POWER SUPPLY: 9342815 (KLYSTROM)	A 1285	AR 25-SEP-92	AR			
A L MIL-G-50322B(1)	GENERATOR, DIGITAL: 10548613	A 1285	AR 25-SEP-92	AR			
A L MIL-P-50323C(1)	POWER SUPPLY: 11834450 (KLYSTROM BEAM)	A 1285	AR 25-SEP-92	AR			
A L MIL-P-50324B	PULSE SHAPER: 10548801	A 1285	AR 27-AUG-92	AR			
L MIL-R-50325B(1)	REGULATOR, VOLTAGE: 10548906	A 1285	AR 30-NOV-82	AR			
L MIL-R-50326B(1)	REGULATOR, VOLTAGE: 10548987 [VALIDATION DATE: 8804]	A 1285	AR 06-APR-88	AR			
A L MIL-R-50327C(1)	REGULATOR, VOLTAGE: 10548988	A 1285	AR 09-SEP-92	AR			
L MIL-R-50328B(1)	REGULATOR, VOLTAGE: 10549008	A 1285	AR 30-NOV-82	AR			
A L MIL-C-50329C(1)	CONVERTER, ELECTRONIC: 10549013	A 1285	AR 27-AUG-92	AR			
A L MIL-C-50330C(1)	CONVERTER, DC/DC: 10549021	A 1285	AR 25-SEP-92	AR			
L MIL-T-50331	TEST SET, SUBASSEMBLY MX-8046/TPM-22 RECEIVER/TRANSMITTER TESTER [VALIDATION DATE: 8201]	A 4931	AR 10-NOV-69	AR			
L MIL-T-50332A(1)	TEST SET, SUBASSEMBLY MX-8047/TPM-22 (HIGH VOLTAGE TESTER)	A 4931	AR 09-NOV-84	AR			
A L MIL-T-50333C(1)	TEST SET, SUBASSEMBLY MX-8048/TPM-22A (RECEIVER, TEST PANEL)	A 4931	AR 09-SEP-92	AR			
L MIL-T-50334B	TEST SET, SUBASSEMBLY MX-8049/TPM-22 (RANGE COMPUTER TESTER)	A 4931	AR 30-NOV-84	AR			
A L MIL-T-50335B(1)	TEST SET, POWER SUPPLY: MX-8051/TPM-22A	A 4931	AR 09-SEP-92	AR			
L MIL-T-50336(1)	TEST SET SUBASSEMBLY, 10554898 (PULSE GENERATOR)	A 4931	AR 30-DEC-82	AR			
L MIL-T-50337	TEST SET SUBASSEMBLY, 10558483 (CARD READER) [VALIDATION DATE: 8201]	A 4931	AR 10-NOV-69	AR			
L MIL-T-50338	TEST SET SUBASSEMBLY, 11726303 (TEST SOCKET ASSEMBLY) [VALIDATION DATE: 8201]	A 4931	AR 10-NOV-69	AR			
L MIL-T-50339A	TEST SET, SUBASSEMBLY MX-8050/TPM-22 (PRINTED CIRCUIT CARD TESTER)	A 4931	AR 31-MAR-85	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off / OMA Coordination Inchance Document Number	Document Title	Dist Smt FSC / Ams MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
A L MIL-T-50340A	TEST SET SUBASSEMBLY: 11726333 (LINE DRIVER A) .....	A 4931 AR 03-NOV-92 AR	
L MIL-T-50341(1)	TEST SET SUBASSEMBLY: 11726335 (LINE DRIVER B/C [VALIDATION DATE: 8202] ...	A 4931 AR 28-FEB-82 AR	
L MIL-T-50342	TEST SET SUBASSEMBLY: 11726337 (LINE DRIVER D) [VALIDATION DATE: 8202] ....	A 4931 AR 10-NOV-69 AR	
L MIL-T-50343	TEST SET SUBASSEMBLY: 11726338 (LOW VOLTAGE FILTER) [VALIDATION DATE: 8202] .....	A 4931 AR 10-NOV-69 AR	
A L MIL-C-50344B(1)	COUNTER, ELECTRONIC: 10548009 .....	A 1285 AR 09-OCT-92 AR	
L MIL-P-50345E(8)	PROJECTILE, 155MM: M483A1-M718/M741-M692/M731 METAL PARTS ASSEMBLY .....	A 1320 AR 13-OCT-89 AR	
L MIL-P-50346A	POWER SUPPLY: 9333063 .....	A 4931 AR 28-SEP-84 AR	
L MIL-S-50347(2)	SIMULATOR, TARGET 10558244 .....	A 4931 AR 30-APR-82 AR	
L MIL-S-50348(1)	SYNCHRONIZER, PULSE: 10554894 .....	A 4931 AR 13-JUN-82 AR	
L MIL-G-50349A(2)	GENERATOR, PULSE: 10554892 .....	A 4931 AR 30-AUG-84 AR	
A L MIL-G-50351A	GENERATOR: 10558216 .....	A 4931 AR 14-OCT-92 AR	
M MIL-T-50356A	THRUSTER, CARTRIDGE ACTUATED, M1A2 REMANUFACTURED METAL PARTS ASSEMBLY .....	A 1377 OS 19-MAR-93 OS 99	
	REVIEWER: 70 .....		
L MIL-P-50357(2)	PROJECTILE, 60MM, H.E., M49A3 METAL PARTS ASSEMBLY (ALLOY STEEL) .....	A 1310 AR 21-MAY-87 AR	
L MIL-I-50360(1)	[VALIDATION DATE: 8705] .....		
L MIL-I-50362	INITIATOR, CARTRIDGE ACTUATED, M51 AND M88 METAL PARTS ASSEMBLY .....	A 1377 OS 15-JUL-86 OS	
L MIL-P-50363	INITIATOR, CARTRIDGE ACTUATED, M8, METAL PARTS ASSEMBLY [VALIDATION DATE: 8606] .....	A 1377 OS 26-JUN-86 OS	
L MIL-I-50364	PLOTTING BOARD, FLASH RANGING, FIRE CONTROL: M18 [VALIDATION DATE: 9009] ..	A 1220 AR 28-SEP-90 AR	
L MIL-I-50364	NOTICE 1 .....		
L MIL-B-50366A(3)	INIATOR, CARTRIDGE ACTUATED, M8 ASSEMBLY [VALIDATION DATE: 8606] .....	A 1377 OS 19-NOV-73 OS	
L MIL-H-50368C(1)	NOTICE 1 .....		
L MIL-P-50369A	BODY ASSEMBLY, 10516210 (PERISCOPE M32) .....	A 1240 AR 28-OCT-83 AR	
L MIL-A-50372	HEAD ASSEMBLY, 10514220 (PERISCOPE, M32 & M35) .....	A 1240 AR 28-OCT-83 AR	
L MIL-A-50373	PROJECTILE, 152MM, TP-T, M11A1 METAL PARTS ASSEMBLY [VALIDATION DATE: 8806] .....	A 1320 AR 20-JUN-88 AR	
L MIL-A-50373	ACTUATOR, ROTARY 1000-41 ASSEMBLY [VALIDATION DATE: 8808] .....	A 1377 OS 29-AUG-88 OS	
L MIL-I-50374A	ACTUATOR, ROTARY 1000-41 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8808] .....	A 1377 OS 29-AUG-88 OS	
A MIL-I-50375A	INITIATOR, PROPELLANT ACTUATED, M104 ASSEMBLY REVIEWER: 70 .....	A 1377 OS 11-FEB-93 OS 99	
L MIL-B-50378(1)	INITIATOR, PROPELLANT ACTUATED, M104 METAL PARTS ASSEMBLY REVIEWER: 70 ....	A 1377 OS 11-FEB-93 OS 99	
L MIL-S-50379(1)	BARRELS, TEST, SMALL ARMS AMMUNITION GENERAL SPECIFICATION FOR .....	A 1305 AR 31-JUL-88 AR	
L MIL-M-50380(2)	NOTICE 1 .....		
L MIL-T-50382(4)	SIGHTUNIT, M53A1 [VALIDATION DATE: 8504] .....	A 1240 AR 30-JUN-72 AR	
L MIL-M-50383A(2)	MOUNT, TELESCOPE, M128A1 .....	A 1240 AR 26-SEP-85 AR	
L MIL-T-50384(2)	TELESCOPE, PANORAMIC: M113A1 .....	A 1240 AR 29-JAN-90 AR	
L MIL-Q-50385(2)	MOUNT, TELESCOPE: M134A1 .....	A 1240 AR 05-JAN-90 AR	
L MIL-Q-50386	TELESCOPE, ELBOW: M114A1 .....	A 1240 AR 25-JAN-90 AR	
L MIL-C-50388	QUADRANT, FIRE CONTROL: ELEVATION M14A1 .....	A 1240 AR 05-JAN-90 AR	
L MIL-S-50390	QUADRANT, GUNNER S, M1A1E1 [VALIDATION DATE: 8202] .....	A 1290 AR 16-JUN-70 AR	
L MIL-P-50398(5)	CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY, M210 [VALIDATION DATE: 8304] ..	A 1305 AR 06-JUL-70 AR	
L MIL-I-50406	SWITCH AND CONNECTOR ASSEMBLY .....	A 1390 AR 10-JUL-87 AR	
L MIL-F-50407A(1)	PROJECTILE, 165MM, TP M624, METAL PARTS .....	A 1320 AR 17-NOV-86 AR	
L MIL-C-50409(2)	INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC XM91E1 AND XM117 LOADING, .....	A 1320 AR 20-JUN-88 AR	
L MIL-I-50412	ASSEMBLING AND PACKING [VALIDATION DATE: 8806] .....		
L MIL-C-50413A(5)	FUZE, ROCKET, M412E1 ASSEMBLING AND PACKING [VALIDATION DATE: 8704] .....	A 1340 AR 02-APR-87 AR	
L MIL-F-50415A(2)	REVIEWER: M1 .....		
L MIL-P-50418	COMPONENT, METAL, FOR FIBER CONTAINER M105 [VALIDATION DATE: 8505] .....	A 8140 AR 14-DEC-72 AR	
L MIL-D-50420A(2)	INITIATOR ASSEMBLY FOR PRIMER, ELECTRIC, XM91E1, AND XM117, PARTS FOR .....	A 1345 AR 01-NOV-90 AR	
L MIL-F-50421(1)	[VALIDATION DATE: 9011] .....		
L MIL-W-50422A	CARTRIDGE, 165MM, TP, M623 LOADING, ASSEMBLING AND PACKING .....	A 1320 AR 18-JUN-90 AR	
L MIL-A-50424(1)	FUZE, ROCKET, M412A1 LOADING AND ASSEMBLING [VALIDATION DATE: 8104] .....	A 1340 AR 18-JUL-75 AR	
L MIL-P-50425(1)	REVIEWER: M1 .....		
L MIL-L-50429A(4)	PROPELLANT, M9 FOR USE IN INCREMENT, M185 FOR 81MM MORTAR [VALIDATION DATE: 8805] .....	A 1376 AR 05-MAY-88 AR	
L MIL-B-50432	DATE: 8805] .....		
L MIL-V-50433	DETONATOR, STAB, M98 (TB3E1) PARTS FOR, AND LOADING, ASSEMBLING AND .....	A 1375 AR 09-APR-92 AR	
L MIL-C-50443	PACKING .....		
A L MIL-C-50446A(1)	FUZE, XM596: SETBACK PIN AND HOUSING ASSEMBLY FOR METAL PARTS AND LOADING, .....	A 1390 AR 22-AUG-88 AR	
A L MIL-C-50447A(2)	ASSEMBLING AND PACKING [VALIDATION DATE: 8808] .....		
L MIL-C-50448A(1)	WAKEHEAD, M1, M18A1 LOADING AND ASSEMBLY [VALIDATION DATE: 8704] REVIEWER: .....	A 1340 AR 02-APR-87 AR	
L MIL-F-50449B	M1 .....		
L MIL-B-50451B	ACETAL, SHEETING (FOR USE WITH AMMUNITION) .....	A 1395 AR 18-APR-91 AR	
L MIL-F-50454A(5)	PROPELLANT, M9 FOR USE IN INCREMENT, M5 FOR 81MM MORTAR [VALIDATION DATE: 8805] .....	A 1376 AR 05-MAY-88 AR	
L MIL-C-50458	LAMINATE, ACETAL AND CLOTH, (FOR USE WITH 81MM AMMUNITION) .....	A 1395 AR 24-MAY-90 AR	
L MIL-A-50460A	BAG, BARRIER, NEOPRENE, FOR USE WITH 152MM CARTRIDGES [VALIDATION DATE: 8806] .....	A 1320 AR 20-JUN-88 AR	
L MIL-G-50463	NOTICE 1 .....		
L MIL-C-50466(2)	VINYL ALCOHOL - ACETATE RESIN SOLUTION (VAAR) (FOR USE IN AMMUNITION) .....	A 1376 AR 29-AUG-91 AR	
L MIL-S-50469(2)	[VALIDATION DATE: 9108] .....		
L MIL-L-50470(1)	CARTRIDGE, 105MM, HE, M444E1, BODY ASSEMBLY AND BASE PLUG FOR [VALIDATION DATE: 8203] .....	A 1315 AR 22-SEP-69 AR	
L MIL-C-50471(5)	DATE: 8203] .....		
L MIL-P-50472A	CASE, CARTRIDGE, 40MM, M118 PART FOR .....	A 1310 AR 10-NOV-92 AR	
L MIL-B-50474(1)	CASE CARTRIDGE, 40MM, M118 AND M195: PLUG, BASE FOR .....	A 1310 AR 10-NOV-92 AR	
L MIL-D-50478	CASE, CARTRIDGE, 40MM, M118 AND M195, CLIP, POWER CHARGE FOR [VALIDATION DATE: 8803] .....	A 1310 AR 23-MAR-88 AR	
L MIL-B-50485A	FILLER, SHEET FORM (FOR USE IN AMMUNITION CONTAINERS) .....	A 1395 AR 06-JUL-88 AR	
L MIL-P-50486	BLASTING MACHINE, M32 PARTS AND ASSEMBLY [VALIDATION DATE: 8301] .....	A 1375 AR 01-JUL-76 AR	
NOTICE 1	FUZE, GRENADE, M219E1 LOADING, ASSEMBLING AND PACKING .....	A 1330 AR 06-JUN-88 AR	
	CASE, CARTRIDGE, COMBUSTIBLE, XM157E1, 152MM, PARTS FOR [VALIDATION DATE: 8806] .....	A 1320 AR 20-JUN-88 AR	
	AMMONIUM NITRATE, PRILLED (FOR USE IN AMMUNITION) [VALIDATION DATE: 8907] .....	A 6810 AR 13-JUL-89 AR	
	REVIEWER: GS .....		
	GRENADE, HAND, PRACTICE, DELAY, XM69: STOPPER FOR [VALIDATION DATE: 9010] ..	A 1330 AR 31-OCT-90 AR	
	CARTRIDGE, 40MM, HE, XM684 LOADING, ASSEMBLING AND PACKING .....	A 1310 AR 30-JAN-91 AR	
	CHARGE, SUPPLEMENTARY FOR DEEP CAVITY LOADED PROJECTILE, PARTS FOR .....	A 1315 AR 21-JUL-86 AR	
	LINER, FOR DEEP CAVITY LOADED PROJECTILE .....	A 1315 AR 16-FEB-88 AR	
	CHARGE, SUPPLEMENTARY ASSEMBLY WITH SPACER FOR DEEP CAVITY LOADED .....	A 1315 AR 20-APR-90 AR	
	PROJECTILE, LOADING, ASSEMBLING AND PACKING .....		
	PROPELLANT M26A1, FOR USE IN CHARGE PROPELLING M189 [VALIDATION DATE: 9108] .....	A 1376 AR 29-AUG-91 AR	
	BLASTING AGENT - TNT [VALIDATION DATE: 8604] .....	A 1375 AR 08-APR-86 AR	
	DUMMY PROJECTILE, 40MM: PYR 6135 FOR CARTRIDGE CASE LOADING ASSEMBLY, .....	A 1310 AR 12-SEP-91 AR	
	XM195 PARTS FOR [VALIDATION DATE: 9109] .....		
	BANDOLEER ASSEMBLY FOR CARTRIDGE, 40MM, M397, M397E1 & M433 [VALIDATION DATE: 8803] .....	A 1310 AR 21-MAR-88 AR	
	POTASSIUM DINITROHYDROXY HYDROBENZOFUROXAN (FOR USE IN AMMUNITION) .....	A 1376 AR 29-AUG-91 AR	
	[VALIDATION DATE: 9108] .....		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / Del Cancellation Revision	Document Number	Document Title	Dist. Smt. FAC / Area	MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DLA
M L	MIL-C-50494(1)	CAP BLASTING, PRACTICE M10 PARTS FOR, ASSEMBLING AND PACKING .....	A 1345	AR	22-MAR-93	AR			
L	MIL-F-50495A	FIRING DEVICE, PRESSURE RELEASE TYPE, M5 AND M5 INERT ASSEMBLY PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8203]	A 1375	AR	05-NOV-75	AR			
L	MIL-W-50504A	WARHEAD, 2.75 INCH ROCKET, M151 PARTS FOR [VALIDATION DATE: 8902] .....	A 1340	AR	02-FEB-89	AR			
L	MIL-B-50506	BODY, ANTIPERSONNEL MINE, PRACTICE, M33 PARTS FOR LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8504]	A 1345	AR	14-JUN-72	AR			
Q	MIL-M-50508A	MOUNT, RESILIENT (FOR USE IN AMMUNITION SHIPPING CONTAINERS) [VALIDATION DATE: 8703]	A 8140	AR	24-MAR-87	AR	99		
L	MIL-C-50509A	CARTRIDGE, 40MM, WHITE STAR, CLUSTER, M585 METAL PARTS AND LOADING, ASSEMBLING AND PACKING REVIEWER: M1	A 1310	AR	28-MAY-91	AR			
L	MIL-M-50512	MINE, APERS, PRACTICE, M68 ASSEMBLING AND PACKING [VALIDATION DATE: 8504]	A 1345	AR	28-FEB-72	AR			
L	MIL-C-50513B(5)	CARTRIDGE, IGNITION, M242 PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR			
L	MIL-F-50519(1)	FUZE, PD, M536, SEPARATION CHARGE FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR			
L	MIL-F-50520(1)	FUZE, PD, M536: DELAY DETONATOR ASSEMBLY FOR LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR			
L	MIL-F-50521	FUZE, PD, M536: DELAY DETONATOR ASSEMBLY FOR METAL PART [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR			
L	MIL-F-50522	FUZE, PD, M536: SEPARATION CHARGE ASSEMBLY FOR METAL PARTS FOR [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR			
L	MIL-C-50523(1)	CHARGE, DEMOLITION, M112 PARTS FOR AND LOADING, ASSEMBLING AND PACKING ....	A 1375	AR	12-MAY-87	AR			
L	MIL-C-50525	CHARGE ASSEMBLY, DEMOLITION, M183 WITH CHARGE, DEMOLITION M112, PARTS FOR, LOADING, ASSEMBLY, AND PACKING [VALIDATION DATE: 8404]	A 1375	AR	08-MAY-70	AR			
L	MIL-C-50527(2)	CASE, CARTRIDGE, 40MM, M195 PART FOR .....	A 1310	AR	28-JUL-91	AR			
L	MIL-Q-50531	QUARTZITE (GROUND) (FOR USE IN AMMUNITION) [VALIDATION DATE: 8805] .....	A 1345	AR	20-MAY-88	AR			
L	MIL-F-50532A	FUZE, ROCKET, BASE DETONATING XM434 ASSEMBLING AND PACKING [VALIDATION DATE: 9110]	A 1340	AR	03-OCT-91	AR			
L	MIL-F-50533(1)	FIBER, ACRYLIC, FIBRILLATED .....	A 1320	AR	20-MAR-90	AR			
L	MIL-C-50534A(2)	CASE, CARTRIDGE, M205, 152MM, PARTS FOR [VALIDATION DATE: 8705] .....	A 1320	AR	29-JAN-75	AR			
L	MIL-P-50535	PROJECTILE, 155MM, HE, M449A1, BODY ASSEMBLY FOR [VALIDATION DATE: 9011] ..	A 1320	AR	01-NOV-90	AR			
L	MIL-P-50536	PROJECTILE, 155MM, HE, M449A1, BASE PLUG FOR [VALIDATION DATE: 8603] .....	A 1320	AR	17-MAR-86	AR			
L	MIL-P-50537	PROJECTILE, 155MM, HE, M449A1, HARDWARE FOR [VALIDATION DATE: 9011] .....	A 1320	AR	01-NOV-90	AR			
L	MIL-P-50538	PROJECTILE, 155MM, HE, M449A1, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8303]	A 1320	AR	07-DEC-70	AR			
L	MIL-D-50540	DETONATOR, FLASH, XM97 PARTS FOR, AND LOADING ASSEMBLING AND PACKING [VALIDATION DATE: 8203]	A 1375	AR	15-JUN-70	AR			
A L	MIL-F-50541A(4)	FUZE FOR FLECHETTE WARHEAD, MDU-4A/A (LESS EXPULSION CHARGE) .....	A 1340	AR	07-DEC-92	AR			
L	MIL-F-50542A	FUZE FOR FLECHETTE WARHEAD, MDU-4A/A (WITH EXPULSION CHARGE) [VALIDATION DATE: 9110]	A 1340	AR	03-OCT-91	AR			
L	MIL-C-50543	CARTRIDGE, 40MM, HE, M386 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109]	A 1310	AR	12-SEP-91	AR			
L	MIL-G-50546B(3)	GRENADE, G.P., M42 BODY ASSEMBLY, TYPE PH, FOR .....	A 1330	AR	31-MAR-88	AR			
L	MIL-F-50548A(4)	FUZE, ROCKET, M423 AND M427 LESS BOOSTER AND BOOSTER LEAD .....	A 1340	AR	18-MAY-90	AR			
L	MIL-W-50549A	WARHEAD, 2.75 INCH ROCKET, FLECHETTE, MDU-4A/A, MDU-13/A, PARTS FOR [VALIDATION DATE: 8704]	A 1340	AR	10-APR-87	AR			
L	MIL-W-50550A	WARHEAD, 2.75 INCH ROCKET, FLECHETTE, WITH FUZE MDU-4A/A, MDU-13/A LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8704]	A 1340	AR	10-APR-87	AR			
L	MIL-P-50560A	PROJECTILE, HES, 8-INCH, M424A1 METAL PARTS .....	A NUOR	AR	28-OCT-86	AR			
L	MIL-P-50562(3)	PROJECTILE, 8 INCH, HE, M424A1 LOADING ASSEMBLY [VALIDATION DATE: 9108] .....	A NUOR	AR	20-AUG-91	AR			
L	MIL-C-50565	CONTAINER, SHIPPING AND STORAGE, ATOMIC PROJECTILE: M500 [VALIDATION DATE: 9108]	A NUOR	AR	20-AUG-91	AR			
L	MIL-P-50569C(3)	PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 SERIES, MOTOR BODY BONDING ASSEMBLING FOR	A 1320	AR	25-JUN-90	AR			
L	MIL-P-50570A(7)	PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 & M549A1, DELAY ASSEMBLY FOR ..	A 1320	AR	31-JUL-89	AR			
L	MIL-P-50571A(1)	PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 & M549A1, DELAY ASSEMBLY PARTS FOR	A 1320	AR	03-FEB-89	AR			
L	MIL-P-50573C(4)	PROJECTILE, 155MM, HE, ROCKET ASSISTED M549 AND M549A1 FORWARD (AMM) PROPELLANT GRAIN FOR	A 1320	AR	22-SEP-87	AR			
L	MIL-P-50574B(7)	PROJECTILE, 155MM, HE ROCKET ASSISTED, M549 & M549A1, ACCESSORIES FOR .....	A 1320	AR	26-MAR-92	AR			
L	MIL-W-50577C(7)	WARHEAD, 155MM, M549A1 BONDING ASSEMBLY .....	A 1320	AR	16-JUN-87	AR			
A L	MIL-P-50578D(4)	PROJECTILE, 155MM, HE, RA, M549 AND M549A1 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING	A 1320	AR	24-FEB-93	AR			
L	MIL-D-50584(1)	DELAY DETONATOR ASSEMBLY (DWG. C-920779B) [VALIDATION DATE: 8504] .....	A 1375	AR	16-JUL-73	AR			
L	MIL-P-50585	PROJECTILE, 8 INCH, HE: M404, HARDWARE FOR [VALIDATION DATE: 9011] .....	A 1320	AR	01-NOV-90	AR			
L	MIL-M-50589	M M X FOR 30MM AMMUNITION [VALIDATION DATE: 9108] .....	A 1376	AR	29-AUG-91	AR			
L	MIL-T-50595C(2)	TRIPOD ASSEMBLY, DEMOLITION KIT, M180, METAL PARTS FOR AND ASSEMBLY .....	A 1375	AR	24-SEP-92	AR			
L	MIL-C-50600A	CARTRIDGE, 20MM, TARGET PRACTICE TRACER, M206A1 [VALIDATION DATE: 8505] ...	A 1305	AR	22-FEB-77	AR			
L	MIL-P-50601A(1)	PROJECTILE, 20MM, TP-T, M212A1; METAL PARTS [VALIDATION DATE: 9010] .....	A 1305	AR	31-OCT-90	AR			
L	MIL-C-50602(3)	CASE, CARTRIDGE, 20MM, XM204E1 (STEEL) [VALIDATION DATE: 8705] .....	A 1305	AR	21-MAY-87	AR			
L	MIL-P-50603B(1)	PRIMER, PERCUSSION, M115 .....	A 1305	AR	25-MAY-92	AR			
L	MIL-P-50607(3)	PERISCOPE, TANK, XM44E1 AND XM44E2 [VALIDATION DATE: 8502] .....	A 1240	AR	04-JUN-79	AR			
L	MIL-T-50610	CARTRIDGE, CALIBER .30 CARBINE, REFERENCE [VALIDATION DATE: 8304] .....	A 1305	AR	28-OCT-70	AR			
L	MIL-T-50611	TRINITRORESORCINOL (STYPMIC ACID) [VALIDATION DATE: 8805] .....	A 1376	AR	05-MAY-88	AR			
L	MIL-B-50645B(1)	BODY ASSEMBLY: 10516576 (PERISCOPE: M32C AND M32CE1) .....	A 1240	AR	17-JUN-91	AR			
L	MIL-M-50646A(1)	HEAD ASSEMBLY, 10541990 (PERISCOPE, M32C) .....	A 1240	AR	28-OCT-83	AR			
L	MIL-C-50647A	CARTRIDGE, DELAY, M293 ASSEMBLY .....	A 1377	OS	23-APR-91	OS	99		
L	MIL-D-50648A	DELAY ELEMENT, CARTRIDGE, M75 ASSEMBLY .....	A 1377	OS	23-APR-91	OS	99		
L	MIL-P-50649(2)	PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (PEARLITIC MALLEABLE IRON) [VALIDATION DATE: 8604]	A 1315	AR	10-APR-86	AR			
L	MIL-P-50650(2)	PROJECTILE, 81MM, H.E., M374A1 METAL PARTS ASSEMBLY (CARBON STEEL) [VALIDATION DATE: 8604]	A 1315	AR	10-APR-86	AR			
A L	MIL-R-50651B(2)	RADAR SET AM/VPS-2: 10549058 (RANGE ONLY RADAR) .....	A 1285	AR	27-AUG-92	AR			
A L	MIL-C-50652A(1)	CIRCUIT CARD ASSEMBLIES, RADAR SET AM/VPS-2, CP-888/VPS-2 GENERAL SPECIFICATION FOR	A 1285	AR	09-SEP-92	AR			
A L	MIL-C-50665 /1A(1)	CIRCUIT CARD ASSEMBLY: 9355881 (GENERATOR, MODULATOR TRIGGER) .....	A 1285	AR	28-DEC-92	AR			
M L	MIL-C-50665 /2A	CIRCUIT CARD ASSEMBLY: 10548007 (GENERATOR, COMPUTER TIMING) .....	A 1285	AR	09-APR-93	AR			
M L	MIL-C-50665 /3A	CIRCUIT CARD ASSEMBLY: 10548119 (DIODE, RCFD) .....	A 1285	AR	09-APR-93	AR			
A L	MIL-C-50665 /4A(1)	CIRCUIT CARD ASSEMBLY: 10548046 (COUNTER, RANGE) .....	A 1285	AR	04-JAN-93	AR			
L	MIL-C-50665 /5A	CIRCUIT CARD ASSEMBLY: 10548016 (GENERATOR, RCFD) .....	A 1285	AR	12-DEC-90	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Acronyms / Code Coordination Inactive Document Number	Document Title	Dist. Smt FSC / Ams MCA Symbol Preparing Act.	Date	Custodians Army Navy Air Force DIA
L MIL-C-50652/6A	CIRCUIT CARD ASSEMBLY: 10548122 (REGISTER A, RANGE) .....	A 1285	AR 26-NOV-90	AR
L MIL-C-50652/7(2)	CIRCUIT CARD ASSEMBLY: 10548021 (REGISTER B, RANGE) [VALIDATION DATE: 8803]	A 1285	AR 23-MAR-88	AR
L MIL-C-50652/8B	CIRCUIT CARD ASSEMBLY: 10548148 (CONTROL, SEARCH/TRACK, AND GAIN) .....	A 1285	AR 12-DEC-90	AR
L MIL-C-50652/9(1)	CIRCUIT CARD ASSEMBLY: 10548125 (COUNTER A, RANGE RATE) [VALIDATION DATE: 8303]	A 1285	AR 30-NOV-82	AR
L MIL-C-50652/10	CIRCUIT CARD ASSEMBLY: 10548012 (COUNTER B, RANGE RATE) [VALIDATION DATE: 8303]	A 1285	AR 15-APR-71	AR
A L MIL-C-50652/11(2)	CIRCUIT CARD ASSEMBLY: 10548049 (SCALER, RATE) .....	A 1285	AR 09-FEB-93	AR
A L MIL-C-50652/12(3)	CIRCUIT CARD ASSEMBLY: 10548086 (INTERGRATOR, RATE) .....	A 1285	AR 19-FEB-93	AR
A L MIL-C-50652/13(1)	CIRCUIT CARD ASSEMBLY: 10548133 (DETECTOR, PHASE) .....	A 1285	AR 08-FEB-93	AR
A L MIL-C-50652/14(4)	CIRCUIT CARD ASSEMBLY: 10548359 (CONVERTER, RANGE D/A, 4A16) .....	A 1285	AR 08-FEB-93	AR
L MIL-C-50652/15C	CIRCUIT CARD ASSEMBLY: 10548330 (CONVERTER, RANGE RATE D/A 4A17) .....	A 1285	AR 29-MAR-91	AR
L MIL-C-50652/16(1)	CIRCUIT CARD ASSEMBLY: 10548450 (AMPLIFIER, CONTROL) [VALIDATION DATE: 8803]	A 1285	AR 23-MAR-88	AR
M L MIL-C-50652/17A	CIRCUIT CARD ASSEMBLY: 10548638 (DELAY, FINE/FINE) .....	A 1285	AR 09-APR-93	AR
L MIL-C-50652/18(1)	CIRCUIT CARD ASSEMBLY: 10549234 (BOARD, UNIVERSAL) .....	A 1285	AR 24-JUN-87	AR
A L MIL-B-50653B(1)	BOARD, COMPONENT: 10548362 .....	A 1285	AR 01-SEP-92	AR
L MIL-R-50654A	NETWORK, PULSE FORMING: 10548884 .....	A 1285	AR 30-SEP-85	AR
L MIL-A-50655A(1)	ASSEMBLY, BOARD, KLYSTROM POWER SUPPLY: 10548905 .....	A 1285	AR 27-AUG-92	AR
A L MIL-D-50656A(1)	DIODE BOARD ASSEMBLY: 10549017 .....	A 1285	AR 08-DEC-92	AR
A L MIL-R-50657B(2)	REGULATOR, 15-VOLT, BOARD ASSEMBLY: 10548959 .....	A 1285	AR 01-SEP-92	AR
A L MIL-R-50658C(1)	REGULATOR, 15 VOLT, BOARD ASSEMBLY: 10548958 .....	A 1285	AR 27-AUG-92	AR
A L MIL-R-50659B(1)	REGULATOR, 23-VOLT, BOARD ASSEMBLY: 10549014 .....	A 1285	AR 01-SEP-92	AR
A L MIL-R-50660B(2)	REGULATOR, 23 VOLT, BOARD ASSEMBLY: 10548960 .....	A 1285	AR 27-AUG-92	AR
L MIL-R-50661B	REGULATOR, 33 VOLT, BOARD ASSEMBLY: 10549016 .....	A 1285	AR 01-MAR-90	AR
L MIL-R-50662B	REGULATOR, 33 VOLT, BOARD ASSEMBLY: 10549015 .....	A 1285	AR 14-SEP-90	AR
A L MIL-R-50663C(1)	REGULATOR, 6 VOLT, BOARD ASSEMBLY: 10548953 .....	A 1285	AR 09-DEC-92	AR
A L MIL-R-50664B(1)	OSCILLATOR, 29 VOLT, BOARD ASSEMBLY: 10548961 .....	A 1285	AR 28-OCT-92	AR
L MIL-O-50665(1)	OSCILLATOR, DOPPLER, 10548833 .....	A 1285	AR 30-DEC-80	AR
L MIL-S-50666A	SERVO DRIVE, TRAVERSE: 10548052 .....	A 1285	AR 30-APR-90	AR
L MIL-S-50667A	SERVO DRIVE, ELEVATION: 10548062 .....	A 1285	AR 16-MAY-90	AR
A L MIL-R-50668A(2)	RECEIVER-TRANSMITTER, HADAM RT-860/VPS-2: 10548089 .....	A 1285	AR 09-OCT-92	AR
A L MIL-D-50669A(1)	DRIVER, SWITCH: 10548602 .....	A 1285	AR 09-OCT-92	AR
A L MIL-B-50670A(1)	BOARD ASSEMBLY: 10548604 .....	A 1285	AR 30-OCT-92	AR
L MIL-G-50671	GATE TRANSMIT, BOARD B, 10549207 [VALIDATION DATE: 8303]	A 1285	AR 15-APR-71	AR
L MIL-G-50672(1)	GATE, TRANSMIT BOARD, 10549205 [VALIDATION DATE: 8201]	A 1285	AR 10-MAR-76	AR
A L MIL-S-50673A(1)	SHAPER PULSE: 10548806 .....	A 1285	AR 08-DEC-92	AR
A L MIL-R-50674A(1)	RECEIVER, HADAM H-1475/VPS-2: 10548838 .....	A 1285	AR 09-OCT-92	AR
A L MIL-C-50675B(1)	CIRCUIT ASSEMBLY, AGC: 10549228 .....	A 1285	AR 09-SEP-92	AR
L MIL-G-50676A	GATE I-F, 10548649 .....	A 1285	AR 28-FEB-82	AR
A L MIL-D-50677B(1)	DETECTOR, DOPPLER: 10548509 .....	A 1285	AR 09-OCT-92	AR
A L MIL-G-50678C(2)	GATE, MULTIPLE, CIRCUITS: 9342754 .....	A 1285	AR 28-DEC-92	AR
A L MIL-C-50679B(1)	CIRCUIT BOARD ASSEMBLY, AGC: 10549230 .....	A 1285	AR 09-OCT-92	AR
A L MIL-G-50680C(2)	GATE CIRCUIT, MULTIPLE BOARD ASSEMBLY - UPPER: 9342753 .....	A 1285	AR 09-SEP-92	AR
A L MIL-G-50681D(2)	GATE CIRCUIT, MULTIPLE, BOARD ASSEMBLY - LOWER: 10548550 .....	A 1285	AR 09-OCT-92	AR
A L MIL-G-50683A(1)	GATE, I-F BOARD ASSEMBLY - UPPER: 10548556 .....	A 1285	AR 09-OCT-92	AR
A L MIL-G-50684A(1)	GATE, I-F BOARD ASSEMBLY - LOWER: 10548654 .....	A 1285	AR 09-OCT-92	AR
A L MIL-C-50685B(1)	COMPUTER, RANGE CP-888/VPS-2: 10548339 .....	A 1285	AR 09-OCT-92	AR
L MIL-P-50686A(1)	POWER SUPPLY, PP-4812/VPS-2: 10548440 [VALIDATION DATE: 8811]	A 1285	AR 15-NOV-88	AR
A L MIL-A-50687B	ANTENNA ASSEMBLY AS-2049/VPS-2: 10556312 AND AS-2049A/VPS-2A: 12563321 ..	A 1285	AR 09-SEP-92	AR
L MIL-F-50693(1)	FIRING MECHANISM, CARTRIDGE ACTUATED, 29378-1 ASSEMBLY .....	A 1377	OS 16-JAN-87	OS
L MIL-F-50694(1)	FIRING MECHANISM, CARTRIDGE ACTUATED, 29378-1 REMANUFACTURED METAL PARTS ASSEMBLY .....	A 1377	OS 15-JUL-86	OS
L MIL-F-50695(1)	FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 ASSEMBLY .....	A 1377	OS 15-JUL-86	OS
L MIL-F-50696(1)	FIRING MECHANISM, CARTRIDGE ACTUATED, 50057-1 REMANUFACTURED METAL PARTS ASSEMBLY .....	A 1377	OS 15-JUL-86	OS
L MIL-C-50697	CORD, DETONATING [VALIDATION DATE: 8505] .....	A 1377	AR 17-FEB-71	AR AS 11
L MIL-I-50699	INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS
L MIL-I-50700(1)	INITIATOR, PROPELLANT ACTUATED, JAU-2/A25 METAL PARTS ASSEMBLY .....	A 1377	OS 15-JUL-86	OS
L MIL-C-50701A(2)	CARTRIDGE, 7.62X39MM, BALL .....	A 1305	AR 17-DEC-90	AR
A L MIL-P-50702B(1)	PROJECTILE, 155MM: M687 METAL PARTS ASSEMBLY (CONTROLLED DISTRIBUTION) ...	X 1320	AR 27-NOV-92	AR
L MIL-C-50703(2)	CARTRIDGE, 7.62X39MM, BLANK .....	A 1305	AR 28-MAR-91	AR
L MIL-C-50704A	CARTRIDGE, 7.62MM: DIM TRACER, XM276 .....	A 1305	AR 20-SEP-91	AR
L MIL-C-50705(3)	CHEST, 10548700 .....	A 1220	AR 20-MAR-87	AR
L MIL-M-50710(1)	HEAD ASSEMBLY, TANK PERISCOPE, 10558203 [VALIDATION DATE: 8504] .....	A 1240	AR 10-MAY-73	AR
L MIL-C-50712(2)	CASE, CARTRIDGE, 57MM, M30A1B3 [VALIDATION DATE: 8705] .....	A 1310	AR 21-MAR-87	AR
A L MIL-T-50713A	THRUSTER, CARTRIDGE ACTUATED, M25A1 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70 .....	A 1377	OS 21-SEP-92	OS 99
L MIL-I-50714(1)	INITIATOR, PROPELLANT ACTUATED, DELAY, M113 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS
L MIL-I-50715A	INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 & M113 METAL PARTS ASSEMBLY 1 [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS
L MIL-S-50716	SIGHT, INFINITY, M44C [VALIDATION DATE: 8303] .....	A 1240	AR 23-APR-71	AR
L MIL-P-50718B(6)	PROJECTILE, 4.2 INCH, HE, M329A2 METAL PARTS ASSEMBLY .....	A 1315	AR 05-APR-82	AR
L MIL-D-50720(2)	DUPPLY CARTRIDGE, 20 MILLIMETER, PLASTIC, XM254 [VALIDATION DATE: 8504] .....	A 1305	AR 03-AUG-73	AR
L MIL-S-50725	SIGHT, BORE, OPTICAL, M45E1 [VALIDATION DATE: 8303] .....	A 1240	AR 26-APR-71	AR
L MIL-D-50727B(1)	DELAY ELEMENT ASSEMBLIES .....	A 1377	OS 16-OCT-86	OS
L MIL-C-50728	CASE, PROJECTILE, BURSTER, MB [VALIDATION DATE: 8705] .....	A 1315	AR 27-MAY-87	AR
L MIL-R-50729A	REMOVE, AIRCRAFT CANOPY, M8A1 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS
L MIL-I-50731A	INITIATOR, PROPELLANT ACTUATED, DELAY, JAU-3/A25 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS
L MIL-M-50733(1)	HEAD ASSEMBLY, 10549216 (PERISCOPE, M20) [VALIDATION DATE: 8601] .....	A 1240	AR 15-OCT-79	AR
L MIL-C-50734(1)	CONTROL, COMMANDERS, LASER RANGING C-9134( )/VVG-1, 11738811 [VALIDATION DATE: 8301]	A 1240	AR 17-NOV-76	AR
L MIL-C-50735	CIRCUIT CARD ASSEMBLY, 11737334 (LOGIC) [VALIDATION DATE: 8504] .....	A 1240	AR 08-AUG-73	AR
L MIL-C-50736	CIRCUIT ASSEMBLY, 11737350 (HEADOUT) [VALIDATION DATE: 8504] .....	A 1240	AR 08-AUG-73	AR
L MIL-B-50737(1)	BATTERY POWER SUPPLY PP-6607( )/VVG-1, 1173884 [VALIDATION DATE: 8301] ...	A 1240	AR 17-NOV-76	AR
L MIL-E-50738	ELECTRONIC COMPONENT ASSEMBLY, 11738850 (POWER CONTROL) [VALIDATION DATE: 8504]	A 1240	AR 08-AUG-73	AR
L MIL-E-50739	ELECTRONIC COMPONENT ASSEMBLY, 11738818 (CHARGE CONTROL) [VALIDATION DATE: 8504]	A 1240	AR 08-AUG-73	AR
L MIL-C-50740	CIRCUIT CARD ASSEMBLY, 11738808 (BATTERY CHARGE SENSOR) [VALIDATION DATE: 8103]	A 1240	AR 08-AUG-73	AR
L MIL-S-50741	BATTERY ASSEMBLY, STORAGE, 11737972 [VALIDATION DATE: 8601] .....	A 1240	AR 16-NOV-79	AR
L MIL-C-50742(1)	CONTROL, RECEIVER TRANSMITTER CB728( )/VVG-1, 11738851 [VALIDATION DATE: 8301]	A 1240	AR 17-NOV-76	AR



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OIA / OIA Coordination Inactive Document Number	Document Title	Dist. Stmt FSC / Ase	MCA Symbol	Proposing Acty Date	Custodians			
					Army	Navy	Air Force	OIA
L MIL-C-50743(3)	CONTROL, POWER SUPPLY, LASER: C-9135( )/VVG-1: 11738831	A 1240	AR	30-APR-91	AR			
L MIL-C-50744A(1)	CIRCUIT CARD ASSEMBLY: 11737802 INTERFACE	A 1240	AR	18-MAR-88	AR			
L MIL-E-50745	ELECTRONIC COMPONENT ASSEMBLY, 11737807 (PRE REGULATOR) [VALIDATION DATE: 8504]	A 1240	AR	08-AUG-73	AR			
L MIL-R-50746(1)	RECEIVER TRANSMITTER, LASER, RT-1021( )/VVG-1, 11738821 [VALIDATION DATE: 8301]	A 1240	AR	17-NOV-76	AR			
L MIL-M-50747	MALF 3 BUFFER LOGIC, 11738803 [VALIDATION DATE: 8504]	A 1240	AR	08-AUG-73	AR			
L MIL-E-50748	ELECTRONIC COMPONENT ASSEMBLY, 11737477 (A, TRIGGER) [VALIDATION DATE: 8504]	A 1240	AR	08-AUG-73	AR			
L MIL-R-50749(1)	RANGEFINDER, FIRE CONTROL, AM/VVG-1( ) 11738801 [VALIDATION DATE: 8301]	A 1240	AR	17-NOV-76	AR			
L MIL-S-50750	TEST SET, LASER RANGEFINDER, TS-3375/VVG-1, DS LEVEL 11738861 [VALIDATION DATE: 8402]	A 4931	AR	13-JUN-78	AR			
A L MIL-T-50752B	TEST SET, SUBASSEMBLY MX-8046A/TPM-22A (RECEIVER/TRANSMITTER TESTER)	A 4931	AR	04-JAN-93	AR			
L MIL-R-50753A	ROCKET MOTOR M119, ASSEMBLY	A 1377	OS	18-APR-88	OS			
L MIL-R-50754	ROCKET MOTOR XM119 METAL PARTS ASSEMBLY [VALIDATION DATE: 8808]	A 1377	OS	29-AUG-88	OS			
L MIL-I-50755A	IGNITER ASSEMBLY	A 1377	OS	05-JAN-88	OS			
L MIL-G-50758	GENERATOR PULSE ASSEMBLY, 10556650 [VALIDATION DATE: 8603]	A 4931	AR	12-MAR-86	AR			
L MIL-T-50760	TELESCOPE, ELBOW, 11737695 [VALIDATION DATE: 8504]	A 1240	AR	13-AUG-71	AR			
L MIL-R-50761	RANGE POT ASSEMBLY, 10553423 [VALIDATION DATE: 8602]	A 1270	AR	24-SEP-71	AR			
L MIL-B-50762	BODY ASSEMBLY IR, 11743800 [VALIDATION DATE: 8504]	A 1240	AR	10-OCT-72	AR			
L MIL-S-50764	SEQUENTIAL TIMER, M7, ASSEMBLY [VALIDATION DATE: 8002] REVIEWER: GS	A 6645	AR	19-OCT-71	AR			
L MIL-C-50765(1)	CARTRIDGE DELAY, CCU-17/B, CCU-18/B, CCU-19/B, ASSEMBLY	A 1377	OS	16-OCT-86	OS			
L MIL-E-50766(1)	EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM7 METAL PARTS ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
L MIL-E-50767	EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM7 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
L MIL-M-50768A(2)	MOVEMENT, D A M ASSEMBLY	A 1390	AR	10-JUL-87	AR			
L MIL-P-50769	PRIMER, PERCUSSION, CCU-20/A & PRIMER, PERCUSSION, CCU-21/A [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
L MIL-B-50772(1)	BONDING OF PRECISION MIRRORS (GLASS - TO - METAL) [VALIDATION DATE: 8807]	A 12GP	AR	11-JUL-88	AR			
L MIL-P-50774A(1)	PROJECTILE, 20MM, TARGET PRACTICE, M55A3 AND M55A3B1 [VALIDATION DATE: 9010]	A 1305	AR	31-OCT-90	AR			
L MIL-P-50775B	PROJECTOR, RETICLE IMAGE, XM21	A 1240	AR	30-JAN-87	AR			
L MIL-R-50776	REMOVER, AIRCRAFT CANOPY: MBA2 ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS			
L MIL-T-50777A	TUBE, ALUMINUM ALLOY, 2024, SEAMLESS (FOR PROPELLANT ACTUATED DEVICES)	A 1377	OS	15-MAY-90	OS			
L MIL-C-50779A	CASING, BURSTER M158 [VALIDATION DATE: 8902]	A 1310	AR	02-FEB-89	AR			
L MIL-R-50781(1)	RESOLVER, ELECTRICAL, LINEAR, GENERAL SPECIFICATION FOR USER: 19 MC OS SH REVIEWER: 11 17 99 AV EC ES ME M1	A 5990	AR	31-JAN-85	AR	AS	85	
L MIL-R-50781/1	RESOLVER, ELECTRICAL, LINEAR, TYPE 26V OBL3554A [VALIDATION DATE: 8704]	A 5990	AR	03-SEP-75	AR	AS	85	
L MIL-T-50782(2)	TELESCOPE, PANORAMIC: M117A2 REVIEWER: 80 AV CR EC ES TD	A 1240	AR	29-JUN-90	AR			
L MIL-S-50783(1)	STEEL ALLOY, SPECIAL PURPOSE FOR AMMUNITION COMPONENTS (HF-1) [VALIDATION DATE: 8504]	A 1395	AR	20-SEP-73	AR			
L MIL-C-50785A	CIRCUIT CARD ASSEMBLY, SIGHT CURRENT GENERATOR, GENERAL SPECIFICATION FOR	A 1285	AR	15-MAY-90	AR			
L MIL-C-50785/1B	CIRCUIT CARD ASSEMBLY 9337291 (VOLTAGE COMPARATOR) [VALIDATION DATE: 8803]	A 1285	AR	23-MAR-88	AR			
L MIL-C-50785/2	CIRCUIT CARD, 10545483 (FIRING INDICATOR) [VALIDATION DATE: 8504]	A 1285	AR	20-APR-73	AR			
L MIL-C-50785/3(1)	CIRCUIT CARD ASSEMBLY, 10545492 (OUTBOUND CONFIGURATION) [VALIDATION DATE: 8601]	A 1285	AR	16-MAY-74	AR			
L MIL-C-50785/4	CIRCUIT CARD ASSEMBLY, 10545670 (BALLISTIC CORRECTION M220/M246E3) [VALIDATION DATE: 8504]	A 1285	AR	20-APR-73	AR			
L MIL-C-50785/5(2)	CIRCUIT CARD ASSEMBLY, 10545702 (BALLISTICS DATA AMPLIFIER) [VALIDATION DATE: 8101]	A 1285	AR	06-DEC-74	AR			
L MIL-C-50785/6(1)	CIRCUIT CARD ASSEMBLY, 10545703 (BUFFER AMPLIFIER)	A 1285	AR	23-MAR-88	AR			
L MIL-C-50785/7(1)	CIRCUIT CARD ASSEMBLY, 10545704 (ACQUISITION TIME DELAY)	A 1285	AR	30-JAN-87	AR			
L MIL-C-50785/8(1)	CIRCUIT CARD ASSEMBLY, 10545705 (SIGHT CORRECTION)	A 1285	AR	23-MAR-88	AR			
L MIL-C-50785/9(2)	CIRCUIT CARD ASSEMBLY, 10545706 (PULSE WIDTH MULTIPLIER)	A 1285	AR	29-JUN-84	AR			
L MIL-C-50785/10	CIRCUIT CARD ASSEMBLY, 10545707 (TIME DELAY) [VALIDATION DATE: 8504]	A 1285	AR	20-APR-73	AR			
A L MIL-C-50785/11A	CIRCUIT CARD ASSEMBLY: 12000011 (MODE SCALING)	A 1285	AR	27-NOV-92	AR			
A L MIL-C-50785/12A	CIRCUIT CARD ASSEMBLY: 12000012 (COMPUTATION CONTROL)	A 1285	AR	27-NOV-92	AR			
A L MIL-C-50785/13A	CIRCUIT CARD ASSEMBLY: 12000013 (ATMOSPHERIC CORRECTION)	A 1285	AR	15-FEB-93	AR			
A L MIL-C-50785/14(1)	CIRCUIT CARD ASSEMBLY: 12000010 (BALLISTIC CONSTANT)	A 1285	AR	08-DEC-92	AR			
A L MIL-C-50785/15A	CIRCUIT CARD ASSEMBLY: 12000015 (RATE SERIES)	A 1285	AR	27-NOV-92	AR			
A L MIL-C-50785/16A	CIRCUIT CARD ASSEMBLY: 12000016 (RANGE SERIES)	A 1285	AR	27-NOV-92	AR			
L MIL-C-50785/17	CIRCUIT CARD ASSEMBLY 12000252 TIME DELAY [VALIDATION DATE: 8301]	A 1285	AR	22-FEB-77	AR			
M L MIL-S-50786G	SKID BASE, WOOD, FOR UTILIZATION OF BOXED AMMUNITION	A PACK	AL	17-MAY-93	AL			
L MIL-T-50789A	TEST SET, AIR DEFENSE ARTILLERY, AM/MMM-3, 8438880 [VALIDATION DATE: 8502]	A 4931	AR	08-AUG-79	AR			
A L MIL-C-50790A(1)	CIRCUIT CARD ASSEMBLIES, TEST SET, AM/MMM-3 GENERAL SPECIFICATION FOR	A 4931	AR	04-JAN-93	AR			
L MIL-C-50790/1A	CIRCUIT CARD ASSEMBLY, 8438903 (LOGIC, DIGITAL) [VALIDATION DATE: 8301]	A 4931	AR	19-JAN-77	AR			
A L MIL-P-50791C(4)	PROJECTILE, 105MM, TPDS-1, M737 METAL PARTS ASSEMBLY	A 1315	AR	23-DEC-92	AR			
L MIL-R-50792A	ROTATING BAND TUBING, VULCANIZED FIBER [VALIDATION DATE: 8705]	A 1315	AR	27-MAY-87	AR			
L MIL-P-50793(1)	PROJECTILE, TP-T, 105MM, M468 METAL PARTS ASSEMBLY [VALIDATION DATE: 9010]	A 1315	AR	15-OCT-90	AR			
L MIL-L-50794	LINEAR SHAPED CHARGE ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS			
L MIL-S-50795(1)	SERVO ASSEMBLY, 10545441 [VALIDATION DATE: 8101]	A 1285	AR	01-APR-75	AR			
L MIL-E-50796(1)	EXPANDING SHIELDED MILD DETONATING CORD ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS			
L MIL-C-50797(1)	CASE, CARTRIDGE, 20MM, M103A1 [VALIDATION DATE: 8705]	A 1305	AR	28-MAY-75	AR			
L MIL-F-50809(2)	FIBER, ACRYLIC, FIBRILLATABLE [VALIDATION DATE: 8603]	A 1320	AR	18-MAR-86	AR			
L MIL-R-50813	ROCKET, 762MM, HE, WARHEAD SECTION: M144 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9101]	A 1340	AR	03-OCT-91	AR			
L MIL-C-50814	CDU - MISCELLANEOUS CANISTER PARTS [VALIDATION DATE: 9109]	A 1345	AR	05-SEP-91	AR			
L MIL-C-50815	CDU-5/B LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9109]	A 1345	AR	05-SEP-91	AR			
L MIL-F-50823A(5)	FUZE, GM, ET, LANCE, MB11 PARTS, LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8704]	A 1336	AR	10-APR-87	AR			
L MIL-F-50828F(2)	FUZE, MULTI-OPTION: M734 (LESS BOOSTER AND LEAD)	A 1390	AR	15-DEC-88	AR			
L MIL-G-50829A	GENERAL QUALITY ASSURANCE PROVISIONS FOR PROXIMITY FUZES AND RELATED COMPONENTS	A 1390	AR	10-JUL-87	AR			
L MIL-F-50831(1)	FUZE, TRAINING, ELECTRONIC TIME: M744 [VALIDATION DATE: 8809]	A 1390	AR	01-SEP-88	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Notice Document Number	Document Title	Dist. Smt FSC / Ass MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
L MIL-D-50837 NOTICE 1	DISC, SOLID, PLAIN AND DISC, SOLID, PLAIN, TRAINING [VALIDATION DATE: 8909]	A 1110 AR 01-SEP-89	AR			
L MIL-P-50838 NOTICE 2	PROPELLANT CHARGE, NUCLEAR COMPONENT, TRAINING [VALIDATION DATE: 9108] ....	A 1110 AR 20-AUG-91	AR			
L MIL-W-50848D	WARHEAD, GUIDED MISSILE, HE, M250 LOADING, ASSEMBLY AND PACKING [VALIDATION DATE: 8906]	A 1336 AR 22-JUN-89	AR			
A L MIL-W-50849D(5)	WARHEAD, GUIDED MISSILE, HE, M250 INERT PARTS FOR .....	A 1336 AR 28-OCT-92	AR			
L MIL-C-50850B	CHARGE, DEMOLITION, M18 PARTS FOR, LOADING, ASSEMBLING AND PACKING .....	A 1375 AR 05-JAN-84	AR			
L MIL-P-50854 NOTICE 1	PLASTIC BONDED MXX (95/5) POWDER (FOR USE IN AMMUNITION) [VALIDATION DATE: 8604]	A 1376 AR 08-APR-86	AR			
L MIL-P-50855 NOTICE 1	POLYVINYL ACETATE AQUEOUS EMULSION (PAEA) (FOR USE IN AMMUNITION) [VALIDATION DATE: 9108]	A 1376 AR 29-AUG-91	AR			
L MIL-B-50856A(3)	BOXES, SET-UP, PACKING, AMMUNITION, INNER AND OUTER FOR SMALL EXPLOSIVE COMPONENTS	A 8140 AR 19-APR-90	AR			
L MIL-I-50857A	INNER TUBE ASSEMBLY AND CONVERSION KIT, PARTS FOR REVIEWER: AR .....	A 1340 MI 27-JUN-91	MI			
L MIL-R-50858C(2)	ROCKET, PRACTICE, 35MM, SUBCALIBER, M73, PARTS FOR LOADING AND ASSEMBLING ..	A 1340 AR 18-APR-91	AR			
L MIL-I-50860(1) NOTICE 1	IGNITION ELEMENT, ELECTRICAL, PARTS FOR [VALIDATION DATE: 8811] .....	A 1320 AR 02-NOV-88	AR			
L MIL-C-50861A(4) NOTICE 1	CARTRIDGE, 40MM, MEDP, M430; BODY ASSEMBLY FOR METAL PARTS [VALIDATION DATE: 8811]	A 1310 AR 07-NOV-88	AR			
L MIL-C-50862A(1)	CARTRIDGE, 40MM, MEDP, XM430, FLUTED LINER ASSEMBLY FOR METAL PARTS [VALIDATION DATE: 8705]	A 1310 AR 21-MAY-87	AR			
A L MIL-C-50863C	CARTRIDGE, 40MM, MEDP, M430A; LOADING, ASSEMBLING AND PACKAGING .....	A 1310 AR 26-JAN-93	AR			
L MIL-F-50864B(2)	FUZE, P18D, M549; LESS SPITBACK METAL PARTS AND LOADING, ASSEMBLING AND PACKING	A 1390 AR 27-JUL-91	AR			
L MIL-D-50865A(3)	DETONATOR, STAB, M59 LOADING, ASSEMBLING AND PACKING .....	A 1375 AR 23-JUL-91	AR			
L MIL-I-50867B(1)	IGNITION ELEMENT ELECTRICAL LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8601]	A 1375 AR 06-OCT-78	AR			
L MIL-D-50868A(1)	DETONATOR, FLASH, M85 PARTS AND LOADING, ASSEMBLING AND PACKING .....	A 1375 AR 08-FEB-90	AR			
L MIL-F-50869E(4)	FUZE P18D, M550, LESS SPITBACK ASSEMBLY METAL PARTS FOR AND LOADING, ASSEMBLING AND PACKAGING	A 1390 AR 27-DEC-90	AR			
L MIL-C-50870C(1) NOTICE 1	CARTRIDGE, 40MM, MEDP, M433; LINER FOR METAL PART .....	A 1310 AR 19-FEB-91	AR			
L MIL-C-50871C NOTICE 1	CARTRIDGE, 40MM, MEDP, M433 PROJECTILE METAL PARTS FOR [VALIDATION DATE: 8803]	A 1310 AR 22-MAR-88	AR			
L MIL-C-50872C(1) NOTICE 1	CARTRIDGE, 40MM, MEDP, M433 LOADING, ASSEMBLING AND PACKING .....	A 1310 AR 30-JUL-91	AR			
L MIL-B-50873A(3) NOTICE 1	BAG, BARRIER, ELASTOMERIC [VALIDATION DATE: 9011] .....	A 1320 AR 01-NOV-90	AR			
L MIL-P-50875B(1)	PLUG, LIFTING, ASSEMBLING, FUSIBLE FOR 155MM & 8 INCH PROJECTILES .....	A 1320 AR 03-DEC-85	AR			
L MIL-C-50879A NOTICE 1	CARTRIDGES, 40MM, SMOKE CANOPY: XM676, XM680 AND XM682 METAL PARTS FOR [VALIDATION DATE: 9005]	A 1310 AR 09-MAY-90	AR			
L MIL-C-50880(1) SUPPL ICI	CONNECTOR, ELECTRICAL, MINIATURE, QUICK DISCONNECT (FOR WEAPONS SYSTEMS) ESTABLISHED RELIABILITY [VALIDATION DATE: 8503] REVIEWER: ES	A 5935 AR 01-JUL-72	AR			
AQ MIL-P-50884C(4)	PRINTED-WIRING, FLEXIBLE AND RIGID-FLEX USER: 19 AS CG MC REVIEWER: 11 16 99 AR ES MI OS SH	A 5998 BS 09-APR-93	ER	EC	BS	
L MIL-P-50890 NOTICE 2	PROJECTILE, TRAINING, 8 INCH, XM440 SHIPPING ASSEMBLY [VALIDATION DATE: 9108]	A 1110 AR 20-AUG-91	AR			
L MIL-P-50891 NOTICE 2	PROJECTILE, 8 INCH: M422, PARTS AND SUBASSEMBLIES, BERYLLIUM [VALIDATION DATE: 9108]	A 1195 AR 20-AUG-91	AR			
L MIL-B-50892 NOTICE 2	BODY SECTION, TRAINING, ATOMIC PROJECTILE, FRONT [VALIDATION DATE: 9108] ..	A 1110 AR 20-AUG-91	AR			
L MIL-S-50894(1) NOTICE 2	SCREW, CONNECTOR [VALIDATION DATE: 9108] .....	A 1195 AR 20-AUG-91	AR			
L MIL-P-50900 NOTICE 1	PELLET, PLASTIC BONDED MXX (95/5) FOR USE IN AMMUNITION [VALIDATION DATE: 8604]	A 1376 AR 08-APR-86	AR			
L MIL-C-50903	CONNECTOR, MALE, ASSEMBLY FOR M18A1 APERS MINE [VALIDATION DATE: 8404] ....	A 1345 AR 19-MAR-71	AR			
A L MIL-D-50908B(1)	DEMOLITION KIT, CRATERING: M180 ASSEMBLING AND PACKING .....	A 1375 AR 24-SEP-92	AR			
L MIL-P-50911A NOTICE 1	PRIMING ASSEMBLY FOR DEMOLITION CHARGE ASSEMBLY: M183; PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8812]	A 1375 AR 16-DEC-88	AR			
L MIL-C-50912(1) NOTICE 1	CARTRIDGE, 152MM, CANNISTER, M625A1 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8603]	A 1320 AR 18-MAR-86	AR			
L MIL-F-50913A NOTICE 1	FUZE, GM, TRAINING, LANCE, M816 METAL PARTS, ASSEMBLING AND PACKING [VALIDATION DATE: 8806]	A 1336 AR 06-JUN-88	AR			
L MIL-W-50915 NOTICE 1	WARHEAD SECTION, 762MM ROCKET, HE: M6A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9110]	A 1340 AR 03-OCT-91	AR			
L MIL-C-50919B NOTICE 1	CLIP, CORD, DETONATING: M1 [VALIDATION DATE: 8812] .....	A 1375 AR 16-DEC-88	AR			
L MIL-A-50926A NOTICE 1	ADHESIVE MR-23 (FOR USE IN AMMUNITION) [VALIDATION DATE: 8704] .....	A 1376 AR 27-APR-87	AR			
L MIL-W-50927 NOTICE 1	WARHEAD SECTION, 762MM ROCKET, HE: M186 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9110]	A 1340 AR 03-OCT-91	AR			
L MIL-W-50928C(1)	WARHEAD, FOR DEMOLITION KIT, M180 PARTS AND LOADING ASSEMBLY .....	A 1375 AR 10-JUN-88	AR			
L MIL-W-50930	WARHEAD SECTION, 762MM ROCKET, TRAINING, M42 [VALIDATION DATE: 8304] .....	A 1340 AR 20-MAY-71	AR			
L MIL-G-50935B NOTICE 1	GRENADES, GP, CONE FOR [VALIDATION DATE: 8803] .....	A 1330 AR 18-MAR-88	AR			
L MIL-P-50936A(2) NOTICE 1	PROJECTILE, 155MM, HE, M483A1 METALLIC HARDWARE FOR .....	A 1320 AR 20-APR-84	AR			
L MIL-G-50937	GRENADE, HAND, FRAGMENTATION, DELAY, M67 AND M33 CONTAINER ASSEMBLY FOR [VALIDATION DATE: 8405]	A 1330 AR 16-JUN-71	AR			
A L MIL-P-50944B(3)	PROJECTILE, 155MM, HE: M483A1 NON-METALLIC HARDWARE FOR .....	A 1320 AR 09-DEC-92	AR			
A L MIL-F-50945D(6)	FUZE, PD, M567/XM935 (M935)/M936 LESS BOOSTER .....	A 1390 AR 29-OCT-92	AR			
A L MIL-F-50950C	FUZE, GRENADE, GP: M223 .....	A 1330 AR 06-JAN-93	AR			
L MIL-S-50956 NOTICE 2	SPACER, SHORT [VALIDATION DATE: 9108] .....	A 1110 AR 20-AUG-91	AR			
L MIL-P-50959 NOTICE 2	PLUG, MACHINE THREAD [VALIDATION DATE: 9108] .....	A 1110 AR 20-AUG-91	AR			
L MIL-G-50960 NOTICE 2	GASKET [VALIDATION DATE: 9108] .....	A 1195 AR 20-AUG-91	AR			
L MIL-G-50962 NOTICE 2	GAGE, DEPTH, DIAL INDICATING: T4191A [VALIDATION DATE: 9108] .....	A 1190 AR 20-AUG-91	AR			
L MIL-S-50964A NOTICE 1	WASHER SCREW, SOCKET HEAD [VALIDATION DATE: 8503] .....	A MUDR AR 05-MAY-72	AR			
L MIL-I-50966 NOTICE 1	INSERT, SHIPPING AND STORAGE CONTAINER [VALIDATION DATE: 9108] USER: GL ...	A MUDR AR 20-AUG-91	AR			
L MIL-G-50973B(1)	GRENADES, GP, M42 & M46, TAPE STIFFENER ASSEMBLY FOR .....	A 1330 AR 03-DEC-85	AR			
A L MIL-W-50974C(2)	MOTOR-DETONATOR ASSEMBLY, ROCKET, LOADING, ASSEMBLING AND PACKING (FOR DEMOLITION KIT, CRATERING: M180)	A 1375 AR 08-SEP-92	AR			
M L MIL-G-50975C(5)	GRENADE, HE, G.P., M42 LOADING AND ASSEMBLING .....	A 1330 AR 12-APR-93	AR			
L MIL-Z-50976	ZINCUM SPONGE [VALIDATION DATE: 8907] REVIEWER: GS .....	A 6810 AR 13-JUL-89	AR			
A L MIL-P-50977(1)	PELLETS (PDX) FOR USE IN AMMUNITION .....	A 1376 AR 19-JAN-93	AR			
L MIL-D-50978A	DETONATOR, FLASH M86 PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8203]	A 1375 AR 31-DEC-74	AR			
L MIL-P-50979B NOTICE 1	PROJECTILE, 155MM, HE, M483A1 ADAPTER FOR [VALIDATION DATE: 8804] .....	A 1320 AR 18-APR-88	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn CPL / OMA Coordination Inhouse	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Proprietary Acq.	Date	Custodians Army Navy Air Force DLA
L	MIL-C-50980A NOTICE 1	CHARGE, PROPELLING, FOR USE WITH 105MM CARTRIDGES, M393A2, M393A1, TP-T, M416, WP-T, M467, TP-T LOADING, ASSEMBLING & PACKING	A 1320	AR	30-JAN-87	AR
L	MIL-P-50981A(1) NOTICE 1	PROPELLANT CHARGE ASSEMBLY FOR ROCKET, PRACTICE, 35MM SUBCALIBER, M73 AND XM-128 [VALIDATION DATE: 9011] REVIEWER: AR	A 1340	MI	05-NOV-90	MI
L	MIL-F-50983C(1)	FUZE, MT, SQ, M577 LOADING, ASSEMBLING, PACKING & METAL PARTS FUZE, MT, SQ, M582 METAL PARTS	A 1390	AR	26-JUL-85	AR
L	MIL-B-50984	BAG, PROPELLING, CHARGE, M67, EMPTY [VALIDATION DATE: 8504] .....	A 1315	AR	30-DEC-71	AR
L	MIL-M-50985A NOTICE 1	WARHEAD, 2.75 INCH ROCKET, HE, DUAL PURPOSE, M247, PARTS FOR [VALIDATION DATE: 8804]	A 1340	AR	22-APR-88	AR
A L	MIL-M-50986A(1)	WARHEAD, 2.75 INCH ROCKET, HE DUAL PURPOSE M247 WITH OR WITHOUT FUZE, LOADING	A 1340	AR	03-JUL-92	AR
L	MIL-M-50987(1) NOTICE 1	WARHEAD, 2.75 INCH ROCKET, HE, M151 WITH FUZE OR WITHOUT FUZE, LOADING, ASSEMBLING AND PACKING	A 1340	AR	09-FEB-90	AR
L	MIL-F-50988B(1)	FUZE, PD, M567, LOADING, ASSEMBLING, AND PACKING .....	A 1390	AR	25-APR-90	AR
L	MIL-M-50991 NOTICE 1	WARHEAD 2.75 INCH ROCKET, HE, M229 WITH OR WITHOUT FUZE LOADING, ASSEMBLY & PACKING [VALIDATION DATE: 8704]	A 1340	AR	01-APR-87	AR
L	MIL-F-50994(1)	FUZE, ROCKET, M423, MODIFIED (BUNKER) LESS BOOSTER AND LEAD [VALIDATION DATE: 7905]	A 1340	AR	07-FEB-73	AR
L	MIL-F-50997A	FILLER ASSEMBLY ALTERNATIVE (FOR USE IN AMMUNITION CONTAINERS) [VALIDATION DATE: 8505] REVIEWER: EA	A 8140	AR	08-JUN-73	AR
L	MIL-D-50998(2)	DETONATOR, STAB, M76 .....	A 1330	AR	09-APR-92	AR
L	MIL-B-50999(2)	BOOSTER, AUXILIARY, M122, METAL PARTS FOR, AND ASSEMBLY AND LOADING OF [VALIDATION DATE: 8202]	A 1375	AR	21-JUL-76	AR
L	MIL-A-51009A	AIR FILTER MEDIUM [VALIDATION DATE: 8006] USER: MC REVIEWER: 11 GS .....	A 4240	EA	29-JUN-62	EA 99
L	MIL-C-51012B NOTICE 1	O-CHLOROBENZALDEHYDE, TECHNICAL [VALIDATION DATE: 8808] USER: SM REVIEWER: GS MD	A 6810	EA	31-AUG-88	EA
L	MIL-R-51015C MIL-S-51016A NOTICE 1	RIOT CONTROL AGENT, CS CAPSULE (METRIC) .....	A 1365	EA	27-SEP-90	EA MS
L	MIL-Y-51021(1) MIL-T-51023(3) MIL-G-51025H NOTICE 1	SODIUM PHOSPHATE, MONOBASIC, AMYDROUS BIOLOGICAL GRADE [VALIDATION DATE: 8808] REVIEWER: GS	A 6810	EA	31-AUG-88	EA MS
L	MIL-Y-51021(1) MIL-T-51023(3) MIL-G-51025H NOTICE 1	YEAST AUTOLYSATE, DRIED, TECHNICAL [VALIDATION DATE: 8404] REVIEWER: GS ...	A 6810	EA	13-JUN-61	EA MS
L	MIL-T-51023(3) MIL-G-51025H NOTICE 1	TABLETS COMPOUND 34 USER: MC OS REVIEWER: 82 .....	A 6665	EA	08-NOV-84	EA 99
L	MIL-T-51023(3) MIL-G-51025H NOTICE 1	GUN, PORTABLE RIOT CONTROL AGENT DISPENSER, M9 [VALIDATION DATE: 8609] ....	A 1040	EA	19-SEP-86	EA MC 99
L	MIL-H-51026B	HOPPER, FILLING, PORTABLE RIOT CONTROL AGENT DISPENSER, M4 [VALIDATION DATE: 8006]	A 1040	EA	14-SEP-62	EA MC 99
M L	MIL-A-51027A NOTICE 1	ANTISEPTIC COMPOUND, DECONTAMINATING SLURRY, M2 [VALIDATION DATE: 9304] USER: MC SM REVIEWER: GS MD YD1	A 6850	EA	02-APR-93	EA
L	MIL-S-51028B MIL-R-51029C(1) MIL-D-51031C NOTICE 1	SAMPLING AND GAGING KIT, PETROLEUM, PORTABLE .....	A 6630	ME	01-OCT-80	ME
L	MIL-S-51028B MIL-R-51029C(1) MIL-D-51031C NOTICE 1	RIOT CONTROL AGENT, CS REVIEWER: MD ME .....	A 1365	EA	19-JUL-89	EA 70
L	MIL-S-51028B MIL-R-51029C(1) MIL-D-51031C NOTICE 1	DISPENSER, RIOT CONTROL AGENT, PORTABLE, M3 [VALIDATION DATE: 8809] .....	A 1040	EA	09-SEP-88	EA MC 84
L	MIL-M-51038 MIL-C-51047B	MIXING AND TRANSFER UNIT, INCENDIARY OIL, M5 [VALIDATION DATE: 8405] .....	A 1040	AR	29-DEC-60	AR MC
L	MIL-D-51048F(4)	COMPOUND, ANTISEPTIC, FOR COOLING SYSTEM, INTERNAL COMBUSTION ENGINE (METRIC) USER: AT SM REVIEWER: AL EA GS	A 6850	ME	15-JUL-87	ME 68
L	MIL-L-51050B(2)	DECONTAMINATING APPARATUS, PORTABLE, DS2, 1-1/2 QUART, M11 .....	A 4230	EA	09-AUG-91	EA
L	MIL-L-51050C	LABORATORY, PETROLEUM, SEMITRAILER MOUNTED REVIEWER: AR EA MD .....	A 6640	ME	01-NOV-77	ME
L	MIL-L-51050C(11)	LABORATORY, PETROLEUM, SEMITRAILER MOUNTED .....	A 6640	ME	20-JAN-87	ME
L	MIL-M-51059A(1)	LABORATORY, PETROLEUM, SEMITRAILER MOUNTED .....	A 6640	ME	23-MAY-90	ME
L	MIL-M-51059A(12)	HOSE, FUEL, FLAME THROWER, M8 USER: OS REVIEWER: AR .....	A 4720	EA	13-AUG-85	EA MC
L	MIL-P-51062B(1)	HOSE, FUEL, FLAME THROWER, M8 .....	A 4720	EA	07-JUL-87	EA
L	MIL-P-51062B(1)	PUMP, FOG OIL, SMOKE GENERATOR, M4 [VALIDATION DATE: 8006] USER: MC .....	A 1040	EA	18-AUG-69	EA 99
L	MIL-P-51062B(1)	PUMP, FOG OIL, SMOKE GENERATOR, M4 .....	A 1040	EA	04-FEB-87	EA
L	MIL-P-51062B(1)	INSECTICIDE, MALATHION (METRIC) REVIEWER: GL GS MD SM .....	A 6840	EA	13-NOV-79	EA 68
L	MIL-C-51066D(1)	GENERATOR, SMOKE, MECHANICAL, PULSE JET, M3A3 .....	A 1040	EA	09-APR-70	EA MC 99
L	MIL-C-51067B NOTICE 1	GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A3 .....	A 1040	EA	05-JUN-86	EA
L	MIL-C-51067B NOTICE 1	CALCIUM MAGNESIUM CARBONATE, TECHNICAL (METRIC) [VALIDATION DATE: 8904] USER: AS REVIEWER: GS	A 6810	EA	04-APR-89	EA OS
Q	MIL-F-51068F	FILTERS, PARTICULATE (HIGH-EFFICIENCY FIRE RESISTANT) USER: MC SM REVIEWER: GS MD ME	A 4240	EA	20-JUN-86	EA 99
QL	MIL-F-51068F(13)	FILTERS, PARTICULATE (HIGH-EFFICIENCY FIRE RESISTANT) .....	A 4240	EA	11-AUG-88	EA
L	MIL-F-51069C(1)	FILTER UNIT, GAS-PARTICULATE, FOUR MAN, 12 CFM, M8A3 REVIEWER: GS .....	A 4240	EA	12-JUN-87	EA
L	MIL-P-51070D	PURIFIER, AIR, M2A2 USER: MC REVIEWER: GS MD .....	A 4240	EA	14-MAR-68	EA 99
A L	MIL-P-51070F(1)	PURIFIER, AIR, M2A2 .....	A 4240	EA	23-APR-92	EA
L	MIL-I-51072C	INSTALLATION KIT, GAS PARTICULATE FILTER UNIT, ARMORED VEHICLE, M20A1 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA	21-MAY-79	EA
L	MIL-C-51073D(1)	COUPLING HALF, QUICK DISCONNECT REVIEWER: CS .....	A 4730	EA	16-FEB-84	EA
L	MIL-C-51077(3)	CALCIUM SILICATE, TECHNICAL REVIEWER: EA GS .....	A 6810	AR	21-JUN-90	AR
DQ	MIL-S-51078C	SODIUM HEXAMETAPHOSPHATE, TECHNICAL USER: CE REVIEWER: GS MD .....	A 6810	EA	25-APR-84	EA 68
DQ	MIL-F-51079D	FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY USER: AS MC REVIEWER: GS ME SM	A 4240	EA	14-MAR-85	EA YD1
QL	MIL-F-51079D(11)	FILTER, MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY .....	A 4240	EA	17-FEB-88	EA
L	MIL-R-51080A(1)	RADIOACTIVE SOURCE SET, M3A1 REVIEWER: EA .....	A 6665	CR	10-DEC-86	CR
L	MIL-R-51081A(1)	RADIOACTIVE SOURCE, COBALT 60, GAMMA, M1A1 .....	A 6665	CR	10-DEC-86	CR
L	MIL-D-51082E	DETECTOR TUBES, CHEMICAL AGENT USER: MC OS REVIEWER: 82 .....	A 6665	EA	12-OCT-84	EA SH 99
L	MIL-D-51082E(14)	DETECTOR TUBES, CHEMICAL AGENT .....	A 6665	EA	02-DEC-91	EA
L	MIL-D-51083C(4)	DETECTOR TICKET, ANTICHOLINESTERASE AGENT USER: MC OS REVIEWER: 82 .....	A 6665	EA	19-SEP-84	EA SH 99
L	MIL-D-51083C(15)	DETECTOR TICKET, ANTICHOLINESTERASE AGENT .....	A 6665	EA	23-JUN-88	EA
L	MIL-C-51090A NOTICE 1	CASEIN HYDROLYSATE [VALIDATION DATE: 8808] REVIEWER: GS .....	A 6810	EA	31-AUG-88	EA MS 68
D L	MIL-D-51091J(3)	DECONTAMINATING APPARATUS, POWER DRIVEN, SKID-MOUNTED, MULTIPURPOSE, NONINTEGRAL, 500-GALLON, M12A1 USER: MC YD1 REVIEWER: GS	A 4230	EA	28-FEB-90	EA
L	MIL-B-51092(1)	BORON, AMORPHOUS, POWDER REVIEWER: EA GS MI OS .....	A 6810	AR	06-NOV-87	AR
L	MIL-F-51095B	FILTER MATERIAL, GAS-AEROSOL, C18 USER: MC REVIEWER: GS MD .....	A 4240	EA	30-SEP-64	EA SH 84
L	MIL-F-51095B(1)	FILTER MATERIAL, GAS-AEROSOL, C18R1 .....	A 4240	EA	13-AUG-86	EA
L	MIL-F-51095B(11)	FILTER MATERIAL, GAS-AEROSOL, C18 .....	A 4240	EA	30-JUN-66	EA
L	MIL-C-51096B	CORE MATERIAL, C18 REVIEWER: GS .....	A 4240	EA	30-SEP-64	EA SH 84
L	MIL-C-51096B(1)	CORE MATERIAL, C18 .....	A 4240	EA	13-AUG-86	EA
L	MIL-C-51096B(12)	CORE MATERIAL, C18 .....	A 4240	EA	09-FEB-88	EA
L	MIL-B-51097B	BACKING MATERIAL, C18 REVIEWER: GS .....	A 4240	EA	30-SEP-64	EA SH 84
L	MIL-B-51097B(1)	BACKING MATERIAL, C18 .....	A 4240	EA	26-AUG-87	EA
L	MIL-B-51097B(13)	BACKING MATERIAL, C18 .....	A 4240	EA	09-FEB-88	EA
L	MIL-C-51098E(7)	CYLINDER, NITROGEN-FILLED, PUNCTURABLE SEAL .....	A 4230	EA	09-AUG-91	EA
L	MIL-M-51103B NOTICE 1	MAGNESIUM OXIDE, TECHNICAL [VALIDATION DATE: 8904] REVIEWER: AS GS MD MI ..	A 6810	EA	04-APR-89	EA OS
L	MIL-P-51104A(1)	PROTECTOR, INFANT, M2 .....	A 4240	EA	18-JUN-87	EA
L	MIL-D-51108A NOTICE 1	N, N'-DICYCLOHEXYLCARBODIIMIDE, TECHNICAL [VALIDATION DATE: 8808] .....	A 6810	EA	31-AUG-88	EA
L	MIL-C-51108B(1)	CARRIER, AIRCRAFT CHEMICAL-BIOLOGICAL MASK, M17 .....	A 4240	EA	05-JUL-91	EA
L	MIL-F-51109A(2)	FACEBLANK, CHEMICAL-BIOLOGICAL MASK, C12R4 REVIEWER: GS .....	A 4240	EA	18-JUL-86	EA
L	MIL-F-51110A(2)	FACEBLANK LENS, C14R3 REVIEWER: GS .....	A 4240	EA	22-SEP-86	EA
L	MIL-M-51111B(2)	HARNES, HEAD, C15 REVIEWER: GS .....	A 4240	EA	14-MAY-87	EA
L	MIL-M-51112A(2)	NOSECAP DEFLECTOR, C11 REVIEWER: GS .....	A 4240	EA	18-JUL-86	EA
L	MIL-M-51113D(1) NOTICE 1	MASK, CHEMICAL-BIOLOGICAL, AIRCRAFT, ABC-M24 REVIEWER: GS .....	A 4240	EA	27-OCT-89	EA



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Item Qty / Ord. Coordination Invoice Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-C-511308 NOTICE 1	CHEMICALS, REAGENT GRADE; GENERAL SPECIFICATION FOR (METRIC) [VALIDATION DATE: 8904] USER: ME REVIEWER: AR GS MD	A 6810	EA 04-APR-89	EA	68		
L MIL-L-51131A NOTICE 1	LITHIUM STEARATE [VALIDATION DATE: 8704] REVIEWER: EA GS	A 6810	AR 27-APR-87	AR			
L MIL-S-51132A(1) NOTICE 1	SODIUM CARBOXYMETHYL CELLULOSE (NACMC) (FOR AMMUNITION USE) [VALIDATION DATE: 8804] REVIEWER: GS	A 6810	AR 22-APR-88	AR			
A L MIL-S-51141A(1) NOTICE 1	SUIT, PROTECTIVE, IMPERMEABLE, SUPPLIED AIR, M4 [VALIDATION DATE: 8801] USER: 45 REVIEWER: EA	A 8415	CT 25-JAN-88	GL	CT		
L MIL-D-51142B(2)	OUTSERT, EYELENS ANTIGLARE, CHEMICAL BIOLOGICAL MASK, ABC-M2 REVIEWER: GS	A 4240	EA 21-SEP-87	EA			
L MIL-M-511430	HOOD, TANK CHEMICAL-BIOLOGICAL MASK: ABC-M5	A 4240	EA 17-MAY-91	EA			
L MIL-G-51145A(1)	GLAZING COMPOUND, BAKING PAN [VALIDATION DATE: 8303] REVIEWER: GS MD	A 6850	GL 07-MAR-77	GL	68		
L MIL-D-51146	DECONTAMINATING AGENT, BIOLOGICAL, ETHYLENE OXIDE PROPELLANT MIXTURE [VALIDATION DATE: 8404] REVIEWER: GS	A 6850	EA 08-APR-63	EA			
L MIL-F-51156A	FLAME THROWER, MECHANIZED, MAIN ARMAMENT, APC MOUNTED, M10-B [VALIDATION DATE: 8405] USER: MC	A 1040	AR 06-NOV-69	AR			
L MIL-T-51157A	TANK ASSEMBLY, FUEL AND AIR, FOR M10-B FLAME THROWER [VALIDATION DATE: 8405] REVIEWER: 99	A 1040	AR 21-APR-67	AR			
L MIL-C-51158	CUPOLA, FLAME GUN, M8 [VALIDATION DATE: 8405]	A 1040	AR 25-OCT-63	AR			
L MIL-P-51159A(1)	PRESSURE CONTROL UNIT, FOR M10-B MECHANIZED FLAME THROWER [VALIDATION DATE: 8201]	A 1040	AR 22-NOV-68	AR			
L MIL-D-51161A	N,N-DIISOPROPYLCARBODIIMIDE [VALIDATION DATE: 8404] REVIEWER: GS	A 6810	EA 17-MAY-78	EA			
L MIL-F-51163A(1)	FILTER UNIT, GAS-PARTICULATE, GED OR EMD, 300 CFM, ABCA-M6A1	A 4240	EA 12-JUN-87	EA			
L MIL-F-51165B	FILTER, PARTICULATE, 150 CFM, M5A1 REVIEWER: GS	A 4240	EA 25-MAY-88	EA			
L MIL-M-51166A	HOOD, FIELD PROTECTIVE MASK, M6 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA 26-FEB-64	EA			
D L MIL-B-51170F(1)	BAG, WATERPROOF, CHEMICAL BIOLOGICAL MASK, M1 USER: YD1 REVIEWER: GS	A 4240	EA 18-AUG-86	EA			
L MIL-M-51171F	HEATER, WATER, LIQUID FUEL, SKID MOUNTED, 600 GPM, M2	A 4410	EA 02-FEB-87	EA			
L MIL-C-51172	COMPRESSOR, RECIPROCATING, 50 CFM, 3000 PSI [VALIDATION DATE: 8006]	A 1040	EA 12-DEC-63	EA			
L MIL-S-51173A(1)	SERVICE UNIT, FLAME THROWER, TRUCK MOUNTED, M4A2	A 1040	EA 20-MAR-67	EA			
L MIL-F-51174A	FILTER UNIT, GAS PARTICULATE, 12 CFM, ARMORED AMBULANCE, M14 [VALIDATION DATE: 8405] REVIEWER: GS	A 4240	EA 31-MAR-67	EA			
L MIL-I-51175	INSTALLATION KIT, GAS PARTICULATE FILTER UNIT, ARMORED VEHICLE, AMBULANCE, M37 [VALIDATION DATE: 8504] REVIEWER: GS	A 4240	EA 01-JUN-64	EA			
A MIL-B-51176F	BOOTS, TOXICOLOGICAL AGENTS PROTECTIVE, M2A1 REVIEWER: AL EA MD	A 8430	CT 05-OCT-88	GL	MU	CT	
L MIL-C-51177B(1)	COUPLING, CANISTER, ABC M1 REVIEWER: GS	A 4240	EA 31-OCT-86	EA			
L MIL-M-51178C(1)	MASK, CHEMICAL-BIOLOGICAL, TANK, ABC-M2SA1 REVIEWER: GS	A 4240	EA 27-OCT-89	EA			
L MIL-C-51179C(1)	CARRIER, CHEMICAL-BIOLOGICAL MASK, ABC-M13A1	A 4240	EA 05-JUL-91	EA			
L MIL-M-51182A	HEADPIECE, HOSPITAL COLLECTIVE PROTECTOR, M13A1 REVIEWER: GS	A 4240	EA 11-MAR-88	EA			
L MIL-F-51183	FILLING UNIT, CHEMICAL TANK, MARK 3, MOD-0 [VALIDATION DATE: 8006]	A 1040	EA 13-NOV-64	EA			
L MIL-F-51184A NOTICE 1	FASTENERS, SNAP [VALIDATION DATE: 8809] REVIEWER: IS	A 5325	EA 09-SEP-88	EA			
L MIL-D-51188C	DISPENSER, RIOT CONTROL AGENT, HELICOPTER OR VEHICLE MOUNTED, M5 [VALIDATION DATE: 8405]	A 1040	EA 29-AUG-77	EA			
L MIL-S-51189B(2)	SUBSTRATE SOLUTION AND DISPENSER USER: MC OS REVIEWER: 82	A 6665	EA 19-SEP-84	EA	SH	99	
L MIL-S-51189B(14)	SUBSTRATE SOLUTION AND DISPENSER	A 6665	EA 27-FEB-89	EA			
A L MIL-F-51190C(1)	FILTER UNIT, GAS-PARTICULATE, TANK, 20 CFM, M13A1	X 4240	EA 23-APR-92	EA			
L MIL-M-51191D(1)	HEATER, AIR, ELECTRICAL, FILTER UNIT, M3	A 4240	EA 09-JAN-92	EA			
L MIL-I-51192B	INSTALLATION KIT, ARMORED VEHICLE, GAS PARTICULATE FILTER UNIT, M29A1 REVIEWER: GS	A 4240	EA 12-SEP-79	EA			
L MIL-F-51193C(3)	FILTER, GAS, 10 CFM, M18	A 4240	EA 13-DEC-89	EA			
L MIL-F-51194C(1)	FILTER, PARTICULATE, 20 CFM, M19	A 4240	EA 07-JUN-91	EA			
L MIL-V-51195B(1)	VALVE, OUTLET, C19 REVIEWER: GS	A 4240	EA 12-JAN-87	EA			
L MIL-L-51196	LIGHT, ILLUMINATING AND ULTRAVIOLET [VALIDATION DATE: 8201]	A 6665	EA 14-OCT-64	EA			
L MIL-R-51197B	REAGENT, SOLVENT, & TEST PAPERS FOR SAMPLING & ANALYZING KIT, M33 [VALIDATION DATE: 8201]	A 6665	EA 15-SEP-76	EA			
L MIL-R-51198(2)	REPAIR KIT, CBR AGENT SAMPLING & ANALYZING KIT, M32 64	A 6665	EA 23-JUL-84	EA			
L MIL-R-51199A	REFILL KIT, ANALYZING COMPONENTS, CBR AGENT SAMPLING & ANALYZING KIT, M33	A 6665	EA 23-JUL-84	EA			
L MIL-S-51200A(5)	SAMPLING KIT, CBR AGENT, M34	A 6665	EA 03-APR-89	EA			
L MIL-S-51201A(1)	SAMPLING & ANALYZING KIT, CBR AGENTS, M19	A 6665	EA 23-JUL-84	EA			
L MIL-G-51203A(2)	GUN, FLAME THROWER, PORTABLE, M7 [VALIDATION DATE: 8405]	A 1040	EA 15-MAY-68	EA			
L MIL-F-51206 NOTICE 1	FILTER, COTTON [VALIDATION DATE: 8808] REVIEWER: GS	A 4240	EA 31-AUG-88	EA			
L MIL-D-51207(1)	DYE MIX, OLIVE DRAB, IMPREGNATING [VALIDATION DATE: 8110] REVIEWER: GS	A 6820	EA 12-OCT-65	EA			
L MIL-F-51208(1) NOTICE 1	FILTER ELEMENT AND RING ASSEMBLY [VALIDATION DATE: 8809] REVIEWER: GS	A 4240	EA 09-SEP-88	EA			
L MIL-R-51209	RUBBERS, SYNTHETIC, FOR CHEMICAL AGENT COMPOUNDING [VALIDATION DATE: 8008] REVIEWER: MR	A 1365	EA 11-SEP-64	EA			
L MIL-S-51210A(1)	SOIL SAMPLING KIT	A 6665	EA 17-AUG-89	EA			
L MIL-C-51211B(1)	CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, POINT SOURCE, ABC-M2	A 6665	EA 05-SEP-80	EA			
L MIL-C-51212B(1)	CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABC-M3	A 6665	EA 05-SEP-80	EA			
L MIL-C-51212B(12)	CALCULATOR, DOWNWIND TOXIC VAPOR HAZARD, LINE SOURCE, ABCA-M3	A 6665	EA 02-OCT-87	EA			
L MIL-F-512130	FILTER, GAS (60, 120 & 250 CFM MODULES) C10, C31 & C21 REVIEWER: GS	A 4240	EA 29-MAR-88	EA			
L MIL-F-512140	FILTERS, GAS, 600, 1200, 2500, AND 5000 CFM; C22R1, C32R1, C29R1 AND C23R1 REVIEWER: GS	A 4240	EA 17-FEB-89	EA			
L MIL-F-51215C(4)	FILTERS, PARTICULATE, 600, 1200, 2500 AND 5000 CFM; C18R1, C19R1, C30R1 AND C20R1	A 4240	EA 28-JUN-91	EA			
L MIL-F-51216	FILTER UNIT, GAS PARTICULATE, EMD, 600 CFM, M5A2 [VALIDATION DATE: 8103] REVIEWER: GS	A 4240	EA 30-DEC-65	EA			
L MIL-F-51217	FILTER UNIT, GAS PARTICULATE, EMD, 1200 CFM, M10A2 [VALIDATION DATE: 8102] REVIEWER: GS	A 4240	EA 30-DEC-65	EA			
A L MIL-F-51220A(1)	FILTER UNIT, GAS-PARTICULATE, MISSILE VAN, EMD, 300 CFM, M18	X 4240	EA 20-AUG-92	EA			
L MIL-F-51221A	FILTER, PARTICULATE, 150 CFM, M24 REVIEWER: GS	A 4240	EA 01-OCT-84	EA			
A L MIL-F-51222C(2)	FILTER, GAS, 150 CFM, M23/M23A1	X 4240	EA 20-AUG-92	EA			
L MIL-E-51223	ENTRANCE, PROTECTIVE, PRESSURIZED, MISSILE VAN, COLLAPSIBLE, M7 [VALIDATION DATE: 8201] REVIEWER: GS	A 4240	EA 10-JUL-68	EA			
L MIL-F-51224B	FILTERS, GAS-PARTICULATE, 600, 1200, 2500 AND 5000 CFM; ABC-M14A1, ABC-M15A1, ABC-M16A1 AND ABC-M17A1 REVIEWER: GS	A 4240	EA 18-SEP-80	EA			
L MIL-P-51227B(2)	PUMP, CENTRIFUGAL, DECONTAMINATING APPARATUS REVIEWER: GS	A 4230	EA 14-MAY-87	EA			
L MIL-F-51228B(1)	FAN, VANEAXIAL, 300 CFM, 400 CYCLE, 416 VOLTS, 0.7 HP	A 4240	EA 12-JUN-87	EA			
L MIL-C-51230	COLLECTIVE PROTECTION EQUIPMENT, CBR, BATTERY CONTROL CENTRAL, M10 REVIEWER: GS	A 4240	EA 03-MAR-87	AR			
L MIL-M-51231	MASK, GAS, ROCKET PROPELLANT, M26A1 REVIEWER: GS	A 4240	EA 01-JUN-65	EA	84		
L MIL-M-51231(11)	MASK, GAS, ROCKET PROPELLANT, M26A1	A 4240	EA 10-NOV-66	EA			
L MIL-C-51232C	CLOTH, MARQUETTE, POLYESTER [VALIDATION DATE: 8504] USER: 45	A 8305	EA 07-FEB-77	EA			
L MIL-C-51234(3)	COUPLING ASSEMBLY, QUICK DISCONNECT, PLAIN & SELF SEALING [VALIDATION DATE: 8510]	A 4730	EA 19-DEC-74	EA			
L MIL-S-51235C	SMOKE POT, FLOATING, SGF2, AM-M7A1	A 1365	EA 08-JUN-89	EA	OS		
L MIL-R-51237A(2)	REFILL KIT, CHEMICAL AGENT DETECTOR, V-G COMPONENTS, ABC-M30A1	A 6665	EA 22-FEB-89	EA			
L MIL-T-51241	TANK, SPRAY, CHEMICAL AGENT, VX, TMU-28/B, FILLING OF [VALIDATION DATE: 8006]	A 1040	EA 14-FEB-66	EA			
L MIL-R-51242A	REGULATOR, PRESSURE, FLAME THROWER [VALIDATION DATE: 8405]	A 1040	AR 12-SEP-66	AR			
L MIL-S-51244A	SERVICE KIT, PORTABLE FLAME THROWER, RIOT CONTROL AGENT DISPENSER, M27 [VALIDATION DATE: 8405]	A 1040	EA 26-FEB-76	EA			
L MIL-C-51245(1)	CLOTH, KNITTED, ACRYLIC FIBER [VALIDATION DATE: 8504] REVIEWER: CT	A 8305	EA 31-JUL-68	EA			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OIA Coordination Inchase Document Number	Document Title	Doc Smt FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians Army Navy Air Force DIA
L MIL-D-51246A(1)	DECONTAMINATING & RE-IMPREGNATING KIT, INDIVIDUAL, M13 [VALIDATION DATE: 8809] REVIEWER: GS	A 4230	EA	09-SEP-88	EA
L MIL-D-51248A	DYE, CHEMICAL AGENT INDICATOR [VALIDATION DATE: 8809] REVIEWER: GS	A 6820	EA	09-SEP-88	EA
L MIL-F-51250	FUEL AND PRESSURE UNIT, PORTABLE FLAME THROWER, M9 [VALIDATION DATE: 8405]	A 1040	AR	11-JAN-67	EA
L MIL-C-51251A(1)	CLOTH, COATED: CBR PROTECTIVE REVEALER: CT	A 8305	EA	08-FEB-89	EA
L MIL-T-51252A(2)	TESTING KIT, IMPREGNATE IN CLOTHING, ABC-M2	A 6630	EA	28-JUL-87	EA
L MIL-B-51254(5)	BREATHING APPARATUS, OXYGEN GENERATING, M20 REVIEWER: GS	A 4240	EA	19-APR-91	EA
L MIL-W-51255C(1)	WINTERIZATION KIT, CHEMICAL AGENT, ABC-M1B2 USER: ME OS REVIEWER: GS	A 4240	EA	16-DEC-86	EA
L MIL-D-51256B	DETECTOR KIT, CHEMICAL AGENT, ABC-M1B2	A 6665	EA	08-NOV-84	EA
L MIL-D-0051256C	DETECTOR KIT, CHEMICAL AGENT, ABC-M1B2	A 6665	EA	14-FEB-92	EA
L MIL-W-51258A(3)	WINTERIZATION KIT, FACEPIECE, CHEMICAL BIOLOGICAL MASK, TANK, M3	A 4240	AR	07-JUL-86	EA
L MIL-S-51261A	SERVICE UNIT, FLAME THROWER, TRACK VEHICLE MOUNTED, XM45E1 [VALIDATION DATE: 8405] USER: MC	A 1040	AR	28-JAN-70	EA
MIL-C-51264A	CUPROUS CYANIDE, TECHNICAL [VALIDATION DATE: 8905] REVIEWER: GS MD	A 6810	EA	26-MAY-89	EA
MIL-S-51266	SODIUM BISULFATE, MONOHYDRATE, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 REVIEWER: GS MD	A 6810	EA	13-FEB-68	EA
L MIL-C-51276	CHEMICAL AGENT, TRIPHOSGENE [VALIDATION DATE: 8501]	A 1365	EA	26-APR-67	EA
A MIL-C-51278D(1)	CAP, WATER CANTEN, FIELD, 1 QUART AND 2 QUART CANTEENS USER: 45 REVIEWER: 82 EA MC MD	A 8465	CT	21-MAY-91	GL MU 99 CT
L MIL-C-51280B	COVER, VOICEMITTER OUTLET VALVE, C13R1 [VALIDATION DATE: 8405] REVIEWER: GS	A 4240	EA	06-JUN-77	EA
L MIL-V-51281C(1)	VOICEMITTER OUTLET VALVE ASSEMBLY, CHEMICAL BIOLOGICAL MASK, C29R5 REVIEWER: GS	A 4240	EA	06-APR-87	EA
L MIL-M-51282D	MASK, CHEMICAL BIOLOGICAL, FIELD, M17A1	A 4240	EA	14-NOV-86	EA
L MIL-R-51283C(1)	RUBBER FABRICATED PRODUCTS FOR M17A1/M17A2 MASKS	A 4240	EA	03-SEP-66	EA
L MIL-C-51285C(4)	CARRIER, CHEMICAL-BIOLOGICAL MASK: FIELD, M15A1	A 4240	EA	03-MAY-91	EA
L MIL-F-51286B(1)	FACEBLANKS, CHEMICAL BIOLOGICAL MASK, C17R1	A 4240	EA	03-SEP-86	EA
L MIL-M-51287C(1)	MOUSECAP ASSEMBLIES, CHEMICAL BIOLOGICAL MASK, C10	A 4240	EA	03-SEP-86	EA
L MIL-T-51289B	TEST SET, FLAME THROWER - RIOT CONTROL AGENT DISPENSER, HYDROSTATIC - VOLUMETRIC, 6000 PSI, M5	A 1040	EA	22-MAY-85	EA
L MIL-M-51290B	HOOD, AIRCRAFT CHEMICAL-BIOLOGICAL MASK: M7	A 4240	EA	17-MAY-91	EA
L MIL-H-51291B	HOOD, CHEMICAL-BIOLOGICAL MASK: M6A2	A 4240	EA	24-MAY-91	EA
L MIL-L-51292C	LAUNCHER & GRENADES, SMOKE, MC & WP, XM176	A 1330	EA	25-SEP-87	EA
L MIL-L-51293B(1)	LAUNCHER & GRENADES, SMOKE, MC & WP, XM176, COMPONENTS FOR	A 1330	EA	22-AUG-86	EA
L MIL-S-51296(1)	SURVIVAL KIT, AIRMAN S, SEEK-1 [VALIDATION DATE: 8503] REVIEWER: GS	A 4240	EA	07-DEC-67	EA
L MIL-C-51297B	CARTRIDGE, 40MM, RED SMOKE, RS, XM675 [VALIDATION DATE: 8112]	A 1310	EA	18-FEB-71	EA
L MIL-B-51298A	BODY ASSEMBLY, M674 AND M675 CARTRIDGES [VALIDATION DATE: 8809]	A 1310	EA	09-SEP-88	EA
MIL-M-51301	NICKEL CHLORIDE, HEXAHYDRATE, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 REVIEWER: GS MD	A 6810	EA	12-MAR-69	EA
L MIL-P-51303B	PROJECTILE, 81-MILLIMETER SMOKE, M375A3; WP FILLING	A 1315	EA	14-NOV-90	EA
L MIL-R-51305	RADIOACTIVE TEST SAMPLE, KRYPTON 85, MX733B/PDR-27R [VALIDATION DATE: 8503]	A 6665	EA	09-MAY-69	EA
M L MIL-A-51306B(1)	ADAPTER, OXYGEN SUPPLY, CHEMICAL-BIOLOGICAL MASK, M8	A 4240	EA	25-FEB-93	EA
L MIL-S-51309	SODIUM CHLORATE, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 REVIEWER: GS MD	A 6810	EA	04-DEC-68	EA
L MIL-A-51312	ANTIMONY TRIOXIDE, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 REVIEWER: GS MD	A 6810	EA	11-MAR-69	EA
MIL-A-51313	ARSENIC PENTOXIDE, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 REVIEWER: GS MD	A 6810	EA	20-MAY-69	EA
MIL-M-51314	NICKEL NITRATE, HEXAHYDRATE, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 REVIEWER: GS MD	A 6810	EA	06-MAY-69	EA
L MIL-P-51315A	POTASSIUM BIFLUORIDE, TECHNICAL [VALIDATION DATE: 8905] REVIEWER: GS MD M1	A 6810	EA	26-MAY-89	EA
L MIL-V-51316	VANADIUM PENTOXIDE, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 REVIEWER: GS MD	A 6810	EA	06-MAY-69	EA
L MIL-F-51318A	FILTER UNIT, GAS PARTICULATE, EMD, 300 CFM, M6A2 REVIEWER: GS	A 4240	EA	29-MAR-88	EA
L DDD-1-51323C	INSECTICIDE, DICHLOFOS, IMPREGNATED STRIP (METRIC) REVIEWER: GL GS MD	A 6840	EA	11-FEB-85	EA
D MIL-I-51325C	INSECTICIDE, CHLORPYRIFOS, EMULSIFIABLE CONCENTRATE USER: SH REVIEWER: GL GS MC MD MS	A 6840	EA	13-NOV-92	EA YD1 68
L MIL-C-51326(2)	CALCULATOR, NUCLEAR YIELD, M4A1	A 6665	EA	12-JAN-84	EA
L MIL-C-51327(2)	CALCULATOR SET, NUCLEAR, M2B1	A 6665	EA	24-APR-87	EA
L MIL-M-51328(1)	MANOMETER ASSEMBLIES, M159, M160, M161, M162, AND M1 REVIEWER: GS	A 4240	EA	25-MAR-87	EA
L MIL-C-51329	COLLECTIVE PROTECTION EQUIPMENT, CBR, NIKE HERCULES, COMUS, M11 [VALIDATION DATE: 8006] REVIEWER: GS	A 4240	EA	04-SEP-69	EA
L MIL-C-51330	COLLECTIVE PROTECTION EQUIPMENT, CBR, NIKE HERCULES, COMUS, M12 [VALIDATION DATE: 8006] REVIEWER: GS	A 4240	EA	04-SEP-69	EA
L MIL-C-51331	COLLECTIVE PROTECTION EQUIPMENT, CBR, NIKE HERCULES, COMUS, M13 [VALIDATION DATE: 8006] REVIEWER: GS	A 4240	EA	04-SEP-69	EA
MIL-B-51333	BARIUM PERCHLORATE, ANHYDROUS, ANALYZED REAGENT [VALIDATION DATE: 8201] REVIEWER: GS MD	A 6810	EA	11-MAY-70	EA
MIL-L-51336	LEAD OXIDE, RED, ANALYZED REAGENT [VALIDATION DATE: 8201] USER: M1 SM REVIEWER: GS MD	A 6810	EA	05-NOV-69	EA
L MIL-P-51338(1)	PROJECTILE, 105MM, SMOKE, WP, M60E1, FILLING ASSEMBLY [VALIDATION DATE: 8006] REVIEWER: 99	A 1315	EA	12-OCT-70	EA
L MIL-R-51341(1)	RIOT CONTROL AGENT, CS2	A 1365	EA	27-SEP-82	EA
L MIL-F-51342	FLAME THROWER, PORTABLE, M91-7 [VALIDATION DATE: 8405] USER: MC	A 1040	AR	03-NOV-69	EA
L MIL-L-51343B	LAUNCHER, ROCKET, 66MM, FOUR TUBE, M202	A 1055	M1	16-NOV-90	M1
L MIL-S-51346(1)	SEAL, RING REVIEWER: M1	A 1330	EA	19-MAR-86	EA
L MIL-M-51348(2)	WINTERIZING KIT, PROTECTIVE MASK, M1 REVIEWER: GS	A 4240	EA	26-MAY-87	EA
L MIL-G-51349E	GRENADE BODY	A 1330	EA	03-APR-87	EA
L MIL-F-51353A(2)	FUZE, HAND GRENADE, M201A1 [VALIDATION DATE: 8503]	X 1330	EA	06-FEB-92	EA
L MIL-C-51355A	CARTRIDGE, 40MM, CS, XM651E1 [VALIDATION DATE: 8503]	A 1310	EA	14-FEB-79	EA
L MIL-A-51356A(2)	AREA PREDICTOR, RADIOLOGICAL FALLOUT, ABC-M5A2	A 6665	EA	14-NOV-89	EA
L MIL-F-51357	FILTER PANEL, INFANT PROTECTOR [VALIDATION DATE: 8809] REVIEWER: GS	A 4240	EA	19-SEP-88	EA
L MIL-C-51358A(1)	CANISTER, SMOKE, MC, 155MM, PROJECTILE, M1 & M2, COMPONENTS FOR [VALIDATION DATE: 8405]	A 1320	EA	07-JUL-78	EA
L MIL-C-51360B	CANISTER, SMOKE, MC, 105MM, PROJECTILE, M1	A 1315	EA	22-JAN-88	EA
L MIL-C-51361B(1)	CANISTER, SMOKE, MC, 105MM, PROJECTILE, M1, COMPONENTS FOR	A 1315	EA	22-JAN-88	EA
L MIL-F-51364(1)	FIN, ASSEMBLY, BOMB, 750 LB CLUSTER, M14E3 [VALIDATION DATE: 8201]	A 1325	AS	13-JUL-73	AR
L MIL-L-51365A	LAUNCHER & GRENADES, SMOKE, MC, M226 [VALIDATION DATE: 8405]	A 1330	EA	19-APR-77	EA
L MIL-F-51366A(2)	FILTERS, PARTICULATE, RECIRCULATION (550 CFM AND 1200 CFM) REVIEWER: GS	A 4240	EA	29-DEC-87	EA
L MIL-F-51367B(1)	FILTER & UTILITIES UNIT, CHEMICAL BIOLOGICAL SHELTER SYSTEM, TRAILER MOUNTED M68 REVIEWER: GS	A 4240	EA	27-APR-87	EA
L MIL-S-51368B(2)	SHELTER SYSTEM, COLLECTIVE PROTECTION, CHEMICAL-BIOLOGICAL: INFLATABLE, 10-MAN, TRAILER TRANSPORTED, M51 REVIEWER: GS	A 4240	EA	02-FEB-89	EA
L MIL-F-51369B(2)	FILTERS, GAS: RECIRCULATION (550 CFM AND 1200 CFM) REVIEWER: GS	A 4240	EA	03-NOV-89	EA
L MIL-D-51370A(1)	DISPENSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, XM33	A 1040	EA	20-APR-87	EA
L MIL-S-51371C	SERVICE KIT, PORTABLE RIOT CONTROL AGENT DISPENSER, M254	A 1040	EA	06-MAY-87	EA
L MIL-A-51372	ADAPTER, BOMB CLUSTER, 750 POUND, M30E2 [VALIDATION DATE: 8201]	A 1325	AR	13-JUL-73	AR
L MIL-B-51373	BOMB CLUSTER, INCENDIARY, TH3, 750 POUND M36E2 (WITHOUT FUZE, FIN & WIRE) [VALIDATION DATE: 8201]	A 1325	AR	13-JUL-73	AR
L MIL-G-51374(1)	GRENADE, HAND, RED SMOKE, RS, M48	A 1330	EA	03-APR-87	EA



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn./Chg. Cancellation Inactive	Document Number	Document Title	Dist. Smt. FSC/1 Area	MCS Symbol	Preparing Acty. Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-G-51375(1)	GRENADE, HAND, RIOT, CS, M47	A 1330	EA	03-APR-87	EA			
L	MIL-F-51376(1)	FUZE, HAND GRENADE, M227	A 1330	EA	03-APR-87	EA			
L	MIL-A-51383A	ALARM, CHEMICAL AGENT, AUTOMATIC, PORTABLE ABCA-M8	A 6665	EA	12-SEP-85	EA			
L	MIL-A-51384B	ALARM UNIT, CHEMICAL AGENT AUTOMATIC ALARM, ABCA-M42	A 6665	EA	23-NOV-88	EA			
L	MIL-C-51385B	CABLE ASSEMBLY, POWER, ELECTRIC: ABCA-M168	A 6665	EA	30-AUG-90	EA			
L	MIL-C-51386A	CASE, DETECTOR UNIT, CHEMICAL AGENT AUTOMATIC ALARM [VALIDATION DATE: 8702]	A 6665	EA	23-FEB-87	EA			
L	MIL-C-51387A	CIRCUIT CARD ASSEMBLY [VALIDATION DATE: 8702]	A 6665	EA	23-FEB-87	EA			
L	MIL-D-51388A(1)	DETECTOR CELL, CHEMICAL AGENT	A 6665	EA	18-JUN-86	EA			
L	MIL-D-51389A	DETECTOR UNIT, CHEMICAL AGENT AUTOMATIC ALARM, ABCA-M43	A 6665	EA	14-NOV-79	EA			
L	MIL-E-51390A	ELECTRONIC MODULE ASSEMBLY	A 6665	EA	23-FEB-87	EA			
L	MIL-H-51391A(2)	HORN, ELECTRICAL	A 6350	EA	01-SEP-88	EA			
L	MIL-M-51392A	METER, FLOW RATE INDICATING, FLOAT TYPE [VALIDATION DATE: 8607] REVIEWER: GS	A 6680	EA	09-JUL-86	EA			
L	MIL-M-51393B	MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: HIGH PROFILE, ABCA-M228	A 6665	EA	24-JUL-91	EA			
L	MIL-M-51394B	MOUNTING KIT, CHEMICAL AGENT AUTOMATIC ALARM: LOW PROFILE, ABCA-M182	A 6665	EA	24-JUL-91	EA			
L	MIL-P-51395A(1)	POWER SUPPLY, CHEMICAL AGENT AUTOMATIC ALARM, ABCA-M10	A 6665	EA	09-JUL-86	EA			
L	MIL-P-51396A	PUMP UNIT, LIQUID VACUUM, POWER DRIVEN	A 6665	EA	14-NOV-79	EA			
L	MIL-D-51399(1)	O, S DIETHYL METHYLPHOSPHONOTHIOATE [VALIDATION DATE: 8404] REVIEWER: GS	A 6810	EA	07-JUN-77	EA			
L	MIL-B-51400(2)	BAG, WATERPROOF, CHEMICAL BIOLOGICAL MASK, M1A1 [VALIDATION DATE: 8201] REVIEWER: GS	A 4240	EA	13-MAY-74	EA			
L	MIL-D-51401(1)	OVERBOOT, PLASTIC FILM	A 4240	EA	11-JUN-87	EA			
L	MIL-P-51402	PLASTIC SHEET: POLYPROPYLENE-POLYETHYLENE LAMINATE FILM [VALIDATION DATE: 8809] REVIEWER: GS	A 9330	EA	09-SEP-88	EA			
L	MIL-P-51403	PLASTIC SHEET, VINYL, FLEXIBLE REVIEWER: GS	A 9330	EA	03-MAR-87	EA			
L	MIL-C-51404A	CRIMPING OUTFIT, HYDRAULIC, VOICEMITTER OUTLET VALVE ASSEMBLY, M1 [VALIDATION DATE: 8405]	A 5180	EA	11-JUL-78	EA			99
L	MIL-P-51406A(1)	PLASTIC SHEETS, VINYL CHLORIDE POLYMER AND COPOLYMER, FLEXIBLE REVIEWER: GS	A 9330	EA	12-JAN-87	EA			
L	MIL-C-51407A	CHLORINATED LIME, TECHNICAL [VALIDATION DATE: 8905]	A 6810	EA	26-MAY-89	EA			
L	MIL-P-51408(2)	PAPER, CHEMICAL AGENT DETECTOR, VCM, ABC-M8	A 6665	EA	07-FEB-92	EA			
L	MIL-P-51409(1)	PAPER, CHEMICAL AGENT DETECTOR, VCM, ABC-M8, BOOKLET OF	A 6665	EA	11-MAR-87	EA			
L	MIL-D-51410(1)	DYE, GREEN, ETHYL-BIS(2,4-DINITROPHENYL) ACETATE REVIEWER: GS	A 6820	EA	22-FEB-87	EA			
L	MIL-D-51411(1)	DYE, YELLOW, THIODIPHENYL-4,4'-DIAZO-BIS-SALICYLIC ACID REVIEWER: GS	A 6820	EA	22-FEB-89	EA			
L	MIL-D-51412(1)	DYE, RED, 2,5,2',5'-TETRAMETHYLTRIPHENYL METHANE-4,4'-DIAZO-BIS-BETA-HYDROXYNAPHTHOIC AMIDE REVIEWER: GS	A 6820	EA	22-FEB-89	EA			
L	MIL-D-51413A(2)	DISPENSER & RIOT CONTROL AGENT, MANUALLY CARRIED, CR, M36	A 1040	EA	01-MAY-86	EA			
L	MIL-L-51414A	LAUNCHER & GRENADES, SMOKE, MC, M226, COMPONENTS FOR [VALIDATION DATE: 8405]	A 1330	EA	19-APR-77	EA			99
L	MIL-S-51416	SAFETY EQUIPMENT SET, RESPIRATORY, 2-MAN [VALIDATION DATE: 8405] REVIEWER: GS	A 4240	EA	17-JUL-75	EA			
L	MIL-E-51420A(1)	EDGESEAL MATERIALS, CHEMICAL-BIOLOGICAL FILTER REVIEWER: GS	A 4240	EA	29-MAR-91	EA			
L	MIL-S-51421(1)	SCREENING, CHEMICAL BIOLOGICAL FILTER	A 4240	EA	10-SEP-86	EA			
L	MIL-S-51422B(5)	SHELTER AND ENTRANCE ASSEMBLY - CHEMICAL-BIOLOGICAL SHELTER SYSTEM: INFLATABLE	A 4240	EA	09-MAY-91	EA			
L	MIL-F-51425A(1)	FILTER ELEMENT SET, CHEMICAL BIOLOGICAL MASK, M13A2	A 4240	EA	10-SEP-86	EA			
L	MIL-I-51426B	INTERIOR CONTAINER ASSEMBLY	X 1320	EA	03-JUL-86	EA			
L	MIL-C-51427D(3)	CANISTER, CHEMICAL PROJECTILE, DPF, M20 (CONTROLLED DISTRIBUTION)	X 1320	EA	04-MAY-90	EA			
L	MIL-C-51428D(2)	CANISTER, CHEMICAL PROJECTILE, OPA, M21 (CONTROLLED DISTRIBUTION)	X 1320	EA	04-MAY-90	EA			
L	MIL-S-51430B	SLEEVE ASSEMBLY (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA CHDR, U.S. ARMY CHEMICAL RESEARCH, DEVELOPMENT AND ENGINEERING CENTER, ATTN: SMCRC-SPT-S, ABERDEEN PROVING GROUND, MD 21010-5423)	X 1320	EA	31-MAR-87	EA			
L	MIL-P-51431A	PLASTIC HOLDING AND EXTRUSION MATERIAL, POLYETHYLENE COPOLYMER, HIGH DENSITY	A 9330	EA	19-JUL-88	EA			
L	MIL-P-51432A(3)	PLASTIC SHEET, POLYETHYLENE COPOLYMER	A 9330	EA	02-JAN-91	EA			
L	MIL-P-51433A(2)	PLASTIC TUBE, POLYETHYLENE COPOLYMER	A 9330	EA	25-SEP-90	EA			
L	MIL-P-51434C	PROJECTILE, 155MM, GB2, M587, WITHOUT CANISTER; DF, M20	X 1320	EA	08-JUL-86	EA			
L	MIL-T-51437(1)	TRAINING SET, CHEMICAL AGENT IDENTIFICATION, SIMULANTS, M72A2 [VALIDATION DATE: 8906]	A 6910	EA	01-JUN-89	EA			
L	MIL-F-51440A	FILTER, AIR, CHEMICAL - BIOLOGICAL, M46	A 4240	EA	24-FEB-87	EA			
L	MIL-R-51446(1)	RIOT CONTROL AGENT, CR [VALIDATION DATE: 8906]	A 1365	EA	01-JUN-89	EA			
L	MIL-R-51447(1)	RIOT CONTROL AGENT, CR SOLUTION [VALIDATION DATE: 8906]	A 1365	EA	01-JUN-89	EA			
L	MIL-C-51448	CANISTER [VALIDATION DATE: 8405]	A 1340	EA	30-JUN-78	EA			
L	MIL-C-51449(1)	CANISTER, 2.75 WP	A 1340	EA	17-SEP-87	EA			
L	MIL-L-51450A	LAUNCHER, PROJECTILE, 64 MM - M234	A 1330	EA	30-APR-85	EA			
L	MIL-F-51451(1)	FILTER, GAS-PARTICULATE, 18 CFM, M41	A 4240	EA	12-JUN-87	EA			
L	MIL-F-51452	FILTER, AIR, DETECTOR (FOR M229 REFILL KIT)	A 6665	EA	10-APR-80	EA			
L	MIL-D-51453A(1)	DISPENSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, M33A1	A 1040	EA	20-APR-87	EA			
L	MIL-E-51454	ETHYL ALCOHOL (ETHANOL)	A 6810	EA	12-OCT-79	EA			
L	DOD-P-51455	POTASSIUM CARBONATE, ANHYDROUS, TECHNICAL (METRIC) USER: SH REVIEWER: GS	A 6810	EA	03-OCT-79	EA			SH 68 68
L	MIL-D-51456(1)	DETECTOR CELL, CHEMICAL AGENT, ULTRASONICALLY WELDED	A 6665	EA	18-JUN-86	EA			
L	MIL-C-51457	CANISTER, CHEMICAL PROJECTILE, 8 INCH, MM, XM28 [VALIDATION DATE: 8503]	A 1320	EA	26-JUN-79	EA			
L	MIL-P-51458	PROJECTILE, 8 INCH, VX-2, XM736 WITHOUT CANISTER, MM, XM28, LOADING, ASSEMBLY & PACKING [VALIDATION DATE: 8503]	A 1320	EA	26-JUN-79	EA			
L	MIL-C-51459	CANISTER, CHEMICAL PROJECTILE, 8 INCH, Q1, XM27 [VALIDATION DATE: 8503]	A 1320	EA	26-JUN-79	EA			
L	MIL-C-51460	CANISTER, CHEMICAL PROJECTILE, 8 INCH, XM27 & XM28, COMPONENTS FOR [VALIDATION DATE: 8503]	A 1320	EA	26-JUN-79	EA			
L	MIL-T-51461(1)	TESTER, AIRFLOW, GAS PARTICULATE FILTER UNIT, M39	A 6680	EA	23-SEP-87	EA			
L	DOD-C-51464(1)	CHLORAMINE B (METRIC)	A 6810	EA	10-JUL-92	EA			
L	MIL-F-51465A	FUZE, FLOATING SMOKE POT, M207A1	A 1365	EA	21-JAN-87	EA			
L	MIL-I-51466(2)	IGNITER	A 1365	EA	13-JUL-87	EA			
L	DOD-D-51467(3)	DECONTAMINATING SOLUTIONS (METRIC)	A 4230	EA	10-FEB-88	EA			
L	MIL-D-51468C	DECONTAMINATION KIT, PERSONAL, M258A1	A 4230	EA	10-JUL-92	EA			
L	MIL-T-51469B(1)	TRAINING AID, PERSONAL DECONTAMINATION KIT	A 6910	EA	20-OCT-87	EA			
L	DOD-B-51470	N BUTYL MERCAPTAN, TECHNICAL (METRIC) [VALIDATION DATE: 8703]	A 6810	EA	02-MAR-87	EA			
L	MIL-R-51472A(2)	REFILL KIT, M58A1 PERSONAL DECONTAMINATION KIT TRAINING AID	A 6910	EA	16-OCT-87	EA			
L	MIL-P-51474A(2)	PROJECTILE, 64MM, RIOT CONTROL, KE M743	A 1310	EA	02-OCT-86	EA			
L	MIL-C-51475	CARRIER ASSEMBLY	A 1040	EA	24-FEB-87	EA			
L	MIL-F-51477	FILTER, PARTICULATE, HIGH EFFICIENCY, FIRE RESISTANT, BIOLOGICAL USE, GENERAL SPECIFICATION FOR	A 4240	EA	04-OCT-82	EA			
L	MIL-F-51477/1	FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE A, CLASSES A, B, C, D, AND STYLES 0 AND 1 [VALIDATION DATE: 8905]	A 4240	EA	30-MAY-89	EA			
L	MIL-F-51477/2	FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE B, CLASSES A, B, C, D, AND STYLES 0 AND 1 [VALIDATION DATE: 8905]	A 4240	EA	30-MAY-89	EA			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / Cdn Coordination Invoice	Document Number	Document Title	Dist Smt FSC Area	MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-F-51477/3	FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE C, CLASSES A, B, C, D, AND STYLES 0 AND 1 [VALIDATION DATE: 8905]	A 4240	EA	30-MAY-89	EA			
L	MIL-F-51477/4	FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE D, CLASSES A, B, C, D, AND STYLES 0 AND 1 [VALIDATION DATE: 8905]	A 4240	EA	30-MAY-89	EA			
L	MIL-F-51477/5	FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT, BIOLOGICAL USE, TYPE E, CLASSES A, B, C, D, AND STYLES 0 AND 1 [VALIDATION DATE: 8905]	A 4240	EA	30-MAY-89	EA			
L	MIL-G-51478B(1)	GRENADE, LAUNCHER, SMOKE: SCREENING, RP, UK, LBA3	A 1330	EA	12-OCT-89	EA			
L	MIL-B-51480B	BOMB, BINARY CHEMICAL, (WITHOUT BALLONET) BLU-80/B (CONTROLLED DISTRIBUTION)	D 1325	EA	23-FEB-88	EA			
L	MIL-F-51481	FILTER MATERIAL, LAMINATED PAPER, TEN PLY	A 4240	EA	24-FEB-87	EA			
L	NOTICE 1								
L	MIL-S-51482A(3)	SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT, TRAINING, M256	A 6910	EA	21-OCT-87	EA			
L	MIL-E-51483	EDGESEAL MATERIAL, SELF ADHERING	A 4240	EA	24-FEB-87	EA			
L	NOTICE 1								
L	MIL-I-51484(1)	INSECTICIDE, D-PHENOTHRIN (AEROSOL) REVIEWER: GS MD	A 6840	EA	11-FEB-85	EA			
L	DOD-D-51485A	DYE, SOLVENT YELLOW 33 (METRIC)	A 6820	EA	10-JUL-81	EA			
L	DOD-D-51486A	DYE MIX, GREEN SMOKE VII (METRIC)	A 6820	EA	11-JUL-86	EA			
L	MIL-A-51487A	ARMING/FIRING UNIT	A 1040	EA	11-MAY-90	EA			
L	MIL-P-51489	PROJECTILE, 155MM, SMOKE, WP, M110A2 FILLING ASSEMBLY [VALIDATION DATE: 8906]	A 1320	EA	05-JUN-89	EA			
L	NOTICE 1								
L	MIL-D-51490A(4)	DETECTOR KIT, CHEMICAL AGENT: M256A1	A 6665	EA	14-DEC-89	EA			
L	MIL-C-51491A	GENERATOR, SMOKE, MECHANICAL PULSE JET, M3A4	A 1040	EA	16-APR-86	EA			
L	MIL-B-51492A	BELT, SAFETY, BOAT	A 4240	CG	20-NOV-87				
L	MIL-P-51493(3)	PAPER, CHEMICAL AGENT DETECTOR: M9	A 6665	EA	06-JUN-90	EA			
L	MIL-D-51494(1)	DYE, B-1, WATER DISPENSED FORMATION	A 6820	EA	25-AUG-86	EA			
L	MIL-M-51495A	MASK, CHEMICAL BIOLOGICAL, FIELD, M17A2	A 4240	EA	08-OCT-86	EA			
L	MIL-V-51496(1)	VOICEMITTER OUTLET VALVE ASSEMBLY	A 4240	EA	06-APR-87	EA			
L	MIL-T-51497(1)	TRAINING SET, CHEMICAL AGENT IDENTIFICATION, SIMULANTS, M72A1	A 6910	EA	18-MAR-86	EA			
L	MIL-I-51498	ISOPROPYLAMINE, TECHNICAL	A 6810	EA	24-AUG-84	EA			
L	MIL-D-51499A	OPA (CONTROLLED DISTRIBUTION)	X 1365	EA	21-JUN-88	EA			
L	MIL-M-51500	METHYLPHOSPHONIC DIFLUORIDE, TECHNICAL	A 6810	EA	17-APR-85	EA			
L	MIL-L-51501A	LAUNCHERS, GRENADE, SMOKE: SCREENING, RP, M243, M257, AND M259	A 1040	EA	11-MAY-90	EA			
A L	MIL-W-51502A(1)	WATER TESTING KIT, CHEMICAL AGENTS, M272	X 6665	EA	10-AUG-92	EA			
L	MIL-D-51503	DETECTOR TICKET, ANTICHOLINESTERASE AGENT, EEL ENZYME	A 6665	EA	12-OCT-84	EA			
L	MIL-C-51507C	CANISTER AND COMPONENTS, M252 (CONTROLLED DISTRIBUTION)	X 1320	EA	10-JAN-89	EA			
L	MIL-C-51508A(2)	CANISTER, 155MM, WP (FOR THE M252 PROJECTILE)	X 1320	EA	27-OCT-87	EA			
L	MIL-P-51509A(1)	PROJECTILE, 155 MM, SMOKE, WP, M252, PARTS FOR	X 1320	EA	17-SEP-87	EA			
L	DOD-M-51512	NICKEL SALTS, ELECTROPLATING (METRIC)	A 6810	EA	24-OCT-85	EA			
L	MIL-L-51513	LAUNCHERS, GRENADE, SMOKE: SCREENING, RP, M239 AND M250	A 1040	EA	22-OCT-85	EA			
L	MIL-P-51514	PLASTIC SHEETS, POLYETHYLENE UNIFORM, FLEXIBLE	A 9330	EA	16-SEP-86	EA			
L	MIL-R-51516(1)	REGULATOR, PRESSURE, RIOT CONTROL AGENT DISPENSER	A 1040	EA	20-APR-87	EA			
L	DOD-S-51517	SODIUM PYROPHOSPHATE, ANHYDROUS, TECHNICAL (METRIC)	A 6810	EA	22-APR-86	EA			
L	MIL-P-51518A(1)	PAPER, CHEMICAL AGENT DETECTOR: M9 (SR19 DYE)	A 6665	EA	06-JUN-90	EA			
L	DOD-T-51521	TEREPHTHALIC ACID, TECHNICAL (METRIC)	A 6810	EA	20-MAY-86	EA			
L	DOD-D-51522	DYE, DISPERSE RED 11 (METRIC)	A 6820	EA	20-MAY-86	EA			
L	DOD-D-51523	DYE, SOLVENT RED 1 (METRIC)	A 6820	EA	20-MAY-86	EA			
L	DOD-D-51524	DYE, DISPERSE BLUE 3 (METRIC)	A 6820	EA	20-MAY-86	EA			
A L	MIL-F-51525A(7)	FILTER, GAS, 200 CFM	A 4240	EA	10-JUL-92	EA			
A L	MIL-F-51526(2)	FILTER PARTICULATE, 200 CFM (MODULAR COLLECTIVE PROTECTION EQUIPMENT (MCPE)/SIMPLIFIED COLLECTIVE PROTECTION EQUIPMENT (SCPE) APPLICATIONS)	A 4240	EA	25-SEP-92	EA			
L	MIL-F-51527(2)	FILTER SET, GAS-PARTICULATE, 200 CFM (MODULAR COLLECTIVE PROTECTION EQUIPMENT (MCPE)/SIMPLIFIED COLLECTIVE PROTECTION EQUIPMENT (SCPE) APPLICATIONS) REVIEWER: SM	A 4240	EA	22-MAY-90	EA			
L	MIL-S-51528	SIMULATOR, PROJECTILE, AIRBURST, LIQUID (SPAL) M11	A 1370	EA	09-MAY-88				
A L	MIL-P-51529(5)	PACKAGING OF DECONTAMINATING AGENT, DS2 IN 1-1/3 QUART CAN AND 5-GALLON PAIL	A PACK	EA	27-NOV-92	EA			
L	MIL-F-51531A	FLUID CONTAINER, FILLED (FOR M13 DECONTAMINATING APPARATUS)	A 4230	EA	10-OCT-91	EA			
M L	DOD-D-51533A(1)	DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13	A 4230	EA	16-MAR-93	EA			
L	MIL-S-51534	SIMULATOR, DETECTOR TICKETS, CHEMICAL AGENT: TRAINING, M256A1	A 6910	EA	03-MAY-89	EA			
A L	MIL-F-51536(1)	FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208V, 400 HZ, M56	X 4240	EA	24-JUL-92	EA			
L	MIL-S-51537	SMOKE POT, FLOATING, SGF2, AM-M7A1; COMPONENTS FOR	A 1365	EA	08-JUN-89	EA			
L	MIL-F-51539A(1)	FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208 V, 400 HZ, M59	A 4240	EA	24-JAN-92	EA			
L	MIL-C-51540	CONTROL MODULE (FOR THE XM8A FILTER UNIT)	A 4240	EA	21-MAR-89	EA			
L	MIL-F-51541	FILTER, GAS, FFU-17/E, 600 CFM	A 4240	EA	14-DEC-88	EA			
L	MIL-C-51542	CONVERTER, FREQUENCY, STATIC, XMS (FOR M56, XM59, OR XM52 FILTER UNITS)	A 4240	EA	29-SEP-88	EA			
L	MIL-L-51543	LAUNCHER, PROJECTILE, LIQUID AIRBURST: M267	A 6920	EA	12-JUL-88	EA			
A L	MIL-F-51544(1)	FILTER UNIT, GAS-PARTICULATE, 200 CFM, 208 VAC, M84	A 4240	EA	24-JUL-92	EA			
L	MIL-T-51546A(1)	TRAINER, PLASTIC FLUID CONTAINER ASSEMBLY	A 6910	EA	11-OCT-91	EA			
L	MIL-S-51547	SMOKE POT, HC, M1, COMPONENTS FOR	A 1365	EA	30-JUN-89	EA			
M L	MIL-D-51559(1)	DECONTAMINATING APPARATUS: PORTABLE, 14 LITER, M13 (PRACTICE)	A 4230	EA	16-MAR-93	EA			
A LI	MIL-R-52000C	REELS, CABLE, FOR AIRFIELD AND HELIPORT LIGHTING SETS REVIEWER: GS	A 6210	NE	11-AUG-92	NE			
L	NOTICE 1								
A LI	MIL-S-52001B	STAKES: ANCHOR AND GUY, ELECTRIC LIGHTING SET, AIRPORT AND HELIPORT	A 6210	NE	11-AUG-92	NE			
L	NOTICE 2								
A LI	MIL-R-52002A	RACK ASSEMBLY, CONE, AIRPORT MARKER LIGHT USER: AV	A 6210	NE	11-AUG-92	NE			
L	NOTICE 1								
L	MIL-R-520030	REELING, MACHINE, CABLE HAND USER: AT REVIEWER: GS	A 3895	NE	09-MAR-88	NE			
A LI	MIL-M-52005C	MASI SET, AIRPORT MARKER LIGHT REVIEWER: CS	A 6210	NE	11-AUG-92	NE			
L	NOTICE 1								
A LI	MIL-M-52007C	MOUNTING ADAPTER ASSEMBLY, AIRPORT MARKER LIGHT REVIEWER: GS	A 6210	NE	11-AUG-92	NE			
L	NOTICE 1								
A LI	MIL-L-52008C	LIGHT HOODS, AIRPORT AND HELIPORT MARKER USER: AV	A 6210	NE	11-AUG-92	NE			
L	NOTICE 2								
L	MIL-C-52009C	CONTROL PANEL ASSEMBLY FOR PORTABLE HELIPORT ELECTRIC LIGHTING, [VALIDATION DATE: 8205] REVIEWER: GS	A 6110	NE	28-APR-75	NE			
L	NOTICE 1								
L	MIL-F-52011F(1)	FILTER, PARTICULATE, 12 CFM, M13 USER: MC	A 4240	EA	31-MAY-91	EA			
L	MIL-T-52015B(1)	TEMPLATE, DRAFTING, MAP SYMBOL, FOR PLASTIC SCRIBING [VALIDATION DATE: 8411] USER: MC REVIEWER: GS	A 6675	NE	10-JAN-80	NE			
L	MIL-A-52019C(1)	ADAPTER ASSEMBLY, GLIDE ANGLE LIGHT TO STAKE OR CONE	A 6210	NE	29-OCT-91	NE			
L	MIL-C-52025C	CONVERSION UNITS, CARBON DIOXIDE, 260 POUNDS PER HOUR [VALIDATION DATE: 8302] REVIEWER: GS	A 3655	99	06-DEC-78	NE			
L	MIL-E-520310	EXTINGUISHER, FIRE, VAPORIZING LIQUID, CF3BR, 23/4 POUND, WITH BRACKET [VALIDATION DATE: 8412] USER: AV REVIEWER: AT CS M1	A 4210	NE	05-SEP-79	NE			
D	MIL-C-52032C	COATING, INTERIOR, FUEL RESISTANT, FOR GASOLINE CONTAINERS S/S BY MIL-C-4556 REVIEWER: AT MD QS	A 8010	NE	08-MAY-86	NE	YD1	99	
L	NOTICE 2								
L	MIL-T-52035C	THEODOLITES, SURVEYING, DIRECTION, FIRST-ORDER, WITH ACCESSORIES, TRIPOD, AND CASES REVIEWER: GS	A 6675	NE	25-APR-91	NE			
L	MIL-C-52037F	COMPRESSOR UNIT, RECIPROCATING, POWER-DRIVEN, AIR, 15 CFM, 3,500-PSI	A 4310	NE	31-JAN-90	NE			
A LI	MIL-L-520390	LIGHT, GLIDE-ANGLE, AIRPORT APPROACH USER: AV REVIEWER: GS	A 6210	NE	11-AUG-92	NE			
L	NOTICE 1								
QL	MIL-L-52043C	LACQUER, SEMI GLOSS, CELLULOSE NITRATE [VALIDATION DATE: 8311] USER: AR AT REVIEWER: EA M1	A 8010	NE	17-JUL-72	NE			
L	MIL-L-52046A(1)	LEVEL, CIRCULAR, 2.5 CM DIAMETER, MOUNTED IN CYLINDER REVIEWER: GS	A 5210	NE	29-MAR-88	NE			
L	MIL-L-520520	LIFE PRESERVER, PARACHUTIST, TYPE B-7 [VALIDATION DATE: 8402]	A 4220	NE	09-SEP-80	NE			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Or/On Coordination Inclusive Document Number	Document Title	Dist Smt F&C Area MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
L MIL-C-52053A MIL-B-52055B	CYLINDER, CARBON DIOXIDE, 2 OZ, CAPACITY USER: CE CS REVIEWER: GS ..... BUILDING, PREFABRICATED, READY CUT, WAREHOUSE TYPE (VALIDATION DATE: 8402) REVIEWER: BA	A 8120 ME A 5410 GL	15-FEB-85 28-AUG-78	ME GL			99
L MIL-L-52056D(1)	LIGHT, SIGNAL, SURVEYING, SELF ILLUMINATED, WITH CARRYING CASE, FOR USE WITH RANGE POLE REVIEWER: GS MC	A 6675 ME	29-APR-86	ME			
D MIL-T-52062D D MIL-R-52065B(1) D MIL-B-52071C	TRAP, MOSQUITO LIGHT USER: MC REVIEWER: BA MD MS ..... RAIL ANCHOR, RAILWAY ..... BUILDING, PREFABRICATED, READY CUT, BARRACKS TYPE (VALIDATION DATE: 8104) REVIEWER: CE	A 3740 CS A 2250 ME A 5410 GL	14-AUG-87 12-DEC-84 19-APR-73	MD ME GL	YD1 YD1 YD1	99 99 99	CS
D MIL-C-52074C NOTICE 1 MIL-B-52075C QL MIL-H-52079B	CLEANERS, VACUUM, 120 V AC, 60 & 400 HERTZ, 115 V DC (VALIDATION DATE: 8710) USER: CE MC REVIEWER: MD ..... BATH UNIT, PORTABLE, 8-SHOWER HEAD, M-1958 REVIEWER: BA CS MD ME ..... HOSE, PREFORMED, SEMI FLEXIBLE, REINFORCED (VALIDATION DATE: 8308) REVIEWER: CS EA MI	A 7910 GL A 4510 GL A 4720 AT	30-OCT-87 29-MAR-91 02-MAY-69	GL GL AT	YD1 GL AT	99 99 99	
L MIL-B-52088F L MIL-D-52091C(1)	BRIDGE, ARMORED-VEHICLE-LAUNCHED, SCISSORING-TYPE: CLASS 60, ALUMINUM, 60-FOOT SPAN REVIEWER: CS ..... DITCHING MACHINE, DIESEL ENGINE DRIVEN, WHEEL MOUNTED, LADDER (VALIDATION DATE: 8503) REVIEWER: CS	A 5420 ME A 3805 ME	03-APR-92 04-JUN-71	ME ME			
L MIL-C-52093D MIL-T-52095 A L MIL-B-52097B A L MIL-S-52098C MIL-P-52099C A L MIL-A-52100C	CRADLE: PONTON BOAT, HALF-SECTION, ALUMINUM HULL ..... THREAD, POLYESTER, TEXTURED USER: MC REVIEWER: B2 99 CT MD ..... BARS, CARRYING: MULTIPLE AND SINGLE, M4 BALK REVIEWER: CS ..... STIFFENER ASSEMBLY, BALK CONNECTING USER: MC ..... POST, HANDRAIL AND APPROACH REVIEWER: CS ..... ADAPTERS: FOR BRIDGE, FLOATING, ALUMINUM, HIGHWAY-TYPE, DECK-BALK SUPERSTRUCTURE ON PNEUMATIC FLOATS REVIEWER: MC	A 5420 ME A 8310 GL A 5420 ME A 5420 ME A 5420 ME A 5420 ME	13-NOV-91 15-MAR-91 02-OCT-92 08-SEP-92 12-JUN-92 07-OCT-92	ME GL ME ME ME ME			11 MC
L MIL-H-52105D AQL MIL-P-52108A	RAMP, RAFT USER: MC REVIEWER: CS ..... PAINT, WATER EMULSION TYPE (FOR STENCILING AND OBLITERATING), (VALIDATION DATE: 8311) USER: ME REVIEWER: AR MD SM	A 5420 ME A 8010 ME	06-DEC-79 12-OCT-65	ME ME			
D L MIL-P-52109F	PUMP ASSEMBLY, CENTRIFUGAL, 2-INCH, DIESEL-ENGINE-DRIVEN (FOR WATER) USER: YD1 REVIEWER: CS	A 4320 ME	09-DEC-92	ME			
L MIL-P-52109F(13) L MIL-H-52112B(1) A L MIL-H-52113C L MIL-T-52114G L MIL-B-52118E D MIL-D-52121B	PUMPS, CENTRIFUGAL, 2-INCH, GASOLINE- OR DIESEL-ENGINE-DRIVEN REVIEWER: CS HEATING TOWERS, EQUIPMENT WINTERIZATION, INSTANT LIGHTING, REVIEWER: CS .. HEATER, IMMERSION, LIQUID, FUEL FIRED FOR TANK TRAILERS REVIEWER: CS ..... THEODOLITES, SURVEYING, DIRECTIONAL: THIRD ORDER USER: AR MC REVIEWER: GS .. BALK, DECK USER: MC REVIEWER: SM ..... DRILLS, PNEUMATIC, SINKER, HOOK (VALIDATION DATE: 8009) USER: CS MC REVIEWER: CE	A 4320 ME A 4940 ME A 4540 GL A 6675 ME A 5420 ME A 3820 ME	18-JAN-89 28-OCT-86 17-NOV-92 17-MAY-91 25-JUN-91 14-NOV-74	ME ME GL ME ME ME			YD1
L MIL-S-52124B	SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY (VALIDATION DATE: 8201) USER: CE	A 3820 ME	18-JUL-68	ME			
D MIL-W-52125B	WASHING AND SCREENING UNIT, AGGREGATE, ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY (VALIDATION DATE: 8009) USER: MC YD1	A 3820 ME	19-JUL-68	ME			99
L MIL-C-52126D	CONVEYOR, BELT, PORTABLE, WHEEL MOUNTED, ELECTRIC MOTOR DRIVEN, 50 FOOT REVIEWER: AT	A 3910 ME	13-JUL-87	ME			
L MIL-C-52127C(2) MIL-C-52128C(2) MIL-W-52135B	CRUSHER, ROLL, DIESEL ENGINE & ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY USER: MC REVIEWER: AT CS ..... CRUSHER, JAW, DIESEL ENGINE & ELECTRIC MOTOR DRIVEN, 75 TON PER HOUR CAPACITY (VALIDATION DATE: 8212) USER: MC REVIEWER: AT CS ..... NETTING, CAMOUFLAGE, WIRE, STEEL, STEEL WOOL GARNISHED (VALIDATION DATE: 8211) USER: MC	A 3820 ME A 3820 ME A 1080 ME	08-APR-82 08-APR-82 15-AUG-78	ME ME ME			99
L MIL-P-52144E(2) L MIL-T-52150E	PUMPING ASSEMBLY, LIQUID BULK TRANSFER, DIESEL-ENGINE-DRIVEN, 350 GPM CAPACITY, 275 TOTAL HEAD, WHEEL MOUNTED USER: CS ..... TRESTLE ASSEMBLY: UNIVERSAL TRANSOM, 60-TON, FOR FLOATING AND FIXED BRIDGES REVIEWER: CS MC	A 4320 ME A 5420 ME	16-APR-87 26-JUL-91	ME ME			
L MIL-C-52153B D MIL-C-52155C MIL-S-52156D MIL-S-52159B	COMPRESSOR UNIT, RECIPROCATING, POWER DRIVEN, AIR, 5 CFM, 175 PSI, FOR TESTING MISSILE PLUMBING SYSTEM ..... CHARGES, FIRE EXTINGUISHER, ANTIFREEZE, CALCIUM LITHIUM CHLORIDE BASE & LITHIUM CHLORIDE BASE (VALIDATION DATE: 8506) USER: MC REVIEWER: CS ..... SURVEYING SET, ELECTRONIC DISTANCE MEASURING MICROWAVE USER: 11 MC REVIEWER: CE ER GS	A 4310 ME A 4210 ME A 6675 ME A 5420 ME	25-AUG-82 20-AUG-80 28-JUN-88 27-SEP-71	ME ME ME ME			YD1 99 99 MC
L MIL-W-52161D D MIL-T-52176B	SLING, MULTIPLE LEG, 5/8 INCH BY 6 FOOT CHAIN, WITH SPECIAL HOOKS & RING (VALIDATION DATE: 8402) REVIEWER: CS ..... WELDING SET, ARC, INERT GAS, SHIELDED: CONSUMABLE WIRE ELECTRODE ..... TEETH, SURFACE RIPPING, (POINTS, SHANKS, KEYPERS AND KEPPER LOCKS), BUCKET AND DIPPER, CRANE SHOVEL (VALIDATION DATE: 8111) USER: CE MC REVIEWER: CS	A 3431 AL A 3815 ME	23-JUN-89 26-FEB-76	AL ME			YD1
D MIL-H-52182E(1) L MIL-L-52190C	MELTER, ASPHALT USER: AT ..... LIGHT, MARKER, GROUND OBSTRUCTION, EMERGENCY, ROADWAY AND AIRFIELD USER: AV	A 3895 ME A 6230 ME	06-JUL-88 17-MAR-83	ME ME	YD1		
L MIL-A-52194A A L MIL-B-52199C A L MIL-P-52200C MIL-B-52203D	ADHESIVE, EPOXY (FOR BONDING GLASS REINFORCED POLYESTER) (VALIDATION DATE: 8908) REVIEWER: EA IS MD ME MI ..... BRACKET, OUTBOARD MOTOR FOR ALUMINUM HALF-PONTON REVIEWER: CS ..... PONTON BOAT: HALF-SECTION, ALUMINUM HULL, SPOON BOW REVIEWER: CS ..... BOOM CRANE, 20 TON, ROUGH TERRAIN, 20 TON, TRUCK MOUNTED, 12 1/2 TON, CRAWLER MOUNTED (VALIDATION DATE: 8111) USER: CE REVIEWER: CS	A 8040 ME A 5420 ME A 5420 ME A 3815 ME	02-AUG-89 28-JUL-92 08-SEP-92 12-NOV-74	ME ME ME ME			99
D MIL-H-52204E MIL-B-52207B	HEATERS, SPACE, MULTI FUEL, WITH BLOWER, 15,000 BTU/HR USER: AT ER MC REVIEWER: BA CS MI ..... BOOM, JIB, CRANE, 15 FOOT LONG, FOR 3/4 CUBIC YARD (12 1/2 TON CRAWLER MOUNTED, 20 TON WHEEL MOUNTED) CRANES (VALIDATION DATE: 8111) USER: CE MC REVIEWER: CS	A 4520 ME A 3815 ME	29-JUL-88 07-JUL-76	ME ME	YD1 99		
L MIL-C-52211A(1) D MIL-S-52212G	COMPONENTS AND ASSEMBLIES FOR INDUSTRIAL GAS PRODUCTION, STORAGE AND TRANSPORT EQUIPMENT, PACKAGING OF REVIEWER: GS SH SM ..... SAW, ABRASIVE DISK, CONCRETE, GASOLINE ENGINE DRIVEN, SELF PROPELLED, 12 TO 18 INCH BLADE USER: CE	A 3655 ME A 3895 ME	13-JUL-77 19-FEB-86	ME ME			YD1
A L MIL-H-52213F MIL-E-52215C	HEATERS, HOT OIL REVIEWER: AT ..... EXTINGUISHER, FIRE, CARBON DIOXIDE, 5 POUND AND 10 POUND CAPACITY, FIXED TYPE (NONSHATTERABLE CYLINDERS) REVIEWER: BA CS MD ME	A 3895 ME A 4210 AT	29-JUN-92 11-MAY-84	ME AT			99
A L MIL-R-52224D L MIL-P-52235B L MIL-F-52236	RETAINER ASSEMBLY, SLIDING REVIEWER: CS ..... PUMP, RECIPROCATING, HAND DRIVEN SINGLE ACTING BILGE REVIEWER: CS ..... FILTER ELEMENT, AIR, DIVER S, POLYURETHANE FOAM (VALIDATION DATE: 8402) REVIEWER: CS	A 5420 ME A 4320 ME A 4220 ME	07-OCT-92 04-JAN-85 21-AUG-62	ME ME ME			
L MIL-C-52238C L MIL-B-52239D	COOLING TOWER, LIQUID, SEMITRAILER MOUNTED (VALIDATION DATE: 8302) REVIEWER: GS	A 3655 ME A 5420 ME	13-JUL-78 29-MAY-92	ME ME			99
L MIL-L-52240B L MIL-R-52243C L MIL-B-52251C	BAR, CONNECTING, BRIDGE, STEEL: FOR PONTON FLOAT, HALF SECTIONAL, PNEUMATIC, 12-TON USER: MC ..... LANTERN, ELECTRIC, LIGHT SOURCE, HEAD MOUNTED, LOW LEVEL, VISIBLE (VALIDATION DATE: 8501) REVIEWER: GS ..... RETAINER, BRIDGE PIN REVIEWER: CS MC ..... BRACKET, SLING ATTACHMENT: FOR BLAMS AND GIRDERS OF LINE OF COMMUNICATION BRIDGES REVIEWER: CS	A 6230 ME A 5420 ME A 5420 ME	09-APR-79 17-SEP-90 06-DEC-88	ME ME ME			
D MIL-R-52255D L MIL-S-52256C(1) L MIL-P-52258C L MIL-H-52262E	REPAIR KIT AND REPAIR KIT COMPONENTS, FOR COLLAPSIBLE FABRIC TANKS, DRUMS, AND BOATS USER: GS MC REVIEWER: B2 CS ..... SURVEYING INSTRUMENT: ALTIMETER GYRO, LIGHTWEIGHT REVIEWER: GS ..... PICKETS, STEEL REVIEWER: CS MC ..... HOSE ASSEMBLY, ELASTOMERIC: LIGHTWEIGHT, COLLAPSIBLE, 4-INCH REVIEWER: AT CS	A 5430 ME A 6675 ME A 5420 ME A 4720 ME	20-DEC-88 27-FEB-92 06-APR-92 30-SEP-91	ME ME ME ME	YD1		99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Ctrl / Ck Coordination Inclusive Document Number	Document Title	Dist Sgt FSC / Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
D MIL-T-52270C	TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN MEDIUM DRAMBAR PULL COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT MC	A 2410 ME 15-MAR-83	ME YD1
L MIL-T-00522700	TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN MEDIUM DRAMBAR PULL	A 2410 ME 07-MAR-84	ME
L MIL-D-52277A	DRIER, INFRARED [VALIDATION DATE: 8205]	A 4440 ME 24-JUN-76	ME
L MIL-P-52284C	POST, HANDRAIL, FOOTBRIDGE REVIEWER: CS MC	A 5420 ME 07-APR-92	ME
L MIL-L-52285B	LIGHT, INSPECTION, FUEL CELL [VALIDATION DATE: 8211] USER: MI REVIEWER: GS	A 6230 AV 22-DEC-75	AS 99
A L MIL-C-52286C(1)	CABLE ASSEMBLIES, POWER, ELECTRICAL (WITH MOLDED ON TERMINATIONS) [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/1B	CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 100 FEET LONG, OVAL TERMINATIONS WITH 2 POLE CONNECTOR PLUG [VALIDATION DATE: 9211] USER: AT REVIEWER: GS	A 6150 ME 04-NOV-92	ME
A L MIL-C-52286/2B	CABLE ASSEMBLY, POWER ELECTRICAL, 2 CONDUCTOR, 20 FEET LONG OVAL TERMINATIONS, WITH THREE - TWO POLE CONNECTORS [VALIDATION DATE: 9211] USER: AT REVIEWER: GS	A 6150 ME 04-NOV-92	ME
A L MIL-C-52286/3B	CABLE ASSEMBLY, POWER ELECTRICAL, LIGHT EXTENSION [VALIDATION DATE: 9211] USER: AT REVIEWER: GS	A 6150 ME 04-NOV-92	ME
A L MIL-C-52286/4	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/5	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/6	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/7A	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/8	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/9A	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/10A	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/11	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/12A	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/13	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/14A	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/15A	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/16	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/17	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/18	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/19	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/20A	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/21	CABLE ASSEMBLY, POWER, ELECTRICAL, ADAPTER [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/22	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/23A	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/24A	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/25A	CABLE ASSEMBLY, POWER ELECTRICAL, ADAPTER [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/26A	CABLE ASSEMBLY, POWER ELECTRICAL, 4 CONDUCTOR, ONE END W/WATERTIGHT MALE PLUG CONNECTOR, OTHER END W/WATERTIGHT FEMALE PLUG CONNECTOR AND WATERTIGHT MALE DUMMY PLUG CONNECTOR [VALIDATION DATE: 9211]	A 6150 ME 17-NOV-92	ME
A L MIL-C-52286/28A	CABLE ASSEMBLY, POWER ELECTRICAL [VALIDATION DATE: 9211] USER: AT	A 6150 ME 17-NOV-92	ME
L MIL-M-52287C	MAST, TELESCOPIC, FLOODLIGHT REVIEWER: GS	A 6230 ME 27-FEB-84	ME
A L MIL-M-52288A	MAST MOUNTING, FLOODLIGHT [VALIDATION DATE: 9211] REVIEWER: GS	A 6230 ME 03-NOV-92	ME
L MIL-L-52292B	LIGHT ASSEMBLY, MARKER [VALIDATION DATE: 8501] USER: AV REVIEWER: GS	A 6230 ME 08-JUN-79	ME
A L MIL-B-52293C	BRACKET, RAFT: FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 REVIEWER: CS	A 5420 ME 26-OCT-92	ME
L MIL-T-52296D	TRANSOM ASSEMBLY: 60-TON UNIVERSAL TRANSOM REVIEWER: CS MC	A 5420 ME 26-JUL-91	ME
L MIL-M-52297D	HOLDFAST ASSEMBLY: BAR TYPE REVIEWER: CS MC	A 5420 ME 28-NOV-88	ME
L MIL-C-52298D	COLUMN ASSEMBLY: TRESTLE REVIEWER: CS MC	A 5420 ME 26-JUL-91	ME
L MIL-C-52299D	CLAMP ASSEMBLY, TRESTLE BRACING REVIEWER: MC	A 5420 ME 04-NOV-91	ME
L MIL-S-52300D	SHOE ASSEMBLY, TRESTLE REVIEWER: MC	A 5420 ME 25-SEP-91	ME
A L MIL-B-52301D	BRACKET ASSEMBLY, CHAIN HOIST SUPPORT REVIEWER: CS MC	A 5420 ME 14-OCT-92	ME
A L MIL-S-52302D	STRUT, BRACING, TRESTLE REVIEWER: CS MC	A 5420 ME 18-JUN-92	ME
A L MIL-P-52307B	PLOTTER, RECTANGULAR COORDINATES: (COORDINATOGRAPH) REVIEWER: GS	A 6675 ME 03-SEP-92	ME 99
DQ MIL-F-52308B	FILTER ELEMENT, FLUID PRESSURE USER: MC REVIEWER: AS CS	A 4330 84 08-SEP-87	ME YD1 99
L MIL-L-52325D	LAUNCHER, TRANSPORTER, BRIDGE, M48A5 OR M60A1 TANK CHASSIS REVIEWER: CS	A 5420 ME 14-MAR-88	ME
L MIL-C-52326B	CRANE, CRANLER MOUNTED, 60 TON AT 25 FOOT RADIUS, DIESEL ENGINE DRIVEN [VALIDATION DATE: 8205] REVIEWER: CS	A 3810 ME 04-APR-74	ME
D MIL-P-52327C	PUMPS, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN, POSITIVE PRIME, PETROLEUM PRODUCTS, AIRFIELD DEFUELING AND RECEIVING USER: CE ER REVIEWER: AV CS	A 4320 ME 14-SEP-90	ME YD1
D MIL-M-52329C	MIXING PLANT, ASPHALT, CONTINUOUS MIX, DIESEL ENGINE DRIVEN, PORTABLE, 100-150 TONS PER HOUR CAPACITY [VALIDATION DATE: 8201]	A 3895 ME 08-OCT-68	ME YD1
L MIL-S-52330D	SHOP EQUIPMENT, ELECTRICAL REPAIR, SEMITRAILER MOUNTED REVIEWER: CS EL	A 4940 AL 13-JAN-89	AL
L MIL-T-52332B	TOOL, HORIZONTAL CONNECTING: ERECTION EQUIPMENT FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 REVIEWER: CS	A 5420 ME 25-SEP-91	ME
D MIL-S-52333B	SLEEVE, FILTER ELEMENT, WATER PURIFICATION UNITS USER: CG REVIEWER: 84 CS MC MD MS	A 4610 ME 04-JAN-84	ME YD1 99
L MIL-S-52339C(3)	SHOP EQUIPMENT, WOODWORKING TRAILER MOUNTED	A 3220 ME 09-MAR-89	ME
L MIL-T-52340B	TOOL, VERTICAL CONNECTING: ERECTION EQUIPMENT FOR BRIDGE, FLOATING, PNEUMATIC FLOAT, CLASS 60 REVIEWER: CS	A 5420 ME 09-SEP-91	ME
L MIL-S-52342C	SLING ASSEMBLY: FLAKING BOX, LIFTING REVIEWER: CS	A 3835 ME 09-MAY-90	ME
L MIL-R-52343C	REPAIR KIT, HOSELINE REVIEWER: CS SM	A 3835 ME 12-SEP-88	ME
L MIL-F-52345C	FLOW CONTROL KIT, HOSELINE REVIEWER: CS	A 3835 ME 04-AUG-89	ME
L MIL-G-52346C	GUARD, ROADWAY CROSSING REVIEWER: CS	A 3835 ME 08-AUG-88	ME
L MIL-S-52347C	SUSPENSION KIT, HOSELINE REVIEWER: CS	A 3835 ME 23-JAN-89	ME
L MIL-P-52348C	PACKING KIT, HOSELINE REVIEWER: CS	A 3835 ME 26-JUL-89	ME
L MIL-R-52349C	DISPLACEMENT AND EVACUATION KIT, HOSELINE REVIEWER: CS	A 3835 ME 22-AUG-89	ME
L MIL-R-52351A(1)	REFLECTOR, LIGHT, PARABOLIC, 30 INCH DIAMETER FOR AM/TVS-3 [VALIDATION DATE: 8504] USER: MD REVIEWER: AT MI	A 5855 CR 08-APR-74	CR
L MIL-I-52358B	INVERTER ASSEMBLY FOR LIGHT SET, MARKER, LANDING & DROP ZONE	A 6230 ME 06-JAN-83	ME
L MIL-S-52362D	SURVEYING SET, GENERAL-PURPOSE: FOR PLANIMETRIC CONSTRUCTION AND TOPOGRAPHIC SURVEYS, PACKAGING OF [VALIDATION DATE: 8908] USER: MC REVIEWER: GS SM	A 6675 ME 04-AUG-89	ME



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification	Document Number	Document Title	Dist. Smt. FSC / Arms MCA Symbol	Preparing Acty. Date	Custodians			
					Army	Navy	Air Force	DLA
L	MIL-A-52363C	AIR CLEANERS, INTAKE: DRY-TYPE (FOR INTERNAL-COMBUSTION ENGINE) USER: AS AT MC REVIEWER: CS	A 2940	ME 23-SEP-91	ME			
L	MIL-H-52364B(1)	HAMMER, ELECTRIC, PORTABLE, HAND (VALIDATION DATE: 8205) USER: EL GL	A 5130	ME 31-AUG-77	ME			
D	MIL-S-52365B	SURVEYING SET, ARTILLERY-FIRE-CONTROL: FOURTH-ORDER, PACKAGING OF (VALIDATION DATE: 8908) REVIEWER: GS SM	A 6675	ME 04-AUG-89	ME	YD1		
L	MIL-L-52366C	LOAD BANK, AC, 0-330M, RESISTIVE REVIEWER: GS	A 6115	CR 21-MAR-84	CR			
L	MIL-B-52371A	BINOCULARS, ELECTRONIC AM/PAS-S REVIEWER: AR AV ME	A 5855	CR 05-OCT-90	CR			
D	MIL-H-52372B(1)	MEASURES, DRY CHEMICAL, WATER PURIFICATION USER: MC YD1 REVIEWER: CS	A 4610	ME 09-JUN-87	ME			99
L	MIL-O-52374C	OSCILLATOR: HIGH VOLTAGE USER: OS	A 5855	CR 05-OCT-90	CR			
L	MIL-S-52377D	SHOP EQUIPMENT, ELECTRONIC REPAIR, SEMITRAILER MOUNTED REVIEWER: CS	A 4940	AL 22-JUN-90	AL			
L	MIL-L-52385D	LOADER, SCOOP TYPE, DED, 4 X 4 ARTICULATED FRAME STEER, 2-1/2 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT USER: AT CL REVIEWER: CS	A 3805	ME 18-SEP-89	ME			
L	MIL-B-52390A	BIT, AUGER, SHIP, WITH SCREW POINT (VALIDATION DATE: 8112) USER: EL MC REVIEWER: GL	A 5133	CR 02-DEC-75	ME			99
L	MIL-F-52393A	FILTER KIT, INFRARED, FOR GENERAL PURPOSE VEHICLES	A 5855	CR 05-OCT-90	CR			
L	MIL-E-52395A	ENGINE, DIESEL, 6 CYLINDER, V TYPE, 300 HP TURBO SUPERCHARGED (VALIDATION DATE: 8308) REVIEWER: CS	A 2815	AT 10-MAR-76	AT			
A	MIL-T-52402D	TOOL OUTFIT, PIONEER, PORTABLE ELECTRIC AND HYDRAULIC POWERED TOOLS, TRAILER MOUNTED USER: GL	A 5180	ME 12-JUN-92	ME			
D	MIL-C-52404B(1)	CONNECTION: HOSE, FIRE AND WATER USER: CG MC SH REVIEWER: 84 CS	A 4210	ME 09-JUN-87	ME	YD1	99	
D	MIL-P-52405C	PUMPS, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN (FOR WATER) USER: YD1 REVIEWER: CS GL MD	A 4320	ME 22-OCT-90	ME			
L	MIL-S-52408C	SPREADER, SLING: TELESCOPIC, VEHICLE LIFTING, 10 TON CAPACITY	A 3940	ME 19-DEC-89	ME			
L	MIL-L-52413B	LIFE PRESERVER, YOKE: ORAL INFLATION, TRAPPED AIR TYPE, DESIGN 9008 USER: AT REVIEWER: CS	A 4220	ME 09-MAY-90	ME			
L	MIL-A-52424B	AIR CONDITIONER, WALL OR BASE MOUNTED, SELF CONTAINED, MULTIPACKAGE, STANDARD WEIGHT, AIR COOLED, 6,000 BTU/HM REVIEWER: GS	A 4120	ME 10-FEB-84	ME			
L	MIL-C-52425B	CHEST, ARMY STEVEDORING EQUIPMENT REVIEWER: AT GS	A 3990	ME 22-JUL-87	ME			
L	MIL-F-52429E	FILTER SEPARATOR, LIQUID FUEL, SKID MOUNTED, 15 GPM CAPACITY USER: AV REVIEWER: AS CS	A 4330	ME 13-AUG-82	ME			99
L	MIL-L-52430C	LIGHTS, SIGNAL, SURVEYING: 2-INCH AND 5-INCH REFLECTORS, BATTERY-POWERED, WITH CASES USER: MC REVIEWER: 82 GS	A 6675	ME 02-DEC-91	ME			99
D	MIL-S-52432A	SLING, MULTIPLE LEG (CHAIN) REVIEWER: IS MT	A 3940	ME 26-JUL-85	ME	YD1	99	
L	MIL-C-52434C	PRINTING PRESS, OFFSET, LITHOGRAPHIC (MOTOR DRIVEN, 24- BY 32-1/4-INCH MAXIMUM SHEET SIZE) REVIEWER: CR GL GS	A 3610	ME 30-JAN-92	ME			
L	MIL-A-52435D(1)	AIR CONDITIONER, BASE MOUNTED, AIR COOLED, 208 VOLT, 3 PHASE, 50- & 60- HERTZ, AC, SINGLE PACKAGE, 36,000 BTU/HM REVIEWER: GS	A 4120	ME 07-AUG-87	ME			
L	MIL-C-52437C	CHASSIS, TRAILER, SINGLE- AND MULTI-AXLE GENERAL SPECIFICATION FOR REVIEWER: 84 AT	A 2330	ME 18-OCT-83	ME			99
L	MIL-C-52437C(11)	CHASSIS, TRAILER, SINGLE- AND MULTI-AXLE GENERAL SPECIFICATION FOR REVIEWER: 84 AT	A 2330	ME 24-NOV-87	ME			99
L	MIL-C-52437/1	CHASSIS, TRAILER, SIZE 1 CCE	A 2330	ME 18-OCT-83	AT			99
L	MIL-C-52437/2	CHASSIS, TRAILER, SIZE 3, CCE	A 2330	AT 18-OCT-83	AT			99
L	MIL-C-52437/3	CHASSIS, TRAILER, SIZE 4, CCE	A 2330	AT 18-OCT-83	AT			99
L	MIL-C-52437/4	CHASSIS, TRAILER, SIZE 6, CCE	A 2330	AT 18-OCT-83	AT			99
L	MIL-C-52437/5	CHASSIS, TRAILER, SIZE 8, CCE	A 2330	AT 18-OCT-83	AT			99
L	MIL-C-52437/6	CHASSIS, TRAILER, SIZE 9, MILITARY DESIGN	A 2330	AT 18-OCT-83	AT			99
L	MIL-C-52437/7	CHASSIS, TRAILER, SIZE 11, CCE	A 2330	AT 18-OCT-83	AT			99
L	MIL-C-52437/8	CHASSIS, TRAILER, SIZE 14, CCE	A 2330	AT 18-OCT-83	AT			99
L	MIL-C-52437/9	CHASSIS, TRAILER, SIZE 32, CCE REVIEWER: 84	A 2330	AT 18-OCT-83	AT			99
L	MIL-T-52438B	TRAINING AID, GRIDS, LARGE AND SMALL, MAP READING (VALIDATION DATE: 8411) USER: MC REVIEWER: NS	A 6910	ME 25-SEP-80	ME			
L	MIL-T-52439B	TRAINING AID, ELEVATION INDICATOR, MAP READING USER: MC	A 6910	ME 24-AUG-81	ME			
L	MIL-T-52440B	TRAINING AID COORDINATE INDICATOR, MAP READING (VALIDATION DATE: 8411) REVIEWER: NS	A 6910	ME 25-SEP-80	ME			
I	MIL-F-52443D	FILTER, INFRARED INTERFERENCE-ABSORPTION TYPE, FOR SEARCHLIGHT, INFRARED, 28-VOLT, 110-AMPERE REVIEWER: AT OS	A 5855	CR 05-OCT-90	CR	EC	84	
L	MIL-R-52446E	RADIATION SOURCE, INFRARED, 2.2 KW SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE (VALIDATION DATE: 8502) USER: MC REVIEWER: GS	A 6230	CR 21-JAN-76	CR	EC	99	
L	MIL-R-52447C	REFLECTOR, PARABOLIC, 22-1/2 INCH, FOR SEARCHLIGHT, INFRARED, 28 VOLT, 110 AMPERE (VALIDATION DATE: 8502) USER: MC REVIEWER: GS	A 6230	CR 26-JAN-76	CR	EC		
L	MIL-T-52452B	TRAINING AID, MODEL COMPASSES, PLANE SURFACE & LENSATIC	A 6910	ME 24-AUG-81	ME			
L	MIL-R-52453C	ROLLER, MOTORIZED, PNEUMATIC TIRED, AIRMOBILE, 9 WHEEL	A 3895	ME 31-MAY-83	ME			
L	MIL-V-52456A	VALVE ASSEMBLY, PNEUMATIC FLOAT REPAIR, MECHANICAL TYPE (VALIDATION DATE: 8402) REVIEWER: CS MC	A 5420	ME 13-APR-73	ME			
L	MIL-P-52457B(1)	PANEL, DISTRIBUTION, BATTERY CHARGING (VALIDATION DATE: 8501) REVIEWER: GS CRUSHING AND SCREENING PLANT, TWO-UNIT, GASOLINE-ENGINE-DRIVEN, SEMITRAILER-MOUNTED, 35-TON-PER-HOUR CAPACITY (VALIDATION DATE: 7303)	A 6130	ME 11-JUL-79	ME			
L	MIL-C-52460A	CRUSHING AND SCREENING PLANT, TWO-UNIT, DIESEL-ENGINE-DRIVEN, SEMITRAILER-MOUNTED, 35-TON-PER-HOUR CAPACITY (USED IN LIEU OF MIL-C-52460A)	A 3820	BA 07-OCT-66	ME			99
L	MIL-C-0052460B	CRUSHING AND SCREENING PLANT, TWO-UNIT, DIESEL-ENGINE-DRIVEN, SEMITRAILER-MOUNTED, 35-TON-PER-HOUR CAPACITY (USED IN LIEU OF MIL-C-52460A)	A 3820	BA 17-OCT-67	ME			84
L	MIL-D-52462A	DRIVER, DECK PIN	A 5420	ME 08-OCT-91	ME			
L	MIL-T-52463A	TOOL, ALINING, DECK (VALIDATION DATE: 8402) REVIEWER: CS	A 5420	ME 07-SEP-71	ME			
L	MIL-C-52464C	CYLINDER ASSEMBLIES, ACTUATING, LINEAR: HYDRAULIC, FOR BRIDGE AND BRIDGE LAUNCHER REVIEWER: AT	A 5420	ME 06-APR-92	ME			
L	MIL-T-52465B	TRAINING AID, MAP ASSEMBLY, FOLDING PANEL (VALIDATION DATE: 8411) USER: MC	A 6910	ME 25-SEP-80	ME			
L	MIL-B-52467C	BAR, CARRYING: LIGHT TACTICAL BRIDGE REVIEWER: CS	A 5420	ME 28-NOV-88	ME			
L	MIL-A-52470	AUGER, EARTH, TRUCK MOUNTED, 36 INCH DIAMETER HOLE, 60 FOOT MAXIMUM DEPTH (VALIDATION DATE: 8201)	A 3820	ME 01-NOV-65	ME			
QL	MIL-H-52471D	HOSE & HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE, GENERAL SPECIFICATION FOR USER: AR REVIEWER: 82 CS GL	A 4720	AT 31-JUL-87	AT			99
L	MIL-H-52471/1A	HOSE ASSEMBLY, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R1 USER: 99 AR REVIEWER: CS GL	A 4720	AT 31-JUL-87	AT			
L	MIL-H-52471/2A	HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R2 USER: 99 AR SH REVIEWER: CS GL	A 4720	AT 31-JUL-87	AT			
L	MIL-H-52471/3A	HOSE ASSEMBLY, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R10 USER: 99 SH REVIEWER: AR CS GL	A 4720	AT 31-JUL-87	AT			
L	MIL-H-52471/4A	HOSE, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R1 SINGLE WIRE BRAID REINFORCEMENT HOSE USER: 99 AR SH REVIEWER: CS GL	A 4720	AT 31-JUL-87	AT			
L	MIL-H-52471/5A	HOSE, RUBBER, HYDRAULIC PRESSURE TYPE, TYPE 100R2 DOUBLE WIRE BRAID REINFORCEMENT HOSE USER: 99 AR SH REVIEWER: CS GL	A 4720	AT 31-JUL-87	AT			
L	MIL-H-52471/6A	HOSE, RUBBER, HYDRAULIC PRESSURE TYPE: TYPE 100R10 FOUR SPIRAL WRAP REINFORCEMENT HOSE (INACTIVE FOR NEW DESIGN - USE MIL-H-52471/7) USER: AR REVIEWER: 82 CS GL	A 4720	AT 31-JUL-87	AT			99
L	MIL-H-52471/7	HOSE, RUBBER, HYDRAULIC PRESSURE TYPE: TYPE 100R2 FOUR SPIRAL WRAP REINFORCEMENT HOSE USER: AR REVIEWER: 82 CS GL	A 4720	AT 31-JUL-87	AT			99
L	MIL-H-52471/8	HOSE ASSEMBLIES, RUBBER, HYDRAULIC PRESSURE TYPE: TYPE 100R2 USER: AR REVIEWER: 82 CS GL	A 4720	AT 30-SEP-87	AT			99
L	MIL-H-52471/9	HOSE, RUBBER, HYDRAULIC PRESSURE TYPE: TYPE 100R12 FOUR SPIRAL WRAP REINFORCEMENT HOSE USER: AR REVIEWER: 82 CS GL	A 4720	AT 31-JUL-87	AT			99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cn / CnM Coordinate Inactive Document Number	Document Title	Dist. Smt. FSC / Ams MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-H-52471/10	HOSE ASSEMBLIES, RUBBER: HYDRAULIC PRESSURE TYPE: TYPE 100R12 USER: AR REVIEWER: 82 CS GL	A 4720	AT 30-SEP-87	AT			99
L MIL-B-52472C	BAG, SAND, POLYPROPYLENE USER: CE REVIEWER: 84 GS MC MD ME	A 8105	GL 08-SEP-87	GL			99
L MIL-B-52472C(11)	BAGS, SAND, POLYPROPYLENE	A 8105	GL 12-DEC-90	GL			
L MIL-C-52477D	COMPRESSOR UNIT, RECIPROCATING, GASOLINE ENGINE DRIVEN, AIR, 4 CFM, 0 TO 3,500 PSIG, WHEEL MOUNTED REVIEWER: AV	A 4310	ME 07-FEB-83	ME			
L MIL-G-52483B(1)	GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 10 KW, 60 HERTZ, PU-619/M	A 6115	ME 02-MAR-88	ME			11
L MIL-G-52484B	REVIEWER: GS GRADER, ROAD, MOTORIZED, AIR DROPPABLE & HELICOPTER TRANSPORTABLE, DIESEL ENGINE DRIVEN REVIEWER: CS	A 3805	ME 01-OCT-80	ME			
L MIL-T-52485B	TRAINING AID, MODEL, TERRAIN, CONTOUR HILL, ELONGATED MAP READING	A 6910	ME 04-AUG-81	ME			
L MIL-T-52486B	TRAINING AID, PANEL SETS, GRID NUMERAL, LARGE AND SMALL, MAP READING [VALIDATION DATE: 8411] USER: MC REVIEWER: 99	A 6910	ME 25-SEP-80	ME			
L MIL-I-52487B(1)	INDICATOR, AIR CLEANER, INTAKE, RESTRICTION MECHANICAL TYPE REVIEWER: AT CS	A 2940	ME 03-FEB-86	ME			
L MIL-B-52489E	BARBED TAPE, CONCERTINA USER: CS	A 5660	ME 26-MAR-87	ME			
D MIL-W-52492D	WATER PURIFICATION UNIT, ELECTRIC MOTOR DRIVEN, ERDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, BASE MOUNTED, 3,000 GPM [VALIDATION DATE: 8601] REVIEWER: EL MD	A 4610	ME 01-MAY-80	ME	YD1		99
L MIL-G-52495B	GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 5 KW, 60 HERTZ, PU-618/M	A 6115	ME 15-SEP-86	ME			
L MIL-L-52496B	NOTICE 1 [VALIDATION DATE: 8609] REVIEWER: GS LOADER, SCOOP TYPE, RUBBER TIRE, DIESEL ENGINE DRIVEN, AIR DROPPABLE & HELICOPTER TRANSPORTABLE REVIEWER: CS	A 3805	ME 01-OCT-80	ME			
L MIL-T-52497A	TRANSFORMER, POWER, ISOLATION, SERIES CIRCUIT AIRPORT LIGHTING, 6.6/6.6 AMPRES [VALIDATION DATE: 8205] REVIEWER: ES MI	A 5950	ME 12-SEP-72	ME			
L MIL-R-52499C	ROLLER, TOWED, SMOOTH DRUM, VIBRATORY, AIRMOBILE, SINGLE DRUM USER: EL	A 3895	ME 08-FEB-83	ME			
L MIL-K-0052499D	ROLLERS, TOWED, SMOOTH DRUM, VIBRATORY, AIRBORNE/AIRMOBILE, SINGLE-DRUM REVIEWER: MT	A 3895	ME 31-MAR-86	ME			
L MIL-T-52501B	TRAINING AID, SCALE, COORDINATE USER: MC	A 6910	ME 25-AUG-81	ME			
L MIL-T-52502B	TRAINING AID, PANELS, DECLINATION DIAGRAM AND GRAPHIC SCALE, MAP READING [VALIDATION DATE: 8411]	A 6910	ME 25-SEP-80	ME	MC		
L MIL-T-52503B	TRAINING AID, CONE, COLLAPSIBLE, FIBER USER: MC	A 6910	ME 25-AUG-81	ME			
L MIL-T-52504B	TRAINING AID, PANEL, GRID REFERENCE BOX [VALIDATION DATE: 8411]	A 6910	ME 25-SEP-80	ME			
A L MIL-S-52506D	SEALS, SHAFT, MECHANICAL, LOW-PRESSURE TYPE, SELF-LUBRICATING: FOR GENERAL-PURPOSE CENTRIFUGAL PUMPS REVIEWER: CS	A 4320	ME 30-JUL-92	ME			
L MIL-R-52507C	RAILWAY CAR, TANK, SULFURIC ACID, DOT-111A100-W-2 13,350 GALLON, 8 WHEEL, DOMESTIC SERVICE	A 2220	ME 03-AUG-82	ME			
L MIL-I-52509C	TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN, SECTIONALIZED & NON SECTIONALIZED	A 2410	ME 01-OCT-80	ME			
L MIL-T-52510C	TRACTOR, FULL TRACKED, LOW SPEED, DIESEL ENGINE DRIVEN, AIR DROPPABLE & HELICOPTER TRANSPORTABLE	A 2410	ME 01-OCT-80	ME			
L MIL-T-52518B	TRAINING AID, SCALE, DECLINATION, MAP READING USER: MC	A 6910	ME 25-AUG-81	ME			
L MIL-G-52524C	GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 3 KW, 60 HERTZ, PU-617/M REVIEWER: GS	A 6115	ME 05-MAY-85	ME			
OL MIL-F-52525D	FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, GENERAL SPECIFICATION FOR USER: 99 REVIEWER: CS GL	A 4730	AT 14-APR-82	AT			
L MIL-F-52525/1A	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP-HALVES FIELD ATTACHABLE (REUSABLE), SCREW-ON TO 37 DEGREE FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R2 FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: GL GS	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/2A	FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REFUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE B, FOR USE WITH TYPE 100R2 FOR DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/3A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/4A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, LONG DROP, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/5A	FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/6A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/7A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, SHORT DROP, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/8A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, LONG DROP, TYPE A, FOR USE WITH TYPE 100R1 SINGLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL GS	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/9A	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES: FIELD ATTACHABLE (REUSABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, TYPE 100R10, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE USER: 99 AR REVIEWER: CS GL	A 4730	ME 30-JUN-87	ME			
L MIL-F-52525/10A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, STRAIGHT, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/11A	FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 45 DEG. BENT TUBE, TYPE B, FOR USE WITH TYPE 100R2 WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/12A	FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 90 DEG. BENT TUBE, TYPE B, FOR USE WITH TYPE 100R2 DOUBLE WIRE BRAID HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/13A	FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, STRAIGHT, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/14A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 45 DEG. BENT TUBE, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/15A	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, FIELD ATTACHABLE (REUSABLE), SCREW ON TO 4 BOLT SPLIT FLANGE, 90 DEG. BENT TUBE, TYPE C, FOR USE WITH TYPE 100R10 4 SPIRAL WRAP HOSE USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/16B	FITTING, WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES, CLAMP HALVES FOR 4 BOLT SPLIT FLANGE FITTING USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			
L MIL-F-52525/17A	FITTING, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP HALVES, FLANGE TO PORT CONNECTIONS FOR 4 BOLT SPLIT FLANGE TYPE FITTINGS USER: 99 AR REVIEWER: CS GL	A 4730	AT 30-JUN-87	AT			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active ON / Off Coordination Machine	Document Number	Document Title	Dist. Smt. FDC / Area	MCA Symbol	Preparing Act. Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-F-52525/23A	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, TYPE C, ADAPTER, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE USER: 99 REVIEWER: CS	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/24A	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 45 DEG. BENT TUBE, TYPE C, ELBOW, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE USER: 99 REVIEWER: CS	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/25A	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE AND CLAMP-HALVES FIELD ATTACHABLE (REUSEABLE), CLAMP-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, SHORT DROP, TYPE C, ELBOW, FOR USE WITH TYPE 100R10 4-SPIRAL WRAP HOSE USER: 99 REVIEWER: CS	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/31	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, FOR USE WITH TYPE 100R1 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 REVIEWER: CS GL	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/34	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, STRAIGHT, FOR WITH TYPE 100R1 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/35	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, 45 DEG. BENT T, FOR USE WITH TYPE 10E FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 REVIEWER: CS GL	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/36	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLFLANGE, 90 DEG. BENT T, FOR USE WITH 100R1 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 REVIEWER: CS GL	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/37	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, STRAIGHT, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/38	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 45 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/39	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 37 DEG. FLARE FEMALE SWIVEL, 90 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE	A 4730	AT	30-JUN-87	AT			
L	MIL-F-52525/40	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLIT-FLANGE, STRAIGHT, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL	A 4730	ME	30-JUN-87	AT			
L	MIL-F-52525/42	FITTINGS, WIRE REINFORCED HYDRAULIC HOSE & CLAMP- HALVES: FIELD ATTACHABLE (REUSEABLE), SCREW-ON TO 4-BOLT SPLIT-FLANGE, 90 DEG. BENT TUBE, FOR USE WITH TYPE 100R12 FOUR-SPIRAL-WRAP REINFORCEMENT HOSE USER: 99 SH REVIEWER: CS GL	A 4730	AT	30-JUN-87	AT			
L	MIL-T-525308	TRAINING AID, TAPE, MAGNETIC NORTH LINE (VALIDATION DATE: 8411) USER: MC ..	A 6910	ME	25-SEP-80	ME			
L	MIL-T-525328	TRAINING AID, PROTRACTORS, CIRCULAR (LARGE AND SMALL) MAP READING REVIEWER: NS	A 6910	ME	05-AUG-81	ME			
L	MIL-T-525348	TRAINING AID, FLASH CARD SET, MAP READING (VALIDATION DATE: 8411) USER: MC	A 6910	ME	25-SEP-80	ME			
L	MIL-G-52537C	GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 10 KW, 400 HERTZ, PU-3758/G (VALIDATION DATE: 8609) REVIEWER: GS	A 6115	ME	15-SEP-86	ME			
D	MIL-L-525430(1)	NOTICE 1 LIGHT, MARKER, GROUND-OBSTRUCTION USER: AV YD1 REVIEWER: GS .....	A 6230	ME	30-OCT-90	ME	AS		
L	MIL-L-52548A	SURVEYING SET, TRIANGULATION: PRINCIPAL OBSERVER AND SIGNAL TENDER, PACKAGING OF (VALIDATION DATE: 8908) USER: SH REVIEWER: GS	A 6675	ME	04-AUG-89	ME			
L	MIL-G-52552B	NOTICE 1 GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 10 KW, 400 HERTZ, PU-656/G (VALIDATION DATE: 8707) REVIEWER: GS	A 6115	ME	21-JUL-87	ME			
L	MIL-F-52553B	FITTINGS, WIRE ROPE .....	A 4030	ME	08-APR-92	ME			
D	MIL-P-52554B	NOTICE 2 PRE'S, HYDRAULIC, PORTABLE, WITH DIES FOR SWAGING, 500-TON, GASOLINE-ENGINE-DRIVEN REVIEWER: GS ME	A 3442	YD1	28-JAN-89	YD1			
L	MIL-F-52556G	FILTER-SEPARATOR, LIQUID FUEL: FRAME MOUNTED, 100 GPM CAPACITY USER: AT AV MC REVIEWER: 84	A 4330	ME	22-OCT-91	ME	AS	99	
L	MIL-G-52557C	GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 5 KW, 60 HERTZ, PU-620/M REVIEWER: GS	A 6115	ME	19-AUG-85	ME			
L	MIL-A-52560C	AIR CONDITIONER, TRAILER MOUNTED, ELECTRIC MOTOR DRIVEN 18,000 BTU/HR .....	A 4120	ME	08-APR-82	ME			
A	MIL-F-52569C	FOOTWALK ASSEMBLY: ALUMINUM, FOR BRIDGE, BAILEY .....	A 5420	ME	26-OCT-92	ME			
D	MIL-C-52570	CUTTING EDGE, SCRAPER (VALIDATION DATE: 8205) USER: CE MC YD1 REVIEWER: CS	A 3805	ME	14-APR-67	ME	99		
L	MIL-T-52585B	TESTER, HYDRAULIC SYSTEMS, PORTABLE .....	A 4910	AL	31-MAY-88	AL			
L	MIL-F-52594A	FLOODLIGHT SET, ELECTRIC, PACKAGING OF (VALIDATION DATE: 8909) REVIEWER: GS SH	A 6660	ME	08-SEP-89	ME			
D	MIL-B-52598B	BAG, SAND, ACRYLIC (VALIDATION DATE: 8602) USER: MC REVIEWER: YD1 .....	A 8105	GL	03-DEC-69	GL	SA	69	
L	MIL-B-52598B(11)	BAGS, SAND: ACRYLIC .....	A 8105	GL	12-DEC-90	GL			
D	MIL-M-52599B	MEMBRANE SURFACING: RUNWAYS, TAXIWAYS, HELIPADS AND SPLICING REVIEWER: 84 CE	A 5680	ME	14-MAY-92	ME	YD1	99	
L	MIL-M-52612A	MATS, LANDING, ALUMINUM MEDIUM DUTY XM19 .....	A 5680	ME	14-MAY-87	ME			
L	MIL-F-52618D	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND: GENERAL SPECIFICATION FOR USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/1C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE ELBOWS, TEES, CROSSES, 45-DEGREE ELBOWS AND COUPLINGS (STRAIGHT SIZES) USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/2C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND REDUCERS AND CLOSE AND OPEN PATTERN RETURN BENDS USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/3C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE ELBOW (REDUCING SIZES) REVIEWER: CE CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/4C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND TEES (REDUCING SIZES) USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/5C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND 90-DEGREE AND 45-DEGREE STREET ELBOWS REVIEWER: CE CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/6C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CAPS USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/7C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND SQUARE HEAD AND SQUARE SOCKET PLUGS USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/8C	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND OUTSIDE HEAD, INSIDE HEAD, AND FACE BUSHINGS USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-F-52618/9A	FITTINGS, PIPE, ALUMINUM-ALLOY (THREADED) 150-POUND CROSSES (REDUCING SIZES) USER: CE REVIEWER: CS	A 4730	ME	29-JUN-90	ME			
L	MIL-M-52624B	WATER PURIFICATION UNIT, AND WATER PURIFICATION EQUIPMENT SET, 600 GPM: PACKAGING OF	A 6660	BA	24-AUG-88			99	
L	MIL-P-52632D(3)	NOTICE 1 POWER PLANT, UTILITY, MUST HOSPITAL SYSTEM (VALIDATION DATE: 8707) USER: MC REVIEWER: GS	A 6115	ME	21-JUL-87	ME			
L	MIL-T-52635A	TRUCK, STOCK SELECTOR, ELECTRONICALLY AND MANUALLY GUIDED, 1,000 POUND CAPACITY REVIEWER: CS	A 3930	ME	18-APR-79	ME	SA	99	
L	MIL-G-52636B(2)	GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED 3 KW, 60 HERTZ, PU-625/G REVIEWER: GS	A 6115	ME	04-SEP-86	ME			
L	MIL-F-52637A	FILTER AIDS, WATER PURIFICATION (VALIDATION DATE: 8402) USER: CE REVIEWER: GS MD	A 9390	ME	22-JUN-78	ME			
L	MIL-C-52640B	CRANE-SHOVEL, CRANLER MOUNTED, 12-1/2-TON AT 12-FOOT RADIUS, 3/4 CUBIC YARD, DIESEL-ENGINE-DRIVEN, FOR MILITARY OPERATIONS REVIEWER: CS	A 3810	ME	07-AUG-89	ME			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / Code Correlation Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-M-52641A	HEATER, ELECTRIC, 1,500 WATTS, 115 VOLTS, AC, WITH FAN (VALIDATION DATE: 8510) USER: CE REVIEWER: CS	A 4520	ME 18-APR-79	ME			
L MIL-G-52647	GENERATOR SET, DIESEL ENGINE, TRAINER MOUNTED, 60 KW, 400 HERTZ, PU-707/M (VALIDATION DATE: 8402) REVIEWER: GS	A 6115	ME 04-JUN-69	ME			
L MIL-C-52648C	CRANE SHOVEL, CRAWLER MOUNTED, 40 TON AT 12 FOOT RADIUS, 2 CUBIC YARD, DIESEL ENGINE DRIVEN REVIEWER: CS	A 3810	ME 30-NOV-81	ME			
A MIL-E-52649B	ENGINE COLD STARTING AIDS, ETHER FUEL PRIMERS REVIEWER: 82 AT CS	A 2910	ME 18-NOV-92	ME			99
L MIL-C-52661C	CONTAINERS, CARGO USER: GL REVIEWER: MT SM	A 8115	ME 23-FEB-89	ME			
L MIL-M-52663A	WATER PRETREATMENT DECONTAMINATION SET, CB AGENTS, PACKAGING OF REVIEWER: SM	A 4610	ME 07-OCT-75	ME			
L MIL-F-52666E	FILTER SEPARATOR, LIQUID FUEL, FRAME MOUNTED, 350 GPM CAPACITY USER: AT AV MC SM REVIEWER: 11	A 4330	BA 28-JUL-86	ME	AS	84	
L MIL-F-52667E(1)	FILTER-SEPARATORS, LIQUID FUEL: 50 GPM (189 LITERS) CAPACITY USER: AV REVIEWER: AT MD MR TE	A 4330	ME 29-JUN-87	ME			
D MIL-A-52679B	ANCHOR, SURFACING MEMBRANE: 12 INCH USER: MC REVIEWER: 84	A 5680	ME 30-SEP-92	ME	YD1	99	
L MIL-A-52685	ADHESIVE, BONDING, CHLOROPRENE, AIR FIELD MEMBRANE SURFACING (VALIDATION DATE: 8702)	A 5610	ME 13-FEB-87	ME			99
L MIL-B-52690A	BRACKET PUSHING, BOW ATTACHMENT, 12 TON PNEUMATIC HALF FLOAT REVIEWER: CS	A 5420	ME 08-JUL-87	ME			
L MIL-F-52694D	FILTER-SEPARATOR, LIQUID FUEL: FRAME MOUNTED, 600 GPM CAPACITY (2271 LITER PER MINUTE) USER: AV MC REVIEWER: 84 AT MR YD1	A 4330	ME 07-AUG-87	ME	AS	99	
L MIL-T-52698A	TRUCK, LIFT, FORK, TIERING, WALKIE, STRADDLE TYPE, ELECTRIC, 2,000- AND 2,500 POUNDS USER: MC SM REVIEWER: AT CS OS SM	A 3930	ME 14-MAR-86	ME	SA		
L MIL-I-52701B	INDICATOR SOLUTION, PH DETERMINATION (RANGE 3.0 TO 11.0) REVIEWER: AR GS MD	A 6810	ME 12-MAR-91	ME			
D MIL-C-52705A(1)	COUPLING, HOSE, STEAM REVIEWER: CS GL	A 4730	ME 16-NOV-84	ME	YD1	99	
A L MIL-B-52706A	BRIDGE, FLOATING: RAFT SECTION, LIGHT TACTICAL, SUPERSTRUCTURE COMPONENTS REVIEWER: CS	A 5420	ME 29-JUN-92	ME			
L MIL-C-52712B	CONVEYOR, BELT, PORTABLE, ELECTRIC CASTER MOUNTED	A 3910	ME 24-AUG-90	ME			
D L MIL-S-52713B(1)	SPREADER, LIFTING, ISO & INTERMODAL FREIGHT CONTAINERS REVIEWER: GS SM	A 3990	ME 05-NOV-85	ME	YD1		
A L MIL-E-52714C	EQUIPMENT, CABLE REINFORCEMENT, FOR PAMEL BRIDGE: M-2 (BAILEY TYPE) REVIEWER: CS	A 5420	ME 26-JUN-92	ME			
L MIL-E-52715C	ERECTION AND MAINTENANCE EQUIPMENT FOR CABLE REINFORCEMENT SET FOR PAMEL BRIDGE, M-2 (BAILEY TYPE) REVIEWER: CS	A 5420	ME 04-MAY-92	ME			
L MIL-C-52717D	COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION REVIEWER: 82 GS	A 4130	ME 23-FEB-87	ME			99
L MIL-R-52719	RAILWAY CAR, FLAT, DEPRESSURE CENTER 56 1/2 INCH GAGE, HEAVY DUTY, 140 TON, 12 WHEEL, DOMESTIC SERVICE (VALIDATION DATE: 8501)	A 2220	ME 05-OCT-71	ME			
L MIL-O-52724B	OILERS, HAND, PLASTIC REVIEWER: GS	A 4930	ME 10-JAN-90	ME			
L MIL-L-52731A	LOCOMOTIVE, DIESEL ELECTRIC, 56 1/2, 60, 63, OR 66 INCH GAGE, 70 TON, 0-4-4-0 WHEEL FOR DOMESTIC OR FOREIGN SERVICE (VALIDATION DATE: 8112)	A 2210	ME 27-JUN-77	ME			
D MIL-G-52732B	GENERATOR SETS, GASOLINE ENGINE DRIVEN, 0.5 KW THRU 10 KW, 60 HERTZ, 400 HERTZ & 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY)	A 6115	ME 27-SEP-85	ME	YD1	99	
D MIL-G-52732/1	GENERAL SPECIFICATION FOR REVIEWER: 80 ER GL GS						
D MIL-G-52732/2	GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 60 HERTZ, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: CR GL	A 6115	ME 09-NOV-92	ME	YD1		
D MIL-G-52732/3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 400 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: CR GL	A 6115	ME 09-NOV-92	ME	YD1		
D MIL-G-52732/3	GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 CR GL	A 6115	ME 09-NOV-92	ME	YD1		
D MIL-G-52732/4A	GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 60 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 ER GL	A 6115	ME 09-NOV-92	ME	YD1	99	
A MIL-G-52732/5	GENERATOR SET, GASOLINE ENGINE DRIVEN, 1.5 KW, 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: CR GL	A 6115	ME 09-NOV-92	ME		80	
D MIL-G-52732/6A	GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 60 HERTZ, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 ER GL GS	A 6115	ME 09-NOV-92	ME	YD1	99	
D MIL-G-52732/7	GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 400 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 CR GL	A 6115	ME 09-NOV-92	ME	YD1	99	
D MIL-G-52732/8	GENERATOR SET, GASOLINE ENGINE DRIVEN, 3 KW, 28 VOLT DIRECT CURRENT, TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 CR GL	A 6115	ME 09-NOV-92	ME	YD1	99	
D MIL-G-52732/9	GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 60 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 CR GL	A 6115	ME 09-NOV-92	ME	YD1	99	
D MIL-G-52732/10	GENERATOR SET, GASOLINE ENGINE DRIVEN, 5 KW, 400 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 CR GL	A 6115	ME 09-NOV-92	ME	YD1	99	
D MIL-G-52732/11	GENERATOR SET, GASOLINE ENGINE DRIVEN, 10 KW, 60 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 CR GL	A 6115	ME 09-NOV-92	ME	YD1	99	
D MIL-G-52732/12A	GENERATOR SET, GASOLINE ENGINE DRIVEN 10 KW, 400 HERTZ TYPE 1 (TACTICAL), CLASS 2 (UTILITY) (VALIDATION DATE: 9211) REVIEWER: 80 ER GL	A 6115	ME 09-NOV-92	ME	YD1	99	
L MIL-L-52733A	LABORATORY, AIRMOBILE, AVIATION FUEL	A 6640	ME 01-JUL-86	ME			
L MIL-B-52734C	BRIDGE, FLOATING: RIBBON, INTERIOR BAY AND RAMP BAY	A 5420	ME 21-AUG-91	ME			
L MIL-T-52735B	TRANSPORTER: MB12 CHASSIS, FOR RIBBON FLOATING BRIDGE	A 5420	ME 21-AUG-91	ME			
D MIL-M-52738B	MAT, LANDING: STEEL NON-PERFORATED (MBA1) REVIEWER: MC	A 5680	ME 22-JUN-92	ME	YD1		
L MIL-S-52744A(1)	SERVICE UNIT, REFRIGERATION SYSTEM (MUST)	A 4130	ME 22-SEP-81	ME			
L MIL-B-52745	BUILDING, PREFABRICATED, SECTIONAL, METAL, GENERAL PURPOSE (VALIDATION DATE: 8104)	A 5410	GL 19-DEC-72	GL			
L MIL-P-52746B(1)	PUMP ASSEMBLY, FLAMMABLE LIQUID, CENTRIFUGAL, SELF PRIMING, 2 INCH 100 GPM AT 100 FEET TOTAL DYNAMIC HEAD	A 4320	ME 19-NOV-86	ME			
L MIL-M-52747D(1)	NOZZLE ASSEMBLY, CLOSED-CIRCUIT REFUELING, STANDARD AND ARCTIC SERVICE REVIEWER: AV	A 4930	ME 02-APR-91	ME			
A L MIL-M-52748E	NOZZLE, ADAPTER, CLOSED-CIRCUIT TO GRAVITY FILL REVIEWER: AV	A 4930	ME 05-FEB-93	ME			
L MIL-F-52749C	FORWARD AREA REFUELING EQUIPMENT (FARE)	A 4930	ME 12-FEB-92	ME			
L MIL-B-52755	BUILDING, PREFABRICATED, SECTIONAL, METAL, TWO STORY, VARIABLE SPAN AND LENGTH (VALIDATION DATE: 8104) USER: CE	A 5410	GL 05-MAR-73	GL			
L MIL-R-52757B	RAILWAY CAR, TANK, PETROLEUM, 20,000 GALLON, 56 1/2 INCH GAGE 8 WHEEL, DOMESTIC SERVICE	A 2220	ME 18-FEB-86	ME			
L MIL-B-52761	BELTING, FLAT, CONVEYOR, RUBBER INDUSTRIAL SYNTHETIC REINFORCEMENT (VALIDATION DATE: 8510)	A 3030	ME 11-SEP-73	ME			
L MIL-C-52765E	CAMOUFLAGE SCREENING SUPPORT SYSTEMS	A 1080	ME 13-SEP-90	ME			
L MIL-A-52767D	AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT REVIEWER: 82 GS	A 4120	ME 08-FEB-89	ME			99
L MIL-R-52768(1)	RAILWAY CAR, FLAT, DEPRESSURE CENTER HEAVY DUTY, 150 TON, DOMESTIC SERVICE (VALIDATION DATE: 8501)	A 2220	ME 27-FEB-75	ME			
D MIL-M-52769	MEMBRANE, SURFACING, AIRFIELD, HEAVY DUTY (VALIDATION DATE: 8205) USER: AV MC REVIEWER: CE MD	A 5680	ME 27-DEC-73	ME	YD1	99	
L MIL-D-52776A	DETECTOR, ANTI INTRUSION, DT-509/GSQ (MAGID T-4) (VALIDATION DATE: 8502) REVIEWER: GS	A 6350	MC 19-JUL-76	ER	SM	99	
L MIL-D-52778A	DETECTOR, ANTI INTRUSION, DT-383/GSQ (AAU) (VALIDATION DATE: 8502) REVIEWER: GS	A 6350	MC 19-JUL-76	ME			
L MIL-M-52780	HOOK, ROPE, DECK (VALIDATION DATE: 8106)	A 4030	ME 27-FEB-74	ME			
L MIL-P-52783A	PAN, MIXING AND CLEANING (VALIDATION DATE: 8411) REVIEWER: GS	A 3610	ME 20-AUG-80	ME			
A L MIL-C-52788B	CONTAINER, REFRIGERATED: 8 FEET X 8 FEET X 20 FEET, INSULATED REVIEWER: GL SM	A 8115	ME 15-DEC-92	ME			
L MIL-S-52791A	STOOL, STRAIGHT (FOR SURVEYING EQUIPMENT) (VALIDATION DATE: 8411) USER: GL	A 7110	ME 04-JAN-80	ME			
L MIL-M-52793	MULTIMETER, BATTERY TESTING, 0 TO 35 AMP, 0 TO 10 VOLT (VALIDATION DATE: 8003)	A 6625	CR 21-MAR-74	CR			



## NUMERICAL LISTING MILITARY SPECIFICATIONS

334



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orl / Orl Coordination Package	Document Number	Document Title	Dist. Smt Fac / Area	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	Air Force	DIA
D	MIL-G-52884A(2)	GENERATOR SETS, DIESEL ENGINE DRIVEN, 15 THRU 200 KILOWATTS 50/60 AND 400 HERTZ, (TACTICAL) GENERAL SPECIFICATION FOR (VALIDATION DATE: 8205) REVIEWER: 80 GS MC	A 6115	ME	03-SEP-81	ME	YD1	99	
D	MIL-G-52884A(13)	GENERATOR SETS, DIESEL ENGINE DRIVEN, 15 THRU 200 KILOWATTS 50/60 AND 400 HERTZ, (TACTICAL) GENERAL SPECIFICATION FOR REVIEWER: 80 GS MC	A 6115	ME	03-SEP-85	ME	YD1	99	
D	MIL-G-52884/1A(1)	GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) REVIEWER: GS MC	A 6115	ME	09-JAN-86	ME	YD1	99	
D	MIL-G-52884/2A(1)	GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) REVIEWER: GS MC	A 6115	ME	13-JAN-86	ME	YD1	99	
D	MIL-G-52884/3A(1)	GENERATOR SET, DIESEL ENGINE DRIVEN, 15 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) REVIEWER: GS MC	A 6115	ME	23-JAN-86	ME	YD1	99	
D	MIL-G-52884/4A(1)	GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) REVIEWER: 80 GS MC	A 6115	ME	09-JAN-86	ME	YD1	99	
D	MIL-G-52884/5A(1)	GENERATOR SET, DIESEL ENGINE DRIVEN 30 KILOWATT, 50/60 HERTZ, UTILITY, (TACTICAL) REVIEWER: GS MC	A 6115	ME	23-JAN-86	ME	YD1	99	
D	MIL-G-52884/6A(1)	GENERATOR SET, DIESEL ENGINE DRIVEN, 30 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) REVIEWER: GS MC	A 6115	ME	23-JAN-86	ME	YD1	99	
D	MIL-G-52884/7A NOTICE 1	GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (VALIDATION DATE: 8611) REVIEWER: 80 GS MC	A 6115	ME	21-NOV-86	ME	YD1	99	
D	MIL-G-52884/8A NOTICE 2	GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) (VALIDATION DATE: 9211) REVIEWER: GS MC	A 6115	ME	04-NOV-92	ME	YD1	99	
D	MIL-G-52884/9A(1) NOTICE 1	GENERATOR SET, DIESEL ENGINE DRIVEN, 60 KILOWATT, 400 HERTZ, PRECISE (TACTICAL) (VALIDATION DATE: 9211) REVIEWER: GS MC	A 6115	ME	04-NOV-92	ME	YD1	99	
D	MIL-G-52884/10 NOTICE 1	GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (VALIDATION DATE: 9211) REVIEWER: 80 GS	A 6115	ME	16-NOV-92	ME	YD1	99	
D	MIL-G-52884/11 NOTICE 1	GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) (VALIDATION DATE: 9211) REVIEWER: 80	A 6115	ME	16-NOV-92	ME	YD1	99	
D	MIL-G-52884/12 NOTICE 1	GENERATOR SET, DIESEL ENGINE DRIVEN, 100 KILOWATT, 400 HERTZ, PRECISE, (TACTICAL) (VALIDATION DATE: 9211) REVIEWER: 80	A 6115	ME	16-NOV-92	ME	YD1	99	
D	MIL-G-52884/13(1) NOTICE 1	GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, PRECISE, (TACTICAL) (VALIDATION DATE: 9211) REVIEWER: 80	A 6115	ME	16-NOV-92	ME	YD1	99	
D	MIL-G-52884/14(1) NOTICE 1	GENERATOR SET, DIESEL ENGINE DRIVEN, 200 KILOWATT, 50/60 HERTZ, UTILITY (TACTICAL) (VALIDATION DATE: 9211) REVIEWER: 80 GS	A 6115	ME	16-NOV-92	ME	YD1	99	
D	MIL-G-52889C NOTICE 1	GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ AND 10 KW, 60 AND 400 HERTZ TACTICAL, UTILITY, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9211) USER: CG REVIEWER: GS MC	A 6115	ME	03-NOV-92	ME	YD1	99	
D	MIL-G-52889/1C NOTICE 2	GENERATOR SETS, DIESEL ENGINE DRIVEN, 5 KW, 60 HERTZ: TACTICAL, UTILITY (VALIDATION DATE: 9211) REVIEWER: GS MC	A 6115	ME	04-NOV-92	ME	YD1	99	
D	MIL-C-52889/2C NOTICE 2	GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 60 HERTZ: TACTICAL, UTILITY (VALIDATION DATE: 9211) USER: CG REVIEWER: GS MC	A 6115	ME	03-NOV-92	ME	YD1	99	
D	MIL-G-52889/3(1) NOTICE 1	GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 400 HERTZ: TACTICAL, UTILITY (VALIDATION DATE: 9211) USER: CG REVIEWER: GS MC	A 6115	ME	04-NOV-92	ME	YD1	99	
L	MIL-G-52889/3(11)	GENERATOR SETS, DIESEL ENGINE DRIVEN, 10 KW, 400 HERTZ: TACTICAL, UTILITY	A 6115	ME	16-AUG-85	ME			
QL	MIL-E-52891B	ENAMEL, LUSTERLESS, ZINC PHOSPHATE, STYRENEATED ALKYL TYPE REVIEWER: MR	A 8010	ME	28-JAN-88	ME			
L	MIL-T-52896B	TRUCK, CONCRETE, MOBILE MIXER, 8 CUBIC YARD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)	A 3895	ME	13-DEC-84	ME			
L	MIL-R-52899B	RAMP, LOADING VEHICLE REVIEWER: AT GS	A 3990	ME	08-JUL-86	ME			
L	MIL-T-52900A	TRUCK, DUMP, 20 TON, ON OFF ROAD MIN, 69,000 GOMR, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) (VALIDATION DATE: 8108) REVIEWER: CS MT	A 3805	ME	29-NOV-76	ME			
L	MIL-T-52901	TRUCK TRACTOR, ON OFF ROAD, ENGINEER MIN, 120,000 GOMR, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) (VALIDATION DATE: 8108) REVIEWER: CS	A 3805	ME	26-APR-76	ME			
L	MIL-P-52905 NOTICE 2	PAINT ARCTIC CAMOUFLAGE, REMOVABLE	A 8010	ME	07-JUL-76	ME			
L	MIL-L-52906	LOADER, SCOOP TYPE, DED, 4X4, ARTICULATED FRAME STEER, 4 1/2 TO 5 CU YD, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) (VALIDATION DATE: 8402) REVIEWER: CS	A 3805	ME	30-AUG-76	ME			
L	MIL-T-52907	TRACTOR, FULL TRACKED, LOW SPEED, DED, HEAVY DRAWBAR PULL, SIZE T-11 COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) (VALIDATION DATE: 8205)	A 2410	ME	23-AUG-76	ME			
L	MIL-T-52908(2)	TRACTOR, WHEELED, WITH BACKHOE, LOADER, HYDRAULIC IMPACT TOOL & HYDRAULIC EARTH AUGER ATTACHMENT, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT	A 2420	ME	14-FEB-78	ME			
L	MIL-P-52910B	PALLET, CARGO, FOR RIBBON BRIDGE TRANSPORTER REVIEWER: CS	A 5420	ME	11-MAY-88	ME			
L	MIL-C-52911	CRANE, TRUCK MOUNTED, HYDRAULIC, 25 TON COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) (VALIDATION DATE: 8205) REVIEWER: AT CS	A 3810	ME	27-SEP-76	ME			
D	MIL-C-52913A	CONTROL, ELECTRONIC ACCESS USER: MC SH	A 6350	YD1	19-JAN-89	ME	YD1	99	
L	MIL-T-52914B	TOOL OUTFIT, HYDRAULIC SYSTEMS TEST AND REPAIR, MOBILE REVIEWER: CS	A 4940	AL	04-MAY-90	AL			
L	MIL-R-52915A(2)	RECHARGE/SERVICE KIT, FIRE EXTINGUISHER, MONOBROMOTRIFLUOROMETHANE (CF3BR), SKID MOUNTED, ELECTRIC MOTOR DRIVEN	A 4210	ME	10-NOV-82	ME			
L	MIL-D-52916A	DISTRIBUTOR, BITUMINOUS MATERIAL, TRUCK MOUNTED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)	A 3895	ME	07-DEC-89	ME			
D	MIL-L-52918(1)	LEVELS, SURVEYING, SELF LEVELING & TILTING	A 6675	ME	05-JAN-81	ME	YD1	99	
L	MIL-F-52920(1)	FLOODLIGHT SET, TRAILER-MOUNTED REVIEWER: GS	A 6210	ME	04-OCT-91	ME			
L	MIL-C-52921A	CRUSHING, SCREENING AND WASHING PLANT, 150 TONS PER HOUR, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT	A 3820	BA	27-APR-89	99			
L	MIL-D-52923B	DISTRIBUTOR, WATER, SEMITRAILER MOUNTED, 6000 GALLON	A 3825	ME	13-MAR-85	ME			
L	MIL-G-52927A	GENERATOR SETS, GASOLINE ENGINE, TRAILER MOUNTED 3 KW, 28 VOLT DC, PU-666/C	A 6115	ME	09-MAY-85	ME			
L	MIL-T-52930B	TRUCK, LIFT, FORK, ELECTRIC, FRONT SIDE LOADER, SIT DOWN, 4000/2500 POUND CAPACITY (VALIDATION DATE: 8601) REVIEWER: AT CS MT SH	A 3930	ME	24-MAY-82	ME	SA		
L	MIL-T-52931D	TRACTOR, WHEELED, WAREHOUSE, INTERNAL, COMBUSTION ENGINE, PNEUMATIC-TIRED USER: OS SA SH REVIEWER: 84 AT CS MC MT SH	A 3930	ME	28-FEB-91	ME		99	
L	MIL-T-52932D SUPPL 1B1	TRUCKS, LIFT, FORK, INTERNAL COMBUSTION ENGINE, 2000-4000-6000 POUND CAPACITY, GENERAL SPECIFICATION FOR USER: OS SH REVIEWER: 84 AT CS MC MT SH	A 3930	ME	26-APR-91	ME	SA	99	
L	MIL-T-52932/1B	TRUCK, LIFT, FORK, SOLID TIRES 4000 POUND CAPACITY, 144 INCH LIFT USER: SH REVIEWER: CS MC MT SH	A 3930	ME	01-NOV-83	ME	SA	99	
L	MIL-T-52932/2B	TRUCK, LIFT, FORK, SOLID TIRES, 4000 POUND CAPACITY, 180 INCH LIFT USER: SH REVIEWER: CS MC MT SH	A 3930	ME	01-NOV-83	ME	SA	99	
L	MIL-T-52932/3B	TRUCK, LIFT, FORK, PNEUMATIC TIRES, 4000 POUND CAPACITY, 144 INCH LIFT	A 3930	ME	01-NOV-83	ME	SH	99	CS
L	MIL-T-52932/4B	TRUCK, LIFT, FORK, SOLID TIRES, 6000 POUND CAPACITY, 180 INCH LIFT USER: SH REVIEWER: CS MC MT SH	A 3930	ME	01-NOV-83	ME	SA	99	
L	MIL-T-52932/5B	TRUCK, LIFT, FORK, PNEUMATIC TIRES, 6000 POUND CAPACITY, 180 INCH LIFT USER: SH REVIEWER: MC MT SH	A 3930	ME	01-NOV-83	ME	SA	99	CS
L	MIL-T-52932/6	TRUCK, LIFT, FORK, SOLID TIRES, 2,000 POUND CAPACITY, 127 INCH LIFT USER: SH REVIEWER: 84 AT CS MC MT SH	A 3930	ME	08-MAY-85	ME	SA	99	
L	MIL-R-52934B	ROLLER, VIBRATORY, SELF-PROPELLED USER: AT MT	A 3895	ME	11-FEB-91	ME			
L	MIL-R-52939	REGULATOR, CURRENT, RUNWAY LIGHTING, 120 VOLT, 2 1/4 KW, AC (VALIDATION DATE: 8208)	A 6110	ME	08-NOV-77	ME			
D	MIL-A-52940C	AEROSOL GENERATOR, NON THERMAL, INSECTICIDE, ULTRA LOW VOLUME REVIEWER: 84 CG MC MS	A 3740	CS	01-NOV-87	MD	YD1	99	CS
L	MIL-T-52941B	TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN: PNEUMATIC-TIRED, ROUGH TERRAIN: 4,000 POUND CAPACITY AT 24-INCH LOAD CENTER USER: MC REVIEWER: 84 AT CS OS	A 3930	ME	22-AUG-88	ME	SA	99	
L	MIL-T-52942C	TRUCK, FIRE FIGHTING: PUMPER, 1000 GPM: LADDER/WATER TOWER COMBINATION	A 4210	ME	02-AUG-88	ME			
D	MIL-T-52943	TANK, FABRIC, COLLAPSIBLE, PILLON TYPE (FOR POTABLE WATER) REVIEWER: MD	A 5430	ME	18-JAN-78	ME	YD1		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OAL Coordinate Package	Document Number	Document Title	Doc. Symb. FSC / Area	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DIA
A L	MIL-C-529478	COAGULANT, WATER TREATMENT: POLYELECTROLYTE, CATIONIC, LIQUID REVIEWER: GS	A 6810	ME	11-AUG-86	ME				
L	MIL-T-52949	TANK, LIQUID, CARBON DIOXIDE, 40,000 LBS CAPACITY, SEMI TRAILER MOUNTED COMMERCIAL [VALIDATION DATE: 8302]	A 3655	ME	20-MAR-78	ME	99			
D	MIL-C-52950A(2)	CRATES, WOOD, OPEN AND COVERED USER: AR AT MC REVIEWER: CR EA GL SA SM ....	A 8115	YD1	27-NOV-91	ME	YD1	60		
L	MIL-T-52951	TRUCK, CONTAINER HANDLER, WITH TOP LIFT ATTACHMENTS, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, FOUR WHEEL DRIVEN, ARTICULATED FRAME STEER, ROUGH TERRAIN, 50,000 POUND CAPACITY AT 48 INCH LOAD CENTER	A 3930	ME	17-APR-78	ME				
	MIL-T-52952	TRUCK, HAND, PLATFORM, 3,000 POUND CAPACITY [VALIDATION DATE: 8302] REVIEWER: AT GS	A 3920	ME	05-JUN-78	ME				
	MIL-T-52953C	TRUCKS, LIFT, FORK, ELECTRIC MOTOR DRIVEN, 2000-3000-4000-6000 POUND CAPACITY GENERAL SPECIFICATION FOR REVIEWER: 84 AT CS MC MY SM	A 3930	ME	27-OCT-89	ME	SA	99		
	SUPPL 1B1	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 2000-POUND CAPACITY, 144-INCH LIFT REVIEWER: 84 AT CS MC MT SM	A 3930	ME	27-OCT-89	ME	SA	99		
	MIL-T-52953/1B	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4000-POUND CAPACITY, 144-INCH LIFT REVIEWER: 84 AT CS MC MT SM	A 3930	ME	27-OCT-89	ME	SA	99		
	MIL-T-52953/2B	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4000-POUND CAPACITY, 144-INCH LIFT REVIEWER: 84 AT CS MC MT SM	A 3930	ME	27-OCT-89	ME	SA	99		
	MIL-T-52953/3B	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 4000-POUND CAPACITY, 180-INCH LIFT REVIEWER: 84 AT CS MC MT SM	A 3930	ME	27-OCT-89	ME	SA	99		
	MIL-T-52953/4B	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 6000-POUND CAPACITY, 180-INCH LIFT REVIEWER: 84 AT CS MC MT SM	A 3930	ME	27-OCT-89	ME	SA	99		
	MIL-T-52953/5A	TRUCK, LIFT, FORK, ELECTRIC, SOLID TIRES, 3000-POUND CAPACITY, 130-INCH LIFT REVIEWER: 84 AT CS MC MT SM	A 3930	ME	27-OCT-89	ME	SA	99		
	MIL-T-52953/6A	TRUCK, LIFT, FORK, ELECTRIC, PNEUMATIC, 4000-POUND CAPACITY, 144-INCH LIFT REVIEWER: 84 AT CS MC MT SM	A 3930	ME	27-OCT-89	ME	SA	99		
L	MIL-T-52954	TAMPING MACHINES, RAILWAY, VIBRATOR TYPE, DIESEL ENGINE DRIVEN [VALIDATION DATE: 8301]	A 2230	ME	28-JUL-78	ME				
L	MIL-P-52955A(2)	POSITION AND AZIMUTH DETERMINING SYSTEM (PADS): AM/USQ-70 USER: AS MC REVIEWER: GS	A 6675	ME	23-NOV-87	ME				
	MIL-T-52956A	TEST SET, POSITION & AZIMUTH DETERMINING SYSTEM, AM/USM-427 USER: AS MC ...	A 6675	ME	19-JUL-84	ME	99			
L	MIL-T-52957A	TEST SET, POWER SUPPLY, FOR POSITION & AZIMUTH DETERMINING SYSTEM, AM/USM-428 USER: AS MC REVIEWER: GS	A 6675	ME	19-JUL-84	ME				
L	MIL-T-52958B(1)	TRUCK, FIRE, MINI-PUMPER, COMMERCIAL CHASSIS REVIEWER: CE	A 4210	ME	11-JAN-89	ME				
D	MIL-W-52960A	WATER PURIFICATION UNIT, REVERSE OSMOSIS, 600 GPM REVIEWER: MD YD1	A 4610	ME	12-DEC-84	ME	99			
L	MIL-W-52960A(12)	WATER PURIFICATION UNIT, REVERSE OSMOSIS, 60 GPM	A 4610	ME	18-SEP-87	ME				
L	MIL-C-52961A	CAMERA, COPYING, LITHOGRAPHIC, DARKROOM, MOBILE, PROCESS	A 3610	ME	02-APR-92	ME				
L	MIL-A-52963B	AIR CONDITIONER, SPLIT PACKAGE 208 VOLT, 3 PHASE, 400 HERTZ, AC, 18,000 BTU/HR COOLING, 30,000 BTU/HR HEATING	A 4120	ME	09-SEP-86	ME				
LI	MIL-T-52964	TOPOGRAPHIC SUPPORT SYSTEM (TSS): OPERATION, STORAGE AND RETRIEVAL, DISTRIBUTION, DRAFTING SUPPORT, COMPILATION, SURVEY, RECTIFIER I, RECTIFIER II, MOSAICKING/DRAFTING, COLLECTION, ANALYSIS, INFORMATION AND SYNTHESIS SECTIONS, SEMITRAILER MOUNTED, GENERAL SPECIFICATION FOR REVIEWER: TE	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/1	TOPOGRAPHIC SUPPORT SYSTEM (TSS): OPERATIONS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/2	TOPOGRAPHIC SUPPORT SYSTEM (TSS): STORAGE AND RETRIEVAL SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/3	TOPOGRAPHIC SUPPORT SYSTEM (TSS): DISTRIBUTION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/4	TOPOGRAPHIC SUPPORT SYSTEM (TSS): DRAFTING SUPPORT SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/5	TOPOGRAPHIC SUPPORT SYSTEM (TSS): COMPILATION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/6	TOPOGRAPHIC SUPPORT SYSTEM (TSS): SURVEY SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/7	TOPOGRAPHIC SUPPORT SYSTEM (TSS): RECTIFIER I SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/8	TOPOGRAPHIC SUPPORT SYSTEM (TSS): RECTIFIER II SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/9	TOPOGRAPHIC SUPPORT SYSTEM (TSS): MOSAICKING/DRAFTING SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/10	TOPOGRAPHIC SUPPORT SYSTEM (TSS): COLLECTION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/11	TOPOGRAPHIC SUPPORT SYSTEM (TSS): ANALYSIS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/12	TOPOGRAPHIC SUPPORT SYSTEM (TSS): INFORMATION SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52964/13	TOPOGRAPHIC SUPPORT SYSTEM (TSS): SYNTHESIS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52965	TOPOGRAPHIC SUPPORT SYSTEM (TSS): DIRECT SUPPORT SECTION, TRUCK MOUNTED ...	A 6675	ME	25-JAN-91	ME				
LI	MIL-T-52966(1)	TOPOGRAPHIC SUPPORT SYSTEM (TSS): CAMERA, PRESS, MAP LAYOUT, PLATE PROCESS, PHOTOMECHANICAL PROCESS, FINISHING, AND PAPER CONDITIONING SECTIONS, SEMITRAILER MOUNTED, GENERAL SPECIFICATION FOR REVIEWER: TE	A 3610	ME	25-JAN-91	ME				
LI	MIL-T-52966/1	TOPOGRAPHIC SUPPORT SYSTEM (TSS): CAMERA SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 3610	ME	25-JAN-91	ME				
LI	MIL-T-52966/2	TOPOGRAPHIC SUPPORT SYSTEM (TSS): PRESS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 3610	ME	25-JAN-91	ME				
LI	MIL-T-52966/3	TOPOGRAPHIC SUPPORT SYSTEM (TSS): MAP LAYOUT SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 3610	ME	25-JAN-91	ME				
LI	MIL-T-52966/4	TOPOGRAPHIC SUPPORT SYSTEM (TSS): PLATE PROCESS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 3610	ME	25-JAN-91	ME				
LI	MIL-T-52966/5	TOPOGRAPHIC SUPPORT SYSTEM (TSS): PHOTOMECHANICAL PROCESS SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 3610	ME	25-JAN-91	ME				
LI	MIL-T-52966/6	TOPOGRAPHIC SUPPORT SYSTEM (TSS): FINISHING SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 3610	ME	25-JAN-91	ME				
LI	MIL-T-52966/7	TOPOGRAPHIC SUPPORT SYSTEM (TSS): PAPER CONDITIONING SECTION, TOPOGRAPHIC SUPPORT SET, SEMITRAILER MOUNTED	A 3610	ME	25-JAN-91	ME				
L	MIL-C-52967	CRANE, TRUCK MOUNTED, CONTAINER HANDLING	A 3950	ME	29-MAY-79	ME				
L	MIL-R-52968D	RAILWAY CAR, FLAT, 56-1/2-INCH GAGE, HEAVY DUTY, 140-TON CAPACITY, DOMESTIC SERVICE REVIEWER: MT	A 2220	ME	22-NOV-88	ME				
L	MIL-W-52970C	HOSELINE OUTFIT, 4 INCH, FUEL HANDLING REVIEWER: CS	A 3835	ME	11-FEB-86	ME				
L	MIL-C-52972A	COMPRESSOR UNIT, 5 CFM, 3200 PSI, GASOLINE-ENGINE-DRIVEN, DIVING AIR	A 4310	ME	17-SEP-87	ME				
L	MIL-C-52973A	COMPRESSOR UNIT, 20 CFM, 3200 PSI, DIESEL-ENGINE-DRIVEN DIVING AIR	A 4310	ME	12-DEC-86	ME				
L	MIL-C-52974	CRANE, WHEEL MOUNTED, HYDRAULIC, LIGHT, 7-1/2 TON REVIEWER: AT CS	A 3810	ME	29-SEP-83	ME				
D	MIL-C-52980B	COMPRESSORS, RECIPROCATING AND ROTARY GASOLINE-ENGINE-DRIVEN, AIR REVIEWER: CS	A 4310	ME	29-JUL-88	ME	YD1			
LI	MIL-P-52981(1)	PLANIMETER, POLAR, COMPENSATING, WITH CASE	A 6675	ME	13-AUG-82	ME	99			
D L	MIL-T-52982	TAMPING MACHINES, RAILWAY, VIBRATOR TYPE, DIESEL ENGINE DRIVEN [VALIDATION DATE: 8501] REVIEWER: YD1	A 2230	ME	03-SEP-80	ME				
D	MIL-T-52983F	TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000, 20,000, AND 50,000 GALLON, FUEL REVIEWER: 82 CS MC	A 5430	ME	16-OCT-91	ME	YD1	99		
L	MIL-T-52984B	TRUCK, FIRE FIGHTING: BRUSH, 1200 GALLON WATER TANK, 6 X 6, COMMERCIAL CHASSIS USER: CE	A 4210	ME	12-SEP-88	ME				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR/ OMA Coordination Institute Document Number	Document Title	Dist Smt FSC / Ave MCA Symbol Procuring Agency Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-S-52986	SCRAPER, ELEVATING, SELF PROPELLED, 9 CUBIC YARD MINIMUM HEAPED CAPACITY, SECTIONALIZED & NON SECTIONALIZED USER: CE REVIEWER: AT CS	A 3805 ME 30-DEC-80	ME			
L MIL-D-52987A	DISTRIBUTOR, WATER, SELF-PROPELLED; MINIMUM 2500 GALLON, SECTIONALIZED AND NON-SECTIONALIZED USER: CE REVIEWER: AT	A 3825 ME 17-MAY-89	ME			
L MIL-C-52988A	CHAMBER, RECOMPRESSION, DIVERS, 100 PSI	A 4220 ME 06-NOV-87	ME			
L MIL-C-52989	CRANE, TRUCK MOUNTED, HYDRAULIC (VALIDATION DATE: 85011) REVIEWER: CS	A 3950 ME 23-FEB-81	ME			
A L MIL-T-52991A	TABLE, SCRIBING, TRACING, DRAFTING: FLIP TOP	A 6675 ME 18-AUG-92	ME			
L MIL-M-52992	HOSE & HOSE ASSEMBLIES, CHEMICAL (INDUSTRIAL AND FIRE FIGHTING)	A 4210 ME 02-APR-81	ME			
L MIL-G-52996A(1)	GRADER, HEAVY, ROAD, MOTORIZED, DED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: AT CS	A 3805 ME 25-OCT-89	ME			
L MIL-I-52997(2)	INSTALLATION FIXTURE KIT, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK-MOUNTED REVIEWER: 99	A 1095 ME 03-JUN-85	ME			
A L MIL-L-52998A(1)	LIGHT, MARKER, BLINKING REVIEWER: ER	A 6230 ME 24-JUL-92	ME			
L MIL-P-52999	PALLET, MATERIAL HANDLING, WOOD STRINGER CONSTRUCTION, 4-WAY PARTIAL, 48 BY 40 INCHES	A 3990 ME 31-DEC-81	ME			
L MIL-S-53000	SCRAPER, 14-18 CUBIC YARD MINIMUM STRUCK CAPACITY, OPEN BOWL, SINGLE DIESEL ENGINE DRIVEN COMMERCIAL CONSTRUCTION EQUIPMENT (CCE) REVIEWER: CS	A 3805 ME 18-DEC-81	ME			
L MIL-R-53002(2)	RETROFIT KIT, ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED REVIEWER: AT	A 1095 ME 04-JUN-85	ME			
A L MIL-B-53003B	BOAT, BRIDGE ERECTION, TWIN JET, ALUMINUM HULL, MODEL US CSB, MK-1 AND MK-2	A 1940 ME 06-APR-93	ME			
D MIL-C-53004B	CAMOUFLAGE SCREENING SYSTEMS, MODULAR, LIGHTWEIGHT, SYNTHETIC, WOODLAND, DESERT AND SNOW USER: YD1	A 1080 ME 24-MAY-89	ME	MC	99	
D MIL-G-53006(2)	GASOLINOL, AUTOMOTIVE, LEADED OR UNLEADED USER: AT REVIEWER: MC MD PS SA SH	A 9130 ME 01-DEC-83	ME	YD1	68	
L MIL-S-53007A	ROLLER KIT, ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED REVIEWER: AT	A 1095 ME 17-OCT-85	ME			
L MIL-M-53008(2)	MOUNTING KIT ROLLER, MINE CLEARING, TRACK WIDTH, TANK MOUNTED REVIEWER: AT	A 1095 ME 17-OCT-85	ME			
L MIL-A-53009A	ADDITIVE, ANTIFREEZE EXTENDER, LIQUID COOLING SYSTEMS USER: MC REVIEWER: AT GS SM	A 6850 ME 02-JUL-91	ME	SH	68	
L MIL-G-53010(1)	GENERATOR SET, DIESEL ENGINE, TRSB/C	A 6115 ME 01-JUL-86	ME			
L MIL-I-53011A	INTERFACE UNIT, ALARM J-4025/FSS-9(V)	A 6350 ME 22-NOV-88	ME			
L MIL-S-53012(2)	SUSPENSION KIT, 6 INCH MOSELINE REVIEWER: CS	A 4610 ME 01-APR-87	ME			
L MIL-R-53013A	REPAIR KIT, 6-INCH MOSE-LINE REVIEWER: CS	A 4610 ME 28-MAY-92	ME			
L MIL-S-53014(1)	SLING ASSEMBLY, FLAKING BOX, LIFTING 6 INCH MOSELINE	A 4610 ME 08-MAY-87	ME			
L MIL-D-53015(3)	DISPLACEMENT & EVACUATION KIT, 6 INCH MOSELINE	A 4610 ME 01-JUN-87	ME			
L MIL-P-53016(1)	PACKING KIT, 6 INCH MOSELINE	A 4610 ME 20-APR-87	ME			
L MIL-T-53019(1)	TRUCK, FORKLIFT, ELECTRIC, FRONT/SIDE LOADING 6000/6000 POUND CAPACITY TYPE E COMMERCIAL	A 3930 ME 28-FEB-84	ME			
L MIL-T-53020	TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN: PNEUMATIC-TIRED, ROUGH TERRAIN: 6,000 POUND CAPACITY AT 24-INCH LOAD CENTER USER: CS REVIEWER: MC	A 3930 ME 14-MAR-83	ME	SA	99	
L MIL-T-53020(12)	TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN: PNEUMATIC-TIRED, ROUGH TERRAIN: 6,000 POUND CAPACITY AT 24-INCH LOAD CENTER	A 3930 ME 12-SEP-83	ME			
DQ MIL-S-53021A	STABILIZER ADDITIVE, DIESEL FUEL USER: AS AV MC SH REVIEWER: AT GL GS PS SM	A 6850 ME 15-AUG-88	ME	YD1	68	
QL MIL-P-53022B	PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD & CHROMATE FREE USER: EC ER OS REVIEWER: AR AV	A 8010 ME 01-JUN-88	ME	AS		
L MIL-T-53023A(2)	TACTICAL WATER DISTRIBUTION EQUIPMENT SYSTEM (TWD-SSETS), 10 MILESEGMENT ..	A 4320 ME 11-MAY-88	ME			
A L MIL-C-53024B	COMPACTOR, HIGH SPEED, SELF-PROPELLED, COMMERCIAL CONSTRUCTION EQUIPMENT (CCE)	A 3895 ME 30-OCT-92	ME			
L MIL-F-53026	FAN, CIRCULATING	A 4140 ME 17-MAY-83	ME			
L MIL-M-53027A(4)	HOSE ASSEMBLY, RUBBER: LIGHTWEIGHT COLLAPSIBLE, 6-INCH: FOR DRINKING (POTABLE) WATER	A 4720 ME 18-DEC-90	ME			
D MIL-T-53029B	TANKS, FABRIC, COLLAPSIBLE: 10,000; 20,000; AND 50,000 GALLON, DRINKING WATER USER: MC REVIEWER: 82 CS	A 5430 ME 21-APR-89	ME	YD1	99	
AQ MIL-P-53030A(2)	PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE USER: AT AV	A 8010 ME 20-AUG-92	ME	AS		
L MIL-T-53031A	TRANSPORTER: M945 CHASSIS, FOR RIBBON FLOATING BRIDGE REVIEWER: CS	A 5420 ME 21-AUG-91	ME			
L MIL-T-53033A	TRACTOR, WHEELED, ALL WHEEL DRIVE WITH ATTACHMENTS USER: AT REVIEWER: 84 ..	A 2420 ME 14-JUN-91	ME	MC		
L MIL-T-53038(1)	TRUCK, LIFT, FORK, VARIABLE REACH, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, ROUGH TERRAIN, 6,000 POUND CAPACITY AT 24 INCH LOAD CENTER	A 3930 ME 23-NOV-84	ME			
MDL MIL-C-53039A(2)	COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT REVIEWER: AR AT AV EA ER MD MR	A 8010 ME 19-MAY-93	ME			
QL MIL-C-53039A(11)	COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT	A 8010 ME 21-DEC-90	ME			
L MIL-S-53041	SHIPPING & STORAGE CONTAINER, ROCKET, XM626	A 8140 ME 15-AUG-84	ME			
D MIL-G-53042(1)	GUN PREVENTIVE COMPOUND, GASOLINE USER: AT ER MC SH YD1 REVIEWER: 11 20 GL SM	A 6850 ME 10-FEB-87	ME	AS	68	
L MIL-F-53043(1)	FORWARD AREA WATER POINT SUPPLY SYSTEM	A 4320 ME 20-SEP-91	ME			
D MIL-P-53044	PAINTING AND MARKING: FREIGHT AND MAINTENANCE CARS, RAILWAY MOTIVE POWER AND WORK EQUIPMENT USER: MC REVIEWER: 84	A 2220 ME 31-AUG-84	ME	YD1	99	
L MIL-S-53046(1)	SURVEYING EQUIPMENT, ELECTRONIC DISTANCE MEASURING, MEDIUM RANGE, (SEDMR) REVIEWER: GS	A 6675 ME 27-JAN-86	ME			
D L MIL-S-53046(12)	SURVEYING EQUIPMENT, ELECTRONIC DISTANCE MEASURING, MEDIUM-RANGE, (SEDMR) USER: YD1 REVIEWER: GS	A 6675 ME 06-DEC-88	ME			
L MIL-M-53047(3)	WATER CHILLER, SMALL, MOBILE	A 4130 ME 24-SEP-86	ME			
D MIL-T-53048C	TANK, FABRIC, COLLAPSIBLE: AIR COLUMN SUPPORTED, OPEN TOP, WATER STORAGE 3000 GALLONS	A 5430 ME 29-OCT-91	ME	YD1		
D MIL-S-53049	SPRAYER, POWERED, ULV, PORTABLE REVIEWER: CE CG MD MS	A 3740 CS 30-JAN-85	ME	YD1	99	CS
L MIL-C-53050	CAMOUFLAGE KIT, GROUND LAUNCHER CRUISE MISSILE (GLCM) SYSTEM REVIEWER: 84	A 1080 ME 05-FEB-85	ME			
L MIL-P-53051	PUMPING UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, SELF-PRIMING, 600 GPM AT 150 PSI AND 1250 GPM AT 180 FEET TOTAL HEAD	A 4320 ME 25-FEB-85	ME			
L MIL-P-53051(11)	PUMPING UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, SELF-PRIMING, 600 GPM AT 150 PSI AND 1250 GPM AT 180 FEET TOTAL HEAD	A 4320 ME 09-NOV-88	ME			
L MIL-C-53052(1)	CONNECTOR, ELECTRICAL, POWER	A 6115 ME 07-JAN-86	ME			
L MIL-P-53054A	PUMPING ASSEMBLY, WATER, WHEEL MOUNTED, DIESEL-ENGINE-DRIVEN, SELF-PRIMING CENTRIFUGAL, 6-INCH, 600 GPM AT 350 FEET TOTAL HEAD	A 4320 ME 11-JUN-87	ME			
L MIL-P-53054A(11)	PUMPING ASSEMBLY, WATER, WHEEL MOUNTED, DIESEL-ENGINE-DRIVEN, SELF-PRIMING CENTRIFUGAL, 6-INCH, 600 GPM AT 350 FEET TOTAL HEAD	A 4320 ME 11-MAR-88	ME			
L MIL-T-53055C	TANK, 3000 GALLON AND 4600 GALLON FABRIC, COLLAPSIBLE, DRINKING WATER, SEMI-TRAILER MOUNTED REVIEWER: CS	A 5430 ME 16-SEP-91	ME			
L MIL-C-53057	CONTAINER CRANE, ROUGH TERRAIN, WHEEL MOUNTED, HYDRAULIC, DIESEL POWERED REVIEWER: AT CS	A 3950 ME 24-JUL-85	ME			
L MIL-C-53058A(1)	CRANE, MULTI-PURPOSE, RAILWAY, ON/OFF TRACK, 12,000 POUNDS CAPACITY	A 2230 ME 06-JUL-87	ME			
L MIL-R-53059(1)	RAILWAY CAR, HOPPER, 56 - 1/2 - INCH GAGE, 100 TON, 8 WHEEL, DOMESTIC SERVICE	A 2220 ME 06-JUL-87	ME			
L MIL-M-53063A	HOSE ASSEMBLY, ELASTOMER LIGHTWEIGHT, NONCOLLAPSIBLE, FUEL REVIEWER: CS	A 4720 ME 12-FEB-92	ME			
L MIL-M-53064A	HOSE ASSEMBLY, ELASTOMER: LIGHTWEIGHT, COLLAPSIBLE: LIQUID FUEL	A 4720 ME 12-FEB-92	ME			
L MIL-P-53065(4)	PUMPING UNIT, FRAME MOUNTED, 1-1/2 INCH, ELECTRIC MOTOR DRIVEN, 35 GPM AT 22 FEET TOTAL HEAD	A 4320 ME 20-NOV-90	ME			
D MIL-T-53066A	TANK, FABRIC, COLLAPSIBLE, 5000 BARREL FUEL USER: 82 REVIEWER: CS MC	A 5430 ME 08-MAY-90	ME	YD1	99	
L MIL-B-53067(1)	BOAT, RECONNAISSANCE/ LAND/ ASSAULT, INFLATABLE: 3-, 7-, 15- PERSON	A 1940 ME 12-JUN-87	ME			
L MIL-T-53068(1)	TANKS, LIGHTWEIGHT, COLLAPSIBLE, PILLON 160 GALLON (NOMINAL), DRINKING WATER	A 5430 ME 29-APR-88	ME			
L MIL-P-53069	POWER PLANT, DIESEL ENGINE, TRAILER MOUNTED 200 KW, 60 HERTZ, AN/MJQ-11A ..	A 6115 ME 08-JUL-87	ME			
L MIL-C-53071	COUPLING ASSEMBLIES, QUICK-DISCONNECT, SEXLESS TYPE	A 4730 ME 08-SEP-87	ME			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active / OMA Coordination Inclusive Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preceding Assy	Date	Custodians			
					Army	Navy	Air Force	DLA
A L MIL-C-53072B	CHEMICAL AGENT RESISTANT COATING (CARC) SYSTEM APPLICATION PROCEDURES AND QUALITY CONTROL INSPECTION REVIEWER: AL AR EA	A 8010	ME	02-SEP-92	ME			
M MIL-H-53073B	HOSE ASSEMBLY, ELASTOMERIC: FUEL DISCHARGE, COLLAPSIBLE, LIGHTWEIGHT USER: MC REVIEWER: B2 CS SH	A 4720	ME	20-MAY-93	ME	YD1	99	
L MIL-H-0053073A	HOSE ASSEMBLY, ELASTOMERIC: FUEL DISCHARGE, COLLAPSIBLE	A 4720	ME	14-MAY-92	ME			
D MIL-L-53074	LUBRICATING OIL, STEAM-CYLINDER, MINERAL USER: MC OS YDI REVIEWER: AS SA	A 9150	ME	04-AUG-87	ME	SH		
L MIL-R-53076A	REFUELING SYSTEM, AVIATION, HERMIT TANKER (REFUELING SYSTEM)	A 4930	ME	20-SEP-91	ME			
L MIL-M-53077	MOUNTING KIT: MI, ROLLER, MINE CLEARING: TRACK-WIDTH, TANK MOUNTED	A 2590	ME	18-DEC-87	ME			
L MIL-M-53078	MOUNTING KIT: MI TANK, CLEARED LANE MARKING SYSTEM (CLAMS)	A 2590	ME	23-SEP-87	ME			
L MIL-A-53079	ANCHOR, HAWMOOR CAUSEWAY MOORING	A 2040	ME	09-JAN-89	ME			
L MIL-F-53080	FUEL ENGINE DESIGN, REFEREE GRADE, TYPE I AND TYPE II (METRIC) USER: TE REVIEWER: AT CE PS	A 9140	ME	28-JAN-88	ME	AS	68	
L MIL-B-53081	BERM LINER ASSEMBLIES	A 5430	ME	29-JUL-88	ME			
L MIL-G-53082	GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 60 HERTZ, 400 HERTZ, AND 28 VOLT DIRECT CURRENT	A 6115	ME	14-AUG-89	ME			
L MIL-G-53082/1	GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 400 HERTZ	A 6115	ME	14-AUG-89	ME			
L MIL-G-53082/2	GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW, 60 HERTZ	A 6115	ME	14-AUG-89	ME			
L MIL-G-53082/3	GENERATOR SETS, DIESEL ENGINE DRIVEN 3KW 28 VOLT, DIRECT CURRENT	A 6115	ME	14-AUG-89	ME			
L MIL-B-53083	BAG, WATERPROOF, LOAD CARRYING, SPECIAL OPERATIONS WATERPROOF BAG (SOMB)	A 4220	ME	19-AUG-88	ME			
ML MIL-P-53084	PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT REVIEWER: AT	A 8010	ME	20-JUL-88	ME			
D L MIL-S-53085	SURVEY INSTRUMENT AUTOMATED, INTEGRATED USER: YDI REVIEWER: GS	A 6675	ME	30-AUG-88	ME			
L MIL-S-0053085A(1)	SURVEY INSTRUMENT AUTOMATED, INTEGRATED (AISI)	A 6675	ME	29-MAR-91	ME			
L MIL-R-53086	RUST CONVERTER, METRIC	A 8030	ME	08-NOV-88	ME	AS		
L MIL-A-53089A(1)	AIR CONDITIONERS: VERTICAL AND HORIZONTAL, COMPACT, MULTIPLE POWER INPUT USER: MC REVIEWER: B2 CS	A 4720	ME	01-JUN-92	ME	99		
L MIL-B-53090	BLADE, MINE CLEARING REVIEWER: CS MC	A 2590	ME	28-MAR-89	ME			
L MIL-F-53091	FILTER-SIPHONATOR, LIQUID FUEL: FRAME MOUNTED, 200 GPM CAPACITY, ARCTIC SERVICE	A 4330	ME	07-FEB-90	ME			
L MIL-D-53092	DRUM, FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY, LOW TEMPERATURE	A 8110	ME	07-FEB-90	ME			
L MIL-N-53093	NOZZLE, ADAPTER, CLOSED-CIRCUIT TO GRAVITY FILL, ARCTIC SERVICE	A 4930	ME	07-FEB-90	ME			
L MIL-N-53094	NOZZLE, ASSEMBLY, CLOSED-CIRCUIT REFUELING, ARCTIC SERVICE	A 4930	ME	07-FEB-90	ME			
L MIL-H-53095	HOSE ASSEMBLIES, RUBBER, SYNTHETIC, LIQUID PETROLEUM FUELS, DISPENSING, COLLAPSIBLE, LOW TEMPERATURE	A 4720	ME	07-FEB-90	ME			
L MIL-H-53096	HOSES AND HOSE ASSEMBLIES, ELASTOMER: RUBBER, LIQUID FUEL, NONCOLLAPSIBLE, LOW TEMPERATURE	A 4720	ME	07-FEB-90	ME			
L MIL-N-53097	NOZZLE, PRESSURE FUEL SERVICING, LOCKING, TYPE D-1, NOMINAL 2-1/2-INCH DIAMETER, ARCTIC SERVICE	A 4030	ME	07-FEB-90	ME			
L MIL-N-53098	NOZZLES, FUEL AND OIL SERVICING, NONAUTOMATIC SHUTOFF, ARCTIC SERVICE	A 4930	ME	07-FEB-90	ME			
L MIL-A-53099	ARCTIC FORWARD AREA REFUELING EQUIPMENT (AFARE)	A 4930	ME	07-FEB-90	ME			
L MIL-A-53100	ARCTIC FUEL SYSTEM SUPPLY POINT (AFSSP)	A 4930	ME	07-FEB-90	ME			
L MIL-T-53101	TANKS, FABRIC, COLLAPSIBLE: 3,000, 10,000 AND 20,000 GALLON, PETROLEUM, LOW TEMPERATURE	A 5430	ME	07-FEB-90	ME			
L MIL-B-53102	BERM LINER ASSEMBLIES, ARCTIC SERVICE	A 5430	ME	07-FEB-90	ME			
L MIL-P-53103	PUMP ASSEMBLIES, LOW TEMPERATURE, FLAMMABLE LIQUID, CENTRIFUGAL, SELF-PRIMING	A 4320	ME	07-FEB-90	ME			
L MIL-P-53108	PUMP UNIT, CENTRIFUGAL, DIESEL-ENGINE-DRIVEN, 800 GPM AT 1800 FEET TOTAL HEAD	A 4320	ME	26-OCT-90	ME			
L MIL-C-53109	CAN, FUEL, MILITARY: PLASTIC, 5-GALLON CAPACITY USER: CG MC REVIEWER: B4 GL SH	A 7240	ME	29-NOV-90	ME		99	
L MIL-L-53110(1)	LABORATORY, PETROLEUM, MODULAR BASE REVIEWER: MD	A 6640	ME	11-OCT-91	ME			
L MIL-L-53111	LABORATORY, PETROLEUM, SUPPLEMENTAL, SEMITRAILER MOUNTED REVIEWER: MD	A 6640	ME	12-SEP-91	ME			
L MIL-V-53112	VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AM/VSQ-3(V), GENERAL SPECIFICATION FOR	F 5865	ME	10-JAN-92	ME			
A L MIL-V-53112/1(1)	VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, M109/M992 FAMILY OF VEHICLES, AM/VSQ-3(4) (CONTROLLED DISTRIBUTION)	A 5865	ME	03-SEP-92	ME			
L MIL-A-53113	AMPLIFIER, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AM/VSQ-3(V)	F 5865	ME	10-JAN-92	ME			
L MIL-A-53114	ANCHOR, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AM/VSQ-3(V)	F 5858	ME	10-JAN-92	ME			
L MIL-C-53115	COIL, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AM/VSQ-3(V), GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION)	F 5865	ME	10-JAN-92	ME			
L MIL-C-53115/1	COIL, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, M109/M992 FAMILY OF VEHICLES, AM/VSQ-3(4)	F 5865	ME	10-JAN-92	ME			
L MIL-C-53116	CONTROL PANEL, VEHICLE MAGNETIC SIGNATURE DUPLICATOR (VEMASID) SYSTEM, AM/VSQ-3(V)	F 5865	ME	10-JAN-92	ME			
L MIL-H-53119	HYDRAULIC FLUID, NONFLAMMABLE, CHLOROTRIFLUOROETHYLENE BASE	A 9150	ME	01-MAR-91	ME			
L MIL-T-53121	TRUCK, LIFT, FORK, CLEAN BURNING DIESEL, FRONT/SIDE LOADING, 6000 POUND CAPACITY REVIEWER: SH	A 3930	ME	30-SEP-91	ME	SA		
L MIL-W-53122	WATER PURIFICATION UNIT REVERSE OSMOSIS, 3,000 GPM	A 4610	ME	31-JAN-92	ME			
L MIL-P-53123	POWER UNITS/POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR	A 6115	ME	14-APR-92	ME			
L MIL-P-53123/1	POWER UNIT, ELECTRIC, 5 KW, 60 HERTZ, PU-751/M	A 6115	ME	14-APR-92	ME			
L MIL-P-53123/2	POWER UNIT, ELECTRIC, 10 KW, 60 HERTZ, PU-753/M	A 6115	ME	14-APR-92	ME			
L MIL-P-53123/3	POWER PLANT, ELECTRIC, 3 KW, 60 HERTZ, AM/MJO-32	A 6115	ME	14-APR-92	ME			
L MIL-P-53123/4	POWER PLANT, ELECTRIC, 3 KW, 60 HERTZ, AM/MJO-33	A 6115	ME	14-APR-92	ME			
L MIL-P-53124	POWER UNITS/POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/1	POWER UNIT, ELECTRIC, 15 KW, 50/60 HERTZ, PU-405 A/M	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/2	POWER UNIT, ELECTRIC, 15 KW, 400 HERTZ, PU-732/M	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/3	POWER UNIT, ELECTRIC, 30 KW, 50/60 HERTZ, PU-406 B/M	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/4	POWER UNIT, ELECTRIC, 30 KW, 400 HERTZ, PU-760/M	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/5	POWER UNIT, ELECTRIC, 60 KW, 50/60 HERTZ, PU-650 B/G	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/6	POWER UNIT, ELECTRIC, 60 KW, 400 HERTZ, PU-707 A/M	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/7	POWER PLANT, ELECTRIC, 15 KW, 400 HERTZ, AM/MJO-15	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/8	POWER PLANT, ELECTRIC, 30 KW, 50/60 HERTZ, AM/MJO-10A	A 6115	ME	09-APR-92	ME			
L MIL-P-53124/9	POWER PLANT, ELECTRIC, 60 KW, 50/60 HERTZ, AM/MJO-12A	A 6115	ME	09-APR-92	ME			
L MIL-P-53125	POWER PLANTS, ELECTRIC, DIESEL ENGINE, TRAILER MOUNTED, GENERAL SPECIFICATION FOR	A 6115	ME	14-APR-92	ME			
L MIL-P-53125/1	POWER PLANT, ELECTRIC, 5 KW, 60 HERTZ, AM/MJO-16	A 6115	ME	14-APR-92	ME			
L MIL-P-53125/2	POWER PLANT, ELECTRIC, 10 KW, 60 HERTZ, AM/MJO-18	A 6115	ME	14-APR-92	ME			
L MIL-P-53125/3	POWER PLANT, ELECTRIC, 10 KW, 400 HERTZ, AM/MJO-25	A 6115	ME	14-APR-92	ME			
L MIL-E-53126	ELECTRICAL DISTRIBUTION EQUIPMENT	A 6150	ME	20-APR-92	ME			
L MIL-R-53127	RAKE, MINE CLEARING	A 2590	ME	01-APR-92	ME			
L MIL-C-53128	CLEARED LANE MARKING SYSTEM (CLAMS) REVIEWER: AT	A 2590	ME	10-APR-92	ME			
A MIL-A-53129	ALARM-MONITOR GROUP DA-9431/FSS-9(V) USER: MC REVIEWER: GS	A 6350	ME	16-SEP-92	ME		99	
AO MIL-L-53131	LUBRICATING OIL, PRECISION ROLLING ELEMENT BEARING, POLYALPHAOLEFIN BASED USER: 68	A 9150	ME	10-FEB-93	ME	AS	11	
L MIL-N-53687	METHYLDOPATE HYDROCHLORIDE INJECTION USP	A 6505	MB	19-SEP-88	MB	MS	03	
D MIL-P-54001A	PLUG, PIPE, MAGNETIC, HEADLESS, IRON, STEEL OR ALUMINUM ALLOY [VALIDATION DATE: 85031] USER: AT AV GL MC REVIEWER: CS ME	A 4730	AR	09-MAR-73	AR	YD1	99	
L MIL-L-54002B	LADDER, ALUMINUM, THREE WAY COMBINATION, STEP, STRAIGHT, EXTENSION USER: CE REVIEWER: B4	A 5440	ME	03-FEB-83	ME		99	
L MIL-L-0054002C	LADDER, ALUMINUM, THREE-WAY COMBINATION: STEP, STRAIGHT, EXTENSION, GENERAL SPECIFICATION FOR	A 5440	AS	10-MAR-87	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / On Inactive Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Date	Custodians			
				Army	Navy	Air Force	DIA
D	MIL-A-540038 MIL-R-550028(3) NOTICE 1 MIL-F-55006(1) NOTICE 1 L1 MIL-R-55015A NOTICE 1 L MIL-T-55020(1) MIL-C-55021B	ARRESTER, SPARK, M 1941 REVIEWER: 84 CS MC MD ME ..... RADIO SETS AN/VRC-24( ) (UNITS OF) & CONTROL, RADIO SET C-1439 ( )/U [VALIDATION DATE: 8605] FACSIMILE SET AN/TC-1( ) INACTIVE FOR NEW DESIGN [VALIDATION DATE: 7302] ...	A 4520 GL 30-SEP-85 GL YD1 99 A 5820 CR 28-MAY-86 CR 99 A 5815 CR 12-JAN-59 CR 99				
L1	MIL-R-55015A NOTICE 1	REPEATER, TELEGRAPH TH-18( )/FG .....	A 5805 CR 03-APR-89 CR				
L	MIL-T-55020(1) MIL-C-55021B	TERMINAL, TELEPHONE AN/TCC-24 [VALIDATION DATE: 7304] ..... CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP GENERAL SPECIFICATION FOR USER: AL REVIEWER: 11 AR CR 15 CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -40 TO +105 DEG. C REVIEWER: AR AT CR 15 ME CABLE, ELECTRICAL, SHIELDED SINGLES, SHIELDED AND JACKETED SINGLES, TWISTED PAIRS AND TRIPLES, INTERNAL HOOKUP, -65 TO 200 DEG. C REVIEWER: CR 15	A 5805 CR 12-SEP-58 CR 85 A 6145 BS 16-APR-91 MI AS 85 A 6145 BS 16-APR-91 MI AS 85 A 6145 BS 16-APR-91 MI AS 85				
I	MIL-C-55021/3A NOTICE 1	CABLES: TWISTED PAIR, INTERNAL HOOKUP, SHIELDED AND JACKETED, HIGH TEMPERATURE USER: ME REVIEWER: CR 15	A 6145 BS 16-APR-91 MI 85				
L	MIL-M-55023C	MANOMETER, U TUBE & CURVED TUBE REVIEWER: AT GL GS MS .....	A 6685 B2 30-SEP-75 99				
L	MIL-P-55025	POLYSTYRENE, UNMODIFIED (FOR USE AS A BINDER IN EXPLOSIVES), [VALIDATION DATE: 7905] REVIEWER: MI	A 1375 AR 23-JUN-58 AR				
L1	MIL-M-55029	MONITOR, TELEGRAPH, MULTICHANNEL TH-19( )/FG .....	A 5805 CR 03-APR-89 CR				
L	MIL-C-55036A(2)	CABLE, TELEPHONE MM-130( )/G REVIEWER: 15 .....	A 6145 CR 14-JAN-87 CR				
L	MIL-C-55038A(1)	CHARGER, RADIO DETECTOR, PP 1578( )/PD [VALIDATION DATE: 8304] REVIEWER: 99	A 6665 CR 27-AUG-65 CR				
L	MIL-C-55040B(1)	CABLE, SPECIAL PURPOSE, ELECTRICAL (RETRACTIBLE) [VALIDATION DATE: 8504] USER: AT MI REVIEWER: 15	A 6145 AR 10-JAN-73 AR				
	MIL-S-55041C SUPPL 1B1	SWITCH, WAVEGUIDE GENERAL SPECIFICATION FOR USER: 19 AS AV MC OS REVIEWER: 11 17 99 ES MI MS SH SM	A 5985 EC 10-JAN-84 ER EC 85				
	MIL-S-55041/3A	SWITCH, WAVEGUIDE, SP2T, FAILSAFE USER: AS MC OS SH REVIEWER: 11 17 19 ES MI SM	A 5985 EC 10-JAN-84 ER EC 85				
	MIL-S-55041/4A	SWITCH, WAVEGUIDE, TRANSFER, LATCHING USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI SM	A 5985 EC 10-JAN-84 ER EC 85				
L	MIL-S-55041/5(1) NOTICE 1	SWITCH, WAVEGUIDE, ELECTROMECHANICAL, FAILSAFE FREQUENCY RANGE 8.5 - 10.3 GHZ [VALIDATION DATE: 8701] REVIEWER: 99	A 5985 BS 30-JAN-87 85				
	MIL-S-55041/6A	SWITCH, WAVEGUIDE, 1P2T, FAILSAFE USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES	A 5985 EC 10-JAN-84 ER EC 85				
	MIL-S-55041/7A	SWITCH, WAVEGUIDE, 2P2T, FAILSAFE USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI MS SM	A 5985 EC 10-JAN-84 ER EC 85				
	MIL-S-55041/8A	SWITCH, WAVEGUIDE, 2P2T, FAILSAFE, 115 VOLTS, AC USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI SM	A 5985 EC 10-JAN-84 ER EC 85				
	MIL-S-55041/9A	SWITCH, WAVEGUIDE, 1P2T, MANUALLY OPERATED USER: 19 AS MC OS SH REVIEWER: 11 17 99 MI MS SM	A 5985 EC 10-JAN-84 ER EC 85				
L	MIL-S-55041/10(1) NOTICE 1	SWITCH, WAVEGUIDE, ELECTROMECHANICAL, LATCHING, FREQUENCY RANGE 8.6 - 10.3 GHZ [VALIDATION DATE: 8701] REVIEWER: 99	A 5985 BS 30-JAN-87 85				
	MIL-S-55041/11	SWITCH, WAVEGUIDE, 1P2T, LATCHING USER: 19 AS MC OS SH REVIEWER: 11 17 99 ES MI SM	A 5985 EC 10-JAN-84 ER EC 85				
L	MIL-R-55044(2) NOTICE 1	REPEATER, TELEPHONE TA-287( )/G [VALIDATION DATE: 8603] USER: MC .....	A 5805 CR 03-MAR-86 CR				
D	MIL-M-55053B SUPPL 1A1	HARDWARE, POLE LINE [VALIDATION DATE: 8308] USER: MC REVIEWER: 99 GS .....	A 5975 ER 05-OCT-71 ER YD1 85				
L	MIL-R-55054A(3)	RADIO RECEIVER R-392( )/URR [VALIDATION DATE: 8605] REVIEWER: MI .....	A 5820 CR 05-APR-66 CR				
L1	MIL-M-55056C NOTICE 1	WIND MEASURING SET AN/PMO-6( ) (UNITS OF) REVIEWER: 99 .....	A 6660 CR 10-AUG-89 CR				
	MIL-A-55059D MIL-T-55069C	ADAPTER, BATTERY TERMINAL USER: ER ME REVIEWER: 99 GS .....	A 5940 AT 16-FEB-88 AT MC 85				
		TRAINING AID, MODEL BRIDGE, FLOATING, ALUMINUM, HIGHWAY TYPE, DECK BALK SUPERSTRUCTURE ON PNEUMATIC FLOATS	A 6910 ME 19-APR-88 ME				
OL	MIL-C-55074F(1)	CONNECTOR, PLUG AND RECEPTACLE, TELEPHONE, ELECTRICAL, SUBASSEMBLY AND ACCESSORIES AND CONTACT ASSEMBLY, ELECTRICAL, GENERAL SPECIFICATION FOR REVIEWER: ES	A 5935 CR 25-FEB-88 CR				
L	MIL-C-55074/1A(1)	CONNECTORS, RECEPTACLE, TELEPHONE, ELECTRICAL .....	A 5935 CR 03-DEC-85 CR				
L	MIL-C-55074/2A(1)	CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL .....	A 5935 CR 03-DEC-85 CR				
L	MIL-C-55074/3A(1)	CONNECTOR, RECEPTACLE, TELEPHONE, ELECTRICAL .....	A 5935 CR 03-DEC-85 CR				
L	MIL-C-55074/4B NOTICE 1	CONTACT ASSEMBLY, ELECTRICAL .....	A 5935 CR 03-MAR-88 CR				
L	MIL-C-55081C	CONNECTOR, PLUG, ELECTRICAL U-176( )/G CONNECTOR, PLUG, ELECTRICAL U-319( )/G CONNECTOR RECEPTACLE, ELECTRICAL U-121( )/G CONNECTOR, RECEPTACLE, ELECTRICAL U-122( )/G REVIEWER: ES	A 5935 CR 03-JUL-90 CR				
	MIL-B-55087B(1) MIL-S-55094 SUPPL 1A1	BALLOON, METEOROLOGICAL, ML-537(1UM) .....	A 6660 CR 01-FEB-84 CR 99				
L	MIL-R-55099E(1) MIL-R-55100E	STAKE, GUY AND OTHER HARDWARE FOR ANTENNA MASTS [VALIDATION DATE: 8308] USER: MC REVIEWER: 11 99 GS RECEIVER, RADIO R-442( )/VRC USER: MC .....	A 5975 ER 02-FEB-60 ER 85 A 5820 CR 30-JAN-91 CR A 5820 CR 22-AUG-90 CR 99				
Q	MIL-P-55110D(4)	RECEIVER-TRANSMITTER, RADIO RT-246( )/VRC AND RECEIVER-TRANSMITTER, RADIO RT-524( )/VRC REVIEWER: 80 MC PRINTED WIRING BOARDS GENERAL SPECIFICATION FOR USER: 19 AS CG MC SH TD REVIEWER: 11 16 99 AR ES MI	A 5998 ER 02-DEC-90 ER EC 85				
ML	MIL-C-55116B(1) SUPPL 1A1	CONNECTORS: MINIATURE AUDIO, FIVE PIN AND SIX PIN GENERAL SPECIFICATION FOR	A 5935 CR 02-MAY-90 CR				
L	MIL-C-55116/1A	CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/2A	CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/3A	CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/4A	CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, WIRE STRAIN RELIEF, U-229 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/5A	CONNECTOR, PLUG, FIVE PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/6A	CONNECTOR, PLUG, SIX PIN AUDIO, CRIMP SLEEVE TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/7A	CONNECTOR, PLUG, FIVE PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/8A	CONNECTOR, PLUG, SIX PIN AUDIO, SOLDER CUP TERMINALS, MOLDED STRAIN RELIEF, U-182 TYPE REVIEWER: ES MI	A 5935 CR 06-NOV-90 CR				
L	MIL-C-55116/9A	CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, SOLDER CUP SPRING TERMINALS, PAMEL MOUNT, U-183 TYPE REVIEWER: ES MI	A 5935 CR 02-MAY-90 CR				
L	MIL-C-55116/10A	CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, PAMEL MOUNT, U-183 TYPE REVIEWER: ES MI	A 5935 CR 02-MAY-90 CR				
L	MIL-C-55116/11A	CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-328 TYPE REVIEWER: ES MI	A 5935 CR 02-MAY-90 CR				
L	MIL-C-55116/12A	CONNECTOR, RECEPTACLE, SIX PIN AUDIO, CRIMP SLEEVE SPRING TERMINALS, WIRE STRAIN RELIEF, U-226 TYPE REVIEWER: ES MI	A 5935 CR 02-MAY-90 CR				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Ans MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
L MIL-C-55116/13A	CONNECTOR, RECEPTACLE, FIVE PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE REVIEWER: ES MI	A 5935 CR 02-MAY-90 CR	
L MIL-C-55116/14A	CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, U-228 TYPE USER: ES MI	A 5935 CR 02-MAY-90 CR	
L MIL-B-55118A(2) SUPPL 101	BATTERIES, STORAGE, (CELLS), VENTED, NICKEL CADMIUM USER: ME REVIEWER: GS MI	A 6140 ER 27-MAY-83 ER	
L MIL-B-55118/1	BATTERY, STORAGE BB-418/U (VALIDATION DATE: 8111) REVIEWER: GS	A 6140 ER 29-NOV-71 ER	
L MIL-B-55118/2	BATTERY, STORAGE BB-431/U (VALIDATION DATE: 8111) REVIEWER: GS	A 6140 ER 29-NOV-71 ER	
L MIL-B-55118/3	BATTERY, STORAGE BB-436/U (VALIDATION DATE: 8111) REVIEWER: GS	A 6140 ER 29-NOV-71 ER	
L MIL-B-55118/4	BATTERY, STORAGE BB-437/U (VALIDATION DATE: 8111) REVIEWER: GS	A 6140 ER 29-NOV-71 ER	
L MIL-B-55118/5	BATTERY, STORAGE BB-438/U (VALIDATION DATE: 8111) REVIEWER: GS	A 6140 ER 29-NOV-71 ER	
L MIL-B-55118/6	BATTERY, STORAGE BB-613/U (VALIDATION DATE: 8111) REVIEWER: GS	A 6140 ER 29-NOV-71 ER	
L MIL-B-55118/7	BATTERY, STORAGE BB-616/U (VALIDATION DATE: 8111) REVIEWER: GS	A 6140 ER 29-NOV-71 ER	
L MIL-E-55119A(4) NOTICE 1	ELECTRO ACOUSTICAL TRANSDUCER EQUIPMENTS REVIEWER: ES MC	A 5965 CR 10-APR-87 CR	
L MIL-C-55126D NOTICE 1	CONTROLS, INTERCOMMUNICATION SET C-2296( )/VRC, C-2297( )/VRC, C-2298( )/VRC AND CONTROL, RADIO SET C-2299( )/VRC (VALIDATION DATE: 8802)	A 5820 CR 16-FEB-88 CR	99
L MIL-C-55127D NOTICE 1	CONTROL, FREQUENCY SELECTOR C-2742( )/VRC (VALIDATION DATE: 8802) REVIEWER: 99	A 5820 CR 16-FEB-88 CR	
L MIL-B-55130A	BATTERIES, RECHARGEABLE, NICKEL CADMIUM SEALED	A 6140 ER 22-AUG-84 ER	
L MIL-B-55130/1	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-411/U	A 6140 ER 22-AUG-84 ER	
L MIL-B-55130/2	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-412/U	A 6140 ER 22-AUG-84 ER	
L MIL-B-55130/3A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-416/U	A 6140 ER 22-AUG-84 ER	
L MIL-B-55130/4A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-417/U	A 6140 ER 22-AUG-84 ER	
L MIL-B-55130/5A	BATTERY, RECHARGEABLE, SEALED NICKEL CADMIUM BB-625/U	A 6140 ER 22-AUG-84 ER	
L MIL-C-55134A(3) NOTICE 1	CABLES, TELEPHONE (INSIDE) (VALIDATION DATE: 8808) REVIEWER: IS	A 6145 CR 31-AUG-88 CR	
L MIL-A-55138B(1) NOTICE 1	ANTENNA AT-784( )/PRC (VALIDATION DATE: 8703) REVIEWER: ES	A 5985 CR 18-MAR-87 CR	
L MIL-M-55143A(1)	MOTOR GENERATOR PU-126( )/U (ROTARY CONVERTER) REVIEWER: GS	A 6125 ER 01-AUG-83 ER	
L MIL-M-55145B NOTICE 1	NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AM/PAS-4A USER: AR AS MC MD	A 5855 CR 05-OCT-90 CR	
L MIL-A-55147B(1) NOTICE 1	AMPLIFIER-POWER SUPPLY GROUP OA-3633( )/GRC (VALIDATION DATE: 8802) USER: MC REVIEWER: 99	A 5820 CR 16-FEB-88 CR	
L MIL-P-55149B SUPPL 101	POSTS, BINDING, ELECTRICAL (INSULATED AND UNINSULATED), GENERAL SPECIFICATION FOR USER: 17 AS MC ME OS REVIEWER: 99 AT EA GS MI	A 5940 ER 14-JAN-86 ER SH BS	
L MIL-P-55149/10	POSTS, BINDING, ELECTRICAL (INSULATED), TYPES PB01FA01 TO PB01FA04, INCLUSIVE REVIEWER: 99 MI	A 5940 ER 16-JUL-91 ER EC BS	
L MIL-P-55149/3A NOTICE 1	POSTS, BINDING, ELECTRICAL (UNINSULATED), TYPES PB03KC01 AND PB03KC02 (VALIDATION DATE: 8909) USER: AR MC OS REVIEWER: 99 AS AT GS MI	A 5940 ER 06-SEP-89 ER EC BS	
L MIL-P-55149/7C NOTICE 1	POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPE PB07FA01 (VALIDATION DATE: 8909) REVIEWER: 99 GS	A 5940 ER 06-SEP-89 ER EC BS	
L MIL-P-55149/8B(1)	POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPES PB08WA01 & PB08WA02 USER: 17 AR MC OS REVIEWER: 99 AS AT GS MI	A 5940 ER 16-FEB-87 ER SH BS	
L MIL-P-55149/9(1) NOTICE 1	POSTS, BINDING, ELECTRICAL, WATERPROOF AND NONWATERPROOF (UNINSULATED), TYPES PB09NC01 TO PB09NC07, INCLUSIVE (VALIDATION DATE: 8909) REVIEWER: 99 AS AT GS MI	A 5940 ER 06-SEP-89 ER EC BS	
L MIL-P-55149/10	POST, BINDING, ELECTRICAL, WATERPROOF (INSULATED), TYPES PB10WA01 & PB10WA02 USER: AS MC ME OS REVIEWER: 99 AT MI	A 5940 ER 05-FEB-88 ER EC BS	
L MIL-B-55150A	BATTERY, WET, NON-RECHARGEABLE, BA-472 ( ) /U REVIEWER: AR MI	A 6135 ER 21-NOV-83 ER	
L MIL-P-55151B(1)	POWER SUPPLY PP-1104( )/G (VALIDATION DATE: 8301) REVIEWER: GS	A 6130 CR 05-MAY-76 ER	
L MIL-R-55154B(1) NOTICE 1	RADIO SET CONTROL GROUP AM/GRA-39( ) (LIMITS OF) REVIEWER: MI	A 5820 CR 05-OCT-90 CR	
M MIL-T-55155C	TERMINALS, FEEDTHRU (INSULATED) AND TERMINALS, STUD (INSULATED AND NONINSULATED), GENERAL SPECIFICATION FOR USER: AS AT MC ME SH REVIEWER: 11 80 AR AV GS MI	A 5940 ER 12-MAY-93 ER EC BS	
MIL-T-55155/1B	TERMINALS, STUD (INSULATED), STYLE FT01 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/2B	TERMINALS, FEEDTHRU (INSULATED), STYLE FT02 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/3C	TERMINALS, FEEDTHRU (INSULATED), STYLE FT03 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/4C	TERMINALS, FEEDTHRU (INSULATED), STYLE FT04 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/5B	TERMINALS, FEEDTHRU (INSULATED), STYLE FT05 USER: AS AV MC REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/6B	TERMINALS, FEEDTHRU (INSULATED), STYLE FT06 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/7B	TERMINALS, STUD (INSULATED), STYLE SE07 USER: AS AV MC REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/8C	TERMINALS, STUD (INSULATED), STYLE SE08 USER: MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/9B	TERMINALS, STUD (INSULATED), STYLE SE09 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/10B	TERMINALS, STUD (INSULATED), STYLE SE10 USER: AV MC REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/11E	TERMINALS, STUD (NONINSULATED), STYLE SE11 USER: AS AT MC OS REVIEWER: 99 GS ME MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/12D	TERMINALS, STUD (NONINSULATED), STYLE SE12 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/13C	TERMINALS, STUD (NONINSULATED), STYLE SE13 USER: AV MC REVIEWER: AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/14C	TERMINAL, STUD (NONINSULATED), STYLE SE14 USER: AV MC REVIEWER: AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/15C	TERMINALS, STUD (NONINSULATED), STYLE SE15 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/16C	TERMINALS, STUD (NONINSULATED), STYLE SE16 USER: AV MC REVIEWER: 99 AR AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/17C	TERMINALS, STUD (NONINSULATED), STYLE SE17 USER: AT MC OS REVIEWER: 99 AS GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/18B	TERMINALS, STUD (INSULATED), STYLE SE18 USER: AT MC OS REVIEWER: 99 AR AV GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/19C	TERMINALS, STUD (INSULATED), STYLE SE19 USER: AS AT MC OS REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/20C	TERMINALS, STUD (INSULATED), STYLE SE20 USER: AS AT MC OS REVIEWER: 99 AR AV GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/21B	TERMINALS, STUD (INSULATED), STYLE SE21 USER: AS AT MC REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/22B	TERMINALS, STUD (INSULATED), STYLE SE22 USER: AS AT MC OS REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/23B	TERMINALS, STUD (NONINSULATED), STYLE SE23 USER: AT MC REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/24C	TERMINALS, STUD (NONINSULATED), STYLE SE24 USER: AT MC REVIEWER: 99 GS MI	A 5940 ER 19-MAR-90 ER EC BS	
MIL-T-55155/25B	TERMINALS, STUD (NONINSULATED), STYLE SE25 USER: AT MC OS REVIEWER: 99 AR GS MI	A 5940 ER 19-MAR-90 ER EC BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig / OMA Coordination Inclusive Document Number	Document Title	Dist. Smt FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	OLA
MIL-T-55155/268	TERMINALS, STUD (NONINSULATED), (CIRCULAR, GROUND), STYLE SE26 USER: AS AT	A 5940	ER	19-MAR-90	ER	EC 85
MIL-T-55155/27C	MC OS REVIEWER: 99 AR AV GS MI	A 5940	ER	19-MAR-90	ER	EC 85
MIL-T-55155/29A	TERMINALS, STUD (INSULATED) STYLE SE27 REVIEWER: 99 GS MI	A 5940	ER	17-NOV-78	ER	AS 85
MIL-T-55155/30A	TERMINAL, STUD, SINGLE TURRET (NONINSULATED, SHAGE MOUNTED) STYLE SE-29	A 5940	ER	17-NOV-78	ER	AS 85
MIL-T-55155/31A	[VALIDATION DATE: 8102] USER: AR MC OS REVIEWER: 99 AR EC GS MI	A 5940	ER	17-NOV-78	ER	AS 85
MIL-T-55155/32A(1)	TERMINAL, STUD, DOUBLE TURRET (NONINSULATED, SHAGE MOUNTED) STYLE SE-30	A 5940	AS	17-NOV-78	ER	AS 85
MIL-T-55156(1)	[VALIDATION DATE: 8102] USER: AR MC OS REVIEWER: 99 AR EC GS	A 5940	AS	17-NOV-78	ER	AS 85
SUPPL 1D1, NOTICE 1	TERMINAL, STUD, TRIPLE TURRET (NONINSULATED, SHAGE MOUNTED) STYLE SE-31	A 5940	AS	17-APR-78	ER	AS 85
MIL-T-55156/1	[VALIDATION DATE: 8503] USER: AR MC OS REVIEWER: 99 EC	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55156/2	TERMINAL, STUD, FORK TYPE (NONINSULATED, SHAGE MOUNTED) [VALIDATION DATE:	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55156/3	84101] REVIEWER: 99 MI	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55156/4	TERMINAL, LUG, SPLICES, CONDUCTOR, SCREW TYPE, GENERAL SPECIFICATION FOR	A 5940	ER	21-JUL-87	ER	SH 11
MIL-P-55157A	[VALIDATION DATE: 8707] USER: MC ME REVIEWER: 85 99 GS SA	A 5940	ER	21-JUL-87	ER	SH 11
MIL-C-55158B(1)	TERMINAL, LUG, STYLE LP01 [VALIDATION DATE: 8707] REVIEWER: 85 99 GS SA ...	A 5940	ER	21-JUL-87	ER	SH 11
MIL-P-55159B	TERMINAL, LUG, STYLE LP02 [VALIDATION DATE: 8707] USER: MC REVIEWER: 85 99	A 5940	ER	21-JUL-87	ER	SH 11
MIL-D-55162B	GS SA	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55164C	TERMINAL, SPLICES, CONDUCTOR, STYLE LP03 [VALIDATION DATE: 8707] USER: MC	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55164/E	REVIEWER: 85 GS SA	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55164/2E	TERMINAL, SPLICES, CONDUCTOR, STYLE LP04 [VALIDATION DATE: 8707] USER: MC	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55164/3F	NO REVIEWER: 85 GS SA	A 5940	ER	21-JUL-87	ER	SH 11
MIL-T-55164/4E	PRINTER, PROJECTION, PHOTOGRAPHIC, EH-36( ) REVIEWER: GS	A 6740	CR	16-MAR-77	CR	
MIL-T-55164/5C(1)	CHARGER, BATTERY, PP-1659( )/G [VALIDATION DATE: 8301] REVIEWER: EA GS	A 6130	CR	17-AUG-74	CR	
MIL-T-55164/6D	PROCESSING MACHINE, PHOTOGRAPHIC FILM & PAPER, EH-29( ) REVIEWER: GS	A 6740	CR	12-JUN-85	CR	
MIL-T-55164/7F	DARKROOM, PHOTOGRAPHIC, PORTABLE, ES-38( )	A 6780	CR	12-NOV-84	CR	
MIL-T-55164/9A	TERMINAL BOARDS, MOLDED, BARRIER, SCREW & STUD TYPES, & ASSOCIATED	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/10A	ACCESSORIES, GENERAL SPECIFICATION FOR USER: AS AT AV MC REVIEWER: 11 17	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/11A	99 EC ES MI OS	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/12A	TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 37TB USER: AT AV MC ME	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/13A	REVIEWER: 17 99 AR AS EC MI OS	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/14B	TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 38TB USER: AT AV MC ME	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/15A	REVIEWER: 17 99 AR AS EC OS	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/16A	TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 39TB USER: AT AV MC ME	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/17A	REVIEWER: 17 99 AR AS EC MI OS	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/18	TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 40TB USER: AT AV MC ME	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/19A	REVIEWER: 17 99 AR AS EC MI OS	A 5940	ER	28-JAN-87	ER	SH 85
MIL-T-55164/20A	TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 41TB USER: AT AV CG MC	A 5940	85	05-OCI-79	ER	SH 17
MIL-T-55164/21A	ME REVIEWER: 11 99 AR AS EC GS MI OS	A 5940	ER	09-NOV-77	ER	SH 85
MIL-T-55164/22A	TERMINAL BOARDS, MOLDED, BARRIER, SCREW TYPE, CLASS 42TB [VALIDATION DATE:	A 5940	ER	24-FEB-87	ER	SH 85
MIL-T-55164/23C	8502] USER: AT AV CG MC ME REVIEWER: 99 AR AS EC GS MI OS	A 5940	ER	21-NOV-88	ER	85
MIL-T-55164/24C	BUS CONNECTOR, STYLES TBLD & TBLS USER: AS AT MC ME REVIEWER: 17 99 AR AV	A 5940	ER	21-NOV-88	ER	85
MIL-T-55164/25C	EC MI	A 5940	ER	21-NOV-88	ER	85
MIL-T-55164/26C(1)	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 3TB USER: 11 AS AT AV MC	A 5940	ER	21-NOV-88	ER	85
MIL-T-55164/27C(1)	ME REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
MIL-B-55164/79B	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 4TB USER: 11 AS AT AV MC	A 5940	ER	21-NOV-88	ER	85
MIL-M-55164/29B	ME REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
MIL-M-55164/30B	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 5TB USER: 11 AS AT AV MC	A 5940	ER	21-NOV-88	ER	85
MIL-M-55164/31B	ME REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
MIL-M-55164/32B	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 6TB USER: 11 AT AV CG MC	A 5940	ER	21-NOV-88	ER	85
MIL-M-55167B	ME REVIEWER: 99 GS	A 5940	ER	21-NOV-88	ER	85
MIL-R-55168B	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASSES 8TB USER: 11 AS AT AV	A 5940	ER	21-NOV-88	ER	85
MIL-C-55169(1)	MC ME REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
MIL-C-55172B	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 9TB USER: 11 AS AT AV MC	A 5940	ER	21-NOV-88	ER	85
MIL-D-55176C	ME SH REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
MIL-C-55181C(1)	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 10TB USER: 11 AT AV CG	A 5940	ER	21-NOV-88	ER	85
MIL-C-55181/1C	MC ME SH REVIEWER: 99 AS EC GS MI	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARD, MOLDED, BARRIER, STUD TYPE, CLASS 11TB USER: 11 AT AV MC	A 5940	ER	21-NOV-88	ER	85
	ME SH REVIEWER: 99 GS MI	A 5940	SH	16-DEC-92	ER	SH 17
	TERMINAL BOARD, MOLDED, BARRIER, STUD TYPE, CLASS 13TB USER: 11 AT AV CG	A 5940	ER	21-NOV-88	ER	85
	MC ME REVIEWER: 85 AR AS OS	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 15TB USER: 11 AT AV MC	A 5940	ER	21-NOV-88	ER	85
	ME SH REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 16TB USER: 11 AS AT AV	A 5940	ER	21-NOV-88	ER	85
	MC ME REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 17TB USER: 11 AS AT AV	A 5940	ER	21-NOV-88	ER	85
	MC ME SH REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 18TB USER: 11 AS AT AV	A 5940	ER	21-NOV-88	ER	85
	MC ME REVIEWER: 99 GS MI	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 25TB USER: 11 AT AV CG	A 5940	ER	21-NOV-88	ER	85
	MC REVIEWER: 17 AR AS EC ES GS MI	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 26TB USER: 11 AT AV CG	A 5940	ER	21-NOV-88	ER	85
	MC ME REVIEWER: 17 99 AR AS GS MI OS	A 5940	ER	21-NOV-88	ER	85
	TERMINAL BOARDS, MOLDED, BARRIER STUD TYPE, CLASS 27TB USER: 11 AS AT AV	A 5940	ER	21-NOV-88	ER	85
	MC ME REVIEWER: 99 GS MI	A 5940	ER	25-JAN-80	ER	SH 99
	TERMINAL BOARD, MOLDED, BARRIER, SCREW TYPE, CLASS 43TB ESTABLISHED	A 5940	ER	25-JAN-80	ER	SH 85
	RELIABILITY USER: AS AT AV MC REVIEWER: 17 AR EC GS OS	A 5940	ER	25-JAN-80	ER	SH 85
	TERMINAL BOARD, MOLDED, BARRIER, SCREW TYPE, CLASS 44TB ESTABLISHED	A 5940	ER	25-JAN-80	ER	SH 85
	RELIABILITY GENERAL SPECIFICATION FOR USER: AS AT AV MC REVIEWER: 17 99 AR	A 5940	ER	08-APR-91	ER	SH 85
	EC GS OS	A 5940	ER	07-MAR-90	ER	SH 85
	BUS (JUMPER) CONNECTORS STYLES TBJA, TBJB, TBJC, TBJD, TBJE, TBJF, TBJG,	A 5940	ER	07-MAR-90	ER	SH 85
	TBJH, AND TBJI USER: AT AV CG MC ME REVIEWER: 11 17 99 AR AS GS MI OS	A 5940	ER	07-MAR-90	ER	SH 85
	MARKER STRIPS, FOR CLASS 37TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER:	A 5940	ER	07-MAR-90	ER	SH 85
	17 99 AR AV EC MI OS	A 5940	ER	07-MAR-90	ER	SH 85
	MARKER STRIPS, FOR CLASS 38TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER:	A 5940	ER	07-MAR-90	ER	SH 85
	17 99 AR AV EC MI OS	A 5940	ER	07-MAR-90	ER	SH 85
	MARKER STRIPS, FOR CLASS 39TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER:	A 5940	ER	07-MAR-90	ER	SH 85
	17 99 AR AV EC MI OS	A 5940	ER	07-MAR-90	ER	SH 85
	MARKER STRIPS, FOR CLASS 40TB TERMINAL BOARDS USER: AS AT MC ME REVIEWER:	A 5940	ER	07-MAR-90	ER	SH 85
	17 99 EC OS	A 5940	ER	07-MAR-90	ER	SH 85
	MOUNTING MT-1029( )/VRC & MT-1890( )/VRC	A 5820	CR	05-JAN-88	CR	
	RETRANSMISSION CABLE KIT MC-456 ( )/GRC (UNITS OF) REVIEWER: GS	A 5995	CR	26-JUL-90	CR	
	CONNECTORS, ELECTRIC, TYPE "Q", MULTI-CONTACT [VALIDATION DATE: 9108]	A 5935	CR	02-AUG-91	CR	
	REVIEWER: ES	A 5975	ER	17-JAN-72	ER	
	CABINET, ELECTRICAL EQUIPMENT, CY-3397( )/G [VALIDATION DATE: 8308]	A 5975	ER	17-JAN-72	ER	
	REVIEWER: 99 GS	A 5975	ER	17-JAN-72	ER	
	DATA, ELECTRONICS COMMAND ENGINEERING DOCUMENT CONTROL [VALIDATION DATE:	A 5975	ER	17-JAN-72	ER	
	85021]	A 5975	ER	17-JAN-72	ER	
	CONNECTOR, PLUG & RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF)	A 5935	CR	07-NOV-85	CR	EC 85
	TYPE MW, GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES	A 5935	CR	07-NOV-85	CR	EC 85
	CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW,	A 5935	CR	23-JUN-86	CR	EC 85
	SOCKET CONTACT, 4 TERMINAL REVIEWER: 11 99 ES	A 5935	CR	23-JUN-86	CR	EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / Code Condition Inches Document Number	Document Title	Doc. No.	Spec. / App. MCA Symbol Preparing Agency	Date	Army	Navy	Air Force	Customs CLA
MIL-C-55181/2C	CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF), TYPE MW, PIN CONTACT, 4 TERMINAL REVIEWER: 11 99 ES	A 5935	CR	23-JUN-86	CR	EC	85	
MIL-C-55181/3C	CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 4 TERMINAL REVIEWER: 11 99 ES	A 5935	CR	23-JUN-86	CR	EC	85	
MIL-C-55181/4C	CONNECTOR, RECEPTACLE, ELECTRICAL REVIEWER: 11 99 ES	A 5935	CR	23-JUN-86	CR	EC	85	
MIL-C-55181/5C	CONNECTOR, PLUG, ELECTRICAL REVIEWER: 11 99 ES	A 5935	CR	23-JUN-86	CR	EC	85	
MIL-C-55181/6C	CONNECTOR, RECEPTACLE, ELECTRICAL REVIEWER: 11 99 ES	A 5935	CR	23-JUN-86	CR	EC	85	
MIL-C-55181/7C	CONNECTOR, PLUG, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, PIN CONTACT, 18 TERMINAL REVIEWER: 11 99 ES	A 5935	CR	23-JUN-86	CR	EC	85	
MIL-C-55181/8C	CONNECTOR, RECEPTACLE, INTERMEDIATE POWER, (ELECTRICAL, WATERPROOF) TYPE MW, SOCKET CONTACT, 18 TERMINAL REVIEWER: 11 99 ES	A 5930	CR	23-JUN-86	CR	EC	85	
Q MIL-R-55182F(1) SUPPL 1A1	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: AR AS ES OS	A 5905	ER	24-AUG-90	ER	EC	85	
MIL-R-55182/1W(2)	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RMR551 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	26-JAN-90	ER	EC	85	
J MIL-R-55182/2H NOTICE 1	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RMR57 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	20-DEC-89	ER	EC	85	
MIL-R-55182/3H	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RMR601 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	20-DEC-89	ER	EC	85	
MIL-R-55182/5K	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RMR65 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	20-DEC-89	ER	EC	85	
MIL-R-55182/6H	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RMR70 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	20-DEC-89	ER	EC	85	
MIL-R-55182/7K(2)	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RMR50 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	26-JAN-90	ER	EC	85	
MIL-R-55182/9E	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RMR90 USER: AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	26-JAN-90	ER	EC	85	
MIL-R-55182/10C	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY, STYLE RMR75 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES MI OS	A 5905	ER	20-DEC-89	ER	EC	85	
LI MIL-R-55182/11C	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RMR51	A 5905	EC	09-MAR-90	EC			
LI MIL-R-55182/12C	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RMR56	A 5905	EC	09-MAR-90	EC			
MIL-R-55182/13	RESISTORS, FIXED, FILM ESTABLISHED RELIABILITY STYLE RMR77 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	04-OCT-90	ER	EC	85	
LI MIL-C-55194(3) NOTICE 1	CONTROL, INTERCOMMUNICATION SET C-1611()A/C	A 5831	CR	10-OCT-90	CR			
L MIL-M-55198A NOTICE 1	MICROPHONE, DYNAMIC M-116( )/G [VALIDATION DATE: 8704] REVIEWER: EA ES	A 5965	CR	27-APR-87	CR			
L MIL-P-55200D	POWER SUPPLY PP-2953( )/U [VALIDATION DATE: 8308] REVIEWER: GS MI	A 6130	ER	02-OCT-73	ER			
L MIL-T-55207C	TEST SET, ELECTRICAL, CABLE: AM/GSM-45 REVIEWER: AR	A 6625	MI	01-APR-91	MI			
L MIL-G-55210	GENERATOR, THERMAL NOISE SG-419( )/U [VALIDATION DATE: 8606]	A 6625	CR	06-JUN-86	CR			
LI MIL-A-55218 NOTICE 1	AMPLIFIER, INTERMEDIATE FREQUENCY AM-761( )/TPX	A 5895	CR	17-OCT-89	CR			
L MIL-R-55219B NOTICE 1	RADIO SET AM/ERC-50(V) (UNITS OF) [VALIDATION DATE: 8605]	A 5820	CR	28-MAY-86	CR			
L MIL-M-55220A	MAST AB-577( )IGRC [VALIDATION DATE: 8110] REVIEWER: ES	A 5985	ER	10-SEP-73	ER			
LI MIL-R-55223B NOTICE 1	REGULATOR, VOLTAGE CM-514( )/ERC REVIEWER: GS	A 6110	CR	26-JAN-90	CR			
L MIL-M-55233(3) NOTICE 1	MICROPHONE M-33A/AIC [VALIDATION DATE: 8701] REVIEWER: ES	A 5965	CR	09-JAN-87	CR			
L MIL-S-55234 NOTICE 1	STANDING WAVE RATIO POWER METER, ME-165( )/G [VALIDATION DATE: 8606]	A 6625	CR	06-JUN-86	CR			
L MIL-C-55235 NOTICE 1	CONNECTORS, COAXIAL, RADIO FREQUENCY, SERIES TPS [VALIDATION DATE: 8808]	A 5935	CR	31-AUG-88	CR			
L MIL-T-55237(1) NOTICE 2	TRANSMITTER, RADAR, T-494( )/FPM-40 & POWER SUPPLY PP-2489/FPM-40 (INACTIVE FOR NEW DESIGN)	A 5840	CR	16-AUG-82	CR			
L MIL-R-55238C NOTICE 1	RADIO SET AM/ERC-106( ) (UNITS OF) [VALIDATION DATE: 8605] USER: MC	A 5820	CR	28-MAY-86	CR			
L MIL-R-55242(4) NOTICE 1	RADIO SET AM/ERC-109( ) (UNITS OF) [VALIDATION DATE: 8605] REVIEWER: 99	A 5820	CR	05-JUL-67	CR			
L MIL-C-55243 NOTICE 1	CONNECTORS, PLUGS AND RECEPTACLES, ELECTRICAL, QUICK CONNECT AND DISCONNECT, 12 CONTACTS, MEDIUM POWER [VALIDATION DATE: 9108] REVIEWER: ES MI	A 5935	CR	02-AUG-91	CR			
L MIL-B-55252B	BATTERIES, NON-RECHARGEABLE, MAGNESIUM	A 6135	CR	14-FEB-92	CR			
L MIL-B-55252/1	BATTERY MAGNESIUM, DRY BA-4386/PRC-25	A 6135	CR	17-JAN-92	CR			
L MIL-T-55255A(1)	TERMINAL, TELEGRAPH-TELEPHONE AM/TC-29( ) AND UNITS OF REVIEWER: 99	A 5805	CR	17-FEB-89	CR			
L MIL-S-55257C	SHOP, ELECTRONIC, SHELTER MOUNTED AM/ASH-146( ) & AM/ASH-147( ) REVIEWER: CS	A 4940	CR	22-MAY-85	CR			
L MIL-S-55286E(1)	SHELTER, ELECTRICAL EQUIPMENT S-280( )/G REVIEWER: CS	A 5411	GL	21-MAY-85	GL			
L MIL-S-55286E(12)	SHELTER, ELECTRICAL EQUIPMENT, S-280( )/G	A 5411	GL	16-DEC-91	GL			
L MIL-A-55288C(2)	ANTENNA AS-1729/VRC USER: MC REVIEWER: MI	A 5985	CR	29-JUL-91	CR			
L MIL-M-55289A	MODIFICATION KIT MK-710( )/TPQ (UNITS OF) [VALIDATION DATE: 8502] REVIEWER: 99	A 6660	CR	13-JAN-84	CR			
Q MIL-C-55302E SUPPL 1A1, NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI OS SH	A 5935	CR	09-APR-86	CR	EC	17	
MIL-C-55302/1C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.150 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES MI	A 5935	CR	06-SEP-88	CR	EC	17	
MIL-C-55302/2D NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES MI	A 5935	CR	06-SEP-88	CR	EC	17	
MIL-C-55302/4D NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT MC OS SH REVIEWER: 11 85 99 AS ES	A 5935	CR	19-SEP-88	CR	EC	17	
MIL-C-55302/5D NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES	A 5935	CR	19-SEP-88	CR	EC	17	
MIL-C-55302/6G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT MC OS SH REVIEWER: 11 85 99 AS AV ES MI	A 5935	CR	13-APR-88	CR	EC	17	
MIL-C-55302/7C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, RIGHT-ANGLE, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS SH REVIEWER: 11 85 99 AS ES	A 5935	CR	19-SEP-88	CR	EC	17	
MIL-C-55302/8D NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS SH REVIEWER: 11 85 99 AS ES	A 5935	CR	19-SEP-88	CR	EC	17	
MIL-C-55302/16B NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PIN, RIGHT-ANGLE, FOR PRINTED WIRING BOARDS (.200 SPACING) [VALIDATION DATE: 9108] USER: 19 AT AV MC REVIEWER: 11 85 AR AS ES MI	A 5935	CR	01-AUG-91	CR	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig./Chg. Coordination Inquiries Document Number	Document Title	Dist. Stmt. FSC / Area MCS Symbol Preparing Acty. Date	Custodians		
			Army	Navy	Air Force DLA
MIL-C-55302/17A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; SOCKET, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING) [VALIDATION DATE: 9108] USER: 19 AT MC ME REVIEWER: 85 AR AS ES MI	A 5935 CR 01-AUG-91	CR	EC	11
MIL-C-55302/18A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PIN, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.200 SPACING) [VALIDATION DATE: 9108] USER: 19 AT MC ME REVIEWER: 85 AS ES MI	A 5935 CR 01-AUG-91	CR	EC	11
MIL-C-55302/190 NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, PIN CONTACTS RIGHT-ANGLE, 41 COMPOSITE CONTACT, FOR PRINTED WIRING BOARDS (.150 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS REVIEWER: 11 85 99 AS ES MI	A 5935 CR 06-SEP-88	CR	EC	17
MIL-C-55302/200 NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, SOCKET CONTACT, STRAIGHT-THRU, FOR PRINTED WIRING BOARDS (.150 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC ME REVIEWER: 11 85 99 AS ES MI OS SH	A 5935 CR 06-SEP-88	CR	EC	17
MIL-C-55302/21E NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, PIN CONTACTS, RIGHT-ANGLE, 92 COMPOSITE CONTACT, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC OS SH REVIEWER: 11 85 99 AS ES MI	A 5935 CR 06-SEP-88	CR	EC	17
MIL-C-55302/22E NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, SOCKET CONTACTS, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING-BOARDS (.100 SPACING) [VALIDATION DATE: 8809] USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI NS OS SH	A 5935 CR 06-SEP-88	CR	EC	17
MIL-C-55302/23F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, DECADE INCREMENT 10 THRU 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5935 CR 31-OCT-88	CR	EC	17
M MIL-C-55302/24F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, DECADE INCREMENT 10 THRU 110 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME SH REVIEWER: 11 99 AR AS ES MI OS	A 5935 CR 07-JUN-93	CR	EC	17
M MIL-C-55302/25E	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, 120, 150, 160, AND 180 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5935 CR 07-JUN-93	CR	EC	17
M MIL-C-55302/26E	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5935 CR 07-JUN-93	CR	EC	17
M MIL-C-55302/27H	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) USER: 19 AT AV MC ME REVIEWER: 11 99 AR AS ES MI OS SH	A 5935 CR 07-JUN-93	CR	EC	17
MIL-C-55302/29A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; GAGE FOR CONTACT SEPERATION FORCE TEST METHOD [VALIDATION DATE: 9108] USER: 19 AT MC ME REVIEWER: 85 AR AS ES MI SH	A 5935 CR 01-AUG-91	CR	EC	11
MIL-C-55302/30A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; TEST PROBE FIXTURE FOR RESISTANCE TO TEST PROBE DAMAGE [VALIDATION DATE: 8809] USER: 19 AT AV MC ME REVIEWER: 85 AS ES MI	A 5935 CR 06-SEP-88	CR	EC	17
M MIL-C-55302/31J	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; KEYING ACCESSORIES USER: 19 AT AV MC ME REVIEWER: 99 AR AS ES MI OS SH	A 5935 CR 07-JUN-93	CR	EC	17
M MIL-C-55302/32F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; CONTACTS, SOLDER EYELET AND WRAPPOST REMOVABLE TYPES USER: 19 AT AV MC ME REVIEWER: 99 AR AS ES MI OS SH	A 5935 CR 07-JUN-93	CR	EC	17
L MIL-C-55302/38B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, ELECTRICAL, POLARIZED SHELL, MALE, 0.100 INCH CONTACT SPACING, PIN TERMINAL	A 5935 AT 08-JUN-90	AT		
L MIL-C-55302/42B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, ELECTRICAL, POLARIZED SHELL, FEMALE, 0.100 INCH CONTACT SPACING, REMOVABLE CLAMP CONTACTS	A 5935 AT 20-MAR-90	AT		
MIL-C-55302/52C NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC OS SH REVIEWER: 11 99 AR AS ES MI	A 5935 CR 29-MAY-92	CR	EC	17
A MIL-C-55302/53B NOTICE 3	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC OS SH REVIEWER: 11 99 AR AS ES MI	A 5935 CR 29-MAY-92	CR	EC	17
MIL-C-55302/54B NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC OS SH REVIEWER: 11 99 AR AS ES MI	A 5935 CR 29-MAY-92	CR	EC	17
A MIL-C-55302/55F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD	A 5935 CR 23-SEP-92	CR	EC	17
A MIL-C-55302/56G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD	A 5935 CR 23-SEP-92	CR	EC	17
A MIL-C-55302/57G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD	A 5935 CR 23-SEP-92	CR	EC	17
A MIL-C-55302/58H	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD	A 5935 CR 23-SEP-92	CR	EC	17
A MIL-C-55302/59G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, PIN CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD	A 5935 CR 31-DEC-92	CR	EC	17
A MIL-C-55302/60H	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 90, 100 AND 120 CONTACT POSITIONS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD	A 5935 CR 31-DEC-92	CR	EC	17
A MIL-C-55302/61F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI	A 5935 CR 08-APR-93	CR	EC	17
A MIL-C-55302/62G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TD	A 5935 CR 08-APR-93	CR	EC	17
A MIL-C-55302/63F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES; PLUG, PIN CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI JD	A 5935 CR 08-APR-93	CR	EC	17



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chg Cancellation Increase Document Number	Document Title	Dist. Smt FSC / Ave MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DLA
A MIL-C-55302/64G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TO	A 5935 CR 08-APR-93	CR	EC	17	
A MIL-C-55302/65G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TO	A 5935 CR 08-APR-93	CR	EC	17	
A MIL-C-55302/66F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 11 19 80 AT AV MC ME OS REVIEWER: 85 99 AR AS ES MI TO	A 5935 CR 08-APR-93	CR	EC	17	
A LI MIL-C-55302/67C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.090 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/68C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET RECEPTACLE, ELECTRICAL, POLARIZED (.090 SPACING), REMOVABLE CRIMP CONTACTS (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/69C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN PLUG, ELECTRICAL POLARIZED (.090 SPACING), REMOVABLE CRIMP CONTACTS (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/70C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/71C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET RECEPTACLE, ELECTRICAL, POLARIZED COMPOSITE CONTACT (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/72C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET ENVIRONMENTAL RESISTANT, RECEPTACLE, ELECTRICAL, POLARIZED (.150 SPACING), REMOVABLE CRIMP CONTACTS (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/73C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, ENVIRONMENTAL RESISTANT, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.150 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/74C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN, RIGHT ANGLE, PLUG, ELECTRICAL, POLARIZED FOR PRINTED WIRING BOARDS (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/75C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET, RECEPTACLE, ELECTRICAL, POLARIZED (.100 SPACING), REMOVABLE CRIMP CONTACTS (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/76C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, SOCKET, STRAIGHT-THRU, POLARIZED FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
A LI MIL-C-55302/77C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PIN RIGHT-ANGLE FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 ES	A 5935 17 14-OCT-92			17	
L MIL-C-55302/78C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, KEY, POLARIZING, CONNECTORS, ELECTRICAL PRINTED WIRING BOARDS USER: 19 REVIEWER: 11 85 99 ES	A 5935 17 02-MAR-89			17	
LI MIL-C-55302/82B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 41, 66, 114 CONTACT POSITIONS: FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID) USER: 19 REVIEWER: 11 85 99 ES	A 5935 17 02-MAR-89			17	
LI MIL-C-55302/83B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 41, 66, 114 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 X .050 OFFSET GRID) USER: 19 REVIEWER: 11 85 99 ES	A 5935 17 02-MAR-89			17	
LI MIL-C-55302/84B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS - CRIMP, DIP SOLDER TAIL, SOLDER TURRET, AND WIREWRAP USER: 19 REVIEWER: 11 ES	A 5935 17 02-MAR-89			17	
LI MIL-C-55302/85A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING PLUG USER: 19 REVIEWER: 11 85 ES	A 5935 17 02-MAR-89			17	
L MIL-C-55302/89D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT-ANGLE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/90D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, RIGHT-ANGLE, HERMAPHRODITIC CONTACT (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/91D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/92D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/93D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE CRIMP TYPE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/94D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, INSERT (INSULATOR), RECTANGULAR, POLARIZED, REMOVABLE, CRIMP TYPE, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/95D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, COMPOSITE WRAPPOST, HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/96D NOTICE 2	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, WRAPPOST (REMOVABLE) HERMAPHRODITIC CONTACTS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 29-MAY-92	CR			
L MIL-C-55302/97C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACTS HERMAPHRODITIC, CRIMP REMOVABLE FOR WIRE (STRANDED) (VALIDATION DATE: 8809) USER: AR ME REVIEWER: ES	A 5935 CR 19-SEP-88	CR			
L MIL-C-55302/98C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: CONTACT, WRAPPOST REMOVABLE TYPE (VALIDATION DATE: 8809) USER: AR ME REVIEWER: ES	A 5935 CR 19-SEP-88	CR			
LI MIL-C-55302/99C NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 24-OCT-91	CR			
L MIL-C-55302/100B NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, WRAPPOST, REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) (VALIDATION DATE: 8808) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 31-AUG-88	CR			
L MIL-C-55302/101B NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, WRAPPOST REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) (VALIDATION DATE: 8809) USER: AR ME REVIEWER: AT AV ES MI	A 5935 CR 07-SEP-88	CR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Configuration Inches	Document Number	Document Title	Doc. Smt. FSC / Ane MCA Symbol	Preparing Date	Date	Custodians			
						Army	Navy	Air Force	DIA
LI	MIL-C-55302/1020 NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935	CR	24-OCT-91	CR			
LI	MIL-C-55302/1030 NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935	CR	24-OCT-91	CR			
LI	MIL-C-55302/1040 NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, HERMAPHRODITIC CONTACT, CRIMP REMOVABLE, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: AR ME REVIEWER: AT AV ES MI	A 5935	CR	24-OCT-91	CR			
M	MIL-C-55302/110G	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 30 THROUGH 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) USER: 19 AT AV MC ME REVIEWER: 99 AR AS ES MI OS	A 5935	CR	07-JUN-93	CR	EC	17	
	MIL-C-55302/111A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, STRAIGHT-THRU, FOR MULTILAYERED PRINTED WIRING BOARDS, (.100 SPACING) (VALIDATION DATE: 8809) USER: 19 AT AV MC OS REVIEWER: 11 80 85 99 AS ES MI	A 5935	CR	07-SEP-88	CR	EC	17	
M L	MIL-C-55302/113E	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, STRAIGHT-THRU, 30 THROUGH 110 CONTACT POSITIONS, CRIMP REMOVABLE CONTACTS (.100 SQUARE GRID) USER: 19 REVIEWER: 11 85 99 ES	A 5935	17	06-MAY-93			17	
M L	MIL-C-55302/117D	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) USER: 19 REVIEWER: 11 85 99 ES	A 5935	17	06-MAY-93			17	
M	MIL-C-55302/118D	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) USER: 19 AT AV MC ME REVIEWER: 85 99 AR AS ES MI OS SH	A 5935	CR	07-JUN-93	CR	EC	17	
L	MIL-C-55302/119F	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DECADE INCREMENT 20 THROUGH 110 AND 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 SPACING) USER: 19 REVIEWER: 11 85 99 ES	A 5935	17	21-SEP-88			17	
A L	MIL-C-55302/120A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L	MIL-C-55302/121A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 128 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L	MIL-C-55302/122A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L	MIL-C-55302/123A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACT, 184 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L	MIL-C-55302/124 NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: KEYING ACCESSORIES (VALIDATION DATE: 9210) USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
M L	MIL-C-55302/125C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) USER: 19 REVIEWER: 11 85 99 ES	A 5935	17	06-MAY-93			17	
M L	MIL-C-55302/126C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, 80 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.050 INCH SPACING) USER: 19 REVIEWER: 11 85 99 ES	A 5935	17	06-MAY-93			17	
M L	MIL-C-55302/127B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SINGLE ROW, 2 THROUGH 66 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (1/16", 3/32" AND 1/8") (.100 SPACING) USER: 19 REVIEWER: 11 85 99 ES	A 5935	17	06-MAY-93			17	
M	MIL-C-55302/128C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, DOUBLE ROW, 4 THROUGH 130 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (1/16", 3/32", AND 1/8") (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 AR AS ES MI OS SH	A 5935	17	06-MAY-93	CR	EC	17	
M L	MIL-C-55302/129D	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)	A 5935	EC	29-APR-93		EC		
M L	MIL-C-55302/130C	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLES, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING)	A 5935	EC	29-APR-93		EC		
	MIL-C-55302/131B	CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 64 OR 96 CONTACT POSITION FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	01-MAY-92	CR	EC	17	
M	MIL-C-55302/132B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, STRAIGHT THRU, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	01-JUN-93	CR	EC	17	
	MIL-C-55302/133B	CONNECTORS, PLUG, ELECTRICAL, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RIGHT ANGLE, PIN CONTACTS, 32 OR 64 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	01-MAY-92	CR	EC	17	
	MIL-C-55302/134A	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, STRAIGHT THRU, 32 OR 64 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	09-APR-86	CR	EC	17	
A L	MIL-C-55302/138B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 REVIEWER: 11 85 99	A 5935	17	11-FEB-93			17	
A L	MIL-C-55302/139B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 REVIEWER: 11 85 99	A 5935	17	11-FEB-93			17	
	MIL-C-55302/140B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH PIN CONTACTS, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 99 AR AS AT AV OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
	MIL-C-55302/141B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH PIN CONTACTS, 3 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
	MIL-C-55302/142B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH SOCKET CONTACTS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
	MIL-C-55302/143B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH SOCKET CONTACTS, 3 KEYING GUIDES, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
	MIL-C-55302/144B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 1.516 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
	MIL-C-55302/145B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.114 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	17-NOV-88	CR	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / OMA Classification Inches Document Number	Document Title	Doc. Smt. FAC / Area MCA Symbol Preparing Act.				Custodians		
		Date	Doc	Area	Symbol	Army	Navy	AF Force DIA
MIL-C-55302/146B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 99 AR AS AT AV OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/147B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.315 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/148B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE WITH PIN CONTACTS, 2 FEMALE KEYING GUIDES, 3.917 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/149B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 1.516 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/150B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.114 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/151B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 2.717 INCHES LENGTH, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/152B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.315 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/153B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG WITH SOCKET CONTACTS, 3.917 INCHES LENGTH, 2 KEYING PINS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/154B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: MOUNTING HARDWARE FOR PRINTED WIRING BOARDS USER: 19 AR AT AV MC ME REVIEWER: 11 85 99 AS OS SH	A 5935	CR	17-NOV-88	CR	EC	17	
MIL-C-55302/155A	CONNECTORS, PRINTED CIRCUIT ASSEMBLY AND ACCESSORIES: HOOD FOR PRINTED WIRING BOARDS USER: 19 MC ME REVIEWER: 11 99 AR AS AT AV ES MI OS	A 5935	CR	17-NOV-88	CR	EC	17	
M MIL-C-55302/156D	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, RIGHT ANGLE, DECADE INCREMENTS 10 THROUGH 120, 150, 160, AND 180 CONTACT POSITIONS FOR PRINTED WIRING BOARDS (.075 SPACING) USER: 19 AT AV MC ME REVIEWER: 85 99 AR AS MI OS	A 5935	CR	07-JUN-93	CR	EC	17	
MIL-C-55302/157A	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES, PLUG, STRAIGHT THRU CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	09-APR-86	CR	EC	17	
M MIL-C-55302/158B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE SOCKET CONTACTS, 64 OR 96 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) USER: 19 MC ME REVIEWER: 11 85 99 AR AS AT AV ES MI OS SH	A 5935	CR	01-JUN-93	CR	EC	17	
L DOD-C-55302/159B	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES RECEPTACLE 17, 29, 41, 53, & 65 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES	A 5935	CR	18-JUL-85	CR			
L DOD-C-55302/160B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES RECEPTACLE 72, 84, 96, AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES MI	A 5935	CR	18-JUL-85	CR			
L MIL-C-55302/160B	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES RECEPTACLE 72, 84, 96, AND 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES MI	A 5935	CR	18-JUL-85	CR			
L DOD-C-55302/161B	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES RECEPTACLE 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES	A 5935	CR	18-JUL-85	CR			
L DOD-C-55302/162B	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES PLUG 17, 29, 41, 53, & 65 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES	A 5935	CR	18-JUL-85	CR			
L DOD-C-55302/163B	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES PLUG 72, 84, 96, & 120 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES	A 5935	CR	18-JUL-85	CR			
L DOD-C-55302/164B	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY & ACCESSORIES PLUG AND/OR RECEPTACLE 160 CONTACT POSITIONS FOR PRINTED WIRING BOARDS 2.54 MM X 1.27 MM OFFSET GRID, METRIC USER: AT AV ME REVIEWER: AR ES MI	A 5935	CR	18-JUL-85	CR			
A L MIL-C-55302/166A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L MIL-C-55302/167A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, STRAIGHT-THROUGH, POLARIZED, WITH WRAPPOST TERMINATION (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L MIL-C-55302/168A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, MALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L MIL-C-55302/169A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, STRAIGHT-THROUGH, POLARIZED, (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L MIL-C-55302/170A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, FEMALE BRUSH, RIGHT ANGLE, POLARIZED, FOR MULTILAYERED PRINTED WIRING BOARDS (.100 SPACING) [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
A L MIL-C-55302/171A NOTICE 1	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: LOW MATING FORCE, CONTACT BRUSH [VALIDATION DATE: 9210] USER: 19 REVIEWER: 11 85 99	A 5935	17	02-OCT-92			17	
L MIL-C-55302/172	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: HARDWARE, COUPLING AND LOCKING USER: 19 REVIEWER: 11 85 99 ES	A 5935	17	16-JAN-85			17	
MIL-C-55302/173A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW PIN ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI	A 5935	17	26-DEC-89	CR	EC	17	
MIL-C-55302/174A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI	A 5935	17	26-DEC-89	CR	EC	17	
MIL-C-55302/175A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW PIN ASSEMBLIES, RIGHT ANGLE, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES	A 5935	17	26-DEC-89	CR	EC	17	
MIL-C-55302/176A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW PIN ASSEMBLIES, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH	A 5935	17	26-DEC-89	CR	EC	17	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OML Coordinate Institute Document Number	Document Title	Dist Sent FSC / Issue MCA Symbol Preparing Acty	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-C-55302/177A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH	A 5935	17 26-DEC-89	CR	EC	17	
MIL-C-55302/178A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW PIN ASSEMBLIES, RIGHT ANGLE, 75 THROUGH 405 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH	A 5935	17 26-DEC-89	CR	EC	17	
MIL-C-55302/179A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW PIN ASSEMBLIES, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH	A 5935	17 26-DEC-89	CR	EC	17	
MIL-C-55302/180A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW RECEPTACLE ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH	A 5935	17 26-DEC-89	CR	EC	17	
MIL-C-55302/181A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW PIN ASSEMBLIES, RIGHT ANGLE, 100 THROUGH 684 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH	A 5935	17 26-DEC-89	CR	EC	17	
MIL-C-55302/182A	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: GUIDE PINS, JACKSCREWS AND MOUNTING EARS USER: 19 AT AV MC ME REVIEWER: 11 85 99 AR AS ES MI SH	A 5935	17 26-DEC-89	CR	EC	17	
MIL-C-55302/183	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 2-ROW RECEPTACLE ASSEMBLIES, 20 THROUGH 150 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH	A 5935	CR 26-AUG-88	CR	EC	17	
MIL-C-55302/184	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 3-ROW RECEPTACLE ASSEMBLIES, 75 THROUGH 225 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH	A 5935	CR 26-AUG-88	CR	EC	17	
MIL-C-55302/185	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: 4-ROW RECEPTACLE ASSEMBLIES, 100 THROUGH 300 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH	A 5935	CR 26-AUG-88	CR	EC	17	
MIL-C-55302/190	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH	A 5935	CR 22-NOV-88	CR	EC	17	
MIL-C-55302/191	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH	A 5935	CR 22-NOV-88	CR	EC	17	
MIL-C-55302/192	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: RECEPTACLE, SOCKET CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH	A 5935	CR 22-NOV-88	CR	EC	17	
MIL-C-55302/193	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES: PLUG, PIN CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) USER: 11 19 80 AT AV MC ME REVIEWER: 85 99 AR AS MI OS SH	A 5935	CR 22-NOV-88	CR	EC	17	
LI MIL-S-55306 NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-338( )/TRC-121 .....	A 5820	CR 20-OCT-89	CR			
LI MIL-S-55307(1) NOTICE 2	SHELTER, ELECTRICAL EQUIPMENT S-419( )/TCC-73(V) .....	A 5805	CR 08-JAN-91	CR			
Q MIL-O-553108(1)	OSCILLATORS, CRYSTAL, GENERAL SPECIFICATION FOR USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 01-OCT-91	ER	EC	85	
A I MIL-O-55310/40(2)	OSCILLATORS, CRYSTAL, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 750 KHZ THROUGH 10 MHZ, SOLDER SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAR-93	ER	EC	85	
A I MIL-O-55310/50(2)	OSCILLATOR, CRYSTAL, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 1 MHZ THRU 10 MHZ, SOLDER SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAR-93	ER	EC	85	
MIL-O-55310/60(2)	OSCILLATORS, CRYSTAL, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 15.7 KHZ THROUGH 10 MHZ, SOLDER SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAR-93	ER	EC	85	NA
A I MIL-O-55310/70(2)	OSCILLATORS, CRYSTAL, TYPE 3 (TEMPERATURE COMPENSATED (TCXO)), 10 MHZ THROUGH 90 MHZ, SOLDER SEAL, SINE WAVE USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAR-93	ER	EC	85	
MIL-O-55310/80(1)	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THRU 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAY-88	ER	EC	85	NA
MIL-O-55310/90(1)	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 400 KHZ THRU 30 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAY-88	ER	EC	85	NA
MIL-O-55310/100(2)	OSCILLATORS, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THROUGH 60 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	85 10-MAY-88	ER	EC	85	NA
MIL-O-55310/118(1) NOTICE 1	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THRU 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAY-88	ER	EC	85	NA
MIL-O-55310/120(1)	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1 KHZ THRU 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	85 10-MAY-88	ER	EC	85	NA
A MIL-O-55310/130	OSCILLATORS, CRYSTAL, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 300 KHZ THROUGH 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 06-OCT-92	ER	EC	85	
MIL-O-55310/140(1)	OSCILLATORS, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 0.1 HZ THROUGH 25 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAY-88	ER	EC	85	NA
MIL-O-55310/158(1) NOTICE 1	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THRU 10 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	ER 10-MAY-88	ER	EC	85	NA
MIL-O-55310/160	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 0.1 HZ THROUGH 80 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SH	A 5955	ER 10-MAY-88	ER	EC	85	
MIL-O-55310/17A(1) NOTICE 1	OSCILLATOR, CRYSTAL, TYPE 1 (CRYSTAL OSCILLATOR (XO)), GATED, 250 KHZ THROUGH 50 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SH	A 5955	ER 10-MAY-88	ER	EC	85	NA
MIL-O-55310/18A(1)	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 0.01 HZ THROUGH 15.0 MHZ, HERMETIC SEAL, SQUARE WAVE, CMOS USER: 19 AS CG ES MC REVIEWER: 99 AR MI SH	A 5955	ER 11-APR-84	ER	EC	85	NA
MIL-O-55310/19(1) NOTICE 1	OSCILLATOR, CRYSTAL, CLASS 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 REVIEWER: 99 AR MI SH	A 5955	85 10-MAY-88	ER	EC	85	NA
L MIL-O-55310/20A(1)	OSCILLATORS, CRYSTAL, CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 40 KHZ THROUGH 60.0 MHZ, HERMETIC SEALED, SQUARE WAVE, TTL USER: 19 REVIEWER: 11 17 99	A 5955	85 28-JUL-89			85	
L MIL-O-55310/21A(1)	OSCILLATORS, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 1.0 MHZ THROUGH 60.0 MHZ, HERMETIC SEAL, SQUARE WAVE, TTL USER: 19 REVIEWER: 11 17 99	A 5955	85 28-JUL-89			85	
MIL-O-55310/22A(1)	OSCILLATOR, CRYSTAL, CLASS 3, (TEMPERATURE COMPENSATED (TCXO)), 3.2 MHZ SOLDER SEAL, SQUARE WAVE, CMOS USER: 19 AS CG MC REVIEWER: 99 AR ES MI SH	A 5955	85 10-MAY-88	ER	EC	85	NA



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordnance Coordination Inches Document Number	Document Title	Dist. Smt. FSC / Item MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-O-55310/23	OSCILLATORS, CRYSTAL CONTROLLED, TYPE 3, (TEMPERATURE COMPENSATED (TCXO)), 10.0 MHZ HERMETIC SEAL, SQUAREWAVE, CMOS USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SM	A 5955	ER 13-OCT-89	ER	EC	85	
MIL-O-55310/24	OSCILLATORS, CRYSTAL CONTROLLED, TYPE 3, (TEMPERATURE COMPENSATED (TCXO)), 10.0 MHZ HERMETIC SEAL, SINEWAVE USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SM	A 5955	ER 13-OCT-89	ER	EC	85	
MIL-O-55310/25	OSCILLATIONS, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 25 MHZ THROUGH 175 MHZ, HERMETIC SEAL, SQUARE WAVE, EMITTER COUPLED LOGIC USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SM	A 5955	ER 19-JUL-90	ER	EC	85	
MIL-O-55310/26	OSCILLATORS, CRYSTAL CONTROLLED, TYPE 1 (CRYSTAL OSCILLATOR (XO)), 100 KHZ THROUGH 65 MHZ, HERMETIC SEAL, SQUARE WAVE, HIGH SPEED CMOS USER: 19 AS CG MC REVIEWER: 11 17 99 AR ES MI SM	A 5955	ER 19-JUL-90	ER	EC	85	
L MIL-S-55316A	SHELTER, ELECTRICAL, EQUIPMENT S-487(J)TSM-55(V) (INVALIDATION DATE: 8502) REVIEWER: CS	A 4940	ER 19-MAY-77	ER			
L1 MIL-R-55317A	RECEIVING SET, RADIO AM/URR-70 AND KIT, ACCESSORY MK-1517/UR	A 5820	CR 26-OCT-89	CR			
L1 MIL-R-55319A	RECEIVING SET, RADIO AM/URR-71	A 5820	CR 26-OCT-89	CR			
L1 MIL-M-55325(2)	MOUNTING MT-3802(J)/ARC	A 5810	CR 10-OCT-90	CR			
L1 MIL-S-55329	SEMI-TRAILER, VAN, ELECTRONIC EQUIPMENT V-189( )/MSC-25	A 5805	CR 08-JAN-91	CR			
L1 MIL-C-55330B	CONNECTORS, ELECTRICAL AND FIBER OPTIC, PACKAGING OF REVIEWER: 80 BS SM ...	A PACK	CR 13-JUL-88	CR	EC	99	ES
L1 MIL-E-55332	ELECTRON TUBE, IMAGE CONVERTER (INFRARED SENSITIVE), TYPE 8598 REVIEWER: AR AV ME	A 5855	CR 05-OCT-90	CR			
L MIL-N-55333A	RADIO SET AM/GRC-144 ( ) (UNITS OF) AND INDICATOR, ANTENNA ALIGNMENT 1D-1708( )/GRC	A 5820	CR 28-NOV-90	CR			
L MIL-T-55335(2)	TEST FACILITIES KIT, MK-1191( )/AR (UNITS OF) (INVALIDATION DATE: 8605) ....	A 6625	CR 14-MAY-86	CR			
L MIL-M-55336(2)	MAINTENANCE ACCESSORY KIT, MK-1192( )/ARM (UNITS OF) (INVALIDATION DATE: 8605)	A 6625	CR 14-MAY-86	CR			
Q MIL-A-55339A	ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR USER: 19 AS AT MC REVIEWER: 17 99 AR ES MI SM	A 5935	CR 20-JUL-82	CR	EC	85	
MIL-A-55339/1A(2)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES BMC JACK 2 SERIES N JACK), CLASS 2 (INVALIDATION DATE: 9112) USER: AS AT MC REVIEWER: 11 17 99 AR MI SM	A 5935	CR 11-DEC-91	CR	EC	85	
L MIL-A-55339/2A(1)	ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (SERIES SMA), CLASS 2, RIGHT ANGLE, MALE TO FEMALE (INVALIDATION DATE: 8811) REVIEWER: ES MI	A 5935	85 03-NOV-88			85	
MIL-A-55339/3(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, RIGHT ANGLE, (WITHIN SERIES N PLUG TO SERIES N JACK), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/4A(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMMUT MOUNTED, (WITHIN SERIES N JACK TO SERIES N JACK, (HERMETIC AND NON-HERMETIC)), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SM	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/5(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES N PLUG TO SERIES N PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/6A	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, T PLUG USER: 19 AS AT MC REVIEWER: 11 17 99 AR ES MI SM	A 5935	CR 13-JUL-87	CR	EC	85	
MIL-A-55339/7	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES N), CLASS 2, STRAIGHT PLUG (INVALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 25-JUL-91	CR	EC	85	
MIL-A-55339/8(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES C JACK TO SERIES C JACK), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/9	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, STRAIGHT PLUG (INVALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 25-JUL-91	CR	EC	85	
MIL-A-55339/10	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, RIGHT ANGLE PLUG (INVALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 25-JUL-91	CR	EC	85	
MIL-A-55339/11(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES C), CLASS 2, "T" PLUG (INVALIDATION DATE: 9107) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 25-JUL-91	CR	EC	85	
MIL-A-55339/12(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMMUT MOUNTED, (WITHIN SERIES C JACK TO SERIES C JACK (HERMETIC)), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI SM	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/13A(1)	ADAPTERS, CONNECTORS, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMMUT MOUNTED, (WITHIN SERIES BMC JACK TO SERIES BMC JACK, (HERMETIC AND NON-HERMETIC)), CLASS 2 (INVALIDATION DATE: 8808)	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/14(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, RIGHT ANGLE (WITHIN SERIES BMC JACK TO SERIES BMC PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/15(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES BMC PLUG TO SERIES BMC PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT ES MC REVIEWER: 11 99 AR MI	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/16(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES BMC JACK TO SERIES BMC JACK), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/17A(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY "T", (WITHIN SERIES BMC PLUG TO 2 SERIES BMC JACKS), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 ES MI OS SH	A 5935	CR 02-MAR-89	CR	EC	85	
MIL-A-55339/18(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE (BETWEEN SERIES BMC PLUG TO SERIES N PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/19(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES N JACK TO SERIES C PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/20(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BMC JACK TO SERIES N PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/21(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES C JACK TO SERIES N PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/22(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES BMC JACK TO SERIES C PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85	
MIL-A-55339/23(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES C JACK TO SERIES BMC PLUG), CLASS 2 (INVALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ONL Coordination Inclusive Document Number	Document Title	Dist. Sym. FSC / Ane MCA Symbol Preparing Act.	Date	Custodians		
				Army	Navy	Air Force DLA
MIL-A-55339/24A NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, FLANGE MOUNTED, (BETWEEN SERIES BNC PLUG TO SERIES N JACK), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI	A 5935	CR 26-AUG-88	CR	EC	85
MIL-A-55339/258(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMMUT MOUNTED (BETWEEN SERIES BNC JACK TO SERIES N JACK), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH	A 5935	CR 31-OCT-88	CR	EC	85
MIL-A-55339/288	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, JAMMUT MOUNTED, (WITHIN SERIES SMA PLUG TO SERIES SMA PLUG (HERMETIC)), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS	A 5935	CR 23-MAR-88	CR	EC	85
MIL-A-55339/29A NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA PLUG TO SMA PLUG), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 26-AUG-88	CR	EC	85
MIL-A-55339/308	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, "T", (WITHIN SERIES SMA PLUG TO TWO SERIES SMA JACKS), CLASS 2 USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI OS SH	A 5935	CR 08-FEB-89	CR	EC	85
MIL-A-55339/31A NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES SMA JACK TO SMA SERIES JACK), CLASS 2 (VALIDATION DATE: 8808) REVIEWER: MI	A 5935	CR 26-AUG-88	CR	EC	85
MIL-A-55339/32 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC) RIGHT ANGLE, MALE TO FEMALE (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 25-JUL-91	CR	EC	85
MIL-A-55339/33 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 25-JUL-91	CR	EC	85
MIL-A-55339/34(1) NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC, (HERMETIC)), CLASS 2, RECEPTACLE (VALIDATION DATE: 9112) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 11-DEC-91	CR	EC	85
MIL-A-55339/35 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, "T" PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 25-JUL-91	CR	EC	85
MIL-A-55339/36A NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (WITHIN SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9112) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 11-DEC-91	CR	EC	85
MIL-A-55339/37 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 25-JUL-91	CR	EC	85
MIL-A-55339/38 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 25-JUL-91	CR	EC	85
MIL-A-55339/39 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES BNC TO SERIES TNC), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9107) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 25-JUL-91	CR	EC	85
MIL-A-55339/40A(1) NOTICE 1	ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9112) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 11-DEC-91	CR	EC	85
MIL-A-55339/41A(2) NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (FEMALE)), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 9112) USER: 19 AR AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 11-DEC-91	CR	EC	85
I MIL-A-55339/42A(2) NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (FEMALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG USER: 19 AR AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 17-OCT-91	CR	EC	85
MIL-A-55339/43A(2) NOTICE 1	ADAPTERS, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA (MALE) TO SERIES TNC (MALE)), CLASS 2, STRAIGHT PLUG USER: 19 AR AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 17-OCT-91	CR	EC	85
MIL-A-55339/44B	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES SMA TO SERIES BNC), CLASS 2, STRAIGHT PLUG USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 28-FEB-79	CR	EC	85
MIL-A-55339/45A NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC PLUG), CLASS 2 (VALIDATION DATE: 8808)	A 5935	CR 26-AUG-88	CR	EC	85
MIL-A-55339/46A NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (BETWEEN SERIES SMA JACK TO SERIES BNC JACK), CLASS 2 (VALIDATION DATE: 8808) USER: 19 AS MC REVIEWER: 11 99 AR AT ES MI SH	A 5935	CR 26-AUG-88	CR	EC	85
MIL-A-55339/47A(1)	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN LINE, (BETWEEN SERIES SMA PLUG TO SERIES BNC JACK), CLASS 2 USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH	A 5935	CR 28-SEP-84	CR	EC	85
MIL-A-55339/48A	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO SERIES TNC), CLASS 2, STRAIGHT PLUG USER: 19 REVIEWER: 11 99 ES	A 5935	85 29-DEC-88			85
MIL-A-55339/49 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES N JACK TO SERIES BNC PLUG) (VALIDATION DATE: 8808) USER: 19 AR AS MC REVIEWER: 11 99 AR AT ES MI MU SH	A 5935	CR 26-AUG-88	CR	EC	85
MIL-A-55339/50A NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (WITHIN SERIES TNC JACK TO TWO SERIES TNC JACKS), CLASS 2, "T" JAMMUT MOUNT (VALIDATION DATE: 8808)	A 5935	CR 26-AUG-88	CR	EC	85
L MIL-A-55339/51 NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES TNC TO SERIES N), CLASS 2, STRAIGHT PLUG (VALIDATION DATE: 8702) USER: 19 REVIEWER: 11 99 ES	A 5935	85 27-FEB-87			85
MIL-A-55339/52	ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH	A 5935	CR 08-FEB-89	CR	EC	85
MIL-A-55339/53	ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, PIN CONTACT (WITHIN SERIES SMA), RIGHT ANGLE USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH	A 5935	CR 08-FEB-89	CR	EC	85
MIL-A-55339/54	ADAPTER, CONNECTOR, ELECTRICAL, COAXIAL, RADIO FREQUENCY, (BETWEEN SERIES SMA TO N) USER: 19 AS AT MC REVIEWER: 11 99 AR ES MI OS SH	A 5935	CR 08-FEB-89	CR	EC	85
I MIL-I-55340A NOTICE 1	IMAGE INTENSIFIER ASSEMBLY 25 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL REVIEWER: AR	A 5855	CR 05-OCT-90	CR	EC	99
L MIL-V-55341	VALVE, PRESSURE RELIEF (VALIDATION DATE: 8411) REVIEWER: CS	A 4820	ER 12-AUG-71	ER		
MQ MIL-R-55342E(2) SUPPL 1A1	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 10-MAY-93	ER	EC	85
M MIL-R-55342/1F(2)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM0502 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 10-MAY-93	ER	EC	85
MIL-R-55342/2F(1)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM0505 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 09-JUL-91	ER	EC	85
MIL-R-55342/3F(1)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1005 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 09-JUL-91	ER	EC	85
MIL-R-55342/4F(1)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1505 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 09-JUL-91	ER	EC	85
MIL-R-55342/5F(1)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM2208 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 09-JUL-91	ER	EC	85
MIL-R-55342/6D(1)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM0705 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 09-JUL-91	ER	EC	85
MIL-R-55342/7B	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1206 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 04-MAY-92	ER	EC	85
MIL-R-55342/8A(1)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM2010 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 09-JUL-91	ER	EC	85
MIL-R-55342/9A(1)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM2512 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER 09-JUL-91	ER	EC	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc/Code Coordination Machine Document Number	Document Title	Doc Symb	FSC / Ave	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
MIL-R-55342(10)(2)	RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY STYLE RM1010 USER: 19 AT AV CG MC ME REVIEWER: 17 99 AR AS ES OS	A 5905	ER	09-JUL-91	ER	EC	85			
I MIL-R-55344B NOTICE 1	RADIATION SOURCE, INFRARED FOR SEARCHLIGHT, INFRARED AM/VSS-3	A 5855	CR	05-OCT-90	CR	EC				
L MIL-I-55345A	IMAGE INTENSIFIER ASSEMBLY 40 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL MX-7856A/V (VALIDATION DATE: 8504)	A 5855	CR	17-MAR-77	CR					
L MIL-I-55345A(1)	IMAGE INTENSIFIER ASSEMBLY 40 MILLIMETER WITH AUTOMATIC BRIGHTNESS CONTROL MX-7856A/V	A 5855	CR	13-JUL-89	CR					
L MIL-C-55346 NOTICE 1	TACTICAL 18.75 KB DIGITAL DATA REGENERATIVE REPEATER PORTABLE HYL-3( )/TSEC (UNITS OF) (VALIDATION DATE: 8803)	A 5810	CR	11-MAR-88	CR					
L MIL-R-55347(1)	RADIO TELETYPEWRITER SET AM/GRC-142( )/AM/GRC-122( )	A 5815	CR	22-NOV-88	CR					
L MIL-R-55348A NOTICE 1	RADAR SET AM/PPS-SB (UNITS OF) (VALIDATION DATE: 8801)	A 5840	CR	29-JAN-88	CR					
L MIL-R-55350A	RADIAC CALIBRATOR AM/UDM-2( )	A 6665	ER	09-JUN-81	ER					
L MIL-H-55351 NOTICE 1	HEADSET-MICROPHONE KIT MK-1564( )/AIC (COMPONENTS OF) (VALIDATION DATE: 8803) REVIEWER: ES	A 5965	CR	25-MAR-88	CR					
L MIL-H-55353	HEADSET, ELECTRICAL, H-216 A/U (VALIDATION DATE: 8008) USER: AS MC SH	A 5965	ES	27-JUL-73	CR	EC	85			
LI MIL-F-55356 NOTICE 1	FLIGHT COORDINATION CENTRAL AM/TSC-61( )	A 5895	CR	20-DEC-89	CR					
L MIL-C-55357(1)	CABLE, TELEPHONE, SHIELDED (INSIDE WIRING) (VALIDATION DATE: 8207)	A 6145	CR	15-AUG-73	CR					
L MIL-A-55359 NOTICE 1	ANTENNA AS-1304( )/ARM-30 (VALIDATION DATE: 8612)	A 5826	CR	08-DEC-86	CR					
L MIL-B-55363(1)	BATTERY, STORAGE, VENTED, NICKEL CADMIUM REVIEWER: GS	A 6140	ER	05-APR-82	ER					
MQ MIL-C-55365C(3)	CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AR AS CG MC OS REVIEWER: 17 99 ES MI NA SH	A 5910	ER	21-APR-93	ER	EC	85			
MIL-C-55365/2D	CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLES CMR03 AND CMR04 USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH	A 5910	ER	23-AUG-90	ER	EC	85			
A MIL-C-55365/4C(2)	CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLES CMR06 AND CMR09 USER: 19 AR AS CG MC OS REVIEWER: 17 ES MI SH	A 5910	ER	14-JUL-92	ER	EC	85			
MIL-C-55365/7A	CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLE CMR10 USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH	A 5910	ER	23-AUG-90	ER	EC	85			
A MIL-C-55365/8B	CAPACITORS, CHIP, TANTALUM, ESTABLISHED RELIABILITY, STYLE CMR11 (METRIC) USER: 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH	A 5910	ER	19-NOV-92	ER	EC	85			
MIL-C-55365/9	CAPACITORS, CHIP, FIXED, TANTALUM, ESTABLISHED RELIABILITY, STYLE CMR12 USER: 11 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH	A 5910	ER	23-AUG-90	ER	EC	85			
A MIL-C-55365/10	CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, STYLES CMR13 AND CMR14 USER: 19 AR AS CG MC OS REVIEWER: 17 99 ES MI SH	A 5910	ER	09-FEB-93	ER	EC	85			
LI MIL-B-55366 NOTICE 1	BEACON SET, RADIO AM/THN-30( ) (UNITS OF)	A 5825	CR	20-DEC-89	CR					
L MIL-D-55367 NOTICE 1	DISCRIMINATOR, DISCRETE SIGNAL MD-736( )/A	A 5821	CR	31-JUL-86	CR					
LI MIL-A-55368 NOTICE 1	AIRBORNE DATA ANNOTATION SYSTEM AM/AYA-10( )	A 5895	CR	26-OCT-89	CR					
L MIL-T-55369 NOTICE 1	TEST SET, RADIO TS-1588( )/AIC (VALIDATION DATE: 8605)	A 6625	CR	14-MAY-86	CR					
L MIL-T-55371A	TAPE, RADIO FREQUENCY MEASURING (P/D ANTENNA GROUP AM/GRA-50( ))	A 5210	CR	24-MAY-91	CR					
L MIL-M-55372 NOTICE 1	NETWORK, IMPEDANCE MATCHING CU-1794( )/ARC-114 (VALIDATION DATE: 8802)	A 5915	CR	01-FEB-88	CR					
L MIL-M-55374 NOTICE 1	NETWORK, IMPEDANCE MATCHING QUADRATURE HYBRID CU-1796( )/ARC-114 (VALIDATION DATE: 8802)	A 5915	CR	01-FEB-88	CR					
LI MIL-A-55379A NOTICE 1	DIRECTION FINDER ANTENNA GROUP P/D DIRECTION FINDER SET AM/TRQ-30( ) (V) ..	A 5820	CR	26-OCT-89	CR					
L MIL-S-55389(2)	SUPPRESSOR, ELECTRICAL TRANSIENT, MX-777BA/GRC (VALIDATION DATE: 8502)	A 5915	ER	21-APR-78	ER					
L MIL-C-55398	COMPENSATOR, MAGNETIC FLUX CM-405( )/ASN (VALIDATION DATE: 8009) REVIEWER: CR	A 6605	AV	01-JUN-73	AV					
L MIL-T-55401 NOTICE 1	TRANSMITTER GROUP, SIMULATED RADIAC OT-51( )/T (VALIDATION DATE: 8809)	A 6665	CR	14-SEP-88	CR					
L MIL-T-55402 NOTICE 1	TRANSMITTER GROUP, SIMULATED RADIAC, HOT SPOT OT-52( )/T (VALIDATION DATE: 8809)	A 6665	CR	14-SEP-88	CR					
L MIL-R-55403 NOTICE 1	RECEIVER GROUP, SIMULATED RADIAC, OR-114( )/T (VALIDATION DATE: 8809)	A 6665	CR	14-SEP-88	CR					
L MIL-C-55412(1) NOTICE 1	CENTER, MESSAGE AM/GSO-80( ) (VALIDATION DATE: 9010) REVIEWER: GS	A 9999	CR	23-OCT-90	CR					
L MIL-C-55416(1)	CODER-BURST TRANSMISSION GROUP AM/GRA-71( ) (UNITS OF)	A 5820	CR	01-APR-86	CR					
LI MIL-T-55417(2) NOTICE 1	TELETYPEWRITER TERMINAL & TELETYPEWRITER OPERATIONS CENTRAL AM/MGC-32( )	A 5815	CR	10-OCT-90	CR					
LI MIL-T-55418(2) NOTICE 1	TELETYPEWRITER RELAY CENTRAL AM/MGC-23( )	A 5815	CR	20-OCT-89	CR					
LI MIL-T-55420A NOTICE 1	TACTICAL IMAGERY INTERPRETATION FACILITY AM/TSQ-43( )	A 5895	CR	28-NOV-89	CR					
L MIL-C-55422	CLIP, ELECTRICAL, GRID AND AMODE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8308) REVIEWER: 17 99 GS MI	A 5999	ER	23-FEB-65	ER	SH	85			
MIL-C-55422/1	CLIP, ELECTRICAL, GRID (VALIDATION DATE: 8308) REVIEWER: 99 GS	A 5999	ER	23-FEB-65	ER	SH	85			
MIL-C-55422/2	CLIP, ELECTRICAL, AMODE (VALIDATION DATE: 8301) REVIEWER: 99 GS	A 5999	ER	23-FEB-65	ER	SH	85			
MIL-C-55422/3	CLIP, ELECTRICAL, AMODE (VALIDATION DATE: 8301) REVIEWER: 99 GS MI	A 5999	ER	23-FEB-65	ER	SH	85			
MIL-C-55422/4	CLIP, ELECTRICAL, AMODE (VALIDATION DATE: 8308) REVIEWER: 99 GS	A 5999	ER	23-FEB-65	ER	SH	85			
L MIL-C-55425C(2) NOTICE 1	CABLE, TELEPHONE WF-16( )/U (VALIDATION DATE: 9010) REVIEWER: IS	A 6145	CR	23-OCT-90	CR					
M MIL-C-55427A NOTICE 1	CABLE ASSEMBLIES, RADIO FREQUENCY, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8804) USER: 14 19 AT MC ME REVIEWER: 11 17 99 AR AS GS MI OS SH	A 5995	CR	01-APR-88	CR	EC	85			
MIL-C-55427/1 NOTICE 1	CABLE ASSEMBLIES, RADIO FREQUENCY (MADE FROM M17/28-RG58 CABLE) (VALIDATION DATE: 8809) USER: 19 AT AV MC ME REVIEWER: 11 17 AS ES SH	A 5995	CR	19-SEP-88	CR	EC	85			
L MIL-T-55431A	TEST SET, BATTERY AM/PSM-13( ) (VALIDATION DATE: 8606)	A 6625	CR	06-JUN-86	CR					
A MIL-S-55433C NOTICE 1	SWITCHES, REED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9207) USER: 19 MC REVIEWER: 17 85 AR ES	A 5930	ER	24-JUL-92	ER	EC				
L MIL-T-55441(1) NOTICE 1	TOWER AB-585( )/G (VALIDATION DATE: 8606)	A 5445	CR	12-JUN-86	CR					
L MIL-C-55442B	CABLE ASSEMBLIES AND CORD ASSEMBLIES, PACKAGING OF REVIEWER: 85 AS ES GS OS SH SH	A PACK	CR	23-MAY-85	CR	EC	99			
L MIL-R-55444 NOTICE 1	RADIO, SQUAD, RECEIVING AND TRANSMITTING (UNITS OF) REVIEWER: MI	A 5820	CR	03-NOV-75	CR					
L MIL-C-55444(2) NOTICE 1	CABLES, TELEPHONE, SWITCHBOARD: PLASTIC INSULATED, PLASTIC JACKETED (VALIDATION DATE: 8809) USER: 17 REVIEWER: 99 IS	A 6145	CR	19-SEP-88	CR					85
L MIL-C-55444E	CONNECTOR, PLUG, ELECTRICAL U-237( )/G CONNECTOR, RECEPTACLE, ELECTRICAL U-238( )/G	A 5935	CR	31-JUL-90	CR					
LI MIL-D-55453(1) NOTICE 1	DIRECTION FINDER SET AM/TRD-15( ) (UNITS OF)	A 5825	CR	03-APR-89	CR					
L MIL-D-55456B NOTICE 1	DISTRIBUTION BOX, J-1077( )/U DISTRIBUTION BOX, J-2317( )/U (VALIDATION DATE: 8802) USER: MC REVIEWER: GS	A 6110	CR	24-FEB-88	CR					
LI MIL-A-55468A NOTICE 1	ANTENNA GROUP DE-4( )/GR	A 5895	CR	26-OCT-89	CR					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OLA Coordination Inchance Document Number	Document Title	Doc Type	FSC / Issue	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	OLA
L MIL-C-55481B NOTICE 1	CABLE ASSEMBLY, POWER ELECTRICAL CX-7453( )/U CABLE ASSEMBLY, POWER ELECTRICAL CX-7705( )/U [VALIDATION DATE: 8804] USER: ME REVIEWER: GS	A 5995	CR	01-APR-88	CR				
L MIL-C-55483B	CABLES, POWER, ELECTRICAL, FLAT THREE-CONDUCTOR REVIEWER: ES 15	A 6145	CR	11-OCT-90	CR		85		
L MIL-C-55486B(1)	CABLE ASSEMBLY TELEPHONE CX-4566( )/G & CX-4760( )/U USER: MC REVIEWER: GS	A 5995	CR	25-FEB-88	CR				
L MIL-S-55488B NOTICE 1	SIGHT, NIGHT VISION, INDIVIDUAL SERVED WEAPONS AM/PVS-2 USER: MI REVIEWER: ME	A 5855	CR	05-OCT-90	CR		EC 99		
L MIL-R-55489C NOTICE 1	NIGHT VISION SIGHT, CREW SERVED WEAPONS AM/PVS-2 REVIEWER: AR MD MI	A 5855	CR	05-OCT-90	CR		EC 99		
L MIL-R-55491A	NIGHT VISION SIGHT, TRIPOD MOUNTED AM/PVS-4(U) [VALIDATION DATE: 8504] USER: AR ME OS	A 5855	CR	26-JAN-76	CR		EC 99		
L MIL-I-55493A NOTICE 1	IMAGE INTENSIFIER ASSEMBLY, 40 MILLIMETER USER: AT AV MC REVIEWER: 13 AR ME OS	A 5855	CR	05-OCT-90	CR		SH 84		
L MIL-S-55498A NOTICE 1	SHELTER FACILITY, ELECTRICAL EQUIPMENT S-371( )/MSC-31A	A 5895	CR	20-OCT-89	CR				
L MIL-R-55499B(1)	RADIO SET AM/PRC-77( ) (UNITS OF) USER: MC REVIEWER: MI	A 5820	CR	17-MAR-87	CR				
L MIL-A-55503 NOTICE 1	ATTITUDE HEADING REFERENCE SET AM/ASH-76 [VALIDATION DATE: 8712] REVIEWER: A 6605	A 6605	AV	15-DEC-87	AV				
L MIL-R-55504(2)	RECEIVER, RADIO R-1041B/ARM [VALIDATION DATE: 8501]	A 5826	AV	12-FEB-70	AV				
L MIL-S-55507E(2)	SHELTER, ELECTRICAL EQUIPMENT (WITH OR WITHOUT EQUIPMENT), PACKAGING OF REVIEWER: SM	A 5826	AV	10-JUN-91	CR				
L MIL-I-55510B NOTICE 1	INDICATOR CHANNEL ALIGNMENT ID-1189( )/IPR	A 5820	CR	01-APR-86	CR				
L MIL-S-55511A NOTICE 1	SHELTER FACILITY, ELECTRICAL EQUIPMENT S-372( )/MSC-32A	A 5895	CR	20-OCT-89	CR				
L MIL-A-55512A NOTICE 1	ADAPTER, CONNECTOR UC-1312( )/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935	CR	02-AUG-91	CR				
AQ MIL-C-55514C(1) SUPPL 1A1	CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR USER: 19 AS MC REVIEWER: 17 99 ES OS	A 5910	ER	16-NOV-92	ER	EC 85			
MIL-C-55514/1A(2)	CAPACITOR, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CF02 USER: 19 AS MC REVIEWER: 17 99 ES OS	A 5910	85	25-APR-80	ER	EC 85			
MIL-C-55514/3C(3)	CAPACITOR, FIXED, PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CF04 USER: 19 AS MC REVIEWER: 17 99 ES OS	A 5910	85	25-APR-80	ER	EC 85			
MIL-C-55514/4C(1)	CAPACITOR, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLES CF05 AND CF06 USER: 19 AS MC REVIEWER: 17 99 ES OS	A 5910	85	15-JUL-83	ER	EC 85			
L MIL-C-55514/7A(3) NOTICE 1	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, STYLE CF09 [VALIDATION DATE: 9006] REVIEWER: 17 99 ES	A 5910	85	22-JUN-90			85		
MIL-C-55514/8D(2)	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY STYLES CF12 AND CF16 USER: 19 AS MC REVIEWER: 17 99 ES OS	A 5910	ER	19-DEC-91	ER	EC 85			
MIL-C-55514/9(1)	CAPACITOR, FIXED METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY STYLES CF13 & CF14 USER: 19 AS MC REVIEWER: 17 99 ES OS	A 5910	85	18-APR-83	ER	EC 85			
MIL-C-55514/10B(2)	CAPACITORS, FIXED PLASTIC DIELECTRIC, DC, IN NON-METAL CASES, ESTABLISHED RELIABILITY STYLE CF15 USER: 11 19 AS MC REVIEWER: 17 99 ES OS	A 5910	ER	04-MAY-90	ER	EC 85			
L MIL-C-55514/11A	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY STYLES CF26 AND CF27	A 5910	ER	14-MAR-90	ER				
L MIL-C-55514/12A	CAPACITORS, FIXED, METALLIZED PLASTIC DIELECTRIC, DC, IN NONMETAL CASES, ESTABLISHED RELIABILITY STYLE CF29	A 5910	ER	14-MAR-90	ER				
L MIL-M-55516A NOTICE 1	MICROPHONE, DYNAMIC M-133/U [VALIDATION DATE: 8701] REVIEWER: EA ES	A 5965	CR	09-JAN-87	CR				
L MIL-D-5551B NOTICE 1	DIRECTION FINDER SET AM/TRD-23( ) (UNIT OF)	A 5825	CR	03-APR-89	CR				
L MIL-M-55520A NOTICE 1	MULTIPLIER, HIGH VOLTAGE, DIRECT CURRENT USER: AV REVIEWER: MI	A 5855	CR	05-OCT-90	CR		EC 99		
L MIL-B-55521C(1)	BATTERIES, NONRECHARGEABLE, PACKAGING OF USER: BO AR MI OS REVIEWER: AS SM	A 6000	CR	26-JUN-84	CR		SH 99		
L MIL-B-55521C(12)	BATTERIES, NONRECHARGEABLE, PACKAGING OF	A 6000	CR	13-JAN-92	CR				
L MIL-T-55523(1) NOTICE 1	TEST FIXTURE SETS, ELECTRONIC [VALIDATION DATE: 8602]	A 6625	CR	19-FEB-86	CR				
L MIL-S-55528A NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-298( )/TRC-110(V)	A 5820	CR	20-OCT-89	CR				
L MIL-M-55529A	MODEM, RADIO TELETYPEWRITER SET MD-522( )/GRC [VALIDATION DATE: 8605]	A 5815	CR	28-MAY-86	CR				
L MIL-C-55532A	CHARGER, BATTERY PP-1660( )/G [VALIDATION DATE: 8301] REVIEWER: GS	A 6130	ER	24-OCT-69	ER				
L MIL-M-55535(1)	HEADSET MICROPHONE KIT MK-1039/G [VALIDATION DATE: 8008]	A 5965	ES	02-MAY-68	CR				
L MIL-C-55537A NOTICE 1	CENTRAL OFFICE TELEPHONE, MANUAL AM/TTC-23( )	A 5805	CR	20-OCT-89	CR				
L MIL-I-55538(1) NOTICE 1	INFLATION-LAUNCHING DEVICE, BALLOON, METEOROLOGICAL ML-594( )/U [VALIDATION DATE: 8801] REVIEWER: 99 GS	A 6660	CR	29-JAN-88	CR				
L MIL-S-55541G	SHELTER, ELECTRICAL EQUIPMENT S-250( )/G REVIEWER: CS	A 5411	GL	01-AUG-84	GL				
L MIL-S-0055541H	SHELTER, ELECTRICAL EQUIPMENT S-250( )/G REVIEWER: TR	A 5411	GL	20-DEC-91	GL				
L MIL-I-55553 NOTICE 1	IMAGE INTENSIFIER ASSEMBLY, 18 MILLIMETER, MK-8200/UW	A 5855	CR	05-OCT-90	CR				
L MIL-M-55554A NOTICE 1	MODULE, IMAGE INTENSIFIER 25 MILLIMETER, TYPE 8585 USER: AT AV MI REVIEWER: AR MD	A 5855	CR	05-OCT-90	CR				
L MIL-M-55555A	MODULE, IMAGE INTENSIFIER 40 MILLIMETER, TYPE 8605 [VALIDATION DATE: 8504] USER: AT AV MC REVIEWER: 13 AR ME OS	A 5855	CR	26-DEC-69	CR		EC 99		
L MIL-M-55555A(11)	MODULE, IMAGE INTENSIFIER 40 MILLIMETER, TYPE 8605	A 5855	CR	13-JUL-89	CR				
L MIL-S-55556A	SPECIFICATION, PREPARATION OF INSTALLATION AND ACCEPTANCE TESTING OF ELECTRONICS EQUIPMENT IN AIRCRAFT [VALIDATION DATE: 8403]	A 5810	AV	01-MAR-78	AV				
L MIL-S-55557A(1) NOTICE 2	SHELTER, ELECTRICAL EQUIPMENT S-330( )/TRC-117(V)	A 5810	CR	08-JAN-91	CR				
L MIL-S-55562C NOTICE 1	SHOP, ELECTRONIC, SEMITRAILER MOUNTED AM/ARM-189( ) & AM/ASH-190( ) [VALIDATION DATE: 8706] REVIEWER: CS	A 4900	CR	02-JUN-87	CR				
L MIL-R-55563(1) NOTICE 1	RADIO SET AM/ARC-131( ) (UNITS OF)	A 585	CR	10-OCT-90	CR				
L MIL-M-55564(1) NOTICE 1	MAINTENANCE KIT, ELECTRONIC EQUIPMENT MK-1035( )/ARC-131 (UNITS OF)	A 662	CR	03-APR-89	CR				
L MIL-M-55565C	MICROCIRCUITS, PACKAGING OF USER: SH REVIEWER: 11 17 85 AR AS MC MI	A 6000	CR	09-NOV-88	CR		EC 99	ES	
L MIL-R-55566C	REEL, CABLE RC-435( )/U USER: ME REVIEWER: GS	A 8130	CR	11-AUG-86	CR				
L MIL-C-55571A NOTICE 1	CASE, MERCURIAL BAROMETER ML-48( ) [VALIDATION DATE: 8804] REVIEWER: AS	A 6660	CR	27-APR-88	CR				99
L MIL-L-55574A NOTICE 1	LAMP, XENON, SHORT-ARC, 10/15/20 KW	A 6240	CR	05-OCT-90	CR				
L MIL-S-55578A NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-348( )/TSC-58	A 5895	CR	15-JAN-91	CR				
L MIL-S-55579 NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-403( )/TSC-76	A 5805	CR	20-OCT-89	CR				
L MIL-S-55580 NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-404( )/MSC	A 5805	CR	20-OCT-89	CR				
L MIL-S-55581A NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-368( )/MGC-9A	A 5815	CR	20-OCT-89	CR				
L MIL-C-55583B(1) NOTICE 1	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL CX-11230( )/G CABLE ASSEMBLY ADAPTER CX-10734( )/G REVIEWER: GS	A 5995	CR	25-JUL-86	CR				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn./Chg. Cancellation Inactive	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Agency Date	Custodians			
						Army	Navy	Air Force	DIA
LI	MIL-S-55584 NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-381() /TCC-69 .....	A 5805	CR	20-OCT-89	CR			
L	MIL-E-55585F(2)	ELECTRONICS EQUIPMENT AND PARTS, PACKAGING OF REVIEWER: SM .....	A 5805	CR	20-MAR-92	CR			
LI	MIL-S-55586 NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-302() /TCC-62 .....	A 5805	CR	20-OCT-89	CR			
LI	MIL-R-55587 NOTICE 1	RADIO TELETYPEWRITER SET AN/GRC-142( ) IN S-318 SHELTER .....	A 5815	CR	20-OCT-89	CR			
L	MIL-S-55588B(2)	SHELTER, ELECTRICAL EQUIPMENT S-333( ) /TCC-65 .....	A 5805	CR	20-MAR-91	CR			
LI	MIL-S-55589A NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-335() /TRC-113 .....	A 5820	CR	20-OCT-89	CR			
L	MIL-S-55590C(2)	SHELTER, ELECTRICAL EQUIPMENT S-390( ) /TRC-145( ) .....	A 5820	CR	20-MAR-91	CR			
	MIL-O-55593(1)	OVEN ASSEMBLY, WITH QUARTZ CRYSTAL UNITS, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8502] USER: 17 19 AS CG MC OS REVIEWER: ES MI	A 5955	BS	22-JUL-70	ER	EC	BS	
L	MIL-P-55594A	PRINTER, CONTACT, PHOTOGRAPHIC EM-100( ) REVIEWER: GS .....	A 6740	CR	12-NOV-84	CR			
L	MIL-R-55602A(2)	RESTORER, PULSE FORM TD-2068/G .....	A 5805	CR	08-MAY-85	CR			
L	MIL-T-55603A(1) NOTICE 1	TEST SET, TELEPHONE AN/SPM-7 INACTIVE FOR NEW DESIGN [VALIDATION DATE: 8202]	A 6625	CR	22-MAR-76	CR			
	MIL-T-55605 NOTICE 1	TEST SET, TRANSPONDER AN/APM-123( ) (V) INACTIVE FOR NEW DESIGN [VALIDATION DATE: 8202]	A 6625	CR	02-AUG-68	CR	AS	11	
L	MIL-S-55606C(2)	SHELTER, ELECTRICAL EQUIPMENT S-412( ) /TCC-72 .....	A 5805	CR	20-MAR-91	CR			
L	MIL-C-55607A(3) NOTICE 1	CONVERTER, TELEPHONE SIGNAL CV-154B( ) /C [VALIDATION DATE: 9101] .....	A 5805	CR	29-JAN-91	CR			
LI	MIL-F-55608(1) NOTICE 1	FILTER, INFRARED, INTERFERENCE TYPE, FOR AN/TVS-3 .....	A 5855	CR	05-OCT-90	CR			
LI	MIL-K-55609(1) NOTICE 1	KIT, FILTER, INFRARED, INTERFERENCE TYPE FOR AN/TVS-3 .....	A 5855	CR	05-OCT-90	CR			
L	MIL-F-55614B NOTICE 1	FILTER, INFRARED INTERFERENCE-TYPE (PINK) FOR SEARCHLIGHT, INFRARED 28-VOLT, 110-AMPERE	A 5855	CR	05-OCT-90	CR	EC		
L	MIL-R-55615B	RADIOMETER IM-174( ) /PD .....	A 6665	CR	06-AUG-84	CR			
L	MIL-S-55616A NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-392( ) /TTC-29 [VALIDATION DATE: 8606] .....	A 5805	CR	12-JUN-86	CR			
LI	MIL-C-55618 NOTICE 1	CENTRAL OFFICE, TELEPHONE, MANUAL AN/MTC-1( ) .....	A 5805	CR	20-OCT-89	CR			
L	MIL-M-55623A NOTICE 1	METER, VOLUME, HYDROGEN-HELIUM ML-605( ) /U [VALIDATION DATE: 8910] .....	A 6660	CR	04-OCT-89	CR			
Q	MIL-P-55624(1) SUPPL 1A1	PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS GENERAL SPECIFICATION FOR [VALIDATION DATE: 8110] USER: AT MC SH REVIEWER: 11 99 AR ES MI	A 5920	ER	12-DEC-73	ER	EC	BS	
D	MIL-P-55624/3A	PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS FUSELESS, WITH COVER, STYLE P3 [VALIDATION DATE: 8110] USER: AT MC ME REVIEWER: 11 99 EC ES MI	A 5920	ER	20-MAR-74	ER	YD1	BS	
D	MIL-P-55624/4B	PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS FUSED, WITH COVER STYLE P4 [VALIDATION DATE: 8110] USER: AT MC SH REVIEWER: 11 99 AR EC ES MI	A 5920	ER	23-MAY-75	ER	YD1	BS	
Q	MIL-C-55629B(2) SUPPL 1A1	CIRCUIT BREAKER, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP FREE, GENERAL SPECIFICATION FOR USER: 19 MC SH REVIEWER: 17 99 AS AV ES ME MI OS	A 5925	ER	06-MAY-86	ER	EC	BS	
	MIL-C-55629/1C(1)	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, SINGLE POLE (0.2 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	09-AUG-89	ER	EC	BS	
	MIL-C-55629/7C(1)	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	09-AUG-89	ER	EC	BS	
	MIL-C-55629/3C(2)	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, DOUBLE POLE (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	09-DEC-91	ER	EC	BS	
	MIL-C-55629/4C(2)	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, DOUBLE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	09-AUG-89	ER	EC	BS	
	MIL-C-55629/5C(1)	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, THREE POLE (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	09-AUG-89	ER	EC	BS	
	MIL-C-55629/6C(1)	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, THREE POLE, AUXILIARY CONTACTS (0.2 TO 50 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	09-AUG-89	ER	EC	BS	
	MIL-C-55629/7B(1)	CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 17 99 AS ME OS	A 5925	ER	10-JAN-86	ER	EC	BS	
	MIL-C-55629/8C	CIRCUIT BREAKERS, MAGNETIC, LOW POWER UNSEALED, TRIP-FREE, SERIES TRIP, SINGLE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 17 99 AS ES ME OS	A 5925	ER	05-MAY-86	ER	EC	BS	
	MIL-C-55629/9B(1)	CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 17 99 AS ES ME OS	A 5925	ER	10-JAN-86	ER	EC	BS	
	MIL-C-55629/10B(1)	CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, DOUBLE POLE, AUXILIARY CONTACTS (LEFT POLE) (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 17 99 AS ES ME OS	A 5925	ER	10-JAN-86	ER	EC	BS	
	MIL-C-55629/11B(1)	CIRCUIT BREAKER, MAGNETIC, LOW POWER UNSEALED, TRIP FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 11 17 99 AR AS ES ME MI OS	A 5925	ER	10-JAN-86	ER	EC	BS	
	MIL-C-55629/12C	CIRCUIT BREAKERS, MAGNETIC, LOW-POWER UNSEALED, TRIP-FREE, SERIES TRIP, THREE POLE, AUXILIARY CONTACTS (0.2 TO 30 AMPERES) USER: 19 AV MC MI SH REVIEWER: 11 17 99 AS ES ME OS	A 5925	ER	05-MAY-86	ER	EC	BS	
	MIL-C-55629/13B	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	06-MAY-86	ER	EC	BS	
	MIL-C-55629/14B	CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, SINGLE POLE, BACK MOUNTED (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	06-MAY-86	ER	EC	BS	
	MIL-C-55629/15B	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	06-MAY-86	ER	EC	BS	
	MIL-C-55629/16B	CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, TWO POLE, BACK MOUNTED (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	06-MAY-86	ER	EC	BS	
	MIL-C-55629/17B	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	06-MAY-86	ER	EC	BS	
	MIL-C-55629/18B	CIRCUIT BREAKER, MAGNETIC, UNSEALED, TRIP FREE, THREE POLE, BACK MOUNTED (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	06-MAY-86	ER	EC	BS	
	MIL-C-55629/19C	CIRCUIT BREAKERS, MAGNETIC, UNSEALED, TRIP-FREE, FOUR POLE, FRONT MOUNTED AUXILIARY CONTACTS (1 TO 100 AMPERES) USER: 19 AV MC REVIEWER: 17 99 AS ES ME MI OS	A 5925	ER	23-MAY-89	ER	EC	BS	
	MIL-C-55629/20B(1)	CIRCUIT BREAKERS, MAGNETIC, PANEL SEAL, TRIP-FREE, SERIES TRIP, SINGLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI REVIEWER: 11 17 AS ES ME OS	A 5925	ER	10-JAN-86	ER	EC	BS	
	MIL-C-55629/21B(1)	CIRCUIT BREAKER, MAGNETIC, PANEL SEAL, TRIP FREE, SERIES TRIP, DOUBLE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI REVIEWER: 11 17 AS ES ME OS	A 5925	ER	10-JAN-86	ER	EC	BS	
	MIL-C-55629/22B(1)	CIRCUIT BREAKER, MAGNETIC, PANEL SEAL, TRIP FREE, SERIES TRIP, THREE POLE (0.2 TO 30 AMPERES) USER: 19 AV MC MI REVIEWER: 11 17 AS ES ME OS	A 5925	ER	10-JAN-86	ER	EC	BS	
	MIL-T-55631(2)	TRANSFORMER, INTERMEDIATE FREQUENCY, RADIO FREQUENCY, AND DISCRIMINATOR, GENERAL SPECIFICATION FOR USER: 19 AR AS MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER	12-JUL-82	ER	EC	BS	
L	MIL-I-55633	INDICATOR, PANORAMIC IP-173( ) /U [VALIDATION DATE: 8606] .....	A 6625	CR	06-JUN-86	CR			
L	MIL-C-55639A(2)	CHARGER, BATTERY PP-4127( ) /U REVIEWER: CR GS .....	A 6130	CR	25-NOV-80	CR			
LI	MIL-C-55646	SHELTER, ELECTRICAL EQUIPMENT S-301/TCC-61 .....	A 5805	CR	20-OCT-89	CR			
L	MIL-D-55647(2)	DIRECTION FINDER SET AN/ARM-89( ) [VALIDATION DATE: 8011] .....	A 5826	CR	08-AUG-75	CR			
LI	MIL-S-55648B NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-393( ) /TRC-138 .....	A 5820	CR	20-OCT-89	CR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Notice	Document Number	Document Title	Der Smt FSC / Ave	MCA Symbol Proprietary Acy	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-M-55649A(1) NOTICE 1	MULTIPLEXER TD-754( )/G	A 5805	CR	21-SEP-89	CR			
L	MIL-M-55650B(1) NOTICE 1	MULTIPLEXER TD-660( )/G (VALIDATION DATE: 8803)	A 5805	CR	11-MAR-88	CR			
LI	MIL-T-55652 NOTICE 1	TRAILER, COMMUNICATION EQUIPMENT V-415( )/TRC-145(V)	A 5895	CR	20-OCT-89	CR			
L	MIL-C-55653A NOTICE 1	CONTROL, COMMUNICATION SYSTEM C-6533( )/ARC (VALIDATION DATE: 8605)	A 5821	CR	14-MAY-86	CR			
L	MIL-R-55656(2) NOTICE 1	RADIO SET, AN/GRC-103( ) (V) BASIC (VALIDATION DATE: 8605)	A 5820	CR	28-MAY-86	CR			
L	MIL-L-55658(1) NOTICE 1	LOW LEVEL SIGNALING DEVICE TT-523( )/GGC (VALIDATION DATE: 8604)	A 5815	CR	28-APR-86	CR			
L	MIL-T-55659 NOTICE 1	TEST FACILITIES KIT, MK-994( )/AR (UNITS OF) (VALIDATION DATE: 8605)	A 6625	CR	14-MAY-86	CR			
LI	MIL-M-55660 NOTICE 1	MODULE, IMAGE INTENSIFIER, 18 MILLIMETER, TYPE 8857	A 5855	CR	05-OCT-90	CR			
L	MIL-C-55661B NOTICE 1	CONNECTOR, PLUG, ELECTRICAL UG-1870( )/U CONNECTOR, RECEPTACLE, ELECTRICAL UG-1837( )/U (VALIDATION DATE: 9108) REVIEWER: ES	A 5935	CR	05-AUG-91	CR			
L	MIL-R-55662 NOTICE 1	RADIO SET AN/ARC-114( ) (VALIDATION DATE: 8307)	A 5821	CR	02-OCT-70	CR			
I	MIL-C-55666B NOTICE 1	CONVERTER FOR SEARCHLIGHT, INFRARED 28-VOLT, 110-AMPERE USER: MC	A 5855	CR	05-OCT-90	CR	EC		
I	MIL-T-55667C NOTICE 1	IGNITOR FOR SEARCHLIGHT, INFRARED, 28-VOLT, 110 AMPS	A 5855	CR	05-OCT-90	CR	EC		
L	MIL-C-55669B NOTICE 1	CAMERA, STILL PICTURE 35MM, SINGLE LENS REFLEX (VALIDATION DATE: 8803) USER: AT ME SC	A 6720	CR	17-MAR-88	CR	AS	99	
L	MIL-M-55670A NOTICE 1	MAST AB-621( )/G (VALIDATION DATE: 8110) REVIEWER: ES	A 5985	ER	31-MAR-72	ER			
L	MIL-A-55671A(1) NOTICE 1	ANTENNA AS-1425 ( )/GHC (VALIDATION DATE: 8110) REVIEWER: ES	A 5985	ER	27-MAR-72	ER			
L	MIL-R-55672 NOTICE 2	RADIOSONDE SET AN/AMT-4( ) (UNITS OF) (VALIDATION DATE: 9104)	A 6660	CR	10-APR-91	CR			
LI	MIL-A-55674A NOTICE 1	ANTENNA GROUP AN/TRA-37( )	A 5820	CR	03-APR-89	CR			
L	MIL-B-55679(1) NOTICE 1	BATTERY, DRY (SPECIAL PURPOSE) (VALIDATION DATE: 8308)	A 6135	ER	14-APR-77	ER			
L	MIL-A-55680B NOTICE 1	ANTENNA AT-1108( )/ARC	A 5821	CR	26-APR-91	CR			
MQ	MIL-C-55681C(2) SUPPL 1A1	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 MC SH REVIEWER: 17 AS ES OS	A 5910	ER	21-APR-92	ER	EC	85	
	MIL-C-55681/1C	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR01, CDR02, CDR03, AND CDR04 USER: 19 MC SH REVIEWER: 17 AS OS	A 5910	ER	23-APR-92	ER	EC	85	
	MIL-C-55681/2B	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR05 USER: 19 MC SH REVIEWER: 11 17 99 AS ES OS	A 5910	ER	24-JUL-90	ER	EC	85	
	MIL-C-55681/3C	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR06 USER: 19 MC SH REVIEWER: 17 99 AS ES OS	A 5910	ER	24-JUL-90	ER	EC	85	
	MIL-C-55681/4B(7)	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR11, CDR12, CDR13, & CDR14 (HIGH FREQUENCY) USER: 19 MC SH REVIEWER: 17 99 AS EL ES OS	A 5910	BS	07-OCT-85	ER	EC	85	
	MIL-C-55681/5B	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR21, CDR22, CDR23, CDR24, & CDR25 (HIGH FREQUENCY) USER: 19 MC SH REVIEWER: 17 AS ES OS	A 5910	BS	05-APR-85	ER	EC	85	
	MIL-C-55681/6(1)	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLES CDR26, CDR27, CDR28, CDR29, AND CDR30 USER: 19 MC SH REVIEWER: 17 AS ES OS	A 5910	ER	01-APR-91	ER	EC	85	
	DOD-C-55681/7 NOTICE 1	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR31 METRIC (VALIDATION DATE: 8811) USER: 19 MC SH REVIEWER: 17 99 AS OS	A 5910	ER	18-NOV-88	ER	EC	85	
	MIL-C-55681/7A	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR31, METRIC USER: 19 MC SH REVIEWER: 17 99 AS ES OS	A 5910	ER	28-JUL-89	ER	EC	85	
	DOD-C-55681/8 NOTICE 1	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR32 METRIC (VALIDATION DATE: 8811) USER: 19 MC SH REVIEWER: 17 99 AS OS	A 5910	ER	18-NOV-88	ER	EC	85	
	MIL-C-55681/8A	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR32, METRIC USER: 19 MC SH REVIEWER: 17 99 AS ES OS	A 5910	ER	28-JUL-89	ER	EC	85	
	DOD-C-55681/9 NOTICE 1	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR33 METRIC (VALIDATION DATE: 8811) USER: 19 MC SH REVIEWER: 17 99 AS OS	A 5910	ER	18-NOV-88	ER	EC	85	
	MIL-C-55681/9A	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR33, METRIC USER: MC SH REVIEWER: 17 99 AS ES OS	A 5910	ER	14-JUL-89	ER	EC	85	
	DOD-C-55681/10	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR34 METRIC (VALIDATION DATE: 8811) USER: 19 MC SH REVIEWER: 17 99 AS OS	A 5910	ER	18-NOV-88	ER	EC	85	
	MIL-C-55681/10A	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR34, METRIC USER: MC SH REVIEWER: 17 99 AS ES OS	A 5910	ER	14-JUL-89	ER	EC	85	
	DOD-C-55681/11 NOTICE 1	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY STYLE CDR35 METRIC (VALIDATION DATE: 8811) USER: 19 MC SH REVIEWER: 17 99 AS OS	A 5910	ER	18-NOV-88	ER	EC	85	
	MIL-C-55681/11A	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, STYLE CDR35, METRIC USER: MC SH REVIEWER: 17 99 AS ES OS	A 5910	ER	28-JUL-89	ER	EC	85	
L	MIL-I-55684	INSTALLATION & ACCEPTANCE TESTING OF ELECTRONIC ALTIMETER SET AN/APM-171A(V) (VALIDATION DATE: 8501)	A 5841	AV	06-JUL-70	AV			
L	MIL-T-55686	TRANSIT FRAME, ANTENNA MT-3894( )/TRC & MT-3895( )/TRC (VALIDATION DATE: 8502)	A 2510	ER	08-OCT-69	ER			
L	MIL-C-55688(1) NOTICE 1	CONTROL INDICATOR C-8157( )/ARC	A 5821	CR	31-JUL-86	CR			
L	MIL-S-55689 NOTICE 1	SUPPRESSOR, ELECTRICAL TRANSIENT MX-777B( )/GRC (VALIDATION DATE: 8703)	A 5915	CR	26-MAR-87	CR			
L	MIL-T-55691 NOTICE 1	TEST SET, BATTERY AN/USM-63( )/U (VALIDATION DATE: 8606) USER: AR MC ME OS	A 6625	CR	06-JUN-86	CR			
L	MIL-C-55693(3)	COUPLER, ANTENNA CU-942( )/AR, CU-1894( )/AR & ANTENNA AS-1703( )/AR (VALIDATION DATE: 8307)	A 5821	CR	27-JAN-76	CR			
L	MIL-P-55695(2) NOTICE 1	POWER SUPPLY PP-4763( )/GRC	A 5820	CR	02-FEB-89	CR			
LI	MIL-S-55696 NOTICE 1	SHELTER, ELECTRICAL EQUIPMENT S-336( )/TRC-112	A 5820	CR	20-OCT-89	CR			
LI	MIL-R-55698A NOTICE 1	RADIO SET GROUP QA-1387( )/GRC (UNITS OF)	A 5820	CR	17-OCT-89	CR			
I	MIL-P-55700B NOTICE 1	PANEL ASSEMBLY, RELAY, FOR SEARCHLIGHT, INFRARED, 28-VOLT, 110-AMPERE USER: MC	A 5855	CR	05-OCT-90	CR	EC	84	
L	MIL-S-58004C	SLING ASSEMBLY, VEHICLE LIFTING REVIEWER: IS	A 3940	ME	20-AUG-84	ME			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig. (OMB) Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-C-58021B(1)	CABINET AND BENCH TOPS	A 4920 AV 15-DEC-87	AV			
MIL-V-58039E	VALVE, GATE, RISING STEM, DOUBLE ACTING ALUMINUM USER; CG REVIEWER: CE CS	A 4820 ME 26-MAR-84	ME	MC		
MIL-V-58039E(11)	VALVES, GATE, RISING STEM, DOUBLE ACTING, ALUMINUM REVIEWER: CE CG	A 4820 ME 03-DEC-87	ME	MC		
L MIL-R-58045A(1)	REPAIR KIT, INFLATABLE CRAFT, PNEUMATIC FLOATS AND BOATS, SMALL, PACKAGING OF (VALIDATION DATE: 8909) REVIEWER: SM	A 2090 ME 08-SEP-89	ME			
L MIL-C-58052C(1)	COMPASS, MAGNETIC, UNMOUNTED, M2 (NONMAINTAINABLE) REVIEWER: 99	A 1290 AR 25-APR-86	AR			
MIL-T-58060B(1)	TABLE ASSEMBLY, SCORSBY REVIEWER: EL	A 4920 AV 09-JUL-87	AV	AS	99	
NOTICE 1						
L MIL-A-58066A(3)	ALTIMETER, PRESSURE, PARACHUTIST S (VALIDATION DATE: 8710) REVIEWER: AV MD	A 6610 GL 11-MAR-71	GL			
L MIL-I-58067A(2)	INDICATOR, VERTICAL VELOCITY, RAPID RESPONSE, ACCELERATION SENSITIVE	A 6610 AV 27-FEB-90	AV			
A L MIL-T-58076(1)	GENERAL SPECIFICATION FOR	A 4920 B2 08-DEC-92			99	
L MIL-T-58078B	TESTER, AIRCRAFT PERSONNEL SAFETY EQUIPMENT	A 4920 AV 11-AUG-89	AV			
A L MIL-T-58082A	TESTER, PITOT AND STATIC SYSTEMS, DIGITAL	A 6695 AV 24-JAN-86	AV			
NOTICE 1	TESTER, PYROMETER AND THERMOCOUPLE, FIELD, TYPE N-3A (VALIDATION DATE: 8601)					
M MIL-G-58083A(2)	GENERATOR, TACHOMETER, FOUR POLE, SCREW MOUNTED USER: CG	A 6620 AV 30-JAN-88	AV	99		
A L MIL-L-58085A(2)	LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT	A 6220 AV 09-APR-83	AV			
L MIL-G-58087A(1)	GRIP ASSEMBLY, CYCLIC CONTROLLER, HELICOPTER	A 1680 AV 09-DEC-80	AV			
L MIL-F-58090A	FILTER ELEMENT, FLUID PRESSURE, OIL, RECIPROCATING ENGINE, AIRCRAFT	A 2945 AV 07-OCT-81	AV			
MIL-M-58091A	MAINTENANCE KIT, ACRYLIC PLASTIC WINDOW REFINISHING, AIRCRAFT (VALIDATION DATE: 8207)	A 1560 AV 17-MAY-71	AV	AS	11	
L MIL-T-58092D	TEST SET, FUEL QUANTITY GAGE CAPACITANCE TYPE	A 4920 AV 01-MAY-86	AV			
L MIL-T-58093A(1)	TESTER, CYRO INDICATOR, PITCH AND ROLL USER: AT REVIEWER: ER	A 4920 AV 03-AUG-87	AV			
NOTICE 1						
L MIL-S-58095A	SEAT SYSTEM: CRASH-RESISTANCE, NON-EJECTION, AIRCREW, GENERAL SPECIFICATION FOR	A 1680 AV 31-JAN-86	AV			
L MIL-T-58097(3)	TRANSMITTERS, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR	A 6620 AV 05-DEC-91	AV			
L MIL-I-58098A	INDICATOR, PRESSURE, HELICOPTER, VOLTAGE RATIO TYPE, GENERAL SPECIFICATION FOR	A 6620 AV 23-SEP-82	AV			
L MIL-I-58099	INDICATOR, PRESSURE, TYPE TB-1	A 6620 AV 05-SEP-86	AV			
A L MIL-I-58100	TRANSMITTER, PRESSURE, OIL, HELICOPTER (VALIDATION DATE: 8708)	A 6620 AV 17-AUG-87	AV			
NOTICE 1						
A L MIL-P-58102	PLASTIC SHEET AND LAMINATES, FLEXIBLE, FOR ENVIRONMENTAL PROTECTIVE STORAGE AND SHIPPING SYSTEMS	A PACK AS 16-FEB-93		AS		
NOTICE 2						
MIL-G-58103	GRIP ASSEMBLY, CYCLIC CONTROLLER, HELICOPTER (VALIDATION DATE: 8409)	A 1680 AV 02-JUL-79	AV	AS	11	
MIL-C-58104A	COVER, PROTECTIVE, FOR PARTS & EQUIPMENT REVIEWER: AR SM	A 8145 AV 26-MAY-83	AV	AS	69	
MIL-B-58105	BEARING RESTORING BY RACEWAY GRINDING USER: AT	A 3110 AV 17-APR-87	AV	AS	99	
NOTICE 1						
MIL-M-58106(3)	MET, HELICOPTER CARGO CARRYING EXTERNAL, 5,000 AND 10,000 POUND CAPACITIES REVIEWER: MC	A 1670 AV 15-JUN-91	AV	AS		
L MIL-M-58107(1)	NAVIGATIONAL SET, DOPPLER AN/ASH-137 ( )	A 5841 AV 30-APR-88	AV			
L MIL-M-58108	HEADSET-MICROPHONE KIT/MK-2193/AIC	A 5965 AV 30-MAY-86	AV			
MIL-M-58109	MICROPHONE, LINEAR, GENERAL SPECIFICATION FOR	A 5965 AV 30-MAY-86	AV			
L MIL-M-58109/1	MICROPHONE, LINEAR, M-170/AIC	A 5965 AV 30-MAY-86	AV			
L MIL-M-58109/2	MICROPHONE, LINEAR, M-171/AIC	A 5965 AV 30-MAY-86	AV			
L MIL-I-58110	INDICATOR, REMOTE ID-2403/ARC REVIEWER: CR	A 5895 AV 30-MAR-87	AV			
L MIL-C-58111	CONTROL UNIT, COMMUNICATION SYSTEM C-11746(V)( )/ARC REVIEWER: CR	A 5895 AV 30-MAR-87	AV			
L MIL-S-58112	SLING, MULTI-LEG, HELICOPTER, EXTERNAL CARGO REVIEWER: B2 GL	A 1670 AV 14-AUG-89	AV	AS	99	
L MIL-M-60002A	WARHEAD, HE, M18, PARTS FOR (VALIDATION DATE: 8704)	A 1340 AR 02-APR-87	AR			
NOTICE 1						
L MIL-M-60003E	MOTOR, ROCKET, ASSEMBLY, M54 OR M123 PARTS FOR REVIEWER: AR	A 1340 MI 03-APR-92	MI			
MIL-L-6004A(1)	LAUNCHER FOR ROCKET, HE, 66MM, ANTI TANK, M72 ASSEMBLY & PACKING (VALIDATION DATE: 8804)	A 1340 AR 22-APR-88	AR			
NOTICE 1						
L MIL-F-60005(1)	FUZE, ROCKET, M412 (LESS BOOSTER PELLET) ASSEMBLING AND PACKING (VALIDATION DATE: 8806)	A 1340 AR 20-JUN-88	AR			
NOTICE 1						
L MIL-C-60006A(1)	CAP. NOSE FOR ROCKET, HE, 66MM, ANTI-TANK, M72A2 ASSEMBLING AND PACKING (VALIDATION DATE: 8806) REVIEWER: M1	A 1340 AR 20-JUN-88	AR			
NOTICE 1						
L MIL-I-60008B	IGNITER, INTEGRAL, M56 REVIEWER: AR	A 1340 MI 25-FEB-91	MI			
L MIL-P-60009B	PROPELLANT CHARGE ASSEMBLY, ROCKET, HIGH EXPLOSIVE, 66 MM, M72A1, M72A2, OR M72A3, WITH COUPLER REVIEWER: AR	A 1340 MI 24-SEP-90	MI			
L MIL-F-60010(1)	FUZE, ROCKET, M412 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8804)	A 1340 AR 22-APR-88	AR			
L MIL-D-60014B	DETONATOR, STAB M47 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8303)	A 1375 AR 15-APR-75	AR			
L MIL-P-60015A	PRIMER, PERCUSSION, M60A1 LOADING, ASSEMBLING & PACKING	A 1390 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-I-60016A(5)	INCREMENTS, PROPELLANT FOR CHARGE, PROPELLING, M36A1 (MADE FROM PROPELLANT, M8) (VALIDATION DATE: 9108)	A 1376 AR 29-AUG-91	AR			
NOTICE 1						
L MIL-P-60017A	PRIMER, PERCUSSION, M60A1 PARTS FOR	A 1390 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-C-60018A	CHARGE, PROPELLING, 155MM, XM119 (SUPERCHARGE), LOADING, ASSEMBLING & PACKING (VALIDATION DATE: 8705)	A 1320 AR 23-MAY-87	AR			
NOTICE 1						
L MIL-P-60019A(3)	PROPELLANT, M9 FOR USE WITH CHARGE, PROPELLING M36A1 FOR 4.2 INCH MORTAR (VALIDATION DATE: 8805)	A 1376 AR 06-MAY-87	AR			
NOTICE 1						
L MIL-F-60020	FUZE, MINE, COMBINATION M10A2, PARTS FOR (VALIDATION DATE: 8805)	A 1341 AR 15-MAY-87	AR			
NOTICE 1						
L MIL-C-60021A	CASE, CARRYING, M85, ASSEMBLY FOR KIT, DEMOLITION, M37 (VALIDATION DATE: 8404)	A 1374 AR 4-MAY-84	AR			
L MIL-B-60023A	BAG ASSEMBLY, FOR CHARGE DEMOLITION, BLOCK, M5A1 AND CHARGE ASSEMBLY, DEMOLITION, M183 (VALIDATION DATE: 9005)	A 1374 AR 30-MAY-90	AR			
NOTICE 1						
L MIL-L-60024(2)	LUCKY ASSEMBLY, FOR CARTRIDGE 90MM, HEAT, M371E1, (M371A1) AND 106MM, HEAT, M344A1 PARTS FOR ASSEMBLING AND PACKING (VALIDATION DATE: 9010)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-P-60025	PRIMER, STAB, M97 PARTS FOR (VALIDATION DATE: 8203)	A 1374 AR 10-JUL-81	AR			
L MIL-P-60026(1)	PRIMER, STAB, M97 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 8803)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-D-60027A	DETONATOR, ELECTRIC, M69 PARTS FOR (VALIDATION DATE: 9010)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-C-60028C(1)	CARTRIDGE, 81MM, SMOKE, WP, M375 AND M375A2 ASSEMBLING, MARKING AND PACKING (VALIDATION DATE: 9010) REVIEWER: EA	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-P-60029B(1)	PROPELLANT M9 FOR USE IN INCREMENTS M90 & M90A1 FOR 81MM MORTAR (VALIDATION DATE: 8604)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-D-60031A(1)	DETONATOR, ELECTRIC, M69 LOADING, ASSEMBLING AND PACKING	A 1374 AR 10-JUL-81	AR			
L MIL-C-60032(1)	CHARGE ASSEMBLY, DEMOLITION KIT, M37 FOR BLOCK DEMOLITION (VALIDATION DATE: 9005)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-P-60033B	PROPELLANT, T36E1, FOR USE IN CHARGE PROPELLING, 155MM, XM119 (VALIDATION DATE: 8705)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-P-60034(1)	PRIMING ASSEMBLY DEMOLITION, M15 PARTS, LOADING, ASSEMBLING AND PACKING	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-F-60036D	FLARE CARTRIDGE ASSEMBLY M3529/ALA-17 & ALA-17A METAL FLARE	A 1374 AR 10-JUL-81	AR			
L MIL-F-60037C	FLARE SET, AN/ALA-17 ASSEMBLING & PACKING (VALIDATION DATE: 8604)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-L-60038A	LINER ASSEMBLY, M6 (VALIDATION DATE: 8604)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						
L MIL-R-60040C	RACK, FLARE CY2617/ALA-17 (VALIDATION DATE: 8604)	A 1374 AR 10-JUL-81	AR			
NOTICE 1						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / Out Classification Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Act. Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-F-60041B(1)	FUZE, BASE DETONATING, M578 LOADING, ASSEMBLING AND PACKING	A 1390	AR	01-AUG-85	AR			
L	MIL-F-60042B(1)	FUZE, BASE DETONATING, M578 PARTS, WITH DETONATOR	A 1390	AR	01-AUG-85	AR			
L	MIL-F-60043A(1)	FUZE, BASE DETONATING, (M62A2) METAL PARTS FOR [VALIDATION DATE: 8506]	A 1390	AR	27-DEC-78	AR			
L	MIL-F-60044A(2)	FUZE, BASE DETONATING, M62A2 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8506]	A 1390	AR	25-MAY-79	AR			
L	MIL-P-60045A	PROPELLANT M2 FOR USE IN 165MM CARTRIDGES [VALIDATION DATE: 9108]	A 1376	AR	29-AUG-91	AR			
L	MIL-P-60049A	PRIMER, STAB M26 PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8702] REVIEWER: EA	A 1375	AR	29-APR-74	AR			
L	MIL-C-60051(1)	COMPOSITION 86/14 RDX/MAX	A 1375	AR	30-JAN-87	AR			
L	MIL-P-60052(1)	PRIMER, PERCUSSION, M1A2 METAL PARTS FOR [VALIDATION DATE: 8506]	A 1390	AR	19-OCT-66	AR			
L	MIL-P-60053(1)	PRIMER, PERCUSSION, M1A2 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8506]	A 1390	AR	21-SEP-66	AR			
L	MIL-B-60073	BOMB, NONPERSISTENT GAS, SPHERICAL, 4.5 INCH, M139, FILLING AND ASSEMBLY [VALIDATION DATE: 8702]	A 1325	EA	27-FEB-87	EA			
L	MIL-B-60075	BOMB, NONPERSISTENT GAS, SPHERICAL, 4.5-INCH, M139, METAL PARTS [VALIDATION DATE: 8702]	A 1325	EA	27-FEB-87	EA			
L	MIL-P-60077A	PROJECTILE, 155 MILLIMETER HOWITZER, M121A1, VX FILLED, WITHOUT FUZE & BURSTER [VALIDATION DATE: 8703]	A 1320	EA	02-MAR-87	EA			
L	MIL-W-60080	WARHEAD, GUIDED MISSILE, EMPTY, E6 [VALIDATION DATE: 8702]	A 1336	EA	27-FEB-87	EA			
L	MIL-W-60081	WARHEAD, GUIDED MISSILE, CHEMICAL AGENT, 1500 LB, E9 [VALIDATION DATE: 8702]	A 1336	EA	27-FEB-87	EA			
L	MIL-B-60082(2)	BOMB, CHEMICAL, MARK 116 MOD 0 (WITHOUT FUZE AND BURSTER) FILLING ASSEMBLY AND MARKING [VALIDATION DATE: 8006]	A 1325	EA	19-JUN-68	EA			
L	MIL-C-60086	CANISTER, SMOKE, WP, FOR 152 MILLIMETER CARTRIDGE, XM410E1 [VALIDATION DATE: 8006]	A 1320	EA	21-OCT-64	EA			
A L	MIL-G-60087F(3)	GRENADE, HAND, RIOT, CS, M7A3	X 1330	EA	10-APR-92	EA			
L	MIL-B-60089B	BURSTER, CHEMICAL AGENT MINE, M38, INITIATOR, MINE BURSTER, M48 [VALIDATION DATE: 8703]	A 1345	EA	02-MAR-87	EA			
L	MIL-P-60090B	PROJECTILE, 105MM, WP-T, M416, FILLING ASSEMBLY	A 1315	EA	24-FEB-87	EA			
AQL	MIL-A-60091B(1)	ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES	A 1375	AR	12-MAR-93	AR			
L	MIL-D-60093A(1)	DETONATOR, STAB, M50 PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8905]	A 1375	AR	08-MAY-89	AR			
L	MIL-D-60094	DETONATOR, ELECTRIC, XM65 PARTS FOR [VALIDATION DATE: 8304]	A 1375	AR	30-OCT-64	AR			
L	MIL-D-60095(1)	DETONATOR, ELECTRIC, XM65 LOADING, ASSEMBLING & PACKING	A 1375	AR	10-AUG-81	AR			
L	MIL-P-60096(1)	PRIMER, PERCUSSION, M62 METAL PARTS FOR [VALIDATION DATE: 8506]	A 1390	AR	11-MAR-66	AR			
L	MIL-P-60097(1)	PRIMER, PERCUSSION, M62 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8506]	A 1390	AR	11-MAR-66	AR			
L	MIL-P-60098	PROPELLANT, M6 FOR USE IN CARTRIDGE, CANISTER 76MM, M363 [VALIDATION DATE: 9108]	A 1376	AR	29-AUG-91	AR			
L	MIL-A-60100	AMPLIFIER, INTERMEDIATE FREQUENCY AM-1063/MS & AM-1064/MS [VALIDATION DATE: 8202]	A 1285	AR	20-JAN-64	AR			
L	MIL-T-60101A	THRUSTER, CARTRIDGE ACTUATED, M9, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
L	MIL-T-60102A	THRUSTER, CARTRIDGE ACTUATED, M9 METAL PARTS ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
L	MIL-C-60103(1)	CUTTER, PINDER ACTUATED, M8 METAL PARTS ASSEMBLY	A 1377	OS	28-MAR-89	OS			
L	MIL-C-60105(1)	CUTTER, PINDER ACTUATED, M8 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
L	MIL-B-60107B(2)	BANDOLEER, M4	A 1305	AR	08-JUL-91	AR			
L	MIL-B-60109(1)	DRIVE, BALLISTICS, XM15	A 1220	AR	20-MAR-87	AR			
M	MIL-C-60111C(3)	CARTRIDGE, 5.56MM, TRACER, M196 USER; MC OS	A 1305	AR	16-APR-93	AR			99
L	MIL-R-60112(1)	REMOVER, AIRCRAFT CANOPY, M5 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
LI	MIL-T-60116	THRUSTER, CARTRIDGE ACTUATED, M20A1 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN)	A 1377	OS	15-JUL-88	OS			
L	MIL-R-60117(1)	REMOVER, AIRCRAFT CANOPY, M4 AND M5 METAL PARTS ASSEMBLY	A 1377	OS	16-MAY-89	OS			
L	MIL-C-60118(5)	COMPUTER, BALLISTICS: M16 [VALIDATION DATE: 9009]	A 1220	AR	28-SEP-90	AR			
L	MIL-B-60119(3)	BALLISTICS COMPUTER SUBASSEMBLY, 8635273 (CONTROL UNIT)	A 1220	AR	20-MAR-87	AR			
L	MIL-B-60120(6)	BALLISTICS COMPUTER SUBASSEMBLY: 8635274 (ZEROING CONTROL UNIT) [VALIDATION DATE: 9009]	A 1220	AR	28-SEP-90	AR			
L	MIL-B-60121(5)	BALLISTIC COMPUTER SUBASSEMBLY, 8635275 (OUTPUT UNIT)	A 1220	AR	20-MAR-87	AR			
L	MIL-B-60122(2)	BALLISTICS COMPUTER SUBASSEMBLY, 8635276 (INPUT UNIT)	A 1220	AR	20-MAR-87	AR			
L	MIL-B-60123(7)	BALLISTICS COMPUTER, SUBASSEMBLY: 8635370 (COMPUTER UNIT) [VALIDATION DATE: 9009]	A 1220	AR	28-SEP-90	AR			
L	MIL-B-60124(2)	BALLISTICS COMPUTER SUBASSEMBLY, 863512 (CANT UNIT)	A 1220	AR	20-MAR-87	AR			
L	MIL-P-60125A(4)	PROJECTOR, RETICLE IMAGE, M14 [VALIDATION DATE: 8201]	A 1240	AR	25-FEB-70	AR			
L	MIL-B-60128A(1)	BANDOLEER, M3	A 1305	AR	29-SEP-86	AR			
L	MIL-T-60129(2)	THRUSTER, CARTRIDGE ACTUATED, M20A1 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	26-JUN-86	OS			
L	MIL-H-60132(3)	HEAD ASSEMBLY, TANK PERISCOPE, 10513625 [VALIDATION DATE: 8705]	A 6650	AR	15-MAY-87	AR			
L	MIL-B-60133(5)	BODY ASSEMBLY, TANK PERISCOPE, 10513620	A 6650	AR	01-APR-88	AR			
L	MIL-P-60134	PERISCOPE, TANK, XM47 [VALIDATION DATE: 8303]	A 6650	AR	21-DEC-64	AR			
L	MIL-B-60135(8)	BODY ASSEMBLY, TANK PERISCOPE, 10513599 [VALIDATION DATE: 8506]	A 6650	AR	28-DEC-71	AR			
L	MIL-P-60137	PERISCOPE, TANK, XM48 [VALIDATION DATE: 8303]	A 6650	AR	21-DEC-64	AR			
L	MIL-P-60139B(1)	PERISCOPE, TANK, M32C [VALIDATION DATE: 8504]	A 1240	AR	10-OCT-72	AR			
L	MIL-S-60140A	SIGHTING SYSTEM ANTIOSSILLATION XM68 [VALIDATION DATE: 8504]	A 1270	AR	12-AUG-86	AR			
L	MIL-S-60141A	SIGHT ASSEMBLY, 10527236 [VALIDATION DATE: 8504]	A 1270	AR	26-OCT-66	AR			
L	MIL-C-60142A	CONTROL, GIMBAL POSITION, 10527253 [VALIDATION DATE: 8504]	A 1270	AR	10-MAY-86	AR			
L	MIL-B-60143A	GYROSCOPE, RATE, 10527237-1 AND 10527237-2 [VALIDATION DATE: 8504]	A 1270	AR	11-JUL-86	AR			
L	MIL-A-60144A	MOTOR, CONTROL, 10527238 (YAW TORQUER) [VALIDATION DATE: 8504]	A 1270	AR	11-AUG-86	AR			
L	MIL-A-60145A	MOTOR, CONTROL, 10527239 (PITCH TORQUER) [VALIDATION DATE: 8504]	A 1270	AR	11-JUL-86	AR			
L	MIL-A-60146A	AMPLIFIER, ELECTRONIC CONTROL, 10527247 [VALIDATION DATE: 8504]	A 1270	AR	29-JUL-86	AR			
L	MIL-A-60147A(1)	AMPLIFIER, 10527248 [VALIDATION DATE: 8504]	A 1270	AR	07-OCT-66	AR			
L	MIL-A-60148A	AMPLIFIER, 10527249 [VALIDATION DATE: 8504]	A 1270	AR	11-JUL-86	AR			
L	MIL-P-60149A	POWER SUPPLY, 10527250 [VALIDATION DATE: 8504]	A 1270	AR	27-JUL-66	AR			
L	MIL-T-60150A	TELESCOPE, STRAIGHT, 8287286 [VALIDATION DATE: 8504]	A 1270	AR	12-AUG-66	AR			
L	MIL-P-60152(2)	PERISCOPE, TANK, XM44 [VALIDATION DATE: 8601]	A 1240	AR	29-JUL-85	AR			
L	MIL-H-60153(2)	HEAD ASSEMBLY, TANK PERISCOPE, 10513392 [VALIDATION DATE: 8504]	A 1240	AR	20-AUG-65	AR			
L	MIL-T-60156(4)	TELESCOPE, XM119 [VALIDATION DATE: 8601]	A 1240	AR	06-MAR-74	AR			
L	MIL-H-60157C(3)	MOUNT, TELESCOPE, M149 [VALIDATION DATE: 8502]	A 1240	AR	17-APR-79	AR			
L	MIL-C-60159(1)	COLLIMATOR, INFINITY AIMING REFERENCE, XM2 [VALIDATION DATE: 8504]	A 1240	AR	23-MAY-86	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Machine Document Number	Document Title	Dist. Syst. FAC / Ass MCA Symbol	Preparing Date	Army Navy Air Force DIA	Custodians
L MIL-C-60161	CARTRIDGE, CALIBER .30, TEST, HIGH PRESSURE, M1 [VALIDATION DATE: 9010] ...	A 1305	AR 31-OCT-90	AR	
L MIL-C-60162	CARTRIDGE, CALIBER .50, TEST, HIGH PRESSURE, M1 [VALIDATION DATE: 9010] ...	A 1305	AR 31-OCT-90	AR	
L MIL-C-60163(1)	CARTRIDGE, CALIBER .45, TEST, HIGH PRESSURE, M1	A 1305	AR 16-APR-86	AR	
L MIL-I-60166(8)	INVERTER, POWER, STATIC, 10516412 [VALIDATION DATE: 9002]	A 1220	AR 23-FEB-90	AR	
L MIL-C-60167	CARTRIDGE, CALIBER .50, TEST, HIGH PRESSURE, T251	A 1305	AR 19-OCT-64	AR	
L MIL-C-60168	CARTRIDGE, CALIBER .50, PRACTICE, T2492 [VALIDATION DATE: 9010]	A 1305	AR 31-OCT-90	AR	
L MIL-P-60169B	PAPER, SEALING [VALIDATION DATE: 8806] USER: M1 OS	A 1305	AR 06-JUN-88	AR	70
L MIL-M-60170A(3)	MOUNT, PERISCOPE: 10513360 [VALIDATION DATE: 8807]	A 1240	AR 11-JUL-88	AR	
L MIL-T-60193(2)	TRANSFORMER, POWER, STEP DOWN, 10525915 [VALIDATION DATE: 8101] REVIEWER: ES M1	A 5950	AR 12-JUL-68	AR	
A MIL-T-60201C	THRUSTER, CARTRIDGE ACTUATED, M25A1 ASSEMBLY REVIEWER: 70	A 1377	OS 21-SEP-92	OS	99
L MIL-C-60205A(2)	CARTRIDGE, IMPULSE, M173 USER: 11	A 1377	OS 30-JUL-87	OS	
L MIL-T-60206(2)	TRANSFORMER, POWER, STEP DOWN, 10525900 [VALIDATION DATE: 8101] REVIEWER: ES M1	A 5950	AR 12-JUL-68	AR	
L MIL-T-60207(2)	TRANSFORMER, POWER, STEP DOWN, 10525910 [VALIDATION DATE: 8101] REVIEWER: ES M1	A 5950	AR 12-JUL-68	AR	
L MIL-C-60215(6)	COMPUTER LOGIC UNIT: 8623272 [VALIDATION DATE: 8805]	A 1220	AR 16-MAY-88	AR	
L MIL-C-60220	CABLE, SPECIAL PURPOSE, ELECTRICAL (DATA TRANSMISSION USE) [VALIDATION DATE: 8303] REVIEWER: 15	A 6145	AR 01-MAR-65	AR	
L MIL-I-60221	INITIATOR, CARTRIDGE ACTUATED, XM98 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS	
L MIL-C-60223(2)	CARTRIDGE, INITIATOR, M69	A 1377	OS 09-JUN-87	OS	
L MIL-C-60224(1)	CARTRIDGE, INITIATOR, XM201 ASSEMBLY	A 1377	OS 16-OCT-86	OS	
L MIL-B-60225(1)	BRAIDED FUZE MATERIAL [VALIDATION DATE: 8506]	A 1390	AR 28-OCT-65	AR	
L MIL-T-60227A	THRUSTER, CARTRIDGE ACTUATED, M1 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS	
L MIL-T-60229A	THRUSTER, CARTRIDGE ACTUATED, M7 METAL PARTS ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS	
L MIL-I-60231A(1)	IGNITION ELEMENT, ELECTRIC, M55 ASSEMBLY	A 1377	OS 16-OCT-86	OS	
L MIL-I-60232(1)	IGNITION ELEMENT, ELECTRIC, M21, ASSEMBLY	A 1377	OS 16-OCT-86	OS	
L MIL-S-60233C(3)	SIGHT, REFLEX, HELICOPTER: M60A1	A 1270	AR 30-MAR-90	AR	
L MIL-C-60235B	CARTRIDGE, IMPULSE, M91 ASSEMBLY	A 1377	OS 10-MAY-89	OS	99
L MIL-T-60236(1)	THRUSTER, CARTRIDGE ACTUATED, M18, METAL PARTS ASSEMBLY	A 1377	OS 15-JUL-86	OS	
L MIL-T-60237(1)	TELESCOPE, XM126 [VALIDATION DATE: 8101]	A 1240	AR 02-FEB-68	AR	
L MIL-R-60239	REGULATOR, VOLTAGE, 10539715 [VALIDATION DATE: 8504]	A 1240	AR 17-NOV-65	AR	
L MIL-P-60241(2)	PERISCOPE, TANK, XM50 [VALIDATION DATE: 8101]	A 1240	AR 20-FEB-68	AR	
L MIL-P-60242(3)	PERISCOPE, TANK, XM51 [VALIDATION DATE: 8101]	A 1240	AR 25-JUN-68	AR	
L MIL-P-60243C(4)	PANEL ASSEMBLIES: 10548439 AND 10549788 [VALIDATION DATE: 8807]	A 1240	AR 11-JUL-88	AR	
L MIL-L-60244A	LINKAGE ASSEMBLY, 8287301 [VALIDATION DATE: 8201]	A 1240	AR 06-APR-70	AR	
L MIL-E-60245(1)	ELECTRON TUBE, 7688738 (INFRARED, IMAGE CONVERTER) [VALIDATION DATE: 8303]	A 1240	AR 06-JUL-70	AR	
L MIL-T-60246(1)	THRUSTER, CARTRIDGE ACTUATED, M18, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS	
L MIL-C-60247A	CARTRIDGE, DELAY, M155 ASSEMBLY	A 1377	OS 23-APR-91	OS	99
L MIL-T-60249(1)	THRUSTER, CARTRIDGE ACTUATED, M17, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 18-NOV-66	OS	
L MIL-C-60250A	CASE, CARRYING, 10541026 AND 10541038 [VALIDATION DATE: 8201]	A 1240	AR 18-JUN-70	AR	
L MIL-C-60251A(3)	CARTRIDGE, 7.62MM, NATO, BALL, M80 OVERHEAD FIRE APPLICATION	A 1305	AR 11-MAR-91	AR	
L MIL-C-60252A(3)	CARTRIDGE, 7.62MM, NATO, TRACER, M62 OVERHEAD FIRE APPLICATION	A 1305	AR 11-MAR-91	AR	
L MIL-T-60253	THRUSTER, CARTRIDGE ACTUATED, M17, METAL PARTS ASSEMBLY [VALIDATION DATE: 9108]	A 1377	OS 14-AUG-91	OS	
L MIL-C-60255(2)	CASE, TELESCOPE: M164	A 1290	AR 01-FEB-91	AR	
L MIL-C-60259	CASE, OPTICAL BORE SIGHT, 8587581 [VALIDATION DATE: 8504]	A 1270	AR 02-DEC-65	AR	
L MIL-C-60261	CASE, FUZE SETTER SET, M178 [VALIDATION DATE: 8504]	A 1290	AR 29-DEC-65	AR	
L MIL-C-60262	CUTTER, POWDER ACTUATED, REEFING LINE, M9, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 26-JUN-86	OS	
L MIL-C-60263	CUTTER, POWDER ACTUATED, REEFING LINE, XM10 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 23-JUN-86	OS	
L MIL-C-60264	CUTTER, POWDER ACTUATED, REEFING LINE, XM11, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 23-JUN-86	OS	
L MIL-C-60265	CUTTER, POWDER ACTUATED, REEFING LINE, XM12, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 23-JUN-86	OS	
L MIL-C-60266	CUTTER, POWDER ACTUATED, REEFING LINE, M13, ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS 10-MAR-87	OS	
L MIL-C-60267(1)	CUTTER, POWDER ACTUATED, REEFING LINE, M9, XM10, XM11, XM12, M13, METAL PARTS ASSEMBLY	A 1377	OS 15-JUL-86	OS	
L MIL-C-60270(1)	COMPUTER, BALLISTICS, M13A3 [VALIDATION DATE: 8602]	A 1220	AR 06-NOV-72	AR	
L MIL-C-60272(2)	CARTRIDGE, CALIBER .30, REFERENCE [VALIDATION DATE: 8604]	A 1305	AR 04-APR-86	AR	
L MIL-C-60275B	CARTRIDGE, 20MM, TARGET PRACTICE, M204	A 1305	AR 01-SEP-88	AR	
L MIL-C-60276A	COMPUTER, BALLISTICS, XM19	A 1220	AR 20-MAR-87	AR	
L MIL-I-60277A	INITIATOR, CARTRIDGE ACTUATED, DELAY, M26 ASSEMBLY	A 1377	OS 03-JAN-89	OS	99
L MIL-I-60278(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 23-JUN-86	OS	
L MIL-I-60279A	INITIATOR, CARTRIDGE ACTUATED, DELAY, M4, ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS 15-MAR-87	OS	99
L MIL-S-60280	SCALES, GRAPHICAL FIRING, FAM TYPE, WITH EQUIPMENT (FOR 81MM & 4.2 IN. MORTARS) [VALIDATION DATE: 8602]	A 1220	AR 14-MAR-66	AR	
L MIL-I-60281A	INITIATOR, CARTRIDGE ACTUATED, M28 ASSEMBLY REVIEWER: 70	A 1377	OS 15-JAN-92	OS	99
L MIL-I-60282(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M33, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS 23-JUN-86	OS	
L MIL-I-60283A	INITIATOR, CARTRIDGE ACTUATED, M27 ASSEMBLY	A 1377	OS 30-MAR-90	OS	99
M L MIL-I-60284B(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M32A1 ASSEMBLY	A 1377	OS 19-MAR-93	OS	
L MIL-S-60285(1)	SHIPPING & STORAGE CONTAINER, CARTRIDGE, 20MM, XM528E1 [VALIDATION DATE: 8505]	A 8140	AR 17-FEB-67	AR	
A MIL-I-60286B	INITIATOR, CARTRIDGE ACTUATED, M53 ASSEMBLY REVIEWER: 70	A 1377	OS 21-SEP-92	OS	99
L MIL-I-60292A	INITIATOR, CARTRIDGE ACTUATED, M99 ASSEMBLY	A 1377	OS 30-MAR-90	OS	99
L MIL-P-60295C(1)	PROJECTILE, 20MM, HE1, M56A4: METAL PARTS REVIEWER: 99	A 1305	AR 31-JUL-91	AR	
L MIL-I-60296A	INITIATOR, CARTRIDGE ACTUATED, DELAY, M10, M31, M42, M72, M114 METAL PARTS ASSEMBLY	A 1377	OS 30-MAR-90	OS	99
L MIL-B-60301A(3)	BOMB, SUBASSEMBLIES, METAL (BLU-17/B) [VALIDATION DATE: 8703]	A 1325	EA 02-MAR-87	EA	
L MIL-W-60302	WARHEAD, GUIDED MISSILE, CHEMICAL AGENT SMOKE, MK 69 MOD 0 WP FILLING [VALIDATION DATE: 8006]	A 1336	EA 29-MAY-67	EA	
L MIL-C-60303B	CARTRIDGE, 40MM, RIOT CONTROL, CS, M674 [VALIDATION DATE: 8112]	A 1310	EA 18-FEB-71	EA	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn Off	Doc Combination Inchase	Doc Number	Doc Title	Dist Smt	FSC / Area	MCA Symbol	Proposed Acty	Date	Custodians Army Navy Air Force DLA
L	MIL-B-60304(1)		BOMB, SMOKE, BLU-17/B [VALIDATION DATE: 8703] .....	A 1325	EA	02-MAR-87	EA		
L	NOTICE 1								
L	MIL-W-60305A(2)		WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (WITH BURSTER & FUZE) .....	A 1340	EA	04-MAR-76	EA		
L	MIL-W-60306A(1)		WARHEAD, 2.75 INCH ROCKET, SMOKE, M156: WP FILLING REVIEWER: 15 .....	A 1340	EA	11-MAY-89	EA		99
L	NOTICE 1								
L	MIL-W-60307C(2)		WARHEAD, 2.75 INCH ROCKET, SMOKE, WP, M156 (METAL PARTS) REVIEWER: 84 .....	A 1340	EA	11-FEB-91	EA		99
L	MIL-W-6060307B		WARHEAD, 2.75 INCH ROCKET, SMOKE, WP M156 (METAL PARTS) .....	A 1340	EA	18-JUN-73	EA		
L	MIL-P-60312C(2)		PART, MOLDED, PLASTIC FOAM, POLYSTYRENE (FOR USE WITH AMMUNITION) .....	A 8140	AR	05-DEC-86	AR		
L	MIL-C-60313		CHARGE, PROPELLING, DUMMY, M98 FOR 175MM GUN M113 [VALIDATION DATE: 9011] ..	A 1320	AR	01-JUN-90	AR		
L	NOTICE 1								
L	MIL-P-60314(1)		PRIMER, PERCUSSION, M32, PARTS FOR [VALIDATION DATE: 8004] .....	A 1375	AR	20-NOV-73	AR		
M L	MIL-C-60315B(2)		CHARGE, PROPELLING, M67 FOR 105MM HOWITZER LOADING, ASSEMBLING AND PACKING ..	A 1315	AR	12-MAR-92	AR		
L	MIL-P-60316A(1)		PRIMER, PERCUSSION M32 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: ..	A 1375	AR	17-MAR-86	AR		
L	NOTICE 1								
L	MIL-C-60317D(1)		CARTRIDGE, 60MM, SMOKE, WP, M302A1 ASSEMBLING, MARKING AND PACKING .....	A 1310	AR	26-JAN-90	AR		
L	MIL-P-60318B		PROPELLANT, M1 FOR USE IN CHARGE, PROPELLING, M67 FOR 105MM HOWITZER ..	A 1375	AR	02-APR-74	AR		
L	NOTICE 1								
L	MIL-B-60319		BURSTER, PROJECTILE, M19 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: ..	A 1310	AR	09-MAY-90	AR		
L	NOTICE 1								
L	MIL-F-60320(1)		FUZE, POINT DETONATING, M527B1 LOADING, ASSEMBLING & PACKING [VALIDATION ..	A 1390	AR	03-JUN-68	AR		
L	NOTICE 1								
L	MIL-P-60321(1)		PRIMER, STAB, T103E1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: ..	A 1375	AR	08-MAY-90	AR		
L	NOTICE 1								
L	MIL-L-60326(1)		LUBRICANT, FLUOROCARBON TELOMER DISPERSION (FOR USE WITH AMMUNITION) ..	A 9150	OS	30-APR-65	AR	OS	
L	NOTICE 1								
L	MIL-C-60327A(2)		[VALIDATION DATE: 8301] USER: M1 REVIEWER: EA GS .....	A 1315	AR	20-APR-90	AR		
L	MIL-D-60329(1)		CHARGE, EXPPELLING, FOR 105MM, BASE EJECTION, CARTRIDGES .....	A 1375	AR	22-MAR-88	AR		
L	NOTICE 1		DETONATOR, STAB, T37 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: ..	A 1375	AR	15-APR-65	AR		
L	MIL-D-60332		DETONATOR, STAB, M41 PARTS FOR [VALIDATION DATE: 8504] .....	A 1375	AR	15-APR-65	AR		
L	MIL-P-60335C		PROJECTILE, 60MM, ILLUMINATING M383A3 PARTS, LOADING, ASSEMBLING & PACKING ..	A 1310	AR	10-APR-86	AR		
L	NOTICE 1								
L	MIL-P-60337		PRIMER, PERCUSSION, M47 AND M47B2 LOADING, ASSEMBLING AND PACKING .....	A 1390	AR	31-OCT-90	AR		
L	NOTICE 1								
L	MIL-P-60338		PRIMER, PERCUSSION, M47 & M47B2 METAL PARTS FOR [VALIDATION DATE: 8506] ...	A 1390	AR	15-FEB-66	AR		
L	MIL-L-60339		LINER ASSEMBLY OUTER, FOR CARTRIDGE 106MM, M346A1 [VALIDATION DATE: 9010] ..	A 1315	AR	15-OCT-90	AR		
L	NOTICE 1								
L	MIL-P-60340A(1)		PROJECTILE, 155MM, SMOKE, HC, BL, M116A1, PARTS FOR .....	A 1320	EA	12-MAY-87	EA		
L	MIL-P-60345(1)		PRIMER, STAB, M45 LOADING, ASSEMBLING, AND PACKING [VALIDATION DATE: 8803] ..	A 1375	AR	22-MAR-88	AR		
L	MIL-W-60346C		ROVING, GLASS, FIBROUS (FOR PREPREG TAPE & ROVING, FILAMENT WINDING, & ..	A 8310	MR	10-FEB-87	MR		11
L	NOTICE 1								
L	MIL-I-60347(1)		PULTRUSION APPLICATIONS [VALIDATION DATE: 8702] .....	A 1315	AR	15-OCT-90	AR		
L	NOTICE 1		IGNITER ASSEMBLY FOR CARTRIDGES, 90MM, AP-T, M318A1 AND 90MM, TP-T, M353E1 ..	A 1315	AR	15-OCT-90	AR		
L	MIL-I-60350(2)		[VALIDATION DATE: 9010] .....	A 1395	AR	20-MAR-88	AR		
L	NOTICE 1		INERT FILLERS FOR USE IN AMMUNITION REVIEWER: M1 .....	A 1395	AR	20-MAR-88	AR		
L	MIL-P-60351		PRIMER, PERCUSSION, M68 METAL PARTS FOR [VALIDATION DATE: 9010] .....	A 1390	AR	31-OCT-90	AR		
L	NOTICE 1								
L	MIL-C-60352(1)		CHARGE, PROPELLING, XM121 FOR CARTRIDGE, 105MM [VALIDATION DATE: 8705] ....	A 1315	AR	27-MAY-87	AR		
L	NOTICE 1								
L	MIL-P-60354(1)		PROPELLANT, M9 (FOR USE IN M19A2 SIGNAL) [VALIDATION DATE: 8805] .....	A 1376	AR	05-MAY-88	AR		
L	NOTICE 1								
L	MIL-P-60356A(3)		POWDER, IGNITER, CLEAN BURNING (FOR USE IN CHARGES, PROPELLING, M3A1 MAA2 ..	A 1376	AR	28-OCT-88	AR		
L	NOTICE 1								
L	MIL-P-60358(1)		AND XM119E4 FOR 155MM HOWITZER) .....	A 1376	AR	25-APR-88	AR		
L	NOTICE 1		PROPELLANT M5 FOR USE IN CHARGE, PROPELLING, XM178 FOR 90MM RECOILLESS ..	A 1376	AR	08-MAR-66	AR		
L	MIL-P-60359		RIFLE [VALIDATION DATE: 8804] .....	A 1376	AR	08-MAR-66	AR		
L	NOTICE 1		PROPELLANT M6 FOR USE IN CARTRIDGE, 90MM, TP-T, M353 [VALIDATION DATE: ..	A 1376	AR	08-MAY-90	AR		
L	MIL-D-60362A		8303] .....	A 1375	AR	08-MAY-90	AR		
L	NOTICE 1		DETONATOR, STAB, M42 PARTS FOR AND LOADING, ASSEMBLING AND PACKING ..	A 1375	AR	29-AUG-91	AR		
L	MIL-P-60363A		[VALIDATION DATE: 9005] .....	A 1376	AR	15-NOV-68	AR		
L	MIL-D-60365(1)		PROPELLANT, M9 (FOR USE IN BASE CHARGE ASSEMBLIES) [VALIDATION DATE: 9108] ..	A 1375	AR	29-AUG-91	AR		
L	MIL-D-60371A		DYNAMITE (COMMERCIAL) [VALIDATION DATE: 8301] .....	A 1376	AR	29-AUG-91	AR		
L	NOTICE 1		OXANIDE EXPLOSIVE COMPOSITION [VALIDATION DATE: 9108] .....	A 1376	AR	27-JUL-66	AR		
L	MIL-P-60375		PROPELLANT M26 FOR USE IN CARTRIDGE, ANTI PERSONNEL XM581 FOR 106MM RIFLE ..	A 1376	AR	11-MAY-92	AR		
L	NOTICE 1		MAA1 [VALIDATION DATE: 8705] .....	A 1315	AR	27-MAY-87	AR		
L	MIL-P-60377B		PROJECTILE, 155MM, HC, M107 LOADING, ASSEMBLING AND PACKING .....	A 1315	AR	03-JAN-72	EA		
L	MIL-C-60380A(1)		CARTRIDGE, 105MM, SEMI FIXED, SMOKE, WP, M60 LOADING, ASSEMBLING & PACKING ..	A 1315	EA	03-JAN-72	EA		
L	NOTICE 1		[VALIDATION DATE: 8705] .....	A 1376	AR	25-APR-88	AR		
L	MIL-B-60381B		BURSTER, PROJECTILE, XM53, LOADING ASSEMBLING & PACKING [VALIDATION DATE: ..	A 1376	AR	25-APR-88	AR		
L	NOTICE 1								
L	MIL-P-60382(1)		PROPELLANT M30 FOR USE IN CARTRIDGE, 90MM, ANTI PERSONNEL, XM580 FOR GUNS ..	A 1320	AR	18-APR-88	AR		
L	NOTICE 1		M36 & M41 .....	A 1376	AR	29-AUG-91	AR		
L	MIL-C-60383A(1)		CHARGE, PROPELLING, (GREEN BAG), 175MM, M124 [VALIDATION DATE: 8804] .....	A 1376	AR	29-AUG-91	AR		
L	NOTICE 1								
L	MIL-P-60384(2)		PROPELLANT M6 FOR USE IN CHARGE, PROPELLING, (GREEN BAG) 175MM M124 ..	A 1340	MI	06-SEP-90	MI		
L	NOTICE 1		[VALIDATION DATE: 9108] .....	A 8140	AR	24-MAR-87	AR		
L	MIL-L-60385B(1)		LAUNCHER FOR ROCKET, ME, 66MM, ANTITANK: M12A1 ASSEMBLY AND PACKING ..	A 1375	AR	20-APR-90	AR		
L	NOTICE 1		[VALIDATION DATE: 9009] .....	A 1375	AR	07-JUN-73	AR		
L	MIL-S-60386B		SHIPPING & STORAGE CONTAINER, FUZE, XM573 [VALIDATION DATE: 8703] .....	A 1375	AR	20-APR-90	AR		
L	NOTICE 1								
L	MIL-D-60388B		DETONATOR, FLASH, M87 PARTS FOR LOADING, ASSEMBLING AND PACKING .....	A 1376	AR	20-APR-90	AR		
L	NOTICE 1		[VALIDATION DATE: 9004] .....	A 1376	AR	07-JUN-73	AR		
L	MIL-P-60389A		PROPELLANT, M30 FOR USE IN CARTRIDGES 76MM, AP-T, M339 & TP-T, M340A1 ..	A 1375	AR	20-APR-90	AR		
L	NOTICE 1		[VALIDATION DATE: 8504] .....	A 1375	AR	24-JUL-88	AR		
L	MIL-C-60393A		CARTRIDGE, DELAY: 20 SECOND DELAY, XM252 PARTS, LOADING, ASSEMBLING AND ..	A 1375	AR	24-JUL-88	AR		
L	NOTICE 1		PACKING [VALIDATION DATE: 9004] .....	A 1320	AR	01-SEP-92	AR		
L	MIL-T-60394A(3)		TAPE, PRESSURE-SENSITIVE ADHESIVE FILM FOAM, DOUBLE-COATED (FOR USE WITH ..	A 1376	AR	21-MAY-87	AR		
L	NOTICE 1		AMMUNITION) USER: GL .....	A 1376	AR	29-JAN-88	AR		
A L	MIL-C-60395C(3)		CHARGE, PROPELLING, 155MM, MAA2, LOADING, ASSEMBLING AND PACKING .....	A 1320	AR	18-APR-88	AR		
L	MIL-P-60397B		PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, MAA2 [VALIDATION DATE: 8705] ..	A 1376	AR	20-MAY-88	AR		
L	NOTICE 1								
L	MIL-P-60398B		PROPELLANT M9, FLAKE (FOR USE IN IGNITION CARTRIDGES) .....	A 1376	AR	29-JAN-88	AR		
L	MIL-R-60399(1)		REDUCER, FLASH M1 FOR 155MM GUN [VALIDATION DATE: 8804] .....	A 1320	AR	20-MAY-88	AR		
L	NOTICE 1								
L	MIL-B-60410(2)		BLASTING MACHINE, HANDLE OPERATED, METAL CASE 10 CAP CAPACITY [VALIDATION ..	A 1375	AR	20-MAY-88	AR		
L	NOTICE 1		DATE: 8805] .....	A 8140	AR	15-FEB-91	AR		
L	MIL-P-60412C		PACKAGING, PACKING AND MARKING FOR SHIPMENT OF ARTILLERY TYPE AND ROCKET ..	A 1345	AR	10-JUL-73	AR		
L	NOTICE 1		FUZES: GENERAL SPECIFICATION FOR .....	A 1376	AR	24-JUN-91	AR		
L	MIL-D-60414A		DETONATOR HOLDER ASSEMBLY FOR FUZE, AT, MM, M606 [VALIDATION DATE: 8504] ..	A 1376	AR	14-FEB-67	AR		
L	MIL-P-60416A(2)		PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, 155MM, M3A1 .....	A 1320	AR	01-SEP-92	AR		
L	NOTICE 1								
L	MIL-P-60417		PROPELLANT M6 FOR USE IN CARTRIDGE, 90MM, APERS, XM580E1 FOR GUNS M36 & ..	A 1376	AR	01-SEP-92	AR		
L	NOTICE 1		M41 [VALIDATION DATE: 8504] .....						
A L	MIL-C-60418B(5)		CHARGE, PROPELLING, 155MM, M3A1 LOADING, ASSEMBLING AND PACKING .....						



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Acty.	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-P-60422(1)	PROPELLANT M30A1 (M30E1) FOR USE IN CHARGE, PROPELLING, 105MM, XM176, FOR	A 1376	AR	25-APR-88	AR			
L	MIL-W-60425	CARTRIDGE, HE, XM548 FOR HOWITZER M101, M102 & M108	A 1340	AR	01-APR-87	AR			
L	MIL-L-60427B	WARHEAD, 2.75 INCH ROCKET, PRACTICE XM230, WITH OR WITHOUT FUZE LOADING,							
L	MIL-P-60428(1)	ASSEMBLING & PACKING [VALIDATION DATE: 8704]	A 1340	MI	16-AUG-90	MI			
L	MIL-P-60432C	LOCKWIRE, FOR 2.75 INCH ROCKET MOTOR ALL MARKS AND MODS	A 1370	AR	07-APR-88	AR			
L	MIL-C-60441	PARACHUTE PROTECTOR AND OGIVE ASSEMBLY, WHITE STAR [VALIDATION DATE: 8804]	A 1376	AR	27-APR-87	AR			
L	MIL-C-60442	PROPELLANT POWDER FOR USE IN BASE GRAIN, AHM [VALIDATION DATE: 8704]	A 8140	AR	27-APR-67	AR			
L	MIL-R-60443(1)	CONTAINER, SHIPPING AND STORAGE, M473, FOR WARHEAD SECTIONS [VALIDATION	A 8140	AR	27-APR-67	AR			
L	MIL-F-60445C	DATE: 8504]	A 1375	AR	22-MAR-88	AR			
L	MIL-P-60447A(6)	CONTAINER, SHIPPING & STORAGE M473A1 FOR WARHEAD SECTION [VALIDATION DATE:	A 1340	MI	03-JUN-91	MI			
L	MIL-D-60448	8504]	A 1315	AR	25-MAY-92	AR			
A	MIL-C-60452A(2)	RELAY, EXPLOSIVE, XM11 [VALIDATION DATE: 8803] REVIEWER: MI	A 1345	AR	28-FEB-68	AR			
L	MIL-C-60454(1)	FIN AND NOZZLE ASSEMBLY FOR ROCKET MOTOR 2.75 INCH MARK 4 AND MARK 40	A 1310	AR	29-SEP-92	AR			
L	MIL-I-60455B	PARTS FOR REVIEWER: 70	A 1390	AR	08-MAY-87	AR			
L	MIL-C-60456	PROJECTILE, 81MM, ILLUMINATING, M301A3 PARTS LOADING, ASSEMBLING AND	A 1340	MI	16-JUL-90	MI			
L	MIL-C-60457(1)	PACKING	A 1315	AR	22-JUN-88	AR			
L	MIL-C-60458(1)	DETONATOR, ELECTRIC M78, PARTS AND LOADING, ASSEMBLING, AND PACKING	A 1315	AR	22-JUN-88	AR			
L	MIL-C-60459	[VALIDATION DATE: 8101]	A 1315	AR	22-JUN-88	AR			
L	MIL-P-60463B	CARTRIDGE CASE LOADING ASSEMBLY, M195 LOADING, ASSEMBLING AND PACKING	A 1315	AR	27-OCT-67	AR			
L	MIL-P-60465	PRIMER, PERCUSSION, MARK 2A4 METAL PARTS FOR [VALIDATION DATE: 8705]	A 1376	AR	25-APR-88	AR			
L	MIL-I-60476A	IGNITER, MARK 125 MOD 5 PARTS FOR	A 1376	AR	29-AUG-91	AR			
L	MIL-P-60477A	CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548 ACCESSORIES FOR [VALIDATION	A 1340	MI	06-SEP-90	MI			
L	MIL-P-60479(2)	DATE: 8806]	A 1320	AR	01-NOV-90	AR			
L	MIL-I-60507	CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, BODY, MOTOR FOR [VALIDATION	A 1375	AR	31-MAY-92	AR			
L	MIL-I-60508A	DATE: 8806]	A 1377	OS	23-JUN-86	OS			
L	MIL-I-60511(1)	CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548, DELAY ASSEMBLY FOR	A 1377	OS	03-JAN-89	OS	99		
L	MIL-I-60512A	[VALIDATION DATE: 8806]	A 1377	OS	23-JUN-86	AR	OS		
L	MIL-I-60513	INITIATOR, CARTRIDGE ACTUATED, DELAY, XM64, ASSEMBLY [VALIDATION DATE:	A 1377	OS	30-MAR-90	OS	99		
L	MIL-I-60514A(1)	8806]	A 1377	OS	23-JUN-86	OS			
L	MIL-I-60515B	INITIATOR, CARTRIDGE ACTUATED, DELAY, M5A1, M26, M33, M44, METAL PARTS	A 1377	OS	23-JUN-86	AR	OS		
L	MIL-I-60517A	ASSEMBLY	A 1377	OS	30-MAR-90	OS	99		
L	MIL-I-60518A	INITIATOR, CARTRIDGE ACTUATED, DELAY, M42, ASSEMBLY [VALIDATION DATE:	A 1377	OS	30-MAR-90	OS	99		
L	MIL-I-60519A	8806]	A 1377	OS	15-JAN-92	OS	99		
L	MIL-C-60520	INITIATOR, CARTRIDGE ACTUATED, DELAY, M45 ASSEMBLY [VALIDATION DATE: 8806]	A 1377	OS	23-JUN-86	OS			
L	MIL-P-60521(5)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M49A1 ASSEMBLY [VALIDATION DATE:	A 1315	AR	27-MAY-87	AR			
L	MIL-I-60522	8806]	A 1315	AR	15-OCT-90	AR			
L	MIL-P-60523A(3)	PROJECTILE, MEP-T, 108MM, M346A1 METAL PARTS [VALIDATION DATE: 9010]	A 1377	OS	05-OCT-88	OS			
L	MIL-I-60525A	DATE: 8810]	A 1320	AR	01-NOV-90	AR			
L	MIL-I-60526(1)	PROJECTILE, 165MM, MEP, M123A1 METAL PARTS [VALIDATION DATE: 9011]	A 1377	OS	30-MAR-90	OS	99		
L	MIL-I-60528(2)	INITIATOR, CARTRIDGE ACTUATED, M89 METAL PARTS ASSEMBLY	A 1377	OS	21-MAY-87	AR	OS		
L	MIL-I-60529	INITIATOR, CARTRIDGE ACTUATED, DELAY, XM64 METAL PARTS ASSEMBLY	A 1377	OS	15-MAR-87	OS			
L	MIL-I-60531(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M30A1 ASSEMBLY	A 1377	OS	23-JUN-86	OS			
L	MIL-C-60537(6)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M89, ASSEMBLY [VALIDATION DATE:	A 1377	OS	21-MAY-87	OS			
L	MIL-C-60538	8806]	A 1377	OS	28-OCT-92	AR			
L	MIL-O-60540(1)	CARTRIDGE, GRENADE, 5.56MM, M195	A 1330	AR	21-MAY-87	AR			
L	MIL-M-60544B(1)	CANISTER, 90MM, M336 METAL PARTS ASSEMBLY [VALIDATION DATE: 8505]	A 1315	AR	19-AUG-66	AR			
L	MIL-T-60545C	OBTURATING BANDS, PLASTIC, RIGID, HIGH IMPACT, POLYVINYL CHLORIDE (MOLDED)	A 1395	AR	23-MAR-87	AR			
L	MIL-I-60546(1)	300666	A 1240	AR	15-OCT-69	AR			
L	MIL-P-60547F(1)	MOUNT TELESCOPE, M148 & XM164 [VALIDATION DATE: 8202]	A 1240	AR	08-JUN-72	AR			
L	MIL-P-60548A(1)	TELESCOPE, STRAIGHT, M120 & XM134 [VALIDATION DATE: 8504]	A 1377	OS	15-JUL-86	OS			
L	MIL-C-60549A(1)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M14, M16, XM18, XM20, XM22, XM24,	A 1315	AR	28-FEB-90	AR			
L	MIL-C-60552A	M54, METAL PARTS ASSEMBLY	A 1315	AR	27-MAY-87	AR			
L	MIL-C-60553C	PROJECTILE, 105MM, HE, M1 AND M760 METAL PARTS ASSEMBLY	A 1315	AR	18-MAR-86	AR			
L	MIL-I-60554(2)	PROJECTILE, 105MM, SMOKE, WP, M50 METAL PARTS ASSEMBLY [VALIDATION DATE:	A 1310	AR	31-JAN-67	AR			
L	MIL-C-60555(1)	8705]	A 1377	OS	16-APR-90	OS	99		
L	MIL-C-60556(1)	CARTRIDGE, 40MM, MULTIPLE PROJECTILE, XM576 LOADING, ASSEMBLING & PACKING	A 1377	OS	23-JUN-86	OS			
L	MIL-M-60557C(2)	[VALIDATION DATE: 8503]	A 1377	OS	08-DEC-86	OS			
L	MIL-C-60558(1)	CARTRIDGE, DELAY, M90 ASSEMBLY REVIEWER: 70	A 1377	OS	08-DEC-86	OS			
L	MIL-C-60559(2)	INITIATOR, CARTRIDGE ACTUATED, DELAY, M5A1, ASSEMBLY [VALIDATION DATE:	A 1377	OS	08-DEC-86	OS			
L	MIL-S-60560	8606]	A 1377	OS	10-FEB-89	AR			
L	MIL-T-60561B	CARTRIDGE, INITIATOR, DELAY, M113	A 1377	OS	08-DEC-86	OS			
L	MIL-C-60562A	CARTRIDGE, INITIATOR, M58, ASSEMBLY	A 1377	OS	08-DEC-86	OS			
L	MIL-M-60565	MICRO-REPRODUCTION SYSTEM FOR ENGINEERING DOCUMENTS AND ENGINEERING	A 1377	OS	08-DEC-86	OS			
L	MIL-T-60566A	RELEASE RECORDS	A 1377	OS	08-DEC-86	OS			
L	MIL-D-60567B	CARTRIDGE, INITIATOR, RELAY, XM148	A 1377	OS	08-DEC-86	OS			
L		CARTRIDGE, IMPULSE, M225 [VALIDATION DATE: 8703]	A 1377	OS	23-AUG-66	AR			
L		SHIPPING & STORAGE CONTAINER, CARTRIDGE 7.62MM, M527 [VALIDATION DATE:	A 8140	AR	23-AUG-66	AR			
L		8505]	A 1377	OS	21-SEP-92	OS	99		
L		THRUSTER, CARTRIDGE ACTUATED, M25A1 METAL PARTS ASSEMBLY REVIEWER: 70	A 1305	AR	20-FEB-69	AR			
L		CASE, CARTRIDGE, 30MM, XM193 [VALIDATION DATE: 8705]	A 1305	AR	20-FEB-69	AR			
L		MOUNT, TELESCOPE, XM152 [VALIDATION DATE: 8504]	A 1240	AR	31-AUG-66	AR			
L		TELESCOPE, ARTICULATED, M125 AND M135 [VALIDATION DATE: 8303]	A 1240	AR	13-NOV-70	AR			
L		DELAY ELEMENT, CARTRIDGE, M14 ASSEMBLY REVIEWER: 70	A 1377	OS	16-APR-90	OS	99		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off / Cdr Conducting Inspection	Document Number	Document Title	Dist Smt FSC / Assn	MCA Symbol Proposed Assy	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-D-605688	DELAY ELEMENT, CARTRIDGE, M13 ASSEMBLY REVIEWER: 70	A 1377	OS	15-JAN-92	OS	99		
	MIL-C-605708	CARTRIDGE, DELAY, M114 ASSEMBLY REVIEWER: 70	A 1377	OS	15-JAN-92	OS	99		
L	MIL-D-605718(1)	DELAY ELEMENT, CARTRIDGE, XM44 ASSEMBLY	A 1377	OS	08-DEC-86	OS			
	MIL-D-60572A	DELAY ELEMENT, CARTRIDGE, M28 ASSEMBLY	A 1377	OS	23-APR-91	OS	99		
L	MIL-D-60573(2)	DUMMY CARTRIDGE, 7.62MM, M172, INERT LOADED	A 1305	AR	11-MAR-91	AR			
L	MIL-P-605748(2)	PROJECTILE, HE-P-T, 105MM, M393A2 METAL PARTS	A 1315	AR	01-AUG-85	AR			
	MIL-C-60575A	CARTRIDGE, IMPULSE, M141 ASSEMBLY REVIEWER: 70	A 1377	OS	15-JAN-92	OS	99		
L	MIL-E-60581A(1)	EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM233 METAL PARTS ASSEMBLY	A 1377	OS	23-JUN-86	OS			
	NOTICE 1	[VALIDATION DATE: 8606]							
L	MIL-C-60582(1)	CARTRIDGE, POWER ACTUATED CUTTER, XM131, ASSEMBLY	A 1377	OS	08-DEC-86	OS			
L	MIL-C-60583(1)	CARTRIDGE, POWDER ACTUATED CUTTER, M133, ASSEMBLY	A 1377	OS	08-DEC-86	OS			
L	MIL-P-60584A	PROJECTILE, 155MM, SMOKE, WP, M110 METAL PARTS ASSEMBLY [VALIDATION DATE: 8906]	A 1320	AR	22-JUN-89	AR			
L	MIL-C-60585A	CASE, PROJECTILE, BUNSTER, M1 ASSEMBLY [VALIDATION DATE: 8505]	A 1315	AR	31-AUG-71	AR			
L	MIL-C-60586(1)	CARTRIDGE, POWDER ACTUATED CUTTER, M129, ASSEMBLY	A 1377	OS	16-JAN-87	OS			
L	MIL-C-60587(1)	CARTRIDGE, POWDER ACTUATED CUTTER, XM130, ASSEMBLY	A 1377	OS	19-JAN-87	OS			
L	MIL-C-60588(1)	CARTRIDGE, POWDER ACTUATED CUTTER, XM132, ASSEMBLY	A 1377	OS	19-JAN-87	OS			
L	MIL-E-60591A(1)	EJECTOR, PARACHUTE, CARTRIDGE ACTUATED, XM233 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	23-JUN-86	OS			
	NOTICE 1								
L	MIL-P-60592(1)	PROJECTILE, 90MM, TP-T, M353 METAL PARTS ASSEMBLY [VALIDATION DATE: 8505]	A 1315	AR	29-DEC-66	AR			
L	MIL-C-60593(1)	CUTTER, POWDER ACTUATED, MB RE-MANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8005]	A 1377	OS	20-SEP-66	OS			
L	MIL-I-60595(1)	INITIATOR, CARTRIDGE ACTUATED, XM107 METAL PARTS ASSEMBLY (INACTIVE FOR NEW DESIGN)	A 1377	OS	15-JUL-88	OS			
L	MIL-P-605968	PROJECTILE, HE, 8 INCH M106 METAL PARTS ASSEMBLY	A 1320	AR	30-APR-90	AR			
L	MIL-B-60597(1)	BALLISTICS COMPUTER, SUBASSEMBLY, 10543800 (COMPUTER UNIT)	A 1220	AR	20-MAR-87	AR			
	NOTICE 1								
L	MIL-B-60598(1)	BALLISTICS COMPUTER, SUBASSEMBLY, 10543700 (COMMANDER S CONTROL UNIT)	A 1220	AR	20-MAR-87	AR			
	NOTICE 1								
L	MIL-B-60599(1)	BALLISTICS COMPUTER, SUBASSEMBLY, 10543600 (GUNNER S CONTROL UNIT)	A 1220	AR	20-MAR-87	AR			
	NOTICE 1								
L	MIL-P-60600	PROJECTILE, 40MM, XM577 [VALIDATION DATE: 8503]	A 1310	AR	04-NOV-66	AR			
L	MIL-P-606018	PROJECTILE, 105MM, WP, M416 METAL PARTS ASSEMBLY	A 1315	AR	16-MAR-81	AR			
L	MIL-C-606028	CASE IMPELLER, PROJECTILE BURSTER, M175 [VALIDATION DATE: 8701]	A 1315	AR	30-JAN-87	AR			
	NOTICE 1								
L	MIL-C-60604A	CARTRIDGE, IMPULSE, M119 ASSEMBLY REVIEWER: 70	A 1377	OS	15-JAN-92	OS	99		
L	MIL-P-60605B(1)	PROJECTILE, 60MM, HE, M49A2 METAL PARTS ASSEMBLY (CARBON STEEL) [VALIDATION DATE: 8302]	A 1310	AR	02-APR-71	AR			
L	MIL-A-60606	ACTUATOR, CREW EJECTION 1000-36 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	24-MAR-67	OS			
	NOTICE 1								
L	MIL-C-60607(1)	CHIPBOARD, WAD MATERIAL [VALIDATION DATE: 8502]	A 8140	AR	28-MAR-79	AR			
L	MIL-P-60608A(3)	PROJECTILE, 20MM, TARGET PRACTICE TRACER, M221, METAL PARTS	A 1305	AR	31-JUL-87	AR			
L	MIL-C-60609A	CARTRIDGE, 20MM, TARGET PRACTICE TRACER, XM220 [VALIDATION DATE: 8504]	A 1305	AR	20-APR-73	AR			
L	MIL-C-60610A	CASE, CARTRIDGE 40MM, XM199 [VALIDATION DATE: 8503]	A 1310	AR	31-JAN-67	AR			
L	MIL-A-60611(1)	ACTUATOR, CREW EJECTION 1000-36 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377	OS	15-JUL-86	OS			
L	MIL-F-60612C	FUZE, MT5Q, M548 ASSEMBLY [VALIDATION DATE: 9010]	A 1390	AR	31-OCT-90	AR			
	NOTICE 1								
L	MIL-F-60613A(2)	FIN ASSEMBLY, M4A1 [VALIDATION DATE: 8303]	A 1315	AR	04-MAY-70	AR			
M L	MIL-C-60616C(2)	CARTRIDGE, 5.56MM, BLANK, M200	A 1305	AR	16-APR-93	AR			
L	MIL-C-60617A(2)	CARTRIDGE, 7.62MM, NATO, ARMOR PIERCING, M51	A 1305	AR	11-MAR-91	AR			
	NOTICE 1								
L	MIL-C-60618C	COUNTER, ROTATING, MECHANICAL, DIRECT DRIVE: 8587543 (3200 MIL RESET) REVIEWER: GS	A 1290	AR	24-MAR-89	AR			
L	MIL-S-60619A	SIGHT, REFLEX, M18 & XM75 [VALIDATION DATE: 8504]	A 1240	AR	31-OCT-72	AR			
L	MIL-P-606200	PROJECTILE ASSEMBLY FOR CARTRIDGE, SMOKE, WP, 81MM, M375A1	A 1315	AR	09-AUG-85	AR			
L	MIL-P-606228(4)	PROJECTILE, 175MM, HE, M437 METAL PARTS ASSEMBLY [VALIDATION DATE: 8804]	A 1320	AR	18-APR-88	AR			
	NOTICE 1								
L	MIL-C-60624	GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED, XM17, ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	23-JUN-86	OS			
	NOTICE 1								
L	MIL-C-60625	CASTING, DUCTILE (MODULAR) IRON FOR ARTILLERY, WARHEAD AND MORTAR AMMUNITION COMPONENTS [VALIDATION DATE: 8504]	A 1395	AR	30-NOV-66	AR			
L	MIL-P-60627	PERISCOPE, XM33 [VALIDATION DATE: 8504]	A 1240	AR	30-JUN-67	AR			
L	MIL-P-60628(1)	PROJECTILE, 152MM, SLUG, PROOFING, METAL PARTS ASSEMBLY [VALIDATION DATE: 9011]	A 1320	AR	01-NOV-90	AR			
	NOTICE 1								
L	MIL-C-60631A	CARTRIDGE CASE, BASE PLUG & DISC 40MM, XM199E1 [VALIDATION DATE: 8705]	A 1310	AR	03-MAR-69	AR			
	NOTICE 1								
L	MIL-I-60635	INITIATOR, CARTRIDGE ACTUATED, M9 ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
L	MIL-I-60636(1)	INITIATOR, CARTRIDGE ACTUATED, M9 AND M80 METAL PARTS ASSEMBLY	A 1377	OS	21-MAY-87	OS			
L	MIL-T-60637(2)	THRUSTER, CARTRIDGE ACTUATED, M6, ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
L	MIL-I-60638	INITIATOR, CARTRIDGE ACTUATED, DELAY, M44 ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
L	MIL-I-60639A	INITIATOR, CARTRIDGE ACTUATED, DELAY, M31 ASSEMBLY	A 1377	OS	23-APR-91	OS	99		
L	MIL-C-60641	CARTRIDGE, DELAY, M174 ASSEMBLY (INACTIVE FOR NEW DESIGN)	A 1377	OS	15-JUL-88	OS			
	NOTICE 1								
L	MIL-I-60642	INITIATOR, CARTRIDGE ACTUATED, M80 ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
A	MIL-C-60643A	CARTRIDGE, IMPULSE, M127 ASSEMBLY REVIEWER: 70	A 1377	OS	23-JUN-92	OS	99		
L	MIL-C-60644(2)	CARTRIDGE, DELAY, M175 ASSEMBLY	A 1377	OS	30-JUL-87	OS			
L	MIL-T-60645(1)	THRUSTER, CARTRIDGE ACTUATED, M6, METAL PARTS ASSEMBLY	A 1377	OS	21-MAY-87	OS			
L	MIL-P-606468(2)	PROJECTILE, 105MM, HEAT-T, M456A1 METAL PARTS	A 1315	AR	19-SEP-84	AR			
L	MIL-T-60647	THRUSTER, CARTRIDGE ACTUATED, M5A2 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
L	MIL-H-60648(1)	HOLDER, STRIP, LOADED, ASSEMBLY M8, M9, M10, XM12, M19 OR XM25 AIRCRAFT EJECTION SEAT CATAPULT	A 1377	OS	15-JUL-86	OS			
L	MIL-P-606498(5)	PERISCOPE, TANK, XM44E1 & XM44E2 WITH ASSOCIATED EQUIPMENT [VALIDATION DATE: 8502]	A 1240	AR	15-AUG-79	AR			
L	MIL-H-60650A(1)	HEAD ASSEMBLY, TANK PERISCOPE, 10542204	A 1240	AR	09-NOV-87	AR			
L	MIL-C-60661A	CASE, CARRYING: 10543310	A 1290	AR	13-SEP-90	AR			
	NOTICE 2								
L	MIL-T-60662	THRUSTER, CARTRIDGE ACTUATED, M11, REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
L	MIL-C-60664A	CARTRIDGE, IMPULSE, M57 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	23-JUN-86	OS			
	NOTICE 1								
L	MIL-A-60667	ACTUATOR, ROTARY 1000-39 ASSEMBLY [VALIDATION DATE: 8606]	A 1377	OS	23-JUN-86	OS			
	NOTICE 1								
L	MIL-A-60668(1)	ACTUATOR, ROTARY 1000-39 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377	OS	15-JUL-86	OS			
L	MIL-S-60661A(1)	SIGHT, LEAD COMPUTING, M61, 11747062 [VALIDATION DATE: 8402]	A 1285	AR	13-OCT-83	AR			
A L	MIL-G-606628(2)	GENERATOR, SIGHT CURRENT 12000239	A 1285	AR	28-OCT-92	AR			
L	MIL-I-60667A(2)	IGNITER, AUXILIARY [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS			
	NOTICE 1								
L	MIL-T-60668	THRUSTER, CARTRIDGE ACTUATED, M18 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
L	MIL-T-60669	THRUSTER, CARTRIDGE ACTUATED, M19 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	23-MAR-87	OS			
L	MIL-R-60671	RUBBER, CHLORINATED, NATURAL, POWER [VALIDATION DATE: 8805]	A 1370	AR	06-MAY-88	AR			
	NOTICE 1								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Actn Ctrl / O&A Coordination Inchance Document Number	Document Title	Dist. Smt. P&C / Area MCA Symbol Preparing Acty. Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-T-60672(1)	THRUSTER, CARTRIDGE ACTUATED, M25, METAL PARTS ASSEMBLY, REMANUFACTURED FROM M20 & M20A1 CARTRIDGE ACTUATED THRUSTER	A 1377 OS 15-JUL-86	OS			
L MIL-I-60676A(1)	IGNITER, PRIMARY [VALIDATION DATE: 8606]	A 1377 OS 23-JUN-86	OS			
L MIL-T-60677	THRUSTER, CARTRIDGE ACTUATED, M9 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 23-MAR-87	OS			
L MIL-C-60678B(2)	CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY TRACE SELF-DESTRUCT, M246	A 1305 AR 28-FEB-90	AR			
L MIL-P-60679A(5)	PROJECTILE, 20MM, HEIT-SD, M246; METAL PARTS	A 1305 AR 09-FEB-90	AR			
L MIL-T-60680(1)	THRUSTER, CARTRIDGE ACTUATED, M16 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 9108]	A 1377 OS 14-AUG-91	OS			
L MIL-A-60681	ACTUATOR, ROTARY 1000-37 ASSEMBLY [VALIDATION DATE: 8606]	A 1377 OS 23-JUN-86	OS			
L MIL-A-60682(1)	ACTUATOR, ROTARY 1000-37 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377 OS 15-JUL-86	OS			
L MIL-C-60683(2)	CATAPULT, AIRCRAFT EJECTION SEAT, M4A1 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377 OS 15-JUL-86	OS			
L MIL-C-60684	CATAPULT, AIRCRAFT EJECTION SEAT, M5A1 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8810]	A 1377 OS 05-OCT-88	OS			
L MIL-C-60685(1)	CATAPULT, AIRCRAFT EJECTION SEAT, M3A1, REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 9108]	A 1377 OS 14-AUG-91	OS			
L MIL-C-60691(1)	CARTRIDGE, IMPULSE, M151 ASSEMBLY	A 1377 OS 28-MAR-89	OS			
L MIL-A-60692	ACTUATOR, EXPLOSIVE, ROTARY 1000-27 ASSEMBLY [VALIDATION DATE: 8606]	A 1377 OS 23-JUN-86	OS			
L MIL-A-60693(1)	ACTUATOR, EXPLOSIVE, ROTARY 1000-27 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377 OS 15-JUL-86	OS			
L MIL-T-60694A	THRUSTER, CARTRIDGE ACTUATED, M15 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-I-60695	THRUSTER, CARTRIDGE ACTUATED, M20A1, REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS	99		
L MIL-T-60696	THRUSTER, CARTRIDGE ACTUATED, M2A2, REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
A MIL-T-60697A	THRUSTER, CARTRIDGE ACTUATED, M3A3 REMANUFACTURED METAL PARTS ASSEMBLY REVIEWER: 70	A 1377 OS 21-SEP-92	OS	99		
L MIL-T-60699	THRUSTER, CARTRIDGE ACTUATED, M7 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-T-60800	THRUSTER, CARTRIDGE ACTUATED, M17 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-T-60801	THRUSTER, CARTRIDGE ACTUATED, M13, REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-C-60805(3)	CARTRIDGE, IMPULSE, M150 ASSEMBLY	A 1377 OS 30-JUL-87	OS			
L MIL-B-60807(7)	BOOSTER, M125A1E3, LOADING & PACKING [VALIDATION DATE: 8705]	A 1390 AR 08-MAY-87	AR			
L MIL-C-60808A	CARTRIDGE, CALIBER .45 REFERENCE	A 1305 AR 10-APR-87	AR			
L MIL-C-60809(2)	CATAPULT, AIRCRAFT EJECTION SEAT, M9, REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 9108]	A 1377 OS 14-AUG-91	OS	99		
L MIL-C-60810	CATAPULT, AIRCRAFT EJECTION SEAT, M10 REMANUFACTURED METAL PARTS ASSEMBLY [VALIDATION DATE: 8810]	A 1377 OS 05-OCT-88	OS			
L MIL-P-60811B(1)	PROJECTILE, 105MM, TP-T, M489 METAL PARTS ASSEMBLY	A 1315 AR 14-APR-86	AR			
L MIL-P-60812(2)	PROJECTILE, 4.2 INCH, WP, SMOKE, M328A1 METAL PARTS ASSEMBLY [VALIDATION DATE: 8705]	A 1315 AR 16-JUN-89	AR			
L MIL-C-60813(2)	CARTRIDGE, CALIBER .50, SPOTTER TRACER, M48A2	A 1305 AR 08-JUN-67	AR			
L MIL-P-60814	PROJECTILE, AP-T, 90MM, M318A1 METAL PARTS [VALIDATION DATE: 8505]	A 1315 AR 17-APR-67	AR	OS		
L MIL-P-60815A(3)	PROJECTILE, TP-T, 152MM, XM411E1 METAL PARTS ASSEMBLY [VALIDATION DATE: 8805]	A 1320 AR 20-JUN-88	AR			
L MIL-P-60818C(3)	PROJECTILE, 4.2 INCH, ILLUMINATING, M335A2 METAL PARTS ASSEMBLY	A 1315 AR 18-APR-91	AR			
L MIL-T-60823	FIRING MECHANISM, 50057-1, OVERHAUL OF [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-T-60826B	TELESCOPE, M127A1 [VALIDATION DATE: 8101]	A 1240 AR 03-MAR-75	AR			
L MIL-C-60827A	CARTRIDGE, IMPULSE, M259 ASSEMBLY REVIEWER: 70	A 1377 OS 15-JAN-92	OS	99		
L MIL-S-60828A(2)	SIGHT, REFLEX, M70E1	A 1270 AR 13-AUG-90	AR			
L MIL-O-60831C	OBSCURATING BAND, PLASTIC SPLIT (MOLDED)	A 1395 AR 12-MAY-89	AR			
L MIL-C-60832	CARTRIDGE, CALIBER .30, BALL, M2 OVERHEAD FIRE APPLICATION [VALIDATION DATE: 8705]	A 1305 AR 04-OCT-67	AR			
L MIL-T-60834	TELESCOPE, ELBOW, M99 AND M99C [VALIDATION DATE: 8805]	A 1240 AR 16-MAY-88	AR			
L MIL-P-60835A(1)	PROJECTILE, 20MM, ME1-T, M242, METAL PARTS [VALIDATION DATE: 8402]	A 1305 AR 01-JUN-78	AR			
L MIL-C-60836A(1)	CARTRIDGE, 20MM, HIGH EXPLOSIVE INCENDIARY WITH TRACER, M242	A 1305 AR 05-FEB-87	AR			
L MIL-A-60837	ACTUATOR, EXPLOSIVE, ROTARY 1000-48 ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-A-60838(1)	ACTUATOR, EXPLOSIVE, ROTARY 1000-48 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377 OS 21-MAY-87	OS			
L MIL-H-60840	HOLDER, STRIP, ASSEMBLY, METAL PARTS [VALIDATION DATE: 8703]	A 1377 OS 29-MAR-87	OS			
L MIL-O-60842(1)	DELAY ELEMENT, CARTRIDGE, XM17 ASSEMBLY	A 1377 OS 16-JAN-87	OS			
L MIL-I-60846	INITIATOR, CARTRIDGE ACTUATED, M87 ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 29-MAR-87	OS			
L MIL-A-60848	ACTUATOR, EXPLOSIVE, ROTARY 1000-44 ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-A-60849(1)	ACTUATOR, EXPLOSIVE, ROTARY 1000-44 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377 OS 21-MAY-87	OS			
L MIL-C-60850(1)	CARTRIDGE, IMPULSE, XM267	A 1377 OS 16-JAN-87	OS			
L MIL-O-60851(1)	DELAY ELEMENT, CARTRIDGE, 45, ASSEMBLY	A 1377 OS 16-JAN-87	OS			
L MIL-P-60852A	PROPELLANT, GRAIN, INHIBITED [VALIDATION DATE: 9108]	A 1377 OC 14-AUG-91	OS			
L MIL-T-60857A	TEST SET, RADAR, AN/TPM-22 [VALIDATION DATE: 8504]	A 4931 AR 15-JAN-73	AR			
L MIL-T-60858(1)	TEST SET, ELECTRONICS SYSTEM AN/TSM-100 [VALIDATION DATE: 8504]	A 4931 AR 28-JUL-71	AR			
A MIL-T-60860A(1)	TEST SET, ANTENNA AN/VPM-1	A 1285 AR 28-OCT-92	AR			
L MIL-C-60861(1)	CARTRIDGE, DELAY, M128 ASSEMBLY	A 1377 OS 16-JAN-87	OS			
L MIL-R-60862(1)	REMOVER, AIRCRAFT CANOPY OVERHAUL, MODIFICATION & CONVERSION OF P/N 221B-17 TO P/N 221B-18 [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-O-60863A(4)	OXAMIDE	A 6810 AR 10-APR-92	AR			
L MIL-R-60864	RESORCINOL [VALIDATION DATE: 8907] USER: M1 REVIEWER: GS MD	A 6810 AR 13-JUL-89	AR			
L MIL-D-60866(1)	DELAY ELEMENT, CARTRIDGE, M27 ASSEMBLY	A 1377 OS 21-MAY-87	OS			
L MIL-I-60867	INITIATOR, CARTRIDGE ACTUATED, DELAY, M51 ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 29-MAR-87	OS			
L MIL-I-60869	INITIATOR, CARTRIDGE ACTUATED, DELAY, M15 ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 29-MAR-87	OS			
L MIL-I-60870	INITIATOR, CARTRIDGE ACTUATED, DELAY, 15, XM17, XM19, XM21, XM23, XM25 & XM110 METAL PARTS ASSEMBLY [VALIDATION DATE: 8703]	A 1377 OS 26-MAR-87	OS			
L MIL-B-60871(2)	BALLISTICS COMPUTER SUBASSEMBLY, 10552928 (CANT UNIT) [VALIDATION DATE: 8703]	A 1220 AR 20-MAR-87	AR			
L MIL-C-60872A	CARTRIDGE, DELAY, M271 ASSEMBLY REVIEWER: 70	A 1377 OS 15-JAN-92	OS	99		
L MIL-D-60873A	DELAY ELEMENT, CARTRIDGE, M69 ASSEMBLY REVIEWER: 70	A 1377 OS 15-JAN-92	OS	99		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc CPL / OAL Coordinate Notice	Document Number	Document Title	Doc Smt FSC / Area	MCA Symbol Proprietary Acct	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-I-60874 NOTICE 1	INITIATOR, CARTRIDGE ACTUATED, DELAY, XM19 ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	29-MAR-87	OS			
L	MIL-R-60875(1)	REMOVER, AIRCRAFT CANOPY, M8A2 METAL PARTS ASSEMBLY	A 1377	OS	19-JAN-87	OS			
L	MIL-T-60876A	TEST SET, SERVO AMPLIFIER, TS 2658/TSM 100A	A 4931	AR	30-OCT-85	AR			
L	MIL-T-60877A	TEST SET, DISTRIBUTION BOX, TS-2659/TSM-100	A 4931	AR	30-APR-86	AR			
L	MIL-T-60878A	TEST SET, SIGHT CURRENT GENERATOR, TS-2660/TSM-100A	A 4931	AR	28-SEP-84	AR			
L	MIL-T-60879A	TEST SET, POWER PANEL, TS-2661/TSM-100A	A 4931	AR	30-APR-84	AR			
L	MIL-T-60880A	TEST SET, CONTROL PANEL, TS-2657/TSM-100	A 4931	AR	30-APR-86	AR			
L	MIL-T-60883	TELESCOPE, XM129 [VALIDATION DATE: 8101]	A 1240	AR	21-MAR-69	AR			
L	MIL-B-60884C(2)	BINOCULAR M19 [VALIDATION DATE: 8601]	A 6650	AR	29-JUN-79	AR			
L	MIL-I-60886 NOTICE 1	INITIATOR, CARTRIDGE ACTUATED, DELAY, XM110 ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	29-MAR-87	OS			
L	MIL-T-60887A(1)	TEST SET, ORGANIZATIONAL MAINTENANCE AM/TPM-23 [VALIDATION DATE: 8301]	A 1285	AR	07-APR-77	AR			
L	MIL-A-60888 NOTICE 1	ACTUATOR, EXPLOSIVE, ROTARY 1000-45 ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	29-MAR-87	OS			
L	MIL-A-60889(1)	ACTUATOR, EXPLOSIVE, ROTARY 1000-45 REMANUFACTURED METAL PARTS ASSEMBLY	A 1377	OS	21-MAY-87	OS			
L	MIL-F-60890(2) NOTICE 1	FUZE, MECHANICAL TIME, M591, ASSEMBLY [VALIDATION DATE: 9108]	A 1135	AR	20-AUG-91	AR			
L	MIL-S-60891B(1)	SIGHT, REFLEX: M73	A 1270	AR	27-SEP-89	AR			
L	MIL-I-60892 NOTICE 1	INITIATOR, CARTRIDGE ACTUATED, DELAY, M43A1 ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	29-MAR-87	OS			
L	MIL-T-60895(5)	TELESCOPE, PANORAMIC, M117A1	A 1240	AR	20-OCT-83	AR			
L	MIL-C-60896A(2)	CARTRIDGE, 7.62MM, NATO, REFERENCE	A 1305	AR	11-MAR-91	AR			
L	MIL-K-60897(4)	REMOVER, AIRCRAFT CANOPY: M8A1 METAL PARTS ASSEMBLY (CONVERSION)	A 1377	OS	16-MAR-87	OS			
L	MIL-C-60898	CIRCUIT CARD ASSEMBLIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8304]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/1	CIRCUIT CARD ASSEMBLY, LOGIC FUNCTION RESISTORS [VALIDATION DATE: 8202]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/2	CIRCUIT CARD ASSEMBLY, RELAY SEWSE RESISTORS [VALIDATION DATE: 8303]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/3	CIRCUIT CARD ASSEMBLY, RELAY SEWSE AND K12 OPERATION [VALIDATION DATE: 8303]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/4(1)	CIRCUIT CARD ASSEMBLY, K6 OPERATION AND SEQUENCE [VALIDATION DATE: 8303]	A 4931	AR	02-OCT-70	AR			
L	MIL-C-60898/5	CIRCUIT CARD ASSEMBLY, K8 OPERATION AND SEQUENCE [VALIDATION DATE: 8303]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/6	CIRCUIT CARD ASSEMBLY, K11 OPERATION AND SEQUENCE [VALIDATION DATE: 8303]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/7(1)	CIRCUIT CARD ASSEMBLY, RELAY SIGNAL INVERTERS	A 4931	AR	28-NOV-84	AR			
L	MIL-C-60898/8	CIRCUIT CARD ASSEMBLY, NOISE SUPPRESSION [VALIDATION DATE: 8403]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/9	CIRCUIT CARD ASSEMBLY, SIGHT CURRENT GENERATOR [VALIDATION DATE: 8303]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/10	CIRCUIT CARD ASSEMBLY, POWER UNIT [VALIDATION DATE: 8303]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60898/11	CIRCUIT CARD ASSEMBLY, SERVO AMPLIFIER TEST INPUT [VALIDATION DATE: 8303]	A 4931	AR	31-JUL-69	AR			
L	MIL-C-60899 NOTICE 1	CARTRIDGE, DELAY: M84, ASSEMBLY (INACTIVE FOR NEW DESIGN)	A 1377	OS	15-JUL-88	OS			
L	MIL-W-60903A NOTICE 2	MARKING OF ELECTRICAL WIRES AND CABLES [VALIDATION DATE: 9108]	A 1195	AR	20-AUG-91	AR			
L	MIL-W-60904A NOTICE 1	WIRE AND CABLE, POLYIMIDE INSULATED, ELECTRICAL NUCLEAR WEAPONS [VALIDATION DATE: 8809]	A 1135	AR	09-SEP-88	AR			
L	MIL-C-60906A NOTICE 1	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL, T-4179A [VALIDATION DATE: 8503]	A 1190	AR	11-AUG-72	AR			
L	MIL-C-60913(5)	CHARGE, PROPELLANT, INCREMENT XM185 (M185) (MADE FROM PROPELLANT M9)	A 1375	AR	22-FEB-89	AR			
L	MIL-T-60916C	TUBE, MOTOR, INTEGRAL BULKHEAD, FOR ROCKET MOTOR 2.75 INCH, MARK 4 AND MARK 40	A 1340	MI	29-MAR-91	MI			
L	MIL-S-60928A	SUPPORTS, CHARGE, FOR 2.75 INCH ROCKET, MARK 40 AND MARK 4	A 1340	MI	19-MAR-91	MI			
L	MIL-C-60932(1) NOTICE 1	CARTRIDGE, 105MM, HE, ROCKET ASSISTED, XM548 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8808]	A 1315	AR	22-JUN-88	AR			
L	MIL-P-60938	PELLET, SMOKE MARKER FOR CARTRIDGE, 105MM, APERS-T, XM546 [VALIDATION DATE: 8101]	A 1315	AR	20-FEB-68	AR			
L	MIL-C-60940(1) NOTICE 1	CUP, LEAD ASSEMBLY FOR FUZES, PD, M551 & M533 [VALIDATION DATE: 8803]	A 1375	AR	22-MAR-88	AR			
L	MIL-C-60941A(1) NOTICE 1	CARTRIDGE, 40MM, HE, M384: BODY ASSEMBLY FOR METAL PARTS [VALIDATION DATE: 9109]	A 1310	AR	12-SEP-91	AR			
L	MIL-P-60942A(1) NOTICE 2	PRIMER, PERCUSSION FOR 40MM LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8809]	A 1390	AR	30-SEP-88	AR			
L	MIL-C-60943A(3)	CARTRIDGE, 40MM, HE, M384 LOADING, ASSEMBLING AND PACKING	A 1310	AR	28-JUL-91	AR			
L	MIL-C-60944A NOTICE 1	CARTRIDGE, 40MM, PRACTICE, M385 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705]	A 1310	AR	15-SEP-80	AR			
M	MIL-C-60945B	CARTRIDGE, 40MM, PRACTICE, M385A1 DUMMY CARTRIDGE, 40MM HIGH VELOCITY, M922 PROJECTILE PARTS FOR	A 1310	AR	12-MAY-93	AR			
L	MIL-P-60956 NOTICE 1	POWER SUPPLY PS 217 FOR FUZE, PROXIMITY, T361 [VALIDATION DATE: 8704]	A 1390	AR	10-APR-87	AR			
L	MIL-F-60965(3) NOTICE 1	FUZE, ELECTRONIC TIME: M587 (LESS BOOSTER PELLET AND CUP) [VALIDATION DATE: 8808]	A 1390	AR	22-AUG-88	AR			
A	MIL-C-60982B(5)	CASE CARTRIDGE, 40MM, M169 PART FOR	A 1310	AR	10-NOV-92	AR			
L	MIL-C-60983C NOTICE 1	CARTRIDGE, 40MM, HE, M406 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705]	A 1310	AR	16-JAN-75	AR			
L	MIL-C-60984A(1) NOTICE 1	CARTRIDGE, 40MM, HE, M406: BALL AND SKIRT ASSEMBLY AND OGIVE FOR METAL PARTS FOR [VALIDATION DATE: 9109]	A 1310	AR	12-SEP-91	AR			
L	MIL-C-60985A(1) NOTICE 1	CASE, CARTRIDGE, 40MM, M118 METAL PARTS FOR [VALIDATION DATE: 8803]	A 1310	AR	25-MAR-88	AR			
L	MIL-C-60986A(2) NOTICE 1	CARTRIDGE, 40MM, PRACTICE, M407A1 LOADING, ASSEMBLING & PACKING [VALIDATION DATE: 8705]	A 1310	AR	19-DEC-74	AR			
L	MIL-C-60987(1) NOTICE 1	CARTRIDGE, 40MM, PRACTICE, M407A1, BALL & SKIRT ASSEMBLY & OGIVE FOR METAL PARTS FOR [VALIDATION DATE: 8803]	A 1310	AR	25-MAR-88	AR			
L	MIL-P-60989A(1) NOTICE 1	PROPELLANT, M2 FOR M5 SUBSYSTEM AMMUNITION [VALIDATION DATE: 8803]	A 1376	AR	21-MAR-88	AR			
L	MIL-R-60995A NOTICE 1	ROCKET MOTOR, 2.75 INCH ROCKET, MARK 40 AND MODS, MARK 4 AND MODS LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9204]	A 1340	MI	10-APR-92	MI			
L	MIL-C-60996A NOTICE 1	CHARGE, DEMOLITION ROLL, M186 PARTS, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805]	A 1375	AR	09-MAY-86	AR			
L	MIL-S-60997A NOTICE 1	SUPPORT, MOLDED, PLASTIC (FOR USE IN AMMUNITION PACKAGING) [VALIDATION DATE: 8803]	A 8140	AR	18-MAR-86	AR			
L	MIL-B-61000	BOTTLES, PLASTIC, MOLDED POLYETHYLENE REVIEWER: GS	A 8125	SM	17-JAN-86	SM	SA	99	
L	MIL-R-61001	RACKS, STORAGE, LOADED PALLET REVIEWER: 99 AL AR GS OS TS	A 6990	SM	30-MAR-89	SM	SA	69	
D	MIL-L-61002(1)	LABELS, PRESSURE-SENSITIVE ADHESIVE, FOR BAR CODES AND OTHER MARKINGS USER: JP NT SS REVIEWER: 11 70 71 80 82 84 99 AL AR AS AT CG CR CT DM EC ES GL GS IS MC MD ME MI MS PS SH TO TM YD1	A 7690	SM	10-JAN-92	SM	SA	69	DM
D	MIL-C-62005A	COUPLING, AUTOMOTIVE AIR BRAKE LINES, QUICK DISCONNECT [VALIDATION DATE: 8308] USER: MC REVIEWER: CS ME	A 2530	AT	30-SEP-82	AT	YD1	99	
L	MIL-C-62006A	COOLER, OIL, TRANSMISSION AND ENGINE	A 2930	AT	18-AUG-84	AT			
L	MIL-V-62008B(1)	VEHICLE, COMBAT ENGINEER, FULL TRACKED, 165 MM GUN, M728	A 2350	AT	15-DEC-83	AT			
L	MIL-P-62011C	PUMP, FUEL, ELECTRICALLY OPERATED, 24 VOLT DC, 1 IN TANK TYPE REVIEWER: CS	A 2910	AT	20-NOV-86	AT			
D	MIL-T-62012A(2)	TRUCK, 10 TON, 6X6, M121A1 SERIES USER: YD1 REVIEWER: 84	A 2320	AT	30-JUL-87	AT	MC	99	
L	MIL-C-62013C(3)	CARRIER, FULL TRACKED, M548A1 & M730A1	A 2320	AT	30-JUL-86	AT			
L	MIL-C-62015F NOTICE 1	CARRIER, CARGO, FULL TRACKED, M548 AND M548A1; AND CARRIER, ELECTRONIC WARFARE SYSTEMS, FULL TRACKED, M1015 AND M1015A1; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202]	A 6990	AT	28-FEB-92	AT			
L	MIL-A-62019B(2) NOTICE 1	ARMORED RECONNAISSANCE/AIRBORNE ASSAULT VEHICLE: FULL TRACKED, 152MM, M551; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202]	A 6990	AT	28-FEB-92	AT			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off. / OMA Coordination Inches Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Acty Date	Army Navy Air Force DIA	Custodians	
L	MIL-T-62021E	TRUCKS, PIPE AND SEWER CLEANER: HIGH PRESSURE WATER JET TYPE, 5680 LITER (1,500 GALLON), 12 700 KILOGRAMS (28,000 POUNDS) GVM, 4X2, MODIFIED COMMERCIAL	A 2320	AT 07-FEB-92 AT	
L	MIL-D-62027H	DOLLY SETS, LIFT, TRANSPORTABLE SHELTER: 2.72-METRIC TON TO 4.76-METRIC TON USER: MC	A 2330	AT 23-MAY-91 AT	
QL	MIL-H-62028A	HOSE, AIR DUCT, HIGH TEMPERATURE, FLEXIBLE, REINFORCED REVIEWER: 84 CS ....	A 4720	AT 08-DEC-87 AT	99
L	MIL-T-62030C	TRANSMISSION, HYDRAULIC, MODEL XTG-250-1A (VALIDATION DATE: 8705) .....	A 2520	AT 13-MAY-87 AT	
D	MIL-T-62032H	TRUCKS, TANK: FUEL SERVICING AND AIRCRAFT FUEL SERVICING, 1,000 TO 4,000 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 16,000 TO 50,000 POUNDS GVM, 4X2, 4X4, 6X4, AND 6X6, MODIFIED COMMERCIAL REVIEWER: 84 AV	A 2320	AT 20-MAY-91 AT	YD1 99
	MIL-S-62034D(1)	SEMITRAILER, STAKE, SEMITRAILERS, VAN, AND SEMITRAILERS, REFRIGERATOR, MILITARY DESIGN	A 2330	AT 04-SEP-86 AT	99
L	MIL-V-62038E(1)	VEHICLES, WHEELED: PREPARATION FOR SHIPMENT AND STORAGE OF .....	A PACK	AT 10-MAR-89 AT	
L	MIL-C-62040A(1)	CHAIN ASSEMBLY AND CROSS CHAIN, TIRE: FOR MILITARY VEHICLES .....	A 2540	AT 16-FEB-88 AT	
L	MIL-E-62045B	ENGINE, DIESEL: THREE CYLINDER IN-LINE TYPE, 90 MINIMUM HORSEPOWER (VALIDATION DATE: 8703) USER: CS	A 2815	AT 16-MAR-87 AT	
L	MIL-T-62046C	TRANSMISSION ASSEMBLY: FOR TRUCK, CARGO, 6X6 M561 W/E AND TRUCK, AMBULANCE, 1 1/4 TON, 6X6, M792 W/E (VALIDATION DATE: 9005)	A 2520	AT 05-MAY-90 AT	
L	MIL-T-62047B(3)	TRUCK, CARGO, 1-1/4 TON, 6X6, M561 AND TRUCK, AMBULANCE, 1-1/4 TON, 6X6, M792	A 2320	AT 02-SEP-87 AT	
L	MIL-A-62048B	AIR CLEANERS, AUTOMOTIVE: HEAVY DUTY, DRY-TYPE (FOR INTERNAL COMBUSTION ENGINES) REVIEWER: CS	A 2940	AT 06-APR-89 AT	
L	MIL-S-62049D	SEMITRAILER, VAN, FOR INSTALLATION OF SPECIAL EQUIPMENT, MILITARY VEHICLES	A 2330	AT 28-MAY-87 AT	99
L	MIL-T-62050B	TANK, COMBAT, FULL TRACKED, 105MM GUN, MABAS, PROCESSING FOR STORAGE & SHIPMENT OF REVIEWER: SM	A 2350	AT 31-OCT-85 AT	
M	MIL-S-62052D	SEMITRAILER, VAN: AIR TRANSPORTABLE, 4990 KILOGRAMS (5.5 TON), AIR CONDITIONED, MODIFIED COMMERCIAL REVIEWER: 84	A 2330	AT 23-APR-93 AT	99
L	MIL-C-62053D	CARRIER, GUIDED MISSILE EQUIPMENT, M730 AND M730A1: PROCESSING FOR STORAGE AND SHIPMENT OF (VALIDATION DATE: 9202)	A PACK	AT 28-FEB-92 AT	
L	MIL-T-62058E	TRUCKS, FLATBED: AND TRUCKS, MAINTENANCE: WITH TELESCOPIC BOOM MOUNTED AERIAL PLATFORM, 8.5 TO 18.3 METERS (28 TO 60 FOOT), MODIFIED COMMERCIAL	A 2320	AT 14-FEB-92 AT	
L	MIL-T-62059B	TRAILER, CARGO: WITH HYDRAULIC LIFT BODY, 2,000 POUND PAYLOAD, 2 WHEEL, COMMERCIAL	A 2330	AT 11-SEP-91 AT	
L	MIL-V-62060B(1)	VEHICLE, COMBAT ENGINEER, FULL TRACKED: 165 MM GUN, M728: PROCESSING FOR SHIPMENT AND STORAGE OF (VALIDATION DATE: 9202)	A PACK	AT 28-FEB-92 AT	
L	MIL-G-62061B	GENERATOR, ENGINE ACCESSORY 28 VOLT DC, RATED OUTPUT 300 AMPS (VALIDATION DATE: 8504) REVIEWER: CS	A 2920	AT 31-MAR-80 AT	
L	MIL-B-62062B	BLOWER, GENERATOR COOLING: 28 VOLT DC REVIEWER: CS .....	A 2920	AT 28-APR-89 AT	
L	MIL-T-62063(2)	TIME DELAY UNIT: ADJUSTABLE, SOLID STATE REVIEWER: ES .....	A 5945	AT 03-NOV-88 AT	
D	MIL-T-62068C	TRUCKS, TANK: SPRINKLER, FLUSHER, AND DISTRIBUTOR TYPES, 1,000 TO 2,000 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 16,000 TO 43,000 POUNDS GVM, 4X2, 6X4 AND 6X6, MODIFIED COMMERCIAL REVIEWER: 84	A 2320	AT 22-FEB-91 AT	YD1 99
L	MIL-C-62069D(1)	CONTROL, DIRECTIONAL SIGNAL LIGHT, AUTOMOTIVE: 24 VOLT DC, SOLID STATE (VALIDATION DATE: 9005) USER: ME	A 2590	AT 15-MAY-90 AT	
L	MIL-T-62070(1)	TRUCK, CARGO, 5-TON, M556 (VALIDATION DATE: 8303) REVIEWER: MI .....	A 2320	AT 11-JUN-73 AT	
L	MIL-P-62071B	POWER SUPPLY, HIGH VOLTAGE, SOLID STATE, 24 VOLTS, DIRECT CURRENT (VALIDATION DATE: 8308)	A 2590	AT 11-SEP-79 AT	
L	MIL-P-62071C	POWER SUPPLY, HIGH VOLTAGE, SOLID STATE 24 VOLTS, DIRECT CURRENT (VALIDATION DATE: 8706)	A 2590	AT 18-JUN-87 AT	
D	MIL-T-62072C	TRAILER, CABLE REEL: HYDRAULICALLY DRIVEN, MODIFIED COMMERCIAL USER: MC REVIEWER: 84	A 2330	AT 19-FEB-93 AT	YD1 99
L	MIL-T-62073E(1)	TRAILER, FLATBED: 4-, 5-, AND 7.5-TON, 4-WHEEL (TANDEN) CART TYPE; TRAILER, BOLSTER: 4-TON, 4-WHEEL (TANDEN)	A 2330	AT 15-APR-92 AT	
L	MIL-C-62074C	CHASSIS, WEAPON, FULL-TRACKED, M741 AND M741A1: PROCESSING FOR STORAGE AND SHIPMENT OF (VALIDATION DATE: 9202)	A PACK	AT 28-FEB-92 AT	
L	MIL-S-62076B	SEMITRAILER CHASSIS: INTERMODAL CARGO CONTAINER CARRYING, COMMERCIAL AND CONTAINER, CARGO: INTERMODAL, DEMOUNTABLE, COMMERCIAL (VALIDATION DATE: 8910)	A 2330	AT 30-OCT-89 AT	
D	MIL-T-62079E	TRUCK, PANEL: POLICE PATROL CONVERSION, 8,000 POUNDS GVM, 4X2, COMMERCIAL REVIEWER: ER MC	A 2320	AT 15-AUG-89 AT	YD1
D	MIL-S-62080D	SEMITRAILERS, TANK: POTABLE WATER, 2,000 TO 5,500 GALLON, COMMERCIAL USER: ME	A 2330	AT 01-OCT-91 AT	YD1
L	MIL-C-62084B(1)	CARRIER, GUIDED MISSILE EQUIPMENT, M667: PROCESSING FOR STORAGE AND SHIPMENT OF (VALIDATION DATE: 9202) REVIEWER: SM	A PACK	AT 28-FEB-92 AT	
L	MIL-T-62087E	TRUCK: COMPACT FORWARD CONTROL VAN, RECRUITER, 5,400 POUNDS GVM, 4X2, COMMERCIAL USER: MC REVIEWER: 84	A 2320	AT 05-MAR-90 AT	99
D	MIL-T-62088B	TRUCKS, ARMORED: PAYROLL DISTRIBUTION, 8600 KILOGRAMS (19,000 POUNDS) GV 4X2, MODIFIED COMMERCIAL REVIEWER: 84	A 2320	AT 10-OCT-91 AT	YD1 99
L	MIL-T-62089E	TRUCK, MAINTENANCE, WITH ROTATING HYDRAULIC DERRICK, AIR TRANSPORTABLE, 7 TONS GVM, 6X4, COMMERCIAL REVIEWER: 84	A 2320	AT 27-MAY-88 AT	99
A L	MIL-S-62095C	SEMITRAILER, TANK: GENERAL PURPOSE WATER, 7580 AND 15 160 LITERS (2,000 GALLON), MODIFIED COMMERCIAL	A 2330	AT 13-JAN-93 AT	
L	MIL-T-62097C	TRUCK, OR HOME SHELTER, FOR CUSTOMIZATION INTO MOBILE LABORATORY, ELECTRONICS VAN, WORK AREA, ETC., 14,000 POUNDS GVM, 4X2, MODIFIED COMMERCIAL REVIEWER: 84	A 2320	AT 10-OCT-91 AT	99
L	MIL-T-62099B(1)	TRANSMISSION, HYDRAULIC: MODIFIED AUTOMATIC TX-100-1 (VALIDATION DATE: 9005)	A 2520	AT 04-MAY-90 AT	
D	MIL-S-62101C	SEMITRAILERS, LOWBED: TILT DECK, 15 TO 30 TON, 4 WHEEL, MODIFIED COMMERCIAL REVIEWER: 84	A 2330	AT 11-SEP-91 AT	YD1 99
D	MIL-T-62102E	TRUCK TRACTORS, SEMITRAILER SPOTTER, WITH HALF CAB, DIESEL & GASOLINE ENGINE DRIVEN, 32,000 GVM, 55,000 GVM, 4X2 REVIEWER: 84 MC	A 2320	AT 09-MAR-87 AT	YD1 99
M	MIL-T-62109C	TRAILERS, LOWBED: FORKLIFT TRANSPORTER, 5450 AND 8150 KILOGRAM (6 AND 9 TON), MODIFIED COMMERCIAL	A 2330	AT 23-APR-93 AT	99
D	MIL-T-62110G	TRUCKS, MAINTENANCE: WITH ROTATING HYDRAULIC DERRICK, 32,000 TO 44,500 GVM, 4X2, 4X4, 6X4, AND 6X6, COMMERCIAL REVIEWER: 84	A 2320	AT 16-APR-90 AT	YD1 99
D	MIL-B-62117J	BUSES, MOTOR: COMPACT, FORWARD CONTROL, 8,600 TO 13,500 POUNDS GVM, 12, 16 AND 20 PASSENGER, 4X2 REVIEWER: 84 85 MC	A 2310	AT 15-APR-91 AT	YD1 99
L	MIL-S-62119	STARTER, GENERATOR, 300 AMPERE, 28 VOLTS, DIRECT CURRENT (VALIDATION DATE: 8512) REVIEWER: CS	A 2920	AT 10-OCT-69 AT	
L	MIL-C-62122B	CABLE ASSEMBLY, INTERVEHICLE POWER: PLUG AND RECEPTACLE REVIEWER: ME .....	A 2920	AT 09-FEB-88 AT	
L	MIL-T-62123A	CEMENT, THREAD, RUBBER REVIEWER: CS .....	A 2640	AT 22-JUN-87 AT	
L	MIL-T-62126C	TRUCK, EQUIPMENT TRANSPORT, TILT PLATFORM (RAMP), COMMERCIAL, GASOLINE ENGINE DRIVEN, 24,000 GVM, 4X2	A 2320	AT 09-MAY-88 AT	
L	MIL-S-62127A	SEMITRAILER, COMPRESSED GAS CYLINDER: HELIUM, COMMERCIAL (VALIDATION DATE: 8910)	A 2330	AT 30-OCT-89 AT	
L	MIL-T-62129B	TIRE, TUBELESS, PNEUMATIC: FOR TRUCK, LOGISTICAL GOER TYPE REVIEWER: CS ...	A 2610	AT 22-JUN-89 AT	
L	MIL-T-62130B(2)	TRUCK TANK, FUEL SERVICING 2500 GALLON, 4X4 M559 .....	A 2320	AT 16-FEB-88 AT	
L	MIL-T-62131B	TRUCK WRECKER, 10 TON, 4X4 M553 (VALIDATION DATE: 8705) REVIEWER: MT .....	A 2320	AT 04-MAY-87 AT	
L	MIL-T-62132B	TRUCK CARGO, 8 TON, 4X4 M520, TRUCK, CARGO, 8 TON, 4X4 M577 (VALIDATION DATE: 8705) REVIEWER: MT	A 2320	AT 04-MAY-87 AT	
L	MIL-E-62133B(2)	ENGINE, DIESEL: 6 CYLINDER, IN-LINE, 213 H.P. TURBOCHARGED (BASIC AND REBUILD) REVIEWER: CS	A 2815	AT 02-NOV-88 AT	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Op / OMA Coordination Notice Document Number	Document Title	Date Sent FSC / Area MCA Symbol Preparing Agency Date	Custodians Army Navy Air Force DLA
L MIL-T-621348(2) L MIL-C-62135A(2) L MIL-W-62136A(1)	TRANSMISSION, POWER SHIFT, COMMERCIAL MODIFIED ..... CRANE: MATERIAL HANDLING ..... WHEEL AND TIRE ASSEMBLIES, FOAM INFLATED LOW SPEED, HIGHWAY AND OFF-ROAD REVIEWER: CS	A 2520 AT 30-SEP-87 AT A 3950 AT 04-APR-89 AT A 2530 AT 20-JUL-90 AT	11
L MIL-E-62140A D MIL-T-62145E	ENGINE, DIESEL: LIQUID-COOLED, V-TYPE, 6-CYLINDER, 210 H.P. USER: CS ..... TRUCKS: ELEVATING BODY, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 TO 39,500 POUNDS GW, 4X2 AND 6X4, COMMERCIAL REVIEWER: 84 MC TRANSMISSION, POWER SHIFT, COMMERCIAL MODIFIED (VALIDATION DATE: 8707) ....	A 2815 AT 18-DEC-89 AT A 2320 AT 16-JAN-90 AT A 2520 AT 08-JUL-87 AT	YD1 99
L MIL-T-62148A L NOTICE 1 L MIL-T-62149 L MIL-W-62151	TRAILER, VAN, MOBILE PHOTOGRAPHY (VALIDATION DATE: 8110) ..... ACCESSORY KIT, WARNING DEVICE, DEMOUNTABLE, FOR EMERGENCY VEHICLES (VALIDATION DATE: 8504) REVIEWER: CS BUS, MOTOR: AMBULANCE, INTERCITY, 40 PASSENGER, 6X2 OR 6X4 (VALIDATION DATE: 8908) REVIEWER: MD	A 2330 AT 27-MAR-72 AT A 6220 AT 24-AUG-73 AT A 2310 AT 28-AUG-89 AT	
L MIL-B-62152A L NOTICE 1 L MIL-W-62160 L MIL-S-62164B L MIL-E-62170(1) L NOTICE 1 L MIL-G-62176(1)	WELDING, FLASH, STANDARD LOW CARBON STEEL (VALIDATION DATE: 8303) ..... SEMITRAILER, LOW BED, HEAVY EQUIPMENT TRANSPORTER, 60-TON, M747 ..... ENGINE, GASOLINE, 4 & 6 CYLINDERS HORIZONTAL OPPOSED & 12 CYLINDER, 90 DEGREES V TYPE (OVERHAUL) (VALIDATION DATE: 8708) GUN, TWIN 40MM, SELF PROPELLED M42 & M42A1 (OVERHAUL) (VALIDATION DATE: 8312)	A THJM AT 28-NOV-72 AT A 2330 AT 30-JUN-88 AT A 2805 AT 11-AUG-87 AT A 2350 AT 28-MAR-79 AT	
L MIL-E-62177B	ENGINE, DIESEL: 12-CYLINDER, 90 V-TYPE, 750H.P. AVDS1790-2, AVDS1790-2A, AVDS1790-2C, AVDS1790-2D, AVDS1790-2DR, AVDS1790-2CA, AND AVDS1790-2DA REVIEWER: CS	A 2815 AT 02-OCT-87 AT	
L MIL-P-62178A A L MIL-S-62180C	POWER PACKAGE REVIEWER: CS ..... SEMITRAILER, TANK: 5000 GALLON, BULKHAUL AND FUEL SERVICING M967, M967A1, M969, M969A1, M970, AND M970A1	A 2815 AT 17-MAY-85 AT A 2330 AT 09-JUL-92 AT	
D MIL-S-62183C	SEMITRAILERS, TANK: WASTE AND SLUDGE ACID, 3,000 TO 5,000 GALLON, MODIFIED COMMERCIAL REVIEWER: 84	A 2330 AT 11-SEP-91 AT	YD1 99
L MIL-W-62185 D MIL-C-62186	HOMITZER, MEDIUM, SELF PROPELLED, M109 (FRG) (VALIDATION DATE: 83031) ..... GENERATOR, ALTERNATING CURRENT (650 AMPERE RECTIFIED), 28 VOLTS DIRECT CURRENT (OIL COOLED)	A 2350 AT 28-DEC-73 AT A 6115 AT 19-JAN-88 AT	YD1 99
L MIL-W-62187 L MIL-S-62190B L MIL-C-62191(2) D MIL-W-62195C L MIL-W-62197A L MIL-W-62197A(11) L MIL-V-62198 L MIL-F-62201A L MIL-C-62202B L MIL-C-62204B(1) L NOTICE 1 L MIL-C-62205B L NOTICE 1	REGULATOR, 650 AMP, SOLID STATE REVIEWER: 82 AR CS ..... SEMITRAILER, FLATBED: BREAKBULK/CONTAINER TRANSPORTER, 34 TON, M872A4 ..... CONTROL ASSEMBLY, PUSH PULL, GENERAL SPECIFICATION FOR REVIEWER: CS ..... RECOVERY VEHICLE, FULL TRACKED, MEDIUM, M88A1 ..... RELAY, ARMATURE ..... RELAY, ARMATURE ..... VALVE, SELECTOR, HYDRAULIC DUMP REVIEWER: CS ..... FILTER ASSEMBLY ..... CIRCUIT CARD ASSEMBLY, 11743439 COMMANDERS CONTROL ..... CIRCUIT CARD ASSEMBLY, 11743281 DISPLAY DRIVER ..... CIRCUIT CARD ASSEMBLY, 11743417 MIRROR/A TRIGGER & BUFFER .....	A 2920 AT 10-FEB-88 AT A 2330 AT 18-FEB-88 AT A 2990 AT 14-NOV-85 AT A 2350 AT 01-MAY-86 AT A 1250 AT 31-MAY-90 AT A 1250 AR 10-OCT-90 AR A 4820 AT 31-MAY-83 AT A 5915 AT 14-MAR-91 AT A 1240 AR 30-JUN-81 AR A 1240 AR 09-NOV-87 AR A 1240 AR 30-JAN-87 AR	YD1 99
L MIL-C-62207B(1) L MIL-P-62210B L MIL-P-62211B(2) OL MIL-C-62218A(1) L NOTICE 1 L MIL-R-62220B	CIRCUIT CARD ASSEMBLY, 11743667 DIGITAL TO ANALOG CONVERTER ..... PANEL, COMMANDERS CONTROL: 11743140 ..... POWER SUPPLY, LOW VOLTAGE: 11746916 ..... CORROSION PREVENTIVE COMPOUNDS, COLD-APPLICATION (FOR NEW AND FIELDED MOTOR VEHICLES AND TRAILERS) (VALIDATION DATE: 9202) REVIEWER: 84 AR ME MR RECOVERY VEHICLE, FULL TRACKED, MEDIUM, M88A1 PREPARATION FOR STORAGE & SHIPMENT OF	A 1240 AR 18-MAR-88 AR A 1240 AR 30-JUN-91 AR A 1240 AR 07-JUL-89 AR A 8030 AT 28-FEB-92 AT A PACK AT 12-DEC-83 AT	
L MIL-T-62222 L MIL-T-62223B L NOTICE 1 L MIL-T-62246B	TANK, COMBAT, FULL-TRACKED: 105MM GUN, M48A5 ..... TRUCK, MOBILE BLOOD DONOR AND COMPONENT LABORATORY, TILT CAB, DIESEL OR GASOLINE ENGINE DRIVEN, 24,000 POUNDS GW, 4X2, COMMERCIAL (VALIDATION DATE: 9010)	A 2350 AT 01-JUL-85 AT A 2320 AT 12-OCT-90 AT	
L MIL-T-62255C L MIL-R-62259A L MIL-F-62265A(1)	TRUCK, DUMP, STREET MAINTENANCE, DIESEL AND GASOLINE ENGINE DRIVEN, 21,000 POUNDS GW, 4X2, COMMERCIAL TRUCK TRACTOR, YARD TYPE, 4 X 2, XMB78 (VALIDATION DATE: 8503) ..... RADIATOR: ENGINE COOLANT ..... FILTER ELEMENT AND RELIEF VALVE, FLUID PRESSURE, HYDRAULIC (M-60 TANK SERIES)	A 2320 AT 29-MAR-88 AT A 2320 AT 31-OCT-80 AT A 2930 AT 17-MAR-89 AT A 4820 AT 12-MAR-92 AT	
L MIL-C-62267(1) L MIL-C-62270 L MIL-S-62272B(1)	CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1 ..... CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M48A5 ..... SEMITRAILER, TACTICAL, DUAL PURPOSE BREAKBULK/CONTAINER TRANSPORTER, 22-1/2 TON, M871A2	A 2350 AT 09-MAR-90 AT A 2350 AT 04-MAR-84 AT A 2330 AT 21-NOV-88 AT	
D MIL-T-62276C	TRUCK TRACTOR: DIESEL ENGINE DRIVEN, 80,000 POUNDS GW, 145,000 POUNDS GW, 8X4, MODIFIED COMMERCIAL REVIEWER: 84	A 2320 AT 17-JUL-91 AT	YD1 99
L MIL-C-62279A	CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1 AND M48A5, PROCESSING FOR STORAGE AND SHIPMENT OF USER: ME	A 2350 AT 04-OCT-85 AT	
L MIL-B-62284 L MIL-S-62291A	BLOWER ASSEMBLY, AIR CLEANER REVIEWER: CS ..... CHASSIS, WEAPON, FULL TRACKED, F12253500 PROCESSING FOR STORAGE AND SHIPMENT OF REVIEWER: SM	A 2940 AT 16-JUN-83 AT A PACK AT 15-JUN-83 AT	
M MIL-S-62292B	SEMITRAILER, REFUSE COLLECTION: TANDEN AXLE, 57 CUBIC METERS (75 CUBIC YARD), FOR USE WITH STATIONARY COMPACTORS AND COMPACTOR, STATIONARY, 2.7 CUBIC METERS (3.5 CUBIC YARD), FOR USE WITH REFUSE COLLECTION SEMITRAILERS	A 2330 AT 23-APR-93 AT	99
D MIL-S-62293C L MIL-S-62294B	SCOOTERS, MOTOR: ELECTRIC MOTOR DRIVEN, THREE- AND FOUR-WHEEL, COMMERCIAL SEMITRAILER, STAKE: TWO LEVEL DECKS, WITH HYDRAULIC LOADING RAMP, 20 TON, MODIFIED COMMERCIAL REVIEWER: 84	A 2340 AT 28-SEP-88 AT A 2330 AT 16-SEP-91 AT	YD1 99
L MIL-T-62297A L NOTICE 1 L MIL-W-62298A L MIL-T-62299B L NOTICE 1	TRUCK, VAN: FORWARD CONTROL, HIGH VOLUME, CRIME SCENE LABORATORY, GASOLINE ENGINE DRIVEN, 10,000 POUNDS GW, 4X2, COMMERCIAL (VALIDATION DATE: 8908) KIT, WINTERIZATION, TRUCKS, COMMERCIAL ..... TRUCK, MOBILE BLOOD DONOR, WITH COMPONENT AND PROCESSING LABORATORY, 4-BED, DIESEL ENGINE DRIVEN, 33,000 POUNDS GW, 4X2, COMMERCIAL (VALIDATION DATE: 9010)	A 2320 AT 28-AUG-89 AT A 2590 AT 03-APR-86 AT A 2320 AT 12-OCT-90 AT	
L MIL-S-62300 A L MIL-F-62309B(2) L MIL-C-62310A	SWITCH, PRESSURE ..... FILTER ELEMENT, AIR REVIEWER: CS ..... CARRIER, ARMORED, FULL TRACKED, M113A2, M106A2, M125A2, & M577A2, & CHASSIS, WEAPON, FULL TRACKED, M741A1, AND M901	A 5930 AT 09-SEP-83 AT A 2940 AT 17-JUN-82 AT A 2320 AT 21-SEP-82 AT	
L MIL-T-62314A L MIL-W-62315B L MIL-T-62316B	TEST EQUIPMENT (SIMPLIFIED) FOR INTERNAL COMBUSTION ENGINE (STC/ICE) ..... HEATER ASSEMBLY, COMBUSTION VEHICULAR COMPARTMENT, 60,000 BTU/HR ..... TRUCK, VAN, PANEL: CALIBRATION AND REPAIR: 3900 KILOGRAMS (8,600 POUNDS) GW, 4X2, MODIFIED COMMERCIAL	A 4910 AT 30-MAR-79 AT A 2540 AT 03-DEC-90 AT A 2320 AT 07-FEB-92 AT	
D L MIL-S-62317A L NOTICE 1 D MIL-T-62318C	SEMITRAILER, TANK: AIRCRAFT REFUELING, 5,000 GALLON, TURBINE FUEL AND AVIATION GASOLINE, COMMERCIAL (VALIDATION DATE: 8910) REVIEWER: YD1 TRUCK, MULTISTOP DELIVERY: FORWARD CONTROL AND CHASSIS, TRUCK: FORWARD CONTROL, DIESEL AND GASOLINE ENGINE DRIVEN, 13,000 TO 21,000 POUNDS GW, 4X2, COMMERCIAL	A 2330 AT 30-OCT-89 AT A 2320 AT 16-APR-90 AT	YD1 99
D MIL-T-62319C L MIL-T-62320C L MIL-T-62321C	TRUCKS, CARGO: DIESEL OR GASOLINE ENGINE DRIVEN, 19,000 TO 24,000 POUNDS GW, 4X2 AND 4X4, COMMERCIAL REVIEWER: 84 TRUCKS, VAN: SHOP, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 POUNDS GW, 4X2 AND 4X4, COMMERCIAL TRUCKS, TANK: POTABLE WATER, 1,000 AND 2,200 GALLON, DIESEL AND GASOLINE ENGINE DRIVEN, 19,000 AND 34,500 POUNDS GW, 4X2, 4X4, AND 6X4, COMMERCIAL USER: MC MD REVIEWER: ER	A 2320 AT 28-JUL-89 AT A 2320 AT 03-OCT-89 AT A 2320 AT 15-AUG-89 AT	YD1 99 99 99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Ane MCA Symbol	Preparing Date	Custodians Army Navy Air Force DLA
L MIL-T-623248	TRAILER, VAN: MOBILE HEARING TEST CENTER, TANDEM AXLE .....	A 2330	AT 16-SEP-91	AT
D L MIL-C-623268	CARRIER, CARGO & PASSENGER, FULL TRACKED, ALL-TERRAIN, GASOLINE ENGINE DRIVEN, COMMERCIAL .....	A 2350	AT 02-MAR-88	AT YD1
L MIL-C-62327A	CARRIERS, ARMORED, FULL TRACKED, M901 TOW VEHICLE (LESS TOW WEAPON) AND M981 FISTV; PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202]	A PACK	AT 28-FEB-92	AT
L MIL-P-62331	PUMP ASSEMBLY, BILGE, ELECTRIC MOTOR DRIVEN, DIRECT CURRENT .....	A 4320	AT 30-MAR-84	AT
L MIL-A-62337	AIR CLEANER ASSEMBLY .....	A 2940	AT 03-SEP-86	AT
L MIL-M-62338A	MULTIPLE LAUNCH ROCKET SYSTEM (MLRS) M993, PROCESSING FOR STORAGE AND SHIPMENT OF .....	A PACK	AT 24-MAR-92	AT 99
L MIL-T-62340A(2)	TANK, COMBAT, FULL-TRACKED, M1, SERIES: PROCESSING FOR SHIPMENT AND STORAGE OF .....	A PACK	AT 20-AUG-91	AT
L MIL-P-62341A	PRINTED CIRCUIT CARD, M1 & M1E1 TANK, GENERAL SPECIFICATION FOR .....	A 1240	AT 19-DEC-86	AT
L MIL-P-62341/1A	PRINTED CIRCUIT CARD, M1 & M1E1 TANK DRIVER 5 INSTRUMENT PANEL, DIP A3 ....	A 1240	AT 19-DEC-86	AT
L MIL-P-62341/2A	PRINTED CIRCUIT CARD, M1 & M1E1 TANK DRIVER 5 INSTRUMENT PANEL, DIP A1 ....	A 1240	AT 19-DEC-86	AT
L MIL-P-62341/3A	PRINTED CIRCUIT CARD, M1 & M1E1 TANK TURRET NETWORK BOX, TMB A4 .....	A 1240	AT 19-DEC-86	AT
L MIL-S-62344	SEMITRAILER, LOWBED MISSILE ROUND TRANSPORTER (MRT) AND LARGE REPAIR PARTS TRANSPORTER (LRPT), XM974 .....	A 2330	AT 22-JAN-82	AT
QL MIL-B-62346C	BATTERIES, STORAGE: LEAD-ACID (LOW MAINTENANCE) .....	A 6140	AT 10-DEC-90	AT
L MIL-V-62347	VEHICLE, COMBAT, ANTI TANK, IMPROVED TOW VEHICLE (ITV) (LESS TOW WEAPON), M901 .....	A 2320	AT 31-MAR-82	AT
D MIL-T-623558	TRUCK, MAINTENANCE: TRUCK, VAN: AND TRUCK, 7600 TO 9140 WITH TELESCOPIC OR ARTICULATING BOOM ONE-MAN AERIAL BASKET, FLIGHT TO 9140 WITH TELESCOPE (25 TO 30 FOOT), MODIFIED COMMERCIAL .....	A 2320	AT 06-NOV-91	AT YD1
L MIL-T-62356	TRAINER, TURRET, IMPROVED TOW VEHICLE .....	A 6920	AT 15-APR-83	AT
D MIL-T-62357A	TRAILERS, TANK: POTABLE WATER AND GENERAL PURPOSE, 500 GALLON, TWO AND FOUR-WHEEL, MODIFIED COMMERCIAL USER: MC REVIEWER: 99 .....	A 2330	AT 11-SEP-91	AT YD1 84
L MIL-V-62358	VALVE, SOLENOID .....	A 2520	AT 11-MAY-83	AT
L MIL-S-62359	SEMITRAILER, BOTTOM DUMP: 18 TO 22 CUBIC YARD CAPACITY, COMMERCIAL [VALIDATION DATE: 8910] .....	A 2330	AT 30-OCT-89	AT
L MIL-M-62361B	MOTOR, DRIVE, DIRECT CURRENT, 2 RPM/BRPM .....	A 6105	AT 30-JAN-86	AT
L MIL-G-62363A	GENERATOR, TACHOMETER .....	A 6680	AT 18-DIC-85	AT
L MIL-B-62364A	BRAKE, ELECTROMAGNETIC, NORMALLY ENGAGED REVIEWER: CS .....	A 2530	AT 06-MAR-86	AT
L MIL-M-62365A	MOTOR, HYDRAULIC, CONSTANT DISPLACEMENT .....	A 2590	AT 13-NOV-85	AT
L MIL-M-62366A	RING, ELECTRICAL CONTACT .....	A 2590	AT 24-OCT-85	AT
L MIL-M-62368A	MOTOR, GEARHEAD, 18-30 VOLTS, DIRECT CURRENT .....	A 6105	AT 06-MAY-86	AT
L MIL-V-62381A	VALVE, SOLENOID OPERATED .....	A 4720	AT 18-DEC-85	AT
L MIL-V-62382A	VALVE, HYDRAULIC, PRESSURE RELIEF REVIEWER: CS .....	A 4820	AT 26-MAR-86	AT
L MIL-T-62410	TUBE ASSEMBLY METAL, SWAGED HYDRAULIC, (M1 TANK) .....	A 4720	AT 14-DEC-83	AT
L MIL-M-62411	HEAT EXCHANGER, NBC SYSTEM GENERAL SPECIFICATION FOR .....	A 4130	AT 05-JUL-85	AT
L MIL-M-62411/1	HEAT EXCHANGER, NBC SYSTEM HEAT EXCHANGER P/N 12336771 .....	A 4130	AT 05-JUL-85	AT
L MIL-M-62411/2	HEAT EXCHANGER, NBC SYSTEM CONDENSER P/N 12336772 .....	A 4130	AT 05-JUL-85	AT
L MIL-M-62411/3	HEAT EXCHANGER, NBC SYSTEM PRECOOLER P/N 12336768 .....	A 4130	AT 05-JUL-85	AT
L MIL-P-62412A	PUMP ASSEMBLY, OIL, STARTING ENGINE USER: MC .....	A 2990	AT 05-FEB-92	AT
L MIL-S-62413	SPEED PICKUP, MAGNETIC .....	A 2990	AT 26-MAY-88	AT
L MIL-T-62414	TEST EQUIPMENT (SIMPLIFIED) SET COMMUNICATOR (SET COM) .....	A 4910	AT 23-JUN-89	AT
L MIL-P-62415	PUMP, SUBMERSIBLE, BILGE, ELECTRIC-MOTOR-DRIVEN .....	A 4320	AT 22-JUN-89	AT
L MIL-M-62418	NICKEL BASE ALLOY, SHEET AND PLATE CORROSION AND HEAT RESISTANT, SOLUTION HEAT TREATED (HAYNES 230) (METRIC) .....	A 9630	AT 06-DEC-92	AT
L MIL-C-62419	COMPOSITE MATERIALS FOR MILITARY VEHICLES USER: ME REVIEWER: CS M1 .....	A 2510	AT 29-MAY-89	AT 99
A L MIL-P-62420(1)	PERISCOPE, TANK .....	A 1240	AT 11-SEP-92	AT
AOL MIL-F-62422A(2)	FILTER, LASER HAZARD PROTECTION .....	A 6650	AT 29-JAN-93	AT
L MIL-P-62423	POWDER, POLYESTER-ALUMINUM (METRIC) .....	A 9630	AT 14-AUG-91	AT
L MIL-P-62424	POWDER, YTTRIUM, ALUMINUM, NICKEL-CHROMIUM (METRIC) .....	A 9630	AT 16-AUG-91	AT
L MIL-P-62426	POWDER, CHROMIUM CARBIDE - NICKEL CHROMIUM ALLOY (METRIC) .....	A 9630	AT 25-AUG-91	AT
A L MIL-M-62430(1)	HARNESSE ASSEMBLY, THERMOCOUPLE .....	A 6685	AT 17-MAR-93	AT
L MIL-F-62439	FUEL CONTROL, MAIN, ELECTROHYDRAULIC .....	A 2910	AT 26-MAY-88	AT
L MIL-G-62454	GEAR BEVEL, INSPECTION OF .....	A 6071	AT 13-JUL-83	AT
A L MIL-S-62460C	STEER UNIT, TRACKED VEHICLE, CLUTCH BRAKE AND GEARED STEER .....	A 2530	AT 24-JUL-92	AT
A L MIL-T-62461C(1)	TRANSMISSION ASSEMBLY .....	A 2520	AT 30-NOV-92	AT
A L MIL-E-62462B(1)	ENGINE, DIESEL, LIQUID-COOLED, 8 CYLINDER, 4 CYCLE, V-TYPE, 295 H.P. (220 KW) .....	A 2815	AT 30-NOV-92	AT
A L MIL-A-62463B	ACTUATOR ASSEMBLY, ROTARY .....	A 2530	AT 30-NOV-92	AT
A L MIL-V-62468D	VEHICLE, ARMORED COMBAT EARTHMOVER, M9 ACE .....	A 2350	AT 30-NOV-92	AT
L MIL-S-62469	SEMITRAILER, LOWBED, 15 TON, 4 WHEEL, PATRIOT, M974 SERIES .....	A 2330	AT 05-JUL-83	AT
L MIL-M-62470	STEEL, CHROME NICKEL MOLYBDENUM, 8620, BARS, FORGING, & TUBING, BEARING QUALITY, VACUUM DEGASSED .....	A 9510	AT 05-AUG-83	AT
L MIL-S-62472A	SEMITRAILER, EXPANSIBLE: EXHIBITION VAN, 12 TON, COMMERCIAL .....	A 2330	AT 18-MAR-87	AT
A L MIL-A-62473B	ARMOR: ALUMINUM-ARAMID, LAMINATE COMPOSITE .....	A 9535	AT 30-NOV-92	AT
A L MIL-L-62474B(2)	LAMINATE: ARAMID-FABRIC-REINFORCED, PLASTIC .....	A 9330	AT 30-NOV-92	AT
L MIL-V-62475	VEHICLE, FIRE SUPPORT TEAM, M981 (FISTV) .....	A 2350	AT 24-JUN-85	AT
L MIL-C-62478	COUPLER, OPTICAL .....	A 1240	AT 09-JUL-85	AT
L MIL-C-62479A	CONTROL AND DISPLAY, TARGETING STATION, M981 (FISTV) .....	A 1260	AT 22-MAR-88	AT
L MIL-I-62481(1)	INTERCOMMUNICATION CONTROL UNIT .....	A 5820	AT 14-SEP-87	AT
L MIL-E-62483	ENGINE, DIESEL, 6 CYLINDER, IN-LINE, LIQUID COOLED, 210 HP [VALIDATION DATE: 9102] REVIEWER: CS .....	A 2815	AT 05-FEB-91	AT
A L MIL-E-62484C(3)	EARTHMOVER, ARMORED COMBAT, M9 PROCESSING FOR SHIPMENT AND STORAGE OF .....	A PACK	AT 30-NOV-92	AT
L MIL-R-62485	REGULATOR, VOLTAGE, GENERATOR, SOLID STATE 28 VOLT, 100 AMPERE, DIRECT CURRENT REVIEWER: CS .....	A 2920	AT 15-JAN-85	AT
L MIL-G-62487	GYROCOMPASS, NORTH SEEKING, FIRE SUPPORT TEAM VEHICLE (FISTV), M981 .....	A 1290	AT 06-JUL-87	AT
L MIL-A-62488(1)	AMPLIFIER, AUDIO FREQUENCY .....	A 5820	AT 27-MAY-87	AT
D MIL-T-62491C	TRUCKS, WRECKER: 4540 TO 40 820 KILOGRAMS (5-TON TO 45-TON) LIFTING CAPACITY, MODIFIED COMMERCIAL REVIEWER: 84 .....	A 2320	AT 26-FEB-92	AT YD1 99
A L MIL-S-62494B	SHOCK ABSORBER, DIRECT ACTING .....	A 2540	AT 11-SEP-92	AT
L MIL-P-62495A	POWER UNIT, HYDRAULIC .....	A 4320	AT 30-MAY-90	AT
A L MIL-G-62496B	GENERATOR, ENGINE ACCESSORY, 220 AMP .....	A 2920	AT 31-JUL-92	AT
D MIL-T-62497	TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE-PERSON OPERATION, AUTOMATED SIDE-LOADING, 20 YARD, DUAL RIGHT AND LEFT HAND DRIVE, DIESEL ENGINE DRIVEN, 32,000 POUNDS GVW, 4X2, WITH TILT CAB, COMMERCIAL [VALIDATION DATE: 9010] REVIEWER: 84 MC .....	A 2320	AT 12-OCT-90	AT YD1 99
D MIL-T-62498	TRUCK, REFUSE COLLECTION: COMPACTION TYPE, ONE PERSON OPERATION, MANUAL SIDE-LOADING, 17, 29 AND 39 YARD, DUAL RIGHT AND LEFT HAND DRIVE, LOW ENTRY CAB, DIESEL ENGINE DRIVEN, 32,000, 35,000 AND 50,000 POUNDS GVW, 4X2 AND 6X4, COMMERCIAL [VALIDATION DATE: 9010] REVIEWER: 84 MC .....	A 2320	AT 12-OCT-90	AT YD1 99
L MIL-C-62500(2)	CARRIER, ELECTRONIC WARFARE SYSTEM, FULL-TRACKED: M101SA1 .....	A 2350	AT 24-JAN-89	AT
L MIL-I-62501	TRUCK, MAINTENANCE: WITH VERTICAL LIFT PLATFORM, GASOLINE ENGINE DRIVEN, 11,000 POUNDS GVW, 4X2, COMMERCIAL [VALIDATION DATE: 9108] .....	A 2320	AT 21-AUG-91	AT
L MIL-S-62502	SHEET MOLDING COMPOUND: LOW SHRINKAGE .....	A 9330	AT 15-DEC-87	AT
L MIL-M-62515	MAINTENANCE REPAIR KIT, ELECTRICAL, FOR M901A1 AND M981 WEAPONS SYSTEMS ...	A 6675	AT 22-OCT-85	AT
D MIL-T-62518A	TRUCKS, MAINTENANCE: WITH 9 TO 37 METERS (30 TO 120 FEET) MULTI-POSITION AERIAL PLATFORM, MODIFIED COMMERCIAL REVIEWER: 84 MC .....	A 2320	AT 06-NOV-91	AT YD1 99
L MIL-M-62519	HEATER TEST STAND .....	A 4910	AT 09-DEC-85	AT
L MIL-I-62521	INSULATION, FLOOR-MAT, THERMAL-BARRIER .....	A 5640	AT 22-JUL-87	AT
L MIL-I-62522	INSULATION, PANEL, NOISE-AND THERMAL-BARRIER .....	A 5640	AT 22-JUL-87	AT
L MIL-I-62523	INSULATION, PANEL, VIBRATION-DAMPENING AND THERMAL-BARRIER .....	A 5640	AT 22-JUL-87	AT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification Inclusive	Document Number	Document Title	Dist. Smt. FSC / Ams MCA Symbol	Preparing Acty Date	Custodians Army Navy Air Force DIA
L	MIL-R-62528	REGULATOR, ENGINE GENERATOR: SOLID STATE 28 VOLT, SHUNT MONITORED DUAL CURRENT LIMIT, DIRECT CURRENT	A 2920	AT 20-JAN-86	AT
L	MIL-S-62530	SERVO, ANTI-ICE	A 4130	AT 23-JUN-86	AT
L	MIL-T-62531	TRUCKS, MILITARY, UP TO 5 METRIC TON PAYLOAD, GENERAL SPECIFICATION FOR	A 2320	AT 18-SEP-86	AT
L	MIL-R-62532	RADIATOR, ENGINE COOLANT, TUBE & FIN TYPE	A 2930	AT 10-OCT-86	AT
L	MIL-C-62533	CARRIER, CARGO, TRACKED, 22-TON, AMMUNITION MEDIUM: M992: PROCESSING FOR STORAGE AND SHIPMENT OF [VALIDATION DATE: 9202]	A 2930	AT 28-FEB-92	AT
L	MIL-M-62539	MODULE, STARTER LOW VOLTAGE PROTECTIVE SYSTEM REVIEWER: CS	A 2920	AT 22-APR-87	AT
L	MIL-M-62540	HARNESSES & CABLE ASSEMBLIES	A 6145	AT 15-JUN-87	AT
L	MIL-E-62541	ENGINE, DIESEL, 6 CYLINDER, V TYPE, 275 H.P., TURBOCHARGER REVIEWER: CS	A 2815	AT 14-FEB-88	AT
A	MIL-B-62542A	BALL SOLEM LINEAR ACTUATOR (BSLA) USER: MC	A 5945	AT 12-JUN-92	AT
L	MIL-S-62544	SUPPRESSION, FIRE, BROWDRIFLORONETHEM, AMLON 1301 SYSTEMS REVIEWER: ME	A 4210	AT 05-APR-88	AT
ML	MIL-M-62545B	MODULE, STANDARD ELECTRONIC CONTROL	A 5963	AT 11-AUG-89	AT
ML	MIL-S-62546A	SENSOR, FIRE, OPTICAL REVIEWER: GS	A 6665	AT 11-AUG-89	AT
A	MIL-V-62547A(1)	VALVE AND CYLINDER ASSEMBLIES, HALON 1301	A 4210	AT 17-SEP-92	AT
L	MIL-L-62548	LEAD, IGNITION	A 2920	AT 24-NOV-87	AT
L	MIL-S-62549	SEMITRAILER, LOW BED, 40 TON NOMINAL PAYLOAD FOR TRANSPORTATION OF HEAVY ENGINEER CONSTRUCTION EQUIPMENT, M870A2	A 2330	AT 18-NOV-87	AT
A	MIL-M-62550C	HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 8.8/17.6KW (30,000/60,000 BTU/HR), GENERAL SPECIFICATION FOR	A 2540	AT 26-MAY-92	AT
L	MIL-M-62550/1	HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 17.6 KW, SINGLE AIR TYPE (METRIC)	A 2540	AT 12-DEC-91	AT
L	MIL-M-62550/2	HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 17.6 KW, DUAL AIR TYPE (METRIC)	A 2540	AT 12-DEC-91	AT
L	MIL-M-62550/3	HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 8.8 KW, SINGLE AIR TYPE (METRIC)	A 2540	AT 12-DEC-91	AT
L	MIL-D-62559	DISTRIBUTION BOX, VEHICLE	A 6110	AT 12-JAN-90	AT
A	MIL-D-62560A	DISTRIBUTION BOX, ELECTRICAL	A 6110	AT 14-AUG-92	AT
L	MIL-F-62563	FAN, VENTILATING, VEHICULAR COMPARTMENT	A 4140	AT 25-JUL-88	AT
L	MIL-F-62564	FAN, VANEAXIAL, ENGINE COOLING	A 4140	AT 28-APR-88	AT
L	MIL-A-62565	AIR CLEANER, INTAKE, DRY-TYPE	A 2940	AT 22-JUN-89	AT
A	MIL-T-62567A	TORSION BAR, SUSPENSION	A 2530	AT 31-JUL-92	AT
L	MIL-M-62576	REGULATOR, ENGINE GENERATOR	A 2920	AT 19-JAN-88	AT
L	MIL-M-62623	NICKEL BASE ALLOY, SHEET, CORROSION- AND HEAT-RESISTANT	A 9630	AT 30-MAR-88	AT
L	MIL-C-62624	CASTINGS, INVESTMENT, COBALT BASE ALLOY	A 9630	AT 29-MAR-88	AT
L	MIL-V-62625	VALVE, FUEL DRAIN	A 2910	AT 28-MAR-88	AT
L	MIL-F-62668	FIGHTING VEHICLE, INFANTRY, M2, M2A1, M2A2, AND FIGHTING VEHICLE, CAVALRY, M3, M3A1, M3A2: PROCESSING FOR STORAGE AND SHIPMENT OF REVIEWER: SM	A 2910	AT 22-DEC-89	AT
L	MIL-P-62669	PRIMER COATING, SYNTHETIC, VOC COMPLIANCE (FOR BRAKE DRUMS) REVIEWER: ME	A 8010	AT 15-MAY-91	AT
ML	MIL-V-62671	VALVE, BYPASS, FUEL, MECHANICAL	A 4820	AT 22-APR-93	AT
L	MIL-T-62674	TRUCK, LIVING QUARTERS: SELF-CONTAINED, FORWARD CONTROL DIESEL OR GASOLINE DRIVEN, 14,500 TO 16,500 POUNDS GVW, 4X2, COMMERCIAL	A 2320	AT 10-MAY-91	AT
L	MIL-I-62676	INDICATORS AND TRANSMITTERS: LIQUID, TEMPERATURE AND PRESSURE (METRIC) USER: MC ME REVIEWER: ER GS	A 6620	AT 22-JAN-92	AT
A	MIL-P-62678	PUMP, FUEL, ELECTRICAL: 12 AND 24 VOLT DIRECT CURRENT (METRIC) REVIEWER: 82 CS ME	A 2910	AT 22-JAN-93	AT 99
A	MIL-P-62680	PONDER, NICKEL-CHROMIUM/ALUMINUM COMPOSITE (METRIC)	A 9630	AT 09-OCT-92	AT
D	MIL-T-62735	TRUCKS AND TRUCK TRACTORS: MODIFIED COMMERCIAL, GENERAL SPECIFICATION FOR REVIEWER: 84 MC	A 2320	AT 20-MAR-92	AT YD1 99
L	MIL-P-62736	PRINTED WIRING ASSEMBLY, I/O	A 5998	AT 16-MAR-92	AT
L	MIL-P-62737	PRINTED WIRING ASSEMBLY, COMPUTER	A 5998	AT 16-MAR-92	AT
L	MIL-P-62738	PRINTED WIRING ASSEMBLY, IGNITION INTERRUPT DRIVER	A 5998	AT 16-MAR-92	AT
L	MIL-P-62739	PRINTED WIRING ASSEMBLY, CLOCK/DISPLAY DRIVER	A 5998	AT 16-MAR-92	AT
L	MIL-P-62740	PRINTED WIRING ASSEMBLY, SPECIAL CIRCUITS	A 5998	AT 16-MAR-92	AT
L	MIL-P-62741	PRINTED WIRING ASSEMBLY, MIX/ADCON	A 5998	AT 16-MAR-92	AT
D	MIL-S-62742	SWITCH, PRESSURE (METRIC) USER: MC YD1 REVIEWER: BS ES MC MI	A 5930	AT 30-NOV-92	AT 11
A	MIL-G-62743	GENERATOR, ENGINE ACCESSORY, 300 AMP	A 2920	AT 17-SEP-92	AT
L	MIL-M-63002F	MANUALS, TECHNICAL: REQUIREMENTS FOR PREPARATION OF MODIFICATION WORK ORDERS REVIEWER: AL AR AT AV CR EA MI	A THSS	TM 28-OCT-91	TM
	MIL-M-63003A	MANUALS, TECHNICAL: BATTLEFIELD DAMAGE ASSESSMENT & REPAIR PREPARATION OF REVIEWER: AL AR AT MI TE	A THSS	TM 12-APR-88	TM
L	MIL-M-63004C	MANUALS, TECHNICAL: PREPARATION OF LUBRICATION ORDERS REVIEWER: AR AT MI	A THSS	TM 30-MAY-89	TM
L	MIL-M-63005B	MANUALS, TECHNICAL: FOR PREPARATION FOR SHIPMENT OF ARMY AIRCRAFT	A THSS	AV 21-JUN-91	AV
L	MIL-M-63007A	MANUALS, TECHNICAL: HAND RECEIPT (-HR), PREPARATION OF REVIEWER: AR AT AV CU ME	A THSS	TM 05-APR-88	TM
A	MIL-M-63008B	MANUALS, TECHNICAL: ACQUISITION/PREPARATION REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A THSS	TM 15-JUL-92	TM
D	MIL-M-63010A(1)	MANUALS, TECHNICAL: DOD STANDARD GENERATOR SETS REVIEWER: 01 06 80 AR AV EC GS MC ME MI OS SC YD1	A THSS	TM 01-NOV-89	TM SH 16
L	MIL-M-63011B	MANUALS, TECHNICAL: FOR MAINTENANCE TEST FLIGHT OF ARMY AIRCRAFT REVIEWER: SC	A THSS	AV 03-SEP-91	AV
L	MIL-M-63012	DEPOT MAINTENANCE WORK REQUIREMENTS FOR MAINTENANCE/DEMILITARIZATION OF CONVENTIONAL AND CHEMICAL AMMUNITION [VALIDATION DATE: 8312] REVIEWER: AR EA MI SC	A THSS	TM 01-NOV-75	TM
L	MIL-C-63013D	CATALOGS, SUPPLY: SETS, KITS, AND OUTFITS REVIEWER: AV CR EA MI SC	A THSS	TM 27-FEB-92	TM
L	MIL-M-63014	MANUAL, TECHNICAL, FOR PHASED MAINTENANCE CHECKLIST [VALIDATION DATE: 8707] REVIEWER: MI SC	A THSS	AV 31-JUL-87	TM
L	MIL-M-63015B	MANUALS, TECHNICAL: CONVENTIONAL AND CHEMICAL AMMUNITION REVIEWER: AL AR AT CR CU EA MI	A THSS	TM 02-DEC-91	TM
L	MIL-M-63016A	MANUALS, TECHNICAL: MUNITIONS EQUIPMENT REVIEWER: AL AR CR CU EA	A THSS	TM 10-JUL-90	TM
L	MIL-M-63017A	MANUALS, TECHNICAL: REQUIREMENTS FOR MUNITION EQUIPMENT AND AMMUNITION DATA SHEETS REVIEWER: AR AT AV CE CU	A THSS	TM 21-NOV-89	TM
	MIL-M-63018A	MANUAL, TECHNICAL, NONNUCLEAR EXPLOSIVE/ORDNANCE DISPOSAL [VALIDATION DATE: 8312] REVIEWER: 01 11 99 AR AS	A THSS	TM 02-DEC-76	TM OS 16
L	MIL-M-63023A	MANUAL, TECHNICAL: TRANSPORT GUIDANCE FOR MILITARY MATERIEL, PREPARATION OF REVIEWER: AT AV ME MI TM	A THSS	MT 23-SEP-91	MT
L	MIL-M-63029C	MANUALS, TECHNICAL: REQUIREMENTS FOR OPERATOR'S MANUALS AND CHECKLISTS FOR AIRCRAFT	A THSS	AV 20-MAR-91	AV
L	MIL-M-63030C(1)	MANUAL, TECHNICAL, PREVENTIVE MAINTENANCE SERVICES AND PREVENTIVE MAINTENANCE DAILY REVIEWER: MI SC	A THSS	AV 01-MAR-80	TM
L	MIL-M-63033A	MANUALS, TECHNICAL: DEMILITARIZATION OF SURPLUS MILITARY ITEMS, PREPARATION OF REVIEWER: AL AT AV CR TS	A THSS	TM 03-JAN-90	TM
L	MIL-M-63034A	BULLETINS, TECHNICAL: WARRANTY, PREPARATION OF USER: AT REVIEWER: AR AV MI TE	A THSS	TM 08-SEP-88	TM
L	MIL-M-63036D	MANUALS, TECHNICAL: OPERATOR'S, PREPARATION OF REVIEWER: AL AR AT AV CU	A THSS	TM 23-MAY-91	TM
L	MIL-M-63038C	MANUALS, TECHNICAL: UNIT OR AVIATION UNIT, DIRECT SUPPORT, AVIATION INTERMEDIATE, AND GENERAL SUPPORT MAINTENANCE, REQUIREMENTS FOR REVIEWER: AR AT AV ME MI	A THSS	TM 13-JUN-90	TM
A	MIL-M-63038C(11)	MANUALS, TECHNICAL: UNIT OR AVIATION UNIT, DIRECT SUPPORT, AVIATION INTERMEDIATE, AND GENERAL SUPPORT MAINTENANCE, REQUIREMENTS FOR	A THSS	TM 19-NOV-92	TM
A	MIL-M-63041E	MANUALS, TECHNICAL: DEPOT MAINTENANCE WORK REQUIREMENTS REVIEWER: AL AR AT AV CR ME MI	A THSS	TM 27-APR-92	TM



## NUMERICAL LISTING MILITARY SPECIFICATIONS

366



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordnance Code	Ordnance Code	Title	Document Type	Doc. Symb.	FSC / Item	MCS Symbol	Preparing Act.	Date	Custodians			
									Army	Navy	Air Force	DLA
L	MIL-C-63149	COMPONENTS TEST JUNCTION ASSEMBLY (VALIDATION DATE: 8301)		A 4925	AR		31-MAY-77	AR				
L	MIL-W-63150(3)	WEAPONS AND SUPPORT MATERIEL STANDARD QUALITY ASSURANCE PROVISIONS FOR		A 10GP	AR		09-SEP-88	AR				
L	MIL-P-63159	PROPELLANT GRAIN M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A 1110	AR		07-APR-88	AR				
L	NOTICE 1											
L	MIL-M-63160(1)	MOTOR BODY M753 8 INCH PROJECTILE		A 1110	AR		10-SEP-89	AR				
L	MIL-R-63161	ROCKET MOTOR BULKHEAD ASSEMBLY M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A 1110	AR		07-APR-88	AR				
L	NOTICE 1											
L	MIL-C-63162	CAP, ROCKET-OFF M753 8 INCH PROJECTILE		A HUOR	AR		25-JUN-82	AR				
L	MIL-I-63163(1)	INSULATOR, BULKHEAD M753 8 INCH PROJECTILE		A 1110	AR		10-SEP-89	AR				
L	MIL-S-63164	SUPPORT, GRAIN M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A 1110	AR		07-APR-88	AR				
L	NOTICE 1											
L	MIL-P-63165	PIN, M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A HUOR	AR		18-APR-88	AR				
L	NOTICE 1											
L	MIL-R-63166	RING, SHEAR SEAL M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A 1110	AR		07-APR-88	AR				
L	NOTICE 1											
L	MIL-I-63167	INSERT, NOZZLE M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A HUOR	AR		18-APR-88	AR				
L	NOTICE 1											
L	MIL-C-63168	CUSHION, AFT M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A HUOR	AR		18-APR-88	AR				
L	NOTICE 1											
L	MIL-C-63169	CUSHION, FORWARD M753 8 INCH PROJECTILE (VALIDATION DATE: 8804)		A HUOR	AR		18-APR-88	AR				
L	NOTICE 1											
L	MIL-O-63170	OBTURATOR M753 8 INCH PROJECTILE (VALIDATION DATE: 8909)		A 1110	AR		01-SEP-89	AR				
L	NOTICE 1											
L	MIL-S-63171	SEAL, BALL, MONITORING PORT M753 8 INCH (VALIDATION DATE: 8804)		A HUOR	AR		18-APR-88	AR				
L	NOTICE 1											
L	MIL-S-63172(1)	SPACER, GRAIN M753 8 INCH PROJECTILE		A HUOR	AR		10-SEP-89	AR				
L	MIL-F-63173(1)	FORGING, MOTOR BODY M753 8 INCH PROJECTILE		A 1110	AR		10-SEP-89	AR				
L	NOTICE 1											
L	MIL-M-63174	MODULE, ENERGY TRANSFER (VALIDATION DATE: 8201)		A HUOR	AR		16-AUG-76	AR				
L	MIL-S-63175(1)	SWITCH, COMBINED OPTION SELECTOR: M167E1		A 1135	AR		21-NOV-90	AR				
L	MIL-P-63176(2)	PRINTED WIRING BOARD (VALIDATION DATE: 8402)		A HUOR	AR		16-DEC-77	AR				
L	MIL-C-63177A	CONTROL UNIT: LANCE AK (M238E1) (VALIDATION DATE: 8902)		A HUOR	AR		16-FEB-89	AR				
L	NOTICE 1											
L	MIL-A-63179(1)	ADAPTION KIT, ATOMIC WARHEAD TO GUIDED MISSILE: M238E1 (VALIDATION DATE: 8909)		A 1110	AR		01-SEP-89	AR				
L	NOTICE 1											
L	MIL-D-63180(1)	DELAY ASSEMBLY M753 8 INCH PROJECTILE		A 1110	AR		10-SEP-89	AR				
L	NOTICE 1											
L	MIL-C-63182A	CASE SECTION, BALLISTIC, REAR: MODIFIED (VALIDATION DATE: 8811)		A 1115	AR		03-NOV-88	AR				
L	NOTICE 1											
L	MIL-C-63183	CAPSULE ASSEMBLY, TELEMETRY: ARRT-13 (VALIDATION DATE: 8901)		A HUOR	AR		10-JAN-89	AR				
L	NOTICE 1											
L	MIL-K-63185(2)	KIT, CONVERSION M4277/M4272 EXTRACTOR TOOL M753 PROJECTILE		A 1110	AR		10-SEP-89	AR				
L	MIL-C-63186	C RING, METAL M753 8 INCH PROJECTILE		A 1110	AR		07-APR-88	AR				
L	NOTICE 1											
L	MIL-A-63187(1)	ADHESIVE, POLYANIDE EPOXY M753 8 INCH PROJECTILE		A HUOR	AR		10-SEP-89	AR				
L	MIL-P-63188	PROJECTILE ASSEMBLY, NUCLEAR 8 INCH TRAINING, M173		A 1110	AR		07-APR-88	AR				
L	NOTICE 1											
L	MIL-C-63189	CONTAINER, DUMMY SHIPPING & STORAGE, M622 (VALIDATION DATE: 8804)		A 8140	AR		22-APR-88	AR				
L	NOTICE 1											
L	MIL-M-63192	HOWITZER, LIGHT, TOWED, 105MM, M204 (VALIDATION DATE: 8402)		A 1015	AR		03-APR-78	AR				
L	MIL-P-63194A	PROPELLANT, M10 FOR 60MM MORTAR M204 PROPELLING CHARGE (VALIDATION DATE: 8805)		A 1376	AR		05-MAY-88	AR				
L	NOTICE 1											
L	MIL-P-63195A	PROPELLANT M9 FOR USE IN CARTRIDGE, IGNITION M702		A 1376	AR		22-JUN-90	AR				
A	MIL-P-63196A(2)	POLYURETHANE ELASTOMER BINDER (FOR USE IN AMMUNITION)		A 6810	AR		26-AUG-92	AR				
L	MIL-D-63197(1)	DETONATOR, DELAY, ELECTRIC: PAS06; PARTS FOR, AND LOADING, ASSEMBLING AND		A 1375	AR		20-MAY-88	AR				
L	NOTICE 1	PACKING (VALIDATION DATE: 8805)										
L	MIL-P-63198	PRIMER, STAB: PAS05 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING		A 1375	AR		20-APR-90	AR				
L	NOTICE 1	(VALIDATION DATE: 9004)										
L	MIL-D-63199A(1)	DISPENSER, GENERAL PURPOSE, AIRCRAFT: M130 REPAIR PARTS FOR		A 1095	AR		29-MAR-91	AR				
L	MIL-P-63201(1)	PROPELLANT, SOLVENTLESS, TYPE M37 FOR PROJECTILE, 155MM, HE, ROCKET		A 1320	AR		01-NOV-90	AR				
L	NOTICE 1	ASSISTED, M549 AND M549A1 (VALIDATION DATE: 9011)										
L	MIL-P-63202(2)	PROJECTIVE, 155MM, HE, RA, M549A1 FORWARD (M37 EXTRUDED) PROPELLANT GRAIN		A 1320	AR		17-NOV-87	AR				
L	NOTICE 1	FOR										
L	MIL-P-63203(2)	PROJECTILE, 155MM, HE, RA, M549A1 AFT (M37 EXTRUDED) PROPELLANT GRAIN FOR		A 1320	AR		17-NOV-87	AR				
L	MIL-P-63208B	PROJECTILE, 105MM, HEAT T1, M622 METAL PARTS		A 1315	AR		29-JAN-85	AR				
L	MIL-C-63209	CASE, CARTRIDGE, 105MM, M201 (VALIDATION DATE: 9010)		A 1315	AR		15-OCT-90	AR				
L	NOTICE 1											
L	MIL-P-63210	PRIMER, PERCUSSION, M100 LOADING, ASSEMBLING AND PACKING (VALIDATION DATE: 9010)		A 1390	AR		31-OCT-90	AR				
L	NOTICE 1											
L	MIL-P-63215	PRIMER, PERCUSSION, M100 METAL PARTS FOR (VALIDATION DATE: 9010)		A 1390	AR		31-OCT-90	AR				
L	NOTICE 1											
L	MIL-M-63216	MINE, INERT, ANTIPERSONNEL M16A1 PARTS FOR AND LOADING, ASSEMBLING AND		A 1345	AR		15-SEP-77	AR				
L	NOTICE 1	PACKING (VALIDATION DATE: 8301)										
L	MIL-C-63217(2)	COMPOSITION A-3, TYPE II (WITH POLYETHYLENE)		A 1376	AR		22-JAN-92	AR				
L	MIL-E-63218(1)	EMULSION, POLYETHYLENE (FOR USE IN AMMUNITION) (VALIDATION DATE: 8704)		A 6810	AR		27-APR-87	AR				
L	NOTICE 1											
A	MIL-M-63221A	MORTAR, 60MM: M224 (WITHOUT M64 SIGHT UNIT)		A 1010	AR		22-JUL-92	AR				
L	MIL-T-63222(1)	TRAINER, FIELD ARTILLERY, 14.5MM, M31		A 6920	AR		16-JUN-87	AR				
L	NOTICE 1											
L	MIL-P-63223A(2)	PROJECTILE, GUIDED, 155MM, M712		A 1320	AR		12-JUL-89	AR				
L	MIL-P-63224A(2)	PROJECTILE, GUIDED, 155MM, M712 GUIDANCE SECTION FOR		A 1320	AR		12-JUL-89	AR				
L	MIL-P-63225A(4)	PROJECTILE, GUIDED, 155MM, M712 CONTROL SECTION FOR		A 1320	AR		28-MAR-90	AR				
L	MIL-P-63226(3)	PROJECTILE, GUIDED, 155MM, M712, WARHEAD FOR		A 1320	AR		21-AUG-87	AR				
L	MIL-C-63227A(3)	CONTAINER, AMMUNITION, METAL, PAT101 FOR PROJECTILE, 155MM, HEAT, CANNON		A 8140	AR		12-JUL-89	AR				
L	NOTICE 1	LAUNCHED, GUIDED M712 AND TRAINING M823										
L	MIL-F-63229(2)	FUZE, P1BD, XM740, (M740) SHOCK WAVE SENSOR FOR (VALIDATION DATE: 9010)		A 1390	AR		31-OCT-90	AR				
L	NOTICE 1											
L	MIL-F-63230(3)	FUZE, P1BD, XM740, (M740) SECOND ENVIRONMENT SENSOR FOR (VALIDATION DATE: 9010)		A 1390	AR		31-OCT-90	AR				
L	NOTICE 1											
L	MIL-F-63231(2)	FUZE, P1BD, XM740, (M740) SECOND ENVIRONMENT SENSOR ELECTRONIC MODULE FOR		A 1390	AR		31-OCT-90	AR				
L	NOTICE 1	(VALIDATION DATE: 9010)										
L	MIL-F-63232A(2)	FUZE, P1BD, M740, FUZE MODULE FOR		A 1390	AR		12-JUL-89	AR				
L	MIL-P-63233A(1)	PROJECTILE, GUIDED, 155MM, M712 CONTROL ACTUATOR ASSEMBLY FOR		A 1320	AR		21-NOV-88	AR				
L	MIL-P-63234A(3)	PROJECTILE, GUIDED, 155MM, XM712, M712 ROLL RATE SENSOR FOR		A 1320	AR		12-JUL-89	AR				
L	MIL-P-63235(5)	PROJECTILE, GUIDED, 155 MM, XM712, THERMAL BATTERY FOR		A 1320	AR		18-MAY-87	AR				
L	MIL-P-63238B(1)	PROJECTILE, 155MM, AT M718/M741 LOADING, ASSEMBLING AND PACKING OF		A 1320	AR		27-JUL-91	AR				
L	MIL-C-63239B(3)	CARTRIDGE, 40MM, PRACTICE, M781 METAL PARTS AND LOADING, ASSEMBLING AND		A 1310	AR		13-FEB-92	AR				
L	NOTICE 1	PACKAGING										
L	MIL-C-63240(2)	CASE, CARTRIDGE, PRACTICE, M712 PART FOR (VALIDATION DATE: 9109)		A 1310	AR		12-SEP-91	AR				
L	NOTICE 1											
A	MIL-E-63241B(6)	ELECTRONICS ASSEMBLY, FOR MINES, M718/M741, SYSTEM		A 1345	AR		13-NOV-92	AR				
L	MIL-A-63242A(3)	AMPLIFIER, OPERATIONAL TRIPLE PROGRAMMABLE MICROPOWER		A 1345	AR		14-NOV-88	AR				
L	DOD-P-63245A(2)	PROJECTILE, HE, 155MM, M795 METAL PARTS ASSEMBLY		A 1320	AR		19-APR-91	AR				
L	NOTICE 1											



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off / OMA Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Amt.	Date	Custodians		
				Army	Navy	Al. Force DLA
L MIL-L-632468(4)	LEADS, EXPLOSIVE, PAS09, PAS12, PAS13, PAS14, PAS16, PAS17 AND PAS21; PARTS FOR, AND LOADING, ASSEMBLING AND PACKING	A 1375	AR 02-MAR-87	AR		
L MIL-M-63248 NOTICE 1	MICRODENTONATOR CLIP ASSEMBLY PARTS FOR [VALIDATION DATE: 9004]	A 1375	AR 20-APR-90	AR		
L DOD-P-63252(3) NOTICE 1	PROJECTILE, 155MM, HE, M795 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8811]	A 1320	AR 02-NOV-88	AR		
L MIL-F-63253(1) NOTICE 1	FUZE, BASE DETONATING, M578 LOADING, ASSEMBLING AND PACKING FOR RENOVATION [VALIDATION DATE: 8705]	A 1390	AR 08-MAY-87	AR		
L MIL-S-63255C	SAFETY & ARMING DEVICE, GUIDED MISSILE, M143 MECHANICAL PARTS & ASSEMBLY FOR	A 1336	AR 28-SEP-85	AR		
L MIL-S-63256C(1)	SAFETY AND ARMING DEVICE, GUIDED MISSILE: M143 (M143E1) LOGIC CIRCUIT HYBRID FOR	A 1336	AR 16-FEB-90	AR		
L MIL-S-63257B	SAFETY & ARMING DEVICE, GUIDED MISSILE, M143 LOADING, ASSEMBLING & PACKING FOR	A 1336	AR 28-SEP-85	AR		
L MIL-I-63259A NOTICE 1	INTERFACE MODULE FOR SAFETY AND ARMING DEVICE [VALIDATION DATE: 8804]	A 1336	AR 18-APR-88	AR		
L MIL-D-63260 NOTICE 1	DEMOLITION KIT, BLASTING: XM268 (BLASTING AGENT) [VALIDATION DATE: 9109]	A 1376	AR 12-SEP-91	AR		
L MIL-C-63261(1) NOTICE 1	CARTRIDGE, 105MM, TMT, HE, M760 LOADING, ASSEMBLING, AND PACKING	A 1315	AR 20-JAN-90	AR		
L MIL-T-63262 NOTICE 1	TEST MODE ASSEMBLY, ROCKET: M180 CRATERING DEVICE PROPELLANT TESTING [VALIDATION DATE: 9110]	A 1340	AR 03-OCT-91	AR		
L MIL-T-63263(3)	TEST SET, ELECTRONIC SYSTEMS: M91	A 4925	AR 20-NOV-88	AR		
L MIL-T-63264(2)	TEST SET, ELECTRONIC SYSTEMS: M92	A 4925	AR 16-JUN-89	AR		
L MIL-D-63266(2) NOTICE 1	DOCUMENT DESTROYER, EMERGENCY INCENDIARY: M4	A 1375	AR 11-DEC-90	AR		
L MIL-C-63267 NOTICE 1	CASE, CARTRIDGE, BLANK 105MM, M1582 [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR		
L MIL-P-63268A(2)	PLUG, SHOCK, ATTENUATING	A 1320	AR 22-APR-88	AR		
L MIL-F-63270(2)	FUZE, POINT INITIATING, BASE DETONATING, M509A1E1, LOADING ASSEMBLING AND PACKING	A 1390	AR 21-MAR-86	AR		
L MIL-F-63271A(2) DOD-I-63274A(1) NOTICE 1 DOD-I-63274/1A	FUZE, POINT INITIATING BASE DETONATING M509A2/METAL PARTS, WITH DETONATOR . INSERT, SCREW THREAD - THIN WALL, LOCKED IN, METRIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8906] USER: AT CR MC ME REVIEWER: 11 AV IS MI INSERT, SCREW THREAD THIN WALL, LOCKED IN, METRIC USER: AT CR MC REVIEWER: AV IS ME	A 1390 A 5340 A 5340	AR 07-NOV-89 AR 12-JUN-89 AR 14-FEB-83	AR OS 99 AR OS 99		
DOD-S-63275A(1)	STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC & RING, LOCK, SERRATED, METRIC, GENERAL SPECIFICATION FOR USER: MC OS REVIEWER; AT AV CR ER IS MI SH	A 5307	AR 22-APR-83	AR AS		
DOD-S-63275/1A	STUD, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC [VALIDATION DATE: 8805] USER: MC ME OS REVIEWER; AT AV CR ER IS MI SH	A 5307	AR 10-MAY-88	AR AS		
D DOD-I-63276A NOTICE 1	INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8902] USER: CR GL YDI REVIEWER; AT AV IS MI	A 5340	AR 06-FEB-89	AR OS 99		
DOD-I-63276/1A	INSERT, SCREW THREAD, LOCKED IN, RING LOCKED, SERRATED, METRIC [VALIDATION DATE: 8902] USER: CR ER REVIEWER; AT AV IS MI	A 5340	AR 06-FEB-89	AR OS 99		
DOD-I-63276/2 MIL-C-63277(1)	RING, LOCK, SERRATED, METRIC [VALIDATION DATE: 8304] REVIEWER: AT AV IS MI COOLANT, GUIDED BORING, SULFURIZED FATTY AND MINERAL OIL [VALIDATION DATE: 8502] USER: SH REVIEWER: GS	A 5340 A 9150	AR 26-SEP-77 AR 05-SEP-78	AR OS 99 ME OS 68		
L MIL-T-63278	TEST SET, ELECTRONIC SYSTEMS, M91, REPAIR PARTS FOR [VALIDATION DATE: 8502]	A 4925	AR 12-MAR-79	AR		
C MIL-T-63279	TEST SET, ELECTRONIC SYSTEMS, M92, REPAIR PARTS FOR [VALIDATION DATE: 8502]	A 4925	AR 12-MAR-79	AR		
L MIL-S-63280(1)	SOLENOID FOR MACHINE GUN, CALIBER .50, FIXED MBS	A 5945	AR 15-APR-88	AR		
L MIL-F-63281A(2)	FUZE, ROCKET: M433 LESS BOOSTER AND BOOSTER LEAD	A 1340	AR 28-MAY-91	AR		
L MIL-M-63283A(2)	MOUNT ASSEMBLY, SUB-CALIBER, UNIVERSAL: M179 (INCLUDING MANTLET ADAPTER ASSEMBLY)	A 1005	AR 20-MAY-91	AR		
L MIL-C-63284A NOTICE 1	CASE ASSEMBLY, CARRYING, FOR FIRING DEVICE, DEMOLITION, M122 [VALIDATION DATE: 8803]	A 1375	AR 25-MAR-88	AR		
L MIL-M-63287(3)	MINE, ANTIPERSONNEL, XM74 (M74) METAL PARTS FOR	A 1345	AR 25-MAR-85	AR		
A L MIL-C-63292(7)	CASE, CARTRIDGE, 105MM, M148A1B1	A 1315	AR 04-NOV-92	AR		
L MIL-P-632938(6)	PROJECTILE 105MM HEAT T MP, M456A2 METAL PARTS ASSEMBLY	A 1315	AR 22-MAY-87	AR		
L MIL-P-63295(1) NOTICE 1	PLUG, LOCK ASSEMBLY, PARTS FOR, ASSEMBLY AND PACKING [VALIDATION DATE: 9010]	A 1390	AR 31-OCT-90	AR		
A L MIL-C-63296(6)	CASE, CARTRIDGE, 105MM, M115B1	A 1315	AR 04-NOV-92	AR		
L MIL-P-63297	PRIMER, STAB, PAS15 [VALIDATION DATE: 8601]	A 1375	AR 14-DEC-78	AR		
L MIL-B-63299A(9)	BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: HE, M74	A 1345	AR 12-APR-90	AR		
L MIL-E-63300A(4)	ELECTRONIC ASSEMBLY FOR MINE, ANTIPERSONNEL, HE, M74	A 1345	AR 08-JUL-86	AR		
L MIL-P-63301 NOTICE 1	PROPELLANT M30 FOR USE IN 105MM CARTRIDGE, HEAT-T, M622 [VALIDATION DATE: 8804]	A 1376	AR 20-JUN-82	AR		
L MIL-S-63302(6)	SAFETY AND ARMING ASSEMBLIES FOR MINES: M74 AND M75	A 1345	AR 16-AUG-90	AR		
L MIL-D-63303B	DISPENSER, MINE, GROUND VEHICLE, M128	A 1095	AR 07-APR-88	AR		
L MIL-M-63304A(2)	MINE, ANTI-PERSONNEL: HE, M74 LOADING, ASSEMBLING AND PACKING	A 1345	AR 30-AUG-90	AR		
L MIL-M-63305B(3)	MINE, ANTI-TANK: HE, M75 LOADING, ASSEMBLING AND PACKING	A 1345	AR 26-JUN-90	AR		
L MIL-P-63306(4) NOTICE 1	PRIMER ELECTRIC, M83 METAL PARTS FOR [VALIDATION DATE: 9010]	A 1390	AR 31-OCT-90	AR		
L MIL-P-63311(4)	PRIMER, ELECTRIC, M83 LOADING, ASSEMBLING AND PACKING	A 1390	AR 23-APR-91	AR		
L MIL-P-63312(4)	PRIMER ELECTRIC, M80A1 METAL PARTS FOR	A 1390	AR 28-JUN-89	AR		
L MIL-P-63313(6)	PRIMER, ELECTRIC, M80A1 LOADING, ASSEMBLING AND PACKING	A 1390	AR 29-MAY-92	AR		
A L MIL-M-633140	MACHINE GUN, 7.62MM: M240 (LH FEED) MACHINE GUN, 7.62MM: M240C (RH FEED) MACHINE GUN, 7.62MM: M240E1 (LH FEED, SPADE GRIP)	F 1005	AR 04-DEC-92	AR		
L MIL-P-63315(2) NOTICE 1	PRESSURE CARTRIDGE PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805]	A 1345	AR 20-MAY-88	AR		
M L MIL-P-63316(2)	PRIMER, BATTERY, ELECTRIC PARTS, FOR AND LOADING, ASSEMBLING AND PACKING	A 1345	AR 09-APR-93	AR		
M L DOD-L-63317A(2)	LINER, SUPPLEMENTARY CHARGE, THREADED	A 1315	AR 11-MAR-87	AR		
L MIL-C-63318(2) NOTICE 1	CASE, CARTRIDGE, 105MM, M104 METAL PARTS ASSEMBLY	A 1320	AR 30-JAN-87	AR		
L MIL-E-63319A(2) NOTICE 1	RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [VALIDATION DATE: 8805]	A 1345	AR 20-MAY-88	AR		
L MIL-M-63320A(4)	MICROCIRCUIT, DIGITAL, CMOS (INITIAL LOGIC)	A 1345	AR 25-APR-90	AR		
L MIL-M-63321A(4)	MICROCIRCUIT, DIGITAL, CMOS (FINAL LOGIC)	A 1345	AR 30-APR-90	AR		
L MIL-R-63322A(1) NOTICE 1	RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) [VALIDATION DATE: 8805]	A 1345	AR 20-MAY-88	AR		
L MIL-M-63323A(4)	MICROCIRCUIT, LINEAR, VOLTAGE COMPARATORS	A 1345	AR 27-MAR-89	AR		
L MIL-M-63324A(1) NOTICE 1	MICROCIRCUIT, DIGITAL, CMOS, SPECIAL PURPOSE NOR GATE [VALIDATION DATE: 8805]	A 1345	AR 20-MAY-88	AR		
L MIL-S-63326(5)	SAFETY AND ARMING ASSEMBLIES FOR MINES: BLU-91/B AND BLU-92/B	A 1345	AR 17-APR-89	AR		
L MIL-M-63328(4)	WARHEAD GM, HE, M248 INERT PARTS FOR	A 1336	AR 08-FEB-88	AR		
L MIL-M-63329A(1)	WARHEAD GM, HE, M248 LOADING, ASSEMBLY AND PACKING	A 1336	AR 16-JUN-90	AR		
L MIL-M-63330A(1)	MOUNT, TELESCOPE, M149E1	A 1240	AR 13-FEB-85	AR		
L MIL-P-63331	PERISCOPE, TANK, M44A1E1 & M44A2E1 WITH ASSOCIATED EQUIPMENT [VALIDATION DATE: 8601]	A 1240	AR 15-FEB-80	AR		
L MIL-P-63332 NOTICE 1	PERISCOPES, TANK: M44A1E1 AND M44A2E1, 11834842 [VALIDATION DATE: 8811]	A 1240	AR 18-NOV-88	AR		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Item Qty / Cals Condition Inches Document Number	Document Title	Dist. Smt. FSC / Ans MCS Symbol Preparing Asst.	Date	Custodians		
				Army	Navy	Air Force DLA
L MIL-M-63333	MOUNT PERISCOPE ASSEMBLY 11834833 [VALIDATION DATE: 8601]	A 1240	AR 15-FEB-80	AR		
L MIL-P-63334	PANEL ASSEMBLY 11834831 [VALIDATION DATE: 8601]	A 1240	AR 15-FEB-80	AR		
L MIL-S-63335C	SAFETY & ARMING DEVICE, GUIDED MISSILE, M143 ELECTRICAL PARTS & ASSEMBLIES FOR	A 1336	AR 28-SEP-85	AR		
L MIL-F-63337(4)	FIRING ATTACHMENT, BLANK AMMUNITION: M19	A 1005	AR 03-APR-92	AR		
L MIL-C-63338A	CARTRIDGE, 25.4MM, DECOY, M839	A 1305	AR 31-JAN-86	AR		
L MIL-P-63341A(1)	PROPELLANT M31A1 FOR USE IN CHARGE PROPELLING M188A1 FOR 8-INCH PROJECTILES	A 1376	AR 03-SEP-91	AR		
L MIL-C-63342B(2)	CHARGE, PROPELLING, 8 INCH, M188A1 LOADING, ASSEMBLING AND PACKING	A 1320	AR 09-MAR-90	AR		
L MIL-G-63343(2)	GRENADE XM74, HEMISPHERES FOR [VALIDATION DATE: 8803]	A 1375	AR 22-MAR-88	AR		
L MIL-C-63344	CARTRIDGE, 105MM, CLEARING LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8603]	A 1315	AR 17-MAR-86	AR		
A L MIL-P-63345A(3)	PROJECTILE, PRACTICE, 155MM, M804 METAL PARTS ASSEMBLY	A 1320	AR 13-JUL-92	AR		
L MIL-C-63346	CHARGE, PROPELLING, 155MM, XM211 LOADING, ASSEMBLING & PACKING	A 1320	AR 30-JAN-87	AR		
L MIL-P-63347	PROPELLANT M1 FOR USE IN CHARGE, PROPELLING, XM211	A 1376	AR 30-JAN-87	AR		
L MIL-S-63348A(4)	SUBMACHINE GUN, 5.56MM, PORT FIRING, M231	A 1005	AR 29-OCT-92	AR		
L MIL-C-63352	CARTRIDGE, 5.56MM, BALL, XM777 [VALIDATION DATE: 8601]	A 1305	AR 23-JUL-80	AR		
L MIL-B-63354A	BORESCOPE M3 USER: MC	A 6650	AR 20-OCT-87	AR		
L MIL-M-63356A	MACHINE GUN, 7.62MM, M240C [VALIDATION DATE: 8803]	A 1005	AR 22-MAR-88	AR		
L MIL-P-63357A(2)	PROJECTILE, TRAINING, 155MM, M823	A 1320	AR 10-MAR-88	AR		
L MIL-C-63358	CIRCUIT CARD ASSEMBLY, 11834811 OUTPUT	A 1220	AR 05-FEB-87	AR		
L MIL-T-63359(2)	TELESCOPE, ELBOW: M118A2	A 1240	AR 29-OCT-92	AR		
L MIL-C-63367	CARTRIDGE, 5.56MM, TRACER, XM778 [VALIDATION DATE: 8601]	A 1305	AR 23-JUL-80	AR		
L MIL-B-63369	BOOSTER ASSEMBLY, INERT FOR DEMOLITION KIT CRATERING, TRAINING, XM270	A 1375	AR 20-MAY-88	AR		
L MIL-D-63370(1)	PARTS FOR, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805]	A 1345	AR 21-DEC-84	AR		
L MIL-C-63371B(1)	DISPENSER, MINE GROUND VEHICLE, M128 PREPARATION FOR SHIPMENT & STORAGE OF CIRCUIT CARD ASSEMBLIES, MINE DISPENSER, M128, GENERAL SPECIFICATION FOR	A 1095	AR 04-APR-86	AR		
L MIL-C-63371/1B(1)	CIRCUIT CARD ASSEMBLY, 9290227	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/2A(1)	CIRCUIT CARD ASSEMBLY, 9291352 (INPUT BUFFER "B")	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/3B(2)	CIRCUIT CARD ASSEMBLY, 9291224 (OPERATOR CONTROL BOX INTERFACE)	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/4B(1)	CIRCUIT CARD ASSEMBLY, 9290623 (OPERATOR CONTROL PANEL INTERFACE)	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/5B	CIRCUIT CARD ASSEMBLY, 9290647 (MAGAZINE LOGIC "A", LEFT, RIGHT)	A 1095	AR 31-JUL-84	AR		
L MIL-C-63371/6A(2)	CIRCUIT CARD ASSEMBLY, 9290651 (MAGAZINE LOGIC "B": LEFT, RIGHT)	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/7A(1)	P.C. BOARD 9335623 (LOAD AND UNLOAD LEFT & RIGHT)	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/8B	CIRCUIT CARD ASSEMBLY, 9290656 (SERVO LOGIC, LEFT, RIGHT)	A 1095	AR 31-JUL-84	AR		
L MIL-C-63371/9A	CIRCUIT CARD ASSEMBLY, 9290661 (BITE "A"), [VALIDATION DATE: 8702]	A 1095	AR 05-FEB-87	AR		
L MIL-C-63371/10A(1)	CIRCUIT CARD ASSEMBLY, 9291379 (BITE "B")	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/11B	CIRCUIT CARD ASSEMBLY, 9290793 (BITE "C")	A 1095	AR 31-JUL-84	AR		
L MIL-C-63371/12B(?)	CIRCUIT CARD ASSEMBLY, 9290669, (BITE "D")	A 1095	AR 03-JAN-91	AR		
L MIL-C-63371/13(1)	CIRCUIT CARD ASSEMBLY, 9291348 (BITE "C")	A 1095	AR 03-JAN-91	AR		
L MIL-C-63372(2)	CHARGE PROOF, 155MM, PXP-6297 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8804]	A 1320	AR 18-APR-88	AR		
L MIL-C-63373	CIRCUIT DEMOLITION INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270	A 1375	AR 05-FEB-87	AR		
L MIL-M-63374	ASSEMBLY & PACKING [VALIDATION DATE: 8702]	A 1375	AR 05-FEB-87	AR		
L MIL-M-63375	WARHEAD, INERT, FOR DEMOLITION KIT, TRAINING, XM270 LOADING ASSEMBLY [VALIDATION DATE: 8702]	A 1375	AR 05-FEB-87	AR		
L MIL-M-63376	MOTOR-DETONATOR ASSEMBLY, ROCKET, INERT, FOR DEMOLITION KIT, CRATERING, TRAINING, XM270, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805]	A 1375	AR 20-MAY-88	AR		
L MIL-D-63376	DEMOLITION KIT, CRATERING, TRAINING, XM270 INERT ASSEMBLY & PACKING [VALIDATION DATE: 8702]	A 1375	AR 05-FEB-87	AR		
A L MIL-M-63377(3)	WARHEAD, ILLUMINATING, M257, W/M442 FUZE (2.75 INCH ROCKET ILLUMINATING FLARE)	A 1340	AR 12-OCT-92	AR		
L MIL-F-63378A	FIRING ATTACHMENT, BLANK AMMO, M20	A 1005	AR 22-OCT-87	AR		
L MIL-P-63381	PAPER, SHOT SHELL (FOR USE IN AMMUNITION) [VALIDATION DATE: 8601]	A 1395	AR 22-MAY-80	AR		
L MIL-S-63382	SAFE AND ARMING (PARTIAL LOADING) ASSEMBLY FOR MINES, M718/M741 SYSTEM [VALIDATION DATE: 8601]	A 1345	AR 23-JUN-80	AR		
L MIL-S-63383(6)	SAFE AND ARMING (NON-HAZARDOUS) ASSEMBLY M718/M741	A 1345	AR 31-JUL-86	AR		
L MIL-S-63385A(1)	SABOT, 60MM PRACTICE: M3 ASSEMBLING AND PACKING [VALIDATION DATE: 8902]	A 1315	AR 02-FEB-89	AR		
L MIL-G-63386(3)	GAS GENERATOR ASSEMBLY	A 1345	AR 04-APR-90	AR		
L MIL-P-63387	PROPELLANT, M30A1 FOR USE IN CHARGE, PROOF, 155MM, PXP-6297 [VALIDATION DATE: 9109]	A 1376	AR 12-SEP-91	AR		
L MIL-M-63388(7)	WARHEAD, GUIDED MISSILE, HE, M207E1 BODY AND BOATTAIL BUSHING FOR	A 1336	AR 22-MAR-85	AR		
L MIL-M-63389(5)	WARHEAD, GUIDED MISSILE, HE, M207E1 LINER FOR [VALIDATION DATE: 8902]	A 1336	AR 02-FEB-89	AR		
L MIL-C-63392A	CONTAINER, SHIPPING AND STORAGE, MINE	A 1345	AR 03-FEB-87	AR		
L MIL-G-63393(2)	GRENADE, GP, HE, M74 LOADING, ASSEMBLING AND PACKING	A 1330	AR 15-JUN-90	AR		
L MIL-M-63394(2)	MINE, ANTI-TANK: HE, M75 METAL PARTS FOR	A 1345	AR 17-APR-90	AR		
M L MIL-P-63395(3)	PROJECTILE, 155MM: INERT, PXP 6325 (M549 AND SIM) LOADING, ASSEMBLING AND PACKING	A 1320	AR 12-APR-93	AR		
L MIL-M-63396(1)	NETWORK, RESISTOR FIXED & ADJUSTABLE	A 1345	AR 19-DEC-83	AR		
L MIL-P-63397A(2)	PROJECTILE, 155MM: INERT PXP 6325 (M549 SIM) METAL PARTS, ASSEMBLY	A 1320	AR 03-APR-92	AR		
L MIL-E-63399B(7)	ELECTRONICS-MCD ASSEMBLY FOR MINE, ANTI-TANK: HE, M75	A 1345	AR 27-JUN-90	AR		
L MIL-M-63400(2)	NETWORKS, CAPACITOR-RESISTOR	A 1345	AR 05-AUG-88	AR		
L MIL-C-63403(2)	CONTAINER, AMMUNITION, PLASTIC: PA-83 [VALIDATION DATE: 8805]	A 1345	AR 20-MAY-88	AR		
L MIL-P-63404	PROPELLANT M6 FOR USE IN CHARGE, PROPELLING, 155MM, M119A2 [VALIDATION DATE: 9109]	A 1376	AR 12-SEP-91	AR		
A L MIL-C-63405(4)	CHARGE, PROPELLING, 155MM, M119A2 LOADING, ASSEMBLING, AND PACKING	A 1320	AR 01-SEP-92	AR		
L MIL-D-63406(3)	DELAY MODULE, IMPACT, METAL PARTS ASSEMBLY, AND PACKING [VALIDATION DATE: 9010]	A 1390	AR 31-OCT-90	AR		
L MIL-C-63407	CONTAINER ASSEMBLY FOR DEMOLITION KIT, BLASTING, XM268	A 8140	AR 07-DEC-80	AR		
L MIL-P-63409	PROJECTILE, 8 INCH: DUMM, M845 [VALIDATION DATE: 9011]	A 1320	AR 01-NOV-90	AR		
L MIL-F-63412	FUZE PROBE ASSEMBLY, PNEUMATIC ASSEMBLING & PACKING (TOW) [VALIDATION DATE: 8702]	A 1336	AR 05-FEB-87	AR		
L MIL-C-63413A	CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, TRACER, SELF DESTRUCT, M246A1	A 1305	AR 02-FEB-89	AR		
L MIL-C-63415B	LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8902]	A 1315	AR 15-OCT-90	AR		
L MIL-D-63417	CARTRIDGE, 105MM, TP-T, M490 (CONVERSION OF CARTRIDGE) 105MM, HEAT-T, M456 PROJECTILE ONLY [VALIDATION DATE: 9010]	A 1320	AR 05-FEB-87	AR		
A L MIL-C-63418(2)	DEVICE, RETENTION, FOR CHARGE, PROPELLING, 155MM, XM211 [VALIDATION DATE: 8702]	A 1320	AR 07-MAY-92	AR		
	CANISTER SMOKE, ASSEMBLY PARTS FOR ASSEMBLING AND PACKING	A 1320				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / Chg Coordination Involvement Document Number	Document Title	Dist. Smt. FSC Area MCA Symbol	Preparing Date	Date	Custodians			
					Army	Navy	Air Force	DLA
L MIL-R-63419(2)	ROD/VINYL CHLORIDE COPOLYMER EXPLOSIVE COMPOSITION (PBX 9407) (FOR USE IN AMMUNITION)	A 1376	AR 22-JAN-92	AR				
L MIL-T-63420	THIONYL CHLORIDE ELECTROLYTE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702]	A 6810	AR 05-FEB-87	AR				
L MIL-P-63421(2)	POWER SUPPLY ASSEMBLIES FOR FASCAM ELECTRONIC ASSEMBLIES	A 1345	AR 29-NOV-90	AR				
L MIL-A-63425	ADAPTER, RECOIL MECHANISM ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2 [VALIDATION DATE: 8803]	A 1015	AR 18-MAR-88	AR				
L MIL-F-63428	FEED ASSEMBLY, APPND FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2 [VALIDATION DATE: 8803]	A 1005	AR 22-MAR-88	AR				
L MIL-S-63429	SLIDER ASSEMBLY FOR ARMAMENT SUBSYSTEM, HELICOPTER, 20MM, M97E1 & M97E2 [VALIDATION DATE: 8805]	A 1005	AR 22-MAR-88	AR				
L MIL-P-63430(5)	PROJECTILE, 155MM, TEST, NON-HAZ, M718/M741 TYPES LOADING, ASSEMBLING AND PACKING OF	A 1320	AR 27-JUL-91	AR				
L MIL-G-63431	GUANIDINE NITRATE (GN) [VALIDATION DATE: 8804]	A 6810	AR 25-APR-88	AR				
L MIL-S-63433(2)	SIMULATOR, ARTILLERY FLASH, M21, PERFORMANCE SPECIFICATION FOR	A 1370	AR 10-APR-90	AR				
L MIL-F-63434A(3)	FUZE PROBE ASSEMBLY, SPRING, ASSEMBLING AND PACKING (TOM)	A 1336	AR 23-MAR-90	AR				
L MIL-P-63438(3)	PROJECTILE, 20MM, TARGET PRACTICE, M55A481	A 1305	AR 15-MAR-87	AR				
L MIL-T-63439(5)	TOW 2 FUZE PROBE	A 1336	AR 14-MAR-90	AR				
L MIL-M-63440	NINE, ANTI PERSONNEL, TRAINING, M81 [VALIDATION DATE: 8702]	A 1345	AR 05-FEB-87	AR				
L MIL-W-63441A(5)	WARHEAD, 2.75 INCH ROCKET, PRACTICE: M267	A 1340	AR 16-FEB-90	AR				
L MIL-C-63442A	CARTRIDGE, 20MM, HIGH EXPLOSIVE, INCENDIARY, TRACER, M242A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8902]	A 1305	AR 02-FEB-89	AR				
L MIL-T-63443(3)	TELESCOPE, ELBOW ASSEMBLY: B211640	A 1290	AR 11-NOV-88	AR				
L MIL-G-63444A(1)	GRENADE, GENERAL PURPOSE, M73	A 1330	AR 12-SEP-83	AR				
L MIL-G-63445(5)	GRENADE, GENERAL PURPOSE, PRACTICE, M75	A 1330	AR 08-FEB-91	AR				
L MIL-F-63446A(9)	FUZES, GENERAL PURPOSE GRENADE: M230 AND M231 (PRACTICE)	A 1330	AR 28-MAY-91	AR				
L MIL-P-63448A	PROJECTILE, 105MM, HEAT-T-MP, M456A2 SPIKE AND CAP ASSEMBLY [VALIDATION DATE: 8906]	A 1315	AR 22-JUN-89	AR				
L MIL-M-63449	MINE, ANTI-TANK, TRAINING: MBS WITH FUZE, MINE, ANTI-TANK, TRAINING: PARTS FOR AND LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 8805]	A 1345	AR 20-MAY-88	AR				
L MIL-C-63450(3)	CARTRIDGE, 7.62MM, MATCH, M852	A 1305	AR 11-MAR-91	AR				
L MIL-W-63451(4)	WARHEAD, GUIDED MISSILE, HE, M207E2 LINER FOR	A 1336	AR 18-JUN-86	AR				
L MIL-W-63452(8)	WARHEAD, GUIDED MISSILE, HE, M207E2 BODY AND BOATTAIL BUSHING FOR	A 1336	AR 18-NOV-88	AR				
L MIL-B-63454(1)	BAND, ROTATING, NYLON GLASS FILLED PROJECTILE, 105MM, M737 TPDS-T	A 1315	AR 07-SEP-82	AR				
L MIL-B-63456A(3)	MINE, ANTI-PERSONNEL: HE, BLU-92/B LOADING, ASSEMBLING AND PACKING	A 1345	AR 25-APR-90	AR				
L MIL-M-63457A(2)	MINE, ANTI-TANK: HE, BLU-91/B LOADING, ASSEMBLING AND PACKING	A 1345	AR 02-SEP-89	AR				
QL MIL-L-63460D(3)	LUBRICANT, CLEANER & PRESERVATIVE FOR WEAPONS & WEAPONS SYSTEM REVIEWER: 88 DS MD HE SH	A 9150	AR 01-JUL-87	AR				
A L MIL-C-63461(9)	CONTAINER, AMMUNITION, METAL, FOR PROPELLING CHARGES AND CARTRIDGES	A 8140	AR 05-FEB-93	AR				
L MIL-P-63462(1)	PLASTIC HOLDING AND EXTRUSION MATERIAL, ETHYL CELLULOSE, FOR ROCKET GRAIN INHIBITING MATERIALS REVIEWER: MI NR	A 9330	AR 30-JUN-90	AR				
L MIL-F-63463(1)	FILM, INHIBITING, ETHYL CELLULOSE [VALIDATION DATE: 8803] REVIEWER: MI NR	A 9330	AR 15-MAR-88	AR				
D DOD-P-63464A	PIN, GROOVED, HEADLESS LONGITUDINAL GROOVE, GENERAL SPECIFICATION FOR, METRIC USER: MC ME MI REVIEWER: B2 AT EA IS NS	A 5315	AR 21-APR-82	AR OS 99				
D DOD-P-63464/1A	PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI YDI REVIEWER: B2 AT EA IS	A 5315	AR 05-MAY-88	AR OS 99				
D DOD-P-63464/2A	PIN, GROOVED, HEADLESS-LONGITUDINAL TAPER GROOVE, CORROSION-RESISTING STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: B2 AT EA IS NS	A 5315	AR 05-MAY-88	AR OS 99				
D DOD-P-63464/3A	PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: B2 AT EA IS	A 5315	AR 05-MAY-88	AR OS 99				
D DOD-P-63464/4A	PIN, GROOVED, HEADLESS-LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTANT STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: B2 AT EA IS NS	A 5315	AR 05-MAY-88	AR OS 99				
D DOD-P-63464/5A	PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CARBON STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI REVIEWER: B2 AT EA IS	A 5315	AR 05-MAY-88	AR OS 99				
D MIL-P-63464/6B	PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CORROSION-RESISTANT STEEL, METRIC USER: MC ME MI REVIEWER: B2 AT EA IS	A 5315	AR 17-JAN-92	AR OS 99				
D DOD-P-63464/7	PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH TAPER GROOVE, CORROSION-RESISTANT STEEL, METRIC [VALIDATION DATE: 8805] REVIEWER: B2	A 5315	AR 05-MAY-88	AR OS 99				
D DOD-P-63464/8	PIN, GROOVED, HEADLESS LONGITUDINAL, HALF LENGTH REVERSE TAPER GROOVE, CORROSION-RESISTANT STEEL, METRIC [VALIDATION DATE: 8805] USER: MC ME MI YDI REVIEWER: B2 AT EA IS NS	A 5315	AR 05-MAY-88	AR OS 99				
L MIL-W-63465(1)	WARHEAD, GUIDED MISSILE, HE, M250 FRAGMENTS FOR [VALIDATION DATE: 8811] ...	A 1336	AR 02-NOV-88	AR				
L MIL-T-63466	THIONYL CHLORIDE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702]	A 6810	AR 05-FEB-87	AR				
L MIL-A-63467	ACETYLENE BLACK (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702]	A 6810	AR 05-FEB-87	AR				
L MIL-W-63468A(3)	WARHEAD, 2.75 INCH ROCKET, H.E.: M261	A 1340	AR 16-FEB-90	AR				
L MIL-B-63469(8)	BODY ASSEMBLIES, GENERAL PURPOSE GRENADE: M73 AND M75 (PRACTICE)	A 1330	AR 16-FEB-90	AR				
L MIL-L-63470	LITHIUM CHLORIDE (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702]	A 6810	AR 05-FEB-87	AR				
L MIL-A-63471	ALUMINUM CHLORIDE (ANHYDROUS) (FOR USE IN AMMUNITION) [VALIDATION DATE: 8702]	A 6810	AR 05-FEB-87	AR				
D DOD-W-63474A	WASHER, SPRING TENSION, CYLINDRICALLY CURVED & WAVED GENERAL SPECIFICATION FOR, METRIC USER: MC ME YDI REVIEWER: AS AT AV GL IS	A 5310	AR 15-MAY-84	AR SH				
D DOD-W-63474/1A	WASHERS, SPRING TENSION, CYLINDRICALLY CURVED AND WAVED, METRIC [VALIDATION DATE: 8802] USER: MC ME REVIEWER: AS AV IS	A 5310	AR 14-FEB-89	AR SH				
D DOD-W-63474/2A	WASHER, SPRING TENSION, (BELLEVILLE SPRING) METRIC USER: AT CR MC ME REVIEWER: 11 AS AV IS SH	A 5310	AR 18-APR-86	AR OS				
D DOD-W-63474/3	WASHER, SPRING TENSION, SEWATED (RIBBED) (BELLEVILLE SPRING), METRIC USER: MC YDI REVIEWER: 11 B2 AS AV ER IS SH	A 5310	AR 28-MAY-86	AR OS 99				
D DOD-B-63475	BOLT, SHOULDER, HEXAGON HEAD, GENERAL SPECIFICATION FOR, METRIC [VALIDATION DATE: 8704] USER: AS CR MC ME OS REVIEWER: 11 AT AV IS MI NS	A 5306	AR 14-APR-87	AR SH 99				
D DOD-B-63475/1	BOLT, SHOULDER, HEXAGON HEAD, LONG THREAD, METRIC [VALIDATION DATE: 8704] USER: AS CR MC ME OS REVIEWER: 11 AT AV IS MI NS	A 5306	AR 14-APR-87	AR SH 99				
D DOD-B-63475/2	BOLT, SHOULDER, HEXAGON HEAD, SHORT THREAD, METRIC [VALIDATION DATE: 8704] USER: AS CR MC ME OS REVIEWER: AT AV MI	A 5306	AR 14-APR-87	AR SH 99				
D DOD-B-63476	MUT, PLAIN, WELDING, GENERAL SPECIFICATION FOR, METRIC [VALIDATION DATE: 8704] USER: AS MC ME REVIEWER: AV CR IS NS	A 5310	AR 27-APR-87	AR 99				
D DOD-B-63476/1	MUT, PLAIN, WELDING, METRIC [VALIDATION DATE: 8704] USER: AS MC ME REVIEWER: AT AV CR IS NS	A 5310	AR 17-MAR-81	AR 99				
D DOD-P-63477	PIN, SPRING, TUBULAR, (COILED AND SLOTTED), GENERAL SPECIFICATION FOR, METRIC USER: AV CE MC ME REVIEWER: B2 ER IS MI NS	A 5315	AR 29-MAY-81	AR OS 99				
D DOD-P-63477/1	PIN, SPRING, TUBULAR, SLOTTED, CARBON STEEL, METRIC USER: AV CE MC ME REVIEWER: B2 ER IS MI NS	A 5315	AR 29-MAY-81	AR OS 99				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active  
CPL / OIA  
Custodian  
Notice  
Document  
Number

Document  
Title

Doc. Num.  
FNC / Item  
MCA Symbol  
Preparing Agency  
Date

Custodian  
Army  
Navy  
Air Force  
DIA

Active CPL / OIA Custodian Notice Document Number	Document Title	Doc. Num. FNC / Item MCA Symbol Preparing Agency Date	Custodian Army Navy Air Force DIA
DOD-P-63477/2 NOTICE 1	PIN, SPRING, TUBULAR, SLOTTED, CRES 420, METRIC USER: AV CE MC ME	A 5315 AR 14-APR-87 AR 05 99	
DOD-P-63477/3 NOTICE 1	PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CARBON STEEL, METRIC USER: AV CE	A 5315 AR 14-APR-87 AR 05 99	
DOD-P-63477/4	MC ME REVIEWER: 82 ER IS MI NS	A 5315 AR 29-MAY-81 AR 05 99	
DOD-P-63477/5A	PIN, SPRING, TUBULAR, COILED, LIGHT DUTY, CRES 302, METRIC USER: AV CE MC	A 5315 AR 12-JUN-89 AR 05 99	
DOD-P-63477/6 NOTICE 1	PIN, SPRING, TUBULAR, COILED, STANDARD DUTY, CARBON STEEL, METRIC	A 5315 AR 14-APR-87 AR 05 99	
DOD-P-63477/7 NOTICE 1	(VALIDATION DATE: 8906) USER: AV CE MC ME REVIEWER: 82 ER IS MI NS	A 5315 AR 14-APR-87 AR 05 99	
DOD-P-63477/8 NOTICE 1	PIN, SPRING, TUBULAR, SLOTTED, STANDARD DUTY, CRES 420, METRIC (VALIDATION	A 5315 AR 14-APR-87 AR 05 99	
DOD-P-63477/9 NOTICE 1	DATE: 8704) USER: AV CE MC ME REVIEWER: 82 ER IS MI NS	A 5315 AR 14-APR-87 AR 05 99	
DOD-P-63478(1) NOTICE 1	PIN, SPRING, TUBULAR, COILED, HEAVY DUTY, CARBON STEEL, METRIC (VALIDATION	A 5315 AR 14-APR-87 AR 05 99	
DOD-P-63478(1) NOTICE 1	DATE: 8704) USER: AV CE MC ME REVIEWER: 82 ER IS MI NS	A 5315 AR 16-FEB-90 AR 99	
DOD-P-63478(2) NOTICE 1	PIN, SPRING, TUBULAR, COILED, HEAVY DUTY CRES 420, METRIC USER: AV CE MC	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479	ME REVIEWER: 82 ER IS MI NS	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(1) NOTICE 1	PIN, STRAIGHT, HEADLESS (DOWEL), GENERAL SPECIFICATION FOR, METRIC USER:	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(1) NOTICE 1	ME REVIEWER: 11 AT IS NS	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(2) NOTICE 1	PIN, STRAIGHT, HEADLESS (DOWEL) STANDARD SIZE, METRIC USER: ME REVIEWER:	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(2) NOTICE 1	11 B2 AT IS NS	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(2) NOTICE 1	PIN, STRAIGHT, HEADLESS (DOWEL) OVERSIZE, METRIC USER: ME REVIEWER: 11 B2	A 5315 AR 29-MAY-81 AR 99	
DOD-P-63479(2) NOTICE 1	AT IS NS	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(2) NOTICE 1	PIN, STRAIGHT, HEADED (CLEVIS PIN) GENERAL SPECIFICATION FOR, METRIC USER:	A 5315 AR 29-MAY-81 AR 99	
DOD-P-63479(2) NOTICE 1	ME REVIEWER: 11 B2 AT AV IS	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(2) NOTICE 1	PIN, STRAIGHT, HEADED (CLEVIS PIN), METRIC USER: ME REVIEWER: 82	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(2) NOTICE 1	.....	A 5315 AR 14-APR-87 AR 99	
DOD-P-63479(2) NOTICE 1	FUZE, POINT INITIATING BASE DETONATING, XM764	A 1390 AR 28-AUG-85 AR	
DOD-P-63479(2) NOTICE 1	MINE, METAL PARTS FOR MINES: BLU-91/B AND BLU-92/B	A 1345 AR 30-APR-90 AR	
DOD-P-63479(2) NOTICE 1	PROJECTILE, 120MM, APFSDS, XM829 METAL PARTS ASSEMBLY (VALIDATION DATE:	A 1315 AR 15-OCT-90 AR	
DOD-P-63479(2) NOTICE 1	9010)	A 1345 AR 25-MAY-90 AR	
DOD-P-63479(2) NOTICE 1	ELECTRONICS-MOD ASSEMBLY FOR MINE, ANTI-TANK: BLU 91/B	A 1345 AR 27-JUN-90 AR	
DOD-P-63479(2) NOTICE 1	BODY ASSEMBLY FOR MINE, ANTI-PERSONNEL: BLU 92/B	A 1315 AR 24-SEP-92 AR	
DOD-P-63479(2) NOTICE 1	CARTRIDGE, 105MM, TP-1, M490A1, LOADING, ASSEMBLING, AND PACKING	A 1315 AR 07-JUL-92 AR	
DOD-P-63479(2) NOTICE 1	PROJECTILE, 105MM, TP-1, M490A1 METAL PARTS ASSEMBLY	A 1376 AR 10-OCT-86 AR	
DOD-P-63479(2) NOTICE 1	PROPELLANT M30 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M833	A 1005 AR 23-SEP-88 AR	
DOD-P-63479(2) NOTICE 1	DRIVE ASSEMBLY, GUN FOR AMMUNITION SUBSYSTEM, HELICOPTER, 20MM, M97E1 AND	A 1376 AR 05-JUN-87 AR	
DOD-P-63479(2) NOTICE 1	M97E2	A 1390 AR 01-OCT-92 AR	
DOD-P-63479(2) NOTICE 1	PROPELLANT M14 FOR USE IN CARTRIDGE, 105MM TP-1, M490A1	A 1390 AR 20-MAR-86 AR	
DOD-P-63479(2) NOTICE 1	FUZE, POINT DETONATING, M739A1 LESS BOOSTER PELLET	A 1005 AR 22-MAR-88 AR	
DOD-P-63479(2) NOTICE 1	FUZE, POINT DETONATING, M739A1 LOADING, ASSEMBLING AND PACKING	A 1345 AR 12-JAN-88 AR	
DOD-P-63479(2) NOTICE 1	TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR AMMUNITION SUBSYSTEM, HELICOPTER,	A 1315 AR 16-OCT-81 AR	
DOD-P-63479(2) NOTICE 1	20MM, M97E1 AND M97E2, GUN CONTROL ASSEMBLY FOR (VALIDATION DATE: 8803)	A 1315 AR 15-MAR-82 AR	
DOD-P-63479(2) NOTICE 1	CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE 105MM, TANK AMMUNITION	A 1345 AR 20-MAY-88 AR	
DOD-P-63479(2) NOTICE 1	SIMULATOR, LAUNCHING, ANTI - TANK, GUIDED MISSILE & ROCKET, M82	A 1345 AR 22-JUN-89 AR	
DOD-P-63479(2) NOTICE 1	PERFORMANCE SPECIFICATION FOR	A 1345 AR 21-AUG-87 AR	
DOD-P-63479(2) NOTICE 1	BATTERY, MED, SINGLE CELL, PRIMARY RESERVE	A 1005 AR 22-MAR-88 AR	
DOD-P-63479(2) NOTICE 1	CARTRIDGE, 105MM, TANK GUN FLASH SIMULATOR, XM83	A 1305 AR 26-SEP-91 AR	
DOD-P-63479(2) NOTICE 1	CARTRIDGE, 105MM, TP-1, M993A1 CONVERSION	A 1005 AR 22-MAR-88 AR	
DOD-P-63479(2) NOTICE 1	RESISTOR NETWORK, FIXED, FILM (EXTERNALLY TRIMMABLE) (VALIDATION DATE:	A 1005 AR 22-MAR-88 AR	
DOD-P-63479(2) NOTICE 1	8805)	A 1005 AR 27-DEC-81 AR	
DOD-P-63479(2) NOTICE 1	ACTIVATOR, ANTITANK MINE: PRACTICE, M1; PARTS FOR AND LOADING, ASSEMBLING	A 1005 AR 12-OCT-90 AR	
DOD-P-63479(2) NOTICE 1	AND PACKING (VALIDATION DATE: 8906)	A 1305 AR 19-NOV-90 AR	
DOD-P-63479(2) NOTICE 1	MICROCIRCUIT, DIGITAL, CMOS (LOGIC)	A 5307 AR 29-JUN-90 AR MC 99	
DOD-P-63479(2) NOTICE 1	TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR AMMUNITION SUBSYSTEM, HELICOPTER, 20MM,	A 5307 AR 01-AUG-86 AR MC 99	
DOD-P-63479(2) NOTICE 1	M97E1 & M97E2, UNIVERSAL BORESIGHT KIT FOR (VALIDATION DATE: 8803)	A 5307 AR 14-FEB-89 AR 99	
DOD-P-63479(2) NOTICE 1	LINK, CARTRIDGE, METALLIC BELT, 5.56MM, M2	A 5307 AR 31-MAR-86 AR MC 99	
DOD-P-63479(2) NOTICE 1	TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR AMMUNITION SUBSYSTEM, HELICOPTER,	A 5307 AR 09-APR-92 AR MC 99	
DOD-P-63479(2) NOTICE 1	20MM, M97E1 & M97E2 (VALIDATION DATE: 8803)	A 5307 AR 31-MAR-86 AR MC 99	
DOD-P-63479(2) NOTICE 1	TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR AMMUNITION SUBSYSTEM, HELICOPTER,	A 5307 AR 26-SEP-88 AR MC 99	
DOD-P-63479(2) NOTICE 1	20MM, M97E1 & M97E2, TURRET CONTROL UNIT FOR (VALIDATION DATE: 8803)	A 5307 AR 29-JUN-90 AR MC 99	
DOD-P-63479(2) NOTICE 1	TURRET SUBSYSTEM, UNIVERSAL (UTS) FOR AMMUNITION SUBSYSTEM, HELICOPTER, 20	A 1030 AR 03-AUG-87 AR	
DOD-P-63479(2) NOTICE 1	MM, M97E1 & M97E2, ELECTRIC DRIVE MOTOR FOR	A 5315 AR 10-MAY-88 AR OS 99	
DOD-P-63479(2) NOTICE 1	TURRET SUBSYSTEM, UNIVERSAL (UTS), FOR AMMUNITION SUBSYSTEM, HELICOPTER,	A 5315 AR 10-MAY-88 AR OS 99	
DOD-P-63479(2) NOTICE 1	20MM, M97E1 & M97E2, LOGIC CONTROL UNIT ASSEMBLY FOR (VALIDATION DATE:	A 5307 AR 19-FEB-82 AR AS 99	
DOD-P-63479(2) NOTICE 1	9010)	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	CARTRIDGE, CALIBER .22, LONG RIFLE, TRACER, M861 (VALIDATION DATE: 9011)	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	..	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, GENERAL SPECIFICATION FOR REVIEWER: 82 IS NS	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, FLUSH HEAD, RIBBED CLINCH TYPE USER: ER OS REVIEWER:	A 5307 AR 26-SEP-88 AR MC 99	
DOD-P-63479(2) NOTICE 1	11 B2 AT IS ME NS	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, FLUSH AND PROTRUDING HEAD (VALIDATION DATE: 8902)	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	USER: ME MI SH REVIEWER: 11 B2 AT AV IS NS	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, FLUSH HEAD, HEX CLINCH TYPE USER: ER NS OS SH	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	REVIEWER: 11 B2 AT IS ME	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, CONCEALED HEAD, KNURLED CLINCH TYPE USER: ER OS SH	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	REVIEWER: 11 B2 AT IS ME	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, CONCEALED HEAD, HEX CLINCH TYPE USER: ER NS OS SH	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	REVIEWER: 11 B2 AT IS ME	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, NON-FLUSH, RIBBED CLINCH TYPE USER: MI NS REVIEWER: 82	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	AT IS	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	STUD, SELF-LOCKING, BROACHING TYPE REVIEWER: 82 IS NS	A 5307 AR 08-MAY-86 AR AS 99	
DOD-P-63479(2) NOTICE 1	CANNON 8 INCH HOWITZER, M201/M201A1 (VALIDATION DATE: 8708)	A 5365 AR 10-MAY-88 AR	
DOD-P-63479(2) NOTICE 1	.....	A 5306 AR 19-FEB-82 AR AS 11	
DOD-P-63479(2) NOTICE 1	PIN, GROOVED, HEADED-LONGITUDINAL GROOVE, METRIC, GENERAL SPECIFICATION	A 5306 AR 05-MAY-88 AR AS 99	
DOD-P-63479(2) NOTICE 1	FOR (VALIDATION DATE: 8805) REVIEWER: 82		
DOD-P-63479(2) NOTICE 1	PIN, GROOVED, HEADED-LONGITUDINAL GROOVED, ROUND HEAD, CARBON STEEL,		
DOD-P-63479(2) NOTICE 1	METRIC (VALIDATION DATE: 8805)		
DOD-P-63479(2) NOTICE 1	STUD & ROD, THREADED, METRIC, GENERAL SPECIFICATION FOR USER: CE MC OS		
DOD-P-63479(2) NOTICE 1	REVIEWER: 82 AV EA ER IS ME SH		
DOD-P-63479(2) NOTICE 1	STUD, PLAIN, METRIC (1.25 DIA & 2 DIA ENGAGEMENT) USER: GL MC OS REVIEWER:		
DOD-P-63479(2) NOTICE 1	82 AT AV EA IS MI SH		
DOD-P-63479(2) NOTICE 1	ROD, CONTINUOUS THREAD, METRIC USER: CE GL MC OS REVIEWER: 82 EA ER IS ME		
DOD-P-63479(2) NOTICE 1	SH		
DOD-P-63479(2) NOTICE 1	STUD, CONTINUOUS THREAD, METRIC USER: AT CE GL IS MC OS REVIEWER: ER ME SH		
DOD-P-63479(2) NOTICE 1	SHIM, METRIC, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8805)		
DOD-P-63479(2) NOTICE 1	.....		
DOD-P-63479(2) NOTICE 1	SHIM, CRES, METRIC (VALIDATION DATE: 8805)		
DOD-P-63479(2) NOTICE 1	.....		
DOD-P-63479(2) NOTICE 1	BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC GENERAL SPECIFICATION FOR		
DOD-P-63479(2) NOTICE 1	USER: ME OS REVIEWER: AT IS MC NS SH		
DOD-P-63479(2) NOTICE 1	BOLT, RIBBED SHOULDER, WHEEL MOUNTING, METRIC (VALIDATION DATE: 8805)		
DOD-P-63479(2) NOTICE 1	USER: ME OS REVIEWER: AT IS MC NS SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Doc Orl / OML Coordination Inactive	Document Number	Document Title	Doc Orl / OML Coordination Inactive	FSC / Ane MCA Symbol	Preparing Date	Custodian Army Navy Air Force DLA
	DOD-B-63545/2	BOLT, RIBBED SHOULDER, EXTENDED SHOULDER, WHEEL MOUNTING, METRIC		A 5306	AR 05-MAY-88	AR AS 99
	NOTICE 1	[VALIDATION DATE: 8805] USER: ME OS REVIEWER: AT IS MC HS SH				
	DOD-W-63546A	WASHER, KEY, METRIC GENERAL SPECIFICATION FOR USER: ME SH REVIEWER: B2 AT		A 5310	AR 05-NOV-82	AR 99
	SUPPL 1A1	AV EA IS MI				
	DOD-W-63546/1	WASHER, KEY, FLAT, LONG, STEEL, METRIC [VALIDATION DATE: 8805] USER: ME SH		A 5310	AR 05-MAY-88	AR 11
	NOTICE 1	REVIEWER: AT AV EA IS MI				
	DOD-W-63546/2	WASHER, KEY, FLAT, LONG, BRASS, METRIC [VALIDATION DATE: 8805] USER: ME SH		A 5310	AR 05-MAY-88	AR 11
	NOTICE 1	REVIEWER: AT AV EA IS MI				
	DOD-W-63546/3	WASHER, KEY, FLAT, LONG AND SHORT, STEEL, METRIC [VALIDATION DATE: 8805]		A 5310	AR 05-MAY-88	AR 11
	NOTICE 1	USER: ME SH REVIEWER: AT AV EA IS MI				
	DOD-W-63546/4	WASHER, KEY, FLAT, LONG AND SHORT, BRASS, METRIC [VALIDATION DATE: 8805]		A 5310	AR 05-MAY-88	AR 11
	NOTICE 1	USER: ME SH REVIEWER: AT AV EA IS MI				
	DOD-W-63546/5	WASHER, KEY, EXTERNAL, STEEL, METRIC [VALIDATION DATE: 8805]		A 5310	AR 05-MAY-88	AR 11
	NOTICE 1					
	DOD-W-63546/6	WASHER, KEY, EXTERNAL, BRASS, METRIC [VALIDATION DATE: 8805]		A 5310	AR 05-MAY-88	AR 11
	NOTICE 1					
	DOD-W-63546/7	WASHER, KEY, INTERNAL, STEEL, METRIC USER: AT MC ME SH REVIEWER: AV EA IS		A 5310	AR 02-APR-84	AR 11
	DOD-W-63546/8	WASHER, CONCAVE AND WASHER CONVEX (SPHERICAL SET), STEEL, METRIC USER: AT		A 5310	AR 16-MAR-87	AR OS
	NOTICE 1	MC REVIEWER: AV IS HS SH				
L	MIL-A-63547(1)	ALUMINUM ALLOY 7475, ROD		A 9530	AR 14-SEP-84	AR
	DOD-N-63548	NUT, PLAIN, HEXAGON, WHEEL MOUNTING, METRIC, GENERAL SPECIFICATION FOR		A 5310	AR 17-MAR-82	AR 11
	NOTICE 1	USER: MC ME REVIEWER: AT EA IS HS				
	DOD-N-63548/1	NUT, PLAIN, HEXAGON, CONE SEAT, WHEEL MOUNTING, METRIC [VALIDATION DATE:		A 5310	AR 05-MAY-88	AR 99
	NOTICE 1	8805] USER: MC ME REVIEWER: AT EA IS HS				
	DOD-T-63549	THUMBSCREW, WING HEAD, METRIC, GENERAL SPECIFICATION FOR (METRIC) USER: AT		A 5305	AR 07-SEP-82	AR 99
	NOTICE 1	MC ME SH REVIEWER: 11 B2 AV EA IS HS				
	DOD-T-63549/1	THUMBSCREW, WING HEAD, METRIC [VALIDATION DATE: 8805] USER: AT MC ME SH		A 5305	AR 05-MAY-88	AR 99
	NOTICE 1	REVIEWER: 11 B2 AV EA IS HS				
L	MIL-C-63550E	CABLE ASSEMBLIES, ELECTRICAL, FABRICATION SPECIFICATION FOR		A 1010	AR 30-SEP-85	AR
	MIL-A-63576A	ALUMINUM OXIDE COATINGS, LUBRICATIVE, FOR ALUMINUM AND ALUMINUM ALLOYS		A HFFP	AR 06-DEC-85	AR
L	MIL-S-63550(1)	STAND, NUCLEAR PROJECTILE M4280		A MUDR	AR 10-SEP-89	AR
	NOTICE 1					
L	MIL-B-63554	BOLT ASSEMBLY, DOOR FOR WADS		A 5340	AR 26-APR-88	AR
L	MIL-C-63555	CONTAINER, WEAPON SECURITY: XM4289		A 8140	AR 21-JUL-88	AR
L	MIL-B-63556	BOX ASSEMBLY, PNEUMATIC LOCK CONTROL		A 8140	AR 23-FEB-90	AR
L	MIL-B-63557	BOX ASSEMBLY, PNEUMATIC LOCK KEY		A 8140	AR 23-FEB-90	AR
L	MIL-B-63558	BOX ASSEMBLY, CONCERTINA CONTROL FOR WADS		A 8140	AR 08-JUL-91	AR
L	MIL-C-63559	CONCERTINA SUBASSEMBLY FOR WADS		A 8140	AR 08-JUL-91	AR
L	MIL-T-63560	TIEDOWN, WEB, SPECIAL PURPOSE		A 5340	AR 24-APR-92	AR
L	DOD-P-63575(6)	PRIMER, ELECTRIC, PAS20		A 1305	AR 15-FEB-89	AR
L	DOD-C-63576(4)	CASE, CARTRIDGE, 30MM AMMUNITION FOR M788 M789 AND M799 SERIES OF 30MM		A 1305	AR 30-MAR-89	AR
	NOTICE 1	AMMUNITION				
L	DOD-P-63577A(2)	PROJECTILE 30MM, TARGET PRACTICE AND TARGET PRACTICE ALTERNATE DESIGN FOR		A 1305	AR 18-JAN-91	AR
	NOTICE 1	CARTRIDGE, 30MM, M788				
A L	DOD-C-63580(7)	CARTRIDGE, 30MM, TARGET PRACTICE, M788		A 1305	AR 26-AUG-92	AR
A L	DOD-P-63581(8)	PROJECTILE 30MM, HIGH EXPLOSIVE DUAL PURPOSE, M789, METAL PARTS		A 1305	AR 26-AUG-92	AR
A L	MIL-C-63582A	CARTRIDGE, 30MM HIGH EXPLOSIVE DUAL PURPOSE, M789		A 1305	AR 26-AUG-92	AR
L	DOD-L-63583	LINK, CARTRIDGE, METALLIC BELT, 30MM, M29		A 1305	AR 22-MAR-88	AR
	NOTICE 1					
M L	MIL-M-63584(1)	MINE, AT, PRACTICE, HEAVY: M20, PARTS FOR AND LOADING, ASSEMBLING AND		A 1345	AR 19-MAR-93	AR
	NOTICE 1	PACKING				
L	MIL-P-63585(1)	PROJECTILE, 155MM, M718/M741 METALLIC HARDWARE FOR [VALIDATION DATE: 9011]		A 1320	AR 01-NOV-90	AR
A L	DOD-P-63586(5)	PELLET, FLASH TUBE, 1852		A 1305	AR 26-AUG-92	AR
L	MIL-F-63587	FUZE, MINE, AT PRACTICE: M604 METAL PARTS FOR [VALIDATION DATE: 8805]		A 1345	AR 20-MAY-88	AR
	NOTICE 1					
L	MIL-M-63588	MOUNT, MONTITZER, M178		A 1025	AR 14-JUL-88	AR
A L	MIL-C-63589B(1)	CARTRIDGE, 5.56MM, BALL, M855		A 1305	AR 25-SEP-92	AR
L	MIL-C-63590B(1)	CARTRIDGE, 5.56MM TRACER, M856		A 1305	AR 25-SEP-91	AR
	NOTICE 1					
L	MIL-A-63591	ALTERNATOR, TURBINE (AIR DRIVEN)		A 1390	AR 29-MAR-88	AR
L	MIL-B-63592A(2)	BANDOLEER, 200 ROUND MAGAZINE (M249 M.G.) [VALIDATION DATE: 9010]		A 1305	AR 31-OCT-90	AR
	NOTICE 1					
A L	MIL-R-63593A(1)	RESISTOR NETWORK, THICK FILM, FIXED AND TRIMMABLE		A 1345	AR 04-NOV-92	AR
L	MIL-M-63595	MOUNT, MONTITZER AND GUN, M158 AND M174		A 1025	AR 03-MAR-87	AR
L	MIL-T-63596	TEST VEHICLE WITH CARTRIDGE CASE M169 FOR M549 FUZE LOADING, ASSEMBLING &		A 1390	AR 07-APR-88	AR
	NOTICE 1	PACKAGING				
L	MIL-R-63597B(3)	RIFLE, 5.56MM: M16A2		A 1005	AR 25-MAR-92	AR
L	MIL-B-64000B(1)	BURSTER, PROJECTILE, 155MM, SMOKE, M825 PARTS FOR LOADING, ASSEMBLING &		X 1320	EA 31-JAN-85	EA
	NOTICE 1	PACKING				
L	MIL-D-64002A(1)	DELAY DETONATOR FOR PROJECTILE, 155MM, SMOKE, M825		X 1320	EA 22-AUG-86	EA
L	MIL-C-64003A	CHARGE ASSEMBLY, EXPULSION FOR PROJECTILE, 155MM, SMOKE, M825		X 1320	EA 05-OCT-83	EA
A L	MIL-P-64005(1)	PROJECTILE, 155MM, G82, M887, METAL PARTS ASSEMBLY WITH LOADED OGIVE		A 1320	AR 03-NOV-92	AR
L	MIL-C-64006B	CANISTER LOADING ASSEMBLY FOR PROJECTILE, 155MM, SMOKE, M825		A 1320	EA 31-JAN-85	EA
L	MIL-P-64007C(2)	PROJECTILE, 155MM, SMOKE WP: M825, LOADING, ASSEMBLING, AND PACKAGING		X 1320	EA 15-DEC-87	EA
L	MIL-P-64008(4)	PROJECTILE, 155MM: M825/M825A1 METAL PARTS ASSEMBLY		A 1320	AR 11-APR-91	AR
L	MIL-M-64016(2)	MOTOR, ROCKET, METAL PARTS FOR & LOADING ASSEMBLY FOR DEMOLITION KIT,		A 1375	AR 23-SEP-86	AR
	NOTICE 1	CRATERING, M180				
L	DOD-C-64018(5)	CARTRIDGE, 30MM, HIGH PRESSURE TEST, HP-T, M883		A 1305	AR 30-APR-91	AR
L	DOD-C-64019(2)	CARTRIDGE, 30MM, DUMMY, M848		A 1305	AR 30-DEC-88	AR
L	MIL-M-64020	MICROCIRCUIT, AMPLIFIER, BIPOLAR, HIGH FREQUENCY, FRONT END (REQUEST FOR		D 1345	AR 07-OCT-87	AR
	NOTICE 1	ISSUE OTHER THAN DOD MUST BE SENT VIA COMMANDER, ARDEC, ATTN: SMCAR-FSM,				
	NOTICE 1	PICATINNY ARSENAL, NJ 07806-5000				
L	MIL-D-64021A(1)	DISPENSER, GROUND: M131/M136 SYSTEM COMPONENT PARTS FOR		F 1345	AR 30-AUG-89	AR
L	MIL-D-64022	DISTRIBUTION BOX ASSEMBLY: 8438325		A 6110	AR 11-SEP-91	AR
L	MIL-M-64023(1)	MINE, GROUND: ANTI-PERSONNEL, HE LOADING, ASSEMBLING AND PACKING FOR M131		A 1345	AR 22-FEB-88	AR
	NOTICE 1	SYSTEM				
L	MIL-M-64024A	MINE, GROUND, ANTI-TANK HE LOADING, ASSEMBLING AND PACKING FOR M131 SYSTEM		B 1345	AR 23-JUN-89	AR
	NOTICE 1	(CONTROLLED DISTRIBUTION)				
L	MIL-C-64025	CONTROL, REMOTE, M71, LAND MINE SYSTEM		A 1290	AR 20-OCT-86	AR
L	MIL-D-64026	DISPENSER AND MINES, GROUND PRACTICE, FOR M136 SYSTEM		F 1345	AR 20-OCT-86	AR
L	MIL-E-64028	ELECTRONICS ASSEMBLY FOR, ANTI-PERSONNEL MINE M131 SYSTEM		A 1345	AR 20-OCT-86	AR
L	MIL-E-64029	ELECTRONICS ASSEMBLY FOR, ANTI-TANK MINE M131 SYSTEM		A 1345	AR 20-OCT-86	AR
L	MIL-C-64030	CONTROL, INDICATOR, FOR DISPENSER AND MINES: GROUND M131		A 1345	AR 20-OCT-86	AR
L	MIL-C-64031	CARTRIDGE ASSEMBLY, 12GAGE LOADING, ASSEMBLING AND PACKING		F 1345	AR 20-OCT-86	AR
L	MIL-M-64032	MINE, ANTI-TANK, METAL PARTS FOR, M131 SYSTEM		D 1345	AR 20-OCT-86	AR
L	MIL-H-64033A	HOUSING, MOLDED, FOR ANTI-PERSONNEL MINE M131 SYSTEM		A 1345	AR 22-MAY-89	AR
L	MIL-M-64034	MICROCIRCUIT, SYNCHRONIZER, COMMAND OUTPUT (SCD), CLASS B, MONOLITHIC,		A 1345	AR 20-OCT-86	AR
	NOTICE 1	CMOS, INTEGRATED CIRCUIT				
L	MIL-P-64036	PROJECTILE, 60MM, SMOKE, WP, M302 METAL PARTS ASSEMBLY		A 1310	AR 09-SEP-86	AR
A L	MIL-C-64037(3)	CARTRIDGE, HE, 60MM, M888 W/FUZE M935 LOADING, ASSEMBLING AND PACKING		A 1310	AR 23-FEB-93	AR
L	MIL-F-64042A(2)	FUZE, HT, SQ, M577A1 LOADING, ASSEMBLING, PACKING AND METAL PARTS, AND		A 1390	AR 25-SEP-91	AR
	NOTICE 1	FUZE, HT, SQ, M582A1 METAL PARTS				
L	MIL-B-64043(2)	BODY, LOADED ASSEMBLY, GENERAL PURPOSE GRENADE, M73		A 1330	AR 09-FEB-90	AR
L	MIL-M-64044(6)	WARHEAD, 2.75 INCH ROCKET, M261 AND M267, PARTS FOR		A 1340	AR 16-FEB-90	AR
L	MIL-S-64045	SCALES, GRAPHICAL FIRING, GENERAL SPECIFICATION FOR		A 1220	AR 15-OCT-88	AR
	SUPPL 1A1					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OAL Coordinate Package	Document Number	Document Title	Dist. Smt. FAC / Area	MCA Symbol Proprietary Acy	Date	Custodian Army Navy Air Force DLA
L	MIL-S-64045/1 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICH, (105-H-7) CHGS 1 + 3, (P/N 11785434-1) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/2 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICH, (105-H-7) CHGS 4 + 5, (P/N 11785434-2) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/3 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICH, (105-H-7) CHGS 6 + 7, (P/N 11785434-3) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/4 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-H-7), (P/N 11785434-4) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/5 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-H-7) CHGS 3 + 4, (P/N 11785434-5) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/6 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-H-7) CHGS 5 + 7, (P/N 11785434-6) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/7 NOTICE 1	SCALE, GRAPHICAL SITE, HE M1, (105-H-6), (P/N 11785434-7) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/8 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE W/ICH, (105-AS-2) CHGS 1 + 3, (P/N 11785434-8) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/9 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICH, (105-AS-2) CHGS 4 + 5, (P/N 11785434-9) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/10 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, LOW ANGLE, W/ICH, (105-AS-2) CHGS 6 + 7, (P/N 11785434-10) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/11 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M1, HIGH ANGLE, (105-AS-2), (P/N 11785434-11) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/12 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 4 + 5, (P/N 11785434-12) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/13 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M314, (105-AS-2) CHGS 6 + 7, (P/N 11785434-13) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/14 NOTICE 1	SCALE, GRAPHICAL SITE, HE M1, (105-AS-1), (P/N 11785434-14) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/15 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE W/ICH, (155-Q-4) CHGS 1 + 3, (P/N 11785434-15) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/16 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-Q-4) CHGS 4 + 5, (P/N 11785434-16) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/17 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-Q-4) CHGS 6 + 7, (P/N 11785434-17) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/18 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-Q-4), (P/N 11785434-18) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/19 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 1 + 3, (P/N 11785434-19) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/20 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-Q-4) CHGS 5 + 7, (P/N 11785434-20) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/21 NOTICE 1	SCALE, GRAPHICAL SITE, HE M107, (155-Q-3), (P/N 11785434-21) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/22 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-AH-3) CHGS 1 + 3, (P/N 11785434-22) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/23 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-AH-3), CHGS 4 + 5, (P/N 11785434-23) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/24 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-AH-3) CHGS 6 + 7, (P/N 11785434-24) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/25 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AH-3), (P/N 11785434-25) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/26 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 1 + 3, (P/N 11785434-26) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/27 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-3) CHGS 5 + 7, (P/N 11785434-27) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/28 NOTICE 1	SCALE, GRAPHICAL SITE, HE M107, (155-AH-3), (P/N 11785434-28) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/29 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 1 + 3, (P/N 11785434-29) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/30 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 4 + 5, (P/N 11785434-30) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/31 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AK-2) CHGS 6 + 7, (P/N 11785434-31) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/32 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AK-2), (P/N 11785434-32) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/33 NOTICE 1	SCALE, GRAPHICAL SITE, HE M483A1, (155-AK-2), (P/N 11785434-33) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/34 NOTICE 1	SCALE, GRAPHICAL FIRING, M549A1, LOW ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-34) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/35 NOTICE 1	SCALE, GRAPHICAL FIRING, M549A1, HIGH ANGLE, (155-AL-1) CHG 7R, (P/N 11785434-35) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/36 NOTICE 1	SCALE, GRAPHICAL SITE, M549A1, (155-AL-1) CHG 7R, (P/N 11785434-36) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/37 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-AH-1) CHGS 2 + 4, (P/N 11785434-37) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/38 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-AH-1) CHGS 5 + 6, (P/N 11785434-38) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/39 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, W/ICH, (155-AH-1) CHGS 7 + 8, (P/N 11785434-39) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/40 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AH-1), (P/N 11785434-40) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/41 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-1) CHGS 2 + 3, (P/N 11785434-41) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/42 NOTICE 1	SCALE, GRAPHICAL FIRING, ILLUMINATING, M485, (155-AH-1) CHGS 5 + 7, (P/N 11785434-42) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/43 NOTICE 1	SCALE, GRAPHICAL SITE, HE M107, (155-AH-1), (P/N 11785434-43) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/44 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AH-1) CHGS 3 + 4, (P/N 11785434-44) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/45 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AH-1) CHGS 5 + 6, (P/N 11785434-45) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/46 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, LOW ANGLE, (155-AH-1) CHGS 7 + 8, (P/N 11785434-46) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/47 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M483A1, HIGH ANGLE, (155-AH-1), (P/N 11785434-47) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/48 NOTICE 1	SCALE, GRAPHICAL SITE, HE M483A1, (155-AH-1), (P/N 11785434-48) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/49A	SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AD-0) CHGS 7R & BR, (P/N 11785434-49) [VALIDATION DATE: 8810]	A 1220	AR	24-SEP-85	AR
L	MIL-S-64045/50A	SCALE, GRAPHICAL FIRING, HE M549A1, LOW ANGLE, (155-AD-0) CHG BR, (P/N 11785434-50) [VALIDATION DATE: 8810]	A 1220	AR	24-SEP-85	AR
L	MIL-S-64045/51 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M549A1, HIGH ANGLE, (155-AD-0), (P/N 11785434-51) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR
L	MIL-S-64045/52 NOTICE 1	SCALE, GRAPHICAL SITE, HE M549A1, (155-AD-0), (P/N 11785434-52) [VALIDATION DATE: 8810]	A 1220	AR	15-OCT-88	AR



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm. / Cmk. / Con. / Inc. / Doc. / Number	Document Title	Dist. Smt. / FSC / Issue	MCA Symbol / Preparing Aclt. / Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-S-64045/53 NOTICE 1	SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 4C & 5G, (P/N 11785434-53) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/54 NOTICE 1	SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 4H & 5H, (P/N 11785434-54) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/55 NOTICE 1	SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 6H & 7H, (P/N 11785434-55) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/56 NOTICE 1	SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0), CHGS 6H & 7H, (P/N 11785434-56) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/57A	SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHGS 7H&8D 8, (P/N 11785434-57)	A 1220	AR 24-SEP-85	AR			
L MIL-S-64045/59 NOTICE 1	SCALE, GRAPHICAL FIRING, M172 CLGP, LOW ANGLE, (155-AS-0) CHG 8C, (P/N 11785434-59) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/60 NOTICE 1	SCALE, GRAPHICAL SITE, M172 CLGP, (155-AS-0), (P/N 11785434-60) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/61 NOTICE 1	SCALE, GRAPHICAL FIRING, M172 CLGP, HIGH ANGLE, (155-AS-0), (P/N 11785434-61) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/62 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/1CH, (8-J-4) CHGS 1 + 3, (P/N 11785434-62) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/63 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/1CH, (8-J-4) CHGS 4 + 5, (P/N 11785434-63) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/64 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/1CH, (8-J-4) CHGS 6 + 7, (P/N 11785434-64) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/65 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-J-4), (P/N 11785434-65) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/66 NOTICE 1	SCALE, GRAPHICAL SITE, HE M106, (8-J-3), (P/N 11785434-66) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/70 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/1CH, (8-Q-1) CHGS 1 + 3, (P/N 11785434-70) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/71 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/1CH, (8-Q-1) CHGS 4 + 5, (P/N 11785434-71) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/72 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/1CH, (8-Q-1) CHGS 6 + 7, (P/N 11785434-72) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/73 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, LOW ANGLE, W/1CH, (8-Q-1) CHGS 8 + 9, (P/N 11785434-73) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/74 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M106, HIGH ANGLE, (8-Q-1), (P/N 11785434-74) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/75 NOTICE 1	SCALE, GRAPHICAL SITE, HE M106, (8-Q-1), (P/N 11785434-75) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/79 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 1G + 2G, (P/N 11785434-79) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/80 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 3G & 4G, (P/N 11785434-80) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/81 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 5G + 5H, (P/N 11785434-81) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/82	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 6H + 7H, (P/N 11785434-82) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/83 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 8 + 9, (P/N 11785434-83) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/84 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHGS 7H & 8H, (P/N 11785434-84) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/85 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, LOW ANGLE, W/XM753, (8-S-1) CHG 9R, (P/N 11785434-85) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/86 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1) CHGS 1 TO 9 (P/N 11785434-86) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/87 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M650, HIGH ANGLE, (8-S-1), CHGS 7H, 8R & 9R (P/N 11785434-87) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/88 NOTICE 1	SCALE, GRAPHICAL SITE, HE M650, (8-S-1), (P/N 11785434-88) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/89 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE, (175-A-1) CHG 1 & 2, (P/N 11785434-89) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/90 NOTICE 1	SCALE, GRAPHICAL FIRING, HE M437, LOW ANGLE & HIGH ANGLE, (175-A-1) CHG 3, (P/N 11785434-90) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/91 NOTICE 1	SCALE, GRAPHICAL SITE, HE M437, (175-A-1), (P/N 11785434-91) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/92 NOTICE 1	SCALE, GRAPHICAL FIRING, LOW ANGLE & HIGH ANGLE, (14.5-A-1) CHG 1, (P/N 11785434-92) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/93 NOTICE 1	SCALE, GRAPHICAL SITE, (14.5-A-1) CHG 1, (P/N 11785434-93) [VALIDATION DATE: 8810]	A 1220	AR 15-OCT-88	AR			
L MIL-S-64045/94	SCALE, GRAPHICAL FIRING, HE M329A2, HIGH ANGLE, (4.2-K-2), (P/N 11785434-102)	A 1220	AR 07-JAN-91	AR			
L MIL-S-64045/95	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 2 AND 4, (P/N 11785434-103)	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/96	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 5 AND 6, (P/N 11785434-104)	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/97	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 7 AND 8, (P/N 11785434-105)	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/98	SCALE, GRAPHICAL FIRING, HE M107, HIGH ANGLE, (155-AM-2), (P/N 11785434-106)	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/99	SCALE, GRAPHICAL SITE, HE M107, (155-AM-2), (P/N 11785434-107) .....	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/100	SCALE, GRAPHICAL FIRING, HE M107, ILLUMINATION, (155-AM-2) CHG 2 AND 3, (P/N 11785434-108)	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/101	SCALE, GRAPHICAL FIRING, HE M107, ILLUMINATION, (155-AM-2) CHG 5 AND 7, (P/N 11785434-109)	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/102	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2) CHG 3, (P/N 11785434-110)	A 1220	AR 01-FEB-87	AR			
L MIL-S-64045/103	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 384, (P/N 11785434-112)	A 1220	AR 07-JAN-91	AR			
L MIL-S-64045/104	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 586, (P/N 11785434-113)	A 1220	AR 07-JAN-91	AR			
L MIL-S-64045/105	SCALE, GRAPHICAL FIRING, HE M107, LOW ANGLE, (155-AM-2), CHARGES 788, (P/N 11785434-114)	A 1220	AR 07-JAN-91	AR			
L MIL-S-64045/106	SCALE, GRAPHICAL FIRING, HE M760, LOW ANGLE (105-AS-2), CHARGE 8, (P/N 11785434-115)	A 1220	AR 07-JAN-91	AR			
L MIL-S-64045/107	SCALE, GRAPHICAL SITE, HE M760, (105-AS-2), (P/N 11785434-116) .....	A 1220	AR 07-JAN-91	AR			
L MIL-V-64051	VACUUM PUMP, HAND OPERATED FOR ARMY OIL ANALYSIS PROGRAM (AOAP) .....	A 4930	AL 31-MAR-88	AL			
L MIL-S-64052	SPRAY GUN, PAINT, HEAVY DUTY, PRESSURE FEED USER: HE REVIEWER: 82 CS SH ...	A 4940	AL 25-APR-88	AL	MC	99	
L MIL-T-64053	TIRE SCRIBER FOR AUTOMOTIVE WHEEL ALIGNMENT .....	A 4910	AL 27-JAN-89	AL			
L MIL-P-64151	PLATE: SILICON CARBIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) REVIEWER: AT AV GS	A 9350	MR 26-JUN-89	MR			
L MIL-P-64152	PLATE: TITANIUM DIBORIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) REVIEWER: AT AV GS	A 9350	MR 26-JUN-89	MR			
L MIL-P-64153	PLATE: BORON CARBIDE CERAMIC (FOR USE IN ARMOR COMPOSITES) REVIEWER: AT AV GS	A 9350	MR 26-JUN-89	MR			
L MIL-L-64154	LAMINATE: FIBERGLASS-FABRIC-REINFORCED, PHENOLIC .....	A CMPS	MR 13-OCT-89	MR		11	
L MIL-F-64156	FABRIC, CARBON (GRAPHITE) FIBER, NICKEL-COATED REVIEWER: SM .....	A CMPS	MR 15-OCT-90	MR	AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. Control Number	Doc. Title	Doc. Orig. FPO / Ave MCA Symbol Preparing Act Date	Doc. Orig. FPO / Ave MCA Symbol Preparing Act Date	Custodians		
				Army	Navy	Al Force DLA
MIL-M-64157	METAL MATRIX COMPOSITES (MMC): CARBON (GRAPHITE) FIBER REINFORCED/ALUMINUM, GENERAL SPECIFICATION FOR USER: 19 EC REVIEWER: 20 MI OS SH SH	A CHPS	MR	13-JAN-92	MR	AS 11
MIL-M-64157/1	METAL MATRIX COMPOSITES (GR/AL): STANDARD ELECTRONIC MODULE (SEM) FORMAT E HEATSINK USER: 19 EC REVIEWER: 20 MI OS SH SH	A CHPS	MR	13-JAN-92	MR	AS 11
MIL-M-64157/2	METAL MATRIX COMPOSITES (GR/AL): SPACE RADIATOR PANELS USER: 19 EC REVIEWER: 20 MI OS SH SH	A CHPS	MR	13-JAN-92	MR	AS 11
MIL-M-64157/3	METAL MATRIX COMPOSITES (GR/AL): TUBES FOR TRUSS STRUCTURES USER: 19 EC REVIEWER: 20 MI OS SH SH	X CHPS	MR	13-JAN-92	MR	AS 11
L MIL-M-65054	HOSE ASSEMBLY OUTFIT (REUSABLE ADAPTERS) .....	A 4940	AL	15-FEB-89	AL	
DOD-S-70328	SPACER, RING, METRIC, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8805)	A 5365	AR	05-MAY-88	AR	99
NOTICE 1	USER: AT ME SH REVIEWER: 11 AV EA 15 MC MI					
DOD-S-70328/1	SPACER, RING, METRIC (VALIDATION DATE: 8805) USER: AT ME SH REVIEWER: 11 AV EA 15 MC MI	A 5365	AR	05-MAY-88	AR	99
NOTICE 1						
DOD-M-70329	MUT. PLAIN, ROUND, BALL & ROLLER BEARING, METRIC, USER: AT MC ME SH REVIEWER: 11 EA 15 NS	A 5310	AR	16-AUG-82	AR	OS 99
NOTICE 1						
DOD-M-70329/1	MUT. PLAIN, ROUND, BALL AND ROLLER BEARINGS, NARROW SERIES, METRIC (VALIDATION DATE: 8805) USER: AT MC ME SH REVIEWER: 11 EA 15 NS	A 5310	AR	05-MAY-88	AR	OS 99
NOTICE 1						
DOD-P-70330	PLUG, EXPANSION, METRIC, GENERAL SPECIFICATION FOR USER: MC ME REVIEWER: AT AV EA ER IS	A 5340	AR	16-AUG-82	AR	99
DOD-P-70330/1	PLUG, EXPANSION, CARBON STEEL, METRIC USER: MC ME REVIEWER: AT AV EA ER IS	A 5340	AR	16-AUG-82	AR	99
DOD-P-70330/2	PLUG, EXPANSION, CRES. METRIC (VALIDATION DATE: 8805) USER: MC ME REVIEWER: AT AV EA ER IS	A 5340	AR	05-MAY-88	AR	99
NOTICE 1						
DOD-P-70330/3	PLUG, EXPANSION, ALUMINUM ALLOY, METRIC (VALIDATION DATE: 8805) REVIEWER: AT AV EA ER IS	A 5340	AR	05-MAY-88	AR	99
NOTICE 1						
L DOD-B-70331	BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, METRIC, GENERAL SPECIFICATION FOR USER: AT GL MC ME OS SH REVIEWER: 15 MI NS	A 5306	AR	21-APR-83	AR	
L DOD-B-70331/1	BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, SAE J1199 (10.9) TYPE B, METRIC USER: AT GL MC ME OS SH REVIEWER: 15 MI NS	A 5306	AR	21-APR-83	AR	
L DOD-B-70331/2	BOLT, SELF LOCKING, HEXAGON HEAD, STEEL, SAE J1199 (10.9) TYPE BH, M USER: AT GL MC ME OS SH REVIEWER: 15 MI NS	A 5306	AR	21-APR-83	AR	
MIL-B-70332	BOLT ASSEMBLY, CLAMP, AND COMPONENT PARTS, GENERAL SPECIFICATION FOR REVIEWER: 82 IS MI OS	A 530P	AR	25-MAY-84	AR	AS 99
MIL-B-70332/1	BOLT ASSEMBLY, CLAMP REVIEWER: 82 IS MI OS .....	A 5325	AR	25-MAY-84	AR	AS 99
MIL-B-70332/2	BOLT, SHOULDERED (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS .....	A 5306	AR	25-MAY-84	AR	AS 99
MIL-B-70332/3	BRACKET, STOP (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS .....	A 5340	AR	25-MAY-84	AR	AS 99
MIL-B-70332/4	WASHER, SHOULDERED (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS .....	A 5310	AR	25-MAY-84	AR	AS 99
MIL-B-70332/5	WASHER, SPRING TENSION (BOLT ASSEMBLY, CLAMP) REVIEWER: 82 IS MI OS .....	A 5310	AR	25-MAY-84	AR	AS 99
DOD-M-70333	MUT. PLAIN AND SELF-LOCKING, CLINCH, METRIC (SELF-CLINCHING, KNURELED COLLAR) FIXED AND FLOATING USER: MC REVIEWER: 82 AT AV IS ME MI NS	A 5310	AR	18-JUN-85	AR	AS 99
DOD-M-70333/1	MUT. PLAIN AND SELF-LOCKING, CLINCH, FIXED, METRIC (SELF CLINCHING, KNURELED COLLAR) USER: MC REVIEWER: 82 AT AV IS ME MI NS	A 5310	AR	18-JUN-85	AR	AS 99
DOD-M-70333/2	MUT. PLAIN & SELF-LOCKING, CLINCH, FLOATING, METRIC (SELF CLINCHING, KNURELED COLLAR) USER: MC REVIEWER: 82 AT AV IS ME MI NS	A 5310	AR	18-JUN-85	AR	AS 99
L MIL-S-70335A	SCREW THREADS, INTERNAL COLD FORMED GENERAL SPECIFICATION FOR USER: MC REVIEWER: AL AT IS	A THDS	AR	14-SEP-90	AR	
DOD-M-70336	WASHERS, LOCK, (METRIC) GENERAL SPECIFICATION FOR USER: AT MC REVIEWER: 82 AV IS SH	A 5310	AR	31-DEC-87	AR	OS 99
DOD-M-70336/1	WASHER, LOCK SPRING, HELICAL, REGULAR SERIES, (METRIC) USER: AT CR ER MC ME REVIEWER: 82 AV EA 15 MI SH	A 5310	AR	31-DEC-87	AR	OS 99
DOD-M-70336/3	WASHER, LOCK FLAT, INTERNAL TOOTH (METRIC) USER: AT CR ER MC ME REVIEWER: 82 AV IS NS SH	A 5310	AR	08-JAN-88	AR	OS 99
DOD-M-70336/4	WASHER, LOCK, FLAT, EXTERNAL TOOTH (METRIC) USER: AT CR ER MC ME REVIEWER: 82 AV IS NS SH	A 5310	AR	08-JAN-88	AR	OS 99
MIL-M-70336/5	WASHER, LOCK, EXTERNAL TOOTH (METRIC) USER: AT CR ER MC REVIEWER: 82 AV IS MI SH	A 5310	AR	27-JUN-90	AR	OS 99
MIL-M-70337	RING, RETAINING, ROUND SECTION USER: ME NS OS SH REVIEWER: 82 AT ER GL IS MI	A 5365	AR	15-JAN-88	AR	99
MIL-M-70337/1	RING, RETAINING, ROUND SECTION, EXTERNAL, CLOSED TYPE USER: NS OS SH REVIEWER: 82 AT ER GL IS ME MI	A 5365	AR	15-JAN-88	AR	99
D DOD-S-70338	SEAL RING, METAL, METRIC GENERAL SPECIFICATION FOR USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70338/1	SEAL RING, COPPER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70338/2	SEAL RING, ALUMINUM, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70338/3	SEAL RING, STEEL, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70339	SEAL RING, METAL AND NON-METAL, FLAT, METRIC GENERAL SPECIFICATION FOR USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
SUPPL 1A1						
D DOD-S-70339/1	SEAL RING, ALUMINUM, FLAT, METRIC USER: 68 AS AT AV GL YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70339/2	SEAL RING, COPPER, FLAT, METRIC USER: 68 AS AT GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	20-JUL-88	AR	SH 99
D DOD-S-70339/3	SEAL RING, STEEL, FLAT, METRIC USER: 68 AS GL ME YD1 REVIEWER: 82 AT IS MI OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70339/4	SEAL RING, VULCANIZED FIBER, FLAT, METRIC USER: 68 AS AT GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70339/5	SEAL RING, PAPER, NON-IMPREGNATED, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70339/6	SEAL RING, PAPER, IMPREGNATED, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70339/7	SEAL RING, PRESSBOARD, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 .....	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70339/8	SEAL RING, RUBBER, FLAT, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70340	SEAL RING, METAL, ASBESTOS FILLER, METRIC GENERAL SPECIFICATION FOR USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70340/1	SEAL RING, ALUMINUM, ASBESTOS FILLER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70340/2	SEAL RING, COPPER, ASBESTOS FILLER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
D DOD-S-70340/3	SEAL RING, STEEL, ASBESTOS FILLER, METRIC USER: 68 AS AT AV GL ME YD1 REVIEWER: 82 IS MI NR OS	A 5330	AR	22-JUL-88	AR	SH 99
MIL-P-70341	PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE) GENERAL SPECIFICATION FOR	A 5330	AR	23-SEP-88	AR	SH 99
MIL-P-70341/1	PACKING, PREFORMED, PTFE (POLYTETRAFLUOROETHYLENE), NON-FILLED .....	A 5330	AR	23-SEP-88	AR	SH 99
MIL-M-70342	WASHER, FLAT, METRIC GENERAL SPECIFICATION FOR USER: CE GL MC MI SH YD1 REVIEWER: ER IS	A 5310	AR	04-NOV-88	AR	AS 99
D MIL-M-70342/1	WASHER, FLAT, REGULAR SERIES (TYPE I), CARBON STEEL, METRIC USER: CE GL MC MI SH YD1 REVIEWER: ER IS	A 5310	AR	04-NOV-88	AR	AS 99
D MIL-M-70342/2	WASHER, FLAT, REGULAR SERIES (TYPE I), CRES. METRIC USER: CE GL MC MI SH YD1 REVIEWER: ER IS	A 5310	AR	04-NOV-88	AR	AS 99
D MIL-M-70342/3	WASHER, FLAT, NARROW SERIES (TYPE II), CARBON STEEL, METRIC USER: CE GL MI REVIEWER: ER IS MC SH YD1	A 5310	AR	04-NOV-88	AR	AS 99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Combination Machine Document Number	Document Title	Dist. Symt FSC / Arms MCA Symbol	Preparing Act Date	Custodians			
				Army	Navy	Air Force	DLA
D MIL-W-70342/4	WASHER, FLAT, WIDE SERIES (TYPE III), HIGH STRENGTH, ALLOY STEEL, METRIC USER: CE GL MC MI SH YDI REVIEWER: ER IS	A 5310	AR 04-NOV-88	AR	AS	99	
D MIL-W-70342/5	WASHER, FLAT, WIDE SERIES (TYPE III), CARBON STEEL METRIC USER: CE GL MC MI SH YDI REVIEWER: ER IS	A 5310	AR 04-NOV-88	AR	AS	99	
MIL-P-70343(1)	PACKING, FIBERGLASS, ROPE AND WICK REVIEWER: IS	A 5330	AR 26-APR-91	AR	SH		
MIL-S-70344	SHIM, LAMINATED, GENERAL SPECIFICATION FOR USER: AT REVIEWER: B2 AV IS MI NS	A 5365	AR 29-JUN-90	AR		99	
MIL-S-70344/1	SHIM, LAMINATED, ROUND, CLASS 1 (.002) LAMINATES USER: AT REVIEWER: B2 AV IS MI NS	A 5365	AR 29-JUN-90	AR		99	
MIL-S-70344/2	SHIM, LAMINATED, ROUND, CLASS 2 (.003) LAMINATES USER: AT REVIEWER: B2 AV IS MI NS	A 5365	AR 29-JUN-90	AR		99	
A L DOD-C-70429A(1)	CANNON, 120MM GUN: M256	B 1015	AR 16-JAN-90	AR			
L MIL-D-70430(3)	DECCELERATOR, RAM AIR PARTS AND CONTAINER ASSEMBLY	A 1330	AR 02-MAR-90	AR			
L MIL-T-70431	TEST SET, ELECTRONIC SYSTEM: M137 [VALIDATION DATE: 9109]	A 1310	AR 12-SEP-91	AR			
L MIL-D-70432	DETONATOR, ELECTRIC, PAS26 (XM70) LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1390	AR 31-OCT-90	AR			
L MIL-P-70433	PRIMER PERCUSSION, MODIFIED 209, LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9004]	A 1375	AR 20-APR-90	AR			
L MIL-W-70434(4)	WARHEAD, 2.75 INCH ROCKET, TEST, EMPTY, MODIFIED: PXR6358 WITH FLASH, PARTS AND ASSEMBLY	A 1340	AR 21-MAR-91	AR			
L MIL-F-70435(6)	FUZE, POINT DETONATING, (PD), M759	A 1305	AR 18-SEP-89	AR			
L MIL-D-70436(2)	DETONATOR ASSEMBLY FOR FUZE, POINT DETONATING, M759	A 1305	AR 02-DEC-85	AR			
L MIL-S-70437(2)	SPITBACK LEAD ASSEMBLY FOR FUZE, POINT DETONATING, M759	A 1305	AR 02-DEC-85	AR			
L MIL-P-70438(1)	PLUG ASSEMBLY, LIFTING, UNIVERSAL	A 1320	AR 26-JAN-87	AR			
L MIL-P-70439(1)	PROJECTILE, 105MM, M456A1 AND M622 SPIKE AND CAP ASSEMBLY [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR			
L MIL-S-70440(2)	SUPPORT, COVER	A 1320	AR 16-JUN-87	AR			
L MIL-C-70441(1)	CASE, BRASS, CAL .30, NATIONAL MATCH	A 1305	AR 02-MAR-87	AR			
L MIL-S-70442	SIGHT, HELICOPTER, HEAD-UP SUBSYSTEM: M76 [VALIDATION DATE: 8904]	A 1270	AR 10-APR-89	AR			
A L MIL-D-70443(1)	DISPLAY UNIT, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76	A 1270	AR 26-AUG-92	AR			
L MIL-P-70444	PROCESSOR, SIGNAL, SIGHT, HELICOPTER HEAD UP SUBSYSTEM: M76 [VALIDATION DATE: 8904]	A 1270	AR 10-APR-89	AR			
L MIL-B-70445(2)	BULLET, CAL .30	A 1305	AR 22-JUL-91	AR			
M L MIL-M-70446A	MACHINE GUN, 5.56MM: M249	A 1005	AR 30-MAR-93	AR			
A L MIL-P-70447(2)	PROJECTILE, PRACTICE, 155MM, M804 LOADING, ASSEMBLING AND PACKING	A 1320	AR 07-MAY-92	AR			
L MIL-B-70448	BARREL, MACHINE GUN, CAL .50, RECOIL AMPLIFIER, PRACTICE, M3	A 1005	AR 30-OCT-87	AR			
L MIL-P-70449	POWER MODULE ASSEMBLY FOR TEST SET, ELECTRONIC SYSTEM: M137 [VALIDATION DATE: 8811]	A 1310	AR 02-NOV-88	AR			
L MIL-P-70451(1)	PRIMER, ELECTRIC, XM125 (M125) LOADING, ASSEMBLING AND PACKING	A 1315	AR 10-JUL-85	AR			
L MIL-P-70452C	PRIMER, ELECTRIC, M125 METAL PARTS FOR	A 1315	AR 20-JUL-91	AR			
M L MIL-M-70453A	MOUNT, TELESCOPE: 9360169	A 1240	AR 08-MAR-93	AR			
L MIL-S-70454	SIGHTUNIT: M64A1	A 1240	AR 01-APR-85	AR			
L MIL-C-70455	CASE CARTRIDGE, BLANK 75MM, M9A1B1 [VALIDATION DATE: 9010]	A 1315	AR 15-OCT-90	AR			
A L MIL-P-70456C(4)	PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE PROPELLING M203A1	A 1376	AR 03-JUL-92	AR			
L MIL-J-70457	URANIUM TETRAFLUORIDE (UF4), DEPLETED [VALIDATION DATE: 9101]	A 6810	AR 28-JAN-91	AR			
L DOD-F-70459	FIBER, SHREDDED WOOD [VALIDATION DATE: 9011]	A 1320	AR 01-NOV-90	AR			
L MIL-C-70460A(1)	CARTRIDGE, 5.56MM, BALL, (HEAVY BULLET) REFERENCE [VALIDATION DATE: 9010]	A 1305	AR 31-OCT-90	AR			
L MIL-C-70461D(1)	COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS FOR CHARGE, PROPELLING, 155MM, M203A1	A 1320	AR 13-MAY-92	AR			
A L MIL-C-70462C(7)	CHARGE PROPELLING, 155MM, M203A1 LOADING, ASSEMBLING AND PACKING	A 1320	AR 09-DEC-92	AR			
L MIL-C-70463(1)	CARTRIDGE, 5.56MM, PLASTIC, BALL, PRACTICE, M862	A 1305	AR 08-MAY-87	AR			
L MIL-G-70464(1)	GRENADE (GP), LINK FOR	A 1330	AR 21-AUG-91	AR			
L MIL-P-70465(2)	PLUG AND DISC ASSEMBLY, B597489	A 1315	AR 18-MAY-86	AR			
A L MIL-W-70467(3)	WARHEAD, 2.75 INCH ROCKET, PRACTICE: M274	A 1340	AR 14-OCT-92	AR			
L MIL-C-70468A(1)	CARTRIDGE, DUMMY, 5.56MM INERT LOADED, M857	A 1305	AR 11-MAY-92	AR			
L MIL-C-70469(1)	CONTAINER, STEEL, FOR BULK PROPELLANT	A 8140	AR 13-JAN-87	AR			
L MIL-C-70470(1)	CONTAINER, FIBER, FOR BULK PROPELLANT	A 8140	AR 13-JAN-87	AR			
L MIL-S-70471(1)	SAW, M249 BLANK AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP	A 1005	AR 25-JUN-90	AR			
L MIL-C-70472(2)	CONTAINER AND CUSHION ASSEMBLY, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION	A 8140	AR 03-AUG-89	AR			
L MIL-C-70473(2)	CUSHION COMPONENTS FOR METAL CONTAINER FOR CARTRIDGE 120MM TANK AMMUNITION	A 8140	AR 23-MAY-88	AR			
L MIL-C-70474(3)	CHARGE, PROPELLING, M205, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY	A 1315	AR 05-MAR-90	AR			
L MIL-P-70475	PAPER, NITROCELLULOSE BASE [VALIDATION DATE: 9004]	A 1375	AR 20-APR-90	AR			
L MIL-P-70476(1)	PROJECTILE, 155MM: INERT, M483A1 LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9011]	A 1320	AR 01-NOV-90	AR			
L MIL-G-70477(2)	GRENADES, GP: M42 AND M46, INERT LOADING, ASSEMBLING AND PACKING [VALIDATION DATE: 9010]	A 1330	AR 31-OCT-90	AR			
L MIL-C-70478(3)	CONTAINER, AMMUNITION, METAL, FOR CARTRIDGE, 120MM, TANK AMMUNITION	A 8140	AR 24-OCT-91	AR			
L MIL-D-70483A	OPERATION UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM, M138	A 1310	AR 20-APR-85	AR			
L MIL-D-70484	DISPLAY UNIT, FOR ROCKET MANAGEMENT SUBSYSTEM M138 [VALIDATION DATE: 9109]	A 1310	AR 12-SEP-91	AR			
L MIL-I-70485(1)	INDICATOR, AIRSPEED, AND DIRECTION FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143	A 1270	AR 13-AUG-90	AR			
L MIL-P-70486(1)	PROCESSOR, SIGNAL, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143	A 1270	AR 13-AUG-90	AR			
L MIL-D-70487(1)	DETECTOR, WIND DIRECTION, SPEED, AND TEMPERATURE, FIRE AND FLIGHT AIR DATA SUBSYSTEM, HELICOPTER ARMAMENT: M143	A 1270	AR 13-AUG-90	AR			
L MIL-C-70489(1)	COMPUTER, BALLISTICS, MORTAR	A 1220	AR 21-MAR-86	AR			
L MIL-C-70490(1)	CIRCUIT CARD ASSEMBLY, MEMORY	A 1220	AR 21-MAR-86	AR			
L MIL-C-70491(2)	CIRCUIT CARD ASSEMBLY, DISPLAY/PROCESSOR	A 1220	AR 12-MAR-90	AR			
L MIL-C-70492(2)	CIRCUIT CARD ASSEMBLY, MODEM	A 1220	AR 12-MAR-90	AR			
L MIL-K-70493(1)	KEYBOARD, DATA ENTRY	A 1220	AR 21-MAR-86	AR			
L MIL-C-70494(1)	CIRCUIT CARD ASSEMBLY, AUDIO INTERFACE	A 1220	AR 21-MAR-86	AR			
L MIL-C-70495(2)	CIRCUIT CARD ASSEMBLY, DISPLAY POWER SUPPLY	A 1220	AR 21-MAR-86	AR			
L MIL-C-70496(1)	CIRCUIT CARD ASSEMBLY, LOGIC POWER SUPPLY	A 1220	AR 21-MAR-86	AR			
L MIL-C-70497(1)	CIRCUIT CARD ASSEMBLY, CASE INTERCONNECT	A 1220	AR 21-MAR-86	AR			
L MIL-C-70498(1)	CIRCUIT CARD ASSEMBLY, INTERCONNECT	A 1220	AR 21-MAR-86	AR			
L MIL-W-70500B	MICRO-REPRODUCTION SYSTEM FOR ENGINEERING CHANGE PROPOSALS, REQUESTS FOR DEVIATIONS, & REQUESTS FOR WAIVERS	A EDRS	AR 23-NOV-87	AR			
L MIL-C-70501(3)	CHARGE, PROPELLING, M204, PAPER PREFORM PROCESS PARTS AND CONTAINER ASSEMBLY	A 1310	AR 05-APR-90	AR			
L MIL-R-70502(2)	RACK, STORAGE SMALL SAW (M13)	A 1095	AR 01-JUL-88	AR			
L MIL-R-70503A	ROCKET MANAGEMENT SUBSYSTEM M138	A 1310	AR 20-APR-85	AR			
L MIL-P-70504A(2)	PROJECTILE, 155MM: M804 BODY & OGIVE ASSEMBLY FOR	A 1320	AR 03-APR-89	AR			
A L MIL-P-70505(4)	PROJECTILE, 155MM: M804(M864) PROPELLANT GRAIN	A 1320	AR 26-DEC-92	AR			
L MIL-P-70506A(1)	PROJECTILE, 155MM: M864 BASE BURNER ASSEMBLY LOADING, ASSEMBLING AND PACKING	A 1320	AR 03-APR-89	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Ordnance Code	Ordnance Code	Description	Doc Type	Doc Smt	FSC / Ave	MCA Symbol	Preparing Agency	Date	Custodians
L	MIL-P-70507(3)	PROJECTILE, 155MM, HE, (M864) LOADING, ASSEMBLING AND PACKING		A	1320	AR	31-OCT-90	AR	
M L	MIL-C-70508(7)	CARTRIDGE, 9MM, BALL, NATO, XM882 (M882)		A	1305	AR	18-MAR-93	AR	
M L	MIL-C-70509(5)	CARTRIDGE, 9MM, TEST, HIGH PRESSURE, XM905		A	1305	AR	18-MAR-93	AR	
A L	MIL-B-70511B	BOLT, AUTOMATIC WEAPON: (PRACTICE) M2		A	1005	AR	04-JAN-93	AR	
L	MIL-C-70512	COMPONENT BOARD ASSEMBLY: 10558242		A	4931	AR	30-DEC-86	AR	
L	MIL-F-70518(2)	FLARE, INFRARED TRACKING, MARK 33 MOD 0 (ARMY) PARTS FOR AND LOADING, ASSEMBLING AND PACKING		A	1370	AR	22-AUG-90	AR	
A L	MIL-T-70521A	TELESCOPE, ELBOW: 9360257		A	1240	AR	22-OCT-92	AR	
L	MIL-P-70524(3)	PROJECTILE, 105MM, HE, RA, M813/XM827 WARHEAD INSULATION ASSEMBLY FOR		A	1315	AR	07-MAY-92	AR	
L	MIL-P-70525(3)	PROJECTILE, 105MM, HE, RA, M813/XM827 MOTOR BODY BONDING ASSEMBLY FOR		A	1315	AR	16-SEP-91	AR	
A L	MIL-P-70526(3)	CARTRIDGE, 105MM, HE, RA, M813/XM827 DELAY ASSEMBLY FOR		A	1315	AR	04-NOV-92	AR	
M L	MIL-P-70528(2)	CARTRIDGE, 105MM, HE, RA, M813/XM827 DELAY ASSEMBLY FOR		A	1315	AR	13-APR-93	AR	
A L	MIL-F-70531(2)	FUZE, MT, SO, M82A1 LOADING, ASSEMBLING AND PACKING		A	1390	AR	30-JUN-92	AR	
L	MIL-C-70532(2)	CARTRIDGES, 105MM, HE, RA, M813 AND XM827 (WITH WARHEAD AND MOTOR BODY) LOADING, ASSEMBLING AND PACKING		A	1320	AR	03-SEP-91	AR	
M L	MIL-P-70533(5)	CARTRIDGE, 105MM, HE, RA, M813/XM827 ROCKET PROPELLANT FOR		A	1315	AR	09-APR-93	AR	
A L	MIL-I-70534(2)	IGNITER, ELECTRIC MATCH PARTS FOR AND LOADING, ASSEMBLING AND PACKING		A	1370	AR	23-FEB-93	AR	
A L	MIL-S-70536(2)	SIMULATOR, TARGET KILL, PARTS FOR AND LOADING, ASSEMBLING AND PACKING		A	1370	AR	12-FEB-93	AR	
L	MIL-S-70538(1)	SAW, M249 AMMUNITION MAGAZINE ASSEMBLY AND FEEDSTRAP		A	1005	AR	29-JUN-90	AR	
L	MIL-P-70539(1)	PROPELLANT M30 FOR USE IN CHARGE, PROPELLING, 105MM, M200		A	1376	AR	29-OCT-87	AR	
L	MIL-M-70542(1)	MUZZLE BORE SIGHT DEVICE 11785384 (M26 FOR M105MM GUN TUBE)		A	1240	AR	29-APR-91	AR	
A L	MIL-P-70543A(3)	PROJECTILE, 81MM ILLUMINATING, M853A1, METAL PARTS		A	1315	AR	24-FEB-93	AR	
A L	MIL-C-70544A(4)	CARTRIDGE, 81MM, ILLUMINATING, M853A1, LOADING, ASSEMBLING AND PACKING		A	1315	AR	24-FEB-93	AR	
A L	MIL-C-70545(1)	CHARGE, PROPELLING, M218/219/220 LOADING, ASSEMBLING AND PACKING		A	1315	AR	25-SEP-92	AR	
L	MIL-F-70546	FIN ASSEMBLIES, MORTAR CARTRIDGE, 81MM, M28, M29		A	1315	AR	05-SEP-86	AR	
L	MIL-S-70547(4)	SPHEROIDAL PROPELLANT, M38 FOR USE IN PROPELLING CHARGES M218, M219, AND M220 FOR CARTRIDGES, 81MM, SMOKE, M819, ILLUMINATING M853 AND PRACTICE, M879		A	1376	AR	25-MAY-92	AR	
A L	MIL-O-70548(4)	OBTURATING BAND, PLASTIC SPLIT (MOLDED)		A	1395	AR	04-NOV-92	AR	
L	MIL-C-70549(2)	CARTRIDGE, 81MM SMOKE, RED PHOSPHORUS M819, WITH FUZE MTSO M772 LOADING, ASSEMBLING AND PACKING		A	1315	AR	10-AUG-88	AR	
L	MIL-P-70550	PELLET, RED PHOSPHORUS, FOR MORTAR CARTRIDGE 81MM SMOKE, RP, M819		A	1370	AR	05-SEP-86	AR	
L	MIL-P-70551	PROJECTILE, 81MM SMOKE, RP, M819 METAL PARTS		A	1315	AR	05-SEP-86	AR	
L	MIL-C-70552	CARTRIDGE CASE, 20MM, EMPTY, PRIMED		A	1305	AR	05-FEB-86	AR	
L	MIL-M-70553	RACK, STORAGE M819 (XM15)		A	1095	AR	14-JAN-86	AR	
A L	MIL-M-70561B	RECEIVER-TRANSMITTER, RADAR SET RT-860A/VPS-2A: 9361152		A	1285	AR	24-JAN-92	AR	
A L	MIL-C-70562B	COMPUTER, RANGE CP-888A/VPS-2A: 9361153		A	1285	AR	08-DEC-92	AR	
A L	MIL-C-70568B(1)	CIRCUIT BOARD, INPUT/OUTPUT: 9360881		A	1285	AR	09-OCT-92	AR	
M L	MIL-C-70570C	CIRCUIT BOARD, SERVO CONTROLLER: 9360875		A	1285	AR	12-APR-93	AR	
A L	MIL-C-70571B	CIRCUIT BOARD, BUILT-IN TEST BOARD NO. 1, UNIT 4: 9360949		A	1285	AR	23-FEB-93	AR	
A L	MIL-C-70572B(1)	CIRCUIT BOARD, BUILT IN TEST #2, UNIT 4: 9360952		A	1285	AR	08-DEC-92	AR	
M L	MIL-C-70573B	CIRCUIT ASSEMBLY, BUILT IN TEST, SAGAS, U/5: 9360998		A	1285	AR	11-MAR-93	AR	
A L	MIL-C-70574B(1)	CIRCUIT BOARD ASSEMBLY, BUILT IN TEST 2AB UNIT 2: 9361010		A	1285	AR	30-OCT-92	AR	
L	MIL-C-70575B	CIRCUIT BOARD, DISPLAY CONTROL PANEL: 9360884		A	1285	AR	26-FEB-92	AR	
A L	MIL-V-70579B(2)	VOLTAGE CONVERTER: 9360839		A	1285	AR	09-SEP-92	AR	
A L	MIL-C-70580B(2)	CIRCUIT BOARD, 400 HZ INVERTER, VOLTAGE CONVERTER (PIVADS): 9397386		A	1285	AR	09-OCT-92	AR	
A L	MIL-C-70581B(2)	CIRCUIT BOARD, +5.2 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397383		A	1285	AR	09-OCT-92	AR	
A L	MIL-C-70582B(2)	CIRCUIT BOARD, +24 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397385		A	1285	AR	09-OCT-92	AR	
A L	MIL-C-70583B(1)	CIRCUIT BOARD, +15 VOLT CONVERTER, VOLTAGE CONVERTER (PIVADS): 9397384		A	1285	AR	28-DEC-92	AR	
A L	MIL-C-70584B(2)	CIRCUIT BOARD, CONTROL AND SYNCHRONIZER, VOLTAGE CONVERTER (PIVADS): 9397382		A	1285	AR	28-OCT-92	AR	
A L	MIL-C-70585B(1)	CIRCUIT BOARD, DATA TRANSMISSION (PIVADS): 9397510		A	1285	AR	09-OCT-92	AR	
A L	MIL-C-70586B(1)	CONTROL ASSEMBLY, M163A2 (SP): 9361150		A	1285	AR	28-OCT-92	AR	
A L	MIL-S-70587B(1)	SERVO AMPLIFIER: 9361156		A	1285	AR	09-SEP-92	AR	
L	MIL-R-70589B	REMOTE BIT TEST SET: TS-4211/TSM-1008: 9361217		A	4931	AR	30-SEP-91	AR	
A L	MIL-C-70590B(1)	CONTROL ASSEMBLY TEST PANEL TS-4215/TSM-1008: 9361261		A	4931	AR	09-SEP-92	AR	
L	MIL-G-70595B	GYRO CONTROL BOARD: 9361069		A	1285	AR	02-FEB-91	AR	
A L	MIL-P-70596B(1)	POWER BOARD: 9361073		A	1285	AR	08-DEC-92	AR	
L	MIL-C-70598B	CONTROL ASSEMBLY, M167A2 (TOWED): 9378473		A	1285	AR	01-JUN-92	AR	
A L	MIL-C-70599(1)	CARBINE, 5.56MM: XM4		A	1005	AR	27-NOV-92	AR	
L	MIL-C-70600(1)	CARTRIDGES, CALIBER .22		A	1305	AR	22-APR-88	AR	
L	MIL-F-70601	FUZE, TIME, XM768 METAL PARTS LOADING ASSEMBLING AND PACKING		A	1390	AR	29-MAY-86	AR	
L	MIL-D-70602(1)	DETONATOR, STAB, PAS23 PARTS FOR		A	1345	AR	12-SEP-86	AR	
L	MIL-D-70603(2)	DETONATOR, STAB, PA 523 LOADING, ASSEMBLING, AND PACKING		A	1345	AR	25-MAR-92	AR	
L	MIL-A-70604(1)	ADHESIVE BONDING AGENT		A	6810	AR	23-NOV-90	AR	
L	MIL-M-70605(1)	2,2' - METHYLENEBIS (4-METHYL-6-TERT-BUTYLPHENOL)		A	6810	AR	23-NOV-90	AR	
A L	MIL-K-70606(1)	KNIFE, BAYONET, MULTIPURPOSE, M9 WITH SCABARD		A	1005	AR	02-SEP-92	AR	
L	MIL-A-70608A	ADAPTER & FUZE, ASSEMBLY: M824, LOADING, ASSEMBLING AND PACKING		A	1345	AR	31-MAY-88	AR	
L	MIL-A-70609A	ADAPTER & FUZE, ASSEMBLY: M824, PARTS FOR		A	1345	AR	31-MAY-88	AR	
L	MIL-E-70610	EMITE IGNITER		A	1345	AR	01-JUN-86	AR	
L	MIL-P-70612(2)	PROJECTILE, 155MM: M864 BASE ASSEMBLY FOR		A	1320	AR	03-APR-89	AR	
L	MIL-F-70613(4)	FUZE, PD, M936 LOADING, ASSEMBLING AND PACKING		A	1390	AR	01-FEB-91	AR	
A L	MIL-C-70614(2)	CARTRIDGE, 60MM, SMOKE, WP, M302A2 ASSEMBLING, MARKING AND PACKING		A	1310	AR	12-OCT-92	AR	
L	MIL-S-70615A	SLINGS, TOP-LIFT, FAMILY OF SLINGS		A	3940	AR	25-JAN-91	AR	
L	MIL-G-70617A	GUMFIRE SIMULATOR: 12725085		A	1290	AR	26-SEP-91	AR	
A L	MIL-C-70618A(1)	CIRCUIT CARD ASSEMBLY, GUMFIRE SIMULATOR: 12725086		A	6920	AR	01-DEC-92	AR	
L	MIL-F-70620A(1)	FUZE, MTSO, M772 LOADING, ASSEMBLING AND PACKING		A	1390	AR	01-JUN-90	AR	
L	MIL-C-70621	CARTRIDGE, 9MM, BALL, REFERENCE		A	1305	AR	20-FEB-87	AR	
L	MIL-M-70622	WARHEAD, 2.75 INCH ROCKET, TEST, PXR6369, WITH SMOKE FOR TEST: FUZE, ROCKET, M433		A	1340	AR	06-MAR-87	AR	
L	MIL-P-70624A(3)	POWER BOX COMPONENTS ASSEMBLY, ELECTRONICS BOX COMPONENTS ASSEMBLY, CABLE ASSEMBLIES AND TRANSMITTER ASSEMBLY FOR MINE DISPENSER: M138 (FLIPPER)		A	1345	AR	24-MAR-92	AR	
L	MIL-A-70625A	AUTOMATED ACCEPTANCE INSPECTION EQUIPMENT DESIGN, TESTING AND APPROVAL, OF CONTAINER, SHIPPING AND STORAGE: PA122		A	1395	AR	21-APR-89	AR	
L	MIL-C-70627A(2)	CONTAINER, AMMUNITION, PA108 ASSEMBLY		A	1345	AR	24-MAR-92	AR	
L	MIL-C-70628(1)	CONTAINER, AMMUNITION, PA108 ASSEMBLY		A	1305	AR	23-FEB-90	AR	
L	MIL-C-70629(1)	CONTROL, MINE DISPENSER FOR THE UNIVERSAL MINE DISPENSER SYSTEM, M139 (CONTROLLED DISTRIBUTION)		F	1095	AR	27-AUG-90	AR	
L	MIL-C-70630(4)	CONTAINER, AMMUNITION, METAL, PA117, FOR CARTRIDGE 105MM TANK AMMUNITION		A	8140	AR	01-JUN-92	AR	
L	MIL-B-70631A(2)	DISPENSER, MINE: M138 (FLIPPER)		A	1345	AR	24-MAR-92	AR	
L	MIL-C-70636	CARTRIDGE, 20MM, ARMOR PIERCING-TRACER, M95 (PERCUSSION PRIMER)		A	1305	AR	02-MAR-88	AR	
L	MIL-P-70637	PROJECTILE, 20MM, ARMOR PIERCING-TRACER, M95, METAL PARTS		A	1305	AR	02-MAR-88	AR	
A L	MIL-T-70638	TEST PROJECTILE, 155MM, NON-HE, FOR M692/M731 TEST MINES LOADING, ASSEMBLING AND PACKING OF		A	1320	AR	18-NOV-92	AR	
L	MIL-C-70660A	CANISTER ASSEMBLY, M88 LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION)		B	1345	AR	02-FEB-90	AR	
L	MIL-P-70661(3)	POTTED CIRCUIT CARD ASSEMBLY FOR TOW-2/E6 PROBE AND S&A ASSEMBLY		A	1336	AR	10-APR-92	AR	
L	MIL-C-70663A	CARTRIDGE, CALIBER .50 SLAP BALL AND TRACER (SABOTED LIGHT ARMOR PENETRATOR) - XM903 AND XM962		A	1305	AR	06-FEB-91	AR	
L	MIL-P-70668(2)	PRESSURE CARTRIDGE ASSEMBLY LOADING, ASSEMBLING AND PACKING		A	1345	AR	15-JUL-91	AR	
L	MIL-B-70670A	BORE RIDER TIMER, LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION)		X	1345	AR	16-NOV-89	AR	
L	MIL-P-70671(1)	PRIMER, ELECTRIC, LOADING, ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION)		F	1345	AR	06-MAY-91	AR	
A L	MIL-F-70673(2)	FUZE, ROCKET, BASE DETONATING, M442		A	1340	AR	07-DEC-92	AR	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / OMA Coordination Inactive	Document Number	Document Title	Dist Symb FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-P-70674(2)	PROJECTILE 155MM: MB64 METAL PARTS FOR BASE BURNER ASSEMBLY	A 1320	AR	22-MAY-91	AR			
L	MIL-P-70675(1)	POWER SUPPLY ASSEMBLY, FOR MINES, M71BA1/M741A1, SYSTEM	A 1345	AR	26-JUL-91	AR			
L	MIL-F-70676	FERRIC ACETYLACETONATE	A 6810	AR	29-JUN-88	AR			
L	MIL-B-70677(1)	BURSTER, PROJECTILE, XMB5 (MB5) LOADING, ASSEMBLING AND PACKING	A 1310	AR	23-FEB-90	AR			
L	MIL-C-70678(3)	CASE, PROJECTILE BURSTER, XM216 (M216)	A 1310	AR	18-FEB-92	AR			
L	MIL-P-70679(2)	PROJECTILE, 60MM, WP, XM722 (M722) BODY ASSEMBLY	A 1310	AR	15-MAR-91	AR			
L	MIL-T-70681(1)	TRIPHENYL BISMUTH	A 6810	AR	23-NOV-90	AR			
M L	MIL-S-70682(1)	SIMULATOR, FLASH, ARTILLERY, M21 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1370	AR	26-MAR-93	AR			
L	MIL-C-70683A	CHARGE, DEMOLITION: 40LB, CRATERING PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1375	AR	22-AUG-91	AR			
L	MIL-S-70685	SLIP RING ASSEMBLY	A 1005	AR	10-FEB-87	AR			
L	MIL-P-70686(1)	PRE-AMP CIRCUIT BOARD: 12594670	A 1285	AR	29-MAR-91	AR			
L	MIL-D-70687	DRIVER CIRCUIT BOARD: 12594675	A 1285	AR	13-JUN-90	AR			
L	MIL-D-70688(1)	OUTPUT CIRCUIT BOARD: 12594680	A 1285	AR	19-SEP-91	AR			
L	MIL-M-70689(1)	HEATSINK ASSEMBLY: 12594650	A 1285	AR	09-AUG-91	AR			
L	MIL-C-70690	CARTRIDGE, FUZELESS, 25MM, HIGH EXPLOSIVE INCENDIARY TRACER, (HEI-T), M792	A 1305	AR	16-SEP-88	AR			
L	MIL-M-70691(1)	4,4' - METHYLENEBIS (2,6-DITERTBUTYLPHENOL)	A 6810	AR	23-NOV-90	AR			
L	MIL-S-70692(1)	SYM-BETA-NAPHTHYLPARAPHENYLENE/AMINE	A 6810	AR	23-NOV-90	AR			
A L	MIL-E-70694A(1)	ELECTRONIC CONTROL UNIT: 11784504	A 6920	AR	19-JAN-93	AR			
A L	MIL-P-70695(1)	PROJECTILE, PRACTICE, 155MM, MB04E1 CAST METAL PARTS ASSEMBLY	A 1320	AR	13-JUL-92	AR			
L	MIL-M-70696	MINE ASSEMBLY, ANTI-PERSONNEL, MB6 LOADING AND ASSEMBLING OF	A 1345	AR	10-JUL-88	AR			
L	MIL-P-70697	PURSUIT DETERRENT MUNITION, HAND EMPLACED MINE (PDM), MB6 MOLDED ASSEMBLY FOR	A 1345	AR	10-JUL-88	AR			
L	MIL-I-70698	IMPROVED LIFTING TARGET ELEVATING MECHANISM: 9375512	A 6920	AR	30-DEC-88	AR			
L	MIL-T-70699	TEST SET, FIRE CONTROL SUBSYSTEM: M143	A 1270	AR	30-JUL-87	AR			
L	MIL-I-70700A	TARGET HOLDING MECHANISM ASSEMBLY: 9375764	A 6920	AR	07-FEB-92	AR			
L	MIL-A-70702B	AZIMUTH DRIVE ASSEMBLY: 9360802	A 1285	AR	27-SEP-91	AR			
L	MIL-S-70703(2)	STRAND CAST STEEL, CARBON & ALLOY, FOR PROJECTILE APPLICATIONS REVIEWER: 70 HR	A MECA	AR	18-MAR-88	AR			99
A L	MIL-D-70704B	DISTRIBUTION BOX: 9397370	A 1285	AR	03-JUL-92	AR			
L	MIL-M-70705B	MICROWAVE CHASSIS ASSEMBLY: 9361371	A 1285	AR	29-JUL-91	AR			
A L	MIL-F-70713(1)	FUZE, MTSO, M776 LOADING, ASSEMBLING AND PACKING	A 1390	AR	29-OCT-92	AR			
A L	MIL-C-70714(6)	CARTRIDGE, 60MM, ILLUMINATING, XM721 (M721) LOADING, ASSEMBLING, AND PACKING	A 1310	AR	26-DEC-92	AR			
L	MIL-P-70715(3)	PROJECTILE, 60MM ILLUMINATING, XM721, (M721) METAL PARTS FOR	A 1310	AR	01-JUN-92	AR			
L	MIL-M-70719	MINE, ANTI-TANK: HE VOLCANO LOADING ASSEMBLING AND PACKING (CONTROLLED DISTRIBUTION)	F 1345	AR	05-APR-90	AR			
M L	MIL-M-70720A	MINE, ANTI-PERSONNEL: HE, VOLCANO LOADING, ASSEMBLING AND PACKING	D 1345	AR	27-APR-93	AR			
L	MIL-G-70721A	GRENADE AND TUBE ASSEMBLY METAL PARTS ASSEMBLY	A 1320	AR	10-APR-92	AR			
M L	MIL-C-70723	CARTRIDGE, CALIBER .50, M-95B BALL AND M-860 TRACER SHORT RANGE TRAINING AMMUNITION	A 1305	AR	19-APR-93	AR			
AML	MIL-C-70724	CARTRIDGE, 5.56MM, BLANK, M200A1 PERFORMANCE SPECIFICATION FOR	A 1305	AR	22-OCT-92	AR			
A L	MIL-C-70725	CARTRIDGE, 5.56MM, MB62 SHORT RANGE TRAINING AMMUNITION PERFORMANCE SPECIFICATION FOR	A 1305	AR	02-JUL-92	AR			
A L	MIL-C-70726	CARTRIDGE, CALIBER .50, BLANK, XM92B, PERFORMANCE SPECIFICATION FOR	A 1305	AR	05-FEB-93	AR			
L	MIL-C-70729	CHARGE PROOF, 155MM, PKR-6297A1 LOADING, ASSEMBLING AND PACKING	A 1320	AR	31-MAR-89	AR			
ML	MIL-B-70731	BATTERY, PRIMARY RESERVE, AMMONIA B MILLIAMPERE HOUR CAPACITY, FOR MINE, ANTI-PERSONNEL: MB6	A 1345	AR	10-JUL-88	AR			
L	MIL-P-70732	PROPELLANT, STICK, M31A1E1 FOR USE IN CHARGE, PROOF, 155MM, PKR-6297A1	A 1376	AR	31-MAR-89	AR			
M L	MIL-C-70733(2)	CUSHION AND SUPPORT COMPONENTS FOR METAL CONTAINER FOR VOLCANO MINE CANISTER	A 8140	AR	16-APR-93	AR			
L	MIL-C-70734(1)	CONTAINER, AMMUNITION, METAL, PA113, FOR CANISTER, VOLCANO MINE MB7/MB8	A 8140	AR	09-SEP-91	AR			
L	MIL-P-70735	PAPER, NITROCELLULOSE BASE FOR ARTILLERY PROPELLING CHARGES	A 1375	AR	28-MAY-91	AR			
A L	MIL-F-70736(1)	FUZE, DEMOLITION KIT, M1134A3 WITH DETONATORS, PARTS FOR	A 1375	AR	08-FEB-93	AR			
A L	MIL-A-70737(1)	FUZE, DEMOLITION KIT, M1134A3 LOADING ASSEMBLING, AND PACKING	A 1375	AR	08-FEB-93	AR			
L	MIL-C-70740	CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR 155MM PROPELLING CHARGE	A 8140	AR	15-JUL-91	AR			
A L	MIL-C-70741(1)	CONTAINER, METAL, PA117	A 8140	AR	15-FEB-93	AR			
L	MIL-M-70742(1)	MOUNT, TELESCOPE AND QUADRANT: M187	A 1240	AR	14-JUN-91	AR			
L	MIL-S-70745(1)	STRIP, AMMUNITION, METALLIC, 30MM	A 1305	AR	31-MAY-91	AR			
L	MIL-A-70746	ADAPTER, PALLET, FOR PA113 METAL CONTAINER FOR MB7/MB8 CANISTERS (REQUESTS FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY COMMANDER, ARDEC, ATTN: SHCAR-FSM, PICATINNY ARSENAL, NJ 07806-5000)	F 8140	AR	19-JAN-89	AR			
A L	MIL-L-70751A	LEAD, PARTS, ASSEMBLY AND PACKAGING FOR	A 1305	AR	11-SEP-92	AR			
A L	MIL-D-70752A	DETONATOR, STAB, PARTS, ASSEMBLY AND PACKAGING FOR	A 1305	AR	11-SEP-92	AR			
L	MIL-A-70753(1)	ADAPTERS, PALLET, WOODEN FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION	A 8140	AR	28-JAN-91	AR			
L	MIL-A-70754(2)	ADAPTERS, PALLET, METAL, FOR METAL CONTAINER FOR 105MM AND 120MM TANK AMMUNITION	A 8140	AR	28-JAN-91	AR			
L	MIL-T-70755	TEST VEHICLE PROJECTILE METAL PARTS AND LOADING, ASSEMBLING AND PACKAGING	A 1310	AR	30-SEP-88	AR			
L	MIL-I-70756(1)	INERT PROJECTILE ASSEMBLY LESS ESCAPEMENT ASSEMBLY METAL PARTS AND ASSEMBLING AND PACKAGING	A 1310	AR	25-MAY-90	AR			
A L	MIL-F-70757(1)	FUZE, DEMOLITION KIT, M1134A2 LOADING ASSEMBLING, AND PACKING	A 1375	AR	08-FEB-93	AR			
A L	MIL-F-70758(1)	FUZE, DEMOLITION KIT, M1134A2 WITH DETONATORS, PARTS FOR	A 1375	AR	08-FEB-93	AR			
L	MIL-P-70762(1)	PROPELLANT, COMPOSITE, CAST, FOR USE IN SIMULATOR, MISSILE: SAGGER XM27	A 1376	AR	30-SEP-91	AR			
L	MIL-M-70763	MINE ANTI-PERSONNEL MB6: CLASSROOM MODEL FOR	A 1345	AR	10-JUL-88	AR			
L	MIL-M-70765	MINE ANTI-PERSONNEL, MB6, SPECIAL TEST MINE LOADING AND ASSEMBLY OF	A 1345	AR	10-JUL-88	AR			
L	MIL-C-70767	CONTAINERS, SHIPPING AND STORAGE: PA 139, FOR THE M139 MINE DISPENSER SYSTEM	A 8140	AR	30-JAN-89	AR			
L	MIL-C-70768	CONTAINER, SHIPPING AND STORAGE, PA140 FOR THE M139 MINE DISPENSER SYSTEM (CONTROLLED DISTRIBUTION)	X 8140	AR	30-JAN-89	AR			
L	MIL-C-70769	CONTAINERS, SHIPPING AND STORAGE: PA 134, PA 135, AND PA 136, FOR THE M139 MINE DISPENSER SYSTEM (CONTROLLED DISTRIBUTION)	F 8140	AR	01-DEC-88	AR			
A L	MIL-C-70770	CONTAINERS, SHIPPING AND STORAGE: PA 137, PA 138 AND PA 141, FOR THE M139 MINE DISPENSER SYSTEM	A 1095	AR	04-NOV-92	AR			
A L	MIL-M-70771	MOUNTING KIT, MINE DISPENSER: AJR SYSTEM FOR M139 DISPENSERS	A 1095	AR	04-NOV-92	AR			
M L	MIL-C-70775	CARTRIDGE, 25MM, TARGET PRACTICE DISCARDING SABOT WITH TRACER (TPDS-T), M910	A 1305	AR	19-APR-93	AR			
L	MIL-B-70776	BARBOLEER FOR MINE, ANTI-PERSONNEL MB6	A 1345	AR	10-JUL-88	AR			
L	MIL-M-70777	MUNITION FOR MINE, ANTI-PERSONNEL: MB6 TRANSFER LEAD ASSEMBLY	A 1345	AR	10-JUL-88	AR			
L	MIL-M-70778	MINE, ANTI-PERSONNEL, MB6 ACCEPTOR LEAD ASSEMBLY FOR	A 1345	AR	10-JUL-88	AR			
L	MIL-M-70779	MINE, ANTI-PERSONNEL MB6, DEMONSTRATION MINE	A 1345	AR	10-JUL-88	AR			
L	MIL-M-70780	MINE, ANTI-PERSONNEL: MB6 ARMING ASSEMBLY FOR	A 1345	AR	10-JUL-88	AR			
L	MIL-C-70781(3)	CARTRIDGE, 60MM, SMOKE, MARKING, M722 ASSEMBLING, MARKING AND PACKING	A 1310	AR	15-MAR-91	AR			
L	MIL-C-70784	CARTRIDGE, 25MM, ARMOR PIERCING DISCARDING SABOT TRACER (APDS-T), M791, REFERENCE	A 1305	AR	01-APR-89	AR			
L	MIL-C-70785	CARTRIDGE, 25MM, TARGET PRACTICE TRACER (TP-T), M793 REFERENCE	A 1305	AR	01-APR-89	AR			
A L	MIL-P-70786(1)	PALLET, STANDARD METAL	A 8140	AR	28-OCT-92	AR			
L	MIL-P-70787	PALLET, SPECIAL METAL (REQUESTS FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY COMMANDER, ARDEC ATTN: SHCAR-FSM, PICATINNY ARSENAL, NJ 07806-5000)	F 8140	AR	29-JUN-89	AR			
A L	MIL-A-70788A	ADAPTER, METAL AND WOOD PALLET	A 8140	AR	05-FEB-93	AR			
A L	MIL-D-70789A	DYNAMIC REFERENCE UNIT (DRU)	A 1220	AR	15-JUN-92	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Or Coordination Machine Document Number	Document Title	Dist Smt FSC / Ave MCA Symbol Proposing Acty Date	Army Navy Air Force DLA	Custody
L MIL-S-70791(1)	SIMULATOR, MISSILE: SAGGER XM27, PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1370 AR 29-MAR-91	AR	
L MIL-B-70792	BASE, MINE DISPENSER, LAUNCHER RACK FOR THE M139 SYSTEM (CONTROLLED DISTRIBUTION)	F 1095 AR 30-JAN-89	AR	
L MIL-C-70793(1)	CARTRIDGE, 20MM, MULTIPURPOSE, TRACE SELF-DESTRUCT, M940	A 1305 AR 27-NOV-91	AR	
L MIL-P-70794(1)	PROJECTILE, 20 MILLIMETER, MULTIPURPOSE TRACE SELF-DESTRUCT, M940 METAL PARTS	A 1305 AR 15-APR-90	AR	
L MIL-H-70795	HOWITZER, LIGHT, TOWED, 105MM: M119A1 (REQUEST FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY: COMMANDER ARDEC (SMCAR-FSS-DA) PICATINNY ARSENAL, NJ 07806-5000)	A 1015 AR 22-OCT-90	AR	
L MIL-C-70796	CANNON, 105MM HOWITZER: M20 (CONTROLLED DISTRIBUTION)	B 1015 AR 01-OCT-90	AR	
L MIL-M-70806	MOTOR ASSEMBLY	A 6105 AR 04-SEP-90	AR	
L MIL-F-70807(6)	FUZE, PD: M745 (LESS BOOSTER AND LEAD)	A 1390 AR 20-FEB-92	AR	
L MIL-F-70808A(1)	FUZE, PD: M745 (LOADING, ASSEMBLING, AND PACKING)	A 1390 AR 03-APR-91	AR	
L MIL-C-70810	COMBUSTIBLE CARTRIDGE CASE ASSEMBLY PARTS NITROCELLULOSE PAPER PROCESS, FOR CHARGE, PROPELLANT, 155MM, M203A1	A 1320 AR 28-MAY-91	AR	
A L MIL-P-70818(1)	PROPELLANT M43 FOR USE IN CARTRIDGE 105MM, APFSDS-T, M900 (CONTROLLED DISTRIBUTION)	E 1376 AR 30-JUL-92	AR	
L MIL-P-70819	PRIMER, ELECTRIC, M128 LOADING, ASSEMBLING AND PACKING	A 1390 AR 28-FEB-91	AR	
L MIL-P-70820	PRIMER, ELECTRIC, M128 METAL PARTS	A 1390 AR 28-FEB-91	AR	
L MIL-M-70821	MOUNT, HOWITZER, M182	A 1025 AR 18-NOV-88	AR	
L MIL-C-70822(1)	CANNON, 155MM HOWITZER: M284	A 1025 AR 06-OCT-89	AR	
L MIL-F-70823	FUZE, ELECTRONIC TIME, M762 (LOADING, ASSEMBLING, PACKING AND FUZE, ELECTRONIC TIME, M767 LESS BOOSTER)	A 1390 AR 09-SEP-88	AR	
L MIL-B-70824	BATTERY, LITHIUM THIOMYL CHLORIDE, SINGLE CELL RESERVE	A 6135 AR 09-SEP-88	AR	
L MIL-P-70825	PRIMER, BATTERY, STAB/ELECTRIC PAS36 PARTS FOR, AND LOADING, ASSEMBLING AND PACKING	A 1375 AR 09-SEP-88	AR	
L MIL-D-70826	DETONATOR, ELECTRIC, PAS37 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1375 AR 09-SEP-88	AR	
L MIL-A-70827	ACTUATOR, PISTON, PAS35 PARTS FOR AND LOADING, ASSEMBLING, AND PACKING	A 1375 AR 09-SEP-88	AR	
L MIL-L-70828	LEAD, EXPLOSIVE, PAS34 PARTS FOR AND LOADING, ASSEMBLING AND PACKING	A 1375 AR 09-SEP-88	AR	
L MIL-F-70829	FUZE, ARTILLERY, ELECTRONIC, M767 LOADING, ASSEMBLING AND PACKING	A 1390 AR 09-SEP-88	AR	
L MIL-A-70833	AUTOMATIC TANK TARGET: 11784501	A 6920 AR 15-APR-90	AR	
L MIL-K-70834A	RECEIVER, CHANNEL X: 11784801	A 5895 AR 22-MAR-91	AR	
L MIL-T-70835A	TRANSMITTER, ASSEMBLY: 11784701	A 5895 AR 29-MAR-91	AR	
L MIL-M-70836	METAL PARTS FOR M87 AND M88 CANNISTER ASSEMBLY (REQUESTS OTHER THAN DOD MUST RECEIVE APPROVAL FROM (SMCAR-FSS, PICATINNY ARSENAL, NJ 07806-5000)	F 1345 AR 28-JUN-90	AR	
L MIL-B-70838(1)	BILLET, DEPLETED URANIUM	A 9650 AR 15-AUG-91	AR	
L MIL-K-70840	KIT, INSTALLATION, FOR ARMOR TILES M3, M4, M5, M6, M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEM (BFVS)	A 2350 AR 26-MAY-92	AR	
A L MIL-S-70843	SOLENOID (FOR MACHINE GUN, 7.62MM: M240)	A 1005 AR 11-MAR-93	AR	
L MIL-C-70845(3)	CARTRIDGE, 9MM, PRACTICE, TRACER, M939	A 1305 AR 30-JAN-92	AR	
L MIL-L-70846	LASER TUBE/MODULATOR ASSEMBLIES, SINGLE/DUAL POWER, GENERAL SPECIFICATION FOR	A 1265 AR 14-FEB-92	AR	
L MIL-L-70847	LASER TUBE/MODULATOR ASSEMBLIES, 105MM MAIN GUN, 105MM AND 152MM COAX, GENERAL SPECIFICATION FOR	A 1265 AR 23-JAN-92	AR	
L MIL-L-70848	LASER TUBE/PRINTED WIRING BOARD ASSEMBLY, 152MM MAIN GUN AND SHILLELAGH MISSILE, SPECIFICATION FOR USER: 90 CG MC MR	A 1265 AR 18-JUN-91	AR	
L MIL-P-70849	PRINTED WIRING BOARD ASSEMBLY, DETECTOR AMPLIFIER, SPECIFICATION FOR	A 1265 AR 14-FEB-92	AR	
L MIL-P-70850	PRINTED WIRING BOARD ASSEMBLY, HELMET (HMLD), SPECIFICATION FOR	A 1265 AR 24-JAN-92	AR	
L MIL-P-70852	PRINTED WIRING BOARD ASSEMBLY, ENCODER-CONTROLLER-GUN SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-P-70853	PRINTED WIRING BOARD ASSEMBLY, ENCODER-DRAGON, SPECIFICATION FOR	A 1265 AR 14-FEB-92	AR	
L MIL-P-70854	PRINTED WIRING BOARD ASSEMBLY, CVKI INTERFACE, SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-P-70859	PRINTED WIRING BOARD ASSEMBLY, ATWESS ELECTROMECHANICAL INTERFACE, SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-D-70860	DETECTOR BELT ASSEMBLY, GENERAL SPECIFICATION FOR	A 1265 AR 14-FEB-92	AR	
L MIL-P-70867	PRINTED WIRING BOARD ASSEMBLY, ENCODER-TOW, SPECIFICATION FOR	A 1265 AR 30-JAN-92	AR	
L MIL-P-70868	PRINTED WIRING BOARD ASSEMBLY, DECODER-TOW, SPECIFICATION FOR	A 1265 AR 30-JAN-92	AR	
L MIL-P-70869	PRINTED WIRING BOARD ASSEMBLY, ITV INTERFACE, SPECIFICATION FOR	A 1265 AR 17-FEB-92	AR	
L MIL-P-70872	PRINTED WIRING BOARD ASSEMBLY, STINGER ENCODER, SPECIFICATION FOR	A 1265 AR 24-JAN-92	AR	
L MIL-P-70873	PRINTED WIRING BOARD ASSEMBLY, 20 MM ENCODER SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-P-70874	PRINTED WIRING BOARD ASSEMBLY, TOW TRIGGER INTERFACE SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-P-70875	PRINTED WIRING BOARD ASSEMBLY, TRIGGER INTERFACE (M2/M3), SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-P-70876	PRINTED WIRING BOARD ASSEMBLY, TOW/ATWESS INTERFACE, SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-P-70877	PRINTED WIRING BOARD ASSEMBLY, ROCKET TRIGGER INTERFACE, SPECIFICATION FOR USER: 90 CG MC MR	A 1265 AR 22-AUG-91	AR	
L MIL-P-70878	PRINTED WIRING BOARD ASSEMBLY, ENCODER-SMALL ARMS SPECIFICATION FOR	A 1265 AR 10-MAR-92	AR	
L MIL-P-70879	PRINTED WIRING BOARD ASSEMBLY, DECODER-HMLD, SPECIFICATION FOR USER: 90 CG MC MR	A 1265 AR 25-SEP-91	AR	
L MIL-S-70941A	SYSTEM TEST UNIT: 12922091	A 1290 AR 14-JUN-91	AR	
L MIL-C-70942(1)	CIRCUIT CARD ASSEMBLY, POWER SUPPLY: 12922115	A 1290 AR 26-APR-91	AR	
L MIL-C-70943(1)	CIRCUIT CARD ASSEMBLY, MICROPROCESSOR: 12922117	A 1290 AR 26-APR-91	AR	
L MIL-P-70944(1)	PANEL ASSEMBLY, FRONT: 12922129	A 1290 AR 26-APR-91	AR	
L MIL-A-70945(2)	ANTENNA ASSEMBLY: 12922146	A 1290 AR 14-JUN-91	AR	
L MIL-M-70948	WINDHEAD SECTION, CP, PRACTICE XM276 LOADING, ASSEMBLING AND PACKING	A 1336 AR 04-DEC-91	AR	
L MIL-C-70949(3)	CASE, CARTRIDGE, 105MM, M115B1A1	A 1315 AR 12-JAN-90	AR	
L MIL-C-70950(2)	CASE, CARTRIDGE, 105MM, M148A2B1	A 1315 AR 23-JAN-92	AR	
A L MIL-P-70951(1)	PALLET, FIELD ARTILLERY PROJECTILE	A 8140 AR 04-JAN-93	AR	
L MIL-A-70952	ALTERNATOR, TURBINE (AIR DRIVEN)	A 1390 AR 23-MAR-90	AR	
L MIL-B-70953(1)	BUFFER, RECOIL MECHANISM ASSEMBLY, 105MM HOWITZER, F12591210 (CONTROLLED DISTRIBUTION)	B 1015 AR 05-JUN-91	AR	
A L MIL-C-70954	CABLE ASSEMBLY, FLEXIBLE, REPAIRABLE, BRAIDED: 11829967	A 6145 AR 08-MAR-93	AR	
L MIL-P-70956A(1)	PROPELLANT, M14, FOR USE IN CARTRIDGE 120 MM, TPCSDS-T, M865	A 1376 AR 08-JAN-92	AR	
L MIL-C-70957	CLUSION COMPONENTS FOR METAL CONTAINER FOR 105MM HOWITZER AMMUNITION	A 8140 AR 27-FEB-92	AR	
A L MIL-M-70969(1)	MORTAR, 81MM: M252 (CONTROLLED DISTRIBUTION)	B 1015 AR 28-SEP-92	AR	
L MIL-T-70988(1)	TRACER ASSEMBLY, 12525043	A 1370 AR 06-JAN-92	AR	
L MIL-T-70989	TRAINING CARTRIDGE, M89 FOR USE ON THE M139 VOLCANO DISPENSER SYSTEM (REQUEST OTHER THAN DOD REFER TO COMMANDER, ARDEC ATTN SMCAR-FSS, PICATINNY ARSENAL, NJ 07806-5000)	F 6920 AR 30-OCT-90	AR	
L MIL-C-70991	CLOTH, COATED, KEVLAR-29, POLYURETHANE COATED	A 1330 AR 18-JAN-91	AR	
L MIL-K-70994	KIT, REPAIR FOR TILE, ARMOR M3, M5, M6 AND M7 FOR THE M2A2/M3A2 BRADLEY FIGHTING VEHICLE SYSTEMS (BFVS)	A 2350 AR 02-JUN-92	AR	
L MIL-P-70995	PANEL, CONTROL, ARMAMENT SUBSYSTEM: M21	A 1005 AR 03-MAY-91	AR	
L MIL-C-70996	CARTRIDGE, HE, 81MM, M821E1/M889E1 W/FUZE M734/M935 LOADING, ASSEMBLING AND PACKING	A 1315 AR 09-MAY-91	AR	
L MIL-C-70997	PROJECTILE, 81MM, HE, M821E1/M889E1 BODY ASSEMBLY	A 1315 AR 04-MAR-91	AR	
L MIL-C-70998	CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 25MM, PA125 GENERAL SPECIFICATION FOR	A 8140 AR 18-FEB-92	AR	
L MIL-B-71003	BATTERY ELIMINATOR ASSY: 12934455	A 6130 AR 10-JUN-91	AR	
L MIL-F-71007	FIBERSCOPE, EXPLOSIVE ORDNANCE DISPOSAL (EOD)	A 6650 AR 15-FEB-91	AR	
A L MIL-P-71012(1)	PISTOL, SEMIAUTOMATIC, COMPACT, 9MM: XM11	A 1005 AR 28-JAN-93	AR	
A L MIL-C-71013(1)	CHARGE, DEMOLITION: CLIPPED, M221 PARTS FOR, ASSEMBLING AND PACKING	A 1375 AR 08-FEB-93	AR	
L MIL-K-71015	KIT, COMPONENTS FOR, GROUND VEHICLE MOUNTING HARDWARE, M548A1 FOR M139 DISPENSERS	F 1095 AR 09-AUG-91	AR	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Item	Doc / CNA Code / Inhouse	Document Number	Document Title	Doc Smt FSC / Area	Doc Symbol Preparing Body	Date	Custodian Army Navy Air Force DLA
L	MIL-C-71016		CONTAINERS, SHIPPING AND STORAGE: PA 146, PA 147, PA 148, AND PA 152, FOR THE M139 MINE DISPENSER SYSTEM	F 8140	AR	09-AUG-91	AR
L	MIL-F-71021		FUZE, PROXIMITY, ARTILLERY: M732A2 (UNBOOSTED) (CONTROLLED DISTRIBUTION)	F 1390	AR	21-FEB-91	AR
AML	MIL-M-71026		MAGAZINE, CARTRIDGE, SOFT PACK, REUSABLE, M249, 5.56MM MACHINE GUN (METRIC) GENERAL SPECIFICATION FOR	A 1005	AR	11-FEB-93	AR
L	MIL-S-71027		SIGHTUNIT: M67	A 1240	AR	02-MAY-91	AR
A L	MIL-M-71028A		MOUNT, TELESCOPE: 9356166	A 1240	AR	30-OCT-92	AR
A L	MIL-T-71029A		TELESCOPE, ELBOW: 9356181	A 1240	AR	30-OCT-92	AR
D L	MIL-C-71030		CARTRIDGE, IGNITION, M981 LOADING, ASSEMBLING AND PACKING	B 1315	AR	24-JUN-92	AR
D L	MIL-P-71031		PROPELLANT M45 FOR 120MM MORTAR M230 PROPELLING CHARGE	B 1315	AR	24-JUN-92	AR
D L	MIL-P-71032		PRIMER, PERCUSSION, M132 LOADING, ASSEMBLING AND PACKING	B 1315	AR	24-JUN-92	AR
D L	MIL-P-71033		PROPELLANT M44 FOR IGNITION CARTRIDGE, M981 FOR 120MM MORTAR	B 1315	AR	24-JUN-92	AR
D L	MIL-C-71034		CHARGE, PROPELLING, M230 PARTS AND CONTAINER ASSEMBLY	B 1315	AR	24-JUN-92	AR
D L	MIL-C-71035		CHARGE, PROPELLING, M230 LOADING, ASSEMBLING AND PACKING	B 1315	AR	24-JUN-92	AR
D L	MIL-C-71036		CARTRIDGE, IGNITION, M981 PARTS FOR	B 1315	AR	24-JUN-92	AR
D L	MIL-F-71037		FIN ASSEMBLY, MORTAR CARTRIDGE, 120MM, M31	B 1315	AR	24-JUN-92	AR
D L	MIL-P-71038		PROJECTILE, 120MM, HE, M933/M934 BODY	B 1315	AR	24-JUN-92	AR
D L	MIL-O-71039		OBTURATING BAND, PLASTIC SPLIT (MOLDED)	B 1315	AR	24-JUN-92	AR
D L	MIL-C-71040		CARTRIDGE, HE, 120MM, M934 W/FUZE M734 LOADING, ASSEMBLING AND PACKING	B 1315	AR	24-JUN-92	AR
L	MIL-C-71042		CIRCUIT CARD ASSEMBLY, LOGIC: 11784523	A 5999	AR	14-FEB-92	AR
L	MIL-C-71057		CIRCUIT CARD ASSEMBLY, AMPLIFIER: 11784526	A 5999	AR	28-NOV-91	AR
L	MIL-C-71044		CIRCUIT CARD, BATTERY TEST: 11784531	A 5999	AR	06-FEB-92	AR
D L	MIL-C-71045		CONTAINER, METAL SHIPPING AND STORAGE, CARTRIDGE, 120MM MORTAR, PA154, GENERAL SPECIFICATION FOR	B 8140	AR	24-JUN-92	AR
A L	MIL-P-71055		PROJECTILE, 120 MM, SMOKE, WP, XM929, BODY ASSEMBLY AND METAL PARTS	D 1315	AR	17-MAR-92	AR
A L	MIL-B-71056		BURSTER, PROJECTILE, XM86 LOADING, ASSEMBLING AND PACKING	D 1315	AR	17-MAR-92	AR
A L	MIL-C-71057		CARTRIDGE, SMOKE, XM929 WITH FUZE M745 LOADING, ASSEMBLING AND PACKING	D 1315	AR	17-MAR-92	AR
L	MIL-W-71069		WARHEAD, 2.75 INCH ROCKET, FLECHETTE: XM255E1	A 1340	AR	19-MAR-92	AR
L	MIL-C-71083		CONTAINER, SHIPPING AND STORAGE, CARTRIDGE, 81MM, PA156 AND PA157 GENERAL SPECIFICATION FOR	A 8140	AR	01-JUN-92	AR
M L	MIL-C-71086		COMPONENT ASSEMBLY, A2, POWER SUPPLY AND DRIVER: 12000021	A 1285	AR	29-APR-93	AR
L	MIL-P-71089(1)		PROJECTILE, PRACTICE, 155MM, M804E1 LOADING, ASSEMBLING AND PACKING	A 1320	AR	28-APR-92	AR
L	MIL-C-71090(1)		CANISTER SMOKE, ASSEMBLING FOR PROJECTILE, PRACTICE, 155MM, M804E1	A 1320	AR	28-APR-92	AR
A L	MIL-P-71092		PROJECTILE, 155MM, INERT, M804E1 LOADING, ASSEMBLING AND PACKING	A 1320	AR	09-JUL-92	AR
A L	MIL-P-71093		POWDER, IGNITION, GASLESS, F-338	A 1375	AR	26-AUG-92	AR
A L	MIL-W-71094		WAXES, COAL-BASED, FOR USE IN R8150 EXPLOSIVE	A 9160	AR	24-JUN-92	AR
M L	MIL-W-71125		WOOD PRESERVATIVES: WATERBORNE OR WATER REDUCIBLE	A 8030	AR	16-MAR-92	AR
A L	MIL-W-71126		RIFLE, 7.62MM, SNIPER W/ DAY OPTICAL SIGHT AND CARRYING CASES, M24	A 1005	AR	24-SEP-92	AR
L	MIL-F-71127		FUZE, POINT DETONATING, PRACTICE, M775 WITH PYROTECHNIC SIGNATURE	A 1390	AR	26-MAY-92	AR
L	MIL-C-71128		CARTRIDGE, 81MM, PRACTICE, SHORT RANGE M880 LOADING ASSEMBLING AND PACKING	A 1315	AR	26-MAY-92	AR
L	MIL-K-71129		KIT, REPAIR/REPAIRMENT, FOR CARTRIDGE, 81MM, PRACTICE, SHORT RANGE, M880 LOADING, ASSEMBLING AND PACKING	A 1315	AR	26-MAY-92	AR
L	MIL-O-71130		OBTURATING BAND, PLASTIC SPLIT (MOLDED)	A 1395	AR	26-MAY-92	AR
L	MIL-F-71131		FIN, MORTAR CARTRIDGE: M32	A 1310	AR	26-MAY-92	AR
L	MIL-B-71132		BODY ASSEMBLY, 81MM, FOR CARTRIDGE, PRACTICE, M880	A 1315	AR	26-MAY-92	AR
L	MIL-C-71133		CARTRIDGE, IGNITION, M985 LOADING, ASSEMBLING AND PACKING	A 1315	AR	26-MAY-92	AR
A L	MIL-C-71134		CARTRIDGE, HE, 120MM, M933/FUZE M745 LOADING, ASSEMBLING AND PACKING	A 1315	AR	01-JUL-92	AR
A L	MIL-R-71135(1)		RIFLE, 5.56MM: M16A2E3	A 1005	AR	08-DEC-92	AR
A L	MIL-P-71136		PROCESS SPECIFICATION, AMMUNITION, 25MM, PACKAGING, PACKING AND MARKING	A 1305	AR	12-OCT-92	AR
A L	MIL-C-71145		CASE, CARTRIDGE, 105MM W/CHARGE M67/M2000 AND PRIMER M2882	A 1315	AR	12-MAY-93	AR
M L	MIL-C-71170		CONTAINER, AMMUNITION, LIGHTWEIGHT METAL FOR STINGER WEAPON SYSTEM	A 8140	AR	05-APR-93	AR
M L	MIL-P-71171		PALLET, SPECIAL METAL FOR STINGER WEAPON SYSTEM	A 8140	AR	05-APR-93	AR
A L	MIL-C-71172		CYLINDER, RECUPERATOR, RECOIL, 105MM MORTAR	A 1015	AR	08-MAR-93	AR
M L	MIL-A-71179		ADAPTER, METAL PALLET FOR STINGER WEAPON SYSTEM	A 8140	AR	03-MAY-93	AR
M L	MIL-S-80001C		SHARPERS, METAL CUTTING, VERTICAL (VALIDATION DATE: 8905) REVIEWER: 84 GS	A 3418	IP	19-MAY-89	AL SH 99 IP
D	MIL-O-80002E(1)		DRILLING MACHINE, UPRIGHT FLOOR TYPE, ROUND AND BOX COLUMN, SLIDING HEAD, PLAIN TABLE, POWER FEED USER: OS SH YD1 REVIEWER: 84 GS	A 3413	IP	16-FEB-90	AL SH 99 IP
	MIL-M-80003B		HONING MACHINE, VERTICAL, SINGLE SPINDLE, 1 1/2 TO 12 INCH BORE, 12 TO 80 INCH STROKE (VALIDATION DATE: 8312) USER: MC REVIEWER: GS	A 3419	IP	28-MAR-74	AL SH 99
D	MIL-B-80004C		BORING AND MILLING MACHINE, PRECISION, HORIZONTAL SPINDLE, TABLE TYPE, MANUALLY OR NUMERICALLY CONTROLLED USER: AR AS MC OS WV REVIEWER: 84 GS YD1	A 3411	IP	11-JUL-86	AL SH 99
	MIL-L-80005A		LAPPING MACHINE, METALWORKING, HIGH PRECISION, FLAT SURFACES, SINGLE FACE, FREE ABRASIVE TYPE (VALIDATION DATE: 8312) USER: MC MI REVIEWER: GS	A 3419	IP	18-MAY-70	AL SH 99
	MIL-L-80007E		LATHES, TOOLROOM, 11-INCH THROUGH 13-INCH USER: MC REVIEWER: 84 GS	A 3416	IP	29-SEP-89	AL SH 99 IP
	MIL-P-80008D		PUNCHING MACHINE, METAL, TURRET TYPE, HAND OPERATED USER: AV OS SH REVIEWER: 84	A 3445	IP	16-MAR-90	AL SH 99 IP
	MIL-M-80009B		HONING MACHINE, HORIZONTAL, SINGLE SPINDLE, MANDREL TYPE, WET APPLICATION (VALIDATION DATE: 8705) USER: AS MC REVIEWER: GS	A 3419	IP	08-MAY-87	AL SH 99
NOTICE 1	MIL-B-80012C		BORING AND TURNING MACHINES, VERTICAL, AND LATHES, VERTICAL, TURRET, MANUAL USER: SH REVIEWER: 84 GS	A 3411	IP	30-JUN-88	AL SH 99 IP
	MIL-M-80016C(2)		MILLING MACHINE, VERTICAL, KNEE TYPE, SIZES 2 THROUGH 7 USER: MC REVIEWER: 84 GS	A 3417	IP	20-NOV-91	AL SH 99 IP
D	MIL-S-80020D		SANDER, SINGLE AND DOUBLE DISK, WOODWORKING USER: AV CE MC REVIEWER: 84 GS YD1	A 3220	IP	31-JAN-91	ME SH 99 IP
	MIL-C-80021B(1)		CUTOFF MACHINE, ABRASIVE DISK OR CIRCULAR SAW BLADE, METAL CUTTING, CHOP STROKE, DRY CUT, FLOOR MOUNTED USER: MC REVIEWER: 84 GS ME	A 3413	IP	01-MAR-88	AL SH 99
	MIL-E-80022C		ELECTRO EROSION MACHINE, ELECTROLYTIC, CARBIDE TOOL BIT AND CHIP BREAKER GRINDER USER: MC REVIEWER: 84 AS OS	A 3410	IP	20-JUN-89	AL SH 99 IP
	MIL-E-80023D(1)		ELECTRICAL DISCHARGE MACHINE, VERTICAL, RAM AND QUILL TYPE USER: AR OS REVIEWER: 84 AS OR GS MC	A 3410	IP	16-JUL-87	SH 99
	MIL-W-80024D		WELDING MACHINE, ARC, AC, TRANSFORMER, CONSTANT CURRENT USER: AV CE CG MC REVIEWER: GS	A 3431	IP	18-DEC-85	ME SH 99
	MIL-G-80025C		GRINDING MACHINES, CARBIDE TOOL BIT AND CARBIDE TOOL BIT AND CHIP BREAKER COMBINATION, ELECTRIC MOTOR DRIVEN (VALIDATION DATE: 8906) USER: 84 AS OS REVIEWER: GS	A 3415	IP	20-JUN-89	AL SH 99 IP
	MIL-P-80026C		PUNCHING MACHINE, METAL, POWER DRIVEN, TURRET TYPE USER: MC REVIEWER: 84	A 3445	IP	22-AUG-88	AL SH 99 IP
	MIL-W-80027D(2)		WELDING MACHINE, ARC, AC/DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT	A 3431	IP	08-SEP-86	AL SH 99
	MIL-S-80029D		SANDER, DISK AND BELT USER: MC REVIEWER: 84 CE	A 3220	IP	31-MAR-88	ME SH 99
	MIL-E-80030C		MILLING MACHINE, TWO AND THREE DIMENSIONAL ENGRAVING USER: OS REVIEWER: GS	A 3417	IP	12-SEP-89	AL SH 84 IP
D	MIL-M-80033D		MILLING MACHINES, COMBINATION HORIZONTAL AND VERTICAL, KNEE TYPE USER: MC REVIEWER: 84 GS YD1	A 3417	IP	21-APR-92	AL SH 99 IP
	MIL-S-80034C		SAW, JIG, WOODWORKING (VALIDATION DATE: 9004) USER: MC REVIEWER: 84 CE GS ME	A 3220	IP	16-APR-90	AL SH 99 IP
D	MIL-S-80035C		SMAGING MACHINES, ROTARY, ELECTRIC, FLOOR MOUNTED USER: OS REVIEWER: 84 MC YD1	A 3446	IP	12-FEB-92	AL SH 99 IP
	MIL-C-80036C(1)		CUTTING MACHINES, OXYGEN FLAME AND PLASMA ARC, AUTOMATIC, STATIONARY, PHOTOELECTRIC TRACER CONTROLLED USER: MC SH REVIEWER: 84 GS	A 3433	IP	14-NOV-90	99 IP
D	MIL-W-80037C(1)		WELDING MACHINES, ARC, DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN USER: SH REVIEWER: GS MC	A 3431	IP	10-NOV-88	ME YD1 99 IP
D	MIL-O-80038E		DRILLING MACHINE, UPRIGHT, ROUND COLUMN, ELECTRIC MOTOR DRIVEN USER: SH REVIEWER: 84 AR GS YD1	A 3413	IP	03-AUG-90	AL SH 99 IP



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Machine	Document Number	Document Title	Doc Smt FAC / Ave	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-D-800398 NOTICE 1	DRILLING MACHINE, UPRIGHT, BENCH TYPE, BOX COLUMN, SLIDING HEAD, ELECTRIC MOTOR DRIVEN, HAND FEED USER: AS MC WV REVIEWER: GS	A 3413	1P	10-MAR-88	AL	SH	99	
	MIL-W-80040E	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT VOLTAGE, FOR MULTI-OPERATOR SYSTEMS USER: CG MC OS REVIEWER: AS GS ME	A 3431	1P	29-MAR-89	AL	SH	99	IP
	MIL-P-80041D	PRESSES, MECHANICAL, OPEN-BACK-INCLINABLE (OBI), SINGLE AND DOUBLE CRANK TYPE USER: MC WV REVIEWER: AL GS	A 3443	1P	08-MAR-90		SH	99	IP
	MIL-W-80042C	WELDER CONTROL STATIONS FOR MULTI-OPERATOR SYSTEMS REVIEWER: CG	A 3438	1P	23-FEB-88	AL	SH	99	
	MIL-W-80043C	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT [VALIDATION DATE: 8506] USER: AS MC REVIEWER: CG GS	A 3431	1P	28-JAN-81	ME	SH	99	
	MIL-M-80044D	MILLING MACHINES, HORIZONTAL SPINDLE, KNEE TYPE, SIZE NUMBERS 2, 3, 4 & 5 USER: MC REVIEWER: BA GS	A 3417	1P	11-SEP-87	AL	SH	99	
	MIL-M-80045B NOTICE 1	HEATER, INDUCTION, HIGH FREQUENCY, VACUUM TUBE TYPE [VALIDATION DATE: 8606] USER: AR MC OS REVIEWER: GS	A 3424	1P	04-JUN-86		SH	99	
	MIL-W-80046D	WELDING MACHINES, RESISTANCE, STORED ENERGY, CAPACITOR DISCHARGE, DUAL RANGE USER: AR AS MC SM REVIEWER: BA GS	A 3432	1P	09-MAR-90	AL		99	IP
	MIL-L-80047D	LATHES, WOODWORKING, PATTERNMAKERS USER: MC REVIEWER: BA CE GS	A 3220	1P	30-JUN-88		SH	99	IP
	MIL-G-80048C NOTICE 1	GRINDING MACHINE, CENTERLESS, EXTERNAL, CYLINDRICAL USER: MC REVIEWER: BA AS GS OS	A 3415	1P	13-APR-87	AL	SH	99	
	MIL-M-80051D	MILLING MACHINES, VERTICAL SPINDLE, KNEE TYPE, SIZE NUMBERS 2, 3, 4, & 5 USER: BA MC REVIEWER: GS	A 3417	1P	11-SEP-87	AL	SH	99	IP
D	MIL-P-80052C NOTICE 1	PRESS BRAKES, POWER OPERATED, HYDRAULIC, SHEET AND PLATE [VALIDATION DATE: 9104] USER: AR YDI REVIEWER: BA GS	A 3441	1P	25-APR-91	AL	SH	99	IP
	MIL-L-80053D	LATHES, TURRET, HORIZONTAL, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR MC REVIEWER: GS WV	A 3416	1P	01-AUG-89	AL	SH	99	IP
	MIL-P-80054D NOTICE 1	PUNCHING MACHINE, METAL, TURRET TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) REVIEWER: GS MC	A 3445	1P	27-SEP-88	AL	SH	99	IP
	MIL-M-80055B	HEATER, INDUCTION, HIGH FREQUENCY, MOTOR GENERATOR TYPE [VALIDATION DATE: 8502] USER: MC REVIEWER: GS	A 3424	1P	20-MAR-81	AL	SH	99	
	MIL-F-80056C	FURNACES, HEAT TREATING, ELECTRIC, BATH TYPE USER: AR AS MC OS REVIEWER: BA CR GS SM	A 3424	1P	01-OCT-91	AL	SH	99	IP
D	MIL-F-80057C NOTICE 1	FORMING MACHINES, SHEET METAL, CLEAT AND LOCK FORMING [VALIDATION DATE: 9011] USER: MC WV YDI REVIEWER: GS	A 3441	1P	26-NOV-90	AL	SH	99	IP
	MIL-P-80058C	POSITIONERS, WELDING, HEADSTOCK, TAILSTOCK, AND CU, SIZES 3 AND 4, 34 AND 42 INCHES LONGITUDINAL TABLE TRAVEL USER: MC REVIEWER: BA AS CR ER OS	A 3436	1P	25-JAN-91	AR	SH	99	GS
D	MIL-S-80060D NOTICE 1	SHEARING, MIBLING, AND FORMING MACHINES: UNIVERSAL USER: SM YDI REVIEWER: BA	A 3445	1P	22-JUL-88	AL	SH	99	IP
	MIL-L-80061B NOTICE 1	LATH, BENCH, VARIABLE SPEED, PLAIN AND TURRET, 9 INCH [VALIDATION DATE: 8702] USER: MC REVIEWER: GS	A 3416	1P	18-FEB-87	AL	SH	99	
	MIL-W-80062C	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, ADJUSTABLE CONSTANT VOLTAGE USER: AS CE MC REVIEWER: BA GS	A 3431	1P	01-APR-85	AL	SH	99	
D	MIL-M-80067D NOTICE 1	MORTISERS, VERTICAL USER: MC OS YDI REVIEWER: GS	A 3220	1P	27-JUN-89	AL	SH	99	IP
	MIL-P-80068D	POSITIONERS, WELDING, TABLE TYPE, GEAR DRIVEN USER: MC REVIEWER: BA AR AS GS	A 3436	1P	06-MAR-92		SH	99	IP
D	MIL-F-80069D	FLARING, FLANGING, AND BEADING MACHINES, TUBE USER: MC YDI REVIEWER: BA	A 3441	1P	19-APR-89	AL	SH	99	IP
	MIL-W-80070D(2)	WELDING MACHINE, ELECTRICAL RESISTANCE, SPOT, ROCKER ARM, SINGLE PHASE USER: CG MC REVIEWER: BA	A 3432	1P	03-MAY-90		SH	99	IP
	MIL-C-80071B NOTICE 1	CUTOFF MACHINES, ABRASIVE DISK, METAL CUTTING, CHOP-STROKE, WET CUT, FLOOR MOUNTED [VALIDATION DATE: 8909] REVIEWER: BA GS SM	A 3405	1P	05-SEP-89	AL	SH	99	IP
D	MIL-P-80072C	PUNCHING MACHINE, METAL, POWER DRIVEN, SINGLE END TYPE USER: MC YDI REVIEWER: BA GS	A 3445	1P	13-JAN-92	AL	SH	99	IP
	MIL-G-80073C NOTICE 2	GRINDING MACHINES, INTERNAL, CHUCKING, UNIVERSAL USER: MC REVIEWER: GS	A 3415	1P	30-SEP-88	AL	SH	99	IP
	MIL-W-80075C	WELDING POWER SOURCE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT, WITH EIGHT CONTROL MODULES USER: AS CG MC WV REVIEWER: GS	A 3431	1P	16-OCT-89	AL	SH	99	IP
D	MIL-D-80076D	DRILLING MACHINE, UPRIGHT, BOX COLUMN, FLOOR TYPE PLAIN TABLE, HAND FEED USER: MC SM YDI REVIEWER: BA	A 3413	1P	01-OCT-90	AL	SH	99	IP
	MIL-F-80079C	FURNACES, HEAT TREATING, ELECTRIC CONTROLLED ATMOSPHERE, HORIZONTAL BOX DESIGN USER: AV MC OS REVIEWER: BA GS	A 3424	1P	06-AUG-90	AL	SH	99	IP
D	MIL-W-80080C NOTICE 1	WELDING MACHINES, ARC, AC/DC, GENERATOR, CONSTANT CURRENT, INTERNAL COMBUSTION ENGINE DRIVEN [VALIDATION DATE: 8903] USER: CE MC OS REVIEWER: GS ME YDI	A 3431	1P	03-MAR-89	AL	SH	99	IP
D	MIL-L-80081D	LATHES, WOODWORKING USER: CE YDI REVIEWER: GS	A 3220	1P	09-AUG-90	ME	SH	99	IP
	MIL-F-80082B	FURNACE, HEAT-TREATING AND BRAZING, ELECTRIC, CONTROLLED ATMOSPHERE, PUSHER AND CONVEYOR BELT TYPES USER: AR MC WV REVIEWER: BA GS	A 3424	1P	19-MAR-86	AL	SH	99	
	MIL-B-80083C(1)	BENDING MACHINES, ROTARY HEAD, HORIZONTAL, HYDRAULICALLY OPERATED USER: OS REVIEWER: BA GS	A 3441	1P	06-AUG-91	AL	SH	99	
	MIL-P-80085C	POSITIONERS, WELDING, HEADSTOCK, TAILSTOCK, AND COMBINATION TYPES USER: MC REVIEWER: BA GS	A 3436	1P	25-JAN-91	AR	SH	99	IP
	MIL-S-80086D	SHEARING MACHINE, METAL SQUARING, HYDRAULIC DRIVE USER: MC SM REVIEWER: BA GS	A 3445	1P	30-JUN-86	AL	SH	99	
	MIL-W-80087C NOTICE 1	WELDING MACHINES, ELECTRICAL RESISTANCE, SPOT, ROCKER ARM, AIR OPERATED, THREE PHASE [VALIDATION DATE: 9105] USER: AV OS SM REVIEWER: BA GS	A 3432	1P	02-MAY-91	AL	SH	99	IP
	MIL-G-80088D(1)	GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, POWER FEED USER: AR MC SM REVIEWER: GS	A 3415	1P	22-FEB-90	AL	SH	99	IP
	MIL-F-80089B	FURNACE, HEAT TREATING, GAS FIRED, BOX TYPE, DIRECT FIRED AND FULL MUFFLE DESIGN USER: MC OS REVIEWER: GS	A 3424	1P	30-SEP-86				
	MIL-C-80090D	CUTTING SYSTEMS, METAL, PLASMA ARC USER: AR AV REVIEWER: BA GS MC	A 3433	1P	06-FEB-92	AL	SH	99	IP
	MIL-S-80093B	SHEARING MACHINE, ROTARY, RING AND CIRCLE, METAL, POWER OPERATED [VALIDATION DATE: 8306] USER: AV GS MC	A 3445	1P	15-JUL-70	AR	SH	99	
D	MIL-S-80095D	SAN, BAND WOODWORKING USER: MC REVIEWER: AR GS ME YDI	A 3220	1P	12-FEB-86	AL	SH	99	
	MIL-W-80102C	WELDING SET, ARC, GAS SHIELDED, CONSUMABLE ELECTRODE [VALIDATION DATE: 9006] USER: AS AV CE MC REVIEWER: GS OS	A 3431	1P	06-JUN-90	AL	SH	99	IP
D	MIL-M-80103C	WELDING EQUIPMENT, ARC, DC, PIPE, AUTOMATIC USER: AS CE OS REVIEWER: BA GS	A 3431	1P	24-JUL-86	ME	SH	99	
	MIL-P-80104D	PRESS, SHAGING, WIRE ROPE FITTINGS, HYDRAULICALLY POWERED USER: AS REVIEWER: GS YDI	A 3442	1P	27-MAR-90		SH	99	IP
	MIL-P-80107B	PRESS, MECHANICAL, SINGLE POINT, STRAIGHT SIDE USER: AR REVIEWER: BA GS	A 3443	1P	28-FEB-88	AL	SH	99	
	MIL-P-80109D	PLASMA SPRAY SYSTEM, (POWER) GUNS, AND ACCESSORIES USER: AS SH REVIEWER: 71 BA	A 3433	1P	31-AUG-87				
	MIL-W-80110C	STUD WELDING UNITS, INDEPENDENT DC POWER SOURCE WITH SEPARATE CONTROL UNIT, ELECTRIC ARC USER: AS MC REVIEWER: BA	A 3431	1P	27-NOV-89	AL	SH	99	IP
D	MIL-C-80111C	CUTTING MACHINE, SHAPE, OXYGEN & FUEL GAS, ELECTRIC-MOTOR DRIVEN, TRACER GUIDED, PORTABLE USER: AR WV REVIEWER: BA YDI	A 3433	1P	14-JAN-87		SH	99	
	MIL-T-80112D	THREAD AND FORM ROLLING MACHINES, ROTARY DIE, POWER DRIVEN, HORIZONTAL USER: MC REVIEWER: BA GS	A 3449	1P	17-OCT-89	AL	SH	99	IP
	MIL-F-80113D	FURNACE, VACUUM, HEAT TREATING AND BRAZING USER: AS OS REVIEWER: BA AL	A 3424	1P	29-JAN-88		SH	99	
D	MIL-P-80114D	PRESS, HYDRAULIC, VERTICAL, C- (CAP) FRAME REVIEWER: BA GS	A 3442	1P	02-AUG-90	AL	SH	99	IP
	MIL-B-80115B NOTICE 1	BENDING MACHINE, ANGLES, BARS, AND SHAPES, VERTICAL BENDING PLANE OR HORIZONTAL BENDING PLANE, POWER OPERATED [VALIDATION DATE: 9006] USER: MC SM YDI REVIEWER: BA GS	A 3441	1P	22-JUN-90	AL		99	IP
	MIL-W-80117B NOTICE 1	WELDING SETS, SURMERGED ARC [VALIDATION DATE: 8910] USER: AR AS MC REVIEWER: BA CG GS	A 3431	1P	17-OCT-89	AL	SH	99	IP
	MIL-W-80119B	WELDING SYSTEMS, ELECTRON BEAM, VACUUM TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: GS MI OS	A 3438	1P	12-MAR-90	AR	SH	99	IP



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active CPL / OMA Coordination Machine	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol	Proposed Acty Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-F-801208(1) NOTICE 1	FURNACE, HEAT-TREATING AND QUENCHING, IN AND OUT, AND STRAIGHT THROUGH DESIGN (VALIDATION DATE: 8604) USER: AS MC OS REVIEWER: GS	A 3424	1P	14-APR-86	AL	SH	99	
	MIL-M-801218(1) MIL-M-80124C(1)	WELDING MACHINES, RESISTANCE, SPOT, PORTABLE TYPE, SINGLE PHASE ..... WELDING MACHINES (MICROWELDER), RESISTANCE, SINGLE PHASE, BENCH MOUNTED USER: AR AV MC MI WV REVIEWER: GS	A 3432	1P	04-MAY-90		SH	99	IP
	MIL-G-801258	GRINDING MACHINE, SURFACE, ROTARY, VERTICAL SPINDLE, SINGLE TABLE USER: AS MC OS REVIEWER: 84 GS	A 3415	1P	22-AUG-86	AL	SH	99	
	MIL-G-801268	GRINDING MACHINE, DISC, HORIZONTAL, DOUBLE END, SINGLE SPINDLE REVIEWER: GS	A 3415	1P	27-FEB-87			99	
	MIL-P-80128C	PRESS, "H" FRAME, VERTICAL, HYDRAULIC, ELECTRIC MOTOR DRIVEN USER: AR AS MC OS REVIEWER: 84 GS	A 3442	1P	29-JAN-87	AL	SH	99	
	MIL-E-80130C(1)	ELECTRO-EROSION MACHINE, METAL DISINTEGRATING, ELECTRIC ARC, VIBRATING HEAD, DRILL TYPE USER: MC ME REVIEWER: 84 GS	A 3410	1P	11-SEP-84	AL	SH	99	
	MIL-T-80131C	TURNING ROLLS, WELDING, POWERED, IDLER, AND TILTING TYPE USER: MC REVIEWER: 84 AR GS OS	A 3436	1P	25-OCT-91	AL	SH	99	IP
	MIL-F-80133B	FURNACE, HEAT TREATING, PIT TYPE, ELECTRIC, FORCED CONVECTION USER: AS AV OS REVIEWER: GS	A 3424	1P	30-OCT-87		SH	99	
	MIL-P-80135B	PRESSES, MECHANICAL STRAIGHT SIDED, TIE RODS, MULTIPLE POINT, NON-GEARED TYPE USER: MC REVIEWER: GS	A 3443	1P	17-NOV-87	AR	SH	99	
	MIL-P-80136B NOTICE 1	PLANERS, METAL CUTTING, OPENSIDE, HYDRAULIC, SHAPER PLANNER TYPE (VALIDATION DATE: 8702) USER: AV MC REVIEWER: GS	A 3418	1P	06-FEB-87	AL	SH	99	
	MIL-M-80141C	METALLIZING OUTFIT, POWER GAS, GUNS AND ACCESSORIES USER: MC OS SH WV REVIEWER: GS	A 3433	1P	30-APR-87			99	
	MIL-T-80144C MIL-G-80145B	TANK, METAL FINISHING USER: AS MC OS REVIEWER: GS SH ..... GRINDING MACHINES, SURFACE, RECIPROCATING TABLE, HORIZONTAL SPINDLE, HAND FEED USER: AR MC SH WV REVIEWER: 84 GS	A 3426	1P	24-NOV-81	AL		99	
			A 3415	1P	22-FEB-89	AL	SH	99	IP
	MIL-F-80146A NOTICE 1	FURNACE, HEAT TREATED, GAS FIRED, PIT TYPE, FORCED CONVECTION (VALIDATION DATE: 8606) USER: MC OS REVIEWER: GS	A 3424	1P	06-JUN-86	AL	SH	99	
	MIL-P-80149B NOTICE 1	PRESS, "H" FRAME, VERTICAL, HYDRAULIC, AIR DRIVEN (VALIDATION DATE: 9004) USER: AV WV REVIEWER: GS	A 3442	1P	23-APR-90	AL	SH	99	IP
	MIL-D-80150B NOTICE 1	DRILLING MACHINE, UPRIGHT, TURRET HEAD, SLIDING CARRIER, SIX SPINDLES, BENCH MOUNTED USER: AS MC SH REVIEWER: 84 GS	A 3413	1P	10-MAR-88	AL	SH	99	
	MIL-G-80152B	GROUING AND CUTTING MACHINE, MECHANIZED, DIRECT CURRENT, ELECTRIC ARC, PORTABLE USER: MC OS SH REVIEWER: 84 AS GS	A 3433	1P	30-JUN-88	AR		99	IP
	MIL-B-80153B	BRACK MACHINE, SHEET METAL, POWER OPERATED (STANDARD TYPE AND BOX-PAN TYPE) (VALIDATION DATE: 8411) USER: MC WV REVIEWER: AV GS	A 3441	1P	21-MAR-80	AR	SH	99	
	MIL-E-80158B	ELECTRO-EROSION MACHINES, ELECTRIC DISCHARGE "C" FRAME, RAM/QUILL TYPE, STATIONARY/ROTARY SPINDLE, MANUAL AND COMPUTER NUMERICAL CONTROL (CNC) USER: MC WV REVIEWER: GS	A 3410	1P	20-MAR-90	AL	SH	99	IP
	MIL-G-80159A	GENERATOR, ENDOTHERMIC ATMOSPHERE (VALIDATION DATE: 8507) USER: AR AS WV REVIEWER: GS MC	A 3424	1P	18-DEC-74	AL	SH	99	
D	MIL-B-80160C	BENDING PRESSES, RAM TYPE, HYDRAULICALLY DRIVEN, PIPE, TUBING AND STRUCTURAL SHAPES USER: YDI REVIEWER: 84 GS	A 3441	1P	16-MAR-92	AR	SH	99	IP
	MIL-B-80161C	BENDING MACHINES, ROTARY HEAD, TUBING, HYDRAULICALLY OPERATED, NUMERICALLY CONTROLLED USER: AV MC REVIEWER: 84	A 3441	1P	11-SEP-87	AL	SH	99	
	MIL-G-80162A MIL-G-80163B	GRINDING MACHINE, THREAD, EXTERNAL, AUTOMATIC USER: AS REVIEWER: GS ..... GRINDING MACHINES, SURFACE, ROTARY TABLE, HORIZONTAL SPINDLE USER: MC REVIEWER: 84 GS	A 3415	1P	07-MAR-88	AL	SH	99	
			A 3415	1P	01-OCT-90	AL	SH	99	IP
D	MIL-M-80164A NOTICE 1	WELDING HEAD, ARC, AUTOMATIC, CONSUMABLE WIRE ELECTRODE USER: MC YDI REVIEWER: 84 AS GS OS	A 3431	1P	26-JUL-83		SH	99	
	MIL-M-80165B(1)	WELDING MACHINE, ARC, DC, GENERATOR, CONSTANT CURRENT, CONSTANT VOLTAGE, INTERNAL COMBUSTION ENGINE DRIVEN USER: MC WV REVIEWER: GS	A 3431	1P	16-MAR-88	AL	SH	99	
	MIL-G-80167A NOTICE 1	GENERATOR, EXOTHERMIC ATMOSPHERE (VALIDATION DATE: 8604) USER: AS MC OS REVIEWER: AR GS WV	A 3424	1P	23-APR-86	AL	SH	99	
	MIL-P-80172C	PUNCHING MACHINES, METAL, SINGLE END TYPE, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: 84 GS	A 3445	1P	04-NOV-88	AL	SH	99	IP
	MIL-M-80173C	MANIPULATORS, AUTOMATIC WELDING HEAD, STATIONARY BASE, AND TRAVELING RAM OR BOOM, ELECTRIC MOTOR DRIVEN USER: MC REVIEWER: 84 AS GS OS	A 3436	1P	10-FEB-92	AL	SH	99	IP
	MIL-L-80175B	LATHES, SPED, HORIZONTAL SPINDLE, SINGLE END, BENCH AND FLOOR MOUNTED USER: AV MC REVIEWER: 84 GS	A 3419	1P	11-FEB-87	AL	SH	99	
	MIL-G-80176B(1) NOTICE 1	GRINDING MACHINE, ABRASIVE BELT, PLATEN, WET & DRY TYPE (VALIDATION DATE: 8705) USER: AS MC OS REVIEWER: 84 GS	A 3419	1P	06-MAY-87	AL	SH	99	
	MIL-P-80178B MIL-G-80179A	PRESSES, STRAIGHTENING, GAP TYPE, HYDRAULIC POWERED USER: MC MS WV ..... GRINDING MACHINE, CENTER HOLE, VERTICAL, FLOOR MOUNTED, ELECTRIC MOTOR DRIVEN USER: AR AS MC SH REVIEWER: 84 GS	A 3442	1P	28-FEB-89	AR	SH	99	IP
			A 3415	1P	11-JUL-86	AL	SH	99	
D	MIL-G-80180B NOTICE 1	GRINDING MACHINES, INTERNAL, CHUCKING, HORIZONTAL, ELECTRIC MOTOR DRIVEN (VALIDATION DATE: 9005) USER: AR AS ER MC OS WV YDI REVIEWER: 84 GS	A 3415	1P	08-MAY-90	AL	SH	99	IP
	MIL-M-80183C	WELDING MACHINES, ELECTRICAL RESISTANCE, ROLL SPOT AND SEAM, PRESS TYPE, THREE PHASE USER: CG MC REVIEWER: GS	A 3432	1P	19-APR-89	AL	SH	99	IP
	MIL-M-80184B	MILLING MACHINES, BED TYPE, VERTICAL, DOUBLE HOUSING, NUMERICALLY CONTROLLED, PROFILING, 5 TO 25 HORSEPOWER PER SPINDLE, SINGLE AND MULTI-SPINDLE MACHINES USER: MC REVIEWER: GS	A 3417	1P	18-DEC-90	AL	SH	99	IP
	MIL-P-80186B	POSITIONERS, WELDING, ROTATING TABLE, CANTILEVER ARM DESIGN USER: MC OS SH REVIEWER: 84 AL GS	A 3436	1P	20-MAR-91	AR	SH	99	IP
	MIL-M-80187A NOTICE 1	WELDING MACHINES, ULTRASONIC BONDING, MINIATURE WIRE (VALIDATION DATE: 8911) USER: MC REVIEWER: 84 GS	A 3438	1P	29-NOV-89			99	IP
	MIL-F-80188B	FURNACE, HEAT TREATING, ELECTRIC, METAL LINED, BOX DESIGN USER: MC REVIEWER: GS SH	A 3424	1P	02-JAN-85	AL	SH	99	
	MIL-G-80189A	GRINDING MACHINES, WOOD-CUTTING, CIRCULAR SAW BLADE, AUTOMATIC USER: AS MC ME SH REVIEWER: 84 GS	A 3415	1P	30-SEP-86	AR		99	
	MIL-M-80191B	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT VOLTAGE, CONSTANT CURRENT USER: AS CG MC REVIEWER: 84 AL GS	A 3431	1P	08-MAY-87	ME	SH	99	
	MIL-M-80192C(1)	WELDING MACHINE, RESISTANCE, SPOT AND SEAM, METAL FOIL, SINGLE PHASE, PORTABLE USER: AV WV REVIEWER: GS	A 3432	1P	14-MAY-90	AL		99	IP
	MIL-M-80197B	MANIPULATORS, AUTOMATIC WELDING HEAD, TRAVELING BASE AND TRAVELING BOOM, ELECTRIC MOTOR DRIVEN USER: MC REVIEWER: GS	A 3436	1P	28-JUN-91	AL	SH	99	IP
	MIL-M-80198 MIL-S-80201C	WELDING SYSTEM, METAL, PLASMA ARC (VALIDATION DATE: 8404) REVIEWER: GS .... SAWS, BAND, METAL CUTTING, VERTICAL, CONTOUR (VALIDATION DATE: 8506) USER: MC REVIEWER: 84	A 3438	1P	27-FEB-70	AR	SH	99	
			A 3405	1P	01-JUN-81	AL	SH	99	
	MIL-B-80202A	BORING AND TURNING MACHINES, VERTICAL, COMPUTER NUMERICAL CONTROL, PERFORATED TAPE (FUTURE PROCUREMENT USE MIL-B-80248A) (VALIDATION DATE: 8212) USER: AS MC REVIEWER: GS	A 3411	1P	06-JUL-77	AL	SH	99	
	MIL-M-80204B	MILLING MACHINE, HORIZONTAL PROFILERS, TRAVELING TABLE TYPE, THREE AXES, NUMERICALLY CONTROLLED, SINGLE AND MULTI-SPINDLE MACHINE USER: MC REVIEWER: GS	A 3417	1P	19-SEP-86	AL	SH	99	
	MIL-F-80207C	FURNACES, HEAT TREATING, HORIZONTAL, CAR-BOTTOM DESIGN USER: AS MC ME OS SH REVIEWER: 84 GS	A 3424	1P	01-OCT-90	AL	SH	99	IP
	MIL-M-80209B	MILLING MACHINE, VERTICAL KNEE TYPE, 3 AXIS, NUMERICALLY CONTROLLED, 1.5 TO 7.5 HORSEPOWER SPINDLE DRIVE USER: MC WV REVIEWER: 84 GS	A 3417	1P	20-SEP-85	AL	SH	99	
L	MIL-M-80209B(11)	MILLING MACHINE, VERTICAL KNEE TYPE, 3 AXIS, NUMERICALLY CONTROLLED, 1.5 TO 7.5 HORSEPOWER SPINDLE DRIVE REVIEWER: 84	A 3417	82	06-SEP-89			82	
	MIL-B-80210B	BORING MACHINES, VERTICAL, SINGLE COLUMN, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR WV REVIEWER: 84	A 3411	1P	05-FEB-88	AL		99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OIA Coordination Machine Document Number	Document Title	Dist. Syst. FAC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-W-80211C	WELDING MACHINE, (MICROWELDER), RESISTANCE TYPE, STORED ENERGY, CONSTANT VOLTAGE, LOW IMPEDANCE SOURCE, BENCH MOUNTED USER: MC REVIEWER: B4	A 3432	IP 24-OCT-90	AL	99	IP	
MIL-W-80212B	MILLING MACHINES, VERTICAL, SINGLE AND MULTIPLE SPINDLE, COMPUTER NUMERICALLY CONTROLLED (CNC), AND TRACER CONTROLLED PROFILER USER: AS OS SM REVIEWER: B4 AR GS	A 3417	IP 13-NOV-89	AL	SH	99	IP
MIL-W-80214B	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, PULSATING CURRENT USER: CG MC REVIEWER: B4 AL GS	A 3431	IP 22-MAR-85	ME	SH	99	IP
MIL-W-80215	MILLING MACHINE, BED TYPE, HORIZONTAL SPINDLE, AUTOMATIC CYCLE, 24, 26 AND 30 INCH MINIMUM TABLE WIDTH, PLAIN AND DUPLEX MACHINES [VALIDATION DATE: 8012] USER: MC REVIEWER: GS	A 3417	IP 27-NOV-70	AL	SH	99	
D MIL-T-80218A	TABLES, ROTARY, HORIZONTAL, MANUAL AND POWER FEED USER: MC REVIEWER: GS ...	A 3460	IP 12-MAR-87	AL	SH	99	
MIL-L-80219B	LATHES, SHAFT TURNING, TURRET, VERTICAL BED AND SLANT BED, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR MC YD1 REVIEWER: B4 GS	A 3416	IP 31-OCT-90	AL	SH	99	IP
MIL-S-80220B	SHEARING MACHINES, SHEET METAL, POWER DRIVEN USER: MC REVIEWER: GS	A 3445	IP 09-APR-91	AL	SH	99	IP
MIL-K-80221A	KEYSEATING MACHINE, MECHANICAL AND HYDRAULIC, RECIPROCATING CUTTER TYPE [VALIDATION DATE: 8601] USER: MC	A 3419	IP 25-JUN-80	AL	SH	99	
MIL-B-80223A	BENDING MACHINES, PIPE AND CONDUIT, HYDRAULIC OR MECHANICAL, BENCH MOUNTING PEDESTAL MOUNTED, OR PORTABLE [VALIDATION DATE: 9009] USER: MC REVIEWER: B4 GS	A 3441	IP 14-SEP-90	AR	SH	99	IP
MIL-S-80224A	SHEARING MACHINE, METAL NOTCHING, POWER DRIVEN	A 3445	IP 19-APR-89			99	IP
MIL-W-80226B	METALLIZING SYSTEM, ELECTRIC ARC USER: MC REVIEWER: B4 GS	A 3433	IP 01-AUG-90	ME	SH	99	IP
MIL-W-80227A	WELDING MACHINE, ULTRASONIC, SPOT USER: B4	A 3438	IP 27-FEB-90			99	IP
MIL-G-80228B	GRINDING MACHINE, INTERNAL, PLANETARY HEAD, HORIZONTAL SPINDLE, ELECTRIC MOTOR DRIVEN USER: MC REVIEWER: B4 GS	A 3415	IP 05-FEB-90	AL	SH	99	IP
MIL-D-80229A	DEPOSITION MACHINE, CARBIDE [VALIDATION DATE: 9109] USER: AV MC REVIEWER: B4	A 3433	IP 13-SEP-91	AL	SH	99	IP
NOTICE 1	WELDING MACHINE, ARC, AC/DC, TRANSFORMER RECTIFIER, CONSTANT CURRENT, PROGRAMMED REVIEWER: AS ME	A 3431	IP 11-JAN-89	AL	SH	99	IP
MIL-F-80233B	FURNACE, VACUUM, HEAT TREATING, INTEGRAL QUENCH USER: AS OS REVIEWER: GS ...	A 3424	IP 10-MAY-85	AL	SH	99	
MIL-W-80235C	WELDING MACHINES, ELECTRICAL RESISTANCE, SPOT, PRESS TYPE, AIR OPERATED, SINGLE PHASE, ALTERNATING CURRENT (AC) USER: AS CG REVIEWER: B4 GS	A 3432	IP 13-SEP-91			99	IP
D MIL-G-80236	GENERATOR, AMMONIA DISSOCIATED ATMOSPHERE REVIEWER: AS OS YD1	A 3424	IP 24-MAR-87		SH	99	
NOTICE 1	ELECTRO-EROSION MACHINE, ELECTRO-CHEMICAL, HORIZONTAL RAM TYPE, CAVITY SINKING REVIEWER: B4 AL AS GS MC SH	A 3410	IP 23-SEP-89			99	IP
MIL-E-80238B	GRINDING MACHINES, NON-TRAVELING ROTARY TABLE, VERTICAL SPINDLE, UNIVERSAL, MANUAL, AUTOMATIC, & COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR AS REVIEWER: B4 GS	A 3415	IP 24-AUG-87	AL	SH	99	
D MIL-V-80240C	VIEWS, MICROFICHE REVIEWER: 70 99 AR AS AT AV DO EA MC ME OS SH YD1	A 6730	GS 15-JUN-90	ER	SA	07	GS
L MIL-V-80240B(13)	VIEWS, MICROFICHE	A 6730	GS 15-FEB-85				GS
D MIL-W-80243B	WELDING MACHINE, ARC, DC, TRANSFORMER-RECTIFIER, CONSTANT CURRENT, PROGRAMMED USER: B4 AS CG MC REVIEWER: GS	A 3431	IP 31-DEC-87	AL	YD1	99	
MIL-W-80244B	WELDING MACHINE, FRICTION USER: AS AV MC REVIEWER: B4 GS	A 3438	IP 02-MAR-90	AL		99	IP
MIL-L-80245A	LATHE, MULTIPLE PURPOSE, CHUCKING, HORIZONTAL SPINDLE, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: GS WV	A 3416	IP 22-DEC-88	AL	SH	99	IP
MIL-B-80247C	BENDING MACHINES, SHEET AND PLATE, CYLINDRICAL, RESILIENT ROLLER USER: MC REVIEWER: B4	A 3441	IP 20-FEB-92	AL	SH	99	IP
D MIL-B-80248A	BORING AND TURNING MACHINES, VERTICAL, NUMERICAL CONTROL BY MANUAL DATA INPUT, 36 THROUGH 96 INCH TABLES USER: AS REVIEWER: B4 AR GS YD1	A 3411	IP 30-SEP-86	AL	SH	99	
MIL-P-80249A	PLATING UNIT, SELECTIVE (BRUSH), PORTABLE [VALIDATION DATE: 8703] REVIEWER: AS GS MS OS	A 3426	IP 17-MAR-87	AL	SH	99	
NOTICE 1	DIMPLING MACHINES, HOT AND COLD PROCESS, SQUEEZE TYPE, FLOOR MOUNTED [VALIDATION DATE: 8803] REVIEWER: GS	A 3448	IP 25-MAR-88		AS	99	IP
MIL-D-80251A	WELDING MACHINES, ELECTRICAL, RESISTANCE, SPOT, PRESS TYPE SINGLE PHASE, BENCH OR FLOOR MOUNTED USER: AR AS REVIEWER: B4	A 3432	IP 14-MAY-90	AL		99	IP
NOTICE 1	ELECTRO-CHEMICAL MACHINE, GRINDING, SURFACE	A 3410	IP 12-APR-89	AL	SH	99	IP
MIL-E-80254A	MACHINING CENTERS, VERTICAL, SINGLE SPINDLE, COMPUTER NUMERICAL CONTROL (CNC) USER: AS OS REVIEWER: GS	A 3408	IP 14-SEP-90	AL	SH	99	IP
MIL-W-80255B	WELDING MACHINES, ELECTRICAL RESISTANCE, SPOT, PRESS TYPE, AIR OPERATED, SINGLE PHASE, DIRECT CURRENT REVIEWER: B4 AS SH	A 3432	IP 14-MAY-90	AL		99	IP
MIL-L-80257A	LATHES, TURRET, HORIZONTAL SPINDLE, BAR AND CHUCKING, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: MC REVIEWER: B4 GS	A 3416	IP 11-DEC-90		SH	99	IP
MIL-F-80258A	FURNACE, HEAT TREATING, ELECTRIC, NATURAL ATMOSPHERE, BOX TYPE USER: AR AS REVIEWER: B4 CR GS SH SM	A 3424	IP 28-OCT-86	AL		99	
D MIL-D-80262B(1)	DRILLING MACHINE, RADIAL, FLOOR MOUNTED USER: MC SH YD1 REVIEWER: B4	A 3413	IP 06-DEC-91	AL	SH	99	IP
MIL-W-80263A	MACHINING CENTERS, HORIZONTAL, SINGLE SPINDLE 4- AND 5-AXIS, COMPUTER NUMERICAL CONTROL (CNC) REVIEWER: B4 AS GS	A 3408	IP 16-NOV-90	AL	SH	99	IP
MIL-N-80264(3)	MACHINING CENTERS, HORIZONTAL, SINGLE SPINDLE 3 AXIS, SOFTWARED NUMERICAL CONTROL WITH POSITIONING ROTARY TABLE	A 3408	IP 27-OCT-86	AL	SH	99	IP
MIL-C-80265(1)	CUTTING MACHINES, OXYGEN FLAME AND PLASMA ARC, AUTOMATIC, STATIONARY, NUMERICALLY CONTROLLED USER: MC SH REVIEWER: B4 GS	A 3433	IP 14-NOV-90			99	IP
MIL-G-80266A	GRINDING MACHINES, TOOL AND CUTTER, FLUTE AND RADIUS, COMPUTER NUMERICALLY CONTROLLED (CNC) USER: AR MC SH REVIEWER: B4 GS ME	A 3415	IP 27-MAR-87	AL	SH	99	
MIL-G-80267	GRINDING MACHINES, JIG, VERTICAL, CNC [VALIDATION DATE: 9005] USER: MC REVIEWER: B4 AV GS	A 3415	IP 08-MAY-90	AL	SH	99	IP
NOTICE 1	GRINDING MACHINES, TOOL AND CUTTER, AND GRINDING AND CASHING MACHINES, TOOL, CUTTER, FLUTE, AND RADIUS USER: AR MC SH REVIEWER: B4 ME	A 3415	IP 25-AUG-89	AL	SH	99	IP
MIL-G-80268A	MACHINING CENTERS, VERTICAL, SINGLE SPINDLE, DOUBLE COLUMN, COMPUTER NUMERICALLY CONTROLLED (CNC) REVIEWER: B4 GS	A 3408	IP 27-AUG-86	AL	SH	99	
MIL-M-80269	ELECTRICAL DISCHARGE MACHINE, CNC, WIRE USER: MC ME REVIEWER: B4 AR AV GS SA	A 3410	IP 25-APR-90	AL	SH	99	IP
D MIL-S-80271A	SHEARING MACHINES, METAL SQUARING, MECHANICAL DRIVE USER: AV MC OS SH REVIEWER: B4 YD1	A 3445	IP 06-MAR-92	AL		99	IP
D MIL-B-80272	BORING MACHINES, JIG VERTICAL, DOUBLE COLUMN, BRIDGE TYPE, FIXED OR TRAVELING CROSS-RAIL, NUMERICALLY CONTROLLED (NC) USER: AL	A 3411	IP 30-SEP-86	AR	YD1	84	
D MIL-S-80274	SAWS, POWER, HACK, 6-INCH THROUGH 24-INCH WORKPIECE CAPACITY USER: MC OS REVIEWER: B4 YD1	A 3405	IP 07-JUL-87	AL	SH	99	
MIL-G-80275	GRINDING MACHINES, CIRCULAR SAW BLADE, METAL-CUTTING USER: AR AS MC ME REVIEWER: B4 CR GS SH	A 3415	IP 08-MAR-88	AL	SH	99	IP
MIL-P-80276	PRESS BRACKES, HYDRAULICALLY OPERATED, SHEET AND PLATE, COMPUTER NUMERICALLY CONTROLLED (CNC)	A 3441	IP 29-JUN-88	AL	SH	99	IP
MIL-L-80277	LATHES, PRECISION, TOOLROOM, VARIABLE SPEED, 11-INCH THROUGH 13-INCH USER: AV CE MC REVIEWER: GS	A 3416	IP 29-SEP-89	AL	SH	99	IP
MIL-G-80278	GRINDING MACHINE, CYLINDRICAL, EXTERNAL, CENTER TYPE, COMPUTER NUMERICAL CONTROL USER: AS OS REVIEWER: B4 GS	A 3415	IP 13-APR-90	AL	SH	99	IP
MIL-P-80279	PUNCHING, SHEARING, NOTCHING, AND COPING MACHINE, METAL, HYDRAULICALLY DRIVEN, FOUR STATION TYPE USER: AV MC REVIEWER: B4 GS	A 3445	IP 27-NOV-91	AL	SH	99	IP
MIL-P-80280	PUNCHING, ANGLE AND BAR SHEARING MACHINE, METAL, HYDRAULICALLY DRIVEN, THREE STATION TYPE USER: AV MC REVIEWER: B4 GS	A 3445	IP 27-NOV-91	AL	SH	99	IP
L MIL-R-81000	REPRODUCER-SET, VOICE WARNING AM/ASM-19(4) [VALIDATION DATE: 8106] ...	A 5895	AS 18-FEB-64		AS		
L MIL-P-81001(1)	POWER SUPPLY PP-25B1 (1/4) [VALIDATION DATE: 8005] ...	A 5821	AS 08-SEP-70		AS		
QL MIL-W-81002B	WIRE ROPE, STEEL, 1-3/8 INCH DIAMETER, 6 BY 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH-STRENGTH (FOR AIRCRAFT APPRESTING) [VALIDATION DATE: 9110]	A 4010	AS 28-OCT-91		AS		
NOTICE 1							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Spec / OMA Classification Inclusive	Document Number	Document Title	Doc Symb	FSC / Ase	MCA Symbol	Preparing Date	Custodians			
							Army	Navy	Air Force	DLA
L	MIL-C-81003	CLINOMETER, ELEVATION ML-591/U [VALIDATION DATE: 8304] REVIEWER: 99 GS	A	6660	AS	15-FEB-64	AS			
	MIL-B-810068	BOMB, FREE FALL, DEMONSTRATION OF DISPERSION REQUIREMENTS FOR [VALIDATION DATE: 8704]	A	1325	AS	23-FEB-68	AS	15		
L	MIL-I-81007(1)	INTEGRATED ELECTRONIC CENTRALS AN/ASQ-56A AND AN/ASQ-56B [VALIDATION DATE: 8103]	A	5895	AS	28-SEP-67	AS			
L	MIL-C-81009	CONTROL, RADIO SET C-4684(*)/ASQ-56A	A	5821	AS	15-APR-88	AS			
Q	MIL-W-81014A(1)	HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C [VALIDATION DATE: 8205]	A	1670	AS	29-DEC-65	AV	AS		
ML	MIL-S-81018C(1)	SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, GENERAL SPECIFICATION FOR	A	1660	AS	12-NOV-85	AS			
L	MIL-S-81018/1	SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN-RSSK-6 [VALIDATION DATE: 9110]	A	1660	AS	28-OCT-91	AS			
L	MIL-S-81018/2D	SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITH OXYGEN, RSSK-8D [VALIDATION DATE: 9110]	A	1660	AS	28-OCT-91	AS			
L	MIL-S-81018/3	SURVIVAL KIT CONTAINER, AIRCRAFT SEAT WITH OXYGEN - RSSK-1A [VALIDATION DATE: 9110]	A	1660	AS	28-OCT-91	AS			
Q	MIL-W-81019D	HYDRAULIC FLUID, PETROLEUM BASE, ULTRA-LOW TEMPERATURE, METRIC [VALIDATION DATE: 9110] REVIEWER: 99 GS PS	A	9150	AS	28-OCT-91	MI	AS	11	
	MIL-C-81021A	COPPER-BERYLLIUM ALLOY (COPPER ALLOY NUMBERS C17500 AND C17510), STRIP [VALIDATION DATE: 9012] USER: ML SH REVIEWER: 15	A	9535	AS	14-DEC-90	NR	AS	11	
L	MIL-I-81023D	INDUCTOR, 28V, D. C. LABORATORY TEST GENERAL SPECIFICATION FOR	A	6625	SH	20-DEC-85	SH			
L	MIL-S-81031B(4)	SWITCH, INERTIA, MARK 104 MOD 1 (FOR TORPEDO MARK 46 MODS 0 THRU 5)	A	1355	OS	18-JUN-87	OS			
L	MIL-I-81036(2)	INTEGRATED ELECTRONIC CENTRALS AN/ASQ-88, AN/ASQ-88A, AN/ASQ-88B AND AN/ASQ-108 [VALIDATION DATE: 8103]	A	5895	AS	28-SEP-67	AS			
ML	MIL-S-81040C	SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110]	A	1660	AS	28-OCT-91	AS			
L	MIL-S-81040/2B	SURVIVAL KIT CONTAINER, AIRCRAFT SEAT, WITHOUT OXYGEN, RSSK-9A [VALIDATION DATE: 9110]	A	1660	AS	28-OCT-91	AS			
	MIL-L-81043	LUBRICATION CHARTS FOR AIR WEAPON SYSTEMS, PREPARATION OF [VALIDATION DATE: 8107] USER: 11	A	TM55	AS	13-MAY-64	AS	68		
Q	MIL-W-81044B(3)	WIRE, ELECTRIC, CROSSLINKED POLYALKENE, CROSSLINKED ALKAME-IMIDE POLYMER, OR POLYALKYLENE INSULATED, COPPER OR COPPER ALLOY USER: MC REVIEWER: AR AT AV EA EC IS MI OS	A	6145	AS	30-JUN-90	CR	AS	85	
L	MIL-W-81044/5C	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C [VALIDATION DATE: 9004]	A	6145	BS	18-APR-90		85		
A	MIL-W-81044/6C(2)	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 DEG. C USER: MC OS REVIEWER: 99 AT AV EC IS MI	A	6145	AS	30-JUN-92	CR	AS	85	
Q	MIL-W-81044/7B	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 11 AR AT AV EA EC IS MI	A	6145	AS	07-SEP-76	CR	AS	85	
L	MIL-W-81044/8C	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED COPPER, MEDIUM WEIGHT, 600 VOLT, 150 DEG. C (INACTIVE)	A	6145	BS	07-SEP-76		85		
	MIL-W-81044/9B(1)	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 DEG. C USER: MC OS REVIEWER: 99 AR AT AV EC IS MI	A	6145	AS	30-APR-92	CR	AS	85	
Q	MIL-W-81044/10B	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 11 AR AT AV EA EC IS MI	A	6145	AS	07-SEP-76	CR	AS	85	
L	MIL-W-81044/11C	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 DEG. C [VALIDATION DATE: 9004]	A	6145	BS	18-APR-90		85		
Q	MIL-W-81044/12B	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN COATED COPPER, LIGHT WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 85 AR AT AV EA EC IS MI	A	6145	AS	07-SEP-76	CR	AS	11	
Q	MIL-W-81044/13B	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600 VOLT, 150 DEG. C [VALIDATION DATE: 8203] USER: MC OS REVIEWER: 11 AR AT AV EA EC IS MI	A	6145	AS	07-SEP-76	CR	AS	85	
N	MIL-I-81049A(2)	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, VOLTAGE COMPENSATED, MULTIFUNCTION USER: CG MC REVIEWER: 71 GS	A	6685	AS	01-MAY-80	AV	AS	99	
L	MIL-S-81054A	STEEL, BARS AND FORGINGS, CHROMIUM-NICKEL-MOLYBDENUM-VANADIUM (FOR TORPEDO MK 46 MOD 0) [VALIDATION DATE: 8204]	A	1355	OS	23-SEP-76	OS			
L	MIL-C-81064(7)	COURSE GYROSCOPE (FOR TORPEDO MK 46 MODS 0 AND 1) [VALIDATION DATE: 8404]	A	1355	OS	30-MAR-71	OS			
L	MIL-G-81065A(2)	GYRO-PENDULUM ASSEMBLY (FOR TORPEDO MK 46 MOD 0 AND MK 46 MOD 1) [VALIDATION DATE: 8404]	A	1355	OS	08-JAN-71	OS			
L	MIL-D-81068(1)	DEVICE, HIT AND LOCATING (FOR TORPEDO MK 46 MOD 0) [VALIDATION DATE: 8404]	A	1355	OS	22-OCT-65	OS			
L	MIL-T-81077A(2)	TEST SET, ELECTRICAL CABLE MARK 444 MOD 0 (FOR TORPEDO MK 46 MODS 0 AND 1) [VALIDATION DATE: 8204]	A	4921	OS	29-APR-69	OS			
L	MIL-T-81078(6)	TEST SET, AFTERBODY, TORPEDO, MARK 442 MOD 0 (FOR TORPEDO MK 46 MOD 0) [VALIDATION DATE: 8204]	A	4921	OS	16-APR-69	OS			
L	MIL-A-81083C(3)	ALTERNATOR RECTIFIER (FOR TORPEDO MK 46 MODS 0, 1, 2, AND 4) [VALIDATION DATE: 8508]	A	1355	OS	14-MAR-79	OS			
L	MIL-C-81084A	CONTAINER, SHIPPING AND STORAGE, MK 300 MOD 0 AND MOD 1 (FOR TORPEDO MK 46 MOD 0 THROUGH MOD 5)	A	8140	OS	16-JAN-92	OS			
Q	MIL-S-81087C(1)	SILICONE FLUID, CHLORINATED PHENYL METHYL POLYSILOXANE, NATO CODE NUMBER H-536 USER: AR MC REVIEWER: 68 AT AV ER MI PS	A	9150	AS	29-JUN-84	ME	AS	11	
L	MIL-C-81089	COORDINATE CONVERTER MARK 54 MOD 0 [VALIDATION DATE: 8410]	A	1270	AS	01-JUN-64	AS			
L	MIL-N-81090	RUBBER, ELECTRICALLY CONDUCTIVE, FUEL RESISTANT REVIEWER: GS MI MR	A	9320	OS	19-MAY-83	OS			
L	MIL-C-81093B(1)	CARTRIDGES, EXPLOSIVE BOLT (FOR TORPEDOS MARK 46 ALL MODS)	A	1356	OS	23-MAR-87	OS			
D	MIL-T-81098F	TRUCK, AMMUNITION HANDLING: STAKE AND PLATFORM BODY, 24,000 POUNDS GVW, 4 BY 2 OR 4 BY 4	A	2320	YD1	20-FEB-81	AT	YD1		
QL	MIL-E-81099A	ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8711] REVIEWER: GS	A	6150	AS	20-NOV-87	AS			
LI	MIL-F-81100A	FLOAT, DRILL MINE, MARK 17 MOD 0	A	1350	OS	27-MAR-92	OS			
L	MIL-C-81104A(1)	CORD, POLYAMIDE, HIGH TEMPERATURE RESISTANT [VALIDATION DATE: 9110]	A	4020	AS	28-OCT-91	AS			
L	MIL-R-81105	RECEIVER-TRANSMITTER, RADIO RT-736(*)/ASQ-88 AND DECODER, PULSE KY-531(*)/ASQ-88 [VALIDATION DATE: 8103]	A	5826	AS	15-JAN-66	AS			
L	MIL-E-81111B	EXPLOSIVE, PLASTIC-BONDED MOLDING POWDER (PBXN-5) REVIEWER: MI	A	1376	OS	23-OCT-85	AR	OS		
	MIL-W-81116B(1)	WEBBING, TEXTILE, POLYAMIDE, HIGH TEMPERATURE RESISTANT, LOOP [VALIDATION DATE: 9110]	A	8305	AS	28-OCT-91	AS	99		
L	MIL-B-81119A	BANDS, HANDLING, MISSILE AND BOOSTER MK 79 MOD 1 AND MK 81 MOD 0	A	1450	OS	05-JUN-89	OS			
L	MIL-R-81128(1)	ROCKET MOTORS, IDENTIFICATION OF PARTS AND ASSEMBLIES, REQUIREMENTS FOR ...	A	1340	OS	19-APR-89	OS			
L	MIL-T-81134	TEST SET AN/ASM-184(V); AIRCRAFT WEAPON CONTROL TEST SET AN/ASM-184 [VALIDATION DATE: 8204]	A	6625	AS	21-JAN-76	AS			
L	MIL-T-81139A(1)	TEST SET, GUIDED MISSILE AN/DSM-68 [VALIDATION DATE: 8201]	A	4935	AS	15-NOV-68	AS			
L	MIL-O-81144B	OSCILLATOR SUBASSEMBLY (MOSC DWG NO. 1563731) (TORPEDO MARK 37 MODS 0 AND 1) [VALIDATION DATE: 8403]	A	1355	OS	19-NOV-70	OS			
L	MIL-T-81148B	TRANSFORMER, DISCRIMINATION (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 7907] REVIEWER: MI	A	1355	OS	11-AUG-72	OS			
L	MIL-F-81150A	FILTER, BANDPASS (NAVORD DWG 1563728) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8506]	A	1355	OS	12-OCT-71	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn./GMA Classification Notice Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians		
			Army	Navy	AF / Force DLA
L MIL-D-81151A	OSCILLATOR SUBASSEMBLY (NAVORD DWG 1563736) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403]	A 1355 OS 17-DEC-70	OS		
L MIL-F-81154A	FILTER, LOWPASS (NAVORD DWG 1563732) (FOR TORPEDO MARK 37 MODS 0, 2, AND 3) [VALIDATION DATE: 8403]	A 1355 OS 10-SEP-70	OS		
L MIL-R-81158A	REAR COVER ASSEMBLED UNIT (FOR TORPEDO MARK 37 MODS 0 AND 1) [VALIDATION DATE: 8506]	A 1355 OS 14-MAR-66	OS		
L MIL-G-81168 NOTICE 1	GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901]	A 6615 OS 27-JAN-89	OS		
L MIL-G-81168/1A NOTICE 1	GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901]	A 5840 OS 27-JAN-89	OS		
L MIL-G-81168/2A NOTICE 1	GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901]	A 6615 OS 27-JAN-89	OS		
L MIL-G-81168/3A NOTICE 1	GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901]	A 1210 OS 27-JAN-89	OS		
L MIL-G-81168/4A NOTICE 1	GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8901]	A 1285 OS 27-JAN-89	OS		
L MIL-G-81168/5B NOTICE 1	GYROSCOPE, RATE INTEGRATING [VALIDATION DATE: 8204]	A 1285 OS 18-OCT-74	OS		
L MIL-C-81169	COMPUTER SET, NAVIGATIONAL AM/ASN-39 ( [VALIDATION DATE: 8304]	A 5826 AS 15-OCT-64	AS		
M MIL-L-81174(1)	LIGHT, LANDING, AIRCRAFT, RETRACTABLE USER: CG MC REVIEWER: GS	A 6220 AS 09-MAR-84	AV AS 99		
A MIL-L-81174/1B(1)	LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 64, 28 OR 120 VOLT LAMP) REVIEWER: 99 GS	A 6220 AS 06-NOV-92	AV AS 82		
Q MIL-L-81174/2B	LIGHT, LANDING, AIRCRAFT, CONTROLLABLE [VALIDATION DATE: 8106] USER: CG MC REVIEWER: GS	A 6220 AS 21-SEP-72	AV AS 99		
MIL-L-81174/3	LIGHT, LANDING, AIRCRAFT, RETRACTABLE (PAR 46 LAMP) [VALIDATION DATE: 8410] USER: CG MC REVIEWER: GS	A 6220 AS 07-DEC-64	AV AS 99		
Q MIL-L-81174/4A(1)	LIGHT, LANDING, AIRCRAFT, RETRACTABLE REVIEWER: GS	A 6220 AS 09-MAR-84	AV AS 99		
MIL-F-81177E	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL REVIEWER: 82 AR 15	A 5320 AS 15-FEB-84	AV AS 99		
MIL-F-81177/1 NOTICE 1	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, DESIGN & USAGE LIMITATIONS FOR REVIEWER: 99 AR 15 MI	A 5320 AS 09-MAR-88	AV AS		
MIL-F-81177/2 NOTICE 1	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, 100 DEG. FLUSH HEAD, 450 DEG. F, ALLOY STEEL 112 KSI FSU	A 5320 AS 09-MAR-88	AV AS		
MIL-F-81177/3 NOTICE 1	FASTENER, BLIND, HIGH STRENGTH, INSTALLATION FORMED, THREADED, SELF LOCKING, PROTRUDING HEAD, 450 DEG. F, ALLOY STEEL, 112 KSI, FSU REVIEWER: 99 AR 15 MI	A 5320 AS 09-MAR-88	AV AS 11		
L MIL-J-81186	INDICATOR, RATE OF FUEL FLOW SYNCHRO TYPE, MS90360 [VALIDATION DATE: 8103]	A 6620 AS 01-JUL-66	AS		
L MIL-T-81187	TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE MS90361 [VALIDATION DATE: 8410]	A 6620 AS 01-JUL-66	AS		
A MIL-G-81188B(3) NOTICE 2	GLOVES, FLYER'S, SUMMER, TYPE GS/FRP-2 [VALIDATION DATE: 9110] USER: 45 CG MC REVIEWER: 11 AV MD	A 8415 CT 28-OCT-91	GL AS 99 CT		
A LI MIL-M-81191A NOTICE 1	NICKEL-TITANIUM ALLOYS, LOW MAGNETIC EFFECTS; BARS, PLATES, SHEETS, STRIPS, AND SHAPES (FOR SPECIAL PURPOSE TOOLS AND EQUIPMENT) REVIEWER: AR	A 1450 OS 20-MAY-92	OS		
MIL-H-81200B	HEAT TREATMENT OF TITANIUM AND TITANIUM ALLOYS USER: GL REVIEWER: 84 99 AV MI SH	A 95GP AS 13-JAN-91	MR AS 11		
L MIL-R-81202D	RECEIVER ASSEMBLY, NITROGEN, FOR LAU-7 SERIES LAUNCHERS	A 1055 AS 03-FEB-81	AS		
L MIL-C-81204A NOTICE 1	CONTAINER, SHIPPING AND STORAGE MK 311 MOD 1 [VALIDATION DATE: 9109]	A 1450 AS 25-SEP-91	AS		
L MIL-B-81205 NOTICE 1	BAND, HANDLING, MK 84 MOD 0 [VALIDATION DATE: 8704]	A 1450 AS 15-APR-87	AS		
L MIL-W-81207A(1)	NAVIGATIONAL SET, TACAN AM/ARN-84 (V) [VALIDATION DATE: 8208]	A 5826 AS 19-JUL-76	AS		
L MIL-M-81218B NOTICE 1	MANUALS, TECHNICAL: AIRCRAFT ENGINE INTERMEDIATE AND DEPOT MAINTENANCE, PREPARATION OF (WORK PACKAGE CONCEPT)	A THSS AS 23-FEB-89	AS		
Q MIL-I-81219B	INDICATOR, ELAPSED TIME, ELECTROCHEMICAL	A 6645 AS 07-OCT-87	AS		
A L MIL-S-81220A	SHELTER, EXPEDITIONARY AIR FUEL WEAPONS READY, SERVICE USER: 45	A 8340 CT 15-FEB-91	AS	CT	
L MIL-C-81222C(1)	CHECKLIST, FLIGHT CREW, PREPARATION OF [VALIDATION DATE: 8405]	A THSS AS 22-FEB-78	AS		
L MIL-T-81223	TEST SET, PNEUMATIC PRESSURE AM/PSM-15C [VALIDATION DATE: 8209]	A 6625 AS 15-MAR-65	AS		
L MIL-F-81226(1) NOTICE 1	FLASH UNITS, PHOTOGRAPHIC REPEATING [VALIDATION DATE: 9111] REVIEWER: MC	A 6760 AS 05-NOV-91	ER AS 99		
MIL-D-81227B	DETECTOR KIT, WATER, AUTOMOTIVE - AVIATION FUEL [VALIDATION DATE: 8303] USER: ME REVIEWER: 68 71 MR	A 6640 AS 15-DEC-76	AV AS 99		
LI MIL-W-81235(3) NOTICE 1	WIRE, SILVER-ALLOY	A 9545 OS 20-MAY-92	OS		
LI MIL-A-81236(2) NOTICE 1	ADHESIVE, EPOXY RESIN WITH POLYAMIDE CURING AGENT	A 8040 OS 10-APR-91	OS		
L MIL-P-81237	PENTAERYTHRITOL DIOLATE [VALIDATION DATE: 8107]	A 6810 OS 05-MAR-65	OS		
LI MIL-S-81238 NOTICE 1	SODIUM DIOCTYL SULFOSUCCINATE	A 6810 OS 20-MAY-92	OS		
LI MIL-G-81239(1) NOTICE 1	GLYCEROL MONOLEATE	A 6810 OS 20-MAY-92	OS		
LI MIL-W-81240(1) NOTICE 1	NOZZLE INSERT, SILICON CARBIDE-GRAPHITE	A 1336 OS 20-MAY-92	OS		
LI MIL-W-81244 NOTICE 1	WETTING AGENT	A 6850 OS 20-MAY-92	OS		
LI MIL-S-81245	SHIELD, RAD HAZ L/20MM CARTRIDGES HOLDER, RAD HAZ SHIELD	A 1005 AS 21-AUG-89	AS		
LI MIL-S-81246A NOTICE 1	STABILIZER, ORGANIC-TIN-SULFUR	A 6810 OS 20-MAY-92	OS		
LI MIL-D-81248B	DETECTOR PAD, FREE WATER REVIEWER: 68 82 DM	A 6640 AS 30-JUN-80	AS 99		
LI MIL-C-81251 NOTICE 1	CLOTH, SILICA, PHENOLIC IMPREGMATED	A 1338 OS 20-MAY-92	OS		
LI MIL-A-81253(1) NOTICE 1	ADHESIVE, EPOXY RESIN WITH POLYAMINE CURING AGENT	A 8040 OS 10-APR-91	OS		
LI MIL-F-81254 NOTICE 1	FOAM, URETHANE	A 1338 OS 20-MAY-92	OS		
LI MIL-S-81256(1) NOTICE 1	SILICA FABRIC, PHENOLIC IMPREGMATED	A 1338 OS 20-MAY-92	OS		
L MIL-A-81258	AMPLIFIER, RESOLVER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8108] REVIEWER: ES	A 5990 AS 11-MAY-65	AS		
L MIL-A-81258/1	AMPLIFIER, RESOLVER [VALIDATION DATE: 8307] REVIEWER: ES	A 5990 AS 19-AUG-65	AS		
L MIL-T-81259B	TIE-DOWNS, AIRFRAME DESIGN, REQUIREMENTS FOR	A 15GP AS 11-OCT-91	AS		
L MIL-M-81260A(1)	MANUAL, TECHNICAL, AIRCRAFT/SYSTEM/EQUIPMENT MAINTENANCE [VALIDATION DATE: 8405]	A THSS AS 29-OCT-71	AS		
Q MIL-R-81261A(1) NOTICE 1	RAIN REPELLENT, GLASS WINDOW AND WINDSHIELD, FOR IN-FLIGHT APPLICATION [VALIDATION DATE: 9110]	A 6850 AS 28-OCT-91	AV AS 11		
LI MIL-A-81264(1)	ASBESTOS FELT OR MAT, RESIN IMPREGMATED REVIEWER: 15	A 5330 OS 07-FEB-90	OS		
LI MIL-F-81265(1)	FIBER, ASBESTOS REVIEWER: 15	A 5330 OS 07-FEB-90	OS		
L MIL-B-81267	BENZYLDMETHYLAMINE - M [VALIDATION DATE: 8307] REVIEWER: GS	A 6810 OS 10-MAY-65	OS		
LI MIL-C-81268A NOTICE 1	CLOTH, NYLON	A 8305 OS 20-MAY-92	OS		
L MIL-S-81269	STABILIZER, BARIUM-CADIUM [VALIDATION DATE: 8107] REVIEWER: GS	A 6810 OS 10-MAY-65	OS		
LI MIL-A-81270(1) NOTICE 1	ADHESIVE, SYNTHETIC RUBBER	A 8040 OS 06-NOV-91	OS		
L MIL-S-81271(2)	SQUIB, ONE AMPERE, NO FIRE ( INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 7909]	A 1375 OS 15-MAY-73	OS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc. / Chg. Coordination Inchance Document Number	Document Title	Doc. Syst. FDC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-T-81272	THERMOCOUPLE, ENGINE, CYLINDER, BAYONET TYPE, MS90324 (VALIDATION DATE: 8103)	A 6620	AS 01-FEB-66	AS			
L MIL-M-81273A SUPPL 1A1	MANUAL, TECHNICAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8204) .....	A TMSS	OS 25-APR-66	OS			
L MIL-M-81273/1A	MANUAL, TECHNICAL, ASSEMBLY AND TEST (EQUIPMENT TYPE) (VALIDATION DATE: 8204)	A TMSS	OS 25-APR-66	OS			
L MIL-M-81273/2A	MANUAL, TECHNICAL, USERS (EQUIPMENT TYPE) (VALIDATION DATE: 8204) .....	A TMSS	OS 25-APR-66	OS			
L MIL-M-81273/3A	MANUAL, TECHNICAL, ENCYCLOPEDIA (REFERENCE TYPE) (VALIDATION DATE: 8204) ..	A TMSS	OS 25-APR-66	OS			
L MIL-M-81273/4A	MANUAL, TECHNICAL, WEAPON SYSTEM (VALIDATION DATE: 8204) .....	A TMSS	OS 25-APR-66	OS			
L MIL-M-81273/5A	MANUAL, MAINTENANCE, TECHNICAL (EQUIPMENT TYPE) SPECIFICATION FOR (VALIDATION DATE: 8204)	A TMSS	OS 25-APR-66	OS			
L MIL-M-81273/6A	MANUAL, TECHNICAL, ELECTRONIC AND ELECTROMECHANICAL EQUIPMENT, GUIDES TO THE USE OF (PARIS I THRU VI) (VALIDATION DATE: 8204)	A TMSS	OS 25-APR-66	OS			
L MIL-M-81273/7A	MANUAL, TECHNICAL GENERAL PURPOSE (REFERENCE TYPE) (VALIDATION DATE: 8204)	A TMSS	OS 25-APR-66	OS			
L MIL-L-81274	INDICATOR, LATITUDE-LONGITUDE ID-BB8C ( )/U (VALIDATION DATE: 8509) .....	A 6610	AS 15-JUL-65	AS			
A MIL-C-81280C	CLOTH, TWILL, POLYAMIDE, AROMATIC, STAPLE, HIGH TEMPERATURE RESISTANT USER: 45 REVIEWER: 82	A 8305	CT 30-NOV-87	GL	AS	99	CT
A MIL-S-81282B	STANDARD, FREE WATER DETECTOR USER: ME REVIEWER: 68 MR .....	A 6640	AS 22-JAN-93	AV	AS	11	
L MIL-M-81288(1) NOTICE 1	MOUNTING BASES, FLEXIBLE PLASTIC FOAM (VALIDATION DATE: 9110) .....	A 5340	AS 28-OCT-91	AS			
L MIL-C-81289 NOTICE 1	CONTAINER, SHIPPING AND STORAGE MK 309 MOD 0 (VALIDATION DATE: 9109) .....	A 1450	AS 25-SEP-91	AS			
L MIL-T-81290	TEST SET, MISSILE ELECTRICAL SYSTEM MARK 363 MOD 3 (VALIDATION DATE: 8204) REVIEWER: 99	A 4935	OS 07-JUL-65	OS			
A MIL-L-81293A	LIGHTWEIGHT SANDWICH-CONSTRUCTED PANELS (FOR ASROC LAUNCHER MK 112) .....	A 5640	OS 22-JUL-92	OS			
Q MIL-R-81294D	REMOVER, PAINT, EPOXY, POLYSULFIDE, AND POLYURETHANE SYSTEMS USER: MC REVIEWER: 84 AV MR	A 8010	AS 31-OCT-90	ME	AS	99	
L MIL-A-81296D MIL-D-81298D	ALTIMETER SET, ELECTRONIC AM/APM-17(V) REVIEWER: CR .....	A 5826	AS 22-JUL-85	AS			
MIL-C-81302D(1) NOTICE 1	DYE, LIQUID, FOR THE DETECTION OF LEAKS IN AIRCRAFT FUEL SYSTEMS USER: 99 CG SM REVIEWER: GS MR	A 6820	68 29-JAN-88	AV	AS	68	
MIL-D-81303A(1)	CLEANING COMPOUND, SOLVENT, TRICHLOROFLUOROMETHANE (VALIDATION DATE: 9110) USER: ER REVIEWER: GS OS SM SM	A 6850	AS 28-OCT-91	NI	AS	68	
QL MIL-P-81305(4)	DESIGN AND EVALUATION OF CARTRIDGES FOR STORES SUSPENSION EQUIPMENT (VALIDATION DATE: 8202) REVIEWER: AR	A 1377	AS 10-MAY-67	AV	AS		
Q MIL-T-81306A NOTICE 1	POWER, DISTRIBUTION PANEL, ALTERNATING CURRENT, 1-4 AIRCRAFT, SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: GS	A 6110	AS 19-MAR-76	AS			
L MIL-A-81307	TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS (VALIDATION DATE: 9110) USER: OS SM REVIEWER: 11 17 99 EC	A 5120	AS 17-OCT-91	CR	AS	85	
L MIL-T-81308	AMPLIFIER, SERVOMOTOR, GENERAL SPECIFICATION (VALIDATION DATE: 8108) REVIEWER: ES	A 5990	AS 20-AUG-65	AS			
MO MIL-C-81309E	TEST SET GROUP, MAGNETIC DETECTOR HEAD, DA-7366/ASM-3, DA-7366A/ASM-3, AND DA-7366B/ASM-3 (VALIDATION DATE: 8107)	A 6625	AS 23-AUG-65	AS			
L MIL-M-81310D	CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA-THIN FILM USER: AT CG REVIEWER: 84 DS MR OS	A 8030	AS 31-MAR-93	EA	AS	99	
L MIL-T-81311A NOTICE 1	MANUALS, TECHNICAL: AIRBORNE WEAPONS/STORES LOADING (CONVENTIONAL AND NUCLEAR) WEAPON ASSEMBLY/DISASSEMBLY/SUPPORT EQUIPMENT CONFIGURATION	A TMSS	AS 01-MAR-90	AS			
L MIL-C-81313(1)	TRAILER, AIR LAUNCHED WEAPONS, ROUGH TERRAIN, A/M32K-4A (VALIDATION DATE: 9109)	A 1730	AS 25-SEP-91	AS			
L MIL-L-81316A(3)	CRADLES, AIR LAUNCHED WEAPONS .....	A 1740	AS 01-JUN-87	AS			
L MIL-C-81317(2)	INITIATOR, CARTRIDGE ACTUATED, DELAY MARK 11 MOD 0 (VALIDATION DATE: 8508)	A 1377	AS 18-JUL-73	AS			
L MIL-M-81319A(1) NOTICE 2	CARTRIDGE, IMPULSE, MARK 97 MOD 0 (VALIDATION DATE: 8508) .....	A 1377	AS 12-SEP-66	AS			
Q MIL-G-81322E	WHEELS, ABRASIVE: NON-MOVEN NYLON, RESIN REINFORCED .....	A 5345	AS 10-MAY-92	AS			
L MIL-M-81324(1)	GREASE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE REVIEWER: 68 AR AV EA GS MI OS SM	A 9150	AS 22-JAN-92	ME	AS	11	
L MIL-A-81327A	MONING MACHINE, DRY, PORTABLE REVIEWER: CS .....	A 4940	AS 11-JAN-88	AS			
L MIL-L-81329C NOTICE 1	ACOUSTIC LOCATING DEVICE (FOR TORPEDO MK 46 MOD 0) .....	A 1355	OS 13-MAR-85	OS			
L MIL-C-81330A(1) NOTICE 1	LUBRICANT, SOLID FILM, EXTREME ENVIRONMENT, NATO CODE NUMBER S-1737, METRIC (VALIDATION DATE: 9110) REVIEWER: 68 AV	A 9150	AS 28-OCT-91	AS	11		
L MIL-C-81331A	CARTRIDGE, DELAY, MARK 87 MOD 0 (VALIDATION DATE: 8606) .....	A 1377	OS 23-JUN-86	OS			
L MIL-C-81332D	CARTRIDGE, IMPULSE, MARK 73 MOD 0 (VALIDATION DATE: 8407) .....	A 1377	AS 27-AUG-70	AS			
L MIL-T-81333A	COMPUTER SET, DIGITAL AM/ASD-114(V) .....	A 5821	AS 26-NOV-81	AS			
L MIL-F-81334B	TELESCOPE, MARK 100 MOD 0 AND 1 .....	A 1240	OS 29-JUN-88	OS			
L MIL-F-81334B(11)	FOAM, PLASTIC, FLEXIBLE, OPEN CELL, POLYESTER TYPE POLYURETHANE (VALIDATION DATE: 8303)	A 5340	AS 05-JUL-77	AS			
L MIL-A-81335	FOAM, PLASTIC, FLEXIBLE, OPEN CELL POLYESTER TYPE, POLYURETHANE .....	A 5340	SA 01-APR-91	SA			
L MIL-D-81336A	ALUMINUM POWDER, SPHERICAL (VALIDATION DATE: 8107) REVIEWER: GS .....	A 6810	OS 08-NOV-65	OS			
L MIL-S-81340B	DRIVER, EXPLOSIVE, MARK 3 MOD 0 (VALIDATION DATE: 8204) .....	A 1351	OS 23-JAN-73	OS			
L MIL-P-81342	SIGNAL, UNDERWATER SOUND (SUS) MARK 84 AND MODS (VALIDATION DATE: 8509) ..	A 5845	AS 29-JUN-79	AS			
L MIL-C-81343C	PROPELLANT, MIXED HYDRAZINE FUEL, MH-3 .....	A 9135	AS 10-DEC-65	AS			
L MIL-C-81344(1)	CONVERTER GROUP, RADAR SCAN AM/ASA-69(*) (VALIDATION DATE: 8205) .....	A 5895	AS 01-MAR-70	AS			
D MIL-M-81345B NOTICE 1	CONVERTER, SIGNAL DATA CV-2461( )/A (VALIDATION DATE: 8005) REVIEWER: GS ..	A 6125	AS 01-MAY-68	AS			
L MIL-D-81347C NOTICE 1	MATS, LANDING, AIRFIELD, AMZ (VALIDATION DATE: 9110) REVIEWER: 85 YD1 .....	A 5680	AS 28-OCT-91	ME	AS	99	
L MIL-C-81350	DATA ANALYSIS PROGRAMMING GROUP AM/AYA-8(*) .....	A 5895	AS 15-APR-88	AS			
L MIL-L-81352A(1)	CATECHOL, 4-TERTIARY BUTYL (VALIDATION DATE: 8107) REVIEWER: GS .....	A 6810	OS 24-JAN-66	OS			
LI MIL-S-81353	LACQUER, ACRYLIC (FOR NAVAL WEAPONS SYSTEMS) (VALIDATION DATE: 8004) USER: ME REVIEWER: EA MI	A 8010	AS 31-JAN-73	AS	11		
L MIL-R-81355B	SMAGING MACHINE, AIRCRAFT CABLE, PORTABLE, POWER OPERATED, MODEL NSM-1 REVIEWER: GS	A 3450	AS 17-DEC-90	AS			
AQL MIL-V-81356B	RECORDER, BATHYTHERMOGRAPH DATA RO-308(A)/SSQ-36 (VALIDATION DATE: 8103) REVIEWER: GS	A 6655	AS 01-OCT-68	AS			
L MIL-D-81357A(1)	VALVE, FUEL SYSTEM PRESSURIZATION AND VENT .....	A 2910	AS 02-NOV-92	AS			
L MIL-D-81358B	DISPLAY GROUP, TACTICAL DATA AM/ASA-70 (VALIDATION DATE: 8410) .....	A 5895	AS 05-APR-71	AS			
L MIL-A-81359	DISPLAY GROUP, TACTICAL DATA AM/ASA-66 (VALIDATION DATE: 8103) .....	A 6605	AS 01-MAR-70	AS			
L MIL-C-81360	AIRCRAFT WEAPONS RELEASE SET AM/ME-1 (VALIDATION DATE: 8306) .....	A 1280	AS 04-JUN-70	AS			
L MIL-P-81361	CONTROL, AIRCRAFT WEAPONS RELEASE SET C-6682 (*)/ME-1 (VALIDATION DATE: 8303)	A 1280	AS 04-JUN-70	AS			
L MIL-T-81364(1)	PROGRAMMER, AIRCRAFT WEAPONS RELEASE SET MX-7016(*)/ME-1 (VALIDATION DATE: 8304)	A 1280	AS 04-JUN-70	AS			
L MIL-B-81365	T-BOLT, 180,000 PSI, TYPE 431 STAINLESS STEEL, MANUFACTURING PROCESS REQUIREMENTS (VALIDATION DATE: 8107) REVIEWER: IS	A 5340	AS 27-MAY-66	AS			
L MIL-B-81366	BLEED AIR SYSTEMS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8207) .....	A 16CP	AS 04-APR-66	AV	AS		
L MIL-R-81367(1)	BOUNDARY LAYER CONTROL SYSTEM, PRESSURE (VALIDATION DATE: 8005) .....	A 16CP	AS 04-APR-66	AS			
L MIL-A-81369	RAIN REMOVAL SYSTEM, AIRCRAFT WINDSHIELD, JET AIR BLAST (VALIDATION DATE: 8005)	A 16CP	AS 10-JUN-74	AS			
L MIL-A-81370	ASSEMBLY, LEFT-RIGHT STATION 65A132F5 (VALIDATION DATE: 8410) .....	A 1280	AS 04-JUN-70	AS			
L MIL-A-81371	ASSEMBLY, CENTER STATION 65A132F6 (VALIDATION DATE: 8410) .....	A 1280	AS 04-JUN-70	AS			
L MIL-A-81372	ASSEMBLY, STATION TRANSFER 65A132F7 (VALIDATION DATE: 8205) .....	A 1280	AS 04-JUN-70	AS			
L MIL-A-81373	ASSEMBLY, PRIORITY LOGIC 65A132F8 (VALIDATION DATE: 8205) .....	A 1280	AS 04-JUN-70	AS			
L MIL-A-81373	ASSEMBLY, QUANTITY SELECT 65A132F9 (VALIDATION DATE: 8410) .....	A 1280	AS 04-JUN-70	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Cncl / Cncl Condition Inches Document Number	Document Title	Doc. Smt. FAC / Area MCA Symbol	Preparing Date	Customer			
				Army	Navy	Air Force	DA
DOL	MIL-D-813758	ORAL INFLATION ASSEMBLIES, SURVIVAL EQUIPMENT, INFLATABLE IVALIDATION	A 4220	AS	28-OCT-91	AS	99
Q	NOTICE 1	DATE: 9110) USER: AV ME REVIEWER: 11 MC SH	A 4330	AS	13-JAN-86	AS	
Q	MIL-W-81380C	MONITOR, CONTAMINATION, FUEL DISPENSING SYSTEM USER: YDI REVIEWER: MC	A 6145	AS	08-SEP-87	CR	AS
Q	MIL-W-81381A	WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY [VALIDATION	A 6145	AS	04-OCT-76	AS	
Q	SUPPL 181, NOTICE 1	DATE: 8709) USER: AR AT MC MI SH REVIEWER: 85 AV EC IS OS	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381A(11)	WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY	A 6145	AS	17-MAR-77	CR	AS
Q	SUPPL 181	WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/7E	COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [VALIDATION DATE:	A 6145	AS	17-MAR-77	CR	AS
Q		8307) USER: AR AT AV EC MC OS SH REVIEWER: 11 IS MI	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/8D	WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL	A 6145	AS	17-MAR-77	CR	AS
Q		COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL WALL [VALIDATION DATE:	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/9D	8307) USER: AR AT AV MC OS SH REVIEWER: 11 EC IS MI	A 6145	AS	17-MAR-77	CR	AS
Q		WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/10E	COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, 200 DEGREES C,	A 6145	AS	17-MAR-77	CR	AS
Q		NOMINAL 5.8 MIL WALL [VALIDATION DATE: 8307) USER: AR AT AV EC MC OS SH	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/11C	REVIEWER: 11 IS MI	A 6145	AS	17-MAR-77	CR	AS
Q		WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/12C	COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 5.8 MIL	A 6145	AS	17-MAR-77	CR	AS
Q		WALL [VALIDATION DATE: 8307) USER: AR AT AV MC OS SH REVIEWER: 11 EC IS MI	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/13D	WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, SILVER	A 6145	AS	17-MAR-77	CR	AS
Q		COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 8.4 OR 15.4 MIL WALL	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/14D	[VALIDATION DATE: 8410) USER: AR AT AV MC OS REVIEWER: 11 EC IS MI SH	A 6145	AS	17-MAR-77	CR	AS
Q		WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL	A 6145	AS	17-MAR-77	CR	AS
Q		COATED COPPER CONDUCTOR, 600 VOLTS, NOMINAL 8.4 OR 15.4 MIL WALL	A 6145	AS	17-MAR-77	CR	AS
Q		[VALIDATION DATE: 8410) USER: AR AT MC OS REVIEWER: 11 EC IS MI SH	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/17	WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, SILVER	A 6145	AS	17-MAR-77	CR	AS
Q		COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/18	WALL [VALIDATION DATE: 8307) USER: AR AT AV EC MC OS SH REVIEWER: 11 IS MI	A 6145	AS	17-MAR-77	CR	AS
Q		WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, NICKEL	A 6145	AS	17-MAR-77	CR	AS
Q	MIL-W-81381/19	COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLTS, NOMINAL 8.4 MIL	A 6145	AS	17-MAR-77	CR	AS
Q		WALL [VALIDATION DATE: 8307) USER: AR AT AV MC OS SH REVIEWER: 11 EC IS MI	A 6145	AS	17-MAR-77	CR	AS
Q		WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER	A 6145	AS	17-MAR-77	CR	AS
Q		COATED COPPER, 600 VOLTS, NOMINAL 4.6 MIL WALL [VALIDATION DATE: 8509)	A 6145	AS	17-MAR-77	CR	AS
Q		WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL	A 6145	AS	17-MAR-77	CR	AS
Q		COATED COPPER, 600 VOLTS, NOMINAL 4.6 MIL WALL [VALIDATION DATE: 8509)	A 6145	AS	17-MAR-77	CR	AS
Q		WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER	A 6145	AS	17-MAR-77	CR	AS
Q		COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL	A 6145	AS	17-MAR-77	CR	AS
Q		[VALIDATION DATE: 8509)	A 6145	AS	17-MAR-77	CR	AS
L	MIL-W-81381/20	WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL	A 6145	AS	17-MAR-77	CR	AS
L		COATED HIGH STRENGTH COPPER ALLOY, 600 VOLTS, NOMINAL 4.6 MIL WALL	A 6145	AS	17-MAR-77	CR	AS
L		[VALIDATION DATE: 8509)	A 6145	AS	17-MAR-77	CR	AS
L	MIL-W-81381/21A	WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, LIGHT WEIGHT, TIN COATED	A 6145	AS	17-MAR-77	CR	AS
L		COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C, NOMINAL 5.8 MIL WALL	A 6145	AS	17-MAR-77	CR	AS
L		[VALIDATION DATE: 8410)	A 6145	AS	17-MAR-77	CR	AS
L	MIL-W-81381/22	WIRE, ELECTRIC, FLUOROCARBON/POLYIMIDE INSULATED, MEDIUM WEIGHT, TIN COATED	A 6145	AS	17-MAR-77	CR	AS
L		COPPER CONDUCTOR, 600 VOLTS, 150 DEGREES C, NOMINAL 8.4 OR 15.4 MIL WALL	A 6145	AS	17-MAR-77	CR	AS
L		[VALIDATION DATE: 8410)	A 6145	AS	17-MAR-77	CR	AS
L	MIL-W-81385A	MANIFOLD STEM ASSEMBLIES, LIFE PRESERVER [VALIDATION DATE: 8706) USER: MC	A 4220	AS	23-JUN-87	ME	AS
L	NOTICE 1	REVIEWER: 99 SH	A 1660	AS	25-MAY-78	AS	
L	MIL-I-81387A(2)	INDICATOR, LIQUID OXYGEN QUANTITY [VALIDATION DATE: 8406)	A 1660	AS	25-MAY-78	AS	
L	MIL-I-81388A(1)	INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY [VALIDATION DATE: 8406)	A 9330	AS	28-OCT-91	NR	AS
L	MIL-P-81390	PLASTIC, MOLDING MATERIAL, POLYCARBONATE, GLASS FIBER REINFORCED	A 1370	AS	12-AUG-66	AS	
L	NOTICE 1	[VALIDATION DATE: 9110) REVIEWER: CR ME MI SH	A 8305	CT	17-MAR-88	GL	AS
L	MIL-M-81392	MARKER, LOCATION, MARINE MK 25 AND MODS 2 AND 3 [VALIDATION DATE: 8006)	A 2320	AS	02-SEP-66	AS	
L	MIL-C-81393B	CLOTH, KNITTED, POLYAMIDE, HIGH TEMPERATURE RESISTANT, SIMPLEX, JERSEY	A 8305	CT	28-OCT-91	AS	CT
L		USER: MC REVIEWER: MD	A 2320	AS	02-SEP-66	AS	
L	MIL-R-81394	REFUELING UNIT, AIRCRAFT, 2000 GALLON TYPE MC-1A [VALIDATION DATE: 8209)	A 8305	CT	28-OCT-91	AS	CT
L	MIL-C-81395A	CLOTH, COATED, DUCK, NYLON [VALIDATION DATE: 9110)	A 4430	AS	08-SEP-66	AS	
L	NOTICE 1	OVEN, THERMAL DRYING, ELECTRIC [VALIDATION DATE: 8708)	A 6610	71	17-JUN-91	AS	99
L	MIL-O-81397	ALTIMETER-ENCODER, AAU-21/A	A 4935	AS	31-OCT-85	AS	
L	MIL-A-81403(3)	TEST SET, ELECTRICAL CIRCUIT, GUIDED MISSILE LAUNCHER & AIRCRAFT,	A 4940	AS	15-FEB-66	AS	
L	MIL-T-81404B(1)	AN/ASH-149C	A 6805	AS	07-DEC-87	AS	
L		TEST HARNESS, DIRECTION FINDER SET AN/ALM-28(*) [VALIDATION DATE: 8103]	A 6610	AS	12-OCT-72	AS	
L		REVIEWER: CS	A 5821	AS	23-MAY-88	AS	
L	MIL-C-81412A(2)	COMPASS SET, GYROSCOPE REFERENCE, NAVIGATIONAL AN/ASH-75(*)	A 6610	AS	12-OCT-72	AS	
L	NOTICE 1	ATTITUDE HEADING REFERENCE SYSTEM AN/ASH-73 [VALIDATION DATE: 8506)	A 5821	AS	23-MAY-88	AS	
L	MIL-A-81423(2)	RECEIVER-TRANSMITTER, RADIO RT-859( )/APX-72 AND ASSOCIATED MOUNTINGS	A 1055	AS	19-SEP-72	AS	
L	MIL-R-81435A	MT-3809( )/APX-72 AND MT-3948( )/APX-72 [VALIDATION DATE: 8805) REVIEWER:	A 5821	AS	17-OCT-91	AS	
L	NOTICE 1	OR	A 5826	AS	15-APR-88	AS	
L	MIL-L-81437(1)	LAUNCHER, GUIDED MISSILE AERO 5A-1 AND AERO 5B-1 [VALIDATION DATE: 8508)	A 5826	AS	15-APR-88	AS	
L	MIL-C-81441	CONTROL, RADIO SET C-6684(*)/ASQ [VALIDATION DATE: 9110)	A 5821	AS	19-JUN-87	AS	
L	NOTICE 1	RECEIVER-TRANSMITTER, RADIO RT-793/ASQ AND RT-793A/ASQ [VALIDATION DATE:	A 5985	AS	31-OCT-78	AS	
L	MIL-R-81443(2)	9110)	A 6610	AS	15-JUN-76	AS	
L	NOTICE 1	INTERROGATOR SET AN/APX-76B(V) [VALIDATION DATE: 8503)	A 5841	AS	08-FEB-77	AS	
L	MIL-I-81453A(1)	INDICATOR, GYROSCOPE, VERTICAL REFERENCE ID-1481(*)/A REVIEWER: 99	A 5845	AS	23-FEB-84	AS	
L	MIL-I-81454(2)	NAVIGATION SET, RADAR AN/APM-182(V) [VALIDATION DATE: 8303)	A 7440	AS	17-OCT-91	AS	
L	MIL-H-81460B	COMPENSATOR GROUP, MAGNETIC AN/ASA-65(V)	A 5845	AS	15-APR-88	AS	
L	MIL-C-81461E	RADIO SET AN/SRC-40 DIGITAL DATA TRANSMITTER TERMINAL [VALIDATION DATE:	A 5845	AS	15-APR-88	AS	
L	MIL-R-81462	9110)	A 5845	AS	15-APR-88	AS	
L	NOTICE 1	DETECTING GROUP, SUBMARINE ANOMALY (SAD) AN/ASA-64A	A 5821	AS	19-JUN-87	AS	
L	MIL-D-81465A	CONTROL, RADIO SET C-8057 (*)/ARC [VALIDATION DATE: 8708)	A 5845	AS	17-OCT-91	AS	
L	NOTICE 1	SONOBUOY AN/SSQ-57A [VALIDATION DATE: 9110)	A 5845	AS	17-OCT-91	AS	
L	MIL-S-81478C	SONOBUOY, AN/SSQ-530, SPECIFICATION FOR (CONTROLLED DISTRIBUTION)	A 5845	AS	26-MAR-90	AS	
L	MIL-S-81487E	TRANSMISSION LINES, TRANVERSE ELECTROMAGNETIC MODE REVIEWER: ES	A 5985	AS	22-APR-91	AS	
L	MIL-T-81490A	INDICATOR, ATTITUDE, 2-INCH ID-1502/A [VALIDATION DATE: 8410)	A 6610	AS	15-OCT-88	AS	
L	MIL-I-81496(1)	NAVIGATION SET, INERTIAL AN/ASH-84 [VALIDATION DATE: 8804)	A 5826	AS	15-APR-88	AS	
L	MIL-H-81497A(2)	RECEIVING-DECODING GROUP AN/MRA-63	A 5826	AS	12-MAR-93	AS	
L	NOTICE 1	MOD, ANTI-EXPOSURE COVERALL [VALIDATION DATE: 8904) REVIEWER: CT	A 8475	AS	20-APR-89	AS	
L	MIL-R-81498C(3)	BATTERY, SILVER ZINC ALKALI, GEN	A 6140	AS	31-DEC-87	AS	
L	MIL-H-81500A	PROPELLANT, MIXED HYDRAZINE FUEL, MMF-5	A 9135	AS	14-NOV-86	AS	
L	NOTICE 1	INDICATOR PLUG, FOR MISSILE PROPELLANTS [VALIDATION DATE: 8509) REVIEWER:	A 6885	AS	15-MAY-79	AS	
L	MIL-P-81507	GS MI	A 6230	AS	27-JUL-73	AS	
L	MIL-I-81508(1)	LIGHT, MARKER, DISTRESS, BUOYANT, DROPPABLE [VALIDATION DATE: 8404)					
L		REVIEWER: GS					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc. / Chg. / Coordination	Document Number	Document Title	Doc. Smt.	FAC / Area	MCA Symbol	Preparing Acty.	Date	Custodians			
									Army	Navy	Air Force	DLA
AQL		MIL-C-81511F	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES GENERAL SPECIFICATION FOR USER: MC REVIEWER: EC ES OS	A 5935	AS	30-SEP-92			AS			
Q		MIL-C-81511/1E(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: RECEPTACLE, FLANGE MOUNT, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	30-APR-76	CR	AS	85			
Q		MIL-C-81511/3E(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI	A 5935	AS	30-APR-76	CR	AS	85			
Q		MIL-C-81511/5E(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: PLUG, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: AT MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	30-APR-76	CR	AS	85			
Q		MIL-C-81511/6E(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: PLUG, CRIMP TYPE CONTACTS, CLASS A, F AND E (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI	A 5935	AS	30-APR-76	CR	AS	85			
Q		MIL-C-81511/13E	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: F ADAPTER, NOTABLE, TYPE 1 (SERIES 1 OR 2) [VALIDATION DATE: 8207] USER: AT MC ME SH REVIEWER: 11 99 AR AV EC ES MI	A 5935	AS	19-MAR-76	CR	AS	85			
Q		MIL-C-81511/14D(1)	CONNECTOR, ADAPTER, STRAIGHT, ELECTRIC [VALIDATION DATE: 8207] USER: MC ME REVIEWER: 11 AR AV EC ES MI	A 5935	AS	30-APR-76	CH	AS	85			
A		MIL-C-81511/15F	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, SEALING CONTACT (SERIES 1 OR 2) USER: AT MC ME REVIEWER: AR AV EC ES MI OS SH	A 5935	AS	15-NOV-92	CH	AS	85			
Q		MIL-C-81511/16E(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: CAP, PROTECTIVE LOCKING (INACTIVE 6-5-70) [VALIDATION DATE: 8207] USER: AT MC ME REVIEWER: 11 AR EC ES MI	A 5935	AS	30-APR-76	CR	AS	85			
Q		MIL-C-81511/17C(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: COVER, PROTECTIVE, PLUG (SERIES 2) [VALIDATION DATE: 8207] USER: MC ME SH REVIEWER: 11 80 AR AV EC ES MI	A 5935	AS	30-APR-76	CH	AS	85			
Q		MIL-C-81511/18C(1)	CONNECTOR, ELECTRICAL CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES: COVER, PROTECTIVE, RECEPTACLE (SERIES 1 OR 2) [VALIDATION DATE: 8207] USER: AT MC ME REVIEWER: 11 AR AV EC ES MI	A 5935	AS	30-APR-76	CH	AS	85			
I		MIL-C-81511/19D(1) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, DUMMY STORAGE, FOR SERIES 2 CONNECTORS [VALIDATION DATE: 8903] USER: MC ME OS REVIEWER: 11 99 AR AV EC ES MI	A 5935	AS	31-MAR-89	CH	AS	85			
I		MIL-C-81511/20D	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: NUT, SLOTTED HEXAGON, CONNECTOR MOUNTING, FOR SERIES 1 AND 2 CONNECTORS [VALIDATION DATE: 8410] USER: AT MC ME REVIEWER: 11 99 AR AV EC ES MI	A 5935	AS	15-SEP-82	CR	AS	85			
I		MIL-C-81511/21C(1) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, FLANGE MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: MC ME SH REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	31-MAR-89	CR	AS	85			
I		MIL-C-81511/23C(1)	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, JAM NUT MOUNT, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	31-MAR-89	CR	AS	85			
I		MIL-C-81511/25C(1) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: RECEPTACLE, CABLE CONNECTING, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: AT MC ME SH REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	31-MAR-89	CR	AS	85			
I		MIL-C-81511/26C(1) NOTICE 1	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING; AND ACCESSORIES: PLUG, CRIMP-TYPE CONTACTS, CLASS A, F AND E (SERIES 1) [VALIDATION DATE: 8903] USER: MC ME SH REVIEWER: 11 99 AR AV EC ES MI	A 5935	AS	31-MAR-89	CR	AS	85			
QL		MIL-C-81511/41A	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3) [VALIDATION DATE: 8303] USER: MC REVIEWER: EC ES OS SH	A 5935	AS	07-JAN-77			AS			
L		MIL-C-81511/45B	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 3) [VALIDATION DATE: 8303] USER: EC ES MC OS SH	A 5935	AS	07-JAN-77			AS			
L		MIL-C-81511/49A NOTICE 2	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 3) [VALIDATION DATE: 8303] USER: MC REVIEWER: EC ES OS SH	A 5935	AS	07-JAN-77			AS			
L		MIL-C-81511/51A	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, FLANGE MOUNT, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8304]	A 5935	AS	07-JAN-77			AS			
LI		MIL-C-0081511/52A(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, SOLDER MOUNT, SOLDER TYPE CONTACTS, PINS ONLY, CLASS D (SERIES 4) REVIEWER: EC ES	A 5935	AS	10-FEB-89			AS			
L		MIL-C-81511/53A	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8304] USER: MC REVIEWER: EC ES OS SH	A 5935	AS	07-JAN-77			AS			
L		MIL-C-0081511/54A(1)	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, JAM NUT MOUNT, SOLDER TYPE CONTACTS, PINS ONLY, CLASS D (SERIES 4) [VALIDATION DATE: 8207] REVIEWER: EC ES	A 5935	AS	30-APR-76			AS			
L		MIL-C-81511/56B	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, RECEPTACLE, CABLE CONNECTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8304]	A 5935	AS	07-JAN-77			AS			
L		MIL-C-81511/56A	CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, PLUG, INDIVIDUAL RELEASE, CRIMP-TYPE CONTACTS, CLASS A, F AND W (SERIES 4) [VALIDATION DATE: 8509] USER: MC REVIEWER: EC ES OS SH	A 5935	AS	07-JAN-77			AS			
A		MIL-E-81512(1) NOTICE 1	ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING; GENERAL SPECIFICATION FOR REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85			
A		MIL-E-81512/1(1) NOTICE 1	ENCODER, SHAFT POSITION TO DIGITAL, CONTACT TYPE, ALTITUDE REPORTING TYPE 11CC1267180A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85			
L		MIL-P-81513	POWER UNIT, AIRCRAFT AUXILIARY GAS TURBINE, TYPE 1, NAVY MODEL NO. P-7 [VALIDATION DATE: 8508]	A 2835	AS	13-JAN-67			AS			
HL		MIL-D-81514B(5)	DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING, POWERED-RETRACTING, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8103]	A 1680	AS	25-MAY-72			AS			
L		MIL-D-81514/1A NOTICE 1	DEVICE, RESTRAINT HARNESS TAKE-UP, INERTIA-LOCKING POWERED-RETRACTING; FOR USE IN S111-3 EJECTION SEAT [VALIDATION DATE: 9110]	A 1680	AS	29-OCT-91			AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Doc ID / ORG Classification Number	Document Title	Doc ID / ORG Classification Number	Doc ID / ORG Classification Number	Doc ID / ORG Classification Number	Doc ID / ORG Classification Number	Doc ID / ORG Classification Number	Doc ID / ORG Classification Number	Doc ID / ORG Classification Number	Doc ID / ORG Classification Number	Custodians			
										Army	Navy	Air Force	DoA
L MIL-T-815178	TEST SET, MISSILE CONTROL SYSTEM AM/AM-21 (VALIDATION DATE: 8307) .....	A 4935	AS	02-APR-71	AS								
L MIL-L-81520	LAUNCHER, TARGET, LAU-24/A FOR USE WITH AQM-37A MISSILE TARGET (VALIDATION DATE: 8509) .....	A 1055	AS	03-MAR-67	AS								
L MIL-T-81521A(3) NOTICE 1	TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 7 INCH (VALIDATION DATE: 9110) .....	A 8315	AS	29-OCT-91	AS								
L MIL-C-81522A(1)	CASES, CARRYING, PHOTOGRAPHIC EQUIPMENT (VALIDATION DATE: 9111) REVIEWER: GS .....	A 6760	AS	05-NOV-91	ER AS 99								
A L MIL-V-81523A(2) NOTICE 2	VEST, SURVIVAL EQUIPMENT, TYPE SV-2A (VALIDATION DATE: 9110) .....	A 8415	CT	29-OCT-91	AS							CT	
L MIL-C-81524	CARTRIDGE, IMPULSE, MARK 82 MOD 0 (VALIDATION DATE: 8508) .....	A 1377	AS	31-MAR-67	AS								
L MIL-F-815268	FILM-TAPE, SEMIAUTOMATIC TEST (VALIDATION DATE: 8509) .....	A 1270	AS	02-APR-71	AS								
L MIL-T-815278	TEST SET, MISSILE CONTROL SYSTEM, AM-10 SIDE BENCH (VALIDATION DATE: 8410) .....	A 1270	AS	29-JAN-71	AS								
L MIL-J-81530A	IGNITION ELEMENT, ELECTRIC, MARK 11 MOD 0 .....	A 1377	AS	06-MAY-67	AS								
L MIL-M-81531	MARKING OF ELECTRICAL INSULATING MATERIALS (VALIDATION DATE: 8004) .....	A 6145	AS	02-MAY-67	AS								
L MIL-C-81532	REVIEWER: EA IS MI												
L MIL-T-81533A	CART, TEST EQUIPMENT (VALIDATION DATE: 8205) .....	A 4920	AS	17-MAY-67	AS								
L MIL-C-81535A	1,1,1, TRICHLOROETHANE (METHYL CHLOROFORM) INHIBITED, VAPOR DEGREASING (VALIDATION DATE: 9110) .....	A 6810	AS	29-OCT-91	LA AS 68								
L MIL-C-81536(1) NOTICE 1	CUTTER, CARTRIDGE ACTUATED, MARK 18 MOD 0 (VALIDATION DATE: 8203) .....	A 1377	AS	03-FEB-69	AS 99								
L MIL-J-81537(1)	CARTRIDGE, IMPULSE, MARK 105 MOD 0 (VALIDATION DATE: 8704) .....	A 1377	AS	10-APR-67	AS								
L MIL-T-81541(1)	IGNITION ELEMENT, ELECTRIC, MARK 13 MOD 0 (VALIDATION DATE: 8407) .....	A 1377	AS	27-OCT-70	AS								
L MIL-L-81542A(3) NOTICE 1	REVIEWER: EA												
L MIL-C-81543B(1) NOTICE 1	TEST SET, ELECTRONIC CIRCUIT PLUG-IN UNIT AM/ASM-152 (VALIDATION DATE: 8103) .....	A 6625	AS	11-FEB-69	AC								
L MIL-T-81546A	LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1 (VALIDATION DATE: 8904) .....	A 4220	AS	13-APR-89	AS								
L MIL-J-81548	CONTAINER ASSEMBLIES, INFLATABLE LIFE RAFT (VALIDATION DATE: 8706) .....	A 4220	AS	23-JUN-87	AS								
L MIL-D-81549A	REVIEWER: CS												
L MIL-I-81550C	TEST STAND, ACTUATOR, LINEAR, LOAD (VALIDATION DATE: 8410) .....	A 4920	AS	18-FEB-71	AS								
L MIL-S-81551	IGNITION ELEMENT, ELECTRIC, MARK 22 MOD 0 (VALIDATION DATE: 8704) .....	A 1377	AS	10-APR-67	AS								
Q MIL-S-81551/1A	DETONATOR, ELECTRIC, MARK 83 MOD 0 (VALIDATION DATE: 8407) .....	A 1377	AS	22-FEB-71	AS								
L MIL-S-81551/2A	INSULATING COMPOUND, ELECTRICAL, EMBEDDING, REVERSION RESISTANT SILICONE (VALIDATION DATE: 9110) USER: MC REVIEWER: BS 99 AV EC GS MI	A 5970	AS	29-OCT-91	EM AS 11								
Q MIL-V-81552A(2) NOTICE 1	SWITCH, TOGGLE, HERMETICALLY SEALED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) REVIEWER: EC ES	A 5930	AS	14-JUN-68	AS								
AOL MIL-R-81553B	SWITCH, TOGGLE, DOUBLE POLE, HERMETICALLY SEALED (VALIDATION DATE: 8307) REVIEWER: EC ES	A 5930	AS	05-MAR-70	AS								
L MIL-L-81555	SWITCH, TOGGLE, DOUBLE POLE, LEVER LOCK, HERMETICALLY SEALED (VALIDATION DATE: 8203) REVIEWER: EC ES	A 5930	AS	05-MAR-70	AS								
L MIL-G-81559C	VALVE, EXHALATION, OXYGEN MASK, PRESSURE COMPENSATING, WITH SAFETY RELIEF	A 4820	AS	11-JAN-88	AV AS								
L MIL-M-81560	REGULATOR, CHEST MOUNTED, OXYGEN, POSITIVE PRESSURE, CRU-79/P .....	A 1660	AS	17-SEP-92	AS								
MLQ MIL-L-81561F	TITANIUM AND TITANIUM ALLOYS, EXTRUDED BARS AND SHAPES, AIRCRAFT QUALITY (VALIDATION DATE: 9009) USER: OS SH REVIEWER: 99 AR MI	A 9540	AS	05-SEP-90	MR AS 11								
A MIL-C-81562B	LUG, SUSPENSION, (1,000 POUND) AIRBORNE EQUIPMENT (VALIDATION DATE: 8705) USER: AV MI REVIEWER: 11 18 EA	A 1325	AS	14-MAY-87	AR AS								
L MIL-I-81564(1) NOTICE 1	GYROSCOPE ASSEMBLIES + ATTITUDE + DIRECTIONAL REFERENCE INSTRUMENTS FOR AIRCRAFT, PACKAGING OF USER: 71 REVIEWER: 99 SH	A 6610	AS	23-MAR-84	AV AS 69								
L MIL-C-81567(1) NOTICE 1	WEAPON, BIOLOGICAL AND CHEMICAL, GENERAL DESIGN SPECIFICATION FOR (VALIDATION DATE: 8206)	A 13GP	AS	12-SEP-67	AS								
L MIL-C-81568(1) NOTICE 1	LIFE PRESERVER, INFLATABLE, AIRCREWMEN, CEMENTED TYPE LPU-21C/P A MD LPU-23B/P, AND HEAT SEALED TYPE LPU-21D/P AND LPU-23C/P	A 4220	AS	21-APR-93	AS								
L MIL-T-81571(1) NOTICE 1	COATINGS, CADMIUM, TIN-CADMIUM AND ZINC (MECHANICALLY DEPOSITED) (VALIDATION DATE: 9210) USER: AT ME SH REVIEWER: 70 71 80 82 84 99 AR AV MD MI OS	A MFP	AS	15-OCT-92	MR AS 11								
L MIL-A-81573	CARTRIDGE, IMPULSE, MARK 67 MOD 0 .....	A 1377	AS	15-OCT-90	AS								
Q MIL-R-81574(1)	INITIATOR, CARTRIDGE ACTUATED, MARK 12 MOD 0 (VALIDATION DATE: 8704) .....	A 1377	AS	10-APR-67	AS								
L MIL-C-81577A	CARTRIDGE, DELAY, MARK 101 MOD 0 (VALIDATION DATE: 8508) .....	A 1377	AS	09-APR-73	AS								
Q MIL-M-81581A(2) SUPPL 1A1	CARTRIDGE, DELAY, MARK 76 MOD 0 (VALIDATION DATE: 8508) .....	A 1377	AS	26-DEC-72	AS								
L MIL-I-81577A	THERMAL PROTECTIVE SYSTEM, AIRCRAFT COCKPIT, GENERAL SPECIFICATION FOR ZIRCONIUM OXIDE, LINE-STABILIZED, POWDER AND ROD, FOR FLAME SPRAYING (VALIDATION DATE: 9110) .....	A 1560	AS	10-JUL-80	AS								
L MIL-H-81581/1A(1) NOTICE 1	AIRCRAFT ESCAPE SYSTEM DESCRIPTIVE AND PERFORMANCE DATA PRESENTATIONS, REQUIREMENT AND FORMATS FOR GENERAL SPECIFICATION FOR (VALIDATION DATE: 8103) .....	A 1680	AS	01-APR-68	AS								
Q MIL-H-81581/2A(2)	RESCUE HAND TOOL, PNEUMATIC (VALIDATION DATE: 8710) REVIEWER: GS .....	A 4240	AS	30-OCT-87	AS								
L MIL-H-81581/3A(1) NOTICE 1	CYLINDER, NITROGEN, FOR RESCUE HAND TOOL (VALIDATION DATE: 9110) .....	A 8120	AS	29-OCT-91	AS								
L MIL-H-81581/4A NOTICE 1	KIT - TOUCH-UP, FOR CORROSION CONTROL OF WEAPONS SYSTEMS (VALIDATION DATE: 9110) .....	A 8010	AS	29-OCT-91	AS								
L MIL-H-81581/5A NOTICE 1	IGNITION ELEMENT, ELECTRIC, MARK 17 MOD 0 (VALIDATION DATE: 8203) .....	A 1377	AS	24-SEP-74	AS								
L MIL-H-81581/6A NOTICE 1	MOSE ASSEMBLIES, BREATHING OXYGEN AND AIR, GENERAL SPECIFICATION FOR REVIEWER: 99	A 4790	AS	18-JUL-90	AV AS 11								
L MIL-H-81581/7A NOTICE 1	MOSE ASSEMBLIES, AIR, LOW PRESSURE, HIGHLY FLEXIBLE (VALIDATION DATE: 9110) REVIEWER: 99	A 1660	AS	29-OCT-91	AV AS 11								
L MIL-H-81581/8A NOTICE 1	MOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE WITH CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM REVIEWER: 11	A 4720	AS	18-JUL-90	AS								
L MIL-H-81581/9A NOTICE 1	MOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE, WITHOUT CONNECTIONS FOR COMMUNICATION SYSTEM (VALIDATION DATE: 9110) REVIEWER: 99	A 1660	AS	29-OCT-91	AV AS 11								
L MIL-H-81581/10A NOTICE 1	MOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE, WITH/WITHOUT CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM (VALIDATION DATE: 9110)	A 1660	AS	29-OCT-91	AS 99								
L MIL-H-81581/11A NOTICE 1	MOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE CONNECTOR TO REGULATOR (VALIDATION DATE: 9110) .....	A 1660	AS	29-OCT-91	AS 99								
L MIL-H-81581/12A NOTICE 1	MOSE ASSEMBLIES, BREATHING OXYGEN AND AIR; MOSE KITS AND MATED ASSEMBLIES (VALIDATION DATE: 9110) REVIEWER: 11	A 1660	AS	29-OCT-91	AS 99								
L MIL-H-81581/13A NOTICE 1	MOSE ASSEMBLIES, COMBINED ASSEMBLIES, MOSE AND COMMUNICATION CABLE (VALIDATION DATE: 9110) .....	A 1660	AS	29-OCT-91	AS 99								
L MIL-H-81581/14A NOTICE 1	MOSE ASSEMBLIES, CABLE ASSEMBLIES, COMMUNICATION, ASSOCIATED (VALIDATION DATE: 9110) .....	A 1660	AS	29-OCT-91	AS 99								
L MIL-H-81581/15A NOTICE 1	CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENTAL RESISTING, UMBILICAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8109) USER: SH REVIEWER: 11 15 AR EC ES	A 5935	AS	29-MAY-81	CR AS 99								
L MIL-H-81581/16A NOTICE 1	CONNECTOR, ELECTRICAL, BAYONET COUPLING, UMBILICAL RECEPTACLE, JAM NUT MOUNTING, RFI SHIELDED, CRIMP CONTACT, CLASS E (VALIDATION DATE: 8303) USER: SH REVIEWER: 11 15 AR EC ES MI	A 5935	AS	05-NOV-75	CR AS 99								
L MIL-H-81581/17A NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, BAYONET COUPLING, LANYARD RELEASE, RFI SHIELDED, CRIMP TYPE CONTACTS, CLASS E USER: SH REVIEWER: 11 15 AR EC ES	A 5935	AS	15-MAR-83	CR AS 99								
L MIL-H-81581/18A NOTICE 1	CONNECTOR ADAPTER, RFI SHIELDED, CABLE TO ELECTRIC CONNECTOR (VALIDATION DATE: 9110) USER: SH REVIEWER: 11 15 80 AR EC ES	A 5935	AS	17-OCT-91	CR AS 99								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Doc. Symt FSC / Arms MCA Symbol	Date	Army	Navy	Air Force	Custodians	Doc. Symt FSC / Arms MCA Symbol	Date	Army	Navy	Air Force	Custodians
Q	MIL-C-81582/5A					CONNECTOR ADAPTER, RIGHT ANGLE, RFI SHIELDED, ELECTRIC CONNECTOR TO ELECTRIC CONNECTOR [VALIDATION DATE: 8205] USER: SH REVIEWER: 11 15 AR EC ES	A 5935	AS	05-NOV-75	CR	AS 99
Q	MIL-C-81582/6A					CONNECTOR, ADAPTER ASSEMBLY, UNBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [VALIDATION DATE: 8205] USER: SH REVIEWER: 11 15 AR EC ES	A 5935	AS	05-NOV-76	CR	AS 99
Q	MIL-C-81582/7A					CONNECTOR, ADAPTER ASSEMBLY, UNBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [VALIDATION DATE: 8205] USER: SH REVIEWER: 11 15 AR EC ES	A 5935	AS	05-NOV-75	CR	AS 99
L	MIL-C-81582/8B					CONNECTOR, ADAPTER ASSEMBLY, UNBILICAL CABLE TO STORES INTERFACE, LANYARD RELEASE [VALIDATION DATE: 8205] USER: SH REVIEWER: EC ES	A 5935	AS	05-NOV-75		AS
	MIL-C-81582/9					CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UNBILICAL, CAPS, PROTECTIVE [VALIDATION DATE: 8205] USER: SH REVIEWER: AR EC ES	A 5935	AS	11-JUN-76	CR	AS
	MIL-C-81582/10					CONNECTOR, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UNBILICAL, DUMMY STORAGE RECEPTACLE [VALIDATION DATE: 8205] REVIEWER: AR EC ES SH	A 5935	AS	11-JUN-76	CR	AS
L	MIL-C-81585					CRADLES, WEAPON, SHIPPING AND STORAGE, MK 12, MK 13, MK 14, MK 15, MK 16 AND MK 18 [VALIDATION DATE: 9110]	A 8140	AS	29-OCT-91		AS
L	MIL-T-81587A					TIMER ASSEMBLY-RAIN REPELLENT [VALIDATION DATE: 9109]	A 6630	AS	25-SEP-91		AS
L	MIL-R-81589(1)					RAIN REPELLENT FLUID APPLICATION SYSTEM AIRCRAFT WINDSHIELD [VALIDATION DATE: 8005]	A 166P	AS	15-JAN-69		AS
L	MIL-C-81590(3)					COCKPIT CANOPY SYSTEM, FIXED WING SINGLE AND MULTI-PLACE, FIGHTER, ATTACK, AND TRAINER AIRCRAFT, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205]	A 1560	AS	22-NOV-74		AS
A 1	MIL-S-81591(3)					STEEL, INVESTMENT CASTINGS, CARBON AND CORROSION - RESISTING USER: OS REVIEWER: AV MC ME MI	A MECA	AS	23-FEB-93	AR	AS 99
	MIL-B-81592					BLEED AIR SYSTEM, LOAD ANALYSIS OF, METHOD FOR [VALIDATION DATE: 8401]	A 166P	AS	20-AUG-68	AV	AS
L	MIL-M-81594A(2)					MARKING FOILS, FOR HOT STAMP PRINTING OF ELECTRICAL INSULATING MATERIALS ..	A 3611	AS	31-JUL-91		AS
L	MIL-C-81595(1)					CARTRIDGE, IMPULSE, MARK 127 MOD 0 [VALIDATION DATE: 8508]	A 1377	AS	05-JUL-73		AS
	MIL-A-81596A					ALUMINUM FOIL FOR SANDWICH CONSTRUCTION USER: OS SH REVIEWER: AV MI	A 9535	AS	30-JUN-85	ME	AS 11
L	MIL-M-81604C					NAVIGATION SET, INERTIAL AN/ASW-92(V) [VALIDATION DATE: 8307]	A 5826	AS	03-DEC-76		AS
OL	MIL-A-81605D(1)					ALTITUDE SET, ELECTRONIC AN/APM-194(V)	A 5826	AS	29-JUL-85		AS
L	MIL-D-81607(1)					DISPLAY UNIT, TELETYPEWRITER TT-581/AG AND MOUNTING MT-408B/AG [VALIDATION DATE: 9110]	A 5815	AS	17-OCT-91		AS
L	MIL-D-81609C(1)					DETECTING SET, MAGNETIC AN/ASQ-81 (V)	A 5895	AS	10-SEP-86		AS
M L	MIL-M-81614(1)					RECEIVER, RADAR ALUMINUM R-1623/APM MODULATOR, X-BAND BEACON MD-817/APM AND ANTENNA, KA-BAND RADAR AS-2406/APM [VALIDATION DATE: 9305]	A 5841	AS	28-MAY-93		AS
L	MIL-I-81616					INITIATOR, DESTRUCT IGNITER MX-8278 (Y)ASO [VALIDATION DATE: 8203]	A 5810	AS	30-OCT-68		AS
L	MIL-S-81619B					SWITCH, SOLID STATE TRANSDUCER, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8711] USER: EC REVIEWER: ES	A 5930	AS	20-NOV-87		AS
ML	MIL-S-81619/1A					SWITCH, ELECTRONIC TRANSDUCER, TOGGLE TYPE [VALIDATION DATE: 8006] USER: EC REVIEWER: ES	A 5930	AS	30-AUG-74		AS
	MIL-S-81619/7B					SWITCH, SOLID STATE TRANSDUCER, 2 AXIS JOYSTICK [VALIDATION DATE: 8608]	A 5930	11	11-AUG-86	ER	AS
	MIL-A-81621					ACCELEROMETER, ELECTRICAL, LINEAR AN/13/A [VALIDATION DATE: 8106]	A 1290	AS	25-FEB-69		AS
L	MIL-D-81622A					DETECTING RANGING SET, SONAR AN/ASQ-13A	A 5845	AS	15-APR-88		AS
L	MIL-T-81624(1)					TELEVISION DISPLAY REQUIREMENTS FOR THE WEAPON SYSTEM FOR GUIDED WEAPON MARK 1 ALL MODS (WALLEYE) AND GUIDED WEAPON, PRACTICE MK 4 MOD 0/1 [VALIDATION DATE: 8203]	A 5821	AS	30-DEC-69		AS
L	MIL-R-81627					RADIO SET AN/ARC-142 [VALIDATION DATE: 8103]	A 5821	AS	01-JUL-71		AS
L	MIL-R-81628B(2)					RADIO SET AN/ARC-143B [VALIDATION DATE: 8508]	A 5821	AS	08-MAR-79		AS
L	MIL-D-81641					DISPLAY, HEAD-UP, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110]	A 6610	AS	17-OCT-91		AS
	MIL-R-81648B					RADIO SET AN/APS 116 [VALIDATION DATE: 8509]	A 5841	AS	26-OCT-78		AS
L	MIL-P-81653B					POWER CONTROLLER, SOLID STATE, GENERAL SPECIFICATION FOR REVIEWER: GS	A 6110	AS	14-FEB-80	ME	AS 99
L	MIL-P-0081653C					POWER CONTROLLER, SOLID STATE, GENERAL SPECIFICATION FOR REVIEWER: 99	A 6110	AS	15-JUN-87	ME	AS 11
L	MIL-P-81653/1					POWER CONTROLLER, DC LOAD SWITCHING, SPST, NORMAL OPEN, 1 AMPERE [VALIDATION DATE: 8509] REVIEWER: GS	A 6110	AS	17-NOV-69		AS
L	MIL-P-81653/8					POWER CONTROLLER, INDICATOR DRIVER SPST, NORMAL OPEN, 500 MILLIAMPERES [VALIDATION DATE: 8509] REVIEWER: GS	A 6110	AS	17-NOV-69		AS
L	MIL-P-81653/9					POWER CONTROLLER, DC LOAD SWITCHING SPST, NORMAL OPEN, 10 AMPERES [VALIDATION DATE: 8509] REVIEWER: GS	A 6110	AS	17-NOV-69		AS
OL	MIL-P-81655					PITOT STATIC TUBE, L-SHAPED, COMPENSATED, ELECTRICALLY HEATED, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8509]	A 6610	AS	03-DEC-70		AS
Q	MIL-C-81659B(2)					CONNECTORS, ELECTRICAL RECTANGULAR, CRIMP CONTACT REVIEWER: 11 99 EC ES OS	A 5935	AS	01-OCT-90	CR	AS 85
L	MIL-C-81659/9B					CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DOUBLE INSERT, TYPE 2 CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 1, SHELL DESIGNATOR A [VALIDATION DATE: 8709] REVIEWER: EC ES	A 5935	AS	16-DEC-71		AS
	MIL-C-81659/29B					CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-81659/31B					CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, SINGLE INSERT, TYPE 2, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS	A 5935	AS	02-AUG-76	CR	AS
	MIL-C-81659/33B					CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE 11, CLASS 1 )-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL DESIGNATOR A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-81659/35B					CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, DUAL INSERT, TYPE 11, CLASS 1 (MINUS 65 DEG. C TO PLUS 125 DEG. C), SERIES 2, SHELL SIZE A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-81659/37B					CONNECTOR, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (TRIPLE INSERT, TYPE 11, CLASS 1 )MINUS 65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL DESIGNATOR A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-81659/39B					CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE 11, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-81659/41B					CONNECTOR, ELECTRICAL, RECTANGULAR PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE 11, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL SIZE A [VALIDATION DATE: 8205] REVIEWER: 11 99 EC ES OS	A 5935	AS	02-AUG-76	CR	AS 85
	MIL-C-81659/43B					CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE 11, CLASS 1 )-65 DEG C TO PLUS 125 DEG. C), SERIES 2, SHELL DESIGNATOR A [VALIDATION DATE: 8205] REVIEWER: 11 80 EC ES OS	A 5935	AS	02-AUG-76	CR	AS 85
L	MIL-C-81659/53A					CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE 11, CLASS 1 (-65 DEG. C TO +125 DEG. C), SERIES 2, SHELL DESIGNATOR B [VALIDATION DATE: 9110] REVIEWER: EC OS	A 5935	AS	17-OCT-91		AS
L	MIL-C-81659/56A					CONNECTOR, ELECTRICAL, RECTANGULAR, RECEPTACLE, ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE 11, CLASS 2 (MINUS 65 DEG. C TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B [VALIDATION DATE: 8709] REVIEWER: EC	A 5935	AS	16-DEC-71		AS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Classification Document Number	Document Title	Doc. Smt. FSC / Issue	MCA Symbol Preparing Acty	Date	Custodians			
					Army	Navy	Air Force	DLA
L MIL-C-81659/57A NOTICE 1	CONNECTOR, ELECTRICAL RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE III, CLASS 1 (-65 DEGREES C TO PLUS 125 DEGREES C), SERIES 2, SHELL DESIGNATOR B (VALIDATION DATE: 8709) REVIEWER: EC ES	A 5935	AS	16-DEC-71	AS			
L MIL-C-81659/58A NOTICE 1	CONNECTOR, ELECTRICAL RECTANGULAR, PLUG, ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE III, CLASS 2 (MINUS 65 DEG. TO PLUS 200 DEG. C), SERIES 2, SHELL DESIGNATOR B (VALIDATION DATE: 8709) REVIEWER: EC ES	A 5935	AS	16-DEC-71	AS			
MIL-C-81659/61	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE III, CLASS 1) MINUS 65 DEGREES C TO PLUS 125 DEGREES C, SERIES 2, SHELL DESIGNATOR A (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/62	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE III, CLASS 1 SHELL DESIGNATOR A) (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/63	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (TRIPLE INSERT, TYPE III, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, SERIES 2, SHELL DESIGNATOR A (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/64	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE III, CLASS 1) MINUS 65 DEGREES C TO PLUS 125 DEGREES C, SERIES 2, SHELL DESIGNATOR A (VALIDATION DATE: 8205) REVIEWER: MI	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/65	CONNECTOR, ELECTRICAL RECTANGULAR, PLUG, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) MINUS 65 DEGREES C TO PLUS 125 DEGREES C, SERIES 2, SHELL DESIGNATOR A (VALIDATION DATE: 8205) REVIEWER: 11 99 EC MI OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/66	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, SERIES 2, SHELL DESIGNATOR A (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/67	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNTING (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/68	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1) MINUS 65 DEGREES C TO PLUS 125 DEGREES C, SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/69	CONNECTOR, ELECTRICAL RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) MINUS 65 DEGREES C TO PLUS 125 DEGREES C, SERIES 2, SHELL DESIGNATOR A (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/70	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) MINUS 65 DEGREES C TO PLUS 125 DEGREES C, SERIES 2, SHELL DESIGNATOR A (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/71	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNT (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
MIL-C-81659/72	CONNECTOR, ELECTRICAL RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1) -65 DEG. C TO PLUS 125 DEG. C, SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING (VALIDATION DATE: 8205) REVIEWER: 11 99 EC OS	A 5935	AS	02-AUG-76	CR	AS	85	
L MIL-I-81663/1 NOTICE 1	INDICATOR, BUILT IN TEST (BIT), ELECTRICALLY PULSE OPERATED, THREADED MOUNTING, SINGLE AND DUAL COIL, SOLID BLACK/WHITE DATA DISPLAY (VALIDATION DATE: 8803)	A 5945	AS	21-MAR-88	AS			
L MIL-I-81663/2 NOTICE 1	INDICATOR, BUILT-IN-TEST (BIT), SINGLE COIL, SOLID BLACK/BLACK-WHITE SEGMENTED DISPLAY, THREADED MOUNTING, ELECTRICAL/MANUAL OPERATION	A 5945	AS	21-MAR-88	AS			
L MIL-G-81665 NOTICE 1	GENERATOR TRANSMITTER GROUP AN/ASA-76 (U) (VALIDATION DATE: 9110)	A 6605	AS	17-OCT-91	AS			
L MIL-N-81675A	NAVIGATIONAL SET, OMEGA AN/ARN-99(V) 1 (VALIDATION DATE: 8307)	A 5826	AS	09-NOV-76	AS			
L MIL-N-81678B	NAVIGATIONAL SET, OMEGA AN/ARN-99(V) (VALIDATION DATE: 8410)	A 5826	AS	14-FEB-77	AS			
L MIL-R-81680 NOTICE 1	RECEIVER, RADIO R-1651/ARA	A 5845	AS	15-APR-88	AS			
L MIL-I-81683A NOTICE 1	INDICATOR, ATTITUDE REFERENCE SELF-CONTAINED, 3-INCH, ID-1791/A	A 6610	AS	07-DEC-87	AS			
L MIL-R-81686(1)	RADIO SET AN/ARC-161 (VALIDATION DATE: 8103)	A 5821	AS	07-APR-75	AS			
L MIL-D-81688A	DISPLAY SET, MISSION RECORDER AN/MP-5 (VALIDATION DATE: 8307)	A 5840	AS	01-MAY-77	AS			
L MIL-D-81694(5)	DISPENSING SET, COUNTERMEASURES & CHAFF AN/ALE-39	A 5895	AS	25-JAN-84	AS			
L MIL-T-81695A NOTICE 1	TRANSMITTING SET, TELEMETRIC DATA, AN/AKT-22(V) (U) (VALIDATION DATE: 9110)	A 5821	AS	17-OCT-91	AS			
L MIL-M-81700A NOTICE 1	MANUAL, TECHNICAL, AIRBORNE ARMAMENT EQUIPMENT	A TMSS	AS	09-OCT-86	AS			
L MIL-M-81701C NOTICE 1	MANUALS, TECHNICAL, AIRBORNE MISSILES AND GUIDED WEAPONS, PREPARATION OF	A TMSS	AS	01-JUL-89	AS			
L MIL-M-81702B(1)	MANUAL, TECHNICAL, AIRBORNE WEAPONS (CONVENTIONAL), REQUIREMENTS FOR	A TMSS	AS	30-AUG-83	AS			
QL MIL-C-81703 SUPPL 1A1	CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING (VALIDATION DATE: 8509) REVIEWER: EC ES MI	A 5935	AS	21-JUL-71	AS			
QL MIL-G-81704	GLASS, AIRCRAFT INSTRUMENT, LIGHTING WEDGE AND COVER (VALIDATION DATE: 8105) REVIEWER: AV GS MD	A 9340	AS	24-MAR-69	GL	AS	11	
DQ MIL-B-81705C	BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT SEALABLE USER: MC OS YDI REVIEWER: 99 CR ER MI SA SH SM	A 8135	AS	25-JAN-89	GL	AS	69	ES
Q MIL-C-81706(4)	CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS USER: AT ME REVIEWER: 11 AR DS MI OS SM	A MEFP	AS	10-MAR-77	MR	AS	99	
QL MIL-C-81706(15)	CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS ....	A MEFP	AS	13-NOV-79	AS			
L MIL-C-81707	CART, CORROSION CONTROL, JET ENGINE (VALIDATION DATE: 8209) REVIEWER: CS ..	A 4920	AS	28-NOV-68	AS			
Q MIL-T-81714E SUPPL 1A1	TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT GENERAL SPECIFICATION FOR USER: AT AV SM REVIEWER: 11 17 99 EC GS MI OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 22 USER: AR AT AV MI SM REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/2F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDBACK TYPE, SIZE 20 USER: AR AT AV MI SM REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/3F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 16 USER: AR AT AV MI SM REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/4F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDBACK TYPE, SIZE 12 USER: AR AT AV MI SM REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/5F	TERMINAL JUNCTION SYSTEMS TRACK ASSEMBLY, FEEDBACK TYPE USER: AR AT MI REVIEWER: AV EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/6F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 22 USER: AR AT AV MI SM REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/7F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 20 USER: AR AT AV MI REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/8F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCKS, FEEDTHRU TYPE, SIZE 16 USER: AR AT AV MI SM REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/9F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BUSSING BLOCK, FEEDTHRU TYPE, SIZE 12 USER: AR AT AV MI REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85	
Q MIL-T-81714/10F	TERMINAL JUNCTION SYSTEM RACK, ELECTRONIC JUNCTION, FEEDTHRU TYPE USER: AR AT AV MI REVIEWER: EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off Coordinate Inactive	Document Number	Document Title	Doc Sym	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DLA
Q	MIL-T-81714/11F	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS SECTIONAL WIRE IN LINE JUNCTIONS, SINGLE, SERIES I USER: AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/12C	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN LINE JUNCTIONS, DOUBLE, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/14C	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDTHRU TYPE, LIGHT WEIGHT, SERIES I USER: AT AV MI REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/15C	TERMINAL JUNCTION SYSTEM, GROUNDING STUD, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	CR	AS				
	MIL-T-81714/16E	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, LIGHT WEIGHT, SERIES I USER: AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/17C	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 220, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88		AS	85			
	MIL-T-81714/18B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/19B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 16, SEARIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/20B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 12, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/21B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL DIODE, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/22B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTION, INTEGRAL RESISTOR, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/23B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN LINE JUNCTIONS, INTEGRAL FUSE, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/24B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, ELECTRONIC, IN LINE JUNCTIONS, DOUBLE, INTEGRAL DIODE(S), SERIES I USER: AR MI SH REVIEWER: 11 17 99 AT AV EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/25B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-1, SERIES I USER: AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/26B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-2, SERIES I USER: AR AT AV MI REVIEWER: 99 EC GS OS SH	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/27B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/28B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, GROUNDING MODULES, INTEGRAL BRACKET MOUNTING, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/29C	TERMINAL JUNCTION SYSTEM, BRACKET, BLOCK MOUNTING, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/30B	TERMINAL JUNCTION SYSTEM TERMINAL JUNCTION BLOCK, SECTIONAL BLOCKS, ELECTRONIC, FEEDBACK TYPE, SIZES 20-3, 20-4, 20-5 VERTICAL MOUNTING WITH INTEGRAL BRACKET USER: AR AT AV MI SH REVIEWER: 11 17 99 EC OS	A 5940	AS	31-DEC-85	ER	AS	85			
	MIL-T-81714/31B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, MODULES, FEEDBACK TYPE, SIZES 20-6 20-7, 20-HORIZONTAL MOUNTING WITH INTEGRAL BRACKET, SERIES I USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	AS	02-MAR-88	ER	AS	85			
	MIL-T-81714/60A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II USER: AR AT AV SH REVIEWER: 99 EC GS OS	A 5940	85	27-JUN-90	ER	AS	85			
	MIL-T-81714/61A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	27-JUN-90	ER	AS	85			
	MIL-T-81714/62A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEED BACK TYPE, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	27-JUN-90	ER	AS	85			
	MIL-T-81714/63(1)	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD FLANGE TYPE MOUNTING, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	27-JUN-90	ER	AS	85			
	MIL-T-81714/64	TERMINAL JUNCTION SYSTEM, GROUNDING STUD, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	02-MAR-88	ER	AS	85			
	MIL-T-81714/65(1)	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	27-JUN-90	ER	AS	85			
	MIL-T-81714/66	TERMINAL JUNCTION SYSTEM, IN-LINE ELECTRONIC JUNCTIONS, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	02-MAR-88	ER	AS	85			
	MIL-T-81714/67(1)	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	27-JUN-90	ER	AS	85			
	MIL-T-81714/68A	TERMINAL JUNCTION SYSTEM, BLOCK MOUNTING BRACKET, SERIES II REVIEWER: 99 GS	A 5940	85	27-JUN-90	ER	AS	85			
	MIL-T-81714/69	TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II USER: AR AT AV MI SH REVIEWER: 99 EC GS OS	A 5940	85	02-MAR-88	ER	AS	85			
L	MIL-M-81715	HANDUAL, TECHNICAL, SHIP WEAPON INSTALLATIONS (VALIDATION DATE: 81061) .....	A TMSS	AS	03-FEB-69		AS				
	MIL-P-81716	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, TYPE II HYDRAULIC ( MINUS 65 DEG F TO PLUS 275 DEG F ) (VALIDATION DATE: 83041) USER: MI	A 5330	AS	14-FEB-69	MR	AS	11			
QL	MIL-V-81722A(1)	VALVE, INFLATION, LIFE RAFT, FLU-6/P (VALIDATION DATE: 84101) REVIEWER: CS	A 4220	AS	13-JAN-78		AS				
L	MIL-T-81724	ADAPTER, LAUNCHER, AIRCRAFT, ADU-299/E (VALIDATION DATE: 83071) REVIEWER: GS	A 1055	AS	02-APR-69		AS				
L	MIL-P-81726	PROPELLANT, MIXED HYDRAZINE FUEL, MHF-6 .....	A 9135	AS	23-MAY-69		AS				
	MIL-P-81728A(1)	PLATING, TIN LEAD (ELECTRODEPOSITED USER: AT GL OS REVIEWER: 99 AR AV .....	A MFFP	AS	28-MAR-80	MR	AS	11			
	MIL-R-81729A	RESTRAINT SYSTEMS, AIRCRAFT (VALIDATION DATE: 91101) .....	A 1680	AS	29-OCT-91		AS	99			
L	MIL-C-81730A	CARTRIDGE, DELAY, MARK 136 MOD 0 (VALIDATION DATE: 85081) .....	A 1377	AS	19-APR-73		AS				
L	MIL-S-81732(1)	SEALING COMPOUND, ELECTRICAL, HIGH STRENGTH, ACCELERATOR REQUIRED (VALIDATION DATE: 91101)	A 8030	AS	29-OCT-91		AS				
DQ	MIL-S-81733C(1)	SEALING AND COATING COMPOUND, CORROSION INHIBITIVE USER: MC ME YD1 REVIEWER: 99 AV MI	A 8030	AS	19-APR-88	MR	AS	11			
L	MIL-T-81734D	TEST SET, AIRBORNE WEAPON CONTROL SYSTEM AN/AMM-23(V) (VALIDATION DATE: 83071)	A 4935	AS	11-JUL-77		AS				
A L	MIL-M-81735B	HELMETS, FLIGHT DECK CREWMAN'S, IMPACT RESISTANT .....	A 8415	CT	30-JUL-92		AS		CT		
L	MIL-T-81736(3)	TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, B-1MCH (VALIDATION DATE: 91101)	A 8315	AS	29-OCT-91		AS				
L	MIL-C-81737A	GELLING UNITS, FUEL MARK 1, MOD 0 AND MOD 1 .....	A 1040	AS	24-AUG-84		AS				
	MIL-F-81738	FLARE, AIRCRAFT, PARACHUTE, MK 45 MOD 0 (VALIDATION DATE: 83031) .....	A 1370	AS	15-AUG-69		AS	96			
L	MIL-C-81740	COATINGS, ALUMINUM AND ALUMINUM ALLOYS (METALLIC COMPOUND DECOMPOSITION) (VALIDATION DATE: 91101)	A MFFP	AS	29-OCT-91		AS				
L	MIL-L-81742A	LIGHT, BEACON LML-17W (VALIDATION DATE: 91091) .....	A 2050	AS	25-SEP-91		AS				
	NOTICE 1										



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inactive Document Number	Document Title	Doc Smt FSC / Ave MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DIA
MIL-B-81744A(1)	BARRIER COATING SOLUTION, LUBRICANT MIGRATION DETERREING [VALIDATION DATE: 8303] REVIEWER: 99 AV GS MI OS SH	A 6850 AS 23-DEC-76	AR AS 11
L MIL-L-81745B(2)	LAUNCHER CONTAINER, "A" SIZE SONOBUOY LAU-126/A	A PACK AS 30-APR-90	AS
L MIL-S-81746A	SERVITRO, GENERAL SPECIFICATION FOR USER: EC SH	A 5990 AS 05-APR-91	AS
L MIL-S-81746/1	SERVITRO, TYPE 15ST4A USER: EC REVIEWER: SH	A 5990 AS 05-APR-91	AS
L MIL-S-81746/2	SERVITRO, TYPE 23ST64A USER: EC REVIEWER: SH	A 5990 AS 05-APR-91	AS
L MIL-S-81746/3	SERVITRO, TYPE 23ST4A USER: EC REVIEWER: SH	A 5990 AS 05-APR-91	AS
L MIL-S-81746/4	SERVITRO, TYPE 37ST64C USER: EC REVIEWER: SH	A 5990 AS 05-APR-91	AS
L MIL-M-81748C(1)	MANUAL, TECHNICAL, RAPID ACTION CHARGES, REQUIREMENTS FOR PREPARATION OF SPRAY OUTFIT, PAINT, AIRLESS, HYDRAULIC PRESSURE, PORTABLE [VALIDATION DATE: 8204] REVIEWER: CS	A THSS AS 23-SEP-85	AS
L MIL-S-81749	DATE: 8204] REVIEWER: CS	A 4940 AS 21-NOV-69	AS
D MIL-C-81751B	COATING, METALLIC CERAMIC [VALIDATION DATE: 7805] USER: AT OS YDI	A MFP AS 17-JAN-72	MR AS 11
L MIL-W-81752A(1)	REVIEWER: 70 71 84 AN AV ER GL RE SH	A 1560 AS 22-AUG-88	AS
L MIL-W-81754A	WINDSHIELDED SYSTEMS, FIXED WING AIRCRAFT - GENERAL SPECIFICATION FOR REVIEWER: AV	A THSS AS 09-OCT-86	AS
Q MIL-M-81754A	MANUAL, TECHNICAL, WEAPON SYSTEMS TECHNICAL DOCUMENTATION LIST PREPARATION OF		
L MIL-B-81757C	BATTERIES AND CELLS, STORAGE, NICKEL-CADMIUM, AIRCRAFT GENERAL	A 6140 AS 01-JUL-84	ER AS 11
L MIL-B-81757/1C	SUPPL 1A] SPECIFICATION FOR USER: CG REVIEWER: 99 AV	A 6140 AS 05-OCT-84	ER AS 11
L MIL-B-81757/2B	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, CELL USER: CG REVIEWER: 99 AV ..	A 6140 AS 31-JUL-81	ER AS 11
L MIL-B-81757/3B	BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, VENTED FILLER CAP USER: CG REVIEWER: 99 AV	A 6140 AS 31-JUL-81	ER AS 11
L MIL-B-81757/4C	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM CONNECTOR, STRAP USER: CG REVIEWER: 99 AV	A 6140 AS 05-OCT-84	ER AS 11
L MIL-B-81757/5B	BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM, CONNECTOR, TAB USER: CG REVIEWER: 99 AV	A 6140 AS 31-JUL-81	ER AS 11
L MIL-B-81757/7C	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, CONNECTOR, CURVED USER: CG REVIEWER: 99 AV	A 6140 AS 05-OCT-84	ER AS 11
L MIL-B-81757/8D	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, 24 VOLTS, 10 AMPERE HOURS (BB-432/A) USER: CG REVIEWER: 99 AV	A 6140 AS 03-MAY-85	ER AS 11
L MIL-B-81757/9C	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, 24 VOLTS, 20 AMPERE-HOUR (BB-434/A) USER: CG REVIEWER: 99 AV	A 6140 AS 05-OCT-84	ER AS 11
L MIL-B-81757/10B	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM, 24 VOLTS, 30 AMPERE HOUR (BB-433A/A) USER: CG REVIEWER: 99 AV	A 6140 AS 05-OCT-84	AS
L MIL-B-81757/11D	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 23 VOLTS, 6 AMPERE HOUR .....	A 6140 AS 03-MAY-85	AC
L MIL-B-81757/12A	BATTERY, STORAGE, AIRCRAFT, NICKEL CADMIUM 24 VOLTS, 20 AMPERE HOUR (LOW FREQUENCY VIBRATION)	A 6140 AS 20-APR-84	AS
L MIL-B-81757/13A	BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM FORCED-AIR COOLED, CHARGE CONTROLLED, 24-VOLT, 30 AMPERE-HOUR	A 6140 AS 28-FEB-85	AS
L MIL-I-81765A	BATTERY, STORAGE, AIRCRAFT, NICKEL-CADMIUM 24 VOLT, 30 AMPERE HOUR .....	A 5970 AS 29-OCT-91	AS
L MIL-I-81765/1A	SUPPL 1A] NOTICE 1 INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9101] REVIEWER: GS	A 5970 AS 20-JUL-70	AS
L MIL-I-81765/2A	NOTICE 1 INSULATING COMPONENT, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, CROSSLINKED, SEMI-RIGID AND FLEXIBLE [VALIDATION DATE: 8004] REVIEWER: GS	A 5970 AS 29-OCT-91	AS
L MIL-I-81765/3A	NOTICE 1 INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYCHLOROPRENE, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 9101] REVIEWER: GS	A 5970 AS 29-OCT-91	AS
L MIL-I-81765/4A	NOTICE 1 INSULATING COMPONENT, MOLDED, ELECTRICAL, HEAT SHRINKABLE SILICONE RUBBER, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 9101] REVIEWER: GS	A 5970 AS 20-JUL-70	AS
L MIL-I-81765/6	INSULATING COMPONENT, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROELASTOMER, FLEXIBLE, CROSSLINKED [VALIDATION DATE: 8509] REVIEWER: GS	A 5970 AS 15-JUN-87	MR AS 11
L MIL-I-81765/7	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER, SEMI-RIGID, CROSSLINKED REVIEWER: GS	A 5970 AS 15-JUN-87	MR AS 11
L MIL-R-81766	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER COMPOSITE, SEMI-RIGID, CROSSLINKED REVIEWER: GS	A 5895 AS 30-NOV-70	AS
L MIL-C-81767	RELAY PANEL RYK-13/A248-4(V) [VALIDATION DATE: 8303]	A 5895 AS 30-NOV-70	AS
L MIL-T-81768	CONTROL MONITOR DCK-143/A248-4(V) [VALIDATION DATE: 8303]	A 5895 AS 30-NOV-70	AS
D MIL-C-81769	TRANSFORMER RECTIFIER TEK-9/A248-4(V) [VALIDATION DATE: 8303]	A MFP AS 11-DEC-72	MR AS 11
L MIL-C-81770	CHEMICAL MILLING OF METALS, SPECIFICATION FOR [VALIDATION DATE: 8508] USER: AT MI YDI REVIEWER: 99 AR	A 1280 AS 04-JUN-70	AS
L MIL-S-81771A(1)	CONTROL, AIRCRAFT WEAPONS RELEASE SET C-8014(*)/AME-1 [VALIDATION DATE: 8410]	A 1680 AS 30-APR-91	AS
L MIL-T-81772B	SEAT SYSTEM: AIROREW, CRASH RESISTANT; GENERAL SPECIFICATION FOR .....	A 8010 AS 25-OCT-91	AS
L MIL-C-81774A(1)	THINNER, AIRCRAFT COATING .....		
L MIL-S-81775B	CONTROL PANEL, AIRCRAFT, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8303]	A 1680 AS 11-DEC-76	AV AS 11
L MIL-T-81776C	SERVICE SET, HYDRAULIC SYSTEM PK-9043( )/AMM-23 (V) [VALIDATION DATE: 8103]	A 4935 AS 06-DEC-74	AS
L MIL-C-81777B	TEST STATION, MODULE QJ-217( )/AMM-23(V) AND QJ-378( )/AMM-23(V) [VALIDATION DATE: 9101]	A 4935 AS 17-OCT-91	AS
L MIL-T-81778C	COOLER, LIQUID, ELECTRONIC EQUIPMENT HD-908( )/AMM-23(V) [VALIDATION DATE: 8105]	A 4935 AS 30-NOV-73	AS
L MIL-K-81779C	TEST STATION, LOW FREQUENCY QJ-215 ( )/AMM-23(V) AND QJ-379( )/AMM-23(V) [VALIDATION DATE: 8402]	A 4935 AS 11-JUL-77	AS
L MIL-S-81780C	KIT, TOOL, SPECIAL TK-222( )/AMM-23(V) [VALIDATION DATE: 9109]	A 4935 AS 25-SEP-91	AS
L MIL-T-81781D	SPECIAL HANDLING EQUIPMENT [VALIDATION DATE: 9109]	A 4935 AS 25-SEP-91	AS
L MIL-T-81782C	TEST SET, MISSILE AUXILIARIES TS-3479 ( )/AMM-23(V) [VALIDATION DATE: 8307]	A 4935 AS 11-JUL-77	AS
L MIL-T-81783C	TEST STATION, COMPUTER QJ-216( )/AMM-23(V) [VALIDATION DATE: 9101]	A 4935 AS 17-OCT-91	AS
L MIL-T-81784C	TEST STATION, CONTROLS-DISPLAYS-DOPPLER FILTER QJ-214( )/AMM-23(V) [VALIDATION DATE: 9101]	A 4935 AS 17-OCT-91	AS
L MIL-T-81785C	TARGET SIMULATOR, INFRARED SM-630( )/AMM-23(V) [VALIDATION DATE: 8307]	A 4935 AS 11-JUL-77	AS
L MIL-K-81786B	TEST STATION, RADIO FREQUENCY QJ-213( )/AMM-23(V) [VALIDATION DATE: 9101]	A 4935 AS 17-OCT-91	AS
L MIL-K-81786/1	KIT, MAINTENANCE, ELECTRICAL-ELECTRONIC, CABLE AND CABLE HARNESS REVIEWER: CS	A 4940 AS 21-MAY-86	AS
L MIL-K-81786/2	TUBING, PLASTIC, HEAT SHRINKABLE, ELECTRICALLY INSULATING, POLYOLEFIN, DUAL WALL, SEMI-RIGID: SHRINK RATIO 3 TO 1 [VALIDATION DATE: 9109]	A 4940 AS 25-SEP-91	AS
L MIL-K-81786/3A	TUBING, PLASTIC, HEAT SHRINKABLE, ELECTRICALLY INSULATING IRRADIATED POLY (VINYLIDENE FLUORIDE), SEMI RIGID: SHRINK RATIO 2 TO 1 [VALIDATION DATE: 9109]	A 4940 AS 25-SEP-91	AS
L MIL-K-81786/4	KIT TUBING, PLASTIC, HEAT SHRINKABLE (LOW RECOVERY TEMPERATURE), ELECTRICALLY INSULATING, FLEXIBLE, FLAME RETARDED, IRRADIATED POLYOLEFIN: SHRINK RATIO 2 TO 1 [VALIDATION DATE: 9109]	A 4940 AS 25-SEP-91	AS
L MIL-K-81786/5A	KIT, TUBING, ELASTOMERIC, RUBBER, ELECTRICALLY INSULATING, ABRASION RESISTANT, POLYCHLOROPRENE, FLEXIBLE, HEAT SHRINKABLE, SHRINK RATIO 1.75 TO 1, [VALIDATION DATE: 8003] REVIEWER: CS	A 4940 AS 20-APR-72	AS
L MIL-K-81786/6	KIT, TUBING, PLASTIC, IRRADIATED POLYOLEFIN, FLEXIBLE ELECTRICAL INSULATION, HEAT SHRINKABLE, SHRINK RATIO 4 TO 1 REVIEWER: CS	A 4940 AS 21-MAY-86	AS
L MIL-K-81786/6	COMPONENTS, MOLDED, POLYOLEFIN, ELECTRICALLY INSULATING, STRAIN RELIEVING, NON BURNING, SEMI-RIGID, HEAT SHRINKABLE [VALIDATION DATE: 9109]	A 4940 AS 25-SEP-91	AS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Doc Id	Doc Title	Doc Type	Doc Date	Doc FSC / Ave	Doc MCA Symbol	Doc Preparing Act	Doc Date	Custodians		
								Army	Navy	AF Force
L	MIL-K-81786/78 NOTICE 1	SLEEVE, TERMINATION, ELECTRICAL, LOW TEMPERATURE, FLUXED SOLDER PREFORM, HEAT SHRINKABLE (VALIDATION DATE: 9109)	A 4940	AS	25-SEP-91	AS				
L	MIL-K-81786/88 NOTICE 1	SLEEVE, TERMINATION, ELECTRICAL, FLUXED SOLDER PREFORM, ENVIRONMENT RESISTANT, HEAT SHRINKABLE (VALIDATION DATE: 9109)	A 4940	AS	25-SEP-91	AS				
L	MIL-K-81786/98	SLEEVE, SEALING, CRIMP SLICE, TRANSPARENT, HEAT SHRINKABLE, HIGH TEMPERATURE ALTITUDE IMMERSION SEAL REVIEWER: CS	A 4940	AS	08-JUL-86	AS				
L	MIL-K-81786/10	CAP, ELECTRICALLY INSULATING, POLYDEFIN, MELTABLE INNER WALL, HEAT SHRINKABLE (VALIDATION DATE: 8003) REVIEWER: CS	A 4940	AS	20-APR-72	AS				
L	MIL-K-81786/11A	KIT, ADHESIVE, EPOXY, FLEXIBLE REVIEWER: CS	A 4940	AS	21-MAY-86	AS				
Q	MIL-L-81787B NOTICE 1	LIFE PRESERVER, INFLATABLE, UTILITY, TYPE LPP-1A (VALIDATION DATE: 9110)	A 4220	AS	29-OCT-91	AS				
L	MIL-C-81788(1)	CARTRIDGE, DELAY, MARK 4 MOD 2, MARK 5 MOD 2 AND MARK 6 MOD 2 (VALIDATION DATE: 8407)	A 1377	AS	06-JAN-72	AS				
L	MIL-C-81789(2) NOTICE 1	CARTRIDGE, DELAY CCJ-4/A (VALIDATION DATE: 8704)	A 1377	AS	10-APR-87	AS				
AQ	MIL-C-81790A(1) SUPPL 1A1	CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR REVIEWER: 99 AV	A 5935	AS	30-DEC-92	CR AS	85			
L	MIL-T-81791(3)	TAPE, TEXTILE, NYLON, LANDBASED ARRESTING GEAR, 11-INCH (VALIDATION DATE: 8410) USER: 45 REVIEWER: CT	A 8315	AS	28-NOV-77	AS				
L	MIL-M-81792A	MANUAL, TECHNICAL, LOADING AND TRANSPORT OF NUCLEAR WEAPONS IN CARGO AIRCRAFT, PREPARATION OF	A TMSS	AS	15-MAR-87	AS				
M	MIL-B-817930 SUPPL 1A1	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS GENERAL SPECIFICATION FOR USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
L	MIL-B-81793C(11)	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS USER: 11 MC REVIEWER: 15 SH	A 3110	AS	04-AUG-88	AS				
M	MIL-B-81793/1	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/2	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/3	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/4	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/5	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/6	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/7	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/8	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/9	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/10	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/11	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/12	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/13	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/14	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/15	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/16	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, INNER RING EXTENDED, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/17	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/18	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/19	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/20	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/21	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3100	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/22	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/23	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/24	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			
M	MIL-B-81793/25	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A 3110	AS	15-MAR-93	AT AS	99			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active GPN / OMA Combination Inches	Document Number	Document Title	Dist. Sym.	FSC / Ane	MCA Symbol	Preparing Act.	Date	Customers			
								Army	Navy	Air Force	DLA
M	MIL-B-81793/26	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/27	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/28	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/29	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/30	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/31	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/32	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/33	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/34	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/35	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
M	MIL-B-81793/36	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P USER: 84 MC REVIEWER: 15 SH	A	3110	AS	15-MAR-93	AT	AS	99		
L	MIL-L-81795(1)	LAUNCHER, ROCKET, AIRBORNE, LAU 61 A/A (VALIDATION DATE: 8407) .....	A	1055	AS	09-MAR-71		AS			
L	MIL-C-81797	COATING, INORGANICALLY BONDED ALUMINUM (ELECTROPHORETICALLY DEPOSITED) (VALIDATION DATE: 9110) .....	A	MEFP	AS	29-OCT-91		AS			
L	MIL-A-81801	ANODIC COATINGS FOR ZINC AND ZINC ALLOYS (VALIDATION DATE: 8304) USER: AT	A	MEFP	AS	14-JAN-71	MR	AS	11		
L	MIL-T-81802	TEST SET, ARMAMENT WIRING AN/AMM-38 (VALIDATION DATE: 9108) .....	A	1190	AS	20-AUG-91		AS			
L	MIL-I-81803	IGNITION ELEMENT, ELECTRICAL, MARK 14 MOD 0 (VALIDATION DATE: 8407) .....	A	1377	AS	14-DEC-70		AS			
L	MIL-C-81804A	CARTRIDGE, IMPULSE, MARK 124 MOD 0 .....	A	1377	AS	28-AUG-87		AS			
L	MIL-C-81805(1)	CARTRIDGE, IMPULSE, MARK 125 MOD 0 (VALIDATION DATE: 8407) .....	A	1377	AS	29-NOV-77		AS			
L	MIL-M-81807A(2)	MARKING OF AIRCRAFT GROUND SUPPORT EQUIPMENT AND OTHER FLIGHT LINE VEHICLES WITH RETRO-REFLECTIVE MATERIALS: PROCESS FOR (VALIDATION DATE: 9109) .....	A	1730	AS	25-SEP-91		AS			
A	MIL-C-81808	CHEST, COLLAPSIBLE (VALIDATION DATE: 7704) USER: 45 .....	A	8460	CT	21-DEC-70		AS		CT	
L	MIL-T-81809	TEST SET, GUIDED WEAPON AN/DSM-778 (VALIDATION DATE: 8201) .....	A	4935	AS	28-DEC-70		AS			
L	MIL-C-81810	CHECKLIST, AIRBORNE MISSILE AND GUIDED WEAPON ASSEMBLY (VALIDATION DATE: 9110) .....	A	TRSS	AS	09-OCT-91		AS			
A	MIL-C-81812A	CLOTH, KNITTED, AROMATIC POLYAMIDE, HIGH TEMPERATURE RESISTANT (VALIDATION DATE: 8506) .....	A	8305	CT	01-OCT-71	GL	AS	99	CT	
A	MIL-B-818138(2)	BATTING, ARAMID OR NOVOLOID FIBER, QUILTED (VALIDATION DATE: 8904) USER: 45 REVIEWER: 82 MD SA	A	8320	CT	22-APR-89	GL	AS	11	CT	
A	MIL-C-81814C	CLOTH, TWILL, ARAMID, HIGH TEMPERATURE RESISTANT REVIEWER: 11 82 NU .....	A	8305	CT	17-AUG-90		AS	99	CT	
L	MIL-A-81815	AIRCRAFT AUTOMATED ESCAPE SYSTEMS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8009) .....	A	1680	AS	31-MAY-74		AS			
A	MIL-C-81818	CLOTH, SATEEN, COTTON, FIRE-RETARDANT TREATED (VALIDATION DATE: 9110) .....	A	8305	CT	29-OCT-91		AS		CT	
	MIL-B-818198	BEARING, PLAIN, (SELF-ALIGNING, SLEEVE & THRUST) SELF-LUBRICATING, HIGH SPEED OSCILLATION REVIEWER: 84 IS	A	3120	AS	01-JUN-87	AV	AS	99		
	MIL-B-81819/1	BEARING, PLAIN, SLIDING SPHERICAL, SELF LUBRICATING, SELF ALIGNING, HIGH SPEED OSCILLATION REVIEWER: 84 IS	A	3120	AS	14-JAN-83	AV	AS	99		
Q	MIL-B-81820E(1)	BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LOW SPEED OSCILLATION, GENERAL SPECIFICATION FOR USER: SM REVIEWER: 84 AR IS	A	3120	AS	31-MAR-88	AV	AS	11		
	MIL-B-81820/1	BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: 15	A	3120	AS	31-JAN-90	AV	AS	99		
	MIL-B-81820/2	BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: 15	A	3120	AS	31-JAN-90	AV	AS	99		
	MIL-B-81820/3	BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: 15	A	3120	AS	31-JAN-90	AV	AS	99		
	MIL-B-81820/4	BEARING, PLAIN, SELF-ALIGNING, SELF-LUBRICATING, LINED BORE, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: MI REVIEWER: 15	A	3120	AS	31-JAN-90	AV	AS	99		
	MIL-T-81821(3)	TRAINERS, MAINTENANCE, EQUIPMENT AND SERVICES GENERAL SPECIFICATION FOR REVIEWER: 99	A	69GP	AS	25-MAR-83	AV	AS	11		
	MIL-W-81822A(1)	WIRE, ELECTRICAL, SOLDERLESS WRAP, INSULATED AND UNINSULATED, GENERAL SPECIFICATION FOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	23-SEP-83	CR	AS	85		
	MIL-W-81822/1A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE - POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR (VALIDATION DATE: 8903) USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	31-MAR-89	CR	AS	85		
D	MIL-W-81822/3A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINYLDIENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS YDI REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/4A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYIMIDE COATING OVER EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/5A	WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYIMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/6A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/7A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED POLYVINYL CHLORIDE (PVC) INSULATION, TIN COATED SOLID CONDUCTOR REVIEWER: 11 17 99 EC ES IS MC OS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/8A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYAMIDE JACKET OVER EXTRUDED FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/10A	WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/11A	WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, GOLD COATED SOLID CONDUCTOR REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		
	MIL-W-81822/12A	WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, TIN COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES IS SH	A	6145	AS	03-MAR-82	CR	AS	85		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inclusive Document Number	Document Title	Doc. Smt. FSC / Ams MCA Symbol	Preparing Acty Date	Custodians Army Navy Air Force DIA
MIL-W-81822/13A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-TETRAFLUOROETHYLENE (ETFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES 15 SH	A 6145	AS 03-MAR-82	CR AS 85
MIL-W-81822/15A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-CHLOROTRIFLUOROETHYLENE (ECTFE) INSULATION, SILVER COATED SOLID CONDUCTOR USER: 17 MC OS REVIEWER: 11 99 EC ES 15 SH	A 6145	AS 03-MAR-82	CR AS 85
MIL-S-81824(3)	SPICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT USER: EC MC MI OS SH REVIEWER: 11 99 AV GS	A 5940	AS 15-JUN-84	ER AS 85
MIL-S-81824/1	SPICE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1 (VALIDATION DATE: 8304) USER: AR EC MC REVIEWER: 11 99 AV MI	A 5940	AS 20-AUG-76	ER AS 85
MIL-S-81824/3	SPICE, COAXIAL CABLE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1 USER: EC MC MI OS SH REVIEWER: 11 99 AV GS	A 5940	AS 15-JUN-84	ER AS 85
MIL-S-81824/4	SPICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, SPICE, SHIELD, SOLDER TYPE, INSULATED, CLASS 1 USER: EC MC MI OS SH REVIEWER: 11 99 AV GS	A 5940	AS 31-JAN-90	EN AS 85
MIL-S-81824/5	SPICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, KIT, SHIELDED CABLE, CLASS 1 USER: EC MC MI OS SH REVIEWER: 11 99 AV GS	A 5940	AS 31-JAN-90	ER AS 85
L MIL-C-81825	CLEANING MACHINE, SMALL AIRCRAFT, MOBILE (VALIDATION DATE: 8107) REVIEWER: CS	A 4940	AS 20-MAY-71	AS
QL MIL-C-81827A	GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE (VALIDATION DATE: 9110) REVIEWER: PS	A 9150	AS 29-OCT-91	AS
L MIL-R-81828(1)	RUBBER, CHLOROSULFONATED POLYETHYLENE ELASTOMER, SHEET AND MOLDED SHAPES, OZONE RESISTANT (VALIDATION DATE: 9110)	A 9320	AS 29-OCT-91	AS
L MIL-W-81829(1)	HEAT TRANSFER FLUID, FLUORO-CHEMICAL (VALIDATION DATE: 9110) USER: GS	A 6850	AS 29-OCT-91	AR AS 68
QL MIL-C-81830A(2)	GROUT MATERIAL, RAPID SETTING (VALIDATION DATE: 9110)	A 5610	AS 29-OCT-91	AS
L MIL-T-81831	TEST SET, ALTIMETER SET AN/APM-347 (VALIDATION DATE: 8208)	A 6625	AS 13-JUL-71	AS
L MIL-W-81834A	MANUAL, AIRCRAFT TACTICAL, REQUIREMENTS FOR PREPARATION OF	A THSS	AS 28-NOV-80	AS
L MIL-W-81835(1)	REMOVER, ORGANIC COATING, M7 TANK TYPE (VALIDATION DATE: 8004)	A 8010	AS 26-DEC-73	AS
QL MIL-F-81836A	FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/1A	FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE A, MECHANICAL INDICATOR	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/2A	FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE B, ELECTRICAL INDICATOR	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/3A	FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, STYLE C, GAUGE INDICATOR	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/4A	FILTER ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/5A	FILTER ELEMENT, ADAPTER	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/6	FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE A, MECHANICAL INDICATOR	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/7	FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE B, ELECTRICAL INDICATOR	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/8	FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, STYLE C, GAUGE INDICATOR	A 4920	AS 27-MAR-92	AS
L MIL-F-81836/9	FILTER, ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE	A 4920	AS 27-MAR-92	AS
L MIL-T-81838(1)	TANK, FUEL, AIRCRAFT, AUXILIARY EXTERNAL 300 GALLON, TYPE AERO 10 (VALIDATION DATE: 8204)	A 1560	AS 08-MAR-76	AS
L MIL-R-81839(1)	RACK, BOMB, AIRCRAFT, BRU-12/A	A 1095	AS 21-DEC-83	AS
L MIL-W-81840	WHEELS, PEENING, ROTARY FLAP (VALIDATION DATE: 9109)	A 5130	AS 26-SEP-91	AS
L MIL-R-81841	ROTARY FLAP PEENING OF METAL PARTS (VALIDATION DATE: 8509) REVIEWER: OS	A MFP	AS 09-FEB-72	AS
L MIL-C-81842A	CONNECTOR ASSEMBLIES FOR BOMB RACK ELECTRIC FIZING PROVISIONS (VALIDATION DATE: 8208)	A 1095	AS 01-SEP-76	AS
MIL-W-81843C	HOOD, FLYER S, ANTI-EXPOSURE, INFLATABLE, MGL-32/P REVIEWER: AV	A 8475	AS 19-SEP-86	GL AS
MIL-W-81844C	MITTENS, FLYER S, ANTI-EXPOSURE, INFLATABLE, MAU-12/P REVIEWER: AV	A 8475	AS 19-SEP-86	GL AS
L MIL-T-81845A	INITIATOR, CARTRIDGE ACTUATED JAU-17B (VALIDATION DATE: 8508)	A 1377	AS 21-AUG-72	AS
DOD-L-81846B	LUBRICATING OIL, INSTRUMENT, BALL BEARING, HIGH FLASH POINT (VALIDATION DATE: 9110) USER: AR OS REVIEWER: 99 CR GS SH	A 9150	AS 29-OCT-91	ME AS 11
L MIL-L-81848	LIGHT, FLUORESCENT, MAGNIFYING, ADJUSTABLE ARM (VALIDATION DATE: 8204) REVIEWER: GS	A 6230	AS 28-FEB-72	AS
Q MIL-A-81851B(1)	ALTIMETER AAU-31/A (VALIDATION DATE: 9110)	A 6610	AS 17-OCT-91	AV AS
Q MIL-A-81852A(1)	ALTIMETER-ENCODER AAU-32/A	A 6610	AS 25-JAN-88	AV AS
A L MIL-B-81856(1)	BEACON SET, RADAR AN/APM-202	A 5841	AS 21-DEC-92	AS
L MIL-R-81857	NAVIGATIONAL SET, TACAN AN/ARN-105 (VALIDATION DATE: 8101)	A 5826	AS 24-OCT-72	AS
L MIL-R-81858(1)	RADAR SETS AN/AP-115B AND AN/AP-122 (VALIDATION DATE: 8303)	A 5841	AS 22-JUL-77	AS
L MIL-C-81861	CONTROL, DEPTH, TORPEDO C-7821/A (VALIDATION DATE: 8205)	A 1430	AS 22-SEP-75	AS
L MIL-D-81873	DETECTING-RANGING SET, SONAR AN/AQS-13B (VALIDATION DATE: 8208)	A 5845	AS 17-DEC-75	AS
L MIL-R-81876B	RECEIVER-TRANSMITTER RADIO SET AN/APX-100(V)	A 5821	AS 04-OCT-88	AS
L MIL-R-81877B	RADIO SETS AN/ARC-159 AND AN/ARC-159(V)	A 5821	AS 15-APR-88	AS
L MIL-C-81883	CONTROL GROUP, ELECTRIC POWER OK-XXX (V) A GENERAL SPECIFICATION FOR (VALIDATION DATE: 8207)	A 6110	AS 04-MAY-76	AS
L MIL-C-81883/1	CONTROL GROUP, ELECTRIC POWER OK-XXX (V) A (VALIDATION DATE: 8207)	A 6110	AS 04-MAY-76	AS
L MIL-P-81887A(2)	PALLET LOAD ASSEMBLY FOR SONOBUOYS (VALIDATION DATE: 9110)	A PACK	AS 17-OCT-91	AS
L MIL-Q-81893A	DISPENSING SET, COUNTERMEASURES CHAFF AN/ALE-41 (VALIDATION DATE: 8509)	A 5865	AS 18-DEC-78	AS
L MIL-F-81898A(1)	FORWARD LOOKING RADAR SET, AN/APQ-126(V)	A 5841	AS 10-JUN-82	AS
L MIL-W-81901	MANUAL, TECHNICAL, AIRCRAFT FIRE FIGHTING AND RESCUE, REQUIREMENTS FOR PREPARATION OF INFORMATION FOR INCLUSION IN (VALIDATION DATE: 8405)	A THSS	AS 03-APR-72	AS
QL MIL-R-81903A(2)	REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS (VALIDATION DATE: 9110)	A 8010	AS 29-OCT-91	AS
QL MIL-C-81904B(1)	COATING COMPOUND, THERMAL-INSULATION, ABLATIVE	A 8030	AS 24-AUG-92	AS
QL MIL-A-81905D(1)	ANTI-G GARMENT, CUTAWAY, ARAMID CSU-15/P	A 8475	AS 10-JUL-87	AS
L MIL-C-81907(1)	COATING SYSTEM, POLYURETHANE, ALIPHATIC, WEATHER RESISTANT, PROCESS FOR APPLICATION OF (VALIDATION DATE: 8004)	A 8010	AS 11-JAN-74	AS
L MIL-E-81910A(1)	ELECTRICAL POWER GENERATING AND CONTROL EQUIPMENT, AIRCRAFT, GENERAL SPECIFICATIONS FOR (VALIDATION DATE: 8410) REVIEWER: GS	A 6110	AS 26-MAY-78	AS
L MIL-P-81911	PARALLEL, FREQUENCY-CODED FIRING SYSTEMS (VALIDATION DATE: 8203)	A 1280	AS 30-NOV-72	AS
L MIL-F-81912(3)	FUEL, EXPENDABLE TURBINE ENGINE (VALIDATION DATE: 8303)	A 9130	AS 28-JUN-77	AS
A L MIL-L-81913A	LEATHER, CATTLEHIDE, VEGETABLE TANNED, FOR PACKING AND SEALS (VALIDATION DATE: 9110)	A 8330	CT 29-OCT-91	AS CT
L MIL-T-81914	TUBING, PLASTIC, FLEXIBLE, CONVULUTED, CONDUIT GENERAL SPECIFICATION FOR (VALIDATION DATE: 8509) REVIEWER: GS MI	A 5975	AS 28-FEB-73	AS
L MIL-T-81914/1	TUBING, PLASTIC, FLEXIBLE, CONVULUTED, POLYTETRAFLUOROETHYLENE, STANDARD CONVULUTIONS (VALIDATION DATE: 8508) REVIEWER: GS MI	A 5975	AS 28-FEB-73	AS
L MIL-T-81914/2	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVULUTED, POLYTETRAFLUOROETHYLENE CLOSE CONVULUTION (VALIDATION DATE: 8508) REVIEWER: GS	A 5975	AS 28-FEB-73	AS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / Cdn Correlation Inchance	Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	Air Force	CIA
L	MIL-T-81914/3	TUBING, PLASTIC, FLEXIBLE, CONVULUTED, FLUORINATED ETHYLENE PROPYLENE, STANDARD CONVOLUTION (VALIDATION DATE: 8508) REVIEWER: GS	A 5975	AS	28-FEB-73	AS			
L	MIL-T-81914/4	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVULUTED, FLUORINATED ETHYLENE PROPYLENE, CLOSE CONVOLUTION (VALIDATION DATE: 8508) REVIEWER: GS	A 5975	AS	28-FEB-73	AS			
L	MIL-T-81914/5 NOTICE 2	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVULUTED, ETHYLENE-TETRAFLUOROETHYLENE, CLOSE CONVOLUTION	A 5975	AS	29-DEC-89	AS			
L	MIL-T-81914/6	TUBING, PLASTIC, FLEXIBLE, CONVULUTED, ETHYLENE-TETRAFLUOROETHYLENE, STANDARD CONVOLUTION (VALIDATION DATE: 8204)	A 5975	AS	14-JUL-76	AS			
L	MIL-T-81914/7	TUBING, PLASTIC, FLEXIBLE, CONVULUTED, FLUORINATED ETHYLENE PROPYLENE, INTEGRAL BRAID	A 5975	AS	29-DEC-89	AS			
	MIL-T-81915(1)	TITANIUM AND TITANIUM-ALLOY CASTINGS, INVESTMENT USER: AR REVIEWER: 99 AV	A MECA	AS	14-NOV-91	NR	AS	11	
L	MIL-A-81917	AIRCRAFT FIRING CIRCUIT TEST SET AM/AM-54 (VALIDATION DATE: 8106) .....	A 4925	AS	07-MAR-73	AS			
L	MIL-A-81918(2)	ADAPTER, LAUNCHER, AIRCRAFT, ADU-299A/A REVIEWER: GS .....	A 1055	AS	22-SEP-83	AS			
L	MIL-M-819198	MANUALS, TECHNICAL: SUPPORT EQUIPMENT: PREPARATION OF (WORK PACKAGE CONCEPT)	A TMSS	AS	21-MAR-89	AS			
L	MIL-C-81925 NOTICE 1	CONTROL, TEST HARNESS C-9154/APM (VALIDATION DATE: 8803) .....	A 6625	AS	21-MAR-88	AS			
L	MIL-M-819278	MANUALS, TECHNICAL: GENERAL STYLE AND FORMAT OF (WORK PACKAGE CONCEPT) ....	A TMSS	AS	05-APR-89	AS			
L	MIL-M-819288	MANUALS, TECHNICAL: AIRCRAFT AND AERONAUTICAL EQUIPMENT MAINTENANCE: PREPARATION OF (WORK PACKAGE CONCEPT)	A TMSS	AS	04-APR-89	AS			
L	MIL-M-819298	MANUALS, TECHNICAL: ILLUSTRATED PARTS BREAKDOWN: PREPARATION OF (WORK PACKAGE CONCEPT)	A TMSS	AS	04-APR-89	AS			
L	MIL-M-81930A(3) NOTICE 1	MANUAL, TECHNICAL, 16MM SILVER HALIDE MICROFILM, REQUIREMENTS FOR .....	A TMSS	AS	09-OCT-86	AS			
L	MIL-M-81931(1) NOTICE 1	MANUAL, TECHNICAL, 16MM DUPLICATE MICROFILM, CARTRIDGE LOADING AND LABELING, PACKAGING AND SHIPPING, REQUIREMENTS FOR	A TMSS	AS	09-OCT-86	AS			
L	MIL-C-81933 NOTICE 1	CARTRIDGE, IMPULSE, MARK 129 MOD 0 (VALIDATION DATE: 8704) .....	A 1377	AS	10-APR-87	AS			
Q	MIL-B-819348	BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING, GENERAL SPECIFICATION FOR REVIEWER: 84 AR AT 15 MI SH	A 3120	AS	03-MAY-91	AV	AS	99	
	MIL-B-81934/1C(1)	BEARINGS, SLEEVE, PLAIN SELF-LUBRICATING, 325 DEG. F REVIEWER: 84 AR AT 15 MI SH	A 3120	AS	03-MAY-91	AV	AS	99	
	MIL-B-81934/2C(1)	BEARINGS, SLEEVE, FLANGED, SELF-LUBRICATING, 325 DEG. F REVIEWER: 84 AR AT 15 MI SH	A 3120	AS	03-MAY-91	AV	AS	99	
Q	MIL-B-81935A(1)	BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, GENERAL SPECIFICATION FOR REVIEWER: 99 AR AT 15 MI SH	A 3120	AS	19-APR-91	AV	AS	11	
	MIL-B-81935/1B(1)	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, EXTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 99 AR AT 15 MI SH	A 3120	AS	19-APR-91	AV	AS	11	
	MIL-B-81935/2D(1)	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, WIDE, INTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 99 AR AT 15 MI SH	A 3120	AS	19-APR-91	AV	AS	11	
	MIL-B-81935/3(1) NOTICE 1	LOCKING DEVICES (FOR ROD END BEARINGS) (VALIDATION DATE: 9106) .....	A 3120	AS	28-JUN-91	AV	AS	11	
	MIL-B-81935/4A(1)	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, EXTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 84 99 AR AT 15 MI SH	A 3120	AS	19-APR-91	AV	AS	11	
	MIL-B-81935/5B(1)	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF LUBRICATING, NARROW, INTERNALLY THREADED, -65 DEG. F TO +325 DEG. F REVIEWER: 99 AR AT 15 MI SH	A 3120	AS	19-APR-91	AV	AS	11	
Q	MIL-B-81936(4)	BEARINGS, PLAIN, SELF-ALIGNING (BEU BALL, CRES RACE) GENERAL SPECIFICATION FOR REVIEWER: 84 AR 15	A 3120	AS	17-NOV-89	AV	AS	99	
	MIL-B-81936/1(2) NOTICE 1	BEARINGS, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, (WITH STAKING GROOVE) 0, -65 DEG. F TO +350 DEG. F (VALIDATION DATE: 9109) REVIEWER: 99 AR 15	A 3120	AS	26-SEP-91	AV	AS	11	
	MIL-B-81936/2(2) NOTICE 1	BEARINGS, PLAIN, SELF-ALIGNING, BE CU BALL, CRES RACE, -65 DEG. F TO +350 DEG. F (VALIDATION DATE: 9109) REVIEWER: 99 AR 15	A 3120	AS	26-SEP-91	AV	AS	11	
Q	MIL-G-81937A NOTICE 1	GREASE, INSTRUMENT, ULTRA-CLEAN, METRIC (VALIDATION DATE: 9110) USER: OS REVIEWER: 99 AR AV GS PS SH SM	A 9150	AS	29-OCT-91	ME	AS	11	
A L	MIL-C-81938 NOTICE 1	CLOTH, KNITTED, VINYLON, AND VINYLON-COTTON (VALIDATION DATE: 9110) .....	A 8305	CI	29-OCT-91	AS			CT
L	MIL-R-81939B(1)	RACK, BOMB EJECTOR, AIRCRAFT, BRU-10, BRU-11, AND BRU-19 SERIES .....	A 1095	AS	06-FEB-84	AS			
DO	MIL-V-81940A	VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS (VALIDATION DATE: 8406) USER: YDI REVIEWER: SH	A 1650	AS	31-JAN-78	AV	AS	99	
	MIL-V-81940/1A	VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS (VALIDATION DATE: 8406) REVIEWER: SH	A 1650	AS	31-JAN-78	AV	AS	11	
	MIL-V-81940/2	VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS MPTF FITTING REVIEWER: AT	A 1650	AS	15-DEC-83	ME	AS		
	MIL-V-81940/3	VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS 37 DEG. FLARE FITTING REVIEWER: AT	A 1650	AS	15-DEC-83	ME	AS		
	MIL-V-81940/4	VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS REVIEWER: 71	A 4810	SH	14-DEC-90	AV	SH	11	
L	MIL-V-0081940/4A	VALVE, SAMPLING AND BLEED, HYDRAULIC, 3,000 PSI NON-AIRCRAFT APPLICATIONS	A 4810	SH	25-FEB-92	SH			
L	MIL-S-81941A(1)	SURVIVAL KIT, INDIVIDUAL, AIRMAN S (VALIDATION DATE: 8307) REVIEWER: GS ...	A 4240	AS	06-DEC-76	AS			
L	MIL-T-81943(1)	TEST SET, RADIO, AM/AM-156 (VALIDATION DATE: 8307) .....	A 6625	AS	23-MAR-77	AS			
L	MIL-T-819448	TRAILER, MUNITIONS, SMALL (HNU-126 A/M) .....	A 1740	AS	01-NOV-85	AS			
QL	MIL-C-819458	COATING COMPOUNDS, WEAPON INSULATION, INTUMESCENT .....	A 8010	AS	10-MAR-89	AS			
L	MIL-C-81950 NOTICE 1	CHARTS: STANDARD AIRCRAFT CHARACTERISTICS AND PERFORMANCE, HELICOPTER (VALIDATION DATE: 9101)	A 7530	AS	29-OCT-91	AS			
L	MIL-C-819528	COOLER, LIQUID, ELECTRONIC EQUIPMENT (D-957) (AMM-23)V (VALIDATION DATE: 8307)	A 4935	AS	11-JUL-77	AS			
L	MIL-C-81953	CABLE ASSEMBLY, MAGNETIC SWEEP MARK 17 MOD 1 (VALIDATION DATE: 8203) .....	A 1075	AS	24-OCT-73	AS			
L	MIL-C-819548 NOTICE 1	CABLE ASSEMBLY SET, ELECTRICAL, MATS, SPECIAL PURPOSE (VALIDATION DATE: 9109)	A 4935	AS	26-SEP-91	AS			
L	MIL-T-81955 NOTICE 2	TIN PLATING, IMMERSION FOR COPPER AND COPPER ALLOYS (VALIDATION DATE: 8407)	A MFFP	OS	15-NOV-73	OS			
	MIL-D-81956A(1)	DETERGENT, EXTERNAL REMOVABLE FUEL TANKS .....	A 7930	AS	08-MAR-84	AV	AS		
L	MIL-M-819578 SUPPL 1A1	MOBILE TEST FACILITY, GAS TURBINE ENGINE TEST SYSTEMS GENERAL SPECIFICATION FOR USER: MC	A 2330	AS	01-OCT-90	AS			
L	MIL-M-81957/3A NOTICE 1	MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO JET/FAN ENGINE TEST SYSTEM (VALIDATION DATE: 8812)	A 2330	AS	14-DEC-88	AS			
L	MIL-M-81957/4 NOTICE 1	MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO PROP/SHAFT ENGINE TEST SYSTEM (VALIDATION DATE: 8812)	A 2330	AS	14-DEC-88	AS			
L	MIL-M-81957/5(1) NOTICE 1	MOBILE FACILITY, SHELTER, INSTRUMENTATION AND CONTROL, TURBO SHAFT ENGINE TEST SYSTEM (VALIDATION DATE: 9109)	A 2330	AS	26-SEP-91	AS			
ML	MIL-P-81958(2)	PRESSURE RELIEF DEVICES: OVERPRESSURIZATION PREVENTION, WHEEL/TIRE, AIRCRAFT	A 1630	AS	17-APR-87	AS			
L	MIL-F-81959 NOTICE 1	FIXTURE, CABLE MAINTENANCE MX-9516/ASQ-81(V) .....	A 4931	AS	15-APR-88	AS			
L	MIL-T-81961	TEST SET, ADAPTER GROUP, OF-31(V)/APM (VALIDATION DATE: 8107) .....	A 4920	AS	17-JAN-74	AS			
N	MIL-S-819638	SERVOCOMPONENTS, PRECISION INSTRUMENT, ROTATING, COMMON REQUIREMENTS AND TESTS, GENERAL SPECIFICATION FOR USER: 19 AT CG MC REVIEWER: 11 79 AV ES MI OS SH	A 5990	AS	28-NOV-90	AR	AS	85	
L	MIL-C-81964A	CLEANING COMPOUND, AVIONIC COMPONENTS (VALIDATION DATE: 8407) REVIEWER: GS	A 6850	AS	28-NOV-77	AS			
L	MIL-R-81965A(1)	RACK, BOMB, AIRCRAFT, BRU-14 AND BRU-15 SERIES (VALIDATION DATE: 8304) ....	A 1095	AS	01-NOV-76	AS			
L	MIL-F-81966	FUSE FUNCTION CONTROL SET AM/AM-4(V) (VALIDATION DATE: 8102) .....	A 1290	AS	19-APR-74	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordnance Coordination Inspection Document Number	Document Title	Dist. Smt. FSC / Arms MCA Symbol Preparing Act			Custodians		
		Date	Army	Navy	Air Force	DLA	
L MIL-1-81967 NOTICE 1	INITIATOR, CARTRIDGE ACTUATED JAU-1A/B [VALIDATION DATE: 8704] .....	A 1377 AS 10-APR-87	AS				
L MIL-1-81968 NOTICE 1	CARTRIDGE, IMPULSE, COI-23/B [VALIDATION DATE: 8704] .....	A 1377 AS 10-APR-87	AS				
MIL-1-81969	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 20-AUG-82	CR	AS	85		
MIL-1-81969/1A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION C [VALIDATION DATE: 8509] USER: 19 AT MC ME REVIEWER: 11 17 99 AR EC ES MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/2A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE 1, CLASS 1, COMPOSITION C [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/3A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
D MIL-1-81969/4B NOTICE 1	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION C [VALIDATION DATE: 9110] USER: 19 AV MC ME YDI REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 17-OCT-91	CR	AS	85		
MIL-1-81969/5A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, CRIMP REMOVABLE), TYPE 1, CLASS 1, COMPOSITION A [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
D MIL-1-81969/6B NOTICE 1	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE CR CONNECTOR), TYPE II, CLASS 1, COMPOSITION A [VALIDATION DATE: 9110] USER: 19 AV MC ME YDI REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 17-OCT-91	CR	AS	85		
D MIL-1-81969/7A NOTICE 1	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (TYPE D CONNECTOR) TYPE III, CLASS 1 AND 2, COMPOSITION A [VALIDATION DATE: 9110] USER: 19 AV MC ME YDI REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 17-OCT-91	CR	AS	85		
MIL-1-81969/8B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES 1 & II, CLASS 2, COMPOSITION A USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 31-OCT-86	CR	AS	85		
MIL-1-81969/9B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A, USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 02-OCT-80	CR	AS	85		
MIL-1-81969/10A(1)	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPES 1 AND II, CLASS 2, COMPOSITION B USER: 19 AV ME REVIEWER: 11 17 99 AR AT EC ES GL OS SH	A 5120 AS 26-JUN-91	CR	AS	85		
D MIL-1-81969/11B NOTICE 1	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE), TYPE II, CLASS 1 COMPOSITION C [VALIDATION DATE: 9110] USER: 19 AV MC ME YDI REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 17-OCT-91	CR	AS	85		
MIL-1-81969/12A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION A, [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/13A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT (TYPE CR), TYPE 1, CLASS 1, COMPOSITION A, [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/14C(1) NOTICE 1	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B [VALIDATION DATE: 9110] USER: 19 AV ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 17-OCT-91	CR	AS	85		
MIL-1-81969/15A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE II, CLASS 2, COMPOSITION A, [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/16A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION B, [VALIDATION DATE: 8509] USER: 19 MC REVIEWER: 11 17 99 AR AT EC ES MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/17B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE 1, CLASS 1, COMPOSITION C USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 21-FEB-89	CR	AS	85		
MIL-1-81969/18A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE 1, CLASS 1, COMPOSITION C, [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/19B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT TYPE II, CLASS 1, COMPOSITION C USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 15-FEB-91	CR	AS	85		
MIL-1-81969/20A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A OR B, [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/21	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, INTERFACIAL SEAL, TYPE III, CLASS 1, COMPOSITION A [VALIDATION DATE: 8204] REVIEWER: 17 99 AR EC ES GL	A 5120 AS 06-DEC-76	CR	AS	85		
MIL-1-81969/22(1)	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION A USER: 19 AV ME OS REVIEWER: 11 17 99 AR AT EC ES GL	A 5120 AS 26-JUN-91	CR	AS	85		
MIL-1-81969/23(1)	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE 1, CLASS 1, COMPOSITION A USER: 19 AV REVIEWER: 11 17 99 AR EC ES OS SH	A 5120 AS 26-JUN-91	CR	AS	85		
D MIL-1-81969/25 NOTICE 1	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C [VALIDATION DATE: 9110] USER: 19 AT YDI REVIEWER: 17 99 AR EC ES	A 5120 AS 17-OCT-91	CR	AS	85		
MIL-1-81969/26A(1)	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1 OR 2, COMPOSITION A, (FOR REMOVAL OF INTEGRATED CIRCUIT PACKAGES AND SIMILAR DEVICES FROM SOCKETS, RECEPTACLES, OR PRINTED WIRING BOARDS) USER: 19 AV REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 26-JUN-91	CR	AS	85		
MIL-1-81969/27	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A [VALIDATION DATE: 8509] USER: 11 17 99 MC ME REVIEWER: AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/28	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, TYPE II, CLASS 2, COMPOSITION C USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 27-MAY-88	CR	AS	85		
L MIL-1-0081969/28B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACTS, TYPE II, CLASS 2, COMPOSITION C USER: 19 REVIEWER: 12 99 ES	A 5120 BS 02-MAR-90			85		
MIL-1-81969/29	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION B [VALIDATION DATE: 8509] USER: MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
MIL-1-81969/30	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C [VALIDATION DATE: 8509] USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 11-JAN-79	CR	AS	85		
L MIL-1-0081969/30B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, FOR UNWIRED CONTACTS USER: 19 REVIEWER: 11 17 99 ES	A 5120 BS 10-SEP-90			85		
MIL-1-81969/31(1)	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION A USER: 19 AV REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120 AS 26-JUN-91	CR	AS	85		
L MIL-1-81969/33A(3)	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE 1, CLASS 1, COMPOSITION A (FOR USE WITH MIL-C-28840)EC( CONNECTORS)	A 5120 EC 20-JUN-83	EC				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Off / Com Correspondence Machine Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-I-81969/34F	INSTALLING & REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II CLASS 1 COMPOSITION A (FOR USE ON MIL-C 28840 (EC) CONNECTORS)	A 5120	EC 07-SEP-82				
MIL-I-81969/39A	INSTALLING AND REMOVAL TOOL, CONNECTOR ELECTRICAL CONTACTS, TYPE III, CLASS 2, COMPOSITION B, (VALIDATION DATE: 8509) USER: 19 MC ME REVIEWER: 11 17 99 AR AT EC ES GL MI OS SH	A 5120	AS 28-AUG-85	CR	AS	85	
MIL-I-81969/43A NOTICE 1	INSTALLING AND REMOVAL TOOLS, SOCKET HEAD, ELECTRONIC COMPONENTS, TYPE II, CLASS 1, COMPOSITION C (VALIDATION DATE: 8805)	A 5120	85 15-MAY-88	CR	EC	85	
L MIL-I-81969/45	INSTALLING TOOL, SOLDERLESS SPRING CONTACT, TYPE 1, COMPOSITION A (VALIDATION DATE: 8805)	A 5120	85 15-MAY-88			85	
D MIL-I-81969/46A	INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE 1, CLASS 2, COMPOSITION C, SIZE 16 TERMINI USER: 13 14 AV MC ME YDI REVIEWER: 80 84 90 99 AR AS AT ES GL MI OS SH	A 6060	85 25-NOV-91	CR	EC	85	
D MIL-I-81969/47A	INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE II, CLASS 2, COMPOSITION C, SIZE 16 TERMINI USER: 13 14 19 AV MC ME YDI REVIEWER: 80 84 90 99 AR AS AT ES GL MI OS SH	A 6060	85 25-NOV-91	CR	EC	85	
D MIL-I-81969/48A	INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, TYPE III, ALIGNMENT SLEEVE, CLASS 2, COMPOSITION C, SIZE 16 TERMINI USER: 13 14 19 AV MC ME YDI REVIEWER: 80 84 90 99 AR AS AT ES GL MI OS SH	A 6060	85 25-NOV-91	CR	EC	85	
D MIL-I-81969/49B	INSTALLING AND REMOVAL TOOLS, FIBER OPTIC, HAND, RIGHT ANGLE, TYPE 1, CLASS 2, COMPOSITION A, SIZE 16 TERMINI USER: 13 14 AV MC ME YDI REVIEWER: 17 19 80 90 99 AR AS AT ES GL MI OS SH	A 6060	85 25-NOV-91	CR	EC	85	
L MIL-I-81970	IGNITION COMPOUND (VALIDATION DATE: 8004) .....	A 1325	AS 06-APR-74			AS	
L MIL-I-81971A	INK, REACTANT .....	A 6630	AS 09-SEP-88			AS	
L MIL-C-81972	CABINET, EQUIPMENT STORAGE - BATTERY CHARGING BCU-13/E (VALIDATION DATE: 8005)	A 5825	AS 24-MAY-74			AS	
L MIL-A-81973(1)	AIRCRAFT AUTOMATED ESCAPE SYSTEMS, TEST VEHICLES FOR GROUND TRACK PERFORMANCE TESTING, ROCKET AND/OR JET ENGINE PROPELLED, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8009) .....	A 1680	AS 25-JUN-74			AS	
L MIL-C-81974	COMPOSITION, STARTER (VALIDATION DATE: 8004) .....	A 1370	AS 20-MAY-74			AS	
QL MIL-C-81975B	COUPLING, REGULATED, AERIAL PRESSURE REFUELING TYPE MA-3 REVIEWER: 82 .....	A 1680	AS 15-AUG-74			AS 99	
QL MIL-C-81975B(11)	COUPLING, REGULATED, AERIAL PRESSURE REFUELING TYPE MA-3 .....	A 1680	AS 16-JUL-90			AS	
L MIL-D-81976	DUMMY LOAD, ELECTRICAL DA-662/UPQ-5 (VALIDATION DATE: 8803) .....	A 5985	AS 17-JUN-74			AS	
L MIL-S-81977 NOTICE 1	SIMULATOR, RADAR SIGNAL SM-697/UPQ-5 (VALIDATION DATE: 8803) .....	A 6625	AS 21-MAR-88			AS	
L MIL-T-81978(2)	TEST SET, MISSION RECORDER AM/USM-387 (VALIDATION DATE: 8307) .....	A 4920	AS 01-DEC-76			AS	
L MIL-L-81979	LAUNCHERS, ROCKET LAU-10C/A AND LAU-100/A (VALIDATION DATE: 8105) .....	A 1055	AS 15-AUG-74			AS	
L MIL-D-81980(1)	DESIGN AND EVALUATION OF SIGNAL TRANSMISSION SUBSYSTEMS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8203) .....	A 1377	AS 14-AUG-75			AS	
L MIL-C-81982	CARTRIDGE, DELAY, MARK 141 MOD 0 (VALIDATION DATE: 8202) .....	A 1377	AS 24-SEP-74			AS	
L MIL-C-81983	CARTRIDGE, DELAY, MARK 142 MOD 0 (VALIDATION DATE: 8202) .....	A 1377	AS 24-SEP-74			AS	
L MIL-C-81984B	CARTRIDGE, IMPULSE, MARK 107 MOD 1 .....	A 1377	AS 15-MAY-89			AS	
L MIL-P-81985(1)	PEENING OF METALS .....	A MFP	AS 06-NOV-84			AS	
L MIL-C-81986(1) NOTICE 1	CORE MATERIAL, PLASTIC HONEYCOMB, NYLON PAPER BASE; FOR AIRCRAFT STRUCTURAL APPLICATIONS (VALIDATION DATE: 9110) .....	A 5680	AS 29-OCT-91			AS 99	
L MIL-I-81987	INDICATOR MONITOR TEST SET ID 1956/ASW (VALIDATION DATE: 8103) .....	A 4935	AS 17-JAN-75			AS	
L MIL-T-81988 NOTICE 1	TEST SET, INDICATOR, AM/ARM-155 (VALIDATION DATE: 8803) .....	A 5826	AS 21-MAR-88			AS	
L MIL-T-81990 NOTICE 1	TEST SET, COUNTERMEASURES AND CHAFF DISPENSER AM/ALM-164 (VALIDATION DATE: 8805) .....	A 5865	AS 31-MAY-88			AS	
QL MIL-C-81991	CONVERTER, AIRCRAFT DC TO DC, BOOST GENERAL SPECIFICATION FOR (VALIDATION DATE: 8103) REVIEWER: GS MI	A 6130	AS 14-MAY-75			AS	
QL MIL-C-81991/1A(1)	CONVERTER, 4 AMPERE DC TO DC, BOOST CLASS A, MULTIPURPOSE (VALIDATION DATE: 8306) REVIEWER: GS	A 6130	AS 24-NOV-75			AS	
L MIL-D-81992A(2)	DIRECTIVE, TECHNICAL, PREPARATION OF .....	A TMSS	AS 01-SEP-82			AS	
L MIL-B-81993	BOOTH, SPRAYING, PAINT, FLOOR TYPE (WITH TOP EXHAUST SYSTEM) (VALIDATION DATE: 8107) REVIEWER: CS	A 4940	AS 16-MAY-75			AS	
L MIL-P-81994 NOTICE 1	PROPELLANT FOR 20MM AMMUNITION (VALIDATION DATE: 9109) .....	A 1376	AS 26-SEP-91			AS	
QL MIL-V-81995 NOTICE 1	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8708) .....	A 2995	AS 25-JUN-80			AS	
L MIL-V-81995/1 NOTICE 1	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE .....	A 2995	AS 25-AUG-87			AS	
L MIL-V-81995/2 NOTICE 1	VALVE, STARTER CONTROL AIRCRAFT ENGINE, FOR TF30 ENGINE .....	A 2995	AS 25-AUG-87			AS	
L MIL-V-81995/3 NOTICE 1	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR J52 ENGINE .....	A 2995	AS 25-AUG-87			AS	
L MIL-V-81995/4A NOTICE 1	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR TF34 ENGINE (VALIDATION DATE: 8910) .....	A 2995	AS 01-OCT-89			AS	
L MIL-V-81995/5A	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T56 ENGINE/C-2 AIRCRAFT .....	A 2995	AS 12-FEB-85			AS	
L MIL-V-81995/6(1)	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR F404 ENGINE/A6, F-18 AIRCRAFT .....	A 2995	AS 03-JUL-85			AS	
L MIL-V-81995/7A	VALVE, STARTER CONTROL, AIRCRAFT ENGINE, FOR T700 ENGINE USER: 71 REVIEWER: 82	A 2995	AS 17-SEP-89	AV		AS 99	
L MIL-S-81996 NOTICE 1	STAND, FILL-DRAIN, COOLANT SYSTEM MT-4730( )/AMM-23(V) (VALIDATION DATE: 9109) .....	A 4920	AS 26-SEP-91			AS	
L MIL-P-81997B	POUCHES, CUSHIONED, FLEXIBLE, ELECTROSTATIC FREE, RECLOSEABLE, TRANSPARENT USER: ER SM REVIEWER: 43 99 AV CR OS SA SH	A 8105	AS 30-SEP-83	GL		AS 69	
L MIL-T-81998	TEST SET, RADIO SET AM/ARM-165 (VALIDATION DATE: 8307) .....	A 6625	AS 16-JUN-75			AS	
L MIL-M-81999A	MOLDING COMPOUND, REVERSION RESISTANT, NON CARCINOGEN CURING POLYURETHANE, AIRCRAFT STRUCTURE (VALIDATION DATE: 8304) .....	A 8030	AS 20-JUL-77			MR AS	
D L MIL-M-82000C	HEATERS, HOT OIL, 1.5, 3, AND 5 MILLION BTU/H OUTPUT, SKID MOUNTED .....	A 3895	YD1 19-MAR-90			YD1	
D L MIL-C-82001E	CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, INTERVEHICULAR (24 VOLT TO 12 VOLT REDUCTION) .....	A 2590	YD1 07-FEB-92			YD1	
D L MIL-M-82002D	MANIFOLD AND ACCESSORY ASSEMBLIES, PORTABLE FUEL DISTRIBUTION SYSTEMS, QUICK-DISCONNECT HOSE COUPLING TYPE REVIEWER: CE CS ME	A 3835	YD1 03-OCT-90			YD1	
D MIL-P-82008C	PAVING BREAKER SETS, PORTABLE .....	A 3820	YD1 04-DEC-87	ME		YD1 99	
D L MIL-P-82015C	PLANT, AGGREGATE, SECONDARY, WITH CONE CRUSHER, MOBILE, 75 TON PER HOUR CAPACITY .....	A 3820	YD1 28-OCT-88			YD1	
D L MIL-C-82017C	CRANES, JIB, WITH ACCESSORIES REVIEWER: CS .....	A 3950	YD1 15-JUN-92			YD1	
D L MIL-S-82020B	SWITCHES AND FROGS, TRACK, CAST MANGANESE STEEL, FOR PORTAL CRANES .....	A 2250	YD1 12-FEB-90			YD1	
D L MIL-C-82033B	CLEANER, STEAM OR HOT WATER, PRESSURE JET TRAILER-MOUNTED (FOR BOMB DISPOSAL OPERATIONS) REVIEWER: CS	A 4940	YD1 10-AUG-89			YD1	
D MIL-D-82035C(2)	DISPENSER, BEVERAGE, MECHANICALLY REFRIGERATED USER: SA REVIEWER: 84 GS MD SH	A 7310	YD1 25-MAR-88	GL		YD1 99	
D MIL-R-82047B(1)	REFRIGERATORS, MECHANICAL, STORAGE STAND (FOR BULK MILK DISPENSERS) USER: CE CG ME REVIEWER: 82 GS MC MD MS SA SH	A 4110	YD1 11-JUN-91			YD1 99	
D MIL-T-82049C(2)	TABLES, HOT FOOD, ELECTRIC, MOBILE USER: 03 REVIEWER: CE GS MD MS SA .....	A 7310	YD1 30-NOV-88	GL		YD1 99	
A MIL-C-82058D NOTICE 1	GENERATOR SET, DIESEL, 750 KW, 50/60 HERTZ, PRIME, UTILITY (VALIDATION DATE: 9211) REVIEWER: 99 CE GS	A 6115	ME 09-NOV-92	ME		11	
D L MIL-D-82062C	DERICK, BARGE MOUNTING, 100-LONG-TON CAPACITY .....	A 3950	YD1 15-MAY-92			YD1	
D L MIL-S-82068C	SPRAYERS, PESTICIDE; TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN REVIEWER: 84 .....	A 3740	CS 26-OCT-84	ME		YD1 99	CS
D L MIL-C-82078A NOTICE 1	CLAMP, ELECTRICAL, CONDUCTIVE (VALIDATION DATE: 8701) REVIEWER: EA ES .....	A 5935	YD1 30-JAN-87			YD1	
D L MIL-T-82080D	TRUCK, FIREFIGHTING; AIRCRAFT CRASH AND RESCUE, 16,000 POUND GVW, 4 BY 4 ..	A 4210	YD1 24-AUG-89			YD1	



## NUMERICAL LISTING MILITARY SPECIFICATIONS

400



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc. / Chg. / Revision	Document Title	Doc. Num.	F&C / Area	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DLA
A	MIL-D-822958	OVERSHOES, MEN S. DRESS, STRETCH TYPE USER: 45 REVIEWER: B2 99	A 8430	CT	17-FEB-84	MU	11	CT			
A	MIL-C-822968(1)	COVERALL, MICROMATE RADIATION PROTECTIVE USER: 45 MC OS REVIEWER: B2 MS SH	A 8415	CT	15-MAR-84	MU	99	CT			
A	MIL-C-822978	COVERALLS, ARC PREVENTIVE USER: 45 MC OS REVIEWER: B2 MS SH	A 8415	CT	12-DEC-80	MU	99	CT			
A	MIL-T-82298A	TAPE, MEASURING, CLOTH, COTTON [VALIDATION DATE: 8403] USER: 45 MC REVIEWER: 99	A 8315	CT	12-DEC-80	GL	MU	11	CT		
A L	MIL-J-82299C	JACKET, EXTREME COLD WEATHER, IMPERMEABLE USER: CG	A 8415	CT	06-DEC-88	MU		CT			
L	MIL-T-82300/4	TRANSPARENCY, ANIMATED, RECEIVER COMPONENTS M-85 TANK MACHINE GUN, 50 CAL. [VALIDATION DATE: 8405]	A 6910	TD	05-JAN-65	TD					
L	MIL-T-82314C	TRAINING AID, PLOTTING BOARD	A 6910	TD	15-JUN-84	TD					
L	MIL-M-823768	MANUALS, TECHNICAL: OPERATION AND MAINTENANCE INSTRUCTIONS FOR TRAINING DEVICES REVIEWER: AR AS AT CG MC MI OS SH	A TRSS	TD	30-MAR-90	TM	TD				
L	MIL-T-82378C	TRAINING AID, RIFLE, M16A1, TWO TO ONE SCALE DEVICE 3F688 [VALIDATION DATE: 8905]	A 6910	TD	19-MAY-89	TD					
L	MIL-T-82394	TRAINING AID, TURBINE PRINCIPLE DEMONSTRATOR [VALIDATION DATE: 8110]	A 6910	TD	15-DEC-69	TD					
L	MIL-W-82400	WET SUIT, NEOPRENE	A 4220	CC	22-OCT-65	CC					
L	MIL-E-82401(1)	ENAMEL, EXTERIOR, VINYL-ALKYD, RED [VALIDATION DATE: 7802]	A 8010	CC	07-FEB-72	CC					
L	MIL-T-82402	TRANSFORMER, DRY-TYPE, POWER DISTRIBUTION, STEP UP AND STEP DOWN SERVICE, 1000 KVA AND BELOW [VALIDATION DATE: 7802] REVIEWER: GS MI	A 6120	CC	05-MAR-65	CC					
L	MIL-C-82403	CABLE, SUBMARINE, POWER, CONTROL, AND COMBINATION [VALIDATION DATE: 7010] REVIEWER: IS	A 6145	CC	15-FEB-65	CC					
L	MIL-R-82404A	RIBBON, SERVICE CAP (BAND) REVIEWER: CT	A 8455	CC	20-JUN-69	CC					
L	MIL-C-82407(1)	COATING, EPOXY, FOR STEEL STRUCTURES [VALIDATION DATE: 7802]	A 8010	CC	01-OCT-69	CC					
L	MIL-C-82408	CORROSION RESISTANT SPLIT KEYS, BUDY SHACKLE	A 5315	CC	18-JUN-71	CC					
L	MIL-J-82410	INHIBITOR, CORROSION, LIQUID COOLING SYSTEM (DICHROMATE TYPE) [VALIDATION DATE: 7802] REVIEWER: GS	A 6850	CC	27-MAR-72	CC					
L	MIL-P-82427C	POWER UNIT (FOR TORPEDO MK 46 MOD 1)	A 1355	OS	13-MAR-85	OS					
L	MIL-A-82430A(1)	ACTUATOR ASSEMBLY (FOR TORPEDO MK 46 MOD 1) [VALIDATION DATE: 8303]	A 1355	OS	31-OCT-69	OS					
L	MIL-I-82431A(4)	INSTRUMENTATION ASSEMBLY (FOR EXERCISE HEAD MK 85 MOD 0, MOD 1, MOD 2, MOD 3, & MOD 4)	A 1355	OS	09-AUG-84	OS					
L	MIL-M-82433A	MOTOR, DIRECT CURRENT (FOR TORPEDO MK 46 MOD 1) [VALIDATION DATE: 8404]	A 1355	OS	05-APR-72	OS					
L	MIL-P-82436(3)	PUMP, FUEL [VALIDATION DATE: 8704]	A 1355	OS	23-APR-87	OS					
L	MIL-I-82437(3)	IGNITER [VALIDATION DATE: 8303]	A 1355	OS	29-APR-69	OS					
L	MIL-G-82438C	CHAIM, IGNITER, PROPELLANT	A 1355	OS	13-SEP-84	OS					
L	MIL-B-82439A(4)	BATTERY, SEA WATER [VALIDATION DATE: 9504]	A 1355	OS	15-MAR-79	OS					
L	MIL-V-82440(3)	VALVE, FUEL INTERLOCK [VALIDATION DATE: 8303]	A 1355	OS	07-JUL-69	OS					
L	MIL-R-82441A(2)	REGULATOR ASSEMBLY, CARBON DIOXIDE PRESSURE	A 1355	OS	05-JUN-89	CC					
L	MIL-P-82442(6)	PUMP, SEA WATER	A 1355	OS	19-APR-89	OS					
L	MIL-V-82443(1)	VALVE, FUEL SHUT-OFF	A 1355	OS	27-JAN-89	OS					
L	MIL-V-82444A	VALVE FUEL TANK PRESSURIZATION [VALIDATION DATE: 8204]	A 1355	OS	29-JUN-76	OS					
L	MIL-G-82445(4)	GUIDANCE CONTROL TEST SET MARK 443 MOD 1 (FOR TORPEDO MK 46 MOD 0 AND MOD 1) [VALIDATION DATE: 8507]	A 4921	OS	20-SEP-74	OS					
L	MIL-A-82446A(5)	AFTERBODY TEST SET MK 486 MOD 0 (FOR TORPEDO MK 46 MOD 0/1) [VALIDATION DATE: 8404]	A 4921	OS	31-OCT-69	OS					
L	MIL-T-82447B	TEST SET, EXERCISE HEAD, MARK 485 MOD 0 (FOR TORPEDO MK 46 MOD 0 THROUGH 5)	A 4921	OS	26-AUG-88	OS					
L	MIL-P-82448A	POWER UNIT TEST SET (FOR TORPEDO MK 46 MOD 1) [VALIDATION DATE: 8204]	A 4921	OS	29-APR-69	OS					
L	MIL-C-82449A	COMPUTER TEST SET (FOR TORPEDO MK 46) [VALIDATION DATE: 8404]	A 4921	OS	29-APR-72	OS					
L	MIL-A-82450B	AUTOMATIC PILOT TEST SET (FOR TORPEDO MK 46 MOD 0 AND MOD 1) [VALIDATION DATE: 8404]	A 4921	OS	25-APR-72	OS					
L	MIL-A-82451(2)	ACTUATOR ASSEMBLY TEST SET, (FOR TORPEDO MK 46 MOD 1) [VALIDATION DATE: 8404]	A 4921	OS	03-JUL-69	OS					
L	MIL-L-82452A	LOGIC ASSEMBLY (FOR EXERCISE HEAD MK 85)	A 1355	OS	06-OCT-89	OS					
L	MIL-G-82455(2)	GENERATOR, GAS	A 1350	OS	13-MAY-88	OS					
L	MIL-T-82456A	TEST SET, GYROSCOPE, MARK 484 MOD 1 (FOR TORPEDO MK 46 MOD 0 THROUGH 5)	A 4921	OS	26-AUG-88	OS					
L	MIL-P-82459(1)	PRESSURE TRANSDUCER (FOR TORPEDO MK 46 MOD 0 AND MOD 1) [VALIDATION DATE: 8704] REVIEWER: MI	A 1355	OS	01-JUL-68	OS					
L	MIL-C-82461(1)	CONTAINER, TORPEDO, MK197 MOD 1 AND 2 [VALIDATION DATE: 8809]	A 8140	OS	30-SEP-88	OS					
L	MIL-V-82466(1)	VACUUM-AIR-NITROGEN DISTRIBUTION SYSTEM [VALIDATION DATE: 8404]	A 1355	OS	24-NOV-71	OS					
L	MIL-R-82483A	RESIN, POLYESTER, SOLUTIONS [VALIDATION DATE: 8204] REVIEWER: GS MI	A 6810	OS	10-MAR-76	OS					
L	MIL-A-82484	ADHESIVE AND SEALING COMPOUNDS, CELLULOSE NITRATE BASE, SOLVENT TYPE (FOR ORDNANCE USE)	A 8040	OS	10-FEB-92	OS					
L	MIL-S-82487(1)	SWITCH, SQUIB MARK 65 MOD 0 [VALIDATION DATE: 8405] REVIEWER: MI	A 1375	OS	19-AUG-70	OS					
L	MIL-S-82489(1)	SWITCH, DRIVER MARK 76 MOD 0 [VALIDATION DATE: 8405] REVIEWER: MI	A 1375	OS	27-JUL-70	OS					
L	MIL-D-82490(1)	DRIVER, GAS OPERATED, MARK 8 MOD 0 [VALIDATION DATE: 8902]	A 1375	OS	23-FEB-89	OS					
L	MIL-P-82491(1)	POWER SUPPLY MARK 112 MOD 1 [VALIDATION DATE: 8405]	A 1375	OS	20-SEP-71	OS					
L	MIL-S-82492(1)	SWITCH, INTEGRATOR MARK 62 MOD 2 [VALIDATION DATE: 8405] REVIEWER: MI	A 1375	OS	05-NOV-76	OS					
L	MIL-C-82493	CABLE ASSEMBLY MARK 10MOD 0 (INACTIVE) [VALIDATION DATE: 8005]	A 1375	OS	26-JUL-67	OS					
L	MIL-S-82496A	SCREWS, MACHINE, SELF SEALING, INTEGRAL O-RING [VALIDATION DATE: 8407] REVIEWER: MI	A 5305	AR	30-APR-77	OS					
L	MIL-P-82500A	POWER SUPPLY, RECTIFIER (FOR TORPEDO MARK 37 MOD 0)(M, 2, AND 3) [VALIDATION DATE: 8506]	A 1355	OS	09-AUG-71	OS					
L	MIL-R-82507A	REAR COVER (FOR TORPEDO MARK 37 MOD 2 AND MOD 3 (INACTIVE FOR NEW DESIGN))	A 1355	OS	31-OCT-86	OS					
L	MIL-M-82512	NUT, CLINCH [VALIDATION DATE: 8204] REVIEWER: MI	A 5310	OS	04-SEP-68	OS					
L	MIL-P-82522C	PROPELLANT, JET ENGINE, T-M DIMER, GRADE RJ-4 REVIEWER: 11	A 9135	AS	26-OCT-90	AS	68				
L	MIL-T-82524A	TARGET POSITION SIMULATOR MARK 26 MOD 0 (FOR FIRE CONTROL SYSTEMS MK 112) [VALIDATION DATE: 8701]	A 1290	OS	21-JAN-87	AS					
L	MIL-S-82529(1)	SWITCH, THERMAL MARK 56 MOD 1 [VALIDATION DATE: 8405]	A 1340	OS	07-DEC-70	OS					
L	MIL-P-82530(1)	PRIMER, ELECTRIC, MK 137 MOD 0 [VALIDATION DATE: 8902]	A 1340	OS	23-FEB-89	OS					
L	MIL-L-82531(1)	LEAD, EXPLOSIVE, MK 5 MOD 0 [VALIDATION DATE: 8902]	A 1340	OS	23-FEB-89	OS					
L	MIL-I-82532(1)	IGNITER, ROCKET MOTOR MARK 251 MOD 0	A 1340	OS	23-FEB-89	OS					
L	MIL-P-82534(2)	PROGRAMMER, RANGE & AIRFRAME SEPARATION MARK 3 MOD 1 (INACTIVE) [VALIDATION DATE: 8005]	A 1340	OS	02-MAY-69	OS					
L	MIL-T-82535(1)	TIMER, INTERVAL, MARK 11 MOD 2 (ASSEMBLY) (INACTIVE FOR NEW DESIGN) [VALIDATION DATE: 8006]	A 1340	OS	28-JAN-69	OS					
L	MIL-C-82537A	CASE, CARTRIDGE, STEEL, SPIRAL WRAPPED 40 MILLIMETER (MM) AND LARGER CALIBERS, GENERAL SPECIFICATION FOR	A 1310	OS	25-APR-88	OS					
A LI	MIL-C-82541B	CRATE, UNDERWATER MINE MK 56 MOD 0 GENERAL SPECIFICATION FOR	A 8140	OS	15-OCT-92	OS					
L	MIL-B-82548A	BOMB, GENERAL PURPOSE, MARK 82, 500 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING REVIEWER: 18	A 1325	AS	31-MAY-89	AS	99				
L	MIL-B-82549A	BOMB, GENERAL PURPOSE, MARK 83, 1000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING REVIEWER: 18	A 1325	AS	31-MAY-89	AS	99				
L	MIL-S-82562	SENSING CIRCUIT ASSEMBLY L0546972 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0) [VALIDATION DATE: 8508]	A 4921	OS	12-SEP-68	OS					
L	MIL-P-82563	POWER SUPPLY ASSEMBLY L0546974 (FOR AFTERBODY TEST SET MK 442 MOD 0 AND ELECTRICAL CABLE TEST SET MK 444 MOD 0) [VALIDATION DATE: 8508]	A 4921	OS	12-SEP-68	OS					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Asst. Cpt. / OMA Cdr. / Cdr. / Cdr. Cdr. / Cdr. / Cdr.	Document Number	Document Title	Dist. Smt. FSC Area	MCA Symbol Preparing Key	Date	Army Navy Air Force DIA
L	MIL-B-82564(3)	BISTABLE MULTIVIBRATOR ASSEMBLY LD 546989 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8006]	A 4921	OS	31-OCT-72	OS
L	MIL-L-82565(2)	LIGHT CIRCUIT ASSEMBLY LD546991 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8508]	A 4921	OS	31-OCT-72	OS
L	MIL-F-82566(2)	FIRE CONTROL ASSEMBLY LD546992 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8508]	A 4921	OS	31-OCT-72	OS
L	MIL-S-82567(1)	SPEED CONTROL ASSEMBLY LD546993 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8404]	A 4921	OS	29-JUN-71	OS
L	MIL-V-82568(2)	VOLTAGE REGULATOR ASSEMBLY DL 2540850 (FOR GUIDANCE CONTROL TEST SET MK 443 MOD 0 AND MOD 1) [VALIDATION DATE: 8508]	A 4921	OS	31-OCT-72	OS
LI	MIL-A-82569 NOTICE 1	ADHESIVE, NEOPRENE BASE, MEDIUM VISCOSITY	A 8040	OS	20-MAY-92	OS
L	MIL-T-82570A	TORPEDO TUBE, SURFACE VESSEL, MARK 32 MODS 5 AND 7 (FOR TORPEDOES MARK 44 MOD 1 AND MARK 46 MOD 1) [VALIDATION DATE: 8106]	A 1045	OS	06-JAN-75	OS
L	MIL-T-82571A	TORPEDO TUBE, SURFACE VESSEL, MARK 32 MOD 9 (FOR TORPEDOES MK 44 MOD 1 AND MK 46 MOD 1) [VALIDATION DATE: 8106]	A 1045	OS	31-JAN-75	OS
	MIL-B-82572A	BOMB, GENERAL PURPOSE, MARK 84, 2000 POUND, EXPLOSIVE LOADING, ASSEMBLING, AND PACKING	A 1325	AS	31-MAY-89	AR AS 99
L	MIL-T-82575(1)	TEST SET, TORPEDO, MARK 281 MOD 1 [VALIDATION DATE: 8506]	A 4921	OS	30-DEC-71	OS
L	MIL-C-82576	CABLE ASSEMBLY, TEST (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8508]	A 4921	OS	16-MAR-73	OS
L	MIL-I-82577	INDICATOR, DIGITAL (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8512] REVIEWER: GS	A 6695	OS	16-MAR-73	OS
L	MIL-E-82578 NOTICE 1	ENCODER, SHAFT-ANGLE-POSITION, CYCLIC-DECIMAL-CODED (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8701]	A 5990	OS	27-JAN-87	OS
L	MIL-P-82579 NOTICE 1	POWER SUPPLY, MULTIVOLTAGE, DIRECT CURRENT (FOR TORPEDO TEST SET MARK 281 MOD 1) [VALIDATION DATE: 8701] REVIEWER: GS	A 6130	OS	27-JAN-87	OS
L	MIL-C-82580 NOTICE 1	CONTAINER, MOTOR, 11" 65 ROCKET, MK 178 MOD 0 [VALIDATION DATE: 8809]	A 8140	OS	30-SEP-88	OS
L	MIL-D-82586B	DIRECTOR, GUN AND GUIDED MISSILE, MK 73 MOD 2 AND ASSOCIATED EQUIPMENT	A 1210	OS	31-MAY-90	OS
L	MIL-E-82590	ENVIRONMENTAL REQUIREMENTS AND TESTS (FOR TORPEDO MK 37 COMPONENTS AND ASSEMBLIES) [VALIDATION DATE: 8403]	A 1355	OS	09-SEP-70	OS
	MIL-C-82594	CORROSION PREVENTIVE COMPOUND AND SURFACE SEALER FOR NONFERROUS METALS [VALIDATION DATE: 8204]	A 8030	OS	15-SEP-71	AR OS
L	MIL-C-82597A NOTICE 1	COMPOUND, ELECTRICALLY CONDUCTIVE [VALIDATION DATE: 8809] REVIEWER: GS	A 5975	OS	07-SEP-88	OS
L	MIL-W-82598 NOTICE 1	WIRE, COPPER-CADMIUM ALLOY [VALIDATION DATE: 8809]	A 6145	OS	07-SEP-88	OS
L	MIL-W-82599 NOTICE 1	WIRE, INSULATED, HARD DRAWN ALLOY OF COPPER-CADMIUM, NO. 23 AWG [VALIDATION DATE: 8809]	A 6145	OS	07-SEP-88	OS
OL	MIL-C-82604(1)	COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING) [VALIDATION DATE: 8107]	A 8030	OS	12-SEP-73	OS
L	MIL-C-82611(1) NOTICE 1	CONTAINER, MISSILE MK 183 MOD 2 [VALIDATION DATE: 8606]	A 8140	OS	10-JUN-86	OS
L	MIL-C-82614C	CABLE ASSEMBLY, TORPEDO CONTROL, MARK 6 MOD 0 [VALIDATION DATE: 8601]	A 1355	OS	09-MAY-78	OS
L	MIL-C-82620A	CONNECTOR, TORPEDO TUBE CABLE, MK 47 MOD 0 AND MK 48 MOD 0 [VALIDATION DATE: 8601]	A 1355	OS	29-MAR-74	OS
L	MIL-B-82623 NOTICE 1	BATTERY, STORAGE, NICKEL CADMIUM (FOR TALOS MISSILE) [VALIDATION DATE: 8708] REVIEWER: GS	A 6140	OS	19-AUG-87	OS
L	MIL-C-82624 NOTICE 1	CELL, STORAGE, NICKEL-CADMIUM (FOR TALOS MISSILE) [VALIDATION DATE: 8708] REVIEWER: GS	A 6140	OS	19-AUG-87	OS
L	MIL-C-82629	CABLE, TORPEDO CONTROL, TYPE (B), MK 7 MODS 0, 1, AND 2 [VALIDATION DATE: 8601]	A 1355	OS	27-JUN-75	OS
L	MIL-C-82630	CABLE, ELECTRIC, 65-CONDUCTOR [VALIDATION DATE: 8601]	A 1355	OS	27-JUN-75	OS
L	MIL-C-82631	CONNECTOR, CABLE, TUBE DOOR, MK 42 MOD 1 [VALIDATION DATE: 8601]	A 1355	OS	29-MAR-74	OS
L	MIL-C-82632A	CONNECTOR KIT, SPLICE, SINGLE WIRE [VALIDATION DATE: 8601]	A 1355	OS	28-NOV-83	OS
OL	MIL-C-82633	COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD) [VALIDATION DATE: 8107] REVIEWER: 99	A 8030	OS	27-AUG-73	OS
L	MIL-T-82641	TEST SET, ELECTRICAL, TORPEDO CONTROL CABLE, MARK 519 MOD 0 [VALIDATION DATE: 8204]	A 4921	OS	25-JAN-74	OS
L	MIL-R-82642(1)	ROTARY SWITCH AND HARNESS [VALIDATION DATE: 8409]	A 1338	OS	18-JAN-78	OS
L	MIL-C-82644	COMPOUNDS, EPOXY, ENCAPSULATING [VALIDATION DATE: 8107] REVIEWER: MI	A 8030	OS	27-JAN-75	OS
L	MIL-P-82646A	PLASTIC FILM, CONDUCTIVE, HEAT-SEALABLE, FLEXIBLE	A 8135	OS	01-MAR-85	OS
L	MIL-B-82647A	BAG, CONDUCTIVE PLASTIC, HEAT-SEALABLE, FLEXIBLE	A 8105	OS	28-JUL-86	OS
LI	MIL-P-82650(1) NOTICE 1	PLASTIC MOLDING MATERIAL, GLASS PHENOLIC REVIEWER: AS	A 9330	OS	20-MAY-92	OS
	MIL-C-82651(3) NOTICE 1	CARTRIDGE, IMPULSE, CCU-22/A ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	29-MAR-87	OS 99
L	MIL-L-82653(3) NOTICE 1	LINER MATERIALS, POLYBUTADIENE BASE [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS
L	MIL-A-82654(1)	ALUMINUM POWDER, ATOMIZED, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS	A 6810	OS	01-MAR-78	OS
L	MIL-F-82655(1)	FERRIC OXIDE, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS	A 6810	OS	01-MAR-78	OS
L	DOD-C-82656(2)	CARBON BLACK [VALIDATION DATE: 8504] REVIEWER: AS	A 6810	OS	15-NOV-78	OS
L	MIL-R-82657	RESIN, EPOXY, TRIFUNCTIONAL [VALIDATION DATE: 8307]	A 6810	OS	31-JAN-77	OS
L	MIL-P-82658(1)	POLYMER, LIQUID, POLYBUTADIENE, CARBOXY TERMINATED [VALIDATION DATE: 8504] REVIEWER: AS	A 6810	OS	01-MAR-78	OS
L	DOD-D-82659(1)	DIETHYLENE GLYCOL DIBUTYL ETHER, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS	A 6810	OS	01-MAR-78	OS
L	DOD-C-82660(1)	CHROMIUM 2 ETHYL HEXOATE, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS	A 6810	OS	01-MAR-78	OS
L	MIL-L-82661(1)	LECITHIN, TECHNICAL [VALIDATION DATE: 8504] REVIEWER: AS	A 6810	OS	01-MAR-78	OS
L	MIL-C-82662(4)	CATAPULT, AIRCRAFT EJECTION SEAT, CCU-5/A ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	29-MAR-87	OS 99
L	MIL-C-0082662A(1) NOTICE 1	CATAPULT, AIRCRAFT EJECTION SEAT, CCU-2/A AND CCU-5/A ASSEMBLY [VALIDATION DATE: 8703]	A 1377	OS	31-MAR-87	OS
L	MIL-R-82664	RESIN, EPOXY, LOW VISCOSITY [VALIDATION DATE: 8307]	A 6810	OS	31-JAN-77	OS
L	MIL-C-82665(1)	CARBON BLACK [VALIDATION DATE: 8503]	A 6810	OS	15-NOV-78	OS
L	DOD-T-82666A(1) NOTICE 1	TRIS-1,2-(2-METHYL AZIRIDINYL) PHOSPHINE OXIDE [VALIDATION DATE: 8705] REVIEWER: AS GS	A 6810	OS	13-MAY-87	OS 68
L	MIL-A-82667A(1)	AMMONIUM PERCHLORATE, GENERAL SPECIFICATION FOR	A 6810	OS	23-SEP-85	OS
L	MIL-A-82667/1(1)	AMMONIUM PERCHLORATE, HIGH PURITY	A 6810	OS	06-OCT-78	OS
L	MIL-A-82667/2(2)	AMMONIUM PERCHLORATE, CONDITIONED	A 6810	OS	27-JUN-85	OS
L	MIL-E-82668	EXPLOSIVES, CYCLOTOL, 25/75 AND 29/71, RDX/TNT [VALIDATION DATE: 8307]	A 1376	OS	03-AUG-77	OS 99
L	DOD-B-82669	BUTYL SEBACATE, DI NORMAL [VALIDATION DATE: 8503]	A 6810	OS	19-JAN-79	OS
L	DOD-P-82670	PROPANEDIOL, 1, 2 (METRIC)	A 6810	OS	02-DEC-80	OS
L	DOD-P-82671	PROPYLENE GLYCOL DINITRATE [VALIDATION DATE: 8503]	A 9135	OS	19-JAN-79	OS
L	MIL-D-82672A	OTTO FUEL 11	A 9135	OS	06-AUG-86	OS
L	DOD-G-82673(1)	GRAPHITE, NATURAL, POWERED, TECHNICAL [VALIDATION DATE: 8503]	A 6810	OS	15-JUN-78	OS
L	DOD-Z-82674(1)	ZIRCONIUM CARBIDE, POWERED, TECHNICAL [VALIDATION DATE: 8503]	A 6810	OS	15-JUN-78	OS
L	MIL-D-82675(1) NOTICE 1	DIISOCYANATE, DIMERYL, C36 ALIPHATIC, TECHNICAL (D01) [VALIDATION DATE: 8705]	A 6810	OS	13-MAY-87	OS
L	MIL-P-82676	PROPELLANT, H-53 (CLASSIFIED)	A 1375	OS	26-APR-78	OS
L	MIL-L-82677 NOTICE 1	LINER MATERIAL, POLYBUTADIENE BASE [VALIDATION DATE: 9108]	A 1377	OS	14-AUG-91	OS
LI	MIL-G-82682 NOTICE 1	GRAPHITE BILLETS, EXTRUDED (FOR HIGH TEMPERATURE APPLICATION)	A 9620	OS	20-MAY-92	OS



## NUMERICAL LISTING MILITARY SPECIFICATIONS

403



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inhouse Document Number	Document Title	Doc Sect FSC / Ave	MCA Symbol	Preparing Date	Custodians			
					Army	Navy	Air Force	DIA
MIL-P-83126A	PROPULSION SYSTEMS, AIRCREW ESCAPE, DESIGN SPECIFICATION FOR REVIEWER: 99	A 1377	11	08-FEB-80	AR	OS		
MIL-S-83129A(1)	AS TE SPECTROMETER, FLUID ANALYSIS A/E35U-3	A 6650	82	02-APR-87	AV	AS	99	
MIL-T-831330	TURBINE FUELS, AVIATION, KEROSENE TYPES, NATO F-34 (JP-8) AND NATO F-35	A 9130	11	29-JAN-92	MR	AS	11	PS
A L MIL-S-83135	REVIEWER: 68 AR AV STEEL BARS, REFORGING STOCK, AND MECHANICAL TUBING, 4340H, HIGH QUALITY	A 9510	11	08-FEB-93			11	
NOTICE 2	[VALIDATION DATE: 9302]							
L MIL-A-83136A	ARRESTING HOOK INSTALLATION, RUMMAY ARRESTING SYSTEM, AIRCRAFT, EMERGENCY	A 1710	70	02-APR-90			99	
	REVIEWER: 82							
MIL-W-83140(1)	WIRE ROPE, STEEL, (STAINLESS STEEL) PREFORMED, NONROTATING, FOR AIRCRAFT	A 4010	82	03-JAN-72	AV	AS	11	
	RESCUE HOIST AND CARGO HANDLING (WINCHING) [VALIDATION DATE: 8205]							
	REVIEWER: 99 JS							
A MIL-C-83141A(3)	COVERALLS, FLYER'S SUMMER, FIRE RESISTANT USER: 45 REVIEWER: 11	A 8415	CT	31-JUL-79	GL	AS	99	CT
A L MIL-F-83142A	FORGING, TITANIUM ALLOYS, PREMIUM QUALITY [VALIDATION DATE: 9302]	A 9530	11	08-FEB-93			11	
NOTICE 2	REVIEWER: 84							
A L MIL-W-83144A(3)	WEBBING, TEXTILE, WOVEN NYLON, ROLLED SELVAGE USER: 45	A 8305	CT	08-JUN-88			11	CT
NOTICE 1								
OL MIL-M-83147(3)	HELMET SHELL, FLYING, HGU-22/P	A 8475	82	05-OCT-78			99	
L MIL-V-83148	VARNISH, ELECTRICALLY INSULATIVE, MOISTURE-, FUNGUS-, AND HIGH TEMPERATURE	A 8010	11	24-AUG-70			11	
NOTICE 1	RESISTANT [VALIDATION DATE: 8707] REVIEWER: 99							
A L MIL-G-83150A	GLOVES, CLOTH, NYLON KNITTED (WOMEN'S, DRESS) [VALIDATION DATE: 8703]	A 8445	CT	27-MAR-87			11	CT
NOTICE 1	REVIEWER: 82							
L MIL-I-83152B(1)	INDICATION, INDICATED-AIR-SPEED AVU-22/A (INDICATOR-TRANSDUCER)	A 6610	71	20-MAY-88			99	
L MIL-N-83158A	NOISE SUPPRESSOR SYSTEMS, ENGINE TEST STAND A/F321-2 AND A/F321-3, FOR	A 4920	11	28-SEP-70			11	
	TURBOJET AND TURBOFAN ENGINES [VALIDATION DATE: 8205] REVIEWER: 99							
L MIL-A-83162A	AMPLIFIER, SYNCHRO, SIGNAL AM-6015/A	A 5990	71	17-FEB-89			99	
L MIL-G-83172B(6)	GYROSCOPE ASSEMBLY, RATE SBU-13/A	A 6615	71	19-NOV-86			99	
L MIL-T-83174B(3)	TRANSMITTER, ACCELEROMETER, AXIAL	A 6610	71	23-NOV-87			99	
L MIL-B-83175(1)	BEARING, BALL, ANNULAR, ANTI-FRICTION, ACCESSORY, HIGH SPEED TURBINE,	A 3110	84	21-JUN-85	AV	SH	99	
	AIRCRAFT USER: AS REVIEWER: 71 82							
OL MIL-N-83178A	REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC PRESSURE BREATHING, GENERAL	A 1660	71	03-MAR-86			99	
	SPECIFICATION FOR							
L MIL-B-83183B	BARRIER AIRCRAFT ARRESTING	A 1710	82	06-APR-87			99	
L MIL-T-83187C	TRANSMITTING SET, COUNTERMEASURES, AN/ALT-32	A 5865	84	15-JUL-69			99	
A L MIL-T-83193B	THREADED, ANAID, SPUN STAPLE USER: AS MD REVIEWER: 82 99	A 8310	CT	21-NOV-86	GL	NU	11	CT
L MIL-S-83194(1)	SOCKS, MEN'S, ANTI-EXPOSURE, NUMBER SHU-25/P	A 8475	82	22-MAY-69			99	
L MIL-C-83195A	COVERALL, FLYING, ANTI-EXPOSURE CMU-21/P [VALIDATION DATE: 8604]	A 8475	11	02-APR-86			AS	99
NOTICE 1								
L MIL-U-83196B	UNDERWEAR, DOUBLE-KNITTED, ANTI-EXPOSURE CMU-22/P	A 8475	82	26-NOV-86			99	
L MIL-L-83197A	LINER, ANTI-EXPOSURE, FLYING COVERALLS CMU-23/P [VALIDATION DATE: 7603]	A 8475	82	21-AUG-69			99	
L MIL-A-83212A(2)	ALTIMETER, PRESSURE AAU-27/A	A 6610	71	27-FEB-89			99	
L MIL-A-83216B	AIR CONDITIONER A/E32C-39 [VALIDATION DATE: 8205] REVIEWER: 13 17 GS MC	A 4120	99	25-MAY-76			99	
L MIL-T-83229B	TRAILER, AIRCRAFT ENGINE ETU-91/E	A 1740	82	22-JUL-85			99	
L MIL-W-83230(1)	HOOD, ANTI-EXPOSURE CMU-10/P REVIEWER: 11	A 8475	82	28-NOV-83			99	
Q MIL-C-83231A	COATINGS, POLYURETHANE, RAIN EROSION RESISTANT FOR EXTERIOR AIRCRAFT AND	A 8010	11	20-JAN-89	ME	AS	11	
NOTICE 1	MISSILE PLASTIC PARTS [VALIDATION DATE: 8901] USER: SH REVIEWER: 99							
A L MIL-S-83234C	SKIRTS, WOMAN'S, BLUE USER: 45 REVIEWER: 82 99	A 8410	CT	01-JUN-88			11	CT
L MIL-F-83236A(3)	FILTER, SIGNAL LIGHT MXU-507/E [VALIDATION DATE: 8506]	A 6230	82	24-OCT-85			99	
L MIL-C-83242(1)	CORD, AROMATIC POLYAMIDE, FUEL FILLING [VALIDATION DATE: 8707] REVIEWER: 99	A 4020	11	27-JUL-79			11	
NOTICE 1	CT IS							
L MIL-F-83243A(2)	FILTER SEPARATOR, LIQUID FFLU-18/E THROUGH FFLU-24/E REVIEWER: CS	A 4330	84	30-APR-82			99	
L MIL-I-83245(4)	INDICATOR SET, OIL PRESSURE A/A24J-17	A 6620	71	27-MAR-86			99	
L MIL-R-83248B(1)	RUBBER FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION	A 5330	11	13-FEB-91	MR	AS	11	
	SET RESISTANT REVIEWER: 82 99 SH							
A L MIL-R-83248/1A	RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION	A 5330	11	10-DEC-92			11	
NOTICE 2	SET RESISTANT, O-RINGS, CLASS 1, 75 HARDNESS [VALIDATION DATE: 9212]							
	REVIEWER: AV							
A L MIL-R-83248/2(1)	RUBBER, FLUOROCARBON ELASTOMER, HIGH TEMPERATURE, FLUID, AND COMPRESSION	A 5330	11	10-DEC-92			11	
NOTICE 2	SET RESISTANT, O-RINGS, CLASS 2, 90 HARDNESS [VALIDATION DATE: 9212]							
L MIL-T-83256/15	CONNECTOR, FIBER OPTIC, CIRCULAR, HERMETIC, DUST COVER, 2 POSITIONS	A 6060	OR	09-JUN-89	OR			
L MIL-C-83260A	COUPLER, HYDRANT VALVE GRU-16/E	A 4930	82	18-MAY-72			99	
L MIL-G-83261A	GREASE, AIRCRAFT, EXTREME PRESSURE, ANTI-WEAR REVIEWER: 68	A 9150	11	10-SEP-90			11	
OL MIL-I-83262B(1)	INDICATOR, TEMPERATURE, THERMOCOUPLE HERMETICALLY SEALED, GENERAL	A 6685	11	02-MAR-78			11	
	SPECIFICATION FOR [VALIDATION DATE: 8410] REVIEWER: 82 GS							
L MIL-I-83262/1A	INDICATOR, TEMPERATURE, THERMOCOUPLE EMU-31A/A	A 6685	82	13-OCT-87			99	
L MIL-I-83262/2(1)	INDICATOR, TEMPERATURE, THERMOCOUPLE, EMU-38/A [VALIDATION DATE: 8405]	A 6685	82	03-MAR-78			11	
	REVIEWER: 99							
L MIL-I-83262/3(1)	INDICATOR, TEMPERATURE, THERMOCOUPLE, EMU-43/A [VALIDATION DATE: 8405]	A 6685	82	03-MAR-78			11	
	REVIEWER: 99							
L MIL-I-83262/4	INDICATOR, TEMPERATURE, THERMOCOUPLE, EMU-39/A [VALIDATION DATE: 8304]	A 6685	82	14-JUL-77			11	
L MIL-T-83267A(2)	HOISTING UNIT, AIRCRAFT MAINTENANCE MU-213/E, HELICOPTER SPECIFIC, 8,000	A 1730	82	20-JUL-84			99	
	POUND CAPACITY REVIEWER: 84							
A MIL-B-83268B	BERET, WOMAN'S [VALIDATION DATE: 8809] USER: 45 REVIEWER: 82 99 MD	A 8410	CT	30-SEP-88	GL	NU	11	CT
NOTICE 1								
A L MIL-M-83269A	HOOD, RAIN, WOMAN'S [VALIDATION DATE: 8902] USER: 45 REVIEWER: 82 99	A 8410	CT	22-FEB-89			11	CT
NOTICE 1								
A L MIL-V-83271B	VEST, SURVIVAL MESH SET, SRU-21/P REVIEWER: 45	A 8415	CT	03-JAN-92			99	CT
A MIL-B-83277A(1)	BOOTS, FLYER'S FMU-8/P [VALIDATION DATE: 8411] USER: 45	A 8430	CT	30-NOV-78			99	CT
L MIL-M-83282C	HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, AIRCRAFT,	A 9150	AS	25-MAR-86	ME	AS	11	
	METRIC, NATO CODE NUMBER H-537 REVIEWER: 68 AR AV MI SH							
L MIL-R-83283A	RUBBER SILICONE, HIGH STRENGTH, CABIN PRESSURE SEAL MATERIAL, DIAPHRAGM	A 9320	11	12-JUN-91			11	
NOTICE 2	TYPE REVIEWER: 71							
L MIL-T-83284(2)	TAPE, THERMAL RADIATION RESISTANT, PRESSURE-SENSITIVE ALUMINUM COATED	A 7510	84	06-JUN-73			99	
	FIBERGLASS CLOTH [VALIDATION DATE: 8305] REVIEWER: CT							
A L MIL-R-83285	RUBBER, ETHYLENE-PROPYLENE, GENERAL PURPOSE [VALIDATION DATE: 9212]	A 5330	11	10-DEC-92			11	
NOTICE 2	REVIEWER: 99							
OL MIL-C-83286B(2)	COATING URETHANE, ALIPHATIC ISOCYANATE, FOR AEROSPACE APPLICATIONS	A 8010	11	19-AUG-80			11	
NOTICE 1	[VALIDATION DATE: 8707] REVIEWER: 99 AV DS							
Q MIL-I-83287E	INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR REVIEWER: 99 ES	A 6625	85	22-JUL-88			AS	85
SUPPL 1A)								
L MIL-I-83287/1B(1)	INDICATORS, FAULT LOCATING, FLAG INDICATING, MECHANICAL RESET USER: 17 80	A 6625	85	29-MAR-91			AS	85
	REVIEWER: 82 ES							
L MIL-I-83287/2C	INDICATORS, FAULT LOCATING, FLAG INDICATING, ELECTRICAL RESET USER: 17 80	A 6625	85	29-MAR-91			AS	85
	REVIEWER: 82 ES							
L MIL-I-83287/3A(1)	INDICATORS, FAULT LOCATING, BALL INDICATING, ELECTRICAL RESET USER: 17 80	A 6625	85	29-MAR-91			AS	85
	ES REVIEWER: 82							
L MIL-I-83287/4A	INDICATORS, FAULT LOCATING, DUAL DRUM INDICATING, MECHANICAL RESET	A 6625	85	22-JUL-88			AS	85
L MIL-I-83287/5A	INDICATORS, FAULT LOCATING, INTERNAL DRUM INDICATING, ELECTRICAL RESET,	A 6625	85	22-JUL-88			AS	85
	PRINTED CIRCUIT MOUNTING							
L MIL-C-83291B	COVER, SELF-SEALING, FUEL LINE, AIRCRAFT [VALIDATION DATE: 8505]	A 4720	82	28-FEB-78			AS	99
L MIL-M-83295A(2)	COT, FOLDING, DOUBLE-DECKING MXU-615/E/82, LIGHTWEIGHT, BARE BASE	A 7105	84	12-JAN-73			99	
	[VALIDATION DATE: 8204] USER: GL							
OL MIL-F-83296	FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, HIGH PRESSURE (3000	A 4730	99	17-MAR-71			11	
	PSI, HYDRAULIC AND PNEUMATIC [VALIDATION DATE: 8503]							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / Chg. Combination Inchance Document Number	Document Title	Doc. Syst. Fnc / Ave MCS Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
Q MIL-H-83298A	HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI).	A 4720 82 10-MAY-83	AV	AS	99	
MIL-P-83300	HYDRAULIC AND PNEUMATIC REVIEWER: CS	A 1500 AS 26-SEP-91	AV	AS		
NOTICE 1	FLYING QUALITIES OF PILOTED V/STOL AIRCRAFT (VALIDATION DATE: 9109) .....					
L MIL-T-83303C	TRUCK, FIREFIGHTING, AIRFIELD RAMP, 4X4, A/S32P-20, TWIN AGENT, SKID	A 4210 84 09-SEP-88			99	
L MIL-P-83310	MOUNTED PLASTIC SHEET, POLYCARBONATE, TRANSPARENT (VALIDATION DATE: 8306)	A 9330 11 27-JAN-71			11	
A LI MIL-S-83311	REVIEWER: 99 GS	A 9510 11 10-FEB-93			11	
NOTICE 2	STEEL BAR, AND WIRE, (455) CORROSION RESISTANT, PRECIPITATION HARDENING					
QL MIL-S-83315(2)	REVIEWER: 99	A 8030 11 14-DEC-84			11	
NOTICE 1	SEALING COMPOUND, ALUMINUM STRUCTURE, PRESSURE AND WEATHER SEALING, LOW					
QL MIL-S-83318A	DENSITY (VALIDATION DATE: 8707)	A 8030 11 27-MAY-91			11	
L MIL-D-83319(2)	SEALING COMPOUND, LOW TEMPERATURE CURING, QUICK REPAIR INTEGRAL FUEL TANKS	A 7110 84 26-MAY-82			99	
A LI MIL-T-83323A(2)	AND FUEL CELL CAVITIES REVIEWER: 84	A 4920 82 28-JAN-93			99	
NOTICE 1	DESK FILING CABINET, WRITING-TYPING, FIELD OFFICE MOU-619/EB2,	A 1190 79 31-AUG-92			79	
L MIL-S-83328(3)	LIGHTWEIGHT, BARE BASE USER: GL	A 1370 70 20-MAY-86			99	
L MIL-B-83353	TESTER, UNIVERSAL RECEPTACLE, AERIAL REFUELING .....	A 9330 11 04-MAY-88			11	
NOTICE 1	TRUCK, LIFT, AERIAL STORES MUJ-124E: 3000 POUND CAPACITY, ELECTRIC MOTOR					
D L MIL-C-83360C(1)	DRIVEN REVIEWER: 15	A 6850 11 30-JUL-87			11	
NOTICE 1	SIGNAL KIT, PERSONNEL, DISTRESS, A/P255-SA .....					
L MIL-I-83361(4)	BORON MONOFILAMENT, CONTINUOUS, VAPOR DEPOSITED REVIEWER: 99 GS .....	A 6620 71 23-DEC-87			99	
L MIL-I-83362(5)	CLEANING AND LUBRICATING COMPOUND, ELECTRICAL CONTACT USER: ER YD1	A 9150 11 20-JAN-89	MR	AS	11	
MIL-G-83363B	REVIEWER: 13 68 GS SH					
NOTICE 1	INDICATOR, PRESSURE OIL, DUAL EQU-18/A, 0-100 PSI REVIEWER: 11 .....	A 6620 71 23-DEC-87			99	
A L MIL-Y-83370A	INDICATOR, POSITION, TAKEOFF TRIM ALU-12/A .....	A 6610 71 12-AUG-87			99	
NOTICE 1	GREASE, TRANSMISSION, HELICOPTER (VALIDATION DATE: 8901) REVIEWER: 68 AV ..	A 8305 07 25-NOV-88			11	CT
A L MIL-Y-83371	YARN, MOVING, AND CLOTH: HIGH MODULUS, ORGANIC FIBER (VALIDATION DATE:	A 8305 07 05-MAY-72			11	CT
L MIL-H-83373A	8811) USER: 45	A 4720 82 20-SEP-83			99	
L MIL-A-83376A	YARNS, GRAPHITE, HIGH MODULUS, CONTINUOUS FILAMENT (VALIDATION DATE: 8104)	A 8040 11 30-JUL-87			11	
NOTICE 1	USER: 45					
MIL-A-83377B	HOSE ASSEMBLY, FLUOROELASTOMER TUBE, WITH REATTACHABLE COUPLINGS FOR JP-7	A 8040 11 04-MAY-88	MR	AS	11	
NOTICE 1	SERVICE					
MIL-G-83380	ADHESIVE BONDED METAL FACED SANDWICH STRUCTURES, ACCEPTANCE CRITERIA USER:	A 6115 80 21-FEB-79	MR		99	
A MIL-J-83382C(1)	OS	A 8415 07 01-NOV-85			99	CT
Q MIL-C-83383C(2)	ADHESIVE BONDING (STRUCTURAL) FOR AEROSPACE AND OTHER SYSTEMS,	A 5925 85 05-MAY-92	ER	AS	85	
MIL-C-83383/1C(1)	REQUIREMENTS FOR (VALIDATION DATE: 8803) USER: OS	A 5925 85 14-NOV-90	ER	AS	85	
MIL-C-83383/2C(1)	GENERATOR SET, GAS TURBINE ENGINE DRIVEN, 30 AND 60 KW, 400 HZ .....	A 5925 85 14-NOV-90	ER	AS	85	
MIL-C-83383/4C(1)	JACKET, FLYER S, MEH S, SUMMER, FIRE RESISTANT, CMU-36/P USER: 45 .....					
MIL-C-83383/7A	CIRCUIT BREAKERS, REMOTE CONTROL, THERMAL, TRIP-FREE, GENERAL	A 5925 85 24-JUN-88	ER	AS	85	
MIL-C-83383/8A	SPECIFICATION FOR USER: AT AV MI REVIEWER: 99 ES ME					
A MIL-T-83385A(1)	CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP,	A 5925 85 24-JUN-88	ER	AS	85	
A L MIL-J-83386(1)	SINGLE POLE, (5 TO 100 AMPERES) USER: AT AV REVIEWER: 99 ES ME					
NOTICE 1	CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE SERIES TRIP,	A 5925 85 24-JUN-88	ER	AS	85	
MIL-I-83387A	SINGLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES) USER: AT AV MI REVIEWER:					
NOTICE 1	99 ES ME					
A MIL-J-83388	CIRCUIT BREAKERS, REMOTE CONTROL, AC-DC, THERMAL, TRIP-FREE, SERIES TRIP,	A 5925 85 24-JUN-88	ER	AS	85	
L MIL-C-83390(2)	TRIPLE POLE, AUXILIARY CONTACTS (5 TO 100 AMPERES)					
A MIL-R-83397A	CIRCUIT BREAKERS, REMOTE CONTROL, AC, THERMAL, TRIP-FREE SERIES TRIP,	A 5925 85 24-JUN-88	ER	AS	85	
NOTICE 2	SINGLE POLE, AUXILIARY CONTACTS (5 TO 25 AMPERES) USER: AT AV MI REVIEWER:					
L MIL-T-83399	99 ES ME					
NOTICE 1	CIRCUIT BREAKERS, REMOTE CONTROL, DC, THERMAL, TRIP-FREE SERIES TRIP,	A 5925 85 24-JUN-88	ER	AS	85	
Q MIL-R-83401F(2)	SINGLE POLE, AUXILIARY CONTACTS (5 TO 25 AMPERES) USER: AT AV MI REVIEWER:					
SUPPL 1A1	99 ES ME					
MIL-R-83401/1F(1)	TROUSERS, FLYERS, EXTREME COLD WEATHER, CMU-18/P .....	A 8415 07 22-JAN-85	AS	99	CT	
MIL-R-83401/2F	JACKET, MAN S, LIGHTWEIGHT (VALIDATION DATE: 8802) .....	A 8405 07 26-FEB-88	NU		CT	
MIL-R-83401/3E	INSPECTION PROCESS, MAGNETIC RUBBER .....	A 8415 07 30-JUL-87	MR		11	
A MIL-R-83401/4C(1)	JACKET, FLYER'S, COLD WEATHER REVIEWER: 99	A 8415 07 18-JUN-92	AS	82	CT	
A MIL-R-83401/5C(2)	CONNECTOR, HOSE, QUICK ACTING, MALE, ANTI-G GARMENT (VALIDATION DATE:	A 4730 82 27-JUL-76			11	
A MIL-R-83401/6B(1)	8306) REVIEWER: 99					
A MIL-R-83401/7C	RUBBER, POLYURETHANE, CASTABLE, HUMIDITY RESISTANT (VALIDATION DATE: 9212)	A 5330 11 10-DEC-92	MR	SM	11	
A MIL-R-83401/8C	REVIEWER: 99 AS 15	A 5905 85 09-OCT-89	ER	EC	85	
A MIL-R-83401/9C(1)	TEST FOR REMOVAL OF FLUY RESIDUES .....	A 5905 85 13-AUG-91	ER	EC	85	
MIL-R-83401/10A	RESISTOR NETWORKS, FIXED, FILM, AND CAPACITOR-RESISTOR NETWORKS, CERAMIC	A 5905 85 13-AUG-91	ER	EC	85	
MIL-R-83401/13	CAPACITOR AND FIXED FILM RESISTORS, GENERAL SPECIFICATION FOR USER: 19 AT					
MIL-R-83401/14	AV CG MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 85 09-OCT-89	ER	EC	85	
MIL-R-83401/15	RESISTOR NETWORK, FIXED, FILM, STYLE RZ010, 14 PIN DIP USER: 19 AT AV CG	A 5905 85 13-AUG-91	ER	EC	85	
MIL-R-83401/16	MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 85 13-AUG-91	ER	EC	85	
MIL-R-83401/17	RESISTOR NETWORK, FIXED, FILM, STYLE RZ020, 16 PIN DIP USER: 19 AT AV CG	A 5905 85 13-AUG-91	ER	EC	85	
L MIL-R-83401/18A(1)	MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 85 13-AUG-91	ER	EC	85	
L MIL-R-83401/19B	RESISTOR NETWORK, FIXED, FILM, STYLE RZ030, 14 PIN DIP USER: 19 AT AV CG	A 5905 85 13-AUG-91	ER	EC	85	
MIL-R-83401/20	MC ME REVIEWER: 17 AR AS ES MI OS	A 5905 85 13-AUG-91	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc CPL / OML Condition Inactive Document Number	Document Title	Doc Smt FSC / Ave MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-R-83401/21	RESISTOR NETWORK, FIXED, FILM, STYLE RZ210, 6 PIN SIP USER: 19 AT AV CG MC	A 5905 85 13-AUG-91	ER	EC	85	
MIL-R-83401/22	ME REVIEWER: 17 AR AS ES MI OS RESISTOR NETWORK, FIXED, FILM, STYLE RZ220, 8 PIN SIP USER: 19 AT AV CG MC	A 5905 85 13-AUG-91	ER	EC	85	
MIL-R-83401/23	ME REVIEWER: 17 AR AS ES MI OS RESISTOR NETWORK, FIXED, FILM, STYLE RZ230, 10 PIN SIP USER: 19 AT AV CG	A 5905 85 13-AUG-91	ER	EC	85	
L MIL-F-83402	MC ME REVIEWER: 17 AR AS ES MI OS FILTER-SPARATOR, LIQUID FUEL FFU-25/E (VALIDATION DATE: 8306) USER: AS SH	A 4330 84 11-JUN-73			99	
L MIL-R-83403	REVIEWER: ES ROCKET MOTOR SR110-AD-1 (VALIDATION DATE: 8001) REVIEWER: 99	A 1340 13 01-MAY-73			13	
L MIL-R-83404	ROCKET MOTOR MANUFACTURING ROCKET MOTOR SR110-AD-1 (VALIDATION DATE: 8001)	A 1340 13 01-MAY-73			13	
L MIL-P-83405	REVIEWER: 99 PROPELLANT, COMPOSITE ADC-109 (VALIDATION DATE: 8001) REVIEWER: 99	A 1340 13 01-MAY-73			13	
QL MIL-A-83406(3)	ANTI GARMENT, CUTAWAY, CSU-138/P (VALIDATION DATE: 8306)	A 8475 82 02-FEB-82			99	
QL MIL-R-83407(3)	RELAYS, REED (MERCURY WETTED) GENERAL SPECIFICATION FOR REVIEWER: 99 ES	A 5945 85 05-JUL-84			85	
M MIL-R-83407/38(1)	RELAYS, REED (MERCURY WETTED), ALL WELDED, 0 TO 7.5 VOLT AMPERES	A 5945 85 14-MAY-93	ER	EC	85	
A L MIL-C-83409(1)	NOTICE 1 COATINGS, VISOR, POLYCARBONATE, FLYING HELMET (VALIDATION DATE: 8603)	A 8415 CT 14-MAR-86				CT
L MIL-G-83410	NOTICE 1 GRAPHITE FIBER RESIN IMPREGNATED TAPE AND SHEET, FOR HAND LAYUP	A 9330 11 25-NOV-88			11	
QL MIL-D-83411A	NOTICE 1 DEICER/ANTI-ICER FLUID (FOR RUNWAYS AND TAXIWAYS) (VALIDATION DATE: 7904)	A 6850 11 01-AUG-73			11	
A L MIL-R-83412A	NOTICE 1 REVIEWER: 68 GS RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT (VALIDATION DATE: 9212)	A 5330 11 10-DEC-92			11	
A L MIL-R-83412/1	NOTICE 2 RUBBER, ETHYLENE-PROPYLENE, HYDRAZINE RESISTANT, O-RINGS SIZES AND	A 5330 11 10-DEC-92			11	
Q MIL-C-83413A	NOTICE 2 TOLERANCES (VALIDATION DATE: 9212) CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, GENERAL	A 5935 85 06-FEB-92	AV	AS	85	
MIL-C-83413/1	SUPPL 1A1, NOTICE 1 SPECIFICATION FOR (VALIDATION DATE: 9202) USER: MC REVIEWER: 13 18 82 90	A 5920 85 06-FEB-92	AV	AS	85	
MIL-C-83413/2	NOTICE 1 CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE I	A 5920 85 06-FEB-92	AV	AS	85	
MIL-C-83413/3	NOTICE 1 GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC (VALIDATION DATE: 9202)	A 5920 85 06-FEB-92	AV	AS	85	
MIL-C-83413/4	NOTICE 1 USER: MC REVIEWER: 13 18 82 90 99 AR CR ES ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE II	A 5920 85 06-FEB-92	AV	AS	85	
I MIL-C-83413/5	NOTICE 1 GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC (VALIDATION DATE: 9202)	A 5920 85 06-FEB-92	AV	AS	85	
MIL-C-83413/6	NOTICE 1 USER: MC REVIEWER: 13 18 82 90 99 AR CR ES ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE III	A 5920 85 06-FEB-92	AV	AS	85	
MIL-C-83413/7A	NOTICE 1 GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC (VALIDATION DATE: 9202)	A 5920 85 06-FEB-92	AV	AS	85	
MIL-C-83413/8	NOTICE 1 USER: MC REVIEWER: 13 18 82 90 99 AR CR ES ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: PLUG, FOR	A 5935 AS 17-OCT-91	AV	AS	11	
MIL-C-83413/9	NOTICE 1 TYPES I AND II GROUNDING ASSEMBLIES (VALIDATION DATE: 9110) USER: MC	A 5935 AS 17-OCT-91	AV	AS	11	
MIL-C-83413/10	NOTICE 1 REVIEWER: 18 82 85 90 99 AR CR ES ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES,	A 5935 AS 17-OCT-91	AV	AS	11	
MIL-C-83413/11A	NOTICE 1 ONE PIECE (VALIDATION DATE: 9110) USER: MC REVIEWER: 18 82 85 90 99 AR CR	A 5935 85 06-FEB-92	AV	AS	85	
L MIL-G-83414(1)	NOTICE 1 ES ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: RECEPTACLES,	A 5935 85 06-FEB-92	AV	AS	85	
L MIL-A-83419C(2)	NOTICE 1 TWO PIECE, WITH INSERTS AND HOUSINGS (VALIDATION DATE: 9202) USER: MC	A 5999 11 15-MAR-89	AV	AS	11	
Q MIL-W-83420(3)	NOTICE 1 REVIEWER: 13 18 82 90 99 AR CR ES ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: GROUNDING CLAMP	A 6150 AS 12-OCT-83	AV	AS	11	
MIL-W-83420/1	NOTICE 1 CONNECTOR FOR TYPES I AND II GROUNDING ASSEMBLIES, CLIP, ELECTRICAL USER:	A 7690 85 06-FEB-92	AV	AS	85	
MIL-W-83420/2	NOTICE 1 MC REVIEWER: 13 18 82 85 90 AR CR ES ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE IV JUMPER	A 5920 85 06-FEB-92	AV	AS	85	
MIL-W-83420/3	NOTICE 1 CABLE ASSEMBLY, LEAD, ELECTRICAL USER: MC REVIEWER: 18 82 85 90 99 AR CR	A 5935 85 02-MAR-88	AV	AS	11	
MIL-W-83420/4	NOTICE 1 ES GS ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: DECALCOMANIA	A 5920 85 06-FEB-92	AV	AS	85	
Q MIL-C-83421B(1)	NOTICE 1 FOR GROUNDING RECEPTACLE IDENTIFICATION, DECAL (VALIDATION DATE: 9202)	A 5920 85 06-FEB-92	AV	AS	85	
MIL-C-83421/1A(4)	NOTICE 1 USER: MC REVIEWER: 13 18 82 90 99 AR CR ES GS ME MI CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: JUMPER CABLE	A 5935 85 02-MAR-88	AV	AS	11	
MIL-C-83421/2A	NOTICE 1 ASSEMBLY, AIRCRAFT TO FUEL, NOZZLE, DISCHARGER, ELECTROSTATIC (VALIDATION	A 5910 11 20-JAN-89			11	
MIL-C-83421/3(1)	NOTICE 1 DATE: 9202) USER: MC REVIEWER: 13 18 82 90 99 AR CR ES GS ME MI CONNECTOR & ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING, RECEPTACLES, ONE	A 6610 71 14-DEC-87			99	
MIL-C-83421/4A	NOTICE 1 PIECE REVIEWER: 18 82 99 AR CR ES ME MI GREASE, GUNMOUNT, AIRCRAFT (VALIDATION DATE: 8901) REVIEWER: GS	A 4010 82 18-JAN-85	AV	AS	99	
MIL-C-83421/5(1)	NOTICE 1 ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY	A 4010 82 30-OCT-87	AV	AS	99	
L MIL-E-83425(1)	NOTICE 1 WIRE, ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL REVIEWER: IS	A 4010 82 30-OCT-87	AV	AS	99	
L MIL-S-83427(1)	NOTICE 1 WIRE ROPE, FLEXIBLE, TYPE I, COMPOSITION A REVIEWER: 11 IS	A 4010 82 03-OCT-87	AV	AS	99	
L MIL-P-83428	NOTICE 1 WIRE ROPE, FLEXIBLE, TYPE I, COMPOSITION B REVIEWER: 11 IS	A 4010 82 03-OCT-87	AV	AS	99	
A MIL-C-83429B	NOTICE 1 WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION A REVIEWER: 11 IS	A 4010 82 03-OCT-87	AV	AS	99	
M MIL-S-83430A(2)	NOTICE 1 WIRE ROPE, FLEXIBLE, TYPE II (JACKETED), COMPOSITION B REVIEWER: 11 IS	A 4010 82 03-OCT-87	AV	AS	99	
QL MIL-S-83430A(11)	NOTICE 1 CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR AND	A 5910 85 29-OCT-91	ER	EC	85	
L MIL-T-83431	NOTICE 1 AC), HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED	A 5910 85 31-JAN-91	ER	EC	85	
	RELIABILITY, GENERAL SPECIFICATION FOR USER: 19 AS CG MC OS SH REVIEWER:					
	AR ES					
	CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, DC AND AC,					
	HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY STYLES CRH01,					
	CRH02, CRH03, CRH04, CRH05, CRH06, CRH07, CRH08, CRH09, AND CRH00 USER: 19					
	AS CG MC OS SH REVIEWER: AR ES					
	CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND					
	AC), HERMETICALLY SEALED IN METAL CASES, ESTABLISHED RELIABILITY, STYLES					
	CRH11, CRH12 AND CRH13 (INSULATED) USER: 19 AS CG MC OS SH REVIEWER: AR ES					
	CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, DC AND AC,					
	HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED), STYLES					
	CRS01, CRS02, CRS03, CRS04, AND CRS05 USER: AS CG MC OS SH REVIEWER: AR ES					
	CAPACITORS, FIXED, METALLIZED PLASTIC FILM, DIELECTRIC, (DC, AC, OR DC AND					
	AC), HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY (INSULATED),					
	STYLES CRS11, CRS12, AND CRS13 USER: AS CG MC OS SH REVIEWER: AR ES					
	CAPACITORS, FIXED, METALLIZED PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND					
	AC), HERMETICALLY SEALED IN CERAMIC CASES, ESTABLISHED RELIABILITY, STYLES					
	CRH21, CRH22, CRH23, CRH24, AND CRH25 USER: 19 AS CG MC OS SH REVIEWER: AR					
	ES					
	EARCUP, SOUND PROTECTIVE MX-8376/AR GENERAL SPECIFICATION FOR (VALIDATION					
	DATE: 8702) REVIEWER: 99 ES					
	SURVIVAL KIT CONTAINERS, CMU-129(V)/P AND CMU-130/P (VALIDATION DATE:					
	8908) REVIEWER: 99					
	FILTER ELEMENT, FLUID, PRESSURE MXE-649/E					
	CLOTH, PLAIN AND BASKET WEAVE, ARAMID USER: 45 REVIEWER: 82 99 AS MD					
	CLOTH, PLAIN AND BASKET WEAVE, ARAMID USER: 45 REVIEWER: 82 99 AS CT MD					
	SEALING COMPOUND, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, INTERMITTENT					
	USE TO 360 DEG. F (182 DEG. C) REVIEWER: 84 99					
	SEALING COMPOUND, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, INTERMITTENT					
	USE TO 360 DEG. F (182 DEG. C)					
	TEST STAND, JET ENGINE ACCESSORY OVERHAUL GENERAL SPECIFICATION FOR					
	(VALIDATION DATE: 8802) REVIEWER: 99					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	CPL / OMA Coordination Inhouse	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Date	Custodians			
							Army	Navy	Air Force	DLA
A LI		MIL-C-83435	CLOTHING OUTFIT, EXTREME COLD WEATHER SURVIVAL A/P225-10 (INACTIVE FOR NEW DESIGN)	A 8415	CT	31-JUL-86				CT
OL		MIL-C-83439(3) SUPPL 1A1	CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (AC, DC, AND AC-DC), (HERMETICALLY SEALED IN METALLIC CASES) GENERAL SPECIFICATION FOR [VALIDATION DATE: 8702] REVIEWER: 11 99 AV ES	A 5910	85	27-FEB-87		85		
L		MIL-C-83439/1C NOTICE 1	CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, AC AND DC (HERMETICALLY SEALED IN METAL CASES) [VALIDATION DATE: 9008] REVIEWER: 11 99 ES	A 5910	85	24-AUG-90		85		
L		MIL-C-83439/2B NOTICE 1	CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (HERMETICALLY SEALED IN METAL CASES) [VALIDATION DATE: 9008] REVIEWER: 11 99 ES	A 5910	85	24-AUG-90		85		
L		MIL-C-83439/3A NOTICE 1	CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, AC AND DC (HERMETICALLY SEALED IN METAL CASES) [VALIDATION DATE: 9008] REVIEWER: 11 99 ES	A 5910	85	24-AUG-90		85		
L		MIL-C-83439/6B(3)	CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (HERMETICALLY SEALED IN METAL CASES) REVIEWER: 99 ES	A 5910	85	31-MAR-92		85		
L		MIL-C-83443A	CELL, SOLAR, SILICON, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8205] ...	A 6116	11	30-MAY-75		11		
L		MIL-C-83443/1A	CELL, SOLAR, SILICON, SILVER CONTACT [VALIDATION DATE: 8205] ...	A 6116	11	30-MAY-75		11		
L		MIL-C-83445A NOTICE 1	COATING SYSTEM, POLYURETHANE, NON YELLOWING, WHITE, RAIN EROSION RESISTANT, THERMALLY REFLECTIVE [VALIDATION DATE: 8707]	A 8010	11	30-JUL-87		11		
O		MIL-C-83446B(3) SUPPL 6A1	COIL, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR USER: 11 05 REVIEWER: 19 AS ES MI	A 5950	ER	20-JAN-88	ER	EC	85	
		MIL-C-83446C, B NOTICE 1	COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 ES OS REVIEWER: 19 AS MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/4C	COIL, RADIO FREQUENCY, CHIP, FIXED [VALIDATION DATE: 8906] USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	16-JUN-89	ER	EC	85	
		MIL-C-83446/5C	COIL, CHIP, RADIO FREQUENCY, FIXED USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	25-FEB-88	ER	EC	85	
		MIL-C-83446/6C	COIL, CHIP, RADIO FREQUENCY, FIXED USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	25-FEB-88	ER	EC	85	
		MIL-C-83446/7B NOTICE 1	COILS, RADIO FREQUENCY, CHIP, VARIABLE [VALIDATION DATE: 9111] USER: 11 OS REVIEWER: 19 AS MI	A 5950	ER	11-NOV-91	ER	EC	85	
		MIL-C-83446/8C(1)	COILS, RADIO FREQUENCY, CHIP, FIXED USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	13-JUL-89	ER	EC	85	
		MIL-C-83446/9C	COIL, CHIP, RADIO FREQUENCY, VARIABLE USER: 05 REVIEWER: 11 19 AS ES MI	A 5950	ER	12-MAY-87	ER	EC	85	
		MIL-C-83446/10B NOTICE 1	COILS, RADIO FREQUENCY, CHIP, FIXED [VALIDATION DATE: 9111] USER: 11 OS REVIEWER: 19 AS MI	A 5950	ER	11-NOV-91	ER	EC	85	
		MIL-C-83446/11B NOTICE 1	COILS, RADIO FREQUENCY, CHIP, SHIELDED, FIXED [VALIDATION DATE: 9111] USER: 11 OS REVIEWER: 19 AS MI	A 5950	ER	11-NOV-91	ER	EC	85	
		MIL-C-83446/12 NOTICE 1	COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/13 NOTICE 1	COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 05 REVIEWER: 11 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/14 NOTICE 1	COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/15 NOTICE 1	COILS, CHIP, RADIO FREQUENCY, FIXED [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/16 NOTICE 1	COILS, CHIP, RADIO FREQUENCY, VARIABLE [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/17 NOTICE 1	COILS, CHIP, RADIO FREQUENCY, VARIABLE [VALIDATION DATE: 8808] USER: 05 REVIEWER: 11 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/18 NOTICE 1	COILS, CHIP, RADIO FREQUENCY, VARIABLE [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/19A NOTICE 1	COILS, RADIO FREQUENCY, CHIP, VARIABLE [VALIDATION DATE: 8808] USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	18-AUG-88	ER	EC	85	
		MIL-C-83446/20	COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
		MIL-C-83446/21	COILS, RADIO FREQUENCY, CHIP, FIXED, IRON CORE USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
		MIL-C-83446/22	COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
		MIL-C-83446/23	COILS, RADIO FREQUENCY, CHIP, FIXED, PHENOLIC CORE USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
		MIL-C-83446/24	COIL, RADIO FREQUENCY, CHIP, FIXED, IRON CORE USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
		MIL-C-83446/25	COILS, RADIO FREQUENCY, CHIP, FIXED, FERRITE CORE USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
		MIL-C-83446/26	COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY, SHIELDED, IRON CORE-IRON SLEEVE USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
		MIL-C-83446/27	COILS, RADIO FREQUENCY, CHIP, FIXED, MAGNETICALLY SHIELDED, (FERRITE, CORE-FERRITE SLEEVE) USER: 11 OS REVIEWER: 19 AS ES MI	A 5950	ER	20-DEC-88	ER	EC	85	
L		MIL-I-83449	INDICATOR SET, LIQUID OXYGEN QUANTITY, A/A24J-21 [VALIDATION DATE: 8107] REVIEWER: 11 GS	A 6680	82	10-DEC-74				99
A L		MIL-C-83450A(1)	CLOTH, META-ARAMID WARP, META-ARAMID/PARA-ARAMID FILLING, META-ARAMID/NOVOLOID FILLING, NAPPED REVIEWER: 11	A 8305	CT	15-APR-91				CT
L		MIL-T-83454(2) SUPPL 1A1, NOTICE 1	TERMINAL, STUD, BLIND PLATE, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED) [VALIDATION DATE: 8704] REVIEWER: GS	A 5940	85	17-APR-87		85		
L		MIL-T-83454/2D(1) NOTICE 1	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .138-32 UNJC-3A CURRENT RATING: 25 AMPS REVIEWER: GS	A 5940	85	15-MAY-89		85		
L		MIL-T-83454/3D(1) NOTICE 1	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .164-32 UNJC-3A CURRENT RATING: 30 AMPS REVIEWER: GS	A 5940	85	15-MAY-89		85		
L		MIL-T-83454/4D(1) NOTICE 1	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .190-32 UNJC-3A CURRENT RATING: 35 AMPS REVIEWER: GS	A 5940	85	15-MAY-89		85		
L		MIL-T-83454/5D(2) NOTICE 1	TERMINALS, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (NONINSULATED), .250-28 UNJC-3A CURRENT RATING: 43 AMPS REVIEWER: GS	A 5940	85	15-MAY-89		85		
L		MIL-T-83454/11	TERMINAL, STUD, BLIND, FOR ELECTRICAL BONDING AND GROUNDING (CONTROLLED DISTRIBUTION) [VALIDATION DATE: 8704] REVIEWER: GS	B 5940	85	17-APR-87		85		
L		MIL-I-83456(2) NOTICE 1	INSTALLATION OF SEGMENTED LIGHTNING DIVERTER STRIPS ON AIRCRAFT RADOMES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8803]	A 5841	11	04-MAR-88				11
L		MIL-C-83457A	CAMOUFLAGE FILM, FLYERS HELMET, IQU-440/P REVIEWER: 11	A 8475	82	15-MAR-87				99
D		MIL-R-83459A	RIVET, TITANIUM, BIMETAL 95 KSI F SU GENERAL SPECIFICATION FOR [VALIDATION DATE: 8405] REVIEWER: 89 99	A 5320	15	29-SEP-78	AV	AS	11	15
		MIL-R-83459/1B	RIVET, TITANIUM, BIMETAL, 95 KSI SU, PROTRUDING HEAD, TYPE I REVIEWER: 15	A 5320	82	16-JAN-86		AS	11	
		MIL-R-83459/2B	RIVET, TITANIUM, BIMETAL, 95 KSI FSU, 100 DEG. TENSION CROWN HEAD, TYPE II REVIEWER: 99 15	A 5320	82	16-JAN-86		AS	11	
L		MIL-R-83459/3B	RIVET, TITANIUM, BIMETAL, 95 KSI F SU, 100 DEGREES REDUCED FLUSH CROWN HEAD, TYPE III REVIEWER: 99 15	A 5320	82	16-JAN-86		AS	11	
AQ		MIL-P-83461B(1)	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) USER: ME REVIEWER: 99 15	A 5330	11	24-FEB-93	AV	AS	11	
		MIL-P-83461/1B NOTICE 1	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT IMPROVED PERFORMANCE AT 275 DEGREE F (135 DEGREE C) SIZES AND TOLERANCES USER: 71 ME REVIEWER: 82 99 15	A 5330	11	08-MAY-89	AV	AS	11	
		MIL-P-83461/2	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C) FOR USE IN BOSS FITTINGS, SIZES AND TOLERANCES USER: ME REVIEWER: 82 99 15	A 5330	11	30-JAN-91	AV	AS	11	
L		MIL-A-83462(1) NOTICE 1	ARCTIC CUSHIONS - CLOTHING, CHU-10/P AND CHU-11/P [VALIDATION DATE: 8808] REVIEWER: 99	A 1660	82	10-AUG-88				82



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Ordn / Com Coordination Inactive	Document Number	Document Title	Dist Symb FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-A-83469	ADJUSTER, LAP BELT, 1-3/4 INCH WEBBING [VALIDATION DATE: 8909] .....	A 1680	82	28-SEP-89				99
A L	MIL-J-83472A	JACKET, COLD WEATHER, SECURITY POLICE CWJ-46/P [VALIDATION DATE: 8802]	A 8415	CT	26-FEB-88		11	CT	
A L	MIL-C-83473A	USER: 45 REVIEWER: 99 CAP, EXTREME COLD WEATHER, HGU-38/P [VALIDATION DATE: 8802] USER: 45	A 8415	CT	26-FEB-88		11	CT	
L	MIL-S-83474	REVIEWER: 99 SHIMS, MOLDED, FILLED RESIN COMPOUND AND SHEET PREPREG [VALIDATION DATE:	A 9330	11	27-FEB-76		11		
A L	MIL-B-83475(1)	8305) REVIEWER: GS BELT, SECURITY POLICE, 2 1/4 INCH WIDE [VALIDATION DATE: 8802] USER: 45	A 8465	CT	26-FEB-88		11	CT	
A L	MIL-S-83482B	REVIEWER: 99 SLACKS, WOMENS USER: 45 REVIEWER: 99 .....	A 8410	CT	01-JUN-88		11	CT	
	MIL-T-83483A	THREAD COMPOUND, ANTISEIZE, MOLYBDENUM DISULFIDE-PETROLATUM [VALIDATION	A 8030	11	23-MAY-78	MR	SH		
L	MIL-R-83485(3)	DATE: 8405) RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES	A 5330	11	11-MAY-91		11		
A L	MIL-R-83485(1)	REVIEWER: 82 99 JS RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES,	A 5330	11	10-DEC-92		11		
	MIL-C-83488C	O-RINGS, SIZES AND TOLERANCES [VALIDATION DATE: 9212]	A MFFP	11	30-JUL-87	MR	AS	11	
A L	MIL-C-83489	COATING, ALUMINUM, ION VAPOR DEPOSITED [VALIDATION DATE: 8707] .....	A 8305	CT	11-MAY-90		AS	CT	
	MIL-S-83490	CLOTH, COATED, NYLON, POLYURETHANE COATED .....	A CHAM	10	30-OCT-68	AR	OS	10	
L	MIL-S-83490(1(1)	SPECIFICATION, TYPES AND FORMS [VALIDATION DATE: 7411] REVIEWER: 11 99 AS	A MISC	05	31-JAN-78		OS		
L	MIL-S-83490(2(1)	AV CG CR DM ER MC MI SA SH SPECIFICATION, TYPES AND FORMS, NAVSEA XMS AND WS SERIES [VALIDATION DATE:	A MISC	05	31-JAN-78		OS		
L	MIL-L-83491A	85081) SPECIFICATION, TYPES AND FORMS, MILITARY (OS) SERIES [VALIDATION DATE:	A 4220	99	10-JAN-78		99		
L	MIL-S-83492	85081) LIFE RAFTS, INFLATABLE, LRU-16/P AND LRU-17/P .....	A 1660	82	25-AUG-89		99		
A L	MIL-M-83495A(2)	SURVIVAL KIT CONTAINERS, AIRCRAFT SEAT, GENERAL SPECIFICATION FOR	A TMSS	16	22-JAN-93		16		
D L	MIL-P-83497A	[VALIDATION DATE: 8908] MANUALS, TECHNICAL: ON-EQUIPMENT SET, ORGANIZATIONAL MAINTENANCE MANUALS;	A 1PSC	10	07-AUG-81		10		
OL	MIL-C-83500(2)	DETAILED REQUIREMENTS FOR PREPARATION OF (FOR USAF EQUIPMENT) USER: 11 13	A 5910	85	27-FEB-87		85		
L	MIL-C-83500(1A(2)	14 15 19 99 REVIEWER: 01 10 PROCEDURES FOR PREPARATION OF PROGRAMMED TAPES AND CARDS REVIEWER: 01 02	A 5910	85	27-FEB-87		85		
L	MIL-C-83501A(2)	25 99 CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM CATHODE,	A 5995	85	14-JAN-92		85		
Q	MIL-S-83502B	GENERAL SPECIFICATION FOR REVIEWER: 99 CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM ANODE AND	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-S-83502(1E	CATHODE STYLES CRLOI AND CRLOZ REVIEWER: 99 CORD ASSEMBLIES, ELECTRICAL, BRAIDED AND MOLDED JACKET GENERAL	A 5935	85	11-DEC-89	CR	EC	85	
	MIL-S-83502(2E	SPECIFICATION FOR [VALIDATION DATE: 9201] REVIEWER: 11 99 SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION	A 5935	85	11-DEC-89	CR	EC	85	
	MIL-S-83502(3C	FOR [VALIDATION DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-S-83502(5B	ES MI SH SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T07, LOW PROFILE)	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-S-83502(6B	USER: 19 AS AT AV MC ME REVIEWER: 11 99 AR ES MI SH SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T05, PRESS TO FIT)	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-S-83502(7A	USER: 19 AS AT AV MC ME REVIEWER: 11 99 AR ES MI SH SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T08) [VALIDATION DATE:	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-S-83502(8C	8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (R052) [VALIDATION	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-S-83502(9A	DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T018) [VALIDATION	A 5935	85	15-MAY-88	CR	EC	85	
	MIL-C-83503A(1)	DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T010, OFFSET)	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-C-83503(6B	[VALIDATION DATE: 8805] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES	A 5935	85	03-NOV-88	CR	EC	85	
	MIL-C-83503(7C	MI SH SOCKET, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T060) [VALIDATION	A 5935	85	15-MAY-88	CR	EC	85	
	MIL-C-83503(20B(2)	DATE: 8811] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99 AR ES MI SH SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, ROUND STYLE (T05, WITH RETAINING	A 5935	85	13-DEC-85		85		
	MIL-C-83503(21B(3)	RING) [VALIDATION DATE: 8805] USER: 19 AS AT AV MC ME REVIEWER: 11 17 99	A 5935	85	03-NOV-88		85		
	MIL-C-83503(22B	AR ES MI SH CONNECTOR, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD,	A 5935	85	14-JUL-89		85		
	MIL-C-83503(23A(1)	NONENVIRONMENTAL GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES CONNECTOR, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, DUAL-IN-LINE PLUG FOR	A 5935	85	14-JUL-89		85		
	MIL-C-83503(24A(2)	TERMINATING ROUND CONDUCTORS ON .050 CENTERS, FOR MATING WITH STANDARD DIP	A 5935	85	22-JUN-90		85		
	MIL-C-83503(25A(3)	SOCKETS, .100 X .300 CONTACT SPACING, .100 X .400 CONTACT SPACING AND .100	A 5935	85	22-JUN-90		85		
Q	MIL-S-83504A	X .600 CONTACT SPACING [VALIDATION DATE: 8811] REVIEWER: 11 17 99 ES CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, PLUG WITH DUAL	A 5930	85	31-DEC-90	ER	EC	85	
	MIL-S-83504(1B	POLARIZATION, ROUND CONDUCTOR, INSULATION DISPLACING, NON-REMOVABLE SOCKET	A 5930	85	17-APR-87	ER	EC	85	
	MIL-S-83504(2B	CONTACTS (.100 X .100 SPACING) [VALIDATION DATE: 8811] REVIEWER: 11 17 99	A 5930	85	17-APR-87	ER	EC	85	
	MIL-S-83504(3A	ES CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, HEADER, RIGHT ANGLE	A 5930	85	17-APR-87	ER	EC	85	
	MIL-S-83504(4C	(.100 SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR PWB	A 5930	85	26-JAN-90	ER	EC	85	
		TERMINATION REVIEWER: 11 17 99 CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, HEADER, STRAIGHT							
		THRU (.100 INCH SPACING) WITH POLARIZING FEATURE SOLDERLESS WRAPPOST OR							
		PWB TERMINATION REVIEWER: 11 17 99 CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, SOCKET INSULATION							
		DISPLACEMENT [VALIDATION DATE: 8907] REVIEWER: 11 17 99 ES CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, PRINTED WIRING BOARD							
		SOLDER TRANSITION FOR TERMINATING ROUND CONDUCTORS ON .050 INCH CENTERS							
		[VALIDATION DATE: 8907] REVIEWER: 11 17 99 ES CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, FOUR WALL HEADER,							
		RIGHT ANGLE (.100 SPACING) WITH POLARIZING FEATURE, SOLDERLESS WRAPPOST OR							
		PWB TERMINATION REVIEWER: 11 17 99 CONNECTORS, ELECTRICAL, FLAT CABLE, NONENVIRONMENTAL, FOUR WALL HEADER,							
		STRAIGHT THRU (.100 SPACING) WITH POLARIZING FEATURE, SOLDERLESS WRAPPOST							
		OR PWB TERMINATION REVIEWER: 11 17 99 SWITCHES, DUAL IN-LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR USER: AR							
		REVIEWER: 99 AS AV ES SWITCH, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE,							
		SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704]							
		USER: AR REVIEWER: 11 99 AS AV ES GS SWITCH, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, LOW PROFILE, SINGLE							
		POLE, SINGLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: AR							
		REVIEWER: 11 99 AS AV ES SWITCH, DUAL IN-LINE PACKAGE (DIP) SLIDE ACTUATOR, LOW PROFILE, SINGLE							
		THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: AR REVIEWER: 11							
		99 AS AV ES SWITCH, SLIDE, DUAL IN-LINE PACKAGE (DIP), SINGLE AND DOUBLE POLE, SINGLE							
		THROW STATIONS, SEALED BASE USER: AR REVIEWER: 11 99 AS AV ES SH							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc. / OMA Coordination Machine Document Number	Document Title	Doc. Smt. FSC / Area MCS Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
MIL-S-83504/5 NOTICE 1	SWITCH, DUAL IN LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: 11 AR REVIEWER: 99 AS AV ES	A 5930 85 17-APR-87	ER EC 85
MIL-S-83504/6 NOTICE 1	SWITCH, DUAL IN LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE [VALIDATION DATE: 8704] USER: 11 AR REVIEWER: 99 AS AV ES	A 5930 85 17-APR-87	ER EC 85
MIL-S-83504/7A NOTICE 1	SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES	A 5930 85 10-MAR-89	ER EC 85
MIL-S-83504/8A NOTICE 1	SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED ROCKER ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES	A 5930 85 10-MAR-89	ER EC 85
MIL-S-83504/9A	SWITCHES, DUAL IN-LINE PACKAGE (DIP), TOGGLE ACTUATOR, STANDARD PROFILE, SINGLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES	A 5930 85 31-JAN-92	ER EC 85
MIL-S-83504/10B	SWITCHES, DUAL IN-LINE PACKAGE (DIP), TOGGLE ACTUATOR, STANDARD PROFILE, DOUBLE POLE, DOUBLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES	A 5930 85 31-JAN-92	ER EC 85
MIL-S-83504/11B	SWITCHES, DUAL IN-LINE PACKAGE (DIP), SIDE TOGGLE ACTUATOR, LOW PROFILE, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE USER: 11 AR REVIEWER: 99 AS AV ES	A 5930 85 29-MAR-91	ER EC 85
L MIL-S-83504/12A	SWITCHES, DUAL IN-LINE PACKAGE (DIP), RECESSED SLIDE ACTUATED, SINGLE POLE, SINGLE THROW STATIONS, SEALED BASE, MACHINE INSERTABLE REVIEWER: 99 ES	A 5930 85 03-NOV-89	85
L MIL-S-83504/13	SWITCHES, DUAL IN-LINE PACKAGE (DIP), ROTARY ACTUATED, BINARY CODED, SEALED REVIEWER: ES	A 5930 85 18-DEC-90	85
QL MIL-S-83505A	SOCKET, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR REVIEWER: 11 17 99 ES	A 5935 85 30-NOV-87	ER EC 85
MIL-S-83505/1E	SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE I, SOLDERLESS WRAP) REVIEWER: 11 17 99 ES	A 5935 85 25-SEP-91	CR EC 85
L MIL-S-83505/2B	SOCKET, (LEAD, ELECTRONIC COMPONENTS) (TYPE II, PRINTED CIRCUIT) REVIEWER: 11 17 80 99 ES	A 5935 85 30-NOV-87	ER EC 85
L MIL-S-83505/3C	SOCKET (LEAD, ELECTRONIC COMPONENTS) (TYPE III, SOLDER WIRE TURRET) REVIEWER: 11 17 80 99 ES	A 5935 85 30-NOV-87	ER EC 85
L MIL-S-83505/4B	SOCKET (LEAD, ELECTRONIC COMPONENTS) (TYPE IV, SOLDER CUP) REVIEWER: 11 17 80 99	A 5935 85 30-NOV-87	ER EC 85
MIL-S-83505/5D	SOCKETS (LEAD, ELECTRONIC COMPONENTS) (TYPE V, OTHER) REVIEWER: 11 17 99 ES	A 5935 85 25-SEP-91	CR EC 85
MIL-S-83505/6D	SOCKETS, (LEAD, ELECTRONIC COMPONENTS) (TYPE VI, SOLDERLESS SPRING CONTACT) REVIEWER: 11 17 99 ES	A 5935 85 25-SEP-91	CR EC 85
L MIL-C-83506 NOTICE 1	CABLE ASSEMBLY MOLDED CONNECTOR: GENERAL PURPOSE, ELECTRONIC EQUIPMENT (GROUNDING CONNECTOR MOLDED) [VALIDATION DATE: 9112] REVIEWER: 99	A 5995 85 27-DEC-91	85
L MIL-C-83506/1 NOTICE 1	CABLE ASSEMBLY MOLDED CONNECTOR: GENERAL PURPOSE, ELECTRONIC EQUIPMENT (GROUNDING CONNECTOR MOLDED) 2 POLE, 3 WIRE 10 AMP; 125 VOLTS [VALIDATION DATE: 9112] REVIEWER: 99	A 5995 85 27-DEC-91	85
Q MIL-T-83507(1) SUPPL 1A1, NOTICE 1	TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES GENERAL SPECIFICATION FOR [VALIDATION DATE: 8805] USER: 19 AT GL MC REVIEWER: 11 12 17 99 AR AV EC ES MI SH	A 5180 85 15-MAY-88	EL AS 85
A MIL-T-83507/10 NOTICE 2	TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT FOR 08089559, 08089560, AND 08089561 CONNECTORS [VALIDATION DATE: 9208] USER: 19 AT MC ME REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5180 85 25-AUG-92	CR AS 85
L MIL-T-83507/11	TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES, TOOL KIT FOR MIL-C-22520/1 CRIMPING TOOL AND TURRETS [VALIDATION DATE: 8410] USER: MC REVIEWER: EC ES	A 5180 AS 16-MAR-78	AS
D MIL-T-83507/15 NOTICE 2	TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: TOOL KIT, GENERAL PURPOSE, BACKSHELL HARDWARE TOOLS [VALIDATION DATE: 9208] USER: 19 AT MC YD1 REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5180 85 25-AUG-92	CR AS 85
L MIL-T-83507/16	TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES, TOOL KIT FOR M46/53 HELICOPTER CONNECTOR SYSTEMS [VALIDATION DATE: 8509]	A 5180 AS 02-APR-79	AS
L MIL-T-83507/17	TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ASSORIES, TOOL KIT FOR MIL-C-22520/2 CRIMPING TOOL AND POSITIONERS [VALIDATION DATE: 8410] USER: MC REVIEWER: EC ES	A 5180 AS 07-JUL-78	AS
MIL-E-83510A NOTICE 1	EARPHONE ELEMENT [VALIDATION DATE: 8901] USER: AS MD OS REVIEWER: 11 99 ES MI	A 5965 85 13-JAN-89	CR EC 85
MIL-H-83511(2) SUPPL 1A1	HEADSET MICROPHONE AND HEADSET ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE), GENERAL SPECIFICATIONS FOR USER: MC REVIEWER: 99 ES	A 5965 85 24-JUN-95	CR EC 85
MIL-H-83511/1 NOTICE 1	HEADSET, ELECTRICAL, H-251A/U [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES	A 5965 85 13-JAN-89	ER EC 85
MIL-H-83511/2 NOTICE 1	HEADSET-MICROPHONE, H-157A/AIC [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES	A 5965 85 13-JAN-89	ER EC 85
MIL-H-83511/3 NOTICE 1	HEADSET, ELECTRICAL, H-158A/AIC [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES	A 5965 85 13-JAN-89	ER EC 85
MIL-H-83511/4B	HEADSET - MICROPHONE, H-161F/G/R USER: MC REVIEWER: 99 ES	A 5965 85 10-FEB-92	CR EC 85
MIL-H-83511/5	HEADSET MICROPHONE, H-172/AIC USER: MC REVIEWER: 99 ES	A 5965 85 04-APR-78	CR EC 85
MIL-H-83511/6A NOTICE 1	HEADSET, ELECTRICAL H-173C/AIC [VALIDATION DATE: 8901] USER: MC REVIEWER: 99 ES	A 5965 85 13-JAN-89	CR EC 85
MIL-H-83511/7A NOTICE 1	HEADSET-MICROPHONE, MB3511/7-01 [VALIDATION DATE: 9201] USER: MC REVIEWER: 99 ES	A 5965 85 20-JAN-92	ER EC 85
MIL-H-83511/8	MICROPHONE HEADSET H182A/PT	A 5965 CR 11-OCT-85	CR
Q MIL-C-83513C SUPPL 1A1	CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR USER: 19 AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH	A 5935 85 31-MAR-89	CR EC 85
MIL-C-83513/1E	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH	A 5935 85 31-MAR-89	CR EC 85
MIL-C-83513/2E	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH	A 5935 85 31-MAR-89	CR EC 85
MIL-C-83513/3E	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES MI SH	A 5935 85 31-MAR-89	CR EC 85
MIL-C-83513/4E	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, CRIMP TYPE USER: AT CG MC ME SH REVIEWER: 11 17 99 AS ES	A 5935 85 31-MAR-89	CR EC 85
MIL-C-83513/5E	CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, MOUNTING HARDWARE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH	A 5935 85 31-MAR-89	CR EC 85
MIL-C-83513/6C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH	A 5935 85 31-MAR-89	CR EC 85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Orig / Chg Combination Institute Document Number	Document Title	Dist. Smt. FSC / Ans MCA Symbol Preparing Org.	Date	Customers			
				Army	Navy	Air Force	DLA
MIL-C-83513/7C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, SOLDER TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH	A 5935	05 31-MAR-89	CR	EC	85	
MIL-C-83513/8C	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS P, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH	A 5935	05 31-MAR-89	CR	EC	85	
MIL-C-83513/9C	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS P, CRIMP TYPE USER: AT CG MC ME REVIEWER: 11 17 99 AS ES SH	A 5935	05 31-MAR-89	CR	EC	85	
MIL-C-83513/10	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/11	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/12	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/13	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, NARROW PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/14	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, NARROW PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/15	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/16	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 27-FEB-92	CR	EC	85	
MIL-C-83513/17	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, PIN CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 27-FEB-92	CR	EC	85	
MIL-C-83513/18	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 27-FEB-92	CR	EC	85	
MIL-C-83513/19	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, STANDARD PROFILE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 27-FEB-92	CR	EC	85	
MIL-C-83513/20	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, STANDARD PROFILE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 27-FEB-92	CR	EC	85	
MIL-C-83513/21	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, RIGHT ANGLE, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, STANDARD PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/22	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/23	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/24	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/25	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 2 ROW, SOLDER TYPE, 9 THROUGH 37 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/26	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 3 ROW, SOLDER TYPE, 51 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83513/27	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, 100 CONTACTS, PRINTED CIRCUIT BOARD USER: AT CG MC ME REVIEWER: 11 17 99 AS MI SH	A 5935	05 11-FEB-92	CR	EC	85	
MIL-C-83515A SUPPL 1A1, NOTICE 1	CONNECTORS, TELECOMMUNICATION, POLARIZED SHELL, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES	A 5935	05 27-DEC-91	ER	EC	85	
MIL-C-83515/1A NOTICE 1	CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES	A 5935	05 27-DEC-91	CR	EC	85	
L MIL-C-83515/2	CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACTS, SCREWLOCK [VALIDATION DATE: 8805] USER: 11 17 19 REVIEWER: 99 ES	A 5935	05 15-MAY-88			85	
MIL-C-83515/3A NOTICE 1	CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY SHIELD, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES	A 5935	05 27-DEC-91	CR	EC	85	
MIL-C-83515/4A NOTICE 1	CONNECTOR, TELECOMMUNICATIONS, POLARIZED SHELL, RECEPTACLE, FEMALE RACK AND PANEL, SOLDER CONTACT, SIDE ENTRY COVER, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES	A 5935	05 27-DEC-91	CR	EC	85	
MIL-C-83515/5A NOTICE 1	CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, PLUG, MALE, PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES	A 5935	05 27-DEC-91	CR	EC	85	
L MIL-C-83515/6 NOTICE 1	CONNECTOR, TELECOMMUNICATION, POLARIZED SHELL, RECEPTACLE, FEMALE, PRINTED CIRCUIT BOARD, SOLDER CONTACT, SCREWLOCK [VALIDATION DATE: 9112] USER: 11 17 19 REVIEWER: 99 ES	A 5935	05 27-DEC-91			85	
OL MIL-R-83516A(3)	RELAYS, REED, DRY, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8907] REVIEWER: 99 ES	A 5945	05 14-JUL-89			85	
L MIL-R-83516/1C	RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE REVIEWER: 99 ES	A 5945	05 22-DEC-89			85	
L MIL-R-83516/3C	RELAYS, REED, DRY, SINGLE IN-LINE PACKAGE (SIP), GENERAL PURPOSE REVIEWER: 99 ES	A 5945	05 30-SEP-90			85	
L MIL-R-83516/4A(1)	RELAYS, REED, DRY, DUAL IN-LINE PACKAGE (DIP), GENERAL PURPOSE, LOW-POWER COIL [VALIDATION DATE: 8907] REVIEWER: 99 ES	A 5945	05 14-JUL-89			85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc / Chg / Coordination / Inactive / Document Number	Document Title	Dist. Smt. / FSC / Issue / MCA Symbol / Preparing Act.	Date	Custodians			
					Army	Navy	Air Force	DIA
L	MIL-R-83516/58	RELAYS, REED, SINGLE IN-LINE PACKAGE (SIP), GENERAL PURPOSE, LOW-POWER COIL REVIEWER: 99 ES	A 5945	85	30-SEP-90		85	
AQ	MIL-C-83517(1) SUPPL 1A1, NOTICE 2	CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP TRANSMISSION LINE GENERAL SPECIFICATION FOR [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
	MIL-C-83517/1(1) NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED TAB TERMINAL) [VALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AR AS AT ES MI SH	A 5935	85	27-DEC-91	CR	EC	85
A	MIL-C-83517/2(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED TAB TERMINAL) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
A	MIL-C-83517/3(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED SLOTTED TAB TERMINAL) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
A	MIL-C-83517/4(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
A	MIL-C-83517/5(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE MOUNTED EXTENDED DIELECTRIC) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
A	MIL-C-83517/6(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
A	MIL-C-83517/7(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, 8 HOLE SURFACE LAUNCH) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
A	MIL-C-83517/8(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, 8 HOLE SURFACE LAUNCH RIGHT ANGLE) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
	MIL-C-83517/9(2) NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, END LAUNCH) USER: 19 MC REVIEWER: 11 99 AR AS AT ES MI SH	A 5935	85	18-MAR-88	CR	EC	85
A	MIL-C-83517/10(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (SOCKET CONTACT, FLANGE MOUNTED) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
A	MIL-C-83517/11(1) NOTICE 2	CONNECTOR, RECEPTACLE, ELECTRICAL, COAXIAL, RADIO FREQUENCY, STRIP OR MICROSTRIP TRANSMISSION LINE, SERIES SMA (PIN CONTACT, FLANGE AND MOUNTED) [VALIDATION DATE: 9302] REVIEWER: 99 AS AT ES MI SH	A 5935	85	12-FEB-93	CR	EC	85
AQ	MIL-S-83519A(4)	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT GENERAL SPECIFICATION FOR REVIEWER: 99 GS MC MI SA	A 5940	85	17-FEB-93	ER	AS	85
	MIL-S-83519/1C NOTICE 1	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS 1) [VALIDATION DATE: 9202] REVIEWER: 99 GS MC MI SA	A 5940	85	06-FEB-92	ER	AS	85
	MIL-S-83519/2A(2) NOTICE 1	SHIELD TERMINATION, SOLDER STYLE INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PREINSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS 1) [VALIDATION DATE: 9202] REVIEWER: 99 GS MC MI SA	A 5940	85	06-FEB-92	ER	AS	85
L	MIL-R-83520	RELAYS, ELECTROMECHANICAL, GENERAL PURPOSE, NON-HERMETICALLY SEALED, PLASTIC ENCLOSURE (UST COVER) REVIEWER: ES	A 5945	85	28-SEP-83		85	
	MIL-M-83521A(1)	MAINTENANCE KIT, ELECTRICAL CONNECTORS, GENERAL SPECIFICATION FOR USER: 19 AV MC ME REVIEWER: 11 12 17 99 AR AT GL OS SH	A 5935	85	23-MAR-90	CR	AS	85
M L	MIL-M-83521/3 NOTICE 1	MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR A10 AIRCRAFT, CONNECTOR SYSTEMS [VALIDATION DATE: 9305] USER: 19 REVIEWER: 11 99 ES	A 5935	85	21-MAY-93		85	
L	MIL-M-83521/4A	MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR PAVE SPIKE SYSTEM USER: 19 REVIEWER: 11 99 ES	A 5935	85	29-MAR-91		85	
	MIL-M-83521/5A	MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, & CONNECTORS & CABLE ACCESSORIES: MAINTENANCE KIT, GENERAL PURPOSE, (AIR/WITROGEN HEAT GUN) USER: 19 AT MC REVIEWER: 11 99 AR AV EC ES GL MI OS SH	A 5935	85	06-AUG-85	ER	AS	85
	MIL-M-83521/6	MAINTENANCE KIT, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR GENERAL PURPOSE USE USER: 19 AT MC ME REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5935	85	22-DEC-86	CR	85	
	MIL-M-83521/7	MAINTENANCE KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT GENERAL PURPOSE, FOR MIL-C-22520/5 CRIMPING TOOL AND DIES USER: 19 80 AR AT MC REVIEWER: 11 99 AV EC ES GL MI OS SH	A 5935	85	17-NOV-89	CR	AS	85
	MIL-M-83521/8	MAINTENANCE KIT, ELECTRICAL CONTACT, CONNECTOR AND CABLE ACCESSORIES: MAINTENANCE KIT FOR MIL-C-22520/7 CRIMPING TOOL AND POSITIONERS USER: 19 MC SH REVIEWER: 11 99 AR AT AV CL EC ES MI	A 5935	85	25-APR-90	CR	AS	85
DQ	MIL-C-835220	CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR USER: MC OS YDI REVIEWER: 13 14 17 19 70 71 80 82 84 90 99 AS ES MI SH	A 6060	85	25-JUN-92	CR	EC	85
	MIL-C-83522/1E	CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STEP-DOWN NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH	A 6060	85	29-MAR-91	CR	EC	85
	MIL-C-83522/2F	CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, (STRAIGHT NOSE INTERFACE), LENSLESS, EPOXY, FOR 50/125 MICRO METERS, 62.5/125 MICRO METERS, AND 100/140 MICRO METERS USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH	A 6060	85	29-MAR-91	CR	EC	85
L	MIL-C-0083522/2E	CONNECTOR, FIBER OPTIC, HIGH RELIABILITY, FIXED SINGLE TERMINUS, PLUG 100/140 MICRO METER FIBER (SPACE LEVEL) REVIEWER: ES	A 6660	NA	01-JAN-89			
	MIL-C-83522/3F	CONNECTOR, ADAPTER, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER USER: 13 AS MC OS REVIEWER: 11 17 19 ES SH	A 6060	85	28-JUN-90	CR	EC	85
	MIL-C-83522/4E	CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, RECEPTACLE, LOW PROFILE PARALLEL PC MOUNT USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH	A 6060	85	30-DEC-88	CR	EC	85
	MIL-C-83522/50	CONNECTOR, RECEPTACLE, FIBER OPTIC, BULKHEAD MOUNT, FOR SINGLE FIBER USER: 14 AS MC OS REVIEWER: 11 17 19 ES SH	A 6060	85	30-DEC-88	CR	EC	85
	MIL-C-83522/60	CONNECTOR, PLUG, FIBER OPTIC, SINGLE TERMINUS, THREADED, EXPANDED BEAM LENS, EPOXY, FOR 50/125 MICRO METERS, 62.5 MICRO METERS, AND 100/140 MICRO METERS USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH	A 6060	85	29-MAR-91	CR	EC	85
D	MIL-C-83522/7B	CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, PARALLEL PC MOUNT USER: MC OS YDI REVIEWER: 11 17 19 70 71 AS ES MI SH	A 6060	85	30-DEC-88	CR	EC	85
D	MIL-C-83522/8B	CONNECTOR, RECEPTACLE, FIBER OPTIC, SINGLE TERMINUS, THREADED, BULKHEAD, HEX MOUNT USER: 13 14 19 MC OS YDI REVIEWER: 11 17 AS ES MI SH	A 6060	85	30-DEC-88	CR	EC	85
	MIL-C-83522/9	CONNECTOR, FIBER OPTIC, RECEPTACLE, PC MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 17 19 80 90 99 ES SH	A 6060	85	08-DEC-89	CR	EC	85
	MIL-C-83522/10	CONNECTOR, FIBER OPTIC, RECEPTACLE, FLANGE MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 17 19 80 90 99 ES SH	A 6060	85	08-DEC-89	CR	EC	85
	MIL-C-83522/11	CONNECTOR, FIBER OPTIC, ADAPTER, IN-LINE-CABLE, PANEL MOUNT (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: AS MC OS REVIEWER: 11 17 19 80 90 ES SH	A 6060	85	08-DEC-89	CR	EC	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active GPO / ONI Classification Machine Document Number	Document Title	Doc. Symb. FAC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
MIL-C-83522/12A	CONNECTOR, FIBER OPTIC, PLUG-RECEPTACLE-ADAPTER STYLE, 2.5 MM BAYONET CONNECTOR, PLUG, EPOXY, FOR 50/125 MICRO METER, 62.5/125 MICRO METER AND 100/140 MICRO METER USER: 13 14 AS MC OS REVIEWER: 11 17 19 ES SH	A 6060 85 25-JAN-90	CR	EC	BS	
MIL-C-83522/13A	CONNECTOR, FIBER OPTIC, ADAPTER 2.5 MM BAYONET, BULKHEAD PANEL MOUNT, COUPLING RECEPTACLE USER: 13 14 AS REVIEWER: 11 17 19 SH	A 6060 85 25-JAN-90	CR	EC	BS	
MIL-C-83522/14A	CONNECTOR, FIBER OPTIC, ACTIVE DEVICE RECEPTACLE, 2.5 MM BAYONET PC MOUNT USER: AS MC OS REVIEWER: 11 17 19 80 90 ES	A 6060 85 25-JAN-90	CR	EC	BS	
MIL-C-83522/15	CONNECTORS, FIBER OPTIC, PLUG-RECEPTACLE-ADAPTER STYLE, FIXED SINGLE TERMINUS ENVIRONMENTAL FSMA STYLE, CRIMP AND CLEAVE USER: AS MC OS REVIEWER: 11 17 80 90 99 ES SH	A 6060 85 19-DEC-89	ER	EC	BS	
A MIL-C-83522/16A	CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, PLUG, ADAPTER STYLE, 2.5 MILLIMETERS BAYONET COUPLING, EPOXY REVIEWER: SH	A 6060 85 25-JUN-92	CR	EC	BS	
A MIL-C-83522/17A	CONNECTOR, FIBER OPTIC, SINGLE TERMINUS, ADAPTOR, 2.5 MILLIMETER BAYONET COUPLING, BULKHEAD PANEL MOUNT USER: AS MC OS REVIEWER: 17 19 71 80 90 99 ES SH	A 6060 85 25-JUN-92	CR	EC	BS	
A MIL-C-83522/18A	CONNECTOR FIBER OPTIC, SINGLE TERMINUS, ADAPTER 2.5 MILLIMETER BAYONET COUPLING PC MOUNT USER: 13 14 AS MC OS REVIEWER: 17 19 71 80 90 99 ES SH	A 6060 85 25-JUN-92	CR	EC	BS	
MIL-T-83523	TOOLS, FIBER OPTIC USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH	A 5110 85 27-AUG-87	CR	EC	BS	
MIL-T-83523/1	TOOLS, FIBER OPTIC, HAND TERMINATING, TYPE II USER: AV MC ME REVIEWER: 11 13 14 19 AR AS AT ES GL OS SH	A 6060 85 30-SEP-86	CR	EC	BS	
M MIL-T-83523/2A NOTICE 1	TOOLS, FIBER OPTIC, POLISHING BUSHING ASSEMBLY, TYPE IV (VALIDATION DATE: 9005) USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SC SH	A 6060 85 28-MAY-93	CR	EC	BS	
MIL-T-83523/3A	TOOL, FIBER OPTIC, CLEAVING, CARBIDE, TYPE I USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH	A 5110 85 10-MAY-85	CR	EC	BS	
MIL-T-83523/4A	TOOL, FIBER OPTIC, SCRIBE, DIAMOND/SAPPHIRE, TYPE I USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH	A 5110 85 10-MAY-85	CH	EC	BS	
MIL-T-83523/5 NOTICE 1	TOOLS, FIBER OPTIC, RETAINING BAND STRAIN RELIEF, TYPE VII (VALIDATION DATE: 9005) USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH	A 6060 85 14-MAY-90	CR	EC	BS	
MIL-T-83523/6 NOTICE 1	TOOLS, FIBER OPTIC, POLISHING FIXTURE ASSEMBLY, TYPE IV (VALIDATION DATE: 9005) USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH	A 6010 85 14-MAY-90	CR	EC	BS	
MIL-T-83523/7 NOTICE 1	TOOLS, FIBER OPTIC, WRENCH AND ADAPTER, TORQUE STRAIN RELIEF, TYPE V (VALIDATION DATE: 9005) USER: 19 AV MC ME REVIEWER: 11 17 99 AR AS AT ES MI OS SH	A 6060 85 14-MAY-90	CH	EC	BS	
MIL-T-83523/8 NOTICE 1	TOOLS, FIBER OPTIC, WRENCH, SPANNER, TYPE V (VALIDATION DATE: 9005) USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH	A 6060 85 14-MAY-90	CH	EC	BS	
MIL-T-83523/9 NOTICE 1	TOOLS, FIBER OPTIC, SCRIBE, CONICAL AND WEDGE, TYPE I (VALIDATION DATE: 9005) USER: 19 MC ME REVIEWER: 11 17 99 AR AS AT ES GL MI OS SH	A 6010 85 14-MAY-90	CR	EC	BS	
D MIL-T-83523/10	TOOLS, FIBER OPTIC, HAND, TYPE VII, CARBIDE/DIAMOND COMPOSITION C USER: 19 AV MC ME YDI REVIEWER: 11 13 14 17 AR AT ES GL OS SH	A 6060 85 30-SEP-86	CH	EC	BS	
MIL-T-83523/16A	TOOL, FIBER OPTIC, STRIPPING, (50/125), (100/140), (400/430), (600/630), (1000/1040), TYPE X, COMPOSITION C USER: MC REVIEWER: 11 17 80 90 99 AR AS AT ES GL MI OS SH	A 6060 85 09-MAR-88	CR	EC	BS	
D MIL-M-83524 NOTICE 1	MICROSCOPE, OPTICAL, MONOCULAR, HAND HELD, PORTABLE, MILITARIZED, 200X MAGNIFICATION, FOR FIELD INSPECTION OF OPTICAL FIBERS USER: 11 17 99 MC ME YDI REVIEWER: AR AT ES GL MI OS SH	A 6650 85 18-OCT-85	CR	EC	BS	
D MIL-K-83525 NOTICE 1	KIT, PORTABLE OPTICAL MICROSCOPE, MILITARIZED, 200X MAGNIFICATION FOR FIELD INSPECTION OF OPTICAL FIBERS (VALIDATION DATE: 9010) USER: 19 AV MC ME YDI REVIEWER: 11 17 99 AR AT ES GL OS SH	A 6080 85 18-OCT-90	CR	EC	BS	
N MIL-C-83526A SUPPL 1A1	CONNECTORS, FIBER OPTIC, CIRCULAR, ENVIRONMENTAL RESISTANT, HERMAPHRODITIC, GENERAL SPECIFICATION FOR REVIEWER: 11 17 19 80 99 ES MI	A 6060 85 30-JUN-89	CR	EC	BS	
D MIL-C-83526/1A	CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 AND 4 POSITIONS USER: 13 14 MC OS YDI REVIEWER: 11 17 19 80 90 99 AS ES MI SH	A 6060 85 30-JUN-89	CR	EC	BS	
MIL-C-83526/2A	CONNECTORS, PLUG, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19 AS MI SH	A 6060 85 30-JUN-89	CR	EC	BS	
D MIL-C-83526/3A	CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, 2 AND 4 POSITIONS USER: 13 14 MC OS YDI REVIEWER: 11 17 19 AS MI SH	A 6060 85 30-JUN-89	CR	EC	BS	
MIL-C-83526/4A	CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 80 AS ES MI SH	A 6060 85 30-JUN-89	CR	EC	BS	
MIL-C-83526/5A	CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, WALL MOUNTING, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19 AS MI SH	A 6060 85 30-JUN-89	CR	EC	BS	
MIL-C-83526/6A	COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, HERMAPHRODITIC, ENVIRONMENTAL, 2 AND 4 POSITIONS USER: 13 14 REVIEWER: 11 17 19	A 6060 85 30-JUN-89	CR	EC	BS	
D MIL-C-83526/7A	COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, PLAIN, ENVIRONMENTAL, 2, 4, AND 6 POSITIONS USER: 13 14 MC OS YDI REVIEWER: 11 17 19 80 90 99 AS ES MI SH	A 6060 85 30-JUN-89	CR	EC	BS	
MIL-C-83526/8A	COVER, FIBER OPTIC, CONNECTOR, CIRCULAR, HERMAPHRODITIC, ENVIRONMENTAL, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19	A 6060 85 30-JUN-89	CR	EC	BS	
MIL-C-83526/9A	DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 2 AND 4 POSITIONS USER: 13 14 REVIEWER: 11 17 19	A 6060 85 30-JUN-89	CR	EC	BS	
MIL-C-83526/10A	DUMMY CONNECTOR, PLUG, FIBER OPTIC, TEST, CIRCULAR, HERMAPHRODITIC, 6 POSITIONS USER: 13 14 REVIEWER: 11 17 19	A 6060 85 30-JUN-89	CR	EC	BS	
D MIL-C-83526/11A	CONNECTORS, RECEPTACLE, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, JAM-NUT MOUNTING, WITHOUT STRAIN RELIEF, 2 AND 4 POSITIONS USER: 13 14 MC OS YDI REVIEWER: 11 17 19 80 90 99 AS ES MI SH	A 6060 85 30-JUN-89	CR	EC	BS	
L MIL-C-83526/12	CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, IN-LINE MOUNTING, 2 POSITIONS	A 6060 CR 09-JUN-89	CR			
L MIL-C-83526/13	CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, BULKHEAD MOUNTING, 2 POSITIONS	A 6060 CR 09-JUN-89	CH			
L MIL-C-83526/14	CONNECTOR, FIBER OPTIC, CIRCULAR, HERMAPHRODITIC, TEST PLUG, 2 POSITIONS	A 6060 CR 09-JUN-89	CR			
L MIL-C-83526/15	CONNECTOR, FIBER OPTIC, HERMAPHRODITIC, DUST COVER, 2 POSITIONS	A 6060 CR 09-JUN-89	CR			
MIL-C-83527A(1) SUPPL 1A1	CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR REVIEWER: 11 17 99 ES	A 5935 85 08-JUN-92	CR	AS	BS	
DOD-C-83527/1A	CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935 85 28-DEC-88	CR	AS	BS	
MIL-C-83527/1A	CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935 85 08-JUN-92	CR	AS	BS	
DOD-C-83527/2A	CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935 85 28-DEC-88	CR	AS	BS	
MIL-C-83527/2B	CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 2 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935 85 08-JUN-92	CR	AS	BS	
DOD-C-83527/3A	CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935 85 28-DEC-88	CR	AS	BS	
MIL-C-83527/3B	CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935 85 08-JUN-92	CR	AS	BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Ident Ctry / Org Combination Inches	Document Number	Document Title	Doc. Smt. FSC Area	MCA Symbol	Preparing Act. Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-C-83527/48	CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 3 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	08-JUN-92	CR	AS	85	
	DOD-C-83527/5A	CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	28-DEC-88	CR	AS	85	
	MIL-C-83527/5B	CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	08-JUN-92	CR	AS	85	
	DOD-C-83527/6A	CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	28-DEC-88	CR	AS	85	
	MIL-C-83527/6B	CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, SHELL SIZE 4 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	08-JUN-92	CR	AS	85	
	MIL-C-83527/7	CONNECTOR, PLUG, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	28-DEC-88	CR	AS	85	
	MIL-C-83527/8	CONNECTOR, RECEPTACLE, ELECTRICAL, RECTANGULAR, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C CONTINUOUS OPERATING TEMPERATURE, MULTIPLE INSERTS REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	28-DEC-88	CR	AS	85	
MQ	MIL-G-83528B(1)	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, GENERAL SPECIFICATION FOR REVIEWER: 11 19 99 NS	A 5999	85	04-JUN-93	ER	EC	85	
A	MIL-G-83528/1C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, CIRCULAR STRIP, .040 THROUGH .250 DIAMETER REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/2B	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRICAL, EMI/RFI D-RING, STANDARD REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/3C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID "D" SHAPED STRIP REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/4C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, CONNECTOR FLANGE MOUNT REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/5C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, D-RING, NON-STANDARD REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/6C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, RECTANGULAR, D-CROSS SECTION REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/7D	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW D-STRIP REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/8C	GASKETING MATERIAL, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW P-STRIP REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/9C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, SOLID RECTANGULAR STRIPS REVIEWER: 19 99	A 5999	85	10-JUL-89	ER	EC	85	
A	MIL-G-83528/10B	GASKETING MATERIAL, CONDUCTIVE, ELASTOMER, ELECTRICAL, EMI/RFI, CHANNEL STRIPS REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
A	MIL-G-83528/11C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, HOLLOW O-STRIPS REVIEWER: 19 99	A 5999	85	10-JUL-89	ER	EC	85	
A	MIL-G-83528/12B	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, FLAT CIRCULAR WASHERS REVIEWER: 19 99	A 5999	85	10-JUL-92	ER	EC	85	
	MIL-G-83528/13C	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ELECTRICAL, EMI/RFI, WAVEGUIDE REVIEWER: 19 20 99 NA	A 5999	85	24-OCT-90	ER	EC	85	
	MIL-G-83528/14	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, EMI/RFI, FOR USE IN TIME TOTALIZING METERS COVERED BY MIL-M-7793, MS21341, AND MS27651 REVIEWER: 19 20 99	A 5999	85	07-JAN-92	ER	EC	85	
L	MIL-A-83529	ADAPTER, HEADSET-MICROPHONE MS3529-01	A 5965	85	10-MAR-89			99	
AQ	MIL-R-83530(2)	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE), GENERAL SPECIFICATION FOR USER: 19 AT AV CG MC ME REVIEWER: 17 AR AS ES OS	A 5905	85	25-MAR-88	ER	EC	85	
	MIL-R-83530/1(1)	RESISTOR, VOLTAGE SENSITIVE (VARISTORS) STYLE RV10 USER: 19 AT AV CG MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5905	85	24-JUL-87	ER	EC	85	
Q	MIL-D-83531(2)	DELAY LINES, PASSIVE, GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	24-OCT-90	ER	EC	85	
A	MIL-D-83531/1A	DELAY LINES, 10-TAP, DUAL-IN-LINE, 14-PIN USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	23-NOV-92	ER	EC	85	
	MIL-D-83531/2	DELAY LINES, 10- TAP, DUAL- IN- LINE, 16- PIN USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	31-MAR-87	ER	EC	85	
	MIL-D-83531/3	DELAY LINES, 20- TAP, DUAL- IN- LINE, 24- PIN USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	31-MAR-87	ER	EC	85	
AQ	MIL-D-83532A(1)	DELAY LINES, ACTIVE GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 19 99 ES	A 5999	85	05-FEB-93	ER	EC	85	
	SUPPL 1A1	DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	30-DEC-91	ER	EC	85	
	MIL-D-83532/1A	DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	30-DEC-91	ER	EC	85	
	MIL-D-83532/2B	DELAY LINES, 14-PIN DIP COMPATIBLE, 5 TAP USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	30-DEC-91	ER	EC	85	
	MIL-D-83532/3A	DELAY LINES, 14-PIN DIP COMPATIBLE, 10 TAP USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	30-DEC-91	ER	EC	85	
	MIL-D-83532/4A	DELAY LINES, 14-PIN DIP COMPATIBLE, 3 DELAY CIRCUITS PER PACKAGE USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	30-DEC-91	ER	EC	85	
	MIL-D-83532/5A	DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, TTL COMPATIBLE USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	30-DEC-91	ER	EC	85	
	MIL-D-83532/6A	DELAY LINES, ACTIVE, 16-PIN DIP COMPATIBLE, PROGRAMMABLE 3-BIT, EMITTER-COUPLED LOGIC USER: AS CG MC SH REVIEWER: 11 19 99 ES	A 5999	85	30-DEC-91	ER	EC	85	
	MIL-D-83532/9	CONNECTOR, FIBER OPTIC, RECEPTACLE, PC MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 19 99 ES SH	A 6060	85	08-DEC-89	CR	EC	85	
	MIL-D-83532/10	CONNECTOR, FIBER OPTIC, RECEPTACLE, FLANGE MOUNT ACTIVE (USED WITH MIL-T-29504/4 PIN TERMINUS, SIZE 16) USER: 13 14 AS MC OS REVIEWER: 11 19 99 ES SH	A 6060	85	08-DEC-89	CR	EC	85	
	MIL-K-83533	MAINTENANCE KIT, FIBER OPTIC COMPONENTS, GENERAL SPECIFICATION FOR USER: AV MC REVIEWER: 11 12 13 14 17 AR AS AT ES GL MI OS SH	A 6080	85	29-DEC-89	CR	EC	85	
	MIL-K-83533/1	MAINTENANCE KITS, FIBER OPTIC CONNECTORS, TERMINI, AND CONNECTOR AND CABLE ACCESSORIES, FIBER TERMINATING USER: AV MC REVIEWER: 11 12 13 14 17 AR AS AT ES GL MI OS SH	A 6080	85	29-DEC-89	CR	EC	85	
HL	MIL-H-83534	HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL GENERAL SPECIFICATION FOR	A 5965	85	01-SEP-89			85	
L	MIL-H-83534/1	HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, AMPLIFIED RECEIVER	A 5965	85	01-SEP-89			85	
L	MIL-H-83534/2	HEADSET-MICROPHONE MONAURAL, LIGHTWEIGHT, INTRA-AURAL, UNAMPLIFIED RECEIVER	A 5965	85	01-SEP-89			85	
HL	MIL-H-83535	HEADSET-MICROPHONE, LIGHTWEIGHT, SUPRA-AURAL, GENERAL SPECIFICATION FOR ...	A 5965	85	01-SEP-89			85	
L	MIL-H-83535/1	HEADSET-MICROPHONE, LIGHTWEIGHT, SUPRA-AURAL, MONAURAL	A 5965	85	01-SEP-89			85	
L	MIL-H-83535/2	HEADSET-MICROPHONE, LIGHTWEIGHT, SUPRA-AURAL, BINAURAL	A 5965	85	01-SEP-89			85	
AM	MIL-R-83536	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR REVIEWER: 11 99 AS ES	A 5945	85	22-JUN-90	ER	EC	85	
	SUPPL 1A1	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES	A 5945	85	27-MAR-92	ER	EC	85	
	MIL-R-83536/1								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Custodian Number	Doc Title	Dist Smt FSC / Area MCS Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-R-83536/2	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/3	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/4	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/5	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/6	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/7	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/8	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/9	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/10	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/11	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/12	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/13	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/14	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/15	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/16	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/17	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/18	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, DC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/19	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/20	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, AC COILS REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/21	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/22	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/23	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, MAGNETIC LATCH HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/24	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, MAGNETIC LATCH, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/25	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/26	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/27	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, AC COIL REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/28	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .050 DIAMETER TERMINAL PINS) REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/29	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .050 DIAMETER TERMINAL PINS) WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/30	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .062 DIAMETER TERMINAL PINS) REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
MIL-R-83536/31	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED, ALL WELDED, DC COILS (0.200 INCH TERMINAL SPACING, .062 DIAMETER TERMINAL PINS) WITH INTERNAL DIODES FOR TRANSIENT SUPPRESSION AND POLARITY REVERSAL PROTECTION REVIEWER: 99 ES	A 5945 85 27-MAR-92	ER	EC	85	
A L DOD-W-83575A NOTICE 1	WIRING HARNESS, SPACE VEHICLE, DESIGN AND TESTING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9209)	A 1810 19 04-SEP-92			19	
A L MIL-S-83576 NOTICE 1	SOLAR CELLS ARRAYS, SPACE VEHICLE, DESIGN AND TESTING, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9209)	A 1820 19 04-SEP-92			19	
L DOD-A-83577B	ASSEMBLIES, MOVING MECHANICAL, FOR SPACE & LAUNCH VEHICLES, . . . . .	A 1820 19 01-FEB-88			19	
L MIL-A-83577B	ASSEMBLIES, MOVING MECHANICAL, FOR SPACE & LAUNCH VEHICLES, GENERAL SPECIFICATION FOR	A 1820 19 01-FEB-88			19	
L DOD-E-83578A	EXPLOSIVE ORDNANCE FOR SPACE VEHICLES, GENERAL SPECIFICATION FOR (METRIC) .	A 1820 19 15-OCT-87			19	
L MIL-B-83665B	BAG, PILOT RELIEF (MULE) USER: GL MD REVIEWER: 99 . . . . .	A 8105 69 02-JUN-81			69	
L MIL-P-83668A	PLASTIC BOARD (FOR PACKAGING APPLICATIONS) USER: SM REVIEWER: 11 70 71 84	A 8135 69 08-APR-88			69	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc Or Coordinate Section Document Number	Document Title	Doc. Syst. FNC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-C-83669A	CONTAINERS, NESTABLE OR COLLAPSIBLE, REUSABLE, SHIPPING AND STORAGE, ASSEMBLED EXTERNAL AIRCRAFT FUEL TANKS REVIEWER: 11 71 80 82 84 99	A 8145 69 12-JUN-91				69
D MIL-F-83671(1)	FOAM IN PLACE PACKAGING MATERIALS, GENERAL SPECIFICATION FOR USER: YD1 REVIEWER: 20 43 82 99 AL AS AT CR EA EC ES GS SH	A 8135 69 03-SEP-85	SM	SA	69	DM
D L MIL-F-83671(12)	FOAM-IN-PLACE PACKAGING MATERIALS, GENERAL SPECIFICATION FOR USER: EC MC YD1	A 8135 SA 30-MAR-90		SA		
L MIL-C-83690	CYLINDER, SAMPLING [VALIDATION DATE: 8204] REVIEWER: 19 68 99 GS	A 8120 12 04-FEB-69				12
L MIL-F-83691B	FLIGHT TEST DEMONSTRATION REQUIREMENTS FOR DEPARTURE RESISTANCE AND POST-DEPARTURE CHARACTERISTICS OF PILOTED AIRPLANES REVIEWER: 11 18	A 1510 12 01-MAR-91				12
M L MIL-T-83720(1)	TRANSFORMERS AND INDUCTORS, NON-EXPLOSIVE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9304] REVIEWER: 11	A 5950 85 22-APR-93				85
L MIL-T-83720/88	TRANSFORMER, POWER STEP-UP REVIEWER: 11 80 84 ES	A 5950 85 15-APR-88				85
L MIL-T-83720/13	TRANSFORMER, POWER, STEP-UP, STEP-DOWN [VALIDATION DATE: 8704] REVIEWER: 11 84 99 ES	A 5950 85 20-DEC-68				85
L MIL-T-83720/14	TRANSFORMER, PULSE [VALIDATION DATE: 8704] REVIEWER: 11 80 84 99	A 5950 85 26-OCT-73				85
L MIL-T-83721	TRANSFORMERS, VARIABLE, POWER GENERAL SPECIFICATION FOR [VALIDATION DATE: 9011] USER: 19 MC REVIEWER: 11 17 99 AT MI	A 5950 85 28-NOV-90	ER	EC		85
MIL-T-83721/1	TRANSFORMER, VARIABLE, POWER, 400 HZ [VALIDATION DATE: 8206] USER: 19 MC MI REVIEWER: 11 17 99 AR ES	A 5950 85 24-APR-75	ER	EC		85
Q MIL-C-83723E	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS GENERAL SPECIFICATION FOR USER: OS REVIEWER: 11 15 17 99 AR AN EC ES MI	A 5935 85 15-MAY-92	CR	AS		85
L MIL-C-83723/168	CONNECTOR, ELECTRIC, BACKSHELL, WITH HEAT-SHRINKABLE STRAIN-RELIEF BOOT (STRAIGHT OR RIGHT ANGLE), BAYONET-COUPLING SERIES [VALIDATION DATE: 8701] REVIEWER: 11 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/178	CONNECTOR, RECEPTACLE, ELECTRIC, CABLE CONNECTING THREADED COUPLING, CRIMP SOCKET CONTACTS, CLASSES F, G AND R [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/188	CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (CABLE CONNECTING, THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/19C	CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASSES A, G, K AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/20C	CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (WALL MOUNT, THREADED COUPLING, PIN CONTACTS), (SERIES II, CLASSES A, G, K, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/21B	CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (BOX MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACTS), (SERIES II, CLASS A, G, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/22B	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNT, THREADED COUPLING, CRIMP PIN CONTACTS, CLASSES F, G, AND R [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/23C	CONNECTOR, PLUG, ELECTRIC, THREADED COUPLING CRIMP SOCKET CONTACTS, CLASSES G, K, AND R [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/24C	CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACTS), (SERIES II, CLASSES A, G, K, AND R) [VALIDATION DATE: 8701] REVIEWER: 11 15 17 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/27A(1)	CONNECTOR, ELECTRIC, BACKSHELL, WITH HEAT SHRINKABLE STRAIN-RELIEF BOOT (STRAIGHT OR RIGHT ANGLE), THREADED COUPLING SERIES II [VALIDATION DATE: 8701] REVIEWER: 99 ES	A 5935 85 26-JAN-87				85
I MIL-C-83723/35E	CONNECTOR, ELECTRIC, BACKSHELL, STRAIGHT W/O STRAIN RELIEF, AND WITH MECHANICAL STRAIN RELIEF, STRAIGHT OR RIGHT ANGLE THREADED COUPLING SERIES II REVIEWER: 11 99	A 5935 85 10-NOV-88		AS		85
L MIL-C-83723/37A	CONNECTOR, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (BAYONET COUPLING, PREWIRED, SOCKET CONTACT), (SERIES I, CLASSES A, G, AND R) SHELL SIZE 8 FOR INSERTS 8-2, 8-3, AND 8-4 ONLY [VALIDATION DATE: 8701] REVIEWER: 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/50C(1)	CONNECTOR, ELECTRIC, CIRCULAR, ENVIRONMENT RESISTING, BACKSHELL, STRAIGHT, 90 DEGREES, AND 45 DEGREES, WITH DIELECTRIC STRAIN RELIEF, FOR SERIES 2 CONNECTORS [VALIDATION DATE: 8701] REVIEWER: 99 ES	A 5935 85 26-JAN-87				85
L MIL-C-83723/53B	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP SOCKET CONTACTS), (SERIES II, CLASS K) [VALIDATION DATE: 8906] REVIEWER: 11 15 17 99 ES	A 5935 85 09-JUN-89				85
MIL-C-83723/59C	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, PLUG (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935 85 17-DEC-91	CR	AS		85
MIL-C-83723/600	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PROTECTIVE COVERS, RECEPTACLES, (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935 85 17-DEC-91	CR	AS		85
MIL-C-83723/610	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), DUMMY CONNECTOR, RECEPTACLES (FOR MIL-C-26500 AND MIL-C-83723, SERIES III, CLASSES A, R, & W) REVIEWER: 11 15 80 99 AR EC ES MI	A 5935 85 17-DEC-91	CR	AS		85
L MIL-C-83723/65C	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, PIN CONTACT), (SERIES III, CLASS M) REVIEWER: 11 15 17 99 ES	A 5935 85 17-DEC-91				85
L MIL-C-83723/66A	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W) REVIEWER: 11 70 80 84 ES	A 5935 85 17-DEC-91				85
L MIL-C-83723/67A	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITHOUT LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASS A, G, R, AND W) REVIEWER: 11 70 80 84 ES	A 5935 85 17-DEC-91				85
L MIL-C-83723/68A	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP PIN CONTACT, SERIES III, CLASS A, G, R, AND W) REVIEWER: 11 70 80 84 ES	A 5935 85 17-DEC-91				85
L MIL-C-83723/69A	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, THREADED COUPLING, (PUSH-PULL, QUICK-DISCONNECT WITH LANYARD), CRIMP SOCKET CONTACT, SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 70 80 84 ES	A 5935 85 17-DEC-91				85
L MIL-C-83723/70A	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE ADAPTER (PUSH-PULL), QUICK-DISCONNECT SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 70 80 84 ES	A 5935 85 17-DEC-91				85
A MIL-C-83723/71B	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT) SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935 85 30-JUN-92	CR	AS		85
A MIL-C-83723/72B	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT) (SERIES III, CLASS A, G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935 85 30-JUN-92	CR	AS		85
A MIL-C-83723/730	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 15 99 AR AN EC ES MI	A 5935 85 30-JUN-92	CR	AS		85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Coordination Inhouse Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty. Date	Custodians			
			Army	Navy	Air Force	DIA
A	MIL-C-83723/740	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 15 99 AR AV EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/758	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (SINGLE HOLE MOUNT, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/768	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (SINGLE HOSE MOUNT, BAYONET COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
	MIL-C-83723/778	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935	85	27-DEC-91	CR AS 85
	MIL-C-83723/788	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, BAYONET COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935	85	27-DEC-91	CR AS 85
	MIL-C-83723/79C	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	27-DEC-91	CR AS 85
	MIL-C-83723/808	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935	85	27-DEC-91	CR AS 85
	MIL-C-83723/81D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 99 AR AV EC ES MI	A 5935	85	27-DEC-91	CR AS 85
A	MIL-C-83723/82D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, S, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/83D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/84E	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) REVIEWER: 11 15 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/85E	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, N, R, S, AND W) REVIEWER: 11 15 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/86D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/87D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/88C	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/89D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) REVIEWER: 11 15 99 AR AV EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/90C	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SOLDER FLANGE MOUNT, THREADED COUPLING, SOLDER PIN CONTACT), (SERIES III, CLASSES H, N, AND Y) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
A	MIL-C-83723/91C	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	30-JUN-92	CR AS 85
	MIL-C-83723/92C	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (RFI, THREADED COUPLING, CRIMP PIN CONTACT), (SERIES III, CLASSES G, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	24-APR-92	CR AS 85
	MIL-C-83723/93B	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE (SOLDER FLANGE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 17 80 AR EC ES MI	A 5935	85	24-APR-92	CR AS 85
	MIL-C-83723/94D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLE, (SINGLE HOLE MOUNT, BAYONET COUPLING, STRAIGHT PIN CONTACT), (SERIES III, CLASSES H AND Y) REVIEWER: 11 15 99 AR AV EC ES MI	A 5935	85	24-APR-92	CR AS 85
	MIL-C-83723/95D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP SOCKET CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	24-APR-92	CR AS 85
	MIL-C-83723/96D	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, CRIMP PIN CONTACT), (SERIES III, CLASSES A, G, K, R, AND W) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	24-APR-92	CR AS 85
	MIL-C-83723/97B	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I. GROUNDING, CRIMP SOCKET CONTACTS), (SERIES III, CLASSES M AND S FIREWALL) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	24-APR-92	CR AS 85
	MIL-C-83723/98B	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), PLUG, (THREADED COUPLING, SELF-LOCKING, R.F.I. GROUNDING, CRIMP PIN CONTACTS), (SERIES III, CLASSES M AND S FIREWALL) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	85	24-APR-92	CR AS 85
Q	MIL-R-83725B(1) SUPPL 1B1	RELAYS, VACUUM, GENERAL SPECIFICATION FOR USER: AS REVIEWER: 99 ES OS . . . .	A 5945	85	13-MAR-80	ER EC 85
	MIL-R-83725/1E	RELAYS, VACUUM, SPDT, 15 AMPERES RMS, 12 KILOVOLTS (PEAK) USER: AT AV MC RE REVIEWER: 17 99 ES SH	A 5945	85	17-MAR-89	ER EC 85
A	MIL-R-83725/2D(1)	RELAYS, VACUUM, SPDT, 25 AMPERES RMS, 25 KILOVOLTS (PEAK) USER: AT AV ME REVIEWER: 99 ES SH	A 5945	EC	30-DEC-92	ER EC 85
M	MIL-R-83725/3E NOTICE 1	RELAYS, VACUUM, SPDT, DC, 8 AMPERES (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
L	MIL-R-83725/4E	RELAYS, VACUUM, SPDT, 3 AMPERES, DC LOAD SWITCHING 2.5 KILOVOLTS DC . . . . .	A 5945	85	17-JAN-92	99
L	MIL-R-83725/5C	RELAYS, VACUUM, SPDT, 18 AMPERES, RMS, 3.5 KILOVOLTS PEAK (CARRY ONLY) . . . .	A 5945	85	17-JAN-92	99
M	MIL-R-83725/6D NOTICE 1	RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
M	MIL-R-83725/7B NOTICE 1	RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
M	MIL-R-83725/8B NOTICE 1	RELAY, VACUUM, SPST, N/O, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
M	MIL-R-83725/9B NOTICE 1	RELAY, VACUUM, SPST, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 7 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
M	MIL-R-83725/10A NOTICE 1	RELAY, VACUUM, SPST, N/C, 12 AMPERES DC OR 60 HZ RMS, 10 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
M	MIL-R-83725/11C NOTICE 1	RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
M	MIL-R-83725/12A NOTICE 1	RELAY, VACUUM, SPDT, 12 AMPERES DC OR 60 HZ RMS, 3.6 KILOVOLTS PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
M	MIL-R-83725/13B NOTICE 1	RELAY, VACUUM, SPDT, LATCHING, 12 AMPERES DC OR 60 HZ RMS, 9 KILOVOLTS DC OR 60 HZ PEAK (VALIDATION DATE: 9305) REVIEWER: 99 ES OS	A 5945	85	14-MAY-93	ER AS 85
L	MIL-R-83725/15B NOTICE 1	RELAYS, VACUUM, SPDT, 75 AMPERES RMS, 15 KILOVOLTS (PEAK) OR DC (VALIDATION DATE: 8811) REVIEWER: 99	A 5945	85	18-NOV-88	85



## NUMERICAL LISTING MILITARY SPECIFICATIONS

417



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inhouse	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-T-83727/16 NOTICE 1	TRANSOLVER TYPE 90 11S210Y440A [VALIDATION DATE: 8704] REVIEWER: 11 17 99 EC ES	A 5990	85	02-APR-87	AS	85		
	MIL-T-83727/17 NOTICE 1	TRANSOLVER TYPE 11.8 15S33Y340A [VALIDATION DATE: 8704] REVIEWER: 11 17 99 EC ES	A 5990	85	02-APR-87	AS	85		
	MIL-C-83729A(1) NOTICE 1	CHOPPER, ELECTROMECHANICAL GENERAL SPECIFICATION FOR [VALIDATION DATE: 8803] USER: 19 AS MC ME REVIEWER: 11 17 99 AT AV ES MI OS	A 5945	85	31-MAR-88	ER	EC	85	
	MIL-C-83729/1C NOTICE 1	CHOPPERS, ELECTROMECHANICAL, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [VALIDATION DATE: 8811] USER: 19 MC ME REVIEWER: 11 17 AS AT AV MI OS	A 5945	85	18-NOV-88	ER	EC	85	
	MIL-C-83729/2B NOTICE 1	CHOPPERS, ELECTROMECHANICAL, DUST TIGHT, SINGLE POLE, DOUBLE THROW, MAKE BEFORE BREAK [VALIDATION DATE: 8811] USER: 19 MC ME REVIEWER: 11 17 AS AT AV MI OS	A 5945	85	18-NOV-88	ER	EC	85	
L	MIL-C-83729/3A	CHOPPER, ELECTROMECHANICAL HERMETICALLY SEALED, SPDT BREAK BEFORE MAKE, BRACKET MOUNT [VALIDATION DATE: 8404] REVIEWER: ES	A 5945	EC	07-FEB-72	EC			
	MIL-C-83729/4A NOTICE 1	CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [VALIDATION DATE: 8811] USER: 19 MC ME REVIEWER: 11 17 AS AT AV MI OS	A 5945	85	18-NOV-88	ER	EC	85	
	MIL-C-83729/6A NOTICE 1	CHOPPERS, ELECTROMECHANICAL, HERMETICALLY SEALED, SINGLE POLE, DOUBLE THROW, BREAK BEFORE MAKE [VALIDATION DATE: 8811] USER: 19 MC REVIEWER: 11 17 AS AT AV MI OS	A 5945	85	18-NOV-88	ER	EC	85	
MD	MIL-S-83731A(2) SUPPL 1B1, NOTICE 2	SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9305] USER: AR MC REVIEWER: 11 99 AV EC ES MI	A 5930	85	28-MAY-93	ER	AS	85	
	MIL-S-83731/9C(2)	SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, SINGLE POLE USER: AR REVIEWER: 99 ES	A 5930	85	15-JAN-93	ER	85		
A	MIL-S-83731/10C(2)	SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, DOUBLE POLE REVIEWER: 99 AR ES	A 5930	85	15-JAN-93	ER	85		
	MIL-S-83731/11C(1)	SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, SINGLE POLE, UNSEALED USER: AR REVIEWER: 99	A 5930	85	04-SEP-91	ER	85		
	MIL-S-83731/12C(1)	SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, DOUBLE POLE, UNSEALED USER: AR REVIEWER: 99 ES	A 5930	85	04-SEP-91	ER	85		
A	MIL-S-83731/13B(1)	SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES	A 5930	85	15-JAN-93	ER	85		
A	MIL-S-83731/14B(1)	SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (VERTICAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES	A 5930	85	15-JAN-93	ER	85		
A	MIL-S-83731/15B(1)	SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, SINGLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES	A 5930	85	15-JAN-93	ER	85		
A	MIL-S-83731/16B(1)	SWITCHES, TOGGLE, MINIATURE, RIGHT ANGLE (HORIZONTAL) PCB MOUNT, DOUBLE POLE, LEVER SEAL, FLUX SEAL USER: AR REVIEWER: 99 ES	A 5930	85	15-JAN-93	ER	85		
L	MIL-S-83731/17A	SWITCHES, TOGGLE, SUBMINIATURE, SEALED LEVER, FLUX SEALED, ONE, TWO, AND FOUR POLE, HIGH AND LOW-LEVEL CONTACTS REVIEWER: 11 99	A 5930	85	26-JAN-87	85			
L	MIL-S-83731/18A	SWITCHES, TOGGLE, SUBMINIATURE, SEALED LEVER, FLUX SEALED, ONE, TWO, AND FOUR POLE, RIGHT ANGLE (HORIZONTAL AND VERTICAL) PCB MOUNT, LOW-LEVEL CONTACTS REVIEWER: 11 99	A 5930	85	26-JAN-87	85			
L	MIL-S-83731/19B	SWITCHES, TOGGLE, SUBMINIATURE, LEVER LOCK, SEALED LEVER, FLUX SEALED - ONE, TWO, AND FOUR POLE, HIGH AND LOW LEVEL CONTACTS REVIEWER: 11 99	A 5930	85	27-SEP-88	85			
L	MIL-S-83731/20(1)	SWITCHES, TOGGLE, SUBMINIATURE, LEVER LOCK, SEALED LEVER, FLUX SEALED RIGHT ANGLE PCB BOARD MOUNT - ONE, TWO, AND FOUR POLE, LOW LEVEL CONTACTS REVIEWER: 11 99	A 5930	85	24-MAR-87	85			
L	MIL-S-83731/21A(1)	SWITCHES, TOGGLE, MINIATURE, LEVER SEAL, PANEL SEAL, FOUR POLE LOGIC LOAD TO 5 AMPERES REVIEWER: 99 ES	A 5930	85	04-SEP-91	85			
L	MIL-S-83731/22B	SWITCHES, TOGGLE, MINIATURE, LEVER-LOCK, FOUR POLE, UNSEALED, LOGIC LOAD TO 5 AMPERES	A 5930	85	29-MAR-91	85			
QL	MIL-C-83733C(1) SUPPL 1B1	CONNECTORS, ELECTRICAL MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES	A 5935	85	30-OCT-89	85			
L	MIL-C-83733/1C NOTICE 1	CONNECTOR, ELECTRICAL, RECEPTACLE, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES	A 5935	85	13-NOV-87	85			
L	MIL-C-83733/2D	CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS & SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES	A 5935	85	26-JUL-86	85			
L	MIL-C-83733/3B NOTICE 1	CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES	A 5935	85	27-FEB-87	85			
L	MIL-C-83733/4C NOTICE 1	CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH CAPTIVE SPRINGS, ENVIRONMENT RESISTING, 200 DEG C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES	A 5935	85	27-FEB-87	85			
L	MIL-C-83733/5B NOTICE 1	CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES	A 5935	85	27-FEB-87	85			
L	MIL-C-83733/6C	CONNECTOR, ELECTRICAL, PLUG, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEGREE C REVIEWER: 99 ES	A 5935	85	31-DEC-87	85			
L	MIL-C-83733/7D	CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE SOCKETS & SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES	A 5935	85	26-JUL-86	85			
L	MIL-C-83733/8B NOTICE 1	CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, WITH GUIDE PINS, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES	A 5935	85	27-FEB-87	85			
L	MIL-C-83733/9B NOTICE 1	CONNECTOR, ELECTRICAL, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED STANDARD HOLE MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES	A 5935	85	27-FEB-87	85			
L	MIL-C-83733/10B NOTICE 1	CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED BUSHING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES	A 5935	85	27-FEB-87	85			
L	MIL-C-83733/11B NOTICE 1	CONNECTOR, ELECTRICAL, RECEPTACLE, PIN CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED CLINCH NUT MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C [VALIDATION DATE: 8702] REVIEWER: 11 99 ES	A 5935	85	27-FEB-87	85			
L	MIL-C-83733/12C	CONNECTOR, ELECTRICAL, PLUG, SOCKET CONTACT, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, STAGGERED SPRING MOUNTING, ENVIRONMENT RESISTING, 200 DEG. C REVIEWER: 11 99 ES	A 5935	85	26-JUL-86	85			
L	MIL-C-83733/15A	CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, BACKSHELL, RADIO FREQUENCY INTERFERENCE [VALIDATION DATE: 8206] REVIEWER: 11 99 ES	A 5935	85	21-MAY-76	85			
L	MIL-C-83733/16A	CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, STRAIN RELIEF, STRAIGHT (S/S BY MIL-C-85049/44) REVIEWER: 11 99 ES	A 5935	85	16-JAN-80	85			
	MIL-C-83733/17	CONNECTOR, RACK & PANEL, SPRING LOADED MOUNTING ASSEMBLY REVIEWER: 11 99 ES	A 5935	85	28-JUL-86	85			
AQ	MIL-S-83734	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPs), GENERAL SPECIFICATION FOR USER: 19 MC REVIEWER: 11 99 AS ES OS SH TO	A 5935	85	08-FEB-93	CR	EC	85	
	MIL-S-83734/1D NOTICE 1	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 6 PIN DUAL-IN-LINE PACKAGES) [VALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TO	A 5935	85	27-DEC-91	CR	EC	85	
	MIL-S-83734/2D NOTICE 1	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 8 PIN DUAL-IN-LINE PACKAGES) [VALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TO	A 5935	85	27-DEC-91	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Doc. Ident. GSA / OMA Classification Machine	Document Number	Document Title	Doc. Ident. FSC / Area MCA Symbol	Preparing Date	Customer Army Navy Air Force DIA
MIL-S-83734/3E NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 14 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES MI OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/4D NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 16 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/5D NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 18 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/6D NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 22 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/7D NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 28 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/8D NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 24 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/9D NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 36 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/10E NOTICE 1		SOCKET, PLUG-IN ELECTRONIC COMPONENTS, (40 PIN, DUAL IN-LINE) USER: 19 MC REVIEWER: 11 17 99 AS ES OS SH	A 5935	85 28-JUN-88	CR EC 85
MIL-S-83734/11D NOTICE 1		SOCKET, PLUG-IN ELECTRONIC COMPONENTS, (8 PIN, DUAL IN LINE, RIGHT ANGLE LEADS) USER: 19 MC REVIEWER: 11 17 99 AS ES OS SH	A 5935	85 28-JUN-88	CR EC 85
MIL-S-83734/12D NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (RIGHT ANGLE LEADS, FOR 14 AND 16 PIN DUAL-IN-LINE PACKAGES) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 28-JUN-88	CR EC 85
MIL-S-83734/13C NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 20 PIN DUAL-IN-LINE PACKAGES) USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 28-JUN-88	CR EC 85
MIL-S-83734/14C NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 48 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/15C NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, (FOR 64 PIN DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/16 NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, SINGLE-IN-LINE, LOW PROFILE (FOR SINGLE-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 17 99 AS ES OS SH TD	A 5935	85 27-DEC-91	CR EC 85
MIL-S-83734/17 NOTICE 1		SOCKETS, PLUG-IN ELECTRONIC COMPONENTS (FOR 32 PIN, DUAL-IN-LINE PACKAGES) [INVALIDATION DATE: 9112] USER: 19 MC REVIEWER: 11 99 AS ES OS SH	A 5935	85 27-DEC-91	CR EC 85
Q MIL-S-83739A NOTICE 1		SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE, GENERAL SPECIFICATION FOR REVIEWER: 11 99 ES	A 5985	85 02-MAR-87	ER EC 85
L MIL-S-83739/1A(1) NOTICE 1		SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE, SA-1474A/A [INVALIDATION DATE: 8406] REVIEWER: 11 99 ES MI OS SH	A 5985	85 17-FEB-77	ER EC 85
L MIL-S-83739/2 NOTICE 1		SWITCH, ANTENNA, RADIO FREQUENCY, SOLID-STATE [INVALIDATION DATE: 8701] REVIEWER: 11 99	A 5985	85 30-JAN-87	85
MIL-M-83755A NOTICE 1		HOLDER, FLIGHT CHECK LIST [INVALIDATION DATE: 8907] .....	A 1680	82 20-JUL-89	AV AS 99
L MIL-P-83763 MIL-F-83766A MIL-L-83767B(1) NOTICE 2		POWER SUPPLY, TRANSISTORIZED [INVALIDATION DATE: 8203] REVIEWER: GS ..... FILLER AND PRESSURIZATION UNIT, HYDRAULIC SYSTEM REVIEWER: AL ..... LUBRICATING OIL, VACUUM PUMP, MECHANICAL [INVALIDATION DATE: 9105] USER: SM REVIEWER: 11 AT AV OS GS PS	A 6130 A 4910 A 9150	80 23-JAN-69 82 27-DEC-84 68 30-MAY-91	ER 99 ER 99 MR 68
Q MIL-B-83769D(1) SUPPL 181		BATTERY, STORAGE, LEAD ACID, GENERAL SPECIFICATION FOR REVIEWER: 11 80 AV GS	A 6140	AS 13-FEB-87	ER AS 99
MIL-B-83769/1D MIL-B-83769/2D MIL-B-83769/3D MIL-B-83769/4C MIL-B-83769/5C MIL-B-83769/6C MIL-B-83769/7A MIL-P-83770B(1)		BATTERY, STORAGE, LEAD ACID, BB-638/U REVIEWER: 11 AV GS ..... BATTERY, STORAGE, LEAD ACID, BB-639/U REVIEWER: 11 AV ..... BATTERY, STORAGE, LEAD ACID, BB-640/U REVIEWER: 11 AV GS ..... BATTERY, STORAGE, LEAD ACID REVIEWER: 11 80 AV GS ..... BATTERY, STORAGE, LEAD ACID REVIEWER: 11 80 AV GS ..... BATTERY, STORAGE, LEAD ACID REVIEWER: 11 80 AV GS ..... BATTERY, STORAGE, THREADED-POST-CONNECTED, LEAD-ACID ..... POTASSIUM DICHROMATE - SULFURIC ACID TEST SOLUTION (METRIC) REVIEWER: GS MC MI SH	A 6140 A 6140 A 6140 A 6140 A 6140 A 6140 A 6140 A 6850	AS 04-APR-83 AS 04-APR-83 AS 04-APR-83 AS 04-APR-83 AS 04-APR-83 AS 04-APR-83 AS 05-NOV-82 68 23-JAN-87	ER AS 99 ER AS 99 ER AS 99 ER AS 99 ER AS 99 ER AS 99 AS AV AS 68
L MIL-M-83772A(1) MIL-T-83773B MIL-L-83774A NOTICE 2		HOSE ASSEMBLY, METAL, CRYOGENIC LIQUID, AIRCRAFT SERVICING ..... TEST STAND, AIRCRAFT PNEUMATIC COMPONENTS ..... LEAK DETECTOR, FUEL SYSTEM .....	A 4720 A 4920 A 4940	68 12-JUN-85 82 13-MAR-85 82 05-APR-89	AV AS 99 AS 99 99
A MIL-M-83776A A L MIL-P-83777(1) D MIL-W-83779B A MIL-K-83782A NOTICE 1		HELMET, FLYER'S, WINTER USER: 45 REVIEWER: MU ..... PILLOW, PASSENGER, HEADREST, AIRLINE TYPE [INVALIDATION DATE: 8305] ..... WATER INDICATING PASTE, METRIC USER: AS MC YD1 REVIEWER: GS SA ..... KIT BAG, FLYER'S [INVALIDATION DATE: 9110] .....	A 8415 A 7210 A 6850 A 8460	CT 28-JUN-85 CT 08-JUL-86 68 17-JAN-85 CT 31-OCT-91	99 CT CT SM 68 AS 99 CT
A LI MIL-A-83783 NOTICE 2		ADAPTER, TEST, PX-9042/G REVIEWER: 15 .....	A 1190	79 31-MAR-93	79
L MIL-B-83787(1)		BELT, AIRCRAFT SAFETY, LAP, TROOP, TYPES MD-1 AND MD-2 [INVALIDATION DATE: 8405]	A 1680	82 25-AUG-78	99
A MIL-T-83788		TENT, PYRAMIDAL, SURVIVAL, 3-4 MAN, SRU-1/P [INVALIDATION DATE: 8504] USER: 45	A 8340	CT 10-MAY-73	99 CT
A MIL-S-83791A L MIL-S-83792A L MIL-G-83794(1) NOTICE 1		SUITCASE, FLYER'S CLOTHING, B-4B [INVALIDATION DATE: 8504] REVIEWER: 45 ..... SULFUR DIOXIDE, TECHNICAL [INVALIDATION DATE: 8503] REVIEWER: GS ..... GASES, CALIBRATING, AND MIXTURES, GENERAL SPECIFICATION FOR [INVALIDATION DATE: 8605] REVIEWER: GS	A 8460 A 6830 A 6830	CT 26-JUN-78 68 02-AUG-73 68 25-JUN-76	99 CT 68 68
L MIL-G-83794/4 NOTICE 2		GASES, CALIBRATING, AND MIXTURES: OXYGEN (5%) IN NITROGEN MIXTURE [INVALIDATION DATE: 8810]	A 6830	68 06-OCT-88	68
L MIL-G-83794/5 L MIL-L-83795A(1) MIL-M-83796		GASES, CALIBRATING, AND MIXTURES, 80% NITROGEN, 10% HELIUM, 10% OXYGEN .... LAYOUT DYE, BLUE USER: AS AV SH REVIEWER: GS ..... HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR [INVALIDATION DATE: 8402] USER: 11 REVIEWER: AT CS ME	A 6830 A 6850 A 4720	68 11-JUN-85 68 18-JAN-85 82 01-AUG-74	68 68 AV 99
MIL-M-83796/1		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/2		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE, WITH LOCKWIRE HOLE [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/3		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/4		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLARELESS, WITH LOCKWIRE HOLE [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/5		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE [INVALIDATION DATE: 8306] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/6		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLANGE, WITH LOCKWIRE HOLE [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT CS ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/7		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/8		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARELESS TO FLANGE, WITH LOCKWIRE HOLE [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99
MIL-M-83796/9		HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLANGE TO FLANGE [INVALIDATION DATE: 8209] USER: 11 REVIEWER: AT ME	A 4720	82 01-AUG-74	AV 99



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / Oth Coordination Inches Document Number	Document Title	Dist. Smt. F&C Area MCA Symbol Preparing Acty Date	Army Navy Air Force DLA	Custodians
MO	MIL-N-83797A	A 4720 82 02-JUN-93	AV AS	99
	MIL-N-83797/1	A 4720 82 01-AUG-74	AV	99
Q	MIL-F-83798B	A 4730 82 15-NOV-91	AV	99
	MIL-F-83798/1A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/2A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/3A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/4A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/5A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/6A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/7A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/8A	A 4730 82 12-JAN-77	AV	99
	MIL-F-83798/9A	A 4730 82 12-JAN-77	AV	99
A LI	MIL-P-83800A(2)	A 6810 68 13-NOV-84	OS	68
	MIL-T-83801	A 1190 79 31-AUG-92		79
	NOTICE 2			
	MIL-O-83803(2)	A 6625 SH 15-DEC-83	CR SH	99
L	MIL-M-83805	A 3895 84 30-MAR-90		99
L	MIL-S-83806	A 3895 84 27-APR-90		99
L	MIL-S-83807	A 3805 84 27-APR-90		99
L	MIL-T-83808	A 1740 84 30-APR-90		99
	OLCILLOSCOPE (AM/USH 425(V)), 100 MEGAHERTZ (MHZ), GENERAL PURPOSE USER: MC OS SC			
L	MIL-T-83809	A 3930 84 26-APR-91		99
L	MIL-C-83810	A 3950 84 04-OCT-91		99
L	MIL-C-83811	A 3950 84 02-NOV-90		99
L	MIL-T-83812	A 3930 84 25-MAY-90		99
L	MIL-T-83813	A 2320 84 14-JUN-90		99
L	MIL-P-83814	A 3895 84 14-JUN-90		99
L	MIL-T-83815	A 2320 84 26-NOV-90		99
L	MIL-T-83816	A 3930 84 31-JUL-90		99
L	MIL-T-83817	A 3930 84 06-NOV-90		99
L	MIL-T-83818	A 3930 84 15-OCT-90		99
A L	MIL-O-83819	A 3820 84 13-AUG-92		99
L	MIL-C-83821	A 3810 84 26-NOV-90		99
L	MIL-T-83822	A 5445 84 09-JUL-91		99
L	MIL-T-83823	A 4210 84 13-SEP-91		99
HL	MIL-G-83824	A 6615 70 04-OCT-91		99
D L	MIL-T-83826	A 2320 84 13-AUG-92		99
D	MIL-M-83827	A 3830 84 13-AUG-92	YO1	99
D	MIL-F-83828	A 3825 84 26-OCT-92	ME YO1	99
D L	MIL-S-83829	A 3825 84 26-OCT-92		99
L	MIL-C-83866(5)	A 6605 71 15-SEP-86		99
AQL	MIL-F-83860(1)	A 1650 71 22-JUN-92		99
L	MIL-F-83860/1A(1)	A 1650 71 15-MAY-91		99
L	MIL-F-83860/2A(2)	A 1650 71 15-MAY-91		99
L	MIL-F-83860/3(2)	A 1650 71 15-MAY-91		99
A L	MIL-F-83860/4(3)	A 1650 71 12-JAN-93		99
QL	MIL-F-83861B	A 1650 71 15-MAY-91		99
L	MIL-F-83861/1A(2)	A 1650 71 21-MAY-91		99
L	MIL-F-83861/2A	A 1650 71 21-MAY-91		99
L	MIL-F-83861/3(1)	A 1650 71 21-MAY-91		99
L	MIL-S-83862A	A 1680 82 16-NOV-90		99
L	MIL-S-83863B	A 1660 82 01-JUN-86		99
A L	MIL-C-83864A(1)	A 1660 82 28-DEC-92		99
L	MIL-C-83866(2)	A 1660 82 22-AUG-90		99
QL	MIL-R-83866	A 1660 82 19-JUL-74		99
AQL	MIL-C-83867A(1)	A 1660 82 28-DEC-92		99
QL	MIL-F-83870A(2)	A 1650 71 15-MAY-91		99
L	MIL-T-83871A(1)	A 6620 71 02-AUG-86		99
L	MIL-G-83872A(2)	A 6615 71 07-DEC-88		99
AQ	MIL-C-83873A	A 6850 68 12-MAR-93	GL AS	68
L	MIL-M-83925A	A 3825 84 11-JUN-82		99
L	MIL-P-83927B	A 1440 84 09-FEB-81		99
L	MIL-B-83931B	A 7510 84 22-JUL-86		99
D	MIL-C-83933	A 8030 MR 10-FEB-87	MR YO1	99
	NOTICE 1			
	NOTICE 1			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / Unit Combination Features	Document Number	Document Title	Dist Smt FSC / Area MCS Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
QL	MIL-C-0083933A(3)	CORROSION PREVENTIVE COMPOUND, COLD-APPLICATION (FOR MOTOR VEHICLES) [VALIDATION DATE: 8601] USER: AR MI REVIEWER: AT MD	A 8030	NR	12-AUG-71	NR			
	MIL-D-839358	DISHWASHING SYSTEM (COMMERCIAL), MULTIPLE-TANK, CONTINUOUS OVAL CONVEYOR-TYPE REVIEWER: GS	A 7320	GL	28-SEP-88	GL	99		
QL	MIL-R-839368(1)	REMOVER, PAINT, TANK TYPE, FOR AIRCRAFT WHEELS, LANDING GEAR COMPONENTS, AND OTHER AIRCRAFT AND AGE COMPONENTS [VALIDATION DATE: 8506]	A 8010	84	11-AUG-78		99		
L	MIL-S-83946	SHEETING AND TAPE, REFLECTIVE, OPEN TYPE SECURED LENS, ADHESIVE BACKING, PRESSURE SENSITIVE [VALIDATION DATE: 8207] REVIEWER: GS	A 9390	84	09-SEP-69		99		
L	MIL-P-83950	PUMP, VACUUM, POSITIVE DISPLACEMENT, ELECTRIC MOTOR DRIVEN [VALIDATION DATE: 7802]	A 4310	84	18-DEC-69		99		
L	MIL-P-83953A(1)	PENCIL, AIRCRAFT MARKING USER: GL	A 7520	84	03-AUG-90		99		
L	MIL-M-83955(1)	HEATER, ELECTRIC, IMMERSION (APPLICABLE TO A/M32R-6 RECHARGER) REVIEWER: CS	A 4540	84	29-OCT-82		99		
L	MIL-T-83956A	TOWER, ASR-4, 10 FOOT AND 17 FOOT SECTIONS	A 5445	84	17-JAN-77		99		
L	MIL-C-83957A(1)	CLEANING AND POLISHING PAD, NON-METALLIC (FOR AIRCRAFT) [VALIDATION DATE: 8801] USER: GL	A 7920	84	11-JAN-88		99		
L	MIL-T-83958A	TOWER, SELF SUPPORTING, TYPE GP-1 USER: AS MC OS	A 5445	84	17-JAN-77	ME	99		
L	MIL-C-83959	CYLINDER, AIR PURIFIER [VALIDATION DATE: 7709]	A 4310	84	19-APR-71		99		
L	MIL-C-83960A	CYLINDER, DEHYDRATOR USER: AV ME REVIEWER: OS	A 4440	84	28-NOV-88		99		
D	MIL-S-83961(1)	SPRAYER, INSECTICIDE, ELECTRIC MOTOR DRIVEN, FRAME MOUNTED [VALIDATION DATE: 8403] REVIEWER: CS	A 3740	84	07-JUN-78	ME	YD1	99	
	MIL-B-83963A	BINDER AND FILLER, FLEXIBLE, LOOSE LEAF FLIGHT CREW CHECK LIST [VALIDATION DATE: 8605] REVIEWER: AV	A 7510	84	06-MAY-86	GL	SA	99	
L	MIL-T-83965B	TRUCK, FIRE-RESCUE, A/532P-10 FORCIBLE ENTRY	A 4210	84	26-NOV-90		99		
L	MIL-W-839708	WING AND ROLLERON ASSEMBLY, AJM-9	A 1420	84	25-JAN-85		99		
L	MIL-P-83971(1)	PUMP, POSITIVE DISPLACEMENT, ROTARY [VALIDATION DATE: 8201] REVIEWER: CS	A 4510	84	17-NOV-78		99		
QL	MIL-C-83982	COMPOUND, SEALING, FLUID RESISTANT [VALIDATION DATE: 8207]	A 8030	84	21-JAN-74		99		
L	MIL-G-83984	GAGE, SURFACE PLATE FLATNESS CHECKING [VALIDATION DATE: 8506]	A 5220	84	14-FEB-74		99		
L	MIL-C-83988	COMPARATOR, BENCH TYPE, VERTICAL COLUMN, ELECTRONICALLY AMPLIFIED [VALIDATION DATE: 8506] REVIEWER: 23	A 5220	84	21-JUN-74		99		
L	MIL-D-83990(1)	OVEN, THERMAL DRYING, ELECTRIC [VALIDATION DATE: 8211]	A 4430	84	11-MAR-76		99		
L	MIL-C-83991A	COVER, POLYETHYLENE, PALLET, CARGO HQJ-6/E AND HCU-12/E REVIEWER: GS	A 3990	84	11-OCT-82		99		
L	MIL-D-83993(2)	OVEN, FOOD WASHING, ELECTRICAL (12 MEAL) [VALIDATION DATE: 8506] REVIEWER: GS	A 7310	84	02-DEC-85		99		
	MIL-A-83995A	AUTOMATED DATA PROCESSING EQUIPMENT, (MAJOR COMPONENTS) PACKAGING OF [VALIDATION DATE: 8902] REVIEWER: 11 13 43 AR AT AV CH MI	A PACK	84	17-FEB-89	SM	SA	99	
L	MIL-C-83996A	CARTRIDGE, DESICCANT	A 4440	84	17-JUL-89		99		
	MIL-S-83997	COMPARISON GAGE, INTERNAL AND EXTERNAL, ELECTRONICALLY AMPLIFIED USER: AT ME REVIEWER: AS AV MI	A 5220	84	26-SEP-85	AK		99	
	MIL-C-85001B	CHAFF ROLL (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS	99		
L	MIL-C-85001/171	CHAFF ROLL (TYPE RR-171/AL) [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS			
L	MIL-C-85001/172	CHAFF ROLL (TYPE RR-172/AL) [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS			
L	MIL-C-85002B	CHAFF PACKAGE (TYPE RR-( )/AL) GENERAL SPECIFICATION FOR	A 5865	AS	12-OCT-82	AS			
L	MIL-C-85002/1A	CHAFF PACKAGE (TYPE RR-153A/AL) [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS			
L	MIL-C-85002/2A	CHAFF PACKAGE (TYPE RR-152A/AL) [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS			
L	MIL-C-85002/3A	CHAFF PACKAGE (TYPE RR-173/AL) [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS			
L	MIL-C-85002/4	CHAFF PACKAGE (TYPE RR-177/AL) [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS			
L	MIL-C-85003B(1)	CHAFF CARTRIDGE (TYPE RR-( )/AL), GENERAL SPECIFICATION FOR	A 5865	AS	21-OCT-86	AS			
L	MIL-C-85003/129	CHAFF CARTRIDGE (TYPE RR-129/AL) [VALIDATION DATE: 9110]	A 5865	AS	17-OCT-91	AS			
L	MIL-M-85005A(1)	NAVIGATION DISPLAY SET, AM/ASH-124	A 5826	AS	31-MAR-82	AS			
L	MIL-C-85016	COMPUTER SET, TACTICAL AM/ASH-918(V) [VALIDATION DATE: 8307]	A 5826	AS	04-MAY-77	AS			
L	MIL-S-85018A	SECOND ORDER ATTITUDE REFERENCE SYSTEM (SOARS) AM/ASH-116 [VALIDATION DATE: 8410]	A 6605	AS	05-MAY-78	AS	11		
L	MIL-C-85019	COMPUTER, AIR NAVIGATION, TRUE AIRSPEED, MACH NUMBER, WIND COMPONENTS, SUPERSONIC, TYPE MB-9 [VALIDATION DATE: 8303]	A 6605	AS	15-OCT-76	AS			
L	MIL-M-85025A	HANDJALS, MATOPS FLIGHT REQUIREMENTS FOR PREPARATION OF	A TMSS	AS	08-DEC-80	AS			
L	MIL-T-85027	TEST SET, ANTENNA, BORE-SIGHT TS-356B ( )/AMM-23(V) [VALIDATION DATE: 8201]	A 4935	AS	10-OCT-75	AS			
L	MIL-C-85028	CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8410] REVIEWER: EC MI	A 5935	AS	25-OCT-77	AS			
L	MIL-C-85028/1	CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, PLUG, CRIMP REMOVABLE PIN CONTACTS, CLASS E [VALIDATION DATE: 8410] REVIEWER: EC	A 5935	AS	25-OCT-77	AS			
L	MIL-C-85028/2	CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER HARDWARE, RECEPTACLE, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E [VALIDATION DATE: 8410] REVIEWER: EC	A 5935	AS	25-OCT-77	AS			
L	MIL-C-85028/3	CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SIZE 16, CRIMP CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC	A 5935	AS	25-OCT-77	AS			
L	MIL-C-85028/4	CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, SEALING PLUG, SIZE 16, CRIMP REMOVABLE CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC	A 5935	AS	25-OCT-77	AS			
L	MIL-C-85028/5	CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC	A 5935	AS	25-OCT-77	AS			
L	MIL-C-85028/6	CONNECTOR, ELECTRICAL, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, REPLACEMENT TOOL, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS [VALIDATION DATE: 8410] REVIEWER: EC	A 5935	AS	25-OCT-77	AS			
L	MIL-T-85031B	TEST SET, GUIDED WEAPON AM/DSM-96B	A 4935	AS	15-SEP-87	AS			
L	MIL-T-85032A	TEST SET, GUIDED WEAPON AM/DSM-92C [VALIDATION DATE: 8704]	A 4935	AS	15-APR-87	AS			
	MIL-V-85033A	VALVE, CHARGING	A 1055	AS	03-FEB-81	AS			
L	MIL-P-85034	POWER PACKAGE, EMERGENCY AC/DC GENERATOR, RAM AIR TURBINE DRIVEN [VALIDATION DATE: 8202]	A 6115	AS	06-MAY-76	AS			
L	MIL-B-85036A	BARRIER MATERIALS, HEAVY DUTY, FOR FLEXIBLE ENGINE CONTAINERS [VALIDATION DATE: 9110]	A 8135	AS	29-OCT-91	AS			
A	MIL-M-85037(4)	HOOD, WINTER, FLYER'S	A 8415	CT	18-SEP-91	AS		CT	
L	MIL-M-85037(13)	HOOD, WINTER, FLYER'S	A 8415	AS	01-OCT-90	AS			
A	MIL-C-85038(1)	CLOTH, KNITTED, ARAMID, HIGH TEMPERATURE RESISTANT USER: SA REVIEWER: B2	A 8305	CT	26-SEP-85	AS	99	CT	
L	MIL-T-85039	TEST SET, MISSILE INTERFACE (MITS) TS-3561 ( )/AMM-23(V) [VALIDATION DATE: 8201]	A 4935	AS	19-MAY-76	AS			
A	MIL-D-85040B(1)	DRAWERS AND UNDERSHIRTS, FLYER'S, ANTI-EXPOSURE, ARAMID, HIGH TEMPERATURE RESISTANT, CWJ-43/P AND CWJ-44/P USER: 45 REVIEWER: B2	A 8415	CT	18-SEP-91	AS	99	CT	
L	MIL-M-85042A	HOOKS, BOMB HOOK, GENERAL SPECIFICATION FOR	A 1095	AS	11-FEB-83	AS			
	MIL-C-85043B	CLOTHS, CLEANING, LOW-LINT [VALIDATION DATE: 9110] USER: MC	A 7920	AS	29-OCT-91	GL	AS		
	NOTICE 1								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc / Chg / Coordination	Document	Document Title	Dist / Smt	FSC / Area	MCA Symbol	Preparing Acty	Date	Custodians			
									Army	Navy	Air Force	DLA
D L	DOD-C-00850450		CABLE, FIBER OPTIC, SHIPBOARD (METRIC), GENERAL SPECIFICATION FOR USER: YDI REVIEWER: EC	A 6015	SH	30-NOV-88			SH			
Q	MIL-C-85045E SUPPL 181		CABLES, FIBER OPTICS, (METRIC), GENERAL SPECIFICATION FOR USER: 14 REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI OS	A 6015	SH	21-MAY-92	CR	SH	85			
	DOD-C-85045/2B		CABLES, FIBER OPTICS, ONE, TWO, FOUR, AND ALL SIX FIBER, HEAVY DUTY (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	BS	20-MAR-87	CR	EC	85			
	DOD-C-85045/3A		CABLES, FIBER OPTICS, HEAVY DUTY, WITH GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	BS	20-MAR-87	CR	EC	85			
	DOD-C-85045/4A		CABLES, FIBER OPTICS, HEAVY DUTY, RUGGEDIZED WITH STEEL SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	BS	20-MAR-87	CR	EC	85			
	DOD-C-85045/5A		CABLES, FIBER OPTICS, HEAVY DUTY, RUGGEDIZED WITH NON-METALIC SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	BS	20-MAR-87	CR	EC	85			
L	DOD-C-85045/6C		CABLES, FIBER OPTICS, ENVIRONMENT RESISTING USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	SH	10-SEP-86	CR	SH	85			
L	DOD-C-85045/8		CABLE, FIBER OPTIC, RUGGEDIZED, RADIATION HARDENED (METRIC) REVIEWER: ES SC	A 6015	CR	31-MAR-87		CR				
	DOD-C-85045/9(1)		CABLES, FIBER OPTICS, BREAK OUT, INDIVIDUALLY JACKETED JACKETED FIBERS (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	BS	13-SEP-90	CR	EC	85			
	DOD-C-85045/10		CABLES, FIBER OPTICS, WITH GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	BS	20-MAR-87	CR	EC	85			
	DOD-C-85045/11(1)		CABLES, FIBER OPTICS, WITH STEEL SHEATHING RODENT PROTECTION, GEL FILLING AND FLOODING COMPOUND (METRIC) USER: 17 REVIEWER: 11 AR AS ES MI SC	A 6015	BS	13-SEP-90	CR	EC	85			
L	MIL-C-85045/12		CABLES, FIBER OPTIC, HIGH RELIABILITY, SINGLE FIBER, MULTI-MODE, GRADED INDEX, OUTGASSING RESISTANT REVIEWER: ES	A 6015	NA	01-JAN-89						
D	MIL-C-85045/13A		CABLE, FIBER OPTIC, EIGHT FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YDI	A 6015	SH	21-MAY-92	CR	SH	85			
D	MIL-C-85045/14A		CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE B (PIGTAIL), LOOSE TUBE, CABLE CLASS MM OR SM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YDI	A 6015	SH	21-MAY-92	CR	SH	85			
D	MIL-C-85045/15		CABLE, FIBER OPTIC, FOUR FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YDI	A 6015	SH	21-MAY-92	CR	SH	85			
D	MIL-C-85045/16		CABLE, FIBER OPTIC, ONE FIBER, CABLE CONFIGURATION TYPE 2 (PIGTAIL), TIGHT BUFFERED, CABLE CLASS SM OR MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YDI	A 6015	SH	21-MAY-92	CR	SH	85			
D	MIL-C-85045/17		CABLE, FIBER OPTIC, CROSS-LINKED EIGHT FIBERS, CABLE CONFIGURATION TYPE 2 (OFCC), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YDI	A 6015	SH	21-MAY-92	CR	SH	85			
D	MIL-C-85045/18		CABLE, FIBER OPTIC, CROSS-LINKED FOUR FIBERS, CABLE CONFIGURATION TYPE 2 (PIGTAIL), APPLICATION B (SHIPBOARD), CABLE CLASS SM AND MM, (METRIC) USER: OS REVIEWER: 13 17 19 80 90 99 AR AV EC ES MI YDI	A 6015	SH	21-MAY-92	CR	SH	85			
L	MIL-A-85046		ACTUATOR, LINEAR, ELECTROMECHANICAL (VALIDATION DATE: 8303) .....	A 1095	AS	07-SEP-76			AS			
L	MIL-H-85047A(2)		HELMET ASSEMBLY, M24-34/P .....	A 8475	AS	25-MAY-83			AS			
Q	MIL-C-85049A SUPPL 1A1		CONNECTOR ACCESSORIES, ELECTRICAL GENERAL SPECIFICATION FOR REVIEWER: 11 99 AR EC ES MI SH	A 5935	AS	30-AUG-90	CR	AS	85			
	MIL-C-85049/1A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/2A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/3A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 AR ES MI	A 5935	EC	28-JUN-88	CR	EC	85			
	MIL-C-85049/4A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-UP, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 AR ES MI	A 5935	EC	28-JUN-88	CR	EC	85			
A	MIL-C-85049/5B		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 99 AR ES MI	A 5935	EC	24-NOV-92	CR	EC	85			
	MIL-C-85049/6A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/7A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/8A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/9A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90 DEGREE, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/10A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, SHIELD TERMINATION, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/11A		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	85			
	MIL-C-85049/14		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, CATEGORY 3B (FOR MIL-C-38999 SERIES III & IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	21-NOV-86	CR	AS	85			
	MIL-C-85049/15		CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III & IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	21-NOV-86	CR	AS	85			
	MIL-C-85049/16		CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III & IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	21-NOV-86	CR	AS	85			
	MIL-C-85049/17 NOTICE 1		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (VALIDATION DATE: 8701) REVIEWER: 11 15 17 99 AR EC ES MI	A 5935	BS	30-JAN-87	CR	AS	85			
	MIL-C-85049/18B		CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, R&F/E&M, CATEGORY 2B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC MI	A 5935	BS	01-OCT-84	CR	AS	85			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OML Coordination Inchase Document Number	Document Title	Dist. Smt. FAC / Ave MCA Symbol Preparing Date	Army Navy Air Force DLA	Custodians
MIL-C-85049/19A NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (VALIDATION DATE: 8901) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 13-JAN-89 CR AS 85		
MIL-C-85049/20A NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, RFI, EMI, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (VALIDATION DATE: 8901) USER: AV REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 13-JAN-89 CR AS 85		
MIL-C-85049/21A NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) (VALIDATION DATE: 8901) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 13-JAN-89 CR AS 85		
MIL-C-85049/23A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/24A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/25A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/26A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/27A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 21-NOV-86 CR AS 85		
MIL-C-85049/28B NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-83733 CONNECTORS) (VALIDATION DATE: 8701) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 30-JAN-87 CR AS 85		
MIL-C-85049/29 NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, STRAIGHT, STRAIN RELIEF, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (VALIDATION DATE: 8701) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 30-JAN-87 CR AS 85		
MIL-C-85049/30A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 21-NOV-86 CR AS 85		
MIL-C-85049/31B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-0085049/31	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL STRAIGHT, SELF-LOCKING, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 & MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 ES	A 5935 85 21-NOV-86		85
MIL-C-85049/32A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 21-NOV-86 CR AS 85		
MIL-C-85049/33A	CONNECTOR ACCESSORIES, ELECTRICAL, BACK SHELL, NON ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: MI	A 5935 85 21-NOV-86 CR AS 85		
1 MIL-C-85049/34A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, THREADED ADAPTER, CATEGORY 3C (FOR MIL-C-26482 SERIES I JAM NUT RECEPTACLE CONNECTOR) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/36 NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (VALIDATION DATE: 8701) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 30-JAN-87 CR AS 85		
MIL-C-85049/37A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON ENVIRONMENTAL, SPLIT 90 DEG., SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 21-NOV-86 CR AS 85		
MIL-C-85049/38C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 ES	A 5935 85 19-DEC-89 CR AS 85		
MIL-C-85049/39C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEG., SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) USER: AV REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 19-DEC-89 CR AS 85		
1 MIL-C-85049/41	CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/42A	CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4A (FOR MIL-C-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS) REVIEWER: 11 99 AR EC MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/43A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		
MIL-C-85049/44A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 21-NOV-86 CR AS 85		
1 MIL-C-85049/45A NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (VALIDATION DATE: 8901) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 13-JAN-89 CR AS 85		
1 MIL-C-85049/46B NOTICE 1	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, NONMETALLIC, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) (VALIDATION DATE: 8901) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 13-JAN-89 CR AS 85		
MIL-C-85049/47B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935 85 12-SEP-88 CR AS 85		
MIL-C-85049/48B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-2430B CONNECTORS) REVIEWER: 11 99 AR EC MI	A 5935 EC 11-SEP-91 CR EC 85		
MIL-C-85049/49C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935 85 06-SEP-90 CR AS 85		
MIL-C-85049/50B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, CATEGORY 4C (FOR MIL-C-2430B CONNECTORS) REVIEWER: 11 99 AR EC MI	A 5935 EC 11-SEP-91 CR EC 85		
MIL-C-85049/51C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935 AS 30-NOV-90 CR AS 85		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / Omit Coordinate Inactive	Document Number	Document Title	Dist SMT FAC / Area	MCA Symbol	Preparing Agency	Date	Customs		
							Army	Navy	AF / Forc DLA
	MIL-C-85049/52C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	BS	
I	MIL-C-85049/53A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	BS	
I	MIL-C-85049/54A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45 DEG., CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	BS	
I	MIL-C-85049/55B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90 DEG., SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	BS	
	MIL-C-0085049/55	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99	A 5935	BS	26-JAN-87			BS	
	MIL-C-85049/56A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935	BS	16-JAN-80	CR	AS	BS	
	MIL-C-85049/57A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45 DEG., CATEGORY 4C (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935	BS	16-JAN-80	CR	AS	BS	
	MIL-C-85049/58A	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935	BS	21-NOV-86	CR	AS	BS	
	MIL-C-85049/59A	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-22992 CONNECTORS, CLASSES C, J, AND R) REVIEWER: 11 AR ES	A 5935	EC	28-JUN-88	CR	EC	BS	
	MIL-C-85049/60A	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 99 AR EC ES MI	A 5935	AS	30-NOV-90	CR	AS	BS	
	MIL-C-85049/61A	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (FOR MIL-C-27599 CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	21-NOV-86	CR	AS	BS	
	MIL-C-85049/62A	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935	BS	16-JAN-80	CR	AS	BS	
	MIL-C-85049/63A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING AND NONSELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	26-JAN-87	CR	AS	BS	
	MIL-C-85049/64B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	19-DEC-89	CR	AS	BS	
	MIL-C-85049/65B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT 90 DEG., CATEGORY 4C (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	19-DEC-89	CR	AS	BS	
	MIL-C-85049/69B	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-C-38999 SERIES III & IV CONNECTORS) USER: AV REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935	BS	01-OCT-84	CR	AS	BS	
	MIL-C-85049/74A	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/61 POTTING BOOT RING) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935	BS	21-NOV-86	CR	AS	BS	
	MIL-C-85049/75A	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH MIL-C-85049/58 POTTING BOOT RING) REVIEWER: 11 15 17 19 99 AR EC ES MI	A 5935	BS	21-NOV-86	CR	AS	BS	
	MIL-C-85049/76	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELDED TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: ME	A 5935	BS	28-AUG-89	CR	AS	BS	
	MIL-C-85049/77	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	28-AUG-89	CR	AS	BS	
	MIL-C-85049/78	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	28-AUG-89	CR	AS	BS	
	MIL-C-85049/79	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90 DEG., SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MI	A 5935	BS	28-AUG-89	CR	AS	BS	
L	MIL-C-85049/80	CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 12 AND 8, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) REVIEWER: 11 15 19 99 ES	A 5935	BS	22-SEP-89			BS	
L	MIL-C-85049/81	CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-C-38999 CONNECTORS) REVIEWER: 11 15 19 99 ES	A 5935	BS	22-SEP-89			BS	
A	MIL-C-85049/82	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3 AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	
A	MIL-C-85049/83	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD, BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	
A	MIL-C-85049/84	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-5015 CRIMP, MIL-C-26482 SERIES 2, MIL-C-81703 SERIES 3, AND MIL-C-83723 SERIES III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	
A	MIL-C-85049/85	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	
A	MIL-C-85049/86	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	
A	MIL-C-85049/87	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND III CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	
A	MIL-C-85049/88	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	
A	MIL-C-85049/89	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	BS	18-AUG-92	CR	AS	BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc / Chg / Revision	Document Number	Document Title	Dist Smt	FAC / Area	MCA Symbol	Preparing Acty	Date	Custodians		
									Army	Navy	AF Forc
A		MIL-C-85049/90	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90 DEG., SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	85	18-AUG-92	CR	AS	85		
A		MIL-C-85049/91	CONNECTORS, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	85	28-JAN-93	CR	AS	85		
A		MIL-C-85049/92	CONNECTOR, ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90 DEG, SELF-LOCKING, CATEGORY 4C (FOR MIL-C-38999 SERIES III AND IV CONNECTORS) REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	85	28-JAN-93	CR	AS	85		
A		MIL-C-85049/93	CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD, SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7 REVIEWER: 11 15 19 99 AR EC ES MC MI OS	A 5935	85	18-FEB-93	CR	AS	85		
L		DOD-C-85050(2)	CHARGER, BATTERY, NICKEL CADMIUM, AIRCRAFT	A 6130	AS	08-JUL-83			AS		
L		DOD-C-85050/1A	CHARGER, BATTERY, NICKEL CADMIUM AIRCRAFT 30 AMPERE CHARGER, DC INPUT	A 6130	AS	03-AUG-83			AS		
ANL		MIL-E-85051	ENCODERS, SHAFT POSITION TO DIGITAL, NON-CONTACT TYPE, ALTITUDE REPORTING	A 5990	AS	16-NOV-92			AS		
Q		MIL-C-85052A	CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9109)	A 5340	AS	26-SEP-91	AV	AS	99		
		NOTICE 1	REVIEWER: 11 15								
		MIL-C-85052/18	CLAMP, LOOP, TUBE 17-7 PH CRES, 275 DEG, F, FUEL AND PETROLEUM BASED HYDRAULIC FLUID RESISTANT (VALIDATION DATE: 9109) REVIEWER: 11 15	A 5340	AS	26-SEP-91	AV	AS	99		
		NOTICE 1									
		MIL-C-85052/28	CLAMP, LOOP, TUBE 17-7 PH CRES, 275 DEG, F, PHOSPHATE ESTER FLUID RESISTANT (VALIDATION DATE: 9109) REVIEWER: 11 15	A 5340	AS	26-SEP-91	AV	AS	99		
		NOTICE 1									
		MIL-C-85052/38	CLAMP, LOOP, TUBE 17-7 PH CRES, 500 DEG, F (VALIDATION DATE: 9109) REVIEWER: 11 15	A 5340	AS	26-SEP-91	AV	AS	99		
		NOTICE 1									
		MIL-C-85052/4	CLAMP SUPPORT - LOOP CLAMP (VALIDATION DATE: 9109) REVIEWER: 11	A 5340	AS	26-SEP-91	AV	AS	99		
		NOTICE 1									
L		MIL-T-85053	TEST SET AN/AMM-80 FOR THE AN/AMG-10A MISSILE CONTROL SYSTEM (VALIDATION DATE: 8307)	A 4935	AS	07-FEB-77			AS		
L		MIL-C-85054A	CORROSION PREVENTIVE COMPOUND, WATER DISPLACING, CLEAR (AMLGUARD)	A 8030	AS	26-OCT-85			AS		
L		MIL-A-85055	AVIONICS SYSTEM PERFORMANCE SPECIFICATION FOR A-4M/AV-8 BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 8704)	A 1280	AS	15-APR-87			AS		
L		MIL-D-85056A	DUAL MODE TRACKER FOR BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 9109)	A 1280	AS	26-SEP-91			AS		
L		MIL-W-85057	WEAPONS DELIVERY COMPUTER FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 8704)	A 1280	AS	15-APR-87			AS		
L		MIL-C-85058	CONTROL UNIT SUBSYSTEM FOR THE BOMBING SET, ANGLE RATE AN/ASB-19(V) (VALIDATION DATE: 8704)	A 1280	AS	15-APR-87			AS		
L		MIL-C-85061B(2)	COUPLING, FUEL LINE, FLEXIBLE, 125 PSI REVIEWER: CS	A 4730	AS	22-SEP-86	AV	AS			
L		MIL-I-85062	INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX (VALIDATION DATE: 8407)	A 6850	AS	20-OCT-87			AS		
L		MIL-S-85064	SIGNAL, UNDERWATER SOUND, MARK 82 MOD 0 AND MARK 128 MOD 1 (VALIDATION DATE: 9110)	A 1361	AS	17-OCT-91			AS		
L		MIL-T-85066	TEST SET, COUNTERMEASURES CHAFF DISPENSING SET, AN/ALM-181 (VALIDATION DATE: 8307)	A 5865	AS	17-JUN-77			AS		
L		MIL-U-85067A	ULTRASONIC EVALUATION OF HOUSING WELDS FOR THE MARK 71 MOD 0 WARHEAD	A 6635	AS	17-SEP-84			AS		
L		MIL-T-85068	TEST SET, FIRE CONTROL SYSTEM AN/AMM-87 (VALIDATION DATE: 8402)	A 1270	AS	22-JUN-77			AS		
L		MIL-S-85069B	SLEEVES, FASTENER, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9109) REVIEWER: 82 IS	A 5365	AS	09-SEP-91	AR	AS	99		
		SUPPL 1A1, NOTICE 1									
		MIL-S-85069/1A	SLEEVES, FASTENER, GROOVED, RELIABILITY AND MAINTAINABILITY (REPAIR AND MAINTENANCE) REQUIREMENTS FOR (VALIDATION DATE: 9109) REVIEWER: 82	A 5365	AS	09-SEP-91	AR	AS	99		
		NOTICE 1									
		MIL-S-85069/5A	SLEEVES, FASTENER, GROOVED, 100 DEGREE FLUSH FULL HEAD, TENSION, 1/64 OVERSIZE (VALIDATION DATE: 9109) REVIEWER: 82 AR IS	A 5365	AS	09-SEP-91	AV	AS	99		
		NOTICE 1									
		MIL-S-85069/10	SLEEVE (GROMMET), HARD SEAT, REDUCED HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER REVIEWER: 82 AR IS	A 5365	AS	14-NOV-86	AV	AS	99		
		NOTICE 1									
		MIL-S-85069/11	SLEEVE (GROMMET), HARD SEAT, TENSION HEAD, SWAGED, COUNTERSUNK, PANEL FASTENER REVIEWER: 82 AR IS	A 5365	AS	14-NOV-86	AV	AS	99		
L		MIL-T-85070A	CONTROL-MONITOR SET, GUIDED WEAPON, AN/AMM-9A	A 1450	AS	05-JAN-88			AS		
ANL		MIL-I-85071A	INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR	A 6130	AS	31-JUL-92			AS		
L		MIL-I-85071/1	INVERTER, AIRCRAFT, DC TO AC, STATIC, 100VA 3 PHASE AND 100VA 1 PHASE MULTI PURPOSE, CLASS B (VALIDATION DATE: 8711)	A 6130	AS	20-NOV-87			AS		
L		MIL-I-85071/2	INVERTER, AIRCRAFT, DC TO AC, STATIC, 250VA, 3 PHASE AND 250 VA 1 PHASE, MULTI PURPOSE, CLASS B (VALIDATION DATE: 8712)	A 6130	AS	11-DEC-87			AS		
L		MIL-I-85071/3B	INVERTER, AIRCRAFT, DC TO AC, STATIC, 750 VA 3-PHASE, 1000 VA 1-PHASE, AND 1000 VA 3-PHASE, MULTIPURPOSE, CLASS PHASE B	A 6130	AS	16-SEP-91			AS		
L		MIL-A-85072A	ACTUATOR, ELECTROMECHANICAL, LINEAR	A 1095	AS	01-MAY-87			AS		
L		MIL-T-85075A	TIE DOWN ASSEMBLY, HELICOPTER BLADE, GENERAL SPECIFICATION FOR	A 1730	AS	31-DEC-85			AS		
L		MIL-T-85075/1A	TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-46 HELICOPTER (VALIDATION DATE: 9109)	A 1730	AS	26-SEP-91			AS		
L		MIL-T-85075/2A	TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-53 HELICOPTER (VALIDATION DATE: 9109)	A 1730	AS	26-SEP-91			AS		
L		MIL-S-85076	SYSTEM, AUTOMATIC, WATER ACTIVATED PARACHUTE RELEASE, DETAIL SPECIFICATION FOR (VALIDATION DATE: 8304)	A 1670	AS	14-SEP-77			AS		
L		MIL-C-85077	CAPS, BLASTING, SPECIAL (VALIDATION DATE: 9109)	A 1375	AS	26-SEP-91			AS		
A		MIL-C-85078	COVERHALLS, FLYERS, KNIT, HIGH TEMPERATURE RESISTANT ARAMID CMU-48/P (VALIDATION DATE: 9110) REVIEWER: AV	A 8415	CT	29-OCT-91	GL	AS	45	CT	
L		MIL-I-85080(1)	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9110)	A 5970	AS	29-OCT-91			AS		
L		MIL-I-85080/1A	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYVINYL CHLORIDE, FLEXIBLE NON CROSSLINKED	A 5970	AS	20-APR-83			AS		
L		MIL-I-85080/2	INSULATION SLEEVING, ELECTRICAL, NON HEAT SHRINK, SILICONE RUBBER, FLEXIBLE (VALIDATION DATE: 8410)	A 5970	AS	28-NOV-77			AS		
L		MIL-I-85080/3	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYURETHANE FLEXIBLE	A 5970	AS	20-APR-83			AS		
L		MIL-I-85080/4	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, CHLOROSULFONATED POLYETHYLENE FLEXIBLE	A 5970	AS	20-APR-83			AS		
L		MIL-I-85080/5	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYCHLOROPRENE	A 5970	AS	20-APR-83			AS		
AN		MIL-E-85082A	ENCODERS, SHAFT POSITION TO DIGITAL, GENERAL SPECIFICATION FOR REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
A		MIL-E-85082/1	ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUL1267R80A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
A		MIL-E-85082/2	ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ALTITUDE REPORTING TYPE 11KUL1267R80A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
A		MIL-E-85082/3	ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL TYPE 11SKLOSS05A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
A		MIL-E-85082/4	ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KCL13R08A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
A		MIL-E-85082/5	ENCODER, SHAFT POSITION TO DIGITAL CONTACT TYPE, ABSOLUTE TYPE 11KPL13R08A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
A		MIL-E-85082/6	ENCODER, SHAFT POSITION TO DIGITAL CONTACT, ABSOLUTE TYPE 11KCJ10S05A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
A		MIL-E-85082/7	ENCODER, SHAFT POSITION TO DIGITAL OPTICAL INCREMENTAL, HOLLOW SHAFT TYPE 40SMW280R1/8A REVIEWER: ES	A 5990	AS	16-NOV-92	AR	AS	85		
L		MIL-I-85083A	INDICATOR, ANALOG DISPLAY IP-722f/AVA-1	A 5895	AS	26-JUN-85			AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Abbreviation / ONA Combination Machine Document Number	Document Title	Dist. Smt. FSC / Ane MCA Symbol	Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DLA
L MIL-G-85088(1)	GLYCERYL TRIRICINOLEATE REVIEWER: OS	A 6810	AS	09-NOV-79	AS			
L MIL-P-85089A	PAINTING OF AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS)	A 1377	AS	22-OCT-90	AS			
L MIL-W-85091(1)	WHEEL AND CAMBON BRAKE ASSEMBLY, F-14A GENERAL SPECIFICATION FOR (VALIDATION DATE: 8207)	A 1630	AS	11-SEP-78	AS			
L MIL-A-85097B(2)	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), PROCUREMENT SPECIFICATION FOR	A 1377	AS	08-AUG-84	AS			
L MIL-A-85097/1A	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 16 MOD 1 (LOADED ASSEMBLY)	A 1377	AS	31-OCT-85	AS			
L MIL-A-85097/2C	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); CATAPULT CARTRIDGES, MARK 198 MOD 1 AND MARK 205 MODS 0 AND 1 (VALIDATION DATE: 9109)	A 1377	AS	26-SEP-91	AS			
L MIL-A-85097/3B	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR (LOADED ASSEMBLY) MARK 79 MODS (VALIDATION DATE: 9109)	A 1377	AS	26-SEP-91	AS			
L MIL-A-85097/4A	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR ASSEMBLY, MARK 80 MOD 0	A 1377	AS	17-OCT-85	AS			
L MIL-A-85097/5A	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTORS, MARK 82 MOD 0 (MAN/SEAT SEPARATOR, LEFT) AND MARK 90 MOD 0 (MAN/SEAT SEPARATOR, RIGHT) (LOADED ASSEMBLIES)	A 1377	AS	17-OCT-85	AS			
L MIL-A-85097/6A	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTORS MARK 83 MODS AND MARK 85 MODS (LOADED ASSEMBLIES)	A 1377	AS	17-OCT-85	AS			
L MIL-A-85097/7C	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR MARK 84 MODS 1 AND 2 (VALIDATION DATE: 9109)	A 1377	AS	26-SEP-91	AS			
L MIL-A-85097/8B(2)	AIRCREW ESCAPE PROPULSION SYS (AEPS); ROCKET MOTORS, UNDER SEAT, GAS INITIATED (MARK 74 MOD 0, MARK 75 MOD 0, MARK 76 MOD 0, MARK 77 MOD 0, MARK 86 MOD 0, MARK 87 MOD 0, MARK 88 MOD 0, MARK 92 MOD 0, MARK 100 MOD 0, & MARK 101 MOD 0) (LOADED ASSEMBLY)	A 1377	AS	21-JUL-87	AS			
L MIL-A-85097/9A	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 12 MOD 1 (LOADED ASSEMBLY)	A 1377	AS	24-AUG-84	AS			
L MIL-A-85097/10A	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET MOTOR, UNDER SEAT, MECHANICALLY INITIATED, MARK 54 MOD 0 (LOADED ASSEMBLY) (VALIDATION DATE: 8704)	A 1377	AS	10-APR-87	AS			
L MIL-A-85097/11A	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR ASSEMBLY, MARK 113 MOD 0 (VALIDATION DATE: 9109)	A 1377	AS	26-SEP-91	AS			
L MIL-A-85097/12	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS), ROCKET CATAPULT MARK 18 MOD 0 (LOADED ASSEMBLY) (VALIDATION DATE: 9109)	A 1377	AS	26-SEP-91	AS			
L MIL-A-85097/13	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR, CANOPY JETTISON, MARK 109 MOD 0 (LOADED ASSEMBLY) (VALIDATION DATE: 9109)	A 1377	AS	26-SEP-91	AS			
L MIL-A-85097/14B	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET CATAPULT MARK 1 MOD 1 (LOADED ASSEMBLY)	A 1377	AS	08-OCT-88	AS			
L MIL-A-85097/15	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS); ROCKET MOTOR, MARK 121 MOD 0 (VALIDATION DATE: 9109)	A 1377	AS	26-SEP-91	AS			
L MIL-B-85099	BATTERY, WET PRIMARY FOR AN/DKT-37(V) TELEMETRY PACKAGE (VALIDATION DATE: 8410)	A 6135	AS	15-JUN-78	AS			
L MIL-N-85100A	NAVIGATION SET, TACTICAL AN/ASN-123	A 5826	AS	30-MAR-87	AS			
A L MIL-C-85101	CLOTH, WARP KNIT, ARAMID, HIGH TEMPERATURE RESISTANT (VALIDATION DATE: 8511)	A 8305	CT	16-NOV-79	AS		CT	
L MIL-G-85103B	GUN SYSTEM, 25MM (AV-8B)	A 1005	AS	05-MAY-82	AS			
L MIL-B-85110A	BAR, REPEATABLE RELEASE HOLDBACK, AIRCRAFT LAUNCHING, GENERAL DESIGN REQUIREMENTS FOR	A 1720	AS	30-AUG-91	AS			
A L MIL-R-85111A(7)	RECOVERY ASSIST, SECURING AND TRAVERSING SYSTEM FOR LAMPS MK 111 HELICOPTER	A 1710	AS	26-OCT-92	AS			
L MIL-I-85112	INDICATOR SET, VERTICAL SCALE (VALIDATION DATE: 8410)	A 6695	AS	31-JUL-78	AS			
L MIL-A-85116	ACTUATOR, PISTON, MINIATURE	A 1370	AS	25-NOV-80	AS			
L MIL-G-85117A	GYRO, STORED-ENERGY, FREE ROLL POSITION INDICATING (VALIDATION DATE: 9109)	A 1420	AS	26-SEP-91	AS			
L MIL-P-85121	PROJECTILES, 20MM MARK 100 SERIES (VALIDATION DATE: 8704)	A 1305	AS	10-APR-87	AS			
L MIL-C-85122	CARTRIDGE, 20MM MARK 100 SERIES (VALIDATION DATE: 8704)	A 1305	AS	10-APR-87	AS			
L MIL-C-85123	CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CMU-159/E (VALIDATION DATE: 9110)	A 8140	AS	29-OCT-91	AS			
L MIL-C-85124	CONTAINER, SHIPPING AND STORAGE GUIDED MISSILE CMU-163/E (VALIDATION DATE: 9110)	A 8140	AS	29-OCT-91	AS			
L MIL-B-85130(1)	BEACON, UNDERWATER ACOUSTIC AIRCRAFT GENERAL SPECIFICATION FOR	A 5845	AS	19-MAR-82	AS			
L MIL-T-85138	TRANSMITTER, PULSE CODE MODULATION (FOR SECURE TELEMETRY APPLICATIONS) (VALIDATION DATE: 8706)	A 5821	AS	19-JUN-87	AS			
L MIL-M-85139	MULTIPLEXER, PULSE CODE MODULATION (VALIDATION DATE: 8706)	A 5821	AS	19-JUN-87	AS			
L MIL-C-85144C	CONTROL SECTION, GUIDED MISSILE FOR AIM/RIM-7M, GUIDED MISSILE	A 1420	AS	22-OCT-86	AS			
L MIL-R-85188A(1)	RIVETER, POWER, PNEUMATIC-HYDRAULIC BLIND RIVET INSTALLATION REVIEWER: 84 99 GL 15	A 5130	AS	10-JAN-92	AS		11	
L MIL-T-85230A	TARGET, TON, AERIAL, TDU-34A/A	A 1550	AS	13-APR-92	AS			
L MIL-G-85231(1)	GUIDED WEAPON CONTROL GROUP OK-293A/ANW	A 1430	AS	07-NOV-85	AS			
L MIL-T-85235	TEST SET, RADIO SET AN/ARM 165A (VALIDATION DATE: 8503)	A 4920	AS	19-JAN-79	AS			
L MIL-T-85236	TEST SET, SWITCHING UNIT TS-3634/ARM (VALIDATION DATE: 8410)	A 4920	AS	25-AUG-78	AS			
L MIL-T-85239A	TRAILER, MUNITIONS, MIL-151/M	A 2330	AS	20-NOV-90	AS			
L MIL-S-85242A	SWITCH, STEPPING, DIRECT CURRENT, ELECTROMECHANICAL, AIRCRAFT	A 5930	AS	28-MAY-83	AS			
L MIL-S-85242/1	SWITCH, STEPPING, 7 LEVEL (VALIDATION DATE: 9110)	A 5930	AS	17-OCT-91	AS			
L MIL-T-85244	TRANSMITTING SET, TELEMETRIC DATA AN/DKT-49(XN-1), AN/DKT-49(XN-2), AND AN/DKT-49A (VALIDATION DATE: 9109)	A 1420	AS	26-SEP-91	AS			
M MIL-V-85245	VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9205) REVIEWER: 99	A 1650	AS	18-MAY-92	AV	AS	11	
L MIL-V-85245/1	VALVE, RELIEF, HYDRAULIC, HIGH RESPONSE, INLINE (VALIDATION DATE: 9205)	A 1650	AS	19-MAY-92	AV	AS	99	
L MIL-V-85245/2	VALVE, RELIEF, HYDRAULIC HIGH RESPONSE, CARTRIDGE TYPE (VALIDATION DATE: 9205) REVIEWER: 99	A 1650	AS	18-MAY-92	AV	AS	11	
L MIL-E-85246A	ELECTRONIC CIRCUIT MODULES GENERAL SPECIFICATION FOR	A 1420	AS	13-NOV-84	AS			
L MIL-C-85247	COMPUTER, AIR DATA CP-1005A/A (VALIDATION DATE: 9110)	A 6610	AS	17-OCT-91	AS			
L MIL-C-85248A	CAMERA, STILL PICTURE, PANORAMIC, KA-99A	A 6720	AS	28-NOV-84	AS			
L MIL-B-85251	BOMB, BINARY CHEMICAL, EMPTY (BLU-80/B)	A 1325	AS	13-JUN-81	AS			
L MIL-B-85252	BALLOONET, CARTRIDGE ACTIVATED (MXU-695/B)	A 1377	AS	13-JUN-81	AS			
L MIL-C-85253	CODE, DETONATING	A 1377	AS	13-JUN-81	AS			
L MIL-C-85254	CHARGE, LINEAR SHAPED	A 1377	AS	13-JUN-81	AS			
L MIL-M-85255	MOTOR, HOT GAS (MAN-132A/B)	A 1377	AS	13-JUN-81	AS			
L MIL-C-85256	CARTRIDGE, IMPULSE, COU-13/B	A 1377	AS	13-JUN-81	AS			
L MIL-C-85257	CORD ASSEMBLY, DETONATING	A 1377	AS	13-JUN-81	AS			
L MIL-G-85258	GENERATOR, GAS PRESSURE, PROPELLANT ACTUATED BBU-18/B	A 1377	AS	13-JUN-81	AS			
L MIL-M-85281B	HORIZON REFERENCE SET, SHIP MOUNTED FOR LAMPS MK 111 HELICOPTER	A 1710	AS	30-AUG-91	AS			
L MIL-C-85283A	CONTROL MONITOR SET, GUIDED WEAPON, AN/ANW-9	A 1430	AS	28-JAN-82	AS			
L MIL-T-85284	TEST SET, ADAPTER GROUP, OK-65/ASM	A 7035	AS	20-JUL-83	AS			
QL MIL-C-85285B(2)	COATING: POLYURETHANE, HIGH-SOLIDS	A 8010	AS	22-OCT-90	AS			
L MIL-H-85286A	HEAD COIL ASSEMBLY	A 1420	AS	13-NOV-84	AS			
L MIL-T-85288	TACTICAL NAVIGATION SET AN/ASN-123, GROUND SUPPORT EQUIPMENT ELECTRONIC SYSTEMS TEST SET, AN/ASN-614 (VALIDATION DATE: 9110)	A 5825	AS	17-OCT-91	AS			
L MIL-D-85294(1)	DETONATOR, ELECTRIC, MARK 71 MOD 1	A 1375	AS	13-JUN-86	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ORL Coordination Inclusive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol	Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DLA
L	MIL-L-85297 NOTICE 1	LEAD, EXPLOSIVE MARK 24 MOD 0 MARK 25 MOD 0 (VALIDATION DATE: 8704) .....	A 1336	AS 05-MAR-80	AS			
L	MIL-T-85298	TEST SET, WEAPON CONTROL, AIRCRAFT AN/ASM-184B(V)1 AND AN/ASM-184B(V)2 ....	A 6625	AS 15-JAN-79	AS			
L	MIL-G-85299	GUIDED MISSILE LAUNCHER TEST SET, AN/ASM-464A .....	A 4935	AS 02-MAR-87	AS			
L	MIL-C-85300	COOLER, CRYOGENIC DETECTOR .....	A 1420	AS 13-DEC-82	AS			
L	MIL-C-85301 NOTICE 1	COMPUTER, SONAR DATA, CP-1323/AQS-13E AND MOUNTING BASE, MT-4948/AQS-13E ..	A 5845	AS 15-APR-88	AS			
L	MIL-D-85306A	DELAY COMPOSITION, T-10 .....	A 1377	AS 07-NOV-91	AS			
L	MIL-R-85308	RECORDER REPRODUCER, ACOUSTIC AN/AQM-4-(V)2 .....	A 5835	AS 28-JUL-83	AS			
L	MIL-S-85309(3)	SQUIB, ELECTRIC, SINGLE BRIDGEWIRE .....	A 1336	AS 20-JAN-87	AS			
L	MIL-S-85312	SEALING COMPOUND, NONCURING, POLYSULFIDE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS (VALIDATION DATE: 8509) .....	A 8030	AS 02-MAR-79	AS			
	MIL-L-85314A(2)	LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, GENERAL SPECIFICATION FOR (VALIDATION DATE: 9203) .....	A 6220	AS 20-MAR-92	AV	AS	11	
	MIL-L-85314/1B	LIGHT SYSTEMS, AIRCRAFT, ANTI-COLLISION, STROBE, DUAL (RED AND WHITE) MODE, FUSELAGE MOUNTED .....	A 6220	AS 13-MAR-92	AV	AS	11	
	MIL-L-85314/2A	LIGHT SYSTEM, SUPERSONIC & SMALL SUBSONIC AIRCRAFT, ANTI COLLISION, STROBE, RED & WHITE MODE, WING, FUSELAGE, VERTICAL STABILIZER MOUNTED .....	A 6220	AS 30-JUN-83	AV	AS	11	
	MIL-L-85314/4A	LIGHT SYSTEMS, SUBSONIC AIRCRAFT, ANTI COLLISION, STROBE, FUSELAGE MOUNTED RED SOURCE & WING TIP MOUNTED WHITE SOURCE .....	A 6220	AS 30-JUN-83	AV	AS	11	
	MIL-L-85314/5	LIGHT SYSTEMS, LARGE SUB-SONIC A/C, ANTI-COLLISION, STROBE, DUAL (RED AND WHITE) MODE, FUSELAGE AND TAIL MOUNT REVIEWER: 99 .....	A 6220	11 20-AUG-86			11	
	MIL-P-85315(1)	PUMP, EJECTOR, AIR VEHICLE FUEL, GENERAL SPECIFICATIONS FOR .....	A 2915	AS 23-AUG-83	AV	AS	11	
	MIL-S-85318	SEALING COMPOUND, NON-CARCINOGEN CURING POLYURETHANE (POLYURETHAN BASED), ELECTRIC CONNECTIONS AND ELECTRIC SYSTEMS (VALIDATION DATE: 8509) .....	A 8030	AS 27-MAR-79	AS			
L	MIL-R-85320(1)	RACK, BOMB EJECTOR, AIRCRAFT, BRU-20, BRU-21, BRU-22, BRU-23, BRU-24 AND BRU-25 SERIES .....	A 1095	AS 19-AUG-80	AS			
MQ	MIL-C-85322B	COATING, ELASTOMETRIC, POLYURETHANE, RAIN-EROSION USER: MC REVIEWER: AV ME	A 8010	AS 30-APR-93	ME	AS	11	
L	MIL-R-85323(1)	RACK, BOMB, MULTIPLE EJECTOR, A/A37B-6 SERIES AND TRIPLE EJECTOR, A/A37B-5 SERIES .....	A 1095	AS 20-AUG-80	AS			
L	MIL-R-85325(1)	RACK, BOMB EJECTOR, AIRCRAFT, AEHO 27A .....	A 1095	AS 19-AUG-80	AS			
L	MIL-I-85326 NOTICE 1	IGNITER, ROCKET MOTOR, MARK 297 MOD 0 (VALIDATION DATE: 8704) .....	A 1337	AS 10-APR-87	AS			
	MIL-T-85328	FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-64/B) .....	A 1377	AS 13-JUN-81	AS			
L	MIL-H-85330A	HYBRID TEST SYSTEM (VALIDATION DATE: 8803) .....	A 6625	AS 21-MAR-88	AS			
L	MIL-D-85331 NOTICE 1	DIGITAL WORD GENERATOR PERFORMANCE AND INTERFACE (VALIDATION DATE: 9110) ..	A 6625	AS 17-OCT-91	AS			
L	MIL-S-85333	SAFETY ARMING DEVICE MARK 33 MOD 1 .....	A 1336	AS 24-SEP-79	AS			
L	MIL-S-85334	SEALING COMPOUND, NONCURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS .....	A 8030	AS 21-MAY-80	AS			
	DDO-L-85336A	LUBRICANT, ALL WEATHER (AUTOMATIC WEAPONS) REVIEWER: AN .....	A 9150	AS 05-MAR-85	ME	AS	68	
L	MIL-M-85337A	MANUAL, TECHNICAL, QUALITY ASSURANCE PROGRAM, REQUIREMENTS FOR .....	A QC1C	AS 15-NOV-84	AS			
L	MIL-T-85342A	TRAILER, MUNITIONS, MMU 171A/E .....	A 1740	AS 15-OCT-85	AS			
QL	MIL-L-85347A	LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN (WITH ARAMID CASTING), TYPE LPU-23B/P .....	A 4220	AS 18-DEC-86	AS			
L	MIL-B-85349(1)	BOOSTER, FUZE, MARK 60 MOD 1 .....	A 1336	AS 19-JAN-81	AS			
L	MIL-T-85350B	TRANSMITTER, BEACON, LOCATOR T-1438/D (CONTROLLED DISTRIBUTION) .....	B 5826	AS 14-DEC-90	AS			
L	MIL-T-85351A	TRANSPONDER SET AN/DPN-88 (VALIDATION DATE: 9110) .....	A 5895	AS 17-OCT-91	AS			
L	MIL-I-85352(3)	INFLATOR ASSEMBLY AND GAGE ELEMENTS, PNEUMATIC PRESSURE, REMOTE CONTROL, DIRECT READING REVIEWER: GS .....	A 4920	AS 14-FEB-89	AV	AS	99	
	MIL-I-85352/1A	INFLATOR ASSEMBLY KIT REVIEWER: GS .....	A 4920	AS 17-FEB-89	AV	AS	99	
	MIL-I-85352/2	INFLATOR ASSEMBLY REMOTE CONTROLLER ASSEMBLY (VALIDATION DATE: 9109) REVIEWER: GS .....	A 6685	AS 26-SEP-91	AV	AS	99	
	MIL-I-85352/3	INFLATOR ASSEMBLY GAGE ELEMENTS (VALIDATION DATE: 9109) REVIEWER: GS .....	A 6685	AS 26-SEP-91	AV	AS	99	
	MIL-I-85352/4	INFLATOR ASSEMBLY DUAL CHUCK STEM GAGE KIT (VALIDATION DATE: 9109) REVIEWER: GS .....	A 6685	AS 26-SEP-91	AV	AS	99	
Q	MIL-N-85353	MUTS (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F AND 1200 DEG. F, GENERAL SPECIFICATION FOR REVIEWER: 99 AV IS .....	A 5310	AS 15-JUL-81	MI	AS	11	
	MIL-N-85353/1(1)	MUT (FASTENER), INTERNALLY THREADED, HEXAGON, REDUCED HEIGHT 125 KSI & 200 KSI FTU, 450 DEG. F REVIEWER: 99 AV IS .....	A 5310	AS 15-OCT-85	AV	AS	11	
	MIL-N-85353/2A	MUT, (FASTENER), HEX, PRELOAD LOCKING, CRES, 450 DEG. F, 800 DEG. F AND 1200 DEG. F, REVIEWER: 99 AV IS .....	A 5310	AS 23-JUN-86	AV	AS	11	
L	MIL-S-85354	SWITCH, INERTIA, FUZE .....	A 1336	AS 14-NOV-80	AS			
L	MIL-C-85356 NOTICE 1	CALIBRATOR SET, MISSILE SYSTEM TEST EQUIPMENT AN/ASM-624 (VALIDATION DATE: 8706) .....	A 4935	AS 19-JUN-87	AS			
L	MIL-C-85358 NOTICE 2	CHECKLIST, AIRCRAFT GUNS JAM CLEARING (VALIDATION DATE: 9110) .....	A THSS	AS 09-OCT-91	AS			
L	MIL-C-85361 NOTICE 1	CARRYING CASE ASSEMBLIES, INFLATABLE LIFE RAFT (VALIDATION DATE: 8711) ....	A 4220	AS 06-NOV-87	AS			
L	MIL-R-85363(2)	ROCKET MOTOR MARK 23 MODS 2 & 3 .....	A 1340	AS 16-JUL-86	AS			
L	MIL-P-85364(1)	PROPELLANT CTBN 23-17 .....	A 1340	AS 06-MAR-86	AS			
L	MIL-I-85365A(1)	IGNITER MARK 296 MODS (LOADED ASSEMBLY) .....	A 1340	AS 12-DEC-85	AS			
L	MIL-I-85370	IRON OXIDE, (MONOHYDRATE) YELLOW .....	A 6810	AS 03-FEB-87	AS			
L	MIL-C-85373A	CONTROL-MONITOR SET, GUIDED WEAPON, AN/AM-12A .....	A 1095	AS 21-NOV-88	AS			
L	MIL-V-85374(1)	VISOR, SHATTER RESISTANT .....	A 8475	AS 09-JAN-81	AS			
L	MIL-T-85375 NOTICE 1	TRANSMITTER, DIGITAL TELEMETRY (VALIDATION DATE: 9110) .....	A 5821	AS 17-OCT-91	AS			
L	MIL-S-85376A	STAND, SHIPBOARD, HELICOPTER MAINTENANCE .....	A 4920	AS 01-FEB-85	AS			
L	MIL-S-85377A	SWITCH, STEPPING, DIRECT CURRENT, AIRCRAFT DISPENSER .....	A 5930	AS 09-FEB-83	AS			
L	MIL-S-85377/1A NOTICE 1	SWITCH, STEPPING, ONE LEVEL, EIGHT POSITION (VALIDATION DATE: 9110) .....	A 5930	AS 17-OCT-91	AS			
L	MIL-T-85378	TEST SET, DATA LINK CONTROLLER TS-3531/ASM .....	A 4935	AS 13-DEC-84	AS			
L	MIL-E-85379(1)	EMITTER, INTEGRATED EXPENDABLE AN/DPT-1 .....	A 5841	AS 12-MAR-82	AS			
L	MIL-T-85380A	TRANSMITTING SET, RADAR AN/DPT-2A(V) .....	A 5821	AS 02-MAR-89	AS			
L	MIL-M-85383	MANUAL, TECHNICAL, AIRCRAFT STRUCTURE REPAIR, CORROSION CONTROL, AND NONDESTRUCTIVE INSPECTION (WORK PACKAGE CONCEPT), PREPARATION OF .....	A THSS	AS 28-NOV-80	AS			
L	MIL-C-85388	COMPUTER, WEAPON AIMING CP-1444/A .....	A 1280	AS 08-JUL-82	AS			
DDO-L-85390	INDICATOR, TIME TEMPERATURE, CARD, CHEMICALLY ACTIVATED, METRIC (VALIDATION DATE: 8706) .....	A 6695	AS 01-JUN-87	AS			99	
L	MIL-C-85392	CONTROL-MONITOR SET, GUIDED WEAPON, AN/AM-70, GENERAL SPECIFICATION FOR ..	A 1095	AS 08-SEP-87	AS			
L	MIL-T-85395	TEST SET, GUIDED WEAPON AN/DSM-139A .....	A 4935	AS 22-AUG-84	AS			
L	MIL-T-85396A	TEST SET, GUIDED WEAPON AN/DSM-139B .....	A 4935	AS 30-SEP-86	AS			
L	MIL-T-85397A	TRANSPONDER SET AN/DKW-2A(V) .....	A 5821	AS 14-OCT-83	AS			
L	MIL-T-85398C(2)	TRANSPONDER SET AN/DKW-3A(V) .....	A 5821	AS 24-AUG-84	AS			
L	MIL-F-85399	FUZE, GUIDED MISSILE, FMUJ-138/B .....	A 1336	AS 14-NOV-80	AS			
L	MIL-F-85400	FUZE, GUIDED MISSILE, DUMMY FMUJ-138/D-1/B .....	A 1336	AS 14-NOV-80	AS			
L	MIL-M-85401 NOTICE 1	MANUAL, TECHNICAL, CONVENTIONAL TO MICROFILM COMPATIBLE, CONVERSION OF ....	A THSS	AS 09-OCT-86	AS			
L	MIL-V-85402	VALVE, AIR, DUAL, PYROTECHNIC ACTUATED FZU-43/B .....	A 1336	AS 14-NOV-80	AS			
L	MIL-T-85405 NOTICE 1	TRAILER, MUNITIONS, MMU-185/M (VALIDATION DATE: 8705) .....	A 1740	AS 28-JUL-80	AS			
L	MIL-T-85413A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 1 .....	A 4920	AS 23-JAN-86	AS			
L	MIL-T-85413/1A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AN/ASM 607 (V) 1 .....	A 4920	AS 28-FEB-86	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action OR / ORA Coordination Inclusive Document Number	Document Title	Dist. Sym. FSC / Arms MCA Symbol	Preparing Agency Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-T-85413/2A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AM/ASM 607 (V) 2	A 4920	AS 28-FEB-86	AS			
L MIL-T-85413/3A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AM/ASM 607 (V) 3	A 4920	AS 28-FEB-86	AS			
L MIL-T-85413/5A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AM/ASM 607 (V) 5	A 4920	AS 28-FEB-86	AS			
L MIL-T-85413/6A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AM/ASM-607(V)-6	A 4920	AS 28-FEB-86	AS			
L MIL-T-85413/7A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AM/ASM 607 (V) 7	A 4920	AS 28-FEB-86	AS			
L MIL-T-85413/8A	TEST SET, COMPUTER MEMORY LOADER VERIFIER AM/ASM 607 (V) 8	A 4920	AS 28-FEB-86	AS			
L MIL-T-85413/10A	TEST SET, COMPUTER MEMORY LOADER-VERIFIER AM/ASM-607A(V)1	A 4920	AS 28-FEB-86	AS			
L MIL-N-854143	NAVIGATION SET, INERTIAL AM/ASM-139	A 5826	AS 15-MOV-90	AS			
L MIL-T-85418	TANK, STORAGE, LIQUID OXYGEN, LOW LOSS CLOSED CYCLE, TMU-70/M	A 3655	AS 21-AUG-80	AS			
L MIL-S-85419	STARTER AUXILIARY POWER UNIT, AIRCRAFT ENGINE, GAS TURBINE TYPE, DETAILED SPECIFICATION FOR	A 2995	AS 01-OCT-81	AS			
L MIL-S-85420	SEALING COMPOUNDS, QUICK REPAIR, LOW TEMPERATURE CURING POLYSULFIDE, FOR AIRCRAFT STRUCTURES	A 8030	AS 14-OCT-80	AS			
MIL-F-85421A	FITTING, TUBE, FLUID SYSTEMS, SEPARABLE, DYNAMIC BEAM SEAL, GENERAL REQUIREMENTS FOR USER: AT ME OS REVIEWER: 11 B2 AR CS MI	A 4730	AS 11-FEB-81	AV	AS	99	
MIL-F-85421/1	FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE USER: AT GL ME REVIEWER: 71 B2 CS MI	A 4730	AS 30-NOV-88	AV	AS	99	
MIL-F-85421/2	FITTING END, STANDARD DIMENSIONS FOR BULKHEAD, DYNAMIC BEAM SEAL, MALE USER: AT GL ME REVIEWER: 71 B2 CS MI	A 4730	AS 30-NOV-88	AV	AS	99	
MIL-F-85421/3	FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS USER: AT MC ME REVIEWER: 82 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/4	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH USER: AT MC ME REVIEWER: 82 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/5	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND BRANCH, SWIVEL NUT ON RUN USER: AT MC ME REVIEWER: 82 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/10	FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS USER: AT GL ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/11	FITTING, UNION, BEAM SEAL, 3000/4000 PSI, MALE ENDS USER: AT MC ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/12	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO MALE USER: AT ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-91	AV	AS	99	
MIL-F-85421/13	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS USER: AT ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/14	FITTING, ELBOW, 90 DEG., BEAM SEAL, 3000/4000 PSI, MALE TO FEMALE USER: AT ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/15	FITTING, ELBOW, 45 DEG., BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS USER: AT ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/16	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS USER: AT ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
MIL-F-85421/17	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS USER: AT ME REVIEWER: 71 B2 CS MI	A 4730	AS 15-MAY-92	AV	AS	99	
L MIL-D-85432B	OSCILLATOR, VOLTAGE CONTROLLED	A 5865	AS 31-AUG-88	AS			
L MIL-P-85433A	PREAMPLIFIER, TRAVELING WAVE TUBE AM-6965/DLQ-3B(V)	A 5865	AS 22-APR-83	AS			
L MIL-A-85434A	AMPLIFIER, TRAVELING WAVE TUBE AM-6937/DLQ-3B	A 5865	AS 09-MAR-83	AS			
L MIL-G-85435	GUIDED MISSILE, TRAINING ATM-78D-3, TYPE III [VALIDATION DATE: 9109]	A 6920	AS 26-SEP-91	AS			
L MIL-C-85437B	NOTICE 1						
L MIL-C-85441(1)	CAMERA SET, TELEVISION, AM/AXX-1	A 5821	AS 09-FEB-89	AS			
L MIL-D-85445	CABINET, ELECTRICAL EQUIPMENT C&Y-7887/UMPO-5	A 4920	AS 15-FEB-85	AS			
L MIL-C-85447A(1)	DETECTING, RANGING SET AM/AAS-33A	A 5855	AS 01-JUN-82	AS			
L MIL-C-85449(1)	CLEANING COMPOUNDS, ELECTRICAL & ELECTRONIC COMPONENTS	A 6850	AS 22-DEC-86	AS			
Q MIL-C-85449(1)	CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR REVIEWER: 11 IS	A 5340	AS 22-FEB-85	AV	AS	99	
MIL-C-85449/1B	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, NBR RUBBER, 321 CRES, 275 DEG. F, FUEL RESISTANT, GENERAL PURPOSE REVIEWER: 11 IS	A 5340	AS 28-AUG-87	AV	AS	99	
MIL-C-85449/2B	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, EPR RUBBER, 321 CRES, 275 DEG. F, GENERAL PURPOSE REVIEWER: 11 IS	A 5340	AS 20-OCT-87	AV	AS	99	
MIL-C-85449/3B	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, SILICONE FABRIC, REINFORCED 321 CRES, 500 DEG. F, GENERAL PURPOSE REVIEWER: 11 IS	A 5340	AS 20-OCT-87	AV	AS	99	
MIL-C-85449/4A	CLAMP ASSEMBLY, SADDLE-TYPE CUSHIONED, TEFLON, 321 CRES, -320 DEG. F TO 450 DEG. F, GENERAL PURPOSE REVIEWER: 11 B2 IS	A 5340	AS 28-AUG-87	AV	AS	99	
L MIL-N-85450(1)	NAVIGATION SET, TACAN AM/DNR-13	A 5826	AS 15-AUG-88	AS			
L MIL-C-85455	CHROMIUM-MOLYBDENUM PLATING (ELECTRODEPOSITED) [VALIDATION DATE: 9110]	A MFFP	AS 29-OCT-91	ME	AS		
L MIL-C-85456	USER: AT GL SH REVIEWER: AR AV OR IS MI						
L MIL-P-85459(2)	CONVERTER GROUP, (ENHANCED) DIGITAL SCAN OD-( )/APO-126(V)	A 5841	AS 22-FEB-83	AS			
L MIL-B-85464	PROBE, CRUSH SENSOR, RM, FZU-45/B AND LH, FZU-46/B AND PROBE, AIR-PRESSURE, FZU/B	A 1336	AS 01-JUN-87	AS			
L MIL-D-85465B	BOOSTER, FUZE, MARK 38 MOD 2	A 1336	AS 17-NOV-81	AS			
L MIL-G-85468	DEVICE, SAFETY & ARMING, FUZE FSU-10/A	A 1336	AS 28-FEB-88	AS			
L MIL-T-85469(2)	GENERATOR CONTROL INDICATOR SC-118, JAST-4(V)	A 6110	AS 07-AUG-81	AS			
L MIL-I-85470A	TRANSPONDER, MISS DISTANCE AM/DHQ-4B (CONTROLLED DISTRIBUTION)	B 5895	AS 22-MAR-91	AS			
L MIL-T-85471	INHIBITOR, ICING, FUEL SYSTEM, HIGH FLASH NATO COLD NUMBER S-1745	A 9150	AS 08-AUG-90	ME	AS	11	
L MIL-T-85472A	REVIEWER: 68 AV PS						
L MIL-T-85472A	TEST SET, INERTIAL MEASURING UNIT 11, TS 3846/ASM-608V [VALIDATION DATE: 8805] USER: 99	A 6625	AS 23-MAY-88	AS			
L MIL-F-85475(2)	TEST SET, GROUP OQ-169B/DSM-96A, SPECIFICATION FOR	A 4935	AS 04-AUG-87	AS			
L MIL-T-85476	FUZE, GUIDED MISSILE, FMU-141/B	A 1336	AS 03-SEP-86	AS			
L MIL-H-85478A	TEST STAND, OXYGEN SYSTEM COMPONENTS	A 4920	AS 05-OCT-81	AS			
L MIL-A-85481	HANDLE, BEADED, INFLATION ASSEMBLY [VALIDATION DATE: 9109]	A 4220	AS 26-SEP-91	AS			
L MIL-P-85484	NOTICE 1						
L MIL-C-85485A	ARMING WIRE ASSEMBLIES	A 1325	AS 21-AUG-81	AS			
L MIL-C-85485/5	POD-TRAY SUBASSEMBLY, SIMULATING SET [VALIDATION DATE: 9110]	A 5841	AS 17-OCT-91	AS			
L MIL-C-85485/6(1)	NOTICE 1						
L MIL-C-85485/7	CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE REVIEWER: 19 AV	A 6145	AS 10-MAY-83		85		
L MIL-C-85485/8	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT REVIEWER: 19	A 6145	AS 10-MAY-83	AS	85		
L MIL-C-85485/10A	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT REVIEWER: 99 ES	A 6145	AS 31-JAN-84	AS	85		
L MIL-C-85485/11	CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT REVIEWER: 19	A 6145	AS 10-MAY-83	AS	85		
L MIL-C-85485/12	CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600-VOLT REVIEWER: 19	A 6145	AS 10-MAY-83	AS	85		
L MIL-P-85486	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH-STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600 VOLT REVIEWER: 19	A 6145	AS 20-JUN-86	AS	85		
L MIL-I-85487	CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600 VOLT REVIEWER: 19	A 6145	AS 25-APR-86	AS	85		
L MIL-P-85489	CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 DEG. C, 600 VOLT REVIEWER: 19	A 6145	AS 25-APR-86	AS	85		
L MIL-I-85489	POWER UNIT AUXILIARY, 5-SA AIRCRAFT EQUIPMENT SPECIFICATION FOR [VALIDATION DATE: 8910]	A 2840	AS 01-OCT-89	AS			
L MIL-P-85489	IGNITER, ROCKET MOTOR, MARK 297 MOD 1	A 1340	AS 06-OCT-81	AS			
L MIL-P-85489	PROPELLANT, IGNITER, X-62 [VALIDATION DATE: 8906]	A 1420	AS 30-JUN-89	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Spec / OMA Classification	Document Number	Document Title	Doc Ref FIC / Ass	MCA Symbol	Preparing Agency	Date	Custodians		
							Army	Navy	As Force DLA
L	MIL-L-85490	LINER, CASE, ROCKET MOTOR	A 6810	AS	06-OCT-81		AS		
L	MIL-I-85491	INSULATION MATERIAL, POLYISOPRENE REVIEWER: MR	A 6810	AS	06-OCT-81		AS		
L	MIL-I-85492	IMINE CURING/BONDING AGENT	A 6810	AS	06-OCT-81		AS		
L	MIL-C-85493	CATALYST, BURN RATE 2, 2 BIS (ETHYLFERROCENYL) PROPANE	A 6810	AS	06-OCT-81		AS		
L	MIL-D-85494	DIOCTYL ADIPATE	A 6810	AS	06-OCT-81		AS		
L	MIL-A-85495	ANTIOXIDANT, T-BUTYLPHENOL TYPE, 2, 2-METHYLENEBIS (4-METHYL-6-T-BUTYLPHENOL)	A 6810	AS	06-OCT-81		AS		
L	MIL-C-85496	CARBON BLACK REVIEWER: MR	A 6810	AS	06-OCT-81		AS		
L	MIL-H-85497	HYDROXYL TERMINATED POLYBUTADIENE REVIEWER: MR	A 6810	AS	06-OCT-81		AS		
L	MIL-C-85498	CURING AGENTS, DIMERYL-DI-ISOCYANATE & ISOPHORONE DI-ISOCYANATE	A 6810	AS	06-OCT-81		AS		
L	MIL-P-85499	PRIMER MATERIAL	A 6810	AS	06-OCT-81		AS		
L	MIL-Z-85500	ZIRCONIUM CARBIDE	A 6810	AS	06-OCT-81		AS		
L	MIL-A-85501	ANTIOXIDANT N-PHENYL-N-CYCLOHEXYL-P-PHENYLENE DIAMINE REVIEWER: MR	A 6810	AS	06-OCT-81		AS		
L	MIL-A-85505	ALTIMETER, STANDBY, TYPES 1 & 11	A 6610	AS	14-NOV-83		AS		
L	MIL-I-85506	INDICATOR, INDICATED AIRSPEED, STANDBY TYPES 1, 11, & 111	A 6610	AS	14-NOV-83		AS		
L	MIL-S-85508(3)	SPECTACLE, AVIATOR S, NEODYMIUM LASER PROTECTIVE, EDU-1/P (WITH CASE)	A 8465	AS	30-JUL-87		AS		
L	MIL-R-85509	RECORDING GROUP, VIDEO SIGNAL OA-8962/ASH	A 5821	AS	11-SEP-81		AS		
L	MIL-S-85510	SEATS, HELICOPTER CABIN, CRASHWORTHY, GENERAL SPECIFICATION FOR 191181 REVIEWER: AV	A 1680	AS	19-NOV-81		AS		
L	MIL-P-85511A	PANEL ASSEMBLY, TARGET, BANNER, AERIAL TDU-32 SERIES	A 6920	AS	05-JUN-87		AS		
L	MIL-T-85512(1)	TOW BAR AND BRIDLE ASSEMBLY, TARGET, BANNER, AERIAL, TDU-32 SERIES [INVALIDATION DATE: 9109]	A 1550	AS	26-SEP-91		AS		
L	MIL-M-85516A	NAVIGATION SET, INERTIAL AN/ASN-130A, AIRCRAFT	A 5826	AS	13-JUL-87		AS		
L	MIL-C-85518	COMPUTER SET, STANDARD AIRBORNE AN/AYK-14(V) GENERAL SPECIFICATION FOR	A 7021	AS	14-AUG-84		AS		
L	MIL-C-85518/1	COMPUTER SET, STANDARD AIRBORNE, CP-1501A/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-C-85518/2	COMPUTER SET, STANDARD AIRBORNE CP-1502A/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-C-85518/3	COMPUTER SET, STANDARD AIRBORNE CP-1503/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-C-85518/4	COMPUTER SET, STANDARD AIRBORNE CP-1430/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-C-85518/5	COMPUTER SET, STANDARD AIRBORNE CP-1429/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-C-85518/6	COMPUTER SET, STANDARD AIRBORNE CP-1430A/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-C-85518/7	COMPUTER SET, STANDARD AIRBORNE CP-1500B/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-C-85518/8	COMPUTER SET, STANDARD AIRBORNE CP-1539/AYK-14(V) [INVALIDATION DATE: 91101]	A 7021	AS	17-OCT-91		AS		
L	MIL-D-85520(1)	DESIGN AND INSTALLATION OF ON BOARD OXYGEN GENERATING SYSTEMS IN AIRCRAFT, GENERAL SPECIFICATION FOR	A 1660	AS	16-JAN-91		AS		
L	MIL-C-85521	CONCENTRATOR, OXYGEN, GG-7/A	A 1660	AS	05-AUG-83		AS		
ML	MIL-M-85522A	MONITOR, OXYGEN, CRU-91/A	A 1660	AS	17-JUN-91		AS		
ML	MIL-R-85523(1)	REGULATOR, CHEST MOUNTED, POSITIVE PRESSURE, CRU-82/P	A 1660	AS	16-JUL-90		AS		
L	MIL-C-85528	CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE, TYPE 111 (LIGHT DUTY) REVIEWER: 11 99 AR EC MI SH	A 5935	AS	19-MAY-83	CR	AS	85	
L	MIL-C-85528/1	CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, FULL MOUNTING PERIMETER DEVICE, TYPE 1 (HEAVY DUTY) REVIEWER: 99 AR EC ES MI SH	A 5935	AS	19-MAY-83	CR	AS	85	
L	MIL-C-85528/2	CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 3/4 MOUNTING PERIMETER DEVICE, TYPE 11 (MEDIUM DUTY) REVIEWER: 99 AR EC ES MI SH	A 5935	AS	19-MAY-83	CR	AS	85	
L	MIL-C-85528/3	CONNECTOR, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, 1/4 MOUNTING PERIMETER DEVICE TYPE 1 & 11 (LIGHT DUTY)	A 5935	AS	19-MAY-83	CR	AS	85	
L	MIL-T-85530	TEST SET, TOW TARGET, A/E24T-143 [INVALIDATION DATE: 9110]	A 6625	AS	17-OCT-91		AS		
L	MIL-F-85531	FIRING DEVICE, EXPLOSIVE ACTUATOR (CCU-74/B)	A 1377	AS	07-JAN-86		AS		
L	MIL-L-85532(1)	LOADER, WEAPONS, AIR LAUNCHED, A/32K-10	A 1740	AS	10-DEC-87		AS		
L	MIL-R-85535(2)	RECORDER - REPRODUCER SET, DIGITAL DATA, AN/ASH-33	A 5835	AS	26-AUG-86		AS		
L	MIL-G-85536(1)	GUN SYSTEM, 25-MM, AIRCRAFT A/A49E-10 [INVALIDATION DATE: 91101]	A 1005	AS	02-OCT-91		AS		
L	MIL-T-85537	TRAILER, MUNITIONS, AERO SIC	A 1740	AS	16-JAN-83		AS		
L	MIL-R-85548	ROCKET, GTR-18A	A 1370	AS	30-NOV-90		AS		
L	MIL-L-85548	LAUNCHER, ROCKET LMU-23A/E AND LMU-23B/E	A 1055	AS	30-NOV-90		AS		
L	MIL-I-85547B	IGNITER, PMU-3A/E AND PMU-3B/E	A 1370	AS	30-NOV-90		AS		
L	MIL-P-85548B	PROPELLANT, COMPOSITE, CAST, M-60	A 1370	AS	30-NOV-90		AS		
L	MIL-T-85549	TEST PROGRAM SET (TPS) - OPERATIONAL TEST PROGRAM SETS (OTPS) FOR F/A-18 UNITS UNDER TEST (UJT), GENERAL SPECIFICATION FOR [INVALIDATION DATE: 9110]	A 6625	AS	17-OCT-91		AS	99	
L	MIL-T-85552A(1)	TEST SET, TARGET DETECTOR AN/D5M-132A (CONTROLLED DISTRIBUTION)	C 4935	AS	05-MAY-92		AS		
Q	MIL-B-85560(1)	BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING; GENERAL SPECIFICATION FOR [INVALIDATION DATE: 9109] REVIEWER: 99 AR IS SH	A 3120	AS	05-SEP-91	AV	AS	11	
L	MIL-B-85560/1(1)	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN, SELF-LUBRICATING, +250 DEG, F [INVALIDATION DATE: 9109] REVIEWER: 99 AR IS SH	A 3120	AS	05-SEP-91	AV	AS	11	
L	MIL-B-85560/2(1)	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, FLANGED, SELF-LUBRICATING, +250 DEG, F [INVALIDATION DATE: 9109] REVIEWER: 99 AR IS SH	A 3120	AS	05-SEP-91	AV	AS	11	
L	MIL-T-85563	TEMPERATURE LIMITER AMPLIFIER (TLA)-TRIM TEST SET TTK-383/E24M-30 AND CABLE CASE CMK-320/E24M-30 [INVALIDATION DATE: 91101]	A 6685	AS	17-OCT-91		AS		
L	MIL-S-85565	SCNVO, COLD GAS	A 1340	AS	05-AUG-85		AS		
L	MIL-I-85569A	INDICATOR, CONTROL C-10250A/ALM-67 (V)	A 5865	AS	20-MAY-87		AS		
Q	MIL-C-85570B(1)	CLEANING COMPOUND, AIRCRAFT, EXTERIOR	A 6850	AS	20-JUN-88		AS	68	
L	MIL-F-85571A(1)	FUZE, BOMB, ELECTRONIC, PMU-139/B	A 1325	AS	16-JUL-87		AS		
L	MIL-P-85573	POWER UNIT AIRCRAFT, AUXILIARY, GAS TURBINE GENERAL SPECIFICATIONS FOR	A 2835	AS	15-NOV-83		AS		
L	MIL-T-85574	TRANSMITTING SET TELEMETRIC DATA AN/DKT-58(V1)	A 1420	AS	18-OCT-83		AS		
L	MIL-P-85576B	POWER SUPPLY PP-258C/A	A 1440	AS	04-AUG-87		AS		
L	MIL-C-85578	COUNTERMEASURES SET AN/D10-5(V)	A 5865	AS	16-NOV-82		AS		
L	MIL-C-85579	COUNTERMEASURES SET, B BAND	A 5865	AS	28-MAY-83		AS		
L	MIL-D-85580B	DEVICE, SAFETY AND ARMING, FUZE, DUMMY, FSU-10(D-1)/A AND DEVICE, SAFETY AND ARMING, FUZE, TRAINING, FSU-10(T-1)/A	A 1336	AS	26-MAR-88		AS		
L	MIL-I-85581	INTERVALOMETER, ROCKET LAUNCHER, REUSABLE	A 5930	AS	31-MAY-83		AS		
L	MIL-I-85581/1	INTERVALOMETER, ROCKET LAUNCHER, REUSABLE, NINETEEN (19) OUTPUT, DIRECT LINE OPERATED [INVALIDATION DATE: 91101]	A 5930	AS	17-OCT-91		AS		
Q	MIL-P-85582A(1)	PRIMER COATINGS: EPOXY, WATERBORNE USER: NI REVIEWER: AV SH	A 8010	AS	31-JUL-89	ME	AS	11	
L	MIL-E-85583	ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, ALTERNATING CURRENT, 400 HZ, AIRCRAFT, GENERAL SPECIFICATION FOR	A 6115	AS	20-FEB-87		AS		
L	MIL-E-85583/1	ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 2390 TO 8560 RPM, ALTERNATING CURRENT, 400 HZ, 12.5 KVA, AIRCRAFT	A 6115	AS	13-MAR-87		AS		
L	MIL-E-85583/2	ELECTRIC POWER GENERATING CHANNEL, VARIABLE INPUT SPEED, 12,450 TO 26,250 RPM, ALTERNATING CURRENT, 400 HZ, 40 KVA, AIRCRAFT	A 6115	AS	07-NOV-86		AS		
L	DOD-B-85584A	BATTERY RELAY CONTROL UNIT, AIRCRAFT	A 6140	AS	21-JUL-88		AS		
QL	MIL-B-85584A	BATTERY RELAY CONTROL UNIT, AIRCRAFT	A 6140	AS	21-JUL-88		AS		
L	MIL-P-85585	PROBES, EDDY CURRENT, UNSHIELDED, SINGLE COIL, ABSOLUTE	A 6695	AS	06-DEC-82		AS		
L	MIL-T-85587	TEST SET, VIBRATION TTK-402/E24T-148 AND CABLE CASE CMK-357/E24T-148 [INVALIDATION DATE: 91101]	A 4920	AS	17-OCT-91		AS		
L	MIL-L-85590	LAUNCHER, ROCKET, LAU-61C/A THERMAL PROTECTED AND LAU-68D/A THERMAL PROTECTED	A 1055	AS	08-APR-85		AS		
L	MIL-T-85595	TRANSMITTING SET, TELEMETRIC DATA AN/DKT-61(V) [INVALIDATION DATE: 91101] ....	A 5821	AS	17-OCT-91		AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Opn / Chng Cancellation Inservice Document Number	Document Title	Dist. Spt. FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-F-85596	FIN, RETARDER, AIR INFLATABLE BSU-85/B	A 1325	AS 09-MAY-83				
L MIL-B-85598	BEARINGS, ELASTOMERIC GENERAL SPECIFICATION FOR REVIEWER: 84 AV 15	A 3120	AS 04-JAN-88	AR	AS	99	
L MIL-B-85599(1)	BOOSTER, FUZE, MARK 60MOD 2	A 1336	AS 09-OCT-86		AS		
L MIL-T-85601	TEST SET, INDICATOR AM/APM-433 (VALIDATION DATE: 9110)	A 6625	AS 17-OCT-91		AS		
L MIL-L-85602(1)	LEAD, EXPLOSIVE MARK 28 MOD 0 MARK 29 MOD 0	A 1336	AS 25-APR-84		AS		
L MIL-V-85603	VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY GENERAL SPECIFICATION FOR	A 6625	AS 10-AUG-89		AS		
L MIL-V-85603/1	VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 38.10 MILLIMETERS	A 6625	AS 10-AUG-89		AS		
L MIL-V-85603/2	VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY UNLIGHTED, 38.10 MILLIMETERS	A 6625	AS 10-AUG-89		AS		
L MIL-V-85603/3	VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY INTEGRAL LIGHTED, 25.4 MILLIMETERS	A 6625	AS 10-AUG-89		AS		
L MIL-V-85603/4	VOLTMETER, DC, AIRCRAFT, DIGITAL DISPLAY, INTEGRAL LIGHTED, 38.10 MILLIMETERS, DUAL DISPLAY	A 6625	AS 10-AUG-89		AS		
MIL-B-85604A	BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FSU & 220 KSI FTU) HIGH TEMPERATURE, SPLINE DRIVE USER: MI REVIEWER: 99 AR 15	A 5306	AS 25-JAN-88	AV	AS	11	
MIL-G-85613	GROMMET, HARD SEAT, SWAGED, COUNTERSINK; GENERAL SPECIFICATION FOR (VALIDATION DATE: 9110) REVIEWER: 99 AR 15 MI	A 5325	AS 02-OCT-91	AV	AS	11	
MIL-G-85613/1	GROMMET, HARD SEAT, RELIABILITY AND MAINTAINABILITY (NEW CONSTRUCTION AND REPAIR) REQUIREMENTS FOR (VALIDATION DATE: 9110)	A 5325	AS 02-OCT-91	AV	AS	11	
MIL-G-85613/2	GROMMET, HARD SEAT, SWAGED, COUNTERSINK, QUICK-RELEASE, PANEL FASTENER (VALIDATION DATE: 9110)	A 5325	AS 02-OCT-91	AV	AS	11	
MIL-G-85613/3	GROMMET, HARD SEAT, SWAGED, COUNTERSINK, TENSION HEAD, PANEL FASTENER (VALIDATION DATE: 9110)	A 5325	AS 02-OCT-91	AV	AS	11	
MIL-C-85614A	COATING, FASTENER (TITANIUM AND CRES ALLOYS), ALUMINUM PIGMENTED, ORGANICALLY BONDED (FOR ALL THREADED AND UNTHREADED FASTENERS) REVIEWER: 99 MR OS SH	A MFP	AS 27-FEB-90	AV	AS	11	
MIL-M-85615	MUT, SEALING, SELF-LOCKING, 250 DEG. F, 450 DEG. F GENERAL SPECIFICATION FOR REVIEWER: 99 AV 15 MI OS SH	A 5310	AS 01-SEP-86	AR	AS	11	
MIL-M-85615/1	MUT, SEALING, SELF-LOCKING, 250 DEG. F AND 450 DEG. F REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/2	MUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE MUT HEIGHT REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/3	MUT ASSEMBLY, SELF-SEALING, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F, VARIABLE MUT HEIGHT 1/64 IN. OVERSIZE (FOR REPAIR) USER: OS SH REVIEWER: AV 15 MI	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/4	MUT ASSEMBLY, SELF-SEALING, LOW PROFILE, FLOATING, SELF-LOCKING, 125 KSI FTU, 225 DEG. F REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/5	MUT ASSEMBLY, SELF-SEALING, FLOATING, LOW PROFILE, SELF-LOCKING, 125 KSI FTU, 225 DEG. F 1/64 IN. OVERSIZE (FOR REPAIR) REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/6	MUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE MUT HEIGHT REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/7	MUT ASSEMBLY, SELF-SEALING, SHEAR SLEEVE, CLOSE TOLERANCE, SELF-LOCKING, REDUCED DIAMETER SLEEVE, 125 KSI FTU, 225 DEG. F, VARIABLE MUT HEIGHT, 1/64 IN. OVERSIZE (FOR REPAIR) REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/8	MUT, SELF-SEALING, SELF-LOCKING, ALLOY STEEL, 125 KSI FTU, 250 DEG. F AND 450 DEG. F REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/9	MUT, SELF-SEALING, SELF-LOCKING, ALUMINUM ALLOY, 60 KSI FTU, 250 DEG. F REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
MIL-M-85615/10	MUT, SELF-SEALING, SELF-LOCKING, CRES, 160 KSI FTU, 250 DEG. F AND 450 DEG. F REVIEWER: AV 15 MI OS SH	A 5310	AS 15-DEC-89	AR	AS	99	
L MIL-C-85623	CARTRIDGE, 25 MM, TARGET PRACTICE PGU-23/U (VALIDATION DATE: 9110)	A 1305	AS 02-OCT-91		AS		
L MIL-C-85624	CARTRIDGE, 25 MILLIMETER, PGU-20/U (API) (VALIDATION DATE: 9110)	A 1305	AS 02-OCT-91		AS		
L MIL-C-85625	CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY SELF-DESTRUCT, PGU-22/U (VALIDATION DATE: 9110)	A 1305	AS 02-OCT-91		AS		
L MIL-I-85627(1)	INITIATOR, RF FILTERED, DUAL-BRIDGOWIRE (VALIDATION DATE: 9110)	A 1377	AS 02-OCT-91		AS		
L MIL-C-85629	CONTROL-MONITOR SET, GUIDED WEAPON, AM/AM-13	A 1430	AS 14-APR-88		AS		
L MIL-T-85630	TUBE, MOTOR, FOR 2.75 INCH ROCKET, MARK 66 (VALIDATION DATE: 9110)	A 1340	AS 02-OCT-91	MI	AS		
L MIL-C-85633A	COVERALLS, FLYERS, ANTI-EXPOSURE, CMJ-62/P	A 8475	AS 31-DEC-86		AS		
A L MIL-S-85634	SEALER, HEAT, SEAM TAPE AND PATCH, ANTI-EXPOSURE COVERALL (VALIDATION DATE: 9209)	A 3540	AS 30-SEP-92		AS		
A L MIL-M-85635	WATER TEST DEVICE, ANTI-EXPOSURE COVERALL (VALIDATION DATE: 9209)	A 6635	AS 30-SEP-92		AS		
A L MIL-C-85636(1)	CLOTH, KNIT, JERSEY, ARAMID	A 8305	CT 29-AUG-86		AS		CT
A L MIL-C-85637A	CLOTH, LAMINATED, FIRE RESISTANT, WATERPROOF AND MOISTURE VAPOR PERMEABLE	A 8305	CT 30-SEP-87		AS		CT
L MIL-C-85638	CONVERTER, RADAR DATA CV-1607D/AVA-1	A 5841	AS 26-JUN-85		AS		
L MIL-T-85641	TEST SET, GUIDED MISSILE LAUNCHER AM/AM-90A	A 4935	AS 04-FEB-85		AS		
L MIL-C-85642	COMMUNICATIONS CENTRAL AM/ASC-26 (VALIDATION DATE: 9110)	A 5810	AS 17-OCT-91		AS		
L MIL-B-85643	BITS, SCREWDRIIVER, RIBBED GENERAL SPECIFICATION FOR	A 5120	AS 18-MAR-87		AS		
L MIL-B-85643/1	BIT, SCREWDRIIVER, PHILLIPS, RIBBED, CRUCIFORM, INSERT TYPE, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN	A 5120	AS 18-MAR-87				
L MIL-B-85643/2	BIT, SCREWDRIIVER, PHILLIPS, RIBBED, CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK, POWER DRIVEN	A 5120	AS 18-MAR-87				
L MIL-B-85643/3	BIT, SCREWDRIIVER, TORQ-SET, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, POWER DRIVEN	A 5120	AS 18-MAR-87				
L MIL-B-85643/4	BIT, SCREWDRIIVER, TORQ-SET, RIBBED, OFFSET CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK	A 5120	AS 18-MAR-87				
L MIL-B-85643/5	BIT, SCREWDRIIVER, INSERT TYPE, TORQ-SET, RIBBED, OFFSET CRUCIFORM, EXTERNAL HEXAGON SHANK, MANUALLY DRIVEN	A 5120	AS 18-MAR-87				
L DOD-L-85646A	LUBRICANT, DRY THIN FILM, MOLECULAR BONDED USER: AR REVIEWER: GS SM	A 9150	AS 15-OCT-88	ME	AS	11	
L MIL-A-85648	AMPLIFIER, TRAVELING WAVE TUBE	A 5865	AS 13-OCT-83		AS		
L MIL-T-85650	TRANSMITTING SET, TELEMETRIC DATA AM/DKT-59 (VALIDATION DATE: 9110)	A 5815	AS 17-OCT-91		AS		
L MIL-C-85651	CONVERTER, VOLTAGE TO FREQUENCY CV-3746/DKT-59 (VALIDATION DATE: 9110)	A 5815	AS 17-OCT-91		AS		
L MIL-A-85652	AMPLIFIER-MIXER AM-7157/DKT-59 (VALIDATION DATE: 9110)	A 5815	AS 17-OCT-91		AS		
L MIL-T-85653	TRANSMITTER, RADIO T-1458/DKT-59 (VALIDATION DATE: 9110)	A 5815	AS 17-OCT-91		AS		
L MIL-P-85654	POWER SUPPLY PP-7816/DKT-59 (VALIDATION DATE: 9110)	A 5815	AS 23-OCT-91		AS		
L MIL-C-85655	CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY-TRACER MARK 210 MOD 0 (VALIDATION DATE: 9110)	A 1305	AS 02-OCT-91		AS		
L MIL-C-85656	CARTRIDGE, 25 MM, HIGH EXPLOSIVE INCENDIARY (MS) PGU-25/U (VALIDATION DATE: 9110)	A 1305	AS 02-OCT-91		AS		
A MIL-M-85657	MOTOR, ROCKET, 2.75 INCH, MARK 66 MODS (VALIDATION DATE: 9110)	A 1340	AS 02-OCT-91	MI	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc/Chg Coordination Inchase	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol	Preparing Date	Custodians			
							Army	Navy	Air Force	DLA
L		MIL-P-85658	PAINT, WATER DISPLACING USER: AV ER OS SH REVIEWER: B4 AR GS MI MR .....	A 8010	AS	21-MAY-86	ME	AS	11	
L		MIL-C-85659	CONTAINER, SHIPPING AND STORAGE, ALL UP ROUND CMU-398/E .....	A 8140	AS	21-NOV-84		AS		
L		MIL-P-85661	PROPELLANT EXTRUDED, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U	A 1305	AS	02-OCT-91		AS		
		NOTICE 1	[VALIDATION DATE: 91101]							
L		MIL-P-85662	PROPELLANT, BALL, 25 MM, ARMOR PIERCING INCENDIARY (API), PGU-20/U	A 1305	AS	02-OCT-91		AS		
		NOTICE 1	[VALIDATION DATE: 91101]							
L		MIL-T-85663(1)	TRANSMITTING SET, TELEMETRIC DATA, AM/AMT-22(V)6 .....	A 5821	AS	12-OCT-90		AS		
L		MIL-R-85664(1)	RADIO TRANSMITTER RADIO RT-1250A/ARC .....	A 5821	AS	07-JUL-87		AS		
L		MIL-R-85665	RECEIVER-TRANSMITTER, RADIO RT-1324A/ARC, RT-1327A/ARC & RT-1407/ARC .....	A 5821	AS	07-JUL-87		AS		
L		MIL-C-85666	CONTROL, RADIO SET C-10319A/ARC, C-10776A/ARC, AND C-11131/ARC .....	A 5821	AS	07-JUL-87		AS		
Q		MIL-B-85667A	BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, GENERAL	A 5306	AS	28-JAN-91	AV	AS	99	
		SUPPL 1A1	SPECIFICATION FOR REVIEWER: B2							
		MIL-B-85667/1A	BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, RELIABILITY AND	A 5306	AS	28-JAN-91	AV	AS	99	
			MAINTAINABILITY REQUIREMENTS FOR REVIEWER: B2							
		MIL-B-85667/2A	BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304	A 5306	AS	28-JAN-91	AV	AS	99	
			SLEEVE, CRES PH 13-BND PIN, 125 KSI FSU REVIEWER: B2							
		MIL-B-85667/3A	BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES PH	A 5306	AS	28-JAN-91	AV	AS	99	
			13-BND PIN, 220 KSI FTU REVIEWER: B2							
		MIL-B-85667/4A	BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, TITANIUM ALLOY	A 5306	AS	28-JAN-91	AV	AS	99	
			PIN, 95 KSI FSU REVIEWER: B2							
		MIL-B-85667/5A	BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, TITANIUM ALLOY PIN, 160 KSI	A 5306	AS	28-JAN-91	AV	AS	99	
			FTU REVIEWER: B2							
		MIL-B-85667/6A	BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304	A 5306	AS	28-JAN-91	AV	AS	99	
			SLEEVE, NICKEL ALLOY 718 PIN, 125 KSI FSU, 450 DEG. F REVIEWER: B2							
		MIL-B-85667/7A	BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, NICKEL	A 5306	AS	28-JAN-91	AV	AS	99	
			ALLOY 718 PIN, 125 KSI FSU, 220 KSI FTU, 450 DEG. F REVIEWER: B2							
		MIL-B-85667/8	BOLT, SLEEVE, 100 DEG. REDUCED FLUSH HEAD, STRAIGHT SHANK, CRES 304	A 5306	AS	28-JAN-91	AV	AS	99	
			SLEEVE, CRES A-286 PIN, 95 KSI FSU, 450 DEG. F REVIEWER: B2							
		MIL-B-85667/9	BOLT, SLEEVE, PROTRUDING HEAD, STRAIGHT SHANK, CRES 304 SLEEVE, CRES A-286	A 5306	AS	28-JAN-91	AV	AS	99	
			PIN, 95 KSI FSU, 160 KSI FTU, 450 DEG. F REVIEWER: B2							
		MIL-B-85667/10	BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304	A 5306	AS	28-JAN-91	AV	AS	99	
			SLEEVE, CRES A-286 PIN, 160 KSI FTU, 450 DEG. F REVIEWER: B2							
		MIL-B-85667/11	BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, NICKEL-CRES 304	A 5306	AS	28-JAN-91	AV	AS	99	
			SLEEVE, NICKEL-ALLOY 718 PIN, 220 KSI FTU, 450 DEG. F REVIEWER: B2							
		MIL-B-85667/12	BOLT, SLEEVE, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, CRES 304	A 5306	AS	28-JAN-91	AV	AS	99	
			SLEEVE, TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU REVIEWER: B2							
		MIL-B-85667/13	BOLT, 100 DEG. TENSION FLUSH HEAD, STRAIGHT SHANK, ALUMINUM ALLOY SLEEVE,	A 5306	AS	28-JAN-91	AV	AS	95	
			TITANIUM ALLOY PIN, 95 KSI FSU, 160 KSI FTU REVIEWER: B2							
L		MIL-F-85668	FIRE SYSTEM, 20 MILLIMETER POINT & SUPPRESSIVE HELICOPTER, AH-1T (10M),	A 1230	AS	28-FEB-84		AS		
			A/A49L-7(V4)							
L		MIL-R-85669	CHAFF, COUNTERMEASURES, AIR LAUNCH, TYPE RS-()AL .....	A 5865	AS	13-OCT-87		AS		
Q		MIL-A-85670A	ANTENNA, BROADBAND AS-3191/A, AS-3792/A, ANDAS-3793/A .....	A 5821	AS	15-MAR-88				
L		MIL-I-85671	INDICATOR, FREQUENCY CHANNEL ID-2121A/ARC, ID-2229A/ARC, AND ID-2303/ARC ..	A 5821	AS	07-JUL-87				
L		MIL-A-85672	AMPLIFIER, RADIO FREQUENCY AM-7177A/ARC .....	A 5821	AS	07-JUL-87				
L		MIL-S-85673	SWITCHING UNIT SA-2498/ARC .....	A 5821	AS	07-JUL-87				
L		MIL-C-85674	CONTROL UNITS C-11628/ARC, C-10777A/ARC AND C-11132/ARC C-10320/ARC AND	A 5821	AS	07-JUL-87				
			C-10777/ARC							
L		MIL-F-85675	FILTER, UHF BANDPASS F-1556/ARC .....	A 5821	AS	07-JUL-87		AS		
L		MIL-L-85676(1)	LIGHTING, EMERGENCY EGRESS, SUB-ASSEMBLY .....	A 6220	AS	05-DEC-84		AS		
L		MIL-M-85677	MOUNTING, ELECTRICAL EQUIPMENT MT-6330/ARC .....	A 5821	AS	07-JUL-87				
L		MIL-T-85678(1)	TRANSPONDER, RADAR TRACKING .....	A 5895	AS	15-AUG-88		AS		
A L		MIL-B-85684	BEARING, SPIN (SIDEWINDER) .....	A 3110	AS	14-DEC-92		AS		
		NOTICE 2								
L		MIL-B-85685	BOOSTER, FULE, MARK 60 MOD 3 .....	A 1336	AS	26-FEB-88		AS		
L		MIL-S-85688A	SCORING SET, MISSILE, NON-COOPERATIVE SYSTEM AM/DSQ-37(V) [VALIDATION	A 5821	AS	23-OCT-91		AS		
		NOTICE 1	DATE: 91101]							
L		MIL-R-856908	RADIO RECEIVING SET AM/ARM-146 .....	A 5826	AS	18-JAN-91		AS		
L		MIL-C-85691	CHAFF ROVING BUNDLE (TYPE RR-() /AL), GENERAL SPECIFICATION FOR .....	A 5865	AS	12-NOV-86		AS		
L		MIL-C-85691/1	CHAFF ROVING BUNDLE (TYPE RR-179/AL) .....	A 5865	AS	12-NOV-86		AS		
L		MIL-R-85693/2	RECEIVER, ADVANCED SONOBUOY COMMUNICATION LINK, AM/ARR-78(V) (2) S-38	A 5845	AS	31-OCT-86		AS		
			CONFIGURATION							
M L		DOD-S-85694	SPECTROMETRIC OIL STANDARDS (METRIC) REVIEWER: 20 AM AV .....	A 9150	AS	20-OCT-86	ME	AS	68	
L		MIL-R-85698	RADIO SET, AM/PRC-125 (NAVY SWIMMER RADIO) .....	A 5821	AS	19-MAR-93		AS		
L		MIL-C-85699	CHAFF, COUNTERMEASURES, AIR LAUNCH, TYPE RR-() /AL GENERAL SPECIFICATION	A 5865	AS	13-OCT-87		AS		
			FOR							
A L		MIL-C-85700	COVERALL'S, FLYERS, SUMMER, FIRE-RESISTANT, BLUE CMU-73/P .....	A 8475	CT	27-MAR-87		AS		CT
L		MIL-L-85701(1)	LINER, FLYERS ANTI-EXPOSURE COVERALL, CMU-72/P .....	A 8475	AS	13-MAY-86		AS		
L		MIL-T-85703	TOOL, POWER DRIVE TLU-437/E [VALIDATION DATE: 91101] .....	A 1730	AS	02-OCT-91		AS		
		NOTICE 1								
AQ		MIL-C-857048	CLEANING COMPOUND, TURBINE ENGINE GAS PATH REVIEWER: GS MD MR .....	A 6850	AS	10-NOV-92	AV	AS	68	
QL		MIL-A-85705A(2)	ADHESIVE, AIRCRAFT, FOR STRUCTURAL REPAIR .....	A 8040	AS	31-JUL-91		AS		
L		MIL-M-85707	MANUAL, TECHNICAL, DEPOT MAINTENANCE REQUIREMENTS FOR	A THSS	AS	09-OCT-91		AS		
		NOTICE 1	MAINTENANCE/DEMILITARIZATION OF AIRBORNE WEAPONS (CONVENTIONAL);							
			REQUIREMENTS FOR [VALIDATION DATE: 91101]							
L		MIL-P-85710	PARACHUTES, PERSONNEL, EMERGENCY ESCAPE GENERAL DESIGN SPECIFICATION FOR ..	A 1670	AS	05-MAR-86		AS		
L		MIL-C-85717(1)	CARTRIDGE, 20 MILLIMETER, SEMI-ARMOR PIERCING HIGH EXPLOSIVE INCENDIARY,	A 1305	AS	30-NOV-90		AS		
			PGU-28/B							
L		MIL-G-85719	GRAIN, IGNITER .....	A 1337	AS	19-NOV-85		AS		
L		MIL-F-85720	FITTING, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL,	A 4730	AS	17-JUN-85		AS		
			GENERAL SPECIFICATION FOR							
L		MIL-F-85720/1	FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM	A 4730	AS	17-JUN-85		AS		
			SEAL, DESIGN STANDARD FOR MALE END							
L		MIL-P-85723(1)	PROJECTILE, 20 MILLIMETER, SEMI-ARMOR PIERCING, HIGH EXPLOSIVE INCENDIARY,	A 1305	AS	31-JAN-91		AS		
			PGU-28/B							
L		MIL-R-85725	RACK, INTEGRATED AVIONICS, FORCED AIR COOLED, GENERAL SPECIFICATION FOR ...	A 5975	AS	25-JUL-86		AS		
L		MIL-E-85726A	ENCLOSURE, STANDARD AVIONICS, FORCED AIR-COOLED, GENERAL SPECIFICATION FOR	A 5975	AS	29-OCT-91		AS		
L		MIL-C-85727	CARTRIDGE, IGNITER, MARK 164 MOD 0 .....	A 1377	AS	08-APR-85		AS		
L		MIL-C-85728	CHAFF, COUNTERMEASURES (TYPE RR-() /AL) .....	A 5865	AS	18-MAR-87		AS		
M		MIL-M-85729	NUT, SELF-LOCKING, A-286, 160 KSI FTU, 450 DEG. F, GENERAL SPECIFICATION	A 5310	AS	07-MAR-88	AV	AS	99	
			FOR REVIEWER: B2 IS							
		MIL-M-85729/1	NUT, SELF-LOCKING, ASSEMBLED WASHER, A-286, 160 KSI FTU 450 DEG. F, SPLINE	A 5310	AS	07-MAR-88	AV	AS	99	
			WRENCHING ELEMENT REVIEWER: B2 IS							
Q		MIL-M-85730	NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220	A 5310	AS	01-FEB-88	AV	AS	11	
			KSI FTU, 900 DEG. F, GENERAL SPECIFICATION FOR							
		MIL-M-85730/1	NUT, CAPTIVE WASHER, SELF-LOCKING, NICKEL ALLOY 718, 220 KSI FTU, 900	A 5310	AS	01-FEB-88	AV	AS	11	
			DEGREE (12-SPLINE) WRENCHING ELEMENT							
		MIL-F-85731	FASTENER, POSITIVE LOCKING, ELECTRONIC EQUIPMENT GENERAL SPEC FOR	A 5340	AS	14-APR-86	AV		11	
			REVIEWER: IS							
		MIL-F-85731/1A	FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING .....	A 5340	AS	30-NOV-89	ER	AS	99	
		MIL-F-85731/2	FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING, FORCE LIMITING .....	A 5340	AS	14-APR-86	ER	AS	11	
		DOD-G-85733	GREASE, HIGH TEMPERATURE, CATALYST SYSTEM .....	A 9150	AS	25-APR-86		AS		
		DOD-L-85734(1)	LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE .....	A 9150	AS	22-DEC-86		AS	68	
		MIL-B-85735	BALLISTIC MODIFIER LC-12-15 REVIEWER: 12 18 MI OS .....	A 6810	AS	31-MAR-85	AL	AS		
L		MIL-G-85742	GUIDANCE CONTROL SECTION, GUIDED MISSILE WGL-15 (XCL-1)/B (SIDEARM) .....	A 1420	AS	04-FEB-87		AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Qty / Osh Combination Inches	Document Number	Document Title	Dist. Sym. FSC / Ans	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-G-85742/1	GUIDANCE CONTROL SECTION, GUIDED MISSILE SEEKER SECTION ASSEMBLY	A 1420	AS	19-DEC-86	AS			
L	MIL-G-85742/2	GUIDANCE CONTROL SECTION, GUIDED MISSILE RECEIVER SUBASSEMBLY	A 1420	AS	04-FEB-87	AS			
L	MIL-G-85742/3	GUIDANCE CONTROL SECTION, GUIDED MISSILE POMEA SUPPLY ASSEMBLY	A 1420	AS	19-DEC-86	AS			
L	MIL-G-85742/4	GUIDANCE CONTROL SECTION, GUIDED MISSILE G-BIAS/NAV GAIN ASSEMBLY	A 1420	AS	19-DEC-86	AS			
L	MIL-G-85742/5	GUIDANCE CONTROL SECTION, GUIDED MISSILE SEKVO SECTION	A 1420	AS	19-DEC-86	AS			
M L	MIL-F-85744(1)	FUZE, PROXIMITY, DISPENSER FMU-140/B	A 1325	AS	07-MAY-93	AS			
	MIL-P-85759	PROPELLANT GRAIN, MARK 93 MOD 0	A 1376	AS	01-AUG-86	AS			
	MIL-I-85760	IGNITER, MK 304 MOD 0	A 1340	AS	01-AUG-86	AS			
	MIL-L-85762A	LIGHTING, AIRCRAFT, INTERIOR, NIGHT VISION IMAGING SYSTEM (NVIS) COMPATIBLE	A 6220	AS	26-AUG-88	AV	AS	11	
	MIL-C-85763	COVERALL/STORAGE BAG ASSEMBLY, FLYER'S, ANTI-EXPOSURE QUICK DOWN G. CMU-GO/P	A 8475	AS	20-OCT-87				
L	MIL-C-85764(1)	CARTRIDGE, 20 MILLIMETER TARGET PRACTICE, PGU-27/B AND CARTRIDGE, 20 MILLIMETER TARGET PRACTICE-TRACER, PGU-30/B	A 1305	AS	30-NOV-90	AS			
L	MIL-P-85766(1)	PROJECTILE, 20 MILLIMETER, TARGET PRACTICE-TRACER, PGU-30/B	A 1305	AS	31-JAN-91	AS			
L	MIL-P-85767(1)	PROJECTILE, 20 MILLIMETER, TARGET PRACTICE PGU-27/B	A 1305	AS	31-JAN-91	AS			
	MIL-R-85769	ROCKET MOTOR, MK 117 MOD 0	A 1340	AS	01-AUG-86	AS			
L	MIL-L-8576A	LAUNCHER, ROCKET LMU-24A/E AND LMU-24B/E	A 1055	AS	30-NOV-90	AS			
L	MIL-H-85800	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 B 8000 PSI, GENERAL SPECIFICATION FOR	A 4720	AS	16-JAN-87	AS			
L	MIL-H-85800/1	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO STRAIGHT	A 4720	AS	16-MAY-88	AS			
L	MIL-H-85800/2	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 45 DEGREES	A 4720	AS	16-MAY-88	AS			
L	MIL-H-85800/3	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE STRAIGHT TO 90 DEGREE STRAIGHT TO 45 DEGREES	A 4720	AS	16-MAY-88	AS			
L	MIL-H-85800/4	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREE TO 45 DEGREES	A 4720	AS	16-MAY-88	AS			
L	MIL-H-85800/5	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 45 DEGREES TO 90 DEGREES	A 4720	AS	16-MAY-88	AS			
L	MIL-H-85800/6	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE, ARAMID FIBER REINFORCED, 5000 AND 8000 PSI, DESIGN STANDARD FOR STYLE 90 DEGREES TO 90 DEGREES	A 4720	AS	16-MAY-88	AS			
L	MIL-A-85802	ACTUATOR, ELECTROMECHANICAL, LINEAR	A 1095	AS	10-OCT-86	AS			
L	MIL-A-85815	FUZE, BOMB, ELECTRONIC, FMU-139A/B	A 1325	AS	17-SEP-87	AS			
QL	MIL-L-85824A(1)	LIFE, BOMB, INFLATABLE, DMU-MAK, VEE BOTTOM, LMU-18/F	A 4220	AS	11-MAY-90	AS			
ML	MIL-C-85829	COUPLING ASSEMBLY, HOSE, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE	A 4240	AS	06-NOV-89	AS			
ML	MIL-V-85830	VENTILATOR, TACTICAL, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE	A 4240	AS	06-NOV-89	AS			
ML	MIL-M-85831	MASK, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE, NON-OXYGEN	A 4240	AS	06-NOV-89	AS			
ML	MIL-I-85832	INTERCOM, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL PROTECTIVE SET	A 5965	AS	06-NOV-89	AS			
ML	MIL-P-85833	PROTECTIVE ASSEMBLY, HELICOPTER AIRCREWMAN, CHEMICAL, BIOLOGICAL, RADIOLOGICAL	A 4240	AS	06-NOV-89	AS			
L	MIL-I-85843A	INTERCOMMUNICATIONS SET, AM/AIC-14A R/T INTERPHONE CONTROL PANEL C-4949/AIC-14A	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85844A	INTERCOMMUNICATION SET, AM/AIC-14 ACTIVE INTERPHONE CONTROL PANEL C-2646/AIC-14 GENERAL SPECIFICATION FOR	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85844/1A	INTERCOMMUNICATION SETS, AM/AIC-14A AMPLIFIER MODULE	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85845A	INTERCOMMUNICATION SETS, AM/AIC-14A MASTER INTERPHONE CONTROL PANEL C-2645D/AIC-14 GENERAL SPECIFICATION FOR	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85845/1A	INTERCOMMUNICATION SETS, AM/AIC-14A AMPLIFIER MODULE	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85845/2A	INTERCOMMUNICATION SETS, AM/AIC-14A VOX MODULE	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85845/3A	INTERCOMMUNICATION SETS, AM/AIC-14A FILTER MODULE	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85846A	INTERCOMMUNICATIONS SET, AM/AIC-14A AUDIO FREQUENCY AMPLIFIER AM-3889/AIC-14A GENERAL SPECIFICATION FOR	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85846/1A	INTERCOMMUNICATION SETS, AM/AIC-14A MICROPHONE MIXING MODULE	A 5831	AS	14-NOV-90	AS			
L	MIL-I-85846/2A	INTERCOMMUNICATION SETS, AM/AIC-14A DUAL OUTPUT AMPLIFIER MODULE	A 5831	AS	14-NOV-90	AS			
	MIL-S-85848	SLEEVING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, GENERAL SPECIFICATION FOR	A 5970	AS	01-MAY-87	AS			
L	MIL-S-85848/1(1)	SLEEVING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE	A 5970	AS	05-OCT-87	AS			
L	MIL-S-85848/2(1)	SLEEVING, FOR IDENTIFICATION MARKING, HEAT SHRINKABLE, POLYVINYLIDE FLUORIDE, FLEXIBLE	A 5970	AS	05-OCT-87	AS			
L	MIL-I-85850	INTEGRATED VOICE COMMUNICATIONS SWITCHING SYSTEM	A 5895	AS	21-JUL-87	AS			
QL	MIL-V-85855	VALVE, QUICK DISCONNECT, FOR THE PROTECTIVE ASSEMBLY, CHEMICAL, BIOLOGICAL, RADIOLOGICAL, (CNR) A/P22P-9(V)	A 4240	AS	06-NOV-89	AS			
	MIL-P-85856(2)	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, GENERAL SPECIFICATION FOR REVIEWER: 71 99 GS SH	A 3439	AS	18-JAN-91	NR	AS	11	
SUPPL 1A1	MIL-P-85856/1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION G (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/2	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE 1, CLASS 2, COMPOSITION F (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/3	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM-BRONZE, TYPE 1, CLASS 1, COMPOSITION F (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/4	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM SILICON ALLOY, TYPE 1, CLASS 2, COMPOSITION E (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/5	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM (CP), TYPE 1, CLASS 2, COMPOSITION D (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/6	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT BASE, TYPE 1, CLASS 2, COMPOSITION C (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/7	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE 1, CLASS 1, COMPOSITION B (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/8	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL CHROMIUM ALLOY, TYPE 1, CLASS 2, COMPOSITION B (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/9	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE MOLYBDENUM, TYPE 1, CLASS 2, COMPOSITION A (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/10	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION H (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/11	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS PURE NICKEL, TYPE 1, CLASS 1, COMPOSITION J (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/12	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE 1, CLASS 1, COMPOSITION K (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/13	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL BASE ALLOY, TYPE 1, CLASS 2, COMPOSITION K (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/14	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TYPE 316 STAINLESS STEEL, TYPE 1, CLASS 2, COMPOSITION M (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	
NOTICE 1	MIL-P-85856/15	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-BORON, TYPE 1, CLASS 1, COMPOSITION N (VALIDATION DATE: 9110) REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	NR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc. / Chg. Cooperation Institute	Document Number	Document Title	Dist. Smt. FSC / Ave.	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-P-85856/16 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM, TYPE 1, CLASS 1, COMPOSITION P [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/17 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-TUNGSTEN, TYPE 1, CLASS 2, COMPOSITION R [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/18 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-NICKEL-TUNGSTEN, TYPE 1, CLASS 1, COMPOSITION S [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/19 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-NICKEL, TYPE 1, CLASS 2, COMPOSITION T [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/20 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM ALLOY, TYPE 1, CLASS 1, COMPOSITION U [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/21 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROMIUM-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION V [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/22 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS SILICON-ALUMINUM PLUS POLYMER, TYPE 1, CLASS 1, COMPOSITION W [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/23 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS NICKEL-CHROM-ALUMINUM-IRON-MOLYBDENUM, TYPE 1, CLASS 2, COMPOSITION OO [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/24 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE 1, CLASS 1, COMPOSITION AA [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/25 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-ALUMINUM-NICKEL ALLOY, TYPE 1, CLASS 2, COMPOSITION BB [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/26 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COPPER-ALUMINUM COMPOSITE, TYPE 1, CLASS 2, COMPOSITION EE [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/27 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MOLYBDENUM-NICKEL-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION FF [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/28 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CARBON STEEL-MOLYBDENUM-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION GG [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/29 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS IRON-MOLYBDENUM-ALUMINUM, TYPE 1, CLASS 2, COMPOSITION HH [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/30 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE 11, CLASS 1, COMPOSITION A [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/31 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE 11, CLASS 2, COMPOSITION A [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/32 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE 11, CLASS 1, COMPOSITION B [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/33 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE, TYPE 11, CLASS 2, COMPOSITION B [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/34 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINUM OXIDE, TYPE 11, CLASS 1, COMPOSITION D [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/35 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ALUMINA-TITANIA, TYPE 11, CLASS 1, COMPOSITION E [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/36 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM OXIDE, TYPE 11, CLASS 1, COMPOSITION F [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/37 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE, TYPE 11, CLASS 1, COMPOSITION G [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/38 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS ZIRCONIUM OXIDE, TYPE 11, CLASS 2, COMPOSITION H [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/39 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (FINE), TYPE 111, COMPOSITION C [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/40 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS TUNGSTEN CARBIDE-COBALT, TYPE 11, CLASS 2, COMPOSITION J [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/41 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, TUNGSTEN CARBIDE PLUS NICKEL ALUMINUM COMPOSITE, SELF-FLUXING ALLOY, TYPE 111, COMPOSITION L [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/42 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, CHROMIUM CARBIDE PLUS NICKEL CHROMIUM ALLOY (COARSE), TYPE 111, COMPOSITION M [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/43 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL ALUMINUM COMPOSITE, TYPE 111, COMPOSITION P [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/44 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, MAGNESIUM ZIRCONATE PLUS NICKEL CHROMIUM ALLOY, TYPE 111, COMPOSITION R [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
	MIL-P-85856/45 NOTICE 1	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS, COMPOSITE BLEND, TYPE 111, COMPOSITION S [VALIDATION DATE: 9110] REVIEWER: 71 99 SH	A 3439	AS	29-OCT-91	MR	AS	11	
L	MIL-D-85859	DISTRIBUTION BOX J-3425C/MW	A 4935	AS	04-AUG-87		AS		
A	MIL-P-85856/18	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COBALT-CHROMIUM-NICKEL-TUNGSTEN, TYPE 1, CLASS 1, COMPOSITION S USER: 71 99 SH REVIEWER: 20	A 3439	AS	07-DEC-88	MR	AS	11	
L	MIL-D-85866	DELAY COMPOSITION, Z-1	A 1377	AS	15-OCT-90		AS		
L	MIL-C-85868/1	GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 0	A 1325	AS	13-JUL-88		AS		
L	MIL-C-85868/2	GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 1	A 1325	AS	13-JUL-88		AS		
L	MIL-C-85868/3	GUIDANCE SECTION, GUIDED WEAPON MK 71 MOD 2	A 1325	AS	13-JUL-88		AS		
L	MIL-C-85872	CONVERTER-DISPLAY CV-3252/A	A 5836	AS	22-FEB-88		AS		
L	MIL-R-85880	ROCKET, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM, GENERAL DEVELOPMENT SPECIFICATION FOR	A 1340	AS	12-APR-88				
L	MIL-A-85881	AMPLIFIER, A7 ROSE GEAR STEERING	A 1620	AS	05-JAN-88		AS		
L	MIL-I-85889	IGNITER, JET ASSISTED TAKE OFF (JATO) PROPULSION SYSTEM GENERAL DEVELOPMENT SPECIFICATION FOR	A 1340	AS	12-APR-88				
L	MIL-P-85891A	PLASTIC MEDIA, FOR REMOVAL OF ORGANIC COATINGS REVIEWER: 84	A 5350	AS	01-APR-92	AV	AS	99	
L	MIL-S-85892	SIMULATOR, SURFACE-TO-AIR MISSILE (SHOKEY SAM SIMULATOR) SMU-124/E	A 1370	AS	30-NOV-90		AS		
L	MIL-R-85895(1)	RACK, BOMB EJECTOR, AIRCRAFT BRU-32/A	A 1095	AS	18-MAR-91		AS		
M L	MIL-L-85896(1)	LADDER, AIRCRAFT MAINTENANCE, ALUMINUM, THREE-WAY COMBINATION (STEP, STRAIGHT AND EXTENSION), GENERAL SPECIFICATION FOR	A 5440	AS	14-APR-93		AS		
L	MIL-F-85899	FUEL GELLING MIXTURE	A 1325	AS	24-JUN-88		AS		
L	DOD-T-86000	TEST REQUIREMENTS DOCUMENT, PREPARATION OF	A ATTS	NS	15-APR-85				
L	DOD-M-86001	MANUAL, TECHNICAL, COM	A TMS3	NS	02-JUL-86				
A L	MIL-C-87000B(1)	COVERALLS, MEN'S USER: 45 SH REVIEWER: 82 CG	A 8405	CT	20-MAR-89		NU		CT



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Active Doc / OMA Combination Inactive	Document Number	Document Title	Dist Smt FSC / Ane	MCA Symbol	Preparing Agency	Date	Custodians		
							Army	Navy	Air Force DLA
A	MIL-B-870028	BATTING, SYNTHETIC FIBERS, QUILTED, ARAMID [VALIDATION DATE: 8601] USER: MC REVIEWER: B2 SH	A 8320	CT	10-JUN-80		NU	99	CT
A L	MIL-S-870050	SKIRT, WOMAN'S, DRESS (CG)	A 8410	CT	13-MAY-92		NU		CT
A L	MIL-S-87006A	SKIRT, WOMAN'S POLYESTER/COTTON (CG)	A 8410	CT	08-SEP-82		NU		CT
A L	MIL-M-87007B	NECKTIE, WOMAN'S (CG) REVIEWER: CG	A 8445	CT	13-APR-88		NU		CT
A L	MIL-C-870100	COAT, WOMAN'S, DRESS, (COAST GUARD) REVIEWER: CG	A 8410	CT	10-SEP-91		NU		CT
A L	MIL-S-870120	SLACKS, WOMAN'S, DRESS (CG)	A 8410	CT	13-MAY-92		NU		CT
A L	MIL-S-870130	SLACKS, WOMAN'S, UNDERWEAR REVIEWER: CG	A 8410	CT	03-AUG-88		NU		CT
A L	MIL-C-870148	CAP, GARRISON, WOMAN'S (COAST GUARD) REVIEWER: CG	A 8410	CT	21-MAY-90		NU		CT
A L	MIL-R-870178	RIBBON, DECORATIVE-TRIMMING, POLYESTER, GROSGRAIN (CG)	A 8315	CT	20-MAY-91		NU		CT
A L	MIL-B-87018A	BAG, MONEY	A 8460	CT	04-JUN-82		NU		CT
A L	MIL-C-87019A	CLOTH, NONWOVEN, DISPOSABLE, SPUNBONDED OLEFIN (COATED AND UNCOATED) USER: 45 SH	A 8305	CT	06-MAY-82		NU		CT
A L	MIL-T-870208	TROUSERS, DISPOSABLE USER: 45 SH REVIEWER: OS	A 8415	CT	19-OCT-87		NU		CT
A L	MIL-S-870218	SHIRT, DISPOSABLE USER: 45 REVIEWER: OS SH	A 8415	CT	23-JAN-85		NU		CT
A L	MIL-A-870228	APRON, UTILITY, DISPOSABLE USER: SH REVIEWER: OS	A 8415	CT	16-OCT-87		NU		CT
A L	MIL-F-870238	FOOTWEAR COVERS, DISPOSABLE USER: 45	A 8430	CT	13-APR-84		NU		CT
D L	MIL-J-87024(1)	JACKET, INSECT REPELLENT USER: 45 AS MC YD1 REVIEWER: CG MS	A 8415	CT	09-MAY-84		NU		CT
A L	MIL-C-87025	CLOTH, NETTING, COTTON AND POLYESTER [VALIDATION DATE: 8112]	A 8305	CT	20-SEP-76		NU		CT
A L	MIL-C-87026A	COAT, MAN'S, POLYESTER/WOOL, SERGE (COAST GUARD)	A 8405	CT	25-JUL-88		NU		CT
L	MIL-H-870288	HARNESS, DIVERS (MK-12)	A 4220	SH	27-APR-87		SH		
L	MIL-M-870298	MITTENS, DIVERS FOR MK-12 SURFACE SUPPORTED DIVING SYSTEMS [VALIDATION DATE: 9012]	A 4220	SH	10-DEC-90		SH		
L	MIL-D-870308	DIVER DRESS SUIT (MK-12)	A 4220	SH	11-DEC-86		SH		
A L	MIL-B-870318	BOOTS, DIVERS, MK-12	A 8430	CT	06-FEB-87		SH		CT
L	MIL-C-870328	COVERALLS DIVER S (MK-12)	A 4220	SH	18-APR-86		SH		
A L	MIL-M-87033A	MITTEN SET, EXTREME COLD WEATHER	A 8415	CT	16-APR-87		GL		CT
L	MIL-R-87034A	REPAIR KIT, DIVERS (MK-12) USER: 45	A 4220	SH	22-OCT-86		SH		
A L	MIL-J-87035C	JUMPER, MAN'S (BLUE, DRESS)	A 8405	CT	22-JUN-89		NU		CT
A L	MIL-T-87037D	JUMPER, MAN'S, WHITE	A 8405	CT	27-SEP-83		NU		CT
A L	MIL-T-87038D	TROUSERS, MEN'S (BLUE, ENLISTED)	A 8405	CT	21-MAY-90		NU		CT
A L	MIL-H-87041B	HAT, SERVICE (WHITE)	A 8405	CT	26-FEB-90		NU		CT
A L	MIL-N-87042C	NECKERCHIEF (ACETATE BLACK)	A 8440	CT	08-FEB-88		NU		CT
A L	MIL-S-87046A	SHIRT, UTILITY, MAN'S, POLYESTER/COTTON (CG) USER: 45 REVIEWER: CG	A 8405	CT	11-DEC-86		SA		CT
A L	MIL-T-87047A	TROUSERS, MEN'S POLYESTER/WOOL GABARDINE (CG) REVIEWER: CG	A 8405	CT	20-JAN-87		NU		CT
A L	MIL-C-87052B	CLOTH, TWILL, POLYESTER, WHITE	A 8305	CT	14-MAY-90		NU		CT
A L	MIL-S-87053C	SKIRT, WOMAN'S, BELTED	A 8410	CT	08-AUG-88		NU		CT
A L	MIL-S-87054C	SLACKS, WOMEN'S, BELTED	A 8410	CT	29-SEP-88		NU		CT
A L	MIL-S-87055B(1)	SHIRT, WOMAN'S, DRESS, WHITE (SHORT SLEEVE)	A 8410	CT	26-MAY-88		NU		CT
A L	MIL-S-87056A	SHIRT, WOMAN'S, DRESS, BLUE (LONG SLEEVE) USER: 45	A 8410	CT	27-NOV-85		SA		CT
A L	MIL-J-87058B	JACKET, UTILITY, WOMAN'S	A 8410	CT	26-JUN-89		NU		CT
A L	MIL-C-87059A	CLOTH, KNITTED, NYLON, TRICOT	A 8305	CT	06-FEB-89		NU		CT
A L	MIL-S-87060B	SHIRTS, UTILITY, MEN'S, CHAMBRAY USER: 45	A 8405	CT	19-FEB-88		NU		CT
A L	MIL-S-87061C	SHIRTS, UTILITY, WOMEN'S CHAMBRAY	A 8410	CT	19-FEB-88		NU		CT
A L	MIL-T-87062B	TROUSERS, UTILITY, MEN'S, DENIM USER: 45	A 8405	CT	22-SEP-87		NU		CT
A L	MIL-S-87063B	SLACK, UTILITY, WOMEN'S, DENIM	A 8410	CT	11-JUN-84		SA		CT
A L	MIL-C-87064B	CLOTH, DENIM, COTTON/POLYESTER	A 8305	CT	19-MAY-92		NU		CT
A L	MIL-C-87065A	CLOTH, CHAMBRAY, POLYESTER AND COTTON	A 8305	CT	13-FEB-86		NU		CT
A L	MIL-G-87066A	GLOVES, CHEMICAL AND OIL PROTECTIVE USER: 45 REVIEWER: EA MD	A 8415	CT	22-SEP-88		GL		CT
A L	MIL-T-87067C	TROUSERS, MEN'S, (ENLISTED, WHITE)	A 8405	CT	07-SEP-90		NU		CT
D	MIL-B-87068(1)	BOOT, SAFETY (NONSPARKING) USER: CG MS OS YD1 REVIEWER: 45 B2 AS	A 8430	CT	18-FEB-82		NU	99	
A L	MIL-C-87069A	COVERALLS, DISPOSABLE USER: 45	A 8415	CT	12-NOV-85		NU		CT
A L	MIL-I-87070	INSIGNIA, RANK, OFFICERS, SHOULDER MARK, NAVY (EMBROIDERED)	A 8455	CT	10-DEC-80		NU		CT
A L	MIL-S-87073	SHIRT, WOMAN'S, WORKING, KIMCHI (LONG SLEEVE) [VALIDATION DATE: 8601]	A 8410	CT	15-JUL-80		NU		CT
L	MIL-C-87074B	CLOTH, TWILL, ACETATE	A 8305	NU	20-MAR-91		SA		CT
L	MIL-F-87075B	FOAM-IN-PLACE PACKAGING SYSTEM FOR SHIPBOARD USE	A 3540	SA	26-OCT-84		SA		CT
A	MIL-C-87076A	CLOTH, COATED, ARAMID, ALUMINIZED USER: CG SH REVIEWER: MC MD	A 8305	CT	05-MAR-85		GL		CT
A	MIL-G-87077A	GLOVE, FIREMENS, ALUMINIZED, PROXIMITY USER: 45 CG REVIEWER: 11 B2 MD SH	A 8415	CT	03-APR-87		NU	99	CT
L	MIL-P-87089	PALLETS, MATERIAL HANDLING, MOLDED WOOD PARTICLES 40 X 48 INCH, 4-WAY	A 3990	SA	30-NOV-81		SA		CT
L	MIL-F-87090	FOAM, COMBUSTION RETARDANT, FOR CUSHIONING SUPPLY ITEMS ABOARD NAVY SHIPS	A 9330	SA	05-NOV-81		SA		CT
A L	MIL-S-87091C	SHIRT, WOMAN'S, OPEN NOTCH COLLAR	A 8410	CT	14-SEP-88		NU		CT
A L	MIL-C-87093B	COVERALLS, FLAME RESISTANT (ARAMID) USER: MC	A 8415	CT	29-JUN-88		NU		CT
A L	MIL-I-87097A	INSIGNIA, EMBROIDERED (COAST GUARD)	A 8455	CT	18-MAY-92		NU		CT
A L	MIL-P-87098	PARKA, WET WEATHER	A 8405	CT	14-OCT-87		NU		CT
D L	MIL-T-87099	TROUSERS, WET WEATHER USER: CG YD1	A 8405	CT	14-OCT-87		NU		CT
QL	MIL-L-87100	LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE [VALIDATION DATE: 8809] REVIEWER: 68 GS	A 9150	11	30-SEP-88			11	
QL	MIL-C-87104	COAXIAL ASSEMBLIES, GENERAL SPECIFICATION FOR [VALIDATION DATE: 9201]	A 5985	85	21-JAN-92			85	
L	MIL-C-87104/1	COAXIAL ASSEMBLIES, TMC TYPE (0.03 TO 12 GHZ) [VALIDATION DATE: 9201]	A 5985	85	21-JAN-92			85	
L	MIL-C-87104/2	COAXIAL ASSEMBLIES, TMC TYPE (0.03 TO 18 GHZ) [VALIDATION DATE: 9201]	A 5985	85	21-JAN-92			85	
L	MIL-C-87104/3	COAXIAL ASSEMBLIES, QDNC TYPE (0.03 TO 12 GHZ) [VALIDATION DATE: 9201]	A 5985	85	21-JAN-92			85	
L	MIL-C-87104/4	COAXIAL ASSEMBLIES, QDNC TYPE (0.03 TO 18 GHZ) [VALIDATION DATE: 9201]	A 5985	85	21-JAN-92			85	
L	MIL-C-87104/5	COAXIAL ASSEMBLIES, MLT TYPE (0.03 TO 5.5 GHZ) [VALIDATION DATE: 9201]	A 5985	85	21-JAN-92			85	
A L	MIL-M-87106	MOLDER, BADGE, PLASTIC, SECURITY POLICE [VALIDATION DATE: 8809] USER: 45 REVIEWER: 99	A 8455	CT	30-SEP-88			11	CT
L	MIL-P-87107C	PROPELLANT, HIGH DENSITY SYNTHETIC HYDROCARBON TYPE, GRADE JP-10 REVIEWER: 68	A 9135	11	21-FEB-89		AS	11	
L	MIL-I-87108A	INFLATION ASSEMBLY, FLU-2A/P [VALIDATION DATE: 8401]	A 4220	82	15-APR-83			99	
L	MIL-R-87110A	RAINCOAT, MAN'S, WITH REMOVABLE LINER REVIEWER: B2 99 CT	A 8405	11	04-FEB-88			11	
L	MIL-M-87111A(2)	HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT GENERAL SPECIFICATION FOR USER: AS CG MC SH REVIEWER: 11 19 99 AR AV ES MI	A 5999	85	13-JAN-88		ER	EC	85
L	MIL-M-87111/10	HEAT SINKS-INSULATORS, CLASS 1, 4, 6, AND 7 (WAFER TYPE) USER: AS CG MC SH REVIEWER: 11 19 99 ES TO	A 5999	85	18-MAY-90		ER	EC	85
L	MIL-M-87111/2D(1)	HEAT SINKS, SEMICONDUCTOR DEVICES, CLASSES 2, 3, AND 5 (RETAINER CLIP TYPE) USER: AS CG MC SH REVIEWER: 11 19 99 ES TO	A 5999	85	30-SEP-90		ER	EC	85
L	MIL-M-87111/3C	HEAT SINKS, ELECTRICAL-ELECTRONIC COMPONENT CLASS 1 AND CLASS 2 (PRESS-ON TYPE) USER: AS CG MC SH REVIEWER: 11 19 99 ES TO	A 5999	85	27-DEC-89		ER	EC	85
L	MIL-M-87111/4D	HEAT SINK, SEMICONDUCTOR DEVICES, CLASS 1 (ENCAPSULATING TYPE) USER: AS CG MC SH REVIEWER: 19 99 ES TO	A 5999	85	24-OCT-91		ER	EC	85
A	MIL-M-87111/5C	HEAT SINK, ELECTRICAL-ELECTRONIC COMPONENT, SEMICONDUCTOR DEVICE, CLASS 1 (FORMED) USER: AS CG MC SH REVIEWER: 11 19 99 ES TO	A 5999	85	11-DEC-92		ER	EC	85
L	MIL-M-87111/6B(1)	HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 1 (EXTRUDED) REVIEWER: 11 19 99 ES TO	A 5999	85	27-DEC-89		ER	EC	85
L	MIL-M-87111/7(1)	HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 1, (DUAL-IN-LINE PACKAGES) USER: AS CG MC SH REVIEWER: 11 19 99 ES TO	A 5999	85	13-NOV-87		ER	EC	85
L	MIL-M-87111/8	HEAT SINKS, SEMICONDUCTOR DEVICES, CLASS 2 (DUAL LINK) [VALIDATION DATE: 9112] USER: AS CG MC SH REVIEWER: 11 17 19 99 ES	A 5999	85	27-DEC-91		ER	EC	85



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action	Doc. Coordination	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DLA
L		MIL-P-87112	PRIMER COATING, ELASTOMERIC, POLYSULFIDE, CORROSION INHIBITING [VALIDATION DATE: 8707]	A 8010	11	30-JUL-87					11
L		MIL-M-87113	MASK, OXYGEN, MBU-10/P [VALIDATION DATE: 8401]	A 1660	82	26-AUG-77					99
L		MIL-B-87114A	BOLTS, RECESS DRIVE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8604]	A 5305	11	11-APR-86		AV	AS		11
		SUPPL 1C1, NOTICE 1	REVIEWER: 99 AR 15 MI								
		MIL-B-87114/1B	BOLTS, 100 DEG. HEAD, RIBBED-TORQ-SET RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, 95 KSI FSU [VALIDATION DATE: 8906] REVIEWER: 15	A 5306	AS	30-JUN-89		AV	AS		99
		NOTICE 1	BOLTS, 100 DEG. REDUCED DOME HEAD, RIBBED-TORQ-SET RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, 95 KSI FSU [VALIDATION DATE: 8907]	A 5306	AS	31-JUL-89		AV	AS		99
		MIL-B-87114/2B	BOLT, PAN HEAD, RIBBED-TORQ-SET RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, 95 KSI FSU [VALIDATION DATE: 9109]	A 5306	AS	23-SEP-91		AV	AS		99
		NOTICE 1	BOLT, HEX HEAD, CROSS RECESS, FULL THREAD, A-286 CRES, 160 KSI FTU [VALIDATION DATE: 9109] REVIEWER: 82 15	A 5306	AS	23-SEP-91		AV	AS		99
D		MIL-C-87115A	COATING, IMPERSON ZINC FLAKE/CHROMATE DISPERSION REVIEWER: ER YD1	A M-FP	11	15-OCT-89		MR			11
L		MIL-P-87116A	PREFORM, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE (CONTROLLED DISTRIBUTION)	E 9390	11	30-MAY-91					11
L		MIL-P-87117A	PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D ORTHOGONAL 2-2-3, FINEWEAVE, CVD INFILTRATED (CONTROLLED DISTRIBUTION)	B 9390	11	30-MAY-91					11
L		MIL-P-87118A(1)	PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D ORTHOGONAL, 2-2-3, FINEWEAVE, CVD PROCESSING OF (CONTROLLED DISTRIBUTION)	B 9390	11	30-MAY-91					11
L		MIL-P-87119A(1)	PREFORM, DENSIFICATION, HIGH PRESSURE RIGIDIZED, GRAPHITE FIBER, 3D FINE WEAVE ORTHOGONAL, PROCESSING OF (CONTROLLED DISTRIBUTION)	B 9390	11	30-MAY-91					11
L		MIL-R-87120A(1)	RODS, PULTRUDED, GRAPHITE FIBER REINFORCED, PROCESSING OF [VALIDATION DATE: 9105] REVIEWER: MR	A 9330	11	30-MAY-91					11
A L		MIL-F-87121A	FABRIC, GRAPHITE FABRIC [VALIDATION DATE: 9105] USER: 45	A 8306	CT	30-MAY-91				11	CT
L		MIL-P-87122A	PREFORM RIGIDIZATION OF GRAPHITE FIBER, 3D FINEWEAVE PIERCED FABRIC, PROCESSING OF (CONTROLLED DISTRIBUTION)	B 9390	11	30-MAY-91					11
L		MIL-P-87123A	PREFORM, RIGIDIZED, GRAPHITE FIBER, 3D FINEWEAVE PIERCED FABRIC, PROCESSING OF (CONTROLLED DISTRIBUTION) REVIEWER: GS	B 9390	11	30-MAY-91					11
L		MIL-P-87124A(1)	PITCH, COAL TAR [VALIDATION DATE: 9105]	A 5610	11	30-MAY-91					11
A L		MIL-Y-87125A(1)	YARN, GRAPHITE, 1000/3000 FILAMENTS [VALIDATION DATE: 9105]	A 8310	CT	30-MAY-91				11	CT
A L		MIL-W-87127(1)	WEBBING, TEXTILE, TUBULAR, PARA-ARAMID, INTERMEDIATE MODULUS	A 8305	CT	24-AUG-90				11	CT
A L		MIL-T-87128(9)	THREAD, PARA-ARAMID, INTERMEDIATE MODULUS USER: 45	A 8310	CT	25-AUG-88				11	CT
A L		MIL-C-87129A	CORD, FIBROUS, ARAMID BRAIDED USER: 45 MC SH REVIEWER: 82 99 15	A 4020	11	24-AUG-90		GL	AS		11
A L		MIL-T-87130(2)	TAPL AND WEBBING, TEXTILE, PARA-ARAMID, INTERMEDIATE MODULUS	A 8315	CT	24-AUG-90				11	CT
		NOTICE 2									
		MIL-L-87132A	LUBRICANT, CETYL ALCOHOL, 1-HEXADECANOL, APPLICATION TO FASTENERS	A 9150	11	06-NOV-91		ME	AS	11	GS
L		MIL-P-87133(2)	REVIEWER: 68 AR AV								
L		MIL-A-87134	PLOTTER COMBAT MISSION, PLU-6/C (AIR NAVIGATION)	A 6605	71	11-APR-88					99
L		MIL-A-87135	ADHESIVE, CONTACT, FOR CUSTOM FIT HELMET LINERS [VALIDATION DATE: 8901]	A 8040	11	20-JAN-89					11
			ADHESIVES, NON-CONDUCTIVE, FOR ELECTRONICS APPLICATION [VALIDATION DATE: 8901]	A 8040	11	20-JAN-89					11
L		MIL-M-87137	MODIFICATION KIT, AIRCRAFT PROTECTIVE HELMET KMJ-441/P [VALIDATION DATE: 8905] REVIEWER: 45	A 8475	82	27-MAY-88					99
L		MIL-L-87139(1)	LANDING GEAR SYSTEMS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503	D 1620	11	15-APR-86					11
L		MIL-M-87140A	HELMET, FLYER 5 HOU-36/P REVIEWER: 82	A 8475	11	03-APR-87					11
L		MIL-P-87141A	PARACHUTES REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503	D 1670	11	15-APR-86					11
A		MIL-C-87143(1)	CLOTH, BROADCLOTH, POLYESTER/COTTON, POLYESTER FILAMENT, END TO END, (DURABLE PRESS) REVIEWER: DP	A 8305	CT	28-MAR-83		GL		11	CT
		MIL-M-87144	NETWORK, FIXED FILM RESISTORS AND CERAMIC CAPACITORS, GENERAL SPECIFICATION FOR REVIEWER: ES	A 5915	11	20-DEC-79		ER	EC		11
L		MIL-E-87145(1)	ENVIRONMENTAL CONTROL AIRBORNE REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: ASD/ENES, WRIGHT-PATTERSON AFB OH 45443-6503	D 1660	11	15-APR-86					11
L		MIL-B-87146	BEARINGS, PULLEYS, AND CABLES (REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT PATTERSON AFB OH 45433-6503) [VALIDATION DATE: 8602]	D 31GP	11	07-FEB-86					11
A L		MIL-D-87152A	QUICK RELEASE, PERSONNEL PARACHUTE HARNESS MX-683(V) 1P REVIEWER: 11	A 1670	82	31-AUG-92					99
		NOTICE 1	CLOTH, PARACHUTE, ARAMID, INTERMEDIATE MODULUS REVIEWER: 99	A 8305	11	27-MAR-87		GL	AS		11
Q		MIL-D-87157(1)	DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8812] USER: 13 ES REVIEWER: 17 19 SM	A 5961	85	15-DEC-88		ER			85
L		MIL-D-87157/1(1)	DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, NUMERIC AND HEXADECIMAL, WITH ON BOARD DECODER/DRIVER	A 5961	ER	13-AUG-84		ER			
L		MIL-D-87157/2	DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, ALPHANUMERIC, WITH ON BOARD DECODER/DRIVER	A 5980	ER	26-OCT-87		ER			
L		MIL-D-87157/3A	DISPLAYS, DIODE, LIGHT EMITTING, SOLID STATE, RED, ALPHANUMERIC, WITH ON BOARD DECODER/DRIVER	A 5980	ER	02-FEB-89		ER			
L		MIL-M-87158A	MANUALS, TECHNICAL, AIRCRAFT BATTLE DAMAGE ASSESSMENT & REPAIR	A TMSS	16	15-APR-88		TM	AS		16
A L		MIL-C-87160A	COAT, WOMAN'S (PANTS SUIT) REVIEWER: 99	A 8410	CT	18-MAR-88				11	CT
		NOTICE 1									
L		MIL-W-87161(3)	WIRE STRAND, NONFLEXIBLE, FOR AIRCRAFT CONTROL REVIEWER: 11 15	A 4010	82	30-OCT-87		AV	AS		99
L		MIL-M-87163A	MASK, OXYGEN MBU 12/P REVIEWER: 99	A 1660	11	18-FEB-83					11
QL		MIL-C-87164(3)	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY, GENERAL SPECIFICATION FOR REVIEWER: 11 ES	A 5910	19	07-AUG-89					19
L		MIL-C-87164/1(1)	CAPACITORS, FIXED MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS04 [VALIDATION DATE: 8908] REVIEWER: 11 ES	A 5910	19	07-AUG-89					19
L		MIL-C-87164/2	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS05 [VALIDATION DATE: 8908] REVIEWER: 11 ES	A 5910	19	07-AUG-89					19
L		MIL-C-87164/3	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS06 [VALIDATION DATE: 8908] REVIEWER: 11 ES	A 5910	19	07-AUG-89					19
L		MIL-C-87164/4	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS07 REVIEWER: 11 ES	A 5910	19	23-JUN-86					19
L		MIL-C-87164/5(1)	CAPACITORS, FIXED, MICA DIELECTRIC, HIGH RELIABILITY STYLE CMS03 REVIEWER: 11 ES	A 5910	19	07-AUG-89					19
A L		MIL-C-87165	COLLAR, JACKET, DETACHABLE CMJ-63/P [VALIDATION DATE: 8809] USER: 45	A 8315	CT	30-SEP-88				11	CT
		NOTICE 1	REVIEWER: 82 99								
L		MIL-A-87166(2)	AERIAL REFUELING RECEIVER SUBSYSTEMS (CONTROLLED DISTRIBUTION)	D 1680	11	05-DEC-88					11
L		MIL-B-87167	BELT, AIRCRAFT SAFETY, MBU-12/A REVIEWER: 82	A 1680	11	16-DEC-85					99
A L		MIL-F-87168(2)	FIRE AND EXPLOSION HAZARD PROTECTION SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION)	D 5AFT	11	15-OCT-92					11
L		MIL-P-87173A	PROPELLANT, PRIMING FLUID, ALUM ENGINE, GRADE PF-1 REVIEWER: 68	A 9135	11	23-JUN-89					11
		NOTICE 1									
L		MIL-H-87174	HELMET, FLYERS HOU-55/P	A 8475	82	25-OCT-83					99
AQL		MIL-P-87175(2)	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLUOROLASTOMER [VALIDATION DATE: 9212] REVIEWER: 82 99	A 5330	11	10-DEC-92					11
A L		MIL-P-87175/1	PACKINGS, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLUOROLASTOMER, GRADE 70 SIZES AND TOLERANCES [VALIDATION DATE: 9212] REVIEWER: 99	A 5330	11	10-DEC-92					11
		NOTICE 2									



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Doc. / Chg. Coordination Inactive Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Act	Date	Custodians			
				Army	Navy	Air Force	DLA
A L MIL-P-87175/2 NOTICE 2	PACKINGS, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLUOROLASTOMER, GRADE 80, SIZES AND TOLERANCES (VALIDATION DATE: 9212) REVIEWER: 99	A 5330	11 10-DEC-92			11	
MIL-L-87177A(1)	LUBRICANTS, CORROSION PREVENTIVE COMPOUND, WATER DISPLACING, SYNTHETIC USER: AR EC REVIEWER: 68 GS	A 9150	11 28-FEB-91	ME	AS	11	
A L MIL-C-87178(1) NOTICE 1	CLOTH, COATED, NYLON, POLYURETHANE COATED REVIEWER: 18	A 8305	CT 28-APR-88			11	CT
MIL-C-87179 NOTICE 1	COATING, PROTECTIVE, SOLVENT REMOVABLE, FOR MICROCIRCUITS (VALIDATION DATE: 8707) REVIEWER: 17 19 84 99 ER MI	A 8030	11 30-JUL-87	MR	EC	11	MS
MIL-C-87180 NOTICE 1	CLOTH PARACHUTE, STRETCH & RIPSTOP (VALIDATION DATE: 8707) USER: OS REVIEWER: MD SH	A 8305	11 30-JUL-87	GL	AS	99	
L MIL-P-87210(1)	PNEUMATIC POWER SYSTEMS, HIGH PRESSURE (CONTROLLED DISTRIBUTION)	B 1660	11 15-APR-86			11	
L MIL-A-87211(1)	AIR DATA SYSTEMS GENERAL SPECIFICATION FOR (CONTROLLED DISTRIBUTION)	D 6610	11 15-SEP-86			11	
L MIL-S-87212(1)	SOCK, FLYERS, ANTIEXPLOSURE CMU-67/P	A 8475	82 11-SEP-84	GL		99	
A L MIL-S-872148	SHIRT, MAN'S: SHORT AND LONG SLEEVES POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/MOOL REVIEWER: 45 82 99 CG	A 8405	CT 20-NOV-92			11	CT
A L MIL-C-87215	CAP, GARRISON, WOMAN'S, AIR FORCE USER: 45 REVIEWER: 82 99	A 8410	CT 07-SEP-84			10	CT
Q MIL-C-87217(3)	CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, GENERAL SPECIFICATION FOR USER: AS CG MC OS SH REVIEWER: 17 19 AR ES MI	A 5910	85 29-OCT-91	ER	EC	85	
MIL-C-87217/1 NOTICE 1	CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC DIELECTRIC, DIRECT CURRENT, FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY, STYLES CHS01, CHS02, AND CHS03 (VALIDATION DATE: 9007) USER: AS CG MC OS SH REVIEWER: 17 19 AR MI	A 5910	85 27-JUL-90	ER	EC	85	
MIL-C-87218(1)	CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL REVIEWER: 11 15	A 4010	82 30-OCT-87	AV	AS	99	
MIL-P-87220(1)	PROPELLANT AND EXPLOSIVE SYSTEMS, AIRCRAFT CREW ESCAPE REQUEST FOR FISSURE OTHER THAN DOD MUST BE SENT VIA: ASD/EMES, WRIGHT-PATTERSON AFB OH 45433-6503	D 1377	11 15-APR-86			11	
L MIL-M-87222(2)	MECHANICAL SYSTEMS FOR AIRCRAFT DOORS AND CANOPIES (CONTROLLED DISTRIBUTION)	D 1560	11 31-JUL-87			11	
L MIL-V-87223	VALVES, PRESSURE, ANTI-G SUIT, MKU-804/A AND MKU-805/A REVIEWER: 71 99	A 1660	11 22-MAY-87		AS	11	
A L MIL-M-87224 NOTICE 1	NECK TAB, WOMEN'S SHIRTS (VALIDATION DATE: 8902) USER: 45 REVIEWER: 82 99	A 8445	CT 14-FEB-89			11	CT
A L MIL-S-87225A	SHIRTS, WOMEN'S: SHORT AND LONG SLEEVES, POLYESTER/COTTON (DURABLE PRESS) AND LONG SLEEVES, POLYESTER/MOOL USER: 45 REVIEWER: 82 99	A 8410	CT 07-MAY-90			11	CT
L MIL-M-87227(3)	HYDRAULIC POWER SYSTEMS (CONTROLLED DISTRIBUTION)	D 1650	11 31-JUL-87			11	
L MIL-M-87228(1)	MAINTENANCE TRAINING SIMULATOR (CONTROLLED DISTRIBUTION)	D 69GP	11 15-APR-86			11	
L MIL-A-87229(1)	AUXILIARY POWER SYSTEMS, AIRBORNE (CONTROLLED DISTRIBUTION)	D 2835	11 15-APR-86			11	
A L MIL-C-87230A	COVERALLS, FLYER'S, CMU-64/P USER: 45 REVIEWER: 82 99	A 8415	CT 31-OCT-89		NU	11	CT
L MIL-E-87231(1)	ENGINES, AIRCRAFT, TURBOJET AND TURBOFAN (CONTROLLED DISTRIBUTION)	D 2840	11 15-APR-86			11	
L MIL-C-87232	COMPUTATIONAL SYSTEMS, AIRBORNE (CONTROLLED DISTRIBUTION)	B 7010	11 30-SEP-85			11	
L MIL-S-87233(1)	SUPPORT EQUIPMENT SYSTEMS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/EMES, WRIGHT-PATTERSON AFB OH 45433-6503)	D GDRQ	11 15-APR-86			11	
M L MIL-E-87236(2)	ENGINE, AIR VEHICLE, RAMJET (CONTROLLED DISTRIBUTION)	D 2840	11 01-MAR-93			11	
L MIL-M-87237	NAVIGATION EQUIPMENT, AIRBORNE	D 1510	11 29-NOV-85			11	
L MIL-I-87239	INSTALLATION, ENGINE	A 2840	11 20-DEC-85			11	
A L MIL-O-87243 NOTICE 1	OFFENSIVE AVIONICS (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 9301)	A 5895	11 31-JAN-93			11	
L MIL-A-87244A	AVIONICS/ELECTRONICS INTEGRITY PROGRAM REQUIREMENTS (CONTROLLED DISTRIBUTION)	D GDRQ	11 30-SEP-87			11	
A L MIL-F-87246(1)	FUEL SERVICING SYSTEMS, AIRCRAFT GROUND, MOBILE (CONTROLLED DISTRIBUTION)	D 4930	11 30-NOV-92			11	
L MIL-A-87247(1)	AVIONICS EQUIPMENT, DEFENSE, AIRBORNE, SPECIFICATION FOR (CONTROL DISTRIBUTION)	A 5865	11 29-JUN-90			11	
A MIL-J-8725)	JACKET, MAN'S: LIGHTWEIGHT WITH REMOVABLE LINER	A 8405	CT 04-NOV-88			11	CT
A MIL-J-87251	JACKET, WOMAN'S: LIGHTWEIGHT WITH REMOVABLE LINER	A 8410	CT 04-NOV-88			11	CT
M MIL-C-87252A(1)	COOLANT FLUID, HYDRAULICALLY STABLE, DIELECTRIC REVIEWER: 68 AR AV GS SH	A 9160	11 09-JUN-92	ME	AS	11	
N MIL-R-87254	RESISTOR, FIXED, FILM, HIGH RELIABILITY GENERAL SPECIFICATION FOR USER: AT AV CG MC ME REVIEWER: 11 17 80 85 AR AS ES OS	A 5905	19 01-OCT-90	ER	EC	19	
MIL-R-87254/1	RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC50 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS	A 5905	19 01-OCT-90	ER	EC	19	
MIL-R-87254/2	RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC55 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS	A 5905	19 01-OCT-90	ER	EC	19	
MIL-R-87254/3	RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC60 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS	A 5905	19 01-OCT-90	ER	EC	19	
MIL-R-87254/4	RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC65 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS	A 5905	19 01-OCT-90	ER	EC	19	
MIL-R-87254/5	RESISTOR, FIXED, FILM, HIGH RELIABILITY, STYLE RSC90 USER: AT AV CG MC ME REVIEWER: 17 80 85 AR AS ES OS	A 5905	19 01-OCT-90	ER	EC	19	
L MIL-V-87255	VALVES, PRESSURE, ANTI-G SUIT, HIGH FLOW REVIEWER: GS	A 1660	11 31-DEC-90			11	
N MIL-M-87257	HYDRAULIC FLUID, FIRE RESISTANT, LOW TEMPERATURE, SYNTHETIC HYDROCARBON BASE, AIRCRAFT AND MISSILE USER: AL OS REVIEWER: 68 AR AV EA GS MI PS SH	A 9150	11 02-MAR-92	ME	AS	11	
A L MIL-B-87258	BAG, SLEEPING, ARCTIC SURVIVAL, PRESSURE/VACUUM PACKED REVIEWER: 11	A 8465	CT 02-AUG-91			99	CT
L MIL-R-87259	REPAIR SET, AIRCRAFT A/E24M-41 REVIEWER: 80 99	A 4920	11 02-NOV-91			11	
NL MIL-F-87260	FOAM MATERIAL, EXPLOSION SUPPRESSION, INHERENTLY ELECTRICALLY CONDUCTIVE, FOR AIRCRAFT FUEL TANK AND DRY BAY AREAS	A 9330	11 07-FEB-92			11	
A L MIL-C-87261	CLOTH, LAMINATED, POLYBENZIMIDAZOLE/ARAMID SUBSTRATE, ACTIVATED CARBON SPHERE, FIRE RESISTANT AND CHEMICAL PROTECTIVE USER: 45	A 8305	CT 11-FEB-92			11	CT
A L MIL-C-87262	CLOTH, PLAIN WEAVE, POLYBENZIMIDAZOLE/ARAMID BLEND USER: 45 REVIEWER: NU	A 8305	CT 11-FEB-92			11	CT
A L MIL-C-87263	CLOTH, KNIT, JERSEY, POLYBENZIMIDAZOLE/ARAMID BLEND	A 8305	CT 11-FEB-92			11	CT
L MIL-C-87264	COVERALLS, CHEMICAL DEFENSE CMU-66/P REVIEWER: 82 CT	A 8415	11 11-FEB-92			11	
D MIL-M-87268	MANUALS, INTERACTIVE ELECTRONIC TECHNICAL: GENERAL CONTENT, STYLE, FORMAT, AND USER-INTERACTION REQUIREMENTS REVIEWER: 11 13 18 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA SC SH TO TR YD1	A TMSS	15 20-NOV-92	TM	AS	16	
D MIL-O-87269	DATA BASE, REVISABLE: INTERACTIVE ELECTRONIC TECHNICAL MANUALS, FOR THE SUPPORT OF REVIEWER: 11 13 18 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA SC TO TR YD1	A TMSS	16 20-NOV-92	TM	AS	16	
D MIL-Q-87270	QUALITY ASSURANCE PROGRAM: INTERACTIVE ELECTRONIC TECHNICAL MANUALS AND ASSOCIATED TECHNICAL INFORMATION: REQUIREMENTS FOR REVIEWER: 11 13 18 19 30 70 71 80 82 84 99 AL AR AS AT AV CR EA EC MC MI PT SA SC TO TR YD1	A TMSS	16 20-NOV-92	TM	AS	16	
L MIL-M-87819	HEADSET-MICROPHONE, HEADSET-ELECTRICAL, HEADSET-NONELECTRICAL (HEARING PROTECTIVE TYPE, HIGH AMBIENT NOISE LEVELS) REVIEWER: ES	A 5965	85 11-MAR-85				
L MIL-M-87819/1	HEADSET-MICROPHONE, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125DB REVIEWER: ES	A 5965	85 11-MAR-85				
MIL-M-87819/2	HEADSET-ELECTRICAL, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB MB7819/2-01 REVIEWER: ES	A 5965	85 11-MAR-85			85	
L MIL-M-87819/3	HEADSET-NONELECTRICAL, HEARING PROTECTIVE TYPE HIGH AMBIENT NOISE LEVELS, 105-125 DB MB7819/3-01 REVIEWER: ES	A 5965	85 11-MAR-85			85	
D MIL-L-87891	LOADER, BACKHOE, SCOOP TYPE, PNEUMATIC FIRED	A 3805	84 15-APR-88	AT	YD1	99	DM
L MIL-C-87893	WORKSTATION, ELECTROSTATIC DISCHARGE (ESD) CONTROL REVIEWER: 99 GS	A 4940	30 10-NOV-87			30	
L MIL-C-87895	COMPOUND, POLYMERIC BASED, HOT MELT (CAVITY LINING), (FOR INTERNAL USE IN AMMUNITION) REVIEWER: 70	A 1325	18 12-DEC-83			99	
MIL-P-87896	PROPELLANT, NITROGEN TRIFLUORIDE REVIEWER: 12	A 9135	68 23-OCT-87	MI	AS	68	
MIL-P-87897 NOTICE 1	PROPELLANT, DEUTERIUM (VALIDATION DATE: 8808) REVIEWER: 12	A 9135	68 22-AUG-88	MI	AS	68	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Acct Qty / Cals Classification Inches Document Number	Document Title	Dist FSC / Ave MCA Symbol Preparing Asst. Date	Custodians			
			Army	Navy	Air Force	DIA
ML	MIL-I-87923(3)	INDICATOR, TORQUEMETER, AEU-13/A	X 6620	71	18-MAR-83	AS 99
AL	MIL-I-87928(2)	INDICATOR, ATTITUDE, TYPE ARU-51/A	A 6610	71	09-FEB-87	99
	MIL-M-87929A(1)	MANUALS, TECHNICAL: OPERATION AND MAINTENANCE INSTRUCTIONS IN WORK PACKAGE FORMAT (FOR USAF EQUIPMENT) REVIEWER: 10 99	A TMS5	16	22-JAN-93	16
L	MIL-P-87930	PROPELLANT, HYDRAZINE WATER (70 PER CENT HYDRAZINE -30 PER CENT WATER) (VALIDATION DATE: 8512) REVIEWER: 12 19	A 9135	68	25-OCT-77	68
L	MIL-P-87931	PROPELLANT, ISOPROPYL ALCOHOL (VALIDATION DATE: 8512) REVIEWER: 12 19	A 9135	68	16-DEC-77	68
L	MIL-P-87932	PROPELLANT, LIQUID NEON (VALIDATION DATE: 8512)	A 9135	68	11-JUL-78	68
D	DOD-D-87934	DESICCANT, MOLECULAR SIEVE (IMPREGMATED) (METRIC) USER: AS MC OS SH YDI REVIEWER: GS	A 6850	68	16-MAY-83	68
L	DOD-F-87935(3)	FLUID, MAGNETIC PARTICLE INSPECTION, SUSPENSION MEDIUM (METRIC) REVIEWER: 20 GS SH	A 6850	68	27-FEB-87	AV AS 68
L	DOD-F-87935(14)	FLUID, MAGNETIC PARTICLE INSPECTION, SUSPENSION MEDIUM (METRIC) REVIEWER: 11 GS SH	A 6850	68	01-JUN-88	68
Q	MIL-C-87936A	CLEANING COMPOUNDS, AIRCRAFT EXTERIOR SURFACES, WATER DILUTABLE REVIEWER: AV GS	A 6850	68	18-OCT-85	GL AS 68
ML	MIL-C-87937A	CLEANING COMPOUND, AEROSPACE EQUIPMENT REVIEWER: 11 AS	A 6850	68	16-OCT-91	68
ML	MIL-P-87938	PEROXIDE, METHYL ETHYL KETONE, TECHNICAL REVIEWER: AS GL GS	A 6810	68	16-NOV-84	AR OS 68
	MIL-V-87939	VAPOR SUPPRESSING - FIRE EXTINGUISHING AGENT, FOAM CONCENTRATES FOR USE ON HYPERGOLIC PROPELLANTS REVIEWER: 19 68	A 6850	50	14-MAR-89	50
	MIL-C-87952	COUNTER, ELECTRONIC, DIGITAL READOUT 18 GIGAHERTZ (GHz) CONTINUOUS WAVE (CW) (S/S BY MIL-C-87974) USER: SC	A 6625	82	09-SEP-85	
ML	MIL-R-87954A(1)	RECEIVERS, RANGE SAFETY, COMMAND (VALIDATION DATE: 8903)	A 1430	TE	07-MAR-89	TE
L	MIL-R-87954/1A	RECEIVERS, RANGE SAFETY, COMMAND TYPE 1, CLASS 1, STYLE A1 (VALIDATION DATE: 8903)	A 1430	TE	07-MAR-89	TE
L	MIL-R-87954/2	RECEIVER, RANGE SAFETY, COMMAND TYPE 11, CLASS 1, 2, 3, STYLE C1, C2, C3, C4, C5 (VALIDATION DATE: 8903)	A 1430	TE	07-MAR-89	TE
L	MIL-G-87955A	GAGE, SNAP, ADJUSTABLE, DIAL INDICATING USER: SH REVIEWER: 70 71 80 82	A 5220	84	16-SEP-83	99
L	MIL-M-87958(1)	MARKERS BLANKS, PRESSURE SENSITIVE ADHESIVE WIRE OR CABLE MARKER AND IDENTIFICATION LABEL	A 7690	84	12-OCT-90	99
QL	MIL-H-87961(3)	HOSE AND HOSE ASSEMBLIES, AIR DUCT, AIR BREATHING, OXYGEN SYSTEMS, GENERAL SPECIFICATION FOR REVIEWER: CS	A 4720	71	21-FEB-90	99
L	MIL-H-87961/1	HOSE, AIR DUCT, AIR BREATHING, TYPE 1 (VALIDATION DATE: 8610)	A 4720	71	20-OCT-86	99
L	MIL-H-87961/2A	HOSE ASSEMBLY, AIR DUCT, AIR BREATHING, TYPE 11 (VALIDATION DATE: 8512)	A 4720	71	10-MAR-80	99
L	MIL-H-87961/3	HOSE ASSEMBLY, AIR DUCT, AIR BREATHING, TYPE 111 (VALIDATION DATE: 8610)	A 4720	71	21-NOV-86	99
L	MIL-C-87962	CLOTHS, CLEANING, FOR AIRCRAFT FUEL TANKS (VALIDATION DATE: 8801)	A 7920	84	11-JAN-88	99
L	MIL-M-87963	NOZZLE, FUEL, AIRCRAFT, OVERMING, TYPE MD 3	A 4930	82	27-MAR-79	99
QL	MIL-I-87965	INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/M37 SERIES (VALIDATION DATE: 8812)	A 6620	82	12-DEC-88	99
L	MIL-H-87969	HEAD, MAGNETIC TAPE, INSTRUMENTATION, IRIG WIDE BAND GROUP 11 REVIEWER: CR EC	A 5835	80	01-MAR-83	99
	MIL-T-87971	TESTER, HOSE ASSEMBLIES; HYDRAULIC, AIRCRAFT AND MISSILE USER: AR REVIEWER: AL CS ME	A 4940	82	12-MAR-84	99
L	MIL-C-87972A	CASTERS, RIGID AND SWI VEL, GENERAL SPECIFICATION FOR USER: AT AV ME REVIEWER: GL IS	A 5340	82	07-DEC-87	AR AS 99
	MIL-M-87973	MAINTENANCE PLATFORM SELF-PROPELLED, BOOM, LIFT, 40, 60 AND 80 FOOT	A 1730	82	08-FEB-85	AV AS 99
	MIL-C-87974	COUNTER, ELECTRONIC, DIGITAL READOUT 26.5 GIGAHERTZ (GHz) CONTINUOUS WAVE (CW) USER: AR OS SC REVIEWER: AS MI SH	A 6625	82	30-APR-85	CR EC 99
L	MIL-C-87975	CLOCK, AIRCRAFT, MECHANICAL ABU-32/A	A 6645	82	15-MAY-85	99
L	MIL-T-87976	TEST STAND, HYDRAULIC SYSTEM COMPONENTS	A 4920	82	16-JUN-85	AV AS 99
L	MIL-M-87977	MAINTENANCE PLATFORM, AIRCRAFT	A 1730	82	14-MAY-87	99
QL	MIL-R-87978	REMOVER, PAINT, EPOXY AND POLYURETHANE SYSTEMS, TANK TYPE: AMBIENT TEMPERATURE, FOR AIRCRAFT WHEELS AND LANDING GEAR COMPONENTS	A 8010	84	01-AUG-87	99
L	MIL-C-87979	CLOCK, AIRCRAFT, ELECTRONIC REVIEWER: SC	A 6645	82	15-NOV-87	AR AS 99
L	MIL-T-87980	TRUCK, SEWER & PIPE CLEANER, HIGH PRESSURE WATER JET TYPE, & MANHOLE VACUUM CLEANER	A 2320	84	17-DEC-87	99
D	MIL-L-87981	LOADER, BACKHOE, SCOOP-TYPE, PNEUMATIC TIRE	A 3805	84	15-APR-88	AT YDI 99
L	MIL-G-87982A	GRADERS, ROAD, MOTORIZED, FOR RAPID RUNWAY REPAIR APPLICATION	A 3805	84	18-APR-88	99
L	MIL-B-87983	BAR, PRY, WHEELED TYPE, HAND OPERATED, MA-1, COMMERCIAL	A 3920	84	15-JUN-88	84
L	MIL-T-87984	TRAILER, TANK, FUEL SERVICING, TYPE A-1B	A 2330	84	31-JAN-89	99
L	MIL-T-87985	TRENCHER, SELF-PROPELLED, DIESEL-ENGINE-DRIVEN, 70 HP., PNEUMATIC TIRE, WITH OPTIONAL ATTACHMENTS	A 3805	84	13-MAR-89	84
D	MIL-B-87986	BEAD BREAKER, PNEUMATIC TIRE REVIEWER: AL	A 4910	82	28-APR-89	YDI 99 CS
L	MIL-C-87987	CRANE, HYDRAULIC, WHEEL MOUNTED, 7-1/2 AND 15 TON CAPACITIES	A 3810	84	09-JUN-89	99
L	MIL-R-87989	REINFORCEMENT KIT, PREFABRICATED PIM TIE, CORRUGATED STEEL PANELS	A 5410	84	05-SEP-89	99
ML	MIL-D-87990(1)	ALUMINUM HONEYCOMB SANDWICH ASSEMBLIES, MANUFACTURE OF REVIEWER: AS AV	A 1560	82	15-FEB-92	99
L	MIL-R-87992	RAILWAY CAR, TANK, HYDRAZINE OR NITROGEN TETROXIDE, DOT 105, J500M	A 2220	84	29-NOV-89	99
L	MIL-P-87993	PAVING MACHINE RUBBER TIRE, BITUMINOUS MATERIAL, SELF PROPELLED	A 3895	84	02-FEB-90	99
L	MIL-D-87994	DISTRIBUTOR, BITUMINOUS MATERIAL, TANK-TYPE, TRUCK MOUNTED	A 3895	84	09-FEB-90	99
L	MIL-T-87995	TRAILER, RAPID RUNWAY REPAIR	A 2330	84	12-FEB-90	99
L	MIL-M-87996	MIXER, CONCRETE, MOBILE, 5 CUBIC YARD TRUCK MOUNTED	A 3895	84	15-FEB-90	99
L	MIL-T-87997	TRUCK, LIFT, FORK, ELECTRIC, SIT DOWN 3,000 POUND CAPACITY, 185 INCH MINIMUM LIFT	A 3930	84	22-FEB-90	99
L	MIL-T-87998	TRUCK LIFT, FORK, ELECTRIC, NARROW AISLE REACH, STAND-UP OPERATOR 3,000 POUND CAPACITY, 205 INCH MINIMUM LIFT	A 3930	84	22-FEB-90	99
	MIL-T-87998/20	PIM RIVET, THREADED, TYPE IV (100 DEG FLUSH MS 20426 SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-200 KSI FTU) REVIEWER: GL IS MS	A 5320	82	26-JUL-89	AV AS 99
	MIL-T-87998/21	PIM RIVET, THREADED, TYPE III (100 DEG FLUSH MS 20426 SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-200 KSI FTU) REVIEWER: GL IS MS	A 5320	82	26-JUL-89	AV AS 99
L	MIL-T-87999	TRUCK SERVICING, 3 TON, 27 FOOT ELEVATION FOR LOADING C-5 AIRCRAFT UPPER DECK	A 2320	84	05-MAR-90	99
L	MIL-D-89000	DIGITAL TERRAIN ELEVATION DATA (DTE) LEVEL 1 (1CD) REVIEWER: 09 CE NO	A MCGT	MP	26-FEB-90	
L	MIL-D-89001	DIGITAL TERRAIN ELEVATION DATA (DTE) LEVEL 2 (1CF) REVIEWER: 09 CE NO	A MCGT	MP	26-FEB-90	
L	MIL-A-89007	ARC DIGITIZED RASTER GRAPHICS (ADRG)	A MCGT	MP	22-FEB-90	
AL	MIL-D-89009	DIGITAL CHART OF THE WORLD (DCW) REVIEWER: 09 MC NO	A MCGT	MP	13-APR-92	
L	MIL-D-89011	DIGITAL CITIES DATA BASE (DCDB)	A MCGT	MP	02-JUL-90	
AL	MIL-M-89012(2)	WORLD VECTOR SHORELINE REVIEWER: 09 CE NO	A MCGT	MP	30-NOV-92	
AL	MIL-I-89014(3)	INTERIM TERRAIN DATA (ITD)/PLANNING INTERIM TERRAIN DATA (PITD) REVIEWER: 09 NO	A MCGT	MP	30-NOV-92	
AL	MIL-F-89018	FIREFINDER ELEVATION DATA (FFED) REVIEWER: 09	A MCGT	MP	01-OCT-92	
ML	MIL-D-89020	DIGITAL TERRAIN ELEVATION DATA (DTE) REVIEWER: NO	A MCGT	MP	28-MAY-93	
AL	MIL-D-89021	DIGITAL LANDMASS BLANKING (DLMB) DATA PROGRAM REVIEWER: MC NO	A MCGT	MP	15-JUN-91	
AL	MIL-H-89021(2)	HANDBOOK, APPROACH, AND COASTAL CHARTS (HAC) REVIEWER: 09 MC	A MCGT	MP	30-NOV-92	
AL	MIL-C-89022(2)	COMBAT CHARTS REVIEWER: MC NO	A MCGT	MP	30-NOV-92	
AL	MIL-V-89300(1)	VIDEO DISC FOR MAPPING, CHARTING AND GEODESY (MCGG) REVIEWER: 09 NO	A MCGT	MP	30-NOV-92	
AL	MIL-T-89301(1)	1:50,000 SCALE TOPOGRAPHIC MAPS OF FOREIGN AREAS REVIEWER: 09 NO	A MCGT	MP	30-NOV-92	
AL	MIL-C-89303	CITY CHARTS USER: MC REVIEWER: 09 NO	A MCGT	MP	30-NOV-92	
AL	MIL-T-89304(1)	TACTICAL TERRAIN ANALYSIS DATA BASE (TTADB) SCALE 1:50,000 REVIEWER: 09 NO	A MCGT	MP	30-NOV-92	
AL	MIL-P-89305(1)	PLANNING TERRAIN ANALYSIS DATA BASE (PTADB) REVIEWER: 09 NO	A MCGT	MP	30-NOV-92	
L	MIL-H-89404	NON-STOP OPTION (NSO) SUPPORT	A MCGT	MP	15-AUG-90	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action	Doc. / Chg. / Revision	Document Number	Document Title	Dist. Smt. / Pkg. / MCA Symbol	Preparing	Date	Custodians			
							Army	Navy	Air Force	DLA
L	MS6038	MS24570	FORMULA FOR FUZE THREAD LUTING (FOR SPECIAL AMMUNITION USE) REVIEWER: 70 ..	A 1390	OS	13-NOV-91	AR	OS	99	
			CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, 2 1/2 TO 50 AMPERES, 121.1 DEG. C	A 5925	BS	06-OCT-86			85	
L	MS2548C	NOTICE 1	CABLE ASSEMBLIES, ELECTRIC POWER, FOR PORTABLE GROUND SUPPORT TEST	A 6150	AS	23-OCT-91		AS		
A	MS3100F		EQUIPMENT (VALIDATION DATE: 9110)	A 5935	AS	20-AUG-92	CR	AS	85	
A	MS3101D		CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, SOLDER CONTACTS, AM TYPE	A 5935	AS	20-AUG-92	CR	AS	85	
A	MS3102E		USER: AT CG MC REVIEWER: 99 AV ME MI OS SH	A 5935	AS	20-AUG-92	CR	AS	85	
A	MS3103D		CONNECTOR, PLUG, ELECTRIC, CABLE CONNECTING, SOLDER CONTACTS, AM TYPE	A 5935	AS	20-AUG-92	CR	AS	85	
			USER: AT CG MC OS REVIEWER: 99 AV EC ME MI SH	A 5935	AS	20-AUG-92	CR	AS	85	
L	MS3105A		CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AM TYPE	A 5935	AS	20-AUG-92	CR	AS	85	
A	MS3106D		USER: AT CG MC OS REVIEWER: 99 AV EC ME MI SH	A 5935	AS	20-AUG-92	CR	AS	85	
A	MS3107C		CONNECTOR, RECEPTACLE, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AM TYPE	A 5935	AS	31-AUG-90	CR	AS	85	
A	MS3108D		USER: AT CG MC OS REVIEWER: 99 AV EC ES MI	A 5935	AS	18-JUN-69		AS		
			CONNECTOR, PLUG, ELECTRIC, STRAIGHT, SOLDER CONTACTS, AM TYPE USER: AT CG	A 5935	AS	20-AUG-92	CR	AS	85	
			MC OS REVIEWER: 99 AV EC ME MI SH	A 5935	AS	20-AUG-92	CR	AS	85	
			CONNECTOR PLUG, ELECTRIC, QUICK DISCONNECT USER: AT CG MC OS REVIEWER: 99	A 5935	AS	20-AUG-92	CR	AS	85	
			AV EC ME MI SH	A 5935	AS	20-AUG-92	CR	AS	85	
L	MS3109E	NOTICE 1	CONNECTORS, PLUG, ELECTRIC, SOLDER CONTACT, 90 DEGREE, AM TYPE USER: AT CG	A 5935	AS	20-AUG-92	CR	AS	85	
			MC OS REVIEWER: 99 AV EC ME MI SH	A 5970	AS	23-OCT-91		AS		
			BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE (VALIDATION DATE: 9110)	A 5935	CR	19-SEP-88	CR	AS	85	
			REVIEWER: EC							
			CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, SOLDER TYPE, WALL MOUNTING,	A 5935	CR	19-SEP-88	CR	AS	85	
			FLANGE, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17							
			EC SH	A 5935	CR	19-SEP-88	CR	AS	85	
			CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, CABLE CONNECTING,	A 5935	CR	19-SEP-88	CR	AS	85	
			BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 EC SH	A 5935	CR	19-SEP-88	CR	AS	85	
			CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, BOX MOUNTING, FLANGE, BAYONET	A 5935	CR	19-SEP-88	CR	AS	85	
			COUPLING, SOLDER CONTACT (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17							
			EC ES	A 5935	CR	10-JUN-93	CR	AS	85	
M	MS3113H		CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, SOLDER TYPE, SOLDER	A 5935	CR	10-JUN-93	CR	AS	85	
			MOUNTING, BAYONET COUPLING, CLASS H USER: AV REVIEWER: 11 17 99 AR EC ES							
M	MS3114J		SH	A 5935	CR	10-JUN-93	CR	AS	85	
			CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, SOLDER TYPE, JAM NUT	A 5935	CR	10-JUN-93	CR	AS	85	
			MOUNTING, BAYONET COUPLING, CLASSES E, F, H, AND P USER: AV REVIEWER: 11							
			17 99 AR EC ES SH	A 5935	CR	10-JUN-93	CR	AS	85	
M	MS3115E		CONNECTORS, RECEPTACLE, ELECTRICAL, DUMMY STORAGE, BAYONET COUPLING, FOR	A 5935	CR	10-JUN-93	CR	AS	85	
			MIL-C-26482 CONNECTORS, SERIES 1 AND 2 USER: AV REVIEWER: 11 17 99 AR EC							
			ES MI SH	A 5935	CR	19-SEP-88	CR	AS	85	
			CONNECTORS, PLUG, ELECTRIC, SERIES 1, SOLDER TYPE, STRAIGHT, BAYONET	A 5935	CR	19-SEP-88	CR	AS	85	
			COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 EC SH	A 5970	AS	23-OCT-91		AS		
			BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE (VALIDATION DATE: 9110)	A 5935	CR	19-SEP-88	CR	AS	85	
			REVIEWER: EC							
			CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, THRU-BULKHEAD MTG., FLANGE,	A 5935	CR	19-SEP-88	CR	AS	85	
			BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV REVIEWER: 11 17 99 EC	A 5935	CR	06-SEP-88	CR		11	
			CONNECTORS, RECEPTACLE, ELECTRIC CRIMP-TYPE, WALL MOUNTING, FLANGE, NO. 4	A 5935	CR	06-SEP-88	CR		11	
			HOLES, BAYONET COUPLING (VALIDATION DATE: 8809) USER: ME REVIEWER: ES MI	A 5935	CR	06-SEP-88	CR		11	
			CONNECTORS, PLUG, ELECTRIC, CRIMP TYPE, CABLE-CONNECTING, BAYONET COUPLING	A 5935	CR	19-SEP-88	CR	AS	85	
			(VALIDATION DATE: 8809) USER: ME REVIEWER: ES MI							
			CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 1, CRIMP-TYPE, BOX MOUNTING,	A 5935	CR	19-SEP-88	CR	AS	85	
			FLANGE, NO. 4 HOLES, BAYONET COUPLING (VALIDATION DATE: 8809) USER: AV							
			REVIEWER: 17 SH	A 5935	CR	06-SEP-88	CR		11	
			CONNECTORS, RECEPTACLE ELECTRIC, CRIMP-TYPE, REAR MOUNTING JAM NUT,	A 5935	CR	06-SEP-88	CR		11	
			BAYONET COUPLING (VALIDATION DATE: 8809) REVIEWER: 17 AR ES MI	A 5935	CR	06-SEP-88	CR		11	
			CONNECTORS, PLUG, ELECTRIC, CRIMP TYPE, STRAIGHT, BAYONET COUPLING	A 5935	CR	10-JUN-93	CR	AS	85	
			(VALIDATION DATE: 8809) USER: AV REVIEWER: 17 AR SH	A 5935	CR	05-SEP-75	CR	AS	85	
			CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 1, CRIMP TYPE, BOX MOUNTING,	A 5935	CR	05-SEP-75	CR	AS	85	
			FLANGE, NO. 416 HOLES, BAYONET COUPLING REVIEWER: 11 17 99 AV EC ES MI SH							
			CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING, NO. 4/6 HOLES,	A 5935	AS	21-JUL-71	CR	AS	85	
			BAYONET COUPLING (INACTIVE) (VALIDATION DATE: 8105) USER: 17 REVIEWER: 11							
			99 ES MI	A 5935	AS	21-JUL-71	CR	AS	85	
			CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MTG. FLANGE, PUSH-PULL	A 5935	AS	21-JUL-71	CR	AS	85	
			COUPLING, SERIES 1 (CLASS E, PANEL J) (VALIDATION DATE: 8509) USER: 17							
			REVIEWER: 99 AR AV ES MI	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, BOX MTG. FLANGE, PUSH-PULL	A 5935	AS	23-OCT-91	CR	AS	85	
			COUPLING (VALIDATION DATE: 8509) USER: 17 ME REVIEWER: AR ES MI	A 5935	AS	21-JUL-71	CR	AS	85	
			CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, JAM NUT MOUNTING, PUSH-PULL	A 5935	AS	06-AUG-74		AS		
			COUPLING, SERIES 1 (CLASS E, P, J AND H) (VALIDATION DATE: 9110)							
			CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STORAGE, WALL MTG. FLANGE PUSH-PULL	A 5935	AS	23-OCT-91	CR	AS	85	
			COUPLING SERIES 1 AND 2 CONNECTORS (VALIDATION DATE: 8509) REVIEWER: ES MI							
			CONNECTOR, ADAPTER ELECTRIC (VALIDATION DATE: 8709) .....	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES 1 (CLASS	A 5935	AS	23-OCT-91	CR	AS	85	
			E, P AND J) (VALIDATION DATE: 9110)	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, LANYARD, PUSH-PULL COUPLING, SERIES	A 5935	AS	23-OCT-91	CR	AS	85	
			1 (CLASS E, P AND J) (VALIDATION DATE: 9110)	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, RECEPTACLE, ELECTRIC THRU BULKHEAD, WALL MTG. FLANGE, SERIES 1	A 5935	AS	23-OCT-91	CR	AS	85	
			(CLASS E) (VALIDATION DATE: 9110)	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE,	A 5935	AS	23-JAN-78		AS		
			PUSH-PULL COUPLING, SERIES 2 (CLASS E AND J) (VALIDATION DATE: 9110)	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER CONTACT, HERMETIC,	A 5935	AS	23-OCT-91	CR	AS	85	
			AM TYPE (INACTIVE) (VALIDATION DATE: 8410) REVIEWER: EC	A 5935	AS	04-FEB-72		AS		
			CONNECTOR, RECEPTACLE, ELECTRIC CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL	A 5935	AS	23-OCT-91	CR	AS	85	
			COUPLING SERIES 2 (CLASS E AND J) (VALIDATION DATE: 9110)							
			CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SOLDER MOUNTING,	A 5935	AS	23-OCT-91	CR	AS	85	
			PUSH-PULL COUPLING, SERIES 3 (CLASS N) (VALIDATION DATE: 8509) REVIEWER:							
			EC ES	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, PLUG, ELECTRIC CRIMP TYPE, PUSH - PULL COUPLING SERIES 2 (CLASS	A 5935	AS	23-OCT-91	CR	AS	85	
			E AND J) (VALIDATION DATE: 9110)	A 5935	AS	23-OCT-91	CR	AS	85	
			CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE LANYARD, PUSH-PULL COUPLING SERIES 2	A 5935	AS	04-FEB-72		AS		
			(CLASS E AND J) (VALIDATION DATE: 9110)							
			CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SINGLE HOLE	A 5935	AS	01-APR-71		AS		
			MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS N) (VALIDATION DATE: 8509)	A 5935	AS	01-APR-71		AS		
			REVIEWER: EC ES	A 5935	AS	11-DEC-78		AS		
			DIES FOR CRIMPING MS3190 TYPE B CONTACT WIRE BARRELS (INSTALL DIES IN	A 5935	AS	23-JUN-83	CR	AS	85	
			MS25441-1 HEAD) (VALIDATION DATE: 8508) USER: GL							
			GAGE-IN-SERVICE INSPECTION, FOR MS3150 CRIMPING DIES (VALIDATION DATE:							
			8508)							
			CONNECTOR, ELECTRIC, REAR ACCESSORY DESIGN STANDARD (VALIDATION DATE:							
			8509) REVIEWER: EC ES							
			INSERT ARRANGEMENT, MIL-C-81669 ELECTRIC CONNECTOR, SERIES 1 AND 2							
			REVIEWER: 11 80 EC OS							



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Aeronautics Cntrl / OMA Classification Inclusion	Document Number	Document Title	Dist. Smt. FSC / Item	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DLA
	MS3180F NOTICE 1	COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS [VALIDATION DATE: 8809] USER: 11 AV MC ME SH REVIEWER: 99 EC ES	A 5935	CR	19-SEP-88	CR	AS		85	
	MS3181F NOTICE 1	COVER, PROTECTIVE, ELECTRICAL CONNECTOR RECEPTACLE, BAYONET COUPLING FOR MIL-C-26482 CONNECTORS [VALIDATION DATE: 8809] USER: 11 AV ME SH REVIEWER: 99 EC ES	A 5935	CR	19-SEP-88	CR	AS		85	
	MS3182D NOTICE 1	COVER, PROTECTIVE, ELECTRIC CONNECTOR, PLUG, PUSH-PULL COUPLING [VALIDATION DATE: 9110]	A 5935	AS	23-OCT-91	CR	AS		85	
	MS3183E NOTICE 1	COVER, PROTECTIVE, ELECTRIC CONNECTOR, RECEPTACLE, PUSH-PULL COUPLING [VALIDATION DATE: 9110]	A 5935	AS	23-OCT-91	CR	AS		85	
	MS3185A NOTICE 1	MOLD, POTTING, AND ADAPTER, ELECTRIC CONNECTOR [VALIDATION DATE: 9110] REVIEWER: 11	A 5935	AS	23-OCT-91	CR	AS		85	
	MS3186D	CONNECTOR MOUNTING TO CONNECTORS, MOUNTING NUTS, PLAIN, HEXAGON USER: ME REVIEWER: EC ES MI OS	A 5935	AS	06-APR-84	CR	AS		85	
	MS3187E	PLUG, END SEAL, FOR MIL-C-26482, MIL-C-5015, MIL-C-81703 AND MIL-C-83723 ELECTRICAL CONNECTORS [VALIDATION DATE: 8204] USER: AV REVIEWER: 11 17 AR EC ES MI SH	A 5935	AS	14-APR-77	CR	AS		85	
L	MS3188B	BACKSHELL, 9/16", CABLE SEALING & TERMINATION CONNECTOR, ELECTRIC, (INACTIVE 1 JUL 82) REVIEWER: EC MI	A 5935	AS	10-MAY-82					
L	MS3190F	CONTACT WIRE BARREL, CRIMP TYPE [VALIDATION DATE: 8105] USER: 19 MC REVIEWER: 11 17 85 AR CR ES ME MI	A 5935	AS	02-APR-68					
	MS3197G	GAGE PIN FOR SOCKET CONTACT ENGAGEMENT TEST REVIEWER: 11 17 99 AR ME MI SH	A 5220	AS	15-JUL-83	CR	AS		85	
L	MS3211A	RING, RETAINER, EXTERNAL [VALIDATION DATE: 8204] REVIEWER: 15 MI	A 5365	OS	24-MAR-76	OS				
	MS3212B	SCREW, MACHINE, PAN HEAD, SELF-SEALING O-RING, SILICONE RUBBER, INTEGRAL USER: EC MC ME REVIEWER: AT AV IS MI	A 5305	OS	23-OCT-86	AR	OS		99	
	MS3213A	SCREWS, MACHINE, PAN HEAD, CROSS RECESSED, SELF SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF LOCKING [VALIDATION DATE: 8410] USER: AV EC MC REVIEWER: AT IS MI	A 5305	OS	30-APR-77	AK	OS		99	
L	MS3214	NUT, PLAIN, CLINCH-FLUSH [VALIDATION DATE: 8204] REVIEWER: MI	A 5310	AR	04-SEP-68		OS			
	MS3215B	RING, RETAINING, EXTERNAL, "E", REINFORCED (REDUCED SECTION TYPE) USER: AT MC ME REVIEWER: 82 MI	A 5365	OS	26-APR-90	AK	OS		99	
	MS3216A	RING, RETAINING, EXTERNAL, PRONG-LOCK (REDUCED SECTION TYPE) USER: AT MC ME REVIEWER: 82 MI	A 5365	OS	28-APR-89	AR	OS		99	
	MS3217B	RING, RETAINING, EXTERNAL, HEAVY-DUTY (TAPERED SECTION TYPE) USER: AT MC ME REVIEWER: 82 MI	A 5365	OS	14-JUL-89	AR	OS		99	
	MS3224A DS3225	BALLS, BEARING, AIRCRAFT QUALITY STEEL BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS (METRIC SERIES) USER: AV REVIEWER: 84 IS MC MS SH	A 3110 A 3110	OS OS	31-JUL-87 13-JAN-82	AT AT	OS OS		99 99	
	MS3226	BALL, BEARING, GRADE 10, AIRCRAFT QUALITY STEEL REVIEWER: 71 84 IS SH	A 3110	OS	02-MAR-88	AV	OS		99	
D	MS3227	WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 110 USER: MC YDI REVIEWER: 84 AR IS MI SH	A 9525	OS	29-OCT-87	NR	OS		99	
D	MS3228	WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 102 USER: MC YDI REVIEWER: 84 AR IS MI SH	A 9525	OS	29-OCT-87	NR	OS		99	
D	MS3229	PLATE, METAL, COPPER BASE, ALLOY 110 USER: MC YDI REVIEWER: 84 AR IS MI SH	A 9535	OS	29-OCT-87	NR	OS		99	
D	MS3230	SHEET, METAL, COPPER BASE ALLOY 110 USER: MC YDI REVIEWER: 84 AR IS MI SH	A 9535	OS	29-OCT-87	NR	OS		99	
D	MS3231	STRIP, METAL, COPPER BASE ALLOY 110 USER: MC YDI REVIEWER: 84 AR IS MI SH	A 9535	OS	29-OCT-87	NR	OS		99	
D	MS3232	FOIL, METAL, FLAT, COPPER BASE ALLOY 110 USER: MC YDI REVIEWER: 84 AR IS MI SH	A 9535	OS	29-OCT-87	NR	OS		99	
L	MS3311A	INDICATOR, ELAPSED TIME, ELECTROCHEMICAL (MERCURY INDICATING CELL) REVIEWER: 99 GS	A 6645	AS	07-OCT-87					
L	MS3312C MS3314	PROTECTOR, UNDERFREQUENCY F-4 AIRCRAFT LUG, SUSPENSION, (1000 LB CLASS) AIRBORNE EQUIPMENT [VALIDATION DATE: 8004] USER: AV REVIEWER: 11 18 MI	A 6115 A 1325	AS AS	30-SEP-80 26-SEP-67					99
	MS3318A NOTICE 1	CASE, INSTRUMENT, 5 X 4-1/4 SIZE, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8712] REVIEWER: 71	A 6610	AS	11-DEC-87	AV			99	
L	MS3319D	BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 3/4 AMPERE-HOUR, 24-VOLT REVIEWER: GS	A 6140	AS	24-SEP-82					
	MS3320M NOTICE 1	CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH PULL, 1/2 THRU 20 AMPS, TYPE I -55 THRU +121 DEG. C [VALIDATION DATE: 9110] REVIEWER: 11 ES	A 5925	AS	23-OCT-91	ER	AS		85	
	MS3321A	TEST FIXTURE, PROBE DAMAGE, SOCKET CONTACT, CONNECTOR, ELECTRIC [VALIDATION DATE: 8205] USER: MC ME REVIEWER: 11 AR AV EC ES MI OS	A 5935	AS	05-JUN-70	CR	AS		85	
	MS3322B NOTICE 1	GASKET, CONDUCTIVE, ELECTRIC CONNECTOR, JAM NUT MOUNT [VALIDATION DATE: 9110] USER: MC ME REVIEWER: 11 80 AR AV EC ES MI OS SH	A 5935	AS	02-OCT-91	CR	AS		85	
	MS3325 NOTICE 1	DRIVE PAD-ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8709]	A 2995	AS	01-SEP-87	AV	AS			
	MS3326 NOTICE 1	DRIVE PAD - ACCESSORY, 5.000 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8708]	A 2995	AS	12-JUN-68	AV	AS			
	MS3327A	DRIVE PAD - ACCESSORY, 5.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8407]	A 2995	AS	20-NOV-69	AV	AS			
	MS3328A	DRIVE PAD - ACCESSORY, 8.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8407]	A 2995	AS	20-NOV-69	AV	AS			
	MS3329A NOTICE 1	DRIVE PAD - ACCESSORY, 10.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8708]	A 2995	AS	25-AUG-87	AV	AS			
L	MS3330	FLANGE ACCESSORY, 2.653 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8304]	A 2995	AS	25-MAR-69		AS			
L	MS3331	FLANGE ACCESSORY, 5.000 BC SQUARE, DESIGN STANDARD FOR [VALIDATION DATE: 8407]	A 2995	AS	25-MAR-69		AS			
L	MS3332	FLANGE ACCESSORY, 5.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8304]	A 2995	AS	25-MAR-69		AS			
L	MS3333	FLANGE ACCESSORY, 8.000 BC ROUND, DESIGN STANDARD FOR [VALIDATION DATE: 8304]	A 2995	AS	25-MAR-69		AS			
L	MS3334	FLANGE ACCESSORY, 10.000 BC ROUND DESIGN STANDARD FOR [VALIDATION DATE: 8304]	A 2995	AS	25-MAR-69		AS			
L	MS3335	SPLINE DETAILS-DRIVE PADS AND ACCESSORY FLANGES, DESIGN STANDARD FOR [VALIDATION DATE: 8304]	A 2995	AS	08-DEC-69		AS			
L	MS3336	ACCESSORY DRIVES AIRCRAFT ENGINE, REFERENCE CHART FOR [VALIDATION DATE: 8405]	A 2995	AS	04-JUN-70		AS			
L	MS3337C	BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 0.4 AMPERE-HOUR [VALIDATION DATE: 8005] REVIEWER: GS	A 6140	AS	21-JUN-71		AS			
L	MS3338	LAMP INCANDESCENT, T-1 BULB, BASED, 28 VOLT, INTEGRAL LIGHTING [VALIDATION DATE: 8108] REVIEWER: GS	A 6240	AS	28-AUG-68		AS			
L	MS3339B	PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS REVIEWER: EC GS MI	A 5975	AS	15-SEP-87		AS			
L	MS3340B	BULBHEAD BRACKET, FOR USE WITH MS-3367 PLASTIC TIEDOWN STRAPS [VALIDATION DATE: 8403] REVIEWER: 99	A 5975	AS	18-OCT-77		AS			
L	MS3341B	BRACKET, MOUNTING, PLASTIC FOR USE WITH MS 3367 PLASTIC TIE DOWN STRAPS [VALIDATION DATE: 8006] REVIEWER: 99 GS MI	A 5975	AS	21-MAR-74		AS			
	MS3345B	FLANGE, SPLIT MOUNTING METER TIME TOTALIZING [VALIDATION DATE: 8507] USER: OS REVIEWER: 99 AV GS ME MI	A 6645	AS	29-DEC-78	AR	AS		11	
L	MS3346A	BATTERY, STORAGE, AIRCRAFT, HEAVY DUTY, 2 1/2 AMPERE-HOUR, 24-VOLT, HEATED [VALIDATION DATE: 8103] REVIEWER: GS	A 6140	AS	25-OCT-68		AS			
L	MS3347A	CONNECTOR, INTERCELL AND CELL-TO-RECEPTACLE, BATTERY, STORAGE, HEAVY DUTY, AIRCRAFT [VALIDATION DATE: 8208] REVIEWER: GS	A 6140	AS	28-AUG-69		AS			



## ACTIVE SECTION

**NUMERICAL LISTING  
MS DRAWINGS**

Doc Type	Doc Title	Doc Date	Doc FSC / AEC MCA Symbol	Doc Preparing Date	Doc Date	Custodians			
						Army	Navy	Air Force	DLA
D	MS3348E		CONTACT BUSHING, ELECTRIC, WIRE BARREL [VALIDATION DATE: 8410] USER: 14 19 REVIEWER: 11 17 99 AR CG EC ES MI OS YDI	A 5935	AS	30-JUN-78	CR	AS	85
L	MS3349C		PLUG, ELECTRIC, TWO-WIRE, AIRCRAFT STORAGE BATTERY	A 5935	AS	01-JUN-84	ER	AS	85
L	MS3350		INERTIAL SET MOUNT GENERAL ASSEMBLY [VALIDATION DATE: 8203]	A 6615	AS	10-JAN-69		AS	
L	MS3351		WASHER, SPECIAL [VALIDATION DATE: 8203]	A 6615	AS	10-JAN-69		AS	
A	MS3357B		SLEEVE BOLT	A 6615	AS	15-OCT-92		AS	
L	MS3364A		GENERATOR, DIRECT CURRENT, 400 AMPERE CLASS A, BLAST COOLED, 3000-8000 RPM [VALIDATION DATE: 8306]	A 6115	AS	12-SEP-77		AS	
	MS3367F		STRAP, TIEDOWN, ELECTRICAL COMPONENTS, ADJUSTABLE, SELF CLINCHING, PLASTIC, TYPE 1, CLASS 1 [VALIDATION DATE: 8410] USER: 17 MC ME OS REVIEWER: 99 AV EC GS MI SH	A 5975	AS	16-AUG-78	ER	AS	85
	MS3368F		STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF CLINCHING, PLASTIC, TYPE 11, CLASS 1 [VALIDATION DATE: 8410] USER: 17 AV OS REVIEWER: 99 EC GS MI SH	A 5975	AS	16-AUG-78	ER	AS	85
	MS3369D		BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63 KSI FTU, HEXAGON SLOTTED HEAD, 450 DEG. F. AND 650 DEG F. REVIEWER: 99 IS	A 5306	AS	20-JUN-85	AV	AS	11
L	MS3370B		CONVERTER, 100 AMPERE CLASS C, NONREGULATED AIRCRAFT, BLAST COOLED	A 6130	AS	18-NOV-91		AS	
L	MS3373C		STRIP, MOUNTING, MUT INSULATING, FOR MS 27212 TERMINAL BOARD [VALIDATION DATE: 8006] USER: EC MC OS REVIEWER: 85 AV GS MI	A 5970	AS	07-MAR-72	ER	AS	11
L	MS3374A		TIRE, PNEUMATIC, AIRCRAFT, 20 X 5.5, TYPE VII (NAVY) [VALIDATION DATE: 9101]	A 2620	AS	29-OCT-91		AS	
L	MS3376B		MUT, SELF LOCKING, REDUCED HEIGHT, STEEL, 450 DEG. F, 12 POINT, CAPTIVE WASHER [VALIDATION DATE: 8410] REVIEWER: EC	A 5310	AS	01-JUN-71		AS	
L	MS3377A		REBUILD TIRE - AIRCRAFT, LABORATORY QUALITY ASSURANCE REQUIREMENTS [VALIDATION DATE: 8105] REVIEWER: CS	A 2620	AS	09-JUN-75		AS	
L	MS3379A		TIRE, PNEUMATIC, AIRCRAFT, REBUILD 18X5.7 (247 MPH) TYPE VII (NAVY) REVIEWER: CS	A 2620	AS	29-DEC-81		AS	
L	MS3380A		TIRE, PNEUMATIC, AIRCRAFT, REBUILD, 20 X 5.5, TYPE VII (NAVY) REVIEWER: CS	A 2620	AS	01-APR-81		AS	
L	MS3381A		TIRE, PNEUMATIC, AIRCRAFT, REBUILD 24X5.5 (200 MPH) TYPE VII (NAVY) [VALIDATION DATE: 9101]	A 2620	AS	29-OCT-91		AS	
L	MS3383A		TIRE, PNEUMATIC, AIRCRAFT, REBUILD, 26X6.6 (200 MPH/HIGH PERFORMANCE) TYPE VII (NAVY) REVIEWER: CS	A 2620	AS	29-DEC-81		AS	
L	MS3384A		TIRE, PNEUMATIC, AIRCRAFT, REBUILD, 28 X 7.7 (200 MPH) TYPE VII (NAVY) [VALIDATION DATE: 9101]	A 2620	AS	29-OCT-91		AS	
L	MS3385A		RETREAD TIRE - AIRCRAFT 28 X 9.0 (173 MPH) TYPE VII (NAVY) REVIEWER: CS ...	A 2620	AS	15-DEC-82		AS	
L	MS3387A		TIRE, PNEUMATIC, AIRCRAFT, REBUILD, 40 X 14, TYPE VII (NAVY) REVIEWER: CS ...	A 2620	AS	01-APR-81		AS	
L	MS3388A		RETREAD TIRE - AIRCRAFT, 44 X 13 (200 MPH) TYPE VII (NAVY) REVIEWER: CS ...	A 2620	AS	15-DEC-82		AS	
L	MS3391		HATE INTEGRATING GYRO [VALIDATION DATE: 9101]	A 1420	AS	03-OCT-91		AS	
L	MS3393		PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, MINUS 65 DEG. F. TO PLUS 275 DEG. F. [VALIDATION DATE: 8304] REVIEWER: 82	A 5330	AS	14-FEB-69	MR	AS	99
L	MS3396		PLUG, DEMYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 14MM THREAD [VALIDATION DATE: 9101]	A 6685	AS	29-OCT-91	ME	AS	99
L	MS3398		CARD-HUMIDITY-INDICATING COLOR COMPARISON [VALIDATION DATE: 8206] REVIEWER: GS	A 6685	AS	15-JUL-69	ME	AS	99
L	MS3400G		CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3401G		CONNECTORS, RECEPTACLE, ELECTRIC, CABLE CONNECTING, FRONT RELEASE, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3402F		CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, CRIMP CONTACTS, AM TYPE [VALIDATION DATE: 8207]	A 5935	AS	23-MAR-76		AS	
L	MS3404G		CONNECTORS, RECEPTACLE, ELECTRIC, JAM MUT MOUNTING, FRONT RELEASE, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3406H		CONNECTORS, PLUG, ELECTRIC, FRONT RELEASE, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3408D		CONNECTOR, PLUG, ELECTRIC, 90 DEGREE ASSEMBLY, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 8509] REVIEWER: ES OS	A 5935	AS	09-APR-79		AS	
L	MS3409B		CONNECTORS, PLUG, ELECTRIC, 45 DEGREES ASSEMBLY, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3412D		CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AM TYPE-WITH ACCESSORY THREADS [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3420C		ADAPTER, CABLE CLAMP TO CABLE, BUSHING, TELESCOPING [VALIDATION DATE: 9101] USER: CG ER MC REVIEWER: MI	A 5935	AS	23-OCT-91	AR	AS	85
L	MS3424		CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH PULL COUPLING, SERIES 3 (CLASS L AND E) [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3425B		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 8 [VALIDATION DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	15-DEC-90	CR	AS	85
L	MS3426B		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 10 [VALIDATION DATE: 9101] USER: AT MC ME REVIEWER: 11 80 AR AV EC MI OS SH	A 5935	AS	23-OCT-91	CR	AS	85
L	MS3428A		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 14 [VALIDATION DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	15-DEC-90	CR	AS	85
L	MS3429B		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 16 [VALIDATION DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	15-DEC-90	CR	AS	85
L	MS3430A		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 18 [VALIDATION DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	15-DEC-90	CR	AS	85
L	MS3431A		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 20 [VALIDATION DATE: 9011] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	15-NOV-90	CR	AS	85
L	MS3432A		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 22 [VALIDATION DATE: 9012] USER: MC ME REVIEWER: 11 99 AR AV EC ES MI OS	A 5935	AS	15-DEC-90	CR	AS	85
L	MS3433A		INSERT ARRANGEMENTS, MIL-C-81511 ELECTRIC CONNECTOR, SIZE 24 [VALIDATION DATE: 9101] USER: AT MC ME REVIEWER: 11 80 AR AV EC ES MI OS SH	A 5935	AS	23-OCT-91	CR	AS	85
L	MS3434		TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 1 AND 2 CONNECTORS [VALIDATION DATE: 8509] REVIEWER: EC	A 5220	AS	18-OCT-71		AS	
L	MS3435		TEST GAGE, CONTACT LOCATION AND RETENTION FEATURE, MIL-C-0081511 SERIES 3 AND 4 CONNECTORS [VALIDATION DATE: 8509] REVIEWER: EC	A 5220	AS	18-OCT-71		AS	
L	MS3436A		CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, UTILITY [VALIDATION DATE: 8108] REVIEWER: EC	A 5935	AS	07-OCT-74		AS	
L	MS3437D		BACKSHELL STRAIGHT, CABLE SEALING & SHIELD TERMINATION CONNECTOR, ELETRIC (INACTIVE 1 JUL 1982)	A 5935	AS	10-MAY-82		AS	
L	MS3440B		CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, NARROW FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT CLASS M [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 99 EC ES SH	A 5935	CR	19-SEP-88	CR	AS	85
L	MS3441		CONNECTOR, PLUG, ELECTRIC, UTILITY [VALIDATION DATE: 8108] REVIEWER: EC ...	A 5935	AS	07-OCT-74		AS	
L	MS3442B		CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, WIDE FLANGE MOUNTING, BAYONET COUPLING, SOLDER PIN CONTACT, CLASS M [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 99 EC ES SH	A 5935	CR	19-SEP-88	CR	AS	85
L	MS3443A		CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, SOLDER FLANGE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT CLASS M [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 EC ES SH	A 5935	CR	19-SEP-88	CR	AS	85
L	MS3445		CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 2 (CLASS E) [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	
L	MS3446		CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 3 (CLASS L AND E) [VALIDATION DATE: 9101]	A 5935	AS	23-OCT-91		AS	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Admin Gn / Cmt Comments Inches	Document Number	Document Title	Dist. Syst. FAC / Area	MSA Symbol	Preparing Date	Army	Navy	Air Force	DLA
	MS3449C	CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, SINGLE HOLE MOUNT, BAYONET COUPLING, SOLDER PIN CONTACT, CLASS H USER: AV REVIEWER: 11 17 99 AR EC ES MI SH	A 5935	CR	29-OCT-86	CR	AS	85	
	MS3450E	CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AM TYPE (IMMUTATIVE FOR DESIGN) [VALIDATION DATE: 8207] REVIEWER: 11 17 99 AR AT AV EC ES ME MI	A 5935	AS	23-MAR-76	CR	AS	85	
	MS3451C	CONNECTOR, RECEPTACLE, ELECTRICAL, CABLE CONNECTING, REAR RELEASE, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 8207] REVIEWER: 11 17 80 EC	A 5935	AS	23-MAR-76	CR	AS	85	
A	MS3452D	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, REAR RELEASE, CRIMP CONTACT, AM TYPE WITH REVIEWER: 11 80 99 AR AT EC ME MI	A 5935	AS	15-FEB-93	CR	AS	85	
	MS3454C NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, JAM MUT MOUNTING, REAR RELEASE CRIMP CONTACT, AM TYPE [VALIDATION DATE: 9110] REVIEWER: 11 17 80 AR AT AV EC ME MI	A 5935	AS	23-OCT-91	CR	AS	85	
	MS3456D	CONNECTORS, PLUG, ELECTRICAL, REAR RELEASE, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 8207] REVIEWER: 11 17 99 AR AT AV EC ES ME MI	A 5935	AS	23-MAR-76		AS	85	
	MS3459C NOTICE 1	CONNECTORS, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING MUT, REAR RELEASE, CRIMP CONTACT, AM TYPE [VALIDATION DATE: 9110] REVIEWER: 11 17 80 AR AT AV EC ME MI	A 5935	AS	23-OCT-91	CR	AS	85	
	MS3460A	TEST GAGE, MIL-C-0026482 SERIES 1 OR MIL-C-81703 SERIES 2 CONTACT RETENTION FEATURE [VALIDATION DATE: 8105] USER: AV REVIEWER: 11 AR EC MI SH	A 5220	AS	05-SEP-75	CR	AS	85	
	MS3461A	TEST GAGE, MIL-C-0026482 SERIES 2 OR MIL-C-81703 SERIES 3 CONTACT RETENTION FEATURE [VALIDATION DATE: 8105] USER: AV REVIEWER: 11 17 AR EC MI SH	A 5220	AS	05-SEP-75	CR	AS	85	
	MS3462B	TEST GAGE, MIL-C-26482 SERIES 2 (CLASS N), MIL-C-81703 SERIES 3 (CLASS N) AND MIL-C-0081511 SERIES 3 AND 4 (CLASS L) CONTACT RETENTION FEATURE [VALIDATION DATE: 8105] USER: AV REVIEWER: 11 17 AR EC MI SH	A 5220	AS	05-SEP-75	CR	AS	85	
L	MS3464 NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM MUT MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E) [VALIDATION DATE: 9110]	A 5935	AS	23-OCT-91		AS		
L	MS3466 NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, SOLDER TYPE, BOX MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS H) [VALIDATION DATE: 9110]	A 5935	AS	23-OCT-91		AS		
L	MS3467 NOTICE 1	CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND L) [VALIDATION DATE: 9110]	A 5935	AS	23-OCT-91		AS		
	MS3470D	CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, NARROW FLANGE MOUNT, BAYONET COUPLING, CLASSES A, L, S & W USER: AV MC REVIEWER: 11 17 99 AR EC SH	A 5935	CR	12-JUL-85	CR	AS	85	
	MS3471D	CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, CABLE CONNECTING, BAYONET B COUPLING, CLASSES A, L, S, AND W USER: AV REVIEWER: 11 17 99 AR EC SH	A 5935	CR	12-JUL-85	CR	AS	85	
	MS3472D	CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, CRIMP TYPE, WIDE FLANGE MOUNTING, BAYONET COUPLING, CLASSES A, L, S, AND W USER: AV REVIEWER: 11 17 99 AR EC SH	A 5935	CR	12-JUL-85	CR	AS	85	
	MS3473A NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, SOLDER MOUNTING, BAYONET COUPLING, CLASS M [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 EC ES SH	A 5935	CR	19-SEP-88	CR	AS	85	
M	MS3474G	CONNECTORS, RECEPTACLE, ELECTRICAL, SERIES 2, CRIMP TYPE, REAR MOUNTING, JAM MUT, BAYONET COUPLING, CLASSES A, L, S, AND W USER: 11 AV MC REVIEWER: 99 AR EC SH	A 5935	CR	10-JUN-93	CR	AS	85	
	MS3475D	CONNECTOR, PLUG, RSFI SHIELDED, ELECTRIC, SERIES 2, CRIMP TYPE, BAYONET COUPLINGS, CLASSES L, S, AND W REVIEWER: 11 17 99 AR AV EC SH	A 5935	CR	12-JUL-85	CR	AS	85	
	MS3476E	CONNECTORS, PLUG, ELECTRIC, SERIES 2, CRIMP TYPE, BAYONET COUPLING, CLASSES A, L, S, AND W REVIEWER: 11 17 99 AR AV EC MI SH	A 5935	CR	31-OCT-88	CR	AS	85	
	MS3477A NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, BOX MOUNTING, BAYONET COUPLING, CLASS M [VALIDATION DATE: 8809] USER: AV REVIEWER: 11 17 EC ES SH	A 5935	CR	19-SEP-88	CR	AS	85	
	MS3479B	CONNECTOR, RECEPTACLE, ELECTRIC, SERIES 2, HERMETIC, SOLDERLESS, REAR MOUNTING, JAM MUT, BAYONET COUPLING, CLASS N USER: AV REVIEWER: 11 17 AR EC ES MI SH	A 5935	CR	29-OCT-86	CR	AS	85	
L	MS348D	TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-5015 CONNECTORS [VALIDATION DATE: 8207] USER: GL REVIEWER: EC	A 5120	AS	21-JAN-70		AS		
	MS3481 NOTICE 1	TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-26482 CONNECTORS [VALIDATION DATE: 8907] USER: GL REVIEWER: EC	A 5120	CR	05-JUL-89	CR	AS		
L	MS3482	TOOL, CONNECTOR ASSEMBLY, FOR MIL-C-81511 CONNECTORS [VALIDATION DATE: 8207] USER: GL REVIEWER: EC	A 5120	AS	21-JAN-70		AS		
	MS3488B	LATCH, LAP BELT, AIRCRAFT SAFETY, QUICK RELEASE (IMMUTATIVE) .....	A 1680	AS	19-NOV-80	AV	AS	99	
	MS3493B NOTICE 1	CONNECTOR, PLUG AND CAP, ELECTRIC, GROUNDING [VALIDATION DATE: 9110] USER: MC REVIEWER: 79 85 99 AV ES	A 5935	AS	23-OCT-91	CR	AS	11	
L	MS3498C NOTICE 1	SCREW ASSEMBLY, PANEL REVIEWER: 99 CG MC OS SH .....	A 5305	AS	24-JUL-87	AV	AS	11	
	MS3502	TIRE - AIRCRAFT, 7.50-10 CHANNEL TREAD/APPLICATION: CV-10 NOSE LANDING GEAR ONLY [VALIDATION DATE: 9110]	A 2620	AS	29-OCT-91		AS		
L	MS3504A NOTICE 1	GYROSCOPE ASSEMBLY, DISPLACEMENT CN-1359/AJB-3 [VALIDATION DATE: 8304] ....	A 6615	AS	17-NOV-70		AS		
A	MS3505A	COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE REVIEWER: 99 AV .....	A 5935	AS	30-DEC-92	CR	AS	85	
A	MS3506C	CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER	A 5935	AS	30-DEC-92	CR	AS	85	
L	MS3507A	CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, QUICK DISCONNECT, UTILITY [VALIDATION DATE: 8108] REVIEWER: EC ES	A 5935	AS	07-OCT-74		AS		
	MS3509F	RECEPTACLE, ELECTRIC, AIRCRAFT STORAGE BATTERY REVIEWER: ES .....	A 5935	AS	27-NOV-85	AV	AS	99	
L	MS3510A	PLUG, VENTING, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT ALKALINE STORAGE BATTERY [VALIDATION DATE: 8005] REVIEWER: GS	A 6140	AS	27-APR-71		AS		
	MS5007A	COME, PROPELLER HUB, FRONT .....	A 1610	84	29-APR-81	AV	AS	99	
	MS5008C	COME, PROPELLER HUB, REAR .....	A 1610	84	29-APR-81	AV	AS	99	
	MS5009A	RING, RETAINING - PROPELLER HUB, SNAP .....	A 1610	84	29-APR-81	AV	AS	11	
L	MS8000C NOTICE 1	HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE TO FLARE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL	A 4720	82	15-NOV-90		99		
L	MS8001C NOTICE 1	HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS TO FLARELESS [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL	A 4720	82	15-NOV-90		99		
L	MS8002C NOTICE 1	HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE TO FLARE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL	A 4720	82	15-NOV-90		99		
L	MS8003C NOTICE 1	HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS TO FLANGE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL	A 4720	82	15-NOV-90		99		
L	MS8004C NOTICE 1	HOSE ASSEMBLY, DETACHABLE FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLANGE TO FLANGE [VALIDATION DATE: 9011] USER: AR MI SH REVIEWER: CS GL	A 4720	82	15-NOV-90		99		
	MS8005C	HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE TO FLARE REVIEWER: CS	A 4720	82	15-APR-91	AV	AS	99	
	MS8006B NOTICE 1	HOSE ASSEMBLY, PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARELESS TO FLARELESS [VALIDATION DATE: 9011] REVIEWER: CS	A 4720	82	15-NOV-90	AV	AS	99	
	MS8007B	HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLARE TO FLANGE REVIEWER: CS	A 4720	82	30-JUN-85	AV	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Actn CPL / Osk Coordination Inches	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	Air Force	DLA
	MS80088	HOSE ASSEMBLY PERMANENTLY ATTACHED FITTINGS TETRAFLUOROETHYLENE HIGH TEMPERATURE MEDIUM PRESSURE, FLARELESS TO FLANGE REVIEWER: CS	A 4720	82	30-JUN-85	AV	AS	99	
	MS80098	HOSE ASSEMBLY, PERMANENTLY ATTACHED FITTINGS, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE, FLANGE TO FLANGE REVIEWER: CS	A 4720	11	30-JUN-85	AV	AS	11	
M L	MS8516A NOTICE 1 MS9008C NOTICE 1	WRENCH-1/2 INCH SQUARE DRIVE ADJUSTABLE SPANNER (3.5 TO 6 INCHES DIA) [VALIDATION DATE: 9304]	A 5120	84	27-APR-93			84	
	MS9012A	RECESSES-CROSS, LOW TORQUE DRIVE, DIMENSIONS AND GAGE DIMENSIONS FOR [VALIDATION DATE: 9110]	A 5305	AS	03-OCT-91	AR	AS	99	
L	MS9013B	PER (ASG) (INACTIVE 13 JUNE 1960) [VALIDATION DATE: 8310] REVIEWER: IS MI	A 5340	AS	13-JUN-60		AS		
L	MS9014A	RING-RETAINING, EXTERNAL, STEEL (ASG) (INACTIVE 3 JUNE 1960) [VALIDATION DATE: 8310] REVIEWER: AR IS MI	A 5340	AS	13-JUN-60		AS		
	MS9015B	RING RETAINING, INTERNAL, STEEL (ASG) (INACTIVE 13 JUNE 1960) [VALIDATION DATE: 8310] REVIEWER: IS MI	A 5340	AS	13-JUN-60		AS		
	MS9016	PLUG, MACHINE THREADED - .0, RING SEAL (INACTIVE 7-26-74) [VALIDATION DATE: 8404] USER: CS MC ME SH REVIEWER: IS MI	A 5330	AS	26-JUL-74	AV	AS	11	
L	MS9017A	BUSHING - SCREW, PLAIN (ASG) [VALIDATION DATE: 8310]	A 4730	AS	31-AUG-54		AS		
L	MS9017B	BUSHING - SCREW, SLOTTED (INACTIVE AFTER 1 OCT 1965) [VALIDATION DATE: 8310] REVIEWER: IS	A 5340	AS	01-OCT-65		AS		
	MS9018B	INSERT & 18x1.5 MM AVIATION SPARK PLUG HELICAL COIL [VALIDATION DATE: 8310] REVIEWER: MI	A 2810	AS	01-JUL-68	AV	AS		
	MS9020B	PACKING, PREFORMED, (O) RING REVIEWER: 11 B2 AR IS ME MI	A 5330	AS	25-JUL-86	AV	AS	99	
	MS9021D	PACKING, PREFORMED, (O) RING REVIEWER: 11 AR GL IS ME MI	A 5330	82	25-JUL-86	AV	AS	99	
	MS9024C	CLAMP, LOOP-CUSHIONED, JOGGLED, .204 HOLE (ASG) [VALIDATION DATE: 8404] REVIEWER: 99 IS ME MI	A 5340	82	15-MAY-68	AV	AS	11	
	MS9025A NOTICE 1 MS9033B	CLAMP - LOOP TYPE SUPPORT (HEAT RESISTANT) .265 HOLE [VALIDATION DATE: 9110] REVIEWER: 82 B5	A 5340	AS	03-OCT-91	AV	AS	11	
	MS9034B	BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .190 (NO. 10)-32, AMS 5735 (ASG) (INACTIVE 6 APR 1967) (SEE MS 9556) REVIEWER: IS	A 5305	82	29-AUG-86		AS	11	
	MS9035B	BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .250-28, AMS 5735 (ASG) (INACTIVE 6 APRIL 1967) (SEE MS 9557) REVIEWER: IS	A 5305	AS	29-AUG-86		AS	11	
	MS9047A	BOLT-MACHINE, 12 POINT HEAD HEAT RESISTANT, .3125-24, AMS 5735 (ASG) (INACTIVE 6 APR 1967) (SEE MS 9558) REVIEWER: IS	A 5305	AS	29-AUG-86		AS	11	
	MS9048A	PIN-SPRING, STEEL, PHOSPHATE FINISH (ASG) [VALIDATION DATE: 8404] REVIEWER: IS ME MI	A 5315	AS	03-NOV-80		AS	11	
L	MS9048B	PIN-SPRING, STEEL, CADMIUM PLATED (ASG) [VALIDATION DATE: 8404] REVIEWER: AR IS ME MI	A 5315	AS	03-NOV-80		AS		
	MS9058C	RING BACK UP, BOSS CONNECTION, AMS 3651 [VALIDATION DATE: 8404] REVIEWER: AR IS MI	A 5330	AS	10-JUN-69		AS	11	
L	MS9060B	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, DRILLED, .190-32 MS USER: MC REVIEWER: IS	A 5306	AS	08-AUG-86		AS		
LI	MS9061A NOTICE 1 MS9062B	BOLT, MACHINE - CRES AMS 5735, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .250-28 [VALIDATION DATE: 9110]	A 5306	AS	03-OCT-91		AS		
	MS9063B	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, DRILLED, .3125-24 MS REVIEWER: IS	A 5306	AS	08-AUG-86	AV	AS		
	MS9068	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, DRILLED, .375-24 MS REVIEWER: IS MI	A 5306	AS	08-AUG-86	AV	AS		
	MS9071A	PACKING, PREFORMED - AMS 3304, O RING (ASG) [VALIDATION DATE: 8404] REVIEWER: AV IS ME MI	A 5330	AS	23-SEP-60		AS	11	
I	MS9081B NOTICE 1 MS9083A	BOSS, 18-1.50 MM SPARK PLUG THREAD HELICAL INSERT, STANDARD DIMENSIONS FOR, (ASG) [VALIDATION DATE: 8404] REVIEWER: 99 IS	A 5340	AS	01-OCT-63		AS	11	
	MS9084A	WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 6350 [VALIDATION DATE: 9110] ...	A 5310	AS	04-OCT-91		AS	11	
	MS9085B	COLLAR, SWIVEL-PILOTTED O-RING, TUBE CONNECTION, 3 BOLT, AMS 6322 (ASG) [VALIDATION DATE: 8404] REVIEWER: CS	A 4730	AS	31-JUL-61		AS	11	
	MS9088A NOTICE 1 MS9089C MS9090C MS9091C MS9092C MS9093C MS9095A MS9096B	COLLAR, SWIVEL-PILOTTED O-RING, TUBE CONNECTION, 4 BOLT, AMS 6322 (ASG) [VALIDATION DATE: 8404] REVIEWER: CS	A 4730	AS	31-JUL-61		AS	11	
LI	MS9097A	COLLAR, SWIVEL PILOTTED O-RING, TUBE CONNECTION, 6 BOLT, AMS 6322 (INACTIVE 10-26-72) [VALIDATION DATE: 8404]	A 4730	AS	26-OCT-72		AS	11	
	MS9099B	BOLT, MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO. 10)-32 (CADMIUM PLATE) [VALIDATION DATE: 9110] REVIEWER: IS MI	A 5306	AS	04-OCT-91		AS		
	MS9100B	BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .250-28 UNF-3A REVIEWER: IS ...	A 5306	AS	12-JUN-87		AS	11	
	MS9101C	BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .3125-18 UNF-3A REVIEWER: IS ...	A 5306	AS	12-JUN-87		AS	11	
	MS9102C	BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .375-24 UNF-3A REVIEWER: IS MI	A 5306	AS	12-JUN-87		AS	11	
	MS9104C	BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .4375-20 UNF-3A REVIEWER: IS ...	A 5306	AS	12-JUN-87		AS	11	
	MS9105B NOTICE 1	BOLT-MACHINE, DRILLED 12 POINT HEAD, STEEL, .500-20 UNF-3A REVIEWER: IS ...	A 5306	AS	12-JUN-87		AS	11	
L	MS9110	WIPPLE, TUBE - AMS 4121, BOSS [VALIDATION DATE: 8404] REVIEWER: CS	A 4730	AS	11-MAR-70	AV	AS	11	
	MS9111	ELBOW, TUBE - AMS 4135, BOSS, 90 DEG. (INACTIVE 10-26-72) [VALIDATION DATE: 8310] REVIEWER: CS	A 4730	AS	26-OCT-72		AS		
	MS9112	ELBOW, TUBE & AMS 4135, BOSS, 45 [VALIDATION DATE: 8404] REVIEWER: CS	A 4730	AS	11-MAY-62		AS	11	
	MS9123A	NUT - HEX, BOSS CONNECTION, ALUMINUM [VALIDATION DATE: 8310] USER: AT ER MI	A 5310	AS	23-OCT-74	AV	AS		
	MS9137	NUT - HEX, BOSS CONNECTION, CRES [VALIDATION DATE: 8310] USER: AT ER MI ...	A 5310	AS	23-OCT-74	AV	AS		
	MS9138	BRACKET, ANGLE, 90 DEG, .190 BOLT REVIEWER: IS	A 5340	AS	18-JUN-87	AR	AS	99	
	MS9139	BRACKET, ANGLE, 90 DEG, .190 X .250 BOLT REVIEWER: IS	A 5340	AS	18-JUN-87	AR	AS	99	
	MS9140A	BRACKET, ANGLE, .0 DEG, .190 X 375 BOLT REVIEWER: IS	A 5340	AS	18-JUN-87	AR	AS	82	
	MS9141	PIN, STRAIGHT, HEADLESS, AMS 5688, LOCK [VALIDATION DATE: 9110] REVIEWER: IS MI	A 5315	AS	03-OCT-91	AV	AS	11	
	MS9142A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .190-32 UNF-3A [VALIDATION DATE: 9110]	A 5306	AS	03-OCT-91		AS		
	MS9144A NOTICE 1 MS9146B MS9147B NOTICE 1 MS9148B	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .250-28 UNF-3A [VALIDATION DATE: 9110]	A 5306	AS	03-OCT-91		AS		
	MS9149B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5731, .3125-24 UNF-3A [VALIDATION DATE: 9110]	A 5306	AS	03-OCT-91		AS		
	MS9150B	SCREW, MACHINE, SLOTTED HEX HEAD, .250-28 (INACTIVE) REVIEWER: IS MI	A 5305	AS	28-FEB-84		AS		
	MS9151B	GASKET - TYPE X OR XV ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404]	A 2995	AS	22-JUN-66	AV	AS	11	
	MS9152B	GASKET, TYPE XI ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404]	A 2995	AS	22-JUN-66	AV	AS	11	
	MS9153B	GASKET - TYPE XII, XIV-A, XIV-B, XIV-E, XVII-A AND XVII-B ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] REVIEWER: MI	A 2995	AS	22-JUN-66	AV	AS	11	
	MS9154B	GASKET - TYPE XIII ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404]	A 2995	AS	22-JUN-66	AV	AS	11	
	MS9155B	GASKET - TYPE XIV-C AND XIV-D ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404]	A 2995	AS	22-JUN-66	AV	AS	11	
	MS9156B	GASKET - TYPE XVI, XVII-C, -D, -E AND -F ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] REVIEWER: MI	A 2995	AS	22-JUN-66		AS	11	
	MS9157B	GASKET - TYPE XIX ENGINE ACCESSORY DRIVE (INACTIVE 3-17-72) [VALIDATION DATE: 8404] REVIEWER: 99	A 2995	AS	17-MAR-72		AS	11	
	MS9158B	GASKET - METAL O-RING, .035 TUBE X .006 WALL, CRES [VALIDATION DATE: 8404]	A 5330	AS	28-FEB-68		AS	11	
	MS9159B	GASKET - METAL O-RING, .062 TUBE X .006 WALL, CRES [VALIDATION DATE: 8404] REVIEWER: IS	A 5330	AS	23-JAN-67		AS	11	
	MS9160B	GASKET - TYPE XX ENGINE ACCESSORY DRIVE [VALIDATION DATE: 9110]	A 1610	AS	03-OCT-91		AS	11	
	MS9161B	BOLT, MACHINE, 12 POINT HEAD, STEEL, .190-32 UNF-3A REVIEWER: IS	A 5306	AS	04-NOV-86		AS	11	
	MS9162B	BOLT, MACHINE, 12 POINT HEAD, STEEL, .250-28 UNF-3A [VALIDATION DATE: 9110] USER: ME REVIEWER: IS	A 5306	AS	03-OCT-91		AS	11	
	MS9163B	BOLT, MACHINE, 12 POINT HEAD, STEEL, .3125-24 UNF-3A REVIEWER: IS	A 5306	11	04-NOV-86		AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active CPL / OLC Coordinator Incharge	Document Number	Document Title	Dist. Date FSC / Aves MCA Symbol Preparing Act.	Date	Custodians			
					Army	Navy	Air Force	DLA
L	MS91498	BOLT, MACHINE, 12 POINT HEAD, STEEL, .375-24UNF-3A REVIEWER: IS	A 5306	AS 04-NOV-86	AS			11
L	MS91528	BOLT MACHINE, STEEL, 12 POINT HEAD, .5625-18, CADMIUM PLATE (INACTIVE 10-26-72) REVIEWER: IS MI	A 5306	AS 22-JUN-87	AS			
L	MS9158A	BOLT-MACHINE, STEEL, 12 POINT HEAD, .250-28, BLACK OXIDE REVIEWER: IS	A 5306	AS 22-JUN-87	AS			
L	MS9160A	BOLT-MACHINE, STEEL, 12 POINT HEAD, .375-24, BLACK OXIDE REVIEWER: IS	A 5306	AS 22-JUN-87	AS			
L	MS91648	PIN, STRAIGHT, HEADLESS, STEEL, OVERSIZE (VALIDATION DATE: 9110) REVIEWER: CR IS MI	A 5315	AS 03-OCT-91	AV			11
L	MS91658	BRACKET-90 DEG. ANGLE, AMS 6350, .190 BOLT (INACTIVE) (USE MS9596) (VALIDATION DATE: 8404) REVIEWER: IS	A 5340	AS 22-NOV-66	AS			11
L	MS91668	BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .250 BOLT (INACTIVE) (USE MS9597) (VALIDATION DATE: 8404) REVIEWER: IS	A 5340	AS 22-NOV-66	AS			11
L	MS91678	BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .312 BOLT (INACTIVE) (USE MS9598) (VALIDATION DATE: 8404) REVIEWER: IS	A 5340	AS 22-NOV-66	AS			11
L	MS91688	BRACKET-90 DEG. ANGLE, AMS 6350, .190 X .375 BOLT (INACTIVE) (USE MS9599) (VALIDATION DATE: 8404) REVIEWER: IS	A 5340	AS 22-NOV-66	AS			11
L	MS9169A	BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .190 (NO. 10)-32, BLACK OXIDE (ASG) REVIEWER: IS	A 5306	AS 06-MAY-87	AS			
L	MS9170A	BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .250-28, BLACK OXIDE (ASG) REVIEWER: IS	A 5306	AS 06-MAY-87	AS			
L	MS9171A	BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .3125-24, BLACK OXIDE (VALIDATION DATE: 9110) REVIEWER: IS	A 5306	AS 03-OCT-91	AS			11
L	MS9172A	BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .375-24, BLACK OXIDE (VALIDATION DATE: 9110) REVIEWER: IS	A 5306	AS 03-OCT-91	AS			11
L	MS9176	PLUG, EXPANSION - TAPERED, AMS 5040 (VALIDATION DATE: 9110) REVIEWER: IS	A 5340	AS 03-OCT-91	AS			
L	MS9177B	SCREW, MACHINE-CRES DOUBLE HEXAGON, EXTENDED WASHER HEAD, .138-40 REVIEWER: IS	A 5305	AS 13-JUN-88	AS			
L	MS9178B	SCREW, MACHINE-CRES, DOUBLE HEXAGON EXTENDED WASHER HEAD, .164-36 (INACTIVE FOR NEW DESIGN) REVIEWER: IS	A 5305	AS 13-JUL-87	AS			99
L	MS9192B	BOLT-MACHINE, STEEL, DRILLED 12 POINT HEAD, .164(NO. 8-36 CADMIUM PLATE) REVIEWER: IS	A 5305	AS 13-JUL-87	AS			11
L	MS9193	NIPPLE, TUBE - AMS 5639, BOSS (VALIDATION DATE: 8310) REVIEWER: CS MI	A 4730	AS 11-APR-60	AS			
L	MS9194B	ELBOW, TUBE & AMS 5646, BOSS 90 (VALIDATION DATE: 8404) REVIEWER: CS MI	A 4730	AS 27-JUL-67	AS			11
L	MS9195A	ELBOW, TUBE & AMS 5646, BOSS, 45 (VALIDATION DATE: 8404) REVIEWER: CS	A 4730	AS 11-MAY-62	AS			11
L	MS9196A	TEE, TUBE & AMS 5646, BOSS (VALIDATION DATE: 8404) REVIEWER: CS	A 4730	AS 11-MAY-62	AS			11
L	MS9197C	MUT, TUBE COUPLING - CRES AMS 5646, SILVER PLATE (ASG) (VALIDATION DATE: 8310) USER: MC MI REVIEWER: CS	A 4730	AS 13-DEC-72	AS			
L	MS9198C	MUT, TUBE COUPLING - CRES AMS 5646 (ASG) (VALIDATION DATE: 8310) USER: MC MI REVIEWER: CS	A 4730	AS 13-DEC-72	AS			
L	MS9200C	MUT PLAIN, HEX, BOSS CONNECTION, ALUMINUM USER: AT ER ME REVIEWER: 82 IS	A 5310	AS 30-SEP-86	AV			AS
L	MS9201B	MUT-PLAIN, HEX, BOSS CONNECTION, CRES (ASG) USER: AT ER MI	A 5310	AS 30-SEP-86	AV			AS
L	MS9202A	GASKET - METAL O-RING, .062 TUBE X .010 WALL, CRES (VALIDATION DATE: 9110) REVIEWER: 11	A 5330	AS 03-OCT-91	AS			69
L	MS9203A	GASKET - METAL O-RING, .094 TUBE X .006 WALL, CRES (VALIDATION DATE: 9110) REVIEWER: 11	A 5330	AS 03-OCT-91	AS			69
L	MS9204A	GASKET - METAL O-RING, .094 TUBE X .010 WALL, CRES (ASG) (VALIDATION DATE: 8404) REVIEWER: 15	A 5330	AS 23-JAN-67	AS			11
L	MS9205A	GASKET - METAL O-RING, .125 TUBE X .010 WALL, CRES (ASG) (VALIDATION DATE: 8404) REVIEWER: 15	A 5330	AS 23-JAN-67	AS			11
L	MS9208	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .190-32 UNJF-3A (VALIDATION DATE: 9110)	A 5306	AS 03-OCT-91	AS			
L	MS9209	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .250-28 UNJF-3A (VALIDATION DATE: 9110)	A 5306	AS 03-OCT-91	AS			
L	MS9210	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .3125-24 UNJF-3A (VALIDATION DATE: 9110)	A 5306	AS 03-OCT-91	AS			
L	MS9212	BOLT, MACHINE-STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, .4375-20 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS	A 5306	AS 10-DEC-63	AS			
L	MS9216	SCREW, MACHINE&STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .164-36 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS	A 5305	AS 10-DEC-63	AS			
L	MS9217	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .190-32 UNJF-3A (VALIDATION DATE: 9110)	A 5306	AS 03-OCT-91	AS			
L	MS9218	BOLT, MACHINE - STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, .250-28 UNJF-3A (VALIDATION DATE: 9110)	A 5306	AS 03-OCT-91	AS			
L	MS9219	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATE, DOUBLE HEXAGON EXTENDED WASHER HEAD, .3125-24 UNJF-3A (VALIDATION DATE: 9110)	A 5306	AS 03-OCT-91	AS			
L	MS9224A	BOLT-MACHINE, 12 POINT HEAD, HEAT RESISTANT, .5625-18 AMS 5735 (ASG) (VALIDATION DATE: 8109) REVIEWER: 11	A 5305	IS 20-NOV-63	AS			99 15
L	MS9225B	FERRULE, BRAZING, TUBE FITTING - CRES, AMS 5646 (INACTIVE USE MS-9483) (VALIDATION DATE: 8404) REVIEWER: IS	A 4730	AS 15-MAY-68	AS			11
L	MS9226A	WIRE - STEEL, CORROSION AND HEAT RESISTANT, SAFETY, 1800 DEG. F (ASG) (VALIDATION DATE: 8404) USER: ME REVIEWER: IS MI	A 9505	AS 10-AUG-61	AS			11
L	MS9227A	ADAPTER-CONTROL LEVER CONNECTION (VALIDATION DATE: 9110) REVIEWER: IS	A 5355	AS 23-OCT-91	AS			11
L	MS9228C	BRACKET, ANGLE, 90 DEG, .190 BOLT REVIEWER: IS	A 5340	AS 18-JUN-87	AR			82
L	MS9229B	BRACKET-90 DEG. ANGLE, AMS 5504, .190 X .250 BOLT (INACTIVE) (USE MS9601) (VALIDATION DATE: 8404) REVIEWER: IS	A 5340	AS 22-NOV-66	AS			11
L	MS9230C	BRACKET, ANGLE, 90 DEG, .190 X 312 BOLT REVIEWER: IS	A 5340	AS 18-JUN-87	AR			82
L	MS9231C	BRACKET, ANGLE, 90 DEG, .190 X 375 BOLT REVIEWER: IS	A 5340	AS 18-JUN-87	AR			82
L	MS9241D	PACKING, PREFORMED - RUBBER, O RING USER: MC REVIEWER: 11 ME MI	A 5330	82 25-JUL-86	AV			99
L	MS9243	COVER & ENGINE ACCESSORY DRIVE (VALIDATION DATE: 8404) REVIEWER: 11	A 2840	AS 13-APR-60	AS			11
L	MS9245A	PIN, COTTER - CRES, AMS 7211 (VALIDATION DATE: 9110) REVIEWER: 11	A 5315	AS 03-OCT-91	AS			
L	MS9274B	WASHER, KEY-DOUBLE, BEARING RETAINING, AMS 5510 (VALIDATION DATE: 9110) ...	A 5310	AS 03-OCT-91	AS			11
L	MS9276B	WASHER, KEY-CRES, AMS 5510, 180 DEG. LOCKING (VALIDATION DATE: 8404) USER: AT ER MI REVIEWER: IS ME	A 5310	AS 12-JAN-73	AV			11
L	MS9281A	SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .138-40 UNJF-3A (INACTIVE FOR DESIGN 26-10-72) (VALIDATION DATE: 8404) REVIEWER: IS	A 5305	AS 26-OCT-72	AS			
L	MS9282A	SCREW, MACHINE STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .164-36 UNJF-3A (INACTIVE 10-26-72) (VALIDATION DATE: 8310) REVIEWER: IS	A 5305	AS 26-OCT-72	AS			
L	MS9283	BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .190-32 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 11 OS	A 5306	AS 03-OCT-91	AS			
L	MS9284	BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .250-28 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 11 OS	A 5306	AS 03-OCT-91	AS			
L	MS9285	BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .3125-24 UNJF-3A (VALIDATION DATE: 8310) REVIEWER: IS	A 5306	AS 24-SEP-65	AS			
L	MS9286	BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE, HEXAGON HEAD, .375-24 UNJF-3A (VALIDATION DATE: 9110) REVIEWER: 11 OS	A 5306	AS 03-OCT-91	AS			
L	MS9287A	BOLT, MACHINE-STEEL AMS 6322, BLACK OXIDE HEXAGON HEAD, .4375-20 UNJF-3A (INACTIVE FOR DESIGN 26 OCT 1972 (VALIDATION DATE: 8310) REVIEWER: IS	A 5306	AS 26-OCT-72	AS			



NUMERICAL LISTING  
MS DRAWINGS

444



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action / Cont. Coordination Machine Document Number	Document Title	Dist. Smt. F&C Area	MCA Symbol	Preparing Amt. Date	Custodians			
					Army	Navy	Air Force	DLA
MS9374A	GASKET - METAL O-RING, .094 TUBE X .006 WALL, SILVER PLATED [VALIDATION DATE: 8404] REVIEWER: IS	A 5330	AS	20-JAN-67	AS	11		
MS9375A	GASKET - METAL O-RING, .094 TUBE X .010 WALL, SILVER PLATED [VALIDATION DATE: 8404] REVIEWER: IS	A 5330	AS	20-JAN-67	AS	11		
MS9376A	GASKET - METAL O-RING, .125 TUBE X .010 WALL, SILVER PLATED [VALIDATION DATE: 8404] REVIEWER: IS	A 5330	AS	20-JAN-67	AS	11		
MS9377A	GASKET - ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8404] USER: MC	A 2995	AS	31-MAY-63	AS	11		
L MS9379	PLUG, EXPANSION - AMS 5510 [VALIDATION DATE: 9110] REVIEWER: 11	A 5340	AS	03-OCT-91	AS			
NOTICE 1 MS9380A	PLUG, EXPANSION-AMS 4003 [VALIDATION DATE: 9110] REVIEWER: 11	A 5340	AS	03-OCT-91	AS			
NOTICE 1 MS9381	COUPLING, TUBE-BRAZING, AMS 5646 [VALIDATION DATE: 8404] REVIEWER: CS	A 4730	AS	03-OCT-66	AS	11		
MS9382	TEE, TUBE-BRAZING, AMS 5646 [VALIDATION DATE: 8404] REVIEWER: CS	A 4730	AS	03-OCT-66	AS	11		
MS9385A	PACKING, PREFORMED, AMS 7267, O-RING [VALIDATION DATE: 8304] REVIEWER: 11	A 5330	AS	17-JAN-75	AS	99		
MS9386B	PACKING, PREFORMED - AMS 7267, (O) RING [VALIDATION DATE: 8304] USER: MC	A 5330	AS	17-JAN-75	AS	99		
MS9387A	SH REVIEWER: 11 B2 IS MS OS							
	PACKING, PREFORMED - AMS 7278, SEAL [VALIDATION DATE: 8306] REVIEWER: 11	A 5330	AS	17-JAN-75	AV	AS	99	
L MS9389	B2 IS							
	PIN, STRAIGHT, HEADLESS - AMS 5735, LOCK (ASG) [VALIDATION DATE: 8310]	A 5315	AS	01-AUG-61	AS			
L MS9390B	REVIEWER: IS ME MI							
	PIN, STRAIGHT, HEADLESS - CRES, AMS 5735, DOWEL STANDARD AND OVERSIZE (ASG) [VALIDATION DATE: 8310] REVIEWER: IS ME MI	A 5315	AS	01-MAY-69	AS			
L MS9391A	CLAMP, LOOP - MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510 [VALIDATION DATE: 9110] REVIEWER: 11 B2 IS	A 5340	AS	03-OCT-91	AS			
NOTICE 1 MS9392	CUSHION, LOOP CLAMP - MULTIPLE, 3-TUBE, AMS 3303 [VALIDATION DATE: 9110]	A 5340	AS	03-OCT-91	AS			
L MS9393	REVIEWER: 99 OS							
NOTICE 1 MS9394	CUSHION, LOOP CLAMP - MULTIPLE, 2-TUBE, AMS 3303 [VALIDATION DATE: 9110]	A 5340	AS	03-OCT-91	AS			
L MS9395	REVIEWER: 99 OS							
NOTICE 1 MS9396	STRAP, RETAINING - MULTIPLE TUBE, DETACHABLE CUSHION, AMS 5510 [VALIDATION DATE: 9110]	A 5340	AS	03-OCT-91	AS			
L MS9397	BACKPLATE, RETAINING STRAP - AMS 5510 [VALIDATION DATE: 9110]	A 5340	AS	04-OCT-91	AS			
	BOLT, TEE HEAD - AMS 6322, CHAMFERED, .190-32 UNJF-3A, CADMIUM PLATE(ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	09-MAY-62	AS			
L MS9398	BOLT, TEE HEAD - AMS 6322, CHAMFERED, .250-28 UNJF-3A, CADMIUM PLATE(ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	09-MAY-62	AS			
L MS9399	BOLT, TEE HEAD - AMS 6322, CHAMFERED, .3125-24 UNJF-3A, CADMIUM PLATE(ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	09-MAY-62	AS			
L MS9400	BOLT, TEE HEAD - AMS 6322, CHAMFERED, .375-24 UNJF-3A, CADMIUM PLATE(ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	09-MAY-62	AS			
L MS9401	BOLT, TEE HEAD - AMS 6322, CHAMFERED, .4375-20 UNJF-3A, CADMIUM PLATE(ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	09-MAY-62	AS			
L MS9402	BOLT, TEE HEAD - AMS 6322, CHAMFERED, .500-20 UNJF-3A, CADMIUM PLATE(ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	09-MAY-62	AS			
	RIVET, SOLID - UNIVERSAL HEAD, AMS 5737 [VALIDATION DATE: 9110] USER: MC	A 5320	AS	04-OCT-91	AS	11		
MS9403A	ME							
NOTICE 1 MS9404A	PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING (INACTIVE SEE MIL-S-8879) [VALIDATION DATE: 8404] USER: CS ME	A 5365	AS	09-JUN-72	AS	11		
L MS9405	PLUG, MACHINE THREAD-AMS 5646, METAL GASKET, SILVER PLATED, MIL-S-8879	A 4730	AS	25-JAN-65	AS			
	THREAD [VALIDATION DATE: 8310] REVIEWER: 99 CS							
L MS9432	BOLT, TEE HEAD - AMS 5735, CHAMFERED, .190-32 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS	04-OCT-91	AS			
NOTICE 1 MS9433	BOLT, TEE HEAD & AMS 5735, CHAMFERED, .250&28 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9434	BOLT, TEE HEAD & AMS 5735, CHAMFERED, .3125&24 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9435	BOLT, TEE HEAD & AMS 5735, CHAMFERED, .375&24 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9436	BOLT, TEE HEAD & AMS 5735, CHAMFERED, .4375&20 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9437	BOLT, TEE HEAD & AMS 5735, CHAMFERED, .500&20 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9438A	SCREW, MACHINE - STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .138-40 UNJF-3A (INACTIVE 12-13-72) [VALIDATION DATE: 8310]	A 5305	AS	13-DEC-72	AS			
MS9439A	SCREW, MACHINE-STEEL, AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .164-36 UNJF-3A (INACTIVE FOR DESIGN) [VALIDATION DATE: 8404] REVIEWER: IS	A 5305	AS	13-DEC-72	AS	11		
L MS9440	BOLT, MACHINE STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .190-32 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS	04-OCT-91	AS			
NOTICE 1 MS9441	BOLT, MACHINE STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .250-28 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS	04-OCT-91	AS			
L MS9442	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .3125&24 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9443	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, UNILLE [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9444	BOLT, MACHINE - STEEL AMS 6304, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, DRILLED, .4375-20 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS	04-OCT-91	AS			
NOTICE 1 MS9445	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .500&20 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9446	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .5625&18 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9447	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .625&18 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
L MS9448	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, DRILLED, .750&16 UNJF&3A (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5306	AS	21-DEC-62	AS			
MS9449A	SCREW MACHINE HEXAGON HEAD STEEL 138-40 UNJF-3A REVIEWER: B2 IS	A 5305	AS	31-MAR-86	AS	11		
MS9450A	SCREW MACHINE HEXAGON HEAD STEEL 164-36 UNJF-3A REVIEWER: B2 IS	A 5305	AS	31-MAR-86	AS	11		
MS9451A	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, .190&32 UNJF&3A (ASG) REVIEWER: B2 IS	A 5306	AS	31-MAR-86	AS	11		
MS9452A	BOLT, MACHINE, HEXAGONHEAD, STEEL, 190-32 UNJF-3A REVIEWER: B2 IS	A 5306	AS	31-MAR-86	AS	11		
MS9453A	BOLT, MACHINE & STEEL AMS 6304, DIFFUSED NICKEL&CADMIUM PLATED, HEXAGON HEAD, .3125&24 UNJF&3A (ASG) REVIEWER: B2 IS	A 5306	AS	31-MAR-86	AS	11		
MS9454A	BOLT MACHINE HEXAGON HEAD STEEL 375-24 UNJF-3A REVIEWER: B2 IS	A 5306	AS	31-MAR-86	AS	11		
MS9455A	BOLT MACHINE HEXAGON HEAD STEEL 4375-20 UNJF-3A REVIEWER: B2 IS	A 5306	AS	31-MAR-86	AS	11		
MS9456A	BOLT MACHINE HEXAGON HEAD, STEEL 500-20 UNJF-3A REVIEWER: B2 IS	A 5306	AS	31-MAR-86	AS	11		
MS9457A	BOLT, MACHINE, HEXAGONHEAD, STEEL, 5625-18 UNJF-3A REVIEWER: B2 IS	A 5306	AS	31-MAR-86	AS	11		
MS9458B	BOLT, MACHINE, HEXAGON HEAD, STEEL, .625-18 UNJF-3A REVIEWER: IS	A 5306	AS	31-MAR-86	AS	11		
MS9459B	BOLT, MACHINE, HEXAGON HEAD, STEEL, .750-16 UNJF-3A REVIEWER: IS	A 5306	AS	31-MAR-86	AS	11		
MS9460A	RIVET, SOLID - 100 DEG. FLUSH HEAD, AMS 7235 [VALIDATION DATE: 9110] USER: MC ME REVIEWER: B2	A 5320	AS	04-OCT-91	AV	AS		
NOTICE 1 MS9462	PIN, STRAIGHT, HEADED-.124 DIAMETER, AMS 5735 (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5315	AS	06-NOV-64	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Actn Off / Cmk Coordination Inactive	Document Number	Document Title	Dist Smt FSC / Ave MCA Symbol Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DLA
L	MS9463	PIN, STRAIGHT, HEADED-.186 DIAMETER, AMS 5735 (ASG) [VALIDATION DATE: 8310] REVIEWER: IS MI	A 5315	AS 06-NOV-64	AS			
L	MS9464	PIN, STRAIGHT, HEADED-.248 DIAMETER, MS 5735 (ASG) [VALIDATION DATE: 8310] REVIEWER: IS ME MI	A 5315	AS 06-NOV-64	AS			
L	MS9465	PIN, STRAIGHT, HEADED-.311 DIAMETER, AMS 5735 (ASG) [VALIDATION DATE: 8310] REVIEWER: IS	A 5315	AS 06-NOV-64	AS			
L	MS9466	PIN, STRAIGHT, HEADED-.373 DIAMETER, AMS 5735 [VALIDATION DATE: 8310] REVIEWER: IS	A 5315	AS 06-NOV-64	AS			
L	MS9467	PIN, STRAIGHT, HEADED .436 DIAMETER, AMS 5735 [VALIDATION DATE: 8310] REVIEWER: IS	A 5315	AS 06-NOV-64	AS			
L	MS9468	PIN, STRAIGHT, HEADED-.497 DIAMETER, AMS 5735 (ASG) [VALIDATION DATE: 8310] REVIEWER: IS MI	A 5315	AS 06-NOV-64	AS			
	MS9482	WASHER, FLAT - STEEL AMS 6437 OR AMS 6485, DIFFUSED NICKEL-CADMIUM PLATED, COUNTERSUNK [VALIDATION DATE: 8404] REVIEWER: IS	A 5310	AS 15-NOV-65	AS 11			
	MS9483B	FERRULE, BRAZING, TUBE FITTING-AMS 5646, STRAIGHT [VALIDATION DATE: 8310] USER: ME MI REVIEWER: CS	A 4730	AS 01-MAY-69	AV AS 11			
L	MS9486A NOTICE 1	PIN, STRAIGHT, HEADLESS - AMS 5132, LOCK [VALIDATION DATE: 9110] REVIEWER: 11 BS OR ME MI OS	A 5315	AS 04-OCT-91	AS			
	MS9489A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK AMS 5731, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9490A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9491A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9492A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .375-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9493A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .4375-20 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9494A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .500-20 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9496A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5731, .625-18 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9500A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9501A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AS 99			
	MS9502A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9503A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .375-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9505A NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5731, .500-20 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 BS AR MI	A 5306	AS 04-OCT-91	AV AS 99			
	MS9514	CUSHION, LOOP CLAMP-MULTIPLE, 3-TUBE, AMS 3839 [VALIDATION DATE: 8404] ....	A 5340	AS 17-AUG-67	AS 11			
	MS9515	CUSHION, LOOP CLAMP-MULTIPLE, 2-TUBE, AMS 3839 [VALIDATION DATE: 8404] ....	A 5340	AS 17-AUG-67	AS 11			
	MS9516C	SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .138-40 UNJF-3A	A 5305	AS 22-MAY-86	AV AS 99			
	MS9517C	SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .164-36 UNJF-3A	A 5305	AS 22-MAY-86	AV AS 99			
	MS9518A NOTICE 1	BOLT, MACHINE, HEXAGON HEAD STEEL, CADMIUM PLATED .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 IS	A 5306	AS 04-OCT-91	AV AS 99			
	MS9519A	BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .250-28UNJF-3A REVIEWER: 11	A 5306	AS 22-MAY-86	AV AS 99			
	MS9520A	BOLT, MACHINE STEEL AMS 6322, CADMIUM PLATE, HEXAGON HEAD, .3125-24 UNJF-3A REVIEWER: 11	A 5306	AS 22-MAY-86	AV AS 99			
	MS9521A	BOLT, MACHINE, HEXAGONHEAD, STEEL CADMIUM P LATED,.375-24UNJF -3A REVIEWER: 11	A 5306	AS 22-MAY-86	AV AS 99			
	MS9522C	BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .4375-20UNJF-3A REVIEWER: 82 IS	A 5306	AS 22-MAY-86	AV AS 99			
	MS9523A	BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .500-20UNJF-3A REVIEWER: IS	A 5306	B2 22-MAY-86	AV AS 99			
	MS9524C	BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .5625-18UNJF-3A REVIEWER: 82 IS	A 5306	AS 22-MAY-86	AV AS 99			
	MS9525A	BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .625-18UNJF-3A REVIEWER: IS	A 5306	B2 22-MAY-86	AV AS 99			
	MS9526A	BOLT, MACHINE, HEXAGON HEAD, STEEL, CADMIUM PLATED, .750-16UNJF-3A REVIEWER: IS	A 5306	B2 22-MAY-86	AV AS 99			
	MS9527B	SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .138-40 UNJF-3A REVIEWER: 82	A 5305	AS 21-DEC-83	AV AS 99			
	MS9528	SCREW, MACHINE STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A [VALIDATION DATE: 8310] REVIEWER: 11	A 5305	AS 02-FEB-68	AV AS 99			
	MS9529 NOTICE 1	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .190-32 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS 04-OCT-91	AV AS 99			
	MS9530 NOTICE 1	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .250-28 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS 04-OCT-91	AV AS 99			
	MS9531 NOTICE 1	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .3125-24 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS 04-OCT-91	AV AS 99			
	MS9532 NOTICE 1	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .375-24 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS 04-OCT-91	AV AS 99			
	MS9533 NOTICE 1	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .4375-20 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS 04-OCT-91	AV AS 99			
	MS9534 NOTICE 1	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .500-20 UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS 04-OCT-91	AV AS 99			
L	MS9549	WASHER, FLAT - AMS 5510 [VALIDATION DATE: 8205] REVIEWER: AR IS MI .....	A 5310	AS 19-APR-65	AS			
	MS9551A NOTICE 1	BRACKET, FLAT, STEEL, AMS 6350, CAD. PLATE [VALIDATION DATE: 9110] .....	A 5340	AS 04-OCT-91	AS 11			
	MS9552A	PLATE, BENDING USER: ME REVIEWER: IS .....	A 5340	AS 18-JUN-87	AR AS 11			
	MS9553	NUT HEX, BOSS CONNECTION, CRES [VALIDATION DATE: 8404] .....	A 5310	AS 16-MAR-70	AS 11			
M	MS9554C	SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .138-40UNJF-3A REVIEWER: 82 IS	A 5305	IS 20-APR-93	AV AS 99 IS			
	MS9555C	SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION & HEAT RESISTANT STEEL, .164-36 UNJF-3A REVIEWER: 11 B2 AR IS	A 5305	AS 06-NOV-86	AV AS 99			
	MS9556C	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A REVIEWER: 11 AR IS	A 5306	AS 06-NOV-86	AV AS 99			
M	MS9557D	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .250-28UNJF-3A REVIEWER: 82	A 5306	IS 20-APR-93	AV AS 99 IS			
M	MS9558D	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .3125-24UNJF-3A REVIEWER: 82	A 5306	IS 20-APR-93	AV AS 99 IS			
M	MS9559D	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A REVIEWER: 82	A 5306	IS 20-APR-93	AV AS 99 IS			
M	MS9560F	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .4375-24UNJF-3A REVIEWER: 82 IS	A 5306	AS 20-APR-93	AV AS 99 IS			
A	MS9561D	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .500-20UNJF-3A REVIEWER: 82	A 5306	IS 20-APR-93	AV AS 99 IS			



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Asst. Dir. / Com. / Coordination / Inactive / Document Number	Document Title	Dist. Smt. / FSC Area / MCA Symbol / Preceding Amt. / Date	Custodians / Army / Navy / Air Force / DLA
MS9564A	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5731, .164-36 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11 AR 15	A 5305 AS 17-NOV-69	AV AS 99
MS9565A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED SHANK, AMS 5731, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR	A 5306 AS 04-OCT-91	AV AS 99
NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR	A 5306 AS 04-OCT-91	AV AS 99
MS9566A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR	A 5306 AS 04-OCT-91	AV AS 99
NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, .375-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR	A 5306 AS 04-OCT-91	AV AS 99
MS9567A	SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .138-40 UNJF-3A REVIEWER: 82 AR 15	A 5305 AS 30-SEP-89	AV AS
NOTICE 1	SCREW, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .164-36 UNJF-3A REVIEWER: 11 82 85 AR 15	A 5305 AS 30-SEP-89	AV AS
MS9568A	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR 15	A 5306 AS 04-OCT-91	AV AS
NOTICE 1	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85 AR 15	A 5306 AS 04-OCT-91	AV AS
MS9572D	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306 AS 04-OCT-91	AV AS
MS9573B	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .375-24 UNJF-3A REVIEWER: 11 82 99 AR 15	A 5306 AS 30-SEP-89	AV AS
MS9574B	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .4375-20 UNJF-3A REVIEWER: 82 AR 15	A 5306 AS 30-SEP-89	AV AS
NOTICE 1	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS 5731, SILVER PLATED, .500-20 UNJF-3A [VALIDATION DATE: 9205] REVIEWER: 82 85 AR	A 5306 AS 26-MAY-92	AV AS 99
MS9575B	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, .5625-18 UNJF-3A REVIEWER: 82 AR 15	A 5306 AS 30-SEP-89	AV AS
NOTICE 1	WASHER, KEY - CRES, AMS 5510, 90 DEG, LOCKING [VALIDATION DATE: 8107] USER: A1 GL MI REVIEWER: 11 CG 15 ME SH	A 5310 B2 12-JAN-73	AV AS 99
MS9576D	WASHER, KEY - CRES, AMS 5510, 270 DEG, LOCKING [VALIDATION DATE: 8310] USER: SH REVIEWER: 11 CG	A 5310 AS 12-JAN-73	AV AS 99
NOTICE 1	BOLT, MACHINE-HEXAGON HEAD, DRILLED 6 HOLES FULL SHANK, 190-32 UNJF-3A REVIEWER: 82 15 MI	A 5306 AS 30-SEP-87	AS 99
MS9577B	BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, 250-28 UNJF-3A REVIEWER: 82 15 MI	A 5306 AS 30-SEP-87	AS 99
MS9578D	BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, 3125-24 UNJF-3A REVIEWER: 82 15 MI	A 5306 AS 30-SEP-87	AS 99
MS9579C	BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, 375-24 UNJF-3A REVIEWER: 11 82 15 MI	A 5306 AS 30-SEP-87	AS 99
NOTICE 1	BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, 4375-20 UNJF-3A REVIEWER: 82 15 MI	A 5306 AS 30-SEP-87	AS 99
MS9580D	BOLT, MACHINE-HEXAGON, DRILLED, 6 HOLES FULL L SHANK, 500-20 UNJF 3A REVIEWER: 15 MI	A 5306 AS 30-SEP-87	AS 99
MS9581B	BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, 5625-18 UNJF-3A REVIEWER: 82 15 MI	A 5306 AS 30-SEP-87	AS 99
MS9582B	BRACKET, ANGLE, 90 DEG., CRES, .190 BOLT REVIEWER: 15	A 5340 AS 18-JUN-87	AS 99
MS9583B	BRACKET, ANGLE, 90 DEG., CRES, .190 X .250 BOLT REVIEWER: 15	A 5340 AS 18-JUN-87	AS 99
MS9584A	BRACKET, ANGLE, 90 DEG., CRES, .190 X .312 BOLT REVIEWER: 15	A 5340 AS 18-JUN-87	AS 99
MS9585A	BRACKET, ANGLE, 90 DEG., CRES, .190 X .375 BOLT REVIEWER: 11 99 15	A 5340 AS 18-JUN-87	AS 99
MS9586A	BRACKET, ANGLE, 90 DEG., STEEL, .190 BOLT REVIEWER: 15	A 5340 AS 18-JUN-87	AS 99
MS9587B	BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .250 BOLT REVIEWER: 15	A 5340 AS 05-JUN-87	AS 11
MS9588B	BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .312 BOLT REVIEWER: 15	A 5340 AS 05-JUN-87	AS 11
MS9589B	BRACKET, ANGLE, 90 DEG., CADMIUM PLATED, .190 X .375 BOLT REVIEWER: 15	A 5340 AS 05-JUN-87	AS 11
MS9590B	BRACKET, ANGLE, 90 DEG., CRES, .190 BOLT REVIEWER: 15	A 5340 AS 05-JUN-87	AS 11
MS9600B	BRACKET, ANGLE, 90 DEG., CRES, .190 X .250 BOLT REVIEWER: 15	A 5340 AS 18-JUN-87	AS 11
MS9601B	BRACKET, ANGLE, 90 DEG., CRES, .190 X .312 BOLT REVIEWER: 15	A 5340 AS 05-JUN-87	AS 11
MS9602B	BRACKET, ANGLE, 90 DEG., CRES, .190 X .375 BOLT REVIEWER: 15	A 5340 AS 05-JUN-87	AS 11
MS9603B	SCREW, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .138-40 UNJF-3A	A 5305 15 03-MAR-70	AS 99 15
D MS9631B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82	A 5306 AS 04-OCT-91	AS 99
MS9633	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .500-20 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82	A 5306 AS 04-OCT-91	AS 99
NOTICE 1	BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11 15	A 5306 AS 18-NOV-65	AS 99
MS9638	BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .250-28 UNJF-3A REVIEWER: 82 15	A 5306 AS 21-DEC-83	AS 99
NOTICE 1	BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .3125-24 UNJF-3A REVIEWER: 82 15	A 5306 AS 21-DEC-83	AS 99
MS9676	BOLT, MACHINE-CRES AMS 5731, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .375-24 UNJF-3A REVIEWER: 82 15	A 5306 AS 21-DEC-83	AS 99
MS9677B	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATED DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .190-32 UNJF-3A REVIEWER: 82 15	A 5306 AS 21-DEC-83	AS 99
MS9678B	BOLT, MACHINE-STEEL AMS 6322, CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, CUPWASHER LOCKED, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306 AS 04-OCT-91	AS 99
MS9679B	WASHER, CUP, LOCK - CRES AMS 5510 (INACTIVE USE MS-9880) [VALIDATION DATE: 8404] REVIEWER: 99 15	A 5310 AS 15-MAY-68	AS 11
MS9680B	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306 AS 04-OCT-91	AS 99
NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306 AS 04-OCT-91	AS 99
MS9687	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL AMS 6304, DIFFUSED NICKEL CADMIUM PLATE, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306 AS 04-OCT-91	AS 99
NOTICE 1	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306 AS 04-OCT-91	AV AS 99
MS9696A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5708, .250-28 UNJF-3A REVIEWER: 82 15	A 5306 AS 24-FEB-86	AV AS 99
NOTICE 1	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306 AS 04-OCT-91	AS 99
MS9699A	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, .375-24 UNJF-3A REVIEWER: 82 15	A 5306 AS 24-FEB-86	AV AS 99
MS9705A	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT STEEL, .190-32 UNJF-3A REVIEWER: 82 15	A 5306 AS 24-FEB-86	AV AS 99
MS9712A	SCREW, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL, .138-40 UNJF-3A REVIEWER: 11	A 5305 AS 24-FEB-86	AV AS 99
MS9714A	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL, .190-32 UNJF-3A REVIEWER: 11	A 5306 AS 24-FEB-86	AV AS 99
MS9715A	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL, .250-28 UNJF-3A REVIEWER: 11	A 5306 AS 24-FEB-86	AV AS 99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Adm Cntr / Cntr Machine	Document Number	Document Title	Dist Smt FSC / Ave	NCA Symbol Preparing Acty	Date	Custodian Army Navy Air Force DLA
	MS9716A	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION & HEAT RESISTANT STEEL, .3125-24 UNJF-3A REVIEWER: 11	A 5306	AS	24-FEB-86	AV AS 99
	MS9724A	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, .250 UNJF-3SA REVIEWER: 11	A 5306	AS	24-FEB-86	AV AS 99
	MS9729B	BOLT, MACHINE, DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS 5708, .5625-18 UNJF-3A	A 5306	AS	31-OCT-84	AV AS 99
	MS9732	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	03-MAR-69	AS 99
	MS9733	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .250-28 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	03-MAR-69	AS 99
L	MS9734	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES AMS 5643, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	MS9742	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES AMS 5643, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	MS9750	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	MS9751	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	MS9759	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	MS9760	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
L	NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TITANIUM AMS 4967, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5306	AS	04-OCT-91	AS
	MS9766B	NUT, DOUBLE HEXAGON, CUP WASHER LOCKED, AMS 5737, CRES [VALIDATION DATE: 8404] USER: MC REVIEWER: 99	A 5310	AS	20-DEC-72	AS 11
	MS9767B	NUT, DOUBLE HEXAGON - CUP WASHER LOCKED, AMS 6322, CADMIUM PLATED MIL S 8879 [VALIDATION DATE: 8404] REVIEWER: 99	A 5310	AS	05-JAN-83	AS 11
	MS9768B	WASHER, FLAT CRES AMS 5525 OR AMS 5737, COUNTERSUNK [VALIDATION DATE: 8404] USER: MC REVIEWER: 99	A 5310	AS	05-JAN-83	AS 11
L	MS9769	REDUCER, TUBE - STRAIGHT, TUBE TO BOSS, AMS 5646 [VALIDATION DATE: 8404] USER: CG MC REVIEWER: 99 15	A 4730	AS	22-DEC-71	AS
	MS9770	PACKING, PREFORMED - AMS 3650, .0, RING [VALIDATION DATE: 8404] REVIEWER: 82 99 15	A 5330	AS	22-DEC-71	AS 11
	MS9771	PACKING, PREFORMED - AMS 3650, SEAL [VALIDATION DATE: 8404] REVIEWER: 82 99 15	A 5330	AS	22-DEC-71	AS 11
	MS9772	PACKING, PREFORMED - AMS 3617, .0, RING [VALIDATION DATE: 8404] REVIEWER: 82 99 15	A 5330	AS	22-DEC-71	AS 11
	MS9783	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .190-32 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82	A 5306	AS	04-OCT-91	AV AS 99
L	NOTICE 1	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .250-28 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82	A 5306	AS	04-OCT-91	AV AS 99
	MS9784	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82	A 5306	AS	04-OCT-91	AV AS 99
	MS9785	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .375-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82	A 5306	AS	04-OCT-91	AV AS 99
	MS9786	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .500-20 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82	A 5306	AS	04-OCT-91	AV AS 99
	MS9787	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, AMS 5643, .625-18 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	11-MAR-70	AV AS 99
	MS9788	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, AMS 5643, .3125-24 UNJF-3A [VALIDATION DATE: 9110] REVIEWER: 82 15	A 5306	AS	04-OCT-91	AV AS 99
	MS9789	BOLT, MACHINE, HEXAGON HEAD, PD SHANK, AMS 5643, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	11-MAR-70	AV AS 99
	MS9806	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5643, .250-28 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	11-MAR-70	AV AS 99
	MS9808	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5643, .375-24 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	11-MAR-70	AV AS 99
	MS9816	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS 5643, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	11-MAR-70	AV AS 99
	MS9821	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS 5643, .500-20 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	11-MAR-70	AV AS 99
	MS9825A	CLAMP, LOOP CUSHIONED, JOGGLED, CORROSION RESISTING STEEL, .204 HOLE (INACTIVE 9-7-72) [VALIDATION DATE: 8107] REVIEWER: 11 15	A 5340	82	07-SEP-72	AS 99
I	MS9826A	CLAMP, LOOP-CUSHIONED, JOGGLED, CORROSION RESISTING STEEL, .265 HOLE [VALIDATION DATE: 9110] REVIEWER: 11	A 5340	AS	04-OCT-91	AS 99
L	NOTICE 1	KEY, WOODRUFF - CHAMFERED CRES AMS5640 [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5315	AS	04-OCT-91	AS
L	MS9842	PIN, STRAIGHT, HEADED .0937 DIAMETER, AMS5616 [VALIDATION DATE: 8310] REVIEWER: 82 85	A 5315	AS	28-FEB-68	AS
L	MS9843	PIN, STRAIGHT, HEADED .1249 DIAMETER, AMS5616 [VALIDATION DATE: 8310] REVIEWER: 82 85	A 5315	AS	28-FEB-68	AS
L	MS9844	PIN, STRAIGHT, HEADED .1874 DIAMETER, AMS5616 [VALIDATION DATE: 9110] REVIEWER: 82 85	A 5315	AS	04-OCT-91	AS
L	NOTICE 1	PIN, STRAIGHT, HEADED .2499 DIAMETER, AMS5616 [VALIDATION DATE: 8310] REVIEWER: 82 85	A 5315	AS	28-FEB-68	AS
	MS9846	PIN, STRAIGHT, HEADED .3124 DIAMETER, AMS5616 [VALIDATION DATE: 8310] REVIEWER: 82 85	A 5315	AS	28-FEB-68	AS
	MS9847	PIN, STRAIGHT, HEADED .3749 DIAMETER, AMS5616 [VALIDATION DATE: 8310] REVIEWER: 82 85	A 5315	AS	28-FEB-68	AS
	MS9848	PIN, STRAIGHT, HEADED .4999 DIAMETER, AMS5616 [VALIDATION DATE: 8310] REVIEWER: 82 85	A 5315	AS	28-FEB-68	AS
	MS9879A	SLEEVE, SWIVEL-PILOTED O-RING TUBE CONNECTION, BRAZING, AMS 5646 [VALIDATION DATE: 9110]	A 4730	AS	04-OCT-91	AS 11
L	NOTICE 1	WASHER, CUP, LOCK - CRES AMS 5510 [VALIDATION DATE: 8404] REVIEWER: MI ....	A 5310	AS	21-MAY-68	AS 11
	MS9880	NUT, PLAIN, HEXAGON - AMS 6322, CADMIUM PLATE MIL-S-8879 [VALIDATION DATE: 8310] REVIEWER: 82	A 5310	AS	16-APR-82	AV AS
	MS9882	NUT, PLAIN, HEX - DRILLED, AMS 6322, CADMIUM PLATE MIL-S-8879 [VALIDATION DATE: 8310] REVIEWER: 82	A 5310	AS	27-MAY-68	AV AS 99
	MS9885	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	03-MAR-69	AS 99
	MS9887	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .3125-24 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	03-MAR-69	99
	MS9890	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, AMS 5616, .500-20 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	03-MAR-69	AS 99
	MS9894	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED AMS 5616, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	21-APR-69	AS 99
	MS9895	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, .250-28 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	21-APR-69	AS 99
	MS9901	PLUG, MACHINE THREAD - AMS 5646, PREFORMED PACKING, MIL-S-8879 THREAD [VALIDATION DATE: 8404]	A 4730	AS	11-MAR-70	AS 11
	MS9902A	PLUG, MACHINE THREAD - DRILLED, AMS 5646, PREFORMED PACKING, MIL-S-8879 THREAD REVIEWER: 15	A 5365	AS	30-SEP-87	AS 11
	MS9914	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	15-AUG-69	AS 99
	MS9917	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	15-AUG-69	AS 99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action OK / CMA Coordination Machine	Document Number	Document Title	Dist. Smt. FPC / Area	MCA Symbol Preparing Job	Date	Custodians			
						Army	Navy	Air Force	OLA
	MS9918	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .4375-20 UNJF-3A [VALIDATION DATE: 8310] REVIEWER: 11	A 5306	AS	15-AUG-69	AS	99		
	MS9923	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .190-32 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	15-AUG-69	AS	99		
	MS9924	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, STEEL AMS, CADMIUM PLATED, .250-28 UNJF-3A [VALIDATION DATE: 8109] REVIEWER: 11	A 5306	AS	15-AUG-69	AS	99		
	MS9933 NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .250-28 UNJF-3A [VALIDATION DATE: 9110] USER: CG MC REVIEWER: 82	A 5306	AS	04-OCT-91	AS	99		
	MS9944 NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .375-24 UNJF-3A [VALIDATION DATE: 9110] USER: CG MC REVIEWER: 82	A 5306	AS	04-OCT-91	AS	99		
	MS9947 NOTICE 1	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, STEEL AMS 6322, CADMIUM PLATED, .5625-18 UNJF-3A [VALIDATION DATE: 9110] USER: CG MC REVIEWER: 82	A 5306	AS	04-OCT-91	AS	99		
	MS9948	COVER - ACCESSORY DRIVE, 10,000 BC ROUND, QAD [VALIDATION DATE: 8404] .....	A 2995	AS	04-MAY-70	AV	AS	11	
	MS9949	COVER - ACCESSORY DRIVE, 8,000 BC ROUND, QAD [VALIDATION DATE: 8404] .....	A 2995	AS	04-MAY-70	AV	AS	11	
	MS9950	COVER - ACCESSORY DRIVE, 5,000 BC ROUND, QAD [VALIDATION DATE: 8404] .....	A 2995	AS	04-MAY-70	AV	AS	11	
	MS9951	MUT, SPANNER END SLOTS, CUMWASHER LOCKED, STEEL AMS 6322 MIL-S-8879 [VALIDATION DATE: 8109] REVIEWER: 11	A 5310	AS	29-JUN-70	AS	99		
	MS9953	PLUG, MACHINE THREAD-AMS 4121, PREFORMED PACKING, MIL-S-8879 THREAD [VALIDATION DATE: 8404] USER: CG MC REVIEWER: 99 CS	A 4730	AS	07-DEC-70	AS	11		
	MS9954	PLUG, MACHINE THREAD-DRILLED, AMS 4121, PREFORMED PACKING, MIL-S-8879 [VALIDATION DATE: 8404] USER: CG MC REVIEWER: CS	A 4730	AS	07-DEC-70	AS	11		
	MS9955	PACKING, PREFORMED - AMS 3668, .0, RING [VALIDATION DATE: 8404] REVIEWER: 82 99 IS OS	A 5330	AS	22-DEC-71	AS	11		
	MS9956	PACKING, PREFORMED - AMS 3668, SEAL [VALIDATION DATE: 8404] REVIEWER: 15 ..	A 5330	AS	22-DEC-71	AS	11		
	MS9958 NOTICE 1	BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .250-28UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS	04-OCT-91	AV	AS	11	
	MS9964 NOTICE 1	BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS 6322, CADMIUM PLATED, .625-18UNJF-3A [VALIDATION DATE: 9110]	A 5306	AS	04-OCT-91	AV	AS	11	
	MS9966	PACKING, PREFORMED - AMS 7273 SEAL [VALIDATION DATE: 8404] REVIEWER: 82 99	A 5330	AS	22-DEC-71	AS	11		
	MS9967	PACKING, PREFORMED - AMS 1273, .0, RING [VALIDATION DATE: 8404] REVIEWER: 82 99 IS	A 5330	AS	22-DEC-71	AS	11		
	MS9970	PACKING, PREFORMED - AMS 7279, O RING [VALIDATION DATE: 8404] REVIEWER: 82 99 MI	A 5330	AS	09-JUN-72	AS	11		
	MS9971	COVER, ACCESSORY DRIVE, 5 INCHES (127 MM) BC ROUND, ALUMINUM [VALIDATION DATE: 8404]	A 2995	AS	01-OCT-73	AS	11		
D	MS138040	GENERATOR, ENGINE ACCESSORY D.C. 28-VOLT 40-AMP REVIEWER: AT CS .....	A 2920	ME	11-JAN-91	ME	YD1		
D L	MS138360 NOTICE 1	BEARING, SLEEVE: ENGINE, PLAIN, 1-1/2" X 3/4" [VALIDATION DATE: 9202] USER: AT YD1 REVIEWER: 69 CS	A 2805	ME	05-FEB-92	ME			
	MS14001H	SWITCH, TOGGLE, POSITIVE BREAK ENVIRONMENTALLY SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC MI	A 5930	BS	30-SEP-86	ER	AS	85	
	MS14002H	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC ES MI	A 5930	BS	30-SEP-86	ER	AS	85	
	MS14003H	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SOLDER LUG, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC MI	A 5930	BS	30-SEP-86	ER	AS	85	
	MS14004E	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 6 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH	A 5935	EC	26-JAN-89	CR	EC	85	
D	MS14005D	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 26 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME SH YD1 REVIEWER: 11 99 AS AT ES MI OS	A 5935	EC	18-MAR-85	CR	EC	85	
	MS14006D	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 9 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME REVIEWER: 99 AS AT ES MI OS	A 5935	EC	18-MAR-85	CR	EC	85	
	MS14007C NOTICE 1	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 9 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI	A 5935	EC	15-DEC-89	CR	EC	85	
	MS14008C NOTICE 1	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 26 (SIZE 16, 20 CRIMP REMOVABLE) PIN CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI	A 5935	EC	15-DEC-89	CR	EC	85	
	MS14010B	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL 7 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS	A 5935	EC	18-MAR-85	CR	EC	85	
	MS14011B	INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL 7 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS	A 5935	EC	18-MAR-85	CR	EC	85	
1	MS14012C NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER PIN CONTACTS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14013C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 4 SIZE 22 SOLDER SOCKET CONTACTS [VALIDATION DATE: 9207] USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14014C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14015C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 7 SIZE 22 SOLDER SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14016C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14017C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 22 SOLDER SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14018C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14019C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 22 SOLDER SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14020C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER PIN CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MT	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14021C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 26 SIZE 22 SOLDER SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14022C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14023C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 22 SOLDER SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14024C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 44 SIZE 22 SOLDER PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14025C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 44 SIZE 22 SOLDER SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14026C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 22 SOLDER PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	
1	MS14027C NOTICE 2	CONNECTOR, RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 22 SOLDER SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT ES MT SH	A 5935	EC	27-JUL-92	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Doc Qty / On Combination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Acty	Date	Custodians			
							Army	Navy	Air Force	DLA
	MS14033B	GRID PATTERNS FOR SOLDERLESS WRAPPED ELECTRICAL CONNECTORS (VALIDATION DATE: 8601) USER: AR MI REVIEWER: 11 17 99 AS ES MC	A 5935	EC	30-APR-79	CR	EC	85		
	MS14034	GENERAL CONTACT LAYOUT FOR TYPE 111 BASE PLATE CONNECTOR (200 GRID) (VALIDATION DATE: 8404) USER: AR MI REVIEWER: 11 AS MC OS	A 5935	EC	13-AUG-71	CR	EC	85		
I	MS14040A NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K097 TO LT10K107 INCL. (VALIDATION DATE: 9201) USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS	A 5950	EC	31-JAN-92	ER	EC	85		
	MS14041A	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K108 TO LT10K112 INCL. (INACTIVE) (VALIDATION DATE: 8404) USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS	A 5950	EC	25-JUL-83	ER	EC	85		
	MS14042A	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K113 TO LT10K117 INCL. (INACTIVE) (VALIDATION DATE: 8404) USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS	A 5950	EC	25-JUL-83	ER	EC	85		
	MS14043A	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K118 TO LT10K122 INCL. (INACTIVE) (VALIDATION DATE: 8404) USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS	A 5950	EC	25-JUL-83	ER	EC	85		
	MS14044A	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K123 TO LT10K127 INCL. (INACTIVE) (VALIDATION DATE: 8404) USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS	A 5950	EC	25-JUL-83	ER	EC	85		
	MS14046A	COIL, RADIO FREQUENCY, MOLDED, FIXED, MICROMINIATURE (IRON CORE) TYPES LT10K128 TO LT10K137 INCL. USER: 19 AS MC ME REVIEWER: 11 17 99 AR AV LS MI OS	A 5950	EC	16-SEP-85	ER	EC	85		
	MS14047	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K138 TO LT10K142 INCL. (VALIDATION DATE: 8404) REVIEWER: 11 17 99 AR ES MI OS	A 5950	EC	15-FEB-72	ER	EC	85		
	MS14048	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K143 TO LT10K147 INCL. (VALIDATION DATE: 8404) USER: 19 AS MC ME SH REVIEWER: 11 17 99 AR ES MI OS	A 5950	EC	15-FEB-72	ER	EC	85		
	MS14049	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K148 TO LT10K152 INCL. (VALIDATION DATE: 8404) USER: 19 AS MC ME SH REVIEWER: 11 17 99 AR ES MI OS	A 5950	EC	15-FEB-72	ER	EC	85		
	MS14050	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K153 TO LT10K157 INCL. (VALIDATION DATE: 8404) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5950	EC	15-FEB-72	ER	EC	85		
	MS14052	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K158 TO LT10K168 INCL. (VALIDATION DATE: 8404) USER: 19 AS MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5950	EC	15-FEB-72	ER	EC	85		
D	MS14054D NOTICE 1	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 28, CLASS L, 40 AMPS (VALIDATION DATE: 8909) USER: 19 AT AV CG MC ME OS REVIEWER: 17 85 AS ES MI YD1	A 5935	EC	29-SEP-89	CR	EC	11		
D	MS14055G NOTICE 1	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 44, CLASS L, 100 AMPS (VALIDATION DATE: 8909) USER: 19 AT AV CG MC ME OS REVIEWER: 17 80 AS ES MI YD1	A 5935	EC	29-SEP-89	CR	EC	85		
	MS14056	CONTACTS, ELECTRIC CONNECTOR, SHIELDED CABLE APPLICATIONS, SIZE 8 (VALIDATION DATE: 9206) USER: 19 CG MC REVIEWER: 17 85 AS ES MI OS SH	A 5935	EC	03-JUN-92	CR	EC	11		
D	MS14057F	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SIZE 52, CLASS L, 200 AMPS USER: 19 AT AV CG MC ME SH REVIEWER: 11 17 AS ES MI YD1	A 5935	EC	09-JUN-89	CR	EC	85		
	MS14058C	CONNECTORS, ELECTRIC, RECTANGULAR MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: CG MC ME SH REVIEWER: 11 99 AS ES MI	A 5935	EC	26-JAN-89	CR	EC	85		
	MS14059D	CONNECTORS, ELECTRIC, RECTANGULAR MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, PIN CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES USER: AT CG MC SH REVIEWER: 11 99 AS ES MI	A 5935	EC	26-JAN-89	CR	EC	85		
L	MS14060B	CLAMP, CABLE (VALIDATION DATE: 8505) .....	A 5935	EC	30-APR-79		EC			
L	MS14061B	PLATE, COVER, CONNECTOR (VALIDATION DATE: 8505) USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	EC	30-APR-79	CR	EC	85		
L	MS14062B	HOUSING, CONNECTOR, CASTING AND MACHINERY (VALIDATION DATE: 8601) .....	A 5935	EC	16-NOV-79		EC			
L	MS14065B	SCREW, FLAT HEAD (VALIDATION DATE: 8505) .....	A 5935	EC	30-APR-79		EC			
L	MS14066B	SCREW, FLAT HEAD (VALIDATION DATE: 8601) REVIEWER: 11 17 99 AR AS ES MC MI	A 5935	EC	30-APR-79	CR	EC	85		
L	MS14069C	HOUSING, CONNECTOR ASSEMBLY, STYLE 1 (VALIDATION DATE: 8601) .....	A 5935	EC	16-NOV-79		EC			
I	MS14071A NOTICE 2	SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 44, AND 50 CONTACT CONNECTORS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MT	A 5935	EC	27-JUL-92	CR	EC	85		
I	MS14072 NOTICE 1	SHELL, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 42, AND 50 CONTACT CONNECTORS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MT	A 5935	EC	27-JUL-92	CR	EC	85		
	MS14101G	BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING LOW SPEED, NARROW, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT 15 MI	A 3120	AS	21-APR-87	AV	AS	99		
	MS14102G	BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT 15 MI	A 3120	AS	21-APR-87	AV	AS	99		
	MS14103G	BEARING, PLAIN, SELF LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, GROOVED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT 15 MI	A 3120	AS	21-APR-87	AV	AS	99		
	MS14104G	BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, CHAMFERED OUTER RING, -65 DEG. TO 325 DEG. F USER: SH REVIEWER: 84 AR AT 15 MI	A 3120	AS	21-APR-87	AV	AS	99		
	MS14105E NOTICE 1	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH PULL, 25 THRU 35 AMPS, TYPE 1 -55 TO +121 DEG. C (VALIDATION DATE: 9110) REVIEWER: 11 ES	A 5925	AS	23-OCT-91	ER	AS	85		
L	MS14109A NOTICE 1	FASTENER, POSITIVE SELF-LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT (WITH HOLDING CLAMP) (VALIDATION DATE: 9110) .....	A 5340	AS	04-OCT-91		AS			
L	MS14113E NOTICE 1	TAPE, IDENTIFICATION, COLOR CODED, FOR AIRCRAFT TIRES REVIEWER: 11 70 CS ..	A 2620	AS	18-JUL-90	AV	AS	99		
L	MS14114 NOTICE 1	GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED) .....	A 6610	AS	07-DEC-87		AS			
	MS14115	CASSETTES AND REELS, PROJECTION, MOTION-PICTURE, SUPER 8MM (VALIDATION DATE: 8505) REVIEWER: GS	A 6760	AS	01-APR-74	ER	AS	99		
L	MS14116 NOTICE 1	FLANGE, HYDRAULIC STARTER MOUNTING (VALIDATION DATE: 8708) .....	A 2995	AS	06-JAN-72		AS			
L	MS14117	ADAPTER, AIR TURBINE STARTER TO ENGINE, MOUNTING (VALIDATION DATE: 8508) ..	A 2995	AS	06-JAN-72		AS			
L	MS14118	ADAPTER, HYDRAULIC STARTER TO ENGINE, MOUNTING (VALIDATION DATE: 8508) ....	A 2995	AS	06-JAN-72		AS			
L	MS14119	FLANGE, AIR TURBINE STARTER MOUNTING (VALIDATION DATE: 8509) .....	A 2995	AS	06-JAN-72		AS			
L	MS14125F NOTICE 2	RACK, VERTICAL REVIEWER: GS .....	A 5975	AS	30-AUG-90		AS			
L	MS14127E NOTICE 1	DOOR, FACE MOUNTED (VALIDATION DATE: 9110) .....	A 5975	AS	23-OCT-91		AS			
L	MS14128F NOTICE 1	DOOR, FLUSH MOUNTED (VALIDATION DATE: 9110) .....	A 5975	AS	23-OCT-91		AS			
L	MS14129D NOTICE 1	PANEL, FLUSH MOUNTED (VALIDATION DATE: 9110) .....	A 5975	AS	23-OCT-91		AS			
L	MS14130B NOTICE 1	WRITING DESK (VALIDATION DATE: 8803) REVIEWER: GS .....	A 5975	AS	15-MAR-88		AS			
L	MS14131C NOTICE 1	WRITING DESK COMPONENTS (VALIDATION DATE: 8803) REVIEWER: GS .....	A 5975	AS	15-MAR-88		AS			
L	MS14132A NOTICE 1	PANEL TEXTOLITE (VALIDATION DATE: 8803) REVIEWER: GS .....	A 5975	AS	15-MAR-88		AS			
L	MS14133C NOTICE 1	DRAWER, SLIDING (VALIDATION DATE: 8803) REVIEWER: GS .....	A 5975	AS	15-MAR-88		AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action / OMA / Coordination / Machine / Document Number	Document Title	Dist. Start / FSC / Ave / MCA Symbol / Preparing Act / Date	Custodians			
			Army	Navy	Air Force	DA
LI MS14134C NOTICE 2	SLIDE ASSEMBLY, EQUIPMENT .....	A 5975 AS 30-AUG-90	AS			
L MS14135C	DRAWER ASSEMBLY, RACK MOUNTING [VALIDATION DATE: 8204] REVIEWER: GS .....	A 5975 AS 09-DEC-75	AS			
L MS14136C NOTICE 1	HANDLE [VALIDATION DATE: 9110] .....	A 5975 AS 23-OCT-91	AS			
L MS14137F NOTICE 2	ANGLE, MOUNTING .....	A 5975 AS 30-AUG-90	AS			
L MS14138B NOTICE 2	SHELF .....	A 5975 AS 30-AUG-90	AS			
L MS14139A NOTICE 2	KNEE PROTECTOR .....	A 5975 AS 30-AUG-90	AS			
L MS14140H	PLATE-RACK [VALIDATION DATE: 8303] REVIEWER: GS .....	A 5975 AS 14-JUL-77	AS			
L MS14142A NOTICE 1	TIRE, PNEUMATIC AIRCRAFT, REBUILT 22X5.5 (200 MPH) TYPE VII (NAVY) [VALIDATION DATE: 8705] REVIEWER: CS .....	A 2620 AS 14-MAY-87	AS			
M MS14144A	MUT, SELF-LOCKING, LIGHTWEIGHT, CASTELLATED, 450 DEGREE F .....	A 5310 AS 30-NOV-88	AV	AS	99	
M MS14145B	MUT, SELF-LOCKING, LIGHTWEIGHT, THIN, CASTELLATED, 450 DEG. F .....	A 5310 IS 27-APR-93	AV	AS	99	IS
M MS14146A	MUT, SELF-LOCKING, CASTELLATED, HEXAGON, C'BORED, CAPTIVE WASHER, 450 DEGREE F .....	A 5310 AS 30-MAR-88	AV	AS	99	
L MS14147A NOTICE 1	SERVICE SUITABILITY (FLIGHT) TESTING OF REBUILT NAVY AIRCRAFT TIRES [VALIDATION DATE: 9110] .....	A 2620 AS 29-OCT-91	AS			
L MS14151 NOTICE 1	WASHER, FLAT, ROUND, CORROSION RESISTING STEEL (FOR ELECTRICAL APPLICATIONS [VALIDATION DATE: 8704] REVIEWER: 80 ER .....	A 5310 AS 16-JUL-73	AV	AS	99	
L MS14152A NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, 37 X 11.5 - 16, TYPE VIII (NAVY) [VALIDATION DATE: 9110] .....	A 2620 AS 29-OCT-91	AS			
L MS14153C	CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL 3 PHASE, 1 THRU 35 AMP, TYPE 1 .....	A 5925 AS 09-JAN-90	ER	AS	85	
MS14154D	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE PUSH-PULL, 3 PHASE, 1 THRU 20 AMP, TYPE 1 .....	A 5925 AS 09-JAN-90	ER	AS	85	
MS14155	WASHER, RECESSED COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 180 KSI FTU [VALIDATION DATE: 8906] REVIEWER: 82 AT ER ME .....	A 5310 AS 30-JUN-89	AV	AS	99	
MS14156 NOTICE 1	MUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 180 KSI FTU, 450 DEG. F, SPLINE DRIVE [VALIDATION DATE: 8906] REVIEWER: 82 AT ER ME .....	A 5310 AS 30-JUN-89	AV	AS	99	
MS14157B NOTICE 1	BOLT, WHEEL, TENSION, FLANGED STEEL, 180KSI FTU, 450 DEG. F EXTERNAL SPLINE DRIVE [VALIDATION DATE: 9110] REVIEWER: AR AT CR 15 ME .....	A 5306 AS 04-OCT-91	AV	AS	11	
L MS14158	TIRE - AIRCRAFT, 13.5 X 6.00-4 (NAVY) [VALIDATION DATE: 8201] REVIEWER: CS .....	A 2620 AS 16-OCT-74	AS			
L MS14159	TIRE - AIRCRAFT, 26 X 7.75-13 (NAVY) [VALIDATION DATE: 8201] USER: CS .....	A 2620 AS 16-OCT-74	AS			
L MS14160	TIRE, AIRCRAFT, 26 X 8.75-11 (NAVY) [VALIDATION DATE: 8201] REVIEWER: CS .....	A 2620 AS 16-OCT-74	AS			
L MS14161A	TIRE, PNEUMATIC, AIRCRAFT 22 X 6.75-10 (NAVY) USER: CS .....	A 2620 AS 17-JAN-86	AS			
L MS14162	TIRE, PNEUMATIC, AIRCRAFT, 34 X 9.9-16 [VALIDATION DATE: 8104] USER: CS ...	A 2620 AS 06-MAR-75	AV	AS	99	
MS14163B NOTICE 1	BOLT, WHEEL, TENSION, FLANGED, STEEL 220 KSI, FTU, 450 DEG. F EXTERNAL WRENCHING, SPLINE, DRIVE [VALIDATION DATE: 9110] .....	A 5306 AS 04-OCT-91	AV	AS	11	
MS14164A	MUT, WHEEL, SELF-LOCKING, FLANGED, STEEL, 220 KSI FTU, 450 DEG. F SPLINE, DRIVE REVIEWER: 82 .....	A 5310 AS 06-MAY-91	AV	AS	11	
L MS14165	AIRCRAFT ACCESSORY MOUNTING [VALIDATION DATE: 8306] REVIEWER: GS .....	A 6115 AS 28-JAN-76	AS			
L MS14166	T-WRENCH, URT-33 RADIO BEACON [VALIDATION DATE: 8204] .....	A 5120 AS 29-JUL-76	AS			
MS14167A NOTICE 1	TIRE, PNEUMATIC, REBUILT, AIRCRAFT, 34 X 9.9-16 [VALIDATION DATE: 9110] REVIEWER: 70 .....	A 2620 AS 29-OCT-91	AV	AS	99	
L MS14168 NOTICE 1	TIRE - AIRCRAFT, 22 X 6.6-10 (NEW DESIGN) [VALIDATION DATE: 9110] .....	A 2620 AS 29-OCT-91	AS			
L MS14169C NOTICE 1	CIRCULAR SPLINE AND ADAPTER DETAILS ENGINE DRIVEN ACCESSORIES [VALIDATION DATE: 8712] REVIEWER: 11 .....	A 6115 AS 31-DEC-87	AS			
L MS14170A NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 37 X 11.5 - 16, TYPE VII (NAVY) [VALIDATION DATE: 9110] .....	A 2620 AS 29-OCT-91	AS			
L MS14171B	TIRE, PNEUMATIC, AIRCRAFT 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD REVIEWER: CS .....	A 2620 AS 31-JUL-87	AS			
L MS14172C NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 30 X 11.50-14.50, TYPE VIII (NAVY) FABRIC REINFORCED TREAD [VALIDATION DATE: 8705] USER: CS .....	A 2620 AS 14-MAY-87	AS			
L MS14174 NOTICE 1	DROPLINE, RIGID SEAT SURVIVAL KIT [VALIDATION DATE: 9110] .....	A 1680 AS 29-OCT-91	AS			
L MS14175A NOTICE 2	DROPLINE/BOOT ASSY, RIGID SEAT SURVIVAL KIT [VALIDATION DATE: 9110] .....	A 1680 AS 29-OCT-91	AS			
A L MS14176B NOTICE 2	TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 30 X 8.0-16.00, TYPE VII (NAVY) FABRIC REINFORCED TREAD [VALIDATION DATE: 9303] .....	A 2620 AS 01-MAR-93	AS			
MS14177B	WASHER, RECESSED, COUNTERSUNK TWO SURFACES, FOR USE WITH WHEEL BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU REVIEWER: 82 .....	A 5310 AS 20-SEP-91	AV	AS	99	
L MS14178A NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, 24X6.5-14, FABRIC REINFORCED TREAD (200 KNOTS) [VALIDATION DATE: 9110] .....	A 2620 AS 29-OCT-91	AS			
MS14179A NOTICE 1	MUT, PLATE, SELF-LOCKING, FLOATING, TWO LUG, REDUCED RIVET SPACING, STEEL, (VESPEL INSERT) 500 CYCLES REUSE, REPLACEABLE MUT, 160 KSI FTU, 450 DEG. F [VALIDATION DATE: 9110] REVIEWER: 11 AT IS .....	A 5310 AS 04-OCT-91	AV	AS	99	
MS14180	MUT REPLACEMENT FOR SELF LOCKING PLATE, FLOATING, TWO LUG, STEEL, (VESPEL INSERT) 500 CYCLES REUSE 160 KSI FTU, 450 DEG.F. [VALIDATION DATE: 8504] REVIEWER: 82 AT IS .....	A 5310 AS 30-JAN-79	AV	AS	99	
MS14181C	BOLT, TENSION, NICKEL ALLOY 718, 220 KSI FTU, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD REVIEWER: 82 .....	A 5306 AS 30-JAN-89	AV	AS	99	
MS14182A	MUT, SELF-LOCKING, EXTENDED WASHER, ROUND, NICKEL ALLOY 718, 220 KSI FTU, 450 DEGREE F AND 800 DEGREE F, SPLINE DRIVE .....	A 5310 AS 30-JAN-89	AV	AS	99	
MS14183B	WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU USER: NI REVIEWER: 11 AT IS .....	A 5310 AS 30-JAN-89	AV	AS	99	
L MS14184A NOTICE 1	NONMETALLIC SHAFT-COUPPLING DETAILS, ENGINE DRIVEN ACCESSORIES [VALIDATION DATE: 8712] .....	A 6115 AS 31-DEC-87	AS			
A L MS14185 NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.75-10 [VALIDATION DATE: 9209] ....	A 2620 AS 30-SEP-92	AS			
L MS14186B NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 36 X 11 REVIEWER: CS .....	A 2620 AS 18-JUL-90	AS			
L MS14187 NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 22X6.6-10, NEW DESIGN [VALIDATION DATE: 9110] .....	A 2620 AS 29-OCT-91	AS			
MS14188 NOTICE 1	SCREW, CAP, SOCKET HEAD, SQUARE 160 KSI, UTS [VALIDATION DATE: 9109] .....	A 5305 AS 23-SEP-91	AV	AS	99	
L MS14189 NOTICE 1	NONDESTRUCTIVE INSPECTION OF REBUILT AIRCRAFT TIRES, REQUIREMENT FOR [VALIDATION DATE: 9110] .....	A 2620 AS 29-OCT-91	AS			
MS141910	RECESS, RIMMED TORQ-SET DIMENSIONS OF RECESS, GAGE, AND DRIVER FOR .....	A 530P AS 31-JUL-87	AV	AS	11	
L MS14193 NOTICE 1	AIRCRAFT TIRE LIFE CYCLE COSTING (LCC), PROCEDURES FOR [VALIDATION DATE: 8705] REVIEWER: CS .....	A 2620 AS 14-MAY-87	AS			
MS14194 NOTICE 1	NUTS (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F, 1200 DEG. F, RELIABILITY AND MAINTAINABILITY DESIGN REQUIREMENTS FOR [VALIDATION DATE: 8906] REVIEWER: 82 IS .....	A 5310 AS 30-JUN-89	AV	AS	99	
L MS14196 NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.7 - 8.00 (NAVY), FABRIC REINFORCED TREAD [VALIDATION DATE: 8802] REVIEWER: CS .....	A 2620 AS 10-FEB-88	AS			
MS14198A NOTICE 1	LOCK, ROD END, EXTRA STRENGTH, HIGH PROFILE LUG REVIEWER: 99 IS MI .....	A 5340 AS 17-JAN-83	AV	AS		
MS14199 NOTICE 1	MUT ASSEMBLY, FLOATING, SELF-LOCKING, RIVETLESS, ATTACHED RETENTION ELEMENT, (A.R.E.), MAINTAINABILITY AND RELIABILITY DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 9110] REVIEWER: 99 AV IS MC MI SH .....	A 5310 AS 04-OCT-91	AR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action / Cmt / Coordination / Machine / Document Number	Document Title	Dwg. Smt.	Pkg / Area	MCA Symbol	Preparing Act.	Date	Custodian			
							Army	Navy	Air Force	DLA
MS14200	NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F. STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT REVIEWER: 82 AV IS MI SH	A 5310	AS	21-DEC-83	AR	AS	99			
MS14201	NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F. STEEL, 125 KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR REVIEWER: 82 AV IS MI SH	A 5310	AS	21-DEC-83	AR	AS	99			
MS14210	NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F. CRES (A-286), 125 KSI FTU, REPLACEABLE NUT ELEMENT	A 5310	AS	13-MAR-84		AS				
MS14211	NUT, FLOATING, SELF LOCKING, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F. CRES (ASTM A-286), KSI FTU, REPLACEABLE NUT ELEMENT, 1/64 OVERSIZE REPAIR	A 5310	AS	13-MAR-84		AS				
L MS14213	NUT ELEMENT, REPLACEABLE, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F. CRES (A-286), 125 KSI FTU	A 5310	AS	13-MAR-84		AS				
MS14214	NUT ELEMENT, ATTACHED RETENTION ELEMENT (A.R.E.), 450 DEG. F. STEEL (AISI 1050 OR 4130), 125 KSI FTU REVIEWER: 82 AV IS MI SH	A 5310	AS	21-DEC-83	AK	AS	99			
MS14218C	RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE SHEAR HEAD REVIEWER: 82 AR IS ...	A 5320	AS	25-JAN-85	AV	AS	99			
MS14219A	RIVET, SOLID, 120 DEG. FLUSH INTERFERENCE, TENSION TYPE HEAD	A 5320	AS	25-JAN-85		AS				
MS14222	NUT, SELF-LOCKING, 450 DEG. F. HEXAGON, REDUCED HEAD HEIGHT, RING BASE, CORROSION RESISTANT STEEL [VALIDATION DATE: 9109] USER: CR ER REVIEWER: AR	A 5310	AS	23-SEP-91	AV	AS	99			
MS14223	IS MI									
L MS14224	TIRE, PNEUMATIC, AIRCRAFT, 26.0 X 8.75 - 11 (NAVY (AV-88 MLC) USER: CS ...	A 2620	AS	26-FEB-82		AS				
L MS14225	TIRE, PNEUMATIC, AIRCRAFT, 13.5 X 6.00-4 (NAVY) (AV-88 MLC) REVIEWER: CS ...	A 2620	AS	26-FEB-82		AS				
L MS14226	TIRE, PNEUMATIC, AIRCRAFT, 26 X 7.75-13 (NAVY) (AV-88 MLC) REVIEWER: CS ...	A 2620	AS	26-FEB-82		AS				
MS14227	WASHER, FLAT, FOR OVERSIZE FASTENERS & FASTENER SLEEVE	A 5310	AS	24-SEP-82	AV	AS	11			
MS14237A	LOCK, ROD END, IMPROVED STRENGTH, WAS LUG REVIEWER: IS MI	A 5340	AS	22-DEC-82	AV	AS	11			
MS14238A	BUSHING, SLEEVE PLAIN, PRESS FIT, REAM TYPE REVIEWER: 82 AR IS MI	A 3120	AS	02-APR-87	AV	AS	99			
DS14241A	BUSHING, SLEEVE FLANGED, PRESS FIT, REAM TYPE REVIEWER: 82 AR IS MI	A 3120	AS	02-APR-87	AV	AS	99			
DS14242A	CLAMP, LOOP TYPE, CUSHIONED SUPPORT, METRIC USER: EA REVIEWER: 11 82 AR IS	A 5340	AS	08-JAN-88	AV	AS	99			
D L	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING, METRIC [VALIDATION DATE: 9110] REVIEWER: 11 AR IS MI YDI	A 5340	AS	04-OCT-91		AS				
DS14243	CLAMP, LOOP, NYLON, METRIC [VALIDATION DATE: 9110] USER: 99 EA EC MC	A 5340	AS	04-OCT-91	AV	AS				
DS14243	REVIEWER: 11 82 AR GL IS									
D	CLAMP, LOOP TYPE, BONDING, METRIC [VALIDATION DATE: 9110] REVIEWER: AT AV	A 5340	AS	04-OCT-91	AR	AS				
DS14244	CH CS ER IS ME MI YDI									
MS14245	BAR, OCTAGONAL, ALUMINUM ALLOY 2024 REVIEWER: IS	A 9530	AS	24-SEP-83	MR	AS	99			
MS14246	BAR, HEXAGONAL, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84	A 9530	AS	29-OCT-91	MR	AS	99			
MS14247	IS									
MS14247	BAR, HEXAGONAL, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84	A 9530	AS	29-OCT-91	MR	AS	99			
MS14248	IS									
MS14248	BAR, HEXAGONAL, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84	A 9530	AS	29-OCT-91	MR	AS	99			
MS14249	IS									
MS14249	BAR, HEXAGONAL, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84	A 9530	AS	29-OCT-91	MR	AS	99			
MS14250	IS									
MS14250	BAR, HEXAGONAL, ALUMINUM ALLOY 2017 [VALIDATION DATE: 9110] REVIEWER: 84	A 9530	AS	29-OCT-91	MR	AS	99			
MS14251	IS									
MS14251	BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14252	BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14253A	BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 6063 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14254	BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14255	BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14256	BAR, RECTANGULAR, SQUARE CORNERS, ALUMINUM ALLOY 5052 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14257	ROD, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14258	ROD, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14259	ROD, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14260A	ROD, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14261	ROD, ALUMINUM ALLOY 1100 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14262	ROD, ALUMINUM ALLOY 3003 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14263	ROD, ALUMINUM ALLOY 2017 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14264	ROD, ALUMINUM ALLOY 5052 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14265	BAR, SQUARE, ALUMINUM ALLOY 2014 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14266	BAR, SQUARE, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14267	BAR, SQUARE, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
MS14268	BAR, SQUARE, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9530	AS	29-OCT-91	MR	AS	99			
L	HINGE, CONTINUOUS, METRIC [VALIDATION DATE: 9110] REVIEWER: IS	A 5340	AS	04-OCT-91		AS				
DS14270	PIN HINGE, METRIC REVIEWER: IS	A 5340	AS	28-OCT-83		AS				
DS14271C	HANDLE, COUPLING, PNEUMATIC STARTER	A 5340	AS	30-JUN-87		AS				
D	CLAMP, LOOP, CUSHIONED ELONGATED, METRIC USER: EC REVIEWER: 11 AR IS MI	A 5340	AS	23-DEC-83	AV	AS	99			
YDI										
D	STRAP, RETAINING, CUSHIONED, RECTANGULAR, METRIC [VALIDATION DATE: 9110] USER: MI REVIEWER: 82 IS YDI	A 5340	AS	04-OCT-91	AR	AS	99			
MS14274A	PIN, QUICK RELEASE, POSITIVE LOCKING "L" HANDLE SINGLE ACTION, DETENT	A 5340	AS	23-SEP-91	AV	AS	99			
MS14275	WRENCH/SAFETY PIN (SLOTTED) [VALIDATION DATE: 9109]									
MS14276	WIRE, ROUND, NONELECTRICAL ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9525	AS	29-OCT-91	MR	AS	99			
MS14277	WIRE, ROUND, NONELECTRICAL ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9525	AS	29-OCT-91	MR	AS	99			
MS14278	WIRE, ROUND, NONELECTRICAL ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9525	AS	29-OCT-91	MR	AS	99			
A	WIRE, HEXAGONAL, NONELECTRICAL ALUMINUM ALLOY 2024 [VALIDATION DATE: 9210] USER: OS SH REVIEWER: 84 IS	A 9525	AS	15-OCT-92	MR	AS	99			
MS14279	WIRE, HEXAGONAL, NONELECTRICAL ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9525	AS	29-OCT-91	MR	AS	99			
MS14280	WIRE, HEXAGONAL, NONELECTRICAL ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9525	AS	29-OCT-91	MR	AS	99			
MS14281	WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 6061 USER: OS SH REVIEWER: 84 IS	A 9525	AS	28-FEB-84	MR	AS	99			



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / OMA Coordination Inhouse	Document Number	Document Title	Dist. Smt PAC / Area	MCA Symbol Preparing Body	Date	Custodians			
						Army	Navy	Air Force	DIA
A	MS14282 NOTICE 1	WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 7075 [VALIDATION DATE: 9210] USER: OS SH REVIEWER: 84 IS	A 9525	AS	15-OCT-92	NR	AS	99	
A	MS14283 NOTICE 1	WIRE, SQUARE, NONELECTRICAL ALUMINUM ALLOY 2024 [VALIDATION DATE: 9210] USER: OS SH REVIEWER: 84 IS	A 9525	AS	15-OCT-92	NR	AS	99	
	MS14284 NOTICE 1	ANGLE, SHAPE STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14285 NOTICE 1	ANGLE, SHAPE STYLE II ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14286 NOTICE 1	ANGLE, SHAPE STYLE III ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14287 NOTICE 1	ANGLE, SHAPE STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14288 NOTICE 1	ANGLE, SHAPE STYLE II ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	DS14289	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE, METRIC REVIEWER: 11 AT AV EA EC IS MC SM	A 5340	AR	23-APR-84	AR	AS	99	
D	DS14290 NOTICE 1	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC [VALIDATION DATE: 9110] USER: AL EC ME MI REVIEWER: 82 AV EA ER IS MC YDI	A 5340	AS	04-OCT-91	AR	AS	99	
	MS14291 NOTICE 1	WIRE, NONELECTRICAL, ROUND, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT QUALITY) [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS	A 9505	AS	29-OCT-91	NR	AS	99	
	MS14292 NOTICE 1	WIRE, NONELECTRICAL, SQUARE, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT QUALITY) [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS	A 9505	AS	29-OCT-91	NR	AS	99	
	MS14293 NOTICE 1	WIRE, NONELECTRICAL, HEXAGON, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT QUALITY) [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS	A 9505	AS	29-OCT-91	NR	AS	99	
	MS14294	BAR, METAL, ROUND, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT QUALITY) USER: MC OS REVIEWER: 84 IS	A 9510	AS	09-OCT-84	NR	AS	99	
	MS14295	BAR, METAL, SQUARE, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT QUALITY) USER: MC OS REVIEWER: 84 IS	A 9510	AS	09-OCT-84	NR	AS	99	
	MS14296	BAR, METAL, FLAT, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT QUALITY) USER: MC OS REVIEWER: 84 IS	A 9510	AS	09-OCT-84	NR	AS	99	
	MS14297	BAR, METAL, HEXAGON, ALLOY STEEL 4130 CHROME-MOLYBDENUM (AIRCRAFT QUALITY) USER: MC OS REVIEWER: 84 IS	A 9510	AS	09-OCT-84	NR	AS	99	
D	DS14298	CLAMP ASSEMBLY, CUSHIONED SADDLE, METRIC USER: MI REVIEWER: 11 AT AV EA EC GL IS MC YDI	A 5340	AS	15-OCT-84	AR	AS	99	
D	MS14298	CLAMP ASSEMBLY, CUSHIONED SADDLE, METRIC USER: MI REVIEWER: 11 AT AV EA EC GL IS MC YDI	A 5340	AS	15-OCT-84	AR	AS	99	
	MS14302	PIPE, COPPER, SEAMLESS, STANDARD SIZES [VALIDATION DATE: 8304] USER: MC MI REVIEWER: AR CS	A 4710	99	15-JUN-73	ME		99	
D	MS14303A NOTICE 1	PIPE FITTINGS, STEEL, THREADED, PRESSURE CLASS 2000, 3000, AND 6000 POUND WOG [VALIDATION DATE: 8705] USER: CE MC REVIEWER: AR CS EA	A 4730	YDI	29-MAY-87	ME	YDI	99	
D	MS14304A NOTICE 1	COUPLING, CAPS, PLUGS, & BUSHINGS, PIPE THREADED, PRESSURE CLASS 3000 & 6000 [VALIDATION DATE: 8705]	A 4730	YDI	29-MAY-87	ME	YDI	99	
D	MS14305A NOTICE 1	FITTINGS, PIPE, BRASS OR BRONZE, THREADED (TEES, CROSSES, 45 DEG ELBOWS AND COUPLINGS), 125 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	25-AUG-87	ME	YDI	99	
D	MS14306A NOTICE 1	FITTINGS, PIPE, BRASS OR BRONZE, THREADED (REDUCERS, CLOSE AND OPEN RETURN BENDS AND 45-DEG Y-BRANCHES), 125 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	25-AUG-87	ME	YDI	99	
D	MS14307A NOTICE 1	ELBOWS, PIPE, STREET, BRASS OR BRONZE, THREADED, 45 DEG, 125 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	25-AUG-87	ME	YDI	99	
D	MS14308A NOTICE 1	ELBOW, PIPE, BRASS OR BRONZE, THREADED 90-DEG, REDUCING, 125 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	25-AUG-87	ME	YDI	99	
D	MS14309B	TEES, PIPE, BRASS OR BRONZE, THREADED, REDUCING, 125 LB. USER: MC REVIEWER: 82 AR CE CS	A 4730	YDI	24-FEB-86	ME	YDI	99	
D	MS14310A NOTICE 1	CAP, PIPE, BRASS OR BRONZE, THREADED, 125 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	20-AUG-87	ME	YDI	99	
D	MS14311A NOTICE 1	FITTINGS, PIPE, BRASS OR BRONZE, THREADED (90 DEG ELBOWS, TEES, CROSSES, 45 DEG ELBOWS AND COUPLINGS), 250 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR	A 4730	YDI	20-AUG-87	ME	YDI	99	
D	MS14312A NOTICE 1	ELBOW, PIPE, BRASS OR BRONZE, THREADED, 90-DEG, REDUCING, 250 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	20-AUG-87	ME	YDI	99	
D	MS14313A NOTICE 1	TEES, PIPE, BRASS OR BRONZE, THREADED, REDUCING, 250 LB. [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	20-AUG-87	ME	YDI	99	
D	MS14314B	PLUGS, PIPE, BRASS OR BRONZE, THREADED, SQUARE HEAD & SQUARE SOCKET, 250 LBS & 125 LBS USER: CE MC REVIEWER: AR CS	A 4730	YDI	06-APR-88	ME	YDI	99	
D	MS14315A NOTICE 1	BUSHINGS, BRASS OR BRONZE (OUTSIDE HEAD, INSIDE HEAD, & FACE), 250 LBS & 125 LBS [VALIDATION DATE: 8708] USER: CE MC REVIEWER: AR CS	A 4730	YDI	20-AUG-87	ME	YDI	99	
	MS14350	BAR, FLAT ALUMINUM ALLOY 5086 USER: SH REVIEWER: 84 IS	A 9530	AS	30-APR-84	NR	AS	99	
	MS14351 NOTICE 1	BAR, SQUARE ALUMINUM ALLOY 5086 [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS SH	A 9530	AS	29-OCT-91	NR	AS	99	
	MS14352 NOTICE 1	ROD ALUMINUM ALLOY 5086 [VALIDATION DATE: 9110] USER: MC OS REVIEWER: 84 IS SH	A 9530	AS	29-OCT-91	NR	AS	99	
	MS14353A NOTICE 1	PLATE, ALUMINUM ALLOY 7075 USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-SEP-89	NR	AS	99	
	MS14354 NOTICE 1	PLATE, ALUMINUM ALLOY 1100 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14355 NOTICE 1	PLATE, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14356 NOTICE 1	PLATE, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14357 NOTICE 1	SHEET, ALUMINUM ALLOY 1100 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14358 NOTICE 1	SHEET, ALUMINUM ALLOY ALCLAD 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14359 NOTICE 1	SHEET, ALUMINUM ALLOY ALCLAD 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14360 NOTICE 1	SHEET, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14361 NOTICE 1	SHEET, ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9535	AS	29-OCT-91	NR	AS	99	
	MS14362A NOTICE 1	SHEET, ALUMINUM ALLOY 6061 USER: ME OS SH REVIEWER: 84 IS	A 9535	AS	29-SEP-89	NR	AS	99	
	MS14363 NOTICE 1	CHANNEL, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14364 NOTICE 1	CHANNEL, STYLE II ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14365 NOTICE 1	CHANNEL, STYLE III ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14366 NOTICE 1	CHANNEL, SHAPE STYLE IV ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14367 NOTICE 1	CHANNEL, STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
	MS14368 NOTICE 1	CHANNEL, STYLE II ALUMINUM ALLOY 7075 USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	30-APR-84	NR	AS	99	
	MS14369 NOTICE 1	CHANNEL, STYLE III ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / Osk Coordination Inhouse	Document Number	Document Title	Dist. Stmt. FSC / Nms	MCA Symbol Preparing Acct	Date	Custodians			
						Army	Navy	Air Force	DLA
MS14370	NOTICE 1	TEE, STYLE 1, EXFOLIATED ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14371	NOTICE 1	TEE, STYLE 11 ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14372	NOTICE 1	TEE, STYLE 111, ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14373	NOTICE 1	TEE, STYLE IV ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14374	NOTICE 1	TEE, STYLE V ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14375	NOTICE 1	TEE, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14376	NOTICE 1	TEE, STYLE 11 ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14377	NOTICE 1	TEE, STYLE 111 ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14378	NOTICE 1	TEE, STYLE I ALUMINUM ALLOY 7178 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14379	NOTICE 1	H-BEAM, WIDE FLANGE, ALUMINUM ALLOY 6061 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14380	NOTICE 1	H, BEAM ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14381	NOTICE 1	H, BEAM, STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14382	NOTICE 1	H, BEAM, STYLE 11 ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14383	NOTICE 1	I, BEAM, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14384	NOTICE 1	I, BEAM, STYLE 11 ALUMINUM ALLOY 2024 USER: MC OS SH REVIEWER: 84 IS .....	A 9540	AS	30-APR-84	NR	AS	99	
MS14385	NOTICE 1	I BEAM ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14386	NOTICE 1	I BEAM ALUMINUM ALLOY 7178 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14387	NOTICE 1	ZEE, STYLE I ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14388	NOTICE 1	ZEE, STYLE 11 ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14389	NOTICE 1	ZEE, STYLE 111 ALUMINUM ALLOY 2024 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14390	NOTICE 1	ZEE, STYLE I ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14391	NOTICE 1	ZEE, STYLE 11 ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14392	NOTICE 1	ZEE, STYLE 111 ALUMINUM ALLOY 7075 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14393	NOTICE 1	ZEE ALUMINUM ALLOY 7178 [VALIDATION DATE: 9110] USER: MC OS SH REVIEWER: 84 IS	A 9540	AS	29-OCT-91	NR	AS	99	
MS14395	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 301 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14396	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14397	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14398	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14399	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14400	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 321 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14401	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 347 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14402	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 410 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14403	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 416 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14404	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 420 REVIEWER: 84 IS	A 9505	AS	25-JAN-85	NR	AS	99	
MS14405	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 430 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14406	NOTICE 1	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT, TYPE 440C REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14407	NOTICE 1	WIRE, NONELECTRICAL, HEXAGON, CORROSION RESISTANT, TYPE 347 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14408	NOTICE 1	WIRE, NONELECTRICAL, HEXAGON, CORROSION RESISTANT, TYPE 410 REVIEWER: 84 IS	A 9505	AS	28-FEB-85	NR	AS	99	
MS14409	NOTICE 1	WIRE, NONELECTRIC, SQUARE, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS ..	A 9505	AS	28-FEB-85	NR	AS	99	
MS14410	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS .....	A 9510	AS	28-FEB-85	NR	AS	99	
MS14411	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS .....	A 9510	AS	28-FEB-85	NR	AS	99	
MS14412	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 304- REVIEWER: 84 IS .....	A 9510	AS	28-FEB-85	NR	AS	99	
MS14413	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 309 REVIEWER: 84 IS .....	A 9510	AS	28-FEB-85	NR	AS	99	
MS14414	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS .....	A 9510	AS	28-FEB-85	NR	AS	99	
MS14415	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS .....	A 9510	AS	28-FEB-85	NR	AS	99	
MS14416	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 316L [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	29-OCT-91	NR	AS	99	
MS14417	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 321 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	29-OCT-91	NR	AS	99	
MS14418	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 347 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	29-OCT-91	NR	AS	99	
MS14419	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 403 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14420	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 410 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14421	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 420 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14422	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 430 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14423	NOTICE 1	BAR, METAL, ROUND, CORROSION RESISTANT, TYPE 440C [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14424	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 302 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14425	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 304 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14426	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 316 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14427	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 316L [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14428	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 321 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
MS14429	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 347 [VALIDATION DATE: 9110] REVIEWER: 84 IS	A 9510	AS	30-OCT-91	NR	AS	99	
A MS14430	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 410 [VALIDATION DATE: 9210] REVIEWER: 84 IS	A 9510	AS	02-OCT-92	NR	AS	99	
A MS14431	NOTICE 1	BAR, METAL, FLAT, CORROSION RESISTANT, TYPE 440C [VALIDATION DATE: 9210] REVIEWER: 84 IS	A 9510	AS	02-OCT-92	NR	AS	99	
A MS14432	NOTICE 1	BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 302 [VALIDATION DATE: 9210] REVIEWER: 84 IS	A 9510	AS	02-OCT-92	NR	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Circ / OMA Coordination Inclusive	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MS14433	BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 304 [VALIDATION DATE: 9110]	A 9510	AS	30-OCT-91	NR	AS	99	
A	NOTICE 1	REVIEWER: 84 IS							
	MS14434	BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 316 [VALIDATION DATE: 9210]	A 9510	AS	02-OCT-92	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
A	MS14435	BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 321 [VALIDATION DATE: 9110]	A 9510	AS	30-OCT-91	NR	AS	99	
	MS14436	BAR, METAL, HEXAGON, CORROSION RESISTANT TYPE 347 [VALIDATION DATE: 9210]	A 9510	AS	02-OCT-92	NR	AS	99	
	NOTICE 1								
A	MS14437	BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 403 [VALIDATION DATE: 9210]	A 9510	AS	02-OCT-92	NR	AS	99	
	MS14438	BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 410 [VALIDATION DATE: 9110]	A 9510	AS	30-OCT-91	NR	AS	99	
	MS14439	BAR, METAL, HEXAGON, CORROSION RESISTANT, TYPE 420 [VALIDATION DATE: 9110]	A 9510	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
A	MS14440	BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 302 [VALIDATION DATE: 9210]	A 9510	AS	02-OCT-92	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
A	MS14441	BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 304 [VALIDATION DATE: 9210]	A 9510	AS	02-OCT-92	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
	MS14442	BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 316 [VALIDATION DATE: 9110]	A 9510	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
	MS14443	BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 321 [VALIDATION DATE: 9110]	A 9510	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
	MS14444	BAR, METAL, SQUARE, CORROSION RESISTANT, TYPE 410 [VALIDATION DATE: 9110]	A 9510	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
	MS14445	PLATE, METAL, CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14446	PLATE, METAL, CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14447	PLATE, METAL, CORROSION RESISTANT, TYPE 304L REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14448	PLATE, METAL, CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14449	PLATE, METAL, CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14450	PLATE, METAL, CORROSION RESISTANT, TYPE 316L REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14451	PLATE, METAL, CORROSION RESISTANT, TYPE 321 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14452	PLATE, METAL, CORROSION RESISTANT, TYPE 347 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14453	PLATE, METAL, CORROSION RESISTANT, TYPE 410 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14454	PLATE, METAL, CORROSION RESISTANT, TYPE 430 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14455	SHEET, METAL CORROSION RESISTANT, TYPE 301 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14456	SHEET, METAL CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14457	SHEET, METAL CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14458	SHEET, METAL CORROSION RESISTANT, TYPE 309 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14459	SHEET, METAL CORROSION RESISTANT, TYPE 310 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14460	SHEET, METAL CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14461	SHEET, METAL CORROSION RESISTANT, TYPE 316L REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14462	SHEET, METAL CORROSION RESISTANT, TYPE 321 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14463	SHEET, METAL CORROSION RESISTANT, TYPE 347 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14464	SHEET, METAL CORROSION RESISTANT, TYPE 410 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14465	SHEET, METAL CORROSION RESISTANT, TYPE 430 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14466	STRIP, METAL CORROSION RESISTANT, TYPE 302 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14467	STRIP, METAL CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
	MS14468	STRIP, METAL CORROSION RESISTANT REVIEWER: 84 IS	A 9515	AS	28-FEB-85	NR	AS	99	
A	MS14469	ANGLE, STRUCTURAL, CORROSION RESISTANT, TYPE 302 [VALIDATION DATE: 9210]	A 9520	AS	02-OCT-92	NR	AS	99	
	NOTICE 1	REVIEWER: 84 IS							
	MS14470	ANGLE, STRUCTURAL CORROSION RESISTANT, TYPE 304 REVIEWER: 84 IS	A 9520	AS	28-FEB-85	NR	AS	99	
	MS14471	ANGLE, STRUCTURAL CORROSION RESISTANT, TYPE 316 REVIEWER: 84 IS	A 9520	AS	28-FEB-85	NR	AS	99	
L	MS14482A	TIRE, PNEUMATIC, AIRCRAFT, 36 X 11, 24 PR REVIEWER: CS	A 2620	AS	23-AUG-85	AS			
L	MS14483	TIRE PNEUMATIC, AIRCRAFT, RADIAL PLY CONSTRUCTION, 26 X 7.75R13 (NAVY)	A 2620	AS	08-OCT-85	AS			
		(AV-8B MLG) USER: CS							
	DS14487	CLAMP, LOOP, PLASTIC, WIRE SUPPORT, METRIC [VALIDATION DATE: 9110] USER:	A 5340	AS	04-OCT-91	AR	AS	99	
	NOTICE 1	AL MC OS SH REVIEWER: 85 AT AV CR EC ER GL IS ME MI							
	DS14488	CLAMP, LOOP, PLASTIC, WIRE SUPPORT, RIBBED INNER DIAMETER, METRIC USER: MC	A 5340	AS	02-APR-86	AR	AS	99	
		MI OS SH REVIEWER: 82 AV CR EC IS							
	DS14489	CLAMP, LOOP, METAL, PLAIN, SUPPORT, AIRCRAFT, METRIC USER: MC MI OS SH	A 5340	AS	02-APR-86	AR	AS	99	
		REVIEWER: 82 AV CR EC IS							
	MS14490C	BOLT, WHEEL, NICKEL ALLOY 718, 220 KSI FTU, 132 KSI FSU, 450 DEG. F,	A 5306	AS	28-AUG-89	AV	AS	99	
		EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD							
	MS14491C	NUT, WHEEL, SELF-LOCKING, FLANGED, NICKEL ALLOY 718, 220 KSI FTU, 450 DEG.	A 5310	AS	28-AUG-89	AV	AS	99	
		F, SPLINE DRIVE							
L	MS14492	TIRE, PNEUMATIC, AIRCRAFT, REBUILT, 32 X 8.8 TYPE VII (NAVY), FABRIC	A 2620	AS	31-OCT-86	AS			
		REINFORCED THREAD							
	MS14493	NUT, SELF-LOCKING, CHA WHEL, FLOATING, CARBON STEEL, 125 KSI, FTU	A 5310	AS	03-APR-87	AV	AS	11	
	MS14501	FOIL, METAL, CORROSION RESISTANT, TYPE 301 USER: MB REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14502	FOIL, METAL, CORROSION RESISTANT, TYPE 302 [VALIDATION DATE: 9110] USER:	A 9515	AS	30-OCT-91	AR	AS	99	
	NOTICE 1	ME REVIEWER: IS							
	MS14503	PLATE, METAL, CORROSION RESISTANT, TYPE 301 USER: ME	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14504	PLATE, METAL, CORROSION RESISTANT, TYPE 302 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14505	PLATE, METAL, CORROSION RESISTANT, TYPE 304 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14506	SHEET, METAL, CORROSION RESISTANT, TYPE 301 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14507	SHEET, METAL, CORROSION RESISTANT, TYPE 302 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14508	SHEET, METAL, CORROSION RESISTANT, TYPE 304 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14509	SHEET, METAL, CORROSION RESISTANT, TYPE 316 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14510	STRIP, METAL, CORROSION RESISTANT, TYPE 301 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14511	STRIP, METAL, CORROSION RESISTANT, TYPE 302 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14512	STRIP, METAL, CORROSION RESISTANT, TYPE 304 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14513	STRIP, METAL, CORROSION RESISTANT, TYPE 316 USER: ME REVIEWER: IS	A 9515	AS	12-OCT-87	AR	AS	99	
	MS14514	SHEET, PERFORATED, METAL, STRAIGHT, CORROSION RESISTANT, TYPE 304 USER: ME	A 9515	AS	12-OCT-87	AR	AS	99	
		REVIEWER: IS							
	MS14515	SHEET, PERFORATED, METAL, STAGGERED 60 DEG., CORROSION RESISTANT, TYPE 301	A 9515	AS	12-OCT-87	AR	AS	99	
		USER: ME REVIEWER: IS							
	MS14516	SHEET, METAL, TITANIUM ALLOY 6AL-6V-2SN (AB-3) [VALIDATION DATE: 9110]	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	USER: ER GL MI REVIEWER: 84 AR AV IS OS SH							
	MS14517	SHEET, METAL, TITANIUM ALLOY 6AL-4V (AB-1) [VALIDATION DATE: 9110] USER:	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	ER GL MI REVIEWER: 84 AR AV IS OS SH							
	MS14518	SHEET, METAL, TITANIUM ALLOY 6AL-4V (AB-6) USER: ER GL MI REVIEWER: 84 AR AV IS	A 9535	AS	09-NOV-87	NR	AS	99	
		OS SH							
	MS14519	SHEET, METAL, TITANIUM, CP-1 [VALIDATION DATE: 9110] USER: ER GL MI	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	REVIEWER: 84 AR AV IS OS SH							
	MS14520	SHEET, METAL, TITANIUM, CP-2 [VALIDATION DATE: 9110] USER: ER GL MI	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	REVIEWER: 84 AR AV IS OS SH							
	MS14521	SHEET, METAL, TITANIUM, CP-3 [VALIDATION DATE: 9110] USER: ER GL MI	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	REVIEWER: 84 AR AV IS OS SH							
	MS14522	SHEET, METAL, TITANIUM ALLOY 6AL-4V, ELI (AB-2) [VALIDATION DATE: 9110]	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	USER: ER GL MI REVIEWER: 84 AR AV IS OS SH							
A	MS14523	PLATE, METAL, TITANIUM, CP-1 [VALIDATION DATE: 9210] USER: ER GL MI	A 9535	AS	15-OCT-92	NR	AS	99	
	NOTICE 1	REVIEWER: 84 AR AV IS OS SH							
	MS14524	PLATE, METAL, TITANIUM ALLOY 6AL-4V (AB-1) [VALIDATION DATE: 9110] USER:	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	ER GL MI REVIEWER: 84 AR AV IS OS SH							
	MS14525	PLATE, METAL, TITANIUM ALLOY 6AL-6V-2SN (AB-3) [VALIDATION DATE: 9110]	A 9535	AS	30-OCT-91	NR	AS	99	
	NOTICE 1	USER: ER GL MI REVIEWER: 84 AR AV IS OS SH							



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active QPL / OQL Coordination Machine Document Number	Document Title	Dist. Org. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
A	MS14526 NOTICE 1 MS14527 MS14528 MS14529 MS14530 MS14531	WIRE, NONELECTRICAL, ROUND, ALLOY STEEL E4340 [VALIDATION DATE: 9210] REVIEWER: EA ER IS MI BAR, METAL, RECTANGULAR, ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... BAR, METAL, ROUND, ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... BAR, METAL, HEXAGONAL, ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... BAR, METAL, SQUARE, ALLOY STEEL E4340 REVIEWER: EA ER IS MI ..... PIN, QUICK RELEASE WITH WARNING STREAMER ASSEMBLY USER: GL REVIEWER: B2 AR DP IS	A 9505 AS 02-OCT-92 MR AS 99 A 9510 AS 21-DEC-87 MR AS 99 A 9510 AS 21-DEC-87 MR AS 99 A 9510 AS 21-DEC-87 MR AS 99 A 9510 AS 21-DEC-87 MR AS 99 A 5340 AS 18-JAN-88 AV AS 99				
	MS14532 MS14533 MS14534 MS15000C	WIRE, ROUND, NONELECTRICAL, ALUMINUM ALLOY, 2011 ..... BAR, HEXAGONAL, ALUMINUM ALLOY, 2011 ..... BAR, ROUND, ALUMINUM ALLOY, 2011 ..... FITTINGS, LUBRICATION-HYDRAULIC, ACCEPTABLE TIP DESIGNS USER: AT MC ME REVIEWER: MI OS SA SH	A 9525 AS 12-JAN-90 MR AS 84 IS A 9530 AS 12-JAN-90 MR AS 84 IS A 9530 AS 12-JAN-90 MR AS 84 IS A 4730 AS 31-JAN-89 AV AS 99				
	MS15001A NOTICE 1 MS15002A NOTICE 1 MS15003 NOTICE 1 MS15004B	FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/4-28 TAPER THREADS, STEEL, TYPE I [VALIDATION DATE: 9110] FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, STRAIGHT THREADS, STEEL, TYPE II [VALIDATION DATE: 9110] FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/8 PIPE THREADS, STEEL, TYPE III [VALIDATION DATE: 9110] FITTINGS, LUBRICATION (HYDRAULIC) SURFACE CHECK, 1/4-28 TAPER THREADS, NICKEL-COPPER ALLOY, TYPE IV USER: 71 B1 AT REVIEWER: B2 AR CS MI FITTINGS, LUBRICATION, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, NICKEL-COPPER ALLOY, TYPE V [VALIDATION DATE: 8911] FITTINGS, LUBRICATION (HYDRAULIC) LEAKPROOF, 1/8 PIPE THREADS, STEEL, TYPE VI [VALIDATION DATE: 9110] FITTINGS, HOSE, WELDING & CUTTING, OXYGEN & ACETYLENE REVIEWER: AT CS ME SH	A 4730 AS 04-OCT-91 ME AS 99 A 4730 AS 04-OCT-91 ME AS 99 A 4730 AS 04-OCT-91 ME AS 99 A 4730 AS 10-FEB-89 AV AS 99 A 4730 AS 15-NOV-89 AR AS 11 A 4730 AS 04-OCT-91 ME AS 99 A 4730 B2 01-MAY-79 99				
	MS15012D	TRANSFORMER SYNCHRO OVERLOAD, 60 CYCLE AND 400 CYCLE [VALIDATION DATE: B404] USER: ER MC SH REVIEWER: 99 AR AS ES	A 5950 EC 03-OCT-63 ME EC				
L	MS15172A MS15367D	SCUPPER, OVERBOARD DISCHARGE, MARINE HARDWARE [VALIDATION DATE: 8212] ..... BATTERY, STORAGE, LEAD ACID, FOR ELECTRIC POWERED INDUSTRIAL TRUCKS AND TRACTORS USER: AS AT MC ME REVIEWER: GS SH	A 2040 SH 02-JUN-59 SH A 6140 SA 28-JUN-91 ER SA 99				
L	MS15534A	LAMP, INCANDESCENT, 1-7, CANDELABRA SCREW [VALIDATION DATE: 8302] REVIEWER: GS	A 6240 SH 19-JUL-56 SH				
	MS15535K	LAMPS, INCANDESCENT, SEALED BEAM, PAR-56, SCREW TERMINAL BASE USER: MC REVIEWER: 11 AT GS SA	A 6240 SH 05-APR-88 ME SH 99				
L	MS15557A	LAMP, INCANDESCENT, T-8 CANDELABRA, PHOFOCUSING, SINGLE CONTACT [VALIDATION DATE: 8304] REVIEWER: GS	A 6240 SH 10-AUG-56 SH				
	MS15570F	LAMP, INCANDESCENT- G- 6 BULB, SINGLE CONTACT, BAYONET CANDELABRA BASE REVIEWER: GS	A 6240 AT 02-JUN-86 AT SH 11				
	MS15720 NOTICE 1	FITTING, LUBRICATION (HYDRAULIC) THROAT OR SURFACE CHECK, 1/4-28 TAPER THREADS, CORROSION RESISTANT STEEL, TYPE VII [VALIDATION DATE: 8710] USER: MC ME REVIEWER: CS	A 4730 AS 30-OCT-87 AS 99				
	MS15721 NOTICE 1	FITTING, LUBRICATION (HYDRAULIC) THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, CORROSION RESISTANT STEEL [VALIDATION DATE: 8710] USER: MC REVIEWER: AR CS	A 4730 AS 06-JUL-54 AS 99				
D	MS15795G	WASHER, FLAT METAL, ROUND, GENERAL PURPOSE (IN./MM) USER: ER MC ME SH YD1 REVIEWER: AT AV IS MI NS	A 5310 AR 10-JUL-86 AR AS 99				
	MS15981D NOTICE 1 MS15983A L MS16036C	FASTENERS, EXTERNALLY THREADED, SELF-LOCKING, DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 9103] REVIEWER: B2 IS MI NUT, PLAIN, PLATE, NON-COUNTERSUNK [VALIDATION DATE: 8006] REVIEWER: IS ... BELT, AIRCRAFT SAFETY, PILOT'S AUTOMATIC RELEASE, CARTRIDGE OPERATED [VALIDATION DATE: 8303]	A 5305 AS 25-MAR-91 AS 99 A 5310 AS 05-APR-57 AS A 1680 AS 16-OCT-61 AS				
L	MS16051F	COUPLING, GROUND COOLING, COMBAT TYPE AIRCRAFT REVIEWER: CS .....	A 4730 AS 16-JAN-87 AS				
L	MS16052B NOTICE 1 MS16057F NOTICE 1 MS16062C NOTICE 1 MS16068A NOTICE 1 MS16069A NOTICE 1 MS16070E NOTICE 1 MS16142C	AIR INLET, COMBAT AIRCRAFT, GROUND COOLING [VALIDATION DATE: 9110] ..... INVERTER, 100/60 VA, 3/1 PHASE TO 100 VA, 1 PHASE, CLASS B, MULTIPURPOSE [VALIDATION DATE: 8712] USER: AV CG MC REVIEWER: B0 ER GS MI INVERTER, 2500 VA, 3/1 PHASE, CLASS B [VALIDATION DATE: 8809] REVIEWER: GS MI HARNES, AIRCRAFT SAFETY, PILOT'S SHOULDER V TYPE [VALIDATION DATE: 9110] . HARNES, AIRCRAFT SAFETY, PILOT'S SHOULDER Y TYPE [VALIDATION DATE: 9110] . BELT, AIRCRAFT SAFETY, CREWMAN'S [VALIDATION DATE: 9110] .....	A 1660 AS 30-OCT-91 AS A 6125 AS 31-DEC-87 ME AS 99 A 6125 AS 02-SEP-88 AS A 1680 AS 30-OCT-91 AS A 1680 AS 30-OCT-91 AS A 1680 AS 30-OCT-91 AS 99				
L	MS16187B	BOSS, GASKET SEAL STRAIGHT THREAD TUBE FITTING, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8411] USER: ME REVIEWER: MI STUD, CONTINUOUS THREAD (BOLT-STUD), B16 ALLOY STEEL HIGH TEMPERATURE SERVICE (B75 D EG-1000 DEG F) [VALIDATION DATE: 8101] REVIEWER: B2 IS SCREWS, WOOD, SLOTTED ROUND HEAD, AUSTENITIC CORROSION RESISTING STEEL, NON-MAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS MI SCREWS, WOOD, SLOTTED, FLAT COUNTERSUNK (B2 DEG.) HEAD, COPPER-SILICON ALLOY, NONMAGNETIC [VALIDATION DATE: 9103]	A 4730 SH 21-JUN-79 SH A 5307 AR 01-OCT-63 AR SH 99 A 5305 SH 27-MAR-91 SH A 5305 SH 27-MAR-91 SH				
L	MS16198A NOTICE 1 MS16199B NOTICE 1 MS16201A NOTICE 2 MS16203C	BOLTS, LAG, CONE POINT, COUNTERSUNK FLATHEAD, SLOTTED, COPPER-SILICON ALLOY, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS NUT, PLAIN, HEXAGON, AND HEXAGON JAM, UNC-2B, NONMAGNETIC [VALIDATION DATE: 8203] USER: SH REVIEWER: AT AV IS MC ME MI BOLT, FINNED HECK, COUNTERSUNK FLATHEAD, UNC-2A, NON-MAGNETIC [VALIDATION DATE: 8606] REVIEWER: IS BOLTS, MACHINE, REGULAR SEMI-FINISHED HEXAGON HEAD, COPPER-SILICON ALLOY (SILICON BRONZE), UNC-2A, NON-MAGNETIC [VALIDATION DATE: 9103] USER: ME REVIEWER: IS MI	A 5306 SH 27-MAR-91 SH 99 A 5310 AR 29-JAN-69 AR 99 A 5306 SH 30-JUN-86 SH 99 A 5306 SH 27-MAR-91 SH				
L	MS16206A NOTICE 2 MS16207C NOTICE 2 MS16208B	BOLTS, MACHINE, HEXAGON HEAD, REGULAR SEMI-FINISHED, ALUMINUM ALLOY, UNC-2A NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS ME BOLTS, SQUARE HECK, (CARRIAGE BOLT), ROUND HEAD, UNC-2A, COPPER-SILICON ALLOY, NONMAGNETIC [VALIDATION DATE: 9103] USER: ME REVIEWER: IS BOLTS, MACHINE, HEXAGON HEAD, SEMIFINISHED CORROSION RESISTING STEEL UNC-2A, NONMAGNETIC REVIEWER: IS ME MI	A 5306 SH 27-MAR-91 SH A 5306 SH 27-MAR-91 SH 99 A 5306 SH 29-NOV-89 SH				
L	MS16211A NOTICE 1 MS16212B NOTICE 1 MS16213B NOTICE 1 MS16215A NOTICE 1 MS16216B NOTICE 1 MS16217A NOTICE 1 MS16218B NOTICE 1	NUTS, PLAIN, SQUARE, REGULAR, UNFINISHED, COPPER-SILICON ALLOY, UNC-2B NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS WASHERS, FLAT, METAL, ROUND, MEDIUM SERIES, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS ME MI WASHERS, LOCK, FLAT, EXTERNAL TOOTH, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: ME MI SCREWS, WOOD, SLOTTED OVAL HEAD B2 DEG. AUSTENITIC, CORROSION RESISTING STEEL, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS MI SCREWS, WOOD, SLOTTED ROUND HEAD, COPPER-SILICON ALLOY, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS MI SCREWS, WOOD, SLOTTED FLAT HEAD, B2 DEGREE, AUSTENITIC, CORROSION-RESISTING STEEL, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS MI SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC [VALIDATION DATE: 9103] REVIEWER: IS	A 5310 SH 27-MAR-91 SH A 5310 SH 27-MAR-91 SH A 5310 SH 27-MAR-91 SH A 5305 SH 27-MAR-91 SH A 5305 SH 27-MAR-91 SH A 5305 SH 27-MAR-91 SH A 5305 SH 27-MAR-91 SH A 5305 SH 27-MAR-91 SH				



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Aeronautics / Civil Engineering / Mechanical / Electrical / Chemical / Industrial / Marine / Naval Architecture / Shipbuilding / Ship Repair / Ship Maintenance / Ship Construction / Ship Design / Ship Production / Ship Operation / Ship Management / Ship Safety / Ship Security / Ship Environment / Ship Health / Ship Welfare / Ship Education / Ship Training / Ship Research / Ship Development / Ship Innovation / Ship Progress / Ship Success / Ship Achievement / Ship Excellence / Ship Quality / Ship Reliability / Ship Durability / Ship Performance / Ship Efficiency / Ship Effectiveness / Ship Productivity / Ship Profitability / Ship Competitiveness / Ship Sustainability / Ship Resilience / Ship Adaptability / Ship Flexibility / Ship Scalability / Ship Growth / Ship Expansion / Ship Diversification / Ship Innovation / Ship Progress / Ship Success / Ship Achievement / Ship Excellence / Ship Quality / Ship Reliability / Ship Durability / Ship Performance / Ship Efficiency / Ship Effectiveness / Ship Productivity / Ship Profitability / Ship Competitiveness / Ship Sustainability / Ship Resilience / Ship Adaptability / Ship Flexibility / Ship Scalability / Ship Growth / Ship Expansion / Ship Diversification	Doc. Title	Doc. No.	Date	Custodian	Army	Navy	Air Force	DIA
L	MS16219A NOTICE 1	SCREWS, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, NONMAGNETIC, CORROSION RESISTING STEEL, PASSIVATED, UNC-2A [VALIDATION DATE: 9103] USER: ME REVIEWER: IS	A 5305	SH	27-MAR-91		SH	
	MS16228A	NUT, SELF-LOCKING, HEXAGON-THIN, UNC 3B (NON METALLIC INSERT) AUSTENITIC CORROSION RESISTANT STEEL, NONMAGNETIC, 250 DEG. F [VALIDATION DATE: 8107] REVIEWER: B2 IS ME MI SH	A 5310	AS	04-OCT-68	AV	AS	99
L	MS16285 NOTICE 1	NUTS, HEXAGON, SEMIFINISHED, HEAVY, UNC-2B AND 8H-2B, HIGH TEMPERATURE - TO 1000 DEG. F [VALIDATION DATE: 9103] REVIEWER: IS ME MI	A 5310	SH	27-MAR-91		SH	
L	MS16286 NOTICE 1	NUTS, HEXAGON, FINISHED, UNC-2B AND 8H-2B, HIGH TEMPERATURE - TO 1000 DEG. F [VALIDATION DATE: 9103] REVIEWER: IS	A 5310	SH	27-MAR-91		SH	
I	MS16403D NOTICE 1	TRANSFORMER, POWER, STEP-DOWN AND STEP-UP, TYPE TF4RX03JB221 [VALIDATION DATE: 8808] USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES SH	A 5950	EC	04-AUG-88	ER	EC	85
I	MS16450F	TRANSFORMER, POWER, STEP-DOWN, TYPE TF4RX02MA203 USER: 14 19 CG MC MI REVIEWER: 11 17 AR SH	A 5950	EC	20-MAR-86	ER	EC	85
I	MS16465B NOTICE 1	INDUCTOR, POWER, TYPE TF4RX04FA207 [VALIDATION DATE: 8808] USER: 14 19 CG MC REVIEWER: 11 17 80 AR SH	A 5950	EC	04-AUG-88	ER	EC	85
I	MS16469C NOTICE 1	INDUCTOR, POWER, TYPE TF4RX04KB211 [VALIDATION DATE: 8808] USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES SH	A 5950	EC	04-AUG-88		EC	85
I	MS16471E NOTICE 1	TRANSFORMER, POWER, STEP-DOWN, TYPE TF4SX01GA209 [VALIDATION DATE: 8808] USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES SH	A 5950	EC	04-AUG-88	ER	EC	85
I	MS16472C NOTICE 1	TRANSFORMER, POWER, STEP-DOWN TYPE TF4SX01FA208 [VALIDATION DATE: 8808] USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES	A 5950	EC	04-AUG-88	ER	EC	85
I	MS16473C NOTICE 1	TRANSFORMER, POWER, STEP-DOWN TYPE TF4SX01EA207 [VALIDATION DATE: 8808] USER: 14 19 CG ES MC MI REVIEWER: 11 17 AR	A 5950	EC	04-AUG-88	ER	EC	85
I	MS16474C NOTICE 1	TRANSFORMER, POWER, STEP-DOWN, TYPE TF4SX01EB206 [VALIDATION DATE: 8808] USER: 14 19 CG MC MI REVIEWER: 11 17 AR ES	A 5950	EC	04-AUG-88	ER	EC	85
L	MS16476A NOTICE 1	INDUCTOR, (REACTOR) TYPE TF4SX04EB214 [VALIDATION DATE: 8808] REVIEWER: ES MI	A 5950	EC	04-AUG-88		EC	
	MS16535J	RIVET - TUBULAR, OVAL HEAD USER: ER MC ME REVIEWER: B2 EA GL IS MI	A 5320	AR	26-MAY-92	AR	OS	99
	MS16536A	RIVET - TUBULAR, 150 DEG. FLAT COUNTERSUNK HEAD [VALIDATION DATE: 8304] USER: AT ER GL MC REVIEWER: IS MI	A 5320	AR	12-NOV-69	AR		99
D	MS16555C	PIN, STRAIGHT, HEADLESS (DOMEL), (.0002 OVER NOMINAL SIZE) USER: AS YD1 REVIEWER: B2 AT AV EA IS MI	A 5315	AR	19-AUG-85	AR	OS	99
	MS16556B	PIN, STRAIGHT, HEADLESS (DOMEL), (.001 OVER NOMINAL SIZE) [VALIDATION DATE: 8203] USER: AS REVIEWER: B2 AV IS ME MI SA	A 5315	AR	08-SEP-76	AR	OS	99
L	MS16562C	PIN, SPRING, TUBULAR, SLOTTED USER: MC SH REVIEWER: B2 AV IS ME MI WS	A 5315	AR	14-MAR-86	AR	OS	99
L	MS16563B	LAMP, INCANDESCENT, R-30 MEDIUM SCREW [VALIDATION DATE: 8306] REVIEWER: GS	A 6240	SH	12-JAN-62	SH		
L	MS16569E NOTICE 1	SWITCH, TOGGLE, DOUBLE POLE, SINGLE THROW (FOR USE IN LIGHTING FIXTURES) [VALIDATION DATE: 8912]	A 5930	SH	11-DEC-89		SH	
	MS16624C	RING, RETAINING, EXTERNAL, BASIC (TAPERED SECTION TYPE) USER: AS AT MC REVIEWER: 11 82 85 AV ER GL MI	A 5365	OS	18-APR-90	AR	OS	99
	MS16625C	RING, RETAINING, INTERNAL, BASIC (TAPERED SECTION TYPE) [VALIDATION DATE: 8204] USER: ME REVIEWER: B2 MI	A 5365	OS	13-AUG-68	AR	OS	99
	MS16626B	RING, RETAINING, EXTERNAL, INVERTED (TAPERED SECTION TYPE) USER: AT MC ME REVIEWER: AV MI	A 5365	OS	26-JAN-90	AR	OS	99
	MS16627B	RING, RETAINING, INTERNAL, INVERTED (TAPERED SECTION TYPE) USER: AT ME REVIEWER: AV IS MI	A 5365	OS	14-MAY-90	AR	OS	99
	MS16628B	RING, RETAINING, EXTERNAL, BOMED (TAPERED SECTION TYPE) USER: MC REVIEWER: B2 AV GL MI	A 5365	OS	04-MAY-90	AR	OS	99
	MS16629D	RING, RETAINING, INTERNAL, BOMED (TAPERED SECTION TYPE) USER: AT MC ME REVIEWER: B2 AV IS MI	A 5365	OS	20-APR-90	AR	OS	99
	MS16630B	RING, RETAINING, EXTERNAL, BEVELED (TAPERED SECTION TYPE) USER: AT MC ME REVIEWER: AV GL MI	A 5365	OS	18-APR-89	AR	OS	99
	MS16631D	RING, RETAINING, INTERNAL, BEVELED (TAPERED SECTION TYPE) USER: AT MC REVIEWER: B2 AV IS MI	A 5365	OS	07-MAY-90	AR	OS	99
	MS16632B	RING, RETAINING, EXTERNAL, CRESCENT (REDUCED SECTION TYPE) USER: AT EL GL MC REVIEWER: IS MI	A 5365	OS	30-APR-90	AR	OS	99
	MS16633C	RING, RETAINING, EXTERNAL, "E" (REDUCED SECTION TYPE) USER: AT MC REVIEWER: AV GL MI	A 5365	OS	24-APR-90	AR	OS	99
	MS16634B	RING, RETAINING, EXTERNAL, BOMED "E" (REDUCED SECTION TYPE) USER: AT GL REVIEWER: IS MC MI	A 5365	OS	02-MAY-90	AR	OS	99
L	MS16656F NOTICE 1	SWITCH, TOGGLE, SINGLE POLE, SINGLE THROW [VALIDATION DATE: 8605] USER: ME REVIEWER: ES	A 5930	SH	21-MAY-86		SH	
L	MS16662H NOTICE 1	GENERAL NOTES FOR STANDARD ELECTRICAL DRAWINGS [VALIDATION DATE: 8911] ....	A DRPR	SH	13-NOV-89		SH	
D	MS16679A NOTICE 1	INSULATOR, BUSHING, SPARK PLUG CABLE TERMINAL (OTHER THAN AIRCRAFT) [VALIDATION DATE: 8709] USER: MC ME REVIEWER: 99 GS	A 5970	AT	09-SEP-87	AT	YD1	85
L	MS16686 NOTICE 1	MEDICAL SERVICES SYMBOL [VALIDATION DATE: 8202] USER: GL MC	A 8455	DM	02-MAY-58	MD	OS	03
L	MS16711 NOTICE 1	SHACKLE, OFFSET PLATE [VALIDATION DATE: 8606] REVIEWER: IS	A 4030	SH	19-JUN-86		SH	
L	MS16747A	INSERT, BRASS (FOR MOLDED ELECTRICAL FITTING) [VALIDATION DATE: 8505] REVIEWER: ES	A 5935	EC	13-APR-78		EC	
D	MS16791B NOTICE 1	CLAMP, GUY (POLE LINE) [VALIDATION DATE: 8009] USER: MC ME	A 4030	ER	20-NOV-67	ER	YD1	99
L	MS16822 NOTICE 1	CHOCK, ROPE, CLOSED, MARINE HARDWARE [VALIDATION DATE: 8707] .....	A 2040	SH	06-JUL-87		SH	
L	MS16833A NOTICE 1	SHACKLE; STRAP AND PIN - MOORING, MARINE HARDWARE [VALIDATION DATE: 9103] .	A 2040	SH	21-MAR-91		SH	
D	MS16842E	CLAMP, WIRE ROPE, SADDLED, SINGLE GRIP STEEL USER: AT AV MC YD1 REVIEWER: B2 EL GL ME	A 4030	AR	18-JUL-84	AR	SH	99
D	MS16843E	CLAMP, WIRE ROPE (DOUBLE GRIP) THREADED, STEEL [VALIDATION DATE: 8604] USER: AT MC YD1 REVIEWER: ER GL IS ME	A 4030	AR	10-APR-86	AR	SH	99
L	MS16858A NOTICE 1	VALVE, GAS INLET, NONMAGNETIC [VALIDATION DATE: 8411] REVIEWER: CS	A 4820	SH	07-JUL-78		SH	
	MS16885C	CHUCK PLATE FOR DRAFTING MACHINE SCALES (USE MIL-D-3898/1) USER: MC REVIEWER: GS	A 6675	SH	11-APR-85	ME	SH	99
	MS16910 NOTICE 1	CARDS, CHARTS, PRINTED FORMS AND PRINTED FORM SETS .....	A 7530	SA	20-APR-59		SA	
	MS16974A	BATTERY, STORAGE, TYPE(EX) FOR 4,000 71800KG/6,000 (27000) POUND CAPACITY, FORK LIFT TRUCKS REVIEWER: GS	A 6140	SA	18-JUL-86	ER	SA	99
D	MS16992F NOTICE 1	SCREW, LAG (BOLT), HEX HEAD, GIMLET POINT [VALIDATION DATE: 9303] USER: MC ME REVIEWER: B2 AV EA IS	A 5306	YD1	23-MAR-93	AR	YD1	99
D	MS16993B	PLUG, FUSIBLE, REFRIGERANT-12 [VALIDATION DATE: 8402] USER: MD REVIEWER: IS MI	A 5340	GL	22-JUN-78	GL	YD1	99
	MS16994D NOTICE 1	NUT, PLAIN, KNULED USER: OS SH REVIEWER: IS MI	A 5310	AR	07-DEC-79	AR		99
	MS16995F	SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNC-3A USER: MC SH REVIEWER: 11 IS MI	A 5305	AR	22-FEB-91	AR	OS	99
	MS16996E	SCREW, CAP, SOCKET HEAD-HEXAGON, CORROSION RESISTANT STEEL, UNF-3A USER: MC SH REVIEWER: 11 IS MI	A 5305	AR	28-SEP-88	AR	OS	99
	MS16997D	SCREW, CAP, SOCKET HEAD AND SCREW, CAP, SOCKET HEAD, SELF LOCKING, ALLOY STEEL, CADMIUM PLATED, UNC-3A [VALIDATION DATE: 8304] REVIEWER: AT AV EA IS MI OS	A 5305	AR	31-DEC-76	AR	AS	99
	MS16998E	SCREW, CAP, SOCKET HEAD AND SCREW, CAP, SOCKET HEAD, SELF LOCKING, ALLOY STEEL, CADMIUM PLATED, UNC-3A [VALIDATION DATE: 8304] USER: MC SH REVIEWER: AT AV EA IS MI OS	A 5305	AR	31-DEC-76	AR	AS	99
L	MS17005 NOTICE 1	BOAT ANCHORS AND ANCHORROCKS (TAILS), MARINE HARDWARE [VALIDATION DATE: 9103]	A 2040	SH	21-MAR-91		SH	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Chg / Cmt Circulation Inches	Document Number	Document Title	Dist. Stmt. FSC / Area	MCA Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MS17006 NOTICE 1	STARS, BOAT BOW INSIGNIA, MARINE HARDWARE [VALIDATION DATE: 9103] .....	A 2040	SH	21-MAR-91	SH			
L	MS17038 NOTICE 1 MS17102A	MUMERAL, BOAT BOW, MARINE HARDWARE [VALIDATION DATE: 8801] .....	A 2040	SH	27-JAN-88	SH			
L	MS17106B MS17107A	BEARING, BALL, THRUST, METRIC, SELF-ALIGNING [VALIDATION DATE: 8502] USER: MC MI REVIEWER: IS	A 3110	AT	20-FEB-68	AT			
		MAIL, RINGED (FETTER RING) [VALIDATION DATE: 8104] REVIEWER: IS .....	A 5315	SH	06-APR-64	SH			
		BEARING, BALL, AMMULAR, PRIMARILY FOR AIRCRAFT MOTOR-GENERATORS, TYPE I [VALIDATION DATE: 8101] REVIEWER: IS MI	A 3110	AS	20-APR-70	AT	AS		
	MS17108A NOTICE 1 MS17130F	BEARING, BALL, AMMULAR, PRIMARILY FOR AIRCRAFT GENERATORS, TYPE II [VALIDATION DATE: 9110]	A 3110	AS	04-OCT-91	AT	AS		
	MS17131H	RING, BEARING, INNER, FOR NEEDLE ROLLER BEARING WITH DRAWN OUTER RING USER: AR GL REVIEWER: 84 AV IS MC	A 3110	AT	28-SEP-81	AT	OS	99	
		BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN AND CLOSED END, STANDARD TYPE USER: AR GL MC SH REVIEWER: 84 AV IS ME MI	A 3110	AT	08-NOV-83	AT	OS	99	
	MS17133B	BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROLL [VALIDATION DATE: 8502] USER: MC MI REVIEWER: 84 IS ME MI	A 3110	AT	08-MAR-68	AT		99	
LI	MS17134 NOTICE 1	CONTACT ASSEMBLY, ELECTRICAL, DRY REED TYPE, S.P.S.T. REVIEWER: ES .....	A 5930	SH	27-DEC-90	SH			
L	MS17135A NOTICE 1	SWITCH, TILT, MAGNETIC [VALIDATION DATE: 8912] REVIEWER: ES .....	A 5930	SH	11-DEC-89	SH			
L	MS17140B NOTICE 1 MS17143F	LENSES, INDICATOR LIGHT (INCANDESCENT) PLASTIC FLUSH TYPE [VALIDATION DATE: 9012] REVIEWER: GS	A 6210	SH	18-DEC-90	SH			
		TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 DEG. C. TOTAL CONDUCTOR TEMPERATURE USER: AT MC ME OS REVIEWER: 11 99 EC MI SH	A 5940	AS	05-JUN-81	ER	AS	85	
L	MS17153A	WINDOW, LIGHTING FIXTURE, INCANDESCENT, PLASTIC, DISC SHAPED [VALIDATION DATE: 8302] REVIEWER: GS	A 6210	SH	12-AUG-65	SH			
L	MS17155B	TERMINAL, STUD FEEDTHRU, SINGLE [VALIDATION DATE: 8006] USER: ME REVIEWER: 85 99 GS MI	A 5940	AS	06-MAR-63	AS			
L	MS17156A	TERMINAL, STUD, FEEDTHRU, SINGLE DOUBLE [VALIDATION DATE: 8006] REVIEWER: 85 GS MI	A 5940	AS	06-MAR-63	AS			
L	MS17157A	TERMINAL, STUD, FEEDTHRU, DOUBLE DOUBLE [VALIDATION DATE: 8006] USER: ME REVIEWER: 85 GS MI	A 5940	AS	06-MAR-63	AS			
	MS17161C	BEARING, BALL, THRUST, INCH AND METRIC SIZES, GROOVED RACE SURFACE RIGID OR FLAT SEAT TYPE [VALIDATION DATE: 8502] USER: MC REVIEWER: 84 AR IS MI	A 3110	AT	30-JUN-80	AT		99	
	MS17162A	BEARING, BALL, THRUST, INCH SIZE, SINGLE DIRECTION, FLAT RACE SURFACE, STAGGERED BALL TYPE [VALIDATION DATE: 8502] USER: MC MI REVIEWER: 84 AR IS	A 3110	AT	20-FEB-68	AT		99	
	MS17163B	LAMP INCANDESCENT, PAR-46 12 VOLT FLOODLAMP 2 CONTACT LUGS USER: MC REVIEWER: 82 GS	A 6240	ME	05-MAR-84	ME	AS	99	
	MS17165B	LAMP INCANDESCENT, PAR-46 24 VOLT FLOODLAMP 2 CONTACT LUGS USER: MC REVIEWER: 82 GS	A 6240	ME	05-MAR-84	ME	AS	99	
D	MS17166C NOTICE 1 MS17169A	LAMP INCANDESCENT, PAR-46, 24 VOLT HEADLAMP 2 CONTACT LUGS [VALIDATION DATE: 9210] USER: MC YDI REVIEWER: 82	A 6240	ME	15-OCT-92	ME	AS	99	
		BEARING, ROLLER, THRUST, TWO CHANNLED RACE SURFACE, RIGID OR FLAT SEAT TYPE USER: MC MI REVIEWER: 84 AR IS	A 3110	AT	20-FEB-68	AT		11	
L	MS17172B NOTICE 1 MS17182E	TERMINAL, STUD THREADED DOUBLE TURRET [VALIDATION DATE: 9110] .....	A 5940	AS	23-OCT-91	AS			
		TERMINAL LUG, CRIMP STYLE, COPPER, INSULATED (SERVO COMPONENTS) TYPE II, CLASS I, FOR 125 DEG. C TOTAL CONDUCTOR TEMPERATURE REVIEWER: 11 99 AV EC ER ES GS MI SH	A 5940	AS	08-JUN-81	AR	AS	85	
L	MS17183A	CLAMP ASSEMBLY (SYNCHRO) [VALIDATION DATE: 8509] REVIEWER: AV ES MI .....	A 5990	AS	17-MAR-67	AS			
L	MS17184	SCREW, EXTERNALLY RELIEVED BODY (SYNCHRO) [VALIDATION DATE: 8509] REVIEWER: ES MI	A 5990	AS	20-SEP-60	AS			
L	MS17185	CLAMP (SYNCHRO) [VALIDATION DATE: 8509] REVIEWER: ES MI .....	A 5990	AS	20-SEP-60	AS			
L	MS17186A	WASHER, KEY-DRIVE (SYNCHRO) [VALIDATION DATE: 8108] REVIEWER: ES MI .....	A 5310	AS	09-APR-65	AS			
L	MS17187B	NUT, HEXAGON (SYNCHRO) [VALIDATION DATE: 8204] REVIEWER: ES IS .....	A 5310	OS	09-APR-65	OS			
L	MS17188B	WASHER, FLAT (ROUND), GRES USER: ME REVIEWER: ES IS MI .....	A 5310	AR	31-AUG-87			99	
D	MS17241B NOTICE 1	HEAT INTERCHANGER, REFRIGERANT&12 [VALIDATION DATE: 8710] USER: CE SH	A 4130	GL	01-OCT-87	GL	YDI	82	
D	MS17242B NOTICE 1	STRAINER, SEDIMENT REFRIGERANT&12 [VALIDATION DATE: 8710] REVIEWER: GS ME	A 4130	GL	01-OCT-87	GL	YDI	82	
D	MS17243C	VALVE, ANGLE, SHUT-OFF, PACKED, RECEIVER, REFRIGERANT-12 [VALIDATION DATE: 8402] USER: MC REVIEWER: GS ME	A 4130	GL	13-APR-78	GL	YDI	99	
	MS17245E	LIGHT, COCKPIT, UTILITY [VALIDATION DATE: 8904] REVIEWER: GS .....	A 6220	B2	10-APR-89	AV	AS	99	
	MS17246B	MOD/ BASE, COCKPIT UTILITY REVIEWER: GS .....	A 6220	B2	08-JUL-88	AV	AS	99	
	MS17248C	VALV COMPRESSOR SERVICE, REFRIGERANT-12 [VALIDATION DATE: 8402] REVIEWER: GS ME	A 4130	GL	21-DEC-77	GL		99	
L	MS17269L	BLOK, BRUSHLESS, CONTINUOUS DUTY, GARMENT VENTILATION, MARK 5, AIR OSURE SUIT [VALIDATION DATE: 8303]	A 1660	AS	15-MAY-75	AS			
L	MS17287B	LIGHT, ATION MARKING BOX, SP SYM, NO. 285 FOR NIGHT REPLENISHMENT OPERATIONS REVIEWER: GS	A 6230	SH	15-JUN-88	SH			
	MS17291C NOTICE 1	RECEIVER, LIQUID REFRIGERANT 12 [VALIDATION DATE: 8710] USER: CE MC REVIEWER: GS ME	A 4130	GL	01-OCT-87	GL		99	
L	MS17294	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS	A 5307	AS	07-SEP-61	AS			
L	MS17295	STUD STEPPED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 (MIL-S-8879THREAD) [VALIDATION DATE: 8204] REVIEWER: IS MI	A 5307	AS	07-SEP-61	AS			
L	MS17296	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS	A 5307	AS	07-SEP-61	AS			
L	MS17299	STUD-STRAIGHT, .190-24 X .190-32 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS	A 5307	AS	07-SEP-61	AS			
L	MS17300	STUD-STRAIGHT, .250-20 X .250-28 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] USER: ME REVIEWER: IS	A 5307	AS	07-SEP-61	AS			
L	MS17301	STUD-STRAIGHT, .3125-18X .3125-24 (MIL-S-8879 THREAD) [VALIDATION DATE: 8204] REVIEWER: IS	A 5307	AS	07-SEP-61	AS			
L	MS17312	RIVET FOR SAFETY CHAIN TYPE II, CLASS 6, NO. 0 [VALIDATION DATE: 8104] REVIEWER: IS	A 5320	SH	31-JUL-61	SH			
L	MS17315 NOTICE 1	LIGHT, POLARITY-150 WATT SYMBOL 215 [VALIDATION DATE: 9103] REVIEWER: GS ..	A 6220	SH	15-MAR-91	SH			
	MS17319	BUSHING - SCREW, PLAIN (MIL-S-8879 THREAD) [VALIDATION DATE: 8312] .....	A 4730	AS	06-SEP-61	AS		99	
L	MS17320F NOTICE 1	MOUNTING DEVICES FOR AIRCRAFT ELECTRIC EQUIPMENT, QUICK-ATTACH-DETACH, CIRCULAR 5, 8 AND 10 INCH [VALIDATION DATE: 8712]	A 6115	AS	31-DEC-87	AS			
	MS17330A NOTICE 1	ADAPTER, BATTERY TERMINAL USER: AS GL MC REVIEWER: ER GS .....	A 5940	AT	20-OCT-86	AT	SH	85	
L	MS173330 NOTICE 1	TRANSMISSION, POWER, CONSTANT SPEED 17 HP AND 21.7 HP [VALIDATION DATE: 8803] REVIEWER: GS	A 6115	AS	15-MAR-88	AS			
L	MS17334P	BATTERY, STORAGE, AIRCRAFT, 24 VOLT, HEAVY DUTY, 1/3 AMPERE HOUR REVIEWER: GS	A 6140	AS	22-APR-82	AS			
L	MS17335G	CONVERTER, 100 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED .....	A 6130	AS	30-SEP-88	AS			
A	MS17342B NOTICE 1	ADAPTER, (STEP UP) CABLE SEALING [VALIDATION DATE: 9206] USER: ME REVIEWER: 11 ES	A 5935	EC	03-JUN-92	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action OR / ONL Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Acty. Date	Custodians			
						Army	Navy	Air Force	DIA
D	MS17343D	CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING USER: 14 19 CG MC ME OS REVIEWER: 99 AR AS ES MI YD1	A 5935	EC	12-AUG-87	CR	EC	11	
D	MS17344D	CONNECTOR, PLUG, ELECTRIC, STRAIGHT USER: 14 19 CG MC REVIEWER: 11 99 AR AS ES MI OS YD1	A 5935	EC	12-AUG-87	CR	EC	85	
D	MS17345D	CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING, (FEMALE) USER: 14 19 CG MC OS REVIEWER: 17 AR AS ES MI YD1	A 5935	EC	12-AUG-87	CR	EC	11	
D	MS17346D	CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING USER: 14 19 CG MC REVIEWER: 17 AR AS ES MI OS YD1	A 5935	EC	12-AUG-87	CR	EC	11	
D	MS17347D	CONNECTOR, RECEPTACLE, ELECTRICAL JAM-MUT USER: 14 19 CG MC REVIEWER: 17 AR AS ES MI OS YD1	A 5935	EC	12-AUG-87	CR	EC	11	
D	MS17348D	CONNECTOR, RECEPTACLE, ELECTRICAL JAM-MUT (BOX) USER: 14 19 CG MC ME REVIEWER: 17 AR AS ES MI OS YD1	A 5935	EC	12-AUG-87	CR	EC	11	
	MS17349C	CAP, PROTECTIVE, RECEPTACLE USER: 14 19 CG MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5935	EC	12-AUG-87	CR	EC	85	
	MS17350C	CAP, PROTECTIVE, PLUG USER: 14 19 CG MC ME REVIEWER: 11 17 AR AS ES MI OS	A 5935	EC	12-AUG-87	CR	EC	85	
L	MS17394	TRANSMITTER, RATE GYROSCOPE T-751/AJB-3A [VALIDATION DATE: 8305] .....	A 6615	AS	15-JAN-64			AS	
L	MS17398B	GYROSCOPE, DISPLACEMENT, ROLL AND PITCH [VALIDATION DATE: 8403] .....	A 6610	AS	23-JUN-71			AS	
L	MS17399C	GYROSCOPE, RATE SWITCHING [VALIDATION DATE: 9110] .....	A 6610	AS	23-OCT-91			AS	
	NOTICE 1								
L	MS17400B	INDICATOR, ATTITUDE, REMOTE - 3 INCH CASE [VALIDATION DATE: 8303] .....	A 6610	AS	15-JUL-64			AS	
L	MS17401C	INDICATOR, ATTITUDE, REMOTE - 5 INCH CASE [VALIDATION DATE: 8712] .....	A 6610	AS	09-DEC-87			AS	
	NOTICE 1								
	MS17404B	INVERTER, AIRCRAFT, 2500 VA, 3/1 PHASE, 400 CYCLE, CLASS B, MULTI-PURPOSE [VALIDATION DATE: 8809] REVIEWER: GS	A 6125	AS	02-SEP-88	ME	AS	99	
	NOTICE 1								
	MS17406C	INVERTER, 750 VA 3/1 PHASE, 750 VA 3 PHASE, AND 1000 VA 1 PHASE CLASS B, MULTI-PURPOSE [VALIDATION DATE: 8712] REVIEWER: 80 AV ER GS	A 6125	AS	31-DEC-87	ME	AS	99	
	NOTICE 1								
	MS17731C	FASTENER, ROTARY, QUICK-OPERATING, FLUSH HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH [VALIDATION DATE: 9110]	A 5325	AS	04-OCT-91	AV	AS	11	
	NOTICE 1								
	MS17732C	FASTENER, ROTARY, QUICK-OPERATING, PROTRUDING HEAD, FLOATING TYPE, 2210 LBS MIN TENSILE STRENGTH [VALIDATION DATE: 9110]	A 5325	AS	04-OCT-91	AV	AS	11	
	NOTICE 1								
	MS17778C	INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 104 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS [VALIDATION DATE: 8912] USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH	A 5935	EC	15-DEC-89	CR	EC	85	
	NOTICE 1								
	MS1779C	INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 104 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AV MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH	A 5935	EC	15-DEC-89	CR	EC	85	
	NOTICE 1								
L	MS17781A	LIGHT, STATION KEEPING STARBOARD-PORT-FULL AFT REVIEWER: GS .....	A 6220	SH	12-OCT-88		SH		
	MS17793B	SCHEMATIC WIRING DIAGRAM (EXTERNAL AC POWER CONNECTOR, AIRCRAFT) [VALIDATION DATE: 8108] USER: MC REVIEWER: 17 ES	A 5935	AS	18-DEC-74	ME	AS	85	
L	MS17794	CRITERIA, JET ELECTRICAL STARTING SYSTEM, DC [VALIDATION DATE: 8004] .....	A MISC	AS	12-FEB-62		AS		
	MS17795A	BEARING, SLEEVE, PLAIN TYPE, SINTERED BRONZE, OIL IMPREGNATED USER: AV REVIEWER: 84 AR IS MI	A 3120	OS	09-NOV-84	AT	OS	99	
	MS17796A	BEARING, SLEEVE, FLANGE TYPE, SINTERED BRONZE, OIL IMPREGNATED USER: SH REVIEWER: 82 AV IS MC MI SA	A 3120	OS	09-NOV-84	AT	OS	99	
D	MS17798D	INDICATOR, SIGHT, LIQUID, REFRIGERANT [VALIDATION DATE: 8704] USER: CE ME REVIEWER: GS MD	A 6680	GL	13-APR-87	GL	YD1		
	NOTICE 1								
	MS17810A	VALVES, CHECK, REFRIGERANT-12 [VALIDATION DATE: 9203] USER: CE MC REVIEWER: GS ME	A 4130	GL	27-MAR-92	GL		99	
	NOTICE 1								
	MS17811A	WASHER, THRUST, STEEL USER: ME REVIEWER: IS MI .....	A 3120	OS	29-APR-88	AT	OS		
	MS17814C	COUPLING, FRANGIBLE, AVIATION GROUND LIGHTS [VALIDATION DATE: 8408] REVIEWER: GS	A 6210	B2	09-JUN-72		AS	99	
D	MS17815B	CLAMP, CABLE, AVIATION GROUND LIGHTS USER: YD1 REVIEWER: GS .....	A 6210	B2	17-JUN-83		AS	99	
	NOTICE 1								
	MS17820	INSERT, HELICAL COIL INSTALLATION THREAD: DESIGN STANDARD FOR [VALIDATION DATE: 9205] REVIEWER: IS	A 5340	AS	15-MAY-92	AV	AS		
	MS17825G	NUT, SELF-LOCKING, CASTELLATED, HEXAGON, 250 DEGREE F, NON-METALLIC INSERT REVIEWER: AR MI	A 5310	AS	30-NOV-88	AV	AS	99	
	MS17826H	NUT, SELF-LOCKING, CASTELLATED, HEXAGON 250 DEGREE F, THIN NON-METALLIC INSERT REVIEWER: AR MI	A 5310	AS	30-NOV-88	AV	AS	99	
	MS17828J	NUT, SELF-LOCKING, HEXAGON, REGULAR-HEIGHT, (NON-METALLIC INSERT) 250 DEG. F, NICKEL-COPPER ALLOY REVIEWER: 82 IS SH	A 5310	AS	19-JUL-89	AV	AS	99	
	NOTICE 1								
	MS17829E	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F., (NON METALLIC INSERT) NON-CORROSION-RESISTANT STEEL REVIEWER: IS MI SH	A 5310	AS	30-JAN-87	AV	AS	11	
	MS17830C	NUT, SELF-LOCKING, HEXAGON-REGULAR HEIGHT, 250 DEG. F., (NON-METALLIC INSERT) 300 SERIES CORROSION RESISTANT STEEL [VALIDATION DATE: 8911] REVIEWER: 82 ME MI SH	A 5310	AS	01-NOV-89	AV	AS	11	
	NOTICE 1								
L	MS17831C	BUS DISCONNECT, QUICK OPENING SYMBOL 1484 [VALIDATION DATE: 8606] REVIEWER: GS	A 6150	SH	18-JUN-86		SH		
	NOTICE 1								
L	MS17832A	OPERATING WRENCH, BUS DISCONNECT SYMBOL 1485 [VALIDATION DATE: 8606] REVIEWER: GS	A 6150	SH	18-JUN-86		SH		
	NOTICE 1								
	MS17833E	CONNECTOR, PNEUMATIC STARTER, DUCT-FLANGED, MALE REVIEWER: 82 CS .....	A 4730	AS	20-JUN-91	AV	AS	99	
	MS17834A	ADAPTER, PNEUMATIC STARTER DUCT NIPPLE AND FLANGE (MALE) REVIEWER: 82 CS ..	A 4730	AS	23-OCT-87	AV	AS	99	
	MS17835E	CONNECTOR, PNEUMATIC STARTER, DUCT-FLANGED, FEMALE REVIEWER: 82 CS .....	A 4730	AS	20-JUN-91	AV	AS	99	
	MS17836E	CONNECTOR, PNEUMATIC STARTER, DUCT, DOUBLE ENDED REVIEWER: 82 CS .....	A 4730	AS	20-JUN-91	AV	AS	99	
L	MS17838A	TIRE, PNEUMATIC, AIRCRAFT, 28X7.7 - TYPE VII (NAVY) [VALIDATION DATE: 9110]	A 2620	AS	30-OCT-91		AS		
	NOTICE 1								
	MS17840B	GASKET-SPARK PLUG [VALIDATION DATE: 8410] .....	A 2925	AS	15-JUN-83	AV	AS		
A	MS17841C	VALVES, SOLENOID, REFRIGERANT-12 [VALIDATION DATE: 9203] USER: CE MI REVIEWER: GS MD SH	A 4810	GL	27-MAR-92	GL		99	
D	MS17844B	CONTROL TEMPERATURE REFRIGERANT-12-WITH HIGH PRESSURE CUT-OFF [VALIDATION DATE: 8710] USER: CE MC REVIEWER: GS ME	A 5930	GL	23-OCT-87	GL	YD1	99	
	NOTICE 1								
A	MS17845F	SHIELD FOR USE WITH HS90362 EXTERNAL POWER RECEPTACLES .....	A 5935	AS	30-DEC-92	CR	AS	11	
D	MS17846B	VALVE, REGULATING, FLUID PRESSURE, CRANKCASE, REFRIGERANT-12 [VALIDATION DATE: 9008] USER: CE MC REVIEWER: MD	A 4820	GL	08-AUG-90	GL	YD1	99	
	NOTICE 1								
L	MS17850	DIMMER-SWITCH FOR BLINKER SIGNALING LIGHT SYMBOL 960 [VALIDATION DATE: 8806] REVIEWER: ES	A 5950	SH	15-JUN-88		SH		
L	MS17853	GLOBES, CYLINDRICAL, FOR LIGHTING FIXTURES REVIEWER: GS .....	A 6250	SH	15-MAY-63		SH		
	NOTICE 1								
L	MS17855A	FASTENERS, SCREW THREADED, DESCRIPTIVE FACTOR SYMBOLS AND ORDER OF NOTES FOR ENGINEERING DOCUMENTS FOR [VALIDATION DATE: 8807] REVIEWER: 82 IS	A 536P	AS	31-JUL-89	AV	AS	99	
	NOTICE 1								
L	MS17856A	GAGE, PRESSURE, DIAL INDICATING, STAINLESS STEEL CASE [VALIDATION DATE: 8102] REVIEWER: GS	A 6685	AS	15-OCT-63		AS		
L	MS17868A	INDICATOR, PROPELLANT LEAK, PLUG, COLOR CHANGE, FOR UNSYMMETRICAL DIMETHYLHYDRAZINE AND FUMING NITRIC ACID [VALIDATION DATE: 8410] REVIEWER: GS	A 6685	AS	09-JUN-64		AS		
L	MS17869A	INDICATOR, HORIZONTAL SITUATION, 10-1013/A .....	A 6610	AS	08-JUN-84		AS		
L	MS17966C	COUPLING ASSEMBLY, VENTILATION AIR [VALIDATION DATE: 8303] .....	A 8475	AS	02-MAR-76		AS		
L	MS17967A	NOZZLE ASSEMBLY VENTILATION AND EXHAUST [VALIDATION DATE: 8303] .....	A 8475	AS	27-APR-65		AS		
L	MS17968A	NOZZLE ASSEMBLY ANTI-G AND VENTILATION [VALIDATION DATE: 8303] .....	A 8475	AS	27-APR-65		AS		
L	MS17970A	COVER PLATE ASSEMBLY [VALIDATION DATE: 8303] .....	A 8475	AS	27-APR-65		AS		
L	MS17976F	CONVERTER, 100 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED REVIEWER: GS	A 6130	AS	30-SEP-88		AS		
	NOTICE 1								
L	MS17981C	SOLENOID, ELECTRICAL, NORM. 24 VOLT DC REVIEWER: ES ME .....	A 5945	AT	16-FEB-88	AT			
	NOTICE 1								
	MS17982C	VALVES, EXPANSION, THERMOSTATIC, REFRIGERANT-12 AND REFRIGERANT-22 [VALIDATION DATE: 9203] USER: SH REVIEWER: CS MC ME	A 4820	GL	27-MAR-92	GL		99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active CPL / OIA Coordination Institute	Document Number	Document Title	Dist. Smt. FSC / AIA MCA Symbol Preparing Act.	Date	Custodians			
					Army	Navy	Air Force	OIA
	MS17983 NOTICE 1 MS17984E	COMPASS - MAGNETIC, PILOTS STANDBY (VALIDATION DATE: 8712) USER: MC REVIEWER: 99	A 6605	AS 04-OCT-62	AV	AS	11	
	MS17985E	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, BUTTON HANDLE USER: GL REVIEWER: 82 IS	A 5340	AS 14-AUG-91	AV	AS	99	
	MS17986F	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING (T) HANDLE USER: GL REVIEWER: 82 IS	A 5340	AS 17-JAN-83	AV	AS	99	
	MS17987F	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, "L" HANDLE USER: GL REVIEWER: 82 IS	A 5340	AS 14-AUG-91	AV	AS	99	
	MS17988D	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, SINGLE ACTING, RING HANDLE USER: GL REVIEWER: 82 AR 15	A 5340	AS 14-AUG-91	AV	AS	99	
	MS17989D	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, "T" HANDLE USER: GL REVIEWER: 82 IS	A 5340	AS 15-NOV-91	AV	AS	99	
	MS17990D	PIN, QUICK RELEASE, SELF-RETAINING, POSITIVE LOCKING, DOUBLE ACTING, "L" HANDLE USER: GL REVIEWER: 82 IS	A 5340	AS 15-NOV-91	AV	AS	99	
	MS17996B NOTICE 1	PIN, QUICK RELEASE, POSITIVE LOCKING, DOUBLE ACTING, RING HANDLE USER: GL REVIEWER: 82 IS	A 5340	AS 15-NOV-91	AV	AS	99	
D 1	MS18002B NOTICE 1	INDICATOR, PRESSURE, 1-1/2-INCH, INTEGRALLY LIGHTED (VALIDATION DATE: 8712)	A 6620	AS 09-DEC-87	AV	AS	99	
A 1	MS18003A NOTICE 2	LAMP, INCANDESCENT - SEALED BEAM, PAR 36 FOG LAMP, 2 SCREW TERMINAL TYPE USER: YD1 REVIEWER: GS	A 6240	AT 03-NOV-92	AT	SH		
L	MS18011A	LAMP, INCANDESCENT-SEALED BEAM, PAR 36 HEADLAMP, 3 CONTACT LUG TYPE ..... USER: YD1 REVIEWER: GS	A 6240	AT 03-NOV-92	AT	SH	85	
L	MS18012A	CONTAINER, REUSABLE, ALUMINUM, HAND PORTABLE-ASSEMBLY FOR SHIPPING (VALIDATION DATE: 8301) REVIEWER: MI	A 8140	OS 11-APR-66	OS			
L	MS18013A	HANDLE, METAL, SPRING BAIL TYPE (VALIDATION DATE: 8410) REVIEWER: IS ME MI INDICATOR, HUMIDITY, PLUG, COLOR CHANGE (VALIDATION DATE: 8410) REVIEWER: GS MI OS	A 5340 A 6685	OS 15-JUN-78 AS 06-JUL-67	OS AS			
L	MS18014 MS18015B	VALVE - PRESSURE EQUALIZING (VALIDATION DATE: 8306) REVIEWER: CS MI ..... CATCH, CLAMPING AND STRIKE (CONCEALED SPRING TYPE) (VALIDATION DATE: 8410) USER: ER REVIEWER: AS ME MI	A 4820 A 5340	OS 23-JAN-63 AS 19-OCT-72	OS AR	OS	15	
L	MS18016B	PLATE, CONTAINER IDENT .....	A 9905	OS 12-NOV-85	OS			
L	MS18020B	LABEL, INSTRUCTION .....	A 7530	OS 12-NOV-85	OS			
L	MS18023A	BOX, FIBERBOARD, FOR CONTAINERS, REUSABLE, ALUMINUM, HAND PORTABLE USER: GL	A 8115	OS 29-NOV-82	OS			
L	MS18026A	CONTAINER, REUSABLE ALUMINUM, HAND PORTABLE (VALIDATION DATE: 8301) REVIEWER: MI	A 8140	OS 24-DEC-64	OS			
L	MS18027E	HOOK, HELICOPTER RESCUE REVIEWER: IS .....	A 4030	AS 10-SEP-85	AS			
L	MS18028A MS18029E	INDICATOR, ATTITUDE - DIRECT, REMOTE (IFIS) ..... COVER ASSEMBLY, ELECTRICAL, FOR MS 27212 TERMINAL BOARD ASSEMBLY (VALIDATION DATE: 8503) USER: MC ME REVIEWER: 17 99 GS MI	A 6610 A 5940	AS 08-JUN-84 AS 14-MAY-71	ER	AS	85	
L	MS18037C	ACTUATOR, AIRCRAFT, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT (VALIDATION DATE: 8203)	A 1680	AS 01-FEB-64	AS			
	MS18039B	ADAPTER - FOR CONNECTION OF COUPLING PER MIL-C-25531B (ASG) TO CLASS 11 END FITTING FOR MIL-C-25531 (ASG) INACTIVE FOR NEW DESIGN REVIEWER: CS	A 4730	AS 18-DEC-87	AS	99		
	MS18040B	ADAPTER - FOR CONNECTION OF COUPLING PER MIL-C-25531 TO MS17833 REVIEWER: CS	A 4730	AS 27-JAN-89	AV	AS	99	
L	MS18043	GAGE-PRESSURE, DIAL INDICATING, OXYGEN, HIGH PRESSURE (VALIDATION DATE: 8403)	A 6685	AS 11-APR-63	AS			
L	MS18045T MS18047B	BATTERIES, STORAGE, AIRCRAFT, 24 VOLT, GENERAL PURPOSE REVIEWER: AV GS .... PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-4949/AIC-14A (VALIDATION DATE: 9110)	A 6140 A 5831	AS 10-MAR-80 AS 23-OCT-91	ER	AS		
L	MS18049B NOTICE 1	PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-4951/AIC-14A (VALIDATION DATE: 9110)	A 5831	AS 23-OCT-91	AS			
L	MS18050 NOTICE 1	PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-4952A/AIC-14A (VALIDATION DATE: 9110)	A 5831	AS 23-OCT-91	AS			
L	MS18054B NOTICE 1	DRIVE PAD FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND 10-INCH (VALIDATION DATE: 8712) REVIEWER: GS	A 6150	AS 31-DEC-87	AS			
L	MS18056E NOTICE 1	MOUNTING FLANGES FOR AIRCRAFT ELECTRIC EQUIPMENT, CIRCULAR, 5-, 8-, AND 10-INCH (VALIDATION DATE: 8712) REVIEWER: GS	A 6150	AS 31-DEC-87	AS			
L	MS18060B NOTICE 1	TIRE, PNEUMATIC, AIRCRAFT, 24X5.5(200 MPH) FABRIC TREAD TYPE VII (NAVY) (VALIDATION DATE: 9110)	A 2620	AS 30-OCT-91	AS			
L	MS18062B NOTICE 1	CONNECTOR, RECEPTACLE, DUMMY STORAGE (VALIDATION DATE: 8909) REVIEWER: 11 14 17 19 AS AV GS ES MI OS SH	A 5935	EC 29-SEP-89	CR	EC	85	
L	MS18063A NOTICE 1	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED (VALIDATION DATE: 9110) USER: GL ME REVIEWER: 69 CR MI	A 5305	AS 04-OCT-91	AR	AS	99	
	MS18064A NOTICE 1	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F SELF LOCKING ELEMENT, CORROSION RESISTANT STEEL, PASSIVATED (VALIDATION DATE: 9110) USER: GL REVIEWER: 69 CR ME MI	A 5305	AS 04-OCT-91	AR	AS	99	
	MS18067A NOTICE 1	SETSCREW, HEXAGON SOCKET, CUP POINT, 250 DEG. F, SELF LOCKING ELEMENT, ALLOY STEEL, CADMIUM PLATED (VALIDATION DATE: 9110) USER: GL REVIEWER: 69 CR ME MI	A 5305	AS 04-OCT-91	AR	AS	99	
	MS18069B NOTICE 2	COMPOUNDS, ADHESIVE, AIRCRAFT DESIGN AND USE LIMITATIONS FOR THREADED COMPONENTS RETAINED, SEALED OR LOCKED BY	A 8030	AS 10-MAY-92	AV	AS	11	
	MS18071H NOTICE 1	REGULATOR VOLTAGE, DIRECT CURRENT GENERATOR, 28 VOLTS, SOLID STATE (INACTIVE - USE MIL-R-23761/1)	A 6110	AV 12-OCT-82	AV	AS	99	
L	MS18078	ELBOW, 45 DEG. SWIVEL NUT, HOSE FITTING AMS 5639 CRES STEEL (VALIDATION DATE: 8407)	A 4730	AS 26-APR-65	AS			
L	MS1808B NOTICE 1	FITTING END- TETRAFLUOROETHYLENE HOSE MEDIUM PRESSURE, SWIVEL FLANGE CORROSION RESISTANT STEEL (VALIDATION DATE: 8712) REVIEWER: MI	A 4730	AS 31-DEC-87	AS			
	MS18093P	BATTERIES, STORAGE, AIRCRAFT, DIMENSIONS FOR (VALIDATION DATE: 8005) REVIEWER: GS	A 6140	AS 21-MAR-72	AS	99		
	MS1809B NOTICE 1	VOLT-AMMETER, DUAL POINTER, DIRECT CURRENT (VALIDATION DATE: 8803) USER: MC REVIEWER: ES	A 6625	AS 21-MAR-88	AV	AS	99	
L	MS18099A	INDICATOR, TACHOMETER, TRIPLE POINTER, HELICOPTER, INACTIVE 19 MAR 79 (VALIDATION DATE: 8509)	A 6620	AS 19-MAR-79	AS			
I	MS18100D NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K200 TO LT4K208 INCL. LT4K220 AND LT4K221 (VALIDATION DATE: 9201) USER: 19 AS MC ME SH REVIEWER: 11 17 80 AR ES MI OS	A 5950	EC 31-JAN-92	ER	EC	85	
L	MS18103D	CONVERTER, 50 AMPERE, CLASS C NONREGULATED, AIRCRAFT, FAN COOLED REVIEWER: GS	A 6125	AS 30-SEP-88	AS			
L	MS18108B NOTICE 1	STARTER GENERATOR, DIRECT CURRENT, 300 AMPERE, 30 VOLT, WIDE SPEED RANGE, CLASS A, TYPE 3 (VALIDATION DATE: 8005) REVIEWER: GS	A 6115	AS 08-FEB-74	AS			
L	MS18111E NOTICE 1	CONVERTER, 150 AMPERE, CLASS C AIRCRAFT BLAST COOLED REVIEWER: GS .....	A 6130	AS 31-DEC-87	ME	AS	99	
L	MS18116H	BOLT, STUD, AND SOCKETCAP HEAD SCREW, NICKEL-COPPER-ALUMINUM ALLOY (USE MIL-S-1222)	A 5307	SH 21-APR-88	SH			
	MS18121G	FERRULE, OUTER, INSULATED, SHIELD TERMINATING, TYPE II TWO PIECE, CLASS I, FOR SHIELDED CABLE USER: MC REVIEWER: 11 17 99 EC MI	A 5940	AS 13-AUG-82	ER	AS	85	
	MS18130C	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K074 TO LT4K089 INCL. USER: 19 AR AS MC ME SH REVIEWER: 11 17 ES MI OS	A 5950	EC 16-SEP-85	ER	EC	85	
L	MS18140	THREE EIGHTHS INCH THERMOMETER WELL, 4 INCH INSERTION LENGTH, 3/4 INCH NPT THREAD CONNECTION (VALIDATION DATE: 8204)	A 6685	SH 30-OCT-64	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Acton CPL Code Coordination Inclusive Document Number	Document Title	Dist. Smt. FSC Area MCA Symbol Preparing Act.	Date	Army Navy Air Force DIA
MS18150J NOTICE 1	SWITCH, TOGGLE, 2 CIRCUIT, SEALED TOGGLE (VALIDATION DATE: 8901) REVIEWER:	A 5930	BS 13-JAN-89	ER EC BS
MS18151J NOTICE 1	11 99 AS AV ES	A 5930	BS 18-JUL-91	ER EC BS
MS18152J NOTICE 1	SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE REVIEWER: 11 99 AS AV ES	A 5930	BS 13-JAN-89	ER EC BS
MS18155C NOTICE 1	11 99 AS AV ES INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 10 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18156C NOTICE 1	8912) USER: AR AV MC ME REVIEWER: 11 99 AS AT ES MI OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 10 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18157C NOTICE 1	8912) USER: AM MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 20 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18158C NOTICE 1	8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 20 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18159C NOTICE 1	8912) USER: AM MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 36 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18160C NOTICE 1	8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 36 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18161B NOTICE 1	8912) USER: AM MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 52 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18162B NOTICE 1	8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 52 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18163B NOTICE 1	8912) USER: AM MC ME REVIEWER: 11 99 AS AT ES MI OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 80 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18164B NOTICE 1	8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 80 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18165B NOTICE 1	8912) USER: AM MC ME REVIEWER: 99 AS AT ES MI OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 158 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18166B NOTICE 1	8912) USER: AV MC ME REVIEWER: 11 99 AS AT ES OS SH MC INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 158 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION	A 5935	EC 15-DEC-89	CR EC BS
MS18167B NOTICE 1	DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AS AT ES MI OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 212 (SIZE 16 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE:	A 5935	EC 15-DEC-89	CR EC BS
MS18168B NOTICE 1	8912) USER: AV MC ME REVIEWER: 11 80 AS AT ES MI MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, POLARIZED CENTER SCREWLOCK, ELECTRICAL, 212 (SIZE 16 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION	A 5935	EC 15-DEC-89	CR EC BS
MS18173A NOTICE 1	DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AS AT ES MI OS SH WASHER, FLAT (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 99 AS AT MI	A 5935	EC 15-DEC-89	CR EC BS
MS18174C NOTICE 1	MU OS SH INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 14 (SIZE 16, 20 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS	A 5935	EC 15-DEC-89	CR EC BS
MS18175C NOTICE 1	SH REVIEWER: 11 99 AS AT ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 14 (SIZE 16, 20 CRIMP REMOVABLE) SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME	A 5935	EC 15-DEC-89	CR EC BS
MS18176C NOTICE 1	OS SH REVIEWER: 11 99 AS AT ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 20 (SIZE 16, 20 CRIMP REMOVABLE) PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS	A 5935	EC 15-DEC-89	CR EC BS
MS18177C	SH REVIEWER: 11 99 AS AT ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 20 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT	A 5935	EC 18-MAR-85	CR EC BS
MS18178C	ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 34 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT ES	A 5935	EC 18-MAR-85	CR EC BS
MS18179D	MI OS INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 34 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT	A 5935	EC 09-FEB-87	CR EC BS
MS18180C	ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 42, (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 AS AT ES	A 5935	EC 18-MAR-85	CR EC BS
MS18181D	MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 42 (SIZE 16 AND 20 CRIMP REMOVABLE SOCKET CONTACTS) USER: AM AR MC ME OS REVIEWER: 11 AS AT	A 5935	EC 27-NOV-90	CR EC BS
MS18182D	ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 50 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 AS AT ES	A 5935	EC 26-APR-90	CR EC BS
MS18183D	MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 50 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 AS AT	A 5935	EC 26-APR-90	CR EC BS
MS18184D	ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 66 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM MC ME REVIEWER: 11 99 AS AT ES MI	A 5935	EC 18-MAR-85	CR EC BS
MS18185C	OS INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 66 (SIZE 16 AND 20 CRIMP REMOVABLE), SOCKET CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS	A 5935	EC 18-MAR-85	CR EC BS
MS18187E	AT ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM MC ME OS REVIEWER: 11 AS AT ES	A 5935	EC 19-JUL-88	CR EC BS
MS18188D	MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 75 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR CS MC ME REVIEWER: 11 AS AT	A 5935	EC 19-JUL-88	CR EC BS
MS18189C	ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 CRIMP REMOVABLE) PIN CONTACTS USER: AM AR MC ME OS REVIEWER: 11 99 AS AT	A 5935	EC 18-MAR-85	CR EC BS
MS18190C	ES MI INSERT (INSULATOR), RECTANGULAR CONNECTOR, ELECTRICAL, 104 (SIZE 16 AND 20 CRIMP REMOVABLE) SOCKET CONTACTS USER: AM AR MC ME REVIEWER: 11 99 AS AT	A 5935	EC 18-MAR-85	CR EC BS
MS18192F NOTICE 1	ES MI OS SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20, 26, 34, 42, 50 AND 75 CONTACT CONNECTORS (VALIDATION DATE: 8912) USER: AM AR MC ME OS SH	A 5935	EC 15-DEC-89	CR EC BS
MS18193D	REVIEWER: 11 99 AS AT ES MI SHIELD, ELECTRICAL CONNECTORS FOR 66 AND 104 CONTACT CONNECTORS USER: AM	A 5935	EC 26-APR-90	CR EC BS
MS18194D NOTICE 1	MC ME REVIEWER: 11 99 AS AT ES MI OS JACKSCREW, ELECTRICAL CONNECTOR MALE AND FEMALE, LONG, TURNABLE (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI	A 5935	EC 15-DEC-89	CR EC BS



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active GPN / OMA Classification Inactive	Document Number	Document Title	Dist. Sym.	FSC / Ave.	MCA Symbol	Preparing Agency	Date	Custodians		
								Army	Navy	Air Force
	MS181958 NOTICE 1	JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, TURNABLE [VALIDATION DATE: 8912] USER: AM AR MC ME REVIEWER: AS AT ES MI OS SH	A 5935	EC	15-DEC-89	CR	EC	11		
	MS18196E NOTICE 1	JACKSCREW, ELECTRICAL CONNECTOR, MALE AND FEMALE, SHORT, FIXED [VALIDATION DATE: 8912] USER: AM AR MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	85		
	MS18197E NOTICE 1	GUIDE PIN, ELECTRICAL CONNECTOR, MALE AND FEMALE [VALIDATION DATE: 8912] USER: AM AR MC ME OS REVIEWER: 11 AS AT MI	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18198B	PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR, FOR SIZE 14 AND 20 CONTACT CONNECTORS [VALIDATION DATE: 8404] USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI OS	A 5935	EC	23-JUN-72	CR	EC	85		
	MS18199B NOTICE 1	PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 34, 42, 50 AND 75 CONTACT CONNECTORS [VALIDATION DATE: 8912] USER: AM AR MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18200A NOTICE 1	PLATE, RETAINING, RECEPTACLE, ELECTRICAL CONNECTOR FOR SIZE 66 AND 104 CONTACT CONNECTORS [VALIDATION DATE: 8912] USER: AM AR MC ME REVIEWER: AS AT MI OS SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18203F	SHELL, ELECTRICAL CONNECTOR, PLUG, RECTANGULAR, POLARIZING USER: AM MC ME REVIEWER: 11 80 AR AS AT ES MI OS	A 5935	EC	26-APR-90	CR	EC	85		
	MS18204E	SHELL, ELECTRICAL CONNECTOR, RECEPTACLE, RECTANGULAR, POLARIZING USER: AM MC ME REVIEWER: 11 99 AS AT ES MI	A 5935	EC	26-APR-90	CR	EC	85		
	MS18205B NOTICE 1	PIN, STRAIGHT HEADED [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AR AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18211A NOTICE 1	SCREW, MACHINE - 80 DEGREE AND 100 DEGREE, FLAT COUNTERSUNK HEAD, SLOTTED, PLASTIC (NYLON) [VALIDATION DATE: 8805] USER: MC OS REVIEWER: AV 15 MI SA	A 5305	AR	20-MAY-88	AR	SH	99		
	MS18212C	SCREW, MACHINE, PAN HEAD, SLOTTED, PLASTIC (NYLON), MC-2A AND UNC-2A [VALIDATION DATE: 8101] USER: AS AT MC ME MI OS SA REVIEWER: 11 AV 15	A 7705	AR	02-APR-75	AR		99		
	MS18225	ADAPTER (RIGHT ANGLE) CABLE TO CONNECTOR .....	A 5935	SH	28-NOV-66					
L	MS18229B	PLUG FOR O RING GASKET USER: ME .....	A 4730	SH	30-OCT-86			SH		
L	MS18230	RUDDER SECTION OFFSETS COEFFICIENTS [VALIDATION DATE: 9103] .....	A 2040	SH	21-MAR-91			SH		
	NOTICE 2									
LI	MS18233C	CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED FOR RG-178B/U AND RG-196A/U CABLE REVIEWER: ES	A 5935	EC	30-MAR-90			EC		
	MS18235C	LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, PLASTIC (FLAT LENS TYPE) [VALIDATION DATE: 8204] USER: AV MC ME REVIEWER: 11 AR AS GS SH	A 6240	EC	13-JAN-76	EL	EC	99		
	MS18236C	LAMP, CARTRIDGE, SLOVEPIPE, PLUG IN, NEON, PLASTIC (CURVED LENS TYPE) [VALIDATION DATE: 8204] USER: MC REVIEWER: 11 AR AS GS SH	A 6240	EC	13-JAN-76	EL	EC	99		
	MS18237C	LAMP, CARTRIDGE, LONG CYLINDRICAL, PLUG-IN, NEON, PLASTIC (FLAT LENS TYPE) [VALIDATION DATE: 8204] USER: MC REVIEWER: 11 AR AS GS SH	A 6240	EC	13-JAN-76	EL	EC	99		
	MS18238C	LAMP, CARTRIDGE, SHORT CYLINDRICAL, PLUG-IN, INCANDESCENT, GLASS (FLAT TYPE) [VALIDATION DATE: 8204] USER: MC REVIEWER: 11 AR AS GS SH	A 6240	EC	13-JAN-76	EL	EC	99		
	MS18239B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] REVIEWER: 11 99 ES	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18240B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 14 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AR MC ME OS REVIEWER: 11 AT 54 SH	A 5935	EC	15-DEC-89	CR	AS	80		
	MS18241B	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 14, SIZE 16, SOCKET CONTACTS [VALIDATION DATE: 8404] USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	23-JUN-72	CR	EC	85		
	MS18242B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME REVIEWER: 11 AS AT MI OS SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18243B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18244B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME REVIEWER: 11 AS AT MI OS SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18245B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 34 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18246B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AR MC ME REVIEWER: 11 AS AT MI OS SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18247B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18248B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18249B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 50 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18250B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM AR MC ME REVIEWER: 11 AS AT MI OS SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18251B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 66 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18252B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18253B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 75 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME REVIEWER: 99 AR AS AT ES MI OS	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18254B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18255B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 104 SIZE 16 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18256B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 9 SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: MC ME OS REVIEWER: 11 AM AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18257B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 9 SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18258B NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 42 SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18259B NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 75, SIZE 20 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS18260B NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 42, SIZE 20 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Aeronautics OR / ONA Coordination Inclusive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act. Date	Date	CR	EC	Custodians			
						Army	Navy	Air Force	DLA
MS182618 NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 75, SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS MC REVIEWER: 11 AS AT ES MI SH	A 5935 EC 15-DEC-89	CR	EC	80				
MS182628 NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 104, SIZE 20 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935 EC 15-DEC-89	CR	EC	80				
MS182638 NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 104, SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935 EC 15-DEC-89	CR	EC	80				
MS182648 NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 9, SIZE 16 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS MC REVIEWER: 11 99 AS AT ES MI SH	A 5935 EC 15-DEC-89	CR	EC	80				
MS18268E	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, RECEPTACLE, SOCKET CONTACTS, SOLDER TYPE USER: AT CG MC SH REVIEWER: 11 99 AS ES MI	A 5935 EC 26-JAN-89	CR	EC	85				
MS18269E	CONNECTOR, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL RECEPTACLE SOCKET CONTACTS, SOLDER TYPE (VALIDATION DATE: 8304) USER: CG MC REVIEWER: 11 99 AS AT ES MI	A 5935 EC 30-NOV-76	CR	EC	85				
MS18270H	CONNECTOR, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL RECEPTACLE SOCKET CONTACTS, CRIMP TYPE (VALIDATION DATE: 8304) USER: CG MC ME REVIEWER: 11 99 AS ES MI SH	A 5935 EC 30-NOV-76	CR	EC	85				
MS18271F	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, PIN CONTACTS, CRIMP TYPE USER: AT CG MC SH REVIEWER: 11 99 AS ES MI	A 5935 EC 26-JAN-89	CR	EC	85				
MS18272E	CONNECTOR, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SHELL, PLUG, HEMMETIC PIN CONTACTS, CLASS H (VALIDATION DATE: 8505) USER: AT CG MC ME REVIEWER: 11 99 AS ES MI SH	A 5935 EC 13-NOV-78	CR	EC	85				
MS18273C	INSERT ARRANGEMENT, ELECTRICAL CONNECTOR SHELL SIZE 1 (VALIDATION DATE: 8304) USER: CG MC ME REVIEWER: 11 99 AS AT ES MI	A 5935 EC 06-OCT-70	CR	EC	85				
MS18274F	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 2 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH	A 5935 EC 26-JAN-89	CR	EC	85				
MS18275F	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 3 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH	A 5935 EC 26-JAN-89	CR	EC	85				
MS18276F	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 4 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH	A 5935 EC 26-JAN-89	CR	EC	85				
MS18277F	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SHELL SIZE 5 USER: AT CG MC ME REVIEWER: 11 AS ES MI SH	A 5935 EC 26-JAN-89	CR	EC	85				
MS18281C	CONTACTS PIN AND SOCKET CLASSES G, H, AND H SOLDER TYPE, NON-REMOVABLE (VALIDATION DATE: 8304) USER: CG MC ME REVIEWER: 11 99 AS AT ES MI	A 5935 EC 06-OCT-70	CR	EC	85				
L MS18282 NOTICE 2	RELIEF VALVE OPERATING CHARACTERISTICS VERSUS MAXIMUM OPERATING PRESSURE FOR LIQUID SERVICE (VALIDATION DATE: 9104)	A 4820 SH 19-APR-91			SH				
L MS18283A NOTICE 1	RELIEF VALVE OPERATING CHARACTERISTICS VERSUS MAXIMUM OPERATING PRESSURE FOR STEAM AND GAS SERVICE (VALIDATION DATE: 8712)	A 4820 SH 11-DEC-87			SH				
L MS18284 NOTICE 2	REGULATING AND CONTROL VALVES-ACCURACY OF REGULATION REQUIREMENT (VALIDATION DATE: 9104)	A 4820 SH 19-APR-91			SH				
L MS18287 NOTICE 1	BRACKET, STEP, BIN AND RACK, STOREROOM, SHIPBOARD TYPE (VALIDATION DATE: 9103)	A 2090 SH 21-MAR-91			SH				
L MS18288C	LOCKPLATE (ISSUE CONTROLLED-REQUESTS BY OTHER THAN OOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) (VALIDATION DATE: 8309)	A 4420 SH 14-AUG-78			SH				
L MS18291 NOTICE 1	SHIP LIMITING DRAFT MARK (VALIDATION DATE: 9103) .....	A 2040 SH 21-MAR-91			SH				
L MS18295 NOTICE 1	INTERMITTENT ACID FEED TREATMENT SYSTEM, SHIPBOARD APPLICATION (VALIDATION DATE: 9103)	A 4620 SH 21-MAR-91			SH				
L MS18296 NOTICE 1	NAVY TYPE SYSTEM CLEANER (VALIDATION DATE: 9104) REVIEWER: GS .....	A 4130 SH 01-APR-91			SH				
L MS18297 NOTICE 1	CABLE, NAVY, INSULATION RESISTANCE (VALIDATION DATE: 9107) .....	A 6145 SH 10-JUL-91			SH				
L MS18298 NOTICE 1	SHIP WHISTLE SOUND OUTPUT (VALIDATION DATE: 9010) REVIEWER: GS .....	A 6350 SH 05-OCT-90			SH				
L MS18299 NOTICE 1	SHIPBOARD POWER DEMAND FACTORS 450 VOLT (VALIDATION DATE: 8707) .....	A 6145 SH 24-JUL-87			SH				
L MS18301B	HIGH PRESSURE DRAIN ORIFICE PLATES AND STRAINERS REVIEWER: CS .....	A 4730 SH 28-FEB-92			SH				
L MS18302 NOTICE 1	EGRESS MARKING SYSTEM (VALIDATION DATE: 9103) .....	A 2090 SH 21-MAR-91			SH				
L MS18307B NOTICE 1	LATERALS, FORGED STEEL SOCKET WELDING 3000 PSI AT 1000 DEGREE F (MAX.) STEAM SERVICE (VALIDATION DATE: 8812)	A 4730 SH 02-DEC-88			SH				
L MS18308 NOTICE 1	ALLOY STEEL SOCKET WELDING FLANGES AND FLANGED NIPPLES, 1/4 INCH AND 3/8 INCH, 600 POUNDS PER SQUARE INCH AT 850 DEG. F (MAXIMUM) (VALIDATION DATE: 9104)	A 4730 SH 19-APR-91			SH				
MS19059C	BALL, BEARING, FERROUS, CHROME ALLOY STEEL USER: 17 AS MC MI SA REVIEWER: 84 AR AV IS	A 3110 OS 31-JUL-87	AT	OS	99				
MS19060D	BALL, BEARING, FERROUS, CORROSION RESISTING STEEL USER: 17 MI REVIEWER: 84 AR IS	A 3110 OS 31-JUL-87	AT	OS	99				
MS19061C	BALL, BEARING, FERROUS, CARBON STEEL (VALIDATION DATE: 8204) USER: MC ME SH REVIEWER: 99 AR IS	A 3110 OS 03-AUG-76	AT	OS	11				
MS19062B	BALL, BEARING, NON-FERROUS, BRASS (VALIDATION DATE: 8204) USER: 17 AR MC ME SA SH WV REVIEWER: 84 IS	A 3110 OS 03-AUG-76	AT	OS	99				
MS19063C	BALL, BEARING, NON-FERROUS, BRONZE (VALIDATION DATE: 8204) USER: MC SH REVIEWER: 84 IS	A 3110 OS 03-AUG-76	AT	OS	99				
MS19064C	BALL, BEARING, NON-FERROUS, NICKEL-COPPER ALLOY (K-NOMEL METAL) USER: AR MC ME SH REVIEWER: 84 AV IS	A 3110 OS 31-JUL-87	AT	OS	99				
MS19065A	ROLLER, BEARING, FERROUS, SOLID, SPHERICAL END (VALIDATION DATE: 8204) USER: MC REVIEWER: 84 IS	A 3110 OS 04-MAR-73	AT	OS	99				
MS19067A	NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES (VALIDATION DATE: 8204) USER: MC ME SA REVIEWER: 82 AR AS AV IS MI	A 5310 AT 03-JUN-76	AT	OS	99				
MS19068A	NUTS, PLAIN, ROUND, RETAINING, BALL AND ROLLER BEARING REGULAR SERIES (VALIDATION DATE: 8410) USER: MC ME SA REVIEWER: AR AV IS MI	A 5310 OS 03-JUN-77	AT	OS	11				
MS19069A	WASHER, KEY, RETAINING, BALL AND ROLLER BEARING, LIGHT SERIES (VALIDATION DATE: 8204) REVIEWER: 99 AR IS MC MI SA	A 3110 OS 07-JUN-61	AT	OS	11				
MS19070A	WASHER, KEY RETAINING, BALL AND ROLLER BEARING, REGULAR SERIES REVIEWER: AS IS SA	A 3110 OS 07-OCT-87	AT	OS	11				
MS19073	BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING SNAP RINGS ON OUTER RING, NON-LOCATING (VALIDATION DATE: 8204) USER: MC ME SH REVIEWER: IS	A 3110 OS 30-APR-59	AT	OS					
MS19074	BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, CYLINDRICAL OUTER RING, NON-LOCATING (VALIDATION DATE: 8204) USER: MC SH REVIEWER: IS	A 3110 OS 30-APR-59	AT	OS					
MS19075	BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING (VALIDATION DATE: 8204) USER: MC SH REVIEWER: IS	A 3110 OS 30-APR-59	AT	OS					
MS19076	BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, CYLINDRICAL INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, NON-LOCATING (VALIDATION DATE: 8204) USER: MC ME SH REVIEWER: IS	A 3110 OS 30-APR-59	AT	OS					



## ACTIVE SECTION

## NUMERICAL LISTING MS DRAWINGS

ASST CPL / OGL COORDINATOR INSTR	Document Number	Document Title	Dist. Smt. FSC / Issue	MCA Symbol	Proposed Assy	Date	Army	Navy	Air Force	Custodian DIA
	MS19077	BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, ONE ROLLER RETAINING RIB ON OUTER RING, ONE DIRECTION LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS	A 3110	OS	30-APR-59	AT	OS			
	MS19078	BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, ONE ROLLER RETAINING RIB ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, ONE DIRECTION LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS	A 3110	OS	30-APR-59	AT	OS			
	MS19079	BEARING, ROLLER, CYLINDRICAL, SINGLE ROW OF ROLLERS, TWO ROLLER RETAINING RIBS ON INNER RING, TWO ROLLER RETAINING RIBS ON OUTER RING, TWO DIRECTION LOCATING [VALIDATION DATE: 8204] USER: MC SH REVIEWER: IS	A 3110	OS	30-APR-59	AT	OS			
D	MS19081B	BEARING, ROLLER, TAPERED SINGLE ROW OF ROLLERS, NORMAL ANGLE [VALIDATION DATE: 8204] USER: MC ME YDI REVIEWER: 84 AR AV IS MI SH	A 3110	OS	20-AUG-76	AT	OS	99		
L	MS19082A NOTICE 1	BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS, NORMAL ANGLE, FLANGED CUP, TYPE 755 (TSF) [VALIDATION DATE: 8610] USER: AV MC SA REVIEWER: 84 IS MI MS	A 3110	OS	01-OCT-86	AT	OS	99		
	MS19083A	BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS, STEEP ANGLE, TYPE 753 (TSS) [VALIDATION DATE: 8509] USER: AV MC SA REVIEWER: 84 IS MI MS	A 3110	OS	20-MAR-78	AT	OS	99		
L	MS19084A NOTICE 1	BEARING, ROLLER, TAPERED, SINGLE ROW OF ROLLERS, STEEP ANGLE, FLANGED CUP, TYPE 759 (TSSF) [VALIDATION DATE: 8610] USER: AV MC SA REVIEWER: IS MI MS	A 3110	OS	01-OCT-86	AT	OS	99		
L	MS19085A	BEARING, ROLLER, TAPERED, TWO ROWS OF ROLLERS, TYPE 757 (TD1) & 770 (TD1S) USER: AV REVIEWER: 84 IS MC MS SH	A 3110	OS	13-JAN-82		OS	99		
i	MS19086A	BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 761 (TD0) USER: AV MC SH REVIEWER: 84 IS	A 3110	OS	13-JAN-82		OS	99		
L	MS19087A	BEARING ROLLER, TAPERED DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, ADJUSTABLE, TYPE 763 (TD0S) USER: AV REVIEWER: 84 IS MC MS SH	A 3110	OS	13-JAN-82		OS	99		
L	MS19088A	BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, NORMAL ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 764 (TNA) USER: 99 AV REVIEWER: 84 IS MC MS SH	A 3110	OS	13-JAN-82		OS			
L	MS19089A	BEARING, ROLLER, TAPERED, DOUBLE ROW OF ROLLERS, STEEP ANGLE, TWO SINGLE CONES, ONE DOUBLE CUP, NON ADJUSTABLE, TYPE 767 (TNA) USER: AV REVIEWER: 84 IS MC MS SH	A 3110	OS	13-JAN-82		OS	99		
	MS20001L	HINGE, BUTT, STRUCTURAL, EXTRUDED REVIEWER: IS	A 5340	AS	30-OCT-89	AV	AS	99		
	MS20002E NOTICE 1	WASHER, COUNTERSUNK AND PLAIN, HIGH STRENGTH [VALIDATION DATE: 9105] REVIEWER: AT IS MI MI	A 5310	AS	20-MAY-91	AV	AS	99		
	MS20003C	INDICATOR, HUMIDITY, CARD, THREE SPOT, IMPREGNATED AREAS (COBALT CHLORIDE) [VALIDATION DATE: 8205] USER: EC MC SA REVIEWER: ER GL GS MD MI	A 6685	AS	05-JUN-63	AR	AS	99		
	MS20004THRLMS20024E	BOLTS, INTERNAL WRENCHING, 160 KSI FTU AND 96 KSI FSU USER: AV REVIEWER: ER IS MI MI	A 5306	AS	30-MAY-89	AR	AS	99		
L	MS20026D NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNT, SOLDER TYPE, BAYONET COUPLING REVIEWER: 99 ES	A 5935	BS	30-JAN-87		BS			
L	MS20027D	CONNECTOR, LINE PLUG, ELECTRIC, SOLDER TYPE, BAYONET COUPLING [VALIDATION DATE: 8302] REVIEWER: 99 ES	A 5935	BS	20-DEC-67		BS			
L	MS20028E NOTICE 1	CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE STRAIGHT BAYONET COUPLING REVIEWER: 99 ES	A 5935	BS	30-JAN-87		BS			
L	MS20029E NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING REVIEWER: 99 ES	A 5935	BS	30-JAN-87		BS			
	MS20033THRLMS20046C	BOLT, MACHINE, HEXAGON HEAD, 1200 DEG. F [VALIDATION DATE: 8312] USER: MC ME REVIEWER: MI OS	A 5306	AS	11-JUN-70	AR	AS	99		
	MS20065A	KEY, MACHINE, RECTANGULAR IN CROSS-SECTION, BOTH ENDS SQUARE [VALIDATION DATE: 8304] USER: GL MC REVIEWER: 82 IS SA	A 5315	AR	13-NOV-64	AR	OS	99		
	MS20066A	KEY, MACHINE, SQUARE IN CROSS-SECTION, BOTH ENDS SQUARE [VALIDATION DATE: 8504] USER: AV MC REVIEWER: 82 IS SA	A 5315	AR	13-NOV-64	AR	AS	99		
	MS20067A	KEY, MACHINE, SQUARE IN CROSS-SECTION, ONE END SQUARE, OTHER END ROUND [VALIDATION DATE: 8101] USER: AT MC REVIEWER: 82 IS ME SA	A 5315	AR	13-NOV-64	OS	99			
	MS20068A	KEY, MACHINE, SQUARE IN CROSS-SECTION, BOTH ENDS ROUND [VALIDATION DATE: 8304] USER: AV MC REVIEWER: 82 IS ME SA	A 5315	AR	13-NOV-64	AR	OS	99		
D	MS20069B	BOLT, SQUARE NECK, CARRIAGE, HOT GALVANIZED (POLE LINE) USER: MC ME REVIEWER: AR IS	A 5306	ER	06-OCT-87	ER	YDI	99		
D	MS20073B	BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, FINE THREAD REVIEWER: ME	A 5306	IS	12-APR-84	AV	AS	99	IS	
D	MS20074B	BOLT, MACHINE, AIRCRAFT, DRILLED HEAD, COARSE THREAD REVIEWER: ME MI	A 5306	IS	13-JUN-85	AV	AS	99	IS	
	MS20115A	SHACKLE-WIRE ROPE [VALIDATION DATE: 8510] USER: ME REVIEWER: IS	A 4030	82	17-NOV-72	AS	99			
	MS20218B NOTICE 1	BEARING, BALL, ANTI-FRICTION, AIRFRAME [VALIDATION DATE: 9110] REVIEWER: 82	A 3110	AS	09-OCT-91	AT	AS	99		
	MS20219F	PULLEY, GROOVE, SECONDARY CONTROL, AIRCRAFT USER: ME REVIEWER: CS MI	A 3020	82	30-JUL-82		AS	99		
	MS20220C	PULLEY, GROOVE, FLIGHT CONTROL, AIRCRAFT REVIEWER: CS	A 3020	82	31-JUL-82	AV	AS	99		
	MS20221E	PULLEY, GROOVE, HEAVY DUTY, CONTROL, AIRCRAFT REVIEWER: CS	A 3020	82	17-APR-84	AV	AS	99		
	MS20230D NOTICE 1	GRUNNETS, METALLIC, PLAIN AND SPUR, WITH WASHER, TYPE I AND TYPE III [VALIDATION DATE: 9110] REVIEWER: 82	A 5325	AS	09-OCT-91		AS	99		
	MS20253D	PIN, HINGE REVIEWER: 82 AV IS	A 5315	AS	17-OCT-83		AS	99		
A	MS20257D	HINGE, CONTINUOUS REVIEWER: 82 IS MI	A 5340	AS	22-JUN-92		AS	99		
	MS20270B	JOINT - UNIVERSAL, PLAIN, LIGHT DUTY [VALIDATION DATE: 8401] USER: AT AV REVIEWER: CS	A 3010	82	04-MAY-78	ME	AS	99		
	MS20271B	JOINT - UNIVERSAL, PLAIN, HEAVY DUTY [VALIDATION DATE: 8401] USER: AT AV REVIEWER: CS	A 3010	82	04-MAY-78	ME	AS	99		
	MS20392E NOTICE 1	PIN, STRAIGHT, HEADED, DRILLED SHANK [VALIDATION DATE: 9109] REVIEWER: 82 AV IS MI	A 5315	AS	09-SEP-91	AR	AS	99		
	MS20426K	RIVET, SOLID, COUNTERSUNK 100 DEG., PRECISION HEAD, ALUMINUM AND TITANIUM COLUMBIUM ALLOY USER: MC REVIEWER: 82 AV GL ME MI OS	A 5320	AS	28-JAN-91	AR	AS	99		
D	MS20427F	RIVET, SOLID-100-DEG. COUNTERSUNK HEAD, CARBON STEEL, CORROSION-RESISTANT STEEL, MONEL AND COPPER USER: CE MC REVIEWER: AV GL ME	A 5320	IS	26-DEC-84	AR	AS	99	IS	
	MS20470G	RIVET, SOLID UNIVERSAL HEAD, ALUMINUM ALLOY AND TITANIUM COLUMBIUM ALLOY USER: ME REVIEWER: 82 EA GL IS	A 5320	AS	28-JAN-91	AR	AS	99		
	MS20500E	NUT, SELF LOCKING, HEXAGON, 1200 DEG. F, 125 KSI FTU REVIEWER: IS ME	A 5310	AS	22-AUG-86	AV	AS	99		
	MS20501C NOTICE 1	NUT, SELF LOCKING, PLATE, TWO LUG, 1200 DEG. F, 125 KSI FTU [VALIDATION DATE: 9110] REVIEWER: 82 IS	A 5310	AS	09-OCT-91	AV	AS	99		
A	MS20600J	RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, PROTRUDING HEAD, TYPE II USER: 82 REVIEWER: AV ER IS MI SH	A 5320	AS	10-AUG-82	AR	AS	99		
A	MS20601J	RIVET, BLIND, STRUCTURAL PULL STEM, SELF-PLUGGING, 100 DEG. FLUSH HEAD, TYPE II USER: 82 REVIEWER: AV ER IS MI SH	A 5320	AS	10-AUG-82	AR	AS	99		
A	MS20604J	RIVET, BLIND, NONSTRUCTURAL, UNIVERSAL HEAD, CLASS 1 REVIEWER: 82 AV IS MI SH	A 5320	AS	28-DEC-92	AR	AS	99		
A	MS20605L	RIVET, BLIND, NONSTRUCTURAL, 100 DEG. FLUSH HEAD, CLASS 2 REVIEWER: 82 AV IS MI SH	A 5320	AS	28-DEC-92	AR	AS	99		
	MS20613E	RIVET, SOLID-UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT USER: AT MC ME REVIEWER: GL IS MI SA	A 5320	AR	13-JAN-89	AR	OS	99		
	MS20615F	RIVET, SOLID-UNIVERSAL HEAD, BRASS, COPPER, NICKEL-COPPER ALLOY	A 5320	82	30-AUG-90	AV	AS	99		
	MS20658B	TERMINAL, WIRE ROPE SWAGING, FORK END [VALIDATION DATE: 8405] REVIEWER: IS	A 4030	82	09-OCT-64	ME	AS	99		
	MS20659J NOTICE 1	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1 FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE [VALIDATION DATE: 9110] USER: AT MC ME OS REVIEWER: 11 99 AR AV EC MI SH	A 5940	AS	23-OCT-91	ER	AS	85		
	MS20663A	BALL END, WIRE ROPE, SWAGING, DOUBLE SHANK (SUPERSEDES AM663) [VALIDATION DATE: 8209] REVIEWER: IS	A 4030	82	25-NOV-63	ME	AS	99		
	MS20664B	BALL END, WIRE ROPE, SWAGING, SINGLE SHANK USER: MI REVIEWER: IS	A 4030	82	20-JUN-87	ME	AS	99		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / OLA Coordination Inchase Document Number	Document Title	Dist Sent FSC / Issue MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	OLA
MS20667C	TERMINAL, WIRE ROPE, SWAGING, FORK END REVIEWER: IS	A 4030 82 31-JAN-79	CE	AS	99	
MS20668B	TERMINAL, WIRE ROPE, SWAGING, EYE END (SUPERSEDES AM668) REVIEWER: AR IS	A 4030 82 08-NOV-82	ME	AS	99	
MS20756C	FLANGE, SWIVEL, RETAINING REVIEWER: AV CS ME	A 4730 82 16-JUN-78	AS	99		
MS20757B	CONNECTOR, FIXED FLANGE, TO HOSE [VALIDATION DATE: 8106] USER: CS	A 4730 82 24-JUL-75	AS	99		
MS20758A	ELBOW, HOSE, FLANGED, SWIVEL, 45 DEGREE REVIEWER: CS	A 4730 82 10-AUG-82	AS	99		
MS20759A	ELBOW, HOSE, FLANGED, SWIVEL, 90 DEG. (SUPERSEDES AM759) REVIEWER: CS	A 4730 82 02-SEP-82	AS	99		
MS20760C	CONNECTOR, FIXED FLANGE, TO FLARED TUBE REVIEWER: AV CS ME	A 4730 82 16-JUN-78	AS	99		
MS20761A	ELBOW, FLARED TUBE, FLANGED, SWIVEL, 45 DEGREE [VALIDATION DATE: 8304] REVIEWER: CS	A 4730 82 11-DEC-70	AS	99		
MS20762A	ELBOW, FLARED TUBE, FLANGED, SWIVEL 90 DEGREE [VALIDATION DATE: 8304] REVIEWER: CS	A 4730 82 11-DEC-70	AS	99		
MS20813D	CAP, HIGH-PRESSURE AIR VALVE USER: AT	A 1650 71 26-AUG-87	AV	AS	99	
MS20819G	SLEEVE, FLARED TUBE FITTING USER: AV GL MI REVIEWER: CS ME	A 4730 82 21-MAR-79	AS	99		
MS20822F	ELBOW, FLARED TUBE & PIPE THREADS, 90 DEG. REVIEWER: AV CS	A 4730 82 26-DEC-85	AS	99		
MS20823E	ELBOW, 45 DEG. PIPE TO FLARED USER: CS REVIEWER: 11 AV ME	A 4730 82 27-JUL-84	AR	AS	99	
MS20825D	TEE, PIPE TO TUBE, PIPE THREAD ON SIDE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: 11 AV	A 4730 82 26-OCT-83	ME	AS	99	
MS20826D	TEE, PIPE TO TUBE, PIPE THREAD ON RUN USER: MC REVIEWER: 11 AV CS	A 4730 82 26-OCT-83	ME	AS	99	
MS20913G	PLUG, PIPE USER: AV GL REVIEWER: CS ME MI	A 4730 82 19-JUL-84	AR	AS	99	
MS20995E	WIRE, SAFETY OR LOCK [VALIDATION DATE: 9001] USER: ME YD1 REVIEWER: 11 DS OS	A 9505 84 30-JAN-90	AV	AS	99	
MS20997	BARRIER MATERIEL, WATERPROOF, FLEXIBLE [VALIDATION DATE: 8811]	A 8135 85 03-NOV-88	GL	SA	85	
MS21000	PIN & FLATHEAD, HISSHEAR, OVERSIZE, 160,000 PSI [VALIDATION DATE: 8405] REVIEWER: IS	A 5320 82 06-JUN-66			99	
MS21001	PIN, 100 DEG. COUNTERSINK HEAD, HI-SHEAR, OVERSIZE, 160,000 PSI [VALIDATION DATE: 8405]	A 5320 15 06-JUN-66			99	15
MS21004D	TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE 1, CLASS 1 FOR 175 DEG. C TOTAL CONDUCTOR TEMPERATURE REVIEWER: 11 BS AV EC GS MI SH	A 5940 AS 08-JUN-81	ER	AS	99	
MS21009A	TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, LIPPED SIDE, CRIMP STYLE, COPPER, TYPE 1, CLASS 1 [VALIDATION DATE: 8004] USER: MC REVIEWER: 99 AV EC GS SH	A 5940 AS 12-MAR-73	ER	AS	85	
MS21025E	NUT, CASTELLATED, HEXAGON REVIEWER: AR	A 5310 15 09-APR-83	AV	AS	99	15
MS21026F	SWITCH, TOGGLE, POSITIVE BREAK, ---LEVEL LOCK, ---MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 11 79 AR EC ES MI	A 5930 85 18-OCT-85	ER	AS	85	
MS21027P	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING USER: MI REVIEWER: 99 EC	A 5930 85 04-SEP-91			AS	85
MS21042K	NUT, SELF-LOCKING, 450 DEGREE F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, NON-CORROSION RESISTANT STEEL USER: ER REVIEWER: 82 AR IS MI	A 5310 AS 30-NOV-88	AV	AS	99	
MS21043D	NUT, SELF-LOCKING, 800 DEG. F, REDUCED HEXAGON, REDUCED HEIGHT, RING BASE, CORROSION RESISTANT STEEL [VALIDATION DATE: 9110] USER: ER MI OS REVIEWER: AR IS SH	A 5310 AS 09-OCT-91	AV	AS	99	
MS21044G	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 DEG. F, 125 KSI FTU AND 60 KSI FTU USER: GL REVIEWER: 82 AS AV MI SH	A 5310 15 20-APR-93	AR	AS	99	15
MS21045H	NUT, SELF-LOCKING, HEXAGON-REGULAR HEIGHT, 450 DEG. F, 125 KSI FTU USER: GL MI REVIEWER: 11 82 AT AV MI OS SH	A 5310 AS 25-FEB-91	AR	AS	99	15
MS21046D	NUT, SELF-LOCKING, HEXAGON-REGULAR HEIGHT, 800 DEG. F, 125 KSI FTU (ASG) USER: GL OS REVIEWER: 11 82 AV ER IS MI SH	A 5310 AS 09-JAN-87	AR	AS	99	
MS21047E	NUT, SELF-LOCKING PLATE, TWO LUG, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. (ASG) USER: CR REVIEWER: 82 IS MI	A 5310 AS 30-SEP-87	AV	AS	99	
MS21048F	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F, [VALIDATION DATE: 8504] REVIEWER: 82 IS MI	A 5310 AS 08-JUN-79	AV	AS	99	
MS21049E	NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG. CSK LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F, (ASG) USER: AT ER ME MI REVIEWER: 11 82 IS	A 5310 AS 24-SEP-86	AV	AS	99	
MS21050D	NUT, SELF-LOCKING, PLATE, TWO LUG, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG AND 800 DEG F [VALIDATION DATE: 8403] USER: AT ER ME MI REVIEWER: 11 82 IS	A 5310 AS 15-MAR-78	AV	AS	99	
MS21051F	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F USER: ER MI REVIEWER: 11 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21052F	NUT, SELF-LOCKING, PLATE, ONE LUG, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG AND 800 DEG F USER: MI REVIEWER: 82 AR ER IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21053D	NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG. CSK LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F [VALIDATION DATE: 8403] USER: ER MI REVIEWER: 82 IS	A 5310 AS 15-MAR-78	AV	AS	99	
MS21054E	NUT, SELF-LOCKING, PLATE, ONE LUG, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. & 800 DEG. F [VALIDATION DATE: 9110] USER: CR OS REVIEWER: 15 MI SH	A 5310 AS 09-OCT-91	AV	AS	99	
MS21055F	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F. USER: ER MI REVIEWER: 11 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21056F	NUT, SELF-LOCKING, PLATE, CORNER, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F, (ASG) USER: ER MI REVIEWER: 82 AR IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21057F	NUT, SELF-LOCKING, PLATE, CORNER, 100 DEG. CSK, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F. USER: ER MI REVIEWER: 11 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21058D	NUT, SELF-LOCKING, PLATE, CORNER, 100 DEG. CSK, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. & 800 DEG. F [VALIDATION DATE: 9110] USER: CR MI REVIEWER: 11 IS	A 5310 AS 09-OCT-91	AV	AS	99	
MS21059H	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT STEEL, 125 DEG. KSI FTU, 450 DEG. F USER: ER MI REVIEWER: 82 IS	A 5310 AS 30-OCT-89	AV	AS	11	
MS21060F	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F, (ASG) USER: CR MI OS REVIEWER: 82 AR IS SH	A 5310 AS 30-SEP-87	AV	AS	99	
MS21061F	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, ALLOY STEEL, 125 KSI FTU, 450 DEG. F. USER: ER MI REVIEWER: 11 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21062E	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. AND 800 DEG. F, (ASG) USER: ER MI REVIEWER: 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21063G	NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, STEEL, 125 SKI FTU, 250 DEGREE F USER: CR MI REVIEWER: IS	A 5310 AS 21-NOV-88	AV	AS	99	
MS21064F	NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, STEEL 125KSI, FTU, 450 F USER: ER MI REVIEWER: 82	A 5310 AS 30-SEP-87	AV	AS	99	
MS21065E	NUT, SELF-LOCKING, CHANNEL, FLOATING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG.F AND 800 DEG.F [VALIDATION DATE: 8403] USER: ER MI REVIEWER: 82	A 5310 AS 15-MAR-78	AV	AS	99	
MS21066F	NUT, SELF-LOCKING, CHANNEL, 100CSK, FLOATING, LOW HEIGHT, STEEL, 125KSI FTU, 250F [VALIDATION DATE: 8807] USER: AT ER MI REVIEWER: 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21067F	NUT, SELF-LOCKING, CHANNEL, 100CSK, FLOATING, LOW HEIGHT, STEEL, 125KSI, 450F USER: ER REVIEWER: 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21068F	NUT, SELF-LOCKING, CHANNEL, 100 DEG CSK, FLOATING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG F AND 800 DEG F USER: ER MI REVIEWER: 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21069F	NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125KSI FTU, 450 DEG F USER: ER MI REVIEWER: 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	
MS21070F	NUT, SELF-LOCKING, PLATE, TWO LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG F AND 800 DEG F USER: ER MI OS REVIEWER: 82 AR IS SH	A 5310 AS 30-SEP-87	AV	AS	99	
MS21071F	NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125KSI FTU, 450 DEG F USER: ER MI REVIEWER: 82 IS	A 5310 AS 30-SEP-87	AV	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Doc. / OMA Coordination Notice	Document Number	Document Title	Doc. Smt. F&C Area	MSA Symbol Preceding Assy.	Date	Custodians Army Navy Air Force DIA
	MS21072F	NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125KSI FTU, 125KSI FTU, 450 DEG F AND 800 DEG F USER: ER REVIEWER: B2 IS MI	A 5310	AS	30-SEP-87	AV AS 99
	MS21073F	NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125KSI FTU, 450 DEG F USER: CR MI REVIEWER: B2 IS	A 5310	AS	30-SEP-87	AV AS 11
	MS21074F	NUT, SELF-LOCKING, PLATE, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125KSI FTU, 450 DEG F AND 800 DEG F USER: ER MI REVIEWER: B2 IS	A 5310	AS	30-SEP-87	AV AS 11
	MS21075F	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F USER: ER MI OS REVIEWER: B2 AR IS ME SH	A 5310	AS	24-OCT-88	AV AS 99
	MS21076H	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. F AND 800 DEG. F USER: ER MI OS REVIEWER: AR IS SH	A 5330	AS	11-JAN-91	AV AS 99
	MS21077G	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125KSI FTU, 250 DEG. F USER: CR MI REVIEWER: B2	A 5310	AS	16-DEC-91	AV AS 99 IS
	MS21078F	NUT, SELF-LOCKING, PLATE, TWO LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F USER: CR MI REVIEWER: B2 IS	A 5310	AS	13-AUG-90	AV AS 99
	MS21079E	NUT, SELF-LOCKING, GANG CHANNEL, NON-METALLIC INSERT, 125 KSI FTU, 250 DEGREE F USER: CR MI REVIEWER: B2 IS	A 5310	AS	30-JAN-89	AV AS 99
M	MS21080D	NUT, SELF-LOCKING, PLATE, ONE LUG, NON-METALLIC INSERT, STEEL, 125 KSI FTU, 250 DEG. F USER: CR MI	A 5310	IS	20-APR-93	AV AS 11 IS
M	MS21081D	NUT, SELF-LOCKING, PLATE, CORNER, NON-METALLIC INSERT, STEEL, 125KSI FTU, 250 DEG. F USER: CR MI REVIEWER: B2	A 5310	IS	20-APR-93	AV AS 11 IS
M	MS21082E	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, NON-METALLIC INSERT, STEEL, 125KSI FTU, 250 DEG. F USER: CR MI REVIEWER: B2	A 5310	IS	20-APR-93	AV AS 11 IS
M	MS21083G	NUT, SELF-LOCKING, HEXAGON NON-METALLIC INSERT, LOW HEIGHT, 250 DEG. F USER: ER REVIEWER: AR MI	A 5310	IS	20-APR-93	AV AS 99 IS
	MS21084B	NUT, SELF LOCKING, STEEL, 220 KSI FTU, 450 DEG. F., FLANGED, MS33787 WRENCHING ELEMENT USER: MI REVIEWER: 11 B2 AT IS	A 5310	AS	17-OCT-86	AV AS 99
	MS21085A NOTICE 1	NUT, SELF-LOCKING, STEEL, 260 KSI FTU, 450 DEG. F, FLANGED, MS33787 WRENCHING ELEMENT (VALIDATION DATE: 9110)	A 5310	AS	09-OCT-91	AV AS 99
	MS21086B	NUT, SELF LOCKING, PLATE, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, STEEL, 125 KSI FTU, 450 DEG. F VALIDATION JUL 1973 REVIEWER: B2 IS	A 5310	AS	30-SEP-87	AV AS 99
	MS21087B	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, CRES, 125 KSI FTU, 450 DEG. & 800 DEG. F REVIEWER: B2 IS	A 5310	AS	25-FEB-91	AV AS 11
	MS21090A NOTICE 1	SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, PANHEAD, CROSS RECESSED (VALIDATION DATE: 9110) REVIEWER: 11	A 5305	AS	09-OCT-91	AS 99
	MS21091 NOTICE 1	BOLT, SELF-LOCKING, 250 DEG. F, STEEL, 75 KSI FSU, 125 KSI FTU, 100 DEG. FLASH HEAD CROSS RECESSED (VALIDATION DATE: 9110) REVIEWER: 11	A 5306	AS	09-OCT-91	AS 99
	MS21092A NOTICE 1	BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, 100 DEG. FLASH HEAD, CROSS RECESSED (VALIDATION DATE: 9110) REVIEWER: 11	A 5306	AS	09-OCT-91	AV AS 99
	MS21093B NOTICE 1	SCREW, SELF-LOCKING, 250 DEG. F, STEEL, 55 KSI FTU, 100 DEG. FLAT HEAD, CROSS RECESSED (VALIDATION DATE: 9110) USER: ME REVIEWER: IS	A 5305	AS	09-OCT-91	AS 99
	MS21094	BOLT, SELF-LOCKING, 250 DEG. F, STEEL, 75 KSI FSU, 125 KSI FTU, HEX HEAD (VALIDATION DATE: B204) REVIEWER: B2 IS ME	A 5306	AS	02-NOV-65	AS 99
	MS21095A NOTICE 1	BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, HEX HEAD (VALIDATION DATE: 9110) REVIEWER: 11	A 5306	AS	09-OCT-91	AV AS 99
	MS21096 NOTICE 1	BOLT, SELF-LOCKING, 250 DEG. F, STEEL, 75 KSI FSU, 125 KSI FTU, PAN HEAD, CROSS RECESSED (VALIDATION DATE: 9110) REVIEWER: 11	A 5306	AS	09-OCT-91	AS 99
	MS21097E	BOLT, SELF-LOCKING, 250 DEG. F, CRES, 48 KSI FSU, 80 KSI FTU, PAN HEAD, CROSS RECESSED	A 5306	AS	20-JAN-92	AV AS 99 IS
	MS2109B	BOLT, SELF-LOCKING, STEEL, 160 KSI FTU 250 DEG. F, 12 POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS (VALIDATION DATE: 8303) REVIEWER: B2 IS	A 5306	AS	24-MAR-65	AS 99
	MS21099 NOTICE 1	BOLT, SELF LOCKING, CORROSION RESISTING STEEL, 80 KSI FTU, 250 DEG. F, 12-POINT, EXTERNAL WRENCHING (EXTERNALLY WRENCHING CAP SCREWS) (VALIDATION DATE: 9109) REVIEWER: 11 OS	A 5306	AS	23-SEP-91	AV AS 99
	MS21106A	CLAMP, LOOP, CUSHIONED, 1200 DEG. F., CRES TYPE IV, CLASS B (VALIDATION DATE: 8304)	A 5340	AS	02-DEC-70	AV AS 99
	MS21122C	CLAMP, LOOP, CUSHIONED WEDGE, POLYTETRAFLUORO-ETHYLENE USER: ME REVIEWER: MI	A 5340	AS	31-MAY-91	AS 99
	MS21125F	BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63KSI FTU, PAN HEAD, 450 DEG. F & 650 DEG. F REVIEWER: B2 99 IS	A 5306	AS	30-APR-83	AV AS 11
	MS21126 NOTICE 1	SPACER, GROOVED, SELF-RETAINING BOLT, ALUMINUM ALLOY (VALIDATION DATE: 8909) REVIEWER: B2	A 5340	AS	30-SEP-89	AS 11
	MS21128 NOTICE 1	SPACER, GROOVED, SELF-RETAINING BOLT, CRES (VALIDATION DATE: 9110) REVIEWER: 11	A 5340	AS	09-OCT-91	AS 99
	MS21130E	BOLT, SELF RETAINING, POSITIVE LOCKING, CRES 90 KSI FSU, 63 KSI FTU, 100 DEG. FLASH HEAD, 450 DEG. F AND 650 DEG. F REVIEWER: IS	A 5306	AS	11-MAR-81	AV AS 99
	MS21132A	WRENCHING ELEMENT, EXTERNAL HEXAGON, FOR THREAD FASTENERS USER: AT MI REVIEWER: B2 AR IS ME OS SH	A 536P	AS	25-MAR-87	AV AS 11
	MS21133 NOTICE 1	NUT, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F, FLANGED, MS33787 WRENCHING ELEMENT (VALIDATION DATE: 8906)	A 5310	AS	30-JUN-89	AV AS 99
	MS21134 NOTICE 1	BOLT, TENSION, STEEL, 180 KSI FTU, 450 DEGREE F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED (VALIDATION DATE: 8907) USER: MI REVIEWER: B2 AT IS	A 5306	AS	31-JUL-89	AV AS 99
	MS21140G	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLASH HEAD, CORROSION RESISTING STEEL, 95 K.S.I. FSU REVIEWER: B2 IS MI	A 5320	AS	24-DEC-90	AV AS 99
	MS21141G	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, CORROSION RESISTING STEEL, 95 K.S.I. FSU REVIEWER: B2 IS MI	A 5320	AS	24-DEC-90	AV AS 99
	MS21150C	BEARING, DOUBLE ROW, BALL, ROD END, PRECISION, SOLID SHANK, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, TYPE I, -65 DEGREE TO 350 DEGREES F USER: CG MC REVIEWER: AV IS	A 3110	84	16-AUG-82	AT AS 99
	MS21151C	BEARING, DOUBLE ROW, BALL, ROD END, PRECISION, EXTERNAL THREAD, SELF ALIGNING, ANTI FRICTION, AIRFRAME, TYPE II MINUS 65 DEG TO 350 DEG F	A 3110	84	16-AUG-82	AT AS 99
	MS21152C	BEARING, DOUBLE ROW, BALL, ROD END, PRECISION, HOLLOW SHANK, SELF ALIGNING, ANTI FRICTION, AIRFRAME, TYPE III, MINUS 65 DEG. TO 350 DEG. F.	A 3110	84	16-AUG-82	AT AS 99
	MS21153D	BEARING, DOUBLE ROW, BALL, PRECISION, INTERNAL THREAD, SELF ALIGNING, ANTI FRICTION, AIRFRAME, TYPE IV, MINUS 65 DEG. TO 300 DEG. F USER: ME	A 3110	84	02-FEB-83	AT AS 99
	MS21154D NOTICE 1	BEARING, PLAIN, SELF ALIGNING GROOVED OUTER RING (VALIDATION DATE: 9110) ..	A 3120	AS	09-OCT-91	AV AS 99
	MS21155B NOTICE 1	BEARING, PLAIN, SELF ALIGNING (VALIDATION DATE: 9110) .....	A 3120	AS	09-OCT-91	AV AS 99
	MS21206A	WASHER, COUNTERSUNK AND PLAIN, FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING 220 KSI FTU REVIEWER: B2	A 5310	AS	30-AUG-91	AV AS 99
	MS21207A	SCREW, TAPPING, 100 DEG. FLAT HEAD, SPACED THREAD (ASG) (VALIDATION DATE: 8107) REVIEWER: IS	A 5305	AS	29-DEC-72	AS 99
	MS21208B	(INSERT, SCREW THREAD, COARSE AND FINE, FREE RUNNING, HELICAL COIL, CRES (INACTIVE USE MS-122076 THRU MS-122275 AND MS-124651 THRU MS-124850) (VALIDATION DATE: 8503)	A 5340	82	15-OCT-69	AV AS 99
	MS21209E	INSERT, SCREW THREAD, COARSE AND FINE, SCREW LOCKING, HELICAL COIL, CRES (VALIDATION DATE: 8405) USER: AS OS REVIEWER: 99 AR ER IS MI	A 5340	82	21-FEB-78	AV 11
	MS21211B NOTICE 1	VALVE, CHECK, AIRCRAFT LOW PRESSURE OXYGEN SYSTEMS ARMY .....	A 4820	71	27-NOV-86	AV AS 99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Qty / On Hand Location	Document Number	Document Title	Dist. Smt. FSC / Area	MSA Symbol	Preparing Agency Date	Custodian Army Navy Air Force DLA
	MS21220C	BEARING, ROLLER, ROD END, INTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67 DEG. F TO 350 DEG. F, SEALED REVIEWER: AV	A 3110	AS	31-JAN-90	AT AS 99
	MS21221C	BEARING, ROLLER ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I -67 DEG. F TO 350 DEG. F, SEALED REVIEWER: IS	A 3110	AS	17-JAN-90	AT AS 99
	MS21223C	BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67 DEG. F TO 350 DEG. F, SEALED REVIEWER: AV	A 3110	AS	31-JAN-90	AT AS 99
	MS21224C	NUT, SELF-LOCKING, CASTELLATED, HEXAGON, COUNTERBORED, ASSEMBLED WASHER, 250 DEGREE F, NON-METALLIC INSERT (FOR SELF-RETAINING BOLTS) REVIEWER: AR	A 5310	AS	30-NOV-88	AV AS 99
	MS21225A	NUT, SELF-LOCKING, CASTELLATED, HEXAGON - 800 DEG. F [VALIDATION DATE: 83031] REVIEWER: B2	A 5310	AS	22-JUL-68	AS 99
	MS21227A	CYLINDER, OXYGEN, LOW PRESSURE [VALIDATION DATE: 86021] .....	A 1660	71	12-NOV-76	AV AS 99
L	MS21230B	BEARING, PLAIN, SELF - ALIGNING, GROOVED OUTER RING TFE LINED, WIDE [VALIDATION DATE: 9110] REVIEWER: 11 84	A 3120	AS	09-OCT-91	AS
L	MS21231B	BEARING, PLAIN, SELF-ALIGNING, TFE LINED, WIDE [VALIDATION DATE: 9110] REVIEWER: 11 84	A 3120	AS	09-OCT-91	AS
	MS21232A	BEARING, PLAIN, SELF-ALIGNING, GROOVE OUTER RING, TFE LINED, NARROW [VALIDATION DATE: 9110] REVIEWER: 11	A 3120	AS	09-OCT-91	AS 99
	MS21233B	BEARING, PLAIN, SELF-ALIGNING, TFE LINED, NARROW [VALIDATION DATE: 9110] REVIEWER: 11 84	A 3120	AS	09-OCT-91	AS 99
	MS21234	FITTING, TIEDOWN, CARGO RING (5,000 LB) AND SEAT STUD, TYPE I [VALIDATION DATE: 9106] USER: MT REVIEWER: B2	A 1670	AS	21-JUN-91	GL AS 99
	MS21235	FITTING, TIEDOWN, CARGO RING (10,000 LB) AND SEAT STUD, TYPE II [VALIDATION DATE: 9106] USER: MT REVIEWER: B2	A 1670	AS	21-JUN-91	GL AS 99
	MS21236	RING, CARGO TIEDOWN (10,000 LB), TYPE III [VALIDATION DATE: 9106] REVIEWER: B2	A 1670	AS	21-JUN-91	GL AS 99
	MS21237	RING, CARGO TIEDOWN (25,000 LB), TYPE IV [VALIDATION DATE: 9106] REVIEWER: B2	A 1670	AS	21-JUN-91	GL AS 99
	MS21240D	BEARING, SLEEVE, PLAIN, TFE LINED REVIEWER: 84 AR IS	A 3120	AS	08-MAY-80	AV AS 99
	MS21241D	BEARING, SLEEVE, FLANGED, TFE LINED [VALIDATION DATE: 8312] REVIEWER: 84 IS MI	A 3120	AS	16-AUG-77	AV AS 99
I	MS21242D	BEARING, PLAIN, ROD END, SELF-ALIGNING, TFE LINED, EXTERNALLY THREADED REVIEWER: 84 99	A 3120	AS	19-JUL-89	AV AS 11
	MS21243C	BEARING, PLAIN, ROD END, SELF ALIGNING, TFE LINED, INTERNALLY THREADED REVIEWER: IS	A 3120	AS	04-JUN-82	AV AS 99
	MS21244B	NUT, CASTELLATED, HEXAGON, COUNTERBORED ASSEMBLED WASHER, 450 DEG. F (FOR SELF RETAINING BOLTS) [VALIDATION DATE: 8209] REVIEWER: ER IS	A 5310	AS	28-AUG-81	AV AS 99
	MS21245D	NUT, SELF-LOCKING, HEXAGON, THIN, 450 DEGREE F, 80 KSI FTU REVIEWER: AL AR IS	A 5310	AS	30-NOV-88	AV AS 99
	MS21250L	BOLT, TENSION, STEEL, EXTERNAL WRENCHING, FLANGED, 12-POINT, 180 KSI FTU, 450 DEGREE F REVIEWER: B2 IS MI	A 5306	AS	30-JAN-89	AV AS 99
	MS21251E	TURNBUCKLE BODY, CLIP LOCKING [VALIDATION DATE: 7908] USER: MC REVIEWER: 11 MC	A 5340	B2	29-JAN-71	AV AS 99
	MS21252G	CLEVIS, ROD END, TURNBUCKLE, CLIP LOCKING [VALIDATION DATE: 8405] USER: MC REVIEWER: IS	A 5340	B2	11-AUG-78	AV AS 99
	MS21253J	CLEVIS END, TURNBUCKLE, CLIP LOCKING, (FOR BEARING) USER: MC REVIEWER: IS	A 5340	B2	01-JUL-83	AV AS 99
	MS21254L	CONNECTOR, ROD END, TURNBUCKLE, CLIP LOCKING .....	A 5340	B2	18-OCT-82	AV AS 99
	MS21255K	EYE END, TURNBUCKLE, CLIP LOCKING, (FOR WIRE ROPE) REVIEWER: IS	A 5340	B2	03-NOV-82	AV AS 99
	MS21256C	CLIP, LOCKING, TURNBUCKLE USER: MC MC REVIEWER: AR IS	A 5340	B2	15-MAR-83	AV AS 99
L	MS21258A	WASHER, KEY, RETAINING, WHEEL BEARING REVIEWER: 99	A 5310	99	28-DEC-84	AS 99
	MS21259D	TERMINAL, WIRE ROPE, STUD [VALIDATION DATE: 8209] USER: MC MC	A 4030	B2	10-FEB-69	AR AS 99
	MS21260G	TERMINAL, WIRE ROPE, STUD [VALIDATION DATE: 8711] USER: MC MC REVIEWER: IS	A 4030	B2	13-NOV-87	AR AS 99
	MS21262D	SCREW, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD HEXAGONAL WRENCHING SOCKET, ALLOY STEEL, 180 KSI FTU (SOCKET HEAD CAP SCREW) (ASG) [VALIDATION DATE: 8312] USER: OS REVIEWER: B2 AR IS	A 5305	AS	20-FEB-63	AS 99
L	MS21264	NUT DRILLED JAM [VALIDATION DATE: 9110] .....	A 5310	AS	09-OCT-91	AS
	MS21266E	GROMMET, PLASTIC, EDGING USER: EC ER MC REVIEWER: AV IS MI	A 5325	AS	15-JUN-81	GL AS 99
	MS21267A	TERMINAL ASSEMBLY, SPARK PLUG, DETACHABLE IGNITION LEAD [VALIDATION DATE: 8408] USER: MC	A 2925	AS	10-AUG-65	AV AS 99
	MS21268A	SCREW, INSTRUMENT - FILLISTER HEAD [VALIDATION DATE: 8212] REVIEWER: IS	A 5305	B2	31-OCT-63	AR SH 99
	MS21270A	SCREW, INSTRUMENT - 100 DEG FLAT HEAD [VALIDATION DATE: 8212] REVIEWER: IS	A 5305	B2	31-OCT-63	AR SH 99
	MS21271A	SCREW, INSTRUMENT - BINDING HEAD [VALIDATION DATE: 8212] REVIEWER: IS	A 5305	B2	31-OCT-63	AR SH 99
	MS21279B	BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879) (ASG) [VALIDATION DATE: 8107] REVIEWER: IS	A 5306	AS	17-SEP-63	AS 99
LI	MS21280B	BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .250-28 (MIL-S-8879 THREAD)	A 5306	AS	21-OCT-91	AS
LI	MS21281B	BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD)	A 5306	AS	21-OCT-91	AS
LI	MS21282B	BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD)	A 5306	AS	21-OCT-91	AS
LI	MS21284B	BOLT, MACHINE - STEEL, DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD)	A 5306	AS	21-OCT-91	AS
LI	MS21287B	SCREW, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .164-36 (MIL-S-8879 THREAD) [VALIDATION DATE: 8007] REVIEWER: IS	A 5306	AS	31-JUL-89	AV AS 99
LI	MS21288B	BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .190-32 (MIL-S-8879 THREAD)	A 5306	AS	21-OCT-91	AS
LI	MS21290B	BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .3125-24 (MIL-S-8879 THREAD)	A 5306	AS	21-OCT-91	AS
LI	MS21291B	BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .375-24 (MIL-S-8879 THREAD)	A 5306	AS	01-APR-92	AS
LI	MS21292B	BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .4375-20 (MIL-S-8879 THREAD) [VALIDATION DATE: 9109]	A 5306	AS	23-SEP-91	AV AS 99
LI	MS21293B	BOLT, MACHINE - STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .500-20 (MIL-S-8879 THREAD)	A 5306	AS	21-OCT-91	AS
	MS21294B	BOLT, MACHINE - STEEL, DRILLED, DOUBLE HEXAGON, EXTENDED WASHER, .5625-18 (MIL-S-8879 THREAD) [VALIDATION DATE: 9109]	A 5306	AS	23-SEP-91	AV AS 99
	MS21295A	SCREWS, SELF LOCKING, 250 DEG. F, CYLINDRICAL HEAD, HEXAGONAL WRENCHING SOCKET, CORROSION RESISTING STEEL, 80 KSI FTU (SOCKET HEAD CAP SCREWS) [VALIDATION DATE: 9110]	A 5306	AS	09-OCT-91	AS 99
	MS21296A	BOLT, TENSION, STEEL: 260 KSI FTU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD [VALIDATION DATE: 8906] REVIEWER: AT IS MI	A 5306	AS	30-JUN-89	AV AS 99
	MS21297A	BOLT, TENSION, STEEL, 220 KSI FTU, 450 DEG. F, EXTERNAL WRENCHING, SPLINE DRIVE, FLANGED HEAD [VALIDATION DATE: 9110] USER: MI REVIEWER: AT IS	A 5306	AS	09-OCT-91	AV AS 11
	MS21299	WASHER, COUNTERSUNK AND PLAIN FOR USE WITH BOLTS AND NUTS UP TO AND INCLUDING FTU [VALIDATION DATE: 8312] REVIEWER: B2	A 5310	AS	28-JAN-72	AV AS 99
L	MS21300	ANCHOR - SEMI-PERMANENT MOORING [VALIDATION DATE: 8811] .....	A 1730	B2	10-NOV-88	99
D	MS21301A	SCREW, SHOULD, HEX-SOCKET HEAD .375, .500, .625 UNC-3A, UNPLATED USER: GL MC MS SA REVIEWER: B2 AR IS	A 5306	ER	21-DEC-87	ER Y01 99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Qty / Ord. Coordination Inch	Document Number	Document Title	Dist. Dist. FAC / Item	MCA Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DLA
D	MS213038	MUT. EYE, THIMBLE HOT DIP GALVANIZED (POLE LINE) [VALIDATION DATE: 8009] USER: MC REVIEWER: AR 15 SA	A 5310	ER	26-APR-68	ER	YD1	99	
D	MS213048	MUT. PLAIN, SQUARE [VALIDATION DATE: 8009] USER: AV YD1 REVIEWER: AR 15 SA	A 5310	ER	10-MAY-60	ER	MC	99	
L	MS213068	WASHER, FLAT (ROUND) USER: 84 MC SH TS REVIEWER: 82 AR AT 15 OS	A 5310	ER	20-AUG-67	ER	YD1	99	
D	MS213078	WASHER, FLAT (SQUARE) [VALIDATION DATE: 8502] USER: MC REVIEWER: AR 15	A 5310	ER	19-NOV-69	ER	YD1	99	
D	MS21308C	WASHER, SADDLE SQUARE, CURVED (POLE LINE) [VALIDATION DATE: 8009] USER: MC REVIEWER: 85 AR GL SH	A 5310	ER	09-SEP-67	ER	YD1	99	
	MS21312A	HANDWHEEL-REVOLVING HANDLE, WITH KEYWAY [VALIDATION DATE: 8304] USER: AT MC MI REVIEWER: 15 ME	A 5340	AR	29-AUG-68	AR	OS	99	
D	MS21313G	PADLOCK SETS - INDIVIDUALLY KEYPED AND KEYPED ALIKE USER: AT CE MC SA REVIEWER: 82 15 ME	A 5340	YD1	10-JUL-92	AR	YD1	99	
D	MS213148	STRAP, RETAINING, TWO HOLE, FOR PIPE, CONDUIT, AND CABLE USER: ER MC ME REVIEWER: 15 MI	A 5340	AR	30-DEC-91	AR	YD1	99	
	MS21315A	STRAP, RETAINING, TWO HOLE, FOR TUBING [VALIDATION DATE: 8504] USER: EL ER MC ME REVIEWER: 15	A 5340	AR	22-MAR-66	AR		99	
D	MS21316C	THUMBScrew (SHOULDERED), FLAT POINT, CARBON STEEL, CADMIUM PLATED, UNC-2A [VALIDATION DATE: 8003] USER: AS MC ME OS REVIEWER: AV EL 15 MI NS	A 5305	AR	22-MAY-74	AR	YD1	99	
	MS21318A	SCREW, DRIVE, ROUND HEAD, TYPE U, STEEL, CARBON, CADMIUM PLATED [VALIDATION DATE: 8504] USER: ME REVIEWER: AV 15 MI	A 5305	AR	13-OCT-65	AR		99	
	MS21319	GAGE, APERTURE CARD NO. 201& [VALIDATION DATE: 8502] USER: AR REVIEWER: AG	A EDRS	ER	15-APR-60	ER	AS	16	
D	MS21322D	CLAMP, LOOP-ALUMINUM, PLAIN AND CUSHIONED [VALIDATION DATE: 8504] USER: AT MC ME OS REVIEWER: ER 15 MI	A 5340	AR	22-JUN-72	AR	YD1	99	
	MS21323A	STUD, STYLE 1 SNAPSLIDE FASTENER [VALIDATION DATE: 8212] USER: MC REVIEWER: 15	A 5325	82	14-DEC-62	GL	AS	99	
	MS213258	STUD - STYLE 111 SNAPSLIDE FASTENER (SU REVIEWER: 15 MI)	A 5325	82	17-DEC-82	GL	AS	99	
	MS21326A	STUD, STYLE 1V SNAPSLIDE FASTENER (SUPERSEDES AM 3199) [VALIDATION DATE: 8212] REVIEWER: 15 MI	A 5325	82	14-DEC-62	GL	AS	99	
D	MS21327E	FASTENER INSTALLATION-SNAPSLIDE REVIEWER: 82	A 5325	15	26-OCT-90	GL	AS	99	15
I	MS21330G	RELAYS, ELECTROMAGNETIC, 3 PST (NO), 12 AMPERES, TYPE 1, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	85	06-JAN-89	AS	85		
	MS21331B	MUT. PLAIN, CLINCH [VALIDATION DATE: 8504] USER: EL ER MC ME REVIEWER: AT AV 15	A 5310	AR	30-SEP-71	AR	OS		
D	MS213328	FASTENER - SNAPSLIDE REVIEWER: 82 85	A 5325	15	26-OCT-90	GL	AS	99	15
D	MS21333F	CLAMP, LOOP-STEEL-PLAIN AND CUSHIONED USER: ER MC SA SH REVIEWER: AV 15 MI	A 5340	AR	06-NOV-87	AR	YD1	99	
D	MS21334B	CLAMP, LOOP-DOUBLE, CABLE ON TUBE, STEEL, PLAIN AND CUSHIONED [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: AV 15 MI	A 5340	AR	22-JUN-72	AR	YD1	99	
D	MS21340B	MUT. PLAIN, HEXAGON, ELECTRICAL, THIN (WITH LOCKWIRE HOLES) [VALIDATION DATE: 8503] REVIEWER: 82	A 5310	15	17-SEP-73	AS	99	15	
L	MS21341G	METER, TIME TOTALIZING HERMETICALLY SEALED 28V DC REVIEWER: GS	A 6645	82	15-DEC-82		99		
	MS21343	BOSS SPACING-HYDRAULIC DESIGN STANDARD FOR [VALIDATION DATE: 8406] USER: MI	A 4730	82	16-AUG-71	AV	AS	99	
	MS21344	FITTING - INSTALLATION OF FLARED TUBE, STRAIGHT THREADED CONNECTORS, DESIGN STANDARD FOR [VALIDATION DATE: 8111] USER: MI REVIEWER: AR	A 4730	82	17-AUG-71	AV	AS	99	
	MS21345A	FITTING, INSTALLATION OF UNIVERSAL ELBOW USER: MI REVIEWER: AR	A 4730	82	21-SEP-84	AV	AS	99	
	MS21346E	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK AND TOGGLE, MINIATURE TOGGLE SEALED, INTEGRATED WIRE TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 99 AR EC MI	A 5930	85	04-SEP-91	ER	AS	85	
	MS21347J	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, AND -LEVER LOCK- MINIATURE, TOGGLE SEALED, INTEGRATED WIRE TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING REVIEWER: 19 99 EC	A 5930	85	04-SEP-91	AS	85		
L	MS21349	CASE, INSTRUMENTS, VERTICAL SCALE, STANDARD DIMENSIONS FOR [VALIDATION DATE: 9003]	A 6610	71	30-MAR-90		99		
	MS21351F	SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 17 99 AR ES MI	A 5930	85	18-OCT-85	ER	AS	85	
	MS21353J	SWITCH, TOGGLE, POSITIVE BREAK, SPECIAL CIRCUIT, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING REVIEWER: 17 99 AR EC MI	A 5930	85	18-OCT-85	ER	AS	85	
	MS21354L	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .250 MOUNTING BUSHING REVIEWER: 99 AR EC	A 5930	85	04-SEP-91	ER	AS	85	
	MS21355J	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .250 MOUNTING BUSHING REVIEWER: 99 AR EC	A 5930	85	04-SEP-91	AS	85		
	MS21356H	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, SINGLE POLE, .469 MOUNTING BUSHING REVIEWER: 11 99 EC	A 5930	85	04-SEP-91	AS	85		
	MS21357H	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, PRINTED CIRCUIT BOARD TERMINALS, DOUBLE POLE, .469 MOUNTING BUSHING REVIEWER: 11 99 EC	A 5930	85	04-SEP-91	AS	85		
L	MS21363A	COIL, RADIO FREQUENCY, MOLDED FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE FERRITE SLEEVE) TYPES LT10K307 TO LT10K353 INCL. USER: 19 REVIEWER: 11 17 80	A 5950	85	02-JUL-85		85		
L	MS21367F	COIL, RADIO FREQUENCY, ENCAPSULATED, FIXED, MICRO MINIATURE, SHIELDED (IRON CORE), TYPES LT10K354 TO LT10K383, INCL [VALIDATION DATE: 8804] REVIEWER: 11 ES	A 5950	85	15-APR-88		85		
L	MS21376	LAMP SUB MINIATURE HELIUM RETARDANT FLANGE BASE, T-1 SIZE [VALIDATION DATE: 8205] REVIEWER: GS	A 6240	11	12-MAR-73		11		
L	MS21378A	PLUGS & CABLE ASSEMBLIES, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HERTZ REVIEWER: 11 99	A 5935	85	30-NOV-84		85		
A L	MS21379A	CONNECTOR, RECEPTACLE, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HZ [VALIDATION DATE: 9302] REVIEWER: 71 99	A 5935	85	03-FEB-93	AS	85		
L	MS21380B	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K REVIEWER: ES	A 5950	85	28-JUL-86		85		
	MS21381D	COILS, RADIO FREQUENCY, MOLDED VARIABLE, SUBMINIATURE, IRON CORE, MAGNETICALLY SHIELDED, TYPES LT10V174 TO LT10V209 INCL. AND LT10V247 TO LT10V258 INCL. USER: 19 REVIEWER: 11 17 99 ES MI	A 5950	85	08-MAY-87	ER	EC		
L	MS21382E	KNOB, NON ILLUMINATED, SMALL REVIEWER: 15	A 5355	82	18-AUG-80		11		
L	MS21383F	KNOB, RADIAL INDICATOR, ILLUMINATED AND NON ILLUMINATED	A 5355	11	18-AUG-80		11		
L	MS21384E	KNOB, ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL REVIEWER: 15	A 5355	11	18-AUG-80		99		
L	MS21385E	KNOB, TACTILE SERIES, ILLUMINATED AND NON ILLUMINATED REVIEWER: MI	A 5355	82	18-AUG-80		11		
L	MS21386E	KNOB, ROUND, CONCENTRIC ILLUMINATED AND NON ILLUMINATED REVIEWER: 15	A 5355	82	18-AUG-80		11		
L	MS21387E	KNOB, ROUND, ILLUMINATED AND NON ILLUMINATED, SMALL REVIEWER: 15	A 5355	82	18-AUG-80		11		
L	MS21388H	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K REVIEWER: ES	A 5950	85	28-JUL-86		85		
L	MS21389C	COIL, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, PHENOLIC CORE, TYPES LT4K REVIEWER: ES	A 5950	85	28-JUL-86		85		
L	MS21390C	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE, IRON CORE, TYPES LT4K REVIEWER: ES	A 5950	85	09-SEP-88		85		
	MS21391A	Coupling END, 1-INCH, DRINKING WATER, SERVICE, AIRCRAFT, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8808]	A 1680	82	10-AUG-88	AV	AS	99	
L	MS21392A	MUT. PLAIN, HEXAGON-AZIMUTH (WITH LOCKWIRE HOLES) [VALIDATION DATE: 8205]	A 5310	11	07-SEP-76		11		
L	MS21397B	COIL, RADIO FREQUENCY, MOLDED FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE FERRITE SLEEVE) TYPES LT10K433 TO LT10K456 INCL. [VALIDATION DATE: 8804] REVIEWER: 11	A 5950	85	15-APR-88		85		
L	MS21399A	TITLE, COILS, RADIO, FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES, LT10K 457 TO LT10K 468 INCL. [VALIDATION DATE: 8803] USER: 19 REVIEWER: 17	A 5950	85	31-MAR-88	ER	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Qty / Cmt Correlation Inchance	Document Number	Document Title	Dist. Smt. FDC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MS21400A NOTICE 1	COIL, RADIO, FREQUENCY, MOLDED, FIXED, MICRO MINIATURE, MAGNETICALLY SHIELDED (IRON CORE - IRON SLEEVE) TYPES, LT10K 469 TO LT10K 482 INCL. (VALIDATION DATE: 8803) USER: 19 REVIEWER: 17	A 5950	85	31-MAR-88	ER	EC	85	
	MS21401C	COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED, (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K 483 TO LT10K 517 INCL. USER: 19 REVIEWER: 17 99 AR MI	A 5950	85	01-NOV-90	ER	EC	85	
L	MS21402D	COILS, RADIO FREQUENCY, MOLDED, VARIABLE, SUBMINIATURE, FERRITE CORE, MAGNETICALLY SHIELDED, TYPES LT10V210 TO LT10V246 INCL. USER: 19 REVIEWER: 11 17 99 ES MI	A 5950	85	08-MAY-87	ER	EC	85	
L	MS21422C	COIL, RADIO, FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K496 TO LT4K520 INCL.	A 5950	85	09-NOV-82			85	
L	MS21423C	COIL, RADIO, FREQUENCY, MOLDED, FIXED, SUBMINIATURE, TYPES LT4K521 TO LT4K545 INCL.	A 5950	85	09-NOV-82			85	
L	MS21424C	COIL, RADIO, FREQUENCY, MOLDED, FIXED, SUBMINIATURE TYPES LT4K546 TO LT4K570 INCL.	A 5950	85	09-NOV-82			85	
L	MS21426A	COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO MINIATURE MAGNETICALLY SHIELDED, (IRON CORE IRON SLEEVE) TYPE LT10K USER: 19 REVIEWER: 11 99	A 5950	85	26-APR-84			85	
L	MS21427B	COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE) TYPE LT10K USER: 19 REVIEWER: 11 17 99	A 5950	85	31-OCT-84			85	
	MS21428A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, PRECISION REVIEWER: 15	A 3110	AS	09-APR-81	AV	AS	99	
	MS21429 NOTICE 1	BEARING, ROLLER, ANTI-FRICTION, ROD END, EXTERNAL THREAD, SELF-ALIGNING, AIR FRAME, -67 DEG. F TO 350 DEG. F, TYPE I, HEAVY DUTY, SEALED (VALIDATION DATE: 9109) REVIEWER: 84	A 3110	AS	05-SEP-91			AS 11	
	MS21430A	VALVE, CHECK, FUEL AND AIR, POPPET TYPE, ZERO, LEAK (VALIDATION DATE: 8404) REVIEWER: CS ME MI	A 4820	82	06-DEC-77	AV	AS	99	
	MS21431	BEARING, ROLLER, SELF-ALIGNING SINGLE ROW ANTI-FRICTION, SEALED -65 DEGREES TO 350 DEGREES F, TYPE I (VALIDATION DATE: 8304) REVIEWER: 84	A 3110	AS	22-NOV-76	AT	AS	99	
	MS21432A	BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, TYPE VII.	A 3110	AS	21-MAR-77	AT	AS	99	
	MS21433E	ANTI-FRICTION, INCH (VALIDATION DATE: 8304) REVIEWER: 84	A 5930	85	04-SEP-91			AS 85	
	MS21434H NOTICE 1	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SINGLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT REVIEWER: 11 99 EC	A 5930	85	30-SEP-88	ER	AS	85	
	MS21436B NOTICE 1	SWITCHES, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, PRINTED CIRCUIT BOARD TERMINALS, RIGHT ANGLE MOUNT (VALIDATION DATE: 8809) USER: AR AT REVIEWER: 17 99 AV EC MI	A 5930	85	11-AUG-86	ER	AS	85	
	MS21437F	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING (VALIDATION DATE: 8608) REVIEWER: 11 17 99 AR EC MI	A 5930	85	04-SEP-91			AS 85	
	MS21438A	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING USER: MI REVIEWER: 99 EC	A 3110	AS	31-MAR-81	AT	AS	99	
	MS21439A	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTI-FRICTION, INCH REVIEWER: 15	A 3110	AS	31-MAR-81	AT	AS	99	
	MS21440A	BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, ANTI-FRICTION, INCH REVIEWER: 84 IS	A 3110	AS	31-MAR-81	AT	AS	99	
	MS21441A	BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, SEALED, TYPE VIII, ANTI-FRICTION, INCH REVIEWER: 15	A 3110	AS	31-MAR-81	AT	AS	99	
	MS21442A	BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL HEAVY STUD, SEALED, TYPE IX, ANTI-FRICTION, INCH REVIEWER: 15	A 3110	AS	31-MAR-81	AT	AS	99	
	MS21443 NOTICE 1	BEARING, ROLLER, NEEDLE, TRACK ROLLER, SEALED, TYPE X, ANTI-FRICTION, INCH REVIEWER: 15	A 3110	AS	09-OCT-91	AV	AS	99	
L	MS21444 NOTICE 1	BEARING, BALL, AIRFRAME, ANTI-FRICTION PULLEY TYPE (VALIDATION DATE: 9110) REVIEWER: 15 SH	A 3110	AS	09-OCT-91	AV	AS	99	
	MS21446	TIRE, PNEUMATIC, AIRCRAFT, 36X11 (VALIDATION DATE: 8810) USER: CS .....	A 2620	70	07-OCT-88			99	
	MS21447	BEARING, ROLLER, SELF ALIGNING SINGLE ROW, BARREL ROLLER, TORQUE TUBE, AIRFRAME, ANTI-FRICTION, SEALED TYPE V REVIEWER: AV IS	A 3110	99	12-SEP-84	AT	AS	99	
	MS21450	BEARING, ROLLER, NEEDLE, TRACK ROLLER CROWN RADIUS O.D. INTEGRAL STUD, TYPE VII ANTI-FRICTION, INCH REVIEWER: 15	A 3110	99	12-SEP-84	AT	AS	99	
L	MS21780A NOTICE 1	NUT, SELF-LOCKING, EXTENDED WASHER, HEXAGON, REDUCED HEXAGON, C/BORE USER: AT CR ER MC OS REVIEWER: 99 AR AS IS MI	A 5310	11	22-JAN-88	AV		11	
L	MS21781	TIRE PNEUMATIC REBUILT TYPE VIII 30 X 11.5 - 14.5/24 PR USER: CS .....	A 2620	70	24-FEB-86			99	
	MS21782	TIRE - PNEUMATIC TYPE VIII 30 X 11.5 - 14.5/26 PR (VALIDATION DATE: 8810) REVIEWER: CS	A 2620	70	07-OCT-88			99	
	MS21783	BEARING, SLEEVE, PLAIN, SINTERED IRON BASE, OIL IMPREGNATED REVIEWER: 11 AR AS CS IS MI	A 3120	84	21-FEB-84	AT	OS	99	
	MS21900E	BEARING, WASHER, THRUST, SINTERED BRONZE, OIL IMPREGNATED REVIEWER: 11 AR AS CS IS MI	A 3120	84	21-FEB-84	AT	OS	99	
	MS21902F NOTICE 1	ADAPTER, FLARELESS TUBE TO A FLARED TUBE USER: 71 AT GL ME OS REVIEWER: 82 AR CS MI	A 4730	AS	24-OCT-88	AV	AS	99	
	MS21903C	UNION, FLARELESS TUBE (VALIDATION DATE: 9110) USER: 71 AT ME REVIEWER: 82 CS MI	A 4730	AS	09-OCT-91	AV	AS	99	
A L	MS21904F	UNION, FLARELESS TUBE, 3/8 BULKHEAD AND UNIVERSAL (INACTIVE USE MS 21924) (VALIDATION DATE: 8405) USER: ME OS REVIEWER: 11 AR CS MI	A 4730	AS	27-JUN-69	AV	AS	99	
	MS21905F	ELBOW, FLARELESS TUBE, 90 DEG. USER: AT GL ME OS REVIEWER: 11 AR CS MI ....	A 4730	AS	22-JUN-84	AV	AS	99	
	MS21906E NOTICE 1	TEE, FLARELESS TUBE USER: AT CR GL ME OS REVIEWER: 11 AR CS MI .....	A 4730	AS	03-JUL-92			AS	
	MS21907G	CROSS, FLARELESS TUBE (VALIDATION DATE: 8703) USER: AT GL ME OS REVIEWER: 11 AR CS MI	A 4730	AS	03-MAR-87	AV	AS	99	
	MS21908F NOTICE 1	ELBOW, BULKHEAD UNIVERSAL, 45 DEG., FLARELESS TUBE USER: CR GL ME REVIEWER: 71 82 CS MI	A 4730	AS	20-JUN-91	AV	AS	99	
	MS21909G	ELBOW, BULKHEAD UNIVERSAL 90 DEG., FLARELESS TUBE (VALIDATION DATE: 8703) USER: AT GL ME OS REVIEWER: 11 AR CS MI	A 4730	AS	03-MAR-87	AV	AS	99	
	MS21910F NOTICE 1	TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE USER: AT CR GL REVIEWER: 71 82 CS MI	A 4730	AS	20-JUN-91	AV	AS	99	
	MS21911H NOTICE 1	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON SIDE (VALIDATION DATE: 8703) USER: AT GL ME OS REVIEWER: 11 CS MI	A 4730	AS	03-MAR-87	AV	AS	99	
	MS21912G	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN (VALIDATION DATE: 8703) USER: AT GL ME OS REVIEWER: 11 AR CS MI	A 4730	AS	03-MAR-87	AV	AS	99	
	MS21913E NOTICE 1	TEE, FLARELESS TUBE WITH BULKHEAD ON RUN USER: CR GL ME REVIEWER: 82 AR CS MI	A 4730	AS	31-AUG-88	AV	AS	99	
	MS21914H	PLUG, FLARELESS TUBE (VALIDATION DATE: 8707) USER: CR GL ME OS REVIEWER: 11 AR CS MI	A 4730	AS	26-JUN-81	AV	AS	99	
	MS21915F NOTICE 1	CAP, PRESSURE SEAL, FLARELESS TUBE FITTING USER: 71 AT CR GL ME OS REVIEWER: 82 CS MI	A 4730	AS	06-MAR-90	AV	AS	99	
	MS21916G	ADAPTER, STRAIGHT, TUBE TO BOSS USER: 71 AT ME REVIEWER: 82 AR CS MI .....	A 4730	AS	17-JUL-89	AV	AS	99	
	MS21919E NOTICE 1	REDUCER, EXTERNAL THREAD, FLARELESS TUBE USER: GL ME OS REVIEWER: 11 AR CS MI	A 4730	AS	06-JUN-88	AV	AS	99	
	MS21920C	CLAMP, LOOP TYPE, CUSHIONED, SUPPORT (VALIDATION DATE: 9110) REVIEWER: 11 AR EA IS	A 5340	AS	09-OCT-91			AS 99	
	MS21921H NOTICE 1	CLAMP, HOSE (FLAT BAND, 500 DEGREE F) (VALIDATION DATE: 8203) REVIEWER: AV CS MI	A 4730	82	08-DEC-75	ME		99	
	MS21921H NOTICE 1	NUT, SLEEVE COUPLING, FLARELESS (VALIDATION DATE: 8703) USER: GL ME REVIEWER: AR CS MI OS	A 4730	AS	03-MAR-87	AV	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Aeron Ordn / Ordn Combinat Inches	Document Number	Document Title	Dist. Syst. FSC / Item	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	As Corps	CLA
	MS21922F	SLEEVE, COUPLING, FLARELESS USER; AT ME OS REVIEWER: CS EL GL MC MI	A 4730	AS	04-APR-88	AW	AS	99	
	MS21923C	ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUBE [VALIDATION DATE: 8703]	A 4730	AS	03-MAR-87	AW	AS	99	
	NOTICE 1								
	MS21924C	UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL USER: 71 CR GL ME OS	A 4730	AS	15-SEP-88	AW	AS	99	
	REVIEWER: 82 AR CS								
	MS21925B	ELBOW, 90 DEGREE UNIVERSAL, FLARELESS TUBE, HIGH PROFILE (ASG) [VALIDATION DATE: 8703] USER: EL GL ME OS REVIEWER: 11 AR CS MI	A 4730	AS	03-MAR-87	AW	AS	99	
A	NOTICE 1								
	MS21926C	ELBOW, 90 DEG. UNIVERSAL, FLARELESS TUBE, LOW PROFILE USER: AT CR GL ME OS	A 4730	AS	03-JUL-92	AW	AS	99	
	REVIEWER: 82 AR CS MI								
	MS21932C	FIFFINT END, BOLT CLUSTER FITTING, SINGLE PORT USER: AT ME REVIEWER: 82 CS	A 4730	AS	27-JUL-87	AW	AS	99	
	MS21933C	FITTING END, BOLT CLUSTER FITTING, SINGLE PORT THROUGH, FLARELESS (INACTIVE FOR NEW DESIGN AFTER 31 DEC 1987) USER: CS GL ME REVIEWER: 11 AR MI	A 4730	AS	28-AUG-87	AW	AS	99	
	MS21934C	FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT USER: AT ME REVIEWER: 82 CS	A 4730	AS	27-JUL-87	AW	AS	99	
	MS21935C	FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS USER: GL ME REVIEWER: 82 CS MI	A 4730	AS	24-JUL-87	AW	AS	99	
	MS21937B	MUT. CLUSTER FITTING, RETAINER (ASG) [VALIDATION DATE: 8707] USER: ME	A 4730	AS	27-JUN-89	AW	AS	99	
	NOTICE 1								
	MS21938D	REVIEWER: 11 AR CS MI							
	MS21939D	BOLT, CLUSTER FITTING, SINGLE PORT FLARELESS USER: CR GL ME REVIEWER: 11 CS	A 4730	AS	16-JAN-89	AW	AS	99	
I	MS21940D	BOLT, CLUSTER FITTING, SINGLE PORT, THROUGH, FLARELESS USER: CR GL ME	A 4730	AS	21-JUN-88	AW	AS	99	
	REVIEWER: 11 AR CS								
I	MS21941D	BOLT, CLUSTER FITTING, DOUBLE PORT, FLARELESS USER: GL REVIEWER: 71 B2 CS	A 4730	AS	10-AUG-88		AS	99	
	REVIEWER: 11 AR CS								
	MS21942D	BOLT, CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS USER: CR GL ME	A 4730	AS	16-JUN-88	AW	AS	99	
	REVIEWER: 11 AR CS								
	MS21943C	BODY, CLUSTER FITTING, ONE WAY, FLARELESS USER: AT GL ME REVIEWER: 82 AR CS MI	A 4730	AS	24-JUL-87	AW	AS	99	
	MS21944C	BODY, CLUSTER FITTING, TWO WAY, 90 DEG., FLARELESS USER: EL GL ME	A 4730	AS	24-JUL-87	AW	AS	99	
	REVIEWER: 82 CS								
	MS21945C	BODY, CLUSTER FITTING, TWO WAY, 180 DEG., FLARELESS (INACTIVE FOR NEW DESIGN AFTER 31 DEC /987) USER: EL ME REVIEWER: 11 AR CS MI	A 4730	AS	28-AUG-87	AW	AS	99	
	MS21946C	BODY, CLUSTER FITTING, THREE-WAY, FLARELESS USER: GL ME REVIEWER: 82 AR CS	A 4730	AS	24-JUL-87	AW	AS	99	
	REVIEWER: 82 AR CS								
	MS21947A	BODY, CLUSTER FITTING, ONE WAY, INTERNAL BOSS (ASG) [VALIDATION DATE: 8106] REVIEWER: CS	A 4730	AS	28-JUL-75		AS	99	
L	MS21949A	FITTING END, BOLT CLUSTER FITTING SINGLE PORT THROUGH, FLARE	A 4730	82	10-NOV-84		AS	99	
	REVIEWER: CS								
	MS21950A	BOLT, CLUSTER FITTING SINGLE PORT, FLARE [VALIDATION DATE: 8406] USER: CS	A 4730	AS	13-MAY-66		AS	99	
	REVIEWER: MI								
	MS21951	BOLT, CLUSTER FITTING SINGLE PORT THROUGH, FLARE [VALIDATION DATE: 8107] REVIEWER: CS	A 4730	82	30-SEP-75	MI	AS	99	
L	MS21953A	BOLT, CLUSTER FITTING DOUBLE PORT, FLARE [VALIDATION DATE: 8106] REVIEWER: CS	A 4730	82	15-FEB-56		AS	99	
	REVIEWER: CS								
	MS21954A	BODY, CLUSTER FITTING ONE WAY, FLARE [VALIDATION DATE: 8107] REVIEWER: CS	A 4730	82	22-MAY-75		99		
	REVIEWER: CS MI								
	MS21955A	BODY, CLUSTER FITTING TWO WAY 90 DEG., FLARE [VALIDATION DATE: 8106] REVIEWER: CS MI	A 4730	82	16-MAY-75		99		
	MS21956A	BODY, CLUSTER FITTING TWO WAY 180 DEG., FLARE [VALIDATION DATE: 8107] REVIEWER: CS	A 4730	82	30-SEP-75	MI	AS	99	
	MS21957C	BODY, CLUSTER FITTING THREE WAY, FLARE [VALIDATION DATE: 8106] REVIEWER: CS	A 4730	82	30-SEP-75	MI	AS	99	
	MS21958B	COUPLING, QUICK-DISCONNECT, LOW-PRESSURE AIR CONNECTION, BULKHEAD FITTING	A 4730	AS	28-SEP-87		AS	99	
	END, 1/4 TUBE SIZE (INACTIVE-28 DEC 1967) REVIEWER: CS								
	MS21959B	BODY, CLUSTER FITTING, TWO-WAY, 180 DEG., INTERNAL BOSS (ASG) [VALIDATION DATE: 8107] USER: CS	A 4730	82	29-JUL-75		AS	99	
	MS21960B	BODY, CLUSTER FITTING, TWO WAY, 90 DEG., INTERNAL BOSS (ASG) [VALIDATION DATE: 8106] REVIEWER: CS	A 4730	82	20-JUN-75		AS	99	
	REVIEWER: CS								
	MS21961	BODY, CLUSTER FITTING, THREE WAY, INTERNAL BOSS (ASG) [VALIDATION DATE: 8107] REVIEWER: CS	A 4730	82	13-JUN-75		AS	99	
	NOTICE 1								
	MS21962	PANEL RELAY, PILOT, ENCLOSED, AIRPORT LIGHTING (TYPES I AND II)	A 6110	11	09-AUG-67		AS	11	
	MS21964H	[VALIDATION DATE: 8205] REVIEWER: 99 GS							
	MS21965C	ADAPTER, 13/16-20 TO 1/2-14, AIR HAND PUMP [VALIDATION DATE: 8506] USER: EL GL ME	A 4220	84	24-MAR-65		AS	99	
	NOTICE 1								
	MS21967C	VALVE ASSEMBLY EMERGENCY OXYGEN CYLINDER REVIEWER: 11 GL MI	A 4820	71	18-AUG-86	AW	AS	99	
	NOTICE 1								
	MS21968C	WIPPLE, BREAK OFF, EMERGENCY OXYGEN CYLINDER VALVE [VALIDATION DATE: 8610] REVIEWER: GL	A 1660	71	06-OCT-86	AW	AS	99	
L	MS21970B	GENERATOR SYSTEM, ALTERNATING CURRENT, INTERNALLY EXCITED, BRUSHLESS, 20 KVA [VALIDATION DATE: 8712] REVIEWER: GS	A 6115	AS	31-DEC-87		AS		
	NOTICE 1								
	MS21971	GENERATOR SYSTEM, AC INTERNALLY EXCITED 10 KVA-AIRCRAFT [VALIDATION DATE: 8303] REVIEWER: GS	A 6115	80	09-SEP-75		99		
L	MS21972B	GENERATOR SYSTEM, 10 KVA, 400 HERTZ, ALTERNATING CURRENT, INTERNALLY EXCITED, BRUSHLESS TYPE, A-4 AIRCRAFT [VALIDATION DATE: 8812] INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2 INCH SIZE [VALIDATION DATE: 7910] REVIEWER: 99 GS	A 6115	AS	31-DEC-88		AS		
	NOTICE 1								
	MS21978B	INDICATOR, TACHOMETER, ELECTRIC, 0-120 PERCENT RPM, 2 INCH SIZE [VALIDATION DATE: 7910] REVIEWER: 99 GS	A 6620	AS	15-AUG-60		AS	11	
LI	NOTICE 1								
	MS21980E	LIGHT, AIRCRAFT, ANTI-COLLISION, TANDEN OSCILLATING REVIEWER: GS	A 6220	AS	29-MAY-92		AS		
	MS21981D	FERRULE, OUTER, UNINSULATED, SHIELD TERMINATING, TYPE 1 TWO PIECE, CLASS 1, FOR SHIELDED CABLE USER: MC REVIEWER: 11 17 99 EC	A 5940	AS	13-AUG-82	ER	AS		
A	MS21983E	FERRULE, INNER, UNINSULATED, SHIELD TERMINATING, TYPE 1 TWO PIECE, CLASS 1, FOR SHIELDED CABLE USER: MC REVIEWER: 11 17 99 EC	A 5940	AS	13-AUG-82		AS	85	
	NOTICE 1								
	MS21984F	INVERTER, 250 VA, 3/1 PHASE AND 1 PHASE, CLASS B, MULTIPURPOSE [VALIDATION DATE: 9304] CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE, PUSH-PULL, 3-PHASE, 5 THRU 60 AMP., TYPE 1 USER: ME REVIEWER: 99 ES MI	A 6125	AS	19-APR-93	ME	AS	11	
	MS21994E	SWITCH, ROTARY, AMPHETER SELECTOR, 115/200 VOLTS FOR 1, 2, 4 GENERATOR SYSTEM [VALIDATION DATE: 8809] USER: MC REVIEWER: 11 17 99 AW EC MI OS	A 5925	AS	30-NOV-87	ER	AS	85	
	NOTICE 1								
	MS21995E	SWITCH, ROTARY, AMPHETER - VOLT/AMPERE SELECTOR, 115/200 VOLTS, FOR 1, 2, OR 4 GENERATOR SYSTEM [VALIDATION DATE: 8809] REVIEWER: 11 17 99 AW EC ES MI OS	A 5930	85	30-SEP-88	ER	AS	85	
	NOTICE 1								
	MS21998C	FLASHLIGHT, PENLIGHT STYLE REVIEWER: GS	A 6230	82	15-MAY-90	AW	AS	99	
L	MS22001E	MASK ASSEMBLY, OXYGEN, PRESSURE BREATHING [VALIDATION DATE: 9110] REVIEWER: AW GL	A 1660	AS	30-OCT-91		AS		
	NOTICE 1								
	MS22002F	LINK, REMOVABLE CONNECTOR PARACHUTE & BARRICADE [VALIDATION DATE: 9110] ...	A 1670	AS	30-OCT-91	GL	AS	99	
	NOTICE 1								
	MS22003	LINK - LAP SAFETY BELT (ASG) [VALIDATION DATE: 8405] REVIEWER: 99	A 1680	AS	21-APR-54		AS	11	
	MS22004C	ADJUSTER, LAP, AIRCRAFT SAFETY BELT	A 1680	82	03-JUL-86		AS	99	
	MS22005E	BAR, ADJUSTER, LAP AIRCRAFT SAFETY BELT	A 1680	82	13-NOV-87		AS	99	
	MS22007K	ADJUSTER ASSEMBLY, SAFETY SHOULDER HARNESS BELT	A 1670	82	15-JUL-87	AW	AS	99	
L	MS22008	RELEASE - PARACHUTE CANOPY QUICK DISCONNECT [VALIDATION DATE: 9110] ...	A 1670	AS	30-OCT-91		AS		
	NOTICE 1								
	MS22010	ANCHOR - LAP SAFETY BELT [VALIDATION DATE: 8405] REVIEWER: 82 MI	A 1680	AS	16-APR-56	AW	AS	99	
	MS22011A	COUPLING ASSEMBLY - HOSE, QUICK DISCONNECT, MALE, ANTI .G, SUIT [VALIDATION DATE: 8509] USER: MC REVIEWER: CS	A 8475	AS	16-MAR-66		AS	99	
	MS22012D	VALVE - HIGH-PRESSURE OXYGEN-CYLINDER, AUTOMATIC OPENING (ASG) [VALIDATION DATE: 8403] REVIEWER: 11 MI	A 4820	AS	20-NOV-69		AS	99	
	MS22014A	ADAPTER, PARACHUTE HARNESS ADJUSTING STRAP [VALIDATION DATE: 8106] ...	A 1670	82	19-AUG-74	GL	AS	99	
	MS22016D	CONNECTOR, OXYGEN MASK HOSE, TYPE MCB3A (ASG) [VALIDATION DATE: 8202] ...	A 1660	AS	20-FEB-73	AW	AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action On / Out Coordination Notice	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol	Proposing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
	MS220170	SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR .....	A 1670	AS	13-SEP-91	GL	AS	11		
	MS220180	SNAP, PARACHUTE HARNESS QUICK-FIT EJECTOR .....	A 1670	AS	13-SEP-91	GL	AS	11		
	MS22019C	ADAPTER, PARACHUTE HARNESS REVERSIBLE QUICK FIT [VALIDATION DATE: 8405] REVIEWER: 11	A 1670	AS	15-SEP-65	GL	AS	99		
L	MS220208 NOTICE 1	LINK, PARACHUTE HARNESS TRIANGLE [VALIDATION DATE: 9110] .....	A 1670	AS	30-OCT-91		AS			
	MS22021F	LINK, PARACHUTE REMOVABLE CONNECTOR, SPEED .....	A 1670	AS	13-SEP-91		AS	11		
	MS22022	SLIDE BAR, PARACHUTE HARNESS QUICK FIT EJECTOR SNAP [VALIDATION DATE: 9110]	A 1680	AS	30-OCT-91		AS	99		
	MS22025 NOTICE 1	BRACKET, FLYERS RELIEF TUBE, VERTICAL .....	A 1680	B2	21-OCT-86		AS	99		
	MS22032B NOTICE 1	RECHARGER ASSEMBLY, PORTABLE OXYGEN (ASG) [VALIDATION DATE: 8709] REVIEWER: 11	A 1660	AS	30-SEP-87		AS	99		
L	MS22033E NOTICE 1	BELT, AIRCRAFT SAFETY, LAP [VALIDATION DATE: 9110] .....	A 1680	AS	30-OCT-91		AS			
	MS22034A NOTICE 1	ADAPTER, QUICK DISCONNECT, PASSENGER SEAT TO FLOOR [VALIDATION DATE: 9110] USER: CG REVIEWER: 11 B2 AV	A 1680	AS	30-OCT-91		AS	99		
	MS22035B NOTICE 1	VALVE, CHECK, OXYGEN, HIGH PRESSURE, FILLER CONNECTION [VALIDATION DATE: 8709]	A 4820	AS	30-SEP-87	AV	AS	99		
	MS22040C NOTICE 1	ADAPTER, PARACHUTE, HARNESS, QUICK FIT [VALIDATION DATE: 9011] REVIEWER: 11 AV	A 1670	B2	23-NOV-90	GL	AS	99		
	MS22042A	SNAP HOOK - QUICK CONNECTOR, PARACHUTE HARNESS [VALIDATION DATE: 8108] USER: MC REVIEWER: 11	A 1670	B2	11-APR-75	GL	AS	99		
	MS22043A	SNAP HOOK - COILED SPRING, PARACHUTE QUICK FIT USER: MC REVIEWER: 11 AV ...	A 1670	B2	17-JUL-75	GL	AS	99		
	MS22044B	SNAP HOOK - COILED SPRING, PARACHUTE USER: MC REVIEWER: 11 B2 AV .....	A 1670	GL	28-DEC-83	GL	AS	99		
	MS22045B	RING-PARACHUTE HARNESS (V) [VALIDATION DATE: 8108] REVIEWER: 11 AV .....	A 1670	B2	06-DEC-74	GL	AS	99		
	MS22046C	RING-PARACHUTE HARNESS (D) [VALIDATION DATE: 8209] REVIEWER: 11 AV .....	A 1670	B2	26-AUG-74	GL	AS	99		
	MS22047C	ADAPTER - PARACHUTE HARNESS STRAP USER: MC REVIEWER: 11 AV .....	A 1670	B2	02-JAN-86	GL	AS	99		
	MS22048A NOTICE 1	GRONMET AND WASHER, PARACHUTE PACK [VALIDATION DATE: 9110] .....	A 1670	AS	30-OCT-91		AS	99		
L	MS22053J NOTICE 1	BLOWER, 400 CPS, CONTINUOUS DUTY, CLASS A, GARMENT VENTILATION, CMU-33/P ANTI-EXPOSURE SUIT [VALIDATION DATE: 9110]	A 1660	AS	30-OCT-91		AS			
	MS22054A NOTICE 2	VALVE, LIFE RAFTS FLUSH TYPE, TOPPING OFF (FOR MULTIPLE LIFE RAFTS) [VALIDATION DATE: 9110] USER: MC SH REVIEWER: 84 AV CS	A 4220	AS	30-OCT-91		AS	99		
	MS22055E	HOSE ASSEMBLIES - OXYGEN BREATHING, CONNECTOR TO REGULATOR .....	A 1660	AS	30-JUN-83	AV	AS	71		
	MS22056B	VALVE, CHECK, OXYGEN MASK, INLET [VALIDATION DATE: 8403] .....	A 4820	AS	19-MAY-70	AV	AS			
	MS22057 NOTICE 1	DELAMINATION TEST STAND FOR OXYGEN HOSE (ASG) [VALIDATION DATE: 8709] REVIEWER: 11	A 1660	AS	30-SEP-87		AS	99		
	MS22058C	CONNECTOR, OXYGEN HOSE TO REGULATOR REVIEWER: 11 71 GL .....	A 1660	AS	31-JAN-86	AV	AS	99		
	MS22059D	OXYGEN SYSTEM, PORTABLE, 295 CU IN. HIGH PRESSURE, AIRCRAFT REVIEWER: 11 ..	A 1660	AS	10-SEP-82	AV	AS	99		
	MS22061D NOTICE 1	OXYGEN SYSTEM, PORTABLE, 96 CU IN. HIGH PRESSURE, AIRCRAFT [VALIDATION DATE: 9110] REVIEWER: 11	A 1660	AS	30-OCT-91	AV	AS	99		
	MS22062F	REGULATOR, OXYGEN, DILUTER DEMAND, AUTOMATIC, PRESSURE BREATHING .....	A 1660	AS	01-APR-91	AV	AS			
	MS22064B	CLAMP, OXYGEN HOSE .....	A 4730	B2	12-JAN-84	AV	AS	99		
	MS22066C	VALVE, CHECK, OXYGEN CHARGING REVIEWER: 11 .....	A 4820	71	06-JUN-86		AS	99		
	MS22068E	COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS USER: CS REVIEWER: 11 71	A 1660	AS	31-DEC-90		AS	99		
	MS22069E	CYLINDER ASSEMBLY, EMERGENCY OXYGEN REVIEWER: 11 GL SA .....	A 1660	71	05-NOV-87	AV	AS	99		
	MS22073M	CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I REVIEWER: 11 ES	A 5925	AS	30-NOV-87	ER	AS	85		
I	MS22074C NOTICE 1	CIRCUIT BREAKER, RECYCLING TRIP-FREE, PUSH-PULL, 1/2 THRU 5 AMPERE, TYPE I [VALIDATION DATE: 9110]	A 5925	AS	24-OCT-91		AS	85		
	MS22078 NOTICE 1	TIRE REBUILT 26X 6.6/14PR [VALIDATION DATE: 8602] REVIEWER: CS .....	A 2620	70	10-JUN-77		AS	99		
L	MS22080 NOTICE 1	TIRE PNEUMATIC REBUILT, TYPE III 12.50-16/12 PR REVIEWER: CS .....	A 2620	70	05-FEB-86		AS	99		
	MS22081 NOTICE 1	TIRE, PNEUMATIC NEW TYPE III 20.00-20/26PR [VALIDATION DATE: 8604] REVIEWER: CS	A 2620	70	25-APR-86		AS	99		
	MS22125	PACKING, PREFORMED, TUBE-FITTING, METRIC USER: MC REVIEWER: 69 .....	A 5330	11	12-SEP-88	AV	AS	11		
	MS23002D	DIE, CRIMPING TOOL - FOR USE WITH MS25036, SIZE 8 THROUGH 4/0 TERMINALS [VALIDATION DATE: 8207] USER: EC MC REVIEWER: AR GL	A 5136	AS	21-MAR-72	CR	AS	99		
	MS23003B	GAGES, INSPECTION FOR MS23002 CRIMPING DIES (FOR USE WITH MS25036 INSULATED TERMINALS [VALIDATION DATE: 8204] USER: MC REVIEWER: 85	A 5220	AS	02-JAN-64		AS	11		
	MS23004A	ADAPTER, STRAIGHT, 1/2-14 TO HOSE, DISTILLATION BAG [VALIDATION DATE: 7702] REVIEWER: CS	A 4220	84	20-JUL-67		AS	99		
	MS23005E	TUBE-OIL COOLER REVIEWER: 71 .....	A 2935	AS	08-APR-85	AV	AS	99		
	MS23006	COVER, LIGHT, NAVIGATIONAL AND WARNING, AIRCRAFT [VALIDATION DATE: 8306] REVIEWER: GS	A 6220	B2	28-JUL-64		AS	99		
D	MS23747D NOTICE 1	GLAND, CABLE SEALING, CLASS L [VALIDATION DATE: 9206] USER: 14 19 CG MC OS YD1 REVIEWER: 17 80 85 AS MI	A 5935	EC	03-JUN-92	CR	EC	11		
	MS24000F	FUSE HOLDER, BLOCK-TYPE, 1 - 2 --, AND 3 - POLE, 1-TO 30-AMPERE, AIRCRAFT ..	A 5920	AS	22-APR-92		AS	85		
	MS24001F	FUSE HOLDER, BLOCK-TYPE, 1 - 2 --, AND 3 - POLE, 35-TO 60-AMPERE, AIRCRAFT ..	A 5920	AS	22-APR-92		AS	85		
	MS24003G NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 7 SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24004G NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 7, SIZE 16 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS MC REVIEWER: 11 AS AT ES MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24005E	CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, RECTANGULAR, 8 CONTACTS, FEMALE, 7.5 AMPS, [VALIDATION DATE: 8605] REVIEWER: 17 99 ES	A 5935	MI	03-APR-64	MI		85		
	MS24009G NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 14, SIZE 20 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24010F NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 14, SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS MC REVIEWER: 11 AS AT ES MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24011E	CONNECTOR, PLUG RECEPTACLE, ELECTRICAL RECTANGULAR, 18 CONTACTS, FEMALE, 7.5 AMPS (INACTIVE 6 DEC 71) [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
I	MS24012D NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 18, SIZE 20 PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24013F NOTICE 1	CONNECTOR RECTANGULAR, ELECTRICAL RACK AND PANEL 20 SIZE 20 SOLDER SOCKET CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 AL AR AS MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24014F NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 20, SIZE 20 SOLDER PIN CONTACTS [VALIDATION DATE: 8912] USER: AM MC ME OS REVIEWER: 11 99 AR AS AT ES MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24017C	NUT PLAIN, HEXAGON, MOUNTING (INACTIVE 6 DEC 1971) [VALIDATION DATE: 8404] USER: MC ME REVIEWER: 11 AT ES MI OS	A 5310	EC	06-DEC-71	ER	EC	99		
	MS24018C	HOOD ELECTRICAL CONNECTOR, MINIATURE (INACTIVE 12-6-71) [VALIDATION DATE: 8404] USER: AR MC ME REVIEWER: 11 AS AT MI MU OS SH	A 5935	EC	06-DEC-71	CR	EC	85		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Ordn / OMA Combination Notice	Document Number	Document Title	Dist. Syst. FDC / Ave	MCA Symbol	Preparing Auth.	Date	Customer			
							Army	Navy	Air Force	DLA
	MS24019F NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 26, SIZE 20 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24020G NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 26, SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME REVIEWER: 11 99 AR AS AT ES MI OS SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24021E NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 34, SIZE 20 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24022F NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 34, SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24025G NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 50, SIZE 20 SOLDER SOCKET CONTACTS (VALIDATION DATE: 8912) USER: AM MC ME OS REVIEWER: 11 AS AT MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24026E NOTICE 1	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL 50, SIZE 20 SOLDER PIN CONTACTS (VALIDATION DATE: 8912) USER: AM AR MC ME OS REVIEWER: 11 AS AT ES MI SH	A 5935	EC	15-DEC-89	CR	EC	80		
	MS24029D	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 10, SIZE 16 SOCKET CONTACTS (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8404) USER: MC ME SH REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24030D	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 10, SIZE 16 PIN CONTACTS (INACTIVE 12-6-71) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24033D	CONNECTOR, RECTANGULAR, ELECTRICAL, RACK AND PANEL, 14, SIZE 16 SOCKET CONTACTS (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24034C NOTICE 1	CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, RECTANGULAR, 18 CONTACTS, MALE, 13 AMPS, (VALIDATION DATE: 8668) USER: MC REVIEWER: 17 99 ES	A 5935	BS	08-AUG-86	MI	AS	85		
	MS24037D	CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 5 CONTACTS, FEMALE, 7.5 AMPS, (VALIDATION DATE: 8505) USER: 14 19 ME MI REVIEWER: 17 99 ES MC	A 5935	EC	21-FEB-67	CR	AS	85		
	MS24055D	CONNECTOR, PLUG RECEPTACLE, ELECTRICAL, HEXAGONAL, 9 CONTACTS, FEMALE, 7.5 AMPS (INACTIVE 12-6-71) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24056F	CONNECTOR, PLUG-RECEPTACLE, ELECTRICAL, HEXAGONAL, 9 CONTACTS, MALE, 7.5 AMPS, REVIEWER: 17 99 ES	A 5935	MI	29-MAR-91	MI	AS	85		
	MS24057C	COUPLING, EAR (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8404) USER: ME REVIEWER: 11 99 AR AS AT ES MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
A L	MS24120D	RING, COUPLING, ROTATING USER: ME REVIEWER: 99 ES	A 5935	MI	29-MAR-91	MI	AS	85		
	MS24122C NOTICE 1	WIRING HARNESS-EXTERNAL POWER, 115 VOLT AC, SINGLE PHASE (VALIDATION DATE: 9301)	A 6150	BS	20-JAN-93		85			
	MS24128C	RING COUPLING, FIXED (INACTIVE 12-6-71) (VALIDATION DATE: 8505) USER: MC ME REVIEWER: 11 99 AR AS AT MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24129C	MOOD, ELECTRICAL CONNECTOR, RIGHT ANGLE (INACTIVE FOR DESIGN 6 DEC 1971) (VALIDATION DATE: 8404) USER: AT MC ME REVIEWER: 11 99 AR AS ES MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24130C	MOOD, ELECTRICAL, FOR 3 AMP, CONNECTOR (INACTIVE 12-6-71) (VALIDATION DATE: 8404) USER: MC ME REVIEWER: 11 99 AR AS AT MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24131C	MOOD, ELECTRICAL, FOR 13 AMP, CONNECTOR (INACTIVE 6 DEC 1971) (VALIDATION DATE: 8505) USER: MC ME REVIEWER: 11 99 AR AS AT MI OS	A 5935	EC	06-DEC-71	CR	EC	85		
	MS24132F	SHIELD, ELECTRICAL CONNECTOR FOR 7, 9, 14, 20 AND 26 RACK AND PANEL CONTACT CONNECTOR (VALIDATION DATE: 8204) USER: AM MC ME OS REVIEWER: 11 99 AS AT ES MI	A 5935	EC	01-JUN-76	CR	EC	85		
	MS24133J	SHIELD, ELECTRICAL CONNECTOR FOR SIZE 34, 42, 50 AND 75 RACK AND PANEL CONTACT CONNECTOR (VALIDATION DATE: 8505) USER: AM AR MC ME OS SH REVIEWER: 11 99 AS AT ES MI	A 5935	EC	03-JAN-79	CR	EC	85		
L	MS24134A	ALTIMETER, PRESSURE, STATION (VALIDATION DATE: 8510) REVIEWER: GS	A 6660	80	2L JAY-69		99			
	MS24140L	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1 PST (N.O.), TYPE I, HERMETICALLY SEALED REVIEWER: EC ES	A 5945	BS	09-JUN-92		AS	85		
A	MS24141J	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 99 EC	A 5945	BS	13-JUL-92		AS	85		
A	MS24142L	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 99 AS EC	A 5945	BS	15-MAR-93		AS	85		
	MS24143V	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	31-MAR-92		AS	85		
M	MS24149D NOTICE 1	RELAYS, ELECTROMAGNETIC, 2 POT 10 AMPERES, TYPE I, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945	BS	14-MAY-93	ER	AS	85		
	MS24152G NOTICE 1	RELAY, 25 AMP, 3PDT, N.O. TYPE II, NON-HERMETICALLY SEALED (MECHANICALLY INTERLOCKED) REVIEWER: 11 99 EC	A 5945	BS	31-MAR-88		AS	85		
	MS24168G	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 1PST (N O), TYPE II, NON-HERMETICALLY SEALED REVIEWER: 11 99 EC ES	A 5945	BS	24-JAN-90		AS	85		
	MS24168P	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 3 PST (N.O.), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC ES	A 5945	BS	25-APR-90		AS	85		
	MS24171F	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE II, NON-HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	28-APR-89		AS	85		
	MS24172H	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (N O), TYPE III, NON-HERMETICALLY SEALED REVIEWER: 11 99	A 5945	BS	25-JUL-90		AS	85		
	MS24178G	RELAY, 55 AMP, 2PST, N.O. TYPE II, NON HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	24-SEP-82		AS	85		
	MS24179K	RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1PST (N O), TYPE III, NON-HERMETICALLY SEALED REVIEWER: 99 EC ES	A 5945	BS	25-JUL-90		AS	85		
	MS24182J	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	20-FEB-90		AS	85		
	MS24183J	RELAYS, ELECTROMAGNETIC, 200 AMPERES, 1PST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	20-FEB-90		AS	85		
	MS24184K	RELAY, 300 AMPERES, 1PST, N.O. TYPE I, HERMETICALLY SEALED	A 5945	BS	26-JUL-90	ER	AS	85		
	MS24185K	RELAYS, ELECTROMAGNETIC, 400 AMPERES, 1 PST, N.O. TYPE II NON-HERMETICALLY SEALED REVIEWER: 99 EC	A 5945	BS	25-JUL-90		AS	85		
A	MS24187H	RELAYS, ELECTROMAGNETIC, 50/25 AMPERES, 1PDT (NO/MC), TYPE II, NONHERMETIC ALLY SEALED REVIEWER: 99 EC ES	A 5945	BS	08-MAR-93		AS	85		
A	MS24192H	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST, N.O. TYPE II, NON-HERMETICALLY SEALED REVIEWER: ES	A 5945	BS	26-JAN-93		AS	85		
	MS24193G	RELAY ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE II, NON - HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	17-JUN-88		AS	85		
D	MS24200C NOTICE 1	ADAPTER, PUMP (VALIDATION DATE: 8909) USER: AT SH REVIEWER: CS	A 4930	ME	08-SEP-89	ME	YD1	99		
D	MS24203B NOTICE 1	COUPLING, GREASE GUN: SHAFER TYPE NOZZLE (VALIDATION DATE: 8909) USER: AT SH REVIEWER: CS	A 4930	ME	08-SEP-89	ME	YD1	99		
D	MS24204B NOTICE 1	ADAPTER GREASE GUN COUPLING: HYDRAULIC TYPE INLET FITTING, PIN TYPE NOZZLE (VALIDATION DATE: 8909) USER: MC SH REVIEWER: AT CS MI	A 4930	ME	08-SEP-89	ME	YD1	99		
D	MS24205B NOTICE 1	COUPLING, GREASE GUN: FLUSH TYPE NOZZLE (VALIDATION DATE: 8909)	A 4930	ME	08-SEP-89	ME	YD1	99		
D	MS24208B NOTICE 1	SLEEVE, LOCKING (VALIDATION DATE: 8909) USER: AT MC SH REVIEWER: CS	A 4930	ME	08-SEP-89	ME	YD1	99		
D	MS24207C	COUPLING, GREASE GUN, HYDRAULIC TYPE NOZZLE (VALIDATION DATE: 8201) REVIEWER: MI	A 4930	ME	21-APR-77	ME	YD1	99		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / Out Coordination Machine	Document Number	Document Title	Dist. Smt. FDC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
A L	MS242080 NOTICE 1	CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS, 3 PHASE, SINGLE POINT REFUELING (VALIDATION DATE: 9301)	A 6150	85	20-JAN-93				85
L	MS242208 NOTICE 1	BRUSH, ELECTRICAL CONTACT, DYNAMOTOR L.V., AIRCRAFT (VALIDATION DATE: 8803) REVIEWER: 99 GS	A 5977	85	25-MAR-88				85
L	MS242348 NOTICE 1	CONNECTOR/RECEPTACLE, ELECTRICAL, WALL MOUNTED (VALIDATION DATE: 8701) REVIEWER: ES	A 5935	85	30-JAN-87				85
L	MS242358 NOTICE 1	CONNECTOR/PLUG, ELECTRICAL CABLE MOUNTING (VALIDATION DATE: 8701) REVIEWER: ES	A 5935	85	30-JAN-87				85
L	MS242368 NOTICE 1	CONNECTOR/PLUG, ELECTRICAL, STRAIGHT (VALIDATION DATE: 8701) REVIEWER: 99 ES MI	A 5935	85	30-JAN-87				85
L	MS242378 NOTICE 1	CONNECTOR-PLUG, ELECTRICAL, 90 DEG. (VALIDATION DATE: 8701) REVIEWER: 99 ES	A 5935	85	30-JAN-87				85
L	MS242388 NOTICE 1	CONNECTOR-PLUG, ELECTRICAL, 45 DEG. (VALIDATION DATE: 8701) REVIEWER: ES ..	A 5935	85	30-JAN-87				85
L	MS242408 NOTICE 1	CONNECTOR/RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, REAR MOUNTING (VALIDATION DATE: 8701) REVIEWER: 99 ES	A 5935	85	30-JAN-87				85
L	MS242418 NOTICE 1	CONNECTOR/RECEPTACLE, ELECTRICAL, HERMETIC, JAM NUT, FRONT MOUNTING (VALIDATION DATE: 8701) REVIEWER: 99 ES	A 5935	85	30-JAN-87				85
L	MS242428 NOTICE 1	INSERT ARRANGEMENT ELECTRICAL CONNECTOR RECEPTACLE REVIEWER: 99 ES .....	A 5935	85	13-FEB-87				85
L	MS242438 NOTICE 1	COUPLING DIMENSIONS/RECEPTACLE ELECTRICAL CONNECTOR REVIEWER: ES MI .....	A 5935	85	15-FEB-87				85
LI	MS24264H	CONNECTORS, RECEPTACLE, ELECTRICAL, FLANGE MOUNT, MINIATURE REVIEWER: 11 17 99 ES	A 5935	85	07-SEP-90				85
LI	MS24265H	CONNECTOR, RECEPTACLE, ELECTRICAL, SINGLE HOLE MOUNT MINIATURE REVIEWER: 11 17 99 ES	A 5935	85	07-SEP-90				85
LI	MS24266L	CONNECTOR, PLUG, ELECTRICAL STRAIGHT, MINIATURE REVIEWER: 11 17 99 ES .....	A 5935	85	07-SEP-90				85
A L	MS24281A NOTICE 2	CONNECTOR, PLUG, ELECTRICAL, LT SERIES UG-1305/U (VALIDATION DATE: 9302) ..	A 5935	85	11-FEB-93				85
L	MS24282A NOTICE 1	CONNECTOR, PLUG, ELECTRICAL - 90 DEG. ADAPTER, LT SERIES UG-1264/U (VALIDATION DATE: 8911)	A 5935	85	17-NOV-89				85
A L	MS24283 NOTICE 2	CONNECTOR, PLUG, ELECTRICAL, 45 DEG. ADAPTER, LT SERIES (VALIDATION DATE: 9302)	A 5935	85	11-FEB-93				85
L	MS24285C NOTICE 1	CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL, MINIATURE (VALIDATION DATE: 8608) REVIEWER: 99 ES	A 5935	85	06-MAY-88				85
L	MS24286D NOTICE 1	CONNECTOR, ELECTRICAL, STYLE P, RACK AND PANEL, MINIATURE (VALIDATION DATE: 8608) REVIEWER: 99 ES	A 5935	85	05-JAN-86				85
L	MS24287C NOTICE 1	MATED ASSEMBLY, CONNECTOR, RACK AND PANEL, MINIATURE (VALIDATION DATE: 8608) REVIEWER: 11 99 ES	A 5935	85	08-AUG-86				85
L	MS24288D NOTICE 1	INSERT ARRANGEMENTS, ELECTRICAL, CONNECTOR, RACK AND PANEL (VALIDATION DATE: 8608) REVIEWER: 99 ES	A 5935	85	08-AUG-86				85
L	MS24315 NOTICE 1	COUPLING FLANGE, ROUND HUB (VALIDATION DATE: 9109) .....	A 3120	AS	05-SEP-91	ME	AS		99
L	MS24321D	LAMP, INCANDESCENT & T&20 BULB, MEDIUM BIPOST BASE (VALIDATION DATE: 8406) REVIEWER: AS GS	A 6240	82	26-MAR-83				99
M	MS24322A NOTICE 1	WHEELS AND HUB ASSEMBLIES (VALIDATION DATE: 9306) .....	A 2530	84	07-JUN-93	AT			99
D	MS24323B NOTICE 1	WHEEL, PNEUMATIC TIRE, 3.50-6 (VALIDATION DATE: 8602) REVIEWER: CS .....	A 2530	84	14-OCT-77	AT	YD1		99
D	MS24324C NOTICE 1	WHEEL, PNEUMATIC TIRE, 4.00-8 REVIEWER: CS .....	A 2530	84	26-AUG-87	AT	YD1		99
L	MS24325C NOTICE 1	WHEEL FOR 6.00-9 TIRE (VALIDATION DATE: 8602) REVIEWER: CS .....	A 2530	84	21-FEB-86				99
L	MS24326B	WHEEL FOR 7.50-10 AND 9.00-10 TIRES (VALIDATION DATE: 8005) USER: AT MC SA REVIEWER: CS MI	A 2530	84	05-SEP-82				99
L	MS24327B NOTICE 1	HUB-CANTILEVER MOUNTING FOR 3.50-6 AND 4.00-8 WHEELS. (VALIDATION DATE: 8602) USER: MC REVIEWER: AT AV CS	A 2530	84	21-FEB-86				99
L	MS24328B	HUB-CANTILEVER MOUNTING FOR 6.00-9, 7.50-10 AND 9.00-10 WHEELS. (VALIDATION DATE: 8205) USER: MC REVIEWER: AT CS MI	A 2530	84	20-OCT-84				99
L	MS24329B NOTICE 1	HUB, ASSEMBLY, FORK MOUNTING, FOR 3.50 & 4.00-8 WHEELS (VALIDATION DATE: 8602) REVIEWER: CS	A 2530	84	21-FEB-86				99
L	MS24330B NOTICE 1	HUB, ASSEMBLY, FORK MOUNTING, FOR 6.00-9 & 7.50-10 WHEELS (VALIDATION DATE: 8602) REVIEWER: CS	A 2530	84	21-FEB-86				99
A	MS24332C NOTICE 1	VOLTMETER, 0 TO 150 VOLT, 300 TO 1200 CYCLE ALTERNATING CURRENT USER: MC ..	A 6625	82	01-NOV-82	AV	AS		99
A	MS24333F	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT, FLARED FITTING TO INTERNAL THREAD BOSS USER: 71 AT MC REVIEWER: 82 AR CS ME	A 4730	AS	03-JUL-92	AV	AS		99
A	MS24334E	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, FLARELESS FITTING TO INTERNAL THREAD BOSS REVIEWER: 82 AR	A 4730	AS	03-JUL-92	AV	AS		99
	MS24336B	FLANGE, BULGEHEAD MOUNTING, HYDRAULIC, SELF-SEALING COUPLING (VALIDATION DATE: 8304) REVIEWER: 11 CS	A 4730	82	10-MAY-68				99
A L	MS24344D NOTICE 1	HOLDER, MAINTENANCE RECORDS ASSEMBLY OF USER: GL REVIEWER: 82 99 .....	A 8105	69	15-APR-93				69
	MS24345E	BASE PLATE ASSEMBLY, RUNWAY MARKER LAMP (VALIDATION DATE: 8505) REVIEWER: GS	A 6210	82	30-SEP-70				99
	MS24347F NOTICE 1	DRUMS, METAL, REUSABLE SHIPPING & STORAGE REVIEWER: 84 AR EA GS SH .....	A 8110	69	15-DEC-87	GL	SA		69
	MS24348D	LAMP, INCANDESCENT, PAR-56 BULB, AIRPORT APPROACH (VALIDATION DATE: 8310) REVIEWER: GS	A 6240	82	01-MAR-69				99
	MS24350J NOTICE 1	VALVE, AUTOMATIC PRESSURE REGULATING, ANTI-G SUIT (VALIDATION DATE: 8712) REVIEWER: 99	A 1660	AS	15-DEC-87				11
	MS24354A	DROGUE CONE, NOZZLE AND RECEPTION COUPLING - TYPE MA-2 FLIGHT-PRESSURE-REFUELING SYSTEM, ASSEMBLY OF (VALIDATION DATE: 8405)	A 1680	82	15-MAY-61				99
	MS24355B	COUPLING, RECEPTION - TYPE MA-2, FLIGHT-PRESSURE-REFUELING, ASSEMBLY OF (ASG) (VALIDATION DATE: 8505)	A 1680	82	12-FEB-63				99
	MS24356D	NOZZLE - TYPE MA-2, FLIGHT PRESSURE REFUELING (ASG) (VALIDATION DATE: 8205)	A 1680	82	12-FEB-63				99
	MS24357A	FLANGE, DROGUE CONE - TYPE MA-2 RECEPTION COUPLING, FLIGHT PRESSURE REFUELING, OUTLINE DIMENSIONS FOR (VALIDATION DATE: 8908)	A 1680	82	25-AUG-89				99
	MS24358A	FITTING, HOSE END - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING, OUTLINE DIMENSIONS FOR (ASG) (VALIDATION DATE: 8505)	A 1680	82	15-MAY-61				99
	MS24359A	HOSE, PROBE MAST - TYPE MA-2, FLIGHT PRESSURE REFUELING NOZZLE, OUTLINE DIMENSIONS FOR (ASG) (VALIDATION DATE: 8405)	A 1680	82	15-MAY-61				99
L	MS24360A NOTICE 1	RING, LOCK, FLIGHT PRESSURE REFUELING NOZZLE (VALIDATION DATE: 8304) .....	A 1680	82	11-APR-60				99
	MS24361B	RING, SPLIT - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING (ASG) (VALIDATION DATE: 8505)	A 1680	82	15-MAY-61				99
	MS24362A	SLEEVE - TYPE MA-2, FLIGHT PRESSURE REFUELING, RECEPTION COUPLING (VALIDATION DATE: 8505)	A 1680	82	15-MAY-61				99
	MS24367C NOTICE 1	LAMP, INCANDESCENT - MINIATURE INTEGRAL LIGHTING (VALIDATION DATE: 8809) USER: ER REVIEWER: 99 GS MI	A 6240	11	30-SEP-88	AV	AS		11
L	MS24368A NOTICE 1	RIM CONTOURS, 56 X 1 AND 49 X 17, TYPE VII, EXTRA HIGH PRESSURE, NLG WHEEL (VALIDATION DATE: 8810)	A 1630	70	31-OCT-88				99
L	MS24369A NOTICE 1	RIM CONTOUR - 30X8.0, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL (VALIDATION DATE: 8810)	A 1630	70	31-OCT-88				99
	MS24370B NOTICE 1	RIM CONTOURS-24 X 5.5, 22 X 5.5, 20 X 5.5 AND 18 X 5.5, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL (VALIDATION DATE: 8810) USER: MC	A 1630	70	31-OCT-88	AV	AS		99
	MS24373A	CASTER, RIGID AND SWIVEL, PRECISION PNEUMATIC TIRED (VALIDATION DATE: 8406) USER: 11 AT	A 5340	82	03-SEP-85	ME	SA		99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action	Doc. Coordination	Document Number	Document Title	Dist. Smt.	FAC / Area	MCA Symbol	Preparing Act.	Date	Custodians		
									Army	Navy	AF Force
D		MS243748	CASTER, RIGID AND SWIVEL, PRECISION, SPRING MOUNTED [VALIDATION DATE: 8406] USER: 11 AT MI SA REVIEWER: IS	A	5340	B2	03-SEP-65	ME	YD1	99	
A		MS24376N	RELAYS, ELECTROMAGNETIC, 50 AMPERES, SPST (NO), TYPE I, HERMETICALLY SEALED REVIEWER: 99 EC	A	5945	B5	13-JUL-92		AS	85	
L1		MS24378F	TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OR SIDESLIP [VALIDATION DATE: 9203]	A	5990	B5	18-MAR-92			85	
		NOTICE 1									
		MS243800	CASTER, INDUSTRIAL USER: AT MC REVIEWER: IS SA	A	5340	B2	31-MAR-83	AV	AS	99	
L		MS24387F	BOLT, FLUID PASSAGE, PRECISION TYPE REVIEWER: AS AV ME	A	4730	B2	27-JUN-85			99	
L		MS24388H	TEE, FLARED TUBE, INTERNAL THREAD ON SIDE, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
L		MS24389H	TEE, TUBE, INTERNAL THREAD ON RUN, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
L		MS24390F	TEE, FLARED TUBE WITH BULKHEAD ON RUN, PRECISION TYPE USER: ME REVIEWER: AS AV CS	A	4730	B2	19-JUL-84			99	
		MS24391G	PLUG, BLEEDER, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-MAY-85			99	
L		MS24392F	NIPPLE, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
		MS24393F	NIPPLE, TUBE, 3/8 BULKHEAD, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
L		MS24394G	ELBOW, TUBE, BULKHEAD, 90 DEG., PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-NOV-84			99	
		MS24395G	TEE, TUBE, BULKHEAD, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
L		MS24396E	ELBOW, TUBE, BULKHEAD, 45 DEG., PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
		MS24397F	REDUCER, BOSS, PRECISION TYPE REVIEWER: 11 AS AV ME	A	4730	B2	16-APR-82			99	
L		MS24398H	ADAPTER, STRAIGHT, TUBE TO BOSS, PRECISION TYPE REVIEWER: AS CS MI	A	4730	B2	10-FEB-84			99	
		MS24399F	REDUCER, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	20-JUL-84			99	
L		MS24401D	ELBOW, TUBE, 90 DEG., PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
		MS24402D	TEE, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	16-APR-82			99	
L		MS24403E	CROSS, TUBE, PRECISION TYPE REVIEWER: AS CS ME	A	4730	B2	04-APR-85			99	
L		MS24404E	PLUG, TUBE, PRECISION TYPE REVIEWER: AS AV CS ME	A	4730	B2	22-JUN-83			99	
		MS24405D	ADAPTER, FLARELESS TUBE TO FLARED TUBE PRECISION TYPE USER: CS GL ME OS REVIEWER: 11 69 AR MI	A	4730	AS	29-APR-88	AV	AS	99	
		MS24417J	GUARD, SWITCH, 2 OR 3 POSITION REVIEWER: 99 ES	A	5930	B5	05-SEP-89	ER	AS	85	
		MS24423C	VALVE, CHECK, MINIATURE HYDRAULIC, AIRCRAFT AND MISSILE, -65 DEG. F TO +450 DEG. F, 3,000 PSI, FLARELESS TUBE REVIEWER: MI	A	4820	71	15-JUL-88	AV	AS	99	
L		MS24435A	POWER RECEPTACLE, AIRCRAFT, ELECTRONIC TEST EQUIPMENT, WIRING OF [VALIDATION DATE: 8811] REVIEWER: 11	A	5935	B5	03-NOV-88			85	
		NOTICE 1									
		MS24442B	WIRING DIAGRAM - EXTERNAL POWER RECEPTACLE, 28 VOLT D.C., COMMON BUS SYSTEM [VALIDATION DATE: 8802] REVIEWER: CS	A	6110	11	26-FEB-88	AV	AS	11	
L		MS24450D	SWITCH, SENSITIVE, SEALED, SPDT, CLASS AS OR BS	A	5930	MI	08-MAY-89	MI			
		MS24461G	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TYPE I, ANTIFRICTION, 1 INCH [VALIDATION DATE: 8304] REVIEWER: 84 IS MI	A	3110	AS	16-JUN-77	AT	AS	99	
		MS24462G	BEARING, ROLLER, NEEDLE, SINGLE ROW, THIN SHELL, TYPE II, ANTIFRICTION [VALIDATION DATE: 8304] REVIEWER: 84	A	3110	AS	17-JUN-77	AT	AS	99	
		MS24463G	BEARING, ROLLER, NEEDLE SINGLE ROW, HEAVY DUTY, SELF ALIGNING, TYPE III, ANTIFRICTION, 1 INCH [VALIDATION DATE: 8304] REVIEWER: 84 IS	A	3110	AS	17-JUN-77	AT	AS	99	
		MS24464G	BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, SELF ALIGNING, TYPE IV, ANTIFRICTION, 1 INCH [VALIDATION DATE: 8304] REVIEWER: 84	A	3110	AS	17-JUN-77	AT	AS	99	
		MS24465H	BEARING, ROLLER, NEEDLE SINGLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE V, ANTIFRICTION, 1 INCH [INACTIVE USE MS 21438] REVIEWER: 84 MI	A	3110	AS	21-NOV-80	AT	AS	99	
		MS24466H	BEARING, ROLLER, NEEDLE DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE VI, ANTIFRICTION, 1 INCH REVIEWER: 84 MI	A	3110	AS	21-NOV-80	AT	AS	99	
L		MS24474C	LIGHT ASSEMBLY, TAXI (PAR 46 BULB)	A	6220	B2	04-OCT-84			99	
		MS24475E	NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING (ASG) REVIEWER: CS	A	4730	B2	19-SEP-84			99	
		MS24476D	ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT REVIEWER: CS	A	4730	B2	30-APR-84			99	
L		MS24478B	GAGE, SINGLE 1 INCH DIAL, PNEUMATIC PRESSURE [VALIDATION DATE: 8812] REVIEWER: MI	A	6685	B2	09-DEC-88			99	
		NOTICE 1									
		MS24480B	CAPLUBRICATION FITTING, PROTECTIVE PRESSURE SERVICING ADAPTER [VALIDATION DATE: 7408] REVIEWER: CS	A	4730	B2	18-DEC-64			99	
		MS24482A	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, ARMORED, BAYONET LOCKING TYPE, (50 DEG. TO 300 DEG. C) REVIEWER: GS	A	6685	B2	22-APR-58	AV		99	
		MS24484J	ADAPTER, PRESSURE FUEL SERVICING, NOMINAL 2.5 INCH DIAMETER [VALIDATION DATE: 8505] USER: ME	A	1560	84	15-FEB-83	AV	AS	99	
		MS24487C	NIPPLE, TUBE, 37 DEG TO 45 DEG. SEAT REVIEWER: AS AV CS ME	A	4730	B2	22-MAR-79			99	
		MS24488G	LAMP - INCANDESCENT, PAR-56, SCREW TERMINAL, AIRPORT LIGHTING [VALIDATION DATE: 8407] REVIEWER: GS	A	6240	B2	20-AUG-71			99	
		MS24489D	FILTER, MARKER LIGHT, AIRPORT APPROACH, GLASS [VALIDATION DATE: 8407] REVIEWER: GS	A	6210	B2	15-FEB-60			99	
L		MS24496G	BATTERY, AIRCRAFT STORAGE, NICKEL-CADMIUM 24 VOLTS, 11 AMPERE HOUR, 27 DEG. C (80 DEG. F) [VALIDATION DATE: 8510] REVIEWER: GS	A	6140	80	25-OCT-78			99	
L		MS24497F	BATTERY, AIRCRAFT STORAGE, NICKEL-CADMIUM 24 VOLTS, 22 AMPERE HOUR, 27 DEG. C (80 DEG. F) [VALIDATION DATE: 8510]	A	6140	80	25-OCT-78			99	
L		MS24498F	BATTERY, AIRCRAFT STORAGE, NICKEL-CADMIUM 24 VOLTS, 34 AMPERE HOUR, 27 DEG. C (80 DEG. F) [VALIDATION DATE: 8510]	A	6140	80	25-OCT-78			99	
L		MS24499B	TUBE, PITOT, ELECTRICALLY HEATED L SHAPED [VALIDATION DATE: 8410]	A	6610	AS	05-NOV-63			AS	
		MS24502E	FILTER, MARKER LIGHT, AIRPORT RUNWAY, GLASS [VALIDATION DATE: 8407] REVIEWER: GS	A	6210	B2	15-FEB-60			99	
		MS24509K	CIRCUIT BREAKER, TRIP-FREE, RECYCLING, TOGGLE, 3 THROUGH 35 AMPERES, TYPE I REVIEWER: 99	A	5925	AS	30-NOV-87	ER	AS	85	
		MS24510K	CIRCUIT BREAKER, TRIP-FREE, RECYCLING, PUSH-PULL, 3 THROUGH 35 AMPERES, TYPE J REVIEWER: 99 ES MI	A	5925	AS	30-NOV-87	ER	AS	85	
		MS24513E	LAMP, INCANDESCENT, SINGLE CONTACT BAYONET INDEXING CANDELABRA, GG-1281 BULB [VALIDATION DATE: 8306] USER: ER REVIEWER: GS	A	6240	B2	30-JUN-71	AV	AS	82	
L		MS24515F	LAMP, INCANDESCENT, T-1, SUB-NIGET FLANGED [VALIDATION DATE: 8503]	A	6240	11	24-MAY-79			11	
L		MS24517B	LAMP - INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, TAXIING [VALIDATION DATE: 8206] REVIEWER: 11 GS	A	6240	B2	29-MAY-70			99	
		MS24518B	ELBOW, PIPE TO HOSE, 45DEG. (LOW PRESSURE) [VALIDATION DATE: 8304] USER: AV MC OS REVIEWER: CS MI	A	4730	AT	30-DEC-77	AT	AS	99	
		MS24519C	ELBOW, PIPE TO HOSE, 90 DEG. LOW PRESSURE [VALIDATION DATE: 8304] USER: MC MI REVIEWER: AR CS ME	A	4730	AT	03-DEC-73	AT	OS	99	
		MS24522B	ADAPTER, PIPE TO HOSE, STRAIGHT LOW PRESSURE [VALIDATION DATE: 8304] USER: AV MC OS REVIEWER: AR CS ME	A	4730	AT	30-DEC-77	AT	AS	99	
		MS24523H	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED USER: ME REVIEWER: 11 99 AV EC ES	A	5930	B5	28-SEP-87	ER	AS	85	
		MS24524J	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED REVIEWER: 11 99 AV EC ES	A	5930	B5	28-SEP-87	ER	AS	85	
		MS24525J	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED REVIEWER: 11 99 AV EC ES	A	5930	B5	28-SEP-87	ER	AS	85	
D		MS24526D	BASE, AIRPORT MARKER LIGHT [VALIDATION DATE: 8307] USER: YD1 REVIEWER: GS	A	6210	B2	20-MAY-65			99	
		MS24529B	CAP, LUBRICATION FITTING, PROTECTIVE [VALIDATION DATE: 8504] REVIEWER: CS	A	4730	AR	20-MAY-60			99	
		MS24532J	VOLTMETER, BATTERY GENERATOR, 28 VOLT DC USER: MC REVIEWER: ME	A	6625	AT	12-DEC-86	AT		99	
		MS24535A	FASTER-CONTAINER CLOSURE REVIEWER: IS MI	A	5340	B2	29-MAR-85	GL	AS	99	
L		MS24536A	TESTER - TYPE MA-2 RECEPTION COUPLING BREAK-AWAY FORCE, PORTABLE [VALIDATION DATE: 8808]	A	4920	B2	31-AUG-88			99	
		NOTICE 1									
		MS24537C	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, 24 VOLTS D.C. [VALIDATION DATE: 8611] USER: MC ME REVIEWER: ER GL GS	A	6685	AT	13-NOV-86	AT			
		NOTICE 1									
		MS24538D	TRANSMITTER, PRESSURE 24 VOLTS D.C. 60 PSI USER: AV MC ME	A	6620	AT	24-OCT-85	AT		99	
		MS24539D	TRANSMITTER, PRESSURE 24 VOLTS D.C. 120 PSI USER: ER MC ME REVIEWER: AV	A	6620	AT	24-OCT-85	AT		99	
		MS24540H	INDICATOR, PRESSURE, 24 VOLTS D.C., RANGE 0-120 PSI [VALIDATION DATE: 8611] USER: MC ME REVIEWER: ER GS	A	6685	AT	17-NOV-86	AT		99	
		NOTICE 1									



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Ordn / Chk Coordination Inactive	Document Number	Document Title	Dist. Stmt. FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
D	MS24541G NOTICE 1	INDICATOR, PRESSURE 24 VOLTS, D.C., RANGE 0-60-PSI USER: MC ME REVIEWER: ER GS	A 6685	AT	18-NOV-86	AT			99
	MS24542G	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE: 24 VOLT DC, RANGE 160-320 DEG F USER: MC ME YDI REVIEWER: B2 ER GS	A 6685	AT	16-MAR-87	AT			99
	MS24543H	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, 24 VOLTS D.C., RANGE 120 DEGREES-240 DEGREES F USER: MC ME REVIEWER: ER GS	A 6685	AT	18-DEC-85	AT			99
	MS24544H	INDICATOR, LIQUID QUANTITY, 24 VOLTS D.C. ENGINE FUEL USER: MC ME REVIEWER: ER GS	A 6680	AT	11-DEC-86	AT			99
	MS24548H NOTICE 1	HOSE ASSEMBLY & TETRAFLUOROETHYLENE, OXYGEN (VALIDATION DATE: 8603) .....	A 4720	71	07-MAR-86	AV	AS		99
L	MS24550D	TRANSMITTER, POSITION .....	A 6610	71	17-SEP-90				99
L	MS24553A	LINK, CONNECTOR, PARACHUTE - SEPARABLE, HEAVY DUTY, ASSEMBLY OF .....	A 1670	82	28-MAR-86				99
	MS24563F	COUPLING FLANGES, V-BAND, PROFILE DIMENSIONS FOR (INACTIVE FOR NEW DESIGN - FIG. 2, ONLY REVIEWER: IS	A 5340	82	30-MAY-85		AS		99
M	MS24566E	PULLEY - CONTROL, ANTI-FRICTION BEARING USER: CS .....	A 3020	82	17-JUL-84	AV	AS		99
	MS24568J NOTICE 1	RELAYS, ELECTROMAGNETIC, 10 AMPERS, 4 POT, TYPE 1, HERMETICALLY SEALED (VALIDATION DATE: 9305) USER: 11 99 EC ES	A 5945	85	14-MAY-83	ER	AS		99
	MS24569D NOTICE 1	INDICATOR, TEMPERATURE - THERMOCOUPLE, SELF BALANCING POTENTIOMETER TYPE (VALIDATION DATE: 8812)	A 6685	82	09-DEC-88				99
	MS24570A NOTICE 1	SWITCH, VEHICULAR IGNITION, WATERPROOF, STARTER AND MAGNETO WITH DEGASSER CONTROL (VALIDATION DATE: 8712) USER: ME REVIEWER: 99 ES	A 5930	AT	02-DEC-87	AT	MC		85
M L	MS24571E	CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, 2 1/2 TO 50 AMPERES, 121.1 DEG. C AMBIENT	A 5925	85	12-MAY-93				85
L	MS24572C	INDICATOR - POSITION VARIABLE NOZZLE .....	A 6620	71	30-SEP-88				99
L	MS24576B NOTICE 1	INDICATOR, PRESSURE, OIL REVIEWER: CS .....	A 6620	71	17-NOV-86				99
A	MS24577E	FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT USER: MC REVIEWER: 99 ...	A 5945	85	28-MAR-91	AV	AS		85
	MS24585D	SPRING, HELICAL, COMPRESSION, FOR LOADS BELOW 20 POUNDS USER: MC REVIEWER: B2 AT AV IS ME MI	A 5360	AR	05-MAR-88	AR	OS		99
	MS24586E	SPRING, HELICAL, EXTENSION: FOR LOADS BELOW 30 POUNDS USER: ER GL MC REVIEWER: B2 AV IS ME MI	A 5360	AR	30-DEC-91	AR	OS		99
	MS24587B	ADAPTER, STRAIGHT, TUBE TO HOSE - REUSABLE, HYDRAULIC, FUEL AND OIL LINES (VALIDATION DATE: 8304) USER: AT REVIEWER: CS	A 4730	82	07-JAN-66	AR	AS		99
	MS24588A NOTICE 1	NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 3/16 THROUGH 3/4 INCH TUBING SIZES (VALIDATION DATE: 8609) REVIEWER: CS	A 4730	82	01-SEP-86	AR	AS		99
	MS24589A	NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 1 THROUGH 2 INCHES TUBING SIZE (VALIDATION DATE: 8304)	A 4730	82	06-AUG-64	AR	AS		99
	MS24590A	SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 3/16 THROUGH 3/4 INCH TUBING SIZE (VALIDATION DATE: 8304) REVIEWER: CS	A 4730	82	06-AUG-64	AR	AS		99
	MS24591B	SOCKET, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 1 THROUGH 2 INCHES TUBING SIZE REVIEWER: CS	A 4730	82	08-MAR-85	AR	AS		99
	MS24593D NOTICE 1	VALVE, CHECK, MINIATURE HYDRAULIC, AIRCRAFT AND MISSILE, -65 DEG. F TO +450 DEG. F, 3,000 PSI, FLARED TUBE (VALIDATION DATE: 9103) USER: CS REVIEWER: MI	A 4820	71	15-MAR-91	AV	AS		99
	MS24595B	BEARING, JEWEL, CUP (INDUSTRIAL TYPE) (INACTIVE 9-11-69) (VALIDATION DATE: 8301) REVIEWER: GS	A 6695	AR	11-SEP-69	AR	SH		
	MS24598B	BEARING, JEWEL, VEE (INDUSTRIAL TYPE) INACTIVE (VALIDATION DATE: 8202) USER: 17 REVIEWER: 99 GS	A 6695	AR	11-SEP-69	AR	SH		
	MS24612K	SWITCH, TOGGLE, POSITIVE BREAK LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC MI	A 5930	85	30-SEP-86	ER	AS		85
	MS24613J	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AR EC ES MI	A 5930	85	30-SEP-86	ER	AS		85
	MS24614K	SWITCH, TOGGLE, POSITIVE BREAK, LEVER LOCK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING 25 AMPERES REVIEWER: 11 17 99 EC MI	A 5930	85	30-SEP-86	ER	AS		85
	MS24625C NOTICE 1	SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CARBON STEEL (VALIDATION DATE: 8805) USER: AT MC ME OS REVIEWER: AV IS MI	A 5305	AR	20-MAY-88	AR			99
I	MS24626D NOTICE 1	SCREW, TAPPING-THREAD CUTTING, TYPE BF OR BT, PAN HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL (VALIDATION DATE: 8805) USER: AT MC ME OS REVIEWER: AV IS MI	A 5305	AR	20-MAY-88	AR			99
	MS24627C	SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, FLAT B2 DEG. COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL (VALIDATION DATE: 8805) USER: AT MC ME OS REVIEWER: AV IS MI	A 5305	AR	20-MAY-88	AR			99
	MS24628C NOTICE 1	SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, FLAT B2 DEG. COUNTERSUNK HEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL (VALIDATION DATE: 8805) USER: AT MC OS REVIEWER: AV IS MI WV	A 5305	AR	20-MAY-88	AR			99
	MS24629C NOTICE 1	SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T PAN HEAD, CROSS RECESSED, STEEL, CARBON CADMIUM PLATED (VALIDATION DATE: 8805) USER: MC ME	A 5305	AR	20-MAY-88	AR			99
	MS24630C NOTICE 1	SCREW, TAPPING-THREAD CUTTING, TYPES D, F, G OR T, PAN HEAD, CROSS-RECESSED, CORROSION RESISTING STEEL (VALIDATION DATE: 8805) USER: ME REVIEWER: IS MI	A 5305	AR	20-MAY-88	AR			99
	MS24632B NOTICE 1	SCREW, TAPPING, THREAD FORMING- TYPES AB, B AND BP, APPROXIMATE HOLE SIZES FOR (VALIDATION DATE: 8805) USER: OS REVIEWER: AT AV MI	A 5305	AR	20-MAY-88	AR			99
	MS24633B NOTICE 1	SCREW, TAPPING-THREAD CUTTING, TYPES BP AND BT, APPROXIMATE HOLE SIZES FOR (VALIDATION DATE: 8805) USER: AT MC OS REVIEWER: AV IS MI	A 5305	AR	20-MAY-88	AR			99
	MS24634B NOTICE 1	SCREW, TAPPING, THREAD CUTTING-TYPES D, F, G AND T, APPROXIMATE HOLE SIZES FOR (VALIDATION DATE: 8805) USER: GL OS REVIEWER: AT AV IS	A 5305	AR	20-MAY-88	AR			99
	MS24651C	ELBOW, TUBE-90 DEG., BULKHEAD, FLARELESS, TUBE, UNIVERSAL TO FLARED TUBE USER: GL ME OS REVIEWER: 11 AR CS	A 4730	AS	23-MAY-90	AV	AS		99
	MS24652B	ELBOW, TUBE - 90 DEG., BULKHEAD, FLARED TUBE, UNIVERSAL TO FLARELESS TUBE USER: GL ME OS REVIEWER: 11 AR CS MI	A 4730	AS	23-JAN-89	AV	AS		99
	MS24654C	ELBOW, TUBE - 45 DEG., BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE USER: OR GL REVIEWER: 71 B2 CS MI	A 4730	AS	31-JUL-90	AV	AS		99
	MS24655K	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE TOGGLE SEALED, SINGLE POLE, SOLDER LUG, OR INTEGRATED WIRE TERMINALS, .250 MOUNTING BUSHINGS REVIEWER: 11 17 99 AV EC ES MI	A 5930	85	18-OCT-85	ER	AS		85
	MS24656K	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, DOUBLE POLE, SOLDER LUG OR INTEGRATED WIRE TERMINALS, .250 MOUNTING BUSHINGS REVIEWER: 17 99 AR AV EC ES MI	A 5930	85	18-OCT-85	ER	AS		85
	MS24658F	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK USER: AT ME REVIEWER: 11 99 AV ES	A 5930	85	28-SEP-87	ER	AS		85
	MS24659F	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK USER: ME REVIEWER: 11 AV EC ES	A 5930	85	28-SEP-87	ER	AS		85
	MS24660F	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK REVIEWER: 11 AV EC ES	A 5930	85	28-SEP-87	ER	AS		85
	MS24661C	RIVET, BLIND-COUNTERSUNK HEAD, DRIVE TYPE USER: AS AT ER GL MC MI SH	A 5320	AR	12-MAR-87	AR			99
D	MS24662B	RIVET, BLIND, UNIVERSAL HEAD, DRIVE TYPE (VALIDATION DATE: 8304) USER: GL MC ME REVIEWER: AT AV IS MI	A 5320	AR	28-OCT-70	AR	YDI		99
D	MS24665F MS24667C	PIN, COTTER (SPLIT) USER: AT ME MI YDI REVIEWER: 11 B2 AV ER IS NS ..... SCREW, CAP-SOCKET HEAD, FLAT COUNTERSUNK, B2 DEG., ALLOY STEEL, CADMIUM PLATED, UMC-3A (VALIDATION DATE: 8304) USER: AS ME OS WV REVIEWER: AT AV IS	A 5315 A 5305	AR AR	18-JUN-86 28-OCT-76	AR AR	OS SH		99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Adm Off / Cdr	Doc Control	Doc Number	Doc Title	Dist Smt	FSC Area	MCA Symbol	Preparing Date	Custodian		
								Army	Navy	Al Force DLA
		MS24671C	SCREW, CAP, SOCKET-HEAD-FLAT COUNTERSUNK, 82 DEGREES CORROSION RESISTING STEEL, UNC - 3A [VALIDATION DATE: 8003] USER: MC MI OS REVIEWER: GL JS	A 5305	AR	20-FEB-74	AR	SH	99	
		MS24673D	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNF-3A). USER: AS AT ME SH WV REVIEWER: 11 IS MC MI	A 5305	OS	09-NOV-84	AR	OS	99	
		MS24674D	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED CORROSION RESISTING STEEL (UNC-3A). USER: AS AT ME SH REVIEWER: 11 IS MC MI	A 5305	AR	09-NOV-84	AR	OS	99	
A		MS24677D	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNC-3A) USER: AS AT ME REVIEWER: 11 IS MC MI SH	A 5305	AR	30-JUL-92	AR	OS	99	
D		MS24678E	SCREW, CAP, SOCKET HEAD, HEXAGON, DRILLED ALLOY STEEL, (UNF-3A) USER: AS AT AV MC ME YDI REVIEWER: EA ER IS SH	A 5305	AR	02-JAN-92	AR	OS	99	
A		MS24679E(1)	NUT, PLAIN, CAP, LOW CROWN, UNC-2B AND UNF-2B USER: AS AT MC ME OS SH REVIEWER: AV IS MI	A 5310	A-I	15-JUN-92	AR		99	
A		MS24680F(1)	NUT, PLAIN, CAP, HIGH CROWN UNC-2B AND UNF-2B USER: AS AT MC ME OS SH REVIEWER: AV IS	A 5310	AR	15-JUN-92	AR		99	
		MS24692D	PIN, TAPERED, PLAIN USER: AS AT MC ME SH REVIEWER: AV IS	A 5315	AR	28-SEP-87	AR	OS	99	
		MS24693F	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEG CROSS RECESSED, UNC-2A & UNF-2A (11.7MM) USER: MC REVIEWER: 82 AT AV IS MC MI	A 5305	AR	11-FEB-83	AR	AS	99	
		MS24694C(1)	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 100 DEG., STRUCTURAL, CROSS RECESSED, UNC-3A AND UNF-3A USER: AT CG MC ME REVIEWER: 82 AT AV IS MI	A 5305	AR	14-APR-92	AR		99	
L		MS24695	SPRING LOADED MOUNTING ASSEMBLY, CONNECTOR, RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES	A 5935	BS	08-AUG-86		BS		
L		MS24696	RETAINER, CONNECTOR, RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES	A 5935	BS	08-AUG-86		BS		
L		MS24697	SPRING-CONNECTOR RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES	A 5935	BS	08-AUG-86		BS		
L		MS24698	FLOAT BUSHING, CONNECTORS, RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES	A 5935	BS	08-AUG-86		BS		
L		MS24699A	SHAFT, CONNECTOR, RACK AND PANEL MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES	A 5935	BS	08-AUG-86		BS		
L		MS24700A	BUSHING, FIXED, CONNECTOR, RACK AND PANEL, MINIATURE [VALIDATION DATE: 8608] REVIEWER: 99 ES	A 5935	BS	08-AUG-86		BS		
		MS25002J	SWITCH, ROTARY, 28/115 VOLTS [VALIDATION DATE: 8702] REVIEWER: 11 17 99 AV EC ES MI OS	A 5930	BS	25-FEB-87	ER	AS	BS	
		MS25010F	LIGHT, PANEL - PLASTIC PLATE LIGHTING [VALIDATION DATE: 8103] USER: AI REVIEWER: AV GS	A 6220	AS	13-SEP-74	ME	AS	99	
		MS25012B	LAMP, INCANDESCENT, T-10 BULB, MEDIUM PREFOCUS BASE [VALIDATION DATE: 8407] USER: MC REVIEWER: GS	A 6240	B2	06-OCT-71	ME	AS	99	
		MS25015B	LAMP, INCANDESCENT, T-20 BULB, MOGUL BIPOST BASE [VALIDATION DATE: 8407] USER: ER REVIEWER: GS	A 6240	B2	10-MAY-57		AS	99	
A		MS25018G	CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC JET STARTING	A 5935	AS	30-DEC-92	CR	AS	BS	
		MS25019G	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING [VALIDATION DATE: 9110] USER: AT MC SH REVIEWER: 99 AV	A 6150	AS	24-OCT-91	CR	AS	BS	
A		MS25023C	LIGHT, INDICATOR [VALIDATION DATE: 9207] .....	A 6210	AS	31-JUL-92		AS	99	
		MS25024F	RELAY, 10 AMP, 4 PDT, SEALED, CLASS 0 [VALIDATION DATE: 8803] REVIEWER: 99 ES	A 5945	BS	31-MAR-88	ER	AS	BS	
L		MS25025B	LOADMETER, DIRECT CURRENT, AIRCRAFT [VALIDATION DATE: 8803] .....	A 6625	AS	21-MAR-88		AS		
A		MS25027F	LIGHT ASSEMBLY, COCKPIT, FIXED .....	A 6220	AS	25-SEP-92	AV	AS	99	
A		MS25030J	RELAY, 50 AMP, 2PDT, N.O., 11, NON-HERMETICALLY SEALED, MECHANICALLY INTERLOCKED [VALIDATION DATE: 9203] REVIEWER: 11 99 EC	A 5945	BS	31-MAR-88		AS	BS	
		MS25031L	RELAY, ELECTROMAGNETIC, 100 AMPERES, 2PDT, N.O. TYPE 11, NONHERMETICALLY SEALED, MECHANICALLY INTERLOCKED REVIEWER: 11 99 EC	A 5945	BS	28-SEP-90		AS	BS	
A		MS25032J	RELAY, ELECTROMAGNETIC, 100 AMPERES, 2PDT, N.O. TYPE 11, NONHERMETICALLY SEALED, MECHANICALLY INTERLOCKED REVIEWER: 99	A 5945	BS	28-SEP-90		AS	BS	
L		MS25033B	RELAY, 200 AMP, 1 PST, SEALED, CLASS 0 REVIEWER: 99 ES .....	A 5945	BS	31-MAR-88		BS		
		MS25034J	GUARD, SWITCH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 .....	A 5930	BS	25-FEB-87	ER	AS	BS	
		MS25035C	RELAYS, ELECTROMAGNETIC, TYPE 1, 25 AMPERES, 1PST, SEALED, CLASS 0 .....	A 5945	BS	17-JAN-92		AS	BS	ES
		MS25036P	TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL MOUTHED, TYPE 11, CLASS 1 (FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE) USER: AT MC ME OS REVIEWER: 11 99 AR AV EC GS MI SH	A 5940	AS	19-FEB-86	ER	AS	BS	
		MS25038E	GENERATOR, TACHOMETER AND SYNCHRONIZING, PISTON ENGINE (ASG) USER: CS REVIEWER: GS	A 6620	AS	01-JUN-87	AV	AS	99	
		MS25041G	LIGHT, INDICATOR, PRESS TO TEST, SMALL USER: AT ME REVIEWER: GS .....	A 6210	B2	24-DEC-85		AS	99	
		MS25042K	COVER, ELECTRICAL CONNECTOR: PLUG, AN TYPE [VALIDATION DATE: 9110] USER: 11 MI REVIEWER: 99 AR AV ES SC	A 5935	AS	24-OCT-91	CR	AS	BS	
		MS25043K	COVER, ELECTRICAL, CONNECTOR, RECEPTACLE, AN TYPE [VALIDATION DATE: 9110] USER: 11 MI REVIEWER: 99 AR AV ES SC	A 5935	AS	24-OCT-91	CR	AS	BS	
		MS25044B	TERMINAL BOARD TWO STUD USER: ME REVIEWER: 99 GS .....	A 5940	AS	16-OCT-81		AS	BS	
		MS25045A	BLOCK TERMINAL, 2 STUD [VALIDATION DATE: 8006] REVIEWER: GS .....	A 5940	AS	31-MAR-67	ME	AS	BS	
		MS25046B	COVER ASSY, TERMINAL BLOCK TWO STUD [VALIDATION DATE: 8503] REVIEWER: 99 GS	A 5940	AS	31-MAR-67	ME	AS	BS	
		MS25048A	MAST, ANTENNA, DEAD-END (ASG) [VALIDATION DATE: 8207] REVIEWER: 99 ES .....	A 5985	AS	18-JUN-76		AS	BS	
		MS25049A	MAST, ANTENNA, LEAD THROUGH [VALIDATION DATE: 8207] REVIEWER: 99 .....	A 5985	AS	18-JUN-76		AS	BS	
		MS25050A	ADAPTER, ANTENNA [VALIDATION DATE: 8207] REVIEWER: 99 .....	A 5985	AS	18-JUN-76		AS	BS	
		MS25051	INSERT, DEAD-END, ANTENNA [VALIDATION DATE: 9110] .....	A 5985	AS	24-OCT-91		AS	BS	
		MS25054B	INSULATOR, LEAD-THROUGH ANTENNA [VALIDATION DATE: 9110] REVIEWER: 99 ES ...	A 5985	AS	24-OCT-91		AS	BS	
		MS25055A	ELBOW, LEAD-THROUGH INSULATOR, ANTENNA .....	A 5985	AS	30-SEP-91		AS	BS	
		MS25056A	SLEEVE, SUPPORT, ANTENNA, EXTERNAL THREAD USER: MC REVIEWER: 99 ES .....	A 5985	AS	23-JAN-91		AS	BS	
		MS25057A	TAKEUP, ANTENNA [VALIDATION DATE: 8906] REVIEWER: 99 ES .....	A 5985	AS	01-JUL-89		AS	BS	
		MS25058	TAKEUP, TENSION, ANTENNA [VALIDATION DATE: 9110] .....	A 5985	AS	24-OCT-91		AS	BS	
		MS25061A	SLEEVE, SUPPORT, ANTENNA, INTERNAL THREAD [VALIDATION DATE: 8912] USER: MC REVIEWER: 99 ES	A 5985	AS	08-DEC-89		AS	BS	
		MS25064A	CONDUIT, FLEXIBLE, RADIO FREQUENCY SHIELDING [VALIDATION DATE: 9110] USER: MC ME REVIEWER: 11 99 GS	A 5975	AS	24-OCT-91	ER	AS	BS	
		MS25065B	FERRULE, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING REVIEWER: 99 .....	A 5975	AS	25-MAR-91	ER	AS	BS	GS
		MS25066A	MUT, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING [VALIDATION DATE: 8703] USER: MC REVIEWER: 99 GS	A 5975	BS	25-MAR-87	ER	AS	BS	
L		MS25067A	CONDUIT ASSEMBLY, FLEXIBLE, RADIO FREQUENCY SHIELDING [VALIDATION DATE: 8907] REVIEWER: GS	A 5975	AS	01-JUL-89		AS		
		MS25068J	SWITCH, TOGGLE, FOUR POLE, SEALED TOGGLE [VALIDATION DATE: 8809] REVIEWER: 11 99 AV EC ES	A 5930	BS	30-SEP-88	ER	AS	BS	
		MS25069C	LAMP, INCANDESCENT, SINGLE CONTACT, MINIATURE BAYONET BASE, T-4-1/2 BULB [VALIDATION DATE: 8506] REVIEWER: GS	A 6240	B2	03-NOV-77		AS	99	
		MS25070A	MICROPHONE BOOM MT-521A/U [VALIDATION DATE: 8702] REVIEWER: 99 ES .....	A 5935	BS	27-FEB-87		AS	BS	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action OK / On Coordination Machine	Document Number	Document Title	Dist. Smt. F&C / Area	MCA Symbol Preparing Assy	Date	Custodians			
						Army	Navy	Air Force	DLA
	MS25071	BRACKET, MT-522A/U [VALIDATION DATE: 8702] REVIEWER: 99 ES .....	A 5965	BS	27-FEB-87	AS	BS		
	NOTICE 1								
	MS25075E	COVER, TERMINAL BOARD, 6 STUD (ASG) [VALIDATION DATE: 8006] REVIEWER: 99	A 5940	AS	31-MAR-67	ME	AS	BS	
		GS							
	MS25077D	TERMINAL BOARD, FIVE-STUD, TWO 3/8-INCH AND THREE NUMBER 10 STUDS (ASG)	A 5940	AS	31-MAR-67	ME	AS	BS	
		[VALIDATION DATE: 8006] REVIEWER: GS							
	MS25079E	COVER, TERMINAL BOARD, 5 STUD (ASG) [VALIDATION DATE: 8006] REVIEWER: 99	A 5940	AS	31-MAR-67	ME	AS	BS	
		GS							
	MS25080F	TERMINAL, STUD USER: ME REVIEWER: 99 GS .....	A 5940	AS	05-JAN-90	CR	AS	BS	
	MS25081J	WASHER, KEY [VALIDATION DATE: 8510] REVIEWER: IS ME .....	A 5310	B2	16-AUG-77		AS	99	
	MS25082N	NUT, PLAIN, HEXAGON, ELECTRICAL-THIN USER: MC REVIEWER: 82 AV EC ER IS ....	A 5310	AS	26-AUG-92	AR	AS	99	
	MS25083K	JUMPER ASSEMBLY, ELECTRIC, BONDING AND CURRENT RETURN [VALIDATION DATE:	A 6150	AS	24-OCT-91	CR	AS	11	
	NOTICE 1	9110] REVIEWER: 99							
	MS25086C	RING, LOCK REVIEWER: IS .....	A 5340	AS	02-FEB-87		AS		
	MS25087B	SCREW, EXTERNALLY RELIEVED BODY [VALIDATION DATE: 9110] REVIEWER: IS .....	A 5305	AS	09-OCT-91		AS	99	
	NOTICE 1								
	MS25098H	SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE (INACTIVE 9-16-69) REVIEWER: 11 99	A 5930	ER	31-DEC-86	ER	AS	BS	
		AV EC ES							
	MS25100H	SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE (INACTIVE 9-16-69) REVIEWER: 11 99	A 5930	ER	31-DEC-86	ER	AS	BS	
		AV EC ES							
	MS25121A	TOOL, PRETENSIONING, FOR ANTENNA TENSION TAKEUP [VALIDATION DATE: 9110] ...	A 5120	AS	24-OCT-91		AS		
	NOTICE 1								
	MS25125K	SWITCH, TOGGLE, ONE POLE, SEALED TOGGLE, LEVER LOCK (INACTIVE USE MS 24658	A 5930	BS	25-FEB-87	ER	EC	BS	
		OR MS 24612) [VALIDATION DATE: 8702] REVIEWER: 11 99 AS AV ES							
	MS25126K	SWITCH, TOGGLE, TWO POLE SEALED TOGGLE, LEVER LOCK (INACTIVE USE MS 24659	A 5930	BS	25-FEB-87	ER	EC	BS	
		OR MS 24613) [VALIDATION DATE: 8702] REVIEWER: 11 99 AS AV ES							
	MS25127K	SWITCH, TOGGLE, FOUR POLE, SEALED TOGGLE, LEVER LOCK (INACTIVE USE MS	A 5930	BS	25-FEB-87	ER	EC	BS	
		24660 OR MS 24614) [VALIDATION DATE: 8702] REVIEWER: 11 99 AS AV ES							
	MS25131C	BLOCK, TERMINAL, 5 STUD [VALIDATION DATE: 8302] REVIEWER: 99 GS .....	A 5940	BS	27-APR-65		AS	BS	
	MS25132C	COVER, TERMINAL BLOCK REVIEWER: 99 GS .....	A 5940	BS	20-APR-93		AS	BS	
	MS25159B	AIR INLET, AXIAL, GENERATOR REVIEWER: CS GS .....	A 4730	B2	01-SEP-86		AS	99	
	MS25160A	ADAPTER, GENERATOR TO AIR DUCT, RADIAL, 3 INCH [VALIDATION DATE: 8712]	A 6115	AS	31-DEC-87		AS		
	NOTICE 1	REVIEWER: GS							
	MS25164E	SKIRT, CONTROL KNOB (ASG) [VALIDATION DATE: 8304] USER: MC .....	A 5355	AS	24-NOV-64		AS	11	
	MS25165E	KNOB, POINTER, ILLUMINATED, SMALL (ASG) [VALIDATION DATE: 8203] USER: MC	A 5355	AS	17-JUN-75	ER	AS	11	
		ME							
	MS25166E	KNOB, POINTER, ILLUMINATED [VALIDATION DATE: 8303] USER: AR ME REVIEWER:	A 5355	AS	24-NOV-64	EP	AS	11	
		IS							
	MS25167F	KNOB, ROUND, SMALL (ASG) [VALIDATION DATE: 8203] USER: ME REVIEWER: 82 99	A 5355	AS	27-DEC-65		AS	11	
		AR IS							
	MS25168F	KNOB, ROUND (ASG) [VALIDATION DATE: 8203] REVIEWER: 82 99 IS .....	A 5355	AS	27-DEC-65		AS	11	
	MS25169G	KNOB, BAR, SMALL (ASG) [VALIDATION DATE: 8203] REVIEWER: 99 IS .....	A 5355	AS	27-DEC-65		AS	11	
	MS25170F	KNOB, BAR (ASG) [VALIDATION DATE: 8203] REVIEWER: 82 99 IS .....	A 5355	AS	27-DEC-65		AS	11	
	MS25171C	NIPPLE, ELECTRICAL TERMINAL (ASG) [VALIDATION DATE: 8108] USER: MC	A 5975	AS	19-MAY-59		AS	BS	
		REVIEWER: 99 GS							
	MS25182G	PLUG, ELECTRIC, FOUR-WIRE, AIRCRAFT STORAGE BATTERY [VALIDATION DATE:	A 5935	AS	24-OCT-91	AV	AS	BS	
	NOTICE 1	9110] REVIEWER: 11 80							
	MS25183C	CONNECTOR, PLUG, ELECTRIC, POTTING SEAL, SOLDER CONTACTS, AM TYPE	A 5935	AS	28-SEP-71	CR	AS	BS	
	NOTICE 1	[VALIDATION DATE: 8709] USER: CG MC OS REVIEWER: 99 AT AV EC ES ME MI							
	MS25185C	PLUG, VENTING, GRAVITY CONTROLLED, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT	A 6140	AS	01-NOV-78	ER	AS	99	
		LEAD ACID STORAGE BATTERY [VALIDATION DATE: 8508]							
	MS25187B	EXTRACTOR, ELECTRONIC TUBE [VALIDATION DATE: 9110] USER: AR MC REVIEWER:	A 5120	AS	24-OCT-91		AS		
	NOTICE 1	69 GL SH							
	MS25189C	TERMINAL, LUG, FLAG TYPE CRIMP STYLE, COPPER, CLASS 1 (ASG) [VALIDATION	A 5940	AS	04-NOV-68		AS	BS	
		DATE: 8207] USER: MC ME REVIEWER: 11 99 AV EC GS							
	MS25191B	WIRE, ELECTRIC, 600 VOLT, ALUMINUM, AIRCRAFT (INACTIVE 10-4-62) [VALIDATION	A 6145	AS	04-OCT-62		AS	BS	
	NOTICE 1	DATE: 8709] REVIEWER: 11 IS							
	MS25193J	BATTERY, STORAGE, AIRCRAFT, INSTALLATION OF [VALIDATION DATE: 8106]	A 6140	AS	01-MAY-69		AS		
		REVIEWER: GS							
	MS25198	SWITCH, MICROPHONE THROTTLE, TYPE SA-99A/AR [VALIDATION DATE: 8106]	A 5930	AS	27-NOV-57		AS		
		REVIEWER: ES							
	MS25201K	SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE REVIEWER: 11 99 AV EC ES .....	A 5930	BS	12-DEC-80	ER	AS	BS	
	MS25202B	INVERTER, 5000VA, 3/1 PHASE, CLASS A 3500VA, 3/1 PHASE, CLASS B	A 6125	AS	27-SEP-76		AS		
		[VALIDATION DATE: 8207] REVIEWER: GS							
	MS25203B	LIGHT ASSEMBLY, TAXI (PAR-46 BULB) .....	A 6220	AS	14-SEP-90		AS		
	MS25205E	FLASHER, AIRCRAFT LIGHT [VALIDATION DATE: 8106] REVIEWER: 99 .....	A 5945	AS	21-MAR-74		AS		
	MS25212C	CONTROL PANEL, CONSOLE TYPE, AIRCRAFT EQUIPMENT, BASIC DIMENSIONS	A 1680	AS	09-OCT-91		AS	99	
	NOTICE 1	[VALIDATION DATE: 9110]							
	MS25213B	CONTROL PANEL, AIRCRAFT EQUIPMENT, TYPICAL INSTALLATION [VALIDATION DATE:	A 1680	AS	10-JUL-68		AS	11	
		8410] REVIEWER: AV							
	MS25214E	GUARD, SWITCH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 ES .....	A 5930	BS	25-FEB-87	ER	AS	BS	
	MS25215	LIGHT ASSEMBLY, UPWARD RECOGNITION [VALIDATION DATE: 8505] REVIEWER: AS GS	A 6220	B2	15-APR-57		99		
	MS25216A	COVER, TOP AND BOTTOM FUSELAGE LIGHTS REVIEWER: AS GS .....	A 6220	B2	31-JUL-85		99		
	MS25219G	LIGHT - NAVIGATIONAL AND WARNING, AIRCRAFT REVIEWER: CS .....	A 6220	B2	05-MAR-93	AV	AS	99	
	MS25221F	GUARD, SWITCH, 2 OR 3 POSITION [VALIDATION DATE: 8809] REVIEWER: 99 ES ....	A 5930	BS	30-SEP-88	ER	AS	BS	
	NOTICE 1								
	MS25223G	GUARD, SWITCH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 .....	A 5930	BS	25-FEB-87	ER	AS	BS	
	MS25224G	GUARD, SWITCH, 2 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 AV ES .....	A 5930	BS	25-FEB-87	ER	AS	BS	
	NOTICE 1								
	MS25225G	GUARD, SWITCH, 3 POSITION [VALIDATION DATE: 8702] REVIEWER: 99 .....	A 5930	BS	25-FEB-87	ER	AS	BS	
	NOTICE 1								
	MS25226C	LINK, TERMINAL CONNECTING [VALIDATION DATE: 8508] USER: CS EC MC ME	A 5940	AS	13-JUL-71	ER	AS	BS	
		REVIEWER: 17 99 AV GS							
	MS25231F	LAMP, INCANDESCENT, CENTER CONTACT, MINIATURE BAYONET BASE (T-3-1/4 BULB)	A 6240	AS	23-AUG-85	ME	AS	99	
		USER: MC REVIEWER: 82 AV EC SH							
	MS25236F	LAMP, INCANDESCENT T-1-1/4, KNURLED SCREW BASE [VALIDATION DATE: 8107]	A 6240	AS	12-JAN-67	ME	AS	99	
		REVIEWER: AR GS							
	MS25239A	LAMP, INCANDESCENT - PAR-36 BULB, SCREW TERMINAL BASE, SIGNALING (ASG)	A 6240	AS	27-JUL-62		AS	99	
		[VALIDATION DATE: 8108] REVIEWER: GS							
	MS25241E	LAMP, INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, LANDING [VALIDATION	A 6240	AS	21-MAR-72	AV	AS	99	
		DATE: 8307] REVIEWER: 11 GS							
	MS25242D	LAMP, INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE [VALIDATION DATE:	A 6240	AS	10-OCT-68	ME	AS	99	
		8108] USER: CG EC EL REVIEWER: AV GS							
	MS25243A	LAMP, INCANDESCENT, PAR-36 BULB, SCREW TERMINAL BASE [VALIDATION DATE:	A 6240	AS	30-NOV-62		AS	99	
		8107] REVIEWER: AV GS							
	MS25244R	CIRCUIT BREAKER, TRIP FREE, PUSH PULL, 5 THRU 35 AMPERE, TYPE I REVIEWER:	A 5925	AS	30-NOV-87	ER	AS	BS	
		11 ES							
	MS25246B	EXTENSION, TOGGLE LEVER [VALIDATION DATE: 8508] USER: MC REVIEWER: 99 ES ..	A 5930	AS	01-JUL-60		AS	BS	
	MS25250	RECEPTACLE, ELECTRIC CONNECTOR ROCKET IGNITER ASSEMBLY [VALIDATION DATE:	A 5935	AS	26-JUN-57		AS		
		8509] REVIEWER: ES							
	MS25251A	PLUG, END SEAL, ELECTRIC CONNECTOR [VALIDATION DATE: 8108] USER: ME	A 5935	AS	18-SEP-61	CR	AS	BS	
		REVIEWER: 99 ES MI							
	MS25267C	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE 1, SOLDER HOOK,	A 5945	AS	05-JUN-87		AS	BS	
		HEMPETICALLY SEALED REVIEWER: 11 99 AR EC ES							



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Doc / Out Coordination Notice	Document Number	Document Title	Doc. Syst. FSC / Ans MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
I	MS25268J	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE 1, POTTED LEAD, HERMETICALLY SEALED REVIEWER: 11 99 EC ES	A 5945	85	20-JAN-89	AS	85		
	MS25269J	RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE 1, HERMETICALLY SEALED REVIEWER: 11 99 EC ES	A 5945	85	22-DEC-89	AS	85		
I	MS25270J	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 6 PDT, TYPE 1, POTTED LEAD, HERMETICALLY SEALED REVIEWER: 11 99 EC ES	A 5945	85	20-JAN-89	AS	85		
	MS25271H	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE 1, SOLDER HOOK HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	85	24-JAN-90	AS	85		
I	MS25272H	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE 1, POTTED LEAD, HERMETICALLY SEALED REVIEWER: 11 99 EC ES	A 5945	85	20-JAN-89	AS	85		
M	MS25273G	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE 1, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945	85	14-MAY-93	ER	AS	85	
	MS25274G	CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE 1), CLASS 1) FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE USER: MC SH REVIEWER: 11 99 EC	A 5970	AS	15-JUL-82	ER	AS	85	
I	MS25277D	LIGHT, BEACON, ANTI-COLLISION, AIRCRAFT	A 6220	AS	29-MAY-92	AS	99		
L	MS25278	AUTOMATIC BATTERY CHARGER AND TESTER (VALIDATION DATE: 8005) REVIEWER: GS	A 6130	AS	19-NOV-57	AS			
	MS25281K	CLAMP, LOOP-PLASTIC, WIRE SUPPORT (VALIDATION DATE: 8407) USER: MC SH REVIEWER: AV MI OS	A 5340	AS	29-DEC-78	AR	AS	99	
L	MS25303A	CONVERTER - CONSTANT VOLTAGE 300 AMP, 30 VOLTS DC (FOR GROUND USE) (INACTIVE) (VALIDATION DATE: 8106) REVIEWER: GS	A 6125	AS	17-JUN-71	AS			
	MS25304D	CIRCUIT BREAKER, AIRCRAFT, TRIP FREE, TOGGLE TYPE, 0.1 THRU 50 AMPS, TYPE 11 REVIEWER: ES	A 5925	AS	30-NOV-87	ER	AS	85	
	MS25306J	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, SINGLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AV EC ES MI	A 5930	85	30-SEP-86	ER	AS	85	
	MS25307K	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, DOUBLE POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 11 17 99 AV EC ES MI	A 5930	85	30-SEP-86	ER	AS	85	
	MS25308K	SWITCH, TOGGLE, POSITIVE BREAK, ENVIRONMENTALLY SEALED, SCREW TERMINAL, FOUR POLE, .469 MOUNTING BUSHING, 25 AMPERES REVIEWER: 17 99 AV EC MI	A 5930	85	04-SEP-91	ER	AS	85	
	MS25317F	INDEXER, APPROACH (VALIDATION DATE: 8706) REVIEWER: GS	A 6220	AS	01-JUN-87	AS	99		
L	MS25318C	LIGHT, APPROACH, 28 VOLT REVIEWER: GS	A 6220	AS	15-APR-91	AS			
	MS25321L	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	85	05-JUN-87	AS	85		
	MS25322B	SOCKET - RELAY, ELECTRICAL, 8 CONTACTS, 5 AMPS (ASG) (VALIDATION DATE: 8106) USER: MC REVIEWER: 17 99 ES	A 5935	AS	01-MAR-63	AS	85		
I	MS25323K	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC ES	A 5945	85	20-JAN-89	AS	85		
	MS25324B	SOCKET, RELAY, ELECTRICAL, 8 CONTACTS, 10 AMP (ASG) (VALIDATION DATE: 8106) USER: MC REVIEWER: 17 99 ES	A 5935	AS	01-MAR-63	AS	85		
I	MS25325H	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	85	20-JAN-89	AS	85		
	MS25326B	SOCKET, RELAY, ELECTRICAL, 14 CONTACTS, 5 AMPS (ASG) (VALIDATION DATE: 8106) USER: MC REVIEWER: 17 99 ES	A 5935	AS	01-MAR-63	AS	85		
I	MS25327H	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 AV EC	A 5945	85	20-JAN-89	AS	85		
	MS25328C	SOCKET, RELAY, ELECTRICAL, 14 CONTACTS, 10 AMPS (ASG) (VALIDATION DATE: 8106) USER: MC REVIEWER: 17 99 ES MI	A 5935	AS	12-MAR-65	AS	85		
M	MS25329L	RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE 1, SOCKET MOUNTED, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945	85	14-MAY-93	ER	AS	85	
	MS25331C	LIGHT ASSEMBLY, PRESS TO TEST INDICATOR USER: AT ME REVIEWER: AV GS MI	A 6210	82	01-FEB-85	AS	99		
	MS25332	SCREW AND WASHER ASSEMBLY, RELAY SOCKET MOUNTING (VALIDATION DATE: 8504) USER: MC REVIEWER: 15	A 5305	AS	01-NOV-60	AS	99		
L	MS25333B	INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, 40-400 KNOTS (VALIDATION DATE: 8712)	A 6610	AS	11-DEC-87	AS			
	MS25337C	CIRCUIT BREAKER, AIRCRAFT TRIP-FREE TOGGLE, 5-50 AMP USER: ME REVIEWER: ES MI	A 5925	AS	07-DEC-83	ER	AS	85	
L	MS25365	FLOODLIGHT, EXPLOSION PROOF, 300 WATTS MAXIMUM, ADJUSTABLE STAND MOUNTED (VALIDATION DATE: 8407) REVIEWER: AS GS	A 6230	82	28-AUG-58		99		
	MS25368C	LIGHT, DOME, CABIN-RED AND WHITE (VALIDATION DATE: 8712) USER: AT	A 6220	AS	31-DEC-87	ME	AS	99	
	MS25361P	REVIEWER: GS							
L	MS25368H	CIRCUIT BREAKER AIRCRAFT, TRIP FREE, PUSH-PULL, 50 THRU 100 AMPS, TYPE 1 REVIEWER: 11 ES MI	A 5925	AS	30-NOV-87	ER	AS	85	
	MS25381F	GENERATOR SYSTEM, 60 KVA, 400 HERTZ ALTERNATING CURRENT, INTEGRALLY EXCITED BRUSHLESS TYPE	A 6115	AS	21-MAR-86	AS			
	MS25384C	GROMMETS, MOUNTING, INTEGRALLY ILLUMINATED INFORMATION PLATE (INACTIVE USE MS 3498) (VALIDATION DATE: 8410)	A 6220	AS	28-FEB-78	AS	99		
L	MS25390	ELECTROSTATIC DISCHARGE JUMPER, FUEL NOZZLE -TO- AIRCRAFT (VALIDATION DATE: 8006) USER: AV SH REVIEWER: 11	A 5920	AS	13-JUL-73	ME	AS	85	
	MS25391	RACK, BATTERY CHARGING (VALIDATION DATE: 8203) REVIEWER: GS	A 6140	AS	27-MAR-59	AS			
	MS25395H	LENS, 24 INCH DOUBLE BEAM (VALIDATION DATE: 9111)	A 6220	AS	05-NOV-91	AS	99		
M	MS25398B	RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE 1, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945	85	14-MAY-93	ER	AS	85	
	MS25402B	HANDLES, CONTROL, AIRCRAFT, REVERSE THRUST, (JET) (VALIDATION DATE: 8808)	A 1680	82	10-AUG-88	AV	AS	99	
D	MS25435A	FASTENERS, STRAIGHT, HEADED, SWAGED COLLAR LIMITATIONS FOR USE OF REVIEWER: 82	A 5325	15	25-NOV-91	AS	99	15	
	MS25436A	TERMINAL, LUG, CRIMP STYLE, STRAIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE CLASS 1 (VALIDATION DATE: 8207) REVIEWER: 99 GS	A 5940	AS	15-MAY-64	ER	AS	85	
	MS25437C	TERMINAL, LUG, CRIMP STYLE 90 DEG UPRIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 (VALIDATION DATE: 8207) REVIEWER: 99 GS	A 5940	AS	15-MAY-64	AS	85		
	MS25438A	TERMINAL, LUG CRIMP STYLE LEFT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 (VALIDATION DATE: 8207) REVIEWER: 99 GS	A 5940	AS	15-MAY-64	AS	85		
	MS25439A	TERMINAL, LUG, CRIMP STYLE, RIGHT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 (VALIDATION DATE: 8207) REVIEWER: 99 GS	A 5940	AS	15-MAY-64	AS	85		
	MS25440C	SPLICE-PERMANENT CRIMP STYLE, 2 WAY TYPE FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 (VALIDATION DATE: 8207) REVIEWER: 99 GS	A 5940	AS	15-MAY-64	AS	85		
	MS25441C	WASHERS, FOR USE WITH AIRCRAFT ALUMINUM TERMINALS (VALIDATION DATE: 9110)	A 5310	AS	09-OCT-91	ER	AS	11	
L	MS25442C	CRIMPING TOOL, TERMINAL, HYDRAULIC OPERATED, WIRE SIZE 8 THRU 4/0 (VALIDATION DATE: 8207) USER: GL REVIEWER: 85	A 5130	AS	15-APR-64	EL	AS	11	
	MS25444A	DIE, FOR MS 25441, ELECTRIC, HYDRAULIC CRIMPING TOOL (FOR USE WITH ALUMINUM WIRE TERMINALS) (VALIDATION DATE: 8207) USER: GL REVIEWER: 85	A 5120	AS	02-JAN-64	AS			
L	MS25447G	LIGHT, ROTATING BEACON, 24 INCH, DUPLEX (VALIDATION DATE: 8407) REVIEWER: 11 GS	A 6210	82	17-APR-61	AS	99		
	MS25448F	TRANSDUCER, COUNTING ACCELEROMETER (VALIDATION DATE: 8712)	A 6610	AS	11-DEC-87	AS			
L	MS25452F	INDICATOR, COUNTING ACCELEROMETER (VALIDATION DATE: 8403)	A 6610	AS	19-MAR-70	AS			
	MS25453A	GUARD, SWITCH, 2 POSITION, LOCK REVIEWER: 99 ES	A 5930	85	19-FEB-92	ER	AS	85	
		LIGHT, PANEL INFORMATION PLATE, PLATE SUPPORTING TYPE (INACTIVE 6-1-68) (VALIDATION DATE: 8004) USER: ME REVIEWER: GS	A 6220	AS	01-JUN-68	AV	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Opn / Chg Coordination Initiate	Document Number	Document Title	Dist. Smt. P&C / Area	MCA Symbol Preparing Assy	Date	Custodians			
						Army	Navy	AF	Force DIA
L	MS25454C	INDICATORS, VERTICAL VELOCITY, RAPID RESPONSE, ACCELERATION SENSITIVE [VALIDATION DATE: 8906]	A 6610	AV	28-JUN-89	AV			
A I	MS25455G	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 2 PDT, TYPE 1, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	20-JAN-89	AS	BS		
A I	MS254576	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE 1, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	20-JAN-89	AS	BS		
	MS25468A	SOCKET, RELAY, ELECTRICAL, 10 CONTACTS, 10 AMP (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES	A 5935	AS	01-MAR-63	AS	BS		
A I	MS254596	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE 1, MAGNETIC LATCH, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	20-JAN-89	AS	BS		
	MS25460A	SOCKET, RELAY, ELECTRICAL, 16 CONTACTS, 5 AMPS (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES	A 5935	AS	01-MAR-63	AS	BS		
A I	MS25461H	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4 PDT, TYPE 1, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	20-JAN-89	AS	BS		
	MS25462A	SOCKET, RELAY, ELECTRICAL, 16 CONTACTS, 10 AMP. (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 17 99 ES MI	A 5935	AS	01-MAR-63	AS	BS		
A I	MS25463G	RELAYS, ELECTROMAGNETIC, 6PDT, 5 AMPERES, TYPE 1, MAGNETIC LATCH, SOCKET MOUNTED, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	30-SEP-87	AS	BS		
I	MS25465E	RELAYS, ELECTROMAGNETIC, 2 PDT, 5 AMPERES, TYPE 1, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED REVIEWER: 11 17 99 EC ES	A 5945	BS	20-JAN-89	AS	BS		
A I	MS25466E	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2 PDT, TYPE 1, MAGNETIC LATCH, STUD MOUNTED, SOLDER HOOKS, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	BS	20-JAN-89	AS	BS		
M	MS25467D	RELAYS, ELECTROMAGNETIC, 5 AMPERES, 4 PDT, TYPE 1, MAGNETIC LATCH, SOLDER TERMINAL, STUD MOUNTED, HERMETICALLY SEALED [VALIDATION DATE: 9305] REVIEWER: 11 99 EC ES	A 5945	BS	14-MAY-93	ER	AS	BS	
	MS25468J	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE 1, MAGNETIC LATCH, SOLDER TERMINALS, STUD MOUNTED, HERMETICALLY SEALED	A 5945	BS	29-SEP-87	AS	BS		
	MS25469D	RELAY, MAGNETIC LATCH, 5 AMP, 6 PDT, CLASS BB, SEALED, HOOK TERMINALS, STUD MOUNTED (ASG) [VALIDATION DATE: 8508] REVIEWER: 11 17 99 EC ES	A 5945	AS	16-MAR-70	AS	BS		
L	MS25470A	INDICATOR, PRESSURE, SYNCHRO, AIRCRAFT, 165-DEGREE SCALE [VALIDATION DATE: 8712]	A 6620	AS	11-DEC-87	AS			
	MS25471C	WIRE, ELECTRICAL-SILICONE-INSULATED, COPPER, 600 VOLT, 200 DEG. C, POLYESTER JACKET [VALIDATION DATE: 8302] REVIEWER: 11	A 6145	BS	06-JAN-69	AV	AS	BS	
	MS25472G	GAGE-INSPECTION, FOR MS 25442 CRIMPING DIE (FOR USE WITH ALUMINUM WIRE TERMINAL) [VALIDATION DATE: 8508] REVIEWER: BS	A 5220	AS	09-NOV-72	CR	AS	99	
	MS25486H	CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ USER: AT MC SH REVIEWER: 11 80 82 AV	A 5935	AS	31-MAR-92	CR	AS	BS	ES
	MS25487G	CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING [VALIDATION DATE: 9110] USER: AT MC SH REVIEWER: 80 82 AV	A 5935	AS	24-OCT-91	CR	AS	BS	
	MS25488F	CONNECTOR PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER [VALIDATION DATE: 9110] USER: AT MC SH REVIEWER: 80 82 AV	A 5935	AS	24-OCT-91	CR	AS	BS	
L	MS25490D	PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2643/AIC-14 (INACTIVE FOR DESIGN AFTER 10 AUG 1984 - NO S/S) REVIEWER: ES	A 5831	AS	10-AUG-84	AS			
L	MS25491K	CONTROL, INTERPHONE C-2644/AIC-14 PLASTIC LIGHTING PLATE, CONFIGURATION OF (INACTIVE FOR NEW DESIGN AFTER 10 AUG 1984 - NO S/S)	A 5831	AS	10-AUG-84	AS			
L	MS25492J	PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2647A/AIC-14 (INACTIVE FOR NEW DESIGN AFTER 10 AUG 1984 - NO S/S) [VALIDATION DATE: 8509]	A 5831	AS	10-AUG-84	AS			
L	MS25493L	PLATE, PLASTIC, LIGHTING FOR INTERPHONE CONTROL C-2648B/AIC-14 (INACTIVE) [VALIDATION DATE: 8509] REVIEWER: ES	A 5831	AS	10-AUG-84	AS			
A I	MS25917D	RELAYS, ELECTROMAGNETIC, TYPE 1, 3 AMPERES, 4 PDT REVIEWER: 99 .....	A 5945	BS	28-APR-89	AS	BS		
A I	MS25918G	RELAYS, ELECTROMAGNETIC, TYPE 1, 3 AMPERES, 6 PDT REVIEWER: 99 .....	A 5945	BS	28-APR-89	AS	BS		
A I	MS25919C	RELAYS, ELECTROMAGNETIC, TYPE 1, 10 AMPERES, 4 PDT REVIEWER: 99 .....	A 5945	BS	28-APR-89	AS	BS		
A	MS26514C	COMPUTER, AIR NAVIGATION, DEAD RECKONING TYPE MB-4A AND, TYPE CPU-26AVP [VALIDATION DATE: 9209]	A 6605	71	30-SEP-92	AV	AS	99	
	MS26517	HANDLES, CONTROL, AIRCRAFT THROTTLE, LARGE [VALIDATION DATE: 8808] .....	A 1680	82	10-AUG-88	AV	AS	99	
	MS26518	HANDLES, CONTROL, AIRCRAFT RPM, LARGE [VALIDATION DATE: 8808] .....	A 1680	82	10-AUG-88	AV	AS	99	
	MS26519	HANDLES, CONTROL, AIRCRAFT MIXTURE, LARGE [VALIDATION DATE: 8808] .....	A 1680	82	10-AUG-88	AV	AS	99	
	MS26520	HANDLES, CONTROL, AIRCRAFT SUPERCHARGER, LARGE [VALIDATION DATE: 8808] .....	A 1680	82	10-AUG-88	AV	AS	99	
	MS26521A	HANDLES, CONTROL, AIRCRAFT LANDING GEAR [VALIDATION DATE: 8908] .....	A 1680	82	26-AUG-89	AV	AS	99	
	MS26522	HANDLES, CONTROL, AIRCRAFT LANDING FLAP, LARGE [VALIDATION DATE: 8912] ....	A 1680	82	06-DEC-89	AV	AS	99	
	MS26523	HANDLES, CONTROL, AIRCRAFT FIRE EXTINGUISHER [VALIDATION DATE: 8908] .....	A 1680	82	26-AUG-89	AV	AS	99	
	MS26524	HANDLES, CONTROL, AIRCRAFT CARBURETOR, LARGE [VALIDATION DATE: 8808] .....	A 1680	82	10-AUG-88	AV	AS	99	
	MS26525	HANDLES, CONTROL, AIRCRAFT LIFT TO REVERSE THROTTLE [VALIDATION DATE: 8808] REVIEWER: 11	A 1680	82	10-AUG-88	AV	AS	99	
L	MS26526C	TIRE, PNEUMATIC, AIRCRAFT, 24 X 5.5 TYPE VII (NAVY) [VALIDATION DATE: 8802] REVIEWER: CS	A 2620	AS	10-FEB-88	AS			
L	MS26529	OAR, METAL, SECTIONAL [VALIDATION DATE: 8104] REVIEWER: 99 .....	A 2040	SH	02-FEB-56	SH			
L	MS26533D	TIRE, PNEUMATIC, AIRCRAFT, 26 X 6.6, TYPE VII (NAVY) [VALIDATION DATE: 8410] REVIEWER: CS	A 2620	AS	09-FEB-78	AS			
L	MS26535C	TIRE, PNEUMATIC, AIRCRAFT, 18 X 5.5 TYPE VII (NAVY) [VALIDATION DATE: 9110]	A 2620	AS	30-OCT-91	AS			
L	MS26537C	TIRE, PNEUMATIC, AIRCRAFT, 32 X 8.8 TYPE VII (NAVY) USER: CS .....	A 2620	AS	17-JAN-86	AS			
L	MS26538B	TIRE, PNEUMATIC, AIRCRAFT, 20 X 4.4 TYPE VII (NAVY) [VALIDATION DATE: 8802] REVIEWER: CS	A 2620	AS	10-FEB-88	AS			
	MS26539C	TIRE, PNEUMATIC, AIRCRAFT, 22 X 5.5, TYPE VII (NAVY) [VALIDATION DATE: 9110]	A 2620	AS	30-OCT-91	AV	AS	99	
L	MS26540B	TIRE, PNEUMATIC, AIRCRAFT, 20X5.5 TYPE VII (NAVY) [VALIDATION DATE: 9110] .	A 2620	AS	30-OCT-91	AS			
L	MS26543A	TIRE, PNEUMATIC - AIRCRAFT, 25 X 6.0 TYPE VII (NAVY) [VALIDATION DATE: 8802] REVIEWER: CS	A 2620	AS	10-FEB-88	AS			
	MS26546R	CYLINDERS, STEEL, COMPRESSED GAS: NON-SHATTERABLE; SEAMLESS; 1800 PSI, AND 2100 PSI REVIEWER: 71 SH	A 1660	AS	29-NOV-91	AV	AS	99	
L	MS26549	NIPPLE, QUICK DISCONNECT, 2-1/2 INCH, PRESSURE FUEL SERVICING FLANGE TYPE [VALIDATION DATE: 8410] REVIEWER: CS	A 4730	AS	17-MAR-58	AS			
L	MS26550B	COUPLING, QUICK DISCONNECT, 2-1/2 INCH PRESSURE FUEL SERVICING, NOZZLE TO HOSE [VALIDATION DATE: 9104]	A 4730	SH	19-APR-91	SH			
L	MS26551	STRAINER, 2-1/2 INCH PRESSURE FUEL SERVICING [VALIDATION DATE: 8408] USER: CS	A 2915	AS	17-MAR-58	AS			
L	MS26552	NIPPLE, QUICK DISCONNECT, 2-1/2 INCH PRESSURE FUEL SERVICING, OPEN FLOW, WRENCH TYPE [VALIDATION DATE: 8410] USER: CS	A 4730	AS	17-MAR-58	AS			
L	MS26553	NIPPLE, QUICK DISCONNECT, 2-1/2 INCH PRESSURE FUEL SERVICING WITH CHECK VALVE, WRENCH TYPE [VALIDATION DATE: 8410]	A 4730	AS	17-MAR-58	AS			
	MS26556A	CASE, FLIGHT REPORT HOLDER AND MAP (ASG) [VALIDATION DATE: 8303] .....	A 1680	AS	31-MAY-60	AV	AS	99	
	MS26557A	TIRE, PNEUMATIC, AIRCRAFT, 44 X 13 HIGH SPEED - TYPE VII [VALIDATION DATE: 9110]	A 2620	AS	30-OCT-91	AS			
L	MS26558B	TIRE, PNEUMATIC, AIRCRAFT, 24 X 7.7, TYPE VII (NAVY) [VALIDATION DATE: 9110]	A 2620	AS	30-OCT-91	AS			
L	MS26563C	TIRE, PNEUMATIC, AIRCRAFT, 40 X 14, (200 MPH), TYPE VII (NAVY) USER: CS ...	A 2620	AS	30-APR-86	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Doc / OMA Contribution Machine	Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol Proposing Acty	Date	Army	Navy	Air Force	Custodians DIA
	MS26565C NOTICE 1 MS26566C MS26574H	SPOOL - PHOTOGRAPHIC FILM, AERIAL [VALIDATION DATE: 8909] REVIEWER: GS .... JACK, AIRCRAFT, LANDING GEAR (AXLE) USER: MC ..... CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I USER: AR AT REVIEWER: 11 AV ES	A 6760 A 1730 A 5925	70 AS AS	25-SEP-89 24-MAR-89 30-NOV-87	ER	AS	99 99 85	
	MS26577B MS26578B	GASKET - AIRPORT MARKER LIGHT BASE [VALIDATION DATE: 8406] REVIEWER: IS ... LIGHT, MARKER, AIRPORT, SEMIFLUSH, BASE MOUNTED, BIDIRECTIONAL & UNIDIRECTIONAL	A 5330 A 6210	82 82	06-OCT-71 17-SEP-82	ME	AS	99 99	
D	MS27019G NOTICE 1	COUPLING ASSEMBLY, QUICK DISCONNECT, CAM-LOCKING TYPE [VALIDATION DATE: 9011] USER: AV MC SH REVIEWER: B2 CS GL SM	A 4730	ME	14-NOV-90	ME	YD	99	
D	MS27020D	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, INTERNAL PIPE THREAD, TYPE I USER: AT MC SH REVIEWER: B2 AV CS GL MI	A 4730	ME	04-OCT-85	ME	YD	99	
D	MS27021E NOTICE 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE [VALIDATION DATE: 9011] USER: AT CS MC SH REVIEWER: B2 AV GL	A 4730	ME	14-NOV-90	ME	YD	99	
D	MS27022E	COUPLING HALF, QUICK DISCONNECT CAM-LOCKING TYPE, MALE EXTERNAL PIPE THREAD, TYPE III USER: AT MC SH REVIEWER: B2 AV CS GL	A 4730	ME	21-SEP-92	ME	YD	99	
D	MS27023E NOTICE 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, FLANGED, TYPE IV [VALIDATION DATE: 9011] USER: AT MC REVIEWER: B2 AV CS GL	A 4730	ME	14-NOV-90	ME	YD	99	
D	MS27024D	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, INTERNAL PIPE THREAD, TYPE V USER: AT MC SH REVIEWER: B2 AV CS GL	A 4730	ME	04-OCT-85	ME	YD	99	
D	MS27025E	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, HOSE SHANK, TYPE VI USER: AT MC REVIEWER: B2 AV CS GL	A 4730	ME	04-OCT-85	ME	YD	99	
D	MS27026D	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, EXTERNAL PIPE THREAD, TYPE VII USER: AT MC SH REVIEWER: AV CS GL	A 4730	ME	04-OCT-85	ME	YD	99	
D	MS27027E	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, FLANGED, TYPE VIII USER: AT MC REVIEWER: B2 CS GL	A 4730	ME	31-AUG-87	ME	YD	99	
D	MS27028E	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, CAP, DUST, TYPE IX USER: AT MC REVIEWER: B2 AV CS GL	A 4730	ME	04-OCT-85	ME	YD	99	
D	MS27029E NOTICE 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, PLUG, DUST, TYPE X [VALIDATION DATE: 9011] USER: AT MC REVIEWER: B2 AV CS GL	A 4730	ME	14-NOV-90	ME	YD	99	
D	MS27030D NOTICE 1	GASKET-COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE [VALIDATION DATE: 9011] USER: MC REVIEWER: B2 AV CS GL	A 5330	ME	14-NOV-90	ME	YD	99	
D	MS27031D NOTICE 1 MS27033B	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, DRILLING TEMPLATE [VALIDATION DATE: 9011] USER: MC SH REVIEWER: B2 AV CS GL SM LIGHT, MARKER, AIRPORT TAXIWAY(ASG) (SUPERSEDES MS 24514)USAF ( [VALIDATION DATE: 8505] REVIEWER: GS	A 4730 A 6210	ME 82	14-NOV-90 18-DEC-64	ME AS	YD 99	99	
LI	MS27034H	CONNECTOR, RECEPTACLE, ELECTRICAL, PIN INSERT, CYLINDRICAL, MINIATURE, HERMETIC, SOLDER MOUNT REVIEWER: 11 17 99 ES	A 5935	85	07-SEP-90			85	
	MS27037B NOTICE 1 MS27039A	CLAMP ASSEMBLY - MEDIUM INTENSITY RUNWAY LIGHT [VALIDATION DATE: 8809] REVIEWER: GS	A 6210	82	10-SEP-88	ME	AS	99	
D	MS27040B	SCREW, MACHINE - PAN HEAD, STRUCTURAL, CROSS - RECESSED USER: ME REVIEWER: AV MI	A 5305	15	12-FEB-91	AR	AS	99	15
	MS27041D NOTICE 1 MS27042C NOTICE 1 MS27043B MS27044C	NUT, PLAIN, SQUARE-STEEL, CADMIUM PLATED [VALIDATION DATE: 8003] USER: MC YD REVIEWER: AV IS ME MI BEARING, JEWEL - BAR HOLE [VALIDATION DATE: 8808] REVIEWER: AS GS .....	A 5310 A 6695	AR 82	01-FEB-74 08-AUG-88	AR SH	SH 99	99	
	MS27045B MS27046B NOTICE 1 MS27047B NOTICE 1 MS27048B NOTICE 1 MS27049B NOTICE 1 MS27053C	BEARING, JEWEL - OLIVE HOLE, DOUBLE CUP [VALIDATION DATE: 8808] REVIEWER: AS GS BEARING, JEWEL - OLIVE HOLE, BOMBE [VALIDATION DATE: 8808] REVIEWER: AS GS BEARING, JEWEL - OLIVE HOLE, RINGSTONE [VALIDATION DATE: 8808] REVIEWER: AS GS BEARING, JEWEL - VEE [VALIDATION DATE: 8808] USER: ME REVIEWER: AS GS ..... BEARING, JEWEL - CUP [VALIDATION DATE: 8812] REVIEWER: AS GS .....	A 6695 A 6695 A 6695 A 6695	82 82 82 82	17-AUG-88 15-AUG-88 09-DEC-88 09-DEC-88	AR SH SH SH	SH 99 99 99		
	MS27054C	BEARING, JEWEL - ENDSTONE [VALIDATION DATE: 8812] REVIEWER: AS GS .....	A 6695	82	09-DEC-88	AR	SH	99	
	MS27055C	BEARING, JEWEL - OLIVE HOLE, SINGLE CUP [VALIDATION DATE: 8805] REVIEWER: GS	A 6695	82	24-MAY-88	AV	AS	99	
	MS27056C	BEARING, JEWEL - BAR HOLE, BOMBE' [VALIDATION DATE: 8812] REVIEWER: AS GS .	A 6695	82	09-DEC-88	AR	SH	99	
	MS27057C	ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE (WITH SWIVEL NUT) [VALIDATION DATE: 8406] USER: ME REVIEWER: CS MI	A 4730	82	30-JUN-72	AV	AS	99	
	MS27058C	ADAPTER ASSEMBLY, STRAIGHT, SWIVEL FLANGE TO HOSE [VALIDATION DATE: 8406] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27059C	ADAPTER ASSEMBLY, FLARED, 45 DEG ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27060C	ADAPTER ASSEMBLY, FLARED, 90 DEG ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27061B	ADAPTER ASSEMBLY, 90 DEG ELBOW, SWIVEL FLANGE TO HOSE [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27062B	ADAPTER ASSEMBLY, FLARED, 45 DEG FORGED ELBOW, TUBE TO HOSE- WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME REVIEWER: CS MI	A 4730	82	30-JUN-72	AV	AS	99	
	MS27063D	ADAPTER ASSEMBLY, FLARED, 90 DEGREE FORGED ELBOW, TUBE TO HOSE-WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27064C	NIPPLE SUB ASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27065D	NIPPLE SUB ASSEMBLY, STRAIGHT, SWIVEL FLANGE [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27066D	ELBOW SUB ASSEMBLY, FLARED, 45 DEG. SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27067B	ELBOW SUB ASSEMBLY, SWIVEL FLANGE, 45 DEG [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
L	MS27068B	ELBOW SUB ASSEMBLY, FLARED, 90 DEG. SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27069E MS27070C NOTICE 1	ELBOW SUB ASSEMBLY, FLARED, 90 DEG FORGED, SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27071B MS27072C MS27073E	SOCKET, HOSE COUPLING [VALIDATION DATE: 8104] USER: MI SH REVIEWER: CS .... SLEEVE, HOSE COUPLING [VALIDATION DATE: 8901] USER: MI SH REVIEWER: CS ....	A 4730 A 4730	82 82	06-MAR-69 16-JAN-89	AV AS	AS 99	99	
L	MS27074B MS27075B	UNION, NIPPLE [VALIDATION DATE: 8104] USER: MI SH ..... WIRE, RETAINER [VALIDATION DATE: 8104] USER: ME MI .....	A 4730 A 4730	82 82	02-MAY-66 30-JUN-72	AV AS	AS 99	99	
L	MS27076C MS27077B	NUT, TUBE COUPLING - SWIVEL USER: AR ME ..... WIRE, RETAINER [VALIDATION DATE: 8104] USER: SH REVIEWER: 69 .....	A 4730 A 4730	82 82	12-AUG-77 02-MAY-66	AV AS	AS 99	99	
		NIPPLE, FLARED, TUBE TO HOSE- SWIVEL NUT [VALIDATION DATE: 8104] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
		NIPPLE, STRAIGHT, SWIVEL FLANGE [VALIDATION DATE: 8503] USER: AR ME MI ....	A 4730	82	30-JUN-72	AV	AS	99	
		FLANGE, SWIVEL, RETAINING [VALIDATION DATE: 8104] USER: MI SH .....	A 4730	82	02-MAY-66	AV	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Doc / On Coordination Package	Document Number	Document Title	Doc. Syst. Fnc / Area	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DA
	MS27082C	ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE-90 DEGREES (VALIDATION DATE: 8503) USER: AR MI SH	A 4730	B2	30-JUN-72	AV	AS	99	
	MS27084B	ELBOW, NIPPLE END, SWIVEL FLANGE TO HOSE - 45 DEG. (VALIDATION DATE: 8503) USER: AR ME MI	A 4730	B2	30-JUN-72	AV	AS	99	
	MS27086B	ELBOW, NIPPLE END, FLARED, TUBE TO HOSE-90 DEGREES SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI	A 4730	B2	30-JUN-72	AV	AS	99	
	MS27087B	ELBOW, NIPPLE END, FLARED, TUBE TO HOSE - 45 DEG. SWIVEL NUT (VALIDATION DATE: 8503) USER: AR ME MI	A 4730	B2	30-JUN-72	AV	AS	99	
	MS27110C	WIRE, ELECTRICAL - SILICONE INSULATED, COPPER, 600 VOLT, 200 DEG. C. FEP JACK300661T (ASG) (VALIDATION DATE: 8302)	A 6145	B5	06-JAN-69	AV	AS	85	
	MS27111A	WASHER, KEY, FLAT, GENERAL PURPOSE. (VALIDATION DATE: 8203) USER: AT MC OS REVIEWER: B2 AV IS ME MI	A 5310	AR	01-AUG-68	AR		99	
	MS27114C	COUPLING, CLAMP, GROOVED, V BAND, 1.750 TO 14.250 FLANGE OD. (MINUS 65 DEG. TO PLUS 800 DEG. F) (VALIDATION DATE: 8609) USER: AT ME REVIEWER: IS	A 5340	B2	02-SEP-86	AV	AS	99	
	MS27115C	COUPLING, CLAMP, GROOVED, V BAND, 1.750 TO 6.250 FLANGE OD (MINUS 450 DEG. TO PLUS 200 DEG. F) USER: AT REVIEWER: IS	A 5340	B2	02-SEP-86	AV	AS	99	
	MS27116C	COUPLING, CLAMP, GROOVED, V BAND, 1.750 TO 14.250 FLANGE OD (MINUS 320 DEG. TO PLUS 1500 DEG. F) (VALIDATION DATE: 8609) USER: AT ME REVIEWER: IS	A 5340	B2	02-SEP-86	AV	AS	99	
	MS27120A	CLEVIS, ROD ENG&TURNBUCKLE (GENERAL PURPOSE) (VALIDATION DATE: 8203) USER: AT AV ER MC REVIEWER: IS ME	A 5340	AR	26-JUN-68	AR			
	MS27127D	NUT, WELDING - WITHOUT PILOT (VALIDATION DATE: 8203) USER: AS MC OS REVIEWER: AT AV EA GL MI	A 5310	AR	15-JAN-76	AR	SH		
	MS27128D	NUT, WELDING-PILOT (VALIDATION DATE: 8203) USER: AS AV MC ME OS SH REVIEWER: AT GL IS MI	A 5310	AR	15-JAN-76	AR		99	
	MS27129C	WASHER, FINISHING&COUNTERSUNK. USER: B2 AT MC WV YD1 REVIEWER: AS AV IS MI	A 5310	AR	18-AUG-87	AR		99	
	MS27130F	NUT, PLAIN, BLIND RIVET-FLAT AND COUNTERSUNK HEAD, OPEN END USER: AT MC ME REVIEWER: AV IS MI OS	A 5310	AR	29-JAN-85	AR	AS	99	
	MS27131C	NUT, PLAIN, BLIND RIVET-FLAT HEAD, CLOSED END (INACTIVE FOR DESIGN) (VALIDATION DATE: 8504) USER: AT MC ME REVIEWER: AV IS MI OS	A 5310	AR	18-APR-73	AR	AS	99	
	MS27134B	TRANSFORMER, POWER, ISOLATION: AIRPORT LIGHTING, 300W/6.6A/6.6A/5000V REVIEWER: 11 99 AS ES YD1	A 5950	B5	15-NOV-90			85	
	MS27138A	CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-1179/U (VALIDATION DATE: 9108) USER: MC REVIEWER: 17 99 ES	A 5935	CR	09-AUG-91	CR	EC	85	
	MS27140A	CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-1258/U (VALIDATION DATE: 9108) USER: AS MC REVIEWER: 11 17 99 ES	A 5935	CR	06-AUG-91	CR	EC	85	
	MS27142C	CONNECTOR, PLUG, ELECTRICAL-PIN CONTACT NO. 12, 14, B, 16 A.W.G. WATER PROOF USER: MC ME	A 5935	AT	23-OCT-84	AT		80	
	MS27143B	CONNECTOR, PLUG, ELECTRICAL&SOCKET CONTACT, NO.12 A.W.G., WATERPROOF USER: MC REVIEWER: 85 CR ES ME	A 5935	AT	16-FEB-88	AT	YD1		
	MS27144B	CONNECTOR, PLUG, ELECTRICAL, SOCKET CONTACT, NO. 14 AND 16 A.W.G., WATERPROOF USER: MC REVIEWER: 85 CR ES ME	A 5935	AT	16-FEB-88	AT			
	MS27145B	CONNECTOR, PLUG, ELECTRICAL&NO.14 A.W.G., DOUBLE CONTACT, WATERPROOF USER: MC REVIEWER: ES ME MI	A 5935	AT	16-FEB-88	AT	YD1		
	MS27146B	CONNECTOR, RECEPTACLE, ELECTRICAL: DOUBLE CONTACT, WATERPROOF USER: AR GL MC YD1 REVIEWER: 85 CR ES ME	A 5935	AT	14-APR-89	AT		99	
	MS27147C	ADAPTOR, CONNECTOR-31WAY NO. 12, 14 AND 16 A.W.G. WATERPROOF USER: MC REVIEWER: 85 CR ES ME	A 5935	AT	16-FEB-88	AT			
	MS27148C	CONTACT, ELECTRICAL NO. 12, 14, AND 16 A.W.G. USER: MC REVIEWER: AR ES ME	A 5999	AT	23-OCT-92	AT	YD1		
	MS27149B	CASTER, RIGID AND SWIVEL, PRECISION, HEAVY DUTY (VALIDATION DATE: 8406) USER: 11 CE REVIEWER: 15 GL IS	A 5340	B2	03-SEP-65	AR	YD1	99	
	MS27150E	INDICATOR, ATTITUDE, REMOTE, STANDBY (VALIDATION DATE: 8805) .....	A 6610	71	27-MAY-88	AV	AS	99	
	MS27151B	NUT, STAMPED&STANDARD TYPE (VALIDATION DATE: 8203) USER: AS AT MC OS SH REVIEWER: AV IS ME MI	A 5310	AR	19-JAN-76	AR	YD1	99	
	MS27152B	SWITCH, PRESSURE-WARNING, LOW AIR PRESSURE, 60 PSI, SPST, WATERPROOF (VALIDATION DATE: 9101) USER: 11 MC ME REVIEWER: 99 ES	A 5930	AT	16-JAN-91	AT			
	MS27183E	WASHER, FLAT-ROUND, STEEL, CADMIUM PLATED, GENERAL PURPOSE USER: AS ER MC SH REVIEWER: AV IS MI NS	A 5310	AR	25-APR-86	AR	OS	99	
	MS27188	PROBE, TOTAL TEMPERATURE, DEICEABLE (VALIDATION DATE: 7908) REVIEWER: GS ..	A 6685	B2	01-FEB-82			99	
	MS27190B	CONNECTOR, RECEPTACLE, ELECTRICAL & HIGH VOLTAGE, WATERPROOF USER: 11 CR MC ME REVIEWER: ES	A 5935	AT	13-MAR-87	AT		17	
	MS27191B	CONNECTOR, PLUG, ELECTRICAL & HIGH VOLTAGE, WATERPROOF (VALIDATION DATE: 8502) REVIEWER: EC ES	A 5935	AT	17-SEP-75	AT		17	
	MS27193A	DUMMY CONNECTOR, PLUG&HIGH VOLTAGE REVIEWER: ES .....	A 5935	AT	13-MAR-87	AT		17	
	MS27194	SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 160 DEG. F FUEL RESISTANT), MOLD IN GROOVE (VALIDATION DATE: 9009) REVIEWER: IS ME	A 5330	B2	10-SEP-90			82	
	MS27195A	SEAL, PLAIN, RUBBER, SYNTHETIC OIL RESISTANT, (MINUS 65 TO PLUS 275 DEG F), MOLD IN GROOVE (VALIDATION DATE: 9009) REVIEWER: IS MI	A 5330	B2	10-SEP-90			82	
	MS27196B	GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS, AND FUELS (MINUS 65 TO PLUS 400 DEG. F) MOLD IN GROOVE (VALIDATION DATE: 9009) REVIEWER: IS	A 5330	B2	10-SEP-90			82	
	MS27197B	SEAL PLAIN, RUBBER, (HOT RESISTANT 400 DEG. F) MOLD IN GROOVE (VALIDATION DATE: 9009) REVIEWER: IS	A 5330	B2	10-SEP-90			82	
	MS27198B	SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 350 DEG. F FUEL RESISTANT) MOLD IN GROOVE (VALIDATION DATE: 9009) REVIEWER: IS	A 5330	B2	10-SEP-90			82	
	MS27202	INDICATOR, POSITION, LANDING GEAR, SYMBOL-INDICATING, INTEGRALLY LIGHTED (ASG) (VALIDATION DATE: 8604)	A 6610	70	04-APR-86		AS	99	
	MS27209B	POWER SUPPLY ECU-45/A REVIEWER: GS .....	A 6130	80	04-FEB-87			99	
	MS27210	DENSITY STEP WEDGE (VALIDATION DATE: 8502) .....	A ED85	ER	16-JUL-62	ER	AS	16	
	MS27211C	THERMOMETER, INDICATING, CAPILLARY TUBE & BULB, 2 1/2 INCH DIAL SIZE USER: AR CE EA MC ME MS REVIEWER: GS MD	A 6685	GL	14-NOV-86	GL		99	
	MS27212H	TERMINAL BOARD ASSEMBLY, MOLDED-IN-STUD, ELECTRIC USER: MC REVIEWER: 17 99 GS MI	A 5940	AS	15-SEP-89	ER	AS	85	
	MS27215C	PLUG, DEHYDRATOR, HUMIDITY INDICATING, ENGINE CYLINDER, 18 MM THREAD (VALIDATION DATE: 9110) USER: AR REVIEWER: AV OS	A 6685	AS	09-OCT-91	ME	AS	99	
	MS27222L(1)	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PST, N.O. TYPE 1, HERMETICALLY SEALED REVIEWER: 99 EC ES	A 5945	B5	12-MAR-93		AS	85	
	MS27223A	NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG (VALIDATION DATE: 8405) REVIEWER: CS	A 4730	B2	27-MAR-72		AS	99	
	MS27224	SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG (VALIDATION DATE: 8304) REVIEWER: CS	A 4730	B2	06-AUG-64		AS	99	
	MS27225A	NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 45 DEG (VALIDATION DATE: 8405) REVIEWER: CS	A 4730	B2	27-MAR-72	ME	AS	99	
	MS27226	SWIVEL NUT ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 45 DEG (VALIDATION DATE: 8304) REVIEWER: CS	A 4730	B2	06-AUG-64		AS	99	
	MS27227	FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG (VALIDATION DATE: 8304) REVIEWER: CS	A 4730	B2	06-AUG-64		AS	99	
	MS27228	FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 90 DEG (VALIDATION DATE: 8304) REVIEWER: CS	A 4730	B2	06-AUG-64		AS	99	
	MS27229	FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 45 DEG (VALIDATION DATE: 8304) REVIEWER: CS	A 4730	B2	06-AUG-64		AS	99	
	MS27230	FLANGE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINE, 45 DEG (VALIDATION DATE: 8304) REVIEWER: CS	A 4730	B2	06-AUG-64		AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Op. / Cmt. Coordination Institute	Document Number	Document Title	Doc. Smt. PNC / Ann.	MCA Symbol Preparing Agency	Date	Customer			
						Army	Navy	AF Force	DLA
	MS27231	STRAIGHT FLANGE NIPPLE ASSEMBLY, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8304]	A 4730	82	06-AUG-64	AS	99		
	MS27232	STRAIGHT FLANGE ASSEMBLY ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8405] REVIEWER: CS	A 4730	82	06-AUG-64	AS	99		
	MS27234A	ELBOW TUBE, 90 DEG (USED ON MS27224 AND MS27228 HOSE TO TUBE ADAPTERS) [VALIDATION DATE: 8207] USER: ME REVIEWER: AV MI	A 4730	82	16-JUN-69	AS	99		
	MS27236	SHOULDER-DESIGNED FOR 45 DEG AND 90 DEG SWIVEL NUT HOSE TO TUBE ADAPTERS, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8304]	A 4730	82	06-AUG-64	AS	99		
	MS27238	WIRE, NUT RETAINING, DESIGNED FOR ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES [VALIDATION DATE: 8304]	A 4730	82	06-AUG-64	AS	99		
	MS27242J	RELAYS, ELECTROMAGNETIC, 100 AMPERES, 1PST, N.O. TYPE I, HERMETICALLY SEALED	A 5945	85	09-OCT-90	AS	85		
A	MS27243H	TERMINAL COVER-RELAY REVIEWER: 99 ES	A 5945	85	26-AUG-92	AS	85		
A I	MS27245H	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED REVIEWER: 99 AS	A 5945	85	22-JUL-92	EC	85		
A I	MS27247L	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 2PDT, TYPE I, HERMETICALLY SEALED REVIEWER: 99 AS	A 5945	85	22-JUL-92	EC	85		
A L	MS27249E	TERMINAL BOARDS, SECTIONAL USER: 17 70 71 79 REVIEWER: 80 GS MI	A 5940	85	05-MAR-93			85	
	MS27253B	PLATE, IDENTIFICATION [VALIDATION DATE: 8204] REVIEWER: AV	A 9905	84	02-SEP-71	GL	AS	99	
I	MS27254G	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, PLUG-IN, HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	85	10-FEB-89	AS	85		
I	MS27255J	RELAYS, ELECTROMAGNETIC, 10 AMPERES, 4PDT, TYPE I, SOLDER HOOKS HERMETICALLY SEALED REVIEWER: 11 99 EC	A 5945	85	10-FEB-89	AS	85		
A L	MS27265A	CONNECTOR, PLUG, ELECTRICAL - RAMP POWER, 416/240 VOLTS, MALE [VALIDATION DATE: 9302]	A 5935	85	11-FEB-93		11		
A L	MS27266	INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, MALE [VALIDATION DATE: 9302]	A 5935	85	11-FEB-93		85		
L	MS27267	SHELL, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS [VALIDATION DATE: 8911]	A 5935	85	17-NOV-89		85		
L	MS27271	GROMMET, RUBBER - PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS [VALIDATION DATE: 8805] REVIEWER: 99 ES	A 5935	85	17-MAY-88		85		
L	MS27272	CAP-PLUG, PROTECTIVE DUST & MOISTURE SEAL - PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS [VALIDATION DATE: 8805] REVIEWER: 99 ES	A 5935	85	17-MAY-88		85		
D L	MS27280A	STAKE MOUNTING, AIRCRAFT MARKER LIGHT USER: YDI REVIEWER: GS	A 6210	82	30-APR-84		99		
L	MS27282	INSERT, ELECTRICAL CONNECTOR - RAMP POWER, 416/240 VOLTS, FEMALE [VALIDATION DATE: 8805] REVIEWER: 99 ES	A 5935	85	17-MAY-88		85		
A L	MS27283B	CONTACT, ELECTRICAL-PLUG CONNECTOR, RAMP POWER, 416/240 VOLTS, LARGE, FEMALE [VALIDATION DATE: 9302]	A 5935	85	11-FEB-93		11		
L	MS27285A	CONNECTOR, PLUG, ELECTRICAL-RAMP POWER, 416/240 VOLTS, FEMALE REVIEWER: 82	A 5935	85	24-JUN-87		85		
D L	MS27286C	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING 200W/20A/6.6A/5000V REVIEWER: 11 99 AS ES YDI	A 5950	85	15-NOV-90		85		
L	MS27288C	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 200W/6.6A/6.6A/5000V REVIEWER: 11 99 AS ES	A 5950	85	15-NOV-90		85		
L	MS27289C	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING 30-45W/6.6A/6.6A/5000V REVIEWER: 11 99 AS ES	A 5950	85	15-NOV-90		85		
L	MS27291D	SUPPORT, CABLE, ELECTRICAL CONNECTOR (INACTIVE) [VALIDATION DATE: 8701] REVIEWER: 11 17 99 ES	A 5935	85	30-JAN-87		85		
D L	MS27302C	TRANSFORMER, POWER, ISOLATION; AIRPORT LIGHTING, 500W/20A/20A/5000V REVIEWER: 11 99 ES YDI	A 5950	85	15-NOV-90		85		
L	MS27307E	CELL, BATTERY, AIRCRAFT STORAGE, NICKEL CADMIUM REVIEWER: GS	A 6140	80	12-SEP-80		99		
L	MS27308B	CONNECTOR, BATTERY CELL, OFFSET [VALIDATION DATE: 8304]	A 6140	80	26-MAY-77		99		
L	MS27309A	CONNECTOR, BATTERY CELL, STRAIGHT [VALIDATION DATE: 8303] REVIEWER: GS	A 6140	80	26-MAY-77		99		
L	MS27310A	CONNECTOR, BATTERY CELL, CURVED [VALIDATION DATE: 8304] REVIEWER: GS	A 6140	80	26-MAY-77		99		
L	MS27334C	CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MOUNTING FLANGE, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES	A 5935	85	30-JAN-87		85		
L	MS27335C	CONNECTOR, RECEPTACLE, ELECTRIC, BOX, FLANGE MOUNT, SOLDER TYPE, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES	A 5935	85	30-JAN-87		85		
L	MS27336E	CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, STRAIGHT, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES MI	A 5935	85	30-JAN-87		85		
L	MS27337C	CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, SOLDER TYPE, BAYONET COUPLING [VALIDATION DATE: 8701] REVIEWER: 99 ES MI	A 5935	85	30-JAN-87		85		
L	MS27342D	ADAPTER, ELECTRICAL CONNECTOR, SERIES J AND J1 [VALIDATION DATE: 8901] REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS	A 5935	85	13-JAN-89	CR	AS	85	
L	MS27376C	PITOT-STATIC TUBE, 115 VOLT, 400 CYCLE, FUSELAGE MOUNTED	A 6610	71	14-JUN-88		99		
	MS27379A	ADAPTER, FLUID TANK FILLER [VALIDATION DATE: 9108]	A 1560	82	07-AUG-91		AS	99	
	MS27380D	LANYARD, FLUID TANK CAP [VALIDATION DATE: 8902] REVIEWER: AV	A 1560	82	17-FEB-89		AS	99	
	MS27381A	ADAPTER ASSEMBLY, FLARELESS, STRAIGHT, TUBE TO HOSE WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27382A	ADAPTER ASSEMBLY, FLARELESS, 45 DEGREE ELBOW TUBE TO HOSE-WITH SWIVEL NUT [VALIDATION DATE: 8901] USER: AR ME MI REVIEWER: CS	A 4730	82	16-JAN-89	AV	AS	99	
	MS27383A	ADAPTER ASSEMBLY, FLARELESS, 90 DEG ELBOW, TUBE TO HOSE- WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR CS ME MI	A 4730	82	30-JUN-72	AV	AS	99	
	MS27384A	ADAPTER ASSEMBLY, FLARELESS, 45 DEG FORGED ELBOW, TUBE TO HOSE- WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27385A	ADAPTER ASSEMBLY, FLARELESS, 90 DEG FORGED ELBOW, TUBE TO HOSE WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27386A	NIPPLE SUB ASSEMBLY, FLARELESS, STRAIGHT- WITH SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72		AS	99	
	MS27387B	ELBOW SUB ASSEMBLY, FLARELESS, 45 DEG, SWIVEL NUT [VALIDATION DATE: 8503] USER: ME MI SH REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27388B	ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG, SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27389A	ELBOW SUB ASSEMBLY, FLARELESS, 45 DEG FORGED, SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72	AV	AS	99	
	MS27390A	ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG, FORGED, SWIVEL NUT [VALIDATION DATE: 8503] USER: AR ME MI REVIEWER: CS	A 4730	82	30-JUN-72		AS	99	
	MS27391C	NIPPLE, FLARELESS, TUBE TO HOSE-SWIVEL NUT USER: AR ME MI	A 4730	82	23-AUG-86	AV	AS	99	
	MS27394A	ELBOW, FLARELESS, TUBE TO HOSE- 90 DEG [VALIDATION DATE: 8504]	A 4730	82	30-JUN-72	AV	AS	99	
	MS27395A	ELBOW, FLARELESS, TUBE TO HOSE - 45 DEG, SWIVEL NUT [VALIDATION DATE: 8504] USER: AR ME MI	A 4730	82	30-JUN-72		AS	99	
L	MS27399	CONNECTOR, ELECTRICAL, STYLE S, RACK AND PANEL MINIATURE, CLOSED ENTRY [VALIDATION DATE: 8608] REVIEWER: ES	A 5935	85	08-AUG-86		85		
A	MS27400V	RELAYS, ELECTROMAGNETIC, TYPE I, (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), PERMANENT MAGNET DRIVE, 10 AMPERES, 4PDT, HERMETICALLY SEALED USER: AR REVIEWER: 99 AS MI OS	A 5945	85	22-OCT-92	ER	EC	85	
A	MS27401W	RELAYS, ELECTROMAGNETIC, TYPE I, (INCLUDING ESTABLISHED RELIABILITY (ER) TYPES), PERMANENT MAGNET DRIVE, 10 AMPERES, 2PDT, HERMETICALLY SEALED USER: AR REVIEWER: 99 AS ES MI OS	A 5945	85	10-SEP-92	ER	EC	85	
	MS27402A	LABEL TAPE, PRESSURE SENSITIVE ADHESIVE REVIEWER: GS	A 7690	84	24-JUL-87	GL		99	
	MS27403	INDICATOR, POSITION, LANDING GEAR, 28 VOLT DC [VALIDATION DATE: 8611]	A 6610	71	03-DEC-86		AS	99	
	NOTICE 1								
	NOTICE 1								



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action On / OMA Coordination Inactive	Document Number	Document Title	Dist. Smt. FBC / Ave	MCA Symbol	Preparing Act	Date	Custodians			
							Army	Navy	Air Force	DIA
	MS27404 NOTICE 1	ADAPTER, STRAIGHT, REUSABLE, TUBE TO HOSE, LOW PRESSURE (VALIDATION DATE: 8806) USER: MI REVIEWER: CS	A 4730	82	03-JUN-88	AV	AS	99		
	MS27405A NOTICE 1	CLAMP-TUBE (VALIDATION DATE: 8609) .....	A 5340	82	02-SEP-86	AV	AS	99		
	MS27406D	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED USER: ME REVIEWER: 11 AV ES	A 5930	85	28-SEP-87	ER	AS	85		
	MS27407D	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED REVIEWER: 11 AV EC ES ....	A 5930	85	28-SEP-87	ER	AS	85		
	MS27408D	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK REVIEWER: 11 AV ES	A 5930	85	28-SEP-87	ER	AS	85		
	MS27409D	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK REVIEWER: 11 AV EC ES	A 5930	85	28-SEP-87	ER	AS	85		
	MS27417	CAP-PROPELLER SHAFT THREAD, SHIPPING (VALIDATION DATE: 8510) REVIEWER: ES	A 5340	82	30-JUN-65	AV	AS	99		
	MS27418J	RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3PST-NO, TYPE 1, HERMETICALLY SEALED, HOOK AND SCREW TERMINALS, STUD AND BRACKET MOUNTED REVIEWER: 11 99	A 5945	85	16-MAR-90	AS	85	ES		
	MS27424	CLIP ASSEMBLY, COCKPIT UTILITY LIGHT (VALIDATION DATE: 8505) REVIEWER: GS	A 6220	82	06-DEC-65	AS	99			
	MS27429F	SPLICE, CONDUCTOR, DISCONNECT, CRIMP STYLE, COPPER, INSULATED BAREL, TYPE 11, CLASS 1 FOR 105 DEG. C TOTAL CONDUCTOR TEMPERATURE USER: AV EC MC REVIEWER: 11 17 99 SH	A 5940	AS	14-NOV-86	ER	AS	85		
L	MS27432A	LIGHT ASSEMBLY, TAXI (PAR 36 BULB REVIEWER: GS .....	A 6220	82	23-MAR-83			99		
L	MS27433	CUTOUT RELAY, ENGINE GENERATOR, 28 VOLT DC SYSTEM USER: AS .....	A 2925	82	21-AUG-86			99		
	MS27436B	VALVE SPECIAL, AIRCRAFT WHEEL .....	A 1630	70	27-MAY-85	AV	AS	99		
L	MS27461A	CONE FOR FORM AIR FILM (VALIDATION DATE: 9003) REVIEWER: GS .....	A 6760	70	23-MAR-90			99		
	MS27465C	REGULATOR, OXYGEN, DILUTER DEMAND (VALIDATION DATE: 8512) REVIEWER: 11 ....	A 1660	71	12-NOV-79			99		
	MS27466H	CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 1 REVIEWER: 11 15 99 AR EC ES MC MI OS	A 5935	85	04-MAY-90	CR	AS	85	ES	
	MS27467K	CONNECTOR, PLUG, ELECTRICAL STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES 1 REVIEWER: 11 15 17 99 EC ES MC MI OS	A 5935	85	21-JUN-85	CR	AS	85		
	MS27468H	CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES 1 REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
	MS27469F	CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, SOLDER TYPE, HERMETIC SEAL, SERIES 1 REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
	MS27470F	CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES 1 REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
	MS27471E	CONNECTOR, RECEPTACLE, ELECTRICAL SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES 1 (VALIDATION DATE: 8206) REVIEWER: 11 15 17 99 AR AV EC ES MC MI OS	A 5935	85	02-JAN-76	CR	AS	85		
	MS27472G	CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-JUN-84	CR	AS	85		
	MS27473L	CONNECTOR, PLUG, ELECTRICAL STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	26-JUL-90	CR	AS	85		
	MS27474F	CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
	MS27475E	CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, SOLDER TYPE, HERMETIC SEAL, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
	MS27476E	CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
	MS27477G	CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES 11 REVIEWER: 11 15 17 80 99 EC ES MC MI OS	A 5935	85	06-FEB-85	CR	AS	85		
	MS27478E	CONNECTOR, RECEPTACLE, ELECTRICAL SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES 11 REVIEWER: 11 15 17 80 EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
L	MS27479E	CONNECTOR, RECEPTACLE, ELECTRICAL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 11 (INACTIVE USE MS 27472) REVIEWER: ES	A 5935	85	30-JAN-87			85		
L	MS27480F	CONNECTOR, PLUG, ELECTRICAL STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES 11 (INACTIVE USE MS 27473) REVIEWER: 11 15 17 80 EC ES MC OS	A 5935	85	30-JAN-87	CR	AS	85		
L	MS27481E	CONNECTOR, RECEPTACLE, ELECTRICAL JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES 11 (INACTIVE USE MS 27474) REVIEWER: EC ES	A 5935	85	30-JAN-87			85		
	MS27484L	CONNECTOR, PLUG ELECTRICAL STRAIGHT, CRIMP TYPE BAYONET COUPLING, EMI, SERIES 11 REVIEWER: 11 15 99 AR EC ES MI	A 5935	85	17-FEB-88	CR	AS	85		
	MS27487D	KIT, STRAIGHT AND 90 DEG. THREADED ADAPTER, EMR HARDWARE FOR MIL-C-38999	A 5935	85	30-JAN-87	CR	AS	85		
	MS27488L	CONNECTORS (VALIDATION DATE: 8701) REVIEWER: 11 15 17 80 AR EC ES MC MI OS	A 5935	AS	15-MAR-85	CR	AS	85		
	MS27489D	PLUG, END SEAL, ELECTRICAL CONNECTOR REVIEWER: 11 15 99 AR EC MI .....	A 5935	85	30-JAN-87	CR	AS	85		
	MS27496F	ADAPTER, REDUCER, EMR HARDWARE, FOR MIL-C-38999 CONNECTORS (VALIDATION DATE: 8701) REVIEWER: 11 15 17 80 AR EC ES MC MI OS	A 5935	85	04-MAY-90	CR	AS	85	ES	
	MS27497H	CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES 1 REVIEWER: 11 15 80 AR EC MC MI OS	A 5935	85	15-JUN-84	CR	AS	85		
	MS27499G	CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-JUN-84	CR	AS	85		
	MS27500F	CONNECTOR, RECEPTACLE, ELECTRICAL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-JUN-84	CR	AS	85		
	MS27501F	CONNECTOR, PLUG, ELECTRICAL, 90 DEG. ELBOW, CRIMP TYPE, BAYONET COUPLING, SERIES 11 (VALIDATION DATE: 8701) REVIEWER: 11 15 17 80 EC ES	A 5935	85	30-JAN-87	CR	AS	85		
	MS27502H	COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING, SERIES 1 REVIEWER: 15 19 99 AR EC ES MC MI OS	A 5935	85	31-MAR-88	CR	AS	85		
M	MS27503C	COVER, ELECTRICAL CONNECTOR, PROTECTIVE, RECEPTACLE, BAYONET COUPLING, SERIES 1 REVIEWER: 15 99 AR EC ES MC MI OS	A 5935	85	31-MAR-88	CR	AS	85		
L	MS27504C	CONNECTOR, RECEPTACLE, ELECTRICAL, SOLDER MOUNTING, SOLDER TYPE, HERMETIC SEAL, SERIES 11 REVIEWER: ES	A 5935	85	04-MAY-90			85		
L	MS27505F	CONNECTOR, RECEPTACLE, ELECTRICAL, CRIMP TYPE, BOX MOUNTING FLANGE, BAYONET COUPLING SERIES 11 (INACTIVE USE MS27499) REVIEWER: ES	A 5935	85	30-JAN-87			85		
	MS27508F	CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL, BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 1 (VALIDATION DATE: 8701) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	30-JAN-87	CR	AS	85		
	MS27510F	CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-JUN-84	CR	AS	85		
M	MS27511J	COVER, PROTECTIVE, ELECTRICAL CONNECTOR PLUG, BAYONET COUPLING, SERIES 11 REVIEWER: 15 99 AR EC ES MC MI OS	A 5935	85	31-MAR-88	CR	AS	85		
	MS27512F	COVER, ELECTRICAL CONNECTOR, PROTECTIVE, RECEPTACLE, BAYONET COUPLINGS, SERIES 11 REVIEWER: 15 99 AR EC ES MC MI OS	A 5935	85	31-MAR-88	CR	AS	85		
I	MS27513D	NUT, HEXAGON, CONNECTOR MOUNTING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	26-JUL-90	CR	AS	85		
	MS27515B	CONNECTOR, RECEPTACLE, ELECTRICAL BOX MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 11 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	85	15-JUN-84	CR	AS	85		
	MS27541A	CONNECTOR, RECEPTACLE, ELECTRICAL, CRIMP TYPE, BACK PANEL WALL MOUNTING FLANGE SERIES 1 (INACTIVE USE MS 27656) (VALIDATION DATE: 8701) REVIEWER: 11 15 80 EC ES	A 5935	85	30-JAN-87	CR	AS	85		
L	MS27546	SPOOL, FILM, DIFFUSION TRANSFER, PHOTOGRAPHIC REVIEWER: GS .....	A 6750	70	07-MAR-86			99		
L	MS27558B	BATTERY, AIRCRAFT, STORAGE, NICKEL-CADMIUM, 24V, 5 AMP HOUR (1 HR RATE) 25 DEG. C (VALIDATION DATE: 8402) REVIEWER: 11 GS	A 6140	80	02-MAY-66			99		
L	MS27559B	SUPPORT, CABLE RIGHT ANGLE, CLOSED REVIEWER: 11 17 99 ES .....	A 5935	85	30-JAN-87			85		
L	MS27559B	SUPPORT, CABLE, RIGHT ANGLE (INACTIVE) REVIEWER: 11 17 99 ES .....	A 5935	85	30-JAN-87			85		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Qty / On Hand	Drawing Number	Drawing Title	Dist. Smt. PSC / Ave	Mfg. Symbol	Drawing Assy Date	Custodian			
						Army	Navy	Air Force	DLA
	MS27560A	2-3/8 SQUARE INSTRUMENT CASE STANDARD DIMENSIONS FOR [VALIDATION DATE: 9103]	A 66GP	71	04-MAR-91	AV	AS	99	
	NOTICE 2								
	MS27566F	CAP ASSEMBLY, LIQUID OXYGEN FILL VALVE [VALIDATION DATE: 8901] .....	A 1660	71	13-JAN-89		AS	99	
	NOTICE 1								
L	MS27567	DUMMY CONNECTOR, ELECTRICAL, MALE REVIEWER: 82 .....	A 5935	85	24-JUN-87		85		
L	MS27568	DUMMY CONNECTOR, ELECTRICAL, FEMALE [VALIDATION DATE: 8001] REVIEWER: 99 ES	A 5935	85	30-AUG-67		85		
L	MS27569	LAMP, INCANDESCENT-MINIATURE INTEGRAL LIGHTING, T-1 3/4 SIZE [VALIDATION DATE: 8809] REVIEWER: 99 GS	A 6240	11	30-SEP-88		11		
L	MS27570	LAMP, INCANDESCENT-MINIATURE INTEGRAL LIGHTING, T-1 1/4 SIZE [VALIDATION DATE: 8809] REVIEWER: 99 GS	A 6240	11	30-SEP-88		11		
L	MS27571	LAMP, INCANDESCENT - MINIATURE INTEGRAL LIGHTING, T-1 SIZE [VALIDATION DATE: 8809] REVIEWER: 99 GS	A 6240	11	30-SEP-88		11		
	NOTICE 1								
	MS27572B	CASES, INSTRUMENT, FLANGE-MOUNTED, AIRCRAFT USER: ME .....	A 66GP	71	13-FEB-90	AV	99		
	MS27573A	CASE, INSTRUMENT, 2-3/4 DIAL, WITH SUPP, FLANGE MOUNTED, AIRCRAFT [VALIDATION DATE: 8907]	A 66GP	71	08-JUL-89	AV	99		
	MS27574B	CABLE, AIRCRAFT AND AGE GROUNDING [VALIDATION DATE: 7903] USER: ME REVIEWER: 11 68 99	A 5999	85	04-FEB-72	AV	AS	85	
	MS27575B	CONTAINER, PLASTIC, PHOTOGRAPHIC AERIAL FILM, OUTLINE OF [VALIDATION DATE: 9003] REVIEWER: GS	A 6760	70	23-MAR-90	ER	AS	99	
	NOTICE 1								
	MS27576D	BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, HEX HEAD, 450 DEG. F [VALIDATION DATE: 8406] REVIEWER: IS	A 5306	82	25-JAN-78	AV	99		
	MS27577E	BOLT, SELF-RETAINING, IMPEDANCE TYPE, 95 KSI FSU, FLUSH HEAD, 450 DEG. F REVIEWER: IS	A 5306	82	28-AUG-87	AV	99		
	MS27584B	ADAPTER, 1/4 INCH, PNEUMATIC SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	02-NOV-76		AS	99	
	MS27585B	ADAPTER, WATER METHANOL SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	05-APR-76		AS	99	
	MS27586B	ADAPTER, DEMINERALIZED WATER SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	02-NOV-76		AS	99	
	MS27587B	ADAPTER, ENGINE OIL SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	05-APR-76		AS	99	
	MS27588B	ADAPTER, NITROGEN SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	05-APR-76		AS	99	
	MS27589B	ADAPTER, OXYGEN SERVICING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	02-NOV-76		AS	99	
	MS27590B	ADAPTER, 3/8 INCH, HYDRAULIC SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	05-APR-76		AS	99	
	MS27593B	MUT, ADAPTER, SERVICING, US GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	11	05-APR-76		AS	99	
	MS27594A	ADAPTER, TIRE INFLATING, USAF GROUND EQUIPMENT TO RAF AIRCRAFT [VALIDATION DATE: 8304] REVIEWER: CS	A 4730	82	10-OCT-73		AS	99	
	MS27595D	RETAINER, PACKING BACKUP, CONTINUOUS RING, TETRAFLUOROETHYLENE [VALIDATION DATE: 8406] REVIEWER: AV IS MI SH	A 5330	82	06-JAN-78	MR	AS	99	
L	MS27599	REGULATOR, OXYGEN, DILUTER DEMAND REVIEWER: AS MI .....	A 1660	71	19-JAN-88		99		
	NOTICE 1								
L	MS27600D	FASTENER, SELF LOCKING CASE MOUNTING, ELECTRONIC EQUIPMENT INACTIVE FOR NEW DESIGN [VALIDATION DATE: 8406] REVIEWER: 85 GS IS	A 5325	82	26-JUL-78		99		
L	MS27601C	FASTENER, SELF LOCKING, CASE MOUNTING, ELECTRONIC EQUIPMENT (WITH MOLDING CLAMP) (INACTIVE USE MS 14109) [VALIDATION DATE: 8406] REVIEWER: GS IS	A 5340	82	26-JUL-78		99		
L	MS27604	NOZZLE-UNIVERSAL AERIAL REFUELING TANKER BOOM [VALIDATION DATE: 8808] .....	A 1680	82	10-AUG-88		82		
	NOTICE 1								
L	MS27611D	VALVE, HYDRAULIC BLEEDER, AIRCRAFT WHEEL BRAKE [VALIDATION DATE: 8304] ....	A 4820	82	01-NOV-82		99		
L	MS27612G	ADAPTER-HYDRAULIC BLEEDER VALVE, AIRCRAFT WHEEL BRAKE .....	A 1630	70	31-OCT-89		99		
L	MS27613D	CONNECTOR, ELECTRICAL, RECEPTACLE PANEL MOUNT, FIREWALL SERIES REVIEWER: 11 79 99 ES	A 5935	85	07-SEP-90		85		
L	MS27614D	CONNECTOR, ELECTRICAL, RECEPTACLE "D" HOLE MOUNT, FIREWALL SERIES REVIEWER: 11 19 99 ES	A 5935	85	07-SEP-90		85		
L	MS27615D	CONNECTOR, ELECTRICAL, PLUG, HATCHET LOCK COUPLING, FIREWALL SERIES REVIEWER: 11 17 99 ES	A 5935	85	07-SEP-90		85		
L	MS27616	ADAPTER ASSEMBLY, FLARED, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT [VALIDATION DATE: 8503] REVIEWER: CS	A 4730	82	17-MAR-71		99		
L	MS27617	ADAPTER ASSEMBLY, FLARED, 45 DEG. ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [VALIDATION DATE: 8503] REVIEWER: CS	A 4730	82	17-MAR-71		99		
L	MS27618	ADAPTER ASSEMBLY, FLARED, 90 DEGREES ELBOW, TUBE TO HOSE - WITH SWIVEL NUT [VALIDATION DATE: 8503] REVIEWER: CS	A 4730	82	17-MAR-71		99		
L	MS27619	NIPPLE SUB ASSEMBLY, FLARED, STRAIGHT - WITH SWIVEL NUT [VALIDATION DATE: 8503]	A 4730	82	17-MAR-71		99		
L	MS27620	ELBOW SUB ASSEMBLY, FLARED, 45 DEGREE, SWIVEL NUT [VALIDATION DATE: 8503] ..	A 4730	82	17-MAR-71		99		
L	MS27621	ELBOW SUB ASSEMBLY, FLARED, 90 DEG., SWIVEL NUT [VALIDATION DATE: 8503] ...	A 4730	82	17-MAR-71		99		
L	MS27622	SOCKET, HOSE COUPLING [VALIDATION DATE: 8503] REVIEWER: CS .....	A 4730	82	17-MAR-71		99		
L	MS27623A	SLEEVE, HOSE COUPLING REVIEWER: CS .....	A 4730	82	30-APR-82		11		
L	MS27624	UNION, NIPPLE [VALIDATION DATE: 8503] .....	A 4730	82	17-MAR-71		99		
L	MS27625	WIRE, RETAINER [VALIDATION DATE: 8503] .....	A 4730	82	17-MAR-71		99		
L	MS27626	NIPPLE, FLARED, TUBE TO HOSE-SWIVEL NUT [VALIDATION DATE: 8503] .....	A 4730	82	17-MAR-71		99		
L	MS27627	ELBOW, FLARED, TUBE TO HOSE - 90 DEGREES SWIVEL NUT [VALIDATION DATE: 8503]	A 4730	82	17-MAR-71		99		
L	MS27628	ELBOW, FLARED, TUBE TO HOSE 45 DEG. SWIVEL NUT [VALIDATION DATE: 8503] ....	A 4730	82	17-MAR-71		99		
L	MS27629	ADAPTER ASSEMBLY, FLARELESS, STRAIGHT, TUBE TO HOSE - WITH SWIVEL NUT [VALIDATION DATE: 8503] REVIEWER: CS	A 4730	82	17-MAR-71		99		
L	MS27630	ADAPTER ASSEMBLY, FLARELESS, 45 DEG. ELBOW, TUBE TO HOSE WITH SWIVEL NUT [VALIDATION DATE: 8504] REVIEWER: CS	A 4730	82	17-MAR-71		99		
L	MS27631	ADAPTER ASSEMBLY, FLARELESS, 90 DEG. ELBOW, TUBE TO HOSE WITH SWIVEL NUT [VALIDATION DATE: 8503] REVIEWER: CS	A 4730	82	17-MAR-71		99		
L	MS27632	NIPPLE SUB ASSEMBLY, FLARELESS, STRAIGHT - WITH SWIVEL NUT [VALIDATION DATE: 8503]	A 4730	82	17-MAR-71		99		
L	MS27633	ELBOW SUB ASSEMBLY, FLARELESS, 45 DEGREES, SWIVEL NUT [VALIDATION DATE: 8503]	A 4730	82	17-MAR-71		99		
L	MS27634	ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG. SWIVEL NUT [VALIDATION DATE: 8503] ..	A 4730	82	17-MAR-71		99		
L	MS27635	ELBOW SUB ASSEMBLY, FLARELESS, 90 DEG. SWIVEL NUT [VALIDATION DATE: 8503] ..	A 4730	82	17-MAR-71		99		
L	MS27636	MANDREL SLEEVE SETTING .....	A 4730	82	21-MAR-79		99		
L	MS27639	DISASSEMBLY TOOL [VALIDATION DATE: 8503] .....	A 4730	82	17-MAR-71		99		
	MS27640D	BEARING, BALL, AIRFRAME, ANTIFRICTION, HEAVY DUTY USER: ME REVIEWER: 84 IS	A 3110	AS	09-APR-81	AV	AS	99	
	MS27641D	BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY USER: ME REVIEWER: IS	A 3110	AS	09-APR-81	AV	AS	99	
	MS27642D	BEARING, BALL, AIRFRAME, EXTRA LIGHT DUTY USER: ME REVIEWER: IS .....	A 3110	AS	09-APR-81	AV	AS	99	
	MS27643D	BEARING, BALL, AIRFRAME, ANTIFRICTION, SELFALIGNING, DOUBLE ROW, HEAVY DUTY REVIEWER: IS	A 3110	AS	09-APR-81	AV	AS	99	
	MS27644C	BEARING, BALL, AIRFRAME, ANTIFRICTION, DOUBLE ROW, HEAVY DUTY USER: ME REVIEWER: IS	A 3110	AS	09-APR-81	AV	AS	99	
	MS27645C	BEARING, BALL, AIRFRAME, ANTIFRICTION, SELFALIGNING LIGHT & HEAVY DUTY REVIEWER: IS	A 3110	AS	09-APR-81	AV	AS	99	
	MS27646D	BEARING, BALL, AIRFRAME, ANTIFRICTION, EXTRA LIGHT DUTY USER: ME REVIEWER: IS	A 3110	AS	30-NOV-82	AV	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Doc / OMA Construction Increase	Document Number	Document Title	Dist. Smt FSC / Aves	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MS27647C	BEARING, BALL AIRFRAME, ANTIFRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY USER: ME REVIEWER: 84 IS	A 3110	AS	09-APR-81	AV	AS	99	
	MS27648C	BEARING, BALL, AIRFRAME, ANTIFRICTION, EXTERNAL SELF ALIGNING, EXTRA LIGHT DUTY REVIEWER: IS	A 3110	AS	09-APR-81	AV	AS	99	
	MS27649D	BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY USER: ME REVIEWER: IS	A 3110	AS	28-MAY-82	AV	AS	99	
L	MS27650F NOTICE 1	METER, TIME TOTALIZING HERMETICALLY SEALED 26 V 400HZ (VALIDATION DATE: 8812) REVIEWER: GS	A 6645	B2	15-DEC-88			99	
L	MS27651F	METER, TIME TOTALIZING HERMETICALLY SEALED 115V 400 HZ (VALIDATION DATE: 8106) REVIEWER: GS	A 6645	B2	17-AUG-73			99	
L	MS27652A NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING SERIES 1 (INACTIVE USE MS 27466) REVIEWER: EC ES	A 5935	B5	30-JAN-87			85	
L	MS27653A NOTICE 1	CONNECTOR, PLUG, ELECTRIC, STRAIGHT, CRIMP TYPE, BAYONET COUPLING, SERIES 1 (INACTIVE USE MS 27467) REVIEWER: EC ES	A 5935	B5	30-JAN-87			85	
	MS27654C NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRIC, BACK PANEL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 1 (INACTIVE) (VALIDATION DATE: 8701) REVIEWER: 11 15 99 AR EC ES	A 5935	B5	30-JAN-87	CR	AS	85	
	MS27656C NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, BACK PANEL WALL MOUNTING FLANGE, CRIMP TYPE, BAYONET COUPLING, SERIES 1 (VALIDATION DATE: 8901) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	B5	13-JAN-89	CR	AS	85	
L	MS27657B NOTICE 1	SHORT SUPPORT, CABLE, ELECTRICAL CONNECTOR (FOR CLASS E AND K CONNECTORS) (INACTIVE) REVIEWER: 11 17 99 ES	A 5935	B5	30-JAN-87			85	
	MS27661D NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, CRIMP TYPE, LANYARD RELEASE, FAIL-SAFE, SERIES 1 (VALIDATION DATE: 8901) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	B5	13-JAN-89	CH	AS	85	
	MS27662D	CONNECTOR, RECEPTACLE, ELECTRICAL, THRU BULKHEAD MOUNTING, BAYONET COUPLING SERIES 1 REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 5935	B5	06-FEB-85	CR	AS	85	
	MS27683C	DRUM, METAL SHIPPING AND STORAGE 16 TO 80 GALLONS USER: AV CG EA MC REVIEWER: 99 DS GS MI	A 8110	69	08-APR-87	GL	AS	69	
	MS27684C	DRUM, METAL-SHIPING AND STORAGE - 3 TO 12 GALLONS USER: AV CG EA MC MS REVIEWER: 99 GS MI OS SA SM	A 8110	69	08-APR-87	GL	AS	69	
L	MS27706F	RELAY, ELECTROMAGNETIC, 20 AMPERES, 3 PST, MECHANICAL INTERLOCK, (CENTER OFF) LOAD TRANSFER, TYPE 1, HERMETICALLY SEALED REVIEWER: 99	A 5945	B5	16-MAR-90			85	
L	MS27707A NOTICE 1	RELAY, 50 AMP, 2-3 PST W.O., DOUBLE BREAK, MECHANICAL INTERLOCK (CENTER OFF) LOAD TRANSFER, TYPE 1, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945	B5	31-MAR-88			85	
M	MS27708G NOTICE 1	SWITCH, TOGGLE, FOUR POSITION ON, CENTER OFF REVIEWER: 99 ES	A 5930	B5	30-DEC-88	AV	AS	85	
A L	MS27709F NOTICE 1	RELAY, 10 AMPERES, 4 PDT, TYPE 1 HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945	B5	14-MAY-93	ER	AS	85	
L	MS27710C NOTICE 1	FLASHER, SOLID STATE, AIRCRAFT NAVIGATIONAL LIGHT, 28 V DC REVIEWER: 99 ...	A 5945	B5	25-FEB-91			85	
	MS27714C	RELAYS, 75 AMPERE, 3PST, W.O., TYPE 1, COIL AND CONTACTS INDIVIDUALLY SEALED REVIEWER: 99 ES	A 5945	B5	07-FEB-92			85	
L	MS27715A NOTICE 1	RELAY, 150 AMP, 3PST, W.O., TYPE 1, COIL AND CONTACTS INDIVIDUALLY SEALED REVIEWER: 99 ES	A 5945	B5	31-MAR-88			85	
	MS27716D	SWITCH, TOGGLE, MINIATURE, SINGLE POLE, UNSEALED REVIEWER: 11 99 AV ES ....	A 5930	B5	20-MAY-88	ER	EC	85	
	MS27717E	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED REVIEWER: 99 AV ES	A 5930	B5	18-JUN-90	ER	EC	85	
	MS27718E	SWITCH, TOGGLE, MINIATURE SINGLE POLE, TOGGLE SEAL REVIEWER: 99 AV ES	A 5930	B5	18-JUN-90	ER	EC	85	
	MS27719E	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED REVIEWER: 99 AV ES	A 5930	B5	18-JUN-90	ER	EC	85	
	MS27720G	SWITCH, TOGGLE, MINIATURE, SINGLE POLE, TOGGLE SEAL, LEVER LOCK REVIEWER: 99 AV ES	A 5930	B5	20-MAY-88	ER	AS	85	
	MS27721G	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK REVIEWER: 99 AV ES	A 5930	B5	20-MAY-88	ER	AS	85	
	MS27722C	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS REVIEWER: 11 99 AV EA EC ES	A 5930	B5	28-SEP-87	ER	AS	85	
	MS27723C	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC	A 5930	B5	28-SEP-87	ER	AS	85	
	MS27724D	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	B5	28-SEP-87	ER	AS	85	
	MS27734D	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES	A 5930	B5	28-SEP-87	ER	AS	85	
	MS27735D	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES	A 5930	B5	28-SEP-87	ER	AS	85	
	MS27736D	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES	A 5930	B5	28-SEP-87	ER	AS	85	
	MS27737F	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER-LOCK, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES	A 5930	B5	04-SEP-91	ER	AS	85	
	MS27738E	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC ES	A 5930	B5	28-SEP-87	ER	AS	85	
	MS27739E	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, SOLDER TERMINAL USER: 11 REVIEWER: 99 AV EC	A 5930	B5	28-SEP-87	ER	AS	85	ES
L	MS27740B	SWITCH, MIL-S-3950 AND MIL-S-83731, MILITARY STANDARD PART NUMBERING REVIEWER: 99 AV EC ES MI	A 5930	B5	18-DEC-85	ER	AS	85	
L	MS27741 NOTICE 1	CONNECTOR, ELECTRICAL, INDIVIDUAL SHIELD TERMINATION REVIEWER: 99 ES	A 5935	B5	13-FEB-87			85	
L	MS27742D	RELAYS, ELECTROMAGNETIC, TYPE 1 MAGNETIC LATCH, 25 AMPERES, 3 PDT, ALL WELDED, HERMETICALLY SEALED REVIEWER: 99 ES	A 5945	B5	31-JAN-92			85	
L	MS27743J	RELAYS, 25 AMPERES, 3PDT, ALL WELDED, TYPE 1, HERMETICALLY SEALED, PERMANENT MAGNET DRIVE REVIEWER: 11 99	A 5945	B5	18-JAN-90			85	
M	MS27749D NOTICE 1	RELAYS, ELECTROMAGNETIC, 60 AMPERES, 3 PDT, MAGNETIC LATCH, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945	B5	14-MAY-93	ER	AS	85	
M	MS27750F NOTICE 1	RELAYS, ELECTROMAGNETIC, 50 AMPERES, 3 PDT-MO., CENTER OFF, HERMETICALLY SEALED (VALIDATION DATE: 9305) REVIEWER: 11 99 EC ES	A 5945	B5	14-MAY-93	ER	AS	85	
A L	MS27751H	RELAYS, ELECTROMAGNETIC, 50 AMPERES DC/60 AMPERES AC, 3 PST OR 3 PDT, HERMETICALLY SEALED, PERMANENT MAGNETIC DRIVE REVIEWER: 99	A 5945	B5	20-APR-93			85	
L	MS27752C NOTICE 1	GUARD, SWITCH, 3 POSITION (VALIDATION DATE: 8702) REVIEWER: 99 ES	A 5930	B5	25-FEB-87	ER	AS	85	
	MS27753E	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL REVIEWER: 11 99 AV EA EC ES	A 5930	B5	18-JUN-90	ER	AS	85	
	MS27754E	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, TOGGLE SEAL, LEVER LOCK REVIEWER: 99 AV EA EC ES	A 5930	B5	20-MAY-88	ER	AS	85	
	MS27755A	CONNECTOR, HOSE QUICK DISCONNECT, FEMALE, ANTI J.G. SUIT (VALIDATION DATE: 8107) USER: MC REVIEWER: CS	A 4730	B2	18-JUL-75			AS	99
	MS27756	SNAP HOOK, PARACHUTE LANYARD (VALIDATION DATE: 8209) USER: MC REVIEWER: 11	A 1670	B2	20-JUN-69			AS	99
	MS27759A	CLIP PARACHUTE HARNESS QUICK RELEASE, SAFETY (VALIDATION DATE: 8109) REVIEWER: AV	A 1670	B2	05-FEB-75	GL	AS	99	
	MS27760A	BUCKLE -PARACHUTE HARNESS QUICK RELEASE CONNECTING REVIEWER: AV	A 1670	B2	05-SEP-83	GL	AS	99	
	MS27761A	KNIFE, RELEASE, CARGO PLATFORM (VALIDATION DATE: 8209) REVIEWER: AV	A 1670	B2	09-AUG-74	GL	AS	99	
	MS27762C	RING-REEPING PARACHUTE REVIEWER: AV	A 1670	B2	20-MAY-83	GL	AS	99	
	MS27763	CONE-RELEASING, PARACHUTE PACK (VALIDATION DATE: 8303) REVIEWER: AV	A 1670	B2	24-JUL-70	GL	AS	99	
	MS27764A	LINK CONNECTOR, HARNESS AND PACK (VALIDATION DATE: 8106) USER: MC REVIEWER: AV	A 1670	B2	09-AUG-74	GL	AS	99	
	MS27765C	RING J.V. QUICK FIT, PARACHUTE HARNESS USER: MC REVIEWER: AV	A 1670	B2	02-JAN-86	GL	AS	99	
	MS27767	RETAINER-SNAP PARACHUTE LANYARD (VALIDATION DATE: 8407)	A 1670	B2	20-AUG-71			AS	
	MS27768A	TERMINAL, WIRE ROPE, SPLICE (INACTIVE) USER: IS REVIEWER: 11	A 4030	99	23-JAN-85	CE	AS	99	
	MS27769A	PLUG, PIPE, COUNTERSINK HEX HEAD REVIEWER: AV CS ME	A 4730	B2	22-MAR-79			AS	99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active QPL / QAL Coordinate Machine	Document Number	Document Title	Doc. Smt. PCC / Ane MCA Symbol	Date	Custodians			
					Army	Navy	AF Force	DIA
	MS27781C	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27782C	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27783C	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27784C	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27785C	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27786C	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27787C	SWITCH, TOGGLE, ONE POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27788C	SWITCH, TOGGLE, TWO POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27789C	SWITCH, TOGGLE, FOUR POLE, ENVIRONMENTALLY SEALED, LEVER LOCK, INTEGRATED WIRE TERMINALS USER: 11 REVIEWER: 99 AV EC ES	A 5930	85 28-SEP-87	ER	AS	85	
	MS27790D	SWITCH, TOGGLE, MINIATURE, DOUBLE POLE, UNSEALED REVIEWER: 11 99 AV EA EC ES	A 5930	85 18-JUN-90	ER	AS	85	
	MS27796D	CONNECTOR-BAYONET, THREE PIN, OXYGEN MASK (VALIDATION DATE: 8911) REVIEWER: AV	A 1660	82 06-NOV-89		AS	99	
L	MS27797C	MOSE, OXYGEN AND PRESSURIZATION OZONE RESISTANT REVIEWER: 11 B2 CS	A 4720	71 13-DEC-89			99	
	MS27798A	METAL SEAL STRIP (TEAR BAND) (VALIDATION DATE: 9001)	A 9535	84 30-JAN-90		AS	99	
L	MS27811A	TIRE PNEUMATIC RETREAD, TYPE VII 49 X 17/26 PR REVIEWER: CS	A 2620	70 20-FEB-86			99	
L	MS27813A	TIRE PNEUMATIC RETREAD, TYPE VII 56 X 16 / 38 PR 250 MPH (VALIDATION DATE: 8602) USER: CS	A 2620	70 20-FEB-86			99	
L	MS27815C	TIRE - PNEUMATIC REBUILT, TYPE VII 44 X 16, 28 PR REVIEWER: CS	A 2620	70 24-FEB-86			99	
L	MS27817B	TIRE PNEUMATIC REBUILT, TYPE VII 36X11/22 PR REVIEWER: CS	A 2620	70 24-FEB-86			99	
L	MS27818A	TIRE PNEUMATIC RETREAD, TYPE VII 38 X 11 / 14 PR USER: CS	A 2620	70 20-FEB-86			99	
L	MS27823A	TIRE-PNEUMATIC REBUILT, TYPE VII 20.00-20/26 PR USER: CS	A 2620	70 24-FEB-86		AS	99	
A L	MS27826A	PLUG ASSEMBLY, (SEALING CLAMP) LIFE RAFT REPAIR	A 4220	SH 04-NOV-92		SH		
	MS27833	PAD - TANK STRAP (VALIDATION DATE: 8207) REVIEWER: GS	A 9390	84 05-DEC-69		AS	99	
L	MS27838A	MARKER, TAPE, PRESSURE SENSITIVE ADHESIVE (SCARS) REVIEWER: GS	A 7690	84 24-JUL-87			99	
L	MS27850	FITTING, INSTALLATION OF STRAIGHT THREADED FLUID CONNECTION (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27851	FITTING, ASSEMBLY, STRAIGHT THREADED, FLUID CONNECTION, 4000 PSI (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27854	FLANGE, THREADED, CRES, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27855	SEAL, CRES, NICKEL PLATED, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27856	FITTING ASSEMBLY, STRAIGHT THREADED, FLUID CONNECTION, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27860	SEAL, ALUMINUM, FLUID CONNECTION FITTING, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27862	ELBOW, 90 DEG., ALUMINUM, FLUID CONNECTION FITTING, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27863	TEE, ALUMINUM, FLUID CONNECTION FITTING, LOW PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27866	ELBOW, 90 DEG., CRES, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
L	MS27867	TEE, CRES, FLUID CONNECTION FITTING, HIGH PRESSURE (VALIDATION DATE: 8204) REVIEWER: 11 14 19	A 4730	12 14-JUL-67			12	
D	MS27900C	GAGES, PRESSURE AND GAGES COMPOUND, PRESSURE AND VACUUM, DIAL INDICATING, PANEL MOUNTED, 2 1/2 INCH DIAL SIZE, REFRIGERANT R12 AND R22 USER: CE MC REVIEWER: ES GS MD	A 6685	GL 28-MAR-85	GL	YD1		
	MS27901B	GAGES, PRESSURE, DIAL INDICATING, PANEL MOUNTED, REFRIGERANT 12 (INACTIVE, USE MS 27900) (VALIDATION DATE: 8303) USER: CE MC REVIEWER: GS	A 6685	GL 21-MAR-75	GL	MC	99	
	MS27950A	BOLT, EYE - TURNBUCKLE (GENERAL PURPOSE) (VALIDATION DATE: 8806) USER: AT MC MC OS REVIEWER: ER IS MI	A 5306	AR 01-JUN-88	AR	SH	99	
	MS27951A	STUD (STUD), WELDING-TURNBUCKLE (GENERAL PURPOSE, MANUAL WELD APPLICATION) (VALIDATION DATE: 8806) USER: AT MC OS REVIEWER: B2 IS MI MI	A 5307	AR 06-JUN-88	AR	SH	99	
	MS27952A	NUT, PLAIN-HEXAGON, JAN, LEFT HAND (VALIDATION DATE: 8806) USER: AT REVIEWER: IS MI	A 5310	AR 06-JUN-88	AR	SH	99	
	MS27953B	BOLT, HOOK&TURNBUCKLE (GENERAL PURPOSE) (VALIDATION DATE: 8203) USER: AT MC OS REVIEWER: IS MI MI	A 5306	AR 15-APR-70	AR	SH	99	
D	MS27954B	TURNBUCKLE, BODY (GENERAL PURPOSE) (VALIDATION DATE: 8203) USER: AT OS YD1 REVIEWER: ER IS MI MI	A 5340	AR 21-MAR-69	AR	SH	99	
	MS27955A	NUT, PLAINROUND, SPANNER (VALIDATION DATE: 8504) REVIEWER: AV IS	A 5310	AR 16-FEB-67	AR	AS	99	
D	MS27956B	HINGE, BUTT, NARROW AND BROAD, TEMPLATE, STEEL (INACTIVE FOR DESIGN) (VALIDATION DATE: 8203) USER: AV MC REVIEWER: IS MI SH	A 5340	AR 30-OCT-75	AR	YD1	99	
D	MS27958B	HINGE, BUTT, NARROW AND BROAD, TEMPLATE, BRASS (INACTIVE FOR DESIGN) (VALIDATION DATE: 8504) USER: AV MC MC REVIEWER: EA GL IS MI SH	A 5340	AR 01-NOV-77	AR	YD1	99	
D	MS27960B	HINGE, BUTT, NARROW LIGHT, NON-TEMPLATE USER: MC MC REVIEWER: EA GL IS SH	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27961B	HINGE, BUTT, BROAD, NON-TEMPLATE USER: AV MC MC REVIEWER: EA GL IS SH	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27962C	HINGE, BUTT, SPRING, SCREEN DOOR, ADJUSTABLE USER: AV MC MC REVIEWER: EA GL IS SH	A 5340	AR 12-FEB-91	AR	YD1	99	
D	MS27963B	HINGE, BUTT, SPRING SINGLE ACTING, & DOUBLE ACTING, ADJUSTABLE USER: AV MC MC REVIEWER: EA GL IS SH	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27964B	HINGE, STRAP, CABINET REVIEWER: IS	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27965A	HASP, HINGED, SAFETY, WITH SWIVEL STAPLE STEEL (VALIDATION DATE: 8203) USER: MC REVIEWER: IS MI	A 5340	AR 30-OCT-75	AR	YD1	99	
D	MS27966B	HINGE, BUTT-NARROW, NON-TEMPLATE USER: AV MC MC REVIEWER: EA GL IS SH	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27968B	HINGE, BUTT, BROAD, NON-TEMPLATE USER: MC REVIEWER: IS	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27969A	HASP, HINGED, OPEN WITH FIXED STAPLE, STEEL (VALIDATION DATE: 8203) USER: AV MC MC REVIEWER: EA GL IS MI SH	A 5340	AR 30-OCT-75	AR	YD1	99	
D	MS27970B	HINGE, TEE REVIEWER: IS SH	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27971A	HASP, HINGED, DOUBLE SAFETY, WITH FIXED STAPLE, STEEL (VALIDATION DATE: 8203) REVIEWER: IS	A 5340	AR 30-OCT-75	AR	YD1	99	
D	MS27972B	HINGE-STRAP USER: AV MC MC REVIEWER: EA GL IS MI SH	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27973B	HINGE, STRAP (OFFSET) USER: AV MC MC REVIEWER: EA GL IS SH	A 5340	AR 21-DEC-87	AR	YD1	99	
D	MS27975D	CLEVIS, ROD END-ADJUSTING, WIDE AND NARROW FORKS USER: AT GL MC MC OS YD1 REVIEWER: AV IS MI SH	A 5340	AR 22-JAN-90	AR	AS	99	
D	MS27976E	CLEVIS, ROD END-PLAIN, WIDE AND NARROW FORKS USER: AT MC MC YD1 REVIEWER: AV IS SH	A 5340	AR 22-JAN-90	AR	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Ordnance Coordination Inspection Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MS27977D	FASTENER, SNAP, STYLE 1 (LARGE CURTAIN TYPE) REVIEWER: B2 AT AV ER IS MC ME MS	A 5325 GL 30-APR-86	GL	AS	99	
MS27979C	FASTENER, SNAP, STYLE 1B (MUD-PROOF CURTAIN TYPE) [VALIDATION DATE: 8802]	A 5325 GL 12-FEB-88	GL	AS	99	
NOTICE 1 MS27980E	USER: AT AV ER MC ME MS REVIEWER: AR FASTENER, SNAP, STYLE 2 (REGULAR WIRE SPRING CLAMP TYPE) USER: MC REVIEWER: AT AV ER OS	A 5325 GL 30-NOV-84	GL	AS	99	
MS27981B	FASTENERS, SNAP, STYLE 2A (SMALL WIRE SPRING CLAMP TYPE) [VALIDATION DATE: 8908]	A 5325 GL 31-AUG-89	GL	AS	99	
MS27982C	USER: AT MC ME REVIEWER: AR MI FASTENER, SNAP, STYLE 3 (PRONGED RING HEAD TYPE) [VALIDATION DATE: 8402]	A 5325 GL 31-JUL-78	GL	AS	99	
MS27983B	USER: AT ER MC ME MS REVIEWER: AR MI SA FASTENERS, SNAP, STYLE 4 (THREE WAY LOCKING TYPE) [VALIDATION DATE: 8908]	A 5325 GL 31-AUG-89	GL	AS	99	
MS27984B	USER: AT ME REVIEWER: AR EL ER IS MI SA WC FASTENERS, SNAP, STYLE 5 (SCALLOPED BUTTON HEAD TYPE) [VALIDATION DATE: 8908]	A 5325 GL 31-AUG-89	GL	AS	99	
MS27985B	USER: AT ME REVIEWER: AR IS MI SA WC FASTENERS, SNAP, STYLE 6 (FUNNEL NECK BUTTON HEAD TYPE) [VALIDATION DATE: 8908]	A 5325 GL 31-AUG-89	GL	AS	99	
MS27986C	USER: AT EL ME SM REVIEWER: AR MC FASTENER, SNAP, STYLE 7 (RIVET TYPE) [VALIDATION DATE: 8802]	A 5325 GL 12-FEB-88	GL	AS	99	
NOTICE 1 MS27990B MS27997L	ER MC ME MS REVIEWER: SA PIN, STRAIGHT, HINGE, PIANO USER: AS MC ME REVIEWER: IS MI RELAYS, ELECTROMAGNETIC, 25 AMPERES, 3 PST, N.O. TYPE I, HERMETICALLY SEALED	A 5340 AR 23-MAR-88 A 5945 BS 31-MAR-92	AR	99	AS	BS
MS28004B	INDICATOR - TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD, 0-300 DEG C [VALIDATION DATE: 8408] REVIEWER: GS	A 6685 BS 28-APR-66	AV	AS	99	
MS28005J	TRANSMITTERS, PRESSURE, SYNCHRO, AIRCRAFT	A 6620 71 30-JAN-90	AV	AS	99	
MS28008B NOTICE 2	INDICATOR, TEMPERATURE, MULTI-FUNCTION, ELECTRICAL RESISTANCE, SINGLE, CLAMP MOUNTED, -50 TO +50 DEG. C, 2 INCH SIZE [VALIDATION DATE: 9110]	A 6685 AS 24-OCT-91	AV	AS	99	
MS28009B NOTICE 1	USER: ER SM REVIEWER: 11 B2 GL MI INDICATOR - TEMPERATURE, ELECTRICAL RESISTANCE MULTI-FUNCTION, -70 TO +150 C, 2-INCH SIZE [VALIDATION DATE: 8805] REVIEWER: GL GS MI	A 6685 B2 28-MAY-88	AV	AS	99	
MS28010D	INDICATORS, PRESSURE - SYNCHRO, SINGLE, 2-INCH SIZE REVIEWER: AR	A 6620 71 29-FEB-92	ER	AS	99	
MS28012H	DRIFTMETER, ELECTRICALLY DRIVEN, GYRO STABILIZED	A 6605 71 08-MAY-87	AS	99		
MS28013A NOTICE 2	INDICATOR - POSITION, HORIZONTAL STABILIZER [VALIDATION DATE: 9104]	A 6610 71 15-APR-91	AV	AS	99	
MS28015A NOTICE 1	CLOCK - AIRCRAFT, CIVIL DATE, 24-HOUR DIAL, 2-3/4 DIA [VALIDATION DATE: 8706]	A 6645 AS 19-JUN-87	AR	AS		
MS28016B	USER: AV CG REVIEWER: GS VALVE - HYDRAULIC DUAL THERMAL EXPANSION RELIEF [VALIDATION DATE: 8304]	A 4820 AS 10-NOV-53	AS	99		
MS28018C NOTICE 2	REVIEWER: 11 CS GAGE-PRESSURE, MANIFOLD, DIRECT INDICATING, 2 IN. SIZE, 10 -75 IN. MERCURY [VALIDATION DATE: 9108]	A 6620 71 15-AUG-91	AV	AS	99	
MS28021C	INDICATOR - INDICATED AIR SPEED, PITOT STATIC, 20-250 KNOTS [VALIDATION DATE: 8308]	A 6610 AV 15-NOV-72	AV	AS	99	
MS28023A NOTICE 2	INDICATOR - POSITION, WING FLAPS, PERCENT MARKING [VALIDATION DATE: 9108]	A 6610 71 09-AUG-91	AV	AS	99	
MS28024H	REVIEWER: 11 INDICATOR, TURN AND SLIP, 4 MINUTE TURN, 2 3/4 INCH DIAL	A 6610 71 05-APR-88	AV	AS	99	
MS28025C NOTICE 1	ACCELEROMETER - AIRCRAFT [VALIDATION DATE: 8902] USER: MI	A 6610 71 23-FEB-89	AS	99		
MS28027A	INDICATOR - COURSE, 10-250A/ARN [VALIDATION DATE: 8405]	A 5826 84 08-MAY-59		99		
MS28029C NOTICE 1	THERMOMETER SELF-INDICATING, BIMETALLIC [VALIDATION DATE: 8812] USER: CG REVIEWER: GL GS	A 6685 B2 09-DEC-88	AS	99		
MS28034A NOTICE 1	BULBS, TEMPERATURE, ELECTRICAL RESISTANCE (-70 DEG. C TO +300 DEG. C) [VALIDATION DATE: 9005] USER: ER REVIEWER: GS	A 6685 B2 25-MAY-90	AS	99		
MS28036D NOTICE 1	INDICATOR-TRUE AIRSPEED, TYPE M-1A [VALIDATION DATE: 9209]	A 6610 71 28-SEP-92	AS	99		
MS28038A	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE REVIEWER: GS	A 6685 B2 06-APR-84	AS	99		
MS28041G	INDICATOR, TURN AND SLIP, 28V DC, 1-7/8 INCH DIAL	A 6610 71 11-JUL-88	AV	AS	99	
MS28042F	CLAMP, INSTRUMENT MOUNTING, AIRCRAFT	A 5340 B2 04-NOV-82	AV	AS	99	
MS28045E	INDICATOR, INDICATED AIRSPEED PITOT STATIC, 10-150 KNOTS [VALIDATION DATE: 8410]	A 6610 AS 23-MAR-70	ME	AS	99	
MS28048B NOTICE 1	INDICATOR, INDICATED AIRSPEED, PITOT STATIC MAXIMUM ALLOWABLE SPEED, 50-650 KNOTS (ASG) [VALIDATION DATE: 8712]	A 6610 AS 11-DEC-87	AS	99		
MS28049B NOTICE 1	INDICATOR, VERTICAL SPEED, 3 INCH	A 6610 71 26-SEP-88		99		
MS28050	VALVE, CHECK, LOW PRESSURE, INTERNAL THREADS (ASG) [VALIDATION DATE: 8304]	A 4820 AS 01-SEP-55	AS	99		
MS28051	USER: ME REVIEWER: CS VALVE, STATIC PRESSURE SELECTOR (ASG) [VALIDATION DATE: 8410] REVIEWER: 11 CS	A 4820 AS 01-SEP-55	AS	99		
MS28052B	VALVE, CHECK, PRESSURE GAGE LINES BLEEDER AND FILLER (ASG) [VALIDATION DATE: 8410] REVIEWER: 11 CS	A 4820 AS 29-NOV-56	AS	99		
MS28055A	FLANGE, MOUNTING, ATTACHABLE, AIRCRAFT INSTRUMENT (ASG) [VALIDATION DATE: 8403] REVIEWER: 11 MI	A 1680 AS 08-FEB-60	AS	99		
MS28061D	GAGE, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE-MOUNTED, BACK PORTS [VALIDATION DATE: 8509] USER: MC MI REVIEWER: GS	A 6620 AS 17-APR-79	AV	AS	99	
MS28063A NOTICE 1	GAGES, PRESSURE, ENGINE AND UTILITY, 2-INCH, FLANGE- OR PORT-MOUNTED, BOTTOM PORT [VALIDATION DATE: 9110]	A 6620 AS 24-OCT-91	AS			
MS28064B NOTICE 1	GAGE, PRESSURE, ENGINE AND UTILITY, 3- INCH, FLANGE-MOUNTED, BACK PORTS [VALIDATION DATE: 8712] USER: MC	A 6620 AS 11-DEC-87	AV	AS	99	
MS28066H NOTICE 1	TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL [VALIDATION DATE: 8712] ...	A 5821 AS 11-DEC-87	AS			
MS28067C NOTICE 1	INDICATOR, ANGLE OF ATTACK, 1-7/8 DIAL, 28 VOLT D. C. [VALIDATION DATE: 8712]	A 6610 AS 11-DEC-87	AS	99		
MS28075C NOTICE 1	INDICATOR, VERTICAL SPEED, 0-6000 FPM, 2-INCH	A 6610 AS 09-NOV-87	AV	AS	11	
MS28077D NOTICE 1	GAGE-PRESSURE, DIAL INDICATING, MANIFOLD PRESSURE [VALIDATION DATE: 8712]	A 6620 AS 11-DEC-87	AV	AS		
MS28086B	INDICATOR, ATTITUDE, SPHERICAL, DIRECT READING, FAST ERECTING, ELECTRIC GYRO [VALIDATION DATE: 8303]	A 6610 AS 01-AUG-62	AS			
MS28088A NOTICE 1	INDICATOR, TURN AND SLIP (THREE PHASE) [VALIDATION DATE: 8509]	A 6610 AS 14-JAN-67	AS			
MS28089B NOTICE 1	INDICATOR, AIRSPEED AND MACH NUMBER, PITOT STATIC, 60 TO 650 KNOTS [VALIDATION DATE: 8712]	A 6610 AS 11-DEC-87	AS			
MS28105C NOTICE 1	COVER GLASS, AIRCRAFT INSTRUMENT DIAL [VALIDATION DATE: 9110] REVIEWER: 84	A 9340 AS 30-OCT-91	GL	AS	11	
MS28112 NOTICE 1	INSTRUMENT, BASIC STANDARD ARRANGEMENT FOR FIXED WING AIRCRAFT [VALIDATION DATE: 9110]	A MISC AS 09-OCT-91	AS			
MS28126F NOTICE 1	CONVERTER, 200 AMPERE, CLASS A, NONREGULATED AIRCRAFT, FAN COOLED	A 6130 AS 18-NOV-91	AS			
MS28130B NOTICE 1	TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT, 165 DEGREE MOVEMENT [VALIDATION DATE: 8712]	A 6620 AS 11-DEC-87	AS			
MS28131C	TRANSMITTER, PRESSURE, SYNCHRO, AIRCRAFT 320 DEGREE MOVEMENT, HIGH TEMPERATURE (177 DEG C) GENERAL PURPOSE [VALIDATION DATE: 8509] USER: CG	A 6620 AS 29-NOV-78	AV	AS	11	
MS28132J	REVIEWER: 99 CONVERTER, 200 AMPERE, CLASS B NONREGULATED, AIRCRAFT, FAN COOLED USER: ER	A 6130 AS 30-SEP-88	AS			
MS28133D	REVIEWER: GS CONVERTER, 50 AMPERE, CLASS B [VALIDATION DATE: 8508] USER: ER REVIEWER: GS	A 6130 AS 15-DEC-69	ME	AS		
MS28700B NOTICE 1	ACCUMULATOR CYLINDRICAL, 3000 PSI [VALIDATION DATE: 8708] REVIEWER: 11 MI	A 1650 71 25-AUG-87	AV	AS	99	
MS28720A NOTICE 1	FILTER, AIRCRAFT HYDRAULIC LINE TYPE, 3,000 PSI [VALIDATION DATE: 8708]	A 1650 AS 25-AUG-87	AV	AS	11	
	USER: ME REVIEWER: 99 MI					



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Ordn. Code Classification Increase Document Number	Document Title	Dist. Sent FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MS28741H	HOSE ASSEMBLY, DETACHABLE END FITTING, MEDIUM PRESSURE USER: ME REVIEWER: CS MI OS	A 4720 82 28-MAR-83	AV	AS	99	
MS28742B	FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 3 BOLT, STRAIGHT (VALIDATION DATE: 8304) REVIEWER: AR CS	A 4730 AS 01-JUL-54		AS	99	
MS28744B	FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 3 BOLT, 90 DEG (VALIDATION DATE: 8509) REVIEWER: AR CS	A 4730 AS 01-JUL-54		AS	99	
L MS28746C	FITTING END - HOSE, SWIVEL, DETACHABLE, FLANGED, 4 BOLT, 45 DEG. REVIEWER: 69	A 4730 82 30-AUG-83		AS	99	
L MS28752B	FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE USER: CS	A 4730 82 02-DEC-54		AS		
MS28753B	FITTING END, SELF SEALING FUEL HOSE, SWIVEL DETACHABLE, FLANGED, STRAIGHT USER: CS	A 4730 82 24-JAN-86	ME	AS	99	
MS28754B	FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 45 DEG. USER: CS	A 4730 82 24-JAN-86	ME	AS	99	
MS28755B	FITTING END, SELF SEALING FUEL HOSE, SWIVEL, DETACHABLE, FLANGED, 90 DEG ..	A 4730 82 08-AUG-85	ME	AS	99	
A L MS28756	HOSE ASSEMBLY, DETACHABLE END FITTING, SELF SEALING FUEL (VALIDATION DATE: 8304) USER: CS	A 4720 82 02-DEC-54			82	
MS28759B	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FLARED TUBE (VALIDATION DATE: 8901) USER: ME REVIEWER: CS MI	A 4720 82 16-JAN-89	AV	AS	99	
NOTICE 1 MS28760C	FITTING END, ATTACHABLE, HYDRAULIC AND PNEUMATIC HIGH PRESSURE HOSE (3,000 PSI) FLARED TUBE (VALIDATION DATE: 8204) REVIEWER: CS	A 4730 82 22-MAY-70		AS	99	
MS28761A	FITTING END, ATTACHABLE, HYDRAULIC HIGH PRESSURE HOSE (3,000 PSI), FLARELESS TUBE (VALIDATION DATE: 8303) REVIEWER: CS	A 4730 82 25-AUG-70		AS	99	
MS28762B	HOSE ASSEMBLY, HYDRAULIC AND PNEUMATIC HIGH PRESSURE (3,000 P.S.I.) FLARELESS TUBE (VALIDATION DATE: 7505) USER: ME REVIEWER: CS MI	A 4720 82 20-DEC-68	AV	AS	99	
MS28764A	VALVE, CHECK, CONTROLLABLE, ROTARY-ACTION, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG) (VALIDATION DATE: 8410) REVIEWER: CS	A 4820 AS 30-APR-57		AS	99	
MS28765C	VALVE, CHECK, HYDRAULIC, INTERNAL PORTS 3,000 PSI, TYPE II SYSTEMS REVIEWER: 11 CS MI	A 4820 AS 01-MAY-88		AS	99	
MS28766A	VALVE, SHUTTLE, HYDRAULIC, DIRECT MOUNTING, 3,000 PSI, TYPE II SYSTEMS (ASG) (VALIDATION DATE: 8509) REVIEWER: CS	A 4820 AS 30-APR-57		AS	99	
MS28767A	VALVE, SHUTTLE, HYDRAULIC, INTERNAL-THREAD, TUBE FITTING OUTLET, 3,000 PSI, TYPE II SYSTEMS (ASG) (VALIDATION DATE: 8708) USER: CS ME	A 1650 AS 25-AUG-87		AS	99	
MS28768A	VALVE, CHECK, CONTROLLABLE, PLUNGER-TYPE, HYDRAULIC, 3,000 PSI, TYPE II SYSTEMS (ASG) USER: CS	A 1650 AS 25-AUG-87		AS	99	
NOTICE 1 MS28771C	VALVE, CHECK, HYDRAULIC, FLARED, 3,000 PSI, TYPE II SYSTEMS USER: CS ME REVIEWER: MI	A 1650 AS 28-MAR-91		AS	99	
MS28772B	PACKING, .D. RING, SHOCK STRUT (VALIDATION DATE: 7810) REVIEWER: 15 MI ....	A 5330 82 27-JAN-71	AV	AS	99	
MS28773	RETAINER, PACKING BACKUP, TETRAFLUOROETHYLENE, STRAIGHT THREAD TUBE FITTING BOSS (VALIDATION DATE: 8107) REVIEWER: 15 MI	A 5330 82 04-NOV-66	AV	AS	99	
MS28774L	RETAINER, PACKING BACKUP, SINGLE TURN, TETRAFLUOROETHYLENE USER: SH REVIEWER: 11 AR AV 15 ME MI	A 5330 82 19-NOV-90	MR	AS	99	
MS28775E	PACKING, PREFORMED, HYDRAULIC, +275 DEG. F ("O" RING) USER: CS REVIEWER: AR AT 15 MI OS	A 5330 11 15-NOV-89	AV	AS	99	
NOTICE 1 MS28776D	SCRAPER, PISTON ROD USER: ME REVIEWER: MI	A 1650 71 15-JUN-88	AV	AS	99	
MS28777C	WASHER, FLAT, AIRCRAFT HYDRAULIC BACKUP USER: ME REVIEWER: AR 15 MI	A 5830 82 16-MAY-84	AV	AS	99	
MS28778C	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS USER: CS REVIEWER: AR AT 15 ME MI	A 5330 82 12-APR-84	AV	AS	99	
MS28780D	ELBOW, 45 DEG, FLARED TUBE TO HOSE, ATTACHABLE, HYDRAULIC (3,000 PSI) REVIEWER: CS	A 4730 82 06-AUG-82		AS	99	
MS28781C	ELBOW, 90 DEG, FLARED TUBE TO HOSE, ATTACHABLE, HYDRAULIC (3,000 PSI) REVIEWER: CS	A 4730 99 23-DEC-82		AS	99	
MS28782D	RETAINER, PACKING, BACK-UP, TEFLON (VALIDATION DATE: 8406) USER: ME REVIEWER: AR 15 MI	A 5330 82 12-JUN-58	AV	AS	99	
MS28783E	RING, GASKET, BACK-UP, TEFLON (VALIDATION DATE: 8609) REVIEWER: AR 15 MI ..	A 5330 82 08-SEP-86	AV	AS	99	
NOTICE 1 MS28799B	LIGHT, COCKPIT, AIRCRAFT, INSTRUMENT, POST TYPE, UNIVERSAL (VALIDATION DATE: 8507) REVIEWER: GS	A 6220 AS 28-FEB-79	ME	AS	99	
MS28881A	VALVE - HYDRAULIC, DIRECTIONAL CONTROL, SLIDE SELECTOR 4 WAY, 3000 PSI (VALIDATION DATE: 8304) REVIEWER: MI	A 1650 AS 22-DEC-53		AS	99	
MS28882F	VALVE, FUEL CHECK, LOW PRESSURE, GASKET SEAL STRAIGHT THREAD CONNECTION (VALIDATION DATE: 8209) REVIEWER: CS ME MI	A 4820 82 10-JAN-77	AV	AS	99	
MS28884E	VALVE, FUEL CHECK, LOW PRESSURE, FLARED TUBE CONNECTION, TYPE A (VALIDATION DATE: 8209) REVIEWER: CS ME MI	A 4820 82 10-JAN-77	AV	AS	99	
MS28886C	VALVE, AIRCRAFT HYDRAULIC FLOW REGULATOR REVIEWER: CS MI	A 4820 AS 25-AUG-87	MD	AS	99	
NOTICE 1 MS28887D	VALVE, RELIEF, CYLINDRICAL, TYPE II SYSTEM (VALIDATION DATE: 8304) .....	A 1650 71 10-APR-73			99	
MS28889L	VALVE, AIR, HIGH PRESSURE CHARGING, 5000 PSI USER: AT CS REVIEWER: 11 AL ME MI	A 1650 71 27-NOV-87	AV	AS	99	
MS28890B	VALVE, HYDRAULIC CHECK, 3,000 PSI, FLARELESS, TYPE I SYSTEMS REVIEWER: MI	A 1650 AS 25-AUG-87		AS	99	
NOTICE 1 MS28892A	VALVE, 3,000 PSI HYDRAULIC CHECK, FLARELESS, TYPE II SYSTEMS USER: CS ME ..	A 1650 AS 10-MAR-86		AS	99	
MS28893A	VALVE, HYDRAULIC RELIEF, CYLINDRICAL, TYPE II SYSTEMS (ASG) USER: CS REVIEWER: 11 MI	A 1650 AS 30-JUN-81		AS	99	
MS28896B	FILTER, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI ABSOLUTE 15 MICRON, STYLE B, NOW BY PASS, -65 DEG. TO +275 DEG. F (VALIDATION DATE: 9110) REVIEWER: 11 71 MI	A 1650 AS 09-OCT-91	AV	AS	99	
NOTICE 1 MS28897C	FILTER ELEMENT, FLUID, PRESSURE, HYDRAULIC LINE, 3000 PSI, ABSOLUTE 15 MICRONS, MINUS 65 DEG. F TO PLUS 275 DEG. F (INACTIVE) USER: CS REVIEWER: 71 84 MI	A 1650 AS 15-JUL-82	AV	AS	99	
MS28900A	PACKING, PREFORMED, FOR ELECTRICAL USE USER: AV MC ME MJ SH REVIEWER: AT 15 MI	A 5330 AS 01-MAY-86	EL	AS	11	
MS28902A	CONTACT, ELECTRICAL, LEAF TAP FOR USE WITH MIL-R-8903 RESISTOR (ASG) (VALIDATION DATE: 8006) REVIEWER: 99 ES	A 5905 AS 14-FEB-66		AS	85	
MS28903A	RING, WIPER, HYDRAULIC AND PNEUMATIC, PISTON ROD, DIRT .....	A 1650 71 09-NOV-87		AS	99	
MS28912D	BEARING, ROLLER, SELFALIGNING & SINGLE ROW, AIRFRAME, ANTIFRICTION, SEALED, TYPE I (VALIDATION DATE: 8304) USER: CG MC REVIEWER: 84 AV 15 ME MI	A 3110 AS 15-NOV-73	AT	AS	99	
MS28913C	BEARING, ROLLER, SELFALIGNING & DOUBLE ROW, AIRFRAME, ANTIFRICTION, SEALED, TYPE II (VALIDATION DATE: 8304) USER: CG MC REVIEWER: 84 MI	A 3110 AS 15-NOV-73	AT	AS	99	
MS28914C	BEARING, ROLLER, SELFALIGNING & DOUBLE ROW, WIDE INNER RACE, AIRFRAME, ANTIFRICTION, SEALED, TYPE III (VALIDATION DATE: 8304) USER: CG MC REVIEWER: 84 MI	A 3110 AS 15-NOV-73	AT	AS	99	
MS28915C	BEARING, ROLLER, SELFALIGNING & DOUBLE ROW, TORQUE TUBE, AIRFRAME, ANTIFRICTION, SEALED, TYPE IV (VALIDATION DATE: 8304) USER: CG MC REVIEWER: 84 AV 15 ME MI	A 3110 AS 15-NOV-73	AT	AS	99	
MS28916	LIGHT, CABIN DOME, AIRCRAFT (VALIDATION DATE: 8508) REVIEWER: GS	A 6220 AS 27-JUL-64		AS	99	
MS28920A	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 45 DEG., FLARED TUBE (VALIDATION DATE: 8805) USER: ME REVIEWER: CS MI	A 4720 82 27-MAY-88	AV	AS	99	
MS28921A	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 90 DEGREE, FLARED TUBE (VALIDATION DATE: 8901) USER: ME REVIEWER: CS MI	A 4720 82 16-JAN-89	AV	AS	99	
NOTICE 1 MS28924A	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), ELBOW 90 DEG. TO ELBOW 90 DEG., FLARED TUBE (VALIDATION DATE: 8107) REVIEWER: CS MI	A 4720 82 31-MAR-69		AS	99	
MS28925C	LIGHT, SIGNAL, HAND HELD, 4-1/2 INCH (VALIDATION DATE: 8307) REVIEWER: GS	A 6220 AS 25-APR-77	ME	AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Drawn Ck'd / Checked Inscribed	Document Number	Document Title	Dist. Smt. FSC / Area	McA Symbol Preparing Act.	Date	Custodians Army Navy Air Force DLA
	MS28926A	LAMP, INCANDESCENT, PAR-46 BULB, SCREW TERMINAL BASE, TAXIING [VALIDATION DATE: 8107] USER: MC REVIEWER: 11 GS	A 6240	AS	07-MAR-72	AV AS 99
	MS28927A	CLAMP-RIM, CLENCHING FOR MIL-R-8903 RESISTOR [VALIDATION DATE: 8503] USER: MC REVIEWER: 99 ES	A 5905	AS	14-FEB-66	AS 85
	MS28928A	COUPLING, INSULATED, BUSHING SHAFT, FOR MIL-R-8903 RESISTOR (ASG) [VALIDATION DATE: 8005] USER: MC REVIEWER: 99 ES	A 5905	AS	14-FEB-66	AS 85
	MS28931A	CAP, PROTECTIVE, DUST AND MOISTURE SEAL FOR MIL-R-8903 RESISTOR (ASG) [VALIDATION DATE: 8106] USER: MC REVIEWER: 99 ES	A 5905	AS	30-JUN-64	AS 85
	MS28932A	FELT STRIP, PACKING GLAND (ASG) [VALIDATION DATE: 8304] USER: ME REVIEWER: 82 IS MI	A 5330	AS	26-SEP-77	AS 99
	MS28933	LAMP, INCANDESCENT & T&20 BULB, MEDIUM BIPOST BASE [VALIDATION DATE: 8406] REVIEWER: GS	A 6240	82	07-DEC-62	AS 99
	MS28936C	FUSE, SELF INDICATING CURRENT LIMITER, AIRCRAFT [VALIDATION DATE: 8508] USER: 11 CG REVIEWER: 99 ES	A 5920	AS	28-SEP-73	AV AS 85
L	MS28937C	FUSE, LIMITER TYPE, ENCLOSED LINK, 5-60 AMP, AIRCRAFT	A 5920	AS	22-APR-92	AS
	MS28938B	FUSE, LIMITER TYPE, ENCLOSED LINK, INTERMEDIATE RATING, AIRCRAFT (INACTIVE USE MS28937) [VALIDATION DATE: 8508] USER: MC REVIEWER: 99 ES	A 5920	AS	18-APR-67	AS 85
	MS29509B	PLUG SHIPPING, SPARK PLUG PORT (18MM), AIRCRAFT ENGINE [VALIDATION DATE: 8609]	A 2810	82	01-SEP-86	AV AS 99
A	MS29512C	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, TUBE FITTING, "O" RING [VALIDATION DATE: 9212] USER: AT REVIEWER: 99 IS ME MI	A 5330	11	10-DEC-92	AV AS 11
A	MS29513C	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, "O" RING [VALIDATION DATE: 9212] USER: AT CS REVIEWER: 99 AR 15 ME MI	A 5330	11	10-DEC-92	AV AS 11
	MS29514C	FLANGE, ADAPTER LOCKING, PRESSURE FUEL SERVICING (ASG) [VALIDATION DATE: 8509]	A 2915	AS	12-JUN-56	AS 99
LI	MS29515B	ADAPTER, PRESSURE FUEL SERVICING, TYPES A-1 AND A-6 [VALIDATION DATE: 8911]	A 4730	71	20-NOV-89	99
	MS29519C	ADAPTER, PRESSURE FUEL SERVICING VARIABLE CONFIGURATION, TYPE A-5 [VALIDATION DATE: 8509]	A 2915	AS	12-JUN-56	AS 99
A	MS29520H	ENVELOPE DIMENSIONS NOZZLE, PRESSURE FUEL SERVICING LOCKING AIRCRAFT, TYPE D-1, D-1N, D-2 AND D-2R	A 4930	AS	09-SEP-92	ME AS 11
	MS29521F	DISK, VALVE REVIEWER: CS	A 4820	82	17-MAY-84	AV AS 99
	MS29522B	PLUG, HEXAGON HEAD, OIL COOLER	A 4730	AS	14-DEC-90	AV AS 99
	MS29523A	HOOK, FILLER CAP CHAIN (ASG) [VALIDATION DATE: 8305] USER: ME REVIEWER: 99 IS MI	A 4030	AS	16-FEB-56	AS
	MS29524	GASKET - ADAPTER LOCKING FLANGE, PRESSURE FUEL SERVICING (ASG) [VALIDATION DATE: 8305] REVIEWER: 82 AR 15	A 5330	AS	28-JUL-53	AS 99
	MS29525F	CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER, FLUSH TYPE	A 1560	AS	15-JAN-91	AV AS 99
	MS29526E	CAP-PRESSURE FUEL SERVICING, NOMINAL 2 1/2 INCH DIAMETER NON-FLUSH TYPE	A 1560	AS	15-JAN-91	AV AS 11
	MS29527B	VALVE, FUEL SHUTOFF SOLENOID OPERATED, 28-VOLT DC 60-PSI OPERATING PRESSURE	A 4810	82	02-MAR-84	AS 99
	MS29528A	VALVE-FUEL DRAIN, SELF-LOCKING, POPPET [VALIDATION DATE: 8807] USER: CS MC REVIEWER: MI	A 4820	82	21-JUL-88	AV AS 99
	MS29529D	VALVE - FUEL DRAIN, SELF-LOCKING, TANK MOUNTED [VALIDATION DATE: 8106]	A 4820	82	19-MAR-69	AV AS 99
	MS29530D	VALVE - FUEL DRAIN, SELF-LOCKING, LINE MOUNTED [VALIDATION DATE: 8106] USER: CS MC	A 4820	82	19-MAR-69	AV AS 99
	MS29531	PLUG - EXHAUST PORT CLOSURE, AIRCRAFT ENGINE (ASG) [VALIDATION DATE: 8508]	A 2810	AS	20-NOV-53	AS 99
	MS29533A	FERRULE, CAP BONDING FITTING, EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8106]	A 2915	82	06-FEB-69	AS 99
	MS29534B	CAP, FITTING, INTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8901]	A 2915	82	27-JAN-89	AV AS 99
L	MS29535A	CAP ASSEMBLY, BONDING FITTING, EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 9012]	A 2915	82	14-DEC-90	99
	MS29536B	CAP, FITTING, EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8106]	A 2915	82	06-FEB-69	AS 99
	MS29537	GASKET, CAP, OUTLET FITTING, BOOSTER PUMP [VALIDATION DATE: 8107] REVIEWER: AR	A 5330	82	22-JUN-54	AS 99
	MS29538	FITTING, FLARED TUBE, LOW PRESSURE, 90 DEG EXTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8207] USER: AT	A 2915	82	22-JUN-54	AS 99
	MS29541	FITTING, FLARED TUBE, OFFSET, LOW PRESSURE, INTERNAL OUTLET, BOOSTER PUMP [VALIDATION DATE: 8209]	A 2915	82	22-JUN-54	AS 99
	MS29558C	FITTING, (O) RING, CIRCULAR, COMPRESSION TYPE, SINGLE GROOVE, TANK [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29559C	FITTING, (O) RING, CIRCULAR, THRU BOLT TYPE, SINGLE GROOVE, TANK [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29560C	FITTING, (O) RING, CIRCULAR, THREADED INSERT TYPE, SINGLE GROOVE, TANK [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29561A	PACKING, PREFORMED, O RING, SYNTHETIC LUBRICANT RESISTANT [VALIDATION DATE: 8209] USER: MC REVIEWER: 11 AR 15 ME MI	A 5330	82	06-JAN-66	MR AS 99
	MS29562B	FITTING, ATTACHMENT, MOLDED, TANK, THRU HOLE, FLUSH, (O) RING, RECTANGULAR, 10 X 16 [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29563B	FITTING, ATTACHMENT, MOLDED, TANK, FLUSH (O) RING, RECTANGULAR, 10 X 16 [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29564B	FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH (O) RING, RECTANGULAR, 12 X 18 [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29565B	FITTING, ATTACHMENT, MOLDED TANK, FLUSH, (O) RING, RECTANGULAR, 12 X 18 [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29566B	FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH, (O) RING, OVAL, 8 X 12 [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29567B	FITTING, ATTACHMENT, MOLDED TANK, THRU HOLE, FLUSH, (O) RING, OVAL, 10 X 16 [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29568B	FITTING, ATTACHMENT, MOLDED TANK, FLUSH, (O) RING, OVAL [VALIDATION DATE: 8604]	A 1560	84	11-APR-86	AS 99
	MS29584THRLMS29587C	PUMP, ROTARY, POWER-DRIVEN, FUEL, AIRCRAFT (TAPER THREADED PORTS) [VALIDATION DATE: 8306]	A 2915	82	01-JUN-71	AV AS 99
L	MS29590A	COOLER - LUBRICATING OIL, AIRCRAFT ENGINE, PETROLEUM BASE, TUBULAR, ROUND	A 2935	71	01-OCT-88	99
L	MS29593A	VALVE - OIL COOLER TEMPERATURE REGULATING WITH SURGE PROTECTION	A 2935	71	25-SEP-88	99
	MS29597D	CONTROLLER, OXYGEN FLOW EMERGENCY CYLINDER VALVE	A 1660	71	07-JAN-87	AV AS 99
	MS29599	VALVE, CHECK, INLET, ONE-MAN LIFE RAFT, TYPE I [VALIDATION DATE: 9205]	A 4220	AS	20-MAY-92	ME AS 99
	MS29600	VALVE, INLET, 20 MAN LIFE RAFT, TYPE II [VALIDATION DATE: 9205]	A 4220	AS	20-MAY-92	ME AS 99
	MS33509A	ADAPTER INSTALLATION - TYPE XII OR XVI DRIVE STARTER JAW [VALIDATION DATE: 8708]	A 2925	AS	25-AUG-87	AV AS 99
	MS33514G	FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL USER: AT GL MC ME REVIEWER: 71 B2 AR CS MI	A 4730	AS	21-MAY-90	AV AS 99
	MS33515J	FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARELESS TUBE CONNECTIONS [VALIDATION DATE: 8509] USER: AT ME OS REVIEWER: 11 AR CS MI	A 4730	AS	23-JAN-73	AV AS 99
	MS33522C	RIVETS, BLIND, STRUCTURAL, MECHANICALLY LOCKED AND FRICTION RETAINER SPINDLE, (RELIABILITY AND MAINTAINABILITY) DESIGN AND CONSTRUCTION REQUIREMENTS FOR [VALIDATION DATE: 9103] USER: CL REVIEWER: 82 AR 15 ME MI	A 5320	AS	25-MAR-91	AV AS 99
	MS33530	TOLERANCE-WELDED CARBON AND ALLOY STEEL TUBING (ASG) [VALIDATION DATE: 8508] REVIEWER: 99	A 4710	AS	26-JAN-53	AS
	MS33531A	TOLERANCE, WELDED CORROSION-RESISTANT STEEL TUBING (ASG) [VALIDATION DATE: 8407] REVIEWER: 99	A 4710	AS	23-AUG-57	AS



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Doc. / Chg. Coordination Inclusive Document Number	Document Title	Dist. Smt. FDC / Area	MCA Symbol Preparing Acty Date	Custodians		
				Army	Navy	As Force DLA
MS33533 NOTICE 1 MS33534	TOLERANCES - SEAMLESS CORROSION-RESISTANT STEEL TUBING ROUND [VALIDATION DATE: 9002] REVIEWER: 99 MI	A MISC	11 16-FEB-90	AS	11	
MS33535C MS33537E	STANDARD DIMENSIONS FOR STREAMLINE AND OVAL TUBULAR SHAPES [VALIDATION DATE: 8106]	A 4710	82 26-JAN-53	AS	99	
MS33538A	MOUNTING PAD - SWING CHECK VALVE ELEMENT, FUEL [VALIDATION DATE: 8207] .... INSERT, SCREW THREAD, HELICAL COIL, INCH SERIES, COARSE AND FINE THREAD, STANDARD ASSEMBLY DIMENSIONS FOR USER: AR AT ME REVIEWER: MI	A 2915 A 5340	82 01-MAR-76 82 11-JUN-91	AV AS	AS 99	
MS33540J NOTICE 1 MS33542A	MUT, SHEET SPRING, LIMITATIONS FOR USAGE ON AIRCRAFT [VALIDATION DATE: 8503] REVIEWER: IS	A 5310	82 15-OCT-58	AS	99	
MS33543A	SAFETY WIRING AND COTTER PINNING, GENERAL PRACTICES FOR [VALIDATION DATE: 9205] REVIEWER: MI	A MISC	AS 15-MAY-92	AR	AS	99
MS33545 NOTICE 1 MS33547C NOTICE 1 MS33549B	CRITERIA-TEMPERATURE AND ALTITUDE RANGE BLAST COOLED ELECTRIC EQUIPMENT [VALIDATION DATE: 8306]	A 1500	AS 27-NOV-53	AS		
MS33551	CRITERIA TEMPERATURE AND ALTITUDE RANGE SELF COOLED ELECTRIC EQUIPMENT [VALIDATION DATE: 8306] REVIEWER: 99 MI	A 1500	AS 27-NOV-53	AS		
MS33552	CASE - INSTRUMENT, 5 X 5-1/4, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8808] USER: MC REVIEWER: MI	A 6610	71 05-AUG-88	AV	AS	99
MS33556B MS33557A NOTICE 1 MS33558C NOTICE 1 MS33559E MS33561A	PINS, SPRING, FUNCTIONAL LIMITATIONS OF [VALIDATION DATE: 9103] USER: AT REVIEWER: 82 MI	A 5320	AS 25-MAR-91	AV	AS	99
MS33562C MS33564	CASE, INSTRUMENT, 2-3/4 DIAL, WITH SUMP, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8103]	A 66GP	AS 15-APR-69	AS		
MS33565C NOTICE 1 MS33566B NOTICE 2 MS33568A	FITTING INSTALLATION, FLARED TUBE, EXTERNAL AND INTERNAL DISCHARGE PORTS, BOOSTER PUMP [VALIDATION DATE: 8509] REVIEWER: 71 82	A 2915	AS 22-JUN-54	AS	99	
MS33569A	FITTING, VARIABLE CONFIGURATION, LOW PRESSURE, EXTERNAL OUTLET, BOOSTER PUMP (ASG) [VALIDATION DATE: 8407] REVIEWER: 71 82	A 2915	AS 22-JUN-54	AS	99	
MS33570A	HOUSING, INDICATOR REVIEWER: AR	A 66GP	82 10-MAY-84	AS	99	
MS33571A	NONSTRUCTURAL RIVETS FOR BLIND ATTACHMENT; LIMITATIONS FOR DESIGN AND USAGE [VALIDATION DATE: 9101] REVIEWER: 99 AR IS	A 5320	AS 09-OCT-91	AS	11	
MS33572C NOTICE 1 MS33574B NOTICE 1 MS33583B	NUMERAL AND LETTER, AIRCRAFT INSTRUMENT DIAL, STANDARD FORM OF [VALIDATION DATE: 8604] USER: ME REVIEWER: MI	A 6610	11 11-APR-86	AV	AS	11
MS33584C	ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF USER: MC	A 1730	AS 24-MAR-89	AV	AS	99
MS33585B	CONNECTION, AIRCRAFT GROUND AIR CONDITIONING, 5 INCH MINIMUM REQUIREMENTS [VALIDATION DATE: 8306]	A 4730	82 07-AUG-67	AS	99	
MS33587B	CONNECTION, AIRCRAFT GROUND AIR CONDITIONING, 8 INCH MINIMUM REQUIREMENTS, STANDARD LENGTHS AND WIDTHS, METAL SHEETS AND STRIPS (SUPERSEDES AND10115, AND10116, AND10117, AND10118, AND10120 AND AND10121) REVIEWER: IS	A 4730 A 9515	82 15-MAR-84 11 04-MAR-88	AS	99	PS
MS33588E NOTICE 1 MS33589F MS33592A NOTICE 1 MS33597 NOTICE 1 MS33600	CONNECTIONS, GROUND LEAKAGE TEST, PRESSURIZED CABIN, AIRCRAFT [VALIDATION DATE: 9205]	A 4730	AS 18-MAY-92	AS	11	
MS33601B	FITTINGS, INSTALLATION OF FLARELESS TUBE, STRAIGHT-THREADED CONNECTORS [VALIDATION DATE: 9205] USER: AT ME REVIEWER: AR	A 4730	AS 18-MAY-92	AV	AS	82
MS33602	DRAWING, SQUARE MOUNTING FLANGE WITH INVOLUTE SPLINE-PINION [VALIDATION DATE: 8209] USER: AV	A 15GP	AS 26-NOV-76	AS		
MS33611A MS33620B MS33632	DRIVE, ROUND MOUNTING FLANGE WITH INVOLUTE SPLINE-PINION [VALIDATION DATE: 8301]	A 1500	AS 26-NOV-76	AS		
MS33634A MS33636B NOTICE 1 MS33638C	DRIVE, SQUARE MOUNTING FLANGE WITH ROUND SHAFT AND KEY [VALIDATION DATE: 8209]	A 1500	AS 26-NOV-76	AS		
MS33639D NOTICE 1 MS33645C NOTICE 1 MS33649C	DRIVE, ROUND MOUNTING FLANGE WITH ROUND SHAFT AND KEY (INACTIVE FOR DESIGN 1 JAN 77) [VALIDATION DATE: 8209]	A 15GP	AS 26-NOV-76	AS		
MS33651B MS33656J	INSTRUMENT, PILOT, FLIGHT, BASIC, STANDARD ARRANGEMENT FOR HELICOPTERS [VALIDATION DATE: 8712] REVIEWER: AV	A 1520	AS 11-DEC-87	AS		
MS33658A	DIMENSION, BASIC, COCKPIT, STICK-CONTROLLED, FIXED WING AIRCRAFT [VALIDATION DATE: 8708] USER: MC	A 1510	AS 25-AUG-87	AV	AS	
MS33660B	TUBING END, DOUBLE FLARE, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8410] REVIEWER: 11 AV ME	A 4730	AS 25-AUG-69	AT	AS	99
MS33669B	TUBING END STANDARD DIMENSIONS FOR FLARED USER: AT MC REVIEWER: 71 82 AR CS ME MI	A 4730	AS 17-DEC-90	AV	AS	99
MS33675C NOTICE 2 MS33677A	POINTER, DIAL, STANDARD DESIGN OF AIRCRAFT INSTRUMENT [VALIDATION DATE: 8103] USER: ME REVIEWER: MI	A 1680	AS 30-JUN-61	AS	99	
MS33678	TRANSMITTER INSTALLATION CLEARANCE, FUEL AND OIL PRESSURE [VALIDATION DATE: 8503] REVIEWER: 99 GS	A 6685	82 16-NOV-72	AV	AS	11
MS33695	NUTS, SELF-LOCKING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY USAGE REQUIREMENTS FOR [VALIDATION DATE: 9103] USER: ME REVIEWER: 82 MI	A 5310	AS 25-MAR-91	AV	AS	99
MS33695	JACK, AIRCRAFT, AIRFRAME (UNIPOD AND TRIPOD) USER: MC REVIEWER: 99	A 1730	AS 24-MAR-89	AV	AS	11
MS33695	FASTENERS, TITANIUM AND TITANIUM BASE ALLOY, DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 9205]	A 53GP	AS 26-MAY-92	AV	AS	99
MS33695	JATO UNIT, AIRCRAFT, 1000 POUNDS THRUST, OUTLINE DIMENSIONS FOR [VALIDATION DATE: 9110]	A 1340	AS 09-OCT-91	AS		
MS33695	DRIVE, MINIATURE, POWER MOTOR WITH INVOLUTE SPLINE - PINION (ASG) [VALIDATION DATE: 8410]	A 29GP	AS 01-MAY-58	AS	99	
MS33695	TRACK AND STUD FITTING FOR CARGO TRANSPORT AIRCRAFT, STANDARD DIMENSIONS FOR REVIEWER: 11	A 1560	AS 31-JUL-91	AV	AS	99
MS33695	BOLTS, SELF-RETAINING, AIRCRAFT, RELIABILITY AND MAINTAINABILITY, DESIGN AND USAGE REQUIREMENTS FOR [VALIDATION DATE: 9103] REVIEWER: 82	A 5306	AS 25-MAR-91	AV	AS	99
MS33695	TUBE BEND RADII REVIEWER: 11	A 4710	AS 01-APR-83	AV	AS	99
MS33695	CHART, HOSE SELECTION [VALIDATION DATE: 8107]	A 4720	82 04-MAR-64	AV	AS	99
MS33695	WIRING DIAGRAM TWO POLE TACHOMETER GENERATOR AND PERCENT RPM TACHOMETER INDICATOR [VALIDATION DATE: 8403] REVIEWER: GS	A 6680	AS 02-DEC-60	MO	AS	99
MS33695	INSTRUMENT, ENGINE, BASIC, STANDARD ARRANGEMENT OF [VALIDATION DATE: 8802]	A 6620	11 26-FEB-88	AV	AS	11
MS33695	MEASUREMENT, UNITS OF, FOR AIRCRAFT INSTRUMENTS [VALIDATION DATE: 8712] REVIEWER: 71 MI	A 66GP	AS 11-DEC-87	AV	AS	99
MS33695	CASE, INSTRUMENT, FLANGE MOUNTED, AIRCRAFT [VALIDATION DATE: 8103] REVIEWER: 99 MI	A 66GP	AS 15-APR-69	AS	11	
MS33695	CASES, INSTRUMENT, CLAMP-MOUNTED, AIRCRAFT USER: ME REVIEWER: MI	A 66GP	AS 01-MAR-88	AV	AS	99
MS33695	RECEPTACLE, GROUNDING, INSTALLATION OF [VALIDATION DATE: 8809] REVIEWER: 68 85 99	A 5935	11 30-SEP-88	AV	AS	11
MS33695	BUSS, FLUID CONNECTION - INTERNAL STRAIGHT THREAD USER: CG CS MC ME REVIEWER: MI	A 4730	82 02-AUG-84	AV	AS	11
MS33695	BOSS AND INSTALLATIONS - AIR CONNECTION REVIEWER: MI	A 4730	82 03-MAY-85	ME	AS	99
MS33695	FITTING END, STANDARD DIMENSIONS FOR FLARED TUBE CONNECTION AND GASKET SEAL USER: AT ME REVIEWER: AV CS	A 4730	82 12-MAR-87	AR	AS	99
MS33695	FITTING END, HOSE CONNECTION, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8107] USER: MC ME	A 4730	82 30-JUN-59	AV	AS	99
MS33695	TUBING END, HOSE CONNECTION, STANDARD DIMENSIONS FOR (ASG) [VALIDATION DATE: 8304] USER: ME REVIEWER: MI	A 4730	AS 15-DEC-82	AS	99	
MS33695	COUPLING, REPLENISHMENT, 1-1/2 INCH, FOR METHANOL-WATER, (DETAILS OF SERVICING NOZZLE) [VALIDATION DATE: 8908]	A 1680	82 25-AUG-89	AS	99	
MS33695	SCRAPER, INSTALLATION, PACKING, GLAND RING [VALIDATION DATE: 9209]	A 5330	71 30-SEP-92	AV	AS	99
MS33695	FITTING END, TAPER PIPE THREAD, STANDARD DIMENSIONS FOR [VALIDATION DATE: 8306] USER: ME REVIEWER: AR GL MI	A 4730	82 31-AUG-61	MO	AS	99
MS33695	CONNECTOR, RECEPTACLE, ELECTRIC, INTEGRAL MOUNTING [VALIDATION DATE: 8509] REVIEWER: 99 ES MI	A 5935	AS 17-DEC-58	CR	AS	85
MS33695	CONTACTS, VIDEO COAXIAL CONNECTOR [VALIDATION DATE: 9110]	A 5935	AS 24-OCT-91	CR	AS	85



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Doc. / OML Coordination Inactive Document Number	Document Title	Des. Smt. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MS33698F	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 3 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES	A 5935 AS 21-JUL-71	AS	BS		
MS33699F	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 7 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES MI	A 5935 AS 21-JUL-71	AS	BS		
MS33700F	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 12 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES MI	A 5935 AS 21-JUL-71	AS	BS		
MS33701G	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 19 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES	A 5935 AS 21-JUL-71	AS	BS		
MS33702E	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 27 (NAVY) [VALIDATION DATE: 8509] REVIEWER: ES	A 5935 AS 21-JUL-71	AS	BS		
MS33703F	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 37 (NAVY) [VALIDATION DATE: 8509] REVIEWER: EC ES	A 5935 AS 21-JUL-71	AS	BS		
MS33736C	TURNBUCKLE ASSEMBLIES, CLIP LOCKING OF USER: MC REVIEWER: AR	A 5340 AS 13-NOV-91	AV	AS	99	
MS33737B	NUT, SHEET SPRING, INSTRUMENT MOUNTING REVIEWER: ER IS MI	A 5310 AS 18-JAN-88	AV	AS	99	
MS33739G	AIRCRAFT MARKINGS, SERVICING AND PRECAUTIONING (ASG) USER: CG REVIEWER: 16	A 1500 AS 28-AUG-87	AV	AS	99	
MS33740B	NIPPLE, PNEUMATIC STARTING, 3 INCH ID, OUTLINE DIMENSIONS OF	A 4730 71 03-SEP-85	AS	99		
MS33741	WIRING DIAGRAM - SENSITIVE INSTRUMENT SYSTEM WITH SEPARATE AMPLIFIER, 26 VOLTS, 400 CYCLES, SCHEMATIC [VALIDATION DATE: 9110]	A 6620 AS 24-OCT-91	AS	11		
L MS33742A	NOTICE 1					
L MS33743A	NOTICE 1					
L MS33749	SHAFTS, CONTROL KNOB [VALIDATION DATE: 9110]	A 5355 AS 24-OCT-91	AS			
	HOLES, CONTROL KNOB SHAFT [VALIDATION DATE: 9110]	A 5355 AS 24-OCT-91	AS			
	SCREW - INSTALLATION AND LIMITATIONS FOR USAGE OF THREAD CUTTING AND THREAD FORMING (SUPERSEDES AND 10087) [VALIDATION DATE: 8304] USER: MC SH REVIEWER: IS SA	A 5305 B2 20-FEB-62	AR	AS	99	
MS33750J	RECESS, HIGH TORQUE AND CONICAL HIGH TORQUE, DIMENSIONS OF RECESS, GAGE, AND DRIVER FOR REVIEWER: IS MI	A 53GP AS 20-JUN-88	AV	AS		
MS33751	FLANGE, ACCESSORY MOUNTING [VALIDATION DATE: 8403] REVIEWER: 71 B2	A 2915 AS 12-SEP-63	MD	AS	99	
MS33781A	RECESS - TORQ-SET, DIMENSIONS OF RECESS, GAGE, AND DRIVER FOR [VALIDATION DATE: 9110] REVIEWER: 69 ME MI	A 53GP AS 09-OCT-91	AR	AS	99	
MS33784	WRENCHING FEATURES FOR CYLINDRICAL NUTS, DESIGN STANDARD FOR [VALIDATION DATE: 9110] USER: AR CR REVIEWER: 11 MI	A 5310 AS 09-OCT-91	AV	AS	99	
MS33785A	INSTRUMENT ARRANGEMENT, STANDARD, BASIC FOR FIXED AND ROTARY WING AIRCRAFT [VALIDATION DATE: 8802] REVIEWER: 99	A 1500 11 26-FEB-88	AV	AS	11	
MS33786A	FITTING INSTALLATION, FLARED TUBE AND HOSE, SWIVEL (ASG) USER: ME	A 4730 B2 01-FEB-85	AS	99		
MS33787D	WRENCHING ELEMENT, EXTERNAL SPLINE, DIMENSIONS FOR [VALIDATION DATE: 9109] REVIEWER: B2 AR IS	A 5120 AS 23-SEP-91	AV	AS	99	
MS33788	LIQUID SPRING UNDERCARRIAGE UNIT - OIL REPLENISHMENT CONNECTION FOR [VALIDATION DATE: 9205]	A 1620 AS 29-MAY-92	AV	AS		
MS33790	BEND DATA, MINIMUM, HYDRAULIC, PNEUMATIC, FUEL AND OIL HOSE [VALIDATION DATE: 8404] REVIEWER: MI	A 4720 B2 06-OCT-58	AS	99		
L MS33800D	CONNECTOR, RECEPTACLE, ELECTRICAL - PIN CONTACT, NO. 12, 14 AND 16 A.W.G. WATERPROOF USER: GL MC REVIEWER: BS AR CR ES ME	A 5935 AT 05-SEP-84	AT			
D MS35000R	BATTERY, STORAGE, LEAD-ACID, WATERPROOF USER: GL MC OS REVIEWER: BS ER GS ME MI SH	A 6140 A1 01-DEC-87	AT	YD1	99	
D MS35001F	BATTERY, STORAGE, LEAD ACID, NON WATERPROOF (INACTIVE USE MS 35000) .....	A 6140 AT 10-OCT-66	AT	YD1	99	
L MS35034A	CAPACITOR, FIXED, CERAMIC DIELECTRIC, HI-K-STYLE CK62	A 5910 CR 18-JUN-54	CR			
MS35058J	SWITCH, TOGGLE ONE POLE, SEALED TOGGLE (INACTIVE USE MS 24523 OR MS 25306 [VALIDATION DATE: 8702] REVIEWER: 11 99 AV EC ES MI	A 5930 B5 25-FEB-87	ER	AS	85	
MS35059J	SWITCH, TOGGLE, TWO POLE, SEALED TOGGLE (INACTIVE USE MS 24524 OR MS 25307) [VALIDATION DATE: 8702] REVIEWER: 11 99 AV EC ES MI	A 5930 B5 25-FEB-87	ER	AS	85	
L MS35093A	SOCKET, CRYSTAL SO-200 [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 06-AUG-91	CR			
MS35102B	VIAL, LEVEL CYLINDRICAL, TYPE DA [VALIDATION DATE: 8804] USER: MC MI	A 1290 AR 18-APR-88	AR	OS		
MS35103C	VIAL, LEVEL CYLINDRICAL, TYPE DB [VALIDATION DATE: 8804] USER: MC MI	A 1290 AR 18-APR-88	AR	OS		
MS35104B	VIAL, LEVEL CYLINDRICAL, TYPE DC [VALIDATION DATE: 8804] USER: MC MI	A 1290 AR 18-APR-88	AR	OS		
MS35105B	VIAL, LEVEL CYLINDRICAL, TYPE DR [VALIDATION DATE: 8804] USER: MC MI	A 1290 AR 18-APR-88	AR	OS	99	
MS35106B	VIAL, LEVEL CIRCULAR, TYPE CA [VALIDATION DATE: 8804] USER: MC MI	A 1290 AR 18-APR-88	AR	OS	99	
LI MS35115A	PLUG, CONNECTOR (TYPE S-M) UG-692/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 06-AUG-91	CR			
LI MS35116A	PLUG, CONNECTOR (TYPE SM) UG-693/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 15-AUG-91	CR			
L MS35117B	RECEPTACLE, CONNECTOR (TYPE SM) UG-694/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 15-AUG-91	CR			
L MS35118C	RECEPTACLE, CONNECTOR (TYPE SM) UG-695/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 15-AUG-91	CR			
LI MS35120D	RECEPTACLE, CONNECTOR (TYPE SM) UG-697/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 15-AUG-91	CR			
L MS35121B	RECEPTACLE CONNECTOR (TYPE-SM) UG-698/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 14-AUG-91	CR			
L MS35122A	PLUG, CONNECTOR (TYPE-SM) UG-699/U [VALIDATION DATE: 9108] REVIEWER: ES MI	A 5935 CR 15-AUG-91	CR			
L MS35123B	RECEPTACLE CONNECTOR (TYPE SM) UG-700/U [VALIDATION DATE: 9108] REVIEWER: ES MI	A 5935 CR 15-AUG-91	CR			
L MS35124B	RECEPTACLE, CONNECTOR (TYPE-SM) UG-923/U [VALIDATION DATE: 9108] REVIEWER: ES	A 5935 CR 15-AUG-91	CR			
D MS35140D	STRAP, RETAINING, ONE HOLE, FOR PIPE, RIGID CONDUIT AND CABLE USER: EL ER MC ME REVIEWER: GL IS MI	A 5340 AR 12-FEB-87	AR	YD1	99	
MS35190F	SCREW, MACHINE-B2 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UMC-2 [VALIDATION DATE: 8203] USER: AV MC REVIEWER: IS MI SA	A 5305 AR 28-JUL-76	AR	SH	99	
MS35191G	SCREW, MACHINE-B2 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UMF-2A (11.7MM) [VALIDATION DATE: 8203] USER: MC REVIEWER: AT AV IS ME MI	A 5305 AR 28-JUL-76	AR	AS	99	
MS35198D	SCREW, MACHINE-FLAT COUNTERSUNK HEAD, B2 DEG., CROSS-RECESSED, BRASS, UMC-2A USER: AS MC SH REVIEWER: AT AV IS ME MI	A 5305 AR 05-DEC-89	AR		99	
MS35199B	SCREW, MACHINE-FLAT COUNTERSUNK HEAD, B2 DEG., CROSS-RECESSED, BRASS, BLACK CHEMICAL FINISH, UMF-2A [VALIDATION DATE: 8805] USER: AS MC SH REVIEWER: AT AV EA IS MI	A 5305 AR 20-MAY-88	AR		99	
MS35202C	SCREW, MACHINE-FLAT COUNTERSUNK HEAD, B2 DEG., CROSS-RECESSED, ALUMINUM ALLOY, ANODIC COATED, UMC-2A [VALIDATION DATE: 8805] USER: AS MC SH REVIEWER: AT AV EA IS MI	A 5305 AR 20-MAY-88	AR		99	
MS35203B	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, CROSS-RECESSED, ALUMINUM ALLOY, ANODIZE FINISH, MF-2A & UMF-2A [VALIDATION DATE: 8203] USER: MC SH REVIEWER: AT AV EA IS MI	A 5305 AR 14-JUN-76	AR		99	
MS35206H	SCREW, MACHINE-PAN HEAD, CROSS-RECESSED CARBON STEEL, CADMIUM PLATED, UMC-2A USER: MC ME REVIEWER: AV IS MI	A 5305 AR 14-JUN-91	AR	AS	99	
D MS35207F(1)	SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, CARBON STEEL, CADMIUM PLATED, UMF-2A (11.7MM) USER: GL MC SH YD1 REVIEWER: AT AV IS ME MI	A 5305 AR 05-OCT-92	AR	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action	Cn / Cnlt	Coordination	Document Number	Document Title	Dist. Smt.	Fnc / Ane	MCA Symbol	Preparing Acty.	Date	Custodians			
										Army	Navy	Air Force	DLA
A			MS352140(1)	SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, BRASS, UMC-2A USER: AT CR MC ME	A 5305	AR	05-OCT-92	AR	99				
A			MS352150(1)	SH REVIEWER: AV EA IS									
A			MS352188(1)	SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, BRASS, UMF-2A USER: AT MC SH	A 5305	AR	05-OCT-92	AR	99				
A			MS352198(1)	REVIEWER: AV EA IS ME									
A			MS352238	SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, ALUMINUM ALLOY, UMC-2A USER: AT MC MI REVIEWER: AV EA IS	A 5305	AR	05-OCT-92	AR	SH 99				
				MC REVIEWER: IS ME MI SA									
				SCREW, MACHINE, PAN HEAD, SLOTTED, CARBON STEEL, CADMIUM PLATED, MC-2A AND	A 5305	AR	15-JAN-73	AR	SH 99				
				UNC-2A USER: MC REVIEWER: GL SA									
L			MS35252A	RING, CONNECTING, RECTANGULAR (INACTIVE) [VALIDATION DATE: 8301] .....	A 4010	AR	24-MAY-71	AR					
D			MS352548	BRACE, CORNER, BOX 3 QUARTER-ROUND FLANGES, 3-MOUNTING HOLES USER: CE	A 5340	ER	04-SEP-92	ER	YD1 99				
				REVIEWER: 82 85 IS									
D			MS352578	BRACE, CORNER, BOX, LARGE, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES	A 5340	ER	04-SEP-92	ER	YD1 99				
				USER: CE REVIEWER: 82 85 IS									
D			MS35265C	SCREW, MACHINE DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UMC-2A	A 5305	AR	06-MAR-74	AR	99				
				[VALIDATION DATE: 8003] USER: AV MC YD1 REVIEWER: AS IS ME MI									
			MS35266C	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UMF-2A	A 5305	AR	20-MAY-88	AR	99				
			NOTICE 1	[VALIDATION DATE: 8805] USER: AV MC OS SH REVIEWER: IS ME MI									
			MS35273C	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL	A 5305	AR	20-MAY-88	AR	AS 99				
			NOTICE 1	FINISH, UMC-2A [VALIDATION DATE: 8805] USER: MC SH REVIEWER: AT AV IS ME									
				MI									
			MS35274C	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, BRASS, BLACK CHEMICAL	A 5305	AR	20-MAY-88	AR	AS 99				
			NOTICE 1	FINISH, UMF-2A [VALIDATION DATE: 8805] USER: MC SH REVIEWER: AT EA IS ME									
				MI									
A			MS352758(1)	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION RESISTING STEEL,	A 5305	AR	18-JUN-92	AR	AS 99				
				PASSIVATED, UMC-2A USER: MC SH REVIEWER: AT AV EA IS ME MI									
A			MS35276C(1)	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, CORROSION RESISTING STEEL,	A 5305	AR	18-JUN-92	AR	SH 99				
				PASSIVATED, UMF-2A USER: GL MC ME REVIEWER: AT AV EA IS									
			MS35277B	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UMC-2A	A 5305	AR	20-MAY-88	AR	99				
			NOTICE 1	[VALIDATION DATE: 8805] USER: AV MC REVIEWER: IS MI SA									
			MS35278B	SCREW, MACHINE-DRILLED FILLISTER HEAD, SLOTTED, ALUMINUM ALLOY, UMF-2A	A 5305	AR	20-MAY-88	AR	99				
			NOTICE 1	[VALIDATION DATE: 8805] USER: AS MC OS SH REVIEWER: AT AV IS ME SA									
			MS35295B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), MEDIUM CARBON STEEL,	A 5305	AR	09-JUN-67	AR	SH 99				
				PLAIN FINISH UMC-2A (CANCELLED IN PART USL MS 90725) [VALIDATION DATE:									
				8203] USER: AT MC OS REVIEWER: SA									
			MS35302C	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), ALLOY STEEL, PLAIN	A 5305	AR	14-JUN-71	AR	SH				
				FINISH, UMF-2A CANCELLED IN PART AFTER 6 JUN 1967 (USE MS90727)									
				[VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: MI									
			MS35307D	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION	A 5305	AR	20-MAY-88	AR	SH 99				
			NOTICE 1	RESISTING, PASSIVATED, UMC-2A [VALIDATION DATE: 8805] USER: AT MC									
				REVIEWER: AV IS MI OS									
			MS35308E	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, CORROSION	A 5305	AR	20-MAY-88	AR	SH 99				
			NOTICE 1	RESISTING, PASSIVATED, UMF-2A [VALIDATION DATE: 8805] USER: AT GL MC									
				REVIEWER: IS ME MI OS									
			MS35309C	SCREW, CAP, HEXAGON HEAD - NAVAL BRASS, PLAIN FINISH, UMC-2A [VALIDATION	A 5305	AR	12-DEC-74	AR	SH 99				
			NOTICE 1	DATE: 8101] USER: MC MI OS REVIEWER: AT AV IS ME									
			MS35310B	SCREW, CAP, HEXAGON HEAD, NAVAL BRASS, PLAIN FINISH, UMF-2A [VALIDATION	A 5305	AR	15-FEB-73	AR	SH 99				
				DATE: 8504] USER: GL MC REVIEWER: AT AV IS OS									
			MS35311A	SCREW, CAP, HEXAGON HEAD, NICKEL-COPPER ALLOY, PLAIN FINISH UMF-2A	A 5305	AR	15-FEB-73	AR	SH 99				
				[VALIDATION DATE: 8504] USER: MC OS REVIEWER: AT AV IS SA									
			MS35312A	SCREW, CAP, HEXAGON HEAD - NICKEL COPPER ALLOY, PLAIN FINISH, UMF-2A	A 5305	AR	15-FEB-73	AR	SH 99				
				(INACTIVE 2-15-73) [VALIDATION DATE: 8504] USER: MC ME MI OS REVIEWER: AT									
				AV IS									
D			MS35333J	WASHER, LOCK, FLAT INTERNAL TOOTH USER: MC ME OS YD1 REVIEWER: AT AV ER GL	A 5310	AR	09-FEB-81	AR	AS 99				
				IS NS									
D			MS35334D	WASHER, LOCK, FLAT, HEAVY, INTERNAL TOOTH [VALIDATION DATE: 8003] USER: AT	A 5310	AR	06-FEB-74	AR	99				
				MC ME OS YD1 REVIEWER: AV IS MI									
D			MS35335E	WASHER, LOCK, FLAT-EXTERNAL TOOTH (1N./MM) [VALIDATION DATE: 8504] USER:	A 5310	AR	20-MAR-72	AR	99				
				MC OS YD1 REVIEWER: AV GL IS MI									
D			MS35336D	WASHER, LOCK COUNTERSUNK, 80 DEG., EXTERNAL TOOTH (1N./MM)	A 5310	AR	30-MAR-70	AR	99				
				[VALIDATION DATE: 8203] USER: MC ME OS YD1 REVIEWER: AV IS MI									
			MS35338J(1)	WASHER, LOCK-SPRING, HELICAL, REGULAR (MEDIUM) SERIES USER: ER MC ME	A 5310	AR	15-APR-92	AR	AS 99				
				REVIEWER: AT AV GL IS MI									
D			MS35340E	WASHER, LOCK - HELICAL SPRING, EXTRA DUTY (EXTRA HEAVY) SERIES USER: SA	A 5310	AR	30-MAR-90	AR	AS 99				
				YD1 REVIEWER: AV GL IS MI									
			MS35341C	FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY BY-PASS TYPE, SENIOR SIZE	A 2940	AT	16-MAR-67	AT	SH 99				
				(NOM-BASE MOUNTED) [VALIDATION DATE: 8304] USER: AS AV MC MI REVIEWER: CS									
				ME									
			MS35342D	FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY, BY-PASS TYPE SENIOR SIZE (BASE	A 2940	AT	12-DEC-79	AT	SH 99				
				MOUNTED) [VALIDATION DATE: 8308] USER: AR AV MC ME MI REVIEWER: AS CS									
			MS35343E	FILTER, FLUID, PRESSURE, OIL, HEAVY DUTY, BY-PASS TYPE, JUNIOR SIZE	A 2940	AT	12-DEC-79	AT	SH 99				
				[VALIDATION DATE: 8504] USER: AR AS AV MC ME MI REVIEWER: CS									
			MS35345F	FILTER ELEMENT, FLUID, PRESSURE, FOR SENIOR SIZE FILTER [VALIDATION DATE:	A 2940	AT	12-DEC-79	AT	SH 99				
				8308] USER: AR AS AV MC ME MI REVIEWER: CS									
			MS35346F	FILTER ELEMENT, FLUID, PRESSURE, FOR JUNIOR SIZE FILTER [VALIDATION DATE:	A 2940	AT	12-DEC-79	AT	SH 99				
				8504] USER: AS MC MI REVIEWER: AR AV CS ME									
			MS35347C	GASKET, FILTER, FLUID, PRESSURE [VALIDATION DATE: 8504] USER: AR AV MC ME	A 2940	AT	12-DEC-79	AT	SH 99				
				MI REVIEWER: CS									
			MS35355B	BOLT, MACHINE, SQUARE HEAD, STEEL, CADMIUM OR ZINC PLATED, UMC-2A	A 5306	AR	06-OCT-71	AR	SH 99				
				[VALIDATION DATE: 8504] USER: AT AV MC OS REVIEWER: IS ME MI									
			MS35356A	BOLT, MACHINE, SQUARE HEAD, STEEL, PHOSPHATE COATED, UMC-2A [VALIDATION	A 5306	AR	06-OCT-71	AR	SH 99				
				DATE: 8504] USER: AT AV MC OS REVIEWER: IS									
L			MS35387C	REFLECTOR, INDICATING, CLEARANCE REVIEWER: GL .....	A 9905	AT	25-MAY-90	AT					
			MS35420A	LENS, CLEARANCE MARKER LIGHT, BLACKOUT [VALIDATION DATE: 8504] USER: AS	A 6220	AT	22-AUG-62	AT	MC				
				REVIEWER: 11 GS									
			MS35421A	LENS, CLEARANCE MARKER LIGHT, SERVICE [VALIDATION DATE: 8504] USER: AS	A 6220	AT	22-AUG-62	AT	MC				
				REVIEWER: 11 GS									
			MS35422B	LAMPHOLDER, LIGHT, MARKER, CLEARANCE [VALIDATION DATE: 8304] USER: ME	A 6220	AT	27-JUN-77	AT	MC 99				
				REVIEWER: GS									
			MS35423B	LIGHT, MARKER, CLEARANCE&SERVICE USER: AS ME REVIEWER: GS MI .....	A 6220	AT	18-SEP-87	AT	MC 99				
			NOTICE 1										
D			MS35425E	NUT PLAIN, WING, UMC-2B INACTIVE FOR DESIGN [VALIDATION DATE: 8304] USER:	A 5310	AR	14-MAR-77	AR	99				
				MC ME YD1 REVIEWER: AT AV IS MI									
D			MS35426E	NUT, PLAIN, WING, UMF-2B [VALIDATION DATE: 8304] USER: YD1 REVIEWER: IS ME	A 5310	AR	14-MAR-77	AR	99				
				MI									
			MS35430B	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE [VALIDATION DATE:	A 5940	AR	10-FEB-61	AR	SH				
				8503] REVIEWER: 99 ER GS MI									
			MS35431G	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT USER: 11 AS MC	A 5940	AR	16-FEB-87	AR	85				
				REVIEWER: 99 AV GS MI									
			MS35432A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAT, SLITTED	A 5940	AR	23-JUL-56	AR	SH 85				
				[VALIDATION DATE: 8503] USER: AS REVIEWER: 99 ER GS									
			MS35433A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, CENTER MOUNTING	A 5940	AR	23-JUL-56	AR	SH				
				[VALIDATION DATE: 8503] REVIEWER: 85 ER GS									



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Or: / On Cooperation Inactive	Document Number	Document Title	Dist. Smt. F&C Area	MSA Symbol Preceding Adj.	Date	Army Navy Air Force DIA	Custodians
	MS35434A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, FLAG (VALIDATION DATE: 8404) REVIEWER: 99 ER GS	A 5940	AR	23-JUL-56	AR SH	85
	MS35435C	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, ONE HOLE, LOCATING LIP (VALIDATION DATE: 8404) REVIEWER: 99 ER GS	A 5940	AR	10-JUL-64	AR SH	85
	MS35436B	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE HOLE (VALIDATION DATE: 8503) REVIEWER: 85 ER GS MI	A 5940	AR	10-FEB-61	AR SH	
	MS35437A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ONE-HOLE, LOCATING (VALIDATION DATE: 8404) REVIEWER: 99 ER GS	A 5940	AR	23-JUL-56	AR SH	85
	MS35438B	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING INSULATION GRIP, ONE HOLE, FLAG REVIEWER: ER GS MI	A 5940	AR	15-DEC-89	AR SH	85
	MS35439C	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, ELONGATED HOLE (VALIDATION DATE: 8503) REVIEWER: 99 ER GS	A 5940	AR	10-JUL-64	AR SH	85
	MS35440A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED (VALIDATION DATE: 8404) REVIEWER: 99 ER GS MI	A 5940	AR	23-JUL-56	AR SH	85
	MS35441A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED, FLAG (VALIDATION DATE: 8503) REVIEWER: 99 ER GS	A 5940	AR	23-JUL-56	AR SH	85
	MS35442A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, INSULATION GRIP, SLOTTED, 45 DEG. (VALIDATION DATE: 8503) REVIEWER: 99 ER GS MI	A 5940	AR	23-JUL-56	AR SH	85
	MS35443A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, SLOTTED (VALIDATION DATE: 8404) REVIEWER: 99 ER GS	A 5940	AR	23-JUL-56	AR SH	85
	MS35444A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE (VALIDATION DATE: 8404) REVIEWER: 99 ER GS	A 5940	AR	23-JUL-56	AR SH	85
	MS35445A	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, FLAT, SLITTED (VALIDATION DATE: 8404) REVIEWER: 99 ER GS	A 5940	AR	23-JUL-56	AR SH	85
	MS35446C	TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE USER: ME REVIEWER: 99 ER GS MI	A 5940	AR	15-DEC-89	AR SH	85
	MS35447B	TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE 45 DEG. (VALIDATION DATE: 7903) REVIEWER: 99 ER GS MI	A 5940	AR	10-FEB-61	AR SH	85
	MS35448B	TERMINAL, LUG, SOLDER TYPE, COPPER TUBING, ONE HOLE, 90 DEG. (VALIDATION DATE: 7903) REVIEWER: 99 ER GS MI	A 5940	AR	10-FEB-61	AR SH	85
	MS35455B	SCREW, CAP, SOCKET HEAD HEXAGON, ALLOY STEEL, UNCOATED, UNC-3A (INACTIVE USE MS-16997) (VALIDATION DATE: 8304) USER: MC ME REVIEWER: 82 IS MI	A 5305	AR	21-SEP-64	AR SH	99
	MS35456B	SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, UNCOATED, UNF-3A (INACTIVE USE MS-16998) (VALIDATION DATE: 8304) USER: MC REVIEWER: 99 IS MI	A 5305	AR	21-SEP-64	AR SH	
	MS35457B	SCREW, CAP, SOCKET HEAD HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNC-3A (INACTIVE USE MS-16997) (VALIDATION DATE: 8304) USER: MC REVIEWER: 99 IS MI	A 5305	AR	21-SEP-64	AR SH	
	MS35458B	SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, CADMIUM OR ZINC, UNF-3A (INACTIVE USE MS-16998) (VALIDATION DATE: 8304) USER: AV MC REVIEWER: 15 MI	A 5305	AR	21-SEP-64	AR SH	99
	MS35459B	SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNC-3A (INACTIVE USE MS-16997) (VALIDATION DATE: 8304) USER: MC ME MI REVIEWER: 99 IS	A 5305	AR	21-SEP-64	AR SH	
	MS35460B	SCREW, CAP, SOCKET HEAD - HEXAGON, ALLOY STEEL, PHOSPHATE, UNF-3A (INACTIVE USE MS-16998) (VALIDATION DATE: 8304) USER: MC MI REVIEWER: 15	A 5305	AR	21-SEP-64	AR SH	
	MS35461B	SCREW, CAP, SOCKET HEAD - HEXAGON, STEEL, CORROSION RESISTING, PASSIVATED, UNC-3A (INACTIVE USE MS-16995) (VALIDATION DATE: 8304) USER: MC ME REVIEWER: 82 AS IS MI	A 5305	AR	21-SEP-64	AR SH	99
D	MS35465E	CUTTING EDGE, MOLDBOARD, GRADER USER: MC YD1 REVIEWER: 84 CS	A 3805	ME	26-AUG-88	ME	99
	MS35478K	LAMP, INCANDESCENT, S-B BULB, SINGLE CONTACT, BAYONET CANDELABRA BASE (VALIDATION DATE: 8711) USER: ER ME REVIEWER: 99 AS AV GS MI	A 6240	AT	20-NOV-87	AT SH	11
	NOTICE 1	LAMP, INCANDESCENT R-12 BULB, SINGLE CONTACT, BAYONET CANDELABRA BASE (VALIDATION DATE: 8306) USER: AS REVIEWER: AV GS	A 6240	AT	30-MAY-72	AT SH	99
	MS35481	LAMP, INCANDESCENT S-B BULB, DOUBLE CONTACT, BAYONET CANDELABRA INDEXING BASE USER: ER REVIEWER: AS GS	A 5325	AR	17-FEB-89	AR OS	99
	MS35489J	GROMMETS, SYNTHETIC AND SILICONE RUBBER, HOT-OIL AND COOLANT RESISTANT USER: AS EC MC SA REVIEWER: ER GL IS MI NS	A 5305	AR	15-AUG-74	AR YD1	99
D	MS35492E	SCREW, WOOD, FLAT HEAD, CROSS-RECESSED, STEEL AND BRASS (VALIDATION DATE: 8101) USER: AV MC ME SH REVIEWER: AT EA IS MI	A 5305	AR	15-AUG-74	AR YD1	99
D	MS35493E	SCREW, WOOD, ROUND HEAD, CROSS-RECESSED, STEEL AND BRASS (VALIDATION DATE: 8003) USER: AT MC ME SH REVIEWER: AV EA IS MI	A 5305	AR	15-AUG-74	AR YD1	82
D	MS35494E	SCREW, WOOD, FLAT HEAD, SLOTTED, STEEL AND BRASS USER: AT MC SH REVIEWER: AV EA IS ME MI	A 5305	AR	15-AUG-74	AR YD1	99
D	MS35495D	SCREW, WOOD, ROUND HEAD, SLOTTED, STEEL AND BRASS (VALIDATION DATE: 8003) USER: AT MC SH REVIEWER: AV EA IS MI	A 2910	AT	07-DEC-67	AT	
L	MS35643C	GASKET, SYNTHETIC RUBBER, CAP, FUEL TANK (VALIDATION DATE: 8304) USER: MC REVIEWER: 99 CS ME MI	A 2910	AT	25-NOV-86	AT	99
D	MS35644F	FILLER NECK ASSEMBLY, FUEL TANK-MILITARY VEHICLES USER: CS YD1 REVIEWER: ME MI	A 2910	AT	20-NOV-72	AT	99
	MS35645F	CAP, FUEL TANK, TACTICAL VEHICLE, FORDING (VALIDATION DATE: 8504) USER: MC MI REVIEWER: CS ME	A 5305	AR	22-MAR-74	AR	99
	MS35646B	SCREW, EYE, STEEL OR BRASS (VALIDATION DATE: 8003) USER: AS AT AV MC WV REVIEWER: 15 ME	A 5340	YD1	27-JUL-92	AR YD1	99
D	MS35647E	PADLOCKS, KEY OPERATED USER: MC SA REVIEWER: 82 AV ER IS MI	A 5310	AR	12-FEB-88	AR	99
D	MS35649H	NUT, PLAIN, HEXAGON, MACHINE SCREW, UNC-2B USER: AT MC MI NS OS YD1 REVIEWER: 82 EA IS	A 5310	AR	07-OCT-85	AR	99
D	MS35660G	NUT, PLAIN, HEXAGON, MACHINE SCREW, UNF-2B USER: AT MC MI OS YD1 REVIEWER: 82 AV EA IS	A 4730	AR	01-MAR-77	AR	99
	MS35670C	VALVE, SAFETY RELIEF (VALIDATION DATE: 8301) USER: AT AV GL MI REVIEWER: 11 CS ME	A 5315	AR	17-MAR-65	AR AS	99
	MS35671A	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, CARBON STEEL (VALIDATION DATE: 8304) USER: MC SH REVIEWER: 82 AV IS ME MI	A 5315	AR	22-AUG-75	AR AS	99
	MS35672B	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVED, CORROSION-RESISTING STEEL (VALIDATION DATE: 8101) USER: MC SH REVIEWER: 82 AV EA IS ME MI	A 5315	AR	17-MAR-65	AR AS	99
	MS35673A	PIN, GROOVED, HEADLESS, LONGITUDINAL TAPER GROOVE, BRASS (VALIDATION DATE: 8304) USER: MC REVIEWER: 82 IS MI SH	A 5315	AR	17-MAR-65	AR SH	99
	MS35674A	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CARBON STEEL (VALIDATION DATE: 8304) USER: AT MC ME REVIEWER: 82 AV IS MI	A 5315	AR	22-AUG-75	AR AS	99
D	MS35675B	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, CORROSION-RESISTING STEEL (VALIDATION DATE: 8101) USER: MC YD1 REVIEWER: 82 AV IS ME MI SH	A 5315	AR	17-MAR-65	AR AS	99
	MS35676A	PIN, GROOVED, HEADLESS, LONGITUDINAL STRAIGHT GROOVE, BRASS (VALIDATION DATE: 8203) REVIEWER: 82 AV IS ME MI SH	A 5315	AR	17-MAR-65	AR AS	99
	MS35677A	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, CARBON STEEL (VALIDATION DATE: 8304) USER: MC REVIEWER: 82 IS ME MI SH	A 5315	AR	01-JUN-88	AR AS	99
	MS35678B	PIN, GROOVED, HEADLESS-LONGITUDINAL CENTER GROOVE, CORROSION-RESISTING STEEL (VALIDATION DATE: 8806) USER: MC ME REVIEWER: 82 AV IS MI SH	A 5315	AR	17-MAR-65	AR AS	99
	NOTICE 1	PIN, GROOVED, HEADLESS, LONGITUDINAL CENTER GROOVE, BRASS (VALIDATION DATE: 8304) USER: MC REVIEWER: 82 IS MI SH	A 5320	AR	14-MAR-69	AR OS	99
	MS35684A	RIVET, SPLIT, OVAL HEAD, STEEL (VALIDATION DATE: 8304) USER: AT ER MC REVIEWER: 15 MI	A 5320	AR	14-MAR-69	AR OS	99
	MS35685A	RIVET, SPLIT, OVAL HEAD, BRASS (VALIDATION DATE: 8304) USER: AT ER MC ME REVIEWER: 15 MI	A 3120	AT	26-JAN-56	AT SH	
	MS35688	V-BEARING (SPRING LOADED, THROW OUT TYPE) (VALIDATION DATE: 8503) USER: MC REVIEWER: 15					



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Doc. / Chg. / Custodian Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol	Preparing Date	Custodians			
				Army	Navy	Air Force	DLA
MS35689	V-BEARING (SPRING LOADED) [VALIDATION DATE: 8503] USER: MC REVIEWER: IS ...	A 3120	AR 26-JAN-56	AT	SH		
MS35690E	NUT, PLAIN, HEXAGON, UNC-2B & UNF-2B USER: MC ME NS REVIEWER: B2 AV EA IS ...	A 5310	AR 29-AUG-84	AR	SH		99
MS35691D	NUT, PLAIN, HEXAGON (JAM) (UNC-2B & UNF-2B) USER: EA MC SH REVIEWER: B2 AT ...	A 5310	AR 29-AUG-84	AR			99
D MS35692B	NUT, SLOTTED, HEXAGON, UNC-2B AND UNF-2B [VALIDATION DATE: 7903] USER: MC ...	A 5310	AR 21-MAR-66	AR	SH		99
D MS35743A	YDI REVIEWER: AV IS ME MI RIVET, SOLID, SMALL, PAN HEAD, STEEL, ANNEALED [VALIDATION DATE: 8304]	A 5320	AR 12-DEC-68	AR	YDI		99
D MS35744B	USER: AT CE MC REVIEWER: IS MI RIVET, SOLID-SMALL COUNTERSUNK HEAD, STEEL, ANNEALED USER: AT CE CS MC	A 5320	AR 28-FEB-86	AR	YDI		99
D MS35745A	REVIEWER: IS MI RIVET, SOLID, BELT [VALIDATION DATE: 8203] USER: AT CE MC REVIEWER: GL IS	A 5320	AR 12-DEC-68	AR	YDI		99
MS35746F	MI COUPLING, AUTOMOTIVE, AIR BRAKE LINES [VALIDATION DATE: 8512] USER: MC ME	A 4730	AT 02-SEP-81	AT			99
MS35748E	REVIEWER: CS PACKING, PREFORMED: AIR COUPLING [VALIDATION DATE: 9010] USER: MC ME	A 5330	AT 12-OCT-90	AT			84
NOTICE 1 MS35751D	REVIEWER: B2 BOLT, SQUARE NECK, ROUND HEAD (CARRIAGE), STEEL, CADMIUM OR ZINC PLATED,	A 5306	AR 04-NOV-85	AR			99
MS35754B	UNC-2A USER: AT MC ME OS REVIEWER: B2 AV EA IS BOLT, SQUARE NECK, COUNTERSUNK, (PIOW) STEEL, CADMIUM OR ZINC PLATED,	A 5306	AR 20-MAY-74	AR			99
MS35756E	MC-2A AND UNC-2A [VALIDATION DATE: 8003] USER: AT MC OS REVIEWER: IS ME	A 5315	AR 30-NOV-90	AR	OS		99
MS35758B	KEY, WOODRUFF, STEEL ALLOY, WITH KEYWAY AND KEY SLOT DIMENSIONS USER: AT	A 4730	AR 28-JAN-86	AR			99
MS35759B	GL MC ME SH REVIEWER: B2 AS AV IS MI CUP, GREASE, MANUAL FEED USER: AS GL SH REVIEWER: B2 AT CS	A 4730	AR 18-MAR-71	AR			99
MS35760A	CUP, GREASE, AUTOMATIC FEED [VALIDATION DATE: 8602] USER: CS SH REVIEWER:	A 5995	CR 10-APR-87	CR	EC		85
NOTICE 1 MS35763E	GL CORD ASSEMBLY, ELECTRICAL (CORD CD-307-A) [VALIDATION DATE: 8704] USER: AS	A 5306	AR 29-DEC-75	AR			99
MS35764E	REVIEWER: 99 NS BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 5, UNC-2A AND UNF-2A	A 5306	AR 29-DEC-75	AR			99
MS35769B	(INACTIVE USE MS35764 [VALIDATION DATE: 8203] USER: AT MC ME MI OS	A 5330	AR 06-JUN-91	AR			99
MS35770B	REVIEWER: IS BOLT, SELF-LOCKING, HEXAGON HEAD, STEEL, GRADE 8, UNC-2A AND UNF-2A	A 2930	ME 15-OCT-92	ME			99
NOTICE 1 MS35773B	[VALIDATION DATE: 8203] USER: AT MC ME MI OS REVIEWER: IS GASKET, METALLIC, ENCASED, ANNULAR, COPPER USER: AT REVIEWER: B2 IS ME	A 2930	ME 08-APR-66	ME			99
MS35782C	.... THERMOSTATS, FLOW CONTROL, FOR 10 TO 500 H.P., LIQUID-COOLED INTERNAL	A 4820	AR 10-JAN-89	AR	SH		99
MS35783E	COMBUSTION ENGINES [VALIDATION DATE: 9210] RADIATOR, ENGINE COOLING, INDUSTRIAL [VALIDATION DATE: 8203] USER: MC	A 4820	AR 10-JAN-89	AR	SH		99
MS35784C	REVIEWER: AT CS COCK, DRAIN, CENTER DRAIN, 150 P.S.I. [VALIDATION DATE: 8901] USER: AT GL	A 4820	AR 05-SEP-86	AR	SH		99
MS35785B	MC ME REVIEWER: AV CS MI COCK, DRAIN, WITH HOSE BIB, 150 P.S.I. [VALIDATION DATE: 8901] USER: AV MC	A 4820	AR 05-SEP-86	AR	SH		99
MS35787B	MI REVIEWER: AT CS ME COCK DRAIN, SPRING KEY, 50 P.S.I. [VALIDATION DATE: 8609] USER: AV MC ME	A 4820	AR 05-SEP-86	AR	SH		99
D MS35790E(1)	REVIEWER: AT CS COCK, DRAIN, GROUND KEY, 150 P.S.I. STEAM PRESSURE [VALIDATION DATE: 8609]	A 4820	AR 05-SEP-86	AR	SH		99
MS35791B	USER: MC REVIEWER: AT AV CS ME COCK, DRAIN, GROUND KEY, BIB NOZZEL, 150 P.S.I. STEAM PRESSURE [VALIDATION	A 5310	AR 05-MAY-92	AR			99
MS35792B	DATE: 8609] USER: MC MS REVIEWER: CS GL MI WASHER, LOCK-COUNTERSUNK, 100 DEG., EXTERNAL TOOTH (IN./MM) USER: 70 MC ME	A 5340	AR 27-MAR-70	AR	OS		99
MS35793B	OS YDI REVIEWER: AT AV GL IS MI HANDLE, BALL, CHEST, SURFACE MOUNTING, COUNTERSUNK HOLES [VALIDATION DATE:	A 5340	AR 27-MAR-70	AR	OS		99
MS35794A	8203] USER: AV MC ME MI REVIEWER: DS GL IS HANDLE, BALL, CHEST, RECESSED [VALIDATION DATE: 8203] USER: AV MC ME MI	A 5340	AR 27-MAR-70	AR	OS		99
D MS35798B	REVIEWER: GL IS HANDLE, BALL, CHEST, SURFACE MOUNTING, PLAIN HOLES [VALIDATION DATE: 8203]	A 3120	OS 03-NOV-72	OS			
D MS35799C	USER: AV MC ME REVIEWER: GL IS MI BEARING, SLEEVE, STEEL-BACKED BIMETAL, SPLIT TYPE, ONE PIECE [VALIDATION	A 5306	ER 16-OCT-87	ER	YDI		99
D MS35801A	DATE: 8204] USER: AS AT REVIEWER: IS SH BOLT, MACHINE, SQUARE HEAD HOT GALVANIZED (POLE-LINE) USER: MC REVIEWER:	A 5306	ER 20-OCT-87	ER	YDI		99
MS35802D	AR IS ROD, CONTINUOUS THREAD, DOUBLE ARMING, HOT GALVANIZED, (POLE LINE) USER:	A 5306	ER 10-AUG-67	ER	YDI		99
MS35803A	MC MS REVIEWER: B2 AR GL IS ME BOLT, LAG, FETTER DRIVE HOT GALVANIZED (POLE-LINE) [VALIDATION DATE: 8101]	A 2940	ME 26-JAN-77	ME	SH		99
MS35810B	USER: MC REVIEWER: AR IS SA FILTER ELEMENT, FLUID, PRESSURE-OIL, FULL-FLOW [VALIDATION DATE: 8509]	A 5330	B2 30-JAN-70	AV	AS		99
D MS35812E	USER: AT REVIEWER: CS RETAINER, PACKING, BACK-UP RING, LEATHER [VALIDATION DATE: 7603] USER: AT	A 5315	AR 21-MAR-69	AR	SH		99
D MS35813D	REVIEWER: AR IS ME MI PIN, STRAIGHT, HEADED (CLEVIS PIN) STEEL, CADMIUM OR ZINC PLATED,	A 5340	AR 27-FEB-87	AR	AS		99
MS35821E	[VALIDATION DATE: 8203] USER: AT MC OS REVIEWER: B2 IS ME MI CLEVIS, ROD END ADJUSTABLE AND PLAIN, STEEL USER: AT GL MC ME MI OS YDI	A 5340	AR 27-FEB-87	AR	AS		99
MS35822E	... CONNECTOR, ROD END STEEL USER: GL MC ME MI OS YDI REVIEWER: SH	A 5340	AR 06-JAN-89	AR	AS		99
MS35823E	HINGE, BUTT, CONTINUOUS (PIANO) .032 THICKNESS, .063 PIN DIA USER: MC	A 5340	AR 06-JAN-89	AR	AS		99
I MS35824D	REVIEWER: B2 AT AV GL IS MI HINGE, BUTT, CONTINUOUS (PIANO) .040 THICKNESS, .091 PIN DIA USER: MC	A 5340	AR 06-JAN-89	AR	AS		99
MS35825E	REVIEWER: B2 AT AV GL IS MI HINGE, BUTT, CONTINUOUS (PIANO) .050 THICKNESS, .125 PIN DIA USER: MC	A 5340	AR 06-JAN-89	AR	AS		99
MS35826E	REVIEWER: B2 AT AV GL IS MI HINGE, BUTT, CONTINUOUS (PIANO) .060 THICKNESS, .187 PIN DIA USER: MC	A 5340	AR 06-JAN-89	AR	AS		99
I MS35827D	REVIEWER: B2 AT AV GL IS MI HINGE, BUTT, CONTINUOUS (PIANO) .075 THICKNESS, .187 & .250 PIN DIA USER:	A 5340	AR 06-JAN-89	AR	AS		99
I MS35828D	MC REVIEWER: AT EA ER IS MI NS HINGE, BUTT, CONTINUOUS (PIANO) .090 THICKNESS, .250, & .375 PIN DIA USER:	A 5340	AR 06-JAN-89	AR	AS		99
MS35829F	MC REVIEWER: B2 AT AV GL IS MI HINGE, BUTT, CONTINUOUS (PIANO) .125 THICKNESS, .375 PIN DIA USER: MC	A 5340	AR 06-JAN-89	AR	AS		99
MS35830E	REVIEWER: B2 AT AV GL IS MI FILLER NECK: RADIATOR (7PSI) [VALIDATION DATE: 9005] USER: GL SH	A 2930	AT 15-MAY-90	AT			82
MS35831E	CLAMP, HOSE, LOW PRESSURE TYPE .F, [VALIDATION DATE: 8512] USER: 11 CG MC	A 4730	AT 30-JAN-69	AT	YDI		99
MS35841C	OS REVIEWER: AR AV CS ME MI PLUG, MACHINE THREAD, MAGNETIC: DRAIN USER: CS OS REVIEWER: IS MC ME	A 5365	AT 25-JUN-91	AT	YDI		99
D MS35842E	DEHYDRATORS, DESICCANT, REFRIGERANT-12 [VALIDATION DATE: 9203] USER: SH	A 4130	GL 27-MAR-92	GL			99
MS35844D	REVIEWER: CE ME CONNECTION END, INTERNAL FLARE, REFRIG. USER: MC SH REVIEWER: ME MI	A 4730	GL 31-OCT-86	GL	YDI		99
MS35845E	CONNECTION, END, EXTERNAL PIPE THREAD REFRIGERATION USER: MC SH REVIEWER:	A 4730	GL 31-OCT-86	GL	YDI		99
NOTICE 1 MS35867C	CS ME						
NOTICE 1 MS35868B							
NOTICE 1							



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action On / OMA Coordination Inactive	Document Number	Document Title	Dist Sect FAC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
D	MS35869C NOTICE 1	ADAPTER, STRAIGHT, MALE, REFRIGERATION PIPE TO FLARED TUBE USER: AR CE MC SH REVIEWER: CS MD	A 4730	GL	31-OCT-86	GL	YD1	99	
D	MS35870C NOTICE 1	ADAPTER, REFRIGERANT CYLINDER, EXTERNAL FLAREX STRAIGHT PIPE, REFRIGERATION USER: MC ME SH REVIEWER: CS	A 4730	GL	31-OCT-86	GL	YD1	99	
D	MS35871C	TEE, PIPE TO TUBE, REFRIGERATION (VALIDATION DATE: 8402) USER: MC REVIEWER: CS ME	A 4730	GL	24-FEB-78	GL	YD1	99	
D	MS35872C	FLARE NUT AND FLARE SEAL BONNET, REFRIGERATION REVIEWER: B2 CS MC ME MI SH YD1	A 4730	GL	31-OCT-86	GL		99	
L	MS35873C MS35875A NOTICE 1 MS35880C	CONNECTION, END, EXTERNAL FLARE, REFRIGERATION USER: MC REVIEWER: CS ME MI AIR CLEANER, INTAKE, OIL BATH TYPE, FOR INDUSTRIAL ENGINES (VALIDATION DATE: 8712) USER: CG MC REVIEWER: AT CS	A 4730 A 2940	GL ME	31-OCT-86 14-DEC-87	GL		99	
	MS35881C	VALVE, PACKLESS STOP, SOLDER-JOINT CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC REVIEWER: GS	A 4130	GL	24-FEB-78	GL	SH	99	
	MS35882C	VALVE, PACKLESS, STOP, FLARE CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC ME REVIEWER: GS	A 4130	GL	24-FEB-78	GL	SH	99	
	MS35883C	VALVE, PACKLESS, STOP, THREE-WAY, SOLDER-JOINT CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC REVIEWER: 11 GS MI	A 4130	GL	16-MAR-78	GL	SH	99	
LI	MS35897A MS35907C NOTICE 1	VALVE, PACKLESS, STOP, THREE-WAY FLARE CONNECTION ENDS (VALIDATION DATE: 8402) USER: MC ME REVIEWER: GS	A 4130	GL	16-MAR-78	GL	SH	99	
D	MS35910B NOTICE 1 MS35914F	PACKING, PREFORMED REVIEWER: CR OM SPARK PLUG: THREAD FORMS AND DATA (60 DEGREE THREAD FORM) (OTHER THAN AIRCRAFT) (VALIDATION DATE: 9009) USER: MC REVIEWER: B4 99 IS GASKET, SPARK PLUG MONAJRCHT (VALIDATION DATE: 9010) USER: MC REVIEWER: CS ME	A 5985 A THDS	AR AT	25-FEB-63 15-SEP-90	AR AT		11	
L	MS35915B	INSERT, SCREW THREAD - THREAD CUTTING (VALIDATION DATE: 8304) USER: AV REVIEWER: AT IS MI	A 5340	AR	20-SEP-77	AR		99	
L	MS35916D	LEAD, ELECTRICAL (STORAGE BATTERY) (VALIDATION DATE: 8501) REVIEWER: GS ... TACHOMETER, MECHANICAL FIXED MOUNTING - (4000 R.P.M.) USER: MC ME REVIEWER: GS MI	A 6140 A 6680	AT	30-DEC-77 11-JUL-91	AT			
D	MS35917C NOTICE 1 MS35918B NOTICE 1	ELBOW, TUBE, 90 AND 45 DEGREE, SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8610) USER: AR CE MC SH YD1 REVIEWER: GS MD	A 4730	GL	31-OCT-86	GL		99	
D	MS35919C NOTICE 1 MS35920C NOTICE 1 MS35921C NOTICE 1 MS35922C NOTICE 1 MS35923C	ADAPTER, STRAIGHT, PIPE THREAD TO TUBE, MALE SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8802) USER: MC REVIEWER: CS GS ME SH ADAPTER, STRAIGHT, PIPE TO TUBE, EXTERNAL FLARE TO FEMALE SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8610) USER: MC SH REVIEWER: CS ME REDUCER COUPLING, TUBE, MALE TO FEMALE SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8610) USER: MC REVIEWER: CS GS ME SH ADAPTER, STRAIGHT, PIPE TO TUBE, PIPE THD TO FEMALE SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8610) USER: MC REVIEWER: CS GS ME SH ELBOW, TUBE, 90 DEGREE, REDUCING, SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8610) USER: MC REVIEWER: ME SH	A 4730 A 4730 A 4730 A 4730 A 4730	GL GL GL GL GL	31-OCT-86 31-OCT-86 31-OCT-86 31-OCT-86 31-OCT-86	GL GL GL GL GL		99	
D	MS35924B NOTICE 1 MS35925B NOTICE 1 MS35926C NOTICE 1 MS35927C NOTICE 1 MS35928C	REDUCER COUPLING, TUBE, FEMALE TO FEMALE SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8201) USER: MC YD1 REVIEWER: CS GS ME SH PLUG AND CAP, TUBE, SOLDER-JOINT, REFRIGERATION USER: CE MC SH REVIEWER: AR CS MD	A 4730 A 4730	GL GL	31-OCT-86 12-FEB-88	GL GL	YD1	99	
D	MS35929C NOTICE 1 MS35930B	CONNECTION END, SOLDER-JOINT, REFRIGERATION (VALIDATION DATE: 8802) USER: MC REVIEWER: CS ME SH CONNECTION END, INTERNAL PIPE THREAD, REFRIGERATION (VALIDATION DATE: 8802) USER: MC REVIEWER: CS ME SH COUPLING, TUBE, WITH STOP, SOLDER-JOINT, REFRIGERATION USER: MC REVIEWER: CS ME SH	A 4730 A 4730	GL GL	31-OCT-86 31-OCT-86	GL GL	YD1	99	
D	MS35931B MS35932B MS35934B	ELBOW, TUBE, STREET, 90 AND 45 DEGREE, SOLDER-JOINT, REFRIGERATION USER: AR CE MC ME SH REVIEWER: CS GS MD TEE, TUBE, STRAIGHT, SOLDER JOINT, REFRIGERATION USER: AR MC YD1 REVIEWER: CS GS MD ME SH COCK, PLUG, SPRING KEY, THREADED TYPE, 50 P.S.I. (VALIDATION DATE: 7904) USER: ME MI REVIEWER: AT CS GL COCK, PLUG, GROUND KEY, THREADED TYPE, 125 P.S.I. (VALIDATION DATE: 8609) USER: ME REVIEWER: AT CS GL MI COCK, PLUG, THREE WAY, THREADED TYPE, 125 P.S.I. (VALIDATION DATE: 7904) REVIEWER: AT CS GL ME COCK, SHUT-OFF, SCREW STEM, THREADED TYPE, 150 P.S.I. (VALIDATION DATE: 8609) USER: GL MC ME MI REVIEWER: CS	A 4730 A 4730 A 4820 A 4820 A 4820	GL GL AR AR AR	31-OCT-86 12-FEB-88 28-SEP-73 05-SEP-86 28-SEP-73	GL GL AR AR AR		99	
	MS35939 NOTICE 1 MS35940A MS35945C	STOPPER, CLIP (HOLLOW) TYPE (VALIDATION DATE: 8803) USER: DM MD REVIEWER: O3 ME STOPPER, BOTTLE USER: DM MD REVIEWER: O3 ME RING, LABORATORY APPARATUS SUPPORT, CLOSED EXTENSION TYPE USER: ME REVIEWER: DP	A 6640 A 6640	EA	24-MAR-88 27-MAY-88 10-NOV-86	EA	MS	99	
	MS35950C MS35958C MS35959C MS35961C MS35965B MS35966B	FUNNEL, SEPARATORY, FOR SINGLE DROPS USER: DM MD REVIEWER: B2 AS ME DISH, EVAPORATING, PLATINUM USER: CE REVIEWER: MD ME DISH, EVAPORATING (BOROSILICATE GLASS) USER: CE REVIEWER: ME DISH, EVAPORATING, PORCELAIN USER: CE REVIEWER: MD ME DISH, MOISTURE DETERMINATION, ALUMINUM USER: CE REVIEWER: B2 MD ME CRUCIBLE, IGNITION, LABORATORY PORCELAIN (VALIDATION DATE: 8805) USER: CE REVIEWER: MD ME	A 6640 A 6640 A 6640 A 6640 A 6640 A 6640	EA	25-JAN-84 27-MAY-88 27-MAY-88 27-MAY-88 16-MAR-87 24-MAY-88	EA	MS	99	
	MS35967C	CRUCIBLE, IGNITION, LABORATORY NICKEL, WITH TONGUE-TYPE COVER USER: CE REVIEWER: MD ME	A 6640	EA	15-SEP-88	EA	MS	99	
	MS35968B	CRUCIBLE, IGNITION, LABORATORY ACID-LEACHED GLASS, WITH TONGUE-TYPE COVER (VALIDATION DATE: 8805) USER: CE REVIEWER: MD ME	A 6640	EA	24-MAY-88	EA	MS	99	
	MS35974C	CRUCIBLE, IGNITION, LABORATORY PLATINUM, WITH TONGUE-TYPE COVER USER: CE REVIEWER: MD ME	A 6640	EA	15-SEP-88	EA	MS	99	
	MS35979B MS35980B MS35990C	PIPET, BLOOD DILUTING THOMA AND SAMLI DESIGNS REVIEWER: B2 MD ME OS PIPETTE, MEASURING, GENERAL PURPOSE REVIEWER: B2 ME OS TRIPOD, LABORATORY APPARATUS, CONCENTRIC RING USER: ME MI REVIEWER: B2 DP MD	A 6640 A 6640 A 6640	EA	16-MAR-87 16-MAR-87 16-MAR-87	EA	MS	99	
	MS35991C MS35992C MS35998B MS36002 MS36004C MS36006B	TRIPOD, LABORATORY APPARATUS PLAIN RING USER: ME REVIEWER: B2 DP MD BEARER, LABORATORY GRIFFIN DESIGN REVIEWER: B2 AS MD ME TD ROD, GLASS USER: AS REVIEWER: O3 MD ME WATER BATH, ELECTRIC, CIRCULATING USER: DM MD REVIEWER: B2 ME CLAMP, RUBBER TUBING, SHUTOFF, LEVER TYPE USER: ME REVIEWER: DP MD CLAMP, RUBBER TUBING, SHUTOFF, PINCHCOCK TYPE, MOHR DESIGN, FLAT JAW USER: ME REVIEWER: MD	A 6640 A 6640 A 6640 A 6640 A 6640 A 6640	EA	16-MAR-87 16-MAR-87 04-DEC-85 16-JAN-84 04-DEC-85 04-DEC-85	EA	MS	99	
	MS36007B MS36013C MS36014C MS36015C MS36016C	CLAMP, SPHERICAL GROUND JOINT, LABORATORY GLASSWARE USER: ME CLAMP, UTILITY, LABORATORY, SWIVEL JAW USER: O3 ME REVIEWER: AS DP MD FRAME, LABORATORY APPARATUS SUPPORT USER: O3 ME REVIEWER: AS DP MD GRID, WIRE GAUZE, LABORATORY, PLAIN USER: O3 AS ME REVIEWER: MD GRID, WIRE GAUZE, LABORATORY, CERAMIC CENTER PATCH USER: O3 ME REVIEWER: AS DP MD	A 6640 A 6640 A 6640 A 6640 A 6640	EA	04-DEC-85 04-DEC-85 04-DEC-85 04-DEC-85 04-DEC-85	EA	MS	99	
	MS36019C	STAND, LABORATORY APPARATUS SUPPORT, ME/AL BASE, RECTANGULAR, GENERAL PURPOSE USER: O3 ME REVIEWER: B2 AS MD	A 6640	EA	04-DEC-85	EA	MS	99	
	MS36020C	STAND, LABORATORY APPARATUS SUPPORT PORCELAIN BASE, RECTANGULAR SHAPED USER: O3 ME MI REVIEWER: B2 AS MD	A 6640	EA	04-DEC-85	EA	MS	99	
	MS36022B MS36023C	TONGS, LABORATORY, WEIGHT IN PALM BEAKER TYPE USER: ER ME MI TONGS, LABORATORY CRUCIBLE, DOUBLE BENT USER: ME REVIEWER: DP MD	A 6640 A 6640	EA	11-AUG-87 11-AUG-87	EA	MS		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGSAction  
On / Out  
Combination  
Index  
Document  
NumberDocument  
TitleDist. Syst.  
FAC / Area  
MCA Symbol  
Preparing Agency  
DateCustodians  
Army  
Navy  
Air Force  
DIA

MS36025C	TONG, LABORATORY, EVAPORATING DISH TYPE USER: ME REVIEWER: DP MD	A 6640	EA	11-AUG-87	EA	MS	
MS36026C	TONGS, LABORATORY, FLASK TYPE USER: ME REVIEWER: DP MD	A 6640	EA	11-AUG-87	EA	MS	
MS36028A	STOPPER, BOTTLE USER: DM MD REVIEWER: O3 ME	A 6640	EA	27-MAY-88	EA	MS	99
MS36029	CLAMP, RUBBER TUBING, SHUTOFF USER: O3 B2 ME REVIEWER: O1 70 AS MD	A 6640	EA	04-DEC-85	EA	MS	99
MS36072	STOPPER, BOTTLE USER: DM MD REVIEWER: O3 ME	A 6640	EA	04-AUG-82	EA	MS	99
MS36074	BULB, PRESSURE AND CIRCULATING, LABORATORY, RUBBER [VALIDATION DATE: 8707]	A 6640	EA	07-JUL-87	EA	MS	99
NOTICE 1	USER: CE ME MI REVIEWER: MD						
MS36076A	CONNECTOR, ELASTIC TUBING, BRANCHED Y-SHAPED [VALIDATION DATE: 8801] USER:	A 6640	EA	01-JAN-88	EA	MS	99
NOTICE 1	CE ME MI REVIEWER: MD						
MS36078	GLASS TUBING, ROUND, CAPILLARY [VALIDATION DATE: 8705] USER: CE ME MI	A 6640	EA	21-JUN-81	EA	MS	99
NOTICE 1	REVIEWER: MD						
MS36080A	PUMP, ACID, HAND [VALIDATION DATE: 8801] USER: CE ME MI	A 6640	EA	11-JAN-88	EA	MS	99
NOTICE 1							
MS36082A	TUBE, CONNECTING, LABORATORY GLASSWARE	A 6640	EA	04-MAY-87	EA		99
MS36084B	FUNNEL, COMMON, LABORATORY SMOOTH [VALIDATION DATE: 7305] USER: ME	A 6640	EA	16-MAY-88	EA	MS	99
MS36087	THIMBLE, EXTRACTION (PAPER) [VALIDATION DATE: 7304] REVIEWER: ME	A 6640	EA	28-JUN-81	EA	MS	99
MS36088A	CRUCIBLE, FILTERING, LABORATORY (PORCELAIN, GOOCH) [VALIDATION DATE: 8801]	A 6640	EA	11-JAN-88	EA	MS	99
NOTICE 1	USER: ME						
MS36089B	CRUCIBLE, FILTERING, LABORATORY GLASS, GOOCH [VALIDATION DATE: 8801] USER:	A 6640	EA	11-JAN-88	EA	MS	99
NOTICE 1	ME						
MS36090A	HOLDER, FILTERING, CRUCIBLE (BAILEY) USER: ME	A 6640	EA	05-DEC-86	EA	MS	99
NOTICE 1							
MS36091B	HOLDER, FILTERING, CRUCIBLE (WALTER) USER: ME REVIEWER: MS	A 6640	EA	16-MAR-87	MS	99	MS
MS36092A	FUNNEL, FILTERING, LABORATORY (GLASS, BUCHNER) [VALIDATION DATE: 8711]	A 6640	EA	30-NOV-87	EA	MS	99
NOTICE 1	USER: ME						
MS36093A	FUNNEL, FILTERING, LABORATORY (PORCELAIN, BUCHNER) [VALIDATION DATE: 8711]	A 6640	EA	30-NOV-87	EA	MS	99
NOTICE 1	USER: ME						
MS36095B	GLASS WOOL, FILTERING USER: ME REVIEWER: MB	A 6640	EA	11-FEB-88	EA	MS	99
MS36097C	PAPER, FILTER (ANALYTICAL) [VALIDATION DATE: 8801] USER: ME REVIEWER: MS	A 6640	EA	11-JAN-88	EA	MS	99
NOTICE 1							
MS36160	BALANCE, SPECIFIC GRAVITY (CHAIN GRAMMOMETER TYPE) [VALIDATION DATE:	A 6630	EA	29-SEP-88	EA	MS	99
NOTICE 1	8809] USER: CG MC MD						
MS36163A	RACK, TEST TUBE, LABORATORY FOLDING, ALUMINUM [VALIDATION DATE: 7402]	A 6640	EA	20-JUN-69	EA	MS	
	USER: ME						
MS36166A	FILLING ATTACHMENT, TEST TUBE [VALIDATION DATE: 8706] USER: ME REVIEWER:	A 6640	EA	20-JUN-69	EA	MS	
NOTICE 1	99						
MS36171B	RACK, TEST TUBE, LABORATORY WASSERMAN TYPE USER: ME REVIEWER: DM MB	A 6640	EA	11-FEB-88	EA	MS	03
MS36172A	RACK, TEST TUBE, LABORATORY STEEL WIRE, RIGID TYPE [VALIDATION DATE: 7410]	A 6640	EA	20-JUN-69	EA	MS	99
	USER: ME						
MS36180A	TEST TUBE CULTURE AND GENERAL PURPOSE TYPE [VALIDATION DATE: 8706] USER:	A 6640	EA	20-JUN-69	EA	MS	
NOTICE 1	ME						
MS36182B	TUBE, EXTRACTION SOXHLET TYPE T JOINTS USER: ME	A 6640	EA	04-MAY-87	EA	MS	
MS36183A	TEST TUBE IGNITION, HEAVY WALL [VALIDATION DATE: 8706] USER: ME	A 6640	EA	20-JUN-69	EA	MS	99
NOTICE 1							
MS36194A	EXTRACTOR ASSEMBLY SOXHLET, MEDIUM SIZE	A 6640	EA	27-MAR-87	EA	MS	99
MS36196A	DISTILLING APPARATUS, LABORATORY WATER, ELECTRICALLY AND STEAM HEATED	A 6640	EA	05-DEC-86	EA	MS	99
NOTICE 1							
MS36197A	DISTILLING APPARATUS, LABORATORY WATER, UNITIZED GLASS	A 6640	EA	27-MAR-87	EA	MS	99
MS36199A	DISTILLING APPARATUS, LABORATORY KJELDAHL, NITROGEN DETERMINATION	A 6640	EA	27-MAR-87	EA	MS	99
	TWIN-UNIT, ELECTRIC REVIEWER: AS MD						
MS36206B	SPATULA, LABORATORY, MICRO, DOUBLE BLADE USER: DM MD REVIEWER: B2 CE ME	A 6640	EA	16-JAN-84	EA	MS	99
MS36207	SPATULA, LABORATORY [VALIDATION DATE: 8801]	A 6640	EA	11-JAN-88	EA	MS	99
NOTICE 1							
MS36208C	SPATULA, LABORATORY, STEEL, WOOD HANDLE USER: DM MD REVIEWER: B2	A 6640	EA	16-JAN-84	EA	MS	99
MS36220	MANTLE, HEATING, ELECTRICAL, RESILIENT GLASS FABRIC, SPHERICAL [VALIDATION	A 6640	EA	22-JUN-79	EA	MS	99
	DATE: 85021						
MS36221	MANTLE, HEATING, ELECTRICAL, RESILIENT GLASS FABRIC, HEMISPHERICAL	A 6640	EA	22-JUN-79	EA	MS	99
	[VALIDATION DATE: 85021]						
MS36223	MANTLE, HEATING, ELECTRICAL, TABLE MODEL, WITHOUT BUILT IN TEMPERATURE	A 6640	EA	22-JUN-79	EA	MS	99
	CONTROL [VALIDATION DATE: 85021]						
MS36241	TUBE CENTRIFUGE [VALIDATION DATE: 8809] USER: DM MD REVIEWER: O3 ME	A 6640	EA	19-SEP-88	EA	MS	99
NOTICE 1							
MS36250B	PLATE, SPOT TEST [VALIDATION DATE: 8803] USER: CE MI REVIEWER: O3 MD	A 6640	EA	17-FEB-82	EA	MS	99
MS36252B	CORROSION TEST STRIP COPPER [VALIDATION DATE: 8803] USER: CE ME MI	A 6640	EA	24-MAR-88	EA	MS	99
MS36253B	LITMUS PAPER, ACS [VALIDATION DATE: 8803] USER: CE MI REVIEWER: O3 ME	A 6640	EA	24-MAR-88	EA	MS	99
NOTICE 1							
MS36254A	ADAPTER, LABORATORY GLASSWARE, BUSHING TYPE	A 6640	EA	10-APR-87	EA	MS	99
MS36256B	ADAPTER, LABORATORY GLASSWARE, CURVED	A 6640	EA	10-APR-87	EA	MS	99
MS36257A	ADAPTER, LABORATORY GLASSWARE THREE-WAY	A 6640	EA	10-APR-87	EA	MS	99
MS36258A	ADAPTER, LABORATORY GLASSWARE, SUCTION TYPE	A 6640	EA	10-APR-87	EA	MS	99
MS36259A	BEAD, GLASS, LABORATORY [VALIDATION DATE: 8707] USER: ME	A 6640	EA	07-JUL-87	EA	MS	99
NOTICE 1							
MS36260A	BULB, CONNECTING, KJELDAHL, SPHERICAL TYPE USER: DM MD REVIEWER: B2 ME	A 6640	EA	16-JAN-84	EA	MS	99
MS36263C	CONDENSER, LABORATORY, FRIEDRICH'S TYPE USER: DM MD REVIEWER: B2 ME	A 6640	EA	16-JAN-84	EA	MS	99
MS36266A	DISTILLING TRAP, CRANKCASE DILUTION	A 6640	EA	05-DEC-86	EA	MS	99
NOTICE 1							
MS36270B	CHIMNEY AND SUPPORT, LABORATORY GAS BURNER REVIEWER: MD	A 6640	EA	07-JUL-87	EA	MS	
MS36277A	BURNER, GAS, LABORATORY, TOUCH OPERATED	A 6640	EA	17-JUN-87	EA	MS	99
NOTICE 1							
MS36281	BURNER, ALCOHOL [VALIDATION DATE: 8707]	A 6640	EA	22-JUN-82	EA	MS	99
NOTICE 1							
MS36284B	BOTTLE, ASPIRATOR USER: DM DP MD ME MM REVIEWER: DM GL	A 6640	EA	17-JUL-87	EA	MS	
MS36286A	BOTTLE, DROPPING, TK [VALIDATION DATE: 8707] REVIEWER: DM DP ME	A 6640	EA	07-JUL-87	EA	MS	99
NOTICE 1							
MS36287A	BOTTLE, GAS WASHING REVIEWER: AR DM DP GL ME	A 6640	EA	17-JUL-87	EA	MS	
MS36290A	BOTTLE, SPECIFIC GRAVITY, CHAMMAN USER: CE REVIEWER: DM	A 6640	EA	17-JUL-87	EA	MS	
MS36292A	BOTTLE, WEIGHING (CAP TYPE, GLASS) USER: DM MD REVIEWER: B2 ME	A 6640	EA	16-JAN-84	EA	MS	99
MS36295B	JAR, BELL (GLASS AND PLASTIC STYLE) REVIEWER: DM DP	A 6640	EA	10-APR-87	EA	MS	99
MS36296B	JAR, CYLINDRICAL, LABORATORY USER: AR CG DM MD ME MM REVIEWER: DM DP	A 6640	EA	10-APR-87	EA	MS	99
MS36322B	MICROTOME, ROTARY TYPE REVIEWER: AS MD ME	A 6640	EA	20-SEP-88	EA	MS	99
MS36324A	OBJECT DISK, MICROTOME AND SPECIMEN HOLDER [VALIDATION DATE: 8807]	A 6640	EA	19-JUL-88	EA	MS	99
	REVIEWER: AS MD ME						
MS36342	BURNER, GAS, LABORATORY, BUNSEN TYPE, ACETYLENE	A 6640	EA	17-JUN-87	EA	MS	99
NOTICE 1							
MS36344	BURNER, ALCOHOL, BARTHEL TYPE	A 6640	EA	07-JUL-87	EA	MS	99
NOTICE 1							
MS36345C	SHIELD, HEAT, DISTILLING FLASK	A 6640	EA	30-JAN-78	EA	MS	99
MS36346	HEATER, ELECTRICAL [VALIDATION DATE: 8801]	A 6640	EA	11-JAN-88	EA	MS	99
NOTICE 1							
MS36348A	WATER BATH, ELECTRIC - MUSTOLOGICAL USER: DM MD REVIEWER: B2 ME	A 6640	EA	16-JAN-84	EA	MS	99
MS36351A	OVEN, LABORATORY GRAVITY CONVECTION [VALIDATION DATE: 8801] REVIEWER: MD	A 6640	EA	11-JAN-88	EA	MS	
NOTICE 1							
MS36352B	INCUBATOR, BACTERIOLOGICAL GRAVITY CONNECTION REVIEWER: O3 AS MS MD YD1	A 6640	EA	25-FEB-88	EA	MS	
MS36357C	WATER BATH, ELECTRIC SEROLOGICAL USER: DM MD REVIEWER: B2 AS ME	A 6640	EA	16-JAN-84	EA	MS	99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Or: OMA Coordination Include Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preceding Any Date	Custodians			
				Army	Navy	Air Force	OMA
MS36366A NOTICE 1	STOPPER, BOTTLE, GLASS, PENNYHEAD, STD TAPER (VALIDATION DATE: 8801) USER: DP NM REVIEWER: DM	A 6640	EA 11-JAN-88	EA	MS	99	
MS36367A NOTICE 1	STOPPER, BOTTLE, RUBBER, PERFORATED (VALIDATION DATE: 8801) USER: DP MD NM REVIEWER: DM	A 6640	EA 11-JAN-88	EA	MS	99	
MS36368A NOTICE 1	STOPPER, BOTTLE, RUBBER, SOLID (VALIDATION DATE: 8801) USER: NM REVIEWER: DM DP	A 6640	EA 11-JAN-88	EA	MS	99	
MS36370 NOTICE 1	PIPET, DROPPING (VALIDATION DATE: 8808) USER: DM MD REVIEWER: O3 ME	A 6640	EA 17-AUG-88	EA	MS	99	
MS36371A NOTICE 1	PUMP, PIPET, AUTOMATIC USER: DM MD REVIEWER: O3 ME	A 6640	EA 31-OCT-88	EA	MS	99	
MS36372A NOTICE 1	TIP, PIPET USER: DM MD REVIEWER: O3 ME	A 6640	EA 31-OCT-88	EA	MS	99	
MS36377A NOTICE 1	ROD, STIRRING, LABORATORY USER: DM MD REVIEWER: O3 ME	A 6640	EA 31-OCT-88	EA	MS	99	
MS36378A NOTICE 1	ROD, STIRRING, LABORATORY USER: DM MD REVIEWER: O3 ME	A 6640	EA 31-OCT-88	EA	MS	99	
MS36379 NOTICE 1	ROD, STIRRING, LABORATORY (VALIDATION DATE: 8808) USER: DM MD REVIEWER: O3 ME	A 6640	EA 17-AUG-88	EA	MS	99	
L MS36419	CARBON REMOVING COMPOUND SINGLE PHASE REVIEWER: GL GS MD MI	A 6850	EA 12-MAR-65	EA			
L MS36420	CARBON REMOVING COMPOUND ORTHODICHLOROBENZENE REVIEWER: GS	A 6850	EA 12-MAR-65	EA			
L MS36427	CLEANING COMPOUND, WATER WASH, PAINT SPRAY BOOTH REVIEWER: GS	A 6850	EA 12-MAR-65	EA			
L MS36434	CLEANING COMPOUND, SOLVENT FUEL TANK AND BILGE USER: SM REVIEWER: GL GS MI	A 6850	EA 12-MAR-65	EA			
L MS36435	CLEANING COMPOUND, SOLVENT HEAVY DUTY USER: SM REVIEWER: GL GS MD MI	A 6850	EA 12-MAR-65	EA			
L MS36436	CLEANING COMPOUND, SOLVENT SELF-EMULSIFYING USER: SM REVIEWER: GL GS MD MI	A 6850	EA 12-MAR-65	EA			
L MS36437	CLEANING COMPOUND, SOLVENT BORE CLEANER USER: SM REVIEWER: GL GS MD MI	A 6850	EA 12-MAR-65	EA			
L MS36444A	STOPPER, BOTTLE COMBINATION SOLID OR PERFORATED USER: O3 DP MD NM REVIEWER: DM	A 6640	EA 26-JAN-88	EA	MS	99	
MS36452A NOTICE 1	STANDARD SOLUTION KIT, HYDROGEN ION METER USER: CE MC REVIEWER: MD	A 6630	EA 29-JAN-88	EA	MS	99	
MS36453A NOTICE 1	STANDARD SOLUTION SET, HYDROGEN ION METER USER: CE MC REVIEWER: MD	A 6630	EA 29-JAN-88	EA	MS	99	
MS36456 NOTICE 1	COMPARATOR, COLOR DISK-TYPE, AQUA TESTER USER: CE MC	A 6630	EA 29-JAN-88	EA	MS	99	
MS36462 NOTICE 1	COMPARATOR, COLOR SLIDE-TYPE, PH USER: CE MC	A 6630	EA 29-JAN-88	EA	MS	99	
MS36469 NOTICE 1	METER, HYDROGEN ION TEST POCKET TYPE USER: CE MC	A 6630	EA 29-JAN-88	EA	MS	99	
MS36472A NOTICE 1	TEST PAPER & CHART/DISPENSER HYDROGEN ION USER: CE MC REVIEWER: AS MD	A 6640	EA 29-JAN-88	EA	MS	99	
MS36524 NOTICE 1	ANALYZER, OXYGEN (PORTABLE, DEFLECTION TYPE) (VALIDATION DATE: 8606) REVIEWER: ME MI	A 6630	EA 12-JUN-86	EA	MS	99	
MS36525A	ANALYZER, OXYGEN (SEMI-PORTABLE, DEFLECTION TYPE) USER: ER REVIEWER: AR ME MI	A 6630	EA 24-JUL-86	EA	MS	99	
MS36526A	ANALYZER, OXYGEN, DUAL-RANGE USER: ER REVIEWER: AR ME MI	A 6630	EA 24-JUL-86	EA	MS	99	
MS36531A	TENSIONMETER, LIQUID, DU MOUTY TYPE, RING METHOD USER: ER REVIEWER: AR ME MI	A 6630	EA 24-JUL-86	EA	MS	99	
MS36535A NOTICE 1	SCRAPER, LABORATORY TRIANGULAR SHAPED USER: CE	A 6640	EA 29-JAN-88	EA	MS	99	
MS36537A NOTICE 1	BALANCE, SPECIFIC GRAVITY DETERMINATION WESTPHAL	A 6630	EA 07-OCT-68	EA	MS	99	
MS36538B	HYDROMETER, GRADUATED SCALE GENERAL USE USER: CG MC ME REVIEWER: O3 MD	A 6630	EA 18-JUN-86	EA	MS	99	
MS36539A	HYDROMETER, GRADUATED SCALE API GRAVITY (WITH THERMOMETER) USER: AR AV CG ER ME OS REVIEWER: O3 MD	A 6630	EA 18-JUN-86	EA	MS	99	
MS36545A	TESTER, ANTIFREEZE SOLUTIONS USER: AR AV CG ER MC ME OS	A 6630	EA 18-JUN-86	EA	MS	99	
MS36546A	TESTER, BATTERY ELECTROLYTE SOLUTION USER: AR AV CG ER MC ME OS	A 6630	EA 18-JUN-86	EA	MS	99	
MS36547A	TESTER, BATTERY ELECTROLYTE SOLUTION (TROPICAL, ARTIC. AND TEMPERATE TYPES) USER: AR AV CG ER MC ME OS	A 6630	EA 18-JUN-86	EA	MS	99	
MS36549A NOTICE 1	URINOMETER USER: AV CG MC ME REVIEWER: MD	A 6640	EA 18-JUN-86	EA	MS	99	
MS36550	STAND, LABORATORY APPARATUS SUPPORT TRIPOD SHAPED BASE USER: O3 ME REVIEWER: B2 AS MD	A 6640	EA 04-DEC-85	EA	MS	99	
MS36554A	DISK, FILTERING, MICROPOROUS USER: DM MD REVIEWER: B2 ME	A 6640	EA 03-FEB-84	EA	MS	99	
MS36557A NOTICE 1	WATER QUALITY CONTROL SET USER: CE REVIEWER: ME	A 6630	EA 29-JAN-88	EA	MS	99	
MS36561B NOTICE 1	TONGS, LABORATORY DOUBLE GRIP BEAKER TYPE USER: ME REVIEWER: DP MD	A 6640	EA 11-AUG-87	EA	MS	99	
MS36564A NOTICE 1	BULB, CIRCULATING, LABORATORY USER: DM MD REVIEWER: B2 AS ME	A 6640	EA 17-FEB-84	EA	MS	99	
MS36565A NOTICE 1	ASPIRATOR BULB ASSEMBLY USER: CE ME MI	A 6640	EA 17-JUL-87	EA	MS	99	
MS36567 NOTICE 1	SPLASH ELIMINATOR, FILTER PUMP (VALIDATION DATE: 8801) USER: CE ME MI	A 6640	EA 11-JAN-88	EA	MS	99	
MS36573A NOTICE 1	PIPET, DROPPING GENERAL PURPOSE REVIEWER: MD ME	A 6640	EA 22-JAN-88	EA	MS	99	
MS36575 NOTICE 1	PIPET, NONVOLUMETRIC DISPOSABLE (VALIDATION DATE: 8801) REVIEWER: MD ME	A 6640	EA 11-JAN-88	EA	MS	99	
MS36577A NOTICE 1	FUNNEL, COMMON, LABORATORY USER: DM MD REVIEWER: B2 ME	A 6640	EA 03-FEB-84	EA	MS	99	
MS36578A NOTICE 1	FUNNEL, COMMON, LABORATORY, ANALYTICAL USER: DM MD REVIEWER: B2 ME	A 6640	EA 03-FEB-84	EA	MS	99	
MS36579A	CRUCIBLE, FILTERING, LABORATORY PORCELAIN GOOD (POROUS) USER: DM MD REVIEWER: B2 ME	A 6640	EA 03-FEB-84	EA	MS	99	
MS36581 NOTICE 1	BRIDGE, CONDUCTIVITY METER USER: CE REVIEWER: ER ME	A 6630	EA 29-JAN-88	EA	MS	99	
MS36582	TURBIDIMETER, WATER TESTING (VALIDATION DATE: 8801) USER: CL REVIEWER: ER ME	A 6630	EA 11-JAN-88	EA	MS	99	
MS36583 NOTICE 1	ELECTRODE, HYDROGEN METER (COMBINATION TYPE) USER: CE MC REVIEWER: MD	A 6630	EA 29-JAN-88	EA	MS	99	
MS36584 NOTICE 1	ELECTRODE, HYDROGEN METER (ION SELECTIVE TYPE) USER: CE MC REVIEWER: MD	A 6630	EA 29-JAN-88	EA	MS	99	
MS36585 NOTICE 1	ELECTRODE, HYDROGEN METER (METALLIC TYPE)	A 6630	EA 29-JAN-88	EA	MS	99	
MS36586 NOTICE 1	ELECTRODE, HYDROGEN METER (REFERENCE TYPE)	A 6630	EA 29-JAN-88	EA	MS	99	
MS36587 NOTICE 1	PIPET, SEROLOGICAL POLYPROPYLENE (VALIDATION DATE: 8801) USER: DM MD REVIEWER: O3 ME	A 6640	EA 11-JAN-88	EA	MS	99	
MS36596 NOTICE 1	CULTURE COLLECTION & TRANSPORT SYSTEM (VALIDATION DATE: 8801) REVIEWER: O3	A 6640	EA 11-JAN-88	EA	MS	99	
MS36598A NOTICE 1	TEST TUBE, DISPOSABLE (VALIDATION DATE: 7403) USER: ME	A 6640	EA 20-JUN-69	EA	MS	99	
MS36600A NOTICE 1	CONNECTOR, ELASTIC TUBING, BRANCHED T-SHAPED USER: CE ME MI REVIEWER: MD	A 6640	EA 10-MAR-88	EA	MS	99	
MS39000C	SHANK, SCARIFIER, BACK-RIP, BULLDOZER (VALIDATION DATE: 8205) USER: CE MC REVIEWER: CS	A 3830	ME 21-APR-70	ME			
MS39015B NOTICE 1	ELBOW, ELECTRICAL CONDUIT: WITH INSULATOR, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) (VALIDATION DATE: 9101) USER: MC ME REVIEWER: 99 ER GS	A 5975	AT 14-JAN-91	AT	85		
MS39016B NOTICE 1	NUT, COUPLING, ELECTRICAL CONDUIT SPARK PLUG CABLE (OTHER THAN AIRCRAFT) USER: MC ME YD1 REVIEWER: 99 ER GS	A 5975	AT 16-JAN-89	AT	85		
MS39018A NOTICE 1	FERRULE, ELECTRICAL CONDUIT, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) (VALIDATION DATE: 8708) USER: GL ME REVIEWER: AR OR ER GS	A 5975	AT 31-AUG-87	AT	85		
MS39019A NOTICE 1	ELBOW, ELECTRICAL CONDUIT, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) (VALIDATION DATE: 8711) USER: MC ME REVIEWER: 99 ER GS MI	A 5975	AT 12-NOV-87	AT	85		
MS39021F NOTICE 1	SPEEDOMETER, MECHANICAL (0-60 MPH) USER: MC ME REVIEWER: GS MI	A 6680	AT 11-JUL-91	AT	85		
MS39026A NOTICE 1	HANGER, CABLE (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS	A 5975	ER 19-DEC-67	ER	85		
MS39030A	BRACE, CROSSARM, FLAT (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS	A 5975	ER 19-DEC-67	ER	YD1 85		
MS39040A	BRIDLE RING (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS	A 5975	ER 19-DEC-67	ER	85		
MS39045A	DRIVE RING (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS	A 5975	ER 10-MAY-68	ER	YD1 85		
MS39046A	CLAMP, ELECTRICAL, LASHING (POLE LINE) (VALIDATION DATE: 8307) USER: MC REVIEWER: 99 GS	A 5975	ER 10-MAY-68	ER	85		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Qty / Out Coordination Inchance	Document Number	Document Title	Dist. Serv. FSC / Ave MCA Symbol	Preparing Date	Custodians			
					Army	Navy	Air Force	DLA
D	MS39049A	STEP, POLE, STEEL, DRIVE [VALIDATION DATE: 8307] USER: MC REVIEWER: 99 GS	A 5975	ER 10-MAY-68	ER	YD1	85	
L	MS39051A	HANGER, WIRE STRAND FOR ANGLE USE, THREE HOLES (POLE LINE) [VALIDATION DATE: 8307] REVIEWER: GS	A 5975	ER 13-JUN-67	ER			
L	MS39058B	SWITCH, SENSITIVE, 24-VOLT DC (WATERPROOF) REVIEWER: ES MI	A 5930	AT 16-FEB-88	AT			
L	MS39061B	SWITCH, TOGGLE, SPST, SPDT, 24 VOLT DC, 25 AMP (WATERPROOF) [VALIDATION DATE: 8502] USER: ME REVIEWER: AR ES	A 5930	AT 01-OCT-63	AT			
L	MS39085A	BRACKET, ANGLE, CABLE CLAMP SUPPORT (INACTIVE 5-25-73) [VALIDATION DATE: 8504] REVIEWER: IS	A 5340	AR 25-MAY-73	AR			
	MS39086B	PIH, SPRING, TUBULAR, COILED, HEAVY DUTY [VALIDATION DATE: 8203] USER: AT EL MC REVIEWER: 82 AV IS MI	A 5315	AR 23-MAY-69	AR		99	
	MS39087F	HANDLE, BOW USER: AT ER ME REVIEWER: AV IS MI	A 5340	AR 04-JUN-90	AR		99	
	MS39103D	CUTTING EDGE MOLDBOARD, DOZER [VALIDATION DATE: 8302] USER: MC REVIEWER: CS	A 3830	ME 12-SEP-72	ME		99	
	MS39104C	END BITS, DOZERS [VALIDATION DATE: 8205] USER: MC REVIEWER: CS	A 3830	ME 06-MAY-70	ME		99	
	MS39125C	DRILL RODS AND BITS, STAR, ROCK DRILL DRILL, PNEUMATIC, SINKER USER: CE MC REVIEWER: CS	A 3820	ME 16-MAR-84	ME		99	
L	MS39127A	TRAY SCREEN SIZES AND EDGING FOR AGGREGATE SCREENS [VALIDATION DATE: 8201] REVIEWER: CS	A 3820	ME 08-MAR-71	ME			
L	MS39130D	ADAPTER, SPEEDOMETER-TACHOMETER, 90 DEG. DRIVE USER: ME REVIEWER: GS	A 6680	AT 14-NOV-85	AT			
L	MS39132C	ADAPTER, SPEEDOMETER-TACHOMETER STRAIGHT DRIVE USER: ME REVIEWER: 99 GS	A 6680	AT 25-AUG-80	AT			
L	MS39133E	ADAPTER, STRAIGHT, PIPE TO HOSE-AUTOMOTIVE AIR BRAKE HOSE REVIEWER: 82 AR CS EA	A 4730	ME 15-MAY-89	ME		99	
	MS39134D	SPRING, HELICAL, COMPRESSION: MECHANICAL-AUTOMOTIVE AIR BRAKE HOSE ADAPTER REVIEWER: 82 AR CS EA	A 4730	ME 15-MAY-89	ME		99	
	MS39135E	MUT. HOSE COUPLING, AUTOMOTIVE AIR BRAKE HOSE ADAPTER REVIEWER: AR CS EA	A 4730	ME 15-MAY-89	ME		82	
	MS39136E	SLEEVE COMPRESSION, TUBE-HOSE FITTING-AUTOMOTIVE AIR BRAKE HOSE ADAPTER REVIEWER: 82 AR CS EA	A 4730	ME 15-MAY-89	ME		99	
	MS39137E	ADAPTER BODY, AUTOMOTIVE AIR BRAKE REVIEWER: 82 AR CS EA	A 4730	ME 15-MAY-89	ME		99	
D	MS39153A	COUPLING, QUICK DISCONNECT, 3-AND 4-INCH, FOR CONSTRUCTION EQUIPMENT [VALIDATION DATE: 9007]	A 3895	ME 26-JUL-90	ME	YD1	99	
L	MS39155	ADAPTER, STRAIGHT, PIPE TO HOSE - MALE, REUSABLE [VALIDATION DATE: 8504] ..	A 4730	AR 09-MAR-62	AR			
L	MS39156	ADAPTER, STRAIGHT, TUBE TO HOSE - 37 DEG. FLARE, FEMALE, REUSABLE [VALIDATION DATE: 8504]	A 4730	AR 09-MAR-62	AR			
L	MS39170K	ELBOW, TUBE, 90 DEG., TAPERED SLEEVE (COMPRESSION) TYPE, AUTOMOTIVE [VALIDATION DATE: 8206] USER: AT AV REVIEWER: CS ME MI	A 4730	AR 17-MAY-76	AR			
L	MS39189E	TEE, PIPE TO TUBE, FEMALE PIPE END ON RUN, MALE PIPE END ON BRANCH, FOR AIR LINES, SPHERICAL SLEEVE [VALIDATION DATE: 8301] USER: AT MC REVIEWER: CS ME MI	A 4730	AR 10-DEC-76	AR			
L	MS39193D	TEE, PIPE TO TUBE, FEMALE PIPE END ON RUN, FOR AIRLINES, SPHERICAL SLEEVE [VALIDATION DATE: 8504] USER: AT MC REVIEWER: CS ME MI	A 4730	AR 10-DEC-76	AR			
L	MS39198E	TEES, TUBE SAFETY SLEEVE COMPRESSION TYPE, INACTIVE USE MS 51811	A 4730	AT 14-SEP-87				
L	MS39199E	WIPPLES, TUBE SAFETY SLEEVE COMPRESSION TYPE BULKHEAD MOUNTING (INACTIVE USE MS 51812)	A 4730	AT 14-SEP-87				
L	MS39200E	ELBOWS, TUBE - SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, FEMALE PIPE END (USE MS51813) USER: EL REVIEWER: CS ME	A 4730	AT 26-FEB-82	AT			
L	MS39201E	WIPPLES, TUBE SAFETY SLEEVE COMPRESSION TYPE (INACTIVE USE MS 51814)	A 4730	AT 16-SEP-87				
L	MS39202E	ELBOWS, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, 90 DEGREE, MALE PIPE END (INACTIVE USE MS 51815)	A 4730	AT 16-SEP-87				
L	MS39203E	ADAPTERS, STRAIGHT, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE PIPE END (INACTIVE USE MS 51816)	A 4730	AT 16-SEP-87				
L	MS39204E	ELBOWS, PIPE TO TUBE - SAFETY SLEEVE COMPRESSION TYPE, 45 DEGREE, MALE PIPE END (USE MS51817) USER: EL REVIEWER: CS ME	A 4730	AT 16-SEP-87	AT			
L	MS39206E	ADAPTERS, STRAIGHT, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE END (INACTIVE USE MS 51819) [VALIDATION DATE: 8709]	A 4730	AT 17-SEP-87				
L	MS39207E	ELBOWS, TUBE SAFETY SLEEVE COMPRESSION TYPE 90 DEGREE (INACTIVE USE MS 51820) [VALIDATION DATE: 8709]	A 4730	AT 17-SEP-87				
L	MS39208E	TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, FEMALE PIPE SIDE, (INACTIVE USE MS 51821) [VALIDATION DATE: 8709]	A 4730	AT 17-SEP-87				
L	MS39209E	TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE FEMALE PIPE END (INACTIVE USE MS 51822) [VALIDATION DATE: 8709]	A 4730	AT 18-SEP-87				
L	MS39210F	MUT. TUBE COUPLING - SAFETY SLEEVE COMPRESSION TYPE	A 4730	AT 29-AUG-86				
L	MS39211E	TEES, PIPE TO TUBE SAFETY SLEEVE COMPRESSION TYPE, MALE PIPE END (INACTIVE USE MS 51824) [VALIDATION DATE: 8709]	A 4730	AT 26-FEB-82				
L	MS39212E	SLEEVES, COMPRESSION, TUBE HOSE FITTING SAFETY SLEEVE TYPE (INACTIVE USE MS 51825) [VALIDATION DATE: 8709]	A 4730	AT 18-SEP-87				
D	MS39230B	ELBOW, PIPE-STREET, 90 DEG (150 & 300 LBS) [VALIDATION DATE: 8708] USER: AV GL MC REVIEWER: 82 AT CS ME	A 4730	YD1 20-AUG-87	AR	YD1	99	
D	MS39231B	ELBOW, PIPE STREET, 45 DEG., (150 & 300 POUNDS) [VALIDATION DATE: 8708]	A 4730	YD1 20-AUG-87	AR	YD1	99	
D	MS39232B	REDUCER, PIPE RIGHT HAND THREAD (150 & 300 POUNDS) [VALIDATION DATE: 8708]	A 4730	YD1 20-AUG-87	AR	YD1	99	
D	MS39233C	USER: AT AV GL MC REVIEWER: 82 CS ME	A 4730	YD1 11-JUL-86	AR	YD1	99	
D	MS39238A	COUPLING, PIPE STRAIGHT (150 & 300 POUNDS) USER: AV GL MC REVIEWER: AT CS ME	A 4730	YD1 11-JUL-86	AR	YD1	99	
D	MS39238A	CUTTING EDGE, SCRAPER BOWL, EARTH MOVING, 18 CUBIC YARD [VALIDATION DATE: 8205] REVIEWER: CS	A 3805	ME 02-MAY-67	ME	YD1	99	
D	MS39239A	PULLEY, GROOVE, FRACTIONAL HORSEPOWER [VALIDATION DATE: 8604]	A 3020	AT 22-JUN-81	AT	YD1	99	
D	MS39240B	BELTS, V: FRACTIONAL HORSEPOWER (2L OR 6R CROSS-SECTIONAL DESIGNATION) [VALIDATION DATE: 8905] REVIEWER: CS	A 3030	AT 17-MAY-89	AT		99	
	MS39241B	BELT, V: FRACTIONAL HORSEPOWER (3L AND 9R CROSS-SECTIONAL DESIGNATION) [VALIDATION DATE: 8905] REVIEWER: CS	A 3030	AT 17-MAY-89	AT		99	
	MS39242B	BELT, V: FRACTIONAL HORSEPOWER (4L AND 13R CROSS-SECTIONAL DESIGNATION) [VALIDATION DATE: 8905] REVIEWER: CS	A 3030	AT 17-MAY-89	AT		99	
	MS39243B	BELT, V: FRACTIONAL HORSEPOWER (5L AND 16R CROSS-SECTIONAL DESIGNATION) [VALIDATION DATE: 8905] REVIEWER: CS	A 3030	AT 17-MAY-89	AT		99	
	MS39247	AIR CLEANER, INTAKE, DRY TYPE, FOR INTERNAL COMBUSTION ENGINES (CLASS I AND CLASS II) [VALIDATION DATE: 8712] USER: MC REVIEWER: CS	A 2940	ME 14-DEC-87	ME		99	
D	MS39254C	CYLINDER, ENGINE STARTING (ENGINE COLD - STARTING AID) USER: MC REVIEWER: AT	A 2910	ME 11-JAN-91	ME	YD1	99	
D	MS39255B	BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "A" AND "13C" CROSS SECTION [VALIDATION DATE: 8905] REVIEWER: CS	A 3030	AT 17-MAY-89	AT	YD1	99	
D	MS39256B	BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "B" AND "16C" CROSS SECTION [VALIDATION DATE: 8905] USER: MC REVIEWER: AV CS	A 3030	AT 19-MAY-89	AT	YD1	99	
D	MS39258B	BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "D" AND "32C" CROSS SECTION [VALIDATION DATE: 8905] REVIEWER: AV CS	A 3030	AT 19-MAY-89	AT	YD1	99	
D	MS39259B	BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "E" CROSS SECTION [VALIDATION DATE: 8905] USER: MC REVIEWER: AV CS	A 3030	AT 19-MAY-89	AT	YD1	99	
D	MS39260A	PULLEY, INDUSTRIAL (MULTIPLE DRIVE) STANDARD DEEP AND NARROW GROOVE [VALIDATION DATE: 8905] REVIEWER: AR	A 3030	AT 19-MAY-89	AT	YD1	99	
L	MS39266B	HOSE ASSEMBLY, RUBBER: HYDRAULIC, PRESSURE TYPE, LENGTH MEASUREMENT [VALIDATION DATE: 8905] USER: SH REVIEWER: 99 AR	A 4720	AT 31-MAY-89	AT			
L	MS39267C	HOSE, RUBBER: HYDRAULIC, PRESSURE TYPE MINIMUM BEND RADIUS [VALIDATION DATE: 8905]	A 4720	AT 31-MAY-89	AT		99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action	Doc. / Chg. / Coordination / Inactive	Document Number	Document Title	Dist. SSM	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians		
									Army	Navy	AF / Force / DLA
		MS39281	BELTING, RUBBER COVERED, CONVEYOR, DITCHING MACHINE, DISCHARGE WITH CLEATS AND GUIDE STRIP, FULLY MOLDED [VALIDATION DATE: 8501]	A	3030	AT	11-MAR-66	AT	99		
		MS39297	ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE, 4 CYCLE, 1 1/2 H-T	A	2805	ME	05-NOV-57	ME	99		
		MS39298	CONTINUOUS HP [VALIDATION DATE: 8711]	A	2805	ME	05-NOV-87	ME	MC	99	
D		MS39299	ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE 4-CYCLE, 3 NET CONTINUOUS H P [VALIDATION DATE: 8711]	A	2805	ME	05-NOV-87	ME	MC	99	
D		MS39300	ENGINE, GASOLINE, AIR-COOLED, INDUSTRIAL-TYPE, 4 CYCLE, 6 NET CONTINUOUS H.P. [VALIDATION DATE: 8711] USER: EL YD1	A	2805	ME	05-NOV-87	ME	MC	99	
D		MS39301	ENGINE, GASOLINE, AIR COOLED, INDUSTRIAL TYPE, 4-CYCLE, 10 NET CONTINUOUS H P USER: YD1	A	2805	ME	05-NOV-87	ME	MC	99	
D		MS39302	ENGINE, GASOLINE, 2 CYLINDER, HORIZONTAL OPPOSED AIR COOLED, 14 HP [VALIDATION DATE: 8711] USER: YD1	A	2805	ME	05-NOV-87	ME	MC	99	
D		MS39302	ENGINE, GASOLINE, AIR COOLED, INDUSTRIAL-TYPE, 4-CYCLE, 20 NET CONTINUOUS H P [VALIDATION DATE: 8711] USER: YD1	A	2805	ME	05-NOV-87	ME	MC	99	
L		MS393208	HOSE ASSEMBLY: MEASUREMENT OF COUPLING ORIENTATION ANGLE [VALIDATION DATE: 8905] USER: AR MC REVIEWER: 99	A	4720	AT	31-MAY-89	AT			
L		MS39322	ADAPTER: 37-DEGREE FLARE, FEMALE SWIVEL TO WELD SOCKET, 3/4-INCH TO 1-INCH [VALIDATION DATE: 8906] REVIEWER: AR	A	4730	AT	06-JUN-89	AT			
L		MS39323A	TUBE - REDUCER, 37-DEGREE FLARE REVIEWER: CS	A	4730	AT	09-MAY-80	AT			
L		MS39324A	ADAPTER, 37-DEGREE FLARE TO .0, RING BOSS REVIEWER: CS	A	4730	AT	09-MAY-80	AT			
L		MS39325A	HOSE ASSEMBLIES: AIR BRAKE [VALIDATION DATE: 8905] USER: CS REVIEWER: AR	A	4720	AT	31-MAY-89	AT			99
L		MS393268	CLAMP, SPRING, HOSE (LOW PRESSURE) TYPE (E) [VALIDATION DATE: 8410] REVIEWER: AR AT CS	A	4730	ME	15-AUG-80	ME			
D		MS39327	SHOE, SNOWPLOW [VALIDATION DATE: 8205]	A	3830	ME	03-JUN-68	ME	99		
D		MS39329	DRILL ROD SECTION, ROCK DRILL FOR DRIFTER DRILLS [VALIDATION DATE: 8111] REVIEWER: CS	A	3820	ME	06-NOV-68	ME	YD1	99	
D		MS39330	BIT, STAR, ROCK DRILL, X-TYPE, FOR DRIFTER DRILLS [VALIDATION DATE: 8111] REVIEWER: CS	A	3820	ME	06-NOV-68	ME	YD1	99	
D		MS39334	CUTTING EDGES, MOLDBOARD, SNOWPLOW [VALIDATION DATE: 8503]	A	3830	ME	23-APR-70	ME	99		
D		MS39335	BIT, BUTT, ROCK DRILL, FOR DRIFTER DRILLS [VALIDATION DATE: 8111] USER: MC REVIEWER: CS	A	3820	ME	24-AUG-70	ME	YD1	99	
D		MS39336C	Y-CONNECTION, QUICK DISCONNECT, CAM-LOCKING TYPE, FLANGE, TYPE XX USER: AT MC REVIEWER: 82 AV CS GL	A	4730	ME	21-FEB-84	ME	YD1	99	
A L		MS39347A	TERMINAL, POST, SERVICE AND GROUND [VALIDATION DATE: 9210] USER: AS SH REVIEWER: GS MC	A	5940	ME	15-OCT-92	ME			
D		MS39348A	RING, PISTON, MOLYBDENUM FACING; ENGINE TOP COMPRESSION [VALIDATION DATE: 9107] USER: 82 MC YD1 REVIEWER: AT AV CS	A	2805	ME	05-JUL-91	ME	99		
D		MS39352D	ADAPTER MALE BY MALE QUICK DISCONNECT, CAM-LOCKING TYPE, TYPE XXI USER: CG MC REVIEWER: 82 CS	A	4730	ME	15-MAY-89	ME	YD1	99	
D		MS459048	WASHER, LOCK, INTERNAL AND EXTERNAL TOOTH [VALIDATION DATE: 8003] USER: AT AV MC YD1 REVIEWER: IS ME MI	A	5310	AR	06-FEB-74	AR	OS	99	
L		MS45905A	NUT, PLAIN - HEXAGON, FINISHED, LEFT HAND [VALIDATION DATE: 8504] REVIEWER: ER IS MI	A	5310	AR	20-JAN-65	AR			
D		MS49000E	REDUCER, MALE BY FEMALE AND FEMALE BY MALE QUICK DISCONNECT, CAM-LOCKING TYPE XI USER: MC SH REVIEWER: 82 CS GL	A	4730	ME	15-MAY-89	ME	YD1	99	
D		MS490010	REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, TYPE XII USER: SH REVIEWER: 82 CS GL	A	4730	ME	15-MAY-89	ME	YD1	99	
D		MS49002E	REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, TYPE XIII USER: SH REVIEWER: 82 CS GL	A	4730	ME	15-MAY-89	ME	YD1	99	
D		MS49006C	PLUG, PIPE, MAGNETIC-HEADLESS, ALUMINUM, IRON OR STEEL [VALIDATION DATE: 8504] USER: MC MI REVIEWER: AT AV CS ME	A	4730	AR	15-NOV-72	AR	YD1	99	
D		MS49007B	NOZZLES, OIL BURNER PRESSURE ATOMIZING USER: CE REVIEWER: 99	A	4530	ME	30-MAR-92	ME	YD1	69	
D		MS49008B	TEE, TUBE, FLARE CONNECTION, REFRIGERATION USER: AR CE MC SH REVIEWER: CS MD ME	A	4730	GL	31-OCT-86	GL	YD1	99	
L		MS51000F	SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, SPRING LOADED USER: ME REVIEWER: AR AV IS MI	A	5330	AT	27-OCT-86	AT			
L		MS51001F	SEAL, PLAIN OR SEAL, PLAIN ENCASED, NON-SPRING LOADED, SINGLE SEALING MEMBER USER: ME REVIEWER: AR IS	A	5330	AT	27-OCT-86	AT			
		MS51004C	GENERATOR, ENGINE ACCESSORY, 28 VOLTS, DC, 300 AMPERE [VALIDATION DATE: 8304] USER: MC REVIEWER: CS	A	2920	AT	25-JUL-73	AT			99
		MS51007C	GASKET, RUBBER, SYNTHETIC [VALIDATION DATE: 8504] USER: AT MC REVIEWER: 82 AS AV IS ME MI	A	5330	AR	10-AUG-71	AR			99
		MS51008C	HOSE, PREFORMED, FLEXIBLE, ENGINE COOLANT 1-1/4, 1-1/2, 1-3/4, 2, 2-1/4, 2-1/2, 3 I.D. [VALIDATION DATE: 8709] USER: MC REVIEWER: CS MI	A	4720	AT	10-SEP-87	AT			99
D		MS51010C	LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG (OTHER THAN AIRCRAFT) [VALIDATION DATE: 9010] USER: MC REVIEWER: CS	A	2920	AT	10-OCT-90	AT	YD1	82	
		MS51011A	LEAD AND CONDUIT ASSEMBLY, ELECTRICAL, SHIELDED, WATERPROOF SPARK PLUG (OTHER THAN AIRCRAFT) [VALIDATION DATE: 8512] USER: ME REVIEWER: CS	A	2920	AT	03-NOV-66	AT			99
		MS51014A	SPRING, HELICAL, COMPRESSION, SPARK PLUG CABLE TERMINAL (OTHER THAN AIRCRAFT) [VALIDATION DATE: 8302] USER: MC ME REVIEWER: CS	A	2920	AT	03-NOV-66	AT			99
		MS51015B	SPRING AND RETAINER, ELECTRICAL TERMINAL, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) [VALIDATION DATE: 8304] USER: GL MC REVIEWER: CS ME	A	2920	AT	31-MAR-78	AT			99
		MS51016A	ADAPTER, LEAD TO TERMINAL, SPARK PLUG CABLE (OTHER THAN AIRCRAFT) USER: MC ME REVIEWER: CS	A	2920	AT	16-FEB-88	AT			99
		MS51021C	SETSOREN-HEXAGON SOCKET, CUP POINT, CORROSION RESISTING (CHROME-NICKEL) STEEL, PASSIVATED, UNC-3A PLAIN AND SELF LOCKING [VALIDATION DATE: 8504] USER: AT AV MC MI OS REVIEWER: IS	A	5305	AR	29-DEC-72	AR			99
		MS51023C	SETSOREN-HEXAGON SOCKET, CUP POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: AT AV MC MI OS REVIEWER: IS	A	5305	AR	29-DEC-72	AR			99
		MS51029B	SETSOREN-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: AV MC OS REVIEWER: IS MI	A	5305	AR	29-DEC-72	AR			99
		MS51031B	SETSOREN-HEXAGON SOCKET, FLAT POINT, CORROSION-RESISTING, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: AV MC MI OS REVIEWER: IS	A	5305	AR	29-DEC-72	AR			99
		MS51033A	SETSOREN-HEXAGON SOCKET, FLAT POINT, BRASS, BLACK OXIDE, UNF-3A [VALIDATION DATE: 8805] USER: AT AV MC REVIEWER: IS ME	A	5305	AR	20-MAY-88	AR	SH	99	
		MS51038B	SETSOREN-HEXAGON SOCKET, CONE POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A AND UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: MC MI OS REVIEWER: IS ME	A	5305	AR	29-DEC-72	AR			99
		MS51040A	SETSOREN-HEXAGON SOCKET, CONE POINT, BRASS, BLACK OXIDE, UNF-3A [VALIDATION DATE: 8805] USER: MC MI REVIEWER: IS	A	5305	AR	20-MAY-88	AR	SH	99	
		MS51045B	SETSOREN-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNC-3A [VALIDATION DATE: 8504] USER: MC OS REVIEWER: AV IS ME MI	A	5305	AR	29-DEC-72	AR			99
		MS51047B	SETSOREN-HEXAGON SOCKET, HALF-DOG POINT, CORROSION-RESISTING STEEL, PASSIVATED, UNF-3A (INACTIVE) [VALIDATION DATE: 8504] USER: AT GL MC OS REVIEWER: AV IS MI	A	5305	AR	29-DEC-72	AR			99
		MS51053A	SETSOREN, FLUTED SOCKET, ALLOY STEEL, CADMIUM PLATED, MC-3A (INACTIVE 9-10-89) [VALIDATION DATE: 8203] USER: MC REVIEWER: IS MI	A	5305	AR	10-SEP-69	AR	SH	99	
		MS51063C	NECK, FILLER, RADIATOR [VALIDATION DATE: 9005] USER: MC ME REVIEWER: CS	A	2930	AT	15-MAY-90	AT			99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / Olt Coordination Machine	Document Number	Document Title	Dist. Smt. FDC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
	MSS10650	BELT, V: ENGINE ACCESSORY DRIVE (0.380 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: MC SH REVIEWER: CS	A 3030	AT	24-MAY-89	AT			99
	MSS10660	BELTS, V: ENGINE ACCESSORY DRIVE (0.500 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: MC SH REVIEWER: CS MI	A 3030	AT	24-MAY-89	AT			99
	MSS10670	BELTS, V: ENGINE ACCESSORY DRIVE (11/16 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: MC SH REVIEWER: CS	A 3030	AT	24-MAY-89	AT			99
	MSS10680	BELTS, V: ENGINE ACCESSORY DRIVE (3/4 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: MC SH REVIEWER: CS MI	A 3030	AT	24-MAY-89	AT			99
	MSS10690	BELTS, V: ENGINE ACCESSORY DRIVE (7/8 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: MC REVIEWER: CS	A 3030	AT	24-MAY-89	AT			99
	MSS10700	BELTS, V: ENGINE ACCESSORY DRIVE (1 INCH NOMINAL WIDTH) [VALIDATION DATE: 8905] USER: GL MC REVIEWER: CS	A 3030	AT	24-MAY-89	AT			99
D	MSS1071H	SHAFT ASSEMBLY, FLEXIBLE METALLIC TACHOMETER AND SPEEDOMETER USER: YDI REVIEWER: GS	A 6680	AT	12-AUG-87	AT			
	MSS1072F	CORE, FLEXIBLE SHAFT ASSEMBLY, TACHOMETER AND SPEEDOMETER, USER: AS MC ME REVIEWER: GS	A 6680	AT	04-AUG-87	AT			
L	MSS1073A	LIGHT, DOME: 24 VOLT DC [VALIDATION DATE: 9101] USER: ME REVIEWER: GS ....	A 6220	AT	14-JAN-91	AT			
L	MSS1074E	HORN, ELECTRICAL - AUTOMOTIVE TYPE, 12 OR 24 VOLT DC USER: ME REVIEWER: CS	A 2590	AT	19-APR-88	AT			
	MSS1084C	PUMP, MANUAL, ENGINE PRIMING [VALIDATION DATE: 8512] USER: MC ME REVIEWER: CS	A 2910	AT	17-JAN-66	AT			99
	MSS1085C	FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL (10 GPM FILTRATION) [VALIDATION DATE: 8512] USER: AV MC MI REVIEWER: CS ME	A 2910	AT	26-AUG-70	AT			99
	MSS1086H	STRAINER, SEDIMENT: AUTOMOTIVE FUEL (10 GPM) REVIEWER: CS MC ME .....	A 2910	AT	10-DEC-91	AT			99
	MSS1087B	FILTER, FLUID, PRESSURE AND STRAINER, SEDIMENT, AUTOMOTIVE, FUEL (21 GPM) USER: CS REVIEWER: 99	A 2910	AT	16-FEB-88	AT			15
	MSS1088B	FILTER, FLUID, PRESSURE [VALIDATION DATE: 8308] REVIEWER: CS .....	A 2910	AT	15-JUN-79	AT	MC		99
	MSS1090A	FILTER ELEMENT, FLUID, PRESSURE/AUTOMOTIVE FUEL [VALIDATION DATE: 8304] USER: CS MC	A 2910	AT	23-AUG-62	AT			99
	MSS1091B	GASKET, FILTER, FLUID, PRESSURE AND STRAINER, SEDIMENT, AUTOMOTIVE, FUEL [VALIDATION DATE: 8304] USER: MC REVIEWER: CS ME	A 2910	AT	29-DEC-67	AT			99
	MSS1092B	GASKET&COPPER, FILTER, FLUID, PRESSURE, AUTOMOTIVE FUEL [VALIDATION DATE: 8512] USER: MC REVIEWER: CS	A 2910	AT	07-SEP-71	AT			99
	MSS1095F	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A, PLAIN AND SELF-LOCKING [VALIDATION DATE: 8003] USER: AS MC ME REVIEWER: 11 AV 15 MI OS	A 5305	AR	02-JUL-74	AR	SH		99
	MSS1096E	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A, PLAIN AND SELF-LOCKING [VALIDATION DATE: 8504] USER: MC REVIEWER: AV 15 ME MI OS	A 5305	AR	15-JUN-72	AR	SH		99
	MSS1099B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, CORROSION-RESISTING, PASSIVATED, UNC-2A [VALIDATION DATE: 8805] USER: MC REVIEWER: AV 15 MI OS	A 5305	AR	20-MAY-88	AR	SH		99
	MSS1100B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, CORROSION-RESISTING, PASSIVATED, UNF-2A [VALIDATION DATE: 8304] USER: MC REVIEWER: AV 15 MI OS	A 5305	AR	01-MAY-69	AR	SH		99
	MSS1105D	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A [VALIDATION DATE: 8805] USER: AT GL MC MI REVIEWER: AV 15 ME	A 5305	AR	20-MAY-88	AR	SH		99
	MSS1106C	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A [VALIDATION DATE: 8203] USER: AT MC MI REVIEWER: AV 15 ME OS	A 5305	AR	01-MAY-69	AR	SH		99
	MSS1107B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNC-2A [VALIDATION DATE: 8805] USER: AT GL MC REVIEWER: AV 15 OS	A 5305	AR	20-MAY-88	AR	SH		99
	MSS1108B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALLOY STEEL, GRADE 8, PHOSPHATE COATED, UNF-2A [VALIDATION DATE: 8805] USER: AT MC REVIEWER: AV 15 OS	A 5305	AR	20-MAY-88	AR	SH		99
	MSS1109B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, CORROSION-RESISTING, PASSIVATED, UNC-2A [VALIDATION DATE: 8203] USER: AT MC MI REVIEWER: AV 15 ME OS	A 5305	AR	01-MAY-69	AR	SH		99
	MSS1110B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, CORROSION-RESISTING, PASSIVATED, UNF-2A [VALIDATION DATE: 8805] USER: AT GL MC MI REVIEWER: AV 15 OS	A 5305	AR	20-MAY-88	AR	SH		99
	MSS1113C	SWITCH, VEHICULAR LIGHTS: 24 VOLT DC (WATERPROOF) [VALIDATION DATE: 9004] USER: MC ME REVIEWER: CS	A 2590	AT	24-APR-90	AT			84
L	MSS1114C	COIL, IGNITION, 24 VOLT, DC (WITH INTERNAL BALLAST) [VALIDATION DATE: 8304] USER: MC ME REVIEWER: CS	A 2920	AT	06-JUN-73	AT			
A L	MSS1115A	COIL, IGNITION: 24 VOLT DC (WITHOUT INTERNAL BALLAST) [VALIDATION DATE: 9303] USER: AR ER GL ME REVIEWER: MC	A 2920	AT	15-MAR-93	AT			
D	MSS1117E	PINTLE ASSEMBLY, TOWING - 100,000 LBS. CAPACITY, MANUAL RELEASE [VALIDATION DATE: 8710] USER: MC ME	A 2540	AT	08-OCT-87	AT	YDI		99
D	MSS1118F	PINTLE ASSEMBLY, TOWING - 40,000 LBS. CAPACITY, MANUAL RELEASE [VALIDATION DATE: 8711] USER: MC REVIEWER: AR	A 2540	AT	12-NOV-87	AT	YDI		84
	MSS1300E	CAP, FUEL TANK: COMBAT VEHICLE, SPILL-PROOF USER: MC MI REVIEWER: B2 CS ME	A 2910	AT	13-JUN-90	AT			99
L	MSS1301F	HORN, SOUND-WARNING, AIR-ACTUATED, ELECTRICALLY CONTROLLED, 12 OR 24 VOLT D C (DUAL) USER: ME REVIEWER: CS	A 2590	AT	27-JAN-86	AT			
A I	MSS1302B	STOPLIGHT, VEHICULAR-BLACKOUT, 24 VOLT [VALIDATION DATE: 9303] .....	A 6220	AT	15-MAR-93	AT	MC		99
I	MSS1303B	LIGHT, MARKER, CLEARANCE-BLACK [VALIDATION DATE: 9109] .....	A 6220	AT	20-SEP-91	AT	MC		99
D	MSS1307C	SPOTLIGHT&24 VOLT, D. C. REVIEWER: GS .....	A 6220	AT	30-MAY-85	AT	MC		84
	MSS1312	PATCH, PNEUMATIC TIRE REPAIR, UNCURLED [VALIDATION DATE: 8502] USER: MC REVIEWER: CS	A 2640	AT	16-JUL-59	AT	YDI		99
	MSS1314B	ENGINE, GASOLINE AIR COOLED, 895 CU IN DISPL, 4 STROKE CYCLE, RECIPROCATING, AUTOMOTIVE (INACTIVE FOR DESIGN AFTER 4 FEB 88 NO SUPERSEDING STANDARD) USER: AV	A 2805	AT	04-FEB-88	AT	MC		99
	MSS1318B	HEADLIGHT, BLACKOUT, 24-VOLT WATERPROOF USER: ME REVIEWER: GS .....	A 6220	AT	09-OCT-87	AT			99
	MSS1319B	HEADLIGHT, SERVICE, 24-VOLT, WATERPROOF REVIEWER: GS .....	A 6220	AT	16-FEB-88	AT			99
	MSS1320B	FLOODLIGHT, ELECTRIC-24 VOLT, REVIEWER: GS .....	A 6220	AT	08-SEP-87	AT			99
	MSS1321F	PUMP, FUEL, ELECTRICAL-12 AND 24 VOLT D.C., 25 G.P.M. CAPACITY USER: MC REVIEWER: CS MI	A 2910	AT	28-FEB-91	AT			99
	MSS1322D	COMPRESSOR, RECIPROCATING POWER DRIVEN, AIR COOLED, 7-1/4 C.F.M., W/UNLOADER [VALIDATION DATE: 9104] USER: CS MC ME MI	A 2530	AT	09-APR-91	AT			99
	MSS1323C	COVER, FITTED, VEHICULAR BODY-TOP [VALIDATION DATE: 8807] USER: MC REVIEWER: CS	A 2540	AT	22-JUL-88	AT			99
A L	MSS1324B	CURTAIN, VEHICULAR: END [VALIDATION DATE: 9209] USER: MC REVIEWER: CS ....	A 2540	AT	23-SEP-92	AT			
L	MSS1326A	HEATER, VEHICULAR COMPARTMENT: LIQUID COOLANT, 30,000 BTU/HR [VALIDATION DATE: 9007] USER: MC ME REVIEWER: CS	A 2540	AT	02-JUL-90	AT			
L	MSS1329B	STOP LIGHT - TAILLIGHT, VEHICULAR-24 VOLT, SERVICE STOP, SERVICE TAIL, BLACKOUT TAIL [VALIDATION DATE: 8308] USER: ME REVIEWER: GS MI	A 6220	AS	15-JUL-83				
	MSS1330A	STOP LIGHT-TAILLIGHT, VEHICULAR-24 VOLT, BLACKOUT TAIL, BLACKOUT STOP, USER: GL ME REVIEWER: GS MI	A 6220	AT	16-FEB-88	AT			99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active QPL / OAL Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Aty Date	Custodians			
			Army	Navy	Air Force	DLA
L MSS13348	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL - GENERATOR TO REGULATOR, 25	A 2920 AT 25-AUG-80 AT				
D MSS1335F	AND 40 AMP SYSTEM [VALIDATION DATE: 8512] REVIEWER: CS					
	PINTLE ASSEMBLY, TOWING, 18,000 LBS. CAPACITY, MANUAL RELEASE USER: MC ME	A 2540 AT 29-SEP-81 AT	YD1	99		
	REVIEWER: CS					
D MSS1336D	LUNETTE&COUPLER, DRUMBAR, RING, [VALIDATION DATE: 8209] REVIEWER: MC	A 2540 AT 21-AUG-72 AT	YD1	99		
L MSS1343B	VALVE, POPPET, MULL DRAIN; VEHICULAR, 3 INCH REVIEWER: CS	A 2590 AT 25-NOV-83 AT				
L MSS1344C	SEAT, MULL DRAIN POPPET VALVE; VEHICULAR, 3 INCH REVIEWER: CS	A 2590 AT 25-NOV-83 AT				
L MSS1345B	VALVE ASSEMBLY, POPPET, MULL DRAIN-VEHICULAR, 3 INCH [VALIDATION DATE:	A 2590 AT 10-OCT-90 AT				
NOTICE 1	90101] REVIEWER: CS					
L MSS1349A	KNOB&VALVE ASSEMBLY, POPPET, MULL DRAIN [VALIDATION DATE: 8207] REVIEWER:	A 2590 AT 18-OCT-66 AT				
	CS					
L MSS1350A	SPRING&VALVE ASSEMBLY, POPPET, MULL DRAIN [VALIDATION DATE: 8207]	A 2590 AT 18-OCT-66 AT				
	REVIEWER: CS					
L MSS1352A	WINCH, DRUM, VEHICLE, MOUNTING BASIC, MECHANICALLY DRIVEN, 10,000 LBS	A 2590 AT 11-NOV-66 AT				
	CAPACITY [VALIDATION DATE: 8308] USER: ME					
L MSS1353B	WINCH, DRUM, VEHICLE MOUNTING&BASIC, MECHANICALLY DRIVEN, 20,000 POUNDS	A 2590 AT 11-NOV-66 AT				
	CAPACITY [VALIDATION DATE: 8511] USER: ME					
L MSS1354C	WINCH, DRUM, VEHICLE MOUNTING&BASIC, MECHANICALLY DRIVEN, 45,000 POUNDS	A 2590 AT 25-JAN-88 AT				
	CAPACITY USER: ME					
L MSS1379A	MOSE, PREFORMED&AIR CLEWER, SEMI FLEXIBLE, HEAVY DUTY (75 PSI BURST) .	A 2940 AT 17-JUL-87 AT				
	USER: CS MC					
MSS1389A	RAINCAP, FOR AIR CLEWER INTAKE FOR INDUSTRIAL ENGINES [VALIDATION DATE:	A 2940 ME 12-JUL-90 ME			99	
NOTICE 1	9007] USER: MC REVIEWER: CS					
L MSS1395C	CHASSIS, TRUCK, 5 TON, 6X6, M40	A 2320 AT 22-SEP-89 AT				
NOTICE 2						
L MSS1400	PIN, STRAIGHT, HEADLESS USER: AT	A 5315 AR 04-NOV-80 AR				
MSS1401	RIVET, SOLID, TIMMERS USER: AT MC ME OS REVIEWER: GL IS MI NS	A 5320 AR 18-DEC-80 AR			99	
DSS1402	MUT, PLAIN, WING, METRIC [VALIDATION DATE: 8805]	A 5310 AR 20-MAY-88 AR			99	
NOTICE 1						
DSS1403	RIVET, TUBULAR, ROUND AND FLAT TYPE HEAD, METRIC [VALIDATION DATE: 8805]	A 5320 AR 20-MAY-88 AR			99	
	USER: AT MC ME REVIEWER: AS GL IS MI NS					
DSS1404	RIVET, SOLID, UNIVERSAL HEAD, BRASS, METRIC [VALIDATION DATE: 8805] USER:	A 5320 AR 20-MAY-88 AR			99	
	AT MC ME REVIEWER: AS GL IS MI NS					
DSS1405	RIVET, SOLID, UNIVERSAL HEAD, CARBON STEEL, METRIC [VALIDATION DATE: 8805]	A 5320 AR 20-MAY-88 AR			99	
	USER: AT MC ME REVIEWER: AS GL IS MI NS					
DSS1406	RIVET, SOLID, COUNTERSUNK 100 DEGREE PRECISION HEAD, CARBON STEEL, METRIC	A 5320 AR 20-MAY-88 AR			99	
	[VALIDATION DATE: 8805] USER: AT MC ME REVIEWER: AS IS MI NS					
DSS1407	RIVET, SOLID, UNIVERSAL HEAD, COPPER, METRIC [VALIDATION DATE: 8805]	A 5320 AR 20-MAY-88 AR			99	
NOTICE 1						
D MSS1408	RIVET, SOLID, COUNTERSUNK 100 DEG. PRECISION HEAD, COPPER, METRIC	A 5320 AR 20-MAY-88 AR	YD1	99		
	[VALIDATION DATE: 8805] USER: AT MC ME REVIEWER: AS GL IS MI NS					
DSS1409	SETSOREW, SLOTTED HEADLESS, CONE POINT CARBON STEEL, CADMIUM PLATED,	A 5305 AR 20-MAY-88 AR			99	
NOTICE 1	METRIC [VALIDATION DATE: 8805] USER: CE REVIEWER: AV IS MI NS					
DSS1410	SETSOREW, SLOTTED HEADLESS, CONE POINT CARBON STEEL, CADMIUM PLATED, METRIC	A 5305 AR 20-MAY-88 AR			99	
NOTICE 1	[VALIDATION DATE: 8805] USER: CE ER MC ME OS SH REVIEWER: AV IS MI NS					
DSS1411	SETSOREW, SLOTTED HEADLESS, FLAT POINT, CARBON STEEL, CADMIUM PLATED,	A 5305 AR 20-MAY-88 AR			99	
NOTICE 1	METRIC [VALIDATION DATE: 8805] USER: CE ER MC ME OS SH REVIEWER: AV IS MI					
	NS					
MSS1412C	WASHER, FLAT - ROUND, STEEL, GENERAL PURPOSE USER: MC ME REVIEWER: 15 B2	A 5310 AR 28-FEB-83 AR	SH	99		
	AV EA ER GL IS NS					
D MSS1413A	WASHER, LOCK, FLAT-INTERNAL TOOTH USER: MC ME YD1 REVIEWER: 15 B2 AV EA GL	A 5310 AR 17-MAR-86 AR	SH	99		
	IS NS					
D MSS1414A	WASHER, LOCK, FLAT-EXTERNAL TOOTH USER: MC ME YD1 REVIEWER: AV EA GL IS NS	A 5310 AR 17-MAR-86 AR	SH	99		
D MSS1415B	WASHER, LOCK - HELICAL SPRING, REGULAR (MEDIUM) SERIES USER: MC ME YD1	A 5310 AR 20-AUG-87 AR	SH			
	REVIEWER: AV EA GL IS NS					
D MSS1416A	WASHER, LOCK-HELICAL SPRING, HEAVY DUTY USER: MC ME YD1 REVIEWER: AV EA GL	A 5310 AR 30-MAR-90 AR	SH			
	IS NS					
DSS1417	BOLT, MACHINE, HEX HEAD FULLY THREADED, FINE THREAD, METRIC USER: ME	A 5306 AR 12-AUG-83				
	REVIEWER: AV EA IS					
MSS1436	ANALYZER, ELECTROLYTIC SOLUTION USER: DM MD REVIEWER: ME	A 6630 EA 05-MAY-83 EA	MS	99	DP	
MSS1437	ANALYZER, GAS USER: DM MD REVIEWER: ME	A 6630 EA 05-MAY-83 EA	MS	99		
MSS1438	BULB, ABSORPTION, GAS USER: DM MD REVIEWER: ME	A 6630 EA 05-MAY-83 EA	MS	99		
MSS1439	BULB, LEVELING, GAS ANALYSIS APPARATUS USER: DM MD REVIEWER: ME	A 6630 EA 05-MAY-83 EA	MS	99		
MSS1440	BURET, LABORATORY USER: DM MD REVIEWER: ME	A 6630 EA 05-MAY-83 EA	MS	99		
MSS1442	CONDUCTIVITY CELL USER: DM MD REVIEWER: B2 ME	A 6630 EA 25-MAY-83 EA	MS	99		
MSS1445	VISCOSIMETER, CUP TYPE USER: DM MD REVIEWER: ME	A 6630 EA 25-MAY-83 EA	MS	99		
MSS1446	DIGESTION APPARATUS, NITROGEN DETERMINATION USER: DM MD REVIEWER: ME OS	A 6630 EA 11-MAY-83 EA	MS	99		
MSS1447	FLUORIMETER USER: DM MD REVIEWER: ME OS	A 6630 EA 30-MAY-83 EA	MS	99		
MSS1448	NEPHELOMETER, INTEGRATING USER: DM MD REVIEWER: ME OS	A 6630 EA 20-MAY-83 EA	MS	99		
MSS1468	MUT, PLAIN, WING, CARBON STEEL, UNF-2B USER: MC ME REVIEWER: AV EA IS MI	A 5310 AR 10-JAN-83 AR	SH	99		
	NS					
MSS1469	MUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNF-2B USER: MC	A 5310 AR 10-JAN-83 AR	SH	99		
	REVIEWER: EA IS MI NS					
MSS1470	MUT, PLAIN, HEXAGON (MACHINE SCREW), CARBON STEEL, UNF-2B USER: MC	A 5310 AR 10-JAN-83 AR	SH	99		
	REVIEWER: EA IS MI NS					
MSS1471	MUT, PLAIN, HEXAGON (JAM), CARBON STEEL, UNF-2B USER: MC ME REVIEWER: EA	A 5310 AR 10-JAN-83 AR	SH	99		
	IS MI NS					
MSS1472	MUT, PLAIN, HEXAGON, CARBON STEEL, UNF-2B USER: MC ME REVIEWER: EA IS MI	A 5310 AR 10-JAN-83 AR	SH	99		
	NS					
MSS1473	MUT, PLAIN, HEXAGON, CARBON STEEL, UNF-2B USER: MC REVIEWER: AV EA IS MI	A 5310 AR 10-JAN-83 AR	SH	99		
	NS					
L DSS1474	SCREW, CAP, HEX HEAD, FULLY THREADED-METRIC USER: ME REVIEWER: AV EA IS	A 5305 AR 12-AUG-83 AR				
MSS1475A	SCREW, MACHINE, BOOM SUPPORT ASSEMBLY REVIEWER: CR ES	A 5305 AR 27-SEP-88 AR	EC			
MSS1476	SETSOREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNF-3A USER: MC ME MI OS	A 5305 AR 01-AUG-84 AR	SH	99		
	REVIEWER: B2 AV EA ER IS NS					
MSS1477	SETSOREW, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, UNF-3A USER: MC ME MI OS	A 5305 AR 01-AUG-84 AR	SH	99		
	REVIEWER: B2 EA IS NS					
MSS1478	SCREW, CAP, HEXAGON (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE	A 5305 AR 01-AUG-84 AR	SH	99		
	ALLOY STEEL, GRADE 8, UNF-2A USER: MC ME MI OS REVIEWER: B2 AV EA IS NS					
MSS1479	SCREW, MACHINE, B2 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON	A 5305 AR 01-AUG-84 AR	SH	99		
	STEEL, UNF-2A USER: MC ME MI OS REVIEWER: B2 EA GL IS NS					
MSS1480	SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNF-2A USER: MC ME MI REVIEWER: B2	A 5305 AR 01-AUG-84 AR	SH	99		
	EA IS NS OS					
MSS1481	SCREW, MACHINE, B2 DEGREE FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON	A 5305 AR 01-AUG-84 AR	SH	99		
	STEEL, UNF-2A USER: ME MI OS REVIEWER: B2 AM AV EA IS NS					
MSS1482	SETSOREW, HEXAGON SOCKET, CONE POINT, ALLOY STEEL, UNF-3A USER: ME MI	A 5305 AR 01-AUG-84 AR	SH	99		
	REVIEWER: B2 AV CR EA IS NS					
MSS1483	SCREW, MACHINE, DRILLED FILLISTER HEAD, SLOTTED, CARBON STEEL, UNF-2A	A 5305 AR 01-AUG-84 AR	SH	99		
	USER: ME OS REVIEWER: B2 AV CR EA IS NS					
MSS1484	SCREW, CAP, SOCKET HEAD, ALLOY STEEL, UNF-3A USER: MC ME MI REVIEWER: B2	A 5305 AR 01-AUG-84 AR	SH	99		
	AV EA IS NS OS					
MSS1485	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T PAN HEAD,	A 5305 AR 01-AUG-84 AR	SH	99		
	CROSS-RECESSED, CARBON STEEL USER: MC MI OS REVIEWER: B2 EA IS NS					



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Add'l Chg / Circulation Inches	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	OLA
	MSS1486	SCREW, TAPPING, THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED USER: MC ME MI OS REVIEWER: B2 CR EA IS NS	A 5305	AR	01-AUG-84	AR	SH	99	
	MSS1487	SETScrew, SQUARE HEAD, CUP POINT, CARBON STEEL, UNC-2A USER: MC ME MI OS REVIEWER: EA IS NS	A 5305	AR	01-AUG-84	AR	SH	99	
	MSS1488	SCREW, CAP HEXAGON HEAD (FINISHED HEXAGON BOLT), ALLOY STEEL, GRADE 8 USER: MC MI OS REVIEWER: AV EA IS NS	A 5305	AR	01-AUG-84	AR	SH	99	
	MSS1489	SETScrew, HEXAGON SOCKET, OVAL POINT, ALLOY STEEL USER: MC ME MI OS REVIEWER: B2 AV EA IS NS	A 5305	AR	01-AUG-84	AR	SH	99	
	MSS1490	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, UNF-2A USER: MC ME MI OS REVIEWER: B2 EA IS NS	A 5305	AR	01-AUG-84	AR	SH	99	
	MSS1491	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5 UNC-2A USER: MC ME MI OS REVIEWER: B2 EA IS NS	A 5305	AR	01-AUG-84	AR	SH	99	
A	MSS1492(1)	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL, UNC-2A USER: MC ME MI OS REVIEWER: B2 AV EA IS	A 5305	AR	05-OCT-92	AR	SH	99	
A	MSS1493(1)	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, CARBON STEEL UNF-2A USER: MC ME MI OS REVIEWER: B2 EA IS	A 5305	AR	05-OCT-92	AR	SH	99	
	MSS1494	SCREW, EXTERNALLY RELIEVED BODY, FLAT COUNTERSUNK HEAD, 100 DEGREE, CROSS-RECESSED USER: AT MC MI REVIEWER: B2 AV EA IS	A 5305	AR	10-JUL-84	AR		99	
	MSS1495	SCREW, EXTERNALLY RELIEVED BODY, FILLISTER HEAD USER: MC MI REVIEWER: B2 AT AV IS	A 5305	AR	10-JUL-84	AR		99	
	MSS1496B	WASHER, FLAT-NARROW SERIES USER: MC MI SH REVIEWER: B2 AT AV GL IS	A 5310	AR	07-OCT-86	AR		99	
	MSS1497	STUD, LOCKED IN-RING LOCKED, SERUATED, HIGH STRENGTH, OVERSIZE REPLACER USER: MC MI OS REVIEWER: 11 B2 AT AV GL IS ME NS	A 5307	AR	11-MAR-85	AR	AS	99	
	MSS1498	INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERUATED, HIGH STRENGTH, OVERSIZE REPLACER USER: MC MI OS REVIEWER: 11 B2 AT AV GL IS ME NS	A 5340	AR	11-MAR-85	AR	AS	99	
	MSS1499A	RIVET, TUBULAR, 100 DEGREE, COUNTERSUNK HEAD USER: ER MC ME REVIEWER: B2 EA GL IS ME NS	A 5320	AR	04-JAN-89	AR	OS	99	
D	MSS1500C	FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: B2 CS ER ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1501A	NIPPLE, TUBE, REGULAR HEX, 37 DEG. FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CR CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1502A	NIPPLE, TUBE, REGULAR HEX, 37 DEGREES FLARED (LONG) [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1503A	ADAPTER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1504A	ELBOW, PIPE TO TUBE, 90 DEGREES, MALE PIPE END, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1505A	ELBOW, TUBE, 90 DEGREES, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1506B	FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ELBOW, PIPE TO TUBE, 90 DEGREE, FEMALE PIPE END, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: B2 CS ER ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1507A	ELBOW, TUBE, 90 DEGREES, BULKHEAD, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1508A	ELBOW, PIPE TO TUBE, 45 DEGREES, MALE PIPE END, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1509A	ELBOW, TUBE, 45 DEGREES, BULKHEAD, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1510A	TEE, TUBE, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1511A	TEE, PIPE TO TUBE, MALE PIPE ON RUN, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1512A	TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1513A	TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1514A	TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1515A	TEE, TUBE, BULKHEAD ON BRANCH, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1516A	TEE, TUBE, BULKHEAD ON RUN, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1517A	CROSS, TUBE, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1518A	PLUG, MACHINE THREAD, 37 DEG. FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1519A	NIPPLE, TUBE, LARGE HEX FOR USE WITH O RING, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1520A	NIPPLE, TUBE, BULKHEAD, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1521A	ELBOW, TUBE, 90 DEGREES, SWIVEL, 37 DEGREES, FLARED [VALIDATION DATE: B601] USER: AT MC SH YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1522A	ELBOW, TUBE, 45 DEGREES, SWIVEL, 37 DEGREES, FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1523A	TEE, TUBE TO SWIVEL, SWIVEL ON RUN, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME MI	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1524A	TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, 37 DEGREES, FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1525B	FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: B2 CS ER ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1526A	ADAPTER, STRAIGHT, TUBE TO BOSS, O RING, 37 DEGREES FLARED (LONG) [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1527C	FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 90 DEGREE, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: B2 CS ER ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1528B	FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; ELBOW, TUBE TO BOSS, 45 DEGREE, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: B2 CS ER ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1529B	FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON BRANCH, O-RING, 37 DEGREE FLARED USER: MC YD1 REVIEWER: B2 AT CS ER GL ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1530B	FITTINGS, HYDRAULIC TUBE, FLARED, 37 DEGREE AND FLARELESS, STEEL; TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: B2 CS ER ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1531B	MUT, TUBE COUPLING, 37 DEGREES FLARED USER: AT MC YD1 REVIEWER: CS ER GL ME	A 4730	AR	01-JUL-85	AR	OS		
D	MSS1532B	FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL; CAP, TUBE, 37 DEGREE FLARED USER: AT MC YD1 REVIEWER: B2 CS ER GL ME	A 4730	AR	16-FEB-88	AR	OS	99	
D	MSS1533A	SLEEVE, COMPRESSION, TUBE FITTING, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		
D	MSS1534A	REDUCER, TUBE, 37 DEGREES FLARED [VALIDATION DATE: B503] USER: AT MC YD1 REVIEWER: CS ME	A 4730	AR	17-JAN-79	AR	OS		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

	Action Op / Chg Coordination Initiate	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DLA
		MSS15358	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 30 DEG. USER: 11 AS MC REVIEWER: 99 AV GS MI	A 5940	AR 19-AUG-86	AR			85
		MSS15368	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 45 DEG. USER: 11 AS MC REVIEWER: 99 AV GS MI	A 5940	AR 09-JUN-86	AR			85
		MSS15378	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, TWO HOLE, 90 DEG USER: 11 AS MC REVIEWER: 99 AV GS MI	A 5940	AR 23-JUN-86	AR			85
D		MSS1538	MAIL, MASONRY USER: AV CE ME MI SA SH REVIEWER: GL MC	A 5315	AR 13-MAR-86	AR	YD1		99
D		MSS1540	MAIL, PALLET USER: AS AV MI SH REVIEWER: B2 CE GL MC ME SA	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1541	MAIL, SINKER USER: AS AV MI SH REVIEWER: B2 CE GL MC ME SA	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1542	MAIL, UNDERLAYMENT USER: AS AV MI SH REVIEWER: B2 CE GL MC ME SA	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1545	MAIL, FINE USER: AV CE MC ME MI REVIEWER: B2 GL SA	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1546	MAIL, CORNER USER: AV CE ME MI REVIEWER: B2 GL	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1547	MAIL, CONCRETE USER: AV CE MC ME MI REVIEWER: B2 GL	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1548	MAIL, COOLER USER: AV CE ME MI REVIEWER: B2 GL	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1549	MAIL, BOX USER: AV CE MC ME MI REVIEWER: B2 GL SA	A 5315	AR 28-OCT-86	AR	YD1		99
D		MSS1551	STUD, LOCKED IN - RING LOCKED, SERRATED, UNJF THREAD MUT END, INCREASED STUD END LENGTH USER: MC MI OS REVIEWER: 11 B2 AT AV ER GL IS MS	A 5307	AR 12-MAY-87	AR	AS		99
		MSS1552	MUT, SELF-LOCKING, PLATE, RIGHT ANGLE FLOATING, 125 KSI FTU 450 DEG.F USER: B0 B4 REVIEWER: AT AV CR ER IS MI	A 5310	AR 15-SEP-87	AR	AS		99
		MSS1553	MUT, SELF-LOCKING, WING USER: AV MC REVIEWER: IS ME MI	A 5310	AR 01-AUG-87	AR			99
		MSS1558	WIRE, NONELECTRICAL, ROUND, TYPE 11, STEEL, CARBON, 1020 BOOKBINDER USER: MR REVIEWER: IS	A 9505	AR 30-MAR-90	AR	AS		99
		MSS1559	WIRE, NONELECTRICAL, FLAT, TYPE 1, STEEL, CARBON, 1020 BOOKBINDER USER: MR REVIEWER: IS	A 9505	AR 30-MAR-90	AR	AS		99
		MSS1560	TERMINAL, LUG, SOLDER TYPE, COPPER STAMPING, SLOTTED, 90 DEG. USER: 11 AS MC SH REVIEWER: 99 AV GS MI	A 5940	AR 23-JUN-86	AR			85
D		MSS1565	TURNBUCKLE, ROUND BODY, HOOK & EYE (TYPE 1, FORM 1, CLASS 6) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 11-FEB-88	AR	SH		99
D		MSS1566	TURNBUCKLE, SPREAD BODY, JAW & JAW (TYPE 1, FORM 2 CLASS 7) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 11-FEB-88	AR	SH		99
D		MSS1567	TURNBUCKLE, SPREAD BODY, EYE & EYE (TYPE 1, FORM 2 CLASS 4) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 12-FEB-88	AR	SH		99
D		MSS1568	TURNBUCKLE, ROUND BODY, HOOK & EYE, (TYPE 1, FORM 2, CLASS 6) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 11-FEB-88	AR	SH		99
D		MSS1569	TURNBUCKLE, SPREAD BODY, JAW & EYE (TYPE 1, FORM 2 CLASS 8) USER: AS OS MC YD1 REVIEWER: B2 CR IS	A 5340	AR 15-FEB-88	AR	SH		99
D		MSS1570	TURNBUCKLE, PIPE, BODY EYE & EYE (TYPE 11, CLASS 4) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 15-FEB-88	AR	SH		99
D		MSS1571	TURNBUCKLE, FLAT BODY, EYE & EYE (TYPE 1, FORM 3, CLASS 4) USER: AS MC ME YD1 REVIEWER: B2 CR IS	A 5340	AR 16-AUG-88	AR	SH		99
D		MSS1572	TURNBUCKLE, FLAT BODY JAW & EYE (TYPE 1, FORM 1, CLASS 8) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 16-FEB-88	AR	SH		99
D		MSS1573	TURNBUCKLE, FLAT BODY, HOOK & EYE (TYPE 1, FORM 1 CLASS 6) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 17-FEB-88	AR	SH		99
D		MSS1574	TURNBUCKLE, FLAT BODY JAW & JAW (TYPE 1, FORM 2, CLASS 7) USER: AS MC ME OS YD1 REVIEWER: B2 CR IS	A 5340	AR 17-FEB-88	AR	SH		99
		MSS1575	SCREW, SHOULDER, SLOTTED-HEAD, CORROSION-RESISTANT STEEL USER: AT MC MI MS OS REVIEWER: B2 AV IS	A 5305	AR 09-DEC-88	AR	AS		99
		MSS1576	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL USER: MC ME MS REVIEWER: B2 AT IS	A 5305	AR 09-DEC-88	AR	OS		99
		MSS1600A	FILTER, LIGHT, OPTICAL INSTRUMENT (VARIABLE DENSITY) BINOCULAR TYPE [VALIDATION DATE: 8705] USER: MC	A 6650	AR 15-MAY-87	AR	SH		99
		MSS1605B	PIN, GROOVED, HEADLESS (HALF LENGTH TAPER GROOVE) CORROSION-RESISTING STEEL [VALIDATION DATE: 8404] USER: AT OS SH REVIEWER: IS MI MS	A 5315	AR 15-MAY-78	AR			AS
		MSS1606C	PIN, GROOVED, HEADLESS (HALF LENGTH REVERSE TAPER GROOVE) CORROSION-RESISTANT STEEL USER: AT OS SH REVIEWER: AV EA IS MI	A 5315	AR 07-APR-89	AR	AS		99
L		MSS1607B	VALVE STEM, PURGING (WITH FILTER)	A 1240	AR 04-JAN-88	AR			
A L		MSS1608A	LAMP, INCANDESCENT, T-1 1/4 SPECIAL SCREW BASE (956)	A 6240	AR 15-OCT-92	AR			
		MSS1700A	STREAMER, WARNING [VALIDATION DATE: 8204] REVIEWER: GS ME	A 9999	MI 18-JUN-76	MI	AS		99
		MSS1811E	TEE, TUBE, FLARELESS TYPE, HYDRAULIC USER: AV GL REVIEWER: B2 AT CS MC ME OS	A 4730	AR 30-JUL-87	AR			99
		MSS1812F	NIPPLE, TUBE, BULKHEAD, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: B2 CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1813E	ELBOW, PIPE TO TUBE, 90 DEG., FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1814E	NIPPLE, TUBE, REGULAR HEX, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1815F	ELBOW, PIPE TO TUBE, 90 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1816E	ADAPTER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1817E	ELBOW, PIPE TO TUBE, 45 DEG., MALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1818E	TEE, PIPE TO TUBE, MALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1819E	ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1820E	ELBOW, TUBE, 90 DEG., FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1821E	TEE, PIPE TO TUBE, FEMALE PIPE ON BRANCH, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1822E	TEE, PIPE TO TUBE, FEMALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1823E	MUT, TUBE COUPLING, FLARELESS TYPE, HYDRAULIC [VALIDATION DATE: 8702] USER: MC OS REVIEWER: AT CS GL ME MI	A 4730	AR 12-FEB-87	AR			99
		MSS1824E	TEE, PIPE TO TUBE, MALE PIPE ON RUN, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: B2 AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1825G	SLEEVE, CLIMB, TUBE FITTING, FLARELESS TYPE, HYDRAULIC USER: AV MC OS REVIEWER: AT CS GL ME	A 4730	AR 30-JUL-87	AR			99
		MSS1829A	RIVET, SOLID, BUTTON HEAD, STEEL (INACTIVE) [VALIDATION DATE: 8003] USER: AT ME WV REVIEWER: AV EA IS	A 5320	AR 20-MAR-74	AR			99
A		MSS1830E(1)	INSERT, SCREW-THREAD, LOCKED IN, KEY LOCKED, MINIATURE AND LIGHTWEIGHT USER: AT EC ER GL MC REVIEWER: 11 B2 AV IS MI MS	A 5340	AR 12-FEB-93	AR	AS		99
A		MSS1831F(1)	INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, HEAVY DUTY USER: AT GL MC REVIEWER: B2 AV IS SH	A 5340	AR 12-FEB-93	AR	AS		99
M		MSS1832C(1)	INSERT, SCREW-THREAD, LOCKED IN, KEY-LOCKED, EXTRA HEAVY DUTY USER: AT EC ER MC REVIEWER: B2 AV IS MI SH	A 5340	AR 12-FEB-93	AR	AS		99
A		MSS1833E(1)	STUD, LOCKED IN, KEY-LOCKED, LIGHTWEIGHT USER: ER MC ME REVIEWER: 11 B2 AT AV IS MI SH	A 5307	AR 06-NOV-92	AR	AS		99
A		MSS1834E(1)	STUD, LOCKED IN, KEY-LOCKED, HEAVY DUTY USER: AT ER MC ME REVIEWER: 11 B2 AV IS MI SH	A 5307	AR 06-NOV-92	AR	AS		99
		MSS1835A	INSERT AND STUD, LOCKED IN - KEY LOCKED, HOLE DIMENSIONS FOR AND ASSEMBLY OF [VALIDATION DATE: 8304] USER: EL MC REVIEWER: B2 AT AV IS MI	A 53GP	AR 25-NOV-70	AR	AS		99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action OK / Onk Correction Machine	Document Number	Document Title	Dist. Syst. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
	MS51836A	INSERT, SCREW THREAD - THREAD FORMING [VALIDATION DATE: 8203] USER: ER MC REVIEWER: AT AV IS MI	A 5340	AR	25-APR-69	AR	AS	99	
	MS51837	INSERT, SCREW THREAD - THREAD FORMING HOLE DIMENSIONS FOR AND INSTALLATION OF [VALIDATION DATE: 8805] USER: EL MC REVIEWER: B2 AT AV IS MI	A 53GP	AR	05-MAY-88	AR	AS	99	
L	MS51838	PIN, STRAIGHT, STEEL-DRILL ROD [VALIDATION DATE: 8203] USER: AT REVIEWER: AV MI	A 5315	AR	19-SEP-67	AR			
	MS518390	ELBOW, TUBE TO BOSS, 90 DEG, O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: CS GL ME	A 4730	AR	30-JUL-87	AR		99	
	MS51840C	PLUG, MACHINE THREAD, O-RING USER: CR MC ME REVIEWER: EA ER GL IS	A 5365	AR	21-APR-83	AR	OS		
	MS51841D	TEE, TUBE TO BOSS, BOSS ON BENCH, O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: CS GL ME	A 4730	AR	30-JUL-87	AR		99	
	MS51842D	ELBOW, TUBE TO BOSS, 45 DEG., O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV CR MC OS REVIEWER: B2 CS ME	A 4730	AR	30-JUL-87	AR		99	
	MS51843D	ADAPTER, STRAIGHT, TUBE TO BOSS, O-RING, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: B2 CS GL ME	A 4730	AR	30-JUL-87	AR		99	
	MS51844C	SLEEVE, SMAGING WIRE ROPE REVIEWER: 11 B2 AS AT AV EA IS MI	A 4030	AR	28-JUN-85	AR	SH	99	
D	MS51845B	ELBOW, PIPE, STRAIGHT, 90 DEG BRASS OR BRONZE, 125 LB [VALIDATION DATE: 8708] USER: AT MC REVIEWER: CS GL ME	A 4730	YD1	25-AUG-87	AR	YD1	99	
L	MS51846B	NIPPLE, PIPE, STANDARD, BRASS OR COPPER [VALIDATION DATE: 8810] USER: AT GL MC ME MI REVIEWER: 99	A 4730	AR	03-OCT-88	AR			
D	MS51848D	WASHER, LOCK - HELICAL SPRING, HI - COLLAR USER: AT MC OS YD1 REVIEWER: B2 AV ME MI SH	A 5310	AR	13-AUG-91	AR	AS	99	
L	MS51849A	SCREW, MACHINE - STEEL, HEXAGON HEAD, SLOTTED, UNF-2A AND UNC-2A REVIEWER: AT AV ME MI	A 5305	AR	15-OCT-87	AR	SH	99	
L	MS51850	SCREW, TAPPING - THREAD FORMING, TYPE AB, HEXAGON HEAD, SLOTTED [VALIDATION DATE: 8805] REVIEWER: AT AV ME	A 5305	AR	20-MAY-88	AR			
L	MS51851	SCREW, TAPPING-THREAD CUTTING, TYPE D, HEXAGON HEAD, SLOTTED [VALIDATION DATE: 8805] REVIEWER: AT AV ME MI	A 5305	AR	20-MAY-88	AR			
	MS51852C	ELBOW, TUBE TO SWIVEL, 90 DEG., FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: B2 CS GL ME	A 4730	AR	30-JUL-87	AR		99	
	MS51853C	TEE, TUBE TO SWIVEL, SWIVEL ON BRANCH, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: B2 CS GL ME	A 4730	AR	30-JUL-87	AR		99	
	MS51854C	TEE, TUBE TO SWIVEL, SWIVEL ON RUN, FLARELESS TYPE, HYDRAULIC USER: AT MC OS REVIEWER: B2 CS GL ME MI	A 4730	AR	30-JUL-87	AR		99	
	MS51855C	ELBOW, TUBE, 90 DEG., BULKHEAD, FLARELESS TYPE, HYDRAULIC USER: AT AV MC OS REVIEWER: B2 CS GL ME	A 4730	AR	30-JUL-87	AR		99	
	MS51856C	NIPPLE, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC USER: GL MC OS REVIEWER: B2 AT CS ME	A 4730	AR	30-JUL-87	AR	SH	99	
	MS51857	NUT, PUSH-ON, STEEL [VALIDATION DATE: 8806] USER: AT ER MC REVIEWER: AV IS MI	A 5310	AR	01-JUN-88	AR	OS		
	MS51858B	NUT, PLAIN HEXAGON, PLASTIC NYLON [VALIDATION DATE: 8504] USER: AT MC ME MI REVIEWER: 11 AV IS	A 5310	AR	26-MAR-73	AR		99	
	MS51859B	WASHER, FLAT PLASTIC NYLON USER: AT MC ME OS REVIEWER: 11 AV IS MI	A 5310	AR	20-MAY-87	AR		99	
	MS51860A	LOCKNUT, BULKHEAD, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC [VALIDATION DATE: 8702] USER: AT AV MC OS REVIEWER: CS GL ME	A 4730	AR	12-FEB-87	AR		99	
D	MS51861A	SCREW, TAPPING-THREAD FORMING, TYPE AB, PAN HEAD, CROSS-RECESSED [VALIDATION DATE: 8805] USER: MC OS REVIEWER: AT AV IS MI	A 5305	AR	20-MAY-88	AR	YD1	99	
D	MS51862A	SCREW, TAPPING - THREAD FORMING, TYPE AB, FLAT B2 DEGREE COUNTERSUNK HEAD, CROSS-RECESSED [VALIDATION DATE: 8805] USER: AS MC OS REVIEWER: AT AV IS MI WV	A 5305	AR	20-MAY-88	AR	YD1	99	
	MS51863	SCREW, TAPPING HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, PAN HEAD, CROSS RECESSED [VALIDATION DATE: 8504] USER: MC REVIEWER: 99 AV IS MI	A 5305	AR	31-AUG-70	AR	SH	11	
	MS51864	STUD-PLAIN, GENERAL PURPOSE [VALIDATION DATE: 8806] USER: AT CE MC ME OS REVIEWER: B2 AV IS	A 5307	AR	01-JUN-88	AR		99	
I	MS51865A	NUT, SELF-LOCKING, CAP-GENERAL PURPOSE, 250 DEG., F [VALIDATION DATE: 8806] USER: AS MC OS SH REVIEWER: AT AV EA GL IS	A 5310	AR	01-JUN-88	AR		99	
I	MS51866A	NUT, SELF-LOCKING, SPLINE-GENERAL PURPOSE, 250 DEG. F [VALIDATION DATE: 8805] USER: MC OS SA SH REVIEWER: AT AV MI	A 5310	AR	01-JUN-88	AR		99	
D	MS51867A	WASHER, METAL, FLAT, PLAIN, RECTANGULAR USER: AT AV GL MC OS REVIEWER: ER IS	A 5310	AR	31-DEC-87	AR	YD1		
D	MS51868B	CLAMP, WIRE ROPE, DOUBLE SADDLE, DOUBLE GRIP, STEEL [VALIDATION DATE: 8101] USER: AT AV MC REVIEWER: GL ME YD1	A 4030	AR	26-SEP-75	AR	SH	99	
	MS51869	SCREW, TAPPING HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, HEXAGON WASHER HEAD [VALIDATION DATE: 8504]	A 5305	AR	29-SEP-72	AR	SH	99	
	MS51870	SCREW, TAPPING-HIGH PERFORMANCE, THREAD ROLLING, TYPES SF, SW AND TT, FLAT COUNTERSUNK HEAD, CROSS-RECESSED [VALIDATION DATE: 8504] REVIEWER: AV IS	A 5305	AR	29-SEP-72	AR	SH	99	
	MS51871	SCREW, TAPPING HIGH PERFORMANCE, ZONE HARDENED STRUCTURAL THREAD ROLLING, HEXAGON WASHER HEAD [VALIDATION DATE: 8504] USER: AS AT MC ME OS REVIEWER: AV IS	A 5305	AR	29-SEP-72	AR	SH	99	
	MS51872A	NIPPLE, PIPE, EXTRA STRONG, BRASS OR COPPER [VALIDATION DATE: 8804] USER: GL MC ME REVIEWER: 99 MI	A 4730	AR	07-APR-88	AR		11	
	MS51873A	NIPPLE, PIPE, EXTRA STRONG STEEL [VALIDATION DATE: 8804] USER: AT GL MC ME REVIEWER: 99	A 4730	AR	07-APR-88	AR		11	
	MS51888	LOCKNUT, ADJUSTABLE, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC [VALIDATION DATE: 8702] USER: AT AV MC OS REVIEWER: CS GL ME	A 4730	AR	12-FEB-87	AR		99	
	MS51889	WASHER, BACK-UP, 37 DEG. FLARED AND FLARELESS TYPE, HYDRAULIC [VALIDATION DATE: 8702]	A 4730	AR	12-FEB-87	AR		99	
D	MS51890A	FITTINGS, HYDRAULIC TUBE, FLARED 37 DEGREE AND FLARELESS, STEEL: CAP ASSEMBLY, TUBE, FLARELESS TYPE, HYDRAULIC USER: MC OS YD1 REVIEWER: B2 AT CS ME	A 4730	AR	16-FEB-88	AR	SH	99	
	MS51891	PLUG, TUBE FITTING, THREADED, FLARELESS TYPE, HYDRAULIC [VALIDATION DATE: 8702] USER: MC OS REVIEWER: AT CS ME	A 4730	AR	12-FEB-87	AR	SH	99	
	MS51892A	TEE, TUBE TO BOSS, BOSS ON RUN, O-RING, FLARELESS TYPE, HYDRAULIC USER: MS OS REVIEWER: AT CS ME	A 4730	AR	30-JUL-87	AR	SH	99	
	MS51893A	ADAPTER, STRAIGHT, TUBE TO BOSS, LONG, O-RING, FLARELESS TYPE, HYDRAULIC USER: MC REVIEWER: B2 AT CS ME OS	A 4730	AR	30-JUL-87	AR	SH	99	
	MS51894A	CROSS, TUBE, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: B2 AT CS ME	A 4730	AR	30-JUL-87	AR	SH	99	
	MS51895A	REDUCER, TUBE, LARGE HEX, O-RING, FLARELESS TYPE, HYDRAULIC USER: MC OS REVIEWER: B2 AT CS ME	A 4730	AR	30-JUL-87	AR	SH	99	
A	MS51896A(1)	SCREW, EXTERNALLY RELIEVED BODY, PANHEAD, CROSS-RECESSED, CORROSION-RESISTING STEEL, UNC-2A USER: ME MI OS REVIEWER: AT AV EA IS	A 5305	AR	05-OCT-92	AR	AS	99	
L	MS51906C	SEAL, PLAIN ENCASED, DUAL SEAL, SPRING LOADED [VALIDATION DATE: 8411] USER: GL	A 5330	AT	09-JUL-80	AT			
L	MS51907E	SEAL, PLAIN ENCASED, DUAL SEALING MEMBERS, OPPOSED, SPRING LOADED REVIEWER: AR IS ME	A 5330	AT	27-OCT-86	AT			
L	MS51908D	SEAL, PLAIN ENCASED, SPRING LOADED, FLANGED TYPE REVIEWER: AR	A 5330	AT	27-OCT-86	AT			
L	MS51909E	SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, SPRING LOADED, SHOULDERED CASE USER: AV ME REVIEWER: AR IS	A 5330	AT	27-OCT-86	AT			
L	MS51910D	SEAL, PLAIN ENCASED, SINGLE SEAL, EXTERNAL TYPE, SPRING LOADED	A 5330	AT	27-OCT-86	AT			
L	MS51911C	SEAL, PLAIN ENCASED, DUAL SEAL, INTERNAL SEAL SPRING LOADED REVIEWER: AR	A 5330	AT	27-OCT-86	AT			
L	MS51912E	SEAL, PLAIN ENCASED, DUAL SEALING MEMBERS, OPPOSED, ONE SEAL SPRING LOADED USER: AV ME REVIEWER: AR IS	A 5330	AT	27-OCT-86	AT			
L	MS51913D	SEAL, PLAIN ENCASED, DUAL SEAL, EXTERNAL SEAL SPRING LOADED REVIEWER: AR	A 5330	AT	27-OCT-86	AT			



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Doc / OMA Coordination Inactive	Document Number	Document Title	Dist. Smt. FSC / Aves	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MSS19140	SEAL, PLAIN ENCASED, DUAL SEALS, ONE SEAL SPRING LOADED, SHOULDERED CASE REVIEWER: AR	A 5330	AT	27-OCT-86	AT			
L	MSS19150	SEAL, PLAIN ENCASED, ONE FELT, PLUS ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBER SPRING LOADED (VALIDATION DATE: 8411) REVIEWER: AR	A 5330	AT	09-JUL-80	AT			
L	MSS19160	SEAL, PLAIN ENCASED, ONE FELT AND ONE LEATHER OR SYNTHETIC ELASTOMER SEALING MEMBERS, SPRING LOADED, SHOULDERED CASE (VALIDATION DATE: 8502) USER: AV REVIEWER: AR IS ME	A 5330	AT	26-JUN-72	AT			
L	MSS1917E NOTICE 1	SEAL, PLAIN ENCASED, SINGLE FELT SEALING MEMBER, INTERNAL TYPE (VALIDATION DATE: 9106) USER: AV REVIEWER: AR IS ME MI	A 5330	AT	20-JUN-91	AT			
L	MSS1918E	SEAL, PLAIN ENCASED-FLUID, RADIAL, SINGLE FELT SEALING MEMBER, EXTERNAL TYPE USER: AV REVIEWER: AR IS ME MI	A 5330	AT	27-OCT-86	AT			
L	MSS1919E	SEAL, PLAIN ENCASED, SINGLE FELT SEALING MEMBER, INTERNAL TYPE, SHOULDERED CASE USER: AV REVIEWER: AR IS ME MI	A 5330	AT	27-OCT-86	AT			
L	MSS1920F	SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, EXTENDED CASE USER: ME REVIEWER: AR MI	A 5330	AT	27-OCT-86	AT			
L	MSS1921F	SEAL, PLAIN ENCASED, SINGLE SEALING MEMBER, FACE TYPE USER: ME REVIEWER: AR	A 5330	AT	27-OCT-86	AT			
D	MSS1922E NOTICE 1	NUT, SELF-LOCKING, HEXAGON-PREVAILING TORQUE, GENERAL PURPOSE, 250 DEG. F, UNC-2B AND UNF-2B (VALIDATION DATE: 8806) USER: MC YD) REVIEWER: AT AV EA IS MI	A 5310	AR	06-JUN-88	AR	OS	99	
	MSS1923C	PIN, SPRING-TABULAR, COILED, MEDIUM DUTY (VALIDATION DATE: 8201) USER: AT MC ME REVIEWER: 82 AV IS MI SA	A 5315	AR	23-MAY-69	AR		99	
D	MSS1924A	CAP, RIVET (VALIDATION DATE: 8304) USER: ER MC REVIEWER: GL IS MI	A 5320	AR	07-JUL-70	AR	YD1		
L	MSS1925B	RING, DEELMEDIUM (VALIDATION DATE: 8504) USER: AT ME MI REVIEWER: GL IS	A 5340	AR	22-JAN-71	AR			
D	MSS1926B NOTICE 1	CLIP, END, STRAP TYPE 1, CLASS 1 AND CLASS 2 USER: AV MD ME REVIEWER: IS MI	A 5340	GL	12-FEB-88	GL	YD1	99	
	MSS1927A NOTICE 1	BUCKLE, TONGUELESS, 1-BAR (VALIDATION DATE: 8806) USER: AT GL MC ME WV REVIEWER: IS MI	A 5340	AR	06-JUN-88	AR		99	
D	MSS1928B	CLIP, SPRING TENSION (VALIDATION DATE: 8504) USER: AT CG ER ME SA REVIEWER: 82 IS	A 5340	AR	19-SEP-72	AR	YD1	99	
L	MSS1929A	BUCKLE, SPRING ACTION (VALIDATION DATE: 8203) USER: AT ER REVIEWER: GL IS MI	A 5340	AR	25-MAR-70	AR			
D	MSS1930A	PAD EYE WELDING (VALIDATION DATE: 8203) USER: MC ME OS REVIEWER: IS MI	A 5340	AR	05-APR-68	AR	YD1	99	
D	MSS1931A	RIVET, SOLID - TINNER S (VALIDATION DATE: 8304) USER: ER MC REVIEWER: IS ME MI	A 5320	AR	07-JUL-70	AR	YD1		
L	MSS1932	PIN, STRAIGHT&HEADLESS, DRILLED FOR COTTER PINS (VALIDATION DATE: 8203) REVIEWER: IS	A 5315	AR	05-APR-63	AR			
L	MSS1933	BOLT WELDING FINE THREAD (VALIDATION DATE: 8203) REVIEWER: IS ME	A 5306	AR	05-APR-63	AR			
L	MSS1934	BOLT, WELDING&COARSE THREAD REVIEWER: 82 AT IS	A 5306	AR	17-AUG-87	AR		99	
L	MSS1935	KEY, MACHINE&GIB HEAD (VALIDATION DATE: 8203) REVIEWER: IS	A 5315	AR	16-APR-63	AR			
D	MSS1936B	WASHER, FLAT (BURR) USER: AT MC REVIEWER: GL IS ME MI SA	A 5310	AR	31-DEC-87	AR	YD1		
	MSS1937C	BOLT, EYE, SHOULDER UNC-2A AND UNF-2A USER: MC OS SH REVIEWER: GL IS MS	A 5306	AR	27-SEP-85	AR		99	
	MSS1938C	SEAL, METALLIC, LEAD AND WIRE USER: AT AV ER MC REVIEWER: OS IS MI OS	A 5340	AR	28-JUN-91	AR	AS	99	
L	MSS1939A	LOOP, STRAP FASTENER (FOOTMAN'S LOOP) USER: ME REVIEWER: IS MI	A 5340	AR	28-JUN-91	AR			
D	MSS1940C	LOOP, SLIDE (FOR EQUIPAGE) (VALIDATION DATE: 8601) USER: AV MD ME MI REVIEWER: AR IS MC	A 5340	GL	14-JUN-71	GL	YD1	99	
L	MSS1941B	NUT, PLAIN, PLATE REVIEWER: IS ME MI	A 5310	AR	28-FEB-85	AR			
D	MSS1942A	RIVET, TUBULAR - FLAT HEAD (VALIDATION DATE: 8304) USER: ER MC REVIEWER: GL IS ME MI	A 5320	AR	07-JUL-70	AR	YD1		
D	MSS1943C	NUT, SELF LOCKING, HEXAGON PREVAILING TORQUE, FOR CRITICAL INSTALLATIONS, 250 DEG. F, UNC-3B AND UNF-3B (VALIDATION DATE: 8203) USER: AV MC ME YD1 REVIEWER: AT MI	A 5310	AR	23-JUN-76	AR	OS	99	
	MSS1944A	BUCKLE, TONGUELESS&2BAR (VALIDATION DATE: 8003) USER: AT AV GL ME REVIEWER: EA IS	A 5340	AR	25-JAN-74	AR		99	
D	MSS1945A	RIVET, SOLID COUNTERSUNK HEAD BRASS OR COPPER (VALIDATION DATE: 8304) USER: ER MC REVIEWER: GL IS ME MI	A 5320	AR	07-JUL-70	AR	YD1		
L	MSS1946D	BOLT, RIBBED SHOULDER, SINGLE END, SPLINED, 3/4 INCH USER: ME REVIEWER: IS	A 5306	AT	31-DEC-86	AT			
L	MSS1947B	BOLT, RIBBED SHOULDER, WHEEL MOUNTING SINGLE END, 3/4 INCH, EXTENDED LENGTH (VALIDATION DATE: 8502) USER: AR ER REVIEWER: IS MI	A 5306	AT	27-MAY-76	AT			
L	MSS1948C	BOLT, RIBBED SHOULDER, SINGLE END, SPLINED, 7/16 AND 1/2 INCH (VALIDATION DATE: 8312) USER: AR ER ME REVIEWER: IS	A 5306	AT	20-SEP-73	AT			
L	MSS1949B NOTICE 1	BOLT, SHOULDER, WHEEL MOUNTING, SINGLE END, KEYED HEAD USER: AR ER ME REVIEWER: IS MI	A 5306	AT	19-NOV-87	AT			
	MSS1950C	STUD, SHOULDERED, WHEEL MOUNTING (VALIDATION DATE: 8207) USER: AR ME REVIEWER: 82 IS MI	A 5307	AT	28-JAN-77	AT		99	
	MSS1951C	STUD, SHOULDERED AND STEPPED& WHEEL MOUNTING (VALIDATION DATE: 8207) USER: AR ME REVIEWER: 82 IS MI	A 5307	AT	28-JAN-77	AT		99	
D	MSS1952B NOTICE 1	ELBOW, PIPE, STREET, 90 DEG, BRASS OR BRONZE, 125 LB.	A 4730	YD1	25-AUG-87	AR	YD1	99	
	MSS1953C	NIPPLE, PIPE, STANDARD PUMP USER: AT GL MC REVIEWER: 99 AV ME MI	A 4730	AR	06-DEC-82	AR		11	
D	MSS1954C NOTICE 1	TEE, PIPE-REDUCING (150 POUNDS) USER: AT AV MC REVIEWER: CS ME MI	A 4730	YD1	25-AUG-87	AR	YD1	99	
	MSS1955A NOTICE 1	SETScrew-SQUARE HEAD, CUP POINT, CARBON STEEL (VALIDATION DATE: 8805) USER: AS AT GL MC REVIEWER: IS ME MI	A 5305	AR	20-MAY-88	AR	SH	99	
	MSS1956A	STRAP, RETAINING, ONE HOLE, FOR THIN WALL CONDUIT (EMT) (VALIDATION DATE: 8504) USER: ER MC REVIEWER: IS ME MI	A 5340	AR	22-MAR-66	AR	SH	99	
D	MSS1957C(1)	SCREW, MACHINE-PAN HEAD, CROSS-RECESSED, CORROSION-RESISTANT STEEL, UNC-2A USER: MC ME REVIEWER: AT AV IS MI	A 5305	AR	05-OCT-92	AR	SH	99	
A	MSS1958C(1)	SCREW, MACHINE-PAN-HEAD, CROSS-RECESSED, CORROSION RESISTING STEEL, UNF-2A USER: MC OS REVIEWER: AV IS MI	A 5305	AR	05-OCT-92	AR	SH	99	
	MSS1959C	SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEG., CROSS-RECESSED, CORROSION STEEL UNC-2A (VALIDATION DATE: 8504) USER: MC OS REVIEWER: AV GL IS MI	A 5305	AR	02-APR-71	AR	SH	99	
I	MSS1960C	SCREW, MACHINE-FLAT COUNTERSUNK HEAD, 82 DEGREE, CROSS-RECESSED, CORROSION RESISTANT STEEL, UNF-2A USER: MC OS SH REVIEWER: AT AV EA IS MI	A 5305	AR	29-MAR-91	AR		99	
	MSS1961F	BEARING, ROLLER, NEEDLE, THICK OUTER RACE W/ROLLERS AND RETAINER (VALIDATION DATE: 8502) USER: AR GL REVIEWER: AV IS MC ME MI	A 3110	AT	30-APR-80	AT	OS	99	
	MSS1962F	RING, BEARING, INNER, FOR NEEDLE ROLLER BEARING WITH THICK OUTER RACE USER: AR GL MC REVIEWER: 84 AV IS MI	A 3110	AT	28-OCT-86	AT	OS	99	
	MSS1963C	SETScrew-HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING (VALIDATION DATE: 8504) USER: AT MC OS REVIEWER: AV IS ME MI	A 5305	AR	29-DEC-72	AR		99	
	MSS1964E NOTICE 1	SETScrew, HEXAGON SOCKET, CUP POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING USER: MC OS REVIEWER: AT AV IS MI	A 5305	AR	15-SEP-88	AR		99	
	MSS1965B	SETScrew-HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING (INACTIVE) (VALIDATION DATE: 8504) USER: AT MC OS REVIEWER: AV IS ME MI	A 5305	AR	29-DEC-72	AR	AS	99	
	MSS1966A	SETScrew - HEXAGON SOCKET, FLAT POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING (INACTIVE) (VALIDATION DATE: 8504) USER: AT MC ME OS REVIEWER: AV IS MI	A 5305	AR	29-DEC-72	AR	AS	99	
	MSS1967D NOTICE 1	NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNC-2B (1N./MM) (VALIDATION DATE: 8806) USER: ME OS SH REVIEWER: AV GL IS MC MI	A 5310	AR	06-JUN-88	AR		99	
D	MSS1968C NOTICE 1	NUT, PLAIN, HEXAGON-CARBON STEEL, CADMIUM PLATED, UNF-2B (1N./MM) (VALIDATION DATE: 8806) USER: MC OS YD1 REVIEWER: AT AV IS MI	A 5310	AR	06-JUN-88	AR		99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Or/On Coordination Machine	Document Number	Document Title	Dist. Org. FDC / Area MCA Symbol	Date	Custodians			
					Army	Navy	Air Force	DLA
D	MS51969B	NUT, PLAIN, HEXAGON BRASS, BLACK CHEMICAL FINISH, UNC-2B [VALIDATION DATE: 8504] USER: MC MI YDI REVIEWER: AT AV IS ME	A 5310	AR 24-JUL-72	AR	SH	99	
D	MS51970A	NUT, PLAIN, HEXAGON-BRASS, BLACK CHEMICAL FINISH, UNF-2B [VALIDATION DATE: 8504] USER: MC MI YDI REVIEWER: 11 AT AV IS ME	A 5310	AR 24-JUL-72	AR	SH	99	
	MS51971B	NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, UNC-2B [VALIDATION DATE: 8504] USER: MC MI REVIEWER: AT AV IS	A 5310	AR 29-JAN-69	AR		99	
	MS51972A	NUT, PLAIN, HEXAGON-STEEL, CORROSION RESISTING, 300 SERIES, PASSIVATED, UNF-2B [VALIDATION DATE: 8806] USER: MC MI REVIEWER: AT AV IS	A 5310	AR 06-JUN-88	AR		99	
	NOTICE 1	SETSOREN - HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A, PLAIN AND SELF-LOCKING (INACTIVE) [VALIDATION DATE: 8504] USER: MC OS REVIEWER: AV IS ME MI	A 5305	AR 29-DEC-72	AR	AS	99	
	MS51973B	SETSOREN-HEXAGON SOCKET, CONE POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A, PLAIN AND SELF-LOCKING [VALIDATION DATE: 8805] USER: MC OS REVIEWER: 11 AV IS ME MI	A 5305	AR 20-MAY-88	AR	SH	99	
	MS51974B	SCREW, SHOULDER SOCKET HEAD, HEXAGON, ALLOY STEEL, CADMIUM PLATED, UNC-3A USER: AT AV MC ME REVIEWER: 15 MI	A 5305	AR 30-OCT-84	AR	OS	99	
	NOTICE 1	SETSOREN-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A [VALIDATION DATE: 8805] USER: AT MC ME MI OS REVIEWER: 11 IS	A 5305	AR 20-MAY-88	AR	SH	99	
	MS51975C	SETSOREN-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: AV IS ME MI	A 5305	AR 31-MAR-72	AR	AS	99	
	MS51976A	SETSOREN-HEXAGON SOCKET, HALF-DOG POINT, ALLOY STEEL, CADMIUM PLATED, UNF-3A [VALIDATION DATE: 8504] USER: AT MC OS REVIEWER: AV IS ME MI	A 2350	AT 30-APR-80	AT			
	MS51977C	GUN, ANTI TANK, SELF PROPELLED 90MM, MS6 (INACTIVE) [VALIDATION DATE: 7504]	A 2350	AT 12-JUL-77	AT			
L	MS51979B	SETSOREN-HEXAGON SOCKET, OVAL POINT, ALLOY STEEL, CADMIUM PLATED, UNC-3A [VALIDATION DATE: 8504] USER: AT GL MC ME MI OS SH REVIEWER: AV IS MS	A 5305	AR 15-MAR-79	AR	AS	99	
L	MS51980B	SETSOREN-HEXAGON SOCKET, OVAL POINT, ALLOY, CADMIUM PLATED, UNC-3A (INACTIVE) [VALIDATION DATE: 8504] USER: MC ME OS REVIEWER: AV IS MI MS	A 5305	AR 31-MAR-72	AR	AS	99	
	MS51981C	PIN, SPRING, TUBULAR, COILED, LIGHT DUTY [VALIDATION DATE: 8203] USER: AT MC ME REVIEWER: AV IS MI SA	A 5315	AR 23-MAY-69	AR			
	MS51982A	NUT, SELF-LOCKING, FLANGED, PREVAILING TORQUE, STEEL, CADMIUM, UNC AND UNF [VALIDATION DATE: 8203] USER: AT AV MC OS REVIEWER: 15 MI	A 5310	AR 22-JUN-70	AR			
L	MS51987A	STUD, LOCKED IN-RING LOCKED, SERRATED [VALIDATION DATE: 8806] USER: OS REVIEWER: 82 AT AV IS MI	A 5307	AR 06-JUN-88	AR		99	
L	MS51988B	RING, LOCK, SERRATED USER: MC REVIEWER: 82 AT AV CR ER IS MS	A 5365	AR 19-JAN-89	AR	AS	99	
	MS51989A	INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED [VALIDATION DATE: 8203] USER: OS REVIEWER: AT AV IS MI	A 5340	AR 28-JUN-76	AR	AS	99	
	NOTICE 1	STUD, LOCKED IN-RING LOCKED, SERRATED, HIGH STRENGTH USER: GL MC MI OS REVIEWER: 11 82 AT AV IS ME MS	A 5307	AR 12-MAY-85	AR	AS	99	
	MS51990B	INSERT, SCREW THREAD - LOCKED IN, RING LOCKED, SERRATED, HIGH STRENGTH [VALIDATION DATE: 8203] USER: MC OS YDI REVIEWER: AT AV IS MI	A 5340	AR 28-JUN-76	AR	AS	99	
D	MS51993A	HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, STANDARD DIMENSIONS FOR USER: MC MI OS REVIEWER: 11 82 AT AV ER IS MS	A 53GP	AR 12-FEB-88	AR	AS	99	
	MS51994A	FASTENERS, RING LOCKED INSERTS AND STUDS, INSTALLATION AND REPLACEMENT OF USER: MC MI OS REVIEWER: 11 82 AT AV ER IS MS	A 53GP	AR 12-FEB-88	AR	AS	99	
	MS51995C	HOLE PREPARATION-RING LOCKED INSERTS AND STUDS, HIGH STRENGTH, STANDARD DIMENSIONS FOR USER: MC OS REVIEWER: 11 82 AT AV IS MI	A 53GP	AR 11-MAR-85	AR	AS	99	
	MS51996A	RING, LOCK, SERRATED-HIGH STRENGTH USER: MC REVIEWER: 82 AT AV ER GL IS MS	A 5365	AR 19-JAN-89	AR	AS	99	
	MS51997C	INSERT, SCREW THREAD-LOCKED IN, RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 8805] REVIEWER: 82	A 53GP	AR 10-MAY-88	AR	AS	99	
	MS51998	STUD, LOCKED IN - RING LOCKED, SERRATED, DESIGN AND USAGE LIMITATIONS FOR [VALIDATION DATE: 8805] USER: MC OS REVIEWER: 11 82 AT AV IS MI	A 53GP	AR 20-MAY-88	AR	AS	99	
	NOTICE 1	GASKET, RUBBER, SYNTHETIC [VALIDATION DATE: 8807] REVIEWER: GS IS MI	A 5330	AT 08-JUL-88	AT			
	MS51999	WIRE, NONELECTRICAL, SQUARE, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9525	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9525	MR 20-MAR-91	MR	SH	99	
	MS52000A	WIRE, NONELECTRICAL, HEXAGON, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9525	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	WIRE, NONELECTRICAL, ROUND, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9525	MR 20-MAR-91	MR	SH	99	
	MS52001	WIRE, NONELECTRICAL, ROUND, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9525	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	WIRE, NONELECTRICAL, SQUARE, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9525	MR 20-MAR-91	MR	SH	99	
	MS52002	WIRE, NONELECTRICAL, FLAT, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9525	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	BAR, METAL, FLAT, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	MS52003	BAR, METAL, FLAT, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	BAR, METAL, FLAT, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	MS52004	BAR, METAL, FLAT COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	BAR, METAL, HEXAGON, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	MS52005	BAR, METAL, HEXAGON, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	BAR, METAL, HEXAGON, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	MS52006	BAR, METAL, ROUND COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	BAR, METAL, ROUND, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	MS52007	BAR, METAL, ROUND, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	BAR, METAL, OVAL, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	MS52008	BAR, METAL, SQUARE, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	BAR, METAL, SQUARE COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	MS52009	BAR, METAL, SQUARE COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9530	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	FOIL, METAL, FLAT, COPPER BASE ALLOY 260 REVIEWER: 84 IS	A 9535	MR 25-OCT-84	MR	SH	99	
	MS52010	STRIP, METAL COPPER BASE ALLOY 230 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9535	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	STRIP, METAL, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9535	MR 20-MAR-91	MR	SH	99	
	MS52011	STRIP, METAL COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9535	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	STRIP, METAL, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9535	MR 20-MAR-91	MR	SH	99	
	MS52012	STRIP, METAL, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9535	MR 20-MAR-91	MR	SH	99	
	NOTICE 1	SHEET, METAL, COPPER BASE ALLOY 240 [VALIDATION DATE: 9103] REVIEWER: 84 IS	A 9535	MR 20-MAR-91	MR	SH	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGSAction  
CPL / OAK  
Combination  
Machine  
Document  
NumberDocument  
TitleDist. Smt.  
FAC / Area  
MCA Symbol  
Property Adj.  
DateCustodians  
Army  
Navy  
Air Force  
DLA

MSS2029 NOTICE 1	SHEET, METAL, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84	A 9535	NR	20-MAR-91	NR	SM	99
MSS2030 NOTICE 1	SHEET, METAL, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84	A 9535	NR	20-MAR-91	NR	SM	99
MSS2031 NOTICE 1	SHEET, METAL, COPPER BASE ALLOY 342 [VALIDATION DATE: 9103] REVIEWER: 84	A 9535	NR	20-MAR-91	NR	SM	99
MSS2032 NOTICE 1	PLATE, METAL, COPPER BASE ALLOY 230 [VALIDATION DATE: 9103] REVIEWER: 84	A 9535	NR	20-MAR-91	NR	SM	99
MSS2033 NOTICE 1	PLATE, METAL, COPPER BASE ALLOY 260 [VALIDATION DATE: 9103] REVIEWER: 84	A 9535	NR	20-MAR-91	NR	SM	99
MSS2034 NOTICE 1	PLATE, METAL, COPPER BASE ALLOY 268 [VALIDATION DATE: 9103] REVIEWER: 84	A 9535	NR	20-MAR-91	NR	SM	99
MSS2035 NOTICE 1	PLATE, METAL, COPPER BASE ALLOY 353 [VALIDATION DATE: 9103] REVIEWER: 84	A 9535	NR	20-MAR-91	NR	SM	99
MSS2036 NOTICE 1	STRUCTURAL ANGLE, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84	A 9540	NR	20-MAR-91	NR	SM	99
MSS2037 NOTICE 1	STRUCTURAL CHANNEL, COPPER BASE ALLOY 360 [VALIDATION DATE: 9103] REVIEWER: 84	A 9540	NR	20-MAR-91	NR	SM	99
MSS2038 NOTICE 1	STRIP, METAL, LOW CARBON STEEL (1010) COLD ROLLED REVIEWER: 84	A 9515	NR	28-NOV-84	NR	AS	99
MSS2039 NOTICE 1	STRIP, METAL, LOW CARBON STEEL (1015) COLD & HOT ROLLED REVIEWER: 84	A 9515	NR	28-NOV-84	NR	AS	99
MSS2040 NOTICE 1	STRIP, METAL, LOW CARBON STEEL (1018) COLD ROLLED REVIEWER: 84	A 9515	NR	28-NOV-84	NR	AS	99
MSS2041 NOTICE 1	STRIP, METAL, LOW CARBON STEEL (1020) COLD ROLLED REVIEWER: 84	A 9515	NR	28-NOV-84	NR	AS	99
MSS2042 NOTICE 1	SHEET, METAL, LOW CARBON STEEL (1010) COLD AND HOT ROLLED REVIEWER: 84	A 9515	NR	28-NOV-84	NR	AS	99
MSS2043 NOTICE 1	SHEET, METAL, LOW CARBON STEEL (1015) COLD AND HOT ROLLED REVIEWER: 84	A 9515	NR	28-NOV-84	NR	AS	99
MSS2044 NOTICE 1	SHEET, METAL, LOW CARBON STEEL (1018) COLD & HOT ROLLED REVIEWER: 84	A 9515	NR	28-OCT-84	NR	AS	99
MSS2045 NOTICE 1	WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE A2 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2046 NOTICE 1	WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE H21 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2047 NOTICE 1	WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE 01 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2048 NOTICE 1	WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE 02 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2049 NOTICE 1	WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2050 NOTICE 1	WIRE, SQUARE, NONELECTRICAL, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2051 NOTICE 1	WIRE, FLAT, NONELECTRICAL, TOOL STEEL, TYPE 01 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2052 NOTICE 1	WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2053 NOTICE 1	WIRE, ROUND, NONELECTRICAL, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2054 NOTICE 1	WIRE, SQUARE, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2055 NOTICE 1	WIRE, SQUARE, NONELECTRICAL, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2056 NOTICE 1	WIRE, HEXAGON, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2057 NOTICE 1	WIRE, OCTAGON, NONELECTRICAL, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9101] REVIEWER: 84	A 9505	NR	30-JAN-91	NR		99
MSS2058 NOTICE 1	BAR, ROUND TOOL STEEL, TYPE A2 [VALIDATION DATE: 9104] REVIEWER: 84	A 9510	NR	10-APR-91	NR		99
MSS2059 NOTICE 1	BAR, ROUND, TOOL STEEL, TYPE H21 [VALIDATION DATE: 9104] REVIEWER: 84	A 9510	NR	10-APR-91	NR		99
MSS2060 NOTICE 1	BAR, ROUND TOOL STEEL, TYPE 01 [VALIDATION DATE: 9104] REVIEWER: 84	A 9510	NR	10-APR-91	NR		99
MSS2061 NOTICE 1	BAR, ROUND TOOL STEEL, TYPE 02 [VALIDATION DATE: 9104] REVIEWER: 84	A 9510	NR	10-APR-91	NR		99
MSS2062 NOTICE 1	BAR, ROUND TOOL STEEL, TYPE S5 [VALIDATION DATE: 9104] REVIEWER: 84	A 9510	NR	10-APR-91	NR		99
MSS2063 NOTICE 1	BAR, ROUND, TOOL STEEL, TYPE 02 [VALIDATION DATE: 9104] REVIEWER: 84	A 9510	NR	10-APR-91	NR		99
MSS2064 NOTICE 1	BAR, ROUND TOOL STEEL, TYPE 06 [VALIDATION DATE: 9104] REVIEWER: 84	A 9510	NR	10-APR-91	NR		99
MSS2065 NOTICE 1	BAR, RECTANGULAR, TOOL STEEL, TYPE 01 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	10-MAY-91	NR		99
MSS2066 NOTICE 1	BAR, RECTANGULAR, TOOL STEEL, TYPE 02 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	10-MAY-91	NR		99
MSS2067 NOTICE 1	BAR, RECTANGULAR, TOOL STEEL, TYPE D3 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	10-MAY-91	NR		99
MSS2068 NOTICE 1	BAR, RECTANGULAR, TOOL STEEL, TYPE S1 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	10-MAY-91	NR		99
MSS2069 NOTICE 1	BAR, SQUARE, TOOL STEEL, TYPE 01 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	10-MAY-91	NR		99
MSS2070 NOTICE 1	BAR, SQUARE, TOOL STEEL, TYPE 02 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	24-MAY-91	NR		99
MSS2071 NOTICE 1	BAR, SQUARE, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	24-MAY-91	NR		99
MSS2072 NOTICE 1	BAR, HEXAGON, TOOL STEEL, TYPE 01 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	24-MAY-91	NR		99
MSS2073 NOTICE 1	BAR, HEXAGON, TOOL STEEL, TYPE 02 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	24-MAY-91	NR		99
MSS2074 NOTICE 1	BAR, HEXAGON, TOOL STEEL, TYPE S1 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	24-MAY-91	NR		99
MSS2075 NOTICE 1	BAR, HEXAGON, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9105] REVIEWER: 84	A 9510	NR	24-MAY-91	NR		99
MSS2076 NOTICE 1	BAR, OCTAGON, TOOL STEEL, TYPE 01 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	07-JUN-91	NR		99
MSS2077 NOTICE 1	BAR, OCTAGON, TOOL STEEL, TYPE S1 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	07-JUN-91	NR		99
MSS2078 NOTICE 1	BAR, OCTAGON, TOOL STEEL, TYPE S5 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	07-JUN-91	NR		99
MSS2079 NOTICE 1	BAR, ROUND, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	07-JUN-91	NR		99
MSS2080 NOTICE 1	BAR, ROUND, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	07-JUN-91	NR		99
MSS2081 NOTICE 1	BAR, FLAT, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	07-JUN-91	NR		99
MSS2082 NOTICE 1	BAR, FLAT, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	26-JUN-91	NR		99
MSS2083 NOTICE 1	BAR, SQUARE, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84	A 9510	NR	26-JUN-91	NR		99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Qty / Ord. Combination Package	Document Number	Document Title	Des. Sht. FSC / Ass.	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MS52084 NOTICE 1	BAR, SQUARE, TOOL STEEL, TYPE W2 [VALIDATION DATE: 9106] REVIEWER: 84 AR EA IS MI	A 9510	NR	26-JUN-91	NR			99
	MS52085 NOTICE 1	BAR, HEXAGON, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84 AR EA IS MI	A 9510	NR	26-JUN-91	NR			99
	MS52086 NOTICE 1	BAR, OCTAGON, TOOL STEEL, TYPE W1 [VALIDATION DATE: 9106] REVIEWER: 84 AR EA IS MI	A 9510	NR	26-JUN-91	NR			99
	MS52087	STRIP, TOOL STEEL, TYPE 01 REVIEWER: 84 AR EA IS MI	A 9515	NR	31-JUL-85	NR			99
	MS52088	PLATE, TOOL STEEL, TYPE 01 REVIEWER: 84 AR EA IS MI	A 9515	NR	31-JUL-85	NR			99
	MS52089	STRIP, TOOL STEEL, TYPE W1 REVIEWER: 84 AR EA IS MI	A 9515	NR	31-JUL-85	NR			99
	MS52090	STRIP, TOOL STEEL, TYPE W2 REVIEWER: 84 AR EA IS MI	A 9515	NR	31-JUL-85	NR			99
	MS52094	WIRE, NONELECTRICAL, ROUND, STEEL, CARBON, 1045 USER: ME MI REVIEWER: 99 AR AT IS	A 9505	NR	05-MAR-87	NR			AS
	MS52095	WIRE, NONELECTRICAL, ROUND, STEEL, CARBON, 1095 USER: ME MI REVIEWER: 99 AR AT IS	A 9505	NR	05-MAR-87	NR			AS
	MS52096	WIRE, NONELECTRICAL, ROUND, STEEL, CARBON, 1212 USER: ME MI REVIEWER: 99 AR AT IS	A 9505	NR	05-MAR-87	NR			AS
D	MS521030	HOSE ASSEMBLY, NONMETALLIC, FUEL AND OIL, MEDIUM PRESSURE, FLARED TUBE USER: MC SH YDI REVIEWER: AR CS ME	A 4720	AT	06-JUN-84	AT			
D	MS521048	HOSE ASSEMBLY, RUBBER, FUEL AND OIL, LOW PRESSURE, FLARED TUBE USER: MC REVIEWER: AR CS ME	A 4720	AT	27-JUN-84	AT		YDI	
	MS52105	FIFTH WHEEL ASSEMBLY-33 INCH UNIVERSAL, TRUCK-TRACTOR, 25,000 LB CAPACITY [VALIDATION DATE: 8011] USER: MC ME	A 2510	AT	16-JUL-69	AT			99
D	MS52116A	SHAFT ASSEMBLY, FLEXIBLE, PLASTIC, TACHOMETER, AND SPEEDOMETER USER: MC ME REVIEWER: GS	A 6680	AT	19-JAN-88	AT		YDI	99
D	MS52124	PATCH, PNEUMATIC TIRE REPAIR, SEMI-CURED NYLON [VALIDATION DATE: 8502] USER: MC REVIEWER: CS	A 2640	AT	22-SEP-72	AT		YDI	99
L	MS52125B	COMPOSITE LIGHT, TAIL STOP, TURN AND MARKER USER: ME REVIEWER: GS	A 6220	AT	24-JUL-89	AT			
L	MS52126A	COMPOSITE LIGHT FRONT, TURN, PARK AND MARKER REVIEWER: GS	A 6220	AT	27-AUG-87	AT			
D	MS52127C	CHOCK, WHEEL USER: ME	A 2540	AT	22-DEC-88	AT		YDI	
D	MS52128C	SWITCH, VEHICULAR LIGHTS, 24 VOLT DC, (WATERPROOF) [VALIDATION DATE: 8212] USER: MC ME REVIEWER: CS YDI	A 2590	AT	01-JUL-76	AT			99
L	MS52129	CONNECTOR, RECEPTACLE, ELECTRICAL INTERVEHICLE POWER CABLE [VALIDATION DATE: 8512] REVIEWER: CS ME	A 2920	AT	17-DEC-75	AT			
D	MS52130A	HOSE, NONMETALLIC, STRAIGHT, ENGINE COOLANT [VALIDATION DATE: 8504] REVIEWER: CS	A 4720	AT	12-DEC-79	AT		YDI	99
L	MS52131	CONNECTOR, PLUG, ELECTRICAL INTERVEHICLE POWER CABLE [VALIDATION DATE: 8512] REVIEWER: CS ME	A 2920	AT	17-DEC-75	AT			
D	MS52140	SPEEDOMETER MECHANICAL (0-100 KM/H) [VALIDATION DATE: 8303] USER: MC REVIEWER: CS	A 6680	AT	28-SEP-77	AT		YDI	
	MS52141	BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, CAGED, WITHOUT INNER RING OPEN AND CLOSED END, STANDARD TYPE [VALIDATION DATE: 8502] USER: AR GL MC SH REVIEWER: 99 AV IS ME MI	A 3110	AT	30-APR-80	AT		OS	11
	MS52142A NOTICE 1	BEARING, ROLLER, NEEDLE, DRAWN OUTER RING, FULL COMPLEMENT, WITHOUT INNER RING, OPEN END, EXTRA PRECISION TYPE [VALIDATION DATE: 8610] USER: AR GL MC SH REVIEWER: AV IS ME MI	A 3110	AT	28-OCT-86	AT		OS	99
	MS52143	BEARING, ROLLER, NEEDLE, THICK OUTER RING W/ROLLERS, CAGE AND SEALS USER: AR GL MC SH REVIEWER: 99 AV IS ME MI	A 3110	AT	28-OCT-86	AT		OS	11
L	MS52149F	BATTERY, STORAGE, LEAD-ACID (LOW-MAINTENANCE) TYPE 6TL	A 6140	AT	27-MAY-92	AT			
D L	MS52236A NOTICE 1	TRUCK, WRECKER: 5 TON, 6X6, M936A1 USER: YDI	A 2320	AT	30-OCT-89	AT			
L	MS52259	CARRIER, PERSONNEL, FULL TRACKED - ARMORED, M113A2E1	A 2350	AT	13-JAN-86	AT			
L	MS52270	MONTITZER, SELF - PROPELLED 8 INCH, M110A2	A 2350	AT	18-FEB-86	AT			
L	MS52274	VEHICLE, FIGHTING, CAVALRY M2A1 WITH TOW AND EXTERNALLY POWERED WEAPON	A 2350	AT	20-MAR-87	AT			
L	MS52275	RECOVERY VEHICLE, LIGHT, M808E1	A 2350	AT	20-OCT-86	AT			
L	MS52276	VEHICLE, FIGHTING, INFANTRY M2A1 WITH TOW AND EXTERNALLY POWERED WEAPON	A 2350	AT	20-OCT-86	AT			
L	MS52287	HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 60,000 BTU/HR, SINGLE AIR TYPE	A 2540	AT	28-OCT-86	AT			
L	MS52288	HEATER ASSEMBLY, COMBUSTION, VEHICULAR COMPARTMENT, 60,000 BTU/HR, DUAL AIR TYPE	A 2540	AT	28-OCT-86	AT			
L	MS52295	TRUCK: VAN, EXPANSIBLE, 5 TON, 6X6, M934	A 2320	AT	15-DEC-88	AT			
L	MS53000B	SWITCH, BEAM SELECTING, HEADLIGHT-SPOT, NO OFF, 24 VOLT DC [VALIDATION DATE: 8501] USER: MC ME REVIEWER: CS	A 2590	AT	07-FEB-69	AT			
L	MS53001A NOTICE 1	SWITCH, BEAM SELECTING, HEADLIGHT-SPOT, NO OFF, 28 VOLT DC [VALIDATION DATE: 9009] USER: MC ME	A 2590	AT	15-SEP-90	AT			
	MS53004C	VALVE, RELAY, EMERGENCY BREAKAWAY, AIR BRAKE USER: ME REVIEWER: CS	A 2530	AT	09-MAY-83	AT		MC	99
L	MS53005C NOTICE 1	AIR CLEANER, INTAKE: COMPRESSOR [VALIDATION DATE: 9101] USER: MC MI REVIEWER: CS ME	A 2530	AT	16-JAN-91	AT			
	MS53006B	GOVERNOR ASSEMBLY&AIR BRAKE FOR TACTICAL VEHICLES USER: MC REVIEWER: CS ME MI	A 2530	AT	31-MAY-85	AT			84
	MS53007D NOTICE 1	PLATE, IDENTIFICATION, EMERGENCY AND SERVICE AUTOMOTIVE AIR BRAKE [VALIDATION DATE: 8710] USER: GL MC ME REVIEWER: MI	A 9905	AT	15-OCT-87	AT			99
	MS53008A NOTICE 1	STARTER, ENGINE, ELECTRICAL, 24-VOLT, D.C., 5-9/16-INCH FRAME DIAMETER, SOLENOID-ACTUATED, HEAVY-DUTY [VALIDATION DATE: 9007] USER: MC REVIEWER: 69 85 AT CS	A 2920	ME	12-JUL-90	ME			99
	MS53009A NOTICE 1	STARTER, ENGINE, ELECTRICAL, 24 VOLT, D.C., 5-1/8 INCH FRAME DIAMETER SOLENOID-ACTUATED, HEAVY-DUTY [VALIDATION DATE: 9007] USER: MC REVIEWER: 69 85 AT CS	A 2920	ME	12-JUL-90	ME			99
L	MS53011E NOTICE 1	STARTER, ENGINE, ELECTRICAL, 24-VOLT, D.C., 5-1/8 INCH FRAME DIAMETER, SOLENOID, ACTUATED, HEAVY-DUTY, LONG FRAME [VALIDATION DATE: 9007] USER: MC REVIEWER: AT CS	A 2920	ME	12-JUL-90	ME			
D	MS530130	STARTER, ENGINE, ELECTRICAL, 24-VOLT D.C., 3-INCH FRAME DIAMETER SOLENOID ACTUATED, LIGHT DUTY [VALIDATION DATE: 8301] USER: MC YDI REVIEWER: AT CS	A 2920	ME	30-JUN-77	ME			99
D	MS53015H	MIRROR ASSEMBLY, REARVIEW USER: MC ME MI REVIEWER: 84 CS	A 2540	AT	22-AUG-89	AT		YDI	99
	MS53016D	MIRROR AND BRACKET ASSEMBLY, REARVIEW USER: MC ME REVIEWER: CS	A 2540	AT	04-NOV-91	AT			99
A	MS53022B	LIGHT, COMPOSITE, VEHICULAR-BLACKOUT DRIVING, BLACKOUT MARKER, SERVICE, INFRARED-24 VOLT	A 6220	AT	12-JUN-92	AT		MC	
	MS53023B	HEADLIGHT & SERVICE, DOUBLE FILAMENT, 24 VOLT, WATERPROOF [VALIDATION DATE: 8011] USER: ME REVIEWER: GS	A 6220	AT	25-MAY-64	AT		MC	
L	MS53024A NOTICE 1	HEADLIGHT & INFRARED, DOUBLE FILAMENT, 24 VOLT, WATERPROOF [VALIDATION DATE: 8709] REVIEWER: 99 GS	A 6220	AT	01-SEP-87	AT		MC	
	MS53032B NOTICE 1	COMPRESSOR, RECIPROCATING, POWER DRIVEN: AIR COOLED, 12 C.F.M. W/UNLOADER [VALIDATION DATE: 9101] USER: MC REVIEWER: CS ME	A 2530	AT	14-JAN-91	AT			99
	MS53034A NOTICE 1	FIFTH WHEEL ASSEMBLY&36 INCH UNIVERSAL, TRUCK&TRACTOR, 45,000 LBS. CAPACITY [VALIDATION DATE: 8708]	A 2510	AT	31-AUG-87	AT		MC	99
D	MS53035A NOTICE 1	FIFTH WHEEL ASSEMBLY&33 INCH NONUNIVERSAL, DOLLY, TRAILER CONVERTER, 19,000 LBS. CAPACITY USER: MC REVIEWER: 84	A 2510	AT	18-DEC-87	AT		YDI	99
	MS53036D	KINGPIN, FIFTH WHEEL, 2 INCH [VALIDATION DATE: 8308] USER: MC ME REVIEWER: MI	A 2510	AT	26-MAR-79	AT			99
D	MS53037E NOTICE 1	KINGPIN, FIFTH WHEEL 3&1/2 INCH [VALIDATION DATE: 8610] USER: MC ME	A 2510	AT	20-OCT-86	AT		YDI	99
	MS53038E	KINGPIN, FIFTH WHEEL & UNIVERSAL USER: MC ME	A 2510	AT	09-OCT-87	AT			99
L	MS53039B NOTICE 2	SOCKET, KINGPIN, FIFTH WHEEL - UNIVERSAL	A 2510	ME	31-JAN-90	ME			
	MS53040A	RETAINER, KINGPIN, FIFTH WHEEL&UNIVERSAL [VALIDATION DATE: 8207]	A 2510	AT	05-NOV-63	AT		MC	99



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Addn Off / Chg Coordination Inchase	Document Number	Document Title	Dist. Smt Fdc / Ave	MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DLA
L	MS53042B	BRACKET - EXHAUST MUFFLER AND TAILPIPE .....	A 2990	AT	15-JAN-91	AT			
L	MS53043B	HANGER, EXHAUST, MUFFLER, AND TAILPIPE .....	A 2990	AT	15-JAN-91	AT			
	MS53044C	WHEEL, PNEUMATIC TIRE DISK TYPE, WITH RING, FOR TACTICAL WHEELED VEHICLES [VALIDATION DATE: 8312] USER: ME REVIEWER: CS	A 2530	AT	14-OCT-82	AT	MC	99	
	MS53045A	RING, SIDE, AUTOMOTIVE WHEEL FOR TACTICAL WHEELED VEHICLES [VALIDATION DATE: 8807] USER: MC REVIEWER: CS	A 2530	AT	08-JUL-88	AT		99	
	MS53046C	RETAINER, BATTERY-AUTOMOTIVE TACTICAL VEHICLES [VALIDATION DATE: 9010] USER: MC ME REVIEWER: CS MI	A 2590	AT	12-OCT-90	AT		84	
	MS53047A	LIGHT, MARKER - SERVICE PARK, SERVICE SIGNAL AND BLACKOUT MARKER, 24 VOLT (INACTIVE USE MS 52126) [VALIDATION DATE: 8308]	A 6220	AT	01-OCT-73	AT			
	MS53048C	BLADE, WINDSHIELD WIPER, LIGHT DUTY [VALIDATION DATE: 8803] USER: MC ME REVIEWER: CS	A 2540	AT	17-MAR-88	AT		99	
	MS53049B	ARM, WINDSHIELD WIPER, ADJUSTABLE, LIGHT DUTY [VALIDATION DATE: 8308] USER: MC ME REVIEWER: CS	A 2540	AT	21-AUG-74	AT		99	
L	MS53052A	BRACKET ASSEMBLY, LIQUID CONTAINER, FIVE GALLON [VALIDATION DATE: 8511] REVIEWER: CS	A 2590	AT	21-DEC-66	AT			
L	MS53053A	BRACKET ASSEMBLY, TOOL KIT, PIONEER, GENERAL UTILITY USER: ME REVIEWER: CS MI	A 2540	AT	01-FEB-84	AT			
L	MS53058A	CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE & LOOP TYPES BUTTOM END FITTING [VALIDATION DATE: 8412] REVIEWER: CS	A 2530	AT	16-DEC-64	AT			
L	MS53059A	CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-LOOP TYPE, EYE END FITTING [VALIDATION DATE: 8503] REVIEWER: CS	A 2530	AT	16-DEC-64	AT			
L	MS53062A	CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE - STRAIGHT TYPE, EYE AND BUTTOM FITTINGS [VALIDATION DATE: 8503] REVIEWER: CS	A 2530	AT	16-DEC-64	AT			
L	MS53063A	INDICATOR, AIR CLEANER, INTAKE, RESTRICTION MECHANICAL TYPE USER: MC REVIEWER: AT CS	A 2940	ME	14-DEC-87	ME			
L	MS53069E	MUT, PLAIN, ASSEMBLED WASHER: 7/16 INCH (FLOATING TYPE) USER: AR ER REVIEWER: IS	A 5310	AT	01-MAR-91	AT			
	MS53075B	CAP, FULL TANK-TACTICAL VEHICLE, NON-VENTED USER: MC MI REVIEWER: CS ME ...	A 2910	AT	03-AUG-90	AT		99	
L	MS53076	BAG, STORAGE, VEHICULAR ACCESSORIES [VALIDATION DATE: 8504] USER: MI .....	A 2540	AT	15-JUL-64	AT			
L	MS53077	BOX, STORAGE, VEHICULAR ACCESSORIES [VALIDATION DATE: 8504] USER: MI .....	A 2540	AT	15-JUL-64	AT			
L	MS53099A	ADAPTER, COUPLING/BULKHEAD, SPEEDOMETER-TACHOMETER DRIVE [VALIDATION DATE: 8710] REVIEWER: CS	A 6680	AT	06-OCT-87	AT			
	MS53229A	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V001 TO LT11V021, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
	MS53230A	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPE LT11V022 TO LT11V038, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
	MS53231A	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V039 TO LT11V059, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
	MS53232A	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE-CORE), TYPES LT11V060 TO LT11V076, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
	MS53233	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (IRON CORE), TYPES LT11V077 TO LT11V097, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 99 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
	MS53234	COILS, RADIO FREQUENCY, ENCAPSULATED, VARIABLE, MICROMINIATURE, (FERRITE CORE), TYPES LT11V098 TO LT11V114, INCL. [VALIDATION DATE: 9111] USER: 19 AR AS MC SH REVIEWER: 11 17 80 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
L	MS63002	MATTRESS, BED [VALIDATION DATE: 8601] .....	A 7105	GL	03-MAR-58	GL			
	MS63043C	ROD END, THREADED-LINKAGE, RIGID [VALIDATION DATE: 9010] USER: MI OS .....	A 5340	AT	12-OCT-90	AT		82	
D	MS63044A	STRAP, RETAINING, RECTANGULAR, CUSHIONED [VALIDATION DATE: 8203] USER: ER REVIEWER: IS MI OS	A 5340	AR	25-AUG-69	AR	YD1		
L	MS63203B	PLATE, IDENTIFICATION, MODIFICATION APPLIED [VALIDATION DATE: 8302] USER: GS MC REVIEWER: CR MI	A 9905	ME	24-JUL-67	ME			
	MS70085D	CLEVIS, TIEDOWN, DELIVERY AIR TYPE 11 [VALIDATION DATE: 9009] USER: MC REVIEWER: 11 82 AV	A 1670	GL	10-SEP-90	GL		99	
	MS70086F	CLEVIS, RISER, AIR DELIVERY-TYPE 111 USER: MC REVIEWER: B2 AV .....	A 1670	GL	28-MAY-91	GL	AS	99	
	MS70087L	CLEVIS, SUSPENSION, AIR DELIVERY-TYPE 1 USER: MC REVIEWER: B2 TR .....	A 1670	GL	12-FEB-92	GL	AS	99	
D	MS70088B	ADAPTER, 45, FEMALE THREAD SWIVEL COLLAR, QUICK DISCONNECT, CAM LOCKING, MALE (TANK CAR) [VALIDATION DATE: 8410] USER: AT REVIEWER: CS	A 4730	ME	16-JUL-80	ME	YD1	99	
	MS70091D	COUPLING HALF, QUICK DISCONNECT, CAM LOCKING TYPE, FEMALE, FLANGED, TYPE VIII, (FOR D-1 NOZZLE-AIRCRAFT) USER: AV MC SH REVIEWER: B2 CS GL	A 4730	ME	15-MAY-89	ME		99	
	MS70092B	FASTENER, PARACHUTE PACK [VALIDATION DATE: 8712] REVIEWER: B2 AV .....	A 1670	GL	31-DEC-87	GL	AS	99	
	MS70093A	BALL END, WIRE ROPE, SWAGING, PARACHUTE RIPCROD CABLE [VALIDATION DATE: 8601] USER: B2 99 MC REVIEWER: AV MD	A 1670	GL	30-SEP-66	GL	AS		
A	MS70094A	POCKET, PARACHUTE PACK, LOG RECORD AND MANUAL [VALIDATION DATE: 9302] REVIEWER: B2 AV	A 1670	GL	26-FEB-93	GL	AS	11	
D	MS70095D	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, INTERNAL STRAIGHT THREADS, TYPE XVII (FOR USE WITH NATO EQUIPMENT) USER: AV MC SH REVIEWER: B2 CS GL	A 4730	ME	15-MAY-89	ME	YD1	99	
D	MS70096D	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, EXTERNAL STRAIGHT THREADS, TYPE XVI (FOR USE WITH NATO EQUIPMENT) USER: AV REVIEWER: B2 CS GL	A 4730	ME	15-MAY-89	ME	YD1	99	
D	MS70097D	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE REDUCER (INTERNAL PIPE THREAD) TYPE XVII USER: AV MC SH REVIEWER: B2 CS GL	A 4730	ME	15-MAY-89	ME	YD1	99	
	MS70098B	LINK, SHAP, QUICK RELEASE, 1-3/4 INCH USER: AT MC ME .....	A 5340	GL	31-MAR-84	GL	AS		
	MS70099C	SNAP HOOK, QUICK RELEASE USER: AT MC ME REVIEWER: AV IS .....	A 5340	GL	15-FEB-85	GL	AS		
D	MS70100D	COUPLING HALF, QUICK DISCONNECT CAM-LOCKING TYPE, NIPPLE ADAPTER, MALE BY EXTERNAL GROOVED PIPE, TYPE XIX USER: AV MC SH REVIEWER: B2 CS GL	A 4730	ME	15-MAY-89	ME	YD1	99	
	MS70101C	ADAPTER, REVERSIBLE, QUICK FIT, 500 LBS 1-3/4 INCH REVIEWER: B2 .....	A 5340	GL	30-APR-86	GL	AS	99	
	MS70102C	RING, PARACHUTE HARNESS, QUICK-FIT, "Y" TYPE [VALIDATION DATE: 9203] USER: AV MC REVIEWER: B2	A 1670	GL	27-MAR-92	GL	AS	99	
	MS70104D	HOUSING, PARACHUTE RIPCROD [VALIDATION DATE: 8601] REVIEWER: B2 AV MC .....	A 1670	GL	19-OCT-73	GL	AS	99	
	MS70105B	BAND, SPRING, PARACHUTE PACK OPENING [VALIDATION DATE: 8601] USER: MC REVIEWER: 11 82 AV IS	A 1670	GL	07-DEC-73	GL	AS	99	
	MS70106B	GRIP, PARACHUTE RIP CORD, CLOVERLEAF REVIEWER: B2 AV MC .....	A 1670	GL	14-SEP-90	GL	AS	99	
M	MS70107A	PIN, PARACHUTE RIP CORD, LOCKING [VALIDATION DATE: 9302] USER: MC REVIEWER: 11 82 AV	A 1670	GL	26-FEB-93	GL	AS	99	
	MS70108C	LINK, PARACHUTE CONNECTOR [VALIDATION DATE: 9203] USER: AV REVIEWER: B2 MC	A 1670	GL	27-MAR-92	GL	AS	99	
D	MS70109A	CLIP, END, STRAP TYPE 11, CLASS 1 USER: CG MC MD ME REVIEWER: IS MI .....	A 5340	GL	12-FEB-88	GL	YD1	99	
	MS70112B	RIP CORD, PARACHUTE, PERSONNEL [VALIDATION DATE: 9009] REVIEWER: B2 99 AV MC	A 1670	GL	10-SEP-90	GL	AS	11	
	MS70113B	RING, V, QUICK FIT, PARACHUTE HARNESS USER: MC REVIEWER: B2 AV .....	A 1670	GL	30-APR-86	GL	AS	99	
	MS70114B	ADAPTER, QUICK FIT, PARACHUTE HARNESS USER: MC REVIEWER: B2 AV .....	A 1670	GL	30-APR-86	GL	AS	99	
	MS70115B	V-RING, PARACHUTE EXTRACTION BAG, AERIAL DELIVERY USER: AV MC REVIEWER: 11 B2	A 1670	GL	30-APR-86	GL	AS	99	
	MS70116C	LINK, CONNECTING, QUICK RELEASE USER: MC REVIEWER: B2 AV .....	A 1670	GL	30-APR-86	GL	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Doc / Cont Combination Inchance	Document Number	Document Title	Dist. Smt FDC / Ave	MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DIA
	MS70117A	SNAP ASSEMBLY PARACHUTE CONNECTOR, LOCKING TYPE (VALIDATION DATE: 8601) USER: MC REVIEWER: B2 AV	A 1670	GL	05-NOV-74	GL	AS	99	
	MS70118B	LINK ASSEMBLY-CONNECTOR, SEPARABLE, PARACHUTE USER: MC REVIEWER: B2 99 AV	A 1670	GL	07-MAR-86	GL	AS	11	
	MS70119A	SNAP ASSEMBLY - PARACHUTE CHEST TYPE PACK CONNECTOR (VALIDATION DATE: 8601) USER: MC REVIEWER: AV	A 1670	GL	13-DEC-74	GL	AS		
	MS70120B	SNAP ASSEMBLY, PARACHUTE STATIC LINE USER: MC REVIEWER: B2 99 AV	A 1670	GL	30-APR-86	GL	AS	11	
	MS70121C	SNAP, CONNECTOR - PARACHUTE CHEST TYPE PACK USER: AV MC REVIEWER: B2	A 1670	GL	30-APR-86	GL	AS	99	
	MS70122	FORK, LOCKING, PARACHUTE, SLIP RISER (VALIDATION DATE: 9009) USER: MC REVIEWER: B2 99 AV	A 1670	GL	10-SEP-90	GL	AS	11	
	MS70123B	RING, PARACHUTE HARNESS, ACCESSORY ATTACHING USER: MC REVIEWER: B2 99 AV	A 1670	GL	30-APR-86	GL	AS	11	
	MS70124	ADAPTER, PARACHUTE HARNESS, WITH TENSIONER AND SPRING REVIEWER: B2 AV	A 1670	GL	30-JUN-87	GL	AS	99	
	MS750010	INDUCTOR, POWER, TYPE TF4RX04MA010 (INACTIVE) REVIEWER: SH	A 5950	ER	20-MAY-82	ER	EC	85	
	MS750020	INDUCTOR, POWER, TYPE TF4RX04MA012 USER: 14 19 MC REVIEWER: 11 17 ES SH	A 5950	ER	20-MAY-82	ER	EC	85	
	MS750030	INDUCTOR, POWER, TYPE TF4RX04YV013 USER: 14 19 MC REVIEWER: 11 17 SH	A 5950	ER	20-MAY-82	ER	EC	85	
	MS75004G	ADAPTER, BATTERY TERMINAL (STORAGE BATTERY) USER: ER ME REVIEWER: 99 MI	A 5940	AT	28-MAY-87	AT	MC	85	
I	MS75008E	COILS, RADIOFREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K027 TO LT4K039 INCL (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 ME MI	A 5950	ER	11-NOV-91	ER	EC	85	
	MS75009G	BRACKET ASSEMBLY, RESISTOR (POWER TYPE) USER: 99 MC REVIEWER: 17 AR AS ME OS	A 5905	ER	12-JUN-90	ER	EC	85	
	MS75014	STAKE, GUY, ANTENNA (STAKE GP-2) (VALIDATION DATE: 8307) REVIEWER: GS	A 5975	ER	02-FEB-60	ER	SH		
	MS75015	STAKE, GUY, ANTENNA (STAKE GP-101/U) (VALIDATION DATE: 9109) REVIEWER: GS MI	A 5975	ER	10-SEP-91	ER	SH	85	
	MS75016	STAKE, GUY, ANTENNA (GUY STAKE GP-108/U) (VALIDATION DATE: 8307) REVIEWER: GS	A 5975	ER	02-FEB-60	ER	SH	85	
L	MS75018A	STAKE, WOOD, ANTENNA (VALIDATION DATE: 9109) USER: MC REVIEWER: 84 CS	A 5510	ER	10-SEP-91	ER			
D	MS75020E	CONNECTOR, PLUG, ELECTRICAL - 12 CONTACT, INTERVEHICULAR, 24 VOLT, WATERPROOF USER: MC SH REVIEWER: 11 99 ES MI	A 5935	AT	20-OCT-86	AT	YD1	85	
L	MS750210	CONNECTOR, RECEPTACLE, ELECTRICAL - 12 CONTACT, INTERVEHICULAR, 24 VOLT, WATERPROOF (VALIDATION DATE: 8308) USER: 11 MC ME SH REVIEWER: 99 CR ES MI	A 5935	AT	23-DEC-74	AT			
A	MS75022A	BENDS, ELECTRICAL CONDUIT 90 DEGREE AND 45 DEGREE ZINC-COATED STD THK-WALL STEEL (VALIDATION DATE: 9210) USER: AT REVIEWER: 99 ER GS	A 5975	ME	15-OCT-92	ME		80	
	MS75023A	BEND, ELECTRICAL CONDUIT, 90 DEG, AND 45 DEG, ZINC COATED THIN-WALL STEEL (EMI) USER: AT REVIEWER: 99 ER GS	A 5975	85	25-MAR-88	ME		85	
	MS750270	CABLE ASSEMBLIES AND CONO ASSEMBLIES, ELECTRICAL, USED WITH COMMUNICATION EQUIPMENTS, STANDARD TOLERANCES FOR	A 5995	CR	03-JAN-86	CR	EC	85	
	MS75028J	SWITCH, TOGGLE, ONE POLE, UNSEALED REVIEWER: 99 AS AV ES	A 5930	85	10-FEB-92	ER	EC	85	
	MS75029K	SWITCH, TOGGLE, TWO POLE, UNSEALED REVIEWER: 99 AS AV ES	A 5930	85	10-FEB-92	ER	EC	85	
L	MS75043B	SCREW, SLOTTED HEX HEAD (VALIDATION DATE: 8110) USER: ME MI REVIEWER: AT GS	A 6140	ER	26-MAR-68	ER			
L	MS75044A	SPRING, BELLEVILLE (VALIDATION DATE: 8110) USER: ME REVIEWER: GS MI	A 6140	ER	12-JAN-68	ER			
L	MS75045A	WASHER (VALIDATION DATE: 8110) REVIEWER: GS	A 6140	ER	02-APR-62	ER			
L	MS75046B	BAYONET TYPE VENT CAP (VALIDATION DATE: 8110) REVIEWER: GS	A 6140	ER	29-JUN-70	ER			
L	MS75050C	LEAD ASSEMBLY, THERMOCOUPLE REVIEWER: GS	A 6685	AV	01-FEB-79	AV			
	MS75052C	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K052 AND LT4K053 (VALIDATION DATE: 9201) USER: 19 AS MC REVIEWER: 11 17 99 AR ES MI OS	A 5950	EC	31-JAN-92	ER	EC	85	
I	MS75057A	CONNECTOR, PLUG, ELECTRICAL-SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF (VALIDATION DATE: 9105) USER: ME REVIEWER: 99 ES	A 5935	AT	13-MAY-91	AT		85	
	MS75058B	CONNECTOR, RECEPTACLE, ELECTRICAL - SLAVE, 2 CONTACT, 24 VOLT, WATERPROOF (INACTIVE USE MIL-C-62122) (VALIDATION DATE: 8305) REVIEWER: 99 MI	A 5935	AT	25-MAY-73	AT		85	
L	MS75062A	SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, AIR BRAKE SYSTEM, 24 VOLT, WATERPROOF (VALIDATION DATE: 8503) USER: ME REVIEWER: ES	A 5930	AT	26-JUN-70	AT			
L	MS75063B	SWITCH, PRESSURE-STOPLIGHT, VEHICULAR, HYDRAULIC BRAKE SYSTEM, 24 VOLT, WATERPROOF (VALIDATION DATE: 8503) USER: MC ME REVIEWER: ES	A 5930	AT	26-JUN-70	AT			
L	MS75064C	SWITCH, ROTARY, SPOTLIGHT, VEHICULAR, MECHANICALLY ACTUATED, 24 VOLT D.C. (VALIDATION DATE: 8411) REVIEWER: ES	A 5930	AT	27-AUG-80	AT			
	MS75075C	SWITCH, TOGGLE, TWO POLE, UNSEALED (VALIDATION DATE: 8406) REVIEWER: 11 99 AS AV ES	A 5930	85	22-MAY-72	ER	EC	85	
	MS75076	INSULATOR, STRAIN, WITH CLEVIS (VALIDATION DATE: 8504) USER: MC ME REVIEWER: 99 GS	A 5970	ER	06-NOV-68	ER	EC	85	
	MS75077	INSULATOR, STRAIN, WITH CLEVIS (VALIDATION DATE: 8504) USER: MC ME REVIEWER: 99 GS	A 5970	ER	06-NOV-68	ER	EC	85	
I	MS75083B	COILS, RADIO FREQUENCY, MOLDED, FIXED, (PHENOLIC CORE), TYPES LT4K339 TO LT4K351, INCLUSIVE (VALIDATION DATE: 9111) USER: 19 AS CG MC ME REVIEWER: 11 17 AR MI OS SH	A 5950	ER	11-NOV-91	ER	EC	85	
I	MS75084B	COILS, RADIO FREQUENCY, MOLDED FIXED, (IRON CORE), TYPES LT10K061 TO LT10K077, INCLUSIVE (VALIDATION DATE: 9111) USER: 19 AS CG MC ME REVIEWER: 11 17 AR MI OS SH	A 5950	ER	11-NOV-91	ER	EC	85	
I	MS75085C	COILS, RADIO FREQUENCY MOLDED, FIXED, (FERRITE CORE), TYPES LT10K078 TO LT10K096, INCLUSIVE (VALIDATION DATE: 9111) USER: 19 AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH	A 5950	ER	11-NOV-91	ER	EC	85	
I	MS75087B	COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (PHENOLIC CORE-IRON SLEEVE) TYPES, LT10K191 TO LT10K202 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC ME SH REVIEWER: 11 17 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
I	MS75088B	COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE - IRON SLEEVE) TYPES, LT10K203 TO LT10K216 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC ME SH REVIEWER: 11 17 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
I	MS75089B	COILS, RADIO FREQUENCY, MOLDED, FIXED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE) TYPES, LT10K217 TO LT10K263 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC ME SH REVIEWER: 11 17 MI OS	A 5950	ER	11-NOV-91	ER	EC	85	
	MS75093	ADAPTER, CONNECTOR, BMC FEMALE - GR874 (VALIDATION DATE: 9108) USER: 14 19 AV CG MC ME OS REVIEWER: 11 17 AR AS AT ES MI	A 5935	CR	20-AUG-91	CR	EC	85	
I	MS75101A	COILS, RADIOFREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K169 TO LT10K180 INCL (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 ME MI	A 5950	ER	11-NOV-91	ER	EC	85	
	MS75103	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K181 TO LT10K190 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 MI	A 5950	ER	11-NOV-91	ER	EC	85	
	MS75105	HB-7 HEADBAND ASSEMBLY (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965	CR	10-APR-87	CR	EC	85	
	MS75106	SUB-ASSEMBLY GUIDE PLATE AND BARREL (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965	CR	10-APR-87	CR	EC	85	
	MS75108	GUIDE BARREL (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965	CR	10-APR-87	CR	EC	85	
	MS75109	FRICTION SPRING (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965	CR	10-APR-87	CR	EC	85	
	MS75110	V-CLIP (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965	CR	10-APR-87	CR	EC	85	
	MS75111	U-CLIP (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965	CR	10-APR-87	CR	EC	85	
	MS75112	RIVET (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965	CR	10-APR-87	CR	EC	85	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active Qty / Ord Coordination Package Document Number	Document Title	Dist. Smt. F&C / Area MCA Symbol Preparing Assy Date	Custodians			
			Army	Navy	Air Force	DLA
MS75113 NOTICE 1	CUPWASHER (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75114 NOTICE 1	SUBASSEMBLY OF RECEIVER HOLDER (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99	A 5965 CR 10-APR-87	CR	EC	85	
MS75116 NOTICE 1	YOKE (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75117 NOTICE 1	BALE ROD (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75118 NOTICE 1	YOKE STUD (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75119 NOTICE 1	ROLL PIN (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75120 NOTICE 1	BAND (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75121 NOTICE 1	HEADBAND COVER (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75122A NOTICE 1	CD-162 CABLE (VALIDATION DATE: 8705) USER: AS MC REVIEWER: 11 13 99 .....	A 5965 CR 25-MAR-82	CR	EC	85	
MS75123 NOTICE 1	CORD CO169 (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75124 NOTICE 1	RING TERMINAL (VALIDATION DATE: 8704) USER: AS MC SH REVIEWER: 11 13 99 ...	A 5965 CR 10-APR-87	CR	EC	85	
MS75125 NOTICE 1	TM-51 TERMINALS (VALIDATION DATE: 8704) REVIEWER: 99 .....	A 5965 CR 10-APR-87	CR	EC	85	
MS75127B NOTICE 1	EARPHONE ASSEMBLY (VALIDATION DATE: 8704) USER: AS MC REVIEWER: 11 13 99 ..	A 5965 CR 10-APR-87	CR	EC	85	
MS75128A NOTICE 1	CUSHION, EARPHONE (VALIDATION DATE: 8803) USER: AS MC SH REVIEWER: 11 13 99	A 5965 CR 29-MAR-88	CR	EC	85	
MS75129B NOTICE 1	EARPHONE RETAINER (VALIDATION DATE: 8704) USER: AS MC REVIEWER: 11 13 99 ..	A 5965 CR 10-APR-87	CR	EC	85	
MS75130A NOTICE 1	CUP, EARPHONE (VALIDATION DATE: 8705) USER: AS MC REVIEWER: 11 13 99 .....	A 5965 CR 25-MAR-82	CR	EC	85	
L MS75131 NOTICE 1	DESIGN FEATURES FOR SWITCHBOARD CORD ASSEMBLIES (VALIDATION DATE: 8811) ...	A 5995 85 03-NOV-88			85	
A 1 MS75132A	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE TYPES LT4K USER: AS CG MC ME REVIEWER: 19 AV ES MI OS SH	A 5950 ER 17-NOV-92	ER	EC	85	
MS77066	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE 30 DEG., ONE HOLE (VALIDATION DATE: 8503) USER: MC ME REVIEWER: 99 GS MI	A 5940 AR 08-SEP-65	AR	SH	85	
MS77067A	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING LOCKING TYPE, FLAT, ONE HOLE USER: MC REVIEWER: 99 GS MI	A 5940 AR 15-DEC-89	AR	SH	85	
MS77068A	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING LOCKING TYPE, 45 DEG., TWO HOLE USER: MC ME REVIEWER: 99 AV GS MI	A 5940 AR 15-DEC-89	AR	SH	85	
MS77069	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, 30 DEG., ONE HOLE (VALIDATION DATE: 8503) USER: MC ME REVIEWER: 99 AV GS MI	A 5940 AR 08-SEP-65	AR	SH	85	
MS77070	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE (VALIDATION DATE: 8503) USER: MC ME REVIEWER: 99 GS MI	A 5940 AR 08-SEP-65	AR	SH	85	
MS77071A	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING LOCKING TYPE, 90 DEG., ONE HOLE USER: AS MC REVIEWER: 11 99 AV GS MI	A 5940 AR 11-OCT-91	AR	SH	85	
MS77072	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE, FLAT, ONE HOLE (VALIDATION DATE: 8503) USER: MC REVIEWER: 99 GS MI	A 5940 AR 08-SEP-65	AR	SH	85	
MS77073	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING, LOCKING TYPE FLAT, ONE HOLE (VALIDATION DATE: 8503) USER: MC REVIEWER: 99 GS MI	A 5940 AR 08-SEP-65	AR	SH	85	
MS77074A	TERMINAL, LUG, SOLDER TYPE, PHOSPHOR BRONZE STAMPING INSULATION GRIP, LOCKING TYPE USER: AS MC REVIEWER: 11 99 AV GS	A 5940 AR 15-DEC-89	AR	SH	85	
MSB7005B NOTICE 1	VALVE, VACUUM BREAKING (VALIDATION DATE: 8707) .....	A 1650 AV 31-JUL-87	AV	AS	99	
L MSB7006 NOTICE 1	HOOK, CHAINES (VALIDATION DATE: 8301) USER: GL MC ME REVIEWER: 15 MI .....	A 4030 AR 16-OCT-62	AR			
L MSB7007B NOTICE 1	SWIVEL, CHAIN (VALIDATION DATE: 8501) REVIEWER: 15 .....	A 4030 AR 02-MAY-74	AR			
MSB7008A	LINK, CHAINCONNECTING OR REPAIR (VALIDATION DATE: 8201) USER: AT AV REVIEWER: GL 15 MI	A 4010 AR 05-DEC-75	AR	SH	99	
L MSB7013	TIRE, PNEUMATIC-HELICOPTER GROUND HANDLING, 3.50-6 (VALIDATION DATE: 8305) REVIEWER: CS	A 2620 AV 29-JUN-64	AV			
MSB7015A	GENERATOR, TACHOMETER, FOUR-POLE, SCREW-MOUNTED (VALIDATION DATE: 8409) USER: CG	A 6620 AV 01-JUN-67	AV		99	
MSB7017A NOTICE 1	SWITCHES (ARRANGEMENT AND FUNCTIONS) GRIP ASSEMBLY, CYCLIC CONTROLLER, FOR INSTALLATION IN HELICOPTERS (VALIDATION DATE: 8809)	A 1520 AV 20-SEP-88	AV	AS	11	
L MSB7033 NOTICE 1	TAPE, AIRCRAFT TUBING IDENTIFICATION MARKER (VALIDATION DATE: 8808) REVIEWER: GS	A 7690 AV 30-AUG-88	AV			
D MSB7968	CASTERS, RIGID AND SWIVEL INDUSTRIAL DUTY USER: CE GL ME REVIEWER: 15 .....	A 5340 B2 05-JUL-84	AR	YD1	99	
MS90013C	INDUCTOR, POWER TYPE TF4RX04H4005 REVIEWER: SH .....	A 5950 ER 20-MAY-82	ER	EC	85	
MS90027G	TRANSFORMER, POWER, STEP DOWN & STEP UP, TYPE TF4RX03JB002 USER: 14 19 MC REVIEWER: 11 17 ES SH	A 5950 ER 20-MAY-82	ER	EC	85	
MS90064F	PACKING, PREFORMED, ROUND (FOR USE WITH WAVEGUIDE FLANGES AND DUMMY LOADS) USER: 85 CH MC NS REVIEWER: 82 15	A 5330 EC 11-JUN-90	MC	EC	99	
MS90065A	GASKET, (RECTANGULAR, FOR USE WITH WAVEGUIDE FLANGE) (VALIDATION DATE: 8304) USER: AS SA SH REVIEWER: 11 82 AR 15	A 5330 EC 15-JUN-61	EL	EC	99	
1 MS90120C NOTICE 1	KNOBS, CONTROL, BAR, PLASTIC (VALIDATION DATE: 9102) REVIEWER: ES MI .....	A 5355 EC 25-FEB-91	CR	EC	11	
1 MS90133E NOTICE 1	CASKETS, V-GROOVE; PART OF RF COAXIAL CONNECTORS (VALIDATION DATE: 9108) REVIEWER: ES	A 5935 CR 20-AUG-91	CR	EC	80	
1 MS90134D NOTICE 1	GASKETS; PART OF RF COAXIAL CONNECTORS (VALIDATION DATE: 9108) USER: MC REVIEWER: 99 AR ES MI	A 5935 CR 20-AUG-91	CR	EC	85	
MS90178B	STANDARD 24-VALUE SERIES DECADE FOR ELECTRONIC COMPONENTS OF 5-, 10-, AND 20-PERCENT TOLERANCES (VALIDATION DATE: 8505) REVIEWER: 99 AS ES	A 5905 EC 05-MAY-60	ER	EC	85	
MS90217A	WASHER, SPRING, PART OF RF COAXIAL CONNECTORS (VALIDATION DATE: 8502) USER: AV REVIEWER: 15 SA	A 5310 ER 25-NOV-53	ER	SH	99	
MS90221A	WASHER, HALF, PART OF SERIES C CONNECTORS (VALIDATION DATE: 8601) REVIEWER: 11 99 AS ES	A 5935 EC 25-NOV-53	CR	EC	85	
MS90253A	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-702/U (ADAPTS SERIES C PLUG TO SERIES MH JACK) (VALIDATION DATE: 8207) REVIEWER: 11 99 AS ES	A 5935 CR 10-APR-61	CR	EC	85	
MS90260	COUPLING NUT, PART OF SERIES MH CONNECTORS (VALIDATION DATE: 8601) REVIEWER: 11 99 AS ES	A 5935 EC 07-DEC-51	CR	EC	85	
MS90261C NOTICE 1	ADAPTER, CONNECTOR, COAXIAL, RADIOFREQUENCY, BETWEEN SERIES, TYPE UG-703A/U (SERIES C JACK TO SERIES MH PLUG) (VALIDATION DATE: 9108) REVIEWER: 11 99 AS	A 5935 CR 20-AUG-91	CR	EC	85	
MS90295A	HOOK, BAND, PARACHUTE CONTAINER OPENING (VALIDATION DATE: 8501) USER: MC REVIEWER: 82 AS	A 1670 GL 11-MAY-67	GL		99	
MS90296C	SPRING, BAND, PARACHUTE CONTAINER OPENING (VALIDATION DATE: 8601) USER: MC REVIEWER: 82 15	A 1670 GL 29-JAN-68	GL	AS	99	
L MS90297 NOTICE 1	BUCKLE, PARACHUTE CONTAINER (VALIDATION DATE: 9110) .....	A 5340 AS 09-OCT-91		AS		
MS90298C	CONNECTOR, RECEPTACLE, ELECTRIC GROUNDING .....	A 5935 AS 24-NOV-81	AV	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active CPL / OAL Coordinator Initials	Document Number	Document Title	Dist. Smt. FSC / Area	MCS Symbol Preparing Acty Date	Custodians		
					Army	Navy	Air Force DLA
L	MS903018	TRANSMISSION, POWER, CONSTANT SPEED 30 KW F-4 AIRCRAFT [VALIDATION DATE: 8708]	A 2995	AS 27-AUG-87	AS		
L	MS903028	GENERATOR SYSTEM, ALTERNATING CURRENT, BRUSHLESS 30 KVA F-4 AIRCRAFT [VALIDATION DATE: 8508] REVIEWER: GS	A 6115	AS 01-APR-79	AS		
L	MS90304E	GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, AIRCRAFT, SELF COOLED REVIEWER: GS	A 6115	AS 11-DEC-87	AS		
A L	MS903088	LIGHT INDICATOR, SUBMINIATURE, RELAMPABLE [VALIDATION DATE: 9207] .....	A 6210	AS 31-JUL-92	AS		
	MS90310G	SWITCH, TOGGLE, POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, SINGLE POLE, .469 MOUNTING BUSHING USER: MI REVIEWER: 11 17 99 AR AV EC ES	A 5930	BS 18-OCT-85	ER AS	BS	
	MS90311J	SWITCH, TOGGLE---POSITIVE BREAK, MINIATURE, TOGGLE SEALED, SOLDER LUG, DOUBLE POLE, .469 MOUNTING BUSHING USER: AT MI REVIEWER: 11 17 99 AR AV EC ES	A 5930	BS 18-OCT-85	ER AS	BS	
L	MS90313E	GENERATOR SYSTEM, 20 KVA, 400 HERTZ, ALTERNATING CURRENT, INTEGRALLY EXCITED, BRUSHLESS TYPE, AIRCRAFT, BLAST COOLED [VALIDATION DATE: 8410]	A 6115	AS 26-MAR-78	AS		
L	MS90321S	CELL, BATTERY, STORAGE, LIGHT AND HEAVY DUTY, AIRCRAFT REVIEWER: GS .....	A 6140	AS 24-SEP-82	AS		
	MS90322B	INDICATOR, TEMPERATURE ELECTRICAL RESISTANCE, VOLTAGE COMPENSATED, MULTI-FUNCTION [VALIDATION DATE: 8712] USER: CG MC REVIEWER: 71 GS	A 6685	AS 11-DEC-87	AV AS	99	
L	MS90323A	INDICATOR, TORQUEMETER, ENGINE, TURBOPROP [VALIDATION DATE: 9110] .....	A 6620	AS 24-OCT-91	AS		
L	MS90324A	THERMOCOUPLE, ENGINE CYLINDER, BAYONET TYPE [VALIDATION DATE: 8706] .....	A 6620	AS 01-JUN-87	AS		
L	MS90325G	GENERATOR SYSTEM, ALTERNATING CURRENT, INTEGRALLY EXCITED, 60 KVA BRUSHLESS (P-3 AIRCRAFT) REVIEWER: GS	A 6115	AS 15-FEB-80	AS		
L	MS90326A	FLOW CONTROL ASSEMBLY, QUICK DISCONNECT, CWJ-33/P ANTI-EXPOSURE SUIT [VALIDATION DATE: 9110]	A 1660	AS 30-OCT-91	AS		
	MS90327A	AIRCRAFT MARKINGS, ACCESS NUMBERING SYSTEM [VALIDATION DATE: 9110] .....	A 1500	AS 09-OCT-91	AS	11	
	MS90328G	CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ REVIEWER: 99 ME SH	A 6150	AS 30-MAY-92	CR AS	BS GS	
L	MS90330	SERVICING ADAPTER LOW PRESSURE OXYGEN [VALIDATION DATE: 8403] .....	A 1660	AS 02-FEB-65	AS		
L	MS90331A	SERVICING ADAPTER HIGH PRESSURE OXYGEN [VALIDATION DATE: 9110] .....	A 1660	AS 30-OCT-91	AS		
	MS90332D	GENERATOR, DIRECT CURRENT, 300 AMPERE, CLASS A, BLAST COOLED, 3000-8000 RPM REVIEWER: GS	A 6115	AS 11-DEC-87	AS	99	
L	MS90333A	ADAPTER, GENERATOR TO AIR DUCT RADIAL, 2 INCH REVIEWER: GS .....	A 6115	AS 11-DEC-87	AS		
	MS90335C	CONNECTOR, RECEPTACLES, PLUGS, ADAPTER, EL. EMBEDDED, PRINTED CIRCUIT BOARD LAMP LIGHTING PANELS REVIEWER: MC SH	A 5935	AS 12-FEB-90	AV AS	11	
	MS90338	VALVE, HIGH PRESSURE OXYGEN CHECK, FLARELESS ENDS [VALIDATION DATE: 8403] .	A 4820	AS 30-OCT-64	AV AS	99	
	MS90339E	HOSE ASSEMBLY, OXYGEN MASK TO CONNECTOR [VALIDATION DATE: 9110] REVIEWER: 11	A 1660	AS 30-OCT-91	AV AS	99	
	MS90340	INSERT, INSTALLATION AND DETAIL, FULL FACE OXYGEN AND SMOKE MASKS [VALIDATION DATE: 9110] REVIEWER: 11 71	A 1660	AS 30-OCT-91	AV AS	99	
	MS90341B	MOUNTING BRACKET, CONFIGURATION, MATING PORTION FOR 5 AND 10 LITER LIQUID OXYGEN CONVERTERS REVIEWER: 71	A 1660	AS 17-OCT-85	AS	11	
	MS90342	NUT ASSEMBLY (GROOVED WASHER AND DETENTED WING) [VALIDATION DATE: 9110] REVIEWER: 71 AV	A 1660	AS 30-OCT-91	AS	11	
L	MS90346B	TIRE, PNEUMATIC, AIRCRAFT 36X11 HIGH SPEED, TYPE VII (NAVY) [VALIDATION DATE: 9110]	A 2620	AS 30-OCT-91	AS		
	MS90347D	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC OPERATING POWER REVIEWER: 99 ME SH	A 6150	AS 30-MAY-92	CR AS	BS GS	
L	MS90350A	CONNECTOR ASSEMBLY, MALE, FLOW CONTROL AND QUICK DISCONNECT [VALIDATION DATE: 9110]	A 8475	AS 30-OCT-91	AS		
	MS90354P	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100 DEG. FLUSH HEAD, ALLOY STEEL, 112 K.S.I. FSU REVIEWER: 82 IS MI	A 5320	AS 23-MAY-88	AV AS	11	
	MS90361	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, PROTRUDING HEAD, ALLOY STEEL 112 K.S.I. FSU REVIEWER: 82 IS MI	A 5320	AS 23-MAY-88	AV AS	11	
L	MS90362C	TRANSMITTER, RATE OF FUEL FLOW, SYNCHRO TYPE [VALIDATION DATE: 8103] .....	A 6620	AS 01-JUL-66	AS		
	MS90363J	CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ [VALIDATION DATE: 8203] REVIEWER: 99 AV	A 5935	AS 27-FEB-76	CR AS	BS	
L	MS90367	LIMITED REUSABLE PACKAGING FOR REPAIRABLE COMPONENTS REVIEWER: 80 .....	A 8115	SA 26-JUL-91	GL SA		
	MS90373A	INDICATOR, ELECTRICAL, WHEELS & FLAPS POSITION .....	A 6610	AS 11-DEC-87	AS		
	MS90375A	INDICATOR, ELAPSED TIME, ELECTROCHEMICAL (COPPER) MSV 50/2400 HZ AC OR 28V DC REVIEWER: 99 GS	A 6645	AS 07-OCT-87	AS		
	MS90376E	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, MINUS 70 DEG TO PLUS 150 DEG C, DUAL [VALIDATION DATE: 8712] REVIEWER: GS	A 6685	AS 11-DEC-87	AV AS	99	
M L	MS90379F	CAP, DUST, PLASTIC, ELECTRIC CONNECTOR USER: AV REVIEWER: AR CR IS .....	A 5340	AS 25-MAY-93	ER AS	BS	
	MS90380C	BATTERIES, STORAGE, AIRCRAFT, TWO PART, THREADED POST CONNECTED, LARGE [VALIDATION DATE: 8005] REVIEWER: GS	A 6140	AS 12-MAR-71	AS		
	MS90382	SUING, SURVIVOR S RESCUE REVIEWER: GS .....	A 4240	AS 15-DEC-80	ME AS	99	
L	MS90384D	GRIP, CABLE, RESCUE [VALIDATION DATE: 8303] REVIEWER: GS .....	A 4240	AS 24-JUN-65	AS	99	
	MS90386C	CABLE ASSEMBLIES, ELECTRIC POWER, PERMANENTLY WIRED, FOR PORTABLE GROUND SUPPORT TEST EQUIPMENT [VALIDATION DATE: 9110]	A 6150	AS 24-OCT-91	AS		
L	MS90387G	INDICATOR, ELAPSED TIME, ELECTROCHEMICAL (MERCURY) 115 VOLT AC, 50/2400 CPS 28 VOLT DC OR 5 VOLT DC USER: ME REVIEWER: 99 AV GS	A 6645	AS 07-OCT-87	AS		
	MS90389B	TOOL, HAND, ADJUSTABLE FOR PLASTIC AND METAL TIEDOWN STRAPS [VALIDATION DATE: 9110] USER: OS SH REVIEWER: 11 17 99 EC	A 5120	AS 09-OCT-91	CR AS	BS	
	MS90390D	CYLINDER, OXYGEN, NON SHATTERABLE, WELDED, 1800 PSI (STRAIGHT, .U, AND SPIRAL TYPES) REVIEWER: 11	A 1660	AS 30-SEP-87	AV AS	99	
L	MS90393	COVER, BATTERY STORAGE, MEDIUM DUTY, GENERAL PURPOSE, AIRCRAFT [VALIDATION DATE: 8005] REVIEWER: GS	A 6140	AS 28-JUL-67	AS		
	MS90394	WRENCH, PINION (STRAIGHT) [VALIDATION DATE: 8208] USER: 17 AV CG MC REVIEWER: ES MI	A 5990	AS 06-JUN-67	AR AS	BS	
	MS90395	WRENCH, PINION, 90 DEG. [VALIDATION DATE: 8307] USER: 17 CG MC REVIEWER: ES MI	A 5990	AS 06-JUN-67	AR AS	BS	
	MS90398	WRENCH, SOCKET [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES MI .....	A 5990	AS 06-JUN-67	AR AS	BS	
	MS90399	RING, ZEROING [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES MI .....	A 5990	AS 06-JUN-67	AR AS	BS	
	MS90400	SCREW, DRIVE [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES MI .....	A 5990	AS 06-JUN-67	AR AS	11	
	MS90401	CLAMPING DISC ASSEMBLY [VALIDATION DATE: 8208] USER: 17 CG MC REVIEWER: ES	A 5990	AS 06-JUN-67	AR AS	BS	
	MS90402	ADAPTER ASSEMBLY [VALIDATION DATE: 8208] USER: CG REVIEWER: 17 BS ES MC MI	A 5990	AS 06-JUN-67	AR AS	11	
	MS90404	SCREW, CAPTIVE [VALIDATION DATE: 8207] USER: 17 AV CG MC REVIEWER: ES MI ..	A 5990	AS 06-JUN-67	AR AS	BS	
	MS90405A	LUG, TERMINAL TYPE 1, CLASS 2 [VALIDATION DATE: 8006] USER: 17 CG MC REVIEWER: MI	A 5990	AS 06-JUN-67	AR AS	BS	
	MS90406	PIN, LOCKING [VALIDATION DATE: 8207] USER: 17 CG MC REVIEWER: ES ME MI .....	A 5990	AS 24-MAR-69	AR AS	BS	
	MS90412E	GAGE, RING, SPLINE (GO-NO GO) [VALIDATION DATE: 9203] USER: 17 AV CG MC REVIEWER: 11 BS ER MI SH	A 5220	AS 06-MAR-92	AR AS	99	
L	MS90415C	PROTECTOR, UNDERFREQUENCY AA-E, AA-F AIRCRAFT [VALIDATION DATE: 8410] REVIEWER: GS	A 6115	AS 26-MAR-78	AS		
L	MS90443E	NUT, SELF-LOCKING, STEEL, 160KSI, 450 DEG. F 12 POINT, CAPTIVE WASHER .....	A 5310	AS 30-NOV-88	AS		
L	MS90444	TIRE, PNEUMATIC, AIRCRAFT, 28 X 9.0, TYPE VII (NAVY) [VALIDATION DATE: 9110]	A 2620	AS 30-OCT-91	AS		
L	MS90444	TIRE - AIRCRAFT, 11.00-10, TYPE III (NAVY) [VALIDATION DATE: 9110] .....	A 2620	AS 30-OCT-91	AS		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Drawn Cn / Cnlt Cnlt Cnlt	Docu- ment Number	Docu- ment Title	Dist. Smt. FSC / Aps MCA Symbol	Preparing Date	Custodians			
					Army	Navy	Air Force	DLA
L	MS90451	LAMP, INCANDESCENT, T-1 BULB, SHORT, INTEGRAL LIGHTING (VALIDATION DATE: 8107) REVIEWER: GS MI	A 6240	AS 17-MAY-67	AS			
L	MS90452A	LAMP, INCANDESCENT, T-3/4 BULB, INTEGRAL LIGHTING (VALIDATION DATE: 8107) REVIEWER: GS MI	A 6240	AS 25-OCT-67	AS			
L	MS90457A NOTICE 1	HOSE ASSEMBLY METAL, LIQUID OXYGEN (VALIDATION DATE: 8712) .....	A 4720	AS 15-DEC-87	AS			
L	MS90463 MS904848 NOTICE 1 MS90485E	LIGHT ASSEMBLY, CABIN DOME (VALIDATION DATE: 8307) REVIEWER: GS ..... GASKET, FLANGE MOUNT, CONNECTOR, ELECTRIC (VALIDATION DATE: 9110) USER: AT MC ME REVIEWER: 11 AR AV EC ES MI OS SH DIES, CRIMPING TOOL, FOR USE WITH MS20659 UNINSULATED WIRE TERMINALS (FOR WIRE SIZES 8 THROUGH 4/0) (VALIDATION DATE: 8207) USER: MC SH REVIEWER: BS EC GL OS	A 6220 A 5935	AS 17-JUL-68 AS 24-OCT-91	AS CR AS	AS BS		
	MS904868	GAGE, IN SERVICE INSPECTION, FOR USE WITH MS90485 CRIMPING DIES, (FOR USE WITH COPPER UNINSULATED TERMINALS) (VALIDATION DATE: 8204) USER: MC OS REVIEWER: BS	A 5220	AS 09-NOV-72	CR AS	99		
L	MS904898	WRENCH, PLUG, ELECTROLYTE ACCESS HOLE, CELL, AIRCRAFT ALKALINE STORAGE BATTERY (VALIDATION DATE: 8509) REVIEWER: GS	A 6140	AS 02-JUN-71	AS			
D	MS90499	BAR, ROUND, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI .....	A 9510	YD1 29-JAN-85	MR	YD1	99	
D	MS90500	BAR, HALF ROUND, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI .....	A 9510	YD1 29-JAN-85	MR	YD1	99	
D	MS90501	BAR, FLAT, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI .....	A 9510	YD1 29-JAN-85	MR	YD1	99	
D	MS90502	BAR, SQUARE, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI .....	A 9510	YD1 29-JAN-85	MR	YD1	99	
D	MS90503	BAR, HEXAGON, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI .....	A 9510	YD1 29-JAN-85	MR	YD1	99	
D	MS90504	PLATE, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI .....	A 9515	YD1 29-JAN-85	MR	YD1	99	
D	MS90505	SHEET, STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI .....	A 9515	YD1 29-JAN-85	MR	YD1	99	
D	MS90506	L SHAPES (ANGLES), EQUAL LEGS, STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI	A 9520	YD1 29-JAN-85	MR	YD1	99	
D	MS90507	L SHAPES (ANGLES), UNEQUAL LEGS, STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI	A 9520	YD1 29-JAN-85	MR	YD1	99	
D	MS90508	W SHAPES (H BEAM), STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI	A 9520	YD1 29-JAN-85	MR	YD1	99	
D	MS90509	S SHAPES (I BEAM), STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI	A 9520	YD1 29-JAN-85	MR	YD1	99	
D	MS90510	C SHAPES (CHANNEL), STRUCTURAL STEEL, CARBON, MEDIUM USER: AS REVIEWER: 84 AT IS MI	A 9520	YD1 29-JAN-85	MR	YD1	99	
D	MS90511	SHEET, METAL, ALUMINUM ALLOY 5086 USER: MC OS SH REVIEWER: AR AT IS .....	A 9535	YD1 04-MAY-87	MR	YD1	99	
D	MS90512	SHEET, METAL, ALUMINUM ALLOY 5456 USER: MC OS SH REVIEWER: AR AT IS .....	A 9535	YD1 04-MAY-87	MR	YD1	99	
D	MS90513	SHEET, METAL, ALUMINUM ALLOY 6061 .....	A 9535	YD1 04-MAY-87	MR	YD1	99	
D	MS90514	PLATE, METAL, ALUMINUM ALLOY 5456 USER: MC OS SH REVIEWER: AR AT IS .....	A 9535	YD1 04-MAY-87	MR	YD1	99	
D	MS90515	PLATE, METAL, ALUMINUM ALLOY 5086 USER: MC OS SH REVIEWER: AR AT IS .....	A 9535	YD1 04-MAY-87	MR	YD1	99	
D	MS90522A NOTICE 1	ELBOW, CAST-IRON THREADED DRAINAGE (VALIDATION DATE: 8708) USER: 99 CE MC REVIEWER: CS	A 4730	YD1 25-AUG-87	ME	YD1		
D	MS90523A NOTICE 1	TEES, Y-BRANCHES, CROSSES, CAST IRON THREADED DRAINAGE (VALIDATION DATE: 8708) USER: 99 CE EC MC REVIEWER: CS	A 4730	YD1 25-AUG-87	ME	YD1		
D	MS90524A NOTICE 1	Y-BRANCHES, 90 DEG, REDUCING, CAST IRON THREADED DRAINAGE USER: 99 CE MC REVIEWER: CS	A 4730	YD1 20-AUG-87	ME	YD1		
D	MS90525A NOTICE 1	Y BRANCHES, 45 DEG., STRAIGHT & REDUCING, CAST IRON THREADED DRAINAGE (VALIDATION DATE: 8708) USER: 99 CE MC REVIEWER: CS	A 4730	YD1 20-AUG-87	ME	YD1		
D	MS90526A NOTICE 1	COUPLING, INCREASERS, OFFSETS, CAST-IRON THREADED DRAINAGE (VALIDATION DATE: 8706) USER: 99 CE MC REVIEWER: CS	A 4730	YD1 26-JUN-87	ME	YD1		
D	MS90527A NOTICE 1	Y-BRANCH, TUCKER AND ROOF CONNECTIONS, CAST-IRON THREADED DRAINAGE (VALIDATION DATE: 8706) USER: 99 CE MC REVIEWER: CS	A 4730	YD1 26-JUN-87	ME	YD1		
D	MS90528A NOTICE 1	TRAP, P-BATH AND RUNNING, CAST IRON THREADED DRAINAGE (VALIDATION DATE: 8706) USER: 99 CE MC REVIEWER: CS	A 4730	YD1 26-JUN-87	ME	YD1		
L	MS90530E	SWITCH, PRESSURE-WARNING, SPST, WATERPROOF, 24 VOLT, DC USER: ME REVIEWER: ES	A 5930	AT 02-FEB-88	AT			
I	MS90537A NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, SUBMINIATURE, SHIELDED, MAGNETIC TYPE LT4K242 TO LT4K314 INCL. (VALIDATION DATE: 9111) REVIEWER: 99 MI	A 5950	ER 11-NOV-91	ER EC	BS		
	MS90538A NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K001 TO LT10K021 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 99 AR MI	A 5950	ER 11-NOV-91	ER EC	BS		
	MS90539B	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K022 TO LT10K036 INCLUSIVE USER: 19 AR AS MC OS REVIEWER: 11 17 99 MI	A 5950	ER 05-APR-90	ER EC	BS		
	MS90540A NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (IRON CORE) TYPES LT10K037 TO LT10K049 INCL. (VALIDATION DATE: 9111) REVIEWER: 99 MI	A 5950	ER 11-NOV-91	ER EC	BS		
	MS90541A NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE) TYPES LT10K050 TO LT10K060 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC OS SH REVIEWER: 11 17 99 MI	A 5950	ER 11-NOV-91	ER EC	BS		
	MS90542B NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHENOLIC CORE) TYPES LT4K315 TO LT4K327 INCL. (VALIDATION DATE: 9201) USER: 19 AR AS MC ME REVIEWER: 11 17 99 AR ES MI OS	A 5950	EC 31-JAN-92	ER EC	BS		
	MS90543A NOTICE 1	COILS, RADIO FREQUENCY, MOLDED, VARIABLE, POWDERED IRON CORE (PRINTED CIRCUIT MT'G) TYPES LT12V001 TO LT12V031 INCLUSIVE (VALIDATION DATE: 9111) USER: AS CG MC ME REVIEWER: 11 17 99 AR MI OS SH	A 5950	ER 11-NOV-91	ER EC	BS		
	MS90546A NOTICE 1	COILS, RADIO FREQUENCY, MOLDED VARIABLE, FERRITE CORE (PRINTED CIRCUIT MT'G) TYPES LT12V032 TO LT12V062, INCLUSIVE (VALIDATION DATE: 9111) USER: 11 AS CG MC ME MI REVIEWER: 17 99 AT OS SH	A 5950	ER 11-NOV-91	ER EC	BS		
	MS90547D NOTICE 1	SWITCH ROTARY 28/125 VOLTS REVIEWER: 11 17 99 AV ES MI OS .....	A 5930	BS 07-JAN-85	ER EC	BS		
	MS90555D NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING CLASS L (POWER SOURCE RECEPTACLE) (VALIDATION DATE: 8909) USER: 14 19 CG MC OS REVIEWER: 11 17 80 AS ES MI	A 5935	EC 29-SEP-89	CR EC	BS		
	MS90556E NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, STRAIGHT, CLASS L (VALIDATION DATE: 8909) USER: 13 14 AT AV CG MC ME OS SH REVIEWER: 11 17 80 AS ES MI	A 5935	EC 29-SEP-89	CR EC	BS		
	MS90557E NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, CABLE CONNECTING, (WITHOUT COUPLING RING) CLASS L (VALIDATION DATE: 8909) USER: 14 19 CG MC OS REVIEWER: 11 17 80 AR AS ES MI	A 5935	EC 29-SEP-89	CR EC	BS		
	MS90558D NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, WALL MOUNTING, (WITH COUPLING RING) CLASS L (EQUIPMENT RECEPTACLE) (VALIDATION DATE: 8909) USER: 14 19 CG MC OS REVIEWER: 11 17 80 AR AS ES MI	A 5935	EC 29-SEP-89	CR EC	BS		
	MS90561E NOTICE 1	GRIP, CABLE, MOVEN, STRAIN RELIEF, AXIAL (VALIDATION DATE: 8909) USER: 13 19 AT AV CG MC OS REVIEWER: 17 80 99 AS ES ME MI	A 5935	EC 29-SEP-89	CR EC	BS		
A	MS90563E NOTICE 1	COVER, ELECTRICAL CONNECTOR, RECEPTACLE, CLASS L (VALIDATION DATE: 9206) USER: 15 19 AT AV CG MC ME OS REVIEWER: 17 85 99 AS MI	A 5935	EC 03-JUN-92	CR EC	11		
A	MS90564E NOTICE 1	COVER, ELECTRICAL CONNECTOR, PLUG, CLASS L (VALIDATION DATE: 9206) USER: 15 19 AT AV CG MC OS REVIEWER: 17 85 99 AS MI	A 5935	EC 03-JUN-92	CR EC	11		
D	MS90565G NOTICE 1	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SIZE 32, CLASS L, 60 AMPS (VALIDATION DATE: 8909) USER: 19 AT AV CG MC ME SH REVIEWER: 17 85 AS ES MI YD1	A 5935	EC 29-SEP-89	CR EC	11		
	MS90567B	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR SIZE 48 CLASS L, 150 AMPS (VALIDATION DATE: 8003) USER: 14 19 CG MC REVIEWER: 11 17 AR AS ES MI OS	A 5935	EC 28-AUG-74	CR EC	BS		
	MS90569 NOTICE 1	ADAPTER, (STEP UP) CABLE SEALING & GRIPPING (VALIDATION DATE: 9206) USER: 14 19 AV CG MC REVIEWER: 17 85 AS MI OS SH	A 5935	EC 03-JUN-92	CR EC	11		
	MS90577 NOTICE 1	ADAPTER, CONNECTOR, SERIES LHM TO SERIES BMC, UG-273/U (VALIDATION DATE: 9108) USER: 14 19 AS CG MC REVIEWER: 11 17 AR ES MI OS	A 5935	CR 20-AUG-91	CR EC	BS		



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Active CPL / OOL Coordinator Initials	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol	Preparing Agency	Date	Customer			
						Army	Navy	Air Force	DIA
	MS90578A	ADAPTER CONNECTOR, UG-144/U (TWIN BINDING POST-BMC MALE) (VALIDATION DATE: 9108) USER: 14 19 CG MC ME REVIEWER: 11 17 AR AS ES MI	A 5935	CR	20-AUG-91	CR	EC	85	
	MS90579	ADAPTER, CONNECTOR, TYPE UG-1375/U "QL" FEMALE - "C" FEMALE JAM NUT	A 5935	CR	20-AUG-91	CR	EC	85	
	MS90707B	MOUNTED (VALIDATION DATE: 9108) USER: 14 19 AS CG MC OS REVIEWER: 11 17 ES	A 5365	OS	25-AUG-89	AR	OS	99	
	MS90708B	RING, RETAINING, EXTERNAL GRIP USER: AT REVIEWER: B2 AV GL IS MI	A 5365	OS	25-AUG-89	AR	OS	99	
	MS90709	RING, RETAINING, EXTERNAL INTERLOCKING USER: AT ER REVIEWER: B2 AV GL IS MI	A 5315	AR	18-DEC-62	AR	YD1	99	
D	MS90710A	MAIL, BOAT (VALIDATION DATE: 8504) USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	12-FEB-86	AR	YD1	99	
	MS90711A	MAIL, BRAD TYPE (BRADS, NAILS, CASING, NAILS, FINISHING) USER: AS AV CE MC	A 5315	AR	12-FEB-86	AR	YD1	99	
D	MS90712	SH REVIEWER: B2 GL IS ME MI SA	A 5315	AR	25-JAN-88	AR	YD1	99	
D	MS90713A	MAIL, CLOUT, CUT USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	18-DEC-62	AR	YD1	99	
D	MS90714A	MAIL, COMMON, CUT (VALIDATION DATE: 8504) USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	12-FEB-86	AR	YD1	99	
D	MS90715A	MAIL, COMMON, WIRE USER: AS AV CE SH REVIEWER: B2 GL IS MC ME MI SA	A 5315	AR	25-JAN-88	AR	YD1	99	
D	MS90716	MAIL, COMPOSITION ROOFING USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	08-OCT-85	AR	YD1	99	
D	MS90717A	MAIL, DOUBLE-HEADED USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	18-DEC-62	AR	YD1	99	
D	MS90718A	MAIL, FOUNDRY (VALIDATION DATE: 8003) USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	25-JAN-88	AR	YD1	99	
D	MS90719	SPIKE, BARGE AND BOAT USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	18-DEC-62	AR	YD1	99	
D	MS90720	SPIKE, COMMON, WIRE USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	18-DEC-62	AR	YD1	99	
D	MS90721	STAPLE, CABLE, ELECTRICIAN S (VALIDATION DATE: 8003) USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	18-DEC-62	AR	YD1	99	
D	MS90722A	STAPLE, FENCE (VALIDATION DATE: 8504) USER: SA REVIEWER: B2 GL IS MC	A 5315	AR	18-DEC-62	AR	YD1	99	
D	MS90723	STAPLE, WIRING, ELECTRICIAN S (VALIDATION DATE: 8504) USER: SA REVIEWER: B2 GL IS MC	A 5310	AR	25-JAN-88	AR	YD1	99	
A	MS90724	TACK USER: SA REVIEWER: B2 GL IS MC	A 5310	AR	28-FEB-63	AR	AS	99	
A	MS90725D(1)	NUT, SHEET SPRING & J TYPE (VALIDATION DATE: 8304) REVIEWER: IS MI	A 5305	AR	28-FEB-63	AR	AS	99	
A	MS90726B(1)	NUT, SHEET SPRING & U TYPE (VALIDATION DATE: 8203) REVIEWER: IS MI	A 5305	AR	06-NOV-92	AR	SH	99	
D	MS90729A	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM	A 5306	AR	06-JUN-88	AR	YD1	99	
L	MS90908B	PLATED, UMC-2A USER: AS MC ME REVIEWER: AT AV IS MI OS	A 2910	AT	08-JUL-88	AT			
	MS91000B	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), STEEL, GRADE 5, CADMIUM	A 5977	ER	12-NOV-57	ER	AS	11	
	MS91124A	PLATED, UMF-2A USER: AT MC REVIEWER: AV IS ME MI OS	A 5935	CR	20-AUG-91	CR	EC	85	
	MS91189D	BOLT, TEE HEAD (VALIDATION DATE: 8806) USER: AS MC ME OS REVIEWER: AV IS	A 5950	ER	11-NOV-91	ER	EC	85	
	MS91404D	FILLER TUBE, FUEL TANK-MILITARY VEHICLES (VALIDATION DATE: 8807) USER: MC	A 5975	AS	20-OCT-66	ER	AS	85	
	MS91405E	REVIEWER: CR CS	A 5975	AS	20-OCT-66	ER	AS	85	
	MS91522A	BRUSH, ELECTRICAL CONTACT, CARTRIDGE TYPE (VALIDATION DATE: 8307) REVIEWER: 99 GS MC	A 5355	EC	20-SEP-72	ER	EC	11	
	MS91523B	WASHER, FLAT, PART OF RF COAXIAL CONNECTORS (VALIDATION DATE: 9108)	A 5355	EC	25-FEB-91	ER	EC	11	
	MS91524E	REVIEWER: 11 99 ES	A 5355	EC	14-AUG-80	ER	EC	11	
	MS91525F	COILS, RADIO FREQUENCY, MOLDED, FIXED, SUBMINIATURE (PHEMOLIC CORE) TYPES LT4K002 TO LT4K016 INCL. (VALIDATION DATE: 9111) USER: 19 AR AS MC OS	A 5340	AS	31-DEC-87	AV	AS	99	
	MS91527B	REVIEWER: 11 17 99 MI	A 5355	EC	25-FEB-91	ER	EC	11	
	MS91528J	BASE, MOUNTING, SMALL-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) (VALIDATION DATE: 8005) USER: CG MC REVIEWER: 11 99 GS MI	A 5355	EC	25-FEB-91	ER	EC	11	
	MS91531E	BASE, MOUNTING, LARGE-SIZE (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) (VALIDATION DATE: 8005) REVIEWER: 11 99 GS	A 6625	CR	30-JAN-91	CR		99	
	MS91586B	KNOB, CONTROL, CRANK, METAL (VALIDATION DATE: 8505)	A 6625	CR	30-JAN-91	CR	SH	99	
	MS91587A	KNOB, CONTROL, LEVER, METAL (VALIDATION DATE: 9102) USER: MC REVIEWER: AV IS	A 6625	CR	30-JAN-91	CR	SH		
	MS91588B	KNOBS CONTROL, SHORT BAR, METAL AND PLASTIC (VALIDATION DATE: 8601) USER: AR CG MC OS REVIEWER: AS AT AV IS ME MI NS SH	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91596B	KNOBS CONTROL, BAR, METAL AND PLASTIC (VALIDATION DATE: 8601) USER: AR CG MC OS REVIEWER: AS AT AV EA IS ME NS SH	A 5935	EC	14-JUL-55	CR	EC	85	
	MS91604A	MOUNT, VIBRATION, CLIP-TYPE, CLASSES A-B (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) REVIEWER: 11 AR MI	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91607B	KNOBS CONTROL, PLASTIC (ROUND, CONCENTRIC, POINTER, SPINNER, SPINNER SLIP-CLUTCH, BAR, TACTILE, KNOB LOCK POINTER, SLIP-CLUTCH, AND KNOB LOCKS) (VALIDATION DATE: 9102) USER: CG OS REVIEWER: AS AT AV EA IS MC ME MI	A 5330	EC	26-MAR-80	EL	EC	68	
	MS91610B	KNOBS, CONTROL, ROUND, PLASTIC (WITH FLUTED GRIP) (VALIDATION DATE: 9102) USER: AR CG MC OS REVIEWER: AT AV ME MI	A 5935	EC	11-SEP-61	CR	EC	85	
	MS91614A	SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE NSA (VALIDATION DATE: 9101) USER: ME REVIEWER: AR AV ES MI	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91616A	SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT, STYLE MSB (VALIDATION DATE: 9101) USER: ME REVIEWER: AR ES MI	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91617A	SHUNTS, INSTRUMENT, EXTERNAL, 50-MILLIVOLT STYLE MSC (VALIDATION DATE: 9101) REVIEWER: ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91618A	ADAPTER, CONNECTOR, SERIES LC, UG-216B/U (VALIDATION DATE: 8505) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91619B	NUT, COUPLING, SERIES LC CONNECTORS (VALIDATION DATE: 8601) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91620B	CONNECTOR, PLUG, ELECTRICAL, SERIES LC, UG-154A/U (VALIDATION DATE: 8601) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS91820	GASKET, SERIES LC CONNECTORS (VALIDATION DATE: 8601) USER: MC REVIEWER: 11 99 AS SA	A 5330	EC	26-MAR-80	EL	EC	68	
	MS122026THRUMS122075A	CONNECTOR, RECEPTACLE, ELECTRICAL, SERIES LC, UG-352B/U (VALIDATION DATE: 8304) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	11-SEP-61	CR	EC	85	
	MS122076THRUMS122115D	ADAPTER, CONNECTOR, SERIES LC, UG-155B/U (VALIDATION DATE: 8505) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS122116THRUMS122155D	ADAPTER, CONNECTOR, SERIES LC, UG-157B/U (VALIDATION DATE: 8505) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS122156THRUMS122195D	ADAPTER, CONNECTOR, SERIES LC, UG-158A/U (VALIDATION DATE: 8505) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS122196THRUMS122235D	ADAPTER, CONNECTOR, SERIES LC, UG-287B/U (VALIDATION DATE: 8505) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS122236THRUMS122275D	ADAPTER, CONNECTOR, SERIES LC, UG-219B/U (VALIDATION DATE: 8505) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS122900THRUMS122939B	ADAPTER, CONNECTOR, SERIES LC, UG-208B/U (VALIDATION DATE: 8505) USER: MC REVIEWER: 11 99 AS ES	A 5935	EC	02-DEC-60	CR	EC	85	
	MS123120THRUMS123150C	WASHER, SPLIT, PART OF SERIES C CONNECTORS (VALIDATION DATE: 8502) REVIEWER: AR IS SA	A 5310	ER	25-NOV-53	ER	SH	99	
	MS122026THRUMS122075A	WASHER - LOCK, SPRING (VALIDATION DATE: 8202) USER: ME REVIEWER: IS MI	A 5310	82	17-JUN-57	AS	99		
	MS122076THRUMS122115D	INSERT CRES HELICAL COIL COARSE THREAD 1 DIA, NOMINAL LENGTH (VALIDATION DATE: 8205) USER: ER MC OS REVIEWER: AR ME MI	A 5340	82	24-FEB-76	AV	AS	99	
	MS122116THRUMS122155D	INSERT CRES HELICAL COIL COARSE THREAD 1 1/2 DIA, NOMINAL LENGTH (VALIDATION DATE: 8205) USER: ER MC OS REVIEWER: AR ME MI	A 5340	82	24-FEB-76	AV	AS	99	
	MS122156THRUMS122195D	INSERT CRES HELICAL COIL COARSE THREAD 2 DIA, NOMINAL LENGTH (VALIDATION DATE: 8205) USER: ER MC OS REVIEWER: AR ME MI	A 5340	82	24-FEB-76	AV	AS	99	
	MS122196THRUMS122235D	INSERT CRES HELICAL COIL COARSE THREAD 2 1/2 DIA, NOMINAL LENGTH (VALIDATION DATE: 8202) USER: ER MC OS REVIEWER: AR ME MI	A 5340	82	24-FEB-76	AV	AS	99	
	MS122236THRUMS122275D	INSERT-CRES HELICAL COIL COARSE THREAD 3 DIA NOMINAL LENGTH (ASC) (VALIDATION DATE: 8205) USER: ER MC OS REVIEWER: AR ME MI	A 5340	82	24-FEB-76	AV	AS	99	
	MS122900THRUMS122939B	CLAMP LOOP TYPE SUPPORT (HEAT RESISTANT) 204 HOLE (VALIDATION DATE: 8304) PLUG - STRAIGHT THREAD, (O) RING SEAL, ALUMINUM (INACTIVE 7 JUNE 72)	A 5340	82	15-MAY-68	AV	AS	99	
	MS123120THRUMS123150C	(VALIDATION DATE: 7903) USER: CS REVIEWER: MI	A 4730	82	07-JUN-72	AV	AS	82	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action On / On Combination Inches Document Number	Document Title	Dist. Serv. FPC / Area MCA Symbol Preparing Act.	Date	Army Mater Al Force DIA	Custodians
MS124651THRUMS1246900	INSERT - CRES MELICAL COIL FINE THREAD, 1 DIA NOMINAL LENGTH [VALIDATION DATE: 8205] USER: ER MC ME OS REVIEWER: 99 AR MI	A 5340	82 24-FEB-76	AV AS 11	
MS124691THRUMS124730E	INSERT, CRES MELICAL COIL FINE THREAD, 1-1/2 DIA NOMINAL LENGTH [VALIDATION DATE: 9110] USER: CR MC ME MI OS REVIEWER: 82 AR	A 5340	AS 09-OCT-91	AV AS 99	
MS124731THRUMS124770D	INSERT, CRES MELICAL COIL FINE THREAD, 2 DIA NOMINAL LENGTH [VALIDATION DATE: 9110] USER: ER MC ME MI OS REVIEWER: 11 AR	A 5340	82 09-OCT-91	AV AS 99	
MS124771THRUMS124810D	INSERT - CRES MELICAL COIL FINE THREAD, 2 1/2 DIA NOMINAL LENGTH [VALIDATION DATE: 8202] USER: ER MC ME MI OS REVIEWER: AR	A 5340	99 24-FEB-76	AV AS 99	
MS124771THRUMS124811D	INSERT - CRES MELICAL COIL FINE THREAD, 2 1/2 DIA NOMINAL LENGTH [VALIDATION DATE: 8202] USER: ER MC ME MI OS REVIEWER: AR	A 5340	82 24-FEB-76	AV AS 99	
MS124811THRUMS124850D	INSERT, CRES MELICAL COIL FINE THREAD, 3 DIA NOMINAL LENGTH [VALIDATION DATE: 9110] USER: CR MC ME MI OS REVIEWER: 82 AR	A 5340	AS 09-OCT-91	AV AS 99	
MS171401THRUMS171900C	PIN - SPRING, CORROSION RESISTANT STEEL [VALIDATION DATE: 8807] USER: MC REVIEWER: AR IS MI	A 5315	82 08-JUL-88	AV AS 99	
MS171401C	PIN-SPRING, CORROSION RESISTANT STEEL (ASG) [VALIDATION DATE: 8807] USER: MC REVIEWER: AR IS MI	A 5315	82 08-JUL-88	AV AS 99	
MS172201THRUMS172235B	WASHER, KEY - SINGLE, BEARING RETAINING, AMS 8350 (ASG) [VALIDATION DATE: 8205] USER: 69 MC REVIEWER: IS MI	A 5310	82 07-SEP-62	AS 99	
MS172236THRUMS172270B	MUT-SPANNER, BEARING RETAINING, AERONAUTICAL (ASG) [VALIDATION DATE: 8205] USER: MC REVIEWER: IS	A 5310	82 16-DEC-74	AV AS 99	
MS172271THRUMS172320B	WASHER, KEY - SINGLE, AMS 6350 (ASG) [VALIDATION DATE: 8202] REVIEWER: IS MI	A 5310	82 07-SEP-62	AS 99	
MS172321THRUMS172370I	MUT - SPANNER, AERONAUTICAL REVIEWER: IS	A 5310	AS 20-DEC-57	AS 99	
MS500004A	PAD EYE VEHICULAR TOWING LUG [VALIDATION DATE: 8505] REVIEWER: CS	A 2540	AT 28-AUG-80	AT MC 99	
MS500017	CHASSIS, TRUCK, MILITARY DESIGN, M44, 2-1/2 TON, 6X6, 154 INCH WHEELBASE ..	A 2320	AT 05-JUN-85	AT MC 99	
MS500030A	BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE, COMMERCIAL VEHICLES [VALIDATION DATE: 8504] USER: ME REVIEWER: CS	A 2540	AT 18-JAN-66	AT	
MS500037A	HOOK, TOWING, HEAVY (FOR VEHICLES 40 TONS AND OVER) [VALIDATION DATE: 8308] USER: AR EA MC	A 2540	AT 16-FEB-78	AT	
MS500038A	HOOK, TOWING, MEDIUM (FOR VEHICLES 15 TO 40 TONS) [VALIDATION DATE: 8308] USER: EA MC	A 2540	AT 16-FEB-78	AT	
MS500039A	HOOK, TOWING, LIGHT (FOR VEHICLES 8 TO 15 TONS) [VALIDATION DATE: 8308] USER: EA MC	A 2540	AT 16-FEB-78	AT	
MS500040J	TRANSMITTER, LIQUID QUANTITY, FLOAT TYPE, ENGINE FUEL USER: 80 ME REVIEWER: CS	A 6680	AT 01-MAR-91	AT	
MS500043B	CONTROL ASSEMBLY, PUSH PULL, THROTTLE, ENGINE, RATCHET LOCK TYPE [VALIDATION DATE: 8412] USER: MC REVIEWER: CS ME	A 2990	AT 29-APR-75	AT	
MS500044C	CONTROL ASSEMBLY, PUSH-PULL, THROTTLE, ENGINE, VERNIER ADJUSTMENT TYPE [VALIDATION DATE: 8304] USER: MC REVIEWER: CS	A 2990	AT 25-SEP-77	AT 99	
MS500045C	CONTROL ASSEMBLY, PUSH PULL, CHOKE, ENGINE [VALIDATION DATE: 8512] REVIEWER: CS	A 2990	AT 09-JAN-81	AT 11	
MS500048A	TOMBAR, MOTOR VEHICLE: LIGHT, MEDIUM AND HEAVY DUTY (FOR VEHICLES 2 1/2 TO 50 TONS & HEAVIER) USER: AR MC REVIEWER: 84 CS	A 2540	AT 13-DEC-91	AT YD1 99	
MS500055E	CHAIN ASSEMBLY, SINGLE TIRE TYPE TS	A 2540	AT 28-MAR-86	AT	
MS500056E	CHAIN, SIDE AND INNER (DUAL AND SINGLE TIRE)	A 2540	AT 28-MAR-86	AT	
MS500057D	CROSS CHAIN (DUAL AND SINGLE TIRE)	A 2540	AT 28-MAR-86	AT	
MS500058D	HOOK, SWIVEL, TIRE CHAIN (SIZE A)	A 2540	AT 16-SEP-86	AT	
MS500059E	HOOK, SWIVEL, TIRE CHAIN (SIZE B)	A 2540	AT 10-NOV-86	AT	
MS500060G	HOOK, SWIVEL, TIRE CHAIN (SIZE C)	A 2540	AT 16-SEP-86	AT 84	
MS500062A	LADDERS, VEHICLE BOARDING USER: MC ME REVIEWER: MI	A 2540	AT 09-DEC-85	AT 99	
MS500072C	BEARING, ROLLER, NEEDLE, ASSEMBLY (THICK OUTER RACE) [VALIDATION DATE: 8502] USER: AR MC REVIEWER: 99 AV IS ME MI	A 3110	AT 24-JAN-75	AT OS 11	
MS500073B	CONTROL ASSEMBLY, PUSH-PULL, FRICTION LOCK TYPE GENERAL PURPOSE [VALIDATION DATE: 8412] USER: MC REVIEWER: CS ME	A 2990	AT 29-APR-75	AT 99	
MS500074B	CONTROL ASSEMBLY, PUSH-PULL RATCHET LOCK TYPE GENERAL PURPOSE [VALIDATION DATE: 8412] USER: MC REVIEWER: CS	A 2990	AT 29-APR-75	AT 99	
MS500077C	HOSE ASSEMBLY, RUBBER, HYDRAULIC AND PNEUMATIC, MEDIUM PRESSURE, FLARED TUBE [VALIDATION DATE: 8512] USER: AV REVIEWER: AR CS ME MI	A 4720	AT 01-JAN-76	AT MC	
MS500083C	HOSE ASSEMBLY, NONMETALLIC: HYDRAULIC AND PNEUMATIC HIGH PRESSURE, FLARED TUBE [VALIDATION DATE: 8709] USER: AV REVIEWER: AR CS ME MI	A 4720	AT 09-SEP-87	AT	
MS500088B	MIRROR AND ARM ASSEMBLY, REAR VIEW [VALIDATION DATE: 8504] USER: MC ME MI	A 2540	AT 21-MAR-68	AT	
MS500090B	ARM, WINDSHIELD WIPER HEAVY DUTY (ADJUSTABLE) [VALIDATION DATE: 8312] REVIEWER: CS	A 2540	AT 22-NOV-74	AT 99	
MS500091C	BLADE, WINDSHIELD WIPER, HEAVY DUTY [VALIDATION DATE: 8710] USER: MC ME REVIEWER: CS	A 2540	AT 15-OCT-87	AT 99	
MS500093A	TANK, PRESSURE, AIR BRAKE, TACTICAL TRAILERS [VALIDATION DATE: 8503] USER: MC ME MI REVIEWER: CS	A 2530	AT 25-FEB-74	AT 99	
MS500104	BAR, METAL, FLAT, STEEL, CARBON, 1035 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500105	BAR, METAL, FLAT, STEEL, CARBON, 1045 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500106	BAR, METAL, ROUND, STEEL, CARBON, 1018 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500107	BAR, METAL, ROUND, STEEL, CARBON, 1020 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500108	BAR, METAL, ROUND, STEEL, CARBON, 1035 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500109	BAR, METAL, ROUND, STEEL, CARBON, 1045 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500110	BAR, METAL, ROUND, STEEL, CARBON, 1141 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500111	BAR, METAL, HEXAGON, STEEL, CARBON, 1018 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500112	BAR, METAL, HEXAGON, STEEL, CARBON, 1020 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500113	BAR, METAL, SQUARE, STEEL, CARBON, 1018 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500114	BAR, METAL, SQUARE, STEEL, CARBON, 1020 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500115	BAR, METAL, SQUARE, STEEL, CARBON, 1035 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500116	BAR, METAL, SQUARE, STEEL, CARBON, 1045 USER: ME MI REVIEWER: 99 AR AT IS	A 9510	NR 05-MAR-87	NR AS	
MS500118	WIRE, NONELECTRICAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 303 USER: OS REVIEWER: 99 AR IS MI	A 9505	NR 21-APR-87	NR 11	
MS500119	WIRE, NONELECTRICAL, SQUARE, CORROSION RESISTANT STEEL, TYPE 303 USER: OS REVIEWER: 99 AR IS MI	A 9505	NR 21-APR-87	NR 11	
MS500120	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT STEEL, TYPE 303SE USER: OS REVIEWER: 99 AR IS MI	A 9505	NR 21-APR-87	NR 11	
MS500121	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT STEEL, TYPE 416	A 9505	NR 21-APR-87	NR 11	
MS500122	WIRE, NONELECTRICAL, ROUND, CORROSION RESISTANT STEEL, TYPE 430F	A 9505	NR 21-APR-87	NR 11	
MS500123	WIRE, METAL, ROUND, NONELECTRIC, TOOL STEEL, TYPE T1 USER: OS REVIEWER: 99 AR IS MI	A 9505	NR 23-JUN-87	NR SH 11	
MS500124	BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 303	A 9510	NR 21-APR-87	NR 11	
MS500125	BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 303 SE	A 9510	NR 21-APR-87	NR 11	
MS500126	BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 416	A 9510	NR 21-APR-87	NR 11	
MS500127	BAR, METAL, ROUND, CORROSION RESISTANT STEEL, TYPE 430 F	A 9510	NR 21-APR-87	NR 11	
MS500128	BAR, METAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 303	A 9510	NR 21-APR-87	NR 11	
MS500129	BAR, METAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 416	A 9510	NR 21-APR-87	NR 11	
MS500130	BAR, METAL, HEXAGON, CORROSION RESISTANT STEEL, TYPE 303 SE	A 9510	NR 21-APR-87	NR 11	
MS500131	BAR, METAL, SQUARE, CORROSION RESISTANT STEEL, TYPE 303	A 9510	NR 21-APR-87	NR 11	
MS500132	BAR, METAL, SQUARE, CORROSION RESISTANT STEEL, TYPE 303 SE	A 9510	NR 21-APR-87	NR 11	
MS500133	BAR, METAL, FLAT, CORROSION RESISTANT STEEL, TYPE 303	A 9510	NR 21-APR-87	NR 11	
MS500134	BAR, METAL, FLAT, CORROSION RESISTANT STEEL, TYPE 303 SE	A 9510	NR 21-APR-87	NR 11	
MS500135	BAR, METAL, FLAT, CORROSION RESISTANT STEEL, TYPE 416	A 9510	NR 21-APR-87	NR 11	
MS500136	BAR, METAL, RECTANGULAR, TOOL STEEL, TYPE M2 REVIEWER: 99 AR GL IS MC MI	A 9510	NR 23-JUN-87	NR SH 11	
MS500137	BAR, METAL, RECTANGULAR, TOOL STEEL, TYPE T1 REVIEWER: 99 AR GL IS MC MI	A 9510	NR 23-JUN-87	NR SH 11	



## ACTIVE SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action On: (Date) Coordinate Inch Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DLA
MS500138	BAR, METAL, ROUND, TOOL STEEL, TYPE M2 REVIEWER: 99 AR GL IS MC MI .....	A 9510	MR	23-JUN-87	MR	SH 11
MS500139	BAR, METAL, ROUND, TOOL STEEL, TYPE T1 REVIEWER: 99 AR GL IS MC MI .....	A 9510	MR	23-JUN-87	MR	SH 11
MS500140	BAR, METAL, SQUARE, TOOL STEEL, TYPE M2 REVIEWER: 99 AR GL IS MC MI .....	A 9510	MR	23-JUN-87	MR	SH 11
MS500141	BAR, METAL, SQUARE, TOOL STEEL, TYPE T1 REVIEWER: 99 AR GL IS MC MI .....	A 9510	MR	23-JUN-87	MR	SH 11
MS500142	WIRE, NON-ELECTRICAL, ROUND, COPPER BASE ALLOY 464 (VALIDATION DATE: 9103)	A 9525	MR	20-MAR-91	MR	SH 69
NOTICE 1	USER: AS ER OS REVIEWER: AR MI					
MS500143	WIRE, NON-ELECTRICAL, HEXAGON, COPPER BASE ALLOY 464 (VALIDATION DATE: 9103)	A 9525	MR	20-MAR-91	MR	SH 69
NOTICE 1	USER: AS ER OS REVIEWER: AR IS MI					
MS500144	WIRE, NON-ELECTRICAL, SQUARE COPPER BASE ALLOY 464 (VALIDATION DATE: 9103)	A 9525	MR	20-MAR-91	MR	SH 69
NOTICE 1	USER: AS ER OS REVIEWER: AR IS MI					
MS500145	WIRE, NON-ELECTRICAL, HALF OVAL, COPPER BASE ALLOY 464 (VALIDATION DATE: 9103)	A 9525	MR	20-MAR-91	MR	SH 69
NOTICE 1	USER: AS ER OS REVIEWER: AR IS MI					
MS500146	WIRE, NON-ELECTRICAL, ROUND, COPPER BASE ALLOY 482 (VALIDATION DATE: 9103)	A 9525	MR	20-MAR-91	MR	SH 69
NOTICE 1	USER: AS ER OS REVIEWER: AR MI					
MS500147	WIRE, NON-ELECTRICAL, HEXAGON, COPPER BASE ALLOY 482 (VALIDATION DATE: 9103)	A 9525	MR	20-MAR-91	MR	SH 69
NOTICE 1	USER: AS ER OS REVIEWER: AR MI					
MS500148	BAR, METAL, ROUND, COPPER BASE ALLOY 464 (VALIDATION DATE: 9103) USER: AS	A 9530	MR	20-MAR-91	MR	SH 69
NOTICE 1	ER OS REVIEWER: AR MI					
MS500150	BUR, METAL, SQUARE, COPPER BASE ALLOY 464 (VALIDATION DATE: 9103) USER: AS	A 9530	MR	20-MAR-91	MR	SH 69
NOTICE 1	ER OS REVIEWER: AR MI					
MS500151	BUR, METAL, FLAT, COPPER BASE ALLOY 464 (VALIDATION DATE: 9103) USER: AS	A 9530	MR	20-MAR-91	MR	SH 69
NOTICE 1	ER OS REVIEWER: AR MI					
MS500153	BUR, METAL, HEXAGON, COPPER BASE ALLOY 482 (VALIDATION DATE: 9103) USER:	A 9530	MR	20-MAR-91	MR	SH 69
NOTICE 1	AS ER OS REVIEWER: AR MI					
MS500161	WIRE, METAL, NONELECTRICAL, COPPER BERYLLIUM, ALLOY 172 USER: EC REVIEWER:	A 9526	MR	02-APR-91	MR	SH 11
	84 AR AS AT ER IS MI					
MS500162	STRIP, METAL, COPPER BERYLLIUM, ALLOY 172 USER: EC REVIEWER: 84 AR AS AT	A 9535	MR	02-APR-91	MR	SH 11
	ER IS MI					
MS500163	BAR, METAL, FLAT COPPER BERYLLIUM, ALLOY 172 USER: AV EC REVIEWER: 84 AR	A 9530	MR	02-APR-91	MR	SH 11
	AS AT ER IS MI					
MS500164	STRIP, METAL, COPPER BERYLLIUM ALLOY 170 USER: EC REVIEWER: 84 AR AS AT ER	A 9535	MR	02-APR-91	MR	SH 11
	IS MI					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc / OMA Coordination Inchance	Document Number	Document Title	Doc Smt FSC / Area	MCA Symbol Proposing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-STD-120	ABBREVIATIONS FOR USE ON DRAWINGS, SPECIFICATIONS STANDARDS & IN TECHNICAL DOCUMENTS [VALIDATION DATE: 8101] USER: ES REVIEWER: 14 17 AV DM EA MI	A DRPR	AR	29-MAY-81	AR	SH	16	
D	MIL-STD-144	ARCHITECTURAL SYMBOLS [VALIDATION DATE: 8502] USER: OS REVIEWER: AS ER MI	A DRPH	AR	03-SEP-54	AR	YD1	16	
	MIL-STD-15/2	ELECTRICAL WIRING EQUIPMENT SYMBOLS FOR SHIPS' PLANS PART 2 [VALIDATION DATE: 8912] USER: ES REVIEWER: 71 MI	A DRPR	SH	11-DEC-89	AR	SH	16	
	MIL-STD-17A(1)	MECHANICAL SYMBOLS [VALIDATION DATE: 8502] USER: ES REVIEWER: 16 MI	A DRPR	AR	16-SEP-77	AR	SH	11	
	MIL-STD-17/18(1)	MECHANICAL SYMBOLS [VALIDATION DATE: 8502] USER: ES REVIEWER: 16 MI	A DRPR	AR	16-SEP-77	AR	SH	11	
	MIL-STD-17/28(1)	MECHANICAL SYMBOLS FOR AERONAUTICAL AEROSPACECRAFT AND SPACECRAFT USE USER: ES REVIEWER: 16 MI	A DRPR	SH	23-FEB-65	AR	SH	11	
	MIL-STD-21A(2)	WELDED-JOINT DESIGNS, ARMORED-TANK TYPE [VALIDATION DATE: 8308] REVIEWER: ER	A DRPR	AT	09-MAY-79	AT	SH		
D	MIL-STD-22D(2)	WELDED JOINT DESIGN [VALIDATION DATE: 9103] USER: MC OS REVIEWER: CR ER	A THJM	SH	21-MAY-91	NR	SH	11	
	NOTICE 3	SHIP STRUCTURAL SYMBOLS FOR USE ON SHIP DRAWINGS REVIEWER: ME	A DRPR	SH	10-MAY-84	AR	SH	16	
	MIL-STD-25B	SPRING, MECHANICAL, DRAWING REQUIREMENTS FOR [VALIDATION DATE: 8204] USER: ME REVIEWER: 16 MI	A DRPR	AR	01-MAR-62	OR	OS	11	
	NOTICE 1	PREPARATION OF DRAWING FOR OPTICAL ELEMENTS AND OPTICAL SYSTEMS, GENERAL REQUIREMENTS FOR [VALIDATION DATE: 8302] REVIEWER: 11 16 17	A DRPR	AR	03-NOV-60	AR		99	
	MIL-STD-29A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BASIC REVIEWER: AR AT CR EA ES IS TO TM	A EGDS	MI	24-APR-91	MI	SH	11	
	MIL-STD-34	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTORS, FIXED [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR	A EGDS	MI	20-SEP-91	MI			
L	DOD-STD-35/3E	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CAPACITORS, FIXED [VALIDATION DATE: 8812] REVIEWER: AT AV ER ME MR	A EDS	MI	09-DEC-88	MI			
L	DOD-STD-35/4C(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WASHERS, SPACERS, AND SHIMS USER: AR REVIEWER: AT AV CR ER MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/5E(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ROTARY USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/6B(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSFORMERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/7C(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RELAYS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/8B(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RELAYS [VALIDATION DATE: 9109] REVIEWER: AT AV ER ME MR	A EGDS	MI	20-SEP-91	MI			
L	MIL-STD-35/8B	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINAL BOARDS [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR	A EGDS	MI	20-SEP-91	MI			
L	DOD-STD-35/9C	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSES USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
L	NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FUSEHOLDERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	MIL-STD-35/10C(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM METERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	MIL-STD-35/11C(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOLENOIDS [VALIDATION DATE: 8812]	A EDS	MI	09-DEC-88	MI			
A L	MIL-STD-35/12A(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RIVETS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
L	DOD-STD-35/12A(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MICROCIRCUIT DEVICES [VALIDATION DATE: 8812] REVIEWER: AT AV ME MR	A EDS	MI	09-DEC-88	MI			
L	MIL-STD-35/13A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SCREWS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	MIL-STD-35/14A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PIPE AND TUBING, RIGIS [VALIDATION DATE: 8701]	A EDS	MI	21-JAN-87	MI			
L	DOD-STD-35/16C(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TERMINALS AND TERMINAL STRIPS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TERMINAL LUGS AND STRIPS REVIEWER: AT AV ER ME MR	A EDS	MI	15-MAR-84	MI	OS		
A L	DOD-STD-35/17A(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FITTINGS AND COUPLINGS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
L	MIL-STD-35/18(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HOSE AND TUBING FLEXIBLE USER: AR REVIEWER: AT AV ER ME MR	A EGDS	MI	30-JUN-92	MI			
A L	NOTICE 4	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NUTS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/19A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FASTENERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
	MIL-STD-35/19A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BEARINGS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/20C(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, ELECTRONIC USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	MIL-STD-35/21A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SPRINGS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/22A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, COILS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/23A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM-COILS [VALIDATION DATE: 8406] REVIEWER: AT AV ME MR	A EDS	MI	18-NOV-76	MI	OS		
A L	DOD-STD-35/30A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CIRCUIT BREAKERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/31A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BOLTS AND STUDS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	MIL-STD-35/32B(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PINS AND KEYS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
	MIL-STD-35/34A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INSERTS REVIEWER: AT AV ME MR	A EDS	MI	28-SEP-84	MI			
L	NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM NETWORKS [VALIDATION DATE: 8701] REVIEWER: AT AV ME MR	A EDS	MI	21-JAN-87	MI			
A L	MIL-STD-35/35(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SEALS, GASKETS, AND PACKING USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	NOTICE 3	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INDUCTORS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	18-SEP-92	MI			
A L	DOD-STD-35/37A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CRYSTAL UNITS (QUARTZ) [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR	A EGDS	MI	20-SEP-91	MI			
L	DOD-STD-35/38A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM-BATTERIES [VALIDATION DATE: 8108] REVIEWER: AT AV ER ME MR	A EDS	MI	31-DEC-74	MI			
L	NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RETAINING RINGS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	MIL-STD-35/40A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FILTERS, MECHANICAL, LIQUID, GAS/AIR USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/41A(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM WAVEGUIDES USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI	30-JUN-92	MI			
A L	DOD-STD-35/42A(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, WAVEGUIDES REVIEWER: AT AV ER ME MR	A EDS	MI	31-AUG-87	MI	OS		
L	MIL-STD-35/42A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ANTENNAS [VALIDATION DATE: 8701] REVIEWER: AT AV ER ME MR	A EDS	MI	21-JAN-87	MI			
L	MIL-STD-35/43(2)								
	NOTICE 3								



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Qty./Chk. Coordination Inclusive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty	Date	Custodians			
				Army	Navy	Air Force	DLA
L DOD-STD-35/44A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SYNCHROS REVIEWER: AR AT AV CR MD ME MR	A EDS	MI 31-AUG-87	MI			
L MIL-STD-35/44A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM REVIEWER: AT AV ME MR ...	A EDS	MI 31-AUG-87	MI			
L DOD-STD-35/45A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESOLVERS, ELECTRICAL REVIEWER: AR AT AV CR MD ME MR	A EDS	MI 31-AUG-87	MI			
L MIL-STD-35/45A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RESOLVERS, ELECTRICAL REVIEWER: AT AV EL ME MR	A EDS	MI 31-AUG-87	MI			
A L DOD-STD-35/46B(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM VALVES (POWERED) USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
A L DOD-STD-35/48A(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSDUCERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L MIL-STD-35/48A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TRANSDUCERS REVIEWER: AT AV ME MR	A EDS	MI 31-AUG-87	MI			
A L MIL-STD-35/49A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM GEARS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
A L DOD-STD-35/50A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PULLEYS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
L MIL-STD-35/51(1) NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SPROCKETS (VALIDATION DATE: 8701) REVIEWER: AT AV ME MR	A EDS	MI 21-JAN-87	MI			
A L DOD-STD-35/52A(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMPS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
A L DOD-STD-35/53A(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADAPTERS, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
L DOD-STD-35/54A(1) NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICE (VALIDATION DATE: 8812) REVIEWER: AT AV ER ME MR	A EDS	MI 09-DEC-88	MI			
L MIL-STD-35/56A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SEMICONDUCTOR DEVICES, VOLTAGE VARIABLE CAPACITOR DIODES (SEE DOD STD 35-54A)	A EDS	MI 30-SEP-86	MI			OS
A L DOD-STD-35/65A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, CIRCULAR USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
L DOD-STD-35/66A(1) NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL PRINTED WIRING BOARD (VALIDATION DATE: 9109) USER: AR REVIEWER: AT AV CR ER MD ME MR	A EGDS	MI 20-SEP-91	MI			
A L DOD-STD-35/67A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CORD, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L DOD-STD-35/68A NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, COAXIAL (VALIDATION DATE: 9109) REVIEWER: AR AT AV ER MD ME MR	A EGDS	MI 20-SEP-91	MI			
L DOD-STD-35/69A(1) NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CONNECTORS, ELECTRICAL, RECTANGULAR (VALIDATION DATE: 8812) REVIEWER: AT AV ME MR	A EDS	MI 09-DEC-88	MI			
A L DOD-STD-35/70A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, TOGGLE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
A L DOD-STD-35/71A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES (THERMAL) USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L MIL-STD-35/71A NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES (THERMAL) (VALIDATION DATE: 8812) REVIEWER: AT AV ER ME MR	A EDS	MI 09-DEC-88	MI			
L MIL-STD-35/72(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, ACTUATORS, ELECTRO-MECHANICAL, ROTARY (VALIDATION DATE: 8806) REVIEWER: AR AT AV CR MD ME MR	A EDS	MI 21-JUN-88	MI			
L MIL-STD-35/73(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, ELECTRO-MECHANICAL, LINEAR (VALIDATION DATE: 8806) REVIEWER: AR AT AV CR MD ME MR	A EDS	MI 21-JUN-88	MI			
A L MIL-STD-35/74(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ACTUATORS, EXPLOSIVE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
A L MIL-STD-35/75(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MICROWAVE/WAVEGUIDE COMPONENTS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L DOD-STD-35/76A NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMISTORS (VALIDATION DATE: 9001) REVIEWER: AT AV ER ME MR	A EDS	MI 18-JAN-90	MI			
L DOD-STD-35/78A(1) NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ADHESIVES (VALIDATION DATE: 8701) REVIEWER: AT AV ER ME MR	A EDS	MI 21-JAN-87	MI			
L DOD-STD-35/79A(2) NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM ATTENUATORS, FIXED AND VARIABLE REVIEWER: AT AV ER ME MR	A EDS	MI 31-AUG-87	MI			
A L MIL-STD-35/80(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, BELTS, TRANSMISSION AND CONVEYOR USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
A L MIL-STD-35/81A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONTAINERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
A L DOD-STD-35/82A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONVERTERS AND INVERTERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L MIL-STD-35/83 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, MOTOR-GENERATOR SETS AND DYNAMOTORS (VALIDATION DATE: 8806) REVIEWER: AT AV ER ME MR	A EDS	MI 21-JUN-88	MI			
A L DOD-STD-35/84A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DUMMY LOADS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
A L DOD-STD-35/85A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM FANS AND IMPELLERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
A L DOD-STD-35/86A(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LAMP HOLDERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L MIL-STD-35/86A NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM-LAMP HOLDERS (VALIDATION DATE: 9109) REVIEWER: AT AV ME MR	A EGDS	MI 20-SEP-91	MI			
L MIL-STD-35/87(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, HOLDERS, SUPPORTS, AND BRACKETS (CRYSTAL) (VALIDATION DATE: 8806) REVIEWER: AT AV ME MR	A EDS	MI 21-JUN-88	MI			
A L MIL-STD-35/88A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM KNOBS, DIALS, AND POINTERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
A L MIL-STD-35/89A(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM MOTORS, AC AND DC USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L MIL-STD-35/90(1) NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM PAINT, VARNISH, LACQUER, AND ENAMEL (VALIDATION DATE: 9109) USER: AR REVIEWER: AT AV CR ER MD ME MR	A EGDS	MI 20-SEP-91	MI			
A L DOD-STD-35/91A(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTOR ACCESSORIES USER: AR REVIEWER: AT AV CR ER ME MR SC	A EDS	MI 30-JUN-92	MI			
A L MIL-STD-35/93(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM GAGES - HYDRAULIC, PNEUMATIC, AND VACUUM USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
L DOD-STD-35/94A NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM OSCILLATORS (VALIDATION DATE: 9109) REVIEWER: AR AT AV ER MD ME MR	A EGDS	MI 20-SEP-91	MI			
L MIL-STD-35/94 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, OSCILLATORS (VALIDATION DATE: 9109) REVIEWER: AT AV ER ME MR	A EGDS	MI 20-SEP-91	MI			
L MIL-STD-35/95 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PUMPS - HYDRAULIC, PNEUMATIC, AND VACUUM (VALIDATION DATE: 8806) REVIEWER: AT AV ME MR	A EDS	MI 21-JUN-88	MI			
L MIL-STD-35/96 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, REGULATORS, CURRENT AND VOLTAGE, AC AND DC (VALIDATION DATE: 8806) REVIEWER: AT AV ME MR	A EDS	MI 21-JUN-88	MI			
L MIL-STD-35/97B	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM RESISTOR NETWORKS .....	A EDS	MI 19-JUL-90	MI			
A L MIL-STD-35/98A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CAPACITORS, VARIABLE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 30-JUN-92	MI			
A L DOD-STD-35/99A(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLE ASSEMBLIES USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			
A L DOD-STD-35/100A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM REGULATORS AND NONPOWERED VALVES (HYDRAULIC, PNEUMATIC, AND VACUUM) USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS	MI 18-SEP-92	MI			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Orig. / OMA Coordination Inhouse Document Number	Document Title	Dist. Smt. PSC / Area Incl. Symbol Preparing Acty. Date	Custodians		
			Army	Navy	Air Force DIA
L MIL-STD-35/101(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RELAYS, SOLID STATE [VALIDATION DATE: 8203] REVIEWER: AT AV ER ME MR	A EDS MI 19-OCT-76 MI			
L MIL-STD-35/102 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, PRINTED WIRING, FLEXIBLE [VALIDATION DATE: 8806] REVIEWER: ME	A EDS MI 21-JUN-88 MI			
A L MIL-STD-35/103(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, AMPLIFIERS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L MIL-STD-35/104A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM UNIVERSAL JOINTS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
L MIL-STD-35/105 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, THERMOCOUPLES [VALIDATION DATE: 8806] REVIEWER: ME	A EDS MI 21-JUN-88 MI			
A L MIL-STD-35/106(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM COUNTERS, RECIPROCATING AND ROTATING USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L MIL-STD-35/107A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS-JACKS, PLUG AND TEST POINTS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
M L MIL-STD-35/108A	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM TRANSMITTERS REVIEWER: AR AT CR ER ME MR SC	A EGDS MI 21-MAY-93 MI			
L MIL-STD-35/109 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, INDICATORS, POINTER [VALIDATION DATE: 8806] REVIEWER: AT AV ME MR	A EDS MI 21-JUN-88 MI			
A L MIL-STD-35/110A(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM BANDS, DECALS, MARKERS AND PLATES USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/111B(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/112(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LUBRICANTS, OIL AND GREASE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/114(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CLAMPS, HARDWARE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
L DOD-STD-35/115 NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM HEAT SINKS [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR	A EGDS MI 20-SEP-91 MI			
A L DOD-STD-35/116(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM POTTING COMPOUNDS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/117(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, PRESSURE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/118(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATION, THERMAL AND ACOUSTIC USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
L DOD-STD-35/119 NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, FIBER OPTIC [VALIDATION DATE: 9109] USER: AR REVIEWER: AT AV CR ER MD ME MR	A EGDS MI 20-SEP-91 MI			
A L DOD-STD-35/120(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM LENSES, FILTERS, AND MIRRORS (OPTICAL) USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/121(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM EYELETS, FERRULES, AND GROMMETS USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/122(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM INSULATORS, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
L DOD-STD-35/123 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SOCKET, ELECTRICAL [VALIDATION DATE: 8812] REVIEWER: ME	A EDS MI 09-DEC-88 MI			
A L DOD-STD-35/125(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM DISPLAYS, ELECTRO-OPTICAL USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/126(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, CYLINDERS, ACTUATING, LINEAR USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
L DOD-STD-35/127 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, TRANSDUCER OR SOLID STATE [VALIDATION DATE: 9001] REVIEWER: AT AV ME MR	A EDS MI 18-JAN-90 MI			
L DOD-STD-35/128 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, REED [VALIDATION DATE: 9001] REVIEWER: AR AT AV ER ME MR	A EDS MI 18-JAN-90 MI			
L DOD-STD-35/129 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, SWITCHES, FLOW, AIR AND LIQUID [VALIDATION DATE: 9001] REVIEWER: ME	A EDS MI 18-JAN-90 MI			
A L DOD-STD-35/130(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, METERS, FLOW USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/131(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, TIMERS, INTERVAL, SEQUENTIAL, STOP USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/132(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, DELAY LINES, ELECTRONIC AND NETWORK PULSE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/133(1)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SHIELDING, RF1, EMI USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
L DOD-STD-35/134(1) NOTICE 3	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, COAXIAL [VALIDATION DATE: 9109] USER: AR REVIEWER: AT AV CR ER MD ME MR	A EGDS MI 20-SEP-91 MI			
L DOD-STD-35/135 NOTICE 3	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CONNECTORS, ELECTRICAL, POWER [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR	A EGDS MI 20-SEP-91 MI			
L DOD-STD-35/136 NOTICE 1	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, RESISTORS, VARIABLE [VALIDATION DATE: 9001] REVIEWER: ME	A EDS MI 18-JAN-90 MI			
L DOD-STD-35/137 NOTICE 2	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, ILLUMINATED [VALIDATION DATE: 9109] REVIEWER: AR AT AV ER MD ME MR	A EGDS MI 20-SEP-91 MI			
A L DOD-STD-35/138(4)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM SWITCHES, SENSITIVE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/139(3)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM, WIRE, ELECTRICAL USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
A L DOD-STD-35/141(2)	AUTOMATED ENGINEERING DOCUMENT PREPARATION SYSTEM CABLES, SPECIAL PURPOSE USER: AR REVIEWER: AT AV CR ER ME MR SC	A EGDS MI 18-SEP-92 MI			
DOD-STD-100C(6)	ENGINEERING DRAWING PRACTICES REVIEWER: 11 80 99 AT AV CE CR ME MS TO	A DRPR AR 15-MAR-88 AR OS 16			
DOD-STD-00100D	ENGINEERING DRAWING PRACTICES	A DRPK AR 31-AUG-87 AR			
D MIL-STD-100E(2)	ENGINEERING DRAWING PRACTICES USER: 68 70 71 80 84 8L ME REVIEWER: 11 13 14 18 19 79 90 99 AS AT AV CE CH CR CS DM EA EC ER ES GS IS MC MI OS SC SH SM TD TE YD1	A DRPR AR 04-SEP-92 AR SA 16			
L MIL-STD-100E(1)	ENGINEERING DRAWING PRACTICES	A DRPR AR 03-MAR-92 AR			
D MIL-STD-101B	COLOR CODE FOR PIPELINES & FOR COMPRESSED GAS CYLINDERS [VALIDATION DATE: 8407] USER: 19 06 REVIEWER: 12 43 99 AS AV CS GS MC ME MI MS YD1	A B120 EA 03-DEC-70 EA SH 68			
MIL-STD-102B	ANTI-FRICTION BEARING IDENTIFICATION CODE [VALIDATION DATE: 8204] USER: MC MI MS REVIEWER: AT AV EA IS	A 3110 SH 01-SEP-70 AR SH			
MIL-STD-104C	LIMIT FOR ELECTRICAL INSULATION COLOR USER: AT AV MC OS SH REVIEWER: EC IS MI MS	A 6145 AS 31-OCT-86 CR AS 17			
D MIL-STD-105E	SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES USER: ME REVIEWER: AV EC ER ES GS MC MI SS TE YD1	A QC1C AR 10-MAY-89 AR OS 10			
D MIL-STD-107H	PREPARATION AND HANDLING OF INDUSTRIAL PLANT EQUIPMENT FOR SHIPMENT AND STORAGE USER: MC REVIEWER: 84 AR AV DM ER GS SH YD1	A PACK 1P 21-SEP-90 AL SH 69 1P			
MIL-STD-108E(1) NOTICE 2	DEFINITIONS OF AND BASIC REQUIREMENTS FOR ENCLOSURES FOR ELECTRIC AND ELECTRONIC EQUIPMENT [VALIDATION DATE: 9008] REVIEWER: ME	A ENVR SH 08-AUG-90 TE SH			
D MIL-STD-109B	QUALITY ASSURANCE TERMS AND DEFINITIONS [VALIDATION DATE: 8105] REVIEWER: AR AS AV EC ES MI MR OS SA YD1	A QC1C 10 04-APR-69 EL 10			
MIL-STD-110A(4)	GAGE, PLUG, PLAIN CYLINDRICAL GO [VALIDATION DATE: 8101] USER: MC MI REVIEWER: AS EA SH	A 5220 AR 17-SEP-62 AR OS 99			
MIL-STD-111A(3) NOTICE 4	GAGE, PLUG, PLAIN CYLINDRICAL, NOT GO [VALIDATION DATE: 9002] USER: MC REVIEWER: EA SH	A 5220 AR 08-FEB-90 AR OS 99			
MIL-STD-112A(4)	GAGE, RING, PLAIN, GO [VALIDATION DATE: 8406] USER: MC REVIEWER: EA SH	A 5220 AR 28-AUG-64 AR OS 99			
MIL-STD-113A(3)	GAGE, RING, PLAIN, NOT GO [VALIDATION DATE: 8101] USER: MC REVIEWER: EA SH	A 5220 AR 17-SEP-62 AR OS 99			
MIL-STD-114C(1)	GAGE, PLUG, THREAD GO (CLASS X) FOR UNIFIED AMERICAN NATIONAL STANDARD INTERNAL THREAD [VALIDATION DATE: 8504] USER: MI REVIEWER: EA GS SH	A 5220 AR 28-AUG-64 AR OS 99			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action CPL / OMA Coordination Institute	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Proprietary Abb.	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-STD-1158	GAGE, PLUG, THREAD NOT GO UNIFIED- AMERICAN NATIONAL STANDARD INTERNAL THREAD (VALIDATION DATE: 8101) USER: SH REVIEWER: 11 EA	A 5220	AR	15-MAR-63	AR	OS	99	
	MIL-STD-1168	GAGE, RING, THREAD GO (CLASS X) AND RELATED SETTING PLUG GAGES, GO AND NOT GO PLAIN PLUG MINOR DIAMETER ACCEPTANCE CHECK GAGES FOR UNIFIED AND AMERICAN NATIONAL STANDARD EXTERNAL THREADS (VALIDATION DATE: 8406) USER: MI REVIEWER: EA	A 5220	AR	15-MAR-63	AR	SH	99	
	MIL-STD-1178	GAGE, RING, THREAD, LO (NOT GO) AND RELATED THREAD SETTING PLUG GAGES, GO AND NOT GO PLAIN PLUG MINOR DIAMETER ACCEPTANCE CHECK GAGES FOR UNIFIED AND AMERICAN NATIONAL STANDARD EXTERNAL THREADS (VALIDATION DATE: 8406) USER: MC MI SH REVIEWER: EA	A 5220	AR	15-MAR-63	AR	OS		
	MIL-STD-118(2)	GAGE, SNAP, PLAIN ADJUSTABLE (VALIDATION DATE: 8504) USER: MC MI REVIEWER: EA SH	A 5220	AR	01-NOV-62	AR	OS	99	
	MIL-STD-120	GAGE INSPECTION (W/NOTICE 1 DTD 9 SEP 63) (VALIDATION DATE: 8504) REVIEWER: MI	A 5220	AR	09-SEP-63	AR	OS	99	
M	MIL-STD-129M	MARKING FOR SHIPMENT AND STORAGE (PART 1 OF 4 PARTS) REVIEWER: 11 70 71 80 82 84 99 AL AM AR AS AT AV CG CR CS CT DM EA EC ES GL GS IS MC ME MI MR MS MT OS PS SH SS TD TH YD1	A PACK	SM	15-JUN-93	SM	SA	69	DM
M	MIL-STD-129/1	MARKING FOR SHIPMENT AND STORAGE-AMMUNITION AND EXPLOSIVES (PART 2 OF 4 PARTS) REVIEWER: 18 70 99 AM AR AS CG EA EC MC MT OS SH	A PACK	SM	15-JUN-93	SM	SA	69	DM
M	MIL-STD-129/2	MARKING FOR SHIPMENT AND STORAGE-MEDICAL MATERIAL (PART 3 OF 4 PARTS) REVIEWER: 99 AM AS CG DM GL MC MS MT SH	A PACK	SM	15-JUN-93	SM	SA	69	DM
M	MIL-STD-129/3	MARKING FOR SHIPMENT AND STORAGE-SEMI-PERISHABLE AND PERISHABLE SUBSISTENCE (PART 4 OF 4 PARTS) REVIEWER: 99 AM AS CG GL GS MC MT SH SS	A PACK	SM	15-JUN-93	SM	SA	69	DM
D	MIL-STD-130G	IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY REVIEWER: 11 14 15 85 AV CS DP EA ER ES GL GS IP MC MI OS SH YD1	A GDRQ	16	11-OCT-88	AR	AS	16	DM
	MIL-STD-133B	GAGE, PLUG, PLAIN CYLINDRICAL, GO FOR MINOR DIAMETER OF STANDARD CLASS OF INTERNAL THREAD (VALIDATION DATE: 8101) USER: MC SH REVIEWER: EA	A 5220	AR	15-MAR-63	AR	OS		
	MIL-STD-134B	GAGE, PLUG, PLAIN CYLINDRICAL, NOT GO FOR MINOR DIAMETERS OF STANDARD CLASSES 3F INTERNAL THREAD (VALIDATION DATE: 8101) USER: MC SH REVIEWER: EA	A 5220	AR	15-MAR-63	AR	OS		
L	MIL-STD-139A	RADIOGRAPHIC INSPECTION, SOUNDNESS REQUIREMENTS FOR ALUMINUM AND MAGNESIUM CASTINGS (FOR SMALL ARMS PARTS) (VALIDATION DATE: 8504) USER: AT REVIEWER: MI	A NDT1	AR	05-JAN-65	AR			
D	MIL-STD-147D	PALLETIZED UNIT LOADS USER: EC REVIEWER: 69 84 AR AS AT CS DM IS MC ME MI SH YD1	A PACK	SM	10-DEC-88	SM	SA	99	DM
	MIL-STD-150A(2)	PHOTOGRAPHIC LENSES USER: GL ME REVIEWER: GS MI	A 6760	70	28-JAN-63	ER	AS	99	
	MIL-STD-155A	JOINT PHOTOGRAPHIC TYPE DESIGNATION SYSTEM (VALIDATION DATE: 8304) REVIEWER: AS AV GS	A 67CP	11	05-AUG-55	EL		11	
D	MIL-STD-161F	IDENTIFICATION METHODS FOR BULK PETROLEUM PRODUCTS SYSTEMS INCLUDING HYDROCARBON MISSILE FUELS USER: 11 YD1 REVIEWER: GS	A 91GP	68	01-AUG-85	MI	SA	68	
D	MIL-STD-162E	MATERIALS HANDLING EQUIPMENT: PREPARATION FOR SHIPMENT, STORAGE, CYCLIC MAINTENANCE, ROUTINE TESTING AND PROCESSING (VALIDATION DATE: 9001) USER: EL MC YD1 REVIEWER: SM	A PACK	ME	09-JAN-90	ME	SA	99	
D	MIL-STD-163C(2)	STEEL MILL PRODUCTS PREPARATION FOR SHIPMENT AND STORAGE USER: MI REVIEWER: AS IS OS SH SM YD1	A PACK	ME	07-NOV-88	ME	SA	99	
L	MIL-STD-167/1	MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (TYPE I - ENVIRONMENTAL AND TYPE II - INTERNALLY EXCITED) (VALIDATION DATE: 8706) REVIEWER: EA OS	A ENVR	SH	01-MAY-74		SH		
L	MIL-STD-167/2	MECHANICAL VIBRATIONS OF SHIPBOARD EQUIPMENT (RECIPROCATING MACHINERY AND PROPULSION SYSTEM AND SHAFTING) TYPES III, IV, AND V (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 9111)	A ENVR	SH	26-NOV-91		SH		
D	MIL-STD-168B	VISUAL INSPECTION GUIDE FOR ALL-RUBBER GLOVES EXCEPT SURGICAL (VALIDATION DATE: 8902) USER: 11 45 MC MS YD1 REVIEWER: EA SA	A 8415	CT	15-FEB-89	GL	SH	99	CT
D	MIL-STD-171E	FINISHING OF METAL AND WOOD SURFACES USER: OS YD1 REVIEWER: 99 AR AS ER GL ME MI TD	A MFFP	MR	23-JUN-89	MR	SH	11	
	MIL-STD-172C	COLOR CODE FOR CONTAINERS OF LIQUID PROPELLANTS (VALIDATION DATE: 8804) REVIEWER: 11 19 68 MC	A 9135	MI	06-APR-88	MI	AS	12	
	MIL-STD-175E	SANITARY STANDARDS FOR THE EQUIPMENT & METHODS FOR THE HANDLING OF MILK AND MILK PRODUCTS IN BULK MILK DISPENSING OPERATIONS (VALIDATION DATE: 8711) REVIEWER: MC MD MS SS TS	A 8910	GL	06-NOV-87	GL	SA	50	
	MIL-STD-176A	GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE DATA REPORTING FORMS FOR (VALIDATION DATE: 8302) REVIEWER: 70	A 14GP	AS	27-MAY-63	MI	AS	99	
	MIL-STD-176/1	GUIDED MISSILES AND SPACE LAUNCH VEHICLES, SUMMARY WEIGHT STATEMENT GUIDED MISSILES SPACE VEHIC (PART 1) (VALIDATION DATE: 8410) REVIEWER: 11	A 14GP	AS	27-MAY-63	MI	AS	70	
	MIL-STD-176/2	GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT EMPTY DETAIL WEIGHT STATEMENT GUIDED MISSILES SPACE VEHIC (PART 2) (VALIDATION DATE: 8410) REVIEWER: 11 71	A 14GP	AS	27-MAY-63	MI	AS	70	
	MIL-STD-176/3	GUIDED MISSILES AND SPACE LAUNCH VEHICLES, WEIGHT AND BALANCE STATUS GUIDED MISSILES SPACE VEHIC (PARTS 3A AND 3B) (VALIDATION DATE: 8410) REVIEWER: 11	A 14GP	AS	27-MAY-63	MI	AS	70	
	MIL-STD-177A	RUBBER PRODUCTS, TERMS FOR VISIBLE DEFECTS OF (VALIDATION DATE: 8805) USER: AT MC REVIEWER: AR AS EA GL GS	A 9320	SH	31-MAY-88	MR	SH	11	
	MIL-STD-178A	DEFINITION APPLICABLE TO SPEED-GOVERNING OF ELECTRIC GENERATOR SET REVIEWER: 99 GS	A 6115	SH	11-JAN-88		SH	11	
L	MIL-STD-186E	PROTECTIVE FINISHING FOR ARMY MISSILE WEAPON SYSTEMS REVIEWER: ME MR	A MFFP	MI	30-SEP-91	MI			
	MIL-STD-187/310	STANDARDS FOR LONG HAUL COMMUNICATIONS SWITCHING PLANNING STANDARDS FOR THE DEFENSE COMMUNICATIONS SYSTEM	A SLMC	DC	14-OCT-76	SC	EC	90	
	MIL-STD-187/320	STANDARDS FOR LONG HAUL COMMUNICATIONS TRANSMISSION PLANNING STANDARDS FOR THE DEFENSE COMMUNICATIONS SYSTEM	A SLMC	DC	29-MAR-80	SC	EC	90	
A	MIL-STD-187/700	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR THE DEFENSE INFORMATION SYSTEM USER: AS SH REVIEWER: 02 13 17 18 19 93 MC SC	A SLMC	DC	01-JUN-92	CR	EC	90	
	MIL-STD-188-20-3	TACTICAL DIGITAL INFORMATION LINK (TADIL) SUBSYSTEM DESIGN & ENGINEERING STANDARDS FOR USER: 89 MC REVIEWER: 13 17 19 AS DC DM SC SH TT	A TCTS	EC	10-SEP-82	CR	EC	90	
	MIL-STD-188-24-2	INTEROPERABILITY & PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL VERY HIGH FREQUENCY (VHF) RADIO EQUIPMENT REVIEWER: MC SC	A TCTS	CR	20-JUN-85	CR	EC	90	
	MIL-STD-188-100(3)	COMMON LONG HAUL AND TACTICAL COMMUNICATION SYSTEM TECHNICAL STANDARDS USER: MC REVIEWER: 01 11 13 99 AS CE CG ME OS	A SLMC	DC	17-NOV-76	CR	EC	90	DC
	MIL-STD-188-110A	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DATA MODEMS REVIEWER: CR MC	A SLMC	90	30-SEP-91	SC	EC	90	
	MIL-STD-188-111A	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR FIBER OPTIC COMMUNICATIONS SYSTEMS USER: 02 MS REVIEWER: 13 CR DM TT	A SLMC	SC	14-DEC-88	SC	EC	90	
	MIL-STD-188-112	SUBSYSTEM DESIGN & ENGINEERING STANDARDS FOR COMMON LONG HAUL TACTICAL CABLE & WIRE COMMUNICATIONS USER: 02 MS REVIEWER: OM TT	A SLMC	SC	31-AUG-83	CR	EC	90	
	MIL-STD-188-113	INTEROPERABILITY & PERFORMANCE STANDARDS FOR ANALOG- TO- DIGITAL CONVERSION TECHNIQUES REVIEWER: 02 17 24 80 AS CR DC MS TT	A SLMC	SC	17-FEB-87	SC	EC	90	
	MIL-STD-188-114A(1)	ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS REVIEWER: 01 11 13 71 99 AC AS AV CG MC MI SC SH TE	A TCTS	CR	13-DEC-91	CR	EC	17	
	MIL-STD-188-115	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS REVIEWER: CR	A SLMC	JT	31-MAR-86	SC	EC	90	
	MIL-STD-188-116-2	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE 11 USER: 13 MC REVIEWER: 02 17 AC CR MC DM TD	A TCTS	JT	12-FEB-88	SC	EC	90	
	MIL-STD-188-124B	GROUNDING, BONDING AND SHIELDING FOR COMMON LONG HAUL/TACTICAL COMMUNICATIONS SYSTEMS INCLUDING GROUND BASED COMMUNICATIONS-ELECTRONICS FACILITIES AND EQUIPMENTS REVIEWER: 01 02 14 15 17 21 50 80 84 89 91 92 93 AC CG CR MC MV OM TD	A SLMC	90	01-FEB-92	SC	EC	90	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active OR / ON Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-STD-188-125	HIGH-ALTITUDE ELECTROMAGNETIC PULSE (HEMP) PROTECTION FOR GROUND-BASED C4I FACILITIES PERFORMING CRITICAL, TIME-URGENT MISSIONS FOR COMMON LONG-HAUL/TACTICAL COMMUNICATION SYSTEMS REVIEWER: 01 02 13 14 15 AC AM CE CR DC DM DS JT MC NC NM NS OM TD TE	A SLHC 90 26-JUN-90	SC	EC	90	
MIL-STD-188-140A	EQUIPMENT TECHNICAL DESIGN STANDARDS FOR COMMON LONG HAUL/TACTICAL RADIO COMMUNICATIONS IN THE LOW FREQUENCY BAND AND LOWER FREQUENCY BANDS	A TCTS EC 01-MAY-90	CR	EC	17	
A MIL-STD-188-141A(1)	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR MEDIUM AND HIGH FREQUENCY RADIO EQUIPMENT REVIEWER: CR MC SH	A SLHC SC 17-JUN-92	SC	EC	90	
A MIL-STD-188-145(1)	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL LOS MICROWAVE RADIO EQUIPMENT REVIEWER: 02 17 24 80 AS CR	A TCSS SC 28-JUL-92	SC	EC	90	
MIL-STD-188-146	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR SATELLITE COMMUNICATIONS REVIEWER: DC MC NS SC	A TCTS CR 15-JUN-88	CR	EC	90	
MIL-STD-188-154	SUBSYSTEM, EQUIPMENT, AND INTERFACE STANDARDS FOR COMMON LONG HAUL AND TACTICAL TECHNICAL CONTROL FACILITIES REVIEWER: 02 17 CR DC JT MC NC NS TD	A TCTS 90 22-MAY-87	SC	EC	90	
MIL-STD-188-161C	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR DIGITAL FACSIMILE EQUIPMENT REVIEWER: 02 CR MC OM	A SLHC DC 30-OCT-91	SC	EC	90	
MIL-STD-188-171	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE I REVIEWER: OM AC CR MC TD	A TCTS JT 19-MAY-89	SC	EC	90	
MIL-STD-188-172	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE II USER: 13	A TCTS JT 07-DEC-89	SC	EC	90	
MIL-STD-188-173	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE V USER: 13 REVIEWER: 02 OM 17 AC CR MC TD	A TCTS JT 19-MAY-89	SC	EC	90	
MIL-STD-188-174	INTEROPERABILITY STANDARDS FOR INFORMATION AND RECORD TRAFFIC EXCHANGE MODE VI USER: 13 NC REVIEWER: 02 17 AC CR MC OM TD	A TCTS JT 01-MAR-90	SC	EC	90	
A MIL-STD-188-181	INTEROPERABILITY STANDARD FOR DEDICATED 5-KHZ AND 25-KHZ UHF SATELLITE COMMUNICATIONS CHANNELS USER: 11 13 AC MI OM REVIEWER: 02 17 19 89 93 AM DM MC NC PT SC TD	A TCSS DC 18-SEP-92	CR	EC	90	
A MIL-STD-188-182	INTEROPERABILITY STANDARD FOR 5-KHZ UHF DAMA TERMINAL WAVEFORM USER: 11 13 AC MI OM REVIEWER: 02 17 19 89 93 AM DM MC NC PT SC TD	A TCSS DC 18-SEP-92	CR	EC	90	
A MIL-STD-188-183	INTEROPERABILITY STANDARD FOR 25-KHZ TDMA/DAMA TERMINAL WAVEFORM USER: 11 13 AC MI OM REVIEWER: 02 17 19 89 93 AM DM MC NC PT SC TD	A TCSS DC 18-SEP-92	CR	EC	90	
MIL-STD-188-190	METHODS FOR COMMUNICATIONS SYSTEMS MEASUREMENTS REVIEWER: 01 02 17 CR DC ES JT MC NS SH	A TCTS SC 31-JAN-90	SC	EC	90	
A MIL-STD-188-194	INTEGRATED SERVICES DIGITAL NETWORK PROFILE REVIEWER: 02 CR MC OM	A SLHC DC 15-JUN-92	SC	EC	90	
MIL-STD-188-200	SYSTEM DESIGN & ENGINEERING STANDARDS FOR TACTICAL COMMUNICATIONS REVIEWER: 11 13 17 71 AD AS AV MI MC OM SC SH TE TT	A TCTS CR 28-JUN-83	CR	EC	90	
MIL-STD-188-202	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL TRANSMISSION GROUPS (COAXIAL CABLE) REVIEWER: CR DC MC NS	A TCTS JT 14-AUG-89	SC	EC	90	
MIL-STD-188-203A	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK USER: MC REVIEWER: 02 11 13 17 AS DM SC SH	A TCTS EC 08-JAN-88	CR	EC	90	
MIL-STD-188-203A-1	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) A USER: MC REVIEWER: 02 11 13 17 19 AS DC OM SC SH TT	A TCTS EC 08-JAN-88	CR	EC	90	
MIL-STD-188-203-3	SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) C REVIEWER: AS CR OM SH	A TCTS SC 06-OCT-83	SC	EC	90	
D MIL-STD-188-212	SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL INFORMATION LINK (TADIL) B REVIEWER: 02 90 AS EC MC MI NC SC YD1	A TCTS CR 17-OCT-92	CR	EC	90	
MIL-STD-188-216(1)	INTEROPERABILITY STANDARD FOR DATA ADAPTER CONTROL MODE	A TCTS JT 15-JUN-90	SC	EC	90	
M MIL-STD-188-220	INTEROPERABILITY STANDARD FOR DIGITAL MESSAGE TRANSFER DEVICE SUBSYSTEMS USER: 11 18 AC MI REVIEWER: 02 10 13 17 19 89 AM DM MC MP NC NS OM PT SC TD	A TCSS DC 07-MAR-93	CR	EC	90	
MIL-STD-188-242	INTEROPERABILITY & PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL VERY HIGH FREQUENCY (VHF) RADIO EQUIPMENT REVIEWER: MC NS SC	A TCTS CR 20-JUN-85	CR	EC	90	
MIL-STD-188-243	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR TACTICAL SINGLE CHANNEL ULTRA HIGH FREQUENCY (UHF) RADIO COMMUNICATIONS REVIEWER: CR MC	A TCTS 90 15-MAR-89	SC	EC		
MIL-STD-188-256	INTEROPERABILITY & PERFORMANCE STANDARDS FOR DIGITAL SIGNALING & SUPERVISION OF TACTICAL COMMUNICATIONS SYSTEMS REVIEWER: DC MC NS SC	A TCTS CR 16-AUG-85	CR	EC	90	
MIL-STD-188-260	DESIGN & ENGINEERING STANDARDS FOR TACTICAL TERMINAL SUBSYSTEMS REVIEWER: 02 11 13 17 80 AD AS AV MI MC OM SH TE	A TCTS SC 01-FEB-85	CR	EC	90	
MIL-STD-188-311(1)	TECHNICAL DESIGN STANDARDS FOR FREQUENCY DIVISION MULTIPLEXERS REVIEWER: 01 11 13 99 AS CE CR MC ME OS	A SLHC 90 31-DEC-80	SC	EC	90	
D MIL-STD-188-318	SYSTEM & SUBSYSTEM DESIGN & ENGINEERING & EQUIPMENT TECHNICAL STANDARDS FOR CLOSED CIRCUIT TELEVISION (CCTV) SYSTEMS USER: SH YD1	A SLHC EC 14-JUN-85	SC	EC	90	
MIL-STD-188-340(1)	EQUIPMENT TECHNICAL DESIGN STANDARDS FOR VOICE ORDERWIRE MULTIPLEX	A SLHC DC 28-JUL-77	SC	EC	90	
MIL-STD-188-342	STANDARDS FOR LONG HAUL COMMUNICATIONS EQUIPMENT TECHNICAL DESIGN STANDARDS FOR VOICE FREQUENCY CARRIER TELEGRAPH (FSK) USER: SH REVIEWER: 01 11 89 99 AS CE CR MC ME OS	A SLHC DC 28-FEB-72	SC	EC	90	
MIL-STD-188-346	STANDARDS FOR LONG HAUL COMMUNICATIONS-EQUIPMENT TECHNICAL DESIGN STANDARDS FOR ANALOG END INSTRUMENTS AND CENTRAL OFFICE ANCILLARY DEVICES [VALIDATION DATE: 8512]	A SLHC SC 30-NOV-73	SC	EC	90	
MIL-STD-188-347	EQUIPMENT TECHNICAL DESIGN STANDARDS FOR DIGITAL END INSTRUMENTS AND ANCILLARY DEVICE [VALIDATION DATE: 8512] REVIEWER: DC NS	A SLHC SC 29-MAR-73	SC	EC	90	
D MIL-STD-190C	IDENTIFICATION MARKING OF RUBBER PRODUCTS [VALIDATION DATE: 8304] USER: MC ME OS REVIEWER: AR AS AV GL YD1	A 9320 MR 17-OCT-77	MR	SH	99	
D MIL-STD-193L	PAINTING PROCEDURES AND MARKING FOR VEHICLES, CONSTRUCTION EQUIPMENT, MATERIAL HANDLING EQUIPMENT, AND SPARE PARTS USER: YD1 REVIEWER: AR	A MFPF AT 27-AUG-91	AT	MC		
L MIL-STD-194A	SYSTEMS FOR PAINTING AND FINISHING FIRE-CONTROL MATERIEL [VALIDATION DATE: 8812] REVIEWER: EA	A 12GP AR 13-DEC-88	AR			
MIL-STD-195(1)	MARKING OF CONNECTIONS FOR ELECTRIC ASSEMBLIES [VALIDATION DATE: 8807] REVIEWER: GS ME	A 61GP SH 08-JUL-88	SH	11		
MIL-STD-1960	JOINT ELECTRONICS TYPE DESIGNATION SYSTEM USER: MC REVIEWER: AR AS AV MI OS	A MISC CR 19-JAN-85	CR	EC	11	
MIL-STD-190E(2)	CAPACITORS, SELECTION AND USE OF USER: 19 CG MC SH REVIEWER: 17 99 AR AS ES OS	A 5910 ER 16-SEP-88	ER	EC	85	
M MIL-STD-199E	RESISTORS, SELECTION AND USE OF USER: 19 AT AV CG MC ME REVIEWER: 17 80 AR AS MI OS SH	A 5905 ER 02-JUN-93	ER	EC	85	
MIL-STD-200K(1)	ELECTRON TUBE, SELECTION OF [VALIDATION DATE: 8104] USER: 19 AS CG MC OS REVIEWER: 11 17 99 AR ES MI SH	A 5960 EC 07-NOV-77	ER	EC	85	
MIL-STD-202F(10)	TEST METHODS FOR ELECTRONIC AND ELECTRICAL COMPONENT PARTS USER: 19 AT MC REVIEWER: 17 99 AS AV ES MI NS OS SH SM TE	A 59GP ER 08-JUN-90	ER	EC	85	
MIL-STD-203G	AIRCRAFT STATION CONTROLS AND DISPLAYS: LOCATION, ARRANGEMENT AND ACTUATION OF, FOR FIXED WING AIRCRAFT	A 1510 AS 01-MAR-91	AV	AS	11	
A MIL-STD-205	FREQUENCIES FOR ELECTRIC POWER [VALIDATION DATE: 9210] USER: AS MC OS REVIEWER: 99 AR GS	A MISC ME 15-OCT-92	ME	SH		
MIL-STD-206B	FRICTION TORQUE TESTING FOR BEARINGS, BALL, ANNULAR (INSTRUMENT TYPE) [VALIDATION DATE: 9110] REVIEWER: IS	A 3110 AS 02-OCT-91	AT	AS	99	
D MIL-STD-209M	SLINGING AND TIEDOWN PROVISIONS FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT USER: AV SA REVIEWER: 84 99 AR CS GL MC MI SH	A 2540 MT 28-JUN-91	MT	YD1	11	
D MIL-STD-210C	CLIMATIC INFORMATION TO DETERMINE DESIGN AND TEST REQUIREMENTS FOR MILITARY SYSTEMS AND EQUIPMENT USER: EC MC OS REVIEWER: 11 AR AT AV GL MI SH YD1	A EMVR 13 09-JAN-87	CE	AS	13	
MIL-STD-2120(2)	PREPARATION OF HOUSEHOLD GOODS AND UNACCOMPANIED BAGGAGE FOR SHIPMENT, STORAGE, INTRA-CITY AND INTRA-AREA MOVEMENTS USER: MC REVIEWER: 99 SH	A PACK MT 01-MAR-89	MT	SA	69	
D MIL-STD-220A(1)	METHOD OF INSERTION-LOSS MEASUREMENT [VALIDATION DATE: 8809] USER: ES YD1	A EMCS CR 19-SEP-88	CR	EC	11	
MIL-STD-220A(1)	NOTICE 2					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc / OMA Coordination Initiative	Document Number	Document Title	Doc. Sym.	FSC / Ane	MCA Symbol	Preparing Act.	Date	Custodians		
								Army	Navy	Air Force DLA
L	MIL-STD-242-1H	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS SYNCHROS, BLOWERS, AND ACOUSTICAL (PART 1) REVIEWER: AR ES	A 59GP	EC	25-MAR-85	EC				
L	MIL-STD-242-2H NOTICE 1	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CRYSTALS, DELAY LINES, COILS, AND TRANSFORMERS (PART 2)	A 59GP	EC	22-OCT-85	EC				
L	MIL-STD-242-3H NOTICE 2	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS RESISTORS (PART 3) USER: MC REVIEWER: AS OS SH	A 59GP	EC	20-MAY-86	EC				
L	MIL-STD-242-4G NOTICE 1	ELECTRONIC EQUIPMENT PARTS, SELECTED STANDARDS FOR CAPACITORS (PART 4) ....	A 59GP	EC	20-DEC-83	EC				
L	MIL-STD-242-6H NOTICE 1	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS - RELAYS (PART 6) .....	A 59GP	EC	14-AUG-85	EC				
L	MIL-STD-242-7G NOTICE 1	ELECTRONIC EQUIPMENT PARTS, SELECTED STANDARDS-SWITCHES .....	A 59GP	EC	23-FEB-84	EC				
L	MIL-STD-242-8G NOTICE 2	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CONNECTORS AND SOCKETS - PART 8	A 59GP	EC	09-JUN-83	EC				
L	MIL-STD-242-9J	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CIRCUIT BREAKERS, FUSES, LAMPS, & METERS (PART 9) USER: MC REVIEWER: AS SH	A 59GP	EC	30-OCT-87	EC				
L	MIL-STD-242-10J	WIRE & CABLE (PART 10) USER: MC REVIEWER: AS SH .....	A 59GP	EC	23-JUN-86	EC				
L	MIL-STD-242-11G	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS, RADIO FREQUENCY COMPONENTS USER: MC REVIEWER: AS SH	A 59GP	EC	30-SEP-83	EC				
	MIL-STD-242-12H	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS HARDWARE & INSULATORS PART 12 USER: MC REVIEWER: AS SH	A 59GP	EC	18-NOV-86	EC				
	MIL-STD-248D	WELDING AND BRAZING PROCEDURE AND PERFORMANCE QUALIFICATION USER: MI REVIEWER: AT AV GS MC OS	A THJM	SH	10-MAR-89	MR SH				
A	MIL-STD-250D NOTICE 1	AIRCRAFT STATION CONTROLS AND DISPLAYS FOR ROTARY WING AIRCRAFT (VALIDATION DATE: 8809) REVIEWER: TE	A 1520	11	30-SEP-88	AV AS 11				
L	MIL-STD-252B	WIRED EQUIPMENT, CLASSIFICATION OF VISUAL AND MECHANICAL DEFECTS. (VALIDATION DATE: 8307) REVIEWER: AR AT AV ME MI	A QCIC	ER	19-JAN-70	ER				
L	MIL-STD-255B	ELECTRIC VOLTAGES ALTERNATING AND DIRECT CURRENT .....	A MISC	MI	08-MAY-92	MI				
L	MIL-STD-271F	REQUIREMENTS FOR NONDESTRUCTIVE TESTING METHODS .....	A MDI	SH	27-JUN-86	SH				
	MIL-STD-273B(1)	GAGE, PLUG, THREAD SETTING, CLASS W, FOR GO GAGES UNIFIED STANDARD CLASSES 2A AND 3A AND AMERICAN NATIONAL STANDARD CLASS 3 EXTERNAL THREADS (VALIDATION DATE: 8504) REVIEWER: EA	A 5220	AR	28-AUG-64	AR OS 99				
	MIL-STD-274B(1) NOTICE 1	GAGE, PLUG, THREAD, SETTING, CLASS W, FOR LO (NOT GO), GAGES, UNIFIED STANDARD CLASSES 2A AND 3A AND AMERICAN NATIONAL STANDARD CLASS 3 EXTERNAL THREADS (VALIDATION DATE: 8101) REVIEWER: 11 EA GL	A 5220	AR	28-AUG-64	AR OS 99				
	MIL-STD-275E NOTICE 1	PRINTED WIRING FOR ELECTRONIC EQUIPMENT USER: CG MC REVIEWER: 11 16 19 99 AR AS EA ES MI MU OS SH	A 5999	EC	31-DEC-84	ER EC 85				
A	MIL-STD-276A	IMPREGNATION OF POROUS METAL CASTINGS AND POWDERED METAL COMPONENTS USER: AS AT REVIEWER: AR MI OS	A 9540	SH	30-DEC-92	MR SH				
	MIL-STD-277(1)	STATIC ACCEPTANCE TEST FOR LIGHT OUTPUT OF FLASH MUNITIONS (VALIDATION DATE: 7705) USER: MC MI REVIEWER: 11	A 1370	AR	01-FEB-56	AR OS				
L	MIL-STD-278F(1) NOTICE 1	WELDING AND CASTING STANDARD .....	A THJM	SH	07-JAN-92	SH				
	MIL-STD-279B NOTICE 1	COMPRESSORS, RECIPROCATING, POWER-DRIVEN, OPEN-TYPE, FOR USE WITH REFRIGERANT-12 (VALIDATION DATE: 9203) USER: CG MI SH REVIEWER: GS MC SA	A 4130	GL	27-MAR-92	GL 99				
A	MIL-STD-280A	DEFINITIONS OF ITEM LEVELS, ITEM EXCHANGEABILITY, MODELS, AND RELATED TERMS REVIEWER: 17 22 85 95 99 AR OH EC GL IP ME MI OS	A MISC	CR	30-JUL-86	CR AS 10				
D	MIL-STD-282(3) NOTICE 3	FILTER UNITS, PROTECTIVE CLOTHING, GAS-MASK COMPONENTS AND RELATED PRODUCTS: PERFORMANCE-TEST METHODS USER: YDI	A 4240	EA	10-FEB-89	EA SH				
A	MIL-STD-284A	VISUAL INSPECTION GUIDE FOR RUBBER FOOTWEAR (VALIDATION DATE: 8303) USER: 11	A 84GP	CT	20-SEP-63	GL 99 CT				
D	MIL-STD-285	ATTENUATION MEASUREMENTS FOR ENCLOSURES, ELECTROMAGNETIC SHIELDING, FOR ELECTRONIC TEST PURPOSES, METHOD OF (VALIDATION DATE: 6712) USER: YDI REVIEWER: AR MI TE	A EMCS	CR	25-JUN-56	CR EC				
L	MIL-STD-286C NOTICE 1	PROPELLANTS, SOLID: SAMPLING, EXAMINATION AND TESTING .....	A 1376	AR	28-AUG-91	AR OS				
	MIL-STD-287A NOTICE 1	TEST SIGNALS FOR ELECTRONIC TACTICAL AIR NAVIGATION EQUIPMENT (TACAN) (VALIDATION DATE: 9110)	A 58GP	AS	23-OCT-91	AS				
	MIL-STD-289A NOTICE 1	VISUAL INSPECTION GUIDE FOR RUBBER SHEET MATERIAL (VALIDATION DATE: 8807) REVIEWER: 82 GS WC	A 9320	SH	08-JUL-88	MR SH 11				
D	MIL-STD-290E NOTICE 2	PACKAGING OF PETROLEUM AND RELATED PRODUCTS USER: AR ME REVIEWER: AS MC MI MR PS SH YDI	A PACK	SA	01-AUG-85	SM SA 68				
	MIL-STD-291B NOTICE 1	STANDARD TACTICAL AIR NAVIGATION (TACAN) SIGNAL (VALIDATION DATE: 8612) REVIEWER: 85 AS SH	A 5826	EC	12-DEC-86	AV EC 11				
	MIL-STD-293 NOTICE 1	VISUAL INSPECTION GUIDE FOR CELLULAR RUBBER ITEMS (VALIDATION DATE: 8806)	A 93GP	SH	16-JUN-88	MR SH				
D	MIL-STD-294A(1) NOTICE 2	VISUAL INSPECTION GUIDE FOR RUBBER V BELTS (VALIDATION DATE: 9103) USER: AS AT YDI REVIEWER: MI	A 3030	SH	26-MAR-91	ME SH 82				
D	MIL-STD-295 NOTICE 1	BILL OF MATERIAL, PREPARATION OF (VALIDATION DATE: 8101) .....	A DRPR	OS	30-OCT-56	OS 11				
	MIL-STD-298 NOTICE 1	VISUAL INSPECTION GUIDE FOR RUBBER EXTRUDED GOODS (VALIDATION DATE: 9103) USER: AT REVIEWER: CR EA	A 93GP	SH	21-MAR-91	SH 11				
L	MIL-STD-299	VISUAL INSPECTION STANDARDS FOR NAILED WOOD BOXES AND WIREBOUND WOOD BOXES USED IN SMALL ARMS AMMUNITION PACKING. (VALIDATION DATE: 8505) REVIEWER: ER GL	A 8140	AR	17-JAN-57	AR				
	MIL-STD-320A	FUZE EXPLOSIVE COMPONENT TERMINOLOGY, DIMENSIONS AND MATERIALS (VALIDATION DATE: 8101) REVIEWER: 11 18 AS EA	A 1390	AR	30-JUN-75	AR OS 99				
	MIL-STD-322B	EXPLOSIVE COMPONENTS, ELECTRICALLY INITIATED, BASIC EVALUATION TESTS FOR (VALIDATION DATE: 8906) USER: MC	A 1390	AR	22-JUN-89	AR OS 99				
A	MIL-STD-331B(2)	FUZE AND FUZE COMPONENTS, ENVIRONMENTAL AND PERFORMANCE TESTS FOR REVIEWER: EA MI MI TE	A 13GP	AR	01-DEC-91	AR OS 99				
	MIL-STD-333B(1) NOTICE 1	FUZE, PROJECTILE AND ACCESSORY CONTOURS FOR LARGE CALIBER ARMAMENTS .....	A 1390	AR	01-AUG-89	AR OS 99				
L	MIL-STD-334A	DISPLAYED MESSAGES FOR AUTOMATIC TEST EQUIPMENT REVIEWER: AL AV CR MI SM ..	A TMSS	TM	05-NOV-90	TM				
L	MIL-STD-335 NOTICE 1	MANUALS, TECHNICAL: REPAIR PARTS AND SPECIALTOOLS LIST USER: MD REVIEWER: AL AR AT CR	A TMSS	TM	02-MAY-86	TM				
L	MIL-STD-336	WELDING, FLASH, STANDARD LOW CARBON STEEL .....	A THJM	AT	06-AUG-87	AT				
L	MIL-STD-337	DESIGN TO COST REVIEWER: 14 15 18 AR EA EC GS .....	A MISC	MI	24-JUN-89	MI AS 11				
L	MIL-STD-339	WIRING & WIRING DEVICES FOR COMBAT & TACTICAL VEHICLES, SELECTION B INSTALLATION	A 6150	AT	07-DEC-87	AT				
L	MIL-STD-340(1) NOTICE 1	COATING, PACK CEMENTATION, CHROME ALUMINIDE, PROCESS FOR .....	A 8030	AT	02-MAY-91	AT				
L	MIL-STD-341 NOTICE 1	COATING, ALUMINUM AND SILICON DIFFUSION, PROCESS FOR (VALIDATION DATE: 9202)	A 8030	AT	28-FEB-92	AT				
L	MIL-STD-342	FLOW CHECK, LUBRICATING OIL, PROCEDURE FOR .....	A QCIC	AT	26-MAY-88	AT				
L	MIL-STD-343	TRACE ELEMENT, LIMITS OF .....	A QCIC	AT	26-MAY-88	AT				
A	MIL-STD-348A(2)	RADIO FREQUENCY CONNECTOR INTERFACES FOR MIL-C-3643, MIL-C-3650, MIL-C-3655, MIL-C-25516, MIL-C-26637, MIL-C-39012, MIL-C-49142, MIL-A-55339, AND MIL C-83517 USER: CG MC REVIEWER: 10 11 17 99 AS AT AV ES MI SH	A 5935	CH	21-JUL-92	CR EC 85				
A L	MIL-STD-361-1	MANUALS, TECHNICAL: WRITING STYLE AND FORMAT REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A TMSS	TM	15-JUL-92	TM				
A L	MIL-STD-361-2	MANUALS, TECHNICAL: COMPREHENSIBILITY REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A TMSS	TM	15-JUL-92	TM				
A L	MIL-STD-361-3	MANUALS, TECHNICAL: REQUIREMENTS FOR GRAPHICS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A TMSS	TM	15-JUL-92	TM				
A L	MIL-STD-361-4	MANUALS, TECHNICAL: QUALITY ASSURANCE REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A TMSS	TM	15-JUL-92	TM				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action CPL / OMA Coordination Involvement Document Number	Document Title	Dist. Smt. FBC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
A L MIL-STD-361-5	MANUALS, TECHNICAL: REQUIREMENTS FOR PACKAGING USER: MD REVIEWER: AL AR	A THSS TM 15-JUL-92 TM				
A L MIL-STD-361-6	MANUALS, TECHNICAL: INTRODUCTORY INFORMATION WITH THEORY OF OPERATIONS	A THSS TM 15-JUL-92 TM				
A L MIL-STD-361-7	REQUIREMENTS USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A THSS TM 15-JUL-92 TM				
A L MIL-STD-361-8	MANUALS, TECHNICAL: OPERATOR AND PREVENTIVE MAINTENANCE INSTRUCTIONS	A THSS TM 15-JUL-92 TM				
A L MIL-STD-361-9	USER: MD REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A THSS TM 15-JUL-92 TM				
A L MIL-STD-361-10	MANUALS, TECHNICAL: MAINTENANCE INSTRUCTIONS USER: MD REVIEWER: AL AR AT	A THSS TM 15-JUL-92 TM				
A L MIL-STD-361-11	AV CR CU EA ER ME MI SC	A THSS TM 15-JUL-92 TM				
L MIL-STD-367A	MANUALS, TECHNICAL: TROUBLESHOOTING PROCEDURES USER: MD REVIEWER: AL AR	A THSS TM 15-JUL-92 TM				
L MIL-STD-368	AT AV CR CU EA ER ME MI SC	A THSS TM 15-JUL-92 TM				
L MIL-STD-370(1)	MANUALS, TECHNICAL: LUBRICATION INSTRUCTIONS USER: MD REVIEWER: AL AR AT	A THSS TM 15-JUL-92 TM				
A L MIL-STD-372	AV CR CU EA ER ME MI SC	A THSS TM 15-JUL-92 TM				
NOTICE 1	MANUALS, TECHNICAL: REPAIR PARTS AND SPECIAL TOOLS LIST (RPSTL) USER: MD	A THSS TM 15-JUL-92 TM				
A MIL-STD-373	REVIEWER: AL AR AT AV CR CU EA ER ME MI SC	A THSS TM 15-JUL-92 TM				
A MIL-STD-374	ARMOR TEST DATA REPORTING REVIEWER: AR AT IS TE	A THSS TM 15-JUL-92 TM				
A MIL-STD-375	HPLC OF PMR-15 POLYIMIDE RESIN AND PREPPREGS	A THSS TM 15-JUL-92 TM				
DDO-STD-396	VISUAL ACCEPTANCE CRITERIA FOR INSPECTION OF ALUMINUM ALLOY WELDS	A THSS TM 15-JUL-92 TM				
MIL-STD-397(1)	REVIEWER: AT	A THSS TM 15-JUL-92 TM				
NOTICE 1	WELDING, GAS METAL-ARC AND GAS TUNGSTEN-ARC, ALUMINUM ALLOYS, READILY	A THSS TM 15-JUL-92 TM				
L MIL-STD-398	WELDABLE FOR STRUCTURES, EXCLUDING ARMOR (VALIDATION DATE: 9302) USER: AL	A THSS TM 15-JUL-92 TM				
MIL-STD-399A(1)	ME REVIEWER: AR AT	A THSS TM 15-JUL-92 TM				
MIL-STD-401B	TRANSVERSE TENSILE PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE	A THSS TM 15-JUL-92 TM				
A L MIL-STD-403C	CYLINDERS REVIEWER: 12 19 79 80 AR AV CH ME MI MW SH	A THSS TM 15-JUL-92 TM				
MIL-STD-406	TRANSVERSE COMPRESSIVE PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE	A THSS TM 15-JUL-92 TM				
MIL-STD-407	CYLINDERS REVIEWER: 12 19 79 80 AR AV CH ME MI MW SH	A THSS TM 15-JUL-92 TM				
NOTICE 1	IN-PLANE SHEAR PROPERTIES OF UNIDIRECTIONAL FIBER/RESIN COMPOSITE	A THSS TM 15-JUL-92 TM				
MIL-STD-409A	CYLINDERS REVIEWER: 12 19 79 80 AR AV CH ME MI MW SH	A THSS TM 15-JUL-92 TM				
NOTICE 1	WEAPON CALIBER AND AMMUNITION, METRIC SYSTEM FOR IDENTIFICATION OF	A THSS TM 15-JUL-92 TM				
MIL-STD-410E	(VALIDATION DATE: 8402) REVIEWER: AS	A THSS TM 15-JUL-92 TM				
MIL-STD-411E	NATO SYMBOL OF INTERCHANGEABILITY (VALIDATION DATE: 8502) REVIEWER: AS MI	A THSS TM 15-JUL-92 TM				
MIL-STD-413C	SHIELD, OPERATIONAL FOR AMMUNITION OPERATIONS, CRITERIA FOR DESIGN OF AND	A THSS TM 15-JUL-92 TM				
MIL-STD-4150(1)	TESTS FOR ACCEPTANCE (VALIDATION DATE: 8503)	A THSS TM 15-JUL-92 TM				
NOTICE 2	MICROFORM FORMATS USER: BS CE MS PL REVIEWER: 11 16 17 99 AS AV EA EC OS	A THSS TM 15-JUL-92 TM				
L MIL-STD-417A	SANDWICH CONSTRUCTIONS AND CORE MATERIALS, GENERAL TEST METHODS	A THSS TM 15-JUL-92 TM				
NOTICE 3	(VALIDATION DATE: 8004) USER: AV MI YDI REVIEWER: 99 MR	A THSS TM 15-JUL-92 TM				
MIL-STD-419D	PREPARATION FOR AND INSTALLATION OF RIVETS AND SCREWS, ROCKET, MISSILE,	A THSS TM 15-JUL-92 TM				
MIL-STD-438E	AND AIRFRAME STRUCTURES REVIEWER: 99 AR EA ME	A THSS TM 15-JUL-92 TM				
MIL-STD-444(2)	VISUAL INSPECTION STANDARDS FOR TERNE PLATE CANS AND STEEL BOXES USED IN	A THSS TM 15-JUL-92 TM				
MIL-STD-449D(2)	SMALL ARMS AMMUNITION PACKAGING (VALIDATION DATE: 8505) REVIEWER: EA MI	A THSS TM 15-JUL-92 TM				
MIL-STD-450B	VISUAL INSPECTION GUIDE FOR RUBBER MOLDED ITEMS (VALIDATION DATE: 9103)	A THSS TM 15-JUL-92 TM				
MIL-STD-453C(1)	REVIEWER: CR EA MI	A THSS TM 15-JUL-92 TM				
MIL-STD-454M	ALLOY NOMENCLATURE AND TEMPER DESIGNATION SYSTEM FOR MAGNESIUM BASE ALLOYS	A THSS TM 15-JUL-92 TM				
MIL-STD-455B	(VALIDATION DATE: 8910) USER: AT AV MI REVIEWER: AR SH	A THSS TM 15-JUL-92 TM				
MIL-STD-457B	NONDESTRUCTIVE TESTING PERSONNEL QUALIFICATION AND CERTIFICATION REVIEWER:	A THSS TM 15-JUL-92 TM				
MIL-STD-461D	AR	A THSS TM 15-JUL-92 TM				
MIL-STD-461-2C(2)	AIRCRAFT STATION ALTERING SYSTEMS	A THSS TM 15-JUL-92 TM				
MIL-STD-462D	VISUAL INSPECTION GUIDE FOR ELASTOMERIC O-RINGS (VALIDATION DATE: 8706)	A THSS TM 15-JUL-92 TM				
MIL-STD-463A	USER: AT MC REVIEWER: 11 82 AS OS	A THSS TM 15-JUL-92 TM				
MIL-STD-468A	TEST PROVISIONS FOR ELECTRONIC SYSTEMS AND ASSOCIATED EQUIPMENT, DESIGN	A THSS TM 15-JUL-92 TM				
MIL-STD-470B	CRITERIA FOR (VALIDATION DATE: 8802) REVIEWER: 13 17 19 22 99 AR AS AV EC	A THSS TM 15-JUL-92 TM				
MIL-STD-471A(2)	MI TE	A THSS TM 15-JUL-92 TM				
MIL-STD-490A	CLASSIFICATION SYSTEM AND TESTS FOR SOLID ELASTOMERIC MATERIALS (INACTIVE	A THSS TM 15-JUL-92 TM				
MIL-STD-499A	FOR NEW DESIGN) (VALIDATION DATE: 8710) USER: CS REVIEWER: AT EA GL GS MI	A THSS TM 15-JUL-92 TM				
MIL-STD-605A	OS	A THSS TM 15-JUL-92 TM				
MIL-STD-606A	CLEANING AND PROTECTING PIPING, TUBING, AND FITTINGS FOR HYDRAULIC POWER	A THSS TM 15-JUL-92 TM				
MIL-STD-609C	TRANSMISSION EQUIPMENT USER: MC OS REVIEWER: MI MS	A THSS TM 15-JUL-92 TM				
MIL-STD-610B	SCHEDULE OF PIPING, VALVES, FITTINGS, & ASSOCIATED PIPING COMPONENTS FOR	A THSS TM 15-JUL-92 TM				
MIL-STD-611A	SUBMARINE SERVICE (VALIDATION DATE: 8204)	A THSS TM 15-JUL-92 TM				
MIL-STD-612B	NOMENCLATURE AND DEFINITIONS IN THE AMMUNITION AREA (VALIDATION DATE:	A THSS TM 15-JUL-92 TM				
MIL-STD-613	8803)	A THSS TM 15-JUL-92 TM				
	RADIO FREQUENCY SPECTRUM CHARACTERISTICS, MEASUREMENT OF (VALIDATION DATE:	A THSS TM 15-JUL-92 TM				
	8505) USER: AS OS REVIEWER: 11 17 MI SH TE	A THSS TM 15-JUL-92 TM				
	SIGNS FOR CONTAMINATED OR DANGEROUS AREAS (VALIDATION DATE: 8412) USER: CE	A THSS TM 15-JUL-92 TM				
	GL YDI REVIEWER: AR MC MD MI	A THSS TM 15-JUL-92 TM				
	INSPECTION, RADIOGRAPHIC USER: AR DM ES GL MD OS REVIEWER: 70 71 82 89 AV	A THSS TM 15-JUL-92 TM				
	MI SH	A THSS TM 15-JUL-92 TM				
	STANDARD GENERAL REQUIREMENTS FOR ELECTRONIC EQUIPMENT REVIEWER: 17 19 85	A THSS TM 15-JUL-92 TM				
	99 AR AV CR EC ES ME MI OS SH TE	A THSS TM 15-JUL-92 TM				
	ALLOY DESIGNATION SYSTEM FOR WROUGHT AND CAST COPPER AND COPPER ALLOYS	A THSS TM 15-JUL-92 TM				
	(VALIDATION DATE: 8302) USER: AT MC OS REVIEWER: 99 AS AV IS MI YDI	A THSS TM 15-JUL-92 TM				
	TANKS, PETROLEUM FUEL AND LUBRICANTS, OPERATING AND BULK STORAGE, MINIMUM	A THSS TM 15-JUL-92 TM				
	FREQUENCY FOR INSPECTION AND CLEANING REVIEWER: 68 CE	A THSS TM 15-JUL-92 TM				
	REQUIREMENTS FOR THE CONTROL OF ELECTROMAGNETIC INTERFERENCE EMISSIONS AND	A THSS TM 15-JUL-92 TM				
	SUSCEPTIBILITY USER: 84 AT CE MD ME TE YDI REVIEWER: 13 15 17 19 99 AS AV	A THSS TM 15-JUL-92 TM				
	CG MC MI OS SH TD	A THSS TM 15-JUL-92 TM				
	ELECTROMAGNETIC EMISSION AND SUSCEPTIBILITY REQUIREMENTS FOR THE CONTROL	A THSS TM 15-JUL-92 TM				
	OF ELECTROMAGNETIC INTERFERENCE REVIEWER: 13 14 15 17 18 84 90 99	A THSS TM 15-JUL-92 TM				
	MEASUREMENT OF ELECTROMAGNETIC INTERFERENCE CHARACTERISTICS USER: 84 AT CE	A THSS TM 15-JUL-92 TM				
	CL MD ME REVIEWER: 13 15 17 19 99 AS AV CG MC MI OS SH TD TE YDI	A THSS TM 15-JUL-92 TM				
	DEFINITIONS AND SYSTEM OF UNITS, ELECTROMAGNETIC INTERFERENCE AND	A THSS TM 15-JUL-92 TM				
	ELECTROMAGNETIC COMPATIBILITY TECHNOLOGY (VALIDATION DATE: 8809) USER: MI	A THSS TM 15-JUL-92 TM				
	REVIEWER: 13 14 15 17 19 AS AV MC OS	A THSS TM 15-JUL-92 TM				
	RADAR ENGINEERING DESIGN REQUIREMENTS, ELECTROMAGNETIC COMPATIBILITY	A THSS TM 15-JUL-92 TM				
	METRIC REVIEWER: EC	A THSS TM 15-JUL-92 TM				
	MAINTAINABILITY PROGRAM FOR SYSTEMS AND EQUIPMENT REVIEWER: 10 11 13 15 18	A THSS TM 15-JUL-92 TM				
	AR AV CG EC MC OS TE YDI	A THSS TM 15-JUL-92 TM				
	MAINTAINABILITY DEMONSTRATION (VALIDATION DATE: 8011) REVIEWER: 11 13 14	A THSS TM 15-JUL-92 TM				
	15 19 AV EC ER SH TD TE	A THSS TM 15-JUL-92 TM				
	SPECIFICATION PRACTICES REVIEWER: 11 15 16 17 85 AV CR EC ER MC MI OS SA	A THSS TM 15-JUL-92 TM				
	ENGINEERING MANAGEMENT REVIEWER: 11 13 18 19 AR	A THSS TM 15-JUL-92 TM				
	INORGANIC ACIDS AND ACID ANHYDRIDES, TECHNICAL GRADE USER: AS MC ME OS	A THSS TM 15-JUL-92 TM				
	REVIEWER: AR AV GS MD MI SA SH	A THSS TM 15-JUL-92 TM				
	HELMET WELDERS': SHIELD, WELDING, HAND HELD AND LENSES, HELMET REVIEWER:	A THSS TM 15-JUL-92 TM				
	GS	A THSS TM 15-JUL-92 TM				
	ALDEHYDES AND KETONES, TECHNICAL GRADE USER: AS MC REVIEWER: AR MD SH	A THSS TM 15-JUL-92 TM				
	HALOGENATED HYDROCARBON COMPOUNDS AND SOLVENTS, TECHNICAL GRADE (METRIC)	A THSS TM 15-JUL-92 TM				
	USER: AS CE MC OS REVIEWER: AV GL GS MD MI YDI	A THSS TM 15-JUL-92 TM				
	ELEMENTS, EXCEPT ACS (VALIDATION DATE: 8404) USER: AR MC SH WV REVIEWER:	A THSS TM 15-JUL-92 TM				
	GS MD ME OS	A THSS TM 15-JUL-92 TM				
	INORGANIC BASES AND BASIC ANHYDRIDES, TECHNICAL GRADE (METRIC) USER: AT MS	A THSS TM 15-JUL-92 TM				
	REVIEWER: AR AS GL GS MD ME SA	A THSS TM 15-JUL-92 TM				
	INORGANIC BASES & BASIC ANHYDRIDES, REAGENT GRADE (INCLUDING ACS & USP-NF	A THSS TM 15-JUL-92 TM				
	COMPOUNDS) (METRIC) USER: MS OS YDI REVIEWER: AR AS DP MD ME MI SA SH	A THSS TM 15-JUL-92 TM				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Adopting Org./Code Number	Document Number	Document Title	Doc. Syst. FSC / Ave		MCA Symbol Preparing Act		Date		Custodians			
									Army	Navy	Air Force	DIA
D	MIL-STD-6198	UNIFIED SOIL CLASSIFICATION SYSTEM FOR ROADS, AIRFIELDS, EMBANKMENTS AND FOUNDATIONS. [VALIDATION DATE: 7803] USER: 11 CG REVIEWER: 26	A	FACR	CE	12-JUN-68	CE	YD1	99			
	MIL-STD-620A(1)	TEST METHODS FOR BITUMINOUS PAVING MATERIALS [VALIDATION DATE: 8110] USER: AR CG GL MC MD	A	FACR	CE	29-MAY-67	CE		99			
	MIL-STD-621A(2)	TEST METHOD FOR PAVEMENT SUBGRADE, SUBBASE, AND BASE COURSE MATERIAL [VALIDATION DATE: 8110] USER: AR CG GL MD	A	FACR	CE	06-DEC-68	CE		99			
D	MIL-STD-627A	SPROCKET WHEELS FOR POWER TRANSMISSION AND CONVEYING CHAINS USER: MC SH REVIEWER: 82	A	3020	MI	11-SEP-92	MI	YD1	99			
D	MIL-STD-628D NOTICE 1	TRACTORS, FULL-TRACKED, LOW-SPEED [VALIDATION DATE: 9001] USER: MC REVIEWER: 84 AT CE	A	2410	ME	29-JAN-90	ME	YD1	99			
D	MIL-STD-632B	LOADER, SCOOP-TYPE, TYPE AND CAPACITIES [VALIDATION DATE: 8406] USER: CE MC REVIEWER: AT CS	A	3805	ME	22-JUL-75	ME	YD1	99			
D	MIL-STD-633E	MOBILE ELECTRIC POWER ENGINE GENERATOR STANDARD FAMILY CHARACTERISTICS DATA SHEET USER: AS CE EC REVIEWER: 11 GS MC MI	A	6115	ME	22-FEB-80	ME	YD1	99			
LI	MIL-STD-636(2)	VISUAL INSPECTION STANDARDS FOR SMALL ARMS AMMUNITION THROUGH CALIBER .50	A	1305	AR	16-SEP-89	AR	OS				
	MIL-STD-637A(1)	MACHINE AND AUTOMATIC GUNS AND MACHINEGUN TRAINERS THROUGH 30-MM USER: AR	A	1005	AS	21-AUG-89	AS					
D	MIL-STD-642L	IDENTIFICATION MARKING OF COMBAT AND TACTICAL TRANSPORT VEHICLES USER: ME REVIEWER: MC MI	A	2310	AT	15-MAY-91	AT	YD1	99			
	MIL-STD-644A(5)	VISUAL INSPECTION STANDARDS AND INSPECTION PROCEDURES FOR INSPECTION OF PACKAGING, PACKING AND MARKING OF SMALL ARMS AMMUNITION	A	1305	AR	01-MAY-92	AR	OS	70			
L	MIL-STD-645B NOTICE 1	DIP BRAZING OF ALUMINUM ALLOYS USER: ME REVIEWER: AR ER MI	A	THJM	MR	17-FEB-84	MR					
D	MIL-STD-648A	DESIGN CRITERIA FOR SPECIALIZED SHIPPING CONTAINERS REVIEWER: 10 11 13 43 99 AR AS AV DM DS ER GL MC SA SH YD1	A	PACK	OS	05-JUL-83	SM	OS	69			
D	MIL-STD-650(3) NOTICE 4	EXPLOSIVE, SAMPLING, INSPECTION TESTING [VALIDATION DATE: 7905] REVIEWER: LA YD1	A	1376	AR	31-MAY-73	AR	OS				
L	MIL-STD-650(4)	EXPLOSIVE, SAMPLING, INSPECTION AND TESTING	A	1376	AR	28-SEP-87	AR					
	MIL-STD-651(1) NOTICE 2	VISUAL INSPECTION STANDARDS FOR 20MM AMMUNITION AND COMPONENTS [VALIDATION DATE: 8705]	A	1305	AR	27-FEB-70	AR	OS	99			
L	MIL-STD-652D(6)	PROPELLANTS, SOLID, FOR CANNONS REQUIREMENTS AND PACKING	A	1376	AR	28-APR-90	AR					
A	MIL-STD-655D	PROVISIONS FOR EVALUATING QUALITY OF CLOTH, WOOL, WORSTED AND WOOL BLENDS USER: AS REVIEWER: 82 99 MC	A	8305	CT	06-AUG-92	GL	MU	11	CT		
A	MIL-STD-656C	PROVISIONS FOR EVALUATING QUALITY OF SLACKS, WOMEN'S REVIEWER: 82 MC	A	8410	CT	18-JUL-90	GL	MU	99	CT		
A	MIL-STD-657A	PROVISIONS FOR EVALUATING QUALITY OF SERVICE CAPS [VALIDATION DATE: 8402] USER: 45	A	8405	CT	28-JUL-78	GL		11	CT		
	MIL-STD-662E NOTICE 1	V50 BALLISTIC TEST FOR ARMOR [VALIDATION DATE: 9205] USER: DP OS SH REVIEWER: 15 82 99 AL AR AT GL TE	A	8470	MR	27-MAY-92	MR	MC	11			
A	MIL-STD-665D	LAUNDERING OF CLOTHING AND EQUIPAGE USER: MC REVIEWER: 11 MD	A	84GP	CT	10-MAR-87	GL	MU	99	CT		
A	MIL-STD-666B NOTICE 1	DRY CLEANING OF CLOTHING AND EQUIPAGE REVIEWER: MC MD	A	84GP	CT	22-APR-89	GL	MU	99	CT		
	MIL-STD-667C	SANITARY STANDARDS FOR SHELL EGG PLANTS REVIEWER: MD MS	A	8910	GL	01-NOV-86	GL	SA	50			
	MIL-STD-668E NOTICE 1	SANITARY STANDARDS FOR FOOD PLANTS REVIEWER: MC MD SS	A	89GP	GL	31-DEC-87	GL	SA	50			
	MIL-STD-669B NOTICE 1	LOADING ENVIRONMENT AND RELATED REQUIREMENTS FOR PLATFORM RIGGED AIRDROP MATERIEL [VALIDATION DATE: 9203] USER: 82 AS AT ER REVIEWER: MI	A	1670	GL	27-MAR-92	GL		99			
	MIL-STD-670B NOTICE 1	CLASSIFICATION SYSTEM AND TESTS FOR CELLULAR ELASTOMERIC MATERIALS (INACTIVE FOR NEW DESIGN) REVIEWER: AR GL GS MD MI	A	9320	MR	14-APR-86	MR	AS	11			
	MIL-STD-671C NOTICE 1	SANITARY STANDARDS FOR MILK EVAPORATING AND DRYING PLANTS [VALIDATION DATE: 8711] REVIEWER: MC MD MS	A	8910	GL	06-NOV-87	GL	SA	50			
A	MIL-STD-680B	STANDARDIZATION PROGRAM REQUIREMENTS FOR DEFENSE ACQUISITIONS USER: 19 REVIEWER: 11 13 17 26 AV CG GL MC MI OS SA	A	SDMP	AS	01-MAR-90	AR	AS	10			
	MIL-STD-681D	IDENTIFICATION CODING AND APPLICATION OF HOOKUP AND LEAD WIRE USER: AT MC OS REVIEWER: 11 17 99 AR AS AV ES IS ME MI SH	A	6145	CR	13-AUG-90	CR	EC	85			
A	MIL-STD-683G	CRYSTAL UNITS (QUARTZ), CRYSTAL HOLDERS (ENCLOSURES) AND OSCILLATORS SELECTION OF USER: AS MC OS REVIEWER: 17 19 AR ES MI SH SM	A	5955	ER	23-SEP-92	ER	EC	85			
	MIL-STD-685(1) NOTICE 2	IDENTIFICATION OF CABLE USED FOR TRANSMISSION OF TELEPHONE, TELEGRAPH, AND TELETYPE SIGNALS [VALIDATION DATE: 8809] USER: MC REVIEWER: 16 AS IS	A	6145	CR	19-SEP-88	CR	SH	85			
	MIL-STD-686C	CABLE AND CORD, ELECTRICAL: IDENTIFICATION MARKING AND COLOR CODING OF USER: MC SH REVIEWER: 99 EC IS MI	A	6145	CR	28-SEP-90	CR	AS	85			
	MIL-STD-687A	WIRE, THERMOCOUPLE, IDENTIFICATION MARKING AND COLOR CODING OF [VALIDATION DATE: 8207] USER: AS AT MC OS REVIEWER: 11 AR IS MI	A	6145	CR	10-JUL-73	CR		85			
A	MIL-STD-690C	FAILURE RATE SAMPLING PLANS AND PROCEDURES USER: CG MC REVIEWER: 11 19 70 AR AS ES MI OS SH	A	RELI	ER	26-MAR-93	ER	EC	85			
	MIL-STD-698B NOTICE 1	QUALITY STANDARDS FOR AIRCRAFT PNEUMATIC TIRES AND INNER TUBES [VALIDATION DATE: 8809] USER: CS MC REVIEWER: 70 99	A	2620	AV	16-SEP-88	AV	AS	11			
	MIL-STD-701M	LISTS OF STANDARD SEMICONDUCTOR DEVICES USER: 19 AS CG MC OS REVIEWER: 11 BS AT ES MI SH SM	A	59GP	EC	31-JAN-90	ER	EC	17			
D	MIL-STD-704E	AIRCRAFT ELECTRIC POWER CHARACTERISTICS USER: MC REVIEWER: CR EC ER MI SH TE YD1	A	MISC	AS	01-MAY-91	AV	AS	11			
D	MIL-STD-705C	GENERATOR SETS, ENGINE DRIVEN METHODS OF TESTS AND INSTRUCTIONS USER: AT REVIEWER: AS GS MC MI TE	A	6115	ME	24-APR-89	ME	YD1	80			
LI	MIL-STD-708	FORMULA FOR BINDER SOLUTION	A	1370	OS	15-JUN-89		OS				
	MIL-STD-709C NOTICE 2	AMMUNITION COLOR CODING USER: MC REVIEWER: 70 LA MI	A	1395	AR	28-SEP-84	AR	OS	90			
	MIL-STD-710D	SYNCHROS, 60 AND 400 HZ, SELECTION AND APPLICATION OF USER: 11 CG MC ME REVIEWER: 99 EC ES OS	A	5990	AS	25-MAR-91	AR	AS	85			
LI	MIL-STD-717 NOTICE 1	FORMULA FOR BINDER SOLUTION II	A	1370	OS	15-JUN-89		OS				
L	MIL-STD-718	FORMULA FOR ILLUMINANT COMPOSITION II [VALIDATION DATE: 8403]	A	1370	OS	30-JUN-59		OS				
	MIL-STD-721C NOTICE 1	DEFINITIONS OF TERMS FOR RELIABILITY AND MAINTAINABILITY [VALIDATION DATE: 9110]	A	RELI	AS	23-OCT-91	CR	AS	17			
LI	MIL-STD-725A(1) NOTICE 4	METHOD OF MARKING SCALES FOR SIGHTS AND FIRE CONTROL INSTRUMENTS REVIEWER: MI	A	1220	OS	13-MAY-91		OS				
A	MIL-STD-728M(3)	PACKAGING REQUIREMENTS CODES USER: MI SH REVIEWER: AT AV CR EC GL GS IS SA	A	PACK	AS	28-APR-89	SM	AS	69	ES		
D	MIL-STD-731A(1)	QUALITY OF WOOD MEMBERS FOR CONTAINERS AND PALLETS USER: SH REVIEWER: 71 BS CS GL MC MI OS SA SM	A	8115	YD1	17-AUG-92	ME	YD1	69			
	MIL-STD-739A(1)	TRAILER AND SEMITRAILERS, COMMERCIAL [VALIDATION DATE: 8504] REVIEWER: MC	A	2330	AT	08-APR-64	AT		99			
L	MIL-STD-740B(1)	AIRBORNE AND STRUCTUREBORNE NOISE MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT [VALIDATION DATE: 8105] USER: MI REVIEWER: EC	A	MFAC	SH	22-JUN-65	AV	SH				
L	MIL-STD-740-1	AIRBORNE SOUND MEASUREMENTS AND ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT	A	MFAC	SH	30-DEC-86		SH				
L	MIL-STD-740-2	STRUCTUREBORNE VIBRATORY ACCELERATION MEASUREMENTS ACCEPTANCE CRITERIA OF SHIPBOARD EQUIPMENT	A	MFAC	SH	30-DEC-86		SH				
	MIL-STD-746A	RADIOGRAPHIC TESTING REQUIREMENTS FOR CAST EXPLOSIVES [VALIDATION DATE: 8204] REVIEWER: 11	A	NDTJ	OS	31-JUL-63	AR	OS	99			
A	MIL-STD-750C(6)	TEST METHODS FOR SEMICONDUCTOR DEVICES USER: 13 AS CG MC OS REVIEWER: 19 BS 99 AR ES MI SH	A	5961	EC	30-JAN-93	ER	EC	17			
L	MIL-STD-751A(1)	RADAR OUTPUTS, NAVAL SHIP AND SHORE	A	5840	SH	18-JAN-89		SH				
	MIL-STD-753C	CORROSION-RESISTANT STEEL PARTS: SAMPLING, INSPECTION AND TESTING FOR SURFACE PASSIVATION REVIEWER: MI	A	MFPP	AS	29-JUN-90	MR	AS	11			
	MIL-STD-756B NOTICE 1	RELIABILITY MODELING & PREDICTION USER: AM EC MS REVIEWER: AR AV EA OS SH TD	A	RELI	AS	31-AUG-82	CR	AS	17			
L	MIL-STD-758C	PACKAGING PROCEDURES FOR SUBMARINE SUPPORT ITEMS REVIEWER: EA SM	A	PACK	SH	13-APR-90		SH				
	MIL-STD-759B	CONDENSER, AIR COOLED, REFRIGERANT-12 [VALIDATION DATE: 8201] USER: CE MC ME REVIEWER: GS MD	A	4130	GL	09-SEP-70	GL		99			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc / OMA Coordination Inclusive Document Number	Document Title	Dist. Smt. FSC / Ams MCA Symbol Preparing Acty. Date	Army Navy Air Force DA
L MIL-STD-760 NOTICE 1 MIL-STD-763D	CONDENSERS, REFRIGERATING, WATER-COOLED, REFRIGERANT-12 (VALIDATION DATE: 9203) USER: CR MI	A 4130 GL 27-MAR-92 GL 99	
L MIL-STD-765A(1) NOTICE 2 MIL-STD-767C NOTICE 5	LOCKING DEVICES (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) COMPASS SWINGING, AIRCRAFT, GENERAL REQUIREMENTS FOR (VALIDATION DATE: 8802) REVIEWER: 99	F 5340 SH 01-MAY-84 SH A 6605 11 26-FEB-88 AV AS 11	
L MIL-STD-769J NOTICE 1 MIL-STD-771C NOTICE 1 MIL-STD-772C(1)	CLEANING REQUIREMENTS FOR SPECIAL PURPOSE EQUIPMENT, INCLUDING PIPING SYSTEMS (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTIVITIES MUST BE SUBMITTED VIA THE PREPARING ACTIVITY OF THE SPEC.) THERMAL INSULATION REQUIREMENTS FOR MACHINERY AND PIPING ..... ULTRASONIC INSPECTION OF LEAD (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 8707)	A MISC SH 01-NOV-85 SH A 5640 SH 09-OCT-90 SH B NDTI SH 17-JUL-87 SH	
L MIL-STD-773C NOTICE 1 MIL-STD-777E(1)	DAMAGE CONTROL BOOKS FOR AUXILIARY AND MISCELLANEOUS SHIPS, PREPARATION FOR DAMAGE CONTROL BOOKS FOR WARSHIPS AND MISCELLANEOUS LARGE SHIPS. PREPARATION OF (VALIDATION DATE: 8204)	A TMSS SH 24-JUL-91 SH A TMSS SH 10-JUN-74 SH	
A L MIL-STD-780C D MIL-STD-781D	COMPRESSORS, HERMETIC: FOR USE WITH REFRIGERANT 12 (VALIDATION DATE: 9203) REVIEWER: CE CR GS MC SH SCHEDULE OF PIPING, VALVES, FITTINGS, AND ASSOCIATED PIPING COMPONENTS FOR NAVAL SURFACE SHIPS REVIEWER: CS WORK UNIT CODES FOR AERONAUTICAL EQUIPMENT: UNIFORM NUMBERING SYSTEM ..... RELIABILITY TESTING FOR ENGINEERING DEVELOPMENT, QUALIFICATION, & PRODUCTION USER: AR ME REVIEWER: 01 10 13 17 19 AS AT AV ES MI OS SH TD	A 4130 GL 27-MAR-92 GL 99 A 4730 SH 17-JAN-90 SH A 1LSS AS 18-AUG-92 AS A RELI EC 17-OCT-86 CR EC 11	
L MIL-STD-782D NOTICE 1 MIL-STD-783D	RECONNAISSANCE/MAPPING DATA MARKING (VALIDATION DATE: 8607) .....	A MISC 70 07-JUL-86 CR AS 99	
L MIL-STD-784B(2) D MIL-STD-785B(2) NOTICE 2 MIL-STD-787	LEGENDS FOR USE IN AIRCREW STATIONS AND ON AIRBORNE EQUIPMENT USER: 13 15 SC REVIEWER: 24 MI DAMAGE CONTROL BOOKS FOR SURFACE SHIPS, REVISION OF ..... RELIABILITY PROGRAM FOR SYSTEMS AND EQUIPMENT DEVELOPMENT AND PRODUCTION REVIEWER: 10 13 17 18 19 AR AT AV ES MI OS SA SH SS TD TE YD	A MFAC 11 18-DEC-84 AV AS 11 A TMSS SH 22-APR-91 SH A RELI 11 05-AUG-88 CR AS 11	
D MIL-STD-789C MIL-STD-790E(1)	JOINT OPTICAL RANGE INSTRUMENTATION TYPE DESIGNATION SYSTEM (VALIDATION DATE: 8505)	A MISC AS 04-DEC-64 ER AS 11	
M L MIL-STD-792E NOTICE 2 MIL-STD-794E NOTICE 1 L MIL-STD-796A L MIL-STD-797C L MIL-STD-798(1)	CONTRACTOR TECHNICAL INFORMATION CODING OF REPLENISHMENT PARTS REVIEWER: 11 99 EC MI OS SA SH TM YD PRODUCT ASSURANCE PROGRAM FOR ELECTRONIC AND FIBER OPTIC PARTS SPECIFICATIONS USER: CG MC REVIEWER: 11 17 19 99 AR AS CR DH MI OS SH IDENTIFICATION MARKING REQUIREMENTS FOR SPECIAL PURPOSE COMPONENTS .....	A MISC AS 14-OCT-83 AV AS 16 A RELI EC 27-JUL-90 ER EC 85 A GDMQ SH 20-JAN-93 SH	
MIL-STD-801A MIL-STD-804C(1) MIL-STD-805B NOTICE 1 L MIL-STD-808A NOTICE 1 MIL-STD-809B	PART AND EQUIPMENT, PROCEDURES FOR PACKAGING OF USER: MI REVIEWER: 10 11 18 19 AV EA EC IS MC OS SA CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (HYDROCHLORIC ACID METHOD) DAMAGE CONTROL BOOKS FOR SUBMARINES PREPARATION AND REVISION OF ..... NONDESTRUCTIVE TESTING, WELDING, QUALITY CONTROL, MATERIAL CONTROL AND IDENTIFICATION AND MI-SHOCK TEST REQUIREMENTS FOR PIPING SYSTEM COMPONENTS FOR NAVAL SHIPBOARD USE (VALIDATION DATE: 8802)	A PACK AS 28-APR-89 SH AS 69 A MISC SH 16-MAR-88 SH A TMSS SH 25-MAR-88 SH A MISC SH 28-FEB-88 SH	
D MIL-STD-810E(1) MIL-STD-814B NOTICE 1 L MIL-STD-815A	INSPECTION AND ACCEPTANCE STANDARDS FOR PROPELLSION FLUID CELLS AND FITTINGS REVIEWER: 99 MI FORMATS AND CODING OF APERTURE, CAMERA, COPY, AND TABULATING CARDS USER: AT REVIEWER: 99 AG AR EC GS MI SH TOWING FITTINGS & PROVISIONS FOR MILITARY AIRCRAFT, DESIGN REQUIREMENTS FOR	A 4730 AS 13-MAY-81 AV AS A EDRS CR 01-JUL-91 CR AS 16 A 1620 70 07-SEP-87 AV AS 99	
D MIL-STD-831 A I MIL-STD-834C(1) MIL-STD-838C L MIL-STD-841B L MIL-STD-842 MIL-STD-845A L MIL-STD-846C(1) MIL-STD-849A MIL-STD-850B NOTICE 1 A MIL-STD-851A(2) L MIL-STD-852 NOTICE 1 MIL-STD-858 MIL-STD-859A(1) DOD-STD-863B(2) MIL-STD-864B L MIL-STD-865C L MIL-STD-866B L MIL-STD-867A L MIL-STD-868A NOTICE 1 L MIL-STD-869C L MIL-STD-870B L MIL-STD-871A NOTICE 1 L MIL-STD-872(1)	FINISH, MATERIALS & PROCESSES FOR CORROSION PREVENTION & CONTROL IN SUPPORT EQUIPMENT USER: 14 ME REVIEWER: 99 AS MI ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF REVIEWER: 1, 70 ENVIRONMENTAL TEST METHODS AND ENGINEERING GUIDELINES USER: ES REVIEWER: 10 18 19 AT AV EC GL ME MI OS SH YD REQUIREMENTS FOR TIEDOWN, SUSPENSION AND EXTRACTION PROVISIONS ON MILITARY MATERIAL FOR AIRDROP (VALIDATION DATE: 9203) REVIEWER: 82 AV MC TS DESIGNATION SYSTEM FOR LIQUID, SOLID, AND LIQUID-SOLID (HYBRID) PROPELLANT ROCKET ENGINES AND MOTORS (SUPERSEDES ANA BUL NO 352 AND ANA BUL NO 353) (VALIDATION DATE: 8205) USER: MI REVIEWER: 13 19 99 TEST REPORTS, PREPARATION OF (VALIDATION DATE: 8204) USER: ES ME MT YD REVIEWER: 99 MI PACKAGING DATA FORMS, INSTRUCTIONS FOR PREPARATION AND USE OF USER: ES REVIEWER: MI LUBRICATION OF MILITARY EQUIPMENT REVIEWER: 68 AR AT AV GS MI OS SH ..... MARKING OF AIRCRAFT AND MISSILE PROPELLSION SYSTEM PARTS FABRICATED FROM CRITICAL HIGH TEMPERATURE ALLOYS (VALIDATION DATE: 8412) UNIFORM PROCEDURES FOR TYPE DESIGNATION AND ITEM IDENTIFICATION (VALIDATION DATE: 8205) USER: 15 MT REVIEWER: 67 99 AR CT FITTING, TETRAFLUOROETHYLENE HOSE HIGH TEMPERATURE, MEDIUM PRESSURE CLASSIFICATION OF DEFECTS (VALIDATION DATE: 8503) USER: ME MI SH ESCAPE SYSTEM TESTING: GROUND, TRACK, AND FLIGHT TEST (VALIDATION DATE: 8802) REVIEWER: 99 INSPECTION REQUIREMENTS, DEFINITIONS AND CLASSIFICATION OF DEFECTS FOR PARACHUTES (VALIDATION DATE: 8012) USER: MC REVIEWER: 11 AV TE AIRCREW STATION VISION REQUIREMENTS FOR MILITARY AIRCRAFT .....	A QCIC OS 28-AUG-63 AV AS 11 A PACK AS 08-SEP-89 AV AS 69 A 9150 11 30-DEC-83 ME AS 11 A MISC 16 01-JUL-71 16 A MISC 11 07-JAN-85 11 A 4730 82 30-JUN-72 AS 99 A 1680 11 26-FEB-88 11 A 1670 82 15-MAR-74 GL AS 99 A 1500 11 23-NOV-84 AV AS 11 A 8305 CT 15-APR-75 AS CT A 5350 84 18-APR-88 99 A 1670 AS 26-JUN-69 GL AS A QCIC 82 01-FEB-79 AV AS 11 A DRPR 16 17-MAR-81 AV 16 A MISC 99 29-JAN-82 AV AS 99 A MFFP 70 01-NOV-88 99 A MFFP 11 04-OCT-89 11 A NDTI 70 23-MAR-79 99 A MFFP 70 24-MAR-86 99 A MFFP 70 20-OCT-88 99 A MFFP 70 30-JUL-86 99 A MFFP 70 11-APR-86 99 A 15GP 11 30-SEP-88 11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc / OMA Classification Indicator	Document Number	Document Title	Doc. Smt. FSC / Area MCA Symbol	Preparing Date	Customers Army Navy Air Force DLA
	MIL-STD-875A	TYPE DESIGNATION SYSTEM FOR AERONAUTICAL AND SUPPORT EQUIPMENT [VALIDATION DATE: 8205] USER: AV TD REVIEWER: 68 99 MI	A MISC	11 30-APR-74	AS 11
	MIL-STD-877(1)	ANTENNA SUBSYSTEM, AIRBORNE, CRITERIA FOR DESIGN AND LOCATION OF [VALIDATION DATE: 8104] USER: 19 CG REVIEWER: AV ES MI	A 5985	11 08-NOV-68	ER AS 11
	MIL-STD-878A(1) NOTICE 2	METHOD OF DIMENSIONING AND DETERMINING CLEARANCE FOR AIRCRAFT TIRES AND RIMS [VALIDATION DATE: 9006]	A 2620	70 29-JUN-90	AV AS 11
	MIL-STD-879A	DESIGNATION OF AIRCRAFT PROPULSION GAS TURBINE ENGINES [VALIDATION DATE: 8205] USER: MI	A 2840	11 14-NOV-72	AV AS
M	MIL-STD-881B	WORK BREAKDOWN STRUCTURES FOR DEFENSE MATERIAL ITEMS REVIEWER: 11 16 19 70 71 80 82 84 AR AS AT AV CR MC OS SH	A MISC	10 25-MAR-93	MI MW 10
D	MIL-STD-882C	SYSTEM SAFETY PROGRAM REQUIREMENTS REVIEWER: 11 13 19 26 AR AT EC MD MI OS SA SC SH YD1	A SAFT	10 19-JAN-93	AV AS 10
	MIL-STD-883D	TEST METHODS AND PROCEDURES FOR MICROELECTRONICS USER: AS CG MC SH REVIEWER: 19 99 AR ES MI OS SH TD	A 5962	17 15-NOV-91	ER EC 17
	MIL-STD-884C NOTICE 1	ELECTRONICALLY OR OPTICALLY GENERATED DISPLAYS FOR AIRCRAFT CONTROL AND COMBAT CUE INFORMATION [VALIDATION DATE: 8811]	A 6610	71 05-NOV-88	AV AS 99
D	MIL-STD-889B(1) NOTICE 2	DISSIMILAR METALS USER: ME MR SH YD1 REVIEWER: 13 14 17 99 AR AV EC MI OS	A GDRQ	11 04-MAR-88	ER AS 11
	MIL-STD-900C	BACTERIAL STANDARDS FOR STARCHES, FLOURS, CEREALS, ALIMENTARY PASTES, DRY MILKS, AND SUGARS USED IN THE PREPARATION OF CANNED FOODS FOR THE ARMED FORCES REVIEWER: MD MS SS	A 89GP	GL 09-APR-85	GL SA 50
A	MIL-STD-901B	PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, MEN S USER: MC REVIEWER: 82 99	A 8405	CT 08-APR-88	GL MU 11 CT
A	MIL-STD-902A	PROVISIONS FOR EVALUATING QUALITY OF CAPS, GARRISON, WOMEN S REVIEWER: 82 99 MC	A 8410	CT 12-JUN-88	GL MU 11 CT
	MIL-STD-903C	SANITARY STANDARDS FOR COMMISSARIES REVIEWER: MD MS	A 89GP	GL 20-NOV-86	GL SA 50
	MIL-STD-904A	GUIDELINES FOR DETECTION, EVALUATION, AND PREVENTION OF PEST INFESTATION OF SUBSISTENCE REVIEWER: MC MD MS SS	A 89GP	GL 13-JAN-84	GL SA 45
	MIL-STD-905 NOTICE 2	IDENTIFICATION, NYLON CORD MANUFACTURERS COLOR CODE [VALIDATION DATE: 8711] REVIEWER: SH	A 4020	GL 05-NOV-87	GL AS 11
	MIL-STD-906A	SANITARY STANDARDS FOR ICE PLANTS REVIEWER: MD MS	A 89GP	GL 01-MAR-90	GL SA 50
A	MIL-STD-907B NOTICE 1	ENGINEERING AND DESIGN CRITERIA FOR SHELTERS, EXPANDABLE AND NON-EXPANDABLE [VALIDATION DATE: 9207] REVIEWER: 84 CS	A 5411	GL 20-JUL-92	GL MC 99
	MIL-STD-908	PROVISIONS FOR EVALUATING THE QUALITY OF SPARE PARTS FOR MECHANICAL & TEXTILE END ITEMS REVIEWER: AL AV CT CS	A 0C1C	GL 31-JAN-85	GL
	MIL-STD-909	SANITATION STANDARDS FOR FOOD STORAGE FACILITIES	A 89GP	GL 31-AUG-89	GL SA 50
L	MIL-STD-910	MOBILE TACTICAL SYSTEMS OVERLOAD PREVENTION PROCEDURES	A GDRQ	GL 16-FEB-90	GL
	MIL-STD-911	THE DEPARTMENT OF DEFENSE STANDARD FAMILY OF TACTICAL RIGID WALL SHELTERS REVIEWER: 84 AS	A 5411	GL 29-JUN-90	GL MC 99
	MIL-STD-912	PHYSICAL EAR NOISE ATTENUATION TESTING REVIEWER: CR MD MI	A H#AC	GL 11-DEC-90	GL AS 11
D	MIL-STD-913	REQUIREMENTS FOR THE CERTIFICATION OF EXTERNALLY TRANSPORTED MILITARY EQUIPMENT BY DEPARTMENT OF DEFENSE ROTARY WING AIRCRAFT USER: SA REVIEWER: 84 99 AR AT ER MC ME MI	A 1670	GL 03-JAN-91	GL YD1 11
D	MIL-STD-961C(1) NOTICE 1	MILITARY SPECIFICATIONS AND ASSOCIATED DOCUMENTS, PREPARATION OF REVIEWER: 14 16 17 19 23 AL AS AT AV EC ER IP MI OS SA YD1	A SDMP	SO 08-NOV-88	AR SH 11 DM
D	MIL-STD-962B	MILITARY STANDARDS, HANDBOOKS, AND BULLETINS, PREPARATION OF USER: 90 CG MC MR REVIEWER: 11 26 85 AT CR EC GS ME SH YD1	A SDMP	OS 20-MAY-88	AR OS 16
	DDO-STD-963A	DATA ITEM DESCRIPTIONS (DIDS), PREPARATION OF USER: 23 REVIEWER: 01 14 16 20 AM AR AS AT AV CR CS EC ES GS IS MC NM OM	A MISC	DO 15-AUG-86	MI SH 10 DM
	MIL-STD-964(1)	MANUFACTURE AND PACKAGING OF DRUGS, PHARMACEUTICALS AND BIOLOGICAL PRODUCTS [VALIDATION DATE: 8202]	A 6505	DM 01-MAR-76	MD MS 03
A	MIL-STD-965B	PARTS CONTROL PROGRAM REVIEWER: 10 11 13 15 17 18 19 AL AM AR AT AV CR CS EC ER ES GL GS MD IS MC ME MR OS SA SH TD	A SDMP	10 22-JAN-93	MI AS 10 DM
D	MIL-STD-970	STANDARDS AND SPECIFICATIONS, ORDER OF PREFERENCE FOR THE SELECTION OF USER: 13 14 17 18 19 AL AT EA REVIEWER: 68 79 AV CR CS EC ER ES GL GS ME MI MR OS SA SH SM TE TM YD1	A GDRQ	SO 01-OCT-87	AR AS 99 DM
D	MIL-STD-973	CONFIGURATION MANAGEMENT USER: 13 14 17 CE CG HD MR TE REVIEWER: 24 26 AC AL AM AT AV CR DH EA EC ER ET GL IE LM MC MD ME MI NM OS PT SC SH SM TM YD1	A CMAN	DO 17-APR-92	AR AS 10
D L	MIL-STD-973(1)	CONFIGURATION MANAGEMENT USER: 13 17 19 CE CG MR TE REVIEWER: 10 24 AC AL AM AT AV CR DH EA EC ER ET GL LM MC MD ME MI NM OS SC SH SM TM YD1	A CMAN	DO 01-DEC-92	
M L	MIL-STD-975K NOTICE 1	NASA STANDARD ELECTRICAL, ELECTRONIC AND ELECTROMECHANICAL (EEE) PARTS LIST	A 59GP	NA 26-MAR-93	
	MIL-STD-976B(2) NOTICE 2	CERTIFICATION REQUIREMENTS FOR JAN MICROCIRCUITS USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962	NA 31-AUG-90	ER EC 17
	MIL-STD-977	TEST METHODS & PROCEDURES FOR MICROCIRCUIT LINE CERTIFICATION USER: AS CG MC SM REVIEWER: 11 19 85 99 AR ES MI OS SH	A 5962	NA 25-JAN-82	ER EC 17 MA
A	MIL-STD-978(1) NOTICE 1	PETROLEUM LABORATORY CALIBRATION SYSTEM REVIEWER: MI NM	A 91GP	PS 01-OCT-79	ME SA 68
M	MIL-STD-981B NOTICE 1	FOREIGN OBJECT DAMAGE (FOD) PREVENTION IN AEROSPACE PRODUCTS [VALIDATION DATE: 8805]	A 0C1C	DM 27-MAY-88	AR AS 10 DM
	MIL-STD-982 NOTICE 1	DESIGN, MANUFACTURING AND QUALITY STANDARDS FOR CUSTOM ELECTROMAGNETIC DEVICES FOR SPACE APPLICATIONS REVIEWER: ES	A 5950	NA 27-APR-93	19
	MIL-STD-983A	CEMENTED CARBIDES, METAL CUTTING TOOL GRADES (GOVERNMENT GRADING SYSTEM, INTENDED USES AND PHYSICAL PROPERTIES) [VALIDATION DATE: 9104] USER: MC REVIEWER: 84 DM GS	A 3455	IP 17-APR-91	AL 99 IP
	MIL-STD-984(1)	SUBSTITUTION LIST FOR MICROCIRCUITS USER: AS CG MC SM REVIEWER: 19 85 99 AR MI OS SH TD	A 5962	ES 28-FEB-92	ER EC 17 ES
A	MIL-STD-989	PROVISIONS FOR SIZE LABELING FOR WOMEN'S UNIFORM CLOTHING USER: GL REVIEWER: 45 82 99 MC	A 8410	CT 23-JUN-92	MU 11 CT
	MIL-STD-989	CERTIFICATION REQUIREMENTS FOR JAN SEMICONDUCTOR DEVICES USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5961	NA 11-NOV-91	ER EC 17
A	MIL-STD-1005 NOTICE 1	RENOVATION, CLEANING AND GLAZING OF BAKE PANS [VALIDATION DATE: 9302] .....	A 7330	GL 26-FEB-93	GL SA 99
	MIL-STD-1105E NOTICE 1	SANITARY STANDARDS FOR BAKERIES REVIEWER: MD MS	A 8920	GL 27-DEC-91	GL SA 50
	MIL-STD-1130B(2)	CONNECTION, ELECTRICAL, SOLDERLESS WRAPPED USER: 19 CG MC MI REVIEWER: 11 85 99 AR AS ES SH TD	A 5935	EC 20-JUL-83	CR EC 17
	MIL-STD-1131B	STORAGE SHELF LIFE AND REFORMING PROCEDURES FOR ALUMINUM ELECTROLYTIC FIXED CAPACITORS [VALIDATION DATE: 8502] REVIEWER: 17 ES	A 5910	ER 01-JUN-79	ER EC 85
	MIL-STD-1132A(5)	SWITCHES AND ASSOCIATED HARDWARE, SELECTION AND USE OF USER: CG REVIEWER: 17 99 ES	A 5930	EC 19-JUL-90	ER EC 85
	MIL-STD-1155C NOTICE 1	SANITARY STANDARDS FOR FROZEN DESSERTS PLANTS REVIEWER: MA MD	A 8910	GL 18-MAY-82	GL SA 50
A	MIL-STD-1156C NOTICE 1	SANITARY STANDARDS FOR SOFT DRINK PLANTS [VALIDATION DATE: 8710] REVIEWER: MD MS SS	A 8960	GL 01-OCT-87	GL SA 50
	MIL-STD-1157	CALIBRATION AND CALIBRATION VERIFICATION PROCEDURES FOR TEXTILE TEST METHODS [VALIDATION DATE: 8501] USER: MI REVIEWER: 82 AS	A 83GP	CT 09-JUL-65	GL SA 11 CT
	MIL-STD-1158A	CUSTOMAL CLEANING SERVICES [VALIDATION DATE: 8403] USER: AL REVIEWER: EA MD	A 7930	GL 05-DEC-78	GL 99
	MIL-STD-1160	SHEET SIZES AND HOLE-PUNCHING DATA FOR FILLER PAPER AND FORMS BOUND IN RING, POST AND PRONG BINDERS [VALIDATION DATE: 8402]	A 7530	GL 08-SEP-66	GL SA 99
A L	MIL-STD-1161	TEST FACILITY, BALLISTIC, FOR PERSONAL ARMOR MATERIAL [VALIDATION DATE: 8501]	A 8470	CT 28-DEC-66	GL CT
	MIL-STD-1162C NOTICE 1	SANITARY STANDARDS FOR CHEESE AND CHEESE PRODUCTS PLANTS REVIEWER: MD MS	A 8910	GL 01-NOV-86	GL SA 50
	MIL-STD-1163	LITHOGRAPHIC CHEMICALS [VALIDATION DATE: 8501] USER: MR REVIEWER: EA GS MD	A 6850	GL 02-FEB-67	GL SA 68



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Orl / OML Companion Machine Document Number	Document Title	Dist. Sym FDC / Ane MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-STD-1165	GLOSSARY OF ENVIRONMENTAL TERMS (TERRESTRIAL) USER: CG EC MC OS REVIEWER: 71 B4 MD MR MS	A ENVR CE 25-MAR-68	CE	AS	11	
MIL-STD-1166A	RADIOGRAPHIC TESTING REQUIREMENTS FOR SOLID PROPELLANTS REVIEWER: EA MR TE TM	A NOTI MI 19-SEP-91	MI		11	
MIL-STD-1167C NOTICE 1	AMMUNITION DATA CARD USER: MC REVIEWER: 70 MI	A 1395 AR 12-MAR-86	AR	OS	99	
A L MIL-STD-1168A(2)	AMMUNITION LOT NUMBERING REVIEWER: 70 MC MI	A 1395 AR 17-MAR-93	AR	OS	99	
L MIL-STD-1169B NOTICE 1	PACKAGING, PACKING AND MARKING FOR SHIPMENT OF INERT AMMUNITION COMPONENTS REVIEWER: EA	A 8140 AR 20-OCT-87	AR			
L MIL-STD-1171	ACCEPTANCE AND DESCRIPTION SHEETS (FOR PROPELLANTS AND EXPLOSIVES) [VALIDATION DATE: 8301]	A 1376 AR 15-JAN-71	AR			
D L MIL-STD-1179D(3)	LAMPS, REFLECTORS AND ASSOCIATED SIGNALING EQUIPMENT FOR MILITARY VEHICLES USER: 99 MC YDI	A 23GP AT 09-NOV-92	AT			
D MIL-STD-1180B(1)	SAFETY STANDARDS FOR MILITARY GROUND VEHICLES USER: CE REVIEWER: AR ME TE	A 23GP AT 07-AUG-91	AT	YDI		
MIL-STD-1183	WELDING, GAS, STEELS, CONSTRUCTIONAL, READILY WELDABLE, FOR LOW STRESSED JOINTS [VALIDATION DATE: 8301]	A THJM AT 12-DEC-73	AT			
D L MIL-STD-1184	ELECTRICAL COMPONENTS FOR AUTOMOTIVE VEHICLES, WATERPROOFNESS TESTS [VALIDATION DATE: 8705] USER: ME YDI REVIEWER: CS	A 2920 AT 26-MAY-87	AT			
L MIL-STD-1185	WELDING, HIGH HARDNESS ARMOR [VALIDATION DATE: 8412] REVIEWER: MR	A THJM AT 31-DEC-79	AT			
D MIL-STD-1186A NOTICE 1	CUSHIONING, ANCHORING, BRACING, BLOCKING AND WATERPROOFING; WITH APPROPRIATE TEST METHODS [VALIDATION DATE: 9001] USER: SH REVIEWER: 99 EA EC GS IS MC MI MT SM YDI	A PACK ME 09-JAN-90	ME	SA	69	
D MIL-STD-1189B	STANDARD DEPARTMENT OF DEFENSE BAR CODE SYMBOLOLOGY REVIEWER: 11 16 99 AL AR AS AT CR CS CT ES GS IS MC ME OS SM YDI	A PACK SM 10-AUG-89	SM	SA	69	DH
L MIL-STD-1190	MINIMUM GUIDELINES FOR LEVEL C PRESERVATION, PACKING & MARKING REVIEWER: AL AT AV CH ME	A PACK SM 12-APR-88	SM			
MIL-STD-1191	FOAM-IN-PLACE PACKAGING, PROCEDURES FOR REVIEWER: 11 43 70 71 79 AL AS AT CS EA ES MD ME OS	A PACK SM 31-DEC-89	SM	SA	69	DH
MIL-STD-1201B	ETHYL ALCOHOL (ETHANOL), TECHNICAL AND DENATURED GRADES USER: MC SA REVIEWER: GL GS MD MI SM	A 6810 EA 09-JUN-87	EA	SH	68	
MIL-STD-1202A	FACESHIELD, INDUSTRIAL REVIEWER: GS	A 4240 EA 19-AUG-88	EA		99	
D MIL-STD-1203B	INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (ALUMINUM CHLORIDE THROUGH BORON NITRIDE) USER: AS ME REVIEWER: AR GL MD YDI	A 6810 EA 26-JUL-91	EA	OS	68	
MIL-STD-1204C	INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (CADMIUM CARBONATE THROUGH CUPRIC SULFATE) REVIEWER: DS GL MD ME SM	A 6810 EA 04-SEP-90	EA		68	
M MIL-STD-1205B	INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (FERRIC CHLORIDE THROUGH LITHIUM TETRAFLUOROBORATE) USER: ME MS OS YDI REVIEWER: AR DP GS MD SM	A 6810 EA 28-MAY-93	EA	SH	68	
D MIL-STD-1206A	INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (FERRIC CHLORIDE THROUGH LITHIUM TETRAFLUOROBORATE (METRIC) USER: AS MC SA REVIEWER: AR AV GL MD	A 6810 EA 30-JUL-86	EA	YDI	68	
MIL-STD-1207B	INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (POTASSIUM BICARBONATE THROUGH SILVER CYANIDE) USER: MC OS SA SH REVIEWER: AR GL GS MD MI	A 6810 EA 23-NOV-87	EA		68	
MIL-STD-1208B	INORGANIC SODIUM SALTS AND COMPOUNDS, TECHNICAL GRADE (SODIUM BICARBONATE THROUGH SODIUM TRIPOLYPHOSPHATE) USER: CG REVIEWER: AR GL MD ME OS SM	A 6810 EA 25-SEP-91	EA	SH	68	
D MIL-STD-1209A	INORGANIC SALTS AND COMPOUNDS, TECHNICAL GRADE (STRONTIUM NITRATE THROUGH ZINC OXIDE) REVIEWER: AS GL GS MD MI OS YDI	A 6810 EA 30-MAR-88	EA	SH	68	
D MIL-STD-1210B	FOG AND ICE PREVENTIVE COMPOUNDS USER: MC ME OS YDI REVIEWER: GS MD MI MS	A 6850 EA 30-JUN-72	EA	AS	68	
D MIL-STD-1212A	INDUSTRIAL SAFETY BELTS, STRAPS, AND RELATED EQUIPMENT USER: ME REVIEWER: AS GS MC SH	A 4240 EA 21-DEC-88	EA	YDI	99	
D MIL-STD-1213A	ORGANIC LABORATORY REAGENTS (INCLUDING ACS AND USP/NF) USER: AS MI REVIEWER: GS MD ME	A 6810 EA 08-FEB-88	EA	YDI	68	
D MIL-STD-1214A	ESTERS AND METAL ORGANICS, TECHNICAL GRADE USER: AS CG MC REVIEWER: GS MI	A 6810 EA 28-SEP-90	EA	YDI	68	
D MIL-STD-1215B	WATER PURIFICATION COMPOUNDS USER: MC MS REVIEWER: GS ME	A 6850 EA 25-MAY-88	EA	YDI	68	
MIL-STD-1216A	PREVENTIVE COMPOUNDS (CORROSION) AND INHIBITORS USER: MS REVIEWER: GS MD MI	A 6850 EA 02-OCT-90	EA	AS	68	
D MIL-STD-1217C	ORGANIC ACIDS AND ACID AMYDRIDES TECHNICAL GRADE USER: AS MC YDI REVIEWER: AR MI	A 6810 EA 30-SEP-91	EA	SH	68	
MIL-STD-1220B	ALCOHOLS AND AMINES, TECHNICAL GRADE USER: MC SA REVIEWER: 11 AR AS GL MD ME SM	A 6810 EA 23-SEP-91	EA	OS	68	
D MIL-STD-1221B	PROTECTIVE COMPOUNDS (FOR PERSONNEL) USER: MC REVIEWER: GL MS SH	A 6850 EA 28-SEP-90	EA	YDI	68	
D MIL-STD-1223AC	NONTACTICAL WHEELED VEHICLES TREATMENT, PAINTING, IDENTIFICATION MARKING AND DATA PLATE STANDARDS REVIEWER: 84 MC	A 23GP AT 01-AUG-91	AT	YDI	99	
MIL-STD-1226A NOTICE 1	ENGINE, GAS, AIR COOLED, 1ND TYPE, 1-1/2 BHP MILSTD, MODEL 1A08 INSTALL PROC [VALIDATION DATE: 8711] USER: AT EL	A 2805 ME 16-NOV-87	ME	MC	99	
MIL-STD-1227B(1) NOTICE 2	ENGINE, GASOLINE, AIRCOOLED, 3 BHP, 4-CYCLE, MILITARY DESIGN, MODEL 2A016, INSTALLATION PROCEDURES [VALIDATION DATE: 8711] USER: AT	A 2805 ME 16-NOV-87	ME	MC	99	
L MIL-STD-1232 NOTICE 1	VISUAL INSPECTION STANDARDS FOR CUPS AND DISKS USED IN SMALL ARMS AMMUNITION MANUFACTURE [VALIDATION DATE: 8601]	A 1305 AR 20-APR-61	AR			
MIL-STD-1233 NOTICE 1	PROCEDURE FOR DETERMINING PARTICLE SIZE, PARTICLE SIZE DISTRIBUTION, AND PACKED DENSITY OF POWDERED MATERIALS [VALIDATION DATE: 8804] USER: MC REVIEWER: 11 EA	A 1370 AR 18-APR-88	AR	OS	18	
MIL-STD-1234(3)	PYROTECHNICS: SAMPLING, INSPECTION AND TESTING REVIEWER: EA	A 1370 AR 28-MAY-73	AR	OS	11	
D L MIL-STD-1235C	SINGLE AND MULTILEVEL CONTINUOUS SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES USER: ME REVIEWER: AS EA ES MC MI SM YDI	A QCIC AR 15-MAR-88	AR	OS	10	
L MIL-STD-1235-1A(1)	SINGLE AND MULTI LEVEL CONTINUOUS SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES FUNCTIONAL CURVES OF THE CONTINUOUS SAMPLING PLANS [VALIDATION DATE: 8601]	A MISC AR 28-JUN-74	AR			
MIL-STD-1241A NOTICE 1	OPTICAL TERMS AND DEFINITIONS [VALIDATION DATE: 8705] USER: AT AV MC MI REVIEWER: ME	A 6650 AR 15-MAY-87	AR	SH	99	
L MIL-STD-1246B	PRODUCT CLEANLINESS LEVELS AND CONTAMINATION CONTROL PROGRAM USER: 79 ES OS SM REVIEWER: 68 99 AR AS AT AV GS TM	A 3694 MI 04-SEP-87	MI			
A MIL-STD-1247C(2)	MARKINGS, FUNCTIONS AND HAZARD DESIGNATIONS OF HOSE, PIPE, AND TUBE LINES FOR AIRCRAFT MISSILE, AND SPACE SYSTEMS REVIEWER: 10 11 12 14 19 68 AR AV OS	A SAFT MI 24-MAR-93	MI	AS	16	
A MIL-STD-1249A	PROCEDURES FOR THE FUNCTIONAL CATEGORIZATION OF GUIDED MISSILE ELECTRICAL AND ELECTRONIC TEST FUNCTION ITEMS USER: 19 AR REVIEWER: 70 AS CR	A 4935 MI 12-APR-93	MI	OS	99	
A MIL-STD-1250A	CORROSION PREVENTION AND DETEIORATION CONTROL IN ELECTRONIC COMPONENTS AND ASSEMBLIES REVIEWER: 14 15 18 AL AV GL ME SH TD	A HFFP MI 29-JUN-92	MI	AS	11	
MIL-STD-1251A	SCREW & BOLTS PREFERRED FOR DESIGN, LISTING OF USER: AT MC SM REVIEWER: AV EA ME WV	A 5306 AR 15-SEP-81	AR	OS		
MIL-STD-1252	INERTIA FRICTION WELDING PROCESS, PROCEDURE AND PERFORMANCE QUALIFICATION [VALIDATION DATE: 8101] REVIEWER: AT EA MI MR	A THJM AR 30-JUN-75	AR	SH		
L MIL-STD-1256A(1)	RUBBER COATED PARTS FOR MACHINE GUN, 7.62MM, M50 [VALIDATION DATE: 8601]	A 1005 AR 19-JAN-76	AR			
MIL-STD-1257A NOTICE 1	RADIOGRAPHIC AND VISUAL SOUNDNESS REQUIREMENTS FOR COBALT-CHROMIUM ALLOY LINERS (FOR SMALL ARMS BARRELS) [VALIDATION DATE: 8707]	A NOTI AR 15-JUL-87	AR	OS	99	
L MIL-STD-1258 NOTICE 1	CHROMIUM PLATED 5.56MM, 7.62MM, AND CALIBER .30 SMALL ARMS BARREL BORES [VALIDATION DATE: 8705]	A 1005 AR 28-MAY-87	AR			
L MIL-STD-1260A	UNIFORM COST ACCOUNTING AND REPORTING SYSTEM (UCARS) REVIEWER: AR	A MISC AL 10-MAR-86	AL			
L MIL-STD-1261C(1)	ARC WELDING PROCEDURES FOR CONSTRUCTIONAL STEELS REVIEWER: AR AT DM ME MI	A THJM MR 05-FEB-91	MR			
MIL-STD-1264B NOTICE 2	RADIOGRAPHIC INSPECTION FOR SOUNDNESS OF WELDS IN STEEL BY COMPARISON TO GRADED ASTM E390 REFERENCE RADIOGRAPHS USER: AT ME OS TE REVIEWER: EA MI	A NOTI MR 18-JAN-89	MR	AS	11	
A L MIL-STD-1265A NOTICE 1	RADIOGRAPHIC INSPECTION, CLASSIFICATION AND SOUNDNESS REQUIREMENTS FOR STEEL CASTINGS [VALIDATION DATE: 9207] REVIEWER: AR AT AV EA ME	A NOTI MR 02-JUL-92	MR			
MIL-STD-1267 NOTICE 1	DIMENSIONING OF BARREL CHAMBERS OF SMALL ARMS WEAPONS [VALIDATION DATE: 8604] USER: MC REVIEWER: 84	A 1005 AR 16-APR-86	AR	OS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc / OMA Coordination Index	Document Number	Document Title	Doc. Syst. FSC / Aves	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DIA
L	MIL-STD-1270A(1) NOTICE 2	PATCHING OF WOOD STOCKS FOR THE 7.62MM, M14 AND M14E2 RIFLES (VALIDATION DATE: 8604)	A 1005	AR	16-APR-86	AR				
L	MIL-STD-1271B	SYMBOL TO SUPPLEMENT THE TEXT OF INSTRUCTION PLATE FOR MILITARY VEHICLES (VALIDATION DATE: 8709) USER: MC ME REVIEWER: 99	A 2320	AT	09-SEP-87	AT				
L	MIL-STD-1272A MIL-STD-1275A(2)	DOOR HARDWARE, VEHICULAR (VALIDATION DATE: 8308) USER: MC REVIEWER: CS MI ELECTRICAL CIRCUIT, 28 VOLT DC TRANSIENT CHARACTERISTICS FOR MILITARY VEHICLES (VALIDATION DATE: 8512) REVIEWER: CS TE	A 2540 A 2920	AT AT	06-MAY-88 23-APR-81	AT AT		99		
M	MIL-STD-1276E MIL-STD-1277B	LEADS FOR ELECTRONIC COMPONENT PARTS USER: CG MC REVIEWER: 17 99 AS ES SH SPLICES, CHIPS, TERMINALS, TERMINAL BOARDS, BINDING POSTS, ELECTRICAL (VALIDATION DATE: 8502) USER: AT MC REVIEWER: 17 AR AS EC GS MI OS	A 5999 A 5940	ER ER	18-MAY-93 28-DEC-83	ER ER	EC SH	85 85		
	MIL-STD-1278 NOTICE 1	FILTER, LIGHT, PHOTOGRAPHIC (VALIDATION DATE: 8605) USER: MI REVIEWER: CR GS	A 6760	70	23-MAY-86	ER	AS	99		
	MIL-STD-1279(1) NOTICE 2	METERS, ELECTRICAL INDICATING SELECTION AND USE OF (VALIDATION DATE: 8604) USER: CG MI REVIEWER: 11 67 ES MC ME SH	A 6625	CR	02-APR-86	CR	EC	99		
	MIL-STD-1280 NOTICE 1	KEYBOARD ARRANGEMENTS (VALIDATION DATE: 8205) REVIEWER: EC GL	A MFAC	CR	28-JAN-69	CR	SH	11		
L	MIL-STD-1281	INTERNAL TRANSIENT CONTROL FOR SOLID STATE POWER SUPPLIES (VALIDATION DATE: 8502) REVIEWER: TE	A MISC	ER	10-OCT-68	ER				
	MIL-STD-1285B	MARKING OF ELECTRICAL AND ELECTRONIC PARTS REVIEWER: 11 17 99 AR AS ES MC ME MI OS SH	A 59GP	ER	02-APR-90	ER	EC	85	DM	
	MIL-STD-1286D NOTICE 3	TRANSFORMER, INDUCTORS, AND COILS SELECTION AND USE OF USER: AS CG MC ME REVIEWER: 11 17 99 ES MI OS	A 5950	ER	30-JUN-87	ER	EC	85		
	MIL-STD-1288(3) MIL-STD-1289B	AIRCRAFT PROTECTION REQUIREMENTS NONNUCLEAR WEAPONS THREAT AIRBORNE STORES GROUND FIT AND COMPATIBILITY, REQUIREMENTS FOR REVIEWER: MI	A 15GP A GDRQ	AV AV	24-AUG-81 05-NOV-90	AV AS	AS	18		
L	MIL-STD-1290A MIL-STD-1293 NOTICE 1	LIGHT FIXED AND ROTARY-WING AIRCRAFT CRASH RESISTANCE ELECTRO-MECHANICAL COMMAND INSTRUMENT SYSTEM FOR ROTARY WING AIRCRAFT (VALIDATION DATE: 8604) REVIEWER: 11 TE	A 15GP A 6610	AV AV	26-SEP-88 16-APR-86	AV AV		99		
L	MIL-STD-1294A MIL-STD-1295A	ACOUSTICAL NOISE LIMITS IN HELICOPTERS REVIEWER: MI HUMAN FACTORS ENGINEERING DESIGN CRITERIA FOR HELICOPTER COCKPIT ELECTRO-OPTICAL DISPLAY SYMBOLLOGY	A MFAC A MFAC	AV AV	12-AUG-85 26-JUN-84	AV AV	AS	11		
D	MIL-STD-1300A(1) NOTICE 2	ENGINE, GASOLINE, AIR-COOLED, 6 BHP, MILITARY DESIGN, MODEL 44032, INSTALLATION PROCEDURES (VALIDATION DATE: 8711) USER: AT REVIEWER: CS YDI	A 2805	ME	16-NOV-87	ME	MC	99		
L	MIL-STD-1303B	PAINTING OF NAVAL ORDNANCE EQUIPMENT (VALIDATION DATE: 8204) USER: ME REVIEWER: MI	A MISC	OS	15-APR-75	OS				
L	MIL-STD-1306A MIL-STD-1308D	FLUORICS TERMINOLOGY AND SYMBOLS (VALIDATION DATE: 8108) REVIEWER: 71 MATERIAL APPLICATION AND PROCESSING REQUIREMENTS (CONTROLLED DISTRIBUTION)	A 1650 B MISC	AS SH	08-DEC-72 12-SEP-85	AV SH	AS SH	99 99		
D	MIL-STD-1309D	DEFINITIONS OF TERMS FOR TESTING, MEASUREMENT AND DIAGNOSTICS USER: CG ME OS YDI REVIEWER: 11 17 AS MC MI	A ATTS	SH	12-FEB-92	CR	SH	99		
A L	MIL-STD-1310F	SHIPBOARD BONDING, GROUNDING, AND OTHER TECHNIQUES FOR ELECTROMAGNETIC COMPATIBILITY AND SAFETY REVIEWER: AS EC OS	A EMCS	SH	30-DEC-92	SH				
	MIL-STD-1311B(3) NOTICE 3	TEST METHODS FOR ELECTRON TUBES USER: 19 AS AV CG MC ME OS SH REVIEWER: 11 17 99 AR MI SH	A 5960	EC	04-MAR-83	ER	EC	85		
	MIL-STD-1312B	FASTENERS, TEST METHODS REVIEWER: AV IS SH	A 53GP	AS	19-OCT-84	AR	AS	99		
	MIL-STD-1312-1	FASTENER TEST METHODS - METHOD 1, SALT SPRAY REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	MIL-STD-1312-2	FASTENER TEST METHODS - METHOD 2, INTERACTION REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	MIL-STD-1312-3	FASTENER TEST METHODS - METHOD 3, HUMIDITY REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	MIL-STD-1312-4	FASTENER TEST METHODS, METHOD 4, LAP JOINT SHEAR REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	DOD-STD-1312-5A	FASTENER TEST METHODS, METHOD 5, STRESS DURABILITY REVIEWER: AV IS SH	A 53GP	AS	19-OCT-84	AR	AS	11		
	MIL-STD-1312-5A	FASTENER TEST METHODS METHOD 5 STRESS DURABILITY REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	MIL-STD-1312-6	FASTENER TEST METHODS, METHOD 6, HARDNESS REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	MIL-STD-1312-7A	FASTENER TEST METHODS, METRIC, METHOD 7, VIBRATION (S/S BY DOD STD 1312-107) REVIEWER: AV IS SH	A 53GP	AS	26-MAR-84	AR	AS	11		
	DOD-STD-1312-8A	FASTENER TEST METHODS, METHOD 8, TENSILE STRENGTH REVIEWER: AV IS SH	A 53GP	AS	19-OCT-84	AR	AS	11		
	MIL-STD-1312-8A	FASTENER TEST METHODS METHOD 8, TENSILE STRENGTH REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	DOD-STD-1312-9A(1)	FASTENER TEST METHODS, METHOD 9, STRESS CORROSION REVIEWER: AV IS SH	A 53GP	AS	10-MAR-84	AR	AS	11		
	MIL-STD-1312-9A	FASTENER TEST METHODS METHOD 9, STRESS CORROSION REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	MIL-STD-1312-10	FASTENER TEST METHODS, METHOD 10, STRESS RUPTURE REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	DOD-STD-1312-11A(1)	FASTENER, TEST METHODS METHOD 11, TENSION FATIGUE REVIEWER: AV IS SH	A 53GP	AS	10-MAR-84	AR	AS	11		
	MIL-STD-1312-11A	FASTENER TEST METHODS METHOD 11, TENSION FATIGUE REVIEWER: AR IS SH	A 53GP	AS	19-OCT-84	AV	AS	11		
	MIL-STD-1312-12	FASTENER TEST METHODS, METHOD 12, THICKNESS OF METALLIC COATINGS REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-13A	FASTENER TEST METHODS METHOD 13 DOUBLE SHEAR TEST REVIEWER: AV IS SH	A 53GP	AS	23-AUG-91	AR	AS	99		
	MIL-STD-1312-14	FASTENER TEST METHODS METHOD 14 STRESS DURABILITY INTERNALLY THREADED FASTENERS REVIEWER: 99 AV IS SH	A 53GP	AS	05-JAN-87	AR	AS	11		
	MIL-STD-1312-15	FASTENER TEST METHODS, METHOD 15, TORQUE - TENSION REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-16A	FASTENER TEST METHODS METHOD 16, CLAMPING FORCE FOR INSTALLATION FORMED FASTENERS REVIEWER: IS SH	A 53GP	AS	20-NOV-91	AV	AS	99		
	MIL-STD-1312-17	FASTENER TEST METHODS, METHOD 17, STRESS RELATION REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-18	FASTENER TEST METHODS, METHOD 18, ELEVATED TEMPERATURE TENSILE STRENGTH REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-19A	FASTENER TEST METHODS METHOD 19 FASTENER SEALING REVIEWER: IS SH	A 53GP	AS	12-DEC-90	AV	AS	99		
	MIL-STD-1312-20	FASTENER TEST METHODS, METHOD 20, SINGLE SHEAR REVIEWER: AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-21	FASTENER TEST METHODS, METHOD 21, SHEAR JOINT FATIGUE CONSTANT AMPLITUDE REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-22	FASTENER TEST METHODS, METHOD 22, RECEPTACLE PUSH OUT, PANEL FASTENERS REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-23	FASTENER TEST METHODS, METHOD 23, TENSILE STRENGTH OF PANEL FASTENERS REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-24	FASTENER TEST METHODS, METHOD 24, RECEPTACLE TORQUE OUT, PANEL FASTENERS REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-25	FASTENER TEST METHODS, METHOD 25, DRIVING RECESS TORQUE QUALITY CONFORMANCE TEST REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-26	FASTENER TEST METHODS, METHOD 26, STRUCTURAL PANEL FASTENER LAP JOINT SHEAR REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-27	FASTENER TEST METHODS, METHOD 27, PANEL FASTENER SHEET PULL UP REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-28	FASTENER TEST METHODS, METHOD 28, ELEVATED TEMPERATURE DOUBLE SHEAR REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-29	FASTENER TEST METHODS, METHOD 29, MEASUREMENT TECHNIQUES FOR DETERMINING SHANK EXPANDING CHARACTERISTICS OF DEFORMABLE FASTENERS REVIEWER: 82 99 AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-30	FASTENER TEST METHODS, METHOD 30, SHEET PULL-UP OF BLIND FASTENERS REVIEWER: AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	MIL-STD-1312-31	FASTENER TEST METHODS, METHOD 31, TORQUE REVIEWER: AV IS SH	A 53GP	AS	26-JUL-85	AR	AS	11		
	DOD-STD-1312-105	FASTENER TEST METHODS, METRIC METHOD 105 STRESS DURABILITY REVIEWER: AV IS SH	A 53GP	AS	26-MAR-84	AR	AS	11		
	DOD-STD-1312-107	FASTENER TEST METHODS, METRIC METHOD 107, VIBRATION REVIEWER: AV IS SH	A 53GP	AS	26-MAR-84	AR	AS	11		
	DOD-STD-1312-108	FASTENER TEST METHODS, METRIC METHOD 108 TENSILE STRENGTH REVIEWER: AV IS SH	A 53GP	AS	26-MAR-84	AR	AS	11		
	DOD-STD-1312-109	FASTENER TEST METHODS, METRIC METHOD 109 STRESS CORROSION REVIEWER: AV IS SH	A 53GP	AS	26-MAR-84	AR	AS	11		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action CPL / OMA Coordination Inhouse	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	DOD-STD-1312-111	FASTENER TEST METHODS, METRIC METHOD 111 TENSION FATIGUE REVIEWER: AV 1S SH	A 53GP	AS	26-MAR-84	AR	AS	11	
	DOD-STD-1312-113	FASTENER TEST METHODS, METRIC METHOD 113 DOUBLE SHEAR TEST REVIEWER: AV 1S SH	A 53GP	AS	26-MAR-84	AR	AS	11	
D	MIL-STD-1316D MIL-STD-1319A NOTICE 2	FUZE DESIGN SAFETY, CRITERIA FOR REVIEWER: 18 99 AS MI ..... ITEM CHARACTERISTICS AFFECTING TRANSPORTABILITY AND PACKAGING AND HANDLING EQUIPMENT DESIGN (VALIDATION DATE: 9103) REVIEWER: 10 11 13 15 16 AR AS AV DH DS GL MC ME MI SA SH YD1	A 13GP A 8140	AR OS	09-APR-91 13-MAR-91	AR MT	OS OS	11 69	
L	MIL-STD-1320C(1) NOTICE 1	TRUCKLOADING OF AMMUNITION AND HAZARDOUS MATERIALS USER: SA SH REVIEWER: AS MC	A 8140	OS	01-MAR-91		OS		
L	MIL-STD-1320-1 NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS-PALLETIZED UNIT LOADS SINGLE ROW PATTERN (VALIDATION DATE: 8704)	A 8140	OS	06-APR-87		OS		
L	MIL-STD-1320-2 NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS PALLETIZED UNIT LOADS DOUBLE ROW PATTERN (VALIDATION DATE: 8704)	A 8140	OS	06-APR-87		OS		
L	MIL-STD-1320-3 NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS, PALLETIZED UNIT LOADS CHIMNEY PATTERN (VALIDATION DATE: 8704)	A 8140	OS	06-APR-87		OS		
L	MIL-STD-1320-5 NOTICE 1	TRUCKLOADING BOMBS, GENERAL PURPOSE MK 81 & MODS (250 LB) (WITH PLASTIC MOSE PLUGS) IN PALLET, BOMB MK 8 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809) REVIEWER: AS	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-7A NOTICE 1	TRUCKLOADING BOMB, GENERAL PURPOSE MK 83 AND MODS (1000 LB) IN PALLET ADAPTER MK 11 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-8 NOTICE 1	TRUCKLOADING, TALOS MISSILE WARHEAD ASSEMBLIES IN CONTAINER MK 286 (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
A L	MIL-STD-1320-12A(1)	TRUCKLOADING, TORPEDO MK 44 AND MK 48 ASSEMBLIES IN CONTAINER MK 197 MOD 1	A 8140	OS	02-DEC-91		OS		
L	MIL-STD-1320-15 NOTICE 1	TRUCKLOADING ROCKET MOTOR MK 1 MOD 0 OR MK 37 MOD 0 (ASROC) IN CONTAINER MK 178 MOD 0 (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-16 NOTICE 1	TRUCKLOADING ADAPTION KIT MK 28 MOD 1 IN CONTAINER MK 182 MOD 1 (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-18(2) NOTICE 4	TRUCKLOADING BOOSTER MK 12 MOD 0 AND 1 IN CONTAINER MK 200 MOD 0 AND 1 (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-25	TRUCKLOADING GUIDED WEAPON MK 1 MOD 0 (WALLEYE) IN CONTAINER MK 426 MOD 0 REVIEWER: AS	A 8140	OS	10-MAR-87		OS		
L	MIL-STD-1320-44 NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 8/55 AP, MK 21 AND MODS MC, MK 24 OR MK 25 AND MODS FLEET ISSUE LOAD LIST (VALIDATION DATE: 8704)	A 8140	OS	08-APR-87		OS		
L	MIL-STD-1320-49A NOTICE 2	TRUCKLOADING MINE, UNDERWATER MK 55 AND MODS IN CRATE UNDERWATER MINE MK 55 MOD 1 DOMESTIC UNIT LOAD MK-53/714	A 8140	OS	27-MAR-92		OS		
L	MIL-STD-1320-53C	TRUCKLOADING UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, MK 84 AND MODS (2000 LB) IN ADAPTER, UNIT LOAD, MK 79 MOD 0 REVIEWER: AS	A 8140	OS	23-OCT-90		OS		
L	MIL-STD-1320-55 NOTICE 2	TRUCKLOADING TRAILER-ON-FLAT-CAR (TOFC) OR CONTAINER-ON-FLAT-CAR (COFC) MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0 DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS	A 8140	OS	27-MAR-92		OS		
L	MIL-STD-1320-56 NOTICE 1	TRUCKLOADING CHARGE, PROPELLING 5 INCH/38 IN TANK MK15 MOD 1 DOMESTIC UNIT LOAD (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-65(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS BOMB CLUSTER MK 20 MODS 2, 3, & 4 IN CONTAINER MK 427 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
A L	MIL-STD-1320-73	TRUCKLOADING SPARROW III MISSILE, (RIM-7D, RIM-7E, RIM-7F, RIM-7M, AND RIM-7P) IN CONTAINER MK 470 MOD 0 AND MOD 1 REVIEWER: AS	A 8140	OS	16-SEP-91		OS		
L	MIL-STD-1320-75A NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 5 INCH /54 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-83 NOTICE 1	TRUCKLOADING GUIDED MISSILE, AIM-9G OR 9H IN CRADLE, MK 16 MOD 0 OR AIM-9G, 9H OR 9L IN CONTAINER, CMU-287/E W/O WINGS AND FINS (SIDEWINDER) UNIT LOAD UNDERWAY REPLENISHMENT REVIEWER: AS	A 8140	OS	10-OCT-86		OS		
L	MIL-STD-1320-84A NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 5 INCH /38 IN CARTRIDGE TANK MK15 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809) REVIEWER: AS	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-100 NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 82 AND MODS (500LB) AIR FORCE UNIT LOAD TPO 1325-294-4152 THROUGH REV AA (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-101 NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS BOOSTER MK 11 MODS 2 & 5 (TALOS) IN CONTAINER MK 576 MOD 0 (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-102 NOTICE 1	TRUCKLOADING SMOKELESS POWDER FOR CANNON IN PACKING BOX MK 7 AND MODS DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-103(1) NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS BOOSTER, MK 12 MOD 0 & 1 IN CONTAINER MK 578 MOD 0 (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
M LI	MIL-STD-1320-104 NOTICE 2	TRUCKLOADING BOMB, 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD	A 8140	OS	25-FEB-93		OS		
L	MIL-STD-1320-106A NOTICE 1	TRUCKLOADING CHARGE, PROPELLING, 5 INCH /54 DOMESTIC UNIT LOAD (VALIDATION DATE: 8809) REVIEWER: AS	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-108 NOTICE 1	TRUCKLOADING ROCKET MOTOR MK 52 AND MODS (SPARROW) OR, ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809) REVIEWER: AS	A 8140	OS	30-SEP-88		OS		
L	MIL-STD-1320-109A(1) NOTICE 1	TRUCKLOADING BOMB, PRACTICE MK 76 MODS 4, 5, AND 7 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809)	A 8140	OS	30-SEP-88		OS		
M LI	MIL-STD-1320-112A NOTICE 3	TRUCKLOADING BOMB 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MMA-122/E FLEET ISSUE UNIT LOAD	A 8140	OS	25-FEB-93		OS		
A L	MIL-STD-1320-113C(2)	TRUCKLOADING TORPEDO, MK 48 MODS 1,3,4 IN CONTAINER MK 481 MODS 0,1 OR TORPEDO MK 48 ADCAP IN CONTAINER MK 746 MOD 0	A 8140	OS	30-OCT-91		OS		
L	MIL-STD-1320-114(1) NOTICE 2	TRUCKLOADING, NITROGUANIDINE, HIGH BULK DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-115A NOTICE 2	TRUCKLOADING, ROCKET LAUNCHER, LAU-69/A DOMESTIC UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-116(2) NOTICE 3	TRUCKLOADING GRAIN PROPELLANT MK 80 MOD 0 IN PALLET CRATE MK 107 MOD 0 DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-118(1) NOTICE 2	TRUCKLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CMU-159/E DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-119(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS WING ASSEMBLIES AND TAIL FINS GUIDED MISSILE AGM-45A (SHRIKE) IN CONTAINER CMU-171/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-120 NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, M117, (750LB) AIR FORCE UNIT LOAD TPO 1325-232-6331 REV F (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-121 NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 6 INCHES AAC, MC OR AP IN PALLET ADAPTER MK 20 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8511)	A 8140	OS	29-JAN-74		OS		
L	MIL-STD-1320-132	TRUCKLOADING WARHEAD, MK 103 MOD 0 (FOR MK 46 TORPEDO) IN CONTAINER, MK 301 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4, AND 6 DOMESTIC UNIT LOAD	A 8140	OS	18-NOV-88		OS		
L	MIL-STD-1320-140A(2) NOTICE 3	TRUCKLOADING ROCKET MOTOR CLUSTER, LAU-10/A, LAU-10A/A LAU-10B/A OR LAU-10C/A LAUNCHER (ZUMI) FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-150(1) NOTICE 2	TRUCKLOADING GUIDED WEAPON MK 5 AND MODS (WALLEYE) IN CONTAINER CMU-154 A/E OR CMU-154 B/E (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1320-151A NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS 5 INCH/38 PROJECTILE IN PALLET ADAPTER MK11 MOD 1 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8704) REVIEWER: AS	A 8140	OS	08-APR-87		OS		
L	MIL-STD-1320-152A NOTICE 1	TRUCKLOADING OF HAZARDOUS MATERIALS PROJECTILE, 5 INCHES /54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8704)	A 8140	OS	08-APR-87		OS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active / CDR / Coordination / Document	Document Title	Dist. Smt. / FSC / Aves. / MCA Symbol / Preparing Act. / Date	Custodians			
			Army	Navy	Air Force	DLA
L MIL-STD-1320-153(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, CBU-55/B, CBU-55A/B OR CBU-72/B (FUEL AIR EXPLOSIVE) IN CONTAINER CMU-208/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-154(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING, 6 INCH /47 IN CARTRIDGE TANK MK 4 IN PALLET ADAPTER MK 18 MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809)	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-155(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AIM-7E OR 7F (SPARROW) (LESS WINGS AND FINS) IN CONTAINER CMU-166/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809) REVIEWER: AS	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-157(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 6 INCH /47 DOMESTIC UNIT LOAD (VALIDATION DATE: 8809) REVIEWER: AS	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-159A(1) NOTICE 2	TRUCKLOADING PHOENIX MISSILE AIM-54A (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER CMU-242/E (VALIDATION DATE: 9103) REVIEWER: AS	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-160C	TRUCKLOADING MINE, UNDERWATER, MK 60 MOD 0 IN SKID, MK 24 MOD 0	A 8140 05 18-NOV-88	05			
L MIL-STD-1320-161(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS BEAKER, EXPLOSIVE, 5 INCH /54 PROJECTILE DOMESTIC UNIT LOAD (VALIDATION DATE: 8809)	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-162(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE 11) AND CBU-78/B (GATOR) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809) REVIEWER: AS	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-163(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS CRADLE, STORAGE, MK 20 MOD 0 OR 1 CRADLE, STORAGE, MK 8 MOD 0 DOMESTIC UNIT LOAD (VALIDATION DATE: 8809)	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-164 NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76 MM/62 CALIBER CHARGE, CLEANING, 76 MM/62 CALIBER IN PALLET ADAPTER MK 121 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809)	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-165(1) NOTICE 3	TRUCKLOADING OF HAZARDOUS MATERIALS GUIDED MISSILE, AGM-45 OR 45B (SHRIKE) IN CONTAINER CMU-167/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8809)	A 8140 05 30-SEP-88	05			
L MIL-STD-1320-166 NOTICE 3	TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 56 MOD 0 IN CRATE MK 56 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR	A 8140 05 27-MAR-92	05			
L MIL-STD-1320-167(2) NOTICE 3	TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 55 AND MOD 0 IN CRATE MK 55 MOD 1 (CONFIGURATION B) SUB ASSEMBLY W/ASSOCIATED FLIGHT GEAR (VALIDATION DATE: 8903)	A 8140 05 14-MAR-89	05			
M LI MIL-STD-1320-168(2) NOTICE 4	TRUCKLOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 IN CRATE MK 52 MOD 0 "CONFIGURATION B" SUB ASSEMBLY WITH ASSOCIATED FLIGHT GEAR	A 8140 05 25-FEB-93	05			
L MIL-STD-1320-169(2) NOTICE 3	TRUCKLOADING HARPOON MISSILE RGM-84A-1 (ASROC) IN CONTAINER MK 608 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
M LI MIL-STD-1320-170 NOTICE 3	TRUCKLOADING BOMB, MK 82 AND MODS (500 LBS) IN MAU-149/E AIR FORCE UNIT LOAD TPO 01-006-5657	A 8140 05 25-FEB-93	05			
L MIL-STD-1320-171(1) NOTICE 2	TRUCKLOADING DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE 11) OR CBU-55A/B OR CBU-72/B (FAE) OR CBU-59/B (APAM) IN CONTAINER, CMU-238/E FLEET ISSUE UNIT LOADS (VALIDATION DATE: 8903) REVIEWER: AS	A 8140 05 14-MAR-89	05			
L MIL-STD-1320-172(1) NOTICE 2	TRUCKLOADING DISPENSER AND BOMB, AIRCRAFT, CBU-59/B, COMPLETE (APAM) DISPENSER AND BOMB, AIRCRAFT, CBU-59(T-1)/B, TRAINING IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8903)	A 8140 05 14-MAR-89	05			
L MIL-STD-1320-173(1) NOTICE 2	TRUCKLOADING DISPENSER, FLARE SAL-25 C/A (EMPTY) ON PALLET, LOADING AND STORAGE MAU-146/E (VALIDATION DATE: 8903)	A 8140 05 14-MAR-89	05			
L MIL-STD-1320-174A	TRUCKLOADING WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND MDU-25/B DOMESTIC UNIT LOAD	A 8140 05 11-JAN-90	05			
L MIL-STD-1320-175C	TRUCKLOADING ROCKET MOTOR MK 27 OR MK 56 AND MODS (DTRM) IN CONTAINER, MK 593 MOD 0 AND SUSTAINER, MK 30 MODS IN CONTAINER, MK 737 MOD 0	A 8140 05 11-JUL-88	05			
L MIL-STD-1320-176(1) NOTICE 2	TRUCKLOADING WARHEAD, TACTICAL, WAU-3(V)/B (HARPOON) EXERCISE SECTION, AN/DTK-46 (HARPOON) IN CONTAINER MK 592 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-177	TRUCKLOADING CARTRIDGE, 5.125 INCH MK 182 (SUPER RBOC) CARTRIDGE, 5.125 INCH MK 186 (TORCH) IN PALLET ADAPTER MK 144 UNIT LOAD, UNDERWAY REPLENISHMENT (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-178 NOTICE 1	TRUCKLOADING CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 DOMESTIC AND FLEET ISSUE LOADS (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-179 NOTICE 1	TRUCKLOADING 20MM, MK 100 SERIES NOT LINKED, BULK PACK FOR MK 11 OR MK 12 GUN FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-180 NOTICE 1	TRUCKLOADING CARTRIDGE 20MM, MK 100 SERIES (NOT LINKED) FOR MK 11 OR MK 12 GUN IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
M LI MIL-STD-1320-183A NOTICE 3	TRUCKLOADING MINE, UNDERWATER MK 65 MOD 0 AND MODS IN SKID MK 25 MOD 2 ....	A 8140 05 25-FEB-93	05			
A L MIL-STD-1320-184B(2) NOTICE 1	TRUCKLOADING, TORPEDO MK 48 EXERCISE/ADCAP SHAPES IN CONTAINER MK 481 MODS 0.1 OR CONTAINER MK 746 MOD 0	A 8140 05 30-OCT-91	05			
L MIL-STD-1320-185 NOTICE 1	TRUCKLOADING PHOENIX GUIDANCE SECTION IN CONTAINER CMU-234/E (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
M LI MIL-STD-1320-186A NOTICE 3	TRUCKLOADING MINE, UNDERWATER MK 57 MOD 0 "CONFIGURATION A" IN CRATE MK 109 MOD 0	A 8140 05 25-FEB-93	05			
M LI MIL-STD-1320-187B NOTICE 2	TRUCKLOADING MINE, UNDERWATER MK 52 AND MODS CONFIGURATION B, C AND D IN CRATE, UNDERWATER MINE MK 52 AND MODS DOMESTIC AND UNDERWAY REPLENISHMENT UNIT LOADS	A 8140 05 25-FEB-93	05			
L MIL-STD-1320-188 NOTICE 1	TRUCKLOADING, HARPOON MISSILE AGM-84A (WITH WINGS AND FINS) IN SHIPPING AND STORAGE CONTAINER MK 607 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-189B(1) NOTICE 2	ORUCKLOADING, HARPOON CANNISTER LOADED WITH GUIDED MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 631 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-190(1) NOTICE 2	TRUCKLOADING, SUSTAINER SECTION A/B44G-1 HARPOON GUIDED MISSILE IN CONTAINER MK 621 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-191 NOTICE 1	TRUCKLOADING, ROCKET MOTOR SECTION, BOOSTER A/B44G-2 OR A/B44G-3 HARPOON GUIDED MISSILE IN CONTAINER MK 618 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-192 NOTICE 1	TRUCKLOADING, GUIDANCE SECTION, GUIDED MISSILE (HARPOON) AN/DSQ-28 IN CONTAINER MK 619 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-193 NOTICE 1	TRUCKLOADING, TORPEDO, MK 37 MOD 3 MAIN ASSEMBLY IN CONTAINER MK 258 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-194 NOTICE 1	TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 IN CONTAINER MK 318 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-196A NOTICE 1	TRUCKLOADING, ENCAPSULATED, HARPOON MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 630 MOD 0 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
LI MIL-STD-1320-198A NOTICE 1	TRUCKLOADING CASE, UNDERWATER MINE MK 25 AND MODS IN CRATE MK 25 FLEET ISSUE UNIT LOAD	A 8140 05 27-MAR-92	05			
L MIL-STD-1320-200A NOTICE 1	TRUCKLOADING TORPEDO, DUMMY AND EXERCISE MK 37 MOD 2 AND MOD 3 IN SHIPPING AND STORAGE SKID OR BARE (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-201A	TRUCKLOADING TORPEDO MK 46 ASSEMBLIES IN CONTAINER MK 535 MOD 0	A 8140 05 20-AUG-90	05			
L MIL-STD-1320-202(1) NOTICE 2	TRUCKLOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE 11) IN CONTAINER CBU-319/E AND CBU-78/B (GATOR) UNIT LOAD UNDERWAY REPLENISHMENT (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-203 NOTICE 1	TRUCKLOADING TORPEDO, MAIN ASSEMBLY MK 37 MOD 2 AND MOD 3 (VALIDATION DATE: 9103)	A 8140 05 13-MAR-91	05			
L MIL-STD-1320-204 NOTICE 1	TRUCKLOADING ROCKET MOTOR MK 45 IN CONTAINER DS 11130 (VALIDATION DATE: 8704)	A 8140 05 08-APR-87	05			
A L MIL-STD-1320-205B NOTICE 2	TRUCKLOADING STANDARD MISSILE (MR) IN VLS CANNISTER MK 13 MOD 0	A 8140 05 08-SEP-92	05			
LI MIL-STD-1320-206A NOTICE 2	TRUCKLOADING MINE UNDERWATER, MK 55 AND MODS CONFIGURATION B & C IN CRATE MK 55 MOD 1 WITH ADAPTERS MK 112 MOD 0 FLEET ISSUE UNIT LOAD	A 8140 05 27-MAR-92	05			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action CPL / OMA Combination Machine	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Proprietary Acy	Date	Custodians			
						Army	Navy	Air Force	DIA
A L	MIL-STD-1320-2070	TRUCKLOADING GUIDED MISSILE U/RGM-109 (TOMAHAWK) IN SHIPPING AND STORAGE CONTAINER CMU-308/E	A 8140	05	25-NOV-91	05			
L	MIL-STD-1320-208	TRUCKLOADING HARM MISSILE AGM-88A IN CONTAINER CMU-295/E [VALIDATION DATE: 8512]	A 8140	05	22-SEP-81	05			
L	MIL-STD-1320-210	TRUCKLOADING WALLEYE I GUIDED WEAPON IN SHIPPING AND STORAGE CONTAINER CMU-354/E [VALIDATION DATE: 8903]	A 8140	05	14-MAR-89	05			
L	MIL-STD-1320-211	TRUCKLOADING, WARHEAD SECTION FOR MISSILE, AGM-88A (HARM) IN CMU-353/E CONTAINER [VALIDATION DATE: 9103]	A 8140	05	13-MAR-91	05			
L	MIL-STD-1320-212	TRUCKLOADING ROCKET MOTOR FOR MISSILE AGM-88A (HARM) IN CMU-354/E CONTAINER [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	05	13-MAR-91	05			
L	MIL-STD-1320-213(1)	TRUCKLOADING STANDARD MISSILE (MR) RIM-66A-1.2; RIM-66C; RIM-66D-1.2; RIM-66E-1.2; RIM-66H OR RIM-66J IN CONTAINER MK 372 MOD 7 [VALIDATION DATE: 9103]	A 8140	05	13-MAR-91	05			
L	MIL-STD-1320-214	TRUCKLOADING MINE, UNDERWATER MK 55 CONFIGURATION A IN CRATE MK 111 MOD 0.	A 8140	05	13-SEP-85	05			
L I	MIL-STD-1320-215	TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 258 MOD 0	A 8140	05	27-MAR-92	05			
L I	MIL-STD-1320-216	TRUCKLOADING MINE, UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 318 MOD 0	A 8140	05	27-MAR-92	05			
L I	MIL-STD-1320-217	TRUCKLOADING MINE, UNDERWATER MK 52 "CONFIGURATION A" IN CRATE MK 110 MOD 0	A 8140	05	14-APR-92	05			
L I	MIL-STD-1320-218	TRUCKLOADING AIRBOC IN PALLET CRATE, CMU-313/E REVIEWER: AS	A 8140	05	27-MAR-92	05			
L I	MIL-STD-1320-219	TRUCKLOADING MINE, UNDERWATER MK 67, SERVICE OR EXERCISE AND TRAINING IN CONTAINER MK 704 MOD 0	A 8140	05	27-MAR-92	05			
L I	MIL-STD-1320-220	TRUCKLOADING MINE UNDERWATER MK 67 MOD 2 (SLMM) BODY, MAIN ASSEMBLY, MK 4 MOD 0 IN CONTAINER MK 640 MOD 0	A 8140	05	27-MAR-92	05			
L	MIL-STD-1320-221	TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0	A 8140	05	09-APR-85	05			
L	MIL-STD-1320-222(4)	TRUCKLOADING GUIDED MISSILE BGM-109 (TOMAHAWK-CLS) IN SHIPPING SKID MK 30 MODS 0 AND 1	A 8140	05	03-MAR-91	05			
L	MIL-STD-1320-223B	TRUCKLOADING GUIDED MISSILE RGM-109 (TOMAHAWK) VLS CANISTER MK 14 MODS 0 AND 1	A 8140	05	11-OCT-89	05			
L	MIL-STD-1320-224	TRUCKLOADING VERTICAL LAUNCHING SYSTEM MK 33 MOD 0 LOADER DOLLY CANISTER/MISSILE	A 8140	05	08-FEB-86	05			
L	MIL-STD-1320-225	TRUCKLOADING, AMRAAM, AIM-120A IN CONTAINER, CMU-415/E REVIEWER: AS	A 8140	05	15-APR-87	05			
L	MIL-STD-1320-226	TRUCKLOADING HARPOON THICKWALL CANISTER LOADED WITH GUIDED MISSILERGM-84A-5 IN SHIPPING AND STORAGE CONTAINER MK 694 MOD 0	A 8140	05	09-APR-86	05			
L	MIL-STD-1320-227	TRUCKLOADING TORPEDO MK 50 (ALWT) FOR OPEVALAND TECHEVAL IN SHIPPING AND STORAGE CONTAINER EX 699	A 8140	05	14-APR-86	05			
L	MIL-STD-1320-228	TRUCKLOADING DOLLY, MISSILE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL6212586 UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT	A 8140	05	11-JAN-88	05			
L	MIL-STD-1320-231	TRUCKLOADING GUIDED MISSILE, AGM-136A (TACIT RAINBOW) IN SHIPPING AND STORAGE CONTAINER, CMU-432/E UNIT LOAD FOR UNDERWAY REPLENISHMENT REVIEWER: AS	A 8140	05	24-AUG-90	05			
L	MIL-STD-1320-232A	TRUCKLOADING GUIDED MISSILE, AGM-119 B (PENGUIN) IN CONTAINER, SHIPPING AND STORAGE, CMU-443/E WITH WINGS AND CANARDS IN CONTAINER, SHIPPING AND STORAGE, CMU-450/E REVIEWER: AS	A 8140	05	02-OCT-89	05			
L	MIL-STD-1320-233	TRUCKLOADING DUAL THRUST ROCKET MOTOR FOR SM-2 BLOCK II MISSILE MK 104 IN CONTAINER, MK 693 MOD 0	A 8140	05	13-DEC-88	05			
L	MIL-STD-1320-235	TRUCKLOADING ENCAPSULATED TOTEM, TOTEM VEHICLE AND EXPENDED CAPSULE	A 8140	05	18-NOV-88	05			
L	MIL-STD-1320-237A	TRUCKLOADING MK 50 TORPEDO (MARSHOT AND EXERCISE) IN SHIPPING AND STORAGE CONTAINER, MK 714 MOD 0 AND 1	A 8140	05	18-MAR-91	05			
L	MIL-STD-1320-238	TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, LONG ROUND	A 8140	05	10-MAR-89	05			
L	MIL-STD-1320-239	TRUCKLOADING AMPHIBIOUS UNIT LOAD 155MM PROJECTILES, SHORT ROUND	A 8140	05	10-MAR-89	05			
L	MIL-STD-1320-242	TRUCKLOADING STANDARD MISSILE EXTENDED RANGE (ER) IN SHIPPING AND STORAGE CONTAINER MK 721 MOD 0	A 8140	05	08-JUN-89	05			
L	MIL-STD-1320-243	TRUCKLOADING RAM ROUND PACK IN MK 734 MOD 0 CONTAINER	A 8140	05	08-JUN-89	05			
L	MIL-STD-1320-244	TRUCKLOADING MINE, UNDERWATER, MK 67 MOD 0 (SLMM) BARE	A 8140	05	25-OCT-90	05			
L	MIL-STD-1320-245	TRUCKLOADING GUIDED MISSILE STANDARD MK AND (ASROC) IN VLS CANISTER MKS 13, 14 AND 15 AND MODS MIXED LOADS REVIEWER: AS	A 8140	05	25-SEP-89	05			
L	MIL-STD-1320-246A	TRUCKLOADING CLS BALLAST CANS CHOICKED	A 8140	05	15-OCT-90	05			
L	MIL-STD-1320-247	TRUCKLOADING UNIT LOADS AIM-9M (SIDEWINDER) AND AGM-122A (SIDEARM) IN CONTAINERS CMU-435/E AND CMU-434/E RESPECTIVELY	A 8140	05	12-JUL-89	05			
L	MIL-STD-1320-248	TRUCKLOADING VERTICAL LAUNCHED ASROC MISSILE IN VLS CANISTER MK 15 MOD 0	A 8140	05	07-SEP-89	05			
L	MIL-STD-1320-249(1)	TRUCKLOADING GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CMU-399/E OR CMU-472/E UNIT LOAD FOR UNDERWAY REPLENISHMENT	A 8140	05	29-JUN-90	05			
A L	MIL-STD-1320-250(2)	TRUCKLOADING, ROCKET MOTOR, MK 114 MOD 0 IN CONTAINER MK 733 MOD 0	A 8140	05	18-SEP-92	05			
L	MIL-STD-1320-251	TRUCKLOADING GUIDED MISSILE, AGM-84-E AND ATM-84-E (SLAM) IN CONTAINER MK 724 MOD 0	A 8140	05	11-JAN-90	05			
L	MIL-STD-1320-253	TRUCKLOADING UNIT LOADS OF AMRAAM, AIM-120A IN CONTAINER, CMU-415A/E REVIEWER: AS	A 8140	05	08-MAY-91	05			
L	MIL-STD-1320-254	TRUCKLOADING UNIT LOADS GUIDED MISSILE AGM-65 (MAVERICK) IN SHIPPING AND STORAGE CONTAINER, CMU-447/E	A 8140	05	01-MAY-91	05			
L	MIL-STD-1320-257	TRUCKLOADING RAM ROUND PACK IN MK 749 MOD 0 CONTAINER	A 8140	05	01-MAY-91	05			
A L	MIL-STD-1320-258	TRUCKLOADING VERSATILE EXERCISE MINE SYSTEM (VEMS) IN MINE CRATES MK113 AND MK114	A 8140	05	09-SEP-91	05			
A L	MIL-STD-1320-260	TRUCKLOADING AMRAAM MIXED LOAD CONTROL SECTION IN CMU-402/E (DOMESTIC UNIT LOAD) WARHEAD SECTION IN CMU-403/E (DOMESTIC UNIT LOAD) GUIDANCE SECTION I IN CMU-463/E PROPELLION SECTION IN CMU-464/E REVIEWER: AS	A 8140	05	29-JUL-91	05			
A L	MIL-STD-1320-262	TRUCKLOADING DUAL THRUST ROCKET MOTOR (DTRM) MK 104 MODS 1, 2 & 3 IN SHIPPING AND STORAGE CONTAINER MK 750 MOD 0 REVIEWER: AS	A 8140	05	04-SEP-91	05			
A L	MIL-STD-1320-264	TRUCKLOADING VLS CANISTERS MKS 13, 14 & 15 AND ALL MODS AND MIXED LOADS "EMPTY AND W/O PYST"	A 8140	05	23-SEP-92	05			
A L	MIL-STD-1320-265	TRUCKLOADING AMMO PAK, GFK 11/A49E-10 IN CMU-492/E AND GUN PAK, GAK 14/A49E-10 IN CMU-493/E REVIEWER: AS	A 8140	05	11-OCT-91	05			
A L	MIL-STD-1320-268	TRUCKLOADING MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 757 MOD 0	A 8140	AS	20-JAN-92	AS			
L	MIL-STD-1322A	UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR DOMESTIC AND OVERSEAS SHIPMENT USER: SA REVIEWER: AR AS MC	A 8140	05	19-MAR-86	AL 05			
L	MIL-STD-1322-1	PALLETIZING DOMESTIC UNIT LOAD SPARROW III AMM-N-6-6A ANTENNA ASSEMBLY (REAR) (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-2	PALLETIZING DOMESTIC UNIT LOAD SPARROW III AMM-N-6-6A - IGNITER MK 172 MOD 0 - INERT (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-3	PALLETIZING DOMESTIC UNIT LOAD BULLPUP 7-BOMB FUZE WITH TWO BOOSTERS	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-4	PALLETIZING DOMESTIC UNIT LOAD BULLPUP 7A TRANSMITTER CRYSTAL (IN FIBERBOARD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-5	PALLETIZING DOMESTIC UNIT LOAD BULLPUP IGNITER (IN ROCKET CONTAINER MK 2 MOD 0)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-6	PALLETIZING DOMESTIC UNIT LOAD HAWK-IGNITIATOR, ROCKET MOTOR (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-7	PALLETIZING DOMESTIC UNIT LOAD HAWK-BOOSTER CHARGE, ROCKET MOTOR-INERT (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-8	PALLETIZING DOMESTIC UNIT LOAD BULLPUP, 7, 7A, TRACKING OR PARASITIC FLARES (IN WOOD BOX)	A 8140	05	14-AUG-69	05			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action OR / ORA Coordination Involvement	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Amt.	Date	Custodians			
							Army	Navy	Air Force	DLA
L	MIL-STD-1322-9	PALLETIZING DOMESTIC UNIT LOAD SPARROW III AAM-86, 6A WINGS AND FINS (IN METAL CONTAINER)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-10	PALLETIZING DOMESTIC UNIT LOAD WEAPON "A" ROCKET MOTOR 5.25-INERT (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-11	PALLETIZING DOMESTIC UNIT LOAD ADAPTER, CLUSTER, BOMB M16 & 16A1 .....	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-12	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, AM-M-102A2-INERT (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-13	PALLETIZING DOMESTIC UNIT LOAD PISTOL, DEPTH CHARGE MK 6 MOD 0-M/O DETONATOR-INERT (IN CONTAINER MK 1)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-14	PALLETIZING DOMESTIC UNIT LOAD CONTROL UNIT, PARACHUTE, MK 66 MOD 0 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-15	PALLETIZING DOMESTIC UNIT LOAD EXTENDER MECHANISM, UNDERWATER MINE, MK 14 MOD 2 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-16	PALLETIZING DOMESTIC UNIT LOAD BATTERY, PROPULSION, MK 41 MOD 1 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-17	PALLETIZING DOMESTIC UNIT LOAD FLARE, TRACKING, GUIDED MISSILE, MK 21 MOD 0, F/SIDEWINDER (IN AMMO COMPONENT BOX MK 2)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-18	PALLETIZING DOMESTIC UNIT LOAD GENERATOR, GAS, MK 1 MOD 1, F/SIDEWINDER (IN CONTAINER MK 2 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-19	PALLETIZING DOMESTIC UNIT LOAD IGNITER, GAS GENERATOR MK 244 MOD 0, F/SIDEWINDER-INERT (IN METAL CONTAINER)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-20	PALLETIZING DOMESTIC UNIT LOAD AMMONIUM PERCHLORATE (IN 30 GAL. STEEL DRUM)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-21	PALLETIZING DOMESTIC UNIT LOAD CALIBER .223 CENTER FIRE CARTRIDGES, BOXED OR IN MAGAZINES (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-22	PALLETIZING DOMESTIC UNIT LOAD COLOR BURST UNIT MK 1 MOD 0 (IN WOOD BOX) ..	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-24	PALLETIZING DOMESTIC UNIT LOAD 2.75 ROCKET MOTOR MK 1, 2 AND MODS (IN CONTAINER MK 15 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-25	PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-26	PALLETIZING DOMESTIC UNIT LOAD 20 MM AIRCRAFT AND SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-27	PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-28	PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-29	PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-30	PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 3 PALLET)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-31	PALLETIZING DOMESTIC UNIT LOAD 20 MM AMMUNITION (IN 20 MM AMMO BOX MK 3 MODS - ON MK 12 PALLET)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-32	PALLETIZING DOMESTIC UNIT LOAD DRIFT SIGNAL MK 5 MOD 4 (IN CONTAINER MK 7 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-33	PALLETIZING DOMESTIC UNIT LOAD HAND ILLUMINATING GRENADE MK 1 MOD 0 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-34	PALLETIZING DOMESTIC UNIT LOAD PRACTICE BOMB MK 76 MOD 4 (IN WOOD BOX) ....	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-35	PALLETIZING DOMESTIC UNIT LOAD MAPALM THICKENER (IN METAL DRUMS) .....	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-36	PALLETIZING DOMESTIC UNIT LOAD AIR BURST KIT FOR T-66 PRACTICE UNIT .....	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-37	PALLETIZING DOMESTIC UNIT LOAD 12.75 ROCKET HEAD MK1, 2, 3 AND MODS - INERT	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-38	PALLETIZING DOMESTIC UNIT LOAD TORPEDO MK 44 WARHEAD OR EXERCISE HEAD (IN CONTAINER MK 188)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-39	PALLETIZING DOMESTIC UNIT LOAD SMALL ARMS AMMUNITION (IN SMALL ARMS AMMO BOX MK 1 MOD 0)	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-40	PALLETIZING DOMESTIC UNIT LOAD 250 LB GP BOMB AM-M57A1 .....	A 8140	OS	14-AUG-69	OS				
L	MIL-STD-1322-42	PALLETIZING DOMESTIC UNIT LOAD 220 LB FRAC BOMB AM-M88 OR 260 LB FRAC BOMB AM-M81, WITH & WITHOUT RETROFIT	A 8140	OS	14-AUG-69	OS				
M LI	MIL-STD-1322-44 NOTICE 3	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY DEVICE ARMING GROUP, MK 45 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0	A 8140	OS	25-FEB-93	OS				
L	MIL-STD-1322-46	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, GUIDED MISSILE, MK 40 MOD 0 AND MOD-25/B	A 8140	OS	11-JAN-90	OS				
A L	MIL-STD-1322-47	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 309 MOD 0 IGNITER IN WOOD BOX REVIEWER: AS	A 8140	OS	25-OCT-91	OS				
L	MIL-STD-1322-48 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MARKER, LOCATION, MARINE MK 25 MOD 3 IN CONTAINER LD615124 (VALIDATION DATE: 8903) REVIEWER: AS	A 8140	OS	14-MAR-89	OS				
L	MIL-STD-1322-49 NOTICE 1	UNIT LOAD FOR DOMESTIC SHIPMENT ONLY CABLE ASSEMBLIES, ASROC-MK 10 MOD 0, MK 21 MOD 0, AND MK 29 MOD 0 IN CONTAINER DWG. 1806337 (VALIDATION DATE: 8903)	A 8140	OS	14-MAR-89	OS				
L	MIL-STD-1322-50 NOTICE 2	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT STANDARD MISSILE CONTROL SURFACES MK 26 MOD 0 AND MK 36 MOD 0 IN MK 492 MOD 1 CONTAINER (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS				
L	MIL-STD-1322-51 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BOMB, PRACTICE BDU-48/B (VALIDATION DATE: 8903) REVIEWER: AS	A 8140	OS	14-MAR-89	OS				
L	MIL-STD-1322-52 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH-54 PROJECTILES WITH WATERPROOF PROTECTING CAPS, MK 4 MOD 0 OR MK 10 MOD 1 (VALIDATION DATE: 8903)	A 8140	OS	14-MAR-89	OS				
L	MIL-STD-1322-53 NOTICE 2	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT GRAIN MK 90 MOD 0 IN CONTAINER DWG 233AS171 PACKED IN PALLET CRATE MK 2 MOD 0 (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91	OS				
L	MIL-STD-1322-54 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, CALIBER 9 MM: BALL, PARABELLUM IN AMMUNITION BOX H 2A1 OVERPACKED IN WIREBOUND WOODEN BOX (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS				
L	MIL-STD-1322-55 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT HAZARDOUS MATERIALS IN 55 GALLON STEEL DRUM PPP-D-729 TYPE IV (VALIDATION DATE: 8903) REVIEWER: AS	A 8140	OS	14-MAR-89	OS				
L	MIL-STD-1322-56 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, MK 118 MOD 0 IN AMMO. COMPONENT BOX MK 2 MOD 0 (VALIDATION DATE: 8903)	A 8140	OS	14-MAR-89	OS				
M LI	MIL-STD-1322-58 NOTICE 2	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROPELLANT, FOR MK 57 UNDERWATER MINE IN CONTAINER DL 5166866	A 8140	OS	25-FEB-93	OS				
L	MIL-STD-1322-59 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, 40 MM., MK 162 MOD 0 IN 40 MM. AMMUNITION BOX MK 1 MOD 0 (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS				
L	MIL-STD-1322-60 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 2.75 INCH ROCKET MOTOR, MK 66 IN CONTAINER MK 1 MOD 0 (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS				
M LI	MIL-STD-1322-61 NOTICE 4	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXPLOSIVE SECTION MK 13 MOD 0 IN CONTAINER MK 639 MOD 0 REVIEWER: AS	A 8140	OS	25-FEB-93	OS				
M LI	MIL-STD-1322-62 NOTICE 3	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SLMM EXERCISE HEAD MK 91 MOD 0 IN CONTAINER MK 639 MOD 0	A 8140	OS	25-FEB-93	OS				
L	MIL-STD-1322-64	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ARMING DEVICES MK 2 MODS AND MK 36 MOD 0 IN MK 2 MOD 0 AMMUNITION COMPONENT BOX	A 8140	OS	06-FEB-87	OS				
M LI	MIL-STD-1322-65 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ADAPTER, TARGET DETECTING DEVICE MK 141 IN CONTAINER DWG. 5003172 FOR MK 67 UNDERWATER MINE	A 8140	OS	25-FEB-93	OS				
L	MIL-STD-1322-66	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT TARGET DETECTING DEVICE MK 58 MOD 0 IN CONTAINER DWG 3268734	A 8140	OS	25-SEP-85	OS				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Chg./Chk. Coordination Inclusive	Document Number	Document Title	Dist. Smt. FSC Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	OLA
L	MIL-STD-1322-67	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 136 MOD 0 ADAPTER IN SMALL ARMS AMMO BOX M2A1 REVIEWER: AS	A 8140	05	07-NOV-86	05			
L	MIL-STD-1322-68	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER MECHANISM, MK 19 MOD 15 IN CONTAINER, MK 4 MOD 2	A 8140	05	08-AUG-90	05			
	MIL-STD-1322-69	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 42 MOD 6 FIRING MECHANISM IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0	A 8140	05	10-JUN-86	05			
	MIL-STD-1322-70	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT FIRING DEVICE KIT, MK 48 MOD 0 IN M2A1 CONTAINER	A 8140	05	12-APR-85	05			
L	MIL-STD-1322-71	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MOTOR, 5.0 INCH ROCKET MK 22 MOD 4 (LOADED ASSEMBLY) IN CONTAINER MK 697 MOD 0	A 8140	05	09-APR-85	05			
L	MIL-STD-1322-72	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROJECTILE 5-INCH/54, M1-FRAG (EMPTY) IN PALLET ADAPTER MK11 MOD 2	A 8140	05	22-JAN-86	05			
L	MIL-STD-1322-73	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT CARTRIDGE, CALIBER, .38 SPECIAL BALL, STEEL JACKETED WITH TRACER IN AMMUNITION BOX M2A1	A 8140	05	28-MAY-87	05			
L	MIL-STD-1322-74	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TARGET DETECTING DEVICE MK71 IN CONTAINER DWS 5479491	A 8140	05	10-APR-87	05			
L	MIL-STD-1322-75	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY MK 46 IN CONTAINER DWS 5167267	A 8140	05	15-NOV-85	05			
L	MIL-STD-1322-77	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT 5 INCH G.P. WARHEAD MK 109 MOD 0 IN CONTAINER M548	A 8140	05	04-FEB-86	05			
M LI	MIL-STD-1322-78	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT TAIL SECTION MK 7 TYPE IN CONTAINER DWS 5363565	A 8140	05	25-FEB-93	05			
L	MIL-STD-1322-79	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT SAFETY ARMING DEVICE ASSEMBLY, MK 75 IN AMMUNITION BOX M2A1	A 8140	05	15-NOV-85	05			
L	MIL-STD-1322-80	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MK 117 JATO ROCKET MOTOR IN WOOD BOX REVIEWER: AS	A 8140	05	08-APR-86	05			
L	MIL-STD-1322-82	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT STANDARD MISSILE SM-2 BLOCK II SAFETY & ARMING DEVICE, MK 51 MOD 0 & MK 76 MOD 0 IN CONTAINER, MK 688 MOD 0	A 8140	05	13-APR-87	05			
	MIL-STD-1322-86	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT MK 24 MOD 2 FIRING DEVICE, DEMOLITION IN WOOD BOX	A 8140	05	19-SEP-86	05			
	MIL-STD-1322-87	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT KIT, FIRING DEVICE, TRAINING ADAPTER, MK 122 MOD 0 IN M19 SERIES METAL BOX OVERPACKED IN WIREBOUND BOX	A 8140	05	22-SEP-86	05			
L	MIL-STD-1322-88	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT EXPLOSIVE SECTION, DESTRUCTOR, MK 14 MOD 0, LOADED IN CONTAINER, SHIPPING & STORAGE, DL5468241	A 8140	05	06-OCT-87	05			
L	MIL-STD-1322-89	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BATTERY, PRIMARY, ALKALINE, MK 141 MOD 0 IN CONTAINER, SHIPPING AND STORAGE DL5468249	A 8140	05	12-MAR-87	05			
L	MIL-STD-1322-90	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS MK 5, MK 10, MK 51, MK 90, MK 91, MK 115 AND MODS OR TELEMETERING INSERTS AM/DKT-26, AM/DKT-27, AM/DKT-42 AND MODS IN CONTAINER, MK 211 AND MODS	A 8140	05	18-NOV-88	05			
	MIL-STD-1322-91	UNIT LOAD FOR DOMESTIC & OVERSEAS SHIPMENT DOLLY, MISSILE TRANSFER, MK 30 MOD 0 ON SKID, TRANSPORT, DL 6212586	A 8140	05	11-JAN-88	05			
A LI	MIL-STD-1322-93	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, URM, MK 36 OR PACK PARACHUTE, SUBASSEMBLY FOR NINE MK 55 IN CONTAINER, SHIPPING, DL 5990532	A 8140	05	15-OCT-92	05			
A LI	MIL-STD-1322-94	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PACK, PARACHUTE, URM, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR NINE MK 52 IN CONTAINER, SHIPPING, DL 5990531	A 8140	05	15-OCT-92	05			
M LI	MIL-STD-1322-95	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CHARGE, DEMOLITION, MK 36 MOD 0 IN CONTAINER, DRAWING 10001-2511106	A 8140	05	25-FEB-93	05			
L	MIL-STD-1322-97	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEADS, MK 51 MODS 0 AND 1, MK 90 MOD 0, MK 115 MOD 0 AND TELEMETERING INSERTS, AM/DKT-26, AM/DKT-27, OR AM/DKT-42 IN MK 567 CONTAINER WARHEAD, MK 125 MOD 0 IN CONTAINER MK 753 MOD 0 REVIEWER: AS	A 8140	05	10-JUN-91	05			
L	MIL-STD-1322-98	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FUZE, DISPENSER PROXIMITY FMU-140/B IN M592 CONTAINER	A 8140	05	14-MAR-89	05			
L	MIL-STD-1322-99	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CHARGES, SHAPED, LINEAR, FLEXIBLE, (FLSC) 20 GRAINS/FT THROUGH 600 GRAINS/FT IN PALLET ADAPTER, MK 144 MOD 0	A 8140	05	16-JAN-90	05			
L	MIL-STD-1322-100	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLODER ASSEMBLY, MK 20 MOD 0 IN CONTAINER MK 569 MOD 0	A 8140	05	09-JUN-89	05			
L	MIL-STD-1322-102	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FIREBOMB, MK 77 MOD 5 ASSEMBLY (WITH DRY FUEL GELLING MIX) IN WOODEN CRATE	A 8140	05	05-OCT-89	05			
A L	MIL-STD-1322-103	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTORS, JATO MK 128 MOD 1 REVIEWER: AS	A 8140	05	25-OCT-91	05			
A L	MIL-STD-1322-104(1)	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, HE, MDU-36/B ON PALLET, MK 12 MOD 1 REVIEWER: AS	A 8140	05	04-MAR-92	05			
A L	MIL-STD-1322-106(1)	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT EXPLOSIVE SECTION, MK 15 MOD 0 IN CONTAINER, SHIPPING AND STORAGE, DL6209352	A 8140	05	23-SEP-92	05			
A L	MIL-STD-1322-107	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT RANGE AND AIRFRAME SEPARATION PROGRAMMER (RASP) MK 9 MOD 0 AND PAYLOAD CABLE ASSEMBLY 2541442, IN CONTAINER MK 589 MOD 0	A 8140	05	09-OCT-91	05			
A L	MIL-STD-1322-110	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CABLE ASSEMBLY MK 57 MOD 0 IN CONTAINER DWS 5622662	A 8140	05	09-OCT-91	05			
L	MIL-STD-1322-116	PALLETIZING DOMESTIC UNIT LOAD FIN ASSEMBLY, BOMB, AM-M103A1 (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-127	PALLETIZING DOMESTIC UNIT LOAD ADAPTER-BOOSTER, BOMB, M115A1, TAIL TYPE (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-128	PALLETIZING DOMESTIC UNIT LOAD FIN ASSEMBLY, BOMB, AM-M113A1, F/1000 LB BOMB (IN METAL CRATE)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-146	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M117 (IN WOOD BOX) .....	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-171	PALLETIZING DOMESTIC UNIT LOAD FUZE, MT, MK 25 MOD 1 (IN WOOD BOX) .....	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-172	PALLETIZING DOMESTIC UNIT LOAD 100 LB GP BOMB AM-M30 .....	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-173	PALLETIZING DOMESTIC UNIT LOAD 350 LB GP BOMB AM MK 54 MOD 0 OR 1 (IN BOMB CRATE MK 9 MOD 0)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-174	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AM-M146E1, M147A1, M147E3, M128, OR M145 (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-175	PALLETIZING DOMESTIC UNIT LOAD 500 LB GP BOMB AM-M64A1 .....	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-186	PALLETIZING DOMESTIC UNIT LOAD CLUSTER, FRAG, BOMB, 100 LB, M28 OR M28A2 (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-186	PALLETIZING DOMESTIC UNIT LOAD BOMB, PRACTICE, 3-LB MINIATURE, MK 23 MODS 0 & 1 (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-190	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, MOSE, PROXIMITY TYPE: AM-M168E1, AM-M168 T50E1, T50E4, T89, T90, T91, T92 OR T93 (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-193	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL M185, T740 (IN WOOD BOX) ..	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-195	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M124A1 (IN WOOD BOX) .....	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-196	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, M125A1 (IN WOOD BOX) .....	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-197	PALLETIZING DOMESTIC UNIT LOAD DESTRUCTOR MODIFICATION KIT MK 75 (IN SMALL ARMS AMMUNITION BOX MK 1)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-199	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M 164 AND 165, MODS (IN WOOD BOX)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-200	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AM-MK 230 MODS, TAIL, HYDROSTATIC TYPE (IN FUZE CONTAINER MK 65 MOD 3)	A 8140	05	14-AUG-69	05			
L	MIL-STD-1322-208	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M115, TAIL (IN WOOD BOX) ..	A 8140	05	14-AUG-69	05			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Qty./Omk/ Combination Inches	Document Number	Document Title	Dist. Smt. FSC / Ans	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-STD-1322-210	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M158, T 70 MOSE (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-212	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M152A1(T152E3), TAIL (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-213	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M151(T79E1), TAIL (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-214	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M151(T79E1), TAIL (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-216	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, AN-M100A2, TAIL (IN WOOD BOX) ..	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-218	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, M164 & M165, MOSE (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-223	PALLETIZING DOMESTIC UNIT LOAD FUZE, BOMB, TAIL, T791 (IN WOOD BOX) .....	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-231	PALLETIZING DOMESTIC UNIT LOAD BOOSTERS, DEPTH CHARGE MK 6 MODS 0, 2, & 4; AND/OR EXTENDER, BOOSTER, DEPTH CHARGE MK6 MODS (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-235	PALLETIZING DOMESTIC UNIT LOAD PISTOL, DEPTH CHARGE MK 12-0 W/DETONATOR (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-236	PALLETIZING DOMESTIC UNIT LOAD EXPLOSIVE SECTION ASSEMBLY, PRACTICE DEPTH CHARGE, EXPL LOADED, DMG 602984 & 1273588, F/PRACTICE DEPTH CHARGE MK 15-1 (IN AMMO COMPONENT BOX MK 2 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-237	PALLETIZING DOMESTIC UNIT LOAD EXPLOSIVE SECTION ASSEMBLY, PRACTICE DEPTH CHARGE, EXPL LOADED, DMG 1440249, F/PRACTICE DEPTH CHARGE MK 15-5 (IN AMMO COMPONENT BOX MK 2 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-239	PALLETIZING DOMESTIC UNIT LOAD FIRING & ARMING MECHANISM, PRACTICE DEPTH CHARGE, F/PRACTICE DEPTH CHARGE MK 15 MODS - INERT (IN AMMO COMPONENT BOX MK 2 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-246	PALLETIZING DOMESTIC UNIT LOAD DEMOLITION KIT, BANGALORE TORPEDO, M1A1 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-247	PALLETIZING DOMESTIC UNIT LOAD DEMOLITION KIT, BANGALORE TORPEDO, M1A1, BOX 76-1-485 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-309	FOR UNDERWAY REPLENISHMENT CHARG, PROPELLING 161MCH/50, REDUCED, IN POWER TANK MK 8 MOD 0 ON WOODEN PALLET ADAPTER (VALIDATION DATE: 91031)	A 8140	OS	13-MAR-91				
L	MIL-STD-1322-329	UNIT LOAD FOR UNDERWAY REPLENISHMENT ABRAAM, AIM-120A IN CONTAINER, CMU-415/E	A 8140	OS	15-APR-87	OS			
L	MIL-STD-1322-503	PALLETIZING DOMESTIC UNIT LOAD WALL-EYE CONTROL SECTION (IN CONTAINER MK 423 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-504	PALLETIZING DOMESTIC UNIT LOAD WALL-EYE GUIDANCE SECTION (IN CONTAINER MK 424 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-505	PALLETIZING DOMESTIC UNIT LOAD PROPELLANT GRAIN MK 49 MOD 0 (IN CONTAINER MK 22 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-702	PALLETIZING DOMESTIC UNIT LOAD 500 LB LOW DRAG BOMB (G.P.) MK 82 & MODS, WITH METAL OR PLASTIC MOSE PLUGS	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-703	PALLETIZING DOMESTIC UNIT LOAD 1000 LB, LOW DRAG BOMB (G.P.) MK 83 & MODS, WITH METAL OR PLASTIC MOSE PLUGS	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-704	PALLETIZING DOMESTIC UNIT LOAD 250 LB LOW DRAG BOMB (G.P.) MK-81 & MODS, WITH METAL OR PLASTIC MOSE PLUGS	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-705	PALLETIZING DOMESTIC UNIT LOAD 750 LB DEMOLITION BOMB M117A1 .....	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-706	PALLETIZING DOMESTIC UNIT LOAD FINS, BOMB M131A1 FOR 750 LB DEMOLITION BOMB M117A1 (IN METAL GATE)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-709	PALLETIZING DOMESTIC UNIT LOAD PROPELLANT GRAIN MK 43 MOD 0 (IN CONTAINER MK 10 & MODS) (PACKED IN PALLET CRATE MK 2 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-710	PALLETIZING DOMESTIC UNIT LOAD SENSING ELEMENT, IMPACT-INERT (FOR BOMB FUZING SYSTEM MK 1 MOD 0) (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-711	PALLETIZING DOMESTIC UNIT LOAD FUZE, BASE (FOR BOMB FUZING SYSTEM MK 1 MOD 0) (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-713	PALLETIZING DOMESTIC UNIT LOAD COUNTER WEIGHTS (UPPER AND LOWER) LD 624589 (IN PLASTIC CONTAINER)	A 8140	OS	14-AUG-69	OS			
A LI	MIL-STD-1322-714	PALLETIZING DOMESTIC UNIT LOAD MINE, UNDERWATER, MK 55 AND MODS IN CRATE, UNDERWATER MINE, MK 55 MOD 1 (LD 538045) (LOADED)	A 8140	OS	15-OCT-92	OS			
A LI	MIL-STD-1322-715H	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 AND MODS (LOADED)	A 8140	OS	15-OCT-92	OS			
L	MIL-STD-1322-716	PALLETIZING DOMESTIC UNIT LOAD PROBE, PRESSURE MK 1 MOD 0 (IN AMMO COMPONENT BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-717	PALLETIZING DOMESTIC UNIT LOAD FUZE MECHANISM FOR GUIDED MISSILE FUZE, MK 328 MOD 0 (IN METAL BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-718	PALLETIZING DOMESTIC UNIT LOAD TRIGGERING DEVICE, FUZE MK 10 MOD 0 (IN METAL BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-719	PALLETIZING DOMESTIC UNIT LOAD GRENADE, H.I., MK 1 MOD 0 (IN FLARE CONTAINER MK 4 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-722	PALLETIZING DOMESTIC UNIT LOAD COUNTER WEIGHTS (UPPER AND LOWER) LD 624589-INERT (IN CONTAINER, MODIFIED LD 268790)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-723	PALLETIZING DOMESTIC UNIT LOAD FUZE M514A1 CVT (IN WOOD BOX) .....	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-725	PALLETIZING DOMESTIC UNIT LOAD IGNITER MK 178 FOR BULLPUP A ROCKET MOTOR MK 8 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-726	PALLETIZING DOMESTIC UNIT LOAD STANDARD ER STEERING CONTROL UNIT AND ROCKET MOTOR SPACER (IN CONTAINER MK 460 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-727	PALLETIZING DOMESTIC UNIT LOAD STANDARD MR STEERING CONTROL UNIT AND ROCKET MOTOR SPACER (IN CONTAINER MK 460 MOD 1)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-728	PALLETIZING DOMESTIC UNIT LOAD STANDARD MR AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 2)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-729	PALLETIZING DOMESTIC UNIT LOAD STANDARD ER AUTOPILOT BATTERY UNIT (IN CONTAINER MK 460 MOD 3)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-731	PALLETIZING DOMESTIC UNIT LOAD STANDARD MR OR ER GUIDANCE SECTION (IN CONTAINER MK 461 MOD 0)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-732	PALLETIZING DOMESTIC UNIT LOAD BOOSTER, UNDERWATER MINE MK 18 MOD 2 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-733	PALLETIZING DOMESTIC UNIT LOAD SUBMARINE WIRE DISPENSER - LD162459 FOR TORPEDOS MK 37 AND MK 45 (IN STEEL DRUM)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-734	PALLETIZING DOMESTIC UNIT LOAD CHARGE, DEMOLITION, SHAPED, MK 45 MOD 0 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-736	PALLETIZING DOMESTIC UNIT LOAD 5"/38 WARHEAD MK 74 MOD 0 FOR ROCKET ASSIST PROJECTILE (IN PALLET ADAPTER MK 11 MOD 1)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-737	PALLETIZING DOMESTIC UNIT LOAD DISPENSER, FLARE, PARACHUTE SUU-44/A (EMPTY)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-738	PALLETIZING DOMESTIC UNIT LOAD SOLUTION A FOR FIRE BOMB MIX (IN STEEL DRUM)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-739	PALLETIZING DOMESTIC UNIT LOAD SOLUTION B FOR FIRE BOMB MIX (IN STEEL DRUM)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-740	PALLETIZING DOMESTIC UNIT LOAD CARTRIDGE, PHOTOFLASH MK 54 MOD 0 OR SIMULATOR, ARTILLERY AIR BURST MK 18 MOD 0 (IN CONTAINER LD615231)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-741	PALLETIZING DOMESTIC UNIT LOAD 500 LB, FIRE BOMB MK 77 MOD 2 (EMPTY) (IN WIREBOUND CRATE)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-742	PALLETIZING DOMESTIC UNIT LOAD ARMING DEVICE MK 10 MOD 0 OR MK 11 MOD 0 (IN WOOD BOX)	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-743	PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY, BA-1359/U (IN WOOD BOX) .....	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-744	PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY BA-326/U (IN WOOD BOX) .....	A 8140	OS	14-AUG-69	OS			
L	MIL-STD-1322-745	PALLETIZING DOMESTIC UNIT LOAD BATTERY, DRY, BA-310/U (IN WOOD BOX) .....	A 8140	OS	14-AUG-69	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Off / Chg Coordination Involvement	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Acty.	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-STD-1322-792	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT WARHEAD, MK 103 MODS 0 AND 1 AND EXERCISE HEAD, MK 85 MODS 0, 1, 2, 3, 4 AND 6 IN CONTAINER, MK 301 MOD 0	A 8140	OS	17-NOV-88				OS
	MIL-STD-1322-806 NOTICE 2	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CARTRIDGE, SIGNAL, PRACTICE BOMB MK 4 MOD 3 OR CXU-3 A/B IN BOX, AMMUNITION M2A1	A 8140	OS	24-FEB-87				OS
L	MIL-STD-1322-811 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT BOMB, PRACTICE MK 106 MOD 5 [VALIDATION DATE: 8704]	A 8140	OS	08-APR-87				OS
A LI	MIL-STD-1322-815 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CUTTER, POUCH ACTUATED MK 23 MOD 0 OR CUTTER, POUCH ACTUATED MK 24 MOD 0 IN AMMUNITION BOX M2A1	A 8140	OS	15-OCT-92				OS
L	MIL-STD-1322-833	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55	A 8140	OS	02-APR-85				OS
L	MIL-STD-1322-848 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT CRYPTOGRAPHIC EQUIPMENT DESTROYERS, INCENDIARY, M1A2 W/TH4 [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1322-862 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT PROJECTILE, 5-1/2 INCH/54, MK 41, MK 48, MK 55, MK 61, MK 64, MK 65 AND MODS (EMPTY) AND FSN 1320-01-028-4929 EL-P (EXPL. LOADED) W/O FUSE IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
A LI	MIL-STD-1322-865 NOTICE 1	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52	A 8140	OS	15-OCT-92				OS
A L	MIL-STD-1322-883	UNIT LOAD FOR DOMESTIC AND OVERSEAS SHIPMENT ROCKET MOTOR, JATO, MK 6 MOD 1 OR 2 OR ROCKET MOTOR, JATO, MK 128 MOD 0 OR 1 REVIEWER: AS	A 8140	OS	25-OCT-91				OS
L	MIL-STD-1322-1000 NOTICE 1	UNIT LOADS FOR DOMESTIC AND OVERSEAS SHIPMENT TYPICAL LOADS [VALIDATION DATE: 8903]	A 8140	OS	14-MAR-89				OS
	MIL-STD-1323 NOTICE 1	UNIT LOADS OF AMMUNITION AND EXPLOSIVES FOR UNDERWAY REPLENISHMENT .....	A 8140	OS	19-DEC-85				OS
L	MIL-STD-1323-1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 3-1/2 INCH/50 IN TANK, MK 5 AND MODS	A 8140	OS	14-MAY-89				OS
L	MIL-STD-1323-4 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5/38 IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-5	UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 5-1/2 INCH/54 IN PALLET ADAPTER, MK 16 MOD 0	A 8140	OS	08-MAY-87				OS
L	MIL-STD-1323-6 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5"/54, WITH METAL ROTATING BAND IN PALLET ADAPTER MK 11 & MODS [VALIDATION DATE: 9106]	A 8140	OS	27-JUN-91				OS
L	MIL-STD-1323-18 NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5-1/2 INCH, MK 6, MK 25, MK 29 AND MODS IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-29 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT MISSILE BOOSTER FINS IN MK 205 MOD 0 CONTAINER	A 8140	OS	10-DEC-85				OS
L	MIL-STD-1323-33(2) NOTICE 3	UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, ROCKET, 5 INCH, MK 24, MK 32, MK 34, AND MODS (2UMI) IN PALLET ADAPTER MK 11 AND MODS [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-54A	UNIT LOAD FOR UNDERWAY REPLENISHMENT MARKER, LOCATION, MARINE MK 25 MODS 3 & 4 IN CONTAINER LD 615124 REVIEWER: AS	A 8140	OS	25-SEP-85				OS
L	MIL-STD-1323-92A	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20 MM, M80 SERIES BELTED WITH M8 OR M10 LINKS IN 20 MM AMMUNITION BOX, MK3 MODS	A 8140	OS	14-FEB-85				OS
L	MIL-STD-1323-95 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT WING ASSEMBLY, MK 9 MOD 0 AND FIN ASSEMBLY, MK 23 MOD 1 (WALLEYE I EROL) IN CONTAINER, CMU-306/E [VALIDATION DATE: 9106]	A 8140	OS	27-JUN-91				OS
L	MIL-STD-1323-96 NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, SPOTTING, CXU-4/B IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0	A 8140	OS	14-AUG-87				OS
L	MIL-STD-1323-97A	UNIT LOAD FOR UNDERWAY REPLENISHMENT DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE II) IN CONTAINER, CMU-319/E	A 8140	OS	11-JAN-88				OS
L	MIL-STD-1323-98C	UNIT LOAD FOR UNDERWAY REPLENISHMENT SONOBUOY, IN PALLET CRATE, CMU-313/E	A 8140	OS	11-JAN-88				OS
L	MIL-STD-1323-127	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 2, 4, AND 7 IN UNIT LOAD ADAPTER, MK 79 MOD 0	A 8140	OS	08-JUN-89				OS
L	MIL-STD-1323-149A(1)	UNIT LOAD FOR UNDERWAY REPLENISHMENT 16 INCH 50 CAL. H.C./M.E. PROJECTILE MK 13 AND MK 19 IN PALLET ADAPTER MK 88 MOD 0	A 8140	OS	14-MAY-91				OS
L	MIL-STD-1323-151	UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16/50 INCH, REDUCED, IN POUCH TANK MK 8 MOD 0 ON PALLET ADAPTER MK 86 MOD 0	A 8140	OS	01-OCT-85				OS
L	MIL-STD-1323-157 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT WING ASSEMBLIES, GUIDED MISSILE: MK 1 MOD 0 F/AIM-90, 9G, 9H (SIDEWINDER) IN CONTAINER, MK 418 MOD 0 OR WING ASSEMBLIES, GUIDED MISSILE: MK 1 MOD 0 AND FINS, GUIDED MISSILE: BSU-14/B, F/AIM-90, 9G, 9H (SIDEWINDER) IN CONTAINER, MK 418 MOD 1 [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-159 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, SIGNAL, PRACTICE BOMB, MK 4 MOD 3 OR CXU-3A/B IN BOX, AMMUNITION M2A1 [VALIDATION DATE: 8704] REVIEWER: AS	A 8140	OS	29-APR-87				OS
L	MIL-STD-1323-169 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AIM-9G, 9H, IN CRADLE MK 16 MOD 0 OR AIM-9G, 9H, 9L, IN CONTAINER, CMU-287/E W/O WINGS AND FINS (SIDEWINDER) [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-174 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT ROCKETS MK 4, MK 40, OR MK 66 AND ROCKET MOTOR MK 66 IN ROCKET LAUNCHERS LAU-61C/A OR LAU-68D/A IN PALLET, LOADING AND STORAGE, MMU-108/E REVIEWER: AS	A 8140	OS	07-MAR-86				OS
	MIL-STD-1323-182 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 106 MOD 5 [VALIDATION DATE: 8704] REVIEWER: AS	A 8140	OS	29-APR-87				OS
L	MIL-STD-1323-187(1) NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M80 SERIES BELTED WITH MK 7 OR M-14 LINKS IN CONTAINER, M548	A 8140	OS	08-JAN-91				OS
L	MIL-STD-1323-192 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM, BALL, M80 (IN CLIPS) IN M2A1 BOXES OVERPACKED IN WIREBOUND BOX [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-193 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 7.62 MM (LINKED) IN M19A1 BOXES OVERPACKED IN WIREBOUND BOX [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-201(2) NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125 INCH, MK 186 (TORCH) IN PALLET ADAPTER, MK 144	A 8140	OS	03-DEC-90				OS
L	MIL-STD-1323-205(1) NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 500 POUND MK 82 AND MODS AND BDU-45/B INERT LOAD (UNCOATED) ON PALLET, LOADING AND STORAGE, MMU-122/E DL 623AS100 [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91				OS
A LI	MIL-STD-1323-208A NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS	A 8140	OS	15-OCT-92				OS
A LI	MIL-STD-1323-209 NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATIONS "B", "C" AND "D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0 (LOADED)	A 8140	OS	15-OCT-92				OS
	MIL-STD-1323-212	UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75" ROCKET/ROCKET MOTOR MK 4MK 40 AND MODS AND MK66 MOD 2 IN CLEATED WOODEN BOX REVIEWER: AS	A 8140	OS	07-MAR-86				OS
L	MIL-STD-1323-217(1) NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7 [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-219 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT SPACER ASSEMBLY FOR MARINE LOCATION MARKER MK 25 AND MODS OR UNDERWATER SOUND SIGNAL MK 84 AND MODS [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91				OS
L	MIL-STD-1323-220 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT ARMING WIRE ASSEMBLY MK 9 MOD 0 IN CONTAINER MK 2 MOD 2 [VALIDATION DATE: 8903] REVIEWER: AS	A 8140	OS	01-MAR-89				OS
L	MIL-STD-1323-221 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE BDU-48/B [VALIDATION DATE: 8903] REVIEWER: AS	A 8140	OS	01-MAR-89				OS
A LI	MIL-STD-1323-227 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 20 TYPE FOR MINE MK 55	A 8140	OS	15-OCT-92				OS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action CPL / OMA Coordination Inches	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-STD-1323-229 NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT TAIL SECTION MK 11 MOD 0 FOR MK 41 DESTRUCTOR IN CONTAINER DLS177769 IN MK 154 MOD 0 PALLET ADAPTER [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
	MIL-STD-1323-239A NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, 500 LB MK 82 MOD 2 (THER. PROTECT.) & BOMB, BDU-45/B, INSERT LOAD, (THER. PROTECT.) ON PALL., LOAD, & STOR., MAU-122/E DL 623AS100 REVIEWER: AS	A 8140	OS	08-OCT-85	OS			
A L	MIL-STD-1323-241	UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1 REVIEWER: AS	A 8140	OS	27-JUN-91	OS			
	MIL-STD-1323-242A	WEAPON REQUIREMENT, PALLETIZING FLEET ISSUE UNIT LOAD FIN ASSEMBLY, BOMB, MK 15 & MODS (SNAKEYE) IN PALLET ADAPTER ADU-383/E REVIEWER: AS	A 8140	OS	19-SEP-86	OS			
A LI	MIL-STD-1323-244 NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 56 IN CONTAINER MK 587 MOD 0	A 8140	OS	15-OCT-92	OS			
A LI	MIL-STD-1323-245 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0	A 8140	OS	15-OCT-92	OS			
A LI	MIL-STD-1323-246 NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0	A 8140	OS	15-OCT-92	OS			
L	MIL-STD-1323-251 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 52/55 MINE ACTUATION DUMMY FLIGHT GEAR SUB ASSEMBLY IN CONTAINER MK 662 MOD 0	A 8140	OS	07-MAY-87	OS			
L	MIL-STD-1323-252 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, AIRCRAFT, PARACHUTE, LUU-2 B/B (IN PLASTIC CONTAINER) REVIEWER: AS	A 8140	OS	07-MAY-87	OS			
L	MIL-STD-1323-253	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE: 2000 LB MK 84 MODS 3, 5, AND 6 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER, MK 79 MOD 0 WITH SADDLES	A 8140	OS	02-JUN-89	OS			
L	MIL-STD-1323-259 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT IGNITER ASSEMBLY FZU-408 (FIREBRAND) IN AMMUNITION COMPONENT BOX MK 1 MOD 0	A 8140	OS	04-MAY-87	OS			
L	MIL-STD-1323-262 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY BOMB, MAU-91A/B (SNAKEYE) [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-263 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0 [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-268	WEAPONS REQUIREMENT, PALLETIZING FLEET ISSUE UNIT LOAD DISPENSER & BOMB, AIRCRAFT CBU-MK 20 & MODS (ROCKEYE 11) & CBU-78/B (GATOR) IN CONTAINER, CMU-238/E	A 8140	OS	11-JAN-88	OS			
	MIL-STD-1323-271 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5 INCH/54, WITH PLASTIC ROTATING BAND IN PALLET ADAPTER MK 11 MOD 2	A 8140	OS	05-JUL-85	OS			
	MIL-STD-1323-273 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT TORPEDO MK 46 & MODS ASSEMBLIES IN CONTAINER MK 535 MOD 0	A 8140	OS	04-MAY-87	OS			
L	MIL-STD-1323-281 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 2000 POUND G.P. BOMB MK 84 IN ADAPTER, PALLET, ADU-415/E [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-283 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, FOR 1000 LB G.P. BOMB MK 83 IN ADAPTER, PALLET, ADU-425/E [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-284 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MAU-2/B IN CONTAINER DL 2816244 [VALIDATION DATE: 8903]	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1323-285A	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 50 CAL, LINKED, IN AMMUNITION BOX M2A1 IN WIRE BOUND CONTAINER 19200-7553346 REVIEWER: AS	A 8140	OS	21-MAR-89	OS			
L	MIL-STD-1323-292 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY MK 46 MODS 0, 1, 1A AND 1C MK 50 MOD 0 OR MAU-8/B IN AMMUNITION BOX M2A1 [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-294	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 20MM, M50 SERIES (LOOSE) IN CONTAINER M548 REVIEWER: AS	A 8140	OS	05-AUG-86	OS			
L	MIL-STD-1323-297 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE BGM-71A-1 (TOW) OR BTH-71C (INERT) IN ADAPTER ADU-486/E [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-298C NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 5.125-INCH, MK 182 (SUPER RBOC) CARTRIDGE, 5.125-INCH, PRACTICE MK 193 [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-299 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 131 TYPE IN CONTAINER DMG, 3268751 [VALIDATION DATE: 8903]	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1323-300(1) NOTICE 2	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, PRACTICE MK 76 MODS 5 AND 7 BULK PACK IN WIREBOUND PALLET BOX ON METAL PALLET MK 3 MOD 0 [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-301 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT DETECTING DEVICE, TARGET MK 57 TYPE IN CONTAINER DRAWING 3268751 [VALIDATION DATE: 8903]	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1323-303 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE EXERCISE AND TRAINING MK 131 TYPE IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 [VALIDATION DATE: 8903]	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1323-304 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT KIT, CONVERSION, BOMB/MINE MK 130 MOD 0 IN SMALL ARMS AMMUNITION BOX, MK 1 MOD 0 [VALIDATION DATE: 8903]	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1323-305	UNIT LOAD FOR UNDERWAY REPLENISHMENT BLU-80/B BALLOONETTE IN CONTAINER, CMU-388/E REVIEWER: AS	A 8140	OS	18-NOV-88	OS			
L	MIL-STD-1323-306(2) NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT PROPULSION SECTION WPU-5/B (SKIPPER) IN CONTAINER CMU-248/E	A 8140	OS	18-JAN-89	OS			
L	MIL-STD-1323-307 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT COMPUTER CONTROL GROUP, MAU-169A/B, FOR LASER GUIDED BOMBS IN CONTAINER DMU-317/E [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
	MIL-STD-1323-308A	UNIT LOAD FOR UNDERWAY REPLENISHMENT BOMB, GENERAL PURPOSE, 1000 LB MK 83 MOD 5 (THERMALLY PROTECTED) ON PALLET, LOADING & STORAGE MAU-187/E DL 145AS100 REVIEWER: AS	A 8140	OS	25-SEP-85	OS			
L	MIL-STD-1323-309	UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16 INCH/50, REDUCED IN POWDER TANK MK 8 MOD 0 ON WOODEN PALLET ADAPTER	A 8140	OS	01-OCT-85	OS			
L	MIL-STD-1323-310A	UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-86/B IN PALLET ADAPTER ADU-535/E REVIEWER: AS	A 8140	OS	19-MAR-86	OS			
L	MIL-STD-1323-311 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT SOLID NOSE PLUG MXU-735/B, FOR MK 80 SERIES BOMBS IN CONTAINER MK 548 [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-312	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, LOOSE IN CONTAINER CMU-405/E REVIEWER: AS	A 8140	OS	08-OCT-86	OS			
L	MIL-STD-1323-313A NOTICE 1	UNIT LOAD CARTRIDGE, 5.125 INCH, MK 214 MOD 0 NATO SEA GNAT RF SEDUCTION & MK 216 MOD 0 NATO SEA GNAT RF DISTRACTION IN PALLET ADAPTER, MK 144	A 8140	OS	21-APR-87	OS			
L	MIL-STD-1323-314 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25MM BELTED WITH MK 28 LINKS IN CONTAINERS CMU-405/E [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1323-315 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, 25 MM, PGU-25/U(LOOSE) IN CLEATED WOODEN BOX REVIEWER: AS	A 8140	OS	20-MAR-86	OS			
A LI	MIL-STD-1323-316 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT FAIRING, UNDERWATER MINE, MK 19 TYPE WITH FINS AND HARDWARE, F/MINE MK 52	A 8140	OS	15-OCT-92	OS			
L	MIL-STD-1323-319	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 160 FLIGHT GEAR KIT .....	A 8140	OS	06-NOV-89	OS			
L	MIL-STD-1323-320A	UNIT LOAD FOR UNDERWAY REPLENISHMENT RETARDER, INFLATABLE, AIR BSU-85/B IN SHIPPING AND STORAGE CONTAINER, FIN CMU-419/E REVIEWER: AS	A 8140	OS	18-NOV-88	OS			
L	MIL-STD-1323-322	UNIT LOAD FOR UNDERWAY REPLENISHMENT SIGNAL, SMOKE, MARINE MK 131 MOD 0 AND SIGNAL, FLARES, MK 132 MOD 0 IN AMMUNITION BOX M2A1	A 8140	OS	10-DEC-86	OS			
L	MIL-STD-1323-324	UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, MERCURY MK 130 TYPE IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0	A 8140	OS	13-SEP-85	OS			
L	MIL-STD-1323-325	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLIGHT GEAR KIT IN CONTAINER DMG.5561732 & PALLET ADAPTER MK 103 MOD 0 FOR DESTRUCTOR MK 40 OR QUICKSTRIKE MK 63	A 8140	OS	13-SEP-85	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc. / OMA Classification Inclusion	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DA
L	MIL-STD-1323-326	UNIT LOAD FOR UNDERWAY REPLENISHMENT 5" G.P. PROPELLING CHARGE MK 82 MOD 0	A 8140	OS	17-MAR-87	OS			
L	MIL-STD-1323-329	IN 5"/54 CARTRIDGE TANK MK 14 MOD 3 IN PALLET ADAPTER MK 16 MOD 0	A 8140	OS	15-APR-87	OS			
L	MIL-STD-1323-330	UNIT LOAD FOR UNDERWAY REPLENISHMENT ANIRAM, AIM-120A IN CONTAINER, CMU-415/E	A 8140	OS	18-NOV-86	OS			
L	MIL-STD-1323-331	UNIT LOAD FOR UNDERWAY REPLENISHMENT ANIRAM MISSILE, AIM-120 WINGS AND CONTROL SURFACES IN CONTAINER, CMU-424/E REVIEWER: AS	A 8140	OS	20-MAR-86	OS			
L	MIL-STD-1323-332	UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 16"/50, REDUCED IN 16" PONDOR TANK MK 4 & MODS & 1K 3 MOD 2 ON PALLET ADAPTER, MK 87 MOD 0	A 8140	OS	10-DEC-86	OS			
L	MIL-STD-1323-333	UNIT LOAD FOR UNDERWAY REPLENISHMENT FIN ASSEMBLY, BOMB, BSU-33A/B IN ADAPTER, PALLET, ADU-426/E	A 8140	OS	05-AUG-86	OS			
A L	MIL-STD-1323-334A(1)	UNIT LOAD FOR UNDERWAY REPLENISHMENT FUZE, BOMB FMU-139/B IN CONTAINER MS48	A 8140	OS	21-JUN-91	OS			
L	MIL-STD-1323-335	UNIT LOAD FOR UNDERWAY REPLENISHMENT HELLFIRE MISSILE, AGM 114 IN CONTAINER, SHIPPING AND STORAGE	A 8140	OS	08-OCT-86	OS			
L	MIL-STD-1323-339	UNIT LOAD FOR UNDERWAY REPLENISHMENT WARHEAD, 2.75" ROCKET, SMOKE, MK 67 MOD 1 IN CONTAINER MS48 REVIEWER: AS	A 8140	OS	07-JUN-89	OS			
L	MIL-STD-1323-340	UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCHES ROCKET MOTOR, MK 66 MOD 2 IN CONTAINER, MK 706 MOD 0	A 8140	OS	13-APR-89	OS			
A LI	MIL-STD-1323-341 NOTICE 1	UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK, PARACHUTE, UMM, MK 36 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 55 IN CONTAINER, SHIPPING, DL 5990532	A 8140	OS	15-OCT-92	OS			
L	MIL-STD-1323-342	UNIT LOAD FOR UNDERWAY REPLENISHMENT PACK, PARACHUTE, UMM, MK 35 OR PACK PARACHUTE, SUBASSEMBLY FOR MINE MK 52 IN CONTAINER, SHIPPING, DL 5990531	A 8140	OS	24-AUG-90	OS			
L	MIL-STD-1323-344	UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-136A (TACIT RAINBOW) IN CONTAINER CMU-432/E REVIEWER: AS	A 8140	OS	11-JAN-88	OS			
L	MIL-STD-1323-345	UNIT LOAD FOR UNDERWAY REPLENISHMENT AIRBOCS, AN/SLQ-3 CHAFF BLUE ELECTRONIC BUOYS IN PALLET CRATE, CMU-313/E	A 8140	OS	11-JAN-88	OS			
L	MIL-STD-1323-347	UNIT LOAD FOR UNDERWAY REPLENISHMENT BATTERY, LITHIUM SULFUR DIOXIDE, AN/SLQ-44, AN/SLQ-45, BA 5391/SLO OR BATTERY, LITHIUM THIONYL CHLORIDE, BA 6511/SLO FOR OFF-BOARD DECEPTION DEVICE (OODS) IN PALLET ADAPTER, ADU-615/U	A 8140	OS	09-JAN-90	OS			
L	MIL-STD-1323-348	UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CMU-399/E OR CMU-472/E	A 8140	OS	13-JUL-89	OS			
L	MIL-STD-1323-351A	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 0	A 8140	OS	30-NOV-90	OS			
L	MIL-STD-1323-355	UNIT LOAD FOR UNDERWAY REPLENISHMENT 2.75 INCH WARHEADS, M257, M261 OR M267 IN CONTAINER, PA 92 REVIEWER: AS	A 8140	OS	01-DEC-89	OS			
L	MIL-STD-1323-356A	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLEET ISSUE UNIT LOAD MK 164 FLIGHT GEAR KIT	A 8140	OS	25-AUG-90	OS			
A L	MIL-STD-1323-357(1)	UNIT LOAD FOR UNDERWAY REPLENISHMENT CANISTER, ADAPTER ASSEMBLY, MK 18 MOD 0	A 8140	OS	25-SEP-91	OS			
L	MIL-STD-1323-359	UNIT LOAD FOR UNDERWAY REPLENISHMENT COVER, PLENUM CELL, MK 18 MOD 0 .....	A 8140	OS	06-MAY-91	OS			
L	MIL-STD-1323-360	UNIT LOAD FOR UNDERWAY REPLENISHMENT GUIDED MISSILE, AGM-65 (MAVERICK) IN CONTAINER, SHIPPING AND STORAGE, CMU-447/E	A 8140	OS	08-MAY-91	OS			
L	MIL-STD-1323-361	UNIT LOAD FOR UNDERWAY REPLENISHMENT ANIRAM, AIM-120A IN CONTAINER, CMU-415A/E	A 8140	OS	10-MAY-91	OS			
L	MIL-STD-1323-362	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-14 CANISTER PHST TOMAHAWK .....	A 8140	OS	10-MAY-91	OS			
L	MIL-STD-1323-363	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK-13 CANISTER PHST SM-2 BLK-11 .....	A 8140	OS	10-MAY-91	OS			
L	MIL-STD-1323-364	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 15 CANISTER PHST VLASROC .....	A 8140	OS	01-MAY-91	OS			
L	MIL-STD-1323-365	UNIT LOAD FOR UNDERWAY REPLENISHMENT WINGS AND CONTROL SURFACES (ANIRAM) IN CONTAINER, SHIPPING AND STORAGE CMU-452/E	A 8140	OS	05-MAR-91	OS			
L	MIL-STD-1323-366	UNIT LOAD FOR UNDERWAY REPLENISHMENT RR-182/AL (CHAFF HEAD), AN/ALQ-190(V) SET OR AN/SLQ-39 (CHAFF BUOY) IN CMU-438(V)/E CONTAINER IN PALLET ADAPTER, ADU-702/E REVIEWER: AS	A 8140	OS	19-NOV-90	OS			
L	MIL-STD-1323-366	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 86 MOD 0 OR MK 88 MOD 0 EOD CHARGES IN AMMUNITION BOX M2A1 IN WIREBOUND CONTAINER 19200-7553346	A 8140	OS	19-NOV-90	OS			
L	MIL-STD-1323-368	UNIT LOAD FOR UNDERWAY REPLENISHMENT FLARE, DECOY, MJU-22/B OR FLARE, SIMULATOR SM-875 (XN-1)/ALE IN CONTAINER, MS48 REVIEWER: AS	A 8140	OS	11-FEB-91	OS			
L	MIL-STD-1323-370	UNIT LOAD FOR UNDERWAY REPLENISHMENT CARTRIDGE, COUNTERMEASURES, PRACTICE, MK 229 MOD 0 CARTRIDGE, COUNTERMEASURES, 5.125 INCH, DUMMY, MK 232 MOD 0 IN PALLET ADAPTER, MK 144	A 8140	OS	01-MAY-91	OS			
L	MIL-STD-1323-371	UNIT LOAD FOR UNDERWAY REPLENISHMENT WARM MISSILE, AGM-88 WINGS AND FINS IN CONTAINER, CMU-296/E	A 8140	OS	25-MAR-91	OS			
L	MIL-STD-1323-372	UNIT LOAD FOR UNDERWAY REPLENISHMENT MK 50 TORPEDO (WARSHOT AND EXERCISE) IN CONTAINER MK 714 MOD 1	A 8140	OS	20-MAR-91	OS			
L	MIL-STD-1323-373	UNIT LOAD FOR UNDERWAY REPLENISHMENT DECOY, TRANSPONDER, COUNTERMEASURES RT-1489/ALE GENERIC EXPENDABLE DECOY (GEN-X) IN CONTAINER, CMU-487/E	A 8140	OS	02-DEC-91	OS			
A L	MIL-STD-1323-377	UNIT LOAD FOR UNDERWAY REPLENISHMENT MORTAR, 81MM, M984, M983, OR M879 IN PA156 CONTAINER REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325A NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS (VALIDATION DATE: 9103) USER: SA REVIEWER: AS MC	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325-9 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 81 MOD 0 (250 LB) IN PALLET, BOMB, MK 8 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325-13 NOTICE 1	CARLOADING PROJECTILE, 5 INCH/38 MKS 35 OR 49 AND MODS IN ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1325-15 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS PROJECTILES 5/54 IN PALLET ADAPTER MK 11 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8903)	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325-37 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 16 AND MODS OR MK 71 MOD 0 (ZUM) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325-39A NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR CLUSTER LAU-10/A, LAU-10A/A, LAU-10B/A OR LAU-10C/A LAUNCHER (ZUM) IN UNIT LOAD ADAPTER MK 58 MOD 1 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1325-55(1) NOTICE 2	RAILCAR LOADING OF HAZARDOUS MATERIALS ADAPTION KIT MK 28 MOD 1 IN CONTAINER MK 182 MOD 1 (VALIDATION DATE: 8903)	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1325-56 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS TORPEDO MK 44 MOD 0, ASROC IN CONTAINER MK 187 MOD 1 (VALIDATION DATE: 8903)	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1325-59 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 1 MOD 0 OR MK 37 MOD 0 (ASROC) IN CONTAINER MK 178 MOD 0 (VALIDATION DATE: 8903)	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325-80 NOTICE 1	CARLOADING PROJECTILE, 8 INCH MK 24, 25 AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325-81 NOTICE 1	CARLOADING PROJECTILE, 8 INCH MK 21, AND MODS IN ADAPTER MK 74 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1325-83 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS CHARGE, PROPELLING 8 INCH/55 CARTRIDGE TANK MK11 MOD 0 OR MK13 MOD 0 IN ADAPTER MK76 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8903) REVIEWER: AS	A 8140	OS	25-FEB-93	OS			
M LI	MIL-STD-1325-84 NOTICE 2	RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "B" "C" AND "D" IN CRATE MK 55 MOD 1	A 8140	OS	25-FEB-93	OS			
M LI	MIL-STD-1325-85 NOTICE 3	RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 84 MODS 0, 1, AND 2 (2000 LB.) IN UNIT LOAD ADAPTER MK 79 MOD 0 REVIEWER: AS	A 8140	OS	01-MAR-89	OS			
L	MIL-STD-1325-86 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 52 AND MODS IN CRATE, UNDERWATER MINE MK 52 MOD 0 (VALIDATION DATE: 8903)	A 8140	OS	13-MAR-91	OS			
L	MIL-STD-1325-92 NOTICE 1	CARLOADING PROJECTILE, 16 INCH, AP MK 8 AND MODS IN HANDLING BAND MK 85 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS					



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action	Doc. / Chg. / Revision	Machine	Document Number	Document Title	Doc. Smt. / F&C / Area	MCA Symbol	Preparing Amt.	Date	Custodians		
									Army	Navy	Air Force
A LI	MIL-STD-1325-97			RAILCAR LOADING OF HAZARDOUS MATERIALS EXPLOSIVE SECTION MK 1 MOD 1 IN CRATE MK 101 MOD 1 FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1325-100			RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (2 ROWS ACROSS CAR) [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-101			RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL CARLOADING PROCEDURES FOR PALLETIZED UNIT LOADS (3 ROWS ACROSS CAR) [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-102A			RAILCAR LOADING OF HAZARDOUS MATERIALS TYPICAL PARTIAL UPPER LAYER BRACING OF UNIT LOADS IN ALL METAL BOXCARS [VALIDATION DATE: 8903]	A 8140	OS	01-MAR-89		OS		
L	MIL-STD-1325-144			RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-59/B, COMPLETE (APAM) OR DISPENSER AND BOMB, AIRCRAFT CBU-59(T-1)/B TRAINING IN CONTAINER MK 427 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8903] REVIEWER: AS	A 8140	OS	01-MAR-89		OS		
L	MIL-STD-1325-149			CARLOADING GUIDED WEAPON MK 5 & MODS (WALLEYE) IN CONTAINER CMU-154 A/E OR CMU-154 B/E [VALIDATION DATE: 8902]	A 8140	OS	23-FEB-89		OS		
A LI	MIL-STD-1325-150			RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, MK 82 & MODS (500 LB) AIR FORCE UNIT LOAD TPO 1325-294-4152 REVISION R THROUGH A-A REVIEWER: AS	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1325-152			CARLOADING CARTRIDGE, 3 INCH/50, IN TANK MK 5 AND MODS DOMESTIC UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
A LI	MIL-STD-1325-156			CARLOADING FIN ASSEMBLY, BOMB FOR 1000 LB MK 83 BOMB (UNCRATED) FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92		OS		
A LI	MIL-STD-1325-157A			RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, MKU-122/E FLEET ISSUE UNIT LOAD REVIEWER: AS	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1325-158			CARLOADING LAUNCHER, ROCKET, LAU-69/A DOMESTIC UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-160			CARLOADING STANDARD ARM MISSILE AGM-78 IN CONTAINER CMU-183/E [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-161			CARLOADING PROPULSION SECTION, (PHOENIX) IN CONTAINER CMU-159/E DOMESTIC UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-162			CARLOADING BOMB GUIDANCE KIT KNU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-163			CARLOADING BOMB GUIDANCE KIT KNU-351A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-164(1)			CARLOADING CARTRIDGE 5 INCH/54 IN TANK MK 14, MK 14 MOD 1, MK 21 MOD 0 OR REDUCED MK 14 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-165			CARLOADING CARTRIDGE, 6 INCH/47, IN CARTRIDGE TANK MK 4 FLEET UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
A LI	MIL-STD-1325-166			CARLOADING FIN ASSEMBLY, BOMB, MK15 AND MODS (SHAKEYE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92		OS		
A LI	MIL-STD-1325-167			CARLOADING FIN ASSEMBLY, BOMB FOR 2000 LB G.P. BOMB MK 84 IN CRATE MK 13 MOD 1 FLEET UNIT LOAD	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1325-168			RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, MK 20 AND MODS (ROCKEYE 11) IN CONTAINER CMU-208/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-169			RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, CLUSTER, CBU-55/B, CBU-55A/B OR CBU-72/B (FUEL AIR EXPLOSIVE) IN CONTAINER CMU-208/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9104] REVIEWER: AS	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-170			RAILCAR LOADING OF HAZARDOUS MATERIALS PROPELLANT GRAIN MK 88 MOD 0 IN PALLET CRATE MK 107 MOD 0 DOMESTIC UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-171			RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, GENERAL PURPOSE, M117 (750 LB) AIR FORCE UNIT LOAD TPO 1325-232-6331 REVISION F [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-172			RAILCAR LOADING OF HAZARDOUS MATERIALS WING ASSEMBLY MK 7 MOD 2 AND FIN ASSEMBLY MK 32 MOD 2 FOR GUIDED WEAPON MK 5 MOD 4 (WALLEYE 11) IN CONTAINER CMU-150/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8903] REVIEWER: AS	A 8140	OS	01-MAR-89		OS		
L	MIL-STD-1325-174			RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 MODS (ROCKEYE 11) IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91		OS		
M LI	MIL-STD-1325-175			RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB, 2000 LB MK 84 MOD 3 (THERMALLY PROTECTED) IN UNIT LOAD ADAPTER MK 79 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD REVIEWER: AS OS	A 8140	OS	25-FEB-93		OS		
L	MIL-STD-1325-177			RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 76MM/62 CAL OR CHARGE, CLEARING, 76MM/62 CAL IN PALLET ADAPTER MK 121 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
A LI	MIL-STD-1325-178			RAILCAR LOADING OF HAZARDOUS MATERIALS BOMB MK 82 & MODS (500 LB.) ON BOM PALLET MKU-149/E AIR FORCE UNIT LOAD TPO-01-006-5657 REVIEWER: AS	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1325-179(1)			RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-MK20 AND MODS (ROCKEYE 11) OR CBU-55/B, CBU-55A/B OR CBU-72/B (FAE) OR CBU-59B (APAM) OR CBU-78/B (GATOR) IN CONTAINER, CMU-238/E FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103] USER: AS	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-180			RAILCAR LOADING OF HAZARDOUS MATERIALS DISPENSER AND BOMB, AIRCRAFT CBU-59/B, COMPLETE (APAM) OR DISPENSER AND BOMB, AIRCRAFT CBU-59(T-1)/B TRAINING IN CONTAINER MK 427 MOD 1 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8902] REVIEWER: AS	A 8140	OS	23-FEB-89		OS		
L	MIL-STD-1325-182			RAILCAR LOADING OF HAZARDOUS MATERIALS ROCKET MOTOR MK 52 AND MODS (SPARROW) OR ROCKET MOTOR MK 53 MOD 1 OR MK 78 MOD 0 (SHRIKE) FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8902] REVIEWER: AS	A 8140	OS	23-FEB-89		OS		
L	MIL-STD-1325-183			RAILCAR LOADING OF HAZARDOUS MATERIALS AIRFOIL GROUP, MKU-641/B, F/MK 83 BOMB FLEET ISSUE UNIT LOAD [VALIDATION DATE: 8902]	A 8140	OS	23-FEB-89		OS		
L	MIL-STD-1325-184			RAILCAR LOADING OF HAZARDOUS MATERIALS SMOKELESS POWER FOR CANNON IN PACKING BOX MK 7 AND MODS [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-185			RAILCAR LOADING OF HAZARDOUS MATERIALS AIRFRAME MK 4 MOD 0, MK 5 MOD 0, OR MK 8 MOD 0 OR 1 (ASROC) IN CONTAINER MK 321 MOD 0 OR 1 [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
A LI	MIL-STD-1325-186			RAILCAR LOADING OF HAZARDOUS MATERIALS MINE, UNDERWATER MK 60 MOD 0 IN SKID MK 24 MOD 0	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1325-188			RAILCAR LOADING OF HAZARDOUS MATERIALS CARTRIDGE, 4.4 INCH CHAFF, MK 171, TYPE, MK 173, MK 178, MK 179 (RBOC) IN PALLET ADAPTER MK 132 MOD 0 FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
A LI	MIL-STD-1325-189			RAILCAR LOADING MINE, UNDERWATER: MK 55 AND MODS, CONFIGURATION "C" AND "D" IN CRATE MK 55 MOD 1 WITH CRATE ADAPTERS MK 112 MOD 0	A 8140	OS	15-OCT-92		OS		
M LI	MIL-STD-1325-191			RAILCAR LOADING MINE, UNDERWATER MK 65 MOD 0 AND MODS IN SKID MK 25 MOD 2	A 8140	OS	25-FEB-93		OS		
A LI	MIL-STD-1325-192			RAILCAR LOADING CASE, UNDERWATER MINE MK 25 AND MODS IN CRATE MK 25	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1325-193			RAILCAR LOADING TORPEDO, MK 44 AND MK 46 ASSEMBLIES IN CONTAINER MK 197 MOD 1 [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91		OS		
L	MIL-STD-1325-196			RAILCAR LOADING DISPENSER AND BOMB, AIRCRAFT CBU-MK 20 AND MODS (ROCKEYE 11) AND CBU-78/B (GATOR) IN CONTAINER CMU-319/E UNIT LOAD UNDERWAY RELEASHER [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91		OS		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc. / OLA Coordination Notice Document Number	Document Title	Doc. Synt. FSC / Area	MCA Symbol	Preparing Act. Date	Custodians			
					Army	Navy	Air Force	OLA
L MIL-STD-1325-197 NOTICE 1	RAILCAR LOADING OF HAZARDOUS MATERIALS GUIDED MISSILE BGM-71A-1 (TOW) IN ADAPTER ADL-486/E UNIT LOAD FOR UNDERWAY REPLENISHMENT [VALIDATION DATE: 9103] REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1326(1)	TEST POINT, TEST POINT SELECTION AND INTERFACE REQUIREMENTS FOR EQUIPMENTS MONITORED BY SHIPBOARD ON-LINE AUTOMATIC TEST EQUIPMENT [VALIDATION DATE: 8104] USER: SH REVIEWER: MI	A ATTS	EC	1'-JAN-68	EC			
MIL-STD-1327A(1)	FLANGE, COAXIAL AND WAVEGUIDE, AND COUPLING ASSEMBLIES SELECTION OF [VALIDATION DATE: 8104] USER: 19 AV CG MC REVIEWER: 17 99 AR AS ES MI OS	A 5985	EC	19-AUG-75	ER	EC	85	
MIL-STD-1328C NOTICE 1	COUPLERS, DIRECTIONAL SELECTION OF USER: 19 CG MC OS REVIEWER: 17 05 AR AS AV ES MI	A 5985	EC	22-SEP-89	ER	EC	11	
MIL-STD-1329C	SWITCHES, RF COAXIAL, SELECTION OF USER: 19 AS AV CG MC OS REVIEWER: 11 17 99 ES MI SH	A 5985	EC	15-JUL-88	ER	EC	85	
L MIL-STD-1330C	CLEANING & TESTING OF SHIPBOARD OXYGEN, NITROGEN & HYDROGEN GAS PIPING SYSTEMS	A 4730	SH	01-FEB-85	SH			
MIL-STD-1331(1)	PARAMETERS TO BE CONTROLLED FOR THE SPECIFICATION OF MICROCIRCUITS USER: CG MC REVIEWER: 01 10 11 05 AR AS ES MI OS	A 5962	EC	19-AUG-70	ER	EC	17	
D MIL-STD-1332B	DEFINITIONS OF TACTICAL, PRIME, PRECISE, AND UTILITY TERMINOLOGIES FOR CLASSIFICATION OF THE DOD MOBILE ELECTRIC POWER ENGINE GENERATOR SET FAMILY USER: 17 AR REVIEWER: 99 CG OS MC MI	A 6115	ME	13-MAR-73	ME	YD1	11	
MIL-STD-1333B	AIRCRAFT STATION GEOMETRY FOR MILITARY AIRCRAFT	A 1500	AS	09-JAN-87	AV	AS	11	
MIL-STD-1334B(1) NOTICE 2	PROCESS FOR BARRIER COATING OF ANTI-FRICTION BEARINGS [VALIDATION DATE: 9110] REVIEWER: 11 17 84 AV EC ER MI OS SH	A 3110	AS	02-OCT-91	AR	AS	85	
L MIL-STD-1339C	FITTING OUT PROCEDURES-SHIPS	A 1LSS	SH	27-FEB-90	SH			
L MIL-STD-1343	GLOSSARY OF TERMS FOR ELECTRONIC AND WEAPONS CONTROL INTERFACE FUNCTIONS (NAVAL SHIP COMBAT SYSTEMS) [VALIDATION DATE: 8204] USER: EC OS	A EDS	SH	01-JUL-69	SH			
MIL-STD-1344A(3) NOTICE 4	TEST METHODS FOR ELECTRICAL CONNECTORS REVIEWER: 11 17 AR EC MI	A 5935	AS	14-JUN-85	CR	AS	85	
L MIL-STD-1345B NOTICE 1	TEST REQUIREMENTS DOCUMENT PREPARATION OF [VALIDATION DATE: 8807] REVIEWER: AS MC OS	A MISC	SH	08-JUL-88	SH			
D MIL-STD-1346B	RELAY, SELECTION AND APPLICATION USER: AS MC ME OS SH YD1 REVIEWER: 17 AR AT AV ES MI	A 5945	85	29-APR-85	ER	EC	85	
MIL-STD-1347A NOTICE 3	NAVIGATION DISPLAY MULTICOLOR MICROCHART/MAP TRANSPARENCIES [VALIDATION DATE: 9110]	A 6605	AS	02-OCT-91	AV	AS	85	
MIL-STD-1348	KNOB, CONTROL SELECTION OF USER: 19 AR CG MC REVIEWER: 17 ES ME MI OS	A 5355	EC	20-APR-88	ER	EC	11	
MIL-STD-1352F	ATTENUATOR, FIXED & VARIABLE, SELECTION OF USER: 19 AS AV CG MC ME SH REVIEWER: 11 17 99 AR ES MI OS	A 5985	EC	24-APR-85	ER	EC	85	
MIL-STD-1353B(4) NOTICE 4	ELECTRICAL CONNECTORS, PLUG-IN SOCKETS AND ASSOCIATED HARDWARE SELECTION AND USE OF USER: 19 MC ME REVIEWER: 11 17 99 AS AV ES MI OS SH	A 5935	EC	12-MAY-89	CR	EC	85	
MIL-STD-1358B	WAVEGUIDES, RECTANGULAR, RIDGE AND CIRCULAR, SELECTION OF [VALIDATION DATE: 8404] USER: 19 AS AV CG MC REVIEWER: 11 17 99 AR ES MI OS	A 5985	EC	06-MAR-78	ER	EC	85	
MIL-STD-1359B	CLEANING METHODS AND PROCEDURES FOR BREATHING OXYGEN EQUIPMENT REVIEWER: 11 68 82 84	A 1660	AS	24-JUN-87	AS			
MIL-STD-1360A NOTICE 1	FUSE, FUSEHOLDERS, AND ASSOCIATED HARDWARE, SELECTION AND USE OF USER: AT MC REVIEWER: 11 17 99 AS AV EC ES ME MI	A 5920	SH	22-AUG-83	ER	SH	85	
MIL-STD-1361A	FLUIDICS TEST METHODS AND INSTRUMENTATION [VALIDATION DATE: 8108] REVIEWER: 71	A 1650	AS	28-SEP-73	AV	AS	99	
L MIL-STD-1362A NOTICE 1	PROCEDURES FOR STEAM PURITY MEASUREMENT NAVAL PROPULSION BOILERS [VALIDATION DATE: 9204]	A 4410	SH	16-APR-92	SH			
D L MIL-STD-1364J	GENERAL PURPOSE ELECTRONIC TEST EQUIPMENT USER: CG EC MC NO ON OS TO YD1 REVIEWER: AS SA	A 6625	SH	07-OCT-91	SH			
D MIL-STD-1365A NOTICE 1	GENERAL DESIGN CRITERIA FOR HANDLING EQUIPMENT ASSOCIATED WITH WEAPONS AND RELATED ITEMS [VALIDATION DATE: 8809] USER: AL REVIEWER: 69 AR AS EC MC MI MT SA SH	A 8140	OS	30-SEP-88	SH	OS	99	
D MIL-STD-1366C	TRANSPORTABILITY CRITERIA REVIEWER: 13 18 43 69 99 AR AS AT AV CR DM EC GL MC ME MI OS SH SM TE YD1	A PACK	MT	27-FEB-92	MT	SA	11	
MIL-STD-1367A	PACKAGING, HANDLING, STORAGE, AND TRANSPORTABILITY PROGRAM REQUIREMENTS FOR SYSTEMS AND EQUIPMENTS REVIEWER: 10 13 15 16 AS AT AV EC GL MC ME SH	A PACK	11	02-OCT-89	SH	SA	11	
L DOD-STD-1371B	INSPECTION PROCEDURE FOR USE OF ANAEROBIC THREAD LOCKING COMPOUNDS WITH STUDS [VALIDATION DATE: 8801]	A 8030	SH	11-JAN-88	SH			
L MIL-STD-1371B NOTICE 1	INSPECTION PROCEDURE FOR USE OF ANAEROBIC THREAD LOCKING COMPOUNDS WITH STUDS [VALIDATION DATE: 8801]	A 8030	SH	11-JAN-88	SH			
L MIL-STD-1372A(1)	PROCESS FOR SOLDERING ACCIDENT DOSIMETER TO FILM BADGE HOLDER FOR RADIAC DETECTING ELEMENT [VALIDATION DATE: 8505]	A THJM	SH	12-OCT-72	SH			
MIL-STD-1373(3) NOTICE 3	SCREW-THREAD, MODIFIED, 60 DEGREE, STUB, DOUBLE	A THDS	EC	13-OCT-88	ER	EC		
MIL-STD-1374A NOTICE 1	WEIGHT AND BALANCE DATA REPORTING FORMS FOR AIRCRAFT (INCLUDING ROTORCRAFT) [VALIDATION DATE: 9110]	A 156P	AS	02-OCT-91	AV	AS	11	
L MIL-STD-1375(1)	PROVISIONING, INITIAL SUPPORT, GENERAL REQUIREMENTS FOR (INT NOTICE 1 )EC() [VALIDATION DATE: 8002] REVIEWER: AS OS SM TO	A MISC	SA	23-NOV-70	SA			
L DOD-STD-1376A	PIEZOELECTRIC CERAMIC FOR SONAR TRANSDUCERS (HYDROPHONES AND PROJECTORS) [VALIDATION DATE: 8812]	A 5845	SH	20-DEC-88	SH			
L MIL-STD-1376A	PIEZOELECTRIC CERAMIC FOR SONAR TRANSDUCERS (HYDROPHONES AND PROJECTORS) [VALIDATION DATE: 8812]	A 5845	SH	20-DEC-88	SH			
MIL-STD-1377	EFFECTIVENESS OF CABLE, CONNECTOR, AND WEAPON ENCLOSURE SHIELDING AND FILTERS IN PRECLUDING HAZARDS OF ELECTROMAGNETIC RADIATION TO ORDNANCE. MEASUREMENT OF [VALIDATION DATE: 8204] USER: MC REVIEWER: AS EC MI	A EMCS	OS	20-AUG-71	OS	11		
MIL-STD-1378E	REQUIREMENTS FOR EMPLOYING STANDARD ELECTRONIC MODULES REVIEWER: 13 17 19 AS AT AV ES MC	A 5963	NW	21-APR-89	ER	NW	85	
MIL-STD-1379D	MILITARY TRAINING PROGRAMS REVIEWER: 94 AS EC MC TO TM	A 1LSS	SH	05-DEC-90	AV	SH	11	
L MIL-STD-1381	TECHNICAL ELECTRONIC TERMS AND DEFINITIONS [VALIDATION DATE: 8404]	A MISC	EC	15-AUG-72	EC			
MIL-STD-1385B	PRECLUSION OF ORDNANCE HAZARDS IN ELECTROMAGNETIC FIELDS, GENERAL REQUIREMENTS FOR USER: MC REVIEWER: AS EC MI	A EMCS	OS	01-AUG-86	AV	OS		
L MIL-STD-1385	LOADING OF HAZARDOUS MATERIALS IN MILVAN CONTAINERS [VALIDATION DATE: 9203] REVIEWER: AS	A 8140	OS	18-MAR-92	OS			
L MIL-STD-1386-1 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MC 81 AND MODS (250 LB) FLEET ISSUE UNIT LOAD (WITH PLASTIC NOSE PLUGS) [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
A LI MIL-STD-1386-2A NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MC 83 AND MODS (1000 LB) IN PALLET, BOMB MC 11 MOD 0 FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92	OS			
L MIL-STD-1386-3 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MC 82 AND MODS (500 LBS) AIR FORCE UNIT LOAD (WITH PLASTIC NOSE PLUGS) [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
A LI MIL-STD-1386-4(1) NOTICE 3	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, GENERAL PURPOSE MC 82 & MODS (500 LBS) FLEET ISSUE UNIT LOAD (WITH PLASTIC NOSE PLUGS)	A 8140	OS	15-OCT-92	OS			
L MIL-STD-1386-5 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ADAPTER, BOOSTER, NOSE T45 TYPE FLEET ISSUE UNIT LOAD [VALIDATION DATE: 9103]	A 8140	OS	13-MAR-91	OS			
A LI MIL-STD-1386-6 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSY MAL-93/B FOR MC 82 BOMB AIR FORCE UNIT LOAD	A 8140	OS	15-OCT-92	OS			
A LI MIL-STD-1386-7 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, FOR 500 LB. L.D. BOMB (UNCRATED) FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc Chg / OMA Coordination Notice Document Number	Document Title	Doc. Smt. FSC / Issue MCA Symbol Preparing Act.			Custodians			
		Date			Army	Navy	Air Force	DLA
L MIL-STD-1386-8 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FUZE, BOMB, M904 OR M990 TYPE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-9A NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 5 INCH/54 IN PALLET ADAPTER MK 11 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-10 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/54 CARTRIDGE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-11 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6-INCH AP IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-12 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR MC WITH PROTECTIVE CAP MK 1 AND 3 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-13 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILE, 6 INCH AAC OR MC WITH PROTECTIVE CAP MK 4 IN PALLET ADAPTER MK 20 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
M LI MIL-STD-1386-14 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, 500 LB, MK 82 MOD 2 (THERMALLY PROTECTED) ON BOMB PALLET MK 9 MOD 0 WITH SADDLES FLEET ISSUE UNIT LOAD	A 8140	OS	25-FEB-93	OS			
L MIL-STD-1386-15 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FUZE, BOMB MK 344 OR MK 376 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9108)	A 8140	OS	26-AUG-91	OS			
L MIL-STD-1386-16 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FINS, BOMB TAIL MK 15 MOD 0 AND 1 IN CRATE MK 28 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-17 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 1000 LB MK 83 BOMB IN BOMB CRATE MK 10 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-18 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 1000 LB BOMB MK 83 UNCRATED FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-19 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB FOR 500 LB BOMB MK 82 IN CRATE MK 17 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-20 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-69/A DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-21A NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS-BOMB, 500 LB MK 82 MOD 2 (THERMALLY PROTECTED) ON PALLET, M9A-122/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-22(1) NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, PRACTICE MK 76 MOD 4, 5, AND 7 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-23 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS AIRCRAFT FLARE MK 32/899 (BRITNEY) FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-24 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CHARGE, PROPELLING 6 INCH/47 IN CARTRIDGE TANK MK 4 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-25 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCHES/38 PROJECTILE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-26 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 5 INCH/38 CARTRIDGE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-27 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS 3 INCH/50 CARTRIDGE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-28 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLARE, AIRCRAFT PARACHUTE MK 24 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-29 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLARE, AIRCRAFT PARACHUTE MK 45 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-30 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM, M50 SERIES BELTED WITH MK 7 OR M14 LINKS IN CONTAINER M54B FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-31 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET LAUNCHER, LAU-611A, LAU-68/A OR LAU 69/A FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-32 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET HEAD, 5 INCH MK 24 OR MK 32 AND MODS (ZUNI) FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8810) REVIEWER: AS	A 8140	OS	30-OCT-88	OS			
L MIL-STD-1386-33 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 20 MM IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-34 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIN ASSEMBLY, BOMB, MK 15 AND MODS (SHAKESPEARE) IN PALLET ADAPTER ADU-383/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-35 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 40 MM, M6 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-36 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS-BOMB GUIDANCE KIT, MKU-351 A/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-37 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS INITIATOR, MK 13 MOD 0 (FOR FIRE BOMB) IN CONTAINER CMU 157/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-38 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB GUIDANCE KIT, MKU-388/B (LESS SEEKER ASSEMBLY) FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103) REVIEWER: AS	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-39 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS SAFETY AND ARMING DEVICE MK 13 MOD 0 AND 1 FOR AIM-90, 96 AND 9H (SIDEWINDER 1C) IN CONTAINER CMU-189/E FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-40 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, .50 CALIBER IN SMALL ARMS AMMUNITION BOX MK 1 MOD 0 DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-41 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ROCKET MOTOR, MK 16 AND MODS AND MK 71 MOD 0 AND 1 (ZUNI) IN CONTAINER MK 38 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-42 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 7.62MM, BALL MOD AMPHIBIOUS UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91	OS			
L MIL-STD-1386-43 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS .50 CALIBER LINKED AMMUNITION IN AMMUNITION BOX MK 1 MOD 0 AMPHIBIOUS UNIT LOAD (VALIDATION DATE: 8511)	A 8140	OS	15-MAY-74	OS			
LI MIL-STD-1386-44 NOTICE 3	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS BOMB, G.P., MK 82 AND MODS (500LB.) EMPTY REVIEWER: AS	A 8140	OS	27-MAR-92	OS			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Op / Chg Coordination Inactive	Document Number	Document Title	Dist. Smt FSC / Ave	MCA Symbol	Preparing Acty.	Date	Custodians			
							Army	Navy	Air Force	DIA
L	MIL-STD-1386-45 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS (BOMB, G.P., MK 81 MOD 1 )250 LBS. ( EMPTY (VALIDATION DATE: 8705) REVIEWER: AS	A 8140	OS	21-MAY-87		OS			
L	MIL-STD-1386-46 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PROJECTILES, 6 INCHES AAC, MC OR AP 1M PALLET ADAPTER MK4 AND MODS FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	21-MAY-87		OS			
L	MIL-STD-1386-47 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	22-MAY-87		OS			
A LI	MIL-STD-1386-48 NOTICE 3	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MINE UNDERWATER MK 55 AND MODS, CONFIGURATION "C" IN CRATE MK 55 MOD 1 FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92		OS			
L	MIL-STD-1386-49 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FIRE BOMB, MK 77 MODS 2 AND 4 (EMPTY) FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS			
L	MIL-STD-1386-50 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, PACK ASSEMBLY, PARACHUTE, UNDERWATER MINE; MK 35 TYPE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS			
L	MIL-STD-1386-51 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, RELEASE, PARACHUTE, UNDERWATER MINE, MK 20 FLEET ISSUE UNIT LOAD	A 8140	OS	15-MAY-87		OS			
L	MIL-STD-1386-52 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, RELEASE, PARACHUTE, UNDERWATER MINE, MK 33 TYPE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	28-MAY-87		OS			
L	MIL-STD-1386-53 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, FIN, TAIL, UNDERWATER MINE, MK 18 TYPE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	28-MAY-87		OS			
L	MIL-STD-1386-54A NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS, FAIRING, UNDERWATER MINE, MK 20 TYPE FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	29-MAY-87		OS			
L	MIL-STD-1386-55 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS CARTRIDGE, 76 MM/62 CALIBER OR CHARGE, CLEARING 76 MM/62 CALIBER FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	29-MAY-87		OS			
L	MIL-STD-1386-56 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8810)	A 8140	OS	30-OCT-88		OS			
A LI	MIL-STD-1386-57 NOTICE 3	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 2 MOD 2 IN CRATE MK 103 MOD 0 FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92		OS			
L	MIL-STD-1386-58 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS ANCHOR, UNDERWATER MINE MK 57 TYPE FOR UNDERWATER MINE MK 57 DOMESTIC UNIT LOAD (VALIDATION DATE: 9103)	A 8140	OS	13-MAR-91		OS			
L	MIL-STD-1386-59 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS EXPLOSIVE SECTION MK 2 MOD 2 (EMPTY) FOR MK 57 UNDERWATER MINE IN CRATE MK 103 MOD 0 DOMESTIC UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	27-MAY-87		OS			
L	MIL-STD-1386-60 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS MECHANISM COMPARTMENT MK 2 MOD 3 FOR MK 57 UNDERWATER MINE IN CRATE MK 104 DOMESTIC UNIT LOAD (VALIDATION DATE: 8705)	A 8140	OS	27-MAY-87		OS			
A LI	MIL-STD-1386-62 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS PARAPAC ASSEMBLY MK 36 MOD 0 FOR UNDERWATER MINE MK 55 FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92		OS			
L	MIL-STD-1386-63 NOTICE 1	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 55 IN CONTAINER MK 586 MOD 0 FLEET ISSUE UNIT LOAD (VALIDATION DATE: 8810)	A 8140	OS	30-OCT-88		OS			
A LI	MIL-STD-1386-64 NOTICE 2	LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS FLIGHT GEAR, UNDERWATER MINE MK 52 IN CONTAINER MK 585 MOD 0 FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92		OS			
D	MIL-STD-1388-1A(3) NOTICE 3	LOGISTIC SUPPORT ANALYSIS REVIEWER: 11 13 15 16 17 AT AV CR DC DH MC ME MI NA NS OS SH YD1	A 1LSS	TM	28-MAR-91	TM AS 10				
D	MIL-STD-1388-2B	DOD REQUIREMENTS FOR A LOGISTIC SUPPORT ANALYSIS RECORD REVIEWER: 11 13 15 16 17 AT AV CR DC DH DS MC ME MI NA NS OS SH YD1	A 1LSS	TM	28-MAR-91	TM AS 10				
	MIL-STD-13890	DESIGN REQUIREMENTS FOR STANDARD ELECTRONIC MODULES REVIEWER: 13 17 19 AS AT AV ES MC	A 5963	SH	30-MAR-89	ER SH 85				
D	MIL-STD-13900	LEVEL OF REPAIR ANALYSIS (LORA) REVIEWER: 11 13 15 16 17 AR AT AV CL CR DC DH DS EC IR MC MI NA NS OS SH TM YD1	A 1LSS	AS	19-JAN-93	TM AS 10				
A	MIL-STD-13910	PROVISIONS FOR EVALUATING QUALITY OF OVERCOATS, MEN'S USER: MC	A 8405	CT	02-JUN-92	GL MU CT				
A	MIL-STD-13948	PROVISIONS FOR EVALUATING QUALITY OF CAP CROWNS REVIEWER: 82 99 MC	A 8405	CT	06-NOV-89	MU 11 CT				
	MIL-STD-13958	FILTERS AND NETWORKS SELECTION AND USE OF USER: 19 AT AV CG MC ME REVIEWER: 17 AR MI OS SH	A 5915	85	06-MAR-87	ER EC 85				
L	MIL-STD-13978	INPUT/OUTPUT INTERFACES, STANDARD DIGITAL DATA, NAVY SYSTEMS USER: EC REVIEWER: NM OM	A MCCR	SH	03-MAR-89	SH				
D L	MIL-STD-1399C	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS USER: YD1 REVIEWER: AS EC OS	A 1990	SH	02-FEB-88	SH				
L	DOD-STD-1399-70-1 NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 070 - PART 1 D.C. MAGNETIC FIELD ENVIRONMENT (METRIC) (VALIDATION DATE: 8911) USER: AS REVIEWER: EC OS	A 1990	SH	30-NOV-89	SH				
L	DOD-STD-1399-71	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 071 MASS/SIZE/SHAPE, SHIPBOARD UNITS (METRIC)	A 1990	SH	12-NOV-81	SH				
L	MIL-STD-1399-72	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072 - PART 1 BLAST ENVIRONMENT, MISSILE EXHAUST (VALIDATION DATE: 8209)	A 1990	SH	14-OCT-77	SH				
L	MIL-STD-1399-72A-1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.1 BLAST ENVIRONMENT, MISSILE EXHAUST REVIEWER: AS EC OS	A 1990	SH	24-OCT-91	SH				
L	MIL-STD-1399-72A-2	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072.2 BLAST ENVIRONMENT, GUN MUZZLE REVIEWER: AS EC OS	A 1990	SH	24-OCT-91	SH				
L	DOD-STD-1399-72-3	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 072 - PART 3 BLAST ENVIRONMENT, NUCLEAR WEAPONS USER: AS SA SS REVIEWER: EC	A 1990	SH	22-MAY-78	SH				
L	MIL-STD-1399-102A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 102 LOW PRESSURE DRY AIR SERVICE FOR SURFACE SHIPS REVIEWER: AS EC OS	A 1990	SH	05-FEB-88	SH				
L	MIL-STD-1399-105 NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 105 SEA WATER SERVICE FOR SURFACE SHIPS (VALIDATION DATE: 8707) USER: CG REVIEWER: AS EC OS	A MISC	SH	06-JUL-87	SH				
L	MIL-STD-1399-106B	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 106 COMPRESSED AIR SERVICE FOR SURFACE SHIPS USER: CG REVIEWER: AS EC OS	A MISC	SH	05-FEB-88	SH				
L	DOD-STD-1399-204A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 204A AMBIENT AIR CONDITIONS IN SURFACE SHIP COMPARTMENTS (METRIC) USER: CG REVIEWER: AS EC OS	A 1990	SH	26-AUG-87	SH				
L	MIL-STD-1399-204A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 204A AMBIENT AIR CONDITIONS IN SURFACE SHIP COMPARTMENTS (METRIC) USER: CG REVIEWER: AS EC OS	A 1990	SH	26-AUG-87	SH				
D L	MIL-STD-1399-300A(1)	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 300A ELECTRIC POWER, ALTERNATING CURRENT (METRIC) REVIEWER: OS YD1	A 1990	SH	11-MAR-92	SH				
L	DOD-STD-1399-301A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 301A SHIP MOTION AND ATTITUDE (METRIC) USER: CG REVIEWER: AS EC OS	A 1990	SH	21-JUL-86	SH				
L	MIL-STD-1399-302A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 302 WEATHER ENVIRONMENT REVIEWER: AS EC OS	A 1990	SH	29-FEB-88	SH				
L	DOD-STD-1399-304 NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 304 ELECTRICAL CABLES AND CONNECTORS (VALIDATION DATE: 9106) USER: CG MC REVIEWER: AS EC	A 1990	SH	12-JUN-91	SH				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc. / OMA Classification Inclusive	Document Number	Document Title	Dist. Smt. FSC / Arms MCA Symbol	Preparing Date	Custodians
					Army Navy Air Force DLA
L	MIL-STD-1399-390	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 390 ELECTRIC POWER, DIRECT CURRENT, (OTHER THAN SHIP'S BATTERY) FOR SUBMARINES (METRIC) REVIEWER: EC	A 1990	SH 02-OCT-87	SH
L	DOD-STD-1399-406A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 406 DIGITAL COMPUTER GROUNDING (METRIC)	A 1990	SH 02-JUN-82	SH
D L	MIL-STD-1399-408A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 408 ELECTROMAGNETIC RADIATION HAZARDS TO PERSONNEL AND FUELS (INVALIDATION DATE: 8104) USER: AS OS REVIEWER: EC MS YD1	A MISC	SH 16-JUL-73	SH
L	DOD-STD-1399-441	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 441 PRECISE TIME AND TIME INTERVAL (PTTI)	A 1990	EC 01-JUN-82	EC
L	MIL-STD-1399-502	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 502 ELECTRONIC SYSTEMS PARAMETERS (INVALIDATION DATE: 8104)	A MISC	SH 28-JUN-74	SH
L	DOD-STD-1399-532(1) NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 532 COOLING WATER FOR SUPPORT OF ELECTRONIC EQUIPMENT (METRIC)	A 1990	SH 28-FEB-90	SH
D L	DOD-STD-1399-533(1) NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 533 POTABLE WATER SERVICE (METRIC) USER: AS EC REVIEWER: YD1	A 1990	SH 13-APR-90	SH
L	MIL-STD-1399-534(1) NOTICE 2	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 534 AUXILIARY STEAM SERVICE, SURFACE SHIPS REVIEWER: AS	A 1990	SH 22-AUG-88	SH
D L	MIL-STD-1399-593	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 1 SEWAGE/WASTE DISPOSAL FOR SURFACE SHIPS (INVALIDATION DATE: 8309) REVIEWER: YD1	A 1990	SH 26-JUL-78	SH
D L	MIL-STD-1399-593-1 NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 1 SEWAGE/WASTE WATER DISPOSAL FOR SURFACE SHIPS (INVALIDATION DATE: 8911) REVIEWER: YD1	A 1990	SH 30-NOV-89	SH
D L	MIL-STD-1399-593-2 NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 593 - PART 2 SEWAGE/WASTE WATER DISPOSAL FOR SUBMARINES (INVALIDATION DATE: 8911) REVIEWER: YD1	A 1990	SH 27-NOV-89	SH
L	MIL-STD-1399-702	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 702 SYNCHRO DATA TRANSMISSION (INVALIDATION DATE: 8104) REVIEWER: EC OS	A MISC	SH 25-MAR-71	SH
L	DOD-STD-1399-703 NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 703 WEAPONS HANDLING (INVALIDATION DATE: 9008) USER: AS	A 1990	SH 10-AUG-90	SH
D	MIL-STD-1400C	ENGINES, GASOLINE AND DIESEL, METHODS OF TEST USER: MC REVIEWER: 82 AR YD1	A 2805	ME 30-JUL-90	ME 99
D	MIL-STD-1401(1)	ENGINE, GASOLINE, AIR COOLED, 20 BHP, 4 CYCLE, MILITARY DESIGN, MODEL 4A084 INSTALLATION PROCEDURES (INVALIDATION DATE: 8711) USER: MI REVIEWER: MC	A 2805	ME 16-NOV-87	ME YD1 99
D	MIL-STD-1402(1) NOTICE 2	ENGINE, GASOLINE, AIR COOLED, 20 BHP, 4 CYCLE, MILITARY DESIGN, MODEL 4A084 INSTALLATION PROCEDURE (INVALIDATION DATE: 8711) USER: MI REVIEWER: MC	A 2805	ME 16-NOV-87	ME YD1 99
L	MIL-STD-1407B	HEATER, VEHICULAR COMPARTMENT, HEATERS, COOLANT, ENGINE, HEATERS, SPACE, HEATERS, DUCT-TYPE USER: MI REVIEWER: AT CS	A 4520	ME 17-DEC-85	ME MC 84
L	MIL-STD-1408B	AIR CONDITIONERS, STANDARD FAMILY OF MILITARY AIR CONDITIONERS, GENERAL APPLICATION CHARACTERISTICS USER: ER REVIEWER: EA GL GS MC	A 4120	ME 05-MAR-92	ME
L	MIL-STD-1410A	METHODS FOR SELECTION OF INDUSTRIAL ENGINES FOR END ITEM APPLICATION USER: MC REVIEWER: CE CS EA	A 2805	ME 17-MAR-89	ME 99
L	MIL-STD-1411(1)	INSPECTION AND MAINTENANCE OF COMPRESSED GAS CYLINDERS (INVALIDATION DATE: 8501) USER: CE GS REVIEWER: EA	A 8120	ME 08-SEP-81	ME SH 68
L	MIL-STD-1412A	MOTOR, ELECTRIC, FOR AIR CONDITIONER APPLICATIONS METHODS OF TEST & INSTRUCTIONS	A 6105	ME 07-MAR-86	ME
D	MIL-STD-1421	BREATHING APPARATUS (SELF CONTAINED) (INVALIDATION DATE: 8601) USER: 50 AL AR ER MC REVIEWER: 04 CE GS NA OS YD1	A 4240	EA 28-SEP-81	EA SH 99
D	MIL-STD-1422A	MASK, CHEMICAL BIOLOGICAL USER: MC REVIEWER: AS GL YD1	A 4240	EA 23-AUG-91	EA SH 84
D	MIL-STD-1424	HYDROGEN FLOW METERS	A 6630	EA 01-NOV-79	EA SH 03
D	MIL-STD-1425A	SAFETY DESIGN REQUIREMENTS FOR MILITARY LASERS AND ASSOCIATED SUPPORT EQUIPMENT REVIEWER: AR AT CR GL GS MD TE	A 4240	EA 30-AUG-91	EA SH 99
D	MIL-STD-1427A	ACTIVATED DESICCANTS (METRIC) REVIEWER: GS	A 6850	EA 14-DEC-88	EA SH 68
D	MIL-STD-1433A	CLIMBER SET, TREE AND POLE REVIEWER: GS	A 4240	EA 25-MAY-88	EA YD1 99
D	MIL-STD-1434A	GOGGLES (METRIC) USER: AV MC REVIEWER: GS MD MS YD1	A 4240	EA 21-DEC-88	EA SH 68
D	MIL-STD-1435	ETHERS, REAGENT GRADE (INCLUDING ACS AND USP-NF COMPOUNDS) USER: ME MS OS YD1 REVIEWER: AR DP GS MD MI SM	A 6810	EA 15-APR-88	EA SH 68
D	MIL-STD-1437	ORGANIC CHEMICAL COMPOUNDS, SOLID, TECHNICAL GRADE (INVALIDATION DATE: 8404) REVIEWER: GS	A 6810	EA 20-FEB-70	EA YD1 68
L	MIL-STD-1439 NOTICE 1	THICKENED HYDROCARBON FLAME FUELS, CONSISTENCY OF, MOBILOMETER TEST (INVALIDATION DATE: 8704) USER: ME MR	A 1365	EA 24-APR-87	EA AS 99
L	MIL-STD-1440	TEST FACILITY FOR DETERMINING PERCENT AGENT RECOVERY (INVALIDATION DATE: 8112)	A 1330	EA 19-DEC-67	EA
L	MIL-STD-1441	EQUIPMENT, LEAK DETECTION, HELIUM, FOR CHEMICAL MUNITIONS (INVALIDATION DATE: 8501)	A 4925	EA 03-JUN-68	EA
L	MIL-STD-1442	INORGANIC PEROXIDES, TECHNICAL GRADE USER: AS AV MC MI OS REVIEWER: AR GS MD MR SA	A 6810	EA 11-AUG-87	EA SH 68
D	MIL-STD-1443	INORGANIC ACIDS AND ACID ANHYDRIDES, REAGENT GRADE (INCLUDING ACS AND USP-NF COMPOUNDS) (METRIC) USER: MC OS YD1 REVIEWER: AR AV DM DP GS MD MI SA SM	A 6810	EA 22-OCT-86	EA SH 68
D	DOD-STD-1445	METAL ORGANIC COMPOUNDS, TECHNICAL GRADE (METRIC) REVIEWER: GS	A 6810	EA 21-OCT-87	EA YD1 68
D	DOD-STD-1446	METAL ORGANIC COMPOUNDS, REAGENT GRADE (METRIC) (INCLUDING ACS AND USP-NF COMPOUNDS) USER: CE ME MS OS YD1 REVIEWER: AR DP GS MD MI SM	A 6810	EA 01-OCT-87	EA SH 68
L	MIL-STD-1447	ETHERS AND ORGANIC PEROXIDES, TECHNICAL GRADE (METRIC) REVIEWER: AR AS AV DM GS MD OS	A 6810	EA 24-AUG-88	EA SH 68
L	MIL-STD-1448	HYDROCARBON COMPOUNDS AND SOLVENT DISTILLATES, TECHNICAL GRADE REVIEWER: AL AR AT AV GL	A 6810	EA 22-AUG-90	EA
L	MIL-STD-1450 NOTICE 1	LUBRICATION OF FIRE CONTROL INSTRUMENTS (INVALIDATION DATE: 9012) USER: MI REVIEWER: EA MD ME	A 1220	AR 14-DEC-90	AR
L	MIL-STD-1451A(1)	RESOLVER, ELECTRICAL, SELECTION OF (INVALIDATION DATE: 8504) USER: 14 19 AT MC ME REVIEWER: 17 EC ES MI OS	A 5990	AR 25-MAR-78	AR AS 85
L	MIL-STD-1452	GAGING, GENERAL PRINCIPLES OF (INVALIDATION DATE: 8304) USER: AV ME REVIEWER: AT MI	A 5220	AR 08-DEC-70	AR AS 99
L	MIL-STD-1453	BALLISTIC STANDARDS AND TEST METHOD FOR EVALUATING AND SELECTING 5.56MM AMMUNITION FOR M16/M16A1 WEAPON ACCEPTANCE TESTS (INVALIDATION DATE: 8505)	A 1305	AR 20-JUL-71	AR
L	MIL-STD-1454	CALORIMETRY FOR THERMAL BATTERY HEAT SOURCES TEST AND CALIBRATION PROCEDURES (INVALIDATION DATE: 8503) USER: MH	A MISC	AR 05-JUL-71	AR
L	MIL-STD-1455A	DISPENSER AND SUB-MUNITION, AIR DELIVERED, SAFETY DESIGN AND SAFETY QUALIFICATION CRITERIA FOR	A 1345	18 01-JUN-85	AR AS 18
L	MIL-STD-1457	MINES, LAND, PRACTICE AND LAND MINE SIMULATORS, COLOR OF INDICATING SMOKE FOR (INVALIDATION DATE: 8504)	A 1345	AR 01-AUG-72	AR
L	MIL-STD-1459A NOTICE 1	MICROGRAPH STANDARDS FOR STEEL BARS, BILLET, AND BLOOMS FOR AMMUNITION COMPONENTS (INVALIDATION DATE: 8604) REVIEWER: 99	A 9640	AR 01-APR-86	AR
L	MIL-STD-1461E	AMMUNITION MANUFACTURERS AND THEIR SYMBOLS REVIEWER: MC	A 13GP	AR 05-NOV-90	AR OS
L	MIL-STD-1464A	ARMY NOMENCLATURE SYSTEM USER: GL REVIEWER: AT EA ME MI	A CHAM	AR 15-MAY-87	AR
L	MIL-STD-1465A(1) NOTICE 1	CONFIGURATION MANAGEMENT OF ARMAMENTS, MUNITIONS, AND CHEMICAL PRODUCTION BASE MODERNIZATION REVIEWER: AL CE	A CHAM	AR 05-DEC-88	AR
L	MIL-STD-1466 NOTICE 1	SAFETY CRITERIA AND QUALIFICATION REQUIREMENTS FOR PYROTECHNIC INITIATED EXPLOSIVE (PIE) AMMUNITION (INVALIDATION DATE: 8811)	A 13GP	AR 02-NOV-88	AR OS 99
L	DOD-STD-1467(2) NOTICE 2	SOFTWARE SUPPORT ENVIRONMENT REVIEWER: AV CR	A MCCOR	AR 15-MAR-91	AR
L	DOD-STD-1469	BALLISTIC ACCEPTANCE TEST REQUIREMENTS FOR SOLID PROPELLANT FOR CANNON REVIEWER: TE	A 1376	AR 08-AUG-85	AR
D	MIL-STD-1472D(2)	MUNITION ENGINEERING DESIGN CRITERIA FOR MILITARY SYSTEMS, EQUIPMENT, AND FACILITIES USER: AL YD1 REVIEWER: 13 14 19 26 AR AT AV CR EA EC ER GL MC MD ME MR MS OS PL SM TD TE TH	A HFAC	MI 30-JUN-92	MI AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action	CPL / OML Contribution Incubator	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Acty. Date	Custodians			
							Army	Navy	Air Force	DLA
L		MIL-STD-1473B	STANDARD GENERAL REQUIREMENTS FOR COLOR AND MARKING OF ARMY MATERIAL USER: ME REVIEWER: AV GL MD MR	A MFAC	MI	20-DEC-90	MI			
		MIL-STD-1474C	NOISE LIMITS FOR MILITARY MATERIAL (METRIC) USER: AR REVIEWER: 45 AM AT CE MD	A MFAC	MI	08-MAR-91	MI	AS	11	
		MIL-STD-1475 NOTICE 1	CONTAMINATION CONTROL TECHNOLOGY, PACKAGING PROTECTION OF PRECISION CLEANED MATERIEL (VALIDATION DATE: 8806) REVIEWER: GS	A 3694	MI	14-JUN-88	MI	AS	84	
D		MIL-STD-1476B(1)	METRIC SYSTEM APPLICATION IN NEW DESIGN USER: YDI REVIEWER: 70 80 82 99 AV GS	A MISC	MI	23-AUG-91	MI	SH	01	
		DOD-STD-1477	SYMBOL FOR ARMY AIR DEFENCE SYSTEM DISPLAYS (METRIC) REVIEWER: AD AR AV CE CR	A MFAC	MI	31-MAY-83	MI			
L		MIL-STD-1477A	SYMBOLS FOR ARMY AIR DEFENSE SYSTEM DISPLAYS (METRIC) REVIEWER: AD AR AV CE CR	A MFAC	MI	29-SEP-89	MI			
D		MIL-STD-1478	TASK PERFORMANCE ANALYSIS REVIEWER: AL AR AT AV CR ER GL MD MR MS OS PE SH TD TE TW YDI	A MFAC	MI	13-MAY-91	MI	AS		
A		MIL-STD-1480D	COLOR CODES FOR WEBBING, TEXTILE; MANUFACTURERS' IDENTIFICATION USER: AT MC SH REVIEWER: 45 82 AS MI OS	A 8305	CT	21-DEC-88	GL	MU	99	CT
A		MIL-STD-1481E	SANITATION STANDARDS FOR MEAT PROCESSING PLANTS IN OVERSEAS AREAS REVIEWER: MD MS	A 8905	GL	30-JUN-92	GL	SA	50	
		MIL-STD-1482C	SANITARY STANDARDS FOR BUTTER (AND RELATED PRODUCTS) PLANTS REVIEWER: MD MS	A 8910	GL	01-NOV-86	GL	SA	50	
		MIL-STD-1484 NOTICE 1	CHEMICALS AND CHEMICAL PRODUCTS USED FOR DOD DRYCLEANING (VALIDATION DATE: 8710) USER: MC REVIEWER: EA GS MD	A 7930	GL	30-OCT-87	GL	SH	99	
D		MIL-STD-1485A	CHEMICALS AND CHEMICAL PRODUCTS USED FOR DOD LAUNDERING (VALIDATION DATE: 8402) USER: MC REVIEWER: EA GS MD	A 7930	GL	28-APR-78	GL	YDI		
D		MIL-STD-1487 NOTICE 1	GLOSSARY OF CLOTH COATING IMPERFECTIONS (VALIDATION DATE: 8201) USER: AV MD ME YDI REVIEWER: 45 99 AS MC	A 8305	CT	01-JUN-70	GL	MU	11	CT
A		MIL-STD-1488C MIL-STD-1489B	PROVISIONS FOR EVALUATING QUALITY OF TROUSERS REVIEWER: 82 99 AS CG MC MD . PERFORMANCE TESTING OF COMMERCIALY OWNED HOUSEHOLD GOODS CONTAINERS (VALIDATION DATE: 8602) REVIEWER: 99 GL ME	A 8405 A 8115	CT MT	30-MAR-90 01-FEB-80	GL MT	MU SA	11 69	CT
A		MIL-STD-1490G	PROVISIONS FOR EVALUATING QUALITY OF COATS, MEN'S, DRESS REVIEWER: 82 99 MC MD	A 8405	CT	26-AUG-92	GL	MU	11	CT
D		MIL-STD-1491(1)	GLOSSARY OF KNITTING IMPERFECTIONS (VALIDATION DATE: 8402) USER: 45 AV MC YDI REVIEWER: 82 99 AS	A 83GP	CT	17-SEP-73	GL	SA	11	CT
A		MIL-STD-1492C	PROVISIONS FOR EVALUATING QUALITY OF MEN'S SHIRTS	A 8405	CT	10-JUN-88	GL	MU	11	CT
L		MIL-STD-1493	CONTRACTUAL SERVICE REQUIREMENTS FOR AUTOMATIC DISHWASHING MACHINE ACCESSORY EQUIPMENT AND SUPPLIES (VALIDATION DATE: 8501)	A 7930	GL	11-MAY-73	GL			
A		MIL-STD-1494B	PROVISIONS FOR EVALUATING QUALITY OF RAINCOATS USER: 45	A 8405	CT	14-JUN-88	GL	MU	11	CT
D		MIL-STD-1498B	CIRCUIT BREAKERS SELECTION AND USE OF USER: 19 MC YDI REVIEWER: AR AS AT AV ES ME	A 5925	ER	14-MAY-85	ER	EC	85	
L		MIL-STD-1500B	CADMIUM-TITANIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION	A MFPP	70	02-APR-90			99	
L		MIL-STD-1501C NOTICE 1	CHROMIUM PLATING, LOW EMBRITTLEMENT, ELECTRODEPOSITION	A MFPP	70	02-APR-90			99	
L		MIL-STD-1503B	PREPARATION OF ALUMINUM ALLOYS FOR SURFACE TREATMENTS AND INORGANIC COATING	A MFPP	70	13-NOV-89			99	
		MIL-STD-1504B	ABRASIVE BLASTING	A MFPP	70	08-JUN-89	AR		99	
		MIL-STD-1510B	CONTAINER DESIGN RETRIEVAL SYSTEM PROCEDURES FOR USE OF	A PACK	18	30-SEP-88	SM	OS	18	
L		MIL-STD-1512(1)	ELECTROEXPLOSIVE SUBSYSTEMS, ELECTRICALLY INITIATED, DESIGN REQUIREMENTS AND TEST METHODS (VALIDATION DATE: 8205) REVIEWER: 10 13 15 19 AV	A EMCS	18	06-JAN-76			18	
L		MIL-STD-1514 NOTICE 1	FITTINGS, TETRAFLUOROETHYLENE HOSE HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI) HYDRAULIC AND PNEUMATIC CLASSIFICATION OF DEFECTS (VALIDATION DATE: 8911)	A 4730	82	09-NOV-89			99	
		MIL-STD-1515A(3) NOTICE 3	FASTENER SYSTEMS FOR AEROSPACE APPLICATIONS REVIEWER: 10 82 99 AR IS MI ...	A 53GP	11	24-JUN-83	AV	AS	11	
		MIL-STD-1516B	UNIFIED CODE FOR COATINGS AND FINISHES FOR DOD MATERIEL REVIEWER: 99	A MFPP	11	13-NOV-90	MR		11	
		MIL-STD-1518B	STORAGE, HANDLING, AND SERVICING OF AVIATION FUELS, LUBRICATING OILS AND HYDRAULIC FLUIDS AT CONTRACTOR FACILITIES REVIEWER: AV	A 9130	68	03-MAR-80	AR	AS	68	
L		MIL-STD-1519(1) NOTICE 2	TEST REQUIREMENTS DOCUMENT, PREPARATION OF (VALIDATION DATE: 8802) USER: MT	A MISC	11	26-FEB-88			11	
A		MIL-STD-1520C(1)	CORRECTIVE ACTION AND DISPOSITION SYSTEM FOR NONCONFORMING MATERIAL USER: 10 REVIEWER: AS AV CR DH EC GL MC ME SA SH TD	A QCIC	05	05-MAR-93	AR	OS	05	
L		MIL-STD-1521B NOTICE 1	TECHNICAL REVIEWS & AUDITS FOR SYSTEMS, EQUIPMENTS, & COMPUTER SOFTWARE REVIEWER: 10 11 80 85 CR EC TD	A OMW	13	19-DEC-85			13	
A L		MIL-STD-1522A NOTICE 3	STANDARD GENERAL REQUIREMENTS FOR SAFE DESIGN AND OPERATION OF PRESSURIZED MISSILE AND SPACE SYSTEMS (VALIDATION DATE: 9209)	A 1810	19	04-SEP-92			19	
		MIL-STD-1523A	AGE CONTROLS OF AGE-SENSITIVE ELASTOMERIC MATERIEL (FOR AEROSPACE APPLICATIONS) USER: SH REVIEWER: 11 82	A 5330	05	01-FEB-84	ME	OS	99	
A		MIL-STD-1524 NOTICE 2	TABLE OF DIFFERENTIAL PRESSURE IN RELATION TO CALIBRATED AIRSPEED (VALIDATION DATE: 9301) USER: ME	A 6610	71	23-JAN-93	AV	AS	99	
L		MIL-STD-1525A(1)	VERIFICATION TESTING OF PARACHUTE TEXTILE MATERIALS REVIEWER: 11	A 1670	82	08-JUL-80			99	
L		MIL-STD-1528A	MANUFACTURING MANAGEMENT PROGRAM USER: 01 11 13 14 15	A MISC	10	09-SEP-86			10	
		MIL-STD-1529(1)	VENDOR SUBSTANTIATION FOR AEROSPACE PROPULSION SYSTEM ITEMS (VALIDATION DATE: 8809) REVIEWER: 12 16 99	A 2840	11	30-SEP-88	AV	AS	11	
L		MIL-STD-1530A NOTICE 1	AIRCRAFT STRUCTURAL INTEGRITY PROGRAM, AIRPLANE REQUIREMENTS USER: 01 10 ..	A 1500	11	26-FEB-88			11	
L		MIL-STD-1531A	INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE A REVIEWER: 99	A 5935	85	25-MAR-88			85	
L		MIL-STD-1532A	INSERT ARRANGEMENTS FOR MIL-C-83733 RACK TO PANEL CONNECTORS, SHELL SIZE B USER: 11 REVIEWER: 70 82 99	A 5935	85	25-MAR-88			85	
A		MIL-STD-1535B	SUPPLIER QUALITY ASSURANCE PROGRAM REQUIREMENTS REVIEWER: 11 12 13 15 16 17 18 19 22 26 AS AV CR GL ME TH	A QCIC	10	17-AUG-92	AR	OS	10	DM
		MIL-STD-1537B	ELECTRICAL CONDUCTIVITY TEST FOR VERIFICATION OF HEAT TREATMENT OF ALUMINUM ALLOYS, EDDY CURRENT METHOD	A MDI	11	19-JUL-88	MR	AS	11	
A L		MIL-STD-1538 NOTICE 1	SPARE PARTS AND MAINTENANCE SUPPORT OF SPACE AND MISSILE SYSTEMS (UNDERGOING ROTAE (VALIDATION DATE: 9209))	A 1810	19	04-SEP-92			19	
A L		MIL-STD-1539 NOTICE 1	ELECTRICAL POWER, DIRECT CURRENT, SPACE VEHICLE DESIGN REQUIREMENTS (VALIDATION DATE: 9209) REVIEWER: 11	A 1810	19	04-SEP-92			19	
A L		MIL-STD-1540B(3)	TEST REQUIREMENTS FOR SPACE VEHICLES	A 1810	19	12-FEB-91			19	
L		MIL-STD-1541A	ELECTROMAGNETIC COMPATIBILITY REQUIREMENTS FOR SPACE SYSTEMS	A EMCS	19	30-DEC-87			19	
L		MIL-STD-1542B	ELECTROMAGNETIC COMPATIBILITY AND GROUNDING REQUIREMENTS FOR SPACE SYSTEM FACILITIES	A EMCS	19	15-NOV-91			19	
L		MIL-STD-1543B	RELIABILITY PROGRAM REQUIREMENTS FOR SPACE AND LAUNCH VEHICLES	A RELI	19	25-OCT-88			19	
A L		MIL-STD-1545 NOTICE 1	OPTIONAL SPARE PARTS, MAINTENANCE AND INVENTORY SUPPORT OF SPACE AND MISSILE SYSTEMS (VALIDATION DATE: 9209)	A 1810	19	04-SEP-92			19	
A L		MIL-STD-1546B	PARTS, MATERIALS, AND PROCESSES CONTROL PROGRAM FOR SPACE AND LAUNCH VEHICLES	A 1820	19	27-JUL-92			19	
		MIL-STD-1547A	ELECTRONIC PARTS, MATERIALS, & PROCESSES FOR SPACE & LAUNCH VEHICLES	A 1810	19	01-DEC-87			19	
L		MIL-STD-1548B	INTO-PLANE DELIVERY OF FUEL AND OIL AT COMMERCIAL AIRPORTS	A 9130	68	23-MAY-86	AV		68	
		MIL-STD-1549A	COMMON TERMINATION SYSTEM FOR ELECTRICAL AND ELECTRONIC PARTS USER: MI SH REVIEWER: 10 11 17 80 99 AV EC ES OS	A 59GP	85	22-APR-88	CR	AS	85	
L		MIL-STD-1551C	QUALITY CONTROL OF GASEOUS AND LIQUID AVIATOR'S BREATHING OXYGEN AT AIRCRAFT CONTRACTOR FACILITIES REVIEWER: GS	A 6830	68	01-APR-90			68	
		MIL-STD-1553B(1) NOTICE 2	AIRCRAFT INTERNAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS	A MISC	11	12-FEB-80	AV	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Obj. / Obj. Coordination Initiative	Document Number	Document Title	Dist. Stmt. FSC / Ave	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DLA
	MIL-STD-1554(4)	INSERT ARRANGEMENTS FOR MIL-C-83723 SERIES III AND MIL-C-26500 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS REVIEWER: 11 15 17 99 AR AV EC ES MI	A 5935	85	19-DEC-89	CR	AS	85		
	MIL-STD-1555 NOTICE 1	AIRCREW STATION DISPLAYS AND ASSOCIATED EQUIPMENT, DEFINITIONS OF (VALIDATION DATE: 8802)	A MISC	11	26-FEB-88	AV	AS	11		
L	MIL-STD-1556B	GOVERNMENT/INDUSTRY DATA EXCHANGE PROGRAM CONTRACTOR PARTICIPATION REQUIREMENTS REVIEWER: 11 13 14 15 18 AL AM AR AS AT EA EC OM SH TD	A QCIC	OS	24-FEB-86	AV	OS	10		
	MIL-STD-1557A NOTICE 2	DESIGNATION OF AIRCRAFT PROPELLION RECIPROCATING ENGINES USER: MI REVIEWER: 82 99	A 2810	11	25-OCT-83	AV	AS	11		
	MIL-STD-1559A(2) NOTICE 2	NUMBERS, SERIAL, AIRCRAFT GAS TURBINE ENGINE AND ENGINE MODULE ASSIGNMENT OF REVIEWER: 82 99	A 2840	11	14-JUN-91	AV		11		
A	MIL-STD-1560A(5) NOTICE 5	INSERT ARRANGEMENTS FOR MIL-C-38999 AND MIL-C-27599 ELECTRICAL, CIRCULAR CONNECTORS REVIEWER: 11 15 99 AR EC ES MI OS	A 5935	85	30-OCT-89	CR	AS	85		
	MIL-STD-1561B	PROVISIONING PROCEDURES, UNIFORM DOD REVIEWER: DM MC MS TD	A MISC	16	17-NOV-85	TM	SA	16		
	MIL-STD-1562W	LISTS OF STANDARD MICROCIRCUITS USER: AR AS CG MC REVIEWER: 11 19 85 99 AT ES MI OS SH SM TD	A 5962	17	25-SEP-91	ER	EC	17		
L	MIL-STD-1564A(1)	PROCEDURE FOR CALIBRATION AND ANALYSIS OF TRACE CONTAMINANTS IN AVIATOR S BREATHING OXYGEN BY INFRARED SPECTROSCOPY REVIEWER: GS	A 6830	68	15-MAY-86			68		
	MIL-STD-1567A	WORK MEASUREMENT USER: 11 13 17 18 19 REVIEWER: AL AR AT AV CE EC SH	A MISC	10	30-JAN-87	MI	AS	10		
L	MIL-STD-1568B	MATERIALS AND PROCESSES FOR CORROSION PREVENTION AND CONTROL IN AEROSPACE WEAPONS SYSTEMS REVIEWER: 10 14 AV	A MFP	11	28-FEB-89			11		
	MIL-STD-1570A	OIL ANALYSIS IN EQUIPMENT DESIGN, PROVISIONS FOR REVIEWER: 11 AT AV ME	A MDTI	99	04-JUN-87	TM		99		
L	MIL-STD-1574A	SYSTEM SAFETY PROGRAM FOR SPACE AND MISSILE SYSTEMS (VALIDATION DATE: 8908)	A 1810	19	07-AUG-89			19		
A L	MIL-STD-1576 NOTICE 1	ELECTROEXPLOSIVE SUBSYSTEM SAFETY REQUIREMENTS AND TEST METHODS FOR SPACE SYSTEMS (VALIDATION DATE: 9209)	A SAFT	19	04-SEP-92			19		
A	MIL-STD-1577A	INTERCONTINENTAL BALLISTIC MISSILE SYSTEMS TRAINING/TRAINING EQUIPMENT MANAGEMENT	A 1810	19	31-JUL-85			19		
A L	DOD-STD-1578B NOTICE 1	NICKEL-CADMIUM BATTERY USAGE PRACTICES FOR SPACE VEHICLES (VALIDATION DATE: 9209)	A 1820	19	04-SEP-92			19		
L	MIL-STD-1580A	DESTRUCTIVE PHYSICAL ANALYSIS FOR ELECTRONIC, ELECTROMAGNETIC, AND ELECTROMECHANICAL PARTS	A 1820	19	22-DEC-89			19		
L	MIL-STD-1586A	QUALITY PROGRAM REQUIREMENTS FOR SPACE AND LAUNCH VEHICLES	A QCIC	19	15-JUN-89			19		
A L	MIL-STD-1587C	MATERIALS AND PROCESS REQUIREMENTS FOR AIR FORCE WEAPON SYSTEMS REVIEWER: 14	A MFP	11	21-JUL-92			11		
L	MIL-STD-1589C	JOVIAL (J73) ON AIRCRAFT, FAULT DIAGNOSIS, SUB SYSTEMS, ANALYSIS/SYNTHESIS OF (VALIDATION DATE: 8212) REVIEWER: 10 11 13 91 99	A IPSC	11	06-JUL-84			02		
L	MIL-STD-001591A	COMMAND, CONTROL AND COMMUNICATIONS (C3) SYSTEM AND COMPONENT FAULT DIAGNOSIS, SUBSYSTEMS, ANALYSIS/SYNTHESIS OF	A MMTY	17	03-JAN-77	AV	AS	17		
	MIL-STD-1592 NOTICE 1	MOCKUPS, AIR VEHICLE ENGINES, CONSTRUCTION & INSPECTION OF (VALIDATION DATE: 8604) REVIEWER: 99 CS	A 2895	11	07-APR-86	AV	AS	11		
	MIL-STD-1595A NOTICE 1	QUALIFICATION OF AIRCRAFT, MISSILE & AEROSPACE FUSION WELDERS USER: AV REVIEWER: 99 AR EA MI	A THUM	11	30-JUL-87	MR	AS	11		
	MIL-STD-1597A	QUALITY CONTROL OF LIQUID MISSILE PROPELLANTS AT CONTROL STORAGE POINTS USER: AS REVIEWER: 12	A 9135	68	16-FEB-87			68		
	MIL-STD-1598	STUDS PREFERRED FOR DESIGN, LISTING OF (VALIDATION DATE: 8406) USER: OS REVIEWER: 15 AT AV CE GL MC	A 5307	82	07-APR-78	AR		99		
A	MIL-STD-1599(4)	BEARINGS, CONTROL SYSTEM COMPONENTS, AND ASSOCIATED HARDWARE USED IN THE DESIGN AND CONSTRUCTION OF AEROSPACE MECHANICAL SYSTEMS AND SUBSYSTEMS REVIEWER: 15	A 31GP	84	04-JAN-93	AV	AS	99		
L	MIL-STD-1604(2) NOTICE 2	TECHNICAL AND MAINTENANCE OVERHAUL AND REPAIR STANDARDS, PREPARATION OF (VALIDATION DATE: 8204)	A MISC	OS	31-JAN-74			OS		
L	MIL-STD-1605	PROCEDURES FOR CONDUCTING A SHIPBOARD ELECTROMAGNETIC INTERFERENCE (EMI) SURVEY (SURFACE SHIPS) (VALIDATION DATE: 7810)	A EMCS	SH	20-APR '3			SH		
L	MIL-STD-1606A	TECHNICAL INFORMATION REQUIREMENTS FOR AIR LAUNCHED GUIDED MISSILE PROPOSALS	A 1410	AS	07-SEP-83			AS		
L	MIL-STD-1607A NOTICE 1	CHEMICAL CLEANING OF MAIN AND AUXILIARY BOILERS (SULFAMIC-CITRIC ACID METHOD) (VALIDATION DATE: 9201)	A 4410	SH	22-JAN-92			SH		
A	MIL-STD-1608C(1) NOTICE 1	PROVISIONS FOR EVALUATING QUALITY OF COATS, WOMEN'S, DRESS REVIEWER: 82 99 MC	A 8410	CT	04-JUN-90	GL	NU	11	CT	
A	MIL-STD-1609C	PROVISIONS FOR EVALUATING QUALITY OF WOMEN'S SKIRTS REVIEWER: 82 99 MC	A 8410	CT	21-MAY-90	GL	NU	11	CT	
L	MIL-STD-1610A	MAGNETIC TAPE RECORDER/REPRODUCER FORMATS FOR ASW SENSOR & SYSTEMS DATA REVIEWER: EC MP TD	A 6625	SH	06-JUL-87			SH		
A	MIL-STD-1611A NOTICE 1	PROVISIONS FOR EVALUATING QUALITY OF HOODS AND HAVELocks, WOMAN S REVIEWER: 99 MC MD	A 8410	CT	25-JAN-88	GL	NU	11	CT	
A	MIL-STD-1612B	PROVISIONS FOR EVALUATING QUALITY OF GLOVES, CLOTH, DRESS USER: CG REVIEWER: 82 99 MC	A 8440	CT	17-OCT-88	GL	NU	11	CT	
A	MIL-STD-1613B	PROVISIONS FOR EVALUATING QUALITY OF GLOVES, LEATHER, DRESS USER: CG REVIEWER: 82 99 MC MD	A 84GP	CT	01-MAR-90	GL	NU	11	CT	
D L	MIL-STD-1621A NOTICE 1	ACOUSTICAL AND VIBRATIONAL STANDARD REFERENCE QUANTITIES (VALIDATION DATE: 9112) USER: CG MC REVIEWER: AS EC OS YDI	A EMVR	SH	11-DEC-91			SH		
L	MIL-STD-1622A	CLEANING OF SHIPBOARD COMPRESSED AIR SYSTEMS	A 4310	SH	08-JAN-92			SH		
D L	MIL-STD-1623D NOTICE 1	FIRE PERFORMANCE REQUIREMENTS AND APPROVED SPECIFICATION FOR INTERIOR FINISH MATERIALS AND FURNISHINGS (NAVAL SHIPBOARD USE) USER: YDI	A 19GP	SH	03-JUL-85			SH		
A L	MIL-STD-1625C(1)	SAFETY CERTIFICATION PROGRAM FOR DRYDOCKING FACILITIES AND SHIPBUILDING WAYS FOR U.S. NAVY SHIPS	A 1950	SH	30-DEC-92			SH		
L	MIL-STD-1627B	BENDING OF PIPE OR TUBE FOR SHIP PIPING SYSTEMS	A 4710	SH	02-SEP-81			SH		
L	MIL-STD-1628	FILLET WELD SIZE, STRENGTH, AND EFFICIENCY DETERMINATION (VALIDATION DATE: 7911) REVIEWER: GS	A 3439	SH	28-JUN-74			SH		
	MIL-STD-1629A NOTICE 2	PROCEDURES FOR PERFORMING A FAILURE MODE, EFFECTS & CRITICALITY ANALYSIS REVIEWER: AR EA OS SH TD	A RELI	AS	28-NOV-84	CR		17		
L	MIL-STD-1632A	INSERT ARRANGEMENTS FOR MIL-C-28804 HIGH DENSITY, RECTANGULAR, ELECTRICAL CONNECTORS (VALIDATION DATE: 8404) USER: AM AR MC ME REVIEWER: 11 99 AS AT ES MI	A 5935	EC	27-MAR-78	CR	EC	85		
L	MIL-STD-1633 NOTICE 2	INTERFACE STANDARD FOR SHIPBOARD EMISSION MONITOR-CONTROL SET, AN/SSQ-82 (V) MUTE SYSTEM	A 5895	SH	29-NOV-91			SH		
	MIL-STD-1634B NOTICE 2	MODULE DESCRIPTIONS FOR THE STANDARD ELECTRONIC MODULES PROGRAM REVIEWER: 13 17 19 AS AT AV ES MC MI	A 5963	NW	04-JAN-84	ER	NW	85		
L	MIL-STD-1635	RELIABILITY GROWTH TESTING (VALIDATION DATE: 8404) USER: GL REVIEWER: OS SH	A RELI	EC	03-FEB-78			EC		
	MIL-STD-1636	ADAPTERS, COAXIAL TO WAVEGUIDE SELECTION OF (VALIDATION DATE: 8304) USER: AR MC REVIEWER: 17 99 AV ES MI	A 5985	85	22-APR-77	ER	EC	85		
	MIL-STD-1637B	DUMMY LOADS, ELECTRICAL, WAVEGUIDE, COAXIAL, AND STRIPLINE, SELECTION OF USER: 19 AS AV CG MC REVIEWER: 17 AR ES MI OS SH	A 5985	EC	22-SEP-89	ER	EC	85		
	MIL-STD-1638A NOTICE 1	WAVEGUIDE ASSEMBLIES, RIGID AND FLEXIBLE, SELECTION OF (VALIDATION DATE: 8710) USER: 19 AR AS CG MC REVIEWER: 17 99 AV ES MI OS	A 5985	EC	27-OCT-87	ER	EC	85		
	MIL-STD-1639A NOTICE 1	POWER DIVIDERS, POWER COMBINERS, AND POWER DIVIDER/COMBINERS, SELECTION OF (VALIDATION DATE: 8710) USER: 19 AS AV CG MC REVIEWER: 17 AR ES MI OS SH	A 5985	EC	27-OCT-87	ER	EC	85		
	MIL-STD-1640B	MIXER STAGES, FREQUENCY, SELECTION OF (VALIDATION DATE: 8505) USER: 19 AS AV CG MC REVIEWER: 17 85 AR ES MI OS SH	A 5985	EC	07-FEB-85	ER	EC	11		
	MIL-STD-1646B	SERVICING TOOLS FOR ELECTRIC CONTACTS AND CONNECTIONS, SELECTION AND USE OF USER: 19 AT MC ME REVIEWER: 12 17 AR AV EC ES MI OS SH	A 5120	AS	30-AUG-83	CR	AS	85		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc / OML Classification	Document Number	Document Title	Doc. Smt. FSC / Arms MCA Symbol	Preparing Date	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-STD-1647C NOTICE 1	IDENTIFICATION MARKINGS FOR DOMESTICALLY MANUFACTURED BEARINGS, BALL, ANNUAL FOR INSTRUMENTS AND PRECISION COMPONENTS [VALIDATION DATE: 9110] REVIEWER: BA	A 3110	AS	02-OCT-91	AT	AS	99	
L	MIL-STD-1648A NOTICE 1 MIL-STD-1651A	CRITERIA & TEST PROCEDURE FOR ORDNANCE EXPOSED TO AN AIRCRAFT FUEL FIRE ... INSERT ARRANGEMENTS FOR MIL-C-5015, MIL-C-22992 (CLASSES C, J, AND R), AND MIL-C-83723 (SERIES 11) ELECTRICAL CONNECTORS REVIEWER: 11 15 17 99 AR EC ES	A SAFT A 5935	AS	10-MAR-83 03-APR-92	AS CR	AS	85	
L	MIL-STD-1653A NOTICE 1 MIL-STD-1655 NOTICE 1 MIL-STD-1656	POWER CABLE ASSEMBLIES REVIEWER: GS ..... FITTINGS, FLARELESS, CLASSIFICATION OF DEFECTS OF [VALIDATION DATE: 8707] REVIEWER: 11 MI VALIDATION PLANS FOR NAVAL ORDNANCE OVERHAUL AND REPAIR ACTIVITIES, PREPARATION OF [VALIDATION DATE: 8204]	A 6150 A 4730	AS	12-MAR-80 10-APR-75	AS AV	AS	99	
L	MIL-STD-1657A	SWITCHING EQUIPMENT, COMBAT SYSTEM, COMMAND & CONTROL, FIRE CONTROL & INTERIOR COMMUNICATION, REQUIREMENTS FOR	A 1290	SH	02-MAY-83	SH			
L	MIL-STD-1658(3)	SHIPBOARD GUIDED MISSILE LAUNCHING SYSTEM SAFETY REQUIREMENTS, MINIMUM ....	A 1440	OS	30-JUN-82	OS			
L	MIL-STD-1659	SEALING CONDITION OF AMMUNITION PRIMER TUBE FLASH HOLES [VALIDATION DATE: 8304]	A 1390	OS	20-OCT-76	OS			
	MIL-STD-1660(1) NOTICE 2	DESIGN CRITERIA FOR AMMUNITION UNIT LOADS [VALIDATION DATE: 9103] USER: MC ME MI SH SM REVIEWER: AS	A 8140	OS	13-MAR-91	AR	OS	69	
L	MIL-STD-1661	MARK AND MOD NOMENCLATURE SYSTEM [VALIDATION DATE: 8507] .....	A CMAN	OS	01-AUG-78	OS			
L	MIL-STD-1662C	ORDNANCE ALTERATION (OKDALT) INSTRUCTIONS, PREPARATION OF .....	A CMAN	OS	02-MAR-92	OS			
	MIL-STD-1663 NOTICE 1	LOADING AND RESTRAINT OF AMMUNITION AND EXPLOSIVES IN COMMERCIAL INTERMODAL CONTAINERS UTILIZING THE INTERNAL RESTRAINT SYSTEM KIT [VALIDATION DATE: 9103] USER: 43 MC SA REVIEWER: AR AS SH	A 8140	OS	13-MAR-91	SM	OS	99	
A LI	MIL-STD-1663-1 NOTICE 2	COMMERCIAL CONTAINER LOADING EXPLOSIVE SECTION MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN CRATE MK 101 MOD 0 FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92	OS			
A LI	MIL-STD-1663-2 NOTICE 2	COMMERCIAL CONTAINER LOADING MINE, UNDERWATER MK 52 AND MODS IN CRATE MK 52 AND MODS FLEET ISSUE UNIT LOAD	A 8140	OS	15-OCT-92	OS			
L	MIL-STD-1664A MIL-STD-1665(4) NOTICE 6	CONNECTION, ELECTRICAL CLIP TERMINATION ..... TEST EQUIPMENT FOR THE STANDARD ELECTRONIC MODULES PROGRAM REVIEWER: 13 17 19 AS AT AV ES SH	A 5935 A 5963	EC HW	19-AUG-81 23-APR-85	EC HW		85	
A	MIL-STD-1666B	CLASSIFICATION OF DEFECTS FOR EVALUATING QUALITY OF ALUMINIZED FIREMEN'S CLOTHING USER: 45 REVIEWER: MC	A 8415	CT	10-OCT-88	GL	NU	99	CT
A	MIL-STD-1667A	PROVISIONS FOR EVALUATING QUALITY OF HOODS, COLD WEATHER, EXTREME COLD WEATHER AND FLYERS USER: 45 REVIEWER: 99 AS MC	A 8415	CT	18-NOV-83	GL	NU	11	CT
A L	MIL-STD-1668B	PROVISIONS FOR EVALUATING QUALITY OF CLOTH COVERALLS REVIEWER: 82 99 AS MC MD	A 8415	CT	09-FEB-88	GL	NU	11	CT
	MIL-STD-1669	INSERT ARRANGEMENTS FOR MIL-C-26482 ENVIRONMENT RESISTING, CIRCULAR, ELECTRICAL CONNECTORS [VALIDATION DATE: 8207] USER: AV REVIEWER: 11 17 AR EC MI SH	A 5935	CR	05-SEP-75	CR	AS	85	
	MIL-STD-1670A NOTICE 1 MIL-STD-1671 NOTICE 1 MIL-STD-1672 NOTICE 1 MIL-STD-1674 NOTICE 1	ENVIRONMENTAL CRITERIA AND GUIDELINES FOR AIR-LAUNCHED WEAPONS [VALIDATION DATE: 9110] USER: EC OS REVIEWER: AR CE EA SCHEMATIC WIRING DIAGRAM (EXTERNAL DC POWER CONNECTOR, AIRCRAFT) [VALIDATION DATE: 8903] REVIEWER: 85 AV CONNECTOR, UMBILICAL, INSERT ARRANGEMENTS [VALIDATION DATE: 9110] REVIEWER: 11 15 80 AR ES SH INSERT ARRANGEMENTS FOR MIL-C-8502B(AS) CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW [VALIDATION DATE: 9110] REVIEWER: EC	A MISC A MISC A 5935 A 5935	AS AS AS AS	23-OCT-91 31-MAR-89 23-OCT-91 23-OCT-91	AV ME CR AS	AS 11 99		
	DOD-STD-1678(1)	FIBER OPTICS TEST METHODS AND INSTRUMENTATION USER: AV OS REVIEWER: 11 13 14 17 80 90 AR EC MI SH	A 60GP	AS	26-DEC-84	CR	AS	85	
	MIL-STD-1678 NOTICE 1 MIL-STD-1681	FIBER OPTICS TEST METHODS AND INSTRUMENTATION [VALIDATION DATE: 8410] REVIEWER: 11 FABRICATION, WELDING, AND INSPECTION OF HY-130 SUBMARINE HULL (ISSUE CONTROLLED-REQUESTS BY OTHER THAN DOD ACTY MUST BE SUBMITTED VIA THE PREPARING ACTY OF THE STANDARD) [VALIDATION DATE: 8104]	A 9999 A MISC	AS SH	30-NOV-77 29-MAR-76	EL SH	AS SH	85	
L	MIL-STD-1683B	CONNECTORS AND JACKETED CABLE, ELECTRIC, SELECTION STANDARD FOR SHIPBOARD USE	A 5935	SH	31-MAR-89	SH			
L	MIL-STD-1684A NOTICE 1	CONTROL OF HEAT TREATMENT (THIS DOCUMENT SUBJECT TO SPECIAL EXPORT CONTROL RELEASE TO FOREIGN GOVTS/NATIONALS NEED PRIOR APPROVAL OF THE NAVAL SEA SYS COMD)	A 95GP	SH	01-NOV-85	SH			
A	MIL-STD-1686B	ELECTROSTATIC DISCHARGE CONTROL PROGRAM FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES) (METRIC) USER: 69 84 99 AR GL MC SM REVIEWER: 11 15 18 19 AS AT CR EC MI OS SA	A REL1	SH	31-DEC-92	ER	SH	17	
L	MIL-STD-1687A	THERMAL SPRAY PROCESSES FOR NAVAL SHIP MACHINERY & ORDNANCE APPLICATIONS ..	A MFFP	SH	11-FEB-87	SH			
L	MIL-STD-1688A	FABRICATION, WELDING AND INSPECTION OF HY-80/100 SUBMARINE APPLICATIONS ...	A THJM	SH	15-DEC-90	SH			
L	MIL-STD-1689A	FABRICATION, WELDING, AND INSPECTION OF SHIPS STRUCTURE .....	A THJM	SH	23-NOV-90	SH			
D	MIL-STD-1691E	CONSTRUCTION AND MATERIAL SCHEDULE FOR MILITARY MEDICAL AND DENTAL FACILITIES REVIEWER: MB	A 6530	YD1	01-MAR-91	MD	YD1	03	
D L	MIL-STD-1693A NOTICE 1	FABRICATION, WELDING AND INSPECTION OF HYPERBARIC CHAMBERS AND OTHER CRITICAL LAND-BASED STRUCTURES [VALIDATION DATE: 8809]	A THJM	YD1	30-SEP-88	YD1			
L	MIL-STD-1695	ENVIRONMENTS, WORKING, MINIMUM STANDARDS FOR [VALIDATION DATE: 8303] .....	A SAFT	AS	13-SEP-77	AS			
L	MIL-STD-1697 NOTICE 1	TAPE, ONE-HALF INCH VIDEO CASSETTE BROADCAST FORMAT [VALIDATION DATE: 8810]	A 5820	BC	03-OCT-88	BC			
L	MIL-STD-1698(2)	INSERT ARRANGEMENTS FOR MIL-C-28840(EC) HIGH DENSITY HIGH SHOCK CIRCULAR ELECTRICAL CONNECTORS	A 5935	EC	26-MAY-81	EC			
D L	MIL-STD-1699B	NONDESTRUCTIVE EVALUATION OF BUTT WELDS IN CRANE AND RAILROAD RAILS .....	A NDT1	YD1	17-JUL-92	YD1			
L	DOD-STD-1700 NOTICE 1	DATA MANAGEMENT PROGRAM .....	A MISC	NS	15-MAY-86				
L	DOD-STD-1701 DOD-STD-1702	HARDWARE DIAGNOSTIC TEST SYSTEM REQUIREMENTS INTEGRATED LOGISTICS SUPPORT PROGRAMS FOR EQUIPMENT, SUBSYSTEMS, & SYSTEMS (METRIC)	A ATTS A MISC	NS	10-JUN-85 17-DEC-85				NS
L	DOD-STD-1703	SOFTWARE PRODUCT STANDARDS .....	A MCCR	NS	12-FEB-87				
L	MIL-STD-1750A	SIXTEEN-BIT COMPUTER INSTRUCTION SET ARCHITECTURE REVIEWER: 02 90 99 .....	A 1PSC	NS	26-FEB-88				11
L	MIL-STD-1751 NOTICE 1 MIL-STD-1753	SAFETY & PERFORMANCE TEST FOR QUALIFICATION OF EXPLOSIVES [VALIDATION DATE: 8606] REVIEWER: 18 FORTRAN, DOD SUPPLEMENT TO AMERICAN NATIONAL STANDARD X3.9-1978 [VALIDATION DATE: 8601]	A 13GP A 1PSC	70 02	01-MAR-86 09-NOV-78				99
	MIL-STD-1754	FASTENING DEVICES PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: 99 MC REVIEWER: AT AV OM EA ER IS MI NS OS SH	A 5325	AR	29-DEC-78	GL			
	MIL-STD-1755	KEYS AND PINS PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: MC REVIEWER: EA ER IS MI OS SH	A 5315	AR	15-JAN-79	AR			
	MIL-STD-1756	RINGS, RETAINING, PREFERRED FOR DESIGN, LISTING OF USER: MC REVIEWER: 99 AS ER IS SH	A 5365	AR	15-JAN-79	AR	OS		
A	MIL-STD-1757A(2)	LIGHTNING QUALIFICATION TEST TECHNIQUES FOR AEROSPACE VEHICLES AND HARDWARE REVIEWER: 10 13 18 19 85 EC EM MI	A EMCS	11	31-JAN-93	AV	AS	11	
D L	MIL-STD-1758	INSERT, SCREW THREAD, PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: AT EC SH YD1 REVIEWER: AV EA ER IS MI OS	A 5340	AR	15-FEB-79				
D	MIL-STD-1759	RIVETS AND RIVET TYPE FASTENERS PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503] USER: GL ME OS YD1 REVIEWER: 99 EA ER IS MI SH	A 5320	11	10-JUL-79	AR		11	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Opn / Cmt Coordination Inactive Document Number	Document Title	Dist. Smt. FQC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-STD-17608(1)	AIRCRAFT/STORE ELECTRICAL INTERCONNECTION SYSTEM (CONTROLLED DISTRIBUTION) REVIEWER: 15 18 EC MC OS SH TD	A GDRQ 11 17-MAR-92	AS	11		
L MIL-STD-1761 NOTICE 1	FASTENER RECESS TEST, METHOD FOR DAMAGE TOLERANCE EVALUATION [VALIDATION DATE: 8809]	A 53GP 11 30-SEP-88		11		
MIL-STD-1762	BEARINGS AND BUSHINGS, PLAIN, PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8503]	A 3120 84 20-AUG-79	AR	11		
A MIL-STD-1763A(1) MIL-STD-1764 NOTICE 1	AIRCRAFT/STORES CERTIFICATION PROCEDURES REVIEWER: 11 ..... WASHER PREFERRED FOR DESIGN, LISTING OF [VALIDATION DATE: 8602] USER: EC ME SH REVIEWER: EA 15 MI OS	A MISC 22 15-JUL-92 AR 31-JAN-80	AV	AS	22	
A DOD-STD-1766A	NUCLEAR HARDNESS & SURVIVABILITY PROGRAM REQUIREMENTS FOR ICBM WEAPON SYSTEMS REVIEWER: 79	A EMVR 19 01-DEC-86		19		
A L MIL-STD-1767A	PROCEDURES FOR QUALITY ASSURANCE AND CONFIGURATION CONTROL OF ICBM WEAPON SYSTEM TECHNICAL PUBLICATIONS/DATA	A 14GP 19 15-JUN-88		19		
A L DOD-STD-1768A MIL-STD-1770A NOTICE 1	PROCEDURES FOR DEVELOPMENT OF DEPOT TECHNICAL DATA ..... QUALITY CONTROL PROCEDURES FOR HIGH DENSITY FUELS GRADES JP-9, JP-10, PF-1 AND RJ-4 AT CONTRACTOR FACILITIES [VALIDATION DATE: 9105]	A MISC 19 05-JUN-89 A 9135 68 25-MAY-91		19		68
MIL-STD-1771 NOTICE 1	VALUE ENGINEERING PROGRAM REQUIREMENTS [VALIDATION DATE: 8802] REVIEWER: SH	A MISC 11 26-FEB-88	AR	AS	11	
MIL-STD-1772B	CERTIFICATION REQUIREMENTS FOR HYBRID MICROCIRCUIT FACILITIES AND LINES USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR ES MI SH	A 5962 17 22-AUG-90	ER	EC	17	
L MIL-STD-1773(1)	FIBER OPTICS MECHANIZATION OF AN AIRCRAFT INTERNAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS	A MCCR 11 02-OCT-89		11		
MIL-STD-1774 NOTICE 1	PROCESS FOR CLEANING HYDRAZINE SYSTEMS AND COMPONENTS [VALIDATION DATE: 8808] REVIEWER: 12	A 9135 68 22-AUG-88	MI	AS	68	
L MIL-STD-1775 NOTICE 1	PROPELLANT, HYDRAZINE-UMS-DIMETHYLHYDRAZINE 50/50 BLEND [VALIDATION DATE: 8808]	A 9135 68 22-AUG-88		68		
MIL-STD-1776 NOTICE 1	AIRCRAFT STATIONS & PASSENGER ACCOMMODATIONS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D GDRQ 11 15-APR-86		11		
MIL-STD-1777 MIL-STD-1778 NOTICE 1	INTERNET PROTOCOL REVIEWER: 11 13 17 99 AD AS MC MD SC ..... TRANSMISSION CONTROL PROTOCOL REVIEWER: 11 13 17 99	A IPSC DC 12-AUG-83 A IPSC DC 26-OCT-83	CR	90	DM	DM
L MIL-STD-1779	INTERFACES FOR HIGH CAPACITY C3 LOCAL AREA NETWORKS [VALIDATION DATE: 8903]	A 5895 17 17-MAR-89		17		
MIL-STD-1780	FILE TRANSFER PROTOCOL REVIEWER: 01 11 13 17 99 AD AS EC MC SA SC ..... SIMPLE MAIL TRANSFER PROTOCOL REVIEWER: 01 02 11 13 17 AD AS MC SA SC .....	A SLWC DC 10-MAY-84 A IPSC DC 10-MAY-84	CR	DM	90	90
MIL-STD-1781	TELNET PROTOCOL REVIEWER: 01 02 11 13 17 AD AS MC SA SC .....	A IPSC DC 10-MAY-84	CR	DM	90	90
MIL-STD-1782	ENGINE STRUCTURAL INTEGRITY PROGRAM (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D 2840 11 15-APR-86		11		
L MIL-STD-1783 NOTICE 1	MOBILITY, TOWED & MANUALLY PROPELLED SUPPORT EQUIPMENT (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D 1740 11 15-APR-86		11		
L MIL-STD-1784 NOTICE 1	SYSTEM SECURITY ENGINEERING PROGRAM MANAGEMENT REQUIREMENTS REVIEWER: 11 19 26	A MISC 10 01-SEP-89		10		
MIL-STD-1787 NOTICE 1	AIRCRAFT DISPLAY SYMBOLLOGY (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D HFAC 11 31-JUL-87		11		
DOD-STD-1788 MIL-STD-1788A	AVIONICS INTERFACE DESIGN STANDARD (METRIC) USER: MC REVIEWER: 85 EC MI ... AVIONICS INTERFACE DESIGN STANDARD USER: MC REVIEWER: 85 EC MI .....	A GDRQ 11 15-MAY-85 A GDRQ 11 31-JUL-89	AV	AS	11	
L MIL-STD-1789A(1) NOTICE 1	SOUND PRESSURE LEVELS IN AIRCRAFT (CONTROLLED DISTRIBUTION) .....	D 15GP 11 19-JUL-89		11		
L MIL-STD-1790B	DATA REQUIREMENTS ASSOCIATED WITH TECHNICAL MAN'L ACQUISITION AND MAINTENANCE USER: 11 13 REVIEWER: 10 90 99	A TMSS 16 10-APR-91		16		
L MIL-STD-1791(1) NOTICE 1	DESIGNING FOR INTERNAL AERIAL DELIVERY IN FIXED WING AIRCRAFT (CONTROLLED DISTRIBUTION)	D 1510 11 15-APR-86		11		
L MIL-STD-1792	FASTENING SYSTEMS, MECHANICAL, AIR VEHICLE .....	A 5325 11 23-DEC-85		11		
L MIL-STD-1793 NOTICE 1	FLIGHT PERFORMANCE, AIR VEHICLE (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D 1510 11 15-APR-86		11		
A MIL-STD-1794	HUMAN FACTORS ENGINEERING PROGRAM FOR INTERCONTINENTAL BALLISTIC MISSILE SYSTEMS REVIEWER: 02 11 24 MI	A HFAC 19 01-OCT-86		19		
L DOD-STD-1795A	LIGHTNING PROTECTION OF AEROSPACE VEHICLES & HARDWARE (CONTROLLED DISTRIBUTION)	B EMCS 11 30-MAY-86		11		
L MIL-STD-1795	LIGHTNING PROTECTION OF AEROSPACE VEHICLES AND HARDWARE (CONTROLLED DISTRIBUTION) REVIEWER: 10 AS ER MI NM	D EMCS 11 30-MAY-86		11		
MIL-STD-1797A MIL-STD-1798 NOTICE 1	FLYING QUALITIES OF PILOTED AIRCRAFT (CONTROLLED DISTRIBUTION) ..... MECHANICAL EQUIPMENT AND SUBSYSTEMS INTERITY PROGRAM [VALIDATION DATE: 9303]	D 15GP 11 30-JAN-90 D GDRQ 11 24-MAR-93	AV	AS	11	
L MIL-STD-1799	SURVIVABILITY, AERONAUTICAL SYSTEMS (FOR COMBAT MISSION EFFECTIVENESS (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D 15GP 11 01-DEC-86		11		
L MIL-STD-1800A	HUMAN ENGINEERING PERFORMANCE REQUIREMENTS FOR SYSTEMS (ISSUE CONTROLLED) .	D HFAC 11 10-OCT-90		11		
L MIL-STD-1801	USER/COMPUTER INTERFACE (CONTROLLED DISTRIBUTION) .....	B HFAC 11 29-MAY-87		11		
L MIL-STD-1803	SOFTWARE DEVELOPMENT INTEGRITY PROGRAM (SDIP) .....	D MCCR 11 15-DEC-88				
MIL-STD-1805A	BREATHING APPARATUS, SELF-CONTAINED, 30 MINUTE .....	A 4240 84 08-APR-91	AS	94		
D MIL-STD-1806	MARKING TECHNICAL DATA PREPARED BY OR FOR THE DEPARTMENT OF DEFENSE USER: 01 13 CG MC ME 02 OS REVIEWER: 11 16 AR AS DH ER SC SH	A MISC 10 01-FEB-90	CR	SA	10	DM
L MIL-STD-1807	CRASH SURVIVABILITY OF AIRCRAFT PERSONNEL (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D 15GP 11 01-JUN-90				
A L MIL-STD-1808 NOTICE 1	SYSTEM/SUBSYSTEM/SUBJECT NUMBER (S/S/SH) NUMBERING SYSTEM REVIEWER: 10 11 13 14 15 19 85 91 99	A TMSS 16 28-MAR-92				
L MIL-STD-1809	SPACE ENVIRONMENT FOR USAF SPACE VEHICLES .....	A 1810 19 15-FEB-91				
L MIL-STD-1811(1) MIL-STD-1812	MASS PROPERTIES CONTROL FOR SPACE VEHICLES .....	A 1810 19 02-APR-92				
	TYPE DESIGNATION, ASSIGNMENT AND METHOD FOR OBTAINING REVIEWER: 13 15 19 68 99 MI	A MISC 11 28-FEB-91	AS			
L MIL-STD-1814	INTEGRATED DIAGNOSTICS (REQUESTS OTHER THAN DOD REFER TO ASD/ENES, WRIGHT-PATTERSON AFB, OH 45433-6503)	D GDRQ 11 30-APR-91				
MIL-STD-1815A MIL-STD-1816	ADA PROGRAMMING LANGUAGE (ANSI/MIL STD 1815A-1983) ..... PRESERVATION, PACKAGING, AND PACKING OF RUBBER AND NYLON FUEL, OIL, AND WATER-ALCOHOL CELLS REVIEWER: 70 71 80 99 AS ME	A MCCR 02 27-JAN-91 A PACX 64 20-APR-91				
A L MIL-STD-1818(2) MIL-STD-1819	ELECTROMAGNETIC EFFECTS REQUIREMENTS FOR SYSTEMS .....	A EMCS 11 21-MAY-91				
A MIL-STD-1820	PERFORMANCE EVALUATION FOR PLASMA SPRAY MASKING TAPE REVIEWER: 71 82 .....	A MCCR 11 21-MAY-91				
L MIL-STD-1832	GENERIC TRANSFORMED DATA BASE DESIGN STANDARD .....	A MCCR 11 21-MAY-91				
	DISKETTE MESSAGE FILE FORMATS FOR DEFENSE MESSAGING REVIEWER: 17 93 DC MS OM SC	A IPSC 11 21-MAY-91				
L MIL-STD-1833	TEST REQUIREMENTS FOR GROUND EQUIPMENT AND ASSOCIATED COMPUTER SOFTWARE SUPPORTING VEHICLES	A 1810 11 21-MAY-91				
A MIL-STD-1835(2)	MICROCIRCUIT CASE OUTLINES USER: AS CG OS SH SM REVIEWER: 19 85 99 AR ES MC MI	A 1810 11 21-MAY-91				
A MIL-STD-1836	STANDARDIZATION & CONTROL PROGRAM FOR PARTS, MATERIALS & PROCESSING .....	A 1810 11 21-MAY-91				
MIL-STD-1837B	INTERCONTINENTAL BALLISTIC MISSILE WEAPON SYSTEMS MISCELLANEOUS ELECTRICAL AND ELECTRONIC COMPONENTS, SELECTION GUIDE REVIEWER: 99 ES ME MI	A 1810 11 21-MAY-91				
DOD-STD-1838	COMMON ADA PROGRAMMING SUPPORT ENVIRONMENT (APSE) INTERFACE SPECIFICATION USER: DM REVIEWER: 17 AR SH TD	A 1810 11 21-MAY-91				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active OR / OAL Coordination Machine	Document Number	Document Title	Doc Type	FAC / User MCA Symbol Processing Date	Outstanding			
					APR	MAY	JUN	CL
	MIL-STD-1838A	COMMON ADA PROGRAMMING SUPPORT ENVIRONMENT (APSE) INTERFACE SET (CAIS) USER: DM OM REVIEWER: 17 AV SH TD	A HCCR	02 06-APR-89	CR	EC	10	
	MIL-STD-1839A	CALIBRATION AND MEASUREMENT REQUIREMENTS REVIEWER: 11 13 14 15 16 AR AT AV CR EC MC NM SC SH	A QCIC	30 28-OCT-88	NR	OS	30	
D	MIL-STD-1840B	AUTOMATED INTERCHANGE OF TECHNICAL INFORMATION USER: 11 13 17 18 19 08 79 99 AL AT AV EC ER GL ME MI NR SH TE TM YD1 REVIEWER: 01 02 AM AS OS SA	A IPSC	00 03-NOV-82	CR	SH	24	BN
	DOD-STD-1842	INSERT ARRANGEMENTS FOR DOD-C-83827 BACK TO PANEL CONNECTORS (METRIC) REVIEWER: 11 15 17 99 AR EC ES MC MI OS	A 0636	05 15-NOV-88	CR	CL	05	
L	MIL-STD-1843	RELIABILITY-CENTERED MAINTENANCE FOR AIRCRAFT, ENGINES AND EQUIPMENT REVIEWER: 11 13 14 15 17	A 1LSS	24 08-FEB-89			24	
A L	MIL-STD-1844(1)	GAS CHROMATOGRAPHY METHOD FOR DETERMINATION OF TRACE CHLORINATED SOLVENTS IN HYDRAULIC FLUID	A 9160	08 15-JAN			08	
L	MIL-STD-1857 NOTICE 1	GROUNDING, BONDING AND SHIELDING DESIGN PRACTICES (VALIDATION DATE: 0800)	A 0NCS	CR 19-SEP-84	CR			
	MIL-STD-1858 NOTICE 1	IMAGE INTENSIFIER ASSEMBLIES. PERFORMANCE PARAMETERS OF (VALIDATION DATE: 0804)	A 5886	CR 28-APR-86	CR			
	MIL-STD-1859	THERMAL IMAGING DEVICES. PERFORMANCE PARAMETERS OF (VALIDATION DATE: 0804)	A 5886	CR 28-APR-86	CR			
	MIL-STD-1860	BATTERIES, NON-RECHARGEABLE SELECTION AND USE OF USER: 05 ME REVIEWER: AR AT CR EC GS	A 6136	ER 21-DEC-88	ER	SH		
	MIL-STD-1861	ELECTRICAL AND ELECTRONIC ASSEMBLIES, BOARDS, CARDS, AND ASSOCIATED HARDWARE. SELECTION AND USE OF REVIEWER: 11 17 99 ME MI SL	A 5998	ER 23-AUG-89	ER	EC	05	
	MIL-STD-1862B	NEBULA INSTRUCTION SET ARCHITECTURE USER: 05 ME REVIEWER: AR AT EC GS	A 1PSC	CR 03-JAN-83	CR		10	
	MIL-STD-1863A	INTERFACE DESIGNS & DIMENSION FOR FIBER OPTIC INTERCONNECTION DEVICES USER: 14 AV MC REVIEWER: 11 13 19 AR AS MI OS	A 6060	CR 10-JUN-88	CR	EC	05	
D	MIL-STD-1864A	FIBER OPTIC SYMBOLS USER: MC OS YD1 REVIEWER: 99 AR EC ER ES SH	A 606P	CR 14-FEB-91	CR	AS	05	
	DOD-STD-1866 NOTICE 1	SOLDERING PROCESS GENERAL (NON ELECTRICAL) (METRIC)	A 50LD	AT 21-AUG-81	AT		99	
L	MIL-STD-1869(1) NOTICE 1	TURBINE BLADES AND VANES, CAST: ACCEPTANCE CRITERIA FOR	A 2835	AT 13-MAY-91	AT			
	MIL-STD-1871	ROTOR, TURBINE, CAST MATERIAL ACCEPTANCE CRITERIA FOR	A 2835	AT 20-APR-83	AT			
L	MIL-STD-1873A	MASS FINISHING, PROCESS FOR	A HFFP	AT 05-JUN-85	AT			
L	MIL-STD-1875	ULTRASONIC INSPECTION, REQUIREMENTS FOR	A NDTI	AT 15-APR-83	AT			
L	MIL-STD-1879	COMPRESSOR ROTOR BLAD ES, GAS TURBINE TANK ENGINE, PROCESSING, I INSPECTION, & IDENTIFICATION OF	A NDTI	AT 02-MAY-83	AT			
L	MIL-STD-1884A	COATING, PLASMA SPRAY DEPOSITION	A HFFP	AT 31-OCT-91	AT			
L	MIL-STD-1886	TUNGSTEN CARBIDE-COBALT COATING, DETONATION PROCESS FOR	A HFFP	AT 23-MAR-92	AT			
L	MIL-STD-1890A	WELDED JOINTS, INSPECTION OF	A NDTI	AT 21-NOV-91	AT			
L	MIL-STD-1891	BOLTS AND SCREWS, INSPECTION OF	A NDTI	AT 10-JAN-92	AT			
L	MIL-STD-1893	CLEANING ELECTROCHEMICALLY MACHINED NICKEL BASE ALLOY SURFACES, PROCESS FOR (METRIC)	A HFFP	AT 14-AUG-91	AT			
	MIL-STD-1894A	REFERENCE STANDARDS & RADIOGRAPHIC PROCEDURES FOR PARTIAL PENETRATION STEEL WELDS REVIEWER: AR	A NDTI	AT 17-OCT-86	AT		11	
L	MIL-STD-1895A	REFERENCE STANDARDS & RADIOGRAPHIC PROCEDURES FOR PARTIAL PENETRATION ALUMINUM WELDS	A NDTI	AT 20-OCT-86	AT			
L	MIL-STD-1897(1)	CASTINGS, INVESTMENT, TOLERANCES FOR	A MECA	AT 17-APR-91	AT			
	MIL-STD-1899	PRESSURE TESTING, 10 PSI THROUGH 200 PSI	A NDTI	AT 04-JUN-87	AT			
	MIL-STD-1901	MUNITION ROCKET AND MISSILE MOTOR IGNITION SYSTEM DESIGN, SAFETY CRITERIA FOR REVIEWER: 18 99 AS MI	A 13GP	AR 22-JAN-92	AR	OS	11	
	MIL-STD-1903	MUTS PREFERRED FOR DESIGN LISTING OF USER: MC ME NS REVIEWER: 11 17 AS AT AV GL IS SH	A 5310	AR 26-AUG-88	AR		99	
L	MIL-STD-1904A	DESIGN AND TEST REQUIREMENTS FOR LEVEL A AMMUNITION PACKAGING	A 8140	AR 01-APR-92	AR			
L	MIL-STD-1905A	DESIGN AND TEST REQUIREMENTS FOR LEVEL B AND LEVEL C AMMUNITION PACKAGING	A 8140	AR 01-APR-92	AR			
	MIL-STD-1907(1)	INSPECTION, LIQUID PENETRANT AND MAGNETIC PARTICLE, SOUNDNESS REQUIREMENTS FOR MATERIALS, PARTS AND WELDMENTS USER: AL AT OS REVIEWER: 24 70 80 82 84 AR ME TM	A NDTI	MI 22-MAR-90	MI	AS	11	
D	MIL-STD-1908	DEFINITIONS OF HUMAN FACTORS TERMS USER: AL YD1 REVIEWER: 13 15 19 24 AR AT AV CR EA EC ER GL MC MD ME MR OS PE SH TD TE TM	A HFAC	MI 24-DEC-92	MI	AS	11	
L	MIL-STD-1941(4) NOTICE 4	METAL-ARC WELDING OF HOMOGENEOUS ARMOR USER: AL REVIEWER: AR AT ME TE	A THJM	NR 01-AUG-91	NR			
	MIL-STD-1942A	FLEXURAL STRENGTH OF HIGH PERFORMANCE CERAMICS AT AMBIENT TEMPERATURE REVIEWER: 99 GL GS SH	A 9390	NR 08-NOV-90	NR	AS	11	
	MIL-STD-1943	WELDING REPAIR OF STEEL CASTINGS (OTHER THAN ARMOR) METAL-ARC, MANUAL USER: AT ME MI	A THJM	NR 05-FEB-85	NR			
	MIL-STD-1944	POLYMER MATRIX COMPOSITES USER: 79 MI SM REVIEWER: 70 84 99 AT AV ME	A 9330	NR 10-JUN-85	NR		11	
	MIL-STD-1945 NOTICE 1	GLOSSARY OF TERMS AND DEFINITIONS FOR ACOUSTIC EMISSION TESTING PROCEDURES (VALIDATION DATE: 9102) USER: 00 AL MI REVIEWER: 70 71 82 99 AR AT AV OS	A NDTI	NR 26-FEB-91	NR	AS	11	
L	MIL-STD-1946A(1)	WELDING OF ALUMINUM ALLOY ARMOR USER: ME MI REVIEWER: AR AT	A THJM	NR 05-JAN-90	NR			
L	MIL-STD-1947	ULTRASONIC WELDING OF ALUMINUM AND ALUMINUM ALLOY MATERIALS	A THJM	NR 15-MAY-85	NR			
	MIL-STD-1948 NOTICE 1	GLOSSARY OF TERMS AND DEFINITIONS FOR NEUTRON RADIOGRAPHIC TESTING (VALIDATION DATE: 9102) USER: EA MI OS REVIEWER: 24 70 71 80 82 AR AV ME SH	A NDTI	NR 26-FEB-91	NR	AS	11	
	MIL-STD-2000A	STANDARD REQUIREMENTS FOR SOLDERED ELECTRICAL AND ELECTRONIC ASSEMBLIES USER: AV MC REVIEWER: 15 17 19 84 AR CR DH EC ER ES MR OS TD	A 50LD	AS 14-FEB-91	MI	AS	11	
	DOD-STD-2000-1B(1) NOTICE 1	SOLDERING TECHNOLOGY, HIGH QUALITY/HIGH RELIABILITY USER: AV MC REVIEWER: 15 17 19 20 99 AR DH ER ES MR OS	A 50LD	AS 10-JUN-86	MI	AS	10	
	DOD-STD-2000-2A	PART & COMPONENT MOUNTING FOR HIGH QUALITY/HIGH RELIABILITY SOLDERED ELECTRICAL & ELECTRONIC ASSEMBLIES USER: AV OH MC REVIEWER: 11 15 17 19 84 AR CR EC ER ES MR OS	A 50LD	AS 20-NOV-86	MI	AS	10	NS
	DOD-STD-2000-3A	CRITERIA FOR HIGH QUALITY/HIGH RELIABILITY SOLDERING TECHNOLOGY USER: AV REVIEWER: 11 15 17 19 84 AR CR EC ER ES MR OS	A 50LD	AS 30-APR-87	MI	AS	10	NS
	DOD-STD-2000-4A	GENERAL PURPOSE SOLDERING REQUIREMENTS FOR ELECTRICAL & ELECTRONIC EQUIPMENT USER: AV OH MC REVIEWER: 11 15 17 84 99 AR CR EC ER ES MR OS	A 50LD	AS 01-OCT-87	MI	AS	10	
D	MIL-STD-2001	MANUALS, TECHNICAL, SYSTEMS OPERATOR S INTERFACE: PROCEDURES FOR WRITING USER: YD1 REVIEWER: AS CS EC TD	A THSS	MC 14-JAN-87	TM	MC		
	MIL-STD-2002	DOCUMENT INTERCHANGE FORMAT REVIEWER: 11 HT MC SA	A 1PSC	OM 31-OCT-87	SC	OM	90	
L	DOD-STD-2003(1) NOTICE 1	ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (CONTROLLED DISTRIBUTION)	B GDRQ	SH 17-DEC-90	SH			
L	DOD-STD-2003-1(1) NOTICE 1	ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (CABLE) SECTION 1 OF 5 SECTIONS (CONTROLLED DISTRIBUTION)	B GDRQ	SH 17-DEC-90	SH			
L	DOD-STD-2003-2(1) NOTICE 1	ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS AND SUBMARINES (EQUIPMENT) SECTIONS 2 OF 5 SECTIONS (CONTROLLED DISTRIBUTION)	B GDRQ	SH 17-DEC-90	SH			
L	DOD-STD-2003-3(1) NOTICE 1	ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (PENETRATIONS) SECTION 3 OF 5 SECTIONS (CONTROLLED DISTRIBUTION)	B GDRQ	SH 17-DEC-90	SH			
L	DOD-STD-2003-4 NOTICE 1	ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIPS & SUBMARINES (CABLEWAYS) SEC 4 OF 5 (CONTROLLED DISTRIBUTION)	B GDRQ	SH 24-JUN-87	SH			
L	DOD-STD-2003-5(1) NOTICE 1	ELECTRIC PLANT INSTALLATION STANDARD METHODS FOR SURFACE SHIP AND SUBMARINES (CONNECTORS) SECTION 5 OF 5 SECTIONS (CONTROLLED DISTRIBUTION)	B GDRQ	SH 17-DEC-90	SH			
	MIL-STD-2031	FIRE AND TOXICITY TEST METHODS AND QUALIFICATION PROCEDURE FOR COMPOSITE MATERIAL SYSTEMS USED IN HULL, MACHINERY, AND STRUCTURAL APPLICATIONS INSIDE NAVAL SUBMARINES	A CMPS	SH 26-FEB-91	NR	SH		
L	MIL-STD-2032	EDDY CURRENT INSPECTION OF HEAT EXCHANGER TUBING ON SHIPS OF THE UNITED STATES NAVY	A NDTI	SH 14-SEP-90	SH			
L	MIL-STD-2035	NONDESTRUCTIVE TESTING ACCEPTANCE CRITERIA	A NDTI	SH 04-JUL-91	SH			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Active Doc / OML Coordination Inactive	Document Number	Document Title	Dist. Smt. FSC Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-STD-2036	GENERAL REQUIREMENTS FOR ELECTRONIC EQUIPMENT SPECIFICATIONS .....	A GDRQ	SH	18-JUN-91	ER	SH	11	
L	MIL-STD-2037(1)	PROCEDURE TO OBTAIN CERTIFICATION FOR ELECTRIC MOTOR SEALED INSULATION SYSTEMS	A 6105	SH	23-OCT-91		SH		
L	MIL-STD-2038	REQUIREMENTS FOR EMPLOYING STANDARD POWER SUPPLIES REVIEWER: AV GS .....	A 6130	SH	29-NOV-91	ER	SH	99	
L	MIL-STD-2039	FIELD CHANGES AND FIELD CHANGE KITS PREPARATION OF .....	A TMSS	SH	07-FEB-92		SH		
L	MIL-STD-2040	TUG REQUIREMENTS FOR HANDLING U.S. NAVY SHIPS .....	A 1925	SH	03-MAR-92		SH		
L	MIL-STD-2046	MARKING SYSTEM, PHOTOLUMINESCENT .....	A 4240	SH	22-MAY-92		SH		
L	MIL-STD-2065	TEST METHODS FOR STILL PHOTOGRAPHIC EQUIPMENT (LESS OPTICS) (VALIDATION DATE: 8303)	A 676P	AS	01-JUL-77	EL	AS	99	
L	MIL-STD-2066	CATAPULTING & ARRESTING GEAR FORCING FUNCTIONS FOR AIRCRAFT STRUCTURAL DESIGN	A 1510	AS	08-MAR-82		AS		
L	MIL-STD-2067	AIRCRAFT AUTOMATED ESCAPE SYSTEMS RELIABILITY AND MAINTAINABILITY (R/M) PROGRAM REQUIREMENTS FOR (VALIDATION DATE: 8509)	A 1680	AS	17-OCT-78		AS		
L	MIL-STD-2069	REQUIREMENTS FOR AIRCRAFT NONNUCLEAR SURVIVABILITY PROGRAM .....	A 156P	AS	24-AUG-81		AS		
L	MIL-STD-2071	TESTING OF CHAFF RADAR CROSS-SECTION (VALIDATION DATE: 9110) .....	A MISC	AS	23-OCT-91		AS		
L	MIL-STD-2072	SURVIVABILITY, AIRCRAFT, ESTABLISHMENT AND CONDUCT OF PROGRAMS FOR (VALIDATION DATE: 8302)	A 156P	AS	25-AUG-77		AS		
D	MIL-STD-2073-1B	DOD MATERIEL PROCEDURES FOR DEVELOPMENT AND APPLICATION OF PACKAGING REQUIREMENTS (PART 1 OF 2 PARTS) REVIEWER: 10 11 13 18 19 AT AV CR CS EC ES GL GS IP ME OS PS SA SH YDI	A PACK	AS	21-JUN-91	SM	AS	69	DH
D	MIL-STD-2073-2C	PACKAGING REQUIREMENT CODES (PART 2 OF 2 PARTS) REVIEWER: 10 11 13 99 AL AR CR CS EC ES GS IP MC ME MI OS PS SA YDI	A PACK	AS	21-JUN-91	SM	AS	69	DH
L	MIL-STD-2074	FAILURE CLASSIFICATION FOR RELIABILITY TESTING (VALIDATION DATE: 8410) USER: GL REVIEWER: SH	A RELI	AS	15-FEB-78		AS		
L	MIL-STD-2076	UNIT UNDER TEST COMPATIBILITY WITH AUTOMATIC TEST EQUIPMENT GENERAL REQUIREMENTS FOR (VALIDATION DATE: 9110)	A MISC	AS	02-OCT-91		AS		
L	MIL-STD-2077B	GENERAL REQUIREMENTS TEST PROGRAM SETS .....	A ATTS	AS	22-APR-91		AS		
L	MIL-STD-2078	REQUIREMENT FOR PREPARATION OF SUPPORT EQUIPMENT DEPOT LEVEL REMARK STANDARDS	A MISC	AS	14-DEC-81		AS		
L	MIL-STD-2081	ASSEMBLY PROCEDURES, GIMBAL (VALIDATION DATE: 9110) .....	A 1420	AS	02-OCT-91		AS		
L	MIL-STD-2082A(1)	ASSEMBLY PROCEDURES, GYRO .....	A 1420	AS	14-SEP-90		AS		
L	MIL-STD-2084	GENERAL REQUIREMENTS FOR MAINTAINABILITY OF AVIONIC AND ELECTRONIC SYSTEMS AND EQUIPMENT (VALIDATION DATE: 9107)	A MNTY	AS	12-JUL-91		AS		
L	MIL-STD-2088	BOMB RACK UNIT (BRU), AIRCRAFT, GENERAL DESIGN CRITERIA FOR .....	A 1095	AS	20-FEB-81	AV	AS	18	
L	MIL-STD-2089	AIRCRAFT NONNUCLEAR SURVIVABILITY TERMS .....	A 156P	AS	21-JUL-81	AV	AS	11	
L	MIL-STD-2093	RELIABILITY PROCEDURES FOR PRODUCTION OF GUIDANCE AND CONTROL SECTION FOR GUIDED MISSILE AIM/RIM-7M (VALIDATION DATE: 9110)	A 1430	AS	02-OCT-91		AS		
L	MIL-STD-2094	MISSILE GUIDANCE SET, AIM/RIM-7M, FIRST ARTICLE TESTS (VALIDATION DATE: 8703)	A 1425	AS	19-MAR-87		AS		
L	MIL-STD-2095	MISSILE GUIDANCE SET, AIM/RIM-7M, PRODUCTION VERIFICATION TEST .....	A 1425	AS	29-JUL-80		AS		
L	MIL-STD-2096A	MICROCIRCUIT DATA REQUIREMENTS REVIEWER: EC SA SH .....	A EDS	AS	20-NOV-86		AS		
L	MIL-STD-2097A	ACQUISITION OF SUPPORT EQUIPMENT AND ASSOCIATED INTEGRATED LOGISTICS SUPPORT REVIEWER: CL DH EC MC MP SA SC TO WS	A 1LSS	AS	02-JUN-89	TM	AS	10	
L	MIL-STD-2098	ORDNANCE PREPARATION AND APPLICATION OF (INTUMESCENT SHEET, TYPE III) .....	A 8010	AS	02-JUN-80		OS		
L	MIL-STD-2100	PROPELLANT, SOLID, CHARACTERIZATION OF (EXCEPT GUN PROPELLANT) (VALIDATION DATE: 8501)	A 1376	OS	30-MAR-79		OS		
L	DOD-STD-2101	CLASSIFICATION OF CHARACTERISTICS (VALIDATION DATE: 8510) .....	A QCIC	OS	10-MAY-79		OS		
L	MIL-STD-2102A	AIRCRAFT ESCAPE PROPULSION SYSTEMS: VIBRATION AND SHOCK TESTS FOR (VALIDATION DATE: 9108) REVIEWER: AS	A 1377	OS	14-AUG-91		OS		
L	MIL-STD-2105A	HAZARD ASSESSMENT TESTS FOR NON-NUCLEAR MUNITIONS REVIEWER: AS .....	A SAFT	OS	08-MAR-91		OS		
L	DOD-STD-2106	DEVELOPMENT OF SHIPBOARD INDUSTRIAL TEST PROCEDURES .....	A QCIC	OS	31-JUL-86		OS		
L	DOD-STD-2107	PRODUCT ASSURANCE PROGRAM REQUIREMENTS FOR CONTRACTORS .....	A QCIC	OS	08-JUL-86		OS		
L	MIL-STD-2110	RESTORATION, OVERHAUL, AND REPAIR OF ELECTRONIC EQUIPMENT (VALIDATION DATE: 8601)	A MISC	EC	18-DEC-86		EC		
L	MIL-STD-2111(1)	BOTTLE ASSEMBLIES, VACUUM, AIRCRAFT (VALIDATION DATE: 8601) .....	A TMSS	EC	24-JUL-86		EC		
L	MIL-STD-2113A	RADIO FREQUENCY CIRCULATORS AND ISOLATORS, SELECTION OF .....	A 5985	EC	18-SEP-89	ER	EC	85	
L	MIL-STD-2114	ELECTRO ACOUSTICAL, MECHANICAL AND ENVIRONMENTAL TEST METHODS FOR AUDIO OR ACOUSTICAL COMPONENT PARTS USER: 19 AT MC REVIEWER: AS ES MS SH	A 5965	EC	23-OCT-80	CR	EC	85	
L	MIL-STD-2115	AUDIO DEVICES & COMPONENTS, SELECTION & USE OF REVIEWER: 11 99 AR CE ES MI SH	A 5965	EC	25-MAR-82	CR	EC	85	
L	MIL-STD-2117	COMMUNICATIONS, DIGITAL CONTROL AND STATUS INFORMATION INTERCHANGE STANDARD	A TCTS	EC	27-FEB-81		EC		
A	MIL-STD-2118	FLEXIBLE & RIGID FLEX PRINTED WIRING FOR ELECTRONIC EQUIPMENT DESIGN REQUIREMENTS FOR USER: 19 AS CG MC REVIEWER: 11 16 99 AR ES MI OS SH	A 5999	BS	12-MAY-86	ER	EC	17	
L	MIL-STD-2119A	DESIGN REQUIREMENTS FOR PRINTED-WIRING ELECTRICAL BACKPLANE ASSEMBLIES USER: AS CG MC REVIEWER: ES OS	A 5998	NW	19-FEB-90	ER	NW	85	
A	MIL-STD-2120	CONNECTORS, ELECTROMAGNETIC INTERFERENCE (EMI) FILTER CONTACT (VALIDATION DATE: 9206) REVIEWER: AS ES MC TD	A 5935	EC	03-JUN-92	CR	EC	85	
L	MIL-STD-2121A	DETERMINATION OF ELECTRONIC TEST EQUIPMENT PARAMETERS USER: AS OS .....	A 6625	SH	09-JUN-92		SH		
L	MIL-STD-2124A	FLIGHT DATA RECORDER, FUNCTIONAL STANDARDS FOR REVIEWER: 80 .....	A 5835	AS	02-JUL-84	AV	AS	99	
L	MIL-STD-2126A	REDUCED SMOKE ROCKET MOTOR PROCESSING & TEST PROCEDURES (SIDEWINDER) (REQ FOR ISSUE MUST BE SENT VIA COMMANDER, NAVAIRSYSCOM (PMA-259), WASH D.C. 20361-1259)	D 1340	AS	02-OCT-86		AS		
L	MIL-STD-2128	AIRCRAFT INVENTORY RECORD .....	A 1LSS	AS	23-JUN-87		AS		
L	MIL-STD-2131A	LAUNCHER, EJECTION, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR NONDESTRUCTIVE EXAMINATION REQUIREMENTS FOR SPECIAL APPLICATIONS	A 1440	AS	16-DEC-91		AS		
L	MIL-STD-2132A	(CONTROLLED DISTRIBUTION)	F MDTI	SH	15-MAR-85		SH		
L	DOD-STD-2133(1)	CABLE ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC) REVIEWER: CR ..	A 6145	SH	22-AUG-88		SH		
L	DOD-STD-2134	STORAGE BATTERY ARRANGEMENT FOR MINIMUM STRAY MAGNETIC FIELD (METRIC) (VALIDATION DATE: 8904)	A 6140	SH	21-APR-89		SH		
L	DOD-STD-2136	STANDARD PROCEDURE FOR THE METALLURGICAL EXAMINATION OF GAS TURBINE HOT SECTION AIRFOIL COMPONENTS FOR HOT CORROSION DEGRADATION (METRIC) (VALIDATION DATE: 8901)	A 2835	SH	11-JAN-88		SH		
L	DOD-STD-2137	MASS PROPERTIES TECHNICAL REQUIREMENT FOR SURFACE SHIPS (METRIC) .....	A MISC	SH	13-APR-82		SH		
L	MIL-STD-2138A	METAL SPRAYED COATINGS FOR CORROSION PROTECTION ABOARD NAVAL SHIPS (METRIC)	A MFP	SH	13-MAY-92		SH		
L	DOD-STD-2139	SHIP INFORMATION BOOK, PREPARATION OF (METRIC) .....	A TMSS	SH	02-FEB-88		SH		
L	DOD-STD-2140	MACHINERY ALTERATION (MACHALT) INSTRUCTIONS, PREPARATION OF (METRIC) .....	A CHAM	SH	20-OCT-82		SH		
L	DOD-STD-2141	DEFINITIONS AND SYSTEMS OF UNITS, MAGNETIC SILENCING (METRIC) (VALIDATION DATE: 8902)	A 1905	SH	16-FEB-89		SH		
L	DOD-STD-2142A	MAGNETIC SILENCING CHARACTERISTICS, MEASUREMENT OF (METRIC) .....	A 1905	SH	06-AUG-90		SH		
L	MIL-STD-2142A	MAGNETIC SILENCING CHARACTERISTICS, MEASUREMENT OF (METRIC) .....	A 1905	SH	06-AUG-90		SH		
L	DOD-STD-2143	MAGNETIC SILENCING REQUIREMENTS FOR THE CONSTRUCTION OF NONMAGNETIC SHIPS & CRAFT (METRIC)	A 1905	SH	01-JUN-83		SH		
L	DOD-STD-2144	INDUCTION CLUTCHES, LOW MAGNETIC FIELD DESIGN OF (METRIC) (VALIDATION DATE: 8902)	A 2010	SH	06-FEB-89		SH		



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Doc. No.		Document Title	Dist. Smt.	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians				
Doc. No.	Title							Army	Navy	Air Force	DIA	
L	DOD-STD-2146 NOTICE 1	DISCONNECT SWITCH BOXES, CONTACTOR PANELS AND SWITCHBOARDS, LOW MAGNETIC FIELD DESIGN OF (METRIC) [VALIDATION DATE: 8910]	A 6110	SH	03-OCT-89			SH				
L	DOD-STD-2146 NOTICE 1	DIRECT CURRENT GENERATORS AND MOTORS, LOW STRAY MAGNETIC FIELD, DESIGN OF (METRIC) [VALIDATION DATE: 8902]	A 6115	SH	16-FEB-89			SH				
L	MIL-STD-2148 NOTICE 1	VIBRATION DAMPING MATERIALS, PROCEDURES FOR INSTALLATION, MAINTENANCE, AND REPAIRS [VALIDATION DATE: 8910]	A 93GP	SH	03-OCT-89			SH				
M L	MIL-STD-2149A(1)	EXPLOSION TESTING FERROUS AND NON-FERROUS METALLIC MATERIALS AND WELDMENTS, STANDARD PROCEDURES FOR	A THJM	SH	05-APR-93			SH				
L	DOD-STD-2150	SHIP SPACE CLASSIFICATION SYSTEM	A 1990	SH	23-MAR-84			SH				
L	MIL-STD-2150A	SHIP COMPARTMENT NOMENCLATURE AND SPACE CLASSIFICATION SYSTEM	A 1990	SH	28-SEP-89			SH				
L	MIL-STD-2151 NOTICE 1	INCLINED LADDER TREAD TEST METHODS AND EQUIPMENT FOR WEAR, SLIP-RESISTANCE AND IMPACT [VALIDATION DATE: 9103]	A 2040	SH	21-MAR-91			SH				
L	MIL-STD-2154	INSPECTION, ULTRASONIC, WROUGHT METALS, PROCESS FOR	A NDTI	AS	30-SEP-82	MR	AS 11					
L	MIL-STD-2155	FAILURE REPORTING, ANALYSIS & CORRECTIVE ACTION SYSTEM	A RELI	AS	24-JUL-85			AS				
L	MIL-STD-2156 NOTICE 1	LAUNCHER, RAIL, GUIDED MISSILE, AIRCRAFT, GENERAL DESIGN CRITERIA FOR	A 1440	AS	20-DEC-85			AS				
M L	MIL-STD-2161A	PAINT SCHEMES AND EXTERIOR MARKINGS FOR U.S. NAVY AND MARINE CORPS AIRCRAFT	A MFFP	AS	01-MAY-93			AS				
	MIL-STD-2162	AMPLIFIER, RADIOFREQUENCY & MICROWAVE, SOLID STATE SELECTION OF USER: AS AV MC REVIEWER: 11 17 99 ES MI OS SH	A 5985	EC	27-JUL-83	ER	EC 85					
A	MIL-STD-2163C	INSERT ARRANGEMENTS FOR MIL-C-28876 CONNECTORS, FIBER OPTIC, CIRCULAR, PLUG AND RECEPTACLE STYLE, MULTIPLE REMOVABLE TERMINI USER: OS REVIEWER: 17 19 80 ES MC MI	A 6060	SH	16-FEB-93	CR	SH 85					
L	MIL-STD-2164	ENVIRONMENTAL STRESS SCREENING PROCESS FOR ELECTRONIC EQUIPMENT	A RELI	EC	14-APR-85							
A	MIL-STD-2165A	TESTABILITY PROGRAM FOR SYSTEMS AND EQUIPMENTS	A ATTS	SH	01-FEB-93	CR	SH 17					
	MIL-STD-2166	CONNECTION, ELECTRICAL, COMPLAINT PIN USER: 19 CG MC MI REVIEWER: 11 85 99 AR AS ES SH	A 5935	EC	05-DEC-84	CR	EC 17					
	DOD-STD-2167A	DEFENSE SYSTEM SOFTWARE DEVELOPMENT USER: 02 17 26 AS AV CR MC MI OM SC SH TD	A MCCR	EC	28-FEB-88	AR	EC 10					
A	DOD-STD-2168	DEFENSE SYSTEM SOFTWARE QUALITY PROGRAM REVIEWER: 02 14 15 17 23 AS AV MC MI OM SC SH TD	A QCIC	AR	29-APR-88	AR	EC 10					
L	DOD-STD-2169	HIGH ALTITUDE ELECTROMAGNETIC PULSE (HEMP) ENVIRONMENT (U) (CLASSIFIED) ...	A EMCS	DS	17-JUN-85							
L	MIL-STD-2172 NOTICE 1	AERONAUTICAL EQUIPMENT SERVICE RECORD [VALIDATION DATE: 9101]	A 76CP	AS	09-OCT-91			AS				
L	MIL-STD-2173(1) NOTICE 1	RELIABILITY-CENTERED MAINTENANCE REQUIREMENTS FOR NAVAL AIRCRAFT, WEAPONS SYSTEMS AND SUPPORT EQUIPMENT	A ILSS	AS	31-DEC-89			AS				
D	MIL-STD-2175	CASTING, CLASSIFICATION & INSPECTION OF USER: ME YD1 REVIEWER: 70 71 80 B2 84 AR EA IS MI OS SH	A NDTI	AS	12-OCT-84	MR	AS 11					
L	MIL-STD-2177	DEPOT REWORK SPECIFICATION, AIR-LAUNCHED WEAPONS, ARMAMENT, ORDNANCE, MISSILE LAUNCHERS, & PECULIAR SUPPORT EQUIPMENT, PREPARATION OF	A SOMP	AS	07-FEB-89							
	MIL-STD-2179B	HELICAL DIGITAL RECORDING FORMAT FOR 19-MM MAGNETIC TAPE CASSETTE RECORDER/REPRODUCERS REVIEWER: EC MC NS SH	A 5895	AS	14-DEC-90	CR	AS 99					
L	DOD-STD-2182	ENGINEERING CHROMIUM PLATING (ELECTRODEPOSITED FOR REPAIR OF SHAFTING (METRIC))	A MFFP	SH	29-JAN-85			SH				
L	DOD-STD-2183 NOTICE 1	BOND TESTING, BABBITT-LINED BEARINGS [VALIDATION DATE: 9103]	A 3120	SH	26-MAR-91			SH				
L	MIL-STD-2184	PROCEDURES FOR INSTALLATION, INSPECTION, MAINTENANCE, AND REPAIR OF ABSORBER, REFLECTOR, AND DECOUPLER ACOUSTIC MATERIALS (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA PREP ACT - COMD.. NAVSEASYSOON, SEA 5523, DEPT OF NAVY, WASH DC 20362-5	D 5640	SH	04-NOV-85			SH				
L	DOD-STD-2185	REQUIREMENTS FOR REPAIR AND STRAIGHTENING OF BRONZE NAVAL SHIP PROPELLERS	A 2010	SH	28-OCT-86			SH				
L	DOD-STD-2186	REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM, GENERAL REQUIREMENTS FOR	A ILSS	SH	09-APR-87			SH				
A L	MIL-STD-2186A	REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM, GENERAL REQUIREMENTS FOR	A ILSS	SH	04-JAN-93			SH				
L	DOD-STD-2187	CHEMICAL CLEANING OF SALT WATER PIPING SYSTEMS (METRIC)	A 4710	SH	20-AUG-87			SH				
L	MIL-STD-2187	CHEMICAL CLEANING OF SALT WATER PIPING SYSTEMS (METRIC)	A 4710	SH	17-AUG-87			SH				
L	DOD-STD-2188	BABBITTING OF BEARING SHELLS (METRIC)	A 3120	SH	01-APR-87			SH				
L	MIL-STD-2189	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS	A 1990	SH	13-NOV-87			SH				
L	MIL-STD-2189-100	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 100-1 REINFORCEMENT OF OPENINGS IN STRUCTURE OF SURFACE SHIPS OTHER THAN IN PROTECTIVE PLATING	A 1990	SH	22-JAN-88			SH				
L	MIL-STD-2189-100-1	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 100-1 REINFORCEMENT OF OPENINGS IN STRUCTURE OF SURFACE SHIPS OTHER THAN IN PROTECTIVE PLATING	A 1990	SH	22-JAN-88			SH				
L	MIL-STD-2189-200-1	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 200-1 CALCULATION OF SURFACE SHIP ENDURANCE FUEL REQUIREMENTS	A 1990	SH	08-JUL-88			SH				
L	MIL-STD-2189-302-1	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 302-1 AC MOTOR AND CONTROLLER APPLICATION REQUIREMENTS	A 1990	SH	21-MAR-88			SH				
	MIL-STD-2189-305	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 305-1 DESIGNATION & MARKING OF ELECTRIC SYSTEM	A 1990	SH	07-APR-88							
L	MIL-STD-2189-305-1	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 305-1 DESIGNATION AND MARKING OF ELECTRIC SYSTEM	A 1990	SH	07-APR-88			SH				
L	MIL-STD-2189-310-1	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 310-1 ELECTRIC SYSTEM LOAD AND POWER ANALYSIS FOR SURFACE SHIPS	A 1990	SH	11-JAN-88			SH				
	MIL-STD-2189-314	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS (SECTION 314-4) 400 HERTZ POWER SYSTEM TEST PROCEDURE	A 1990	SH	02-FEB-88			SH				
L	MIL-STD-2189-314-4	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 314-4 400 HERTZ POWER SYSTEM TEST PROCEDURE	A 1990	SH	02-FEB-88			SH				
L	MIL-STD-2189-562-2	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 562-2 CONTROL SURFACE STRUCTURE DESIGN	A 1990	SH	02-JUN-92			SH				
	MIL-STD-2189-672	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 672-1 CALCULATION OF STOREROOM CAPACITY	A 1990	SH	30-MAR-88							
L	MIL-STD-2189-672-1	DESIGN METHODS FOR NAVAL SHIPBOARD SYSTEMS SECTION 672-1 CALCULATION OF STOREROOM CAPACITIES	A 1990	SH	24-DEC-87			SH				
L	MIL-STD-2190	NON-METALLIC SEAL MATERIALS (CONTROLLED DISTRIBUTION)	F 9330	SH	15-SEP-87			SH				
A L	MIL-STD-2191	REPAIR WELDING, WELD CLADDING, STRAIGHTENING, AND COLD ROLLING OF MAIN PROPULSION SHAFTING	A 2010	SH	05-NOV-92			SH				
L	MIL-STD-2192	NICKEL-CHROMIUM-IRON ALLOY MICROSTRUCTURE PROCEDURE REQUIREMENTS & ACCEPTANCE CRITERIA (CONTROLLED DISTRIBUTION)	B NDTI	SH	05-OCT-87			SH				
L	MIL-STD-2193A	HYDRAULIC SYSTEM COMPONENTS, SHIP	A 4810	SH	29-AUG-91			SH				
L	MIL-STD-2194	INFRARED THERMAL IMAGING SURVEY PROCEDURE FOR ELECTRICAL EQUIPMENT	A 5855	SH	12-FEB-88			SH				
L	MIL-STD-2195	INSPECTION PROCEDURE FOR DETECTION AND MEASUREMENT OF DEALLOWING CORROSION ON ALUMINUM BRONZE AND NICKEL-ALUMINUM BRONZE COMPONENTS	A NDTI	SH	28-APR-89			SH				
L	MIL-STD-2196	GLOSSARY, FIBER OPTICS	A 60GP	SH	12-JAN-89			SH				
L	MIL-STD-2197	BRUSH ELECTROPLATING ON MARINE MACHINERY	A MFFP	SH	28-MAR-89			SH				
L	MIL-STD-2198	DESIGN REQUIREMENTS FOR METAL ELECTRICAL BACKPLANE ASSEMBLIES REVIEWER: ES	A 5998	NW	26-FEB-90	ER	NW 85					
L	MIL-STD-2199	GLASS REINFORCED PLASTIC COVERINGS FOR PROPELLER SHAFTING (METRIC)	A 9330	SH	11-MAY-90			SH				
	MIL-STD-2200	REQUIREMENTS FOR EMPLOYING STANDARD ENCLOSURE SYSTEMS REVIEWER: GS	A 5975	NW	29-NOV-91	ER	NW 85					
D	MIL-STD-2202	ENERGY MONITORING AND CONTROL SYSTEMS, FACTORY TESTS	A ATTS	YD1	29-MAY-87	CE	YD1 04					
D	MIL-STD-2203	ENERGY MONITORING AND CONTROL SYSTEMS, PERFORMANCE VERIFICATION AND ENDURANCE TESTS	A ATTS	YD1	29-MAY-87	CE	YD1 04					
A	MIL-STD-2204	SURVIVABLE ADAPTABLE FIBER OPTIC EMBEDDED NETWORK (SAFENET) REVIEWER: 02 17 21 23 26 AC CG ET IE SC TD TH	A MCCR	EC	31-OCT-92	ER	EC 10					
M L	MIL-STD-2217(1)	MEMORY LOADER/VERIFIER MULTIPLEX BUS INTERFACE WITH AVIONIC SYSTEMS, REQUIREMENTS FOR	A GDRO	AS	28-MAY-93			AS				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY STANDARDS

Action Op. / OMA Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act	Date	Custodians			
				Army	Navy	Air Force	DLA
MIL-STD-2218	THERMAL DESIGN, ANALYSIS, AND TEST PROCEDURES FOR AIRBORNE ELECTRONIC EQUIPMENT	A GDRQ	AS 20-MAY-92	CR	AS	11	
MIL-STD-2219	FUSION WELDING FOR AEROSPACE APPLICATIONS REVIEWER: 70 71 82 84 99 MI MR ..	A THJM	AS 30-DEC-88	AV	AS	11	
MIL-STD-2220	INTERFACE SPECIFICATIONS FOR TARGET AUXILIARY AND AUGMENTATION SYSTEMS, PREPARATION OF	A 1550	AS 11-FEB-88				
A L MIL-STD-2222	INTERFACE CONTROL DOCUMENTATION FOR AVIONIC SYSTEMS .....	A GDRQ	AS 12-AUG-92		AS		
A MIL-STD-2223	TEST METHODS FOR INSULATED ELECTRIC WIRE REVIEWER: AR .....	A 6145	AS 31-AUG-92	CR	AS	85	
A MIL-STD-5400	ELECTRONIC EQUIPMENT, AIRBORNE, GENERAL REQUIREMENTS FOR REVIEWER: 15 17	A GDRQ	AS 15-JUN-92	CR	AS	11	
MIL-STD-6866	19 AR AV EC ES MI INSPECTION, LIQUID PENETRANT (VALIDATION DATE: 8910) USER: MI REVIEWER: 68	A MDTI	11 04-OCT-89	MR	AS	11	
DOD-STD-7935A	82 99 AR EA GS OS SH DOD AUTOMATED INFORMATION SYSTEMS (AIS) DOCUMENTATION STANDARDS .....	A IPSC	SC 31-OCT-88	SC	OM	90	OH
A MIL-STD-11991(1)	ELECTRICAL, ELECTRONIC, AND ELECTRO-MECHANICAL EQUIPMENT, GUIDED MISSILE AND ASSOCIATED WEAPON SYSTEMS, GENERAL STANDARD FOR THE DESIGN OF REVIEWER: AV ES	A 1430	MI 30-SEP-92	MI		11	
MIL-STD-14882	TIRE, PNEUMATIC, AIRCRAFT, 36 X 11, 24 PR REVIEWER: CS .....	A 2620	AS 23-AUG-85		AS		
L MIL-STD-40000	PARTS CONTROL PROGRAM FOR NONDEVELOPMENTAL ITEMS (NDIS) .....	A MISC	AT 30-APR-91	AT			
L MIL-STD-40001A	PREPARATION OF FINAL INSPECTION RECORD (FIR) .....	A QCIC	AT 23-MAY-91	AT			
L MIL-STD-40002	HEAT TREATMENT CODING SYSTEM, GENERAL .....	A MFFP	AT 19-NOV-91	AT			
L MIL-STD-40006	CHROMIUM PLATE: VISUAL INSPECTION OF (METRIC) .....	A MDTI	AT 04-OCT-91	AT			
L MIL-STD-40007	RIVETS, SOLID, INSTALLATION OF .....	A 5320	AT 20-SEP-91	AT			
L MIL-STD-40008	PNEUMATIC PRESSURE TESTING PARTS WITH PERMANENT JOINTS: WELDS, BRAZES, AND RIVETS (METRIC)	A QCIC	AT 10-SEP-91	AT			
L MIL-STD-40009	CLEANING AND PASSIVATION, PROCESS FOR (AM350 AND AM355 STAINLESS STEELS) ..	A MFFP	AT 08-NOV-91	AT			
MIL-STD-45662A	CALIBRATION SYSTEMS REQUIREMENTS REVIEWER: AR AS AV DM EC ME SH SS .....	A QCIC	MI 01-AUG-88	MI	OS	OS	
A L MIL-STD-91621	PRINCIPLES OF INSPECT, REPAIR ONLY AS NECESSARY (IROAN) PROCEDURES AND PREPARATION OF IROAN PUBLICATIONS	A SDMP	MC 02-NOV-92		MC		
L MIL-STD-600001	MAPPING, CHARTING & GEODESY ACCURACY REVIEWER: 09 CE NO .....	A MCGT	MP 26-FEB-90				
L MIL-STD-600002	DEPARTMENT OF DEFENSE DMA STOCK NUMBER BAR CODING REVIEWER: 09 NO PO .....	A MCGT	MP 22-AUG-90				
L MIL-STD-600005	MAPPING, CHARTING & GEODESY REPRODUCTION AND PRINTING REVIEWER: PO .....	A MCGT	MP 30-AUG-90				
L MIL-STD-600006	VECTOR PRODUCT FORMAT REVIEWER: 09 NO .....	A MCGT	MP 13-APR-92				
L MIL-STD-600010	DEPARTMENT OF DEFENSE DMA STOCK NUMBER BAR CODING REVIEWER: 09 CE NO ..	A MCGT	MP 22-AUG-90				
L MIL-STD-600011	DMA SINGLE COLOR OVERPRINT LIMITED REVISION UPDATES (SCD) REVIEWER: 09 MC NO	A MCGT	MP 18-MAR-92				



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Cntr / OMA Combination Number	Document Title	Doc. Cont. Fac / Amt	MA Formed Preparing Act.	Date	Custodian Army Navy Air Force DIA
A-A-1C	RACKS, WEARING APPAREL, STEEL .....	A 7195	FSS	14-JUL-89	
A-A-2A	ELECTROGRAPHIC PAPER .....	A 6750		01-JUN-81	
A-A-3	CLEANING COMPOUND, PORCELAIN & CERAMIC TILE, ACID TYPE .....	A 7930		10-APR-80	
A-A-5A	DISHWASHING COMPOUND, HAND (BUILT DETERGENT: FLAKE, GRANULAR OR BEAD) .....	A 7930		01-APR-84	
A-A-7B	CLEANING COMPOUND, SOLVENT-DETERGENT (ALKALINE CLEANER-DEGREASER FOR OVENS, GRILLS AND WASHABLE SURFACES) .....	A 7930		03-APR-84	
A-A-8	SHELLAC VARNISH .....	A 8010		17-SEP-79	
A-A-11	CLEANING COMPOUND, SEPTIC TANK (ENZYME BACTERIA TYPE FOR DRAINS) .....	A 7930		29-JUN-81	
A-A-12	FLOOR CLEANING & POLISHING COMPOUND .....	A 7930		06-MAR-80	
A-A-14	SCOURING POWDER (GLASS CLEANING) .....	A 7930		27-MAR-80	
A-A-15	POLISH, AUTOMOBILE (LIQUID & PASTE) .....	A 7930		23-APR-81	
A-A-16	CLEANING COMPOUND, ACID PIPELINE (SULFURIC ACID, FOR INDUSTRIAL USE) .....	A 6850		13-OCT-81	
A-A-17	DETERGENT, LABORATORY GLASSWARE .....	A 7930		06-MAY-80	
A-A-18A	SHAVING CREAM .....	A 8520		09-DEC-79	
A-A-19B	SCALE REMOVING COMPOUND (POWER, SULFAMIC ACID) .....	A 6850		22-OCT-81	
A-A-21A	STAIN REMOVER, TABLEWARE (OXYGEN RELEASING TYPE) [VALIDATION DATE: 9201] ..	A 7930	FSS	27-JAN-92	
NOTICE 1					
A-A-22	SHAMPOO (ANTIDANDRUFF) .....	A 8520		28-NOV-79	
A-A-23	POLISH, SHOE, PASTE .....	A 7930		07-FEB-80	
A-A-24	DUST MOP TREATING COMPOUND .....	A 7930		15-OCT-79	
A-A-28A	HOLDER, LABEL, DESK TRAY, WOOD .....	A 7510	FSS	15-MAY-90	
A-A-29A	BOX, FILING, LETTER .....	A 7520	FSS	02-JAN-92	
A-A-31	CLEANING COMPOUND, RUG & UPHOLSTERY SURFACE USER: NS SH REVIEWER: 03 MD	A 7930		10-JUN-81	
A-A-39A	DETERGENT, GENERAL PURPOSE (HARD SURFACE CLEANER; LIQUID; CONCENTRATED) ...	A 7930		05-APR-84	
A-A-40A	GLASS CLEANER, LIQUID (SPRAY AND AEROSOL) .....	A 7930		18-SEP-80	
A-A-41	SODIUM CARBONATE, ANHYDROUS .....	A 6810		25-AUG-80	
A-A-42A	TALCUM POWDER REVIEWER: DS .....	A 8510		09-NOV-79	
A-A-43A	SOAP, GRIT (PASTE WITH MINERAL SCRUBBER) .....	A 8520		14-APR-80	
A-A-44	SOAP, SCRUBBING, ALKALINE (POWDER) .....	A 7930		19-SEP-79	
A-A-45	SOAP, SCOURING (CAKE) .....	A 7930		16-SEP-80	
A-A-46A	SOAP, GRIT (CAKE PUMICE SOAP) .....	A 8520		27-NOV-79	
A-A-47	SCOURING POWDER .....	A 7930		31-AUG-79	
A-A-48	SOAP, TOILET (MILLED CAKE) .....	A 8520		21-SEP-79	
A-A-49	SOAP, TOILET (WHITE FLOATING CAKE) .....	A 8520		25-SEP-79	
A-A-50	SOAP, TOILET (POWDERED) .....	A 8520		15-NOV-79	
A-A-51	SOAP, TOILET (FOR SOFT AND HARD WATER USE) .....	A 8520		04-SEP-79	
A-A-52A	LANTERN, ELECTRIC (WARNING FLASHER & CONCENTRATED BEAM) .....	A 6230		13-FEB-81	
A-A-54	LANTERN, ELECTRIC, SINGLE CONCENTRATED LIGHT BEAM .....	A 6230		26-SEP-79	
A-A-55A	LANTERN, ELECTRIC, FLOATING, CONCENTRATED BEAM, WITH WARNING FLASHER) .....	A 6230		28-JUL-81	
A-A-56	STENOTYPE MACHINE PAPER (PAPER SHORTHAND MACHINE) .....	A 7530		22-OCT-79	
A-A-56(11)	STENOTYPE MACHINE PAPER (PAPER, SHORTHAND MACHINE) .....	A 7530	FSS	20-APR-89	
A-A-57	ABSORBENT STENCIL FILING WRAPPER .....	A 7530		21-FEB-80	
A-A-57(11)	ABSORBENT STENCIL FILING WRAPPER .....	A 7530	FSS	20-APR-89	
A-A-59A	TOOTHBRUSH, CHILD 5 (MULTITUFT) .....	A 8530		30-NOV-79	
A-A-65A	PUNCH, PAPER (OFFICE TYPE), LIGHT DUTY .....	A 7520		14-NOV-86	
A-A-65A(11)	PUNCH, PAPER (OFFICE TYPE), LIGHT DUTY .....	A 7520	FSS	07-DEC-89	
A-A-66	PUNCH, PAPER, HAND HELD (HEAVY DUTY) .....	A 7520		06-MAR-80	
A-A-67	PUNCH, PAPER, HAND HELD (2 INCH REACH) .....	A 7520		07-FEB-80	
A-A-68B	DISPENSER, GUMMED TAPE, ELECTRICALLY OPERATED (DUAL PRESET) .....	A 7520	FSS	25-FEB-92	
A-A-72B	CRAYON, MARKING, LUMBER .....	A 7510	FSS	05-JUN-92	
A-A-73	HAIRBRUSH, SYNTHETIC .....	A 8530		15-MAY-80	
A-A-75A	COMBS, HAIR (PLASTIC) .....	A 8530	FSS	31-MAR-93	
A-A-78C	DISPENSER, GUMMED TAPE (TEAR OFF TYPE) .....	A 7520	FSS	25-FEB-92	
A-A-79C	DISPENSER, GUMMED TAPE (AUTOMATIC TYPE) .....	A 7520	FSS	25-FEB-92	
A-A-800	CHALK, MARKING, COLORED .....	A 7510		09-JAN-80	
A-A-81A	DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (HAND HELD) .....	A 7520		21-SEP-79	
A-A-82A	DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 3 INCH TAPE)	A 7520	FSS	25-FEB-93	
A-A-83A	DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (COUNTER TYPE FOR 2-INCH TAPE)	A 7510	FSS	25-FEB-92	
A-A-84A	DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (DESK OR COUNTER TYPE) .....	A 7520		10-NOV-79	
A-A-85B	DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (DESK TYPE) .....	A 7520		10-NOV-79	
A-A-87B	PENCILS, FINE CHINA AND GLASS MARKING SPIRAL-PAPER-FORM .....	A 7520	FSS	20-FEB-90	
A-A-91B	APRON, FOOD HANDLERS .....	A 8415		21-MAR-80	
A-A-93	CLEANER & POLISH, HARD SURFACES REVIEWER: GS .....	A 7930		21-OCT-81	
A-A-94A	STARCH, LAUNDRY .....	A 7930		13-DEC-79	
A-A-96	CLEANING COMPOUND, OVEN (AEROSOL) .....	A 7930		08-OCT-79	
A-A-97	DEODORANT, GENERAL PURPOSE (CONCENTRATED, WICK BOTTLE) .....	A 6840		10-JAN-80	
A-A-98	DEODORANT, GENERAL PURPOSE (CONCENTRATED) .....	A 6840		10-JAN-80	
A-A-103	TOOTH POWDER .....	A 8520		06-SEP-79	
A-A-104	TOOTHPASTE .....	A 8520		13-OCT-82	
A-A-105A	POLISH, METAL, BRASS .....	A 7930	SH	04-FEB-91	GL SH 69
A-A-106A	HAND CLEANER (PADS) .....	A 8520	FSS	05-JUN-91	
A-A-109	TENT, WALL TYPE .....	A 8340		18-SEP-79	
A-A-110A	BOX, FILING, STEEL .....	A 7520	FSS	19-JUN-92	
A-A-112A	FILE, HORIZONTAL, DESK .....	A 7520	FSS	22-FEB-82	
A-A-113C	TAPE, PRESSURE-SENSITIVE ADHESIVE REVIEWER: DS .....	A 7510	FSS	15-FEB-89	
A-A-114	SOCK, COTTON .....	A 8440		09-NOV-79	
A-A-116	RULE, LINE GUIDE .....	A 7510		09-NOV-79	
A-A-117D	PROTECTOR, DOCUMENT (BINDER FILLER) .....	A 7510	FSS	31-DEC-90	
A-A-118	TOWELS AND TOWELING, COTTON FOR GLASSWARE .....	A 7210		06-JAN-80	
A-A-119B	PIN, SAFETY REVIEWER: CT .....	A 8315	FSS	09-SEP-91	
A-A-123B	TOOTHBRUSH, ADULT'S (MULTITUFT) .....	A 8530	FSS	15-JAN-86	
A-A-125B	RINGS, LOOSE-LEAF BINDER .....	A 7510	FSS	01-NOV-89	
A-A-127A	BOOKREST .....	A 7520	FSS	22-JAN-90	
A-A-128A	POCKET PLANNING SET .....	A 7510	FSS	30-JAN-91	
A-A-129	PADS, DESK .....	A 7520		12-OCT-79	
A-A-129(11)	PADS, DESK .....	A 7520	FSS	20-APR-89	
A-A-130	STENCIL SET, MARKING .....	A 7520		12-OCT-79	
A-A-131A	RUBBER BANDS .....	A 7510	FSS	17-NOV-88	
A-A-132A	ERASERS .....	A 7510	FSS	07-NOV-88	
A-A-132A(11)	ERASERS .....	A 7510	FSS	24-SEP-90	
A-A-134B	FINGER PADS, RUBBER .....	A 7510	FSS	29-MAR-93	
A-A-135B	OPENER, LETTER, HAND (METAL) .....	A 7520	FSS	22-APR-92	
A-A-136A	HOLDER, TELEPHONE RECEIVER .....	A 7520	FSS	02-APR-91	
A-A-137A	MOISTENER, PAPER SEALING, FOUNTAIN-TYPE .....	A 7520	FSS	14-APR-92	
A-A-138A	STYLUS, DUPLICATING STENCIL .....	A 7510		09-SEP-81	
A-A-140	CLOTH, DENIM, COTTON .....	A 8305		27-SEP-79	
A-A-142B	CORRECTABLE TYPEWRITER RIBBONS (HIGH YIELD) .....	A 7510	FSS	02-MAR-92	
A-A-146	SOAP, GRIT (CAKE PUMICE SOAP) .....	A 8520		03-JUL-79	
A-A-148B	BAG, PLASTIC (SANDWICH) .....	A 8105	FSS	04-FEB-91	
A-A-150	CLOTH, COATED (WINDOW SHADE) .....	A 8305		30-JAN-81	
A-A-153	DRAWERS, MENS .....	A 8420	CT	31-MAR-81	GL NU 99 CT
A-A-156B	BAG, PAPER (HARDWARE) .....	A 8105		07-DEC-83	
A-A-156B(11)	BAG, PAPER (HARDWARE) .....	A 8105	FSS	14-OCT-88	
A-A-157C	SACK, SHIPPING, PAPER (REINFORCED) .....	A 8105	FSS	27-DEC-89	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active QPL / OML Commodity Machine Document Number	Document Title	Dist. Smt FSC / Ave MCA Symbol Preparing Date	Custodian Army Navy Air Force DIA
A-A-1578(11)	SACKS, SHIPPING, PAPER (REINFORCED)	A 8105 # FSS 14-OCT-88	
A-A-1600	SACK, SHIPPING, PAPER (CUSHIONED)	A 8105 # FSS 12-DEC-89	
A-A-160C(11)	SACKS, SHIPPING, PAPER (CUSHIONED)	A 8105 # FSS 14-OCT-88	
A-A-162	CLOTH, CLEANING (NONWOVEN)	A 7920 # 20-APR-81	
A-A-163	PILLOWCASE AND COVER, HEADREST (DISPOSABLE)	A 7210 # 27-SEP-79	
A-A-164A	COVER, BEDDING (FLAME RESISTANT)	A 7210 # 16-JAN-81	
A-A-168	CLOTH, POLISHING (FOR ELECTRICAL CONTACT SURFACES)	A 7920 # 17-APR-81	
A-A-169	CALCIUM CHLORIDE, TECHNICAL	A 6810 # FSS 22-MAY-81	
A-A-175A	POST, LEDGER AND BINDER, SCREW TYPE	A 7510 # FSS 15-FEB-91	
A-A-177A	DICTIONARY, ENGLISH, TYPE II (MINIMUM 150,000 ENTRIES)	A 7610 # 10-JAN-80	
A-A-179	PAD, DESK, PAPERBOARD	A 7520 # 12-OCT-79	
L A-A-180B	TAPE, PRESSURE-SENSITIVE ADHESIVE, DOUBLE-COATED REVIEWER: DS	A 7510 # FSS 02-FEB-89	
A-A-181	MINING TRANSIT BOOK	A 7530 # 19-SEP-80	
A-A-182	BASKET, WASTE PAPER, METAL, OFFICE AND LOBBY	A 7520 # 23-SEP-79	
A A-A-183B	SHEATH, PEN AND PENCIL, POCKET (PLASTIC)	A 7510 # FSS 11-DEC-91	
A-A-186A	ERASER, BLACKBOARD	A 7510 # FSS 06-NOV-89	
A-A-188A	EYELET REINFORCEMENT, GUMMED CLOTH	A 7510 # FSS 09-JAN-90	
A-A-190A	PAPER, CORRECTION TYPE	A 7510 # FSS 27-DEC-90	
A-A-194B	TAPE, PRESSURE-SENSITIVE ADHESIVE PAPER, DRAFTING	A 7510 # FSS 24-JAN-89	
A-A-195C	TAPE, PRESSURE-SENSITIVE ADHESIVE (EDGING) REVIEWER: AV SM	A 7510 # GL 16-AUG-89	GL SA
A-A-196A	CUP, PIN, CLIP AND SPONGE	A 7510 # FSS 28-SEP-89	
A-A-197	HERBICIDE, 2,4-DICHLOROPHENOXYACETIC ACID (SALTS & ESTERS)	A 6840 # 06-NOV-80	
A A-A-201A	CLEANING COMPOUND, HARD SURFACE-FLOOR (AEROSOL FOAM FLOOR CLEANER)	A 7930 # 23-MAR-81	
A A-A-203B	PAPER, KRAFT, UNTREATED USER: AR CG CR ER MC MI SH REVIEWER: 99 AS EA MD	A 8135 # GL 22-NOV-91	GL 69
NOTICE 1	ME SA		
A-A-203A(11)	PAPER, KRAFT, UNTREATED	A 8135 # FSS 20-APR-89	
A-A-204A	LABEL TAPE, PRESSURE SENSITIVE ADHESIVE	A 7510 # 14-DEC-82	
A-A-205B	DUPLICATING FLUID, DIRECT PROCESS (SPIRIT TYPE)	A 7510 # FSS 12-JAN-90	
A-A-206	INK, DUPLICATING MACHINE STENCIL, PASTE, BLACK	A 7510 # 08-JAN-81	
A-A-207A	INKING PAD, RUBBER STAMP (FOAM PAD)	A 7510 # FSS 19-SEP-89	
A-A-208A	INK, MARKING, STENCIL, OPAQUE, (POROUS AND NON-POROUS SURFACES) USER: MC	A 7510 # GL 09-NOV-89	GL SA 99
	REVIEWER: B4 AR DS MD SM SS		
A A-A-209A	INK, STAMP PAD	A 7510 # FSS 06-NOV-89	
L A-A-210B	TAPE, EMBOSSED (PRESSURE SENSITIVE, PLASTIC) REVIEWER: DS	A 7510 # FSS 01-JAN-89	
A-A-211A	EMBOSSED MACHINE, IDENTIFICATION TAPE (MANUALLY OPERATED)	A 7490 # FSS 29-MAR-91	
A-A-212A	CORRECTION FLUID, WHITE OPAQUE	A 7510 # 30-APR-81	
A-A-213A	CORRECTION FLUID, DUPLICATING MACHINE STENCIL	A 7510 # 13-NOV-79	
A A-A-217A	SCOURING BRICK AND HOLDER	A 7920 # 12-DEC-79	
D A-A-218	HINGE, BUTT (GENERAL PURPOSE) USER: YDI REVIEWER: IS MC ME	A 5340 # 23-APR-81	
D A-A-219A	HINGE, BUTT (CABINET) USER: YDI REVIEWER: IS MC ME	A 5340 # 21-APR-81	
A-A-220	HINGE, BUTT (SPRING) REVIEWER: IS MC ME	A 5340 # 22-APR-81	
A A-A-223	BROOM, UPRIGHT, COARSE FIBER (BRASS FIBER)	A 7920 # 09-JAN-80	
D A-A-224B	HINGE, TEE USER: YDI REVIEWER: AR IS MC ME	A 5340 # 23-JUL-87	
A A-A-225B	HINGE, STRAP REVIEWER: IS	A 5340 # 23-JUL-87	
D A-A-226	HINGE, BUTT (TRANSOM) USER: YDI REVIEWER: IS MC ME	A 5340 # 23-APR-81	
A A-A-228	TYNNE, FIBROUS, JUTE	A 4020 # 12-MAR-80	
A A-A-230A	MAT, BATH (DISPOSABLE)	A 7210 # FSS 15-JUL-92	
A-A-231	FAUCET, DOUBLE	A 4510 # GS 25-NOV-88	
A-A-232	FAUCET, LAWN	A 4510 # GS 25-NOV-88	
A-A-233	FAUCET, SINGLE (SINK, HOSE)	A 4510 # GS 25-NOV-88	
A-A-234	FAUCET, SINGLE (LAVATORY)	A 4510 # GS 25-NOV-88	
A-A-235	WASTE RECEPTACLE, PLASTIC, WITH LID	A 7240 # 30-SEP-79	
A A-A-236	PAN, PIE, DISPOSABLE (ALUMINUM FOIL)	A 7330 # 21-JAN-80	
A A-A-238B	SEAT, WATER CLOSET	A 4510 # 18-OCT-83	
A A-A-240A	SHOWER HEAD, BALL JOINT	A 4510 # CS 25-APR-91	
A A-A-243A	SHEARS, PRUNING (TWO HAND, LOPPING) USER: 99	A 3750 # 29-JUN-84	ME 99
A A-A-244	VALVE, AIR VENTING, STEAM, THERMOSTATIC	A 4520 # 12-APR-80	
L A-A-246A	FLOAT, VALVE (WATER CLOSET)	A 4510 # CS 21-FEB-91	
A A-A-247A	FASTENERS (PRONG TYPE)	A 7510 # FSS 26-FEB-91	
A A-A-248A	VALVE, INLET, ANTISIPHON (WATER CLOSET)	A 4510 # CS 19-FEB-91	
L A-A-249A	ROD, TANK FLOAT (WATER CLOSET)	A 4510 # CS 20-FEB-91	
A A-A-254	MENTHOL LOTION	A 6505 # 20-SEP-79	
A A-A-258	BRUSH, FILE CLEANER	A 7920 # 12-OCT-79	
A A-A-260A	HOLDERS, BINDER LABEL	A 7510 # FSS 25-SEP-89	
A A-A-261A	WRINGER, MOP	A 7920 # 24-SEP-80	
A A-A-262A	BUCKET, MOP, METAL	A 7920 # 27-JUN-80	
A A-A-265	MOPPING OUTFIT, FLOOR	A 7920 # 21-APR-80	
A A-A-266A	DEODORANT, GENERAL PURPOSE (CAKES FOR URINALS AND TOILETS)	A 6840 # FSS 28-MAR-83	
A A-A-267A	DEODORANT, GENERAL PURPOSE (AEROSOL AIR FRESHENER) REVIEWER: GS	A 6840 # 23-APR-82	
A A-A-268	HAND CLEANER (WATERLESS, LOTION FORM)	A 8520 # 03-JAN-80	
A A-A-269	SCOURING POWDER (WITH CHLORINE BLEACH)	A 7930 # 31-AUG-79	
A A-A-270	BRUSH, SCRUB, ALL PLASTIC, STEAMKETTLE	A 7920 # 15-NOV-79	
A A-A-271	BICYCLES, MEN S, & WOMEN S	A 2330 # 25-FEB-80	
A A-A-272	CAULKING COMPOUNDS	A 8030 # 26-FEB-80	
A A-A-277	SCRAPER, BAKER S (PLATE AND BOWL)	A 7330 # 16-MAY-80	
A A-A-278	OILED STENCIL FILING WRAPPER	A 7530 # 05-JAN-80	
A A-A-279	HAND CLEANER (WATERLESS: CREAM FORM: REGULAR AND ANTIMICROBIAL)	A 8520 # 14-JUN-83	
A A-A-281	WASTE RECEPTACLE, WALL OR POST MOUNTED	A 7240 # 21-SEP-79	
A A-A-283	EXTRACTOR, SCREW AND PIPE, TAPERED, SPIRAL FLUTES ON RIDGES, DRILL STYLE	A 5120 # 11-OCT-79	
A A-A-284	RIVETER, YOKE, HAND (RIVET SQUEEZER, HAND)	A 5120 # 16-OCT-79	
A A-A-285	DATING STAMP (REMOVABLE TYPE)	A 7520 # 09-NOV-79	
M L A-A-286C	ENVELOPE, PACKAGING (CORRUGATED FIBERBOARD)	A 8105 # GL 22-JAN-93	GL
A A-A-288A	DATING STAMP (NONFIXED LEGEND)	A 7520 # FSS 22-JAN-90	
A A-A-289	BRUSHES, ACID, SWABING	A 7920 # 12-OCT-79	
A A-A-292	RUBBER STAMP, FIXED LEGEND	A 7520 # 12-OCT-79	
A A-A-294A	RACKS, WEARING APPAREL (SEMI-CONCEALED)	A 7195 # 01-NOV-82	
A A-A-295	WASTE RECEPTACLE, MOBILE, PLASTIC, WITH LID	A 7240 # 30-SEP-79	
A A-A-296A	SOAP HOLDER, DISPOSABLE	A 4510 # FSS 26-APR-90	
A A-A-297	IRONING BOARD, HOUSEHOLD	A 7290 # 20-MAR-81	
A A-A-299	DUSTPAN (LONG HANDLE)	A 7290 # 07-MAY-80	
A A-A-300A	DUSTPAN (SHORT HANDLE)	A 7290 # FSS 13-FEB-91	
A A-A-301	BAG, COTTON DUCK	A 8105 # 01-OCT-79	
A A-A-302D	BAG, PAPER (SHOPPING)	A 8105 # FSS 29-OCT-91	
A A-A-303A	HOLDER, LABEL, DESK TRAY, METAL	A 7510 # FSS 27-NOV-89	
A A-A-304B	BAG, PAPER (FOIL LAMINATED, FLAME RESISTANT, MOISTURE RESISTANT)	A 8105 # FSS 27-NOV-91	
A A-A-304A(11)	BAG, PAPER (FOIL LAMINATED, FLAME RETARDANT)	A 8105 # FSS 14-OCT-88	
A A-A-305	THREAD CUTTER, RECEDING SEGMENTAL DIE (ADJUSTABLE CLEARED DIESTOCK)	A 5136 # 10-NOV-79	
A A-A-306	THREAD CUTTER, RECEDING SEGMENTAL DIE (SELF CONTAINED RATCHET THREADER)	A 5136 # 12-OCT-79	
A A-A-307A	PICK, DRIFTING (WITHOUT HANDLE)	A 5120 # 10-NOV-79	
A A-A-308A	PICK, CONTRACTORS, POINT AND CHISEL ENDS (WITHOUT HANDLE)	A 5120 # 05-JAN-80	
A A-A-309B	BAG, PAPER MERCHANDISE	A 8105 # 03-MAY-87	
A A-A-309B(11)	BAG, PAPER, MERCHANDISE	A 8105 # FSS 14-OCT-88	
A A-A-310C	BAG, WASTE RECEPTACLE, PAPER	A 8105 # FSS 23-JUN-89	
A A-A-310X(11)	BAG, WASTE RECEPTACLE (PAPER)	A 8105 # FSS 14-OCT-88	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Item Qty / Cdn Condition Package	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preceding Add.	Date	Custodian Army Navy Air Force DIA
A-A-311A		THREAD CUTTER, DIE HEAD, HAND	A 5136	#	07-DEC-82	
A-A-312		JACK KIT, HYDRAULIC, HAND (20 TON)	A 5120	#	19-SEP-79	
A-A-313		JACK KIT, HYDRAULIC, HAND (10 TON)	A 5120	#	01-OCT-79	
A-A-314		JACK KIT, HYDRAULIC, HAND (4 TON)	A 5120	#	20-SEP-79	
A-A-315A		MATTOCK, PICK (WITHOUT HANDLE)	A 5120	#	05-JAN-88	GL 99
A-A-316A		WEDGE, STEEL (FELLING) REVIEWER: 84	A 5120	#	05-JAN-88	GL 99
A-A-317		CARRY BARRELS, PLASTIC	A 7240	#	20-SEP-79	
A-A-318A		CHALK, MARKING, WHITE (EXTRUDED)	A 7510	% FSS	21-AUG-90	
A-A-319		PAPER, WRAPPING, WET WAXED	A 8135	#	09-NOV-79	
A-A-320A		CHALK, MARKING, WHITE (MOLDED)	A 7510	% FSS	16-JAN-91	
A-A-321		FILE, WORK ORGANIZER, POCKET	A 7520	#	12-DEC-79	
A-A-322A		WASTE CONTAINER, PLASTIC, 2 WHEELED, 45 GALLON, WITH LID	A 7240	#	24-JAN-80	
A-A-323		BARREL, MOBILE, PLASTIC, WITH LID	A 7240	#	21-SEP-79	
A-A-324		WASTE RECEPTACLE, PLASTIC, WITH INTERCHANGEABLE TOPS, LID, OR COVER AND LINER	A 7240	#	05-OCT-79	
A-A-325		WASTE RECEPTACLE, FUNNEL TOP, PLASTIC	A 7240	#	03-OCT-79	
A-A-326A		WASTE RECEPTACLE, SWING TOP, PLASTIC	A 7240	#	15-MAY-80	
A-A-327		WASTE RECEPTACLE, PLASTIC, WITH SQUARE TOP, WITH SWINGING DOORS AND LINER	A 7240	#	05-OCT-79	
A-A-328		WASTE RECEPTACLE, DOME TOP, WITH SWINGING DOOR, PLASTIC WITH LINER	A 7240	#	05-OCT-79	
A-A-329		TRUCK, TILT, LIGHT DUTY, MOBILE, PLASTIC	A 7240	#	15-FEB-80	
A-A-330		TRUCK, TILT, MEDIUM DUTY, MOBILE, PLASTIC	A 7240	#	15-FEB-80	
A-A-331A		TRUCK, WHEELED, WITH LINER AND LID, PLASTIC	A 7240	#	15-APR-80	
A-A-332		PAIL, 5 GALLON, WITH REMOVABLE BAIL AND SNAP ON LID	A 7240	#	21-SEP-79	
A-A-333A		FILE, WORK ORGANIZER, BOOK	A 7520	#	09-JAN-80	
A-A-336		WEDGE, STEEL (SPLITTING)	A 5120	#	05-DEC-79	
A-A-337A		PICK, TAMPING (WITHOUT HANDLE)	A 5120	#	05-JAN-80	
A-A-338A		PICK, CLAY, POINT AND CHISEL ENDS (WITHOUT HANDLE)	A 5120	#	10-NOV-79	
A-A-340A		INSECTICIDE: MIXTURE OF D-TRANS ALLETHRIN AND RESMETHRIN	A 6840	% FSS	29-APR-85	
A-A-341A		PIGMENT, ALUMINUM, POWDER AND PASTE	A 8010	#	09-NOV-79	
A-A-342A		ADHESIVE, SEMI SOLID, STICK FORM, WITH DISPENSERS	A 8040	#	08-JAN-80	
A-A-343A		DISPENSER, PRESSURE SENSITIVE ADHESIVE TAPE (FOR FILAMENT REINFORCED TAPE)	A 7520	#	15-DEC-79	
A-A-344A		LACQUER (CLEAN GLOSS)	A 8010	#	30-APR-84	
A-A-345		THREAD CUTTER, RECEDING SEGMENTAL DIE (POST TYPE RATCHET THREADER)	A 5136	#	18-OCT-79	
A-A-346A		MATTOCK, CUTTER (WITHOUT HANDLE) REVIEWER: 84	A 5120	#	05-JAN-88	GL 99
A-A-350D		DINING PACKETS USER: YDI REVIEWER: 84 MD SA TS	A 8415	#	31-DEC-90	GL 99
A-A-355A		RULER, WOOD (DESK)	A 7510	#	27-OCT-86	
A-A-356		TUBE TYPE MARKER	A 7520	#	27-NOV-79	
A-A-359		BRUSH, SCRUB, BASEBOARD	A 7920	#	27-NOV-79	
A-A-360A		STAPLER AND TACKER, PAPER FASTENING, STANDARD DUTY, OFFICE	A 7520	#	07-DEC-87	
A-A-363		DIESTOCK (FOR RECTANGULAR, TWO PIECE DIES)	A 5136	#	31-OCT-79	
A-A-364		TAP, THREAD CUTTING (NPT AND MPS SERIES)	A 5136	#	09-OCT-79	
A-A-367		DIE, THREAD CUTTING (RECTANGULAR, TWO-PIECE PIPE DIES)	A 5136	% FSS	13-NOV-79	
A-A-368		DIE, THREAD CUTTING (SOLID SQUARE DIES)	A 5136	#	10-OCT-79	
A-A-370		RIBBON, COMPUTING AND RECORDING MACHINES	A 7510	% FSS	01-OCT-85	
A-A-371A		LINSEED OIL, BOILED (FOR USE IN ORGANIC COATINGS)	A 8010	#	28-SEP-79	
A-A-373A		GLAZING COMPOUND, SASH (METAL) FOR BACK BEDDING AND FACE GLAZING (NOT FOR CHANNEL OR STOP GLAZING)	A 8010	#	23-JUL-80	
A-A-374		SODIUM BICARBONATE, TECHNICAL	A 6810	#	25-SEP-80	
A-A-375		GOLD LEAF	A 8010	#	01-OCT-79	
A-A-377B		BRUSH, ROOF, KNOTTED STYLE, THREE KNOTS	A 8020	% FSS	05-SEP-91	
A-A-378		PUTTY, LINSEED OIL TYPE, (FOR WOOD SASH GLAZING)	A 8030	#	18-OCT-79	
A-A-379A		LINSEED OIL, RAW (FOR USE IN ORGANIC COATINGS)	A 8010	#	05-JAN-80	
A-A-380		JACK, BUMPER (HYDRAULIC)	A 5120	#	08-OCT-79	
A-A-381		JACK, HYDRAULIC, HAND (SELF CONTAINED)	A 5120	#	30-SEP-79	
A-A-382		JACK, HYDRAULIC, HAND (REMOTE CONTROL)	A 5120	#	19-SEP-79	
A-A-383		POLISH, METAL (SILVER)	A 7930	#	24-JUL-81	
A-A-385A		EXTRACTOR, CUTTER PIN	A 5120	#	27-NOV-79	
A-A-388B		PAN, BAKING AND ROASTING	A 7330	#	19-FEB-91	GL SA 99
A-A-389A		SAUCEPAN	A 7330	#	14-FEB-91	GL SA 99
A-A-390B		PANS, PIE	A 7330	#	23-FEB-80	
A-A-391A		BOARD, FOOD CHOPPING AND SLICING USER: MC REVIEWER: 50 84 MD TS	A 7330	#	13-FEB-91	GL SA 99
A-A-392A		EXTINGUISHER, FIRE, WATER-TYPE (2 1/2 GALLON STORED PRESSURE) USER: AT CE GL MC YDI REVIEWER: CS	A 4210	#	03-OCT-84	
A-A-393		EXTINGUISHER, FIRE, DRY CHEMICAL (HAND PORTABLE)	A 4210	#	27-SEP-79	
A-A-394A		EGG WHIP USER: MC REVIEWER: 50 84 MD TS	A 7330	#	06-NOV-91	GL SA 99
A-A-395		MASHER, POTATO, HAND	A 7330	#	15-APR-80	
A-A-398A		WRENCH SET, SOCKET, POWER, 3/4 INCH DRIVE	A 2330	#	25-OCT-79	
A-A-400		TRICYCLE, INDUSTRIAL	A 7430	#	29-JAN-80	
A-A-401A		MANUAL TYPEWRITER (NONPORTABLE MODEL)	A 7430	% FSS	30-JAN-89	
A-A-402B		TYPEWRITER, MANUAL, PORTABLE	A 7510	% FSS	20-SEP-88	
A-A-403B		BINDER CLIP	A 5130	#	20-FEB-81	
A-A-405A		HAMMER, ROTARY, ELECTRIC	A 7510	% FSS	28-AUG-89	
A-A-407C		FASTENER, PAPER (COMPRESSOR TYPE)	A 7520	#	16-OCT-81	
A-A-409		STAPLE REMOVER, OFFICE TYPE	A 5136	#	17-OCT-79	
A-A-410		DIE, THREAD CUTTING (ROUND, SPLIT, 1/2 INCH SERIES)	A 5136	#	23-OCT-79	
A-A-411		DIE, THREAD CUTTING (ROUND, SPLIT, METRIC SERIES)	A 5136	#	06-NOV-79	
A-A-412		DIE AND COLLET (TWO PIECE DIES WITH COLLETS)	A 5136	#	13-NOV-79	
A-A-413		DIE, RETHREADING (HEXAGON)	A 5136	#	26-OCT-79	
A-A-414		DIE STOCK (FOR ROUND, SPLIT DIES)	A 5136	#	13-NOV-79	
A-A-415		DIESTOCK (FOR ROUND, COLLET DIES)	A 7510	% FSS	05-APR-91	
A-A-416B		SINGLE STRIKE TYPEWRITER RIBBONS	A 7510	% FSS	05-APR-91	
A-A-417B		RIBBONS, TYPEWRITER	A 7510	% FSS	05-APR-91	
A-A-419		RIBBON, TELETYPEWRITER	A 7510	% FSS	01-OCT-85	
A-A-420A		RIBBON, ACCOUNTING MACHINE	A 7510	% FSS	10-APR-91	
A-A-421		PITCHER, VACUUM, ONE QUART	A 7350	#	21-APR-80	
A-A-422B		PAN SET, BREAD USER: MC REVIEWER: 50 84 MD TS	A 7330	#	29-AUG-91	GL SA 99
A-A-424A		PITCHER, WATER USER: MC REVIEWER: 50 84 MD TS	A 7350	#	26-AUG-91	GL SA 99
A-A-425		PITCHER, INSULATED, 10 OZ.	A 7350	#	30-MAY-80	
A-A-426A		THUMBSTACK	A 7510	% FSS	30-AUG-89	
A-A-427B		SHARPENER, PENCIL	A 7520	#	14-NOV-86	
A-A-428		COPYHOLDER, TYPISTS	A 7520	#	15-DEC-82	
A-A-429C		CLAMP, C-, LIGHT SERVICE	A 5120	#	01-APR-83	GL 99
A-A-430E		CLAMP, C-, VERY LIGHT SERVICE	A 5120	#	08-JAN-88	GL 99
A-A-431D		CLAMP, C-, MEDIUM SERVICE	A 5120	#	08-JAN-88	GL 99
A-A-432C		CLAMP, SCREW, QUICK ADJUSTING, FIXED HEAD	A 5120	#	01-APR-83	
A-A-433D		CLAMP, C-, HEAVY DUTY	A 5120	#	08-JAN-88	GL 99
A-A-434C		CLAMP, SCREW, QUICK ADJUSTING, SLIDING HEAD	A 5120	#	01-APR-83	GL 99
A-A-435D		CLAMP, SCREW, QUICK ADJUSTING, THREADED HEAD	A 5120	#	01-APR-83	GL 99
A-A-436		DRIVER, PROJECTILE UNIT, .38 CALIBER, UNDERWATER	A 5120	#	12-OCT-79	
A-A-437A		SAW, RECIPROCATING, PORTABLE, ELECTRIC, HEAVY DUTY	A 5130	#	05-NOV-80	
A-A-438		WRENCH, IMPACT, ELECTRIC, DOUBLE INSULATED	A 5130	#	08-NOV-79	
A-A-440		CUSHIONING MATERIAL, PLASTIC, OPEN CELL (FOR PACKAGING APPLICATIONS) REVIEWER: 99 AR AN CR MD ME	A 8135	#	03-OCT-79	
A-A-444		DRIVER, PROJECTILE UNIT, .27 CALIBER	A 5130	#	15-OCT-79	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Doc / OMA Classification Inchase Document Number	Document Title	Doc Smt F&C / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
A-A-446	DRILL, ELECTRIC, PORTABLE, BATTERY POWERED, 750 RPM	A 5130 #				
A-A-450A	HAMMER, ROTARY, ELECTRIC	A 5130 #				
A-A-452	FRAME, JEWELERS SAW (ADJUSTABLE LENGTH)	A 5110 #				
A-A-453	FRAME, HAND HACKSAW, ADJUSTABLE LENGTH	A 5110 #				
A-A-457	TUMBLER, DRINKING (PLASTIC) REVIEWER: MD MS	A 7350 *				
A-A-460	CLEANING COMPOUND, TOILET BOWL, BISULFATE (VALIDATION DATE: 9112)	A 7930 # FSS				
NOTICE 1						
A-A-461A	HAND CLEANER (PREMOISTENED PAPER TOWLETTE IN PACKET)	A 8520 #				
A-A-462B	HOOK & EYE, DOOR	A 5340 #				
A-A-463A	SCOOP, ICE CREAM, MECHANICAL	A 7330 *	GL	SA	99	
A-A-464	EGG BEATER	A 7330 #				
A-A-465A	BRACKET, SHELF	A 5340 #				
A-A-466A	BOLT, BARREL	A 5340 #				
A-A-467A	SIFTER, FLOUR, HAND	A 7330 *	GL	SA	99	
A-A-468	SCOOP, KITCHEN USER: CG SM YDI REVIEWER: MC MD MS	A 7330 *				
A-A-469A	COLANDER USER: MC REVIEWER: 50 84 MD TS	A 7330 *	GL	SA	99	
A-A-470A	INSERTS, CARD-LABEL MOLDER, PLASTIC	A 9905 % FSS				
A-A-471A	HOLDERS, CARD-LABEL AND INSERT	A 9905 % FSS				
A-A-472B	HASP, HINGED REVIEWER: AR	A 5340 % FSS				
A-A-478	DRILL, TWIST, DOUBLE END	A 5133 #				
A-A-480A	BOLT, CHAIN	A 5340 #				
A-A-481	DRILLS, ELECTRIC, PORTABLE	A 5130 #				
A-A-482	ROUTER, ELECTRIC, PORTABLE	A 5130 #				
A-A-491	SANDER FILER, PNEUMATIC	A 5130 #				
A-A-501	COUNTERBORE SET	A 5133 #				
A-A-509	SHAVEN, WELD, PORTABLE, PNEUMATIC	A 5130 #				
A-A-511	SANDER POLISHER, TRANSLATORY ACTION, PNEUMATIC, PORTABLE	A 5130 #				
A-A-512	WALLER, PNEUMATIC	A 5130 #				
A-A-517	DRILL, TWIST, 1/4 INCH SHANK	A 5133 #				
A-A-521	SAW, CIRCULAR, GASOLINE ENGINE DRIVEN, PORTABLE	A 5130 #				
A-A-522	WRLNCH, RATCHETING, PNEUMATIC	A 5130 #				
A-A-527	DRILL, GASOLINE ENGINE DRIVEN	A 5130 #				
A-A-528	HANGER, CLOTHES (WOOD, PLASTIC AND STEEL)	A 7290 #				
A-A-529	ADHESIVE AND SEALING COMPOUND, CELLULOSE NITRATE BASE SOLVENT TYPE	A 8040 #				
A-A-531	RAG WIPING, COTTON & COTTON SYNTHETIC	A 7920 #				
A-A-532	WAXING & CLEANING COMPOUND, IRONER	A 7930 #				
A-A-534A	WRENCH SET, SOCKET, HAND	A 5120 #				
A-A-539	INSTALLING TOOL SET, O-RING	A 5120 #				
A-A-542	HEAD, RIVET PULLING	A 5130 #				
A-A-547D	CLAMP, HAND SCREW	A 5120 *				
A-A-548D	CLAMP, CANTILEVER JAW REVIEWER: 84	A 5120 *	GL		99	
A-A-549C	CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM, FOR SHORT SHIPPING CYCLE APPLICATIONS) REVIEWER: 99 CG MI OS SM	A 8135 *	GL		99	
A-A-550A	BAGS, PAPER (GROCER S) REVIEWER: 99 MD	A 8105 #				
A-A-550A(11)	BAGS, PAPER (GROCER S)	A 8105 # FSS	GL	SA	69	
A-A-551	DOUBLE BOILER, COOKING, 5-1/2 & 11 QUART	A 7330 #				
A-A-552	DOUBLE BOILER, 3 QUART	A 7330 #				
A-A-554	TEAKETTLE, 4 QUART	A 7330 #				
A-A-556A	STRAP, WEBBING	A 5340 # FSS				
A-A-558A	NAPTACK	A 7510 % FSS				
A-A-559	SCALE, MEASURING, TYPISTS	A 7510 #				
A-A-560C	PAPERWEIGHT, DRAFTING AND TOPOGRAPHICAL	A 7510 % FSS				
A-A-561	RACKS, RUBBER STAMP	A 7520 #				
A-A-562	LEAD REPOINTER, PENCIL	A 7520 *	GL			
A-A-563	RULER, PLASTIC (DESK)	A 7510 #				
A-A-564	DISPENSER, GUMMED TAPE, ELECTRICALLY OPERATED (SINGLE LENGTH)	A 7520 #				
A-A-565A	DATING STAMP (TIME LEGEND)	A 7520 # FSS				
A-A-566	DATING STAMP (FIXED LEGEND)	A 7520 #				
A-A-567A	NUMBERING AND LETTERING STAMP	A 7520 # FSS				
A-A-568A	CUTTER, GRINDER	A 5130 #				
A-A-569	POLISHER, ELECTRIC, PORTABLE	A 5130 #				
A-A-571A	NUTRUNNER AND SCREWDRIWER, ELECTRIC	A 5130 #				
A-A-576	DRILL, ELECTRIC, PORTABLE, 2 VARIABLE SPEEDS	A 5130 #				
A-A-577	SANDER POLISHER, TRANSLATORY ACTION, ELECTRIC, PORTABLE	A 5130 #				
A-A-580	LEAD HOLDER	A 7520 #				
A-A-581A	DESK TRAY, PLASTIC (1/2 SIZE)	A 7520 #				
A-A-582A	DESK TRAY, PLASTIC (1/2 SIZE)	A 7520 #				
A-A-583A	DESK TRAY, PLASTIC (1/2 PRINTOUT SIZE)	A 7520 #				
A-A-584B	CASES, GENERAL UTILITY (ARTIFICIAL LEATHER)	A 8460 #				
A-A-585A	BRIEFCASE, GENERAL PURPOSE (ARTIFICIAL LEATHER)	A 8460 % FSS				
A-A-586	BATTERY CHARGER MOBILE, HIGH RATE, FOR 6 AND 12 VOLT BATTERIES	A 6130 #				
A-A-587	DETECTOR, SMOKE ALARM, RESIDENTIAL, BATTERY POWERED, IONIZATION TYPE	A 6350 #				
A-A-588	DETECTOR, SMOKE ALARM, RESIDENTIAL, AC POWERED, IONIZATION TYPE	A 6350 #				
A-A-590	DETECTOR, SMOKE/HEAT ALARM, RESIDENTIAL, AC POWERED, PHOTOELECTRIC TYPE	A 6350 #				
A-A-591	DETECTOR, SMOKE, ALARM, RESIDENTIAL, AC POWERED, PHOTOELECTRIC TYPE	A 6350 #				
A-A-592	DETECTOR, SMOKE ALARM, RESIDENTIAL, BATTERY POWERED, PHOTOELECTRIC TYPE	A 6350 #				
A-A-596	BATTERY CHARGER AND ANALYZER, MOBILE, FOR 6 AND 12 VOLT BATTERIES	A 6130 #				
A-A-597	BATTERY CHARGER AND ANALYZER, MOBILE HIGH RATE, FOR 6-, 12, AND 24 VOLT BATTERIES	A 6130 #				
A-A-598	BATTERY CHARGER, PORTABLE, FOR 6 AND 12 VOLT BATTERIES	A 6130 #				
A-A-599	BATTERY CHARGER, PORTABLE, SLOW RATE, FOR 24- OR 36-VOLT BATTERIES	A 6130 #				
A-A-601	BATTERY CHARGER, PORTABLE, SLOWRATE FOR SERIES CHARGING OF 6 TO 84 VOLT BATTERIES	A 6130 #				
A-A-602	BATTERY CHARGER, DUAL CIRCUIT, SLOW RATE, FOR SERIES CHARGING OF 72 OR 144 VOLTS OF BATTERIES	A 6130 #				
A-A-605	BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 6 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-606A	BATTERY CHARGER, THREE PHASE, F OR CHARGING 6 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-609	BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 9 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-610	BATTERY CHARGER, THREE PHASE, FOR CHARGING NINE CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-611	BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 12 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-612	BATTERY CHARGER, THREE PHASE, FOR CHARGING 12 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-613	BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 15 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-614	BATTERY CHARGER, THREE PHASE, FOR CHARGING 15 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				
A-A-615	BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 16 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #				



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action CPL / OIA Comptroller Inspector	Document Number	Document Title	Dist. Org. FPO / Issue MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
	A-A-616	BATTERY CHARGER, THREE PHASE, FOR CHARGING 16 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #		09-DEC-79				
	A-A-617	BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 18 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #		09-DEC-79				
	A-A-618	BATTERY CHARGER, THREE PHASE, FOR CHARGING 18 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #		09-DEC-79				
	A-A-619	BATTERY CHARGER, SINGLE PHASE, FOR CHARGING 24 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #		09-DEC-79				
	A-A-620	BATTERY CHARGER, THREE PHASE, FOR CHARGING 24 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #		09-DEC-79				
	A-A-621	BATTERY CHARGER, THREE PHASE, FOR CHARGING 36 CELL INDUSTRIAL STORAGE BATTERIES	A 6130 #		30-OCT-79				
	A-A-624A	TAP, THREAD CUTTING (GROUND, HIGH SPEED STEEL, REGULAR, MACHINE SCREW TAPS)	A 5136 #		07-DEC-87				
	A-A-625A	TAP, THREAD CUTTING (REGULAR, FRACTIONAL INCH SIZES)	A 5136 #		07-DEC-87				
M	A-A-630	SCREWDRIIVER, ELECTRIC, PORTABLE, BATTERY POWERED	A 5130 #		27-NOV-79				
	A-A-631A	PICK, ICE USER: MC REVIEWER: 50 84 MD TS	A 7330 #	FSS	25-MAR-93	GL	SA	99	
	A-A-632	FLATIRON, ELECTRIC	A 7290 #		15-FEB-80				
	A-A-635	RUBBISH PICKER	A 5120 #		24-JAN-80				
	A-A-659A	PASSENGER BIAS PLY TIRES, PNEUMATIC VEHICULAR (HIGHWAY)	A 2610 #		13-JUN-80				
	A-A-660A	PASSENGER BIAS BELTED PLY TIRES, PNEUMATIC VEHICULAR (HIGHWAY)	A 2610 #		13-JUN-80				
	A-A-661A	ENGRAVING MACHINE, PANTOGRAPH	A 3417 / IP		19-SEP-86				
A	A-A-665D	LACQUER REVIEWER: 84	A 8010 #	99	19-NOV-91			99	
D	A-A-669A	BOX, SHELF, STATIONARY STORAGE USER: AR REVIEWER: AS EC SA SM YD1	A 8115 #	MC	09-JAN-92	GL	MC	69	
A	A-A-670B	BOXES, CORRUGATED FIBERBOARD, RECORDS RETIKING	A 8115 #	FSS	19-DEC-91				
	A-A-671	CUSHIONING MATERIAL, EXPANDED POLYSTYRENE, LOOSE-FILL BULK USER: 70 80 82 AS REVIEWER: 71 84	A 8135 #	69	13-MAR-84	GL	SA	69	
A	A-A-672A	CANS, MILK, STEEL, STAINLESS	A 8110 #	FSS	10-DEC-91				
	A-A-674	HOLDER, CAN, GARBAGE	A 7240 #		01-MAY-80				
	A-A-675	COVER, RECEPTACLE, SWINGING DOOR	A 7240 #		28-JUL-82				
	A-A-681A	HANGER, CLOTHES (WIRE) AND TROUSER GUARDS	A 7290 #		25-AUG-86				
	A-A-682	DISHWASHING COMPOUND, MACHINE (MONOCHLORIMATED, GRANULAR)	A 7930 #		09-NOV-79				
	A-A-684	DISHWASHING COMPOUND, MACHINE (CHLORIMATED, GRANULAR)	A 7930 #		03-OCT-79				
A	A-A-685A	BOTTLE, SCREW CAP (POLYETHYLENE), 36.96 CC (1.25 OUNCES)	A 8125 #	FSS	06-OCT-92				
	A-A-686	BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS)	A 8115 #		02-MAY-80				
	A-A-686(11)	BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS)	A 8115 #	FSS	14-OCT-88				
D	A-A-687	STRAPPING, NONMETALLIC (AND CONNECTORS REVIEWER: MC SC SH YD1)	A 8135 #		17-DEC-79				
	A-A-688A	BAG, PAPER, INSULATED	A 8105 #		16-SEP-86				
	A-A-689(12)	BAG, PAPER (INSULATED)	A 8105 #	FSS	11-JUN-90				
	A-A-689	CARTON, EGG	A 8115 #		01-OCT-79				
	A-A-689(11)	CARTON, EGG	A 8115 #	FSS	14-OCT-88				
	A-A-690A	CANDES	A 1940 #		20-SEP-80				
	A-A-694B	SODIUM CHLORIDE, TECHNICAL (WATER CONDITIONING GRADE)	A 6810 #		22-JUN-83				
	A-A-696A	TOWEL, PAPER	A 8540 #		08-SEP-86				
	A-A-696A(11)	TOWEL, PAPER	A 8540 #	FSS	14-OCT-88				
	A-A-697C	PAPER, TOILET	A 8540 #	FSS	12-APR-90				
	A-A-700B	CHAIR, SHELL, ROTARY, HIGH BACK	A 7110 #		23-FEB-83				
	A-A-701A	CHAIR, SHELL, ROTARY, LOW BACK	A 7110 #		23-FEB-83				
	A-A-702A	CHAIR, SHELL, ROTARY, SIDE	A 7110 #		23-FEB-83				
	A-A-703A	CHAIR, SHELL, ROTARY, SECRETARIAL	A 7110 #		23-FEB-83				
A	A-A-704E	FILE CABINETS, VERTICAL, STEEL	A 7110 #	FSS	04-DEC-91				
	A-A-706	STORAGE CABINETS FOR FLAMMABLE LIQUIDS	A 7125 #		15-APR-81				
	A-A-708	STORAGE CABINET FOR FORMS	A 7110 #		13-APR-81				
	A-A-710	CHAIRS, EASY (RECLINERS)	A 7105 #		07-MAY-81				
	A-A-711	DRY CLEANING SOLVENT REVIEWER: DS	A 6850 #		02-MAY-80				
	A-A-713	AEROSOL FLUORESCENT LACQUER	A 8010 #		14-MAY-80				
	A-A-714	LINSEED OIL, ALKALI REFINED	A 8010 #		10-APR-80				
	A-A-719	FOOD HANDLER'S PAPER CAPS	A 8415 #		12-FEB-80				
	A-A-720	TOWEL, DISH & DISHCLOTHS REVIEWER: CG MC MD MS	A 7210 #		10-MAR-81				
	A-A-723B	PENCIL, MECHANICAL (LEAD HOLDER)	A 7520 #		11-DEC-81				
M	A-A-725A	CLIP, PAPER (BULBDOG)	A 7510 #	FSS	22-NOV-88				
	A-A-726A	TIMER, INTERVAL, MECHANICAL (60 MINUTE MAXIMUM INTERVAL)	A 6645 #	FSS	08-MAY-92				
	A-A-729	GENERATOR SET, GASOLINE ENGINE (AIR COOLED, PORTABLE, 120 VOLTS, 60 HERTZ, SINGLE PHASE)	A 6115 #		24-FEB-81				
	A-A-732	GENERATOR SET, GASOLINE ENGINE (STATIONARY, 120/240 V, 60 HERTZ, SINGLE PHASE)	A 6115 #		20-FEB-81				
	A-A-733	GENERATOR SET, GASOLINE ENGINE PORTABLE, 120/240 V, 60 HERTZ, SINGLE PHASE	A 6115 #		24-FEB-81				
	A-A-734	GENERATOR SET, GASOLINE ENGINE AIR COOLED, STATIONARY, 120 V, 60 HERTZ, SINGLE PHASE	A 6115 #		25-FEB-81				
	A-A-741	MOWER, LAWN, ROTARY, WALK BEHIND (HAND PROPELLED)	A 3750 #		20-AUG-80				
	A-A-744	MOWER, LAWN, ROTARY, WALK BEHIND (HAND PROPELLED WITH BLADE STOP)	A 3750 #		20-AUG-80				
	A-A-825A	HERBICIDE, SIMAZINE	A 6840 #	FSS	15-SEP-88				
	A-A-831	BOTTLE, APPLICATOR	A 8135 #		14-MAY-82				
	A-A-838	MOWER, ROTARY RIDING (7 HP, 3 SPEED, ELECTRIC START)	A 3750 #		05-JUN-80				
	A-A-839	MOWER, ROTARY RIDING (7 HP, 3 SPEED, RECOIL START)	A 3750 #		05-JUN-80				
	A-A-840	MOWER, ROTARY RIDING (10 HP, 3 SPEED, ELECTRIC START)	A 3750 #		05-JUN-80				
	A-A-842	HOLDER, NAMEPLATE, DESK, PLASTIC	A 7520 #		14-MAY-80				
L	A-A-843C	T-SQUARE (WOOD, WOOD AND PLASTIC, STEEL AND PLASTIC)	A 6675 #	ME	21-MAR-91	ME			
	A-A-857B	THINNER, DOPE & LACQUER (CELLULOSE NITRATE) REVIEWER: 84 DS	A 8010 #		06-AUG-84				
	A-A-858	DRIEDGER, KITCHEN	A 7330 #		16-MAY-80				
	A-A-859	BREADBOX, PANTRY	A 7330 #		01-JUL-80				
	A-A-860A	CANISTER, FOOD STORAGE	A 7330 #		20-OCT-80				
	A-A-861	REMOVOR, FLOOR POLISH (POLYMER-TYPE AND MAX)	A 7930 #		22-OCT-84				
	A-A-863	ADHESIVE (RUBBER, FOR PAPER BONDING) USER: MC	A 8040 #	AS	01-MAR-84	NR	AS	84	GS
	A-A-865B	WALLING AND FILING TUBES	A 8110 #	FSS	17-DEC-91				
	A-A-865A(11)	WALLING AND FILING TUBES	A 8110 #	FSS	20-APR-89				
	A-A-866	BOX, PAPERBOARD, METAL EDGE (TELESCOPING)	A 8115 #		12-MAY-80				
	A-A-866(11)	BOXES, PAPERBOARD, METAL EDGE (TELESCOPING)	A 8115 #	FSS	20-APR-89				
L	A-A-867A	POT HOLDER	A 7330 #		11-FEB-91	GL			
	A-A-870A	ANTIFREEZE/COOLANT, ENGINE: ETHYLENE GLYCOL, INHIBITED CONCENTRATED USER: MC SM REVIEWER: DS ME	A 6850 #		08-JAN-87				
	A-A-871	BAG, MOTION SICKNESS	A 8105 #		14-JAN-80				
	A-A-871(11)	BAG, MOTION SICKNESS	A 8105 #	FSS	20-APR-89				
	A-A-872	BAG, PLASTIC (CUSHIONED)	A 8105 #		06-MAR-80				
	A-A-873A	STAPLER, HEAVY DUTY, PAPER FASTENING	A 7520 #	FSS	30-NOV-90				
	A-A-874	RETRO REFLECTIVE GLASS BEADS	A 8010 #		01-JAN-80				
	A-A-876	ALKALI, LAUNDRY (VALIDATION DATE: 9201)	A 7930 #	FSS	16-JAN-92				
	NOTICE 1								
	A-A-877A	HERBICIDE, DIURON	A 6840 #	FSS	03-JUN-91				
D	A-A-880	STRAPPING, STEEL FLAT AND SEALS REVIEWER: 99 DS EA GS MC OS SH SS YD1	A 8135 #		13-MAY-80				
D	A-A-881B	BAGS, SHIPPING, BURLAP USER: AR CE MC ME SH YD1 REVIEWER: 71 80 84 99 EA MD	A 8105 #	GL	30-DEC-88	GL		69	
	A-A-883A	TAPE, PRESSURE SENSITIVE ADHESIVE, MASKING REVIEWER: DS	A 7510 #		13-JAN-83				



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action Cntr / Code Classification Inclusion Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Prep. Proj. Acy.	Date	Custodians			
				Army	Navy	Air Force	DIA
A-A-884A	TAPE, PRESSURE-SENSITIVE ADHESIVE, BOX CLOSURE REVIEWER: 99 AR AV EA EK ME OS SH	A 7510	AS 21-SEP-81	GL	AS	69	
A-A-885C	TRAYS, PREPACKING (PLASTIC, FOAM AND CLEAR)	A 8135	# 17-JUN-83				
A-A-886A	TOWELS, BATH, (TERRY) REVIEWER: MC MD	A 7210	/ CT 05-NOV-92	GL	MU	99	CT
A-A-887A	CARD, TABULATING, EAM	A 7530	# 17-MAR-81				
A-A-887A(12)	CARD, TABULATING, EAM	A 7530	# FSS 23-NOV-90				
A-A-888B	CAN, SCREW CAP, METAL, 28-GAGE AND LIGHTER USER: AT OS YDI REVIEWER: 99 AS GS ME MI SH	A 8110	# GL 18-DEC-91	GL	SA	69	
A-A-889	PALLET, MATERIAL HANDLING (WOOD, DOUBLE FACED, STRINGER CONSTRUCTION)	A 3990	# 24-AUG-81				
A-A-00889A	PALLET, MATERIAL HANDLING	A 3990	# FSS 15-MAR-90				
A-A-890C	TYPEWRITER (ELECTRIC, TYPEBAR)	A 7430	# FSS 23-FEB-83				
A-A-891B	TYPEWRITER, ELECTRIC, SINGLE ELEMENT	A 7430	# 23-JUN-81				
A-A-892	TIRE, PNEUMATIC (RADIAL PLY, TUBELESS PASSENGER VEHICLE TIRES)	A 2610	# 01-APR-80				
A-A-894A	PAPER, WRAPPING, DRY WAXED USER: SH REVIEWER: 71 AR MD	A 8135	# GL 10-SEP-91	GL	SA	69	
A-A-895	SODIUM HYDROXIDE, TECHNICAL	A 6810	# 10-AUG-81				
A-A-896A	PAPER SET, MANIFOLD AND CARBON (CORRESPONDENCE SET)	A 7530	# FSS 14-NOV-88				
A-A-896A(11)	PAPER SET, MANIFOLD AND CARBON (CORRESPONDENCE SET)	A 7530	# FSS 20-APR-89				
A-A-897	PAPER PLACE MAT OR PAPER TRAY COVER (PAPER, DOLLY)	A 7530	# 31-OCT-80				
NOTICE 1							
A-A-898	INDEX SHEET SET, LOOSE-LEAF BINDER (WHITE, BLANK)	A 7530	# 04-JAN-82				
A-A-898(11)	INDEX SHEET SET, LOOSE-LEAF BINDER (WHITE, BLANK)	A 7530	# FSS 20-APR-89				
A-A-900B	TAG, SHIPPING, (PAPER) REVIEWER: 99 AT MC ME	A 8135	# GL 12-APR-91	GL	SA	69	
NOTICE 1							
A-A-907	CANDLE, ILLUMINATING AND HOUR	A 6260	# 07-NOV-80				
A-A-912	ROOFING COATING, ASPHALT EMULSION	A 5610	# 26-JUN-80				
A-A-913A	ASPHALT, PETROLEUM (PRIMER, ROOFING & WATERPROOFING)	A 5610	# 20-MAY-82				
A-A-914	CUTBACK ASPHALT, RAPID CURING	A 5610	# 25-MAR-80				
A-A-916	ASPHALT, ROOFING (HOT CEMENT, MOPPING COAT)	A 5610	# 24-JAN-80				
A-A-931	AIR CONDITIONERS, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE)	A 4120	# 28-NOV-80				
A-A-932	AIR CONDITIONER, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE)	A 4120	# 10-DEC-80				
A-A-949A	CABLE AND CONDUIT ASSEMBLY, ELECTRICAL	A 6150	# 22-APR-81				
A-A-962	SHEARS, PRUNING (ONE HAND OPERATED) USER: 99 ME	A 3750	# 21-FEB-84				
A-A-970	BUSH HOOK, HAND USER: 99	A 3750	# 21-FEB-84	ME			GS
A-A-973	SPONGES, METAL	A 7920	# 07-FEB-80				
A-A-974A	PORTFOLIO, ENVELOPE, SLIDE FASTENER (ARTIFICIAL LEATHER)	A 8460	# 14-FEB-80				
A-A-975A	LEAD, DRAWING	A 7510	# FSS 02-MAY-92				
A-A-976A	PENCIL, LEAD DRAWING	A 7510	# FSS 08-MAY-92				
A-A-978A	TAPE, TYPEWRITER, CORRECTION (LIFT OFF)	A 7510	# 05-AUG-80				
A-A-979B	MULTI-STRIKE TYPEWRITER RIBBONS	A 7510	# FSS 28-DEC-90				
A-A-982	WHEELBARROW, CONTRACTORS	A 3920	# 20-MAY-82				
A-A-983	WHEELBARROW, GENERAL UTILITY	A 3920	# 20-MAY-82				
A-A-984	TRUCK, HAND, TWO WHEEL (LIGHT DUTY)	A 3920	# 05-MAY-81				
A-A-996A	PIPE, PLASTIC REVIEWER: 82	A 4710	# 06-AUG-85				
A-A-1003	STEEL BAR, REINFORCING USER: CE	A 5680	# ME 05-APR-85	ME	YDI	84	
A-A-1007A	WIRE, STEEL, CARBON (NONELECTRICAL) REVIEWER: DS	A 9505	# FSS 07-AUG-90				
A-A-1011	CASTER, SWIVEL (CHAIR) USER: YDI REVIEWER: IS MC ME	A 5340	# 06-JAN-83				
A-A-1012	CASTER, SWIVEL (INDUSTRIAL DUTY) USER: YDI REVIEWER: IS MC ME	A 5340	# 17-MAR-83				
A-A-1013	LOCK OFFICE MACHINE REVIEWER: IS MC ME	A 5340	# 17-MAR-83				
A-A-1014A	BELT, ABRASIVE (COATED CLOTH, POWER MACHINE [VALIDATION DATE: 8306] USER: ME SO SH REVIEWER: IS	A 5345	# / 84 21-APR-81	NR			99
A-A-1016C	DISK, ABRASIVE (CLOTH & FIBRE) REVIEWER: 84	A 5345	# 99 10-JUL-91				99
A-A-1017	BAG, COTTON DUCK (SOIL AND GRAIN)	A 8105	# 05-MAR-80				
A-A-1019A	STAPLE, PAPER FASTENING, STANDARD DUTY	A 7510	# 07-DEC-87				
A-A-1020A	PERFORATOR, PAPER, TWO HOLE, DESK	A 7520	# FSS 21-JUN-90				
A-A-1021A	PERFORATOR, PAPER, THREE HOLE, DESK	A 7520	# FSS 21-JUN-90				
A-A-1022A	TRIMMER, PAPER, DROP KNIFE	A 7520	# FSS 16-JUN-89				
A-A-1022A(11)	TRIMMER, PAPER, DROP KNIFE	A 7520	# FSS 15-JAN-91				
A-A-1023	FRAME, FILE DRAWER	A 7520	# 18-JAN-80				
A-A-1030	RACK, DISTRIBUTOR, DESK	A 7520	# 11-MAY-81				
A-A-1032	ERASER, STEEL	A 7510	# 03-JUL-80				
A-A-1036C	WIRE FABRIC (INSECT SCREENING) USER: MC REVIEWER: DS EA IS MD MI MS	A 5335	# FSS 18-SEP-90				
A-A-1037B	WIRE FABRIC, (INDUSTRIAL) USER: MC REVIEWER: EA IS	A 5335	# ME 19-APR-90	ME	YDI	99	
A-A-1038A	SEAL, ANTIPIILFERAGE (SELF-LOCKING)	A 5340	# 30-JUN-81				
A-A-1039	SEAL, ANTIPIILFERAGE	A 5340	# 26-MAR-80				
A-A-1040A	KEY CHAIN, REEL (DOOR KEY AND DRILL CHUCK KEYS)	A 5340	# FSS 04-JUN-90				
A-A-1041B	STEEL GRIT	A 5350	# FSS 20-MAR-89	NR			
A-A-1042B	STEEL SHOT	A 5350	# 28-APR-86				
A-A-1043A	STEEL WOOL REVIEWER: DS	A 5350	# 04-SEP-80				
A-A-1044A	WOOL, METALLIC (COPPER AND ALUMINUM)	A 5350	# FSS 04-JUN-90				
A-A-1045	GRAIN, ABRASIVE (MINERAL)	A 5350	# 26-JUN-80				
A-A-001045A	GRAIN, ABRASIVE (MINERAL)	A 5350	# FSS 13-JUN-89				
A-A-1047A	PAPER, ABRASIVE, SILICON CARBIDE, WATERPROOF REVIEWER: 84 AT DS ME	A 5350	# 01-APR-87				
A-A-1048A	COATED ABRASIVE CLOTH ALUMINUM OXIDE REVIEWER: DS	A 5350	# YDI 21-SEP-88	NR	YDI	99	
A-A-1049A	CLOTH, ABRASIVE & PAPER, ABRASIVE (EMERY) USER: YDI	A 5350	# 22-FEB-85				
A-A-1051A	PAPERBOARD, WRAPPING & CUSHIONING (HEAVY DUTY) REVIEWER: 99 CR EA GS MC MD ME MI OS YDI	A 8135	# 17-MAR-86	GL	SA	69	
A-A-1051A(11)	PAPERBOARD, WRAPPING AND CUSHIONING, (HEAVY DUTY)	A 8135	# FSS 20-APR-89				
A-A-1052A	TUBE, DRINKING, PLASTIC USER: ME REVIEWER: 84 DM MD TS	A 7350	# GL 17-FEB-88	GL	SA	99	
A-A-1053A	DISPENSER, PAPER NAPKIN	A 7350	# FSS 25-APR-91				
A-A-1054A	DISPENSER, TOOTHPICK USER: MC REVIEWER: 50 84 MD TS	A 7350	# GL 21-NOV-91	GL	SA	99	
A-A-1056A	TOOTHPICK (WOOD)	A 7350	# FSS 03-MAY-91	GL	SA	99	
A-A-1060A	TABLEWARE, GLASS (SALT AND PEPPER SHAKERS, SYRUP PITCHER, SUGAR DISPENSER, CONDIMENT CRUET, AND SHERBERT CUP) USER: SM YDI REVIEWER: MC MD ME MS	A 7350	# GL 25-APR-91	GL	SA	99	
A-A-1061A	TUMBLER, DRINKING (GLASS) USER: MC REVIEWER: 50 84 MD TS	A 7350	# GL 30-AUG-91	GL	SA	99	
A-A-1063	BASKET, FRAME MOUNTED	A 7240	# 09-MAY-80				
A-A-1065A	FUNNEL, METAL, SHALLOW RIM, GENERAL PURPOSE, WITH STRAINER	A 7240	# 27-APR-81				
A-A-1066A	FUNNEL (METAL, PLAIN, GENERAL PURPOSE, WITH STRAINER)	A 7240	# 08-AUG-85				
A-A-1068A	FUNNEL (METAL, FLEXIBLE SPOUT, GARAGE USE, WITH STRAINER)	A 7240	# 23-APR-82				
A-A-1069A	CANS, ASH AND GARBAGE, AND COVERS	A 7240	# FSS 24-JAN-80				
A-A-1070A	WASTE RECEPTACLE, FUNNEL TOP, PLASTIC	A 7330	# GL 18-APR-90	GL	SA	99	
A-A-1072A	SKIMMER, KITCHEN USER: MC REVIEWER: MD						
NOTICE 1							
A-A-1073A	PAWS, CAKE, MUFFIN, AND PUDDING USER: MC REVIEWER: 50 84 MD TS	A 7330	# GL 06-NOV-91	GL	SA	99	
A-A-1074	LINER, BAKING CUP (PAPER)	A 7330	# 23-JAN-81				
A-A-1075A	JUG, INSULATED (WATER) USER: YDI	A 7330	# GL 21-FEB-90	GL	SA	99	
A-A-1076A	FOOD TURNER (PERFORATED BLADE)	A 7330	# FSS 28-AUG-89				
A-A-1078A	COFFEE-MAKER, VACUUM	A 7330	# FSS 25-APR-91				
A-A-1079	BOWL, FOOD MIXING (STAINLESS STEEL)	A 7330	# 29-JUL-80				
A-A-1080	OPENER, CAN, HAND (DISPOSABLE, COMBINATION OPENER AND PUNCH)	A 7330	# 29-JUL-80				
A-A-1081A	STIRRING STICK, BEVERAGE (WOOD) USER: MC REVIEWER: 50 84 MD TS	A 7340	# GL 13-FEB-89	GL	SA	99	
A-A-1082A	SPOON, FOOD SERVICE (BASTING, STRAINING, AND MIXING) USER: MC	A 7340	# GL 21-AUG-89	GL	SA	99	
A-A-1083A	PAD, LITHOGRAPH MIPING	A 3610	# FSS 27-NOV-90				
A-A-1105	EXTINGUISHER, FIRE, DRY CHEMICAL WHELED	A 4210	# 07-JUL-80				
A-A-1106B	EXTINGUISHER, FIRE, CARBON DIOXIDE USER: AR CE MC OS REVIEWER: CS SM	A 4210	# ME 31-JAN-85	ME	YDI	99	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active QCL / OCL Classification Machine	Document Number	Document Title	Doc. Smt. FSC / Ave MCA Symbol	Preparing Date	Army Navy Air Force DLA
D	A-A-1107A	EXTINGUISHER, FIRE, HOLOGRAMMED AGENT (AUTOMATIC) USER: AR CE MC OS	A 4210 * GS	24-JUL-81	ME YD1 99
	A-A-1108B	REVIEWER: CS SM			
	A-A-1109	EXTINGUISHER, FIRE, VAPORIZING LIQUID	A 4210 #	28-AUG-85	
	A-A-1110A	CLIMBER SET TREE AND POLE, STEEL, INTERCHANGEABLE GAFF, W/MYLOM NEOPRENE	A 4240 #	30-MAY-80	
	A-A-1112	COATED STRAPS			
	A-A-1152B	GOGGLES, INDUSTRIAL, PLASTIC USER: ME REVIEWER: 11 GS	A 4240 / EA	13-SEP-91	EA 99
	A-A-1153B	BREATHING APPARATUS, SELF CONTAINED	A 4240 #	30-MAY-80	
	A-A-1154B	DISPENSER, DRINKING WATER, MECHANICALLY COOLED	A 4110 #	06-JUN-80	
	A-A-1184A	DISPENSER, DRINKING WATER, MECHANICALLY COOLED	A 4110 #	13-JUN-80	
	A-A-1186	DISPENSER, DRINKING WATER, MECHANICALLY COOLED	A 4110 #	26-JUN-80	
	A-A-1187	PACKING MATERIAL (PLASTIC)	A 5330 # FSS	04-JUN-90	
	A-A-1188	OKUM (PACKING, JUTE, TWISTED)	A 5330 #	23-JUL-81	
	A-A-1189	GASKET (ASBESTOS) USER: AR	A 5330 * 15	29-SEP-81	MR SH 85
	A-A-1190	CORK SHEET (PACKAGING & GASKETING)	A 5330 * OS	30-JUN-81	OS 99
	A-A-1192A	CALKING LEAD (PACKING & GASKETING)	A 5330 * SH	07-MAY-81	MR SH 99
	A-A-1193A	WIRE FABRIC (SPLINT, WIRE MESH)	A 5335 #	27-APR-81	
D	A-A-1194	HANGER, PIPE USER: MC REVIEWER: 15	A 5340 * YD1	13-MAY-81	YD1 99
	A-A-1196	HANGER, PICTURE (MAGNETIC) REVIEWER: B2 15	A 5340 * FSS	23-JUN-89	99
	A-A-1197A	GLIDE, FURNITURE	A 5340 #	09-JUN-81	
	A-A-1200A	CUP FURNITURE	A 5340 #	09-JUN-81	
D	A-A-001200A	RUBBING COMPOUND, LACQUER USER: AT MC ME MI REVIEWER: AS MR SH	A 5350 * BA	04-FEB-87	99
	A-A-1201A	COATED ABRASIVE CLOTH, SILICON CARBIDE USER: AS REVIEWER: B4	A 5350 * YD1	22-MAY-89	MR YD1
	A-A-1202	COATED ABRASIVE CLOTH, SILICON CARBIDE USER: AS REVIEWER: B2	A 5350 YD1	22-MAY-89	YD1
	A-A-1203B	PAPER, ABRASIVE (GARNET COATED) REVIEWER: DS	A 5350 #	02-JAN-86	
	A-A-1206A	COATED ABRASIVE PAPER, FLINT REVIEWER: DS	A 5350 #	17-APR-80	
D	A-A-1210	LAPPING & GRINDING COMPOUND (VALVE)	A 5350 *	21-MAR-86	
	A-A-1212A	COATED ABRASIVE CLOTH, CROCUS REVIEWER: B4 AT DS	A 5350 *	16-APR-87	ME YD1 99
	A-A-1214A	TOWEL, MACHINERY WIPING (RENTAL)	A 7920 #	18-AUG-81	
A	A-A-1217	CLOTH, COATED	A 8305 # FSS	20-JUL-92	
	A-A-1217(11)	INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF)	A 7530 * GL	04-JAN-82	
	A-A-1219	INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF)	A 7530 # FSS	20-APR-89	
	A-A-1219(11)	PAPER, CARBON, PENCIL	A 7530 #	17-MAR-81	
	A-A-1220	PAPER, CARBON, PENCIL	A 7530 # FSS	20-APR-89	
	A-A-1223A	COVER, TOILET SEAT, PAPER	A 8540 #	04-APR-81	
	A-A-1225	BAG, LAUNDRY (WATER SOLUBLE PLASTIC)	A 8465 #	02-JUL-87	
	A-A-1232	PAPER, CARBON, DUPLICATING MACHINE	A 7530 # FSS	20-SEP-82	
D	A-A-1234A	BOTTLE, DRINKING WATER DISPENSER	A 8125 #	02-SEP-82	
	A-A-1235	BOX, SHIPPING (WOOD, NAIL AND LOCK-CORNER WITH FULL CLEATED ENDS AND BUTT JOINTS) (BOX: TOP-BOTTOM, SIDES, OR ENDS) REVIEWER: 99 MD ME MI MT SM YD1	A 8115 * GL	24-AUG-84	GL SA 69
	A-A-1241	CONTAINERS, PLASTIC, MOLDED (FOR LIQUIDS, PASTES, & POWDERS) USER: SH	A 8115 *	06-DEC-84	GL SA 69
	A-A-1243A	REVIEWER: EA MD MS			
	A-A-1244	BOX, SHIPPING (WOOD, NAIL AND LOCK-CORNER WITH TWO EXTERIOR END CLEATS) (TOP, BOTTOM, SIDE, OR END)	A 8115 #	11-JAN-83	
	A-A-1244(11)	TAPE, PRESSURE-SENSITIVE ADHESIVE DOUBLE-COATED VINYL, CARPET	A 7510 # FSS	17-MAY-89	
M	A-A-1245B	PAPER, WRAPPING, DRY WAXED (NON-FOOD WRAPPING USES)	A 8135 #	12-DEC-79	
	A-A-1246A	PAPER, WRAPPING, DRY-WAXED (NON-FOOD WRAPPING USES)	A 8135 # FSS	20-APR-89	
A	A-A-1247B	PAPER, WRAPPING, FREEZER (PLASTIC-COATED) REVIEWER: 99 MD	A 8135 * GL	04-MAR-93	GL 69
	A-A-1249	BAG, PLASTIC (PRODUCE AND POULTRY)	A 8105 # FSS	21-SEP-90	
	A-A-1249(12)	BAG, CELLOPHANE REVIEWER: B4 MD SS	A 8105 * GL	29-SEP-92	GL SA 99
	A-A-1252A	PAPER, WRAPPING, TISSUE REVIEWER: 99 OS EA GS MD ME OS SA	A 8135 #	29-APR-80	
	A-A-1253B	PAPER, WRAPPING, TISSUE	A 8135 # FSS	15-MAR-91	
D	A-A-1256B	PAD, MEAT & POULTRY (PAPER) REVIEWER: MD	A 8135 * GL	16-SEP-86	GL
	A-A-1267A	BOARD, PREPACKING (PAPERBOARD & MOLDED PULP TRAYS)	A 8135 #	19-JUN-83	
M	A-A-1272A	TAG, SHIPPING (CLOTH) USER: AT MC REVIEWER: 99 AR MD ME YD1	A 8135 * GL	09-JAN-91	GL SA 69
	A-A-1273	TAP, THREAD CUTTING (SPIRAL POINTED)	A 5136 #	07-DEC-87	
D	A-A-1274A	PLASTER, GYPSUM (SPACKLING COMPOUND)	A 5610 # FSS	01-NOV-91	
D	A-A-1280A	PAIL, UTILITY, METAL, GALVANIZED, (ZINC COATED)	A 7240 #	17-JUN-80	
D	A-A-1281A	WRENCH, TORQUE, DEFLECTING BEAM	A 5120 *	26-MAY-87	GL YD1 99
D	A-A-1282A	SORBENT, OIL (ROLL, SWEEP, PAD)	A 9330 / YD1	31-MAR-89	YD1 84
	A-A-1284B	SORBENT, OIL (PARTICULATE)	A 9330 / YD1	31-MAR-89	YD1 84
	A-A-1285B	SORBENT, OIL (ENCLOSED)	A 9330 / YD1	31-MAR-89	YD1 84
	A-A-1286B	HAMMER, HAND, MAUL, SPIKE (RAILROAD)	A 5120 * GL	17-APR-89	GL 99
	A-A-1288B	HAMMER, HAND, MAUL, SHIP (TOP)	A 5120 * GL	17-APR-89	GL SH 99
	A-A-1289	HAMMER, HAND, STONEMWORKERS', MASONS'	A 5120 * GL	17-APR-89	GL 99
	A-A-1290B	HAMMER, HAND, STONEMWORKERS', MAPPING	A 5120 * GL	17-APR-89	GL 99
	A-A-1291B	HAMMER, HAND, STONEMWORKERS', STRIKING (DRILLING)	A 5120 *	16-MAY-84	GL SH 99
	A-A-1292B	HAMMER, HAND, STONEMWORKERS', HAND DRILLING, SHORT PATTERN	A 5120 * GL	17-APR-89	GL 99
	A-A-1293B	HAMMER, HAND, BLACKSMITHS' OR ENGINEERS', STRAIGHT PEEN	A 5120 * GL	17-APR-89	GL 99
	A-A-1294B	HAMMER, HAND, BLACKSMITHS' OR ENGINEERS' CROSS PEEN	A 5120 * GL	17-APR-89	GL 99
D	A-A-1295B	HAMMER, HAND, BLACKSMITHS' OR ENGINEERS' DOUBLE FACE USER: YD1	A 5120 * GL	17-APR-89	GL SH 99
	A-A-1297B	HAMMER, HAND, TIMMERS', SETTING (PANEING)	A 5120 * GL	17-APR-89	GL 99
	A-A-1300B	HAMMER, HAND, TIMMERS', RIVETING	A 5120 * GL	17-APR-89	GL SH 99
	A-A-1304B	HAMMER, HAND, TRIMMERS', TACK, MAGNETIZED	A 5120 * GL	17-APR-89	GL 99
	A-A-1305B	HAMMER, HAND, SCALING	A 5120 * GL	17-APR-89	GL 99
	A-A-1306B	HAMMER, HAND, MACHINISTS', RIVETING	A 5120 * GL	17-APR-89	GL 99
	A-A-1307B	HAMMER, HAND, MACHINISTS', BALL PEEN	A 5120 * GL	17-APR-89	GL 99
	A-A-1340	HAMMER, HAND, CARPENTERS', RIPPING STRAIGHT CLAW	A 5120 * GL	17-APR-89	GL 99
	A-A-1341	HAMMER, HAND, CARPENTERS', NAIL, CURVED CLAW	A 5120 * GL	17-APR-89	GL 99
	A-A-1342A	WRENCH, BOX, STUB END TYPE, OFFSET HANDLE	A 5120 #	14-JAN-80	
	A-A-1343A	WRENCH, BOX, STUB END TYPE, STRAIGHT HANDLE	A 5120 #	14-JAN-80	
	A-A-1344A	WRENCH, BOX, DOUBLE HEAD 15 DEG. OFFSET EACH END, REGULAR LENGTH	A 5120 * GL	05-MAR-91	GL 99
	A-A-1345A	WRENCH, BOX, DOUBLE HEAD 15 DEG. OFFSET EACH END, SHORT LENGTH	A 5120 * GL	05-MAR-91	GL 99
	A-A-1346	WRENCH, BOX, DOUBLE HEAD 12 POINT, HALF MOON	A 5120 #	14-JAN-80	
D	A-A-1349	WRENCH, TAPPET, DOUBLE SPEARHEAD, OPEN END, 15 DEG. HEAD	A 5120 #	09-MAY-80	
	A-A-1350A	WRENCH, SLUGGING, BOX, 12 POINT USER: YD1	A 5120 #	26-FEB-80	
	A-A-1351	WRENCH, FLARE NUT, SINGLE HEAD, MODIFIED 12-POINT	A 5120 * GL	18-JAN-89	GL 99
	A-A-1352	WRENCH, OPEN END, THIN DOUBLE HEAD	A 5120 #	14-JAN-80	
	A-A-1353	WRENCH, OPEN END, SINGLE THIN HEAD, STRAIGHT	A 5120 #	14-JAN-80	
	A-A-1354	WRENCH, OPEN END, SINGLE THIN HEAD, 30 DEG. HEAD	A 5120 #	26-FEB-80	
	A-A-1355	WRENCH, OPEN END, SINGLE THIN HEAD, 15 DEG. HEAD	A 5120 #	14-JAN-80	
	A-A-1356A	WRENCH, IGNITION, DOUBLE HEAD, OPEN END, 15 DEG. AND 60 DEG. HEADS	A 5120 #	14-JAN-80	
	A-A-1357A	WRENCH, ENGINEER'S, DOUBLE HEAD, OPEN END, 15 DEGREE HEAD	A 5120 * GL	17-JAN-89	GL 99
	A-A-1358A	WRENCH, ENGINEER'S, SINGLE HEAD, OPEN END, 15 DEGREE HEAD	A 5120 * GL	19-JAN-89	GL 99
	A-A-1359	WRENCH, COMBINATION, OPEN END AND 15 DEG. OFFSET BOX OPENING	A 5120 #	15-JAN-80	
	A-A-1360	WRENCH, ANGLE, DOUBLE HEAD, OPEN END, 15 DEG & 60 DEG. HEADS	A 5120 #	08-MAY-80	
	A-A-1374	WRENCH, STRIKING, BOX 12 POINT	A 5120 #	14-JAN-80	
	A-A-1375A	SOAP, LAUNDRY (FLUORIDATED)	A 7930 #	30-APR-80	
	A-A-1376	DETERGENT, GENERAL PURPOSE (POWDERED, LIGHT TO MEDIUM DUTY)	A 7930 #	07-MAY-80	
	A-A-1381A	LANTERN, ELECTRIC ONE CONCENTRATED BEAM	A 6230 #	25-FEB-80	
	A-A-1382	LANTERN, ELECTRIC (RECHARGEABLE)	A 6230 #	02-JUN-81	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action / On/Off / Coordination / Inactive		Document Number	Document Title	Dist Smt F&C / Area MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
M L	D	A-A-1383A	INKING PAD, RUBBER STAMP (FABRIC PAD) .....	A 7510	# FSS	23-JAN-90				
		A-A-1384A	HOLDER, DOOR .....	A 5340	# IS	04-MAR-93				IS
		A-A-1392	SOCKET, SOCKET WRENCH, NONPOWER, 1 INCH DRIVE, 12-POINT USER: YD1 REVIEWER: AL	A 5120	GL	14-DEC-82	GL	99		
D	D	A-A-1393	SOCKET, SOCKET WRENCH, NONPOWER, 1 INCH DRIVE, 6-POINT REVIEWER: AL .....	A 5120	GL	14-DEC-82	GL	99		
		A-A-1394	SOCKET, SOCKET WRENCH, NONPOWER, 3/4 INCH DRIVE, 12-POINT, REGULAR LENGTH USER: YD1 REVIEWER: AL	A 5120	GL	14-DEC-82	GL	99		
D	D	A-A-1395	SOCKET, SOCKET WRENCH, NONPOWER, 3/4 INCH DRIVE, 12 POINT, LONG LENGTH USER: YD1 REVIEWER: AL	A 5120	GL	13-JUN-85	GL	99		
D	D	A-A-1396	SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, UNIVERSAL JOINT USER: YD1 REVIEWER: AL	A 5120	* GL	14-DEC-82	GL	99		
D	D	A-A-1397	SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 8-POINT REVIEWER: AL .....	A 5120	* GL	14-DEC-82	GL	99		
D	D	A-A-1398	SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 12-POINT, LONG LENGTH USER: YD1 REVIEWER: AL	A 5120	* GL	14-DEC-82	GL	99		
D	D	A-A-1399	SOCKET, SOCKET WRENCH, NONPOWER, 1/2 INCH DRIVE, 12-POINT, REGULAR LENGTH USER: YD1 REVIEWER: AL	A 5120	* GL	14-DEC-82	GL	99		
D	D	A-A-1401	SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, UNIVERSAL JOINT USER: YD1 REVIEWER: AL	A 5120	*	14-DEC-82				
D	D	A-A-1402	SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 8 POINT USER: YD1 REVIEWER: AL	A 5120	* GL	14-DEC-82				
D	D	A-A-1403	SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 12-POINT, LONG LENGTH USER: YD1 REVIEWER: AL	A 5120	GL	14-DEC-82	GL	99		
D	D	A-A-1404A	SOCKET, SOCKET WRENCH, NONPOWER, 3/8 INCH DRIVE, 12 POINT, REGULAR LENGTH USER: YD1 REVIEWER: AL	A 5120	* GL	07-DEC-87	GL	99		
		A-A-1405	SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 4 AND 8 POINT REVIEWER: AL	A 5120	*	14-DEC-82				
		A-A-1406	SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 12 POINT, LONG LENGTH REVIEWER: AL	A 5120	*	14-DEC-82				
		A-A-1407	SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 12 POINT, REGULAR LENGTH REVIEWER: AL	A 5120	* GL	14-DEC-82	GL	99		
		A-A-1408	SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 6-POINT, LONG LENGTH REVIEWER: AL	A 5120	* GL	14-DEC-82	GL	99		
		A-A-1409	SOCKET, SOCKET WRENCH, NONPOWER, 1/4 INCH DRIVE, 6 POINT, REGULAR LENGTH REVIEWER: AL	A 5120	* GL	14-DEC-82	GL	99		
		A-A-14190	FILTER ELEMENT, AIR CONDITIONING (VISCOSUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE)	A 4130	# FSS	18-JUN-91				
A L	D	A-A-1420	AEROSOL FIXATIVE LACQUER .....	A 8010	#	06-MAY-80				
		A-A-1427A	SODIUM HYPOCHLORITE SOLUTION .....	A 6810	#	28-MAR-83				
		A-A-1430	PAD, SCOURING, PLASTIC SPONGE (WITH ABRASIVE BACK) .....	A 7920	#	07-MAR-80				
		A-A-1432	TOWEL, PAPER (INDUSTRIAL WIPING) .....	A 7920	#	06-MAY-81				
		A-A-1433B	SHEET, BED (POLYESTER/COTTON) .....	A 7210	# MU	27-AUG-92		MU		
		A-A-1438	DISINFECTANT, GENERAL PURPOSE (LIQUID PHENOLIC TYPE) REVIEWER: MD .....	A 6840	* GS	30-JUL-81	GL	MS	68	
		A-A-1439	DISINFECTANT-DETERGENT, GENERAL PURPOSE (PHENOLIC TYPE) .....	A 6840	* GS	02-JAN-81	GL	SH	68	
		A-A-1440	DISINFECTANT-DETERGENT, GENERAL PURPOSE (IODOPHOR) REVIEWER: GS MD .....	A 6840	* GL	22-MAY-81	GL		68	
		A-A-1441	DISINFECTANT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) [VALIDATION DATE: 8902] REVIEWER: AS GS	A 6840	* 68	01-FEB-89		SH	68	
		A-A-1442	SANITIZER-DETERGENT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) .....	A 6840	#	22-MAY-81				
D	D	A-A-1443	DISINFECTANT-DETERGENT, GENERAL PURPOSE (QUATERNARY AMMONIUM COMPOUND) REVIEWER: MC MD MS YD1	A 6840	* GS	21-JAN-81	GL	SH	68	
A	D	A-A-1446D	ENVELOPE, MAILING REVIEWER: CG MC .....	A 7530	* GL	30-APR-91	GL	SA	99	
		A-A-001446C	ENVELOPE, MAILING .....	A 7530	#	19-JAN-90				
		A-A-1446B(11)	ENVELOPE, MAILING .....	A 7530	# FSS	20-APR-89				
		A-A-1447A	TOWEL, PAPER (PLASTIC WIPING) .....	A 7920	# FSS	15-AUG-84				
		A-A-1451	TWINE, FIBROUS (WRAPPING) USER: GS REVIEWER: AR IS .....	A 4020	* GL	11-MAY-81	GL	MU	99	
		A-A-1452A	LACQUER (SPRAYING, CHEMICAL RESISTANT) [VALIDATION DATE: 8702] .....	A 8010	# ME	10-FEB-87	MR	SH		
		NOTICE 1								
		A-A-1453B	STOPWATCH, DIGITAL, ELECTRIC .....	A 6645	# FSS	10-APR-92				
		A-A-1454	TIMER, INTERVAL, ELECTRIC (ANALOG) .....	A 6645	#	26-SEP-80				
		A-A-1455	MOPPING OUTFIT, FLOOR .....	A 7920	#	18-SEP-81				
M	D	A-A-1457A	TIMER, INTERVAL, MECHANICAL (120 MINUTE MAXIMUM INTERVAL) .....	A 6645	# FSS	24-APR-92				
	D	A-A-1460	LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE (GENERAL PURPOSE WITH MARGINAL SLOT FEED PERFORATIONS)	A 7530	#	10-MAR-81				
D	D	A-A-1462B	LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE (FILE FOLDER LABEL) REVIEWER: 84	A 7530	* GL	27-JUL-83			99	
		A-A-1464	HANDLE, ACME THREADED END (TELESCOPIC) .....	A 7920	#	24-AUG-81				
		A-A-1491A	CLOTH, CHESEBROUGH (COTTON, RAYON, & COTTON/RAYON) .....	A 8305	#	18-DEC-80				
		A-A-1492B	TAPE, GUMMED, PAPER, PLAIN REVIEWER: CG ME SA SH .....	A 8135	# FSS	08-AUG-90				
		A-A-1492A(11)	TAPE, GUMMED, PAPER, PLAIN USER: CG ME SA SH .....	A 8135	# FSS	20-APR-89				
		A-A-1493	TIMER, INTERVAL, ELECTRIC (DIGITAL) .....	A 6645	#	27-MAR-81				
		A-A-1495	WASTE RECEPTACLE, STEP ON, PLASTIC, WITH LINER .....	A 7240	#	18-JUL-80				
		A-A-1496A	RECEPTACLE, TRASH (PLASTIC, 2 WHEELED, 2-WHEELED, 85 GALLONS, WITH LID) ...	A 7240	* GL	28-MAY-81	GL	YD1	99	
		A-A-1498	SODIUM OR THIOSILICATE, TECHNICAL USER: AS REVIEWER: GL MD ME SH .....	A 6810	* GS	01-FEB-83	EA		68	
		D	D	A-A-1500A	SEALER SURFACE (LATEX BLOCK FILLER) .....	A 8010	#	29-JUL-81		
D	D	A-A-1501	PAPER SET, DUPLICATING, MASTER .....	A 7530	#	20-SEP-82				
		A-A-1502A	PAPER, CARBON, TYPEWRITER .....	A 7530	# FSS	24-JAN-90				
		A-A-1505C	TISSUE, FACIAL .....	A 8540	# FSS	30-MAY-90				
		A-A-1507	CHIPBOARD .....	A 8135	#	27-FEB-81				
		A-A-1507(11)	CHIPBOARD .....	A 8135	# FSS	20-APR-89				
		A-A-1508	TAG, CLOTH, DRY CLEANING & LAUNDRY .....	A 8135	#	07-OCT-80				
		A-A-1509	CLOCK, WALL ELECTRIC, SYNCHRONOUS MOTOR .....	A 6645	#	26-MAR-81				
		A-A-1511	CLOCK, WALL (ELECTRIC, DIGITAL) .....	A 6645	#	04-MAR-81				
		A-A-1519A	CASE, DISPATCH (ARTIFICIAL LEATHER) REVIEWER: 82 .....	A 8460	# FSS	27-APR-90				
		A-A-1533	AIRBRUSH, ARTIST (KIT) .....	A 7520	#	24-AUG-81				
D	D	A-A-1534A	FIXTURE LIGHTING (FLUORESCENT INDUSTRIAL) .....	A 6210	#	23-FEB-82	ME		99	
		A-A-1535	FIXTURE, LIGHTING (FLUORESCENT SURFACE MOUNTED) .....	A 6210	#	28-JUL-81				
		A-A-1540	TIRE CHAIN, REINFORCED, PASSENGER CAR (TYPE RP) WITH REPLACEMENT CROSS CHAINS	A 2540	#	20-MAY-80				
		A-A-1541	TIRE CHAIN, REINFORCED, DUAL TRIPLE TRUCK, (TYPE RDT) WITH REPLACEMENT CROSS CHAINS	A 2540	#	12-MAY-80				
		A-A-1542	TIRE CHAIN, REINFORCED, SINGLE TRUCK (TYPE RS) WITH REPLACEMENT CROSS CHAINS	A 2540	#	16-MAY-80				
		A-A-1543A	SOAP, BORAX (POWDERED) REVIEWER: MD .....	A 8520	* GL	14-MAY-82	GL	99		
		A-A-1544	CLEANING COMPOUND, SOLVENT (NON-CONDUCTIVE, NON-FILM FORMING, DEGREASING) .	A 6850	#	15-FEB-82				
		A-A-1545	SODIUM CHLORIDE, TECHNICAL (FOR ICE REMOVAL) .....	A 6810	#	17-APR-81				
		A-A-1546A	RUBBING VARNISH .....	A 8010	#	07-AUG-80				
		A-A-1547	TAPE, PAPER, DRY CLEANING, MARKING .....	A 8135	#	10-OCT-80				
D	D	A-A-1550	WAX, GENERAL PURPOSE, SOLVENT TYPE .....	A 7930	#	22-MAR-85				
		A-A-1551	PRIMER COATING (GENERAL PURPOSE, AEROSOL) .....	A 8010	#	30-APR-81				
		A-A-1552A	PRIMER COATING (FERRIC OXIDE, AEROSOL) .....	A 8010	#	24-MAR-81				
		A-A-1555	WATER PAINT, POWDER (CEMENTITIOUS, WHITE & COLORS) .....	A 8010	#	14-APR-81				
		A-A-1556	SEALING COMPOUND (ELASTOMERIC JOINT SEALANTS) .....	A 8030	#	24-APR-81			99	
		A-A-1558	PAINT, STENCIL REVIEWER: DS .....	A 8010	#	24-APR-81				
		A-A-1565	SWAB, TOILET BOWL, ALL SYNTHETIC .....	A 7920	#	02-MAY-83				
		A-A-1566	PAIL, UTILITY, METAL, ENAMEL, WITH LID AND BAIL .....	A 7240	#	29-JUL-80				



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Order Number	Item Description	Document Number	Document Title	Date FSC / Date MCS / Date Preparing Act	Date	Customer			
						Army	Navy	Air Force	DLA
A-A-1568	TIRE CHAIN, REGULAR, PASSENGER CAR WITH RESTRICTED CLEARANCES (TYPE PL) AND REPLACEMENT CROSS CHAINS			A 2540 #	19-MAY-80				
A-A-1570	PAPER, TELETYPEWRITER, ROLL (SPIRIT PROCESS) REVIEWER: ER			A 7530 # GL	22-MAR-83	GL	SA		
A-A-1570(11)	PAPER, TELETYPEWRITER, ROLL (SPIRIT PROCESS)			A 7530 # FSS	20-APR-89				
A-A-1572	SEALER, SURFACES (SANDING)			A 8010 # GL	23-APR-82				
A-A-1573	PAPER, XEROGRAPHIC			A 7530 #	23-APR-80				
A-A-1577	LAMP, INCANDESCENT, 150 WATT, FLOODLIGHT, 150PAR/FL			A 6240 #	19-FEB-81				
A-A-1578	LAMP, INCANDESCENT, 150 WATT, SPOTLIGHT, 150 PAR/SP			A 6240 #	18-FEB-81				
A-A-1579	LAMP, FLUORESCENT, 400W/RS ENERGY SAVING REVIEWER: GS			A 6240 #	20-FEB-81				
A-A-1584	LAMP, INCANDESCENT, TRADE NO. 60A/V0			A 6240 #	19-FEB-81				
A-A-1585	PAINT, STENCIL (AEROSOL)			A 8010 #	13-MAY-81				
A-A-1588C	SACK, SHIPPING, PAPER (CUSHIONED WITH CLOSED CELL PLASTIC FILM)			A 8105 # FSS	23-JAN-90				
A-A-1588C(11)	SACK, SHIPPING, PAPER (CUSHIONED WITH CLOSED CELL PLASTIC FILM)			A 8105 # FSS	11-OCT-90				
A-A-1591A	PAPER, MEAT INTERLEAVING (DRY WAXED) REVIEWER: MD			A 8135 # GL	25-MAY-90	GL	SA	69	
A-A-1592A	CALCULATING MACHINE (DESK TOP, 12 DIGIT DISPLAY/PRINT) USER: AT MI REVIEWER: 84			A 7420 # GL	31-JAN-83	GL	SA	99	
A-A-1593A	CALCULATING MACHINE (DESK TOP, 10 DIGIT, DISPLAY ONLY, BATTERY POWERED WITH AC ADAPTER) USER: AT MI REVIEWER: 84			A 7420 #	31-JAN-83	GL	SA	99	
A-A-1594A	CALCULATING MACHINE (DESK TOP, 12-DIGIT DISPLAY ONLY) USER: AT MI REVIEWER: 84			A 7420 #	31-JAN-83	GL	SA	99	
A-A-1595A	CALCULATING MACHINE (DESK TOP, 10 DIGIT DISPLAY/THERMAL PRINT) USER: AT MI REVIEWER: 84			A 7420 #	31-JAN-83	GL	SA	99	
A-A-1596A	CALCULATING MACHINE (DESK TOP, 12-DIGIT PRINT ONLY) USER: AT MI REVIEWER: 84			A 7420 #	31-JAN-83	GL	SA	99	
A-A-1605	SHOES, CONDUCTIVE (MENS SAFETY)			A 8430 #	18-AUG-81				
A-A-1606	OPENER-DISPENSER CAN			A 7240 # GL	11-MAY-81	GL	YD1	99	
A-A-1607	MEASURE, LIQUID			A 7240 # GL	02-MAR-81	GL	YD1	99	
A-A-1608	READER MICROFORM (1.24 SOURCE DOCUMENT & 1.48 COM MICROFICHE) REVIEWER: AG			A 6730 #	19-JAN-82				
A-A-1610	STAY, METAL, PAPERBOARD BOX			A 8135 #	02-FEB-81				
A-A-1611	CARD, INDEX			A 7530 #	17-APR-81				
A-A-1611(11)	CARD, INDEX			A 7530 # FSS	20-APR-89				
A-A-1613	PAPER, WRAPPING, MEAT REVIEWER: MD			A 8135 #	15-APR-81				
A-A-1615	ENVELOPE, MAILING			A 7530 #	17-MAR-81				
A-A-1615(11)	ENVELOPE, MAILING			A 7530 # FSS	20-APR-89				
A-A-1616	ENVELOPE, MAILING			A 7530 #	17-MAR-81				
A-A-1616(11)	ENVELOPE, MAILING			A 7530 # FSS	20-APR-89				
A-A-1617B	RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, DESK TOP, STANDARD CASSETTE)			A 7450 #	19-MAR-81				
A-A-1618	RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, STANDARD CASSETTE)			A 7450 #	20-MAR-81				
A-A-1619B	RECORDER-REPRODUCER, SOUND (DICTATING & TRANSCRIBING MACHINE, COMBINATION, STANDARD CASSETTE)			A 7450 #	20-MAR-81				
A-A-1620B	RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE STANDARD CASSETTE)			A 7450 #	19-MAR-81				
A-A-1621B	RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MICRO-CASSETTE)			A 7450 #	19-MAR-81				
A-A-1622B	RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, TAPE, PORTABLE, MINI-CASSETTE)			A 7450 #	19-MAR-81				
A-A-1623	STAY, METAL, PAPERBOARD BOX			A 8135 #	10-APR-81				
A-A-1624	NECKTIE (STRIPE)			A 8440 #	24-JUN-81				
A-A-1626	SHIRT, MANS & WOMENS (LONG OR SHORT SLEEVE)			A 8405 #	02-JUN-81				
A-A-1628	LABEL (ADDRESS)			A 7530 #	22-MAY-81				
A-A-1628(11)	LABEL (ADDRESS)			A 7530 # FSS	20-APR-89				
A-A-1629	LABEL (IN BOOK FORM)			A 7530 # GL	23-FEB-83	GL	SA		
A-A-1629(11)	LABEL (IN BOOK FORM)			A 7530 # FSS	20-APR-89				
A-A-1630	LABEL (INDIVIDUAL)			A 7530 # GL	28-MAR-83	GL	SA		
A-A-1630(11)	LABEL (INDIVIDUAL)			A 7530 # FSS	20-APR-89				
A-A-1631	LABEL (FILE FOLDER)			A 7530 #	22-MAY-81				
A-A-1631(11)	LABEL (FILE FOLDER)			A 7530 # FSS	20-APR-89				
A-A-1632	VARNISH, ASPHALT USER: 99 YD1			A 8010 # ME	10-JUN-81				
A-A-1633	RESPIRATOR, AIR FILTERING (DUST & MIST) USER: CG MC SH REVIEWER: GS MD			A 4240 # EA	14-MAY-81	EA	YD1	99	
A-A-1636	BAG, PAPER (GLASSINE)			A 8105 #	20-SEP-82				
A-A-1640A	FOOD TURNER			A 7330 # GL	27-JUL-89	GL	SA	99	
A-A-1642	LINER, TOILET BOWL			A 8105 #	28-JAN-81				
A-A-1642(11)	LINER, TOILET BOWL			A 8105 # FSS	20-APR-89				
A-A-1650B	ENVELOPE, PACKING LIST (SELF-ADHESIVE, PLASTIC) REVIEWER: 99 AR			A 8105 # GL	24-MAY-90	GL			
A-A-1650A	ENVELOPE, PACKING LIST (DOUBLE SAFETY FOLD)			A 8105 # GL	27-DEC-91	GL		69	
A-A-1650A	ENVELOPE, PACKING LIST (SINGLE SAFETY FOLD)			A 8105 # GL	13-JAN-92	GL		69	
A-A-1663	FUNNEL (PLASTIC) USER: GL MC MD MS			A 7240 #	11-MAY-81				
A-A-1664	BLEACH, LAUNDRY, ACTIVE OXYGEN (SODIUM PERCARBONATE) REVIEWER: 99 GS MD			A 6850 # GL	22-APR-81	GL	SA	69	
A-A-1665A	GLOVES, MEN S AND WOMEN S (WORK)			A 8415 #	22-MAR-83				
A-A-1666A	TAPL, MEASURING (DRESSMAKERS)			A 8315 #	07-JAN-88				
A-A-1667B	BLANKET, BED (FLAME RESISTANT)			A 7210 #	30-MAY-86				
A-A-1668C	BAG, PLASTIC, GENERAL PURPOSE REVIEWER: DS			A 8105 #	07-DEC-87				
A-A-1668C(11)	BAG, PLASTIC, GENERAL PURPOSE			A 8105 # FSS	03-AUG-89				
A-A-1669A	BAG, PAPER (BLUM BAG)			A 8105 # GL	13-FEB-92	GL			
A-A-1669(11)	BAG, PAPER (BLUM BAG)			A 8105 # FSS	14-OCT-88				
A-A-1671B	TAPL, GLUED (PAPER, REINFORCED, ASPHALT LAMINATED) REVIEWER: 99 AR CG CT LA MD ME SA SH			A 8135 # FSS	10-AUG-90				
A-A-1671B(11)	TAPL, GLUED (PAPER, REINFORCED, LAMINATED) USER: CG SA SH REVIEWER: ME			A 8135 # FSS	06-NOV-90				
A-A-1674	CAN, FLAMMABLE WASTE			A 7240 # GL	23-MAR-81	GL	YD1	99	
A-A-1676	ALUMINUM FOIL (FOOD WRAPPING & PROCESSING)			A 8135 #	26-FEB-81				
A-A-16811	VIEWER-PRINTER, PROJECTION, PHOTOGRAPHIC (READER/PRINTER, MICROFICHE) REVIEWER: AG			A 6730 # FSS	01-OCT-90				
A-A-1683B	TAPL, PRESSURE-SENSITIVE ADHESIVE (PACKAGING, PAPER) REVIEWER: DS MI SH			A 7510 # GL	08-NOV-90	GL	AS	69	
A-A-1684B	TAPL, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM)			A 7510 # FSS	21-DEC-90				
A-A-1685B	TAPL, PRESSURE-SENSITIVE ADHESIVE (HIGH TENSILE STRENGTH, BLACK, WEATHER-RESISTANT, GLASS FILAMENT REINFORCED)			A 7510 # FSS	08-NOV-90				
A-A-1685B(11)	TAPL, PRESSURE-SENSITIVE ADHESIVE (HIGH TENSILE STRENGTH, BLACK, WEATHER-RESISTANT, GLASS FILAMENT REINFORCED)			A 7510 # FSS	10-APR-91				
A-A-1686A	TAPL, PRESSURE-SENSITIVE ADHESIVE, (LOW-TENSILE STRENGTH, POLYESTER FILAMENT, REINFORCED)			A 7510 #	09-DEC-82				
A-A-1687B	TAPL, PRESSURE-SENSITIVE ADHESIVE (MEDIUM TENSILE STRENGTH, GLASS FILAMENT, REINFORCED TAPE)			A 7510 # FSS	17-SEP-90				
A-A-1687B(11)	TAPL, PRESSURE-SENSITIVE ADHESIVE (MEDIUM TENSILE STRENGTH, GLASS FILAMENT, REINFORCED TAPE)			A 7510 # FSS	04-DEC-90				
A-A-1688	TAPL, PRESSURE-SENSITIVE ADHESIVE (PAPER, PHOTOGRAPHIC) USER: GL			A 7510 #	23-JUL-81				
A-A-1689B	TAPL, PRESSURE-SENSITIVE ADHESIVE (PLASTIC FILM) REVIEWER: DS			A 7510 # FSS	18-MAY-89				
A-A-1694B	RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MINI-CASSETTE)			A 7450 #	19-MAR-81				
A-A-1695B	RECORDER-REPRODUCER, SOUND (TRANSCRIBING MACHINE, TAPE, MICRO-CASSETTE)			A 7450 #	19-MAR-81				
A-A-1696A	BAG, PLASTIC (GARMENT)			A 8105 # GL	29-APR-92	GL	SA	69	
A-A-1699	BOXES, SHIPPING, CORRUGATED FIBERBOARD WEATHER RESISTANT, MAX-RESIN TREATED USER: AV EC MC REVIEWER: 70 BA AS GS OS SM			A 8115 # GL	29-APR-82	GL	SA	69	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Item Qty / Unit Condition Inches	Document Number	Document Title	Dist. Smt. FSC / Ave Mkt Symbol	Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
D	A-A-1701	BOX, SHIPPING, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER RESISTANT, WAX RESIN TREATED USER: 70 84 AR AS AV CR EC MC YD1	A 8115	* GL	18-OCT-82	GL	SA	69	
D	A-A-1708	ROOFING FELT (ASPHALT SATURATED BASE SHEET) USER: MC REVIEWER: CE	A 5650	* ME	20-MAY-82	ME	YD1	99	
L	A-A-1709E	FILE CABINETS, LATERAL, STEEL	A 7110	#	15-SEP-88				
L	A-A-1710	GAGE, TIRE PRESSURE, PRECISION TYPE	A 4910	/ AL	30-MAY-81	AL			
L	A-A-1711	INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF, 3X5)	A 7530	* GL	04-JAN-82				
L	A-A-1711(11)	INDEX SHEET SET, LOOSE-LEAF BINDER (BUFF, 3 X 5)	A 7530	* FSS	20-APR-89				
D	A-A-1712	MASK, AIR LINE (TYPE CE) USER: CG SH REVIEWER: MC MD	A 4240	* EA	16-APR-81	ME	YD1	99	
D	A-A-1718	MAGNETIC STRIP	A 5340	* IS	27-APR-81	AR	YD1	99	
D	A-A-1719	RUBBER, SHEET, SOLID USER: AS OS REVIEWER: BS MI	A 5330	* SH	23-JUL-81	AV	SH		
D	A-A-1721A	HOOK, COAT & MAT (ROBE HOOK, BATHROOM) USER: CE CG GL MC SH REVIEWER: B2 AR IS	A 5340	* YD1	31-JUL-87	AL	YD1	99	
	A-A-1722	GRAIN, ABRASIVE (SOFT BLASTING) [VALIDATION DATE: 8306] USER: MC REVIEWER: AR ME SH	A 5350	/ B4	05-FEB-81	MR		99	
L	A-A-1723	CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE (CREAM CLEANSER)	A 7930	#	19-OCT-82				
L	A-A-1724	GAGE, TIRE PRESSURE, LOW PRESSURE TYPE	A 4910	/ AL	30-MAY-81	AL			
L	A-A-1725	GAGE, TIRE PRESSURE, HEAVY-DUTY, GENERAL SERVICE, SHORT EXTENSION, SINGLE-CHUCK FOOT	A 4910	/ AL	30-MAY-81	AL			
L	A-A-1726	GAGE, TIRE PRESSURE, HEAVY DUTY, GENERAL SERVICE, LONG EXTENSION, DUAL-CHUCK FOOT	A 4910	/ AL	30-MAY-81	AL			
A L	A-A-1728A	BAG, PLASTIC (BREAD)	A 8105	* GL	29-MAY-92	GL			
D	A-A-1729	MASK, AIR LINE (TYPE C) USER: CG SH REVIEWER: MC MD	A 4240	* EA	16-APR-81	ME	YD1	99	
D	A-A-1730	MASK, AIR LINE USER: CG SH REVIEWER: MC MD	A 4240	* EA	16-APR-81	ME	YD1	99	
L	A-A-1731	GAGE, TIRE PRESSURE, AIR & LIQUID TYPE	A 4910	/ AL	30-MAY-81	AL			
L	A-A-1732	GAGE, TIRE PRESSURE, GENERAL SERVICE, HIGH PRESSURE TYPE	A 4910	/ AL	30-MAY-81	AL			
D	A-A-1733	STENCILBOARD USER: YD1	A 9310	* GL	13-MAY-82				
D	A-A-1733(11)	STENCILBOARD	A 9310	* FSS	20-APR-89				
D	A-A-1734	TILE, STRIP, BAG REVIEWER: MD	A 8135	* GL	14-MAY-81	GL		69	
D	A-A-1735	PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) USER: CG MC YD1 REVIEWER: AR EA ME	A 9310	* GL	29-APR-81	GL	SA	99	
	A-A-1735(11)	PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD)	A 9310	* FSS	20-APR-89				
	A-A-1736	PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD) USER: CG MC REVIEWER: AR EA ME	A 9310	* GL	29-APR-81	GL	SA	99	
	A-A-1736(11)	PAPERBOARD, DRAWING (DRAFTING BRISTOL BOARD)	A 9310	* FSS	20-APR-89				
	A-A-1737	BUCKET, MOP (PLASTIC)	A 7920	#	27-APR-81				
	A-A-1738A	BOX, SMALL PARTS (PLASTIC, COMPARTMENTED) REVIEWER: 99 MD	A 8115	* GL	27-SEP-90	GL	SA	69	
	A-A-1739	PAPER, NONCARBON TRANSFER	A 7530	#	17-MAR-81				
	A-A-1740	LAMP, PHOTO, PROJECTION USER: 99	A 6240	%	31-DEC-81				
	A-A-1741	BATTERY CHARGER (FOR 6/12/18/24 VOLTS)	A 6130	#	17-APR-81				
	A-A-1742A	PLASTIC SHEET AND STRIP (FOR USE IN CONTACT WITH FOOD) REVIEWER: 99 EA MD	A 8135	* GL	26-DEC-90	GL	SA	69	
	A-A-1743	LAMP, PHOTO, PROJECTION, DVS/DVY/BMC USER: 99	A 6240	%	31-DEC-81				
	A-A-1744	LAMP, PHOTO, PROJECTION, MOVIE USER: 99	A 6240	%	24-NOV-81				
D	A-A-1748	PADS, KNEE, INDUSTRIAL USER: ME YD1	A 4240	* GS	20-FEB-81	EA		99	
A	A-A-1749	HEADBAND, SWEAT	A 4240	#	25-FEB-81				
A	A-A-1751A	MEASURE, LIQUID (ALUMINUM) USER: MC REVIEWER: 50 84 MD TS	A 7330	* GL	26-NOV-91	GL	SA	99	
A	A-A-1752A	DIPPER, KITCHEN USER: MC REVIEWER: 50 84 MD TS	A 7330	* GL	21-NOV-91	GL	SA	99	
	A-A-1753	POACHER, EGG (ALUMINUM) USER: MC MS REVIEWER: CG MD	A 7330	* GL	08-JUL-81	GL	SA	99	
	A-A-1754	SIEVE, FLOUR (ALUMINUM) USER: MC MS REVIEWER: CG MD	A 7330	* GL	08-JUL-81	GL	SA	99	
	A-A-1755A	STRAINER, CHINA CAP REVIEWER: 84 CG MD TS	A 7330	* GL	10-JUL-87	GL	SA	99	
	A-A-1756	LAMP, PHOTO, PROJECTION USER: 99	A 6240	%	31-DEC-81				
	A-A-1757	LAMP, SODIUM (HIGH PRESSURE) USER: 99	A 6240	%	31-DEC-81				
	A-A-1758	LAMP, METAL HALIDE (250 WATTS) USER: 99	A 6240	%	31-DEC-81				
	A-A-1759	LAMP, METAL HALIDE (400 WATTS) USER: 99	A 6240	%	31-DEC-81				
D	A-A-1760	LAMP, METAL HALIDE (1000 WATTS) USER: 99	A 6240	%	31-DEC-81				
	A-A-1761	LAMP, METAL HALIDE (175 WATTS) USER: 99	A 6240	% GS	31-DEC-81				GS
	A-A-1762	LAMP, MERCURY VAPOR (SAFETY) USER: 99	A 6240	%	31-DEC-81				
	A-A-1763	LAMP, SODIUM (HIGH PRESSURE, REPLACEMENT) USER: 99	A 6240	%	31-DEC-81				
	A-A-1764	LAMP, METAL HALIDE (1,500 WATTS) USER: 99	A 6240	%	31-DEC-81				
	A-A-1765	LAMP, MERCURY VAPOR USER: 99	A 6240	%	31-DEC-81				
	A-A-1767	SHOES, SAFETY (MENS LOW QUARTER)	A 8430	#	12-MAY-81				
D	A-A-1770	FACESHIELD, INDUSTRIAL USER: MC MD YD1 REVIEWER: GS ME	A 4240	* EA	12-FEB-81	EA		99	
D	A-A-1774	CHARGE, FIRE EXTINGUISHER, ANTI-FREEZE USER: AT CE GL MC YD1 REVIEWER: CS	A 4210	* ME	07-APR-81	ME		99	
D	A-A-1776	STRAP, SAFETY, INDUSTRIAL (POLE) USER: CG REVIEWER: 11 CR MC ME	A 4240	* EA	12-NOV-81	EA	YD1	99	
D	A-A-1778	CALCULATING MACHINE (CALCULATOR, DESK TOP, NON-PROGRAMMABLE, DISPLAY ONLY, 10 DIGIT)	A 7420	#	04-MAR-81				
	A-A-1779A	CALCULATING MACHINE (DESK TOP, 10-DIGIT THERMAL PRINT ONLY) USER: AT MI REVIEWER: 84	A 7420	*	31-JAN-83	GL	SA	99	
	A-A-1780A	CALCULATING MACHINE (DESK TOP, 10-DIGIT PRINT ONLY USER: AT MI REVIEWER: 84	A 7420	* GL	31-JAN-83	GL	SA	99	
	A-A-1781	PAPER, CREPE, DISPLAY	A 9310	#	07-JUL-82				
	A-A-1782	CAP, CIVILIAN, UNIFORM	A 8405	#	22-MAY-81				
	A-A-1783	SHIRT, MANS (AND WOMANS; LONG SLEEVE)	A 8415	#	29-MAY-81				
	A-A-1784	TROUSERS, MANS (AND WOMANS-SUMMER WEIGHT)	A 8415	#	29-MAY-81				
	A-A-1785	TROUSERS, MANS & WOMANS (WINTER WEIGHT)	A 8405	#	15-MAY-81				
	A-A-1786	SHIRT, MANS (AND WOMANS; SHORT SLEEVE)	A 8415	#	29-MAY-81				
	A-A-1787	NECKTIE	A 8440	#	22-MAY-81				
	A-A-1796	CLEANING COMPOUND, SOLVENT-DETERGENT (FOR AIR-CONDITIONING COILS & FILTERS)	A 6850	#	16-OCT-81				
D	A-A-1798	PAPERBOARD, WRAPPING & CUSHIONING (LIGHT DUTY) USER: MC MT YD1 REVIEWER: 71 99 ER MD MI	A 8135	*	17-MAR-86	GL	SA	69	
	A-A-1798(11)	PAPERBOARD, WRAPPING AND CUSHIONING, (LIGHT DUTY)	A 8135	* FSS	20-APR-89				
	A-A-1799A	BAG, PLASTIC (INTERLOCKING SEAL CLOSURE) REVIEWER: 99 MD	A 8105	* GL	12-MAR-91	GL	SA	69	
	A-A-1801	COATING COMPOUND, OBLITERATING AEROSOL	A 8010	#	28-OCT-81				
	A-A-1802	CARD SET, GUIDE, FILE	A 7530	#	06-OCT-83				
	A-A-1802(11)	CARD SET, GUIDE, FILE	A 7530	* FSS	20-APR-89				
	A-A-1803	BOOTS, SAFETY (MENS HIGH TOP)	A 8430	#	12-MAY-81				
	A-A-1804	SHOES, SAFETY (MENS HIGH TOP)	A 8430	#	12-MAY-81				
	A-A-1805A	COVER, IRONING BOARD	A 7290	*	07-FEB-86				
	A-A-1806	PAD, IRONING BOARD	A 7290	* GL	20-MAR-81	GL		99	
	A-A-1808B	FLATWARE, SILVERPLATED USER: CG MC REVIEWER: MD MS	A 7340	*	05-APR-88				
	A-A-1809B	TABLEWARE, SILVERPLATED USER: CG MC REVIEWER: MD MS	A 7350	*	27-APR-88				
	A-A-1811A	COVER, TYPEWRITER	A 7430	* FSS	21-DEC-90				
	A-A-1812A	MAGNETIC, TECHNICAL USER: OS REVIEWER: MC ME	A 6810	* GS	01-MAY-81	EA	SH	68	
D	A-A-1813	LENS, GOGGLES, INDUSTRIAL USER: YD1	A 4240	* EA	15-APR-81	EA		99	
D	A-A-1814	GOGGLES, INDUSTRIAL (EYECUP, COVER-ODU TYPE) USER: YD1	A 4240	* EA	15-APR-81	EA		99	
	A-A-1817C	BOOKCASE (STEEL, CONTEMPORARY STYLE)	A 7110	* FSS	11-MAY-90				
	A-A-1818	SODIUM METASILICATE, TECHNICAL	A 6810	#	24-JUL-81				
	A-A-1820	TAPE, CORRECTION (TAPE, TYPEWRITER, CORRECTION (COVER UP)	A 7510	#	19-SEP-82				
	A-A-1821	CLEANING COMPOUND, MASONRY SURFACES	A 7930	#	23-FEB-82				
	A-A-1822A	RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, PLAIN COLORS)	A 9905	* FSS	24-JUL-90				
	A-A-1823A	RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, FLUORESCENT COLORS)	A 9905	* FSS	24-JUL-90				
	A-A-1824A	RIBBON, FLAGGING, SURVEYOR'S (PLASTIC, STRIPED)	A 9905	* FSS	24-JUL-90				
	A-A-1826	SHAKER, SALT, OR PEPPER USER: SH REVIEWER: B2 MC MD MS	A 7350	GL	07-OCT-82	GL	SA	99	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Opn / Cmt Continuation Marking	Document Number	Document Title	Dist. Smt. FSC / Area	NSC Symbol Preparing Agency	Date	Custodian Army Navy Air Force DIA
	A-A-1827	PLASTIC SHEET, (POLYETHYLENE, HEAT SHRINKABLE) USER: MC REVIEWER: 99 AR CR	A 8135	* GL	19-APR-82	GL SA 69
	A-A-1828A	LEAD, PENCIL	A 7510	# FSS	20-FEB-90	
	A-A-1830A	TAPE PRESSURE SENSITIVE ADHESIVE BOX CLOSURE	A 7510	* GS	07-JAN-83	GL AS 99
	A-A-1833	CLOTH, SHEETING (LAUNDRY COVER CLOTH)	A 8305	#	11-AUG-81	
	A-A-1834	BOX, FOLDING	A 8115	* GL	23-FEB-82	SA
	A-A-1834(11)	BOX, FOLDING	A 8115	# FSS	14-OCT-88	
	A-A-1835	BAG, RODENT (PLASTIC, ENTOMOLOGICAL SPECIMENS)	A 6640	* TP	18-MAY-82	GL MS 69
	A-A-1837A	MOBILE PROJECTION STANDS	A 6760	# FSS	12-DEC-88	
	A-A-1840	MITT, PAINT (WITH TWO POLYETHYLENE LINERS)	A 8020	#	08-AUG-83	
	A-A-1841A	LAMP, FLUORESCENT (F8T5/D) REVIEWER: GS	A 6240	#	12-JUN-81	
	A-A-1842A	LAMP, FLUORESCENT (F8T5/CM) REVIEWER: GS	A 6240	#	12-JUN-81	
	A-A-1843A	LAMP, FLUORESCENT (F15T8/W) REVIEWER: GS	A 6240	#	12-JUN-81	
	A-A-1844A	LAMP, FLUORESCENT (F15T8/WW) REVIEWER: GS	A 6240	#	29-AUG-84	
	A-A-1845A	LAMP, FLUORESCENT (F15T8/D) REVIEWER: GS	A 6240	#	29-AUG-84	
	A-A-1846A	LAMP, FLUORESCENT (F15T8/CM) REVIEWER: GS	A 6240	#	29-AUG-84	
	A-A-1847A	LAMP, FLUORESCENT (FC12T10/CM/RS OR FC12T9/CM/RS) REVIEWER: GS	A 6240	#	29-AUG-84	
	A-A-1850A	LAMP, FLUORESCENT (F40W) REVIEWER: GS	A 6240	#	29-AUG-84	
	A-A-1856A	LAMP, FLUORESCENT (F40CW ENERGY SAVING) REVIEWER: GS	A 6240	#	20-AUG-84	
	A-A-1857A	LAMP, FLUORESCENT (F40W ENERGY SAVING) REVIEWER: GS	A 6240	#	20-AUG-84	
	A-A-1858A	LAMP, FLUORESCENT (F40WW ENERGY SAVING) REVIEWER: GS	A 6240	#	17-AUG-84	
	A-A-1859A	LAMP, FLUORESCENT (F40D ENERGY SAVING)	A 6240	#	17-AUG-84	
	A-A-1864A	LAMP, FLUORESCENT (F96T12/CM/NO ENERGY SAVING) REVIEWER: GS	A 6240	#	05-SEP-84	
	A-A-1868	RIBBON, TYPEWRITER (WORD PROCESSING, MULTI-STRIKE)	A 7510	#	08-DEC-82	
D	A-A-1887	MOSE, NON METALLIC (FIRE, SINGLE JACKET) USER: CG MC REVIEWER: CS SH	A 4210	* ME	07-JAN-82	ME YD1 99
	A-A-1888	MOSE, NON METALLIC (FIRE, DOUBLE JACKET) USER: CG MC REVIEWER: CS SH	A 4210	* ME	07-JAN-82	ME 99
D	A-A-1889	MOSE, NON METALLIC (FIRE, COTTON, DOUBLE JACKET) USER: CG MC REVIEWER: CS SH	A 4210	* ME	07-JAN-82	ME YD1 99
	A-A-1890	SHOES, ELECTRICAL HAZARD PROTECTIVE (MENS SAFETY)	A 8430	#	18-AUG-81	
	A-A-1894	PAPER, KRAFT, TREATED (FIRE RESISTANT) USER: AR CG OR ER MC MI SH REVIEWER: 99 AS EA SA	A 8135	* GL	18-JAN-91	GL 69
	A-A-1895	TAPE, SOUND RECORDING, 1/4-INCH, GENERAL PURPOSE [VALIDATION DATE: 8306] REVIEWER: CG	A 5835	/ 80	24-JUL-81	CR MV 99
	A-A-1896	TAPE, SOUND RECORDING, 1/4-INCH, MASTERING [VALIDATION DATE: 8306]	A 5835	/ 80	24-JUL-81	CR MV 99
	A-A-1897	CASSETTE, MAGNETIC TAPE, 3/4-INCH, U-MATIC, VIDEO COLOR	A 5835	* CR	24-JUL-81	CH 99
	A-A-1898B	CUSHIONING MATERIAL, CELLULOSIC, PACKAGING REVIEWER: AT ME MI SH SS	A 8135	* GL	17-JUN-91	GL AS 99
	A-A-1899	CUSHIONING MATERIAL, CELLULOSIC, PACKAGING (CELLULOSIC, WATER RESISTANT) REVIEWER: AT ME MI SH SS	A 8135	/ GL	24-NOV-86	AS 99
	A-A-1907A	PROTECTOR, PACKING LIST	A 8105	# FSS	14-FEB-90	
	A-A-1909	FERTILIZER	A 8720	#	21-FEB-82	
	A-A-1911	CLEANING COMPOUND, ALKALI, PIPELINE	A 6850	#	17-MAY-84	
	A-A-1912B	PAPER, COPYING, XEROGRAPHIC AND OFFSET PROCESSES (DUAL PURPOSE: WHITE AND COLORS)	A 7530	#	09-NOV-83	
M	A-A-1913A	GRID, PAINT ROLLER	A 8020	# FSS	01-MAR-93	
	A-A-1914	ROLLER FRAME, PAINT	A 8020	#	08-AUG-83	
	A-A-1915	TRAY, ROLLER (FOR USE WITH PAINT ROLLERS)	A 8020	#	08-AUG-83	
D	A-A-1916A(1)	TAG, SHIPPING (STOCK, CIRCULAR) USER: AT MC YD1 REVIEWER: 99 AR MD ME	A 8135	* GL	13-JUN-90	GL SA 69
	A-A-1918	SOAP, LAUNDRY (NEUTRAL)	A 7930	#	17-AUG-84	
D	A-A-1920A	LUMBER, SOFTWOOD, BOARD USER: YD1 REVIEWER: CS	A 5510	* #	31-OCT-85	ME
D	A-A-1922	SHIELD, EXPANSION (CALCULATING ANCHORS, SINGLE LEAD)	A 5340	* AR	02-MAY-83	AR YD1 99
D	A-A-1923	SHIELD, EXPANSION (LAG SHIELD)	A 5340	* AR	02-MAY-83	AR YD1 99
D	A-A-1924	SHIELD, EXPANSION (SELF DRILLING TUBULAR EXPANSION SHELL)	A 5340	* IS	02-MAY-83	AR YD1 99
D	A-A-1925	SHIELD, EXPANSION (NAIL ANCHORS)	A 5340	* IS	02-MAY-83	AR YD1 99 15
	A-A-1926A	CLOSER, DOOR	A 5340	#	15-JAN-88	
D	A-A-1927C(1)	PADLOCK (PIN TUMBLER MECHANISM) USER: AT CE MC OS REVIEWER: AR AV IS	A 5340	* YD1	02-AUG-89	ME YD1 99
D	A-A-1928B	PADLOCK (COMBINATION) USER: CE CG MC REVIEWER: AR IS	A 5340	* YD1	02-AUG-82	ME YD1 99
D	A-A-1930A	PADLOCK (DISK OR BLADE TUMBLER) USER: CE CG MC REVIEWER: AR YD1	A 5340	* IS	29-JUL-82	ME SH 99
D	A-A-1931A	LOCK SET (BORED) USER: ME REVIEWER: IS	A 5340	#	31-MAR-88	AR YD1 99
	A-A-1932A	LOCK SET, RIM USER: ME REVIEWER: IS	A 5340	* FSS	02-MAR-90	
L	A-A-1939A	FAN, CIRCULATING, (DESK/WALL, OSCILLATING)	A 4140	# FSS	29-DEC-88	
L	A-A-1941A	FAN, CIRCULATING, PEDESTAL (30 INCH, NON-OSCILLATING)	A 4140	# FSS	29-DEC-88	
L	A-A-1942	FAN, CIRCULATING (HASSOCK)	A 4140	# FSS	29-DEC-88	
L	A-A-1943A	FAN, CIRCULATING, (MULTIPURPOSE, HIGH VELOCITY)	A 4110	# FSS	29-DEC-88	
	A-A-1946	BOOTS, ELECTRICAL HAZARD PROTECTIVE (MENS SAFETY)	A 8430	#	28-AUG-81	
D	A-A-1952A	SHOES, LADDER SAFETY	A 5440	* FSS	20-SEP-90	
D	A-A-1953	PEELER, POTATO, HAND USER: CG YD1 REVIEWER: MC MD	A 7330	* GL	31-AUG-82	GL SA 99
D	A-A-1954	MEASURING SET, SPOON (STAINLESS STEEL) USER: YD1 REVIEWER: 45 MC MD MS	A 7330	* GL	29-SEP-82	GL SA 99
L	A-A-1955	HOLDER AND CUTTER, WRAPPING PAPER	A 7290	* 99	04-JUN-82	99
D	A-A-1956A	LADLE, KITCHEN USER: CG MS REVIEWER: 45 MC MD	A 7330	* FSS	23-FEB-89	
D	A-A-1957A	FASTENER, CORRUGATED, WOOD JOINT USER: AS SH REVIEWER: 82 GS SA	A 5315	* IS	21-FEB-84	AR YD1 99
D	A-A-1959	MAIL (CASING) USER: AS ME REVIEWER: 82 GS MC	A 5315	* IS	17-MAR-83	AR YD1 99
A	A-A-1964A	ENVELOPE, WALLET REVIEWER: 84 SA	A 7530	* 99	14-JAN-92	SA 84
A	A-A-1965A	JACKET, FILING, WALLET	A 7530	* SA	21-JUN-91	
	A-A-1966	LAMP, INCANDESCENT (3 WAY)	A 6240	#	12-JAN-82	
	A-A-1967	LAMP, HALOGEN (TUBULAR 0500T3/CL) USER: SH REVIEWER: ME	A 6240	#	12-FEB-82	
	A-A-1968	LAMP, HALOGEN (TUBULAR 0150T4/CL) USER: SH REVIEWER: ME	A 6240	#	23-FEB-81	
	A-A-1969	LAMP, INCANDESCENT (SEALED BEAM)	A 6240	#	23-FEB-82	
	A-A-1970	LAMP, HALOGEN (TUBULAR 01500T3/CL) USER: SH REVIEWER: ME	A 6240	#	23-FEB-82	
	A-A-1971	LAMP, INCANDESCENT (6.6A/710/1P) USER: SH REVIEWER: ME	A 6240	#	23-FEB-82	
	A-A-1972	LAMP, INCANDESCENT (50/50P25/28) REVIEWER: ME	A 6240	#	23-FEB-82	
	A-A-1974	FLASHLIGHT (ROUGH SERVICE)	A 6230	#	19-MAY-82	
	A-A-1975A	DOWEL, WOOD REVIEWER: 84	A 5510	* CS	03-APR-86	ME 99
	A-A-1977	BELT, SAFETY (LINEMANS)	A 4240	#	12-JUN-84	
	A-A-1978	HELMET, FIREMAN'S (POLYCARBONATE)	A 8415	#	07-OCT-82	
	A-A-1979	ABSORBENT MATERIAL, OIL AND WATER (FOR FLOORS AND DECKS)	A 7930	# FSS	29-AUG-84	
	A-A-1984	LAMP, FLUORESCENT (F30T12/CM/RS, ENERGY SAVING) REVIEWER: GS	A 6240	#	11-JAN-82	
	A-A-1985	LAMP, FLUORESCENT (F40CW/RS, ENERGY SAVING) REVIEWER: GS	A 6240	#	11-JAN-82	
	A-A-1986	LAMP, FLUORESCENT (F96T12/CM/1500, VERY HIGH OUTPUT, ENERGY SAVING) REVIEWER: GS	A 6240	#	11-JAN-82	
	A-A-1987	LAMP, FLUORESCENT (F96T12/LW/1500, VERY HIGH OUTPUT, ENERGY SAVING) REVIEWER: GS	A 6240	#	11-JAN-82	
	A-A-1988	LAMP, FLUORESCENT (F40CW/LV/6 OR F840/CM/6) REVIEWER: GS	A 6240	#	11-JAN-82	
	A-A-1989A	CELLULOSE REVIEWER: 99 MD	A 8135	* #	11-MAR-85	GL 69
	A-A-1992	CLEANING COMPOUND, HARD SURFACE-FLOOR (POWDERED, HEAVY DUTY)	A 7930	#	30-MAY-84	
	A-A-1993	EXTINGUISHER, FIRE, WATER (HAND-PUMP)	A 4210	* ME	09-APR-82	ME 99
D	A-A-1994	HELMET, WELDER'S USER: AS MC OS YD1	A 4240	* EA	01-NOV-82	99
D	A-A-1995	SPECTACLES, INDUSTRIAL (PLASTIC FRAMES) USER: YD1 REVIEWER: MS	A 4240	* EA	08-FEB-83	AR SH 99
	A-A-1996	SPECTACLES, INDUSTRIAL (METAL FRAMES) REVIEWER: MS	A 4240	* EA	08-FEB-83	AR SH 99
	A-A-1997	LADDER, PORTABLE (WOOD) USER: MC	A 5440	#	02-JUN-82	
	A-A-1998	LADDER, STRAIGHT (WOOD)	A 5440	#	02-JUN-82	ME 99
	A-A-2006	PAPER, PLAY CONSTRUCTION	A 7530	#	15-MAR-83	
	A-A-2006(11)	PAPER, PLAY CONSTRUCTION	A 7530	# FSS	20-APR-89	
	A-A-2009C	TABLES, OFFICE (CONTEMPORARY STYLE)	A 7110	# FSS	07-SEP-90	
	A-A-2010A	REFRIGERATORS, MECHANICAL, HOUSEHOLD COMPACT (ELECTRICAL, SELF CONTAINED)	A 7320	#	03-OCT-83	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action Off / On Cancellation Invoice Document Number		Description		Off / On Cancellation Invoice Document Number		Cancellation Invoice Document Number	
A	A-A-2011	REFRIGERATORS, MECHANICAL, HOUSEHOLD (ELECTRIC, SELF-CONTAINED)	A 410 # PSS 01-JUN-82				
	A-A-2015C	CREDENZA (STEEL, CONTEMPORARY STYLE)	A 10 # PSS 10-DEC-91				
	A-A-2016	BOX, FOLDING	A 8115 # 17-SEP-82				
	A-A-2017	BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS)	A 8115 # 17-SEP-82				
	A-A-2017(11)	BOX, FIBERBOARD, SPECIAL USE (POST OFFICE MONEY ORDER FORMS)	A 8115 # PSS 14-OCT-88				
	A-A-2018	BOX, FIBERBOARD SPECIAL USE, TYPE III, STYLE A (POST OFFICE MONEY ORDER FORMS)	A 8115 # 18-OCT-82				
	A-A-2018(11)	BOX, FIBERBOARD SPECIAL USE, TYPE III, STYLE A (POST OFFICE MONEY ORDER FORMS)	A 8115 # PSS 14-OCT-88				
	A-A-2019	BOX, FIBERBOARD, SPECIAL USE TYPE IV, STYLE A (POST OFFICE MONEY ORDER FORMS)	A 8115 # 01-FEB-83				
	A-A-2020	BOX, FIBERBOARD, OVERPACK FOR SINGLE, TYPE IV BOX FOR POST OFFICE MONEY ORDER FORMS	A 8115 # 19-OCT-82				
	A-A-2020(11)	BOX, FIBERBOARD, OVERPACK FOR SINGLE, TYPE IV BOX FOR POST OFFICE MONEY ORDER FORMS	A 8115 # PSS 14-OCT-88				
	A-A-2021	BOX, FIBERBOARD, OVERPACK FOR TWO TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS	A 8115 # 19-OCT-82				
	A-A-2022	BOX, FIBERBOARD, OVERPACK FOR THREE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS	A 8115 # 19-OCT-82				
	A-A-2022(11)	BOX, FIBERBOARD, OVERPACK FOR THREE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS	A 8115 # PSS 14-OCT-88				
	A-A-2023	BOX, FIBERBOARD, OVERPACK FOR FIVE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS	A 8115 # 19-OCT-82				
	A-A-2023(11)	BOX, FIBERBOARD, OVERPACK FOR FIVE TYPE IV BOXES FOR POST OFFICE MONEY ORDER FORMS	A 8115 # PSS 14-OCT-88				
D	A-A-2027	STRAPPING, NONMETALLIC (NYLON, FLAT & CONNECTORS) USER: MC SH YD1	A 8135 # GL 29-JUL-82	GL	SA	99	
D	A-A-2028	STRAPPING, NONMETALLIC (BONDED CORD TYPE & CONNECTORS) USER: MC SH YD1	A 8135 # GL 15-SEP-82	GL	SA	99	
D	A-A-2029	STRAPPING, NONMETALLIC (POLYOLEFIN, POLYESTER & CONNECTORS) REVIEWER: MC SC SH YD1	A 8135 # GL 29-JUL-82	GL	SA	69	
	A-A-2042	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4546)	A 6240 # 31-AUG-82				
	A-A-2043	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4554)	A 6240 # 10-DEC-82				
	A-A-2044	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4860)	A 6240 # 10-DEC-82				
	A-A-2045	LAMP, TUNGSTEN-HALOGEN (SEALED BEAM, TRADE NO. 04681)	A 6240 # PSS 31-AUG-82				
	A-A-2046	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4811)	A 6240 # 10-DEC-82				
	A-A-2047	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 6014)	A 6240 # 10-DEC-82				
	A-A-2048	LAMP, TUNGSTEN-HALOGEN (SEALED BEAM, TRADE NO. 04559)	A 6240 # PSS 31-AUG-82				
	A-A-2059	LAMP, PHOTOGRAPHIC (TRADE NO. ELC)	A 6240 # 31-AUG-82				
	A-A-2060	LAMP, PHOTOGRAPHIC (TRADE NO. FCS)	A 6240 # PSS 31-AUG-82				
	A-A-2061	LAMP, PHOTO (TRADE NO. DCA)	A 6240 # 10-DEC-82				
	A-A-2062	LAMP, PHOTO (TRADE NO. BVE)	A 6240 # 10-DEC-82				
	A-A-2063	LAMP, PHOTOGRAPHIC (TRADE NO. E3L)	A 6240 # PSS 31-AUG-82				
	A-A-2065	LAMP, INCANDESCENT (TRADE NO. 100A/RS/TF, 100A21/RS/SL OR 100A21/RS/VS/STC1)	A 6240 # 10-DEC-82				
	A-A-2066	LAMP, INCANDESCENT (TRADE NO. 300PAR56/2SP)	A 6240 # 31-AUG-82				
	A-A-2067	LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, TRADE NO. Q100T3/6CL)	A 6240 # 10-DEC-82				
	A-A-2068	LAMP, INCANDESCENT (TRADE NO. 110R30/PL/RS)	A 6240 # 31-AUG-82				
	A-A-2069	LAMP, INCANDESCENT (TRADE NO. Q6.6A/PAR64/3P)	A 6240 # 10-DEC-82				
	A-A-2070	LAMP, INCANDESCENT (TRADE NO. 50/50T12)	A 6240 # 31-AUG-82				
	A-A-2071	LAMP, INCANDESCENT (TRADE NO. 6.6A/T14P)	A 6240 # 10-DEC-82				
	A-A-2072	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4863)	A 6240 # 10-DEC-82				
	A-A-2074	BRUSH, SCRUB (POT AND PAN) USER: MC SA REVIEWER: AD	A 7920 # GL 02-MAY-83	GL	SA	99	
	A-A-2075	BRUSH, PLASTER'S (HAND)	A 7920 # GL 02-MAY-83	GL	SA	99	
	A-A-2076	BRUSH, DUSTING, LENS AND PHOTOGRAPHIC NEGATIVE USER: EC	A 7920 # GL 02-MAY-83	GL	SA	99	
	A-A-2077	BRUSH, ADHESIVE (GLUE) USER: CE CG MC	A 7920 # GL 02-MAY-83	GL	SA	99	
	A-A-2078	BRUSH, PLATERS, HAND (SHOE HANDLES STYLE)	A 7920 # GL 02-MAY-83	GL	SA	99	
D	A-A-2079B	FAUCET, SINGLE (ORLUM & BARREL) USER: MC REVIEWER: CS	A 4510 # ME 25-FEB-91	ME	YD1		
	A-A-2080B	TABLES, OFFICE (TRADITIONAL STYLE)	A 7110 # PSS 24-OCT-89				
	A-A-2081B	CREDENZAS, OFFICE (TRADITIONAL STYLE)	A 7110 # PSS 01-JUN-89				
	A-A-2082C	STANDS, OFFICE MACHINE (TRADITIONAL STYLE)	A 7110 # PSS 24-OCT-89				
	A-A-2083	SIGN (NON-POWERED, EXIT) (VALIDATION DATE: 9104)	A 9905 # PSS 08-APR-91				
	A-A-2084	SIGN (ELECTRICALLY POWERED, EXIT) (VALIDATION DATE: 9104)	A 9905 # PSS 08-APR-91				
	A-A-2085	SIGN (SELF-ILLUMINATING, EXIT) (VALIDATION DATE: 9104)	A 9905 # PSS 08-APR-91				
A	A-A-2086C	DESK, (OFFICE, TRADITIONAL STYLE)	A 7110 # PSS 10-DEC-91				
A	A-A-2087C	DESK ATTACHMENT, L-UNIT (OFFICE, TRADITIONAL STYLE)	A 7110 # PSS 10-DEC-91				
A	A-A-2093C	DESK ATTACHMENTS, L-RETURN (STEEL, CONTEMPORARY STYLE)	A 7110 # PSS 10-DEC-91				
	A-A-2094	TAPE, INSULATION, ELECTRICAL (FRICTION)	A 5970 # 14-OCT-82				
A	A-A-2095C	DESK (STEEL, CONTEMPORARY STYLE)	A 7110 # PSS 10-DEC-91				
A	A-A-2098B	WRAPPER, COIN	A 8135 # PSS 27-SEP-91				
	A-A-2099A	PAPER, WRAPPING, WAXED	A 8135 # PSS 26-APR-91				
	A-A-2099(11)	PAPER, WRAPPING, WAXED	A 8135 # PSS 20-APR-89				
	A-A-2100	BAND, PAPER, CURRENCY	A 8135 # 15-SEP-82				
	A-A-2100(11)	BAND, PAPER, CURRENCY	A 8135 # PSS 20-APR-89				
	A-A-2103	BALE TIE	A 8135 # 17-SEP-82				
	A-A-2104	WIRE TIE USER: 69 AL AS	A 8135 # 14-SEP-82				
	A-A-2105A	METAL STRIP BAG TIE	A 8135 # 14-SEP-82				
	A-A-2106	PAPER, PROTECTIVE, ADHESIVE USER: 69	A 8135 # 14-SEP-82				
	A-A-2106(11)	PAPER, PROTECTIVE, ADHESIVE	A 8135 # PSS 20-APR-89				
	A-A-2107	BAND, PAPER, SHIRT WRAPPING	A 8135 # 07-SEP-82				
	A-A-2107(11)	BAND, PAPER, SHIRT WRAPPING	A 8135 # PSS 20-APR-89				
	A-A-2110	BAG, CANVAS, HARDWARE	A 8105 # 08-DEC-82				
	A-A-2111	SEALS, STRAPPING (HEAVY DUTY, STEEL, FLAT)	A 8135 # 17-SEP-82				
	A-A-2112A	COSTUMER, METAL (CONTEMPORARY STYLE)	A 7195 # PSS 19-JAN-92				
	A-A-2113	CABINETS, WARDROBE AND STORAGE, CONTEMPORARY STYLE, STEEL GENERAL OFFICE	A 7105 # 22-NOV-82				
D	A-A-2114	CASTER, RIGID (INDUSTRIAL DUTY) REVIEWER: MC ME	A 5340 # JS 17-MAR-83	AR	YD1	99	
	A-A-2116A	FILING CABINETS, SHELF (STEEL, CONTEMPORARY STYLE)	A 7110 # PSS 01-JUN-89				
	A-A-2118A	ASH RECEIVER, TOBACCO	A 9920 # PSS 07-AUG-90				
	A-A-2121	PAINT, ROLLER COVER	A 8020 # 08-AUG-83				
	A-A-2122E	STANDS, OFFICE MACHINE	A 7110 # PSS 21-SEP-90				
	A-A-2123	STENCIL, DUPLICATING MACHINE	A 7530 # 18-APR-83				
	A-A-2124	STOPPER, WASTE DRAIN	A 4510 # 08-JUN-83				
B	A-A-2125	CLEANING COMPOUND, SOLVENT-DETERGENT (CONCENTRATED ALKALINE BUTYL CLEANER) USER: YD1 REVIEWER: MD	A 7930 # GL 31-DEC-83	GL	SH	99	
	A-A-2127	GRASS HOOK (SCYTHE TYPE) USER: 99 ME	A 3750 # 21-FEB-84				
D	A-A-2128A	REFLECTOR SET, HIGHWAY WARNING, TRIANGULAR	A 9905 # GL 05-APR-90	GL	YD1	99	
	A-A-2129	REFLECTOR, INDICATING, CLAWANCE USER: GL SH REVIEWER: BS	A 9905 # AT 21-FEB-84	AT		84	
D	A-A-2131A	HOSE ASSEMBLY, NONMETALLIC (FIRE, 600 LBS. TEST PRESSURE USER: CG MC REVIEWER: CS SH	A 4210 # ME 04-OCT-83	ME	YD1	99	
D	A-A-2132A	HOSE ASSEMBLY, NONMETALLIC (FIRE, 800 LBS. TEST PRESSURE) USER: CG MC REVIEWER: CS SH	A 4210 # ME 04-OCT-83	ME	YD1	99	
	A-A-2136	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1157A)	A 6240 # 06-AUG-83				
	A-A-2137	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1228)	A 6240 # 06-AUG-83				
	A-A-2138	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1157NA)	A 6240 # 06-AUG-83				



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Item No.	Description	Unit	FSC / Area	MCS Symbol	Preparing Act	Date	Custodian			
							Army	Navy	Air Force	DIA
A-A-2139	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1813R)	A 6240	#			06-AUG-83				
A-A-2140	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1142)	A 6240	#			06-AUG-83				
A-A-2141	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4570)	A 6240	#			06-AUG-83				
A-A-2142	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4596)	A 6240	#			06-AUG-83				
A-A-2143	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4851)	A 6240	#			06-AUG-83				
A-A-2144	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4852)	A 6240	#			06-AUG-83				
A-A-2145	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 6052)	A 6240	#			06-AUG-83				
A-A-2146	LAMP, INCANDESCENT (TUNGSTEN-HALOGEN, Q1500T3/CL)	A 6240	#			06-AUG-83				
A-A-2147	LAMP, METAL HALIDE (R. PLACEMENT, TRADE NO. M59PJ-R400/I/U)	A 6240	#			06-AUG-83				
A-A-2148	LAMP, FLUORESCENT (TRADE NO. F14T12/SW) REVIEWER: GS	A 6240	#			06-AUG-83				
A-A-2149	LAMP, FLUORESCENT (TRADE NO. F15T8/PL/AQ) REVIEWER: GS	A 6240	#			06-AUG-83				
A-A-2152	LAMP, FLUORESCENT (TRADE NO. F14T8/D) REVIEWER: GS	A 6240	#			06-AUG-83				
A-A-2153	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4551)	A 6240	#			06-AUG-83				
M A-A-2154A	PAPER, COPYING, XEROGRAPHIC PROCESS (WATERMARK)	A 7530	#	FSS		01-FEB-93				
A-A-2155	PAPER, COPYING, XEROGRAPHIC PROCESS (WET TONER)	A 7530	#			06-JUN-83				
A-A-2156(11)	PAPER, COPYING, XEROGRAPHIC PROCESS (WET TONER)	A 7530	#	FSS		20-APR-89				
D A-A-2156	MOSE, ASSEMBLY, NONMETALLIC (RELAY-SUPPLY) USER: CG MC REVIEWER: CS SH	A 4210	#	ME		15-JUL-83	ME	YD1	99	
D A-A-2158	MOSE, NONMETALLIC (FIRE, SUCTION, HARD & SOFT) USER: CG MC REVIEWER: CS SH	A 4210	#	ME		30-NOV-83	ME	YD1	99	
O A-A-2160A	MOSE ASSEMBLY, NONMETALLIC (BOOSTER) USER: CG MC REVIEWER: CS SH	A 4210	#	ME		03-OCT-83	ME	YD1	99	
A-A-2161	LAMP, INCANDESCENT (FIRE, SUCTION, HARD & SOFT, TRADE NO. 4581)	A 6240	#			06-AUG-83				
A-A-2162	BREATHING APPARATUS, SELF-CONTAINED	A 4240	#			15-JUL-83				
A-A-2163	BREATHING APPARATUS, SELF-CONTAINED (60 MINUTE)	A 4240	#			15-JUN-83				
D A-A-2164	HANDLE, HINGED USER: YD1	A 5120	#			25-MAY-84	GL		99	
A-A-2166A	HANDLE, SPEEDER, BRACE TYPE	A 5120	#	GL		26-JAN-89	GL		99	
A-A-2167	HANDLE, SPIN TYPE	A 5120	#			25-MAY-84	GL		99	
A-A-2168	HANDLE, TEE, SLIDING	A 5120	#			25-MAY-84	GL		99	
A-A-2169	UNIVERSAL JOINT, SOCKET WRENCH	A 5120	#			25-MAY-84	GL		99	
D A-A-2170	EXTENSION, SOCKET WRENCH, SOLID USER: YD1	A 5120	#			25-MAY-84	GL		99	
A-A-2171	EXTENSION, SOCKET WRENCH, FLEXIBLE	A 5120	#			25-MAY-84	GL		99	
D A-A-2172	ADAPTER, SOCKET WRENCH USER: YD1	A 5120	#			25-MAY-84	GL		99	
A-A-2173	ADAPTER, RATCHET, SOCKET WRENCH	A 5120	#			25-MAY-84	GL		99	
A-A-2174	TOWEL, PAPER (DENTAL)	A 8540	#			28-MAR-85				
A-A-2175	BATTERY FILLER, GRAVITY	A 6140	#			11-OCT-83				
A-A-2192	PAPER, BLOTTER	A 7530	#			23-SEP-83				
A-A-2196	FILING CABINET, STEEL, LEGAL AND LETTER SIZE, INSULATED	A 7110	#			11-JAN-84				
A-A-2202	STAKES, WOOD	A 5510	#	FSS		07-JUN-90				
A-A-2208	LUMBER, HARDWOOD REVIEWER: CS	A 5510	#			13-SEP-85	ME			
A-A-2210	FILLER, WOOD, PASTE	A 8010	#			13-MAR-84				
A-A-2211	WIRE FABRIC, STEEL, WELDED (FOR CONCRETE REINFORCEMENT)	A 5335	#	FSS		17-OCT-88				
A-A-2212	LAMP, SODIUM (HIGH PRESSURE)	A 6240	#			18-JUL-84				
A-A-2213	LAMP, INCANDESCENT (ELLIPTICAL REFLECTOR)	A 6240	#			18-JUL-84				
A-A-2214	LAMP UNIT, PHOTOFLASH (MULTIFLASH)	A 6750	#			29-JUN-84				
A-A-2215	LAMP, INCANDESCENT (SUBMINIATURE, TRADE NO. 6839)	A 6240	#			29-JUN-84				
A-A-2217	LAMP, INCANDESCENT, (ROUGH SERVICE, TRADE NO. 100A/RS, 130V)	A 6240	#			29-JUN-84				
A-A-2218	LAMP, MERCURY VAPOR	A 6240	#			19-JUL-84				
A-A-2219	LAMP, INCANDESCENT (MINIATURE TRADE NO. 325)	A 6240	#			29-JUN-84				
A-A-2220	LAMP, INCANDESCENT (SUBMINIATURE)	A 6240	#			03-JUL-84				
A-A-2221	LAMP, INCANDESCENT (TRADE NO. 25T8DC)	A 6240	#			07-JUL-84				
A-A-2222	LAMP, INCANDESCENT (FLOODLIGHT TRADE NO. 75 R30/PL)	A 6240	#			09-JUL-84				
A-A-2223	LAMP, MERCURY VAPOR (TRADE NO. H33 GL-400/C)	A 6240	#			25-JUL-84				
A-A-2224	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1835)	A 6240	#			09-JUL-84				
A-A-2225	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 24X)	A 6240	#			09-JUL-84				
A-A-2226	LAMP, INCANDESCENT (MINIATURE, TRADE NO. 1662)	A 6240	#			09-JUL-84				
A-A-2227	LAMP, INCANDESCENT (SEALED BEAM, TRADE NO. 4515)	A 6240	#			09-JUL-84				
A-A-2228	LAMP, INCANDESCENT (TRADE NO. 25A/TF)	A 6240	#			09-JUL-84				
A-A-2229	LAMP, PHOTO PROJECTION	A 6240	#			21-AUG-84				
A-A-2230	LABELS (HEAT SEALING TAPE)	A 7530	#			07-FEB-84	GL	SA		
A-A-2235	CHAIRS, ROTARY, (OFFICE, ERGONOMIC, UPHOLSTERED)	A 7110	#	GL		26-SEP-85				
D A-A-2236	PANELS INTERCONNECTING, LOADEARING, WITH HANG-ON COMPONENTS) REVIEWER: B4	A 7110	#	GL		08-OCT-85	GL	YD1	99	
D A-A-2237	TABLES, TASK (CLOSED BASE)	A 7110	#	GL		08-OCT-85	GL	YD1	99	
D A-A-2238	STAND, OFFICE MACHINE (EDP TERMINAL, DUAL SURFACE)	A 7110	#	GL		08-OCT-85	GL	YD1	99	
D A-A-2239	STAND, OFFICE MACHINE (EDP, PRINTER)	A 7110	#	GL		08-OCT-85	GL	YD1	99	
A-A-2240	TABLES, TASK (OPEN BASE)	A 7110	#	FSS		08-OCT-85				
A-A-2242	PEDESTALS, MOBILE	A 7110	#	FSS		08-OCT-85				
A-A-2244	SHIELD, ARC VIEWING, HAND HELD	A 4240	#	EA		18-MAR-84	EA		99	
A-A-2245	MOSE ASSEMBLY, NONMETALLIC (STAMPING, RACK & REEL) REVIEWER: NI	A 4210	#	ME		25-JUL-84	ME		99	
D A-A-2246	PAINT, LATEX (GLOSS, INTERIOR) USER: SH YD1 REVIEWER: B4 MD	A 8010	#	ME		27-JUN-84	ME		99	
D A-A-2247	PAINT, LATEX (SEMI-GLOSS, INTERIOR) USER: SH YD1 REVIEWER: B4 MD	A 8010	#	FSS		27-JUN-84			99	
D A-A-2248	PAINT, LATEX (FLAT, INTERIOR) USER: SH YD1 REVIEWER: B4 MD	A 8010	#	FSS		27-JUN-84	ME		99	
A-A-2256	CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 MEMORY, PRINT/DISPLAY, TWO-COLOR PRINT)	A 7420	#	FSS		09-MAR-84				
A-A-2257	CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 MEMORY, PRINT/DISPLAY) (SINGLE-COLOR PRINT)	A 7420	#	FSS		09-MAR-84				
L A-A-2258C	CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 MEMORY, PRINT/DISPLAY) (TWO COLOR PRINT)	A 7420	#	99		10-MAY-91			99	
A-A-2259	CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 MEMORY, PRINT/DISPLAY) (SINGLE-COLOR PRINT)	A 7420	#	FSS		09-MAR-84				
L A-A-2260C	CALCULATING MACHINE (DESK TOP, 12 DIGIT, 2 OR MORE MEMORIES, PRINT/DISPLAY) (TWO-COLOR PRINT)	A 7420	#	99		10-MAY-91			99	
A-A-2261	CALCULATING MACHINE (DESK TOP, 12 DIGIT, 2 OR MORE MEMORIES, PRINT/DISPLAY) (SINGLE-COLOR PRINT)	A 7420	#	FSS		09-MAR-84				
L A-A-2262C	CALCULATING MACHINE (DESK TOP, 14 DIGIT, 1 OR MORE MEMORIES, PRINT/DISPLAY) (TWO-COLOR PRINT)	A 7420	#	99		10-MAY-91			99	
L A-A-2263D	CALCULATING MACHINE (DESK PORTABLE, 10 DIGIT, 1 OR MORE MEMORIES, PRINT/DISPLAY)	A 7420	#	99		10-MAY-91			99	
A-A-2264	CALCULATING MACHINE (DESK TOP, 10 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY)	A 7420	#			09-MAR-84				
A-A-2265	CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY)	A 7420	#			09-MAR-84				
A-A-2266	CALCULATING MACHINE (DESK TOP, 10 DIGIT, 0 MEMORY, PRINT ONLY) (TWO COLOR PRINT)	A 7420	#			09-MAR-84				
A-A-2267	CALCULATING MACHINE (DESK TOP, 12 DIGIT, 0 MEMORY, PRINT ONLY) (TWO COLOR PRINT)	A 7420	#			09-MAR-84				
A-A-2268	CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, PRINT ONLY) (TWO COLOR PRINT)	A 7420	#			09-MAR-84				
M A-A-2269A	HELMET, SAFETY USER: 45 CG REVIEWER: B2 CT MD	A 8415	#	GL		01-APR-93	GL	MJ		
A A-A-2270	HELMET, SAFETY (ELECTRICAL WORKER) USER: 45 CG REVIEWER: B2 MD MJ	A 8415	#	CT		09-JUL-84	GL	SA		CT
A A-A-2271	HELMET, SAFETY (WITH HEADLAMP CLIPS) USER: 45 CG REVIEWER: B2 MD MJ	A 8415	#	CT		09-JUL-84	GL	SA		CT
A-A-2278A	LEVELING DEVICE, LADDER	A 5440	#	FSS		26-SEP-90				
A-A-2279	NOZZLE, FIRE HOSE, WATER (FIXED GALLONAGE) REVIEWER: ME	A 4210	#			07-NOV-84				
A-A-2280	NOZZLE, FIRE HOSE, WATER (SELF-ADJUSTING) REVIEWER: ME	A 4210	#			07-NOV-84				
A-A-2281	NOZZLE, FIRE HOSE, WATER (VARIABLE GALLONAGE, CONSTANT FLOW) REVIEWER: ME	A 4210	#			06-NOV-84				
A-A-2282	AIR CONDITIONER (WINDOW, HEAT PUMP)	A 4120	#	FSS		31-MAY-85				
A-A-2283	SIAMSE CONNECTION, FIRE HOSE (WYES PLAIN, TWO AND THREE WAY HYDRANT) REVIEWER: ME	A 4210	#			27-NOV-84				
A-A-2284	HOSE ASSEMBLY, NON-METALLIC (FIRE; COTTON; SINGLE-JACKETED)	A 4210	#			27-AUG-84	ME			



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Doc / OMA Coordination Index	Document Title	Dist. Smt. FAC / Area MCA Symbol	Preparing Act. Date	Custodians		
				Army	Navy	Air Force DLA
L	A-A-2285	A 7420 #	FSS 15-MAY-85			
	A-A-2286	A 7420 #	FSS 15-MAY-84			
L	A-A-2287	A 7420 #	FSS 15-MAY-84			
	A-A-2288A	A 7420 #	FSS 15-MAY-84			
D	A-A-2289A	A 7420 #	FSS 15-MAY-84			
	A-A-2290	A 7420 #	FSS 15-MAY-84			
D	A-A-2291	A 7420 #	FSS 15-MAY-84			
	A-A-2292	A 7420 #	FSS 15-MAY-84			
D	A-A-2293	A 5210 #	YD1 15-MAY-84	GL	YD1	
	A-A-2294	A 4210 #	21-NOV-84			
D	A-A-2297	A 4210 #	FSS 09-APR-85			
	A-A-2298	A 4210 #	29-NOV-84			
D	A-A-2299B	A 8105 #	GL 17-NOV-89	GL	69	
	A-A-2302A	A 3610 #	26-SEP-84			
D	A-A-2303	A 7510 #	24-JUL-85			
	A-A-2305A	A 3610 #	09-NOV-84			
D	A-A-2306A	A 3610 #	09-NOV-84			
	A-A-2307	A 5110 #	27-SEP-85			
D	A-A-2308	A 5110 #	27-SEP-85			
	A-A-2309	A 5110 #	27-SEP-85			
D	A-A-2310	A 5110 #	27-SEP-85			
	A-A-2311	A 5110 #	27-SEP-85			
D	A-A-2312	A 5110 #	27-SEP-85			
	A-A-2313	A 5110 #	27-SEP-85			
D	A-A-2314	A 5110 #	27-SEP-85			
	A-A-2315	A 5110 #	27-SEP-85			
D	A-A-2316	A 5110 #	27-SEP-85			
	A-A-2317	A 5110 #	27-SEP-85			
D	A-A-2318	A 5110 #	27-SEP-85			
	A-A-2319	A 5110 #	27-SEP-85			
D	A-A-2320	A 5110 #	27-SEP-85			
	A-A-2321	A 5110 #	27-SEP-85			
D	A-A-2322	A 5110 #	27-SEP-85			
	A-A-2323	A 5110 #	27-SEP-85			
D	A-A-2324	A 5110 #	27-SEP-85			
	A-A-2325	A 5110 #	27-SEP-85			
D	A-A-2326	A 5110 #	27-SEP-85			
	A-A-2327	A 5110 #	27-SEP-85			
D	A-A-2328	A 5110 #	27-SEP-85			
	A-A-2329	A 5110 #	27-SEP-85			
D	A-A-2330	A 5110 #	01-APR-85			
	A-A-2331	A 7510 #	01-OCT-85			
D	A-A-2335	A 8010 #	11-DEC-84			
	A-A-2336	A 8010 #	11-JAN-85			
D	A-A-2337	A 3750 #	08-NOV-84	ME		99
	A-A-2338	A 3750 #	20-SEP-84	ME		99
D	A-A-2339	A 8010 #	26-NOV-84			
	A-A-2340	A 8010 #	15-JAN-85			
D	A-A-2344A	A 5120 #	14-MAY-85			
	A-A-2345	A 5120 #	26-OCT-84			
D	A-A-2346	A 5120 #	26-OCT-84			
	A-A-2347	A 5120 #	26-OCT-84			
D	A-A-2348B	A 5210 #	GL 30-JUL-91	GL		
	A-A-2349	A 5130 #	01-NOV-84			
D	A-A-2350A	A 5130 #	GL 01-APR-91	GL		99
	A-A-2351	A 5130 #	29-NOV-85			
D	A-A-2352	A 5130 #	29-NOV-85			
	A-A-2355	A 7520 #	08-JUL-85			
D	A-A-2356	A 7520 #	26-JUN-85			
	A-A-2359A	A 7510 #	FSS 05-DEC-90			
D	A-A-2360A	A 7510 #	FSS 16-JAN-90			
	A-A-2361A	A 7510 #	FSS 21-DEC-90			
D	A-A-2364A	A 7510 #	FSS 06-JAN-92			
	A-A-2365A	A 7510 #	FSS 15-DEC-91			
D	A-A-2367	A 7510 #	GL 03-OCT-85	GL	SA	99
	A-A-2368	A 7330 #	29-AUG-85	GL	SA	99
D	A-A-2369A	A 7910 #	99 06-JAN-86			
	A-A-2370	A 7910 #	05-DEC-85			
D	A-A-2371	A 7420 #	FSS 19-FEB-85			
	A-A-2372	A 7420 #	FSS 22-JAN-85			
D	A-A-2373	A 7420 #	FSS 18-DEC-84			
	A-A-2375	A 4240 #	28-AUG-85			
D	A-A-2376	A 4210 #	29-AUG-85			
	A-A-2377	A 4210 #	28-AUG-85			
D	A-A-2380	A 4510 #	22-AUG-85	ME		99
	A-A-2382	A 5120 #	09-AUG-85			
D	A-A-2383	A 5120 #	09-AUG-85			
	A-A-2385	A 5120 #	09-AUG-85			
D	A-A-2395	A 6240 #	09-AUG-85			
	A-A-2397	A 6240 #	15-SEP-85			
D	A-A-2398A	A 7230 #	FSS 25-NOV-88			
	A-A-2400	A 7910 #	07-MAR-86			
D	A-A-2402	A 4210 #	ME 19-FEB-86	ME		
	A-A-2428	A 5110 #	02-JUN-86			
D	A-A-2429	A 5110 #	20-JUN-86			
	A-A-2430	A 5110 #	02-JUN-86			
D	A-A-2431	A 5110 #	02-JUN-86			
	A-A-2432	A 5110 #	02-JUN-86			
D	A-A-2433	A 5110 #	02-JUN-86			
	A-A-2434	A 5110 #	02-JUN-86			
D	A-A-2435	A 5110 #	02-JUN-86			
	A-A-2436	A 5110 #	02-JUN-86			
D	A-A-2437	A 5110 #	02-JUN-86			
	A-A-2440	A 5110 #	FSS 02-JUN-86			
D	A-A-2441	A 5110 #	FSS 02-JUN-86			
	A-A-2442	A 5110 #	FSS 02-JUN-86			
D	A-A-2443	A 5110 #	FSS 02-JUN-86			
	A-A-2444	A 5110 #	FSS 02-JUN-86			
D	A-A-2445	A 5110 #	FSS 02-JUN-86			
	A-A-2446	A 5110 #	02-JUN-86			
D	A-A-2447	A 5110 #	02-JUN-86			
	A-A-2448	A 5110 #	02-JUN-86			



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active CPL / OMA Combinator Index	Document Number	Document Title	Doc. Sym. FSC / Ave MCA Symbol	Preparing Act Date	Customs Army Navy Air Force DIA
A-A-2452		FILE, HAND (SWISS PATTERN), NEEDLE, SLITTING	A 5110 #	02-JUN-86	
A-A-2453		FILE, HAND (SWISS PATTERN), NEEDLE, MARKING, HALF-ROUND	A 5110 #	02-JUN-86	
A-A-2454		FILE, HAND (SWISS PATTERN), SCREHEAD	A 5110 #	02-JUN-86	
A-A-2455		FILE, HAND (SWISS PATTERN), CONTACT-POINT	A 5110 #	02-JUN-86	
A-A-2456		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 1	A 5110 #	02-JUN-86	
A-A-2457		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 3	A 5110 #	02-JUN-86	
A-A-2458		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 4	A 5110 #	02-JUN-86	
A-A-2459		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 5	A 5110 #	02-JUN-86	
A-A-2460		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 6	A 5110 #	02-JUN-86	
A-A-2461		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 7	A 5110 #	02-JUN-86	
A-A-2462		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 8	A 5110 #	02-JUN-86	
A-A-2463		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 9	A 5110 #	02-JUN-86	
A-A-2464		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 10	A 5110 #	02-JUN-86	
A-A-2465		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 11	A 5110 #	02-JUN-86	
A-A-2466		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 12	A 5110 #	02-JUN-86	
A-A-2469		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 15	A 5110 #	02-JUN-86	
A-A-2470		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 16	A 5110 #	02-JUN-86	
A-A-2471		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 17	A 5110 #	02-JUN-86	
A-A-2472		RIFFLER, DIE SINKERS (SWISS PATTERN), SHAPE NUMBER 18	A 5110 #	02-JUN-86	
A-A-2474		BAR, WRECKING (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2475		CHISEL, COLD, HAND (NONSPARKING AND NONMAGNETIC)	A 5110 # FSS	15-AUG-88	
A-A-2476		HAMMER, HAND (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-SEP-88	
A-A-2477		KEY, SOCKET HEAD SCREW (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2478		MARLINSPIKE (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2479		PLIERS, (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2480		SAW, HAND, CROSSCUT (NONSPARKING AND NONMAGNETIC)	A 5110 # FSS	15-AUG-88	
A-A-2481		SCRAPER, SHIP (NONSPARKING AND NONMAGNETIC)	A 5110 # FSS	15-AUG-88	
A-A-2482		SCRAPER, SPRAY BOOTH (NONSPARKING AND NONMAGNETIC)	A 5110 # FSS	15-AUG-88	
A-A-2483		SCREWDRIVER, CROSS TIP (PHILLIPS, NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2484		SCREWDRIVER, FLAT TIP (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2485		SCREWDRIVER, OFFSET (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2486		SOCKET, SOCKET WRENCH (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2487		TROWEL (BRICKLAYER'S, NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2488		WEDGE, JOINT BREAKING (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2489		WRENCHES, ADJUSTABLE (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2490		WRENCH, BOX (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2491		WRENCH, BOX AND OPEN END, COMBINATION (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2493		WRENCH, OPEN END (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2495		WRENCH, SOCKET (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2496		WRENCH, SPANNER (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2497		WRENCH SET, SOCKET (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2505		PLIERS, SLIP JOINT (NONSPARKING AND NONMAGNETIC)	A 5120 # FSS	15-AUG-88	
A-A-2506		PLIERS, DIAGONAL CUTTING (NONSPARKING AND NONMAGNETIC)	A 5110 # FSS	15-AUG-88	
A-A-2507		CHISEL, DIAMOND POINT, HAND (NONSPARKING AND NONMAGNETIC)	A 5110 # FSS	15-AUG-88	
L A-A-2510A		CALCULATING MACHINE (DESK TOP, 12 DIGIT, 1 OR MORE MEMORIES, DISPLAY ONLY) (SOLAR POWER) REVIEWER: 84	A 7420 # 99	10-MAY-91	99
A-A-2511		BRUSHES, WIRE, ROTARY, CUP, CRIMPED WIRE	A 5130 #	01-APR-87	
A-A-2512		BRUSHES, WIRE, ROTARY, CUP, TWISTED TUFT	A 5130 #	01-APR-87	
A-A-2513		BRUSHES, WIRE, ROTARY, END ATTACHMENT, SOLID WIRE FILLED	A 5130 #	01-APR-87	
A-A-2514		BRUSHES, WIRE, ROTARY, END ATTACHMENT, CIRCULAR, SIDE FLARE	A 5130 #	01-APR-87	
A-A-2516		BRUSHES, WIRE, ROTARY, WHEEL, CRIMPED WIRE	A 5130 #	01-APR-87	
A-A-2517		BRUSHES, WIRE, ROTARY, WHEEL, TWISTED TUFT	A 5130 #	01-APR-87	
A-A-2518		DRILL, TWIST (CARBIDE TIP) USER: AR MC ME REVIEWER: 84	A 5133 #	07-DEC-87	GL 99
A-A-2522		RAGS, WIPING (COTTON AND COTTON-SYNTHETIC)	A 7920 # FSS	19-JUL-89	
NOTICE 1					
M A-A-2523B		CASE, DISPATCH, MOLDED PLASTIC	A 8460 # FSS	01-MAY-92	
D A-A-2524		HOLDER, TOILET PAPER (SINGLE ROLL) REVIEWER: CS	A 4510 # YD1	14-MAR-91	ME YD1 99
L A-A-2527A		MAX, CARNALURA	A 9160 # AR	05-JUL-89	AR
A-A-2528		LADLES, MELTING, HAND	A 5120 #	06-FEB-87	
A-A-2529		TROW, CALKING WOOD	A 5130 #	01-APR-87	
A-A-2530B		CHALKBOARD (STAND AND WALL MOUNTED)	A 7110 # FSS	24-SEP-90	
A-A-2531		MARLINSPIKE (MARILA ROPE)	A 5120 #	19-FEB-87	
A-A-2532		BEVELS, SLIDING T REVIEWER: 84	A 5210 #	15-JAN-87	
A-A-2539B		HAMMER, HAND, BRICKLAYER'S	A 5120 # GL	18-DEC-89	GL SH 99
A-A-2540		MAIL SET USER: ER MC ME YD1 REVIEWER: 84	A 5120 # GL	06-FEB-91	GL 99
A-A-002544		COATING, RUST PREVENTIVE FOR INACTIVE FLEET SHIPS	A 8010 #	23-APR-87	
A-A-2546		PAD, WRITING PAPER (REPOSITIONABLE)	A 7530 #	09-DEC-87	
A-A-2546(11)		PAD, WRITING PAPER (REPOSITIONABLE)	A 7530 # FSS	20-APR-89	
A-A-2547		CABINET, KEY AND IDENTIFICATION SYSTEMS	A 7125 # FSS	20-JAN-88	
A-A-2549		BINDER, LOOSE-LEAF (RING)	A 7510 # FSS	28-JUN-89	
A-A-2549(11)		BINDER, LOOSE-LEAF (RING)	A 7510 # FSS	04-DEC-90	
A-A-2551		DRILL, HAND REVIEWER: 84	A 5110 # GL	06-FEB-88	GL 99
A-A-2555		DRILL, MASONRY, HAND (STAR (FOUR-FLUTE) DRILL)	A 5110 # GL	17-MAR-88	GL 99
A-A-2565		BAR, FRY (ROLLING - HEAD) REVIEWER: 84	A 5120 # GL	25-MAR-88	GL 99
A-A-2567		BAR, DIGGING AND TAMPING REVIEWER: 84 GS	A 5120 # GL	25-MAR-88	GL 99
A-A-2574		SAW, BUTCHER'S AND BLADE, BUTCHER'S HANDSAW USER: MD TS	A 7330 #	15-DEC-88	GL SA 99
M A-A-2576A		SCALE, AREA (TRANSPARENT PLASTIC)	A 6675 # FSS	30-APR-92	
A-A-2579		PSYCHROMETER, SLING, POCKET TYPE	A 6685 # FSS	02-MAY-88	
A-A-2581		PLATE, EATING (POLYSTYRENE, DISPOSABLE) REVIEWER: 84 MD MS	A 7350 # GL	04-MAY-88	GL SA 99
A-A-2585		DINNERWARE, CHINA (WHITE) USER: MC REVIEWER: 84 MD TS	A 7350 # GL	13-DEC-88	GL SA 99
D A-A-2588		HERBICIDE, MONOCIL USER: 68 EA GS YD1	A 6840 # FSS	15-SEP-88	
D A-A-2589		HERBICIDE, HEXAZINONE USER: 68 EA GS YD1	A 6840 # FSS	15-SEP-88	
D A-A-2590		DISPENSER, DRINKING WATER, MECHANICALLY COOLED (BARRIER FREE, WATER COOLER) USER: YD1	A 4110 # FSS	20-DEC-88	
A-A-2594		TRAY, SERVICE	A 7350 # FSS	16-MAR-89	
A-A-2595		CUP, DISPOSABLE, LID, DISPOSABLE CUP REVIEWER: 84 MD TS	A 7350 # GL	08-FEB-89	GL SA 99
L A-A-2596		PITCHER, INSULATED	A 7350 # FSS	20-DEC-88	
A-A-2597		DISHPAN (STAINLESS STEEL) USER: MS REVIEWER: 84 MD	A 7330 # GL	01-AUG-90	GL SA 99
A-A-2598B		CLOCK, ALARM (GENERAL PURPOSE)	A 6645 # FSS	16-AUG-91	
A-A-2599A		SHREDDING MACHINE, PAPER, OFFICE (HIGH SECURITY, CROSS-CUT)	A 7490 # FSS	19-NOV-90	
L A-A-2601		CLIP, PAPER, WIRE	A 7510 # FSS	19-DEC-88	
A-A-2602A		SHREDDING MACHINE, PAPER, OFFICE (CROSS-CUT)	A 7490 # FSS	19-NOV-90	
A-A-2603A		SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT, HIGH SPEED)	A 7450 # FSS	19-NOV-90	
A-A-2605		TRAY, NESS, COMPARTMENTED (PLASTIC) USER: MC REVIEWER: 84 MD	A 7350 # GL	10-SEP-90	GL SA 99
A-A-2606		PAN, FRYING (ALUMINUM) REVIEWER: 84 MC MD	A 7330 # GL	06-JUN-89	GL SA 99
A-A-2607A		SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT)	A 7450 # FSS	19-NOV-90	
A-A-2608A		SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT AND CROSS CUT, PERSONAL TYPE)	A 7490 # FSS	19-NOV-90	
A-A-2609A		SHREDDING MACHINE, PAPER, OFFICE (STRAIGHT CUT, HIGH VOLUME)	A 7490 # FSS	19-NOV-90	
A-A-2610B		PULVERIZING MACHINE, PAPER, CLASSIFIED WASTE	A 3615 # FSS	04-JAN-91	
A-A-2611		PUNCH, BINDER AND PUNCH/BINDER MACHINES (FOR SPIRAL BINDERS)	A 3610 # FSS	01-DEC-89	
A-A-2615A		PLATE, ELECTROSTATIC	A 3610 # FSS	07-DEC-90	
A-A-2618		RIBBON, INKING TAPE, LIFT-OFF	A 7510 # FSS	28-MAR-91	
D A-A-2622		ADAPTERS, PIPE TO MOSE, STRAIGHT OR REDUCING USER: CG REVIEWER: 84 GS GS	A 4210 # YD1	20-FEB-90	ME YD1 99
A-A-2623A		PLATE, ELECTROSTATIC USER: ME	A 3610 # FSS	14-DEC-90	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active CPL / OMA Coordination Package	Document Number	Document Title	Dist. Smt FSC / Area	NAI Symbol Preceding Adj.	Date	Custodian Army Navy Air Force DIA
	A-A-2625A	PLATE, ELECTROSTATIC USER: ME	A 3610	FSS	14-DEC-90	
	A-A-2627A	PLATE, LITHOGRAPHIC, PRESENSITIZED USER: ME	A 3610	FSS	28-DEC-90	
L	A-A-2628	SCANNER, STENCIL MAKER, ELECTRONIC/DIGITAL, DESK-TOP REVIEWER: 84	A 3610	99	09-NOV-90	
	A-A-2629	DUPLICATING MACHINE, STENCIL-PROCESS, TABLE MOUNTED REVIEWER: 84 GS	A 3610	GL	09-NOV-90	GL SA 99
L	A-A-2630	DUPLICATING MACHINE, SPIRIT, TABLE MOUNTED REVIEWER: 84	A 3610	99	09-NOV-90	99
	A-A-2631	MIRROR, GLASS, (HARDWOOD FRAMED)	A 7105	FSS	02-JAN-90	
	A-A-2635	SOCKET, SOCKET WRENCH USER: CR ER MC REVIEWER: 84	A 5120	GL	15-AUG-89	GL 99
D	A-A-2636	ALGICIDE	A 6840	FSS	25-AUG-89	
	A-A-2637	HERBICIDE, TRICLOPYR USER: 68 EA GS YD1	A 6840	FSS	30-JUN-89	
	A-A-2638	DUPLICATOR, DIGITAL STENCIL (COPIER-PRINTER)	A 3610	FSS	01-FEB-90	
	A-A-2651	BINDER, AMARD CERTIFICATE	A 7510	GL	14-FEB-91	GL SA 99
A	A-A-2652	BINDER, NOTE PAD REVIEWER: 84 GS	A 7510	GL	04-SEP-90	GL SA 99
	A-A-2653	BINDER, NOTE PAD, SPRING-BACK	A 7510	FSS	02-OCT-92	
	A-A-2654	PROTECTOR, DOCUMENT	A 7510	FSS	02-JAN-90	
	A-A-2655	BINDER, LOOSE-LEAF, FLEXIBLE PRONG	A 7510	FSS	06-JUL-90	
	A-A-2656	TAB, SIGNAL, PLASTIC TAB SET, SIGNAL, PLASTIC	A 7510	FSS	09-MAY-90	
	A-A-2657	BINDER, AMARD CERTIFICATE	A 7510	FSS	20-NOV-90	
	A-A-2658	BINDER, LOOSE-LEAF, (WITH OR WITHOUT FLEXIBLE PRONG)	A 7510	FSS	10-JAN-91	
A	A-A-2660	PORTFOLIO, DOUBLE-POCKET PRESENTATION	A 7510	FSS	18-NOV-90	
A	A-A-2661	BRUSHES, MUCILAGE	A 7510	FSS	30-DEC-91	
	A-A-2664	FLATWARE, STAINLESS STEEL USER: MC REVIEWER: 84 MD TS	A 7340	GL	24-MAR-93	GL SA 99
	A-A-2666	PENCIL, ELECTROGRAPHIC	A 7510	FSS	03-AUG-91	
L	A-A-2667	SAND, SAMBLAST USER: AS SH REVIEWER: 84	A 5350	99	20-APR-90	
D	A-A-2668	DISPENSER, TOILET PAPER, CABINET USER: MC REVIEWER: 84 CS	A 4510	YD1	26-APR-90	YD1 99
	A-A-2669	BOX, FILING, PLASTIC	A 7520	FSS	19-MAY-90	
L	A-A-2670	STAPLE, TACKER REVIEWER: GL	A 5315	82	04-MAY-90	99
	A-A-2671	SEEDS, AGRICULTURAL	A 8730	FSS	08-FEB-91	
	A-A-2673	NUTRUNNER AND SCREWDRIIVER, PNEUMATIC REVIEWER: 84	A 5130	GL	01-MAY-91	GL 99
	A-A-2678	WRENCH, IMPACT, PNEUMATIC, PORTABLE (PISTOL GRIP) REVIEWER: 84	A 5130	GL	01-JUL-91	GL 99
	A-A-2679	SAW, CIRCULAR, PNEUMATIC, PORTABLE	A 5130	GL	01-MAY-91	GL 99
L	A-A-2681	PLASTIC SHEET, PRESSURE SENSITIVE ADHESIVE COATED, PAPER-BACKED USER: MC REVIEWER: 11	A 9330	MR	19-FEB-91	MR
	A-A-2687	SANDER, PAD, PNEUMATIC, PORTABLE (ORBITAL MOTION) REVIEWER: 84	A 5130	GL	01-JUN-91	GL 99
	A-A-2688	SANDER, PAD, PNEUMATIC, PORTABLE (RECIPROCATING MOTION) REVIEWER: 84	A 5130	GL	01-JUN-91	GL 99
L	A-A-2689	SANDER, DISK, PNEUMATIC, PORTABLE (RIGHT ANGLE) REVIEWER: 84	A 5130	GL	01-JUN-91	GL 99
	A-A-2690	SANDER, DISK, PNEUMATIC, PORTABLE (DUEL MOTION) REVIEWER: 84	A 5130	GL	01-JUL-91	GL 99
	A-A-2691	WRENCH, IMPACT, PNEUMATIC, PORTABLE (CLOSED GRIP) REVIEWER: 84	A 5130	GL	01-JUL-91	GL 99
	A-A-2692	WRENCH, IMPACT, PNEUMATIC, PORTABLE (BODY GRIP) REVIEWER: 84	A 5130	GL	01-JUL-91	GL 99
	A-A-2695	PEN, ROLLERBALL	A 7520	FSS	16-AUG-90	
	A-A-2697	DISC, ABRASIVE (PAPER)	A 5345	FSS	27-DEC-90	
D	A-A-2699	TACKER, STAPLE, (COMPRESSION TYPE, MANUALLY-OPERATED) REVIEWER: GL	A 5120	82	01-APR-91	82
	A-A-2703	DISPENSERS, SOAP USER: MC REVIEWER: CS	A 4510	YD1	19-MAR-91	YD1 84
	A-A-2704	PAD, TYPEWRITER, SPONGE RUBBER	A 7510	FSS	13-NOV-90	
	A-A-2707	STAPLES, HEAVY DUTY, PAPER FASTENING	A 7510	FSS	30-NOV-90	
	A-A-2709	SANDER, DISK, PNEUMATIC, PORTABLE (VERTICAL DRIVE) REVIEWER: 84	A 5130	GL	01-JUN-91	GL 99
	A-A-2710	POT, COOKING USER: MC REVIEWER: 50 84 MD TS	A 7330	GL	12-FEB-91	GL SA 99
	A-A-2711	SCREWDRIIVER, CROSS TIP (HIGH PERFORMANCE)	A 5120	FSS	15-MAR-91	
	A-A-2712	SCREWDRIIVER, FLAT TIP (HIGH PERFORMANCE)	A 5120	FSS	15-MAR-91	
	A-A-2714	BAG, CLOTH, MAILING REVIEWER: SH	A 8105	GL	31-MAY-91	GL SA
	A-A-2722	CLOCKS, WALL (QUARTZ CRYSTAL-BATTERY OPERATED)	A 6645	FSS	16-AUG-91	
D	A-A-2738(1)	STENCIL CUTTING MACHINE, HAND-OPERATED	A 7490	FSS	29-MAR-91	
	A-A-2741	SEALS, ANTIPIREFRAGE USER: MC ME SH REVIEWER: 99 IS SA	A 5340	YD1	31-JAN-91	AR YD1
A	A-A-2742	RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, PORTABLE)	A 7450	FSS	24-JUN-91	
A	A-A-2744	RECORDER-REPRODUCER, SOUND (DICTATING MACHINE, DESK TOP)	A 7450	FSS	24-JUN-91	
A	A-A-2748A	RAZOR, SAFETY, DISPOSABLE	A 8530	MC	22-OCT-91	MC GS
N	A-A-2749	ENVELOPE, TRANSLUCENT	A 7530	FSS	29-JUN-92	
A	A-A-2752	INK, WRITING RED	A 7510	FSS	26-FEB-92	
N	A-A-2755	INK, WRITING FOR FOUNTAIN AND DIP PENS	A 7510	FSS	15-NOV-91	
A	A-A-2757	PENCIL, COLORED LEAD	A 7510	FSS	30-DEC-91	
	A-A-2758	PENCIL, CARPENTER	A 7510	FSS	15-DEC-91	
A	A-A-2762	MARKER, TUBE TYPE	A 7520	FSS	18-OCT-91	
A	A-A-2763	TYPING, ELEMENT (DAISY WHEEL - DISK TYPE)	A 7510	FSS	07-JAN-92	
N	A-A-2764	TYPING, ELEMENT (DISK TYPE)	A 7510	FSS	07-JAN-92	
N	A-A-2765	PENCIL, MECHANICAL FOR 0.5 AND 0.7 MM LEAD SIZES	A 7520	FSS	02-DEC-91	
	A-A-2766	PENCIL, MECHANICAL FOR 1.1 MM LEAD SIZE	A 7520	FSS	12-DEC-91	
A	A-A-2767	TYPING, ELEMENT (TELETYPE AND FACSIMILE EQUIPMENT)	A 7510	FSS	30-DEC-91	
N	A-A-2770	INK, DRAWING, WATERPROOF, BLACK	A 7510	FSS	02-OCT-92	
A	A-A-2776	PENCIL, MECHANICAL FOR 0.9 MM LEAD SIZE	A 7520	FSS	02-DEC-91	
A	A-A-2777	PENCIL, COPYING	A 7510	FSS	13-JAN-92	
A	A-A-2779	PENCIL, WHITE CORRECTION LEAD	A 7510	FSS	02-JAN-92	
N	A-A-2780	MARKER, TUBE TYPE, HIGHLIGHTER	A 7520	FSS	15-DEC-91	
A	A-A-2784	TYPE CLEANER	A 7510	FSS	01-APR-92	
A	A-A-2785	INK, ROLL	A 7510	FSS	15-JAN-92	
A	A-A-2786	PENCIL, DRAFTING	A 7510	FSS	21-JUL-92	
A	A-A-2790	PRIMER COATING (AEROSOL, LEAD AND CHROMATE FREE)	A 8010	FSS	31-MAR-92	
A	A-A-2793	ENVELOPE, TRANSPARENT REVIEWER: 84	A 7510	GL	25-JUN-92	GL 99
A	A-A-2794	CLEANER-DISINFECTANT (PINE TYPE)	A 6840	FSS	06-JUL-92	
A	A-A-2798	CASE, FILING, TRANSFER	A 7520	FSS	18-JUN-92	
N	A-A-2801	LEAD, SYNTHETIC	A 7510	FSS	15-SEP-92	
A	A-A-2802	PENCIL, MECHANICAL FOR 0.9 MM AND 1.1 MM SIZE, COLORED OR BLACK LEADS	A 7520	FSS	03-MAY-92	
A	A-A-2806	DOG FOOD, HIGH PERFORMANCE, DRY	A 8710	FSS	22-JUL-92	
A	A-A-2807	BOTTLE, APPLICATOR, 473.12 CC (16 OUNCE) CAPACITY, SPRAYER NOZZLE	A 8125	FSS	09-OCT-92	
N	A-A-2819	BOX, FILE	A 7520	FSS	13-OCT-92	
L	A-A-005337	PAPER, TELETYPEWRITER, ROLL REVIEWER: GL	A 7530	FSS	10-DEC-92	
	A-A-11111	INTERIM COMMERCIAL ITEM DESCRIPTION MAX, DENTAL, IMPRESSION	A 6520	MB	07-FEB-88	MD MS 03
	A-A-20000A	TEST	A 5220	84	08-JUL-89	GL SA 99
A	A-A-20022A	CEREAL, PREPARED, READY-TO-EAT REVIEWER: MC MD SS TS	A 8920	GL	30-DEC-88	GL SA 50
	A-A-20030A	CEREAL FOR BABIES, INSTANT	A 8920	FV	06-MAR-92	
	A-A-200320	SALAD DRESSING MIXES REVIEWER: MC MD QM SS	A 8950	GL	27-AUG-91	GL SA 50
	A-A-20033A	POTATOES, WHITE, DEHYDRATED REVIEWER: MC MD QM SA SS	A 8915	GL	30-SEP-92	GL SA 50
	A-A-20034	TEA, BLACK (BAGS OR LOOSE REVIEWER: MC MD MS SS TS)	A 8955	GL	10-JAN-86	GL SA 50
	A-A-20035A	COCOA REVIEWER: MC MD MS SS TS	A 8955	GL	06-APR-83	GL SA 50
	A-A-20036A	HOMINY GRITS, ENRICHED REVIEWER: MC MD MS SS TS	A 8920	GL	14-JUL-83	GL SA 50
	A-A-20037A	MUSTARD, PREPARED REVIEWER: MC MD MS SS TS	A 8950	GL	08-FEB-88	GL SA 50
	A-A-20038A	MEAL, PRECOOKED, FROZEN REVIEWER: MC MD SA SS TS	A 8970	GL	26-AUG-88	GL SA 50
	A-A-20039	POTATO PRODUCTS, PREFORMED, PRECOOKED, FROZEN REVIEWER: MC MD MS TS	A 8915	GL	29-AUG-86	GL SA 50
	A-A-20041A	POTATOES, WHITE, (PEELED)	A 8915	GL	17-AUG-81	
	A-A-20042A	SALT, TABLE, IODIZED REVIEWER: MC MD SS TS	A 8950	GL	08-FEB-89	GL SA 50
	A-A-20043	BEAN SPROUTS, CANNED REVIEWER: MC MD MS SS	A 8915	GL	01-JUN-89	GL SA 50
	A-A-20044	CREAMER, NON-DAIRY, DRY REVIEWER: MC MD MS SS TS	A 8940	GL	16-AUG-82	GL SA 50
	A-A-20045	BUTTER REVIEWER: MC MD MS SS TS	A 8910	*	16-NOV-84	GL SA 99
	A-A-20046	CUSTARD MIX, EGG, DRY, NO-BAKE REVIEWER: MC MD MS SS TS	A 8940	GL	27-DEC-82	GL SA 50
	A-A-20047B	EGGNOG MIX, DRY REVIEWER: MC MD MS SS TS	A 8910	GL	27-DEC-82	GL SA 50
	A-A-20048	MEAT PUREES, WITH MEAT BROTHS (CANNED) REVIEWER: MC MD MS SS	A 8940	*	16-DEC-84	



## NUMERICAL LISTING COMMERCIAL ITEM DESCRIPTIONS

567



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action On/Off Inactivation Document Number	Document Title	Date Sent FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
A	A-A-20191	CARROTS, FRESH, READY-TO-USE REVIEWER: MC MD QM SS	A 8915	GL	19-SEP-91	GL SA 50
A	A-A-20193	ONIONS, DRY, READY-TO-USE REVIEWER: MC MD QM SS	A 8915	GL	19-SEP-91	GL SA 50
M	A-A-20195A	POTATO STICKS REVIEWER: DP MC MD QM SS	A 8940	GL	08-APR-93	GL SA 50
A	A-A-22344A	WRENCHES, ADJUSTABLE	A 5120	#	14-MAY-85	
A	A-A-30011B	PAD, COTTON (EYE PADS)	A 6510	#	08-FEB-85	
A	A-A-30012B	BOTTLE, SAFETY CAP (TABLETS & CAPSULES)	A 6530	/ DP	01-JUL-86	MD MS 03
A	A-A-30013A	CATHETER, URETHRAL (FOLEY, SILICONE)	A 6515	/ DP	07-OCT-83	MD MS 03
A	A-A-30016C	APPLICATOR, DISPOSABLE (STERILE AND NONSTERILE)	A 6515	# MB	21-MAY-91	MD MS 03
A	A-A-30017	ALUMINUM HYDROXIDE GEL, DRIED, CAPSULES	A 6505	# MB	03-AUG-81	MD MS 03
A	A-A-30018A	PROSTHETIC SOCKS	A 6515	/ MB	30-APR-82	MD MS 03
A	A-A-30019	ALUMINUM HYDROXIDE GEL, DRIED, MAGNESIUM HYDROXIDE, AND SIMETHICONE TABLET USER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30020A	BECLOMETHASONE DIPROPIONATE INHALATION AEROSOL REVIEWER: SD	A 6505	# MB	31-MAR-83	MD MS 03
A	A-A-30021	BELLADONNA ALKALOIDS WITH PHENOBARBITAL TABLETS REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30022	CALISOPHODOL TABLETS REVIEWER: SD	A 6505	/ DP	28-OCT-81	MD MS 03
A	A-A-30023	DYPHYLLINE TABLETS	A 6505	/ DP	28-OCT-81	MD MS 03
A	A-A-30024	DOXUSATE SODIUM & CASANTHRANOL CAPSULES REVIEWER: SD	A 6505	#	28-OCT-81	
A	A-A-30025	HEMORRHOIDAL SUPPOSITORIES REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30026	ISOSORBIDE DINITRATE TABLETS, MODIFIED REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30027	LUBRICANT, SURGICAL REVIEWER: SD	A 6505	/ DP	28-OCT-81	MD MS 03
A	A-A-30028	METHAMINE HIPPURATE TABLETS REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30029	MINERAL OIL, EMULSIFIED, WATER DISPERSIBLE REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30030	POLYMYXIN B BACITRACIN OINTMENT REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30031	PSYLLIUM HYDROPHILIC MUCILLUID WITH DEXTROSE REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30032	TRIPROLIDINE HYDROCHLORIDE AND PSEUDOPHEDRINE HYDROCHLORIDE TABLETS REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
A	A-A-30033	CODEINE PHOSPHATE AND ACETAMINOPHEN TABLETS REVIEWER: SD	A 6505	/ MB	28-OCT-81	MD MS 03
M	A-A-30034D	APPLICATOR, GLYCERIN-LEMON OIL IMPREGNATED	A 6510	# MB	24-JUL-91	MD MS 03
M	A-A-30035C	WATER SET (PLASTIC)	A 7350	# MB	22-JAN-93	MD MS 03
A	A-A-30036B	PUMP UNIT, ALTERNATING PRESSURE POINT PAD, PHYSIOTHERAPEUTIC	A 6530	#	27-NOV-91	MD MS 03
A	A-A-30041A	DEPRESSOR, TONGUE, WOOD	A 6515	/ MB	28-FEB-92	MD MS 03
A	A-A-30043C	URINAL, MALE PATIENT	A 6530	# MB	31-MAY-91	MD MS 03
A	A-A-30045A	BOTTLE, URINE SPECIMEN	A 6515	#	27-NOV-91	MD MS 03
A	A-A-30046B	BAG, TUBE FEEDING	A 6530	#	22-SEP-82	
A	A-A-30048	CUSHION, RING, INFLATABLE (DONUT)	A 6530	#	15-MAR-85	
A	A-A-30049B	BOTTLES, SAFETY CAP (LIQUID)	A 6530	# MB	01-DEC-89	MD MS 03
A	A-A-30051C	IRRIGATION KIT, PATIENT	A 8440	# MB	21-DEC-90	MD MS 03
A	A-A-30052B	SOCKS, MEN'S	A 6530	#	12-DEC-84	MD MS 03
A	A-A-30054C	JAR, SCREW CAP, OINTMENT	A 6530	# MB	24-JUL-91	MD MS 03
M	A-A-30055C	ENEMA ADMINISTRATION SETS	A 6530	#	13-OCT-92	MD MS 03
A	A-A-30056E	CUP, SPECIMEN (STERILE AND NONSTERILE)	A 6530	/ MB	15-APR-87	MD MS 03
A	A-A-30057B	Basin, Wash (Plastic Autoclavable)	A 6530	#	15-JUL-92	MD MS 03
A	A-A-30058F	BEDPANS (PLASTIC)	A 6515	# MB	24-JUL-91	MD MS 03
M	A-A-30059A	BOTTLE, SPECIMEN COLLECTING (SPUTUM)	A 6530	#	31-MAY-91	MD MS 03
A	A-A-30060B	Basin, Emesis (Disposable, Single-Patient Use)	A 6530	# MB	28-FEB-92	MD MS 03
A	A-A-30065B	BOTTLE, SAFETY CAP (CONTROLLED SUBSTANCE)	A 6515	#	27-NOV-91	MD MS 03
M	A-A-30066B	STOCKINGS, ANTI-EMBOLISM	A 6530	# MB	08-JAN-93	MD MS 03
M	A-A-30067C	PAPER SHEETING, EXAMINATION-TREATMENT TABLES	A 6530	#	13-MAY-83	
A	A-A-30069A	PAD, PRESSURE POINT, PHYSIOTHERAPEUTIC (WATER MATTRESS)	A 6530	#	12-DEC-84	
A	A-A-30070A	TRAPEZE ASSEMBLY, HOSPITAL BED	A 6515	# MB	08-JAN-93	MD MS 03
M	A-A-30071D	CRUTCH (ADJUSTABLE, WOOD)	A 6515	# MB	28-JUL-89	MD MS 03
A	A-A-30072C	SUCTION SET, TRACHEAL	A 6515	/ DP	11-MAR-83	MD MS 03
A	A-A-30073	PENS, SKIN MARKING	A 6510	/ DP	29-OCT-84	MD MS 03
A	A-A-30074A	ADHESIVE TAPE, SURGICAL	A 6505	# MB	31-MAR-83	MD MS 03
A	A-A-30075	CHLORPROMAZINE HYDROCHLORIDE SOLUTION	A 6510	# MB	19-AUG-91	MD MS 03
M	A-A-30076C	ADHESIVE TAPE, SURGICAL (PAPER TYPE)	A 6515	# MB	15-MAR-90	MD MS 03
A	A-A-30078A	CUSHION, CRUTCH	A 6510	#	11-APR-86	
M	A-A-30080A	GAUZE, ABSORBENT (NONSTERILE)	A 6515	# MB	24-JUL-91	MD MS 03
A	A-A-30081B	TIP, CANE AND CRUTCH	A 6530	#	26-JUL-89	MD MS 03
M	A-A-30082B	BAG, URINE COLLECTION	A 6532	# MB	18-SEP-92	MD MS 03
A	A-A-30083A	DIAPER, ADULT'S	A 6530	#	10-JUN-83	
A	A-A-30084A	ENVELOPES, STERILIZATION	A 6530	# MB	09-JUN-89	MD MS 03
A	A-A-30085D	SPECIMEN KIT, URINE MIDSTREAM	A 6530	# MB	27-NOV-91	MD MS 03
A	A-A-30087C	WALKER, INVALID	A 6515	/ DP	10-AUG-84	MD MS 03
A	A-A-30090A	CANE, WALKING (WOOD)	A 6515	#	18-SEP-92	MD MS 03
A	A-A-30092C	CRUTCH (CANE TYPE, FOREARM AND ELBOW)	A 6530	# DP	19-JUL-83	MD MS 03
A	A-A-30093	PADS, BED LINEN PROTECTIVE	A 6530	# DP	28-JAN-87	MD MS 03
A	A-A-30094A	WHEELCHAIR, FOLDING	A 6510	#	08-FEB-85	
A	A-A-30096A	PADS, ISOPROPYL ALCOHOL IMPREGNATED	A 6515	# MB	27-NOV-91	MD MS 03
A	A-A-30099C	CATHETERIZATION SET, URETHRAL	A 6515	# MB	24-JUL-91	MD MS 03
A	A-A-30100B	RAZOR, SURGICAL PREPARATION, SAFETY, DISPOSABLE	A 6515	#	07-OCT-83	
A	A-A-30101	TUBE, CONNECTING, GENERAL PURPOSE	A 6515	# MB	28-JUL-89	MD MS 03
M	A-A-30102A	SYRINGE, IRRIGATING, PLASTIC	A 6510	# MB	24-JUL-91	MD MS 03
M	A-A-30104C	SPONGE, LAPAROTOMY, STERILE	A 6515	#	02-FEB-84	
A	A-A-30109	TUBE, INHALER (OXYGEN)	A 6515	# MB	20-APR-93	MD MS 03
M	A-A-30111F	TRACHEOSTOMY CARE KIT	A 6530	# MB	08-SEP-89	MD MS 03
A	A-A-30116A	DRAPES, SURGICAL (ANTIMICROBIAL)	A 6515	# MB	27-NOV-91	MD MS 03
A	A-A-30117A	CATHETER, URETHRAL (TEFLON COATED)	A 6532	/ MB	17-DEC-86	MD MS 03
A	A-A-30118	MASK, FACE, ASEPTIC (ISOLATION)	A 6532	/ MB	17-DEC-86	MD MS 03
A	A-A-0030118	MASK, FACE, ASEPTIC (ISOLATION)	A 6532	/ MB	17-DEC-86	MD MS 03
A	A-A-30121A	PAD, TRACHEOSTOMY	A 6510	/ MB	27-NOV-92	MD MS 03
A	A-A-30122A	SPONGE, SURGICAL - STERILE AND NONSTERILE (KERLIX)	A 6510	#	13-OCT-92	MD MS 03
M	A-A-30125A	TUBE, FEEDING, SURGICAL	A 6515	#	28-MAY-92	MD MS 03
A	A-A-0030128	DRESSING, WET	A 6510	/ MB	24-MAR-87	MD MS 03
A	A-A-30129A	BANDAGE, GAUZE, CALAMINE-GELATIN-GLYCERIN-ZINC OXIDE IMPREGNATED	A 6510	#	28-FEB-92	MD MS 03
A	A-A-0030132	DISPOSABLE CONTAINER, HYPODERMIC NEEDLE & SYRINGE	A 6530	/ MB	18-MAY-87	MD MS 03
M	A-A-0030133	LINER, SURGICAL SUCTION CANISTER	A 6515	# MB	08-JUL-87	MD MS 03
A	A-A-30134C	SURGICAL PACK, DISPOSABLE (SKIN PREPARATION TYPE)	A 6530	# MB	08-JAN-93	MD MS 03
A	A-A-30136	BED, ADJUSTABLE (MANUAL)	A 6530	# MB	20-MAR-89	MD MS 03
A	A-A-30137	BED, ADJUSTABLE (ELECTRIC)	A 6530	# MB	20-MAR-89	MD MS 03
M	A-A-30138A	MORTUARY PACK	A 9930	# MB	08-JAN-93	MD MS 03
A	A-A-30140	BLADE, SURGICAL KNIFE, DETACHABLE	A 6515	# MB	01-DEC-89	MD MS 03
A	A-A-30142	LANCET, FINGER BLEEDING	A 6515	# MB	01-AUG-89	MD MS 03
A	A-A-30151	PAD, ABDOMINAL (STERILE)	A 6510	# MB	24-JUL-91	MD MS 03
A	A-A-30152	PAD, ABDOMINAL (NONSTERILE)	A 6510	# MB	24-JUL-91	MD MS 03
A	A-A-30156	CAP, OPERATING, SURGICAL (WOMEN'S)	A 6532	# MB	24-JUL-91	MD MS 03
A	A-A-30161	TEST PACK, AIR REMOVAL	A 6530	# MB	28-MAY-92	MD MS 03
A	A-A-30163	STERILIZATION TEST PACK, BIOLOGICAL	A 6530	# MB	30-APR-92	MD MS 03
A	A-A-30164	COVER, STERILITY MAINTENANCE	A 6530	# MB	28-MAY-92	MD MS 03
M	A-A-30165	INDICATOR, STERILIZATION, BACTERIAL SPORE (STEAM AND ETHYLENE OXIDE CYCLES)	A 6530	# MB	30-APR-92	MD MS 03
A	A-A-30170	CUSHION, WHEELCHAIR SEAT (RUBBER AIR CELLS)	A 6530	# MB	28-FEB-92	MD MS 03
A	A-A-30172	SPONGE, SURGICAL (STERILE)	A 6510	# MB	20-APR-93	MD MS 03
M	A-A-30173	SPONGE, SURGICAL (NON-STERILE)	A 6510	# MB	20-APR-93	MD MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

A	A-A	Docu- ment Number	Docu- ment Title	Dist. Smt. FSC / Aves	MCA Symbol	Preparing Act	Date	Custodians			
								Army	Navy	Air Force	DIA
A	A-A-30174		INDICATOR, STERILIZATION (STEAM AND ETHYLENE OXIDE) .....	A 6530	* MB	30-APR-92	MD	MS	03		
A	A-A-30177		CATHETER & NEEDLE UNIT, INTRAVENOUS (CRITIKON) .....	A 6515	* MB	28-MAY-92	MD	MS	03		
A	A-A-30178		EXERCISER, LUNG INHALATION THERAPY .....	A 6530	* MB	28-MAY-92	MD	MS	03		
A	A-A-30179		TEETH CLEANING DEVICE, DISPOSABLE .....	A 6520	* MB	28-MAY-92	MD	MS	03		
A	A-A-30180		BAG, SPECIMEN, (TRANSPORT HANDLING) .....	A 6530	* MB	28-MAY-92	MD	MS	03		
A	A-A-30181A		URINAL, INCONTINENT .....	A 6530	* MB	15-JUL-92	MD	MS	03		
A	A-A-30182		URINAL, INCONTINENT (EXTERNAL CATHETER) .....	A 6530	* MB	30-APR-92	MD	MS	03		
N	A-A-30186A		PAD, BED LINEN PROTECTIVE (REUSABLE) .....	A 6530	* MB	08-JAN-93	MD	MS	03		
A	A-A-30188		MASK, SURGICAL (SUB-MICRON) .....	A 6515	* MB	18-SEP-92	MD	MS	03		
A	A-A-30189		RESPIRATOR, PARTICULATE HEALTHCARE .....	A 6515	* MB	18-SEP-92	MD	MS	03		
N	A-A-30190		PAD, PETROLATUM AND BISMUTH TRIBROMOPHENATE .....	A 6510	* MB	08-JAN-93	MD	MS	03		
A	A-A-30192		PITCHER, WATER (PLASTIC) .....	A 7350	* MB	18-SEP-92	MD	MS	03		
N	A-A-30193		CHAIR, BATHTUB AND SHOWER .....	A 6530	* MB	08-JAN-93	MD	MS	03		
A	A-A-30198		ADAPTER, INJECTION-ASPIRATION SITE (CRITIKON) .....	A 6515	* MB	13-OCT-92	MD	MS	03		
A	A-A-50001B		CLOTH, CLEANING, ARTIFICIAL CHAMOIS REVIEWER: 84 MD .....	A 7920	/ GL	08-NOV-85	GL		99		
D	A-A-50003B		DRAWERS, MEN'S (BRIEF TYPE) USER: 45 MC REVIEWER: MD MV .....	A 8420	/ CT	13-MAR-91	GL		99		CT
A	A-A-50005A		DISPENSER, BREAD, FRONT AND REAR LOADING, 5 COMPARTMENT REVIEWER: 84 GS MD .....	A 7320	* GL	20-JUN-86	GL	YD1	99		
D	A-A-50006A		DISPENSER, BUTTER, SELF-CONTAINED, EUTECTIC USER: MC SA REVIEWER: GS MD .....	A 7320	/ GL	30-APR-90	GL	YD1	99		
D	A-A-50007		DISPENSER, CONDIMENT, LEVER TYPE PUMP, MANUALLY OPERATED REVIEWER: GS MD ..	A 7320	* GL	24-AUG-81	GL	YD1	99		
D	A-A-50008A		GRILL, FRANKFURTER, ROLLER TYPE, ELECTRIC REVIEWER: GS MD SA TS .....	A 7310	* GL	30-JUN-88	GL	YD1	99		
D	A-A-50009B		GRIDDLE, SELF-HEATING, ELECTRIC, STAND MOUNTED USER: CE REVIEWER: GS MC MD ..	A 7310	/ GL	23-FEB-89	GL	YD1	99		
D	A-A-50010A		TOASTERS, CONVEYOR, HEAVY DUTY, GAS .....	A 7310	* GL	23-MAR-87	GL	YD1	99		
A	A-A-50011		UNIFORM, WOMAN, TUNIC AND SLACKS, WHITE, FOOD HANDLER REVIEWER: 99 MD .....	A 8410	* CT	01-FEB-88	GL		11		CT
D	A-A-50012		GARBAGE DISPOSAL MACHINE, COMMERCIAL REVIEWER: CS .....	A 4540	* GL	28-OCT-81	GL	YD1	99		
A	A-A-50013D		UNDERSHIRT, MAN'S (QUARTER-SLEEVE) REVIEWER: 45 B2 MC MD .....	A 8420	/ CT	13-APR-92	GL		99		CT
A	A-A-50014A		WADDING, COTTON, (SHEET FORM) REVIEWER: B2 MC MD .....	A 8320	/ CT	16-MAY-90	GL		99		CT
A	A-A-50015B		SOCKS, RIBBED KITT, STRETCH TYPE USER: 45 REVIEWER: B2 99 MC MD .....	A 8440	/ CT	30-SEP-91	GL		11		CT
D L	A-A-50016A		GLOVE, MEN'S: CLOTH, LEATHER PALM, KNITTED WHISTLET, SIZE MEDIUM USER: MC ..	A 8415	/ CT	08-JAN-90	GL				CT
	A-A-50017B		CASE, PRODUCE DISPLAY, NON REFRIGERATED REVIEWER: 84 GS MD .....	A 7195	/ GL	08-JUL-86	GL		99		
	A-A-50019B		RACKS, MILK CONTAINER, MOBILE AND RACKS, EGG CONTAINER, MOBILE REVIEWER: 84 ..	A 7320	/ GL	18-MAR-88	GL		99		
D	A-A-50020		OVEN, PIZZA, COUNTER TOP, ELECTRIC .....	A 7310	* GL	13-JAN-82	GL	YD1	99		
A	A-A-50021A		GLOVES, MEN'S, CLOTH, LEATHER PALM WITH GAUNTLET USER: 45 CG REVIEWER: B2 ..	A 8415	/ CT	30-JAN-90	GL		99		CT
D	A-A-50022A		CLOVES, WELDER'S, LEATHER, GAUNTLET USER: 45 MC MS SH YD1 REVIEWER: B2 MD ..	A 8415	/ CT	13-DEC-89	GL		99		CT
D	A-A-50023A		SAN, HAND, MEAT CUTTING, RECIPROCATING, ELECTRIC USER: CE REVIEWER: GS MC ..	A 7320	/ GL	03-JUN-88	GL	YD1	99		
D	A-A-50024		BONE DUST REMOVING MACHINE, ELECTRIC, AUTOMATIC, MOBILE USER: CE REVIEWER: ..	A 7320	/ GL	09-APR-82	GL	YD1	99		
A	A-A-50025A		TRUCK, HAND, BOX, LAUNDRY, PLASTIC USER: MC REVIEWER: B2 GS MD .....	A 3510	/ GL	30-SEP-92	GL		99		
A	A-A-50026A		DRYING AND CONDITIONING TUMBLERS, LAUNDRY USER: MC REVIEWER: B2 GS .....	A 3510	/ GL	30-SEP-92	GL		99		
D	A-A-50027B		MEAT TENDERIZER, ELECTRIC USER: MC REVIEWER: 84 GS MD SA TS .....	A 7320	/ GL	02-SEP-88	GL	YD1	99		
D	A-A-50028		BIN, INGREDIENT, MOBILE, 250 LB CAPACITY USER: SA REVIEWER: MC MD .....	A 7320	/ GL	27-JUL-82	GL	YD1	99		
D	A-A-50029		STEAM TABLE, HOT FOOD, GAS REVIEWER: GS MD .....	A 7310	/ GL	27-JUL-82	GL				
D	A-A-50030A		SLICING MACHINE, BUN REVIEWER: 84 GS MC MD MS YD1 .....	A 7320	/ GL	15-APR-88	GL	SA	99		
D	A-A-50031A		COOKIE CUTTING MACHINE, ELECTRIC REVIEWER: MC MD .....	A 7320	/ GL	18-JUN-86	GL	YD1	99		
D	A-A-50032B		FANS, VENTILATING, PROPPELLER USER: CE REVIEWER: B2 GS ME .....	A 4140	/ GL	10-DEC-90	GL		99		CT
A	A-A-50033A		SUPPORTER, ATHLETE'S USER: MC MS REVIEWER: MD .....	A 8415	/ CT	27-SEP-82	GL		99		
D	A-A-50034		DISPENSERS, BREAD, SELF-LEVELING, DROP-IN USER: MD MS YD1 .....	A 7320	* GL	27-SEP-82	GL	YD1	99		
D	A-A-50035		RANGES, ELECTRIC INDUSTRIAL USER: CE REVIEWER: 84 MC MD .....	A 7310	/ GL	20-SEP-82	GL	YD1	99		
D	A-A-50036		DOUGH TROUGHS REVIEWER: MC MD MS SA .....	A 7320	* GL	26-SEP-86	GL	SA	99		
D	A-A-50037A		GRIDDLES, SELF HEATING, GAS, COUNTER OR STAND MOUNTED USER: CE MC .....	A 7310	* GL	30-SEP-82	GL	SA	99		
D	A-A-50038		REVIEWER: 84 GS MD TS YD1 .....	A 7330	/ GL	06-NOV-90	GL	YD1	99		
D	A-A-50039A		FILTERS, COOKING GREASE USER: CE REVIEWER: GS MC MD MS YD1 .....	A 7310	/ GL	06-NOV-90	GL	YD1	99		
	A-A-50040		OVENS, BAKING AND ROASTING, FORCED CONVECTION, ELECTRIC USER: CE MC .....	A 7330	* GL	01-NOV-82	GL	SA	99		
A	A-A-50041C		SNAP LINK, MOUNTAIN PITON, LOCKING AND NONLOCKING .....	A 8465	/ CT	21-FEB-90	GL		99		CT
D	A-A-50042A		OVENS, BAKING AND ROASTING, FORCED CONVECTION, GAS REVIEWER: 84 GS MC MD ..	A 7310	/ GL	30-APR-90	GL	YD1	99		
D	A-A-50043A		WARMER, FOOD, PORTABLE, INFRARED USER: CG MC REVIEWER: 50 B4 GS MD TS .....	A 7310	/ GL	12-MAR-91	GL	SA	99		
D	A-A-50044		DISPENSER, SILVERWARE REVIEWER: 84 MC MD MS .....	A 7320	/ GL	09-MAR-83	GL	YD1	99		
D	A-A-50045		DISPENSER, CONDIMENTS, COUNTERTOP USER: MC REVIEWER: 84 CG MD SA SH .....	A 7320	/ GL	18-MAR-83	GL	YD1	99		
D	A-A-50046		MARKING MACHINES, LAUNDRY REVIEWER: 50 ME .....	A 3510	/ GL	23-MAR-83	GL		99		
A	A-A-50047A		DRY CLEANING UNIT ASSEMBLY, DRY TO DRY, PERCHLOROETHYLENE SOLVENT USER: CE ..	A 3510	/ GL	15-DEC-92	GL		99		
	A-A-50048		WAFFLE IRON, ELECTRIC REVIEWER: GS MD .....	A 7310	/ GL	11-APR-83	GL	SA	50		
D	A-A-50049A		DISPENSER, FREEZE-DRIFT COFFEE REVIEWER: GS MC MD TS YD1 .....	A 7310	/ GL	15-FEB-90	GL	SA	99		
D	A-A-50050		MOLDING MACHINES, MEAT - FISH REVIEWER: 84 GS MC MD SA TS .....	A 7320	/ GL	10-MAY-83	GL	YD1	99		
D	A-A-50052		RINSER-SANITIZER, CAN REVIEWER: 84 MC MD .....	A 7320	/ GL	25-MAY-83	GL	YD1	99		
A	A-A-50053A		CUTTERS, PAPER, GUILLOTINE, HAND OPERATED REVIEWER: 84 GS TR .....	A 3610	/ GL	15-DEC-92	GL	SA	99		
A	A-A-50054A		GLOVES, BANDED TAPE - WIRE HANDLERS' USER: 45 REVIEWER: B2 MC MD .....	A 8415	/ CT	06-MAR-90	GL		99		CT
D	A-A-50055		GRINDERS AND MIXER-GRINDERS, MEAT, ELECTRIC USER: CE REVIEWER: MC MD SA S ..	A 7320	/ GL	23-JUN-83	GL	YD1	84		
	A-A-50056		TS .....								
	A-A-50057B		REFRIGERATORS, MECHANICAL, MORTUARY REVIEWER: 34 MD .....	A 4110	/ GL	08-AUG-83	GL		99		
	A-A-50059		ROPE, FIBROUS, TENT-LAY REVIEWER: B2 IS MD ME .....	A 4020	/ GL	23-AUG-91	GL		99		
D	A-A-50060A		SCALES, PERSON WEIGHING REVIEWER: GS MD .....	A 6670	/ GL	22-SEP-83	GL	MS			
D	A-A-50062		BALANCES, TRIP, LABORATORY USER: MS YD1 REVIEWER: B2 99 GS MD ME .....	A 6670	/ GL	26-OCT-92	GL		03		
D	A-A-50063B		SCALES, SPRING, (SUSPENSION MOUNTED) REVIEWER: B2 GS MS .....	A 6670	/ GL	26-SEP-83	GL	YD1	99		
D	A-A-50064		BOOTS, KNEE AND HIP (RUBBER) USER: 45 MC YD1 REVIEWER: B2 MD .....	A 8430	/ CT	14-JAN-91	GL		99		CT
D	A-A-50065B		RANGE, GAS, COMMERCIAL USER: CE MC REVIEWER: 84 MD TS .....	A 7310	/ GL	14-OCT-83	GL		99		
	A-A-50066		INSECT REPELLENT, PERSONAL APPLICATION, STICK USER: MC MS YD1 REVIEWER: GS ..	A 6840	/ GL	24-SEP-92	GL		68		
	A-A-50067		MD .....								
D	A-A-50068		ICE CREAM CABINETS, MECHANICALLY REFRIGERATED REVIEWER: GS MC MD .....	A 4110	/ GL	31-OCT-83	GL	YD1	99		
A	A-A-50069		CLOTH, FLANNEL, WOOL USER: MC REVIEWER: B2 99 MD .....	A 8305	/ CT	03-JUN-87	GL		11		CT
A	A-A-50071		APRON, LABORATORY, PLASTIC USER: 45 MC REVIEWER: B2 MD .....	A 8415	/ CT	27-MAY-87	GL		99		CT
A L	A-A-50072A		RACKS, FOOD CONTAINER, MOBILE REVIEWER: GS MD .....	A 7330	/ GL	31-DEC-84	GL				
L	A-A-50073A		HAT, SERVICE, WOMAN'S, DRILL INSTRUCTOR REVIEWER: MD .....	A 8410	/ CT	30-NOV-88	GL				CT
	A-A-50074		CONVEYOR, BELT: POWERED, MEAT PROCESSING REVIEWER: GS MD TS .....	A 7320	/ GL	17-MAY-89	GL				
	A-A-50075		BIN, DISPLAY, PORTABLE REVIEWER: MD .....	A 7125	/ GL	28-MAR-85	GL				
A L	A-A-50079A		IRONERS, FLATWORK, THERMAL FLUID REVIEWER: GS MD .....	A 3510	/ GL	07-OCT-85	GL				
	A-A-50082		HANDCART, GROCERY, SHEETING .....	A 7290	/ GL	05-NOV-92	GL				
	A-A-50083		BEADING MACHINE, MESH METAL, ROTARY, MANUALLY OPERATED .....	A 3441	/ IP	30-SEP-86	AL		99		
L	A-A-50084		BAG, PLASTIC, FOLDED GARNET USER: MU .....	A 8105	/ GL	30-SEP-86	GL	SA	69		
L	A-A-50085		HAND BASKET, GROCERY REVIEWER: TS .....	A 7290	/ GL	22-OCT-86	GL				
L	A-A-50086		WEIGHT SET, COMMERCIAL SCALE TESTING, 10 POUNDS MAXIMUM .....	A 6670	/ GL	03-NOV-86	GL				
L	A-A-50087		ADSORBENT MATERIAL (OILS, ACIDS, CAUSTICS, SOLVENTS AND TOXICS) .....	A 7930	/ GL	24-NOV-86	GL				
	A-A-50088A		WEIGHT, COMMERCIAL SCALE TESTING, 50 POUNDS .....	A 6670	/ GL	24-NOV-86	GL				
	A-A-50089		MEAT SLICING MACHINES, ELECTRIC REVIEWER: 84 CG GS MD MS TS .....	A 7320	/ GL	26-APR-88	GL	SA	99		
A	A-A-50090A		SHELVING, COMMISSARY, GONDOLA TYPE REVIEWER: 84 MD TS .....	A 7125	/ GL	18-DEC-86	GL		99		
			CLEANERS, VACUUM, ELECTRIC (COMMERCIAL/INDUSTRIAL) REVIEWER: 84 TR .....	A 7910	/ GL	23-DEC-92	GL		99		



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action OR / On Coordination Inactive	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DIA
A	A-A-50092A	BINDING, ASSEMBLY, SKI, DOWNHILL AND CROSS COUNTRY USER: 45 REVIEWER: 11 B2	A 8465 / CT	25-MAR-88	GL		99	CT
L	A-A-50094	BALER, AUTOMATIC, VERTICAL REVIEWER: TS	A 3540 / GL	26-FEB-87	GL	SA	99	
A	A-A-50095	RAMP, MOBILE, LIFT ( DOCK) REVIEWER: ME TS	A 3990 / GL	26-FEB-87	GL			
A	A-A-50096C	HAMMER, ROCK REVIEWER: B2 B4 CT	A 5120 / GL	19-MAR-93	GL		99	
A	A-A-50097A	PULLEY, MOUNTAIN RESCUE USER: MC REVIEWER: B2 CT	A 3020 / GL	21-FEB-90	GL		99	
A	A-A-50098A	STOPPER, HEXAGON, IRREGULAR USER: MC REVIEWER: B2 B4	A 8465 / CT	21-FEB-90	GL	MU	99	CT
A	A-A-50099	SHELVING UNIT, THREE STEP, DISPLAY REVIEWER: TS	A 7125 / GL	18-MAR-87	GL			
A	A-A-50100	WRAPPING MACHINE, MEAT AND PRODUCE, MANUAL REVIEWER: TS	A 3540 / GL	19-MAR-87	GL			
A	A-A-50101	TABLE, MERCHANDISE DISPLAY, PEDESTAL MOUNTED REVIEWER: TS	A 7195 / GL	19-MAR-87	GL			
L	A-A-50102	BALER, AUTOMATIC, HORIZONTAL	A 3540 / GL	19-MAR-87	GL	SA	99	
A	A-A-50103A	RACK, STORAGE, LOADED PALLET, GALVANIZED REVIEWER: TS	A 7125 / GL	08-MAR-91	GL			
A	A-A-50104B	RACK, STORAGE, WAREHOUSE REVIEWER: B4	A 7125 / GL	28-OCT-92	GL			
A	A-A-50105	SCALE, DIGITAL, OVERHEAD, MONORAIL	A 6670 / MB	27-MAR-87	MD	MS	03	
A	A-A-50106A	STOPPER, WIRED, WEDGED USER: MC REVIEWER: B2 B4	A 8465 / CT	21-FEB-90	GL	MU	99	CT
D	A-A-50107	DOLLY, FOOD HANDLING EQUIPMENT (DISHWASHING RACKS)	A 7320 / GL	31-MAR-87	GL	YD1	99	
D	A-A-50108	FOOD BLENDER, ELECTRIC USER: MS REVIEWER: B4 GS MC MD TS	A 7320 / GL	31-MAR-87	GL	YD1	99	
D	A-A-50109	DISPENSERS, TABLEWARE, AUTOMATIC, SELF-LEVELING, MOBILE REVIEWER: B4 GS MD SA TS	A 7320 / GL	10-APR-87	GL	YD1	99	
D	A-A-50110	RACK, BREAD, BAKER S; 10- SHELF, KNOCKDOWN TYPE REVIEWER: B4 GS MD MS SA TS	A 7320 / GL	31-MAR-87	GL	YD1	99	
A	A-A-50111B	PITON, MOUNTAIN, FLAT USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL		99	CT
A	A-A-50112A	PITON, MOUNTAIN, ANGLE USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL		99	CT
A	A-A-50113A	PITON, MOUNTAIN, ICE USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL		99	CT
A	A-A-50114A	PITON, MOUNTAIN, KNIFE/BLADE OFFSET USER: 45 MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL	MU	99	CT
A	A-A-50115A	PITON, MOUNTAIN, CLIFF/HANGER USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL		99	CT
L	A-A-50116A	AXE, ICE USER: MC REVIEWER: CT	A 5110 / GL	21-FEB-90	GL			
A	A-A-50117A	CRAMPONS, HINGED USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL	MU	99	CT
A	A-A-50118A	STRAPS, CRAMPON USER: MC	A 8465 / CT	21-FEB-90	GL	MU		CT
A	A-A-50119A	ANCHOR, SNOW, WIRED USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL		99	CT
A	A-A-50120A	HARNES, CLIMBING, FULL-BODY USER: MC	A 8465 / CT	21-FEB-90	GL	MU		CT
A	A-A-50121A	PROTECTOR, CRAMPON USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL	MU	99	CT
A	A-A-50122A	TRUCKS, HAND, 3 SHELVES STAINLESS STEEL UTILITY	A 3920 / GL	09-DEC-87	GL	SA	99	
A	A-A-50123	TRUCKS, HAND, 4 SHELVES, STAINLESS STEEL	A 3920 / GL	25-JUN-87	GL	SA	99	
A	A-A-50125B	DESCENDER, FIGURE-8 USER: MC	A 8465 / CT	21-FEB-90	GL	MU		CT
A	A-A-50126	RACKS, FOOD SERVICE TRAY REVIEWER: B4 GS MD TS	A 7320 / GL	28-JUL-87	GL		99	
A	A-A-50127A	ASCENDERS, CAM ACTION USER: MC REVIEWER: B2	A 8465 / CT	21-FEB-90	GL	MU	99	CT
A	A-A-50128	CLOTH, INTERLINING, NONWOVEN REVIEWER: B2 99 CT MD	A 8305 / GL	15-SEP-87	GL	MU	11	
L	A-A-50129	CLOTH, FLANNEL, LIGHTWEIGHT REVIEWER: B2 CT MC MD	A 8305 / GL	18-SEP-87	GL	MU	99	
A	A-A-50131	SCALE, HANGING, DIAL, 30 POUND REVIEWER: TS	A 6670 / GL	28-SEP-87	GL			
A	A-A-50134A	HANDCART, GROCERY, HANDCAPPED	A 7290 / GL	05-NOV-92	GL			
A	A-A-50135	CLOTH, INTERLINING, POLYESTER REVIEWER: B2 CT MC MD	A 8305 / GL	05-OCT-87	GL	MU	11	
A	A-A-50136A	BAG, MONEY REVIEWER: 45 B2	A 8460 / CT	12-FEB-92	GL	MU	99	CT
A	A-A-50137A	SHOES, GYMNASIUM, BASKETBALL AND OTHER ACTIVITIES, HEAVY DUTY USER: 45 REVIEWER: B2 99 MD	A 8430 / CT	30-JUN-89	GL	MU	11	CT
D	A-A-50138	FREEZER, MECHANICAL, FOOD	A 4110 / GL	31-MAR-88	GL	YD1	99	
D	A-A-50139A	ROPE, KERNMANTLE	A 4020 / GL	16-FEB-90	GL	AS		
D	A-A-50140	MIXER, FLUID, ELECTRIC USER: CE REVIEWER: MC MD SA SH TS	A 7320 / GL	16-DEC-87	GL	YD1	50	
L	A-A-50141	BAKERY ISLAND MERCHANDISER	A 7195 / GL	06-JAN-88	GL			
L	A-A-50142	TABLE, SPECIALTY ITEM, DISPLAY, PEDESTAL MOUNTED REVIEWER: TS	A 7195 / GL	06-JAN-88	GL			
L	A-A-50143	SCALE, DIGITAL, PLATFORM	A 6670 / GL	06-JAN-88	GL			
L	A-A-50144	SCALE SYSTEM, DIGITAL, DELICATESSEN	A 6670 / GL	06-JAN-88	GL			
A	A-A-50145	CLOTH, SHEETING, COTTON, AND POLYESTER/COTTON, WHITE USER: 45 MC REVIEWER: B2 EA MD MS SH	A 8305 / CT	20-APR-88	GL	MU	99	CT
L	A-A-50146	CASE, ITEM DISPLAY, FRAMED REVIEWER: TS	A 7195 / GL	06-JAN-88	GL			
L	A-A-50147	DISPENSER, ICE, AUTOMATIC DISPENSING HEAD, MOBILE USER: MS REVIEWER: MC MD	A 7320 / GL	06-JAN-88	GL		84	
A	A-A-50148	GLASS, VOTIVE REVIEWER: GS	A 9925 / GL	21-JAN-88	GL	PE	28	
A	A-A-50149	VASE, CHAPEL, ALTAR REVIEWER: GS	A 9925 / GL	21-JAN-88	GL	PE	28	
A	A-A-50150	SANCTUARY LAMPS, CANDLE TYPE, ELECTRIC TYPE REVIEWER: GS	A 9925 / GL	21-JAN-88	GL	PE	28	
A	A-A-50151	STAND, BIBLE & MISSAL REVIEWER: GS	A 9925 / GL	21-JAN-88	GL	PE	28	
A	A-A-50152	FAIR LINEN, ALTAR REVIEWER: GS	A 9925 / GL	19-JAN-88	GL	PE	28	
A	A-A-50153	DETERGENT, LAUNDRY, MONITORIC, LIQUID	A 7930 / GL	01-FEB-88	GL		99	
A	A-A-50154	FREEZER, MECHANICAL, WORK TOP TYPE USER: MC SA REVIEWER: 50 MD TS	A 4110 / GL	01-MAR-88	GL			
A	A-A-50155	CLOTH, MUSLIN, COTTON USER: 45 1H REVIEWER: B2 99 MC MD	A 8305 / CT	21-MAR-88	GL	MU	11	CT
D	A-A-50156	HEATERS, HOT WATER BOOSTER, ELECTRIC; SINK, SANITIZING USER: YD1 REVIEWER: B4 GS MD SA TS	A 7320 / GL	24-MAR-88	GL		99	
A	A-A-50157	TRAY, CRUET, COMMUNION REVIEWER: GS	A 9925 / GL	22-MAR-88	GL	PE	28	
A	A-A-50158	CANDLESTICK, ALTAR REVIEWER: GS	A 9925 / GL	22-MAR-88	GL	PE	28	
A	A-A-50159	CANDELABRA, CHAPEL REVIEWER: GS	A 9925 / GL	22-MAR-88	GL	PE	28	
A	A-A-50160	CLOTH, BROADCLOTH, COTTON MERCERIZED USER: ME REVIEWER: B2 MC MD	A 8305 / CT	01-APR-88	GL	MU	99	CT
A	A-A-50161	CLOTH, DENIM, COTTON REVIEWER: B2 MC MD	A 8305 / CT	01-APR-88	GL	MU	99	CT
A	A-A-50162	CLOTH, JEAN, COTTON REVIEWER: B2 EA MC MD MI	A 8305 / CT	01-APR-88	GL	MU	99	CT
A	A-A-50165	BATTING, COTTON, NONABSORBENT, UNBLEACHED REVIEWER: DS MD	A 8320 / CT	21-APR-86	GL			CT
A	A-A-50166	PADDING, COTTON, STITCHED ROVING USER: 45 CG MC MS REVIEWER: MD	A 8320 / CT	12-MAY-88	GL	MU		CT
A	A-A-50167	WADDING, COTTON REVIEWER: 99	A 8320 / CT	18-MAY-88	GL			CT
A	A-A-50168	CABINETS, FOOD WARMING, ELECTRICALLY HEATED, DRAMER TYPE USER: MC REVIEWER: B4 GS MD TS	A 7310 / GL	03-JUN-88	GL	SA	99	
A	A-A-50169	SKIN PROTECTIVE COMPOUNDS, CHEMICAL BARRIER USER: 11 AS MC REVIEWER: GS MD	A 6850 / GL	26-JUL-88	GL		68	
A	A-A-50170	EMBALMING FLUID, CAVITY USER: SH REVIEWER: GS MD	A 9930 / GL	26-JUL-88	GL		50	
A	A-A-50171	CUTTER SET, COOKIE USER: CG MC REVIEWER: B4 MD TS	A 7330 / GL	15-JUL-88	GL	SA	99	
A	A-A-50172	COLLECTION PLATE	A 9925 / GL	03-OCT-88	GL	PE	28	
A	A-A-50173	CANDLE BURNER	A 9925 / GL	05-OCT-88	GL	PE	28	
A	A-A-50174	CANDLELIGHTER AND SHUFFLER	A 9925 / GL	05-OCT-88	GL	PE	28	
A	A-A-50175	CUP, COMMUNION, PLASTIC REVIEWER: GS	A 9925 / GL	05-OCT-88	GL	PE	28	
A	A-A-50176	BOWL, BAPTISMAL	A 9925 / GL	07-OCT-88	GL	PE	28	
A	A-A-50177	PAPER, LENS USER: MI OS REVIEWER: AR EA MD ME	A 6640 / GL	05-OCT-88	GL	MS	99	
A	A-A-50178	MAX, MACHINE STITCHING USER: SH REVIEWER: GS ME TS	A 9160 / GL	23-SEP-88	GL	SM	68	
A	A-A-50179	PANS, FOOD SERVING, RECTANGULAR, ROUND AND INSERTS FOR HOT FOOD TABLES AND COLD FOOD COUNTERS USER: MC SH REVIEWER: B4 GS MD	A 7310 / GL	08-SEP-88	GL	SA	99	
D	A-A-50180A	FRYERS, DEEP FAT, ELECTRIC USER: MC REVIEWER: 50 B4 GS MD SA TS	A 7310 / GL	15-MAR-90	GL	YD1	99	
D	A-A-50181	FRYERS, DEEP-FAT (GAS, HEAVY DUTY) REVIEWER: GS MD MS SA TS	A 7310 / GL	20-OCT-88	GL	YD1	99	
D	A-A-50182	URN, COFFEE, TWIN, AUTOMATIC (ELECTRIC, STEAM, AND GAS) USER: CG REVIEWER: B4 GS MC MD MS TS	A 7310 / GL	20-OCT-88	GL	YD1	99	
D	A-A-50183	ICE CREAM MAKER; SHAKE MAKER; AND COMBINATION ICE CREAM AND SHAKE MAKER, SOFT SERVE, MECHANICALLY REFRIGERATED REVIEWER: 50 B2 GS MC MD MS SA TS	A 4110 / GL	19-OCT-88	GL	YD1	99	
D	A-A-50184	TABLES, FOOD PREPARATION, AND RACKS, TABLE, KITCHEN UTENSILS USER: MC REVIEWER: B4 GS MD SA TS	A 7320 / GL	21-OCT-88	GL	YD1	99	
A	A-A-50185	CLOTH, BATISTE, COTTON, POLISHING	A 8305 / CT	15-NOV-88	GL			CT
A	A-A-50186	CLOTH, BUCKRAM, WOVEN AND NONWOVEN REVIEWER: B2 99 MC MD	A 8305 / CT	18-NOV-88	GL	MU	11	CT
A	A-A-50187	PREFLUSHING MACHINE, DISH	A 7320 / GL	07-DEC-88	GL		99	
A	A-A-50188	COFFEE BOILER, METAL	A 7330 / GL	02-DEC-88	GL	SA	84	
D	A-A-50189	DISPENSER, ICE, SELF-LEVELING, MOBILE USER: MC MS REVIEWER: GS MD	A 7320 / GL	28-DEC-88	GL		84	
D	A-A-50190	CABINETS, DELIVERY AND STORAGE, PASTRY; AND TRUCK DOLLY, PASTRY CABINETS USER: MC YD1 REVIEWER: B4 GS MD	A 7320 / GL	04-JAN-89	GL	SA	99	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active CPL / OMA Construction Machine	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol Proposed Acq.	Date	Army	Navy	Air Force	DLA
	A-A-50191	CANDLELIGHTER, TAPER REVIEWER: GS	A 9925	/ GL	10-FEB-89	GL	PE	28	
	A-A-50192	CANDLES, ALTAR USER: GS	A 9925	/ GL	17-FEB-89	GL	PE	28	
L	A-A-50193	ETHYLENE ABSORBER/SHELF-LIFE EXTENDER, FOR FRESH FRUITS AND VEGETABLES REVIEWER: 68 GS MC MD SH SS TS	A 6850	/ GL	21-MAR-89	GL	PE		
A	A-A-50194A	HOOD, BALACLAVA, EXTENDED COLD WEATHER REVIEWER: 45 B2 MC	A 8415	/ CT	28-APR-92	GL	NU	99	CT
A	A-A-50195	THREAD, ARAMID REVIEWER: 11 B2 AS MD	A 8310	/ CT	10-MAY-89	GL	NU	99	CT
A	A-A-50196A	THREAD, SILK USER: AR MC OS REVIEWER: 82 99 MD	A 8310	/ CT	23-MAY-91	GL	NU	11	CT
A	A-A-50197	THREAD, LINEN USER: ME REVIEWER: DS EA MC MD	A 8310	/ CT	30-JUN-89	GL	NU	11	CT
A	A-A-50198	THREAD, GIMP, COTTON, BUTTONHOLE USER: MC REVIEWER: 82 99 MD	A 8310	/ CT	30-JUN-89	GL	NU	11	CT
A	A-A-50199	THREAD, POLYESTER CORE, COTTON- OR POLYESTER-COVERED USER: MC REVIEWER: 11 B2 MD	A 8310	/ CT	30-JUN-89	GL	NU	99	CT
A	A-A-50200	BOOTS, SKI-MOUNTAIN, PLASTIC SHELL USER: MC REVIEWER: 82 MD	A 8430	/ CT	07-FEB-90	GL	NU	99	CT
	A-A-50201A	COMPASS, DRAFTING, PIVOT, DROP SPRING BOM, PEN & PENCIL, WITH CASE REVIEWER: GS	A 6675	/ ME	18-MAY-88	ME			
D	A-A-50202	PUMP, BUCKET, LUBRICATION, HAND-OPERATED USER: MC REVIEWER: CS	A 4930	/ ME	06-MAY-83	ME	YD1	99	
	A-A-50203A	COMPASS, DRAFTING, BEAM REVIEWER: GS MC	A 6675	/ ME	15-SEP-88	ME	YD1	99	
	A-A-50204A	DIVIDER, DRAFTING, PROPORTIONAL USER: MC REVIEWER: 82 GS	A 6675	/ ME	28-JAN-88	ME			
	A-A-50206A	RULER, DRAFTING, ADJUSTABLE CURVE USER: MC REVIEWER: 82	A 6675	/ ME	03-MAY-83	ME			
L	A-A-50207A	MICROSCOPE, OPTICAL: MONOCULAR, FIXED-FOCUS, POCKET-TYPE, BETWEEN 40X AND 60X MAGNIFICATION	A 6660	/ ME	25-JAN-88	ME			
	A-A-50208A	PROTRACTOR, RECTANGULAR REVIEWER: 82 GS	A 6675	/ ME	05-AUG-87	ME	MC	99	
D	A-A-50209A	STRAIGHTEDGES, STEEL, DRAFTSMAN'S REVIEWER: GS	A 6675	/ ME	15-SEP-88	ME	YD1	99	
D	A-A-50210A	RODS, LEVEL, PHILADELPHIA REVIEWER: GS MC	A 6675	/ ME	18-MAY-88	ME	YD1	99	
L	A-A-50211A	RODS, STADIA (FOLDING) REVIEWER: GS	A 6675	/ ME	05-FEB-88	ME			
	A-A-50212A	PARALLEL RULERS, FOLDING TYPE REVIEWER: 82 GS	A 6675	/ ME	18-MAY-88	ME			
D	A-A-50213A	CURVES, DRAFTING, REGULAR AND IRREGULAR: CURVE SETS, DRAFTING, REGULAR AND IRREGULAR: FRENCH, MECHANICAL ENGINEERS, RAILROAD, AND SHIPS USER: ER MC REVIEWER: 82 GS	A 6675	/ ME	18-MAY-88	ME	YD1	99	
D	A-A-50214	RAILWAY, MAINTENANCE-OF-WAY, 56-1/2 INCH GAGE	A 2230	/ ME	03-AUG-83	ME	YD1	84	
	A-A-50215A	PLANIMETER, POLAR, COMPENSATING, WITH CASE REVIEWER: GS	A 6675	/ ME	11-FEB-88	ME			
D	A-A-50216A	ALLOADES, SURVEYING: TELESCOPE, WITH CASE REVIEWER: 82 GS	A 6675	/ ME	10-JUN-88	ME	YD1	99	
	A-A-50217A	PEN, LETTERING, SCRIBER TEMPLATE, RESERVOIR USER: MC REVIEWER: GS	A 6675	/ ME	31-AUG-87	ME			
D	A-A-50218	RAILWAY MOTOR CARS, MAINTENANCE 8-MAN, 3000 LB LOAD CAPACITY, 56 1/2 INCH GAGE	A 2230	/ ME	15-DEC-83	ME	YD1	84	
	A-A-50219	WHEEL, LATHE RAILWAY, DUAL END DRIVE REVIEWER: CS	A 4940	/ ME	20-JAN-84	ME			
	A-A-50220	LATHE, AXLE, JOURNAL TRUING RAILWAY, DUAL OR SINGLE END DRIVE REVIEWER: CS	A 4940	/ ME	20-JAN-84	ME			
L	A-A-50222	BUCKET, HELICOPTER, FIRE FIGHTING	A 4210	/ ME	08-JUL-86	ME			
	A-A-50223	SCALE, BEAM INDICATING: WEIGHTING, SPECIFIC GRAVITY: CAPACITY 0.01 NOT LESS THAN 200 GRAMS, THREE OR FOUR WEIGHT BEAMS 0.01 GRAM SENSITIVITY USER: GL REVIEWER: 82 GS MD	A 6670	/ ME	23-SEP-86	ME			
	A-A-50224	EXPOSURE CONTROL, PHOTOLITHOGRAPHIC, LIGHT-INTEGRATING REVIEWER: 70 GS	A 6760	/ ME	22-SEP-86	ME			
D	A-A-50225	CALCULATING MACHINE, HAND-HELD (PROGRAMMABLE) REVIEWER: MC	A 7420	/ ME	29-SEP-86	ME	YD1		
	A-A-50227	T-SQUARES (METAL, WOOD, & PLASTICS) USER: MC REVIEWER: 82 GS	A 6675	/ ME	29-OCT-86	ME			
	A-A-50229A	OPAQUES, PHOTOGRAPHIC FILM-PLATE RETOUCHING USER: OR OS REVIEWER: 70 GS	A 6750	/ ME	30-MAR-87	ME	AS	99	
L	A-A-50230	BLANKET, FIRE (WOOL, WITH CASE) USER: MC REVIEWER: 84 CS MD	A 4210	/ ME	03-FEB-87	ME			
L	A-A-50302	PLUG SET, RADIATOR TEST	A 4910	/ AL	09-AUG-91	AL			
L	A-A-50304	DYNAMOMETER, ENGINE RUN-IN, 500 HORSEPOWER CAPACITY USER: AT REVIEWER: ME	A 4910	/ AL	25-MAR-91	AL			
L	A-A-50305	DIOCTYL-P-PHENYLENEDIAMINE (ANTIOXIDANT)	A 6810	/ AL	17-FEB-90	AL			
D	A-A-50306	CLEANER, SPARK PLUG, 12 VDC POWERED AIRLESS TYPE, EIGHT PLUG CAPACITY USER: 82 REVIEWER: GS MD	A 4910	/ AL	17-FEB-90	AL	YD1	99	
L	A-A-50308	BALANCER, VEHICLE WHEEL, BUBBLE-TYPE, PORTABLE	A 4910	/ AL	31-JAN-91	AL			
	A-A-50310	SPRAY GUN, PAINT (HEAVY DUTY, SIPHON FEED) REVIEWER: CS	A 4940	/ AL	30-MAY-90	AL	MC	99	
	A-A-50351	HOSE, BRONZE, ANNULAR CORRUGATED METAL, SINGLE BRAID, FLEXIBLE, GAS TIGHT REVIEWER: CS	A 4720	/ SH	29-JUL-87	SH			
D	A-A-50352B	CLAMP, MATERIAL LIFTING (PLATE, VERTICAL LIFT) REVIEWER: 84 GS	A 3940	/ YD1	29-MAR-91	YD1	99		
A	A-A-50353	UNDERSHIRT, MAHS (POLYESTER/COTTON) QUARTER SLEEVE	A 8420	/ CT	27-JAN-81	NU			CT
D	A-A-50354A	COFFEE MAKERS, PERCOLATOR: ELECTRIC USER: CE CG GS MC REVIEWER: 84 MD SA	A 7310	/ YD1	03-JUN-88	GL	YD1	99	
A	A-A-50355B	GLOVES, MEN'S AND WOMEN'S CLOTH, VINYL COATED	A 8415	/ CT	17-JUL-92	NU			CT
A	A-A-50356B	HANDKERCHIEF, MEN'S OR WOMEN'S USER: 45 MC REVIEWER: 11 B2	A 8440	/ CT	01-MAR-90	GL	NU	99	
A	A-A-50357A	SHOE, SUBMARINE DECK USER: 45 REVIEWER: 11 B2 SH	A 8430	/ CT	31-JAN-85	NU	99		
A L	A-A-50358B	COVERALLS, DISPOSABLE, GENERAL PURPOSE REVIEWER: SH	A 8415	/ CT	10-DEC-90	NU			
A	A-A-50359A	SHOES, CONDUCTIVE USER: 45 REVIEWER: 11 OS	A 8430	/ CT	12-JUN-84	NU	99		
A L	A-A-50363A	JUMPER, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) REVIEWER: SH	A 8415	/ CT	07-JAN-91	NU			
A L	A-A-50364A	TROUSERS, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) REVIEWER: SH	A 8415	/ CT	07-JAN-91	NU			
A L	A-A-50365A	SWEATER, WOMAN'S, ACRYLIC	A 8410	/ CT	09-OCT-90	NU			
A L	A-A-50366	SWEATER, MAN'S, MODACRYLIC/WOOL	A 8405	/ CT	01-MAR-89	NU			
A L	A-A-50367A	COAT, MAN'S, ALL WEATHER, WITH REMOVABLE LINER	A 8405	/ CT	16-DEC-91	NU			
A L	A-A-50368A	COAT, WOMAN'S, ALL WEATHER, WITH REMOVABLE LINER	A 8410	/ CT	16-DEC-91	NU			
A L	A-A-50369	CAP, KNIT (WATCH)	A 8405	/ CT	01-MAR-89	NU			
D	A-A-50370	GLOVES, CLOTH, VINYL DIPPED USER: AS MC OS YD1 REVIEWER: 11 MD SH SS	A 8415	/ CT	31-MAY-89	NU	99		
A L	A-A-50371	BOOTS, FIREMEN'S	A 8430	/ CT	20-MAR-89	NU			
A	A-A-50373A	VEST, COOLING (WITH FREEZEABLE GEL STRIPS) USER: CG	A 8415	/ CT	07-DEC-92	NU			
A L	A-A-50374	BAG, FIREMAN'S UTILITY USER: AS CG SH REVIEWER: MC	A 8460	/ CT	11-DEC-89	NU			
A L	A-A-50375	LACES, LEGGINGS	A 8315	/ CT	14-MAY-90	NU			
D	A-A-50378	DRAWERS, EXTREME COLD WEATHER, MEN'S AND WOMEN'S USER: 45 CG YD1 REVIEWER: 11	A 8415	/ CT	06-FEB-91	NU	99		CT
A L	A-A-50379	MITTEN SHELLS, MEN'S	A 8415	/ CT	29-AUG-90	NU			CT
A	A-A-50380	COAT, FOOD HANDLER'S (STANDARD) USER: 45 REVIEWER: 82	A 8415	/ CT	24-SEP-90	NU	99		CT
D	A-A-50383	UNDERSHIRT, EXTREME COLD WEATHER, MAN'S AND WOMAN'S USER: 45 CG YD1 REVIEWER: 11	A 8415	/ CT	09-NOV-90	NU	99		CT
A L	A-A-50385	ARM SLEEVE, RADIOACTIVE CONTAMINANTS, PROTECTIVE	A 8415	/ CT	10-DEC-90	NU			CT
A	A-A-50386	GLOVES, MEN'S AND WOMEN'S	A 8440	/ CT	13-MAR-91	GL	NU	11	CT
L	A-A-50390	SHIRT, DISPOSABLE REVIEWER: CT OS SH	A 8415	/ NU	26-MAY-92	NU			
A L	A-A-50391	FOOTWEAR COVERS, DISPOSABLE REVIEWER: CT	A 8430	/ NU	24-JUN-92	NU			
D	A-A-50431A	COUPLINGS - QUICK DISCONNECT, BOMES TYPE (AIR HOSES AND PIPING) USER: AL YD1	A 4730	/ SH	07-NOV-91	AR	SH		
	A-A-50432	HINGE, BUTT (SHIPBOARD/MARINE) USER: AS MC OS REVIEWER: IS	A 5340	/ SH	20-APR-89	AR	SH	99	
	A-A-50433	GREASE, SEA WATER WASH RESISTANT REVIEWER: GS PS	A 9150	/ SH	15-AUG-89	CD	SH		
L	A-A-50434	PATCH REPAIR EMERGENCY WATER ACTIVATED DAMAGE CONTROL REVIEWER: MD	A 4730	/ SH	15-AUG-90	ME	SH		
	A-A-50435B	ROPES (ARAMID)	A 4020	/ SH	24-MAR-92	SH			
D	A-A-50437	EXOTHERMIC CUTTING RODS FOR USE IN PORTABLE EXOTHERMIC CUTTING UNIT (PECU) REVIEWER: YD1	A 4240	/ SH	20-MAR-91	ME	SH		
D	A-A-50438	CLEANER, BLOWER AND VACUUM, PORTABLE, INDUSTRIAL REVIEWER: 85 CR ER ME YD1	A 7910	/ SH	26-MAR-91	GL	SH	84	
	A-A-50439	LAMP, INCANDESCENT, T-3-1/4, MINIATURE SCREW BASE REVIEWER: 82 GS	A 6240	/ SH	22-JUL-91	ME	SH	99	
	A-A-50440	LAMP, INCANDESCENT, T-5, PREFOCUSING, DOUBLE CONTACT REVIEWER: 82 GS	A 6240	/ SH	22-JUL-91	ME	SH	99	
	A-A-50441	LAMP, INCANDESCENT, T-12, MEDIUM SCREW, 3 CONTACT REVIEWER: 82 GS	A 6240	/ SH	22-JUL-91	ME	SH	99	
	A-A-50442	LAMP, INCANDESCENT, T-8, CANDELABRA SCREW REVIEWER: 82 GS	A 6240	/ SH	22-JUL-91	ME	SH	99	
	A-A-50443	LAMP, INCANDESCENT, T-8, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: 82 GS	A 6240	/ SH	22-JUL-91	ME	SH	99	
D	A-A-50444	LIGHT, STROBE, LIFE PRESERVER USER: MC YD1 REVIEWER: AS AT AV EA	A 6230	/ SH	12-AUG-91	ME	SH		
	A-A-50445	LAMP, INCANDESCENT, G-8, MINIATURE SCREW REVIEWER: 82 GS	A 6240	/ SH	15-JAN-92	ME	SH	99	
	A-A-50446	LAMP, INCANDESCENT, S-6, CANDELABRA SCREW REVIEWER: 82 GS	A 6240	/ SH	15-JAN-92	ME	SH	99	
	A-A-50447	LAMP, INCANDESCENT, T-4, CANDELABRA SCREW REVIEWER: 82 GS	A 6240	/ SH	15-JAN-92	ME	SH	99	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action Qty / Unit Combination Invoice Document Number	Document Title	Dist. Smt FSC / Ave MCA Symbol Preparing Act	Date	Custodians			
				Army	Navy	As Force	DLA
A-A-50448	LAMP, INCANDESCENT, G-16-1/2, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: B2 GS	A 6240 / SH	15-JAN-92	ME	SH	99	
A-A-50449	LAMP, INCANDESCENT, A-19, MEDIUM SCREW REVIEWER: B2 GS	A 6240 / SH	15-JAN-92	ME	SH	99	
A-A-50450	LAMP, INCANDESCENT, T-12, MEDIUM PREFOCUSING, SINGLE CONTACT REVIEWER: B2 GS	A 6240 / SH	24-JAN-92	ME	SH	99	
A-A-50451	LAMP, INCANDESCENT, RP-11, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: B2 GS	A 6240 / SH	24-JAN-92	ME	SH	99	
A-A-50452	LAMP, INCANDESCENT, S-6, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: B2 GS	A 6240 / SH	24-JAN-92	ME	SH	99	
A-A-50453	LAMP, INCANDESCENT, G-8 BULB, DOUBLE CONTACT, BAYONET CANDELABRA BASE REVIEWER: B2 GS	A 6240 / SH	24-JAN-92	ME	SH	99	
A-A-50454	LAMP, INCANDESCENT, G-6, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: B2 GS	A 6240 / SH	24-JAN-92	ME	SH	99	
L A-A-50455	PORTABLE FILTRATION CART	A 4330 / SH	26-FEB-92		SH		
D A-A-50456A	VALVES, RADIATOR, HEATING PACKED BONNET, CLASS 150 PSIG USER: CE REVIEWER: CS	A 4520 / YD1	07-APR-89	ME	YD1	99	
D A-A-50457A	VALVES, RADIATOR, HEATING PACKLESS BONNET, CLASS 125 PSIG USER: CE REVIEWER: CS	A 4520 / YD1	07-APR-89	ME	YD1	99	
D A-A-50459A	SHEARS, METAL CUTTING, ELECTRIC (PORTABLE) REVIEWER: B4	A 5130 / YD1	14-APR-89		YD1	99	
D A-A-50460A	CARRIER, STORAGE BATTERY, HAND REVIEWER: B4	A 5120 / YD1	21-AUG-89	GL	YD1	99	
D A-A-50461B	NOZZLES, GARDEN HOSE (FOR 5/8- AND 3/4-INCH HOSE) USER: M REVIEWER: B2 CS	A 4730 / YD1	26-MAR-93		YD1	99	
D L A-A-50464A	CAP. FLUE: CYLINDRICAL USER: MC REVIEWER: CS	A 4520 / YD1	07-APR-89		YD1		
D A-A-50465A	OVEN, MICROWAVE, ELECTRIC (600-1199 WATT MICROWAVE POWER OUTPUT) REVIEWER: B4 MS	A 7310 / YD1	12-MAY-89	GL	YD1	99	
D A-A-50466A	OVEN, MICROWAVE, ELECTRIC (1800-2199 WATT MICROWAVE POWER OUTPUT) USER: CE MS REVIEWER: MD	A 7310 / YD1	12-MAY-89	GL	YD1	99	
D A-A-50467A	OVEN, MICROWAVE, ELECTRIC (1200-1499 WATT MICROWAVE POWER OUTPUT) USER: MS	A 7310 / YD1	12-MAY-89	GL	YD1	99	
D L A-A-50468A	GATE, BLAST, LOW PRESSURE, SHEET METAL PIPE SYSTEMS	A 4460 / YD1	29-MAR-91		YD1		
D A-A-50469A	HOOK, REGULAR EYE, LATCH TYPE USER: OS SH REVIEWER: B2 IS	A 4030 / YD1	08-SEP-89		YD1	99	
D L A-A-50470A	OILERS, HAND, FILLER USER: MC ME REVIEWER: CS EA	A 4930 / YD1	11-APR-89		YD1		
D L A-A-50471A	OILER, HAND, RECTANGULAR, PUSH SIDES USER: MC ME REVIEWER: CS EA	A 4930 / YD1	11-APR-89		YD1		
D A-A-50472A	HOOK, SWIVEL, LATCH TYPE USER: OS REVIEWER: B2 IS SH	A 4030 / YD1	21-SEP-88		YD1	99	
D L A-A-50473A	OILERS, HAND, PUSH-BOTTOM USER: MC REVIEWER: CS GL ME	A 4930 / YD1	11-APR-89		YD1		
D L A-A-50474A	OILERS, HAND, TYPEWRITER USER: MC ME REVIEWER: CS EA	A 4930 / YD1	11-APR-89		YD1		
D A-A-50475A	POLISHER, FLOOR, ELECTRIC, DIVIDED WEIGHT (COMMERCIAL TYPE) USER: MC REVIEWER: B4 MD	A 7910 / YD1	23-OCT-89		YD1	99	
D A-A-50476	POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT TWO BRUSH (COMMERCIAL TYPE) USER: MC REVIEWER: B4 MD	A 7910 / YD1	13-JAN-84		YD1	99	
D A-A-50477B	OILERS, HAND, PUMP USER: MC REVIEWER: CS EA	A 4930 / YD1	12-JAN-89		YD1	99	
D A-A-50478A	POLISHER, FLOOR, ELECTRIC, CONCENTRATED WEIGHT SINGLE BRUSH (COMMERCIAL TYPE) USER: CE MC TS REVIEWER: B4 MD	A 7910 / YD1	25-OCT-89		YD1	99	
D A-A-50479	DISHWASHING MACHINES, SINGLE TANK (RACK MANUAL AND CONVEYOR) AND DOUBLE TANK (RACK CONVEYOR) COMMERCIAL REVIEWER: B4 MC MD MS SA TS	A 7320 / YD1	15-NOV-85	GL	YD1	99	
D A-A-50480	DISHWASHING MACHINES, COMMERCIAL (RACKLESS CONVEYOR) USER: CE CG MC REVIEWER: B4 MD MS SA TS	A 7320 / YD1	15-NOV-85	GL	YD1	99	
D A-A-50481	DISHWASHING MACHINES, COMMERCIAL (RACK, STATIONARY) USER: CG GS MC MS REVIEWER: B4 MD SA	A 7320 / YD1	15-NOV-85	GL	YD1	99	
D A-A-50486A	CONTAINER, INSULATED, SHIPPING REVIEWER: GS MD	A 8145 / YD1	23-NOV-92	GL	YD1		
D L A-A-50492	OILERS, AIR LINE REVIEWER: CS	A 4930 / YD1	28-FEB-89		YD1		
D A-A-50493	OIL, PENETRATING (FOR LOOSENING FROZEN METALLIC PARTS) USER: AT MC REVIEWER: AR AV GS MS SA SH	A 9150 / YD1	19-FEB-90	ME	YD1	68	
D L A-A-50494	EXHAUST HEAD, STEAM	A 4730 / YD1	16-APR-90		YD1		
D L A-A-50495	HEATING ELEMENT, ELECTRICAL (REPLACEMENTS FOR DOMESTIC APPLIANCES) USER: MC	A 4540 / YD1	24-APR-90		YD1		
D A-A-50496	COFFEE MAKER, PERCOLATOR, ELECTRIC USER: CE CG GS MC REVIEWER: B4 MD MS SA	A 7310 / YD1	10-SEP-90	GL	YD1	99	
D A-A-50497	COFFEE MAKER, ELECTRIC, AUTOMATIC USER: MC SA REVIEWER: B4 CG GS MD MS	A 7310 / YD1	11-SEP-90	GL	YD1	99	
D A-A-50498	VALVE, FOOT, CAST IRON, BRONZE AND POLYVINYL CHLORIDE (PVC) USER: OS SH REVIEWER: B2 CS GL MC	A 4820 / YD1	05-JUL-90	ME	YD1	99	
D L A-A-50499A	TAMPER, VIBRATING PLATE TYPE, GASOLINE AND DIESEL ENGINE DRIVEN	A 3895 / YD1	11-MAY-92		YD1		
D A-A-50500	DOUGH DIVIDER, ROLL, HAND OPERATED, 36-PART AND DOUGH DIVIDER AND ROUNDING MACHINE, ROLL, 36-PART REVIEWER: 50 B4 GS MC SA	A 7320 / YD1	06-SEP-91		YD1	99	
D L A-A-50501	AUGER MACHINES, PIPE AND SEWER CLEANER: GASOLINE-ENGINE-DRIVEN, TRAILER MOUNTED REVIEWER: CS	A 4940 / YD1	18-JUL-91		YD1		
D L A-A-50502	AIR CONDITIONER, (UNITARY HEAT PUMP), AIR TO AIR (3,000 TO 300,000 BTU) USER: CE REVIEWER: GS	A 4120 / YD1	29-NOV-90		YD1		
D A-A-50503	SCALE, BALANCE, BEAM INDICATING: METRIC, 2610 GRAM CAPACITY REVIEWER: GS ME MS	A 6670 / YD1	28-FEB-92	GL	YD1	99	
D A-A-50504	ANALYZERS, FLUE-GAS, ORSAT-TYPE, PORTABLE USER: B2	A 6630 / YD1	28-FEB-92		YD1	99	
D L A-A-50505	CONNECTOR ASSEMBLY, ELECTRICAL, 11-LINE USER: ES	A 5935 / YD1	08-NOV-91		YD1		
A A-A-50506A	FAN, TUBAXIAL, MINIATURE, FOR COILING ELECTRONIC EQUIPMENT	A 4140 / EC	01-DEC-82	ME	EC	99	
A A-A-50526A	HAT, SERVICE: WITH CHIN STRAP USER: 45 REVIEWER: B2 99 MD	A 8405 / CT	30-SEP-82	GL	MC	11	
A L A-A-50527	TRUNKS, GENERAL PURPOSE	A 8415 / CT	29-SEP-88		MC		
A A-A-50528A	COAT, SHOOTER'S, GREEN	A 8415 / CT	20-NOV-92		MC		
A A-A-50531	CLOTH, POPLIN: POLYESTER AND COTTON (WATER REPELLENT)	A 8305 / CT	14-JUN-90	GL	MC		
L A-A-50532	CLOTH, SERGE: POLYESTER/WOOL	A 8305 / MC	19-SEP-90		MC		
A A-A-50537	CHEST, TOOL: CARPENTER OR COMPANY REVIEWER: B4	A 5140 / MC	21-SEP-92		MC	99	
D A-A-50538	APPLICATOR, BAIT, INSECTICIDE REVIEWER: CS MS	A 3740 / YD1	14-SEP-92		MD	YD1	99
D A-A-50539	VIBRATORS, CONCRETE, ELECTRIC-MOTOR-DRIVEN	A 3895 / YD1	22-JUN-92		ME	YD1	
D A-A-50541	VALVES, TANK FLOAT, ANGLE AND GLOBE PATTERN USER: CE REVIEWER: B2 CS	A 4820 / YD1	22-JAN-93		ME	YD1	99
D A-A-50542	COATING SYSTEM: REFLECTIVE, SLIP-RESISTANT, CHEMICAL-RESISTANT URETHANE FOR MAINTENANCE FACILITY FLOORS USER: CE REVIEWER: B4 AS MC SH	A 8010 / YD1	08-FEB-93		ME	YD1	99
A-A-50588	LAMP, INCANDESCENT, T-3-1/4, MINIATURE BAYONET, SINGLE CONTACT REVIEWER: B2 GS	A 6240 / SH	21-FEB-92	ME	SH	99	
A-A-50589	LAMP, INCANDESCENT, G-4-1/2, MINIATURE BAYONET, SINGLE CONTACT REVIEWER: B2 GS	A 6240 / SH	21-FEB-92	ME	SH	99	
A-A-50590	LAMP, INCANDESCENT, G-3-1/2, MINIATURE BAYONET, SINGLE CONTACT REVIEWER: B2 GS	A 6240 / SH	21-FEB-92	ME	SH	99	
A-A-50591	LAMP, INCANDESCENT, T-7, CANDELABRA SCREW REVIEWER: B2 GS	A 6240 / SH	21-FEB-92	ME	SH	99	
A-A-50592	LAMP, INCANDESCENT, S-11, CANDELABRA SCREW REVIEWER: B2 GS	A 6240 / SH	21-FEB-92	ME	SH	99	
A-A-50593	LAMP, INCANDESCENT, T-2, TELEPHONE SLIDE, TUNGSTEN FILAMENT, CLEAR FINISH REVIEWER: B2 GS	A 6240 / SH	26-FEB-92	ME	SH	99	
A-A-50594	LAMP, INCANDESCENT, C-7, BAYONET, DOUBLE CONTACT REVIEWER: B2 GS	A 6240 / SH	26-FEB-92	ME	SH	99	
A-A-50595	LAMP, INCANDESCENT, PAR-36, SCREW TERMINAL REVIEWER: B2 GS	A 6240 / SH	26-FEB-92	ME	SH	99	
A-A-50596	LAMP, FLUORESCENT, T-12, HIGH OUTPUT-HIGH TEMPERATURE, BASE RECESSED, DOUBLE CONTACT REVIEWER: B2 GS	A 6240 / SH	26-FEB-92	ME	SH	99	
A L A-A-50597	LAMP, FLUORESCENT, T-12, PREHEAT, COOL WHITE, MEDIUM BIPIN REVIEWER: B2 GS	A 6240 / SH	26-FEB-92	ME	SH	99	
A A-A-50598	KIT, PHOTOLUMINESCENT MARKING	A 4240 / SH	22-MAY-92		SH		
A A-A-50599	FAN, TUBAXIAL, PORTABLE, DESHOKING, AND VENTILATING USER: GS REVIEWER: B2 SA	A 4140 / SH	16-JUL-92		SH	99	
A A-A-50600	LAMPS, INCANDESCENT, G-9, BAYONET CANDELABRA, DOUBLE CONTACT REVIEWER: B2 GS	A 6240 / SH	31-JUL-92	ME	SH	99	
A L A-A-50601	AUDIO ENTERTAINMENT DISTRIBUTION EQUIPMENT	A 5830 / SH	14-JAN-93		SH		
N A-A-50602	SELF-LUBRICATED BEARINGS	A 3120 / SH	05-APR-93	AT	SH	99	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action	Doc / COM Combination	Machine	Document Number	Document Title	Dist. Smt. FAC / Area	MCA Symbol	Procuring Agency	Date	Custodians			
									Army	Navy	Air Force	DA
D	A-A-50603			LOUDSPEAKER - MICROPHONE (MEGAPHONE, ELECTRONIC, PORTABLE) USER: 90 CG IP IS LS MC MT YD1 REVIEWER: 13 BS AS AT CE DP ES GS TO	A 5830	/ SH	11-FEB-93	CR	SH			
A	A-A-50651			NOTICE 1	A 8430	/ CT	09-MAR-90	GL	99	CT		
	A-A-50652			LIFE PRESERVER, VEST, ADULT OR CHILD (35 POUND BUOYANCY)	A 4220	/ 84	04-MAR-81		99			
	A-A-50653			MAINTENANCE STAND, SELF PROPELLED, SISSORS LIFT	A 1730	/ 11	11-SEP-81		11			
	A-A-50680			VOLTMETER, AC REVIEWER: 11 68 MC	A 6625	/ 82	22-MAR-89	AS	99			
	A-A-50681			TRAILER, MAINTENANCE POWER	A 4940	/ 82	30-MAY-89		99			
L	A-A-50682			TANK, STORAGE, LIQUID ARGON-NITROGEN-OXYGEN, CRYOGENIC, HORIZONTAL, 3000 AND 5000 GALLON	A 3655	/ 68	07-FEB-92	AL	99			
L	A-A-50683			FOLDING MACHINE, PAPER REVIEWER: GS SA	A 3610	/ 84	22-MAY-89		99			
L	A-A-50684			TOOL, WIRE WRAP	A 5130	/ 84	08-JUL-89		99			
L	A-A-50685			LEVEL, PRECISION MASTER, SINGLE FACE	A 5220	/ 84	08-JUL-89		99			
L	A-A-50686			AIR CONDITIONER, TRAILER MOUNTED, ELECTRIC MOTOR, DRIVEN	A 4120	/ 82	13-NOV-89		99			
L	A-A-50687			AIR CONDITIONER, TRAILER MOUNTED, DIESEL ENGINE DRIVEN	A 4120	/ 82	13-NOV-89		99			
L	A-A-50688			SETRY BUILDING, MOBILE	A 5410	/ 84	21-MAR-90		99			
L	A-A-50689			CRANE, RAILWAY, DIESEL, 25-TON CAPACITY	A 2230	/ 84	28-MAY-90		99			
L	A-A-50690			TIRE FILL, SOLID POLYURETHANE	A 2630	/ 84	26-NOV-90		99			
L	A-A-50691			TRUCK, AIRCRAFT BAGGAGE LOADING-UNLOADING	A 3930	/ 84	02-NOV-90		99			
L	A-A-50692			OSCILLOGRAPH, PORTABLE	A 6625	/ 82	11-OCT-90		99			
L	A-A-50693B			TRUCK, AIRCRAFT CARGO LOADING-UNLOADING, WIDE BODY	A 3930	/ 84	11-MAY-92		99			
L	A-A-50694			CUTTER, TILE, ASPHALT, PLASTIC, RUBBER	A 5110	/ 84	31-DEC-90		99			
L	A-A-50695			DIES, THREADING DIE HEAD	A 5136	/ 84	27-MAR-91		99			
L	A-A-50696			REELS, STATIC DISCHARGE, GROUNDING, 50 AND 75 FOOT CABLE LENGTHS REVIEWER: 68 79 CS	A 4930	/ 82	11-JUL-91		99			
	A-A-50717			ATTENUATOR VARIABLE DC TO 18 GHZ USER: SH REVIEWER: CR ES	A 5985	/ 82	15-MAR-89		99			
L	A-A-50718			TEST SET, FUEL SYSTEM USER: SH	A 6625	/ 82	15-FEB-89		99			
	A-A-50719			FOOT REST REVIEWER: GL	A 7110	/ 84	12-JAN-89		99			
L	A-A-50720			VACUUM GAGE, PORTABLE REVIEWER: AS ER GS	A 6685	/ 82	30-DEC-88		99			
L	A-A-50721			SCALE, LOW PROFILE, PALLET WEIGHING	A 6670	/ 84	15-JAN-90		99			
L	A-A-50722			BREATHING APPARATUS, SELF-CONTAINED, 30 MINUTE	A 4240	/ 84	06-DEC-88	AS	99			
L	A-A-50723			MARKING MACHINE, ELECTRICAL WIRE-FLEXIBLE INSULATING SLEEVING	A 3611	/ 84	11-OCT-88		99			
L	A-A-50724			BUILDING, PORTABLE	A 5410	/ 84	09-SEP-88		99			
L	A-A-50725			TEST SET, TELEPHONE SIGNAL	A 6625	/ 82	30-JUL-88		99			
L	A-A-50726			TEST SET, TELEPHONE	A 6625	/ 82	25-FEB-88		99			
L	A-A-50728			FREQUENCY SELECTIVE LEVELMETER & SPECTRUM DISPLAY (FSLSD)	A 6625	/ 82	01-JAN-88		99			
	A-A-50730			GENERATOR, SIGNAL 10 KHZ TO 1 GHZ REVIEWER: CR	A 6625	/ 82	15-DEC-87		99	EC		ES
	A-A-50733			HYGROTHERMOGRAPH REVIEWER: GS	A 6680	/ 82	27-NOV-87	ME	99			
L	A-A-50734			MULTIMETER	A 6625	/ 82	15-MAY-88		99			
	A-A-50736			GENERATOR, ELECTRONIC MARKER, DIGITAL SIGNAL	A 6625	/ 82	15-NOV-87		99			
L	A-A-50737			RECORDER, COORDINATE DATA	A 6625	/ 82	30-NOV-87		99			
L	A-A-50739			TEST SET, TELEPHONE USER: SH REVIEWER: CR	A 6625	/ 82	30-OCT-87		99			
L	A-A-50740			SPECTRUM ANALYZER 10 HZ TO 50 KHZ REVIEWER: GL	A 6625	/ 82	30-OCT-87		99			
L	A-A-50741			DIVIDER, POWER, RADIO FREQUENCY	A 6625	/ 82	30-OCT-87		99			
L	A-A-50742			AIRCRAFT MOVER, ELECTRICALLY POWERED REVIEWER: GL IS NS	A 1740	/ 82	15-OCT-87	AV	AS	99		
L	A-A-50743A			CLEANER, ULTRASONIC, WITH RINSE AND DRY, 5.5 GALLON	A 4940	/ 82	29-SEP-89		99			
L	A-A-50744A			CLEANER, ULTRASONIC, NINE GALLON CAPACITY, AEROSPACE MAINTENANCE REVIEWER: AL CS	A 4940	/ 82	27-SEP-89		99			
	A-A-50745			RADIOMETER, POCKET-SIZED, DIGITAL ALARM, DOSIMETER	A 6665	/ 82	30-AUG-87	EA	SH	99		
D L	A-A-50746			DEHUMIDIFIER, SPACE REVIEWER: ME YD1	A 4440	/ 84	07-AUG-87		99			
M	A-A-50747(1)			POUCH, AMMUNITION MAGAZINE, 9MM (VALIDATION DATE: 9305)	A 1095	/ 84	05-MAY-93	AR	OS	99		
	A-A-50748(1)			NOTICE 1								
	A-A-50749			HOLSTER, HIP, PISTOL, SEMI-AUTOMATIC, 9MM	A 1095	/ 84	06-MAY-88	AR	OS	99		
	A-A-50750			CURRENT-VOLTAGE STANDARD REVIEWER: CR	A 6625	/ 82	12-MAY-87	EC	99	ES		
	A-A-50751			CALIBRATOR, VOLTAGE REVIEWER: CR	A 6625	/ 82	15-MAY-87	EC	99	ES		
	A-A-50752			MAGNETIC PARTICLE PROCESS CONTROL KIT	A 6635	/ 82	02-APR-87		99			
	A-A-50753			TEST KIT, PENETRANT REVIEWER: GL	A 6635	/ 82	31-MAR-87	AS	99			
	A-A-50754			GENERATOR, VARIABLE FREQUENCY REVIEWER: CR	A 6625	/ 82	02-MAR-87	EC	99	ES		
	A-A-50755			MODULATOR, PULSE REVIEWER: CR	A 6625	/ 82	02-MAR-87	EC	99	ES		
	A-A-50756			CONTROL HEAD ASSEMBLY TEST FIXTURE	A 6625	/ 82	15-OCT-86	EC	99			
	A-A-50757			SWEEP GENERATOR	A 6625	/ 82	01-OCT-86	ER	EC	99		
	A-A-50758			FOUR CHANNEL RECORDER REVIEWER: CR ES	A 6625	/ 82	01-OCT-86	EC	99			
	A-A-50759			DEODORANT, CHEMICAL FOR HOLDING TANKS & RECIRCULATING TOILETS	A 6840	/ 68	25-MAY-86		68			
	A-A-50760			SIX-OUTPUT SWITCHING POWER SUPPLY REVIEWER: GS SH	A 6130	/ 82	15-MAY-86	ER	AS	99		
	A-A-50761			SIGNAL GENERATOR	A 6625	/ 82	30-MAY-86	EC	99	ES		
	A-A-50762			OSCILLOSCOPE REVIEWER: CR	A 6625	/ 82	30-MAY-86	ER	EC	99		
	A-A-50763			SIGNAL GENERATOR	A 6625	/ 82	30-MAY-86	EC	99			
	A-A-50764			PULSE GENERATOR REVIEWER: CR	A 6625	/ 82	30-APR-86	EC	99			
	A-A-50765			QUAD-OUTPUT SWITCHING POWER SUPPLY REVIEWER: GS SH	A 6130	/ 82	14-APR-86	ER	99			
	A-A-50766			FORCEPS: SHEET HOLDER REVIEWER: AL	A 5120	/ 84	14-JAN-85	GL	SH	99		
D	A-A-50767			BUS, MOTOR, 16 PASSENGER	A 2310	/ 84	12-MAR-84	AT	YD1	99		
	A-A-50768			ANALYZER, SURFACE FINISH	A 5220	/ 84	15-AUG-83		99			
	A-A-50782			WORK STATION, LAMINAR FLOW (VALIDATION DATE: 89101)	A 3694	/ 84	20-OCT-89	AS	99			
	A-A-50783A			NOTICE 1								
A	A-A-50784			SLEEPING BAG, ARCTIC SURVIVAL, CONTAINERIZED, PRESSURE VACUUM PACKED USER: 45	A 8465	/ CT	22-OCT-84		99	CT		
D	A-A-50784			SPOTLIGHT, AUTOMOTIVE, ROOF MOUNTED	A 6220	/ 82	08-DEC-82	ME	YD1	99		
	A-A-50796			SIREN, ELECTRONIC REVIEWER: ME	A 6350	/ 82	05-MAY-82		99			
D	A-A-50797			CRANE, FLOOR, PORTABLE (VALIDATION DATE: 8306)	A 3950	/ 84	16-APR-82	YD1	99			
	A-A-50798			FREQUENCY STANDARD, OSCILLATOR (5MHZ, 1MHZ & 100KHZ)	A 6625	/ 82	30-APR-82		99			
	A-A-50799			CHARGER ANALYZER FOR VENTED CELL NICKEL CADMIUM BATTERIES (VALIDATION DATE: 8306)	A 6130	/ 80	16-FEB-82		99			
	A-A-50800			CADMIUM OXIDE (VALIDATION DATE: 8810) REVIEWER: GS	A 6810	/ 68	07-OCT-88	AS	68			
	A-A-50801A			NOTICE 1								
	A-A-50802A			WATER BATH, ELECTRIC, SEROLOGICAL USER: DM	A 6640	/ NB	16-MAR-87	ND	NS	03		
	A-A-50803A			COUNTER, BLOOD CELLS, DIFFERENTIAL	A 6640	/ NB	22-JUN-92	ND	NS	03		
	A-A-50804A			SHAKING MACHINE, LABORATORY, 115 VOLT, 60 HZ, AC USER: DM	A 6640	/ NB	17-APR-81	ND	NS	03		
	A-A-50805			SHAKING MACHINE, LABORATORY SINGLE CUP, 115 VOLT, 50-60 HZ, AC USER: DM	A 6640	/ NB	17-APR-81	ND	NS	03		
	A-A-50806B			RACK, TEST TUBE, LABORATORY WINTROBE, ENAMELED STEEL, 10 TUBE USER: DM	A 6640	/ NB	17-APR-81	ND	NS	03		
	A-A-50807			BOTTLE, SCREW CAP (URINE SPECIMEN, SHIPPING) USER: DM	A 6640	/ NB	19-JAN-88	ND	NS	03		
	A-A-50808			CYLINDER, GRADUATED, LABORATORY, GLASS USER: DM	A 6640	/ NB	17-APR-81	ND	NS	03		
	A-A-50809			URINOMETER, SQUIBB & MICRO	A 6630	/ NB	05-AUG-81	ND	NS	03		
	A-A-50810			SHAKING MACHINE, LABORATORY, SLIDE, 115 VOLT, AC-DC	A 6640	/ NB	05-AUG-81	ND	NS	03		
	A-A-50811			PELLET, ABSORBENT, COTTON	A 6510	/ NB	05-AUG-81	ND	NS	03		
	A-A-50812A			ADHESIVE TAPE, SURGICAL, 1 INCH BY 1 1/2 YARDS, 1005	A 6510	/ NB	05-AUG-81	ND	NS	03		
	A-A-50813A			PIPET, BLOOD DILUTING	A 6640	/ NB	17-APR-89	ND	NS	03		
	A-A-50814A			BALL, ABSORBENT, COTTON OR RAYON	A 6510	/ NB	14-FEB-83	ND	NS	03		
	A-A-50815A			BASIN, WASH CORROSION-RESISTING STEEL	A 6530	/ NB	31-JAN-89	ND	NS	03		
	A-A-50816A			LIGHT, DESK HIGH INTENSITY REVIEWER: SD	A 6230	/ NB	24-MAR-89	ND	NS	03		
	A-A-50817A			JAR, SURGICAL DRESSING CORROSION-RESISTING STEEL	A 6530	/ NB	30-MAY-89	ND	NS	03		
	A-A-50818			COMPARATOR SET, COLOR CHLORINE-BROMINE AND PH DETERMINATION	A 6630	/ NB	07-SEP-88	ND	NS	03		
	A-A-50819			TIP, PIPET, PLASTIC, 0.2 ML, DISPOSABLE, 1000	A 6640	/ NB	26-OCT-81	ND	NS	03		
	A-A-50820			TOWEL, HAND, GREEN, HUCK, COTTON	A 7210	/ NB	27-JUL-82	ND	NS	03		
	A-A-50821			BLANKET, CASUALTY, LIGHTWEIGHT, WATERPROOF, ALUMINIZED PLASTIC	A 7210	/ NB	27-JUL-82	ND	NS	03		



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active / OMA Contract Inches Document Number	Document Title	Dist Smt FSC Area	MCA Symbol	Preparing Acty Date	Custodians			
					Army	Navy	Air Force	DLA
A-A-508228	BOWL, SURGICAL SPONGE METAL	A 6530	/ MB	24-MAR-89	MD	MS	03	
A-A-50823	FELT SHEET, WOOL, WHITE, SOFT [VALIDATION DATE: 8810]	A 8305	/ MB	31-OCT-88	MD	MS	03	
A-A-50824A	BOTTLE, SPRAY PLASTIC	A 6530	/ MB	31-JAN-89	MD	MS	03	
A-A-50825	CHAMBER, COUNTING, BLOOD CELLS, HEMACYTOMETER	A 6630	/ MB	02-DEC-81	MD	MS	03	
A-A-50826	TRAYS, INSERT, DENTAL INSTRUMENT AND SUPPLIES CABINET, PLASTIC [VALIDATION DATE: 8812]	A 6520	/ MB	09-DEC-88	MD	MS	03	
NOTICE 1								
A-A-50827	ANTISEPTIC ANESTHETIC SOLUTION, PHENOLATED	A 6505	/ MB	30-DEC-81	MD	MS	03	
A-A-50828	DEXTROROTHRORPHAM HYDROBROMIDE AND GUAFENESIN SYRUP	A 6505	/ MB	30-DEC-81	MD	MS	03	
A-A-50829	POLYVINYL ALCOHOL OPHTHALMIC SOLUTION	A 6505	/ MB	30-DEC-81	MD	MS	03	
A-A-50830	ALUMINUM OXIDE SCRUB CLEANSER	A 6505	/ MB	30-DEC-81	MD	MS	03	
A-A-50831	SLIDE, MICROSCOPE	A 6640	/ MB	08-JAN-82	MD	MS	03	
A-A-50832	TUBE, FILTERING, DISPOSABLE	A 6640	/ MB	08-MAR-82	MD	MS	03	
A-A-50833A	MIRROR, DIAGNOSTIC HEAD LIGHT, SLOTTED	A 6515	/ MB	02-JUN-89	MD	MS	03	
A-A-50834	FLASK, ERMENYER (GRADUATED)	A 6640	/ MB	14-MAY-82	MD	MS	03	
A-A-50835A	BASIN, EMESIS, CORROSION-RESISTING STEEL	A 6530	/ MB	31-JAN-89	MD	MS	03	
A-A-50837	PULMONARY EXERCISE UNIT, PLASTIC [VALIDATION DATE: 8810]	A 6530	/ MB	31-OCT-88	MD	MS	03	
A-A-50838	PROMETHAZINE HYDROCHLORIDE, IPECAC FLUIDEXTRACT, AND POTASSIUM GUAIACOLSULFONATE ELIXIR	A 6505	/ MB	26-JUL-82	MD	MS	03	
A-A-50839	UNDECYLENIC ACID AND ZINC UNDECYLENATE POWDER	A 6505	/ DM	26-JUL-82	MD	MS	03	
A-A-50840A	CARRIAGE, PAUL CORROSION-RESISTING STEEL	A 6530	/ MB	24-MAR-89	MD	MS	03	
A-A-50841A	ENEMA ADMINISTRATION SET	A 6530	/ MB	29-JUL-88	MD	MS	03	
A-A-50843A	FLASHLIGHT, PATIENT, EXAMINING, DISPOSABLE	A 6230	/ MB	31-MAR-86	MD	MS	03	
A-A-50844A	URINAL, MALE PATIENT CORROSION-RESISTING STEEL	A 6530	/ MB	24-MAR-89	MD	MS	03	
A-A-50845	BENZOYL PEROXIDE GEL, USP	A 6505	/ MB	10-AUG-82	MD	MS	03	
A-A-50846	100CHLORHYDROXYQUIN AND HYDROCORTISONE CREAM	A 6505	/ MB	10-AUG-82	MD	MS	03	
A-A-50847	SULFUR AND SALICYLIC ACID CAKE	A 6505	/ MB	10-AUG-82	MD	MS	03	
A-A-50848	THEOPHYLLINE ELIXIR	A 6505	/ MB	10-AUG-82	MD	MS	03	
A-A-50849	BROMPHENIRAMINE MALEATE, PHENYLEPHRINE HYDROCHLORIDE, AND PHENYLPROPANOLAMINE HYDROCHLORIDE ELIXIR	A 6505	/ MB	10-AUG-82	MD	MS	03	
A-A-50851A	NEBULIZER, MEDICINAL	A 6515	/ MB	12-AUG-86	MD	MS	03	
A-A-50852A	MICROSCOPE, OPTICAL, BINOCULAR	A 6550	/ MB	13-DEC-85	MD	MS	03	
A-A-50853	DISH, CULTURE, PETRI, STERILE, PLASTIC, DISPOSABLE	A 6640	/ MB	14-OCT-82	MD	MS	03	
A-A-50855A	FINGER COT, SURGICAL, DISPOSABLE	A 6515	/ MB	30-APR-93	MD	MS	03	
A-A-50856	WATER BATH, ELECTRIC, SEROLOGICAL	A 6640	/ MB	29-OCT-82	MD	MS	03	
A-A-50857A	CUP, MEDICINE, PLASTIC	A 6530	/ MB	29-JUL-88	MD	MS	03	
A-A-50858A	PERMPHAGINE AND AMITRIPTYLINE HYDROCHLORIDE TABLETS	A 6505	/ MB	06-JAN-89	MD	MS	03	
A-A-50859B	ANTIPYRINE AND BENZOCAINE OTC SOLUTION, USP	A 6505	/ MB	15-JUN-90	MD	MS	03	
A-A-50860A	CUSHION, RING, INFLATABLE PLASTIC	A 6530	/ MB	24-MAR-89	MD	MS	03	
A-A-50861A	COVERS, DENTAL BRACKET TABLE, PAPER	A 6520	/ MB	27-OCT-89	MD	MS	03	
A-A-50862A	MIXING SLAB, DENTAL USER, YDI	A 6520	/ MB	12-JUN-85	MD	MS	03	
A-A-50863	URINAL, MALE PATIENT, PLASTIC	A 6530	/ MB	04-MAR-83	MD	MS	03	
A-A-50864	BEDSPREAD (LIGHTWEIGHT, COTTON, WHITE) [VALIDATION DATE: 8810]	A 7210	/ MB	31-OCT-88	MD	MS	03	
A-A-50865	MIXING PAD, PARACHUTE PAPER, DENTAL	A 6520	/ MB	25-FEB-83	MD	MS	03	
A-A-50866B	STOOL, REVOLVING	A 6530	/ MB	30-MAY-89	MD	MS	03	
A-A-50867	PAD, GROUNDING, ELECTROSURGICAL	A 6515	/ MB	16-DEC-85	MD	MS	03	
A-A-50868	SUPPORT, CERVICAL, MEDIUM SIZE (JAW CUT-OUT) [VALIDATION DATE: 8902]	A 6515	/ MB	10-FEB-89	MD	MS	03	
NOTICE 1								
A-A-50869	PIPET, SEROLOGICAL (DISPOSABLE, STERILE)	A 6640	/ MB	01-JUN-83	MD	MS	03	
A-A-50870A	COVER, OPERATING TABLE	A 6530	/ MB	29-JUL-88	MD	MS	03	
A-A-50871A	PREVENTIVE DENTISTRY KIT, PATIENT	A 6520	/ MB	28-JUL-89	MD	MS	03	
A-A-50873A	BASSINET AND DRESSING TABLE COMBINATION, HOSPITAL	A 6530	/ MB	30-MAY-89	MD	MS	03	
A-A-50874A	STOOL, STRAIGHT METAL	A 6530	/ MB	30-MAY-89	MD	MS	03	
A-A-50875B	TUBE, BLOOD COLLECTING (VACUUM)	A 6630	/ MB	05-OCT-90	MD	MS	03	
A-A-50876A	BATH, PARAFFIN	A 6530	/ MB	24-MAR-89	MD	MS	03	
A-A-50877A	ELECTRODE, ELECTROSURGICAL APPARATUS	A 6515	/ DM	29-APR-88	MD	MS	03	
A-A-50878A	CUP, SPECIMEN PAPER	A 6530	/ MB	30-MAY-89	MD	MS	03	
A-A-50879A	STERILIZATION TEST STRIP SET, BACTERIAL SPORE	A 6530	/ MB	30-AUG-91	MD	MS	03	
A-A-50880A	TUBING, STERILIZATION	A 6530	/ MB	30-MAY-89	MD	MS	03	
A-A-50881A	PAD, DENTAL RUBBER DAM	A 6520	/ MB	28-OCT-85	MD	MS	03	
A-A-50882B	PAIL, UTILITY, (CORROSION-RESISTING STEEL)	A 7240	/ MB	15-JUN-90	MD	MS	03	
A-A-50883A	BEDPAN	A 6530	/ MB	31-JAN-89	MD	MS	03	
A-A-50884	ESTROGENS, CONJUGATED, CREAM, VAGINAL	A 6505	/ MB	21-NOV-85	MD	MS	03	
A-A-50885	SULFUR & POLYOXYETHYLENE LAURYL ETHER CREAM	A 6505	/ MB	21-NOV-85	MD	MS	03	
A-A-50886	LUBRICANT, OPHTHALMIC	A 6505	/ MB	16-DEC-85	MD	MS	03	
A-A-50887A	LINDANE SHAMPOO, USP	A 6508	/ MB	23-SEP-86	MD	MS	03	
A-A-50888A	EMOLLIENT LOTION	A 6508	/ MB	29-JUN-90	MD	MS	03	
A-A-50889	GLUCOSE TEST SOLUTION	A 6505	/ MB	09-OCT-85	MD	MS	03	
A-A-50890A	SCREEN, X-RAY PROTECTIVE MOBILE	A 6525	/ MB	24-MAR-89	MD	MS	03	
A-A-50891	VIBRATOR, DENTAL MOLDING	A 6520	/ MB	22-AUG-85	MD	MS	03	
A-A-50893B	LIGHT, DIAGNOSTIC-EXAMINATION (HAND HELD)	A 6530	/ MB	15-JUN-90	MD	MS	03	
A-A-50894	INVESTMENT, DENTAL, INLAY	A 6520	/ MB	03-AUG-83	MD	MS	03	
A-A-50895A	DISPENSER, DENTAL X-RAY FILM	A 6525	/ MB	30-MAY-89	MD	MS	03	
A-A-50897A	DESK, FLAT TOP CORROSION-RESISTING STEEL	A 6530	/ MB	24-MAR-89	MD	MS	03	
A-A-50898A	CUP, SOLUTION	A 6530	/ MB	24-MAR-89	MD	MS	03	
A-A-50899	STERILIZER, DRY HEAT	A 6530	/ MB	30-DEC-85	MD	MS	03	
A-A-50900A	STERILIZER, SURGICAL INSTRUMENT AND DRESSING	A 6530	/ MB	15-JAN-93	MD	MS	03	
A-A-50902A	HANDLE, ELECTRODE, ELECTROSURGERY	A 6515	/ MB	29-JUL-88	MD	MS	03	
A-A-50904A	MUELLER HINTON MEDIUM, DEHYDRATED	A 6550	/ MB	17-SEP-86	MD	MS	03	
A-A-50905	TUBE, SUCTION, SURGICAL, STERILE	A 6515	/ MB	21-JAN-85	MD	MS	03	
A-A-50906	KNIFE, PLASTER	A 6520	/ MB	08-MAY-85	MD	MS	03	
A-A-50907	PLASTIC STRIP, DENTAL MATRIX (POLYETHYLENE TEREPHTHALATE, CLEAR, 45 FEET)	A 6520	/ MB	13-MAY-85	MD	MS	03	
A-A-50908	BOWL, PLASTER OF PARIS MIXING	A 6520	/ MB	14-JUN-85	MD	MS	03	
A-A-50909B	TUBES, DRAINAGE, SURGICAL (PENROSE TYPE)	A 6515	/ MB	05-AUG-91	MD	MS	03	
A-A-50910	HANGER, X-RAY FILM DEVELOPING AND DRYING	A 6525	/ MB	29-JAN-85	MD	MS	03	
A-A-50961A	DOG, LATHE USER: MC SH REVIEWER: 84 GS	A 3460	/ IP	19-JUN-89	AL	99	IP	
A-A-50962	FORMING MACHINE, SHEET METAL, SLIP ROLL, HAND OPERATED [VALIDATION DATE: 8906] USER: MC REVIEWER: 84 DH GS	A 3441	/ IP	29-JUN-89	AL	99	IP	
NOTICE 1								
A-A-50964A	GRINDING MACHINES, TOOL ATTACHMENT, PRECISION USER: MC SH REVIEWER: 84 GS	A 3460	/ IP	29-DEC-89	AL	99	IP	
A-A-50965A	HOLDER, CUT-OFF OR SIDE CUTTING BLADE, LATHE USER: MC REVIEWER: 84 GS	A 3460	/ IP	29-SEP-89	AL	99	IP	
A-A-50966	CHUCKS, DRILL, AUTOMATIC, TAPER SHANK WITH TANG [VALIDATION DATE: 8906] REVIEWER: 84 GS	A 3460	/ IP	29-JUN-89	AL	99	IP	
NOTICE 1								
A-A-50967A	GRINDING MACHINE, BENCH, HAND POWERED USER: GS REVIEWER: 84	A 3415	/ IP	28-FEB-90	AL	99	IP	
A-A-50968	CHUCKS, DRILL, KEYLESS TYPE, THREE JAW, BALL BEARINGS [VALIDATION DATE: 8906] REVIEWER: 84 GS	A 3460	/ IP	29-JUN-89	AL	99	IP	
NOTICE 1								
A-A-50969	ARBORS, DRILL CHUCK, STRAIGHT SHANK [VALIDATION DATE: 8906] REVIEWER: 84 GS	A 3460	/ IP	28-JUN-89	AL	99	IP	
NOTICE 1								
A-A-50970	ARBORS, DRILL CHUCK, TAPER SHANK WITH TANG [VALIDATION DATE: 8906]	A 3460	/ IP	28-JUN-89	AL	99	IP	
NOTICE 1								
A-A-50971A	SOLDERING IRON, NON-ELECTRIC (SOLDERING COPPERS) REVIEWER: 84 DH GS	A 3439	/ IP	04-JAN-90	SH	99	IP	
A-A-50972	CONDOM, PROPHYLACTIC	A 6515	/ MB	05-JUN-85	MD	MS	03	
A-A-50973	WHEEL, ABRASIVE, (SILICON CARBIDE, IMPREGNATED RUBBER, COURSE, SQUARE EDGE)	A 6520	/ MB	12-JUN-85	MD	MS	03	
D								
A-A-50974	METAL FOIL (TIN) USER: YDI	A 6520	/ MB	12-JUN-85	MD	MS	03	
A-A-50975	STIRNER-MOT PLATE, MAGNETIC, LABORATORY	A 6640	/ MB	14-JUN-85	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active CPL / OMA Contribution Invoice Document Number	Document Title	Doc. Smt. FBO / Ave MCA Symbol Proprietary Acq. Date	Army Navy Air Force DLA
A-A-50976	HOLDER, RUBBER DAM, DENTAL, (METAL, "U" SHAPED) .....	A 6520 / MB 25-JUN-85	ND MS 03
A-A-50977	HOLDER, RUBBER DAM, DENTAL .....	A 6520 / MB 25-JUN-85	ND MS 03
A-A-50978	TUBE, BIOLOGICAL CULTURE SAMPLING, PLEDGET STYLE, WITH TRANSPORT MEDIA, PLASTIC .....	A 6640 / MB 25-AUG-85	ND MS 03
A-A-50979	BOTTLE, SCREW CAP (PRESCRIPTION) .....	A 6530 / MB 01-JUL-85	ND MS 03
A-A-50980	SLIDE, MICROSCOPE, (FROSTED END, BEVELED EDGE) .....	A 6640 / MB 15-JUL-85	ND MS 03
A-A-50981	CEMENT, ZINC PHOSPHATE, DENTAL .....	A 6520 / MB 19-JUL-85	ND MS 03
A-A-50982A	BAG, ICE .....	A 6530 / MB 31-JAN-89	ND MS 03
A-A-50983A	BOTTLE, SAFETY CAP, GLASS, LIGHT RESISTANT, LIQUID PRESCRIPTION .....	A 6530 / MB 03-SEP-87	ND MS 03
A-A-50984	BOTTLE DROPPER (PRESCRIPTION) .....	A 6530 / MB 24-JUL-85	ND MS 03
A-A-50985	RULER, SURGICAL (CORROSION-RESISTING STEEL) .....	A 6515 / MB 29-JUL-85	ND MS 03
A-A-50987	BAND, COPPER, DENTAL .....	A 6520 / MB 02-AUG-85	ND MS 03
A-A-50988	HOLDER, WAPKIN, DENTAL .....	A 6520 / MB 23-AUG-85	ND MS 03
A-A-50989	TUBE, COILED, BLOOD WARMING, (STERILE) .....	A 6515 / MB 03-OCT-85	ND MS 03
A-A-50990A	SOUND, URETHRAL, CURVED, VAN-BUREN .....	A 6515 / MB 04-OCT-85	ND MS 03
A-A-50991	PAD, MAGNETIC, SURGICAL INSTRUMENT .....	A 6515 / MB 04-OCT-85	ND MS 03
A-A-50992	OTOSCOPE (BATTERY TYPE) .....	A 6515 / MB 03-OCT-85	ND MS 03
A-A-50993	MIRROR, LARYNGEAL .....	A 6515 / MB 04-SEP-85	ND MS 03
A-A-50994B	CATHETER, URETHRAL, (FOLEY-TYPE) .....	A 6515 / MB 10-JUL-90	ND MS 03
A-A-50995	CATHETER, URETHRAL, PLASTIC, DISPOSABLE ROUND TIP, ROBINSON-MELATON TYPE ..	A 6515 / MB 04-OCT-85	ND MS 03
A-A-50996	APPLICATOR, NASAL, LATHBURY .....	A 6515 / MB 04-SEP-85	ND MS 03
A-A-50997	CATHETER & NEEDLE UNIT, INTRAVENOUS, STERILE .....	A 6515 / MB 04-SEP-85	ND MS 03
A-A-50999	CYLINDER, GRADUATED, LABORATORY, POLYPROPYLENE .....	A 6640 / MB 14-AUG-85	ND MS 03
A-A-51000	RACK, TEST TUBE, LABORATORY .....	A 6640 / MB 08-AUG-85	ND MS 03
A-A-51001	CATHETER, CHOLANGIOGRAM, PLASTIC, DISPOSABLE, STERILE .....	A 6515 / MB 05-SEP-85	ND MS 03
A-A-51002	LABEL, PAPER, PRESSURE SENSITIVE ADHESIVE .....	A 7530 / MB 03-OCT-85	ND MS 03
A-A-51003	BRUSH, SCRATCH, DENTAL .....	A 6520 / MB 30-AUG-85	ND MS 03
A-A-51004	GAGE, ENDODONTIC .....	A 6520 / MB 03-AUG-85	ND MS 03
A-A-51005	STAND, DISK, DENTAL .....	A 6520 / MB 30-AUG-85	ND MS 03
A-A-51006A	CLAY, MODELING (DENTAL) .....	A 6520 / MB 25-NOV-85	ND MS 03
A-A-51007	FLASHLIGHT, SURGICAL .....	A 6515 / MB 13-SEP-85	ND MS 03
A-A-51008	CAUTERY, BATTERY OPERATED .....	A 6515 / MB 10-OCT-85	ND MS 03
A-A-51009	CAUTERY, OPHTHALMIC, BATTERY OPERATED, LOW TEMPERATURE .....	A 6515 / MB 10-OCT-85	ND MS 03
A-A-51010A	FILMER, DENTAL RADIOGRAPHIC FILM .....	A 6525 / MB 25-OCT-89	ND MS 03
A-A-51011A	SCREEN, X-RAY PROTECTIVE (FRAME MOUNTED, REUSE) .....	A 6525 / MB 25-OCT-89	ND MS 03
A-A-51012A	PAD, HEAT TREATMENT (MOIST HEAT) .....	A 6530 / MB 25-OCT-89	ND MS 03
A-A-51013	SPECIMEN KIT, URINE .....	A 6530 / MB 13-SEP-85	ND MS 03
A-A-51014A	BOWLS, SURGICAL SPONGE (PLASTIC) .....	A 6530 / MB 17-MAY-92	ND MS 03
A-A-51015	CUP, SPECIMEN .....	A 6530 / MB 20-SEP-85	ND MS 03
A-A-51016	TRAY, CATHETER .....	A 6532 / MB 10-OCT-85	ND MS 03
A-A-51017	SPECIMEN KIT, URINE .....	A 6530 / MB 13-SEP-85	ND MS 03
A-A-51018	BOTTLE, URINE SPECIMEN & CAP, SNAP ON .....	A 6530 / MB 10-OCT-85	ND MS 03
A-A-51019	ADAPTER, CATHETER TO LUER SYRINGE .....	A 6515 / MB 20-SEP-85	ND MS 03
A-A-51020	APPLICATOR NASAL, FARRELL .....	A 6515 / MB 23-SEP-85	ND MS 03
A-A-51021A	PATIENT UTILITY KIT (PLASTIC) .....	A 6530 / MB 19-JAN-90	ND MS 03
A-A-51022	TRAY, MEDICINE .....	A 6530 / MB 10-OCT-85	ND MS 03
A-A-51023	PROTECTOR, DENTURE MODEL, FORMED PLASTIC, THREE-PIECE .....	A 6520 / MB 10-OCT-85	ND MS 03
A-A-51024	CATHETER, VETERINARY, HORSE, PLASTIC .....	A 6515 / MB 20-SEP-85	ND MS 03
A-A-51025	SWAB, PROCTOSIGMOIDOSCOPIC TIP, (NON-STERILE, 500S) .....	A 6515 / MB 03-OCT-85	ND MS 03
A-A-51026	NEEDLE, SUTURE, VETERINARY, SURGEON'S .....	A 6515 / MB 20-SEP-85	ND MS 03
A-A-51027	BRUSH, FIBER, ROTARY WHEEL (DENTAL) .....	A 6520 / MB 14-OCT-85	ND MS 03
A-A-51028	JAR, FORCEPS .....	A 6530 / MB 09-DEC-85	ND MS 03
A-A-51029	MATTRESS, BED .....	A 7210 / MB 10-OCT-85	ND MS 03
A-A-51030B	PULMONARY EXERCISE UNITS .....	A 6530 / MB 19-MAR-93	ND MS 03
A-A-51031	SPECIMEN COLLECTION UNIT, URINE & STOOL .....	A 6530 / MB 10-OCT-85	ND MS 03
A-A-51032	FORCEPS, CASTING REMOVING, DENTAL .....	A 6520 / MB 10-OCT-85	ND MS 03
A-A-51033	PAPER, ELECTROCARDIOGRAPH RECORDING .....	A 6515 / MB 10-OCT-85	ND MS 03
A-A-51034	DISPENSER, SURGICAL DETERGENT .....	A 6530 / MB 10-OCT-85	ND MS 03
A-A-51035	GUIDE WIRE, CARDIOVASCULAR CATHETER, DISPOSABLE, MOVEABLE CORE .....	A 6515 / MB 04-OCT-85	ND MS 03
A-A-51036	ADAPTER, CATHETER TO LUER SYRINGE, SMALL LUMEN .....	A 6515 / MB 20-SEP-85	ND MS 03
A-A-51037	AMOXAPINE TABLETS .....	A 6505 / MB 11-OCT-85	ND MS 03
A-A-51038B	ALPRAZOLAM TABLETS, USP .....	A 6505 / MB 11-JUN-87	ND MS 03
A-A-0051038A	ALPRAZOLAM TABLETS, USP .....	A 6505 / MB 26-SEP-86	ND MS 03
A-A-51039A	ALUMINUM HYDROXIDE GEL AND MAGNESIUM CARBONATE SUSPENSION .....	A 6505 / MB 10-AUG-90	ND MS 03
A-A-51040	ACYCLOVIR OINTMENT .....	A 6505 / MB 06-OCT-85	ND MS 03
A-A-51041	ACYCLOVIR SODIUM FOR INJECTION .....	A 6505 / MB 04-OCT-85	ND MS 03
A-A-51042	BENZQUINAMIDE HYDROCHLORIDE FOR INJECTION .....	A 6505 / MB 04-OCT-85	ND MS 03
A-A-51043A	BRETYLIUM TOSYLATE INJECTION .....	A 6505 / MB 17-MAR-89	ND MS 03
A-A-51044	BUTALBITAL, ASPIRIN, AND CAFFEINE TABLETS .....	A 6505 / MB 04-OCT-85	ND MS 03
A-A-51045	CHLORDIAZEPoxide HYDROCHLORIDE & CLIDINIUM BROMIDE CAPSULES .....	A 6505 / MB 04-OCT-85	ND MS 03
A-A-51046A	CIMETIDINE TABLETS, USP .....	A 6505 / MB 19-SEP-86	ND MS 03
A-A-51047	GUANABENZ ACETATE TABLETS .....	A 6505 / MB 04-OCT-85	ND MS 03
A-A-51048	LEUCOVORIN CALCIUM TABLETS .....	A 6505 / MB 04-OCT-85	ND MS 03
A-A-51049	CHLORPHENESIN CARBAMATE TABLETS .....	A 6505 / MB 04-OCT-85	ND MS 03
A-A-51050	GUIDE WIRE, CEREBRAL CATHETER .....	A 6515 / MB 07-OCT-85	ND MS 03
A-A-51051	GUIDE WIRE, CARDIOVASCULAR CATHETER, FIXED CORE, HEPARIN COATED .....	A 6515 / MB 07-OCT-85	ND MS 03
A-A-51052A	TABLE, OVERBED MOBILE .....	A 6530 / MB 30-MAY-89	ND MS 03
A-A-51053	TUBE, STOMACH, SURGICAL, SILICONE, SALEM, DISPOSABLE .....	A 6515 / MB 07-OCT-85	ND MS 03
A-A-51054	TRIMMER, ANIMAL TAIL .....	A 6515 / MB 09-OCT-85	ND MS 03
A-A-51057A	STOOL, STRAIGHT CORROSION RESISTING STEEL .....	A 6530 / MB 25-OCT-89	ND MS 03
A-A-51058B	WASTE RECEPTACLE, STEP ON TYPE .....	A 7240 / MB 26-JUN-87	ND MS 03
A-A-51059	GRADUATE, LIQUID, LABORATORY, (CORROSION RESISTING) .....	A 6640 / MB 09-OCT-85	ND MS 03
A-A-51060	WALLET, ORAL SURGERY, HAND TYPE, HEAD .....	A 6520 / MB 22-OCT-85	ND MS 03
A-A-51061	BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE) .....	A 6520 / MB 21-OCT-85	ND MS 03
A-A-51062A	STERILIZER, SURGICAL INSTRUMENT .....	A 6530 / MB 15-JUN-90	ND MS 03
A-A-51063A	CHEMICAL COOLING PAD .....	A 6530 / MB 29-APR-88	ND MS 03
A-A-51065	TUBE, SUCTION, SURGICAL PHOTON MERZ, STRAIGHT TIP .....	A 6515 / MB 10-OCT-85	ND MS 03
A-A-51066	IRRIGATION SET, UROLOGICAL, SINGLE PORT, STERILE, DISPOSABLE .....	A 6515 / MB 20-DEC-85	ND MS 03
A-A-51067	CODEINE PHOSPHATE AND ASPIRIN TABLETS .....	A 6505 / MB 26-NOV-85	ND MS 03
A-A-51068	DANTRONE SODIUM CAPSULES .....	A 6505 / MB 11-OCT-85	ND MS 03
A-A-51069	NAPHAZOLINE HYDROCHLORIDE AND PHENIRAMINE MALEATE OPHTHALMIC SOLUTION ..	A 6505 / MB 11-OCT-85	ND MS 03
A-A-51070A	WSK, SURGICAL .....	A 6515 / MB 30-AUG-91	ND MS 03
A-A-51071	MIRROR, MOUTH EXAMINING, (PLASTIC, PLANE GLASS, DISPOSABLE) .....	A 6520 / MB 30-OCT-85	ND MS 03
A-A-51072	DISH, MEDICAMENT, DENTAL .....	A 6520 / MB 16-OCT-85	ND MS 03
A-A-51073	ROD ASSORTMENT, STIRRING, LABORATORY, GLASS .....	A 6640 / MB 28-OCT-86	ND MS 03
A-A-51075B	COVER, X-RAY CASSETTE .....	A 6525 / MB 26-FEB-88	ND MS 03
A-A-51076	GLASS TUBING ASSORTMENT .....	A 6640 / MB 29-OCT-85	ND MS 03
A-A-51077	PROBUOL TABLETS .....	A 6505 / MB 21-NOV-85	ND MS 03
A-A-51078	CODEINE PHOSPHATE AND ACETAMINOPHEN ELIXIR .....	A 6505 / MB 21-NOV-85	ND MS 03
A-A-51079	PROMETHAZINE HYDROCHLORIDE AND CODEINE PHOSPHATE SYRUP .....	A 6505 / MB 21-NOV-85	ND MS 03
A-A-51080	VINCRISTINE SULFATE INJECTION .....	A 6505 / MB 21-NOV-85	ND MS 03
A-A-51081	TRIPROLODINE & PSEUDOPHEDRINE HYDROCHLORIDES SYRUP, USP .....	A 6505 / MB 15-DEC-85	ND MS 03
A-A-51082	BAG, TUBE FEEDING STERILE .....	A 6515 / MB 06-DEC-85	ND MS 03
A-A-51083	TRIANTERENE AND HYDROCHLOROTHIAZIDE CAPSULES .....	A 6505 / MB 26-NOV-85	ND MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Or Coordination Inches	Document Number	Document Title	Dist. Stmt. FSC / Area	MCA Symbol Preparing Acty.	Date	Custodians			
						Army	Navy	Air Force	DLA
A-A-51084		OXYBUTYRIN CHLORIDE TABLETS	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51085		MORPHINE SULFATE ORAL SOLUTION	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51087		COAL TAR AND MINERAL OIL, LAMOLATED, WATER-DISPERSIBLE, BATH OIL	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51088		CIMETIDINE HYDROCHLORIDE INJECTION	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51089A		TUBE, STOMACH, SURGICAL (SALEM)	A 6515 / MB	26-AUG-88	MD	MS	03		
A-A-51090		ENDOSCOPIC INSTRUMENT, FIBER OPTIC, FLEXIBLE	A 6515 / MB	25-OCT-85	MD	MS	03		
A-A-51091A		ILLUMINATOR, X-RAY FILM SINGLE, 14 BY 17 INCHES	A 6525 / MB	30-MAY-89	MD	MS	03		
A-A-51092A		ILLUMINATOR, X-RAY FILM (FOUR SECTION, MOBILE)	A 6525 / MB	15-JUN-90	MD	MS	03		
A-A-51093A		SAFELIGHT, DARKROOM, RADIOGRAPHIC	A 6525 / MB	23-NOV-90	MD	MS	03		
A-A-51094A		JAR, SURGICAL DRESSING (GLASS)	A 6530 / MB	31-JUL-90	MD	MS	03		
A-A-51095		PINDOLOL TABLETS	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51096		ALUMINUM ACETATE & ACETIC ACID SOLUTION	A 6505 / MB	26-DEC-85	MD	MS	03		
A-A-51097		BOOT, EXERCISER, PHYSICAL THERAPY	A 6530 / MB	30-OCT-85	MD	MS	03		
A-A-51098		TRIETHANOLAMINE POLYPEPTIDE OLEATE CONDENSATE SOLUTION, OTIC	A 6505 / MB	27-DEC-85	MD	MS	03		
A-A-51099		LORAZEPAM TABLETS	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51100		NADOLOL TABLETS	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51101B		BEAKER, LABORATORY (BOROSILICATE GLASS)	A 6640 / MB	13-MAY-91	MD	MS	03		
A-A-51102		RITODRINE HYDROCHLORIDE INJECTION	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51106		NITROFURAZONE FOR SOLUTION, VETERINARY	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51107		DETERGENT, SURGICAL, (4% CHLORHEXIDINE GLUCONATE SOLUTION)	A 6505 / MB	26-NOV-85	MD	MS	03		
D A-A-0051108A		URINE SUGAR TEST TABLETS USER: YD1	A MISC / MB	18-SEP-86	MD	MS	03		
A-A-51109		FLASK, KJELDAHL, (BOROSILICATE GLASS)	A 6640 / MB	29-NOV-85	MD	MS	03		
A-A-51110A		FLASHLIGHTS, EYE EXAMINING	A 6515 / MB	23-NOV-90	MD	MS	03		
A-A-51111		BANDAGE, GAUZE, (FINE MESH)	A 6510 / MB	26-NOV-85	MD	MS	03		
A-A-51112		PROPRANOLOL HYDROCHLORIDE AND HYDROCHLOROTHIAZIDE TABLETS	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51113		PEMOLINE TABLETS	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51114		VALPROATE SODIUM SYRUP	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51115		TRACHEOSTOMY KIT, EMERGENCY, STERILE	A 6515 / MB	15-JAN-86	MD	MS	03		
A-A-51116		CLAMP, TEST TUBE	A 6640 / MB	20-NOV-85	MD	MS	03		
A-A-51117		PLIER, OPTICIANS, ENDPIECE GRIPPING	A 6540 / MB	12-NOV-85	MD	MS	03		
A-A-51118		PLIER, OPTICIANS, RIVET & SHIELD BURNISHING	A 6540 / MB	08-NOV-85	MD	MS	03		
A-A-51119		PLIER, OPTICIANS, TEMP LE ANGLING	A 6540 / MB	14-NOV-85	MD	MS	03		
A-A-51120		PLIER, OPTICIANS, LENS & ALIGNING, 7-1/4 IN.	A 6540 / MB	20-NOV-85	MD	MS	03		
A-A-51121		PLIER, OPTICIANS, CHIPPING	A 6540 / MB	22-NOV-85	MD	MS	03		
A-A-51122		SINICALIDE FOR INJECTION	A 6505 / MB	26-NOV-85	MD	MS	03		
A-A-51123A		VISES, MACHINE TABLE BENCH & MACHINE TABLE REVIEWER: 84 GS ME	A 3460 / IP	27-JAN-88	AL		99		
D A-A-51124		ADAPTER, DRILL CHUCK, MOTOR SHAFT (VALIDATION DATE: 8909) USER: YD1	A 3460 / IP	15-SEP-89	AL		99	IP	
		REVIEWER: 84 DH GS							
D A-A-51125B		BLADES, BAND SAW, CARBON STEEL, METAL CUTTING USER: MC REVIEWER: 84 GS YD1	A 3455 / IP	09-JAN-91	AL		99	IP	
A-A-51126A		ANODES, CADMIUM USER: OS REVIEWER: 84 GS	A 3426 / IP	09-FEB-90	AL	SH	99	IP	
A-A-51127A		HOLDER, KNURLING TOOL, LATHE USER: MC REVIEWER: 84 GS	A 3460 / IP	12-JAN-90	AL	SH	99	IP	
A-A-51128A		TORCH KIT, SOLDERING (PROPANE GAS) USER: OS REVIEWER: 84 DH GS	A 3439 / IP	08-JUN-90	AL		99	IP	
D A-A-51129B		MANDRELS, MACHINE, SOLID REVIEWER: 84 GS	A 3460 / IP	21-MAY-92	AL	YD1	99	IP	
A-A-51130A		CUTTER BIT BLANKS AND CUT-OFF BLADES REVIEWER: 84	A 3455 / IP	03-FEB-90	AL	SH	99	IP	
A-A-51131A		TOOL HOLDER, SHAPER EXTENSION USER: MC REVIEWER: 84 GS	A 3460 / IP	30-JAN-90	AL		99	IP	
D A-A-51132A		SOCKET, STRAIGHT SHANK (TURRET TOOL HOLDER) USER: CG MC REVIEWER: 84 GS	A 3460 / IP	28-JAN-91	AL	YD1	99	IP	
A-A-51133A		HOLDER, PLANNER AND SHAPER, ADJUSTABLE USER: MC REVIEWER: 84 GS	A 3460 / IP	30-JAN-90	AL	SH	99	IP	
D A-A-51134B		BLADES, BAND SAW, COMPOSITE STEEL, METAL CUTTING, MC HIGH SPEED STEEL	A 3455 / IP	17-JAN-91	AL		99	IP	
		USER: MC SH REVIEWER: 84 GS YD1							
A-A-51135A		HOLE SAWS, HOLE SAW ARBORS, AND HOLE SAW DRIED PLATES (VALIDATION DATE: 9008) USER: MC SH REVIEWER: 84 GS	A 3455 / IP	15-AUG-90	AL		99	IP	
A-A-51136A		TOOL HOLDER, THREADING TOOL TYPE, LATHE USER: MC REVIEWER: 84 GS	A 3460 / IP	23-JAN-90	AL	SH	99	IP	
A-A-51137A		TOOL HOLDERS, BORING TOOL AND BORING BAR, LATHE REVIEWER: 84 GS	A 3460 / IP	05-FEB-90	AL		99	IP	
A-A-51138		BRAZING AND SOLDERING SET (ACETYLENE GAS) (VALIDATION DATE: 9007)	A 3433 / IP	18-JUL-90	AL		99	IP	
		REVIEWER: GS							
A-A-51139A		HOLDER, TURNING TOOL, LATHE USER: MC SH REVIEWER: 84 GS	A 3460 / IP	31-OCT-84	AL		99	IP	
A-A-51140A		CHUCKS, DRILL, KEY TYPE, THREE-JAW, GEARED REVIEWER: 84 GS	A 3460 / IP	23-MAR-90	AL		99	IP	
A-A-51141A		PLATE, LAPPING REVIEWER: 84 GS	A 3460 / IP	14-FEB-90	AL	SH	99	IP	
A-A-51142A		ANODES, NICKEL, CARBONIZED USER: OS SH REVIEWER: GS	A 3426 / IP	09-FEB-90	AL	AS	99	IP	
A-A-51143A		CUTTER BIT (CARBIDE TIP) REVIEWER: 84 GS	A 3455 / IP	24-JUL-90	AL		99	IP	
A-A-51144		ANODES, COPPER (VALIDATION DATE: 9012) USER: OS SH REVIEWER: 84 GS	A 3426 / IP	17-DEC-90	AR	AS	99	IP	
		NOTICE 1							
A-A-51145C		FLUX, SOLDERING, NON-ELECTRONIC, PASTE AND LIQUID USER: AT MC REVIEWER: 84	A 3439 / IP	30-APR-92	AL	SH	99	IP	
		EA GS M1							
A-A-51146A		FILES, ROTARY, CYLINDRICAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE	A 3455 / IP	06-MAR-89	AL		99	IP	
		REVIEWER: 84 GS SH							
D A-A-51147A		BLADES, BAND SAW, CARBON STEEL, WOOD CUTTING USER: MC REVIEWER: 84 AL GS	A 3455 / IP	08-JAN-91	ME	SH	99	IP	
		YD1							
A-A-51148		BLADES, BAND SAW, CARBON STEEL, MEAT CUTTING (VALIDATION DATE: 9009)	A 7320 / IP	18-SEP-90	GL	SA	99	IP	
		REVIEWER: 84 GS MC							
D A-A-51149A		CHUCKS, INDEPENDENT TYPE, FOUR-JAW USER: MC YD1 REVIEWER: 84 AS GS	A 3460 / IP	05-MAR-91	AL	SH	99	IP	
A-A-51150A		"V" BLOCKS AND CLAMPS, SINGLE "V" GROOVE REVERSIBLE CLAMPING REVIEWER: 84	A 3460 / IP	24-DEC-91	AL	SH	99	IP	
		GS							
A-A-51151A		FILES, ROTARY, TREE SHAPE, RADIUS NOSE, HIGH SPEED STEEL OR TUNGSTEN	A 3455 / IP	26-OCT-90	AL	SH	99	IP	
		CARBIDE REVIEWER: 84 GS							
A-A-51152		FILES, ROTARY, CYLINDRICAL SHAPE, BALL NOSE, HIGH SPEED STEEL OR TUNGSTEN	A 3455 / IP	14-APR-86	AL	SH	99	IP	
		CARBIDE REVIEWER: 84 GS							
A-A-51153A		CLEANING SETS, OXYGEN AND ACETYLENE, WELDING AND CUTTING TORCH TIPS	A 3439 / IP	19-MAR-91	AL	SH	99	IP	
		REVIEWER: 84 GS							
A-A-51154		FILES, ROTARY, BALL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER:	A 3455 / IP	06-JUN-86	AL	SH	99	IP	
		84 GS							
A-A-51155A		FILES, ROTARY, OVAL SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE USER: SH	A 3455 / IP	16-MAR-89	AL		99	IP	
		REVIEWER: 84 GS							
A-A-51160A		FOLDING MACHINES, SHEET METAL, BAR TYPE, HAND OPERATED, BENCH MOUNTED	A 3441 / IP	12-DEC-91			99	IP	
		USER: SH REVIEWER: 84 GS							
D A-A-51161A		HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING, POSITIVE GRIP TYPE USER:	A 3439 / IP	04-FEB-92	AL	SH	99	IP	
		AS MC YD1 REVIEWER: 84 GS							
A-A-51162		FILES, ROTARY, TREE SHAPED, POINTED NOSE, HIGH SPEED STEEL OR TUNGSTEN	A 3455 / IP	27-OCT-86	AL		99	IP	
		CARBIDE REVIEWER: 84 GS SH							
A-A-51163		FILES, ROTARY, FLAME SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE REVIEWER:	A 3455 /	27-OCT-86					
		84 AL GS SH							
D A-A-51164		CRIMPING & BEADING MACHINE, SHEET METAL, ROTARY, MANUALLY OPERATED USER:	A 3441 / IP	04-NOV-86	AL		99	IP	
		YD1 REVIEWER: 84 GS							
A-A-51165		MOISTURE STABILIZER, WELDING ELECTRODE REVIEWER: 84 GS	A 3439 / IP	20-MAR-87	AL	SH	99	IP	
A-A-51166		FILES, ROTARY, INVERTED CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE	A 3455 / IP	30-APR-87	AL	SH	99	IP	
		REVIEWER: 84 GS							
D A-A-51168		FORMING MACHINE, DOUBL USER: YD1 REVIEWER: 84 GS	A 3441 / IP	30-JUL-87	AL		99	IP	
D A-A-51169		GROOVING MACHINE, SHEET METAL, HAND OPERATED, BENCH MOUNTED REVIEWER: 84	A 3441 / IP	18-AUG-87	AL		99	IP	
		GS YD1							
A-A-51170		FORMING MACHINE, SETTING DOWN TYPE, MANUALLY OPERATED, BENCH MOUNTED	A 3441 / IP	18-SEP-87	AL		99	IP	
A-A-51171		FILES, ROTARY, 60 DEG. CONE SHAPE, HIGH SPEED STEEL OR TUNGSTEN CARBIDE	A 3455 / IP	23-SEP-87	AL		99	IP	
A-A-51172		FORMING MACHINE, SHEET METAL, ROTARY, MANUALLY OPERATED, BENCH MOUNTED	A 3441 / IP	18-SEP-87	AL		99	IP	
		COMBINATION TYPE							
A-A-51174		WHEEL, EXPANDING REVIEWER: 84 GS	A 3460 / IP	29-DEC-87			99	IP	



## NUMERICAL LISTING COMMERCIAL ITEM DESCRIPTIONS

577



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active / OMA Coordination Inches Document Number	Document Title	Dist. Smt FSC / Item NCS Symbol Preparing Acty Date	Custodian Army Navy Air Force DIA
A-A-51285	WHEEL, ABRASIVE, (DENTAL) .....	A 6520 / MB 18-DEC-85	MD MS 03
A-A-51286	WEDGE SET, DENTAL, (WOOD) .....	A 6520 / MB 18-DEC-85	MD MS 03
A-A-51287	PROP. MOUTH, DENTAL, RUBBER .....	A 6520 / MB 18-DEC-85	MD MS 03
A-A-51288	MAGNIFIER, DENTAL OPERATING .....	A 6520 / MB 18-DEC-85	MD MS 03
A-A-51289	MAGNIFIER, (DENTAL LABORATORY) .....	A 6520 / MB 18-DEC-85	MD MS 03
A-A-51290	CLOTH, SQUEEZE, DENTAL .....	A 6520 / DM 18-DEC-85	MD MS 03
A-A-51291	MAX, DENTAL (UTILITY) .....	A 6520 / MB 23-DEC-85	MD MS 03
A-A-51292	RULE, ANATOMICAL .....	A 6525 / MB 12-DEC-85	MD MS 03
A-A-51293	CART, MEDICINE .....	A 6530 / MB 12-DEC-85	MD MS 03
A-A-51294A	BAG, HOT WATER-ICE .....	A 6530 / MB 31-JAN-89	MD MS 03
A-A-51295	TUBING, STERILIZATION .....	A 6530 / MB 12-DEC-85	MD MS 03
A-A-51296	MAX, DENTAL (BOXING) .....	A 6520 / MB 18-DEC-85	MD MS 03
A-A-51297	WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL) .....	A 6520 / MB 18-DEC-85	MD MS 03
A-A-51298	FLASK, BOILING, FLORENCE .....	A 6640 / MB 28-JAN-86	MD MS 03
A-A-51300A	MICROTOME, ROTARY, AUTOMATIC .....	A 6640 / MB 04-JUN-90	MD MS 03
A-A-51301A	FOOTWEAR COVERS, OPERATING ROOM (DISPOSABLE) .....	A 6532 / MB 24-JAN-92	MD MS 03
A-A-51302	CATHETER AND NEEDLE UNIT, INTRAVENOUS 16 GAGE CATHETER, 5-1/4 INCHES LONG, 50S .....	A 6515 / MB 19-DEC-85	MD MS 03
A-A-51303	CATHETER AND NEEDLE UNIT, INTRAVENOUS, 16 GAGE CATHETER, 8 INCHES LONG, 50S .....	A 6515 / MB 19-DEC-85	MD MS 03
A-A-51304A	CHEST, X-RAY FILM PROTECTIVE (STEEL) .....	A 6525 / MB 14-FEB-91	MD MS 03
A-A-51305A	MATTRESS, STRETCHER (AMBULANCE) .....	A 6530 / MB 19-JAN-90	MD MS 03
A-A-51306	TUBE, SERUM SHIPPING AND STORING, (NARROW MOUTH, ROUND, TRANSLUCENT) .....	A 6640 / MB 20-DEC-85	MD MS 03
A-A-51307	DISH, CULTURE, PETRI .....	A 6540 / MB 20-DEC-85	MD MS 03
A-A-51308	SPLINT, ARM AND SPLINT, LEG (PNEUMATIC) .....	A 6515 / MB 12-MAR-86	MD MS 03
A-A-51310B	IMPRESSION MATERIAL, DENTAL (MODELING COMPOUND) .....	A 6520 / MB 15-MAY-92	MD MS 03
A-A-51311	WHEEL, ABRASIVE, IMPREGNATED RUBBER, PUMICE .....	A 6520 / MB 30-DEC-85	MD MS 03
A-A-51312	WHEEL SET, ABRASIVE (RUBBER, STRAIGHT HANDPIECE) .....	A 6520 / MB 30-DEC-85	MD MS 03
A-A-51313	MASK, ORONASAL USER: YD1 .....	A 6515 / MB 17-MAR-86	MD MS 03
A-A-51314	LIGHT, BED, HOSPITAL .....	A 6230 / MB 26-DEC-85	MD MS 03
A-A-51315	MANIKIN, CARDIOPULMONARY RESUSCITATION TRAINING (HEAD AND TORSO) .....	A 6530 / MB 27-DEC-85	MD MS 03
A-A-51316	OPHTHALMOSCOPE, RETINOSCOPE AND TRANSLUMINATION SET .....	A 6540 / MB 20-DEC-85	MD MS 03
A-A-51317	EDGER, HAND, OPHTHALMIC LENS .....	A 6540 / MB 26-DEC-85	MD MS 03
A-A-51318	MEASURE, LENS, OPHTHALMIC .....	A 6540 / MB 18-DEC-85	MD MS 03
A-A-51319	PAD, CONTAMINATION CONTROL MAT .....	A 6530 / MB 27-DEC-85	MD MS 03
A-A-51320	ELECTRODE, ELECTROCARDIOGRAPH .....	A 6515 / MB 27-DEC-85	MD MS 03
A-A-51321A	FOOTPRINTER, INFANT IDENTIFICATION (DISPOSABLE) .....	A 6530 / MB 31-JUL-90	MD MS 03
A-A-51327	CONNECTOR, SURGICAL TUBING STRAIGHT, PLASTIC .....	A 6515 / MB 31-DEC-85	MD MS 03
A-A-51328	COMMERCIAL ITEM DESCRIPTION CANNULA, LARYNGEAL .....	A 6515 / MB 21-FEB-86	MD MS 03
A-A-51330	BLOOD PLATELET ADMINISTRATION-POOLING SET .....	A 6515 / MB 14-MAR-86	MD MS 03
A-A-51331	PHOTODIODE, ADDITIVE TYPE .....	A 6540 / MB 14-JAN-86	MD MS 03
A-A-51332	FRAME, OPHTHALMIC TRIAL LENS SET .....	A 6540 / MB 28-FEB-86	MD MS 03
A-A-51336	TIP, PIPET, PLASTIC, DISPOSABLE .....	A 6640 / MB 28-JAN-86	MD MS 03
A-A-51337	GAGE SET, OPHTHALMIC LENS GRINDING TOOLS, METAL .....	A 6540 / MB 27-JAN-86	MD MS 03
A-A-51340A	IRRIGATOR (CORROSION-RESISTING STEEL) .....	A 6530 / MB 30-MAR-90	MD MS 03
A-A-51341	LABEL, X-RAY FILM IDENTIFICATION .....	A 6525 / MB 31-JAN-86	MD MS 03
A-A-51342	SHAKING MACHINE, LABORATORY, (BLOOD COLLECTING TUBE) .....	A 6640 / MB 31-JAN-86	MD MS 03
A-A-51343	SURGICAL PACK, LOWER EXTREMITY .....	A 6530 / MB 14-FEB-86	MD MS 03
A-A-51344B	GRADUATE, LIQUID, LABORATORY .....	A 6640 / MB 11-FEB-92	MD MS 03
A-A-51345	LARYNGEAL STENTS, SILICONE RUBBER .....	A 6515 / MB 07-FEB-86	MD MS 03
A-A-51346	CONNECTOR, ELASTIC TUBING .....	A 6515 / MB 30-JUL-86	MD MS 03
A-A-51348A	CONNECTOR, ELASTIC TUBING, BRANCHED, PLASTIC, T-SHAPED .....	A 6515 / MB 20-MAR-92	MD MS 03
A-A-51349	LUBRICANT, DENTAL HANDPIECE .....	A 6520 / MB 12-FEB-86	MD MS 03
A-A-51350	SHIELD, GONADAL, X-RAY PROTECTIVE .....	A 6525 / MB 21-FEB-86	MD MS 03
A-A-51351	CENTRIFUGE, LABORATORY (MICROHEMATOCRIT, BATTERY POWERED) .....	A 6640 / MB 28-FEB-86	MD MS 03
A-A-51353	KNIFE-CURETTE, EAR (SHEEY-HOUSE) .....	A 6515 / MB 12-SEP-86	MD MS 03
A-A-51354	BEDPAN .....	A 6530 / MB 14-MAR-86	MD MS 03
A-A-51355B	STRETCHER, HOSPITAL (WHEELED) .....	A 6530 / MB 24-DEC-91	MD MS 03
A-A-51356	BATTERY SUPPORT SYSTEM .....	A 6625 / MB 07-MAR-86	MD MS 03
A-A-51357A	ADHESIVE TAPE, SURGICAL, (PERFORATED) .....	A 6510 / MB 25-JUN-90	MD MS 03
A-A-51358	TONGS, LABORATORY .....	A 6640 / MB 28-APR-86	MD MS 03
A-A-51360A	FLASK, VOLUMETRIC (BOROSILICATE GLASS) .....	A 6640 / MB 30-AUG-91	MD MS 03
A-A-51361A	SURGICAL PACK, GOWN AND TOWEL .....	A 6532 / MB 17-MAY-92	MD MS 03
A-A-51362A	BATH, WHIRLPOOL ARM .....	A 6530 / MB 24-MAR-89	MD MS 03
A-A-51363A	DRAIN, SURGICAL, RUBBER, T-TYPE, STERILE .....	A 6515 / MB 15-JUN-92	MD MS 03
A-A-51365A	CANNULA, EAR (HOUSE, SUCTION-IRRIGATOR) .....	A 6515 / MB 22-SEP-87	MD MS 03
A-A-51366	SUCTION APPARATUS, SURGICAL .....	A 6515 / MB 31-MAR-86	MD MS 03
A-A-51367	DEMINEALIZER, WATER, ION EXCHANGE .....	A 4610 / MB 14-MAR-86	MD MS 03
A-A-51369A	PROBE, GENERAL OPERATING .....	A 6515 / MB 25-NOV-91	MD MS 03
A-A-51370C	DRAPE, SURGICAL (SELF-ADHERING) .....	A 6530 / MB 25-JAN-93	MD MS 03
A-A-51371	RESUSCIATOR AND ASPIRATOR .....	A 6515 / MB 31-MAR-86	MD MS 03
A-A-51373A	GOWN OPERATING, SURGICAL .....	A 6532 / MB 22-AUG-86	MD MS 03
A-A-51376	GUIDE, WIRE STRUT (V SHAPE, HOUSE) .....	A 6515 / MB 08-JUL-86	MD MS 03
A-A-51378A	CEFTRIAXONE SODIUM FOR INJECTION .....	A 6505 / MB 10-AUG-87	MD MS 03
A-A-0051378	CEFTRIAXONE SODIUM FOR INJECTION .....	A 6505 / MB 01-APR-86	MD MS 03
A-A-51379A	CHLOROTHALIDONE TABLETS, USP .....	A 6505 / MB 18-SEP-86	MD MS 03
A-A-51381A	MAGALDRATE ORAL SUSPENSION, USP .....	A 6505 / MB 11-SEP-86	MD MS 03
A-A-51382A	STERILIZER, SURGICAL INSTRUMENT .....	A 6530 / MB 28-NOV-86	MD MS 03
A-A-51383A	NEISSERIA ENRICHMENT MEDIA, DEHYDRATED .....	A MISC / MB 19-SEP-86	MD MS 03
A-A-51384B	NAFACILLIN SODIUM FOR INJECTION, USP .....	A 6505 / MB 13-JUN-90	MD MS 03
A-A-51385	CONNECTOR, CANNULA, HEMODIALYSIS .....	A 6515 / MB 09-APR-86	MD MS 03
A-A-51386	CANNULA, MEMODIALYSIS .....	A 6515 / MB 10-APR-86	MD MS 03
A-A-51387A	POVIDONE-IODINE TOPICAL SOLUTION, USP .....	A 6505 / MB 21-JUL-87	MD MS 03
A-A-51388A	MENOTROPINS FOR INJECTION, USP .....	A 6505 / MB 02-APR-86	MD MS 03
A-A-51389A	STOCKINET, SURGICAL (NYLON), 2 INCH BY 25 YARDS .....	A 6510 / MB 01-APR-88	MD MS 03
A-A-51390A	WIRE, ELECTRODE, PATIENT .....	A 6515 / MB 22-AUG-86	MD MS 03
A-A-51391A	SPONGE, SURGICAL, (GAUZE, RADIOPAQUE, PRECOUNTED, IN TRAYS) .....	A 6510 / MB 16-JUN-89	MD MS 03
A-A-51393A	DRESSING, BURN .....	A 6510 / MB 11-SEP-87	MD MS 03
A-A-51394A	BANDAGE, GAUZE (TWO-PLY) .....	A 6510 / MB 01-JUN-88	MD MS 03
A-A-51395A	OSTEAL, COLLOIDAL CONCENTRATE .....	A 6505 / MB 11-SEP-86	MD MS 03
A-A-51396A	CONTROL URINE CHEMISTRY, NORMAL .....	A MISC / MB 17-SEP-86	MD MS 03
A-A-51397	TUBING, SURGICAL PLASTIC, 3/16 INCH INSIDE DIAMETER .....	A 6515 / MB 11-APR-86	MD MS 03
A-A-51398	BOUGIE, URETHRAL, OTIS .....	A 6515 / MB 14-APR-86	MD MS 03
A-A-51399A	THEOPHYLLINE CAPSULES, MODIFIED .....	A 6505 / MB 19-SEP-86	MD MS 03
A-A-51401A	MORGESTREL & ETHINYL ESTRADIOL TABLETS, USP .....	A 6505 / MB 16-SEP-86	MD MS 03
A-A-51402A	PENTOXIFYLLINE TABLETS, (SUSTAINED RELEASE) .....	A 6505 / MB 16-SEP-86	MD MS 03
A-A-51403A	POTASSIUM CHLORIDE EXTENDED-RELEASE TABLETS, USP .....	A 6505 / MB 15-SEP-86	MD MS 03
A-A-51405A	SPONGE, SURGICAL (NONWOVEN, RAYON, PATTIE, RADIOPAQUE) .....	A 6510 / MB 15-JUL-88	MD MS 03
A-A-0051405	SPONGE, SURGICAL, NONWOVEN, RAYON, PATTIE, RADIOPAQUE .....	A 6510 / MB 07-APR-86	MD MS 03
A-A-51406A	ISOSORBIDE DINITRATE CAPSULES, (SUSTAINED-RELEASE) .....	A 6505 / MB 07-SEP-86	MD MS 03
A-A-51407A	BISACODYL SUPPOSITORIES, USP .....	A 6505 / MB 16-SEP-86	MD MS 03
A-A-51408	TUBE, COLON, SURGICAL (DISPOSABLE) .....	A 6515 / MB 15-APR-86	MD MS 03
A-A-51409	TUBE, DRAINAGE, SURGICAL, THORACIC .....	A 6515 / MB 16-APR-86	MD MS 03
A-A-51410	SUTURE, NONABSORBABLE, SURGICAL POLYPROPYLENE, MONOFILAMENT, SINGLE ARMED .....	A 6515 / MB 16-APR-86	MD MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active ON / OIA Condition Machine Document Number	Document Title	Doc. Syst. FIC / Area MCA Symbol Preparing Act.	Date	Custodian Army Navy Air Force DIA
D	A-A-51412 AMSCOPE, FARSLER, 6 CM	A 6515	MB 08-MAY-86	MD MS 03
	A-A-51413 AMSCOPE, HIRSCHMAN	A 6515	YD1 08-MAY-86	MD YD1 03
	A-A-51414 CANNULA, BRAIN, HAYNES, 13 GAGE	A 6515	MB 17-APR-86	MD MS 03
	A-A-51417A DEXTRANSOR BEADS	A 6505	MB 01-JUL-87	MD MS 03
	A-A-51418A PREDNISOLONE SODIUM SUCCINATE, STERILE, VETERINARY	A 6505	MB 16-SEP-86	MD MS 03
	A-A-51419A CEFTIZOXIME SODIUM, STERILE, USP	A 6505	MB 11-SEP-86	MD MS 03
	A-A-51420 CENTRIFUGE, LABORATORY	A 6505	MB 18-APR-86	MD MS 99
	A-A-51421A FLUOROMETHYLONE OPHTHALMIC SUSPENSION, USP	A 6505	MB 16-SEP-86	MD MS 03
	A-A-51422A CALCITONIN-SALMON INJECTION	A 6505	MB 09-SEP-86	MD MS 03
	A-A-51424B COVER, SURGICAL INSTRUMENT STAND	A 6530	MB 24-MAY-89	MD MS 03
	A-A-51425A BRUSH-SPONGE, SURGICAL SCRUB	A 6530	MB 19-SEP-86	MD MS 03
	A-A-51427A POTASSIUM CHLORIDE INJECTION, USP	A 6505	MB 16-SEP-86	MD MS 03
	A-A-51429 CALIPER, MAX THICKNESS MEASURING, DENTAL	A 6520	MB 12-MAY-86	MD MS 03
	A-A-51430 SPLINT SET, ARCH WIRE, DENTAL AND BAND, LIGATURE, DENTAL	A 6520	MB 20-MAY-86	MD MS 03
	A-A-51431 BLOWTORCH, ALCOHOL	A 6520	MB 08-MAY-86	MD MS 03
	A-A-51432A BENZOYL PEROXIDE CLEANSING LIQUID	A 6505	MB 23-SEP-86	MD MS 03
	A-A-51433A HYDROCORTISONE VALERATE OINTMENT	A 6505	MB 16-SEP-86	MD MS 03
	A-A-51434 BLOCKER SET, X-RAY FILM IDENTIFICATION	A 6525	MB 30-MAY-86	MD MS 03
	A-A-51435 BAG, URINE COLLECTION, PEDIATRIC	A 6530	MB 25-MAY-86	MD MS 03
	A-A-51436 LIDOCAINE HYDROCHLORIDE INJECTION, USP	A 6505	MB 25-MAY-87	MD MS 03
	A-A-51438A DRAINAGE UNIT, PLEURAL CAVITY (3 CHAMBER)	A 6515	MB 31-JUL-90	MD MS 03
D	A-A-51439 TUBING, SURGICAL (PLASTIC)	A 6515	YD1 09-MAY-86	MD YD1 03
	A-A-51442A ASPIRIN, ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM HYDROXIDE TABLETS, USP	A 6505	MB 29-DEC-89	MD MS 03
	A-A-51443A ASPIRIN ALUMINUM HYDROXIDE GEL, DRIED, & MAGNESIUM OXIDE TABLETS	A 6505	MB 11-SEP-86	MD MS 03
	A-A-51444A POVIDONE-IODINE OINTMENT, USP	A 6505	MB 21-JUL-87	MD MS 03
	A-A-005144A POVIDONE-IODINE OINTMENT, USP, 10%	A 6505	MB 06-MAY-86	MD MS 03
D	A-A-51445 KIT, DISPOSABLE, LENSECTORY	A 6515	YD1 12-MAY-86	MD YD1 03
	A-A-51446 TUBE, DRAINAGE, SURGICAL (PENROSE)	A 6515	MB 12-MAY-86	MD MS 03
	A-A-51447 STRETCHER, (VETERINARY)	A 3770	MB 30-MAY-86	MD MS 03
	A-A-51448A TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING ANGULAR-TOP	A 6530	MB 30-MAY-89	MD MS 03
	A-A-51449A TABLE, SURGICAL INSTRUMENT AND SURGICAL DRESSING STRAIGHT-TOP	A 6530	MB 24-MAR-89	MD MS 03
	A-A-51450A METAPROTERENOL SULFATE INHALATION SOLUTION, USP	A 6505	MB 10-AUG-87	MD MS 03
	A-A-51451A CLOTRIMAZOLE TOPICAL SOLUTION, USP	A 6505	MB 11-SEP-86	MD MS 03
	A-A-51452A SUPPORT, KNEE	A 6515	MB 22-AUG-86	MD MS 03
	A-A-51453A KETOCONAZOLE TABLETS, USP	A 6505	MB 11-SEP-86	MD MS 03
	A-A-51454A STOCKINET, SURGICAL, COTTON (6 INCHES BY 48 INCHES, ROLLED AND SEWN)	A 6510	MB 13-MAR-89	MD MS 03
	A-A-51455 TUBE, DRAINAGE, SURGICAL, THORACIC, PLASTIC, RADIOPAQUE, STRAIGHT, DISPOSABLE, 28 FR, 10 S	A 6515	MB 20-MAY-86	MD MS 03
	A-A-51456A TUBE, CENTRIFUGE	A 6640	MB 07-MAR-88	MD MS 03
	A-A-51458A CHLORZOXAZONE & ACETAMINOPHEN TABLETS, USP	A 6505	MB 11-JUN-87	MD MS 03
	A-A-51460 WHEEL, ABRASIVE, (ALUMINUM OXIDE, HAMMILL MOUNTED)	A 6520	MB 23-JUN-86	MD MS 03
	A-A-51461B TEST KIT, TEST STRIPS AND COLOR CHART, ANTIFREEZE, FREEZE POINT AND CORROSION REVIEWER: DM	A 6630	MB 30-JAN-89	MD MS 99
	A-A-0051461 FORM, PRINTED, MINNESOTA MULTIPHASE PERSONALITY INVENTORY	A 6515	MB 03-SEP-86	MD MS 03
	A-A-51462A SULFACETAMIDE SODIUM AND PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION	A 6505	MB 15-NOV-91	MD MS 03
	A-A-51463 SUCTION SET, TRACHEAL	A 6515	MB 06-JUN-86	MD MS 03
	A-A-51464 RESERVOIR, SUCTION, CCKSON-PRATT, SILICONE	A 6515	MB 09-JUN-86	MD MS 03
	A-A-51466A BAG, BIOHAZARD DISPOSAL REVIEWER: SS TS	A 6530	MB 29-APR-88	MD MS 03
	A-A-51467 DYNAMOMETER, HAND, HYDRAULIC	A 6530	MB 16-JUN-86	MD MS 03
	A-A-51468 INTRAVENOUS INJECTION SET, WITH FLEXIBLE DRIP CHAMBER, NON-VENTED, ADULT, WITHOUT NEEDLE, DISPOSABLE, 50'S	A 6515	MB 10-JUN-86	MD MS 03
	A-A-51471 MALLET NASAL, COPPER, SMALL	A 6515	MB 10-JUN-86	MD MS 03
	A-A-51472 HOLDER, BAG, BIOHAZARD	A 6530	MB 16-JUN-86	MD MS 03
	A-A-51474 BONE PLATE, BROAD, ORTHOPEDIC IMPLANT, SELF-COMPRESSING HOLES	A 6515	MB 11-JUN-86	MD MS 03
	A-A-51475 NAIL, BONE, SCHNEIDER, DOUBLE POINT	A 6515	MB 11-JUN-86	MD MS 03
	A-A-51476A OTOSCOPE (BRIENING)	A 6515	MB 06-MAY-87	MD MS 03
	A-A-51480A BAG, URINE COLLECTION, PEDIATRIC	A 6530	MB 30-MAY-89	MD MS 03
	A-A-51481A WHEEL, ABRASIVE (SILICON CARBIDE, NON-HEATING)	A 6520	MB 28-DEC-87	MD MS 03
	A-A-51482 WIRE SNARE, NO. 24 STUBS WIRE GAGE, CARBON STEEL	A 6515	MB 13-JUN-86	MD MS 03
	A-A-51483 BLADE & FRAME, DENTAL LABORATORY SAW (PLASTIC & GYPSUM MATERIALS)	A 6520	MB 23-JUN-86	MD MS 03
	A-A-51485 BRUSH, CLEANING, DENTAL SUCTION APPARATUS TIP	A 6520	MB 23-JUN-86	MD MS 03
	A-A-51486 HOLDER, TOOTH DIE PIN (SPRING TYPE)	A 6520	MB 23-JUN-86	MD MS 03
	A-A-51488B FLUORIDE APPLICATION TRAY, DENTAL	A 6520	MB 31-DEC-90	MD MS 03
	A-A-51490 PROBE, GENERAL OPERATING (MALL)	A 6515	MB 03-JUN-87	MD MS 03
	A-A-51492B INCISION-DRAINAGE SET	A 6515	MB 12-JUN-87	MD MS 03
	A-A-51493 BIN, STORAGE	A 7125	MB 20-JUN-86	MD MS 03
	A-A-51494A ELECTRODE, ELECTROCARDIOGRAPH	A 6515	MB 31-MAR-87	MD MS 03
	A-A-51495 WAX, DENTAL (PERIPHERY)	A 6520	MB 21-JUL-86	MD MS 03
	A-A-51496A RECOVERY PACK, BLOOD CELL COLLECTION	A 6515	MB 05-OCT-87	MD MS 03
A	A-A-51497A SODIUM FLUORIDE ORAL SOLUTION, USP	A 6505	MB 25-SEP-92	MD MS 03
	A-A-51498A PENICILLIN G BENZATHINE SUSPENSION, STERILE, USP	A 6505	MB 11-SEP-87	MD MS 03
	A-A-51501A FAT EMULSION INJECTION	A 6505	MB 30-JUL-87	MD MS 03
	A-A-51503A TRETINOIN GEL, USP	A 6505	MB 30-JUL-87	MD MS 03
	A-A-0051503 TRETINOIN GEL, USP	A 6505	MB 23-JUN-86	MD MS 03
	A-A-51505A OXACILLIN SODIUM FOR INJECTION, USP	A 6505	MB 11-JUN-87	MD MS 03
	A-A-51507 TUBE, TRACHEAL, MAGILL	A 6515	MB 23-JUN-86	MD MS 03
	A-A-51508B SYRINGE, IRRIGATING, BULB TYPE, 3 OZ., DISPOSABLE, 50S	A 6515	MB 27-MAR-92	MD MS 03
A	A-A-51509B TUBE, TRACHEAL, RADIOPAQUE (MURPHY)	A 6515	MB 12-FEB-93	MD MS 03
	A-A-51510 HOLDER, DENTAL BUR (ALUMINUM)	A 6520	MB 30-JUL-86	MD MS 03
	A-A-51511B CABINET, STORAGE, X-RAY FILM	A 6525	MB 24-MAR-89	MD MS 03
	A-A-51513B CATHETER AND CONNECTOR, SUCTION, TRACHEAL	A 6515	MB 03-AUG-90	MD MS 03
	A-A-51514B SYRINGE AND NEEDLE HYPODERMIC, DISPOSABLE, U-100 INSULIN	A 6515	MB 18-MAR-91	MD MS 03
	A-A-0051514A SYRINGE & NEEDLE HYPODERMIC, DISPOSABLE, U-100 INSULIN	A 6515	MB 16-OCT-86	MD MS 03
	A-A-51516 RACK, CARD	A 7110	MB 03-JUL-86	MD MS 03
	A-A-51517 DUMBBELL SET, PHYSICAL THERAPY	A 6530	MB 03-JUL-86	MD MS 03
	A-A-51518 MAT, EXERCISE, PHYSICAL THERAPY	A 6530	MB 03-JUL-86	MD MS 03
	A-A-51520B SCREW, BONE, CANCELLOUS	A 6515	MB 27-JAN-92	MD MS 03
	A-A-51522A COVER, BEDPAM (PAPER)	A 6530	MB 15-JUN-90	MD MS 03
	A-A-51524 BLADE AND FRAME, DENTAL LABORATORY SAW (DIE MATERIALS)	A 6520	MB 07-JUL-86	MD MS 03
	A-A-51525A CENTRIFUGE, LABORATORY (SMALL)	A 6640	MB 18-JUN-90	MD MS 03
	A-A-51526A NORETHINDRONE AND MESTRANOL TABLETS, USP, 635	A 6505	MB 23-JUL-87	MD MS 03
	A-A-51528A SUPPORT, KNEE	A 6515	MB 30-JAN-87	MD MS 03
	A-A-51529A MOOK, BONE (9 INCH)	A 6515	MB 28-JUN-89	MD MS 03
	A-A-51530B AMESTHESIA SET, SPINAL	A 6515	MB 21-DEC-89	MD MS 03
	A-A-0051530A AMESTHESIA SET, SPINAL	A 6515	MB 15-JUL-87	MD MS 03
	A-A-51532 PIN, BONE (KIRSCHNER)	A 6515	MB 08-JUL-86	MD MS 03
	A-A-51533 SCREW, BONE (WOODRUFF HEAD)	A 6515	MB 08-JUL-86	MD MS 03
	A-A-51534 SCREW, BONE (B2 DEG. COUNTERSUNK HEAD)	A 6515	MB 08-JUL-86	MD MS 03
	A-A-51536 BLOCK, SOLDERING, DENTAL	A 6520	MB 21-JUL-86	MD MS 03
	A-A-51537 DISPENSER, COTTON PELLET, DENTAL	A 6520	MB 21-AUG-86	MD MS 03
	A-A-51539 DISPENSER, DENTAL FLOSS	A 6520	MB 21-JUL-86	MD MS 03
	A-A-51540 CATHETER, IRRIGATION, COLONOSCOPE	A 6515	MB 10-JUL-86	MD MS 03
	A-A-51541A BENZOTROPINE MESYLATE TABLETS, USP	A 6505	MB 26-AUG-87	MD MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action Qty / Onk Combination Package	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
A	A-A-51542	TEST SET, ELECTRONIC CIRCUIT-COMPONENT	A 6625	/ MB	02-AUG-86	ND	MS	03	
	A-A-51544	SYRINGE, FOUNTAIN	A 6530	/ MB	18-JUL-86	ND	MS	03	
	A-A-51545B	HUMIDIFIER, INHALATION THERAPY APPARATUS	A 6515	/ MB	24-MAR-89	ND	MS	03	
	A-A-51546A	DRAIN, CLOSED SUCTION (JACKSON-PRATT STYLE)	A 6515	/ MB	03-FEB-87	ND	MS	03	
	A-A-51550	SPLINT, HAND (MASON-ALLEN)	A 6515	/ MB	14-JUL-86	ND	MS	03	
	A-A-51552A	AIRWAY, PHARYNGEAL (GUEDEL)	A 6515	/ MB	15-JAN-93	ND	MS	03	
	A-A-51554A	ERYTHROMYCIN OPHTHALMIC OINTMENT, USP	A 6505	/ MB	07-JUN-90	ND	MS	03	
	A-A-51555	TRAZODONE HYDROCHLORIDE TABLETS	A 6505	/ MB	09-JUL-87	ND	MS	03	
	A-A-51557A	KNIFE-ELEVATOR (PAPARELLA)	A 6515	/ MB	10-JUL-89	ND	MS	03	
	A-A-51559	VERAPAMIL HYDROCHLORIDE INJECTION	A 6505	/ MB	16-JUL-86	ND	MS	03	
A	A-A-51560A	DEFIBRILLATOR, MONITOR-RECORDER, BATTERY OPERATED WITH CHARGER	A 6515	/ MB	29-JUL-88	ND	MS	03	
	A-A-0051560	DEFIBRILLATOR, MONITOR-RECORDER, BATTERY OPERATED WITH CHARGER	A 6505	/ MB	25-AUG-86	ND	MS	03	
	A-A-51563	ARBOR AND BAND SET, DENTAL HANDPIECE	A 6520	/ MB	28-JUL-86	ND	MS	03	
	A-A-51564	APRON, DENTAL (PLASTIX, DISPOSABLE)	A 6532	/ MB	28-JUL-86	ND	MS	03	
	A-A-51566	IMPRESSION MATERIAL, DENTAL (AGAR TYPE)	A 6520	/ MB	28-JUL-86	ND	MS	03	
	A-A-51567A	MORETHINDRONE & ETHINYL ESTRADIOL TABLETS, USP (TRIPHASIC)	A 6505	/ MB	03-SEP-87	ND	MS	03	
	A-A-51568A	BENZONIN TINCTURE TOPICAL AEROSOL	A 6505	/ MB	13-NOV-92	ND	MS	03	
	A-A-0051569	MORPHINE SULFATE TABLETS, SUSTAINED-RELEASE, OVER 12 HOURS	A 6505	/ MB	09-JUN-87	ND	MS	03	
	A-A-0051570A	IMIPENEM AND CILASTATIN SODIUM FOR INJECTION	A 6505	/ MB	20-JUL-87	ND	MS	03	
	A-A-51571A	DISULFIRAM TABLETS, USP	A 6505	/ MB	15-DEC-89	ND	MS	03	
A	A-A-0051571	DISULFIRAM TABLETS, USP	A 6505	/ MB	14-JUL-86	ND	MS	03	
	A-A-51572A	THIABENDAZOLE TABLETS, USP	A 6505	/ MB	11-JUN-87	ND	MS	03	
	A-A-51574A	AMOXICILLIN & POTASSIUM CLAVULANATE TABLETS	A 6505	/ MB	01-JUL-87	ND	MS	03	
	A-A-51575A	HYDROCHLORIDE & EPINEPHRINE INJECTION, USP	A 6505	/ MB	19-AUG-87	ND	MS	03	
	A-A-51576A	PREVENTIVE DENTISTRY PAST (FLUORIDATED)	A 6520	/ MB	19-MAR-90	ND	MS	03	
	A-A-51579A	SPECULUM, EYE (BARBAQUER)	A 6515	/ MB	12-JUN-89	ND	MS	03	
	A-A-51581A	RESUSCITATOR, HAND OPERATED	A 6515	/ MB	31-AUG-87	ND	MS	03	
	A-A-51582A	GUIDE, SHADE, DENTAL	A 6520	/ MB	20-AUG-90	ND	MS	03	
	A-A-51583A	CRUCIBLE, CASTING MACHINE, DENTAL	A 6520	/ MB	30-JUN-87	ND	MS	03	
	A-A-51586A	RETRACTOR, GENERAL, SENN	A 6515	/ MB	03-FEB-87	ND	MS	03	
A	A-A-51587A	CHISEL, DENTAL, (RHODES NO. 36 AND 37)	A 6520	/ MB	15-FEB-88	ND	MS	03	
	A-A-51588	WET GLOBE TEMPERATURE KIT (DIAL THERMOMETER TYPE, MECHANICAL)	A 6665	/ MB	01-AUG-86	ND	MS	03	
	A-A-51589	STAIR, EXERCISE	A 6530	/ MB	12-AUG-86	ND	MS	03	
	A-A-51590	PADDLE, PNEUMATIC COMPRESSION	A 6525	/ MB	12-AUG-86	ND	MS	03	
	A-A-51591	SHAVE KIT, PATIENT	A 6530	/ MB	12-AUG-86	ND	MS	03	
	A-A-51592A	CLEAVER, AUTOMATIC FILM PROCESSOR (TWO PART CLEANER)	A 6525	/ MB	31-JUL-90	ND	MS	03	
	A-A-51595	CATHETER, CARDIOVASCULAR, IRRIGATION	A 6515	/ MB	05-AUG-86	ND	MS	03	
	A-A-0051596	INSERT, HANDPIECE, DENTAL ULTRASONIC PROPHYLAXIS UNIT	A 6520	/ MB	04-AUG-86	ND	MS	03	
	A-A-51597A	ELECTRODE, ELECTROCARDIOGRAPH	A 6515	/ MB	15-JUN-90	ND	MS	03	
	A-A-0051598	PLASMA PROTEIN FRACTION, USP, HEAT-TREATED	A 6505	/ MB	28-JUL-86	ND	MS	03	
A	A-A-51599A	TOBRAMYCIN SULFATE INJECTION, USP	A 6505	/ MB	22-MAY-92	ND	MS	03	
	A-A-51600A	TIMOLOL MALEATE OPHTHALMIC SOLUTION, USP	A 6505	/ MB	11-JUN-87	ND	MS	03	
	A-A-0051600	TIMOLOL MALEATE OPHTHALMIC SOLUTION, USP	A 6505	/ MB	30-JUL-86	ND	MS	03	
	A-A-51601B	MASK, ORONASAL, TRANSPARENT	A 6515	/ MB	17-MAY-92	ND	MS	03	
	A-A-51602A	CANISTER, ASSEMBLY, SUCTION, SURGICAL	A 6515	/ MB	31-AUG-87	ND	MS	03	
	A-A-51603A	RESUSCITATOR, CARDIOPULMONARY	A 6515	/ MB	17-APR-87	ND	MS	03	
	A-A-51605A	ADAPTER, CATHETER-TO-LUER SYRINGE, TUBING	A 6515	/ MB	21-MAY-87	ND	MS	03	
	A-A-51608A	DESIPRAMINE HYDROCHLORIDE TABLETS, USP	A 6505	/ MB	11-JUN-87	ND	MS	03	
	A-A-51611	METHYLPREDNISOLONE ACETATE SUSPENSION, STERILE, USP	A 6505	/ MB	08-JUL-87	ND	MS	03	
	A-A-51612A	SUTURE, ABSORBABLE, SURGICAL (GLYCOLIDE-LACTIDE COPOLYMER)	A 6515	/ MB	12-MAR-87	ND	MS	03	
A	A-A-51614A	BRUSH-SPONGE, SURGICAL SCRUB	A 6530	/ MB	26-FEB-93	ND	MS	03	
	A-A-51615A	CLIP, HEMOSTATIC, SMALL	A 6515	/ MB	06-FEB-89	ND	MS	03	
	A-A-51616A	DICLOXACILLIN SODIUM CAPSULES, USP	A 6505	/ MB	15-DEC-89	ND	MS	03	
	A-A-0051616	DICLOXACILLIN SODIUM CAPSULES, USP	A 6505	/ MB	11-AUG-86	ND	MS	03	
	A-A-51617	PLIERS, OPTICIANS, LENS AXIS ALIGNING, 6 INCH	A 6540	/ MB	31-OCT-86	ND	MS	03	
	A-A-51618	ANOSCOPE (BRINKERHOFF)	A 6515	/ MB	10-SEP-86	ND	MS	03	
	A-A-51619	MATRIX SET, DENTAL (CERVICAL)	A 6520	/ MB	25-AUG-86	ND	MS	03	
	A-A-51620	PAD, HOT-COLD TREATMENT, CIRCULATING	A 6530	/ MB	22-AUG-86	ND	MS	03	
	A-A-51621A	HOLDER, LEG	A 6515	/ MB	23-NOV-90	ND	MS	03	
	A-A-51622	PARALLEL BARS, PHYSICAL THERAPY	A 6530	/ MB	22-AUG-86	ND	MS	03	
A	A-A-51623A	BATH, WHIRLPOOL LEG	A 6530	/ MB	24-MAR-89	ND	MS	03	
	A-A-51624	COVER, PROTECTIVE, HEAT PAD	A 6530	/ MB	22-AUG-86	ND	MS	03	
	A-A-51625B	DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE (NON-NEEDLE REMOVAL)	A 6530	/ MB	14-FEB-91	ND	MS	03	
	A-A-51626	HANDLE, INSTRUMENT TRAY	A 6530	/ MB	22-AUG-86	ND	MS	03	
	A-A-51630A	BLOOD SAMPLE, COLLECTING SET	A 6515	/ MB	12-MAR-93	ND	MS	03	
	A-A-0051631	HYDROMORPHONE HYDROCHLORIDE TABLETS, USP	A 6505	/ MB	15-AUG-86	ND	MS	03	
	A-A-0051632	INSULIN, HUMAN, ZINC SUSPENSION, 100 U/ML, 10 ML	A 6505	/ MB	15-MAY-87	ND	MS	03	
	A-A-51633A	DISPENSER, SENSITIVITYDISCS	A 6640	/ MB	26-JAN-87	ND	MS	03	
	A-A-51634	HANDLE-ELECTRODE, ELECTROSURGERY	A 6515	/ MB	28-NOV-86	ND	MS	03	
	A-A-51636A	SYRINGE, FLUID DISPENSING, 10 ML (PHARMACEUTICAL)	A 6515	/ MB	05-MAY-87	ND	MS	03	
A	A-A-51637A	BLEOMYCIN SULFATE STERILE, USP, 15 UNITS OF BLEOMYCIN	A 6505	/ MB	22-JAN-93	ND	MS	03	
	A-A-0051637	BLEOMYCIN SULFATE STERILE, USP, 15 UNITS OF BLEOMYCIN	A 6505	/ MB	28-JUL-86	ND	MS	03	
	A-A-51638A	TICARCILLIN DISODIUM, STERILE, USP	A 6505	/ MB	19-AUG-87	ND	MS	03	
	A-A-51639A	ARCH SUPPORTS	A 6515	/ MB	30-JAN-87	ND	MS	03	
	A-A-51644	BELT, ROUND, (ENGINE)	A 3030	/ MB	09-MAR-87	ND	MS	03	
	A-A-51647	TRAY, ENDOSCOPIC INSTRUMENT STERILIZATION	A 6530	/ MB	24-APR-87	ND	MS	03	
	A-A-51648	TRAY SET, ENDOSCOPIC INSTRUMENT STERILIZATION	A 6530	/ MB	24-APR-87	ND	MS	03	
	A-A-51649	AUDIOMETER (DUAL CHANNEL)	A 6515	/ MB	19-SEP-86	ND	MS	03	
	A-A-51651A	AMINO ACIDS AND GLYCERIN INJECTION WITH ELECTROLYTES	A 6505	/ MB	21-AUG-92	ND	MS	03	
	A-A-51652A	GENTAMICIN SULFATE INJECTION, USP	A 6505	/ MB	31-MAY-90	ND	MS	03	
A	A-A-51654B	TUBE, TRACHEOSTOMY, DISPOSABLE (LOW PRESSURE CUFF, SHILEY)	A 6515	/ MB	24-JAN-92	ND	MS	03	
	A-A-0051654	TUBE, TRACHEOSTOMY, DISPOSABLE, SHILEY	A 6515	/ MB	18-SEP-86	ND	MS	03	
	A-A-51655	BUTTRESS, SUTURE (POLYTETRAFLUOROETHYLENE)	A 6515	/ MB	05-SEP-86	ND	MS	03	
	A-A-51656	ELECTROSURGICAL APPARATUS, (PORTABLE)	A 6515	/ MB	19-SEP-86	ND	MS	03	
	A-A-51657A	TRAY, INSTRUMENT, (CORROSION-RESISTING STEEL)	A 6530	/ MB	25-OCT-89	ND	MS	03	
	A-A-51658B	SODIUM HYALURONATE INJECTION	A 6505	/ MB	30-SEP-88	ND	MS	03	
	A-A-51662	SPECIMEN TRAP, MUCUS	A 6530	/ MB	19-SEP-86	ND	MS	03	
	A-A-51663	MINERAL OIL, DI SOPROPYL SEBACATE, AND ISOPROPYL MYRISTATE LOTION	A 6505	/ MB	12-SEP-86	ND	MS	03	
	A-A-51665A	CANTHARIDIN COLLOIDION TOPICAL SOLUTION	A 6505	/ MB	18-DEC-92	ND	MS	03	
	A-A-51667	CASSETTE, X-RAY TUBE CALIBRATION TEST	A 6525	/ MB	26-JUN-87	ND	MS	03	
A	A-A-51668A	DENSITOMETER	A 6525	/ MB	31-AUG-87	ND	MS	03	
	A-A-0051668	DENSITOMETER	A 6525	/ MB	12-SEP-86	ND	MS	03	
	A-A-51671	INTRODUCER SET, CATHETER, PERCUTANEOUS	A 6515	/ MB	07-OCT-86	ND	MS	03	
	A-A-0051672	AMOXICILLIN AND POTASSIUM CLAVULANATE FOR ORAL SUSPENSION	A 6505	/ MB	16-SEP-86	ND	MS	03	
	A-A-51673A	VITAMIN E CAPSULES, USP	A 6505	/ MB	11-JUN-87	ND	MS	03	
	A-A-0051673	VITAMIN E CAPSULES, USP	A 6505	/ MB	10-SEP-86	ND	MS	03	
	A-A-51675B	HOLDER, CLINICAL CHART ALUMINUM	A 6530	/ MB	24-MAR-89	ND	MS	03	
	A-A-51676	CARTRIDGE, LABORATORY GAS BURNER	A 6640	/ MB	30-JUN-87	ND	MS	03	
	A-A-51677	LAMP, INCANDESCENT	A 6240	/ MB	22-SEP-86	ND	MS	03	
	A-A-51678	FILAMENT, COMBUSTIBLE GAS INDICATOR	A 6665	/ MB	20-OCT-86	ND	MS	03	
A	A-A-51679	SPATULA, LABORATORY (HARD RUBBER)	A 6640	/ MB	31-MAR-87	ND	MS	03	
	A-A-51680	BURNER, GAS, LABORATORY	A 6640	/ MB	31-MAR-87	ND	MS	03	
	A-A-51681	CETYLPYRIDINIUM CHLORIDE & BENZOCAINE LOZENGES	A 6505	/ MB	22-SEP-86	ND	MS	03	
	A-A-51684A	CONTROLLER, DROP RATE, INTRAVENOUS INJECTION	A 6515	/ MB	21-DEC-86	ND	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active GPO / OMA Combinator Inhouse	Document Number	Document Title	Dist. Smt FSC / Ave	MCA Symbol	Preparing Act	Date	Army	Navy	Air Force	Custodians DLA
	A-A-51685	BOX, MICROSCOPE SLIDE (CHIPBOARD)	A 6640	/ MB	10-OCT-86	MD	MS	03		
	A-A-51687	STIRRING BAR SET, (MAGNETIC)	A 6640	/ MB	10-OCT-86	MD	MS	03		
	A-A-51688	TEST TUBE	A 6640	/ MB	10-OCT-86	MD	MS	03		
	A-A-51690A	MASK, OROMASAL (PLASTIC, ELONGATED)	A 6515	/ MB	19-FEB-88	MD	MS	03		
	A-A-51692	CASE, NEEDLE & BLADE	A 6515	/ MB	26-SEP-86	MD	MS	03		
	A-A-51693A	ALCOHOL, DEHYDRATED, USP	A 6505	/ MB	28-JUL-89	MD	MS	03		
	A-A-51694	STOPCOCK, ARTERIAL-VEINUS PRESSURE MONITORING (ONE-WAY)	A 6515	/ MB	29-SEP-86	MD	MS	03		
	A-A-51695A	RETRACTOR, RECTAL (MILL-FERGUSON)	A 6515	/ MB	20-MAY-87	MD	MS	03		
	A-A-0051695	RETRACTOR, RECTAL (MILL-FERGUSON)	A 6515	/ MB	14-OCT-86	MD	MS	03		
A	A-A-51696A	CEFADROXIL CAPSULES, USP	A 6505	/ MB	18-DEC-92	MD	MS	03		
	A-A-0051696	CEFADROXIL CAPSULES, USP	A 6505	/ MB	16-OCT-86	MD	MS	03		
	A-A-51697A	PENTAGASTRIN INJECTION	A 6505	/ MB	21-JUL-87	MD	MS	03		
N	A-A-51698A	DIETHYLPROPION HYDROCHLORIDE EXTENDED-RELEASE TABLETS	A 6505	/ MB	01-APR-93	MD	MS	03		
	A-A-0051698	DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFIED (SUSTAINED-RELEASE)	A 6505	/ MB	24-SEP-86	MD	MS	03		
	A-A-51700	DISK, ABRASIVE (SILICON CARBIDE)	A 6520	/ MB	27-OCT-86	MD	MS	03		
	A-A-51701	MALLET, ORAL SURGERY (GARDNER, HAND TYPE)	A 6520	/ MB	24-NOV-86	MD	MS	03		
	A-A-51702A	SPECULUM, SEPTUM (COTTLE)	A 6515	/ MB	05-JUN-87	MD	MS	03		
	A-A-0051703	CONTAINER & PUMP, DENTAL (MOUTHRINSE)	A 6520	/ MB	13-OCT-86	MD	MS	03		
	A-A-51704A	DEXBROPHENIRAMINE MALEATE & PSEUDOEPHEDRINE SULFATE TABLETS (SUSTAINED-RELEASE)	A 6505	/ MB	31-JUL-87	MD	MS	03		
	A-A-51705A	GLYBURIDE TABLETS	A 6505	/ MB	16-JUL-87	MD	MS	03		
	A-A-0051705	GLYBURIDE TABLETS	A 6505	/ MB	03-OCT-86	MD	MS	03		
	A-A-51706A	STETHOSCOPE, ESOPHAGEAL (DISPOSABLE, 20S)	A 6515	/ MB	29-AUG-87	MD	MS	03		
	A-A-51707	LENS, OPHTHALMIC, PLASTIC	A 6540	/ MB	08-OCT-86	MD	MS	03		
	A-A-51708	MALLET, BONE SURGERY, STAINLESS STEEL	A 6515	/ MB	17-OCT-86	MD	MS	03		
	A-A-51709	THERMOMETER, CLINICAL, HUMAN	A 6515	/ MB	31-OCT-86	MD	MS	03		
A	A-A-51710A	ACETAMINOPHEN ORAL SOLUTION, USP, ALCOHOL FREE	A 6505	/ MB	13-NOV-92	MD	MS	03		
	A-A-51711	VISCOMETER, CAPILLARY TYPE, CANNON-FENSK REVERSE FLOW	A 6630	/ MB	16-OCT-86	MD	MS	03		
	A-A-0051713	LIDOCAINE HYDROCHLORIDE TOPICAL SOLUTION, USP	A 6505	/ MB	22-OCT-86	MD	MS	03		
	A-A-0051714	VITAMIN B COMPLEX & ASCORBIC ACID TABLETS	A 6505	/ MB	09-OCT-86	MD	MS	03		
	A-A-51715A	SULFASALAZINE TABLETS, USP	A 6505	/ MB	31-DEC-91	MD	MS	03		
	A-A-0051715	SULFASALAZINE TABLETS, USP, ENTERIC COATED	A 6505	/ MB	10-OCT-86	MD	MS	03		
	A-A-0051716	IPECAC SYRUP, USP	A 6505	/ MB	10-OCT-86	MD	MS	03		
	A-A-0051717	THEOPHYLLINE, EPHEDRINE SULFATE AND HYDROXYZINE HYDROCHLORIDE TABLETS	A 6505	/ MB	06-OCT-86	MD	MS	03		
	A-A-0051719	MULTIVITAMIN SOLUTION FOR INJECTION	A 6505	/ MB	24-NOV-86	MD	MS	03		
	A-A-51720A	CARRIER, AMALGAM	A 6520	/ MB	19-JUN-89	MD	MS	03		
	A-A-0051720	CARRIER, AMALGAM	A 6520	/ MB	17-NOV-86	MD	MS	03		
	A-A-51721B	RACK, SPINAL GOUGE STERILIZATION	A 6515	/ MB	30-NOV-91	MD	MS	03		
	A-A-51723	METER FOOTCANDLE, PHOTOELECTRIC	A 6695	/ MB	28-NOV-86	MD	MS	03		
	A-A-51724	CARRIER, SUTURE WIRE (RUSH)	A 6515	/ MB	27-OCT-86	MD	MS	02		
	A-A-51725	MAILING CASE, LABORATORY SPECIMEN	A 6640	/ MB	27-OCT-86	MD	MS	03		
	A-A-51727	SEALING COMPOUND, PULPCAMAL, DENTAL	A 6520	/ MB	03-NOV-86	MD	MS	03		
	A-A-51729A	BANDAGE, GAUZE, (COTTON, ELASTIC, SPUN RAYON, AND POLYESTER)	A 6510	/ MB	15-JUN-91	MD	MS	03		
	A-A-0051729	BANDAGE, GAUZE, ELASTIC	A 6510	/ MB	24-OCT-86	MD	MS	03		
	A-A-51731A	IOPTHALMATE NEGLUMINE INJECTION, USP	A 6505	/ MB	31-JUL-90	MD	MS	03		
	A-A-51733A	LAMP, INCANDESCENT	A 6240	/ MD	31-MAR-87	MD	MS	03		
	A-A-0051733	BAND, ALLERGY IDENTIFICATION	A 6530	/ MB	28-NOV-86	MD	MS	03		
	A-A-51735A	RESUSCITATOR, HAND-OPERATED (INTERMITTENT POSITIVE PRESSURE, HIGH OXYGEN CONCENTRATION CAPACITY)	A 6515	/ MB	17-MAY-92	MD	MS	03		
	A-A-0051736	DENTAL ENGINE, BENCH TYPE, HIGH SPEED, 115 VOLTS, 60 HZ, AC	A 6520	/ MB	03-NOV-86	MD	MS	03		
	A-A-51737A	RETRACTOR, TISSUE (HIBBS)	A 6515	/ MB	01-JUN-88	MD	MS	03		
	A-A-51738	DICHLORODIFLUOROMETHANE, TECHNICAL	A 6830	/ MB	29-NOV-86	MD	MS	03		
	A-A-51739A	RETRACTOR, UNIVERSAL, DELEE	A 6515	/ MB	06-JUL-88	MD	MS	03		
	A-A-0051739	RETRACTOR, UNIVERSAL, DELEE	A 6515	/ MB	28-JAN-87	MD	MS	03		
A	A-A-51740A	AMINO ACIDS INJECTION	A 6505	/ MB	28-AUG-92	MD	MS	03		
	A-A-51741B	TRIAZOLAM TABLETS, USP	A 6505	/ MB	15-SEP-88	MD	MS	03		
	A-A-51742A	DRILL, HAND, BONE (BUNNELL)	A 6515	/ MB	27-JUN-88	MD	MS	03		
	A-A-51743A	CANISTER ASSEMBLY, SUCTION, SURGICAL	A 6515	/ MB	26-FEB-88	MD	MS	03		
	A-A-0051744	ENALAPRIL MALEATE TABLETS	A 6505	/ MB	05-NOV-86	MD	MS	03		
A	A-A-0051745	EDROPHONIUM CHLORIDE INJECTION, USP	A 6505	/ MB	05-NOV-86	MD	MS	03		
	A-A-51746A	ANTHRALIN CREAM	A 6505	/ MB	13-NOV-92	MD	MS	03		
A	A-A-51747A	BARIUM SULFATE SUSPENSION	A 6505	/ MB	13-NOV-92	MD	MS	03		
	A-A-51748B	PHENTOLAMINE MESYLATE FOR INJECTION, USP, LYOPHILIZED	A 6505	/ MB	16-SEP-88	MD	MS	03		
	A-A-0051748	PHENTOLAMINE MESYLATE FOR INJECTION, USP, LYOPHILIZED	A 6505	/ MB	01-DEC-86	MD	MS	03		
	A-A-0051749	THEOPHYLLINE CAPSULES, MODIFIED, SUSTAINED-RELEASE	A 6505	/ MB	20-OCT-86	MD	MS	03		
	A-A-51750	BAND, MATRIX, DENTAL (CONTOURED)	A 6520	/ MB	02-JUN-87	MD	MS	03		
	A-A-51751	WHEEL, ABRASIVE (ALUMINUM OXIDE)	A 6520	/ MB	31-MAR-87	MD	MS	03		
A	A-A-51754A	DEXTRAM 40 AND SODIUM CHLORIDE INJECTION	A 6505	/ MB	01-APR-93	MD	MS	03		
	A-A-0051754	DEXTRAM & SODIUM CHLORIDE INJECTION	A 6505	/ MB	19-NOV-86	MD	MS	03		
A	A-A-51755A	CHROMOLYN SODIUM INHALATION AEROSOL, ORAL	A 6505	/ MB	18-DEC-92	MD	MS	03		
	A-A-0051755	CHROMOLYN SODIUM INHALATION AEROSOL, ORAL	A 6505	/ MB	19-NOV-86	MD	MS	03		
	A-A-51756A	GUIDE, ANGLE (ADJUSTABLE)	A 6515	/ MB	15-AUG-88	MD	MS	03		
	A-A-51758	CANNULA, EAR, (BARN)	A 6515	/ MB	24-NOV-86	MD	MS	03		
	A-A-51759	CART, MEDICINE	A 6530	/ MB	30-JAN-87	MD	MS	03		
	A-A-51760	BEDPAN	A 6530	/ MB	30-JAN-87	MD	MS	03		
	A-A-51762A	BETHANECHOL CHLORIDE TABLETS, USP	A 6505	/ MB	02-JUL-87	MD	MS	03		
	A-A-0051762	BETHANECHOL CHLORIDE TABLETS, USP	A 6505	/ MB	01-DEC-86	MD	MS	03		
	A-A-51763	CANNULA, EAR (ROSEN)	A 6515	/ MB	02-DEC-86	MD	MS	03		
	A-A-51764A	FORCEPS, DRESSING (ADSON)	A 6515	/ MB	05-MAY-88	MD	MS	03		
	A-A-51765A	MASK, OXYGEN	A 6515	/ MB	25-APR-88	MD	MS	02		
	A-A-0051766	MASK, OXYGEN	A 6515	/ MB	04-DEC-86	MD	MS	03		
	A-A-51766	CATHETER & NEEDLE UNIT, INTRAVENOUS, (18 GAGE CATHETER)	A 6515	/ MB	04-DEC-86	MD	MS	03		
	A-A-51767A	PIN, GUIDE, CALIBRATED	A 6515	/ MB	15-AUG-88	MD	MS	03		
	A-A-0051768	FLUPHENAZINE HYDROCHLORIDE ELIXIR, USP	A 6505	/ MB	25-NOV-86	MD	MS	03		
	A-A-51770	BOTTLE, SCREW CAP, (PLASTIC)	A 6530	/ MB	15-DEC-86	MD	MS	03		
	A-A-51771	BRACE, KNEE DRESSING	A 6515	/ MB	30-JAN-87	MD	MS	03		
	A-A-51772	BOTTLE, SAFETY CAP (TABLET AND CAPSULE)	A 6530	/ MB	16-DEC-86	MD	MS	03		
A	A-A-51774A	MEPIVACAINE HYDROCHLORIDE INJECTION, USP	A 6505	/ MB	15-FEB-93	MD	MS	03		
	A-A-0051774	MEPIVACAINE HYDROCHLORIDE INJECTION, USP	A 6505	/ MB	08-DEC-86	MD	MS	03		
	A-A-51776A	HALOXONE HYDROCHLORIDE INJECTION, USP	A 6505	/ MB	11-JUL-88	MD	MS	03		
	A-A-0051776	HALOXONE HYDROCHLORIDE INJECTION, USP	A 6505	/ MB	03-DEC-86	MD	MS	03		
	A-A-51778A	CATHETERIZATION SET, URETHRAL	A 6515	/ MB	10-APR-89	MD	MS	03		
	A-A-0051778	CATHETERIZATION SET, URETHRAL	A 6515	/ MB	11-FEB-87	MD	MS	03		
	A-A-51780	SURGICAL PACK, DISPOSABLE (WOUND CLOSURE)	A 6515	/ MB	12-JAN-87	MD	MS	03		
	A-A-51781A	HOOK, TISSUE, DOUBLE PRONG (JOSEPH)	A 6515	/ MB	06-JUN-89	MD	MS	03		
	A-A-0051782	UREA LOTION	A 6505	/ MB	15-APR-87	MD	MS	03		
	A-A-0051783	BENZOCATINE, BUTAMPHEN AND TETRACATINE HYDROCHLORIDE TOPICAL AEROSOL	A 6505	/ MB	16-DEC-86	MD	MS	03		
	A-A-51784A	HALOPERIDOL TABLETS, USP	A 6505	/ MB	03-SEP-87	MD	MS	03		
	A-A-0051784	HALOPERIDOL TABLETS, USP	A 6505	/ MB	11-DEC-86	MD	MS	03		
	A-A-51786A	BELLADONNA ALKALOIDS WITH PHENOBARBITAL ELIXIR	A 6505	/ MB	28-APR-89	MD	MS	03		
	A-A-0051787	ETOPOSIDE INJECTION	A 6505	/ MB	23-DEC-86	MD	MS	03		
	A-A-0051788	PARAGORIC, KADLIN, AND PECTIN SUSPENSION	A 6505	/ MB	23-DEC-86	MD	MS	03		
	A-A-0051789	GLIPIZIDE TABLETS	A 6515	/ MB	23-DEC-86	MD	MS	03		
A	A-A-51790A	DISOPYRAMIDE PHOSPHATE CAPSULES, USP	A 6505	/ MB	01-APR-93	MD	MS	03		



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action Ordnance Combination Headings	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol	Preparing Agency Date	Custodians			
						Army	Navy	Air Force	DLA
	A-A-0051790	DISOPYRAMIDE PHOSPHATE CAPSULES, USP	A 6505	MB	08-DEC-86	ND	MS	03	
	A-A-51791A	ALBUTEROL INHALATION AEROSOL	A 6505	MB	07-JUN-90	ND	MS	03	
	A-A-51792A	SIMULATOR, PATIENT	A 6515	MB	31-AUG-87	ND	MS	03	
	A-A-0051793	HYPODERMIC INJECTION APPARATUS (JET, AUTOMATIC, GAS PRESSURE POWER SOURCE)	A 6515	MB	28-JAN-87	ND	MS	03	
	A-A-51794B	PIPET, SEROLOGICAL (KAHM)	A 6640	MB	12-OCT-90	ND	MS	03	
	A-A-0051794	PIPET, SEROLOGICAL, KAHN	A 6640	MB	02-FEB-87	ND	MS	03	
	A-A-51795B	PIPET, SEROLOGICAL (BOROSILICATE GLASS)	A 6640	MB	03-MAY-89	ND	MS	03	
	A-A-51796A	MICROSCOPE, OPTICAL (BINOCULAR)	A 6650	MB	22-APR-91	ND	MS	03	
	A-A-51797	TIP, PIPET	A 6640	MB	22-JAN-87	ND	MS	03	
	A-A-51798	PIPET TIP, BLOOD AND PLASMA COAGULATION TIMER	A 6640	MB	01-MAY-87	ND	MS	03	
	A-A-51799	BASKET, TEST TUBE	A 6640	MB	21-JAN-87	ND	MS	03	
	A-A-51800	BAND, CIRCLING (SILICONE)	A 6515	MB	23-JAN-87	ND	MS	03	
	A-A-51802A	PRESS, HYDRAULIC, OPHTHALMIC LAP	A 6540	MB	17-MAY-89	ND	MS	03	
	A-A-51803	FILLER, PIPET (RUBBER)	A 6640	MB	17-MAY-87	ND	MS	03	
	A-A-51804	FORCEPS, EYE, SUTURE, ANGULAR	A 6515	MB	30-JAN-87	ND	MS	03	
	A-A-51805	SLEEVE, CIRCLE BAND (SILICONE)	A 6515	MB	30-JAN-87	ND	MS	03	
	A-A-0051806	DIFLORASONE DIACETATE	A 6505	MB	20-JAN-87	ND	MS	03	
	A-A-51807A	AMINO ACID AND UREA CERVICAL CREAM	A 6505	MB	21-AUG-92	ND	MS	03	
	A-A-0051808	ELECTROLYTE SOLUTION, ORAL	A 6505	MB	13-JAN-87	ND	MS	03	
	A-A-51810	TIMER, INTERVAL	A 6645	MB	04-FEB-87	ND	MS	03	
	A-A-51811A	CARTRIDGE EXTRACTION ASSEMBLY, SAMPLE PROCESSOR	A 6630	MB	19-AUG-87	ND	MS	03	
	A-A-0051811	CARTRIDGE EXTRACTION ASSEMBLY, SAMPLE PROCESSOR	A 6630	MB	04-FEB-87	ND	MS	03	
	A-A-51812A	FORCEPS, EYE, SUTURE	A 6515	MB	20-FEB-89	ND	MS	03	
	A-A-51813A	AMIODARONE HYDROCHLORIDE TABLETS	A 6505	MB	28-AUG-92	ND	MS	03	
	A-A-0051814	GEMFIBROZIL CAPSULES, USP	A 6505	MB	29-JAN-87	ND	MS	03	
	A-A-0051815	VITAMIN E SOLUTION, WATER-MISCIBLE	A 6505	MB	28-JAN-87	ND	MS	03	
	A-A-0051816A	POLYETHYLENE GLYCOL AND ELECTROLYTES FOR ORAL SOLUTION	A 6505	MB	16-FEB-88	ND	MS	03	
	A-A-51817A	AMCINONIDE OINTMENT, USP	A 6505	MB	28-AUG-92	ND	MS	03	
	A-A-51818A	CEPHALOTHIN SODIUM FOR INJECTION, USP	A 6505	MB	16-MAY-90	ND	MS	03	
	A-A-51821	FILIFORM, URETHRAL	A 6515	MB	11-FEB-87	ND	MS	03	
	A-A-51822A	CYLINDER, GRADUATED, LABORATORY	A 6640	DM	20-JUL-87	LA	MS	99	
	A-A-51823A	TUBE, CENTRIFUGAL HEMATOLOGY	A 6630	MB	03-FEB-88	ND	MS	03	
	A-A-51825A	FORCEPS, HEMOSTATIC CLIP APPLYING, MEDIUM, SERRATED JAWS, ANGLED	A 6515	MB	08-JUN-89	ND	MS	03	
	A-A-51828A	METOCLOPRAMIDE INJECTION, USP	A 6505	MB	30-JAN-91	ND	MS	03	
	A-A-0051828	METOCLOPRAMIDE HYDROCHLORIDE INJECTION	A 6505	MB	06-FEB-87	ND	MS	03	
	A-A-51829A	FORCEPS, TENDON-DILATION, STRAIGHT	A 6515	MB	22-JAN-93	ND	MS	03	
	A-A-0051829	FORCEPS, TENDON DILATION (8 1/2 INCH)	A 6515	MB	12-MAY-87	ND	MS	03	
	A-A-51830	ADAPTER, EAR CANNULA TO TUBING (HOUGH)	A 6515	MB	18-FEB-87	ND	MS	03	
	A-A-51831A	FORCEPS, COAGULATION (MALIS)	A 6515	MB	02-FEB-90	ND	MS	03	
	A-A-51832	BANDAGE, ADHESIVE	A 6510	MB	13-MAY-87	ND	MS	03	
	A-A-51833	IBUPROFEN TABLETS, USP	A 6505	MB	23-JUL-87	ND	MS	03	
	A-A-51834A	ALBUMIN HUMAN, USP, HEAT TREATED	A 6505	MB	30-MAY-89	ND	MS	03	
	A-A-0051834	ALBUMIN HUMAN, USP, HEAT TREATED	A 6505	MB	19-FEB-87	ND	MS	03	
	A-A-51835A	CYCLOPHOSPHAMIDE FOR INJECTION, USP	A 6505	MB	30-NOV-89	ND	MS	03	
	A-A-0051835	CYCLOPHOSPHAMIDE FOR INJECTION, USP	A 6505	MB	18-FEB-87	ND	MS	03	
	A-A-51836A	FORCEPS, EYE SUTURE, STRAIGHT, TWEEZERS-TYPE (CASTROVIEJO)	A 6515	MB	13-FEB-89	ND	MS	02	
	A-A-0051837	DRAPE, SURGICAL	A 6530	MB	20-FEB-87	ND	MS	03	
	A-A-51838	STRIP ASSORTMENT, ABRASIVE, DENTAL (ALUMINUM OXIDE, METAL BACKED)	A 6520	MB	09-MAR-87	ND	MS	03	
	A-A-51839A	CLAMP, ARTERY, (GLOVER)	A 6515	MB	16-FEB-89	ND	MS	03	
	A-A-51840A	SCISSORS, EAR, SERRATED (JOSEPH)	A 6515	MB	06-JUN-89	ND	MS	03	
	A-A-51841	RULER, ENDODONTIC INSTRUMENT (FINGER RING, RIGHT HANDED)	A 6520	MB	13-APR-87	ND	MS	03	
	A-A-51843A	FORCEPS, FIXATION (LESTER)	A 6515	MB	10-OCT-89	ND	MS	03	
	A-A-51844	ENVELOPE, STERILIZATION	A 6530	MB	31-MAR-87	ND	MS	03	
	A-A-51845	CABINET, ELECTROCARDIOGRAPH	A 6530	MB	31-MAR-87	ND	MS	03	
	A-A-51846	HEADBAND, HEADLIGHT	A 6515	MB	31-MAR-87	ND	MS	03	
	A-A-51847B	INDICATOR, STERILIZATION	A 6530	MB	19-MAR-93	ND	MS	03	
	A-A-51848A	FORCEPS, ELECTROCOAGULATION, BIPOLAR, 6 INCH (MALIS)	A 6515	MB	21-FEB-89	ND	MS	03	
	A-A-51849A	ELEVATOR AND RETRACTOR, BONE (BENNETT DESIGN)	A 6515	MB	08-MAR-89	ND	MS	03	
	A-A-51850	DILATOR, VASCULAR, STERILE	A 6515	MB	04-MAR-87	ND	MS	03	
	A-A-51851A	NEEDLE, HYPODERMIC DISPOSABLE 30 GAGE BY 1/2 INCH (1.3 CM)	A 6515	MB	14-MAY-90	ND	MS	03	
	A-A-51852A	ADAPTER, AUTOMATIC RETRACTOR HOLDER	A 6515	MB	27-JUN-88	ND	MS	03	
	A-A-51853A	EPINEPHRINE INJECTION, USP	A 6505	MB	15-FEB-90	ND	MS	03	
	A-A-0051853	EPINEPHRINE INJECTION, USP	A 6505	MB	09-MAR-87	ND	MS	03	
	A-A-0051854	SORBITOL IRRIGATION	A 6505	MB	25-FEB-87	ND	MS	03	
	A-A-0051855	VITAMIN A AND VITAMIN D OINTMENT	A 6505	MB	17-FEB-87	ND	MS	03	
	A-A-51856A	SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR SHAPED)	A 6510	MB	01-MAR-88	ND	MS	03	
	A-A-0051857	VITAMIN B COMPLEX AND ASCORBIC ACID CAPSULES	A 6505	MB	18-FEB-87	ND	MS	03	
	A-A-0051858	CASE, MEDICAL, SHIPPING AND STORAGE, POLYETHYLENE, RIGID	A 6545	MB	17-MAR-87	ND	MS	03	
	A-A-51859A	FORCEPS, HEMOSTATIC CLIP APPLYING, LARGE, SERRATED JAWS, ANGLED	A 6515	MB	01-JUN-89	ND	MS	03	
	A-A-51860A	PARTITION, MEDICAL CASE	A 6515	MB	16-DEC-87	ND	MS	03	
	A-A-51862A	GUIDE WIRE, VEIN CATHETERIZATION	A 6515	MB	18-AUG-88	ND	MS	03	
	A-A-51863A	HOOK, DURA (DANDY)	A 6515	MB	02-MAY-89	ND	MS	03	
	A-A-51865A	SPONGE, SURGICAL, (NONWOVEN SYNTHETIC FIBER, SPEAR-SHAPED)	A 6510	MB	01-MAR-88	ND	MS	03	
	A-A-0051865	UREA CREAM	A 6505	MB	18-FEB-87	ND	MS	03	
	A-A-51867A	ELECTROSURGICAL APPARATUS	A 6515	MB	12-JUL-91	ND	MS	03	
	A-A-51868	TABLE, OPHTHALMIC INSTRUMENT, ADJUSTABLE	A 6540	MB	20-MAR-87	ND	MS	03	
	A-A-0051869	MALCINONIDE SOLUTION	A 6505	MB	09-MAR-87	ND	MS	03	
	A-A-51872	SUTURE, ABSORBABLE, SURGICAL (POLYGLYCOLIC ACID)	A 6515	MB	18-MAR-87	ND	MS	03	
	A-A-51875A	HOLDER, SUTURE NEEDLE, DELICATE JAWS	A 6515	MB	05-JUN-89	ND	MS	03	
	A-A-0051875	HOLDER, SUTURE NEEDLE, DELICATE JAWS	A 6515	MB	20-MAY-87	ND	MS	03	
	A-A-51876A	FORCEPS, THORACIC (HARRINGTON)	A 6515	MB	08-MAY-89	ND	MS	03	
	A-A-0051876	FORCEPS, THORACIC (HARRINGTON)	A 6515	MB	21-APR-87	ND	MS	03	
	A-A-0051877	BLADE, SURGICAL KNIFE	A 6515	MB	06-APR-87	ND	MS	03	
	A-A-0051878	RAMITIDINE HYDROCHLORIDE INJECTION	A 6505	MB	12-MAR-87	ND	MS	03	
	A-A-51879A	TUBE, CENTRIFUGAL HEMATOLOGY	A 6630	MB	02-FEB-88	ND	MS	03	
	A-A-51881A	HOLDER, SUTURE NEEDLE (TROUTHMAN)	A 6515	MB	10-JUL-89	ND	MS	03	
	A-A-51882A	HOLDER, SUTURE NEEDLE (BARBAQUER)	A 6515	MB	11-OCT-89	ND	MS	03	
	A-A-0051882	HOLDER, SUTURE NEEDLE (BARBAQUER)	A 6515	MB	27-APR-87	ND	MS	03	
	A-A-51884	CATHETER, CHOLANGIOGRAPH (PLASTIC)	A 6515	MB	23-MAR-87	ND	MS	03	
	A-A-51885	DRAIN, SURGICAL (RUBBER, MUSHROOM TIP, PEZZER)	A 6515	MB	23-MAR-87	ND	MS	03	
	A-A-51886	INTRAVENOUS INJECTION SET, (WITH FLEXIBLE DRIP CHAMBER, NON VENTED, ADULT, WITHOUT NEEDLE, DISPOSABLE)	A 6515	MB	24-MAR-87	ND	MS	03	
	A-A-51887	NEEDLE, HYPODERMIC, ( BLOOD COLLECTING, MULTIPLE SAMPLE	A 6515	MB	24-MAR-87	ND	MS	03	
	A-A-51888	RETRACTORS, HIP JOINT (AUFRANC COBRA)	A 6515	MB	19-FEB-88	ND	MS	03	
	A-A-51889	WAX, DENTAL (INLAY)	A 6520	MB	06-APR-87	ND	MS	03	
	A-A-51890	LAMP, HEADLIGHT, SURGICAL	A 6515	MB	17-APR-87	ND	MS	03	
	A-A-51894C	CEFOXITIN SODIUM, STERILE, USP	A 6505	MB	23-MAR-93	ND	MS	03	
	A-A-51895A	BAGS, WASTE RECEPTACLE	A 8105	MB	24-JUL-92	ND	MS	03	
	A-A-51896	PLATFORM, EXERCISE MAT, PHYSICAL THERAPY	A 6530	MB	24-APR-87	ND	MS	03	
	A-A-51897	TRAY, INSTRUMENT	A 6530	MB	24-APR-87	ND	MS	03	
	A-A-51898	STORAGE UNIT, PHARMACEUTICALS	A 6530	MB	24-APR-87	ND	MS	03	
	A-A-51899	PAPER, ELECTROENCEPHALOGRAPH RECORDING	A 6515	MB	24-APR-87	ND	MS	03	
	A-A-51900	RETRACTOR, ABDOMINAL (LEMON, EXTRA DEEP, DEAYER, 9-1/2 INCH BLADE)	A 6515	MB	17-SEP-87	ND	MS	03	
	A-A-51901	MAGNIFIER	A 6650	MB	30-MAR-87	ND	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active CPL / OML Classification Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DLA
A-A-51902	MAGNIFIER	A 6650 / MB 30-MAR-87	MD	MS	03	
A-A-0051903	SPLINT, NASAL (LARGE, BROWN)	A 6515 / MB 13-APR-87	MD	MS	03	
A-A-51905A	SPECULUM, EYE, LANCASTER, NON-MAGNETIC, 3 INCH	A 6515 / MB 17-MAY-89	MD	MS	03	
A-A-0051905	SPECULUM, EYE (LANCASTER)	A 6515 / MB 24-AUG-87	MD	MS	03	
A-A-51906A	TUBE, INHALER	A 6515 / MB 31-AUG-90	MD	MS	03	
A-A-51907A	SPECTACLES, PROTECTIVE, DENTAL PATIENT, CLEAR LENSES	A 6520 / MB 01-DEC-87	MD	MS	03	
A-A-51908A	FORCEPS, ENDOSCOPIC, (LARGE, FORWARD GRASPING, JACKSON)	A 6515 / MB 14-FEB-89	MD	MS	03	
A-A-51909A	FORCEPS, ENDOSCOPIC (ALLIGATOR, GRASPING, JACKSON)	A 6515 / MB 14-FEB-89	MD	MS	03	
A-A-0051909	FORCEPS, ENDOSCOPE (ALLIGATOR, GRASPING, JACKSON)	A 6515 / MB 15-SEP-87	MD	MS	03	
A-A-0051910	GLOBULIN, RHO(D) IMMUNE	A 6505 / MB 30-MAR-87	MD	MS	03	
A-A-0051911	DIETHYLPROPION HYDROCHLORIDE TABLETS, MODIFIED	A 6505 / MB 30-MAR-87	MD	MS	03	
A-A-0051912	SODIUM FLUORIDE, USP, POWDER	A 6505 / MB 25-MAR-87	MD	MS	03	
A-A-0051914	OPHTHALMIC IRRIGATING SOLUTION	A 6505 / MB 20-MAR-87	MD	MS	03	
A-A-51915A	TESTER, DEFIBRILLATOR ENERGY	A 6625 / MB 29-APR-88	MD	MS	03	
A-A-51916A	FORCEPS, COAGULATION (GERALD)	A 6515 / MB 19-MAY-89	MD	MS	02	
A-A-51917A	FORCEPS, SEPTUM, JANSEN-MIDDLETON, SMALL, THROUGH CUTTING	A 6515 / MB 19-MAY-89	MD	MS	03	
A-A-51918A	ELEVATOR, EAR (LEMPERT)	A 6515 / MB 13-FEB-89	MD	MS	03	
A-A-0051918	ELEVATOR, EAR (LEMPERT)	A 6515 / MB 17-AUG-87	MD	MS	03	
A-A-51919	SLIDE MICROSCOPE (PLAIN, FROSTED END)	A 6640 / MB 10-APR-87	MD	MS	03	
A-A-51920A	FORCEPS, TISSUE, BISHOP-HARMON, STRAIGHT	A 6515 / MB 12-JUN-89	MD	MS	03	
A-A-0051920	FORCEPS, TISSUE (BISHOP-HARMON, STRAIGHT)	A 6515 / MB 20-MAY-87	MD	MS	03	
A-A-0051921	INFUSION SET, SCALP VEIN, 25 GAGE	A 6515 / MB 21-MAR-87	MD	MS	03	
A-A-51922A	DIAPHRAGM, VAGINAL (ARCING)	A 6515 / MB 06-APR-92	MD	MS	03	
A-A-51923	SHEETING, IMPLANT AND FABRICATION, (SILICONERUBBER)	A 6515 / MB 08-APR-87	MD	MS	03	
A-A-51924A	MILK OF MAGNESIA, USP	A 6505 / MB 30-SEP-92	MD	MS	03	
A-A-51925A	CHIGGER REPELLENT AND ANTIPHURITIC LOTION	A 6505 / MB 26-SEP-88	MD	MS	03	
A-A-0051925	CHIGGER REPELLENT AND ANTIPHURITIC, 4 FL OZ (118 ML)	A 6505 / MB 03-APR-87	MD	MS	03	
A-A-51926A	DIPHENHYDRAMINE HYDROCHLORIDE CAPSULES, USP	A 6505 / MB 30-NOV-89	MD	MS	03	
A-A-0051926	DIPHENHYDRAMINE HYDROCHLORIDE CAPSULES, USP	A 6505 / MB 03-APR-87	MD	MS	03	
A-A-51927A	BUTOCONAZOLE NITRATE CREAM, VAGINAL	A 6505 / MB 18-DEC-92	MD	MS	03	
A-A-0051927	BUTOCONAZOLE NITRATE CREAM, VAGINAL	A 6505 / MB 06-APR-87	MD	MS	03	
A-A-0051928	TRIAMCINOLONE ACETONIDE INHALATION AEROSOL	A 6505 / MB 06-APR-87	MD	MS	03	
A-A-51931A	FORCEPS, MAXILLARY DISIMPACTION, ROWE'S DESIGN	A 6515 / MB 18-DEC-92	MD	MS	03	
A-A-51933A	ASPIRIN SUPPOSITORIES, USP	A 6505 / MB 13-NOV-92	MD	MS	03	
A-A-0051934	NITROGLYCERIN TRANSDERMAL SYSTEM, MICROSEALED	A 6505 / MB 10-APR-87	MD	MS	03	
A-A-0051935	NITROGLYCERIN TRANSDERMAL SYSTEM, MEMBRANE - PERMEATION CONTROLLED	A 6505 / MB 13-APR-87	MD	MS	03	
A-A-51936A	ALLOPURINOL TABLETS, USP	A 6505 / MB 30-MAY-89	MD	MS	02	
A-A-0051936	ALLOPURINOL TABLETS, USP	A 6505 / MB 10-APR-87	MD	MS	03	
A-A-0051937	NITROGLYCERIN LINGUAL AEROSOL	A 6505 / MB 15-APR-87	MD	MS	03	
A-A-51938A	CASSETTE, RADIOGRAPHIC FILM (LIGHTWEIGHT)	A 6525 / MB 10-SEP-90	MD	MS	03	
A-A-51939	MONITOR, TRI-GAS	A 6665 / MB 24-APR-87	MD	MS	03	
A-A-51940A	RETRACTOR, ORAL (OBMEGESER, 14 BY 70 MM CURVED DOWNWARD)	A 6520 / MB 13-NOV-89	MD	MS	03	
A-A-0051940	RETRACTOR, ORAL OBMEGESER DESIGN	A 6520 / MB 15-JUN-87	MD	MS	03	
A-A-51941	POSITIONING SET, SURGICAL	A 6530 / MB 29-MAY-87	MD	MS	03	
A-A-51942A	FORCEPS, THORACIC, CURVED, MIXTER	A 6515 / MB 06-JUN-89	MD	MS	03	
A-A-0051942	FORCEPS, THORACIC (MIXTER)	A 6515 / MB 20-MAY-87	MD	MS	03	
A-A-51943A	ELEVATOR, EAR (SMALL, LEMPERT)	A 6515 / MB 16-FEB-89	MD	MS	03	
A-A-0051943	ELEVATOR, EAR (SMALL, LEMPERT)	A 6515 / MB 25-AUG-87	MD	MS	03	
A-A-51945	ELECTROCARDIOGRAPH (ECG)	A 6515 / MB 31-JUL-90	MD	MS	03	
A-A-0051947	SULFACETAMIDE SODIUM LOTION, USP	A 6505 / MB 16-APR-87	MD	MS	03	
A-A-0051948	DEFIBRILLATOR & CARDIOSCOPE (THREE LEAD, WITH RECORDER)	A 6515 / MB 22-APR-87	MD	MS	03	
A-A-0051949	LEVONORGESTREL & ETHINYL ESTRADIOL TABLETS, USP, TRIPHASIC, 845	A 6505 / MB 09-APR-87	MD	MS	03	
A-A-51950A	GAUZE, OIL EMULSION IMPREGNATED	A 6510 / MB 29-AUG-88	MD	MS	03	
A-A-0051950	GAUZE, OIL EMULSION IMPREGNATED	A 7310 / 23-APR-87				
A-A-51951	TIRE, RETINAL IMPLANT, (SILICONE)	A 6515 / MB 28-APR-87	MD	MS	03	
A-A-51953	APRON, X-RAY PROTECTIVE (DENTAL PATIENT)	A 6532 / MB 29-MAY-87	MD	MS	03	
A-A-51954A	CURETTE, BONE (BRUN)	A 6515 / MB 06-FEB-89	MD	MS	03	
A-A-0051954	CURETTE, BONE (BRUN)	A 6515 / MB 04-MAY-87	MD	MS	03	
A-A-51955A	ELEVATOR, EAR (LAMPERT, BROWN)	A 6515 / MB 13-FEB-89	MD	MS	03	
A-A-51956A	BUTALBITAL, ASPIRIN AND CAFFEINE CAPSULES	A 6505 / MB 18-DEC-92	MD	MS	03	
A-A-0051956	BUTALBITAL, ASPIRIN AND CAFFEINE CAPSULES	A 6505 / MB 27-APR-87	MD	MS	03	
A-A-51957A	MINERAL INJECTION, TRACE ELEMENTS	A 6505 / MB 12-AUG-88	MD	MS	03	
A-A-0051957	MINERAL INJECTION, TRACE ELEMENTS	A 6505 / MB 24-APR-87	MD	MS	03	
A-A-0051958	GLOBULIN, IMMUNE FOR INJECTION, HUMAN, DRIED	A 6505 / MB 27-APR-87	MD	MS	03	
A-A-0051960	INTRAVENOUS INJECTION SET (NON-VENTED, WITH METERING CHAMBER)	A 6515 / MB 01-MAY-87	MD	MS	03	
A-A-51961A	TUBE, STOMACH, SURGICAL (LEVIN)	A 6515 / MB 21-AUG-92	MD	MS	03	
A-A-51962	BURNER, ALCOHOL (DENTAL)	A 6640 / MB 11-MAY-87	MD	MS	03	
A-A-51963	WEIGHT, BLOOD BAG, WATER BATH (LEAD)	A 6630 / MB 15-MAY-87	EA	MS	99	
A-A-51964	OXYGEN ABSORBENT, CHEMICAL, SEEZ OC	A 6510 / MB 01-APR-88	MD	MS	03	
A-A-51967A	APPLICATOR, ACETONE-ALCOHOL IMPREGNATED	A 6640 / MB 14-SEP-87	MD	MS	03	
A-A-51968A	BULB, PIPET, BACTERIOLOGICAL (RUBBER)	A 6640 / MB 15-MAY-87	MD	MS	03	
A-A-0051968	BULB, PIPET, BACTERIOLOGICAL (RUBBER)	A 6520 / MB 02-JUN-87	MD	MS	03	
A-A-51969	PRESSURE INDICATING COMPOUND AND BRUSH, DENTAL	A 6520 / MB 15-JUN-87	MD	MS	03	
A-A-51970	STONE, SHARPENING	A 6505 / MB 18-DEC-92	MD	MS	03	
A-A-51971A	BROMPHENIRAMINE MALEATE AND PHENYLPROPANOLAMINE HYDROCHLORIDE TABLETS, EXTENDED RELEASE	A 6505 / MB 11-MAY-87	MD	MS	03	
A-A-0051971	BROMPHENIRAMINE MALEATE & PHENYLPROPANOLAMINE HYDROCHLORIDE TABLETS, SUSTAINED RELEASE	A 6505 / MB 18-DEC-92	MD	MS	03	
A-A-51972A	CHLORAMPHENICOL OPHTHALMIC OINTMENT, USP	A 6505 / MB 12-MAY-87	MD	MS	03	
A-A-0051972	CHLORAMPHENICOL OPHTHALMIC OINTMENT, USP	A 6505 / MB 27-APR-87	MD	MS	03	
A-A-0051973	POTASSIUM CHLORIDE EXTENDED-RELEASE CAPSULES, USP	A 6515 / MB 05-MAY-89	MD	MS	03	
A-A-51974A	TRANSFER SET, INTRAVENOUS SOLUTION (NON-VENTED, 27 INCHES)	A 6515 / MB 29-MAY-87	MD	MS	03	
A-A-0051974	TRANSFER SET, INTRAVENOUS SOLUTION (NON-VENTED, 27 INCHES)	A 6515 / MB 26-JUN-87	MD	MS	03	
A-A-51975	LIGHT, HEAD, SURGICAL	A 6532 / MB 15-OCT-92	MD	MS	03	
A-A-51976A	DIAPER, INFANT'S	A 6515 / MB 19-MAY-87	MD	MS	03	
A-A-51977	CANNULA SET, LACHRYMAL	A 6515 / MB 20-MAY-87	MD	MS	03	
A-A-51978	CATHETER AND NEEDLE UNIT, INTRAVENOUS (20 GAGE)	A 6520 / MB 09-JUN-87	MD	MS	03	
A-A-51979	COME, FELT (DENTAL GRINDING AND POLISHING MACHINE)	A 6505 / MB 28-MAY-87	MD	MS	03	
A-A-0051980	OINTMENT BASE, WASHABLE	A 6515 / MB 22-MAY-87	MD	MS	03	
A-A-51983	SPECULUM, EAR (BOUCHERON)	A 6530 / MB 26-JUN-87	MD	MS	03	
A-A-51984	TABLE, TREATMENT	A 6532 / MB 26-JUN-87	MD	MS	03	
A-A-51985	APRON, X-RAY PROTECTIVE	A 6515 / MB 12-AUG-88	MD	MS	03	
A-A-51986A	HANDLE, ELECTRODE, ELECTROSURGERY	A 6530 / MB 04-JUN-93	MD	MS	03	
A-A-51987A	TABLE, OPERATING, ORTHOPEDIC (HAND)	A 6530 / MB 26-JUN-87	MD	MS	03	
A-A-51988	STOOL, REVOLVING	A 6530 / MB 26-JUN-87	MD	MS	03	
A-A-51989	INDICATOR, STERILIZATION	A 6530 / MB 26-JUN-87	MD	MS	03	
A-A-51990A	SYRINGE, CARTRIDGE (MEDICAL, PLASTIC)	A 6515 / MB 04-MAY-89	MD	MS	03	
A-A-51991	SCOOP, GALLSTONE (DOUBLE-ENDED, MAYO)	A 6515 / MB 21-MAY-87	MD	MS	03	
A-A-51992B	HOLDER, SUTURE NEEDLE, CASTROVIEJO	A 6515 / MB 19-MAR-93	MD	MS	03	
A-A-51992/I	HOLDER, SUTURE NEEDLE, CASTROVIEJO	A 6515 / MB 19-MAR-93	MD	MS	03	
A-A-51992/2	HOLDER, SUTURE NEEDLE, CASTROVIEJO	A 6515 / MB 19-MAR-93	MD	MS	03	
A-A-51994A	TESTER, PULP, CANAL	A 6520 / MB 12-JUN-89	MD	MS	03	
A-A-0051994	TESTER, PULP, DENTAL	A 6520 / MB 15-JUN-87	MD	MS	03	
A-A-51995	INFUSOR, PRESSURE, BLOOD COLLECTING-DISPENSING BAG	A 6515 / MB 04-JUN-87	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action Qty. (Only) Coordination Initiative Document Number	Document Title	Dist. Stmt. FSC / Area MCA Symbol Preparing Acty. Date	Custodians			
			Army	Navy	Air Force	DLA
A-A-51996	ESOPHAGOSCOPE (FIBER OPTIC HOLINGER) .....	A 6515 / ME 04-JUN-87	MD	MS	03	
A-A-51997	MANDREL, DENTAL HANDPIECE, NO. 303 .....	A 6520 / ME 22-JUN-87	MD	MS	03	
A-A-51998	MANDREL, DENTAL HANDPIECE, NO. 303-1/2 .....	A 6520 / ME 22-JUN-87	MD	MS	03	
A-A-51999	MANDREL, DENTAL HANDPIECE, NO. X350 .....	A 6520 / ME 22-JUN-87	MD	MS	03	
D A-A-52001	PLANETABLES, SURVEYING, WITH TRIPOD AND CARRYING CASE USER: CG MC REVIEWER: B2 GS	A 6675 / ME 01-APR-87	ME	YD1	99	
A-A-52002	LEVEL, CIRCULAR, ROD REVIEWER: GS	A 6675 / ME 29-APR-87	ME			
A-A-52003	MEASURER, MAP USER: MC REVIEWER: B2 GS	A 6675 / ME 23-JUN-87	ME			99
A-A-52004	RODS SET, LEVEL REVIEWER: B2 GS	A 6675 / ME 16-JUL-87	ME	MC	99	
D A-A-52005	ALTIMETER/BAROMETER, POCKET SIZE, WITH CASE	A 6675 / ME 09-SEP-87	ME	YD1	99	
A-A-52007A	THERMOMETER, SELF-INDICATING LIQUID-IN-GLASS USER: B2 REVIEWER: ER GS	A 6685 / ME 20-FEB-90	ME			99
A-A-52008	CUTTING EDGES, MOLDBOARD, GRADER	A 3805 / ME 17-AUG-88	ME			
L A-A-52009	SURVEYOR'S TOOL POUCH	A 5210 / ME 11-AUG-89	ME			
D L A-A-52010	CLAMP, HANDLE, STEEL TAPE USER: GL MC YD1	A 5210 / ME 11-AUG-89	ME			
A-A-52011A	RULES, STEEL, MACHINIST'S ENGLISH AND ENGLISH-METRIC GRADUATION USER: GL	A 5210 / ME 21-DEC-89	ME			84
A-A-52012	OUTBOARD MOTOR, GASOLINE USER: MC REVIEWER: ER	A 2805 / ME 15-AUG-89	ME	SH		
L A-A-52014	HARRON, DISK TYPE, TANDEM	A 3710 / ME 17-NOV-89	ME			
A-A-52015	TAGLINES, CRANE, SPRING-LOADED, REEL TYPE USER: AT CE REVIEWER: CS	A 3815 / ME 09-JAN-90	ME			99
L A-A-52017	COMPRESSOR UNIT: DIESEL-ENGINE-DRIVEN, 450-650 CFM, 350 PSI, WHEEL-MOUNTED	A 4310 / ME 12-JAN-90	ME			
L A-A-52018A	SANDER, FLOOR: POWER DRIVEN, PORTABLE USER: GS	A 3220 / ME 06-JAN-91	ME			
D A-A-52021	SCALE, BEAM INDICATING; WEIGHING SENSITIVE TO 1 GRAM USER: YD1 REVIEWER: B2 GL GS SH	A 6670 / ME 10-MAY-91	ME			99
A A-A-52022	REPAIR OUTFIT, COLLAPSIBLE TANKS AND DRUMS (ROCTAD) USER: GS REVIEWER: B2 CS MC	A 5430 / ME 14-JAN-91	ME			99
A-A-52023	TARGET SET, SURVEYING REVIEWER: B2 GS	A 6675 / ME 19-FEB-91	ME			99
A-A-52024	COMPASS, MAGNETIC: SURVEYOR'S AND TRANSIT, POCKET; WITH OPTIONAL BALL AND SOCKET JOINT OR BALL AND SOCKET HEAD, AND JACOB'S STAFF REVIEWER: B2 GS	A 6675 / ME 12-MAR-91	ME			99
D A-A-52025	LEVELS, SURVEYING: ABNEY TYPE USER: CE MC REVIEWER: GS	A 6675 / ME 04-FEB-91	ME	YD1		
A-A-52026	PUMPS, CENTRIFUGAL: SUMP, PNEUMATIC-MOTOR-DRIVEN, 210 GPM AT 25 FOOT TOTAL HEAD USER: MC REVIEWER: B4	A 4320 / ME 10-MAY-91	ME			99
L A-A-52027	PUMPING UNIT, FRAME MOUNTED, 1-1/2 INCH, ELECTRIC MOTOR DRIVEN, 35 GPM AT 25 FEET TOTAL HEAD	A 4320 / ME 26-FEB-91	ME			
A-A-52028	DRUM, FLOOR, CAST-IRON REVIEWER: B4 CS	A 4510 / ME 21-JUN-91	ME			99
L A-A-52029	CONTAINER, CARGO, SIDE OPENING	A 8115 / ME 09-MAY-91	ME			
D A-A-52030	NOZZLES, FUEL AND OIL SERVICING, NONAUTOMATIC SHUTOFF AND NOZZLES, FUEL SERVICING, AUTOMATIC SHUTOFF USER: CE CG MC REVIEWER: B2 AV CS	A 4930 / ME 09-MAY-91	ME	YD1		
L A-A-52031	DRAWING BOARD, ILLUMINATED, PORTABLE REVIEWER: GS MC	A 6675 / ME 15-MAY-91	ME			
L A-A-52032	CONTAINER, CARGO, END OPENING	A 8115 / ME 16-MAY-91	ME			
L A-A-52033	CONTAINER, CARGO, HALF HEIGHT	A 8115 / ME 29-MAY-91	ME			
D A-A-52034A	DRAFTING INSTRUMENT SETS AND DRAFTING INSTRUMENTS USER: MC YD1 REVIEWER: GS	A 6675 / ME 13-FEB-92	ME			99
D A-A-52035	PROTRACTOR, ONE ARM: SEMICIRCULAR (CORROSION-RESISTANT ALLOY, WITH CASE) USER: MC YD1 REVIEWER: GS	A 6675 / ME 13-DEC-91	ME			99
D A-A-52036	LEVELS, SURVEYING, SELF-LEVELING AND TILTING USER: MC YD1 REVIEWER: GS	A 6675 / ME 01-MAY-92	ME			99
D A-A-52037	STENCIL SET, MARKING: MANILA BOUND: CONSISTING OF LETTERS, NUMBERS, AND TRAFFIC SIGNS USER: MC REVIEWER: GS	A 7520 / ME 28-APR-92	ME	YD1	99	
L A-A-52038	PUMP ASSEMBLY, CENTRIFUGAL, WATER, DIESEL-ENGINE-DRIVEN, 3-INCH, SKID-MOUNTED, 200 GPM AT 300 FEET	A 4320 / ME 25-OCT-91	ME			
A-A-52039A	LUBRICATING OIL, AUTOMOTIVE ENGINE, API SERVICE SG USER: AT CD OS SH REVIEWER: 11 AS GS MC PS SA	A 9150 / ME 20-APR-92	ME	SH	68	
L A-A-52040	STEREOSCOPES, LENS, AERIAL PHOTOGRAPH INTERPRETATION (POCKET)	A 6675 / ME 06-JAN-92	ME			
L A-A-52041	CASE, COMPUTER SUPPLIES, CARRYING REVIEWER: GS	A 6675 / ME 19-MAR-92	ME			
D L A-A-52042	SCALE, PLOTTING COORDINATE: PLASTIC, GRADUATED IN YARDS AND METERS IN 1:25000 AND 1:50000 SCALES USER: AS MC OS YD1 REVIEWER: GS	A 6675 / ME 12-MAR-92	ME			
A-A-52043	PARALLEL RULERS (ROLLING) REVIEWER: GS	A 6675 / ME 11-MAR-92	ME	SH	99	
L A-A-52044	POLE, RANGE, METAL, WITH CASE USER: MC REVIEWER: GS	A 6675 / ME 03-JAN-92	ME			
A-A-52045	TENSION HANDLE, STEEL MEASURING TAPE, SURVEYOR'S REVIEWER: GS	A 6675 / ME 07-JAN-92	ME			99
D A-A-52046	ARROW SETS, SURVEYING USER: MC REVIEWER: GS	A 6675 / ME 09-JAN-92	ME	YD1	99	
D A-A-52047	TUBING, NONMETALLIC (RUBBER AND PLASTIC) USER: AS AT MS OS REVIEWER: B2 AR CS EA MD MI	A 4720 / ME 01-APR-92	ME	YD1	99	
L A-A-52048	THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS POCKET TYPE REVIEWER: GS	A 6685 / ME 12-MAR-92	ME			
D A-A-52049	TRIPOD, SURVEYING: FOR RANGE POLE USER: MC REVIEWER: GS	A 6675 / ME 16-JAN-92	ME	YD1		
A-A-52050	PROTRACTORS, SEMICIRCULAR, PLASTIC, GRADUATED IN MILS, YARDS, METERS, AND INCHES USER: AR MC REVIEWER: GS	A 6675 / ME 24-JAN-92	ME			99
A A-A-52051	BINDING, SKI, ALPINE AND CROSS COUNTRY, SNOW AND ICE TRAVERSING EQUIPMENT (SITE) USER: 45 REVIEWER: 11 B2	A 8465 / CT 12-OCT-89	GL			99 CT
D A-A-52052	DETERGENT, DRY CLEANING (LIQUID) USER: MC SH YD1 REVIEWER: B4 MD	A 7930 / GL 03-AUG-89	GL			99
A-A-52053	SAWS, BAND, HEAT CUTTING REVIEWER: B4 GS MC MD TS	A 7320 / GL 05-OCT-89	GL			99
D A-A-52054	MIXING MACHINES, FOOD, ELECTRIC, (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) REVIEWER: B4 GS MC MD SA	A 7320 / GL 29-SEP-89	GL	YD1	99	
A A-A-52055	GLOVES, MEN'S AND WOMEN'S, LEATHER, LIGHT DUTY USER: 45 MC REVIEWER: 11 B2 MD	A 8415 / CT 05-DEC-89	GL	MU	99	CT
L A-A-52056	TWINE, FIBROUS, LINE, (WAXED AND BLOCKING) USER: AR ME REVIEWER: AV CR MD	A 4020 / GL 09-APR-90	GL			
A-A-52057	REFRIGERATED BASE, SELF-CONTAINED, DRAWER TYPE USER: CE MC REVIEWER: 50 B2 GS MD TS	A 4110 / GL 19-JAN-90	GL	SA	99	
A-A-52058	OVEN, WARMING, FOOD, PASS-THROUGH, ELECTRIC USER: CE MC REVIEWER: 50 B4 GS MD TS	A 7310 / GL 19-JAN-90	GL	SA	99	
A-A-52059	DISPENSER, BEVERAGE, MECHANICALLY COOLED, ICE/CARBONATED DRINK, COUNTERTOP USER: CE MC REVIEWER: 50 B4 GS MD TS	A 7310 / GL 19-JAN-90	GL	SA	99	
D A-A-52060	COLD FOOD COUNTER, DROP-IN, MECHANICALLY REFRIGERATED REVIEWER: GS MC MD TS YD1	A 7310 / GL 22-JAN-90	GL	SA	99	
A-A-52061	DISPENSER, CUPS, CUP LIDS, AND DRINKING STRAWS USER: CE MC REVIEWER: 50 B4 MD TS	A 4510 / GL 22-JAN-90	GL	SA	99	
A-A-52062	TABLE, FOOD PREPARATION, WITH SINK USER: CE MC REVIEWER: 50 B4 GS MD TS	A 7320 / GL 31-JAN-90	GL	SA	99	
A-A-52063	GRIDDLE, WITH OVERHEAD BROILER, ELECTRIC USER: CE MC REVIEWER: 50 B4 GS MD TS	A 7310 / GL 06-FEB-90	GL	SA	99	
A-A-52064	RANGE, ELECTRIC, TWO BURNER USER: CE MC REVIEWER: 50 B4 GS MD TS	A 7310 / GL 06-APR-90	GL	SA	99	
A-A-52065	CARDBOARD AND PAPER, EMBOSSED, TOP USER: MC REVIEWER: B4	A 9310 / GL 23-FEB-90	GL	SA	99	
A-A-52066	RACK, DISPENSING, CAN USER: CE MC REVIEWER: 50 B4 GS MD TS	A 7320 / GL 15-FEB-90	GL	SA	99	
A A-A-52067	BINDING, TEXTILE, COTTON, BIAS-CUT REVIEWER: MD	A 8315 / CT 13-MAR-90	GL	MU		CT
A-A-52068	SCRAPER, BAKERS REVIEWER: B4 MD MS TS	A 7330 / GL 12-MAR-90	GL	SA	99	
A-A-52069	FIBER ROPE ASSEMBLY, SINGLE LEG USER: SH REVIEWER: B2 IS ME	A 4020 / GL 23-APR-90	GL			99
D L A-A-52070	CORD, PLUMB BOB USER: MC YD1 REVIEWER: IS MD	A 4020 / GL 23-APR-90	GL			
A A-A-52071	TAPE, TEXTILE, COTTON, GENERAL PURPOSE USER: 45 MD OS REVIEWER: 11 B2 EA MC	A 8315 / CT 25-APR-90	GL	MU	99	CT
A A-A-52072	WEBBING, TEXTILE, COTTON, SPLINT REVIEWER: B2 MD MS	A 8305 / CT 01-MAY-90	GL	SA	99	CT
D A-A-52073	PAPER, WRAPPING, LAMINATED AND CREPED USER: SH YD1 REVIEWER: B4 99 MC MD OS	A 8135 / GL 28-JUN-90	GL	SA	69	
A A-A-52074	CLOTH, SATIN, LINING MATERIAL REVIEWER: B2 99 CG MD	A 8305 / CT 02-JUL-90	GL	MU	11	CT
A-A-52075	AMBALMING FLUID, ARTERIAL REVIEWER: GS MD	A 9930 / GL 31-JUL-90	GL	MS	50	
A A-A-52077	PILLOWS, BED (FEATHER) REVIEWER: B2 MD	A 7210 / CT 15-AUG-90	GL	MU	99	CT
A-A-52078A	LANTERN, GASOLINE, NONLEADED FUEL, WITH CASE USER: CG MC ME REVIEWER: B2 GS MD	A 6260 / GL 09-AUG-91	GL			99
A-A-52079	MANTLE, ILLUMINATING (GASOLINE LANTERN) USER: CG MC ME REVIEWER: B2 MD	A 6260 / GL 10-SEP-90	GL			99



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action Qty / Unit Combination Package Document Number	Document Title	Dist. Smt FSC / Ave MCA Symbol Preparing Act	Date	Customers			
				Army	Navy	Air Force	DLA
A-A-52080	TAPE, LACING AND TYING, NYLON USER: MC ME OS REVIEWER: AR AS CR IS MD MI ..	A 4020 / GL	31-DEC-90	GL	SH	99	
A-A-52081	TAPE, LACING AND TYING, POLYESTER USER: MC ME OS REVIEWER: AR AS CR IS MD MI	A 4020 / GL	31-DEC-90	GL	SH		
A-A-52082	TAPE, LACING AND TYING, TFE-FLUOROCARBON USER: MC ME OS REVIEWER: AR AS CR IS MD MI	A 4020 / GL	31-DEC-90	GL	SH		
A-A-52083	TAPE, LACING AND TYING, GLASS USER: MC ME OS REVIEWER: AR AS CR IS MD MI ..	A 4020 / GL	31-DEC-90	GL	SH		
A-A-52084	TAPE, LACING AND TYING, ARAMID USER: MC ME OS REVIEWER: AR AS CR IS MD MI ..	A 4020 / GL	31-DEC-90	GL	SH		
A L A-A-52085	CLOTH, DRILL, COTTON USER: MC REVIEWER: 82 99 MD	A 8305 / CT	02-JAN-91	GL	NU	11	CT
A L A-A-52086	CLOTH, INTERLINING, COTTON WARP, RAYON FILLING REVIEWER: MD	A 8305 / CT	10-JAN-91	GL	NU		CT
A L A-A-52087A	GLOVE INSERTS (COLD WEATHER) USER: MC REVIEWER: 11 45 82 MD	A 8415 / CT	22-JUL-92	GL	NU	99	CT
A-A-52088	ROPE, COTTON, OR COTTON/POLYESTER BLEND USER: AV MC REVIEWER: 82 IS MD SM	A 4020 / GL	07-MAR-91	GL	SA	99	
A-A-52089	BOWL, FOOD MIXING, CORROSION-RESISTING STEEL USER: MC REVIEWER: 84 MD TS ..	A 7330 / GL	13-MAR-91	GL	SA	99	
A-A-52090	BREAD SLICING MACHINE, ELECTRIC OPERATED, MULTIPLE KNIFE USER: MC REVIEWER: 50 84 GS MD	A 7320 / GL	11-MAR-91	GL		99	
A-A-52091	BLEACH, LAUNDRY, ORGANIC CHLORINE USER: AR REVIEWER: GS MD	A 6850 / GL	14-MAR-91	GL		68	
A-A-52092	AMMONIUM CHLORIDE, TECHNICAL REVIEWER: AR GS MD SM	A 6810 / GL	14-MAR-91	GL		68	
A-A-52093	DETERGENT, DRY CLEANING SOLVENT USER: AR MC SH REVIEWER: 84 GS MD	A 7930 / GL	14-MAR-91	GL		99	
A A-A-52094	THREAD, COTTON USER: MC	A 8310 / CT	15-MAR-91	GL	NU	11	CT
A A-A-52095	THREAD, POLYESTER, TEXTURED USER: MC REVIEWER: 82 99 MD	A 8310 / CT	15-MAR-91	GL	NU	11	CT
A A-A-52096	CLOTH, PRESSING, NYLON REVIEWER: 82 MD	A 8305 / CT	26-MAR-91	GL	NU	99	CT
A A-A-52097	CLOTH, WIGAM, COTTON USER: MC REVIEWER: MD	A 8305 / CT	26-MAR-91	GL	NU	99	CT
A A-A-52098	CLOTH, INTERLINING, ACETATE AND COTTON REVIEWER: 82 99 MD	A 8305 / CT	26-MAR-91	GL	NU	11	CT
A A-A-52099	CLOTH, BIRDSEYE AND GAUZE, COTTON REVIEWER: MD MS	A 8305 / CT	29-MAR-91	GL	NU	99	CT
A A-A-52100	SPOT REMOVER (FOR REMOVAL OF OIL AND GREASE FROM CLOTHING)	A 6850 / GL	03-APR-91	CL		68	
D A-A-52101	TAGS, BLANK, CABLE IDENTIFICATION (CABLE MARKERS MX-892 ( )/G, MX-893 ( )/G, MX-894 ( )/G AND MX-895 ( )/G)	A 9905 / GL	25-MAR-91	GL	YD1	99	
A A-A-52102	DETERGENT, LAUNDRY (NON-PHOSPHATE, LOW TEMPERATURE) REVIEWER: 84 MD	A 7930 / GL	15-APR-91	GL		99	
A A-A-52103	CLOTH, FLANNEL, WOOL AND COTTON, WOOL AND NYLON REVIEWER: 82 99 MC MD	A 8305 / CT	17-MAY-91	GL	NU	11	CT
A A-A-52104	CLOTH, BURLAP, JUTE (OR KENAF) USER: MC REVIEWER: 82 99 MD	A 8305 / CT	22-MAY-91	GL	NU	11	CT
A A-A-52105	CLOTH, INTERLINING, COTTON OR SYNTHETIC WARP, AND SPUN HAIR-WOOL OR RAYON FILLING REVIEWER: 82 MC MD	A 8305 / CT	07-MAY-91	GL	NU	99	CT
A A-A-52106	CLOTH, TWILL OR PLAIN WEAVE, POLYESTER AND POLYESTER BLEND REVIEWER: 82 99 MC MD	A 8305 / CT	28-JUN-91	GL	NU	11	CT
A A-A-52107	CLOTH, PILE, SYNTHETIC FIBER PILE USER: MC REVIEWER: 82 MD	A 8305 / CT	28-JUN-91	GL	NU	99	CT
A A-A-52108	CLOTH, INTERLINING, COTTON AND SYNTHETIC, OR SYNTHETIC REVIEWER: 82 99 MC MD	A 8305 / CT	28-JUN-91	GL	NU	11	CT
A A-A-52109	TUBING, BIAS SEWN, OSMABURG OR BURLAP CLOTH REVIEWER: SH	A 8135 / GL	28-JUN-91	GL	NU		
A A-A-52110	CLOTH, PLAIN WEAVE, POLYESTER/COTTON FOR POCKETS (WATER REPELLENT) REVIEWER: 82 MC MD	A 8305 / CT	23-AUG-91	GL	NU	95	CT
A A-A-52111	SUN GLASSES, IMPACT RESISTANT REVIEWER: 82 AS GS MC MD MS	A 8465 / CT	30-SEP-91	GL	SA	11	CT
A A-A-52112A	SHIRT, MAN'S SHORT SLEEVE, POLYESTER/COTTON, ARMY GREEN 415	A 8405 / CT	30-APR-92	GL			CT
A A-A-52113	HANDCUFFS AND LEG IRONS USER: MC YD1 REVIEWER: 11 45 82 84 CT SA	A 8465 / GL	13-MAR-92	GL	NU	99	
A A-A-52114	MATTRESS, WITH CARRIER REVIEWER: 84	A 5120 / GL	30-SEP-92	GL	SH	99	
A A-A-52115	SWEATER, MAN'S, OLIVE DRAB USER: NU REVIEWER: 11 45 82 CT MD	A 8405 / GL	30-JUN-92	GL		99	
A A-A-52116	OPENERS, CAN, ELECTRIC HEAVY DUTY REVIEWER: 50 MD	A 7330 / GL	01-SEP-92	GL	SA	84	
A A-A-52117	TOMCS, FOOD SERVICING USER: CG MC REVIEWER: 50 GS MD TS	A 7330 / GL	25-SEP-92	GL	AS	84	
A A-A-52118	DISPENSER, COMPRESSIBLE BOTTLE, CONDIMENT REVIEWER: CG GS	A 7350 / GL	02-NOV-92	GL	SA	99	
A A-A-52119	TABLET, CHLORINE, FLOCCULATING, EMERGENCY WATER PURIFICATION REVIEWER: 50 EA GS MC MD OM SH SS	A 6850 / GL	11-DEC-92	GL	MC	68	
A A-A-52120	SPECTACLES SET, BALLISTICS PROTECTIVE USER: MC REVIEWER: 82 99 AS CT MD	A 8465 / GL	31-DEC-92	GL	NU	11	
M A-A-52121	CABINET, DOUGH-PROOFING, (18 PAN CAPACITY) REVIEWER: MC MD MS SA	A 7320 / GL	15-MAR-93	GL	YD1	99	
A A-A-52122	KIT, WATER PURIFICATION, EMERGENCY REVIEWER: 50 EA GS MD	A 6850 / GL	03-MAR-93	GL	MC	68	
D A-A-52123	BARBS, BUCKING, RIVET USER: OR MC OS YD1 REVIEWER: 84 ME	A 5120 / GL	24-MAR-93	GL		99	
M A-A-52125	CAN, RADIATOR FILLING AND CAN SPRINKLING; PLASTIC USER: AT CG MC REVIEWER: 84 ME	A 7240 / GL	16-APR-93	GL		99	
M A-A-52126	POLISHER, PORTABLE, ELECTRIC REVIEWER: 84 CR ME	A 5130 / GL	17-MAY-93	GL		99	
L A-A-52151	BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE COMMERCIAL VEHICLES USER: ME	A 2540 / AT	18-MAY-90	AT			
L A-A-52152	INSULATION SLEEVING, THERMAL, TUBULAR REVIEWER: SM	A 5640 / AT	28-MAR-90	AT			
L A-A-52155	ENGINE ACCESSORY DRIVE V-BELTS	A 3030 / AT	20-APR-90	AT		99	
L A-A-52158	CAP, FILLER OPENING, RADIATOR, PRESSURE, 7 PSI ASSEMBLY USER: MC REVIEWER: CS ME	A 2930 / AT	14-MAY-90	AT			
L A-A-52160	INDUSTRIAL V-BELTS (MULTIPLE DRIVE)	A 3030 / AT	25-AUG-90	AT			
L A-A-52161	CAP, FILLER OPENING RADIATOR, "7" PSI PRESSURE 2 1/2 INCH USER: OR MC ME REVIEWER: CS	A 2930 / AT	27-NOV-90	AT			
L A-A-52162	AUTOMOBILE, HEARSE: COMMERCIAL	A 2320 / AT	28-FEB-91	AT			
L A-A-52163	LADDER, VEHICLE-BOARDING	A 2540 / AT	17-JUN-91	AT			
L A-A-52164	MOTORCYCLE: DUAL PURPOSE, NOMINAL 250 CC, MODIFIED COMMERCIAL	A 2340 / AT	22-MAR-91	AT			
L A-A-52165	MOTORCYCLES: 1000 AND 1300 CC, COMMERCIAL	A 2340 / AT	30-AUG-91	AT			
L A-A-52166	SNOWMOBILES: GASOLINE ENGINE DRIVEN, COMMERCIAL REVIEWER: 84 ER	A 2340 / AT	21-AUG-91	AT		99	
L A-A-52167	FIBER METAL, SHEET, NICKEL BASE, UNBACKED	A 9515 / AT	09-AUG-91	AT			
L A-A-52168	CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-STRAIGHT TYPE, BUTTON AND TI-LEADED FITTINGS REVIEWER: CS	A 7530 / AT	13-SEP-91	AT			
M L A-A-52169A	INSULATION: SOUND, VIBRATION, AND THERMAL	A 5640 / AT	19-FEB-93	AT			
A A-A-52175	PISTONS, HYDRAULIC BRAKE, WHEEL CYLINDER: SINTERED IRON (METRIC) REVIEWER: 84 CS	A 2530 / AT	28-MAR-92	AT		99	
L A-A-52176	RESISTORS, VARIABLE, NON-WIRE-WOUND, PRECISION	A 5905 / ER	30-MAY-90	ER			
M A-A-52203	SUSPENDERS, TROUSERS (FLYING SUIT) REVIEWER: 82	A 8440 / CT	03-MAY-93	AV	AS	99	CT
D A-A-52286	SPRAYER, PESTICIDE, PUSH-CART MOUNTED USER: AV MS REVIEWER: 84 CS MC PM	A 3740 / MD	10-JUL-90	MD	YD1	99	
L A-A-52287	INSECTICIDE, PARADICHLOROBENZENE	A 6840 / EA	25-APR-91	EA			
L A-A-52296	STENCIL SET: STENCIL BOARD: NONADJUSTABLE REVIEWER: GL	A 7520 / ME	04-FEB-92	ME			
L A-A-52297	TABLE, PHOTOINTERFERETEN AND ANALYST, ILLUMINATED, SPLIT STAGE	A 6675 / ME	03-FEB-92	ME			
L A-A-52298	TRIPOD, SURVEYING: EXTENSION-LEG-TYPE USER: AR REVIEWER: GS	A 6675 / ME	20-FEB-92	ME			
D A-A-52299	LEVELS, SURVEYING: LOCATORS, HAND-TYPE REVIEWER: 82 GS MC	A 6675 / ME	29-JAN-92	ME	YD1	99	
A A-A-52300	PROTRACTORS, CIRCULAR AND SEMICIRCULAR, (MILS, DEGREES) USER: CG REVIEWER: 82 GS MC	A 6675 / ME	03-MAR-92	ME		99	
D A-A-52301	DRAWING BOARD AND LACING BOARD TRESTLES USER: GL MC YD1 REVIEWER: 82 GS ..	A 6675 / ME	03-APR-92	ME		99	
D L A-A-52302	GASKET, SPLIT INTEL AL, FOR INLAND PETROLEUM DISTRIBUTION SYSTEM (IPDS) SNAP-JOINT COUPLING REVIEWER: 99 CE CS YD1	A 5330 / ME	06-APR-92	ME			
L A-A-52303	HOOKS, BOAT, BALL POINT USER: SH	A 2040 / ME	08-APR-92	ME			
D A-A-52304	LETTERING SETS AND ACCESSORIES USER: AR MC YD1 REVIEWER: GS	A 6675 / ME	15-MAY-92	ME		99	
A L A-A-52305	AUGER, EARTH, BOOM MOUNTED REVIEWER: AT	A 3820 / ME	20-AUG-92	ME			
D A-A-52306	LUBRICATING OIL, HEAVY-DUTY DIESEL ENGINE USER: AR AT AV OS SH REVIEWER: 11 GS MI PS SA YD1	A 9150 / ME	06-NOV-92	ME	AS	68	
A A-A-52400	HEADLAMP, SEALED BEAM, 12 VOLT (TRADE NO. 6015) REVIEWER: 82 GS	A 6240 / AT	17-JUL-92	AT		99	
A A-A-52401	BEARING, SLEEVE (STEEL-BACKED) USER: MI REVIEWER: 84 IS MC SH	A 3120 / AT	10-JUL-92	AT	OS	99	
A L A-A-52402	CLARAD, SPLASH, WHEEL USER: MC REVIEWER: CS	A 2540 / AT	10-JUL-92	AT			
A A-A-52403	MENDER, HOSE (LOW PRESSURE) USER: AV MC OS REVIEWER: 69 82 AR CS ME	A 4730 / AT	21-JAN-93	AT	AS	99	
A A-A-52404	INSULATION SHEET, CELLULAR, PLASTIC: THERMAL (METRIC) USER: AV ME REVIEWER: 84 AR MI ME	A 5640 / AT	20-JUL-92	AT		99	
A A-A-52405	TEE, HOSE (LOW PRESSURE) REVIEWER: 82 CS	A 4730 / AT	30-NOV-92	AT	AS	99	
A A-A-52406	CLAMP, LOOP, MUFFLER REVIEWER: 82	A 5340 / AT	06-AUG-92	AT		99	
A A-A-52407	GLASS, FILTER, COLORED (METRIC) REVIEWER: 84 GS MI	A 9340 / AT	15-SEP-92	AT	AS	99	
D A-A-52409	LAMPS, INCANDESCENT-SEALED BEAM USER: 82 SH REVIEWER: 11 GS	A 6240 / AT	03-NOV-92	AT	YD1	99	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Qty / On Hand	Doc Number	Description	Doc Title	Dist Smt FSC / Area	MCA Symbol	Preceding Date	Custodian	Army	Navy	Air Force	DIA
A L	A-A-52410	BOOT, DUST AND MOISTURE SEAL: HYDRAULIC BRAKE CYLINDER, SYNTHETIC RUBBER REVIEWER: CS MI		A 2530	/ AT	09-FEB-93	AT				
A L	A-A-52411	INSULATION, MOLDED, NOISE BARRIER		A 5640	/ AT	09-OCT-92	AT				
A L	A-A-52412	INCLINOMETER, BALL STYLE		A 6695	/ AT	03-NOV-92	AT				
A L	A-A-52413	MOSE, RUBBER: OIL SUCTION, WIRE-REINFORCED REVIEWER: CS		A 4720	/ AT	18-JAN-93	AT				
D	A-A-52414	BEARING, ROLLER, THRUST USER: MC SH REVIEWER: 84 AR IS YDI		A 3110	/ AT	09-MAR-93	AT	OS	99		
A L	A-A-52415	CLAMP ASSEMBLY - EXHAUST MUFFLER AND TAILPIPE		A 2990	/ AT	18-JAN-93	AT				
A	A-A-52416	TERMINALS, LUG; AND SPLICES, CONDUCTOR (ELECTRICAL, SOLDERLESS, FOR AUTOMOTIVE USE) REVIEWER: AR EA GS MI		A 5940	/ AT	07-DEC-92	AT		99		
N	A-A-52417	BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM USER: CR ME REVIEWER: 82 GS ...		A 6140	/ AT	07-JAN-93	AT		99		
D	A-A-52418	LIGHT, WARNING, VEHICULAR: ROTATING UNIT, 14 AND 28 VOLT DC USER: MC SH REVIEWER: 82 GS ME		A 6220	/ AT	11-JAN-93	AT	YDI	99		
A	A-A-52420	PLUG, EXPANSION USER: AR AV MC ME REVIEWER: 82 IS		A 5340	/ AT	13-JAN-93	AT	AS	99		
A L	A-A-52421	ACCESSORY KIT: WARNING DEVICE, DEMOUNTABLE, FOR EMERGENCY VEHICLES REVIEWER: ME		A 6220	/ AT	11-JAN-93	AT				
A	A-A-52422	BELTS, V: INDUSTRIAL DRIVE, NARROW TYPE USER: ER MC REVIEWER: 82		A 3030	/ AT	12-JAN-93	ME		99		
A L	A-A-52423	PUMP, SUBMERSIBLE, BILGE, AXIAL FLOW; ELECTRIC-MOTOR-DRIVEN		A 4320	/ AT	25-JAN-93	AT				
A	A-A-52424	CAPS, RADIATOR: PRESSURE RELIEFING (METRIC) REVIEWER: 82 CS ME		A 2930	/ AT	02-FEB-93	AT	MC	99		
A L	A-A-52426	MOSE AND MOSE ASSEMBLIES, NON-METALLIC, SILICONE, POLYESTER AND WIRE REINFORCED (FOR COOLANT AND HEATING SYSTEMS OF DIESEL AND GASOLINE POWERED ENGINES) USER: ME REVIEWER: CS		A 4720	/ AT	10-FEB-93	AT				
A	A-A-52427	NUT, PLAIN, SINGLE BALL SEAT, HEXAGON WHEEL MOUNTING - 3/4 AND 1-1/8 INCH USER: ME REVIEWER: 82 ER IS MI		A 5310	/ AT	12-FEB-93	AT		99		
A L	A-A-52429	VALVE, SOLENOID OPERATED		A 4810	/ AT	15-FEB-93	AT				
A L	A-A-52430	PADS, CUSHIONING: PERSONNEL-PROTECTION, VEHICULAR (METRIC) REVIEWER: CS		A 2590	/ AT	15-FEB-93	AT				
A L	A-A-52431	EVAPORATOR, ALCOHOL - AIR BRAKE SYSTEM USER: ME REVIEWER: CS		A 2530	/ AT	18-FEB-93	AT				
A L	A-A-52433	CUSHION ASSEMBLIES (METRIC)		A 2540	/ AT	26-FEB-93	AT				
N L	A-A-52435	MOSE ASSEMBLIES, METAL: FLEXIBLE, FUEL AND OIL REVIEWER: CS EA		A 4720	/ AT	02-APR-93	AT				
N	A-A-52440	CONDUIT, METAL, FLEXIBLE: ELECTRICAL SHIELDED REVIEWER: 99 AR EA GS		A 5975	/ AT	10-MAR-93	AT	AS	85		
N	A-A-52441	MOTORS, WINDSHIELD WIPER: PNEUMATIC, AND VALVES, CONTROL FOR USER: CS MC REVIEWER: CH		A 2540	/ AT	17-MAR-93	AT	YDI			
A L	A-A-52442	REPAIR KIT, PUNCTURE, PNEUMATIC TIRE (METRIC) REVIEWER: CS SM		A 2640	/ AT	24-MAR-93	AT				
A L	A-A-52443	LUBRICANT, MOLD, TIRE, SILICON BASE EMULSION (METRIC)		A 2640	/ AT	24-MAR-93	AT				
N	A-A-52448	COCK, PLUG: AIR SUPPLY, VEHICULAR, AIR BRAKE SYSTEM USER: MC REVIEWER: CS		A 2530	/ AT	07-MAY-93	AT		99		
A	A-A-52450	VERMICULITE, ABSORBENT (FOR PACKAGING LIQUID HAZARDOUS MATERIALS)		A 8135	/ SM	26-JUN-92	SM	MC			
N	A-A-52464	COUPLER, DRAWBAR, RING: LIGHT DUTY, 60,000 LB GVM; OFFSET (TAPER SHANK), 60,000 LB GVM; AND HEAVY DUTY 120,000 LB GVM USER: MC ME REVIEWER: 84 ES		A 2540	/ AT	26-APR-93	AT	YDI	99		
	A-A-0053001	PHENYLPROPANOLAMINE HYDROCHLORIDE & GUAFENESIN TABLETS		A 6505	/ MB	01-JUN-87	MD	MS	03		
	A-A-53002	HOOD, DENTAL LABORATORY GRINDING AND POLISHING MACHINE, COLLAPSIBLE, FIELD CART, CARDIAC RESUSCITATION KIT MOBILE		A 6520	/ MB	27-JUL-87	MD	MS	03		
	A-A-53003A	MARKER, IDENTIFICATION		A 6530	/ MB	30-MAY-89	MD	MS	02		
	A-A-53004	BOTTLE, NEBULIZER		A 7690	/ MS	26-JUN-87	MD	MS	03		
	A-A-53005	BRUSH, CLEANING, COLONOSCOPE		A 6515	/ MB	26-JUN-87	MD	MS	03		
	A-A-53006	ANALYZER, DEFIBRILLATOR		A 1615	/ MB	26-JUN-87	MD	MS	03		
	A-A-53007	PAD, LEG HOLDER		A 6625	/ MB	26-JUN-87	MD	MS	03		
	A-A-53008	FORCEPS, EYE, SUTURE, STRAIGHT		A 6515	/ MB	26-JUN-87	MD	MS	03		
	A-A-53009	CATHETER AND NEEDLE UNIT, INTRAVENOUS (16 GAGE BY 24 INCH CATHETER, RADIOPAQUE, DISPOSABLE)		A 6515	/ MB	08-JUN-87	MD	MS	03		
	A-A-53011	SCISSORS, NASAL (CURVED, JOSEPH)		A 6515	/ MB	09-JUN-87	MD	MS	03		
	A-A-53012	SCISSORS, WIRE CUTTING (ANGULAR)		A 6515	/ MB	09-JUN-87	MD	MS	03		
	A-A-53013A	SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM)		A 6515	/ MB	16-SEP-88	MD	MS	03		
	A-A-53014A	SPREADER, BONE, PEDIATRIC (BABY IMGE)		A 6515	/ MB	13-FEB-90	MD	MS	03		
	A-A-53016A	STRIP, ABRASIVE, DENTAL, ALUMINUM OXIDE		A 6520	/ MB	18-JUL-88	MD	MS	03		
	A-A-0053017	HYDROQUINONE CREAM, USP		A 6505	/ MB	03-JUN-87	MD	MS	03		
	A-A-53018	BUFFER SOLUTION, STANDARD (PH)		A 6550	/ MB	22-JUN-87	MD	MS	03		
	A-A-53019	PRISM SET, OPHTHALMIC		A 6540	/ MB	19-JUN-87	MD	MS	03		
	A-A-53020	BEAD, LABORATORY		A 6640	/ MB	19-JUN-87	MD	MS	03		
	A-A-53021	WHEEL, BUFFING, CLOTH, DENTAL		A 6520	/ MB	30-JUN-87	MD	MS	03		
	A-A-53022A	STAPLES, BONE FIXATION		A 6515	/ MB	07-JAN-91	MD	MS	03		
	A-A-53023A	INCUBATOR, INFANT		A 6530	/ MB	17-JUN-88	MD	MS	03		
	A-A-53024A	SPECULUM, VAGINAL (ALVARO)		A 6515	/ MB	09-FEB-90	MD	MS	03		
	A-A-53025A	DEXAMETHASONE TABLETS, USP		A 6505	/ MB	15-DEC-89	MD	MS	03		
	A-A-53027	LINER, FLASK, DENTAL CASTING MACHINE (NON-WATER ABSORBING)		A 6520	/ MB	06-JUL-87	MD	MS	03		
	A-A-53028	GAGE, PROSTHODONTIC (BOLEY)		A 6520	/ MB	06-JUL-87	MD	MS	03		
	A-A-0053029	KNIFE, GENERAL SURGICAL (DISPOSABLE)		A 6515	/ MB	05-AUG-87	MD	MS	03		
	A-A-53030	OPHTHALMOSCOPE, BINOCULAR, INDIRECT		A 6540	/ MB	29-JUN-87	MD	MS	03		
	A-A-53031	PRISM BAR, OPHTHALMIC		A 6540	/ MB	29-JUN-87	MD	MS	03		
	A-A-53032	SCREEN, TANGENT, EYE EXAMINING		A 6540	/ MB	29-JUN-87	MD	MS	03		
	A-A-53034	THERMOMETER, SELF-INDICATING, BIMETALLIC		A 6685	/ MB	30-JUN-87	MD	MS	03		
	A-A-53035	OPHTHALMOMETER		A 6540	/ MB	30-JUN-87	MD	MS	03		
	A-A-53036	OPHTHALMOSCOPE, POLARIZING TYPE		A 6540	/ MB	30-JUN-87	MD	MS	03		
	A-A-53038	PLASTIC STRIP, DENTAL SURFACE PROTECTION, (MOUTHGUARD)		A 6520	/ MB	06-JUL-87	MD	MS	03		
	A-A-53039A	ETHYNOLOL DIACETATE AND ETHINYL ESTRADIOL TABLETS, USP		A 6505	/ MB	30-NOV-90	MD	MS	03		
	A-A-0053039	ETHYNOLOL DIACETATE & ETHINYL ESTRADIOL TABLETS		A 6505	/ MB	17-JUN-87	MD	MS	03		
	A-A-0053040	IOHEXOL INJECTION		A 6505	/ MB	24-JUN-87	MD	MS	03		
	A-A-0053041A	MULTIVITAMIN TABLETS		A 6505	/ MB	25-JAN-88	MD	MS	03		
	A-A-0053042	SODIUM CHLORIDE TABLETS FOR SOLUTION, USP		A 6505	/ MB	19-JUN-87	MD	MS	03		
	A-A-0053043	NICOTIAZOLE NITRATE TREATMENT KIT, 365		A 6505	/ MB	19-JUN-87	MD	MS	03		
	A-A-53044	CLINDAMYCIN PHOSPHATE INJECTION, USP		A 6505	/ MB	01-JUL-87	MD	MS	03		
	A-A-53045	CATHETER, CARDIOVASCULAR (TRIPLE LUMEN, RADIOPAQUE, DISPOSABLE, 110 CM LONG)		A 6515	/ MB	07-JUL-87	MD	MS	03		
	A-A-53046A	FORCEPS, UTILITY (STRAIGHT, SMALL)		A 6515	/ MB	18-MAY-89	MD	MS	03		
	A-A-0053046	FORCEPS, UTILITY (STRAIGHT, SMALL)		A 6515	/ MB	27-JUL-87	MD	MS	03		
	A-A-0053047	GLOBULIN, HEPATITIS B IMMUNE, USP		A 6505	/ MB	26-JUN-87	MD	MS	03		
	A-A-0053048	FORMALDEHYDE SOLUTION, USP		A 6505	/ MB	01-JUL-87	MD	MS	03		
	A-A-53049	DIATRIZOATE SODIUM INJECTION, USP		A 6505	/ MB	02-JUL-87	MD	MS	03		
	A-A-53050	AMPICILLIN CAPSULES, USP		A 6505	/ MB	02-JUL-87	MD	MS	03		
	A-A-53051	CISPLATIN FOR INJECTION		A 6505	/ MB	06-JUL-87	MD	MS	03		
	A-A-53052	ISOETHARINE INHALATION SOLUTION, USP		A 6505	/ MB	02-JUL-87	MD	MS	03		
	A-A-53053	SOYBEAN-CASEIN DIGEST AGAR MEDIUM, DEHYDRATED		A 6545	/ MB	21-JUL-87	MD	MS	03		
	A-A-53056	HOLDER, LABORATORY NEEDLE (DISSECTING)		A 6640	/ MB	10-JUL-87	MD	MS	03		
	A-A-53057	SWAB, CULTURE (CALCIUM ALGINATE WOOL TIPPED)		A 6515	/ MB	13-JUL-87	MD	MS	03		
	A-A-53058A	PIPE, BACTERIOLOGICAL (PASTEUR TYPE)		A 6640	/ MB	01-FEB-93	MD	MS	03		
	A-A-0053059	KITS, THREAD-FORMING MOUNTED PINS, DENTAL		A 6520	/ MB	17-AUG-87	MD	MS	03		
	A-A-53061	TEMPERATURE PAM CAPSULES		A 6505	/ MB	09-JUL-87	MD	MS	03		
	A-A-53062A	SCISSORS, GENERAL SURGICAL, 9 INCH (CURVED, METZENBAUM)		A 6515	/ MB	18-JUL-89	MD	MS	03		
	A-A-0053062	SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM)		A 6515	/ MB	01-OCT-87	MD	MS	03		
	A-A-0053063	INFUSION SET, SCALP VEIN, (27 GAGE BY 3/8 INCH NEEDLE, WITH 8 INCH TUBING, DISPOSABLE, 405)		A 6515	/ MB	10-JUL-87	MD	MS	02		
	A-A-53064	DOXYCYCLINE HYCLATE CAPSULES, USP		A 6505	/ MB	08-JUL-87	MD	MS	03		
	A-A-53065A	TEST TUBE		A 6640	/ MB	15-JAN-88	MD	MS	03		
	A-A-0053065	TEST TUBE		A 6640	/ MB	19-JUL-87	MD	MS	03		
	A-A-53066	BOTTLE, SCREW CAP		A 6640	/ MB	20-JUL-87	MD	MS	03		
	A-A-0053067	POLARISCOPE, OPHTHALMIC LENS		A 6540	/ MB	20-JUL-87	MD	MS	03		



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active CPL / OMA Coordination Invoice	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DIA
A	A-A-53068	FLUOCINONIDE OINTMENT, USP	A 6505	MB	20-JUL-87	MD	MS	03	
	A-A-53069	FLUOCINONIDE CREAM, USP	A 6505	MB	20-JUL-87	MD	MS	03	
	A-A-53070	STIRRER, ELECTRIC, LABORATORY	A 6640	MB	20-JUL-87	EA	MS	99	
	A-A-53071	OVEN, LABORATORY	A 6640	DM	20-JUL-87	EA	MS	99	
	A-A-53072A	BRONCHOSCOPE, FIBER OPTIC, HOLINGER	A 6515	MB	12-FEB-93	MD	MS	03	
	A-A-0053072	BRONCHOSCOPE (HOLINGER)	A 6515	MB	15-JUL-87	MD	MS	03	
	A-A-53073A	GLOVES, DENTAL (RUBBER, NON-STERILE, DISPOSABLE, 50 PR)	A 6520	MB	11-JUL-89	MD	MS	03	
	A-A-0053073	GLOVES, DENTAL (RUBBER, NON-STERILE, DISPOSABLE, 50 PR)	A 6515	MB	15-JUL-87	MD	MS	03	
	A-A-0053074	PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP	A 6505	MB	07-JUL-87	MD	MS	03	
	A-A-53075A	DIFLUMISAL TABLETS, USP	A 6505	MB	01-APR-93	MD	MS	03	
A	A-A-0053075	DIFLUMISAL TABLETS, USP	A 6505	MB	06-JUL-87	MD	MS	03	
	A-A-53077	SPLINT, NASAL (BROWN STYLE)	A 6515	MB	22-JUL-87	MD	MS	03	
	A-A-53078	TUBE AND SYRINGE, STOMACH (ADULT, LAVAGE, EDLICH, DISPOSABLE, 34 FR)	A 6515	MB	16-JUL-87	MD	MS	03	
	A-A-0053079	INFUSION SET, SCALP VEIN, (21 GAGE BY 3/4 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE, 405)	A 6515	MB	17-JUL-87	MD	MS	03	
	A-A-53080	PROTECTOR, NEEL	A 6515	MB	27-JUL-87	MD	MS	03	
	A-A-53081	AMANTADINE HYDROCHLORIDE CAPSULES, USP	A 6505	MB	21-JUL-87	MD	MS	03	
	A-A-53082A	HANGER, X-RAY FILM	A 6525	MB	17-JUN-88	MD	MS	03	
	A-A-0053082	HANGER, X-RAY FILM	A 6525	MB	20-JUL-87	MD	MS	03	
	A-A-53083A	CALCIUM CARBONATE AND VITAMIN D TABLETS	A 6505	MB	18-DEC-92	MD	MS	03	
	A-A-0053083	CALCIUM CARBONATE AND VITAMIN D TABLETS	A 6505	MB	29-MAY-87	MD	MS	03	
A	A-A-0053086	FAMOTIDINE TABLETS	A 6505	MB	16-JUL-87	MD	MS	03	
	A-A-53087	PERACILLIN SODIUM, STERILE, USP	A 6505	MB	23-JUL-87	MD	MS	03	
	A-A-53088	LENS, OPHTHALMIC, GLASS	A 6540	MB	31-JUL-87	MD	MS	03	
	A-A-53090	RACK, INSTRUMENT STERILIZATION	A 6530	MB	31-AUG-87	MD	MS	03	
	A-A-53091	CHAIR, WHIRLPOOL BATH	A 6530	MB	31-AUG-87	MD	MS	03	
	A-A-53092A	TRAY, INSTRUMENT (CORROSION-RESISTING STEEL)	A 6530	MB	31-JUL-90	MD	MS	03	
	A-A-53093	PATIENT UTILITY KIT	A 6530	MB	31-AUG-87	MD	MS	03	
	A-A-53094A	RACKS, X-RAY FILM HANGER	A 6525	MB	04-JUN-93	MD	MS	03	
	A-A-53095	BLOCK SET, RADIOGRAPHIC POSITIONING	A 6525	MB	31-AUG-87	MD	MS	03	
	A-A-53096	SUPPORT, CERVICAL	A 6515	MB	31-AUG-87	MD	MS	03	
M	A-A-53097	RING, CERVICAL SPINE TRACTION	A 6515	MB	31-AUG-87	MD	MS	03	
	A-A-53098	CALIBRATOR, TIMER	A 6525	MB	31-AUG-87	MD	MS	03	
	A-A-53099	RACK-BIN ASSEMBLY, PHARMACEUTICAL STORAGE	A 6530	MB	31-AUG-87	MD	MS	03	
	A-A-53100	GLOVES, X-RAY PROTECTIVE	A 6532	MB	31-AUG-87	MD	MS	03	
	A-A-53101	APPLICATOR, DISPOSABLE, (WOOD OR PLASTIC, COTTON OR POLYESTER TIPPED END)	A 6515	MB	28-JUL-87	MD	MS	03	
	A-A-53102	ADAPTER, HYPODERMIC NEEDLE-TO-TUBING	A 6515	MB	28-JUL-87	MD	MS	03	
	A-A-53103A	SYRINGE, ASPIRATING	A 6515	MB	09-JUL-90	MD	MS	03	
	A-A-0053103	SYRINGE, ASPIRATING	A 6515	MB	30-JUL-87	MD	MS	03	
	A-A-53105	HOLDER, RADIOGRAPHIC FILM EXPOSURE	A 6525	MB	31-AUG-87	MD	MS	03	
	A-A-53106	APPLICATOR, CRANIAL IMMOBILIZATION RING	A 6515	MB	31-AUG-87	MD	MS	03	
A	A-A-53107	CART, PLASTER CAST MATERIALS	A 6530	MB	31-AUG-87	MD	MS	03	
	A-A-53108	NUMERAL SET, X-RAY FILM MARKING	A 6525	MB	31-AUG-87	MD	MS	03	
	A-A-53109	LETTER SET, X-RAY FILM MARKING	A 6525	MB	31-AUG-87	MD	MS	03	
	A-A-53110	MODEL, ANATOMICAL (TEETH & GUMS)	A 6525	MB	31-AUG-87	MD	MS	03	
	A-A-53111	BRUSH, POLISHING, DENTAL HANDPIECE (SCREW STEM)	A 6910	MB	17-AUG-87	MD	MS	03	
	A-A-53114A	PHENYTOIN SODIUM INJECTION, USP	A 6520	MB	17-AUG-87	MD	MS	03	
	A-A-0053115	CEFUROXIME SODIUM, STERILE	A 6505	MB	30-APR-92	MD	MS	03	
	A-A-53116	CUFF, TOURNIQUET, EXTREMITY, SYNTHETIC RUBBER	A 6505	MB	23-JUL-87	MD	MS	03	
	A-A-53117	TEST GAGE, TOURNIQUET	A 6515	MB	07-AUG-87	MD	MS	03	
	A-A-53118	PLUGGER, AMALGAM, DENTAL, BACK ACTION, UNIVERSITY OF MINNESOTA, NO. 4	A 6515	MB	05-AUG-87	MD	MS	03	
A	A-A-53120	METHOTREXATE SODIUM FOR INJECTION	A 6520	MB	17-AUG-87	MD	MS	03	
	A-A-53121A	DILTIAZEM HYDROCHLORIDE TABLETS	A 6505	MB	31-JUL-87	MD	MS	03	
	A-A-53122	METHYLDOPA TABLETS, USP	A 6505	MB	30-OCT-89	MD	MS	03	
	A-A-53124A	TABLE, TREATMENT	A 6505	MB	27-JUL-87	MD	MS	03	
	A-A-0053124	TABLE, TREATMENT	A 6530	MB	17-JUN-88	MD	MS	03	
	A-A-53125	PIN, INSECT TRANSFIXION	A 6530	MB	12-AUG-87	MD	MS	03	
	A-A-53127	PLUGS, EAR (HEARING PROTECTION, CYLINDRICAL, WITH CORD)	A 6640	MB	07-AUG-87	MD	MS	03	
	A-A-53128	FUROSEMIDE TABLETS, USP	A 6515	MB	06-AUG-87	MD	MS	03	
	A-A-53129	METHYLPREDNISOLONE SODIUM SUCCINATE FOR INJECTION, USP	A 6505	MB	10-AUG-87	MD	MS	03	
	A-A-53130	METHYLPREDNISOLONE TABLETS, USP	A 6505	MB	13-AUG-87	MD	MS	03	
A	A-A-0053131	INFUSION SET, SCALP VEIN, (21 GAGE BY 3/4 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE, 405)	A 6505	MB	05-AUG-87	MD	MS	03	
	A-A-53132	WHEELS, ABRASIVE (ALUMINUM OXIDE, STRAIGHT HANDPIECE	A 6520	MB	17-AUG-87	MD	MS	03	
	A-A-53133A	CUFF SET, TOURNIQUET, PNEUMATIC	A 6515	MB	15-APR-88	MD	MS	03	
	A-A-0053134	GLOVES, SURGEONS' (POWDER-FREE, STERILE, DISPOSABLE	A 6515	MB	17-AUG-87	MD	MS	03	
	A-A-53135	COLD PACK AND WRAPPER, CRYOTHERAPY	A 6530	MB	31-AUG-87	MD	MS	03	
	A-A-53136	ISOTHERMALINE MESYLATE INHALATION AEROSOL, USP	A 6505	MB	13-AUG-87	MD	MS	03	
	A-A-53137	METRONIDAZOLE INJECTION, USP	A 6505	MB	13-AUG-87	MD	MS	03	
	A-A-53138	GUAFENESIN SYRUP, USP	A 6505	MB	13-AUG-87	MD	MS	03	
	A-A-53139	INDOMETHACIN CAPSULES, USP	A 6505	MB	13-AUG-87	MD	MS	03	
	A-A-53140A	COMPARATOR SET, COLOR, (FREE RESIDUAL CHLORINE AND PH DETERMINATION)	A 6530	MB	25-JAN-88	MD	MS	03	
A	A-A-53143	WIRE CUTTER, EAR (GUILFORD-WRIGHT)	A 6515	MB	21-AUG-87	MD	MS	03	
	A-A-53144	TUBE, BIOLOGICAL CULTURE SAMPLING (PLASTIC)	A 6640	MB	21-AUG-87	MD	MS	03	
	A-A-53145A	TRANSCERVICAL INTRAUTERINE KIT	A 6515	MB	07-JUL-89	MD	MS	03	
	A-A-0053145	TRANSCERVICAL INTRAUTERINE KIT	A 6515	MB	05-OCT-87	MD	MS	03	
	A-A-53146A	HOLDER, RADIOGRAPHIC FILM CASSETTE	A 6525	MB	29-JUL-88	MD	MS	03	
	A-A-53147A	BOTTLE, SCREW CAP (SWIVEL LOCK DISPENSING)	A 6525	MB	14-AUG-88	MD	MS	03	
	A-A-0053147	BOTTLE, SCREW CAP, SWIVEL LOCK DISPENSING	A 6640	MB	20-AUG-87	MD	MS	03	
	A-A-53148A	SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, TOMSILECTOMY)	A 6515	MB	13-JUL-89	MD	MS	03	
	A-A-53150	SHAB, CULTURE (CALCIUM ALGinate)	A 6515	MB	25-AUG-87	MD	MS	03	
	A-A-0053151	LEVODOPAL HYDROCHLORIDE OPHTHALMIC SOLUTION	A 6505	MB	19-AUG-87	MD	MS	03	
A	A-A-53152A	DEXTRAN 40 AND DEXTROSE INJECTION	A 6505	MB	01-APR-93	MD	MS	03	
	A-A-0053152	DEXTRAN & DEXTROSE INJECTION	A 6505	MB	04-AUG-87	MD	MS	03	
	A-A-0053154	CHLORHEXIDINE GLUCONATE ORAL RINSE	A 6505	MB	04-AUG-87	MD	MS	03	
	A-A-53155A	DORBUAMINE HYDROCHLORIDE INJECTION	A 6505	MB	01-APR-93	MD	MS	03	
	A-A-0053156	WATER FOR INJECTION, STERILE, USP	A 6505	MB	11-AUG-87	MD	MS	03	
	A-A-53158	PROCAINAMIDE HYDROCHLORIDE TABLETS (SUSTAINED-RELEASE)	A 6505	MB	19-AUG-87	MD	MS	03	
	A-A-0053160	INFUSION SET, SCALP VEIN, (19 GAGE BY 7/8 INCH NEEDLE, WITH 3-1/2 INCH TUBING, DISPOSABLE)	A 6515	MB	10-SEP-87	MD	MS	03	
	A-A-53161	PROPRANOLOL HYDROCHLORIDE CAPSULES	A 6505	MB	21-AUG-87	MD	MS	03	
	A-A-53163	VERAPAMIL HYDROCHLORIDE TABLETS	A 6505	MB	27-AUG-87	MD	MS	03	
	A-A-53164	PENICILLIN V POTASSIUM FOR ORAL SOLUTION, USP	A 6505	MB	27-AUG-87	MD	MS	03	
A	A-A-0053166	PORTABLE BLOOD WARMER	A 6515	MB	10-SEP-87	MD	MS	03	
	A-A-53167	MARKER, IDENTIFICATION, DENTAL HEALTH RECORD	A 7890	MB	14-SEP-87	MD	MS	03	
	A-A-53168	METHOTREXATE SODIUM INJECTION, USP	A 6505	MB	27-AUG-87	MD	MS	03	
	A-A-53170	THIOTHIXENE CAPSULES, USP	A 6505	MB	27-AUG-87	MD	MS	03	
	A-A-0053171	INTERN COMMERCIAL ITEM DESCRIPTION ISOTRETINOIN CAPSULES	A 6505	MB	19-JAN-88	MD	MS	03	
	A-A-53173A	AMINOGLUTETHIMIDE TABLETS, USP	A 6505	MB	18-DEC-92	MD	MS	03	
	A-A-0053173	AMINOGLUTETHIMIDE TABLETS, USP	A 6505	MB	20-AUG-87	MD	MS	03	
	A-A-0053174	SODIUM POLYSTYRENE SULFONATE SUSPENSION	A 6505	MB	21-AUG-87	MD	MS	03	
	A-A-0053175	TEST KIT, BLOOD UREA NITROGEN DETERMINATION	A 6505	MB	20-AUG-87	MD	MS	03	
	A-A-53176	STOCKINET, SURGICAL (DRAPE)	A 6510	MB	28-AUG-87	MD	MS	03	
A	A-A-53177	FORCEPS, DENTAL ARTICULATING PAPER	A 6520	MB	21-SEP-87	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active CPL / OMA Coordination Machine Document Number	Document Title	Dist. Smt. FAC / Area MCA Symbol Preparing Key Date	Custodian Army Navy Air Force DLA
A-A-53179	CHISEL, BONE	A 6515 MB 14-SEP-87	ND MS 03
A-A-53180	SEALER-HOLDER, CAPILLARY TUBE	A 6640 MB 14-SEP-87	ND MS 03
A-A-0053181	VANCOMYCIN HCL, STERILE, USP	A 6505 / MB 24-AUG-87	ND MS 03
A-A-0053182	PERMETHRIN CREAM RINSE, 1%, 2 FL OZ (59 ML)	A 6505 / MB 25-AUG-87	ND MS 03
A-A-53184	NACILLIN SODIUM INJECTION, USP	A 6505 / MB 13-JUN-90	ND MS 03
A-A-0053184	FIRST AID KIT, INDIVIDUAL	A 6545 MB 18-SEP-87	ND MS 03
A-A-53185	INSULIN INJECTION, HUMAN, USP (U-100, 10 ML)	A 6505 MB 03-SEP-87	ND MS 03
A-A-53186	BANDAGE, CAST, FIBERGLASS RESIN IMPREGATED	A 6510 MB 21-SEP-87	ND MS 03
A-A-53187	INSULIN HUMAN, SUSPENSION, ISOPHANE, U-100, 10 ML	A 6505 MB 04-SEP-87	ND MS 03
A-A-53188	NEZLOCILLIN SODIUM, STERILE, USP	A 6505 MB 04-SEP-87	ND MS 03
A-A-53189A	FLURAZEPAM HYDROCHLORIDE CAPSULES, USP	A 6505 MB 31-JAN-90	ND MS 03
A-A-53190	ACETYL CYSTEINE SOLUTION, USP	A 6505 MB 04-SEP-87	ND MS 03
A-A-53191	PHAZOSIN HYDROCHLORIDE CAPSULES, USP	A 6505 MB 04-SEP-87	ND MS 03
A-A-53192A	SPLINT, TRACTION-EXTRICATION	A 6515 / MB 22-JAN-88	ND MS 03
A-A-53193	HAMMER, HAND (OPTICAL)	A 5120 MB 15-SEP-87	ND MS 03
A-A-53194	CANNULA, SUCTION, SURGICAL (ADSON)	A 6515 MB 06-OCT-87	ND MS 03
A-A-53195A	ANALYZING KIT, MEAT FAT CONTENT	A 6695 / MB 12-FEB-90	ND MS 03
A-A-53196	PAD, WITCH HAZEL-LANOLIN IMPREGATED	A 6510 MB 14-SEP-87	ND MS 03
A-A-53197	TUBE, FEEDING (ENTERAL, 12 FREMCH)	A 6515 / MB 30-SEP-88	ND MS 03
A-A-53199	PIPE, DROPPING (PLASTIC, DISPOSABLE)	A 6640 MB 28-SEP-87	ND MS 03
A-A-53200	CENTRIFUGE, LABORATORY (HAND HELD)	A 6640 MB 21-SEP-87	ND MS 03
A-A-53201	FORCEPS, ARTHROSCOPIC (STRAIGHT)	A 6515 MB 18-SEP-87	ND MS 03
A-A-53202	CHLORDIAZEPOXIDE HYDROCHLORIDE CAPSULES, USP	A 6505 MB 17-SEP-87	ND MS 03
A-A-53203A	DIALYSIS PROCEDURAL SET, ACUTE PERITONEAL	A 6515 / MB 17-MAY-90	ND MS 03
A-A-53207	CHLORPROMAZINE HYDROCHLORIDE TABLETS, USP	A 6505 MB 23-SEP-87	ND MS 03
A-A-53208	PERPHENAZINE TABLETS, USP	A 6505 MB 23-SEP-87	ND MS 03
A-A-0053209	CANNULA, SUCTION (FRAZER)	A 6515 MB 24-SEP-87	ND MS 03
A-A-53210A	RESIN, ACRYLIC, DENTAL INLAY PATTERN AND RESIN, ACRYLIC, LIQUID, DENTAL	A 6520 / MB 15-SEP-89	ND MS 03
A-A-53211A	CETOPRAZEPATE DIPOSSASSIUM TABLETS	A 6505 / MB 15-JAN-91	ND MS 03
A-A-0053213	CETOPRAZEPATE SODIUM, STERILE, USP	A 6505 MB 17-SEP-87	ND MS 03
A-A-0053215	INSULIN ISOPHANE SUSPENSION, USP, PURIFIED, BEEF, 10 ML	A 6505 MB 17-SEP-87	ND MS 03
A-A-0053216	TEST STRIPS AND COLOR CHART, GLUCOSE, LEUKOCYTES, NITRATE, AND PROTEIN IN URINE, 100S	A 6550 / MB 23-SEP-87	ND MS 03
A-A-53218A	CASE, MEDULLARY PIN STERILIZATION (DACROW)	A 6530 / MB 06-MAR-92	ND MS 03
A-A-53219	LOUNGE, BLOOD DONOR	A 6530 MB 29-SEP-87	ND MS 03
A-A-53220	RACK, WEIGHT SET, STORAGE	A 6530 MB 29-SEP-87	ND MS 03
A-A-53221	STRAP, LEG-HOLDER, EXAMINATION TABLE	A 6530 MB 29-SEP-87	ND MS 03
A-A-53223	WEIGHT SET, WRIST & ANKLE	A 6530 MB 29-SEP-87	ND MS 03
A-A-53224	SPATULA, DENTAL & CARVER, DENTAL (MAX)	A 6520 / MB 29-SEP-87	ND MS 03
A-A-53225	DOCUSATE CALCIUM CAPSULES, USP	A 6505 / MB 17-MAR-88	ND MS 03
A-A-53226A	WRAPPER, STERILIZATION (CELLULOSE WITH REINFORCED POLYESTER FIBERS)	A 6530 / MB 29-JUL-88	ND MS 03
A-A-53227A	WRAPPER, STERILIZATION (HEAVY DUTY)	A 6530 / MB 17-JUN-88	ND MS 03
A-A-53228A	WRAPPER, STERILIZATION (BONDED WOOD PULP)	A 6530 / MB 29-JUL-88	ND MS 03
A-A-53229A	INTRODUCER SET, CATHETER, PERCUTANEOUS	A 6515 / MB 13-OCT-89	ND MS 03
A-A-0053229	INTRODUCER SET, CATHETER, PERCUTANEOUS	A 6515 MB 06-OCT-87	ND MS 03
A-A-53230A	TUBE, TRACHEAL, PEDIATRIC (MURPHY)	A 6515 / MB 08-JUN-89	ND MS 03
A-A-0053230	TUBE, TRACHEAL (PEDIATRIC, MURPHY)	A 6515 MB 28-SEP-87	ND MS 03
A-A-53231A	FORCEPS, HEMOSTATIC CLIP APPLYING, SMALL, SERRATED JAWS, ANGLED	A 6515 MB 15-MAR-89	ND MS 03
A-A-53232	STRIP ABRASIVE, DENTAL (ALUMINUM OXIDE)	A 6520 / MB 29-SEP-87	ND MS 03
A-A-53233	BENDER, THREAD-FORMING PIN, DENTAL	A 6520 / MB 29-SEP-87	ND MS 03
A-A-53234	PLIERS, DENTAL (STEIGLITZ, 5-3/16 INCHES)	A 6520 / MB 29-SEP-87	ND MS 03
A-A-53235	WIRE, NONELECTRICAL (CHROMIUM-COBALT ALLOY)	A 6520 / MB 29-SEP-87	ND MS 03
A-A-53236	SPECTACLES, PROTECTIVE, DENTAL PATIENT, GREEN LENSES	A 6520 / MB 29-SEP-87	ND MS 03
A-A-53237	BATH, WATER, DENTAL IMPRESSION MATERIAL, LOW TEMPERATURE	A 6520 / MB 29-SEP-87	ND MS 03
A-A-53238	ENVELOPE, STERILIZATION	A 6530 MB 29-SEP-87	ND MS 03
A-A-53239	GRID, RADIOGRAPHIC	A 6525 MB 29-SEP-87	ND MS 03
A-A-0053240	ZIDOVUDINE CAPSULES	A 6505 MB 07-OCT-87	ND MS 03
A-A-53241	DILATOR SET, UTERINE, HANK	A 6515 MB 23-SEP-87	ND MS 03
A-A-0053241	CEFTAZIDIME FOR INJECTION	A 6505 / MB 23-SEP-87	ND MS 03
A-A-0053242	CALCIUM CARBONATE TABLETS, USP	A 6505 MB 23-SEP-87	ND MS 03
A-A-53245A	LUMBAR PUNCTURE KIT	A 6515 / MB 02-JUN-89	ND MS 03
A-A-0053245	LUMBAR PUNCTURE KIT	A 6515 MB 13-OCT-87	ND MS 03
A-A-53246	FORCEPS, HYSTERECTOMY (HEANEY-BALLANTINE)	A 6515 MB 08-OCT-87	ND MS 03
A-A-53247A	OBTURATOR, CARDIOVASCULAR Tourniquet (RUMEL)	A 6515 / MB 28-JUL-88	ND MS 03
A-A-0053247	OBTURATOR, CARDIOVASCULAR Tourniquet (RUMEL)	A 6515 MB 07-OCT-87	ND MS 03
A-A-53248A	PUMP, ENTERAL FEEDING	A 6515 / MB 29-JUN-88	ND MS 03
A-A-0053248	PUMP, ENTERAL FEEDING	A 6515 MB 28-OCT-87	ND MS 03
A-A-53249A	AMINO ACID INJECTION, WITHOUT ELECTROLYTES	A 6505 / MB 28-AUG-92	ND MS 03
A-A-0053250	ISOPROTERENOL HYDROCHLORIDE INJECTION, USP	A 6505 / MB 02-OCT-87	ND MS 03
A-A-0053251	MIDAZOLAM HYDROCHLORIDE INJECTION	A 6505 MB 02-OCT-87	ND MS 03
A-A-53253	ROMBER (STRAIGHT, LEMPERT)	A 6515 MB 26-OCT-87	ND MS 03
A-A-53254A	ANALYZER, CARBON DIOXIDE (MICRO CO2, SERUM)	A 6630 / MB 01-MAY-88	ND MS 03
A-A-53256A	AMMONIUM LACTATE LOTION	A 6505 / MB 13-NOV-92	ND MS 03
A-A-0053257	FEROUS GLUCONATE TABLETS, USP	A 6505 MB 19-OCT-87	ND MS 03
A-A-53258A	CEFAZOLIN SODIUM, STERILE, USP	A 6505 / MB 30-OCT-89	ND MS 03
A-A-0053260	GLOBULIN, IMMUNE FOR INJECTION	A 6505 MB 19-OCT-87	ND MS 03
A-A-0053261	TETHACALINE HYDROCHLORIDE & DEXTROSE INJECTION	A 6505 MB 16-OCT-87	ND MS 03
A-A-53262	PAD, NONADHERENT	A 6510 / MB 01-MAR-88	ND MS 03
A-A-53263	ADHESIVE LIQUID, SURGICAL (AEROSOL)	A 6510 MB 01-MAR-88	ND MS 03
A-A-53267	PRESS, DENTURE FLASK	A 6520 / MB 07-DEC-87	ND MS 03
A-A-53268A	ANALYZER, CENTRIFUGAL, HEMATOLOGY	A 6630 / MB 20-APR-90	ND MS 03
A-A-53269A	STAINING PACK, CYTOLOGY	A 6550 / MB 11-APR-88	ND MS 03
A-A-53270	TIP, DENTAL SUCTION APPARATUS	A 6520 MB 16-NOV-87	ND MS 03
A-A-53271	ARTICULATOR, DENTAL (SEMI-ADJUSTABLE, ARCON STYLE) AND PLATE, MOUNTING, DENTAL ARTICULATOR	A 6520 / MB 30-NOV-87	ND MS 03
A-A-53272A	MIXING PAD, PAPER, DENTAL	A 6520 / MB 20-FEB-89	ND MS 03
A-A-0053272	MIXING PAD, PAPER, DENTAL	A 6520 MB 14-DEC-87	ND MS 03
A-A-53280A	CAPTROPIL TABLETS	A 6505 / MB 13-NOV-92	ND MS 03
A-A-0053282	HEPATITIS B VACCINE, INACTIVATED, USP	A 6505 MB 30-OCT-87	ND MS 03
A-A-53283A	DESONIDE OINTMENT	A 6505 / MB 01-APR-93	ND MS 03
A-A-0053283	DESONIDE OINTMENT 0.05%	A 6505 MB 29-OCT-87	ND MS 03
A-A-53284A	MEDROXYPROGESTERONE ACETATE TABLETS, USP	A 6505 / MB 01-AUG-92	ND MS 03
A-A-53285	PAD, WITCH HAZEL-GLYCERINE IMPREGATED	A 6510 MB 01-MAR-88	ND MS 03
A-A-0053286	CEFOTETAM DISODIUM, STERILE	A 6505 MB 12-NOV-87	ND MS 03
A-A-53287A	CARBINOXAMINE MALEATE, DEXTROMETHORPHAN HYDROBROMIDE, AND PSEUDOPHEDRINE HYDROCHLORIDE ORAL SOLUTION	A 6505 / MB 18-DEC-92	ND MS 03
A-A-0053287	CARBINOXAMINE MALEATE, PSEUDOPHEDRINE HYDROCHLORIDE, & DEXTROMETHORPHAN HYDROBROMIDE ORAL SOLUTION, 30 ML	A 6505 MB 09-NOV-87	ND MS 03
A-A-53289	VISCOMETER, CAPILLARY TYPE	A 6630 MB 30-MAR-87	ND MS 03
A-A-53290A	FORCEPS, EAR, SERRATED POINTED JAWS (BELLUCCI)	A 6515 / MB 05-JUN-89	ND MS 03
A-A-0053290	FORCEPS, EAR, SERRATED POINTED JAWS (BELLUCCI)	A 6515 MB 18-DEC-87	ND MS 03
A-A-53291	RETRACTOR PERIOSTEAL, (PRICHARD NO. 3)	A 6520 MB 07-DEC-87	ND MS 03
A-A-53292	PROCESSING UNIT, DENTAL RESINS	A 6520 MB 01-DEC-87	ND MS 03
A-A-53293A	CONTROL STRIPS, VISUAL URINALYSIS	A 6550 / MB 22-JUL-88	ND MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Op. / Code Combination Inches Document Number	Document Title	Dist. Smt. FSC / Ave. MCC Symbol Preparing Act.	Date	Custodian Army Navy Air Force DIA
A-A-53294A	SCISSORS, EAR. (ALLIGATOR JAWS, MOUSE-BELLUCCI)	A 6515 / MB	01-JUN-89	MD MS 03
A-A-53294A	SCISSORS, EAR. (ALLIGATOR JAWS, MOUSE-BELLUCCI)	A 6515 / MB	23-JUN-88	MD MS 03
A-A-53296	ADAPTER, CATHETER-TO-LUER SYRINGE, EYNARD	A 6515 / MB	11-DEC-87	MD MS 03
A-A-53298A	SCOOP, DUCT, COMMON (MAYO)	A 6515 / MB	07-JUL-89	MD MS 03
A-A-53299A	BAG, BIOHAZARD DISPOSAL	A 6530 / MB	30-MAY-89	MD MS 03
A-A-53300	DIPPER, ENTOMOLOGICAL	A 6640 / MB	21-DEC-87	MD MS 03
A-A-0053302	PENTAMIDINE ISETHIONATE, STERILE	A 6505 / MB	01-MAR-88	MD MS 03
A-A-0053303	MORFLOXACIN TABLETS	A 6505 / MB	03-FEB-88	MD MS 03
A-A-53305A	CARBAMAZEPINE TABLETS, USP	A 6505 / MB	22-JUL-88	MD MS 03
A-A-0053305	INTERIM COMMERCIAL ITEM DESCRIPTION CARBAMAZEPINE TABLETS, USP	A 6505 / MB	25-JAN-88	MD MS 03 DM
A-A-0053307	VECURONIUM BROMIDE FOR INJECTION	A 6505 / MB	29-JAN-88	MD MS 03
A-A-0053308	TICARCILLIN DISODIUM AND CLAVULANATE POTASSIUM FOR INJECTION	A 6505 / MB	14-FEB-88	MD MS 03
A-A-53309A	DOXORUBICIN HYDROCHLORIDE FOR INJECTION, USP	A 6505 / MB	15-FEB-90	MD MS 03
A-A-53310A	DEXTROROSE INJECTION, USP	A 6505 / MB	15-DEC-89	MD MS 03
A-A-0053312	OPHTHALMIC IRRIGATING SOLUTION	A 6505 / MB	25-JAN-88	MD MS 03 DM
A-A-53315	EXTRACTION APPARATUS	A 6515 / MB	26-FEB-88	MD MS 03 DM
A-A-53316	BOOTH, AUDIOMETRIC EXAMINATION	A 6515 / MB	24-FEB-88	MD MS 03
A-A-53317	CENTRIFUGE, LABORATORY	A 6640 / MB	28-DEC-87	MD MS 03
A-A-53318	MARKER STE, X-RAY FLUIMIDENTIFICATION	A 6525 / MB	26-FEB-88	MD MS 03
A-A-53319	SPECIMEN KIT, SPUTUM	A 6530 / MB	26-FEB-88	MD MS 03
A-A-53320	TEST PATTERN, RADIOGRAPHIC IMAGE INTENSIFIER	A 6525 / MB	26-FEB-88	MD MS 03
A-A-53321	SPREADER BAR, HEAD SLING	A 6530 / MB	26-FEB-88	MD MS 03
A-A-53322	SLING, HEAD	A 6530 / MB	24-FEB-88	MD MS 03
A-A-53323	LIDDING SHEET, UNIT DOSE	A 6530 / MB	26-FEB-88	MD MS 03
A-A-53324	HOLDER, RADIOGRAPHIC FILM CASSETTE	A 6525 / MB	26-FEB-88	MD MS 03
A-A-53325A	ENVELOPE, STERILIZATION (HEAT SEAL)	A 6530 / MB	30-APR-93	MD MS 03
A-A-53326	ENVELOPE, STERILIZATION	A 6530 / MB	26-FEB-88	MD MS 03
A-A-53327A	CASSETTES, RADIOGRAPHIC FILM (HEAVY DUTY TYPE)	A 6525 / MB	12-JUL-91	MD MS 03
A-A-0053329	INSULIN HUMAN, ZINC SUSPENSION, U-100, 10 ML	A 6505 / MB	08-FEB-88	MD MS 03
A-A-0053330	INSULIN HUMAN, ZINC SUSPENSION, EXTENDED, U-100, 10 ML	A 6505 / MB	09-FEB-88	MD MS 03
A-A-53331A	SPONGE, SURGICAL, GAUZE, (12 PLY, DOUBLE PACK)	A 6515 / MB	13-MAR-89	MD MS 03
A-A-0053331	SPONGE, SURGICAL, GAUZE, 12 PLY (DOUBLE PACK)	A 6510 / MB	16-FEB-88	MD MS 03
A-A-0053332	SODIUM CHLORIDE INJECTION, USP, PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT	A 6505 / MB	14-FEB-88	MD MS 03
A-A-53335	RETRACTOR, TONGUE AND CHEEK (UNIVERSITY OF MINNESOTA)	A 6520 / MB	18-JAN-88	MD MS 03
A-A-53336	KNIFE, PERIODONTAL	A 6520 / MB	01-FEB-88	MD MS 03
A-A-0053338	SULFANILAMIDE VAGINAL CREAM, 15 PERCENT	A 6505 / MB	16-FEB-88	MD MS 03
A-A-0053339	SULFANILAMIDE VAGINAL SUPPOSITORIES, 1.05 GRAM	A 6505 / MB	25-FEB-88	MD MS 03
A-A-53341A	MAGNESIA AND ALUMINA ORAL SUSPENSION, USP	A 6505 / MB	19-MAR-91	MD MS 03
A-A-53342	BOTTLE, SCREW CAP, CPLASTIC SQUARE	A 6530 / MB	22-OCT-87	MD MS 03
A-A-53343	HOCK, GLAND (VETERINARY)	A 6515 / MB	14-JAN-88	MD MS 03
A-A-53344	RONGEUR (KERRISON, 3-3/4 INCH)	A 6515 / MB	14-JAN-88	MD MS 03
A-A-53345	THERMOMETER, CLINICAL, VETERINARY	A 6515 / MB	15-JAN-88	MD MS 03
A-A-53348	PLASTER, DENTAL, (MODELING)	A 6520 / MB	15-FEB-88	MD MS 03
A-A-53349	INSERT PAD, HEEL, FOOTWEAR	A 8335 / MB	22-JAN-88	MD MS 03
A-A-53350	INSERT PAD, HEEL, FOOTWEAR (ACCOMMODATIVE)	A 8335 / MB	22-JAN-88	MD MS 03
A-A-53351	INSOLES, FOOTWEAR	A 8335 / MB	22-JAN-88	MD MS 03
A-A-53353	RONGEUR (KERRISON, 7-1/2 INCH)	A 6515 / MB	19-JAN-88	MD MS 03
A-A-0053354	METHYL SALICYLATE AND MENTHOL CREAM	A 6505 / MB	02-FEB-88	MD MS 03
A-A-0053355	BISMUTH SUBSALICYLATE SUSPENSION	A 6505 / MB	11-FEB-88	MD MS 03
A-A-0053356	MALCINONIDE CREAM, USP	A 6505 / MB	14-FEB-88	MD MS 03
A-A-0053357	EMOLLIENT CREAM, SKIN CAKE	A 6505 / MB	14-FEB-88	MD MS 03
A-A-0053358	RACEPINEPHRINE INHALATION SOLUTION, USP	A 6505 / MB	14-FEB-88	MD MS 03
A-A-0053361	THEOPHYLLINE CAPSULES, MODIFIED	A 6505 / MB	13-FEB-88	MD MS 03
A-A-0053363	NIFEDIPINE CAPSULES, USP	A 6505 / MB	14-FEB-88	MD MS 03
A-A-53365A	AMPICILLIN SODIUM, STERILE, USP	A 6505 / MB	26-MAY-89	MD MS 03
A-A-0053365	AMPICILLIN SODIUM, STERILE USP	A 6505 / MB	28-FEB-88	MD MS 03
A-A-53366	CURETTES, PERIODONTAL, (GRACEY)	A 6520 / MB	15-FEB-88	MD MS 03
A-A-53367A	SONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE, AIR DRIVEN	A 6520 / MB	19-JUN-89	MD MS 03
A-A-53368A	LIPSTICK, ANTI-CHAP	A 6508 / MB	15-NOV-91	MD MS 03
A-A-53369	CONDUCTOR, BONE CUTTING WIRE SAW (BAILEY)	A 6515 / MB	12-FEB-88	MD MS 03 DM
A-A-53370	FORCEPS, EAR (STRUT, MOUSE)	A 6515 / MB	29-JAN-88	MD MS 03
A-A-53371A	STOP, ENDODONTIC, SILICONE	A 6520 / MB	19-JUN-89	MD MS 03
A-A-53372	FORCEPS, SUTURE, TYING (TROUTMAN)	A 6515 / MB	05-FEB-88	MD MS 03
A-A-53373	MARKER, TUBE TYPE	A 7520 / MB	05-FEB-88	MD MS 03
A-A-0053375	CYTARABINE, STERILE, USP	A 6505 / MB	01-MAR-88	MD MS 03
A-A-53376A	WATER FOR IRRIGATION, STERILE, USP	A 6505 / MB	22-JAN-93	MD MS 03
A-A-0053376	WATER FOR IRRIGATION, STERILE, USP	A 6505 / MB	01-MAR-88	MD MS 03
A-A-0053377	POTASSIUM CITRATE TABLETS	A 6505 / MB	01-MAR-88	MD MS 03
A-A-0053378	LOVASTATIN TABLETS	A 6505 / MB	23-FEB-88	MD MS 03
A-A-53379A	DESNOPRESSIN ACETATE INJECTION	A 6505 / MB	01-APR-93	MD MS 03
A-A-0053379	DESNOPRESSIN ACETATE INJECTION	A 6505 / MB	01-APR-88	MD MS 03
A-A-0053380	MICONAZOLE NITRATE VAGINAL SUPPOSITORIES	A 6505 / MB	01-MAR-88	MD MS 03
A-A-53381	ARTICULATOR, DENTAL (PLAIN LINE, LINGUAL ACCESS DESIGN)	A 6520 / MB	22-FEB-88	MD MS 03 DM
A-A-53382	TUBE, SUCTION, SURGICAL	A 6515 / MB	09-FEB-88	MD MS 03 DM
A-A-53383	CLIP, MEMOSTATIC, STEEL (HAWY)	A 6515 / MB	10-FEB-88	MD MS 03
A-A-53384A	CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (ENCAPSULATED)	A 6520 / MB	19-JUN-89	MD MS 03
A-A-0053384	CEMENT, ZINC OXIDE & EUGENOL	A 6520 / MB	14-MAR-88	MD MS 03
A-A-53385	ADHESIVE, IMPRESSION MATERIAL, DENTAL (RUBBER BASE)	A 6520 / MB	12-FEB-88	MD MS 03
A-A-53386	SPLINT, FINGER	A 6515 / MB	12-FEB-88	MD MS 03
A-A-53387	SEPARATOR, TEETH, DENTAL	A 6520 / MB	14-MAR-88	MD MS 03
A-A-53388	IMPRESSION MATERIAL, DENTAL (ALINATE)	A 6520 / MB	14-MAR-88	MD MS 03
A-A-53389	STONE, ARTIFICIAL, DENTAL	A 6520 / MB	14-MAR-88	MD MS 03
A-A-53391	CUVETTE, BLOOD COAGULATION (POLYSTYRENE, DISPOSABLE)	A 6640 / MB	26-FEB-88	MD MS 03
A-A-53392	HOCK, RETINAL DETACHMENT (GASS)	A 6515 / MB	01-MAR-88	MD MS 03
A-A-53393	OSTEOTOME SET, (LAMBOTTE)	A 6515 / MB	01-MAR-88	MD MS 03
A-A-53394	RONGEUR, STRAIGHT (LOVE-KERRISON)	A 6515 / MB	02-MAR-88	MD MS 03
A-A-53395	FORCEPS, SLEEVE SPREADING (WATER)	A 6515 / MB	02-MAR-88	MD MS 03
A-A-53396A	RASP, ANTRUM (WIENER, TROCAR TIP)	A 6515 / MB	03-MAY-89	MD MS 03
A-A-0053396	RASP, ANTRUM (WIENER, TROCAR TIP)	A 6505 / MB	19-FEB-88	MD MS 03
A-A-53397	WAX, DENTAL OCCLUSAL INDICATOR	A 6520 / MB	07-MAR-88	MD MS 03
A-A-53398	FORCEPS, NASAL SEPTUM CUTTING, CLIPPED BLADES	A 6515 / MB	03-MAR-88	MD MS 03
A-A-53399A	BLOOD RECOVERY DELIVERY SYSTEM	A 6515 / MB	18-AUG-88	MD MS 03
A-A-0053399	BLOOD RECOVERY DELIVERY SYSTEM	A 6515 / MB	08-MAR-88	MD MS 03
A-A-53400	FORCEPS, MEMOSTATIC	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/1	FORCEPS, MEMOSTATIC, HALSTED	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/2	FORCEPS, MEMOSTATIC, ROCHESTER-PEAN	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/3	FORCEPS, MEMOSTATIC, KELLY	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/4	FORCEPS, MEMOSTATIC, CRILE	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/5A	FORCEPS, MEMOSTATIC, HARTMAN	A 6515 / MB	13-MAY-91	MD MS 03
A-A-53400/6	FORCEPS, MEMOSTATIC, ROCHESTER-ODDSNER	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/7	FORCEPS, MEMOSTATIC, MAYO-CANNALY	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/8	FORCEPS, MEMOSTATIC, MIXTER	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/9	FORCEPS, MEMOSTATIC, PEAN	A 6515 / MB	27-JUN-88	MD MS 03
A-A-53400/10	FORCEPS, MEMOSTATIC, RANKIN	A 6515 / MB	27-JUN-88	MD MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Opn / CML Coordination Inactive	Document Number	Document Title	Dist. Stmt. FSC / Ave	MCA Symbol Preparing Asy	Date	Custodians			
						Army	Navy	Air Force	DLA
	A-A-53400/11	FORCEPS, HEMOSTATIC, PRATT	A 6515	/ MB	27-JUN-88	MD	MS	03	
	A-A-53400/12	FORCEPS, HEMOSTATIC CURVED, (ROCHESTER-ODDSNER)	A 6515	/ MB	23-JAN-89	MD	MS	03	
	A-A-53400/13	FORCEPS, HEMOSTATIC, CURVED (DANDY)	A 6515	/ MB	12-JUL-89	MD	MS	03	
	A-A-53400/14	FORCEPS, HEMOSTATIC (9-1/4 INCH, SAROT)	A 6515	/ MB	06-OCT-89	MD	MS	03	
	A-A-53400/15	FORCEPS, HEMOSTATIC (STOREY, RIGHT ANGLE)	A 6515	/ MB	15-JAN-90	MD	MS	03	
	A-A-53400/16	FORCEPS, HEMOSTATIC, CURVED, MIXTER, 5-1/2 INCH	A 6515	/ MB	11-FEB-91	MD	MS	03	
	A-A-53400/17	FORCEPS, HEMOSTATIC, SCHMIDT, 7-1/4 INCH	A 6515	/ MB	28-FEB-92	MD	MS	03	
	A-A-53400/18	FORCEPS, HEMOSTATIC, LEWIS, 7-1/2 INCH	A 6515	/ MB	17-JAN-92	MD	MS	03	
	A-A-53400/19	FORCEPS, HEMOSTATIC, KOCHER, 5-1/2 INCH	A 6515	/ MB	20-MAR-92	MD	MS	03	
	A-A-53400/21	FORCEPS, HEMOSTATIC, PENNINGTON	A 6515	/ MB	15-JAN-93	MD	MS	03	
	A-A-53401	BANDAGE ELASTIC	A 6510	/ MB	01-APR-88	MD	MS	03	
	A-A-0053402	CHLORAMPHENICOL CAPSULES, USP	A 6505	/ MB	28-MAR-88	MD	MS	03	
	A-A-53403A	ACETOHYDROXAMIC ACID TABLETS	A 6505	/ MB	21-AUG-92	MD	MS	03	
	A-A-0053404	FERROUS FUMARATE AND DUCASATE SODIUM TABLETS, SUSTAINED-RELEASE	A 6505	/ MB	20-JUL-88	MD	MS	03	
	A-A-0053405	FLECAINIDE ACETATE TABLETS	A 6505	/ MB	28-MAR-88	MD	MS	03	DM
	A-A-0053406	POTASSIUM ACETATE INJECTION, USP	A 6505	/ MB	28-MAR-88	MD	MS	03	
	A-A-53407A	BUPRENORPHINE HYDROCHLORIDE INJECTION	A 6505	/ MB	13-NOV-92	MD	MS	03	
	A-A-53409	PLIERS, DENTAL, (BENDING)	A 6520	/ MB	21-MAR-88	MD	MS	03	DM
	A-A-53410	TUBE, DRAINAGE (T-TUBE, EAR)	A 6515	/ MB	21-MAR-88	MD	MS	03	
	A-A-53412	FORCEPS, FOREIGN BODY, INTRAOCULAR (VITREOUS, WILSON)	A 6515	/ MB	21-MAR-88	MD	MS	03	
	A-A-53413	HOLDER, ANAEROBIC JAR & STRIP RACK	A 6640	/ MB	24-MAR-88	MD	MS	03	
	A-A-53414A	BENZOCAININE ORAL TOPICAL AEROSOL	A 6505	/ MB	18-DEC-92	MD	MS	03	
	A-A-0053414	BENZOCAININE ORAL TOPICAL AEROSOL, USP	A 6505	/ MB	01-JUN-88	MD	MS	03	
	A-A-53416	FORCEPS, GALL DUCT (LAHEY)	A 6515	/ MB	21-MAR-88	MD	MS	03	
	A-A-53418	RETRACTOR, CHEEK, LIGHT ANGLE (JOHNSON)	A 6515	/ MB	22-MAR-88	MD	MS	03	
	A-A-53420A	CALIBRATION AND VERIFICATION SYSTEM	A 6625	/ MB	31-JAN-89	MD	MS	03	
	A-A-53422	CATHETER, URETHRAL (RUBBER, WHISTLE TIP)	A 6515	/ MB	22-MAR-88	MD	MS	03	DM
	A-A-53423	BAG, BLOOD WARMING (DISPOSABLE)	A 6515	/ MB	23-MAR-88	MD	MS	03	
	A-A-53424	FORCEPS, TISSUE (CUSHING, STRAIGHT)	A 6515	/ MB	22-MAR-88	MD	MS	03	
	A-A-53425	JAR, ANAEROBIC CULTURE APPARATUS	A 6640	/ MB	25-MAR-88	MD	MS	03	DM
	A-A-53426	TESTER, ANTIFREEZE & BATTERY ELECTROLYTE SOLUTION	A 6630	/ MB	28-MAR-88	MD	MS	03	DM
	A-A-53428	CONTROL STRIP, REAGENT SUITABILITY	A 6550	/ MB	31-MAR-88	MD	MS	03	
	A-A-53429A	DEXTROROSE INJECTION, USP, 5% PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT	A 6505	/ MB	01-APR-93	MD	MS	03	
	A-A-0053429	DEXTROROSE INJECTION, USP, PARTIAL-FILL BAGS WITH VIAL ADDITIVE PORT	A 6505	/ MB	17-JUN-88	MD	MS	03	
	A-A-0053430	TEST STRIPS AND COLOR CHART, BILIRUBIN, BLOOD, GLUCOSE, KETONE, LEUKOCYTES, NITRITE, PH, PROTEIN, SPECIFIC GRAVITY AND UROBILINOGEN IN URINE	A 6550	/ MB	12-MAY-88	MD	MS	02	
	A-A-53432	TEST SET, BINOCULAR VISION	A 6640	/ MB	11-APR-88	MD	MS	03	
	A-A-53433	INDEX, ANALYTICAL PROFILE, ANAEROBE IDENTIFICATION	A 6550	/ MB	08-APR-88	MD	MS	03	
	A-A-53435	BLEEDER, HIGH VOLTAGE, X-RAY GENERATOR SERVICING	A 6525	/ MB	29-APR-88	MD	MS	03	
	A-A-53436	BLISTER SHEET, UNIT DOSE	A 6530	/ MB	29-APR-88	MD	MS	03	
	A-A-53437	POTILE AND TUMBLER SET	A 7360	/ MB	29-APR-88	MD	MS	03	
	A-A-53438	BRUSH SET, INSTRUMENT CLEANING	A 6515	/ MB	29-APR-88	MD	MS	03	
	A-A-53441B	ENVELOPE, STERILIZATION (SELF SEALING)	A 6530	/ MB	30-APR-93	MD	MS	03	
	A-A-53442	FECAL SPECIMEN COLLECTION AND PREPARATION KIT	A 6550	/ MB	29-APR-88	MD	MS	03	
	A-A-53443	GOWN, OPERATING, SURGICAL	A 6532	/ MB	29-APR-88	MD	MS	03	
	A-A-53444	SLING, HEAD	A 6530	/ MB	29-APR-88	MD	MS	03	
	A-A-53446	SYRINGE, FOUNTAIN	A 6530	/ MB	29-APR-88	MD	MS	03	
	A-A-53448A	TRAY, INSTRUMENT (OPHTHALMIC MICROSURGERY)	A 6530	/ MB	15-APR-91	MD	MS	03	
	A-A-53449	TRAY, STERILIZATION, ARTHROSCOPIC INSTRUMENT COMPONENTS	A 6530	/ MB	29-APR-88	MD	MS	03	
	A-A-53451	WRAPPER, STERILIZATION	A 6530	/ MB	29-APR-88	MD	MS	03	
	A-A-53452	SHAMPOO, MEDICATED (SULFUR AND SALICYLIC ACID) USER: AT REVIEWER: CS	A 6508	/ MB	07-SEP-89	MD	MS	03	
	A-A-53453	POTASSIUM CHLORIDE, L-LYSINE MONOHYDROCHLORIDE, AND POTASSIUM BICARBONATE TABLETS, EFFERVESCENT	A 6505	/ MB	07-JUL-88	MD	MS	03	
	A-A-53454	POTASSIUM CHLORIDE, L-LYSINE MONOHYDROCHLORIDE, AND POTASSIUM BICARBONATE GRANULES, EFFERVESCENT	A 6505	/ MB	07-JUL-88	MD	MS	03	
	A-A-53455	MOUTHPIECE, PIPETTING	A 6640	/ MB	12-APR-88	MD	MS	03	
	A-A-53456	SPLINT, HAND, (COCK-UP WRIST)	A 6515	/ MB	12-APR-88	MD	MS	03	
	A-A-53458	ELEVATOR-RETRACTOR, PERIOSTEAL (OREGO)	A 6515	/ MB	20-APR-88	MD	MS	03	
	A-A-53459	SUCTION APPARATUS, SURGICAL	A 6515	/ MB	15-DEC-88	MD	MS	03	
	A-A-53460A	BOTTLE, SAFETY CAP (PLASTIC, LIGHT-RESISTANT, LIQUID PRESCRIPTION)	A 6530	/ MB	13-SEP-88	MD	MS	03	
	A-A-53461	CONTAINER, MOUTHRINSE, DENTAL	A 6520	/ MB	29-JUN-88	MD	MS	03	
	A-A-53462	PUMP, DENTAL (MOUTHRINSE)	A 6520	/ MB	30-JUN-88	MD	MS	03	
	A-A-53465	CURETTE, EAR (HOUSE, LIGHT, ANGLE)	A 6515	/ MB	29-JUN-88	MD	MS	03	
	A-A-53468	FURNACE, DENTAL LABORATORY, ELECTRIC	A 6520	/ MB	25-MAY-90	MD	MS	03	
	A-A-53470	GENERAL SPECIFICATION, BURS, BONE SURGERY, DIAMOND, FOR	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53470/1	BUR, BONE SURGERY (DIAMOND, 2MM, ROUND HEAD, LONG SHANK)	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53470/2	BUR, BONE SURGERY (DIAMOND, 3 MM, ROUND HEAD, LONG SHANK)	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53470/3	BUR, BONE SURGERY (DIAMOND, 5 MM, ROUND HEAD, LONG SHANK)	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53470/4	BUR, BONE SURGERY (DIAMOND, 2 MM, RHINOPLASTIC HEAD, LONG SHANK)	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53470/5	BUR, BONE SURGERY (DIAMOND, 4 MM, ROUND HEAD, LONG SHANK)	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53470/6	BUR, BONE SURGERY (DIAMOND, 4 MM, OVAL HEAD, LONG SHANK)	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53470/7	BUR, BONE SURGERY (DIAMOND, 4MM, DERMABRADER HEAD, MEDIUM SHANK)	A 6515	/ MB	22-AUG-88	MD	MS	03	
	A-A-53473	ELEVATOR, PERIOSTEAL (MATSON)	A 6515	/ MB	26-APR-88	MD	MS	03	
	A-A-53474	BEAD, GLASS, LABORATORY, (PLASTIC SPECTACLE FRAME WARMER)	A 6640	/ MB	29-APR-88	MD	MS	03	
	A-A-53475	PLATINUM FOIL (1 PENNYWEIGHT)	A 6520	/ MB	23-MAY-88	MD	MS	03	
	A-A-53477	PAPER, ARTICULATING, DENTAL (25 FOOT ROLL)	A 6520	/ MB	16-MAY-88	MD	MS	03	
	A-A-53478	SPATULA, DENTAL, (PLASTIC)	A 6520	/ MB	16-MAY-88	MD	MS	03	
	A-A-0053480	SUNSCREEN PREPARATION, NON-ALCOHOLIC, LOTION BASE, NON-PABA	A 6505	/ MB	07-JUL-88	MD	MS	03	
	A-A-53481	STAPLER, SURGICAL (INTRALUMINAL)	A 6515	/ MB	08-MAY-88	MD	MS	03	
	A-A-53483	STAPLER, SURGICAL (GASTRO-INTESTINAL)	A 6515	/ MB	08-MAY-88	MD	MS	03	
	A-A-53494	PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC	A 6525	/ MB	17-JUN-88	MD	MS	03	
	A-A-53495	PUMP, INFLATING, MANUAL	A 4320	/ MB	17-JUN-88	MD	MS	03	
	A-A-53496	SLING, HEAD	A 6530	/ MB	17-JUN-88	MD	MS	03	
	A-A-53497	SUPPORT, CERVICAL	A 6515	/ MB	17-JUN-88	MD	MS	03	
	A-A-53498	TABLE, TREATMENT	A 6530	/ MB	17-JUN-88	MD	MS	03	
	A-A-53499	SURGICAL PACK, DISPOSABLE	A 6530	/ MB	17-JUN-88	MD	MS	03	
	A-A-53500	STAPLER, SURGICAL, THORACIC-ABDOMINAL	A 6515	/ MB	11-MAY-88	MD	MS	03	
	A-A-53503	SUPPORT, BACK, ELASTIC	A 6515	/ MB	17-JUN-88	MD	MS	03	
	A-A-53504A	BAGS, URINE COLLECTION - MEASURING DEVICE	A 6530	/ MB	24-DEC-91	MD	MS	03	
	A-A-53505	PLUGGER, AMALGAM, DENTAL (MODIFIED MORTONSON, NO. 2; DOUBLE-ENDED)	A 6520	/ MB	25-JUL-88	MD	MS	03	
	A-A-53507	PLUGGER, PLASTIC FILLING, DENTAL CONTOURING INSTRUMENT, MATRIX, DENTAL	A 6520	/ MB	28-JAN-91	MD	MS	03	
	A-A-53508	PLUGGER, PLASTIC FILLING, DENTAL (GLICK NO. 1)	A 6520	/ MB	27-JUN-88	MD	MS	03	
	A-A-0053510	KETOPROFEN CAPSULES	A 6505	/ MB	08-JUN-88	MD	MS	03	
	A-A-53511	SPLINT, LEG, (TRACTION)	A 6515	/ MB	01-JUN-88	MD	MS	03	
	A-A-53512	WHEEL, ABRASIVE, (SILICON CARBIDE, DENTAL MODEL TRIMMINGS)	A 6520	/ MB	20-JUN-88	MD	MS	03	
	A-A-53513A	GLOVE, PATIENT EXAMINING AND TREATMENT, LATEX RUBBER, PRE-POWDERED, DISPOSABLE, NON-STERILE	A 6515	/ MB	30-JAN-93	MD	MS	03	
	A-A-0053513	GLOVES, PATIENT EXAM AND TREATMENT (NON-STERILE, DISPOSABLE)	A 6515	/ MB	08-AUG-88	MD	MS	03	
	A-A-53514	LID, ANAEROBIC CULTURE APPARATUS	A 6640	/ MB	01-JUN-88	MD	MS	03	
	A-A-53515	CATHETER KIT, PACING, TRANSVENOUS (BIPOLAR)	A 6515	/ MB	02-JUN-88	MD	MS	03	
	A-A-53516	FORCEPS, EYE, VITREOUS MICROEXTRACTOR (REUBAUER)	A 6515	/ MB	02-JUN-88	MD	MS	03	
	A-A-53517	ROMBURG (KENNISON, 7-1/2 INCH, 40 DEG. UPBITE)	A 6515	/ MB	03-JUN-88	MD	MS	03	
	A-A-53518	STAPLE UNIT, SURGICAL (END-TO-END ANASTOMOSIS)	A 6515	/ MB	03-JUN-88	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Doc Code Inches Document Number	Document Title	Doc. Syst. FSC / Aves MCA Symbol Preparing Act.	Date	Army	Navy	Air Force	Custodians DA
A-A-53519	HANDLE, BONE CUTTING SAW (GIGLI)	A 6515 / MB	06-JUN-88	MD	MS	03	
A-A-53520	RETRACTOR, RIB (TUFFIER)	A 6515 / MB	06-JUN-88	MD	MS	03	
A-A-53521	SPLINT, ORTHOPEDIC SHEET	A 6510 / MB	01-JUN-88	MD	MS	03	
A-A-53522	AMINOPHYLLINE INJECTION, USP	A 6505 / MB	10-JUN-88	MD	MS	03	
A-A-53523	SPECULUM, ENDURAL-NASAL	A 6515 / MB	17-JUN-88	MD	MS	03	
A-A-53524	ACETAMINOPHEN TABLETS, USP	A 6505 / MB	17-JUN-88	MD	MS	03	
A-A-53525	RULE, ACCOMMODATION TEST AND TEST CARD	A 6540 / MB	17-JUN-88	MD	MS	03	
A-A-53526	AMCINONIDE CREAM, USP	A 6505 / MB	17-JUN-88	MD	MS	03	
A-A-53527	ACETYLCHOLINE CHLORIDE FOR OPHTHALMIC SOLUTION, USP	A 6505 / MB	17-JUN-88	MD	MS	03	
A-A-53528	ALUMINUM HYDROXIDE GEL, USP	A 6505 / MB	17-JUN-88	MD	MS	03	
A-A-53529	ACETAZOLAMIDE CAPSULES	A 6505 / MB	17-JUN-88	MD	MS	03	
A-A-53530	AMIKACIN SULFATE INJECTION, USP	A 6505 / MB	17-JUN-88	MD	MS	03	
A-A-53531	DILATOR - CATHETER (WALTHER, FEMALE)	A 6515 / MB	30-JUN-88	MD	MS	03	
A-A-53532	PAPER, CHART, FETAL-UTERINE MONITOR	A 6515 / MB	17-JUN-88	MD	MS	03	
A-A-53533	MODEL, ANATOMICAL, HUMAN SKULL	A 6910 / MB	17-JUN-88	MD	MS	03	
A-A-53534	CATHETER-SPECIMEN COLLECTING UNIT, ENDOTRACHEAL (LUKENS)	A 6515 / MB	13-JUN-88	MD	MS	03	
A-A-53535	STAPLER, SKIN, SURGICAL (DISPOSABLE)	A 6515 / MB	27-JUN-88	MD	MS	03	
A-A-53536	EMBEDDING COMPOUND, LABORATORY (PARAFFIN AND PLASTIC POLYMERS)	A 6640 / MB	24-JUN-88	MD	MS	03	
A-A-53537	SPLINT, ALL PURPOSE, EMERGENCY TRANSPORT	A 6515 / MB	22-JUN-88	MD	MS	03	
A-A-53540	CALIPER, EYE, CASTROVIEJO	A 6540 / MB	27-JUN-88	MD	MS	03	
A-A-53542	KNIFE, EAR (STRAIGHT, HOUSE)	A 6515 / MB	27-JUN-88	MD	MS	03	
A-A-53543	BOTTLE, SCREWCAP	A 6640 / MB	30-JUN-88	MD	MS	03	
A-A-53544	MAX, DENTAL (DISCLOSING)	A 6520 / MB	18-JUN-88	MD	MS	03	
A-A-53545	MAGNIFIER, FOLDING, DOUBLE LENS	A 6515 / MB	28-JUN-88	MD	MS	03	
A-A-53546	ELEVATOR, SURGICAL MOUND	A 6515 / MB	16-SEP-91	MD	MS	03	
A-A-53547A	ELEVATOR, PERIOSTEAL (KEY)	A 6505 / MB	23-MAR-93	MD	MS	03	
A-A-53548A	CIPROFLOXACIN TABLETS, USP	A 6505 / MB	01-AUG-88	MD	MS	03	
A-A-0053548	CIPROFLOXACIN HYDROCHLORIDE TABLETS	A 6505 / MB	18-DEC-92	MD	MS	03	
A-A-53549A	AZTREONAM FOR INJECTION	A 6505 / MB	01-AUG-88	MD	MS	03	
A-A-0053549	AZTREONAM FOR INJECTION	A 6505 / MB	13-NOV-92	MD	MS	03	
A-A-53550A	BETAXOLOL HYDROCHLORIDE OPHTHALMIC SOLUTION	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53551	ACETAZOLAMIDE TABLETS, USP	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53552	GLYCOPHYRROLATE INJECTION, USP	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53553	DIPYRIDAMOLE TABLETS, USP	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53554	BUTIRPHANOL TARTRATE INJECTION, USP	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53555	ATELOL TABLETS	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53556	GENTAMICIN SULFATE CREAM, USP	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53557	FLURANDRENOLIDE CREAM, USP	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53558	CEPHALEXIN CAPSULES, USP	A 6505 / MB	30-JUN-88	MD	MS	03	
A-A-53559A	JAR, SCREW CAP (PATHOLOGICAL SPECIMEN)	A 6640 / MB	15-DEC-88	MD	MS	03	
A-A-0053559	JAR, SCREW CAP (PATHOLOGICAL SPECIMEN)	A 6640 / MB	22-JUL-88	MD	MS	03	
A-A-53560	CANNULA, BRONCHIAL (HOLINGER)	A 6515 / MB	30-JUN-88	MD	MS	03	
A-A-53561	LITHIUM SOLUTION, STANDARD	A 6550 / MB	08-JUL-88	MD	MS	03	
A-A-53562	GLOVE, PATIENT EXAMINING AND TREATMENT (PLASTIC, LARGE SIZE, STERILE)	A 6515 / MB	30-JUN-88	MD	MS	03	
A-A-53563	ALGINATE COMPOUND SOLUTION, DENTAL	A 6520 / MB	15-JUL-88	MD	MS	03	
A-A-53564	FLUPHENAZINE DECANOATE INJECTION	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53565	GENTAMICIN SULFATE OPHTHALMIC SOLUTION, USP	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53566	DESONIDE CREAM	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53567	FLUOXIMESTERONE TABLETS, USP	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53568	GLYCERIN SUPPOSITORIES, USP	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53569	CLOXACILLIN SODIUM CAPSULES, USP	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53570	FLUPHENAZINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53571	LENS, INDIRECT OPHTHALMOSCOPE	A 6540 / MB	22-JUL-88	MD	MS	03	
A-A-53572	BRACE, KNEE	A 6515 / MB	29-JUL-88	MD	MS	03	
A-A-53573A	BRUSH-SPONGE, SURGICAL SCRUB	A 6530 / MB	30-APR-92	MD	MS	03	
A-A-53574	CANISTER, SUCTION, SURGICAL	A 6515 / MB	29-JUL-88	MD	MS	03	
A-A-53575	CARD, IDENTIFICATION	A 7530 / MB	29-JUL-88	MD	MS	03	
A-A-53576	CASSETTE, RADIOGRAPHIC FILM	A 6525 / MB	29-JUL-88	MD	MS	03	
A-A-53577	ELECTROSURGICAL APPARATUS (PORTABLE, UNBLENDED CURRENT)	A 6515 / MB	29-JUL-88	MD	MS	03	
A-A-53579	HANGER, X-RAY FILM	A 6525 / MB	29-JUL-88	MD	MS	03	
A-A-53580	HOLDER, SURGICAL INSTRUMENT STERILIZATION	A 6530 / MB	29-JUL-88	MD	MS	03	
A-A-53581	HOLDER, SURGICAL INSTRUMENT STERILIZATION	A 6530 / MB	29-JUL-88	MD	MS	03	
A-A-53582	MOUNT, RADIOGRAPHIC FILM, DENTAL	A 6525 / MB	29-JUL-88	MD	MS	03	
A-A-53583	MOUNT, RADIOGRAPHIC FILM, DENTAL	A 6525 / MB	29-JUL-88	MD	MS	03	
A-A-53584	RESERVOIR ASSEMBLY, SIMULATED BLOOD	A 6910 / MB	29-JUL-88	MD	MS	03	
A-A-53585	TANK, INSERT, X-RAY FILM PROCESSING	A 6525 / MB	29-JUL-88	MD	MS	03	
A-A-53586	TOURNIQUET, NON-PNEUMATIC	A 6515 / MB	29-JUL-88	MD	MS	03	
A-A-53587	WRAPPER, STERILIZATION	A 6530 / MB	29-JUL-88	MD	MS	03	
A-A-53588	PIPET, VOLUMETRIC (MICRO)	A 6640 / MB	15-JUL-88	MD	MS	03	
A-A-53589	SCREW, INSTRUMENT, SPECTACLE FRAME, 3-BARREL	A 5305 / MB	15-JUL-88	MD	MS	03	
A-A-53590	ANVIL, OPTICIAN'S, RIVETING	A 6540 / MB	22-JUL-88	MD	MS	03	
A-A-53593	DOLL, TRAINING, NURSING TECHNIQUE	A 6910 / MB	22-JUL-88	MD	MS	03	
A-A-53594	SKELETON, HUMAN	A 6910 / MB	22-JUL-88	MD	MS	03	
A-A-0053595	LABETALOL HYDROCHLORIDE TABLETS	A 6505 / MB	12-AUG-88	MD	MS	03	
A-A-53596A	BUMETANIDE INJECTION	A 6505 / MB	13-NOV-92	MD	MS	03	
A-A-53597A	BUMETANIDE TABLETS	A 6505 / MB	18-DEC-92	MD	MS	03	
A-A-0053597	BUMETANIDE TABLETS	A 6505 / MB	12-AUG-88	MD	MS	03	
A-A-53599	DOXEPIN HYDROCHLORIDE CAPSULES, USP	A 6505 / MB	22-JUL-88	MD	MS	03	
A-A-53600	TRAYS, IMPRESSION, DENTAL (NON-WATER COOLED)	A 6520 / MB	29-JUL-88	MD	MS	03	
A-A-53601	EXCAVATOR, DENTAL (CARBON STEEL, BLACK'S FORMULA)	A 6520 / MB	18-AUG-88	MD	MS	03	
A-A-53602	GENTAMICIN SULFATE OPHTHALMIC OINTMENT, USP	A 6505 / MB	29-JUL-88	MD	MS	03	
A-A-53603	RETRACTOR, ABDOMINAL (BALFOUR, SELF-RETAINING)	A 6515 / MB	28-JUL-88	MD	MS	03	
A-A-53604	RESIN, ACRYLIC, DENTAL (TRAY MATERIAL)	A 6520 / MB	06-SEP-88	MD	MS	03	
A-A-53605	CHUCK AND KEY, BONE PIN (JACOBS)	A 6515 / MB	01-AUG-88	MD	MS	03	
A-A-53606	ERYTHROMYCIN STEARATE TABLETS, USP	A 6505 / MB	05-AUG-88	MD	MS	03	
A-A-0053607	TERBUTALINE SULFATE INHALATION AEROSOL	A 6505 / MB	29-AUG-88	MD	MS	03	
A-A-53608	HYDROMETERS, GRADUATED SCALE (WITH THERMOMETER, API GRAVITY)	A 6530 / MB	10-AUG-88	MD	MS	03	
A-A-53609	FORCEPS, MICROSCOPE COVER GLASS	A 6640 / MB	11-AUG-88	MD	MS	03	
A-A-53610A	DRESSING, HYDROCOLLOID (OCCLUSIVE)	A 6510 / MB	06-JUL-89	MD	MS	03	
A-A-0053611	CONTROL SET, SYPHILIS	A 6550 / MB	29-AUG-88	MD	MS	03	
A-A-0053612	LEVOTHYROXINE SODIUM FOR INJECTION, LYOPHILIZED	A 6505 / MB	29-AUG-88	MD	MS	03	
A-A-53613	DIGOXIN TABLETS, USP	A 6505 / MB	12-AUG-88	MD	MS	03	
A-A-53614	TRIMMERS, GINGIVAL MARGIN, (CARBON STEEL)	A 6520 / MB	15-AUG-88	MD	MS	03	
A-A-0053615	LORAZEPAM INJECTION	A 6505 / MB	29-AUG-88	MD	MS	03	
A-A-53616A	ALFENTANIL HYDROCHLORIDE INJECTION	A 6505 / MB	13-NOV-92	MD	MS	03	
A-A-0053617	SOMATREM FOR INJECTION	A 6505 / MB	29-AUG-88	MD	MS	03	
A-A-53618A	TERBUTALINE SULFATE TABLETS, USP	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-0053619	PLICAMYCIN FOR INJECTION, USP	A 6505 / MB	29-AUG-88	MD	MS	03	
A-A-0053620	CEFTAZIDIME FOR INJECTION	A 6505 / MB	26-AUG-88	MD	MS	03	
A-A-53621A	CEPHRADINE FOR ORAL SUSPENSION, USP	A 6505 / MB	18-DEC-92	MD	MS	03	
A-A-0053621	CEPHRADINE FOR ORAL SUSPENSION, USP	A 6505 / MB	26-AUG-88	MD	MS	03	
A-A-0053623	SUCRALPATE TABLETS	A 6505 / MB	29-AUG-88	MD	MS	03	
A-A-0053624	INDAPAMIDE TABLETS	A 6505 / MB	29-AUG-88	MD	MS	03	
A-A-53625A	RESUSCITATOR, HAND OPERATED (ADULT, SINGLE USE)	A 6515 / MB	15-OCT-92	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Doc / COM Code / Revision	Document Number	Document Title	Doc Symb	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodian Army Navy Air Force DIA
A-A-0053625		RESUSCITATOR, HAND OPERATED ADULT SINGLE USE	A 6515	/ MB	08-AUG-88	MD	MS	03
A-A-53626		SCISSORS, GENERAL SURGICAL (CURVED, METZENBAUM)	A 6515	/ MB	08-AUG-88	MD	MS	03
A-A-53627		FORCEPS, NASAL SEPTUM STRAIGHTENING (WALSHAM)	A 6515	/ MB	09-AUG-88	MD	MS	03
A-A-53628		ROMBEUR, STRAIGHT (ADSON)	A 6515	/ MB	10-AUG-88	MD	MS	03
A-A-53629		ELEVATOR, SEPTUM (COTTLE, DOUBLE-ENDED, GRADUATED)	A 6515	/ MB	11-AUG-88	MD	MS	03
A-A-53630		FORCEPS, DRESSING (POTTS-SMITH)	A 6515	/ MB	30-SEP-88	MD	MS	03
A-A-53631		AMITRIPTYLINE HYDROCHLORIDE TABLETS, USP	A 6505	/ MB	12-AUG-88	MD	MS	03
A-A-53632		ERYTHROMYCIN LACTOBIONATE FOR INJECTION, USP	A 6505	/ MB	12-AUG-88	MD	MS	03
A-A-53633A		RESUSCITATOR, MOUTH TO MASK, ADULT, SINGLE USE	A 6515	/ MB	24-MAR-89	MD	MS	03
A-A-0053633		RESUSCITATOR, MOUTH TO MASK, ADULT, SINGLE USE, 10S	A 6515	/ MB	12-AUG-88	MD	MS	03
A-A-53634		CATHETER, URETHRAL (FOLEY, CARSON TYPE)	A 6515	/ MB	12-AUG-88	MD	MS	03
A-A-53635		CONNECTOR, TRACHEAL TUBE (ACUTE ANGLED)	A 6515	/ MB	12-AUG-88	MD	MS	03
A-A-53636		CLIP, HEMOSTATIC, LARGE	A 6515	/ MB	10-AUG-88	MD	MS	03
A-A-53637		TEST PAPER, HYDROGEN ION	A 6640	/ MB	15-AUG-88	MD	MS	03
A-A-53638		MIXER, DENTAL CASTING INVESTMENT (MECHANICAL)	A 6520	/ MB	20-AUG-88	MD	MS	03
A-A-53639		MAX, DENTAL (STICKY)	A 6520	/ MB	06-SEP-88	MD	MS	03
A-A-53640		DRIVER-BENDER-EXTRACTOR, BONE PIN (MCNULT, 13 INCHES)	A 6515	/ MB	12-AUG-88	MD	MS	03
A-A-53641		CONDOM (PROPHYLACTIC, NATURAL RUBBER)	A 6515	/ MB	14-NOV-88	MD	MS	03
A-A-53642		INTRAVENOUS INJECTION CASSETTE SET	A 6515	/ MB	12-AUG-88	MD	MS	03
A-A-53643		CARVER, DENTAL, INTERPROXIMAL	A 6520	/ MB	17-APR-89	MD	MS	03
A-A-53644		SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE	A 6515	/ MB	12-AUG-88	MD	MS	03
A-A-53645		CLIP, HEMOSTATIC (MEDIUM)	A 6515	/ MB	15-AUG-88	MD	MS	03
A-A-53646		IMPLANT, ARTERIAL (STRAIGHT, KNITTED POLYESTER)	A 6515	/ MB	15-AUG-88	MD	MS	03
A-A-53647		ELECTROSURGICAL APPARATUS	A 6515	/ MB	19-AUG-88	MD	MS	03
A-A-53648		COOLANT AND CUTTING FLUID, LENS PREPARATION	A 6540	/ MB	19-AUG-88	MD	MS	03
A-A-53650		INTRAVENOUS EXCHANGE SET	A 6515	/ MB	16-AUG-88	MD	MS	03
A-A-53652		FLOSS, DENTAL	A 6520	/ MB	26-AUG-88	MD	MS	03
A-A-53653		CEMENT POWDER, ZINC OXIDE, DENTAL	A 6520	/ MB	19-AUG-88	MD	MS	03
A-A-53654		ABRASIVE, DENTAL (STICK FORM, SILICON CARBIDE)	A 6520	/ MB	19-AUG-88	MD	MS	03
A-A-53655		THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED)	A 6515	/ MD	19-AUG-88	MD	MS	03
A-A-53657		TEST TUBE (DISPOSABLE)	A 6640	/ MB	26-AUG-88	MD	MS	03
A-A-53658		CARRIER, BRONCHOSCOPIC SPONGE (JACKSON EXTRA HEAVY)	A 6515	/ MB	24-AUG-88	MD	MS	03
A-A-53659		BOTTLE, SCREW CAP	A 6640	/ MB	26-AUG-88	MD	MS	03
A-A-53660		FLASK, SAYBOLT VISCOSITY	A 6630	/ MB	31-AUG-88	MD	MS	03
A-A-53662		DRAP, SURGICAL, SPLIT SHEET, NONWOVEN FABRIC	A 6530	/ MB	26-AUG-88	MD	MS	03
A-A-53663		COUNTING APPARATUS, BACTERIAL COLONY	A 6640	/ MB	01-SEP-88	MD	MS	03
A-A-53664		PLATE COUNTING, BACTERIOLOGICAL	A 6640	/ MB	02-SEP-88	MD	MS	03
A-A-53665		TRAY AND RACK, LABORATORY	A 6640	/ MB	06-SEP-88	MD	MS	03
A-A-53666A		ADHESIVE TIES, SURGICAL	A 6510	/ MB	02-JUN-89	MD	MS	03
A-A-0053666		ADHESIVE TIES, SURGICAL	A 6510	/ MB	19-OCT-88	MD	MS	03
A-A-53667A		THROMBIN, USP	A 6505	/ MB	15-MAR-93	MD	MS	03
A-A-0053667		THROMBIN, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53668A		BANDAGE, ELASTIC (RUBBER WARP THREADS-SELF-ADHERING)	A 6510	/ MB	17-AUG-89	MD	MS	03
A-A-0053668		BANDAGE, ELASTIC, RUBBER WARP THREADS, SELF-ADHERING	A 6510	/ MB	07-OCT-88	MD	MS	03
A-A-0053669		CLOTRIMAZOLE VAGINAL TABLETS, USP	A 6505	/ MB	06-OCT-88	MD	MS	03
A-A-0053670		TESTOSTERONE ENANTHATE INJECTION, USP	A 6505	/ MB	19-SEP-88	MD	MS	03
A-A-0053671		AURANOFIN CAPSULES	A 6505	/ MB	19-OCT-88	MD	MS	03
A-A-53672		ELEVATOR, MUSCLE (CHANDLER)	A 6515	/ MB	06-SEP-88	MD	MS	03
A-A-53673		FORCEPS, EAR, SMOOTH JAW (HARTMAN)	A 6515	/ MB	06-SEP-88	MD	MS	03
A-A-53674		SHEARS, RIB CUTTING (STILLE)	A 6515	/ MB	06-SEP-88	MD	MS	03
A-A-53675		ROMBEUR, STRAIGHT (DECKER, 6 INCHES)	A 6515	/ MB	06-SEP-88	MD	MS	03
A-A-0053675		RESUSCITATOR, HAND OPERATED ADULT SINGLE USE	A 6515	/ MB	08-AUG-88	MD	MS	03
A-A-53676		FORCEPS, INTESTINAL (SINGLE)	A 6515	/ MB	07-SEP-88	MD	MS	03
A-A-53677		FORCEPS SET, CLAMP APPLYING, INTESTINAL, STONE	A 6515	/ MB	07-SEP-88	MD	MS	03
A-A-53678		FORCEPS, ARTHROSCOPIC (STRAIGHT, LOOSE BODY TIP)	A 6515	/ MB	07-SEP-88	MD	MS	03
A-A-0053679		ACEBUTOLOL HYDROCHLORIDE CAPSULES	A 6505	/ MB	10-OCT-88	MD	MS	03
A-A-0053680		BENZOCANINE ORAL TOPICAL SOLUTION	A 6505	/ MB	14-OCT-88	MD	MS	03
A-A-53681		MARKER, OPHTHALMIC LENS	A 6540	/ MB	16-SEP-88	MD	MS	03
A-A-53682		ROD, STIRRING, LABORATORY POLYTETRAFLUOROETHYLENE	A 6640	/ MB	16-SEP-88	MD	MS	03
A-A-53683		BOX, MICROSCOPE SLIDE	A 6640	/ MB	16-SEP-88	MD	MS	03
A-A-53684		PROPRANOLOL HYDROCHLORIDE TABLETS, USP	A 6505	/ MB	29-SEP-88	MD	MS	03
A-A-53685		LACTULOSE SYRUP, USP	A 6505	/ MB	19-SEP-88	MD	MS	03
A-A-53686		OXTRIPHYLLINE TABLETS, USP	A 6505	/ MB	19-SEP-88	MD	MS	03
A-A-53687		METHYLDOPATE HYDROCHLORIDE INJECTION, USP	A 6505	/ MB	19-SEP-88	MD	MS	03
A-A-53688		FORCEPS, PINNING, ENTOMOLOGICAL SPECIMEN	A 6640	/ MB	16-SEP-88	MD	MS	03
A-A-53689		LUBRICANT, SILICATE CEMENT, DENTAL	A 6520	/ MB	15-SEP-88	MD	MS	03
A-A-53690		VEST ASSEMBLY, TRACTION APPARATUS	A 6515	/ MB	15-SEP-88	MD	MS	03
A-A-53691		MANIKIN, HEAD AND TORSO	A 6910	/ MB	15-SEP-88	MD	MS	03
A-A-53692		ELECTROCARDIOGRAPH, GENERATOR/CALIBRATOR	A 6515	/ MB	16-SEP-88	MD	MS	03
A-A-53693		CERVICAL UNIT, TRACTION APPARATUS, HALO	A 6515	/ MB	16-SEP-88	MD	MS	03
A-A-53694		HYDRALAZINE HYDROCHLORIDE INJECTION, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53695		AMPICILLIAM FOR ORAL SUSPENSION, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53696		ERGOLOID MESYLATES TABLETS, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53697		HYDROCORTISONE ACETATE AND PRAMOXINE HYDROCHLORIDE AEROSOL FOAM	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53698		LINDAME LOTION, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53699		HYDROCORTISONE ACETATE AEROSOL	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53700		BASKET, PIPET	A 6640	/ MB	16-SEP-88	MD	MS	03
A-A-53701		JAW, PIPET	A 6640	/ MB	20-SEP-88	MD	MS	03
A-A-53702		BULB, DROPPING PIPET	A 6640	/ MB	20-SEP-88	MD	MS	03
A-A-53703		TEST TUBE	A 6640	/ MB	20-SEP-88	MD	MS	03
A-A-53704		BETAMETHASONE VALERATE CREAM, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53705		HYDROCORTISONE CREAM, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53706		LOPANOIC ACID TABLETS, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53707		HYDROGEN PEROXIDE TOPICAL SOLUTION, USP	A 6505	/ MB	16-SEP-88	MD	MS	03
A-A-53708		STONE, SHARPENING (FINE INDIA)	A 6520	/ MB	26-SEP-88	MD	MS	03
A-A-53709		STERILIZER, SURGICAL INSTRUMENT AND DRESSING	A 6530	/ MB	30-SEP-88	MD	MS	03
A-A-53710		MINOCYCLINE HYDROCHLORIDE CAPSULES, USP	A 6505	/ MB	29-SEP-88	MD	MS	03
A-A-53711		NAPHAZOLINE HYDROCHLORIDE AND ANTIZOLINE PHOSPHATE OPHTHALMIC SOLUTION	A 6505	/ MB	26-SEP-88	MD	MS	03
A-A-53712		HALIDIXIC ACID TABLETS, USP	A 6505	/ MB	26-SEP-88	MD	MS	03
A-A-53713		STONE, SHARPENING (SOFT ARKANSAS)	A 6520	/ MB	30-SEP-88	MD	MS	03
A-A-53714		MAX, DENTAL (CASTING)	A 6520	/ MB	23-SEP-88	MD	MS	03
A-A-53715		STOOL, DENTAL LABORATORY, MOBILE, ADJUSTABLE	A 6520	/ MB	24-OCT-88	MD	MS	03
A-A-53717		PLASTIC STRIP, DENTAL SURFACE PROTECTION	A 6520	/ MB	30-SEP-88	MD	MS	03
A-A-53718		PLASTIC STRIP, DENTURE TRIAL PACK	A 6520	/ MB	30-SEP-88	MD	MS	03
A-A-53719		DOCCUSATE SODIUM CAPSULES, USP	A 6505	/ MB	30-SEP-88	MD	MS	03
A-A-53720		METHOCARBAMOL TABLETS, USP	A 6505	/ MB	26-SEP-88	MD	MS	03
A-A-53721		LITHIUM CARBONATE CAPSULES, USP	A 6505	/ MB	26-SEP-88	MD	MS	03
A-A-53722		PENOBARBITAL TABLETS, USP	A 6505	/ MB	26-SEP-88	MD	MS	03
A-A-53723		KANAMYCIN SULFATE INJECTION, USP	A 6505	/ MB	30-SEP-88	MD	MS	03
A-A-0053724		THIETHYLPERAZINE MALEATE SUPPOSITORIES, USP	A 6505	/ MB	28-OCT-88	MD	MS	03
A-A-0053725		SUFENTANIL CITRATE INJECTION	A 6505	/ MB	28-OCT-88	MD	MS	03
A-A-0053726		MITOMYCIN FOR INJECTION, USP	A 6505	/ MB	28-OCT-88	MD	MS	03
A-A-0053728		ERYTHROMYCIN ETHYLSUCCINATE TABLETS, USP	A 6505	/ MB	28-OCT-88	MD	MS	03
A-A-0053729		DIMETHYL SULFOXIDE INJECTION	A 6505	/ MB	31-OCT-88	MD	MS	03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Acct Cntr / Cntr Inches	Document Number	Document Title	Dist Smt FSC / Ave	NCA Symbol Preparing Act	Date	Custodian Army Navy Air Force DLA
A	A-A-53730A	BETAMETHASONE DIPROPIONATE LOTION, USP	A 6505 / MB	13-NOV-92	MD MS 03	
	A-A-0053731	POLYMYXIN B SULFATE, STERILE, USP	A 6505 / MB	31-OCT-88	MD MS 03	
	A-A-0053732	MERCAPTOPURINE TABLETS, USP	A 6505 / MB	31-OCT-88	MD MS 03	
	A-A-0053733	PHENYLEPHRINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP	A 6505 / MB	28-OCT-88	MD MS 03	
	A-A-53734	IODOQUINOL TABLETS, USP	A 6505 / MB	28-OCT-88	MD MS 03	
	A-A-0053734	IODOQUINOL TABLETS, USP	A 6505 / MB	28-OCT-88	MD MS 03	
	A-A-53736	AMOXICILLIN CAPSULES, USP	A 6505 / MB	30-SEP-88	MD MS 03	
	A-A-53737	HYDROCHLOROTHIAZIDE TABLETS, USP	A 6505 / MB	30-SEP-88	MD MS 03	
	A-A-53738	HEMERANE KIT, BLOOD GAS ANALYZER (P02)	A 6530 / MB	03-OCT-88	MD MS 03	
	A-A-53739	PANCRELIPASE CAPSULES, MODIFIED	A 6505 / MB	30-SEP-88	MD MS 03	
	A-A-53740	MINERAL OIL, USP	A 6505 / MB	30-SEP-88	MD MS 03	
	A-A-53741	METAPROTERENOL SULFATE TABLETS, USP	A 6505 / MB	30-SEP-88	MD MS 03	
	A-A-53742	METAPROTERENOL SULFATE INHALATION AEROSOL, USP	A 6505 / MB	30-SEP-88	MD MS 03	
	A-A-53743	PENTAZOCINE LACTATE INJECTION, USP	A 6505 / MB	30-SEP-88	MD MS 03	
	A-A-53745A	DRAINAGE UNIT, PLEURAL CAVITY	A 6530 / MB	24-NOV-89	MD MS 03	
	A-A-0053745	DRAINAGE UNIT, PLEURAL CAVITY	A 6515 / MB	17-OCT-88	MD MS 03	
	A-A-53746	WATCH GLASS, LABORATORY	A 6540 / MB	17-OCT-88	MD MS 03	
	A-A-53747	FERRIC CHLORIDE SOLUTION	A 6550 / MB	17-OCT-88	MD MS 03	
	A-A-53748	A-NAPHTHOL REAGENT	A 6550 / MB	17-OCT-88	MD MS 03	
	A-A-53749A	REFRIGERATOR, MECHANICAL, BIOLOGICALS	A 4110 / MB	09-MAR-90	MD MS 03	
	A-A-53750	THIORIDAZINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	17-OCT-88	MD MS 02	
	A-A-53751	HYDHALAZINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	28-OCT-88	MD MS 03	
	A-A-53752	ALUMINUM HYDROXIDE GEL, DRIED, AND MAGNESIUM TRISILICATE TABLETS	A 6505 / MB	28-OCT-88	MD MS 03	
	A-A-53753	MANIKIN, RESUSCITATION TRAINING	A 6910 / MB	28-OCT-88	MD MS 03	
	A-A-53754	WHEEL, ABRASIVE (SILICON CARBIDE, IMPREGNATED RUBBER, FINE, SQUARE EDGE, 2 BY 1/4 INCHES)	A 6520 / MB	07-NOV-88	MD MS 03	
	A-A-53755	BLADE, GAG, RING RETRACTOR	A 6515 / MB	11-NOV-88	MD MS 03	
	A-A-53756A	GAUZE, OINTMENT IMPREGNATED	A 6510 / MB	23-JUN-89	MD MS 03	
	A-A-0053756	GAUZE, OINTMENT IMPREGNATED	A 6510 / MB	31-OCT-88	MD MS 03	
	A-A-53757	LINER, FLASK, DENTAL CASTING MACHINE (ALUMINUM SILICATE, WATER ABSORBING)	A 6520 / MB	18-NOV-88	MD MS 03	
	A-A-53758	POTASSIUM HYDROXIDE SOLUTION	A 6550 / MB	08-NOV-88	MD MS 03	
	A-A-53759	PROBE, NERVE LOCATOR-STIMULATOR	A 6515 / MB	28-FEB-89	MD MS 03	
	A-A-53760	ASCORBIC ACID TABLETS, USP	A 6505 / MB	18-NOV-88	MD MS 02	
	A-A-53761	ALUMINUM HYDROXIDE GEL, MODIFIED	A 6505 / MB	30-NOV-88	MD MS 03	
	A-A-53762	AMINOPYLLINE TABLETS, USP	A 6505 / MB	18-NOV-88	MD MS 03	
	A-A-53763	HYDROXYZYNE HYDROCHLORIDE INJECTION, USP	A 6505 / MB	18-NOV-88	MD MS 03	
	A-A-53764	CLEANING COMPOUND, DENTAL VACUUM SYSTEM	A 6520 / MB	18-NOV-88	MD MS 03	
	A-A-53765	THIMBLE, EXTRACTION	A 6540 / MB	09-NOV-88	MD MS 03	
	A-A-53767	RETRACTOR, RIB (BURFORD-FINOCALLETTO)	A 6515 / MB	15-NOV-88	MD MS 03	
	A-A-53768	RETRACTOR, ABDOMINAL (O'SULLIVAN-O'CONNOR)	A 6515 / MB	15-NOV-88	MD MS 03	
	A-A-53769	RETRACTOR, GENERAL OPERATING	A 6515 / MB	18-NOV-88	MD MS 03	
	A-A-53770	PLATE, SPOT TEST (WHITE PORCELAIN)	A 6540 / MB	12-OCT-88	MD MS 03	
	A-A-53771	PROTECTOR, TRANSDUCER, PHYSIOLOGICAL PRESSURE	A 6515 / MB	30-NOV-88	MD MS 03	
	A-A-53772	MASK, OROMASAL	A 6515 / MB	30-NOV-88	MD MS 03	
	A-A-53773	SPONGE, SCLERAL, SILICONE (LIMCAFF)	A 6515 / MB	01-DEC-88	MD MS 03	
	A-A-53774	KOVACS' REAGENT	A 6550 / MB	12-DEC-88	MD MS 03	
	A-A-53775	STONE DISLODGER, CYSTOSCOPE, RADIOPAQUE (DAVIS)	A 6515 / MB	01-DEC-88	MD MS 03	
	A-A-53777	AUDIOMETER, MANUALLY OPERATED, PORTABLE, 110/220 VOLT, 50/60 HZ, AC	A 6515 / MB	10-DEC-88	MD MS 03	
	A-A-53778	NITROGLYCERIN INJECTION, USP	A 6505 / MB	16-DEC-88	MD MS 03	
	A-A-53779	NITROGLYCERIN TABLETS, USP	A 6505 / MB	06-JAN-89	MD MS 03	
	A-A-53780	CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 50S	A 6515 / MB	18-APR-90	MD MS 03	
	A-A-53780/1	CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 14 GAGE CATHETER, 50S	A 6515 / MB	18-APR-90	MD MS 03	
	A-A-53780/2	CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 16 GAGE CATHETER, 50S	A 6515 / MB	18-APR-90	MD MS 03	
	A-A-53780/3	CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 18 GAGE CATHETER, 50S	A 6515 / MB	18-APR-90	MD MS 03	
	A-A-53780/4	CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 20 GAGE CATHETER, 50S	A 6515 / MB	18-APR-90	MD MS 03	
	A-A-53780/5	CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 22 GAGE CATHETER, 50S	A 6515 / MB	18-APR-90	MD MS 03	
	A-A-53780/6	CATHETER AND NEEDLE UNIT, INTRAVENOUS, DISPOSABLE, 24 GAGE CATHETER, 50S	A 6515 / MB	18-APR-90	MD MS 03	
	A-A-53781	MASK, OROMASAL, RESUSCITATOR AND ANESTHESIA, PEDIATRIC	A 6515 / MB	14-DEC-88	MD MS 03	
	A-A-53782	ORPHENADRINE CITRATE, ASPIRIN AND CAFFEINE TABLETS	A 6505 / MB	06-JAN-89	MD MS 03	
	A-A-53783	MIRRORS AND MIRROR HANDLE, MOUTH EXAMINING	A 6520 / MB	20-FEB-89	MD MS 03	
	A-A-53784	WHEEL SET, ABRASIVE (SHARPENERS, DENTAL)	A 6520 / MB	21-DEC-88	MD MS 03	
	A-A-53785	PLACEMENT KIT, TOOTH DIE PIN	A 6520 / MB	01-FEB-89	MD MS 03	
	A-A-53786	RETRACTOR SET, ABDOMINAL (DOUBLE-ENDED, RICHARDSON-EASTMAN)	A 6515 / MB	14-DEC-88	MD MS 03	
	A-A-53787	COLLECTING TUBING SET, UTERINE, PLASTIC, DISPOSABLE	A 6515 / MB	15-DEC-88	MD MS 03	
	A-A-53788	CUTTER, BONE PIN (6 INCHES)	A 6515 / MB	15-DEC-88	MD MS 03	
	A-A-53789	TEST LUNG	A 6910 / MB	30-DEC-88	MD MS 03	
	A-A-53790	TEST SET, ELECTROSURGICAL APPARATUS	A 6625 / MB	30-DEC-88	MD MS 03	
	A-A-53791	TESTER, CURRENT LEAKAGE	A 6625 / MB	30-DEC-88	MD MS 03	
	A-A-53793	STOOL, STEP, SURGICAL	A 6530 / MB	30-DEC-88	MD MS 03	
	A-A-53794	CLAMP, ARTERY, 8 INCH (DEBAKEY)	A 6515 / MB	27-DEC-88	MD MS 03	
	A-A-53795	DRILL GUIDE, CRANIAL (ADSON)	A 6515 / MB	30-DEC-88	MD MS 03	
	A-A-53797	IMPRESSION TRAY, DENTAL (WATER-COOLED)	A 6520 / MB	13-FEB-89	MD MS 03	
	A-A-53798	PLUGGER SET, FINGER ENDODONTIC	A 6520 / MB	31-AUG-89	MD MS 03	
	A-A-53799	SPREADER SET, FINGER, ENDODONTIC	A 6520 / MB	31-AUG-89	MD MS 03	
	A-A-53800	ELEVATOR, PERIOSTEAL (JOSEPH STRAIGHT BLADE)	A 6515 / MB	13-FEB-89	MD MS 03	
	A-A-53801	KNIFE, MARGIN FINISHING, DENTAL	A 6520 / MB	13-FEB-89	MD MS 03	
	A-A-53802	PLUGGERS, PULP CANAL, ENDODONTIC	A 6520 / MB	27-MAR-89	MD MS 03	
	A-A-53803B	SYRINGE, HYPODERMIC, GENERAL PURPOSE, DISPOSABLE	A 6515 / MB	15-APR-92	MD MS 03	
	A-A-53804	RASP, NASAL (LEWIS, FINE)	A 6515 / MB	06-JAN-89	MD MS 03	
	A-A-53805	ELECTRODE SET, ELECTROCARDIOGRAPH	A 6515 / MB	13-JAN-89	MD MS 03	
	A-A-53806	RETRACTOR, KNEE (BLOUNT)	A 6515 / MB	12-JAN-89	MD MS 03	
	A-A-53807	REGULATOR, PRESSURE, MEDICAL GAS ADMINISTRATION APPARATUS	A 6680 / MB	18-JAN-89	MD MS 03	
	A-A-53808	DRILL, TWIST, BONE	A 6515 / MB	19-JAN-89	MD MS 03	
	A-A-53809	PIN, BONE NAIL GUIDE (KUNTSCHER)	A 6515 / MB	19-JAN-89	MD MS 03	
	A-A-53810	CAP, SCREW, BOTTLE AND JAR	A 6640 / MB	01-FEB-89	MD MS 03	
	A-A-53811	CLAMP, VASCULAR (SERREFFINE, DIEFFENBACH)	A 6515 / MB	23-JAN-89	MD MS 03	
	A-A-53813	SIMULATOR, ARRHYTHMIA, ELECTROCARDIOGRAPH	A 6910 / MB	31-JAN-89	MD MS 03	
	A-A-53814	AUDIOMETER, AUTOMATIC, PORTABLE	A 6515 / MB	31-JAN-89	MD MS 03	
	A-A-53815	AUDIOMETER	A 6515 / MB	31-JAN-89	MD MS 03	
	A-A-53816	ELECTROCARDIOGRAPH, SINGLE CHANNEL	A 6515 / MB	31-JAN-89	MD MS 03	
	A-A-53817	DISH, BIOLOGICAL STAINING (WITH TRAY)	A 6640 / MB	01-FEB-89	MD MS 03	
	A-A-53818	SUCTION APPARATUS, DENTAL	A 6520 / MB	18-DEC-90	MD MS 03	
	A-A-53819	FUNNEL (ENTOMOLOGICAL)	A 6640 / MB	06-FEB-89	MD MS 03	
	A-A-53820	GRID, WIRE GAUZE, LABORATORY	A 6640 / MB	06-FEB-89	MD MS 03	
	A-A-53821	RETRACTOR, NERVE ROOT, LOVE	A 6515 / MB	08-FEB-89	MD MS 03	
	A-A-53822	WIRE, NONELECTRICAL (CORROSION-RESISTING STEEL, SOFT)	A 6520 / MB	28-FEB-89	MD MS 03	
	A-A-53823	BUR, DENTAL, FINISHING (STEEL)	A 6520 / MB	20-FEB-89	MD MS 03	
	A-A-53824	CURETTE, BONE (SCOVILLE)	A 6515 / MB	14-FEB-89	MD MS 03	
	A-A-53825	FORCEPS, TOOTH EXTRACTING, DENTAL, GENERAL SPECIFICATION FOR	A 6520 / MB	15-JUN-89	MD MS 03	
	A-A-53825/1	FORCEPS, TOOTH EXTRACTING, NO. 22	A 6520 / MB	15-JUN-89	MD MS 03	
	A-A-53825/2	FORCEPS, TOOTH EXTRACTING, NO. 222	A 6520 / MB	15-JUN-89	MD MS 03	
	A-A-53825/3	FORCEPS, TOOTH EXTRACTING, NO. 13	A 6520 / MB	15-JUN-89	MD MS 03	
	A-A-53825/4	FORCEPS, TOOTH EXTRACTING, NO. 150-AS	A 6520 / MB	15-JUN-89	MD MS 03	
	A-A-53825/5	FORCEPS, TOOTH EXTRACTING, NO. 17	A 6520 / MB	15-JUN-89	MD MS 03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action OAI / OAI Coordination Inchance Document Number	Document Title	Diet SFC / Area MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
A-A-53825/6	FORCEPS, TOOTH EXTRACTING, NO. 151-AS	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/7	FORCEPS, TOOTH EXTRACTING, NO. 210-S	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/8	FORCEPS, TOOTH EXTRACTING, NO. 531	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/9	FORCEPS, TOOTH EXTRACTING, NO. 53R	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/10	FORCEPS, TOOTH EXTRACTING NO. 66	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/11	FORCEPS, TOOTH EXTRACTING NO. 150	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/12	FORCEPS, TOOTH EXTRACTING, NO. 151	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/13	FORCEPS, TOOTH EXTRACTING, NO. 150S	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/14	FORCEPS, TOOTH EXTRACTING, NO. 151S	A 6520 / NB	15-JUN-89	ND	MS	03	
A-A-53825/15	FORCEPS, TOOTH EXTRACTING (NO. 23)	A 6520 / NB	10-OCT-89	ND	MS	03	
A-A-53825/16	FORCEPS, TOOTH EXTRACTING, NO. 217	A 6520 / NB	28-JAN-91	ND	MS	03	
A-A-53826	BUFFER SOLUTION (STANDARD)	A 6550 / NB	13-FEB-89	ND	MS	03	
A-A-53827	THERMOMETER, CLINICAL, HUMAN (SUBNORMAL)	A 6515 / NB	21-FEB-89	ND	MS	03	
A-A-53828	BOTTLE, SCREW CAP	A 6640 / NB	17-FEB-89	ND	MS	03	
A-A-53829	SYRINGE, IRRIGATING (SURGICAL BARREL AND PLUNGER TYPE, DISPOSABLE)	A 6515 / NB	17-FEB-89	ND	MS	03	
A-A-53830	FORCEPS, ARTHROSCOPIC, STRAIGHT, HOOK BASKET	A 6515 / NB	10-MAR-89	ND	MS	03	
A-A-53831	FORCEPS, KIDNEY STONE REMOVING (RANDALL)	A 6515 / NB	10-MAR-89	ND	MS	03	
A-A-53832	AMPHOTERICIN B LOTION, USP	A 6505 / NB	28-FEB-89	ND	MS	03	
A-A-53833	ALUMINUM ACETATE SOLUTION TABLETS EFFERVESCENT	A 6505 / NB	28-FEB-89	ND	MS	03	
A-A-53834	ACETONEXAMIDE TABLETS, USP	A 6505 / NB	28-FEB-89	ND	MS	03	
A-A-53835	TEST SET, AUDIOMETER CALIBRATION, PORTABLE	A 6515 / NB	28-FEB-89	ND	MS	03	
A-A-53836	PHENOL RED PH TEST TABLETS	A 6550 / NB	03-MAR-89	ND	MS	03	
A-A-53837	ELECTROSURGICAL APPARATUS	A 6515 / NB	30-MAY-89	ND	MS	03	
A-A-53838	IRRIGATION TIP, SURGICAL	A 6530 / NB	24-MAR-89	ND	MS	03	
A-A-53839	LINER, UTILITY PAIL, PLASTIC	A 7240 / NB	24-MAR-89	ND	MS	03	
A-A-53840	HOOK	A 6515 / NB	10-MAY-90	ND	MS	03	
A-A-53840/1	HOOK, ADSON	A 6515 / NB	10-MAY-90	ND	MS	03	
A-A-53840/2	HOOK, FRAZIER	A 6515 / NB	10-MAY-90	ND	MS	03	
A-A-53840/3	HOOK, TYRELL	A 6515 / NB	10-MAY-90	ND	MS	03	
A-A-53840/4	HOOK, GRAEFE	A 6515 / NB	10-MAY-90	ND	MS	03	
A-A-53841	PAIL, PLASTIC 14 QUART CAPACITY	A 7240 / NB	24-MAR-89	ND	MS	03	
A-A-53842	TEST PATTERN AND PENETROMETER ASSEMBLY, X-RAY	A 6525 / NB	24-MAR-89	ND	MS	03	
A-A-53843	TUBINE ASSEMBLY, SURGICAL IRRIGATOR	A 6530 / NB	24-MAR-89	ND	MS	03	
A-A-53844A	LEAD, MARKING, DENTAL SURVEYOR	A 6520 / NB	22-JUN-92	ND	MS	03	
A-A-53845	BURS, DENTAL, FINISHING (TUNGSTEN CARBIDE)	A 6520 / NB	10-APR-89	ND	MS	03	
A-A-53846	BLOOMPIPE, SOLDERING, DENTAL LABORATORY	A 6520 / NB	13-MAR-89	ND	MS	03	
A-A-53847	SPECIMEN KIT, URINE	A 6530 / NB	24-MAR-89	ND	MS	03	
A-A-53848	TUBING, NONMETALLIC (RUBBER)	A 4720 / NB	03-MAR-89	ND	MS	03	
A-A-53849	BUPIVACAINE HYDROCHLORIDE AND EPINEPHRIN INJECTION, USP	A 6505 / NB	14-MAR-89	ND	MS	03	
A-A-53850	ASPIRIN TABLETS, USP	A 6505 / NB	14-MAR-89	ND	MS	03	
A-A-53851	AZATHIOPRINE TABLETS, USP	A 6505 / NB	14-MAR-89	ND	MS	03	
A-A-53852	CASSETTE, RADIOGRAPHIC FILM LIGHTWEIGHT	A 6525 / NB	14-MAR-89	ND	MS	03	
A-A-53853	CLAMP, ARTERY, AORTIC ANEURYSM (DEBAKEY)	A 6515 / NB	08-MAR-89	ND	MS	03	
A-A-53854	CABINET, TOOTH ASSORTMENT, COMPARTMENTED	A 6520 / NB	20-MAR-89	ND	MS	03	
A-A-53856	REFRACTOMETER	A 6550 / NB	15-MAR-89	ND	MS	03	
A-A-53857	PAD, OPERATING TABLE TWO SECTIONS	A 6530 / NB	30-MAY-89	ND	MS	03	
A-A-53858	TURNING FRAME, ORTHOPEDIC BED	A 6530 / NB	30-MAY-89	ND	MS	03	
A-A-53859	FORCEPS, TISSUE, BROWN AND BROWN-ADSON	A 6515 / NB	15-MAR-89	ND	MS	03	
A-A-53860	NIPPER, INGROWN TOENAIL	A 6515 / NB	15-MAR-89	ND	MS	03	
A-A-53861	INDICATOR, COMBUSTIBLE GAS, PORTABLE (DUEL RANGE)	A 6665 / NB	17-MAR-89	ND	MS	03	
A-A-53862	POLISHERS, DENTAL: MANDRELS, DENTAL HANDPIECE	A 6520 / NB	20-MAR-89	ND	MS	03	
A-A-53863	FORCEPS, DRESSING, STRAIGHT, 5-1/2 INCH	A 6515 / NB	16-MAR-89	ND	MS	03	
A-A-53864	REGULATOR, NITROGEN, SINGLE PORT	A 6515 / NB	16-MAR-89	ND	MS	03	
A-A-53865A	HOLDER, BLOOD COLLECTING TUBE (PLASTIC)	A 6530 / NB	19-FEB-93	ND	MS	03	
A-A-53866	BACITRACIN OINTMENT, USP	A 6505 / NB	30-MAY-89	ND	MS	03	
A-A-53867	AMOXICILLIN FOR ORAL SUSPENSION, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53868	BETAMETHASONE BENZOATE GEL, USP	A 6505 / NB	24-MAR-89	ND	MS	05	
A-A-53869	BETAMETHASONE SODIUM PHOSPHATE AND BETAMETHASONE ACETATE SUSPENSION, STERILE, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53870	TUBE, CENTRIFUGE (POLYETHYLENE, CONICAL BOTTOM, GRADUATED)	A 6640 / NB	24-MAR-89	ND	MS	03	
A-A-53871	TEST TUBE, (SCREW CAP, DISPOSABLE)	A 6640 / NB	24-MAR-89	ND	MS	03	
A-A-53872	READER, MICROHEMATOCRIT	A 6640 / NB	24-MAR-89	ND	MS	03	
A-A-53873	BENZION TINCTURE COMPOUND, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53874	ANTIVENIN, CROTALIDAE, POLYVALENT, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53875	ATROPINE SULFATE OPHTHALMIC OINTMENT, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53877	BENZOL PEROXIDE GEL, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53878	MAGNIFIER, SINGLE LENS, FLIP-UP, PLASTIC	A 6515 / NB	24-MAR-89	ND	MS	03	
A-A-53879	ANYL NITRITE INHALANT, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53880	ALCOHOL, USP	A 6505 / NB	31-MAR-89	ND	MS	03	
A-A-53881	ROMQUER, CURVED, 7-1/4 INCH (BEYER)	A 6515 / NB	23-MAY-89	ND	MS	03	
A-A-53882	ELEVATOR, EAR, HEAVY, CURVED BLADE	A 6515 / NB	10-AUG-89	ND	MS	03	
A-A-53883	FLOSS, WAXED, DENTAL, FLAVORED, 50 YARDS	A 6520 / NB	19-JUN-89	ND	MS	03	
A-A-53884A	GOLD ALLOY, CASTING, DENTAL	A 6515 / NB	30-SEP-92	ND	MS	03	
A-A-53885	SPATULA, DENTAL, CEMENT (NO. 324)	A 6520 / NB	12-JUN-89	ND	MS	03	
A-A-53886	PHOSPHORIC ACID GEL, DENTAL	A 6520 / NB	19-JUN-89	ND	MS	03	
A-A-53887	PROP, MOUTH, DENTAL, STYROFOAM	A 6520 / NB	12-JUN-89	ND	MS	03	
A-A-53889	FLASKS, DENTURE, UPPER AND LOWER, EJECTOR TYPE	A 6520 / NB	12-JUN-89	ND	MS	03	
A-A-53890	PIPET, VOLUMETRIC	A 6640 / NB	07-APR-89	ND	MS	03	
A-A-53891	TOOL KIT, OPTICIAN	A 6540 / NB	07-APR-89	ND	MS	03	
A-A-53892	STIMULATOR, FACIAL NERVE	A 6515 / NB	28-APR-89	ND	MS	03	
A-A-53893	POWER SUPPLY (120 VOLT, 50/60 HZ, AC)	A 6640 / NB	14-APR-89	ND	MS	03	
A-A-53894	ELECTRODE, ELECTROCARDIOGRAPH, INFANT	A 6515 / NB	28-APR-89	ND	MS	03	
A-A-53895	SURGICAL PACK, DISPOSABLE	A 6530 / NB	30-MAY-89	ND	MS	03	
A-A-53896	CHAIR, SITZ BATH	A 6530 / NB	30-MAY-89	ND	MS	03	
A-A-53897	JAR, SURGICAL DRESSING ALUMINUM	A 6530 / NB	09-MAR-90	ND	MS	03	
A-A-53898A	CALIBRATOR, X-RAY GENERATOR	A 6625 / NB	28-APR-89	ND	MS	03	
A-A-53899A	STOPCOCK, INTRAVENOUS THERAPY	A 6515 / NB	08-JAN-93	ND	MS	03	
A-A-53900	CURETTE, ENDOMETRIAL BIOPSY, CURVED, 11-3/4 INCH, DISPOSABLE, 12S	A 6515 / NB	02-MAY-89	ND	MS	03	
A-A-53902	SCISSORS, HYSTERECTOMY, ADDEXAL, 210 MM	A 6515 / NB	04-MAY-89	ND	MS	03	
A-A-53903	STIMULATOR, ULTRASOUND, HIGH GALVANIC, MVS	A 6515 / NB	30-MAY-89	ND	MS	03	
A-A-53904	BULB, PIPET, DROPPING	A 6640 / NB	04-MAY-89	ND	MS	03	
A-A-53905A	ELECTROCARDIOGRAPH, AUTOMATIC	A 6515 / NB	07-SEP-90	ND	MS	03	
A-A-53906	MOUTHPIECE, SALIVA EJECTOR, DENTAL, (PLASTIC, DISPOSABLE)	A 6520 / NB	19-JUN-89	ND	MS	03	
A-A-53907	APPLICATOR SET, PIN RETENTION DENTAL, SPIRAL, CEMENT	A 6520 / NB	19-JUN-89	ND	MS	03	
A-A-53908	SYRINGE, DENTAL IMPRESSION MATERIAL AND ACCESSORY KIT REVIEWER: ES	A 6520 / NB	04-SEP-89	ND	MS	03	
A-A-53909	DRILL, PULP CANAL, DENTAL (GATES GLIDDEN)	A 6520 / NB	26-JUN-89	ND	MS	03	
A-A-53910	DRILL, PULP CANAL, DENTAL (PEESO)	A 6520 / NB	26-JUN-89	ND	MS	03	
A-A-53911	CARVER, DENTAL (AMALGAM AND WAX)	A 6520 / NB	10-OCT-89	ND	MS	03	
A-A-53912	TRIMMERS, GINGIVAL MARGIN, DENTAL (CORROSION-RESISTING STEEL)	A 6520 / NB	13-JUN-90	ND	MS	03	
A-A-53913	CHISELS, DENTAL (CARBON STEEL)	A 6520 / NB	19-JUN-89	ND	MS	03	
A-A-53914	WIRE, MAXILLOFACIAL, IMPLANT	A 6515 / NB	11-DEC-89	ND	MS	03	
A-A-53915	STRIP, MATRIX, DENTAL	A 6520 / NB	19-JUN-89	ND	MS	03	
A-A-53916	BUR, BONE (WIRE PASS DRILL)	A 6515 / NB	26-JUN-89	ND	MS	03	
A-A-53917	CURETTES, ALVEOLAR, MOLT	A 6520 / NB	19-JUN-89	ND	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Doc / Old Code Number	Document Title	Doc Desc FAC / Item MCA Symbol Preparing Act	Date	Custodian			
				Army	Navy	Air Force	DIA
A-A-53918	PROJECTOR, VISUAL ACUITY TEST	A 6540 / MB	30-MAY-89	MD	MS	03	
A-A-53919	BAND, ABRASIVE (SILICON CARBIDE)	A 6520 / MB	19-JUN-89	MD	MS	03	
A-A-53920	CAN, PETRI CULTURE DISH	A 6640 / MB	20-JUL-89	MD	MS	03	
A-A-53921	WATCH GLASS SET	A 6640 / MB	30-MAY-89	MD	MS	03	
A-A-53922	ALUMINUM HYDROXIDE GEL, DRIED, TABLETS, USP	A 6505 / MB	30-MAY-89	MD	MS	03	
A-A-53924	RINSE SOLUTION, BLOOD GAS ANALYZER	A 6630 / MB	07-JUN-89	MD	MS	03	
A-A-53925	SURGICAL SYSTEM, ADVANCED INTRA-ARTICULAR	A 6515 / MB	13-JUN-89	MD	MS	03	
A-A-53926	SCALE, DENTAL, DOUBLE-ENDED	A 6520 / MB	26-JUN-89	MD	MS	03	
A-A-53927	INFUSOR, PRESSURE, BLOOD-INTRAVENOUS BAG	A 6515 / MB	22-JUN-89	MD	MS	03	
A-A-53928	RETRACTOR, SCAPULAR (DAVIDSON)	A 6515 / MB	22-JUN-89	MD	MS	03	
A-A-53929	FORCEPS, THORACIC, ANGULAR, MIXTER, SOFT JAW	A 6515 / MB	23-JUN-89	MD	MS	03	
A-A-53930	KNIFE, STERNUM (LEKSCH)	A 6515 / MB	26-JUN-89	MD	MS	03	
A-A-53931	CLAMP, COARCTATION, (GLOVER)	A 6515 / MB	05-JUL-89	MD	MS	03	
A-A-53932	FORCEPS, TENDON-RETRIEVAL, MOEN, ALLIGATOR	A 6515 / MB	25-JUL-89	MD	MS	03	
A-A-53933	PROBE, PERIODONTAL	A 6520 / MB	31-JUL-89	MD	MS	03	
A-A-53934	BAG, DENTAL PROSTHESIS (PLASTIC)	A 6520 / MB	24-JUL-89	MD	MS	03	
A-A-53935	THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (TOTAL IMMERSION)	A 6685 / MB	30-JUN-89	MD	MS	03	
A-A-53936	SCREWDRIVER, MAXILLOFACIAL SURGERY, BONE SCREW	A 6515 / MB	07-AUG-89	MD	MS	03	
A-A-53937	KNIFE, CARTILAGE, CURVED	A 6515 / MB	28-JUL-89	MD	MS	03	
A-A-53938	BRAZING ALLOY, SILVER	A 6520 / MB	28-JUL-89	MD	MS	03	
A-A-53939	POINT, ENDODONTIC, AUXILIARY, GUTTA-PERCHA	A 6520 / MB	21-MAR-90	MD	MS	03	
A-A-53940	RESIN, ACRYLIC, DENTAL	A 6520 / MB	28-JUL-89	MD	MS	03	
A-A-53941	SPECTACLES, POST CYCLOPLEGIC	A 6540 / MB	28-JUL-89	MD	MS	03	
A-A-53942	DEPTH PERCEPTION APPARATUS, OPHTHALMIC, VERHOEFF	A 6540 / MB	28-JUL-89	MD	MS	03	
A-A-53943	PLATE SET, PSEUDOISCHROMATIC, 15 PLATE	A 6515 / MB	28-JUL-89	MD	MS	03	
A-A-53944	TROCAR, GALLBLADDER, OCHSNER	A 6515 / MB	28-JUL-89	MD	MS	03	
A-A-53945	TEST PAPER, CHLORINE DETERMINATION	A 6630 / MB	26-JUL-89	MD	MS	03	
A-A-53946	SCISSORS, ORAL SURGICAL (GOLDMAN-FOX) REVIEWER: ES	A 6520 / MB	31-AUG-89	MD	MS	03	
A-A-53947	ARCH BOARD FILE AND BOX, PRESCRIPTION FILING	A 7520 / MB	28-JUL-89	MD	MS	03	
A-A-53948	TRIPOD, LABORATORY APPARATUS	A 6640 / MB	07-AUG-89	MD	MS	03	
A-A-53950	RACK, TEST TUBE, LABORATORY	A 6640 / MB	28-JUL-89	MD	MS	03	
A-A-53951	TOURNIQUET SYSTEM, PNEUMATIC	A 6515 / MB	28-JUL-89	MD	MS	03	
A-A-53953	CLEANER, ULTRASONIC	A 6530 / MB	21-AUG-89	MD	MS	03	
A-A-53954	BUR, DENTURE TRIMMING (STRAIGHT HANDPIECE, TUNGSTEN CARBIDE, STAGGERED-TOOTH) REVIEWER: ES	A 6520 / MB	31-AUG-89	MD	MS	03	
A-A-53955	CHLORINE TEST TABLETS (OPD METHOD NO. 1)	A 6810 / MB	15-AUG-89	MD	MS	03	
A-A-53956	BAG, TUBE FEEDING, PLASTIC	A 6515 / MB	30-AUG-89	MD	MS	03	
A-A-53957A	CANNULA, NASAL, OXYGEN (PLASTIC, DISPOSABLE)	A 6515 / MB	24-OCT-89	MD	MS	03	
A-A-53958	FORCEPS, VASCULAR TISSUE, DEBAKEY	A 6515 / MB	16-OCT-89	MD	MS	03	
A-A-53959	MOLDER, SUTURE NEEDLE, MASSON, 10-1/2 INCH	A 6515 / MB	18-OCT-89	MD	MS	03	
A-A-53960	FORCEPS, TISSUE (DEBAKEY)	A 6515 / MB	19-OCT-89	MD	MS	03	
A-A-53961	ROMBER, LEKSELL, 9-3/4 INCH	A 6515 / MB	20-OCT-89	MD	MS	03	
A-A-53962	KNIFE, EYE, NEEDLE TYPE, ZIEGLER	A 6515 / MB	06-NOV-89	MD	MS	03	
A-A-53963	BATTERY, NONRECHARGEABLE, HEARING AID	A 6135 / MB	30-AUG-89	MD	MS	03	
A-A-53964	REFRIGERATOR, COLD PACK THERAPY	A 4110 / MB	30-AUG-89	MD	MS	03	
A-A-53965	CRYOANITON CREAM, USP	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-53966	CHROMOLYN SODIUM FOR INHALATION, USP	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-53967	CALCIUM THIOGLYCOLATE, TRIHYDRATE, CREAM	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-53968	CHLORPHENIRAMINE MALEATE SYRUP, USP	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-53969	CLOMIPHENE CITRATE TABLETS, USP	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-53970	CLOXACILLIN SODIUM FOR ORAL SOLUTION, USP	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-53971	CLIFF, BLOOD WARMER	A 6515 / MB	07-NOV-89	MD	MS	03	
A-A-53972	FILTER, BLOOD TRANSFUSION	A 6515 / MB	08-NOV-89	MD	MS	03	
A-A-53973	BAG, BLOOD COLLECTING-DISPENSING-FREEZING	A 6515 / MB	09-NOV-89	MD	MS	03	
A-A-53974	BUR KIT, DENTAL FINISHING (TUNGSTEN CARBIDE) USER: 19 AT AV ME REVIEWER: 11 99 ES MI	A 6520 / MB	11-SEP-89	MD	MS	03	
A-A-53975A	SAW, BONE CUTTING, WIRE	A 6515 / MB	18-DEC-92	MD	MS	03	
A-A-53976	THERMOMETER, SELF-INDICATING, LIQUID IN GLASS REVIEWER: 70	A 6685 / MB	25-AUG-89	MD	MS	03	
A-A-53977	PIPET, VOLUMETRIC (MICRO, LANG-LEVY) REVIEWER: 70	A 6640 / MB	25-AUG-89	MD	MS	03	
A-A-53978	POINT, ENDODONTIC, CORE, GUTTA-PERCHA USER: 19 AT AV ME REVIEWER: 11 99 ES MI	A 6520 / MB	15-SEP-89	MD	MS	03	
A-A-53979	WIRE, NONELECTRICAL (PLATINUM ALLOY) USER: AR REVIEWER: 11 19 99 DS ES MI	A 9545 / MB	15-SEP-89	MD	MS	03	
A-A-53980	FLASK, DENTURE, CROWN AND BRIDGE USER: AT REVIEWER: CS	A 6520 / MB	02-OCT-89	MD	MS	03	
A-A-53981	CHISEL, DENTAL, BONE, SURGICAL USER: AT REVIEWER: CS	A 6520 / MB	10-OCT-89	MD	MS	03	
A-A-53982	CALCIUM LACTATE TABLETS, USP	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-53983	BLOCK, INSECT FIXATION (DOUBLE MOUNT) REVIEWER: 70	A 6640 / MB	01-SEP-89	MD	MS	03	
A-A-53984	WIRE TWISTER, DENTAL, BLUNT REVIEWER: ES	A 6520 / MB	15-SEP-89	MD	MS	03	
A-A-53985	ARTICULATOR, DENTAL, GAUSETTI TYPE	A 6520 / MB	23-FEB-90	MD	MS	03	
A-A-53986	RUMBER DAM (DENTAL) BIS USER: 19 AT AV ME REVIEWER: 11 99 ES MI	A 6520 / MB	15-SEP-89	MD	MS	03	
A-A-53987	PIPET, BLOOD CHEMISTRY (MICRO-FOLIN)	A 6640 / MB	18-SEP-89	MD	MS	03	
A-A-53988	PIPET, SEROLOGICAL (BOROSILICATE GLASS)	A 6640 / MB	18-SEP-89	MD	MS	03	
A-A-53989	CAP, SCREW, BOTTLE AND JAW	A 6640 / MB	18-SEP-89	MD	MS	03	
A-A-53991	VALVE, SURGICAL DRAIN, CHEST, METELEN, DISPOSABLE	A 6515 / MB	30-NOV-89	MD	MS	03	
A-A-53992	LENS, CONTACT, THREE-MIRROR, GOLDMANN	A 6540 / MB	30-SEP-89	MD	MS	03	
A-A-53993	RACK, BUR, H-SHAPED, 6 INCHES BY 4 INCHES USER: AT REVIEWER: CS	A 6515 / MB	10-OCT-89	MD	MS	03	
A-A-53994	CLIPETTE, ALVEOLAR, MILLER USER: AT REVIEWER: CS	A 6520 / MB	10-OCT-89	MD	MS	03	
A-A-53995	GINGIVAL RETRACTION CORD (IMPREGNATED WITH ALUMINUM SULFATE)	A 6520 / MB	10-OCT-89	MD	MS	03	
A-A-53996	TOOTHBRUSH, POST-SURGICAL, ULTRA-SOFT	A 6520 / MB	10-OCT-89	MD	MS	03	
A-A-53997	MOUTHPIECE, SALIVA EJECTOR WITH REFLECTOR BLADES, DENTAL	A 6520 / MB	10-OCT-89	MD	MS	03	
A-A-53998	DRILL, PIN HOLE, DENTAL	A 6520 / MB	10-OCT-89	MD	MS	03	
A-A-53999	INSERT, HANDPIECE, DENTAL, ULTRASONIC PROPHYLAXIS UNIT	A 6520 / MB	10-OCT-89	MD	MS	03	
A-A-54000	MESH, MAXILLOFACIAL IMPLANT	A 6515 / MB	11-DEC-89	MD	MS	03	
A-A-54002	BUR, BONE (FAST CUTTING, CORROSION-RESISTING STEEL) USER: AT REVIEWER: CS	A 6515 / MB	10-DEC-89	MD	MS	03	
A-A-54003	SPATULA, DENTAL, CEMENT (NO. 313)	A 6520 / MB	20-OCT-89	MD	MS	03	
A-A-54004	ANESTHESIA BLOCK SET, PARACERVICAL-ALVEOLAR	A 6515 / MB	13-NOV-89	MD	MS	03	
A-A-54005	THORACENTESIS SET, DISPOSABLE	A 6515 / MB	13-NOV-89	MD	MS	03	
A-A-54006	FORCEPS, EAR, GELFOAM PRESSURE, 6 INCH (HOUSE)	A 6515 / MB	15-NOV-89	MD	MS	03	
A-A-54007	POLYP, RETRIEVER, RECTAL, FLEXIBLE, 3 ON 4 PRONG, 2.4 MM DIAMETER	A 6515 / MB	02-FEB-90	MD	MS	03	
A-A-54008	LENS, DIPLOPIA TEST, RED USER: AT REVIEWER: CS	A 6540 / MB	27-SEP-89	MD	MS	03	
A-A-54009	STERILIZER, SURGICAL INSTRUMENTS	A 6530 / MB	15-OCT-89	MD	MS	03	
A-A-54010	SPREADER, GUTTA-PERCHA, DENTAL	A 6520 / MB	28-FEB-90	MD	MS	03	
A-A-54011	PLIERS, DENTAL (AMALGAM REINFORCEMENT PIN)	A 6520 / MB	06-NOV-89	MD	MS	03	
A-A-54012	CARVERS, DENTAL (PCT)	A 6520 / MB	14-FEB-90	MD	MS	03	
A-A-54013	ELECTRODE, PERIPHERAL NERVE STIMULATOR	A 6515 / MB	25-OCT-89	MD	MS	03	
A-A-54014	GINGIVAL RETRACTION CORD (IMPREGNATED WITH RACEMIC EPINEPHRINE HYDROCHLORIDE)	A 6520 / MB	06-NOV-89	MD	MS	03	
A-A-54015	ELECTROCARDIOGRAPH AUTOMATIC, SOLID STATE, PORTABLE	A 6515 / MB	25-OCT-89	MD	MS	03	
A-A-54016	REFRIGERATOR, SOLID STATE BIOLOGICALS	A 4110 / MB	19-MAR-93	MD	MS	03	
A-A-54017	PROCESSING MACHINE, RADIOGRAPHIC FILM, AUTOMATIC	A 6525 / MB	24-NOV-89	MD	MS	03	
A-A-54018	SCISSORS, GENERAL SURGICAL (CURVED, 7 INCH, METZENBAUM, DISSECTION)	A 6515 / MB	01-FEB-90	MD	MS	03	
A-A-54019	KNIFE, COMPOUND, DENTAL (WITH DETACHABLE BLADE)	A 6520 / MB	13-NOV-89	MD	MS	03	
A-A-54020	CHLORPHENIRAMINE PHOSPHATE SOLUTION, MODIFIED	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-54021	CHLORPHENIRAMINE FOR ORAL SUSPENSION, USP	A 6505 / MB	30-OCT-89	MD	MS	03	
A-A-54022	CHLORQUINE PHOSPHATE TABLETS, USP	A 6505 / MB	30-OCT-89	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Acronyms / Code Combinations	Document Number	Document Title	Dist. Smt F&C / Area	MCIA Symbol Preparing Acty	Date	Custodian Army Navy Air Force DLA
A-A-54023		CHOLESTYRAMINE FOR ORAL SUSPENSION, USP	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54024		FILES AND REAMERS, PULP CANAL, DENTAL, STANDARDIZED	A 6520 / MB	13-NOV-89	MD MS	03
A-A-54025		FORCEPS, BONE HOLDING (KERN)	A 6515 / MB	05-JAN-90	MD MS	03
A-A-54026		FORCEPS, BONE CUTTING (CORYLLO)	A 6515 / MB	03-JAN-90	MD MS	03
A-A-54027		LOOP, EAR, SIZE 2 (HOUSE-BILLEAU)	A 6515 / MB	14-DEC-89	MD MS	03
A-A-54028		CLAMP, ARTERY, INFANT, PARTIAL OCCLUDING (CASTANEDA)	A 6515 / MB	07-AUG-90	MD MS	03
A-A-54029		CANNULA, EYE (BISHOP-HARRISON)	A 6515 / MB	18-DEC-89	MD MS	03
A-A-54030		BRUSH, BRISTLE, DENTAL HANDPIECE (MANDREL MOUNTED)	A 6520 / MB	16-NOV-89	MD MS	03
A-A-54031		INDICATOR, STERILIZATION, STEAM	A 6530 / MB	24-NOV-89	MD MS	03
A-A-54032		REFRIGERATOR, MORTUARY MOBILE, TWO BODY CAPACITY	A 4110 / MB	24-NOV-89	MD MS	03
A-A-54033		BRACKET, CONTAINER, HYPODERMIC NEEDLE AND SYRINGE	A 6530 / MB	24-NOV-89	MD MS	03
A-A-54034		DISPOSAL CONTAINER, HYPODERMIC NEEDLE AND SYRINGE (WITH NEEDLE REMOVER)	A 6530 / MB	24-NOV-89	MD MS	03
A-A-54035		LABEL (GAS STERILIZE ONLY)	A 7690 / MB	24-NOV-89	MD MS	03
A-A-54036		UNDERSHIRT, INFANT'S	A 6532 / MB	19-JAN-90	MD MS	03
A-A-54037		SUPPORT, CERVICAL	A 6515 / MB	19-JAN-90	MD MS	03
A-A-54038		SUCTION APPARATUS, OROPHARYNGEAL, TRACHEAL PORTABLE, BATTERY OPERATED, (AEROMEDICAL)	A 6515 / MB	30-MAR-90	MD MS	03
A-A-54039		SUCTION APPARATUS, OROPHARYNGEAL TRACHEAL, AEROMEDICAL, PORTABLE/DUAL VOLTAGE	A 6515 / MB	30-MAR-90	MD MS	03
A-A-54040		REGULATOR, OXYGEN PRESSURE	A 6680 / MB	19-MAR-93	MD MS	03
A-A-54041		PIN, SAFETY, SURGICAL	A 6530 / MB	19-JAN-90	MD MS	03
A-A-54042		PACEMAKER, CARDIAC EXTERNAL TYPE, BATTERY POWERED	A 6515 / MB	19-JAN-90	MD MS	03
A-A-54043A		OTOSCOPE AND OPHTHALMOSCOPE SET	A 6515 / MB	29-JUL-91	MD MS	03
A-A-54044		TOMOMETER, OPHTHALMIC, SCHIOTZ	A 6540 / MB	30-NOV-89	MD MS	03
A-A-54045		MAGNIFIER, SPECTACLE, GULLSTRAND	A 6540 / MB	30-NOV-89	MD MS	03
A-A-54046		EPINEPHRYL BORATE OPHTHALMIC SOLUTION, USP	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54047		ETHAMBUTOL HYDROCHLORIDE TABLETS, USP	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54048		CARBIDOPA AND LEVODOPA TABLETS, USP	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54049		CODEINE SULFATE TABLETS, USP	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54050		DICYCLONINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54051		CYPROHEPTADINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54052		COLISTIN SULFATE, HYDROCORTISONE ACETATE, NEOMYCIN SULFATE, AND THIOZONIUM BROMIDE SUSPENSION, OTC	A 6505 / MB	30-NOV-89	MD MS	03
A-A-54053		FLUOROURACIL INJECTION, USP	A 6505 / MB	15-DEC-89	MD MS	03
A-A-54054		DIAZEPAM TABLETS, USP	A 6505 / MB	15-DEC-89	MD MS	03
A-A-54055		DIPHENHYDRAMINE HYDROCHLORIDE ELIXIR, USP	A 6505 / MB	15-DEC-89	MD MS	03
A-A-54056		DEXAMETHASONE SODIUM PHOSPHATE INHALATION AEROSOL, USP	A 6505 / MB	15-DEC-89	MD MS	03
A-A-54057		DIPHENHYDRAMINE HYDROCHLORIDE SYRUP	A 6505 / MB	29-DEC-89	MD MS	03
A-A-54058		DEXAMETHASONE SODIUM PHOSPHATE OPHTHALMIC SOLUTION, USP	A 6505 / MB	15-DEC-89	MD MS	03
A-A-54059		DIENESTROL CREAM, USP	A 6505 / MB	15-DEC-89	MD MS	03
A-A-54060		DICLOXACILLIN SODIUM FOR ORAL SUSPENSION, USP	A 6505 / MB	15-DEC-89	MD MS	03
A-A-54061		CONDOM, PROPHYLACTIC, NATURAL RUBBER, NON-LUBRICATED	A 6515 / MB	18-DEC-90	MD MS	03
A-A-54062		FORCEPS, MEURYSN CLIP APPLYING, BAYONET, 8-1/4 INCH (VASANGIL)	A 6515 / MB	07-FEB-90	MD MS	03
A-A-54063		PIPE, TRANSFER (URINALYSIS)	A 6640 / MB	19-JAN-90	MD MS	03
A-A-54064		SCALER, DENTAL (YOUNGER-GOOD)	A 6520 / MB	15-FEB-90	MD MS	03
A-A-54065		SLIDE, MICROSCOPE (BOEHRER TEST)	A 6640 / MB	12-JAN-90	MD MS	03
A-A-54066		FLUCINOLONE ACETONIDE CREAM, USP	A 6505 / MB	31-JAN-90	MD MS	03
A-A-54067		EPINEPHRINE OPHTHALMIC SOLUTION, USP	A 6505 / MB	31-JAN-90	MD MS	03
A-A-54068		FLAVOXATE HYDROCHLORIDE TABLETS	A 6505 / MB	31-JAN-90	MD MS	03
A-A-54069		FLUOROURACIL CREAM, USP	A 6505 / MB	31-JAN-90	MD MS	03
A-A-54070		MIXING TIPS, DENTAL IMPRESSION, SYRINGE, DISPOSABLE, 485	A 6520 / MB	15-OCT-90	MD MS	03
A-A-54071		GAG, MOUTH, DENTAL ADULT	A 6520 / MB	23-FEB-90	MD MS	03
A-A-54072		LIGHT, SLIT, OPHTHALMIC (WITH TOMOMETER)	A 6540 / MB	22-JAN-90	MD MS	03
A-A-54073		BOTTLE, SCREW CAP	A 6640 / MB	22-JAN-90	MD MS	03
A-A-54074		FORCEPS, BONE HOLDING (CURVED, DINOWAN)	A 6515 / MB	23-JAN-90	MD MS	03
A-A-54075		VITRECTOMY KIT, OPHTHALMOLOGY	A 6515 / MB	31-JAN-90	MD MS	03
A-A-54076		HYDROMETER, GRADUATED SCALE API GRAVITY	A 6530 / MB	29-JAN-90	MD MS	03
A-A-54077		ARM, PHOTOPETER, REFRACTOR	A 6540 / MB	30-JAN-90	MD MS	03
A-A-54078		BAG, TISSUE SPECIMEN	A 6640 / MB	31-JAN-90	MD MS	03
A-A-54079		SURVEYOR, DENTAL, CLASP, STATIONARY	A 6520 / MB	23-FEB-90	MD MS	03
A-A-54080		CENTRIFUGE, LABORATORY, MICRO-MENACORIT	A 6640 / MB	30-JAN-90	MD MS	03
A-A-54081		SYRINGE, IRRIGATING, DENTAL, STERILE (DISPOSABLE)	A 6520 / MB	15-FEB-90	MD MS	03
A-A-54082		HYDROXYZINE HYDROCHLORIDE SYRUP, USP	A 6505 / MB	15-FEB-90	MD MS	03
A-A-54083		HYDROCORTISONE SODIUM SUCCINATE FOR INJECTION, USP	A 6505 / MB	15-FEB-90	MD MS	03
A-A-54084		FERRIC SULFATE ORAL SOLUTION, USP	A 6505 / MB	15-FEB-90	MD MS	03
A-A-54085		HYDROCORTISONE, USP	A 6505 / MB	15-FEB-90	MD MS	03
A-A-54086		HYDROCORTISONE, ENEMA, USP	A 6505 / MB	15-FEB-90	MD MS	03
A-A-54087		HYDROXYZINE PAMDATE CAPSULES, USP	A 6505 / MB	15-FEB-90	MD MS	03
A-A-54088		SYRINGE, IRRIGATING, SURGICAL, BARREL AND PLUNGER TYPE	A 6515 / MB	22-MAY-90	MD MS	03
A-A-54089A		BLOOD RECIPIENT SET, INDIRECT TRANSFUSION (DISPOSABLE)	A 6515 / MB	30-JUN-92	MD MS	03
A-A-54090		CATHETER, SPECIMEN COLLECTING UNIT, ENDOTRACHEAL (DELEE)	A 6515 / MB	15-FEB-90	MD MS	03
A-A-54091		CHLORINE TEST TABLETS (DPD METHOD NO. 4)	A 6810 / MB	20-FEB-90	MD MS	03
A-A-54092		TUBE, BLOOD COLLECTING (VACUUM WITH SEPARATOR GEL)	A 6530 / MB	16-FEB-90	MD MS	03
A-A-54093		HEATER, HEAT TREATMENT PAD	A 6530 / MB	09-MAR-90	MD MS	03
A-A-54094		LIGHT, SURGICAL, STAND	A 6530 / MB	30-MAR-90	MD MS	03
A-A-54095		PILLOW, BED (POLYESTER FIBER)	A 7210 / MB	09-MAR-90	MD MS	03
A-A-54096		TRAY, INSTRUMENT (PLASTIC)	A 6530 / MB	09-MAR-90	MD MS	03
A-A-54097		TRUCK, HAND, SHELF (SURGICAL DRESSING)	A 6530 / MB	09-MAR-90	MD MS	03
A-A-54098		WASHCLOTH	A 7210 / MB	30-MAR-90	MD MS	03
A-A-54099		BATTERY-CHARGER, MEDICAL ANALYZER	A 6625 / MB	30-MAR-90	MD MS	03
A-A-54100		CABINET, STORAGE, FLAMMABLE LIQUID	A 7125 / MB	30-MAR-90	MD MS	03
A-A-54101		CART, ANESTHESIOLOGY EQUIPMENT (CORROSION-RESISTING STEEL)	A 6530 / MB	30-MAR-90	MD MS	03
A-A-54102		CASE, BONE NAIL AND INSTRUMENT STERILIZATION	A 6530 / MB	09-MAR-90	MD MS	03
A-A-54103		COVER, PILLOW	A 7210 / MB	30-MAR-90	MD MS	03
A-A-54104		COVER, SURGICAL INSTRUMENT AND DRESSING TRAY (ALUMINUM)	A 6530 / MB	30-MAR-90	MD MS	03
A-A-54105		DISPENSER, SURGICAL DETERGENT (FREE-STANDING)	A 6530 / MB	09-MAR-90	MD MS	03
A-A-54106		ENVELOPE, DRUG DISPENSING (POLYETHYLENE)	A 8105 / MB	09-MAR-90	MD MS	03
A-A-54107		RETRACTOR, ABDOMINAL, 12 INCHES (DEAVER)	A 6515 / MB	01-MAR-90	MD MS	03
A-A-54108		RETRACTOR, GENERAL OPERATING (VOLLMANN)	A 6515 / MB	02-MAR-90	MD MS	03
A-A-54109		TAG, TISSUE SPECIMEN	A 6640 / MB	26-FEB-90	MD MS	03
A-A-54110		TRACHOMETER, STROBOSCOPIC (PORTABLE, BATTERY POWERED)	A 6680 / MB	05-MAR-90	MD MS	03
A-A-54111		CHLORPHENIRAMINE MALEATE TABLETS, MODIFIED	A 6505 / MB	16-MAR-90	MD MS	03
A-A-54112		CALCIUM GLUCEPATE INJECTION, USP	A 6505 / MB	16-MAR-90	MD MS	03
A-A-54113		COLLOIDION, FLEXIBLE, USP	A 6505 / MB	16-MAR-90	MD MS	03
A-A-54114		CHLORPHENIRAMINE MALEATE TABLETS, USP	A 6505 / MB	16-MAR-90	MD MS	03
A-A-54115		CEMENT, ZINC OXIDE AND EUGENOL, DENTAL	A 6520 / MB	21-MAR-90	MD MS	03
A-A-54116		PREVENTIVE DENTISTRY PASTE, PATIENT	A 6520 / MB	21-MAR-90	MD MS	03
A-A-54117		FLUORAMORPHOLIDE TAPE, USP	A 6505 / MB	30-MAR-90	MD MS	03
A-A-54118		GLOBULIN, TETANUS IMMUNE, USP	A 6505 / MB	30-MAR-90	MD MS	03
A-A-54119		HALOPROGIN CREAM, USP	A 6505 / MB	30-MAR-90	MD MS	03
A-A-54120		DIMETHYLDIMATE TABLETS, USP	A 6505 / MB	23-MAR-90	MD MS	03
A-A-54121		FOLIC ACID TABLETS, USP	A 6505 / MB	23-MAR-90	MD MS	03
A-A-54122		ERYTHROPYRIMETHYL SUCCINATE FOR ORAL SUSPENSION, USP	A 6505 / MB	30-MAR-90	MD MS	03
A-A-54123		FLUORAMORPHOLIDE OINTMENT, USP	A 6505 / MB	30-MAR-90	MD MS	03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONSActive  
Qty / OMA  
Combination  
Package  
Document  
NumberDocument  
TitleDist. Org.  
FSC / Ave.  
MCA Symbol  
Preparing Agency  
DateCustodians  
Army  
Navy  
Air Force  
DIA

A-A-54124	FUROSEMIDE INJECTION, USP	A 6505 / MB	30-MAR-90	MD	MS	03
A-A-54125	ISOSUPRINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	30-MAR-90	MD	MS	03
A-A-54126	PIPET-DILUENT, BLOOD, LABORATORY REVIEWER: ES	A 6630 / MB	09-APR-90	MD	MS	03
A-A-54127	TUBE, DRYING, LABORATORY REVIEWER: ES	A 6640 / MB	16-APR-90	MD	MS	03
A-A-54128	DISPENSER, STRIP, DENTAL	A 6520 / MB	16-MAY-90	MD	MS	03
A-A-54129	DISSECTORS, GENERAL SURGICAL (CURVED, PENFIELD)	A 6515 / MB	11-APR-90	MD	MS	03
A-A-54130	FORCEPS, TISSUE, (CUSHING)	A 6515 / MB	12-APR-90	MD	MS	03
A-A-54131	RACK, HEMOSTATIC CLIP (MCKENZIE)	A 6515 / MB	17-APR-90	MD	MS	03
A-A-54132	CLAMP, PYLORUS (PAYR)	A 6515 / MB	18-APR-90	MD	MS	03
A-A-54133	CARYER, DENTAL (BIMANGLE, THARP NO. 1)	A 6520 / MB	30-APR-90	MD	MS	03
A-A-54134	FLURANDRENOLIDE LOTION, USP	A 6505 / MB	20-APR-90	MD	MS	03
A-A-54135	FERROUS SULFATE TABLETS, USP	A 6505 / MB	20-APR-90	MD	MS	03
A-A-54136	ISOPROTERENOL SULFATE INHALATION AEROSOL, USP	A 6505 / MB	20-APR-90	MD	MS	03
A-A-54137	IMIPRAMINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	20-APR-90	MD	MS	03
A-A-54138	ISONIAZID TABLETS, USP	A 6505 / MB	20-APR-90	MD	MS	03
A-A-54139	FENTANYL CITRATE INJECTION, USP	A 6505 / MB	20-APR-90	MD	MS	03
A-A-54140	HEPARIN SODIUM INJECTION, USP	A 6505 / MB	20-APR-90	MD	MS	03
A-A-54141	ANALYZER, INTRAVENOUS INFUSION PUMP	A 6515 / MB	20-APR-90	MD	MS	03
A-A-54142	MONITORING DEVICE, DENTAL X-RAY FILM	A 6525 / MB	15-JUN-90	MD	MS	03
A-A-54143	BLANKET, BED (COTTON, THERMAL WEAVE)	A 7210 / MB	15-JUN-90	MD	MS	03
A-A-54144	FORCEPS, UTERINE PACKING, CURVED, BOZEMAN, 10 INCH	A 6515 / MB	30-APR-90	MD	MS	03
A-A-54145	SCISSORS, GENERAL SURGICAL, CURVED, 6-1/2 INCH	A 6515 / MB	30-APR-90	MD	MS	03
A-A-54146	FORCEPS, LARYNGEAL, APPLICATING, JACKSON	A 6515 / MB	30-APR-90	MD	MS	03
A-A-54147	RONGEUR, CURVED, HARTMANN, 7-1/4 INCH	A 6515 / MB	30-APR-90	MD	MS	03
A-A-54148	RETRACTOR, MYSTRECTORY, HEARNEY, LARGE	A 6515 / MB	30-APR-90	MD	MS	03
A-A-54149	FORCEPS, NASAL SEPTUM, STRAIGHTENING, ASCH, 8-1/2 INCH	A 6515 / MB	30-APR-90	MD	MS	03
A-A-54150	SCISSORS, IRIS, CURVED, 4-7/8 INCH	A 6515 / MB	30-APR-90	MD	MS	03
A-A-54151	TUBE, CAPILLARY, MICROHEMATOCRIT	A 6640 / MB	07-MAY-90	MD	MS	03
A-A-54152	CLAMP, UMBILICAL CORD, PLASTIC	A 6515 / MB	15-MAY-90	MD	MS	03
A-A-54153	SHAW, NASAL (KRAUSE)	A 6515 / MB	16-MAY-90	MD	MS	02
A-A-54154	CATHETER AND NEEDLE UNIT, INTRAVENOUS, RADIOPAQUE, DISPOSABLE 50S (CATHETER INTO NEEDLE)	A 6515 / MB	17-MAY-90	MD	MS	03
A-A-54155	RETRACTOR, ORTHOPEDIC (5-1/2 INCH, SMILLIE)	A 6515 / MB	18-MAY-90	MD	MS	03
A-A-54156	HOLDER, SUTURE NEEDLE (HEARNEY)	A 6515 / MB	21-MAY-90	MD	MS	03
A-A-54158	RONGEUR, CURVED, 7 INCH (BEYER)	A 6515 / MB	23-MAY-90	MD	MS	03
A-A-54159	CLAMP, ARTERY, BULLDOG (DEBAKEY)	A 6515 / MB	24-MAY-90	MD	MS	03
A-A-54160	RETRACTOR, VAGINAL (SIMS)	A 6515 / MB	05-JUN-90	MD	MS	03
A-A-54161	FORCEPS, LARYNGEAL (JACKSON)	A 6515 / MB	06-JUN-90	MD	MS	03
A-A-54162	CUTTER-VACUUM, ORTHOPEDIC CAST (110/230 V, 50/60 HZ, AC)	A 6515 / MB	07-JUN-90	MD	MS	03
A-A-54163	CLIP, HEMOSTATIC, SILVER (MCKENZIE)	A 6515 / MB	08-JUN-90	MD	MS	03
A-A-54164	FLUCINOLONE ACETONIDE TOPICAL SOLUTION, USP	A 6505 / MB	31-MAY-90	MD	MS	03
A-A-54165	BUR, BONE, TUNGSTEN CARBIDE GENERAL SPECIFICATION FOR	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/1	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, TAPERED, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/2	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/3	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/4	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 2 MM HEAD DIAMETER, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/5	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5MM CUTTING LENGTH, TAPERED, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/6	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 19 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/7	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 1.5 MM HEAD DIAMETER, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/8	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 7.5 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/9	BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/10	BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/11	BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 8 MM CUTTING LENGTH, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/12	BUR, BONE, TUNGSTEN CARBIDE, OVAL CUTTING, 10 MM CUTTING LENGTH, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/13	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/14	BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/15	BUR, BONE, TUNGSTEN CARBIDE, BARREL CUTTING, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/16	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 3 MM HEAD DIAMETER, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/17	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/18	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 5 MM HEAD DIAMETER, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/19	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/20	BUR, BONE, TUNGSTEN CARBIDE, ROUND CUTTING, 4.0 MM HEAD DIAMETER, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/21	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 4.5 MM CUTTING LENGTH, STRAIGHT, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/22	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 10 MM CUTTING LENGTH, TAPERED, MEDIUM SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54165/23	BUR, BONE, TUNGSTEN CARBIDE, SIDE CUTTING, 12 MM CUTTING LENGTH, TAPERED, LONG SHANK	A 6515 / MB	12-APR-91	MD	MS	03
A-A-54166	DEXTROSE INJECTION, USP (LARGE VOLUME INJECTION FOR SINGLE DOSE INFUSION)	A 6505 / MB	31-MAY-90	MD	MS	03
A-A-54167	FORCEPS, EYE, UTILITY, ANGULAR, MUGENT	A 6515 / MB	31-MAY-90	MD	MS	03
A-A-54168	RETRACTOR, ORTHOPEDIC, HOFFMANN	A 6515 / MB	31-MAY-90	MD	MS	03
A-A-54169	MALOPROGIN TOPICAL SOLUTION, USP	A 6505 / MB	31-MAY-90	MD	MS	03
A-A-54170	GAGE, AMEROTID, SPHYGMOMANOMETER	A 6515 / MB	11-JUN-90	MD	MS	03
A-A-54171	CLINDAMYCIN HYDROCHLORIDE CAPSULES, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54172	DIPIVEFRIN HYDROCHLORIDE OPHTHALMIC SOLUTION, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54173	GRISOFULVIN TABLETS, ULTRAMICROSIZE, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54174	ERYTHROMYCIN TABLETS, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54175	COAL TAR GEL	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54176	DIBUCAINE OINTMENT, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54177	BETAMETHASONE VALERATE LOTION, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54178	BROMOCHLORIDE MESYLATE TABLETS, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54179	BETAMETHASONE VALERATE OINTMENT, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54180	ARTIFICIAL TEARS SOLUTION	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54181	FLUINSOLIDE NASAL SOLUTION, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54182	CETYLPYRIDINIUM CHLORIDE SOLUTION, ALCOHOLIC	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54183	CHEMPAPIRIN SODIUM, STERILE, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54184	DESOXIMETASONE CREAM, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54185	CHLOROPROMAZINE HYDROCHLORIDE INJECTION, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54186	CALCIUM GLUCONATE INJECTION, USP	A 6505 / MB	07-JUN-90	MD	MS	03
A-A-54187A	FREEZER, MECHANICAL, BLOOD PRODUCTS	A 4110 / MB	23-NOV-91	MD	MS	03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Doc / Chk Coordination Inactive Document Number	Document Title	Dist Smt FSC / Area NCS Symbol Preparing Acty Date	Custodian Army Navy Air Force DLA
A-A-54188	REFRIGERATOR, MECHANICAL, BIOLOGICALS	A 4110 / MB 15-JUN-90	MD MS 03
A-A-54189	SCRAPER, UTERINE, CERVICAL (AYRE, 7 INCH)	A 6515 / MB 14-JUN-90	MD MS 03
A-A-54190	HOLDER, BLOOD COLLECTING-DISPENSING BAG	A 6515 / MB 15-JUN-90	MD MS 03
A-A-54191	BAG, COMPRESSION, SPHYGMOMANOMETER	A 6515 / MB 19-JUN-90	MD MS 03
A-A-54192	GLYCOPYRROLATE TABLETS, USP	A 6505 / MB 15-JUN-90	MD MS 03
A-A-54193	PAD, POST-SURGICAL-OBSTETRICAL, BELTLESS, POSTPARTUM OR POSTOPERATIVE	A 6510 / MD 01-JUL-90	MD MS 03
A-A-54194	STOPPER, BOTTLE (RUBBER, SOLID)	A 6640 / MB 25-JUN-90	MD MS 03
A-A-54195	STOPPER SET, BOTTLE	A 6640 / MB 18-JUL-90	MD MS 03
A-A-54196	PIPET, SEROLOGICAL (PLASTIC, DISPOSABLE)	A 6640 / MB 25-JUN-90	MD MS 03
A-A-54197	SYRINGE, DENTAL, IMPRESSION MATERIAL	A 6520 / MB 27-JUN-90	MD MS 03
A-A-54198A	AIRWAY, PHARYNGEAL (BERMAN)	A 6515 / MB 27-MAR-92	MD MS 03
A-A-54199	CALIBRATING GAS MIXTURE	A 6830 / MB 25-JUN-90	MD MS 03
A-A-54200	CLAMP, ARTERY, DEBAKEY, ANGULAR JAWS, 7 INCH	A 6515 / MB 20-JUL-90	MD MS 03
A-A-54201	ISOPROPYL ALCOHOL, USP	A 6505 / MB 13-JUL-90	MD MS 03
A-A-54202	LIDOCAINE OINTMENT, USP	A 6505 / MB 29-JUN-90	MD MS 03
A-A-54203	DIGOXIN ELIXIR, USP	A 6505 / MB 30-NOV-90	MD MS 03
A-A-54205	STEREOSCOPE, VISION TESTING	A 6540 / MB 25-JUN-90	MD MS 03
A-A-54206	CATHETER, CARDIOVASCULAR (OCCLUSION)	A 6515 / MB 31-AUG-90	MD MS 03
A-A-54207	CATHETER, CARDIOVASCULAR (VENOUS THROMBECTOMY)	A 6515 / MB 10-SEP-90	MD MS 03
A-A-54208	SYRINGE, IRRIGATING (METAL, EAR, 2 OZ)	A 6515 / MB 18-JUL-90	MD MS 03
A-A-54209	FORCEPS, GAUZE PAD HOLDING (FOERSTER)	A 6515 / MB 19-JUL-90	MD MS 03
A-A-54210	SCISSORS, EYE (IRIS, STRABISMUS, TENOTOMY AND ENUCLEATION)	A 6515 / MB 07-NOV-90	MD MS 03
A-A-54210/1	SCISSORS, IRIS	A 6515 / MB 07-NOV-90	MD MS 03
A-A-54210/2	SCISSORS, STRABISMUS	A 6515 / MB 07-NOV-90	MD MS 03
A-A-54210/3	SCISSORS, TENOTOMY	A 6515 / MB 07-NOV-90	MD MS 03
A-A-54210/4	SCISSORS, ENUCLEATION	A 6515 / MB 07-NOV-90	MD MS 03
A-A-54211	CARVER, DENTAL, (BIMANGLE, CLEOID-DISCOID, NO. UMD-5)	A 6520 / MB 13-JUL-90	MD MS 03
A-A-54212	SHEET, BED (NONMOVING)	A 7210 / MB 31-JUL-90	MD MS 03
A-A-54213	SIMULATED BLOOD POWDER	A 6910 / MB 31-JUL-90	MD MS 03
A-A-54214	TABLE, ANESTHETIST'S	A 6530 / MB 31-JUL-90	MD MS 03
A-A-54215	SUPPORT, CERVICAL	A 6515 / MB 31-JUL-90	MD MS 03
A-A-54216	STAND, BASIN (CORROSION-RESISTING STEEL)	A 6530 / MB 31-JUL-90	MD MS 03
A-A-54217	REFRIGERATOR, MECHANICAL, BLOOD BANK	A 4110 / MB 31-JUL-90	MD MS 03
A-A-54219	CART, SURGICAL DRESSING (CORROSION-RESISTING STEEL)	A 6530 / MB 31-JUL-90	MD MS 03
A-A-54220	CLAMP, ARTERY, DEBAKEY, ANGULAR JAWS, 7 INCH	A 6515 / MB 20-JUL-90	MD MS 03
A-A-54221	FORCEPS, UTERINE ELEVATING, SOMER	A 6515 / MB 28-SEP-90	MD MS 03
A-A-54222	WATER BATH, ELECTRIC (MICROTOME TISSUE SPECIMEN SECTION MOUNTING)	A 6640 / MB 20-JUL-90	MD MS 03
A-A-54223	RETRACTOR, STERNAL, COOLEY, WITH WIDE CONCAVE BLADES	A 6515 / MB 30-JUL-90	MD MS 03
A-A-54224	FORCEPS, TISSUE, ADSON, 4-1/2 INCH	A 6515 / MB 30-JUL-90	MD MS 03
A-A-54225	FORCEPS, TISSUE, RUSSIAN, 6 INCH	A 6515 / MB 30-NOV-90	MD MS 03
A-A-54226	FORCEPS, TISSUE, MAYO-RUSSIAN	A 6515 / MB 31-JUL-90	MD MS 03
A-A-54227	DIATRIZOATE MEGALUMINE AND DIATRIZOATE SODIUM INJECTION, USP	A 6505 / MB 31-JUL-90	MD MS 03
A-A-54228	VIEWER, AGGLUTINATION, TEST TUBE	A 6640 / MB 27-JUL-90	MD MS 03
A-A-54229	BUPIVACAINE HYDROCHLORIDE INJECTION, USP	A 6505 / MB 31-JUL-90	MD MS 03
A-A-54230	FORCEPS, RUBBER DAM CLAMP, DENTAL	A 6520 / MB 13-AUG-90	MD MS 03
A-A-54231	PIN, TOOTH DIE	A 6520 / MB 14-AUG-90	MD MS 03
A-A-54232	CATHETER, CARDIOVASCULAR (ARTERIAL EMBOLECTOMY)	A 6515 / MB 05-SEP-90	MD MS 03
A-A-54233	CLAMP, IDNEY VESSEL, B-1/2 INCH (DOCKERBLAD)	A 6515 / MB 16-AUG-90	MD MS 03
A-A-54234	CURETTES, PERIODONTAL, DOUBLE-ENDED	A 6520 / MB 30-AUG-90	MD MS 03
A-A-54235A	SURGICAL PREPARATION KIT, DISPOSABLE, PRE-SURGICAL SHAVE TYPE, NONSTERILE	A 6515 / MB 20-NOV-91	MD MS 03
A-A-54236	RETRACTOR, MASTOID (WEITLAMER)	A 6515 / MB 07-SEP-90	MD MS 03
A-A-54237	RETRACTOR, GOITER (BECKHAM)	A 6515 / MB 10-SEP-90	MD MS 03
A-A-54238	RETRACTOR, LAMINECTOMY (MEYERDING)	A 6515 / MB 11-SEP-90	MD MS 03
A-A-54239	DRILL, WIRE-PASS, BONE	A 6515 / MB 27-AUG-90	MD MS 03
A-A-54240	FORCEPS, TISSUE, ALLIS, STRAIGHT, 6 INCH	A 6515 / MB 30-AUG-90	MD MS 03
A-A-54241	IRRIGATION KIT, CATHETER-NASOGASTRIC TUBE	A 6515 / MB 12-SEP-90	MD MS 03
A-A-54242	PROBE, CRYOSURGICAL, STRAIGHT, 1 MM TIP	A 6515 / MB 13-SEP-90	MD MS 03
A-A-54243	PROBE, CRYOSURGICAL, MICRO, CURVED, WITHOUT THERMOCOUPLE, 1 MM TIP	A 6515 / MB 14-SEP-90	MD MS 03
A-A-54244	FILES, PULP CANAL, DENTAL, (HEDSTROM)	A 6520 / MB 03-SEP-90	MD MS 03
A-A-54245	FORCEPS, GOITER, LAHEY, 6 INCH	A 6515 / MB 30-SEP-90	MD MS 03
A-A-54246	DISPENSER, FILTERING SOLVENT	A 6640 / MB 27-AUG-90	MD MS 99
A-A-54247	REMOVER, DENTAL CROWN (SIMPLEX)	A 6520 / MB 21-SEP-90	MD MS 03
A-A-54248	SUTURE REMOVAL KIT (DISPOSABLE)	A 6515 / MB 19-SEP-90	MD MS 03
A-A-54249	TUBES, NASAL FEEDING, SURGICAL, INFANT, DISPOSABLE	A 6515 / MB 20-SEP-90	MD MS 03
A-A-54250	IRON DEXTRAM INJECTION, USP	A 6505 / MB 31-AUG-90	MD MS 03
A-A-54251	LIGHT, SURGICAL, FIELD	A 6530 / MB 23-NOV-90	MD MS 03
A-A-54252	SURGICAL PACK, DISPOSABLE (ARTHROSCOPIC)	A 6530 / MB 21-SEP-90	MD MS 03
A-A-54253	LIDOCAINE HYDROCHLORIDE TOPICAL SOLUTION, USP	A 6505 / MB 14-SEP-90	MD MS 03
A-A-54254	KETAMINE HYDROCHLORIDE INJECTION, USP	A 6505 / MB 28-SEP-90	MD MS 03
A-A-54255	TABLE, EXAMINING AND TREATING (STEEL, CABINET TYPE)	A 6530 / MB 17-SEP-90	MD MS 03
A-A-54256	DIFFERENTIATION DISKS, MICROORGANISM	A 6550 / MB 28-SEP-90	MD MS 03
A-A-54257	ISOSORBIDE DINITRATE TABLETS, USP	A 6505 / MB 31-OCT-90	MD MS 03
A-A-54258	KETAMINE HYDROCHLORIDE INJECTION, USP VETERINARY	A 6505 / MB 28-SEP-90	MD MS 03
A-A-54259	ELEVATOR, PERIOSTEAL HAIGHT, 12 INCH	A 6515 / MB 15-OCT-90	MD MS 03
A-A-54260	BLADE, ORTHOPEDIC CAST CUTTER	A 6515 / MB 15-OCT-90	MD MS 03
A-A-54261A	ROMBER, ANGLED, LOVE-CRUMHOLD	A 6515 / MB 11-MAY-91	MD MS 03
A-A-54262	FORCEPS, EYE MUSCLE, ANGULAR (JAMESON)	A 6515 / MB 02-NOV-90	MD MS 03
A-A-54263	FORCEPS, TISSUE (POTTS-SMITH, DELICATE)	A 6515 / MB 01-NOV-90	MD MS 03
A-A-54264	RETRACTOR, GENERAL OPERATING, BLAIR, FOUR CURVED-PRONGS	A 6515 / MB 02-NOV-90	MD MS 03
A-A-54265	SAMPLING KIT, ARTERIAL BLOOD GAS	A 6515 / MB 11-OCT-90	MD MS 03
A-A-54266	SURFACER, OPHTHALMIC LENS	A 6540 / MB 12-OCT-90	MD MS 03
A-A-54267	PELVIMETER, MARTIN	A 6515 / MB 30-OCT-90	MD MS 03
A-A-54268	GENERATOR, GAS ENVELOPE	A 6640 / MB 26-OCT-90	MD MS 03
A-A-54269	GENERATOR, GAS ENVELOPE	A 6640 / MB 26-OCT-90	MD MS 03
A-A-54270	ELEVATORS, DENTAL, SURGICAL, GENERAL REQUIREMENTS FOR	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/1	ELEVATOR, ROOT	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/2	ELEVATOR, ROOT	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/3	ELEVATOR, ROOT	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/4	ELEVATOR, ROOT	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/5	ELEVATOR, ROOT	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/6	ELEVATOR, ROOT	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/7	ELEVATOR, ROOT	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/8	ELEVATOR, PERIOSTEAL	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54270/9	ELEVATOR, MALAR, IVY	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54271	CAMMULA, TRACHEOSTOMY, MODIFIED, JACKSON	A 6515 / MB 07-NOV-90	MD MS 03
A-A-54272	IMPRESSION MATERIAL, DENTAL, PASTE, VARIABLE VISCOSITY	A 6520 / MB 15-NOV-90	MD MS 03
A-A-54273	CEMENT, ZINC OXIDE AND EUGENOL, DENTAL (INTERMEDIATE RESTONATIVE MATERIAL)	A 6520 / MB 31-OCT-90	MD MS 03
A-A-54274	RETRACTOR, SPINAL (ADSON-BECKHAM)	A 6515 / MB 05-NOV-90	MD MS 03
A-A-54275	FORCEPS, NASAL (TAKAHASHI)	A 6515 / MB 06-NOV-90	MD MS 03
A-A-54276	FORCEPS, ENDOSCOPIC, GLOBULAR OBJECT GRASPING (JACKSON)	A 6515 / MB 07-NOV-90	MD MS 03
A-A-54277	RETRACTOR SET, GENERAL OPERATING	A 6515 / MB 31-OCT-90	MD MS 03
A-A-54278	BOTTLE, SCREW CAP	A 6640 / MB 31-OCT-90	MD MS 03
A-A-54279	FUNNEL, COMMON, LABORATORY (SMOOTH)	A 6640 / MB 31-OCT-90	MD MS 03
A-A-54280	SPECULUM, SIGMOID (PLASTIC, DISPOSABLE)	A 6515 / MB 14-NOV-90	MD MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Acct Qty / OMA Combination Invoice Document Number	Document Title	Dist. Smt. FSC / Ans MCA Symbol Preparing Acty Date	Custodian Army Navy Air Force DIA
A-A-54281	HOLDER, SUTURE NEEDLE (4-5/8 INCH, TROUTMAN)	A 6515 / MB 03-DEC-90	ND MS 03
A-A-54282	RACK, OPHTHALMIC LAP	A 6540 / MB 15-NOV-90	ND MS 03
A-A-54283	FORCEPS, BIOPSY, NASAL-ETHMOID, (WATSON-WILLIAMS)	A 6515 / MB 10-DEC-90	ND MS 03
A-A-54284	CHAIR, HOSPITAL WARD METAL	A 6530 / MB 23-NOV-90	ND MS 03
A-A-54285	TABLE, EXERCISER, PHYSICAL THERAPY	A 6530 / MB 23-NOV-90	ND MS 03
A-A-54286	SURGICAL PACK, DISPOSABLE (UNIVERSAL)	A 6530 / MB 23-NOV-90	ND MS 03
A-A-54287	SIMULATION, CASUALTY KIT	A 6910 / MB 23-NOV-90	ND MS 03
A-A-54288	MUMIDIFIER, OXYGEN	A 6515 / MB 23-NOV-90	ND MS 03
A-A-54289	DRAPE, SURGICAL (BREAST)	A 6530 / MB 23-NOV-90	ND MS 03
A-A-54290	ELEVATOR, ZYGOMA, DINGMAN, HEAVY DUTY	A 6515 / MB 11-DEC-90	ND MS 03
A-A-54291	BAG, BUCKSHOT	A 6530 / MB 23-NOV-90	ND MS 03
A-A-54292	BURS, DENTAL EXCAVATING (TUNGSTEN CARBIDE)	A 6520 / MB 30-NOV-90	ND MS 03
A-A-54293	STOPPER, BOTTLE (WHITE RUBBER)	A 6640 / MB 30-NOV-90	ND MS 03
A-A-54294	INSERT, HAMPIECE, DENTAL ULTRASONIC PROPHYLAXIS UNIT	A 6520 / MB 14-DEC-90	ND MS 03
A-A-54295A	TUBE, SUCTION, SURGICAL, PLASTIC, DISPOSABLE	A 6515 / MB 31-MAY-93	ND MS 03
A-A-54296	FIXATION DEVICE, EXTERNAL, ORTHOPEDIC	A 6515 / MB 14-NOV-90	ND MS 03
A-A-54297	NOREPINEPHRINE BITARTRATE INJECTION, USP	A 6505 / MB 30-NOV-90	ND MS 03
A-A-54298	VIAL, CRYOGENIC STORAGE	A 6640 / MB 14-DEC-90	ND MS 03
A-A-54299	AML, ORAL SURGERY, WIRE PASSING	A 6520 / MB 18-DEC-90	ND MS 03
A-A-54300	FORCEPS, CORNEAL (4-1/8 INCH, COLIBRI)	A 6515 / MB 13-DEC-90	ND MS 03
A-A-54301	SPECULUM, VAGINAL (GRAVES)	A 6515 / MB 14-DEC-90	ND MS 03
A-A-54302	SOUND, URETHRAL, CURVED, ADULT MALE	A 6515 / MB 08-JAN-91	ND MS 03
A-A-54303	FORCEPS, BRONCHOSCOPIC, BIOPSY, CANNULATED	A 6515 / MB 09-JAN-91	ND MS 03
A-A-54304	SHIELDS, EYE SURGICAL	A 6515 / MB 14-DEC-90	ND MS 03
A-A-54305	ETHYLENE OXIDE-DICHLORODIFLUOROMETHANE MIXTURE, FILLED CYLINDER	A 6505 / MB 01-APR-91	ND MS 03
A-A-54306	PERIOSTEOTOME	A 6515 / MB 17-DEC-90	ND MS 03
A-A-54307	TUBE, SPECIMEN (PINWORM, DISPOSABLE)	A 6640 / MB 14-DEC-90	ND MS 03
A-A-54308	BONE PLATE	A 6515 / MB 16-SEP-91	ND MS 03
A-A-54309	BANDAGE, CAST, POLYESTER FABRIC, RESIN IMPREGATED	A 6510 / MB 31-DEC-90	ND MS 03
A-A-54310	ELEVATOR, PERIOSTEAL (ADSON)	A 6515 / MB 14-FEB-91	ND MS 03
A-A-54311	SCISSORS, TENOTOMY	A 6515 / MB 08-MAR-91	ND MS 03
A-A-54312	CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE)	A 6520 / MB 21-JAN-91	ND MS 03
A-A-54315	CATHETERS, UMBILICAL	A 6515 / MB 11-JAN-91	ND MS 03
A-A-54316	DRILL, TWIST, BONE, ROUND SHAFT	A 6515 / MB 14-JAN-91	ND MS 03
A-A-54317	RETRACTOR, MASTOID (PEDIATRIC, 4-INCH, MULLSTEIN)	A 6515 / MB 15-JAN-91	ND MS 03
A-A-54318	PROBE SET, LACHRYMAL, WILLIAMS, SET OF 3	A 6515 / MB 15-JAN-91	ND MS 03
A-A-54319	CHISEL, BONE, FREER, STRAIGHT, 3/16 INCH	A 6515 / MB 15-JAN-91	ND MS 03
A-A-54320	ELEVATOR, EAR, BAYONET TYPE, CURVED BLADE (HOUSE)	A 6515 / MB 12-FEB-91	ND MS 03
A-A-54321	CASE, DENTAL INSTRUMENTS (STERILIZING AND STORAGE)	A 6520 / MB 21-JAN-91	ND MS 03
A-A-54322	BROAD, PULP CANAL, BARBET, STERILE	A 6520 / MB 04-FEB-91	ND MS 03
A-A-54324	AIRWAY, NASOPHARYNGEAL (ARGYLE)	A 6515 / MB 18-MAR-91	ND MS 03
A-A-54325	AIRWAY, PHARYNGEAL, RUBBER (GUEDEL)	A 6515 / MB 18-JAN-91	ND MS 03
A-A-54326	SPECULUM, RECTAL, 8-1/2 INCHES (PRATT)	A 6515 / MB 14-FEB-91	ND MS 03
A-A-54327	DRILL, TWIST, BONE (JACOBS CHUCK)	A 6515 / MB 05-FEB-91	ND MS 03
A-A-54328	ADAPTER, REAMER (HUDSON TO TRINKLE)	A 6515 / MB 12-APR-91	ND MS 03
A-A-54329	RETRACTOR, ANTRAL (DRUCK-LEVINE)	A 6515 / MB 12-APR-91	ND MS 03
A-A-54330	RETRACTOR, ABDOMINAL, RICHARDSON	A 6515 / MB 13-MAR-91	ND MS 03
A-A-54331	SCOOP, GALLSTONE, CYSTIC DUCT, MAYO	A 6515 / MB 12-APR-91	ND MS 03
A-A-54332	CLAMP, INTESTINAL ANASTOMOSIS (BEST, RIGHT ANGLE)	A 6515 / MB 12-APR-91	ND MS 03
A-A-54333	FORCEPS, KIDNEY PEDICLE, GUYON-PEAN	A 6515 / MB 22-APR-91	ND MS 03
A-A-54334	CELL WASHING SYSTEM	A 6640 / MB 04-FEB-91	ND MS 03
A-A-54335	PUMP, CIRCULATING	A 6640 / MB 04-FEB-91	ND MS 03
A-A-54336	CHART SET, ANATOMICAL	A 6910 / MB 14-FEB-91	ND MS 03
A-A-54337	SHEET, BED (COTTON-POLYESTER, WHITE, FITTED)	A 7210 / MB 14-FEB-91	ND MS 03
A-A-54338	STERILIZATION TEST AMPULES, BACTERIAL SPORE	A 6530 / MB 14-FEB-91	ND MS 03
A-A-54339	SURGICAL PACK, HEAD AND NECK, DISPOSABLE	A 6530 / MB 14-FEB-91	ND MS 03
A-A-54340	NEBULIZER, INHALATION THERAPY APPARATUS PLASTIC, JET TYPE	A 6515 / MB 14-FEB-91	ND MS 03
A-A-54341	BUR, DENTAL, EXCAVATING EXTRA LONG SHANK (STEEL)	A 6520 / MB 12-FEB-91	ND MS 03
A-A-54342	LOOP, INOCULATING, LABORATORY (QUANTITATIVE)	A 6640 / MB 04-FEB-91	ND MS 03
A-A-54343	LANCET, FINGER BLEEDING	A 6515 / MB 01-APR-91	ND MS 03
A-A-54344	CURETTE, ENDOMETRIAL BIOPSY (STRAIGHT, PLASTIC)	A 6515 / MB 30-APR-91	ND MS 03
A-A-54345	BATH, WATER, DENTAL IMPRESSION COMPOUND	A 6520 / MB 15-FEB-91	ND MS 03
A-A-54346	TUBING, GLASS (LABORATORY USE)	A 6640 / MB 28-FEB-91	ND MS 03
A-A-54347	MONITOR, FETAL HEART (WITH RECORDER)	A 6515 / MB 01-MAR-91	ND MS 03
A-A-54348	FORCEPS, UTERINE, STRAIGHT, BRAUN	A 6515 / MB 08-MAR-91	ND MS 03
A-A-54349	SCISSORS, NASAL, ANGULAR, KNIGHT, 6-1/4 INCH	A 6515 / MB 08-MAR-91	ND MS 03
A-A-54350	BOLT, TIBIAL	A 6515 / MB 08-MAR-91	ND MS 03
A-A-54351	SPECULUM, VAGINAL (PLASTIC)	A 6515 / MB 15-MAR-91	ND MS 03
A-A-54352	TUBE, CONNECTING, SURGICAL APPARATUS, GLASS	A 6515 / MB 08-MAR-91	ND MS 03
A-A-54353	FORCEPS, DRESSING, EYE, STRAIGHT, 4 INCH	A 6515 / MB 08-MAR-91	ND MS 03
A-A-54354	LOOP, EYE LENS, WILDER	A 6515 / MB 15-MAR-91	ND MS 03
A-A-54355	SPATULA, EYE (CASTROVIEJO)	A 6515 / MB 12-APR-91	ND MS 03
A-A-54356	FORCEPS, BONE HOLDING (CURVED)	A 6515 / MB 01-APR-91	ND MS 03
A-A-54357	FORCEPS, DRESSING, STRAIGHT, CUSHING, 7 INCH	A 6515 / MB 29-MAR-91	ND MS 03
A-A-54358	CALAMINE LOTION, USP	A 6505 / MB 22-MAR-91	ND MS 03
A-A-54359	MEDRYSONE OPHTHALMIC SUSPENSION, USP	A 6505 / MB 29-MAR-91	ND MS 03
A-A-54360	MYSTATIN CREAM, USP	A 6505 / MB 22-MAR-91	ND MS 03
A-A-54361	MYSTATIN VAGINAL TABLETS, USP	A 6505 / MB 22-MAR-91	ND MS 03
A-A-54362	OXACILLIN SODIUM CAPSULES, USP	A 6505 / MB 27-MAR-91	ND MS 03
A-A-54363	OXACILLIN SODIUM FOR ORAL SOLUTION, USP	A 6505 / MB 27-MAR-91	ND MS 03
A-A-54364	OXAZEPAN CAPSULES, USP	A 6505 / MB 29-MAR-91	ND MS 03
A-A-54366	CANISTER ASSEMBLY, SUCTION, SURGICAL (ONE CANISTER WITH FIFTY LINERS)	A 6515 / MB 15-APR-91	ND MS 03
A-A-54368	DEFIBRILLATOR AND CARDIOSCOPE (THREE LEAD, PORTABLE, WITH CHARGER)	A 6515 / MB 15-APR-91	ND MS 03
A-A-54369	DEFIBRILLATOR AND CARDIOSCOPE (12-LEAD, WITH RECORDER)	A 6515 / MB 15-APR-91	ND MS 03
A-A-54370	DRAPE, SURGICAL PLASTIC, DISPOSABLE	A 6530 / MB 15-APR-91	ND MS 03
A-A-54371	HEATER, HEAT TREATMENT PAD	A 6530 / MB 15-APR-91	ND MS 03
A-A-54372A	MASK, SURGICAL (PLEATED)	A 6515 / MB 15-JAN-93	ND MS 03
A-A-54373	ROBE, DRESSING (STRIPED SEERSUCKER)	A 6532 / MB 15-APR-91	ND MS 03
A-A-54374	CURING UNIT, DENTURE, ONE STAGE	A 6520 / MB 12-APR-91	ND MS 03
A-A-54375	FORCEPS, DRESSING, 3 1/2 INCH	A 6515 / MB 15-APR-91	ND MS 03
A-A-54376	GUIDE WIRE, CARDIOVASCULAR, CATHETER, (STERILE, DISPOSABLE, 50'S)	A 6515 / MB 22-APR-91	ND MS 03
A-A-54377	FILE, BONE, (DENTAL, DOUBLE-ENDED) SELDIN, NO. 11	A 6520 / MB 22-APR-91	ND MS 03
A-A-54378	CURETTE SET, ANTRUM, COAKLEY	A 6515 / MB 22-APR-91	ND MS 03
A-A-54379	SPECULUM, OTOSCOPE (PLASTIC, 4 MM, DISPOSABLE)	A 6515 / MB 22-APR-91	ND MS 03
A-A-54380	SPECULUM, EYE (GUYTON-PACK, NONMAGNETIC)	A 6515 / MB 22-APR-91	ND MS 03
A-A-54381	CRUTCH, CANE TYPE, ADJUSTABLE, CHILD	A 6515 / MB 22-APR-91	ND MS 03
A-A-54382	ANESTHESIA SET SPINAL (SADDLE BLOCK, DISPOSABLE)	A 6515 / MB 22-APR-91	ND MS 03
A-A-54383	FACE-BOW, ARTICULATOR, DENTAL	A 6520 / MB 10-JUN-91	ND MS 03
A-A-54385	GRIPPER, MESH, MAXILLOFACIAL IMPLANT	A 6515 / MB 22-APR-91	ND MS 03
A-A-54386	MICROSCOPE, OPTICAL (BINOCULAR, BRIGHFIELD)	A 6650 / MB 22-APR-91	ND MS 03
A-A-54387	MIRROR, MOUTH EXAMINING, (PLASTIC HANDLE, DISPOSABLE)	A 6520 / MB 22-APR-91	ND MS 03
A-A-54388	TUBE, TRACHEOSTOMY, DOUBLE CURV	A 6515 / MB 12-MAY-91	ND MS 03
A-A-54389	PROMETHAZINE HYDROCHLORIDE INJECTION, USP	A 6505 / MB 30-APR-91	ND MS 03
A-A-54390	MYSTATIN OINTMENT, USP	A 6505 / MB 30-APR-91	ND MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active Ordnance Code Inch Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Acty Date	Custodian Army Navy Air Force DLA
A-A-54391	CURING UNIT, DENTURE, TWO STAGE	A 6520 / MB 30-APR-91	MD MS 03
A-A-54392	HYDROXYPROGESTERONE CAPROATE INJECTION, USP	A 6505 / MB 30-APR-91	MD MS 03
A-A-54393	SCISSORS, CORNEAL, CASTROVIEJO	A 6515 / MB 17-MAY-91	MD MS 03
A-A-54394	CURETTE, UTERINE, BLUNT, THOMAS	A 6515 / MB 30-APR-91	MD MS 03
A-A-54395	GAG, DENHARDT	A 6515 / MB 30-APR-91	MD MS 03
A-A-54396	CURETTES, PERIODONTAL (MCALL)	A 6520 / MB 30-APR-91	MD MS 03
A-A-54397	TIP, DENTAL SUCTION APPARATUS, PLASTIC	A 6520 / MB 30-APR-91	MD MS 03
A-A-54398	CAVITY LINING AND THINNER SET, DENTAL NITROCELLULOSE BASE	A 6520 / MB 30-APR-91	MD MS 03
A-A-54399	SPECULUM, NASAL (VIENNA, 5-3/4 INCH)	A 6515 / MB 17-MAY-91	MD MS 03
A-A-54401	DILATOR SET, LACHRYMAL, NETTLESHIP-WILDER, SET OF 3	A 6515 / MB 17-MAY-91	MD MS 03
A-A-54402	EXTRACTOR AND LANCET, COMEDO (SAALFELD)	A 6515 / MB 17-MAY-91	MD MS 03
A-A-54403	INTRAUTERINE DEVICE, CONTRACEPTIVE	A 6515 / MB 22-MAY-91	MD MS 03
A-A-54404	LUMBAR PUNCTURE KIT, STERILE, DISPOSABLE	A 6515 / MB 29-MAY-92	MD MS 03
A-A-54405	SPECULUM, EYE (WEEKS, NONMAGNETIC, 3 INCH)	A 6515 / MB 22-MAY-91	MD MS 03
A-A-54406	TIP ASSORTMENT, UTERINE CANNULA (PLASTIC, DISPOSABLE)	A 6515 / MB 17-MAY-91	MD MS 03
A-A-54407	GOWN, OPERATING, SURGICAL	A 6532 / MB 17-MAY-91	MD MS 03
A-A-54408	BLOOD EXCHANGE-TRANSFUSION KIT, DISPOSABLE	A 6515 / MB 12-SEP-91	MD MS 03
A-A-54409	BLANKET, BURN, (WATER-GEL TYPE, 6 BY 5 FEET)	A 6510 / MB 14-JUN-91	MD MS 03
A-A-54410	HOLDER, SUTURE NEEDLE, COLLIER	A 6515 / MB 31-MAY-91	MD MS 03
A-A-54411	CURETTE, UTERINE, MALLEABLE, SHARP, SIMS	A 6515 / MB 31-MAY-91	MD MS 03
A-A-54412	CLAMP, BONE AND PLATE HOLDING, LOWMAN'S MODIFIED	A 6515 / MB 31-MAY-91	MD MS 03
A-A-54413	FORCEPS, EAR, BAYONET SHAPED, SEPARATED JAWS, LUCAS, 5-1/2 INCH	A 6515 / MB 31-MAY-91	MD MS 03
A-A-54414	FORCEPS, INTESTINAL (GLASSMAN)	A 6515 / MB 31-MAY-91	MD MS 03
A-A-54415	SNARE, TONSIL, TYDING	A 6515 / MB 14-JUN-91	MD MS 03
A-A-54416	PIN, BONE, STEINMANN, BAYONET AND TROCAR POINT	A 6515 / MB 15-JUN-91	MD MS 03
A-A-54417	SUSPENSORY, SCROTAL	A 6510 / MB 14-JUN-91	MD MS 03
A-A-54418	ADHESIVE TAPE, SURGICAL, (1 INCH BY 10 YARDS PERFORATED)	A 6510 / MB 28-JUN-91	MD MS 03
A-A-54419	GAUZE, PETROLATUM	A 6510 / MB 28-JUN-91	MD MS 03
A-A-54420	PACK, PETROLATUM GAUZE	A 6510 / MB 28-JUN-91	MD MS 03
A-A-54421	SKIN CLOSURE, ADHESIVE, SURGICAL (POROUS)	A 6510 / MB 28-JUN-91	MD MS 03
A-A-54422	PHOPHAGAIN HYDROCHLORIDE OPHTHALMIC SOLUTION, USP	A 6505 / MB 14-JUN-91	MD MS 03
A-A-54423	PROPYLTHIOURACIL TABLETS, USP	A 6505 / MB 14-JUN-91	MD MS 03
A-A-54424	ZINC OXIDE DINTMENT, USP	A 6505 / MB 14-JUN-91	MD MS 03
A-A-54425	CLAMPS, ARTERY, DEBAKEY, SHALLOM "H" JAWS	A 6515 / MB 14-JUN-91	MD MS 03
A-A-54426	ABRASIVE, DENTAL (PASTE, ALUMINUM OXIDE)	A 6520 / MB 17-JUN-91	MD MS 03
A-A-54427	MEASLES, MUMPS AND RUBELLA VIRUS VACCINE, LIVE USP	A 6505 / MB 28-JUN-91	MD MS 03
A-A-54428	DIPHTHERIA AND TETANUS TOXOIDS AND PERTUSSIS VACCINE, ADSORBED, USP	A 6505 / MB 28-JUN-91	MD MS 03
A-A-54429	BAG, PLASTIC	A 8105 / MB 29-JUL-88	MD MS 03
A-A-54430	PIPET, MEASURING (MOHR)	A 6640 / MB 14-JUN-91	MD MS 03
A-A-54431	LEUCOVORIN CALCIUM FOR INJECTION (FREEZE-DRIED)	A 6505 / MB 28-JUN-91	MD MS 03
A-A-54432	BOTTLE SET, PHYSICIAN'S SATCHEL	A 6515 / MB 25-JUN-91	MD MS 03
A-A-54433	CAP, OPERATING, SURGICAL	A 6532 / MB 25-JUN-91	MD MS 03
A-A-54434	DRAPE, OPERATING MICROSCOPE	A 6530 / MB 25-JUN-91	MD MS 03
A-A-54435	MASK, SURGICAL (NON-WOVEN FABRIC, POUCH)	A 6515 / MB 25-JUN-91	MD MS 03
A-A-54436	PAD, HEAT TREATMENT (ELECTRIC)	A 6530 / MB 25-JUN-91	MD MS 03
A-A-54437	PITCHER, CLINICAL SOLUTIONS (ALUMINUM)	A 6530 / MB 25-JUN-91	MD MS 03
A-A-54438	PRIMAQUINE PHOSPHATE TABLETS, USP	A 6505 / MB 28-JUN-91	MD MS 03
A-A-54439	PYRAMTEL PAMOATE ORAL SUSPENSION, USP	A 6505 / MB 28-JUN-91	MD MS 03
A-A-54440	PROCHLORPERAZINE EDISYLATE INJECTION, USP	A 6505 / MB 28-JUN-91	MD MS 03
A-A-54441	CEMENT, ZINC POLYCARBOXYLATE, DENTAL	A 6520 / MB 15-JUL-91	MD MS 03
A-A-54442	WIPPER-RONGUER, SUGARMAN	A 6520 / MB 10-JUL-91	MD MS 03
A-A-54443	PLATE, GROUNDING, ELECTROSURGICAL	A 6515 / MB 12-JUL-91	MD MS 03
A-A-54444	VENTILATOR, VOLUME, PORTABLE	A 6530 / MB 19-JUL-91	MD MS 03
A-A-54445	PASTE, PERIODONTAL PROTECTIVE, SURGICAL (SOFT DRESSING)	A 6520 / MB 15-JUL-91	MD MS 03
A-A-54446	APPLICATOR, POVIDONE-IODINE IMPREGNATED	A 6510 / MB 12-JUL-91	MD MS 03
A-A-54447	SEALANT KIT, DENTAL, PIT AND FISSURE	A 6520 / MB 19-JUL-91	MD MS 03
A-A-54448	ADENOTOME, LAFORCE	A 6515 / MB 31-JUL-91	MD MS 03
A-A-54449	CLAMP, ARTERY, BULLDOG, GLOVER	A 6515 / MB 25-JUL-91	MD MS 03
A-A-54450	CLAMP, BRONCHUS, DOUBLE CURVED, DAEMS, 9-1/2 INCH	A 6515 / MB 30-SEP-91	MD MS 03
A-A-54451	CLAMP, VENA CAVA, SATINSKY, LARGE, 10 INCH	A 6515 / MB 26-JUL-91	MD MS 03
A-A-54452	OXYTOCIN INJECTION, USP	A 6505 / MB 26-JUL-91	MD MS 03
A-A-54453	OXYMETAZOLINE HYDROCHLORIDE NASAL SOLUTION, USP	A 6505 / MB 26-JUL-91	MD MS 03
A-A-54454	PHENYLBUTAZONE TABLETS, USP	A 6505 / MB 26-JUL-91	MD MS 03
A-A-54455	PREDNISONE TABLETS, USP	A 6505 / MB 26-JUL-91	MD MS 03
A-A-54456	PREDNISOLONE ACETATE OPHTHALMIC SUSPENSION, USP	A 6505 / MB 16-AUG-91	MD MS 03
A-A-54457	WIRE, NONELECTRICAL, CORROSION RESISTING STEEL	A 6520 / MB 31-JUL-91	MD MS 03
A-A-54458	BURNISHER, DENTAL	A 6520 / MB 31-JUL-91	MD MS 03
A-A-54459	PANCRELIPASE CAPSULES, USP	A 6505 / MB 31-JUL-91	MD MS 03
A-A-54460	FORCEPS, GALLSTONE REMOVING, CURVED, ROCHESTER, 8-1/2 INCH	A 6515 / MB 31-JUL-91	MD MS 03
A-A-54461	RESTRAINT SET, WRIST AND ANKLE	A 6530 / MB 10-FEB-92	MD MS 03
A-A-54462	ELECTRODE, PACEMAKER	A 6515 / MB 30-AUG-91	MD MS 03
A-A-54463	PAPER, ELECTROCARDIOGRAPH RECORDING	A 6515 / MB 30-AUG-91	MD MS 03
A-A-54464	RONGEUR, DENTAL	A 6520 / MB 02-AUG-91	MD MS 03
A-A-54465	SYRINGE KIT, DENTAL IMPRESSION AND IRRIGATING	A 6520 / MB 15-AUG-91	MD MS 03
A-A-54466	HOOD, DENTAL LABORATORY (GRINDING AND POLISHING MACHINE)	A 6520 / MB 16-AUG-91	MD MS 03
A-A-54467	SPONGE, SURGICAL, GAUZE (COMPRESSED)	A 6510 / MB 30-SEP-91	MD MS 03
A-A-54468	ROLL, ABSORBENT	A 6510 / MB 30-SEP-91	MD MS 03
A-A-54469	NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SOLUTION, USP	A 6505 / MB 15-AUG-91	MD MS 03
A-A-54470	NEOMYCIN AND POLYMYXIN B SULFATES AND HYDROCORTISONE OTIC SUSPENSION, USP	A 6505 / MB 15-AUG-91	MD MS 03
A-A-54471	SPLINT, WIRE (MALLEABLE ALUMINUM)	A 6515 / MB 12-AUG-91	MD MS 03
A-A-54472	TIP, PIPET (PLASTIC, DISPOSABLE)	A 6640 / MB 12-AUG-91	MD MS 03
A-A-54473	CENTRIFUGE, LABORATORY (HEMATOLOGY)	A 6640 / MB 19-AUG-91	MD MS 03
A-A-54474	MICROSCOPE, SURGICAL (CO-OBSERVATION, BINOCULAR)	A 6515 / MB 23-AUG-91	MD MS 03
A-A-54475	REFRIGERATOR, MECHANICAL, BIOLOGICALS (BLOOD BANK)	A 4110 / MB 30-AUG-91	MD MS 03
A-A-54476	WATER QUALITY ANALYSIS SET (MBT)	A 6630 / MB 30-AUG-91	MD MS 03
A-A-54477	GUIDE, PUDENDAL NEEDLE, 5-1/2 INCH	A 6515 / MB 30-AUG-91	MD MS 03
A-A-54479	HEELS, ORTHOPEDIC, CAST	A 6515 / MB 30-AUG-91	MD MS 03
A-A-54480	MASK, FACE, ASEPTIC	A 6532 / MB 20-NOV-92	MD MS 03
A-A-54481	SHOE, WALKING CAST, CURVED, ROCKER SOLE	A 6532 / MB 30-AUG-91	MD MS 03
A-A-54482	PRIMIDONE TABLETS, USP	A 6505 / MB 30-SEP-91	MD MS 03
A-A-54484	HUMIDIFIER, INHALATION THERAPY APPARATUS (PLASTIC, DISPOSABLE, HEAT & MOISTURE EXCHANGER TYPE)	A 6515 / MB 30-AUG-91	MD MS 03
A-A-54485	BAGS, CONTAMINATED WASTE (PLASTIC)	A 6530 / MB 13-SEP-91	MD MS 03
A-A-54486	FILE, BONE, 3-1/2 INCH BLADE	A 6515 / MB 16-SEP-91	MD MS 03
A-A-54487	NEEDLE, HYPODERMIC, MALLEABLE, SPINAL PUNCTURE (LEMMON)	A 6515 / MB 09-SEP-91	MD MS 03
A-A-54488	VIBRATOR, DENTAL MOLDING (4 INCH PLATFORM)	A 6520 / MB 16-SEP-91	MD MS 03
A-A-54489	ILLUMINATOR SET, VAGINAL SPECULUM	A 6515 / MB 30-SEP-91	MD MS 03
A-A-54490	PAV, POVIDONE-IODINE, IMPREGNATED	A 6510 / MB 30-SEP-91	MD MS 03
A-A-54491	CANNULA, TRACHEOTOMY, UNIVERSITY OF KANSAS DESIGN	A 6515 / MB 30-SEP-91	MD MS 03
A-A-54492	PETROLATUM, WHITE, USP	A 6505 / MB 30-SEP-91	MD MS 03
A-A-54493	MELIZINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB 30-AUG-91	MD MS 03
A-A-54494	PANCURONIUM BROMIDE INJECTION	A 6505 / MB 30-SEP-91	MD MS 03
A-A-54495	SUPPORTS, LEG GOLF (ELASTIC, SEAMLESS)	A 6515 / MB 25-SEP-91	MD MS 03
A-A-54496	PACEMAKER, CARDIAC NON-INVASIVE, TEMPORARY, DESK TOP TYPE	A 6515 / MB 25-SEP-91	MD MS 03



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active  
GSA / OMA  
Combinator  
Inches  
Document  
Number

Document  
Title

Doc. Num.  
FSC / Ave.  
MCA Symbol  
Preparing Acty  
Date

Custodians  
Army  
Navy  
Air Force  
DLA

Active GSA / OMA Combinator Inches Document Number	Document Title	Doc. Num. FSC / Ave. MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
A-A-54497	PAD, PRESSURE POINT, PHYSICOTHERAPEUTIC (EGGCRATE STYLE FOAM PAD)	A 6530 / MB 25-SEP-91	MD MS 03
A-A-54498	BETAMETHASONE DIPHOPIONATE CREAM, USP	A 6505 / MB 30-SEP-91	MD MS 03
A-A-54499	CLINDAMYCIN PHOSPHATE TOPICAL SOLUTION, USP	A 6505 / MB 30-SEP-91	MD MS 03
A-A-54500	CALCIUM CHLORIDE INJECTION, USP	A 6505 / MB 15-OCT-91	MD MS 03
A-A-54501	PENICILLIN V POTASSIUM TABLETS, USP	A 6505 / MB 15-OCT-91	MD MS 03
A-A-54502	MEPERIDINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB 15-OCT-91	MD MS 03
A-A-54503	SCISSORS, COLLAR AND CROWN	A 6520 / MB 22-OCT-91	MD MS 03
A-A-54504	ANALYZER, BLOOD GAS	A 6630 / MB 18-OCT-91	MD MS 03
A-A-54505	RIFAMPIN CAPSULES, USP	A 6505 / MB 30-OCT-91	MD MS 03
A-A-54506	METHICILLIN SODIUM FOR INJECTION, USP	A 6505 / MB 30-OCT-91	MD MS 03
A-A-54507	WAX, DENTAL, BITE, METAL IMPREGATED	A 6520 / MB 01-NOV-91	MD MS 03
A-A-54508	BURS, BONE SURGERY ("J" NOTCHED)	A 6515 / MB 08-NOV-91	MD MS 03
A-A-54509	TESTER, 5-LASH POINT, CLOSED-TYPE (120 VOLT, 50/60 HZ. AC)	A 6630 / DM 01-NOV-91	MD MS 03
A-A-54510	WITROLYCERIN OINTMENT, USP	A 6505 / MB 15-NOV-91	MD MS 03
A-A-54511	SCISSORS, GENERAL SURGICAL, NELSON, 9 INCH	A 6515 / MB 25-NOV-91	MD MS 03
A-A-54512	FORCEPS, TONSIL SEIZING, ALLIS-COMLEY	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54513	SCISSORS, BANDAGE, ANGULAR, LISTER	A 6515 / MB 06-MAR-92	MD MS 03
A-A-54514	FORCEPS, TONGUE, BACKHUS	A 6515 / MB 25-NOV-91	MD MS 03
A-A-54515	Pilocarpine ocular system, USP	A 6505 / MB 15-JAN-92	MD MS 03
A-A-54516	MANTOL INJECTION, USP	A 6505 / MB 15-NOV-91	MD MS 03
A-A-54517	POTASSIUM CHLORIDE ORAL SOLUTION, USP	A 6520 / MB 12-NOV-91	MD MS 03
A-A-54518	PASTE, PERIODONTAL PROTECTIVE, SURGICAL (MEDIUM FIRM DRESSING)	A 6685 / DM 12-NOV-91	MD MS 03
A-A-54519	THERMOMETER, SELF-INDICATING, LIQUID IN GLASS (BLOOD BANK)	A 6685 / DM 12-NOV-91	MD MS 03
A-A-54520	THERMOMETER, SELF-INDICATING, BIMETALLIC	A 6505 / MB 15-NOV-91	MD MS 03
A-A-54521	SULFACETAMIDE, SULFABENZAMIDE, SULFATHIAZOLE AND UREA CREAM	A 6515 / MB 30-NOV-91	MD MS 03
A-A-54522	SCREWDRIVER, BONE SCREW (HEXAGONAL SOCKET)	A 6505 / MB 15-NOV-91	MD MS 03
A-A-54523	MYSTATIN ORAL SUSPENSION, USP	A 4110 / MB 23-NOV-91	MD MS 03
A-A-54524	CUP, EARPHONE, AUDIOMETER	A 6530 / MB 25-NOV-91	MD MS 03
A-A-54525	FREEZER, MECHANICAL, BLOOD PRODUCTS	A 6530 / MB 23-NOV-91	MD MS 03
A-A-54526	INDICATOR, STERILIZATION	A 6515 / MB 23-NOV-91	MD MS 03
A-A-54527	PAD, ELECTRODE, DEFIBRILLATOR	A 6530 / MB 23-NOV-91	MD MS 03
A-A-54528	SURGICAL PACK, DISPOSABLE	A 6520 / MB 23-NOV-91	MD MS 03
A-A-54529	ULTRASONIC CLEANING SYSTEM, DENTAL	A 6530 / MB 25-OCT-91	MD MS 03
A-A-54530	SURGICAL PACK, DISPOSABLE	A 6505 / MB 25-NOV-91	MD MS 03
A-A-54531	SULFACETAMIDE SODIUM OPHTHALMIC OINTMENT, USP	A 6505 / MB 25-NOV-91	MD MS 03
A-A-54532	SECODARBITAL SODIUM CAPSULES, USP	A 6515 / MB 25-NOV-91	MD MS 03
A-A-54533	FORCEPS, INTESTINAL, STRAIGHT, BABCOCK	A 6515 / MB 25-NOV-91	MD MS 03
A-A-54534	CURRET, EYE, KNAPP, 5 INCH	A 6515 / MB 25-NOV-91	MD MS 03
A-A-54535	RETRACTOR, MASTOID, JANSEN, 3-VS-3, BLUNT PRONGS	A 6515 / MB 25-NOV-91	MD MS 03
A-A-54536	RETRACTOR, EYELID, NONMAGNETIC, DESMARRES, 5-1/2 INCH	A 6515 / MB 31-DEC-91	MD MS 03
A-A-54537	FORCEPS, FIXATION, STRAIGHT, NONMAGNETIC, 4-1/2 INCH	A 6515 / MB 25-NOV-91	MD MS 03
A-A-54538	INJECTOR, TUBE, PLASTIC, REUSABLE	A 6515 / MB 20-DEC-91	MD MS 03
A-A-54539	FORCEPS, HYSTERECTOMY, STRAIGHT (BALLETINE)	A 6515 / MB 12-MAR-93	MD MS 03
A-A-54540	RETRACTOR, EYELID, (JAEGER, 3-1/2 INCH)	A 6515 / MB 20-DEC-91	MD MS 03
A-A-54541	SPREADER, PLASTIC CAST (STRYKER)	A 6515 / MB 06-DEC-91	MD MS 03
A-A-54542	CANNULA, ESOPHAGEAL, ASPIRATING, CURVED, JACKSON, 4 MM DIAMETER	A 6515 / MB 15-JAN-93	MD MS 03
A-A-54543	FORCEPS, HYSTERECTOMY, HEANEY	A 6515 / MB 28-FEB-92	MD MS 03
A-A-54544	FORCEPS, BONE HOLDING (SELF-CENTERING)	A 6515 / MB 20-MAR-92	MD MS 03
A-A-54545	FORCEPS, INTESTINAL, (DOYEN)	A 6515 / MB 30-APR-92	MD MS 03
A-A-54546	FORCEPS, TONGUE, NONPERFORATING	A 6515 / MB 28-FEB-92	MD MS 03
A-A-54547	FORCEPS, OBSTETRICAL, LUTKART-MCLEAN	A 6515 / MB 20-MAR-92	MD MS 03
A-A-54548	FORCEPS, CONJUNCTIVAL, STRAIGHT, NONMAGNETIC	A 6515 / MB 20-MAR-92	MD MS 03
A-A-54549	ROMEUR, CURVED, BAME, 7 INCH	A 6515 / MB 20-MAR-92	MD MS 03
A-A-54550	TUBING, ASSEMBLY, BAG, ASEPTIC SOLUTION	A 6515 / MB 20-DEC-91	MD MS 03
A-A-54551	POUCH, LIQUID ABSORBENT (BREAK OPEN TYPE)	A 6530 / MB 20-DEC-91	MD MS 03
A-A-54552	POUCH, LIQUID ABSORBENT	A 6530 / MB 20-DEC-91	MD MS 03
A-A-54553	MASK, SURGICAL	A 6515 / MB 31-DEC-91	MD MS 03
A-A-54554	SAW, FINGER RING	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54555	SPONGE, LAPAROTOMY	A 6510 / MB 15-DEC-91	MD MS 03
A-A-54556	BAG, SPECIMEN	A 6530 / MB 20-DEC-91	MD MS 03
A-A-54557	ELECTRODE, PACEMAKER	A 6515 / MB 24-DEC-91	MD MS 03
A-A-54558	BURN CARE KIT, MEDICAL	A 6515 / MB 24-JAN-92	MD MS 03
A-A-54559	BEAKER, WATER	A 6530 / MB 24-JAN-92	MD MS 03
A-A-54560	SELENIUM SULFIDE LOTION, USP	A 6505 / MB 31-DEC-91	MD MS 03
A-A-54561	SPIRONOLACTONE TABLETS, USP	A 6505 / MB 31-DEC-91	MD MS 03
A-A-54562	SODIUM FLUORIDE TABLETS, USP	A 6505 / MB 31-DEC-91	MD MS 03
A-A-54563	LIDOCAINE HYDROCHLORIDE JELLY, USP	A 6505 / MB 31-DEC-91	MD MS 03
A-A-54564	SPIRONOLACTONE AND HYDROCHLOROTHIAZIDE TABLETS	A 6505 / MB 31-DEC-91	MD MS 03
A-A-54565	SULFAXOZOLE TABLETS, USP	A 6505 / MB 17-JAN-92	MD MS 03
A-A-54566	SULFACETAMIDE SODIUM OPHTHALMIC SOLUTION, USP	A 6505 / MB 17-JAN-92	MD MS 03
A-A-54567	SPECULUM, VAGINAL, PLASTIC	A 6515 / MB 24-JAN-92	MD MS 03
A-A-54568	SCISSORS, TENOTOMY, CURVED, WESTCOTT, 4-1/2 INCH	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54569	FORCEPS, MEMOSTATIC, COARCTATION, STRAIGHT, 8-3/4 INCH	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54570	HOLDER, SUTURE NEEDLE, BROWN	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54571	HOLDER, SUTURE NEEDLE (MEGAN-MAYO)	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54572	RETRACTOR, TRACHEAL, HUPP	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54573	SCISSORS-DAGGER, TRACHEOTOMY, UNIVERSITY OF KANSAS DESIGN, CURVED BLADES, 5-3/16 INCH LONG	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54574	FORCEPS, BULLETS EXTRACTING, SENN, 8 INCH	A 6515 / MB 17-JAN-92	MD MS 03
A-A-54575	DRAINING KIT, CLOSED SUCTION JACKSON-PHATT	A 6515 / MB 24-JAN-92	MD MS 03
A-A-54576	AUDIOMETER	A 6515 / MB 24-JAN-92	MD MS 03
A-A-54577	BAG, SPECIMEN	A 6530 / MB 20-JAN-92	MD MS 03
A-A-54578	SUCCINYLCHOLINE CHLORIDE, STERILE, USP	A 6505 / MB 24-JAN-92	MD MS 03
A-A-54579	INSTRUMENT SET, SURGICAL, DISSECTION, VITREORETINAL	A 6515 / MB 28-FEB-92	MD MS 03
A-A-54580	FILES, PULP CANAL, DENTAL (RHOMBOIDAL)	A 6520 / MB 20-APR-92	MD MS 03
A-A-54581	SPECTINOMYCIN HYDROCHLORIDE, STERILE, USP	A 6505 / MB 31-JAN-92	MD MS 03
A-A-54582	LABEL (FOUR PART, TAMPER EVIDENT)	A 7530 / MB 03-FEB-92	MD MS 03
A-A-54583	RAZOR, SURGICAL PREPARATION	A 6515 / MB 10-FEB-92	MD MS 03
A-A-54584	SCISSORS, BANDAGE, ANGULAR, 7-1/4 INCH	A 6515 / MB 14-FEB-92	MD MS 03
A-A-54585	THIABENDAZOLE ORAL SUSPENSION, USP	A 6505 / MB 14-FEB-92	MD MS 03
A-A-54586	SUPPORT, CERVICAL	A 6515 / MB 10-FEB-92	MD MS 03
A-A-54587	TAPES, SEALING, STERILIZATION INDICATOR	A 6530 / MB 16-APR-93	MD MS 03
A-A-54588	MEOMYCIN AND POLYMYXIN B SULFATES, BACITRACIN ZINC, AND HYDROCORTISONE	A 6505 / MB 14-FEB-92	MD MS 03
A-A-54589	OPHTHALMIC OINTMENT, USP		
A-A-54590	TETRACALINE AND MENTHOL OINTMENT, USP	A 6505 / MB 14-FEB-92	MD MS 03
A-A-54591	TETRACYCLINE HYDROCHLORIDE CAPSULES	A 6505 / MB 14-FEB-92	MD MS 03
A-A-54592	ROLL, COTTON TAPE, (RADIOPAQUE)	A 6510 / MB 14-FEB-92	MD MS 03
A-A-54593	CEPHRADINE CAPSULES, USP	A 6505 / MB 14-FEB-92	MD MS 03
A-A-54594	CHLORPHENAMIDE TABLETS, USP	A 6505 / MB 14-FEB-92	MD MS 03
A-A-54595	CURETTE, PERIODONTAL (COLUMBIA)	A 6520 / MB 28-FEB-92	MD MS 03
A-A-54596	STERILIZER, SURGICAL INSTRUMENT AND DRESSING	A 6530 / MB 06-MAR-92	MD MS 03
A-A-54597	CLIPPER, HAIR, AND BLADE SETS (SMALL ANIMAL) REVIEWER: CS	A 3770 / MB 06-MAR-92	MD MS 03
A-A-54598	BANDS, PERSONAL IDENTIFICATION	A 6530 / MB 06-MAR-92	MD MS 03
A-A-54599	ULTRASONIC PROPHYLAXIS UNIT, DENTAL, PORTABLE	A 6520 / MB 20-MAR-92	MD MS 03
A-A-54600			



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active GPO / OMA Combination Inches Document Number	Document Title	Doc. Smt. FSC / Ave MCA Symbol	Preparing Date	Custodians			
				Army	Navy	AF Force	DLA
A-A-54602	STOCKINET, SURGICAL (COTTON, 25 YARDS, ROLLED) .....	A 6510 / MB	30-MAR-92	MD	MS	03	
A-A-54603	SULFUR AND SALICYLIC ACID CREAM .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54604	TROPICAMIDE OPHTHALMIC SOLUTION, USP .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54605	TRIMETHOBENZAMIDE HYDROCHLORIDE AND BENZOCAINE SUPPOSITORIES .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54606	THEOPHYLLINE AND GUAFENESIN CAPSULES .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54607	TETRAHYDROZOLINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54608	SILVER NITRATE APPLICATORS .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54609	SULFISOXAZOLE ACETYL ORAL SUSPENSION, USP .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54610	TETRACYCLINE ORAL SUSPENSION, USP .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54611	TETRACALINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54612	TEST KIT, HUMAN CHORIONIC GONADOTROPIN DETERMINATION .....	A 6550 / MB	20-MAR-92	MD	MS	03	
A-A-54613	TEST KIT, BILIRUBIN DETERMINATION .....	A 6550 / MB	20-MAR-92	MD	MS	03	
A-A-54614	SODIUM PHOSPHATES ENEMA, USP .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54615	FORCEPS, BIOPSY, UTERINE, GAYLOR, THOMS MODIFICATION .....	A 6515 / MB	20-MAR-92	MD	MS	03	
A-A-54616	FORCEPS, BONE HOLDING, STRAIGHT, LANE .....	A 6515 / MB	20-MAR-92	MD	MS	03	
A-A-54617	SCISSORS, TENOTOMY, SUB-MINIATURE .....	A 6515 / MB	20-MAR-92	MD	MS	03	
A-A-54618	CURETTE, CHALAZION, MEYHOEFER .....	A 6515 / MB	19-JUN-92	MD	MS	03	
A-A-54619	SCISSORS, NASAL, FORMON .....	A 6515 / MB	20-MAR-92	MD	MS	03	
A-A-54620	ARTHROSCOPIC SYSTEM, SURGICAL, 4 MM .....	A 6515 / MB	21-AUG-92	MD	MS	03	
A-A-54621	SUCCINYLCHOLINE CHLORIDE INJECTION, USP .....	A 6505 / MB	20-MAR-92	MD	MS	03	
A-A-54622	ARTHROGRAM KIT, DISPOSABLE, 10S .....	A 6515 / MB	31-MAR-92	MD	MS	03	
A-A-54623	MASK, TRACHEOSTOMY, PLASTIC, DISPOSABLE .....	A 6515 / MB	30-APR-92	MD	MS	03	
A-A-54624	LAMP, INCANDESCENT .....	A 6240 / MB	17-APR-92	MD	MS	03	
A-A-54625	CUTTER, ORTHOPEDIC CAST, STRYKER, 110 VOLT, AC-DC .....	A 6515 / MB	15-APR-92	MD	MS	03	
A-A-54626	LANCE KIT, FINGER BLEEDING .....	A 6515 / MB	20-APR-92	MD	MS	03	
A-A-54627	FORCEPS EAR, HARTMAN-HERZFELD, STRAIGHT .....	A 6515 / MB	30-APR-92	MD	MS	03	
A-A-54628	SLIDE, MICROSCOPE (PLAIN) .....	A 6640 / MB	17-APR-92	MD	MS	03	
A-A-54629	BLANKET, BURN RELIEF .....	A 6532 / MB	30-APR-92	MD	MS	03	
A-A-54630	DISPENSER, SCRUB BRUSH .....	A 7920 / MB	30-APR-92	MD	MS	03	
A-A-54631	STRAP, ABDOMINAL, TRANSDUCER .....	A 6515 / MB	30-APR-92	MD	MS	03	
A-A-54632	HOLSTER KIT, PHYSICIAN, COMPARTMENTED .....	A 6515 / MB	30-APR-92	MD	MS	03	
A-A-54633	CATHETERIZATION SET, CARDIOVASCULAR .....	A 6515 / MB	30-MAY-92	MD	MS	02	
A-A-54634	TRETINOIN CREAM, USP .....	A 6505 / MB	30-APR-92	MD	MS	03	
A-A-54635	TOLNAFTATE CREAM, USP .....	A 6505 / MB	30-APR-92	MD	MS	02	
A-A-54636	TOLNAFTATE TOPICAL SOLUTION, USP .....	A 6505 / MB	30-APR-92	MD	MS	03	
A-A-54637	UNDECYLENIC ACID OINTMENT, COMPOUND, USP .....	A 6505 / MB	15-MAY-92	MD	MS	03	
A-A-54638	SHAMPOO, MEDICATED, COAL TAR EXTRACT, SALICYLIC ACID, AND SULFUR .....	A 6505 / MB	30-APR-92	MD	MS	03	
A-A-54639	FORCEPS, IRIS, GRAEFE .....	A 6515 / MB	30-APR-92	MD	MS	03	
A-A-54640	FORCEPS, EAR, SERRATED JAWS, HARTMANN .....	A 6515 / MB	30-APR-92	MD	MS	03	
A-A-54641	FORCEPS, LUNG GRASPING, COLLIN, 8 INCH .....	A 6515 / MB	30-APR-92	MD	MS	03	
A-A-54642	SLIPPERS, CONVALESCENT PATIENT'S (POLYURETHANE FOAM, DISPOSABLE) .....	A 6532 / MB	17-MAY-92	MD	MS	03	
A-A-54643	DEFIBRILLATOR/ECG MONITOR-RECORDER (WITH EXTERNAL NON-INVASIVE CARDIAC PACING CASSETTE) .....	A 6515 / MB	17-MAY-92	MD	MS	03	
A-A-54644	METHYLERGOMOVINE MALEATE INJECTION, USP .....	A 6505 / MB	30-APR-92	MD	MS	03	
A-A-54645	PENTOBARBITAL SODIUM INJECTION, USP .....	A 6505 / MB	30-APR-92	MD	MS	03	
A-A-54646A	SUCTION SET, TRACHEAL .....	A 6515 / MB	19-FEB-93	MD	MS	03	
A-A-54647	WIRE, BONE, KIRSCHNER .....	A 6515 / MB	22-MAY-92	MD	MS	03	
A-A-54648	PENTAZOCINE AND NALOXONE HYDROCHLORIDES TABLETS, USP .....	A 6505 / MB	15-MAY-92	MD	MS	03	
A-A-54649	BONE PLATE, NARROW .....	A 6515 / MB	15-MAY-92	MD	MS	03	
A-A-54650	CRANIOTOME SET, NEUROSURGICAL AIR POWERED .....	A 6515 / MB	15-MAY-92	MD	MS	03	
A-A-54652	CATHETER, URETHRAL, X-RAY, WHISTLE TIP .....	A 6515 / MB	30-MAY-92	MD	MS	03	
A-A-54653	TOLBUTAMIDE TABLETS, USP .....	A 6505 / MB	15-MAY-92	MD	MS	03	
A-A-54654	DEXAMETHASONE SODIUM PHOSPHATE INJECTION, USP .....	A 6505 / MB	29-MAY-92	MD	MS	03	
A-A-54655	DISSECTOR, SURGICAL (KITTNER) .....	A 6510 / MB	15-MAY-92	MD	MS	03	
A-A-54656	IMERSION OIL, MICROSCOPY .....	A 6640 / MB	15-MAY-92	MD	MS	03	
A-A-54657	CURING SYSTEM, DENTAL, VISIBLE LIGHT .....	A 6520 / MB	29-MAY-92	MD	MS	03	
A-A-54658	CRUTCH, ALUMINUM, CAN TYPE, ADJUSTABLE .....	A 6515 / MB	30-MAY-92	MD	MS	03	
A-A-54659	TRIFLUOPERAZINE HYDROCHLORIDE TABLETS, USP .....	A 6505 / MB	22-MAY-92	MD	MS	03	
A-A-54660	TRIAMCINOLONE ACETONIDE DENTAL PASTE, USP .....	A 6505 / MB	22-MAY-92	MD	MS	03	
A-A-54661	THYROID TABLETS, USP .....	A 6505 / MB	22-MAY-92	MD	MS	03	
A-A-54662	TEST STRIPS AND COLOR CHART, URINARY GLUCOSE AND PROTEIN .....	A 6550 / MB	22-MAY-92	MD	MS	03	
A-A-54663	SULFAMETHOXAZOLE AND TRIMETHOPRIM TABLETS, USP .....	A 6505 / MB	22-MAY-92	MD	MS	03	
A-A-54664	NEEDLE, HYPODERMIC, CARTRIDGE TYPE, DISPOSABLE .....	A 6515 / MB	29-MAY-92	MD	MS	03	
A-A-54665	FORCEPS, OBSTETRICAL, PIPER, 17-1/2 INCH .....	A 6515 / MB	29-MAY-92	MD	MS	03	
A-A-54666	FORCEPS, BONE CUTTING, STRAIGHT, LISTON, 8-3/4 INCH .....	A 6515 / MB	29-MAY-92	MD	MS	03	
A-A-54668	FORCEPS, OBSTETRICAL, SIMPSON .....	A 6515 / MB	29-MAY-92	MD	MS	03	
A-A-54669	FORCEPS, HEMOSTATIC CLIP, APPLYING, SMITHWICK .....	A 6515 / MB	29-MAY-92	MD	MS	03	
A-A-54670	PLUGGER, COMPOSITE RESIN, (DR. FELT, DOUBLE-ENDED) .....	A 6520 / MB	15-JUN-92	MD	MS	03	
A-A-54671	INHALER, MEDICAMENT, PLASTIC .....	A 6515 / MB	15-JUN-92	MD	MS	03	
A-A-54672	ANESTHESIA KIT, LARYNGOTRACHEAL, DISPOSABLE .....	A 6515 / MB	15-JUN-92	MD	MS	03	
A-A-54673	DRAIN, SURGICAL, RUBBER, WHISTLE TIP, RIGHT ANGLE, 13 INCHES LONG, 3-1/2 INCH LEG .....	A 6515 / MB	15-JUN-92	MD	MS	03	
A-A-54674	BOX, PATHOLOGICAL SPECIMEN SHIPPING, INSULATED .....	A 8115 / MB	22-JUN-92	MD	MS	03	
A-A-54675	BAND AND BAND SET, MATRIX, DENTAL, TOFFLEMIRE .....	A 6520 / MB	19-JUN-92	MD	MS	03	
A-A-54676	SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, TUBERCULIN .....	A 6515 / MB	19-JUN-92	MD	MS	03	
A-A-54677	TOLNAFTATE POWDER, USP .....	A 6505 / MB	19-JUN-92	MD	MS	03	
A-A-54678	SIMETHICONE TABLETS, USP .....	A 6505 / MB	17-JUL-92	MD	MS	03	
A-A-54679	NEOMYCIN AND POLYMYXIN B SULFATES AND BACITRACIN ZINC OPHTHALMIC OINTMENT, USP .....	A 6505 / MB	19-JUN-92	MD	MS	03	
A-A-54680	NEOMYCIN SULFATE AND BACITRACIN OINTMENT, USP .....	A 6505 / MB	19-JUN-92	MD	MS	03	
A-A-54681	ROMEUR, ANGULAR, STILLE, 8-3/4 INCH .....	A 6515 / MB	19-JUN-92	MD	MS	03	
A-A-54682	FORCEPS, TISSUE, DEBAKEY .....	A 6515 / MB	19-JUN-92	MD	MS	03	
A-A-54683	HOLDER, SUTURE NEEDLE, DEBAKEY .....	A 6515 / MB	19-JUN-92	MD	MS	03	
A-A-54684	CONTRACTOR, RIB, BAILEY .....	A 6515 / MB	19-JUN-92	MD	MS	03	
A-A-54685	TROCAR, COAKLEY, ANTRUM .....	A 6515 / MB	19-JUN-92	MD	MS	03	
A-A-54686	PLUGGER, AMALGAM, DENTAL (HARKLEY) .....	A 6520 / MB	19-JUN-92	MD	MS	03	
A-A-54687	CARTRIDGE, WATER DEMINERALIZER .....	A 4610 / MB	22-JUN-92	MD	MS	03	
A-A-54688	NET, INSECT .....	A 6640 / MB	22-JUN-92	MD	MS	03	
A-A-54689	STERILIZER, SURGICAL DRESSING (PRESSURE) .....	A 6530 / MB	25-JUN-92	MD	MS	33	
A-A-54690	PAD, ELECTRODE, DEFIBRILLATOR .....	A 6515 / MB	25-JUN-92	MD	MS	03	
A-A-54691	LIGHT, FLOOR .....	A 6530 / MB	25-JUN-92	MD	MS	03	
A-A-54692	CAGE, ANIMAL .....	A 3770 / MB	24-JUL-92	MD	MS	03	
A-A-54694	CALIPER, DENTAL, METAL THICKNESS .....	A 6520 / MB	22-JUN-92	MD	MS	03	
A-A-54695	PSYCHROMETER (SLING) .....	A 6685 / MB	29-JUN-92	MD	MS	03	
A-A-54696	SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY .....	A 6515 / MB	11-SEP-92	MD	MS	03	
A-A-54697	THERMOMETER, SELF-INDICATING, LIQUID IN GLASS, INCUBATOR, 0 DEG. TO 70 DEG. C .....	A 6685 / MB	13-JUL-92	MD	MS	03	
A-A-54698	GAGE, COMPOUND PRESSURE-VACUUM, DIAL INDICATING .....	A 6685 / MB	06-JUL-92	MD	MS	03	
A-A-54699	THERMOMETER, SELF-INDICATING, BIMETALLIC, DIAL, 8-1/2 INCH .....	A 6685 / MB	13-JUL-92	MD	MS	03	
A-A-54700	NITROURANTOIN ORAL SUSPENSION, USP .....	A 6505 / MB	01-JUL-92	MD	MS	03	
A-A-54701	PROCHLORPERAZINE MALEATE TABLETS, USP .....	A 6505 / MB	01-JUL-92	MD	MS	03	
A-A-54702	METRONIDAZOLE TABLETS, USP .....	A 6505 / MB	01-JUL-92	MD	MS	03	
A-A-54703	DEMINERALIZER, WATER, ION EXCHANGE, HAND OPERATED .....	A 4610 / MB	20-JUL-92	MD	MS	03	
A-A-54704	GLUCOSE, ENZYMIC TEST STRIP, USP .....	A 6550 / MB	17-JUL-92	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Active GPO / OMA Commodities Inches	Document Number	Document Title	Dist. Smt. FIC / Ave	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DA
A	A-A-54705	FUNNEL, COMMON, LABORATORY	A 6640 / MB	20-JUL-92	MD MS	03			
A	A-A-54706	INDICATOR, STERILIZATION, GAS	A 6530 / MB	24-JUL-92	MD MS	03			
A	A-A-54707	INDICATOR, STERILIZATION	A 6530 / MB	24-JUL-92	MD MS	03			
A	A-A-54708	STERILIZER, SURGICAL INSTRUMENT AND DRESSING (AUTOCLAVE)	A 6530 / MB	24-JUL-92	MD MS	03			
A	A-A-54710	NEEDLE, HYPODERMIC, SPINAL ANESTHESIA, TUBHY	A 6515 / MB	14-AUG-92	MD MS	03			
A	A-A-54712	VACUUM PUMP, ROTARY, POWER DRIVEN, SMALL	A 4310 / MB	31-JUL-92	MD MS	03			
A	A-A-54713	STOPCOCK, SURGICAL SYRINGE, THREE WAY, AYER	A 6515 / MB	14-AUG-92	MD MS	03			
A	A-A-54714	STOPCOCK, SURGICAL SYRINGE, ONE WAY	A 6515 / MB	14-AUG-92	MD MS	03			
A	A-A-54715	STOPCOCK, SURGICAL SYRINGE, 3-WAY, TUBHY	A 6515 / MB	14-AUG-92	MD MS	03			
A	A-A-54716	BAG, TUBE FITTING	A 6515 / MB	10-SEP-92	MD MS	03			
A	A-A-54717	COMPRESSOR AND OXYGEN BLENDER, VENTILATOR (PORTABLE, BATTERY AND LINE POWERED)	A 6530 / MB	10-SEP-92	MD MS	03			
A	A-A-54718	DRAPES, SURGICAL	A 6350 / MB	10-AUG-92	MD MS	03			
A	A-A-54719	NEBULIZER-MANIFOLD ASSEMBLY, INHALATION THERAPY APPARATUS	A 6515 / MB	10-AUG-92	MD MS	03			
A	A-A-54720	GAGE, FRUIT AND VEGETABLE SIZING	A 6695 / MB	03-AUG-92	MD MS	03			
A	A-A-54721	WATER BATH, ELECTRIC	A 6640 / MB	03-AUG-92	MD MS	03			
A	A-A-54722	PENICILLIN G PROCAINE SUSPENSION, STERILE, USP	A 6505 / MB	14-AUG-92	MD MS	03			
A	A-A-54723	CORROSION TEST STRIP, COPPER, 3 BY 1/2 INCH	A 6640 / MB	10-AUG-92	MD MS	03			
A	A-A-54724	PENICILLIN G POTASSIUM FOR INJECTION, USP	A 6505 / MB	14-AUG-92	MD MS	03			
A	A-A-54725	TEST TUBE, HERMATOCIT DETERMINATION, WINTROBE, DISPOSABLE	A 6640 / MB	10-AUG-92	MD MS	03			
A	A-A-54726	WIRE FABRIC (FOR SURGICAL USE)	A 5335 / MB	10-AUG-92	MD MS	03			
A	A-A-54727	DISK, COLOR STANDARDS, ANTI-ICING ADDITIVE	A 6630 / MB	10-AUG-92	MD MS	03			
A	A-A-54728	PROPOXYPHENE HYDROCHLORIDE CAPSULES, USP	A 6505 / MB	18-SEP-92	MD MS	03			
A	A-A-54729	PSUEDOPHEDRINE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	25-SEP-92	MD MS	03			
A	A-A-54730	MUMPS VIRUS VACCINE, LIVE, USP	A 6505 / MB	28-AUG-92	MD MS	03			
A	A-A-54731	PAPER, BIBULOUS AND LENS 4 X 6 INCHES, 125	A 6640 / MB	10-AUG-92	MD MS	03			
A	A-A-54732	FORCEPS, DRESSING (DENTAL)	A 6520 / MB	30-SEP-92	MD MS	03			
A	A-A-54733	GRADUATE, LIQUID, LABORATORY, PLASTIC	A 6640 / MB	11-SEP-92	MD MS	03			
A	A-A-54734	FILTER UNIT, CONTAMINATION ANALYSIS, GRAVIMETRIC	A 6630 / MB	11-SEP-92	MD MS	03			
A	A-A-54735	STERILIZER, SURGICAL INSTRUMENT AND RESIN	A 6530 / MB	10-SEP-92	MD MS	03			
A	A-A-54736	THERMOMETER, CLINICAL, HUMAN (ELECTRONIC, BATTERY POWERED, WITH BATTERY CHARGER)	A 6515 / MB	23-NOV-92	MD MS	03			
A	A-A-54737	CATHETER AND NEEDLE UNIT, INTRAVENOUS, 16 GAUGE, RADIOPAQUE, DISPOSABLE (CATHETER INTO NEEDLE)	A 6515 / MB	16-OCT-92	MD MS	03			
A	A-A-54738	PIPETTING MACHINE, SEMI-AUTOMATIC	A 6640 / MB	11-SEP-92	MD MS	03			
A	A-A-54739	CASSEROLE, LABORATORY (PORCELAIN)	A 6640 / MB	01-SEP-92	MD MS	03			
A	A-A-54740	CRUCIBLE, FILTERING, LABORATORY (COOCH, LOW FORM)	A 6640 / MB	01-SEP-92	MD MS	03			
A	A-A-54741	QUINIDINE SULFATE TABLETS, USP	A 6505 / MB	18-SEP-92	MD MS	03			
A	A-A-54742	PROBENECID TABLETS, USP	A 6505 / MB	18-SEP-92	MD MS	03			
A	A-A-54743	PROCAINAMIDE HYDROCHLORIDE CAPSULES, USP	A 6505 / MB	25-SEP-92	MD MS	03			
A	A-A-54744	NICOTINAMIDE NITRATE CREAM, USP	A 6505 / MB	25-SEP-92	MD MS	03			
A	A-A-54745	QUINIDINE GLUCONATE TABLETS	A 6505 / MB	25-SEP-92	MD MS	03			
A	A-A-54746	STOPCOCK, INTRAVENOUS THERAPY, 3-WAY, PLASTIC	A 6515 / MB	25-SEP-92	MD MS	03			
A	A-A-54747	BANDAGE, FELT, ORTHOPEDIC (RAYON)	A 6510 / MB	15-SEP-92	MD MS	03			
A	A-A-54748	WADDING, COTTON SURGICAL	A 6510 / MB	15-SEP-92	MD MS	03			
A	A-A-54749	SPONGE, SURGICAL (FOR FORCEPS)	A 6510 / MB	15-SEP-92	MD MS	03			
A	A-A-54750	METHYLPHENIDATE HYDROCHLORIDE TABLETS, USP	A 6505 / MB	18-DEC-92	MD MS	03			
A	A-A-54751	DISH, BIOLOGICAL PREPARATION (STENDER DESIGN)	A 6640 / MB	21-SEP-92	MD MS	03			
A	A-A-54752	DISK, FILTERING, MICROPOROUS	A 6640 / MB	21-SEP-92	MD MS	03			
A	A-A-54753	LOOP, VAGUOLAR, SURGICAL	A 6515 / MB	09-OCT-92	MD MS	03			
A	A-A-54755	BANDAGE, GAUZE, SIX-PLY, 4-1/2 INCHES WIDE BY 4 YARDS	A 6510 / MB	30-SEP-92	MD MS	03			
A	A-A-54756	BANDAGE, FELT, ORTHOPEDIC (COTTON)	A 6510 / MB	30-SEP-92	MD MS	03			
A	A-A-54757	PAD, COTTON, GAUZE COVERED (EYE PAD)	A 6510 / MB	30-SEP-92	MD MS	03			
A	A-A-54758	STAND, SHELF (CORROSION RESISTING STEEL)	A 6530 / MB	15-OCT-92	MD MS	03			
A	A-A-54759	CANISTER AND TIMER SYSTEM (OROPHARYNGEAL SUCTION APPARATUS)	A 6515 / MB	15-OCT-92	MD MS	03			
A	A-A-54760	TUBERCULIN, USP	A 6505 / MB	31-MAR-93	MD MS	03			
A	A-A-54760/1	TUBERCULIN, USP, PURIFIED PROTEIN DERIVATIVE (PPD)	A 6505 / MB	31-MAR-93	MD MS	03			
A	A-A-54760/2	TUBERCULIN, USP, OLD, LIQUID	A 6505 / MB	31-MAR-93	MD MS	03			
A	A-A-54760/3	TUBERCULIN, USP, OLD, DRIED	A 6505 / MB	31-MAR-93	MD MS	03			
A	A-A-54761	TIP ASSEMBLY, SONIC PROPHYLAXIS UNIT, DENTAL	A 6520 / MB	20-NOV-92	MD MS	03			
A	A-A-54762	PAN, BIOLOGICAL STAINING	A 6640 / MB	19-OCT-92	MD MS	03			
A	A-A-54763	PAPER, GLASSINE, WEIGHING	A 8134 / MB	19-OCT-92	MD MS	03			
A	A-A-54764	BAGS, WFT DRESSING	A 6515 / MB	24-OCT-92	MD MS	03			
A	A-A-54765	LABEL, PRESSURE SENSITIVE ADHESIVE	A 7690 / MB	06-NOV-92	MD MS	03			
A	A-A-54766	RACK, TEST TUBE, LABORATORY, POLYPROPYLENE	A 6640 / MB	30-OCT-92	MD MS	03			
A	A-A-54767	CATHETER AND NEEDLE UNIT, INTRAVENOUS, 14 GAUGE CATHETER, RADIOPAQUE, DISPOSABLE	A 6515 / MB	20-NOV-92	MD MS	03			
A	A-A-54768	LABEL, ADD-ON	A 7690 / MB	06-NOV-92	MD MS	03			
A	A-A-54769	CATHETERIZATION SET, URETHRAL DISPOSABLE, PLASTIC	A 6515 / MB	18-DEC-92	MD MS	03			
A	A-A-54770	METHYL SALICYLATE, NF	A 6505 / MB	13-NOV-92	MD MS	03			
A	A-A-54771	LIGHT, HEAD, DIAGNOSTIC, LEMPERT-STORZ	A 6515 / MB	18-DEC-92	MD MS	03			
A	A-A-54772	STETHOSCOPE, COMBINATION TYPE, LIGHT WEIGHT	A 6515 / MB	31-DEC-92	MD MS	03			
A	A-A-54773	NEEDLES, HYPODERMIC, DISPOSABLE	A 6515 / MB	18-DEC-92	MD MS	03			
A	A-A-54775	DISH, CULTURE, PETRI (BOROSILICATE GLASS)	A 6640 / MB	30-NOV-92	MD MS	03			
A	A-A-54776	GAGE, FOOD BLENDING, VETERINARY	A 6695 / MB	30-NOV-92	MD MS	03			
A	A-A-54777	BRIDGE, BOWELS, LOOP COLOSTOMY	A 6515 / MB	18-DEC-92	MD MS	03			
A	A-A-54778	ANALYZER, CLINICAL CHEMISTRY, DRY	A 6630 / MB	15-JAN-93	MD MS	03			
A	A-A-54779	ELECTROSURGICAL APPARATUS	A 6515 / MB	15-JAN-93	MD MS	03			
A	A-A-54780	SCISSORS, HYSTERECTOMY (SLIGHTLY CURVED, CURVED, STRONGLY CURVED, PARAMETRIUM)	A 6515 / MB	15-JAN-93	MD MS	03			
A	A-A-54784	FORCEPS, TISSUE, JUDD-ALLIS, STRAIGHT	A 6515 / MB	04-JAN-93	MD MS	03			
A	A-A-54785	MANOMETER, SPINAL FLUID	A 6515 / MB	08-JAN-93	MD MS	03			
A	A-A-54786	STOPCOCK, INTRAVENOUS THERAPY	A 6515 / MB	08-JAN-93	MD MS	03			
A	A-A-54787	PROPOXYPHENE NAPSYLATE AND ACETAMINOPHEN TABLETS, USP	A 6505 / MB	08-JAN-93	MD MS	03			
A	A-A-54788	PROPANTHELINE BROMIDE TABLETS, USP	A 6505 / MB	08-JAN-93	MD MS	03			
A	A-A-54789	PROTAMINE SULFATE INJECTION, USP	A 6505 / MB	08-JAN-93	MD MS	03			
A	A-A-54790	QUINIDINE SULFATE EXTENDED-RELEASE TABLETS, USP	A 6505 / MB	08-JAN-93	MD MS	03			
A	A-A-54791	GLOVES, SURGEONS', LATEX RUBBER, PRE-POWDERED, DISPOSABLE, STERILE	A 6515 / MB	30-JAN-93	MD MS	03			
A	A-A-54792	PLATE, EGG TESTING	A 6695 / MB	08-JAN-93	MD MS	03			
A	A-A-54793	BOXES, SETUP (MAILING, DENTAL)	A 8115 / MB	08-JAN-93	MD MS	03			
A	A-A-54794	HUMIDIFIER, OXYGEN DIFFUSER TYPE	A 6515 / MB	15-JAN-93	MD MS	03			
A	A-A-54795	WATER TESTING KIT, BACTERIOLOGICAL	A 6665 / MB	11-JAN-93	MD MS	03			
A	A-A-54796	HYDROMETER, GRADUATED SCALE (SPECIFIC GRAVITY RANGE 1.196 TO 1.286)	A 6630 / MB	11-JAN-93	MD MS	03			
A	A-A-54797	SODIUM CHLORIDE IRRIGATION, USP	A 6505 / MB	22-JAN-93	MD MS	03			
A	A-A-54799	SODA LIME, NF	A 6505 / MB	22-JAN-93	MD MS	03			
A	A-A-54800	CUTTER, BONE PIN, 18 INCH	A 6515 / MB	16-APR-93	MD MS	03			
A	A-A-54802	FORCEPS, HYSTERECTOMY, SLIGHTLY CURVED, PARAMETRIUM	A 6515 / MB	22-JAN-93	MD MS	03			
A	A-A-54803	INFLUENZA VIRUS VACCINE, USP	A 6505 / MB	26-FEB-93	MD MS	03			
A	A-A-54804	BOX, INSECT, SPECIMEN	A 6640 / MB	18-JAN-93	MD MS	03			
A	A-A-54805	FORCEPS, TISSUE, TWEEZERS TYPE	A 6515 / MB	22-JAN-93	MD MS	03			
A	A-A-54806	TUBE, SAYBOLT VISCOSIMETER	A 6630 / MB	25-JAN-93	MD MS	03			
A	A-A-54807	GLOVES, SURGEONS', BROWN-MILLED RUBBER, PRE-POWDERED, TALC-FREE, DISPOSABLE, STERILE	A 6515 / MB	12-FEB-93	MD MS	03			
A	A-A-54808	NEEDLE, HYPODERMIC, SPINAL PUNCTURE	A 6515 / MB	12-FEB-93	MD MS	03			



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action OPL / OIA Coordination Machine		Document Title	Doc. Sym FAC / Area		JCS Symbol Preparing Acty	Date	Customers			
Document Number							Army	Navy	Air Force OIA	
A	A-A-54809	PUNCH AND DISK, DENTAL RUBBER DAM	A	6520 / MD	12-FEB-93	MD	MS	03		
A	A-A-54810	BLOCK, BITE, PLASTIC	A	6515 / MD	12-FEB-93	MD	MS	03		
A	A-A-54811	SYRINGE AND NEEDLE, HYPODERMIC, DISPOSABLE, ALLERGY, DETACHABLE NEEDLE	A	6515 / MD	12-FEB-93	MD	MS	03		
A	A-A-54812	SYRINGE, IRRIGATING, BULB-TYPE	A	6515 / MD	12-FEB-93	MD	MS	03		
A	A-A-54813	RESIN, ACRYLIC, DENTAL, FIBERED, DENTURE BASE MATERIAL	A	6520 / MD	12-FEB-93	MD	MS	03		
A	A-A-54814	MASK, ORONASAL, PLASTIC, DISPOSABLE	A	6515 / MD	12-FEB-93	MD	MS	03		
A	A-A-54815	RETRACTOR, NERVE ROOT, HOLDSHER	A	6515 / MD	26-FEB-93	MD	MS	03		
A	A-A-54816	METHYSENGIDE MALEATE TABLETS, USP	A	6505 / MD	15-FEB-93	MD	MS	03		
A	A-A-54817	SCISSORS, ORAL SURGICAL	A	6520 / MD	12-FEB-93	MD	MS	03		
A	A-A-54818	SAMPLER, BUTTER-CHEESE-LARD	A	6695 / MD	12-FEB-93	MD	MS	03		
A	A-A-54819	MEPERIDINE HYDROCHLORIDE INJECTION, USP	A	6505 / MD	15-FEB-93	MD	MS	03		
A	A-A-54820	CELLULOSE, OXIDIZED, REGENERATED, USP	A	6510 / MD	16-APR-93	MD	MS	03		
A	A-A-54821	SODIUM BICARBONATE INJECTION, USP	A	6505 / MD	23-MAY-93	MD	MS	03		
A	A-A-54822	SODIUM NITROPRUSSIDE, STERILE, USP	A	6505 / MD	23-MAY-93	MD	MS	03		
N	A-A-54823	RETRACTOR, HEMILAMINOTOMY, HAVERFIELD-SCOVILLE AND BLADES, INTERCHANGEABLE	A	6515 / MD	28-MAY-93	MD	MS	03		
A	A-A-54825	BLOOD COLLECTING-DISPENSING BAG, INDIRECT TRANSFUSION, PLASTIC DISPOSABLE TYPE	A	6515 / MD	05-MAY-93	MD	MS	03		
A	A-A-54826	NEEDLE, HYPODERMIC, TONSIL	A	6515 / MD	12-APR-93	MD	MS	03		
A	A-A-54827	NEEDLE, BIOPSY, DISPOSABLE	A	6515 / MD	12-APR-93	MD	MS	03		
A	A-A-54828	SYRINGE, HYPODERMIC, ANGIOGRAPHIC INJECTOR	A	6515 / MD	12-MAY-93	MD	MS	03		
A	A-A-54829	CATHETER, CARDIOVASCULAR, FLOW DIRECTED, THERMODILUTION	A	6515 / MD	19-MAY-93	MD	MS	03		
A	A-A-54830	TABLE, AUTOPSY	A	6530 / MD	19-MAY-93	MD	MS	03		
A	A-A-54831	ELECTRODE, ELECTROCARDIOGRAPH	A	6515 / MD	19-MAY-93	MD	MS	03		
A	A-A-54832	SUPPORT, LEG CALF	A	6515 / MD	19-MAY-93	MD	MS	03		
N	A-A-54833	DRILL, HAND, BONE, SPEDBERG	A	6515 / MD	15-MAY-93	MD	MS	03		
A	A-A-54834	POVIDONE IODINE DOUCHE	A	6505 / MD	23-MAY-93	MD	MS	03		
A	A-A-54836	BOX, PATHOLOGICAL SPECIMEN, SHIPPING	A	8115 / MD	26-MAY-93	MD	MS	03		
N	A-A-54837	SYRINGE, IRRIGATING, GLASS	A	6515 / MD	12-APR-93	MD	MS	03		
A	A-A-54838	IMPLANT, MESH, SURGICAL	A	6515 / MD	31-MAY-93	MD	MS	03		
A	A-A-54839	NEEDLE, HYPODERMIC, BLOOD COLLECTING	A	6515 / MD	12-APR-93	MD	MS	03		
A	A-A-54840	SYRINGE, HYPODERMIC, GLASS	A	6515 / MD	12-APR-93	MD	MS	03		
A	A-A-54841	SAM, BONE, ELECTRIC, OSCILLATING, AUTOPSY	A	6515 / MD	31-MAY-93	MD	MS	03		
N	A-A-54842	SCISSORS, GENERAL SURGICAL, MAYO	A	6515 / MD	30-APR-93	MD	MS	03		
A	A-A-54843	SCISSORS, GENERAL SURGICAL, STRAIGHT	A	6515 / MD	16-APR-93	MD	MS	03		
A	A-A-54844	NEEDLE, HYPODERMIC, BLOOD COLLECTING	A	6515 / MD	12-APR-93	MD	MS	03		
A	A-A-54846	INDICATOR, OXYGEN, ANAEROBIC CULTURE APPARATUS	A	6640 / MD	01-APR-93	MD	MS	03		
A	A-A-54847	PAPER, FILTER QUALITATIVE, FINE PRECIPITATES	A	6640 / MD	29-MAY-93	MD	MS	03		
A	A-A-54848	COMPASS, MAGNETIC, UNMOUNTED	A	6605 / MD	16-APR-93	MD	MS	03		
A	A-A-54849	ELECTRODE, GROUNDING, ELECTROSURGICAL	A	6515 / MD	16-APR-93	MD	MS	03		
A	A-A-54850	LIGHT, SURGICAL, CEILING VENTILATED DOME, ROTATION TYPE	A	6530 / MD	16-APR-93	MD	MS	03		
A	A-A-54851	LITTER-SPLINT, EXTRICATION	A	6530 / MD	16-APR-93	MD	MS	03		
A	A-A-54852	CASE, BRONCHOSCOPIC, INSTRUMENTS STERILIZING AND STORAGE, EMPTY	A	6515 / MD	12-APR-93	MD	MS	03		
A	A-A-54854	SUTURE CLIP KIT, AUTOMATIC	A	6515 / MD	16-APR-93	MD	MS	03		
A	A-A-54855	GAUZE, ABSORBENT, STERILE, COMPRESSED	A	6510 / MD	16-APR-93	MD	MS	03		
A	A-A-54856	PAD, POST SURGICAL OBSTETRICAL	A	6510 / MD	16-APR-93	MD	MS	03		
N	A-A-54857	FORCEPS, BONE CUTTING, CURVED, LISTON-STILLE	A	6515 / MD	30-APR-93	MD	MS	03		
N	A-A-54858	DEPRESSOR, TONGUE, METAL, WEDER	A	6515 / MD	16-APR-93	MD	MS	03		
N	A-A-54859	TUBE, EXTENSION, INFECTION SET	A	6515 / MD	21-MAY-93	MD	MS	03		
N	A-A-54860	FORCEPS, SUTURE CLIP, APPLYING AND REMOVING, MICHEL	A	6515 / MD	30-APR-93	MD	MS	03		
N	A-A-54861	INDICATOR, CLINICAL CHART HOLDER, METAL	A	6530 / MD	30-APR-93	MD	MS	03		
N	A-A-54862	TUNING FORK SET	A	6515 / MD	30-APR-93	MD	MS	03		
N	A-A-54863	TRIAMTERENE CAPSULES, USP	A	6505 / MD	30-APR-93	MD	MS	03		
N	A-A-54864	BRONCHOSCOPE, FLEXIBLE, FIBER OPTIC, TRANSNASAL OR TRANSORAL	A	6515 / MD	15-MAY-93	MD	MS	03		
N	A-A-54866	TOURNIQUET, PNEUMATIC	A	6515 / MD	03-MAY-93	MD	MS	03		
N	A-A-54867	OTOSCOPE AND OPHTHALMOSCOPE SET	A	6515 / MD	14-MAY-93	MD	MS	03		
N	A-A-54868	MICROSCOPE, OPTICAL STEREOSCOPIC	A	6650 / MD	17-MAY-93	MD	MS	03		
N	A-A-54869	MICROSCOPE, SURGICAL BINOCULAR, MULTI-DISCIPLINARY	A	6515 / MD	17-MAY-93	MD	MS	03		
N	A-A-54870	CAPS, OPERATING, SURGICAL (WOMAN'S)	A	6532 / MD	17-MAY-93	MD	MS	03		
N	A-A-54871	PILLOWCASE (NONWOVEN FABRIC, WHITE, DISPOSABLE)	A	6532 / MD	17-MAY-93	MD	MS	03		
N	A-A-54872	BLOOD EXCHANGE-TRANSFUSION KIT, DISPOSABLE	A	6515 / MD	01-JUN-93	MD	MS	03		
N	A-A-54873	BOXES, MICROSCOPE SLIDE, PLASTIC	A	6640 / MD	21-MAY-93	MD	MS	03		
N	A-A-54874	BANDAGE, ELASTIC, RUBBER WARP THREADS	A	6510 / MD	21-MAY-93	MD	MS	03		
N	A-A-54875	SPRAY BOTTLE, PLASTIC	A	6530 / MD	21-MAY-93	MD	MS	03		
N	A-A-54876	SPONGE, ABSORBABLE GELATIN, USP	A	6510 / MD	21-MAY-93	MD	MS	03		
N	A-A-54877	COMPARATOR, VISCOSITY, OIL	A	6630 / MD	20-MAY-93	MD	MS	03		
N	A-A-54880	BOTTLE, ASPIRATOR (5 GALLON)	A	6640 / MD	04-JUN-93	MD	MS	03		
N	A-A-54881	ELECTRODE ASSEMBLY, FETAL	A	6515 / MD	04-JUN-93	MD	MS	03		
N	A-A-54882	FORCEPS, TRACHEAL TUBE	A	6515 / MD	28-MAY-93	MD	MS	03		
A	A-A-55002	LAMP, FLUORESCENT, F40/T12(COLOR)/RS	A	6240 / AS	10-SEP-90	AL	SH	99	1P	
A	A-A-55003	LAMP, FLUORESCENT, F96T12(COLOR)/15, ENERGY SAVING	A	6240 / AS	10-SEP-90	AL	SH	99	1P	
A	A-A-55004	LAMP, FLUORESCENT, F96/T12(COLOR)/15	A	6240 / AS	10-SEP-90	AL	SH	99	1P	
A	A-A-55005	LAMP, FLUORESCENT, F20/T12(COLOR)	A	6240 / AS	10-SEP-90	AL	SH	99	1P	
A	A-A-55006	"V" BLOCKS, SOLID BODY, WITHOUT CLAMP REVIEWER: 84 AR GS	A	3460 / 1P	24-SEP-91	AL	SH	99	1P	
A	A-A-55007	"V" BLOCKS AND CLAMPS, COMBINATION TOP AND END "V" GROOVES REVIEWER: 84 AR GS	A	3460 / 1P	24-SEP-91	AL	SH	99	1P	
A	A-A-55008	"V" BLOCKS AND CLAMPS, DOUBLE "V" GROOVE, SINGLE LEVEL CLAMPING REVIEWER: 84 AR GS	A	3460 / 1P	19-SEP-91	AL	SH	99	1P	
A	A-A-55009	"V" BLOCK, RIBBED BODY, WITHOUT CLAMP REVIEWER: 84 AR GS	A	3460 / 1P	19-SEP-91	AL	SH	99	1P	
A	A-A-55010	WHEEL, POLISHING, CANVAS REVIEWER: 84 GS	A	3460 / 1P	16-SEP-91	AL	SH	99	1P	
A	A-A-55011	WHEEL, POLISHING, FELT REVIEWER: 84 GS	A	3460 / 1P	19-NOV-91	AL	SH	99	1P	
A	A-A-55012	PRESS, "H" FRAME TYPE, HYDRAULIC, ELECTRIC MOTOR DRIVEN USER: AR AS MC OS REVIEWER: 84 GS	A	3442 / 1P	28-APR-92	AL	SH	99	1P	
D	A-A-55013	HOLDERS, ELECTRODE, SHIELDED METAL, ARC WELDING, TONG TYPE USER: AS MC YD1 REVIEWER: 84 GS	A	3439 / 1P	04-FEB-92	AL	SH	99	1P	
D	A-A-55014	TORCH OUTFITS, WELDING, GAS TUNGSTEN ARC WELDING (GTAW) AND COMPONENT PARTS USER: MC YD1 REVIEWER: 84 CE GS ME	A	3431 / 1P	12-FEB-92	AL	SH	99	1P	
A	A-A-55015	PRESS, "H" FRAME TYPE, HYDRAULIC, ELECTRIC MOTOR DRIVEN, WITH ROLL OUT WORK TABLE USER: AR AS MC OS REVIEWER: 84 GS	A	3442 / 1P	28-APR-92	AL	SH	99	1P	
D	A-A-55016	MANDRELS, MACHINE, EXPANDING, STEP REVIEWER: 84 GS	A	3460 / 1P	21-MAY-92	AL	YD1	99	1P	
D	A-A-55017	MANDRELS, MACHINE, EXPANDING REVIEWER: 84 GS	A	3460 / 1P	21-MAY-92	AL	YD1	99	1P	
D	A-A-55018	CUTTING MACHINE, MOTOR DRIVEN, PORTABLE REVIEWER: 84 GS	A	3433 / GS	12-MAY-93	AL	YD1	99	GS	
N	A-A-55021	TROUSERS, DISPOSABLE USER: SH REVIEWER: OS	A	8415 / CT	14-APR-93	NU	CT			
D	A-A-55057	PANELS, WOOD/WOOD BASED: CONSTRUCTION AND DECORATIVE USER: MC ME SH YD1 REVIEWER: 84 AR EA GL MI SM	A	5530 / CS	25-MAY-91			99	CS	
A	A-A-55058	CLUB, POLICEMAN'S USER: CG MC REVIEWER: 45 B2 GL	A	8465 / CT	27-MAY-92	NU	99	CT		
A	A-A-55059	CARRIER, POLICEMAN'S CLUB, WITH GROMMET REVIEWER: 45 B2	A	8465 / CT	04-JUN-92	GL	99	CT		
A	A-A-55060	GLOVES, MEN'S AND WOMEN'S HEAVY DUTY USER: MC SH REVIEWER: 45 B2 MD	A	8415 / CT	19-JUN-92	GL	NU	99	CT	
A	A-A-55062A	SUITS, FLYERS REVIEWER: 45 B2	A	8460 / CT	30-DEC-92			99	CT	
D	A-A-55063	APRON, UTILITY, IMPERMEABLE, RUBBER COATED FABRIC (GENERAL PURPOSE) USER: MC YD1 REVIEWER: 11 45 B2 MD	A	8415 / CT	13-AUG-92	GL	NU	45	CT	
A	A-A-55064	LANYARD, INDIVIDUAL EQUIPMENT CARRYING USER: MC	A	8465 / CT	17-FEB-93				CT	
A	A-A-55065	APRON, MEAT CUTTER'S REVIEWER: 82 MD	A	8415 / CT	13-JUL-92	GL	99	CT		
A	A-A-55066	NEEDLES, EXCEPT SURGICAL, HAND USER: MC	A	8315 / CT	15-JUL-92	GL	NU	45	CT	



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action / OMA Contribution Increase		Document Title	Doc Smt FSC / Ave MCA Symbol Preparing Acty Date	Custodians			
Document Number				Army	Navy	Air Force	DLA
A	A-A-55067	SMOCK, FOOD INSPECTOR'S USER: 45 REVIEWER: B2 MD	A 8415 / CT	16-JUL-92	GL	99	CT
A	A-A-55068	JERSEY, FLIGHT DECK CREWMAN'S USER: SH REVIEWER: AS CG	A 8415 / CT	20-SEP-91	GL	99	CT
A	A-A-55069	T-SHIRT, ATHLETE'S PHYSICAL FITNESS UNIFORM (PFU)	A 8415 / CT	17-JUL-92	GL	99	CT
A	A-A-55070	BAG, WET WEATHER CLOTHING: (PARKA AND TROUSERS) REVIEWER: 45 B2	A 8465 / CT	31-JUL-92	GL	99	CT
A	A-A-55071	TAPE, TEXTILE, 1-INCH REVIEWER: GL	A 8315 / CT	07-AUG-92	EA	11	CT
A	A-A-55072	BADGE, IDENTIFICATION, PERSONNEL REVIEWER: 45 B2 99	A 8455 / CT	03-AUG-92	GL	11	CT
A	A-A-55073	NECKTIE, WOMAN'S (COAST GUARD)	A 8445 / CT	14-AUG-92	CG	99	CT
A	A-A-55074	MAT, SLEEPING, SELF-INFLATING REVIEWER: B2 MC	A 8465 / CT	11-AUG-92	GL	99	CT
A	A-A-55075	GLOVES: MEN'S AND WOMEN'S ANTI-CONTACT USER: CG MC REVIEWER: MD	A 8415 / CT	17-AUG-92	GL	99	CT
A	A-A-55076	OVERSHOES, WOMEN'S, PLASTIC, GRAY USER: 45 REVIEWER: B2 99 MC	A 8435 / CT	26-AUG-92	GL	11	CT
A	A-A-55077	BAG, DUFFEL REVIEWER: 45 B2 MC	A 8465 / CT	02-SEP-92	GL	99	CT
A	A-A-55079	SOCKS: MEN'S, CUSHION SOLE, STRETCH TYPE USER: MC REVIEWER: 11 45 B2	A 8440 / CT	01-OCT-92	GL	99	CT
A	A-A-55080	COVER, WATERPROOF, MULTIPURPOSE USER: MC	A 8465 / CT	01-OCT-92	GL	99	CT
A	A-A-55081	CLOTH, BRATTICE: COTTON, FIRE RESISTANT	A 8305 / CT	05-OCT-92	GL	99	CT
A	A-A-55082	INSECT NET, MAT, SUN, HOT WEATHER USER: 45 REVIEWER: B2 MD	A 8415 / CT	24-NOV-92	GL	99	CT
A	A-A-55083	SCARF, NECKWEAR, SAGE GREEN, FLYING, TUBULAR N-1B (SCARF, SAGE GREEN, FLYING TUBULAR, TYPE N-1B)	A 8440 / CT	05-JAN-93	GL	99	CT
A	A-A-55084	POCKET, AMMUNITION MAGAZINE USER: MC REVIEWER: MD	A 8465 / CT	21-OCT-92	GL	99	CT
A	A-A-55085	TROUSERS, MEN'S POLYESTER/COTTON	A 8405 / CT	06-APR-93	GL	99	CT
A	A-A-55086	TROUSERS, MEN'S, UNDRRESS, POLYESTER/COTTON (CG)	A 8405 / CT	26-OCT-92	CG	99	CT
A	A-A-55087	SHOES, SWIMMERS	A 8430 / CT	29-OCT-92	GL	99	CT
A	A-A-55088	RESISTORS, FLAMEPROOF, FUSIBLE	A 5905 / ES	13-SEP-91	ES	99	CT
A	A-A-55089A	CAPACITORS, FIXED, CERAMIC DIELECTRIC	A 5910 / ES	23-MAR-92	ES	99	CT
A	A-A-55090	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	22-NOV-91	ES	99	CT
A	A-A-55091	SHIRT, MAN'S, POLYESTER AND WOOL, LONG SLEEVE	A 8405 / CT	25-FEB-93	GL	99	CT
A	A-A-55092	BAG, CLOTHING, WATERPROOF USER: MC REVIEWER: 45 B2 MD	A 8465 / CT	16-NOV-92	GL	99	CT
A	A-A-55093	LACES, FOOTWEAR USER: MC REVIEWER: 45 B2 MD	A 8335 / CT	15-NOV-92	GL	99	CT
A	A-A-55095	COVERALLS, UTILITY USER: SH REVIEWER: CG	A 8405 / CT	10-MAR-93	GL	99	CT
A	A-A-55096	TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN	A 5950 / ES	29-JAN-93	ES	99	CT
A	A-A-55097	TRANSFORMER, PRINTED CIRCUIT POWER, 8 PIN	A 5950 / ES	29-JAN-93	ES	99	CT
A	A-A-55098	CLOTHING, LEATHER, (APRONS, SLEEVES, AND JACKETS) USER: MC REVIEWER: 45 B2 MD	A 8415 / CT	04-DEC-92	GL	99	CT
D	A-A-55099	MOB, INSECT BAR USER: MU YDI REVIEWER: B2 MD	A 7210 / CT	16-DEC-92	GL	99	CT
A	A-A-55100	YARN: COTTON	A 8310 / CT	10-NOV-92	GL	99	CT
A	A-A-55101	CLOTH, KNITTED: COTTON REVIEWER: EA GL	A 8305 / CT	10-DEC-92	GL	99	CT
A	A-A-55103	OVERSHOES, RADIOACTIVE CONTAMINANTS, PROJECTIVE USER: AS OS REVIEWER: 99 SH	A 8430 / CT	08-DEC-92	MU	11	CT
A	A-A-55104	COVERALLS, SAFETY, INDUSTRIAL USER: 45 REVIEWER: B2 MD	A 8415 / CT	10-DEC-92	GL	99	CT
A	A-A-55105	BAG, BARRACKS REVIEWER: GL	A 8465 / CT	17-DEC-92	GL	99	CT
A	A-A-55106	WHISTLE, BALL, PLASTIC REVIEWER: 45 B2 MC MD	A 8465 / CT	15-DEC-92	GL	99	CT
D	A-A-55107	SOCKS: MEN'S, NYLON, CUSHION SOLE, STRETCH TYPE USER: YDI	A 8440 / CT	17-DEC-92	GL	99	CT
A	A-A-55108	MAT, SERVICE (WHITE)	A 8405 / CT	16-DEC-92	GL	99	CT
A	A-A-55109	FOOT MEASURING DEVICE, MEN'S USER: 45 REVIEWER: 99 MU	A 8335 / CT	08-JAN-93	GL	99	CT
A	A-A-55110	COAT, ALL-WEATHER, MAN'S, W/REMOVABLE LINER REVIEWER: B2 99 MU	A 8405 / CT	28-DEC-92	CG	11	CT
A	A-A-55111	COAT, ALL-WEATHER, WOMAN'S, W/REMOVABLE LINER REVIEWER: B2 99 MU	A 8410 / CT	28-DEC-92	CG	11	CT
A	A-A-55112	BAG, FLYER'S HELMET REVIEWER: MD	A 8415 / CT	23-DEC-92	GL	99	CT
A	A-A-55113	HANDBAG, WOMEN'S: SYNTHETIC, BLACK USER: 45 REVIEWER: B2 99	A 8445 / CT	07-JAN-93	GL	11	CT
A	A-A-55114	BAG, LAUNDRY USER: MC REVIEWER: B2	A 8465 / CT	06-JAN-93	GL	99	CT
A	A-A-55117	SKIS, MILITARY, ALL TERRAIN REVIEWER: 45 B2 GL MC	A 8465 / CT	11-JAN-93	MU	99	CT
A	A-A-55118	FOOTWEAR COVERS, RADIOACTIVE CONTAMINANTS PROTECTIVE USER: AS CG OS REVIEWER: 45 B2 SH	A 8430 / CT	11-JAN-93	MU	99	CT
A	A-A-55119	GLOVE INSERTS, COLD WEATHER USER: CG MC REVIEWER: 11 45 B2 AS	A 8415 / CT	23-MAR-93	GL	99	CT
A	A-A-55120	LANYARD, INDIVIDUAL EQUIPMENT CARRYING USER: MC	A 8465 / CT	21-JAN-93	GL	99	CT
A	A-A-55121	APRON, UTILITY, DISPOSABLE USER: SH REVIEWER: OS	A 8475 / CT	25-JAN-93	MU	99	CT
A	A-A-55122	HOOD, RAIN, WOMAN'S REVIEWER: 45 B2	A 8410 / CT	19-JAN-93	GL	99	CT
A	A-A-55123	SMOCK, GENERAL PURPOSE REVIEWER: 45 B2 MD	A 8415 / CT	17-FEB-93	GL	99	CT
A	A-A-55124	CREEPERS, ICE USER: 45 REVIEWER: B2	A 8465 / CT	25-JAN-93	GL	99	CT
A	A-A-55126	FASTENER TAPE, MOOK AND PILE, SYNTHETIC USER: 45 AR AS EA MC OS REVIEWER: 82 99 MD	A 8315 / CT	05-FEB-93	GL	99	CT
A	A-A-55127	BATTING, SYNTHETIC FIBERS, POLYESTER (UNQUILTED AND QUILTED) REVIEWER: 11 B2 MD	A 8320 / CT	17-FEB-93	GL	99	CT
D	A-A-55129	RODENTICIDE, ANTICOAGULANT, PELLETS/BLOCKS AND UNIVERSAL CONCENTRATE USER: MC ME MS REVIEWER: 68 AR CE MD PM YDI	A 6840 / GS	05-OCT-92	GL	99	GS
D	A-A-55131	LIGHT, CHEMILUMINESCENT, 6 IN - 8 IN - A, G USER: YDI REVIEWER: GS	A 6260 / EC	10-DEC-92	EC	99	CT
D	A-A-55132	LIGHT, CHEMILUMINESCENT, 6 IN - 30 MIN E, F USER: YDI REVIEWER: GS	A 6260 / EC	10-DEC-92	EC	99	CT
D	A-A-55133	LIGHT, CHEMILUMINESCENT, 6 IN - 30 MIN - G USER: YDI REVIEWER: GS	A 6260 / EC	10-DEC-92	EC	99	CT
D	A-A-55134	LIGHT, CHEMILUMINESCENT, 6 IN - 12 HOUR - B, C, E, F USER: YDI REVIEWER: GS	A 6260 / EC	10-DEC-92	EC	99	CT
D	A-A-55135	LIGHT, CHEMILUMINESCENT, 6 IN - 5 IN - C USER: YDI REVIEWER: GS	A 6260 / EC	10-DEC-92	EC	99	CT
A	A-A-55157	RESISTOR, FIXED, WIREWOUND, INDUCTIVE, POWER TYPE	A 5905 / ES	11-JUN-92	ES	99	CT
A	A-A-55159	RESISTOR, WIREWOUND, INDUCTIVE, POWER TYPE	A 5905 / ES	11-JUN-92	ES	99	CT
A	A-A-55160	TRANSFORMER, PRINTED CIRCUIT POWER, 6 PIN TOP LUG TYPE	A 5950 / ES	29-JAN-93	ES	99	CT
A	A-A-55161	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	09-APR-93	ES	99	CT
A	A-A-55163	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	09-APR-93	ES	99	CT
A	A-A-55166	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	09-APR-93	ES	99	CT
A	A-A-55167	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	09-APR-93	ES	99	CT
A	A-A-55169	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	09-APR-93	ES	99	CT
A	A-A-55170	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	09-APR-93	ES	99	CT
A	A-A-55171	FILTER, RADIO FREQUENCY INTERFERENCE	A 5915 / ES	09-APR-93	ES	99	CT
A	A-A-55172	LAST, FOOTWEAR, FIELD, WOMEN'S REVIEWER: 45 B2	A 8335 / CT	04-FEB-93	GL	99	CT
A	A-A-55173	BELT, MILITARY POLICE, 1-3/4 INCH WIDE, MAN'S USER: MC REVIEWER: 45 B2 GL	A 8465 / CT	08-FEB-93	GL	99	CT
A	A-A-55174	COVER, BEDDING, FLAME RESISTANT REVIEWER: SH	A 7210 / CT	01-MAR-93	MU	99	CT
A	A-A-55178	COVERALLS, MEN'S, COTTON, SATEEN REVIEWER: MC	A 8405 / CT	09-MAR-93	GL	99	CT
A	A-A-55179	BAG, MONEY USER: MC	A 8460 / CT	03-MAR-93	MU	99	CT
A	A-A-55181	HOLDER, BADGE, PLASTIC, SECURITY POLICE USER: 45 REVIEWER: B2	A 8455 / CT	25-MAY-93	GL	11	CT
A	A-A-55183	CLOTH, NETTING, PARACHUTE SKIRT EXTENSION, NYLON, RASCHEL KNIT	A 8305 / CT	08-MAY-93	GL	99	CT
A	A-A-55184	BERET, MAN'S, WOOL REVIEWER: 45 B2 99 GL	A 8405 / CT	10-MAR-93	GL	11	CT
A	A-A-55185	TROUSERS, MEN'S (WHITE)	A 8405 / CT	10-MAR-93	GL	99	CT
A	A-A-55186	PONCHO, WET WEATHER, HEAVY DUTY REVIEWER: MC MD	A 8405 / CT	12-MAR-93	GL	99	CT
A	A-A-55187	BRAID, TEXTILE (FLAT) USER: 45 MC REVIEWER: B2 99 GL	A 8315 / CT	17-MAR-93	GL	99	CT
A	A-A-55188	BLANKETS, BED, WOOL, SHRIK RESISTANT AND MOTHPROOFED USER: 45 MC MS REVIEWER: 03 B2 DM MD	A 7210 / CT	17-MAR-93	GL	99	CT
A	A-A-55189	SKIRT, WATERPROOF REVIEWER: MC	A 8410 / CT	25-MAR-93	GL	99	CT
A	A-A-55190	SEWING KIT USER: 11 REVIEWER: B2	A 8315 / CT	29-MAR-93	GL	99	CT
A	A-A-55191	SHOULDER STRAP, SIDE ARM, MILITARY POLICE, LEATHER, BLACK REVIEWER: 11 MD	A 8465 / CT	29-MAR-93	GL	99	CT
A	A-A-55192	CASE, MAP USER: MC	A 8460 / CT	07-APR-93	GL	99	CT
A	A-A-55193	HOLDER, CARTRIDGE, BELT, CAL. .38, LEATHER, BLACK, 6-ROUND REVIEWER: GL	A 8465 / CT	29-MAR-93	GL	99	CT
A	A-A-55194	PROTECTOR, TROUSERS, PISTOL HOLSTER	A 8465 / CT	01-APR-93	GL	99	CT
A	A-A-55195	THRILL: PARA-ARABID, SPUN, INTERMEDIATE MODULUS REVIEWER: 11 B2 99 AS MD	A 8310 / CT	07-APR-93	GL	99	CT
A	A-A-55196	COVERALLS, DISPOSABLE REVIEWER: SH	A 8415 / CT	09-APR-93	MU	99	CT
A	A-A-55197	BELT, MAN'S, WAIST, BLUE 334 (ARMY BAND UNIFORM)	A 8405 / CT	08-APR-93	GL	99	CT
A	A-A-55199	HELMET, FIREMAN'S REVIEWER: 45 REVIEWER: B2 99 MC MD	A 8440 / CT	20-MAY-93	GL	99	CT
A	A-A-55202	HELMET, FIREMAN'S REVIEWER: 45 50 B2 MD	A 8415 / CT	22-APR-93	GL	99	CT
A	A-A-55204	HELLS, FOOTWEAR (RUBBER) USER: CG MC REVIEWER: MD	A 8335 / CT	14-MAY-93	GL	99	CT



## ACTIVE SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Action OPL / OML Coordination Inclusive Document Number		Document Title	Dist. SSM FSC / Ans MCA Symbol Preparing Agency Date		Custodians			
					Army	Navy	Air Force	DLA
N	A-A-55205	BAG, PERSONAL EFFECTS USER: MC	A 8465	/ CT 18-MAY-93	GL	NU	CT	
N	A-A-55207	BELT, ALL-WEATHER, COAT, MEN'S USER: MC	A 8405	/ CT 19-MAY-93	GL		CT	
N	A-A-55280	CLOTH, COATED: GLASS SILICONE RUBBER REVIEWER: CT MD	A 8305	/ CT 26-APR-93	GL		CT	
N L	A-A-55423	FUSE, INCLOSED LINK, AUTOMOTIVE BLADE TYPE	A 5920	/ ES 22-APR-93			ES	
N L	A-A-55424	RETAINER, CAPACITOR	A 5910	/ ES 30-MAY-93			ES	
N L	A-A-55425	RETAINER, CAPACITOR	A 5910	/ ES 30-MAY-93			ES	
L	A-A-56001	TEST SET, ELECTRICAL POWER AM/UPM-93( )	A 6625	/ CR 11-JUL-89	CR			
L	A-A-56002	TEST SET, INSULATION BREAKDOWN AM/GSM-6( )	A 6625	/ CR 17-JUL-89	CR			
L	A-A-56011	HANDLE, FOLDING, MALE 90 DEG. DETENT	A 5340	/ MI 16-AUG-89	MI			
L	A-A-56012	HANDLE, FOLDING, FEMALE 90 DEG. DETENT	A 5340	/ MI 16-AUG-89	MI			
L	A-A-56013	HANDLE, FOLDING, MALE 90 DEG. DETENT	A 5340	/ MI 15-AUG-89	MI			
L	A-A-56014	HANDLE, FOLDING, MALE 65 DEG. DETENT	A 5340	/ MI 16-AUG-89	MI			
L	A-A-56015A	ADHESIVE SYSTEM, EPOXY, FOR DISSIMILAR METAL BONDING USER: AR REVIEWER: MR	A 8040	/ MI 30-JUL-91	MI			
L	A-A-56017	CELLULOSE ACETATE	A 6810	/ MI 12-APR-90	MI			
L	A-A-56019	TAPE, PRESSURE-SENSITIVE, FLUORINATED ETHYLENE-PROPYLENE REVIEWER: BO	A 5970	/ MI 06-OCT-89	MI			
D	A-A-56021	PLASTIC SHEET, POLYETHYLENE, TEREPHTHALATE (FOR CARTOGRAPHIC OPERATIONS) USER: CC ER GL MC REVIEWER: GS MD MR	A 9330	/ MI 31-JAN-91	MI	YD1	99	
A L	A-A-56022	COMPOUND, HEAT SINK, SILICONE AND/OR NON-SILICONE REVIEWER: GS	A 6850	/ MI 19-OCT-92	MI			
A L	A-A-56023	INSULATING COMPOUND, ELECTRICAL, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING USER: MR REVIEWER: GS MD MR	A 5970	/ MI 10-MAR-93	MI			
A	A-A-56024	FOIL, TITANIUM REVIEWER: AT CC GS	A 6610	/ MI 20-JAN-93	MI	SH		
A	A-A-56025	PASTE, CONDUCTIVE REVIEWER: B4	A 8030	/ MI 20-JAN-93	MI		99	
	A-A-56036	TOTE TRAY, ELECTROSTATIC DISCHARGE PROTECTIVE REVIEWER: 15 18 84 99 AM AT CR GL MI	A 8145	/ SM 01-DEC-89	SM		69	ES
A	A-A-57174	NUT, CAP, DUAL WHEEL MOUNTING USER: MR REVIEWER: CS	A 2530	/ AT 17-SEP-92	AT		99	
L	A-A-58000	TANK, STORAGE, LIQUID ARGON-NITROGEN-OXYGEN, CRYOGENIC, HORIZONTAL, 3000 AND 6000 GALLON	A 3655	/ 68 16-MAR-92			99	
L	A-A-58001	GENERATOR, SIGNAL, DIGITAL WORD	A 6625	/ 82 01-JUN-92			99	
L	A-A-58002	GENERATOR, PULSE 5 HZ TO 50 MHZ REVIEWER: CR EC ES	A 6625	/ 82 01-JUN-92			99	
L	A-A-58003	TRUCK, FIRE FIGHTING (STRUCTURAL, 4 X 2 OR 4 X 4)	A 4210	/ 84 02-APR-92			99	
L	A-A-58004	TRUCK, FIRE FIGHTING (WATER TANKER, 5,000 GALLON CAPACITY)	A 4210	/ 84 18-FEB-92			99	
L	A-A-58005	TRUCK, FIRE FIGHTING (TELESCOPING AERIAL LADDER AND WORK PLATFORM)	A 4210	/ 84 02-APR-92			99	
L	A-A-58006	4-WHEEL DRIVEN, MULTI-PURPOSE TRACTOR	A 2420	/ 84 10-APR-92			99	
A L	A-A-58008	TEST SET, TELEPHONE, TONE GENERATOR REVIEWER: ES	A 6625	/ 82 31-AUG-92			99	
A L	A-A-58009	TRUCK, FIRE FIGHTING (HEAVY RESCUE VEHICLE (HRV))	A 4210	/ 84 01-OCT-92			99	
A L	A-A-58010	RAILWAY CAR SPOTTER, SELF-PROPELLED 30,000 POUND DRAW BAR PULL	A 2210	/ 84 16-NOV-92			95	
A L	A-A-58011	CLEANER, ULTRASONIC, SIX GALLON	A 4940	/ 82 30-JAN-93			95	
N L	A-A-58014	MOTOR GRADER, DED	A 3805	/ 84 29-MAR-93			99	
N L	A-A-58015	TRAILER, FIRE FIGHTING (FOAM 1,000 GALLON CAPACITY)	A 4210	/ 84 27-MAY-93			99	
	A-A-82587	TRAP, FLYING INSECTS, ELECTROCUTING USER: AV MS REVIEWER: 50 GL	A 3740	/ PM 31-AUG-88	MD		99	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Admin Off / OIA Comptroller Inspector		Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Army Navy Air Force DCA	Customs
N	A-B-2787(1) C-T-91C C-M-111D C-M-111D(11) C-F-158C(1) NOTICE 1 C-F-160C NOTICE 1 C-M-200A(2) C-F-202F C-F-206G C-E-230E C-O-376A D-P-355A(1) NOTICE 1 D-R-1187C(1) D-R-1187/1 NOTICE 2 D-R-1187/2 NOTICE 2 F-F-320B NOTICE 1 F-F-351D F-F-165B F-F-2790 F-C-2791 G-C-116F(2) G-D-331D G-E-550C H-B-51B H-B-0051C H-B-56A H-B-71B H-B-71B(12) H-B-101A H-B-00101B H-B-118E H-B-118E(11) H-B-141H H-B-178D H-B-178/1 H-B-178/2 H-B-178/3 H-B-178/4 H-B-178/5 H-B-181D H-B-190 H-B-00190A(3) H-B-241H H-B-292A(1) H-B-371E H-B-391E H-B-420K H-B-420J(11) H-B-421 H-B-421(11) H-B-451F H-B-471H H-B-481C H-B-00481D H-B-481C(11) H-B-491J H-B-491J(11) H-B-00515A H-B-531C H-B-00531D(1) H-R-550B(1) H-B-555A H-B-00555B H-T-560A H-B-571A(2) H-B-00571B H-B-581(1) H-B-00581A H-A-00600A H-B-621F H-B-00621G H-B-643C H-B-643C(11) H-B-661J H-B-681B(2) H-B-00681D H-B-695H H-B-695H(11) H-B-711H H-B-731G H-B-751C H-B-771B H-S-951D H-B-1049 H-B-1050A H-B-1051A H-B-001137 H-M-001193A H-B-1490A(1) SUPPL 1C1 H-B-1490/1A H-B-1490/2 H-B-1490/3A H-B-1490/4A	BOOMS: FLOATING OIL AND DEBRIS CONTAINMENT, DEPLOYABLE (FOR HARBOR USE) .. TALLOW, IMMEDIATE .. HAIR, ANIMAL, CURLED .. HAIR, ANIMAL, CURLED .. FEATHER, LANDFOWL, (WHOLE) AND (CRUSHED) [VALIDATION DATE: 8711] REVIEWER: ND FEATHER, WATERFOWL, AND DOWN, WATERFOWL [VALIDATION DATE: 8711] USER: 26 MS REVIEWER: 45 DM ND HEATS FOOT OIL .. FELT SHEET (HAIR) AND FELT ROLL (HAIR) REVIEWER: 82 ND FELT SHEET: CLOTH, FELT, WOOL, PRESSED USER: 45 MC OS REVIEWER: 82 ND EGG AND EGG PRODUCTS, FROZEN REVIEWER: 03 MC MD MS SS OIL, LARD .. PISTOL, CALIBER .45, AUTOMATIC, M1911A1 [VALIDATION DATE: 8604] .. REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, COMMERCIAL AND MILITARY: GENERAL SPECIFICATION FOR USER: 11 REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, COMMERCIAL [VALIDATION DATE: 8604] USER: 11 ME REVOLVER, CALIBER .38 SPECIAL, DOUBLE ACTION, 5 SHOT AND 6 SHOT, MILITARY [VALIDATION DATE: 8604] USER: 11 FILTERS, ELECTRONIC AIR CLEANING, IONIZING PLATE TYPE [VALIDATION DATE: 9102] REVIEWER: GS FILTER AND FILTER ELEMENTS, FLUID, PRESSURE, LUBRICATING OIL, BYPASS AND FULL FLOW [VALIDATION DATE: 8310] REVIEWER: CS ME YD1 MEDIA FOR ROLL TYPE AIR FILTERS .. FILTER, AIR-EXTENDED AREA, INITIAL INSTALLATION USER: ME REVIEWER: GS COOLING TOWERS, LIQUID .. CARD, TABULATING [VALIDATION DATE: 8306] .. DICTIONARY, ENGLISH .. ENVELOPE, PHOTOGRAPHIC NEGATIVE, PAPER [VALIDATION DATE: 8202] USER: GL BROOM, UPRIGHT (CORN) USER: GL BROOM, UPRIGHT (CORN) .. BROOM, UPRIGHT, COARSE FIBERS (VEGETABLE FIBER AND SYNTHETIC FIBER) USER: GL BROOM, PUSH, VEGETABLE FIBER .. BROOM, PUSH, VEGETABLE FIBER .. BROOM, WHISK USER: AS GL MC SA BROOM, WHISK .. BRUSHES: ARTISTS .. BRUSHES: ARTISTS .. BRUSH, CALCIUM, WALL COATING .. BRUSH, WIRE AND PLATERS GENERAL SPECIFICATION FOR USER: CE CG MC SH BRUSH, WIRE & PLATER, CURVED HANDLE, 4 ROW BRUSHES .. BRUSH, WIRE AND PLATERS, CURVED HANDLE, 3 ROW BRUSHES .. BRUSH, WIRE AND PLATERS, SHOE HANDLE BRUSHES .. BRUSH, WIRE AND PLATERS, STRAIGHT BLOCK BRUSHES .. BRUSH, WIRE AND PLATERS, CURVED BLOCK BRUSH .. BRUSH, CHASSIS AND RUNNING GEAR USER: MC BRUSH, DUSTING USER: GL MC SA BRUSHES, DUSTING .. BRUSH, ARTIST'S .. BRUSH, ADHESIVE (GLUE) USER: GL BRUSH, ARTIST'S, MARKING USER: ME BRUSH, MOTTILING .. BRUSH, PAINT .. BRUSH, PAINT, FLAT, METAL-BOUND .. BRUSH, FILE CLEANER .. BRUSH, FILE CLEANER .. BRUSH, RADIATOR BRONZING .. BRUSH, ROOF, KNOTTED-STYLE, THREE KNOTS .. BRUSHES, SANITARY .. BRUSHES, SANITARY .. BRUSHES, SANITARY .. BRUSH, PAINT, SASH AND TRIM .. BRUSH, PAINT, SASH AND TRIM .. BRUSH, SCRUB, BASEBOARD .. BRUSH, SCRUB, DECK USER: GL BRUSH, SCRUB, DECK .. ROLLER, KIT, PAINT USER: CE CG MC ME YD1 BRUSH, SCRUB, VEGETABLE USER: GL BRUSH, SCRUB, VEGETABLE .. TOOTHBRUSH (FOR ADULTS AND CHILDREN) USER: GL BRUSH, SHAVING USER: GL BRUSH, SHAVING .. BRUSH, SHOE USER: GL BRUSH, SHOE .. APPLICATOR, MAX .. BRUSH, STENCIL USER: GL MC REVIEWER: 99 BRUSH, STENCIL .. BRUSHES, ACID SHABBING .. BRUSHES, ACID SHABBING .. BRUSHES, FLOOR SWEEPING USER: GL MC BRUSH, TYPEWRITER USER: GL BRUSH, TYPEWRITER .. BRUSH, VARNISH, FLAT REVIEWER: YD1 BRUSHES, VARNISH, FLAT .. BRUSH, VARNISH, OVAL .. BRUSH, WHITEMASH .. BRUSH, WINDOW USER: GL MC SA REVIEWER: 99 BRUSH, WIRE, ROTARY, GENERAL PURPOSE .. SYNTHETIC FILAMENT FOR BRUSHES, GENERAL SPECIFICATION FOR USER: 45 CS BRUSH, FLASK USER: GL BRUSH, BOTTLE AND BURETTE USER: GL MC SA REVIEWER: 99 BRUSH, TEST TUBE AND BRUSH, PIPE USER: GL MC SA REVIEWER: 99 BRUSH, SCRUB, ALL-PLASTIC, STEAM KETTLE .. HAIRBRUSH, SYNTHETIC .. BRUSH, SCRUB, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8601] USER: MC ME MS SA REVIEWER: 03 ND BRUSH, SCRUB, HAND [VALIDATION DATE: 8601] USER: MC SA REVIEWER: ND BRUSH, SCRUB, SURGICAL, U-SHAPED BLOCK [VALIDATION DATE: 8601] USER: DM MC SA REVIEWER: 03 ND BRUSH, SCRUB, HOUSEHOLD [VALIDATION DATE: 8601] USER: MC SA REVIEWER: ND BRUSH, SCRUB, CLOTHES [VALIDATION DATE: 8601] USER: MC SA REVIEWER: ND	A 1945 / YD1 28-MAY-93 A 9160 # 18-NOV-68 A 8320 # GL 17-NOV-80 A 8320 / GL 17-NOV-80 A 8320 / CT 12-NOV-87 A 8320 / CT 12-NOV-87 A 8030 # 05-JUL-63 A 8305 / CT 31-DEC-85 A 8305 / CT 27-JUN-89 A 8910 # GL 28-SEP-77 A 9150 # 17-JUN-46 A 1005 / AR 18-APR-86 A 1005 / AR 04-OCT-91 A 1005 / AR 18-APR-86 A 1005 / AR 18-APR-86 A 4460 / YD1 15-FEB-91 A 2940 / AT 22-APR-83 A 4130 # B2 14-SEP-73 A 4130 / YD1 27-NOV-91 A 4130 / YD1 29-NOV-91 A 7530 # B4 12-SEP-75 A 7610 # 28-JUN-74 A 7530 / DM 23-OCT-75 A 7920 # 14-OCT-60 A 7920 # 11-JAN-72 A 7920 # 22-MAY-73 A 7920 / GL 02-JAN-64 A 7920 # FSS 12-OCT-70 A 7920 # 13-FEB-51 A 7920 # 10-OCT-68 A 8020 # FSS 04-OCT-76 A 8020 # FSS 22-JUN-77 A 8020 # 28-JAN-86 A 7920 # GL 10-MAY-76 A 7920 # GL 10-MAY-76 A 7920 # GL 10-MAY-76 A 7920 # GL 10-MAY-76 A 7920 # GL 10-MAY-76 A 7920 # GL 10-MAY-76 A 7920 # GL 09-FEB-76 A 7920 # 12-JUL-71 A 8020 # FSS 01-APR-93 A 7920 # 14-OCT-66 A 8020 # 18-MAY-77 A 8020 # 31-OCT-77 A 8020 # FSS 30-AUG-91 A 8020 # FSS 11-JAN-89 A 7920 / GL 19-JUN-64 A 7920 # FSS 11-OCT-68 A 8020 # FSS 05-SEP-91 A 8020 # 31-MAY-78 A 7920 / GL 31-AUG-65 A 7920 # FSS 15-OCT-70 A 7920 # FSS 08-JUN-67 A 8020 # 21-MAR-86 A 8020 # FSS 11-JAN-89 A 7920 # 27-SEP-66 A 7920 # 16-NOV-62 A 7920 # 20-NOV-67 A 8020 # SH 18-JUL-77 A 7920 # 28-JAN-66 A 7920 # 28-JAN-71 A 8530 # 15-SEP-72 A 8530 # 11-APR-45 A 8530 # 02-JUN-69 A 7920 # 31-JUL-50 A 7920 # 15-JAN-70 A 7920 # 06-JAN-69 A 7520 # 29-DEC-58 A 7520 # 07-OCT-70 A 7920 / GL 02-JUN-66 A 7920 # FSS 29-APR-71 A 7920 # FSS 11-JUN-91 A 7510 # 24-SEP-82 A 7510 # 03-FEB-83 A 8020 # 01-OCT-76 A 8020 # FSS 11-JAN-89 A 8020 # 06-MAR-86 A 8020 # 10-JUN-78 A 7920 # 18-JAN-73 A 5130 # 29-SEP-66 A 9420 # GL 12-AUG-74 A 7920 # 21-AUG-74 A 7920 # 18-JAN-73 A 7920 # 15-JAN-73 A 7920 # 08-JUN-66 A 8530 # 10-DEC-71 A 7920 / GL 23-APR-76 A 7920 / GL 17-OCT-73 A 7920 / GL 23-APR-76 A 7920 / GL 23-APR-76	ME GL			



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Opn / Chng Coordination Inches Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Prepared Acty Date	Custodians		
			Army	Navy	Air Force DLA
H-B-1490/5A	BRUSH, SCRUB, FLOOR [VALIDATION DATE: 8601] .....	A 7920 / GL 23-APR-76	GL	99	
H-B-1490/6A	BRUSH, SCRUB, POT AND PAN [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD	A 7920 / GL 23-APR-76	GL	99	
H-B-1490/7A	BRUSH, SCRUB, GENERAL UTILITY [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD	A 7920 / GL 23-APR-76	GL	99	
H-B-1490/8A	BRUSH, SCRUB, POT AND SINK [VALIDATION DATE: 8601] USER: MC SA REVIEWER: MD	A 7920 / GL 23-APR-76	GL	99	
D H-B-1654	BRUSH, DUSTING, LENS AND PHOTOGRAPHIC NEGATIVES [VALIDATION DATE: 7602] ...	A 7920 * GL 07-JUN-71	GL	99	
J-C-308(1)	CABLE AND WIRE, ELECTRICAL (POWER, FIXED INSTALLATION) USER: 11 AR MC MI	A 6145 / CR 28-JAN-90	CR	YD1	85
D J-C-96A(2)	REVIEWER: 99 AS EA IS ME				
J-C-145C	CABLE, TELEPHONE (W-108-B) [VALIDATION DATE: 9109] USER: CG REVIEWER: 80	A 6145 / CR 20-SEP-91	CR	YD1	17
J-C-175F	IS SH				
	CABLE, POWER, ELECTRICAL AND WIRE, ELECTRICAL, (WEATHER-RESISTANT) .....	A 6145 % 25-MAR-83			
	CABLE ASSEMBLY, POWER, ELECTRICAL, FOR 125 VOLT, 250 VOLT, AND 125/250	A 6150 / ES 23-JAN-80	CR	SH	17
	VOLT, 50-60 HZ, EQUIPMENT [VALIDATION DATE: 8504] USER: CG MC REVIEWER: 85				
D J-L-231C	AS GS				
D J-C-5806(3)	LEADS, STORAGE-BATTERY .....	A 6140 / YD1 20-JAN-87	ER	YD1	99
Q J-C-1177B	CORD, ELECTRICAL AND WIRE, ELECTRICAL (0- TO 600- VOLT SERVICE)	A 6145 * CR 08-AUG-88	CR	YD1	17
J-W-1177/1A	[VALIDATION DATE: 8808] USER: AV MC ME REVIEWER: 85 AT ES IS OS SH				
J-W-1177/2B	WIRE, MAGNET, ELECTRICAL, GENERAL SPECIFICATION USER: AS CG MC ME OS	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/3B	REVIEWER: AR MI				
J-W-1177/4B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE E OLEORESINOUS-ENAMEL-COATED,	A 6145 / SH 27-SEP-76	CR	SH	85
J-W-1177/5B	ROUND [VALIDATION DATE: 8204] USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/6B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SU, SOLDERABLE POLYURETHANE	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/7A	COATED, ROUND USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/8A	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SM, SOLDERABLE POLYAMIDE COATED,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/9B	ROUND USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/10B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE T, POLYVINYL-FORMAL-COATED,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/11B	ROUND				
J-W-1177/12B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE TM, POLYVINYL FORMAL OVERCOATED	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/13B	WITH POLYAMIDE, ROUND USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/14B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE TB, POLYVINYL-FORMAL-COATED,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/15B	SELF-BONDING, ROUND USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/16B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SA, SOLDERABLE-ACRYLIC-COATED,	A 6145 / SH 27-SEP-76	CR	SH	85
J-W-1177/17B	ROUND [VALIDATION DATE: 8204] USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/18B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SAM, SOLDERABLE ACRYLIC NYLON	A 6145 / SH 27-SEP-76	CR	SH	85
J-W-1177/19B	COATED, ROUND [VALIDATION DATE: 8204] USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/20B	WIRE, MAGNET, ELECTRICAL, CLASS 130, TYPE UN, POLYURETHANE-MYLON-COATED,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/21B	ROUND USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/22B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE L, POLYESTER-COATED, ROUND USER:	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/23B	AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/24B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE LM, POLYESTER OR POLYESTER-IMIDE	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/25B	OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS				
J-W-1177/26B	MI				
J-W-1177/27B	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE H, POLYESTER-IMIDE OR	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/28B	POLYESTER-AMIDE-IMIDE-COATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER				
J-W-1177/29B	IS MI				
J-W-1177/30B	WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE K, POLYESTER, POLYESTER-IMIDE OR	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/31B	POLYESTER-AMIDE-IMIDE OVERCOATED WITH POLYAMIDE-IMIDE, RECTANGULAR USER:				
J-W-1177/32B	AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/33B	WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE K, POLYESTER, POLYESTER-IMIDE OR	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/34B	POLYESTER-AMIDE-IMIDE OVERCOATED WITH POLYAMIDE-IMIDE, ROUND USER: AS CG				
J-W-1177/35B	MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/36B	WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M, AROMATIC POLYIMIDE COATED,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/37B	ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/38B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE T, POLYVINYL FORMAL COATED,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/39B	RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/40B	WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M, POLYIMIDE-COATED, RECTANGULAR	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/41B	USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/42B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE GV, GLASS-FIBER-COVERED, ROUND	A 6145 / SH 27-SEP-76	CR	SH	85
J-W-1177/43B	[VALIDATION DATE: 8204] USER: AS CG MC ME REVIEWER: AR MI				
J-W-1177/44B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE DGV	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/45B	POLYESTER-GLASS-FIBER-COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER				
J-W-1177/46B	IS MI				
J-W-1177/47B	WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE GK, GLASS-FIBER-COVERED, SILICONE	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/48B	TREATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/49B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE GV, GLASS-FIBER-COVERED,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/50B	RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/51B	WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE GK, GLASS-FIBER-COVERED, SILICONE	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/52B	TREATED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/53B	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGH,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/54B	POLYESTER-GLASS-FIBER-COVERED, SILICONE-TREATED, ROUND USER: AS CG MC ME OS				
J-W-1177/55B	REVIEWER: AR ER IS MI				
J-W-1177/56B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE DGV,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/57B	POLYESTER-GLASS-FIBER-COVERED, RECTANGULAR USER: AS CG MC ME OS REVIEWER:				
J-W-1177/58B	AR ER IS MI				
J-W-1177/59B	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGH,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/60B	POLYESTER-GLASS-FIBER-COVERED, RECTANGULAR USER: AS CG MC ME REVIEWER: AR				
J-W-1177/61B	MI				
J-W-1177/62B	WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE M2DGH,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/63B	POLYESTER-GLASS-FIBER-COVERED, RECTANGULAR USER: AS CG MC ME REVIEWER: AR				
J-W-1177/64B	MI				
J-W-1177/65B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPE, SOLDERABLE POLYESTER-IMIDE,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/66B	ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/67B	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPEN, SOLDERABLE POLYESTER-IMIDE	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/68B	OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS				
J-W-1177/69B	MI				
J-W-1177/70B	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SUNB, SOLDERABLE	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/71B	POLYURETHANE/POLYAMIDE WITH SELF-BONDING THERMOPLASTIC OVERCOAT, ROUND				
J-W-1177/72B	USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/73B	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE GO, GLASS-FIBER-COVERED, ORGANIC	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/74B	VARNISH TREATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI				
J-W-1177/75B	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGO	A 6145 / SH 10-JAN-88	CR	SH	85
J-W-1177/76B	POLYESTER-GLASS-FIBER-COVERED, ORGANIC VARNISH TREATED, ROUND USER: AS CG				
J-W-1177/77B	MC OS REVIEWER: AR ER IS MI				
J-W-1177/78B	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE GO, GLASS-FIBER-COVERED, ORGANIC	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/79B	VARNISH TREATED, RECTANGULAR USER: AS CG MC OS REVIEWER: AR ER IS MI				
J-W-1177/80B	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE DGO,	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/81B	POLYESTER-GLASS-FIBER-COVERED, ORGANIC VARNISH TREATED, RECTANGULAR USER:				
J-W-1177/82B	AS CG MC OS REVIEWER: AR ER IS MI				
J-W-1177/83B	WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE PAP, AROMATIC	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/84B	POLYAMIDE-PAPER-COVERED, RECTANGULAR USER: AS CG MC ME OS REVIEWER: AR ER				
J-W-1177/85B	IS MI				
J-W-1177/86B	WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE PAP, AROMATIC	A 6145 / SH 10-JUN-88	CR	SH	85
J-W-1177/87B	POLYAMIDE-PAPER-COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Spec / OIA Coordination Inches Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
J-W-1177/37	WIRE, MAGNET, ELECTRICAL, CLASS 130, TYPE SP, SOLDERABLE POLYURETHANE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/38	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE PEIM, POLYESTER, POLYESTER-IMIDE OR POLYESTER-AMIDE-IMIDE, OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/39	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE SPEI, SOLDERABLE POLYESTER-IMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/40	WIRE, MAGNET, ELECTRICAL, CLASS 180, TYPE SPEIM, SOLDERABLE POLYESTER-IMIDE, OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/41	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPJ, SOLDERABLE POLYURETHANE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/42	WIRE, MAGNET, ELECTRICAL, CLASS 155, TYPE SPJM, SOLDERABLE POLYURETHANE OVERCOATED WITH POLYAMIDE, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/43	WIRE, MAGNET, ELECTRICAL, CLASS 200, TYPE PEAI, POLYESTER-AMIDE-IMIDE COATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/44	WIRE, MAGNET, ELECTRICAL, CLASS 105, TYPE SUB, SOLDERABLE POLYURETHANE WITH SELF-BONDING THERMOPLASTIC OVERCOAT, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/45	WIRE, MAGNET, ELECTRICAL, CLASS 220, TYPE MDGM, POLYESTER-GLASS AND GLASS-FIBER, POLYIMIDE-TREATED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/46	WIRE, MAGNET, ELECTRICAL, CLASS 90, TYPE C, COTTON COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
J-W-1177/47	WIRE, MAGNET, ELECTRICAL, CLASS 90, TYPE F, NYLON-COVERED, ROUND USER: AS CG MC ME OS REVIEWER: AR ER IS MI	A 6145 / SH	10-JUN-88	CR	SH	85	
D	J-C-12708	CABLE ASSEMBLY, POWER, ELECTRICAL USER: AT YDI REVIEWER: 99	A 6150 / ME	05-OCT-73	ME		
D	J-L-2744	LEADS, ELECTRICAL, ARC-WELDING REVIEWER: 80 CR GS	A 6150 / YDI	31-DEC-90	ME	YDI	99
D	K-B-100C	BASKET, FRAME MOUNTED, REMOVABLE CLOTH OR PLASTIC LINERS AND NONREMOVABLE CLOTH LINERS (VALIDATION DATE: 7706) USER: SA	A 7240 / GL	24-JUL-67	GL	YDI	99
D	K-P-146E	TARPAULIN, COTTON DUCK, FIRE, WATER, WEATHER AND MILDEW RESISTANT (VALIDATION DATE: 8511) USER: CG MC YDI REVIEWER: 45 MD	A 8340 / CT	13-FEB-79	GL	MU	99 CT
L	K-P-146E(11)	TARPAULINS, COTTON DUCK, FMMR	A 8340 / GL	10-OCT-90	GL		
	K-B-1069A(1)	BASKET, FRAME MOUNTED USER: GL	A 7240 /	23-MAY-77			
	K-B-1378A	BAG, SOILED CLOTHES, NYLON USER: 45	A 8465 /	28-JUN-74			
	L-W-250(1)	WASTE RECEPTACLE, PLASTIC	A 7240 / GL	05-MAY-74	GL		99
	L-T-0030	TAB, SIGNAL, PLASTIC, TAB SET, SIGNAL, PLASTIC	A 7510 /	10-JUN-64			
D	L-F-36C(3)	FACE-SHIELD, INDUSTRIAL (VALIDATION DATE: 8201) USER: MC MD YDI REVIEWER: GS ME SH	A 4240 / EA	27-NOV-74	EA		99
	L-T-48E	TABLEWARE, PLASTIC USER: SA REVIEWER: CG MC MD	A 7350 / GL	20-JAN-75	GL		99
	L-P-50B	PAD, SCOURING USER: GL	A 7920 / FSS	25-NOV-66			
	L-P-0050C	PAD, SCOURING	A 7920 / FSS	14-APR-71			
D	L-P-50B(12)	PADS, SCOURING	A 7920 / FSS	18-SEP-68			
	L-P-65C	PAILS, UTILITY, PLASTIC USER: CG REVIEWER: DM MD ME	A 7240 / GL	30-SEP-77	GL	YDI	99
	L-T-80B	TAPE, PRESSURE-SENSITIVE ADHESIVE (ALUMINUM-BACKED) REVIEWER: AR ER GL MI	A 8030 / MR	01-OCT-71	MR		11
	L-T-99C	TAPE, PRESSURE SENSITIVE ADHESIVE IDENTIFICATION REVIEWER: AV SH	A 7510 / GL	01-JAN-75	GL	SA	84
	L-T-100B	TAPE, PRESSURE-SENSITIVE ADHESIVE, POLYESTER FILM REVIEWER: 84 DS EA ME	A 7510 /	30-AUG-60			
	L-C-110J	CELLOPHANE (COATED AND NONCOATED REGENERATED CELLULOSE FILM) USER: SS	A 8135 / GL	02-JAN-75	GL	SA	69
D	L-S-125B	REVIEWER: 99 EA GS MD					
	NOTICE 1	SCREENING, NONMETALLIC, INSECT (VALIDATION DATE: 8711) USER: MC MD	A 8305 / CT	12-NOV-87	GL	SA	82 CT
	L-S-281C	REVIEWER: EA MS YDI					
AQ	L-S-300C	SHIELD, ERASING, TYPIST USER: GL REVIEWER: 99	A 7510 /	09-JUL-63			
	L-F-315C	SHEETING AND TAPE, REFLECTIVE: NONEXPOSED LENS (S/S BY ASTM-D4956)	A 9390 / FSS	06-FEB-92			
		FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS) (VALIDATION DATE: 8006) REVIEWER: 16	A 6750 / AS	15-NOV-71	ER	AS	70
	L-F-315C(11)	FILM, DIAZOTYPE, SENSITIZED (DIRECT IMAGE MICROFORMS) (VALIDATION DATE: 8006)	A 6750 / FSS	28-OCT-75			
	L-P-315C(2)	PIPE, PLASTIC (POLYETHYLENE, PE, SDR-PR) REVIEWER: CS	A 4710 /	01-APR-75			
	L-P-003150	PIPE AND TUBING, NONMETALLIC (PLASTIC)	A 4710 /	22-OCT-76			
	L-F-320B	FILM, THERMAL DEVELOPING (VALIDATION DATE: 8305)	A 6750 /	04-MAY-65			
	L-F-003200	FILM, THERMAL DEVELOPING, VESICULAR REVIEWER: 16 MC OS	A 6750 / CR	21-AUG-75	CR	AS	99
D	L-P-320B(1)	PIPE AND FITTINGS, PLASTIC (POLYVINYL CHLORIDE, PVC, DRAIN, WASTE, AND VENT, DWV) (VALIDATION DATE: 8305) USER: CG YDI REVIEWER: 99 CS	A 4710 / ME	30-MAR-77	ME		
	NOTICE 1	LINER, PLASTIC, WASTE RECEPTACLE USER: GL REVIEWER: 99	A 7240 /	16-MAY-74			
	L-L-330B(1)	FILM, PHOTOGRAPHIC, MOTION-PICTURE (BLACK AND WHITE) USER: EC MC REVIEWER: 85 MI	A 6750 / CR	26-FEB-74	CR	AS	99
	L-F-333A	FILM, DIAZOTYPE, SENSITIZED, MOIST AND DRY PROCESS, ROLL AND SHEET (VALIDATION DATE: 8303) USER: AV ME	A 6750 / AS	06-OCT-76	ER	AS	99
D	L-D-350D	DINING PACKETS USER: YDI REVIEWER: 84 GS MD TS	A 7360 / GL	31-DEC-90	GL		99
	L-P-375C(3)	PLASTIC FILM, FLEXIBLE, VINYL CHLORIDE (VALIDATION DATE: 8501) USER: ME MI OS REVIEWER: AR GS MD SA	A 8135 / GL	10-JAN-79	GL	SH	
	L-P-377B	PLASTIC SHEET AND STRIP, POLYESTER (VALIDATION DATE: 8201) REVIEWER: DS MD ME MI OS SH	A 8135 / GL	28-FEB-66	GL	SA	
A	L-P-378D(1)	PLASTIC SHEET AND STRIP, THIN GAUGE, POLYOLEFIN (VALIDATION DATE: 8801) USER: AV EC MC REVIEWER: 99 AR EA ER GS MD OS SM SS	A 8135 / GL	25-JAN-88	GL	SA	69
	NOTICE 1	PLASTIC HOLDING MATERIAL METHACRYLATE (VALIDATION DATE: 8908) USER: 17 AS ME REVIEWER: 99 EA LC GS MD MI OS SH	A 9330 / MR	03-AUG-89	MR		11
	L-P-383(1)	PLASTIC MATERIAL, POLYESTER RESIN, GLASS FIBER BASE, LOW PRESSURE LAMINATED (VALIDATION DATE: 9101) USER: 17 OS SH REVIEWER: AR GS ME MI	A 9330 / AS	30-OCT-91	MR	AS	11
	NOTICE 1	PLASTIC MATERIAL, CELLULAR, URETHANE (FLEXIBLE)	A 9330 /	26-AUG-77			
D	L-P-386C	PLASTIC SHEET, LAMINATED, THERMOSETTING (FOR DESIGNATION PLATES) (VALIDATION DATE: 8502) USER: YDI	A 9330 / SH	04-JUN-68	ER	SH	11
	L-P-387A(1)	PLASTIC SHEET, LAMINATED, THERMOSETTING (FOR DESIGNATION PLATES) (VALIDATION DATE: 8502) REVIEWER: 11 84 85 AS	A 9330 / FSS	09-JUL-71			
	L-P-387A(12)	PLASTIC, HOLDING AND EXTRUSION MATERIAL, POLYETHYLENE AND COPOLYMERS (LOW, MEDIUM, AND HIGH DENSITY) (VALIDATION DATE: 8707) USER: 17 AS MC REVIEWER: 99 AT AV EA GS MI MR OS	A 9330 / ER	07-JUL-87	ER		11
D	L-P-390C(2)	PLASTIC SHEETS, RODS AND TUBING, RIGID CAST, METHACRYLATE (MULTIAPPLICATION) USER: GL OS PA YDI REVIEWER: AS CR GS ME MI	A 9330 / MR	06-JUN-90	MR	SH	11
	NOTICE 1	PLASTIC HOLDING MATERIAL, CELLULOSE ACETATE (VALIDATION DATE: 8601) REVIEWER: 17 99 AR EA GS MI SH	A 9330 / MR	16-DEC-77	MR	SH	11
	L-P-410A(3)	PLASTIC POLYAMIDE (NYLON), RIGID, RODS, TUBES, FLATS, MOLDED & CAST PARTS (VALIDATION DATE: 8004) USER: MC REVIEWER: EC ME MI OS SH	A 9330 / AS	21-MAY-74	MR		11
D	L-F-475A(1)	FLOOR COVERING VINYL, SURFACE (TILE AND ROLL), WITH BACKING USER: ME	A 7220 / YDI	11-OCT-65		YDI	99
	L-F-475A(13)	FLOOR COVERING VINYL, SURFACE (TILE AND ROLL), WITH BACKING	A 7220 / FSS	24-SEP-82			
	L-M-490B	HOLDER, CARD-LABEL, (PLASTIC) REVIEWER: 84 SA	A 9905 / GL	06-JAN-92	GL		99
	L-M-490A(11)	HOLDER, CARD-LABEL, (PLASTIC)	A 9905 / FSS	24-NOV-67			
	L-P-504E	PLASTIC SHEET AND FILM, CELLULOSE ACETATE REVIEWER: CR EA GL GS ME	A 9330 / AS	17-JUN-91	MR	AS	11
D L	L-P-508H	PLASTIC SHEET, LAMINATED, DECORATIVE AND NONDECORATIVE (VALIDATION DATE: 9104) REVIEWER: GL GS MI YDI	A 9330 / MR	10-APR-91	MR		
	NOTICE 1	PLASTIC SHEET, ROD AND TUBE, LAMINATED, THERMOSETTING (VALIDATION DATE: 7209) USER: AS MC REVIEWER: AR CS EA GS ME MR OS	A 9330 / GL	17-OCT-67	GL		99



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action CPL / OAL Coordination Include Document Number	Document Title	Dist. Serv. FSC / Ans NCS Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
L-P-511(1) NOTICE 1 L-P-512C NOTICE 2 L-P-513C NOTICE 1	PLASTIC SHEET, LAMINATED, THERMOSETTING, COTTON FABRIC BASE. PHENOLIC-RESIN, POST-FORMING [VALIDATION DATE: 9110] REVIEWER: 69 AR ER MI PLASTIC SHEET (SHEETING); POLYETHYLENE [VALIDATION DATE: 9104] USER: MC SH REVIEWER: AR GL GS MI OS SH PLASTIC SHEET & INSULATION SHEET, ELECTRICAL (LAMINATED, THERMOSETTING, PAPER BASE, PHENOLIC RESIN) [VALIDATION DATE: 8707] USER: MC ME REVIEWER: AS EA EC GS MI MR	A 9330 / AS 30-OCT-91 A 9330 / MR 10-APR-91 A 9330 / ER 07-JUL-87	MR	AS	11	
L-P-516A NOTICE 1 L-P-517C(1)	PLASTIC SHEET & PLASTIC ROD, THERMOSETTING, CAST [VALIDATION DATE: 8707] USER: MC REVIEWER: 17 CS EC GS MI PLASTIC SHEET, SCRIBE-COATED [VALIDATION DATE: 8004] USER: OS REVIEWER: 68 AR GS	A 9330 / ER 21-MAR-67 A 9330 / AS 09-JUL-74	ER	AS	11	
D L-H-520G(1)	HOSE AND HOSE ASSEMBLIES, NON-METALLIC (RUBBER, PLASTIC) USER: CG REVIEWER: CS	A 4720 / YD1 10-JUL-91	ME	YD1		
L-P-527B NOTICE 1 L-C-530C L-E-530A L-P-535E	PLASTIC SHEET, STYRENE-BUTADIENE [VALIDATION DATE: 8702] USER: OS SH REVIEWER: 99 ER GL GS MI COATING, PIPE, THERMOPLASTIC RESIN ..... ENVELOPE, TRANSPARENT USER: AR GL MC MD ..... PLASTIC SHEET (SHEETING); PLASTIC STRIP: POLY(VINYL CHLORIDE) AND POLY(VINYL CHLORIDE-VINYL ACETATE), RIGID [VALIDATION DATE: 9103] USER: AS ME REVIEWER: 99 EA GS MI SH	A 9330 / MR 10-FEB-87 A 9330 / YD1 17-FEB-87 A 7510 % 27-APR-66 A 9330 / MR 29-MAR-91	MR	AS	11	
L-B-560A L-F-560F L-B-00565A(1) NOTICE 1 L-C-566C L-H-00575(1) L-H-580A(1) L-P-600A(1) L-P-600A(12) L-S-626C L-S-00626D L-S-626C(11) L-P-00665A L-P-00670B(2) L-T-790B	BOTTLE, SCREW CAP (POLYETHYLENE), 1.25 OUNCES REVIEWER: GS MT FORK, KNIFE, AND SPOON, PIGNIC, (PLASTIC) USER: CG MC REVIEWER: MD MS BOX, FILING, PLASTIC. .... COMB, HAIR (PLASTIC) USER: GL MC ..... HOLDER, DESK MEMORANDUM PAPER, SHEET TYPE ..... HOLDER, NAMEPLATE, DESK, PLASTIC USER: GL ..... PORTFOLIO, PLASTIC USER: GL ..... PORTFOLIO, PLASTIC ..... SPONGES, SYNTHETIC [VALIDATION DATE: 7209] USER: AS ME ..... SPONGES, SYNTHETIC ..... SPONGES, SYNTHETIC [VALIDATION DATE: 7209] ..... PROTECTOR, DUPLICATING STENCIL ..... PROTECTOR, DOCUMENT ..... TUBE, NONMETALLIC: POLYVINYL CHLORIDE (PVC), FLEXIBLE (FOR LABORATORY AND MEDICAL USE) [VALIDATION DATE: 8404] USER: ME SH TUBE, NONMETALLIC: POLYVINYL CHLORIDE (PVC), FLEXIBLE (FOR LABORATORY AND MEDICAL USE) [VALIDATION DATE: 8404] ..... TYPE CLEANER, PLASTIC RUBBER TYPE USER: GL ..... COVER, MATTRESS, AND PILLOW (PLASTIC) ..... PLASTIC ROD SOLID, PLASTIC TUBES AND TUBING, HEAVY WALLED, POLYVINYL CHLORIDE, RIGID [VALIDATION DATE: 8702] USER: AR SH REVIEWER: 99 EA GL GS ME	A 8125 * GL 08-FEB-74 A 7340 / GL 31-DEC-90 A 7520 # 31-AUG-70 A 8530 % 17-SEP-57 A 7520 # 09-MAY-73 A 7520 % 03-APR-72 A 7510 # FSS 13-DEC-72 A 7510 # FSS 14-JAN-87 A 7920 / SA 02-MAY-67 A 7920 # FSS 15-JAN-70 A 7920 / GL 13-SEP-67 A 7510 # 15-FEB-68 A 7510 # 11-MAY-72 A 4720 * CS 14-APR-76	GL	SA	99	
L-T-790B(11)	TUBE, NONMETALLIC: POLYVINYL CHLORIDE (PVC), FLEXIBLE (FOR LABORATORY AND MEDICAL USE) [VALIDATION DATE: 8404] USER: ME SH	A 4720 # FSS 11-MAR-77				
L-T-940B L-C-1021C L-P-1036A NOTICE 1	TYPE CLEANER, PLASTIC RUBBER TYPE USER: GL ..... COVER, MATTRESS, AND PILLOW (PLASTIC) ..... PLASTIC ROD SOLID, PLASTIC TUBES AND TUBING, HEAVY WALLED, POLYVINYL CHLORIDE, RIGID [VALIDATION DATE: 8702] USER: AR SH REVIEWER: 99 EA GL GS ME	A 7510 % 12-NOV-73 A 7210 % 30-APR-79 A 9330 / MR 10-FEB-87	MR		11	
D L-P-1040B	PLASTIC SHEETS AND STRIPS (POLYVINYL FLUORIDE) [VALIDATION DATE: 8601] USER: ME REVIEWER: ER GL GS YD1	A 9330 / MR 22-JUL-77	MR			
L-P-1041A NOTICE 1	PLASTIC MOLDING AND EXTRUSION MATERIAL, VINYLIDENE CHLORIDE VINYL CHLORIDE COPOLYMER [VALIDATION DATE: 8702] USER: AS OS REVIEWER: 17 EC ER GL GS ME MI	A 9330 / MR 10-FEB-87	MR		11	
D L-P-1221A(1) L-B-1283A L-C-001369 L-T-1512A L-F-1593 L-F-001641(2) L-W-1653(1) L-W-001653(1) L-C-001676(1) L-S-1805 L-S-1805(11) L-B-2009(1) L-B-35K(1) N-F-170F D O-B-41E D O-A-51H A O-A-76E O-P-0099A O-C-1011A(1) O-C-1050(1)	PIPE AND FITTINGS, PLASTIC, RIGID (STYRENE-RUBBER, DRAIN) USER: YD1 ..... BAG, SOILED CLOTHES (WATER SOLUBLE PLASTIC) USER: 45 ..... CUSHION, CARPET AND RUG, BONDED URETHANE ..... TAPE, PRESSURE SENSITIVE ADHESIVE, PIPE WRAPPING USER: YD1 ..... FUNNEL, PLASTIC [VALIDATION DATE: 7602] USER: GL MC MD MS ..... FLOOR COVERING, VINYL RESIN ..... WASTE RECEPTACLE, MOBILE, PLASTIC ..... WASTE RECEPTACLE, MOBILE, PLASTIC ..... CUSHION, CARPET AND RUG, VIRGIN URETHANE USER: YD1 ..... DRY TRANSFER SHEETS USER: GL ..... DRY TRANSFER SHEETS ..... BASKET, WASTE PAPER, PLASTIC ..... BAKERY MIXES, PREPARED USER: MC REVIEWER: MD MS SS TS ..... FEED, DRY, FOR DOGS [VALIDATION DATE: 8201] USER: SS REVIEWER: 03 MD ..... BATTERY WATER USER: MC ME SM YD1 REVIEWER: GS ..... ACETONE, TECHNICAL USER: AS REVIEWER: GS MD MI SM ..... ACETIC ACID, GLACIAL, TECHNICAL USER: AS ER MI OS REVIEWER: GS MD ..... PARADICHLOROBENZENE, TECHNICAL (DICHLOROBENZENE, PARA) REVIEWER: EA ..... CALCIUM CARBIDE USER: ME REVIEWER: GS ..... CALCIUM CHLORIDE, DIHYDRATE AND CALCIUM CHLORIDE, ANHYDROUS, TECHNICAL USER: CE ME	A 4730 * 12-APR-77 A 8465 # 07-OCT-77 A 7220 # 10-DEC-69 A 8030 * 09-JUN-75 A 7240 # 07-JUL-70 A 7220 # FSS 24-SEP-82 A 7240 # 27-DEC-76 A 7240 # 21-MAY-71 A 7220 # 07-SEP-71 A 7510 # FSS 01-JUL-74 A 7510 # FSS 14-OCT-75 A 7520 # 08-AUG-77 A 8920 / GL 12-DEC-84 A 8710 / GL 22-MAR-74 A 6810 / EA 29-AUG-84 A 6810 / EA 23-APR-92 A 6810 / EA 03-JUL-84 A 6810 # 09-MAR-65 A 6810 / EA 06-MAR-51 A 6810 # 10-FEB-76	GL	SA	50	
A O-C-110C NOTICE 1	CALCIUM HYDROXIDE, TECHNICAL [VALIDATION DATE: 9205] USER: MC REVIEWER: GS MD ME	A 6810 / EA 14-MAY-92	EA		68	
D O-C-114B(2)	CALCIUM HYPOCHLORITE, TECHNICAL USER: CE MC REVIEWER: GL GS MD ME MS YD1 ..	A 6810 * 09-MAR-77	EA	SH	68	
D O-L-160A	LEAK PREVENTIVE COMPOUND, RADIATOR	A 6850 / MR 28-SEP-67	MR	YD1	68	
D O-L-160A(12)	LEAK PREVENTIVE COMPOUND, RADIATOR	A 6850 # FSS 08-JUN-78				
A O-L-1640 NOTICE 2	LEATHER DRESSING, MILDEW PREVENTIVE [VALIDATION DATE: 9301] USER: MC ME REVIEWER: EA IS MD MR	A 8030 / GL 04-JAN-93	GL		99	
M O-L-172A(1)	LEATHER DRESSING, VESICANT GAS RESISTANT [VALIDATION DATE: 8502] USER: CE REVIEWER: 99	A 8030 * ER 27-AUG-71	ER	MC		
O-D-190B O-D-190B(11) O-H-200C	DEICING-DEFROSTER FLUID (AEROSOL) ..... DEICING-DEFROSTER FLUID (AEROSOL) ..... HERBICIDE, 2,4-DICHLOROPHENOXYACETIC ACID (SALTS AND ESTERS) USER: MC REVIEWER: GS	A 6850 # FSS 10-SEP-76 A 6850 # FSS 03-JUN-77 A 6840 * EA 05-MAY-69				
D O-H-206B	HERBICIDE, DCPA (DIMETHYL ESTER OF TETRACHLOROTEREPHTHALIC ACID) USER: MC REVIEWER: GS MD MS	A 6840 * GL 09-NOV-76	GL	YD1	68	
O-D-210A	DESICCANT, ACTIVATED, CALCIUM SULFATE, ANHYDROUS [VALIDATION DATE: 8404] USER: SM REVIEWER: GS	A 6850 / EA 25-FEB-76	EA		68	
O-H-210C	HERBICIDE, 2, 4, 5-TRICHLOROPHENOXYACETIC ACID (2, 4, 5-T) (SALTS AND ESTERS)	A 6840 # 26-SEP-69				
O-H-215A O-W-221C NOTICE 1	HERBICIDE, SILVEX ESTER AND SILVEX POTASSIUM SALT [VALIDATION DATE: 8205] .. WETTING AGENT, LIQUID, PHOTOGRAPHIC GRADE [VALIDATION DATE: 8902] REVIEWER: GS	A 6840 # 11-AUG-65 A 6750 / AS 20-FEB-89	ER	AS	70	
D O-C-230(4) O-W-232J L O-W-00232H O O-T-236C	CHARGE, FIRE EXTINGUISHER, FOAM REVIEWER: CS ..... METHANOL (METHYL ALCOHOL) USER: AS REVIEWER: AR DS GL GS MD MI ..... METHANOL (METHYL ALCOHOL) ..... TETRACHLOROTHYLENE (PERCHLOROTHYLENE), TECHNICAL GRADE USER: YD1 REVIEWER: DS GL GS MD MI OS SM	A 4210 * ME 12-SEP-61 A 6810 / EA 19-NOV-90 A 6810 / EA 09-JUL-90 A 6810 * 06-AUG-79	ME	YD1		
O O-C-265C	CHEMICALS, ANALYTICAL: GENERAL SPECIFICATION FOR USER: MI MS OS YD1 REVIEWER: AR GS MD SM	A 6810 / EA 30-OCT-91	EA		68	
O-C-275C	CHEMICALS, PHOTOGRAPHIC (SINGLE SUBSTANCE) GENERAL SPECIFICATION FOR [VALIDATION DATE: 7302] REVIEWER: GS ME	A 6750 / CR 30-JUN-69	CR	AS	99	
O-C-00275D	CHEMICALS, PHOTOGRAPHIC (SINGLE SUBSTANCE), GENERAL SPECIFICATION FOR USER: ME	A 6750 * CR 04-APR-74	CR	AS	70	
O-C-289G	CHLORINATION KIT, WATER PURIFICATION, (FOR TREATMENT OF DRINKING WATER) USER: CR REVIEWER: GS MD MS	A 6850 / GL 27-DEC-85	GL	MC	68	



## NUMERICAL LISTING FEDERAL SPECIFICATIONS

611



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action CPL / OMA Coordination Inhouse	Document Number	Document Title	Dist Smt F&C Area MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
A	D-14358	SANITIZER, PHENOLIC TYPE, CONCENTRATE REVIEWER: MD MS	A 6840	/ GL	30-JUN-92	GL			68
D	O-P-1731	PENETRATING FLUID USER: OS SH YDI REVIEWER: MC	A 6850	# MR	05-OCT-73	MR	AS		68
	O-P-1731(11)	PENETRATING FLUID	A 6850	# FSS	07-MAY-79				
	O-C-1824	CLEANING COMPOUND, SOLVENT, HEAVY DUTY, LIQUID	A 6850	#	13-SEP-73				
	O-C-1889	CLEANING COMPOUND, SOLVENT (VALIDATION DATE: 8709) USER: ME MI REVIEWER:	A 6850	/ GL	27-NOV-74	GL	AS		
	NOTICE 1	AR MD							
	O-C-1901	CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE, CONCENTRATED)	A 6850	# FSS	07-MAR-75				
	O-C-1901(11)	CLEANING COMPOUND, WINDSHIELD (SOLVENT AND ANTI-FREEZE, CONCENTRATED)	A 6850	# FSS	19-JUL-77				
	P-M-31E(2)	HAND CLEANER, WATERLESS (DUPLICATING INK AND GREASE USER: GL	A 8520	#	05-NOV-76				
	P-P-101E(1)	PAPER, ABRASIVE, SILICON CARBIDE, WATERPROOF (VALIDATION DATE: 8306) USER:	A 5350	/ 84	14-JUN-78	MR			99
		AS MC ME MI OS							
AQ	P-C-1110(2)	CARBON REMOVING COMPOUND (VALIDATION DATE: 9304) REVIEWER: 99 AR MD ME	A 6850	/ MR	13-APR-93	MR	AS		11
	NOTICE 2								
	P-S-120B	SCALE REMOVING COMPOUND USER: 11	A 6850	%	08-APR-77				
	P-W-120C	MAX, AUTOMOBILE, PASTE USER: GL MC MI MR	A 7930	%	22-APR-75				
	P-L-130C(1)	LAUNDRY SOUR (BLUING AND BRIGHTENER)	A 7930	# GL	17-MAY-78	GL			99
Q	P-W-155C	MAX, FLOOR, WATER-EMULSION USER: GL SH REVIEWER: 99	A 7930	# FSS	22-FEB-78				
Q	P-W-155C(11)	MAX, FLOOR, WATER-EMULSION	A 7930	# FSS	03-MAR-80				
	P-B-172B	BELTS AND BANDS, ABRASIVE (COATED CLOTH, POWER MACHINE) (VALIDATION DATE:	A 5345	/ 84	16-MAR-73	MR			99
		8306) USER: ME							
	P-P-2000	PEW CLEANER, LIQUID USER: GL	A 7510	%	15-NOV-73				
	P-D-2200	DETERGENT, GENERAL PURPOSE USER: GL	A 7930	%	06-AUG-79				
	P-D-223C	DETERGENT, GENERAL PURPOSE, LIQUID, HEAVY DUTY (BUILT, SYNTHETIC) USER: GL	A 7930	%	16-AUG-78				
L	P-D-225A	DETERGENT, GENERAL PURPOSE, SOLVENT TYPE	A 7930	% GL	12-APR-75	GL			
	P-D-225A(11)	DETERGENT, GENERAL PURPOSE, SOLVENT TYPE	A 7930	# FSS	14-JUN-77				
D	P-D-245F(1)	DETERGENT, GENERAL PURPOSE, LAUNDRY AND HAND DISHWASHING (GRANULAR) USER:	A 7930	/ GL	11-OCT-91	GL	YDI		99
		MC MS SH REVIEWER: 84 MD							
D	P-S-300C	SCOURING BRICKS AND HOLDER USER: GL YDI	A 7920	%	10-MAR-72				
	P-S-311F	SCOURING POWDER USER: CG MC MS REVIEWER: MD	A 7930	# GL	14-JUL-78	GL			99
	P-G-406D	GLASS CLEANER, LIQUID (CONCENTRATED AND READY-TO-USE)	A 7930	#	27-OCT-77				
	P-D-410C	DISHWASHING COMPOUND, HAND, (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM)	A 7930	# GL	18-MAY-77	GL	SH		84
		USER: MS REVIEWER: 03 MD OS							
	P-D-410C(11)	DISHWASHING COMPOUND, HAND (SYNTHETIC DETERGENT, SOLID AND LIQUID FORM)	A 7930	# FSS	24-AUG-83				
	P-S-411A	SKIN PROTECTIVE COMPOUND, CHEMICAL BARRIER (S/S BY A-A-50169) USER: 11 AR	A 6850	/ GL	20-SEP-91	GL	MS		68
		CG MC MD							
DQ	P-F-430C(1)	FINISH, FLOOR, WATER EMULSION (FOR USE ON LIGHT COLORED FLOORS) USER: GL	A 7930	%	15-APR-83				
		YDI							
	P-C-435B	CLEANING COMPOUND, GENERAL PURPOSE (POWDERED, HEAVY DUTY) USER: MC	A 7930	# GL	05-APR-78	GL			99
		REVIEWER: MD							
	P-C-436E	CLEANING COMPOUND, ALKALI, BOILING VAT (SOAK) OR HYDROSTEAM (VALIDATION	A 6850	/ MR	04-APR-91	MR			68
	NOTICE 1	DATE: 9104) USER: GS SH REVIEWER: MC ME MI							
DQ	P-C-437B(1)	CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER (VALIDATION DATE: 9104)	A 6850	/ MR	04-APR-91	MR	SH		68
	NOTICE 1	USER: MC YDI REVIEWER: AR AS GS OS							
	P-C-438A	CLEANING COMPOUND, OPTICAL LENS (VALIDATION DATE: 8709) REVIEWER: AR EA GS	A 6850	/ GL	26-APR-68	GL			68
	NOTICE 1	MD							
Q	P-C-444B	CLEANING COMPOUND, SOLVENT SOLUBLE, GREASE EMULSIFYING REVIEWER: 20 EA GS	A 6850	/ AS	26-MAY-83	AR	AS		68
		MS OS SH							
	P-A-450B(1)	ALKALI, LAUNDRY, CONTAINING CARBOXYMETHYL CELLULOSE REVIEWER: MD	A 7930	/ GL	06-JUN-77	GL			84
	P-C-535B	CLEANING COMPOUND, PLATERS ELECTROCLEANING, FOR STEEL (VALIDATION DATE:	A 6850	/ 11	10-JAN-78	AV	SH		11
		8505) REVIEWER: 68 AS MR OS							
	P-P-553B	POLISH, FURNITURE USER: GL MC	A 7930	%	20-OCT-77				
Q	P-S-560B(2)	POLISH, PLASTIC REVIEWER: EA MD	A 7930	/ AS	19-JUN-86	GL	AS		99
	P-S-560B	SOAP, FLOOR, LIQUID AND PASTE USER: GL	A 7930	%	14-MAR-75				
	P-S-577C(1)	SOAP, GRIT (PASTE WITH MINERAL SCRUBBER, AND POWER WITH VEGETABLE	A 8520	%	23-MAR-77				
		SCRUBBER) USER: GL MC SA							
	P-S-591H	SOAP, LAUNDRY, BAR	A 7930	# GL	10-FEB-76	GL			99
	P-S-591H(11)	SOAP, LAUNDRY, BAR	A 7930	# FSS	23-JUN-77				
	P-S-609C(1)	SOAP, SADDLE (LEATHER GOODS) USER: MC REVIEWER: MD	A 7930	# GL	13-MAY-73	GL			99
	P-S-624J	SOAP, TIOLET (LIQUID AND PASTE) USER: CG SH REVIEWER: 85 MD	A 8520	# GL	23-APR-80	GL			99
A	P-D-680B	DRY CLEANING AND DEGREASING SOLVENT USER: MC SH REVIEWER: AS AV DP GS MD	A 6850	/ ME	29-OCT-92	ME			68
		MI SH							
	P-S-683B	SOUR, LAUNDRY (FLUORIDATED)	A 7930	/ GL	28-DEC-65	GL	SH		69
	P-S-683B(12)	SOUR, LAUNDRY (FLUORIDATED)	A 7930	# FSS	06-JUL-78				
	P-S-730B	STAIN REMOVER, TABLEWARE, OXYGEN RELEASING TYPE USER: GL MC	A 7930	# FSS	30-JUN-76				
	P-S-730B(11)	STAIN REMOVER, TABLEWARE, OXYGEN RELEASING TYPE	A 7930	# FSS	19-AUG-77				
	P-L-790(1)	LUBRICATE, SILICATE CEMENT, DENTAL (VALIDATION DATE: 8202)	A 6520	/ DM	06-FEB-57	MD	MS		03
	P-L-00790A	LUBRICANT, SILICATE CEMENT, DENTAL (VALIDATION DATE: 8406)	A 6520	/ DM	15-JAN-71	MD	MS		03
	P-S-863F	SWEEPING COMPOUND	A 7930	%	11-JUN-76				
D	P-A-1056B	ABSORBENT MATERIAL, OIL AND WATER (FOR FLOORS AND DECKS) USER: GL MC MD	A 7930	%	24-FEB-76				
		YDI REVIEWER: OS							
	P-C-1121B	CLEANING AND POLISHING COMPOUND, STAINLESS STEEL	A 7930	#	13-JAN-78				
	P-C-1239(2)	CLEANING COMPOUND, LIMOLEUM-TOPPED FURNITURE USER: GL	A 7930	%	29-OCT-76				
	P-W-1272C	RINSE ADDITIVE, DISHWASHING, CONCENTRATED USER: MS SH REVIEWER: 03 MD	A 7930	# GL	19-MAR-76	GL	MC		84
	P-W-1272C(11)	RINSE ADDITIVE, DISHWASHING, CONCENTRATED	A 7930	# FSS	08-JUN-77				
	P-K-1420C	RINSE ADDITIVE, LAUNDRY (FABRIC SOFTENER AND ANTI-STATIC AGENT)	A 7930	# GL	21-JUN-74	GL	SH		99
		(VALIDATION DATE: 8106) REVIEWER: MD							
	P-C-1632B(11)	CLEANING COMPOUND, RUG AND UPHOLSTERY	A 7930	# FSS	03-JAN-77				
	P-M-001722A(1)	HAND CLEANER (PHE-MOISTENED PAD AND TOWLETTE, FOR INK AND OFFICE SOILS)	A 8520	#	24-SEP-76				
	P-D-1747C	DETERGENT, GENERAL PURPOSE (SPRAY ON, WIPE OFF) USER: MC MS SH REVIEWER:	A 7930	# GL	11-MAY-83	GL			99
		MD							
	P-S-1792(1)	SOAP, LAUNDRY (NEUTRAL AND BUILT) (VALIDATION DATE: 8104) USER: SH	A 7930	# GL	20-JUN-75	GL			99
	P-D-1800A	DISHWASHING COMPOUND, MACHINE (GRANULAR, BEAD OR FLAKE USER: MC REVIEWER:	A 7930	# GL	01-JUN-77	GL	SH		99
		MD							
L	P-C-1891	CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE	A 7930	# GL	27-SEP-76	GL			
	P-C-1891(11)	CLEANING COMPOUND, PORCELAIN AND CERAMIC TILE	A 7930	# FSS	03-JUN-77				
	P-C-1947A	CLEANING COMPOUND, OVEN	A 7930	#	15-SEP-77				
	Q-C-571C	COKE (COAL) (VALIDATION DATE: 7504)	A 9110	#	12-AUG-69				
	P-W-0091C(1)	NAPHTHALENE, TECHNICAL	A 6810	#	17-DEC-70				
	R-C-1424A	COAL TAR, (FOR USE IN ROAD CONSTRUCTION)	A 5610	#	10-MAY-74	ME			99
	S-R-440	RANGE, GAS, DOMESTIC	A 7310	#	11-AUG-70				
	S-R-0044E	RANGES, GAS (DOMESTIC)	A 7310	#	21-JUL-77				
	S-T-540E(2)	TOASTER, CONTINUOUS (CONVEYOR, HEAVY DUTY), ALL ELECTRIC AND COMBINATION	A 7310	/ SH	28-JUN-77				SH
		GAS AND ELECTRIC (VALIDATION DATE: 8303) USER: MC SA							
D	S-F-695G(1)	FRYERS, DEEP-FAT (ELECTRIC) USER: CE REVIEWER: 84 GS MC MD SA SH	A 7310	/ GL	15-DEC-83	GL	YDI		99
L	S-F-695G(14)	FRYERS, DEEP-FAT (ELECTRIC)	A 7310	/ SH	07-APR-92				SH
D	S-F-700F(1)	FRYER, DEEP FAT (GAS, HEAVY DUTY) REVIEWER: GS MD MS SA	A 7310	/ GL	29-MAR-85	GL	YDI		99
D	S-S-710H	STEAM TABLES (COMMERCIAL, HEAVY DUTY, STEAM, GAS, OR ELECTRICALLY HEATED)	A 7310	/ GL	23-JAN-76	GL	YDI		84
		(VALIDATION DATE: 8201) REVIEWER: CL MC MD							
L	S-S-710H(11)	STEAM TABLES (COMMERCIAL, HEAVY DUTY, STEAM, GAS, OR ELECTRICALLY HEATED)	A 7310	/ GL	14-JUN-77	GL			
		(VALIDATION DATE: 8201)							
D	S-O-865B	OVEN, REVOLVING TRAY, BAKING AND ROASTING, COMPACT, (GAS, ELECTRIC)	A 7310	/ GL	30-APR-74	GL	YDI		99
	NOTICE 1	(VALIDATION DATE: 8709) REVIEWER: GS MD							
D	S-O-1425B	OVENS, MICROWAVE, ELECTRIC USER: CE REVIEWER: 84 MD SA SH	A 7310	/ YDI	10-AUG-89	GL	YDI		99
	T-O-56A	ONKUM, MARINE (VALIDATION DATE: 8210) REVIEWER: 82 AR 15 SA	A 5330	/ SH	22-DEC-70		SH		99



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active GSA / ONA Combinator Institute Document Number	Document Title	Dist. Smt. FSC / Ans MCA Symbol Preparing Acty Date	Army Navy Air Force DIA
T-M-550A	ROP. DUSTING, COTTON, UNIVERSAL ACTION SWIVEL USER: GL	A 7920 % FSS 19-SEP-61	
T-M-00550B	ROP. DUSTING, COTTON, UNIVERSAL ACTION SWIVEL	A 7920 % FSS 29-MAR-67	
T-M-550A(11)	ROP. DUSTING, COTTON, UNIVERSAL ACTION SWIVEL	A 7920 % FSS 03-JUL-63	
T-M-561G	ROP. DUSTING, COTTON, SYNTHETIC AND SYNTHETIC	A 7920 % FSS 11-FEB-91	
T-M-00566	ROP. DUSTING, GENERAL USE, WITH DISPOSABLE PAD	A 7920 % 14-MAY-64	
T-M-567A	ROP. DUSTING, COTTON, RECTANGULAR AND TRIANGULAR USER: GL SA	A 7920 % 02-JUN-58	
T-M-00567B	ROP. DUSTING, COTTON, TRIANGULAR	A 7920 % 27-SEP-70	
T-D-568A	DUSTER, VENETIAN BLIND USER: GL	A 7920 % FSS 04-MAR-65	
T-D-00568B	DUSTER, VENETIAN BLIND	A 7920 % FSS 01-JUN-70	
T-D-568A(11)	DUSTER, VENETIAN BLIND	A 7920 % FSS 07-FEB-68	
T-M-570	ROP. DUSTING, COTTON, SLIP-ON (WITH HANDLE) USER: GL	A 7920 % 07-FEB-55	
T-M-00570A	ROP. DUSTING, COTTON, SLIP-ON (WITH HANDLE)	A 7920 % 08-DEC-67	
T-C-571F(2)	CORD, COTTON, GENERAL AND SPECIAL PURPOSE, SASH AND VENETIAN BLIND USER: AV CE MC ME REVIEWER: EA IS MD	A 4020 / GL 25-SEP-85	GL YD 99
T-R-571E	ROPE, COTTON, OR COTTON AND POLYESTER USER: AV MC ME REVIEWER: B2 IS MD SM	A 4020 / GL 13-MAR-90	GL 99
T-M-580(3)	ROP. WET, COTTON, (WITH FIXED HANDLE) USER: GL	A 7920 % 17-MAR-80	
T-R-605B(3)	ROP. MANILA AND SISAL (VALIDATION DATE: 8204) USER: CE MC YD1 REVIEWER: AR CS EA IS ME	A 4020 / SH 17-APR-73	GL SH 99
T-T-616B	TREATMENT MILDWE RESISTANT FOR ROPE AND CORD (VALIDATION DATE: 8201) USER: MD REVIEWER: B2 IS MC MI	A 4020 / GL 29-SEP-69	GL AS 99
T-R-650(1)	ROPE, YARN AND TWINE, BAST FIBER (VALIDATION DATE: 8302) USER: AR CG MC ME YD1 REVIEWER: MD	A 4020 / SH 19-MAY-69	GL SH 99
T-T-871E(1)	TWINE, COTTON, WRAPPING USER: ME SH REVIEWER: AR EA OS	A 4020 / GL 20-MAY-75	GL SA 99
T-T-871E(12)	TWINE, COTTON, WRAPPING	A 4020 % FSS 15-APR-77	
T-T-881D	TWINE, COTTON, SEINE (VALIDATION DATE: 7502) USER: MC ME SH REVIEWER: B2 85 IS MD	A 4020 % GL 12-FEB-69	GL SA 99
T-T-891D	TWINE, LINEN (VALIDATION DATE: 8201)	A 4020 / GL 28-DEC-67	GL 99
T-T-911F	TWINE, FIBROUS, JUTE USER: MC SH REVIEWER: IS MD ME	A 4020 % GL 22-JAN-74	GL 99
T-M-001203(2)	ROP. DUSTING (RENTAL SERVICE)	A 7920 % 27-JUN-73	
T-C-275A	CORD, POLYESTER, CORELESS REVIEWER: B2 IS ME SH IS	A 4020 / GL 05-FEB-90	GL AS 99
U-T-30C	TALCUM POWDER USER: GL MC	A 8510 % FSS 24-SEP-75	
U-T-30C(11)	TALCUM POWDER	A 8510 % FSS 19-MAY-77	
U-W-135B	MAX. BASE-PLATE, DENTAL (VALIDATION DATE: 8202)	A 6520 / DM 15-JAN-76	MD MS 03
U-W-00140A	MAX. DENTAL, CASTING	A 6520 / DM 14-JUN-67	MD MS 02 DM
U-W-149	MAX. STICKY, DENTAL (VALIDATION DATE: 8202)	A 6520 / DM 23-NOV-48	MD MS 03
U-P-401E	TAPE, ADHESIVE, SURGICAL (VALIDATION DATE: 8202) REVIEWER: EA	A 6510 / DM 16-SEP-75	MD MS 03
U-P-00401F	TAPE, ADHESIVE, SURGICAL (VALIDATION DATE: 8406)	A 6510 / DM 14-MAR-78	
U-L-498C	IMPRESSION MATERIAL, DENTAL HYDROCOLLOID, ALGINATE TYPE (VALIDATION DATE: 8202)	A 6520 / DM 12-JAN-76	MD MS 03
U-A-500B	AMMONIA, AROMATIC (INHALANTS) (VALIDATION DATE: 8202)	A 6505 % DM 30-MAR-76	MD MS 03
U-I-500B	IMPRESSION MATERIAL, DENTAL, PASTE	A 6520 % DM 29-APR-86	MD MS 03
U-I-00500A	IMPRESSION MATERIAL, DENTAL ZINC OXIDE EUGENOL PASTE (VALIDATION DATE: 8202)	A 6520 / DM 08-MAR-72	MD MS 03
V-L-61J	LACES, NYLON USER: 45 MC REVIEWER: B2 MD	A 8335 / CT 08-OCT-87	GL MU 99 CT
V-M-81F(1)	MATTRESSES, BED, FELT (VALIDATION DATE: 8201) USER: 45 REVIEWER: CT DM MC MD	A 7210 % GL 06-MAY-76	GL MU 99
V-M-96K	MATTRESS, BED, INMERSPRING USER: SH REVIEWER: CT MD	A 7210 % CT 15-FEB-90	GL CT
V-M-96K(11)	MATTRESS, BED, INMERSPRING	A 7210 % FSS 24-MAY-90	
V-F-106F(2)	FASTENER, SLIDE, INTERLOCKING USER: MC MU OS SA REVIEWER: B2 IS MI	A 5325 / GL 20-APR-90	GL AS 99
V-T-285F	THREAD, POLYESTER USER: B2 AR AS MC OS REVIEWER: 99 OS EA MD	A 8310 / CT 03-JAN-91	GL MU 11 CT
V-T-295E	THREAD, NYLON USER: AR AS CG MC REVIEWER: 99 OS EA MD MI	A 8310 / CT 01-AUG-85	GL MU 11 CT
V-P-356E	PILLOW, BED (FEATHER) USER: 45 REVIEWER: CT	A 7210 / CT 23-SEP-86	GL MU 99 CT
V-V-632	GREASE, INDUSTRIAL, GENERAL PURPOSE REVIEWER: AT CD GS MI SM TE	A 9150 / ME 12-OCT-89	ME 68
V-V-671F	GREASE, GRAPHITE REVIEWER: AL AR AT DT GS	A 9150 / ME 12-OCT-89	ME 68
V-B-871F	BUTTON, SEWING HOLE, AND BUTTON, STAPLE, (PLASTIC) USER: 45 CG REVIEWER: 11 B2 MC MD	A 8315 / CT 28-MAR-84	GL MU 99 CT
W-C-20E(1)	CABINET, DOUGH-PROOFING, (18 PAN CAPACITY) (VALIDATION DATE: 9302)	A 7320 / GL 26-FEB-93	GL YD1 99
W-B-30A(2)	REVIEWER: GS MC MD SA		
W-B-360	BALLAST, FLUORESCENT LAMP	A 6250 # 06-MAR-78	
W-M-50B(1)	RACEWAY AND FITTINGS, METALLIC, UNDERFLOOR	A 5975 # 25-NOV-83	
W-S-0090B(2)	HAND DRIER, BLOWER, ELECTRIC (VALIDATION DATE: 9102) USER: MC YD1 REVIEWER: B4 CS	A 4510 / SH 20-FEB-91	GL SH 99
W-B-101J	SAW, RECIPROCATING, PORTABLE ELECTRIC	A 5130 # 26-APR-73	
W-L-101H	BATTERY, DRY USER: AT MC OS YD1 REVIEWER: 80 OR MD ME MI SH	A 6135 % ER 19-NOV-82	SH 99
W-L-101I	LAMP, INCANDESCENT (ELECTRIC, LARGE TUNGSTEN-FILAMENT) (GENERAL SPECIFICATION) USER: YD1 REVIEWER: GS	A 6240 % SH 06-DEC-77	SH 85
W-L-101F(2)	RANGE, ELECTRIC, DOMESTIC	A 7310 # 31-DEC-70	
W-L-101/1A	LAMP, INCANDESCENT 100 WATT, 120 VOLTS A-19 BULB, INSIDE FROSTED, MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 17-NOV-77	
W-L-101/2A	LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 17-NOV-77	
W-L-101/3A	LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 17-NOV-77	
W-L-101/4A	LAMP, INCANDESCENT 60 WATT, 120 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 17-NOV-77	
W-L-101/5A	LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 17-NOV-77	
W-L-101/6A	LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/7A	LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/8A	LAMP, INCANDESCENT 75 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/9A	LAMP, INCANDESCENT 75 WATT, 130 VOLTS, A-19 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/10A	LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/11A	LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/12A	LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/13B	LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/14B	LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/15B	LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB, INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/16A	LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/17A	LAMP, INCANDESCENT 200 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	
W-L-101/18A	LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 # 18-NOV-77	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Off. / OMA Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DLA
W-L-101/19A	LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL	A 6240 #	18-NOV-77				
W-L-101/20A	LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB, INSIDE FROSTED MOGUL	A 6240 #	18-NOV-77				
W-L-101/21A	LAMP, INCANDESCENT, 300 WATT, 130 VOLTS PS-35 BULB INSIDE FROSTED MOGUL	A 6240 #	18-NOV-77				
W-L-101/22B	LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/23	LAMP INCANDESCENT 40 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED, MEDIUM	A 6240 # FSS	15-JAN-69				
W-L-101/24B	LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/25B	LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/26B	LAMP, INCANDESCENT 200 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/27B	LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/28A	LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB, INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/29A	LAMP, INCANDESCENT 150 WATT, 125 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/30A	LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/31B	LAMP, INCANDESCENT 25 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/33B	LAMP, INCANDESCENT 25 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/34A	LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE	A 6240 #	18-NOV-77				
W-L-101/35A	LAMP, INCANDESCENT 1000 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE	A 6240 #	18-NOV-77				
W-L-101/36A	LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE	A 6240 #	01-DEC-77				
W-L-101/37B	LAMP, INCANDESCENT 15 WATT, 120 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/38B	LAMP, INCANDESCENT 15 WATT, 130 VOLTS, A-15 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/39A	LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB, CLEAR MOGUL SCREW BASE	A 6240 *	18-NOV-77				
W-L-101/40A	LAMP, INCANDESCENT 750 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE	A 6240 *	18-NOV-77				
W-L-101/41A	LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL	A 6240 #	18-NOV-77				
W-L-101/42A	LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/43A	LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM	A 6240 #	18-NOV-77				
W-L-101/44A	LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM	A 6240 *	18-NOV-77				
W-L-101/45A	LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL	A 6240 #	18-NOV-77				
W-L-101/46A	LAMP, INCANDESCENT 1500 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE	A 6240 #	21-NOV-77				
W-L-101/47A	LAMP, INCANDESCENT 1500 WATT, 125 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE	A 6240 #	21-NOV-77				
W-L-101/48A	LAMP, INCANDESCENT 200 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE	A 6240 #	21-NOV-77				
W-L-101/49A	LAMP, INCANDESCENT 200 WATT, 130 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE	A 6240 #	21-NOV-77				
W-L-101/50A	LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB INSIDE FROSTED MOGUL	A 6240 #	21-NOV-77				
W-L-101/51A	LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE	A 6240 #	21-NOV-77				
W-L-101/52A	LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB CLEAR MEDIUM SCREW BASE	A 6240 #	21-NOV-77				
W-L-101/53A	LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/54A	LAMP, INCANDESCENT 50 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/56A	LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL	A 6240 #	21-NOV-77				
W-L-101/57A	LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/58A	LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/59A	LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-25 BULB CLEAR MEDIUM SCREW	A 6240 #	21-NOV-77				
W-L-101/60A	LAMP, INCANDESCENT 60 WATT, 125 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/61A	LAMP, INCANDESCENT 60 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/62A	LAMP, INCANDESCENT 60 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/63A	LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW	A 6240 #	21-NOV-77				
W-L-101/64A	LAMP, INCANDESCENT 1000 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/65A	LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/66A	LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/67A	LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/68A	LAMP, INCANDESCENT 40 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/69A	LAMP, INCANDESCENT 40 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM	A 6240 #	21-NOV-77				
W-L-101/72A	LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB CLEAR MOGUL SCREW BASE,	A 6240 #	18-NOV-77				
W-L-101/73A	LAMP, INCANDESCENT 750 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE,	A 6240 #	18-NOV-77				
W-L-101/74A	LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL	A 6240 #	18-NOV-77				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Qty / Ord. Combination Package	Document Number	Document Title	Dist. Smt. FSC / Ans. MCS Symbol	Preparing Act. Date	Custodians Army Navy Air Force DIA
	W-L-101/75A	LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/76A	LAMP, INCANDESCENT 100 WATT, 115 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/77A	LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/78A	LAMP, INCANDESCENT 100 WATT, 125 VOLTS, A-21 BULB INSIDE COATED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/79A	LAMP, INCANDESCENT 50 WATT, 115 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/80A	LAMP, INCANDESCENT 50 WATT, 120 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/81A	LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-23 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/83A	LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/84A	LAMP, INCANDESCENT 200 WATT, 120 VOLTS, PS-30 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/85A	LAMP, INCANDESCENT 75 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	18-NOV-77	
	W-L-101/86C	LAMP, INCANDESCENT 6 WATT, 120 VOLTS, S-6 BULB, CLEAR, CANDELABRA BASE REVIEWER: GS	A 6240 *	10-JUN-81	
	W-L-101/87C	LAMP, INCANDESCENT 6 WATT, 130 VOLTS, S-6 BULB CLEAR CANDELABRA BASE REVIEWER: GS	A 6240 *	10-JUN-81	
	W-L-101/88C	LAMP, INCANDESCENT 6 WATT, 145 VOLTS, S-6 BULB CLEAR CANDELABRA BASE REVIEWER: GS	A 6240 *	10-JUN-81	
	W-L-101/89C	LAMP, INCANDESCENT 6 WATT, 155 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS	A 6240 *	10-JUN-81	
	W-L-101/90A	LAMP, INCANDESCENT 10 WATT, 230 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/91A	LAMP, INCANDESCENT 10 WATT, 250 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/92B	LAMP, INCANDESCENT 3 WATT, 120 VOLTS, S-6 BULB CLEAR, CANDELABRA BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/94A	LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-10 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/95B	LAMP, INCANDESCENT 6 WATT, 120 VOLTS, T- 4 1/2 BULB CLEAR, CANDELABRA BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/98A	LAMP, INCANDESCENT 10 WATT, 120 VOLTS, S-14 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/99A	LAMP, INCANDESCENT 25 WATT, 120 VOLTS, T-6 1/2 BULB CLEAR INTERMEDIATE SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/100A	LAMP, INCANDESCENT 40 WATT, 120 VOLTS, T-8 BULB CLEAR MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/101A	LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-19 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/102A	LAMP, INCANDESCENT 100 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/103A	LAMP, INCANDESCENT 100 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/104A	LAMP, INCANDESCENT 150 WATT, 120 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/105A	LAMP, INCANDESCENT 150 WATT, 125 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/106A	LAMP, INCANDESCENT 150 WATT, 130 VOLTS, A-21 BULB INSIDE FROSTED MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/107A	LAMP, INCANDESCENT 150 WATT, 115 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/108A	LAMP, INCANDESCENT 150 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/109A	LAMP, INCANDESCENT 200 WATT, 130 VOLTS, PS-30 BULB CLEAR MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/110A	LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/111A	LAMP, INCANDESCENT 300 WATT, 125 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/112A	LAMP, INCANDESCENT 300 WATT, 130 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE REVIEWER: 85 GS SH	A 6240 *	21-NOV-77	
	W-L-101/113A	LAMP, INCANDESCENT 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/114A	LAMP, INCANDESCENT 500 WATT, 130 VOLTS, PS-35 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS	A 6240 #	21-NOV-77	
	W-L-101/115A	LAMP, INCANDESCENT 500 WATT, 120 VOLTS, PS-40 BULB INSIDE FROSTED MOGUL SCREW BASE REVIEWER: GS	A 6240 #	22-NOV-77	
	W-L-101/116A	LAMP, INCANDESCENT 75 WATT, 130 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE REVIEWER: 85 GS SH	A 6240 *	22-NOV-77	
	W-L-101/117A	LAMP, INCANDESCENT 750 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	22-NOV-77	
	W-L-101/118A	LAMP, INCANDESCENT 150 WATT, 120 VOLTS, PS-52 BULB CLEAR MOGUL SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	22-NOV-77	
	W-L-101/119A	LAMP, INCANDESCENT TRADE NO. 40 A/W, 40 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	11-NOV-77	
	W-L-101/120A	LAMP, INCANDESCENT TRADE NO. 60 A/W, 60 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE) MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	11-NOV-77	
	W-L-101/121A	LAMP, INCANDESCENT TRADE NO. 75 A/W, 75 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	11-NOV-77	
	W-L-101/122A	LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 120 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	11-NOV-77	
	W-L-101/123B	LAMP, INCANDESCENT TRADE NO. 100 A/W, 100 WATT, 125 VOLTS, A-19 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	01-DEC-77	
	W-L-101/124A	LAMP, INCANDESCENT TRADE NO. 200A/99, 200 WATT, 130 VOLTS, PS-25 BULB, INSIDE FROSTED, MEDIUM SCREW BASE, EXTENDED SERVICE REVIEWER: GS	A 6240 #	22-NOV-77	
	W-L-101/125A	LAMP, INCANDESCENT TRADE NO. 300/RS, 300 WATT, 120 VOLTS, PS-35 BULB CLEAR MOGUL SCREW BASE, ROUGH SERVICE REVIEWER: GS	A 6240 #	22-NOV-77	
	W-L-101/126A	LAMP, INCANDESCENT TRADE NO. 150 A/W, 150 WATT, 120 VOLTS, A-21 BULB INSIDE COATED (SOFT WHITE), MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	11-NOV-77	
	W-L-101/127A	LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS25 BULB INSIDE FROSTED, MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	24-NOV-77	
	W-L-101/128A	LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 130 VOLTS, PS-25 BULB INSIDE FROSTED, MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	22-NOV-77	
	W-L-101/129A	LAMP, INCANDESCENT TRADE NO. 200A25, 200 WATT, 120 VOLTS, PS-25 BULB CLEAR, MEDIUM SCREW BASE REVIEWER: GS	A 6240 #	22-NOV-77	
	W-L-101/130	LAMP, INCANDESCENT TRADE NO. 65BDC, 6 WATT, 120 VOLT, S-6 BULB, CLEAR, DOUBLE CONTACT BAYONET BASE USER: 85 SH REVIEWER: GS	A 6240 *	21-JAN-81	



## NUMERICAL LISTING FEDERAL SPECIFICATIONS

616



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

	Active Doc CofC Coordination Instructions Document Number	Document Title	Doc Symb FSC / Ase MCA Symbol Preparing Date	Date	Custodians			
					Army	Navy	Air Force	DLA
D	W-H-196J	HEATER, WATER, ELECTRIC, AND GAS FIRED, RESIDENTIAL USER: CE MC REVIEWER: CS GL MD	A 4520 * ME	14-DEC-73	ME	YD1	84	
	W-H-196J(11)	HEATER, WATER, ELECTRIC, AND GAS FIRED, RESIDENTIAL	A 4520 # FSS	20-DEC-76				
	W-L-200(2)	LANTERN, ELECTRIC	A 6230 # GS	26-OCT-64				
	W-L-00200C(2)	LANTERN, ELECTRIC USER: GS	A 6230 #	08-SEP-71				
Q	W-L-215(2)	LANTERN, ELECTRIC, HEAD	A 6230 #	10-MAY-61				
	W-L-00215B	LANTERN, ELECTRIC, HEAD	A 6230 #	07-JAN-77				
	W-C-260C	CHARGERS, BATTERY, SEMICONDUCTOR RECTIFIER (FOR CHARGING INDUSTRIAL STORAGE BATTERIES) REVIEWER: BS GL SH	A 6130 / ER	30-JUN-78	ER	SA	82	
	W-C-260C(11)	CHARGERS, BATTERY, SEMICONDUCTOR RECTIFIER (FOR CHARGING INDUSTRIAL STORAGE BATTERIES)	A 6130 # FSS	05-SEP-84				
	W-L-305D	LIGHT SET, GENERAL ILLUMINATION (EMERGENCY OR AUXILIARY)	A 6230 # FSS	12-MAY-76				
	W-L-305D(11)	LIGHT SET, GENERAL ILLUMINATION (EMERGENCY OR AUXILIARY)	A 6230 # FSS	29-JUN-77				
	W-L-310A(2)	LIGHT, DESK, FLUORESCENT, PEDESTAL	A 6230 #	23-JUN-64				
	W-L-00310B(4)	LIGHT, DESK (FLUORESCENT PEDESTAL)	A 6230 #	04-NOV-77				
	W-L-311A(2)	LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN	A 6230 # FSS	23-JUN-64				
	W-L-00311B(2)	LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN USER: GS	A 6230 # FSS	13-NOV-73				
	W-L-311A(13)	LIGHT, DESK, INCANDESCENT, FLEXIBLE COLUMN	A 6230 # FSS	16-FEB-68				
	W-L-312C	LIGHT, FLOOR AND DESK FLUORESCENT, SWINGING-ARM REVIEWER: GS	A 6230 #	25-FEB-85	ME			
	W-L-314/1	LIGHT, HOUSEHOLD DRESSER, TYPE VIII	A 6230 #	06-MAY-80				
	W-L-314/2	LIGHT, HOUSEHOLD, DRESSING TABLE, TYPE IX	A 6230 #	06-MAY-80				
	W-L-314/3	LIGHT, HOUSEHOLD, LARGE FLOOR, TYPE XIII	A 6230 #	06-MAY-80				
	W-L-314/4	LIGHT, HOUSEHOLD, LARGE TABLE, TYPE XV	A 6250 #	06-MAY-80				
	W-L-314/5	LIGHT, HOUSEHOLD, TALL TABLE, TYPE XVI	A 6230 #	06-MAY-80				
	W-L-314/6	LIGHT, HOUSEHOLD, EXTRA TALL TABLE, TYPE XVII	A 6230 #	06-MAY-80				
	W-L-314/7	LIGHT, HOUSEHOLD, JUNIOR FLOOR, TYPE XVIII	A 6230 #	06-MAY-80				
	W-L-314/8	LIGHT, HOUSEHOLD, SWING ARM FLOOR, TYPE XIX	A 6230 #	06-MAY-80				
	W-L-314/9	LIGHT, HOUSEHOLD, SMALL TABLE, (STUDY) TYPE XX	A 6230 #	06-MAY-80				
	W-L-314/10	LIGHT, HOUSEHOLD, SMALL TABLE, SWING ARM (STUDY), TYPE XXI	A 6230 #	06-MAY-80				
	W-L-316B	LIGHT, FLOOR (VALIDATION DATE: 8202)	A 6530 / DM	22-SEP-76	MD	MS	03	DM
L	W-L-316B(11)	LIGHT, FLOOR (VALIDATION DATE: 8202)	A 6530 / DM	03-FEB-77				
DQ	W-C-375B	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE (VALIDATION DATE: 8611) USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
D	W-C-375/1	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, SINGLE POLE (10 THRU 70 AMPERES) (VALIDATION DATE: 8611) USER: MC OS REVIEWER: 80						
D	W-C-375/2	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, TWO POLE (15 THRU 100 AMPERES) (VALIDATION DATE: 8611) USER: MC OS REVIEWER: 80						
D	W-C-375/3A	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	04-SEP-90	YD1	85	ES	
	NOTICE 1	TRIP, THREE POLE (10 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 80						
D	W-C-375/5A	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	29-JAN-91	YD1	85	ES	
	NOTICE 1	TRIP, SINGLE POLE (15 THROUGH 50 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/6B	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	13-DEC-91	YD1	85	ES	
	NOTICE 1	TRIP, TWO POLE (15 THROUGH 125 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/7B	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	13-DEC-91	YD1	85	ES	
	NOTICE 1	TRIP, THREE POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/10A	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, SINGLE POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/11A	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, TWO POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/12A	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT & SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, THREE POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/13	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, SINGLE POLE (15 THRU 50 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/14	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, TWO POLE (15 THRU 125 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/15	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, THREE POLE (15 THRU 100 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/16A	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	11-APR-88	YD1	85	ES	
	NOTICE 1	TRIP, SINGLE POLE (10 THRU 100 AMPERES) USER: MC OS REVIEWER: 80						
D	W-C-375/17A	CIRCUIT BREAKERS, MOLDED CASES, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	11-APR-88	YD1	85	ES	
	NOTICE 1	TRIP, TWO POLE (10 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 80						
D	W-C-375/18A	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE I, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, THREE POLE (10 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 80						
D	W-C-375/19A	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE III, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, SINGLE POLE (10 THRU 100 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/20A	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE III, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	19-NOV-86	YD1	85	ES	
	NOTICE 1	TRIP, TWO POLE (10 THRU 100 AMPERES) USER: MC OS REVIEWER: 99						
D	W-C-375/21	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	18-JUL-88	ER	YD1	85	ES
	NOTICE 1	TRIP, ONE POLE (15 THROUGH 70 AMPERES) USER: MC OS REVIEWER: 99 MI NA						
D	W-C-375/22	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	18-JUL-88	ER	YD1	85	ES
	NOTICE 1	TRIP, TWO POLE (15 THROUGH 125 AMPERES)						
D	W-C-375/23	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	18-JUL-88	ER	YD1	85	ES
	NOTICE 1	TRIP, THREE POLE (15 THROUGH 100 AMPERES) USER: MC OS REVIEWER: 99 MI NA						
D	W-C-375/24	CIRCUIT BREAKERS, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, TYPE II, SERIES 8611 USER: MC OS REVIEWER: 80	A 5925 / ES	18-JUL-88	ER	YD1	85	ES
	NOTICE 1	TRIP, THREE POLE (100 THROUGH 225 AMPERES) USER: MC OS REVIEWER: 99 MI NA						
D	W-F-396C(2)	FIRE ALARM SYSTEM: LOCAL, ELECTRIC, SUPERVISED, SELECTIVE CODED, SHUNT NONINTERFERING TYPE	A 4210 * ME	22-JUL-65	ME	YD1	99	
D	W-F-406E	FITTINGS FOR CABLE, POWER, ELECTRICAL AND CONDUIT, METAL, FLEXIBLE REVIEWER: 99 GS	A 5975 / YD1	26-MAR-93	ER	YD1	85	
D	W-F-408E	FITTINGS FOR CONDUIT, METAL, RIGID, (THICK-WALL AND THIN-WALL (EMT) TYPE) USER: CE MC REVIEWER: 99 GS	A 5975 / YD1	20-DEC-89	ME	YD1	85	
D	W-B-411A(1)	BLASTING MACHINE, GALVANOMETER, BLASTING, RESISTOR ASSEMBLY (VALIDATION DATE: 7905) USER: MC YD1	A 1375 / AR	02-MAY-72	AR	OS	99	
	W-F-414E	FIXTURE, LIGHTING (FLUORESCENT, ALTERNATING-CURRENT, PENDANT MOUNTING) ....	A 6210 # FSS	09-FEB-73				
	W-F-414E(11)	FIXTURE, LIGHTING (FLUORESCENT, ALTERNATING-CURRENT, PENDANT MOUNTING) ....	A 6210 # FSS	12-SEP-73				
	W-C-421H	CLEANER, VACUUM (ELECTRIC, PORTABLE, BACK-PACK) USER: GL	A 7910 #	02-NOV-87				
	W-C-00421G(4)	CLEANER, VACUUM, ELECTRIC (HOUSEHOLD/COMMERCIAL)	A 7910 #	11-APR-79				
Q	W-F-421B	FLASHLIGHTS, ELECTRIC, HAND	A 6230 # FSS	24-SEP-56				
Q	W-F-00421C(1)	FLASHLIGHT, ELECTRIC, HAND USER: GS	A 6230 # FSS	15-MAR-76				
Q	W-F-421B(11)	FLASHLIGHTS, ELECTRIC, HAND	A 6230 # FSS	13-NOV-63				
	W-C-440B	CLIP, ELECTRICAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8502) USER: ME REVIEWER: 99 EA MI	A 5999 / ER	11-AUG-70	ER	SH	85	
	W-C-441A	GLUEPOT, ELECTRIC (PORTABLE, DRY AND WET)	A 5120 * GL	19-NOV-87	GL		99	
Q	W-A-450C	COMPONENTS FOR INTERIOR ALARM SYSTEMS	A 6350 # FSS	28-AUG-90				
	W-A-450/1	COMPONENTS FOR INTERIOR ALARM SYSTEMS, BALANCED MAGNETIC SWITCHES	A 6350 # FSS	28-AUG-90				
	W-A-450/2	COMPONENTS FOR INTERIOR ALARM SYSTEMS FOIL	A 5340 # FSS	28-AUG-90				
	W-A-450/3	COMPONENTS FOR INTERIOR ALARM SYSTEM BREAKWIRE	A 5340 # FSS	10-DEC-90				
A	W-A-450/5	DETECTOR, BEAMBREAK, INFRARED	A 6350 # FSS	03-JAN-92				
A	W-A-450/6	DETECTOR, INFRARED, PASSIVE (PIR)	A 6350 # FSS	03-JAN-92				
A	W-A-450/7	DETECTOR, VIBRATION	A 6350 # FSS	03-JAN-92				
A	W-A-450/8	DETECTOR, PROXIMITY/CAPACITANCE	A 6350 # FSS	03-JAN-92				
A	W-A-450/9	DETECTOR, MOTION, ULTRASONIC	A 6350 # FSS	03-JAN-92				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Orl. Chg. Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Ave. MCA Symbol Preparing Acty. Date	Custodians		
			Army	Navy	Air Force DLA
A	W-A-450/10	DETECTOR, MICROWAVE, MOTION	A 6350 # FSS 03-JAN-92		
A	W-A-450/11	DETECTOR, MAT, PRESSURE	A 6350 # FSS 03-JAN-92		
A	W-A-450/12	DETECTOR, MOTION, VIDEO, INTERIOR (CLOSED CIRCUIT TELEVISION)	A 6350 # FSS 03-JAN-92		
A	W-A-450/14	DETECTOR, CABLE, FLEXIBLE	A 6350 # FSS 03-JAN-92		
A	W-A-450/16	DETECTOR, ACOUSTIC, PASSIVE / DISCRIMINATOR, SONIC	A 6350 # FSS 03-JAN-92		
A	W-A-450/17	DETECTOR, MOTION, DUAL TECHNOLOGY	A 6350 # FSS 03-JAN-92		
DQ	W-S-506C	SPARK PLUG USER: AR AV GL MC MI SH REVIEWER: 82 CS	A 2920 / AT 26-APR-83	AT	YD1 99
D	W-R-550A(1)	ROD, GROUND (WITH ATTACHMENTS) [VALIDATION DATE: 8301] USER: AR REVIEWER:	A 5975 / ME 18-AUG-77	ME	YD1 85
	NOTICE 1	11 99 ER GS MC MI			
D	W-T-550D	TOASTER, ELECTRIC, POP-UP/POP-DOWN, HEAVY-DUTY, INTERMITTENT [VALIDATION	A 7310 / GL 27-MAR-92	GL	SH 99
	NOTICE 1	DATE: 92031 REVIEWER: 82 GS MD TS YD1			
	W-S-564C	SOLDERING GUNS, ELECTRIC REVIEWER: GS	A 3439 / IP 10-APR-91	AL	99 IP
	W-S-570B(1)	SOLDERING IRON ELECTRIC	A 3439 / IP 19-OCT-90	AR	SH 99 IP
D	W-C-571C	CONDUIT & FITTINGS, NONMETAL, RIGID, (ASBESTOS CEMENT OR FIRE CLAY	A 5975 # YD1 15-JAN-81	ME	YD1 85
		CEMENT), (FOR ELECTRICAL PURPOSES) REVIEWER: 99			
	W-C-575B	CONDUIT & FITTINGS, NONMETALLIC, RIGID, BITUMINIZED FIBER, LAMINATED WALL	A 5975 # 16-JAN-81		
D	W-C-582A	CONDUIT, RACEWAY, METAL, AND FITTING, SURFACE	A 5975 # 25-JUN-81		
D	W-C-586D(1)	CONDUIT OUTLET BOXES, BODIES, AND ENTRANCE CAPS, ELECTRICAL: CAST METAL	A 5975 / YD1 27-MAR-92	ME	YD1 99
		REVIEWER: GL			
DQ	W-C-596F(1)	CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR USER: 11 AV MC ME	A 5935 / ES 19-JUL-90	CR	YD1 85 ES
	SUPPL 1C1	SH REVIEWER: 19 99 AS EC MI			
D	W-C-596/3B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 2 POLE, GENERAL GRADE, 2	A 5935 / ES 08-JAN-80	CR	YD1 85 ES
		WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99			
		AS EC MI			
D	W-C-596/4C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, CABLE OUTLET,	A 5935 / ES 24-JUN-83	CR	YD1 85 ES
		2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW			
		DESIGN USE W-C-596/14) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/7B	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 2	A 5935 / ES 08-JAN-80	CR	YD1 85 ES
		POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH			
		REVIEWER: 11 99 AS EC MI			
D	W-C-596/8C	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, GENERAL	A 5935 / ES 24-JUN-83	CR	YD1 85 ES
		GRADE, LOCKING, 2 POLE, 2 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ			
		(INACTIVE FOR NEW DESIGN USE W-C-596/10) USER: AV MC ME MI SH REVIEWER: 11			
		99 AS EC			
D	W-C-596/11C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE,	A 5935 / ES 05-JUN-92	CR	YD1 85 ES
		GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC			
		ME SH REVIEWER: 11 19 99 AR AS EC MI			
D	W-C-596/12E	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE	A 5935 / ES 05-JUN-92	CR	YD1 85 ES
		AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS,			
		50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI			
D	W-C-596/13C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE GROUNDING, 2	A 5935 / ES 06-OCT-80	CR	YD1 85 ES
		POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ [VALIDATION DATE: 8504]			
		USER: AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/14C	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, HOSPITAL GRADE CABLE	A 5935 / ES 06-OCT-80	CR	YD1 85 ES
		CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HER			
		[VALIDATION DATE: 8504] USER: AR AV MC SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/15D	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE,	A 5935 / ES 05-JUN-92	CR	YD1 85 ES
		GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC			
		ME SH REVIEWER: 11 19 99 AR AS EC MI			
D	W-C-596/16C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE,	A 5935 / ES 05-JUL-92	CR	YD1 85 ES
		GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC			
		ME SH REVIEWER: 11 19 99 AR AS EC MI			
D	W-C-596/17D	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, GENERAL GRADE 2	A 5935 / ES 13-FEB-85	CR	YD1 85 ES
		POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ [VALIDATION DATE: 8504]			
		USER: AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/18B	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING,	A 5935 / ES 06-OCT-80	CR	YD1 85 ES
		GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS [VALIDATION DATE: 8504]			
		USER: AV MC ME MI SH REVIEWER: AS EC			
D	W-C-596/20A	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GENERAL GRADE, 2	A 5935 / ES 13-FEB-80	CR	YD1 85 ES
		POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AR AV MC ME MI SH			
		REVIEWER: 99 AS AT EC			
D	W-C-596/23B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 2 POLE, 2	A 5935 / ES 13-FEB-80	CR	YD1 85 ES
		WIRE, 20 AMPERES, 250 VOLTS, 50/60 RTZ USER: AV MC ME MI SH REVIEWER: 11			
		99 AS EC			
D	W-C-596/26B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 20 AMPERES,	A 5935 / ES 13-FEB-80	CR	YD1 85 ES
		125/250 VOLTS USER: AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/27C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE,	A 5935 / ES 24-JUN-83	CR	YD1 85
		3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH			
		REVIEWER: 11 99 AS EC MI			
D	W-C-596/29B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4	A 5935 / ES 13-FEB-80	CR	YD1 85 ES
		WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ USER: AV MC ME			
		SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/30C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE,	A 5935 / ES 24-JUN-83	CR	YD1 85 ES
		4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ			
		(INACTIVE FOR NEW DESIGN) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/33C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE,	A 5935 / ES 24-JUN-83	CR	YD1 85 ES
		3 POLE, 3 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW			
		DESIGN USE W-C-596/18B) USER: AR AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/34B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 30 AMPERES,	A 5935 / ES 23-APR-80	CR	YD1 85 ES
		125/250 VOLTS [VALIDATION DATE: 8504] USER: AV MC ME SH REVIEWER: 11 99 AS			
		AT EC MI			
D	W-C-596/35C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, 3 POLE, 3	A 5935 / ES 24-JUN-83	CR	YD1 85
		WIRE, 30 AMPERES, 125/250 VOLTS, 50/50 HERTZ (INACTIVE FOR NEW DESIGN USE			
		W-C-596/190) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/36C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, 3 POLE, 3	A 5935 / ES 24-JUN-83	CR	YD1 85 ES
		WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE			
		W-C-596/184) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI			
D	W-C-596/37C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, 3 POLE, 3 WIRE, 50 AMPERES,	A 5935 / ES 24-JUN-83	CR	YD1 85 ES
		125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/185) USER:			
		AV MC ME SH REVIEWER: 11 99 AS AT EC MI			
D	W-C-596/39B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 4 POLE, 4	A 5935 / ES 23-APR-80	CR	YD1 85 ES
		WIRE, 60 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ [VALIDATION			
		DATE: 8504] USER: AV MC ME SH REVIEWER: 11 99 AS AT EC MI			
D	W-C-596/40C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE	A 5935 / ES 05-JUN-92	CR	YD1 85 ES
		AND HOSPITAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS,			
		50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI			
D	W-C-596/41C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, HOSPITAL GRADE	A 5935 / ES 05-JUN-92	CR	YD1 85 ES
		GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC			
		ME SH REVIEWER: 11 19 99 AR AS EC MI			
D	W-C-596/42C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, HOSPITAL GRADE, 2	A 5935 / ES 05-SEP-81	CR	YD1 85
		POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ [VALIDATION DATE: 8504]			
		USER: AV MC ME SH REVIEWER: AS EC MI			



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Doc / OAS CPL / OAS Conductance Inches	Document Number	Document Title	Dist. Syst. FSC / Issue MCA Symbol Preparing Act	Date	Custodians			
					Army	Navy	Air Force	DLA
D	W-C-596/43C	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	
D	W-C-596/44C	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/121) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES
D	W-C-596/45C	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (INACTIVE FOR NEW DESIGN USE W-C-596/122) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES
D	W-C-596/46B	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	04-SEP-81	CR	YD1	85	
D	W-C-596/59C	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	
D	W-C-596/60B	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504)	A 5935 / ES	04-SEP-81	CR	YD1	85	
D	W-C-596/61B	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI	A 5935 / ES	04-SEP-81	CR	YD1	85	
D	W-C-596/64C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES
D	W-C-596/65C	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES
D	W-C-596/66C	CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/67B	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504)	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/68B	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: 99 AS EC MI	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/69B	CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 99 AS EC MI	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/70B	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS (VALIDATION DATE: 8403) USER: AR AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-MAY-76	CR	YD1	85	ES
D	W-C-596/73C	CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/74B	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: 11 19 99 AS EC MI	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/77B	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504)	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/78B	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCK, GROUNDING 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/79B	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, LOCKING, 2 POLE 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8504) USER: 11 19 99 AS EC MI	A 5935 / ES	07-AUG-81	CR	YD1	85	
D	W-C-596/80A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES
D	W-C-596/81A	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES
D	W-C-596/82A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	
D	W-C-596/83B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES
D	W-C-596/84A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES
D	W-C-596/85A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES
D	W-C-596/86A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES
D	W-C-596/87A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES
D	W-C-596/88B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	01-OCT-87	CR	YD1	85	
D	W-C-596/89B	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES
D	W-C-596/90	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES
D	W-C-596/91A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	
D	W-C-596/92A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES
D	W-C-596/93A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING 2 POLE, 3 WIRE, 30 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES
D	W-C-596/94A	CONNECTORS, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Adm. / Chg. Coordination	Document Number	Document Title	Dist. Smt. FSC Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
D	W-C-596/95A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/96A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/97A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/98A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES		
D	W-C-596/99A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	05-JUN-92	CR	YD1	85	ES		
D	W-C-596/100A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/101B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	01-OCT-87	CR	YD1	85	ES		
D	W-C-596/102B	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/103	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES		
D	W-C-596/104A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/105A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES		
D	W-C-596/106A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/107	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85			
D	W-C-596/108A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES		
D	W-C-596/109A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/110A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/111	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85			
D	W-C-596/112	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES		
D	W-C-596/113A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/114A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/115B	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/116	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85			
D	W-C-596/117	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES		
D	W-C-596/118A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/119A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, SPECIAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/120	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85			
D	W-C-596/121	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES		
D	W-C-596/122A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES		
D	W-C-596/123A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/124	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES		
D	W-C-596/125	CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85			
D	W-C-596/126A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85			
D	W-C-596/127A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES		
D	W-C-596/128	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE (VALIDATION DATE: 8403) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85			



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Doc Ctrl / Cmk Coordination Inhouse	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	AF Forc	DLA
D	W-C-596/129A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, LOCKING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES	
D	W-C-596/130A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85		
D	W-C-596/131A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/132	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85		
D	W-C-596/133	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES	
D	W-C-596/134A	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85	ES	
D	W-C-596/135A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE Y USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/136	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, SINGLE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3 PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85	ES	
D	W-C-596/137	CONNECTORS, PLUG, ELECTRICAL, SPECIAL PURPOSE, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	11-AUG-78	CR	YD1	85		
D	W-C-596/138B	CONNECTOR, PLUG, ELECTRICAL, SPECIAL PURPOSE, CABLE OUTLET, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/139A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 20 AMPERES, 120/208 VOLTS, 50/60 HERTZ, 3-PHASE, Y USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/140B	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/141B	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/142B	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: 11 AV MC ME SH REVIEWER: 19 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/143A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	24-JUN-83	CR	YD1	85		
D	W-C-596/144B	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	10-MAY-90	CR	YD1	85	ES	
D	W-C-596/145	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIAL PURPOSE, DUPLEX, HOSPITAL GRADE, ISOLATED GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	24-MAR-82	CR	YD1	85	ES	
D	W-C-596/148A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, POL, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85		
D	W-C-596/149A	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85	ES	
D	W-C-596/150A	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 28 VOLTS, DIRECT CURRENT USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85		
D	W-C-596/151B	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85		
D	W-C-596/152A	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE	A 5935 / ES	03-MAY-88	CR	YD1	85		
D	W-C-596/153A	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GROUNDING, LOCKING, 2 POLE, 3 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 1 PHASE [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	31-JUL-79	CR	YD1	85	ES	
D	W-C-596/154A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85		
D	W-C-596/155A	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE A USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85	ES	
D	W-C-596/156A	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 120 VOLTS, 400 HERTZ, 3 PHASE USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85		
D	W-C-596/157A	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	03-MAY-88	CR	YD1	85		
D	W-C-596/158A	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	31-JUL-79	CR	YD1	85		
D	W-C-596/159A	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, LOCKING, GROUNDING, 4 POLE, 5 WIRE, 30 AMPERES, 120/208 VOLTS, 3 PHASE Y, 400 HERTZ [VALIDATION DATE: 8403] USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	31-JUL-79	CR	YD1	85	ES	
D	W-C-596/161A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	30-APR-92	CR	YD1	85	ES	
D	W-C-596/163A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	30-APR-92	CR	YD1	85	ES	
D	W-C-596/165A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	30-APR-92	CR	YD1	85	ES	
D	W-C-596/167A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	30-APR-92	CR	YD1	85	ES	
D	W-C-596/169A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 99 AR AS EC MI	A 5935 / ES	30-APR-92	CR	YD1	85	ES	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action OR / ORA Coordination Notice Document Number	Document Title	Dist. Smt. F&C Area MCA Symbol Preparing Agency Date	Army Navy Air Force DIA	Custodians
D 1	M-C-596/171A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D 1	M-C-596/173A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D 1	M-C-596/175A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D 1	M-C-596/177A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D 1	M-C-596/179A	CONNECTOR, RECEPTACLE, ELECTRICAL, MALE INLET, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D 1	M-C-596/181A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D 1	M-C-596/185A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D 1	M-C-596/189A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D	M-C-596/196	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	28-OCT-80 CR YD1 85 ES
D	M-C-596/200	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3 PHASE (VALIDATION DATE: 8504) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	28-OCT-80 CR YD1 85 ES
D 1	M-C-596/205A	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE USER: AV MC ME SH REVIEWER: 11 19 99 AR AS EC MI	A 5935 / ES	30-APR-92 CR YD1 85 ES
D	M-C-596/212	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GROUNDING, HOSPITAL GRADE, GROUND FAULT CIRCUIT INTERRUPTING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 60 HERTZ USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	24-MAR-82 CR YD1 85 ES
D	M-S-610E	SPLICE CONNECTORS REVIEWER: 99 GS	A 5940 / YD1	05-JUL-90 YD1 85
D	M-T-631C(2)	TRANSFORMER, POWER DISTRIBUTION USER: 11 CE MC MI REVIEWER: GS	A 6120 * ME	07-OCT-66 ME YD1 99
D	M-H-636G	HOT PLATE, ELECTRIC USER: MC REVIEWER: 84 MD SA SH	A 7310 / GL	20-MAR-88 GL YD1 99
D	M-H-640	HOTPLATES, GAS AND ELECTRIC, COFFEE-MAKER (VALIDATION DATE: 9302) USER: CG	A 7310 / GL	26-FEB-93 GL YD1 99
D	NOTICE 2	MS REVIEWER: MC MD SH YD1		
D	M-D-650A	DRILL, ELECTRIC, PORTABLE (BATTERY-POWERED) AND ACCESSORIES	A 5130 * GL	15-MAY-67 GL 99
D	M-H-650C	WRENCH, IMPACT, ELECTRIC USER: AV MC OS	A 5130 / SH	22-JUN-70 GL SH 84
D	M-H-650C(13)	WRENCH, IMPACT, ELECTRIC	A 5130 * FSS	21-MAR-74 GL SH 84
D	M-D-661D	DRILLS, ELECTRIC, PORTABLE (EXCLUSIVE OF HIGH FREQUENCY TYPES) AND STAND, PORTABLE ELECTRIC DRILL, VERTICAL USER: YD1	A 5130 / SH	13-OCT-69 GL SH 84
D	M-D-661D(11)	DRILLS, ELECTRIC, PORTABLE (EXCLUSIVE OF HIGH FREQUENCY TYPES) AND STAND, PORTABLE ELECTRIC DRILL, VERTICAL	A 5130 * FSS	17-AUG-70
D	M-E-00661B	ERASER, ELECTRIC	A 7490 #	15-JAN-69
D	M-L-661D	LIGHT EXTENSION, ELECTRICAL USER: MC REVIEWER: 82 GS MI	A 6230 / YD1	04-FEB-86 ME YD1 99
D	M-G-663B	GRINDER, ELECTRIC, PORTABLE USER: CE MC	A 5130 * GL	30-OCT-70 GL 99
D	M-G-690C	GRINDING KIT, VALVE SEAT, ELECTRIC USER: AT REVIEWER: MC ME	A 4910 / AL	23-JUL-85 AL YD1 99
D	M-I-785E	FURNACE, HEAT TREATING, ELECTRIC, HORIZONTAL BOX TYPE USER: AR AS AV OS	A 3424 *	31-AUG-78
D	M-P-796B	PULLER, FUSE (VALIDATION DATE: 8306) USER: YD1	A 5120 * B4	24-APR-74 GL 99
D	M-J-800F	JUNCTION BOX: EXTENSION, JUNCTION BOX: COVER, JUNCTION BOX (STEEL, CADMIUM, OR ZINC-COATED) USER: CE ER SH REVIEWER: 99 GS	A 5975 / YD1	24-JUL-92 ME YD1 85
D	M-B-820A	BELL, ELECTRICAL, LOW VOLTAGE, BUZZER, ELECTRICAL, LOW VOLTAGE	A 6350 #	18-SEP-78
D	M-S-896E(2)	SWITCH, TOGGLE (TOGGLE AND LOCK), FLUSH MOUNTED (GENERAL SPECIFICATION) (VALIDATION DATE: 8804) USER: 11 CG REVIEWER: 99 ER	A 5930 / ES	01-APR-88 AT YD1 85
D	M-S-896/2C	SWITCHES, TOGGLE AND LOCK, FLUSH MOUNTED (AC) (DETAIL SPECIFICATION) USER: 11 CG REVIEWER: 99 AT	A 5930 / ES	27-DEC-89 ER YD1 85 ES
D	M-S-896/3A	SWITCH, TOGGLE, FLUSH MOUNTED (MERCURY) (AC) (VALIDATION DATE: 8804) USER: 11 CG REVIEWER: 99 AT	A 5930 / ES	01-APR-88 ER YD1 85 ES
D	M-C-1094A	CONDUIT AND CONDUIT FITTINGS PLASTIC, RIGID	A 5975 #	03-JUL-75
D	M-D-1114A	DRILLS, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING)	A 5130 / SH	17-SEP-70 GL SH 84
D	M-D-1114A(12)	DRILLS, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING)	A 5130 / SH	15-JUL-71 SH
D	M-G-1115A	GRINDER, ELECTRIC, PORTABLE, DOUBLE-INSULATED (DIELECTRIC HOUSING)	A 5130 #	30-OCT-70
D	M-F-1234A	FIXTURE, LIGHTING (FLUORESCENT LAMP, INDUSTRIAL) (VALIDATION DATE: 8404) REVIEWER: GS	A 6210 * ME	02-OCT-73 ME 99
D	M-S-001361	SAFETY DEVICE, FLUORESCENT LAMP	A 6210 #	25-MAR-68
D	M-L-00141B(1)	FLASHLIGHT (PENLIGHT)	A 6230 *	30-DEC-74
D	M-T-1553A(4)	TAPE, RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED USER: AS REVIEWER: 80 ES MV OM	A 5835 / SH	16-OCT-91 CR SH 99
AQL	M-T-1553A(15)	TAPE, RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED	A 5835 / SH	25-JAN-92
D	M-T-001572	TAPE, RECORDING, AUDIO, 1/4 INCH MAGNETIC OXIDE COATED (VALIDATION DATE: 8201)	A 5835 * B2	17-MAY-72 SH 99
D	M-B-001573B(1)	BAWD, WRAPAROUND TAPE REEL (FOR COMPUTER TAPE STORAGE)	A 7440 #	05-MAR-80
D	M-D-001663(1)	DISK PACK, FOR DATA STORAGE (MAGNETIC RECORDING, 14 INCH, 11 DISKS)	A 7045 #	28-MAY-76
D	M-C-1684	CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) (VALIDATION DATE: 8303)	A 5835 * FSS	04-APR-77
D	M-C-1684(11)	CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN-HUB, COPLANAR) (VALIDATION DATE: 8303)	A 5835 # FSS	12-JAN-78
D	M-C-001749(2)	CLEANER, VACUUM, ELECTRIC (INSTITUTIONAL/HOSPITAL)	A 7910 #	07-APR-76
D	M-C-001750(1)	CLEANER, VACUUM, ELECTRIC (COMMERCIAL/INDUSTRIAL)	A 7910 #	28-MAY-75
DQ	M-F-1814A	FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY USER: AL AR OS REVIEWER: 99 AT ME NS	A 5920 / ES	06-APR-88 ER YD1 85
D	M-F-1814/1	FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 0-15 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920 / ES	29-NOV-88 ER YD1 85 ES
D	M-F-1814/2	FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 16-20 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920 / ES	29-NOV-88 ER YD1 85 ES
D	M-F-1814/3	FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 21-30 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920 / ES	29-NOV-88 ER YD1 85 ES
D	M-F-1814/4	FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASS G (CURRENT-LIMITING) 300 VOLTS, 31-60 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920 / ES	29-NOV-88 ER YD1 85 ES
D	M-F-1814/5	FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920 / ES	29-NOV-88 ER YD1 85 ES
D	M-F-1814/6	FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920 / ES	29-NOV-88 ER YD1 85 ES



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action	ORI / OIA	Coordination	Machine	Document Number	Document Title	Dist. Syst.	FSC / Area	MCA Symbol	Preparing Act.	Date	Custodians			
											Army	Navy	Air Force	OIA
D	W-F-1814/7				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME MC NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/8				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/9				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AL AT ME NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/10				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS J (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT ME NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/47A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 601-800 AMPERES USER: AR OS REVIEWER: 99 AL AT	A 5920	/ ES	19-NOV-86	ER	YD1 85	ES			
D	W-F-1814/48A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 801-1200 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/49A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1201-1600 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/50A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 1601-2000 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/51A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2001-2500 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: 80 AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/52A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 2501-3000 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/53A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 3001-4000 AMPERES (VALIDATION DATE: 8811) USER: OS REVIEWER: AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/54A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 4001-5000 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/55A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS L (CURRENT-LIMITING) 600 VOLTS, 5001-6000 AMPERES (VALIDATION DATE: 8811) USER: AR OS REVIEWER: 80 AL AT NS	A 5920	/ ES	29-NOV-88	ER	YD1 85	ES			
D	W-F-1814/56A				FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 0-30 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
D	W-F-1814/57A				FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 31-60 AMPERES USER: AR OS REVIEWER: AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 99				
D	W-F-1814/58A				FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 61-100 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
D	W-F-1814/59A				FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 101-200 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
D	W-F-1814/60A				FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 201-400 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
D	W-F-1814/61A				FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 250 VOLTS, 401-600 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
D	W-F-1814/62A				FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
D	W-F-1814/63B				FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 31-60 AMPERE USER: AR OS REVIEWER: 99 AL AT EA ME NS	A 5920	* ES	15-JUL-85	ER	YD1 85				
D	W-F-1814/64A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
	W-F-1814/65A				FUSE, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82						
D	W-F-1814/66A				FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES USER: AR OS REVIEWER: AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 99				
D	W-F-1814/67A				FUSES, CARTRIDGE, HIGH-INTERRUPTING CAPACITY, CLASSES RK1 & RK5 (CURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES USER: AR OS REVIEWER: 99 AL AT ME NS	A 5920	* ES	21-OCT-82	ER	YD1 85				
	W-F-2190				FILTER, RADIO FREQUENCY INTERFERENCE USER: 19 AS AT AV MC ME OS REVIEWER: 11 17 99 AR MI SH	A 5915	/ ES	13-DEC-83	ER	EC 85				
D L	W-F-2793				FANS, CENTRIFUGAL, DRAFT, FORCED AND INDUCED REVIEWER: GS	A 4140	* YD1	02-JUL-92			YD1			
	AA-R-20A				RACK, DISPLAY, BOOK, (WOOD) USER: GL	A 7110	%	01-JUL-59						
	AA-R-0020B				RACK, DISPLAY, BOOK, (WOOD)	A 7110	%	07-JAN-72						
	AA-C-300				CABINET, KEY, (BOXES AND RACKS METAL & IDENTIFICATION SYSTEMS) USER: GL	A 7125	%	21-JUL-60						
D	AA-C-31E				CABINET, STORAGE, METAL	A 7125	* GL	01-JUN-72	GL	YD1 99				
	AA-C-33B				CABINETS, SMALL PARTS, STORAGE	A 7125	%	19-JUN-63						
	AA-E-35E				EASEL, DISPLAY & TRAINING	A 7520	% FSS	06-MAY-89						
	AA-R-0040C				RACK, WEARING APPAREL, STEEL	A 7195	%	31-MAY-74						
D L	AA-C-45B				CABINET, TOOL, MOBILE USER: AR MC YD1 REVIEWER: AT	A 5140	* GL	29-JUN-77	GL					
	AA-C-45B(11)				CABINET, TOOL, MOBILE	A 5140	% FSS	10-MAR-88						
	AA-R-0045				RACK, STORAGE, LOADED PALLET	A 7125	%	27-JAN-69						
	AA-T-50D				TABLE, EXAMINING (VALIDATION DATE: 8202)	A 6530	/ DM	28-JAN-76	MD	NS 03				
	AA-S-81B				SAFES, OFFICE, FIRE RESISTANT, BURGLARY PROTECTION USER: GL MC SA	A 7110	%	09-OCT-62						
	AA-T-112				TABLES, WOOD, GENERAL OFFICE USER: GL	A 7110	% FSS	25-JUL-55						
	AA-T-00112A(1)				TABLE, WOOD, GENERAL OFFICE	A 7110	% FSS	16-AUG-76						
	AA-T-112(13)				TABLES, WOOD, GENERAL OFFICE USER: GL	A 7110	% FSS	10-JUN-66						
	AA-S-130B				SCREENS, BEDSIDE, ALUMINUM	A 6530	/ MB	14-FEB-91	MD	NS 03				
	AA-D-191A(3)				DESK, STEEL, GENERAL OFFICE USER: GL	A 7110	%	04-AUG-55						
	AA-D-00191E				DESK, STEEL, GENERAL OFFICE	A 7110	%	10-JUL-70						
	AA-D-195B				DESK, FLAT TOP, STEEL, CONFERENCE-TYPE USER: GL	A 7110	% FSS	02-MAR-61						
	AA-D-00195D				DESK, STEEL, CONFERENCE TYPE	A 7110	%	07-APR-67						
	AA-D-195B(13)				DESK, FLAT TOP, STEEL, CONFERENCE-TYPE	A 7110	% FSS	29-JAN-63						
D	AA-R-200F				REFRIGERATOR, MECHANICAL, COMMERCIAL, SELF-CONTAINED, REACH-IN AND PASS-THROUGH USER: CE REVIEWER: MC MD ME NS	A 4110	/ GL	19-JAN-87	GL	YD1 99				
L	AA-R-200F(11)				REFRIGERATOR, MECHANICAL, FOOD: SELF-CONTAINED, REACH-IN AND PASS-THROUGH	A 4110	/ GL	04-JAN-90	GL					
	AA-V-200A				VENETIAN BLINDS USER: GL MC	A 7230	%	06-NOV-65						
	AA-V-00200B				VENETIAN BLINDS	A 7230	%	05-JUN-73						
D	AA-R-211G(3)				REFRIGERATOR, MECHANICAL, HOUSEHOLD, (ELECTRICAL, SELF-CONTAINED)	A 4110	* GL	18-SEP-75	GL	YD1 99				
L	AA-R-00211H				REFRIGERATORS, MECHANICAL, HOUSEHOLD (ELECTRICAL, SELF-CONTAINED)	A 4110	/ GL	27-APR-77	GL					



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Spec / OMA Coordination Institute Document Number	Document Title	Diet Smt F&C Area MCA Symbol Preceding Assy Date	Custodians Army Navy Air Force DLA
AA-D-230A(1)	OFFICE FURNITURE, EXECUTIVE TYPE, WOOD, TRADITIONAL (GENERAL SPECIFICATION)	A 7110 # FSS 17-DEC-64	
AA-D-00230C	OFFICE FURNITURE: EXECUTIVE TYPE, WOOD, TRADITIONAL (GENERAL SPECIFICATION)	A 7110 # FSS 21-JUL-89	
AA-D-230A(15)	OFFICE FURNITURE, EXECUTIVE TYPE, WOOD, TRADITIONAL (GENERAL SPECIFICATION)	A 7110 # FSS 15-AUG-68	
AA-D-230/1A	OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL	A 7110 # FSS 07-OCT-64	
AA-D-00230/1B	OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL	A 7110 # FSS 15-JUN-79	
AA-D-230/1A(11)	OFFICE FURNITURE: BOOKCASE, EXECUTIVE TYPE, WOOD, TRADITIONAL	A 7110 # FSS 15-NOV-56	
AA-D-230/2A	OFFICE FURNITURE, CABINET, TELEPHONE, EXECUTIVE TYPE, WOOD, TRADITIONAL, (DETAILED SPECIFICATION)	A 7110 # 07-OCT-64	
AA-D-00230/2B	OFFICE FURNITURE, CABINET, TELEPHONE, EXECUTIVE TYPE, WOOD TRADITIONAL (DETAILED SPECIFICATION)	A 7110 # 15-JUN-79	
AA-D-230/3A(1)	OFFICE FURNITURE, CUSTOMER, EXECUTIVE TYPE, WOOD, TRADITIONAL, (DETAILED SPECIFICATION)	A 7110 # 16-APR-75	
AA-D-00230/3C	OFFICE FURNITURE: CUSTOMER, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION)	A 7195 # FSS 21-JUL-89	
AA-D-230/4A	OFFICE FURNITURE: DESK, EXECUTIVE TYPE, WOOD, TRADITIONAL	A 7110 # FSS 07-OCT-64	
AA-D-00230/4B	OFFICE FURNITURE: DESKS, DESK ATTACHMENTS, EXECUTIVE TYPE, WOOD TRADITIONAL	A 7110 # FSS 15-JUN-79	
AA-D-230/4A(16)	OFFICE FURNITURE: DESK, EXECUTIVE TYPE, WOOD, TRADITIONAL	A 7110 # FSS 12-MAY-76	
AA-D-230/5A	OFFICE FURNITURE: TABLE, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION)	A 7110 # 07-OCT-64	
AA-D-00230/5B	OFFICE FURNITURE: TABLES, EXECUTIVE TYPE, WOOD, TRADITIONAL (DETAILED SPECIFICATION)	A 7110 # 15-JUN-79	
AA-D-230/6A	OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL	A 7110 # FSS 07-OCT-64	
AA-D-00230/6B	OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL	A 7110 # FSS 15-JUN-79	
AA-D-230/6A(13)	OFFICE FURNITURE: CREDENZA, EXECUTIVE OFFICE, WOOD, TRADITIONAL	A 7110 # FSS 15-NOV-66	
AA-D-230/7A	OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL	A 7110 # FSS 07-OCT-64	
AA-D-00230/7B	OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL	A 7110 # FSS 15-JUN-79	
AA-D-230/7A(11)	OFFICE FURNITURE: TYPEWRITER STAND, EXECUTIVE OFFICE, WOOD, TRADITIONAL	A 7110 # FSS 15-NOV-66	
AA-D-00235	OFFICE FURNITURE: STEEL, SECTIONAL	A 7110 # 31-JAN-62	
NOTICE 1			
AA-D-240	OFFICE FURNITURE: STEEL, UNITIZED	A 7110 # 02-FEB-61	
AA-D-00240C	OFFICE FURNITURE: STEEL, UNITIZED, GENERAL SPECIFICATION	A 7110 # 15-JUL-71	
AA-D-00240/1C	OFFICE FURNITURE: DESK, L-UNIT, STEEL, UNITIZED	A 7110 # 08-SEP-70	
AA-D-00240/2C(1)	OFFICE FURNITURE: DESK ATTACHMENT, L-UNIT, TABLE, STEEL, UNITIZED	A 7110 # 15-JUL-71	
AA-D-00240/3C	OFFICE FURNITURE: BOOKCASE, STEEL, UNITIZED	A 7110 # 08-SEP-70	
AA-D-00240/4C	OFFICE FURNITURE: CREDENZA, OFFICE, STEEL	A 7110 # 08-SEP-70	
AA-D-00240/5C	OFFICE FURNITURE: TOP ASSEMBLY, DESK AND SUPPORT PANELS, STEEL, UNITIZED	A 7110 # 08-SEP-70	
AA-D-00240/6C	OFFICE FURNITURE: TOP AND SHELF ASSEMBLY, STEEL, UNITIZED	A 7110 # 08-SEP-70	
AA-D-00245B	OFFICE FURNITURE: TABLE, EXECUTIVE, WOOD AND METAL	A 7110 # 07-SEP-76	
AA-D-00250C	OFFICE FURNITURE: WOOD, UNITIZED (GENERAL SPECIFICATION)	A 7110 # FCS 21-JUL-89	
AA-D-00250/1D	OFFICE FURNITURE: BOOKCASE, WOOD UNITIZED (DETAILED SPECIFICATION)	A 7110 # FSS 21-JUL-89	
AA-D-00250/2D	OFFICE FURNITURE: CREDENZA, WOOD UNITIZED (DETAILED SPECIFICATION)	A 7110 # FSS 21-JUL-89	
AA-D-00250/3C	OFFICE FURNITURE: DESK, DESK ATTACHMENT, WOOD UNITIZED (DETAILED SPECIFICATION)	A 7110 # 02-OCT-78	
AA-D-00250/5C(1)	OFFICE FURNITURE: STORAGE UNIT, WOOD, UNITIZED (DETAILED SPECIFICATION)	A 7110 # 22-JUL-89	
AA-D-00250/6E	OFFICE FURNITURE: TABLES, WOOD, UNITIZED (DETAILED SPECIFICATION)	A 7110 # FSS 21-JUL-89	
AA-D-00250/7B	OFFICE FURNITURE: TYPEWRITER STAND, WOOD, UNITIZED	A 7110 # 02-OCT-78	
AA-B-260F	BEDSPRING, BOX-TYPE USER: 45 MD REVIEWER: CT	A 7210 # GL 30-JUL-75	GL YD1 99
AA-S-271D(1)	SHELVING, STORAGE AND DISPLAY, STEEL, INTERCHANGEABLE, NUT AND BOLT TYPE (VALIDATION DATE: 7502) USER: AR MC SM	A 7125 # GL 06-NOV-68	GL YD1 99
AA-C-275E	CHAIRS, ROTARY AND STRAIGHT, (ALUMINUM, OFFICE)	A 7110 # FSS 09-APR-93	
AA-C-00275E	CHAIRS, ROTARY AND STRAIGHT, ALUMINUM, OFFICE	A 7110 # FSS 01-MAR-76	
AA-S-00275	SHELVING, STORAGE AND DISPLAY, STEEL, BOLTLESS	A 7125 # 23-JUL-64	
AA-C-00288B	CHAIR, FOLDING, WOOD, WITHOUT ARMS	A 7105 # 01-APR-68	
AA-C-291C	CHAIRS, FOLDING, (STEEL)	A 7105 # FSS 08-FEB-89	
AA-C-293C	CHAIRS, ROTARY AND STRAIGHT, (STEEL, GENERAL OFFICE) USER: GL	A 7110 # FSS 29-JAN-89	
AA-C-00293B	CHAIR, STEEL, GENERAL OFFICE	A 7110 # 03-MAY-74	
AA-C-295	CHAIR, ROTARY, STEEL TUBULAR, SPECIAL PURPOSE USER: GL MI	A 7110 # 05-AUG-55	
AA-C-00295A(2)	CHAIR, ROTARY, STEEL TUBULAR, SPECIAL PURPOSE	A 7110 # 07-AUG-69	
AA-C-300A(1)	CHAIR, WOOD, EXECUTIVE OFFICE USER: GL	A 7110 # 10-DEC-53	
AA-C-00300F	CHAIRS, WOOD, EXECUTIVE OFFICE, TRADITIONAL	A 7110 # FSS 10-JUL-90	
AA-F-00300	FILE, ROLL DRAWING	A 7110 # 09-MAR-65	
AA-S-00300A	SHELF, FILING USER: GL	A 7520 # 17-FEB-67	
AA-F-00355B	FILING CABINET STEEL, LEGAL AND LETTER SIZE, INSULATED USER: GL	A 7110 # 10-JAN-72	
AA-F-358C	FILING CABINET, LEGAL & LETTER SIZE, UNINSULATED, SECURITY	A 7110 # FSS 07-MAR-89	
AA-F-358C(11)	FILING CABINETS, STEEL, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY	A 7110 # FSS 01-DEC-90	
AA-F-359H	FILING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL	A 7110 # FSS 05-DEC-91	
AA-F-00359E	FILING CABINETS, STEEL, LEGAL AND LETTER SIZE, VERTICAL	A 7110 # FSS 27-MAR-91	
NOTICE 1			
AA-F-360	FILING CABINETS, STEEL, MAP AND PLAN (SECTIONAL)	A 7110 # FSS 14-MAR-56	
AA-F-00360A	FILING CABINETS STEEL, MAP AND PLAN, (SECTIONAL)	A 7110 # FSS 05-NOV-71	
AA-F-360(11)	FILING CABINET STEEL, MAP AND PLAN (SECTIONAL)	A 7110 # FSS 30-APR-65	
AA-F-363B	FILING CABINET, SECURITY, MAPS AND PLANS, GENERAL FILING, AND STORAGE (VALIDATION DATE: 7502)	A 7110 # FSS 02-JUN-69	
AA-F-00363C	FILING CABINET, SECURITY, MAPS AND PLANS, GENERAL FILING AND STORAGE	A 7110 # FSS 01-DEC-90	
AA-F-367	FILING CABINET, STEEL, TABULATING MACHINE CARD SIZE USER: GL	A 7110 # FSS 20-AUG-56	
AA-C-00400F	CHAIRS, ROTARY AND STRAIGHT, WOOD OFFICE (UNITIZED FURNITURE STYLE)	A 7110 # FSS 20-DEC-91	
AA-B-450B(1)	BLACKBOARD, PORTABLE USER: GL	A 7110 # 30-MAY-75	
AA-L-486G(1)	LOCKERS, CLOTHING, STEEL USER: YD1	A 7125 # GL 07-DEC-67	GL 84
AA-L-486J	LOCKERS, CLOTHING, STEEL	A 7125 # FSS 16-MAR-93	
AA-H-540A	HOLDER, NAMEPLATE, DESK, WOOD	A 7520 # 28-SEP-66	
AA-B-551D	BOOKENDS, STEEL USER: GL	A 7520 # FSS 18-JAN-73	
AA-B-551D(13)	BOOKENDS, STEEL	A 7520 # FSS 21-MAY-76	
AA-C-556B	CUSTOMER, WOOD, GENERAL OFFICE	A 7195 # 26-MAY-52	
AA-C-00556D	CUSTOMER, WOOD, GENERAL OFFICE	A 7195 # 28-FEB-75	
AA-P-560A	POINTER, LECTURE USER: GL ME	A 7520 # FSS 27-APR-66	
AA-P-560A(12)	POINTER, LECTURE	A 7520 # FSS 03-OCT-68	
AA-C-571G(1)	COT, FOLDING REVIEWER: 84 GS MC MD	A 7105 # GL 19-DEC-84	GL YD1 99
AA-D-600B	DOOR, VAULT, SECURITY (VALIDATION DATE: 7502)	A 7110 # FSS 26-MAR-69	
AA-D-600B(14)	DOOR, VAULT, SECURITY (VALIDATION DATE: 7502)	A 7110 # FSS 13-JUN-73	
AA-B-605A	BOX, FILING, STEEL USER: GL	A 7520 # 23-MAY-73	
AA-B-606D	BOX, FILING, WOOD	A 7520 # FSS 01-APR-93	
AA-B-606C(11)	BOXES, FILING, WOOD	A 7520 # FSS 30-APR-74	
AA-T-633(1)	TRAYS, DESK, WOOD, EXECUTIVE OFFICE TYPE USER: GL	A 7520 # FSS 04-AUG-52	
AA-T-00633A	TRAY, DESK, WOOD, EXECUTIVE OFFICE TYPE	A 7520 # FSS 16-DEC-68	
AA-T-633(12)	TRAYS, DESK, WOOD, EXECUTIVE OFFICE TYPE	A 6520 # FSS 17-APR-62	
AA-T-636A	TRAY, DESK, AND SUPPORT SET, STACKING, DESK TRAY USER: GL MC	A 7520 # 14-OCT-57	
AA-T-00636B(1)	TRAY, DESK, WOOD, SUPPORT SET, STACKING	A 7520 # 01-MAY-72	
AA-T-00670(1)	TRAY, STATIONARY, METAL, FOR STEEL DESK	A 7110 # 17-FEB-67	
AA-F-680B(2)	FRAME, PICTURE (WOOD)	A 7105 # FSS 10-AUG-90	
AA-F-00680A	FRAME, PICTURE, WOOD USER: GL	A 7105 # 21-APR-78	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Cntrl / Coordination Inches	Document Number	Document Title	Dist. Smt. FSC Area MCS Symbol	Preparing Agency Date	Custodians			
					Army	Navy	Air Force	DIA
D	AA-S-683A	STANDS, TYPEWRITER, WOOD USER: GL	A 7110	% FSS 29-AUG-52				
	AA-S-683A(12)	STANDS, TYPEWRITER, WOOD	A 7110	% FSS 28-MAY-71				
	AA-S-00697B	STOOL, STEP, STEEL, FOLDING STEPS	A 7105	% 09-JUN-69				
	AA-A-7000	ASH RECEIVERS, TOBACCO, (CIGARETTE) USER: GL	A 9920	% FSS 26-JUL-90				
D	AA-F-7008	FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, HOUSEHOLD [VALIDATION DATE: 8201] REVIEWER: MD	A 4110	/ GL 31-OCT-75	GL	YD1	99	
	AA-S-700	STOOLS, FILING AND GENERAL PURPOSE, STEEL USER: GL	A 7110	% FSS 20-FEB-56				
	AA-S-700(13)	STOOLS, FILING AND GENERAL PURPOSE, STEEL	A 7110	% FSS 17-MAR-75				
	AA-S-704A	STOOL, STEP, CASTER MOUNTED, SAFETY USER: GL	A 7105	% FSS 22-JAN-71				
D	AA-S-704A(13)	STOOL, STEP, CASTER MOUNTED, SAFETY	A 7105	% FSS 25-NOV-75				
	AA-A-7100	ASH RECEIVERS, TOBACCO, (DESK TYPE) USER: GL MC	A 9920	% FSS 26-JUL-90				
	AA-F-791B(3)	FURNITURE AND CABINETS, OFFICE, SECTIONAL, STEEL USER: GL	A 7110	% 10-APR-52				
	AA-S-1048	SHELVING, STORAGE AND DISPLAY STEEL, CLIP TYPE [VALIDATION DATE: 7209] USER: CE MC ME SA SH	A 7125	% GL 10-MAR-67	GL	YD1	99	
Q	AA-C-001091C	OFFICE FURNITURE: SOFA; CHAIR, EASY, EXECUTIVE, TRADITIONAL	A 7110	% FSS 10-JUL-90				
	AA-D-001107(2)	DESK, FLAT TOP, STEEL, OFFICE, 30 INCHES DEEP	A 7110	% 01-SEP-71				
	AA-F-001165B	FURNITURE, METAL FRAME, LAMINATED PLASTIC SURFACED PANELS, CASE GOODS AND TABLES	A 7105	% FSS 01-JUN-89				
	AA-T-1315A	TRAY, DESK, STEEL, AND SUPPORT SET, STACKING	A 7520	/ GL 29-APR-68	GL		84	
Q	AA-T-1315A(12)	TRAY, DESK, STEEL, AND SUPPORT SET, STACKING REVIEWER: GL	A 7520	% FSS 12-MAY-75				
	AA-S-1518A	SAFE, TOOL-RESISTANT, UNINSULATED, SECURITY [VALIDATION DATE: 7511]	A 7110	% FSS 01-JUN-70				
	AA-S-1518A(12)	SAFE, TOOL-RESISTANT, UNINSULATED, SECURITY [VALIDATION DATE: 7511]	A 7110	% GL 12-JUN-72	GL			
	AA-B-001596A	BOOKCASE, WOOD, GENERAL OFFICE	A 7110	% 29-MAR-74				
D	AA-R-001691	HACK, STORAGE, SOLID SHELF, GENERAL PURPOSE USER: MC SA YD1 REVIEWER: ME SH	A 7125	% GL 29-DEC-72	GL		99	
	AA-C-001770A	CABINET, WARDROBE AND STORAGE, CONTEMPORARY STYLE, STEEL, GENERAL OFFICE USER: GL	A 7105	% 31-MAR-78				
	AA-C-001771C	CHAIRS, DOUBLE SHELL, MOLDED PLASTIC, ROTARY, UPHOLSTERED	A 7110	% FSS 23-JUL-79				
	AA-C-1779E	FILING CABINET, STEEL LATERAL AND FRONT TO BACK FILING, LEGAL AND LETTER SIZE MATERIAL, GENERAL OFFICE	A 7110	% FSS 20-NOV-91				
D	AA-W-001791A	WARDROBE AND JAMITOR S CLOSET, WOOD, STEEL FRAME	A 7105	% 07-DEC-73				
	AA-T-001794C	TABLE, OFFICE (STEEL, CONTEMPORARY STYLE)	A 7110	% 19-NOV-81				
	AA-C-001870	COSTUMER, METAL, CONTEMPORARY STYLE	A 7110	% 24-JUN-74				
	AA-F-001873A(1)	FURNITURE, CONTEMPORARY, OAK (GENERAL SPECIFICATION)	A 7105	% 09-NOV-78				
D	AA-F-001873(1A(1))	FURNITURE, CONTEMPORARY OAK, SEATING PIECES (DETAILED SPECIFICATIONS)	A 7105	% 05-NOV-78				
	AA-F-001873(2A)	FURNITURE, CONTEMPORARY OAK, TABLES, OCCASIONAL (DETAILED SPECIFICATION)	A 7105	% 23-AUG-77				
	AA-F-001873(3A)	FURNITURE, CONTEMPORARY OAK, BED (DETAILED SPECIFICATION)	A 7105	% 23-AUG-77				
	AA-F-001873(4A)	FURNITURE, CONTEMPORARY OAK, CASE PIECES (DETAILED SPECIFICATION)	A 7105	% 23-AUG-77				
D	AA-H-001895C	HOUSEHOLD FURNITURE, WOOD TRADITIONAL	A 7105	% FSS 14-JUN-89				
	AA-D-001918	DESK, FLAT TOP, STEEL, CONTEMPORARY STYLE	A 7110	% 05-SEP-75				
	AA-D-001923	DESK ATTACHMENTS, .L. RETURN PLATFORM, CONTEMPORARY STYLE	A 7110	% 03-NOV-75				
	AA-D-001949	DORMITORY FURNITURE MODULAR COMPOSITE METAL AND WOOD	A 7105	% 10-OCT-75				
D	AA-W-001950(1)	WARDROBE WITH ACCESSORY PIECES, WOOD, STEEL FRAME	A 7105	% 06-MAY-76				
	AA-P-2750(1)	PARTITION, OFFICE, PORTABLE, FABRIC COVERED CURVED AND STRAIGHT	A 7195	% FSS 19-SEP-89				
	AA-T-2753	TABLE, FOLDING, STEEL TUBE (ADVANCE BASE) REVIEWER: 84 GL	A 7105	/ YD1 30-APR-91			YD1	99
	BB-C-101B	CARBON DIOXIDE (CO2) TECHNICAL AND U.S.P. [VALIDATION DATE: 8302] USER: AS REVIEWER: MI MS	A 6830	/ ME 15-APR-71	ME	SH	68	
D	BB-C-104B	CARBON DIOXIDE, TECHNICAL, SOLID [VALIDATION DATE: 8501]	A 6830	/ ME 01-MAR-71	ME	SH	68	
	BB-C-106B	ACETYLENE, TECHNICAL, DISSOLVED [VALIDATION DATE: 8302]	A 6830	/ ME 22-APR-71	ME	YD1	68	
	BB-G-110A(2)(1)	BUTANE, PROPANE & BUTANE PROPANE MIXTURES	A 6830	% YD1 27-FEB-81	YD1			
	BB-C-120C	CHLORINE, TECHNICAL, LIQUID [VALIDATION DATE: 8402] USER: MS YD1	A 6830	/ ME 23-APR-80	ME	SH	68	
D	BB-R-411C	NITROGEN, TECHNICAL [VALIDATION DATE: 8302] USER: AS MC YD1 REVIEWER: AR DS EA MD OS	A 6830	/ ME 03-JAN-73	ME	SH	68	
	BB-H-886C	HYDROGEN [VALIDATION DATE: 8503]	A 6830	/ 68 10-APR-78	ME			
	BB-Q-925A	OXYGEN, TECHNICAL, GAS AND LIQUID [VALIDATION DATE: 8204]	A 6830	/ SH 22-AUG-61	ME	SH	68	
	BB-A-1034B	COMPRESSED AIR, BREATHING [VALIDATION DATE: 9101] USER: AR CG MS OS	A 6830	/ AS 30-OCT-91	ME	AS	68	
D	BB-H-1168B	HELIUM, TECHNICAL [VALIDATION DATE: 8307] USER: 19 SH YD1 REVIEWER: DS	A 6830	% 68 09-MAY-77			68	
	BB-S-1419	SULFUR HEXAFLUORIDE, TECHNICAL GRADE [VALIDATION DATE: 8501] USER: CR GS REVIEWER: MD	A 6830	/ ME 29-JUN-70	ME		68	
	BB-F-1421B	FLUOROCARBON REFRIGERANTS USER: YD1 REVIEWER: EA GS MD MI	A 6830	/ ME 05-NOV-82	ME	SH	68	
	CC-G-2745	GENERATOR SETS, DIESEL ENGINE, ALTERNATING CURRENT, FOR FACILITIES CONSTRUCTION: 10 KW THROUGH 1000 KW (NOT STOCKED)	A 6115	/ YD1 26-FEB-93	YD1			
D	DD-S-50C	SALT AND PEPPER SHAKERS, SUGAR DISPENSERS (MOISTURE RESISTANT) USER: CG YD1 REVIEWER: MC MD MS	A 7350	% GL 23-APR-73	GL	SA		
	DD-P-100B	PAPERWEIGHT, GLASS USER: GL	A 7510	% 09-JUL-63				
	DD-P-00100C(1)	PAPERWEIGHT, GLASS USER: GL	A 7510	% 02-NOV-71				
	DD-J-112B	JAR, BIOLOGICAL STAINING, COPLIN [VALIDATION DATE: 8406] REVIEWER: EA	A 6640	/ DM 03-NOV-76	MD	MS	03	
D	DD-M-200A	MEDICINE GLASS [VALIDATION DATE: 8202]	A 6530	/ DM 06-AUG-58	MD	MS	03	
	DD-M-00200B	MEDICINE GLASS [VALIDATION DATE: 8202]	A 6520	/ DM 13-MAY-70	MD	MS	03	
	DD-T-200	TEST TUBES, BLOOD SEDIMENTATION [VALIDATION DATE: 8406]	A 6640	/ DM 05-JUL-55	MD	MS	03	
	DD-P-00355A	PIPET, DROPPING, GLASS OR PLASTIC [VALIDATION DATE: 8202]	A 6530	/ DM 27-MAY-75	MD	MS	03	
D	DD-H-411C	MIRRORS, GLASS	A 7105	% FSS 02-JAN-90				
	DD-G-426A	GLASS, COVER, (FOR) MICROSCOPY	A 6650	% 21-JUL-54				
	DD-G-511E	GLASS TUBING, ROUND [VALIDATION DATE: 8907] USER: CE YD1 REVIEWER: 84 GS	A 9340	/ SH 25-JUL-89	ME	SH	99	
	DD-G-541B(1)	GLASS (LABORATORY) [VALIDATION DATE: 8406] USER: ME MR REVIEWER: EA MI	A 6640	/ DM 12-JAN-66	MD	MS	03	
D	DD-B-599A	BOTTLE, STOPPER, VACUINE, ROUND AND STOPPER, BOTTLE, RUBBER	A 6530	% 01-DEC-61				
	DD-B-601	BOTTLE, STOPPER, MILK DILUTION, 160 MILLILITERS [VALIDATION DATE: 8406]	A 6640	% DM 29-JUL-59	MD	MS	03	
	DD-T-700(1)	TUBE, ANTIGEN-DILUTION, GLASS (KAWH) [VALIDATION DATE: 8406]	A 6640	/ DM 22-MAR-55	MD	MS	03	
	DD-S-720A	STOPCOCK, LABORATORY APPARATUS, TAPER-GROUND	A 6640	% 04-APR-60				
D	DD-F-786C	FUNNEL, FILTERING, LABORATORY, PORCELAIN, BUCHNER TYPE [VALIDATION DATE: 8406] GLASS, PIR REVIEWER: 89 EA	A 6640	/ DM 04-NOV-60	MD	MS	03	
	DD-C-00791D	CLIP, GLASS, PIN, CLIP, AND SPONGE	A 7510	% 24-OCT-63				
	DD-G-1403C	GLASS, FLOAT, SHEET, FIGURED, COATED (HEAT-STRENGTHENED AND TEMPERED) USER: CE MC REVIEWER: 84	A 5620	% YD1 13-SEP-83	ME	YD1	99	
	EE-M-1013(1)	MATCHES, SAFETY AND MATCHES, NONSAFETY (STRIKE ANYWHERE) USER: MC YD1 REVIEWER: MD SS	A 9920	/ GL 12-FEB-88	GL		99	
A	EE-I-116E	ICE CREAM, ICE MILK AND SHERBERT, REGULAR AND MELLORINE OR MELLORINE TYPES, ICES AND NOVELTIES [VALIDATION DATE: 9207] REVIEWER: MC MD MS SS	A 8910	/ GL 10-JUL-92	GL	SA	45	
	EE-I-116E(13)	ICE CREAM, ICE MILK AND SHERBERT, REGULAR AND MELLORINE OR MELLORINE TYPES, ICES AND NOVELTIES [VALIDATION DATE: 9207]	A 8910	/ GL 10-JUL-92	GL			
	EE-C-281A(2)	CHILI CON CARNE, WITH OR WITHOUT BEANS, CANNED [VALIDATION DATE: 8201] REVIEWER: MC MD MS SS	A 8940	/ GL 16-SEP-76	GL	SA	50	
	EE-B-575E	BOUILLON (SOUP AND GRAVY BASES) REVIEWER: MC MD MS SS	A 8935	/ GL 29-SEP-89	GL	SA	50	
L	EE-C-1827A	DINING PACKETS (DIETETIC OR NONDIETETIC, TRAY SERVICE) REVIEWER: MC MD MS SS	A 7360	/ GL 31-DEC-84	GL	SA	45	
	EE-C-002141	CAKES, CANNED, THERMOSTABILIZED, TRAY PACK	A 8920	/ GL 30-JUN-82				
	EE-C-002143	CAKE, COFFEE, APPLE, TRAY PACK	A 8920	/ GL 27-JUN-83				
	EE-C-002147	CHILI CON CARNE, THERMOSTABILIZED, TRAY PACK	A 8940	/ GL 26-JUL-82				
L	EE-P-002152A	APPLE DESSERT, TRAY PACK	A 8940	/ GL 29-MAY-85				
	EE-B-002157	BEEF SWISS STEAK, WITH GRAVY, THERMOSTABILIZED, TRAY PACK	A 8940	/ GL 31-MAR-83	GL			
	FF-T-51D	HAPTACKS USER: GL ME	A 7510	% 09-JAN-75				
	FF-C-77C(1)	CASTERS, RIGID AND SWIVEL (INSTITUTIONAL DUTY) USER: ER REVIEWER: MD	A 5340	/ GL 22-AUG-88	GL	YD1		



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Doc / Chg Coordination Machine Document Number	Document Title	Dist. Smt FSC / Issue MCA Symbol Preparing Acty. Date	Custodians Army Navy Air Force DLA
D	FF-C-82B(2) FF-W-84A(4) FF-S-85C(1)  FF-S-86E(4) FF-C-88C(1) FF-S-88B FF-S-92B(1)	CASTER, SWIVEL CHAIR ..... WASHERS, LOCK (SPRING) USER: AS CR GL OS YD1 REVIEWER: BS AT AV EA IS ME ... SCREW, CAP, SLOTTED AND HEXAGON HEAD [VALIDATION DATE: 7904] USER: CE MC ME OS REVIEWER: B2 BS AS AV EA IS MI SCREW, CAP, SOCKET-HEAD USER: AT MC REVIEWER: B2 AV EA IS MI ..... CASTERS, RIGID AND SWIVEL, INDUSTRIAL DUTY USER: CE GL ME ..... SCREW, EYE [VALIDATION DATE: 8304] USER: AV MC ME REVIEWER: AT IS ..... SCREW, MACHINE, SLOTTED, CROSS RECESSED OR HEXAGON HEAD [VALIDATION DATE: 8203] USER: AS AT MC ME SH REVIEWER: AV EA IS MI OS WASHER, FLAT (PLAIN) [VALIDATION DATE: 8003] USER: AS MC SH YD1 REVIEWER: B2 AT AV CE IS ME WASHER, LOCK (TOOTH) USER: SH REVIEWER: AT IS ..... NAILS, BRADS, STAPLES AND SPIKES: WIRE, CUT AND WROUGHT [VALIDATION DATE: 8704] USER: AS AV CE MC ME MI SH SS REVIEWER: DS EA GS IS OS SA NAILS, BRADS, STAPLES AND SPIKES: WIRE, CUT AND WROUGHT [VALIDATION DATE: 8704]	A 5340 # 08-MAY-72 A 5310 / AR 27-MAY-92 AR SH 99 A 5305 / AR 27-FEB-73  A 5305 / AR 16-JAN-91 AR SH 99 A 5340 % 12-JAN-71 A 5305 / AR 29-JUN-77 AR 99 A 5305 / AR 31-JUL-75 AR 99
D	FF-W-92B	WASHER, FLAT (PLAIN) [VALIDATION DATE: 8003] USER: AS MC SH YD1 REVIEWER: B2 AT AV CE IS ME	A 5310 / AR 09-MAY-74 AR OS 99
D	FF-W-100C(1) FF-W-105B(3)	WASHER, LOCK (TOOTH) USER: SH REVIEWER: AT IS ..... NAILS, BRADS, STAPLES AND SPIKES: WIRE, CUT AND WROUGHT [VALIDATION DATE: 8704] USER: AS AV CE MC ME MI SH SS REVIEWER: DS EA GS IS OS SA	A 5310 / AR 01-OCT-80 AR AS 99 A 5315 / AR 27-APR-87 AR YD1 82
L	FF-W-105B(14)	NAILS, BRADS, STAPLES AND SPIKES: WIRE, CUT AND WROUGHT [VALIDATION DATE: 8704]	A 5315 / AR 23-AUG-77 AR
D	FF-H-106C FF-H-106/1	HARDWARE, BUILDERS LOCKS & DOOR TRIM REVIEWER: IS ..... HARDWARE, BUILDERS, LOCKS & DOOR TRIM, CYLINDER ENTRANCE DOOR LOCK TYPE 121A & 122A	A 5340 # 19-JUL-74 A 5340 / YD1 19-JUL-74 YD1
D	FF-H-106/2	HARDWARE, BUILDERS, LOCKS & DOOR TRIM, CYLINDER ENTRANCE DOOR LOCK TYPE 123A & 123B	A 5340 / YD1 19-JUL-74 YD1 82
D	FF-H-106/3 FF-S-107C(2)	HARDWARE, BUILDERS, LOCKS AND DOOR TRIM, LETTER BOX PLATES REVIEWER: IS ... SCREW, TAPPING AND DRIVE [VALIDATION DATE: 8504] USER: ME REVIEWER: B2 EA MI OS	A 5340 # 19-JUL-74 A 5305 / AR 01-SEP-70 AR 99
D	FF-P-110G(3)	PADLOCK, CHANGEABLE COMBINATION (RESISTANT TO OPENING BY MANIPULATION AND SURPRISEFUL ATTACK) USER: CG GL MC OS SH REVIEWER: B2 AR AV IS	A 5340 / YD1 29-JUN-92 ME YD1 99
D	FF-S-111D(1)	SCREW, WOOD USER: CE MC MI REVIEWER: B2 EA IS ME OS SH	A 5305 / AR 28-JUL-89 AR YD1 99
D	FF-F-133A	FASTENERS, WOOD JOINT, CORRUGATED (SAW EDGE) [VALIDATION DATE: 8205] USER: AT MC SA REVIEWER: GL IS ME	A 5315 / AR 05-OCT-67 AR YD1 82
AQ	FF-B-171A(1)	BEARINGS, BALL, ANNULAR (GENERAL PURPOSE) [VALIDATION DATE: 8107] USER: GL ME REVIEWER: AR EA MI OS	A 3110 / IS 31-MAY-57 AT 11 IS
D	FF-W-180A	NEEDLES, EXCEPT SURGICAL, HAND USER: MC YD1	A 8315 / CT 03-FEB-66 SA 03 CT
L	FF-W-180A(11)	NEEDLES, EXCEPT SURGICAL, HAND	A 8315 / CT 26-MAR-70 CT
AQ	FF-B-185(4)	BEARINGS, ROLLER, CYLINDRICAL, AND BEARINGS, ROLLER, SELF-ALIGNING [VALIDATION DATE: 8107] USER: AT MC ME REVIEWER: MI OS	A 3110 / IS 26-DEC-63 AR 11 IS
AQ	FF-B-187A FF-B-195	BEARING, ROLLER, TAPERED [VALIDATION DATE: 6607] USER: ME REVIEWER: OS .... BEARING, SLEEVE, (BRONZE, PLAIN OR FLANGED) [VALIDATION DATE: 8509] USER: AS REVIEWER: IS MI	A 3110 / IS 01-JUL-60 11 IS A 3120 * OS 08-FEB-60 AT OS
D	FF-S-200A(2)	SETScrew, HEXAGON SOCKET AND SPLINE SOCKET, HEADLESS [VALIDATION DATE: 8203] USER: CE EL MC OS REVIEWER: AV EA IS ME	A 5305 / AR 29-JUL-76 AR SH 99
D	FF-S-210B	SETScrews, SQUARE HEAD (INCH) & SLOTTED HEADLESS (INCH & METRIC) USER: CE ER MC ME OS SH REVIEWER: AV IS MI NS	A 5305 / AR 16-JUL-81 AR 99
D	FF-T-276B(1)	THIMBLES, ROPE [VALIDATION DATE: 8003] USER: MC YD1 REVIEWER: EA IS ME MI	A 4030 / SH 31-MAR-89 AR SH 99
D	FF-T-305C FF-S-325	THIMBLEScrew [VALIDATION DATE: 8604] USER: AS MC ME OS SH REVIEWER: B2 AV IS SHIELD, EXPANSION; NAIL, EXPANSION; AND NAIL, DRIVE SCREW (DEVICES, ANCHORING, MASONRY) [VALIDATION DATE: 8604] REVIEWER: EA IS MI	A 5305 / AR 09-APR-86 AR YD1 99 A 5340 % FSS 10-SEP-57
D	FF-S-325(13)	SHIELD, EXPANSION; NAIL, EXPANSION; AND NAIL, DRIVE SCREW (DEVICES, ANCHORING, MASONRY) [VALIDATION DATE: 8604] REVIEWER: 69 AR YD1	A 5340 % FSS 16-JUL-65
D	FF-P-386D(1) FF-P-395C	PIW, COTTER (SPLIT) [VALIDATION DATE: 8504] REVIEWER: B2 EA MI ..... PIW, DRIVE GUIDED AND PIW DRIVE, POWER ACTUATED (FASTENERS FOR POWER ACTUATED AND HAND ACTUATED FASTENING TOOLS) USER: CG ME REVIEWER: B2 IS	A 5315 / AR 16-DEC-71 AR OS 99 A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/1	PIW, DRIVE, POWER ACTUATED, TYPE I - FOR USE WITH DIRECT-ACTING (GAS DRIVEN, NO PISTON) HIGH VELOCITY TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/2	PIW, DRIVE, POWER ACTUATED, TYPE I - FOR USE WITH DIRECT-ACTING (GAS DRIVEN, NO PISTON) HIGH VELOCITY TOOLS CLASS 4 - FASTENER GUIDE BORE DIAMETER 0.376 - 0.390 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/3	PIW, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/4	PIW, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 2 - FASTENER GUIDE BORE DIAMETER 0.313 - 0.330 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/5	PIW, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 3 - FASTENER GUIDE BORE DIAMETER 0.340 - 0.345 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/6	PIW, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 4 - FASTENER GUIDE BORE DIAMETER 0.376 - 0.390 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/7	PIW, DRIVE, POWER ACTUATED, TYPE II - FOR USE WITH INDIRECT-ACTING (PISTON DRIVEN) LOW AND MEDIUM VELOCITY TOOLS CLASS 5 - FASTENER GUIDE BORE DIAMETER 0.392 - 0.400 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-395/8A	PIW, DRIVE, HAND ACTUATED, TYPE III-FOR USE WITH HAND DRIVEN TOOLS CLASS 1-FASTENER GUIDE BORE DIAMETER 0.251-0.261 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 14-DEC-88 YD1 99
D	FF-P-395/9	PIW, DRIVE, HAND ACTUATED, TYPE III - FOR USE WITH HAND DRIVEN TOOLS CLASS 1 - FASTENER GUIDE BORE DIAMETER 0.251 - 0.261 INCH USER: CG ME REVIEWER: B2 IS	A 5315 * YD1 17-OCT-88 YD1 99
D	FF-P-419C FF-C-431A(2) FF-C-00431B FF-C-450D(1)	PIW, NET, LAUNDRY, (5 INCH) [VALIDATION DATE: 8201] REVIEWER: GS ..... CLIP, PAPER (BINDER) USER: GL ..... CLIP, PAPER (BINDER) ..... CLAMP, WIRE ROPE [VALIDATION DATE: 8002] USER: AT AV MC REVIEWER: GL IS ME YD1	A 3510 / GL 27-MAR-70 GL YD1 99 A 7510 % 28-OCT-55 A 7510 # 06-OCT-70 A 4030 / AR 14-MAY-74 AR SH 99
D	FF-R-556D(1)	RIVET, SOLID, SMALL; RIVET, SPLIT, SMALL; RIVET, TUBULAR, SMALL FLAT WASHER (BURR); AND CAP, RIVET, GENERAL PURPOSE USER: MC ME REVIEWER: BS AT GL IS MI NS	A 5320 / AR 17-JUL-81 AR 99
L	FF-B-561D	BOLTS, (SCREW), LAG USER: AV GL MC REVIEWER: MI	A 5306 * 99 20-JUL-89 99
D	FF-H-571E	HOLDER AND CUTTER, WRAPPING PAPER (3/8 INCH DIAMETER ROLLS) USER: GL YD1	A 7290 % 10-MAY-74
D	FF-B-575C	BOLT, HEXAGON AND SQUARE [VALIDATION DATE: 8304] USER: CE MC OS YD1 REVIEWER: AT AV EA IS MI	A 5306 / AR 26-MAY-70 AR 99
D	FF-B-584F	BOLTS, SQUARE NECK AND TEE HEAD REVIEWER: IS	A 5306 % FSS 07-DEC-89
D	FF-B-588D	BOLT, TOGGLE; AND EXPANSION SLEEVE, SCREW USER: MC YD1 REVIEWER: IS	A 5306 * AR 02-OCT-89 AR
D	FF-O-601F	OPENERS, CAR, HAND AND MOUNTED USER: CG MC SH YD1 REVIEWER: MD MS TS	A 7330 / GL 30-MAR-90 GL SA 99
D	FF-S-611A	SPIKE, TRACK, SQUARE SHANK [VALIDATION DATE: 8504] REVIEWER: IS ME	A 2250 / AR 26-JUN-72 AR YD1 99
D	FF-S-760A(2)	STRAP, RETAINING, (METAL, FOR CONDUIT, PIPE, AND CABLE) [VALIDATION DATE: 8304] USER: ME REVIEWER: EA IS MI	A 5340 * AR 26-AUG-66 AR YD1 99
D	FF-T-791B(1)	TURNBUCKLE [VALIDATION DATE: 8208] USER: MC ME OS YD1 REVIEWER: EA ER IS MI	A 5340 / SH 14-FEB-69 AR SH 99
D	FF-W-836D(3)	WUT: SQUARE, HEXAGON, CAP, SLOTTED, CASTLE, KNURLED, WELDING AND SINGLE BALL SEAT USER: AS AT GL MC YD1 REVIEWER: AV EA IS MI OS	A 5310 / AR 31-JAN-89 AR SH 99
D	FF-W-845D FF-S-1362	WUT, PLAIN, WING, INCH AND METRIC USER: AV ME REVIEWER: EA IS ..... STUD, PLAIN, GENERAL PURPOSE [VALIDATION DATE: 8304] USER: AT CE EL MC MI OS REVIEWER: AV IS	A 5310 / AR 08-MAY-81 AR 99 A 5307 / AR 18-MAY-70 AR 99
D	FF-W-1687A	LOCKS, OFFICE MACHINE	A 5340 # 01-MAR-74



## NUMERICAL LISTING FEDERAL SPECIFICATIONS

627



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Doc. / OMA Coordination Inclusive Document Number	Document Title	Dist. Syst. FSC / Aves MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
D	GG-C-00420	CLAMP, RUBBER TUBING, SHUTOFF	DM	MS	03	DM
	GG-A-438A	ALBIMINOMETER (VALIDATION DATE: 8406)	A 6515 / DM	12-NOV-64	MD	MS
A	GG-C-439B(1)	CLIP, SUTURE (METAL)	A 6630 / DM	30-JUL-56	MD	MS
	GG-C-00439C	CLIP, SUTURE, MICHEL, 16 MM (VALIDATION DATE: 8202)	A 6515 / FSS	22-OCT-57	MD	MS
D	GG-A-440C	ALIDADE, SURVEYING, TELESCOPE (VALIDATION DATE: 8310) REVIEWER: GS	A 6515 / DM	24-JAN-75	MD	MS
	GG-D-00450A(1)	DISPENSER, GUMMED TAPE	A 6675 / ME	18-NOV-81	ME	YD1 99
A	GG-P-455B(2)	PLATES AND FOILS, PHOTOGRAPHIC (PHOTOSENSITIVE ANODIZED ALUMINUM)	A 7520 / AS	24-FEB-71	MR	AS
	NOTICE 2		A 6750 / AS	29-JUL-91	MR	AS
D	GG-D-458B	DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE USER: GL	A 7520 % FSS	02-APR-62		
	GG-D-00458C(2)	DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE	A 7520 % FSS	21-MAY-73		
D	GG-D-458B(12)	DISPENSER, PRESSURE-SENSITIVE ADHESIVE TAPE	A 7520 % FSS	03-JUL-69		
	GG-I-460(1)	ILLUMINATORS, MICROSCOPE, 115 VOLT (VALIDATION DATE: 8406)	A 6650 / DM	15-AUG-52	MD	MS
D	GG-D-465A	DISTILLING APPARATUS, LABORATORY (VALIDATION DATE: 8406) USER: MR YD1	A 6640 / DM	18-FEB-77	MD	MS
	REVIEWER: 99 EA					
D	GG-C-00466E(1)	CLOCKS, WALL (SYNCHRONOUS MOTOR)(S/S BY A-A-1509) (VALIDATION DATE: 7902)	A 6645 %	18-JUN-68		
	GG-B-511	BLOOMPIPE OUTFIT, ACETYLENE	A 6520 #	31-JUL-52		
D	GG-I-526B	INSTRUMENT, DENTAL AND SURGICAL, GENERAL SPECIFICATIONS (VALIDATION DATE: 8202) USER: NI	A 6515 / DM	11-OCT-65	MD	MS
	GG-G-531C	GOGGLES, INDUSTRIAL AND SPECTACLES, INDUSTRIAL, PLASTIC (VALIDATION DATE: 8809) USER: ME	A 4240 / EA	23-SEP-88	EA	99
D	GG-I-550B	INKING PAD, OFFICE TYPE NUMBERING MACHINE USER: GL SA	A 7520 %	11-OCT-74		
	GG-R-563B	ROLL, ABSORBENT COTTON AND ROLL, CELLULOSE (VALIDATION DATE: 8202)	A 6510 / DM	09-DEC-57	MD	MS
D	GG-M-565C(1)	MOISTENER, PAPER SEALING, WELL TYPE USER: GL MC	A 7520 %	26-FEB-75		
	GG-M-571D	MOISTENER, PAPER SEALING, FOUNTAIN-TYPE USER: GL	A 7520 %	29-MAR-73		
D	GG-R-571B	ROLLER, BANDAGE	A 6510 / DM	24-MAY-57	MD	MS
	GG-P-581B	POINT ASSORTMENT, PULP CANAL, (PAPER, ABSORBENT)	A 6520 / DM	21-APR-58	MD	MS
D	GG-P-00581D	POINTS, PULP CANAL, DENTAL, PAPER (VALIDATION DATE: 8202)	A 6520 / DM	18-OCT-73	MD	MS
	GG-O-588B	OPENER, LETTER, HAND, METAL USER: GL MC	A 7520 %	10-APR-64		
D	GG-O-00588C(2)	OPENER, LETTER, HAND, METAL	A 7520 #	11-APR-72		
	GG-C-00590B	COPYHOLDER, TYPIST S USER: GL	A 7520 %	18-MAY-70		
D	GG-G-590	CONIOMETER, ORTHOPEDIC (VALIDATION DATE: 8202)	A 6515 / DM	11-AUG-61	MD	MS
	GG-B-596A	BOUGIE, EUSTACHIAN, SET OF FIVE (VALIDATION DATE: 8202)	A 6515 / DM	20-MAR-53	MD	MS
D	GG-B-00596B	BOUGIE, EUSTACHIAN, SET OF FIVE (VALIDATION DATE: 8202)	A 6515 / DM	22-APR-70	MD	MS
	GG-S-605	SPECULUM SET, EAR (VALIDATION DATE: 8202)	A 6515 *	29-AUG-60	MD	MS
D	GG-C-611C	COUNTING APPARATUS, BACTERIAL COLONY AND PLATE, COUNTING, BACTERIOLOGICAL	A 6640 / DM	12-SEP-75	MD	MS
	VALIDATION DATE: 8202					
D	GG-A-614	APPLICATOR, METAL (VALIDATION DATE: 7407)	A 6515 # FSS	19-JAN-60		
	GG-P-615	FORCEPS, SPLINTER (VALIDATION DATE: 8202)	A 6515 / DM	25-SEP-61	MD	MS
D	GG-A-616E	APPLICATOR, DISPOSABLE (VALIDATION DATE: 8406) REVIEWER: EA	A 6515 / DM	20-JUL-78	MD	MS
	GG-P-617	FORCEPS, STERILIZER (VALIDATION DATE: 8202)	A 6515 / DM	29-SEP-61	MD	MS
D	GG-S-618D	SPHYGMOMANOMETER, AMERIOD AND MERCURIAL (VALIDATION DATE: 8406)	A 6515 / DM	30-JUN-78	MD	MS
	GG-C-620C(2)	COUNTER, RECIPROCATING, HAND-HELD	A 6680 #	25-MAR-69		
D	GG-C-00620F	COUNTER, RECIPROCATING, HAND-HELD	A 6680 #	15-APR-76		
	GG-C-00620F(11)	COUNTER, RECIPROCATING, HAND-HELD	A 6680 # FSS	07-MAY-90		
D	GG-I-621C	TRANSIT, ONE MINUTE, AND TRANSIT TRIPODS	A 6675 #	18-NOV-85		
	GG-O-635A	OPTICAL FLATS (VALIDATION DATE: 8306) USER: AV MC OS	A 5210 / BA	29-MAR-77	AR	99
D	GG-X-635D	X-RAY APPARATUS SET, RADIOGRAPHIC AND FLUOROSCOPIC, MEDICAL (VALIDATION DATE: 8202)	A 6515 / DM	13-AUG-68	MD	MS
	GG-E-651C	ERASER, BLACKBOARD	A 7510 #	04-JUN-75		
D	GG-P-655B	PRINTING SET, RUBBER TYPE USER: GL MC	A 7520 #	20-SEP-74		
	GG-P-00661B(2)	PROJECTOR, STILL PICTURE, OVERHEAD, ATTACHMENTS AND ACCESSORIES REVIEWER: GS	A 6730 #	30-JAN-73		
D	GG-E-671B	ERASER, STEEL USER: GL	A 7510 %	22-NOV-72		
	GG-T-671F	TRIANGLE, DRAFTING, LINE GUIDE, LETTERING, ADJUSTABLE, AND NONADJUSTABLE (GENERAL SPECIFICATION) USER: CG GL MC REVIEWER: GS	A 6675 / ME	10-MAR-81	ME	99
D	GG-T-671J1C	TRIANGLES, DRAFTING, PLASTIC, TRANSPARENT REVIEWER: GS	A 6675 / ME	10-MAR-81	ME	YD1 99
	GG-T-671J2B	TRIANGLE, LINE GUIDE, LETTERING, NONADJUSTABLE REVIEWER: GS	A 6675 / ME	10-MAR-81	ME	99
D	GG-T-671J3B	TRIANGLE, DRAFTING, ADJUSTABLE, PLASTIC REVIEWER: GS	A 6675 / ME	10-MAR-81	ME	YD1 99
	GG-T-671J4B	TRIANGLE, DRAFTING, STEEL, OPEN CENTER USER: MC REVIEWER: GS	A 6675 / ME	10-MAR-81	ME	YD1 99
D	GG-T-671J5B	TRIANGLE, DRAFTING, STEEL, BEAD SUPPORTS AND LIFTING KNOB REVIEWER: GS	A 6675 / ME	10-MAR-81	ME	YD1 99
	GG-T-671J6D	LINE GUIDE, LETTERING, ADJUSTABLE, PLASTIC USER: CG MC REVIEWER: GS	A 6675 / ME	10-MAR-81	ME	YD1 99
D	GG-B-675E	BREATHING APPARATUS, SELF-CONTAINED USER: YD1	A 4240 / EA	28-JUN-88	EA	
	GG-U-675C	URINAL, MALE PATIENT, GLASS AND CORROSION-RESISTING STEEL (VALIDATION DATE: 8406)	A 6530 / DM	19-JUL-77	MD	MS
D	GG-U-675C(11)	URINAL, MALE PATIENT, GLASS AND CORROSION-RESISTING STEEL AND PLASTIC (VALIDATION DATE: 8406)	A 6530 / DM	15-NOV-77	MD	MS
	GG-P-725B(1)	PSYCHROMETER REVIEWER: CR	A 6685 *	29-MAR-91	ER	SH
D	GG-P-00725A(1)	PSYCHROMETER	A 6685 #	12-DEC-69		
	GG-S-743C	STAND, SURGICAL INSTRUMENT (VALIDATION DATE: 8202)	A 6530 / DM	28-JUL-75	MD	MS
D	GG-S-745A	STAPLERS AND STAPLES, PAPER FASTENING, OFFICE TYPE USER: GL ME MI	A 7510 % FSS	25-JUL-56		
	GG-S-00745C	STAPLERS AND STAPLES, PAPER FASTENING, OFFICE TYPE	A 7510 % FSS	02-JUN-89		
D	GG-S-745A(14)	STAPLERS AND STAPLES, PAPER FASTENING, OFFICE TYPE	A 7510 % FSS	29-AUG-73		
	GG-S-747D	STENCIL-CUTTING MACHINE, HAND-OPERATED	A 7490 % FSS	12-JAN-89		
D	GG-S-00750B	STENCIL DUPLICATING PRINT KIT, HAND STAMP	A 7520 #	07-JAN-70		
	GG-T-750	TUBE, DUODENAL, SURGICAL, (HEM-USS) (VALIDATION DATE: 8202)	A 6515 / DM	04-MAR-58	MD	MS
D	GG-T-00750A	TUBE, DUODENAL, SURGICAL, (HEM-USS) (VALIDATION DATE: 8202)	A 6515 / DM	22-JUN-70	MD	MS
	GG-S-764C(1)	STOP WATCH, LABORATORY (VALIDATION DATE: 8204)	A 6645 *	26-FEB-74		
D	NOTICE 1					
	GG-O-770D	OTOSCOPE AND OPHTHALMOSCOPE SET, BATTERY TYPE	A 6515 / MB	18-MAR-86	MD	MS
D	GG-S-771C	STRAIGHTEDGE, PARALLEL RULING, GUIDE CORD	A 6675 #	12-FEB-66	ME	
	GG-S-773D	STRAIGHTEDGE, PLASTIC AND WOOD (VALIDATION DATE: 8305) REVIEWER: GS	A 6675 #	09-JUN-78		
D	GG-M-775C	NUMBERING MACHINES, OFFICE TYPE, HAND OPERATED USER: YD1	A 7520 #	20-MAY-74		
	GG-R-791D(1)	RULER, WOOD (DESK) USER: GL	A 7510 %	20-OCT-59		
D	GG-S-00792	STYLUS, DUPLICATING (STENCIL)	A 7520 % FSS	02-JUL-63		
	GG-S-00800	SUCTION APPARATUS, SURGICAL, AUTOMATIC, THERMOTIC, MOBILE, 110 VOLT, AC-DC (VALIDATION DATE: 8202)	A 6515 / DM	19-FEB-65	MD	MS
D	GG-S-00812C	SUTURES, ABSORBABLE, SURGICAL (GUT) (VALIDATION DATE: 8810)	A 6515 / MB	20-OCT-88	MD	MS
	NOTICE 1					
D	GG-B-814B	BURNER, ALCOHOL, PRESSURE-TYPE (VALIDATION DATE: 8406) USER: CE MC MD	A 6640 / DM	23-NOV-59	MS	99
	GG-S-816A	SUTURE, NONABSORBABLE, SURGICAL (NONMETALLIC) (VALIDATION DATE: 8903)	A 6515 / MB	01-MAR-89	MD	MS
D	GG-S-00816C(2)	SUTURE, NONABSORBABLE, SURGICAL (NONMETALLIC) (VALIDATION DATE: 8903)	A 6515 / MB	01-MAR-89	MD	MS
	GG-S-915B	SYRINGE, AIR, DENTAL AND BULB, AIR SYRINGE, DENTAL, (ELASTOMER)	A 6520 *	21-SEP-87	MD	MS
D	GG-E-916F	EXPLORERS, DENTAL: EXPLORER-PROBE, DENTAL	A 6520 / DM	05-JUN-87	MD	MS
	GG-E-00916F	EXPLORER, DENTAL (VALIDATION DATE: 8202)	A 6520 / DM	06-APR-73	MD	MS
D	GG-C-921	CYSTOSCOPE (VALIDATION DATE: 8202)	A 6515 / DM	28-SEP-48	MD	MS
	GG-C-00921A	CYSTOSCOPE (VALIDATION DATE: 8202)	A 6515 *	11-JUN-57	MD	MS
D	GG-S-928B	SYRINGE, METAL (VALIDATION DATE: 8202)	A 6515 / DM	02-MAY-58	MD	MS
	GG-S-931(1)	SYRINGE, GLASS, WITH BULB (VALIDATION DATE: 8202)	A 6515 / DM	18-JAN-50	MD	MS
D	GG-S-935A	SYRINGES, HYPODERMIC, NEEDLE LOCK, GLASS, 3 ML (CC) (VALIDATION DATE: 8406)	A 6515 / DM	16-JUN-77	MD	MS
	GG-S-945A	SYRINGE AND NEEDLE, DISPOSABLE, HYPODERMIC, STERILE, SINGLE INJECTION	A 6515 #	04-DEC-59		
D	GG-S-001015A	SYRINGE, FOUNTAIN, DISPOSABLE ENEMA (VALIDATION DATE: 8406)	A 6530 / DM	25-SEP-69	MD	MS



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Doc / OMA Inactive Document Number	Document Title	Dist. Stmt. FSC / Area MCA Symbol Preparing Act. Date	Custodians Army Navy Air Force DIA
GG-5-001090A	SUCTION AND PRESSURE APPARATUS, SURGICAL, EXPLOSION-PROOF, SINGLE COMPRESSOR, MOBILE, 110 VOLT, 60 CYCLE, AC, (FOR EAR, NOSE AND THROAT PROCEDURES) [VALIDATION DATE: 8202]	A 6515 / DM 18-MAY-73	MD MS 03
GG-M-001130(1)	MARKER, TUBE TYPE, FINE TIP	A 7520 # 05-DEC-67	
GG-F-001189(2)	FOUNTAIN PEN, TECHNICAL	A 7520 # 03-JUL-74	
GG-M-1212A	HAMMER, REFLEX TESTING, TAYLOR [VALIDATION DATE: 8202]	A 6515 / DM 31-OCT-75	MD MS 03
GG-C-1213A	CURETTE, EAR, BILLEAU [VALIDATION DATE: 8406]	A 6515 / DM 23-FEB-77	MD MS 03
GG-C-1230C	EXCAVATORS, DENTAL (CORROSION-RESISTING STEEL)	A 6520 / DM 08-JUN-87	MD MS 03 MB
GG-M-1262A	MARKER, TUBE TYPE WHITE USER: GL	A 7520 # 05-DEC-72	
GG-P-001264	PENPOINTS AND PENHOLDER, CROWQUILL	A 7510 # 19-DEC-67	
GG-M-1314A	MOLDER, BINDER LABEL USER: GL	A 7510 # 01-AUG-73	
GG-C-1320B	CLIP, POLISHING, DENTAL HANDPIECE (SCREW STEM)	A 6520 / DM 02-OCT-85	MD MS 03
GG-5-1340A	STERILIZER, SURGICAL INSTRUMENT AND SUPPLY GRAVITY AIR REMOVAL, NON PORTABLE (HEAT AND MOISTURE STABLE) [VALIDATION DATE: 8202] USER: YD1	A 6530 * DM 24-NOV-75	
D GG-5-1341A	WASHER STERILIZER, SURGICAL INSTRUMENT [VALIDATION DATE: 8202] USER: YD1	A 6530 * DM 26-NOV-75	
D GG-5-1343A	STERILIZER, SURGICAL INSTRUMENT AND SUPPLY MECHANICAL AIR REMOVAL, NONPORTABLE (HEAT AND MOISTURE STABLE) [VALIDATION DATE: 8202] USER: YD1	A 6530 * DM 26-NOV-75	
D GG-5-1344A	STERILIZER, ETHYLENE OXIDE GAS, FOR HEAT AND MOISTURE LABILE SURGICAL INSTRUMENTS AND SUPPLIES (NONPORTABLE) [VALIDATION DATE: 8202] USER: YD1	A 6530 * DM 26-NOV-75	
GG-C-1433B	CHISELS (CUTTING INSTRUMENTS), DENTAL [VALIDATION DATE: 8406]	A 6520 / DM 12-JUL-76	MD MS 03
GG-M-1472B	RETAINER, MATRIX, DENTAL, TOP LEWIRE	A 6520 / DM 30-APR-87	MD MS 03
GG-M-1488A	MOLDER, DESK TRAY LABEL USER: GL	A 7510 # 01-AUG-73	
GG-5-1554	STAMP, TIME (ELECTRIC CORRESPONDENCE) [VALIDATION DATE: 8002] REVIEWER: 99	A 6645 * AR 02-APR-73	AR
GG-5-001616	SCISSORS, COLLAR AND CROWN [VALIDATION DATE: 8202]	A 6520 / DM 01-SEP-70	MD MS 03
GG-T-1837A	TEMPLATE, DRAFTING FLOWCHART, (AUTOMATIC DATA PROCESSING, FEDERAL INFORMATION PROCESSING SYSTEM) REVIEWER: GS	A 6675 * ME 28-JAN-75	ME SH 99
GG-D-195B	DISPENSER GUMMED TAPE (ELECTRICALLY OPERATED)	A 7520 # 01-SEP-75	
GG-C-1968A	CURETTE, MASTOID, SPRATT [VALIDATION DATE: 8406] REVIEWER: MB	A 6515 / DM 14-NOV-77	MD MS 03
GG-M-1976	MOLDER, SUTURE NEEDLE, CASTROVIEJO, 5 1/2 INCH [VALIDATION DATE: 8202]	A 6515 / DM 04-MAY-76	MD MS 03
GG-R-1971	RETRACTOR, RIB, MARKER [VALIDATION DATE: 8202]	A 6515 / DM 24-MAR-76	MD MS 03
GG-B-2043	BRUSH, SURGICAL SCRUB [VALIDATION DATE: 8406] REVIEWER: MB	A 6530 / DM 08-DEC-77	MD MS 03
D GG-M-2742	METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, AIRCRAFT FUEL, 600 GPM REVIEWER: B2 GS	A 6680 / YD1 26-JUN-91	ME YD1 99
D GG-D-2782	DRIVE, POWER, PORTABLE: FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) USER: MC REVIEWER: B4 GS	A 3450 YD1 11-JUN-91	AL YD1 99
HL-T-0025(2)	TAPE, PRESSURE-SENSITIVE ADHESIVE, PLASTIC (FOR ELECTROPLATING) USER: GL	A 7510 # 31-OCT-69	
HL-T-29A	TAPE, ADHESIVE, LEAD FOIL USER: GL	A 7510 # FSS 11-JUL-74	
HL-P-31F	PACKING MATERIAL, ASBESTOS, METALLIC CLOTH AND TAPE REVIEWER: B2 AT AV IS MC	A 5330 / SH 05-JUN-87	MR SH 99
Q HL-P-46E(2)	PACKING: ASBESTOS, SHEET, COMPRESSED [VALIDATION DATE: 9104] USER: MC OS	A 5330 / SH 04-APR-91	MR SH
1 NOTICE 1	REVIEWER: AT IS		
HL-G-76C(1)	GASKETS, ASBESTOS METALLIC CLOTH REVIEWER: B5	A 5330 / SH 07-AUG-91	MR SH 99
1 NOTICE 1			
D HL-G-101E	GASKET, METALLIC-ENCASED USER: CG EA REVIEWER: B2 IS	A 5330 / MR 23-MAY-90	MR YD1 99
HL-P-151F	PACKING: RUBBER-SHEET, CLOTH-INSERT [VALIDATION DATE: 9103] USER: AT ME	A 5330 / SH 27-MAR-91	AR SH 82
1 NOTICE 1	REVIEWER: IS		
M HL-G-156E	GASKET MATERIAL, GENERAL PURPOSE: RUBBER SHEETS, STRIPS, AND SPECIAL SHAPES USER: AV GL MC REVIEWER: B2 AR AS IS OS	A 5330 / SH 05-APR-93	MR SH 99
D HL-G-156D(11)	GASKET MATERIAL, GENERAL PURPOSE: RUBBER SHEETS, STRIPS AND SPECIAL SHAPES [VALIDATION DATE: 8105] USER: AV MC REVIEWER: AS CR GL OS YD1	A 5330 # SH 13-MAY-68	MR SH 82
HL-F-341F(1)	FILLER, EXPANSION JOINT, BITUMINOUS (ASPHALT AND TAR) AND NONBITUMINOUS (PREFORMED FOR CONCRETE)	A 5610 # 06-JUN-77	
HL-L-361G	LINING, BRAKE, AND LINING MATERIAL BRAKE, AUTOMOTIVE [VALIDATION DATE: 8503] REVIEWER: CS	A 2530 / AT 01-MAY-80	AT 99
D HL-I-435B	INSULATOR, ELECTRIC, PORCELAIN AND GLASS [VALIDATION DATE: 8301] USER: EC MC SH REVIEWER: 99 ER GS	A 5970 / ME 23-AUG-77	ME YD1 85
HL-G-450D(1)	GLOVES, CLOTH (ASBESTOS)	A 8415 # 99 25-NOV-74	99
D HL-I-515E	INSULATION, THERMAL (LOOSE-FILL FOR PNEUMATIC OR POURED APPLICATION): CELLULOSIC OR WOOD FIBER USER: ME	A 5640 / YD1 19-JUN-92	YD1 84
HL-I-536	INSULATION SHEET, ELECTRICAL, NATURAL MUSCOVITE MICA [VALIDATION DATE: 8307] REVIEWER: MI	A 5970 * ER 23-JAN-52	ER SH
1 NOTICE 2			
HL-I-553C(1)	INSULATION TAPE, ELECTRICAL, (RUBBER, NATURAL AND SYNTHETIC) [VALIDATION DATE: 8307] REVIEWER: AR EA	A 5970 * ER 02-AUG-77	
HL-I-558C	INSULATION, BLANKETS, THERMAL (MINERAL FIBER, INDUSTRIAL TYPE) USER: GL	A 5640 # FSS 07-JAN-92	
HL-C-576B	CORK SHEET (GASKETS, SHEETS, AND STRIPS) [VALIDATION DATE: 8204] USER: AT CS REVIEWER: B2 DS EA IS ME MI	A 5330 / SH 01-AUG-61	OS 99
HL-C-576B(11)	CORK SHEET (GASKETS, SHEETS, AND STRIPS) [VALIDATION DATE: 8204]	A 5330 # MBS 05-SEP-62	
HL-I-595C	INSULATION TAPE, ELECTRICAL, PRESSURE SENSITIVE ADHESIVE, PLASTIC [VALIDATION DATE: 8307] USER: AR AT MI REVIEWER: AV ME	A 5970 * ER 09-APR-76	ER
HL-M-622D	MORTAR, REFRACTORY, HEAT SETTING, BONDING (WET & DRY TYPES) [VALIDATION DATE: 8403] USER: MC REVIEWER: OS	A 9350 / AR 18-MAY-77	
HL-T-1782	TAPE, ASBESTOS	A 5640 # 30-OCT-73	
HL-P-1784(2)	PAPER, ASBESTOS	A 5640 # 19-APR-73	
D HL-I-1972(1)	INSULATION BOARD, THERMAL, FACED, POLYURETHANE OR POLYISOCYANURATE [VALIDATION DATE: 9102]	A 5640 / YD1 07-FEB-91	ME YD1 99
1 NOTICE 1			
D HL-I-1972/1(1)	INSULATION BOARD, THERMAL, FACED, POLYURETHANE OR POLYISOCYANURATE [VALIDATION DATE: 9102] REVIEWER: B4 CE	A 5640 / YD1 07-FEB-91	ME YD1 99
1 NOTICE 1			
D HL-I-1972/2(1)	INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH ASPHALT/ORGANIC FELT, POLYMER/ORGANIC MAT, ASPHALT/GLASS MAT, OR POLYMER/GLASS MAT ON BOTH SIDES OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: B* CE	A 5640 / YD1 07-FEB-91	ME YD1 99
1 NOTICE 1			
D HL-I-1972/3	INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH PERLITE INSULATION BOARD ON ONE SIDE AND ASPHALT/ORGANIC FELT OR ASPHALT/GLASS FIBER FELT ON THE OTHER SIDE OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: B4 CE	A 5640 / YD1 07-FEB-91	ME YD1 99
1 NOTICE 1			
D HL-I-1972/4	INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH GYPSUM BOARD ON ONE SIDE AND ALUMINUM FOIL OR ASPHALT/ORGANIC FELT ON THE OTHER SIDE OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: B4 CE	A 5640 / YD1 07-FEB-91	ME YD1 99
1 NOTICE 1			
D HL-I-1972/5	INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACED WITH PERLITE BOARD ON BOTH SIDES OF THE FOAM [VALIDATION DATE: 9102] REVIEWER: B4 CE	A 5640 / YD1 07-FEB-91	ME YD1 99
1 NOTICE 1			
A JJ-W-155H	WEBBING, TEXTILE, (COTTON, ELASTIC) USER: 45 AR AS ME REVIEWER: 11 B2 ER MC MD	A 8305 / CT 30-JUN-88	GL MU 99 CT
D JJ-M-180G	NETS, LAUNDRY [VALIDATION DATE: 8908] REVIEWER: MC	A 3510 / GL 31-AUG-89	GL YD1 99
1 NOTICE 1			
D JJ-G-451H	GLOVE, MEN'S AND WOMEN'S, CLOTH, LEATHER PALM USER: MC YD1 REVIEWER: MD	A 8415 / CT 28-SEP-84	GL MU CT
JJ-U-513D(2)	UNDERSHIRT, MAN S, (QUARTER SLEEVE)	A 8420 # 25-AUG-78	
JJ-S-566A(1)	SOCKS, COTTON USER: 45	A 8440 # 02-DEC-83	
JJ-M-571B(2)	HOSE, FIRE, LINEN, UNLINED (WITH OR WITHOUT COUPLINGS) [VALIDATION DATE: 8306] REVIEWER: CS	A 4210 # B4 14-JAN-77	99
JJ-G-001396(1)	GLOVES, FLANNEL, COTTON, WORK USER: 45	A 8415 # 15-MAY-72	
D KK-P-91B	PALMS, SEWING (SAILMAKERS AND SADDLERS) [VALIDATION DATE: 7104] USER: MC YD1	A 5120 # GL 16-AUG-63	GL SH 99



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action	QPL / OMA Coordination Machine	Document Number	Document Title	Dist. Sym. FAC / Area	MCA Symbol	Preparing Agency	Date	Custodians		
								Army	Navy	AF Force DLA
D		KK-B-151M(2)	BELT, LINEMAN S. AND STRAP, POLE LINEMAN S TYPE USER: CG REVIEWER: 11 GS MC ME	A 4240	/ YD1	04-JUN-82	EA	YD1	99	
A		KK-S-151C KK-L-1544	SATCHELS, PHYSICIAN'S ..... LEATHER, CATTLEHIDE, (BAG AND CASE) [VALIDATION DATE: 8201] USER: ME REVIEWER: MC MD	A 6532	/ MD	31-JUL-89	MD	MS	03	
A		KK-L-156D NOTICE 1	LEATHER, CATTLEHIDE, HARNES, VEGETABLE-TANNED [VALIDATION DATE: 8201] REVIEWER: 82 EA MD SH	A 8330	/ CT	26-AUG-76	GL	NU	11	CT
A		KK-L-164A(2)	LEATHER, CATTLEHIDE, PACKING, VEGETABLE-TANNED, CHROME-TANNED, CHROME-VEGETABLE RETANNED [VALIDATION DATE: 8303] USER: AS MC OS REVIEWER: EA	A 8330	/ CT	18-MAY-77	GL	NU	99	CT
A		KK-L-165C(2) NOTICE 1	LEATHER, CATTLEHIDE, VEGETABLE-TANNED AND CHROME RETANNED, IMPREGNATED, AND SOLES [VALIDATION DATE: 8201] REVIEWER: MD	A 8330	/ CT	28-JUN-76	GL	NU	99	CT
A		KK-L-170C(2) NOTICE 1	LEATHER, KIDSKIN, OR GOATSKIN, CHROME-TANNED [VALIDATION DATE: 8710] REVIEWER: MD	A 8330	/ CT	23-OCT-87	GL	NU	99	CT
A		KK-L-201F(1)	LEATHER, CATTLEHIDE, LACE AND CUT LACES [VALIDATION DATE: 8201] REVIEWER: MD	A 8330	/ CT	18-FEB-71	GL	NU	99	CT
A		KK-W-231D KK-L-241D(3)	WELTING, LEATHER, SHOE USER: MC REVIEWER: 82 MD ..... LEATHER, CATTLEHIDE, RIGGING REVIEWER: EA MD .....	A 8330	/ GL	19-SEP-86	GL	NU	11	
A		KK-L-254D(1)	LEATHER, SHEEPSKIN, CHROME TANNED [VALIDATION DATE: 8410] REVIEWER: 99 MD ..	A 8330	/ CT	27-NOV-78	GL	NU	11	CT
A		KK-L-271H NOTICE 1	LEATHER, CATTLEHIDE, STRAP, VEGETABLE-TANNED [VALIDATION DATE: 8201] USER: 45 AT ME MI REVIEWER: EA MD	A 8330	/ CT	09-MAR-76	GL	NU	99	CT
D		KK-L-291G(2) NOTICE 1	LEATHER, CATTLEHIDE, UPHOLSTERY [VALIDATION DATE: 8710] USER: YD1 REVIEWER: MD	A 8330	/ CT	23-OCT-87	GL	NU	99	CT
A		KK-C-300C(2) NOTICE 1	CHAMOIS, LEATHER, SHEEPSKIN, OIL TANNED [VALIDATION DATE: 8904] USER: AV MC REVIEWER: EA MD MI	A 8330	/ GL	22-APR-89	GL	NU	99	
A		KK-M-330B KK-C-450F	MITT, PAINT, LAMBSKIN (FURNISHED WITH TWO POLYETHYLENE LINERS) ..... CLOTHING, LEATHER, (APRONS, SLEEVES, AND JACKETS) USER: 45 MC REVIEWER: MD	A 8020	#	18-JUL-75				
D		KK-G-476E(1)	GLOVES, LEATHER, (GAUNTLET, LINEMEN S) [VALIDATION DATE: 8402] USER: 45 MC OS SM REVIEWER: MD YD1	A 8415	/ CT	25-MAR-86	GL	NU	99	CT
A		KK-I-570D KK-B-650A(1)	INSOLE, FOOTWEAR, LEATHER, CATTLEHIDE USER: 45 MC REVIEWER: MD ..... BRIEF CASE (LEATHER) [VALIDATION DATE: 8306] USER: 45 MC REVIEWER: GL SA ..	A 8335	/ CT	29-MAY-90	GL	NU		CT
L		KK-B-650A(12) KK-S-756D	BRIEF CASE (LEATHER) [VALIDATION DATE: 8306] ..... STROP, MICROPHONE KNIFE, AND STROP, RAZOR [VALIDATION DATE: 7602] USER: MC REVIEWER: MD MS SA	A 8460	/ CT	23-FEB-71			99	CT
A		KK-P-001170A KK-L-2004	PORTFOLIO, ENVELOPE, LEATHER, ARTIFICIAL LEATHER, SLIDE FASTENER USER: 45 .. LEATHER, CATTLEHIDE, DEERSKIN AND HORSEHIDE, CHROME TANNED [VALIDATION DATE: 8904] USER: MC REVIEWER: MD	A 8460	#	29-MAR-68				
D		MM-P-371C MM-L-371E	PILE, AND POLE, WOOD REVIEWER: CE CS ..... TIE, RAILROAD, WOOD (CROSS AND SWITCH) USER: YD1 REVIEWER: CE CS .....	A 5510	/ ME	14-DEC-72	ME	YD1	99	
D		MM-L-736C(1)	LUMBER, HARDWOOD USER: CE MC SH REVIEWER: CS OS SC .....	A 5510	/ ME	31-JUL-75	ME			
D		MM-L-751H MM-P-71C	LUMBER, SOFTWOOD [VALIDATION DATE: 8006] USER: MC OS REVIEWER: AS CS MS ... PALLETS, MATERIAL HANDLING, WOOD, STRINGER CONSTRUCTION, 2-WAY AND 4-WAY (PARTIAL) [VALIDATION DATE: 8201] USER: SS REVIEWER: EA GS OS SM	A 5510	/ ME	11-MAR-83	ME	YD1	99	
L		MM-P-71C(12)	PALLETS, MATERIAL HANDLING, WOOD, STRINGER CONSTRUCTION, 2-WAY AND 4-WAY (PARTIAL) [VALIDATION DATE: 8201] .....	A 3990	/ SA	02-MAY-77	SA			
D		MM-H-81A(1) MM-H-0081B(1)	HANDLE, ASH, FOR TOOLS USER: ME ..... HANDLES, ASH ..... HANDLE, FILE (ADJUSTIFIABLE) .....	A 5120	* GL	20-AUG-52	GL	SH	99	
D		MM-H-0085 MM-H-93A(1)	HANDLE, FILE (ADJUSTIFIABLE) ..... HANDLE, HICKORY, STRIKING TOOL USER: AR AT MC YD1 .....	A 3750	# FSS	27-OCT-87				
D		MM-H-0093B(4) MM-H-101F	HANDLES: HICKORY, STRIKING TOOL ..... HANDLES: HICKORY, STRIKING TOOL .....	A 5110	#	18-JUN-64				
D		MM-H-104 MM-H-104(11)	HANDLE, MOP (WET) USER: GL ..... HANDLES, WOOD, ACME THREADED AND CIRCULAR TAPERED END USER: MC .....	A 5120	* GL	20-AUG-52	GL	SH	99	
D		MM-H-104(11) MM-H-106(3)	HANDLES, WOOD, ACME THREADED AND CIRCULAR TAPERED END ..... HANDLE, WOOD MISCELLANEOUS (FOR) TOOLS USER: AR MC YD1 .....	A 7920	%	12-MAR-73				
D		MM-H-00106C OO-M-38J	HANDLES, WOOD, MISCELLANEOUS (FOR) TOOLS ..... MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) [VALIDATION DATE: 8402] USER: CE SA REVIEWER: GS MC MD	A 7920	% FSS	11-AUG-65	GL	SA	69	
D		OO-M-0038K(1)	MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) USER: CE SA REVIEWER: 84 GS MC MD SH	A 7920	% FSS	13-JUN-72				
L		OO-M-38J(11)	MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) [VALIDATION DATE: 8402] REVIEWER: GS	A 5110	* GL	08-OCT-52				
L		OO-M-0038K(12)	MIXING MACHINES, FOOD, ELECTRIC (VERTICAL, COMMERCIAL TYPE, BAKERY AND KITCHEN) .....	A 5110	% FSS	01-NOV-63				
D		OO-P-0040D OO-M-59C	PAD, FLOOR POLISHING MACHINE: AND HOLDER, FLOOR POLISHING MACHINE PAD ..... MILLING MACHINES, BENCH TYPE, HORIZONTAL, VERTICAL, GENERAL PURPOSE [VALIDATION DATE: 8702] USER: MC REVIEWER: GS	A 7320	/ GL	12-FEB-88	GL	YD1	99	
D		OO-L-90E	LATHE, HEAVY DUTY, FOR BRAKE DRUM AND DISC BRAKE ROTOR TURNING AND TRUING USER: 82 MC	A 7320	/ SH	03-JUN-92	SH			
D		OO-S-90C	SANDERS, ELECTRIC, PORTABLE, BELT, DISK, AND OSCILLATING PAD USER: MC ME YD1	A 7910	# FSS	15-JUN-77				
D		OO-S-90C(11) OO-S-101B(1)	SANDERS, ELECTRIC, PORTABLE, BELT, DISK, AND OSCILLATING PAD ..... SANDER, DISK AND OSCILLATING PAD, PNEUMATIC, PORTABLE USER: MD ME YD1 .....	A 4910	/ AL	01-JUN-88	AL		99	
D		OO-H-116D OO-H-116D(12)	HAMMER, ELECTRIC, PORTABLE AND HAMMER DRILLS, ELECTRIC, PORTABLE ..... HAMMERS, PNEUMATIC, PORTABLE (CHIPPING AND SCALING) .....	A 5130	# FSS	26-APR-73				
D		OO-L-1250(1) OO-L-131K(1)	HAMMERS, PNEUMATIC, PORTABLE (CHIPPING AND SCALING) ..... LATHE, ENGINE AND TOOLROOM, 10 INCH USER: MC ME WV REVIEWER: GS YD1 .....	A 5130	* GL	05-MAY-75	GL	SH	99	
D		OO-L-138C(1)	LAUNDRY EQUIPMENT, MISCELLANEOUS, COMMERCIAL [VALIDATION DATE: 8303] USER: 50 CE MC REVIEWER: GS MD	A 5130	% GL	10-APR-75	GL	SH	99	
D		OO-V-185F	LAUNDRY PRESSES, COMMERCIAL [VALIDATION DATE: 8303] USER: 50 CE REVIEWER: GS MC MD ME	A 5130	% GL	20-JUL-67	GL	SH	69	
D		OO-V-185F(12) OO-V-209A(1)	VEGETABLE PEELING MACHINE, ELECTRIC [VALIDATION DATE: 8303] USER: SA REVIEWER: CE MC MD	A 5130	% GL	15-DEC-69				
D		OO-K-220B OO-S-238D	VEGETABLE PEELING MACHINE, ELECTRIC USER: SA REVIEWER: 84 CE GS MC MD SH .. VEGETABLE CUTTING AND SLICING MACHINES, (ELECTRIC), AND TABLE, (FOOD PREPARATION) [VALIDATION DATE: 8405] USER: MC REVIEWER: MS SA	A 7320	/ GL	14-JUN-83	GL	YD1	99	
D		OO-S-246D OO-S-255A(1)	KEY, MACHINE USER: AT AV GL MC REVIEWER: ME SA ..... SAW, CIRCULAR, TABLE TYPE, WOODWORKING, SINGLE TILTING ARBOR, FLOOR MOUNTED USER: AS CE MC OS REVIEWER: GS YD1	A 7320	/ GL	28-JUN-79	GL	YD1	99	
A		OO-S-255A(2) OO-S-256H(11)	SAW, RECIPROCATING, WOODWORKING, PNEUMATIC, PORTABLE ..... SCRUBBING MACHINE, FLOOR, ELECTRIC (BATTERY POWERED) .....	A 5315	/ AR	21-APR-89	AR	AS	99	
A		OO-S-256H(11) OO-S-256/1A(11)	SEWING MACHINE, INDUSTRIAL, GENERAL SPECIFICATION FOR USER: 50 MC SA REVIEWER: 84 GS	A 3220	/ IP	10-FEB-89	ME	SH	99	IP
L		OO-S-256/2A	SEWING MACHINE, INDUSTRIAL: FLATBED, SINGLE-NEEDLE, MACHINES USER: MC SA REVIEWER: 84 GS	A 5130	* GL	08-AUG-67	GL		99	
L		OO-S-256/3A	SEWING MACHINES, INDUSTRIAL: FLATBED, SINGLE-NEEDLE, MACHINES ..... SEWING MACHINES, INDUSTRIAL, FLATBED, TWO-NEEDLE [VALIDATION DATE: 8410] USER: GS MC SA	A 7910	#	18-AUG-80				
L		OO-S-256/4A	SEWING MACHINES, INDUSTRIAL: CYLINDER BED, SINGLE-NEEDLE, MACHINES USER: MC SA REVIEWER: 84 GS	A 3530	/ GL	10-NOV-92	GL		99	
L		OO-S-256/5A	SEWING MACHINES, INDUSTRIAL: CYLINDER BED, SINGLE-NEEDLE, MACHINES ..... SEWING MACHINES, INDUSTRIAL, POST BED, SINGLE NEEDLE, MACHINE [VALIDATION DATE: 8410] USER: GS MC SA	A 3530	/ GL	14-NOV-90	GL		99	
L		OO-S-256/6A	SEWING MACHINES, INDUSTRIAL: CYLINDER BED, SINGLE-NEEDLE, MACHINES ..... SEWING MACHINES, INDUSTRIAL, POST BED, SINGLE NEEDLE, MACHINE [VALIDATION DATE: 8410] USER: GS MC SA	A 3530	/ GL	16-NOV-78	GL		99	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Op. / OMA Coordination Initiative	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
	00-S-256/5A	SEWING MACHINE, INDUSTRIAL, ZIGZAG, SINGLE NEEDLE, MACHINES (VALIDATION DATE: 8410) USER: GS MC SA	A 3530 / GL	16-NOV-78	GL			99	
	00-S-256/6A	SEWING MACHINE, INDUSTRIAL, BUTTONHOLE, STRAIGHT, BARRED ENDS, MACHINE (VALIDATION DATE: 8410) USER: ER MC REVIEWER: GS	A 3530 / GL	16-NOV-78	GL			99	
	00-S-256/7A	SEWING MACHINES, INDUSTRIAL, BUTTONHOLE MACHINE, EYELET END (VALIDATION DATE: 8410) USER: CR ER MC SA REVIEWER: GS	A 3530 / GL	16-NOV-78	GL			99	
	00-S-256/8A	SEWING MACHINES, INDUSTRIAL, BUTTON-SEWING MACHINE (VALIDATION DATE: 8410) USER: CR ER MC REVIEWER: GS	A 3530 / GL	16-NOV-78	GL			99	
	00-S-256/9A	SEWING MACHINES, INDUSTRIAL, TACKING MACHINE (DETAIL SPECIFICATION) (VALIDATION DATE: 8410) USER: MC SA REVIEWER: GS	A 3530 / GL	16-NOV-78	GL			99	
	00-S-256/10A	SEWING MACHINES, INDUSTRIAL, OVEREDGE MACHINE (DETAIL SPECIFICATION) (VALIDATION DATE: 8410)	A 3530 / GL	16-NOV-78	GL			99	
M	00-S-256/11B	SEWING MACHINES, INDUSTRIAL, BLIND STITCH, MACHINES USER: MC SA REVIEWER: 84 GS	A 3530 / GL	25-MAY-93	GL			99	
	00-S-256/12B	SEWING MACHINES, INDUSTRIAL, SINGLE-NEEDLE MACHINE, HEAVY-LEATHER DUTY (VALIDATION DATE: 8410) USER: ER MC SA	A 3530 / GL	16-NOV-79	GL			99	
A	00-S-256/130	SEWING MACHINE, INDUSTRIAL, FLATBED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR REVIEWER: 84 GS	A 3530 / GL	16-DEC-92	GL			99	
L	00-S-00256/13C	SEWING MACHINE, INDUSTRIAL, FLATBED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR	A 3530 / GL	28-JUN-91	GL				
	00-S-256/14A	SEWING MACHINE, INDUSTRIAL, FLATBED, SINGLE NEEDLE, 308 STITCH, PARACHUTE REPAIR USER: 50 REVIEWER: GS	A 3530 / GL	13-JUN-86	GL			99	
L	00-S-00256/14B	SEWING MACHINE, INDUSTRIAL, FLATBED, SINGLE NEEDLE, 308 STITCH, PARACHUTE REPAIR	A 3530 / GL	07-OCT-88	GL				
	00-S-256/15A	SEWING MACHINE, INDUSTRIAL, FLATBED, DOUBLE NEEDLE, 301 STITCH, PARACHUTE REPAIR USER: GS	A 3530 / GL	13-JUN-86	GL			99	
L	00-S-00256/15B	SEWING MACHINE, INDUSTRIAL, FLATBED, DOUBLE NEEDLE, 301 STITCH, PARACHUTE REPAIR USER: GS	A 3530 / GL	07-OCT-88	GL				
A	00-S-256/16C	SEWING MACHINE, INDUSTRIAL, DARNING, CYLINDER BED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR REVIEWER: 84 GS	A 3530 / GL	15-DEC-92	GL			99	
L	00-S-00256/16B	SEWING MACHINE, INDUSTRIAL, DARNING, CYLINDER BED, SINGLE NEEDLE, 301 STITCH, PARACHUTE REPAIR USER: GS	A 3530 / GL	07-OCT-88	GL				
	00-S-260A	SEALING AND PACKAGING MACHINE, PLASTIC FILM REVIEWER: MD SM	A 3540 * GL	04-APR-78	GL		SA	99	
	00-M-280G(3)	MEAT SLICER, HAND-OPERATED, AND MEAT SLICING MACHINE, ELECTRIC (VALIDATION DATE: 8601) USER: MC REVIEWER: MS SA	A 7320 / SH	18-AUG-80	SH				
L	00-M-280G(14)	MEAT SLICER, HAND-OPERATED, AND MEAT SLICING MACHINES, ELECTRIC	A 7320 / SA	23-NOV-90	SA				
D	00-T-290F	THREADING MACHINES: PIPE AND BOLT, POWER DRIVEN (BENCH AND FLOOR TYPE) USER: MC SH REVIEWER: GS	A 3419 / AL	28-FEB-92	AL	YD1			
D	00-M-340E	MILLING, GRINDING, DRILLING, AND SLOTTING ATTACHMENT USER: AV CE MC YD1 REVIEWER: GS ME	A 3460 / AL	25-MAR-91	AL	SH		99	
D	00-S-355B	SIFTING MACHINE, FLOUR, ELECTRIC (VALIDATION DATE: 8201) REVIEWER: GS MD	A 7320 / GL	26-JUL-71	GL	YD1		99	
	00-L-360D	LIFT, MOTOR VEHICLE USER: 82	A 4910 / AL	20-SEP-85	AL			99	
D	00-A-372E	AIR CONDITIONER, ELECTRIC MOTOR DRIVEN SELF CONTAINED (FOR SHORE USE) USER: MC REVIEWER: 82 CE GS	A 4120 * YD1	16-MAR-88	ME	YD1		99	
D	00-A-373C	AIR CONDITIONERS, SINGLE PACKAGE TYPE USER: CE MC REVIEWER: 84 GS	A 4120 / YD1	22-JUL-90				99	
D L	00-A-373C(11)	AIR CONDITIONERS, SINGLE PACKAGE TYPE	A 4120 / YD1	19-NOV-90	YD1				
D	00-A-374B	AIR CONDITIONERS WITH REMOTE CONDENSING UNITS OR REMOTE AIR-COOLED, AND WATER-COOLED CONDENSER UNITS, UNITARY REVIEWER: CE GL GS	A 4120 / YD1	21-DEC-88	ME	YD1		99	
Q	00-R-421B(2)	RIVETER, PNEUMATIC, JAM AND HAMMER, AND HOLDER-ON, PORTABLE (VALIDATION DATE: 8301)	A 5130 / SH	01-AUG-80	GL	SH		99	
QL	00-R-421B(11)	RIVETER, PNEUMATIC, JAM AND HAMMER, AND HOLDER-ON, PORTABLE	A 5130 / SH	25-JUN-79	SH				
D	00-D-431E	DISHWASHING MACHINES, COMMERCIAL (RACK, STATIONARY) USER: CG MS REVIEWER: 84 GS MC MD SA	A 7320 / YD1	04-MAY-84	GL	YD1		99	
D	00-D-450C(1)	DISPENSERS, BULK MILK, MECHANICALLY COOLED; AND DISPOSABLE MILK CONTAINERS USER: CG MC SA REVIEWER: 84 CE GS MD MS SH	A 7310 / YD1	12-FEB-93	GL	YD1		99	
D	00-F-545F	FOOD BLENDER, ELECTRIC REVIEWER: 84 GS MD MS TS	A 7320 / GL	27-DEC-85	GL	YD1		99	
D	00-P-570E(2)	POLISHER, FLOOR, ELECTRIC (COMMERCIAL TYPE)	A 7910 / YD1	04-NOV-81	YD1				
D	00-J-571E	JOINTERS, WOODWORKING USER: CE GS MC REVIEWER: 84 YD1	A 3220 / IP	20-JUN-86	ME	SH		99	
D	00-B-580D	BORING MACHINE, ENGINE CYLINDER, (PORTABLE) USER: ER MC ME REVIEWER: SH SM	A 4910 / AL	23-DEC-86	AL	YD1		99	
D	00-D-582D	DOUGHNUT MACHINE, CUTTING AND FRYING (VALIDATION DATE: 8410) USER: CE CG YD1 REVIEWER: MC MD	A 7320 / GL	01-FEB-78	GL	SA			
D	00-G-630F	GRADER, ROAD, MOTORIZED REVIEWER: AT CS MC	A 3805 / YD1	22-MAY-85	ME	YD1			
D	00-P-631D	PRESS BRAKE, POWER OPERATED, MECHANICAL, SHEET AND PLATE (VALIDATION DATE: 9002) USER: MC ME YD1 REVIEWER: 84 GS	A 3441 / IP	14-FEB-90	AL	SH		99	IP
	00-P-660D	PRESS, LAMINATING, PROTECTIVE COVERING (VALIDATION DATE: 7502) REVIEWER: EA	A 3590 * GL	16-JAN-69	GL			99	
D	00-G-667F(1)	GRINDERS, MEAT, ELECTRIC, GRINDERS MEAT, HAND, AND MIXER-GRINDER, MEAT, ELECTRIC (VALIDATION DATE: 8303) USER: CE MC SH REVIEWER: GS MD SA	A 7320 / GL	30-NOV-76	GL	YD1		99	
Q	00-G-669F	GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL (VALIDATION DATE: 8301)	A 5130 # FSS	12-DEC-77					
QL	00-G-669F(12)	GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL (VALIDATION DATE: 8301)	A 5130 / SH	17-OCT-80	SH				
D	00-I-675F(3)	IRONERS, FLATWORK, COMMERCIAL (AND ACCESSORIES) (VALIDATION DATE: 8403) USER: CE MC MS REVIEWER: GS MD	A 3510 / GL	12-SEP-77	GL	YD1		99	
	00-G-684	GRINDING AND POLISHING MACHINE, DENTAL LABORATORY, FLOOR MOUNTED, 110 VOLT, 60 CYCLE, A.C. (VALIDATION DATE: 8406)	A 6520 / DM	31-JUL-58	MD	MS		03	
	00-G-00684B	GRINDING AND POLISHING MACHINE, DENTAL LABORATORY, FLOOR MOUNTED, 110 VOLT, 60 CYCLE, A.C. (USE IN LIEU OF FED SPEC 00-G-684) (VALIDATION DATE: 8202)	A 6520 / DM	15-MAR-67	MD	MS		03	
D	00-G-686C	GRINDING MACHINE, VALVE FACE USER: AT REVIEWER: 82 ME	A 4910 / AL	22-FEB-85	AL	YD1		99	
Q	00-D-691E(6)	DRILL, PNEUMATIC, PORTABLE; AND BOKER, WOOD, PNEUMATIC (VALIDATION DATE: 8204)	A 5130 # FSS	02-JUN-81					
	00-D-735C(1)	DRYCLEANING FINISHING EQUIPMENT, MISCELLANEOUS (VALIDATION DATE: 8303) USER: 50 SH REVIEWER: MD	A 3510 / GL	23-FEB-77	GL			99	
D	00-D-738C	DRYCLEANING PRESSES AND PUFF IRONS (VALIDATION DATE: 8402) USER: CE REVIEWER: GS MD	A 3510 / GL	10-FEB-78	GL	YD1		99	
	00-S-811D(1)	SURFACERS (PLANERS), WOODWORKING USER: CE MC REVIEWER: 84 GS	A 3220 / IP	31-OCT-89	ME	SH		99	IP
D	00-M-860D(1)	WASHING MACHINE AND DRYING TUMBLERS, HOUSE HOLD LAUNDRY, POWER OPERATED AND LAUNDRY COMMERCIAL (SELF-SERVICE) USER: 50 MC REVIEWER: GS MD	A 3510 * GL	27-MAY-77	GL	YD1		99	
D	00-S-870E	SWEeper, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, RIDER OPERATED USER: CE CS MC REVIEWER: 84	A 3825 / YD1	06-JAN-84	ME	YD1		99	
	00-S-873C	SWEPEERS, ROTARY, SELF-PROPELLED, VACUUMIZED; 1.75 CUBIC YARD MINIMUM HOPPER CAPACITY	A 3825 # FSS	23-JAN-84					
D	00-S-875F	SWEPEERS, ROTARY, SELF-PROPELLED (STREET TYPE) REVIEWER: 84 MC ME	A 3825 / YD1	02-MAR-89		YD1		99	
Q	00-W-891E(1)	WRENCH, IMPACT, PNEUMATIC, PORTABLE (VALIDATION DATE: 8301)	A 5130 / SH	16-OCT-67	GL	SH		84	
QL	00-W-891E(17)	WRENCH, IMPACT, PNEUMATIC, PORTABLE (VALIDATION DATE: 8301)	A 5120 / SH	02-JAN-76	GL				
Q	00-S-001116A	SANDER, ELECTRIC, PORTABLE, BELT, DISK AND ORBITAL PAD, DOUBLE INSULATED	A 5130 #	01-JUL-71					
D	00-D-1297B	DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8201) USER: CE MC ME REVIEWER: GS	A 3510 / GL	05-APR-74	GL	YD1		99	
D	00-D-1297/1	DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL ONE DOOR TYPE, END LOADING STYLE, REVERSIBLE AND NON REVERSIBLE (VALIDATION DATE: 8702) USER: CE MC ME REVIEWER: GS	A 3510 / GL	27-FEB-87	GL	YD1		84	
D	00-D-1297/2	DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, CYLINDER TYPE, END LOADING STYLE, REVERSIBLE AND NON-REVERSIBLE (VALIDATION DATE: 8702) USER: CE MC ME	A 3510 / GL	27-FEB-87	GL	YD1		84	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action CPL / OMA Coordination Inhouse Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
00-D-1297/3(1) NOTICE 1	DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ONE DOOR TYPE, END LOADING STYLE, REVERSIBLE [VALIDATION DATE: 8908] USER: CE MC ME REVIEWER: GS	A 3510 / GL 31-AUG-89	GL			99
D 00-D-1297/4 NOTICE 1	DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL, PASS THROUGH TYPE, END LOADING STYLE, REVERSIBLE [VALIDATION DATE: 8702] USER: CE MC ME REVIEWER: GS	A 3510 / GL 27-FEB-87	GL	YD1		84
00-D-1297/5(1) NOTICE 1	DRYING AND CONDITIONING TUMBLERS, LAUNDRY, COMMERCIAL: ROLL OVER TYPE, END LOADING STYLE, REVERSIBLE [VALIDATION DATE: 8908] USER: CE MC ME	A 3510 / GL 31-AUG-89	GL			99
D 00-M-1307B	WASHING MACHINES, POT AND PAN, COMMERCIAL (INCLUDING ACCESSORY EQUIPMENT) USER: CG GS MC REVIEWER: 85 MD MS SA	A 7320 / YD1 12-APR-85	GL	YD1		99
A 00-D-1388B(1)	DISHWASHING MACHINES, COMMERCIAL (RACKLESS CONVEYOR) USER: CE CG MC REVIEWER: 84 MD MS TS	A 7320 / SA 14-JUL-92	GL	SA		99
D 00-D-1390B(3)	DISHWASHING MACHINES, SINGLE TANK (RACK, MANUAL AND CONVEYOR) AND DOUBLE TANK (RACK, CONVEYOR), COMMERCIAL REVIEWER: 84 GS MC MD MS SA SH	A 7320 / YD1 30-NOV-92	GL	YD1		99
L 00-D-1390B(12)	DISHWASHING MACHINES, SINGLE TANK (RACK, MANUAL AND CONVEYOR) AND DOUBLE TANK (RACK, CONVEYOR), COMMERCIAL	A 7320 / SH 06-APR-92		SH		
D 00-G-1513B	GARBAGE DISPOSERS, HOUSEHOLD USER: YD1	A 4540 # 19-AUG-76				
D 00-M-1688	MOWER, LAWN, POWER (ROTATING REEL, GASOLINE ENGINE DRIVEN)	A 3750 * ME 03-NOV-72	ME	YD1		99
D 00-T-1719A	TYING MACHINES, BUNDLE, INDUSTRIAL USER: SM REVIEWER: MD	A 3540 * GL 31-JUL-75	GL	MC		99
D 00-M-1724A	MARKING MACHINE, LAUNDRY [VALIDATION DATE: 8201]	A 3510 # 30-APR-74				
D 00-T-1848(2)	TUNNEL, FINISHING, GARMENT, STEAM ELECTRIC [VALIDATION DATE: 8104] USER: MC SH YD1 REVIEWER: GS	A 3510 / GL 13-MAR-75	GL			
D 00-1-1874B	IRONER, FLATWORK, LARGE ROLL, COMMERCIAL (APRONLESS) [VALIDATION DATE: 8410] REVIEWER: GS MC MD	A 3510 / GL 27-MAR-79	GL	YD1		99
D 00-1-2100	IRONER, FLATWORK, COMMERCIAL [VALIDATION DATE: 8501] USER: MC REVIEWER: GS MD	A 3510 / GL 30-MAR-79	GL	YD1		99
D 00-R-2741	REFUSE CONTAINERS, HOISTING UNIT: TILT-OVER, FOR FRONT LOADING COMPACTION TYPE TRUCKS REVIEWER: GS	A 3990 / YD1 21-SEP-92	ME	YD1		
D L 00-D-2747	DITCHING MACHINES, BOOM TYPE: CRAWLER-MOUNTED, GED AND DED USER: CE ME REVIEWER: 99	A 3895 / YD1 23-MAR-91		YD1		
D L 00-S-2762	SWEEPER, VACUUM OR REGENERATIVE, STREET, SELF PROPELLED, DED	A 3825 / YD1 10-DEC-92		YD1		
D L 00-C-2763	CRANES, HYDRAULIC, CARRIER MOUNTED USER: MC	A 3810 / YD1 30-MAY-91		YD1		
D 00-C-2764(1)	CRANES, CRAWLER MOUNTED, COMMERCIAL, DED USER: MC REVIEWER: 84 CS	A 3810 / YD1 22-OCT-91		YD1		99
D L 00-D-2765	DITCHING MACHINES: LADDER-TYPE, LIGHT DUTY, 4-WHEEL-DRIVE, PNEUMATIC-TIRED, GED OR DED	A 3805 / YD1 07-MAY-91		YD1		
D L 00-S-2771	SCRAPER-TRACTORS: EARTH MOVING, HYDRAULIC OPERATED, 12 AND 20 CUBIC YARD MINIMUM HEAPED CAPACITY, DED REVIEWER: 84 99 CS ME	A 3805 / YD1 14-SEP-92		YD1		
D L 00-E-2772	EXCAVATORS, CRAWLER MOUNTED, DED, HYDRAULICALLY OPERATED	A 3805 / YD1 14-MAY-92		YD1		
D L 00-C-2774	CRANES, ROUGH TERRAIN, HYDRAULIC, FULL REVOLVING, WHEEL MOUNTED, 4X4, DED	A 3810 / YD1 30-AUG-91		YD1		
D L 00-A-2775	AUGER, EARTH, PORTABLE: HAND-HELD TWO-MAN GASOLINE ENGINE DRIVEN	A 3820 / YD1 01-NOV-91		YD1		
D 00-D-2776	DRILL, PNEUMATIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED (TRACK DRILL) REVIEWER: 84 AT CS MC	A 3820 / YD1 12-NOV-92	ME	YD1		99
D 00-S-2779	SNOW REMOVAL UNITS, ROTARY BLOWER, TRUCK MOUNTED 2400 TONS PER HOUR CAPACITY USER: CE REVIEWER: 84 AT	A 3825 / YD1 30-JAN-92	ME	YD1		99
D 00-R-2780	ROLLERS, MOTORIZED, PNEUMATIC-TIRED	A 3895 / YD1 05-JUN-92	ME	YD1		
D 00-R-2783	ROLLER, TONED, OPEN-FACE TYPE, TWO DRUM USER: MC REVIEWER: 84	A 3895 / YD1 09-MAR-92		YD1		99
D L 00-1-2788	LUBRICATING AND SERVICING UNIT, POWER-OPERATED, PORTABLE, INDUSTRIAL TYPE REVIEWER: CS	A 4930 / YD1 12-SEP-91		YD1		
D L 00-1-2795	ICE CREAM PLANT USER: MS REVIEWER: GS MC	A 4120 / YD1 20-AUG-92		YD1		
D L 00-S-2796	SWEEPER, VACUUM OR REGENERATIVE, AIRFIELD RUNWAY, SELF-PROPELLED, DED	A 3825 / YD1 22-FEB-93		YD1		
D L 00-S-2797	SWEEPER, PERMANENT MAGNET, ROAD, TONED USER: MC REVIEWER: 84 CS	A 3830 / YD1 13-NOV-92		YD1		99
D L 00-M-2803	WINCHES, DRUM, HAND-OPERATED, SAFETY TYPE FOR PONTON BARGES REVIEWER: CS	A 3950 / YD1 03-NOV-92		YD1		
D 00-C-2804	CONVEYOR, BELT, PORTABLE, DED, GED, OR EMD REVIEWER: CS	A 3910 / YD1 29-MAR-93	ME	YD1		
D 00-C-2817	CENTRAL MIX PLANT, CONCRETE, MOBILE, 150 CUBIC YARDS PER HOUR CAPACITY REVIEWER: CS	A 3895 / YD1 07-APR-93	ME	YD1		99
D L 00-C-2818	CONCRETE SPRAYING MACHINE, MIX-ELEVATOR TYPE UNIT, TRAILER MOUNTED	A 3895 / YD1 26-MAR-93		YD1		
PP-R-21E(1)	RABBITS, CHILLED OR FROZEN, READY TO COOK REVIEWER: MC MD MS SS	A 8905 * GL 12-SEP-77	GL	SA		50
PP-S-31F(1)	SALMON, CANNED REVIEWER: MC MD SS	A 8905 * GL 26-OCT-76	GL	SA		50
PP-S-51H	SARDINES, CANNED [VALIDATION DATE: 8101] REVIEWER: MC MD MS SS	A 8905 * GL 13-FEB-75	GL	SA		45
PP-S-51H(11)	SARDINES, CANNED [VALIDATION DATE: 8101]	A 8905 * GL 28-MAY-75	GL	SA		45
PP-B-81J	BACON, SLAB OR SLICED, CHILLED OR FROZEN [VALIDATION DATE: 8303]	A 8905 # 18-MAY-77				
PP-H-91C	HASH, CORNED&BEEF, CANNED USER: MC	A 8940 # 02-SEP-58				
PP-C-248K	CHICKENS AND CHICKEN PARTS, READY-TO-COOK, CHILLED AND FROZEN REVIEWER: MC MD MS SS TS	A 8905 * GL 01-FEB-84	GL	SA		50
PP-S-311C	SHRIMP, CANNED [VALIDATION DATE: 8001] USER: MC REVIEWER: 03 MD MS SS	A 8905 * GL 03-SEP-65	GL	SA		50
PP-B-00351D	BEEF LIVER, CHILLED OR FROZEN (WHOLE) [VALIDATION DATE: 8501]	A 8905 / GL 06-MAR-63	GL	SA		50
PP-C-400B(1)	CLAMS, CANNED REVIEWER: MC MD MS	A 8905 * GL 29-JUL-80	GL	SA		50
PP-D-745H	DUCK, GOOSE, GUINEA, AND SQUAB, (CHILLED AND FROZEN) READY-TO-COOK [VALIDATION DATE: 8001] USER: MC MS REVIEWER: MD SS	A 8905 * GL 12-JUL-74	GL	SA		50
PP-T-791L	TURKEY AND TURKEY PARTS, READY-TO-COOK, CHILLED AND FROZEN REVIEWER: MC MD MS SS TS	A 8905 * GL 01-FEB-84	GL	SA		50
A PP-L-800E(1)	LUNCHEON MEAT, CANNED (READY TO EAT) REVIEWER: MC MD QM SS	A 8905 / LS 13-MAR-92	GL	SA		50
PP-O-956G	OYSTERS, FRESH (CHILLED) AND FROZEN: SHUCKED [VALIDATION DATE: 7901] REVIEWER: MC MD MS SS	A 8905 * GL 23-AUG-73	GL	SA		45
PP-O-956G(11)	OYSTERS, FRESH (CHILLED) AND FROZEN: SHUCKED [VALIDATION DATE: 7901]	A 8905 / GL 27-DEC-76	GL	SA		45
PP-C-1802A	CHICKEN OR TURKEY, CANNED, BONED REVIEWER: MC MD MS SS	A 8905 * GL 15-AUG-80	GL	SA		50
PP-B-2120B(1)	GROUND BEEF PRODUCTS, FROZEN REVIEWER: MC MD QM SS	A 8905 * GL 14-NOV-91	GL	SA		50
PP-B-002129	CANADIAN BACON WITH BRINE, THERMOSTABILIZED, TRAY PACK	A 8905 / GL 25-MAR-83				
PP-T-002149A	TURKEY SLICES WITH GRAVY, THERMOSTABILIZED, TRAY PACK	A 8940 / GL 10-JUN-83	GL			
PP-B-2176	BEEF, GROUND, CREAMED, THERMOSTABILIZED, TRAY PACK	A 8940 / GL 28-JUN-83				
PP-C-2198	CHICKEN BREASTS IN GRAVY, THERMOSTABILIZED, TRAY PACK	A 8940 / GL 22-JUN-84	GL			
PP-P-002211	PORK SLICES, WITH GRAVY, THERMOSTABILIZED, TRAY PACK	A 8940 / GL 27-SEP-84	GL			
QQ-P-35C	PASSIVATION TREATMENTS FOR CORROSION-RESISTANT STEEL REVIEWER: 70 80 99 AR AS AV EA GL IS MI OS	A MFFP / NR 28-OCT-88	NR	SH		11
QQ-C-40(2) NOTICE 1	CALKING, LEAD WOOL AND LEAD PIG [VALIDATION DATE: 8109] REVIEWER: 82	A 5330 / SH 17-NOV-70	NR	SH		99
D 00-M-40B(1)	MAGNESIUM ALLOY FORGINGS [VALIDATION DATE: 8407] USER: AT GL MI YD1	A FORG * AS 13-APR-66	NR	AS		99
QQ-L-101C	LATH, METAL, (AND OTHER METAL PLASTER BASES)	A 5680 # 27-APR-72				
QQ-L-171E NOTICE 1	LEAD PIG [VALIDATION DATE: 8803] USER: MI REVIEWER: EA IS	A 9650 / SH 01-MAR-88	NR	SH		99
D 00-A-200E(1) NOTICE 1	ALUMINUM ALLOY, BAR, ROD, SHAPES, STRUCTURAL SHAPES, TUBE AND WIRE, EXTRUDED: GENERAL SPECIFICATION FOR [VALIDATION DATE: 9110] USER: CR EC MC SH REVIEWER: 99 AR EA IS ME MI OS YD1	A 9530 / AS 30-OCT-91	NR	AS		11
QQ-A-200/1D NOTICE 1	ALUMINUM ALLOY 3003, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR EC MC ME SH REVIEWER: 99 AR IS MI	A 9530 / AS 30-OCT-91	NR	AS		11
D 00-A-200/2F NOTICE 1	ALUMINUM ALLOY 2014, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH YD1 REVIEWER: AR EA IS MI	A 9530 / AS 30-OCT-91	NR	AS		11
QQ-A-200/3F	ALUMINUM ALLOY 2024, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED USER: CR MC SH REVIEWER: AR EA IS MI	A 4710 / AS 23-SEP-83	NR	AS		11
QQ-A-200/40(1) NOTICE 1	ALUMINUM ALLOY 5083, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH REVIEWER: 99 EA IS MI	A 9530 / AS 30-OCT-91	NR	AS		11
QQ-A-200/50 NOTICE 1	ALUMINUM ALLOY 5086, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED [VALIDATION DATE: 9110] USER: CR MC SH REVIEWER: AR EA IS MI	A 9530 / AS 30-OCT-91	NR	AS		11



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Spec / OMA Classification Inclusive Document Number	Document Title	Dist. Stmt FSC / Ave MCA Symbol Preparing Act Date	Custodian Army Navy Air Force DIA
QQ-A-200/6E(1) NOTICE 1	ALUMINUM ALLOY 5454, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED (VALIDATION DATE: 9110) USER: MC SH REVIEWER: MI	A 9530 / AS 30-OCT-91	MR AS 11
QQ-A-200/7E(1) NOTICE 1	ALUMINUM ALLOY 5456, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED (VALIDATION DATE: 9110) USER: MC SH REVIEWER: AR MI	A 9530 / AS 30-OCT-91	MR AS 11
QQ-A-200/8E NOTICE 1	ALUMINUM ALLOY 6061, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED (VALIDATION DATE: 9110) USER: EC MC ME SH REVIEWER: 99 AR EA IS MI	A 9530 / AS 30-OCT-91	MR AS 11
D QQ-A-200/9D NOTICE 1	ALUMINUM ALLOY 6063, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED (VALIDATION DATE: 9110) USER: CR MC SH REVIEWER: AR EA MI OS YDI	A 9530 / AS 30-OCT-91	MR AS 11
QQ-A-200/10E NOTICE 1	ALUMINUM ALLOY 6066, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED (VALIDATION DATE: 9110) USER: CR MC REVIEWER: AR EA IS MI SH	A 9530 / AS 30-OCT-91	MR AS 11
QQ-A-200/11E NOTICE 1	ALUMINUM ALLOY 7075, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED (VALIDATION DATE: 9110) USER: CR MC SH REVIEWER: AR EA IS MI	A 9530 / AS 30-OCT-91	MR AS 11
D QQ-A-200/13C NOTICE 1	ALUMINUM ALLOY 7178, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED (VALIDATION DATE: 9110) USER: CR MC YDI REVIEWER: IS MI	A 9530 / AS 30-OCT-91	MR AS 11
QQ-A-200/14B NOTICE 1	ALUMINUM ALLOY BAR, ROD, SHAPES, AND WIRE, EXTRUDED, 7178-T76 (IMPROVED EXFOLIATION RESISTANT) (VALIDATION DATE: 9110) REVIEWER: 99 IS SH	A 9525 / AS 30-OCT-91	MR AS 11
QQ-A-200/15B NOTICE 1	ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED, 7075-T76 (IMPROVED EXFOLIATION RESISTANT) (VALIDATION DATE: 9110) USER: CR EC REVIEWER: 99 AV SH	A 9525 / AS 30-OCT-91	MR AS 11
QQ-A-200/16A	ALUMINUM ALLOY STRUCTURAL SHAPES, EXTRUDED, 6061 (VALIDATION DATE: 8004) USER: AR MC ME MI REVIEWER: 99 EA GL SH	A 9530 / AS 09-JAN-74	MR AS 11
QQ-A-200/17A	ALUMINUM ALLOY 6162, BAR, ROD, SHAPES, TUBE AND WIRE, EXTRUDED REVIEWER: 99 AR IS	A 9530 / AS 14-JUL-83	MR AS 11
D QQ-L-201F(2)	LEAD SHEET (VALIDATION DATE: 8301) USER: AT REVIEWER: ME OS YDI	A 9535 / SH 17-NOV-70	MR SH 84
D QQ-T-201F	TERMEPLATE, FOR ROOFING AND ROOFING PRODUCTS REVIEWER: IS	A 9515 / MR 12-NOV-86	MR YDI 99
QQ-A-225G	ALUMINUM AND ALUMINUM ALLOY BAR, ROD, WIRE, OR SPECIAL SHAPES: ROLLED, DRAWN, OR COLD FINISHED: GENERAL SPECIFICATION FOR USER: EC MC SH REVIEWER: 99 AR CR EA IS	A 9525 / AS 28-SEP-90	MR AS 11
QQ-A-225/1D(1) NOTICE 1	ALUMINUM ALLOY BAR, ROD, AND WIRE: ROLLED, DRAWN OR COLD FINISHED, 1100 (VALIDATION DATE: 9110) USER: MC REVIEWER: AR EA ER IS MI OS SH	A 9525 / AS 30-OCT-91	MR AS 11
QQ-A-225/2D NOTICE 1	ALUMINUM ALLOY BAR, ROD, AND WIRE: ROLLED, DRAWN, OR COLD FINISHED, 3003 (VALIDATION DATE: 9110) USER: EC MC OS REVIEWER: 84 BS AR MI SH	A 9525 / AS 30-OCT-91	MR AS 11
QQ-A-225/3D	ALUMINUM ALLOY BAR, ROD, AND WIRE: ROLLED, DRAWN, OR COLD FINISHED, 2011 (VALIDATION DATE: 8004) USER: MC OS REVIEWER: 85 MI SH	A 9530 / AS 09-JUN-71	MR AS 11
QQ-A-225/4E	ALUMINUM ALLOY BAR, ROD, WIRE, AND SPECIAL SHAPES: ROLLED, DRAWN, OR COLD FINISHED, 2014 USER: ER MC OS REVIEWER: 99 AR EA IS MI SH	A 9525 / AS 15-NOV-82	MR AS 11
QQ-A-225/5E(2)	ALUMINUM ALLOY 2017, BAR, ROD AND WIRE: ROLLED, DRAWN OR COLD FINISHED USER: ER MC OS SH REVIEWER: 99 AR CR EA IS	A 9525 / AS 31-JAN-86	MR AS 11
D QQ-A-225/6E(1)	ALUMINUM ALLOY BAR, ROD, AND WIRE: ROLLED, DRAWN, OR COLD FINISHED, 2024 USER: MC SH YDI REVIEWER: AR CR EA IS	A 9525 / AS 29-MAR-85	MR AS 11
QQ-A-225/7D NOTICE 1	ALUMINUM ALLOY 5052, BAR, ROD, AND WIRE: ROLLED, DRAWN, OR COLD FINISHED (VALIDATION DATE: 9110) USER: MC OS SH REVIEWER: 99 AR CR MI	A 9525 / AS 30-OCT-91	MR AS 11
QQ-A-225/8E NOTICE 1	ALUMINUM ALLOY 6061, BAR, ROD, WIRE AND SPECIAL SHAPES: ROLLED, DRAWN OR COLD FINISHED (VALIDATION DATE: 9110) USER: MC ME SH REVIEWER: 99 AR CR EA IS OS	A 9525 / AS 30-OCT-91	MR AS 11
D QQ-A-225/9E NOTICE 1	ALUMINUM ALLOY 7075, BAR, ROD, WIRE AND SPECIAL SHAPES: ROLLED, DRAWN OR COLD FINISHED (VALIDATION DATE: 9110) USER: EC MC ME SH YDI REVIEWER: 85 99 AR CR EA IS OS	A 9525 / AS 30-OCT-91	MR AS 11
QQ-A-225/10B NOTICE 1	ALUMINUM ALLOY 6262, BAR, ROD AND WIRE: ROLLED, DRAWN, OR COLD FINISHED (VALIDATION DATE: 9110) REVIEWER: AR EA IS	A 9525 / AS 30-OCT-91	MR AS 11
D QQ-A-250F	ALUMINUM AND ALUMINUM ALLOY PLATE AND SHEET, GENERAL SPECIFICATION FOR (VALIDATION DATE: 8407) USER: MC ME OS REVIEWER: AR IS MI SH YDI	A 9535 / AS 25-SEP-78	MR AS 11
QQ-A-250/1F NOTICE 1	ALUMINUM 1100, PLATE AND SHEET (VALIDATION DATE: 9110) USER: ME REVIEWER: 85 CR MI OS SH	A 9535 / AS 30-OCT-91	MR AS 11
D QQ-A-250/2E NOTICE 1	ALUMINUM ALLOY 3003, PLATE AND SHEET (VALIDATION DATE: 9110) USER: CR MC ME REVIEWER: 99 EA MI OS YDI	A 9535 / AS 30-OCT-91	MR AS 11
D QQ-A-250/3F NOTICE 1	ALUMINUM ALLOY ALCLAD 2014, PLATE AND SHEET (VALIDATION DATE: 9110) USER: EC MC ME OS REVIEWER: AR EA ER IS MI SH YDI	A 9535 / AS 30-OCT-91	MR AS 11
QQ-A-250/4E(1) NOTICE 1	ALUMINUM ALLOY 2024, PLATE AND SHEET (VALIDATION DATE: 9110) USER: MC ME OS REVIEWER: 84 AR EC ER MI SH	A 9535 / AS 30-OCT-91	MR AS 11
A L QQ-A-250/4E(12) NOTICE 2	ALUMINUM ALLOY 2024, PLATE AND SHEET (VALIDATION DATE: 9212) .....	A 9535 / AS 10-DEC-92	AS
QQ-A-250/5F(1) NOTICE 1	ALUMINUM ALLOY ALCLAD 2024, PLATE AND SHEET (VALIDATION DATE: 9110) USER: MC ME OS REVIEWER: 84 AR EC ER MI SH	A 9535 / AS 30-OCT-91	MR AS 11
A L QQ-A-250/5F(12) NOTICE 2	ALUMINUM ALLOY ALCLAD 2024, PLATE AND SHEET (VALIDATION DATE: 9212) .....	A 9535 / AS 10-DEC-92	AS
D QQ-A-250/6G	ALUMINUM ALLOY 5083, PLATE AND SHEET (VALIDATION DATE: 8407) USER: MC ME OS YDI REVIEWER: 85 AR EA IS MI SH	A 9535 / AS 21-SEP-78	MR AS 11
QQ-A-250/7E NOTICE 1	ALUMINUM ALLOY 5086, PLATE AND SHEET (VALIDATION DATE: 9110) USER: ER MC MD OS REVIEWER: 85 AR EC MI SH	A 9535 / AS 30-OCT-91	MR AS 11
QQ-A-250/8F NOTICE 1	ALUMINUM ALLOY 5052, PLATE AND SHEET (VALIDATION DATE: 9111) USER: EC MC ME OS REVIEWER: AR EA ER IS MI SH	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/9F NOTICE 1	ALUMINUM ALLOY 5456, PLATE AND SHEET (VALIDATION DATE: 9111) USER: ER MC OS REVIEWER: 85 AR EC MI SH	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/10E NOTICE 1	ALUMINUM ALLOY 5454, PLATE AND SHEET (VALIDATION DATE: 9111) USER: EC MC ME OS REVIEWER: 84 AR ER IS MI SH	A 9535 / AS 05-NOV-91	MR AS 11
D QQ-A-250/11F NOTICE 1	ALUMINUM ALLOY 6061, PLATE AND SHEET (VALIDATION DATE: 9111) USER: MC ME REVIEWER: AR EC ER IS MI OS YDI	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/12F NOTICE 1	ALUMINUM ALLOY 7075, PLATE AND SHEET (VALIDATION DATE: 9111) USER: ER MC ME OS REVIEWER: AR IS MI	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/13E(1)	ALUMINUM ALLOY ALCLAD 7075, PLATE AND SHEET (VALIDATION DATE: 8004) USER: MC ME OS REVIEWER: AR IS MI	A 9535 / AS 28-DEC-73	MR AS 11
D QQ-A-250/14E NOTICE 1	ALUMINUM ALLOY 7178, PLATE AND SHEET (VALIDATION DATE: 9111) USER: ER MC ME OS REVIEWER: 85 AR EC MI SH YDI	A 9535 / AS 05-NOV-91	MR AS 11
D QQ-A-250/15E NOTICE 1	ALUMINUM ALLOY ALCLAD 7178, PLATE AND SHEET (VALIDATION DATE: 9111) USER: ER MC ME OS REVIEWER: 85 AR EC MI SH YDI	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/18F NOTICE 1	ALUMINUM ALLOY ALCLAD ONE SIDE 7075, PLATE AND SHEET (VALIDATION DATE: 9111) USER: EC MC ME OS REVIEWER: AR ER IS MI SH	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/21B NOTICE 1	ALUMINUM ALLOY, 7178-T76, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) (VALIDATION DATE: 9111) USER: OS SH REVIEWER: 99 IS ME	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/22A	ALUMINUM ALLOY 7178-T76, PLATE AND SHEET, ALCLAD (IMPROVED EXFOLIATION RESISTANT) (VALIDATION DATE: 8004) USER: OS SH REVIEWER: 99 AR GL IS ME	A 9535 / AS 27-JUN-74	MR AS 11
QQ-A-250/24B	ALUMINUM ALLOY, 7075, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) (VALIDATION DATE: 8004) USER: OS SH REVIEWER: 99 AR IS ME	A 9535 / AS 26-JUN-74	MR AS 11
QQ-A-250/25A	ALUMINUM ALLOY ALCLAD 7075, PLATE AND SHEET (IMPROVED EXFOLIATION RESISTANT) (VALIDATION DATE: 8004)	A 9535 / AS 25-JUN-74	MR AS 11
QQ-A-250/26A	ALUMINUM ALLOY, 7011 ALCLAD 7075, PLATE AND SHEET (VALIDATION DATE: 8004) USER: SH REVIEWER: IS	A 9535 / AS 14-SEP-73	MR AS 84
QQ-A-250/28A	ALUMINUM ALLOY, 7011 ALCLAD 7178, PLATE AND SHEET (VALIDATION DATE: 8004)	A 9535 / AS 14-SEP-73	MR AS 11
QQ-A-250/29A NOTICE 1	ALUMINUM ALLOY 2124, PLATE (VALIDATION DATE: 9111) USER: ME OS REVIEWER: 95 AR ER GL IS MI	A 9535 / AS 05-NOV-91	MR AS 11
QQ-A-250/30A(1) NOTICE 1	ALUMINUM ALLOY 2219, PLATE AND SHEET (VALIDATION DATE: 9111) USER: MC SH REVIEWER: 84 99 IS	A 9535 / AS 05-NOV-91	MR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active QPL / QML Coordination Package Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians				
			Army	Navy	Air Force	DIA	
D	QQ-M-281D(2)	NICKEL-COPPER ALLOY BAR, ROD, PLATE, SHEET, STRIP, WIRE, FORGINGS, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS USER: ME OS REVIEWER: 84 85 99 AR AS IS MI YD1	A 9535 / SH	23-OCT-85	NR	SH	11
	QQ-M-286E	NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS M05500) USER: GL ME REVIEWER: 84 99 AR ER IS OS	A 9535 / SH	02-AUG-85	NR	SH	11
L	QQ-M-00286F	NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS M05500) .....	A 9525 / SH	29-NOV-90		SH	
	QQ-M-286E(12)	NICKEL-COPPER-ALUMINUM ALLOY, WROUGHT (UNS M05500) USER: ER GL OS REVIEWER: 84 99 IS ME	A 9535 / SH	19-SEP-89	NR	SH	11
	QQ-M-290A	NICKEL PLATING (ELECTRODEPOSITED) [VALIDATION DATE: 8410] REVIEWER: 99 AR EA GL IS MI OS SH	A MFFP / AS	12-NOV-71	NR	AS	11
	QQ-C-3208(4)	CHROMIUM PLATING (ELECTRODEPOSITED) USER: GL REVIEWER: 82 99 IS .....	A MFFP / AS	10-APR-87	NR	AS	11
	QQ-W-321/1	WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 240 USER: ME SH REVIEWER: 84 AR AV EA MI	A 9525 / NR	02-APR-91	NR	AS	99
	QQ-W-321/2	WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 240 USER: ME SH REVIEWER: 84 AR AV EA MI	A 9525 / NR	02-APR-91	NR	AS	99
	QQ-W-321/3	BAR, METAL, FLAT, COPPER ALLOY 240 USER: ME SH REVIEWER: 84 AR AV EA MI ...	A 9530 / NR	02-APR-91	NR	AS	99
	QQ-W-321/4	WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 260 USER: ME SH REVIEWER: 84 AL AR AV GL MI	A 9525 / NR	02-APR-91	NR	AS	99
	QQ-W-321/5	WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 260 USER: ME SH REVIEWER: 84 AR AV EA MI	A 9525 / NR	02-APR-91	NR	AS	99
	QQ-W-321/6	BAR, METAL, FLAT, COPPER ALLOY 260 USER: ME SH REVIEWER: 84 AR AV EA MI ...	A 9530 / NR	02-APR-91	NR	AS	99
	QQ-W-321/7	WIRE, METAL, FLAT, NON-ELECTRICAL, COPPER ALLOY 270 USER: ME SH REVIEWER: 84 AR AV EA MI	A 9525 / NR	02-APR-91	NR	AS	99
	QQ-W-321/8	WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 270 USER: ME SH REVIEWER: 84 AR AV EA MI	A 9525 / NR	02-APR-91	NR	AS	99
	QQ-W-321/9	BAR, METAL, FLAT, COPPER ALLOY 270 USER: ME SH REVIEWER: 84 AR AV EA MI ...	A 9530 / NR	02-APR-91	NR	AS	99
	QQ-W-321/10	WIRE, METAL, ROUND, NON-ELECTRICAL, COPPER ALLOY 510 USER: ME SH REVIEWER: 84 AR AV EA MI	A 9525 / NR	02-APR-91	NR	AS	99
D	QQ-W-343F	WIRE, ELECTRICAL, COPPER (UNINSULATED) USER: CG MC OS SH REVIEWER: 11 99 AR ES IS MI	A 6145 / CR	21-DEC-90	CR	YD1	85
D	QQ-W-345B(2)	WIRE, ELECTRICAL, STEEL, COPPER-COVERED [VALIDATION DATE: 9109] USER: AR AT AV MC REVIEWER: ME MI SH	A 6145 / CR	20-SEP-91	CR	YD1	17
	QQ-S-365D	SILVER PLATING, ELECTRODEPOSITED, GENERAL REQUIREMENTS FOR USER: AT IH REVIEWER: AR EC IS MI	A MFFP / NR	03-JUN-85	NR	SH	
	QQ-A-367H(2)	ALUMINUM ALLOY FORGINGS REVIEWER: 99 AR AT EA GL OS SH .....	A FONG / 11	03-JAN-83	NR	AS	11
	QQ-C-390B	COPPER ALLOY CASTINGS (INCLUDING CAST BAR) [VALIDATION DATE: 8901] USER: ME REVIEWER: AR EA IS MI OS	A MECA / NR	24-JAN-89	NR	SH	99
	QQ-T-390A	TIN ALLOY INGOTS AND CASTINGS AND LEAD ALLOY INGOTS AND CASTINGS (ANTI-FRICTION METAL) FOR BEARING APPLICATIONS [VALIDATION DATE: 9102] REVIEWER: EA MI	A 9650 / NR	14-FEB-91	NR		84
	QQ-W-390/1	WIRE NONELECTRICAL, ROUND, NICKEL-CHROMIUM-IRON ALLOY USER: GL ME SH REVIEWER: 84 85 AR CR IS MI SA	A 9525 / NR	27-JUN-89	NR	AS	11
	QQ-W-414B	WIRE, STEEL, CARBON, BOOKBINDER [VALIDATION DATE: 8502] REVIEWER: EA IS ...	A 9505 / AR	09-JUN-87	AR		99
D	QQ-P-416F(1)	PLATING, CADMIUM (ELECTRODEPOSITED) USER: AT MC ME MI YD1 REVIEWER: 70 82 84 99 AL AR CS ER ES GL IS SH	A MFFP / AS	01-MAR-93	NR	AS	11
	QQ-T-425B(1)	TIMPLATE (ELECTROLYTIC) [VALIDATION DATE: 8602] REVIEWER: AR AT GL IS OS ..	A 9515 / NR	21-OCT-76	NR	AS	99
	QQ-M-00428A	WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE)	A 9505 #	16-SEP-70			
	QQ-W-428B(1)	WIRE, STEEL, CARBON (HIGH CARBON, ROUND, FOR MECHANICAL SPRINGS, GENERAL PURPOSE) USER: AV MI REVIEWER: 84 AS IS	A 9505 # OS	09-APR-91	NR	OS	
	QQ-W-428/1	WIRE, STEEL, HIGH CARBON, ROUND, TYPE 1 USER: AV REVIEWER: 99 AR AS IS ....	A 9505 / NR	09-APR-91	NR	OS	
	QQ-W-428/2	WIRE, STEEL, HIGH CARBON, ROUND, TYPE 111 USER: AV REVIEWER: 99 AR AS IS ...	A 9505 / NR	09-APR-91	NR	OS	
	QQ-A-430C(1)	ALUMINUM ALLOY ROD AND WIRE; FOR RIVETS AND COLD HEADING REVIEWER: 99 AR AV EA IS MI NR	A 9525 / AS	10-JUL-90	ME	AS	11
	QQ-C-450A	COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630) [VALIDATION DATE: 9102] REVIEWER: AR AS IS MI	A 9530 / NR	22-FEB-91	NR	SH	11
L	QQ-C-450A(11)	COPPER-ALUMINUM ALLOY (ALUMINUM BRONZE) PLATE, SHEET, STRIP, AND BAR (COPPER ALLOY NUMBERS 606, 610, 613, 614, AND 630) [VALIDATION DATE: 8601]	A 9530 / SH	21-JAN-81		SH	
	QQ-C-523A	COPPER ALLOY INGOTS, BRASS (YELLOW, HIGH STRENGTH) MANGANESE AND MANGANESE ALUMINUM BRONZE (FOR REMELTING) [VALIDATION DATE: 8306]	A 9650 / 84	23-JUN-72	NR	SH	99
	QQ-G-540A(1)	GOLD; CASTING, DENTAL [VALIDATION DATE: 8811] .....	A 6520 / MB	21-NOV-88	MD	MS	03
	QQ-G-547B	GOLD LEAF .....	A 8010 #	14-JUL-75			
Q	QQ-S-571E(4)	SOLDER, TIN ALLOY TIN LEAD ALLOY & LEAD ALLOY USER: 80 REVIEWER: 19 84 99 GS	A 3439 / ER	16-AUG-86	ER	EC	11
QL	QQ-S-571E(16)	SOLDER, ELECTRONIC (96 TO 485 DEG. C) .....	A 3439 / ER	10-DEC-90	ER		
	QQ-B-575B(1)	BRAID, WIRE, (COPPER, TIN-COATED, OR SILVER COATED, TUBULAR, OR FLAT) [VALIDATION DATE: 8809] USER: AT AV MC SH REVIEWER: 99 DS IS MS OS	A 6145 / CR	19-SEP-88	CR	AS	85
	QQ-S-632C	STEEL BAR, REINFORCING (FOR CONCRETE) .....	A 5680 #	21-MAR-73			
D	QQ-B-639B	BRASS, NAVAL; FLAT PRODUCTS (PLATE, BAR, SHEET, AND STRIP) [VALIDATION DATE: 9103] USER: AT MC ME YD1 REVIEWER: AS IS MI OS	A 9530 / NR	05-MAR-91	NR	SH	84
	QQ-B-653B	BRAZING ALLOY, GOLD [VALIDATION DATE: 8406] .....	A 6520 / DM	23-MAR-60	MD	MS	03
D	QQ-B-654A(1)	BRAZING ALLOYS, SILVER [VALIDATION DATE: 9102] USER: 99 MC REVIEWER: MD ME YD1	A 3439 / SH	07-FEB-91	AR	SH	
D	QQ-S-698(3)	STEEL, SHEET AND STRIP, LOW CARBON [VALIDATION DATE: 8803] REVIEWER: IS ME MI OS YD1	A 9515 / NR	04-MAR-88	NR	AS	11
D	QQ-S-700D	STEEL SHEET AND STRIP, MEDIUM AND HIGH CARBON [VALIDATION DATE: 9101] USER: AT ME YD1 REVIEWER: IS MI NR	A 9515 / AR	17-JAN-91	AR		11
D	QQ-S-763E(1)	STEEL BARS, WIRE, SHAPES, AND FORGINGS, CORROSION RESISTING USER: MC REVIEWER: AR AT IS ME MI OS YD1	A 9510 / AS	15-MAY-90	NR	AS	11
D	QQ-S-766D	STEEL, STAINLESS AND HEAT RESISTING, ALLOYS, PLATE, SHEET AND STRIP USER: ME REVIEWER: AS EA IS MC MI OS YD1	A 9515 / SH	05-FEB-88	NR	SH	
D	QQ-S-775E	STEEL SHEETS, CARBON, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS [VALIDATION DATE: 8204] USER: AS CE MC REVIEWER: ME WV YD1	A 9515 / SH	10-FEB-76	NR	SH	84
L	QQ-S-775E(11)	STEEL SHEETS, CARBON, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS [VALIDATION DATE: 8204]	A 9515 / SH	29-SEP-78		SH	
D	QQ-A-1876	ALUMINUM FOIL [VALIDATION DATE: 9008] USER: MC MD SA SH SS YD1 REVIEWER: 99 DS EA GS IS SH	A 8135 / NR	16-AUG-90	NR	AS	84
D	RR-T-25C	TABLE, STEAM-JACKETED KETTLE REVIEWER: GS MC .....	A 7320 / YD1	21-JUL-89		YD1	
D	RR-S-30F	SAFETY CAN, SPRING CLOSING TYPE USER: CG MC OS REVIEWER: MI .....	A 7240 # GL	18-APR-75	GL	YD1	99
	RR-P-35C	PAIL, UTILITY, METAL (ZINC-COATED) USER: CE GL MC .....	A 7240 #	30-JUL-71			
	RR-H-40B	HANDCART, GROCERY, (NESTING) USER: GL .....	A 7290 #	04-MAY-73			
D	RR-P-58E	PAN, BREAD USER: YD1 REVIEWER: MC MD .....	A 7330 # GL	02-JUN-78	GL	SA	99
	RR-H-0060	HANDLE, EXTENSION, ALUMINUM, TELESCOPIC, INSULATED HANDLE SHAFT (AND ACCESSORIES)	A 7920 # FSS	12-AUG-65			
	RR-H-0060(11)	HANDLE, EXTENSION, ALUMINUM, TELESCOPIC, INSULATED HANDLE SHAFT (AND ACCESSORIES)	A 7920 # FSS	18-OCT-65			
D	RR-C-82F	CANS, ASH AND GARBAGE, AND COVERS USER: CE REVIEWER: MD .....	A 7240 # GL	04-NOV-76	GL	YD1	99
	RR-L-112U	LANTERN, KEROSENE, HAND, GLOBE .....	A 6260 #	16-MAR-73			99
D	RR-C-114E(1)	CAN, FLAMMABLE WASTE USER: CG MD .....	A 7240 # GL	02-JAN-76	GL	YD1	99
D	RR-P-125B	PARTS CLEANING CAN, SAFETY, BENCH [VALIDATION DATE: 8909] USER: CE MC REVIEWER: CS	A 4940 / GL	07-SEP-89	GL	YD1	99
	RR-B-130C(1)	Basin, Wash and Tub, Foot, Oval REVIEWER: 03 DM MD .....	A 7240 # GL	03-AUG-77	GL		99
	NOTICE 1						



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action CPL / OMA Coordination Machine	Document Number	Document Title	Dist. Smt. FNC / Area MCA Symbol Preparing Act.	Date	Custodians			
					Army	Navy	Air Force	DA
	RR-C-140(1)	CASH BOX, STEEL USER: GL	A 7520	% FSS 15-JUL-63				
	RR-C-00140A	BOX, CASH, STEEL USER: GL	A 7520	% FSS 29-DEC-69				
	RR-C-140(12)	CASH BOX, STEEL	A 7520	% FSS 01-APR-69				
D	RR-F-191K	FENCING, WIRE AND POST METAL (AND GATES, CHAIN-LINK FENCE FABRIC, AND ACCESSORIES) (GENERAL SPECIFICATION) USER: CE REVIEWER: 84 CS	A 5660	/ YD1 14-MAY-90	ME	YD1	99	
D	RR-F-191/10	FENCING, WIRE AND POST METAL (CHAIN-LINK FENCE FABRIC) USER: CE CG MC REVIEWER: 84 CS	A 5660	/ YD1 14-MAY-90	ME	YD1	99	
D	RR-F-191/20	FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE GATES) USER: CE CG MC REVIEWER: 84 CS	A 5660	/ YD1 14-MAY-90	ME	YD1	99	
D	RR-F-191/30	FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE POSTS, TOP RAILS AND BRACES) USER: CE CG MC REVIEWER: 84 CS	A 5660	/ YD1 14-MAY-90	ME	YD1	99	
D	RR-F-191/40	FENCING, WIRE AND POST, METAL (CHAIN-LINK FENCE ACCESSORIES) USER: CE CG MC REVIEWER: CS	A 5660	/ YD1 14-MAY-90	ME	YD1	99	
D	RR-K-193E	KETTLES, STEAM-JACKETED (STAINLESS STEEL), GAS [VALIDATION DATE: 9302] USER: AS REVIEWER: 84 GS MD MS SA TS	A 7310	/ GL 26-FEB-93	GL	YD1	99	
D	RR-K-195J(1)	KETTLE, STEAM-JACKETED, (STAINLESS STEEL, STEAM HEATED) USER: CE MS REVIEWER: 45 MC MD SA SH	A 7310	/ GL 01-FEB-88	GL	YD1	99	
	RR-F-221G	FENCING, WIRE, FENCE POSTS AND ACCESSORIES (BARBED WIRE, WOVEN WIRE, AND NETTING) (GENERAL SPECIFICATION) USER: CE CG MC REVIEWER: CS	A 5660	* MC 28-AUG-73				MC
D	RR-C-271D	CHAINS AND ATTACHMENTS, WELDED AND WELDLESS USER: CS GL OS REVIEWER: 82 AR AT DS EA IS MI YD1	A 4010	/ SH 25-SEP-90	ME	SH	99	
	RR-B-00300	BINDER, NOTE PAD, SPRING-BACK	A 7510	# 21-APR-66				
	RR-R-330B	RING, LOOSE-LEAF BINDER USER: GL	A 7510	# 01-SEP-72				
D L	RR-S-331D	SHOES, FOR WOOD PILES	A 5680	/ YD1 12-SEP-89		YD1		
D	RR-W-365A	WIRE FABRIC (INSECT SCREENING) [VALIDATION DATE: 8501] USER: MC REVIEWER: 82 DS EA IS MD MI MS OS	A 5335	/ ME 05-SEP-80	ME	YD1	99	
L	RR-W-365A(11)	WIRE FABRIC (INSECT SCREENING)	A 5335	/ ME 29-JAN-86	ME			
	RR-S-366E	SIEVE, TEST USER: MC ME SH SM	A 6635	* 09-NOV-73				
D	RR-W-4100(1)	WIRE ROPE AND STRAND REVIEWER: 82 IS YD1	A 4010	/ SH 22-APR-88	ME	SH	99	
D	RR-B-425C(1)	BLEACHERS, PORTABLE USER: MC REVIEWER: CS	A 5450	% GL 27-JUN-85	GL	YD1		
D	RR-F-4500(1)	FLATWARE, CORROSION RESISTING STEEL [VALIDATION DATE: B201]	A 7340	# 20-APR-76				
D	RR-C-5500(1)	CONTAINERS, FLUID, FOR PAINT SPRAY EQUIPMENT REVIEWER: 82 MC	A 4940	/ AL 19-FEB-93	AL	YD1	99	
D	RR-S-5500(1)	SOCKET, WIRE ROPE USER: CG MC REVIEWER: IS YD1	A 4030	/ SH 20-FEB-86	AR	SH		
	RR-H-571	HOOK, CHAIN	A 5120	# 04-APR-33				
D	RR-D-575B	DOOR, METAL, SLIDING AND SWINGING, DOOR FRAME, METAL (FLUSH AND SEMIFLUSH)	A 5670	# 02-DEC-71				
	RR-P-586A	POT, MELTING, (NONELECTRIC, SOLDER STYLE) USER: YD1	A 5120	% GL 20-FEB-58	GL		99	
	RR-P-586A(11)	POT, MELTING, (NONELECTRIC, SOLDER STYLE)	A 5120	% GL 17-SEP-63	GL	SH	99	
	RR-S-615C(1)	SPONGE, METAL USER: SA REVIEWER: MD	A 7920	% GL 01-FEB-78	GL		99	
D	RR-F-621E	FRAMES, COVERS, GRATINGS, STEPS, SUMP AND CATCH BASIN, MANHOLE USER: CE MC REVIEWER: 84	A 5680	/ YD1 23-FEB-89		YD1	99	
	RR-C-625C(1)	COVER, RECEPTACLE, SWINGING DOOR USER: GL MC REVIEWER: 99	A 7240	* 29-NOV-71				
	RR-F-00625A	FRAME, FILE DRAWER	A 7520	# 15-JUN-66				
D	RR-B-628B(1)	BOX, DOCUMENT, STEEL USER: MC	A 7520	% GL 25-APR-77	GL	SA	99	
	RR-T-650D	TREADS, METALLIC AND NONMETALLIC, SKID RESISTANT USER: CE CG REVIEWER: 84	A 5670	/ YD1 22-SEP-88	ME	YD1	99	
D	RR-I-660B	IRONING BOARD, PADS AND COVERS, (HOUSEHOLD) USER: GL	A 7290	% 23-JUN-70				
D	RR-G-661E(1)	GRATING, METAL, BAR TYPE (FLOOR, EXCEPT FOR NAVAL VESSELS) USER: CE ME	A 5670	/ YD1 21-MAR-84		YD1	99	
D	RR-W-6700	WRINGER, MOP USER: GL	A 7920	% 17-OCT-72				
	RR-G-691B(1)	GRIP, CABLE JAW USER: ME YD1	A 5120	% GL 23-AUG-73	GL		99	
	RR-G-700B	GRIP, WIRE, STRAND, WIRE ROPE AND CABLE USER: ME	A 5120	% GL 03-SEP-63	GL		99	
	RR-S-7140	STENCIL, SET, MARKING USER: GL	A 7520	% 21-JUN-74				
D	RR-S-720E	STEPLADDER AND PLATFORM LADDERS, ALUMINUM MAGNESIUM, FIBERGLASS	A 5440	# 20-MAR-78				
	RR-D-780C	DUSTERS, PESTICIDE, MANUALLY-OPERATED, TUBULAR-PUMP MANUALLY-CARRIED AND MANUALLY-OPERATED ROTARY FAN, STRAP-CARRIED REVIEWER: 84 MC MS	A 3740	/ CS 27-NOV-87	MD	YD1	99	CS
	RR-K-795A	KEY CHAIN, REEL (DOOR KEY AND DRILL CHUCK KEYS)	A 5340	# 19-AUG-74				
	RR-D-00799A	DUSTPAN (LONG HANDLE, SWINGING PAN)	A 7290	# 25-SEP-70				
	RR-B-800E	BUCKET, MOP, (METAL) USER: GL SA	A 7920	% 25-SEP-72				
	RR-F-800D	FUNNEL, METAL USER: GL	A 7240	% 13-JUL-73				
D	RR-J-800F	JUG, INSULATED; THERMAL EFFICIENT [VALIDATION DATE: 8402] USER: CG MC YD1 REVIEWER: 84 MD MS	A 7330	/ GL 14-JUN-83	GL	SA	99	
D	RR-C-901C	CYLINDER, COMPRESSED GAS, HIGH PRESSURE, STEEL DOT 3AA, AND ALUMINUM APPLICATIONS, GENERAL SPECIFICATION FOR USER: CS MC YD1 REVIEWER: AS EA MI MS OS PS	A 8120	/ ME 15-JAN-81	ME	SH	68	
D	RR-C-901/1	CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS, FOR INDUSTRIAL SERVICES [VALIDATION DATE: 8601] USER: GS MC PS YD1 REVIEWER: AS EA MI MS OS	A 8120	/ ME 15-JAN-81	ME	SH	68	
D	RR-C-901/2	CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS, FOR CARBON DIOXIDE [VALIDATION DATE: 8601] USER: GS MC PS YD1 REVIEWER: AS EA MI MS OS	A 8120	/ ME 15-JAN-81	ME	SH	68	
D	RR-C-901/3	CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA AND ALUMINUM APPLICATIONS, FOR MEDICAL SERVICES USER: GS MC PS YD1 REVIEWER: AS EA MI MS OS	A 8120	/ ME 15-JAN-81	ME	SH	68	
D	RR-C-910D	CYLINDERS, COMPRESSED GAS, 1CC4BA, 1CC 4BW, AND 1CC 4E [VALIDATION DATE: 8402] USER: CE MC MS YD1 REVIEWER: GS	A 8120	/ ME 11-DEC-80	ME	SH	68	
	RR-C-910/1	CYLINDER, COMPRESSED GAS, DOT SPECIFICATIONS 4BA, 4BW, & 4E FOR REFRIGERANTS, FIRE EXTINGUISHING AGENTS & STERILIZATION GASES [VALIDATION DATE: 8402]	A 8120	/ ME 11-DEC-80	ME	SH	68	
D	RR-C-910/2	CYLINDER, COMPRESSED GAS, DOT SPECIFICATIONS 4BA, 4BW, & 4E LIQUIFIED PETROLEUM GAS & FUEL GAS MIXTURES [VALIDATION DATE: 8402] USER: CG MS YD1 REVIEWER: 11 CE GS	A 8120	/ ME 11-DEC-80	ME	SH	68	
	RR-H-1070B	HOLDER, GARBAGE CAN	A 7240	# 20-DEC-73				
	RR-H-1075A	HOPPING OUTFITS, FLOOR USER: GL	A 7920	% FSS 16-NOV-72				
	RR-H-1075A(11)	HOPPING OUTFITS, FLOOR	A 7920	% FSS 01-NOV-73				
	RR-W-1101A	WASTE RECEPTACLE, SWINGING DOORS USER: GL	A 7240	% 31-OCT-72				
	RR-D-1131C	DISPENSER, DRINKING WATER, NONMECHANICALLY COOLED (TO BE USED ONLY WHEN PRESSURE TYPE DISPENSERS ARE IMPRACTICABLE)	A 4110	# 02-MAR-79				
	RR-A-1147B	ARM, WINDSHIELD WIPER, BLADE, WINDSHIELD WIPER, AND BLADE REFILL, WINDSHIELDED WIPER (VEHICULAR) [VALIDATION DATE: 8501] USER: MC REVIEWER: CS	A 2540	/ AT 13-JUN-80	AT		99	
	RR-B-001184	BRACE, FLOOR SWEEPING BRUSH	A 7920	# 25-JAN-68				
	RR-A-1255D	ASH RECEIVERS, TOBACCO, (WALL MOUNTED, PARABOLOIDAL SHAPE, 2 QUART CAPACITY) REVIEWER: 84 SA	A 9920	% GL 06-JAN-92	GL		99	
	RR-F-1256A	FRAME, CLOTH BASKET (FOLDING) USER: GL REVIEWER: 99	A 7240	% 15-JUN-73				
D	RR-S-001301	SAFETY EQUIPMENT, CLIMBING [VALIDATION DATE: 8312]	A 4240	/ SH 22-JUN-67		SH		
	RR-P-1352C	PARTITIONS, TOILET, COMPLETE USER: CE CG MC ME SA	A 5670	/ YD1 08-FEB-89		YD1	99	
D	RR-W-00158B	WASTE RECEPTACLE, WALL OR POST MOUNTED	A 7240	# 20-MAR-70				
D	RR-G-1602C	GRATINGS, METAL, OTHER THAN BAR TYPE (FLOOR, EXCEPT FOR NAVAL VESSELS) USER: CE ME	A 5670	/ YD1 29-JUN-89		YD1	99	
	RR-H-1850	MEASURE, LIQUID	A 7240	# 08-MAR-74				
	RR-S-1862	SHOES, SAFETY, LADDER AND LEVELING DEVICES, LADDER	A 5440	% FSS 24-MAR-75				
	RR-S-1862(11)	SHOES, SAFETY, LADDER AND LEVELING DEVICES, LADDER	A 5440	% FSS 08-FEB-76				
D	RR-S-1989	SHERBET CUP, STAINLESS STEEL	A 7350	# 04-MAY-76				
D	SS-W-40A	WALL BASE: RUBBER, AND VINYL PLASTIC REVIEWER: YD1	A 5680	% FSS 07-JUN-74				
	SS-W-40A(11)	WALL BASE: RUBBER, AND VINYL PLASTIC	A 5680	% FSS 07-JUN-74				
	SS-S-71A	SAND, FOR USE IN SHEET-ASPHALT OR BITUMINOUS-CONCRETE PAVEMENTS	A 5610	# 28-AUG-42				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action OR / ORA Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DLA
D	SS-S-0071B SS-W-110C SS-C-153C SS-P-155D(3) SS-P-155D(14) SS-P-166D(6)	SAND, FINE, AGGREGATE ..... WATER REPELLENT, COLORLESS, SILICONE RESIN BASE ..... CEMENT, BITUMINOUS, PLASTIC USER: CE ME ..... PENCIL AND LEAD, ELECTROGRAPHIC USER: GL ..... PENCIL AND LEAD, ELECTROGRAPHIC ..... PENCILS, LEAD (S/S BY A-A-2757, A-A-2769, A-A-2770, A-A-2771, A-A-2772, AND A-A-2773)	A 5610 # 08-AUG-68 A 8030 # 16-JUN-72 A 5610 # 13-DEC-74 A 7510 # FSS 22-SEP-72 A 7510 # FSS 08-MAR-74 A 7510 # FSS 02-MAR-92			YD1	
A	SS-S-1696(1) SS-P-186E	SEALER, JOINT, SEWER, MINERAL-FILLED, HOT-POUR ..... PENCIL, MECHANICAL (INCLUDING LEADS AND ERASERS) USER: GL ME SA REVIEWER: 99	A 8030 # 04-JAN-78 A 7520 # FSS 24-OCT-88				
D	SS-P-196E SS-S-200E(1)	PENCIL: SPIRAL-PAPER-FORM; WAX, GLASS AND CHINA MARKING ..... SEALANT, JOINT, TWO COMPONENT, JET BLAST RESISTANT, COLD APPLIED, FOR PORTLAND CEMENT CONCRETE PAVEMENT USER: MC REVIEWER: CE MD MR MS	A 7510 # 20-JUL-78 A 8030 / YD1 23-AUG-88	ME		YD1 99	
D	SS-S-210A(1)	SEALING COMPOUND, PREFORMED PLASTIC, FOR EXPANSION JOINTS & PIPE JOINTS USER: YD1	A 8030 # 31-OCT-78				
D	SS-C-255 SS-C-00255A SS-C-266F SS-A-281B(1) SS-T-312B NOTICE 1 SS-T-312B(11)	CHALK, CARPENTERS AND RAILROAD USER: GL ..... CHALK, CARPENTER S AND RAILROAD ..... CHALK, MARKING, WHITE AND COLORED USER: GL REVIEWER: EA ..... AGGREGATE, (FOR) PORTLAND-CEMENT-CONCRETE (FOR DOD USE: ASTM C33) ..... TILE, FLOOR: ASPHALT, RUBBER, VINYL, AND VINYL COMPOSITION (VALIDATION DATE: 9005) USER: CG MC ..... TILE, FLOOR: ASPHALT, RUBBER, VINYL, AND VINYL COMPOSITION (VALIDATION DATE: 9005) USER: CG MC ..... TILE, GYPSUM (INTERIOR, FLOOR AND ROOF, PRECAST) ..... PIPE, CONCRETE (NONREINFORCED, SEWER, STORM DRAIN, AND CULVERT) (VALIDATION DATE: 6901)	A 7510 # 30-AUG-49 A 7510 # 10-JAN-69 A 7510 # 20-AUG-73 A 5610 # 25-JAN-57 A 7220 / YD1 28-MAY-90 A 7220 / YD1 28-MAY-90 A 5620 # 10-JUL-74 A 5630 # 28-AUG-68			CE YD1 99 CE YD1 99	
D	SS-P-00402B SS-C-466E(2) SS-R-501D(2) SS-S-535B SS-C-540B SS-J-570B(1) SS-C-635B SS-C-646B(2) SS-G-659A	PLASTER, GYPSUM ..... CLOTH, THREAD, AND TAPE-ASBESTOS (VALIDATION DATE: 8204) ..... ROOFING FELT, ASPHALT PREPARED, SMOOTH SURFACED ..... SODIUM BORATE, DECAHYD (VALIDATION DATE: 8201) USER: MC MS REVIEWER: GS MD COAL TAR (CUTBACK) ROOF COATING, BRUSHING CONSISTENCY( ..... JOINT COMPOUNDS AND TAPE, WALLBOARD (FOR GYPSUM WALLBOARD CONSTRUCTION) ..... CRAYON ASSORTMENT, DRAWING, COLORED USER: GL ..... CRAYON, MARKING, LUMBER USER: GL ..... GRAPHITE, DRY (LUBRICATING) (VALIDATION DATE: 8306) USER: MC ME MI YD1 REVIEWER: AV DS SA CRAYON, MARKING USER: GL ..... BRICK BUILDING, CONCRETE ..... ASPHALT, PETROLEUM (BUILT-UP ROOFING, WATER-PROOFING AND DAMPPROOFING) ....	A 5610 # ME 22-SEP-70 A 5640 # 02-JUL-64 A 5650 # 20-JUN-69 A 6810 / EA 22-APR-70 A 5610 # 11-JUN-75 A 5640 # 09-AUG-77 A 7510 # 07-DEC-66 A 7510 # 31-OCT-63 A 9620 / B4 01-MAR-67 A 7510 # 11-JAN-74 A 5620 # 09-JUN-65 A 5610 # 07-MAY-68	ME		YD1 84 YD1 68 OS 99	
D	SS-C-661A SS-B-663B SS-A-666D NOTICE 1 SS-A-671C SS-A-701B	ASPHALT, LIQUID, SLOW CURING, MEDIUM CURING, AND RAPID CURING ..... ASPHALT, PETROLEUM (PRIMER, ROOFING, AND WATERPROOFING) (VALIDATION DATE: 7804)	A 5610 # 08-SEP-66 A 5610 # 15-JUL-74			ME YD1 84	
D	SS-S-736D SS-S-736/1 SS-S-736/2 SS-S-736/3 SS-S-736/4	STONES, SHARPENING USER: GL REVIEWER: 84 AV ..... STONES, SHARPENING TYPE I - MOUNTED-IN-BOX CLASS B - NATURAL (NOVACULITE) STYLE 1 - RECTANGULAR USER: YD1 REVIEWER: 84 AV ..... STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS A-1 - ARTIFICIAL (ALUMINUM OXIDE) USER: GL REVIEWER: 84 AV ..... STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) USER: GL REVIEWER: 84 AV ..... STONES, SHARPENING TYPE II - UNMOUNTED STONES CLASS B - NATURAL (NOVACULITE) USER: GL REVIEWER: 84 AV	A 5345 # FSS 01-JUN-89 A 5345 # FSS 01-JUN-89 A 5345 # FSS 01-JUN-89 A 5345 # FSS 01-JUN-89 A 5345 # FSS 01-JUN-89				
D	SS-S-736/5A	STONES, SHARPENING TYPE II - UNMOUNTED STONES COMBINATION STONES (SEE TABLE 1 FOR CLASSES) STYLE 1 - RECTANGULAR USER: YD1 REVIEWER: 84 AV	A 5345 # FSS 05-DEC-89				
D	SS-S-736/6	STONES, SHARPENING TYPE III - TAPER ROUND STONES CLASS A-1 - ARTIFICIAL (ALUMINUM OXIDE) REVIEWER: 84 AV YD1	A 5345 # FSS 01-JUN-89				
D	SS-S-736/7	STONES SHARPENING TYPE IV - SCYTHE STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1	A 5345 # FSS 01-JUN-89				
D	SS-S-736/8	STONES, SHARPENING TYPE V - KNIFE SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1	A 5345 # FSS 01-JUN-89				
D	SS-S-736/9	STONES, SHARPENING TYPE VI - GROOVED, SURGICAL AND DENTAL STONES CLASS B - NATURAL (NOVACULITE) USER: YD1 REVIEWER: 84 AV	A 5345 # FSS 01-JUN-89				
D	SS-S-736/10	STONES, SHARPENING TYPE VII - AX SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1	A 5345 # FSS 01-JUN-89				
D	SS-S-736/11	STONES, SHARPENING TYPE X - SHOE MAKER SHARPENING STONES CLASS A-2 - ARTIFICIAL (SILICON CARBIDE) REVIEWER: 84 AV YD1	A 5345 # FSS 01-JUN-89				
M	SS-P-821C SS-P-1229A SS-S-1401C(1)	PUMICE; GROUND, ABRASIVE REVIEWER: 84 DS IS ..... PIPE, CLAY (DRAIN) USER: CE CG MC ..... SEALANT, JOINT, NON-JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT CONCRETE AND ASPHALT CONCRETE PAVEMENTS USER: MC REVIEWER: MD MR MS	A 5350 # FSS 20-MAY-89 A 5630 # 02-MAR-68 A 8030 / YD1 14-MAY-93	CE		YD1 99	
M	SS-P-1540B SS-S-161AA(1)	PIPE, BITUMINIZED FIBER (AND FITTINGS) ..... SEALANTS, JOINT, JET-FUEL-RESISTANT, HOT-APPLIED, FOR PORTLAND CEMENT AND TAR CONCRETE PAVEMENTS REVIEWER: MD MR MS	A 5630 # 25-SEP-73 A 8030 / YD1 14-MAY-93	CE		YD1 99	
D	SS-L-1682 SS-C-1783 SS-C-1960/1A SS-S-1996	LAPPING AND GRINDING COMPOUND, VALVE (VALIDATION DATE: 7704) ..... CLOTH, ASBESTOS ..... CEMENT, MASONRY ..... SEALER, WATER AND WEATHER RESISTANT, FOR ASPHALT, CONCRETE, AND MASONRY SURFACES REVIEWER: 04 99 CE	A 5350 # 28-JAN-71 A 5640 # 29-MAR-73 A 5610 # 24-MAY-77 A 8030 # 01-JUN-76				
D	TT-P-19D	PAINT, LATEX (ACRYLIC EMULSION, EXTERIOR WOOD & MASONRY) USER: CE MC REVIEWER: MD MR	A 8010 # YD1 07-FEB-85	ME		YD1	
D	TT-L-20A TT-L-20A(11) TT-P-24E TT-P-25F	LACQUER, CAMOUFLAGE USER: 11 MC YD1 REVIEWER: AR DS MD MI OS ..... LACQUER, CAMOUFLAGE ..... PAINT, OIL (EXTERIOR CONCRETE AND MASONRY) USER: MC REVIEWER: 84 ..... PRIMER COATING, EXTERIOR (LOW VOC UNDERCOAT FOR WOOD, WHITE AND TINTS) USER: MC REVIEWER: 69 AT	A 8010 # ME 25-APR-67 A 8010 / MR 04-AUG-75 A 8010 # YD1 02-APR-85 A 8010 # 99 08-JAN-92	AS		YD1 99 99	
D	TT-L-26C TT-P-26C(1)	LACQUER (BRUSHING, CLEAR AND PIGMENTED FOR EXTERIOR AND INTERIOR USE) ..... PAINT, INTERIOR, WHITE, TINTS AND BLACK, FIRE RETARDANT USER: MC SA YD1 REVIEWER: MR	A 8010 # 18-MAY-81 A 8010 # ME 23-JUN-77	ME		SH 99	
DQ	TT-P-28G	PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F.) USER: OS REVIEWER: 84 99 AS MD YD1	A 8010 / ME 08-JUL-85	ME		SH 11	
DQ	TT-P-29K TT-P-30E(1) TT-P-31D	PAINT, LATEX USER: CE REVIEWER: 84 ..... PAINT, ALKYO, ODORLESS, INTERIOR, FLAT, WHITE AND TINTS REVIEWER: YD1 ..... PAINT, OIL, IRON-OXIDE, READY-MIXED, RED AND BROWN (VALIDATION DATE: 8401) USER: AT MC REVIEWER: MR SA YD1	A 8010 # YD1 31-OCT-91 A 8010 # 21-MAR-84 A 8010 / ME 06-JUL-73			YD1 99 99	
D	TT-L-32A(1)	LACQUER, CELLULOSE NITRATE, GLOSS, FOR AIRCRAFT USE USER: AV REVIEWER: 99 AR DS EA MI OS SH	A 8010 / ME 09-MAR-73	MR		AS 84	
D	TT-P-32B TT-P-37D TT-P-38E TT-P-47G TT-L-50G(2)	PAINT, BLACKBOARD COATING ..... PAINT, ALKYO RESIN, EXTERIOR TRIM, DEEP COLORS REVIEWER: YD1 ..... PAINT, ALUMINUM, READY-MIXED REVIEWER: EA YD1 ..... PAINT, OIL (NONPENETRATING - FLAT, READY-MIXED TINTS AND WHITE) ..... LACQUER, NITROCELLULOSE, ACRYLIC AND ACRYLIC BUTYRATE, AEROSOL (IN PRESSURIZED DISPENSERS)	A 8010 # 16-FEB-78 A 8010 # 30-MAY-80 A 8010 # ME 15-JAN-85 A 8010 # 17-JUL-84 A 8010 # 12-AUG-77	ME			
D	TT-V-51F TT-P-52D(2)	VARNISH, ASPHALT USER: ME ..... PAINT, OIL (ALKYO-OIL) WOOD SHAKES AND ROUGH SANDING	A 8010 # 31-DEC-74 A 8010 # 23-JUN-77				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Opn / Com Coordination Inspec	Document Number	Document Title	Dist. Smt FSC / Line MCA Symbol	Proposed Acty Date	Custodians			
					Army	Navy	Air Force	DIA
	TT-L-54C	LACQUER: SPRAYING, ACID-RESISTANT, (FOR ALUMINUM SURFACES AROUND STORAGE BATTERIES) USER: EL REVIEWER: EA MD MI OS	A 8010	* ME 09-JUN-76	ME	SH		
	TT-L-54C(11)	LACQUER: SPRAYING, ACID-RESISTANT, (FOR ALUMINUM SURFACES AROUND STORAGE BATTERIES)	A 8010	# FSS 14-NOV-77				
	TT-P-54C(1)	PAINT, PHOSPHORESCENT, READY-MIXED (NONRADIOACTIVE) USER: AS MC ME OS SA REVIEWER: DS MR	A 8010	/ CG 03-FEB-77		CG		
D	TT-L-57C(1)	LACQUER, RUBBING, CLEAR, (FOR WOOD FURNITURE) .....	A 8010	# 23-JUN-77				
	TT-L-58E	LACQUER, SPRAYING, CLEAR AND PIGMENTED, (GENERAL INTERIOR USE) USER: AT MC REVIEWER: DS EA MI SA	A 8010	* ME 26-OCT-78	ME	YD1 99		
	TT-P-59E(1)	PAINT, READY MIXED, INTERNATIONAL ORANGE (NOT FOR RESIDENTIAL USE) .....	A 8010	# 23-JUN-77				
D	TT-V-71H	VARNISH, INTERIOR, FLOOR AND TRIM USER: MC ME .....	A 8010	% 31-JAN-79				
D	TT-P-81E	PAINT, OIL, ALKYL, READY MIXED EXTERIOR, MEDIUM SHADES USER: YD1 .....	A 8010	# 15-NOV-73				
D	TT-V-81G	VARNISH, MIXING, FOR ALUMINUM PAINT USER: MR REVIEWER: GL MI .....	A 8010	* ME 07-MAR-78		YD1 99		
D	TT-P-85E	PAINT, TRAFFIC AND AIRFIELD MARKING, SOLVENT BASE (VALIDATION DATE: 8306) USER: YD1	A 8010	* 84 15-SEP-77		99		
D	TT-V-85C(1)	VARNISH, OIL, LOW SHEEN, BRUSH OR SPRAY APPLICATION REVIEWER: YD1 .....	A 8010	# 18-JAN-83				
D	TT-V-85C(12)	VARNISH, OIL (LOW SHEEN, BRUSH OR SPRAY APPLICATION) .....	A 8010	# FSS 18-JAN-83				
	TT-P-86H	PAINT, RED-LEAD BASE, READY-MIXED USER: CE ME REVIEWER: AS MS .....	A 8010	/ YD1 19-JUL-87		YD1		
	TT-V-86C(1)	VARNISH, OIL, RUBBING (FOR METAL AND WOOD FURNITURE) .....	A 8010	# 06-OCT-78				
	TT-P-87D	PAINT, TRAFFIC, PREMIXED REFLECTORIZED .....	A 8010	# 29-JUN-78				
	TT-P-91D(2)	PAINT, RUBBER BASE, FOR INTERIOR USE (CONCRETE AND MASONRY FLOORS) .....	A 8010	# 12-JUL-83				
	TT-M-95B(1)	NAPHTHA: ALIPHATIC (VALIDATION DATE: 9111) USER: MC OS SH .....	A 6810	/ AS 05-NOV-91	AR	AS 68		
	NOTICE 1							
	TT-P-95C(1)	PAINT, RUBBER, FOR SWIMMING POOLS AND OTHER CONCRETE AND MASONRY SURFACES REVIEWER: MD MR	A 8010	* 23-JUN-77				
	TT-P-96D(2)	PAINT, LATEX BASE, FOR EXTERIOR SURFACES (WHITE AND TINTS) .....	A 8010	# 27-JUN-83				
	TT-M-97C	NAPHTHA: AROMATIC (VALIDATION DATE: 9111) USER: GS MC MI OS .....	A 6810	/ AS 05-NOV-91		AS 68		
	NOTICE 1							
	TT-P-97D	PAINT, STYRENE-BUTADIENE SOLVENT TYPE, WHITE (FOR EXTERIOR MASONRY) .....	A 8010	# MBS 25-JAN-68				
D	TT-P-97D(11)	PAINT, STYRENE-BUTADIENE SOLVENT TYPE, WHITE (FOR EXTERIOR MASONRY) .....	A 8010	# FSS 01-FEB-72				
D	TT-P-102F	PAINT, OIL, (ALKYL MODIFIED, EXTERIOR, LOW VOC) .....	A 8010	* YD1 21-JAN-92		YD1		
D	TT-V-109C	VARNISH, INTERIOR, ALKYL-RESIN USER: YD1 .....	A 8010	* ME 30-JAN-78		ME SH 99		
D	TT-P-110C	PAINT, TRAFFIC BLACK (NONREFLECTORIZED) .....	A 8010	* YD1 13-APR-77		YD1		
D	TT-P-115F	PAINT, TRAFFIC, HIGHWAY, WHITE AND YELLOW USER: YD1 REVIEWER: 84 MR .....	A 8010	* 05-DEC-84				
	TT-V-119D(2)	VARNISH, SPAR, PHENOLIC-RESIN .....	A 8010	% FSS 23-JUN-77				
	TT-V-121H	VARNISH, SPAR, WATER RESISTING .....	A 8010	* ME 05-JAN-78		ME 99		
	TT-M-156B(2)	WATER-REPELLENT COMPOUND, TEXTILE FINISH (VALIDATION DATE: 8710) REVIEWER: EA IS MC MD MR	A 8030	/ GL 23-OCT-87	GL	SA 99		
	NOTICE 1							
D	TT-S-176E(1)	SEALER, SURFACE, VARNISH TYPE, FLOOR, WOOD OR CORK REVIEWER: YD1 .....	A 8010	# 23-JUN-77				
	TT-S-178B(1)	SEALER, SURFACE RENEWER FOR WOOD AND SEALER FOR CONCRETE .....	A 8010	# 23-JUN-77				
D	TT-S-179B(1)	SEALER SURFACE, PIGMENTED OIL, FOR PLASTER AND WALLBOARD USER: YD1 .....	A 8010	* ME 23-JUN-77				
	TT-L-190D(1)	LINSEED OIL, BOILED, (FOR USE IN ORGANIC COATING) REVIEWER: OS .....	A 8010	* ME 01-JUL-77		ME		
D	TT-S-190F	SEALER, SANDING, LACQUER TYPE (FOR WOOD FURNITURE) .....	A 8010	# 02-FEB-81				
D	TT-L-201A	LINSEED OIL, HEAT POLYMERIZED USER: AT MC YD1 REVIEWER: GL .....	A 8010	* ME 31-JAN-78		MR 99		
	TT-S-223B(1)	SEALER, SURFACE, FLOOR, WATER EMULSION TYPE USER: CE .....	A 8010	* ME 16-JAN-85		ME		
	TT-S-227B(1)	SEALING COMPOUND, RUBBER BASE, TWO COMPONENT (FOR CALKING, SEALING, & GLAZING IN BUILDING CONSTRUCTION)	A 8030	# 24-JUN-65				
	TT-S-00227E(3)	SEALING COMPOUND, ELASTOMERIC TYPE, MULTI-COMPONENT (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES)	A 8030	# 09-OCT-70				
D	TT-R-230B	REMOVER, PAINT (ALKALI-TYPE FOR HOT APPLICATION) (VALIDATION DATE: 7408) USER: YD1 REVIEWER: MD	A 8010	* ME 06-NOV-68		ME		
	TT-S-230A(1)	SEALING COMPOUND, SYNTHETIC-RUBBER BASE, SINGLE COMPONENT, CHEMICALLY CURING (FOR CALKING, SEALING AND GLAZING IN BUILDING CONSTRUCTION)	A 8030	# 06-SEP-67				
	TT-S-00230C(2)	SEALING COMPOUND, ELASTOMERIC TYPE, SINGLE COMPONENT (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES)	A 8030	# 09-OCT-70				
D	TT-R-248B	REMOVER, PAINT AND LACQUER, SOLVENT TYPE USER: AV MC MI REVIEWER: 11 BS ...	A 8010	/ AS 29-OCT-81		MR AS 99		
D	TT-R-251J(1)	REMOVER, PAINT (ORGANIC SOLVENT TYPE) USER: CE MC YD1 REVIEWER: 11 DS MD ..	A 8010	* ME 13-MAY-86		ME		
D	TT-R-266D	RESIN, ALKYL, SOLUTIONS (VALIDATION DATE: 8302) USER: AT YD1 REVIEWER: AS ME MI OS	A 8010	/ SH 17-NOV-71		SH 84		
	TT-T-266D	THINNER: DOPE AND LACQUER (CELLULOSE-NITRATE) USER: AS MC MI SA REVIEWER: OS GL OS	A 8010	* ME 30-MAR-76		ME SH 99		
	TT-T-266D(12)	THINNER: DOPE AND LACQUER (CELLULOSE-NITRATE) .....	A 8010	# FSS 14-JUN-78				
M	TT-T-291F(2)	THINNER, PAINT, MINERAL SPIRITS, REGULAR AND ODORLESS USER: MC REVIEWER: AR MR OS YD1	A 8010	* FSS 12-FEB-93		ME SH 99		
	TT-T-291F(11)	THINNER, PAINT, MINERAL SPIRITS, REGULAR AND ODORLESS .....	A 8010	# FSS 30-NOV-78				
	TT-S-300A	SHELLAC, CUT USER: ME REVIEWER: OS .....	A 8010	# 25-APR-77				
M	TT-T-306D	THINNER, SYNTHETIC RESIN ENAMELS USER: GL OS REVIEWER: 84 MI .....	A 8010	* FSS 31-DEC-92		99		
	TT-F-322D	FILLER TWO-COMPONENT TYPE: FOR DENTS, CRACKS, SMALL-HOLES, AND BLOW HOLES USER: SH REVIEWER: 99 MI	A 8010	* ME 24-OCT-73		MR 85		
	TT-F-322D(11)	FILLER, TWO-COMPONENT TYPE: FOR DENTS, CRACKS, SMALL HOLES, AND BLOW HOLES	A 8010	# FSS 16-OCT-75				
	TT-F-325A(2)	FILLER, ENGRAVING, STAMPED MARKING (VALIDATION DATE: 8302) USER: MC REVIEWER: AR EA MI MR	A 8010	/ ME 05-JUN-73		ME SA 99		
	TT-F-336E	FILLER, WOOD, PASTE REVIEWER: ME MI OS .....	A 8010	% MR 01-MAR-78				
	TT-F-340C	FILLER, WOOD, PLASTIC REVIEWER: OS .....	A 8010	# 06-FEB-79				
D	TT-M-350B	NITROCELLULOSE, TECHNICAL (FOR USE IN ORGANIC COATINGS) (VALIDATION DATE: 8501) USER: AS SH	A 6810	/ ME 19-SEP-73		ME YD1 68		
	TT-P-350B	PIGMENT, LAMPBLACK-DRY (VALIDATION DATE: 7904) REVIEWER: MR OS SH .....	A 8010	* AS 15-MAY-67		ME AS 99		
DQ	TT-T-390A(2)	TINTING MEDIUM, CONCENTRATE GENERAL PURPOSE .....	A 8010	# 23-JUN-77				
	TT-E-485F(1)	ENAMEL, SEMIGLOSS, RUST-INHIBITING USER: AT MC REVIEWER: 85 CR 15 ME MI YD1	A 8010	/ AR 25-FEB-91		AR SH 84		
	NOTICE 1							
	TT-E-487E(1)	ENAMEL, FLOOR AND DECK USER: CE REVIEWER: 84 .....	A 8010	* 22-AUG-84				
	TT-E-00488B(3)	ENAMEL, PRIMER COATING AND CLEAR LACQUER (IN PRESSURIZED DISPENSERS) REVIEWER: DS	A 8010	# 12-AUG-77				
DQ	TT-E-489H	ENAMEL, ALKYL, GLOSS, LOW VOC CONTENT USER: MC MI OS REVIEWER: 11 84 AR AS OS YD1	A 8010	/ ME 22-AUG-88		ME SH 99		
D	TT-C-490D	CLEANING METHODS FOR FERROUS SURFACES AND PRETREATMENTS FOR ORGANIC COATINGS USER: MC OS SH REVIEWER: 80 AL AR AS AT AV EA ER ME MI SH	A MFFP	/ MR 31-MAR-93		MR YD1 11		
D	TT-E-490E(3)	ENAMEL, SILICONE ALKYL COPOLYMER, SEMIGLOSS (FOR EXTERIOR & INTERIOR NON RESIDENTIAL USE) USER: ME REVIEWER: OS SH YD1	A 8010	* 09-NOV-78				
	TT-E-491C	ENAMEL, GLOSS, SYNTHETIC (FOR METAL AND WOOD FURNITURE) .....	A 8010	# 01-AUG-77				
D	TT-C-492C(1)	COATING COMPOUND, PAINT ANTISWEAT REVIEWER: SH .....	A 8010	* YD1 23-JUN-77		YD1 99		
D	TT-C-494B	COATING COMPOUND, BITUMINOUS, SOLVENT TYPE ACID-RESISTANT (VALIDATION DATE: 9103) REVIEWER: 11 84 ME YD1	A 8030	/ MR 20-MAR-91		MR SH 99		
	NOTICE 1							
	TT-C-495D	COATING, EXTERIOR, FOR TIMED FOOD CANS (VALIDATION DATE: 8402) USER: MC MS SS REVIEWER: EA MD MR	A 8030	/ GL 14-JUL-78		GL SA		
	TT-E-496B(3)	ENAMEL, HEAT-RESISTING (400 DEG. F.), BLACK USER: AR MI REVIEWER: EA .....	A 8010	* 29-JAN-85				
	TT-C-498C	COATING COMPOUND, BITUMINOUS, FILLERS, SOLVENT TYPE, ALUMINUM PIGMENTED ...	A 8030	# 10-MAR-80				
	TT-C-499A	COATING COMPOUND, CHEMICAL RESISTANT, CLEAR .....	A 8010	# 16-JUN-75				
L	TT-E-505B	ENAMEL (ODORLESS, ALKYL, INTERIOR, HIGH GLOSS) USER: MC .....	A 8010	* ME 04-FEB-85		ME		
D	TT-E-506K(1)	ENAMEL, ALKYL, GLOSS, TINTS AND WHITE (FOR INTERIOR USE) .....	A 8010	* 18-MAY-84				
D	TT-E-508C	ENAMEL, INTERIOR SEMIGLOSS, TINTS AND WHITES USER: MD SH REVIEWER: CE MR ..	A 8010	* 17-JUL-84		YD1 99		
D	TT-E-509C	ENAMEL, ODORLESS, ALKYL, INTERIOR, SEMIGLOSS, WHITE AND TINTS USER: MC ME REVIEWER: CE MD MR	A 8010	/ YD1 05-DEC-86		YD1 99		
A	TT-A-511E	AMYL ACETATE, TECHNICAL USER: AS OS SH REVIEWER: GS MD .....	A 6810	/ EA 20-MAY-92	EA	68		



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action	ORI / ORL	Coordination	Machine	Document Number	Document Title	Dist. Smt.	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
											Army	Navy	Air Force	DIA
Q	TT-E-515A(1)				ENAMEL, ALKYO, LUSTERLESS, QUICK-DRYING (VALIDATION DATE: 8411) USER: CE	A 8010	/ ME	14-AUG-72	ME	99				
	TT-I-521(1)				MI OS REVIEWER: DS EA GL									
	TT-I-00521A(1)				INK, COPYING AND RECORD USER: GL SA	A 7510	%	30-JAN-40						
	TT-I-526A(2)				INK, COPYING AND RECORD	A 7510	%	27-DEC-67						
	TT-I-526A(14)				INK, DRAWING, BLACK AND COLORS: (FOR GLAZED PLASTIC SURFACES) (VALIDATION DATE: 7403) USER: SA	A 7510	% GL	18-DEC-64	GL	99				
	TT-E-527D				INK, DRAWING, BLACK AND COLOR: (FOR GLAZED PLASTIC SURFACES) (VALIDATION DATE: 7403)	A 7510	% FSS	28-OCT-71						
DQ	TT-I-528C(1)				ENAMEL, ALKYO, LUSTERLESS, LOW VOC CONTENT	A 8010	/ ME	06-JUN-88	ME	AS 99				
	TT-E-529G				INK, DRAWING, WATERPROOF, BLACK USER: GL ME	A 7510	% FSS	05-MAR-76						
D	TT-E-00529E				ENAMEL, ALKYO, SEMIGLOSS, LOW VOC CONTENT USER: AT SA REVIEWER: 84 AR EA	A 8010	/ ME	06-JUN-88	ME	YD1 99				
Q	TT-C-5308				ER MI									
	TT-I-531C(2)				ENAMEL, ALKYO, SEMIGLOSS	A 8010	/ ME	15-MAR-83	ME	YD1 99				
	TT-I-5338(1)				COATING COMPOUND, RUST INHIBITIVE, FISH OIL BASE (VALIDATION DATE: 8204)	A 8030	%	20-JUL-78						
	TT-C-5358(2)				INK, DRAWING, WATERPROOF, COLORED (S/S BY A-A-2331)	A 7510	%	07-SEP-66						
	TT-I-5350				INK, DRAWING, WATERPROOF, BLACK (FOR USE ON WATER REPELLENT AND PLASTIC DRAFTING SURFACES) USER: GL	A 7510	%	03-MAR-76						
D	TT-I-5350(11)				COATING, EPOXY, TWO COMPONENT, FOR INTERIOR USE ON METAL, WOOD, WALLBOARD, PAINTED SURFACES CONCRETE AND MASONRY REVIEWER: YD1	A 8010	% ME	23-JUN-77						
D	TT-C-542E				INK, DUPLICATING MACHINE STENCIL, PASTE, BLACK USER: GL	A 7510	% FSS	29-SEP-72						
	TT-I-542E				INK, DUPLICATING MACHINE STENCIL, PASTE, BLACK	A 7510	% FSS	11-FEB-75						
	TT-I-544(2)				COATING, POLYURETHANE, OIL-FREE, MOISTURE-CURING (VALIDATION DATE: 8306) REVIEWER: YD1	A 8010	% BA	14-JUL-78	MR	SH 99				
	TT-I-544(14)				INK, MARKING, LAQUOR, BLACK USER: GL MI REVIEWER: 99	A 7510	%	15-APR-75						
D	TT-E-545C				INK, MARKER, FELT TIP	A 7510	% GL	10-APR-67	GL	SA 99				
	TT-I-547A				INK, MARKER, FELT TIP	A 7510	% GL	22-SEP-70	GL	SA 85				
	TT-I-00547B				PRIMER (ENAMEL - UNDERCOAT, ALKYO, ODORLESS, INTERIOR, FLAT, TINTS & WHITE) REVIEWER: YD1	A 8010	% ME	11-SEP-87	ME					
	TT-T-548F				INK, NUMBERING MACHINE, FOR PHOTOGRAPHIC NEGATIVES USER: GL OS	A 7510	%	20-DEC-56						
	TT-W-550F				INK, NUMBERING MACHINE, FOR PHOTOGRAPHIC NEGATIVES	A 7510	%	10-FEB-67						
	TT-W-551F				TOLUENE, TECHNICAL USER: MC REVIEWER: AR GS MD MI OS	A 6810	/ EA	01-NOV-91	EA	SH 68				
	TT-I-554A				WOOD PRESERVATIVE, CHROMATED COPPER ARSENATE MIXTURE	A 8030	%	22-APR-76						
	TT-I-00554A				WOOD PRESERVATIVE, CHROMATED ZINC CHLORIDE MIXTURE USER: AT	A 8030	%	15-APR-76						
	TT-I-554A(11)				INK, STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS	A 7510	% FSS	10-APR-56						
D	TT-C-5558(1)				INK, STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS	A 7510	% FSS	12-JAN-55						
	TT-I-556F(1)				INK, STAMP-PAD, RED, FOR PHOTOGRAPHIC PRINTS	A 7510	% FSS	29-APR-70						
	TT-I-564C				COATING, TEXTURED (FOR INTERIOR AND EXTERIOR MASONRY SURFACES) USER: YD1	A 8010	% CG	05-AUG-75	CG					
	TT-W-568E				INK, STAMP PAD USER: MI REVIEWER: DS GL	A 7510	%	04-NOV-75						
	TT-W-571(2)				INK, STENCIL, DUPLICATING MACHINE, BLACK USER: MC SA REVIEWER: ME	A 7510	% GL	11-NOV-75	GL	99				
	TT-W-00571J				WOOD-PRESERVATIVE, CREOSOTE-PETROLEUM SOLUTION USER: CS	A 8030	%	06-JUN-75						
	TT-W-5728(2)				WOOD PRESERVATION, TREATING PRACTICES USER: SH REVIEWER: AT CS MD	A 5510	% ME	03-OCT-72	ME	84				
Q	TT-P-595A				WOOD PRESERVATION, TREATING PRACTICE REVIEWER: CS EA	A 5510	% ME	31-OCT-74	ME	SH 84				
D	TT-C-5988(2)				FUNGICIDE: PENTACHLOROPHENOL	A 6840	/ FSS	04-JUN-90						
	TT-C-00598C(1)				PRESERVATIVE COATING, CANVAS (VALIDATION DATE: 8201) USER: MC ME OS	A 8030	/ GL	13-APR-72	GL	SA 99				
	TT-I-600C				CAULKING COMPOUND, OIL AND RESIN BASE TYPE (FOR MASONRY AND OTHER STRUCTURES) (VALIDATION DATE: 8702) REVIEWER: EA MI SA	A 8030	% MR	10-FEB-87	MR	YD1 99				
	TT-P-600C(1)				CAULKING COMPOUND, OIL AND RESIN BASE TYPE (FOR BUILDING CONSTRUCTION)	A 8030	%	18-MAR-71						
	TT-P-6058(1)				INKING PAD, RUBBER STAMP USER: GL	A 7510	%	25-APR-75						
	TT-P-620C(3)				PRIMER COATING, ALL PURPOSE GRAY, ALKYO (IN PRESSURIZED DISPENSERS)	A 8010	%	23-JUN-77						
	TT-C-621B				PRIMER COATING, CONDITIONER FOR CHALKING EXTERIOR SURFACES	A 8010	%	23-JUN-77						
D	TT-P-641G(1)				CORRECTION FLUID, DUPLICATING MACHINE STENCIL USER: GL SA REVIEWER: 99	A 7510	%	31-MAY-73						
	TT-P-6458				PRIMER, PAINT, ZINC DUST-ZINC OXIDE (FOR GALVANIZED SURFACES) USER: ME	A 8010	% MR	23-JUN-77						
D	TT-P-6500				REVIEWER: YD1									
A	TT-T-656C				PRIMER, PAINT, ZINC-MOLYBDATE, ALKYO TYPE USER: EC MS REVIEWER: ME OS SA	A 8010	/ SH	12-MAR-90	SH					
DQ	TT-P-6628(1)				YD1									
DQ	TT-P-6640				PRIMER COATING, LATEX BASE, INTERIOR, WHITE (FOR GYPSUM WALLBOARD) USER: CE	A 8010	/ YD1	25-FEB-88	YD1					
	TT-S-708A(2)				TRICRESYL PHOSPHATE REVIEWER: GS OS SH	A 6810	/ AS	05-OCT-92	AS	68				
D	TT-S-711C				PRIMER SURFACER, SANDING, LACQUER AND ENAMEL TYPE (VALIDATION DATE: 8411) USER: AT SH REVIEWER: EA GL MR	A 8010	/ AR	20-JUN-72	AR	YD1 84				
	TT-I-735A(3)				PRIMER COATING, ALKYO, CORROSION-INHIBITING, LEAD AND CHROMATE FREE, VOC-COMPLIANT USER: AS YD1 REVIEWER: 85 AR GL MR OS	A 8010	/ ME	01-SEP-88	ME	SH 99				
	TT-E-735A				STAIN, OIL, SEMI-TRANSPARENT, WOOD, EXTERIOR	A 8010	%	23-JUN-77						
	TT-E-751C				STAIN, OIL TYPE, WOOD, INTERIOR USER: AR MC MD MR YD1 REVIEWER: GL	A 8010	% ME	01-JUN-78	ME	SH				
A	TT-E-781D				ISOPROPYL ALCOHOL (VALIDATION DATE: 9111) REVIEWER: EA GS MI	A 6810	/ AS	05-NOV-91	AS	68				
D	TT-P-007918(2)				NOTICE 1									
	TT-P-1046A				STANDARD TEST FLUIDS, HYDROCARBON USER: AT AV MI REVIEWER: 68 EA GS OS PS	A 6810	/ ME	31-AUG-88	ME	SH 11				
	TT-F-1098D				ETHYL ACETATE, TECHNICAL (VALIDATION DATE: 7403) USER: ME REVIEWER: EA GS MD MI OS	A 6810	% GL	13-APR-67	GL	SH 68				
	TT-L-1155				ETHYLENE GLYCOL MONOMETHYL ETHER, TECHNICAL USER: SA REVIEWER: GS MD	A 6810	/ EA	03-DEC-92	EA	68				
D	TT-P-1181A(1)				PUTTY, PURE-LINSEED-OIL, FOR WOOD-SASH GLAZING (VALIDATION DATE: 8702) USER: MC	A 8030	% MR	10-FEB-87	MR	SA 99				
D	TT-B-13258				PUTTY, LINSEED-OIL TYPE, (FOR WOOD-SASH-GLAZING) USER: YD1	A 8030	%	23-MAR-71						
	TT-E-001384				PRIMER COATING, ZINC DUST, CHLORINATED RUBBER, (FOR STEEL AND GALVANIZED SURFACES)	A 8010	%	14-MAY-75						
	TT-E-001384(11)				FILLER, BLOCK SOLVENT THINNER, FOR POROUS SURFACES (CONCRETE BLOCK, CINDER BLOCK, STUCCO, ETC.) REVIEWER: MC	A 8010	% YD1	23-SEP-74	YD1					
	TT-P-001385				LINSEED OIL, ALKALI REFINED (VALIDATION DATE: 8204) USER: CE ME MR	A 8010	/ SH	26-OCT-67						
	TT-P-001385(11)				PAINT, STYRENE-ACRYLATE SOLVENT TYPE, TINTS AND DEEP TONES (FOR EXTERIOR MASONRY)	A 8010	% ME	24-JAN-72	ME	YD1 99				
	TT-T-001386(1)				BEAD, (GLASS SPHERES), RETRO-REFLECTIVE (VALIDATION DATE: 8306) REVIEWER: YD1	A 8010	% BA	25-APR-78		99				
	TT-P-1510A(1)				ENAMEL, GLOSS, SYNTHETIC (FOR METAL EQUIPMENT)	A 8010	% FSS	05-AUG-79						
D	TT-P-1511B				ENAMEL, GLOSS, SYNTHETIC (FOR METAL EQUIPMENT)	A 8010	% FSS	17-JAN-84						
	TT-P-1536A				PRIMER COATING, SYNTHETIC, GRAY (FOR METAL EQUIPMENT)	A 8010	% FSS	17-SEP-76						
D	TT-S-001543A				PRIMER COATING, SYNTHETIC, GRAY (FOR METAL EQUIPMENT)	A 8010	% FSS	06-FEB-84						
	TT-P-1565B				THINNER, SYNTHETIC RESIN ENAMEL	A 8010	% FSS	15-NOV-83						
D	TT-E-15938				PAINT, COPOLYMER-RESIN, CEMENTITIOUS (FOR WATERPROOFING CONCRETE AND MASONRY WALLS)	A 8010	%	28-JUN-77						
D	TT-S-001657				PAINT, LATEX, EXTERIOR, FOR WOOD SURFACES, WHITE AND TINTS	A 8010	%	23-JUN-77						
	TT-P-1728A(1)				PAINT, LATEX (GLOSS & SEMIGLOSS, TINTS & WHITE) (FOR INTERIOR USE) USER: MC REVIEWER: ME	A 8010	% YD1	15-JUL-81	CE	YD1				
D	TT-S-1732				PLUMBING FIXTURE SETTING COMPOUND	A 8030	%	08-JUL-75						
					SEALING COMPOUND, SILICONE RUBBER BASE (FOR CALKING, SEALING, AND GLAZING IN BUILDINGS AND OTHER STRUCTURES) REVIEWER: YD1	A 8030	%	09-JUN-71						
					PAIN, BOOT-TOPPING BLACK	A 8010	%	10-JAN-78						
D					ENAMEL, SILICONE ALKYO COPOLYMER, GLOSS (FOR EXTERIOR AND INTERIOR USE) (VALIDATION DATE: 8702) REVIEWER: YD1	A 8010	/ ME	10-FEB-87	MR	SH 84				
D					SEALING COMPOUND SINGLE COMPONENT, BUTYL RUBBER BASED, SOLVENT RELEASE TYPE (FOR BUILDINGS AND OTHER TYPES OF CONSTRUCTION) REVIEWER: YD1	A 8030	%	08-OCT-70						
D					PAINT, LATEX-BASE, INTERIOR, FLAT, DEEP TONE USER: SH REVIEWER: CE	A 8010	% ME	23-JUN-77	ME	YD1				
					SEALING COMPOUND, PIPE JOINT AND THREAD, LEAD FREE GENERAL PURPOSE (VALIDATION DATE: 8403) USER: CE REVIEWER: DS EA MD MR OS	A 8030	% ME	03-DEC-71	ME	99				



## NUMERICAL LISTING FEDERAL SPECIFICATIONS

639



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Acton Cn / OML Cordination Inactive Document Number	Document Title	Dist. Smt. FSC / Ane MCA Symbol Preparing Acty. Date	Custodians Army Navy AF Force DLA
UL-P-465G	PAPER, BOOK USER: EC PE REVIEWER: EA ME NS	A 9310 * GL 14-JUL-71	GL SA 99
UL-P-465G(12)	PAPER, BOOK	A 9310 # FSS 12-DEC-90	
UL-E-522L	ENVELOPE, MAILING USER: MC REVIEWER: DS EA	A 7530 * GL 11-JAN-74	GL SA 99
UL-E-525A	ENVELOPE, MAILING (RADIOGRAPHIC FILM)	A 7530 / SA 07-MAR-66	GL SA 69
UL-E-525A(11)	ENVELOPE, MAILING (RADIOGRAPHIC FILM)	A 7530 # FSS 25-MAY-72	
UL-P-546D	PAPER, TABULATING MACHINE CONTINUOUS FLAT FOLD	A 7530 * GL 11-JUL-90	GL 99
NOTICE 1			
UL-P-547J(4)	PAPER, TELETYPENWRITER, ROLL USER: GL MC SA REVIEWER: 99	A 7530 # FSS 30-APR-77	
UL-P-547J(16)	PAPER, TELETYPENWRITER, ROLL	A 7530 # FSS 20-APR-89	
UL-P-548B	PAPER, TELETYPENWRITER, ROLL, FOR SPIRIT-PROCESS DUPLICATION [VALIDATION DATE: 7206]	A 7530 * GL 03-SEP-65	GL SA
UL-P-553C	PAPER, WRAPPING, TISSUE USER: ME REVIEWER: 99 DS EA GS MD OS	A 8135 * GL 12-FEB-76	GL SA 69
UL-P-561H	PAPER, TRACING USER: GL	A 7530 # 12-DEC-72	
UL-P-561H(11)	PAPER, TRACING	A 7530 # FSS 20-APR-89	
UL-T-559C(1)	TOWEL, WIPING, PAPER, INDUSTRIAL AND INSTITUTIONAL	A 7920 # 08-APR-77	
UL-T-559B(1)	TOWEL, PAPER, (PLASTIC-WIPING)	A 7920 * GL 09-APR-77	GL SA 99
UL-M-600B	NOTEBOOK, STENOGRAPHER'S USER: GL	A 7530 # 06-SEP-79	
UL-B-623B	BOOK COVER BOARD USER: GL	A 9310 # 20-SEP-72	
UL-B-623B(11)	BOOK COVER BOARD	A 9310 # FSS 20-APR-89	
UL-B-00625(1)	BOOKS, ENGINEERS' FIELD USER: ME	A 7530 # FSS 20-APR-89	
UL-B-00625(11)	BOOKS, ENGINEERS' FIELD	A 7530 # FSS 20-APR-89	
UL-S-625A	STENCILBOARD [VALIDATION DATE: 7207] USER: ME REVIEWER: EA	A 9310 / GL 19-APR-65	GL SA 99
UL-S-625A(11)	STENCILBOARD [VALIDATION DATE: 7207]	A 9310 # FSS 30-JAN-68	
UL-M-650B	MOUNT, FILM SLIDE, PHOTOGRAPHIC (OVERHEAD PROJECTORS) [VALIDATION DATE: 8303]	A 6750 * AS 07-JUL-76	ER AS 99
UL-P-663B(1)	PAPERBOARD, DRAWING USER: MC MD	A 7530 * GL 23-MAY-75	GL SA 69
UL-P-663B(13)	PAPERBOARD, DRAWING	A 7530 # FSS 14-OCT-88	
UL-P-665B	PLATE, BAKING, PIE (PAPER) [VALIDATION DATE: 8105]	A 7330 # 28-MAR-74	
UL-P-701J	PRESSBOARD, COLORED [VALIDATION DATE: 7502] REVIEWER: EA	A 9310 * GL 31-JAN-69	GL SA 99
UL-T-770B	TUBE, DRINKING, (PAPER) USER: GL	A 7350 # 22-APR-77	
UL-T-940B	TYPE CLEAVER, (SHEET FORM) USER: GL	A 7510 # 30-JUL-75	
UL-F-1206B(1)	FOLDER, FILE USER: AV REVIEWER: 84	A 7530 * GL 21-JUN-90	GL SA 99
UL-W-1231	WRAPPER, STENCIL FILING	A 7530 # FSS 28-AUG-72	
UL-W-1231(12)	WRAPPER, STENCIL FILING	A 7530 # FSS 25-MAR-73	
UL-B-001254(2)	BINDER, LOOSE-LEAF, RING, ONE-PIECE COVER	A 7510 # 06-AUG-75	
UL-T-1331A	TAPE, POSTAGE METER	A 7530 # 10-JUN-76	
UL-T-1331A(11)	TAPE, POSTAGE METER	A 7530 # FSS 20-APR-89	
UL-T-1366	TAG BOARD, JUTE AND MANILA USER: GL	A 9310 # 20-SEP-72	
UL-T-1366(11)	TAG BOARD, JUTE AND MANILA	A 9310 # FSS 20-APR-89	
UL-C-1387B	CAP, FOOD HANDLERS, PAPER, WHITE, ADJUSTABLE USER: 45	A 8415 # 16-JUL-76	
UL-L-1644A	LABEL, PAPER, PRESSURE-SENSITIVE ADHESIVE USER: 69 AR GL SA SM	A 7530 # 05-DEC-75	
UL-M-1650A	MAPKIN, TABLE, PAPER USER: GL SA	A 8540 # 01-MAY-73	
UL-M-001650B	MAPKINS, TABLE, PAPER USER: SA	A 8540 # FSS 09-NOV-89	
UL-T-001665(1)	TAB, INDEX, PRESSURE SENSITIVE, TRANSPARENT	A 7510 # 20-AUG-76	
UL-F-1762(2)	FOLDER, FILE, FOLLOW-UP AND INNER	A 7530 * GL 05-OCT-73	GL SA 99
UL-F-1762(13)	FOLDERS, FILE, FOLLOW-UP AND INNER	A 7530 # FSS 20-APR-89	
UL-B-1780(1)	BUILDING PAPER, VEGETABLE FIBER OR INORGANIC FIBER REINFORCEMENT, REFLECTIVE	A 5640 # 02-NOV-72	
UL-C-1846	COAT, LABORATORY, DISPOSABLE USER: 45	A 8415 # 24-NOV-75	
WV-M-95C	WAX, PARAFFIN, TECHNICAL USER: AS GL MC REVIEWER: GS MD MI SA	A 9160 / YD1 16-JUL-90	EA YD1
WV-S-190	SEALING COMPOUND, DIPCOATING [VALIDATION DATE: 8306] REVIEWER: EA MD ME SM	A 8030 / B4 26-OCT-61	MR SH 99
WV-P-236A(2)	PETROLATUM, TECHNICAL [VALIDATION DATE: 9111] USER: YD1 REVIEWER: AR AT GS	A 9150 / AS 05-NOV-91	ME AS 11
NOTICE 1	MI OS PS SA SC SH		
WV-I-530A	INSULATING OIL ELECTRICAL [VALIDATION DATE: 8403] USER: CE EL REVIEWER: GS	A 9160 / AR 20-MAR-67	AR SH 68
	MD MI MR OS PS		
WV-G-632B	GREASE, INDUSTRIAL, GENERAL PURPOSE USER: AS AT MC OS SA SH REVIEWER: CD	A 9150 / ME 12-OCT-89	ME 68
	GS MI SM TE		
WV-G-671F	GREASE, GRAPHITE USER: AS MS REVIEWER: AL AR AT AV CD GS MC SA SH	A 9150 / ME 12-OCT-89	ME 68
WV-L-765A(1)	LUBRICANT, ENCLOSED-GEAR, NONEXTREME-PRESSURE [VALIDATION DATE: 73061]	A 9150 # 27-SEP-68	
WV-F-800D(2)	FUEL OIL, DIESEL USER: AR MC REVIEWER: 11 AT GL MI YD1	A 9140 / ME 29-JUL-88	ME SH 68
WV-L-800C(1)	LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE, (WATER-DISPLACING, LOW TEMPERATURE) USER: MC REVIEWER: 68 AR AT GS MD MI OS PS SA SM YD1	A 9150 / ME 15-SEP-86	ME AS 11
WV-L-825B(2)	LUBRICATING OIL, REFRIGERANT COMPRESSOR, UNINHIBITED REVIEWER: GS MI	A 9150 / SH 23-APR-93	MR SH 68
WV-C-846A(1)	CUTTING FLUID, EMULSIFIABLE OILS [VALIDATION DATE: 8103] USER: MI SM	A 9150 / AR 18-SEP-68	AR AS 68
NOTICE 1	REVIEWER: GS PS SA		
WV-C-850A(1)	CUTTING FLUIDS, SULFURIZED FATTY AND MINERAL OILS [VALIDATION DATE: 8104]	A 9150 / AR 26-SEP-68	AR SH 68
	USER: CE REVIEWER: GS MI PS		
WV-D-1078B	DAMPING FLUID, SILICONE BASE (DIMETHYL POLYSILOXANE) [VALIDATION DATE: 9111] USER: OS SH REVIEWER: 68 AR EA MC MI	A 9150 / AS 05-NOV-91	ME AS 11
NOTICE 1	INSULATING FLUID, ELECTRICAL, SILICONE [VALIDATION DATE: 8504] USER: CE	A 9160 / AR 24-JUL-79	AR 68
WV-I-2117	REVIEWER: MR MS		
WV-V-35C	VALVE, BALL REVIEWER: CS	A 4820 / YD1 31-JUL-85	YD1
WV-M-191D	HEATER, FLUID, INDUSTRIAL (INSTANTANEOUS, STEAM, WATER CONVERTER TYPE)	A 4520 / YD1 01-FEB-90	YD1 99
	USER: CE MS REVIEWER: 84 CS		
WV-P-325B	PIPE, BENDS, TRAPS, CAPS AND PLUGS, LEAD (FOR INDUSTRIAL PRESSURE, AND SOIL AND WASTE APPLICATIONS)	A 4730 # 09-JUN-76	
WV-P-351A(1)	PIPE, RED BRASS, (COPPER ALLOY NO. 230), SEAMLESS STANDARD PIPE SIZE, REGULAR & EXTRA STRONG [VALIDATION DATE: 8204]	A 4710 * 06-NOV-75	MR CS
WV-P-377D(1)	PIPE, COPPER, SEAMLESS, STANDARD SIZES [VALIDATION DATE: 8306]	A 4710 / B2 20-OCT-76	MR 99
WV-P-401F	PIPE AND PIPE FITTINGS, CAST-IRON, SOIL USER: CE REVIEWER: CS MC	A 4710 / ME 13-JUL-89	ME YD1 99
WV-P-402C(1)	PIPE, CORRUGATED (ALUMINUM ALLOY) [VALIDATION DATE: 8305]	A 4710 * 22-AUG-72	
NOTICE 1			
WV-P-404D(1)	PIPE, CAST (SEAMLESS & WELDED, BLACK & ZINC COATED) (GALVANIZED)	A 4710 / ME 17-MAR-75	99
WV-P-421D	PIPE, CAST GRAY AND DUCTILE IRON, PRESSURE (FOR WATER AND OTHER LIQUIDS)	A 4710 # 13-SEP-76	
WV-C-440B(2)	CLAMP, HOSE (LOW PRESSURE)	A 4730 # 28-AUG-73	
WV-P-460C(1)	PIPE FITTING, BRASS OR BRONZE (THREADED), 125-POUND AND 250-POUND [VALIDATION DATE: 8711] USER: MC REVIEWER: AR CE GS EA	A 4730 / YD1 16-NOV-87	ME YD1 99
NOTICE 1	PIPE-FITTING, BUSHINGS, LOCKNUTS, AND PLUGS, IRON, STEEL, AND ALUMINUM, (THREADED), 125-150 POUNDS USER: AR REVIEWER: CS EA MC	A 4730 / YD1 29-DEC-81	ME YD1 99
WV-P-471C(1)	PIPE FITTINGS, CAST IRON, SCREWED 125 & 250 POUND	A 4730 # YD1 27-NOV-74	YD1
WV-P-501E	UNIONS, BRASS OR BRONZE, THREADED PIPE CONNECTIONS AND SOLDER-JOINT TUBE CONNECTIONS [VALIDATION DATE: 9002] USER: CE GS MC REVIEWER: B2 CS GL	A 4730 / YD1 12-FEB-90	ME YD1 99
WV-U-516B	PIPE FITTINGS, FLANGE FITTINGS, AND FLANGES, STEEL AND MALLEABLE IRON (THREADED AND BUTT WELDING) CLASS 150	A 4730 # 19-OCT-77	
WV-U-531F	UNION, PIPE, STEEL OR MALLEABLE IRON, THREADED CONNECTION, 150 LB, 250 LB & 300 LB WSP USER: AR CE GS MC REVIEWER: CS	A 4730 / YD1 16-APR-84	ME YD1 99
NOTICE 1	CONDUIT, METAL, RIGID, (ELECTRICAL, ALUMINUM)	A 5975 # FSS 02-NOV-60	
WV-C-540A	CONDUIT, METAL, RIGID, AND COUPLING, ELBOW, AND NIPPLE, ELECTRICAL	A 5975 # FSS 15-MAY-67	
WV-C-00540C	CONDUIT, ALUMINUM		
WV-C-00540C(11)	CONDUIT, METAL, RIGID, AND COUPLING, ELBOW, AND NIPPLE, ELECTRICAL	A 5975 # FSS 18-JUL-68	
	CONDUIT, ALUMINUM		
WV-P-541E(1)	PLUMBING FIXTURES (GENERAL SPECIFICATION) USER: MC REVIEWER: CE CS MS	A 4510 / YD1 16-APR-90	ME YD1 99
WV-P-541/3B(1)	PLUMBING FIXTURES (BATHTUBS) USER: CE MC MS REVIEWER: CS	A 4510 / YD1 16-APR-90	ME YD1 99
WV-P-541/4B(1)	PLUMBING FIXTURES (LAVATORIES) USER: CE MC MS REVIEWER: CS	A 4510 / YD1 16-APR-90	ME YD1 99



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Org./OIA Combination Revision	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty	Date	Custodians			
					Army	Navy	Air Force	DIA
D	WW-P-541/58(1)	PLUMBING FIXTURES (SINKS, KITCHEN, SERVICE, AND LAUNDRY TRAYS) USER: CE MC MS REVIEWER: CS	A 4510 / YD1	16-APR-90	ME	YD1	99	
D	WW-P-541/58	PLUMBING FIXTURES (DRINKING FOUNTAINS) [VALIDATION DATE: 8505] USER: CE MC MS REVIEWER: CS	A 4510 / YD1	01-AUG-80	ME	YD1	99	
D	WW-P-541/58(11)	PLUMBING FIXTURES (DRINKING FOUNTAINS) USER: CE MC MS REVIEWER: CS	A 4510 / YD1	02-MAY-88	ME	YD1	99	
D	WW-P-541/7C(1)	PLUMBING FIXTURES (SHOWER BATH AND EMERGENCY EYE AND FACE WASH OUTFITS) [VALIDATION DATE: 8505] USER: MC MS REVIEWER: CE CS	A 4510 / YD1	01-AUG-80	ME	YD1	99	
D	WW-P-541/88(1)	PLUMBING FIXTURES (ACCESSORIES, LAND USE) USER: CE MC MS REVIEWER: CS	A 4510 / YD1	16-APR-90	ME	YD1	99	
D	WW-P-541/98(1)	PLUMBING FIXTURES (MEDICAL FACILITIES, LAND USE) USER: CE MC MS REVIEWER: CS	A 4510 / YD1	16-APR-90	ME	YD1	99	
D	WW-C-566C	CONDUIT, METAL, FLEXIBLE [VALIDATION DATE: 8307] REVIEWER: 99 ME	A 5975 / ER	21-OCT-75	ER	YD1	85	
D	WW-S-610B(1)	SPRINKLER, LAWN, (SURFACE CONNECTED) USER: YD1	A 3750 #	19-MAR-76				
D	WW-C-621G	COUPLING ASSEMBLY, HOSE (FIRE, WOVEN-JACKETED, RUBBER- OR FABRIC-LINED AND UNLINED) USER: AR CG MC REVIEWER: CS SH	A 4210 / YD1	07-FEB-90	ME	YD1	99	
D	WW-C-624E	COUPLING ASSEMBLY, HOSE (GARDEN, WATER, AND WATER SUCTION) REVIEWER: 82 CS	A 4730 / YD1	21-AUG-89	ME	YD1	99	
D	WW-C-633D	COUPLING HALVES, CAP AND WYE: QUICK DISCONNECT PNEUMATIC HOSE, TWO-LUG UNIVERSAL TYPE USER: AL MC OS SA REVIEWER: CS	A 4730 / ME	11-MAY-92	ME	YD1		
D	WW-T-696E NOTICE 1 WW-T-700F(1)	TRAPS, STEAM [VALIDATION DATE: 8907] USER: CE MC REVIEWER: CS	A 4730 / YD1	05-JUL-89	ME	YD1	99	
	WW-T-700/I	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 GENERAL SPECIFICATION FOR USER: MC REVIEWER: 99 AR CS EA ME MI OS SH	A 4710 / AS	09-JAN-85	NR	AS	11	
	WW-T-700/2E	TUBE, ALUMINUM, DRAWN, SEAMLESS, 1100 USER: MC REVIEWER: 99 AR CS MI OS SH	A 4710 / AS	29-DEC-83	NR	AS	11	
	WW-T-700/3F(1)	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 3003 USER: MC REVIEWER: 99 AR CS EA MI OS SH	A 4710 / AS	29-DEC-83	NR	AS	11	
	WW-T-700/4F(1)	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 2024 USER: AR MC MI REVIEWER: 99 CS EA OS	A 4710 / AS	29-DEC-83	NR	AS	11	
	WW-T-700/5E	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5052 USER: MC REVIEWER: 99 AR CS EA MI OS SH	A 4710 / AS	09-JAN-85	NR	AS	11	
	WW-T-700/6F(2)	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 5086 USER: MC REVIEWER: 99 AR CS EA MI OS	A 4710 / AS	29-DEC-83	NR	AS	11	
	WW-T-700/7B	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 6061 USER: MC REVIEWER: 99 AR CS EA ME OS SH	A 4710 / AS	09-JAN-85	NR	AS	11	
	WW-N-701B WW-T-725A	TUBE, ALUMINUM ALLOY, DRAWN, SEAMLESS, 7075 USER: MC REVIEWER: 99 AR CS ME MI OS	A 4710 / AS	29-DEC-83	NR	AS	11	
	WW-T-791A	MOZZLES, HOSE, GARDEN (FOR 5/8 INCH AND 3/4 INCH HOSE) TUBE FITTING, COPPER AND COPPER ALLOY, WROUGHT OR CAST, SOLDER ENDS [VALIDATION DATE: 8306] USER: AR CE CG CL MC REVIEWER: CS MI	A 4730 # A 4730 # 82	20-JUL-77 27-APR-73			99	
	WW-T-799F	TUBE, BRASS, SEAMLESS [VALIDATION DATE: 8005] USER: CE REVIEWER: 99 CS EA MI	A 4710 / 11	12-JUL-71	ME	AS	11	
D	WW-T-825B	TUBE, COPPER, SEAMLESS, WATER (FOR USE WITH SOLDER- FLAKED- OR COMPRESSION-TYPE FITTINGS) USER: 99 CG MC REVIEWER: AR	A 4710 / YD1	20-AUG-79	ME	YD1		
L	WW-M-1053A NOTICE 1 WW-M-001220 WW-P-1432C	TUBE, MAGNESIUM-ALLOY, EXTRUDED [VALIDATION DATE: 8407] USER: AV ME OS REVIEWER: 99 AR CS SH	A 4710 / AS	20-AUG-71	NR	AS	11	
L	WW-C-1692A WW-F-001910(2)	HOSE, METAL (FLEXIBLE, ALUMINUM ALLOY, AND CORROSION-RESISTANT AND HEAT-RESISTANT STEEL) [VALIDATION DATE: 9009] REVIEWER: CS	A 4720 / MI	06-SEP-90	MI			
	WW-T-001914(1) WW-V-1967	HEAD, SPRINKLER, (UNDERGROUND CONNECTED) USER: 82 ME SH	A 4730 %	13-DEC-66				
	WW-V-1967(11) WW-D-001991 WW-S-2739	PIPE, STEEL (COAL TAR ENAMEL OR CEMENT-MORTAR LINING, AND COAL TAR ENAMEL COATED AND WRAPPED) USER: CE REVIEWER: CS	A 4710 / ME	13-JUL-89	ME			
	WW-F-001910(2)	COUPLING ASSEMBLY AND MENDER, HOSE (PLASTIC AND RUBBER)	A 4730 # ME	08-MAY-73	ME		99	
	WW-T-001914(1) WW-V-1967	FAUCET, DOUBLE, SINGLE, AND LAWN (LAUNDRY SINK, KITCHEN, AND LAVATORY) (LAND USE)	A 4510 /	02-AUG-77				
L	WW-V-1967(11) WW-D-001991 WW-S-2739	TRAP, DRAIN, PLUMBING FIXTURE (P-TRAP), (LAND USE) USER: SH	A 4510 #	05-OCT-77				
D	WW-F-2743	VALVE, BUTTERFLY (THREADED ENDS) BRASS OR BRONZE [VALIDATION DATE: 8111] REVIEWER: CS	A 4820 #	09-JUL-76	ME			
D	WW-S-2811 XX-D-370D	VALVE, BUTTERFLY (THREADED ENDS) BRASS OR BRONZE [VALIDATION DATE: 8111] .. DRAIN, LAVATORY AND STOPPER, WASTE DRAIN [VALIDATION DATE: 8811] .. STRAINERS, SEDIMENT: PIPELINE, WATER, AIR, GAS, OIL, OR STEAM USER: CE CG MC REVIEWER: 82 CS	A 4820 # FSS A 4510 / GS A 4730 / YD1	13-MAY-77 27-JAN-78 24-OCT-89			99	
D	XX-D-385E	FURNACES, WARM AIR AND HEATERS, UNIT, FORCED AIR CIRCULATION, OIL - AND GAS - FIRED USER: CE REVIEWER: 84 CS	A 4520 / YD1	31-OCT-89			99	
D	XX-P-746E	SINKS, SCULLERY SERVICE AND DRAINBOARDS USER: MC REVIEWER: GS	A 4510 / YD1	16-APR-93			99	
D	XX-P-2801 XX-C-2812	DISPENSING PUMP, HAND DRIVEN, DRUM, 1 QUART OIL, (FOR 15- TO 55 GALLON DRUMS) USER: CG MC REVIEWER: CS	A 4930 / 99	24-OCT-83	ME		99	
D	XX-P-2801 XX-C-2812	DISPENSING PUMP, HAND DRIVEN, LIQUID PETROLEUM FUEL USER: AT CE CG MC REVIEWER: CS	A 4930 / ME	28-OCT-82	ME	YD1	99	
D	XX-P-2801 XX-C-2812	PUMP, INFLATING, MANUAL, (FOR RUBBER TIRES) USER: MC YD1 REVIEWER: AR AT CS	A 4320 # ME	25-MAY-78	ME			
D	XX-P-2801 XX-C-2812	PUMP AND HEATER, FUEL OIL USER: CG REVIEWER: CS MD	A 4320 / YD1	28-AUG-92	ME	YD1		
D	XX-P-2801 XX-C-2812	COMPRESSOR, AIR, DIESEL-ENGINE-DRIVEN, PORTABLE, WHEEL-MOUNTED USER: ME REVIEWER: CS	A 4310 / YD1	23-APR-93			99	
D	ZZ-V-25E	VALVES AND VALVE SPUDS CAPS AND CORES, PNEUMATIC TIRE USER: AS CG MC ME OS SH REVIEWER: 84 CS	A 2640 # AT	23-JUN-82	AT	YD1	99	
D	ZZ-M-43A ZZ-M-00438(1) ZZ-M-46C	MAT, FLOOR (FOR CHAIR)	A 7220 #	15-JUL-52				
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MAT, FLOOR (FOR CHAIRS)	A 7220 #	05-APR-67				
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MAT, FLOOR (LINK-TYPE) USER: CG MC	A 7220 / YD1	08-JUL-66			99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MAT, FLOOR (LINK-TYPE)	A 7220 # FSS	28-SEP-70			99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MATTING, RUBBER AND VINYL USER: CE MC REVIEWER: GL MD	A 7220 / YD1	03-MAY-79			99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MATTING, RUBBER AND VINYL	A 7220 # FSS	15-NOV-88			99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MATTING, RUBBER & PLASTIC (SPECIAL, DIELECTRIC)	A 7220 #	13-OCT-69			99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MATRESS, BED, LATEX FOAM	A 7210 / GL	28-FEB-63	GL	SA	99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	MATRESS, BED, FOAM	A 7210 # FSS	20-MAR-68			99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	GLOVES, RUBBER, AUTOPSY USER: 45	A 8415 #	04-JAN-61			99	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	CATHETER, URETHRAL, RUBBER [VALIDATION DATE: 8202]	A 6515 / DM	17-APR-57	MD	MS	03	
D	ZZ-M-46C(11) ZZ-M-71F ZZ-M-71F(11) ZZ-M-81C ZZ-M-91E ZZ-M-91E(11) ZZ-G-100A ZZ-C-101A(1) ZZ-P-112D(1)	PATCH, REPAIR, FOR INNER TUBES AND TUBELESS TIRE LINERS [VALIDATION DATE: 8502] USER: CS REVIEWER: AR	A 2640 / AT	17-JUL-74	AT	YD1	99	
A	ZZ-M-141D(1) NOTICE 1 ZZ-B-2158 NOTICE 1 ZZ-B-2258 NOTICE 1 ZZ-G-381C ZZ-T-381Q ZZ-T-391E	HEELS, RUBBER [VALIDATION DATE: 8904] USER: CG MC REVIEWER: MD	A 6335 / CT	22-APR-89	GL	NU	99	CT
D	ZZ-B-2158 NOTICE 1 ZZ-B-2258 NOTICE 1 ZZ-G-381C ZZ-T-381Q ZZ-T-391E	BELTS, V: LIGHT-DUTY OR FRACTIONAL-HORSEPOWER [VALIDATION DATE: 8905] USER: AV MC REVIEWER: CS	A 3030 / AT	26-MAY-89	AT	YD1	99	
DQ	ZZ-B-2258 NOTICE 1 ZZ-G-381C ZZ-T-381Q ZZ-T-391E	BELTS, V: INDUSTRIAL (MULTIPLE DRIVE) [VALIDATION DATE: 8905] REVIEWER: AV CS EA	A 3030 / AT	26-MAY-89	AT	YD1	99	
D	ZZ-G-381C ZZ-T-381Q ZZ-T-391E	GLOVES, RUBBER, INDUSTRIAL USER: 45 AS OS YD1 REVIEWER: AR MC MD SH	A 8415 / CT	20-JUL-77	GL	NU	99	CT
DQ	ZZ-T-410E ZZ-T-416H	TIRES, PNEUMATIC, VEHICULAR (HIGHWAY) USER: CE REVIEWER: CS YD1	A 2610 # AT	01-AUG-89	AT			
DQ	ZZ-T-410E ZZ-T-416H	TIRE, SOLID RUBBER, AND WHEELS, SOLID RUBBER TIRE, (INDUSTRIAL) USER: MC MD REVIEWER: CS	A 2630 / ME	23-JUN-82	AT	YD1	99	
DQ	ZZ-T-410E ZZ-T-416H	TIRE, PNEUMATIC, INDUSTRIAL REVIEWER: CS	A 2610 / AT	23-JUN-84	AT	YD1	99	
DQ	ZZ-T-410E ZZ-T-416H	TIRE, PNEUMATIC, RETREAD AND REPAIR MATERIALS [VALIDATION DATE: 8502] REVIEWER: CS	A 2640 / AT	26-SEP-75	AT	YD1	99	
DQ	ZZ-M-428D(2)	HOSE, NON METALLIC AND HOSE, PREFORMED, (FOR THE COOLANT SYSTEMS OF AUTOMOTIVE AND OTHER LIQUID COOLED ENGINE USER: AR ME REVIEWER: CS EA	A 4720 / AT	20-AUG-84	AT	YD1		
D	ZZ-T-441G ZZ-C-450C NOTICE 1 ZZ-M-451G	TIRE, PNEUMATIC, RETREADED AND REPAIRED REVIEWER: CS MC	A 2640 # AT	13-JAN-86	AT	YD1	99	
D	ZZ-T-441G ZZ-C-450C NOTICE 1 ZZ-M-451G	CLOTH, COATED (RUBBER AND PLASTIC) AND PLASTIC SHEETING FOR HOSPITAL USE [VALIDATION DATE: 8711] USER: CG REVIEWER: 99 MD	A 8305 / CT	15-JAN-74	GL	NU	11	CT
D	ZZ-T-441G ZZ-C-450C NOTICE 1 ZZ-M-451G	HOSE, FIRE, WOVEN JACKETED RUBBER- OR LATEX OR RUBBER COATED FABRIC LINED, WITH COUPLINGS USER: MC REVIEWER: CG CS SH	A 4210 / YD1	13-JAN-84	ME	YD1	99	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Orig / Omb Coordination Inhouse	Document Number	Document Title	Dist. Smt FSC / Area MCA Symbol Preparing Acty Date	Custodians			
				Army	Navy	Air Force	DIA
D	ZZ-H-461E	HOSE AND HOSE ASSEMBLY, RUBBER, GAS (ACETYLENE HYDROGEN, AIR AND OXYGEN USER: AR GL MC REVIEWER: CS ME MI SH	A 4720 / B2 11-NOV-86	YD1	99		
L	ZZ-H-466C(1)	HOSE ASSEMBLY, METAL (RUBBER COVERED), HYDROCARBON CONVEYING	A 4720 / 99 03-OCT-72		99		
D	ZZ-H-500C(1)	HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER: PNEUMATIC (YARN OR FABRIC REINFORCED) USER: MC REVIEWER: B2 CS ME SH	A 4720 / YD1 20-MAR-92	YD1	99		
M	ZZ-H-521F	HOSE AND HOSE ASSEMBLIES, NONMETALLIC, SPRAY USER: CG MC SA REVIEWER: B2 CS	A 4720 / YD1 28-MAY-93	ME	YD1	99	
	ZZ-1-550E(4)	INNER TUBE, PNEUMATIC TIRE USER: ME	A 2610 / 20-JUL-78				
D	ZZ-H-561K	HOSE, RUBBER, AND HOSE ASSEMBLIES, RUBBER, SMOOTH BORE, WATER SUCTION AND DISCHARGE USER: MC SH REVIEWER: B2 CS	A 4720 / YD1 26-JUL-88	ME	YD1	99	
D	ZZ-F-566B	FORCE CUP, PLUMBER'S USER: YD1	A 5120 / GL 03-MAY-63	GL	SH	99	
D	ZZ-F-566B(11)	FORCE CUP, PLUMBER'S	A 5120 / FSS 16-MAY-66				
D	ZZ-H-601E	HOSE AND HOSE ASSEMBLIES, RUBBER (YARN OR FABRIC REINFORCED) WATER SERVICE USER: AT MC REVIEWER: CS MI OS SH	A 4720 / YD1 11-JUN-90	ME	YD1	99	
	ZZ-A-605B	APRON, LABORATORY USER: 45	A 8415 / FSS 19-DEC-66				
DQ	ZZ-A-605B(11)	APRON, LABORATORY	A 8415 / FSS 10-APR-68				
	ZZ-H-617B(1)	HOSE, RUBBER, WINDSHIELD WIPER [VALIDATION DATE: 8211] USER: MC ME REVIEWER: CS EA	A 4720 / AT 30-OCT-72	AT	YD1	99	
	ZZ-S-666D	SQUEEGEES, FLOOR AND WINDOW	A 7920 / FSS 18-APR-91				
	ZZ-R-710A	RUBBER GASKET MATERIAL, 35 DUROMETER HARDNESS [VALIDATION DATE: 8105] USER: OS REVIEWER: EA	A 5330 / SH 11-MAY-67	ME	SH		
N	ZZ-G-710B	GASKET MATERIAL, RUBBER 35 DUROMETER HARDNESS USER: AS OS REVIEWER: IS	A 5330 / SH 05-APR-93	ME	SH		
D	ZZ-R-765E	RUBBER, SILICONE (GENERAL SPECIFICATION) USER: YD1 REVIEWER: B2 99 AR CR ER GL GS MD ME MI OS SH SH	A 9320 / MR 20-DEC-91	MR	AS	11	
	ZZ-R-765/1	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/2	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/3	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/4	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/5	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/6	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/7	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/8	RUBBER, SILICONE: CHANNEL, NONMETALLIC [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/9	RUBBER, SILICONE: TUBING, NONMETALLIC, ROUND, FLEXIBLE [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/10	RUBBER, SILICONE: ROUND SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/11	RUBBER, SILICONE: PACKING MATERIAL [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/12	RUBBER, SILICONE: PACKING MATERIAL [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/13	RUBBER, SILICONE: GASKET [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/14	RUBBER, SILICONE: GASKET [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/15C	RUBBER, SILICONE: RUBBER SHEET SOLID REVIEWER: GS	A 9320 / MR 08-NOV-88	MR	AS	11	
	ZZ-R-765/16	RUBBER, SILICONE: RUBBER STRIP [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/17	RUBBER, SILICONE: RUBBER STRIP [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/18A	RUBBER, SILICONE: RUBBER STRIP [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/19	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/20	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/21	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/22	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/23	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/24	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/25	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/26	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 11-APR-91	MR	AS	11	
	ZZ-R-765/27	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/28	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/29	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/30	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] USER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/31	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/32	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/33	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/34	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/35	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/36	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/37	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/38	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/39	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	
	ZZ-R-765/40	RUBBER, SILICONE: NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / MR 19-APR-91	MR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Chg / Del Coordinate Index	Document Number	Document Title	Doc. Ident. FIC / Ass MCA Symbol	Issued Date	Replaces Date	Customs Army Navy Air Force DLA
	ZZ-R-765/41 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/42 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/43 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/44 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/45 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/46 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/47 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/48 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/49 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/50 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/51 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/52 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/53 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/54 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/55 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/56 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
	ZZ-R-765/57 NOTICE 1	RUBBER, SILICONE; NONMETALLIC SPECIAL SHAPED SECTION [VALIDATION DATE: 9104] REVIEWER: GS	A 9320 / NR	19-APR-91	NR AS 11	
D	ZZ-R-765/58	RUBBER, SILICONE; PACKING, PREFORMED USER: OS YD1 REVIEWER: 82 99 AR CR ER GL GS MD ME MI SH SM	A 9320 / NR	21-JAN-92	NR AS 11	
	ZZ-C-7660	CUSHION, CHAIR AND STOOL USER: 45	A 7210 #	14-SEP-77		
	ZZ-R-768A NOTICE 1	RUBBER FOR MOUNTINGS (UMBONED-SPOOL) AND COMPRESSION TYPES [VALIDATION DATE: 9102] USER: AR EL MC REVIEWER: GS MI	A 9320 / SH	05-FEB-91	NR SH	
	ZZ-R-800A	RUBBER STAMP, BAND TYPE USER: GL	A 7520 #	31-MAR-71		
	ZZ-R-804	RUBBER STAMP, FIXED TYPE USER: GL SA	A 7520 #	07-MAR-66		
	ZZ-C-811(1)	CUSHION (UNDERLAY), CARPET AND RUG, SPONGE-RUBBER AND SYNTHETIC-RUBBER	A 7220 #	29-NOV-45		
	ZZ-C-008116	CUSHION, CARPET AND RUG, CELLULAR RUBBER	A 7220 #	02-JAN-63		
	ZZ-M-001033	MATTING FLOOR, RUBBER, APERTURE SURFACE	A 7220 #	26-NOV-65		
	ZZ-T-1083E	TIRE, PNEUMATIC, LOW SPEED, OFF HIGHWAY [VALIDATION DATE: 8502]	A 2610 #	20-AUG-76		
	ZZ-R-001207	RUBBER STAMP, FIXED TYPE, PRE-INKED USER: GL	A 7520 #	29-MAR-72		
	ZZ-P-001235A	PILLOW, BED (FLAKED URETHANE) USER: 45	A 7210 #	13-JAN-76		
	ZZ-T-001237	TREAD, STAIR, FLEXIBLE AND SEMI-RIGID TYPE RUBBER AND VINYL	A 7220 #	25-MAR-70		
	ZZ-R-1414	RUBBER STAMP, FIXED AND REMOVABLE TYPE USER: GL	A 7520 #	31-MAR-71		
	ZZ-R-1415A(1)	RUBBER BAND	A 7510 #	25-MAR-80		
	ZZ-M-1538B	MAT, FLOOR; PLASTIC (FOR CHAIRS)	A 7220 #	13-JUL-89		
	ZZ-C-001597A	CONDOM, RUBBER CONTRACEPTIVE	A 6515 #	19-SEP-77		
Q	ZZ-T-1619B(1) NOTICE 1	TIRES, PNEUMATIC, AGRICULTURAL	A 2610 #	06-JAN-78		
	ZZ-P-2012	PILLOW, BED (LATEX FOAM AND FIBERFILL) USER: 45	A 7210 #	16-SEP-76		
	AAA-B-92D	BALANCE, ANALYTICAL [VALIDATION DATE: 8402] REVIEWER: GS MD	A 6670 / GL	23-NOV-77	GL SH 99	
	AAA-B-105B	BALANCE, PRESCRIPTION [VALIDATION DATE: 8303] REVIEWER: GS	A 6670 / GL	31-DEC-70	GL MS 03	
	BBB-F-695(1)	FROCK, MAN S (BUTCHERS, WHITE) USER: 45	A 8415 #	30-JAN-61		
A	BBB-S-1269B(1) NOTICE 1	SWEAT SHIRT [VALIDATION DATE: 8702] USER: 45 MC REVIEWER: MD	A 8415 / CT	27-FEB-87	GL SA 99 CT	
A	BBB-S-1269B(2) NOTICE 1	SWEAT PANTS [VALIDATION DATE: 8410] USER: 45 MC REVIEWER: MD	A 8415 / CT	21-MAR-79	GL MU 99 CT	
L	CCC-C-46D NOTICE 1	CLOTH, CLEANING, NONWOVEN FABRIC [VALIDATION DATE: 9111]	A 7920 / AS	05-NOV-91	AS	
	CCC-P-86E(1)	PADDING, COTTON, STITCHED ROVING [VALIDATION DATE: 8104] REVIEWER: MD	A 8320 #	21-NOV-72		
	CCC-P-91C	PADDING, RUBBERIZED, CURLED HAIR REVIEWER: GS	A 8320 #	01-OCT-73		
	CCC-G-101C(1)	GAUZE, ABSORBENT [VALIDATION DATE: 8202] REVIEWER: EA OS	A 6510 / DM	16-JUN-59	MD MS 03	
	CCC-S-00320	SHEETING AND TAPE, REFLECTIVE, ADHESIVE BACKING USER: 45	A 8305 #	18-NOV-63		
L	CCC-C-408B	CLOTH, KNITTING, COTTON REVIEWER: SA	A 8305 / CT	25-APR-67		CT
D	CCC-M-408C	WALL COVERING, VINYL-COATED USER: SH REVIEWER: ME	A 5640 / YD1	11-JUL-89		YD1
A	CCC-C-419G	CLOTH, DUCK, UNBLEACHED, PLIED-YARNS, ARMY AND NUMBERED USER: 45 AR AT ME REVIEWER: 82 EA MC MD	A 8305 / CT	15-DEC-89	GL MU 99 CT	
	CCC-C-422	CLOTH, COTTON, MUSLIN (MERCERIZED)	A 8305 #	10-MAY-53		
	CCC-C-00422B	CLOTH, COTTON, MUSLIN (MERCERIZED)	A 8305 #	21-JAN-75		
A	CCC-C-425E	CLOTH, BIRDSEYE AND GAUZE, COTTON [VALIDATION DATE: 8402] USER: DM REVIEWER: MD MS	A 8305 / CT	08-DEC-83	GL MU 99 CT	
A	CCC-C-426D NOTICE 1	CLOTH, COTTON, DRILL [VALIDATION DATE: 8711] REVIEWER: 99	A 8305 / CT	12-NOV-87	GL MU 11 CT	
A	CCC-C-428G	CLOTH, DUCK, COTTON, FIRE, WATER, WEATHER AND MILDEW RESISTANT USER: 45 AT DM ME REVIEWER: 82 AR EA MC MD SH	A 8305 / CT	09-MAR-87	GL MU 99 CT	
L	CCC-C-428G(11)	CLOTH, DUCK, COTTON; FIRE, WATER, WEATHER, AND MILDEW RESISTANT	A 8305 / GL	31-OCT-90	GL	
A	CCC-C-429F	CLOTH, OSMABURG, COTTON USER: 45 MC ME REVIEWER: 82 AR OS MD MI	A 8305 / CT	18-FEB-88	GL SA 99 CT	
A	CCC-C-430F NOTICE 1	CLOTH, SHEETING, COTTON AND POLYESTER AND COTTON [VALIDATION DATE: 8908] USER: 45 REVIEWER: 82 EA MD MS SH	A 8305 / CT	11-AUG-89	GL MU 99 CT	
A	CCC-C-432D NOTICE 1	CLOTH, SHEETING, COTTON, (UNBLEACHED, BLEACHED, AND DYED) [VALIDATION DATE: 8711] REVIEWER: 11 MD	A 8305 / CT	12-NOV-87	GL SA 99 CT	
A	CCC-C-438E	CLOTH, TICKING TWILL, COTTON USER: 45 DM MC REVIEWER: 82 MD	A 8305 / CT	14-FEB-86	GL MU 99 CT	
A	CCC-C-438G	CLOTH, KNITTING, COTTON, MERCERIZED USER: MC REVIEWER: 11 JH MD	A 8305 / CT	15-MAY-90	GL MU 99 CT	
D	CCC-C-440E NOTICE 1	CLOTH, CHEESE-CLOTH, COTTON, BLEACHED AND UNBLEACHED [VALIDATION DATE: 8711] USER: 45 AV OS MD ME YD1 REVIEWER: DS EA MC SH	A 8305 #	12-NOV-87	GL MU 99 CT	
A	CCC-C-441C NOTICE 1	CLOTH, CONDUROY, COTTON [VALIDATION DATE: 8711] REVIEWER: MD	A 8305 / CT	12-NOV-87	GL MU 99 CT	
A	CCC-C-442E	CLOTH, DUCK, COTTON, BLEACHED REVIEWER: MD	A 8305 / CT	30-NOV-89	GL MU CT	
D	CCC-C-443E(2) NOTICE 1	CLOTH, DUCK, COTTON (SINGLE AND PLIED FILLING YARNS, FLAT) [VALIDATION DATE: 8711] REVIEWER: MD YD1	A 8305 / CT	12-NOV-87	GL MU CT	
	CCC-C-447C	CLOTH, PERCALE, COTTON USER: 45	A 8305 / GL	19-FEB-68	GL SA 99	
A	CCC-C-447C(11)	CLOTH, PERCALE, COTTON	A 8305 #	17-JUL-70		
A	CCC-C-458C NOTICE 1	CLOTH, FLANNEL, COTTON [VALIDATION DATE: 8104] USER: AV MC ME REVIEWER: EA MD	A 8305 / CT	07-JUL-76	GL SA 99 CT	
A	CCC-C-460C	CLOTH, COTTON, FLANNEL, (HEAVY, FOR TABLE FELTS) [VALIDATION DATE: 8108] USER: 45 CG MC MS	A 8305 / CT	21-JAN-76	GL MU 99 CT	
A	CCC-C-461C(1) NOTICE 1	CLOTH, TWILL, UNIFORM COTTON [VALIDATION DATE: 8711] USER: 45 MC REVIEWER: EA MD	A 8305 / CT	12-NOV-87	GL MU 99 CT	
D	CCC-C-467C NOTICE 1	CLOTH, BURLAP, JUTE (OR KENAF) [VALIDATION DATE: 8601] USER: AT MC SH YD1	A 8305 / CT	08-FEB-72	GL SA 99 CT	



## NUMERICAL LISTING FEDERAL SPECIFICATIONS

644



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Doc / OMA Coordination Index Document Number	Document Title	Doc. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DLA
DDD-C-001630	CARPETS AND RUGS, EXTRA HEAVY PILE WEIGHT, WOVEN, TUFTED AND CUSTOM TUFTED SPECIAL PURPOSE	A 7220 #				20-AUG-73
DDD-C-001799	CARPET, SQUARES, PILE SURFACE, TILE TYPE, WITH OR WITHOUT ATTACHED CUSHION	A 7220 # FSS				20-DEC-72
FFF-D-1910	DENTIFRICE USER: GL	A 8520 #				16 APR-75
FFF-C-6410	CREAM, SHAVING AND SOAP, SHAVING USER: GL MC	A 8520 #				17-APR-75
D GGG-G-15C(1)	GAGE BLOCKS AND ACCESSORIES (INCH AND METRIC) USER: AS CE MC ME OS YDI	A 5210 # GL	GL	SM		16-AUG-76
GGG-G-17C	GAGE, GENERAL PURPOSE USER: MI	A 5210 #				26-JUN-87
D GGG-H-20A	HAMMER, HAND, (BODY AND FENDER, FORGED STEEL HEAD) USER: YDI	A 5120 # GL	GL	SM		06-JUL-61
D GGG-T-208(3)	TACKER, STAPLE, (COMPRESSION TYPE, MANUALLY OPERATED), AND STAPLE, TACKER USER: YDI REVIEWER: ME	A 5120 # GL	GL	SM		24-JUN-74
GGG-T-0030	TACKER, STAPLE (COMPRESSION TYPE, MANUALLY OPERATED FOR ROUND CROWNED STAPLES) AND STAPLE, TACKER (ROUND CROWNED)	A 5120 #				10-DEC-65
D GGG-G-31B	GAGE, MARKING AND MORTISING	A 5210 #				09-DEC-64
GGG-H-33A(5)	HAMMERS, HAND AND MALLET, SURFACE PROTECTIVE: HOLDERS AND ADAPTERS, INSERTED HAMMER FACE, AND FACES, HAMMER, INSERTED USER: YDI	A 5120 / GL	GL	SM		26-AUG-63
GGG-H-33A(16)	HAMMERS, HAND AND MALLET, SURFACE PROTECTIVE: HOLDERS AND ADAPTERS, INSERTED HAMMER FACE, AND FACES, HAMMER, INSERTED	A 5120 # FSS				07-MAY-64
GGG-H-35A	HAMMER, HAND, WELDER'S, CHIPPING	A 5120 / GL	GL	SM		28-FEB-57
GGG-H-35A(14)	HAMMER, HAND, WELDER'S, CHIPPING	A 5120 # FSS				10-FEB-72
GGG-V-35B	YARDSTICK (WOOD & ALUMINUM)	A 5210 #				24-NOV-86
GGG-L-36A	LADLES, DECK-PAYING	A 5120 #				14-SEP-53
D GGG-T-0040A(1)	TAMPERS, HAND	A 5120 #				15-MAR-68
D GGG-M-450(1)	MACHETES, RIGID HANDLE [VALIDATION DATE: 9007] USER: ME YDI REVIEWER: MD	A 5110 / GL	GL			30-JUL-90
D GGG-B-50A	BAG, LINEMAN'S TOOL, ROUND USER: YDI	A 5140 # GL	GL	SM		08-FEB-66
D GGG-B-50A(11)	BAG, LINEMAN'S TOOL, ROUND	A 5140 # FSS				19-MAY-66
GGG-J-51E	JACK, MECHANICAL, HAND OPERATED (SCREW, SCISSORS, REEL, PLANK, AND KACK BAR)	A 5120 #				29-MAR-67
D GGG-S-51D	SAW, CIRCULAR, PORTABLE, ELECTRIC USER: CE MC YDI	A 5130 / GL	GL	SM		12-NOV-69
D GGG-S-51D(12)	SAW, CIRCULAR, PORTABLE, ELECTRIC	A 5130 # FSS				19-JAN-71
D GGG-S-58E	SAW, RADIAL-OVERARM, WOODWORKING USER: CG REVIEWER: 84 GS	A 3220 / ME				24-JUL-92
D GGG-B-0060A(1)	BAG, TOOL SATCHEL USER: GL	A 5140 # FSS				05-OCT-70
GGG-J-60A	JACK KIT, HYDRAULIC, HAND (WITH TRUCK OR CHEST) [VALIDATION DATE: 7207] USER: MC REVIEWER: AR	A 5120 # GL	GL	SM		11-JAN-67
GGG-T-60A	TAPS, THREAD CUTTING, CARBON STEEL, HAND CUT THREAD, AMERICAN NATIONAL AND METRIC THREAD FORM, SCREW AND BOLT USER: AR MC	A 5136 # GL	GL	SM		24-NOV-70
GGG-C-61	GAGE, PLUG AND RING, PLAIN AND THREAD	A 5220 / AR				23-AUG-32
GGG-P-61A(2)	PARALLEL, STEEL AND CAST-IRON, PRECISION GROUND [VALIDATION DATE: 8306] USER: MC SH REVIEWER: GS	A 5220 / 84				04-JAN-80
DQ GGG-S-62D	SAW, CHAIN, PORTABLE, POWER USER: ER REVIEWER: GL GL MC MD	A 3695 / ME				24-OCT-86
D GGG-J-63C	JACK, HYDRAULIC, HAND; JACK, BUMPER (HYDRAULIC) USER: AR CE YDI	A 5120 # FSS				09-JUN-75
Q GGG-S-63C(3)	SAW, CIRCULAR, PORTABLE, PNEUMATIC	A 5130 # FSS				23-FEB-79
GGG-S-64(2)	SAWS, CROSSCUT, HAND, ONE-MAN AND TWO-MAN	A 5110 / GL	GL	SM		20-AUG-59
D GGG-S-0064A	SAW, BOW AND CROSSCUT, ONE-MAN AND TWO-MAN	A 5110 # FSS				20-JUL-66
D GGG-S-64(13)	SAWS, CROSSCUT, ONE-MAN AND TWO-MAN USER: MC MD YDI	A 5110 / GL	GL	SM		31-DEC-63
GGG-J-65A	JOINTER, BRICK	A 5120 # FSS				26-APR-67
GGG-J-65A(11)	JOINTER, BRICK	A 5120 # FSS				24-JUL-67
GGG-S-65A	SAWS, HAND	A 5110 # SH				05-APR-61
GGG-S-0065B(11)	SAWS, HAND	A 5110 # FSS				10-AUG-76
GGG-S-65A(13)	SAWS, HAND	A 5110 # FSS				11-JUN-64
GGG-S-69D(1)	SAW, POWER HACK, DRY CUT, PORTABLE (3 INCH CAPACITY) USER: ME REVIEWER: GS	A 3450 / AL				09-JAN-86
GGG-T-70B(1)	TAP, THREAD CUTTING, (STANDARD, AMERICAN NATIONAL FORM AND METRIC SPARK PLUG THREAD, HIGH-SPEED STEEL, GROUND THREAD, HAND)	A 5136 # GL	GL	SM		26-JUN-72
D GGG-T-0070C(1)	TAP, THREAD CUTTING (HIGH SPEED STEEL, GROUND THREAD, HAND AND SPARK PLUG)	A 5136 # FSS				26-JUN-72
D GGG-M-71C	MAIL SET, HAND REVIEWER: YDI	A 5120 # FSS				23-JUL-76
D GGG-S-75(1)	SAW SET, HAND REVIEWER: YDI	A 5110 # FSS				15-DEC-58
GGG-S-0075A(1)	SAW SET, HAND	A 5120 # FSS				29-NOV-66
GGG-S-75(12)	SAW SET, HAND	A 5110 # FSS				28-OCT-59
GGG-R-0080	RAKE (ASPHALT, ROAD)	A 5120 #				05-MAR-65
D GGG-T-80A	TAP, THREAD CUTTING, CARBON STEEL HAND, CUT THREAD, AMERICAN STANDARD TAPER PIPE THREADS USER: AR CE MC	A 5136 # GL	GL	SM		24-NOV-70
D GGG-H-86C	HAMMER, HAND, (FORGED STEEL HEAD) USER: ME MI YDI	A 5120 / GL	GL	SM		08-MAR-63
GGG-H-86C(12)	HAMMER, HAND, (FORGED STEEL HEAD)	A 5120 # FSS				15-MAR-71
GGG-C-95A	CALIPER, GENERAL PURPOSE	A 5210 #				26-JUN-87
GGG-R-96E	RAKE, HAND (GARDEN AND LAWN)	A 3750 #				06-JUN-78
A GGG-I-100B	ICE SCRAPER AND CHIPPER, SIDEWALK	A 5110 # FSS				20-JAN-92
D GGG-B-101D(3)	BAR, CHISEL, PINCH, PRY, WRECKING, DIGGING, TAMPING, DIGGING AND TAMPING, AND CROWBAR USER: YDI	A 5120 # GL	GL	SM		17-FEB-65
GGG-B-00101E	BAR, CHISEL, PINCH, PRY, WRECKING, DIGGING, TAMPING, DIGGING AND TAMPING, AND CROWBAR	A 5120 # FSS				19-JAN-68
D GGG-C-105C	CALIPER, MICROMETER (INSIDE, OUTSIDE, TUBE) AND GAGE, DEPTH, MICROMETER USER: YDI REVIEWER: 84 GL	A 5210 #				15-MAR-65
M GGG-T-106F	TAPE, MEASURING, (GENERAL USE) REVIEWER: 84	A 5210 # FSS				26-APR-93
GGG-B-110A	BAR, COMBINATION PRY AND SCRAPER	A 5120 # GL	GL	SM		14-SEP-66
GGG-M-00110	HANDLING TOOL, SHEET MATERIAL (VACUUM TYPE)	A 5120 #				10-FEB-64
GGG-C-111C	CALIPERS AND GAGES, VERNIER USER: MC	A 5210 / SH				12-FEB-87
GGG-S-113A	SCRAPER, BEARING REVIEWER: 84	A 5110 # GL	GL	SM		11-MAY-92
GGG-C-116B(2)	CASE, TWIST DRILL SET, AND STAND, TWIST DRILL SET - EMPTY	A 5140 # GL	GL	SM		18-MAR-63
GGG-C-00116D	CASE, TWIST DRILL; AND STAND, TWIST DRILL	A 5140 # FSS				16-MAR-71
GGG-S-116C	SCRAPERS, SHIP, (PAINT AND SCALE REMOVING) USER: MC REVIEWER: 84	A 5110 # GL	GL	SM		11-MAY-92
GGG-S-118A	SCRAPER, WOOD AND GLASS	A 5110 # GL				22-NOV-63
GGG-S-118A(11)	SCRAPERS, WOOD AND GLASS	A 5110 # FSS				10-SEP-64
D GGG-C-120B	CALKING GUN, BULK AND CARTRIDGE COMPOUNDS USER: MC YDI	A 5120 # GL	GL	SM		26-DEC-63
GGG-B-121B	BAR, SINE, PLATE SINE (AND FIXTURES) [VALIDATION DATE: 8304]	A 5220 # AR				04-JUN-64
D GGG-S-121E(1)	SCREWDRIVER AND SCREW STARTER, HAND USER: MD YDI REVIEWER: AR ME MI	A 5120 # FSS				25-MAR-76
D GGG-M-125G	RESPIRATOR AND RESPIRATOR ASSEMBLIES: AIR LINE: NON-POWERED AIR-PURIFYING AND POWERED AIR-PURIFYING USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YDI	EA	YDI		14-OCT-85
D GGG-M-125/1B	RESPIRATOR ASSEMBLIES, AIR LINE, WITH FACE PIECE (SUPPLIED AIR)	A 4240 / YDI	EA	YDI		17-AUG-87
D GGG-M-125/2A	RESPIRATOR ASSEMBLIES, AIR LINE, WITH HELMET (SUPPLIED AIR) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YDI	EA	YDI		17-AUG-87
D GGG-M-125/3A	RESPIRATOR ASSEMBLIES, AIR LINE, WITH DISPOSABLE HOOD (SUPPLIED AIR) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YDI	EA	YDI		17-AUG-87
D GGG-M-125/4C	RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, CHEMICAL CARTRIDGE (FOR ORGANIC VAPORS) USER: CG SH REVIEWER: GS MC MD ME	A 4240 / YDI	EA	YDI		14-OCT-85
D GGG-M-125/5B	RESPIRATOR ASSEMBLY: HALF MASK, AIR PURIFYING PARTICULATE FILTER (FOR DUSTS, FUMES, & MISTS) USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YDI	EA	YDI		14-OCT-85
D GGG-M-125/6B	RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, COMBINATION CHEMICAL CARTRIDGE & FILTER (FOR PAINT SPRAY & ORGANIC VAPORS) USER: CG SH REVIEWER: GS MD ME	A 4240 / YDI	EA	YDI		14-OCT-85



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Item Qty / Cals Configuration Inches	Document Number	Document Title	Dist. Smt. FSC Area MCA Symbol Preparing Act.	Date	Custodians			
					Army	Navy	Air Force	DLI
D	GGC-M-125/78	RESPIRATOR ASSEMBLY: HALF MASK, AIR-PURIFYING, COMBINATION CHEMICAL CARTRIDGE AND FILTER (FOR PESTICIDES AND ORGANIC VAPORS) USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YD1	14-OCT-85	EA	YD1	99	
D	GGC-M-125/88	RESPIRATOR ASSEMBLY: HALF MASK, AIR PURIFYING PARTICULATE-FILTER (FOR DUSTS AND MISTS) USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YD1	14-OCT-85	EA	YD1	99	
D	GGC-M-125/9A NOTICE 1	RESPIRATOR ASSEMBLIES, AIR LINE, HOOD AND HELMET, (FOR ABRASIVE BLASTING OPERATIONS) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YD1	17-AUG-87	EA	YD1	99	
D	GGC-M-125/10A NOTICE 1	RESPIRATOR ASSEMBLY, HELMET WITH POWERED AIR PURIFYING UNIT [VALIDATION DATE: 8708] USER: CG SH REVIEWER: GS MC MD ME	A 4240 / YD1	17-AUG-87	EA	YD1	99	
D	GGC-M-125/11A NOTICE 1	RESPIRATOR ASSEMBLY, HELMET WITH POWERED AIR PURIFYING UNIT (PORTABLE BACKPACK) [VALIDATION DATE: 8708] USER: CG MC SH REVIEWER: GS MD ME	A 4240 / YD1	17-AUG-87	EA	YD1	99	
	GGC-M-131C(3)	HATCHET (CLAW, HALF, LATHING, BROAD AND BARREL)	A 5110 / GL	11-JAN-62	GL	SH	99	
	GGC-M-131C(15)	HATCHET (CLAW, HALF, LATHING, BROAD AND BARREL)	A 5110 * GL	31-OCT-66	GL	SH	99	
	GGC-M-131C	MASK, GAS (INDUSTRIAL)	A 4240 #	07-FEB-78				
	GGC-S-131E(1)	SCRIBER, MACHINIST'S USER: AR MC ME	A 5120 * GL	24-FEB-66	GL	SH	99	
	GGC-C-135A	CALKING TOOL, HAND	A 5120 #	25-OCT-66				
	GGC-M-135	HANK, PLASTERER S	A 5120 #	29-JAN-66				
	GGC-C-137A	CAP, VISE JAW USER: MC	A 5120 * GL	11-JAN-65	GL	SH	99	
	GGC-C-00137B	CAPS, VISE JAW	A 5120 * FSS	09-JAN-68				
	GGC-M-142G(1)	HELMET, CONSTRUCTION WORKERS USER: 45 CE CG REVIEWER: 82 CT DP GL MD NU SA	A 8415 #	26-AUG-63	GL	SH	99	
D	GGC-A-145A	ADJUSTING TOOL, BRAKE SHOE (SPOON TYPE) USER: MC YD1	A 5120 * GL	06-AUG-65	GL	SH	99	
D	GGC-A-151D	ADZ USER: YD1	A 5110 * GL	26-FEB-64	GL	SA	99	
D	GGC-P-151A	PEAVY USER: MC YD1	A 5120 * GL	13-OCT-53	GL	SH	99	
	GGC-P-00151B	PEAVY: HOOK, CANT; AND CARRIER, TIMBER	A 5120 # FSS	01-FEB-71				
	GGC-M-171	WEDGES, METAL (MAGNESIUM) USER: AR GL MC REVIEWER: 99	A 5120 *	16-JUN-52				
D	GGC-B-175A	BENDER, ELECTRICAL CONDUIT, HAND (PORTABLE) USER: AR AS OS YD1	A 5120 * GL	01-APR-64	GL		99	
Q	GGC-M-177B(1)	HELMET, SAFETY, ELECTRICAL WORKERS USER: CG REVIEWER: 45 CT MD NU SA	A 8415 # DP	26-AUG-83	GL	SH	99	
	GGC-R-180F(1)	REAMERS, HAND AND MACHINE: AMBROS, SHELL REAMER: AND PILOTS, ADJUSTABLE HAND AND REAMER USER: MC REVIEWER: 84 GL	A 3455 / AL	10-MAY-93	AL		99	
D	GGC-M-181B	WEDGES, TOOL HANDLE USER: YD1	A 5120 * GL	04-APR-91	GL		99	
	GGC-M-185A	WEDDLE, CABLE LACING	A 5120 #	21-OCT-64				
	GGC-S-190A	SEAMER, SHEET METAL, HAND	A 5120 #	12-MAR-65				
D	GGC-B-191C	BENDER, TUBE, HAND, (PORTABLE) USER: YD1 REVIEWER: 84 MC	A 5120 * GL	04-MAY-92	GL	SH	99	
	GGC-M-200B	REMOVAL TOOL, OIL FILTER	A 5120 #	16-NOV-65				
	GGC-M-201B	WEDGE, METAL: JOINTING AND BREAKING USER: AR	A 5120 * GL	06-JUN-90	GL		99	
A	GGC-M-202C NOTICE 1	WEDDLE, SAILMAKER S	A 8315 / CT	01-FEB-88	GL	NU	99	CT
	GGC-B-211B(1)	BEVEL, SLIDING T, UNIVERSAL AND SHIP CARPENTERS	A 5210 #	05-APR-67				
D	GGC-M-211D(1)	HELMETS, WELDERS'; HANDSHIELD, WELDING; AND PLATES, WELDING REVIEWER: 84 GS YD1	A 4240 / EA	11-SEP-89	EA	SH	99	
	GGC-L-211D(1)	LEVELS AND PLUMBS, AND LEVELS REVIEWER: ME	A 5210 # FSS	23-SEP-88			99	
	GGC-K-275D	KEY, SOCKET HEAD SCREW AND KEY SETS SOCKET HEAD (WRENCH, HEXAGON, SPLINE AND SQUARE) USER: EA	A 5120 * GL	19-MAR-74	GL	SH	99	
	GGC-K-275D(11)	KEY, SOCKET HEAD SCREW AND KEY SETS SOCKET HEAD (WRENCH, HEXAGON, SPLINE AND SQUARE)	A 5120 # FSS	14-APR-88				
	GGC-S-00275	SHEARS, BARBERS	A 3590 #	21-OCT-65				
	GGC-S-27B	SHEARS AND SCISSORS USER: MC ME MI	A 5110 # FSS	27-NOV-56				
	GGC-S-00278A(4)	SHEARS AND SCISSORS	A 5110 # FSS	01-MAR-71				
	GGC-S-278(11)	SHEARS AND SCISSORS	A 5110 # FSS	10-JAN-62				
	GGC-D-280C	DIES, METAL STAMPING, HAND, STEEL, AND DIE SET, LEATHER STAMPING, HAND (LETTER AND NUMERAL)	A 5110 #	14-JAN-66				
	GGC-S-280F(1)	SHEARS, GRASS CUTTING AND SHEARS, WEDGE TRIMMING	A 3750 #	07-NOV-72				
	GGC-S-283A	SHEARS, METAL CUTTING, PNEUMATIC (PORTABLE) USER: GL	A 5130 #	01-MAY-67				
	GGC-S-284B	SHEARS, PRUNING, HAND, (ONE-HAND OPERATED)	A 3750 #	15-MAY-64				
	GGC-S-285B(2)	SHEARS: PRUNING, HAND, (TWO-HAND OPERATED, LOPPING)	A 3750 # FSS	31-DEC-61				
	GGC-S-285B(14)	SHEARS: PRUNING, HAND, (TWO-HAND OPERATED, LOPPING)	A 3750 # FSS	17-MAY-77				
	GGC-C-291A	CHALK LINE AND REEL (SELF-CHALKING)	A 5210 #	01-MAR-63				
D	GGC-S-291F	SHEARS, METAL CUTTING, BENCH AND HAND USER: AR AV GL MC YD1 REVIEWER: 99	A 5110 #	12-MAR-76				
D	GGC-D-296B(1)	DIE, THREADCUTTING AND RETREADING, COLLET, THREADING DIE, AND DIESTOCK (BOLT AND SCREW THREADING, UNIFIED, AMERICAN NATIONAL AND METRIC FORM THREADS) USER: CE MC YD1	A 5136 * GL	09-AUG-74	GL		99	
	GGC-M-301B	WHEEL, BUFFING AND POLISHING (VALIDATION DATE: 8307)	A 3460 / IP	08-JAN-63				IP
	GGC-C-311C	CHISELS AND GOUGES, WOODWORKING	A 5110 #	23-JUL-74				
	GGC-C-313C	CHISEL, HAND, CAPE, DIAMOND POINT, COLD, ROUND NOSE, AND SIDE CUTTING	A 5110 #	16-AUG-76				
D	GGC-C-315A	CHISEL, BRICK USER: YD1	A 5110 * GL	10-APR-67	GL	SH	99	
D	GGC-C-315A(11)	CHISEL, BRICK	A 5110 # FSS	09-MAY-74				
	GGC-B-325B	BINDER, LOAD USER: SH YD1 REVIEWER: GS	A 3990 # ME	17-JUL-87	ME	SA		
	GGC-B-00325C	BINDER, LOAD	A 3990 ME	07-JUL-87				
Q	GGC-F-325B(3)	FILE, HAND (AMERICAN PATTERN) AND RASP, HAND (VALIDATION DATE: 8204)	A 5110 / SH	30-AUG-73	GL	SH	84	
QL	GGC-F-325B(15)	FILE, HAND (AMERICAN PATTERN) AND RASP, HAND (VALIDATION DATE: 8204)	A 5110 / SH	30-MAY-80				
D	GGC-D-326C	DIGGER, POSTHOLE, HINGED USER: YD1	A 5120 * GL	26-MAR-64	GL	SH	99	
D	GGC-S-326D	SHOVELS, SCOOPS, SPADES, SNOW PUSHERS, AND TELEGRAPH SPOONS USER: ME YD1	A 5120 * GL	01-NOV-63	GL	SH	99	
	GGC-S-326D(13)	SHOVELS, SCOOPS, SPADES, SNOW PUSHERS, AND TELEGRAPH SPOONS	A 5120 # FSS	15-JUL-68				
	GGC-C-330C	CHISEL, TOOL BLANK, CALKING TOOL AND METAL-FORMING TOOL, POWER HAMMER USER: MC ME	A 5130 * GL	15-MAY-67				
D	GGC-T-330B	THREADING SET, SCREW USER: YD1	A 5180 * GL	17-AUG-67	GL		99	
DQ	GGC-F-331B	FILE, HAND (SWISS PATTERN) (VALIDATION DATE: 8204) USER: MC YD1 REVIEWER: EA	A 5110 / SH	14-OCT-66	GL	SH	99	
QL	GGC-F-331B(12)	FILE, HAND (SWISS PATTERN) (VALIDATION DATE: 8204)	A 5110 / SH	30-MAY-80				
	GGC-P-00335A	PIKE POLE	A 5120 #	24-APR-70				
	GGC-P-00340A	PIN STRAIGHTENER, ELECTRON TUBE	A 5120 #	18-OCT-67				
D	GGC-W-340B	WIRE TWISTER PLIER (WITH SIDE CUTTER) USER: YD1	A 5120 * GL	17-OCT-74	GL	SH	99	
	GGC-L-350(3)	LIFTER, VALVE SPRING, COMPRESSOR, VALVE SPRING (VALIDATION DATE: 6503)	A 5120 #	20-FEB-65				
	GGC-M-350B	MIRROR, INSPECTION	A 5120 * GL	16-JUL-90	GL	SA	99	
	GGC-M-350A	NIPPERS AND PINNERS	A 5110 / SH	08-JUN-59	AR	SH	99	
	GGC-M-350A(14)	NIPPERS AND PINNERS	A 5110 # FSS	09-DEC-63				
	GGC-T-350B	TIRE LOCK RING TOOL, TIRE REMOVING TOOL, AND TIRE IRON	A 5120 #	28-JAN-66				
	GGC-B-351B	BIN, STORAGE AND DISPLAY, ROTARY USER: AR GL MC SA	A 7125 #	18-OCT-63				
	GGC-D-351F	DIVIDER, MECHANICS USER: GL	A 5210 # GL	06-MAY-87	GL	SH	99	
	GGC-F-360B	FINGER, MECHANICAL, AND RETRIEVER TOOL, MAGNETIC	A 5120 * GL	05-OCT-64				
	GGC-F-00360D	FINGER, MECHANICAL, AND RETRIEVER TOOL, MAGNETIC	A 5120 # FSS	08-AUG-69				
D	GGC-B-376B	BIT, SCREW-DRIVER USER: AR EL MC YD1	A 5120 * GL	03-MAY-63	GL	SH	99	
M	GGC-B-383B	BITS, WOOD-BORING; AND CHISELS, MORTISING, HOLLOW (VALIDATION DATE: 9302) USER: CE MC ME YD1	A 5315 # FSS	16-FEB-93	GL	SH	69	
	GGC-R-00395(1)	RIVETER, BLIND, HAND AND HEADS	A 5120 #	10-AUG-67				
Q	GGC-M-398A(3)	NUT RUNNER, PNEUMATIC, PORTABLE	A 5130 / SH	06-AUG-70	GL	SH	84	
	GGC-R-400D	RIVET, SET, HAND	A 5120 #	21-JAN-65				
D	GGC-C-406D	CLAMP AND HAND SCREWS REVIEWER: YD1	A 5120 * GL	11-FEB-75	GL	SH	99	
	GGC-V-410A	VISE, BENCH, CLAMP BASE: SHEET METAL WORKER'S, BENCH AND PIPE: JEWELER'S; MACHINIST'S AND MULTIPosition	A 5120 * SH	26-MAY-66	GL	SH	69	
	GGC-V-410A(13)	VISE, BENCH, CLAMP BASE: SHEET METAL WORKER'S; BENCH AND PIPE: JEWELER'S; MACHINIST'S AND MULTIPosition	A 5120 # FSS	16-JAN-73				
Q	GGC-C-412B(2)	CLAMP, MATERIAL LIFTING, (PLATE, HORIZONTAL LIFT AND VERTICAL LIFT) REVIEWER: GL IS	A 3940 #	01-MAY-68				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Op / OMA Coordination Inchance Document Number	Document Title	Dist. Smt. FSC / AS MCA Symbol Preparing Acty. Date	Army	Navy	Air Force	Custodians DLA	
D L	GGG-V-412A GGG-V-412A(11) GGG-C-00413(1) GGG-C-414A GGG-C-415A GGG-V-415A GGG-V-415A(11) GGG-F-00420 GGG-B-425 GGG-R-425B GGG-C-430A GGG-P-436C GGG-B-440B(1) GGG-P-441A GGG-V-445A GGG-A-00450 GGG-K-00450B	VICE: HAND: PIN: WIRE ROPE SPLICING: AND SQUARE END SAWING, TUBE USER: YD1 VICE: HAND: PIN: WIRE ROPE SPLICING: AND SQUARE END SAWING, TUBE CLAMPING TOOL, STRAP BAND, HOSE CLAMP, WIRE SPLICING CLAMP, TACK VICE, PIPE USER: ME VICE, PIPE FISHING TOOL, PNEUMATIC TIRE VALVE BLADE, RECIPROCATING SAW RIVET SETS, PNEUMATIC TOOL [VALIDATION DATE: 8501] CLEANER, VALVE, STEM GUIDE PLANES, BLOCK, RABBIT, BENCH, MATCHING AND ROUTING USER: MC YD1 BLADE, CIRCULAR SAW, WOODCUTTING PLATE, ANGLE, ADJUSTABLE AND SOLID VICE, WOODWORKER S AND PATTERNMAKER S USER: GL ALIGNMENT TOOL, ELECTRIC EQUIPMENT KNIFE, CRAFTSMAN S, MULTIPURPOSE, (STENCIL, ETCHING, AND CUTTING, REMOVABLE BLADES)	A 5120 * GL 29-JUN-66 A 5120 # FSS 30-JAN-69 A 5120 # 13-OCT-66 A 5120 # 27-APR-65 A 5120 # 08-JUN-65 A 5120 * GL 04-APR-67 A 5120 # FSS 12-SEP-67 A 5120 # 29-NOV-63 A 5130 % 01-MAY-75 A 5130 * GL 20-FEB-74 A 5110 # 24-MAR-67 A 5110 % FSS 09-MAR-76 A 5120 % 01-NOV-68 A 5120 % 09-APR-65 A 5120 % 03-AUG-66 A 5120 # 13-APR-64 A 5110 # 14-SEP-70	GL			
Q Q M	GGG-B-4510 GGG-B-4510(11) GGG-F-4510 GGG-M-451C GGG-P-453A(1) GGG-B-461A GGG-P-463C(1)	BLADE, HAND HACKSAW AND BLADE, POWER HACKSAW USER: 99 MI BLADE, HAND HACKSAW AND BLADE, POWER HACKSAW FLARING TOOL, TUBE HAND USER: AT CE MC ME YD1 REVIEWER: 84 AV MITER BOX, WOODWORKERS PLATE, SURFACE, CAST IRON [VALIDATION DATE: 8306] USER: MC OS BLOCK, STEP, MACHINISTS [VALIDATION DATE: 8304] REVIEWER: GS PLATE, SURFACE, (GRANITE) (INCH AND METRIC) [VALIDATION DATE: 8304] USER: MI SH	A 5110 / SH 31-JAN-68 A 5110 % FSS 29-JAN-69 A 5120 * FSS 16-NOV-92 A 5110 % 10-MAR-76 A 5220 / BA 23-APR-79 A 5220 * AR 17-AUG-66 A 5220 * AR 15-JUN-77	GL	SH	99	
D	GGG-B-471B GGG-K-471C GGG-P-471E GGG-P-00474 GGG-C-475B GGG-P-00475 GGG-P-00477A GGG-P-480L GGG-B-481A(2) GGG-K-481C GGG-K-484C GGG-K-00484D(1) GGG-B-485B GGG-B-490F GGG-K-494B GGG-K-494B(12) GGG-H-496C GGG-B-500C GGG-P-501F GGG-H-506B GGG-H-506B(11) GGG-C-520B(1)	BLADE, COPING SAW, AND BLADE, JEWELERS SAW USER: AR MC YD1 KNIFE, DRAW PLIERS, PLIERS, SLIP JOINT USER: GL ME PLIERS, HOG RING STAPLE (UPHOLSTERER S), BRAKE REPAIR (BRAKE SPRING), AND HOSE (WIRE) CLIPPER, HAIR, HAND [VALIDATION DATE: 8104] USER: CG MC REVIEWER: MD MS PLIERS, JEWELER S PLIER, SLIP JOINT (LINE CLAMP) PLIERS, RETAINING RING USER: YD1 BLOCK, DOLLY, SHEET METAL USER: YD1 KNIFE, CRAFTSMAN, (HAWKBILL, SHOE, CHIPPING) PUTTY AND SCRAPING USER: AR MC ME YD1 KNIFE, POCKET, (HEAVY DUTY) KNIFE, POCKET, (HEAVY DUTY) BLOCK, TACKLE, WIRE ROPE, WITH SWIVEL HOOK, (FOR CRANE USE) BLOCKS, TACKLE (MANILLA AND NYLON ROPE) USER: SH YD1 REVIEWER: 84 GS IS KNIVES, GENERAL PURPOSE SHOP, DETACHABLE BLADE KNIVES, GENERAL PURPOSE SHOP, DETACHABLE BLADE HDE, GARDEN, MORTAR, AND MORTAR MIXING USER: YD1 BLOCK, TACKLE, (WIRE-ROPE) REVIEWER: IS SH PLUMB BOB USER: MC YD1 REVIEWER: ME HDE, MATTOCK, AND PICK [VALIDATION DATE: 8108] USER: AR MC ME MI YD1 HDE, MATTOCK, AND PICK [VALIDATION DATE: 8108] CLOTH AND DISKS, ABRASIVE, OPEN MESH, WATERPROOF [VALIDATION DATE: 8306] USER: AS MC MD OS REVIEWER: OS TONGS, BLACKSMITHS USER: AR MC YD1 COMPRESSOR, PISTON RING, BAND-TYPE USER: AR MC YD1 COMPRESSOR, PISTON RING, BAND-TYPE USER: GL	A 5110 * GL 03-SEP-64 A 5110 # 25-APR-63 A 5120 % 06-APR-76 A 5120 # 11-MAY-67 A 3590 / GL 23-OCT-73 A 5120 # 01-JUN-64 A 5120 # 23-MAY-67 A 5120 * GL 11-MAR-74 A 5120 * GL 09-APR-63 A 5110 # 30-JUL-63 A 5110 # 23-AUG-67 A 5110 # 23-AUG-67 A 3940 # 12-JUL-78 A 3940 / ME 13-APR-92 A 5110 % FSS 10-APR-74 A 5110 % FSS 11-OCT-78 A 3750 # 06-FEB-61 A 3940 / ME 11-OCT-83 A 5210 # 26-AUG-63 A 5120 / GL 21-AUG-62 A 5120 # FSS 26-APR-66 A 5350 / BA 17-JUL-69 A 5120 * GL 07-JAN-55 A 5120 * GL 08-DEC-55 A 5120 # FSS 15-JUL-68	GL	SA	99	
D D							



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Ops / CMA Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
GGG-W-00645B(1)	WRENCH, OPEN END BOX (AND BOX COMBINATION, CROWFOOT, RATCHET, AND RATCHET CROWFOOT)	A 5120 # 12-SEP-68				
GGG-W-646(3)	WRENCH, OPEN END, RATCHET (TAC PATTERN), FOR TUBE FITTINGS, ELECTRIC CABLE	A 5120 * GL 15-JAN-62	GL	SH	99	
GGG-W-646(14)	WRENCH, OPEN END, RATCHET (TAC PATTERN), FOR TUBE FITTINGS, ELECTRIC CABLE	A 5120 # FSS 31-AUG-62				
GGG-D-647A	DRILL BLANKS AND DRILL BLANK SETS USER: GL	A 5133 % 21-SEP-65				
GGG-W-00647	WRENCH, BUNG, AND WRENCH, DRAIN PLUG	A 5120 # 11-OCT-66				
GGG-W-648B	WRENCH, LINEMAN'S USER: AR CE	A 5120 / YD1 30-APR-92	GL	YD1		
GGG-W-00649	WRENCH, PLIER, CLAMP, PLIER, AND PLIER, TUBING PINCH	A 5120 # 11-JAN-66				
GGG-D-650B	DRILL, MASONRY, ROTARY DRIVEN (CORELESS)	A 5130 # 31-AUG-67				
GGG-D-651D	DRILL, BREAST	A 5110 * GL 21-OCT-64	GL	SH	99	
GGG-W-651E	WRENCH, PIPE WRENCH AND BASIN WRENCH USER: MC REVIEWER: MI	A 5120 * GL 20-AUG-62	GL	SH	99	
GGG-W-00651D(1)	WRENCH, PIPE WRENCH AND BASIN WRENCH	A 5120 # 09-DEC-71				
GGG-W-653B	WRENCH, RATCHET, REVERSIBLE USER: AS YD1	A 5120 * GL 12-MAR-64	GL	SH	99	
GGG-P-655B	PRICKER, SAILMAKER'S USER: AR	A 5120 / SH 26-MAR-64	GL	SH	99	
GGG-P-655B(11)	PRICKER, SAILMAKER'S	A 5120 # FSS 01-AUG-66				
GGG-S-656D	SQUARES, CARPENTERS, DIEMAKERS, AND MACHINISTS	A 5210 % 05-FEB-73				
GGG-W-657C	WRENCH, SOCKET (SPIN TYPE, SCREWDRIIVER GRIP) USER: AV GL SH	A 5120 # 12-FEB-76				
GGG-W-660A	SOCKET, SOCKET WRENCH AND ATTACHMENTS (FOR POWER DRIVEN IMPACT WRENCHES) USER: MC ME YD1 REVIEWER: MI	A 5130 * GL 19-SEP-73	GL	SH	99	
GGG-T-661B(1)	TRAMMELS AND TRAMMEL POINTS USER: AR GL YD1	A 5210 % 13-OCT-66				
GGG-S-665C	STRIPPER, CABLE, HAND, AND STRIPPER, WIRE, HAND	A 5110 * GL 20-AUG-63	GL	SH	99	
GGG-W-665B	WRENCH, SPANNER USER: MC ME MI YD1	A 5120 / GL 30-OCT-63	GL	SH	99	
GGG-W-665B(11)	WRENCH, SPANNER	A 5120 # FSS 28-APR-67				
GGG-G-670	GRASS HOOKS, WHIP GRASS CUTTERS, AND WHIP WEED CUTTERS (VALIDATION DATE: 6502)	A 3750 # FSS 19-APR-56				
GGG-G-670(12)	GRASS HOOKS, WHIP GRASS CUTTERS, AND WHIP WEED CUTTERS	A 3750 # FSS 09-APR-76				
GGG-B-671F	BRACE, BIT, RATCHET, BRACE, CORNER, AND EXTENSIONS, BIT USER: AV ME YD1	A 5110 * GL 11-FEB-76	GL		99	
GGG-D-671D	DRILL, HAND, AND PUSH USER: YD1	A 5110 * GL 10-APR-64				
GGG-F-671B(4)	FRAME, HAND HACKSAW: FRAME, JEWELER'S SAW; AND FRAME, COPING SAW	A 5110 * GL 09-AUG-60	GL	SH	99	
GGG-F-671B(15)	FRAME, HAND HACKSAW: FRAME, JEWELER'S SAW; AND FRAME, COPING SAW	A 5110 / GL 27-SEP-63	GL	SH	99	
GGG-I-671A	IRON, CALKING, WOOD	A 5120 # 21-APR-53				
GGG-T-671C	TROWELS USER: AT MC REVIEWER: B4	A 5120 * GL 11-MAY-92	GL		99	
GGG-T-00671B(1)	TROWELS	A 5120 # FSS 16-APR-68				
GGG-T-671A(11)	TROWELS	A 5120 / GL 17-SEP-63	GL	SH	99	
GGG-W-00675A	WRENCH, SOCKET (SPINE TYPE, SCREWDRIIVER GRIP)	A 5120 # FSS 24-AUG-70				
GGG-P-676B	PROTRACTOR, MECHANIC'S BEVEL AND PLAIN USER: MC	A 5210 % 05-JAN-65				
GGG-W-680A(2)	WRENCH, TAP AND REAMER, ADJUSTABLE USER: AR MC MI YD1	A 5120 * GL 18-JUL-73	GL		99	
GGG-W-680D(2)	WRENCH, TORQUE USER: MC YD1	A 5120 / B4 16-AUG-89	GL	SH	99	
GGG-W-680D(11)	WRENCH, TORQUE	A 5120 # FSS 17-NOV-88				
GGG-G-690B	GROOVERS, EDGERS, AND CORNER TOOLS - CONCRETE, HAND	A 5120 # FSS 20-JAN-92				
GGG-D-691B	DRILL, MASONRY, HAND AND HOLDER, MASONRY DRILL HAND	A 5110 * GL 27-SEP-62	GL	SH	99	
GGG-D-694A(2)	DRILL, MASONRY, ROTARY DRIVEN USER: YD1	A 5130 * GL 18-NOV-63	GL	SH	99	
GGG-D-694A(13)	DRILL, MASONRY, ROTARY DRIVEN	A 5130 # FSS 15-OCT-69				
GGG-G-00695A(1)	GROOVER, SHEET METAL, HAND	A 5120 # 30-APR-68				
GGG-D-698A	DRILL, RATCHET (REVERSIBLE)	A 5110 * GL 15-MAY-63	GL	SH	99	
GGG-S-731	STAKES, SHEET METALWORKING: AND PLATE, BENCH STAKEHOLDER USER: YD1	A 5120 * GL 31-MAY-56	GL	SH	99	
GGG-S-00731A	STAKES, SHEET METALWORKING: AND PLATE, BENCH STAKEHOLDER	A 5120 # FSS 03-AUG-67				
GGG-S-731(13)	STAKES, SHEET METALWORKING: AND PLATE, BENCH STAKEHOLDER	A 5120 # FSS 20-JUL-61				
GGG-C-735B	CUTTER, ANGLE, HAND OPERATED	A 5110 * 28-FEB-88	GL		99	
GGG-S-735B(1)	STAMPING AND MARKING EQUIPMENT: GENERAL SPECIFICATION FOR REVIEWER: B4 GS	A 5120 / GL 30-SEP-92	GL	SA	99	
SUPPL 1C1	MS SH					
GGG-S-735/1	STAMPING AND MARKING EQUIPMENT, STENCILS (VALIDATION DATE: 8303) REVIEWER: CS MD MS	A 7520 / GL 05-OCT-76	GL	SA	99	
GGG-S-735/2	STAMPING AND MARKING EQUIPMENT, RUBBER STAMP, HAND, FIXED TYPE (VALIDATION DATE: 8303) REVIEWER: CS MD MS	A 7520 / GL 05-OCT-76	GL	SA	99	
GGG-S-735/3	STAMPING AND MARKING EQUIPMENT, RUBBER STAMP, HAND, FIXED AND REMOVABLE TYPE, FOOD INSPECTION, VETERINARY (VALIDATION DATE: 8303)	A 7520 / GL 05-OCT-76	GL	SA	99	
GGG-S-735/4A	STAMPING AND MARKING EQUIPMENT: RUBBER STAMP, POCKET REVIEWER: B4 CS MD MS	A 7520 / GL 08-NOV-90	GL	SA	99	
GGG-S-735/5	STAMPING AND MARKING EQUIPMENT: DIES METAL STAMPING, HAND TYPE (VALIDATION DATE: 8904) REVIEWER: CS MD MS	A 5110 / GL 22-APR-89	GL	SA	99	
GGG-S-735/6	STAMPING AND MARKING EQUIPMENT: DIES, LUMBER STAMPING, HAMMER TYPE (VALIDATION DATE: 8904) REVIEWER: CS MD MS	A 5110 / GL 22-APR-89	GL	SA	99	
GGG-S-735/7	STAMPING AND MARKING EQUIPMENT: PRESS, LEAD SEAL, HAND, REVERSIBLE TYPE (VALIDATION DATE: 8904) REVIEWER: CS MD MS	A 5120 / GL 22-APR-89	GL	SA	99	
GGG-S-735/8	STAMPING AND MARKING EQUIPMENT: PRESS, LEAD SEAL, HAND, NONREVERSIBLE TYPE (VALIDATION DATE: 8904)	A 5120 / GL 22-APR-89	GL	SA	99	
GGG-C-740D	CUTTER, BOLT USER: MC YD1	A 5110 * GL 11-JAN-63	GL	SH	99	
GGG-C-740D(12)	CUTTER, BOLT	A 5110 # FSS 18-NOV-68				
GGG-S-740B	STAND, PIPE VISE, AND VISES AND STANDS, PIPE USER: YD1	A 5120 * GL 05-NOV-87	GL	SH	99	
GGG-S-00740A	STAND, PIPE VISE, AND VISES AND STANDS, PIPE	A 5120 # 15-JUL-65				
GGG-C-744A	CUTTER AND FLARING TOOL KIT, TUBE, HAND: CUTTER, FLARING AND BENDER TOOL KIT, TUBE HAND USER: YD1	A 5180 * GL 15-MAY-65	GL	SH	99	
GGG-C-744A(11)	CUTTER AND FLARING TOOL KIT, TUBE, HAND: CUTTER, FLARING AND BENDER TOOL KIT, TUBE HAND	A 5180 # FSS 12-JAN-71				
GGG-C-746G	CUTLERY, GALLEY AND KITCHEN (CLEAVER, FORKS, KNIVES, SPATULAS, STEEL AND SERVER) (VALIDATION DATE: 8501)	A 7330 % GL 26-JUL-79	GL	SA	99	
GGG-C-746G(11)	CUTLERY, GALLEY AND KITCHEN (CLEAVER, FORKS, KNIVES, SPATULAS, STEEL AND SERVER)	A 7330 # FSS 15-JUL-86				
GGG-C-748B(3)	CUTTER, CIRCLE (ADJUSTABLE): FOR GASKETS AND WASHERS	A 5110 * GL 18-APR-63	GL	SH	99	
GGG-C-00748C	CUTTER, CIRCLE (ADJUSTABLE): FOR GASKETS AND WASHERS	A 5110 # FSS 15-MAR-66				
GGG-C-748B(15)	CUTTER, CIRCLE (ADJUSTABLE): FOR GASKETS AND WASHERS	A 5120 # FSS 17-JUN-65				
GGG-C-749A	CUTTER, CABLE, HAND OPERATED	A 5110 * GL 29-MAR-54	GL	SH	99	
GGG-C-749A(12)	CUTTER, CABLE, HAND OPERATED	A 5110 / GL 17-SEP-63	GL	SH	99	
GGG-C-750A	CUTTER, CABLE, HAND OPERATED, LIGHT DUTY	A 5110 # 16-NOV-65	GL	SH	99	
GGG-D-751D	CUTTER, GLASS, WHEEL TYPE (FOR SHEET GLASS AND ROUND GAGE GLASS USER: YD1)	A 5110 * GL 01-FEB-66	GL	SH	99	
GGG-D-751D	DRILLS, TWIST (TAPER-SQUARE STRAIGHT, AND TAPER-ROUND SHANKS) USER: AR AS MC OS YD1 REVIEWER: MI	A 5133 / ME 19-JAN-89	ME		99	
GGG-G-770B	GUM, AIR BLOW, (BLAST CLEANING)	A 4940 % YD1 09-MAY-73	AR	YD1	82	
GGG-G-770B(11)	GUM, AIR BLOW, (BLAST CLEANING)	A 4940 / YD1 20-JAN-75	YD1			
GGG-P-00770A	PULLER, FUSE, (S-SHAPE)	A 5120 # 20-SEP-67				
GGG-C-771D	CUTTERS, PIPE: AND CUTTERS, TUBE USER: YD1	A 5110 * GL 31-JAN-64	GL	SH	99	
GGG-C-771D(11)	CUTTERS, PIPE: AND CUTTERS, TUBE	A 5110 # FSS 27-AUG-64				
GGG-C-00775	CUTTER, PIPE (CHAIN TYPE)	A 5110 # 27-JAN-64				
GGG-S-775A(2)	STUD REMOVER AND SETTER (VALIDATION DATE: 7006) USER: MC YD1	A 5120 * GL 11-JAN-65	GL	SH	99	
GGG-D-777B	DRIVER, PROJECTILE UNIT, POWDER ACTUATED (HIGH VELOCITY) (ABOVE WATER ONLY) PIN, DRIVE, POWDER ACTUATED, AND CARTRIDGE, POWDER ACTUATED TOOL (VALIDATION DATE: 7708) USER: YD1	A 5130 # 31-OCT-66				
GGG-D-780A	DRIVER, PROJECTILE UNIT, POWDER ACTUATED (TRIGGER-FIRED, LOW VELOCITY, PISTON TYPE)	A 5130 # 18-FEB-65				
GGG-P-781D	PULLER ATTACHMENT, MECHANICAL, AND PULLER SET, MECHANICAL REVIEWER: YD1	A 5120 * 20-FEB-69				
GGG-B-785B	BURNISHERS, CONTACT, H AND (AND BLADES)	A 5120 # 06-OCT-87				
GGG-P-00788	PULLER, MECHANICAL, WATCH AND CLOCK HAND	A 5120 # 24-FEB-64				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active CPL / OMA Coordination Inches Document Number	Document Title	Dist. Syst. FSC / Ave MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
D	GGG-V-790E	VULCANIZERS, HOT PATCH AND PLATE, INNER TUBE USER: MC REVIEWER: AT CS ME	A 4910 / AL 01-APR-92 AL YD1
D	GGG-P-791C(2)	PULLER, HALL, HAND USER: YD1	A 5120 * GL 11-DEC-81 GL SH 99
D	GGG-R-791G	RULE, MEASURING USER: MC YD1 REVIEWER: MI	A 5210 * B4 10-JUL-87 GL SH 99
D	GGG-S-793A	STRIPPER, WIRE, BEACH USER: EL MC OS YD1	A 5110 * GL 29-SEP-84 GL SH 99
	GGG-L-795E	LUBRICATING UNIT, POWER OPERATED, AND PUMPING UNITS, PRESSURE LUBRICATING, DRUM MOUNTING USER: MC REVIEWER: CS	A 4930 / ME 21-FEB-90 ME SH 99
D	GGG-B-800A	BUSH HOOKS, HAND [VALIDATION DATE: 8403]	A 3750 * B4 15-APR-77 99
	GGG-C-800B	CUTTER, WIRE ROPE, HAND OPERATED USER: AR MC YD1	A 5110 * GL 27-FEB-84 GL SH 99
	GGG-C-800B(11)	CUTTER, WIRE ROPE, HAND OPERATED	A 5110 * FSS 23-AUG-87
D	GGG-A-821D	AUGER, PIPE AND SEWER, HAND; AND AUGER, WATER-CLOSET, HAND USER: YD1	A 5120 * GL 15-MAY-89 GL 99
	GGG-S-00825A	SMAGING TOOL, FLEXIBLE CABLE TERMINAL	A 5130 # 25-JAN-71
	GGG-P-831E	PUNCHES: CENTER, COOPERS', DRIVE PIN, ALIGNING, AND PRICK	A 5120 * FSS 27-JAN-86
	GGG-P-831E(14)	PUNCHES: CENTER, COOPERS', DRIVE PIN, ALIGNING, AND PRICK	A 5120 * FSS 28-JUN-73
	GGG-P-833A	PUNCHES, CUTTING	A 5110 * FSS 14-JAN-86
	GGG-P-833A(11)	PUNCHES, CUTTING	A 5110 * FSS 17-FEB-86
D	GGG-C-836A	CUTTER, STEEL STRAPPING USER: AR MC YD1	A 5110 * GL 04-SEP-83 GL SH 99
	GGG-C-00835B	CUTTER, STEEL STRAPPING	A 5110 * FSS 27-OCT-70
	GGG-C-835A(12)	CUTTER, STEEL STRAPPING	A 5110 * FSS 21-JUL-86
	GGG-P-836(1)	PUNCH AND DIE, KNOCKOUT USER: AR	A 5110 / SH 16-FEB-59 CR SH 99
	GGG-P-836(12)	PUNCH AND DIE, KNOCKOUT	A 5110 / GL 27-SEP-83 GL SH 99
D	GGG-P-840A(1)	PUNCHES AND DIES, AND PUNCH AND DIE SETS—METAL CUTTING, HAND, AND PUNCH, CLIP, SHEET METAL USER: AR YD1	A 5110 * GL 17-JUL-73 GL SH 99
	GGG-T-870A	TWEEZERS, CRAFTSMAN'S	A 5120 * GL 11-JUL-57 GL SH 99
	GGG-T-00870B(1)	TWEEZERS, CRAFTSMAN'S	A 5120 * FSS 02-MAY-67
	GGG-T-870A(12)	TWEEZERS, CRAFTSMAN'S	A 5120 / GL 20-JUN-63 GL SH 99
D	GGG-A-891B	AWLS USER: MC YD1 REVIEWER: B4	A 5120 * GL 21-JUN-90 GL 99
D	GGG-A-926C	AX, (SINGLE BIT, DOUBLE BIT, PICK HEAD AND MATTOCK HEAD) USER: AT GL YD1	A 5110 * ME 13-JUL-61 ME SH 99
	GGG-A-926C(12)	AX, (SINGLE BIT, DOUBLE BIT, PICK HEAD AND MATTOCK HEAD)	A 4210 * FSS 20-SEP-68
	GGG-E-926B	EXTRACTOR, CUTTER-PIN USER: AR	A 5120 * GL 18-SEP-63 GL SH 99
	GGG-E-00926C	EXTRACTOR, CUTTER-PIN	A 5120 # 14-MAR-88
	GGG-E-00930	EXTRACTOR, ELECTRON TUBE (TONG TYPE)	A 5120 # 20-DEC-63
D	GGG-E-936C	EXTRACTOR, SCREW (STUD AND PIPE), AND EXTRACTOR, TAP USER: YD1	A 5120 * GL 24-FEB-67 GL SH 99
D	GGG-E-950A	EXTRACTOR, STUFFING BOX AND PUMP PACKING (AND TAMPER), AND EXTRACTOR, LANTERN GLAND USER: AR MC YD1	A 5120 * GL 28-FEB-88 GL 99
	GGG-B-001013(1)	BIT, SCREWDRIVER (TORQSET)	A 5130 # 08-APR-69
	GGG-B-001222	BIT, SCREWDRIVER (AND ADAPTER, SCREWDRIVER BIT)	A 5120 * FSS 11-OCT-67
	GGG-T-001310	TAPE, FISH, STEEL	A 5120 * FSS 27-DEC-67
	GGG-S-001333A	SCRAPER AND SQUEEGEE, VEHICLE WINDOW	A 7920 # 16-OCT-75
	GGG-L-001345	LEAD JOINT RUNNER	A 5120 # 08-DEC-67
	GGG-H-001347	HOT LINE STICKS	A 5120 # 24-MAR-69
	GGG-B-001351	BROAD, JEWELER'S AND PIVOT	A 5110 # 28-MAR-68
	GGG-F-001391	FILE, PISTON RING	A 5110 # 30-OCT-67
	GGG-M-001405(1)	WRENCH, BOX (RATCHETING)	A 5120 # 04-MAR-68
	GGG-S-1408A	SCREWDRIVER, RATCHET, RIGHT ANGLE OFFSET, RIGHT AND LEFT HAND TURNING	A 5120 / GL 15-MAR-73 GL SH 84
	GGG-S-1408A(12)	SCREWDRIVER, RATCHET, RIGHT ANGLE OFFSET	A 5120 * FSS 20-APR-76
	GGG-C-1507A	CROWFOOT ATTACHMENT, SOCKET WRENCH USER: GL	A 5120 # 05-SEP-73
H	GGG-C-001507B	CROWFOOT ATTACHMENT, SOCKET WRENCH	A 5120 * FSS 01-OCT-92
D	GGG-C-1520	CARRIER TOOL [VALIDATION DATE: 7511] USER: AV CE MC ME M1	A 5140 / GL 06-NOV-69 GL YD1 99
D	GGG-L-1564C	JACKS, DOLLY TYPE, HYDRAULIC, AUTOMOTIVE USER: AT REVIEWER: B2 ME	A 4910 / AL 31-MAR-92 AL YD1 99
	GGG-L-1763	LABELING MACHINES REVIEWER: MD SM	A 3540 * GL 15-FEB-74 GL SA 99
	GGG-S-1808	SCREWDRIVER, JEWELERS' (SWIVEL KNOB, INTERCHANGEABLE BLADES) USER: GL	A 5120 # 23-APR-73
	GGG-M-1907	MUTRUMMER AND SCREWDRIVER, PNEUMATIC USER: AR AS AV CE	A 5130 * GL 04-JUN-75 GL SH 99
	GGG-C-1968	CARRIERS, STORAGE BATTERY, HAND	A 5120 # 05-APR-76
	NOTICE 1		
D	GGG-T-2761	TONGS, MATERIAL LIFTING, PIPE REVIEWER: GS SH	A 3940 / YD1 05-JUN-91 ME YD1
D	GGG-C-2773	CYLINDER RECONDITIONING AND CORRECTION EQUIPMENT: PORTABLE USER: ME REVIEWER: B4	A 5110 / YD1 12-MAR-92 GL YD1 99
D	GGG-O-2782	DRIVE, POWER, PORTABLE: FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) USER: MC REVIEWER: B4 GS	A 3450 / YD1 11-JUN-91 AL YD1 99
D	GGG-C-2794	CUPS, OIL, LUBRICATING, AND OILERS, SELF-FEEDING USER: AR AS MC REVIEWER: B2 CS	A 4730 / YD1 10-APR-92 ME YD1 99
	HHH-C-571F	COFFEE REVIEWER: MC MD MS SS	A 8955 / GL 23-SEP-85 GL SA 50
	HHH-C-575E(1)	COFFEE, INSTANT REVIEWER: MC MD SS TS	A 8955 / GL 10-AUG-88 GL SA 50
	HHH-V-1867/7	RADISHES, FRESH, READY-TO-USE [VALIDATION DATE: 8001] REVIEWER: MC MD MS SS	A 8915 * GL 10-JUL-74 GL SA 50
	HHH-V-002133	PEAS AND MUSHROOMS, THERMOSTABILIZED, TRAY PACK	A 8915 GL 05-OCT-83
	HHH-V-002136A	ESCALOPED POTATOES, THERMOSTABILIZED, TRAY PACK	A 8940 / GL 26-SEP-85
	HHH-V-002140	BEANS WITH PORK, THERMOSTABILIZED, TRAY PACK	A 8915 / GL 26-JUL-82 GL
	HHH-B-002166	BEAN, GREEN, THERMOSTABILIZED, TRAY PACK	A 8915 / GL 31-MAR-83
	JJJ-A-20	ACACIA, TECHNICAL (GUM ARABIC) [VALIDATION DATE: 8004] REVIEWER: 68 EA GS	A 6810 / AR 24-JAN-58 AR AS 99
	JJJ-B-81E	BALL, ABSORBENT, COTTON OR RAYON, NON STERILE	A 6510 / DM 19-OCT-76 MD MS 03 DM
	JJJ-C-86A	CASTOR OIL, TECHNICAL [VALIDATION DATE: 8901] USER: AS MC MI REVIEWER: EA GS OS	A 9150 / 68 29-JAN-89 MR SH 68
	NOTICE 1		
	JJJ-S-351H	SYRUP [VALIDATION DATE: 8201] REVIEWER: MC MD MS SS	A 8925 * GL 20-OCT-81 GL SA 50
	JJJ-C-561E	COTTON, PURIFIED (STERILE) AND MONSTERILE [VALIDATION DATE: 8406] REVIEWER: MB	A 6510 / DM 28-SEP-78 MD MS 03
	JJJ-V-002169A	POTATOES, DICED IN BUTTER SAUCE, THERMOSTABILIZED, TRAY PACK	A 8940 GL 08-AUG-85 GL
	JJJ-V-002173A	CARROTS, SLICED, THERMOSTABILIZED, TRAY PACK	A 8915 / GL 08-JUL-85 GL
L	JJJ-V-002180A	POTATOES, SWEET, GLAZED, THERMOSTABILIZED TRAY PACK	A 8940 GL 08-AUG-85
	KKK-M-291F	WHEELBARROW USER: MC REVIEWER: GL GS	A 3920 / ME 15-JAN-85 ME
D	KKK-L-3700	LINING, FRICTION, (CLUTCH AND BRAKE), METALLIC, METAL-CERAMIC AND SEMI-METALLIC USER: AR REVIEWER: CS	A 2520 * AT 16-JUN-88 AT YD1
D	KKK-T-631E	TRACTOR, FULL-TRACKED, LOW SPEED (DIESEL-ENGINE-DRIVEN) USER: MC REVIEWER: AT CR CS	A 2410 / YD1 04-JAN-80 ME YD1 99
L	KKK-T-631E(11)	TRACTOR, FULL-TRACKED, LOW SPEED (DIESEL-ENGINE-DRIVEN)	A 2410 / ME 07-JAN-86 ME
D	KKK-T-640E	TRACTOR, WHEELED, AGRICULTURAL, (GASOLINE-ENGINE DRIVEN, DIESEL-ENGINE DRIVEN OR LP-GAS ENGINE DRIVEN) USER: MC REVIEWER: AT CS	A 2420 / YD1 05-DEC-90 ME YD1 99
D	KKK-T-642B	TRACTOR, WHEELED, GENERAL PURPOSE INDUSTRIAL (DIESEL-ENGINE-DRIVEN) USER: MC REVIEWER: AT	A 2420 / YD1 30-DEC-92 ME YD1 99
D	KKK-C-850E(1)	CREEPER, MECHANICS (AUTOMOTIVE) USER: AV MC	A 4910 / AL 09-JAN-86 AL YD1
	KKK-T-8540	TRUCK, DOLLY (ROLLER) REVIEWER: B4 AT GS	A 3920 / ME 20-MAY-85 ME SA 99
	KKK-T-8583E	TRUCK, HAND, TWO WHEELED USER: MC MD REVIEWER: CE GS SH	A 3920 / ME 06-JAN-87 ME SA 99
D	KKK-T-728A	TRUCK, HAND, TWO-WHEELED (LIGHT DUTY) 300 POUND CAPACITY [VALIDATION DATE: 8501] REVIEWER: GL GS SH SM	A 3920 * ME 02-FEB-73 ME YD1 99
D	KKK-T-00728B(1)	TRUCK, HAND, TWO WHEELED (LIGHT DUTY) 300 POUND CAPACITY [VALIDATION DATE: 8501]	A 3920 * ME 21-MAR-77 ME YD1 99
D	KKK-L-1086D	LOADER, SCOOP TYPE, FULL TRACKED USER: MC REVIEWER: B4 AT CR CS	A 3805 / YD1 15-OCT-91 ME YD1 99
L	KKK-T-1286A	TRUCK, HAND, SHELF (TRAY-SERVICE AND GENERAL UTILITY)	A 3920 * GS 17-APR-74
	KKK-T-1286A(11)	TRUCK, HAND, SHELF (TRAY-SERVICE AND GENERAL UTILITY)	A 3920 * FSS 24-SEP-74
D	KKK-L-1542C	LOADER, SCOOP TYPE, FOUR WHEEL DRIVE, PNEUMATIC-TIRED REVIEWER: BS CS ME	A 3805 / YD1 01-FEB-83 YD1
D	KKK-B-1579B	BUSES, MOTOR, SCHOOL, WITH HIGH HEADROOM, 20-, 28-, 36-, 44-, 58-PASS-SENGER, TWO-WHEEL DRIVE	A 2310 / AT 01-OCT-85 AT YD1 84
	KKK-T-1725	TRUCK, HAND, BOX AND TUB TYPE REVIEWER: GS	A 3920 # 16-NOV-72
	KKK-A-1822C	AMBULANCE EMERGENCY MEDICAL CARE SURFACE VEHICLE	A 2310 * AT 01-JAN-90 AT 99



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action CPL / OIA Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Prescribing Agency	Date	Custodians			
					Army	Navy	Air Force	DIA
	KKK-F-19648	FIRETRUCK (PUMPER), STRUCTURAL, CUSTOM CAB AND CHASSIS (4X2, 4X4, 6X4, 6X6) 35,000 POUNDS G.V.W. AND OVER 1000 THROUGH 2000 G.P.M. PUMP, 500 THROUGH 3000 GALLON TANK	A 4210 # FSS	01-JAN-89				
	KKK-F-001964	FIRE TRUCK (PUMPER), GASOLINE OR DIESEL ENGINE (4X2, 6X4); 20,000 POUNDS G.V.W. AND OVER	A 4210 #	01-APR-77				
	KKK-T-001985	TRUCK, LIGHT, COMMERCIAL, ELECTRIC POWERED, FRONT OR REAR WHEEL DRIVEN (4 X 2, 500 TO 3000 POUNDS MAXIMUM PAYLOAD)	A 2320 #	01-SEP-77				
D	KKK-T-2107M	TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL OR GASOLINE ENGINE DRIVEN, 6350 TO 9530 KILOGRAMS (14,000 TO 21,000 POUNDS) GVW, 4X2	A 2320 / AT	15-SEP-91	AT	YD1	99	
D	KKK-T-2108M	TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL OR GASOLINE ENGINE DRIVEN, 10 900 TO 14 500 KILOGRAMS (24,000 TO 32,000 POUNDS) GVW, 4X2	A 2320 / AT	15-SEP-91	AT	YD1	99	
D	KKK-T-2109M	TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL ENGINE DRIVEN, 15 650 TO 30 000 KILOGRAMS (34,500 TO 66,000 POUNDS) GVW, 6X4	A 2320 / AT	15-SEP-91	AT	YD1	99	
D	KKK-T-2110M	TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL OR GASOLINE ENGINE DRIVEN, 10 000 TO 15 850 KILOGRAMS (24,000 TO 35,000 POUNDS) GVW, 4X4	A 2320 / AT	15-SEP-91	AT	YD1	99	
D	KKK-T-2111M	TRUCKS AND TRUCK TRACTORS: COMMERCIAL, DIESEL ENGINE DRIVEN, 16 350 TO 28 100 KILOGRAMS (36,000 TO 62,000 POUNDS) GVW, 6X6	A 2320 / AT	15-SEP-91	AT	YD1	99	
	KKK-F-2115	FIRETRUCK (PUMPER), DIESEL ENGINE, 4X2 OR 4X4, 11000 TO 20000 POUNDS G.V.W.	A 4210 #	01-JUN-85				
	KKK-F-2201	FIRETRUCK, WILDLAND, 4X2, 4X4, GASOLINE OR DIESEL ENGINE, 8,700 POUND TO 27,500 POUND GVWR	A 4210 #	01-MAR-86				
D	KKK-S-2766	SEMITRAILERS, TILT DECK: COMMERCIAL USER: 84 MC ME	A 2330 / YD1	02-DEC-91	AT	YD1	99	
D	KKK-S-2768	SEMITRAILERS, BOLSTER, COMMERCIAL, POLE TYPE, 2 TO 20 TONS	A 2330 / YD1	20-JUN-91	AT	YD1	99	
D	KKK-S-002769A	SEMITRAILERS, STAKE: MODIFIED COMMERCIAL USER: MC REVIEWER: 84	A 2330 / AT	15-DEC-92	AT	YD1	99	
D	KKK-S-2769	SEMITRAILERS, STAKE: COMMERCIAL USER: MC REVIEWER: 84	A 2330 / YD1	30-APR-92	AT	YD1	99	
D	KKK-S-2777	SNOWBLOWS, TRUCK MOUNTED, DISPLACEMENT TYPE, 36,000 GVWR, 4 BY 4 USER: AV	A 3825 / YD1	24-FEB-92	ME	YD1		
D L	KKK-S-2778	DISTRIBUTORS, WATER TANK, TRUCK MOUNTED FRONT AND REAR SPRAY	A 3825 / YD1	26-MAR-92	YD1			
D L	KKK-S-2806	SEMITRAILER, BOTTOM DUMP, 18 CUBIC YARD MINIMUM CAPACITY	A 2330 / YD1	16-OCT-92	YD1			
D L	KKK-T-2807	TRUCKS, LUBRICATING AND FUEL SERVICING 4 BY 2 AND 4 BY 4 USER: AT MC	A 2320 / YD1	12-NOV-92	YD1			
D	KKK-E-2808	EXCAVATOR, MULTIPURPOSE, TRUCK MOUNTED, TWO CABS USER: MC REVIEWER: 84 CS	A 3805 / YD1	30-DEC-92	AT	YD1	99	
M L	KKK-A-2809	AUGER, EARTH, TRUCK-MOUNTED, 4 BY 4, DIESEL ENGINE DRIVEN, 28,000 LB MINIMUM GVW, WITH POLE SETTER AND WIRE REEL	A 3820 / YD1	23-APR-93	YD1			
D	KKK-E-2810	EXCAVATOR, MULTIPURPOSE, WHEEL-UNDERCARRIAGE DIESEL-ENGINE-DRIVEN REVIEWER: 84	A 3805 / YD1	08-MAR-93	AT	YD1	99	
	LLL-L-510	LADDER, PORTABLE, WOOD, EXTENSION AND STRAIGHT USER: MC OS SH REVIEWER: CS	A 5440 # ME	04-SEP-85	ME		99	
	LLL-M-718	MALLETS AND MAULS, WOOD	A 5120 # GL	19-DEC-63	GL	SH	99	
	LLL-M-718(11)	MALLETS AND MAULS, WOOD	A 5120 # FSS	03-NOV-67				
	LLL-C-00110A	CASE, FILING, TRANSFER, WOOD OR FIBER USER: GL	A 7520 #	15-NOV-68				
	LLL-B-211(1)	BELLOWS, HAND: FOUNDRY, SECTION 4 (PART 5) USER: GL	A 5120 #	04-DEC-50				
	LLL-C-251A	CHARCOAL, WOOD [VALIDATION DATE: 7504] REVIEWER: OS	A 9110 #	26-AUG-69				
D	LLL-L-354C	LIMOLEUM: DESK TOP	A 7220 / YD1	27-APR-67	GL	YD1	69	
D L	LLL-L-354C(11)	LIMOLEUM: DESK TOP	A 7220 / YD1	03-SEP-68	YD1			
	LLL-R-6260	ROSINS: GUM, WOOD, AND TALL OIL [VALIDATION DATE: 9101] REVIEWER: GS MD MI	A 6810 / EA	15-JAN-91	EA	OS	68	
	LLL-A-6500	ARCH AND CLIP BOARD FILES, COMPOSITION HARDBOARD BACK	A 7520 # FSS	11-APR-90				
	LLL-A-00650C	ARCH AND CLIP BOARD FILES, COMPOSITION HARDBOARD BACK	A 7520 # FSS	29-APR-69				
	LLL-A-6508(11)	ARCH AND CLIP BOARD FILES, WOOD OR COMPOSITION HARDBOARD BACK	A 7520 # FSS	05-NOV-65				
	LLL-B-650A	BOX, FILING, CLOTH, WOOD OR FIBER USER: GL MC SM	A 7520 #	20-OCT-65				
	LLL-B-006508(1)	BOX, FILING, CLOTH COVERED WOOD OR FIBER	A 7520 #	02-NOV-71				
	LLL-B-8008	BUILDING BOARD (WOOD PARTICLEBOARD) HARD PRESSED, VEGETABLE FIBER	A 5640 #	20-AUG-74				
	LLL-M-1142A	HANGER, TROUSER USER: GL	A 7290 #	08-MAY-73				
	LLL-C-001491	CASE, FILING, TRANSFER, KNOCKDOWN	A 7520 #	10-NOV-69				
	MM-A-1000	ADHESIVE, ANIMAL-GLUE	A 8040 #	07-FEB-78				
	MM-A-105	ADHESIVE AND SEALING COMPOUND CELLULOSE NITRATE BASE, SOLVENT TYPE [VALIDATION DATE: 8103] USER: CE REVIEWER: GL SA SM	A 8040 # AR	23-JUN-67	AR	AS	99	
	MM-A-1108(1)	ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES) [VALIDATION DATE: 8702] USER: AR	A 8040 # NR	10-FEB-87	NR	AS	99	
D	MM-A-1108(12)	ADHESIVE, ASPHALT, CUT-BACK TYPE (FOR ASPHALT AND VINYL ASBESTOS TILES) ... [VALIDATION DATE: 8702] USER: AR	A 8040 # FSS	12-JAN-76				
	MM-A-115C	ADHESIVE, ASPHALT, WATER EMULSION TYPE (FOR ASPHALT AND VINYL ASBESTOS TILE) USER: GL	A 8040 # YD1	06-AUG-79	NR	YD1		
Q	MM-A-121	ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL [VALIDATION DATE: 8907] USER: AS OS REVIEWER: AR OS GL MI	A 8040 / SH	24-JUL-89	NR	SH		
	MM-A-122C	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [VALIDATION DATE: 8702] USER: MC ME MI REVIEWER: EA GL MD	A 8040 # NR	10-FEB-87	NR	AS	99	
D	MM-A-1308	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [VALIDATION DATE: 8702] USER: MC ME MI REVIEWER: EA GL MD	A 8040 # ME	09-DEC-74	ME		84	
Q	MM-A-1308(13)	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [VALIDATION DATE: 8702] USER: MC ME MI REVIEWER: EA GL MD	A 8040 # FSS	07-APR-76				
	MM-A-132A(3)	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [VALIDATION DATE: 8702] USER: MC ME MI REVIEWER: EA GL MD	A 8040 / AS	12-APR-84	NR	AS	11	
Q	MM-A-134	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [VALIDATION DATE: 8702] USER: MC ME MI REVIEWER: EA GL MD	A 8040 / AS	17-AUG-70	NR	AS	11	
D	MM-A-1370	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING [VALIDATION DATE: 8702] USER: MC ME MI REVIEWER: EA GL MD	A 8040 # NR	10-FEB-87	NR	YD1	99	
	MM-A-1388	ADHESIVE, METAL TO WOOD, STRUCTURAL [VALIDATION DATE: 9111] USER: CR MC ...	A 8040 / AS	05-NOV-91	NR	AS	99	
DQ	MM-A-1398	ADHESIVE, METAL TO WOOD, STRUCTURAL [VALIDATION DATE: 9111] USER: CR MC ...	A 8040 / AS	05-NOV-91	NR	AS	11	
	MM-A-001508	ADHESIVE, NATURAL OR SYNTHETIC NATURAL RUBBER [VALIDATION DATE: 9111] USER: AT MC ME OS SH YD1 REVIEWER: 84 AV GL	A 8040 #	29-APR-76				
D	MM-A-1796	ADHESIVE FOR ACOUSTICAL MATERIALS	A 8040 / NR	22-MAR-88	NR	AS	99	
	MM-A-180C	ADHESIVE, PAPER LABEL USER: AR EL GL MI OS SH YD1 REVIEWER: SA SM	A 8040 # AS	06-AUG-79	NR	AS	99	
D	MM-A-1810	ADHESIVE, POLYVINYL ACETATE EMULSION [VALIDATION DATE: 8004] USER: AT EA REVIEWER: MI	A 8040 / NR	02-AUG-89	NR	YD1	99	
L	MM-A-182A	ADHESIVES, PHENOL, RESORCINOL OR MELANINE BASE [VALIDATION DATE: 8908] USER: AS CR MC MI OS SH REVIEWER: OS GL MD	A 8040 / NR	02-AUG-89	NR	YD1	99	
A	MM-A-1858	ADHESIVE, RUBBER [VALIDATION DATE: 8809] USER: ME SM REVIEWER: MD MI NR ...	A 8040 / EA	23-SEP-88	EA			
A L	MM-A-1858(12)	ADHESIVE, RUBBER (FOR PAPER BONDING) [VALIDATION DATE: 9209] USER: MC	A 8040 # AS	30-SEP-92	NR	AS	99	
	MM-A-187B(1)	ADHESIVE, RUBBER (FOR PAPER BONDING) [VALIDATION DATE: 9209] USER: MC	A 8040 # AS	30-SEP-92	NR	AS	99	
A	MM-A-188C	ADHESIVE, EPOXY RESIN BASE LOW AND INTERMEDIATE STRENGTH, GENERAL PURPOSE USER: ME REVIEWER: EA MI OS	A 8040 # AS	03-AUG-89	NR	AS	99	
	MM-A-189C	ADHESIVE, UREA-RESIN-TYPE (LIQUID AND POWDER) [VALIDATION DATE: 9209] USER: AT ER OS SH REVIEWER: EA GL ME	A 8040 / AS	30-SEP-92	NR	AC	99	
	MM-A-250C(1)	ADHESIVE, SYNTHETIC-RUBBER, THERMOPLASTIC, GENERAL-PURPOSE [VALIDATION DATE: 9103] REVIEWER: MD ME MI	A 8040 / NR	29-MAR-91	NR		84	
D	MM-A-260C	ADHESIVE, WATER-RESISTANT (FOR CLOSURE OF FIBERBOARD BOXES) [VALIDATION DATE: 8908] USER: MC ME SM REVIEWER: DP OS GL IS MD OS SM	A 8040 / NR	02-AUG-89	NR		99	
	MM-A-1058A	ADHESIVE, WATER-RESISTANT, (FOR SEALING WATERPROOFED PAPER) [VALIDATION DATE: 9103] USER: MC ME YD1 REVIEWER: 69 OS LA GL OS SM SS	A 8040 / NR	29-MAR-91	NR	AS	11	
Q	MM-A-1617A	ADHESIVE, RUBBER BASE, (IN PRESSURIZED DISPENSERS) [VALIDATION DATE: 8104] USER: MR SM	A 8040 # AS	16-JAN-75	AS		11	
	MM-A-1058A(11)	ADHESIVE, RUBBER (IN PRESSURIZED DISPENSERS) [VALIDATION DATE: 8104] USER: MR SM	A 8040 # FSS	26-JAN-78				
	MM-A-1617A	ADHESIVE, RUBBER BASE, GENERAL PURPOSE USER: AT MC REVIEWER: 11 OS GL ME MI OS SM	A 8040 / AS	18-JUN-81	NR	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Active Spec / OMA Contribution Inches Document Number	Document Title	Dist. Org. FSC / Item MCA Symbol Preparing Act. Date	Custodian Army Navy Air Force DLA
MM-A-1754	ADHESIVE AND SEALING COMPOUND, EPOXY, METAL FILLED [VALIDATION DATE: 8508]	A 8040 * AS 01-JUL-73	MR AS 99
MM-A-1931	ADHESIVE, EPOXY, SILVER FILLED, CONDUCTIVE [VALIDATION DATE: 8104] USER:	A 8040 * AS 19-SEP-75	MR AS 99
D MM-A-001993	ADHESIVE, EPOXY, FLEXIBLE, FILLED (FOR BINDING, SEALING AND GROUTING)	A 8040 / AS 28-FEB-78	AS
MM-A-002015	ADHESIVE, SEMI-SOLID, STICK FORM, WITH DISPENSERS	A 8040 # 06-APR-77	
MM-A-2048	ADHESIVE, FIRE-RESISTANT, THERMAL INSULATION	A 8040 # 01-APR-78	
MM-A-002048	ADHESIVE, FIRE-RESISTANT, THERMAL INSULATION	A 8040 # 01-APR-78	
MM-C-20	CAN, PIPET STERILIZING [VALIDATION DATE: 8202]	A 6640 * MB 17-MAR-65	MD MS 03
L MM-C-20(11)	CAN, PIPET STERILIZING [VALIDATION DATE: 8202]	A 6640 / DM 27-FEB-76	DM
MM-W-258	WASH BOTTLES, LABORATORY [VALIDATION DATE: 8406] REVIEWER: CE	A 6640 / DM 29-JUN-76	MD MS 99
MM-J-358	JAR, CYLINDRICAL [VALIDATION DATE: 8202]	A 6640 / DM 06-AUG-75	MD MS 03
MM-R-0055(1)	RACK, TEST TUBE LABORATORY [VALIDATION DATE: 8406]	A 6640 / DM 30-JUN-71	MD MS 03
MM-S-00100	SCRAPER, LABORATORY, RUBBER [VALIDATION DATE: 8202]	A 6640 / DM 05-APR-65	MD MS 03
MM-T-1898	TEST TUBE, LABORATORY, GLASS [VALIDATION DATE: 8202]	A 6640 / DM 02-JUL-76	MD MS 03
MM-F-2400	FLASK, LABORATORY	A 6640 * EA 01-SEP-76	EA MS 99
MM-F-2890	FLASK, VOLUMETRIC	A 6640 / EA 07-FEB-77	EA MS 99
MM-B-300A	BLOOD COLLECTING CULTURE UNIT, LABORATORY [VALIDATION DATE: 8406]	A 6630 / DM 19-AUG-77	MD MS 03
MM-D-345A	DISH, EVAPORATING, PLATINUM [VALIDATION DATE: 8201]	A 6640 / EA 11-JAN-63	EA MS 99
MM-D-350A	DISH, CUM TEST [VALIDATION DATE: 8201]	A 6640 / EA 26-DEC-62	EA MS 99
MM-T-3608	TISSUE GRINDER, TENBROECK [VALIDATION DATE: 8406]	A 6640 * DM 08-DEC-76	MD MS 03
MM-C-004358	CLAMPS, RUBBER TUBING, REGULATING AND SHUTOFF (LABORATORY) (S/S BY	A 6640 # 22-JUN-70	
	A-A-51245		
MM-C-440	CLAMP, UTILITY, LABORATORY & HOLDER BURET & CLAMP	A 6640 / EA 01-MAR-63	EA MS 99
MM-M-560	MORTAR AND PESTLE [VALIDATION DATE: 6803] USER: CE REVIEWER: MD	A 6640 / EA 26-OCT-62	EA MS 99
MM-C-00680A	CRUCIBLES, FILTERING AND IGNITION, AND COVERS, LABORATORY [VALIDATION	A 6640 / DM 24-MAY-72	MD MS 03
	DATE: 7901]		
MM-G-690	GRADUATE, LIQUID, LABORATORY, PLASTIC	A 6640 / EA 19-FEB-63	EA MS 99
MM-G-692C(1)	GRADUATE, LIQUID, LABORATORY AND PHARMACEUTICAL, GLASS USER: MI SM	A 6640 * DP 10-FEB-77	AR MS
	REVIEWER: MD		
MM-R-770	RULE, LABORATORY (MEASURING, PLASTIC AND WOOD) [VALIDATION DATE: 8406]	A 6640 * DM 07-APR-66	MD MS 03
	USER: CG GL		
MM-T-7808	TUBE, CENTRIFUGE, GLASS USER: MI REVIEWER: 99 DP MD	A 6640 * EA 10-MAR-70	EA MS
MM-T-792A	TUBE, DRYING, LABORATORY [VALIDATION DATE: 8201]	A 6640 / EA 29-MAR-63	EA MS 99
MM-F-800A	FUNNEL, SEPARATORY [VALIDATION DATE: 6803]	A 6640 / EA 05-NOV-62	EA MS 99
MM-E-920A(1)	EXTRACTION ASSEMBLY, WITH FRIEDRICH CONDENSER	A 6640 / EA 02-JUL-63	EA MS 99
MM-L-009208	EXTRACTION ASSEMBLY [VALIDATION DATE: 8202]	A 6640 / DM 16-FEB-67	MD MS 03
MM-B-001291	BASKET, TEST TUBE [VALIDATION DATE: 8406]	A 6640 / DM 04-MAR-70	MD MS 03
MM-T-901293	TUBE, BLOOD COLLECTING, VACUUM, MONSTERILE	A 6630 / DM 04-NOV-69	MD MS 03
MM-P-14758	PAPER, FILTER, ANALYTICAL [VALIDATION DATE: 8202] USER: MI REVIEWER: DP	A 6640 / DM 18-JUN-76	MD MS 03
MM-D-14788	DISH, CULTURE, PETRI (GLASS)	A 6640 * DP 07-MAR-78	AR MS 03
MM-P-0014828	PIPET, SEROLOGICAL, SAHLI, DILUTING, HEMOGLOBINOMETER, 0.02 ML.	A 6640 / MB 18-OCT-72	MD MS 03
	[VALIDATION DATE: 7901]		
MM-C-149C	CUP, BLOOD SAMPLE	A 6640 # 27-APR-73	
MM-B-1505A	BOTTLES, SCREW CAP, GLASS (LABORATORY USE) [VALIDATION DATE: 8406]	A 6640 / DM 10-SEP-76	MD MS
MM-B-001522	BOTTLE, STOPPER (NARROW AND WIDE MOUTH)	A 6640 # 31-DEC-69	
PPP-B-15C	BAG AND ENVELOPE, CELLOPHANE, FOR PACKAGING USER: MC REVIEWER: MD SM	A 8105 * GL 06-JUN-75	GL SA 99
PPP-P-00150(5)	PACKAGING AND PACKING OF STORAGE CABINETS, WARDROBES AND CLOTHING LOCKERS,	A PACK # FSS 29-JUN-72	
	METAL		
PPP-P-16C(1)	PACKAGING OF PHOTOGRAPHIC DRY AND LIQUID CHEMICALS, GENERAL SPECIFICATION	A PACK / 70 19-JUN-69	99
	FOR REVIEWER: SM		
PPP-C-00208	PACKAGING AND PACKING OF FILING CABINETS, STEEL, CARD SIZE (TABULATING,	A PACK # FSS 01-OCT-76	
	MACHINE AND INDEX)		
PPP-B-238	BAG, MOTION SICKNESS REVIEWER: 99 DM MD MS	A 8105 / 69 31-JAN-74	GL SA 69
PPP-P-25F	PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF USER: MC REVIEWER:	A PACK * GL 11-SEP-81	GL SA 99
	SM		
PPP-P-25F(13)	PRINTING AND STATIONARY PAPER, PACKAGING AND PACKING OF	A PACK # FSS 11-SEP-81	
PPP-B-26E(2)	BAG, PLASTIC, (GENERAL PURPOSE) [VALIDATION DATE: 8904] USER: MC SS	A 8105 / GL 22-APR-89	GL SA 69
	REVIEWER: 99 AR DS MD OS		
PPP-C-29C	CANNED SUBSISTENCE ITEMS, PACKAGING OF REVIEWER: DP MC MD SM	A 89CP / GL 03-MAY-89	GL SA 50
PPP-P-408	PACKAGING AND PACKING OF HAND TOOLS USER: AR AS MC OS SA REVIEWER: ME SM	A 51GP / AL 16-DEC-86	AL SH 99
PPP-T-450	TAPE, CLIMBED, PAPER, REINFORCED AND PLAIN, FOR SEALING AND SECURING	A 8135 / GL 05-MAR-90	GL OS 69
NOTICE 1	[VALIDATION DATE: 9003] USER: CG CR MC ME SA SS REVIEWER: 99 AS DS MD SH		
	SM		
A PPP-P-50A(1)	PACKAGING AND PACKING OF THREAD FOR DOMESTIC AND OVERSEAS SHIPMENT	A 8310 / CT 12-DEC-87	GL SA 99 CT
	[VALIDATION DATE: 8711] USER: 45 AS MI REVIEWER: 11 SM		
NOTICE 1	PACKAGING, PACKING AND MARKING OF TEXTILE FABRICS (WOOLENS, WORSTEDS,	A PACK # 01-JAN-67	
PPP-B-51C	COTTONS, SILKS AND SYNTHETICS)(S/S BY PPP-P-1132 THRU PPP-P-1136)		
PPP-C-558	CAN, COMPOSITE, FOR DRY PRODUCTS REVIEWER: GS	A 8110 * GL 16-APR-75	GL SA 99
NOTICE 1			
PPP-C-588	CAN, TELESCOPE TOP REVIEWER: 82 GS	A 8110 * GL 13-JAN-92	GL SA 69
PPP-C-58A(11)	CAN, TELESCOPE TOP	A 8110 # FSS 20-APR-89	GL AS 69
D PPP-T-60E	TAPE, PACKAGING, WATERPROOF USER: ES REVIEWER: AR AV DS ER MC ME OS SA SM	A 7510 * 06-NOV-86	GL AS 69
	YD1		
PPP-T-66E	TAPE, PACKAGING, VINYL PLASTIC FILM USER: ME	A 7510 # 04-MAY-83	
PPP-T-70A	TAPE, PACKAGING, PLASTIC FILM [VALIDATION DATE: 8602] REVIEWER: EA	A 7510 / GL 05-FEB-74	GL SA 99
PPP-T-76C	TAPE, PACKAGING, PAPER (FOR CARTON SEALING) REVIEWER: 71 80 84 AR ER MI SA	A 7510 * GL 02-AUG-84	GL AS 69
D PPP-C-96E	CAMS, METAL, 28 GAGE AND LIGHTER USER: AV DP MC ME MI YD1 REVIEWER: 68 70	A 8110 / GL 31-DEC-92	GL SA 69
	99 AS AT CR SH		
D PPP-T-970	TAPE, PRESSURE SENSITIVE ADHESIVE, FILAMENT REINFORCED	A 8135 / OS 01-MAY-70	GL OS 01
PPP-T-0097E	TAPE, PACKAGING/INDUSTRIAL, FILAMENT REINFORCED	A 7510 # FSS 02-AUG-84	
PPP-P-1150	PAD, PAPER, MACERATED USER: GL	A 8135 # 09-JUL-73	
PPP-P-1150(11)	PADS, PAPER, MACERATED	A 8135 # FSS 20-APR-89	
PPP-P-130A(2)	PAIL, CANS, AND WASTE RECEPTACLES, PACKING OF [VALIDATION DATE: 8402]	A 7520 / GL 10-SEP-71	GL
	REVIEWER: SM		
M PPP-B-140C	BATTERIES, STORAGE, INDUSTRIAL, AUTOMOTIVE, AIRCRAFT AND NAVY PORTABLE:	A PACK / YD1 01-MAR-93	ER YD1 99
	PACKAGING OF USER: EC MC ME REVIEWER: 80 AS AT CR GS SA SM		
PPP-C-186C	CONTAINERS, PACKAGING AND PACKING FOR DRUGS, CHEMICALS, AND	A PACK / MB 15-DEC-88	MD MS 03
	PHARMACEUTICALS [VALIDATION DATE: 8812] REVIEWER: SM		
PPP-V-205C	VENEER, PAPER OVERLAD, CONTAINER GRADE [VALIDATION DATE: 8402] USER: 03	A 5530 / GL 13-OCT-69	GL SA 99
	MC REVIEWER: CS ME SM		
D PPP-P-291E	PAPERBOARD, WRAPPING AND CUSHIONING [VALIDATION DATE: 8602] USER: MC MD	A 8135 / GL 09-FEB-76	GL SA 69
	REVIEWER: 99 CR EA GS MI OS SM YD1		
PPP-C-300A	CHEMICALS, LIQUID: PACKAGING AND PACKING OF (S/S BY PPP-C-2020 REVIEWER:	A PACK / EA 28-MAR-83	EA SH 68
	MI SM		
PPP-F-320D(3)	FIBERBOARD: CORRUGATED AND SOLID, SHEET STOCK (CONTAINER GRADE) AND CUT	A 8135 * GL 17-OCT-73	GL SA 69
	SHAPES USER: MC SS REVIEWER: 99 AS OS EA GS MD ME OS		
D PPP-F-00320E	FIBERBOARD: CORRUGATED AND SOLID, SHEET STOCK (CONTAINER GRADE), AND CUT	A 8135 * SA 04-JAN-91	GL SA 69
	SHAPES USER: MC MD REVIEWER: AR AS OS SM YD1		
PPP-I-350C	INDIVIDUAL SERVINGS OF SUBSISTENCE, PACKAGING OF REVIEWER: MC MD MS SM SS	A PACK / GL 30-OCT-81	GL SA 50
PPP-T-360A(1)	TIME MEASURING INSTRUMENTS, PACKAGING OF REVIEWER: GS SM	A 6645 / AR 25-OCT-73	AR SH 99
PPP-P-420B(1)	PLUG AND FLANGE (FOR DRUM CLOSURE) USER: MC ME SA REVIEWER: 68 99 GS	A 8110 * GL 08-APR-74	GL AS 69
D PPP-T-4958	TUBES, MAILING, AND FILING USER: AV MC SH YD1 REVIEWER: 99 EA GS SM	A 8110 / GL 25-FEB-74	GL SA 69



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Org./Unit Combination Notice Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act Date	Custodians		
			Army	Navy	AF Force DLA
PPP-T-4958(12)	TUBES, MAILING, AND FILING	A 8110 # FSS 14-OCT-88	GL	SA	69
PPP-B-566E(3)	BOXES, FOLDING, PAPERBOARD [VALIDATION DATE: 8801] USER: MC REVIEWER: 99	A 8115 / GL 25-JAN-88	GL	SA	99
NOTICE 1	AR DS EA MD ME SH SM SS				
PPP-C-569C(2)	CONTAINER, PLASTIC, MOLDED (FOR LIQUIDS, PASTES AND POWDERS), OVERPACKED	A 8115 * GL 15-MAY-72	GL	SA	99
A	USER: AR SH REVIEWER: EA MD SM				
PPP-B-576C	BOXES, WOOD-CLEATED PAPERBOARD USER: AR AS MS SH REVIEWER: 99 AV EA SM	A 8115 / GL 22-DEC-92	GL	SA	69
PPP-B-5800	BOX, HOUSEHOLD GOODS USER: GL REVIEWER: 99 SM	A 8115 / MT 22-MAR-79	MT	SA	69
PPP-B-5800(12)	BOX, HOUSEHOLD GOODS	A 8115 # FSS 15-MAY-80			
M	BOXES, WOOD, WIREBOUND USER: AV CR MC MD OS SH REVIEWER: 84 99 AR AS ME SM	A 8115 / GL 31-DEC-92	GL	SA	69
PPP-B-585D	SS YD1				
PPP-B-587B	BOX, WOOD, WIREBOUND PALLET TYPE USER: CE REVIEWER: 70 71 80 99 DM EA ME	A 8115 / 69 31-MAR-87	GL	SA	69
	SH SM				
PPP-B-591B(1)	BOXES, SHIPPING, FIBERBOARD, WOOD-CLEATED USER: AR AS MS SH REVIEWER: 99	A 8115 / GL 25-JAN-88	GL	SA	69
NOTICE 1	AV EA				
A	PORCELAIN ENAMEL PRODUCTS AND HOUSEHOLD APPLIANCES, ELECTRICAL AND	A PACK / GL 31-DEC-92	GL	SA	99
PPP-P-600G	MECHANICAL - REQUIREMENTS FOR PACKAGING OF REVIEWER: SM				
D	BOXES, WOOD, CLEATED-PLYWOOD USER: MC OS SH REVIEWER: 84 99 AR EA MD ME SM	A 8115 / GL 22-MAY-89	GL	SA	69
PPP-B-601H	YD1				
A L	BOXES, WOOD, CLEATED-PLYWOOD	A 8115 / GL 10-SEP-92	GL		
PPP-B-601H(12)	BOX, WOOD, NAILED AND LOCK-CORNER USER: OS SH REVIEWER: 43 84 99 AR MD MI	A 8115 / GL 30-DEC-85	GL	SA	69
D	MT YD1				
D	BOXES, SHIPPING, FIBERBOARD USER: 80 EC MC OS REVIEWER: 70 71 82 84 AS ME	A 8115 * GL 20-JAN-82	GL	SA	69
PPP-B-636J(1)	MI SH SM YD1				
L	BOXES, SHIPPING, FIBERBOARD	A 8115 # FSS 01-JAN-91			
PPP-B-636J(14)	BOXES, SHIPPING, FIBERBOARD	A 8115 / SA 09-SEP-88		SA	
D	BOX, CAPS, LINERS AND SLEEVES, FIBERBOARD, KNOCKED DOWN, FLAT, PACKING OF	A 8115 / GL 25-JAN-88	GL	SA	69
NOTICE 1	[VALIDATION DATE: 8801] USER: MC ME MI SS YD1 REVIEWER: 99 SM				
PPP-B-640D(1)	BOXES, FIBERBOARD, CORRUGATED, TRIPLE-WALL [VALIDATION DATE: 7511] USER:	A 8115 / GL 07-AUG-69	GL	SA	69
L	ME SS REVIEWER: EA MI OS				
PPP-B-640D(16)	BOXES, FIBERBOARD, CORRUGATED, TRIPLE-WALL	A 8115 / SA 09-SEP-88		SA	
PPP-B-650B(2)	BOXES, CORRUGATED FIBERBOARD, SPECIAL PURPOSE (RECORDS RETINING)	A 8115 # 25-JUN-76			
D	BOXES, PAPERBOARD, METAL EDGED AND COMPONENTS USER: ME SA SS YD1 REVIEWER:	A 8115 * 01-NOV-72			
PPP-B-665D	AS OS EA MI OS SM				
PPP-B-676D(2)	BOXES SETUP [VALIDATION DATE: 8501] REVIEWER: 99 AR AS CR DS EA ES MC MI	A 8115 / GL 10-AUG-77	GL	SA	69
	MS OS SH SM				
D	BOXES, SETUP	A 8115 # FSS 20-APR-89			
PPP-B-676D(13)	TAPE, PRESSURE SENSITIVE ADHESIVE, PACKAGING AND PACKING OF [VALIDATION	A 7510 * GL 17-NOV-75	GL	AS	99
PPP-T-680E	DATE: 8301] USER: SH REVIEWER: 69 GS MC MI MR SA SM YD1				
D	TAPE, GUMMED, PACKAGING AND PACKING OF [VALIDATION DATE: 8301] USER: MC OS	A 8135 / GL 18-MAY-76	GL	SA	99
PPP-T-681D(1)	YD1 REVIEWER: 69 AS GS SM				
PPP-F-6900	FROZEN FRUIT, FROZEN FRUIT JUICES, & FROZEN VEGETABLES, PACKAGING OF	A PACK / GL 20-NOV-81	GL	SA	50
D	REVIEWER: MC MD SM SS				
PPP-P-704E(2)	PAILS, METAL: (SHIPPING, STEEL, 1 THROUGH 12 GALLONS) USER: OS SA SH YD1	A 8110 / GL 20-FEB-87	GL	AS	69
D	REVIEWER: 99 EA MD PS				
PPP-D-705D(1)	DRUM, SHIPPING AND STORAGE: STEEL, 16 AND 30 GALLON CAPACITY [VALIDATION	A 8110 / GL 28-AUG-89	GL	SA	69
NOTICE 1	DATE: 8908] USER: CR MC YD1 REVIEWER: 82 AR AS EA GS MI SH				
PPP-D-711E	DRUM, METAL SHIPPING, STEEL, LIGHTWEIGHT (55 GALLON) [VALIDATION DATE:	A 8110 # 16-DEC-75			
PPP-D-723J	8201]				
PPP-D-729E(1)	DRUM, FIBER [VALIDATION DATE: 8104] USER: OS SH REVIEWER: 99 EA GS MD SM	A 8110 / GL 16-SEP-80	GL	SA	69
D	DRUMS, SHIPPING AND STORAGE, STEEL, 55 GALLON (208 LITERS) [VALIDATION	A 8110 / GL 30-DEC-83	GL	SA	69
PPP-D-732D	DATE: 8402] USER: AR AT MC MS SS REVIEWER: 99 AS EA GS MI PS SH				
PPP-D-736C	DRUM, METAL, 55 GALLON RECONDITIONED (FOR SHIPMENT OF NONCORROSIVE	A 8110 / GL 14-APR-76	GL	SA	99
PPP-D-736C(13)	MATERIAL) [VALIDATION DATE: 8201] USER: EC MC YD1 REVIEWER: GS SM				
PPP-C-795C	DRUMS, SHIPPING, STEEL DOT-6A, DOT-68 AND DOT 17C	A 8110 * GL 15-FEB-75	GL	SA	69
NOTICE 1	DRUMS, SHIPPING, STEEL DOT-6A, DOT-68 AND DOT 17C	A 8110 # FSS 14-FEB-92	GL	AS	69
L	CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM FOR LONG	A 8135 * GL 02-JAN-92			
PPP-C-795C(11)	SHIPPING CYCLE APPLICATIONS) USER: AV REVIEWER: 99 AR CG MD MI				
NOTICE 1	CUSHIONING MATERIAL, PACKAGING (FLEXIBLE CLOSED CELL PLASTIC FILM FOR LONG	A 8135 / SA 02-JAN-92		SA	
PPP-C-850D(5)	SHIPPING CYCLE APPLICATIONS)				
PPP-B-1055B(2)	CUSHIONING MATERIAL, POLYSTYRENE EXPANDED, RESILIENT (FOR PACKAGING USES)	A 8135 * SM 03-SEP-76	SM		
NOTICE 1	[VALIDATION DATE: 8402] USER: GL ME MI REVIEWER: EA				
PPP-B-1087B	BARRIER MATERIAL, WATERPROOF, FLEXIBLE [VALIDATION DATE: 8904] USER: SH SM	A 8135 / GL 22-APR-89	GL	SA	69
PPP-B-1088B	SS REVIEWER: 99 AS AV GS ME				
PPP-C-1120B	BAG, COTTON DUCK (SOIL AND GRAIN)	A 8105 # 31-MAR-83			
PPP-C-1128A(1)	BAG, COTTON DRILL	A 8105 # 21-JAN-77			
PPP-P-1132C	CUSHIONING MATERIAL, UNCOMPRESSED BOUND FIBER FOR PACKAGING USER: 03 CR DM	A 8135 / 69 15-APR-82	GL	OS	69
NOTICE 1	MC MS REVIEWER: 99 AV OS EA ME MI SA SH				
PPP-P-1133C	CONTAINER ASSEMBLY, SAMPLE AND SPECIMEN SHIPPING [VALIDATION DATE: 8402]	A 8110 / GL 18-APR-78	GL		69
NOTICE 1	USER: EA SM REVIEWER: 99 GS MD MS				
PPP-P-1134D	PACKAGING OF WOOLEN, WORSTED AND WOOL BLEND (SYNTHETIC FIBER: COTTON)	A PACK / CT 22-APR-89	GL	SA	99 CT
NOTICE 1	FABRICS [VALIDATION DATE: 8904] USER: CG MC REVIEWER: 82 AS GS MD MU SM				
PPP-P-1136D	PACKAGING OF SYNTHETIC FIBER FABRICS [VALIDATION DATE: 8904] USER: CG	A PACK / CT 22-APR-89	GL	SA	99 CT
NOTICE 1	REVIEWER: 82 AS GS MD MU SM				
PPP-P-1136D(2)	PACKAGING OF COTTON AND COTTON-SYNTHETIC FIBER BLEND FABRICS (EXCLUDING	A PACK / CT 22-APR-89	GL	SA	99 CT
NOTICE 1	DUCK FABRICS) [VALIDATION DATE: 8904] USER: CG MC REVIEWER: 82 AS GS MD MU				
PPP-P-1136D(14)	SM				
PPP-P-1136D	PACKAGING OF DUCK FABRICS (COTTON: SYNTHETIC FIBER: COTTON-SYNTHETIC FIBER	A PACK / GL 28-SEP-84	GL	SA	99
A	BLEND) USER: 45 CG MC REVIEWER: AS CT SM				
PPP-P-1148A(2)	PACKAGING OF COATED (PLASTIC: RUBBER) AND LAMINATED FABRICS REVIEWER: 82	A PACK / CT 30-DEC-86	GL	MU	99 CT
PPP-B-1163B(2)	AS GS MD SA SM				
PPP-B-1163B(14)	PACKAGING AND PACKING OF TYPEWRITERS [VALIDATION DATE: 7502] USER: MC	A 7430 * GL 15-MAY-69	GL	SA	99
D	REVIEWER: SM				
PPP-A-1182B	BOX, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER-RESISTANT,	A 8115 * GL 29-JUN-71	GL	SA	69
PPP-P-1260B	MAX-RESIN IMPREGNATED USER: AR MC SS YD1 REVIEWER: 99 EA OS SM				
PPP-C-1266B	BOX, CORRUGATED FIBERBOARD, HIGH COMPRESSION STRENGTH, WEATHER-RESISTANT,	A 8115 # FSS 14-OCT-88			
NOTICE 2	MAX-RESIN IMPREGNATED				
A L	ALUMINUMWARE, BAKESHOP AND KITCHEN, PACKAGING, PACKING, AND MARKING OF	A 7330 * GL 19-DEC-74	GL	SA	99
PPP-C-1266B(11)	[VALIDATION DATE: 8301] USER: CG MC REVIEWER: MD MS YD1				
NOTICE 2	PLYWOOD, PACKAGING, PACKING, AND MARKING OF REVIEWER: CS OS SM	A 5530 * ME 18-APR-74	ME	AS	99
PPP-C-1337B	CONTAINER, THERMAL, SHIPPING, FOR MEDICAL MATERIAL REQUIRING CONTROLLED	A 8115 / MB 05-OCT-92	MD	MS	03
NOTICE 2	TEMPERATURE RANGES				
PPP-B-1364D	CONTAINER, THERMAL, SHIPPING, FOR MEDICAL MATERIAL REQUIRING CONTROLLED	A 8115 / MB 05-OCT-92			
PPP-B-1364C(12)	TEMPERATURE RANGES				
PPP-D-1427A	CONTAINER, COMPOSITE, (STEEL DRUM WITH POLYETHYLENE INSERT) USER: MI OS SH	A 8115 / 69 26-NOV-76	GL	SA	69
NOTICE 2	REVIEWER: 70 71 84 85 AS EA GS SM				
PPP-D-1427A(11)	BOXES, SHIPPING, CORRUGATED FIBERBOARD, HIGH STRENGTH WEATHER RESISTANT,	A 8115 # FSS 31-JAN-92			
PPP-C-1581A	DOUBLE WALL				
	BOXES, SHIPPING, CORRUGATED FIBERBOARD, HIGH STRENGTH, WEATHER-RESISTANT,	A 8115 # FSS 14-OCT-88			
	DOUBLE-WALL				
	DUNNAGE, PNEUMATIC, CARGO SHORING [VALIDATION DATE: 8402] USER: AS MC OS	A 3990 / ME 29-JAN-73	ME	SA	
	REVIEWER: GS MT				
	DUNNAGE, PNEUMATIC, CARGO SHORING [VALIDATION DATE: 8402]	A 3990 # FSS 24-MAR-77			
	CAN, COMPOSITE, WITH METAL ENDS, FOR LIQUID ITEMS [VALIDATION DATE: 8402]	A 8110 / GL 08-OCT-71	GL	SA	99
	USER: SM REVIEWER: AS GS MD				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Action Org / Comb Inception Document Number	Document Title	Dist Smt FSC / Ans MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
D PPP-H-1581A NOTICE 1 PPP-B-1606A PPP-L-1607A PPP-T-1637	HARDWARE (FASTENERS AND RELATED ITEMS), PACKAGING OF (VALIDATION DATE: 8901) USER: MC OS SM REVIEWER: AT AV IS ME MI SA SM YDI BOX, FIBERBOARD SPECIAL USE (POST OFFICE MONEY ORDER FORMS) ..... LAGGING, WOOD, WIREBOUND (VALIDATION DATE: 8303) REVIEWER: SM ..... TUBE, SHIPPING, COLLAPSIBLE (VALIDATION DATE: 8402) USER: EA MD REVIEWER: 99 GS MS	A PACK / AR 24-JAN-89 AR AS 99 A 8115 # 08-MAR-74 A 8115 / GL 19-JAN-71 GL YDI 69 A 8110 / GL 06-AUG-71 GL SA 69				
D PPP-P-1655A PPP-P-1660A PPP-P-1660A(11) PPP-B-1672C(4)  PPP-C-1683A	PAIL, PLASTIC, SHIPPING AND STORAGE USER: SA YDI REVIEWER: 99 GS SM ..... PALLET, EXPENDABLE REVIEWER: EA GS ..... PALLET, EXPENDABLE ..... BOXES, SHIPPING, REUSABLE WITH CUSHIONING USER: 70 71 82 GL REVIEWER: 43 99 SA CUSHIONING MATERIAL, EXPANDED POLYSTYRENE LOOSE-FILL BULK (FOR PACKAGING APPLICATION) USER: AS REVIEWER: 99	A 8110 * GL 24-AUG-73 GL AS 69 A 3990 * ME 12-APR-73 ME SA 99 A 3990 # FSS 18-MAR-75 A 8115 / 69 29-AUG-86 SM AS 69 A 8135 / 69 05-DEC-88 GL SA 69				
D PPP-B-1714(1) M PPP-C-1752D(3)	BAGS, SHIPPING, WOVEN POLYPROPYLENE USER: MC SM YDI ..... CUSHIONING MATERIAL, PACKAGING, POLYETHYLENE FOAM USER: 70 71 80 84 SM REVIEWER: AR MI OS SA SH	A 8105 * GL 22-JUN-76 GL SA 99 A 8135 / 69 01-FEB-93 GL AS 69 ES				
D PPP-C-1797A	CUSHIONING MATERIAL, RESILIENT, LOW DENSITY, UNICELLULAR, POLYPROPYLENE FOAM USER: AT ME OS YDI REVIEWER: 99 AR CR GL SA SH	A 8135 / AS 01-SEP-82 SM AS 69				
A PPP-C-1842B  PPP-S-1853 PPP-D-001860 PPP-B-1880 NOTICE 2 PPP-P-1892	CUSHIONING MATERIAL, FLEXIBLE OPEN CELL PLASTIC FILM (FOR PACKAGING APPLICATIONS) USER: AR AV CR ME REVIEWER: 99 AS SM SKIDS, WOOD WITH CAPS REVIEWER: GS SM ..... DRUMS, PLASTIC, MOLDED POLYETHYLENE ..... BRUSHES, PACKING, PACKAGING, PRESERVATION AND TRANSPORTABILITY REVIEWER: DH ME SM	A 8135 * GL 11-FEB-92 GL SA 69 A 3990 * GL 10-DEC-74 GL SA 99 A 8110 # FSS 21-NOV-75 A 7920 / GL 30-MAR-88 GL YDI 99				
D PPP-P-1892(12)	PAINT, VARNISH, LACQUER, AND RELATED MATERIALS: PACKAGING, PACKING, AND MARKING OF REVIEWER: YDI PAINT, VARNISH, LACQUER, AND RELATED MATERIALS: PACKAGING, PACKING, AND MARKING OF	A PACK * ME 31-DEC-74 ME AS 84 A PACK # FSS 23-JUN-77				
PPP-P-1899(1) D PPP-C-1924	PREPARATION FOR DELIVERY REQUIREMENTS FOR TABLES, STEEL, GENERAL OFFICE ... DUNNAGE MATERIAL, VERMICULITE AND PERLITE (FOR PACKAGING PURPOSE) USER: MC ME REVIEWER: 99 AS CR OS SM YDI	A PACK # 12-JAN-76 A 8135 * GL 07-JAN-75 GL SA 69				
PPP-B-1980 NOTICE 1 D PPP-C-2020(1)  PPP-B-2122	BOARD, BULLETIN & CONTROL, PACKAGING & PACKING OF (VALIDATION DATE: 8801) . CHEMICALS, LIQUID, DRY, AND PASTE, PACKAGING OF USER: 99 AR OS REVIEWER: AS GS MD ME SA SM YDI BOX, FOLDING (PAPERBOARD, FOR ARCHIVAL MICROFICHE) .....	A 7520 / GL 25-JAN-88 GL 99 A PACK / EA 18-JUN-81 EA SH 68 A 8115 # 01-OCT-81				



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL STANDARDS

Action OR / ORA Coordination Inches Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Acty. Date	Custodians			
			Army	Navy	Air Force	DLA
	FED-STD-1A FED-STD-3(1)	A MISC # 27-APR-72 A 7650 / AS 27-AUG-51	AV	AS	11	
D	FED-STD-48(2) NOTICE 1 FED-STD-5F	A 8305 / CT 01-OCT-87 A 7610 / GL 23-APR-82	GL	SA	11	CT
	FED-STD-H28(3) SUPPL 1C1 FED-STD-H28/1A NOTICE 1	A THDS / IS 12-MAR-90 A THDS / IS 12-SEP-90	AR	AS	99	15
	FED-STD-H28/28	A THDS / IS 20-AUG-91	AR	AS	99	15
	FED-STD-H28/4 NOTICE 1 FED-STD-H28/5	A THDS / IS 09-FEB-88 A THDS / IS 31-MAR-78	AR	AS	99	
	FED-STD-H28/6A(1)	A THDS / IS 27-AUG-91	AR	AS	99	15
	FED-STD-H28/7A NOTICE 1 FED-STD-H28/8B	A THDS / IS 12-OCT-89 A THDS / IS 10-JUN-92	AR	AS	99	15
	FED-STD-H28/9A	A THDS / IS 24-MAR-89	AR	AS	99	15
M	FED-STD-H28/10A	A THDS / IS 11-JUN-93	AR	AS	99	
	FED-STD-H28/11 NOTICE 1 FED-STD-H28/12A	A THDS / IS 24-MAR-88 A THDS / IS 20-SEP-89	AR	AS	99	15
	FED-STD-H28/13A FED-STD-H28/14A NOTICE 1	A THDS / IS 17-FEB-89 A THDS / IS 09-JUN-83	AR	AS	99	15
D	FED-STD-H28/15A NOTICE 1	A THDS / IS 06-JUN-89	AR		11	15
	FED-STD-H28/16 NOTICE 1 FED-STD-H28/17A NOTICE 1 FED-STD-H28/18B	A THDS / IS 24-MAR-88 A THDS / IS 26-JAN-90 A THDS / IS 20-AUG-91	AR	AS	99	15
	FED-STD-H28/19A	A THDS / IS 18-FEB-88	AR	AS	11	
D	FED-STD-H28/20A(1)	A THDS / IS 22-FEB-91	AR	AS	11	15
	FED-STD-H28/21B NOTICE 1 FED-STD-H28/22A(1)	A THDS / IS 22-NOV-89 A THDS / IS 27-AUG-91	AR	AS	99	15
	FED-STD-H28/23	A THDS / IS 20-JAN-89	AR	AS	99	15
	FED-STD-48B	A 4710 / MR 31-DEC-70	MR	SH	11	
	FED-STD-49D	A 4140 # 31-MAR-76				
	FED-STD-50H FED-STD-59 FED-STD-0059A FED-STD-61A FED-STD-62A FED-STD-63A FED-STD-65C FED-STD-66D NOTICE 1	A 4140 # 31-MAR-76 A 7210 # 16-JUL-54 A 7210 # 23-NOV-60 A 7210 # 04-JAN-61 A 8415 # 29-DEC-60 A 7210 # 04-JAN-61 A 4140 # 29-MAR-76 A 95GP / MR 18-JAN-91				MR SH 11
D	FED-STD-101C(3) NOTICE 3 FED-STD-102B	A PACK # AS 14-OCT-88 A PACK # 29-JAN-63	SM	AS	99	
D L	FED-STD-00116 FED-STD-122AE	A MISC # 15-MAY-57 A 2310 / AT 01-OCT-90				AT
	FED-STD-123F FED-STD-125D	A PACK # FSS 15-MAY-91 A 67GP # 24-JAN-77	EL	AS	99	
A	FED-STD-131C NOTICE 1 FED-STD-00131E FED-STD-141C NOTICE 1	A 6750 / AS 19-OCT-92 A 6750 # 05-MAR-76 A 8010 / ME 24-MAR-92	EA	AS	70	
	FED-STD-143A	A 2920 / AT 09-AUG-60	AT			99
A	FED-STD-00143B FED-STD-148A(2)	A 2920 # FSS 10-AUG-62 A 8320 / CT 10-DEC-64	GL			CT
	FED-STD-149A FED-STD-151B(2) FED-STD-00160 FED-STD-162A(1) NOTICE 2 FED-STD-170B NOTICE 1 FED-STD-182B	A MISC # 03-AUG-61 A 95GP / MR 07-OCT-71 A MISC # 05-JAN-62 A 4720 / SH 20-FEB-91 A 6750 / 70 12-MAY-86 A 95GP / 16 15-JUN-79	MR	AS	11	
D	FED-STD-183C	A 4710 / 16 01-SEP-84	MR	SH	16	



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL STANDARDS

Action Chg./Cmt. Coordination Inactive Document Number	Document Title	Dist. Syst. FDC / Area MCA Symbol Preparing Act.	Date	Custodians		
				Army	Navy	AF Force DLA
D	FED-STD-1848	A 95GP / 16	20-NOV-80	MR	AS	16
D	FED-STD-185A	A 95GP / 16	20-NOV-80	MR	AS	16
	FED-STD-186	A MISC #	26-NOV-82			
	FED-STD-001868	A MISC #	01-MAR-88			
A	FED-STD-1878	A MISC #	03-JUN-83			
A	FED-STD-191A(6)	A 83GP / CT	21-JUN-90	GL	NU	11 CT
A	FED-STD-209E	A 3694 % FSS	11-SEP-92			
	FED-STD-224A(1)	A 8115 * GL	28-JUL-72	GL	SA	69
D	FED-STD-228	A 6145 / CR	17-OCT-85	CR	EC	85
D	FED-STD-236A	A 7210 / GL	04-JAN-93	GL	YD1	99
	FED-STD-245E	A 95GP / AS	26-OCT-85	MR	AS	11
	FED-STD-2558	A 6750 * CR	08-SEP-76	CR	AS	99
D L	FED-STD-265	A 7220 #	28-JUN-68			
	FED-STD-2925	A 2320 * AT	01-OCT-90	AT		
L	FED-STD-297E	A 23GP / AT	01-AUG-90	AT		
L	FED-STD-302	A 7210 #	08-OCT-70			
L	FED-STD-307T	A 2320 * AT	01-OCT-90	AT		
	FED-STD-3088	A 2610 #	01-AUG-77			
A	FED-STD-311(3)	A 83GP / CT	15-JAN-69	GL	SA	99 CT
D	FED-STD-313C	A MISC * DM	01-FEB-85	MD	SA	10
D	FED-STD-316F	A 2610 * AT	01-JUN-83	AT		
D	FED-STD-3478	A 2610 * GS	23-JUN-83	AT		
	FED-STD-358	A MISC #	10-JAN-75			
	FED-STD-359	A 5820 * ER	21-JAN-77	ER	EC	80
	FED-STD-360	A 5835 * CR	08-MAR-76	CR	EC	99
	NOTICE 1					
	FED-STD-361	A 5835 * CR	01-SEP-75	CR	EC	99
	NOTICE 1					
	FED-STD-362	A 6730 * CR	10-JUN-75	CR	AS	99
	FED-STD-362(1)	A 6730 # FSS	29-AUG-75			
	FED-STD-363	A 6770 * CR	07-NOV-75	CR	AS	99
	FED-STD-364	A 6730 * AS	20-FEB-89	ER	AS	70
	NOTICE 1					
	FED-STD-365	A 6750 *	26-NOV-75			
	FED-STD-366	A 6750 *	25-FEB-77			
	FED-STD-368A	A MISC #	10-DEC-79			
	FED-STD-369	A 8905 / GL	02-AUG-77	GL	SA	50
	FED-STD-370	A 8010 #	01-MAR-77			
	FED-STD-372	A 7220 #	31-AUG-77			
	FED-STD-373	A 8010 #	01-DEC-79			
M	FED-STD-376B	A MISC # FSS	27-JAN-93			
D	FED-STD-501A(1)	A 7220 #	15-JUN-66			
	FED-STD-536A	A 7930 * GL	09-MAY-75	GL	SH	
D	FED-STD-595B	A 8010 % FSS	15-DEC-89			
D	FED-STD-601(7)	A 9320 / MR	17-AUG-76	MR	SH	11
A	FED-STD-751A	A 83GP / CT	21-NOV-83	GL	NU	99 CT
	NOTICE 1					
	FED-STD-791C	A 91GP / ME	30-SEP-86	ME	SH	11
	FED-STD-793	A MISC	27-JAN-87			
	NOTICE 1					
	FED-STD-794G	A 2320 # FSS	01-OCT-90			
D	FED-STD-795	A FACR / HP	01-APR-88	CE	YD1	04
	FED-STD-800	A MISC # FSS	05-JAN-89			
	FED-STD-802	A PACK / GL	19-APR-91	GL	SA	99
	FED-STD-803	A PACK	GL 19-APR-91	GL	SH	99
	FED-STD-804	A PACK / GL	19-APR-91	GL	SA	99
	FED-STD-1001	A TELE #	15-JUN-75			
	FED-STD-1002	A TELE #	22-APR-74			
	FED-STD-1003A	A TELE * DC	19-AUG-81	CR	EC	90
	FED-STD-1005A	A TELE #	20-JAN-77			
	FED-STD-1006	A TELE #	22-DEC-77			
	FED-STD-1007	A TELE * DC	24-MAR-81	CR	EC	90
	FED-STD-1008	A TELE #	16-JUN-80			
	FED-STD-1010	A TELE #	11-AUG-77			
	FED-STD-1011	A TELE #	11-AUG-77			



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL STANDARDS

Active Ch / OAL Combination Insects	Document Number	Document Title	Dist. SMT FSC / Area MCA Symbol		Preparing Act: Date		Custodians			
							Army	Navy	Air Force	DIA
	FED-STD-1012	TELECOMMUNICATIONS, CHARACTER STRUCTURE AND CHARACTER PARTY SENSE FOR PARALLEL BY BIT DATA COMMUNICATION IN THE AMERICAN NATIONAL STANDARD CODE FOR INFORMATION INTERCHANGE	A TELE #		11-AUG-77					
	FED-STD-1013	TELECOMMUNICATIONS, SYNCHRONOUS SIGNALING RATES BETWEEN DATA TERMINAL EQUIPMENT AND DATA CIRCUIT TERMINATING EQUIPMENT UTILIZING 40KHZ CIRCUITS	A TELE #		11-AUG-77					
	FED-STD-1015	TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF VOICE BY 2,400 BIT/SECOND LINEAR PREDICTIVE CODING REVIEWER: AD AS CR OM	A TELE	DC	28-NOV-84	SC	EC	90		
	FED-STD-1016	TELECOMMUNICATIONS: ANALOG TO DIGITAL CONVERSION OF RADIO VOICE BY 4,800 BIT/SECOND CODE EXCITED LINEAR PREDICTION (CELP)	A TELE #	FSS	14-FEB-91					
	FED-STD-1020A	TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF BALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS	A TELE #		01-JAN-80					
	FED-STD-1023	TELECOMMUNICATIONS: INTEROPERABILITY REQUIREMENTS FOR ENCRYPTED, DIGITIZED VOICE UTILIZED WITH 25 KHZ CHANNEL FM RADIOS OPERATING ABOVE 30 MHZ	A TELE * DC		25-SEP-89	SC	EC	90		
	FED-STD-1026	INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD IN THE PHYSICAL LAYER OF DATA COMMUNICATIONS USER: MC SH REVIEWER: 90 AD AS CR DH OM	A TELE	NS	03-AUG-83	SC	EC	02		
	FED-STD-1027	GENERAL SECURITY REQUIREMENTS FOR EQUIPMENT USING THE DATA ENCRYPTION STANDARD USER: MC SH REVIEWER: 90 AD AS CR DC DH OM	A TELE * NS		14-APR-82	SC	EC	02		
	FED-STD-1028	TELECOMMUNICATIONS: INTEROPERABILITY AND SECURITY REQUIREMENTS FOR USE OF THE DATA ENCRYPTION STANDARD WITH CCITT GROUP 3 FACSIMILE EQUIPMENT USER: MC SH REVIEWER: 90 AS CR DH OM	A TELE * NS		04-APR-85	SC	EC	02		
	FED-STD-1030A	TELECOMMUNICATION, ELECTRICAL CHARACTERISTICS OF UNBALANCED VOLTAGE DIGITAL INTERFACE CIRCUITS	A TELE #		31-JAN-80					
	FED-STD-001033	TELECOMMUNICATION, DIGITAL COMMUNICATION PERFORMANCE PARAMETERS .....	A TELE #		29-AUG-79					
	FED-STD-1035	TELECOMMUNICATIONS, CODING, MODULATION AND TRANSMISSION REQUIREMENTS FOR SINGLE CHANNEL MEDIUM AND HIGH FREQUENCY RADIOTELEGRAPH SYSTEMS USED IN GOVERNMENT MARITIME MOBILE TELECOMMUNICATIONS	A TELE #		29-MAR-77					
	FED-STD-1037B	TELECOMMUNICATIONS: GLOSSARY OF TELECOMMUNICATION TERMS .....	A TELE #	FSS	03-JUL-91					
	FED-STD-1041(1)	INTERFACE BETWEEN DATA TERMINAL EQUIPMENT (DTE) AND DATA CIRCUIT-TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKET-SWITCHED DATA COMMUNICATIONS NETWORKS	A TELE #	FSS	27-AUG-84					
	FED-STD-001041	INTERFACE BETWEEN DATA TERMINAL EQUIPMENT & DATA CIRCUIT-TERMINATIVE EQUIPMENT FOR OPERATION WITH PACKET-SWITCHED DATA TELECOMMUNICATIONS NETWORKS REVIEWER: 11 DS NS SC TT	A TELE	DC	24-MAR-81	CR	OM	90	DC	
0	FED-STD-1045	TELECOMMUNICATIONS: HF RADIO AUTOMATIC LINK ESTABLISHMENT REVIEWER: 02 11 13 17 26 AC AS CG CR MC NC ND OM OS SH TD YD1	A TELE /	90	24-JAN-90	SC	EC	90		
	FED-STD-1061	TELECOMMUNICATIONS, GROUP 2 FACSIMILE APPARATUS FOR DOCUMENT TRANSMISSION	A TELE * DC		24-MAR-81	CR	EC	90		
	FED-STD-1062	TELECOMMUNICATIONS, GROUP 3 FACSIMILE FOR DOCUMENT TRANSMISSION REVIEWER: SC	A TELE * DC		19-AUG-81	CR	EC	90		
	FED-STD-1063	PROCEDURES FOR DOCUMENT FACSIMILE TRANSMISSION REVIEWER: NS TT .....	A TELE	DC	04-APR-82	CR	EC	90		



## ACTIVE SECTION

NUMERICAL LISTING  
FEDERAL INFORMATION PROCESSING STANDARDS

Active Doc / Opt. Combination Number	Document Title	Doc. Syst. FBI / Army MCS Symbol	Preparing Date	Custodians Army Navy Air Force DIA
FIPS-PUB-0	GENERAL DESCRIPTION OF THE FEDERAL INFORMATION PROCESSING STANDARDS REGISTER [VALIDATION DATE: 8306]	A IPSC 02	01-NOV-68	OM 02
FIPS-PUB-1 SUPPL 1C1	CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.4-1977) .....	A IPSC 02	16-JUN-81	OM 02
FIPS-PUB-2	PERFORATED TAPE CODE FOR INFORMATION INTERCHANGE (USAS X3.6-1965) [VALIDATION DATE: 8306]	A IPSC 02	01-NOV-68	OM 02
FIPS-PUB-3-1	RECORDED MAGNETIC TAPE FOR INFORMATION INTERCHANGE (800 CPI, NRZI, WITH ANSI X3.22-1983)	A IPSC 02	30-JUN-73	AD OM 02
FIPS-PUB-11 SUPPL 3C1	GUIDELINE: AMERICAN NATIONAL DICTIONARY FOR INFORMATION PROCESSING SYSTEMS (WITH X3.172-1990)	A IPSC 02	01-FEB-91	AC OM 02 DC
FIPS-PUB-13	RECTANGULAR HOLES IN TWELVE-ROW PUNCHED CARDS (ANSI X3.21-1967/R1980) [VALIDATION DATE: 8601]	A IPSC 02	01-OCT-71	OM 02
FIPS-PUB-14 SUPPL 1C1	HOLLERITH PUNCHED CARD CODE (ANSI X3.26-1980) .....	A IPSC 02	24-DEC-80	OM 02
FIPS-PUB-16 SUPPL 1C1	BIT SEQUENCING OF THE CODE FOR INFORMATION INTERCHANGE IN SERIAL BY BIT DATA TRANSMISSION (WITH ANSI X3.15-1976) [VALIDATION DATE: 8306]	A IPSC 02	01-DEC-76	OM 02
FIPS-PUB-17 SUPPL 1C1	CHARACTER STRUCTURE & CHARACTER PARITY SENSE FOR SERIAL BY BIT DATA COMMUNICATION IN THE CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.16-1976/R1983) [VALIDATION DATE: 8306]	A IPSC 02	01-SEP-77	OM 02
FIPS-PUB-18 SUPPL 1C1	CHARACTER STRUCTURE & CHARACTER PARITY SENSE FOR PARALLEL BY BIT DATA COMMUNICATION IN THE CODE FOR INFORMATION INTERCHANGE (WITH ANSI X3.25-1976/R1983) [VALIDATION DATE: 8306]	A IPSC 02	01-OCT-71	OM 02
FIPS-PUB-20	GUIDELINES FOR DESCRIBING INFORMATION INTERCHANGE FORMATS [VALIDATION DATE: 8601]	A IPSC 02	01-MAR-72	OM 02
FIPS-PUB-21-2	CODOL PROGRAMMING LANGUAGE FOR INFORMATION SYSTEMS WITH ANSI-X3.23-1985 ...	A IPSC 02	18-MAR-86	OM 02
FIPS-PUB-22 SUPPL 1C1	SYNCHRONOUS SIGNALING RATES BETWEEN DATA TERMINAL & DATA COMMUNICATION EQUIPMENT (WITH ANSI X3.1-1976) [VALIDATION DATE: 8306]	A IPSC 02	01-SEP-77	OM 02
FIPS-PUB-24	FLOWCHART SYMBOLS AND THEIR USAGE IN INFORMATION PROCESSING (WITH ANSI X3.5-1970) [VALIDATION DATE: 8601]	A IPSC 02	30-JUN-73	OM 02
FIPS-PUB-26	ONE-INCH PERFORATED PAPER TAPE FOR INFORMATION INTERCHANGE (WITH ANSI X3.18-1967) [VALIDATION DATE: 8601]	A IPSC 02	30-JUN-73	OM 02
FIPS-PUB-27	TAKE-UP REELS FOR ONE-INCH PERFORATED TAPE FOR INFORMATION INTERCHANGE (WITH ANSI X3.20-1967) [VALIDATION DATE: 8601]	A IPSC 02	30-JUN-73	OM 02
FIPS-PUB-29 SUPPL 1C1	INTERPRETATION PROCEDURES FOR FEDERAL INFORMATION PROCESSING STANDARD PROGRAMMING LANGUAGES	A IPSC 02	05-APR-82	AD OM 02
FIPS-PUB-30	SOFTWARE SUMMARY FOR DESCRIBING COMPUTER PROGRAMS AND AUTOMATED DATA SYSTEMS [VALIDATION DATE: 8601]	A IPSC 02	30-JUN-74	OM 02
FIPS-PUB-31	GUIDELINES FOR AUTOMATIC DATA PROCESSING PHYSICAL SECURITY AND RISK MANAGEMENT [VALIDATION DATE: 8601]	A IPSC 02	01-JUN-74	AD OM 02
FIPS-PUB-32 SUPPL 1C1	CHARACTER SETS FOR OPTICAL CHARACTER RECOGNITION (OCR) (WITH ANSI X3.2-70R76, ANSI X3.17-81, & ANSI X3.49-75R82)	A IPSC 02	25-JUN-83	AD OM 02
FIPS-PUB-33	CHARACTER SET FOR HANDPRINTING (ANSI X3.45-1974) [VALIDATION DATE: 8106] ..	A IPSC 02	01-OCT-74	AD OM 02
FIPS-PUB-34	GUIDE FOR THE USE OF INTERNATIONAL SYSTEM OF UNITS (SI) IN FEDERAL INFORMATION PROCESSING STANDARDS PUBLICATIONS [VALIDATION DATE: 8306]	A IPSC 02	01-JAN-75	OM 02
FIPS-PUB-39	GLOSSARY FOR COMPUTER SYSTEMS SECURITY [VALIDATION DATE: 8306] .....	A IPSC 02	15-FEB-76	OM 02
FIPS-PUB-40	GUIDELINES FOR OPTICAL CHARACTER RECOGNITION FORMS, 1975 [VALIDATION DATE: 8306]	A IPSC 02	01-MAY-76	OM 02
FIPS-PUB-41	COMPUTER SECURITY GUIDELINES FOR IMPLEMENTING THE PRIVACY ACT OF 1974 [VALIDATION DATE: 8106]	A IPSC 02	30-MAY-75	OM 02
FIPS-PUB-42 SUPPL 1C1	GUIDELINES FOR BENCHMARKING ASDP SYSTEMS IN THE COMPETITIVE PROCUREMENT ENVIRONMENT [VALIDATION DATE: 8306]	A IPSC 02	15-MAY-77	OM 02
FIPS-PUB-46	DATA ENCRYPTION STANDARD [VALIDATION DATE: 8306] .....	A IPSC 02	15-JAN-77	OM 02
FIPS-PUB-48	GUIDELINE ON EVALUATION OF TECHNIQUES FOR AUTOMATED PERSONAL IDENTIFICATION [VALIDATION DATE: 8306]	A IPSC 02	01-APR-77	OM 02
FIPS-PUB-49	GUIDELINES ON COMPUTER PERFORMANCE MANAGEMENT, AN INTRODUCTION [VALIDATION DATE: 8306]	A IPSC 02	11-MAR-77	OM 02
FIPS-PUB-53	TRANSMITTAL FORM FOR DESCRIBING COMPUTER MAGNETIC TAPE FILE [VALIDATION DATE: 8601]	A IPSC 02	16-DEC-77	OM 02
FIPS-PUB-54 SUPPL 1C1	COMPUTER OUTPUT MICROFORM (COM) FORMATS AND REDUCTION RATIOS, 16MM AND 105MM	A IPSC 02	15-JAN-91	AC OM 02 DC
FIPS-PUB-56	GUIDELINE FOR MANAGING MULTIVENDOR PLUG COMPATIBLE ASDP SYSTEMS [VALIDATION DATE: 8601]	A IPSC 02	15-SEP-78	02
FIPS-PUB-57	GUIDELINES FOR THE MEASUREMENT OF INTERACTIVE COMPUTER SERVICE RESPONSE TIME AND TURNAROUND TIME [VALIDATION DATE: 8601]	A IPSC 02	01-AUG-78	
FIPS-PUB-60 SUPPL 2C1	I/O CHANNEL INTERFACE .....	A IPSC 02	22-FEB-84	OM 02
FIPS-PUB-61 SUPPL 1C1	CHANNEL LEVEL POWER CONTROL INTERFACE .....	A IPSC 02	13-JUL-82	OM 02
FIPS-PUB-62	MAGNETIC TAPE SUBSYSTEM, OPERATIONAL SPECIFICATION FOR [VALIDATION DATE: 8601]	A IPSC 02	16-FEB-79	OM 02
FIPS-PUB-63 SUPPL 1C1	OPERATIONAL SPECIFICATIONS FOR VARIABLE BLOCK ROTATING MASS STORAGE SUBSYSTEMS (W/SUPPL 1 4-14-83)	A IPSC 02	14-APR-83	
FIPS-PUB-65	GUIDELINE FOR AUTOMATIC DATA PROCESSING RISK ANALYSIS [VALIDATION DATE: 8601]	A IPSC 02	01-AUG-79	OM 02
FIPS-PUB-67	GUIDELINE FOR SELECTION OF DATA ENTRY EQUIPMENT [VALIDATION DATE: 8601] ...	A IPSC 02	30-SEP-79	OM 02
FIPS-PUB-68	MINIMAL BASIC WITH ANSI X3.60-1978 [VALIDATION DATE: 8601] .....	A IPSC 02	04-SEP-80	OM 02
FIPS-PUB-69	FORTRAN (WITH ANSI X3.9-1978) [VALIDATION DATE: 8601] .....	A IPSC 02	05-FEB-80	OM 02
FIPS-PUB-71 SUPPL 1C1	ADVANCED DATA COMMUNICATION CONTROL PROCEDURES (ADCCP) (WITH ANSI X3.66-1979)	A IPSC 02	11-JUN-82	OM 02
FIPS-PUB-72	GUIDELINES FOR THE MEASUREMENT OF REMOTE BATCH COMPUTER SERVICE .....	A IPSC 02	01-SEP-81	OM 02
FIPS-PUB-73	GUIDELINE FOR SECURITY OF COMPUTER APPLICATIONS .....	A IPSC 02	01-DEC-81	OM 02
FIPS-PUB-74	GUIDELINES FOR IMPLEMENTING AND USING THE NBS DATA ENCRYPTION STANDARD ....	A IPSC 02	02-DEC-80	OM 02
FIPS-PUB-75	GUIDELINE ON CONSTRUCTING BENCHMARKS FOR ADP SYSTEM ACQUISITIONS .....	A IPSC 02	01-SEP-81	OM 02
FIPS-PUB-76	GUIDELINE FOR PLANNING & USING A DATA DICTIONARY SYSTEM .....	A IPSC 02	01-DEC-81	OM 02
FIPS-PUB-77	GUIDELINE FOR PLANNING AND MANAGEMENT OF DATABASE APPLICATIONS .....	A IPSC 02	01-JAN-81	OM 02
FIPS-PUB-81 NOTICE 1	DES MODES OF OPERATION .....	A IPSC 02	01-JUN-81	OM 02
FIPS-PUB-82	GUIDELINE FOR INSPECTION & QUALITY CONTROL FOR ALPHANUMERIC COMPUTER OUTPUT MICROFORMS REVIEWER: AG	A IPSC 02	01-APR-81	OM 02
FIPS-PUB-83	GUIDELINE ON USER AUTHENTICATION TECHNIQUES FOR COMPUTER NETWORK ACCESS CONTROL	A IPSC 02	01-APR-81	OM 02
FIPS-PUB-84	MICROFILM READERS REVIEWER: AG .....	A IPSC 02	01-MAY-81	OM 02
FIPS-PUB-85	OPTICAL CHARACTER RECOGNITION (OCR) INKS (WITH ANSI X3.86-1980) .....	A IPSC 02	01-FEB-81	OM 02
FIPS-PUB-86	ADDITIONAL CONTROLS FOR USE WITH ASCII (WITH ANSI X3.64-1979) REVIEWER: AG	A IPSC 02	10-FEB-83	OM 02
FIPS-PUB-87	GUIDELINES FOR ADP CONTINGENCY PLANNING .....	A IPSC 02	01-JUL-81	OM 02
FIPS-PUB-88	GUIDELINE ON INTEGRITY ASSURANCE & CONTROL IN DATABASE ADMINISTRATION ....	A IPSC 02	14-AUG-81	OM 02
FIPS-PUB-89	OPTICAL CHARACTER RECOGNITION (OCR) CHARACTER POSITIONING .....	A IPSC 02	04-SEP-81	OM 02
FIPS-PUB-90	GUIDELINE FOR OPTICAL CHARACTER RECOGNITION (OCR) PRINT QUALITY (ANSI X 3.99-83)	A IPSC 02	29-SEP-83	AD OM 02
FIPS-PUB-94	GUIDELINE ON ELECTRICAL POWER FOR ADP INSTALLATIONS .....	A IPSC 02	21-SEP-83	AD OM 02
FIPS-PUB-96	GUIDELINE FOR DEVELOPING & IMPLEMENTING A CHARGE SYSTEM FOR DATA PROCESSING SERVICES	A IPSC 02	06-DEC-82	AD OM 02
FIPS-PUB-97	OPERATIONAL SPECIFICATIONS FOR FIXED BLOCK ROTATING MASS STORAGE SUBSYSTEMS	A IPSC 02	04-FEB-83	AD OM 02



## ACTIVE SECTION

# NUMERICAL LISTING FEDERAL INFORMATION PROCESSING STANDARDS

Action Off. / OAL Coordination Machine Document Number	Document Title	Dist. Smt. FPC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
FIPS-PUB-98	MESSAGE FORMAT FOR COMPUTER BASED MESSAGE SYSTEMS REVIEWER: 90 DC EC NS SC	A IPSC 02 01-MAR-83	AD	OM	02	
FIPS-PUB-99	GUIDELINE, A FRAMEWORK FOR THE EVALUATION & COMPARISON OF SOFTWARE DEVELOPMENT TOOLS	A IPSC 02 31-MAR-83	AD	OM	02	
FIPS-PUB-100	INTERFACE BETWEEN DATA TERMINAL EQUIPMENT (DTE) & DATA CIRCUIT TERMINATING EQUIPMENT (DCE) FOR OPERATION WITH PACKET SWITCHED DATA COMMUNICATIONS NETWORKS (FEDERAL STANDARD 1041) REVIEWER: AD OM	A TELE 02 06-JUL-83	SC	EC	90	DC
FIPS-PUB-101	GUIDELINE FOR LIFECYCLE VALIDATION, VERIFICATION, & TESTING OF COMPUTER SOFTWARE	A IPSC 02 06-JUN-83	AD	OM	02	
FIPS-PUB-121	VIDEOTEX/TELETEXT PRESENTATION LEVEL PROTOCOL SYNTAX (NORTH AMERICAN PLPS) WITH ANSI X3.110-1983	A IPSC 02 06-MAY-86	AD	OM	02	DC
FIPS-PUB-122	INTERFACE BETWEEN DATATERMIAL EQUIPMENT (DTE) AND DATA CIRCUIT-TERMINATING EQUIPMENT (DCE) FOR OPERATION WITHPACKETT-SWITCHED DATA COMMUNICATIONS NETWORKS	A IPSC 02 28-MAY-86	AD	OM	02	DC
FIPS-PUB-156	DATA MANAGEMENT APPLICATIONS, SOFTWARE STANDARD .....	A IPSC 02 05-APR-90	SC	OM	02	



## ACTIVE SECTION

NUMERICAL LISTING  
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Action CPL / OMA Coordination Inchase	Document Number	Document Title	Dist. Serv. FDC / Area	MCA Symbol Preparing Dept.	Date	Custodians			
						Army	Navy	Air Force	DLA
A	QPL-1-116	ELECTRON TUBES, GENERAL SPECIFICATION FOR .....	A 5960	EC	28-JAN-93				
	QPL-2-6	VALVE, CYLINDER, GAS (FOR COMPRESSED OR LIQUIFIED GASES) .....	A 8120	68	28-JUL-77				
M	QPL-5-105	CAPACITOR, FIXED, MICA-DIELECTRIC, GENERAL SPECIFICATION FOR .....	A 5910	BS	10-MAY-93				
M	QPL-10-105	INSULATING COMPOUND, ELECTRICAL, CERAMIC, CLASS I .....	A 5970	ER	04-MAY-93				
	QPL-11-79	RESISTOR, FIXED, COMPOSITION (INSULATED) GENERAL SPECIFICATION FOR .....	A 5905	ER	30-DEC-88				
A	QPL-14-76	MOLDING COMPOUNDS, THERMOSETTING .....	A 9330	SH	03-AUG-92				
M	QPL-17-148	CABLE, RADIO FREQUENCY, FLEXIBLE AND SEMIRIGID, GENERAL SPECIFICATION FOR .....	A 6145	CR	07-MAY-93				
	QPL-19-54	RESISTOR, VARIABLE, WIREWOUND, (LOW OPERATING TEMPERATURE) GENERAL SPECIFICATION FOR .....	A 5905	ER	10-JUL-90				
M	QPL-20-123	CAPACITOR, FIXED, CERAMIC-DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5910	BS	25-MAY-93				
	QPL-22-65	RESISTOR, VARIABLE (WIREWOUND, POWER-TYPE) GENERAL SPECIFICATION FOR .....	A 5905	EC	27-JUN-90				
A	QPL-25-68	CAPACITOR, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METALLIC CASES), GENERAL SPECIFICATION FOR .....	A 5910	BS	05-NOV-92				
A	QPL-26-142	RESISTOR, FIXED, WIRE-WOUND (POWER TYPE), GENERAL SPECIFICATION FOR .....	A 5905	ER	05-FEB-93				
M	QPL-27-134	TRANSFORMER AND INDUCTOR (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR .....	A 5950	ER	08-APR-93				
	QPL-29-48	RESISTOR, FIXED, METER MULTIPLIER, EXTERNAL (HIGH VOLTAGE, FERRULE TERMINAL TYPE) .....	A 5905	ER	10-MAR-86				
A	QPL-62-82	CAPACITOR, FIXED, ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR .....	A 5910	ER	10-DEC-92				
	QPL-81-35	CAPACITORS, VARIABLE, CERAMIC DIELECTRIC, GENERAL SPECIFICATION FOR .....	A 5910	BS	27-APR-92				
A	QPL-93-103	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR .....	A 5905	ER	25-MAR-93				
	QPL-94-90	RESISTOR, VARIABLE, COMPOSITION, GENERAL SPECIFICATION FOR .....	A 5905	ER	22-MAY-92				
A	QPL-122-13	RESISTOR, FIXED, PRECISION, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5905	EC	29-JUL-92				
A	QPL-123-21	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE STABLE AND GENERAL PURPOSE) HIGH RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5910	MA	24-AUG-92				
	QPL-131-43	BARRIER MATERIALS, WATER VAPORPROOF, GREAS PROOF, FLEXIBLE, MEAT .....	A 8135	AS	21-FEB-90				
	QPL-149-12	PLASTIC COATING COMPOUND, STRIPPABLE (HOT DIPPING) [VALIDATION DATE: 8601] .....	A 8030	MR	10-JUL-68				
	QPL-172-18	CASES, BASES, MOUNTING, AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT) .....	A 5340	AS	04-DEC-88				
	QPL-287-2	WAVEGUIDE ASSEMBLY, FLEXIBLE, TWISTABLE & NONTWISTABLE, GENERAL SPECIFICATION FOR .....	A 5985	EC	04-MAY-83				
A	QPL-372-19	CLEANING COMPOUND, SOLVENT (FOR BORE OF SMALL ARMS AND AUTOMATIC AIRCRAFT WEAPONS) .....	A 6850	MR	10-JUN-92				
	QPL-450-19	COATING COMPOUND, BITUMINOUS SOLVENT TYPE, BLACK (FOR AMMUNITION) .....	A 8030	OS	09-AUG-85				
	QPL-604	HOSE ASSEMBLY, TETRAHYDROETHYLENE, 400 F 3000 PSI HYDRAULIC HEAVY Braid ...	A 4720	SH	24-FEB-89				
A	QPL-631-68	INSULATION, ELECTRICAL, SYNTHETIC-RESIN COMPOSITION, NONRIGID .....	A 5970	SH	31-MAR-93				
	QPL-641-62	JACK, TELEPHONE GENERAL SPECIFICATION FOR .....	A 5935	CR	19-JUL-90				
	QPL-642-46	PLUG, TELEPHONE, AND ACCESSORY SCREWS, GENERAL SPECIFICATION FOR .....	A 5935	CR	19-JUL-90				
	QPL-684-18	CUP, BULLET JACKET, COPPER ALLOY CLAD STEEL, FOR SMALL ARMS AMMUNITION ....	A 1305	AR	04-FEB-83				
	QPL-781-11	TERMINAL, WIRE ROPE, SWAGING .....	A 4030	SH	10-MAR-83				
	QPL-904-57	HOISTS, CHAIN, HAND-OPERATED, HOOK AND TROLLEY SUSPENSION .....	A 3950	SH	16-APR-92				
	QPL-914-1	RESISTOR NETWORKS, FIXED, FILM, SURFACE MOUNT, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5905	ER	06-MAR-92				
	QPL-915-61	CABLE AND CORD, ELECTRICAL, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR ..	A 6145	SH	03-MAR-92				
	QPL-960-23	TRAPS, STEAM, INTERMITTENT DISCHARGE AND CONTINUOUS FLOW, NAVAL SHIPBOARD ..	A 4730	SH	06-FEB-92				
A	QPL-2042-26	VALVES, REDUCING, WATER SERVICE, FOR NAVAL SHIPBOARD USE .....	A 4820	SH	08-OCT-92				
A	QPL-2104-34	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, TACTICAL SERVICE .....	A 9150	ME	25-JUN-92				
A	QPL-2105-22	LUBRICATING OIL, GEAR, MULTIPURPOSE .....	A 9150	ME	06-JAN-93				
	QPL-2678-18	BRUSH, WIRE, BOILER TUBE, (EXPANDING TYPE FOR USE WITH ELECTRIC AND MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS, AND FIXED SECTIONAL HAND TYPE .....	A 5130	SH	13-JUN-91				
	QPL-2781-57	INSULATION, PIPE, THERMAL .....	A 5640	SH	18-OCT-91				
	QPL-2819-59	INSULATION BLOCK, THERMAL .....	A 5640	SH	18-OCT-91				
	QPL-2863-19	PACKING, PREFORMED, CONDENSER TUBE (SYMBOL 1435) .....	A 5330	SH	08-JAN-91				
	QPL-2911-22	PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES .....	A 5330	SH	26-AUG-91				
	QPL-2939-22	COOLING COILS, AIR, DUCT TYPE AND GRAVITY TYPE; COOLER UNITS, AIR, NAVAL SHIPBOARD ENVIRONMENTAL CONTROL SYSTEMS .....	A 4130	SH	12-MAR-92				
A	QPL-2940-23	SHROBBERS, FLUID PRESSURE, INSTRUMENT PROTECTION .....	A 6685	SH	29-JUL-92				
A	QPL-3064-21	INSULATION, ELECTRICAL, PLASTIC-SEALER .....	A 5970	SH	10-MAR-93				
M	QPL-3098-79	CRYSTAL UNITS, QUARTZ, GENERAL SPECIFICATION FOR .....	A 5955	ER	19-MAY-93				
	QPL-3105-23	SEALING COMPOUND, INERT (FOR USE IN AMMUNITION) [VALIDATION DATE: 8208] ...	A 8030	OS	30-OCT-75				
A	QPL-3117-19	HEATERS, CONVECTION, STEAM AND HOT WATER .....	A 4520	SH	27-AUG-92				
	QPL-3134-78	DECK COVERING MATERIALS .....	A 5610	SH	06-MAR-92				
A	QPL-3135-60	DECK COVERING UNDERLAY MATERIALS .....	A 5610	SH	21-MAY-92				
A	QPL-3150-26	LUBRICATING OIL, PRESERVATIVE, MEDIUM .....	A 9150	ME	19-AUG-92				
	QPL-3155-12	VALVE, TEMPERATURE REGULATING VENTILATION HEATER, STEAM CONTROL, NAVAL SHIPBOARD USE .....	A 4820	SH	20-DEC-91				
	QPL-3190-21	INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED, GENERAL SPECIFICATION FOR .....	A 5970	SH	06-MAR-92				
	QPL-3301-17	COMPOUND, ASPHALTIC, HOTMELT (CAVITY LINING) [VALIDATION DATE: 8204] .....	A 8030	OS	30-SEP-76				
	QPL-3316-70	ADHESIVES, FIRE-RESISTANT, THERMAL INSULATION .....	A 8040	SH	21-JAN-92				
	QPL-3420-25	PACKAGING MATERIALS, VOLATILE CORROSION INHIBITOR TREATED, OPAQUE .....	A 8135	AS	28-APR-89				
A	QPL-3464-71	DESICCANTS, ACTIVATED, BAGGED, PACKAGING USE AND STATIC DEMUMIDIFICATION ..	A 6850	SH	30-OCT-92				
A	QPL-3661-23	LAMPHOLDER, INDICATOR LIGHTS, INDICATOR LIGHT HOUSINGS, AND INDICATOR LIGHT LENSES, GENERAL SPECIFICATION FOR .....	A 6210	EC	30-SEP-92				
	QPL-3702-12	CABLE, POWER, ELECTRICAL, IGNITION, HIGH-TENSION .....	A 6145	AT	05-APR-91				
	QPL-3785-12	STARTER, ENGINE, ELECTRICAL: 24-VOLT DIRECT CURRENT .....	A 2920	AT	12-OCT-91				
	QPL-3786-36	SWITCH, ROTARY (CIRCUIT SELECTOR, LOW CURRENT CAPACITY), GENERAL SPECIFICATION FOR .....	A 5930	BS	31-AUG-90				
A	QPL-3920-11	ADHESIVES: OPTICAL THERMOSETTING .....	A 8040	AR	10-SEP-92				
	QPL-3926-11(5)	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT) .....	A 5355	EC	30-OCT-91				
	QPL-3928-21	SWITCH (COAXIAL), RADIO FREQUENCY TRANSMISSION LINE, GENERAL SPECIFICATION FOR .....	A 5985	EC	21-APR-92				
M	QPL-3933-16	ATTENUATORS, FIXED, GENERAL SPECIFICATION FOR .....	A 5985	EC	27-APR-93				
	QPL-3950-19	SWITCH, TOGGLE, ENVIRONMENTALLY SEALED REVIEWER: 80 .....	A 5930	BS	04-APR-90				
	QPL-3954-18	DUMMY LOAD, ELECTRICAL, WAVEGUIDE GENERAL SPECIFICATION FOR .....	A 5985	EC	09-FEB-84				
A	QPL-3965-64	CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR .....	A 5910	BS	05-OCT-92				
A	QPL-3971-43	METERS, TIME TOTALIZING, NON-HERMETICALLY SEALED, ELECTRICAL .....	A 6645	AR	09-OCT-92				
	QPL-3990-7	BEARINGS, ROLLER, NEEDLE, AIRFRAME, ANTIFRICTION, INCH .....	A 3110	AS	04-DEC-87				
	QPL-3992-15(2)	HOSE AND HOSE ASSY, RUBBER, AIR AND VACUUM BRAKE AUTOMOTIVE .....	A 2530	AT	10-MAR-88				
	QPL-4343-19	GREASE, PNEUMATIC SYSTEMS .....	A 9150	AS	10-JUN-91				
	QPL-4383-12	SEALING COMPOUND, TOPCOAT, FUEL TANK, BUMA-N TYPE .....	A 8030	AS	09-NOV-88				
A	QPL-4656-23	COATING KIT, EPOXY, FOR INTERIOR OF STEEL FUEL TANKS .....	A 8010	ME	31-AUG-92				
	QPL-4640-4	PLASTIC FILM, POLYETHYLENE, FOR BALLOON USE [VALIDATION DATE: 8011] .....	A 9330	13	01-SEP-68				
	QPL-4751-9	CASTER, RIGID AND SWIVEL, PRECISION HEAVY DUTY, AND SHOCK ABSORBIN .....	A 5340	BS	05-OCT-83				
	QPL-4952-9	CARTRIDGE, OXYGEN PURIFIER, TYPE MA-1 .....	A 4444	BS	13-MAR-87				
A	QPL-5015-32	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR .....	A 5935	AS	15-SEP-92				
A	QPL-5027-18	VALVES, CHECK, OXYGEN, HIGH PRESSURE .....	A 1660	AS	20-JAN-93				
	QPL-5041-31	TIRE, PNEUMATIC, AIRCRAFT .....	A 2620	70	14-APR-80				



## ON NUMERICAL LISTING QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

660



# ACTIVE SECTION

## NUMERICAL LISTING

### QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Active Doc / Doc Coordination Include Document Number	Document Title	Doc. Syst. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians Army Navy Air Force DIA
M	QPL-7112-8 QPL-7115-26(1) QPL-7124-9	INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, CYLINDER HEAD ..... CONVERTERS, AIRCRAFT, GENERAL SPECIFICATION FOR ..... SEALING COMPOUND, POLYSULFIDE, ACCELERATOR REQUIRED, FOR AIRCRAFT STRUCTURES	A 6685 A 6130 A 8030	B2 AS AS	31-OCT-83 01-APR-93 17-JUN-88
A	QPL-7474-11 QPL-7560-15 QPL-7605-12 QPL-7703-9 QPL-7723-5	CASTERS, INDUSTRIAL ..... VALVE ASSEMBLIES, OXYGEN CYLINDER, BAILOUT ..... REGULATOR, OXYGEN, DEMAND, PRESSURE BREATHING, TYPE A-21 ..... GUARD, SWITCH REVIEWER: 80 ..... INDICATOR, TEMPERATURE, ELECTRICAL RESISTANCE, MULTIFUNCTION, -70 DEG. TO +150 DEG. C., DUAL	A 5340 A 4820 A 1660 A 5930 A 2620	B2 B2 B2 B2 AS	09-SEP-92 15-APR-92 07-SEP-90 17-APR-90 25-NOV-85
	QPL-7726-8 QPL-7734-22 QPL-7748-21	REPAIR AND REBUILDING OF USED AIRCRAFT PNEUMATIC TIRES ..... GAGES, PRESSURE, ENGINE AND UTILITY, AIRCRAFT ..... TRANSMITTERS, PRESSURE, SYNCHRO, AIRCRAFT 320-DEGREE MOVEMENT HIGH TEMPERATURE, (177 DEGREE C), GENERAL PURPOSE)	A 2620 A 6685 A 6620	70 AS AS	12-OCT-83 30-JAN-91 30-JAN-91
	QPL-7780-11 QPL-7788-64 QPL-7790-6 QPL-7793-32 QPL-7808-34(2)	STARTER, ELECTRIC, CONSTANT CURRENT, DC (VALIDATION DATE: 8311) ..... PANELS, INFORMATION, INTEGRALLY ILLUMINATED ..... RESISTOR, THERMOCOUPLE LEAD SPOOL ..... METER, TIME TOTALIZING ..... LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, SYNTHETIC BASE, NATO CODE NUMBER 0-148	A 2990 A 6220 A 6685 A 6645 A 9150	AS AS B2 AS 11	05-SEP-77 28-JUN-91 01-FEB-84 30-DEC-92 25-NOV-88
A	QPL-7838-36 QPL-7870-12 QPL-7873-22 QPL-7874-12 QPL-7885-23 QPL-7886-13	BOLT, INTERNAL WRENCHING, 160 KSI FTU ..... LUBRICATING OIL: GENERAL PURPOSE, LOW TEMPERATURE ..... NUT, SELF-LOCKING, 1200 DEG. F ..... BOLT, MACHINE, 1200 DEG. F ..... RIVETS: BLIND, STRUCTURAL, PULL-STEM, AND CHEMICALLY EXPANDED ..... SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL C47/R1830A-90C/D 92/A (5/8 - 24 CONNECTORS)	A 5306 A 9150 A 5310 A 5306 A 5320 A 2925	AS 11 AS AS AS AS	02-SEP-92 16-SEP-92 29-JUL-92 07-APR-92 14-OCT-92 25-MAY-84
	QPL-7886/5-9 QPL-7886/6-12 QPL-7886/9-8 QPL-7886/11-8 QPL-7886/20-4 QPL-7886/28-5 QPL-7886/501-6	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE, MODEL T28/R1820A ..... SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL R1820-82B/C ..... SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL R1820-76B-D ..... SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL C/R2800-52W ..... SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL T34/0-470-4 ..... SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE MODEL R1820-76 A/C ..... SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATI ON FOR	A 2925 A 2925 A 2925 A 2925 A 2925 A 2925 A 2925	AS AS AS AS AS AS B2	05-AUG-87 05-AUG-87 05-AUG-87 10-JUN-83 20-AUG-82 05-AUG-87 11-NOV-83
	QPL-7886/503-5 QPL-7886/1002-4 QPL-7886/1004-4	SPARK PLUG, SHIELDED, AIRCRAFT RECIPROCATING ENGINE DETAILED SPECIFICATI ON FOR SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 1, FOR AIRCRAFT RECIPROCATING ENGINES SPARK PLUG, SHIELDED, FINE WIRE PLATINUM ELECTRODE, TYPE 4 FOR AIRCRAFT RECIPROCATING ENGINES	A 2925 A 2925 A 2925	B2 AV AV	11-NOV-83 29-JAN-82 29-JAN-82
A	QPL-7899-16(1) QPL-7905-49(1) QPL-7928-23	VALVES, CHECK, AIRCRAFT FUEL SYSTEM ..... CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE ..... TERMINAL, LUG SPLICES, CONDUCTOR, CRIMP STYLE COPPER, GENERAL SPECIFICATION FOR	A 4820 A 1660 A 5940	B2 AS AS	12-FEB-92 13-JAN-93 04-OCT-91
A	QPL-7949-19 QPL-7961-12 QPL-7968-6 NOTICE 1 QPL-7974-30	BEARING, BALL, AIRFRAME, ANTIFRICTION ..... LIGHT, INDICATOR, PRESS TO TEST ..... POSITION INDICATING ASSEMBLIES, ELECTRICAL, WHEELS AND FLAPS (VALIDATION DATE: 8410) CABLE ASSEMBLIES AND ATTACHABLE PLUGS, EXTERNAL ELECTRICAL POWER, AIR- CRAFT, GENERAL SPECIFICATION FOR	A 3110 A 6220 A 6610 A 6150	AS B2 AS AS	07-OCT-92 10-JUN-87 30-JUN-65 30-JUN-91
A	QPL-7990-13 QPL-8184-17 QPL-8188-17 QPL-8236-12 QPL-8276-16 QPL-8516-23	TRANSMITTER, TEMPERATURE, ELECTRICAL RESISTANCE, -70 DEG. TO +300 DEG. C .. PLASTIC, ACRYLIC SHEET, MODIFIED ..... CORROSION-PREVENTIVE OIL, GAS TURBINE ENGINE AIRCRAFT SYNTHETIC BASE ..... REEL, SHOULDER HARNESS TAKEUP, INERTIA LOCK ..... INDICATOR, RATE OF FLOW, FUEL SYNCHRO STYLE, TYPE MA-2 ..... SEALING COMPOUND, POLYSULFIDE RUBBER, ELECTRIC CONNECTORS AND ELECTRIC SYSTEMS, CHEMICALLY CURED	A 6685 A 9330 A 6850 A 1680 A 6620 A 8030	B2 AS 11 B2 71 AS	30-OCT-92 15-JAN-91 06-SEP-89 08-AUG-86 29-FEB-92 15-DEC-88
M	QPL-8565-25 QPL-8605-17 QPL-8660-11 QPL-8703-4	BATTERY, STORAGE, AIRCRAFT, GENERAL SPECIFICATION FOR ..... CAP, PRESSURE FUEL SERVICING ..... SILICONE COMPOUND, NATO CODE NUMBERS S-736 ..... CHAIN ASSEMBLY, SINGLE LEG, 10,000-LB CAPACITY, FOR USE WITH TYPE MC-1 CARGO TIE DOWN	A 6140 A 1560 A 6850 A 1670	AS AS AS B2	04-MAR-93 31-JUL-91 31-JUL-87 02-DEC-81
	QPL-8777-19 QPL-8783-8 QPL-8788-13 QPL-8789-14 QPL-8794-16 QPL-8802-22	WIRE, ELECTRICAL, SILICONE-INSULATED, COPPER, 600-VOLT, 200 DEG C 270962 .. CLAMP, HOSE, FLAT BAND 500 F ..... HOSE, HYDRAULIC, HIGH PRESSURE ..... FITTING END, ATTACHABLE HYDRAULIC AND PNEUMATIC HIGH-PRESSURE HOSE ..... HOSE, RUBBER, HYDRAULIC, FUEL, AND OIL RESISTANT ..... SEALING COMPOUND, TEMPERATURE-RESISTANT, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, HIGH-ADHESION	A 6145 A 4730 A 4720 A 4720 A 4730 A 8030	B5 B2 B2 B2 B2 11	10-MAR-89 02-JUN-92 06-DEC-91 05-JUL-85 10-JUN-92 16-MAR-92
A	QPL-8805-80	SWITCHES AND SWITCH ASSEMBLIES, SENSITIVE AND PUSH, SNAP ACTION, GENERAL SPECIFICATION FOR	A 5930	EC	30-DEC-92
	QPL-8813-12 QPL-8815-34	VALVES, AIRCRAFT, HYDRAULIC PRESSURE RELIEF, TYPE II SYSTEMS ..... FILTER AND FILTER ELEMENTS, FLUID PRESSURE, HYDRAULIC LINE, 15 MICRON	A 4820 A 1650	AS AS	23-JUN-86 09-OCT-92
A	QPL-8831-35	ABSOLUTE AND 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR BOLT, 180 KSI FTU AND 108 KSI FSU, 450 DEG. F PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR	A 5306	AS	26-AUG-92
	QPL-8834-15 QPL-8878-8 QPL-8903-7 QPL-8906-11	SWITCH, TOGGLE, POSITIVE BREAK, GENERAL SPECIFICATION FOR ..... TURNBUCKLES, POSITIVE SAFETYING ..... RESISTOR, VARIABLE, LINER PRECISION, TAPPABLE ..... BOLT, ALLOY STEEL, SHEAR AND TENSILE, (132 KSI FSU AND 220 KSI FTU, 450 DEG. F)	A 5930 A 5340 A 5905 A 5306	B5 B2 AS AS	05-DEC-89 08-APR-92 22-NOV-85 26-AUG-92
	QPL-8907-9	BOLT, ALLOY STEEL, SHEAR AND TENSILE, 156 KSI FSU AND 260 KSI FTU, EXTERNAL WRENCHING, FLANGED HEAD	A 5306	AS	20-MAY-87
	QPL-8914-7 QPL-8922-12 QPL-8937-12 QPL-8942-22 QPL-8943-17 QPL-8948-15 QPL-8952-4 QPL-8954-7 QPL-8961-7	BEARING, ROLLER, SELF-ALIGNING, AIRFRAME, ANTIFRICTION ..... NUT, SELF-LOCKING, STEEL, 220 KSI FTU, 450 DEGREES F ..... LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING ..... BEARINGS, PLAIN, TSE LINED, SELF-ALIGNING ..... BEARINGS, JOURNAL-PLAIN AND FLANGED, TFE LINED ..... BEARINGS, PLAIN, ROD END, TFE LINED SELF ALIGNING ..... BEARING, ROLLER, ROD END, ANTIFRICTION SELF ALIGNING ..... BASE AND ACCESSORIES, AIRPORT MARKER LIGHTS, GENERAL SPECIFICATION FOR FASTENER, EXTERNALLY THREADED, 450 DEG. F AND 1200 DEG. F, SELF-LOCKING ELEMENT FOR	A 3110 A 5310 A 9150 A 3120 A 3120 A 3120 A 3110 A 6210 A 5306	AS AS AS AS AS AS AS B2 AS	04-MAR-87 16-NOV-88 10-APR-85 10-MAR-88 10-MAR-88 31-MAR-88 04-MAR-87 22-AUG-83 17-JUN-92
	QPL-8971-6 QPL-8974-3 QPL-8975-15	ELECTRODE, GRAPHITE, SPECTROMETRIC GRADE ..... INDICATOR, EVENT COUNTING ..... FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, CORROSION RESISTANT STEEL, HEAT RESISTANT STEEL AND TITANIUM GENERAL SPECIFICATION FOR	A 5977 A 6620 A 5320	B5 AS AS	11-DEC-90 13-JUL-87 25-JAN-89
	QPL-8976-10 QPL-8984-13 QPL-8985-9 QPL-9000-92 QPL-9050-13 QPL-9131-25	BEARINGS, PLAIN, SELF-ALIGNING, ALL-METAL ..... NUT, SELF LOCKING, STEEL, 260 KSI FTU 450 DEG F ..... NUT, SELF-LOCKING, STEEL, 180 KSI FTU, 450 DEG. F ..... LUBRICATING OIL, SHIPBOARD INTERNAL COMBUSTION ENGINE, HIGH OUTPUT DIESEL VALVES, OXYGEN, PRESSURE RELIEF, AIRCRAFT ..... LIFE RAFTS, INFLATABLE, TWENTY MAN	A 3120 A 5310 A 5310 A 9150 A 4820 A 4220	AS AS AS SH 71 AS	16-NOV-90 29-JUN-88 07-OCT-92 08-FEB-93 28-JUL-92 20-JUL-87



# ACTIVE SECTION

## NUMERICAL LISTING

### QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Active OPL / OPL Coordinate Machine	Document Number	Document Title	Doc. Syst. FSC / Ave	MCA Symbol	Preparing Date	Customer Army Navy Air Force DIA
A	OPL-9177-9	CONNECTOR, AUDIO, AIRBORNE	A 5935	85	09-DEC-88	
	OPL-9198-7(1)	REGULATOR, OXYGEN, HIGH PRESSURE, TYPE MA-1	A 6680	82	31-OCT-85	
	OPL-9320-15	SIGNAL, WARNING, AUDIBLE, FOR HEADSET, TYPE MA-1	A 6340	82	07-FEB-78	
	OPL-9343-6	INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-1	A 6685	82	31-MAY-83	
	OPL-9370-25	VALVE, AUTOMATIC, PRESSURE REGULATING, AMTI-G SUIT	A 1660	AS	13-JAN-93	
	OPL-9395-13	SWITCHES, PRESSURE, (ABSOLUTE, GAGE AND DIFFERENTIAL)	A 5930	85	15-NOV-91	
	OPL-9398-12	GENERATOR, TACHOMETER, HIGH TEMPERATURE, TWO-POLE, AIRCRAFT	A 6610	AS	30-JAN-91	
	OPL-9419-12	SWITCHES, TOGGLE, MOMENTARY, FOUR-POSITION ON, CENTER OFF, GENERAL	A 5930	85	02-MAR-92	
	OPL-9443-9	SPECIFICATION FOR				
	OPL-9954-7	INDICATOR, TEMPERATURE, THERMOCOUPLE, ENGINE EXHAUST, TYPE MJ-2	A 6685	82	15-FEB-93	
A	OPL-9983-9	GLASS BEADS, FOR CLEANING AND PREENING	A 5350	84	21-MAR-88	
	OPL-9999-7	MULTIMETER, CLAMP ON	A 6625	82	16-JUL-86	
	OPL-10036-12	VOLTMETER, ELECTRONIC	A 6625	82	27-JAN-76	
	OPL-10215-15	RUST ARMESTING COATING (FOR TREATMENT OF RUSTED METAL)	A 8030	NR	05-MAY-87	
	OPL-10304-69	SPEEDOMETERS, TACHOMETERS, FLEXIBLE SHAFT ASSEMBLIES FLEXIBLE SHAFT	A 6620	AT	29-NOV-91	
	OPL-10509-148	ASSEMBLY CORES, ADAPTERS AND TRANSMITTERS	A 6625	CR	02-APR-92	
	OPL-10924-31	METER, ELECTRICAL INDICATING, PANEL TYPE, RUGGEDIZED, GENERAL	A 5905	ER	05-AUG-92	
	OPL-10950-29	SPECIFICATION FOR	A 9150	ME	01-JUL-92	
	OPL-11015-109	RESISTOR, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR	A 5910	EC	02-MAR-87	
	OPL-11040-12	GREASE, AUTOMOTIVE AND ARTILLERY	A 5910	EC	20-AUG-92	
A	OPL-11090-17	CAPACITOR, FIXED, MICA-DIELECTRIC, BUTTON STYLES GENERAL SPECIFICATION FOR	A 3030	AT	22-SEP-83	
	OPL-11188-18(2)	CAPACITOR, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), GENERAL	A 6850	NR	19-JUN-92	
	OPL-11195-22	SPECIFICATION FOR	A 6140	AT	27-JUL-84	
	OPL-12172-24	BELT, V, ENGINE ACCESSORY DRIVE	A 8010	ME	31-AUG-92	
	OPL-12177-24	CLEANING COMPOUND, DEGREASING AND DEPRESSURIZING SOLVENT, SELF-EMULSIFYING	A 5910	BS	17-JAN-90	
	OPL-12185-10	BATTERY, STORAGE, LEAD ACID (STARTING, LIGHTING & IGNITION-AUTOMOTIVE	A 8010	ME	31-AUG-92	
	OPL-12195-22	TYPE)	A 8030	AT	26-MAR-91	
	OPL-12211-8(1)	LACQUER, LUSTRELESS, HOT SPRAY	A 5910	ER	06-OCT-92	
	OPL-12285-10	CAPACITOR, FIXED, GLASS-DIELECTRIC GENERAL SPECIFICATION FOR	A 5945	AT	30-MAY-83	
	OPL-12606-12	PRIMER COATING, LACQUER, RUST-INHIBITING	A 5930	AT	02-APR-87	
A	OPL-12606-12	PRESERVATIVE COATING, RUBBER, FOR RUBBER SURFACES	A 5930	AT	08-AUG-85	
	OPL-12606-12	CAPACITORS, FEED THROUGH, RADIO-INTERFERENCE, REDUCTION, AC AND DC	A 5965	CR	31-DEC-92	
	OPL-12606-12	(HERMETICALLY SEALED IN METAL CASES) ESTABLISHED AND NONESTABLISHED				
	OPL-12606-12	RELIABILITY, GENERAL SPECIFICATION FOR				
	OPL-12606-12	CORROSION PREVENTIVE, COMPOUND PETROLATUM, HOT APPLICATION	A 8030	NR	15-JUN-92	
	OPL-12606-12	TRACK SHOE ASSEMBLIES, TRACK SHOE PADS AND TRACK SHOE SETS, VEHICULAR,	A 2530	AT	14-DEC-92	
	OPL-12606-12	RUBBERIZED				
	OPL-12606-12	SOLENOID, ELECTRICAL, GUN FIRING MECHANISMS	A 5945	AT	30-MAY-83	
	OPL-12606-12	SWITCH, PRESSURE	A 5930	AT	02-APR-87	
	OPL-12606-12	SWITCH, THERMOSTATIC	A 5930	AT	08-AUG-85	
A	OPL-12606-12	LOUDSPEAKER, PERMANENT MAGNET, (UNEMCASED, 3-INCH AND 4-INCH DIAMETER	A 5965	CR	31-DEC-92	
	OPL-12606-12	CONE, 2-WATT; FUNGUS, GUNBLAST, AND IMPERSON-RESISTANT) TYPE LS-445/U,				
	OPL-12606-12	M12606-01 AND M12606-02				
	OPL-12606-12	SOCKET AND ACCESSORIES FOR PLUG-IN ELECTRONIC COMPONENTS, GENERAL	A 5935	CR	22-DEC-92	
	OPL-12606-12	SPECIFICATION FOR				
	OPL-12606-12	CAPACITORS, BYPASS, RADIOINTERFERENCE REDUCTION, PAPER DIELECTRIC, AC	A 5910	ER	29-AUG-80	
	OPL-12606-12	AND DC, (HERMETICALLY SEALED IN METALLIC CASES) GENERAL SPECIFICATION FOR				
	OPL-12606-12	RESISTOR, VARIABLE, WIREWOUND, PRECISION, GENERAL SPECIFICATION FOR	A 5905	ER	29-NOV-91	
	OPL-12606-12	HOSE AND HOSE ASSEMBLIES, RUBBER: FUEL AND OIL	A 4720	AT	12-JUN-92	
	OPL-12606-12	SWITCH SENSITIVE, 30 VOLTS DIRECT CURRENT, MAXIMUM, WATERPROOF	A 5930	AT	15-APR-91	
A	OPL-12606-12	CABLE, SPECIAL PURPOSE, ELECTRICAL: LOW-TENSION HEAVY DUTY	A 6145	AT	21-FEB-92	
	OPL-12606-12	SINGLE-CONDUCTOR & MULTICONDUCTOR				
	OPL-12606-12	HOSE, RUBBER AND HOSE ASSEMBLY RUBBER (HYDRAULIC, FLEXIBLE)	A 4720	AT	24-JUN-92	
	OPL-12606-12	SWITCHES, PULL; SWITCHES, PUSH; SWITCHES, BEAM SELECTING HEADLIGHT:	A 5930	AT	10-OCT-91	
	OPL-12606-12	ELECTRICAL (28 VOLTS MAXIMUM, FOR MILITARY VEHICLES)				
	OPL-12606-12	HOSE ASSEMBLY, RUBBER, HYDRAULIC BRAKE	A 2530	AT	23-MAY-86	
	OPL-12606-12	SWITCHES, TOGGLE (28 VOLT D.C.)	A 5930	AT	28-JUL-87	
	OPL-12606-12	CABLE, SPECIAL PURPOSE, ELECTRICAL: GENERAL SPECIFICATION FOR	A 6145	AR	12-MAR-92	
	OPL-12606-12	DISTRIBUTOR IGNITION SYSTEM: INTEGRAL COIL WATERPROOF 24-VOLT	A 2920	AT	19-JAN-93	
	OPL-12606-12	NOTICE 1				
A	OPL-13811-12	VARNISH, WATERPROOFING, ELECTRICAL IGNITION	A 8010	AR	10-JUN-88	
	OPL-13949-88	PLASTIC SHEET, LAMINATED, METAL CLAD (FOR PRINTED WIRING BOARDS), GENERAL	A 5998	ER	01-FEB-93	
	OPL-14055-11	SPECIFICATION FOR				
	OPL-14055-11	CUP, HYDRAULIC BRAKE ACTUATING CYLINDER, SYNTHETIC RUBBER (GENERAL	A 2530	ME	11-MAR-88	
	OPL-14055-11	SPECIFICATION FOR)				
	OPL-14055-11	LUBRICATING OIL, WEAPONS, LOW TEMPERATURE	A 9150	AR	11-MAY-92	
	OPL-14055-11	FLUX, SOLDERING, LIQUID (ROSIN BASE)	A 3439	ER	13-APR-92	
	OPL-14055-11	RESISTOR, FIXED, HIGH MEGOHM (HERMETICALLY SEALED)	A 5905	ER	11-JAN-83	
	OPL-14055-11	COMPRESSOR, RECIPROCATING POWERDRIVEN, OPEN TYPE FOR USE WITH	A 4130	GL	13-MAY-68	
	OPL-14055-11	DICHLORODIFLUOROMETHANE (VALIDATION DATE: 8303)				
A	OPL-14409-50	CAPACITOR, VARIABLE (PISTON-TYPE, TUBULAR TRIMMER), GENERAL SPECIFICATION	A 5910	AR	24-NOV-92	
	OPL-14409-50	FOR				
	OPL-14823-23	STOP WATCH, MILITARY	A 6645	AR	02-MAR-92	
	OPL-15074-36	CORROSION PREVENTIVE, FINGERPRINT REMOVER	A 8030	NR	11-MAY-92	
	OPL-15103-16	SALINITY INDICATING EQUIPMENT	A 6630	SH	06-MAY-92	
	OPL-15108-33	TRANSFORMERS, POWER, STEP-DOWN, SINGLE-PHASE, 60-HERTZ, 1-KILOVOLTAMPERE	A 6120	SH	31-MAR-93	
	OPL-15108-33	APPROXIMATE MINIMUM RATING, DRY TYPE, NAVAL SHIPBOARD				
	OPL-15109-31	RESISTORS AND RHEOSTATS, NAVAL SHIPBOARD	A 5905	SH	10-MAR-93	
	OPL-15160-59	FUSES: INSTRUMENT, POWER AND TELEPHONE	A 5920	SH	31-MAR-93	
	OPL-15208-8	PROPORTIONERS, MECHANICAL FOAM LIQUID	A 4210	SH	14-MAY-87	
A	OPL-15214-6	GAGE, DEPTH, WRIST, MARK 1, MOD 0, NONMAGNETIC, SELF-LUMINOUS DIAL	A 4220	SH	27-FEB-81	
	OPL-15265-12	INSULATION, ELECTRICAL, PLASTIC (SUBMARINE BUS BAR COVERING)	A 5970	SH	10-MAR-93	
	OPL-15280-22	PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES)	A 5640	SH	10-MAR-93	
	OPL-15291-19	SWITCH, ROTARY, SNAP ACTION AND DETENT/SPRING RETURN ACTION GENERAL	A 5930	SH	07-JUN-91	
	OPL-15291-19	SPECIFICATION FOR				
	OPL-15303-40	AUDIBLE SIGNALS, ALARMS, BELLS, BUZZERS, HORN, SIRENS, AND ELECTRONIC	A 6350	SH	14-SEP-85	
	OPL-15303-40	SHIPBOARD				
	OPL-15305-80	COILS, ELECTRICAL, FIXED AND VARIABLE, RADIOFREQUENCY, GENERAL	A 5950	ER	04-AUG-92	
	OPL-15305-80	SPECIFICATION FOR				
	OPL-15342-18	GASKETS, METALLIC ASBESTOS, SPIRAL WOUND, FOR BOILERS	A 5330	SH	27-JUL-92	
A	OPL-15405-25	EJECTOR ASSEMBLIES, AIR	A 4320	SH	24-JUL-92	
	OPL-15508-7	VALVES, CONTROL, REMOTE OPERATION, DIAPHRAGM ACTUATED, AND CONTROLS, FOR	A 4810	SH	23-JUL-85	
	OPL-15508-7	FLUID SYSTEMS, 150 P.S.I.W.P. 140 DEGREES F, MAXIMUM				
	OPL-15581-27	LIFE PRESERVERS, CO2 INFLATABLE, POUCH TYPE	A 4220	SH	07-JUL-87	
	OPL-15606-49	BRICKS, REFRACTORY, AND BURNER TILE, NAVAL BOILER FURNACE LINING QUALITY	A 9350	SH	30-AUG-91	
	OPL-15618-40	FILTER-SEPARATORS AND FILTER-ELEMENTS, FLUID, PRESSURE, AVIATION AND	A 4330	SH	05-OCT-92	
	OPL-15618-40	DIESEL FUEL, NAVAL SHIPBOARD				
	OPL-15719-20	LUBRICATING GREASE, (HIGH TEMPERATURE, ELECTRIC MOTOR, BALL AND ROLLER	A 9150	SH	24-JUL-92	
	OPL-15719-20	BEARINGS)				
	OPL-15731-48	PLASTIC MIX, REFRACTORY FIRE-CLAY, SUPERDUTY	A 9350	SH	15-DEC-92	
A	OPL-15733-80	FILTERS AND CAPACITORS, RADIO FREQUENCY INTERFERENCE, GENERAL	A 5915	EC	09-JUN-93	
	OPL-15733-80	SPECIFICATION FOR				
	OPL-15805-14	WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT (TYPE B) (VALIDATION	A 6660	AS	18-APR-78	
	OPL-15805-14	DATE: 8410)				



# ACTIVE SECTION

## NUMERICAL LISTING

### QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Active OPL / OPL Contribution Number	Document Title	Doc. Syst. FSC / AIA MCA Symbol Preceding Act.	Date	Custodian Army Navy Air Force DIA
A	OPL-15842-50 OPL-15931-11 OPL-16032-48 OPL-16034-57 OPL-16173-71 OPL-16235-23 OPL-16305-31 OPL-16383-23 OPL-16392-39 OPL-16552-21	MORTAR, REFRACTORY (HIGH TEMPERATURE, AIR SETTING) ..... PAINT, ANTIFOULING, V (FORMULAS NO. 121, 121A, 129 AND 129A) ..... SWITCHES AND DETECTOR SHIPBOARD ALARM SYSTEMS ..... METERS, ELECTRICAL-MEASURING (SWITCHBOARD AND PORTABLE TYPES) ..... CORROSION PREVENTIVE POUND, SOLVENT CUTBACK, COLD-APPLICATION ..... HEATERS, VENTILATION ACT TYPE, SHIPBOARD ..... BRICK, REFRACTORY, PLATING ..... LIFE PRESERVER, CO2 LATALE, UNDERWATER DEMOLITION TEAM ..... BRAKES, MAGNET, NAVAL SHIPBOARD ..... FILTERS, AIR ENVIRONMENTAL CONTROL SYSTEM, CLEANABLE, IMPINGEMENT (HIGH VELOCITY TYPE) .....	A 9350 SH 15-JAN-92 A 8010 SH 06-MAR-92 A 5930 SH 12-FEB-93 A 6625 SH 29-MAR-93 A 8030 SH 12-NOV-91 A 4520 SH 08-OCT-91 A 9350 SH 10-MAR-93 A 4220 SH 13-OCT-86 A 6110 SH 12-FEB-93 A 4130 SH 30-SEP-92	
A	OPL-16680-28 OPL-16923-55 OPL-17000-34	DECK COVERING MAGMA AGGREGATE MIXTURE ..... INSULATING COMPOUND ELECTRICAL, EMBEDDING, EPOXY ..... SWITCHING EQUIPMENT COMBAT SYSTEM, COMMAND AND CONTROL, FIRE CONTROL, AND INTERIOR COMMUNICATION, GENERAL SPECIFICATION FOR .....	A 5610 SH 06-FEB-92 A 5970 SH 26-AUG-91 A 1290 SH 19-JAN-93	
M	OPL-17111-13 OPL-17191-35 OPL-17196-30	FLUID, POWER TRANSMISSION ..... MOUNTING, RESILIENT PORTSMOUTH BONDED SPOOL TYPE ..... ALARM SWITCHBOARD ALARM PANELS, REMOTE SENTRY ALARM SWITCH, SIGNAL UNITS, AND SPECIAL ALARM CONNECTION BOX, NAVAL SHIPBOARD .....	A 9150 OS 01-FEB-89 A 5340 SH 13-NOV-90 A 6320 SH 29-OCT-87	
A	OPL-17221-31	TRANSFORMERS, P, DISTRIBUTION: SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS / DEG. C, DRY (AIR COOLED) (NAVAL SHIPBOARD USE) .....	A 6120 SH 31-MAR-93	
A	OPL-17303-44 OPL-17331-93 OPL-17360-22 OPL-17361-33 OPL-17370-18 OPL-17501-12	PACKING MATERIAL, PLASTIC METALLIC AND PLASTIC NONMETALLIC ..... LUBRICATING OIL STEAM TURBINE AND GEAR, MODERATE SERVICE ..... VALVE, CYLINDRICAL, CARBON DIOXIDE FIRE EXTINGUISHER ..... CIRCUIT-BREAKER, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE) ..... TUBE AND FLUE, LAMINAR, BOILER, INTERNAL, AIR-MOTOR DRIVEN ..... VALVES, GLOBE, HYDRAULICALLY OPERATED, PISTON AND DIAPHRAGM TYPE, MAGAZINE AND HANCAK SPRINKLING .....	A 5330 SH 12-AUG-91 A 9150 SH 01-JUL-92 A 4210 SH 01-MAY-87 A 5925 SH 26-MAR-93 A 4540 SH 24-JUL-92 A 4810 SH 02-AUG-88	
A	OPL-17508-37 OPL-17563-29 OPL-17578-13 OPL-17587-29 OPL-17588-25	MOUNT RESILIENT TYPES 6E2000, 6E900, 6E900BB, 7E450, 7E450BB, 6E150, AND 6E100 ..... IMPREGNANTS ALUMINUM, COPPER, IRON, MAGNESIUM AND ZINC ALLOY CASTINGS ..... PACKING MATERIAL, PLASTIC (FOR DOGS FOR WATERTIGHT CLOSURES) (SYMBOL 1425) ..... CIRCUIT BREAKER, LOW VOLTAGE, ELECTRIC POWER, AIR OPEN FRAME, REMOVABLE CONSTRUCTION ..... CIRCUIT BREAKERS (AUTOMATIC - ALB-1) AND SWITCH, TOGGLE (CIRCUIT BREAKER, NON-AUTOMATIC - ALB-1) AIR, INSULATED HOUSING, 125 VOLTS AND BELOW, A.C. AND D.C. (NAVAL SHIPBOARD USE) .....	A 5340 SH 13-NOV-90 A 6850 SH 28-AUG-92 A 5340 SH 12-AUG-91 A 5925 SH 06-JUL-91 A 5925 SH 22-JUN-87	
A	OPL-17672-62 OPL-17773-42 OPL-17775-19 OPL-17848-24 OPL-17856-4 OPL-17869-58 OPL-17881-18 OPL-17882-22 OPL-17901-29 OPL-18052-13 OPL-18110-24	HYDRAULIC FLUID, PETROLEUM, INHIBITED ..... SWITCHES, TRANSFER, ELECTRIC POWER, AUTOMATIC AND MANUAL (METRIC) ..... BOAT, LARG, INFLATABLE CO2, 7-PERSON CAPACITY ..... VALVE, ASSURE REDUCING, STEAM SERVICE ..... ARMOR, CEMENT, NON-METALLIC (VALIDATION DATE: 8407) ..... PUMPS, MOTORS, POWER, OIL HYDRAULIC (NAVAL SHIPBOARD USE) ..... PUMPS, CENTRIFUGAL, BOILER FEED, (MULTI-STAGE) ..... REPAIRS, METALLIC PIPE AND GENERAL PURPOSE, DAMAGE CONTROL ..... BEARING COMPONENTS, BONDED SYNTHETIC RUBBER, WATER LUBRICATED ..... LAMP, POLY XENON VAPOR, SEARCHLIGHT ..... VALVE, GATE, CAST OR FORGED STEEL AND ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZE 2-1/2 INCHES AND LARGER) .....	A 9150 SH 23-JUN-92 A 6110 SH 01-NOV-91 A 1940 SH 04-OCT-90 A 4820 SH 04-JUN-90 A 8470 AS 21-FEB-75 A 4320 SH 26-MAR-93 A 4320 SH 27-JUL-92 A 4730 SH 24-JUL-92 A 3130 SH 08-FEB-93 A 6240 SH 24-JUL-92 A 4820 SH 21-JUN-90	
A	OPL-18119-8 OPL-18140-15 OPL-18148-8 OPL-18239-10 OPL-18240-30 OPL-18255-27 OPL-18266-8 OPL-18280-40 OPL-18312-38	BOAT, INFLATABLE, CO2, 10-PERSON CAPACITY ..... PUMP, FUEL OIL TRANSFER, POWER DRIVEN ..... PLATE, ELECTRIC, AIRCRAFT STORAGE BATTERY ..... CANNES, H-878/A (VALIDATION DATE: 8509) ..... FAMER, EXTERNALLY THREADED, 250 DEGREES F., SELF-LOCKING ELEMENT FOR ..... COMPOUND, SYNTHETIC RUBBER BASE, WOODEN DECK SEAM APPLICATION ..... CO, P/O H-878/A (VALIDATION DATE: 8410) ..... FLINGS, FLARELESS, TUBE, FLUID CONNECTION ..... ACTOR, FIXED, METALLIZED (PAPER, PAPER PLASTIC, OR PLASTIC FILM) ..... ELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR .....	A 1940 SH 19-APR-83 A 4320 SH 22-JUL-85 A 5935 AS 26-JUL-82 A 5965 AS 20-APR-79 A 536P AS 21-AUG-91 A 8030 SH 08-OCT-92 A 5965 AS 16-DEC-77 A 4730 AS 09-OCT-92 A 5910 EC 30-SEP-92	
A	OPL-18324-37 OPL-18327-35 OPL-18375-4	ASTIC MATERIAL, LAMINATED PHENOLIC, FOR BEARINGS (WATER OR GREASE LUBRICATION) ..... FILTER, HIGH PASS, LOW PASS, BAND PASS, BAND SUPPRESSION, AND DUAL FUNCTIONING, GENERAL SPECIFICATION FOR ..... FIRE, ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL .....	A 9330 SH 08-OCT-92 A 5915 EC 21-MAY-92 A 4010 B2 01-MAY-92	
A	OPL-18458-29 OPL-18494-24 OPL-18546-57	GREASE, WIRE ROPE-EXPOSED GEAR ..... LIFT RAFT, INFLATABLE, LRU-14/A ..... RESISTOR, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR .....	A 9150 SH 24-JUL-92 A 4220 AS 10-AUG-87 A 5905 EC 28-JAN-93	
A	OPL-18641-36 OPL-18804-14 OPL-18856-7 OPL-18953-26	DISTILLATION UNITS, WATER: STEAM OR FLASHED VAPOR OPERATED, OR FRESH WATER HEATED, LOW PRESSURE, NAVAL SHIPBOARD ..... INDICATOR, VERTICAL SPEED, 0-6000 FPM, 2 INCH ..... INDICATOR, ANGLE OF ATTACK, 20V DC MS28062 AND MS28067 ..... FAN, VANEAXIAL AND TUBAXIAL, FIXED AND PORTABLE VENTILATION AND AIR-CONDITIONING, NAVAL SHIPBOARD .....	A 4620 SH 19-JAN-93 A 6610 AS 30-JAN-90 A 6610 AS 30-JAN-91 A 4140 SH 27-NOV-90	
A	OPL-19004-20 OPL-19067-6 OPL-19068-11 OPL-19069-20 OPL-19088-15 OPL-19089-6 OPL-19140-68 OPL-19166-29	FANS, CENTRIFUGAL, FIXED AND PORTABLE, VENTILATION, NAVAL SHIPBOARD ..... VALVES, CHECK, CONTROLLABLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS ..... VALVE, SHUTTLE, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS ..... VALVES, CHECK, HYDRAULIC, AIRCRAFT, TYPE II SYSTEMS ..... WATTMETERS, SWITCHBOARD TYPE, 4-1/2-INCH ..... HARNESSES, INTEGRATED PARACHUTE ..... LUMBER AND PLYWOOD, FIRE-RETARDANT TREATED ..... INSULATION TAPE, ELECTRICAL, HIGH-TEMPERATURE, GLASS FIBER, PRESSURE-SENSITIVE .....	A 4140 SH 25-MAR-92 A 1650 AS 12-NOV-86 A 1650 AS 28-FEB-86 A 1650 AS 13-FEB-89 A 6625 SH 30-SEP-92 A 1670 AS 25-SEP-85 A 5510 SH 10-FEB-93 A 5970 SH 10-MAR-91	
A	OPL-19180-41 OPL-19207-34 OPL-19229-7 OPL-19246-11 OPL-19328-13 OPL-19365-21 OPL-19417-15 OPL-19468-40 OPL-19496-16 OPL-19500-124 OPL-19557-30 OPL-19565-24	REGULATOR, PRESSURE, COMPRESSED GAS ..... FUSEHOLDERS, EXTRACTOR POST TYPE, BLOW FUSE INDICATING AND NONINDICATING ..... TRANSMITTER, ANGLE OF ATTACK OR SIDESLIP, LOCAL (VALIDATION DATE: 8410) ..... CONNECTOR, OXYGEN MASK HOSE, TYPE MC-3A ..... CONVERTER, LIQUID OXYGEN, 5 LITER, MB-SA ..... RESISTOR, ADJUSTABLE, WIREWOUND, POWER ..... MASK, ASSEMBLIES, OXYGEN AND SMOKE, FULL FACE ..... PLASTIC RODS, POLYTETRAFLUOROETHYLENE, MOLDED AND EXTRUDED ..... LIFEBOAT, CO2 INFLATABLE, MARK 5 MOD 1, 15-PERSON CAPACITY ..... SEMICONDUCTOR DEVICE, GENERAL SPECIFICATION FOR ..... STARTER, AIRCRAFT ENGINE, AIR TURBINE ..... COATING COMPOUND, THERMAL INSULATION, FIRE- AND WATER-RESISTANT, VAPOR-BARRIER .....	A 4820 B2 07-DEC-88 A 5920 SH 08-MAR-93 A 6610 AS 18-SEP-70 A 1660 AS 05-OCT-87 A 1660 71 06-DEC-91 A 5905 ER 23-FEB-87 A 1660 AS 13-JAN-93 A 9330 SH 17-APR-87 A 1940 SH 19-APR-83 A 5961 EC 28-APR-93 A 2995 AS 25-JUL-88 A 8030 SH 27-AUG-91	
A	OPL-19576-3 OPL-19701-8 OPL-19772-38 OPL-19803-19 OPL-19834-26	TRANSMITTER, REMOTE COMPASS, THIN WING, ML-1 (UNSTABILIZED) ..... LUBRICANT, ALL-WEATHER, SEMI-FLUID, FOR AIRCRAFT ORDNANCE ..... VALVES, TEMPERATURE REGULATING, AUTOMATIC NAVAL SHIPBOARD ..... CONVERTER, LIQUID OXYGEN, 10-LITER, GCU-24A/A ..... PLATE, IDENTIFICATION, METAL FOIL, ADHESIVE BACKED, GENERAL SPECIFICATION FOR .....	A 6605 AS 15-DEC-80 A 9150 AS 10-APR-91 A 4820 SH 21-APR-92 A 1660 AS 20-JAN-93 A 9905 EC 27-DEC-91	



## ACTIVE SECTION

NUMERICAL LISTING  
QUALIFIED PRODUCTS LISTS A) MANUFACTURERS LISTS

Active OPL / OAL Combination Machine	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DIA
A M	OPL-19844-18	LEADS, SHIELDED, DETACHABLE IGNITION (VALIDATION DATE: 4)	A 2925	AS	22-AUG-83				
	OPL-19853-15(1)	CARBON REMOVING COMPOUND (FOR USE IN AGITATED TANK)	A 6850	AS	01-AUG-89				
	OPL-19863-18	MOUNT, RESILIENT, TYPE 585000H	A 5340	SH	14-NOV-80				
	OPL-19933-62	ELECTRODES AND RODS - WELDING, BAKE, CHROMIUM AND CHROMIUM-NICKEL STEELS	A 3439	SH	10-SEP-92				
A	OPL-19978-53	CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC), DIELECTRICALLY THERMALLY SEALED IN METAL, CERAMIC, OR GLASS CASES) ESTABLISHED RELIABILITY OR NON-ESTABLISHED RELIABILITY	A 5910	BS	10-MAY-93				
	OPL-20213-17	LITHIUM HYDROXIDE (LION), TECHNICAL	A 6810	SH	24-JUL-92				
	OPL-20222-25	ANNOUNCING-EQUIPMENT, SHIPBOARD	A 5830	SH	06-MAY-88				
	OPL-20553-8	MAX. DESENSITIZING	A 9160	AR	08-JUL-91				
A	OPL-20627-26	FILTER ASSEMBLY & FILTER ELEMENTS, FLUID, PRESSURE (FOR ENG. WITH LIQUID FUEL INJECTION SYSTEMS)	A 2910	SH	14-JUN-89				
	OPL-20632-8	PURIFIERS, CENTRIFUGAL, OIL NAVAL SHIPBOARD	A 4330	SH	20-SEP-85				
	OPL-20708-14(1)	SYNCHROS, GENERAL SPECIFICATION FOR	A 5990	AS	08-FEB-93				
	OPL-21013-4	COMPASS, DIRECTIONAL REFERENCE SYSTEM, MAGNETIC SLAVED GYRO, L STABILIZED, 3 DEG./HR, TYPE MF-1 (VALIDATION DATE: 8509)	A 6605	AS	30-AUG-79				
A	OPL-21038-40	TRANSFORMER, PULSC, LOW POWER, GENERAL SPECIFICATION FOR	A 5950	EC	27-OCT-92				
	OPL-21049-21	COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN TENS	A 1660	AS	20-JAN-93				
	OPL-21097-41	CONNECTOR, ELECTRICAL, PRINTED WIRING BOARD, GENERAL PURPOSE, ERAL SPECIFICATION FOR	A 5935	EC	19-AUG-91				
	OPL-21099-29	PACKING ASSEMBLY, HYDRAULIC CONICAL AND V TYPES, FIRE RESISTANT, PE HYDRAULIC FLUIDS	A 5330	SH	25-FEB-87				
M	OPL-21164-23	GREASE, MOLYBDENUM DISULFIDE, FOR LOW & HIGH TEMPERATURE NATO CL NUMBER G-353	A 9150	AS	26-APR-91				
	OPL-21205-4	TRANSMITTER, RATE OF FLOW, FUEL, TYPE TRU-12/A (500 TO 15,000 PPH (VALIDATION DATE: 8310)	A 6620	AS	29-AUG-75				
	OPL-21260-24	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE AND BREIN	A 9150	ME	27-APR-93				
	OPL-21393-11	MICROPHONE, DYNAMIC M-92C/U	A 5965	AS	26-AUG-82				
A	OPL-21480-15(2)	GENERATOR SYSTEM, 400 HERTZ ALTERNATING CURRENT AIR CRAFT, GENERAL SPECIFICATION FOR	A 6115	AS	02-SEP-88				
	OPL-21562-40	ELECTRODES AND RODS-WELDING, BARE, NICKEL ALLOY	A 3439	SH	15-SEP-92				
	OPL-21563-6(3)	PAINT SYSTEM, FLUORESCENT, FOR AIRCRAFT APPLICATIONS (VALIDATION DA 8310)	A 8010	AR	07-MAY-76				
	OPL-21567-4	COMPOUND, SILICONE, SOFT FILM (VALIDATION DATE: 8204)	A 6850	OS	25-AUG-75				
A	OPL-21600-6	PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION	A 8010	AS	30-NOV-84				
	OPL-21604-22	SWITCH, ROTARY, MULTIPOLE AND SELECTOR, GENERAL SPECIFICATION FOR	A 5930	SH	04-AUG-88				
	OPL-21607-28	RESINS, POLYESTER, LOW PRESSURE LAMINATING, FIRE-RETARDANT	A 9330	SH	27-JUL-92				
	OPL-21608-10	PERKULE, SHIELD TERMINATING, CRIMP STYLE	A 5940	AS	30-JUN-86				
A	OPL-21617-8	CONNECTORS, PLUG AND RECEPTACLE---ELECTRICAL RECTANGULAR, POLARIZED SP, MINIATURE TYPE	A 5935	EC	14-JAN-80				
	OPL-21631-30	DECK COVERING, LATEX CONCRETE	A 5610	SH	21-JAN-92				
	OPL-21649-17	MOUNT, RESILIENT, TYPE 5810,000-H	A 5340	SH	14-NOV-90				
	OPL-21685-3	INDICATOR, COMPASS REPEATER, ROTATING DIAL, TYPE MM-2 (VALIDATION DATE: 8509)	A 6605	AS	16-OCT-78				
A	OPL-21701-13	VALVE, CHECK, OXYGEN MASK, INLET	A 1660	AS	20-JAN-93				
	OPL-21734-7	MICROPHONE, DYNAMIC, OXYGEN MASK, M-94B/A	A 5965	AS	05-DEC-77				
	OPL-22001-5	MICROPHONE, CARBON, OXYGEN MASK, AMB-M-CI	A 5965	AS	26-AUG-82				
	OPL-22019-17	BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, SEALABLE, VOLATILE CORROSION INHIBITOR TREATED	A 8135	AS	23-OCT-89				
A	OPL-22030-4	TRANSMITTER, RATE OF FLOW, FUEL, TRU-26/A (300 TO 10,000 PPH)	A 6620	AS	26-NOV-80				
	OPL-22036-12	BRIDLE AND PENDANT ASSEMBLIES, AIRCRAFT LAUNCHING	A 1720	AS	09-FEB-90				
	OPL-22052-20	VALVES, STOP AND STOP CHECK, GLOBE, ANGLE, AND Y PATTERN, CAST OR FORGED CARBON OR ALLOY STEEL, OUTSIDE SCREW AND YOKE (SIZES 2-1/2 INCHES AND LARGER)	A 4820	SH	21-JUN-90				
	OPL-22062-4	INTERCONNECTING BOX, J-1013A/AIC (VALIDATION DATE: 8509)	A 5831	AS	30-NOV-78				
M	OPL-22072-11	HYDRAULIC FLUID, CATAPULT	9150	AS	18-JAN-90				
	OPL-22075-14	INDICATOR, BEARING-DISTANCE-HEADING 10663/U	6605	AS	30-JAN-91				
	OPL-22085-16	TAPES, PRESSURE - SENSITIVE, ADHESIVE, PRESERVATION AND SEALING	7510	AS	02-DEC-88				
	OPL-22097-86	RESISTORS, VARIABLE, NONWIRE-WOUND (ADJUSTMENT TYPE), GENERAL SPECIFICATION FOR	5905	BS	13-APR-93				
A	OPL-22110-10	INHIBITORS, CORROSION, VOLATILE, CRYSTALLINE	4850	AS	22-NOV-89				
	OPL-22126-6	INDICATOR, TORQUE METER, ENGINE, TURBOPROP	A 520	AS	05-AUG-86				
	OPL-22165-2	AMPLIFIER, COMPASS, SERVO (TYPE MF-1 COMPASS) (VALIDATION DATE: 8410)	A 605	AS	15-JUN-78				
	OPL-22169-1	GYRO, VERTICAL AND MOUNT (TYPE MF-1 COMPASS) (VALIDATION DATE: 7909)	A 05	AS	18-APR-62				
A	OPL-22179-5	MICROPHONE, DYNAMIC M-96B/A (VALIDATION DATE: 8311)	A 15	AS	19-AUG-77				
	OPL-22191-30	BARRIER MATERIALS, TRANSPARENT, FLEXIBLE, HEAT SEALABLE	A 15	AS	21-DEC-89				
	OPL-22200-55	ELECTRODES, WELDING, COVERED: GENERAL SPECIFICATION FOR	A 3	SH	21-SEP-92				
	OPL-22227-6	BEARING, BALL, ANNULAR, GENERATOR AND MOTOR-GENERATOR (VALIDATION DATE: 8101)	A 3	AS	21-JUL-66				
A	OPL-22262-16	ABRASIVE BLASTING MEDIA SHIP HULL BLAST CLEANING	A 53	SH	12-FEB-93				
	OPL-22272-11	VISOR, MEDIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET	A 84	AS	20-JAN-93				
	OPL-22332-6	PAINT, PRIMING, EXTERIOR AND INTERIOR (FOR AMMUNITION) (VALIDATION DATE: 8204)	A 801	OS	30-SEP-76				
	OPL-22397-22	ADHESIVE, PHENOL AND RESORCINOL RESIN BASE (FOR MARINE SERVICE USE)	A 8040	SH	27-AUG-91				
A	OPL-22442-11	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), GENERAL SPECIFICATION FOR	A 5995	AS	04-SEP-92				
	OPL-22518-8	STARKER, AIRTURBINE TYPE I DETAIL MODEL, ACCESSORY DRIVE COMBINATION, AIRCRAFT ENGINE, SPECIFICATION FOR	A 2995	U	17-JUL-87				
	OPL-22520-25	CRIMPING TOOLS, TERMINAL HAND OR POWER ACTUATED, WIRE TERMINATION, AND TOOL KITS GENERAL SPECIFICATION FOR	A 5120	:	30-JUN-91				
	OPL-22542-22(1)	CLEANING COMPOUND, HIGH PRESSURE CLEAHER, LIQUID	A 6850	:	05-MAY-90				
A	OPL-22587-6	CARTRIDGE, GREASE, 14 OUNCE (FOR CARTRIDGE TYPE GREASE GUN)	A 4930	A	21-MAY-84				
	OPL-22681-15	ARRESTER, FLASH, MAIN STORAGE BATTERY, (SUBMARINE USE), GENERAL SPECIFICATION FOR	A 6140	S	06-NOV-92				
	OPL-22684-86	RESISTOR, FIXED, FILM, INSULATED, GENERAL SPECIFICATION FOR	A 5905	EP	15-AUG-92				
	OPL-22706-17	DUCT AND SCUFF COVER, PNEUMATIC, FLEXIBLE	A 4720	AS	13-MAR-92				
A	OPL-22710-20	SWITCH, CODE, INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL & PUSHBUTTON)	A 5930	EC	2-JUN-91				
	OPL-22750-3	COATING, EPOXY, VOC - COMPLIANT	A 8010	AS	-AUG-92				
	OPL-22759-26	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, COPPER OR COPPER ALLOY	A 6145	AS	1-SEP-92				
	OPL-22851-15	LUBRICATING OIL, AIRCRAFT PISTON ENGINE, (ASHLESS DISPERSANT)	A 9150	AS	04-MAY-93				
M	OPL-22854-4	ATTITUDE INDICATING SYSTEM, REMOTE STANDBY, TWO INCH	A 6610	AS	1-DEC-85				
	OPL-22885-67	SWITCH, PUSHBUTTON, ILLUMINATED, GENERAL SPECIFICATION FOR	A 5930	EC	04-MAY-93				
	OPL-22900-9	WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F (VALIDATION DATE: 8505)	A 6660	AS	02-DEC-79				
	OPL-22978-8	FASTENER, ROTARY, QUICK-OPERATING, HIGH STRENGTH	A 5325	AS	25-4-89				
A	OPL-22992-33	CONNECTOR, PLUGS AND RECEPTACLES, ELECTRICAL, WATERPROOF, QUICK DISCONNECT, HEAVY DUTY TYPE, GENERAL SPECIFICATION FOR	A 5935	EC	31-4-92				
	OPL-22999-16	STARTERS, AIRCRAFT ENGINE, HYDRAULIC, GENERAL SPECIFICATION FOR	A 2995	AS	29-JUL-85				
	OPL-23001-1	ELECTRIC GENERATOR SYSTEMS, AIRCRAFT, VSCF, 20KVA, 115/200 VOLT, 3 PHASE, 400 HZ	A 6115	AS	25-JAN-88				
	OPL-23001/3-2	ELECTRIC GENERATOR SYSTEM, AIRCRAFT, VSCF, 20KVA, 115/200 VOLT, 3 PHASE, 400 HZ (VALIDATION DATE: 8311)	A 6115	AS	27-APR-88				
A	OPL-23003-35	DECK COVERING COMPOUND, NONSLIP, ROLLABLE	A 5610	SH	27-AUG-81				



## ACTIVE SECTION

NUMERICAL LISTING  
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Active QPL / OML Classification Inclusive Document Number	Document Title	Doc. Syst. FSC / Ave MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DIA
QPL-23007-11	LIFEBOAT, MAN OVERBOARD CO2 INFLATABLE	A 1940 SH 19-APR-83	
QPL-23071-22	BLOWER, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR	A 4140 EC 18-JUL-90	
QPL-23072-9	BLOWER, ANTI-EXPOSURE SUIT VENTILATION, GENERAL SPECIFICATION FOR (VALIDATION DATE: BS05)	A 1660 AS 12-MAR-79	
QPL-23098-11	REGULATOR, LINE VOLTAGE, SINGLE PHASE, 400 HERTZ A.C. NAVAL SHIPBOARD	A 6110 SH 08-NOV-76	
QPL-23124-14	OSCILLOSCOPE, 5-MEGACYCLE, MINIATURE, TRANSISTORIZED AN/USN-117( ) (VALIDATION DATE: BS05)	A 6625 EC 29-JAN-73	
QPL-23125-6	TEST SET, ELECTRON TUBE, SEMI-AUTOMATIC AN/USN-118( ) (VALIDATION DATE: BS05)	A 6625 EC 05-FEB-73	
A QPL-23151-23	VOLTMETER, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE)	A 6625 SH 08-MAR-93	
QPL-23155-18	ESCAPE APPLIANCE, HOODED, AIR INFLATABLE, WITH POUCH, SUBMARINE PERSONNEL	A 4220 SH 27-APR-87	
A QPL-23167-28	METER FREQUENCY, EXPANDED SCALE SWITCHBOARD TYPE (NAVAL SHIPBOARD USE)	A 6625 SH 08-MAR-93	
QPL-23183-7	CAPACITOR, FIXED OR VARIABLE, VACUUM DIELECTRIC, GENERAL SPECIFICATION FOR	A 5910 EC 04-OCT-85	
A QPL-23190-31	STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TIME AMS SUPPORT, GENERAL SPECIFICATION FOR	A 5975 AS 15-SEP-92	
A QPL-23236-60	PAINT COATING SYSTEMS, STEEL SHIP TANK, FUEL AND SALT WATER BALLAST (METRIC)	A 8030 SH 24-AUG-92	
QPL-23237-4	CHARGER, RADIAC DETECTOR, PP-4276( )/PD	A 6665 EC 09-AUG-84	
QPL-23269-16	CAPACITOR, FIXED, GLASS DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910 EC 30-MAR-90	
A QPL-23286-15	RESISTORS, VARIABLE, NONWIRE-WOUND, GENERAL SPECIFICATION FOR	A 5905 ER 28-SEP-92	
QPL-23310-9	INHIBITORS, CORROSION, VOLATILE, OIL TYPE	A 6850 AS 29-FEB-88	
A QPL-23377-15(1)	PRIMER COATINGS: EPOXY, CHEMICAL AND SOLVENT RESISTANT	A 8010 AS 24-SEP-92	
QPL-23398-14(1)	LUBRICANT, SOLID FILM AIR DRYING, CORROSION INHIBITING	A 9150 AS 21-AUG-90	
A QPL-23419-30	FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR	A 5920 EC 17-DEC-92	
QPL-23426-14	TENSION BAR/RELEASE ELEMENT, AIRCRAFT LAUNCHING	A 1720 AS 29-JUL-88	
QPL-23439-4	TOWLINES, AERIAL TARGET, CONSTANT AND STEPPED DIAMETER WIRE AND STRANDED	A 1680 AS 30-APR-85	
A QPL-23460-19	PIN, QUICK-RELEASE, SELF-RETAINING, POSITIVE-LOCKING	A 5340 AS 07-OCT-92	
QPL-23479-11	INDICATOR, PRESSURE, 1-1/2-INCH, INTEGRALLY LIGHTED	A 6620 AS 18-AUG-86	
QPL-23492-8(1)	SCALER, NEEDLE TYPE, PNEUMATIC, PORTABLE	A 5130 ME 15-NOV-84	
QPL-23549-13	GREASE, GENERAL PURPOSE	A 9150 AS 11-APR-88	
QPL-23586-13	SEALING COMPOUND, ELECTRICAL, SILICONE RUBBER, ACCELERATOR REQUIRED	A 8030 AS 21-NOV-88	
QPL-23595-12	AMPLIFIER, AUDIO FREQUENCY AM-3597C/A AND AM-4326B/A (VALIDATION DATE: BS09)	A 5831 AS 01-AUG-79	
QPL-23622-3	ACTUATOR, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT	A 1680 AS 19-JUL-83	
QPL-23648-19	THERMISTOR, (THERMALLY SENSITIVE RESISTOR), INSULATED, GENERAL SPECIFICATION FOR	A 5905 EC 18-MAR-92	
A QPL-23653-25	PLASTIC TILES, VIBRATION DAMPING	A 9330 SH 15-JAN-93	
QPL-23671-4	INDICATOR, MS17264, AIRSPEED & MACH NUMBER, INTEGRALLY LIGHTED, PITOT STATIC, 80 TO 850 KNOTS	A 6610 AS 30-JAN-91	
QPL-23699-14	LUBRICATING OIL, AIRCRAFT TURBINE ENGINES, SYNTHETIC BASE	A 9150 AS 20-MAR-92	
QPL-23750	RATE GYRO FOR AN/APQ-59, AN/APQ-72, AN/APQ-100, AN/APQ-109, AND AN/APQ-120	A 1430 AS 17-MAR-83	
NOTICE 1	RADAR SETS		
QPL-23761-15	REGULATORS, VOLTAGE AND CONTROL PANELS, AIRCRAFT DIRECT CURRENT GENERATOR, GENERAL SPECIFICATION FOR	A 6110 AS 22-NOV-85	
A QPL-23765-39	ELECTRODES AND RODS - WELDING, BARE, SOLID AND ALLOYED CORED, GENERAL SPECIFICATION FOR	A 3439 SH 12-FEB-93	
QPL-23827-21(1)	GREASE, AIRCRAFT AND INSTRUMENT, GEAR AND ACTUATOR SCREW	A 9150 AS 26-JUN-90	
QPL-23830-16	INDICATOR, MULTI-VOLTAGE, MULTI-FREQUENCY AND POLARITY, HAND, PORTABLE	A 6625 SH 20-DEC-91	
QPL-23864-1	RADAR TRANSDUCER AN/DPN-77(*) (VALIDATION DATE: 8107)	A 5895 AS 30-MAR-73	
A QPL-23886-27	LIQUID LEVEL INDICATING EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE)	A 6680 SH 28-AUG-92	
QPL-23899-9	AURAL PROTECTOR, SOUND	A 4240 AS 03-MAR-86	
QPL-23953-9	VALVE, COMBINED VENT CHECK FOR SUBMARINE MBT BLOW LINES	A 4820 SH 07-AUG-84	
QPL-23964-21	BOLT, SELF-RETAINING, POSITIVE LOCK	A 5306 AS 01-AUG-89	
QPL-24021-17	ELECTRIC POWER MONITORS, EXTERNAL, AIRCRAFT	A 6115 AS 08-SEP-91	
A QPL-24041-18	MOLDING AND POTTING COMPOUND, CHEMICALLY CURED, POLYURETHANE	A 9320 SH 08-MAR-93	
QPL-24092-35	INSULATING VARNISHES AND SOLVENTLESS RESINS FOR APPLICATION BY THE DIP PROCESS	A 5970 SH 01-MAR-91	
QPL-24095-7	BATTERY CHARGER, AUTOMATIC, PORTABLE, RECTIFIER TYPE	A 6130 SH 06-MAY-86	
QPL-24105	CONVERTER, SYNCHRO SIGNAL (PANEL MOUNTED) (VALIDATION DATE: 8204)	A 6125 SH 09-MAY-68	
NOTICE 1			
QPL-24109-8	VALVES, GLOBE, ANGLE, QUICK CHANGE CARTRIDGE TRIM, HIGH PRESSURE (H.P.) HYDRAULIC AND PNEUMATIC (SIZES 1/8 - 1-1/4 INCHES)	A 4820 SH 26-MAR-90	
A QPL-24131-9	LUBRICANT, COLLOIDAL GRAPHITE IN ISOPROPANOL	A 9150 SH 08-OCT-92	
A QPL-24135-28	HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR	A 4720 SH 28-SEP-92	
A QPL-24136-27	HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED, AND END FITTINGS, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR	A 4730 SH 20-JUL-92	
QPL-24139-17	GREASE, MULTIPURPOSE, WATER RESISTANT	A 9150 SH 15-APR-91	
QPL-24144-4	INDICATOR, FROST POINT DEW POINT, SELF COOLING, SEMI PORTABLE	A 6685 SH 27-APR-88	
QPL-24176-25	CEMENT, EPOXY, METAL REPAIR AND MULL SMOOTHING (METRIC)	A 8030 SH 08-AUG-91	
QPL-24179-21	ADHESIVE, FLEXIBLE UNICELLULAR-PLASTIC THERMAL INSULATION	A 8040 SH 03-SEP-91	
QPL-24187-14	SWITCH ASSEMBLIES, LINEAR MOVEMENT MANUAL AND REMOTE OPERATION, GENERAL SPECIFICATION FOR	A 5930 SH 09-OCT-91	
QPL-24200-14	BATTERY CELLS & ELEMENTS, LEAD-ACID, LEAD-ANTIMONY, MAIN STORAGE, SUBMARINE, GENERAL SPECIFICATION FOR (METRIC)	A 6140 SH 06-MAY-86	
A QPL-24204-9	INSULATION, ELECTRICAL, HIGH TEMPERATURE, BONDED, SYNTHETIC FIBER PAPER	A 5970 SH 09-JAN-91	
QPL-24212-22	PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL)	A 6685 SH 30-JUL-92	
QPL-24236-18	SWITCHES, THERMOSTATIC, (METALLIC AND BIMETALLIC) GENERAL SPECIFICATION FOR	A 5930 EC 29-APR-88	
QPL-24247-17	LIFE PRESERVER, VEST TYPE, U.S. NAVY, MARK I	A 4220 SH 16-MAY-91	
QPL-24249-4	PLASTIC MATERIAL, CELLULAR POLYURETHANE, RIGID, VOID FILLER, FOAM-IN-PLACE, LARGE SCALE AND INSTALLATION OF	A 9330 SH 19-APR-90	
A QPL-24304-12	DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE)	A 6685 SH 27-APR-92	
H QPL-24308-78	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR	A 5935 EC 27-APR-93	
QPL-24317-10	SWITCH, MULTISTATION, PUSHBUTTON, (ILLUMINATED AND NON-ILLUMINATED), GENERAL SPECIFICATION FOR	A 5930 EC 17-JUL-91	
A QPL-24340-12	SEALING COMPOUND, DECK POLYURETHANE (POLYETHER BASE)	A 8030 SH 26-FEB-93	
QPL-24350-4	MONITOR, REVERSE POWER, ELECTRICAL POWER (NAVAL SHIPBOARD USE)	A 5925 SH 09-AUG-88	
QPL-24355-4	ELECTRODE, WELDING, BARE, SOLID, NICKEL MANGANESE-CHROMIUM MOLYBDENUM ALLOY STEEL FOR PRODUCING HY-130 WELDMENTS FOR AS WELDED APPLICATIONS	A 3439 SH 14-MAR-78	
QPL-24356-15	COUPLINGS, SEGMENTED, & SPLIT CLAMPS REATTACHABLE, 2-1/2-, 4-, 6- & 7-INCH, FOR REFUELING AT SEA HOSE	A 4730 SH 31-MAY-88	
A QPL-24368-18	CONNECTOR ASSEMBLIES, PLUGS AND RECEPTACLES, ELECTRIC, POWER TRANSFER, SHORE TO SHIP AND SHIP TO SHIP, GENERAL SPECIFICATION FOR	A 5935 SH 28-SEP-92	
A QPL-24385-26	FIRE EXTINGUISHING AGENT, AQUEOUS FILM-FORMING FOAM (AFFF) LIQUID CONCENTRATE, FOR FRESH AND SEA WATER	A 4210 SH 13-NOV-92	
QPL-24387-15	TEMPERATURE MEASUREMENT EQUIPMENT SIGNAL CONDITIONER AND POWER SUPPLY (ELECTRICAL) (NAVAL SHIPBOARD USE)	A 6685 SH 20-FEB-90	
QPL-24388-15	THERMOCOUPLE & RESISTANCE TEMPERATURE ELEMENTS ASSEMBLIES, GENERAL SPECIFICATION FOR (NAVAL SHIPBOARD USE)	A 6685 SH 23-JUL-90	



## ACTIVE SECTION

NUMERICAL LISTING  
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Active QPL / OMA Condition Inches	Document Number	Document Title	Dist. Orgt. FSC / AIA	MCA Symbol	Preparing Agency Date	Custodians			
						Army	Navy	Air Force	DLA
A	QPL-24391-13	INSULATION TAPE, ELECTRICAL, PLASTIC, PRESSURE-SENSITIVE .....	A 5970	SM	08-OCT-92				
A	QPL-24402-32	FILTERS (HYDRAULIC), FILTER ELEMENTS (HIGH EFFICIENCY), AND FILTER DIFFERENTIAL PRESSURE INDICATORS .....	A 4330	SM	26-FEB-93				
A	QPL-24403-20	ELECTRODES-WELDING, FLUX CORED, GENERAL SPECIFICATION FOR .....	A 3439	SM	12-FEB-93				
A	QPL-24439-10	VALVES, OXYGEN, HELIUM AND HELIUM OXYGEN MIXTURE, HIGH PRESSURE FOR GAS SERVICES .....	A 4820	SM	27-JUL-92				
A	QPL-24441-30	PAINT, EPOXY-POLYAMIDE, GENERAL SPECIFICATION FOR .....	A 8010	SM	12-FEB-93				
A	QPL-24453-11	INHIBITOR, CORROSION, SOLUBLE OIL .....	A 6850	SM	11-FEB-91				
A	QPL-24456-15	ADHESIVE FOR PLASTIC VIBRATION-DAMPING TILES .....	A 8040	SM	30-SEP-92				
A	QPL-24483-27	DECK COVERING, SPRAY-ON, NONSLIP .....	A 5610	SM	21-AUG-92				
A	QPL-24489-6	LIFEBOAT, INFLATABLE MARK 6, 25 PERSON CAPACITY .....	A 1940	SM	25-APR-86				
A	QPL-24508-10	GREASE, HIGH PERFORMANCE, MULTI-PURPOSE .....	A 9150	SM	08-MAR-90				
A	QPL-24517-4	VALVE, STEAM PRESSURE REDUCING, QUIET DESIGN .....	A 4820	SM	07-JAN-88				
A	QPL-24519-26	MOLDING PLASTICS, ELECTRICAL, THERMOPLASTIC .....	A 5970	SM	26-FEB-93				
A	QPL-24552-7	TERMINAL AND PLUGS, CASUALTY POWER SYSTEMS, RECEPTACLE TYPE, GENERAL SPECIFICATION FOR .....	A 5940	SM	23-AUG-91				
A	QPL-24572-13	EXTINGUISHER, FIRE, BROMOTRIFLUOROMETHANE (HALON 1301) SYSTEMS (FIXED, PIPE, PNEUMATICALLY ACTUATED, NAVAL SHIPBOARD USE) .....	A 4210	SM	25-MAR-91				
A	QPL-24574-5	LUBRICATING FLUID FOR LOW AND HIGH PRESSURE OXIDIZING GAS SYSTEMS .....	A 9150	SM	06-MAY-85				
A	QPL-24577-9	DISTILLER SCALE PREVENTIVE TREATMENT FORMULATIONS (METRIC) .....	A 4620	SM	27-JUL-92				
A	QPL-24596-8	COATING COMPOUNDS, NONFLAMING, FIRE PROTECTIVE (METRIC) .....	A 8010	SM	06-NOV-92				
A	QPL-24613-17	DECK COVERING MATERIALS, INTERIOR, COSMETIC POLYMERIC .....	A 5610	SM	04-NOV-92				
A	QPL-24624-11	VALVES, BUTTERFLY, WAFER AND LUG STYLE, SHIPBOARD SERVICE .....	A 4820	SM	10-FEB-93				
A	QPL-24630-1	VALVES, CHECK, IN-LINE, FOR HYDRAULIC FLUID AND LUBRICATING OIL FLUID .....	A 4820	SM	16-SEP-91				
A	QPL-24635-6	ENAMEL, SILICONE ALKYL COPOLYMER (METRIC) .....	A 8010	SM	05-JUN-92				
A	QPL-24640-17	CABLE, ELECTRICAL, LIGHTWEIGHT, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR .....	A 6145	SM	26-OCT-92				
A	QPL-24643-16	CABLE AND CORD, ELECTRICAL, LOW SMOKE, FOR SHIPBOARD USE, GENERAL SPECIFICATION FOR .....	A 6145	SM	19-OCT-92				
A	QPL-24647-1	PAINT SYSTEM, ANTICORROSIVE AND ANTIFOULING, SHIP HULL .....	A 8010	SM	12-JUN-92				
A	QPL-24648-3	PRIMER COATING, ZINC DUST PIGMENTED FOR EXTERIOR STEEL SURFACES (METRIC) ..	A 8010	SM	20-NOV-91				
A	QPL-24655-3	PAINT, UNDERWATER HULL, ANTICORROSION (METRIC) .....	A 8010	SM	28-SEP-92				
A	QPL-24659	GUNGE, DIFFERENTIAL, DIAL INDICATING .....	A 6685	SM	20-MAR-87				
A	QPL-24667-11	COATING SYSTEM, NONSLIP, FOR ROLL OR SPRAY APPLICATION (METRIC) .....	A 8010	SM	27-AUG-92				
A	QPL-24682-2	ADDITIVE, FUEL OIL STABILIZER .....	A 6850	SM	04-MAY-92				
A	QPL-24702-3	FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC) ..	A 4330	SM	26-OCT-92				
A	QPL-25013-25	GREASE, AIRCRAFT, BALL AND ROLLER BEARING, NATO CODE NUMBER G-372, METRIC ..	A 9150	AS	10-APR-91				
A	QPL-25017-16	INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE (METRIC) .....	A 6850	11	06-SEP-89				
A	QPL-25023-19(1)	VALVE, FUEL DRAIN, SELF-LOCKING .....	A 2915	82	30-JUL-82				
A	QPL-25027-14(3)	NUT, SELF LOCKING, 250 DEG. F, 450 DEG. F, AND 800 DEG. F .....	A 5310	AS	28-SEP-88				
A	QPL-25038-23	WIRE, ELECTRICAL, HIGH TEMPERATURE AND FIRE RESISTANT, GENERAL SPECIFICATION FOR .....	A 6145	AS	15-SEP-92				
A	QPL-25049-9(1)	KNOW, CONTROL, EQUIPMENT, AIRCRAFT (VALIDATION DATE: 8311) .....	A 5355	AS	01-JUL-89				
A	QPL-25130-16	INDICATOR, PRESSURE, OIL, 0-300 PSI, TYPE MD-1 .....	A 6620	AS	30-JAN-91				
A	QPL-25134-20	REMOVER, PAINT, AND LAQUER, SOLVENT TYPE .....	A 8010	84	03-MAY-88				
A	QPL-25135-15(1)	INSPECTION MATERIALS, PENETRANT .....	A 6850	11	10-JUL-87				
A	QPL-25181-20	NOZZLE, AERIAL REFUELING, TYPE MA-2 .....	A 1680	82	30-MAY-89				
A	QPL-25182-13	COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING TYPE MA-2 .....	A 1680	AS	30-DEC-92				
A	QPL-25374-5	PLASTIC SHEET, ACRYLIC, MODIFIED, LAMINATED .....	A 9330	AS	24-JAN-84				
A	QPL-25427-18	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK-DISCONNECT .....	A 4730	AS	25-JUN-92				
A	QPL-25438-16	INDICATOR, PRESSURE, TYPE MD-2 .....	A 6620	71	30-MAR-92				
A	QPL-25446-10	TRANSMITTER, TEMPERATURE, ELECTRICAL, RESISTANCE .....	A 6685	82	21-NOV-86				
A	QPL-25463-30(1)	ADHESIVE, FILM FORM, METALLIC STRUCTURAL, SANDWICH CONSTRUCTION .....	A 8040	AS	05-OCT-87				
A	QPL-25469-9	VALVES, FILLER, LIQUID OXYGEN, AIRCRAFT TYPE .....	A 4820	71	19-MAR-93				
A	QPL-25482-14	INDICATOR, THRUST, SYNCHRO STYLE, PRESSURE RATIO SENSITIVE, 1.1-3.4 UNITS, 2 INCH SIZE, TYPE MR-2 .....	A 6620	71	29-FEB-92				
A	QPL-25516-10	CONNECTORS, ELECTRICAL, MINIATURE, COAXIAL, ENVIRONMENTAL RESISTANT TYPE ..	A 5935	85	21-FEB-90				
A	QPL-25531-16	COUPLING HALF, QUICK DISCONNECT, PNEUMATIC STARTER, EXTERNAL, LOW PRESSURE ..	A 4730	82	11-OCT-85				
A	QPL-25537-18	GREASE, AIRCRAFT, HELICOPTER OSCILLATING BEARING, NATO CODE NUMBER G-36 6, METRIC .....	A 9150	AS	06-MAR-90				
A	QPL-25579-20	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH TEMPERATURE, MEDIUM PRESSURE .....	A 4720	82	17-AUG-90				
A	QPL-25597-19	GYROSCOPE, DISPLACEMENT, ROLL AND PITCH, TYPE MD-1 .....	A 6615	71	14-FEB-91				
A	QPL-25623-24	INDICATOR, ELECTRICAL TACHOMETER, AIRCRAFT TURBO SPEED 0-110 PERCENT RPM, 2-INCH SIZE, TYPE MU-1 .....	A 6620	71	30-JUL-92				
A	QPL-25624-27	TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI .....	A 6620	71	29-FEB-92				
A	QPL-25627-16	TRANSMITTER, SYNCHRO, ANGLE OF ATTACK OF SIDESLIP .....	A 6610	71	17-JAN-92				
A	QPL-25670-9	EARPHONE ELEMENTS REVIEWER: 80 .....	A 5965	85	22-APR-92				
A	QPL-25674-12	CONVERTER, LIQUID, OXYGEN, TYPE ME-3 .....	A 1660	71	06-DEC-91				
A	QPL-25675-17	VALVES, CHECK, MINIATURE, HYDRAULIC, AIRCRAFT AND MISSILE .....	A 4820	71	14-FEB-92				
A	QPL-25676-10	ADAPTER, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT .....	A 4730	82	14-JUN-84				
A	QPL-25677-8	NOZZLE, PRESSURE LUBRICATING OIL SERVICING, LOCKING .....	A 4930	82	12-APR-74				
A	QPL-25690-13(5)	PLASTIC, SHEETS AND FORMED PARTS, MODIFIED ACRYLIC BASE, MONOLITHIC, CRACK PROPAGATION RESISTANT .....	A 9330	AS	11-FEB-93				
A	QPL-25708-7	ANTENNA, BLADE, L-BAND GENERAL SPECIFICATION FOR .....	A 5985	85	22-AUG-89				
A	QPL-25716-10	PARACHUTE SYSTEM, HEAVY DUTY, GENERAL SPECIFICATION FOR .....	A 5330	11	26-MAR-92				
A	QPL-25732-16(1)	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, LIMITED SERVICE AT 275 DEG. F (135 DEG. C) .....	A 1660	71	07-AUG-91				
A	QPL-25777-13	CONVERTER, LIQUID OXYGEN GCU-2A/A .....	A 1660	71	07-AUG-91				
A	QPL-25781-12	CONVERTER, LIQUID OXYGEN GCU-3/A .....	A 4220	82	16-OCT-81				
A	QPL-25798-3	LIFE PRESERVER, UNDERARM, CASUALTY, TYPE MD-1 .....	A 6685	82	01-JUN-92				
A	QPL-25861-18	INDICATOR, PRESSURE, HYDRAULIC, 0-4,000 PSI INTEGRALLY LIGHTED .....	A 6620	71	15-MAR-91				
A	QPL-25863-21	INDICATOR, ELECTRICAL TACHOMETER, 0-110 PERCENT RPM 2-INCH SIZE, INTERNALLY LIGHTED .....	A 6685	82	30-APR-82				
A	QPL-25867-10	GAGE, PRESSURE, DIAL INDICATING, PNEUMATIC .....	A 5985	85	09-NOV-90				
A	QPL-25879-3	SWITCH, COAXIAL, RADIO FREQUENCY TRANSMISSION LINE TYPE SA-521A/A .....	A 1560	84	12-JUL-84				
A	QPL-25896-17	ADAPTER, PRESSURE FUEL SERVICING, AIRCRAFT, NOMINAL 2 1/2 INCH DIAMETER (VALIDATION DATE: 8505) .....	A 1660	71	26-NOV-90				
A	QPL-25916-17	REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE-BREATHING, GENERAL SPECIFICATION FOR .....	A 6610	82	15-AUG-83				
A	QPL-25933-9	ALTIMETER, PRESSURIZED COMPARTMENT ANU-3/A, INTEGRALLY LIGHTED, 0-50,000 FEET, 1-7/8 INCH DIAL .....	A 6620	71	30-JUN-92				
A	QPL-25950-20	INDICATOR, PRESSURE, OIL, 0-100 PSI .....	A 5935	85	26-AUG-92				
A	QPL-25955-4	CONNECTORS, ELECTRICAL, ENVIRONMENTAL RESISTING, MINIATURE, WITH SNAP-IN CONTACTS .....	A 1670	82	15-MAY-84				
A	QPL-25959-15	TIE DOWNS, CARGO, AIRCRAFT .....	A 4820	71	20-MAR-92				
A	QPL-25961-17	VALVE, FILL-BUILDUP-VENT, LIQUID OXYGEN CONVERTER, ORU-50/A .....	A 4820	71	31-JAN-91				
A	QPL-25962-12	VALVES, LIQUID OXYGEN DRAIN .....	A 1660	71	06-DEC-91				
A	QPL-25973-13	CONVERTER, LIQUID OXYGEN, GCU-12A/A .....	A 1660	71	27-JAN-91				
A	QPL-25974-5	CONVERTER, LIQUID OXYGEN GCU-10/A .....	A 6140	80	16-JAN-87				
A	QPL-26026-7	BATTERY, STORAGE, AIRCRAFT, TYPE MA-2 .....	A 4440	84	13-MAR-87				
A	QPL-26058-10	CARTRIDGE, GAS PURIFIER, EXTREMELY LOW DEWPOINT, TYPE MA-2 .....	A 6210	82	31-AUG-87				
A	QPL-26202-7	LIGHT, MARKER, AIRPORT, SEMIFLUSH, GENERAL SPECIFICATION FOR .....	A 6140	80	16-NOV-84				
A	QPL-26220-20(1)	BATTERIES, STORAGE, AIRCRAFT, NICKEL-CADMIUM, GENERAL SPECIFICATIONS FOR ..							



## ACTIVE SECTION

NUMERICAL LISTING  
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Adm CPL / Osk Coordination Institute Document Number	Document Title	Dist. Syst. FSC / Ans MCA Symbol Preparing Acty Date	Customers			
			Army	Navy	Air Force	DLA
A	OPL-26301-7	A 5945	85	12-JUN-91		
	OPL-26380-8	A 6680	82	17-FEB-89		
	OPL-26382-9	A 6680	82	30-DEC-83		
	OPL-26482-59	A 5935	CR	15-MAR-93		
A	OPL-26499-4	A 4720	82	10-APR-89		
	OPL-26500-47	A 5935	85	13-APR-93		
	OPL-26517-8	A 6130	80	25-AUG-78		
	OPL-26518-8	A 5935	ES	18-DEC-90		
M	OPL-26542-5	A 5965	85	22-APR-92		
	OPL-26547-7	A 2925	82	27-MAY-83		
	OPL-26549-7(1)	A 6850	82	29-AUG-85		
	OPL-26611-25	A 6620	71	07-MAY-93		
A	OPL-26626-19	A 4720	71	31-JAN-92		
	OPL-26633-13	A 1730	82	14-OCT-85		
	OPL-27188-14	A 6620	71	29-FEB-92		
	OPL-27189-19	A 6620	71	30-MAR-92		
A	OPL-27190-7	A 6685	82	31-DEC-87		
	OPL-27191-16	A 6620	71	29-FEB-92		
	OPL-27193-16	A 6610	71	04-MAR-91		
	OPL-27197-21	A 6610	71	15-AUG-92		
A	OPL-27200-19	A 6615	71	11-OCT-91		
	OPL-27202-19	A 6620	71	15-AUG-91		
	OPL-27203-14	A 6610	71	08-MAR-91		
	OPL-27208-38	A 5905	85	23-AUG-89		
A	OPL-27209-14	A 6685	82	15-NOV-92		
	OPL-27260-16(1)	A 1670	82	22-FEB-93		
	OPL-27267-13(2)	A 4720	82	05-MAR-92		
	OPL-27272-7(1)	A 4730	82	26-MAR-85		
A	OPL-27287-19	A 5910	85	19-SEP-90		
	OPL-27296-10	A 1660	82	25-JUL-83		
	OPL-27336-10	A 1660	71	23-FEB-91		
	OPL-27535-7	A 5950	85	23-NOV-92		
A	OPL-27536-5	A 5340	82	22-FEB-85		
	OPL-27552-18	A 6685	82	16-APR-91		
	OPL-27599-9	A 5935	85	20-MAR-91		
	OPL-27601-4	A 9150	11	28-JAN-83		
M	OPL-27617-7	A 9150	11	17-JAN-92		
	OPL-27619-17	A 6610	71	01-JUN-93		
	OPL-27623-17	A 661	71	08-MAR-91		
	OPL-27652-7	A 1660	71	09-AUG-91		
A	OPL-27656-10	A 4920	84	29-AUG-83		
	OPL-27680-7	A 6610	AV	20-MAY-82		
	OPL-27693-2	A 6615	ER	06-MAR-88		
	OPL-27710-11	A 6610	11	25-FEB-91		
A	OPL-27715-3	A 5925	85	20-MAY-88		
	OPL-27725-6	A 8030	11	30-OCT-89		
	OPL-27848-15	A 6605	71	15-MAR-92		
	OPL-27853-6	A 3655	68	27-APR-81		
A	OPL-27882-12	A 6680	82	12-AUG-92		
	OPL-28208-12	A 2915	82	20-JUL-77		
	OPL-28731-19	A 5935	EC	17-JAN-92		
	OPL-28748-50	A 5935	EC	21-APR-92		
M	OPL-28750-19	A 5945	EC	13-AUG-91		
	OPL-28754-33	A 5935	SH	13-APR-93		
	OPL-28770-3	A 5998	SH	24-FEB-92		
	OPL-28776-22	A 5945	85	03-NOV-92		
A	OPL-28787-64	A 5963	SH	16-DEC-92		
	OPL-28788-5	A 5930	85	10-MAR-86		
	OPL-28803-6	A 6240	EC	28-DEC-90		
	OPL-28804-8	A 5935	EC	04-DEC-90		
M	OPL-28827-1	A 5930	EC	24-MAR-81		
	OPL-28830-6	A 6145	EC	20-MAR-87		
	OPL-28837-5	A 5985	EC	19-MAY-87		
	OPL-28840-18	A 5935	EC	27-MAY-93		
A	OPL-28859-6	A 5935	SH	15-FEB-92		
	OPL-28861-21	A 59GP	EC	25-FEB-93		
	OPL-28870-2	A 5999	EC	29-SEP-89		
	OPL-28875-1	A 5985	EC	07-JUL-88		
A	OPL-28876-3	A 6060	EC	23-MAR-87		
	OPL-29504-4	A 6060	EC	29-JUL-92		
	OPL-29576-1	A 1660	AS	19-DEC-90		
	OPL-30026-9	A 6130	80	07-SEP-77		
A	OPL-38121-12	A 6620	71	15-AUG-92		
	OPL-38133-9	A 6620	AS	30-JAN-91		
	OPL-38144-8	A 6620	71	29-FEB-92		
	OPL-38200-7	A 4220	82	22-APR-83		
A	OPL-38207-7	A 6645	82	05-MAY-78		
	OPL-38230-10	A 6620	71	15-FEB-90		



# ACTIVE SECTION

## NUMERICAL LISTING

### QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Active QPL / QML Coordinator Package	Document Number	Document Title	Dist. Smt. FSC / Ase MCA Symbol	Preparing Act Date	Custodian Army Navy Air Force DIA
	QPL-38268-13	ALUM. PROTECTOR, SOUND	A 4240	84 02-JUL-85	
	QPL-38277-10	CONNECTOR, OXYGEN MASK TO REGULATOR CRU-60/P	A 1660	82 24-APR-85	
	QPL-38334-6	CORROSION REMOVING COMPOUND, PREPAINT, FOR AIRCRAFT ALUMINUM SURFACES	A 6850	11 31-JAN-83	
	QPL-38359-13	CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE	A 6145	85 12-JUN-92	
M	QPL-38394-8	TRANSMITTER, PRESSURE, TRU-BI/A, OIL, 0-500 PSI	A 6620	71 30-MAY-93	
M	QPL-38510-94	MICROCIRCUITS, GENERAL SPECIFICATION FOR	A 5962	17 30-APR-93	
	QPL-38534-14	CUSTOM HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR	A 5962	17 08-APR-92	
	QPL-38534-11	CUSTOM HYBRID MICROCIRCUITS, GENERAL REQUIREMENTS FOR	A 5962	17 10-APR-91	
A	QPL-38535-2	MICROCIRCUITS MANUFACTURING, GENERAL REQUIREMENTS FOR	A 5962	17 21-AUG-92	
	QPL-38726-7	ADAPTER ASSEMBLY, REUSABLE, FLEXIBLE HOSE, LOW PRESS-RE	A 4730	82 15-DEC-83	
M	QPL-38999-62	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, GENERAL SPECIFICATION FOR	A 5935	85 12-APR-93	
	QPL-39001-38	CAPACITOR, FIXED, MICA DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	ER 13-JUL-90	
	QPL-39002-6	RESISTOR, VARIABLE, WIREWOUND, SEMI-PRECISION, GENERAL SPECIFICATION FOR	A 5905	ER 19-SEP-89	
A	QPL-39003-78	CAPACITOR, FIXED, ELECTROLYTIC (SOLID-ELECTROLYTE) TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	EC 29-OCT-92	
	QPL-39005-53	RESISTOR, FIXED, WIREWOUND (ACCURATE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5905	ER 26-DEC-91	
M	QPL-39006-78	CAPACITORS, FIXED, ELECTROLYTIC, (NON-SOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	EC 25-FEB-93	
A	QPL-39007-77	RESISTOR, FIXED, WIRE-WOUND (POWER TYPE) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5905	ER 28-DEC-92	
A	QPL-39008-38	RESISTOR, FIXED, COMPOSITION (INSULATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5905	ER 27-NOV-92	
A	QPL-39009-33	RESISTOR, FIXED, WIREWOUND (POWER TYPE, CHASSIS MOUNTED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5905	ER 27-NOV-92	
M	QPL-39010-34	COILS, ELECTRICAL, FIXED RADIO FREQUENCY, MOLDED, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5950	ER 04-MAY-93	
M	QPL-39012-90	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A 5935	CR 25-MAY-93	
A	QPL-39014-98	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	ER 30-OCT-92	
A	QPL-39015-56	RESISTOR, VARIABLE, WIREWOUND (LEAD SCREW ACTUATED), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5905	ER 28-AUG-92	
M	QPL-39016-65	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5945	EC 07-MAY-93	
A	QPL-39017-66	RESISTOR, FIXED, FILM (INSULATED) ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5905	ER 08-FEB-93	
A	QPL-39018-60	CAPACITOR, FIXED, ELECTROLYTIC (ALUMINUM OXIDE) ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	EC 09-DEC-92	
A	QPL-39019-20	CIRCUIT BREAKERS, MAGNETIC, LOW POWER, SEALED, TRIP FREE, GENERAL SPECIFICATION FOR	A 5925	ER 06-NOV-92	
A	QPL-39022-44	CAPACITOR, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	EC 30-SEP-92	
	QPL-39023-16	RESISTOR, VARIABLE, NON-WIREWOUND, PRECISION, GENERAL SPECIFICATION FOR	A 5905	ER 12-FEB-92	
	QPL-39024-27	CONNECTOR, ELECTRICAL, JACKS, TIP (TEST POINT, PANEL OR PRINTED WIRING TYPE), GENERAL SPECIFICATION FOR	A 5935	EC 12-MAR-91	
	QPL-39027-3	READOUTS, INCANDESCENT TYPE, GENERAL SPECIFICATION FOR [VALIDATION DATE: 8003]	A 5999	EC 31-JUL-72	
	QPL-39029-27	CONTACTS, ELECTRICAL CONNECTOR, GENERAL SPECIFICATION FOR	A 5935	AS 15-AUG-91	
A	QPL-39030-13	DUMMY LOADS, ELECTRICAL, COAXIAL AND STRIPLINE, GENERAL SPECIFICATION FOR	A 5985	EC 17-DEC-92	
A	QPL-39035-63	RESISTOR, VARIABLE, NONWIRE WOUND (ADJUSTMENT TYPE), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5905	85 04-AUG-92	
	QPL-43616-14(1)	CLEANING COMPOUND, AIRCRAFT SURFACE	A 6850	AS 30-OCT-90	
A	QPL-45005-13(2)	SEAL, PLAIN AND SEAL, PLAIN, ENCASED: FLUID, RADIAL, SINGLE AND MULTIPLE LIP SEALING MEMBER, SPRING LOADED	A 5330	AT 17-FEB-93	
	QPL-45328-10	PUMP, FUEL, ELECTRICAL, 24 VOLTS, D. C.	A 2910	AT 03-APR-85	
	QPL-45334-6(1)	COMPRESSORS, RECIPROCATING, POWER-DRIVEN, AIR AND WATER COOLED, 1/4, 1/2 AND 3/4 CFM, COMPRESSORS, ROTATING, POWER-DRIVEN, AIR AND WATER COOLED, 9 AND 12 CFM GOVERNOR ASSEMBLY-AIR BRAKE, ETC.	A 2530	AT 28-MAR-84	
	QPL-45337-6	SPOTLIGHT, 24 VOLT DIRECT CURRENT	A 6220	AT 31-MAY-83	
	QPL-45359-7	COIL, STARTING, ENGINE IGNITION WITH FILTER, 24 VOLT DIRECT CURRENT	A 2920	AT 28-MAR-84	
	QPL-46000-11	LUBRICANT SEMI-FLUID (AUTOMATIC WEAPONS)	A 9150	AR 03-APR-92	
	QPL-46003-10	GREASE, RIFLE	A 9150	AR 02-MAR-92	
M	QPL-46010-8	LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING	A 9150	ME 26-JAN-83	
	QPL-46058-67	INSULATING COMPOUND, ELECTRICAL (FOR COATING PRINTED CIRCUIT ASSEMBLIES), GENERAL SPECIFICATION FOR	A 5970	ER 26-MAR-93	
	QPL-46081-7	COATING COMPOUND, THERMAL INSULATING (INTUMESCENT)	A 8010	SH 29-OCT-90	
A	QPL-46105-7	PRIMER COATING, WELD THROUGH, ZINC-RICH	A 8010	ME 15-DEC-92	
	QPL-46117-5	ENAMEL, ALKYO, LUSTRELESS, SOLAR HEAT REFLECTING, OLIVE DRAB	A 8010	ME 25-OCT-84	
	QPL-46147-4	LUBRICANT, SOLID FILM, AIR-CURED (CORROSION INHIBITING)	A 9150	ME 03-DEC-91	
	QPL-46150-12	LUBRICANT, WEAPONS, SEMIFLUID (HIGH LOAD-CARRYING CAPACITY)	A 9150	AR 16-JUN-92	
A	QPL-46159-7	LACQUER, ACRYLIC, LOW REFLECTIVE	A 8010	ME 31-AUG-92	
	QPL-46167-9	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC	A 9150	ME 26-APR-91	
A	QPL-46168-25	COATING, ALIPHATIC POLYURETHANE, CHEMICAL AGENT RESISTANT	A 8010	ME 02-APR-93	
	QPL-46170-7	HYDRAULIC FLUID, RUST-INHIBITED, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE	A 9150	ME 06-DEC-91	
	QPL-46176-5	BRAKE FLUID, SILICONE, AUTOMOTIVE, ALL WEATHER, OPERATIONAL AND PRESERVATIVE	A 9150	ME 06-DEC-91	
A	QPL-46320-30	POWER SUPPLY, 10516158 (TRANSISTORIZED)	A 1240	AR 10-JUN-92	
	QPL-46354-13	HEADREST, OPTICAL INSTRUMENT	A 1240	AR 10-APR-92	
	QPL-46369-28	CONVERTER-REGULATOR: 10553449	A 1240	AR 22-APR-92	
M	QPL-46374-44	WATCH, WRIST: GENERAL PURPOSE	A 6645	AR 19-APR-93	
A	QPL-46676-9	EXPLOSIVE, FLEXIBLE	A 1375	AR 15-JUN-92	
	QPL-48611-7	ADHESIVE SYSTEM EPOXY - ELASTOMERIC, FOR GLASS TO METAL	A 8040	AR 06-MAR-92	
	QPL-49055-17	CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR	A 6145	CR 09-NOV-90	
A	QPL-49137-27	CAPACITOR, FIXED, ELECTROLYTIC (SOLID ELECTROLYTE), TANTALUM, MOLDED, CONFORMAL COATED AND METAL CASED WITH PLASTIC END FILL, NONHERMETICALLY SEALED, GENERAL SPECIFICATION FOR	A 5910	ER 25-AUG-92	
	QPL-49142-9	CONNECTOR, PLUGS & RECEPTACLES, ELECTRICAL, TRIAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A 5935	CR 02-APR-92	
	QPL-49462-2	RESISTORS, FIXED, FILM, HIGH VOLTAGE GENERAL SPECIFICATION FOR	A 5905	ER 30-NOV-89	
A	QPL-49464-4	CAPACITORS, CHIP, SINGLE LAYER, FIXED, PARALLEL PLATE, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	ER 30-OCT-92	
M	QPL-49465-8	RESISTORS, FIXED, METAL ELEMENT (POWER TYPE), (VERY LOW RESISTANCE VALUES), GENERAL SPECIFICATION FOR	A 5905	ER 04-MAY-93	
	QPL-50508-8	MOUNTS, RESILIENT (FOR USE IN AMMUNITION SHIPPING CONTAINERS)	A 8140	AR 15-APR-92	
M	QPL-50884-23	PRINTED WIRING, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR	A 5998	85 10-MAY-93	
	QPL-51068-4	FILTERS, PARTICULATE, HIGH-EFFICIENCY FIRE RESISTANT	A 4240	EA 24-JAN-92	



## ACTIVE SECTION

NUMERICAL LISTING  
QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Action OPL / OML Coordination Inactive	Document Number	Document Title	Dist. Smt. FSC / JCS	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DIA
A	OPL-51079-5	FILTER MEDIUM, FIRE-RESISTANT, HIGH-EFFICIENCY .....	A 4240	EA	24-JAN-92				
	OPL-52043-13	LACQUER, SEMI-GLOSS, CELLULOSE NITRATE .....	A 8010	MR	07-MAY-87				
	OPL-52079-10	HOSE, PREFORMED, SEMI-LEXIBLE, REINFORCED .....	A 2940	AT	09-JAN-84				
	OPL-52108-10	PAINT, WATER EMULSION TYPE (FOR STENCILING AND OBLITERATING) .....	A 8010	ME	11-MAY-90				
	OPL-52308-15	FILTER ELEMENT, FLUID PRESSURE .....	A 4330	ME	11-MAR-93				
A	OPL-52471-6	HOSE AND HOSE ASSEMBLY, RUBBER, HYDRAULIC, PRESSURE TYPE .....	A 4720	AT	13-JAN-88				
	OPL-52525-5	FITTINGS WIRE REINFORCED HYDRAULIC HOSE & CLAMP HALVES GENERAL SPECIFICATION FOR .....	A 4730	AT	13-JAN-88				
	OPL-52717-1	COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION .....	A 4130	ME	12-FEB-82				
	OPL-52891-14	ENAMEL, LUSTRELESS, ZINC PHOSPHATE, STYRENEATED, ALKYD TYPE .....	A 8010	ME	31-AUG-92				
	OPL-53021-5	STABILIZER ADDITIVE, DIESEL FUEL .....	A 6850	ME	28-FEB-92				
A	OPL-53022-10	PRIMER, EPOXY COATING, CORROSION INHIBITING, LEAD AND CHROMATE FREE .....	A 8010	ME	26-FEB-92				
	OPL-53030-5	PRIMER COATING, EPOXY, WATER REDUCIBLE, LEAD AND CHROMATE FREE .....	A 8010	ME	15-DEC-92				
	OPL-53039-18	COATING, ALIPHATIC POLYURETHANE, SINGLE COMPONENT, CHEMICAL AGENT RESISTANT .....	A 8010	ME	31-AUG-92				
	OPL-53084-2	PRIMER, CATHODIC ELECTRODEPOSITION, CHEMICAL AGENT RESISTANT .....	A 8010	ME	31-AUG-92				
	OPL-55041	SWITCH, WAVEGUIDE (VALIDATION DATE: 8601) .....	A 5985	EC	24-SEP-79				
M	OPL-55074-4	CONNECTOR, PLUG & RECEPTACLE, TELEPHONE, ELECTRICAL, GENERAL SPECIFICATION FOR .....	A 5935	CR	31-AUG-89				
	OPL-55110-36	PRINTED-WIRING BOARDS .....	A 5998	ER	20-APR-93				
	OPL-55116-8	CONNECTORS, MINIATURE AUDIO, FIVE-PIN AND SIX-PIN, GENERAL SPECIFICATION FOR .....	A 5935	CR	24-FEB-93				
	OPL-55181-11	CONNECTOR, PLUG AND RECEPTACLE, INTERMEDIATE POWER (ELECTRICAL, WATERPROOF) TYPE MW, GENERAL SPECIFICATION FOR .....	A 5935	CH	30-APR-92				
	OPL-55182-117	RESISTOR, FIXED, FILM, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5905	ER	05-FEB-93				
M	OPL-55302-72	CONNECTOR, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, GENERAL SPECIFICATION FOR .....	A 5935	CR	10-DEC-92				
	OPL-55310-46	OSCILLATORS, CRYSTAL CONTROLLED, GENERAL SPECIFICATION FOR .....	A 5955	ER	04-MAY-93				
	OPL-55339-36	ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY (BETWEEN SERIES AND WITHIN SERIES), GENERAL SPECIFICATION FOR .....	A 5935	CH	25-MAY-93				
	OPL-55342-55	RESISTOR, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5905	ER	19-MAY-93				
	OPL-55365-41	CAPACITOR, FIXED, ELECTROLYTIC (TANTALUM), CHIP, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5910	ER	04-MAY-93				
M	OPL-55514-33	CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5910	ER	08-APR-93				
	OPL-55624-5	PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS GENERAL SPECIFICATION FOR ...	A 5920	ER	04-MAY-83				
	OPL-55629-12	CIRCUIT BREAKER, MAGNETIC, UNSEALED OR PANEL SEAL, TRIP-FREE, GENERAL SPECIFICATION FOR .....	A 5925	ER	06-NOV-92				
	OPL-55681-88	CAPACITORS, CHIP, MULTIPLE LAYER, FIXED, UNENCAPSULATED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR .....	A 5910	ER	08-APR-93				
	OPL-60091-2	ADHESIVE FOR BONDING DEMOLITION CHARGES TO STRUCTURAL SURFACES .....	A 1375	AR	12-MAR-92				
A	OPL-62028-6	HOSE AIR DUCT, HIGH TEMPERATURE, FLEXIBLE, REINFORCED .....	A 2590	AT	21-JUN-84				
	OPL-62218-7(1)	CORROSION PREVENTATIVE COMPOUNDS, COLD-APPLICATION (FOR NEW & FIELDED MOTOR VEHICLES AND TRAILERS) .....	A 8030	AT	13-NOV-92				
	OPL-62346-5	BATTERIES, STORAGE: LEAD ACID (LOW MAINTENANCE) .....	A 6140	AT	18-SEP-92				
	OPL-63460-14	LUBRICANT, CLEANER AND PRESERVATIVE FOR WEAPONS AND WEAPONS SYSTEMS .....	A 9150	AR	20-MAR-92				
	OPL-81002-5	WIRE ROPE, 1 3/8 INCH DIAMETER, 6 X 30, TYPE G, LANG LAY FLATTENED STRAND, FIBER CORE, HIGH STRENGTH (FOR AIRCRAFT ARRESTING) .....	A 4010	AS	20-NOV-85				
A	OPL-81014-7	HOOK, HELICOPTER EXTERNAL CARGO, 20,000 POUND CAPACITY, TYPE C .....	A 1670	AS	29-JUL-88				
	OPL-81019-8	HYDRAULIC FLUID, PETROLEUM BASE, ULTRA-LOW TEMPERATURE .....	A 9150	AS	31-MAR-91				
	OPL-81044-10	WIRE, ELECTRIC, CROSSLINKED POLYALKYLENE, CROSSLINKED ALKANE-IMIDE POLYMER, OR POLYARYLENE INSULATED, COPPER OR COPPER ALLOY, GENERAL SPECIFICATION FOR .....	A 6145	AS	04-OCT-91				
	OPL-81087-6	SILICONE FLUID, CHLORINATED PHENYL METHYL POLYSILOXANE NATO CODE NUMBER H-536 .....	A 9150	AS	02-FEB-88				
	OPL-81099-10	ELECTRIC DEVICES, SIMPLE, GENERAL SPECIFICATION FOR .....	A 6150	AS	01-DEC-86				
A	OPL-81177-20	FASTENERS, BLIND, HIGH STRENGTH, INSTALLATION FORMED, ALLOY STEEL, GENERAL SPECIFICATION FOR .....	A 5320	AS	25-JAN-89				
	OPL-81219-11	INDICATOR, ELAPSED TIME, ELECTROCHEMICAL .....	A 6645	AS	13-JUN-88				
	OPL-81261-7	RAIN REPELLENT, GLASS WINDOW AND WINDSHIELDS, FOR IN-FLIGHT APPLICATIONS ..	A 6850	AS	02-NOV-83				
	OPL-81294-24(1)	REMOVER, PAINT, EPOXY, POLYSULFIDE AND POLYURETHANE SYSTEMS .....	A 8010	AS	30-DEC-92				
	OPL-81305-5	POWER, DISTRIBUTION PANEL, ALTERNATING CURRENT, F-4 AIRCRAFT, SPECIFICATION FOR .....	A 6110	AS	14-NOV-80				
A	OPL-81306-7	TOOL, FORMING, FOR ADJUSTABLE PLASTIC AND METAL CABLE STRAPS .....	A 5120	AS	30-SEP-88				
	OPL-81309-21	CORROSION PREVENTIVE COMPOUNDS, WATER DISPLACING, ULTRA THIN FILM .....	A 8030	AS	08-JAN-93				
	OPL-81322-18	GLAZE, AIRCRAFT, GENERAL PURPOSE, WIDE TEMPERATURE RANGE .....	A 9150	AS	16-MAR-93				
	OPL-81346-8	COMPOUND, DECK COVERING, NONSLIP, LIGHTWEIGHT, FOR ALUMINUM ALLOY LANDING MATS .....	A 8010	AS	22-OCT-92				
	OPL-81356-10	VALVE, FUEL SYSTEM PRESSURIZATION AND VENT .....	A 2910	AS	29-DEC-88				
A	OPL-81380-5	MONITOR CONTAMINATION, FUEL DISPENSING SYSTEM .....	A 4330	AS	29-AUG-88				
	OPL-81381-9	WIRE, ELECTRIC, POLYIMIDE-INSULATED, COPPER OR COPPER ALLOY, GENERAL SPECIFICATION FOR .....	A 6145	AS	30-APR-92				
	OPL-81387-8	INDICATOR, LIQUID OXYGEN QUANTITY .....	A 1660	AS	20-JUL-87				
	OPL-81388-8	INDICATOR REPEATERS, LIQUID OXYGEN QUANTITY .....	A 1660	AS	20-JUL-87				
	OPL-81454-3	INDICATOR, GYROSCOPE VERTICAL REFERENCE 10-1481/A .....	A 6610	AS	30-JAN-91				
A	OPL-81511-5	CONNECTORS, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, AND ACCESSORIES, GENERAL SPECIFICATION FOR .....	A 5935	AS	30-APR-92				
	OPL-81542-19	LIFE RAFT, INFLATABLE, ONE MAN, TYPE LR-1 .....	A 4220	AS	13-JUL-87				
	OPL-81550-4	INSULATING COMPOUND, ELECTRICAL, EMBEDDING, REVERSION RESISTANT SILICONE ..	A 5970	AS	03-FEB-84				
	OPL-81551-3	SWITCH, TOGGLE, HERMETICALLY SEALED .....	A 5930	AS	14-FEB-90				
	OPL-81552-9	VALVE, EXHALATION, OXYGEN MASK, PRESSURE COMPENSATING, WITH SAFETY RELIEF ..	A 1660	AS	20-JAN-93				
A	OPL-81553-18	REGULATOR, CHEST MOUNTED, 100 PERCENT OXYGEN POSITIVE PRESSURE CRU-79/P ..	A 1660	AS	14-AUG-91				
	OPL-81561-14	LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN, (WITH ARAMID CASING), TYPE LPL-218/P .....	A 4220	AS	13-JUL-87				
	OPL-81574-10	RESCUE HAND TOOL, PNEUMATIC .....	A 4240	AS	20-JUL-87				
	OPL-81581/1-11	HOSE ASSEMBLIES, AIR, LOW PRESSURE, HIGHLY FLEXIBLE .....	A 1660	AS	20-JUL-87				
	OPL-81581/2-10	HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE, WITH CONNECTIONS FOR AN INTEGRATED COMMUNICATION SYSTEM .....	A 1660	AS	20-JAN-93				
A	OPL-81581/3-14	HOSE ASSEMBLIES, BREATHING OXYGEN, HIGH PRESSURE WITHOUT CONNECTIONS FOR COMMUNICATION SYSTEM .....	A 1660	AS	20-JUL-87				
	OPL-81581/4-9	HOSE ASSEMBLIES, BREATHING OXYGEN, LOW PRESSURE, WITH/WITHOUT CONNECTIONS FOR INTERGRATED COMMUNICATION SYSTEM .....	A 1660	AS	20-JUL-87				
	OPL-81581/5-8	HOSE ASSEMBLY, BREATHING OXYGEN, LOW PRESSURE CONNECTOR TO REGULAR .....	A 1660	AS	20-JUL-87				
	OPL-81581/6-8	HOSE ASSEMBLY, BREATHING, OXYGEN AND AIR, HOSE KITS AND MATED ASSEMBLIES ..	A 1660	AS	20-JUL-87				
	OPL-81581/7-8	HOSE ASSEMBLY, COMBINED ASSEMBLIES, HOSE AND COMMUNICATION CABLE .....	A 1660	AS	20-JUL-87				
A	OPL-81581/8-10	HOSE ASSEMBLIES, CABLE ASSEMBLIES, COMMUNICATIONS, ASSOCIATED .....	A 1660	AS	20-JUL-87				
	OPL-81582-2	CONNECTORS, ELECTRIC, BAYONNET COUPLING, RFI SHIELDED, UMBILICAL .....	A 5935	AS	05-FEB-88				
	OPL-81582/1-1	CONNECTOR, ELECTRIC, BAYONNET COUPLING, RFI SHIELDED, UMBILICAL (VALIDATION DATE: 8509) .....	A 5935	AS	27-FEB-70				
	OPL-81582/2-1	CONNECTOR, ELECTRIC, BAYONNET COUPLING, RFI SHIELDED, UMBILICAL (VALIDATION DATE: 8207) .....	A 5935	AS	27-FEB-70				



# ACTIVE SECTION

## NUMERICAL LISTING

### QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Active CPL / OIA Compliance Index	Document Number	Document Title	Doc. Syst. FSC / Item	MCA Symbol	Preparing Act Date	Customers		
						Army	Navy	Air Force DLA
	QPL-81582/4-1	CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED, UNBILICAL [VALIDATION DATE: 8509]	A 5935	AS	27-FEB-70			
	QPL-81582/5-1	CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UNBILICAL [VALIDATION DATE: 8509]	A 5935	AS	12-AUG-70			
	QPL-81582/6-1	CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UNBILICAL [VALIDATION DATE: 8207]	A 5935	AS	12-AUG-70			
	QPL-81582/7-1	CONNECTOR, ELECTRIC, BAYONET COUPLING, RFI SHIELDED AND NON SHIELDED, UNBILICAL [VALIDATION DATE: 8509]	A 5935	AS	12-AUG-70			
	QPL-81655-4	PITOT STATIC TUBE, L-SHAPED COMPENSATED GENERAL SPECIFICATION FOR [VALIDATION DATE: 8509]	A 6610	AS	20-MAY-79			
	QPL-81659-10	CONNECTOR, ELECTRICAL, RECTANGULAR CRIMP CONTACTS, GENERAL SPECIFICATION FOR	A 5935	AS	30-OCT-91			
	QPL-81703-6	CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR	A 5935	AS	04-OCT-91			
A	QPL-81705-12	BARRIER MATERIALS, FLEXIBLE, ELECTROSTATIC PROTECTIVE, HEAT-SEALABLE	A 8135	AS	05-APR-93			
A	QPL-81706-15	CHEMICAL CONVERSION MATERIALS FOR COATING ALUMINUM AND ALUMINUM ALLOYS	A MFPF	AS	31-AUG-92			
	QPL-81714-6	TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR	A 5940	AS	30-APR-92			
	QPL-81722-12	VALVE, INFLATION, LIFE RAFT, FLU-6/P	A 4220	AS	05-OCT-87			
	QPL-81733-8	SEALING AND COATING COMPOUND, CORROSION INHIBITIVE	A 8030	AS	16-JAN-92			
	QPL-81757-15	BATTERIES AND CELLS, STORAGE NICKEL-CADMIUM, AIRCRAFT, GENERAL SPECIFICATION FOR	A 6140	AS	30-JUN-86			
	QPL-81787-11	LIFE PRESERVERS, INFLATABLE, UTILITY, TYPE LPP-1A	A 4220	AS	13-JUL-87			
	QPL-81790-5	CONNECTORS, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, GENERAL SPECIFICATION FOR	A 5935	AS	31-MAR-92			
	QPL-81820-25	BEARINGS, PLAIN, SELF ALIGNING, SELF LUBRICATING, LOW SPEED OSCILLATION	A 3120	AS	02-MAY-90			
	QPL-81824-2	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT	A 5940	AS	31-JAN-86			
	QPL-81827-10	GREASE, AIRCRAFT, HIGH LOAD CAPACITY, WIDE TEMPERATURE RANGE	A 9150	AS	10-MAY-91			
	QPL-81830-6	GROUT MATERIAL, RAPID SETTING	A 5610	AS	30-APR-88			
	QPL-81836-6	FILTER AND DISPOSABLE ELEMENT, FLUID PRESSURE, HYDRAULIC, 3 MICRON ABSOLUTE	A 4920	AS	06-MAY-92			
	QPL-81851-6	ALTIMETER AAU-31/A	A 6610	AS	30-JAN-91			
	QPL-81852-7	ALTIMETER ENCODER AAU-32/A	A 6610	AS	30-JAN-91			
	QPL-81903-12	REMOVER, ACID ACTIVATED, FOR AMINE-CURED EPOXY COATING SYSTEMS	A 8010	AS	21-APR-92			
	QPL-81904-5	COATING COMPOUND, THERMAL INSULATION, ABLATIVE	A 8010	AS	11-JUN-90			
	QPL-81905-6	ANTI-G GARMENT, CUTAWAY, ARAMID, CSU-14/P AND CSU-14P AND CSU15P	A 8475	AS	03-JUN-83			
A	QPL-81934-11	BEARINGS, SLEEVE, PLAIN AND FLANGED, SELF-LUBRICATING	A 3120	AS	21-DEC-92			
A	QPL-81935-13	BEARINGS, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING	A 3120	AS	14-DEC-92			
	QPL-81936-8	BEARINGS, PLAIN, SELF-ALIGNING (BE-OU BALL, CRES RACE), GENERAL SPECIFICATION FOR	A 3120	AS	25-JUN-86			
	QPL-81937-5	GREASE, INSTRUMENT, ULTRA CLEAN	A 9150	AS	08-MAR-91			
A	QPL-81940-11	VALVE, SAMPLING AND BLEED, HYDRAULIC, TYPE II SYSTEMS	A 1650	AS	25-JUL-92			
	QPL-81945-6	COATING COMPOUND, WEAPON INSULATION INTUMESCENT	A 8010	AS	03-DEC-90			
	QPL-81947-3	COATING COMPOUND, THERMAL INSULATION THREE COMPONENT, INTUMESCENT	A 8010	AS	28-JUN-90			
	QPL-81956-2	NOTICE 2						
	QPL-81966-2	DETERGENT, EXTERNAL REMOVABLE FUEL TANKS	A 7930	AS	03-FEB-88			
	QPL-81969-7	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, GENERAL SPECIFICATION FOR	A 5120	AS	30-APR-92			
A	QPL-81975-5	COUPLING, REGULATED, AERIAL PRESSURE REFUELING, TYPE MA-3	A 1680	AS	30-DEC-92			
	QPL-81991/1-1	CONVERTER, 4 AMPERE, DC TO DC, BOOST, CLASS A MULTIPURPOSE [VALIDATION DATE: 8311]	A 6130	AS	03-MAR-76			
	QPL-81995-10	VALVES, STARTER CONTROL, AIRCRAFT ENGINE, GENERAL SPECIFICATION FOR	A 2995	AS	05-SEP-88			
	QPL-82604-2	COMPOUND, ASPHALTIC, HIGH MELTING HOT-MELT (CAVITY LINING) [VALIDATION DATE: 8204]	A 8030	OS	24-JUL-75			
	QPL-82633-2	COMPOUND, POLYMERIC ELASTOMER, THERMOSETTING (FOR USE AS BOMB TAIL PAD) [VALIDATION DATE: 8204]	A 8030	OS	22-JAN-76			
	QPL-82646-3	PLASTIC FILM, CONDUCTIVE, HEAT SEALABLE, FLEXIBLE	A 8135	OS	30-SEP-88			
	QPL-83034-7	INDICATOR, HORIZONTAL SITUATION AQU-6/A	A 6610	11	27-FEB-91			
	QPL-83050-13	BOLT, SELF RETAINING, IMPEDANCE TYPE	A 5306	99	12-APR-84			
	QPL-83054-5	BAFFLE & INERTING MATERIAL, AIRCRAFT FUEL TANK	A 9330	84	27-MAY-88			
	QPL-83147-8	HELMET SHELL, FLYING HGU-22/P	A 8475	82	09-SEP-83			
	QPL-83178-9	REGULATOR, OXYGEN, DILUTER-DEMAND, AUTOMATIC-PRESSURE-BREATHING, GENERAL SPECIFICATION FOR	A 1660	71	07-SEP-90			
	QPL-83231-6	COATING, POLYURETHANE, RAIN EROSION RESISTANT FOR EXTERIOR AIRCRAFT AND MISSILE PLASTIC PARTS	A 8010	11	05-SEP-89			
	QPL-83282-13	HYDRAULIC FLUID, FIRE RESISTANT, SYNTHETIC HYDROCARBON BASE, AIRCRAFT NATO CODE NUMBER M-537	A 9150	AS	11-APR-88			
	QPL-83286-6	COATING, URETHANE, ALIPHATIC ISOCYANATE, FOR AEROSPACE APPLICATIONS	A 8010	11	09-MAY-86			
	QPL-83287-13	INDICATOR, FAULT LOCATING, GENERAL SPECIFICATION FOR	A 6625	85	31-MAR-92			
	QPL-83287/3	INDICATORS, FAULT LOCATING, GENERAL SPECIFICATION FOR	A 5999	85	26-JUL-83			
	QPL-83296-6	FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC	A 4730	99	15-JUN-91			
	QPL-83296-7(1)	HOSE, TETRAFLUOROETHYLENE, HIGH TEMPERATURE HIGH PRESSURE (3000 PSI), HYDRAULIC AND PNEUMATIC	A 4720	82	18-JUN-90			
	QPL-83315-4	SEALING COMPOUND, ALUMINUM STRUCTURE, PRESSURE AND WEATHER SEALING, LOW DENSITY	A 8030	11	26-MAY-89			
	QPL-83318-3	SEALING COMPOUND, LOW TEMPERATURE CURING, QUICK REPAIR, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES	A 8030	11	28-FEB-85			
	QPL-83383-8	CIRCUIT BREAKER, REMOTE CONTROL, THERMAL, TRIP FREE GENERAL SPECIFICATION FOR	A 5925	85	16-MAR-88			
A	QPL-83401-64	RESISTOR NETWORKS, FIXED, FILM & RESISTOR-CAPACITOR NETWORKS, FIXED FILM RESISTORS AND CERAMIC CAPACITOR, GENERAL SPECIFICATION FOR	A 5905	85	19-MAR-93			
	QPL-83406-5	ANTI-G GARMENT, CUTAWAY, CSU-13B/P	A 8475	82	31-MAR-92			
	QPL-83407-4	RELAYS, REED (MERCURY WETTED) GENERAL SPECIFICATION FOR	A 5945	85	06-APR-90			
	QPL-83411-4	DEICER/ANTI-ICER FLUID (FOR RUNWAYS AND TAXIWAYS)	A 6850	11	31-JAN-83			
	QPL-83419-7	ALTIMETER, SERVO CONTROLLED, AUTOMATIC PRESSURE STANDBY	A 6610	71	07-SEP-90			
	QPL-83420-7(6)	WIRE ROPE, FLEXIBLE, FOR AIRCRAFT CONTROL	A 4010	82	23-JAN-89			
A	QPL-83421-41	CAPACITOR, FIXED, METALLIZED PLASTIC FILM DIELECTRIC (DC, AC, OR DC AND AC) HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A 5910	85	05-OCT-92			
	QPL-83430-13	SEALING COMPOUND, INTEGRAL FUEL TANKS AND FUEL CELL CAVITIES, INTERMITTENT USE TO 360 DEG. F	A 8030	11	24-OCT-90			
	QPL-83439-13	CAPACITOR, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, (AC, DC, AND AC-DC), (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR	A 5910	85	18-FEB-92			
	QPL-83445-2	COATING SYSTEM, POLYURETHANE, NON YELLOWING, WHITE, RAIN EROSION RESISTANT, THERMALLY REFLECTIVE	A 8010	11	31-JAN-83			
	QPL-83446-23	COILS, RADIO FREQUENCY, CHIP, FIXED OR VARIABLE, GENERAL SPECIFICATION FOR	A 5950	ER	10-SEP-91			
A	QPL-83461-6	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 DEG. F (135 DEG. C)	A 5330	11	15-MAR-93			
	QPL-83500-4	CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM CATHODE, GENERAL SPECIFICATION FOR	A 5910	85	22-OCT-87			



# ACTIVE SECTION

## QUALIFIED PRODUCTS LISTS AND MANUFACTURERS LISTS

Adm. Div. / OMA / Code / Inactive	Document Number	Document Title	Doc. Date	FSC / Item	MCA Symbol	Preparing Act.	Date	Custodians			
								Army	Navy	Air Force	DIA
M	QPL-83502-2	SOCKET, PLUG IN ELECTRONIC COMPONENTS, ROUND STYLE, GENERAL SPECIFICATION FOR	A 5935	85	10-MAY-93						
	QPL-83503-25	CONNECTOR, ELECTRICAL, FLAT CABLE, AND/OR PRINTED WIRING BOARD, NONENVIRONMENTAL, GENERAL SPECIFICATION FOR	A 5935	85	10-MAR-92						
	QPL-83504-9	SWITCH, DUAL IN LINE PACKAGE (DIP), GENERAL SPECIFICATION FOR	A 5930	85	05-DEC-90						
	QPL-83505-15	SOCKET, (LEAD, ELECTRONIC COMPONENTS) GENERAL SPECIFICATION FOR	A 5935	85	07-JUN-91						
	QPL-83507-8	TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS AND CONNECTORS AND CABLE ACCESSORIES, GENERAL SPECIFICATION FOR	A 5180	85	08-MAY-87						
	QPL-83511-4	HEADSET-MICROPHONE AND HEADSET-ELECTRICAL (MEDIUM NOISE ATTENUATION, HEARING PROTECTIVE)	A 5965	85	15-JUN-92						
A	QPL-83513-24	CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, POLARIZED SHELL, GENERAL SPECIFICATION FOR	A 5935	85	13-APR-93						
A	QPL-83516-8	RELAY, REED, DRY, GENERAL SPECIFICATION FOR	A 5945	85	22-DEC-92						
M	QPL-83517-8	CONNECTOR, COAXIAL, RADIO FREQUENCY FOR COAXIAL, STRIP OR MICROSTRIP, TRANSMISSION LINE, GENERAL SPECIFICATION FOR	A 5935	85	12-APR-93						
A	QPL-83519-6	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR	A 5950	85	25-NOV-92						
M	QPL-83522-7	CONNECTORS, FIBER OPTIC, SINGLE TERMINUS, GENERAL SPECIFICATION FOR	A 8060	85	13-APR-93						
	QPL-83527-1	CONNECTORS, PLUG AND RECEPTACLE, ELECTRICAL, RECTANGULAR MULTIPLE INSERT TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 150 DEG. C TOTAL CONTINUOUS OPERATING TEMPERATURE, GENERAL SPECIFICATION FOR	A 5935	85	11-JUN-92						
M	QPL-83528-23	GASKETING MATERIAL, CONDUCTIVE, SHIELDING GASKET, ELECTRONIC, ELASTOMER, ENIRF1, GENERAL SPECIFICATION FOR	A 5999	85	19-MAY-93						
	QPL-83530	RESISTOR, VOLTAGE SENSITIVE (VARISTOR, METAL-OXIDE) GENERAL SPECIFICATION FOR	A 5905	85	21-JUN-91						
	QPL-83531-2	DELAY LINES, PASSIVE GENERAL SPECIFICATION FOR	A 5999	85	25-AUG-89						
	QPL-83532-2	DELAY LINES, ACTIVE GENERAL SPECIFICATION FOR	A 5999	85	31-OCT-90						
A	QPL-83534-1	HEADSET-MICROPHONE, MONAURAL, LIGHTWEIGHT, INTRA-AURAL, GENERAL SPECIFICATION FOR	A 5965	85	22-FEB-93						
A	QPL-83723-41	CONNECTOR, ELECTRICAL (CIRCULAR, ENVIRONMENT RESISTING) RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A 5935	85	19-MAR-93						
	QPL-83725-9	RELAYS, VACUUM, GENERAL SPECIFICATION FOR	A 5945	85	30-JAN-92						
A	QPL-83726-10	RELAYS, HYBRID ON SOLID STATE, TIME DELAY, GENERAL SPECIFICATION FOR	A 5945	85	18-SEP-92						
M	QPL-83731-11	SWITCHES, TOGGLE, UNSEALED AND SEALED TOGGLE, GENERAL SPECIFICATION FOR REVIEWER: 80	A 5930	85	23-APR-93						
	QPL-83733-3	CONNECTOR, ELECTRICAL, MINIATURE, RECTANGULAR TYPE, RACK TO PANEL, ENVIRONMENT RESISTING, 200 DEGREES C TOTAL CONTINUOUS OPERATING TEMPERATURE	A 5935	85	15-SEP-89						
	QPL-83734-24	SOCKETS, PLUG-IN ELECTRONIC COMPONENTS, DUAL-IN-LINE (DIPS) AND SINGLE-IN-LINE PACKAGES (SIPS) GENERAL SPECIFICATION FOR	A 5935	85	24-MAY-91						
	QPL-83739-5	SWITCH, ANTENNA, RADIO FREQUENCY, SOLID STATE GENERAL SPECIFICATION FOR	A 5985	85	22-AUG-89						
	QPL-83769-5	BATTERY, STORAGE, LEAD ACID, GENERAL SPECIFICATION FOR	A 6140	AS	04-MAY-85						
	QPL-83797	HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FUEL AND OIL RESISTANT	A 4720	82	27-SEP-74						
	QPL-83797/1-5	NOTICE 1									
	QPL-83798-2(2)	HOSE, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FUEL AND OIL RESISTANT	A 4720	82	13-FEB-89						
		FITTINGS, RUBBER HOSE, LIGHTWEIGHT, MEDIUM PRESSURE, GENERAL SPECIFICATION FOR	A 4730	82	10-AUG-82						
A	QPL-83860-17	FILTER ELEMENTS, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 MICRON ABSOLUTE, TYPE II SYSTEMS, GENERAL SPECIFICATION FOR	A 1650	71	28-AUG-92						
A	QPL-83861-14	FILTER ELEMENT, NONCLEANABLE, FLUID PRESSURE, HYDRAULIC LINE, 5 AND 15 MICRON ABSOLUTE TYPE II SYSTEMS, GENERAL SPECIFICATION FOR	A 1650	71	17-AUG-92						
	QPL-83866-3	RECEIVER, OXYGEN MASK, ASSEMBLY OF (VALIDATION DATE: 8205)	A 1660	82	10-FEB-82						
	QPL-83867-2	CONNECTOR, OXYGEN MASK HOSE-NON-EJECTION TYPE	A 1660	82	03-SEP-85						
A	QPL-83870-11	FILTER ELEMENT, FLUID PRESSURE, TRANSMISSION, AIRCRAFT DISPOSABLE, 20 MICRON ABSOLUTE	A 1650	71	05-AUG-92						
	QPL-83936-8	REMOVER, PAINT, TANK TYPE, FOR AIRCRAFT WHEELS, LANDING GEAR COMPONENTS, AND OTHER AIRCRAFT AND AGE COMPONENTS	A 8010	84	25-NOV-85						
	QPL-83982-1	COMPOUND, SEALING, FLUID RESISTANT (VALIDATION DATE: 8106)	A 8030	84	17-MAR-75						
	QPL-85028-3	CONNECTOR, ELECTRICAL, RECTANGULAR, 1MD CONTACT SEALING, POLARIZED CENTER JACKSCREW, GENERAL SPECIFICATION FOR	A 5935	AS	30-JUN-86						
A	QPL-85047-5	HELMET ASSEMBLY, MGU-34/P	A 8475	AS	20-JAN-93						
A	QPL-85049-9	CONNECTOR ACCESSORIES, ELECTRICAL, GENERAL SPECIFICATION FOR	A 5935	AS	15-SEP-92						
	QPL-85050-1	CHARGER, BATTERY NICKEL CADMIUM, AIRCRAFT GENERAL SPECIFICATION FOR	A 6130	AS	11-JUN-84						
A	QPL-85052-7	CLAMP, LOOP, CUSHION, GENERAL SPECIFICATION FOR	A 5340	AS	30-SEP-82						
	QPL-85062-3	INHIBITOR, CORROSION, VOLATILE, TRANSMISSION AND GEARBOX	A 6850	AS	20-MAR-89						
	QPL-85071-1	INVERTERS, AIRCRAFT, DC TO AC, GENERAL SPECIFICATION FOR	A 6130	AS	10-MAY-85						
A	QPL-85285-5	COATING, POLYURETHANE, HIGH-SOLIDS	A 8010	AS	17-NOV-92						
	QPL-85322-1	COATING, ELASTOMERIC, POLYURETHANE	A 8010	AS	27-NOV-91						
A	QPL-85334-3	SEALING COMPOUND, NON-CURING, LOW CONSISTENCY, SILICONE, GROOVE INJECTION, FOR INTEGRAL FUEL TANKS	A 8030	AS	08-JAN-93						
	QPL-85336-5	LUBRICANT, ALL WEATHER (AUTOMATIC WEAPONS)	A 9150	AS	10-APR-91						
	QPL-85347-5	LIFE PRESERVER, INFLATABLE, CEMENTED, AIRCREWMAN (WITH ARAMID CASING), TYPE LPU-238/P	A 4220	AS	13-JUL-87						
	QPL-85353-5	NUT (FASTENERS), INTERNALLY THREADED, PRELOAD LOCKING, 450 DEG. F, 800 DEG. F, & 1200 DEG. F, GENERAL SPECIFICATION FOR	A 5310	AS	01-DEC-89						
	QPL-85449-2	CLAMP ASSEMBLY, SADDLE-TYPE, CUSHION, GENERAL SPECIFICATION FOR	A 5340	AS	12-JUN-89						
A	QPL-85485-4	CABLE, ELECTRIC, FILTER LINE, RADIO FREQUENCY ABSORPTIVE	A 6145	AS	15-SEP-92						
	QPL-85560-1	BEARINGS, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN AND FLANGED, SELF LUBRICATION GENERAL SPECIFICATION FOR	A 3120	AS	14-MOV-85						
	QPL-85570-8	CLEANING COMPOUND, AIRCRAFT, EXTERIOR	A 6850	AS	23-AUG-91						
A	QPL-85582-3(2)	PRIMER COATINGS: EPOXY, WATERBORNE	A 8010	AS	07-AUG-92						
	QPL-85584-3	BATTERY RELAY CONTROL UNIT, AIRCRAFT	A 6140	AS	30-OCT-89						
	SUPPL 1C1										
	QPL-85604-5	BOLT, NICKEL ALLOY 718, TENSION, HIGH STRENGTH, (125 KSI FSU AND 220 KSI FTU) HIGH TEMPERATURE, SPLINE DRIVE	A 5306	AS	17-DEC-90						
	QPL-85633-2	COVERALLS, FLYERS, ANTI-EXPOSURE, CMJ-62/P	A 8475	AS	01-DEC-86						
	QPL-85670-1	ANTENNA, BROADBAND AS-3191/A, AS-3792/A, AND AS-3793/A	A 5821	AS	10-AUG-91						
	QPL-85704-5	CLEANING COMPOUND, TURBINE ENGINE GAS PATH	A 6850	AS	28-OCT-91						
	QPL-85705-1	ADHESIVE, AIRCRAFT, FOR STRUCTURAL REPAIR	A 8040	06	10-SEP-89						
	QPL-85730-3	NUT, SELF-LOCKING, SPLINE DRIVE, ASSEMBLED WASHER, NICKEL ALLOY 718, 220 KSI FTU, 900 DEGREE F, GENERAL SPECIFICATION FOR	A 5310	AS	21-SEP-90						
	QPL-85733	GREASE, HIGH TEMPERATURE, CATAPULT SYSTEM	A 9150	AS	29-JAN-88						
	QPL-85734-3	LUBRICATING OIL, HELICOPTER TRANSMISSION SYSTEM, SYNTHETIC BASE	A 9150	AS	20-MAR-91						
	QPL-85824-2	LIFE RAFT, INFLATABLE, ONE MAN VEE BOTTOM LRU-18/U	A 4220	AS	24-APR-91						
	QPL-87100-3	LUBRICATING OIL, AIRCRAFT TURBINE ENGINE, POLYPHENYL ETHER BASE	A 9150	11	27-JAN-89						
	QPL-87104-2	COAXIAL ASSEMBLIES GENERAL SPECIFICATION FOR	A 5985	85	16-FEB-90						
A	QPL-87157-7	DISPLAY, DIODE, LIGHT EMITTING, SOLID STATE, GENERAL SPECIFICATION FOR	A 5980	85	22-DEC-92						
	QPL-87161-4	WIRE, STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION	A 4010	82	01-MAY-92						
A	QPL-87175-6	PACKING, PREFORMED, PETROLEUM HYDRAULIC FLUID RESISTANT, PHOSPHONITRILIC FLUOROELASTOMER	A 5330	11	15-MAR-93						
	QPL-87217-5	CAPACITORS, FIXED, SUPERMETALLIZED PLASTIC FILM DIELECTRIC, DIRECT CURRENT FOR LOW ENERGY, HIGH IMPEDANCE APPLICATIONS, HERMETICALLY SEALED IN METAL CASES, HIGH RELIABILITY	A 5910	85	07-AUG-91						
	QPL-87218-2	CABLE, LOCKCLAD, FOR AIRCRAFT CONTROL	A 4010	82	08-APR-92						
M	QPL-87252-1	COOLANT FLUID, HYDROLYTICALLY STABLE, DIELECTRIC	A 9160	11	15-APR-93						



Active QPL / QML Classification Indicator	Document Number	Document Title	Doc. Syst. FSC / AEC	NSC Symbol	Processing Act.	Date	Custodian Army Navy Air Force DIA
	QPL-87936-8	CLEANING COMPOUNDS, AIRCRAFT EXTERIOR SURFACES, WATER DILUTABLE	A 6850	68		07-FEB-92	
	QPL-87965-2	INDICATOR, THRUST, ENGINE TESTING, TEST STAND, AIRCRAFT ENGINE, A/J37 SERIES	A 6620	82		10-JUN-87	
	QPL-87978-1	REMOVER, PAINT, EPOXY & POLYURETHANE SYSTEM, TANK TYPE AMBIENT TEMPERATURE, FOR AIRCRAFT WHEELS & LANDING GEAR COMPONENTS	A 8010	84		28-JUN-89	
	QPL-F-F-310-3	FILTER, AIR CONDITIONING, VISCIOUS-IMPINGEMENT AND DRY TYPES, REPLACEABLE	A 4130	#		17-AUG-76	
	QPL-F-F-351-10(1)	FILTERS AND FILTER ELEMENTS, FLUID, PRESSURE: LUBRICATING OIL, BYPASS AND FULL FLOW	A 2940	/ AT		28-AUG-91	
A	QPL-J-W-1177-27	WIRE, MAGNET, ELECTRICAL	A 6145	/ SH		28-SEP-92	
	QPL-P-C-111-24	CARBON REMOVING COMPOUND	A 6850	/ MR		23-SEP-91	
	QPL-P-W-155-22	MAX, FLOOR, WATER EMULSION	A 7930	#		22-SEP-82	
	QPL-P-F-430-18	FINISH, FLOOR, WATER EMULSION	A 7930	#		13-MAR-81	
	QPL-P-C-437-13	CLEANING COMPOUND, HIGH PRESSURE (STEAM) CLEANER	A 6850	/ MR		05-MAY-87	
	QPL-P-C-444-13	CLEANING COMPOUND, SOLVENT, GREASE EMULSIFYING	A 6850	/ AS		17-OCT-89	
	QPL-P-P-560-11	POLISH, PLASTIC	A 7930	/ AS		26-SEP-85	
	QPL-W-F-0051-16	TAPE, ELECTRONIC DATA PROCESSING, 1/2 INCH, MAGNETIC OXIDE COATED	A 7045	#		05-APR-78	
	QPL-W-F-101-6	FAN, ELECTRIC, BRACKET AND DESK RIGID BLADES, (FOR SHORE USE)	A 4140	#		27-DEC-66	
	QPL-W-L-00111-5	LAMP, INCANDESCENT (ELECTRIC, MINIATURE AND SUBMINIATURE, TUNGSTEN FILAMENT)	A 6240			10-NOV-80	
	QPL-W-R-00168	RECORDER REPRODUCER, SOUND (MAGNETIC TAPE TYPE)	A 5835	#		09-OCT-70	
	QPL-W-R-00170	RECORDER REPRODUCER, SOUND (PORTABLE, BATTERY OPERATED, OPEN REEL TYPE)	A 5835	#		09-OCT-70	
	QPL-W-R-175-17	REELS AND HUBS FOR MAGNETIC RECORDING TAPE, GENERAL SPECIFICATION FOR	A 5835	/		04-JUN-91	
	QPL-W-L-215-1	LANTERN, ELECTRIC HEAD	A 6230	#		13-NOV-58	
	QPL-W-L-314-5	LIGHTS, HOUSEHOLD	A 6250	#		21-SEP-73	
A	QPL-W-C-375-16	CIRCUIT BREAKER, MOLDED CASE, BRANCH CIRCUIT AND SERVICE, GENERAL SPECIFICATION FOR	A 5925	/ ES		27-OCT-92	
	QPL-W-F-421-5	FLASHLIGHT, ELECTRIC, HAND	A 6230	#		09-DEC-65	
	QPL-W-A-00450-3	ALARM SYSTEM, INTERIOR, SECURITY, COMPONENTS FOR	A 6350	#		16-JAN-74	
M	QPL-W-C-596-47	CONNECTOR, ELECTRICAL, POWER, GENERAL SPECIFICATION FOR	A 5935	/ ES		28-MAY-93	
M	QPL-W-S-896-33	SWITCH, TOGGLE (TOGGLE AND LOCK) FLUSH MOUNTED, GENERAL SPECIFICATION FOR	A 5930	/ ES		07-MAY-93	
	QPL-W-R-001404	RECORDER REPRODUCER, SOUND (PORTABLE, BATTERY OPERATED, CASSETTE TYPE)	A 5835	#		09-OCT-70	
	QPL-W-T-1553-13	TAPE, RECORDING, INSTRUMENTATION, MAGNETIC OXIDE-COATED	A 5835	/ SH		06-AUG-91	
	QPL-W-T-001567-2	TAPE, RECORDING, QUADRIplex VIDEO, MAGNETIC OXIDE-COATED	A 5820	#		14-MAY-76	
	QPL-W-T-001572-3	TAPE, RECORDING, AUDIO, 1/4 INCH MAGNETIC OXIDE-COATED	A 5835	#		19-FEB-74	
	QPL-W-B-001573-4	BAND, WRAPAROUND TAPE REEL	A 7440	#		02-JUN-75	
	QPL-W-T-1604	TAPE, PERFORATOR TYPE, POLYESTER BASE	A 7045	* ER		29-JUL-74	
	QPL-W-T-001604-1	TAPE, PERFORATOR TYPE, POLYESTER BASE	A 7440	#		25-AUG-72	
	QPL-W-T-1633-2	TAPE, MAGNETIC, AND CARTRIDGE, FOR MAGNETIC TAPE AUTOMATIC TYPEWRITER, MT/ST AND MT/SC	A 7430	#		05-MAR-76	
	QPL-W-D-001663-2	DISK PACK, FOR DATA STORAGE (MAGNETIC RECORDING, 14 INCH, 11 DISKS)	A 6310	#		02-JUN-75	
	QPL-W-C-1684	CASSETTES, MAGNETIC TAPE, AUDIO RECORDING (TWIN HUB, COPLANAR)	A 5835	#		17-MAY-77	
	QPL-W-F-1814-21	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, (GENERAL SPECIFICATION)	A 5920	/ ES		25-NOV-91	
	QPL-W-C-001851-3	CARD, MAGNETIC, DATA RECORDING (7.375 INCH X 3.25 INCH NOMINAL SIZE)	A 7430	#		01-OCT-78	
	QPL-X-C-51-4	CAP, BLASTING, ELECTRIC AND NON-ELECTRIC	A 1375	#		08-DEC-67	
	QPL-AA-F-357-6	FILING CABINET, STEEL, LEGAL AND LETTER SIZE, INSULATED, SECURITY	A 7110	#		10-MAR-72	
	QPL-AA-F-358-5	FILING CABINET, STEEL, LEGAL AND LETTER SIZE, UNINSULATED, SECURITY	A 7110	#		17-JAN-73	
	QPL-AA-F-363-13	FILING CABINET, SECURITY, STEEL, MAPS PLANS, GENERAL FILING, AND STORAGE	A 7110	#		05-JAN-73	
	QPL-AA-D-600-4	DOOR, VAULT, SECURITY	A 7110	#		23-MAR-70	
	QPL-AA-S-1518-4	SAFE, TOOL RESISTANT, UNINSULATED, SECURITY	A 7110	#		10-MAR-72	
	QPL-FF-B-171-53	BEARINGS, BALL ANNULAR, (GENERAL PURPOSE)	A 3110	/ SH		03-MAR-92	
	QPL-FF-B-185-38	BEARINGS, ROLLER, CYLINDRICAL, AND BEARINGS, ROLLER, SELF-ALIGNING	A 3110	/ SH		04-MAY-89	
	QPL-FF-B-187-32	BEARING, ROLLER, TAPERED	A 3110	/ SH		04-MAY-89	
	QPL-FF-P-001480-1	PADLOCK, KEY OPERATION (RESISTANT TO OPENING BY FORCE, PICK, & BYPASS TECHNIQUES [VALIDATION DATE: 8203])	A 5340	#		03-AUG-72	
	QPL-GG-W-113-19	WATCH, WRIST	A 6645	/ AR		25-MAR-87	
	QPL-GG-C-620-1	COUNTER, RECIPROCATING, HAND HELD	A 6680	#		19-SEP-74	
	QPL-GG-C-00620-3	COUNTER, RECIPROCATING, HAND HELD	A 6680	#		26-JUL-78	
	QPL-GG-W-775-4	NUMBERING MACHINE, OFFICE TYPE, HAND-OPERATED	A 7520	#		13-OCT-77	
	QPL-HH-P-46-15	PACKING, ASBESTOS, SHEET, COMPRESSED	A 5330	/ SH		07-JUN-91	
	QPL-JJ-B-185-6	BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE	A 2540	#		11-DEC-63	
	QPL-QO-R-421-35	RIVETER, PNEUMATIC, JAM AND HAMMER, AND HOLDER-ON, PORTABLE	A 5130	/ ME		14-MAY-87	
	QPL-QO-G-669-61(1)	GRINDER, PNEUMATIC, HORIZONTAL AND VERTICAL	A 5130	/ ME		27-DEC-84	
	QPL-QO-D-691-64	DRILL, PNEUMATIC, PORTABLE, AND BORER, WOOD, PNEUMATIC	A 5130	/ ME		23-MAR-88	
	QPL-QO-W-891-68(2)	WRENCH, IMPACT, PNEUMATIC, PORTABLE	A 5130	/ ME		31-MAY-85	
	QPL-QO-S-571-97	SOLDER, ELECTRONIC (96 TO 485 DEG. C)	A 3439	/ ER		08-APR-93	
	QPL-TT-P-28-13	PAINT, ALUMINUM, HEAT RESISTING (1200 DEG. F)	A 8010	/ ME		02-JAN-92	
	QPL-TT-R-248-13	REMOVER, PAINT AND LACQUER, SOLVENT TYPE	A 8010	/ AS		25-MAR-91	
	QPL-TT-E-485-22	ENAMEL, SEMI-GLOSS, RUST-INHIBITING	A 8010	/ ME		31-MAR-86	
	QPL-TT-E-489-38	ENAMEL, ALKYL, GLOSS (FOR EXTERIOR AND INTERIOR SURFACES) LOW VOC	A 8010	/ ME		31-AUG-92	
	QPL-TT-E-515-11	ENAMEL, ALKYL, LUSTERLESS, QUICK DRYING	A 8010	/ ME		28-APR-87	
	QPL-TT-E-516-10	ENAMEL, LUSTERLESS, QUICK DRYING, STYRENEATED ALKYL TYPE	A 8010	/ ME		02-APR-86	
	QPL-TT-E-527-27	ENAMEL, ALKYL, LUSTERLESS, LOW VOC	A 8010	/ ME		02-JAN-92	
	QPL-TT-E-529-36	ENAMEL, ALKYL, SEMI-GLOSS, LOW VOC	A 8010	/ ME		02-JAN-92	
	QPL-TT-C-530-3	COATING COMPOUND, RUST INHIBITIVE, FISH OIL BASE	A 8030	/ SH		07-MAY-68	
	QPL-TT-P-595-2	PRESERVATIVE COATING, CANVAS [VALIDATION DATE: 8204]	A 8030	/ SH		05-FEB-68	
	QPL-TT-P-636-17	PRIMER COATING, ALKYL, WOOD & FERROUS METAL	A 8010	#		09-JUN-88	
	QPL-TT-P-662-10	PRIMER SURFACER, SANDING, LACQUER AND ENAMEL TYPE	A 8010	/ AR		02-APR-86	
	QPL-TT-P-664-19	PRIMER COATING, ALKYL, CORROSION INHIBITING, LEAD AND CHROMATE FREE, VOC COMPLIANT	A 8010	/ ME		02-JAN-92	
A	QPL-TT-P-2760-2	PRIMER COATING: POLYURETHANE, ELASTOMERIC	A 8010	/ AS		29-JAN-93	
	QPL-VV-B-680-13	BRAKE FLUID, AUTOMOTIVE	A 9150	/ ME		11-MAR-88	
	QPL-VV-L-800-18	LUBRICATING OIL, GENERAL PURPOSE, PRESERVATIVE (WATER-DISPLACING, LOW TEMPERATURE)	A 9150	/ ME		01-MAY-92	
	QPL-ZZ-B-190-2	BELT, V, ENGINE ACCESSORY DRIVE	A 3030	/ AT		22-SEP-83	
	QPL-ZZ-B-225-6	BELTS, V: INDUSTRIAL (MULTIPLE DRIVE)	A 3030	/ AT		01-OCT-91	
	QPL-ZZ-T-381-2	TIRES, PNEUMATIC, VEHICULAR (HIGHWAY) (SUPL-1 1 MAR 83)	A 2610	#		01-MAR-83	
	QPL-ZZ-T-410-1	TIRES, PNEUMATIC, INDUSTRIAL	A 2610	%		30-NOV-81	
	QPL-ZZ-M-428-9	HOSE, NON-METALLIC AND HOSE, PREFORMED, (FOR THE COOLANT SYSTEMS OF AUTOMOTIVE AND OTHER LIQUID-COOLED ENGINES)	A 4720	/ AT		29-JUL-83	
	QPL-ZZ-H-617-15	HOSE, RUBBER: WINDSHIELD WIPER	A 4720	/ AT		10-OCT-91	
	QPL-ZZ-T-1083-2	TIRES, PNEUMATIC, LOW SPEED, OFF HIGHWAY	A 2610	#		01-DEC-79	
	QPL-ZZ-T-1619-2(2)	TIRES, PNEUMATIC, AGRICULTURAL	A 2610	#		01-MAY-78	
	QPL-GGG-S-63	SAW, CIRCULAR, PORTABLE, PNEUMATIC	A 5130	/ ME		27-OCT-81	
	QPL-GGG-F-325-31	FILE, HAND, (AMERICAN PATTERN) AND RASP, HAND	A 5110	#		05-MAR-82	
	QPL-GGG-F-331-28	FILES, HAND, (SWISS PATTERN)	A 5110	#		02-NOV-81	
	QPL-GGG-D-751-48	DRILLS, TWIST (TAPER-SQUARE, STRAIGHT, AND TAPER-ROUND SHANKS)	A 5133	/ ME		08-JUN-87	



Action QPL / OML Cancellation Inactive Document Number	Document Title	Dist. Smt. FBC / Area MCA Symbol Preparing Acty		Custodians			
		Date		Army	Navy	Air Force	DLA
QPL-996-D-777-15	DRIVER, PROJECTILE UNIT, POWER ACTUATED (HIGH VELOCITY) (ABOVE WATER ONLY), PIN, DRIVE, POWER ACTUATED, AND CARTRIDGE, POWER ACTUATED TOOL	A 5130 #	09-JUN-80				
QPL-999-A-121-18	ADHESIVE, BONDING VULCANIZED SYNTHETIC RUBBER TO STEEL	A 8040 / SH	16-APR-91				
QPL-999-A-132-9(4)	ADHESIVE, HEAT RESISTANT, AIRFRAME STRUCTURAL: METAL TO METAL	A 8040 / AS	04-OCT-91				
QPL-999-A-134-9	ADHESIVE, EPOXY RESIN, METAL TO METAL STRUCTURAL BONDING	A 8040 / AS	31-MAY-88				
QPL-999-A-139-5	ADHESIVE, NATURAL OR SYNTHETIC-NATURAL RUBBER	A 8040 / AS	29-JAN-88				
QPL-999-A-1617-3	ADHESIVE, RUBBER BASE, GENERAL PURPOSE	A 8040 / AS	20-NOV-89				
QPL-AS804-2	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, HIGH-TEMPERATURE, 3000 PSI, HYDRAULIC AND PNEUMATIC, HEAVYWEIGHT (HEAVY BRAID)	A 4720 82	15-FEB-90				
A QPL-AS1339-4	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3000 PSI, HYDRAULIC LIGHTWEIGHT	A 4720 82	24-FEB-93				



A	Doc Ctrl / Ord Control Number	Document Title	Doc Ctrl PAC / Issue MCA Symbol Preparing Auth Date	Army	Navy	Air Force	DLA	Custodian
A	MIL-HDBK-5F(2)	METALLIC MATERIALS AND ELEMENTS FOR AEROSPACE VEHICLE STRUCTURES REVIEWER: 80 82 84 99 CG ME MI	A 1560	11	15-DEC-92	AW	AS	11
	MIL-HDBK-78	LUMBER & ALLIED PRODUCTS REVIEWER: CS	A 55GP	ME	06-AUG-82	ME		99
	MIL-HDBK-17A	PLASTIC FOR AEROSPACE VEHICLES PART I REINFORCED PLASTICS [VALIDATION DATE: 8304]	A 1500	MR	01-JAN-71	MR	AS	11
A	MIL-HDBK-17/1C(1)	POLYMER MATRIX COMPOSITES VOLUME I. GUIDELINES USER: ME REVIEWER: 12 15 17 19 71 79 80 84 AP AT AV CR MI MW SH	A CMPS	MR	04-NOV-92	MR	AS	11
	MIL-HDBK-17/2A	PLASTIC FOR AEROSPACE VEHICLES PART II TRANSPARENT GLAZING MATERIALS	A 1560	11	08-JUN-77	AW	AS	11
A	MIL-HDBK-17/3C(1)	POLYMER MATRIX COMPOSITES VOLUME III. UTILIZATION OF DATA USER: ME REVIEWER: 12 15 17 19 71 79 80 84 AP AT AV CR MI MW SH	A CMPS	MR	04-NOV-92	MR	AS	11
	MIL-HDBK-50A	EVALUATION OF A CONTRACTOR'S INSPECTION SYSTEM (HANDBOOK H51) [VALIDATION DATE: 7405]	A QCIC	DM	26-JUL-90	AR	OS	05 DM
L	MIL-HDBK-51	EVALUATION OF A CONTRACTOR'S INSPECTION SYSTEM (HANDBOOK H51) [VALIDATION DATE: 7405]	A MISC	DM	03-JAN-67			DM
	MIL-HDBK-52B	EVALUATION OF CONTRACTOR'S CALIBRATION SYSTEM REVIEWER: AR AS AV EC SH	A QCIC	MI	16-AUG-89	MI	OS	05
D	MIL-HDBK-53/1A	GUIDE FOR ATTRIBUTE LOT SAMPLING INSPECTION AND MIL-STD-105 REVIEWER: 99 AL AS AT AV CR EC GL OS YD1	A QCIC	AR	01-FEB-82	AR	SH	10 DM
	MIL-HDBK-57B	LISTING OF FASTENER MANUFACTURERS' IDENTIFICATION SYMBOLS	A 53GP	15	30-NOV-90			15
D	MIL-HDBK-59A	DEPARTMENT OF DEFENSE COMPUTER-AIDED ACQUISITION AND LOGISTIC SUPPORT (CALS) PROGRAM IMPLEMENTATION GUIDE USER: 11 13 AL AS AT EC MI OS SA TE YD1 REVIEWER: 01 02 AM	A ILSS	CL	28-SEP-90	CR	SH	24 DM
	MIL-HDBK-60	THREADED FASTENERS - TIGHTENING TO PROPER TENSION REVIEWER: 11 15 82 AT AV CR ME MI	A THDS	15	12-MAR-90	AR	AS	99 15
L	MIL-HDBK-108	QUALITY CONTROL AND RELIABILITY - SAMPLING PROCEDURES AND TABLES FOR LIFE AND RELIABILITY TESTING (BASED ON EXPONENTIAL DISTRIBUTION) [VALIDATION DATE: 8208]	A QCIC	OS	29-APR-60		OS	
	MIL-HDBK-109	QUALITY CONTROL AND RELIABILITY - STATISTICAL PROCEDURES FOR DETERMINING VALIDITY OF SUPPLIERS ATTRIBUTES INSPECTION OF [VALIDATION DATE: 8402]	A QCIC	AR	06-MAY-60	AR		
D	MIL-HDBK-113C	GUIDE FOR THE SELECTION OF LUBRICANTS, FUNCTIONAL FLUIDS, PRESERVATIVES AND SPECIALTY PRODUCTS FOR USE IN GROUND EQUIPMENT SYSTEMS	A 9150	ME	24-APR-89	ME	YD1	68
D	MIL-HDBK-114A	FUELS, MOBILITY, USER HANDBOOK USER: AR AS AV MC REVIEWER: AT YD1	A 91GP	ME	20-JUL-90	ME		68
L	MIL-HDBK-115	U.S. ARMY REVERSE ENGINEERING HDBK (GUIDELINES & PROCEDURES) REVIEWER: AL AM AT AV CH	A MISC	ME	20-APR-87			
	MIL-HDBK-116	ENVIRONMENTAL CONTROL OF SMALL SHELTERS	A 4120	ME	30-JUN-89	ME	SH	GS
	MIL-HDBK-117	MOTORS, ELECTRIC, SMALL ACQUISITION, OPERATIONS AND SUPPORT FOR PRIMER USER: 70 71 80 REVIEWER: AV GS SH	A 6105	ME	01-APR-91	ME		99
	MIL-HDBK-131A	IDENTIFICATION MARKINGS FOR FASTENERS (HANDBOOK H-131) [VALIDATION DATE: 8202]	A 5325	AR	15-SEP-66	AR	SH	99
L	MIL-HDBK-132A	PROTECTIVE FINISHES FOR METAL & WOOD SURFACES REVIEWER: ME	A MFPF	MR	09-MAY-84	MR	SH	11
	MIL-HDBK-134A	TRUCK AND TRUCK TRACTORS, TACTICAL (MILITARY) DESIGN, CHARACTERISTICS OF [VALIDATION DATE: 8012] REVIEWER: AV	A 2320	AT	15-OCT-65	AT	MC	
L	MIL-HDBK-138	CONTAINER INSPECTION HANDBOOK FOR COMMERCIAL AND MILITARY INTERMODAL CONTAINERS (DRY CARGO TYPE) [VALIDATION DATE: 8402] REVIEWER: 43 69 AM MT SD	A 8115	AR	14-AUG-78	AR		99
L	MIL-HDBK-139	PLASTIC, PROCESSING OF [VALIDATION DATE: 8302] REVIEWER: GS	A 9330	AR	30-JAN-67	AR		
L	MIL-HDBK-142A(1)	GUIDE MISSILE TEST EQUIPMENT FUNCTIONAL CATEGORIZATION SYSTEM [VALIDATION DATE: 8806]	A 4935	MI	01-JUN-88	MI		
	NOTICE 1	GLOSSARY OF GUIDED MISSILE TERMINOLOGY [VALIDATION DATE: 8806] REVIEWER: 12 15 19 AR MC	A 1410	MI	01-JUN-88	MI	AS	99
	MIL-HDBK-143	AIR CLEANING FOR CHEMICAL DEMILITARIZATION, ENGINEERING DESIGN HANDBOOK	A 4240	EA	15-DEC-78	EA		99
	NOTICE 1	ACTIVE FUZE CATALOG (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMDR, ARMAHNT RESEARCH & DEVELOPMENT CNTR, ATTN: SMCAR-ESC-S, DOWR, N.J. 07801-5001 REVIEWER: 11 AS MI	C 1390	AR	01-JAN-87	AR	OS	99
	MIL-HDBK-144	FUZE CATALOG LIMITED STANDARD, OBSOLESCENT, OBSOLETE, TERMINATED, AND CANCELLED FUZES [VALIDATION DATE: 8807] REVIEWER: AS MI	A 1390	AR	11-JUL-88	AR	OS	99
	MIL-HDBK-145A	RUBBER REVIEWER: 11 AR GS	A 9320	MR	24-JUL-87	MR	SH	99
A	MIL-HDBK-146	CLOTHING COMPONENTS FOR MILITARY UNIFORMS [VALIDATION DATE: 8501]	A 8315	CT	28-FEB-79	GL	SA	99 CT
	NOTICE 1	INSPECTION OF FRUIT AND VEGETABLES AND PACKING SHEDS IN OVERSEA AREAS REVIEWER: MD	A 89GP	GL	09-JUL-82	GL	SA	45
D	MIL-HDBK-149B	GLOSSARY OF MILITARY CLOTHING FABRICATION TERMS [VALIDATION DATE: 8402] USER: AS MS SH YD1 REVIEWER: 99 MC	A 84GP	CT	01-FEB-67	GL	MU	11 CT
	MIL-HDBK-150B	RADAR EQUIPMENT, UNITED STATES CH-1 I MAR 79 [VALIDATION DATE: 8201]	A 5840	99	15-DEC-73	EL	SH	99
	NOTICE 1	AUDIO EQUIPMENT [VALIDATION DATE: 8609] REVIEWER: 99 AR EC ES MI	A 5965	CR	23-SEP-86	CR	SH	85
	MIL-HDBK-175	MICROELECTRONIC DEVICE DATA HANDBOOK [VALIDATION DATE: 8502] USER: ME SH REVIEWER: 17 ES MI	A 5962	ER	01-MAY-68	ER	EC	11
	MIL-HDBK-176	GUIDANCE FOR FLEXIBLE FLAT MULTICONDUCTOR CABLE (FLAT CONDUCTORS) USER: MC REVIEWER: 11 17 AR AT AV EC ES IS MI OS SG	A 6145	CR	17-MAY-72	CR	AS	85
	DOD-HDBK-178	QUANTITATIVE DESCRIPTION OF OSCILLATION FACTORS FOR ELECTRO-OPTICAL & MILLIMETER WAVE SYSTEMS (METRIC)	A MISC	ER	25-JUL-86	ER		
	MIL-HDBK-188	GUIDE FOR DEVELOPERS & USERS OF COMM. SYS. STDS IN THE MIL-STD-188 SERIES (VOL 1 & VOL 11) REVIEWER: AS CR MC OM SD	A SLHC	SC	21-JAN-83		EC	90
D	MIL-HDBK-188/1	GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES VOLUME 1 OF 2 VOLUMES STANDARDS DEVELOPMENT AND USE/ORGANIZATIONAL RELATIONSHIPS REVIEWER: AS CR MC OM YD1	A SLHC	SC	21-JAN-83	SC	EC	90
D	MIL-HDBK-188/2	GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES VOLUME 11 OF 2 VOLUMES DETAILS CONCERNING STANDARDIZATION ORGANIZATIONS REVIEWER: AS CR MC OM YD1	A SLHC	SC	21-JAN-83	SC	EC	90
D	MIL-HDBK-188/3	GUIDE FOR DEVELOPERS AND USERS OF COMMUNICATIONS SYSTEMS STANDARDS IN THE MIL-STD-188 SERIES, VOL 111 REVIEWER: AS CR MC OM YD1	A TCTS	EC	31-JUL-85	SC	EC	90
	MIL-HDBK-189	RELIABILITY GROWTH MANAGEMENT REVIEWER: AS SH	A REL1	CR	13-FEB-81	CR	EC	17
A	MIL-HDBK-200G	QUALITY SURVEILLANCE HANDBOOK FOR FUELS, LUBRICANTS AND RELATED PRODUCTS (CONTROLLED DISTRIBUTION) REVIEWER: 68	E 91GP	PS	31-JAN-90	GL	SA	10
A	MIL-HDBK-201B(1)	PETROLEUM OPERATIONS	A 91GP	SA	01-OCT-92		SA	
	MIL-HDBK-203C	MANUFACTURERS SYMBOLS AND DESIGNATIONS FOR ANTI-FRICTION BEARINGS [VALIDATION DATE: 8301] USER: AV MC REVIEWER: 69 84 AS EC IS ME OS SH	A 3110	SH	05-JAN-77	AT	SH	99
L	MIL-HDBK-204A	DESIGN OF INSPECTION EQUIPMENT FOR DIMENSIONAL CHARACTERISTICS REVIEWER: AL AT AV CR MR	A 5220	AR	30-NOV-90	AR		
	MIL-HDBK-205A	PHOSPHATIZING AND BLACK OXIDE COATING OF FERROUS METALS USER: 12 70 82 84 REVIEWER: 99 AS AT GL ME OS	A MFPF	MR	15-JUL-85	MR	SH	11
D	MIL-HDBK-210A	CONVERSION FACTORS AND LOGISTICS DATA FOR PETROLEUM PLANNING [VALIDATION DATE: 9003] USER: CG SH REVIEWER: EA MC ME PS SH	A 9130	YD2	09-MAR-90	MR	YD2	68
	NOTICE 1	GASKET MATERIALS (NONMETALLIC) [VALIDATION DATE: 8804]	A 5330	MR	19-APR-88	MR	AS	
	MIL-HDBK-212	RF TRANSMISSION LINES & FITTINGS (NOTICE 10) USER: MC OS REVIEWER: 11 99 AR AS ES ME MI SH	A MISC	EC	11-MAR-82	EL	EC	85
	NOTICE 1	RELIABILITY PREDICTION OF ELECTRONIC EQUIPMENT USER: 85 AT CG GL MC ME TO YD1 REVIEWER: 11 13 14 15 18 19 99 AS AV ER MI OS SH	A REL1	17	10-JUL-92	CR	EC	17
D	MIL-HDBK-217F(1)	APPLICATION OF ELECTRICAL RESOLVERS [VALIDATION DATE: 8704] REVIEWER: 18 99 ES	A 5990	AR	29-APR-87	AR	AS	85
	MIL-HDBK-218	GLOSSARY OF TRAINING DEVICE TERMS USER: MC SH REVIEWER: 99 AR AS OM	A 69GP	TD	01-APR-86	EL	TD	11
	NOTICE 1	FIRE PROTECTION DESIGN HANDBOOK FOR U.S. NAVY AIRCRAFT POWERED BY TURBINE ENGINES [VALIDATION DATE: 8312]	A MISC	AS	03-MAY-65	AV	AS	
	MIL-HDBK-220B	CODED LIST OF MATERIALS	A DRPR	AS	14-DEC-82	AR	AS	01
	MIL-HDBK-221							
	NOTICE 2							



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY HANDBOOKS

Active Ops / O&A Commodore Inspector Document Number	Document Title	Doc. Syst. FIC / Area MCA Symbol Preparing Act.	Doc.	Customers Army Navy Air Force DLA		
L MIL-HDBK-225A MIL-HDBK-227A	SYNCHROS DESCRIPTION AND OPERATION USER: OS REVIEWER: ES MI ..... SELECTION AND INSTALLATION OF REGULATING AND CONTROL VALVES FOR NAVAL SHIPBOARD USE (VALIDATION DATE: 8007)	A 5990 A 4820	AS SH	25-MAR-91 31-JAN-89	AR SH	AS BS
L MIL-HDBK-228A	PRESSURE-SENSITIVE ADHESIVE, SOLVENT ACTIVATED AND MISCELLANEOUS TAPES REVIEWER: GS	A 7690	AS	23-JUL-82		AS
MIL-HDBK-231A MIL-HDBK-232A MIL-HDBK-235A	ENCODERS SHAFT ANGLE TO DIGITAL ..... RED/BLACK ENGINEERING-INSTALLATION GUIDELINES REVIEWER: 17 BO CR MC ..... ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS PART 1A -VALIDATED MAR 1979 (VALIDATION DATE: 8505) USER: TE REVIEWER: 10 15 17 18 19 AR AS AV ER MC MI SH	A 5990 A SLHC A EMCS	AS SC EC	30-SEP-91 20-MAR-87 05-FEB-79	AR SC CR	AS EC EC
MIL-HDBK-235/1A	ELECTROMAGNETIC (RADIATED) ENVIRONMENT CONSIDERATIONS FOR DESIGN AND PROCUREMENT OF ELECTRICAL AND ELECTRONIC EQUIPMENT, SUBSYSTEMS AND SYSTEMS (VALIDATION DATE: 8612) USER: TE REVIEWER: 10 15 17 18 19 AR AS AV ER MC MI SH	A EMCS	EC	18-DEC-86	CR	EC 11
L MIL-HDBK-236T	INDEX TO STANDARDS FOR PALLETIZING, TRUCK LOADING, RAILCAR LOADING AND CONTAINER LOADING OF HAZARDOUS MATERIALS	A 8140	OS	04-APR-83		OS
D L MIL-HDBK-237A(2)	ELECTROMAGNETIC COMPATIBILITY MANAGEMENT GUIDE FOR PLATFORMS, SYSTEMS AND EQUIPMENT USER: YDI REVIEWER: AS OS SM TD	A EMCS	EC	14-FEB-92		EC
MIL-HDBK-241B NOTICE 1 MIL-HDBK-242	DESIGN GUIDE FOR EMI REDUCTION IN POWER SUPPLIES REVIEWER: 13 17 70 89 AS NA SA SC SH	A EMCS	EC	29-NOV-84	CR	EC 99
MIL-HDBK-244A MIL-HDBK-245C	FUNCTIONALLY ORIENTED MAINTENANCE MANUAL (FORM) WRITER S GUIDE FOR MIL-A-24100B (VALIDATION DATE: 8401)	A TMSS	SH	25-OCT-74	TM	SH
D MIL-HDBK-246A	GUIDE TO AIRCRAFT/STORES COMPATIBILITY ..... PREPARATION OF STATEMENT OF WORK (SOW) USER: SC YDI REVIEWER: 11 13 AS AT MC SH	A 15GP A MISC	AS EC	06-APR-90 10-SEP-91	AV CR	AS EC
MIL-HDBK-246A MIL-HDBK-248B MIL-HDBK-251	PROGRAM MANAGERS GUIDE FOR THE STANDARD ELECTRONIC MODULES PROGRAM USER: MC MI REVIEWER: 11 13 17 19 AR AS AT AV ES	A 5963	MM	03-SEP-82	ER	MM BS
MIL-HDBK-253	ACQUISITION STREAMLINING REVIEWER: SM ..... RELIABILITY/DESIGN THERMAL APPLICATIONS (VALIDATION DATE: 8404) USER: MC REVIEWER: 13 15 17 19 85 AR AS SM	A MISC A RELI	AS EC	09-FEB-89 19-JAN-78	MI CR	AS EC
L MIL-HDBK-255A	GUIDANCE FOR THE DESIGN AND TEST OF SYSTEMS PROTECTED AGAINST THE EFFECTS OF ELECTROMAGNETIC ENERGY (VALIDATION DATE: 8404)	A EMCS	EC	28-JUL-78	CR	EC
L MIL-HDBK-258 NOTICE 1 MIL-HDBK-259 MIL-HDBK-263A	NUCLEAR WEAPONS SYSTEMS, SAFETY, DESIGN AND EVALUATION CRITERIA FOR (VALIDATION DATE: 8407)	A NUOR	AS	06-SEP-84		AS
	INTERFACE CONTROL DOCUMENT FOR INFRARED DETECTING SET AN/AAS-36 (VALIDATION DATE: 9110)	A 5855	AS	24-OCT-91		AS
	LIFE CYCLE COST IN NAVY ACQUISITIONS REVIEWER: EC OS SA SH ..... ELECTROSTATIC DISCHARGE CONTROL HANDBOOK FOR PROTECTION OF ELECTRICAL AND ELECTRONIC PARTS, ASSEMBLIES AND EQUIPMENT (EXCLUDING ELECTRICALLY INITIATED EXPLOSIVE DEVICES) (METRIC) USER: MC REVIEWER: 11 15 18 19 99 AR AS AT CR EC GL MI OS SA	A MISC A RELI	AS SH	01-APR-83 22-FEB-91		AS ER
MIL-HDBK-264 NOTICE 1 MIL-HDBK-267A	STEEL SHAPES & PLATE BEAM COMBINATION USED IN SHIPBUILDING, PROPERTIES OF (VALIDATION DATE: 8505)	A 19GP	SH	22-MAY-86		SH
L MIL-HDBK-268	GUIDE FOR SELECTION OF LUBRICANTS & HYDRAULIC FLUIDS FOR USE IN SHIPBOARD EQUIPMENT	A 9150	SH	02-MAR-81		SH
L MIL-HDBK-268	SURVIVABILITY ENHANCEMENT, AIRCRAFT CONVENTIONAL WEAPON THREATS, DESIGN & EVALUATION GUIDELINES	A 15GP	AS	05-AUG-82		
L MIL-HDBK-270A	METALLIC MATERIALS FOR LOW MAGNETIC APPLICATIONS, MAGNETIC PERMEABILITY AND ELECTRICAL CONDUCTIVITY, CHARACTERISTICS OF (METRIC)	A 95GP	SH	19-MAR-91		SH
MIL-HDBK-271/102	AIRCRAFT FASTENERS INSTALLATION & REMOVAL METHODS FOR MS14218 120 DEG. RIVETS	A 5320	AS	15-AUG-84		AS
MIL-HDBK-271/103	AIRCRAFT FASTENER INSTALLATION & REMOVAL METHODS FOR ATTACHED RETENTION ELEMENT (A.R.E.) SELF-LOCKING FLOATING HUT ASSEMBLIES	A 53GP	AS	14-JAN-86	AV	AS 11
MIL-HDBK-271/104	AIRCRAFT FASTENERS INSTALLATION AND REMOVAL METHODS FOR MIL B 8831 & MIL B 8567 EXPANDABLE STRAIGHT SPARK BOLTS (SLEEVEBOLTS)	A 53GP	AS	15-NOV-85	AV	AS 11
MIL-HDBK-271/105 NOTICE 1 MIL-HDBK-271/106	AIRCRAFT FASTENERS USAGE AND INSTALLATION FOR MIL-S-85069 FASTENER SLEEVES (VALIDATION DATE: 9110) REVIEWER: 99 AR IS	A 53GP	AS	09-OCT-91	AV	AS 11
M L MIL-HDBK-272A	STRUCTURAL PANEL FASTENERS-INSTALLATION & REMOVAL METHODS FOR MIL-F-85616, MIL-F-85617 & MIL-F-85618	A 53GP	AS	20-JAN-86	AV	AS 11
MIL-HDBK-272A	NUCLEAR WEAPONS SYSTEMS, SAFETY DESIGN AND EVALUATION CRITERIA FOR REVIEWER: SM	A NUOR	OS	02-APR-93		OS
MIL-HDBK-273	SURVIVABILITY ENHANCEMENT, AIRCRAFT, NUCLEAR WEAPON THREAT, DESIGN & EVALUATION GUIDELINES	A 15GP	AS	30-DEC-83		AS
L MIL-HDBK-274(1) MIL-HDBK-275A	ELECTRICAL GROUNDING FOR AIRCRAFT SAFETY ..... GUIDE FOR SELECTION OF LUBRICANTS, FLUIDS, AND COMPOUNDS FOR USE IN FLIGHT VEHICLES AND COMPONENTS REVIEWER: 68 MC MI NR TE	A EMCS A MISC	AS AS	29-JUN-90 29-JUN-76		AS AV
L MIL-HDBK-276/1	LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS DATA COLLECTION WORKBOOK	A MISC	MC	03-FEB-84		MC
L MIL-HDBK-276/2 MIL-HDBK-279	LIFE CYCLE COST MODEL FOR DEFENSE MATERIEL SYSTEMS OPERATING INSTRUCTIONS TOTAL DOSE HARDNESS ASSURANCE GUIDELINE FOR SEMICONDUCTOR DEVICE	A MISC A 59GP	MC EC	03-FEB-84 25-JAN-85		MC ER
MIL-HDBK-280	MICROCIRCUIT USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR OS ES MI SH NEUTRON HARDNESS ASSURANCE GUIDELINES FOR SEMICONDUCTOR DEVICES AND MICROCIRCUITS USER: AS CG MC OS SM REVIEWER: 11 19 85 99 AR OS ES MI SH	A 59GP	EC	19-FEB-85	ER	EC 17 NA
L MIL-HDBK-283 NOTICE 1 MIL-HDBK-284/1	STRUCTURAL SHIPBUILDING DETAILS USING TEE STIFFENERS (VALIDATION DATE: 9103)	A 9520	SH	26-MAR-91		SH
A MIL-HDBK-284/2	INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, MANAGER'S GUIDE FOR DEVELOPMENT, ACQUISITION, AND MANAGEMENT OF (PART 1 OF 3 PARTS) REVIEWER: 13 94 AS EC MC TD TH	A 1155	SH	22-JUL-92	AV	SH 11
A MIL-HDBK-284/3	INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, PORTABILITY PRACTICES FOR (PART 2 OF 3 PARTS) REVIEWER: 13 94 AS EC MC TD TH	A 1155	SH	22-JUL-92	AV	SH 11
MIL-HDBK-286 MIL-HDBK-287	INTERACTIVE COURSEWARE (ICW) FOR MILITARY TRAINING, GLOSSARY FOR (PART 3 OF 3 PARTS) REVIEWER: 13 94 AS EC MC TD TH	A 1155	SH	22-JUL-92	AV	SH 11
MIL-HDBK-288 DOD-HDBK-289 MIL-HDBK-290 NOTICE 1 MIL-HDBK-291 L DOD-HDBK-292/1 L DOD-HDBK-292/2 L MIL-HDBK-293	A GUIDE FOR DOD-STD-2168 DEFENSE SYSTEM SOFTWARE QUALITY PROGRAM ..... A TAILORING GUIDE FOR DOD-STD-2167A, DEFENSE SYSTEM SOFTWARE DEVELOPMENT USER: BS REVIEWER: 02 17 CR GS MI REVIEW AND ACCEPTANCE OF ENGINEERING DRAWING PACKAGES ..... LIGHTING ON NAVAL SHIPS (METRIC) ..... STANDARD ELECTRICAL SYMBOL LIST	A QCIC A MCCR A DRPM A 62GP A DRPM	AR AR MC SH SH	14-DEC-90 11-AUG-89 14-JAN-91 26-NOV-86 22-AUG-86	AR EC AR SH SH	EC EC MC BS
L MIL-HDBK-294	CARGO TANK CLEANING	A 5430	SH	26-SEP-86		SH
L MIL-HDBK-297	TRAINING MATERIALS DEVELOPMENT PART 1 OF 2	A 1155	SH	31-OCT-86		SH
L MIL-HDBK-298	TRAINING MATERIALS DEVELOPMENT PART 2 OF 2	A 1155	SH	31-OCT-86		SH
L MIL-HDBK-299(1) MIL-HDBK-300L	ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN RADAR SYSTEMS ACQUISITION USER: AS OS ELECTRONIC COUNTER-COUNTERMEASURES CONSIDERATIONS IN NAVAL COMMUNICATION SYSTEMS USER: OS INTRODUCTION TO WEAPON EFFECTS FOR SHIPS (METRIC) ..... SELECTION, INSTALLATION AND TROUBLESHOOTING OF RESISTANCE THERMISTERS AND THERMOCOUPLE SENSORS CABLE COMPARISON HANDBOOK DATA PERTAINING TO ELECTRIC SHIPBOARD CABLE ..... TECHNICAL INFORMATION FILE OF SUPPORT EQUIPMENT (AVAILABLE IN MICROFICHE J24X) (ONLY)	A EMCS A EMCS A 1990 A 6685 A 6145 A MISC	EC EC SH SH SH 99	31-DEC-86 28-DEC-87 30-SEP-88 15-OCT-91 01-OCT-83	EC EC SH AV	EC EC AS AS



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY HANDBOOKS

Action Off / OIA Coordination Required	Document Number	Document Title	Dist. Syst. FAC / Ave	MCA Symbol Propagating Aids	Date	Custodians			
						Army	Navy	Air Force	OIA
	MIL-HDBK-303	MICRO-REPRODUCTION OF ENGINEERING DOCUMENTS (VALIDATION DATE: 8201) USER:	A EDRS	16	15-SEP-64	NI	SH	16	
D	MIL-HDBK-304B(1)	MC REVIEWER: AG AR CG ER OS	A PACK	69	28-NOV-88	AR	AS	69	
	MIL-HDBK-310D(1)	PACKAGE CUSHIONING DESIGN USER: 10 MC ME YDI REVIEWER: 11 99 AT CR GL SA	A EDRS	16	31-JAN-90	SC	SA	16	
D	MIL-HDBK-332	SH SH	A 5985	17	31-MAR-87	EC	17		
	MIL-HDBK-332	DIRECTORY OF DOD ENGINEERING DATA REPOSITORIES USER: YDI REVIEWER: 11 AR	A EMCS	17	28-DEC-92			17	
A L	MIL-HDBK-335	AS MI	A MISC	11	30-SEP-88	AV	AS	11	
	MIL-HDBK-336/1	EVALUATION OF HIGH FREQUENCY ANTENNAS IN AN OPERATIONAL ENVIRONMENT	A MISC	11	30-SEP-88	AV	AS	11	
	MIL-HDBK-336/2	REVIEWER: ES	A MISC	11	30-SEP-88	AV	AS	11	
	MIL-HDBK-336/3	MANAGEMENT AND DESIGN GUIDANCE ELECTROMAGNETIC RADIATION HARDNESS FOR AIR	A MISC	11	30-SEP-88	AV	AS	11	
	MIL-HDBK-337	LAUNCHED ORDNANCE SYSTEMS (VALIDATION DATE: 9212)	A RELI	17	12-OCT-88	CR	EC	17	
	MIL-HDBK-338/1A	SURVIVABILITY, AIRCRAFT, NONNUCLEAR, GENERAL CRITERIA-VOLUME 1 (VALIDATION	A RELI	17	15-OCT-84				
	MIL-HDBK-338/2	DATE: 8809) REVIEWER: 26 MC ME MR	A 1820	19	31-JUL-84			19	
L	MIL-HDBK-339	8809) REVIEWER: 26 MC ME MR	A 1810	19	31-JUL-89			19	
L	MIL-HDBK-340(1)	SURVIVABILITY, AIRCRAFT, NONNUCLEAR, ENGINE-VOLUME 3 (VALIDATION DATE:	A 1810	19	04-SEP-92			19	
A L	DOD-HDBK-343	8809) REVIEWER: 26 MC ME MR	A MISC	10	20-JUN-88	AL	AS	10	DM
	MIL-HDBK-345	ADHESIVE BONDED AEROSPACE STRUCTURE REPAIR USER: 99	A MCCR	10	22-MAY-90	CR	EC	70	
	MIL-HDBK-347	ELECTRONIC RELIABILITY DESIGN HANDBOOK USER: AT CG GL ME REVIEWER: 11 13	A 1810	19	30-JUL-90			19	
L	MIL-HDBK-348(1)	18 19 99 AS AV MI OS SH	A QCIC	05	07-JUN-91	AR	OS	05	
	MIL-HDBK-350	ELECTRONIC RELIABILITY DESIGN HANDBOOK VOLUME 2 USER: AT CG GL ME	A 3020	AT	04-JUN-85	AT		99	
L	MIL-HDBK-400	REVIEWER: 11 13 18 19 99 AS AV MI OS SH	X CMPS	AT	28-FEB-92	AT			
D	MIL-HDBK-401	CUSTOM LARGE SCALE INTEGRATED CIRCUIT DEVELOPMENT & ACQUISITION FOR SPACE	A MISC	AT	28-AUG-89	AT	AS	01	ES
	MIL-HDBK-402(1)	VEHICLES	A QCIC	AT	12-JUN-90	AT			
L	MIL-HDBK-404	APPLICATION GUIDELINES FOR MIL-STD-1540B: TEST REQUIREMENTS FOR SPACE	A 3694	MI	14-JUN-88	MI	AS	84	
	MIL-HDBK-406	DESIGN, CONSTRUCTION, AND TESTING REQUIREMENTS FOR ONE OF A KIND SPACE	A 3694	MI	20-JAN-84	MI	AS	99	
	MIL-HDBK-407	EQUIPMENT (VALIDATION DATE: 9209)	A 3694	MI	14-JUN-88	MI	AS	84	
	MIL-HDBK-408	MIL-STD-1567, WORK MEASUREMENT VERIFICATION AND COMPLIANCE PLAN REVIEWER:	A 3694	MI	25-APR-88	MI	AS	99	
	MIL-HDBK-410	01 11 13 14 17 AR AT AV CE CR EC SH	A SLHC	SC	08-JUL-82	SC	YDI	90	
D	MIL-HDBK-411A	MISSION-CRITICAL COMPUTER RESOURCES SOFTWARE SUPPORT REVIEWER: 11 71 80 AM	A SLHC	SC	15-MAY-90	SC	EC	90	
D	MIL-HDBK-411/18	AR AS DM ER MC MI SA SH	A SLHC	SC	15-MAY-90	SC	EC	90	
D	MIL-HDBK-411/28	SATELLITE CONTROL NETWORK HARDWARE AND SOFTWARE OPERATIONAL ACCEPTANCE	A SLHC	SC	15-MAY-90	SC	EC	90	
D	MIL-HDBK-411/38	PROCESS	A SLHC	SC	15-MAY-90	SC	EC	90	
	MIL-HDBK-412	A GUIDE FOR MIL-STD-1520C CORRECTIVE ACTION AND DISPOSITION SYSTEM FOR	A SLHC	SC	20-MAY-81	SC	EC	90	
D	MIL-HDBK-413	NONCONFORMING MATERIAL REVIEWER: 10 23 AS AV CR DM EC GL ME SA SH TO	A TCTS	SC	28-MAR-86	SC	EC	90	
	MIL-HDBK-414	CRITERIA FOR PREPARATION OF GEAR AND SPLINE ENGINEERING DRAWINGS REVIEWER:	A SLHC	90	23-MAR-81	SC	EC	90	
	MIL-HDBK-415	ME	A SLHC	SC	01-FEB-85	SC	EC	90	
	MIL-HDBK-416	HOT ISOSTATIC PROCESSING (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 9202)	A SLHC	90	15-NOV-77	SC	EC	90	
	MIL-HDBK-419A	GUIDELINES FOR THE IMPLEMENTATION OF THE DOD PARTS CONTROL PROGRAM	A SLHC	90	25-NOV-77	SC	EC	90	DC
	MIL-HDBK-419/1A	REVIEWER: 13 17 89 CR OS SH YDI	A SLHC	90	29-DEC-87	SC	EC	90	
	MIL-HDBK-419/2A	CALCULATION AND DESIGN OF MASTER GEARS	A EMCS	90	29-DEC-87	SC	EC	90	
	MIL-HDBK-420	CONTAMINATION CONTROL TECHNOLOGY CLEANING MATERIALS FOR PRECISION	A EMCS	90	29-DEC-87	SC	EC	90	
	MIL-HDBK-421	PRECLEANING AND USE IN CLEAN ROOMS AND CLEAN WORK STATIONS (VALIDATION	A 5985	EC	07-JUL-72	EL	EC	85	
	MIL-HDBK-422	DATE: 8806) USER: AT REVIEWER: 12 14 AV GS OS SH	A QCIC	AT	12-JUL-91	AT			
	MIL-HDBK-423	CONTAMINATION CONTROL TECHNOLOGY CLEANING METHODS AND PROCEDURES	A QCIC	AT	30-OCT-91	AT			
	MIL-HDBK-424	REVIEWER: GS SH	A 8040	NR	12-MAR-87	NR			
	MIL-HDBK-425	CONTAMINATION CONTROL TECHNOLOGY MICROBIAL DETERIORATION IN ELECTRONICS	A 5330	NR	14-OCT-83	NR		99	
	MIL-HDBK-426	ITS ORIGIN AND CONTROL (VALIDATION DATE: 8806) USER: AT REVIEWER: 19 AV GS	A 95GP	NR	19-APR-88	NR	AS	99	
	MIL-HDBK-427	OS	A MISC	NR	14-JAN-87	NR			
	MIL-HDBK-428	CONTAMINATION CONTROL TECHNOLOGY LOGISTIC PROTECTION OF PRECISION CLEANED	A 93GP	NR	29-APR-91	NR	SH	99	
	MIL-HDBK-429	MATERIAL (VALIDATION DATE: 8804) REVIEWER: AR AT GS MR	A 95GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-430	LONG HAUL COMMUNICATIONS (DCS POWER & ENVIRONMENTAL CONTROL FOR PHYSICAL	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-431	PLANT (VOLUMES 1 & 2) REVIEWER: 50 CE CR DC MP	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-432	POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT (GENERAL)	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-433	VOLUME 1 REVIEWER: 50 CE CR MC YDI	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-434	POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT (POWER)	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-435	VOLUME 11 REVIEWER: 50 CE CR MC YDI	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-436	POWER AND THE ENVIRONMENT FOR SENSITIVE DOD ELECTRONIC EQUIPMENT	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-437	(ENVIRONMENTAL CONTROL) VOLUME 111 REVIEWER: 50 CE CR MC YDI	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-438	SITE SURVEY & FACILITY DESIGN HANDBOOK FOR SATELLITE EARTH STATIONS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-439	REVIEWER: 13 17 89 CR	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-440	DESIGN HANDBOOK FOR HIGH FREQUENCY RADIO COMMUNICATIONS SYSTEMS REVIEWER:	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-441	02 11 13 17 26 AC CR MC NC OM TD YDI	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-442	TECHNICAL CONTROL FACILITIES & EQUIPMENT FOR LONG HAUL COMMUNICATIONS -	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-443	VOLUME 1 OF 2 VOLUMES	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-444	DESIGN HANDBOOK FOR FIBER OPTIC COMMUNICATIONS SYSTEMS USER: 02 ER YDI	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-445	REVIEWER: 13 CR NS OM TT	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-446	DESIGN HANDBOOK FOR LINE OF SIGHT MICROWAVE COMMUNICATION SYSTEMS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-447	FACILITY DESIGN FOR TROPOSPHERIC SCATTER (TRANSHORIZON MICROWAVE SYSTEM	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-448	DESIGN)	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-449A	GROUNDING, BONDING & SHIELDING FOR ELECTRONIC EQUIPMENTS & FACILITIES.	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-449/1A	VOLUME 1 & 2	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-449/2A	GROUNDING, BONDING, AND SHIELDING FOR ELECTRONIC EQUIPMENTS AND FACILITIES	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-450	VOLUME 1 OF 2 VOLUMES BASIC THEORY REVIEWER: 02 04 11 14 15 17 50 AC AR CR	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-451	MC NV OM	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-452	GROUNDING, BONDING, AND SHIELDING FOR ELECTRONIC EQUIPMENTS AND FACILITIES	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-453	VOLUME 11 OF 2 VOLUMES APPLICATIONS REVIEWER: 02 04 11 14 15 17 50 AC AR	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-454	CR MC NV OM	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-455	SITE SURVEY HANDBOOK FOR COMMUNICATIONS FACILITIES REVIEWER: CR DC NS OM ..	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-456	COMMUNICATIONS TIMING AND SYNCHRONIZATION SUBSYSTEMS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-457	MAINTAINABILITY PREDICTION REVIEWER: 13 14 CR EC OS SH TO	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-458	FABRICATION OF RIGID WAVEGUIDE ASSEMBLIES (SWEEP BENDS AND TWISTS)	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-459	(VALIDATION DATE: 8505) REVIEWER: 17 ES	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-460	TOLERANCING, DIMENSIONING, AND GAGING TECHNIQUES FOR THE DESIGN OF	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-461	INSPECTION EQUIPMENT	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-462	STATISTICAL PROCESS CONTROL (SPC) IMPLEMENTATION AND EVALUATION AID	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-463	REVIEWER: CR	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-464	ADHESIVE USER: AT YDI REVIEWER: 11 84 AR AS ME MI SH	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-465	A GUIDE TO THE SELECTION OF RUBBER O-RINGS USER: MD REVIEWER: 82 AR AV EA	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-466	GL IS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-467	MAGNESIUM AND MAGNESIUM ALLOY (VALIDATION DATE: 8804) REVIEWER: IS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-468	ALUMINUM AND ALUMINUM ALLOYS (VALIDATION DATE: 8701) REVIEWER: IS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-469	RUBBER PRODUCTS: RECOMMENDED SHELF LIFE (VALIDATION DATE: 9104) USER: OS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-470	REVIEWER: 11 AR AS CR GL GS MI MC	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-471	TITANIUM AND TITANIUM ALLOYS (VALIDATION DATE: 9007) USER: OS REVIEWER: AR	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-472	GL IS MI	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-473	COPPER AND COPPER ALLOYS (VALIDATION DATE: 9007) REVIEWER: IS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-474	A GUIDE TO THE SPECIFICATION FOR FLEXIBLE RUBBER PRODUCTS USER: GL MI	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-475	REVIEWER: AR GS	A 93GP	NR	20-JUL-90	NR	AS	99	
	MIL-HDBK-476	PLASTICS (VALIDATION DATE: 8104) REVIEWER: GS	A 93GP	NR	20-JUL-90	NR	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY HANDBOOKS

Action Org./OIA Coordination Inclusive	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	AF Forces	DIA
D	MIL-HDBK-701C	BLOCKING, BRACING AND SKIDDING OF INDUSTRIAL PLANT EQUIPMENT FOR SHIPMENT AND STORAGE USER: MC SA YD1 REVIEWER: DM SH	A PACK	1P	30-SEP-89	AL	SH	99	1P
D	MIL-HDBK-702	ENGINEERING PRACTICES PRODUCTIVITY ENHANCEMENT OF INDUSTRIAL PLANT EQUIPMENT & PRODUCTION SUPPORT SYSTEMS REVIEWER: B4 AS AV GS SH YD1	A 34GP	1P	01-AUG-85	AL	SH	99	
D	MIL-HDBK-705C	GENERATOR SETS, ELECTRICAL, MEASUREMENT AND INSTRUMENTATION METHODS (VALIDATION DATE: 9211) USER: AT ER MC REVIEWER: 11 AS CE TE	A 6115	ME	03-NOV-92	ME	YD1	99	
L	MIL-HDBK-722	GLASS (VALIDATION DATE: 8308) REVIEWER: GS	A 9340	MR	01-AUG-69	MR			
D	MIL-HDBK-723A	STEEL AND IRON WROUGHT PRODUCTS (VALIDATION DATE: 8302) USER: AS MC OS YD1 REVIEWER: 1S	A 95GP	MR	30-NOV-70	MR		99	
D	MIL-HDBK-725	ADHESIVES: A GUIDE TO THEIR PROPERTIES AND USES AS DESCRIBED BY FEDERAL AND MILITARY SPECIFICATIONS (VALIDATION DATE: 9103) USER: AT MC OS SA YD1 REVIEWER: 11 GL ME MI SH	A 8040	MR	29-MAR-91	MR	AS	84	
	MIL-HDBK-727	DESIGN GUIDANCE FOR PRODUCTIBILITY (VALIDATION DATE: 9002)	A MISC	MR	13-FEB-90	MR	AS	11	
A	MIL-HDBK-728/1	NONDESTRUCTIVE TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS	A NDT1	MR	01-JUL-92	MR	AS	11	
A	MIL-HDBK-728/2	EDDY CURRENT TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS	A NDT1	MR	01-JUL-92	MR	AS	11	
A	MIL-HDBK-728/3	LIQUID PENETRANT TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS	A NDT1	MR	01-JUL-92	MR	AS	11	
A	MIL-HDBK-728/4	MAGNETIC PARTICLE TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS	A NDT1	MR	01-JUL-92	MR	AS	11	
A	MIL-HDBK-728/5	RADIOGRAPHIC TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS	A NDT1	MR	01-JUL-92	MR	AS	11	
A	MIL-HDBK-728/6	ULTRASONIC TESTING (VALIDATION DATE: 9207) REVIEWER: AR OS	A NDT1	MR	01-JUL-92	MR	AS	11	
	MIL-HDBK-729	CORROSION & CORROSION PREVENTION METALS	A MFFP	MR	21-NOV-83	MR	SH	11	
L	MIL-HDBK-730	MATERIALS JOINING (NO S/S DOCUMENT) (VALIDATION DATE: 9102)	A THJM	MR	08-FEB-91	MR			
A	MIL-HDBK-731	NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - THERMOGRAPHY (VALIDATION DATE: 9206) USER: B0 B4 OS REVIEWER: 82 99 AT AV MI SH	A NDT1	MR	12-JUN-92	MR	AS	11	
D	MIL-HDBK-732A	NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS ACOUSTIC EMISSION USER: B0 MI YD1 REVIEWER: 70 71 82 99 AR AT AV ME OS SH	A NDT1	MR	24-APR-91	MR	AS	11	
A	MIL-HDBK-733	NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - RADIOGRAPHY (VALIDATION DATE: 9207) USER: ME SH REVIEWER: 80 82 84 99 AR AT AV MI OS	A NDT1	MR	02-JUL-92	MR	AS	11	
D	MIL-HDBK-737A	MILITARY STANDARDIZATION HANDBOOK, HANDBOOK FOR TEXTILE LABORATORY PERSONNEL 300667 (VALIDATION DATE: 8501) USER: AR AT AV CG IH MI YD1 REVIEWER: 99 AS MC	A 83CP	CT	28-FEB-79	GL	SA	11	CT
D	MIL-HDBK-739	FIELD REFRIGERATION EQUIPMENT (VALIDATION DATE: 8702) USER: CE REVIEWER: GS ME	A 4130	GL	27-FEB-87	GL	YD1	99	
A L	MIL-HDBK-740	DISHWASHING OPERATIONS (VALIDATION DATE: 8402) USER: MS	A 7930	GL	29-DEC-72	GL	SH	99	
	MIL-HDBK-741	FABRIC DESIGN (VALIDATION DATE: 8702) REVIEWER: MD	A 8305	CT	27-FEB-87	GL			CT
	MIL-HDBK-742	WASTE DISPOSAL METHODS FOR MILITARY PACKAGING MATERIALS (VALIDATION DATE: 8702)	A 81GP	GL	27-FEB-87	GL	SA	69	
	ODD-HDBK-743A	ANTHROPOMETRY OF U.S. MILITARY PERSONNEL (METRIC) REVIEWER: 10 AT AV CU MD MI NU	A 1-AC	GL	13-FEB-91	GL	AS	11	
D	MIL-HDBK-753	CB COLLECTIVE PROTECTION OF MOBILE VEHICLES, VANS AND SHELTERS USER: CE MC MI REVIEWER: AS GS MD	A 4240	EA	31-AUG-71	EA	YD1	99	
L	MIL-HDBK-754	PLASTIC MATRIX COMPOSITES WITH CONTINUOUS FIBER REINFORCEMENT REVIEWER: MR	A 9330	AR	19-SEP-91	AR			
L	MIL-HDBK-755	PLASTIC MATERIAL PROPERTIES FOR ENGINEERING DESIGN REVIEWER: MR	A 9330	AR	16-SEP-91	AR			
L	MIL-HDBK-756	MANUFACTURE OF PROJECTILES, PROJECTILE COMPONENTS, AND CARTRIDGE CASES FOR ARTILLERY, TANK MAIN ARMAMENT, AND MOTORS	A 13GP	AR	29-APR-91	AR			
A L	MIL-HDBK-759B(2)	HUMAN FACTORS ENGINEERING DESIGN FOR ARMY MATERIEL METRIC REVIEWER: AR AT AV CR EA GL MD ME MR TE TH	A HFAC	MI	10-JAN-93	MI			
	MIL-HDBK-761A	HUMAN ENGINEERING GUIDELINES FOR MANAGEMENT INFORMATION SYSTEMS REVIEWER: 13 14 19 26 AT AV CR EC GL MC MR MS OS PE	A HFAC	MI	30-SEP-89	MI	AS	11	
L	MIL-HDBK-762	DESIGN OF AERODYNAMICALLY STABILIZED FREE ROCKETS REVIEWER: AR	A GDRQ	MI	17-JUL-90	MI			
D	ODD-HDBK-763	HUMAN ENGINEERING PROCEDURES GUIDE USER: AL CR ME YD1 REVIEWER: 13 14 19 24 AR AT AV GL MD MR MS OM OS PE SH TD	A HFAC	MI	27-FEB-87	MI	AS	11	
	MIL-HDBK-763	HUMAN ENGINEERING PROCEDURES GUIDE REVIEWER: 13 14 19 24 AR AT AV GL MS OM OS PE SH	A HFAC	MI	27-FEB-87	MI	AS	11	
L	MIL-HDBK-764	SYSTEM SAFETY ENGINEERING DESIGN GUIDE FOR ARMY MATERIEL REVIEWER: AL AT AV CR ER	A SAFT	MI	12-JAN-90	MI			
L	MIL-HDBK-765(1)	GUIDELINES FOR SAFE DESIGN OF POLYPHASE ELECTRICAL SYSTEMS	A SAFT	MI	27-JUL-89	MI			
	MIL-HDBK-766	DESIGN TO COST REVIEWER: 14 15 18 AR EA EC GS	A MISC	MI	25-AUG-89	MI	AS	11	
	MIL-HDBK-770A	SHRINK FILM/STRETCH FILM IN MILITARY PACKAGING (VALIDATION DATE: 8901) REVIEWER: 71 80 82 AL AT CS GL GS MR NT	A PACK	SM	18-JAN-89	SM	SA	69	DM
D	MIL-HDBK-772	MILITARY PACKAGING ENGINEERING (VALIDATION DATE: 8812) REVIEWER: AR AT AV CS CT EA GS IS ME PS YD1	A PACK	SM	30-DEC-88	SM	AS	69	DM
	MIL-HDBK-773(1)	ELECTROSTATIC DISCHARGE PROTECTIVE PACKAGING REVIEWER: 01 11 70 80 82 AM AS AT CG CR EC MC MI MS	A PACK	SM	24-MAY-90	SM	SH	69	ES
A L	MIL-HDBK-776	SHAFTS, ELASTIC TORSIONAL STRESS ANALYSIS OF (VALIDATION DATE: 9301) USER: OS REVIEWER: AV ME	A GDRQ	AR	07-JAN-93	AR			
	MIL-HDBK-777	FUZE CATALOG PROCUREMENT STANDARD AND DEVELOPMENT FUZE EXPLOSIVE COMPONENTS	C 1390	AR	01-OCT-85	AR	OS	99	
L	ODD-HDBK-778	RECOIL SYSTEMS METRIC	A 10GP	AR	18-JUL-88	AR			
	MIL-HDBK-780A	STANDARDIZED MILITARY DRAWINGS USER: GL REVIEWER: 13 14 18 19 70 71 79 80 84 99 AS AT AV CE CR DH EC ER MC ME MI SA SH TD	A DRPR	AR	20-SEP-91	AR	OS	16	
	MIL-HDBK-781	RELIABILITY TEST METHODS, PLANS, AND ENVIRONMENTS FOR ENGINEERING DEVELOPMENT, QUALIFICATION, AND PRODUCTION REVIEWER: 01 10 13 16 19 AR AS AV IS MI OS SH TD	A RELI	EC	14-JUL-87	CR	EC	11	
	MIL-HDBK-782	SOFTWARE SUPPORT ENVIRONMENT ACQUISITION IMPLEMENTATION GUIDE FOR DOD-STD-1467 (AR) "SOFTWARE SUPPORT ENVIRONMENT" REVIEWER: AV	A MCCR	99	29-FEB-88	CR	SH	99	
L	MIL-HDBK-783	CHEMICAL AND BIOLOGICAL (CB) CONTAMINATION AVOIDANCE AND DECONTAMINATION	A 4230	EA	15-OCT-90	EA			
D	MIL-HDBK-784	GUIDELINES-DESIGN TO MINIMIZE CONTAMINATION AND TO FACILITATE DECONTAMINATION OF MILITARY VEHICLES AND OTHER EQUIPMENT: INTERIORS AND EXTERIORS USER: MC REVIEWER: B4 AL AR AT AV	A 4230	EA	21-DEC-87	EA	YD1	99	
L	MIL-HDBK-785	DESIGN OF TOWED ARTILLERY WEAPON SYSTEMS	A 10GP	AR	30-MAR-90	AR			
M	MIL-HDBK-786	FIELD ASSURANCE OF ACOUSTIC EMISSION SYSTEM OPERATION USING SIMULATED ACOUSTIC EMISSION EVENTS (VALIDATION DATE: 9305) REVIEWER: AT AV	A NDT1	MR	05-MAY-93	MR	AS	11	
M	MIL-HDBK-787	NONDESTRUCTIVE TESTING METHODS OF COMPOSITE MATERIALS - ULTRASONIC (VALIDATION DATE: 9305) USER: ME SH REVIEWER: 80 82 84 99 AR AT AV MI OS	A NDT1	MR	05-MAY-93	MR	AS	11	
	MIL-HDBK-788	SELECTION OF ACOUSTIC EMISSION SENSORS	A NDT1	MR	25-JUL-89	MR	AS	11	
L	MIL-HDBK-789	ARMOR FOR DEFENSE AGAINST KINETIC ENERGY PROJECTILE ATTACK (REQUEST OTHER THAN DOD SUBMIT REQUEST VIA THE PREPARING ACTIVITY) REVIEWER: AT	C MECA	AR	12-SEP-91	AR			
D	MIL-HDBK-790(1)	FRAC TOGRAPHY AND CHARACTERIZATION OF FRACTURE ORIGINS IN ADVANCED STRUCTURAL CERAMICS REVIEWER: 11 B4 AT EA ER GS ME MI OS SH YD1	A 9350	MR	30-OCT-92	MR	AS	99	
L	ODD-HDBK-791	MAINTAINABILITY DESIGN TECHNIQUES METRIC	A MISC	AM	17-MAR-88	AM			
L	MIL-HDBK-791	MAINTAINABILITY DESIGN TECHNIQUES (METRIC)	A MISC	AM	17-MAR-88	AM			
L	MIL-HDBK-792	PROVE OUT OF PRODUCTION FACILITIES	A OTCI	AR	24-MAR-89	AR			
L	MIL-HDBK-793	NONDESTRUCTIVE TESTING TECHNIQUES FOR STRUCTURAL COMPOSITES REVIEWER: MR	A NDT1	AR	06-NOV-89	AR			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY HANDBOOKS

Action Off. / OMA Coordination Inclusive	Document Number	Document Title	Dist. Smt. FAC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-HDBK-800	DOCUMENTATION STREAMLINING .....	A SDMP	AS	30-MAY-89	AS			
L	MIL-HDBK-801	LIST OF PRESSURE GAUGES .....	A 6685	SH	31-OCT-90	SH			
L	MIL-HDBK-802	DESIGN OF ELECTRICAL EQUIPMENT WITH SMALL STRAY MAGNETIC FIELDS (METRIC) ..	A 1905	SH	02-JUL-90	SH			
L	MIL-HDBK-803	GLASS REINFORCED PLASTICS PREVENTIVE MAINTENANCE AND REPAIR .....	A 9330	SH	20-APR-90	SH			
L	MIL-HDBK-804	NETWORK USER ID AND PASSWORD PROCEDURES .....	A IPSC	OM	15-FEB-90	OM			
L	MIL-HDBK-805	MICROCOMPUTER SOFTWARE AND HARDWARE GUIDELINES .....	A IPSC	OM	26-FEB-90	OM			
A	MIL-HDBK-818/1	SURVIVABLE ADAPTABLE FIBER OPTIC EMBEDDED NETWORK (SAFENET) NETWORK DEVELOPMENT GUIDANCE REVIEWER: 02 17 21 23 26 AC CG ET IE SC TD TM	A MCCR	EC	31-OCT-92	ER	EC	10	
L	MIL-HDBK-826	DRYDOCKING TIMBERS AND BLOCKS STRENGTH PROPERTIES OF .....	A 1950	SH	11-OCT-91	SH			
M	MIL-HDBK-828	LASER RANGE SAFETY .....	A 4240	EC	15-APR-93	EA	EC	10	
A	MIL-HDBK-844	AIRCRAFT REFUELING HANDBOOK .....	A 9130	AS	20-OCT-92	AS			
M	MIL-HDBK-845	STANDARD POWER SUPPLY APPLICATIONS HANDBOOK REVIEWER: GS	A 6130	NW	31-DEC-92	ER	NW	99	
L	MIL-HDBK-978/1B	NASA PARTS APPLICATION HANDBOOK (VOLUME 1 OF 5) GENERAL INTRODUCTION, CAPACITORS, RESISTORS, THERMISTORS	A 59GP	NA	01-MAR-88				
L	MIL-HDBK-978/2B(1)	NASA PARTS APPLICATION HANDBOOK (VOLUME 2 OF 5) DIODES, TRANSISTORS, MICROWAVE DEVICES	A 59GP	NA	01-SEP-89				
L	MIL-HDBK-978/3B(3)	NASA PARTS APPLICATION HANDBOOK (VOLUME 3 OF 5) MICROCIRCUITS .....	A 59GP	NA	25-MAR-91				
L	MIL-HDBK-978/4B	NASA PARTS APPLICATION HANDBOOK (VOLUME 4 OF 5) CRYSTALS, FILTERS, TRANSFORMERS, INDUCTORS, DELAY LINES, MOTORS	A 59GP	NA	01-MAR-88				
L	MIL-HDBK-978/5B(3)	NASA PARTS APPLICATION HANDBOOK (VOLUME 5 OF 5) CONNECTORS, PROTECTIVE DEVICES, SWITCHES, RELAYS, WIRE, CABLE	A 59GP	NA	25-MAR-91				
D	MIL-HDBK-1001/1	BASIC ARCHITECTURAL REQUIREMENTS AND DESIGN CONSIDERATIONS .....	A FACR	YD2	30-APR-92	YD2			
D	MIL-HDBK-1001/2	MATERIALS AND BUILDING COMPONENTS .....	A FACR	YD2	15-JUL-87	YD2			
D	MIL-HDBK-1001/5	ROOFING AND WATERPROOFING .....	A FACR	YD2	28-FEB-90	YD2			
D	MIL-HDBK-1002	TIMBER STRUCTURES .....	A FACR	YD2	30-MAR-87	YD2			
D	MIL-HDBK-1002/1	STRUCTURAL ENGINEERING GENERAL REQUIREMENTS .....	A FACR	YD2	30-NOV-87	YD2			
D	MIL-HDBK-1002/2	LOADS .....	A FACR	YD2	30-SEP-88	YD2			
D	MIL-HDBK-1002/3	STRUCTURAL ENGINEERING STEEL STRUCTURES .....	A MISC	YD2	30-SEP-87	YD2			
D	MIL-HDBK-1002/5	TIMBER STRUCTURES .....	A FACR	YD2	30-MAR-87	YD2			
D	MIL-HDBK-1002/6	ALUMINUM STRUCTURES, COMPOSITE STRUCTURES, STRUCTURAL PLASTICS, AND FIBER-REINFORCED COMPOSITES	A FACR	YD2	30-JUN-87	YD2			
D	MIL-HDBK-1003/2	INCINERATORS .....	A FACR	YD2	30-SEP-89	YD2			
D	MIL-HDBK-1003/6	CENTRAL HEATING PLANTS .....	A FACR	YD2	15-JAN-91	YD2			
D	MIL-HDBK-1003/7	STEAM POWER PLANTS - FOSSIL FUELED .....	A FACR	YD2	15-SEP-90	YD2			
D	MIL-HDBK-1003/8A(2)	EXTERIOR DISTRIBUTION OF STEAM, HIGH TEMPERATURE WATER, CHILLED WATER, NATURAL GAS, AND COMPRESSED AIR	A FACR	YD2	30-DEC-91	YD2			
D	MIL-HDBK-1003/11	DIESEL-ELECTRIC GENERATING PLANTS .....	A FACR	YD2	13-OCT-87	YD2			
D	MIL-HDBK-1003/12	BOILER CONTROLS .....	A FACR	YD2	31-OCT-89	YD2			
D	MIL-HDBK-1003/13A	SOLAR HEATING OF BUILDINGS & DOMESTIC HOT WATER .....	A FACR	YD2	09-NOV-81	YD2			
D	MIL-HDBK-1003/17A	INDUSTRIAL VENTILATION SYSTEMS .....	A FACR	YD2	31-JAN-90	YD2			
D	MIL-HDBK-1003/19	DESIGN PROCEDURES FOR PASSIVE SOLAR BUILDINGS .....	A FACR	YD2	03-MAY-87	CE	YD2	04	
D	MIL-HDBK-1004/1	ELECTRICAL ENGINEERING PRELIMINARY DESIGN CONSIDERATIONS .....	A FACR	YD2	30-MAY-88	YD2			
D	MIL-HDBK-1004/2(1)	POWER DISTRIBUTION SYSTEMS .....	A FACR	YD2	15-FEB-91	YD2			
D	MIL-HDBK-1004/3(1)	SWITCHGEAR AND RELAYING .....	A FACR	YD2	30-DEC-91	YD2			
D	MIL-HDBK-1004/4(1)	ELECTRICAL UTILIZATION SYSTEMS .....	A FACR	YD2	15-FEB-91	YD2			
D	MIL-HDBK-1004/6	LIGHTNING PROTECTION .....	A FACR	YD2	30-MAY-86	YD2			
D	MIL-HDBK-1004/7	WIRE COMMUNICATIONS AND SIGNAL SYSTEMS .....	A FACR	YD2	30-SEP-91	YD2			
D	MIL-HDBK-1004/10	ELECTRICAL ENGINEERING CATHODIC PROTECTION .....	A FACR	YD2	31-JAN-90	YD2			
D	MIL-HDBK-1005/2	HYDROLOGY .....	A FACR	YD2	30-JUN-90	YD2			
D	MIL-HDBK-1005/3	DRAINAGE SYSTEMS .....	A FACR	YD2	20-SEP-90	YD2			
D	MIL-HDBK-1005/6	TRACKAGE .....	A FACR	YD2	30-APR-92	YD2			
D	MIL-HDBK-1005/7	WATER SUPPLY SYSTEMS .....	A FACR	YD2	30-NOV-88	YD2			
D	MIL-HDBK-1005/8	DOMESTIC WASTEWATER CONTROL .....	A FACR	YD2	30-SEP-88	YD2			
D	MIL-HDBK-1005/9	INDUSTRIAL AND OILY WASTEWATER CONTROL .....	A FACR	YD2	30-SEP-88	YD2			
D	MIL-HDBK-1005/13	HAZARDOUS WASTE STORAGE FACILITIES .....	A FACR	YD2	30-APR-87	YD2			
D	MIL-HDBK-1006/1	POLICY & PROCEDURES FOR PROJECT DRAWING & SPECIFICATION PREPARATION .....	A MISC	YD2	31-JUL-87	YD2			
D	MIL-HDBK-1006/2A(1)	POLICY AND PROCEDURES FOR GUIDE SPECIFICATION PREPARATION .....	A FACR	YD2	01-MAR-91	YD2			
D	MIL-HDBK-1006/3B	POLICY AND PROCEDURES FOR ENGINEERING AND DESIGN CRITERIA MANUAL PREPARATION	A FACR	YD2	15-OCT-90	YD2			
D	MIL-HDBK-1006/4	POLICY AND PROCEDURES FOR DEFINITIVE AND STANDARD DESIGN AND STANDARD SPECIFICATION PREPARATION	A FACR	YD2	31-JUL-87	YD2			
D	MIL-HDBK-1008A	FIRE PROTECTION FOR FACILITIES ENGINEERING, DESIGN, AND CONSTRUCTION .....	A FACR	YD2	31-MAR-88	CE	YD2	04	
D	MIL-HDBK-1010A	COST ENGINEERING: POLICY AND PROCEDURES .....	A FACR	YD2	01-AUG-92	YD2			
D	MIL-HDBK-1010/2	COST ENGINEERING: HISTORICAL COST DATA .....	A FACR	YD2	30-SEP-88	YD2			
D	MIL-HDBK-1011/1	TROPICAL ENGINEERING .....	A FACR	YD2	31-OCT-91	YD2			
D	MIL-HDBK-1011/2	COOLING BUILDINGS BY NATURAL VENTILATION .....	A FACR	YD2	31-JAN-90	YD2			
D	MIL-HDBK-1012/1	ELECTRONIC FACILITIES ENGINEERING .....	A FACR	YD2	15-MAY-89	YD2			
D	MIL-HDBK-1013/1(1)	DESIGN GUIDELINES FOR PHYSICAL SECURITY OF FIXED LAND-BASED FACILITIES .....	A FACR	YD2	31-JUL-89	YD2			
D	MIL-HDBK-1013/3	BOLT-ON INSTALLATION AND CHECKOUT PROCEDURES FOR THE HIGH-SECURITY HASP WITH OR WITHOUT ANTI-INTRUSION BAR COVER	A FACR	YD2	31-JAN-88	YD2			
D	MIL-HDBK-1013/4	INSTRUCTION FOR DESIGN, FABRICATION, AND CONSTRUCTION/INSTALLATION OF SECURE ENCLOSURES	A FACR	YD2	31-JAN-88	YD2			
D	MIL-HDBK-1013/5	STEEL-PLY WALL HARDENING SELECTION AND INSTALLATION GUIDE .....	A FACR	YD2	31-JAN-88	YD2			
D	MIL-HDBK-1013/7	SECURITY HARDWARE INSTALLATION, OPERATION, AND MAINTENANCE .....	A FACR	YD2	15-JUN-88	YD2			
D	MIL-HDBK-1013/8	COMBINATION LOCKS .....	A FACR	YD2	31-OCT-89	YD2			
M	MIL-HDBK-1013/10	DESIGN GUIDELINES FOR SECURITY FENCING, GATES, BARRIERS, AND GUARD FACILITIES	A FACR	YD2	14-MAY-93	YD2			
D	MIL-HDBK-1015/1	ELECTROPLATING FACILITIES .....	A FACR	YD2	31-MAY-89	YD2			
D	MIL-HDBK-1015/2	CHEMICAL ENGINEERING ELECTROPLATING TECHNICAL SYNOPSIS .....	A FACR	YD2	31-MAY-89	YD2			
D	MIL-HDBK-1021/1(1)	AIRFIELD GEOMETRIC DESIGN .....	A FACR	YD2	31-AUG-92	YD2			
D	MIL-HDBK-1021/2	GENERAL CONCEPTS FOR AIRFIELD PAVEMENT DESIGN .....	A FACR	YD2	30-SEP-88	YD2			
D	MIL-HDBK-1021/4(2)	RIGID PAVEMENT DESIGN FOR AIRFIELDS .....	A FACR	YD2	31-AUG-92	YD2			
D	MIL-HDBK-1023/1(1)	AIRFIELD LIGHTING .....	A FACR	YD2	15-OCT-90	YD2			
D	MIL-HDBK-1024/2	HELIUM PLANTS AND STORAGE .....	A FACR	YD2	15-APR-87	YD2			
D	MIL-HDBK-1024/3(1)	OXYACETYLENE AND NITROGEN AND BREATHING OXYGEN FACILITIES .....	A FACR	YD2	30-JUN-92	YD2			
D	MIL-HDBK-1025/1(2)	PIERS AND WHARVES .....	A FACR	YD2	28-FEB-92	YD2			
D	MIL-HDBK-1025/2	DOCKSIDE UTILITIES FOR SHIP SERVICE .....	A FACR	YD2	01-MAY-88	YD2			
D	MIL-HDBK-1025/4	SEAWALLS, BULKHEADS, AND QUAYWALLS .....	A FACR	YD2	30-SEP-88	YD2			
C	MIL-HDBK-1025/6	GENERAL CRITERIA FOR WATERFRONT CONSTRUCTION .....	A FACR	YD2	15-MAY-88	YD2			
D	MIL-HDBK-1027/1	FIREFIGHTING SCHOOL FACILITIES .....	A FACR	YD2	15-MAR-91	YD2			
D	MIL-HDBK-1027/3B	RANGE FACILITIES AND MISCELLANEOUS TRAINING FACILITIES OTHER THAN BUILDINGS	A FACR	YD2	30-NOV-92	YD2			
D	MIL-HDBK-1028/1A	AIRCRAFT MAINTENANCE FACILITIES .....	A FACR	YD2	31-OCT-91	YD2			
D	MIL-HDBK-1028/3	MAINTENANCE FACILITIES FOR AMMUNITION, EXPLOSIVES, AND TOXINS .....	A FACR	YD2	31-DEC-87	YD2			
D	MIL-HDBK-1028/5	ENVIRONMENTAL CONTROL - DESIGN OF CLEAN ROOMS .....	A FACR	YD2	15-MAY-89	YD2			
D	MIL-HDBK-1028/6	AIRCRAFT FIXED POINT UTILITY SYSTEMS .....	A FACR	YD2	30-SEP-88	YD2			
D	MIL-HDBK-1028/8A	DESIGN OF PEST MANAGEMENT FACILITIES .....	A FACR	YD2	01-NOV-91	YD2			04
D	MIL-HDBK-1029/1	GRAVING DRYDOCKS .....	A FACR	YD2	31-JAN-89	YD2			
D	MIL-HDBK-1029/2	MARINE RAILWAYS .....	A FACR	YD2	30-JUN-89	YD2			
D	MIL-HDBK-1029/3	DRYDOCKING FACILITIES CHARACTERISTICS .....	A FACR	YD2	30-SEP-88	YD2			



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY HANDBOOKS

Action Org. / OMA Coordination Inquiries Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty. Date			Custodians			
					Army	Navy	Air Force	DIA
D L MIL-HDBK-1032/2	COVERED STORAGE .....	A MISC	YD2	30-SEP-87		YD2		
D L MIL-HDBK-1034	ADMINISTRATIVE FACILITIES .....	A FACR	YD2	30-OCT-87		YD2		
NOTICE 1								
D MIL-HDBK-1035	FAMILY HOUSING .....	A FACR	YD2	15-JUN-89	CE	YD2		
D L MIL-HDBK-1036/4	ENLISTED DINING FACILITIES .....	A FACR	YD2	15-AUG-90		YD2		
D MIL-HDBK-1037/2	CHILD DEVELOPMENT CENTERS .....	A FACR	YD2	31-JAN-89	CE	YD2	O4	
D L MIL-HDBK-1037/3	OUTDOOR SPORTS AND RECREATIONAL FACILITIES USER: AR REVIEWER: EL IS ME MI	A FACR	YD2	30-JUN-89		YD2		
D L MIL-HDBK-1037/4	BRIGS AND DETENTION FACILITIES .....	A FACR	YD2	15-JUL-89		YD2		
D L MIL-HDBK-1037/7	OFFICERS, NON-COMMISSIONED OFFICERS DINING FACILITIES: OPEN ENLISTED DINING FACILITIES	A FACR	YD2	29-FEB-88		YD2		
D L MIL-HDBK-1038/3	YARD CRAFT REVIEWER: MD SS .....	A FACR	YD2	15-NOV-87		YD2		
D L MIL-HDBK-1038/5	TOWING NONSELF-PROPELLED FLOATING STRUCTURES REVIEWER: MD SS .....	A FACR	YD2	15-NOV-87		YD2		
D MIL-HDBK-1040	BASIC GUIDELINES FOR CHEMICAL WARFARE HARDENING OF NEW MILITARY FACILITIES	A FACR	YD2	28-FEB-89	CE	YD2	O4	
D L MIL-HDBK-1114/2	MAINTENANCE AND OPERATION OF HEATING SYSTEMS .....	A FACR	YD2	31-DEC-91		YD2		
D L MIL-HDBK-1119	FOOD SERVICE EQUIPMENT .....	A FACR	YD2	30-AUG-91		YD2		
D L MIL-HDBK-1130	INACTIVATION, CARETAKER MAINTENANCE, REACTIVATION, AND CLOSURE OF SHORE FACILITIES	A FACR	YD2	31-DEC-91		YD2		
D MIL-HDBK-1190	FACILITY PLANNING AND DESIGN GUIDE .....	A FACR	YD2	01-SEP-87	CE	YD2	O4	
D MIL-HDBK-1191	DEPARTMENT OF DEFENSE MEDICAL AND DENTAL TREATMENT FACILITIES DESIGN AND CONSTRUCTION CRITERIA	A FACR	YD2	15-OCT-91	CE	YD2	O4	
D L MIL-HDBK-1195	RADIO FREQUENCY SHIELDED ENCLOSURES .....	A FACR	YD2	30-SEP-88		YD2		
D L MIL-HDBK-1197	AERO-Acoustics TEST PROGRAMS REVIEWER: B2 .....	A FACR	YD2	11-MAR-88		YD2		
A L MIL-HDBK-1200	CHEMICAL AND BIOLOGICAL (CB) AGENTS DETECTION AND MONITORING SYSTEMS .....	A 6665	EA	16-NOV-92	EA			
A MIL-HDBK-1553A	MULTIPLEX APPLICATION HANDBOOK (CONTROLLED DISTRIBUTION) (VALIDATION DATE: 93011	A MCCR	11	31-JAN-93	ER	AS	11	
A MIL-HDBK-2000	SOLDERING OF ELECTRICAL AND ELECTRONIC ASSEMBLIES USER: AV MC REVIEWER: 15 17 19 84 AH CR EC ER MR	A SOLO	AS	04-JUL-90	MI	AS	11	
MIL-HDBK-63038/1A	TECHNICAL MANUAL WRITING HANDBOOK .....	A TMSS	TM	15-MAY-84				
MIL-HDBK-63038/2	TECHNICAL WRITING STYLE GUIDE .....	A TMSS	TM	01-MAY-77				



## ACTIVE SECTION

NUMERICAL LISTING  
MILITARY AND ANA BULLETINS

Adm Op / OMA Coordination Inches	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Acty.	Date	Custodians			
						Army	Navy	Air Force	OLA
D L	MIL-BUL-34T	ENGINEERING AND DESIGN CRITERIA FOR NAVY FACILITIES .....	A FACR	YD1	01-JAN-93	YD1			
D L	MIL-BUL-34K	ENGINEERING AND DESIGN CRITERIA FOR NAVY FACILITIES .....	A FACR	YD1	01-JAN-91	YD1			
D L	MIL-BUL-35C	MATRIX OF GUIDE SPECIFICATIONS FOR FACILITIES CONSTRUCTION - FEDERAL AND PRIVATE	A FACR	YD1	15-JUN-92	YD1			
D L	MIL-BUL-36	U.S. BUILDING CODES AND STANDARDS AN OVERVIEW .....	A FACR	YD1	30-JUN-89	YD1			
A	MIL-BUL-103P	LIST OF STANDARDIZED MILITARY DRAWINGS (SMD'S) USER: MR OS SH .....	A 5962	ES	09-MAR-93	AV	EC	ES	
	MIL-BUL-147E	SPECIFICATIONS & STANDARDS OF NON-GOVERNMENT ORGANIZATIONS RELEASED FOR FLIGHT VEHICLE DESIGN & CONSTRUCTION USER: AR REVIEWER: 10 ME	A MISC	AS	14-APR-89	AV	AS	11	
	ANA-BUL-306M	ENGINES, AIRCRAFT TURBINE AND JET, DESIGNATION OF [VALIDATION DATE: 8304] .	A MISC	AS	27-DEC-63	AS	11		
	MIL-BUL-343A	DOCUMENTS APPLICABLE TO AIRCRAFT ENGINES AND PROPELLERS, USE OF .....	A MISC	11	18-DEC-87	AV	AS	11	
	MIL-BUL-418	DIFFERENTIAL PRESSURES [VALIDATION DATE: 8304] .....	A MISC	11	21-NOV-52			11	
	NOTICE 1								
	ANA-BUL-431A	AIR FORCE-NAVY AERONAUTICAL BULLETIN FITTINGS, FLARED, CLASSIFICATION OF DEFECTS OF [VALIDATION DATE: 8910]	A 4730	82	31-OCT-89	AS	99		
L	ANA-BUL-446	PROCEDURE FOR SUBMITTAL AND LISTING OF INDUSTRY SPECIFICATIONS AND STANDARDS IN ANA BULLETIN NO. 147 [VALIDATION DATE: 8304]	A MISC	11	17-JUL-63		11		
L	MIL-BUL-544/1f	LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART I ALPHABETICAL LISTING	A GDRQ	AS	01-MAY-86	AS			
	MIL-BUL-544/2f	LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART II NUMERICAL LISTING	A GDRQ	AS	01-MAY-86	AS			
L	MIL-BUL-544/3f	LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND - PART III NUMERIC LISTING (CANCELLED DOCUMENTS)	A GDRQ	AS	01-MAY-86	AS			



## ACTIVE SECTION

NUMERICAL LISTING  
GUIDE SPECIFICATIONS

Active Chg / Chg Coordinate Number	Document Number	Document Title	Dist Smt FSC / Area MCA Symbol	Preparing Date	Army Navy Air Force DLA	Custodians
AL	AFGS-87145A	ENVIRONMENTAL CONTROL, AIRBORNE	D 1660	11 01-OCT-92		11
AL	AFGS-87154A	FUEL SYSTEMS GENERAL DESIGN SPECIFICATION FOR	D 2915	11 01-JUL-92		11
AL	AFGS-87213B	DISPLAYS, AIRBORNE, ELECTRONICALLY/OPTICALLY GENERATED	D 6610	11 08-JAN-93		11
L	AFGS-87216A	INSTRUMENT SYSTEMS, AIRBORNE	D 6695	11 05-AUG-86		11
AL	AFGS-87219A	ELECTRICAL POWER SYSTEMS, AEROSPACE VEHICLES	D 616P	11 30-MAR-93		11
AL	AFGS-87221A	AIRCRAFT STRUCTURES, GENERAL SPECIFICATION FOR	D 1510	11 08-JUN-90		11
L	AFGS-87226A(1)	OXYGEN SYSTEMS, AIRCRAFT, GENERAL SPECIFICATION FOR	D 1660	11 01-APR-92		11
AL	AFGS-87233A	SUPPORT SYSTEMS AND EQUIPMENT	D 60RQ	11 05-APR-93		11
L	AFGS-87234A	PERSONAL PROTECTIVE EQUIPMENT, AIRCREW	D 8475	11 30-SEP-91		11
L	AFGS-87235B	EMERGENCY ESCAPE, AIRCRAFT	D 1510	11 16-MAR-92		11
L	AFGS-87237	NAVIGATION EQUIPMENT, AIRBORNE (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA ASD/ENES, WRIGHT-PATTERSON AFB OH 45433-6503)	D 1510	11 26-MAY-89		11
L	AFGS-87238	SURVIVAL AND FLOTATION SYSTEMS, AIRBORNE (REQ OTHER THAN DOD REF TO ASD/ENES, WRIGHT-PATERSON AFB OH 45433-6503) REVIEWER: GS	D 1689	11 12-JAN-88		11
L	AFGS-87240A	LIGHTING EQUIPMENT, AIRBORNE, INTERIOR AND EXTERIOR	D 6220	11 31-DEC-87		11
L	AFGS-87241A	SIMULATORS, FLIGHT	D 6930	11 09-JAN-89		11
L	AFGS-87242A	FLIGHT CONTROL SYSTEM GENERAL SPECIFICATION FOR	D 6610	11 30-AUG-91		11
L	AFGS-87249	MECHANICAL EQUIPMENT AND SUBSYSTEMS, REQUIREMENTS FOR THE INTEGRITY OF	D 60RQ	11 15-MAR-88		11
AL	AFGS-87253A	SYSTEM SPECIFICATION	D 15GP	11 19-MAR-93		11
AL	AFGS-87256	INTEGRATED DIAGNOSTICS	D 60RQ	11 30-APR-91		11
AL	AFGS-87265	TRAINING SYSTEMS	A 69GP	11 30-SEP-92		11
AL	AFGS-87266	AIRCRAFT COCKPIT TRANSPARENCY SYSTEM	D 15GP	11 01-JUL-92		11
AL	AFGS-87267	SUSTENANCE AND WASTE MANAGEMENT SYSTEMS, AIRBORNE	A 15GP	11 13-NOV-92		11
D	MFGS-02250	SITE WORK, SECTION 02250, SOIL TREATMENT FOR SUBTERRANEAN TERMITE CONTROL	A FACR	Y03 31-AUG-85	CE	Y03 04
D	MFGS-02420	SITE WORK, SECTION 02420, STORM DRAINAGE SYSTEM	A FACR	Y03 01-MAY-82	CE	Y03 04
D	MFGS-02444	SITE WORK, SECTION 02444, FENCE, CHAIN LINK	A FACR	Y03 01-OCT-92	CE	Y03 04
M	MFGS-02510A	ASPHALT CONCRETE PAVING USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02513M	SITE WORK, SECTION 02513, ASPHALT CONCRETE FOR VEHICULAR TRAFFIC	A FACR	Y03 01-JAN-83	CE	Y03 04
D	MFGS-02543A	SITE WORK, SECTION 02543, COAL TAIL SEAL COAT WITH UNVULCANIZED RUBBER	A FACR	Y03 09-JUN-89	CE	Y03 04
D	MFGS-02558A	SITE WORK, SECTION 02558, BITUMINOUS TACK COAT	A FACR	Y03 09-JUN-89	CE	Y03 04
D	MFGS-02559	SITE WORK, SECTION 02559, PORTLAND CEMENT CONCRETE PAVEMENT FOR ROADS AND AIRFIELDS	A FACR	Y03 31-OCT-83	CE	Y03 04
D	MFGS-02573(1)	SITE WORK, SECTION 02573, BITUMINOUS HOT MIX PAVEMENT	A FACR	Y03 31-AUG-85	CE	Y03 04
M	MFGS-01010D	GENERAL PARAGRAPHS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-01011G	ADDITIONAL GENERAL PARAGRAPHS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-01013	GENERAL REQUIREMENTS, SECTION 01013, CPM-NETWORK ANALYSIS SYSTEM	A FACR	Y03 01-JUL-82	CE	Y03 04
M	MFGS-01090J	REFERENCES USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-01300H	GENERAL REQUIREMENTS, SECTION 01300, SUBMITTALS	A FACR	Y03 31-DEC-92		Y03 04
M	MFGS-0131	CONTRACTOR PREPARED NETWORK ANALYSIS SYSTEM (NAS) USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-0141	GENERAL REQUIREMENTS, SECTION 01400, QUALITY CONTROL	A FACR	Y03 31-DEC-91	CE	Y03 04
M	MFGS-01560J	ENVIRONMENTAL PROTECTION USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-01730E	GENERAL REQUIREMENTS, SECTION 01730, OPERATION AND MAINTENANCE DATA	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02050E	SITE WORK, SECTION 02050, DEMOLITION AND REMOVAL	A FACR	Y03 31-DEC-92		Y03 04
M	MFGS-02076A	REMOVAL AND DISPOSAL OF POLYCHLORINATED BIPHENYLS (PCBS) USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02080D	REMOVAL AND DISPOSAL OF ASBESTOS MATERIALS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02082	REMOVAL AND DISPOSAL OF UNDERGROUND STORAGE TANKS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02090B	SITE WORK, SECTION 02090, REMOVAL AND DISPOSAL OF LEAD-CONTAINING PAINT	A FACR	Y03 31-MAR-92	CE	Y03 04
D	MFGS-02102C	SITE WORK, SECTION 02102, CLEARING AND GRUBBING	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02220E	SITE WORK, SECTION 02220, GENERAL EXCAVATION, FILLING, AND BACKFILLING	A FACR	Y03 30-JUN-92	CE	Y03 04
M	MFGS-02221F	EARTHWORK FOR STRUCTURES AND PAVEMENTS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02225H	EXCAVATION, BACKFILLING, AND COMPACTING FOR UTILITIES USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02232B	SITE WORK, SECTION 02232, (BASE COURSE FOR RIGID) (AND SUBBASE COURSE FOR FLEXIBLE) PAVING	A FACR	Y03 30-JUN-92	CE	Y03 04
M	MFGS-02233C	GRADED CRUSHED AGGREGATE BASE COURSE FOR FLEXIBLE PAVEMENT USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02234D	BITUMINOUS BASE COURSE USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02236B	SITE WORK, SECTION 02236, SAND-CLAY (BASE) (SUBBASE) COURSE	A FACR	Y03 30-JUN-92	CE	Y03 04
M	MFGS-02237C	ECONOMIZED BASE COURSE USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02247C	CEMENT STABILIZED (BASE) (SUBBASE) COURSE AT AIRFIELDS AND ROADS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02248D	LIME TREATED SUBGRADE (LIME MODIFIED SOILS) USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02248D	SITE WORK, SECTION 02248, SOIL TREATMENT FOR SUBTERRANEAN TERMITE CONTROL	A FACR	Y03 31-DEC-92		Y03 04
M	MFGS-02361G	ROUND TIMBER PILES USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02363D	CAST-IN-PLACE CONCRETE PILING, STEEL CASING USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02366D	STEEL SHEET PILES USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02367D	PRESTRESSED CONCRETE PILING USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02368D	ROLLED STEEL SECTION PILES USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02369B	SITE WORK, SECTION 02369, PRESSURE-INJECTED FOOTINGS	A FACR	Y03 30-JUN-91	CE	Y03 04
M	MFGS-02371D	ALGEB-PLACED GROUT PILES USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02383B	SITE WORK, SECTION 02383, DRILLED FOUNDATION CAISSONS (PIERS)	A FACR	Y03 31-DEC-92		Y03 04
M	MFGS-02452G	RAILROAD TRACKWORK USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02453B	WELDING CRANE AND RAILROAD RAIL THERMITE METHOD USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02482C	SITE WORK, SECTION 02482, DREDGING	A FACR	Y03 30-NOV-91	CE	Y03 04
M	MFGS-02483E	WOOD MARINE PILING USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02488A	RESILIENT FOAM-FILLED MARINE FENDERS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02489D	ARCH-TYPE RUBBER MARINE FENDERS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02491D	PIER TIMBERWORK USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02511F	BITUMINOUS HOT MIX PAVEMENT USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02520D	PORTLAND CEMENT CONCRETE PAVEMENT FOR ROADS AND AIRFIELDS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02522B	JOINTS, REINFORCEMENT, AND MORING EYE IN CONCRETE PAVEMENT USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02546B	SITE WORK, SECTION 02546, COLD-MILLING OF BITUMINOUS PAVEMENT	A FACR	Y03 31-DEC-91	CE	Y03 04
D	MFGS-02551B	SITE WORK, SECTION 02551, BITUMINOUS PRIME COAT	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02552B	SITE WORK, SECTION 02552, BITUMINOUS TACK COAT	A FACR	Y03 30-JUN-92		Y03 04
D	MFGS-02554B	SITE WORK, SECTION 02554, COAL TAIL SEAL COAT WITH UNVULCANIZED RUBBER	A FACR	Y03 31-MAR-91	CE	Y03 04
D	MFGS-02555C	SITE WORK, SECTION 02555, BITUMINOUS SURFACE TREATMENT	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02560B	SITE WORK, SECTION 02560, BITUMINOUS SEAL COAT	A FACR	Y03 31-DEC-92		Y03 04
M	MFGS-02562D	RESEALING OF JOINTS IN RIGID PAVEMENT USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02563F	PAVEMENT, PORTLAND CEMENT CONCRETE (MINOR) USER: NA	A FACR	Y03 31-MAR-93		Y03 04
M	MFGS-02564B	PATCHING OF RIGID PAVEMENT DEPTH USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02575C	SITE WORK, SECTION 02575, FOG SEAL	A FACR	Y03 30-JUN-91	CE	Y03 04
D	MFGS-02576C	SITE WORK, SECTION 02576, ASPHALT SLURRY SEAL	A FACR	Y03 31-MAR-91	CE	Y03 04
D	MFGS-02577E	SITE WORK, SECTION 02577, PAVEMENT MARKINGS (AIRFIELDS AND ROADS)	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02578B	SITE WORK, SECTION 02578, RUBBER AND PAINT REMOVAL FROM AIRFIELD PAVEMENTS	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02579C	SITE WORK, SECTION 02579, REINFORCING FABRIC UNDERSEAL IN ASPHALT OVERLAYS	A FACR	Y03 30-JUN-92	CE	Y03 04
D	MFGS-02660D	SITE WORK, SECTION 02660, EXTERIOR WATER DISTRIBUTION SYSTEM	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02661F	SITE WORK, SECTION 02661, EXTERIOR WATER DISTRIBUTION SYSTEM (MINOR CONSTRUCTION)	A FACR	Y03 31-DEC-92		Y03 04
M	MFGS-02670E	ROTARY-DRILLED WATER WELL USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02682E	SITE WORK, SECTION 02682, EXTERIOR FUEL DISTRIBUTION SYSTEM	A FACR	Y03 31-DEC-92		Y03 04
M	MFGS-02685F	GAS DISTRIBUTION SYSTEMS USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02693D	SITE WORK, SECTION 02693, EXTERIOR SHALLOW TRENCH HEAT DISTRIBUTION SYSTEM	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02694F	SITE WORK, SECTION 02694, EXTERIOR UNDERGROUND HEAT DISTRIBUTION SYSTEM	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02695G	EXTERIOR ABOVEGROUND STEAM DISTRIBUTION SYSTEM USER: NA	A FACR	Y03 31-MAR-93		Y03 04
D	MFGS-02696G	SITE WORK, SECTION 02696, EXTERIOR PIPING INSULATION	A FACR	Y03 30-JUN-92		Y03 04
D	MFGS-02697D	SITE WORK, SECTION 02697, EXTERIOR BURIED PUMPED CONDENSATE RETURN SYSTEM	A FACR	Y03 31-DEC-92		Y03 04
D	MFGS-02698G	SITE WORK, SECTION 02698, EXTERIOR BURIED PREINSULATED WATER PIPING	A FACR	Y03 30-JUN-92		Y03 04



Active CNA / OMA Construction Document Number	Document Title	Dist. State FSC / Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DIA
D	MFCS-02713L	SITE WORK, SECTION 02713, EXTERIOR WATER DISTRIBUTION SYSTEM	A FACR Y03 01-MAR-83 CE Y03 04
M	MFCS-02720H	STORM DRAINAGE SYSTEM USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-02730H	EXTERIOR SANITARY SEWER SYSTEM USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-02776E	POND AND RESERVOIR LINES USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-02800B	REMOVAL AND DISPOSAL OF ASBESTOS MATERIALS	A FACR Y03 28-FEB-91 CE Y03 04
M	MFCS-02811E	IRRIGATION SPRINKLER SYSTEMS USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-02831D	SITE WORK, SECTION 02831, FENCE, CHAIN LINK	A FACR Y03 30-JUN-92 Y03 04
D	MFCS-02930E	SITE WORK, SECTION 02930, TURF	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-02950G	SITE WORK, SECTION 02950, TREES, PLANTS, AND GROUND COVERS	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-03300F	CONCRETE, SECTION 03300, CAST-IN-PLACE CONCRETE	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-03302E	CONCRETE, SECTION 03302, CAST-IN-PLACE CONCRETE (MINOR CONSTRUCTION)	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-03361D	CONCRETE, SECTION 03361, SHOTCRETE	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-03410D	CONCRETE, SECTION 03410, PRECAST CONCRETE (NON-PRESTRESSED)	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-03411E	CONCRETE, SECTION 03411, PRECAST CONCRETE WALL PANELS	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-03412F	CONCRETE, SECTION 03412, PRECAST PRESTRESSED CONCRETE	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-03498D	CONCRETE, SECTION 03498, CONCRETE POLES	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-03521D	CONCRETE, SECTION 03501, INSULATING CONCRETE ROOF DECK SYSTEM	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-03730F	CONCRETE, SECTION 03730, CONCRETE REPAIR USING EPOXY RESIN	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-04200G	MASONRY, SECTION 04200, UNIT MASONRY	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-04230F	MASONRY, SECTION 04230, REINFORCED MASONRY	A FACR Y03 31-DEC-92 Y03 04
M	MFCS-04250F	GLAZED STRUCTURAL CLAY TILL AND PREFABED CONCRETE MASONRY UNITS USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-04270C	MASONRY, SECTION 04270, GLASS UNIT MASONRY	A FACR Y03 28-FEB-91 CE Y03 04
M	MFCS-05120J	STRUCTURAL STEEL USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-05210C	METALS, SECTION 05210, STEEL JOISTS (AND JOISTS GIRDERS)	A FACR Y03 31-MAY-91 CE Y03 04
M	MFCS-05310C	STEEL DECKS USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-05400E	METALS, SECTION 05400, COLD-FORMED METAL FRAMING	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-05500F	METALS, SECTION 05500, METAL FABRICATIONS	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-06100J	WOODS & PLASTICS, SECTION 06100, ROUGH CARPENTRY	A FACR Y03 31-DEC-92 Y03 04
M	MFCS-06101C	CARPENTRY USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-06200D	FINISH CARPENTRY USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07110B	THERMAL & MOISTURE PROTECTION, SECTION 07110, MEMBRANE WATERPROOFING	A FACR Y03 28-FEB-91 CE Y03 04
D	MFCS-07111C	THERMAL & MOISTURE PROTECTION, SECTION 07111, ELASTOMERIC WATERPROOFING, SHEET-APPLIED	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-07119B	MEMBRANE WATERPROOFING	A FACR Y03 28-FEB-91 CE Y03 04
M	MFCS-07120L	ELASTOMERIC WATERPROOFING SYSTEM, FLUID-APPLIED USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-071300	BENTONITE WATERPROOFING USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07140C	THERMAL & MOISTURE PROTECTION, SECTION 07140, METALLIC OXIDE WATERPROOFING	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-07160D	THERMAL & MOISTURE PROTECTION, SECTION 07160, BITUMINOUS DAMPROOFING	A FACR Y03 31-DEC-92 Y03 04
M	MFCS-07212	MINERAL FIBER BLANKET THERMAL INSULATION USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07214	BOARD AND BLOCK THERMAL INSULATION USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07216D	LOOSE FILL THERMAL INSULATION USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07218B	THERMAL & MOISTURE PROTECTION, SECTION 07218, SPRAY APPLIED CELLULOSE INSULATION	A FACR Y03 31-DEC-92 Y03 04
M	MFCS-07220G	ROOF INSULATION USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07221C	THERMAL & MOISTURE PROTECTION, SECTION 07221, MASONRY WALL INSULATION	A FACR Y03 28-FEB-91 CE Y03 04
D	MFCS-07230A	THERMAL & MOISTURE PROTECTION, SECTION 07230, PERIMETER AND UNDER-SLAB INSULATION	A FACR Y03 28-FEB-91 CE Y03 04
D	MFCS-07232C	THERMAL & MOISTURE PROTECTION, SECTION 07232, CEILING, WALL, AND FLOOR INSULATION	A FACR Y03 28-FEB-91 CE Y03 04
M	MFCS-07250E	SPRAY-APPLIED FIREPROOFING USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07270D	FIRESTOPPING USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07310B	THERMAL & MOISTURE PROTECTION, SECTION 07310, ASPHALT SHINGLES	A FACR Y03 28-FEB-91 CE Y03 04
D	MFCS-07410C	THERMAL & MOISTURE PROTECTION, SECTION 07410, PREFORMED METAL (ROOFING) (AND) (SIDING)	A FACR Y03 28-FEB-91 CE Y03 04
D	MFCS-07414C	THERMAL & MOISTURE PROTECTION, SECTION 07414, PREFORMED STEEL STANDING SEAM ROOFING	A FACR Y03 30-SEP-92 Y03 04
M	MFCS-07415D	PREFORMED ALUMINUM STANDING SEAM ROOFING USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07511G	THERMAL & MOISTURE PROTECTION, SECTION 07511, AGGREGATE SURFACED BITUMINOUS BUILT-UP ROOFING	A FACR Y03 31-DEC-92 Y03 04
M	MFCS-07512G	SMOOTH SURFACED BITUMINOUS BUILT-UP ROOFING USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07513G	THERMAL & MOISTURE PROTECTION, SECTION 07513, MINERAL SURFACED BITUMINOUS BUILT-UP ROOFING	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-07520D	THERMAL & MOISTURE PROTECTION, SECTION 07520, PREPARED ROLL ROOFING	A FACR Y03 31-DEC-92 Y03 04
M	MFCS-07530G	ELASTOMERIC SHEET ROOFING SYSTEM (EPDM) USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07531E	ELASTOMERIC SHEET ROOFING SYSTEM (CSPE) USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07532F	ELASTOMERIC SHEET ROOFING SYSTEM (PIB) USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07533F	ELASTOMERIC SHEET ROOFING SYSTEM (TPA) USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07534F	THERMOPLASTIC SHEET ROOFING SYSTEM (PVC) USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07535E	MODIFIED BITUMEN SHEET ROOFING USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-07540F	ELASTOMERIC ROOF COATINGS OVER POLYURETHANE FOAM (PUF) USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-07545C	THERMAL & MOISTURE PROTECTION, SECTION 07545, SPRAYED POLYURETHANE FOAM (PUF) FOR ROOFING SYSTEMS	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-07600E	THERMAL & MOISTURE PROTECTION, SECTION 07600, FLASHING AND SHEET METAL	A FACR Y03 31-DEC-92 Y03 04
M	MFCS-07920D	SEALANTS USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08110F	STEEL DOORS AND FRAMES USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08120C	ALUMINUM DOORS AND FRAMES USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-08210D	DOORS & WINDOWS, SECTION 08210, WOOD DOORS	A FACR Y03 30-JUN-92 CE Y03 04
M	MFCS-08310F	SLIDING FIRE DOORS USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08331D	ROLLING SERVICE (AND FIRE) DOORS USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08360D	SECTIONAL OVERHEAD DOORS USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08367E	VERTICAL LIFT METAL DOORS USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-08371E	DOORS & WINDOWS, SECTION 08371, ALUMINUM SLIDING GLASS DOORS	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-08372F	DOORS & WINDOWS, SECTION 08372, STEEL SLIDING HANGAR DOORS	A FACR Y03 31-DEC-92 Y03 04
D	MFCS-08392D	DOORS & WINDOWS, SECTION 08392, ALUMINUM STORM DOORS	A FACR Y03 31-MAR-91 CE Y03 04
D	MFCS-08510B	DOORS & WINDOW, SECTION 08510, STEEL WINDOWS	A FACR Y03 28-FEB-91 CE Y03 04
M	MFCS-08520E	ALUMINUM WINDOWS USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-08562B	ALUMINUM STORM WINDOWS	A FACR Y03 28-FEB-91 CE Y03 04
M	MFCS-08610F	WOOD WINDOWS	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08630D	POLY (VINYL CHLORIDE) (PVC) (WINDOWS) USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-08662C	ALUMINUM STORM WINDOWS USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-08661D	DOORS & WINDOWS, SECTION 08661, BLAST RESISTANT TEMPERED GLASS WINDOWS	A FACR Y03 30-SEP-92 Y03 04
M	MFCS-08710M	FINISH HARDWARE USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08800G	GLAZING USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-08900E	GLAZED CURTAIN WALL SYSTEM USER: NA	A FACR Y03 31-MAR-93 Y03 04
M	MFCS-09100D	METAL SUPPORT SYSTEMS USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-09150	FINISHES, SECTION 09150, PLASTERING AND STUCCOING	A FACR Y03 01-JUL-85 CE Y03 04
M	MFCS-09200C	LATHING USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-09212B	FINISHES, SECTION 09212, PLASTERING AND STUCCOING	A FACR Y03 30-SEP-92 Y03 04
D	MFCS-09215E	VENEER PLASTER USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-09250K	FINISHES, SECTION 09250, GYPSUM BOARD	A FACR Y03 30-JUN-92 CE Y03 04
D	MFCS-09310C	FINISHES, SECTION 09310, CERAMIC TILE, QUARRY TILE, AND PAVET TILE	A FACR Y03 30-SEP-92 Y03 04
M	MFCS-09331F	CHEMICAL-RESISTANT QUARRY TILE FLOORING USER: NA	A FACR Y03 31-MAR-93 Y03 04
D	MFCS-09411C	FINISHES, SECTION 09411, TERRAZZO, BONDED TO CONCRETE	A FACR Y03 30-JUN-92 CE Y03 04
M	MFCS-09500E	ACOUSTICAL TREATMENT USER: NA	A FACR Y03 31-MAR-93 Y03 04



## ACTIVE SECTION

NUMERICAL LISTING  
GUIDE SPECIFICATIONS

Active / OMA Construction Document Number	Document Title	Dist. Smt. F&C Area MCA Symbol Preparing Amt. Date	Custodians Army Navy AF Force DLA
D MFGS-09561E	FINISHES, SECTION 09561, GYMNASIUM-TYPE HARDWOOD STRIP FLOORING SYSTEMS ...	A FACR Y03 30-SEP-92	Y03 04
D MFGS-09563D	FINISHES, SECTION 09563, PORTABLE (DEMOUNTABLE) WOOD FLOORING ...	A FACR Y03 30-SEP-92	Y03 04
D MFGS-09570D	FINISHES, SECTION 09570, WOOD PARQUET FLOORING ...	A FACR Y03 30-SEP-92	Y03 04
D MFGS-09660F	FINISHES, SECTION 09660, RESILIENT TILE FLOORING ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-09665D	FINISHES, SECTION 09665, SHEET VINYL FLOORING ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-09666E	FINISHES, SECTION 09666, INSTITUTIONAL SHEET VINYL FLOORING ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-09670E	FINISHES, SECTION 09670, FLUID APPLIED RESILIENT (RESINOUS) FLOORING ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-09680D	FINISHES, SECTION 09680, CARPET ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-09690C	FINISHES, SECTION 09690, CARPET TILE ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-09785E	FINISHES, SECTION 09785, METALLIC TYPE CONDUCTIVE/SPARK RESISTANT CONCRETE FLOOR FINISH ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-09804	FINISHES, SECTION 09804, LINSEED OIL PROTECTION OF CONCRETE SURFACES ...	A FACR Y03 01-OCT-84	CE Y03 04
D MFGS-09809E	FINISHES, SECTION 09809, PROTECTION OF BURIED STEEL PIPING AND STEEL BULKHEAD TIE RODS ...	A FACR Y03 31-DEC-91	Y03 04
D MFGS-09815H	FINISHES, SECTION 09815, HIGH-BUILD GLAZE COATINGS ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-09871C	FINISHES, SECTION 09871, INTERIOR LINING FOR CONCRETE STORAGE TANKS (FOR PETROLEUM FUELS) ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-09872E	FINISHES, SECTION 09872, INTERIOR COATINGS FOR WELDED STEEL TANKS (FOR PETROLEUM FUELS) ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-09874F	FINISHES, SECTION 09874, EXTERIOR COATING SYSTEM FOR WELDED STEEL PETROLEUM STORAGE TANKS ...	A FACR Y03 30-SEP-92	Y03 04
D MFGS-09875C	FINISHES, SECTION 09875, INTERIOR COATING SYSTEM FOR WELDED STEEL PETROLEUM STORAGE TANKS ...	A FACR Y03 30-JUN-92	CE Y03 04
M MFGS-09877G	COATING OF STEEL WATERFRONT STRUCTURES USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-09881C	FINISHES, SECTION 09881, LINSEED OIL PROTECTION OF CONCRETE SURFACES ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-09900B	FINISHES, SECTION 09900, PAINTING ...	A FACR Y03 28-FEB-91	CE Y03 04
M MFGS-09955D	VINYL-COATED FABRIC WALL COVERING USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-10152E	SPECIALTIES, SECTION 10152, HOSPITAL CUBICLE ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-10162D	SPECIALTIES, SECTION 10162, TOILET PARTITION ...	A FACR Y03 30-SEP-92	Y03 04
D MFGS-10201H	SPECIALTIES, SECTION 10201, METAL (WALL) (AND) (DOOR) LOUVERS ...	A FACR Y03 30-JUN-92	CE Y03 04
M MFGS-10260D	WALL AND CORNER GUARDS USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-10270G	SPECIALTIES, SECTION 10270, ACCESS FLOORING ...	A FACR Y03 30-JUN-92	Y03 04
M MFGS-10440G	SIGNS USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-10505	SPECIALTIES, SECTION 10505, STEEL CLOTHING LOCKERS ...	A FACR Y03 30-NOV-91	CE Y03 04
D MFGS-10605A	SPECIALTIES, SECTION 10605, WIRE MESH PARTITIONS ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-10652A	SPECIALTIES, SECTION 10652, OPERABLE PANEL PARTITIONS ...	A FACR Y03 31-MAR-92	CE Y03 04
M MFGS-10655F	ACCORDION FOLDING PARTITIONS USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-10800B	SPECIALTIES, SECTION 10800, TOILET AND BATH ACCESSORIES ...	A FACR Y03 30-JUN-92	CE Y03 04
D MFGS-11161E	EQUIPMENT, SECTION 11161, FIXED TYPE INDUSTRIAL DOCK LEVELER ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-11171B	EQUIPMENT, SECTION 11171, INCINERATORS, PACKAGED, CONTROLLED-AIR TYPE ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11191B	EQUIPMENT, SECTION 11191, DETENTION AND SECURITY WINDOWS ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-11192B	EQUIPMENT, SECTION 11192, DETENTION AND SECURITY GLAZING ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-11193C	EQUIPMENT, SECTION 11193, DETENTION HOLLOW METAL FRAMES, DOORS, AND DOOR FRAMES ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-11194B	EQUIPMENT, SECTION 11194, DETENTION HARDWARE ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-11195A	EQUIPMENT, SECTION 11195, DETENTION FURNITURE AND ACCESSORIES ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-11196D	EQUIPMENT, SECTION 11196, LOCKING CONTROL SYSTEMS (FOR BRIG FACILITIES) ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-11198C	EQUIPMENT, SECTION 11198, DURESS SIGNAL SYSTEM (FOR BRIG FACILITIES) ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-11199C	EQUIPMENT, SECTION 11199, WATCHTOWER SYSTEM (FOR BRIG FACILITIES) ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-11301D	EQUIPMENT, SECTION 11301, PARALLEL PLATE (OR VERTICAL TUBE), GRAVITY OIL-WATER SEPARATOR ...	A FACR Y03 31-DEC-91	CE Y03 04
D MFGS-11306E	EQUIPMENT, SECTION 11306, PACKAGE LIFT STATIONS ...	A FACR Y03 30-JUN-92	Y03 04
M MFGS-11320D	GRIT REMOVAL SYSTEM USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-11330D	EQUIPMENT, SECTION 11330, MECHANICALLY CLEANED BAR RACKS ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-11334E	EQUIPMENT, SECTION 11334, COMMUNITOR ...	A FACR Y03 31-DEC-92	Y03 04
M MFGS-11336C	RECTANGULAR CHAIN-AND-FLIGHT CLARIFIER USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
M MFGS-11337C	RECTANGULAR RECIPROCATING TRAVELING-BRIDGE CLARIFIER USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
M MFGS-11338G	CIRCULAR CLARIFIER EQUIPMENT USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-11361	EQUIPMENT, SECTION 11361, RECTANGULAR CLARIFIER EQUIPMENT ...	A FACR Y03 30-SEP-80	CE Y03 04
D MFGS-11365D	TRICKLING FILTER USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-11371	EQUIPMENT, SECTION 11371, TRICKLING FILTER ...	A FACR Y03 31-DEC-82	CE Y03 04
D MFGS-11400E	EQUIPMENT, SECTION 11400, FOOD SERVICE EQUIPMENT ...	A FACR Y03 31-MAR-92	Y03 04
D MFGS-11401D	EQUIPMENT, SECTION 11401, ELECTRIC KITCHEN EQUIPMENT ...	A FACR Y03 30-JUN-92	Y03 04
D MFGS-11601E	EQUIPMENT, SECTION 11601, LABORATORY EQUIPMENT AND FUMEHOODS ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11613E	EQUIPMENT, SECTION 11613, STILLS AND ASSOCIATED EQUIPMENT ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11700D	EQUIPMENT, SECTION 11700, GENERAL REQUIREMENTS FOR MEDICAL AND DENTAL EQUIPMENT ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-11702C	EQUIPMENT, SECTION 11702, MEDICAL EQUIPMENT, MISCELLANEOUS ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11704C	EQUIPMENT, SECTION 11704, (CASEWORK) (AND) (MATERIAL HANDLING UNITS) IN MEDICAL FACILITIES ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11713C	EQUIPMENT, SECTION 11713, SURGICAL LIGHTING FIXTURES ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11716D	EQUIPMENT, SECTION 11716, HYDROTHERAPY EQUIPMENT ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11722D	EQUIPMENT, SECTION 11722, STERILIZERS AND ASSOCIATED EQUIPMENT ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11730D	EQUIPMENT, SECTION 11730, HOSPITAL AND LABORATORY WASHING EQUIPMENT ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11744D	EQUIPMENT, SECTION 11744, DENTAL EQUIPMENT ...	A FACR Y03 31-MAR-92	Y03 04
D MFGS-11757F	EQUIPMENT, SECTION 11757, RADIOGRAPHIC DARKROOM EQUIPMENT ...	A FACR Y03 31-MAR-92	CE Y03 04
D MFGS-11770C	EQUIPMENT, SECTION 11770, INSTALLATION OF GOVERNMENT-FURNISHED MEDICAL EQUIPMENT ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-12322	FURNISHINGS, SECTION 12322, WARDROBES ...	A FACR Y03 01-AUG-82	CE Y03 04
D MFGS-12331E	FURNISHINGS, SECTION 12331, PREFABRICATED VANITIES ...	A FACR Y03 30-JUN-92	CE Y03 04
D MFGS-12332E	FURNISHINGS, SECTION 12332, WARDROBE STORAGE CABINETS (THREE DRAWER) ...	A FACR Y03 30-JUN-92	CE Y03 04
D MFGS-12333D	FURNISHINGS, SECTION 12333, WARDROBES ...	A FACR Y03 30-JUN-92	CE Y03 04
D MFGS-12337C	FURNISHINGS, SECTION 12337, CASEWORK, METAL AND WOOD (MEDICAL AND DENTAL) ...	A FACR Y03 30-JUN-92	Y03 04
M MFGS-12391F	RESIDENTIAL KITCHEN (AND VANITY) CABINETS USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-12510B	FURNISHINGS, SECTION 12510, BLINDS, VENETIAN (AND AUDIO VISUAL) ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-12540F	DRAPERIES USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-12711E	THEATER SEATING USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-13034G	SPECIAL CONSTRUCTION, SECTION 13034, PREFABRICATED AUDIOMETRIC ROOMS ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-13038D	SPECIAL CONSTRUCTION, SECTION 13038, COLD-STORAGE ROOMS (PREFABRICATED PANEL TYPE) ...	A FACR Y03 30-JUN-92	CE Y03 04
D MFGS-13092D	SPECIAL CONSTRUCTION, SECTION 13092, X-RAY SHIELDING ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-13093C	SPECIAL CONSTRUCTION, SECTION 13093, RADIO FREQUENCY SHIELDED ENCLOSURES, DEMOUNTABLE TYPE ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-13094C	SPECIAL CONSTRUCTION, SECTION 13094, RADIO FREQUENCY SHIELDED ENCLOSURES, WELDED TYPE ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-13121G	SPECIAL CONSTRUCTION, SECTION 13121, PREENGINEERED METAL BUILDINGS ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-13205A	SPECIAL CONSTRUCTION, SECTION 13205, STEEL TANKS WITH FIXED ROOFS ...	A FACR Y03 28-FEB-91	CE Y03 04
D MFGS-13209J	WATER STORAGE TANKS USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-13216A	SPECIAL CONSTRUCTION, SECTION 13216, UNDERGROUND PETROLEUM TANKS ...	A FACR Y03 31-DEC-92	Y03 04
D MFGS-13217G	FIBERGLASS-PLASTIC LINING FOR STEEL TANKS BOTTOMS (FOR PETROLEUM) USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-13219F	CLEANING PETROLEUM STORAGE TANKS USER: NA ...	A FACR Y03 31-MAR-93	Y03 04
D MFGS-13321C	SPECIAL CONSTRUCTION, SECTION 13321, FLOW MEASURING EQUIPMENT (POTABLE WATER) (SEWAGE TREATMENT PLANT) ...	A FACR Y03 28-FEB-91	CE Y03 04



## ACTIVE SECTION

NUMERICAL LISTING  
GUIDE SPECIFICATIONS

Active CPL / O&A Coordinate Machine	Document Number	Document Title	Dist. Smt. FAC / Area	MCA Symbol Preparing Acty.	Date	Custodians			
						Army	Navy	Air Force	DIA
D	NFGS-1361OF	SPECIAL CONSTRUCTION, SECTION 13610, SOLAR ENERGY SYSTEMS (LIQUID FLAT-PLATE COLLECTORS)	A	FACR	YD3 30-JUN-92	CE	YD3 04		
D	NFGS-13951A	SPECIAL CONSTRUCTION, SECTION 13951, VEHICLE BARRIERS	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-14200H	CONVEYING SYSTEMS, SECTION 14200, ELECTRIC (PASSENGER) (FREIGHT) ELEVATORS	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-14214J	CONVEYING SYSTEMS, SECTION 14214, HYDRAULIC (PASSENGER) (FREIGHT) ELEVATORS	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-14304	CONVEYING SYSTEMS, SECTION 14304, PORTAL CRANE TRACK INSTALLATION	A	FACR	YD3 01-JAN-84	CE	YD3 04		
D	NFGS-14334D	CONVEYING SYSTEMS, SECTION 14334, MONORAILS WITH MANUAL HOIST	A	FACR	YD3 30-JUN-91	CE	YD3 04		
D	NFGS-14335F	CONVEYING SYSTEMS, SECTION 14335, MONORAILS WITH AIR MOTOR POWERED HOIST	A	FACR	YD3 30-JUN-92		YD3 04		
D	NFGS-14606C	CONVEYING SYSTEMS, SECTION 14606, PORTAL CRANE TRACK INSTALLATION	A	FACR	YD3 30-JUN-92		YD3 04		
D	NFGS-14636E	CONVEYING SYSTEMS, SECTION 14636, CRANES, OVERHEAD ELECTRIC, TOP RUNNING (UNDER 50,000 POUNDS)	A	FACR	YD3 30-JUN-92		YD3 04		
D	NFGS-14637H	CONVEYING SYSTEMS, SECTION 14637, CRANES, OVERHEAD ELECTRIC, UNDERRUNNING (UNDER 50,000 POUNDS)	A	FACR	YD3 30-JUN-92		YD3 04		
M	NFGS-15011H	MECHANICAL GENERAL REQUIREMENTS USER: NA	A	FACR	YD3 31-MAR-93		YD3 04		
D	NFGS-15052E	MECHANICAL, SECTION 15052, LARGE CENTRIFUGAL AIR COMPRESSORS (OVER 200 HP)	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15053E	MECHANICAL, SECTION 15053, LARGE NONLUBRICATED RECIPROCATING AIR COMPRESSORS (COVER 300 HP)	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15054F	MECHANICAL, SECTION 15054, NONLUBRICATED ROTARY SCREW AIR COMPRESSORS (100 HP AND LARGER)	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15116D	MECHANICAL, SECTION 15116, WELDING PRESSURE PIPING	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15176A	MECHANICAL, SECTION 15176, STEEL TANKS WITH FIXED ROOFS	A	FACR	YD3 14-JUL-89	CE	YD3 04		
D	NFGS-15200D	MECHANICAL, SECTION 15200, NOISE, VIBRATION, (AND SEISMIC) CONTROL	A	FACR	YD3 30-JUN-92	CE	YD3 04		
D	NFGS-15250H	MECHANICAL, SECTION 15250, MECHANICAL INSULATION	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15320E	MECHANICAL, SECTION 15320, FIRE PUMPS	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15330F	MECHANICAL, SECTION 15330, FIRE EXTINGUISHING SPRINKLER SYSTEMS (WET PIPE)	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15335E	MECHANICAL, SECTION 15335, FIRE EXTINGUISHING SPRINKLER SYSTEMS (DRY PIPE)	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15340E	MECHANICAL, SECTION 15340, FIRE EXTINGUISHING SPRINKLER SYSTEMS ((DELUGE)) ((PREACTION))	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15355	MECHANICAL, SECTION 15355, FUEL GAS PIPING	A	FACR	YD3 30-SEP-85	CE	YD3 04		
D	NFGS-15356B	MECHANICAL, SECTION 15356, AFFF FIRE EXTINGUISHING SYSTEM FOR AIRCRAFT HANGARS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15357B	MECHANICAL, SECTION 15357, AFFF FIRE EXTINGUISHING SYSTEM FOR FUEL TANK PROTECTION	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15358B	MECHANICAL, SECTION 15358, AFFF FIRE EXTINGUISHING SYSTEM FOR HAZ/FLAM MATERIAL FACILITY	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15361G	MECHANICAL, SECTION 15361, CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS ((HIGH PRESSURE))	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15362D	MECHANICAL, SECTION 15362, CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS (LOW PRESSURE)	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15365D	MECHANICAL, SECTION 15365, HALON 1301 FIRE EXTINGUISHING SYSTEM	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15371F	MECHANICAL, SECTION 15371, CHEMICAL EXTINGUISHING SYSTEMS FOR KITCHEN EQUIPMENT	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15392	MECHANICAL, SECTION 15392, GRIT HANDLING EQUIPMENT	A	FACR	YD3 22-AUG-89	CE	YD3 04		
D	NFGS-15396D	MECHANICAL, SECTION 15396, AERATION AND COMPLETE MIXING SEWAGE TREATMENT PLANTS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15400H	MECHANICAL, SECTION 15400, PLUMBING SYSTEMS	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15406E	MECHANICAL, SECTION 15406, HOSPITAL PLUMBING FIXTURES	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15482F	MECHANICAL, SECTION 15482, FIBERGLASS REINFORCED PLASTIC (FRP) PIPING (FOR PETROLEUM)	A	FACR	YD3 30-JUN-92		YD3 04		
D	NFGS-15483F	MECHANICAL, SECTION 15483, FUEL OIL HANDLING SYSTEM	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15484C	MECHANICAL, SECTION 15484, MEDICAL GAS AND VACUUM SYSTEMS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15485	MECHANICAL, SECTION 15485, GASOLINE/DIESEL DISPENSING SYSTEMS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15486E	MECHANICAL, SECTION 15486, AVIATION FUEL DISTRIBUTION AND DISPENSING	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15488D	MECHANICAL, SECTION 15488, LOW PRESSURE COMPRESSED AIR SYSTEMS (NON-BREATHING AIR TYPE)	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15489D	MECHANICAL, SECTION 15489, HIGH AND MEDIUM PRESSURE COMPRESSED AIR SYSTEMS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15492D	MECHANICAL, SECTION 15492, FUEL GAS PIPING	A	FACR	YD3 30-JUN-92	CE	YD3 04		
D	NFGS-15511B	MECHANICAL, SECTION 15511, LOW TEMPERATURE WATER (LTW) HEATING SYSTEM	A	FACR	YD3 31-DEC-92	CE	YD3 04		
D	NFGS-15512D	MECHANICAL, SECTION 15512, CHILLED, CONDENSER, OR DUAL SERVICE WATER PIPING	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15521F	MECHANICAL, SECTION 15521, STEAM SYSTEM AND TERMINAL UNITS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15530C	MECHANICAL, SECTION 15530, REFRIGERANT PIPING	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15554G	MECHANICAL, SECTION 15554, STEAM HEATING PLANT NO. 4, 20,000 TO 75,000 POUNDS PER HOUR	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15555C	MECHANICAL, SECTION 15555, LOW PRESSURE WATER HEATING BOILERS (UNDER 800,000 BTU/HR OUTPUT)	A	FACR	YD3 30-JUN-92		YD3 04		
D	NFGS-15556C	MECHANICAL, SECTION 15556, LOW PRESSURE WATER HEATING BOILERS (OVER 800,000 BTU/HR OUTPUT)	A	FACR	YD3 30-JUN-92		YD3 04		
D	NFGS-15612	MECHANICAL, SECTION 15612, GAS DISTRIBUTION SYSTEM	A	FACR	YD3 30-APR-84	CE	YD3 04		
D	NFGS-15620E	MECHANICAL, SECTION 15620, UNIT HEATERS AND INFRARED HEATERS	A	FACR	YD3 30-JUN-92	CE	YD3 04		
D	NFGS-15621A	MECHANICAL, SECTION 15621, WARM AIR HEATING SYSTEMS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15631F	MECHANICAL, SECTION 15631, STEAM BOILERS AND EQUIPMENT (500,000 - 18,000,000 BTU/HR)	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15632F	MECHANICAL, SECTION 15632, STEAM BOILERS AND EQUIPMENT (18,000,000 - 60,000,000 BTU/HR)	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15652F	MECHANICAL, SECTION 15652, CENTRAL REFRIGERATION EQUIPMENT FOR AIR CONDITIONING	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-15653	MECHANICAL, SECTION 15653, UNITARY AIR CONDITIONING SYSTEMS	A	FACR	YD3 30-JUN-84	CE	YD3 04		
D	NFGS-15654F	MECHANICAL, SECTION 15654, REFRIGERATION EQUIPMENT FOR COLD STORAGE	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15705	MECHANICAL, SECTION 15705, PRE-ENGINEERED UNDERGROUND HEAT DISTRIBUTION SYSTEMS	A	FACR	YD3 01-JUN-81	CE	YD3 04		
D	NFGS-15751D	MECHANICAL, SECTION 15751, (HIGH) (MEDIUM) TEMPERATURE WATER SYSTEM WITHIN BUILDINGS	A	FACR	YD3 31-MAR-92	CE	YD3 04		
D	NFGS-15780E	MECHANICAL, SECTION 15780, PACKAGED AIR CONDITIONING UNITS	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15822F	MECHANICAL, SECTION 15822, EVAPORATIVE COOLING SYSTEM	A	FACR	YD3 30-JUN-92	CE	YD3 04		
D	NFGS-15850E	MECHANICAL, SECTION 15850, AIR HANDLING EQUIPMENT	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-15852G	MECHANICAL, SECTION 15852, MECHANICAL CYCLONE DUST COLLECTOR OF FLUE GAS PARTICULATES	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-15853E	MECHANICAL, SECTION 15853, ELECTROSTATIC DUST COLLECTOR OF FLUE GAS PARTICULATES	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-15854E	MECHANICAL, SECTION 15854, FABRIC FILTER DUST COLLECTOR OF FLYASH PARTICLES IN FLUE GAS	A	FACR	YD3 30-SEP-92		YD3 04		
D	NFGS-15871G	MECHANICAL, SECTION 15871, INDUSTRIAL VENTILATION AND EXHAUST SYSTEMS (DUCTS AND FANS)	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15877E	MECHANICAL, SECTION 15877, DUST AND GAS COLLECTOR, DRY SCRUBBER AND FABRIC FILTER TYPE	A	FACR	Y 31-MAR-92	CE	YD3 04		
D	NFGS-15881	MECHANICAL, SECTION 15881, DUST-COLLECTOR, MECHANICAL CYCLONE TYPE (FLUE GAS PARTICULATES)	A	FACR	YD3 01-JUL-85	CE	YD3 04		
D	NFGS-15895J	MECHANICAL, SECTION 15895, DUCTWORK AND DUCTWORK ACCESSORIES	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15971F	MECHANICAL, SECTION 15971, SPACE TEMPERATURE CONTROL SYSTEMS	A	FACR	YD3 31-DEC-92		YD3 04		
D	NFGS-15972C	MECHANICAL, SECTION 15972, DIRECT DIGITAL CONTROL SYSTEMS	A	FACR	YD3 31-MAR-92	CE	YD3 84		
M	NFGS-15996J	TESTING/ADJUSTING/BALANCING: HEATING/VENTILATING/COOLING SYSTEMS USER: NA	A	FACR	YD3 31-MAR-93		YD3 04		
D	NFGS-15997B	MECHANICAL, SECTION 15997, TESTING INDUSTRIAL VENTILATION SYSTEM	A	FACR	YD3 31-MAR-92	CE	YD3 04		



## ACTIVE SECTION

NUMERICAL LISTING  
GUIDE SPECIFICATIONS

Active Opn / Cmt Combination Number	Document Title	Dist Smt FAC / Area MCA Symbol	Preparing Acty Date	Custodians Army Navy Air Force DIA	
D	WFGS-16011E	ELECTRICAL, SECTION 16011, ELECTRICAL GENERAL REQUIREMENTS .....	A FACR	YD3 31-DEC-92	YD3 04
M	WFGS-16113E	UNDERFLOOR RACEWAY SYSTEM USER: NA .....	A FACR	YD3 31-MAR-93	YD3 04
D	WFGS-16202F	ELECTRICAL, SECTION 16202, DIESEL-ELECTRIC GENERATORS (DESIGN 1) 500 TO 2,500 KW - PRIME DUTY .....	A FACR	YD3 30-JUN-91	CE YD3 04
D	WFGS-16203F	ELECTRICAL, SECTION 16203, DIESEL-ELECTRIC GENERATORS (DESIGN 2) 2,501 KW OR LARGER - PRIME DUTY .....	A FACR	YD3 30-JUN-91	CE YD3 04
D	WFGS-16204F	ELECTRICAL, SECTION 16204, STANDBY DIESEL-ELECTRIC GENERATORS (DESIGN 3) 301 TO 1,000 KW .....	A FACR	YD3 30-JUN-91	CE YD3 04
D	WFGS-16205E	ELECTRICAL, SECTION 16205, STANDBY DIESEL-ELECTRIC GENERATORS (DESIGN 4) 1,001 KW OR LARGER .....	A FACR	YD3 30-JUN-91	CE YD3 04
D	WFGS-16207	ELECTRICAL, SECTION 16207, ELECTRIC DIESEL GENERATORS (DESIGN 6) 1,001 KW AND LARGER .....	A FACR	YD3 01-NOV-81	CE YD3 04
D	WFGS-16208E	ELECTRICAL, SECTION 16208, DIESEL ENGINE-GENERATOR SETS - PRIME AND STANDBY - 10 TO 500 KW .....	A FACR	YD3 30-JUN-91	CE YD3 04
M	WFGS-16262E	AUTOMATIC TRANSFER (AND BYPASS/ISOLATION) SWITCHES USER: NA .....	A FACR	YD3 31-MAR-93	YD3 04
D	WFGS-16301	ELECTRICAL, SECTION 16301, UNDERGROUND ELECTRICAL WORK .....	A FACR	YD3 30-APR-84	CE YD3 04
D	WFGS-16302A	ELECTRICAL, SECTION 16302, OVERHEAD ELECTRICAL WORK .....	A FACR	YD3 09-JUN-89	CE YD3 04
D	WFGS-16304C	ELECTRICAL, SECTION 16304, PIER, ELECTRICAL DISTRIBUTION FOR NAVAL STATIONS .....	A FACR	YD3 28-FEB-91	CE YD3 04
M	WFGS-16305C	400-HERTZ LOW VOLTAGE SUBSTATION USER: NA .....	A FACR	YD3 31-MAR-93	YD3 04
D	WFGS-16312B	ELECTRICAL, SECTION 16312, LOW-VOLTAGE SWITCHGEAR AND SECONDARY UNIT SUBSTATIONS .....	A FACR	YD3 31-MAR-92	CE YD3 04
D	WFGS-16313A	ELECTRICAL, SECTION 16313, MEDIUM-VOLTAGE SWITCHGEAR AND PRIMARY UNIT SUBSTATIONS .....	A FACR	YD3 31-MAR-92	CE YD3 04
D	WFGS-16370E	ELECTRICAL, SECTION 16370, OVERHEAD ELECTRICAL WORK .....	A FACR	YD3 31-DEC-92	YD3 04
D	WFGS-16375E	ELECTRICAL, SECTION 16375, UNDERGROUND ELECTRICAL WORK .....	A FACR	YD3 30-JUN-92	YD3 04
M	WFGS-16402G	INTERIOR WIRING SYSTEMS USER: NA .....	A FACR	YD3 31-MAR-93	YD3 04
D	WFGS-16462F	ELECTRICAL, SECTION 16462, PAD-MOUNTED TRANSFORMERS .....	A FACR	YD3 30-SEP-92	YD3 04
D	WFGS-16475	ELECTRICAL, SECTION 16475, INTERIOR SWITCHGEAR AND SWITCHBOARDS, LOW-VOLTAGE .....	A FACR	YD3 28-FEB-86	CE YD3 04
D	WFGS-16492D	ELECTRICAL, SECTION 16492, MOTOR-GENERATOR SETS, 400 HERTZ (HZ) .....	A FACR	YD3 30-SEP-92	YD3 04
D	WFGS-16510D	ELECTRICAL, SECTION 16510, INTERIOR LIGHTING .....	A FACR	YD3 31-MAY-91	CE YD3 04
D	WFGS-16530E	ELECTRICAL, SECTION 16530, EXTERIOR LIGHTING .....	A FACR	YD3 28-FEB-91	CE YD3 04
D	WFGS-16560E	ELECTRICAL, SECTION 16560, AIRFIELD LIGHTING .....	A FACR	YD3 31-DEC-92	YD3 04
D	WFGS-16610	ELECTRICAL, SECTION 16610, INSTALLATION OF UNINTERRUPTIBLE POWER SUPPLY (UPS SYSTEM) .....	A FACR	YD3 30-JUN-92	YD3 04
D	WFGS-16641C	ELECTRICAL, SECTION 16641, CATHODIC PROTECTION BY GALVANIC ANODES .....	A FACR	YD3 28-FEB-91	CE YD3 04
D	WFGS-16642C	ELECTRICAL, SECTION 16642, CATHODIC PROTECTION BY IMPRESSED CURRENT .....	A FACR	YD3 28-FEB-91	CE YD3 04
D	WFGS-16650C	ELECTRICAL, SECTION 16650, RADIO FREQUENCY INTERFERENCE POWER LINE FILTERS .....	A FACR	YD3 28-FEB-91	CE YD3 04
D	WFGS-16670A	ELECTRICAL, SECTION 16670, LIGHTING PROTECTION SYSTEM .....	A FACR	YD3 31-DEC-92	YD3 04
M	WFGS-16721G	EXTERIOR FIRE ALARM SYSTEM, CLOSED CIRCUIT TELEGRAPHIC TYPE USER: NA .....	A FACR	YD3 31-MAR-93	YD3 04
M	WFGS-16722E	INTERIOR FIRE ALARM SYSTEM USER: NA .....	A FACR	YD3 31-MAR-93	YD3 04
D	WFGS-16723D	ELECTRICAL, SECTION 16723, FIRE ALARM SYSTEM, RADIO TYPE .....	A FACR	YD3 28-FEB-91	CE YD3 04
D	WFGS-16726D	ELECTRICAL, SECTION 16726, BASIC INTRUSION DETECTION SYSTEMS (IDS) .....	A FACR	YD3 31-DEC-92	YD3 04
D	WFGS-16727C	ELECTRICAL, SECTION 16727, COMMERCIAL INTRUSION DETECTION SYSTEMS (IDS) .....	A FACR	YD3 28-FEB-91	CE YD3 04
D	WFGS-16740D	ELECTRICAL, SECTION 16740, TELEPHONE DISTRIBUTION SYSTEM, INSIDE PLANT .....	A FACR	YD3 30-JUN-92	YD3 04
D	WFGS-16741	ELECTRICAL, SECTION 16741, TELEPHONE DISTRIBUTION SYSTEM, OUTSIDE PLANT .....	A FACR	YD3 30-JUN-92	YD3 04
D	WFGS-16742	ELECTRICAL, SECTION 16742, PIER TELEPHONE DISTRIBUTION SYSTEMS .....	A FACR	YD3 28-FEB-91	CE YD3 04
D	WFGS-16744A	ELECTRICAL, SECTION 16744, FIBER OPTICS DATA TRANSMISSION FOR INTERIOR SYSTEM .....	A FACR	YD3 30-JUN-92	YD3 04
D	WFGS-16745A	ELECTRICAL, SECTION 16745, FIBER OPTICS DATA TRANSMISSION FOR EXTERIOR SYSTEM .....	A FACR	YD3 30-JUN-92	YD3 04
D	WFGS-16751B	ELECTRICAL, SECTION 16751, NURSE CALL SYSTEM .....	A FACR	YD3 30-JUN-92	YD3 04
D	WFGS-16760D	ELECTRICAL, SECTION 16760, INTERCOMMUNICATION SYSTEM .....	A FACR	YD3 31-DEC-92	YD3 04
D	WFGS-16782E	ELECTRICAL, SECTION 16782, (MASTER) (COMMUNITY) ANTENNA TELEVISION SYSTEM .....	A FACR	YD3 30-SEP-92	YD3 04
D	WFGS-16852D	ELECTRICAL, SECTION 16852, ELECTRIC SPACE HEATING EQUIPMENT .....	A FACR	YD3 31-MAR-92	CE YD3 04
N L	WFGS-M-01010	SUMMARY OF WORK .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01025	MEASUREMENT AND PAYMENT .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01090	REFERENCES .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01100	SPECIAL PROJECT PROCEDURES .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01300	SUBMITTALS .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01370	PROGRESS SCHEDULES .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01400	QUALITY CONTROL .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01500	CONSTRUCTION FACILITIES .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01560	TEMPORARY CONTROLS .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01700	PROJECT CLOSEOUT .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-01730	OPERATION AND MAINTENANCE DATA .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02050	DEMOLITION AND REMOVAL .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02076	REMOVAL AND DISPOSAL OF POLYCHLORINATED BIPHENYLS (PCBS) .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02090	REMOVAL AND DISPOSAL OF LEAD-CONTAINING PAINT .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02102	CLEARING AND GRUBBING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02220	GENERAL EXCAVATION, FILLING, AND BACKFILLING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02232	(BASE COURSE FOR RIGID) (AND SUBBASE COURSE FOR FLEXIBLE) PAVING GRADED CRUSHED AGGREGATE BASE COURSE FOR FLEXIBLE PAVEMENT .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02233	BITUMINOUS BASE COURSE .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02236	SAND-CLAY (BASE) (SUBBASE) COURSE .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02247	CEMENT STABILIZED (BASE) (SUBBASE) COURSE AT AIRFIELDS AND ROADS .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02248	LIME TREATED SUBGRADE (LIME MODIFIED SOILS) .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02284	SOIL TREATMENT FOR SUBTERRANEAN TERMITE CONTROL .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02363	CAST-IN-PLACE CONCRETE PILING, STEEL CASING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02366	STEEL SHEET PILES .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02368	ROLLED STEEL SECTION PILES .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02369	PRESSURE-INJECTED FOOTINGS .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02371	ALUMINUM-PLATED GROUT PILES .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02383	DRILLED FOUNDATION CAISSONS (PIERS) .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02453	WELDING CRANE AND RAILROAD RAIL-THERMITE METHOD .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02482	DREDGING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02483	WOOD MARINE PILING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02488	RESILIENT FOAM-FILLED MARINE FENDERS .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02489	ARCH-TYPE RUBBER MARINE FENDERS .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02491	PIER TIMBERWORK .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02510	ASPHALT CONCRETE PAVING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-02660	EXTERIOR WATER DISTRIBUTION SYSTEM .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-03300	CAST-IN-PLACE CONCRETE .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-05310	STEEL DECKS .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-05400	COLD-FORMED METAL FRAMING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-06100	ROUGH CARPENTRY .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-06101	CARPENTRY .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-06200	FINISH CARPENTRY .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-07110	MEMBRANE WATERPROOFING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-07111	ELASTOMERIC WATERPROOFING, SHEET-APPLIED .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-07120	ELASTOMERIC WATERPROOFING SYSTEM, FLUID-APPLIED .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-07130	BENTONITE WATERPROOFING .....	A FACR	YD3 31-MAR-93	YD3 04
N L	WFGS-M-07140	METALLIC OXIDE WATERPROOFING .....	A FACR	YD3 31-MAR-93	YD3 04



## ACTIVE SECTION

NUMERICAL LISTING  
GUIDE SPECIFICATIONS

Action On/Off Coordination Inclusive Document Number	Document Title	Dist. Syst. FSC / Area MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DLA
N L	MFSG-M-07160	BITUMINOUS DAMPROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07218	SPRAY APPLIED CELLULOSE INSULATION .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07220	ROOF INSULATION .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07250	SPRAY-APPLIED FIREPROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07270	FIRESTOPPING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07310	ASPHALT SHINGLES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07410	PREFORMED METAL (ROOFING) (AND) (SIDING) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07414	PREFORMED STEEL STANDING SEAM ROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07415	PREFORMED ALUMINUM STANDING SEAM ROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07511	AGGREGATE SURFACED BITUMINOUS BUILT-UP ROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07512	SMOOTH SURFACED BITUMINOUS BUILT-UP ROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07513	MINERAL SURFACED BITUMINOUS BUILT-UP ROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07520	PREPARED ROLL ROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07530	ELASTOMERIC SHEET ROOFING SYSTEM (EPDM) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07531	ELASTOMERIC SHEET ROOFING SYSTEMS (CSPE) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07532	ELASTOMERIC SHEET ROOFING SYSTEM (PIB) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07533	ELASTOMERIC SHEET ROOFING SYSTEM (TPA) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07534	THERMOPLASTIC SHEET ROOFING SYSTEM (PVC) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07535	MODIFIED BITUMEN SHEET ROOFING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07540	ELASTOMERIC ROOF COATINGS OVER POLYURETHANE FOAM (PUF) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07545	SPRAYED POLYURETHANE FOAM (PUF) FOR ROOFING SYSTEMS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07600	FLASHING AND SHEET METAL .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-07920	SEALANTS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08110	STEEL DOORS AND FRAMES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08120	ALUMINUM DOORS AND FRAMES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08210	WOOD DOORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08310	SLIDING FIRE DOORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08318	SECURITY VAULT DOOR (AND DAY GATE) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08331	ROLLING SERVICE (AND FIRE) DOORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08360	SECTIONAL OVERHEAD DOORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08371	ALUMINUM SLIDING GLASS DOORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08372	STEEL SLIDING HANGAR DOORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08392	METAL STORM DOORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08510	STEEL WINDOWS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08520	ALUMINUM WINDOWS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08562	ALUMINUM STORM WINDOWS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08610	WOOD WINDOWS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08630	POLY(VINYL CHLORIDE) (PVC) (WINDOWS) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08710	FINISH HARDWARE .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-08900	GLAZED CURTAIN WALL SYSTEM .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09100	METAL SUPPORT SYSTEMS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09200	LATHING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09212	PLASTER AND STUCCOING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09215	VENEER PLASTER .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09250	GYPSUM BOARD .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09310	CERAMIC TILE, QUARRY TILE, AND PAVER TILE .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09331	CHEMICAL-RESISTANT QUARRY TILE FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09411	TERRAZZO, BONDED TO CONCRETE .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09500	ACOUSTICAL TREATMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09561	GYMNASIUM-TYPE HARDWOOD STRIP FLOORING SYSTEMS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09563	PORTABLE (DEMOUNTABLE) WOOD FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09570	WOOD PARQUET FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09660	RESILIENT TILE FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09665	SHEET VINYL FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09666	INSTITUTIONAL SHEET VINYL FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09670	FLUID APPLIED RESILIENT (RESINOUS) FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09680	CARPET .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09690	CARPET TILE .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09785	METALLIC TYPE CONDUCTIVE/SPARK RESISTANT CONCRETE FLOOR FINISH .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09815	HIGH-BUILD GLAZE COATINGS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09877	COATING OF STEEL WATERFRONT STRUCTURES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09900	PAINTING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-09955	VINYL-COATED FABRIC WALL COVERING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-10152	HOSPITAL CURBIC TRACK .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-10162	TOILET PARTITIONS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-10201	METAL (WALL) (AND) (DOOR) LOUVERS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-10260	WALL AND CORNER GUARDS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-10270	ACCESS FLOORING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-10440	SIGNS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11161	FIXED TYPE INDUSTRIAL DOCK LEVELER .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11400	FOOD SERVICE EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11401	ELECTRIC KITCHEN EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11601	LABORATORY EQUIPMENT AND FUMEHOODS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11700	GENERAL REQUIREMENTS FOR MEDICAL AND DENTAL .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11702	MEDICAL EQUIPMENT, MISCELLANEOUS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11704	(CASEWORK) (AND) (MATERIAL HANDLING UNITS) IN MEDICAL FACILITIES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11716	HYDROTHERAPY EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11722	STERILIZERS AND ASSOCIATED EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11730	HOSPITAL AND LABORATORY WASHING EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11744	DENTAL EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11757	RADIOGRAPHIC DARKROOM EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-11770	INSTALLATION OF GOVERNMENT-FURNISHED MEDICAL EQUIPMENT .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-12331	PREFABRICATED VANITIES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-12332	WARDROBE STORAGE CABINETS (THREE DRAWER) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-12333	WARDROBES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-12337	CASEWORK, METAL AND WOOD (MEDICAL AND DENTAL) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-12391	RESIDENTIAL KITCHEN (AND VANITY) CABINETS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-12540	DRAPERIES .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-12711	THEATER SEATING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-14200	ELECTRIC (PASSENGER) (FREIGHT) ELEVATORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-14214	HYDRAULIC (PASSENGER) (FREIGHT) ELEVATORS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15011	MECHANICAL GENERAL REQUIREMENTS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15052	LARGE CENTRIFUGAL AIR COMPRESSORS (OVER 149 KW) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15053	LARGE NONLUBRICATED RECIPROCATING AIR COMPRESSORS (OVER 224 KW) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15054	NONLUBRICATED ROTARY SCREW AIR COMPRESSORS (75 KW AND LARGER) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15116	WELDING PRESSURE PIPING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15200	NOISE, VIBRATION, (AND) SEISMIC) CONTROL .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15250	MECHANICAL INSULATION .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15320	FIRE PUMPS .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15322	REFRIGERANT PIPING .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15330	FIRE EXTINGUISHING SPRINKLER SYSTEMS (WET PIPE) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15335	FIRE EXTINGUISHING SPRINKLER SYSTEMS (DRY PIPE) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15340	FIRE EXTINGUISHING SPRINKLER SYSTEM (DELUGE) (PREACTION) .....	A	FAOR	Y03 31-MAR-93	Y03
N L	MFSG-M-15361	CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS (HIGH PRESSURE) .....	A	FAOR	Y03 31-MAR-93	Y03



# ACTIVE SECTION

# NUMERICAL LISTING GUIDE SPECIFICATIONS

Action	QPL / OML Coordination Inchance	Document Number	Document Title	Dist. Smt. FSC / Area MOA Symbol	Preparing Agency Date	Custodians			
						Army	Navy	Air Force	DIA
N L		NFGS-M-15362	CARBON DIOXIDE FIRE EXTINGUISHING SYSTEMS (LOW PRESSURE)	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15365	HALON 1301 FIRE EXTINGUISHING SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15371	CHEMICAL EXTINGUISHING SYSTEMS FOR KITCHEN EQUIPMENT	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15400	PLUMBING SYSTEMS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15460	HOSPITAL PLUMBING FIXTURES	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15482	FIBERGLASS REINFORCED PLASTIC (FRP) PIPING (FOR PETROLEUM)	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15483	FUEL OIL HANDLING SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15484	MEDICAL GAS AND VACUUM SYSTEMS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15485	GASOLINE/DIESEL DISPENSING SYSTEMS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15486	AVIATION FUEL DISTRIBUTION AND DISPENSING	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15488	LOW PRESSURE COMPRESSED AIR SYSTEMS (NON-BREATHING AIR TYPE)	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15489	HIGH AND MEDIUM PRESSURE COMPRESSED AIR SYSTEMS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15492	FUEL GAS PIPING	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15511	LOW TEMPERATURE WATER (LTW) HEATING SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15512	CHILLED, CONDENSER, OR DUAL SERVICE WATER PIPING	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15521	STEAM SYSTEM AND TERMINAL UNITS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15621	WARM AIR HEATING SYSTEMS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15751	(HIGH) (MEDIUM) TEMPERATURE WATER SYSTEM WITHIN BUILDINGS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15850	AIR HANDLING EQUIPMENT	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-15895	DUCTWORK AND DUCTWORK ACCESSORIES	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16011	ELECTRICAL GENERAL REQUIREMENTS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16113	UNDER-FLOOR RACEWAY SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16304	480 V PIER POWER OUTLET ASSEMBLIES	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16306	400-HERTZ (HZ) SOLID STATE FREQUENCY CONVERTER	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16307	MARINA ELECTRICAL WORK	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16492	MOTOR-GENERATOR SETS, 400 HERTZ (HZ)	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16610	INSTALLATION OF UNINTERRUPTIBLE POWER SUPPLY (UPS) SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16641	CATHODIC PROTECTION BY GALVANIC ANODES	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16642	CATHODIC PROTECTION BY IMPRESSED CURRENT	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16643	CATHODIC PROTECTION SYSTEM (STEEL WATER TANKS)	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16650	RADIO FREQUENCY INTERFERENCE POWER LINE FILTERS	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16670	LIGHTNING PROTECTION SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16744	FIBER OPTICS DATA TRANSMISSION FOR INTERIOR SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16745	FIBER OPTICS DATA TRANSMISSION FOR EXTERIOR SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16782	(MASTER) (COMMUNITY) ANTENNA TELEVISION SYSTEM	A FACR	YD3 31-MAR-93			YD3	
N L		NFGS-M-16852	ELECTRIC SPACE HEATING EQUIPMENT	A FACR	YD3 31-MAR-93			YD3	
D L		NFGS-SF-02050	SITE WORK, SECTION 02050, DEMOLITION AND REMOVAL	A FACR	YD3 30-SEP-92			YD3	
D L		NFGS-SF-02102	SITE WORK, SECTION 02102, CLEARING AND GRUBBING	A FACR	YD3 30-SEP-92			YD3	
N		NFGS-SF-01090	REFERENCES USER: NA	A FACR	YD3 31-MAR-93			YD3	04
D L		NFGS-SF-01300	GENERAL REQUIREMENTS, SECTION 01300, SUBMITTALS	A FACR	YD3 30-JUN-92			YD3	
D L		NFGS-SF-01400A	GENERAL REQUIREMENTS, SECTION 01400, QUALITY CONTROL (QC)	A FACR	YD3 30-JUN-92			YD3	
D L		NFGS-SF-01731	GENERAL REQUIREMENTS, SECTION 01731, SHORT FORM OPERATION AND MAINTENANCE DATA	A FACR	YD3 31-DEC-92			YD3	
D L		NFGS-SF-02510	SITE WORK, SECTION 02510, ASPHALT CONCRETE PAVING	A FACR	YD3 31-DEC-92			YD3	
D L		NFGS-SF-02720	SITE WORK, SECTION 02720, STORM DRAINAGE SYSTEM	A FACR	YD3 31-DEC-92			YD3	
D L		NFGS-SF-02730	SITE WORK, SECTION 02730, EXTERIOR SANITARY SEWER SYSTEM	A FACR	YD3 31-DEC-92			YD3	
N L		NFGS-SF-03300A	CAST-IN PLACE CONCRETE SHORT FORM	A FACR	YD3 31-MAR-93			YD3	
D L		NFGS-SF-04200	MASONRY, SECTION 04200, UNIT MASONRY	A FACR	YD3 31-DEC-92			YD3	
D L		NFGS-SF-05310	METALS, SECTION 05310, STEEL ROOF DECKS	A FACR	YD3 31-DEC-92			YD3	
D L		NFGS-SF-05500	METALS, SECTION 05500, METAL FABRICATIONS	A FACR	YD3 31-DEC-92			YD3	
D L		NFGS-SF-06100	WOODS & PLASTICS, SECTION 06100, ROUGH CARPENTRY	A FACR	YD3 31-DEC-92			YD3	
D L		NFGS-SF-15895	MECHANICAL, SECTION 15895, AIR HANDLING EQUIPMENT	A FACR	YD3 30-SEP-92			YD3	
D L		NFGS-SF-16120A	MECHANICAL, SECTION 16120, DUCTWORK AND DUCTWORK ACCESSORIES	A FACR	YD3 30-SEP-92			YD3	
D L		NFGS-SF-16400A	ELECTRICAL, SECTION 16400, INTERIOR ELECTRICAL WORK	A FACR	YD3 30-SEP-92			YD3	
D L		NFGS-SF-16500A	ELECTRICAL, SECTION 16500, SERVICE AND DISTRIBUTION	A FACR	YD3 30-SEP-92			YD3	
D L		NFGS-SF-16501A	ELECTRICAL, SECTION 16501, EXTERIOR LIGHTING	A FACR	YD3 30-SEP-92			YD3	
D L		NFGS-SF-16720A	ELECTRICAL, SECTION 16720, FIRE ALARM (AND SMOKE DETECTION) SYSTEMS	A FACR	YD3 30-SEP-92			YD3	
D L		NFGS-SF-16743A	ELECTRICAL, SECTION 16743, INTERIOR TELEPHONE SYSTEM	A FACR	YD3 30-SEP-92			YD3	



## ACTIVE SECTION

# NUMERICAL LISTING

## AIR FORCE - NAVY AERONAUTICAL STANDARDS

Active Doc / OMA Coordination Package	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
D	AM3THRUJAN20 REV 12	BOLT - MACHINE, AIRCRAFT REVIEWER: MI	A 5306	AS	14-JAN-91	AV	AS	99	IS
	AM21THRUJAN37 REV 7	BOLT & CLEVIS (VALIDATION DATE: 8306) REVIEWER: B2	A 5306	IS	25-MAY-83	AV	AS	99	
	AM42THRUJAN49 REV 6	BOLT, EYE USER: ME REVIEWER: IS MI	A 5306	AS	04-AUG-82	AV	AS	99	
A	AM100 REV 3	THIMBLE - WIRE CABLE REVIEWER: B2	A 4030	AS	08-MAR-93	AV	AS	99	
	AM116 REV 2	SHACKLE, ANCHOR, FORGED CARBON STEEL SCREW PIN (VALIDATION DATE: 8312) REVIEWER: IS MI	A 4030	AS	20-NOV-56	AV	AS	99	
I	AM173THRUJAN186 REV 7	BOLT-MACHINE, CLOSE TOLERANCE, AIRCRAFT USER: ME REVIEWER: IS MI	A 5306	AS	09-APR-90	AV	AS	99	
	AM226	FASTENER & COMB. POST TYPE (SEE AM10076) (VALIDATION DATE: 8208) REVIEWER: IS	A 5325	AS	18-NOV-48	AS	99		
	AM227 REV 9	FASTENERS - SNAP AND CURTAIN (INACTIVE USE MS27977 THRU MS27986 (VALIDATION DATE: 8410) REVIEWER: IS MI)	A 5325	AS	22-MAY-70	AV	AS	99	
	AM229 REV 5	FASTENER - INTERLOCKING SLIDE (VALIDATION DATE: 8303) REVIEWER: IS MI	A 5325	AS	15-AUG-68	AV	AS	99	
	AM231 REV 4	GROMMET & DRAINAGE, PLASTIC (VALIDATION DATE: 8207) REVIEWER: IS	A 5325	AS	14-JUL-69	AV	AS	99	
	AM240 REV 1	EYELET & LACING (VALIDATION DATE: 7705) REVIEWER: IS OS	A 5325	MI	15-APR-43	MI	99		
	AM254 REV 3	SCREW & THUMB, NECKED (SUPERSEDES USAF DWG. 36A4486 IN PART) (VALIDATION DATE: 8306)	A 5305	B2	10-SEP-82	AS	99		
	AM255 REV 5	SCREW - EXTERNALLY RELIEVED BODY (INACTIVE) (VALIDATION DATE: 8207) REVIEWER: IS	A 5305	AS	15-APR-74	AV	AS	99	
	AM256 REV 5	MUT & SELF LOCKING, RIGHT ANGLE PLATE (SUPERSEDES USAF 35A2939) REVIEWER: EC IS MI	A 5310	B2	24-FEB-83	AV	AS	99	
	AM302	PIN & SCRUTCHION (VALIDATION DATE: 8208) REVIEWER: B2 IS	A 5315	AS	06-JUN-48	AV	AS	99	
	AM310 REV 10	MUT, PLAIN, CASTELLATED, AIRFRAME REVIEWER: IS MI	A 5310	AS	17-MAY-91	AV	AS	99	
	AM315 REV J	MUT, PLAIN, AIRFRAME (VALIDATION DATE: 8107) USER: AT REVIEWER: IS MI	A 5310	AS	29-DEC-72	AV	AS	99	
	AM316 REV 11	MUT, JAM, HEXAGON REVIEWER: IS	A 5310	AS	25-FEB-91	AV	AS	99	
	AM320 REV 12	MUT, PLAIN, CASTELLATED, SHEAR REVIEWER: B2 AR IS	A 5310	AS	06-AUG-92	AV	AS	99	
	AM340 REV 5	MUT, PLAIN, HEXAGON, NON-STRUCTURAL, COARSE THREAD (VALIDATION DATE: 8911) REVIEWER: 99 IS MI	A 5310	AS	01-NOV-89	AV	AS	99	
	AM345 REV 6	MUT, PLAIN, HEXAGON, NON-STRUCTURAL, FINE THREAD (VALIDATION DATE: 8911) REVIEWER: IS MI	A 5310	AS	01-NOV-89	AV	AS	99	
	AM367 REV 2	MUT-PLATE, COUNTERSUNK, 82 DEG. (VALIDATION DATE: 8910) REVIEWER: B2 IS	A 5310	AS	01-OCT-89	AS	99		
	AM386 REV 3	PIN & THREADED TAPER (VALIDATION DATE: 8204) REVIEWER: B2 IS	A 5315	AS	23-FEB-54	AV	AS	99	
	AM415 REV 3	PIN, LOCK (HITCH PIN) REVIEWER: B2 IS MI	A 5315	AS	30-APR-90	AV	AS	99	
	AM416 REV 3	PIN & RETAINING, SAFETY REVIEWER: IS MI	A 5315	B2	04-JAN-85	AV	99		
	AM490 REV 8	WOOD END & THREADED, AIRCRAFT (VALIDATION DATE: 8207) REVIEWER: IS	A 5340	AS	12-OCT-70	AV	AS	99	
	AM500 REV 7	SCREW, MACHINE, FILLISTER HEAD, COARSE THREAD	A MISC	AS	12-NOV-80	AS	69		
	AM501 REV 6	SCREW, MACHINE, FILLISTER HEAD, FINE THREAD (VALIDATION DATE: 8504)	A 5306	AS	12-AUG-59	AS	69		
	AM502 REV 6	SCREW & MACHINE, DRILLED FILLISTER HEAD, FINE THREAD (VALIDATION DATE: 8207) REVIEWER: IS	A 5305	AS	11-MAY-53	AV	AS	99	
	AM503 REV 5	SCREW & MACHINE, DRILLED FILLISTER HEAD, COARSE THREAD (VALIDATION DATE: 8204) REVIEWER: IS MI	A 5305	AS	11-MAY-53	AV	AS	99	
	AM504 REV 6	SCREW, TAPPING, THREAD CUTTING, ROUND HEAD, MACHINE SCREW THREAD (INACTIVE FOR NEW DESIGN AFTER 4 MAR 82)	A MISC	AS	04-MAR-82				
	AM505 REV 3	SCREW-MACHINE, FLAT HEAD, 82 DEGREE, COARSE THREAD (VALIDATION DATE: 8107) REVIEWER: IS MI	A 5305	AS	17-FEB-59	AS	99		
	AM508 REV A	SCREW & ROUND HEAD MACHINE (FOR ELECTRICAL USE) REVIEWER: IS MI	A 5305	B2	23-MAR-84	AV	99		
	AM510 REV 5	SCREW, MACHINE, FLAT HEAD, 82 DEGREE, FINE THREAD (INACTIVE USE MS-35191, MS-35199, MS-51960 AND MS-35203) REVIEWER: MI	A 5305	IS	16-MAR-83	AV	AS	99	IS
	AM525 REV 2	SCREW - WASHER HEAD USER: ME REVIEWER: IS MI	A 5305	B2	29-JAN-85	AV	AS	99	
	AM531 REV 5	SCREW, TAPPING, THREAD FORMING OR THREAD CUTTING, 82 DEG FLAT HEAD, SPACED THREAD (VALIDATION DATE: 8107) REVIEWER: IS MI	A 5305	AS	17-FEB-59	AS	99		
	AM565 REV 5	SETScrew HEXAGON AND FLUTED SOCKET, HEADLESS (VALIDATION DATE: 8204) USER: ME REVIEWER: 11 AV IS MI	A 5305	AS	23-JUN-75	AS	99		
	AM665 REV 4	TERMINAL-THREADED CLEVIS TYPE TIE ROD (VALIDATION DATE: 8909) REVIEWER: IS MI	A 5340	AS	30-SEP-89	AS	99		
	AM706 REV 3	TIE ROD & INTERNAL 8000 LB (3-8824) (VALIDATION DATE: 8406) REVIEWER: IS	A 5340	B2	15-JUN-66	AS	99		
	AM735 REV 5	CLAMP, LOOP TYPE BONDING (VALIDATION DATE: 8107) USER: CS REVIEWER: 99 IS MI	A 5340	AS	29-DEC-72	AS	11		
	AM737 REV 8	CLAMP, HOSE, AIRCRAFT (VALIDATION DATE: 8312) REVIEWER: CS IS MI	A 4730	AS	05-JAN-56	AS	99		
	AM742 REV J	CLAMP, PLAIN, SUPPORT, LOOP-TYPE, AIRCRAFT (VALIDATION DATE: 8107) REVIEWER: IS MI	A 5340	AS	17-DEC-68	AR	AS	99	
	AM743 REV 7	BRACKET, SUPPORT CLAMP	A 5340	AS	16-AUG-82		99		
	AM763 REV 1	GASKET - SWIVEL FITTING, FLANGED (VALIDATION DATE: 8312) REVIEWER: B2 MI	A 4730	99	01-OCT-82		99		
	AM774 REV 7	BOLT FLARED TUBE FITTING END UNIVERSAL (VALIDATION DATE: 8404)	A 4730	B2	04-AUG-83	AV	AS	99	
	AM775 REV 12	BOLT - FLUID PASSAGE USER: AV CS REVIEWER: IS	A 4730	B2	22-MAR-84	AS	99		
	AM776 REV 9	CONNECTOR, MULTIPLE FLUID PRESSURE LINE 90 DEG. REVIEWER: CS MI	A 4730	B2	10-FEB-88	AV	AS	99	
	AM777 REV 9	CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 75 DEG.	A 4730	B2	15-MAR-79	AS	99		
	AM778 REV J	CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45 DEG. REVIEWER: CS	A 4730	B2	10-FEB-88	AV	AS	99	
	AM779 REV 6	CONNECTOR, MULTIPLE FLUID PRESSURE LINE, STRAIGHT	A 4730	B2	10-FEB-88	AS	99		
	AM780 REV 6	NIPPLE, UNION (VALIDATION DATE: 8312) REVIEWER: CS	A 4730	AS	23-JUL-56	AV	AS	99	
	AM783 REV J	TEE, FLARED TUBE, INTERNAL THREAD ON SIDE	A 4730	B2	10-FEB-88	AV	AS	99	
	AM784 REV L	TEE, FLARED TUBE, INTERNAL THREAD ON END REVIEWER: CS MI	A 4730	B2	05-OCT-83	AS	99		
	AM785 REV 6	COUPLING, UNION, BRAZING (VALIDATION DATE: 8901) USER: CS	A 4730	B2	16-JAN-83	AV	AS	99	
	AM786 REV 4	COUPLING-AIRSPED TUBE UNION (BRAZING)	A 4730	B2	22-JUN-83	AS	99		
	AM791 REV 5	ELBOW - UNION 45 DEG. (VALIDATION DATE: 8312) USER: CS	A 4730	AS	20-AUG-56	AV	AS	99	
	AM795 REV 4	TEE, UNION (VALIDATION DATE: 8107) USER: CS	A 4730	B2	20-AUG-56	AV	AS	99	
	AM800 REV 5	CONNECTION (VALIDATION DATE: 8312) REVIEWER: CS	A 4730	AS	01-JUN-54	AV	AS	99	
	AM804 REV 6	TEE, FLARED TUBE WITH BULKHEAD ON RUN	A 4730	B2	05-AUG-83	AV	AS	99	
	AM805 REV 7	MUT - UNION (VALIDATION DATE: 8312) REVIEWER: CS	A 4730	AS	14-AUG-56	AV	AS	99	
	AM806 REV 7	PLUG FLARED TUBE (VALIDATION DATE: 8306)	A 4730	B2	16-APR-82	AV	AS	99	
	AM807 REV 6	ADAPTER, STRAIGHT, TUBE TO HOSE	A 4730	B2	30-AUG-82	AS	99		
	AM809 REV 4	CORE & HIGH PRESSURE AIR VALVE USER: CS REVIEWER: MI	A 1650	71	26-DEC-86	AV	AS	99	
	AM814 REV M	PLUG & BLEEDER - SCREW THREAD	A 4730	B2	17-AUG-83	AS	99		
	AM815 REV 9	UNION - FLARED TUBE	A 4730	B2	04-AUG-83	AV	AS	99	
	AM816 REV M	ADAPTER, STRAIGHT, PIPE TO TUBE	A 4730	B2	19-MAR-79	99			
	AM817 REV L	MUT, TUBE COUPLING, LONG REVIEWER: AS AV CS	A 4730	B2	31-MAR-87	99			
	AM818 REV R	MUT, TUBE COUPLING, SHORT REVIEWER: AV CS ME	A 4730	B2	14-FEB-77	AS	99		
	AM821 REV 8	ELBOW FLARED TUBE, 90 DEG.	A 4730	B2	05-AUG-83	AV	AS	99	
	AM824 REV 7	TEE - FLARED TUBE USER: CS REVIEWER: MI	A 4730	B2	05-OCT-83	AV	AS	99	
	AM827 REV 7	CROSS, FLARED TUBE (USE MS 24403) (VALIDATION DATE: 8306) REVIEWER: CS MI	A 4730	B2	10-FEB-67	AV	AS	99	
	AM832 REV 8	UNION, FLARED TUBE, 3/8 BULKHEAD & UNIVERSAL	A 4730	B2	02-AUG-83	AV	AS	99	
	AM833 REV 8	ELBOW FLARED TUBE & BULKHEAD UNIVERSAL, 90 DEG	A 4730	B2	04-AUG-83	AV	AS	99	
	AM834 REV 9	TEE, BULKHEAD & UNIVERSAL FLARED TUBE	A 4730	B2	04-AUG-83	AV	AS	99	
	AM837 REV 8	ELBOW, FLARED TUBE & UNIVERSAL, 45 DEG.	A 4730	B2	04-AUG-83	AV	AS	99	
	AM838 REV 8	ELBOW, TUBE TO HOSE, 90 DEG.	A 4730	B2	30-AUG-82	99			
	AM839 REV 7	ELBOW, TUBE TO HOSE, 45 DEG.	A 4730	B2	30-AUG-82	99			
	AM840 REV 9	ADAPTER, STRAIGHT, PIPE TO HOSE (VALIDATION DATE: 7408) REVIEWER: AV CS ME	A 4730	B2	01-JUN-54	99			
	AM841 REV 5	ADAPTER - HOSE TO FLARED TUBE (VALIDATION DATE: 8306)	A 4730	B2	19-APR-82	AV	99		
	AM842 REV K	ELBOW, PIPE TO HOSE, 90 DEG.	A 4730	B2	02-SEP-82	AS	99		
	AM844 REV K	ELBOW, PIPE TO HOSE, 45 DEG. REVIEWER: AV CS ME	A 4730	B2	02-SEP-82	99			
	AM846 REV 7	ELBOW, HOSE, 45 DEG.	A 4730	B2	20-MAR-79	99			
	AM848 REV K	ELBOW, HOSE, 90 DEG.	A 4730	B2	20-MAR-79	99			
	AM849 REV K	NIPPLE, HOSE	A 4730	B2	02-SEP-82	99			
	AM871 REV 9	FLANGE & STRAIGHT THREAD BOSS WELDING REVIEWER: CS MI	A 4730	AS	13-DEC-85	AV	99		



## ACTIVE SECTION

NUMERICAL LISTING  
AIR FORCE - NAVY AERONAUTICAL STANDARDS

ASST CPL / COM Connection Inches Document Number	Document Title	Dist Smt FSC / Ase MCA Symbol Preceding Assy Date	Custodians Army Navy Air Force DIA
AM876 REV 2	COLLAR & TUBING END HOSE CONNECTION (VALIDATION DATE: 8312) USER: CS	A 4730 AS 01-JUN-54	AS 99
AM887 REV 1	GASKET & CIRCULAR FORMATION LIGHT COVER (VALIDATION DATE: 8106) REVIEWER: 82 GS	A 5330 AS 30-APR-51	AS 99
AM893 REV J	BUSHING, SCREW THREAD REDUCER (USE MS 24397) REVIEWER: 11 CS MI	A 4730 82 05-OCT-83	AV AS 99
AM894 REV 9	BUSHING, SCREW THREAD, EXPANDER REVIEWER: 11 CS MI	A 4730 82 06-APR-84	AV AS 99
AM899 REV 2	GASKET, FUSELAGE LIGHT & COVER SCREW (VALIDATION DATE: 8208) REVIEWER: 82 GS	A 5330 AS 23-AUG-55	AV AS 99
AM901 REV 8	GASKET & METAL TUBE CONNECTION SEAL (VALIDATION DATE: 8105) REVIEWER: MI	A 5330 AS 11-JUN-68	AV AS 99
AM904 REV 1	GASKET & UPWARD RECOGNITION LIGHT COVER (VALIDATION DATE: 8106) REVIEWER: GS	A 5330 AS 30-APR-43	AV AS 99
L AM910 REV J	COUPLING, PIPE USER: CS REVIEWER: MI	A 4730 82 05-OCT-83	AV AS 99
AM911 REV 9	NIPPLE, PIPE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT)	A 4730 82 20-MAR-79	99
D L AM912 REV 9	BUSHING, PIPE (VALIDATION DATE: 7305) REVIEWER: 82 AV CS ME	A 4730 15 10-FEB-67	99
L AM912/1	BUSHING, PIPE (VALIDATION DATE: 7305) REVIEWER: AV CS ME	A 4730 82 10-FEB-67	99
D AM914 REV 9	ELBOW, PIPE, INTERNAL AND EXTERNAL THREAD, 90 DEG. (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: 82	A 4730 15 20-MAR-79	99
D L AM915 REV K	ELBOW, PIPE, 45 DEG. (VALIDATION DATE: 7305) REVIEWER: 82 AV CS ME	A 4730 15 10-FEB-67	99
D L AM916 REV 10	ELBOW, PIPE, INTERNAL THREAD, 90 DEGREE REVIEWER: 82	A 4730 15 20-OCT-92	99
D AM917 REV 8	TEE, PIPE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: 82 MI	A 4730 15 21-MAR-79	99
AM917/2	TEE, PIPE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS AND GROUND SERVICE EQUIPMENT) REVIEWER: MI	A 4730 82 21-MAR-79	99
D L AM918 REV 8	CROSS, PIPE (INACTIVE FOR DESIGN EXCEPT FOR USE ON OXYGEN SYSTEMS & GROUND SERVICE EQUIPMENT) REVIEWER: 82 AV CS ME	A 4730 15 21-MAR-79	99
D AM919 REV 9	REDUCER EXTERNAL THREAD FLARED TUBE REVIEWER: 82	A 4730 15 04-AUG-83	AV AS 99
D AM924 REV K	NUT, TUBE, BULKHEAD AND UNIVERSAL FITTING (VALIDATION DATE: 8510) REVIEWER: 82	A 4730 15 21-MAR-79	99
D AM929 REV K	CAP ASSEMBLY, TUBE, PRESSURE SEAL REVIEWER: 82	A 4730 15 23-MAR-83	99
D AM933 REV 6	PLUG, PIPE, HEX HEAD REVIEWER: 82	A 4730 15 21-MAR-79	99
D AM936 REV 7	WASHER, TOOTH LOCK (INACTIVE) (VALIDATION DATE: 8207) REVIEWER: AR 15 MI	A 5310 AS 28-SEP-70	AV AS 99
D AM937 REV 6	CROSS, TUBE, INTERNAL THREAD (VALIDATION DATE: 8510) REVIEWER: 82	A 4730 15 21-MAR-79	99
D AM938 REV 6	TEE, TUBE, INTERNAL THREAD (VALIDATION DATE: 8609) REVIEWER: 82	A 4730 15 01-SEP-86	99
NOTICE 1			
D L AM939 REV 7	ELBOW, TUBE, INTERNAL THREAD, 90 DEG. USER: MI REVIEWER: 82 AV CS ME	A 4730 15 22-MAR-84	99
D L AM941 REV 6	ELBOW, TUBE, INTERNAL THREAD, 45 DEG. (VALIDATION DATE: 8510) REVIEWER: 82 CS	A 4730 15 21-MAR-79	AS 99
AM943 REV A	BEARING - ROD END, INTERNAL THREAD, SELF - ALIGNING, PLAIN, AIRFRAME-INACTIVE 14 MAY 71 (VALIDATION DATE: 8208) REVIEWER: 84 15	A 3120 AS 28-FEB-50	AT AS 99
AM947 REV A	BEARING-ROD END, EXTERNAL THREAD, SELF-ALIGNING, PLAIN, AIRFRAME -INACTIVE 14 MAY 1971 (VALIDATION DATE: 8208) REVIEWER: 84	A 3120 AS 14-MAY-71	AT AS 99
A I AM960 REV 21	WASHER, FLAT REVIEWER: 82 EA 15	A 5310 AS 06-AUG-92	AV AS 99
D AM961 REV 2	WASHER & FLAT, ELECTRICAL (VALIDATION DATE: 8406) REVIEWER: 82 AV 15 MI	A 5310 15 10-AUG-67	AR AS 99
D AM970 REV 6	WASHER, FLAT REVIEWER: 82 AV GL MI	A 5310 15 04-DEC-84	AR SA 99
D AM975 REV 3	WASHER & TAPER PIN (VALIDATION DATE: 8204) REVIEWER: AV 15	A 5310 AS 29-DEC-72	AS 99
D AM996 REV 2	RING - LOCK (INACTIVE) (VALIDATION DATE: 8208) REVIEWER: AV 15	A 5340 AS 15-APR-74	AS 99
AM2531	INDICATOR ASSEMBLY AND WIND COME (UNLIGHTED AND EXTERNALLY LIGHTED) (VALIDATION DATE: 8112) REVIEWER: 99 GS	A 6660 13 14-AUG-44	AS 13
D AM2541 REV 3	LENS, AIRCRAFT OBSTRUCTION MARKER LIGHT (VALIDATION DATE: 8804) REVIEWER: 11 82 GS	A 6210 15 26-APR-88	AS 99
NOTICE 1			
D AM2547 REV 5	LIGHT, MARKER, AIRCRAFT OBSTRUCTION (VALIDATION DATE: 8106) REVIEWER: 11 82 GS	A 6210 15 29-APR-68	ME AS 99
AM2555 REV 1	NOZZLE & AIRCRAFT FUELING (VALIDATION DATE: 8210)	A 4730 AS 16-SEP-44	AS 99
D AM2578 REV 1	COVER, DRUMTYPE ROTATING BEACON, 246 INCH (VALIDATION DATE: 8506) REVIEWER: 82 GS	A 6210 15 15-FEB-57	AS 99
AM3030 REV 8	LIGHT ASSEMBLY & CIRCULAR FORMATION (VALIDATION DATE: 8307) REVIEWER: GS	A 6220 AS 11-JAN-54	AV AS 11
AM3032 REV J	LIGHT ASSEMBLY - WING POSITION RECESSED (INACTIVE 1-3-67) (VALIDATION DATE: 8106) REVIEWER: GS	A 6220 AS 03-JAN-67	AS 11
AM3033 REV L	LIGHT ASSEMBLY, WING POSITION, WING TIP (VALIDATION DATE: 8106) REVIEWER: GS	A 6220 AS 28-DEC-56	AS 11
AM3036 REV 4	LIGHT ASSEMBLY, BERTH (INACTIVE 1-3-67) (VALIDATION DATE: 8106) REVIEWER: GS	A 6220 AS 03-JAN-67	AS 11
AM3037 REV 6	LIGHT ASSEMBLY, CABIN DOME (VALIDATION DATE: 8106) REVIEWER: GS	A 6220 AS 28-APR-72	AV AS 11
AM3040 REV 5	COVER & CIRCULAR FORMATION LIGHT (INACTIVE) (VALIDATION DATE: 8303) REVIEWER: GS	A 6220 AS 15-DEC-75	AV AS 99
A AM3042 REV 7	COVER-POSITION LIGHT	A 6220 AS 22-SEP-92	AV AS 99
AM3043 REV 7	COVER & ANCHOR LIGHT (VALIDATION DATE: 8303) REVIEWER: GS	A 6220 AS 15-DEC-75	AS 99
AM3048 REV 4	FERRULE & CONDUIT, FLEXIBLE, ONE STEP SYNTHETIC COVERED (VALIDATION DATE: 8509) REVIEWER: 99 GS	A 5975 AS 08-OCT-53	AS 85
AM3049 REV 2	LIGHT ASSEMBLY - OPEN CABIN DOME (INACTIVE 1-3-67) (VALIDATION DATE: 8106) REVIEWER: GS	A 6220 AS 03-JAN-67	AS 11
AM3050 REV 4	FERRULE & CONDUIT, FLEXIBLE (VALIDATION DATE: 8509) REVIEWER: 99 GS	A 5975 AS 08-OCT-53	AV AS 85
AM3051 REV 5	FERRULE & CONDUIT, FLEXIBLE, ONE STEP (VALIDATION DATE: 8509) REVIEWER: 99 GS MI	A 5975 AS 08-OCT-53	AV AS 85
AM3052 REV 5	FERRULE & CONDUIT, FLEXIBLE, TWO STEP (VALIDATION DATE: 8509) REVIEWER: 99 GS	A 5975 AS 09-NOV-53	AS 85
AM3053 REV 3	FERRULE & RIGID CONDUIT (VALIDATION DATE: 8509) REVIEWER: 99 GS	A 5975 AS 13-MAY-52	AV AS 85
AM3054 REV 8	NUT, COUPLING, ELECTRICAL CONDUIT (VALIDATION DATE: 8803) REVIEWER: 99	A 5975 85 25-MAR-88	85
NOTICE 1			
L AM3055 REV 6	BOX CONNECTOR, ELECTRICAL (VALIDATION DATE: 8803) REVIEWER: GS MI	A 5975 85 25-MAR-88	85
NOTICE 1			
AM3056 REV 6	ADAPTER, ELECTRICAL CONDUIT, RIGID TO FLEXIBLE (VALIDATION DATE: 8105) USER: AR MC REVIEWER: 99 AV GS	A 5975 AS 31-JUL-74	VP 11
AM3058 REV 6	COUPLING, ELECTRICAL CONDUIT, RIGID (VALIDATION DATE: 8105) USER: AR MC REVIEWER: 99 AV GS	A 5975 AS 31-JUL-74	AS 11
AM3060 REV 4	ELBOW - ELECTRICAL CONDUIT, 45 DEG. (VALIDATION DATE: 8105) REVIEWER: 99 GS	A 5975 AS 16-APR-53	AS 85
AM3061 REV 3	ELBOW - ELECTRICAL CONDUIT, 45 DEG. JUNCTION BOX (VALIDATION DATE: 8105) REVIEWER: 99 GS MI	A 5975 AS 16-APR-53	AS 85
AM3062 REV 3	ELBOW - ELECTRICAL CONDUIT, 90 DEG. (VALIDATION DATE: 8105) REVIEWER: 99 GS MI	A 5975 AS 16-APR-53	AS 85
AM3063 REV 3	ELBOW - ELECTRICAL CONDUIT, 90 DEG. JUNCTION BOX (VALIDATION DATE: 8105) REVIEWER: 99 GS	A 5975 AS 16-APR-53	AV AS 85
AM3064 REV 5	BOX CONNECTOR, ELECTRICAL (VALIDATION DATE: 8105) REVIEWER: GS MI	A 5975 AS 21-SEP-56	AV AS 85
AM3066 REV 3	NUT, PLAIN, HEXAGON, CONDUIT COUPLING (VALIDATION DATE: 8105) REVIEWER: MI	A 6625 AS 27-SEP-56	AS 85
AM3067 REV 3	SEAL ASSEMBLY - 3/8 INCH CONDUIT BOSS (VALIDATION DATE: 8405) REVIEWER: 82	A 5330 15 09-JUL-54	99
AM3068 REV 3	COUPLING & ELECTRICAL CONDUIT (VALIDATION DATE: 8105) REVIEWER: 99 GS	A 5975 AS 16-APR-53	AS 85
AM3069 REV 1	ADAPTER ASSEMBLY - 3/16 INCH CONDUIT (VALIDATION DATE: 8207) REVIEWER: 99 GS	A 5975 AS 09-MAY-52	AS 85
AM3083 REV 2	FERRULE & CONDUIT, FLEXIBLE, TWO STEP, SYNTHETIC COVERED (VALIDATION DATE: 8509) REVIEWER: 99 GS	A 5975 AS 19-MAY-52	AS 85
AM3088 REV 5	LIGHT ASSEMBLY, ANCHOR (VALIDATION DATE: 8712) REVIEWER: GS	A 6220 AS 31-DEC-87	AS 11
NOTICE 1			



# NUMERICAL LISTING

## AIR FORCE - NAVY AERONAUTICAL STANDARDS

690



**NUMERICAL LISTING**  
**AIR FORCE - NAVY AERONAUTICAL STANDARDS**

Item	Qty / Unit	Coordinate	Document Number	Document Title	Dwg. Desc.	Fabrication	Mechanical	Preparing Asst.	Date	Army	Navy	Air Force	Custodian
AMS853				COLLIMATOR & SEXTANT [VALIDATION DATE: 8303]	A 6605	AS	29-MAY-43			AS	99		
AMG004	REV 4			REGULATOR - DILUTER DEMAND OXYGEN (INACTIVE 12-7-71) [INVALIDATION DATE: 8102]	A 1660	AS	07-DEC-71			AS	99		
AMG010	REV 8			REGULATOR & AUTOMATIC CONTINUOUS FLOW OXYGEN REVIEWER: 11	A 1660	71	06-JAN-82			AS	99		
AMG011	REV 3			GAGE/PANEL MOUNTING HIGH PRESSURE OXYGEN [VALIDATION DATE: 8403]	A 1MSC		13-JUL-59			AV	AS	67	
AMG012	REV 3			VALVE - HIGH PRESSURE OXYGEN LINE [VALIDATION DATE: 8403]	A 4820	AS	12-SEP-55			AV	AS	99	
AMG014	REV 2			VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE A [VALIDATION DATE: 8709]	A 4820	AS	30-SEP-87			AS	99		
NOTICE 1				REVIEWER: 11									
AMG015	REV 6			VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE B [VALIDATION DATE: 8709]	A 4820	AS	30-SEP-87			AV	AS	99	
NOTICE 1				REVIEWER: 11									
AMG016	REV 3			VALVE-HIGH PRESSURE OXYGEN CHECK, STYLE C [VALIDATION DATE: 8709] REVIEWER:	A 4820	AS	30-SEP-87			AS	99		
NOTICE 1				11									
AMG017	REV 2			VALVE - HIGH PRESSURE OXYGEN CHECK, STYLE D [VALIDATION DATE: 8009]	A 4820	AS	14-JAN-72			AS	99		
NOTICE 1				REVIEWER: 11									
AMG018	REV 2			VALVE HIGH PRESSURE OXYGEN CHECK, STYLE E [VALIDATION DATE: 8009]	A 4820	AS	14-JAN-72			AS	99		
L AMG021	REV 5			GAGE, PANEL MOUNTING LOW PRESSURE OXYGEN [VALIDATION DATE: 8812] REVIEWER:	A 6605	82	09-DEC-88			99			
NOTICE 1				GS									
AMG024	REV 8			VALVE, FILLER LOW PRESSURE OXYGEN [VALIDATION DATE: 8801] REVIEWER: CS ....	A 4820	71	21-JAN-88			AV	AS	99	
NOTICE 1													
AMG026	REV 4			GAGE, PRESSURE, DIAL INDICATING [VALIDATION DATE: 8304] REVIEWER: GS .....	A 6685	82	28-OCT-70			AV	AS	99	
L AMG027	REV 3			Coupling HALF, QUICK DISCONNECT [VALIDATION DATE: 8906] USER: CS REVIEWER:	A 4730	AV	28-JUN-89			AV			
NOTICE 1				11									
L AMG043	REV 3			CONNECTION ASSEMBLY - DEMAND MASK TO REGULATOR TUBE INTERNAL	A 1660	99	15-MAY-53						99
L AMG044	REV 5			ADAPTER - PORTABLE OXYGEN RECHARGER ORIFICE	A 1660	71	08-FEB-91			AV	AS	99	
AMG045				EXTINGUISHER ASSEMBLY - FIRE, CARBON DIOXIDE, PORTABLE [VALIDATION DATE:	A 4210	AS	24-FEB-50			AS			
				8208] REVIEWER: CS									
L AMG046				BRACKET - MOUNTING, EXTINGUISHER, FIRE [VALIDATION DATE: 8208]	A 5975	AS	24-FEB-50			AS			
NOTICE 1				PUMP - HYDRAULIC HAND [VALIDATION DATE: 9012] USER: CS REVIEWER: MI .....	A 4320	71	24-DEC-90						99
AMG204	REV H			VALVE, HYDRAULIC BLEEDER REVIEWER: 70	A 4820	99	16-JUN-78			AV	AS	99	
AMG206	REV 4			REGULATOR & 10 GPM HYDRAULIC PRESSURE	A 1650	AS	06-NOV-86			AS	99		
AMG207	REV 4			VALVE & 1500 PSI HYDRAULIC CHECK [VALIDATION DATE: 8312] USER: CS	A 1650	AS	29-OCT-45			AV	AS	99	
				REVIEWER: MI									
L AMG211	REV 3			VALVE - IN LINE TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL [VALIDATION DATE:	A 4820	71	15-MAY-92			99			
NOTICE 2				9205]									
A L AMG213	REV 3			VALVE - RADIAL TYPE 3-1/2 G.P.M. HYDRAULIC DIRECTIONAL CONTROL [VALIDATION	A 4820	71	04-AUG-92			99			
NOTICE 2				DATE: 9208]									
L AMG214	REV 3			VALVE - RADIAL TYPE 6 GPM HYDRAULIC DIRECTIONAL CONTROL [VALIDATION DATE:	A 4820	71	15-MAY-92			99			
NOTICE 2				9205]									
AMG215	REV 3			VALVE & RADIAL TYPE 16 GPM HYDRAULIC DIRECTIONAL CONTROL [VALIDATION DATE:	A 1650	71	10-JUL-50			99			
				8107]									
AMG225	REV 7			PACKING, PREFORMED (INACTIVE 12-16-52) [VALIDATION DATE: 8406] REVIEWER:	A 5330	82	22-OCT-71			AV	99		
				IS									
L AMG226	REV 6			PACKING & U CUP HYDRAULIC REVIEWER: IS MI .....	A 5330	82	31-JAN-79						82
L AMG228	REV 5			V RING FEMALE HYDRAULIC PACKING (INACTIVE 12-16-52) [VALIDATION DATE:	A 5330	82	10-DEC-71						99
				8405] REVIEWER: AV IS									
AMG230	REV 9			GASKET, (O) RING HYDRAULIC (INACTIVE AFTER JULY 13 1981 USE MS28775) .....	A 5330	82	01-NOV-82			AV	AS	99	
AMG234	REV 3			FILTER & HYDRAULIC REPLACEABLE ELEMENT LINE TYPE [VALIDATION DATE: 8312] ..	A 1650	AS	28-FEB-52			AV	AS	99	
AMG235	REV 4			FILTER ELEMENT - HYDRAULIC REPLACEABLE MICRONIC LINE TYPE [VALIDATION	A 1650	AS	04-NOV-52			AV	AS	99	
				DATE: 8312] USER: CS REVIEWER: MI									
AMG236	REV 4			FILTER ELEMENT & HYDRAULIC REPLACEABLE MICRONIC RESERVOIR TYPE [VALIDATION	A 1650	AS	27-MAR-51			AV	AS	99	
				DATE: 8312] USER: CS REVIEWER: MI									
AMG237	REV 1			FILTER ELEMENT & HYDRAULIC REPLACEABLE MICRONIC VENT TYPE [VALIDATION	A 1650	AS	27-SEP-48			AV	AS	99	
				DATE: 8312] REVIEWER: MI									
AMG238	REV 3			GASKET - HYDRAULIC REPLACEABLE RESERVOIR TYPE FILTER ELEMENT [VALIDATION	A 1650	AS	25-NOV-53			AV	AS	99	
				DATE: 8312]									
AMG240	REV 1			FILTER - HYDRAULIC REPLACEABLE ELEMENT VENT TYPE [VALIDATION DATE: 8608]	A 1650	AS	15-AUG-86			AV	AS	99	
NOTICE 1				REVIEWER: MI									
AMG244				RING & HYDRAULIC GASKET BACKUP [VALIDATION DATE: 8412] REVIEWER: MI .....	A 1650	AS	30-OCT-45			AV	AS	99	
AMG245	REV 4			VALVE & HYDRAULIC THERMAL EXPANSION RELIEF [VALIDATION DATE: 8412] USER:	A 1650	AS	13-OCT-53			AS	99		
				CS REVIEWER: MI									
AMG248	REV 2			PUMP - HYDRAULIC HAND, TYPE 3000 [VALIDATION DATE: 9012] REVIEWER: MI .....	A 4320	71	26-DEC-90			AV	99		
NOTICE 1													
AMG249	REV 2			VALVE, 3000 PSI HYDRAULIC CHECK [VALIDATION DATE: 8009] USER: CS REVIEWER:	A 1650	AS	30-SEP-59			AV	AS	99	
				MI									
AMG270	REV 7			HOSE ASSEMBLY & DETACHABLE SWIVEL FITTING, LOW PRESSURE [VALIDATION DATE:	A 4720	82	19-AUG-74						99
				8109] USER: CS REVIEWER: MI									
L AMG278	REV 3			VALVE HYDRAULIC-SHUTTLE, 3,000 PSI (UNIVERSAL AND INTERNAL THREAD FITTING	A 4820	71	15-MAR-91						71
				OUTLET) [VALIDATION DATE: 9103]									
A I AMG279	REV 6			VALVE-HYDRAULIC PRESSURE RELIEF TWO PORT [VALIDATION DATE: 9209] .....	A 4820	71	18-SEP-92			AV	AS	99	
NOTICE 1													
AMG280	REV 2			VALVE & 3000 PSI HYDRAULIC CHECK INTERNAL PARTS [VALIDATION DATE: 8406]	A 1650	AS	01-MAR-78			AV	AS	99	
				USER: CS REVIEWER: MI									
L AMG281	REV 3			FUSE & HYDRAULIC QUANTITY MEASURING CLASS 3000, TYPE 1 .....	A 1650	71	12-JAN-87						99
AMG282	REV 4			FUSE & HYDRAULIC QUANTITY MEASURING CLASS 3000, TYPE 2 [VALIDATION DATE:	A 1650	71	27-APR-81			AS	99		
				8605]									
AMG285	REV 3			ADAPTER, AIR PRESSURE GAGE [VALIDATION DATE: 8510]	A 4730	82	21-MAR-79						99
AMG287	REV 5			VALVE -AIR HIGH PRESSURE 3/4 HEX (INACTIVE FOR DESIGN 1 DEC 1955)	A 4820	71	10-MAR-86			AV	99		
NOTICE 1				REVIEWER: MI									
AMG289	REV 7			NUT, TUBE [VALIDATION DATE: 8609] .....	A 4730	82	01-SEP-86						99
NOTICE 1													
L AMG293	REV 3			VALVE, 4-WAY ROTARY SELECTOR, 3,000 PSI, NON-INTERFLOW [VALIDATION DATE:	A 4820	71	09-JUN-92						99
NOTICE 2				9206]									
A L AMG295	REV 1			REGULATOR - 10 GPM HYDRAULIC PRESSURE [VALIDATION DATE: 9209] .....	A 1650	71	30-SEP-92						99
NOTICE 1													
AMG506	REV 5			BELT ASSEMBLY - TROOP AND TURRET GUNNER'S SAFETY .....	A 1680	82	28-AUG-91			AV	99		
NOTICE 2													
AMG571	REV 5			GRIP & PARACHUTE RIP CORD, TRAPEZOIDAL [VALIDATION DATE: 8505] .....	A 1670	AS	04-MAY-53						99
AMG572				FASTENER - PARACHUTE PACK TAB (DVAL) [VALIDATION DATE: 8103] .....	A 1670	AS	30-NOV-45			AS			
AM7023	REV 2			CONNECTOR & VACUUM HOSE, PHOTOGRAPHIC REVIEWER: 70 .....	A 6760	82	23-SEP-53						99
AM7508	REV 2			BELT, GUNNER'S SAFETY [VALIDATION DATE: 8203] .....	A 1680	AS	09-APR-52			AS			
AM7516	REV 3			FITTING & CARGO AIRPLANE TIE DOWN .....	A 1670	82	13-SEP-82			AV	99		
AM8005				STOP & FLEXIBLE PUSH-PULL CONTROL CASING [VALIDATION DATE: 8208] .....	A 1680	AS	12-JUN-44			AS	99		
I AMG011	REV 3			CASE - FLIGHT REPORT HOLDER AND MAP .....	A 1680	AS	05-JUN-58			AV	AS	99	
AM8015	REV 3			KIT & AIRPLANE MORGING .....	A 1730	82	30-JUN-83			AS	99		
AM8016	REV 3			CASING - FLEXIBLE, STEEL, PUSH-PULL CONTROL [VALIDATION DATE: 8208] .....	A 1680	AS	05-OCT-51			AS	99		
AM8018	REV A			NORM. FLYER'S RELIEF TUBE [VALIDATION DATE: 8908]	A 1680	82	26-AUG-89			AV	AS	99	
AM8019	REV 1			TEE - FLYER'S RELIEF TUBE [VALIDATION DATE: 8901] REVIEWER: CS .....	A 4730	82	16-JAN-89			AV	AS	99	
AM8020	REV 2			BRACKET, FLYERS RELIEF TUBE HORIZONTAL .....	A 1680	82	01-FEB-76			AV	AS	82	
NOTICE 1													
L AMG030				REEL - TOM TARGET, 12,000 FOOT CABLE CAPACITY, AIRBORNE [VALIDATION DATE:	A 6920	AS	07-JUN-49			AS			
				8410]									
AM8510	REV 2			KNOCKOUT & THREADED TAPER PIN [VALIDATION DATE: 8307] USER: GL .....	A 5120	AS	24-FEB-47			AS	99		



## ACTIVE SECTION

NUMERICAL LISTING  
AIR FORCE - NAVY AERONAUTICAL STANDARDS

Doc. / Chg. / Revision / Date		Doc. Title		Doc. / Chg. / Revision / Date		Doc. / Chg. / Revision / Date		Custodians	
Doc. / Chg. / Revision / Date	Doc. Title	Doc. / Chg. / Revision / Date	Doc. Title	Doc. / Chg. / Revision / Date	Doc. Title	Doc. / Chg. / Revision / Date	Doc. Title	Army	Navy
AN8516 REV A	WRENCH AND 1-2 INCH SQUARE DRIVE ADJUSTABLE SPANNER (3.5 TO 6 INCHES DIA) (INACTIVE USE MS8516 FOR DESIGN) [VALIDATION DATE: 8301] USER: GL	A 5120	84	29-JUL-75	AV	99			
AN100036 REV 2	COVER & TYPE XI ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8205]	A 2995	82	08-JAN-58	AV	AS	99		
AN100039 REV 2	COVER-TYPE XIII ENGINE ACCESSORY DRIVE (INACTIVE FOR DESIGN 26 OCT 1972) [VALIDATION DATE: 8401] REVIEWER: 82	A 2995	15	26-OCT-72	AV	AS	99		
AN100041 REV 2	COVER&TYPE XII, XIV&A, XIV&B, XIV&C, XVII&A AND XVII&B ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8205]	A 2995	82	08-JAN-58	AV	AS	99		
AN100044 REV 3	COVER&TYPE XVI, XVII&C,D,E AND F ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8111]	A 2995	82	08-JAN-58	AS	99			
D 1 AN101001THRUAM101100 REV 3	BOLT - HEX HEAD, .190-32 REVIEWER: 82 MI	A 5306	15	30-JUN-86	AV	AS	11		
D 1 AN101101THRUAM101200 REV 3	BOLT - HEX HEAD, .250-28 USER: ME REVIEWER: 82	A 5306	15	30-JUN-86	AV	AS	11		
D 1 AN101201THRUAM101300 REV 3	BOLT - HEX HEAD, .3125-24 USER: ME REVIEWER: 82 MI	A 5306	15	30-JUN-86	AV	AS	11		
D 1 AN101301THRUAM101400 REV 3	BOLT - HEX HEAD, .375-24 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] USER: ME REVIEWER: 82	A 5306	15	03-MAR-69	AV	AS	99		
AN101401THRUAM101500 REV 3	BOLT - HEX HEAD, .4375-20 (INACTIVE AFTER 3 MAR 1969) REVIEWER: 15	A 5306	11	30-JUN-86	AS	11			
AN101501THRUAM101600 REV 3	BOLT - HEX HEAD, .500-20 (INACTIVE AFTER 3 MAR 69 REVIEWER: 15	A 5306	11	30-JUN-86	AV	AS	11		
AN101601THRUAM101700 REV 3	BOLT - HEX HEAD, .5625-18 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8202] REVIEWER: 82	A 5306	15	03-MAR-69	AV	AS	99		
AN101701THRUAM101800 REV 3	BOLT - HEX HEAD, .625-18 (INACTIVE AFTER 3 MAR 1969) REVIEWER: 15	A 5306	11	30-JUN-86	AV	AS	11		
AN101901THRUAM102000 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .190-32 (INACTIVE AFTER 3 MAR 1969) REVIEWER: 15	A 5306	11	30-JUN-86	AV	AS	99		
D AN102001THRUAM102100 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .250-28 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AV	AS	99		
D AN102101THRUAM102200 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .3125-24 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AV	AS	99		
D AN102201THRUAM102300 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .375-24 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AS	99			
D AN102301THRUAM102400 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .4375-20 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AS	99			
D AN102401THRUAM102500 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .500-20 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AS	99			
D AN102501THRUAM102600 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .5625-18 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AS	99			
D AN102601THRUAM102700 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .625-18 (INACTIVE AFTER 3 MAR 1969) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AS	99			
D 1 AN102701THRUAM102800 REV 3	BOLT - HEX HEAD, DRILLED SHANK, .750-16 REVIEWER: 82	A 5306	15	30-JUN-86	AV	AS	11		
D 1 AN102801THRUAM102900 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .190-32 USER: ME REVIEWER: 82	A 5306	15	30-JUN-86	AV	AS	11		
D AN102901THRUAM103000 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .250-28 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] USER: ME REVIEWER: 82	A 5306	15	03-MAR-69	AV	AS	99		
AN103001THRUAM103100 REV 5	BOLT - DRILLED HEX HEAD, 1 HOLE, .3125-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	11		
AN103101THRUAM103200 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .375-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	99		
1 AN103201THRUAM103300 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .4375-20 REVIEWER: 15	A 5306	11	30-JUN-86	AV	AS	11		
AN103301THRUAM103400 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .500-20 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15 MI	A 5306	99	03-MAR-69	AS	99			
AN103401THRUAM103500 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .5625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8202] REVIEWER: 15	A 5306	99	03-MAR-69	AS	99			
AN103501THRUAM103600 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	99		
AN103601THRUAM103700 REV 3	BOLT - DRILLED HEX HEAD, 1 HOLE, .750-16 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AS	99			
1 AN103701THRUAM103800 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .190-32 REVIEWER: 15 MI	A 5306	11	30-JUN-86	AV	AS	11		
AN103801THRUAM103900 REV 2	BOLT - DRILLED HEX HEAD, 6 HOLES, .250-28 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	99		
AN103901THRUAM104000 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .3125-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	99		
D AN104001THRUAM104100 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .375-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 82	A 5306	15	03-MAR-69	AS	99			
AN104001	BOLT - DRILLED HEX HEAD, 6 HOLES, .375-24 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	82	03-MAR-69	AS	99			
AN104101THRUAM104200 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .4375-20 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	99		
AN104201THRUAM104300 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .500-20 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	99		
AN104301THRUAM104400 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .5625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AV	AS	99		
AN104401THRUAM104500 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .625-18 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AS	99			
AN104501THRUAM104600 REV 3	BOLT - DRILLED HEX HEAD, 6 HOLES, .750-16 (INACTIVE 3-3-69) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	03-MAR-69	AS	99			
AN104601THRUAM104700 REV 2	BOLT - CRES HEX HEAD, .190-32 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] USER: ME REVIEWER: 15 MI	A 5306	99	27-DEC-66	AV	AS	99		
AN104701THRUAM104800 REV 3	BOLT - CRES HEX HEAD, .250-28 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: 15 MI	A 5306	99	27-DEC-66	AV	AS	99		
AN104801THRUAM104900 REV 3	BOLT - CRES HEX HEAD, .3125-24 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN104901THRUAM105000 REV 3	BOLT - CRES HEX HEAD, .375-24 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN105001THRUAM105100 REV 3	BOLT - CRES HEX HEAD, .4375-20 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN105101THRUAM105200 REV 3	BOLT - CRES HEX HEAD, .5000-20 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN105201THRUAM105300 REV 3	BOLT - CRES HEX HEAD, .5625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN105301THRUAM105400 REV 3	BOLT - CRES HEX HEAD, .625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
1 AN105401THRUAM105500 REV 3	BOLT - CRES HEX HEAD, .750-15 REVIEWER: 15	A 5306	11	30-JUN-86	AV	AS	11		
AN105501THRUAM105600 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .190-32 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN105601THRUAM105700 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .250-28 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN105601THRUAM105650 REV 1	BOLT - CRES HEX HEAD, DRILLED SHANK, .250-28 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	82	27-DEC-66	AV	AS	99		
AN105701THRUAM105800 REV 4	BOLT - CRES HEX HEAD, DRILLED SHANK, .3125-24 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
1 AN105801THRUAM105900 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .375-24 REVIEWER: 15	A 5306	11	30-JUN-86	AV	AS	11		
1 AN105901THRUAM106000 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .4375-20 REVIEWER: 15	A 5306	11	30-JUN-86	AV	AS	11		
AN106001THRUAM106100 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .500-20 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN106101THRUAM106200 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .5625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		
AN106201THRUAM106300 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .625-18 (INACTIVE 12-27-66) [VALIDATION DATE: 8205] REVIEWER: 15	A 5306	99	27-DEC-66	AV	AS	99		



## ACTIVE SECTION

NUMERICAL LISTING  
AIR FORCE - NAVY AERONAUTICAL STANDARDS

Action CPL / OIA Coordination Machine Document Number	Document Title	Dist. Smt. FSC / Jsc MCA Symbol	Preparing Date	Custodians			
				Army	Navy	Air Force	DIA
AM106301THRUAM106400 REV 3	BOLT - CRES HEX HEAD, DRILLED SHANK, .750-16 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM106401THRUAM106500 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .190-32 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5306	99 27-DEC-66	AV	AS	99	
AM106501THRUAM106600 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .250-28 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5306	99 27-DEC-66	AV	AS	99	
AM106601THRUAM106700 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .3125-24 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM106701THRUAM106800 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .375-24 REVIEWER: IS	A 5306	11 30-JUN-86	AV	AS	11	
AM106801THRUAM106900 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .4375-20 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM106901THRUAM107000 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .500-20 (INACTIVE AFTER 27 DEC 1966) REVIEWER: IS	A 5306	11 30-JUN-86	AV	AS	11	
AM107001THRUAM107100 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .5625-18 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM107101THRUAM107200 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .625-18 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM107201THRUAM107300 REV 3	BOLT - CRES DRILLED HEX HEAD, 1 HOLE, .750-16 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5306	99 27-DEC-66	AV	AS	99	
AM107301THRUAM107400 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .190-32 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5306	99 27-DEC-66	AV	AS	99	
AM107401THRUAM107500 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .250-28 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5306	99 27-DEC-66	AV	AS	99	
AM107501THRUAM107600 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .3125-24 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5306	99 27-DEC-66	AV	AS	99	
AM107601THRUAM107700 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .375-24 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM107701THRUAM107800 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .4375-20 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM107801THRUAM107900 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .500-20 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM107901THRUAM108000 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .5625-18 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM108001THRUAM108100 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .625-18 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM108101THRUAM108200 REV 3	BOLT - CRES DRILLED HEX HEAD, 6 HOLES, .750-16 (INACTIVE AFTER 27 DEC 1966) [VALIDATION DATE: 8205] REVIEWER: IS	A 5306	99 27-DEC-66	AV	AS	99	
AM115401THRUAM115450 REV 2	SCREW & FLAT FILLISTER HEAD, .190632 [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5305	99 04-OCT-54	AV	AS	99	
AM115451THRUAM115500 REV 3	SCREW & FLAT FILLISTER HEAD, .250628 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 24-JUL-63	AV	AS	99	
AM115501THRUAM115550 REV 2	SCREW & FLAT FILLISTER HEAD, .3125624 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 04-OCT-54	AS	99		
AM115551THRUAM115600 REV 3	SCREW FLAT FILLISTER HEAD, .375-24 (INACTIVE 10-26-72) [VALIDATION DATE: 8304] REVIEWER: 99 IS	A 5305	11 26-OCT-72	AS	11		
AM115601THRUAM115650 REV 2	SCREW & FLAT FILLISTER HEAD, DRILLED SHANK, .190632 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 04-OCT-54	AS	99		
AM115651THRUAM115700 REV 3	SCREW & FLAT FILLISTER HEAD, DRILLED SHANK, .250628 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 01-AUG-55	AS	99		
AM115701THRUAM115750 REV 3	SCREW-FLAT FILLISTER HEAD, DRILLED SHANK, .3125-24 (INACTIVE FOR DESIGN 26 OCT 1972) [VALIDATION DATE: 8304] REVIEWER: IS	A 5305	11 26-OCT-72	AS	11		
AM115751THRUAM115800 REV 3	SCREW FLAT FILLISTER HEAD, DRILLED SHANK, .375-24 (INACTIVE 10-26-72) [VALIDATION DATE: 8304] REVIEWER: IS	A 5305	11 26-OCT-72	AV	AS	11	
AM115801THRUAM115850 REV 2	SCREW & FLAT FILLISTER, DRILLED HEAD, .190632 [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5305	99 04-OCT-54	AS	99		
AM115851THRUAM115900 REV 2	SCREW & FLAT FILLISTER, DRILLED HEAD, .250620 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 04-OCT-54	AV	AS	99	
AM115901THRUAM115950 REV 2	SCREW & FLAT FILLISTER, DRILLED HEAD, .250628 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 04-OCT-54	AV	AS	99	
AM115951THRUAM116000 REV 2	SCREW & FLAT FILLISTER, DRILLED HEAD, .3125618 [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5305	99 04-OCT-54	AS	99		
AM116001THRUAM116050 REV 2	SCREW & FLAT FILLISTER, DRILLED HEAD, .3125624 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 04-OCT-54	AS	99		
AM116051THRUAM116100 REV 2	SCREW & FLAT FILLISTER, DRILLED HEAD, .375616 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 04-OCT-54	AS	99		
AM116101THRUAM116150 REV 2	SCREW & FLAT FILLISTER, DRILLED HEAD, .375624 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 04-OCT-54	AS	99		
AM116901THRUAM116912 REV 1	SCREW & OVAL FILLISTER HEAD, .112840 REV [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5305	99 14-DEC-54	AS	99		
AM116913THRUAM116924 REV 2	SCREW & OVAL FILLISTER DRILLED HEAD, .112840 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 14-DEC-54	AV	AS	99	
AM116925THRUAM116960 REV 1	SCREW & OVAL FILLISTER HEAD, .138632 [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5305	99 14-DEC-54	AV	AS	99	
AM116961THRUAM117000 REV 2	SCREW & OVAL FILLISTER DRILLED HEAD, .138632 [VALIDATION DATE: 8312] REVIEWER: IS MI	A 5305	82 31-MAR-58	AV	AS	99	
AM117001THRUAM117040 REV 1	SCREW & OVAL FILLISTER HEAD, .164632 [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5305	99 14-DEC-54	AV	AS	99	
AM117041THRUAM117080 REV 1	SCREW & OVAL FILLISTER DRILLED HEAD, .164632 [VALIDATION DATE: 8205] REVIEWER: IS	A 5305	99 14-DEC-54	AV	AS	82	
AM121501THRUAM121525 REV 2	NUT & PLAIN [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5310	99 25-MAR-55	AV	AS	99	
AM121551THRUAM121575 REV 2	NUT, PLAIN, CASTELLATED HEXAGON (INACTIVE USE AM 121562 [VALIDATION DATE: 8304] REVIEWER: IS	A 5310	11 25-MAR-55	AV	AS	99	
AM121601THRUAM121650 REV 3	PIN, STRAIGHT, HEADED - .125 NOM. [VALIDATION DATE: 8304] REVIEWER: 82	A 5315	15 28-AUG-62	AR	AS	11	
AM121651THRUAM121700 REV 3	PIN, STRAIGHT, HEADED - .187 NOM. [VALIDATION DATE: 8304] REVIEWER: 82	A 5315	15 28-AUG-62	AR	AS	11	
AM121701THRUAM121750 REV 3	PIN, STRAIGHT, HEADED - .250 NOM. [VALIDATION DATE: 8205] REVIEWER: 82	A 5315	15 28-AUG-62	AR	AS	99	
AM121751THRUAM121800 REV 3	PIN, STRAIGHT, HEADED - .312 NOM. [VALIDATION DATE: 8205] REVIEWER: 82	A 5315	15 28-AUG-62	AR	AS	99	
AM121801THRUAM121850 REV 3	PIN, STRAIGHT, HEADED - .375 NOM. [VALIDATION DATE: 8304] REVIEWER: 15	A 5315	11 28-AUG-62	AR	AS	11	
AM121851THRUAM121925 REV 3	PIN, STRAIGHT, HEADED - .500 NOM. [VALIDATION DATE: 8205] REVIEWER: 82	A 5315	15 28-AUG-62	AR	AS	99	
AM122676THRUAM122775 REV 2	PIN - DOMEL, STEEL [VALIDATION DATE: 8205] REVIEWER: IS MI	A 5315	82 06-NOV-73	AV	AS	99	
AM122776THRUAM122802 REV 2	KEY-CHAMFERED WOODRUFF (INACTIVE AFTER 29 JAN 1960) [VALIDATION DATE: 8205] REVIEWER: IS	A 5315	99 29-JUL-59	AV	AS	99	
AM123020THRUAM123119 REV 6	GASKET, ALUMINUM-ASBESTOS, ANNULAR [VALIDATION DATE: 8304] REVIEWER: 11 IS	A 5330	99 02-NOV-73	AV	AS	82	
AM123151THRUAM123300 REV 4	RIVET & UNIVERSAL HEAD, HIGH TEMPERATURE, AMS7229 [VALIDATION DATE: 8104] REVIEWER: IS	A 5320	99 27-JUN-74	AV	AS	82	
AM123301THRUAM123450 REV 4	RIVET & UNIVERSAL HEAD, HIGH TEMPERATURE, AMS7232 [VALIDATION DATE: 8005] NOTICE 1 REVIEWER: 82	A 5320	15 27-JUN-74	AV	AS		
AM123451THRUAM123600 REV 4	RIVET & COUNTERSUNK HEAD, HIGH TEMPERATURE, AMS 7229 [VALIDATION DATE: 8005] REVIEWER: IS MI	A 5320	99 27-JUN-74	AV	AS	82	
AM123601THRUAM123750 REV 4	RIVET & COUNTERSUNK HEAD, HIGH TEMPERATURE, AMS7232 [VALIDATION DATE: 8005] REVIEWER: 82	A 5320	15 27-JUN-74	AV	AS	99	
AM123851THRUAM123950 REV 1	PACKING, PERFORMED-AMS 7274 (O) RING [VALIDATION DATE: 8306] REVIEWER: 11 82 MI	A 5330	15 08-JUN-49	AV	AS	99	
AM123951THRUAM124050 REV 2	SEAL - O RING, AMS 7270 [VALIDATION DATE: 8306] REVIEWER: 11 82 AT	A 5330	15 24-DEC-64	AV	AS	99	
AM124951THRUAM125100 REV 3	RIVET - 100 DEG. COUNTERSUNK HEAD CORROSION RESISTANT STEEL [VALIDATION DATE: 9004] REVIEWER: 82 MI	A 5320	15 23-APR-90	AV	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
AIR FORCE - NAVY AERONAUTICAL STANDARDS

Action	Doc. / OMA / Conformation / Inactive	Document Number	Document Title	Doc. Smt.	FNC / Area	MCA Symbol	Preparation Date	Custodians			
								Army	Navy	Air Force	OMA
D	AN125401THRUAN125550	REV 3	RIVET & UNIVERSAL HEAD, CORROSION RESISTANT STEEL (VALIDATION DATE: 8005)	A 5320	15	27-JUN-74	AV	AS	99		
	NOTICE 1		REVIEWER: B2 M1								
D	AN125551THRUAN125700	REV 3	RIVET & UNIVERSAL HEAD, MILD STEEL (VALIDATION DATE: 8005) REVIEWER: B2 ...	A 5320	15	27-JUN-74	AV	AS	99		
D	AN125901THRUAN125950	REV 1	PLUG, STRAIGHT THREAD, O RING SEAL, STEEL (VALIDATION DATE: 8205) .....	A 5330	82	01-SEP-55	AV	AS	99		
D	AN125951THRUAN126274	REV 2	STUD-STRAIGHT, .250-20 X .250-28 (INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8205) REVIEWER: B2	A 5307	15	23-JUN-58	AV	AS	99		
D	AN126275THRUAN126586	REV 2	STUD-STRAIGHT, .3125-18 X .3125-24 (INACTIVE FOR NEW DESIGN) (VALIDATION DATE: 8205) REVIEWER: B2	A 5307	15	23-JUN-58	AV	AS	99		
D	AN126587THRUAN126652	REV 2	STUD & STRAIGHT, .375-16 X .375-24 (VALIDATION DATE: 8205) REVIEWER: B2 ...	A 5307	15	23-JUN-58	AS	99			
D	AN126653THRUAN126712	REV 3	STUD-STRAIGHT, .4375-14 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN126713THRUAN126766	REV 3	STUD STRAIGHT, .500-13 X .500-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN126767THRUAN126820	REV 3	STUD - STRAIGHT, .5625-12 X .5625-18 REVIEWER: B2 .....	A 5307	15	30-JUN-86	AV	AS	11		
D	AN126821THRUAN126880	REV 3	STUD-STRAIGHT, .625-11 X .625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN126881THRUAN127192	REV 2	STUD & STRAIGHT, NECKED, .375-16 X .375-24 (VALIDATION DATE: 8205) REVIEWER: B2	A 5307	15	23-JUN-58	AV	AS	99		
D	AN127193THRUAN127492	REV 2	STUD - STRAIGHT, NECKED, .4375-14 X .4375-20 REVIEWER: B2 .....	A 5307	15	30-JUN-86	AV	AS	11		
D	AN127493THRUAN127786	REV 3	STUD STRAIGHT, NECKED, .500-13 X .500-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN127787THRUAN128086	REV 3	STUD-STRAIGHT, NECKED, .5625-12 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8503) REVIEWER: B2	A 5307	82	26-OCT-72	AS	11			
D	AN128087THRUAN128362	REV 3	STUD STRAIGHT, NECKED, .625-11 X .625-18 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN128363THRUAN128686	REV 2	STUD & STRAIGHT, DRILLED, .250-20 X .250-28 (VALIDATION DATE: 8205) REVIEWER: B2	A 5307	15	23-JUN-58	AV	AS	99		
D	AN128687THRUAN128998	REV 2	STUD & STRAIGHT, DRILLED, .3125-18 X .3125-24 (VALIDATION DATE: 8205) REVIEWER: B2	A 5307	15	23-JUN-58	AS	99			
D	AN128999THRUAN129064	REV 3	STUD, STRAIGHT, DRILLED, .375-16 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN129065THRUAN129124	REV 3	STUD STRAIGHT, DRILLED, .4375-14 X .4375-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN129125THRUAN129178	REV 3	STUD-STRAIGHT, DRILLED, .500-13 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN129179THRUAN129232	REV 3	STUD STRAIGHT, DRILLED, .5625-12 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN129233THRUAN129292	REV 3	STUD-STRAIGHT, DRILLED, .625-11 X .625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8005) REVIEWER: B2	A 5307	15	26-OCT-73	AS	11			
D	AN129293THRUAN129604	REV 2	STUD & STRAIGHT, DRILLED, NECKED, .375-16 X .375-24 (VALIDATION DATE: 8205) REVIEWER: B2	A 5307	15	23-JUN-58	AS	99			
D	AN129605THRUAN129904	REV 3	STUD STRAIGHT, DRILLED, NECKED, .4375-14 X .4375-20 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN129905THRUAN130198	REV 3	STUD-STRAIGHT, DRILLED, NECKED, .500-13 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN130199THRUAN130498	REV 3	STUD STRAIGHT, DRILLED, NECKED, .5625-12 X .5625-18 (INACTIVE 10-26-72) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
D	AN130499THRUAN130774	REV 3	STUD-STRAIGHT, DRILLED, NECKED, .625-11 X .625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: B2	A 5307	15	26-OCT-72	AS	11			
I	AN148551THRUAN148650	REV 3	BOLT - SOCKET HEAD, 6-HOLE DRILLED, .190-32 REVIEWER: IS .....	A 5307	11	30-JUN-86	AV	AS	11		
	AN148651THRUAN148750	REV 3	BOLT-SOCKET HEAD, 6 HOLES DRILLED, .250-28 (INACTIVE AFTER 1 JAN 1960) (SEE MS 9089) (VALIDATION DATE: 8205) REVIEWER: IS	A 5306	99	01-AUG-58	AV	AS	99		
	AN148751THRUAN148850	REV 3	BOLT-SOCKET HEAD, 6 HOLES DRILLED, .3125-24 (INACTIVE AFTER 1 JAN 1960) (SEE MS 9090) (VALIDATION DATE: 8205) REVIEWER: IS	A 5306	99	01-AUG-58	AV	AS	99		
	AN148851THRUAN148950	REV 3	BOLT-SOCKET HEAD, 6 HOLES DRILLED, .375-24 (INACTIVE AFTER 1 JAN 1960) (SEE MS 9091) (VALIDATION DATE: 8304) REVIEWER: IS	A 5306	11	01-AUG-58	AV	AS	11		
	AN148951THRUAN149050	REV 3	BOLT-SOCKET HEAD, 6 HOLES DRILLED, .4375-20 (INACTIVE AFTER 1 JAN 1960) (SEE MS 9092) (VALIDATION DATE: 8205) REVIEWER: IS	A 5306	99	01-AUG-58	AS	99			
	AN149051THRUAN149150	REV 3	BOLT-SOCKET HEAD, 6 HOLES DRILLED, .500-20 (INACTIVE AFTER 1 JAN 1960) (SEE MS 9093) (VALIDATION DATE: 8205) REVIEWER: IS	A 5306	99	01-AUG-58	AS	99			
	AN149151THRUAN149250	REV 2	BOLT-SOCKET HEAD, 6 HOLES DRILLED, .5625-18 (INACTIVE AFTER 1 JAN 1960) (SEE MS 9094) (VALIDATION DATE: 8205) REVIEWER: IS	A 5306	82	01-AUG-58	AS	99			
	AN149251THRUAN149350	REV 2	BOLT-SOCKET HEAD, 6 HOLES DRILLED, .625-18 (VALIDATION DATE: 8306) REVIEWER: IS	A 5306	82	01-AUG-58	AS	99			
	AN149351THRUAN149450		BOLT-SOCKET HEAD, 6 HOLES DRILLED, .625-18 (VALIDATION DATE: 8306) REVIEWER: IS	A 5306	82	01-AUG-58	AS	99			
	AN150301THRUAN150400		PIN & LOCK, BRASS (VALIDATION DATE: 8205) REVIEWER: IS .....	A 5315	82	26-JUL-49	AV	AS	99		
	AN150401THRUAN150425		NUT & HEX, CHECK (VALIDATION DATE: 8306) REVIEWER: IS .....	A 5310	82	09-JUN-50	AV	AS	99		
	AN150426THRUAN150450		NUT & HEX, SHEAR, SLOTTED (VALIDATION DATE: 8306) REVIEWER: IS .....	A 5310	82	09-JUN-50	AV	AS	99		
D	AN150501THRUAN150800	REV 3	STUD, STEPPED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32 (VALIDATION DATE: 8807) REVIEWER: B2	A 5307	15	22-JUL-88	AV	AS	99		
D	AN150801THRUAN151100	REV 2	STUD, STEPPED, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 (VALIDATION DATE: 8306) REVIEWER: B2	A 5307	15	14-OCT-81	AV	AS	99		
D	AN151101THRUAN151400	REV 2	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 X .3125-24 (INACTIVE FOR DESIGN)	A 5307	15	14-OCT-81	AV	AS	11	15	
D	AN151401THRUAN151700	REV 2	STUD, STEPPED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 REVIEWER: B2 .....	A 5307	15	14-OCT-81	AV	AS	99		
D	AN151701THRUAN152000	REV 3	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: B2	A 5307	15	14-OCT-81	AS	11			
D	AN152001THRUAN152300	REV 4	STUD STEPPED, 1.5 DIA, ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72)	A 5307	15	14-OCT-81	AS	11	15		
D	AN152301THRUAN152600	REV 3	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972) (VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS	11			
D	AN152601THRUAN152900	REV 3	STUD, STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .250-20 X .190-32 REVIEWER: B2	A 5307	15	30-JUN-86	AV	AS	99	15	
D	AN152901THRUAN153200	REV 2	STUD & STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 REVIEWER: B2	A 5307	15	14-OCT-81	AS	99			
D	AN153201THRUAN153500	REV 4	STUD STEPPED, DRILLED, 1.5 DIA, ENGAGEMENT, .375-16 X .3125-24 (INACTIVE 10-26-72) REVIEWER: B2	A 5307	15	14-OCT-81	AS	11			
D	AN153501THRUAN153800	REV 4	STUD-STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN) REVIEWER: IS	A 5307	11	14-OCT-81	AS	11			
D	AN153801THRUAN154100	REV 4	STUD-STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: IS	A 5307	11	14-OCT-81	AS	11			
D	AN154101THRUAN154400	REV 4	STUD-STEPPED, DRILLED, 1.5 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: IS	A 5307	11	14-OCT-81	AS	11			
D	AN154401THRUAN154700	REV 4	STUD STEPPED, DRILLED, 1.5 DIA, ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72) REVIEWER: MS	A 5307	15	09-AUG-87	AS	11	15		
D	AN154701THRUAN155000	REV 2	STUD & STEPPED, 2 DIA ENGAGEMENT, .250-20 X .190-32 (VALIDATION DATE: 8205) REVIEWER: MS	A 5307	15	14-OCT-81	AV	AS	99	15	
D	AN155001THRUAN155300	REV 3	STUD, STEPPED, 2 DIA ENGAGEMENT, .3125-18 X .250-28 .....	A 5307	15	30-JUN-86	AV	AS	99	15	
D	AN155301THRUAN155600	REV 2	STUD, STEPPED, 2 DIA ENGAGEMENT, .375-16 X .3125-24 .....	A 5307	15	14-OCT-81	AV	AS	99	15	
D	AN155601THRUAN155900	REV 4	STUD-STEPPED, 2 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972) REVIEWER: IS	A 5307	11	14-OCT-81	AS	11			
D	AN155901THRUAN156200	REV 4	STUD STEPPED, 2 DIA ENGAGEMENT, .500-13 X .4375-20 REVIEWER: B2 .....	A 5307	15	28-FEB-93					
D	AN156201THRUAN156500	REV 4	STUD-STEPPED, 2 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 26 OCT 1972) REVIEWER: IS	A 5307	11	14-OCT-81	AS	11			
D	AN156501THRUAN156800	REV 4	STUD STEPPED, 2 DIA, ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72) REVIEWER: IS	A 5307	11	14-OCT-81	AS	11			



## ACTIVE SECTION

NUMERICAL LISTING  
AIR FORCE - NAVY AERONAUTICAL STANDARDS

Action OIA / OIA Coordination Machine		Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol	Preparing Date	Custodians			
						Army	Navy	Air Force	DLA
		AM156801THRUAM157100	REV 3	STUD. STEPPED, DRILLED, 2 DIA ENGAGEMENT, .250-20 X .190-32	REVIEWER: IS	A 5307	11	14-OCT-81	AV AS 11
		AM157101THRUAM157400	REV 4	STUD-STEPPED, DRILLED, 2 DIA ENGAGEMENT, .3125-18 X .250-28 (INACTIVE FOR DESIGN)	REVIEWER: IS	A 5307	11	14-OCT-81	AV AS 11
		AM157401THRUAM157700	REV 4	STUD STEPPED, DRILLED, 2 DIA. ENGAGEMENT, .375-16 X .3125-24 (INACTIVE 10-26-72)	REVIEWER: IS	A 5307	11	14-OCT-81	AS 11
		AM157701THRUAM158000	REV 4	STUD-STEPPED, DRILLED, 2 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972)	REVIEWER: IS	A 5307	11	14-OCT-81	AS 11
		AM158001THRUAM158300	REV 4	STUD STEPPED, DRILLED, 2 DIA. ENGAGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72)	REVIEWER: IS	A 5307	11	14-OCT-81	AS 11
		AM158301THRUAM158600	REV 4	STUD-STEPPED, DRILLED, 2 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972)	REVIEWER: IS	A 5307	11	14-OCT-81	AS 11
		AM158601THRUAM158900	REV 4	STUD. STEPPED, DRILLED, 2 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72)	REVIEWER: IS	A 5307	11	14-OCT-81	AS 11
D		AM158901THRUAM159200	REV 2	STUD & STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .4375&14 X .375&24 (VALIDATION DATE: 8304)	REVIEWER: B2	A 5307	15	25-MAR-55	AV AS 11
		AM159201THRUAM159500	REV 3	STUD-STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM159501THRUAM159800	REV 3	STUD STEPPED, NECKED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	25-OCT-72	AS 11
		AM159801THRUAM160100	REV 3	STUD-STEPPED, NECKED, 1.5 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM160101THRUAM160400	REV 3	STUD STEPPED, DRILLED, NECKED, 1.5 DIA. ENGAGEMENT, .4375-14 X .375-24 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	25-OCT-72	AS 11
		AM160401THRUAM160700	REV 2	STUD-STEPPED, DRILLED, NECKED, 1.5 DIA ENGAGEMENT, .500-13 X .4375-20 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM160701THRUAM161000	REV 3	STUD STEPPED, DRILLED, NECKED, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
D		AM162201THRUAM162500	REV 3	STUD-STEPPED, NECKED, 2 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972)		A 5307	15	30-JUN-86	AS 11 IS
D		AM162501THRUAM162800	REV 2	STUD & STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, .4375&14 X .37	.....	A 5307	15	30-JUN-86	AV AS 99 IS
D		AM163101THRUAM163400	REV 3	STUD-STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972)		A 5307	15	30-JUN-86	AS 11 IS
L		AM164601THRUAM164900	REV 3	STUD STEPPED, NECKED, WRENCH PAD, 1.5 DIA. ENLARGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304)	A 5307	11	26-OCT-72	11
L		AM164901THRUAM165200	REV 3	STUD-STEPPED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	11
		AM165201THRUAM165500	REV 3	STUD STEPPED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	11
		AM165501THRUAM165800	REV 3	STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .3125-18 X .250-28 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM165801THRUAM166100	REV 3	STUD STEPPED, DRILLED, NECKED, WRENCH PAD 1.5 DIA. ENGAGEMENT, .375-16 X .3125-24 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM166101THRUAM166400	REV 3	STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM166401THRUAM166700	REV 3	STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM166701THRUAM167000	REV 3	STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .5625-12 X .500-20 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM167001THRUAM167300	REV 3	STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 1.5 DIA. ENGAGEMENT, .625-11 X .5625-18 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
L		AM167301THRUAM167600	REV 3	STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .3125-18 AM 167600-REV 1 (INACTIVE)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	11
		AM167601THRUAM167900	REV 3	STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .375-16 X .3125-24 (INACTIVE FOR DESIGN)	(VALIDATION DATE: 8005) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM167901THRUAM168200	REV 3	STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .4375-14 X .375-24 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM168201THRUAM168500	REV 3	STUD STEPPED, NECKED, WRENCH PAD, 2 DIA. ENGAGEMENT, .500-13 X .4375-20 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM168501THRUAM168800	REV 3	STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .5625-12 X .500-20 (INACTIVE FOR DESIGN)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM168801THRUAM169100	REV 3	STUD-STEPPED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM169101THRUAM169400	REV 3	STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA. ENGAGEMENT, .3125-18 X .250-28 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM169401THRUAM169700	REV 3	STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .375-16 X .3125-24 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM169701THRUAM170000	REV 3	STUD STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA. ENGAGEMENT, .4375-14 X .375-24 (INACTIVE 10-26-72)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM170001THRUAM170300	REV 3	STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .500-13 X .4375-20, (INACTIVE FOR DESIGN)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM170301THRUAM170600	REV 3	STUD-STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .5625-12 X .5000-20 (INACTIVE FOR DESIGN 26 OCT 1972)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	26-OCT-72	AS 11
		AM170601THRUAM170900	REV 3	STUD AND STEPPED, DRILLED, NECKED, WRENCH PAD, 2 DIA ENGAGEMENT, .625-11 X .5625-18 (INACTIVE FOR DESIGN)	(VALIDATION DATE: 8304) REVIEWER: IS	A 5307	11	25-MAR-55	AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
AIR FORCE - NAVY AERONAUTICAL DESIGN STANDARDS

Action CPL / OML Coordination Inactive	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Army	Date	Custodians			
						Army	Navy	Air Force	DLA
L	AND10002 REV 2	MOUNTING PAD AND DRIVE - AIRCRAFT ENGINE GENERATOR AND POWER TAKE-OFF [VALIDATION DATE: 8004]	A 2925	AS	24-OCT-49	AS			
	AND10050 REV 5	BOSSSES, STANDARD DIMENSIONS FOR GASKET SEAL STRAIGHT THREAD (INACTIVE) REVIEWER: 11	A MISC	B2	24-JUL-84	WP	99		
	AND10051 REV 3	HUBS, CONDUIT CONNECTION, STANDARD DIMENSIONS	A 5975	AS	30-OCT-90	AV	AS	99	
	AND10052 REV 2	BOSS-STANDARD DIMENSIONS FOR EXTERNAL PIPE THREAD [VALIDATION DATE: 7805] USER: 71	A 4730	B2	01-JUN-54	AS	99		
	AND10059 REV 3	FITTING - STYLE OF PIPE THREADED, FLARED TUBE AND HOSE [VALIDATION DATE: 8503]	A 4730	B2	09-JAN-64	AS	11		
	AND10065 REV 2	CONNECTION ASSEMBLY - FLEXIBLE, FLUID, STANDARD DESIGN OF [VALIDATION DATE: 8107]	A MISC	AS	26-MAR-46	AS	11		
L	AND10067 REV 3	VALVE INSTALLATION - HYDRAULIC BLEEDER (STANDARD DIMENSIONS FOR) [VALIDATION DATE: 8312]	A 4820	AS	01-JUN-54	AS			
	AND10068 REV 4	NUTS AND PLATE NUTS - SELF LOCKING, FUNCTIONAL LIMITATIONS OF (USE MS35588) [VALIDATION DATE: 8509]	A 5310	AS	13-OCT-77	AS	11		
	AND10070 REV 3	ADAPTER - OXYGEN FILLER [VALIDATION DATE: 8406] REVIEWER: AV	A 4730	B2	24-JUL-70	AS	99		
L	AND10071 REV 5	BOSS & INSTALLATIONS, AIR CONNECTION (AM 6287) [VALIDATION DATE: 8312] USER: ME REVIEWER: MI	A 4730	AS	14-DEC-66	AS			
L	AND10079 REV 1	TERMINAL - EYE AND FORK CABLE [VALIDATION DATE: 8208]	A MISC	AS	16-MAR-45	AS			
L	AND10081 REV 3	TERMINAL SHANK - SWAGING, DIMENSIONS FOR [VALIDATION DATE: 8312]	A 4030	AS	02-AUG-65	AS			
	AND10089 REV 5	FITTING END, STANDARD DIMENSIONS FOR CONE CONNECTION	A 4730	B2	07-JAN-85	AS	99		
	AND10102 REV 3	TUBING - STANDARD DIMENSIONS FOR ROUND SEAMLESS ALLOY STEEL [VALIDATION DATE: 8409]	A MISC	AS	01-JUL-65	AS	11		
	AND10104 REV 4	TUBING, STEEL, CORROSION RESISTANT, ROUND STANDARD DIMENSIONS FOR [VALIDATION DATE: 8707]	A MISC	11	05-MAY-67	AS	11		
L	AND10133 REV 2	ANGLE - EQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI	A 9540	B4	26-FEB-89		84		
L	AND10134 REV 3	ANGLE - UNEQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI	A 9540	B4	26-FEB-89		84		
L	AND10135 REV 3	ANGLE - BULB SECTION EXTRUDED [VALIDATION DATE: 8902]	A 9540	B4	26-FEB-89		84		
	NOTICE 1								
	AND10136 REV 3	TEE - EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI	A 9540	B4	26-FEB-89	AV	84		
L	AND10137 REV 2	CHANNEL - EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI	A 9540	B4	26-FEB-89		84		
	AND10138 REV 2	ZEE - EQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI	A 9540	B4	26-FEB-89	AV	84		
L	AND10139 REV 3	ZEE - UNEQUAL LEG EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI	A 9540	B4	26-FEB-89		84		
L	AND10141 REV 4	TEE - BULB SECTION EXTRUDED [VALIDATION DATE: 8902] REVIEWER: MI	A 9540	B4	26-FEB-89		84		
	AND10152 REV 5	SHAFT ENDS - PROPELLER [VALIDATION DATE: 8409]	A 1610	AV	10-JUN-53	AS			
	AND10230 REV 3	REFERENCE CHART, AIRCRAFT ENGINE ACCESSORY DRIVE [VALIDATION DATE: 8401]	A MISC	B2	23-NOV-54	AS	99		
L	AND10260 REV 1	FLANGE-TYPE X ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI	A 2995	B2	04-MAR-53		99		
L	AND10261 REV 1	FLANGE-TYPE XI ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI	A 2995	B2	04-MAR-53		99		
L	AND10262 REV 1	FLANGE-TYPE XII ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI	A 2995	B2	04-MAR-53		99		
L	AND10263 REV 1	FLANGE-TYPE XIII ACCESSORY MOUNTING [VALIDATION DATE: 8401] REVIEWER: MI	A 2995	B2	04-MAR-53		99		
L	AND10264 REV 1	FLANGE-TYPE XIV ACCESSORY MOUNTING [VALIDATION DATE: 8401]	A 2995	B2	26-NOV-54		99		
L	AND10265 REV 1	FLANGE-TYPE XV ACCESSORY MOUNTING [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		
L	AND10266 REV 1	FLANGE-TYPE XVI ACCESSORY MOUNTING [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		
L	AND10267 REV 1	FLANGE-TYPE XVII ACCESSORY MOUNTING [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		
L	AND10268 REV 1	FLANGE-TYPE XVIII ACCESSORY POWER INPUT [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		
L	AND10269 REV 1	FLANGE-TYPE XIX ACCESSORY MOUNTING [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		
	AND10302 REV 4	INSTALLATION CLEARANCE-TX DRIVE [VALIDATION DATE: 8401]	A 2995	B2	05-AUG-49		99		
	AND10303 REV 5	INSTALLATION CLEARANCE-TYPE XIV DRIVE [VALIDATION DATE: 8401]	A 2995	AS	04-MAR-53	AS	11		
	AND10305 REV 5	INSTALLATION CLEARANCE-TYPE XII AND TYPE XVII DRIVE (GENERATOR-POWER TAKE-OFF) [VALIDATION DATE: 8401]	A 2995	B2	12-AUG-49		99		
	AND10310 REV 3	INSTALLATION CLEARANCE-TYPE XV DRIVE [VALIDATION DATE: 8401]	A 2995	B2	20-MAR-50		99		
L	AND10320 REV 4	INSTALLATION CLEARANCE-TYPE XII DRIVE [VALIDATION DATE: 8401]	A 2995	AS	04-MAR-53	AS			
	AND10325 REV 1	SELF TAPPING SCREWS-COARSE THREAD (HOLE SIZES FOR) [VALIDATION DATE: 8205]	A 5305	11	29-APR-49	AS	99		
	AND10326 REV 1	SELF TAPPING SCREWS-MACHINE SCREW THREAD (HOLE SIZES FOR) [VALIDATION DATE: 8205]	A 5305	11	12-APR-49	AS	99		
LI	AND10331 REV 2	INSTALLATION CLEARANCE - TYPE XII-J DRIVE (FLUID POWER PUMP) [VALIDATION DATE: 8406]	A 2995	B2	04-MAR-53		99		
	AND10336 REV 1	INSTALLATION CLEARANCE-TYPE XV-II DRIVE [VALIDATION DATE: 8406]	A 2995	B2	15-JUL-49		99		
	AND10338 REV 1	INSTALLATION CLEARANCE-TYPE XII-K (FLUID POWER PUMP) [VALIDATION DATE: 8406]	A 2995	B2	05-AUG-49		99		
L	AND10341 REV 2	TRANSMITTER INSTALLATION CLEARANCE FUEL AND OIL PRESSURE [VALIDATION DATE: 8103]	A 6620	AS	24-APR-57	AS			
L	AND10343 REV 1	INSTALLATION CLEARANCE TYPE XVI DRIVE [VALIDATION DATE: 8406]	A 2995	B2	05-AUG-49		99		
L	AND10367 REV 1	TOLERANCE, ALLOY STEEL SHEET AND STRIP (INACTIVE, USE FED STD-48) [VALIDATION DATE: 8205]	A MISC	11	09-SEP-69		11		
	AND10380 REV 3	Coupling INSTALLATIONS, STANDARD CONDUIT, ELECTRICAL	A 5975	AS	12-MAR-90	ER	AS	85	
	AND10387 REV 6	DRILL SIZES AND DRILLED HOLE TOLERANCES TWIST [VALIDATION DATE: 8401] USER: GL REVIEWER: MI	A MISC	AS	25-MAY-53	AS			
L	AND10405 REV 2	INSTRUMENT BOARD-INSTALLATION OF VIBRATION INSULATED [VALIDATION DATE: 8103] REVIEWER: GS	A 5940	AS	08-SEP-65	AS			
L	AND10460	INDENTORS AND NESTS-COPPER ELECTRIC TERMINAL, POWER OPERATED PRESS [VALIDATION DATE: 8509] REVIEWER: GS	A 3442	AS	28-OCT-49	AS			
LI	AND10527 REV 1	PROPELLER HUBS - STANDARD DIMENSIONS FOR GROUND-ADJUSTABLE [VALIDATION DATE: 8809]	A 1610	AV	20-SEP-88	AV			
	AND10529 REV 3	PROPELLER HUBS-STANDARD DIMENSIONS FOR INVOLUTE TOOTH SPLINE CONTROLLABLE PITCH [VALIDATION DATE: 8409]	A 1610	AV	22-JUL-52	AV	AS		
	AND10530 REV 1	PROPELLER HUBS-STANDARD DIMENSIONS FOR STRAIGHT TOOTH SPLINE CONTROLLABLE PITCH [VALIDATION DATE: 8409]	A 1610	AV	16-FEB-51	AV	AS		
	AND10573 REV E	RIM CONTOURS-26X6.6, 30X7.7, 32X8.8, 34X9.9, 36X11, 38X11, 40X12, 44X13, TYPE VII, EXTRA HIGH PRESSURE MAIN LANDING GEAR WHEELS [VALIDATION DATE: 8811] USER: MC	A 1630	70	04-NOV-88	AV	AS	99	
	AND10576 REV C	RIM CONTOUR-24 X 7.7, TYPE VII, EXTRA HIGH PRESSURE, MAIN LANDING GEAR WHEEL [VALIDATION DATE: 8811] USER: MC	A 1630	70	04-NOV-88	AV	AS	99	
	AND10578 REV B	RIM CONTOUR-5.00-5, TYPE III, LOW PRESSURE, HELICOPTER LANDING GEAR WHEEL [VALIDATION DATE: 8810] USER: MC	A 1630	70	31-OCT-88	AV	AS	99	
	AND10581 REV C	RIM CONTOUR-20 X 4.4, TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL [VALIDATION DATE: 8810] USER: MC	A 1630	70	31-OCT-88	AV	AS	99	
	AND10582	RIM CONTOURS - 22 X 5.5 AND 5.5 TYPE VII, EXTRA HIGH PRESSURE, LANDING GEAR WHEEL [VALIDATION DATE: 8207]	A 1630	AS	16-SEP-49	AS	11		
	AND10583 REV B	RIM CONTOUR-25.00-28, TYPE III, LOW PRESSURE, MAIN LANDING GEAR WHEEL [VALIDATION DATE: 8810]	A 1630	70	31-OCT-88	AV	AS	99	
	AND10598	CHAMFER OR RADIUS - VALVE HOLES IN AIRPLANE WHEEL RIMS [VALIDATION DATE: 8207]	A 1630	AS	08-NOV-49	AS	11		
L	AND20001 REV 2	DRIVE - TYPE XI ENGINE ACCESSORY	A 2995	MI	26-JUN-89	MI			
L	AND20002 REV 3	DRIVE - TYPE XII ENGINE ACCESSORY [VALIDATION DATE: 8406]	A 2995	B2	04-MAR-53		99		
L	AND20003 REV 2	DRIVE - TYPE XIII ENGINE ACCESSORY [VALIDATION DATE: 8406]	A 2995	B2	04-MAR-53		99		
	AND20005 REV 4	DRIVE - TYPE XV ENGINE ACCESSORY [VALIDATION DATE: 8401]	A MISC	B2	04-OCT-76	AS	99		
I	AND20006 REV 7	DRIVE-TYPE XVI ENGINE ACCESSORY	A 2995	AS	22-MAY-89	AV	AS		
	AND20007 REV 1	DRIVE - TYPE XVII ENGINE ACCESSORY [VALIDATION DATE: 8401]	A MISC	B2	04-MAR-53		99		
L	AND20008 REV 3	DRIVE - TYPE XVIII ENGINE ACCESSORY [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		
L	AND20009 REV 2	DRIVE - TYPE XIX ENGINE ACCESSORY [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		
L	AND20010 REV 2	DRIVE - TYPE XX ENGINE ACCESSORY [VALIDATION DATE: 8401]	A 2995	B2	04-MAR-53		99		



# ACTIVE SECTION

## NUMERICAL LISTING STANDARDIZATION DIRECTORIES

Active CPL / OAL Coordination Inquiry Document Number	Document Title	Dist. Smt. FSC / Ane MCA Symbol Preparing Acty. Date	Custodians Army Navy Air Force DIA
SD-5	MARKET ANALYSIS FOR NONDEVELOPMENTAL ITEMS .....	A SDMP SO 01-FEB-92	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc / Orl Code Country Document Number	Document Title	Doc. Syst. FIC / Issue MCA Symbol Preparing Act. Date	Custodians			
			Army	Navy	Air Force	CIA
A	AAP-15 ED. 0	C ISDN W1 01-SEP-90				
	AAP-23 ED. 2	C ISDA SM 17-JUN-92				
	ABC-STD-6F	C ISDN SM 22-SEP-83				
	ABC-STD-20	C ISDN SM 22-AUG-55				
	ABC-STD-23B	C ISDN SM 16-AUG-77				
	ABC-STD-37B	C ISDN SM 10-APR-72				
	ABC-STD-38	C ISDN SM 11-MAY-67				
	ABC-STD-41A	C ISDN SM 29-MAR-78				
	ABC-STD-44	C ISDN SM 05-JAN-68				
	ABC-STD-48	C ISDN SM 29-JAN-70				
	ABC-STD-50	C ISDN SM 24-JUN-70				
	ABC-STD-51	C ISDN SM 25-JUN-70				
	ABC-STD-54A	C ISDN SM 09-AUG-79				
	ABC-STD-56	C ISDN SM 07-NOV-72				
	ABCA-STD-18B	C ISDN SM 01-OCT-81				
	ABCA-STD-19D	C ISDN SM 15-OCT-82				
	ABCA-STD-21A	C ISDN SM 09-OCT-74				
	ABCA-STD-25B	C ISDN SM 14-DEC-72				
	ABCA-STD-30C(1)	C ISDN SM 15-OCT-82				
	ABCA-STD-32C	C ISDN SM 23-AUG-73				
	ABCA-STD-49A	C ISDN SM 15-OCT-82				
	ABCA-STD-55	C ISDN SM 28-FEB-74				
	ABCA-STD-59	C ISDN SM 24-APR-74				
	ABCA-STD-60	C ISDN SM 09-OCT-74				
	ABCA-STD-61	C ISDN SM 09-OCT-74				
	ABCA-STD-62	C ISDN SM 24-SEP-76				
	AIR-STD-10/2H	C ISDF 06 22-NOV-85				
	AIR-STD-10/4E	C ISDF 06 15-OCT-80				
	AIR-STD-10/5F	C ISDF 06 03-JUN-83				
	AIR-STD-10/6F	C ISDF 06 22-NOV-85				
	AIR-STD-10/7H	C ISDF 06 22-NOV-85				
	AIR-STD-10/8E	C ISDF 06 03-JUN-84				
	AIR-STD-10/9D	C ISDF 06 22-NOV-85				
	AIR-STD-10/10D	C ISDF 06 15-NOV-90				
	AIR-STD-10/11G	C ISDF 06 03-APR-79				
	AIR-STD-10/12H	C ISDF 06 15-NOV-90				
	AIR-STD-10/13H	C ISDF 06 03-JUN-83				
	AIR-STD-10/14F	C ISDF 06 22-NOV-85				
	AIR-STD-10/15Q	C ISDF 06 15-NOV-90				
	AIR-STD-10/16L	C ISDF 06 15-NOV-90				
	AIR-STD-10/19H	C ISDF 06 15-NOV-90				
	AIR-STD-10/20J	C ISDF 06 22-NOV-85				
	AIR-STD-10/21F	C ISDF 06 22-NOV-85				
	AIR-STD-10/22K	C ISDF 06 15-NOV-90				
	AIR-STD-10/23E	C ISDF 06 22-NOV-85				
	AIR-STD-10/25F	C ISDF 06 20-SEP-74				
	AIR-STD-10/30L	C ISDF 06 15-NOV-90				
	AIR-STD-10/34C	C ISDF 06 15-NOV-91				
	AIR-STD-10/35B	C ISDF 06 06-JAN-69				
	AIR-STD-10/36D	C ISDF 06 03-JUN-83				
	AIR-STD-10/38C	C ISDF 06 03-APR-79				
	AIR-STD-10/39C	C ISDF 06 22-NOV-85				
	AIR-STD-10/40C	C ISDF 06 22-NOV-85				
	AIR-STD-10/41D	C ISDF 06 22-NOV-85				
	AIR-STD-10/42E	C ISDF 06 15-NOV-91				
	AIR-STD-10/43E	C ISDF 06 22-NOV-85				
	AIR-STD-10/44B	C ISDF 06 15-OCT-80				
	AIR-STD-10/45G	C ISDF 06 15-NOV-91				
	AIR-STD-10/46A	C ISDF 06 03-JUN-83				
	AIR-STD-10/47E	C ISDF 06 15-NOV-91				
	AIR-STD-10/49A	C ISDF 06 15-NOV-91				
	AIR-STD-10/50B	C ISDF 06 15-OCT-80				
	AIR-STD-10/53F	C ISDF 06 22-NOV-85				
	AIR-STD-10/54E	C ISDF 06 22-NOV-85				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc / OMA Contribution Machine Document Number	Document Title	Doc. Syst. FAC / Issue MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
AIR-STD-10/550	AIRCREW STATION DIMENSIONAL DESIGN FACTORS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C 1SDF 06 22-NOV-85	
AIR-STD-10/560	ELECTRONICALLY AND OPTICALLY GENERATED DISPLAYS FORMATS AND SYMBOLOGY FOR FIXED WING AIRCRAFT (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (150) WASHINGTON, DC 20330-5058)	C 1SDF 06 15-NOV-91	
AIR-STD-10/57A	VERTICAL SCALE FLIGHT INSTRUMENTS	C 1SDF 06 03-APR-79	
AIR-STD-10/580	AIRCRAFT INTERIOR COLOUR SCHEMES (REQUESTS OTHER THAN DOD SHALL REFER TO HQ USAF/XOXX (150), WASHINGTON, DC 20330-5058)	C 1SDF 06 15-NOV-90	
AIR-STD-10/598	CALIBRATION AND ACCURACY OF AIRCRAFT BAROMETRIC NON SERVOED ALTIMETERS	C 1SDF 06 15-OCT-80	
AIR-STD-10/600	CIRCULAR DIAL ALTIMETERS	C 1SDF 06 22-NOV-85	
AIR-STD-10/618	COATING, REFLECTION REDUCING FOR AIRCREW STATION DISPLAYS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (150), WASHINGTON, DC 20330-5058)	C 1SDF 06 15-NOV-90	
AIR-STD-10/620	AIRCREW STATION CONTROL PANELS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (150), WASHINGTON, DC 20330-5058)	C 1SDF 06 15-NOV-90	
AIR-STD-10/63A	CIRCULAR DIAL ENGINE TEMPERATURE INDICATORS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C 1SDF 06 03-JUN-83	
AIR-STD-10/64A	AIRCRAFT NOCK UP INSPECTION TECHNIQUES	C 1SDF 06 15-OCT-80	
AIR-STD-10/66	EMERGENCY ESCAPE/EVACUATION ILLUMINATION [VALIDATION DATE: 8411]	C 1SDF 06 03-APR-79	
AIR-STD-10/67	INTEGRATED AIRSPEED & MACH NUMBER INDICATORS	C 1SDF 06 15-OCT-80	
AIR-STD-10/68A	ARMOUR PROTECTION FOR AIRCREWS	C 1SDF 06 22-NOV-85	
AIR-STD-10/69A	CIRCULAR DIAL RATE OF FUEL FLOW INDICATORS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C 1SDF 06 03-JUN-83	
AIR-STD-10/70A	AIRBORNE RADIO CONTROL UNITS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM MAT 09B21, WASH, D.C. 20360)	C 1SDF 06 03-JUN-84	
AIR-STD-10/72	ELECTRONIC COLOUR DISPLAY SYSTEMS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (150), WASHINGTON DC 20330-5058)	C 1SDF 06 15-NOV-90	
AIR-STD-11/1H	AIRCRAFT SERVICING/HAZARD MARKINGS (REL TO OTHER THAN DOD ACT REQ PH APPR OF CHM, MAT 09B21)	C 1SDF 06 30-JUL-82	
AIR-STD-11/3F	AIRCRAFT FUELLING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C 1SDF 06 30-JUL-82	
AIR-STD-11/7C(3)	JACKING OF AIRCRAFT (CHG 7 10 SEP 86) (RELEASE TO OTHER THAN DOD HQ USAF/XOXX(150) WASH, DC 20330-5058 [VALIDATION DATE: 8302])	C 1SDF 06 22-MAR-76	
AIR-STD-11/88	LUNETTE EYE OR TOWING RING [VALIDATION DATE: 8302]	C 1SDF 06 30-JUL-82	
AIR-STD-11/9F	CROSS-SERVICING ADAPTORS WITH AND 2 CHG 1 10 SEP 86 REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (150) WASH DC	C 1SDF 06 19-FEB-81	
AIR-STD-11/12H	PRESSURE REPLENISHMENT OF ENGINE OIL [VALIDATION DATE: 8312]	C 1SDF 06 15-DEC-77	
AIR-STD-11/13G(1)	AIRCRAFT CROSS SERVICING CHG 3 10 SEP 86 REQUESTS OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (150) WASHDC 20330-5058 [VALIDATION DATE: 8302]	C 1SDF 06 22-MAR-76	
AIR-STD-11/16A	CROSS SERVICING INFORMATION TO BE CARRIED IN AIRCRAFT (CH 3 10 SEPT 86) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (150) WASH, DC 20330-5058 [VALIDATION DATE: 8302]	C 1SDF 06 18-FEB-74	
AIR-STD-11/17D(3)	GROUND AIR CONDITIONING OF AIRCRAFT & AIRCREW EQUIPMENT (CHG 4 10 SEP 86) (RELEASE TO OTHER THAN DOD HQ USAF/XOXX (150) WASH, DC 20330-5058) [VALIDATION DATE: 8302]	C 1SDF 06 18-FEB-74	
AIR-STD-11/18B	AVAILABILITY OF CROSS-SERVICING SUPPORT ON SELECTED AIRFIELDS (WITH AMENDMENT 1) (CHANGE 2 - 20 JAN 78) [VALIDATION DATE: 8302]	C 1SDF 06 24-JAN-72	
AIR-STD-11/20	AIRCRAFT CROSS-SERVICING GUIDES [VALIDATION DATE: 8302]	C 1SDF 06 18-FEB-74	
AIR-STD-12/1E	ELECTRICAL POWER SUPPLIES AT HANDSTANDINGS	C 1SDF 06 06-MAR-84	
AIR-STD-12/2C	AIRCRAFT LAMPS	C 1SDF 06 06-MAR-84	
AIR-STD-12/4F	INTERCHANGEABILITY OF TIMMED COPPER TERMINALS (LUGS)	C 1SDF 06 06-MAR-84	
AIR-STD-12/5E	ELECTRIC CABLES [VALIDATION DATE: 8411]	C 1SDF 06 15-MAR-79	
AIR-STD-12/6C	CONNECTORS FOR 28 VOLT DC SERVICING POWER (CHANGE 1)	C 1SDF 06 05-NOV-81	
AIR-STD-12/7E	CONNECTORS FOR 115/200 VOLT 400 HZ 3-PHASE AC SERVICING POWER (CHANGE 2)	C 1SDF 06 24-MAR-83	
AIR-STD-12/10C	AIRCRAFT ELECTRICAL SYSTEMS CHARACTERISTICS	C 1SDF 06 06-MAR-84	
AIR-STD-12/11B	ELECTRICAL POWER SUPPLIES AT HANDSTANDINGS (CH-1 5 FEB 1980) [VALIDATION DATE: 8302]	C 1SDF 06 25-MAY-67	
AIR-STD-12/12C	GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT	C 1SDF 06 06-MAR-84	
AIR-STD-12/13D	INTERCHANGEABILITY OF CABLE SPLICES (1H LINE CONNECTORS) TIMMED COPPER	C 1SDF 06 06-MAR-84	
AIR-STD-12/15B(1)	AIRCRAFT STORAGE BATTERIES (CHG 2 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(150) WASH, DC 20330-5058 [VALIDATION DATE: 8302]	C 1SDF 06 16-JUL-74	
AIR-STD-12/18	AIRCRAFT STORAGE ELECTRIC PLUG (CH 1 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(150) WASH, DC 20330-5058 [VALIDATION DATE: 8302]	C 1SDF 06 22-AUG-68	
AIR-STD-12/20B	GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES	C 1SDF 06 06-MAR-84	
AIR-STD-12/23B	ELECTRICAL SAFETY INTERCONNECTIONS BETWEEN AIRCRAFT, SUPPORT EQUIPMENT & EARTH	C 1SDF 06 06-MAR-84	
AIR-STD-12/25A	EARTHING/GROUNDING PLUG & SOCKET	C 1SDF 06 06-MAR-84	
AIR-STD-14/3E	CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN	C 1SDF 06 12-JUL-84	
AIR-STD-14/8G	OIL TOLERANT COMPRESSED NITROGEN CHARACTERISTICS SUPPLY PRESSURE AND HOSES	C 1SDF 06 12-JUL-84	
AIR-STD-14/7G	COMPRESSED AIR FOR TECHNICAL PURPOSES, CHARACTERISTICS, SUPPLY PRESSURE & HOSES	C 1SDF 06 12-JUL-84	
AIR-STD-14/10C	LIQUID NITROGEN CHARACTERISTICS	C 1SDF 06 12-JUL-84	
AIR-STD-14/11E	CYLINDER STORED COMPRESSED BREATHING AIR CHARACTERISTICS	C 1SDF 06 12-JUL-84	
AIR-STD-14/12C	CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID NITROGEN	C 1SDF 06 12-JUL-84	
AIR-STD-14/13D	AIRCRAFT GASEOUS OXYGEN REPLENISHMENT CONNECTION [VALIDATION DATE: 8302]	C 1SDF 06 30-MAY-77	
AIR-STD-14/14B(4)	AIRCRAFT GASEOUS NITROGEN REPLENISHMENT CONNECTIONS (WITH AMENDMENT 2) [VALIDATION DATE: 8302]	C 1SDF 06 29-AUG-74	
AIR-STD-14/5C	AIRCRAFT COMPRESSED AIR REPLENISHMENT CONNECTIONS [VALIDATION DATE: 8302]	C 1SDF 06 30-MAY-77	
AIR-STD-14/17A	OIL FREE COMPRESSED NITROGEN CHARACTERISTIC, SUPPLY PRESSURE AND HOSES	C 1SDF 06 12-JUL-84	
AIR-STD-15	GLOSSARY OF ABBREVIATIONS USED IN NATO DOCUMENTS	C 1SDF 06 01-JAN-86	
AIR-STD-15/1Y	INTERCHANGEABILITY CHART OF STANDARDIZED AVIATION FUELS, LUBRICANTS & ALLIED PRODUCTS	C 1SDF 06 10-JUL-85	
AIR-STD-15/3G	PETROLEUM PRODUCTS, MINIMUM QUALITY SURVEILLANCE FOR (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF / XOXX (150), WASH D C 20330-5058)	C 1SDF 06 12-JUN-90	
AIR-STD-15/4J	ALLOWABLE DETERIORATION LIMITS FOR FUELS, LUBRICANTS AND ALLIED PRODUCTS	C 1SDF 06 28-APR-92	
AIR-STD-15/5	GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION GASOLINE, NATO F-18 (CHG 1 - 4 OCT 1985)	C 1SDF 06 12-MAR-84	
AIR-STD-15/8D	GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION FUELS: NATO F-34, F-35, F-40, AND F-44	C 1SDF 06 04-SEP-91	
AIR-STD-15/7F	GUIDE SPECIFICATION FOR PETROLEUM BASE AVIATION HYDRAULIC FLUIDS (H-515 AND H-520)	C 1SDF 06 28-APR-92	
AIR-STD-15/8	REPLENISHMENT OF ENGINE THRUST AUGMENTATION SYSTEMS	C 1SDF 06 29-OCT-84	
AIR-STD-15/9C	INTERCHANGEABILITY CHART OF STANDARDIZED AVIATION FUELS, LUBRICANTS AND ALLIED PRODUCTS	C 1SDF 06 04-SEP-91	
AIR-STD-15/10	COMPRESSED NITROGEN CHARACTERISTICS FOR OIL TOLERANT USE (INCLUDING SUPPLY PRESSURE AND HOSES)	C 1SDF 06 28-APR-92	
AIR-STD-15/11	OIL FREE COMPRESSED NITROGEN CHARACTERISTICS, (INCLUDING SUPPLY PRESSURE AND HOSES)	C 1SDF 06 28-APR-92	
AIR-STD-15/12	LIQUID NITROGEN CHARACTERISTICS	C 1SDF 06 28-APR-92	
AIR-STD-15/13	COMPRESSED AIR CHARACTERISTICS (INCLUDING SUPPLY PRESSURE AND HOSES)	C 1SDF 06 28-APR-92	
AIR-STD-15/14	BREATHING OXYGEN CHARACTERISTICS (INCLUDING SUPPLY PRESSURE AND HOSES)	C 1SDF 06 28-APR-92	
AIR-STD-17/1C	AIRCRAFT JACKING PADS (CH 1 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(150) WASH, DC 20330-5058 [VALIDATION DATE: 8411]	C 1SDF 06 23-MAY-79	
AIR-STD-17/6E	TIRE VALVE COUPLINGS [VALIDATION DATE: 8411]	C 1SDF 06 29-MAY-79	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc / OMA Classification Inclusion Document Number	Document Title	Dist. Smt. FAC / Area MCA Symbol	Preparing Act.	Date	Custodians			
					Army	Navy	Air Force	DLA
AIR-STD-17/11D	DIAMETERS FOR AIRCRAFT GRAVITY FILLING ORIFICES (VALIDATION DATE: 8411) ...	C ISDF	06	23-MAY-79				
AIR-STD-17/23C	PICKETING OR TIEDOWN FITTINGS FOR SHIPBORNE AIRCRAFT (INCLUDING HELICOPTERS) (CH 1 10 SEPT 86) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, DC 20330-5058	C ISDF	06	23-MAY-81				
AIR-STD-17/31C	PRESSURE REPLENISHMENT CONNECTIONS FOR METHANOL WATER AND DEMINERALIZED WATER (VALIDATION DATE: 8312)	C ISDF	06	30-NOV-77				
AIR-STD-17/33B	AIR SUPPLY & TEST CONNECTIONS (CHANGE 1 - 23 MAY 79) (VALIDATION DATE: 8302)	C ISDF	06	27-JUN-75				
AIR-STD-17/34C	REPLENISHMENT CONNECTION FOR POTABLE (DRINKING) WATER (VALIDATION DATE: 8312)	C ISDF	06	30-NOV-77				
AIR-STD-17/48(1)	FLOOR RAILS AND MATING EQUIPMENT ATTACHMENT PINS (VALIDATION DATE: 8302) ..	C ISDF	06	19-MAY-76				
AIR-STD-17/62	PRESSURE FUELLING REPLENISHMENT CONNECTION (VALIDATION DATE: 8302) .....	C ISDF	06	25-MAY-76				
AIR-STD-19/1	JOINT ELECTRONICS TYPE DESIGNATOR SYSTEMS .....	C ISDF	06	29-OCT-80				
AIR-STD-19/2	STANDARD AIRBORNE ELECTRONIC DATA TRANSMISSION SYSTEM .....	C ISDF	06	29-OCT-80				
AIR-STD-19/3	INTEROPERABILITY OF AIRCRAFT VHF AM AND/OR FM MULTI-FREQUENCY TRANSCEIVER INSTALLATIONS AND COMPATIBLE GROUND RADIO EQUIPMENTS. REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, DC 20330-5058	D ISDF	06	23-FEB-87				
AIR-STD-19/48	INTEROPERABILITY OF AIRCRAFT UHF MULTI-FREQUENCY TRANSCEIVER INSTALLATION & COMPATIBLE GROUND TRANSMITTERS & RECEIVERS (REQ OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, 20330-5058)	C ISDF	06	23-FEB-87				
AIR-STD-19/6	AVIONICS LIFE CYCLE COST MODELS AND TECHNIQUES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, 20330-5058)	C ISDF	06	12-JUL-90				
AIR-STD-20/9E	DESIGN SAFETY PRINCIPLES FOR AIRCRAFT STORES FUZING .....	C ISDF	06	22-JAN-85				
AIR-STD-20/10K	EJECTOR RELEASE UNITS FOR AIRCRAFT STORES (REQUESTS FOR ISSUE OTHER THAN DOD SHALL REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058	C ISDF	06	10-OCT-90				
AIR-STD-20/11A	METHODOLOGY FOR COCKPIT THERMAL ASSESSMENTS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058	C ISDF	06	20-SEP-90				
AIR-STD-20/12G	CARTRIDGES FOR STORE EJECTION RELEASE UNITS .....	C ISDF	06	18-JUL-91				
AIR-STD-20/13F	SUSPENSION LUG WELLS, REINFORCED AREAS AND DESIGN LOAD CRITERIA FOR DROPPABLE AIRCRAFT STORES (REQ OTHER THAN DOD SHALL REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058	C ISDF	06	10-OCT-90				
AIR-STD-20/14G	LOCATION OF ELECTRICAL CONNECTORS FOR AIRCRAFT STORES .....	C ISDF	06	18-JUL-91				
AIR-STD-20/15E	SUSPENSION LUGS FOR 1,000 LB CLASS AND 2,000 TO 5,500 LB CLASS STORES .....	C ISDF	06	22-JAN-85				
AIR-STD-20/16B	ELECTROMAGNETIC COMPATIBILITY OF AIRCRAFT ELECTRO-EXPLOSIVE SUB-SYSTEMS .....	C ISDF	06	22-JAN-85				
AIR-STD-20/17G	MECHANICAL CONNECTORS BETWEEN STORES AND SUSPENSION EQUIPMENT FOR ARMING AND ASSOCIATED FUNCTIONS OF STORES .....	C ISDF	06	18-JUL-91				
AIR-STD-20/18C	LABORATORY TESTS FOR STORES SUSPENSION-EQUIPMENT .....	C ISDF	06	18-JUL-91				
AIR-STD-20/19	NON EJECT RELEASE UNITS FOR AIRCRAFT STORES - CHG 1 DTD 10/18/81 .....	C ISDF	06	18-OCT-81				
AIR-STD-20/20B	STANDARDIZED DATA LIST FOR INTEROPERABILITY STUDIES AND CERTIFICATION OF AIRCRAFT STORES .....	C ISDF	06	18-JUL-91				
AIR-STD-20/21	GROUND FIT & COMPATIBILITY CRITERIA FOR AIRCRAFT STORES .....	C ISDF	06	22-JAN-85				
AIR-STD-20/22C	AIRCRAFT STORE ELECTRICAL INTERCONNECTION SYSTEM .....	C ISDF	06	18-JUL-91				
AIR-STD-20/23	DESIGN SAFETY PRINCIPLES & GENERAL DESIGN CRITERIA FOR AIRBORNE DISPENSER WEAPONS, BOTH CAPTIVE & FREE FALL .....	C ISDF	06	22-JAN-85				
AIR-STD-20/25A	INTEROPERABILITY OF AIRCRAFT STORES .....	C ISDF	06	18-JUL-91				
AIR-STD-20/26A	AIRCRAFT STORES INTERFACE MANUAL .....	C ISDF	06	18-JUL-91				
AIR-STD-25/1B	PRESSURE REPLENISHMENT CONNECTIONS FOR ENGINE LUBRICATING OIL .....	C ISDF	06	24-AUG-91				
AIR-STD-25/2B	LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AERO ENGINE STARTING .....	C ISDF	06	24-AUG-91				
AIR-STD-25/3A(1)	AIRCRAFT SERVICING/HAZARD MARKINGS .....	C ISDF	06	24-MAY-91				
AIR-STD-25/4	AIRCRAFT FUELLING (RELEASE TO OTHER THAN DOD HQ USAF/XOXX(ISO) WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/5B	LUNETTE EYE OR TOWING RING .....	C ISDF	06	24-AUG-91				
AIR-STD-25/6	AIRCRAFT HYDRAULIC SYSTEM SERVICING (RELEASE TO OTHER THAN DOD HQ USAF/XOXX(ISO) WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/9	AIRCRAFT TOWING ATTACHMENTS (RELEASE TO OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/10	AIRCRAFT EMERGENCY TOWING ATTACHMENTS (RELEASE TO OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/11A	DIAMETERS FOR AIRCRAFT GRAVITY FILLING ORIFICES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/12A	PICKETING OR TIEDOWN FITTINGS FOR SHIPBORNE AIRCRAFT (INCLUDING HELICOPTERS) .....	C ISDF	06	24-AUG-91				
AIR-STD-25/13A	IN FLIGHT (AERIAL) REFUELLING EQUIPMENT, DIMENSIONS AND FUNCTIONAL CHARACTERISTICS .....	C ISDF	06	24-AUG-91				
AIR-STD-25/14	PRESSURE REPLENISHMENT CONNECTIONS FOR METHANOL WATER & DEMINERALIZED WATER (RELEASE TO OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/15C	AIR SUPPLY AND TEST CONNECTIONS .....	C ISDF	06	24-AUG-91				
AIR-STD-25/16A	REPLENISHMENT CONNECTION FOR POTABLE (DRINKING WATER) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/17B	PRESSURE FUELLING REPLENISHMENT CONNECTION .....	C ISDF	06	24-AUG-91				
AIR-STD-25/18A	CONNECTORS FOR 28 VOLTDC SERVICING POWER (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/19A	CONNECTORS FOR 115/200 VOLT 400HZ 3-PHASE AC SERVICING POWER .....	C ISDF	06	02-MAR-92				
AIR-STD-25/20	AIRCRAFT ELECTRICAL SYSTEMS CHARACTERISTICS. (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/21B	GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT .....	C ISDF	06	02-MAR-92				
AIR-STD-25/24A	GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES. (REL KTO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/25	ELECTRICAL SAFETY INTERCONNECTIONS BETWEEN AIRCRAFT, SUPPORT EQUIPMENT AND EARTH. (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/26	EARTHING/GROUNDING PLUG AND SOCKET. (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/27A	CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/28	COMPRESSED NITROGEN CHARACTERISTICS, SUPPLY, PRESSURE & HOSES FOR OIL TOLERANT USE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/29A	COMPRESSED AIR, CHARACTERISTICS, SUPPLY, PRESSURE & HOSES FOR TECHNICAL PURPOSES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/30	BREATHING OXYGEN CHARACTERISTICS, SUPPLY PRESSURE AND HOSES (REQUEST OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY)	C ISDF	06	10-SEP-86				
AIR-STD-25/31A	LIQUID NITROGEN CHARACTERISTICS. (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/32	CYLINDER STORED COMPRESSED AIR FOR BREATHING PURPOSES (REQ TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/33A	CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID NITROGEN. (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	20-JAN-90				
AIR-STD-25/34	AIRCRAFT GASEOUS OXYGEN REPLENISHMENT CONNECTIONS. (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06	10-SEP-86				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action CPL / OMA Coordinate Include Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DLA
AIR-STD-25/35	AIRCRAFT GASEOUS NITROGEN REPLENISHMENT CONNECTIONS. (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH. DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/36	AIRCRAFT COMPRESSED AIR REPLENISHMENT CONNECTIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH. DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/37	OIL FREE COMPRESSED NITROGEN CHARACTERISTICS, SUPPLY PRESSURE & HOSES (REL TO OTHER ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH. DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/38	AIRCRAFT ELECTRICAL SUPPORT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH. DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/39	METHODS & AGENTS USED FOR CLEANING OXYGEN SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH. DC 20330-5058)	C ISDF	06	10-SEP-86				
AIR-STD-25/40	TECHNIQUES OF SAMPLING & ANALYSIS OF GASES & LIQUIFIED GASES FOR AIRCRAFT SERVICING (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/XOXX-150 20330-5058)	C ISDF	06	10-SEP-86				
N AIR-STD-30/5	INTERCHANGE OF DIGITAL TEXTUAL DATA .....	C ISDF	06	06-APR-93				
N AIR-STD-30/6	INTERCHANGE OF DIGITAL RASTER GRAPHICS .....	C ISDF	06	06-APR-93				
N AIR-STD-30/7	INTERCHANGE OF DIGITAL ILLUSTRATION DATA .....	C ISDF	06	06-APR-93				
AIR-STD-44/3C	LASHING FOR FIXED WING AIRCRAFT (CH-1 06 AUG1981) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21) (VALIDATION DATE: 8601)	C ISDF	06	16-SEP-80				
AIR-STD-44/9E	HANDLING AND DOCUMENTATION OF DANGEROUS CARGO FOR AIR TRANSPORTATION .....	C ISDF	06	18-JUL-91				
AIR-STD-44/10E	AIR MOVEMENTS, DATA FOR PLANNING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21)	C ISDF	06	01-FEB-83				
AIR-STD-44/12D	RESTRAINT FACTORS FOR FIXED WING AIRCRAFT (CHG 1 - 12 FEB 1986) .....	C ISDF	06	01-FEB-83				
AIR-STD-44/14D	RECOVERY AND RELEASE OF PARACHUTISTS TOWED BEHIND TRANSPORT AIRCRAFT .....	C ISDF	06	18-JUL-91				
AIR-STD-44/15G	PARACHUTE EXTRACTION SYSTEMS .....	C ISDF	06	12-DEC-85				
AIR-STD-44/16H	EXCHANGE OF INFORMATION - TRANSPORT AIRCRAFT LOADING DATA .....	C ISDF	06	18-JUL-91				
AIR-STD-44/17J	FIXED WING CARGO AIRCRAFT TIEDOWN FITTINGS .....	C ISDF	06	18-JUL-91				
AIR-STD-44/18H	RESPONSIBILITIES OF AIR TRANSPORT UNITS AND AIR TRANSPORTED (USER) UNITS, FOR AIR MOVEMENT IN COMBINED OPERATIONS .....	C ISDF	06	29-SEP-92				
AIR-STD-44/21H	CRITERIA FOR THE DESIGN OF EQUIP REQUIRED TO BE AIR TRANSPORTED OR AIRDROPPED FROM FIXED WING & ROTARY WING TRANSPORT AIRCRAFT (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX (150), WASHINGTON, DC 20330-5058)	C ISDF	06	30-APR-91				
A AIR-STD-44/22H(1)	EXCHANGE OF INFORMATION GROUND HANDLING CAPABILITIES FOR TRANSPORT AIRCRAFT	C ISDF	06	29-SEP-92				
AIR-STD-44/23A	DIVISION OF RESPONSIBILITY BETWEEN GROUND & AIR FORCES ON DROP/EXTRACTION ZONES IN TACTICAL OPERATIONS (VALIDATION DATE: 8411)	C ISDF	06	02-OCT-78				
AIR-STD-44/24C	GENERAL RULES COVERING THE TRANSPORT OF LOADS BY HELICOPTER .....	C ISDF	06	18-JUL-91				
AIR-STD-44/25F	TRANSPORT OF TROOPS BY HELICOPTER (VALIDATION DATE: 8601) .....	C ISDF	06	12-DEC-85				
AIR-STD-44/26D	ULTRA LOW LEVEL AIRDROP SYSTEM USING PARACHUTE EXTRACTION (CHG 3, 25 SEPT 84) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21, WASH D.C. 20360)	C ISDF	06	01-FEB-83				
AIR-STD-44/27D	AIRDROP OF DOOR BUNDLE WITH STICKS OF PARACHUTISTS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21)	C ISDF	06	01-FEB-83				
AIR-STD-44/28A	COLORS FOR THE IDENTIFICATION OF AIRDROPPED SUPPLIES (VALIDATION DATE: 8302)	C ISDF	06	22-MAY-73				
A AIR-STD-44/29C(1)	READY ACCESS IN FIXED WING TRANSPORT AIRCRAFT .....	C ISDF	06	29-SEP-92				
AIR-STD-44/31C	TACTICAL REFUELLING OF HELICOPTERS IN AIR TRANSPORT OPERATIONS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21, WASH D.C. 20360)	C ISDF	06	12-DEC-85				
AIR-STD-44/32C	TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21, WASH D.C. 20360) (CHG 1 - 12 FEB 1986)	C ISDF	06	01-FEB-83				
AIR-STD-44/33E	HELICOPTER TACTICAL OR NON-PERMANENT LANDING SITES .....	C ISDF	06	18-JUL-91				
AIR-STD-44/34C	TACTICAL FORMATION FLYING BY HELICOPTERS IN AIR TRANSPORT OPERATIONS .....	C ISDF	06	18-JUL-91				
AIR-STD-44/35G	DROP ZONES AND EXTRACTION ZONES: CRITERIA, MARKINGS AND INFORMATION CHECK LISTS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (150), WASHINGTON, DC 20330-5058)	C ISDF	06	30-APR-91				
AIR-STD-44/36D	AEROMEDICAL EVACUATION BY HELICOPTER .....	C ISDF	06	18-JUL-91				
AIR-STD-44/37B	CRITERIA FOR SELECTION & MARKING FOR FIXED WING AIRCRAFT (CHANGE 3 DTD 2-12-86) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21, WASH. D.C. 20360)	C ISDF	06	01-FEB-83				
AIR-STD-44/38B	MARTIME AIR MOVEMENT PRIORITIES SYSTEM (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21 WASH D.C. 20360)	C ISDF	06	25-SEP-84				
A AIR-STD-44/39B(1)	DESIGN CRITERIA FOR THE 10,000 LB (4,545 KG) AIR TRANSPORT PALLET .....	C ISDF	06	29-SEP-92				
A AIR-STD-44/40D(1)	PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS ENERGY DISSIPATING MATERIAL	C ISDF	06	29-SEP-92				
AIR-STD-44/41B	COMBINED AIR TERMINAL OPERATIONS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21, WASH D.C. 20360)	C ISDF	06	25-SEP-84				
AIR-STD-44/42A	MARSHALLING SIGNALS FOR FIXED WING & ROTARY WING AIRCRAFT (CHG 1 - 6 AUG 81) (VALIDATION DATE: 8601)	C ISDF	06	16-SEP-80				
AIR-STD-44/43B	ASCC FORM OF BAGGAGE TAG (CH-1 - 6 AUG 81) (VALIDATION DATE: 8601) .....	C ISDF	06	12-DEC-85				
AIR-STD-44/45D	PROCEDURES FOR TRACING AIR BAGGAGE AND MISSING AIR CARGO .....	C ISDF	06	18-JUL-91				
A AIR-STD-44/47C(1)	IDENTIFICATION AND CONTROL OF AIRCRAFT PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT DURING COMBINED AIRLIFT OPERATIONS	C ISDF	06	29-SEP-92				
AIR-STD-44/48B	GROUND SECURITY PROCEDURES AGAINST HIJACKING OF AIR TRANSPORT AIRCRAFT .....	C ISDF	06	18-JUL-91				
AIR-STD-44/49A	MOVEMENT, HANDLING AND IN TRANSIT STORAGE OF CARGO REQUIRING TEMPERATURE CONTROLLED CONDITIONS	C ISDF	06	12-DEC-85				
AIR-STD-44/50C	EMPLACING AND DEEMPLACING AT THE HIGH HOVER .....	C ISDF	06	18-JUL-91				
AIR-STD-44/51	FORMATS FOR REQUESTING & ANSWERING REQUESTS FOR AIR TRANSPORT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF (CHM))	C ISDF	06	01-FEB-83				
AIR-STD-44/52	TRANSPORTATION OF TROOPS ON AIRCRAFT TRANSPORTING HAZARDOUS CARGO (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21)	C ISDF	06	01-FEB-83				
AIR-STD-44/53	OPERATIONAL CARRIAGE BY HELICOPTER OF AMMUNITION & FUEL (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21)	C ISDF	06	01-FEB-83				
AIR-STD-44/54	SUPPLY/EQUIPMENT AIRDROP SYSTEMS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM. MAT 09B21)	C ISDF	06	24-MAY-83				
AIR-STD-44/55	TROOP TYPE PERSONNEL PARACHUTES (CHG 1 - DTD 2-12-86 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21)	C ISDF	06	24-MAY-83				
AIR-STD-44/56	DIMENSIONAL FEATURES FOR STRETCHER (LITTER) SUPPORT & RETENTION BY THE HANDLES (CHG-1 - DTD 12 FEB 86)	C ISDF	06	29-OCT-84				
AIR-STD-44/57B	MULTI-MODAL DOCUMENTATION OF CARGO .....	C ISDF	06	18-JUL-91				
AIR-STD-44/58B	PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS .....	C ISDF	06	18-JUL-91				
AIR-STD-44/59	FLOOR RAILS & MATING EQUIPMENT ATTACHMENT PINS .....	C ISDF	06	12-DEC-85				
AIR-STD-44/60A	CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(150), WASHINGTON DC 20330-5058)	C ISDF	06	30-APR-91				
AIR-STD-44/62	THE USE OF HORSE COLLAR (STROP) TYPE HELICOPTER HOSTING GEAR .....	C ISDF	06	18-JUL-91				
AIR-STD-44/64	LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS .....	C ISDF	06	18-JUL-91				
AIR-STD-45/3A	TACTICAL AIR DOCTRINE .....	C ISDF	06	21-SEP-81				
AIR-STD-45/4B	TACTICAL AIR PROCEDURES COUNTER AIR OPERATIONS .....	C ISDF	06	16-DEC-86				
AIR-STD-45/5	TACTICAL AIR PROCEDURES OFFENSIVE AIR SUPPORT OPERATIONS .....	C ISDF	06	21-SEP-81				
AIR-STD-45/6B	TACTICAL AIR PROCEDURES AIRSPACE CONTROL IN THE COMBAT ZONE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21, WASH. D. C 20360)	C ISDF	06	16-DEC-86				
AIR-STD-45/7A	TACTICAL AIR PROCEDURES AIR INTERDICTION OPERATIONS .....	C ISDF	06	16-DEC-86				
AIR-STD-45/8A	TACTICAL AIR PROCEDURES, TACTICAL AIR SUPPORT OF AMPHIBIOUS OPERATIONS .....	C ISDF	06	16-DEC-86				
A AIR-STD-50/1A	HIGH ORDER LANGUAGES .....	C ISDF	06	03-OCT-91				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active OR / On Coordination Machine	Document Number	Document Title	Dist Smt FDC / Area MCA Symbol Preparing Agency	Date	Custodians		
					Army	Navy	AF Force DLA
A	AIR-STD-50/2A(1)	DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS	C ISDF	06 03-OCT-91			
	AIR-STD-50/3A	SIXTEEN BIT COMPUTER INSTRUCTION SET ARCHITECTURE - CHC 1 DTD 25 FEB 86 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/X/XX (ISO) WASH DC 20330-5058)	C ISDF	06 25-NOV-85			
	AIR-STD-50/4	SOFTWARE DOCUMENTATION STANDARDS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX (ISO) WASH, DC 20330-5058)	C ISDF	06 31-DEC-88			
	AIR-STD-50/5	STANDARDIZATION OF A REAL TIME HIGH ORDER COMPUTER PROGRAMMING LANGUAGE FOR AVIONICS SYSTEMS APPLICATION (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/X/XX (ISO) WASH DC 20330)	C ISDF	06 31-DEC-88			
	AIR-STD-50/6	AVIONICS SYSTEM ARCHITECTURE GUIDELINES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX (ISO) WASH, DC 20330-5058)	C ISDF	06 31-DEC-88			
	AIR-STD-50/7	DISCRETE SIGNAL INTERFACES (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/X/XX (ISO), WASHINGTON DC 20330-5058)	C ISDF	06 21-JUN-91			
	AIR-STD-50/8	COMPUTER RESOURCES HANDBOOK FOR CRITICAL SYSTEMS REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX (ISO) WASH, DC 20330-5058	C ISDF	06 26-OCT-89			
	AIR-STD-50/9	MULTIPLEX APPLICATIONS HANDBOOK REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX (ISO) WASH, DC 20330-5058	C ISDF	06 30-NOV-89			
	AIR-STD-50/10	ANALOGUE VIDEO STANDARD FOR AIRCRAFT SYSTEM APPLICATIONS (REQUESTS OTHER THAN DOD REF TO HQ USAF/X/XX-ISO, WASH, DC 20330-5058 (CHANGE-1 WITH CORRECT PAGES 1 THRU 7) - 30 APRIL 1991)	C ISDF	06 15-APR-91			
A	AIR-STD-50/11	AIRBORNE VIDEO RECORDERS	C ISDF	06 21-FEB-92			
	AIR-STD-50/23	LM-230A PROGRAMMABLE AUTOMATIC CAMERA TEST SET (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX (ISO) WASH, DC 20330-5028)	C ISDF	06 31-DEC-88			
	AIR-STD-51/10	HELICOPTER HOISTING GEAR, THE USE OF HORSE COLLAR (STROP) TYPE	C ISDF	06 20-APR-82			
	AIR-STD-51/2A	EMERGENCY MARKINGS (VALIDATION DATE: 8302)	C ISDF	06 02-JAN-68			
	AIR-STD-51/4(2)	STANDARD SEARCH PLANNING DATA (VALIDATION DATE: 8302)	C ISDF	06 29-DEC-75			
	AIR-STD-51/5C	BEACONS, PERSONAL LOCATOR, GENERAL CHARACTERISTICS OF	C ISDF	06 01-DEC-86			
	AIR-STD-51/6B	CHARACTERISTICS OF EMERGENCY PERSONNEL PARACHUTES	C ISDF	06 01-DEC-86			
	AIR-STD-51/7B	LOCATION AIDS FOR SURVIVORS OF AIRCRAFT ACCIDENTS	C ISDF	06 20-APR-82			
	AIR-STD-51/8A	AIR DROP RESCUE EQUIPMENT (SEA) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX(ISO), WASH DC 20330-5058)	C ISDF	06 01-APR-90			
	AIR-STD-51/9B	DATUM BUOYS MARKERS MARINE & FLARES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX, WASH DC 20330-5058)	C ISDF	06 01-APR-90			
	AIR-STD-51/10A	GENERAL CHARACTERISTICS OF AIRCREW PERSONAL LOCATOR BEACONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX, WASH DC 20330-5058)	C ISDF	06 01-APR-90			
	AIR-STD-51/12D	CHARACTERISTICS OF EMERGENCY PERSONNEL PARACHUTES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX(ISO), WASH DC 20330-5058)	C ISDF	06 30-APR-90			
	AIR-STD-52/1E	FORMAT SIZES FOR AIR CAMERAS (FRAMING) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C ISDF	06 16-AUG-85			
	AIR-STD-52/6F	DIMENSIONS, TOLERANCES & CHARACTERISTICS OF 16MM & 35MM ROLLED FILM FOR AERIAL CAMERAS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX (ISO) WASH, DC 20330-5028)	C ISDF	06 31-DEC-88			
	AIR-STD-52/7F	METHOD OF DETERMINING THE PRINCIPAL SENSITOMETRIC CHARACTERISTICS OF BLACK AND WHITE ROLLED AIR FILM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX-ISO, WASH DC 20330-5058)	C ISDF	06 20-JUL-90			
	AIR-STD-52/13C	CALIBRATION CERTIFICATE FOR MAPPING CAMERAS (VALIDATION DATE: 8312)	C ISDF	06 04-NOV-83			
	AIR-STD-52/14E(1)	DIMENSIONS, TOLERANCES AND CHARACTERISTICS OF 70MM, 126MM AND 240MM ROLLED FILM FOR AIR PHOTOGRAPHY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX-ISO, WASH DC)	C ISDF	06 12-JUL-90			
	AIR-STD-52/15C	CORES FOR 70 MM AIR FILM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH D.C. 20360) (VALIDATION DATE: 8312)	C ISDF	06 04-NOV-83			
	AIR-STD-52/17D	SPOOLS FOR 70 MM, 126 MM, AND 240 MM ROLLED AIR FILM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX-ISO, WASH DC 20330-5058)	C ISDF	06 20-JUL-90			
	AIR-STD-52/21A	TARGET PATTERN FOR DETERMINATION OF AERIAL PHOTOGRAPHIC RESOLUTION (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C ISDF	06 04-NOV-83			
	AIR-STD-52/22C	RECONNAISSANCE INTEROPERABILITY HANDBOOK (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX-ISO, WASH DC 20330-5058)	C ISDF	06 31-AUG-90			
	AIR-STD-53/1D	THE AIR ALMANAC (VALIDATION DATE: 8312)	C ISDF	06 14-OCT-77			
	AIR-STD-53/2D	SIGHT REDUCTION TABLES (CH-1 - 15 MAR 79)	C ISDF	06 25-NOV-85			
	AIR-STD-53/3D	THE PROPER NAMES OF 68 STARS	C ISDF	06 12-APR-91			
	AIR-STD-53/5B	MINIMUM OPERATIONAL REQUIREMENT (MC) FOR LIGHTWEIGHT DOPPLER SYSTEMS FOR FIXED WING AIRCRAFT (VALIDATION DATE: 8302)	C ISDF	06 30-JUN-66			
	AIR-STD-53/6D	TRUE AIRSPEED OUTPUTS	C ISDF	06 12-APR-91			
	AIR-STD-53/7A	DATA TRANSMISSION FOR RADAR DOPPLER SYSTEMS (VALIDATION DATE: 8302)	C ISDF	06 15-AUG-68			
	AIR-STD-53/9C	LIGHTWEIGHT DOPPLER NAVIGATION EQUIPMENT FOR HELICOPTERS (VALIDATION DATE: 8302)	C ISDF	06 30-JUN-66			
	AIR-STD-53/10C	STANDARD ANALOGUE HEADING OUTPUTS	C ISDF	06 12-APR-91			
	AIR-STD-53/11D	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF INERTIAL NAVIGATION SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX(ISO), WASH DC 20330-5058)	C ISDF	06 30-APR-90			
	AIR-STD-53/12A	THE SPECIFICATION AND EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER GROUND VELOCITY SENSORS (CHC 1 DTD 10 JUN 86) REQUEST OTHER THAN DOD MUST BE SENT VIA: HQ USAF/X/XX (ISO) WASH DC 20330-5058 (VALIDATION DATE: 8601)	C ISDF	06 15-MAY-80			
	AIR-STD-53/13A	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER NAVIGATION SYSTEMS (VALIDATION DATE: 8411)	C ISDF	06 15-MAR-79			
	AIR-STD-53/14	DEFINITION OF SEA STATE FOR USE IN CONNECTION WITH DOPPLER NAVIGATION (VALIDATION DATE: 8302)	C ISDF	06 15-DEC-74			
	AIR-STD-53/16	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF HYBRID NAVIGATION SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C ISDF	06 24-OCT-84			
	AIR-STD-53/18D	MICROWAVE LANDING SYSTEMS (MLS) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/X/XX(ISO), WASH DC 20330-5058)	C ISDF	06 30-APR-90			
	AIR-STD-61/1B	EJECTION ACCELERATION LIMITS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDF	06 18-AUG-82			
	AIR-STD-61/2A	RESTRAINT AND PARACHUTE HARNESSES FOR AIRCREW	C ISDF	06 11-SEP-84			
	AIR-STD-61/3A	ESCAPE SYSTEM TEST METHODS (VALIDATION DATE: 8302)	C ISDF	06 30-SEP-76			
	AIR-STD-61/4	FLOTATION AND SEA SURVIVAL, TEST METHODS AND REQUIREMENTS (VALIDATION DATE: 8302)	C ISDF	06 05-SEP-75			
A	AIR-STD-61/5A	ESCAPE PATH CLEARANCE IN EJECTION SEAT AIRCRAFT	C ISDF	06 03-SEP-91			
	AIR-STD-61/6	COLLECTION OF DATA FOR EVALUATION OF HELMETS DAMAGED IN SERVICE (VALIDATION DATE: 8302)	C ISDF	06 30-SEP-76			
	AIR-STD-61/7B	MINIMAL PROTECTION FOR AIRCREW EXPOSED TO ALTITUDES ABOVE 50,000 FEET (CH-2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM 09B21)	C ISDF	06 14-SEP-81			
	AIR-STD-61/8A	CRITERIA FOR REPORTING THE NATURE OF CLOTHING MATERIALS ON ASSEMBLIES SUBJECTED TO PHYSICAL & OPERATIONAL TESTING (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/X/XX (ISO) WASH, DC 20330-5058)	C ISDF	06 06-JUL-86			
	AIR-STD-61/9B	PROTECTION OF PERSONNEL AGAINST THE EFFECTS OF HIGH LEVELS OF SOUND UPON HEARING & OPERATIONAL EFFICIENCY (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/X/XX (ISO) WASH, DC 20330-5058)	C ISDF	06 30-JUL-86			
	AIR-STD-61/10B	DEVELOPMENTAL TEST & EVALUATION OF AIRCRAFT OXYGEN DELIVERY SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDF	06 18-AUG-82			
	AIR-STD-61/11	METHODOLOGY FOR COCKPIT THERMAL ASSESSMENTS (CH-1 20 SEP 79) (VALIDATION DATE: 8601)	C ISDF	06 01-NOV-78			



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc / OASD Coordination Machine Document Number	Document Title	Doc Orig FSC / Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
AIR-STD-61/12	METHODOLOGY FOR EVALUATION OF ANTI EXPOSURE CLOTHING IN COLD WATER USING HUMAN SUBJECTS - CHANGE 1 - 20 SEP 79 (VALIDATION DATE: 8601)	C ISDF 06 01-NOV-78	
AIR-STD-61/13A	MEASUREMENT OF SOUND ATTENUATION OF HEARING PROTECTIVE EQUIPMENT .....	C ISDF 06 03-SEP-91	
AIR-STD-61/14	THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOR FORM (VALIDATION DATE: 8411)	C ISDF 06 01-NOV-78	
AIR-STD-61/15A	ANTHROPOMETRIC CRITERIA FOR LITTERS STANDARDS (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/16	AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF AIRCREW (VALIDATION DATE: 8601)	C ISDF 06 20-SEP-79	
AIR-STD-61/17A	VIBRATION EXPOSURE LIMITS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21)	C ISDF 06 18-AUG-82	
AIR-STD-61/18	COMPARATIVE ANTHROPOMETRY OF ASCC PERSONNEL FOR PERSONAL PROTECTIVE CLOTHING & DESIGN, FLIGHT GARMENTS (ADVISORY PUBLICATION)	C ISDF 06 21-SEP-81	
AIR-STD-61/19	GUIDANCE FOR THE CONTROL OF HEAT STRESS IN OPERATIONS OF HIGH PERFORMANCE MILITARY AIRCRAFT (ADVISORY PUBLICATION)	C ISDF 06 21-SEP-81	
A	AIR-STD-61/20A	METHOD OF PARTIAL PRESSURE SUIT EVALUATION FOR HIGH ALTITUDE PROTECTION ...	C ISDF 06 03-SEP-91
AIR-STD-61/21	PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW OXYGEN MASKS FOR USE AT HIGH BREATHING PRESSURES (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON DC 20330-5058)	C ISDF 06 20-SEP-90	
AIR-STD-61/22	THE MINIMUM PHYSIOLOGICAL DESIGN REQUIREMENTS FOR AIRCREW BREATHING SYSTEMS (CHG 1) REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 18-AUG-82	
AIR-STD-61/23B	MINIMUM PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC PROTECTIVE HEADGEAR ....	C ISDF 06 03-SEP-91	
AIR-STD-61/24	FILTER BLOWER PERFORMANCE FOR AIRCREW NBC HEADGEAR - CHG. 2 DTD 30 JULY 86 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 18-AUG-82	
AIR-STD-61/25	HUMAN TOLERANCE TO REPEATED SHOCK (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058 (CHG 1 DTD 30 JUL 86)	C ISDF 06 23-MAR-83	
AIR-STD-61/26A	STANDARDIZED CENTRIFUGE G-STRESS PROFILES FOR MEDICAL EVALUATION OF AIRCRAFT MEMBERS (W/CHG 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDF 06 25-NOV-85	
AIR-STD-61/27	HIGH SPEED PASSIVE AND ACTIVE RESTRAINT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH D.C. 20360)	C ISDF 06 24-MAY-83	
AIR-STD-61/28	EJECTION SEAT INITIATING DEVICES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21)	C ISDF 06 24-MAY-83	
AIR-STD-61/29	TERMS & SYMBOLS FOR THERMAL PHYSIOLOGY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDF 06 24-MAY-83	
AIR-STD-61/30	METHODOLOGY FOR MEASUREMENT OF CORE TEMPERATURE USING RADIO PILLS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDF 06 24-MAY-83	
AIR-STD-61/31	AIRCRAFT ENTRY HEARINGS STANDARDS (W/CHG 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDF 06 25-NOV-85	
AIR-STD-61/32A	INTERCHANGEABILITY OF AIRCREW MEDICAL CATEGORIES .....	C ISDF 06 03-SEP-91	
AIR-STD-61/33	EVALUATION PROCEDURES FOR FLIGHT HELMETS (RELEASE TO OTHER THAN DOD ACT REQ PRI APPR OF CNM MAT 09B21 WASH DC)	C ISDF 06 24-MAY-83	
AIR-STD-61/34	AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENT/INCIDENT INVESTIGATIONS .....	C ISDF 06 11-SEP-84	
AIR-STD-61/36	AIRCRAFT ANTHROPOMETRIC SCALE MODELS FOR ENGINEERING DESIGN .....	C ISDF 06 11-SEP-84	
AIR-STD-61/37	ANTHROPOMETRIC LIMITATIONS FOR THE SELECTION OF AIRCREW AND FOR AIRCRAFT CREW STATIONS IN THE ASCC NATIONS	C ISDF 06 11-SEP-84	
AIR-STD-61/38	THE SMOOTHING OF PERCENTILES, AN EMPIRICAL EVALUATION OF SEVERAL METHODS ..	C ISDF 06 11-SEP-84	
AIR-STD-61/39	MAXIMUM PERMISSIBLE TEMPERATURES OF MATERIALS FOR SAFE CONTACT WITH BARE SKIN	C ISDF 06 11-SEP-84	
AIR-STD-61/40	A TECHNICAL BASIS FOR SPECIFYING THE INSULATION OF IMMERSION PROTECTIVE CLOTHING	C ISDF 06 11-SEP-84	
AIR-STD-61/41	PROCEDURES FOR CALIBRATION OF IN-FLIGHT RESPIRATORY DATA ACQUISITION EQUIPMENT	C ISDF 06 16-AUG-85	
AIR-STD-61/42A	HUMAN TOLERANCE TO PARACHUTE OPENING SHOCK (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058)	C ISDF 06 20-SEP-90	
AIR-STD-61/43	ASCC PERSONNEL FOR EQUIPMENT DESIGN: HELMETS (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/44	PROCEDURE FOR PROTECTING AIRCREW DURING ROUTINE OPERATIONS IN COLDCLIMATE (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/45A	AVIATION MEDICINE/PHYSIOLOGICAL TRAINING OF HIGH ALTITUDE PARACHUTISTS (REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 20-SEP-90	
AIR-STD-61/46	GLOSSARY OF MOLECULAR SIEVE OXYGEN GENERATION SYSTEM (MSOGS) TERMINOLOGY (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC)	C ISDF 06 30-JUL-86	
AIR-STD-61/47	ESCAPE PATH CLEARANCE - METHODS AND PROBLEMS (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/48A	SINGLE NUMBER NOISE REDUCTION OF HEARING PROTECTORS (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 20-SEP-90	
AIR-STD-61/49	INTELLIGIBILITY OF SPEECH IN NOISE (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/50	METHODS FOR ASSESSING VISUAL ENDPOINTS FOR ACCELERATION TOLERANCE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/51A	CENTRIFUGE TRAINING TO INCREASE HIGH-G TOLERANCE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 20-SEP-90	
A	AIR-STD-61/52A	ANTHROPOMETRIC OF ASCC AIRCREW POPULATIONS	C ISDF 06 07-NOV-92
AIR-STD-61/53	THE OPTICAL & MATERIAL REQUIREMENTS FOR AIRCREW PLANO SUNGLASSES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/55	METHODOLOGY FOR ASSESSMENT OF THE THERMAL PERFORMANCE OF IMMERSION PROTECTIVE CLOTHING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 30-JUL-86	
AIR-STD-61/56	MEDICAL EXAMINATION OF AIRCREW FOLLOWING AN AIRCRAFT ACCIDENT/INCIDENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 30-JUL-86	
A	AIR-STD-61/57B	THE MANAGEMENT OF MOTION SICKNESS IN AIRCREW	C ISDF 06 07-NOV-91
A	AIR-STD-61/58B	AIRCRAFT MALARIA PROPHYLAXIS	C ISDF 06 07-NOV-91
A	AIR-STD-61/63C	DRUGS WHICH MAY BE USED WHILE MAINTAINING FLYING STATUS	C ISDF 06 07-NOV-91
AIR-STD-61/72A	AIRCRAFT ENTRY VISUAL STANDARDS (REQUESTS OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASHINGTON, DC 20330-5058)	C ISDF 06 20-SEP-90	
AIR-STD-61/73	MINIMUM STANDARDS FOR BREATHING EQUIPMENT FOR PARACHUTISTS BETWEEN 13,000 & 25,000 FEET PRESSURE ALTITUDE (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058)	C ISDF 06 14-SEP-90	
A	AIR-STD-61/74A	REPORTING OF HYPERBARIC CHAMBER PHYSIOLOGICAL INCIDENTS .....	C ISDF 06 07-NOV-91
AIR-STD-61/75	DEFINITIONS OF THE VARIOUS CATEGORIES OF CARIN DECOMPRESSION (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058)	C ISDF 06 14-SEP-90	
AIR-STD-61/76	A THREE DIMENSIONAL MAN MODELLING SYSTEM FOR COMPUTER AIDED DESIGN (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058)	C ISDF 06 14-SEP-90	
AIR-STD-61/77	APPLICATION ORIENTED SELECTION OF ANTHROPOMETRIC DIMENSIONS (REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058)	C ISDF 06 20-SEP-90	
AIR-STD-61/79	AEROMEDICAL EVACUATION	C ISDF 06 20-SEP-90	
AIR-STD-61/80A	DOCUMENTATION OF AEROMEDICAL EVACUATION .....	C ISDF 06 03-SEP-91	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action Ordn. / Out. Cooperation Institute Document Number	Document Title	Dist. Syst. FSC / Area MCA Symbol Preparing Ass'y	Date	Custodians			
				Army	Navy	Air Force	DIA
AIR-STD-61/81	TESTS FOR PROTECTIVE CAPACITY OF FIRE RESISTANT CLOTHING MATERIALS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06 20-SEP-90				
AIR-STD-61/82	INSTRUMENTATION FOR ESCAPE SYSTEM THERMAL HAZARD ANALYSIS .....	C ISDF	06 03-SEP-91				
AIR-STD-61/83	A BASIS FOR COMMON PRACTICES AND GOALS IN THE CONDUCT OF ANTHROPOMETRIC SURVEYS	C ISDF	06 03-SEP-91				
AIR-STD-61/84	INITIAL INVESTIGATION AND IMMEDIATE MANAGEMENT OF LASER EYE INJURY IN AIRCREW	C ISDF	06 03-SEP-91				
AIR-STD-61/89	ELECTRONIC COLOUR DISPLAY SYSTEMS .....	C ISDF	06 07-NOV-91				
AIR-STD-64/6F	STANDARD UNITS OF LINEAR MEASUREMENT ON AERONAUTICAL CHARTS AND FLIGHT INFORMATION PUBLICATIONS (REQ OTHER THAN DOD REF HQ USAF/XOXX-ISO, WASHG., DC 20330-5058)	C ISDF	06 11-MAR-91				
AIR-STD-64/118	DELINEATION OF AIR DEFENSE IDENTIFICATION ZONES ON AERONAUTICAL CHARTS AND FLIGHT INFORMATION PUBLICATIONS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH. DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/12C	DELINEATION OF THE INTERNATIONAL DATE LINE ON AERONAUTICAL CHARTS AND FLIGHT INFORMATION PUBLICATIONS (CHG 1 DTD 18 APR 86)	C ISDF	06 27-SEP-84				
AIR-STD-64/15J	FLIGHT INFORMATION PUBLICATION, ENROUTE (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH., DC 20330-5058)	C ISDF	06 11-MAR-91				
AIR-STD-64/16G	FLIGHT INFORMATION PUBLICATIONS-PLANNING REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH. DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/18E	TITLE FOR FLIGHT INFORMATION PUBLICATIONS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/19F	EXPLANATORY INFORMATION REQUIRED ON AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC 20330-5058)	C ISDF	06 11-MAR-91				
AIR-STD-64/23F	IDENTIFICATION OF SCALE ON AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH. DC 20330-5058)	C ISDF	06 11-MAR-91				
AIR-STD-64/24F	SYMBOLS FOR AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC 20330-5058)	C ISDF	06 11-MAR-91				
AIR-STD-64/25D	MINIMUM CONTENT AND COLOUR OF AERONAUTICAL INFORMATION FOR AERONAUTICAL CHARTS (CHG 1 DTD 18 APR 86) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/26C	POSITION REFERENCE SYSTEMS FOR AERONAUTICAL CHARTS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH. DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/27C	STANDARD SCALES FOR TOPOGRAPHIC AERONAUTICAL CHARTS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH. DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/29C	AERONAUTICAL CHART CATALOGUES REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH. DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/30F	FLIGHT INFORMATION PUBLICATION TERMINAL (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C ISDF	06 27-SEP-84				
AIR-STD-64/31D	IDENTIFICATION OF AERODROME BY NAME REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/33C	PORTRAYAL OF NAVIGATION GRID INFORMATION REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/35D	MAXIMUM ELEVATION FIGURE CRITERIA FOR AERONAUTICAL CHARTS (CHG 1 DTD 4/18/86 REQUESTS OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 28-SEP-83				
AIR-STD-64/36A	AIRCRAFT ARRESTING SYSTEMS, INFORMATION FOR FLIPS REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX(ISO) WASH DC 20330-5058	C ISDF	06 18-APR-86				
AIR-STD-64/37	FLIP OPERATIONAL ABBREVIATIONS (CHG 1 DTD 18 APR 86) REQUEST OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058	C ISDF	06 25-MAR-81				
AIR-STD-64/38	ASW DEAD RECKONING TRACKER PLOTTING CHARTS (CHG 1 DTD 18 APR 86) REQUEST OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX (ISO) WASH DC 20330-5058	C ISDF	06 28-SEP-83				
AIR-STD-64/39	OPERATIONAL USAGE CRITERIA (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C ISDF	06 27-SEP-84				
AIR-STD-65/1F	LIGHTING OF INSTRUMENT & NON- INSTRUMENT RUNWAYS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06 22-MAY-91				
AIR-STD-65/2B	LIGHTING OF AIRFIELD OBSTRUCTIONS (REL TO OTHER THAN DOD ACT REQ PR APPR OF HQ USAF/XOXX-ISO WASH. DC 20330-5058)	C ISDF	06 18-DEC-80				
AIR-STD-65/3F	LIGHTING AND MARKING OF AIRFIELD OBSTRUCTIONS (ISSUE CONTROLLED) .....	C ISDF	06 22-MAY-91				
AIR-STD-65/4E	AIRFIELD APPROACH LIGHTING ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 14-AUG-86				
AIR-STD-65/5E	MARKING OF INSTRUMENT AND NON-INSTRUMENT RUNWAYS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C ISDF	06 22-MAY-91				
AIR-STD-65/6E	AIRFIELD TAXIWAY MARKINGS ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 22-MAY-91				
AIR-STD-65/7A	VISUAL GLIDE SLOPE INDICATOR SYSTEMS - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 02-OCT-84				
AIR-STD-65/8A	AIRFIELD PORTABLE LIGHTING SYSTEMS (REL TO OTHER THAN DOD ACT REQ PR APPR OF HQ USAF/XOXX-ISO WASH. DC 20330-5058)	C ISDF	06 18-DEC-80				
AIR-STD-65/9C	TAXIWAY LIGHTING (REL TO OTHER THAN DOD ACT REQ PR APPR OF HQ USAF/XOXX-ISO WASH. DC 20330-5058)	C ISDF	06 22-MAY-91				
AIR-STD-65/10A	AIRFIELD LIGHTING CONTROL SYSTEMS - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 02-OCT-84				
AIR-STD-65/11A	ILLUMINATED RUNWAY DISTANCE MARKERS @ ILLUMINATED HOOK CABLE MARKER - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 02-OCT-84				
AIR-STD-65/12B	AIRFIELD LIGHTING FOR CATEGORY 11 OPERATIONS -(REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06 22-MAY-91				
AIR-STD-65/13A	EXTRAORDINARY LIGHTING IN VICINITY OF AIRFIELDS (REL TO OTHER THAN DOD ACT REQ PR APPR OF HQ USAF/XOXX-ISO WASH. DC 20330-5058)	C ISDF	06 02-OCT-84				
AIR-STD-65/14A	AIRFIELD MARKING @ LIGHTING COLOUR STANDARDS - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 02-OCT-84				
AIR-STD-65/15C	AIRFIELD LIGHTING CIRCUITRY - CHG. 1 DTD 14 AUG 86 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 22-MAY-91				
AIR-STD-65/16B	HELIPAD LIGHTING (VNC) - CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 12-APR-83				
AIR-STD-65/17C	AIRFIELD SIGNS (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06 22-MAY-91				
AIR-STD-65/18B	MOVEMENT AREA FLOOD LIGHTING ( REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06 22-MAY-91				
AIR-STD-65/19	STANDBY POWER SUPPLY REQUIREMENTS FOR FIXED INSTALLATIONS CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 18-DEC-80				
AIR-STD-65/21A	HELIPAD MARKING - CHG 1 DTD 14 AUG 1986 ( REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06 02-OCT-84				
AIR-STD-65/22	AIRFIELD CLEARANCE PLANES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09B21, WASH. D.C. 20360)	C ISDF	06 02-OCT-84				
AIR-STD-65/23A	AIRCRAFT ARRESTING GEAR FOR AIRFIELDS - ( REQ OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06 22-MAY-91				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action Op. / Chg Correction Initiative	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Assy Date	Custodians			
						Army	Navy	Air Force	DIA
	AIR-STD-65/24	AIR TRAFFIC CONTROL PROCEDURES FOR ARRESTMENT OF AIRCRAFT - CHG 1 DTD 14 AUG 1986 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06	02-OCT-84				
	AIR-STD-65/25	SIGNALS FOR RUNWAY PARTY WHEN DISENGAGING AN AIRCRAFT AFTER A HOOK CABLE ARRESTMENT - CHG 1 DTD 14 AUG 1986 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX (ISO) WASH DC 20330-5058)	C ISDF	06	02-OCT-84				
	AIR-STD-65/26	PILOTS OPERATING PROCEDURE FOR ENGAGEMENT OF AIRFIELD ARRESTING SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09821, WASH, D.C. 20360)	C ISDF	06	02-OCT-84				
	AIR-STD-65/30A	PACIFIC NATIONS HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS (PAC HOSTAC) PUBLICATIONS (PAC HOSTAC (PAC 1) AND PAC HOSTAC SUPPLEMENT (PAC 1-1) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06	22-MAY-91				
	AIR-STD-65/310	AIRFIELD TONE-DOWN MARKING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058)	C ISDF	06	30-APR-90				
	AIR-STD-65/32	NON-TACTICAL HELIPORT LIGHTING AND MARKING (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06	22-MAY-91				
	AIR-STD-65/33	AIRFIELD DECLARED DISTANCES (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C ISDF	06	22-MAY-91				
	AIR-STD-65/34	HELIPORT AND HELIPAD LIGHTING AND MARKING	C ISDF	06	24-FEB-92				
A	AIR-STD-65/37	AIRCRAFT ARRESTING SYSTEMS OPERATING PROCEDURES	C ISDF	06	20-FEB-92				
A	AIR-STD-65/38	VISUAL GLIDE SLOPE INDICATOR SYSTEMS	C ISDF	06	08-APR-92				
A	AIR-STD-70/3	INTEROPERABILITY OF AIRCRAFT VHF AM AND/OR FM MULTI-FREQUENCY TRANSCIVEIVE INSTALLATIONS AND COMPATIBLE GROUND RADIO EQUIPMENTS	C ISDF	06	19-NOV-91				
A	AIR-STD-70/4	INTEROPERABILITY OF AIRCRAFT UHF MULTI-FREQUENCY TRANSCIVEIVE INSTALLATION AND COMPATIBLE GROUND TRANSMITTERS AND RECEIVERS	C ISDF	06	19-NOV-91				
A	AIR-STD-70/7	DATA TRANSMISSION FOR RADAR DOPPLER SYSTEMS	C ISDF	06	19-NOV-91				
A	AIR-STD-70/10	STANDARD ANALOGUE HEADING OUTPUTS	C ISDF	06	19-NOV-91				
A	AIR-STD-70/11	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF INERTIAL NAVIGATION SYSTEMS	C ISDF	06	19-NOV-91				
A	AIR-STD-70/13	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE DOPPLER NAVIGATION SYSTEMS	C ISDF	06	19-NOV-91				
A	AIR-STD-70/14	DEFINITION OF SEA STATE FOR USE IN CONNECTION WITH DOPPLER NAVIGATION	C ISDF	06	19-NOV-91				
A	AIR-STD-70/16	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF HYBRID NAVIGATION SYSTEMS	C ISDF	06	19-NOV-91				
A	AIR-STD-70/17	DEFINITIONS OF AIRCRAFT ATTITUDE AND HEADING ANGLES	C ISDF	06	19-NOV-91				
A	AIR-STD-70/18	MICROWAVE LANDING SYSTEMS (MLS)	C ISDF	06	19-SEP-91				
A	AIR-STD-70/19	INERTIAL NAVIGATION SYSTEMS STANDARDS IN USE	C ISDF	06	19-NOV-91				
A	AIR-STD-80/1	METHOD OF DETERMINING THE PRINCIPAL SENSITOMETRIC CHARACTERISTICS OF BLACK AND WHITE ROLLED AIR FILM	C ISDF	06	27-MAR-92				
A	AIR-STD-80/3	DIMENSIONS, TOLERANCES AND CHARACTERISTICS OF 70MM, 126MM AND 240MM ROLLED FILM FOR AIR PHOTOGRAPHY	C ISDF	06	27-MAR-92				
A	AIR-STD-80/5	TARGET PATTERN FOR DETERMINATION OF AERIAL PHOTOGRAPHIC RESOLUTION	C ISDF	06	27-MAR-92				
A	AIR-STD-80/7	LM-230A/B PROGRAMMABLE AUTOMATIC CAMERA TEST SET	C ISDF	06	27-MAR-92				
M	AIR-STD-80/8	AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS	C ISDF	06	27-MAR-92				
A	AIR-STD-80/10	AIR RECONNAISSANCE REQUEST/TASK FORM	C ISDF	06	27-MAR-92				
A	AIR-STD-80/11	TITLING OF HAND HELD FILM	C ISDF	06	27-MAR-92				
A	AIR-STD-80/13	AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE	C ISDF	06	27-MAR-92				
A	AIR-STD-80/14	POINT DESIGNATION TEMPLATE FOR IMAGERY	C ISDF	06	27-MAR-92				
A	AIR-STD-80/15	MINIMUM RESOLVED OBJECT SIZES FOR IMAGERY INTERPRETATION	C ISDF	06	27-MAR-92				
A	AIR-STD-80/18	REPORTING OF DATA USED FOR DIMENSIONAL ANALYSIS OF IMAGERY	C ISDF	06	27-MAR-92				
A	AIR-STD-84/2A	COMMANDER'S GUIDE ON THE EFFECTS OF PENETRATING IONIZING RADIATION (WITH AMENDMENT 1)	C ISDF	06	31-JUL-81				
	AIR-STD-84/4	NERVE AGENT ANTIDOTE INJECTION DEVICE (CH-1 - 31 JUL 81) (VALIDATION DATE: 8302)	C ISDF	06	30-SEP-76				
	AIR-STD-84/9	NBC DEFENSE EVALUATION OF AIR BASES	C ISDF	06	18-OCT-85				
M	AIR-STD-85/1K	GLOSSARY OF TERMS AND DEFINITIONS	C ISDF	06	28-JUN-89				
A	AIR-STD-90/4	AIRCRAFT ARRESTING SYSTEMS INFORMATION FOR FLIPS	C ISDF	06	10-MAR-92				
A	AIR-STD-90/9	OPERATIONAL USAGE CRITERIA	C ISDF	06	10-MAR-92				
	AIR-STD-94/3	COMPARATIVE LIST OF ASCC TERMS AND DEFINITIONS FOR NUCLEAR ACCIDENT RESPONSE	C ISDF	06	16-JUL-85				
	AIR-STD-101/1J	AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH DC 20330-5058)	C ISDF	06	01-MAR-90				
	AIR-STD-101/2G	TITLING OF AIR RECONNAISSANCE, AIR SURVEY & MAPPING IMAGERY (VALIDATION DATE: 8302)	C ISDF	06	17-DEC-81				
	AIR-STD-101/3C	AIR RECONNAISSANCE REQUEST/TASK FORM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH, DC 20330-5058 (VALIDATION DATE: 8302)	C ISDF	06	10-JAN-83				
	AIR-STD-101/4E	TITLING OF HAND HELD FILM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09821, WASH, D.C. 20360)	C ISDF	06	21-MAR-85				
	AIR-STD-101/50	TARGET REPORTING GUIDE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO) WASH, DC 20330-5058)	C ISDF	06	03-SEP-86				
	AIR-STD-101/68	AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058)	C ISDF	06	01-MAR-90				
	AIR-STD-101/78	THE POINT DESIGNATION TEMPLATE FOR IMAGERY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058)	C ISDF	06	01-MAR-90				
	AIR-STD-101/8A	MINIMUM RESOLVED OBJECT SIZE FOR IMAGERY INTERPRETATION (CH-1 10 JAN 83) (VALIDATION DATE: 8302)	C ISDF	06	24-JAN-80				
	AIR-STD-101/98	REQUEST FORM FOR IMAGERY TO BE USED IN IMAGERY INTERPRETATION KEYS PRODUCTION (REL TO OTHER THAN DOD ACT REQ PRI OF HQ USAF/XOXX(ISO), WASH DC 20330-5058)	C ISDF	06	01-MAR-90				
	AIR-STD-101/11A	IMAGERY INTERPRETABILITY RATING SCALE - CHG 2 DATED 4-15-85 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09821, WASH, D.C. 20360)	C ISDF	06	10-JAN-83				
	AIR-STD-101/12	REPORTING OF DATA USED FOR DIMENSIONAL ANALYSIS OF IMAGERY (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ (DACCOM)(DRCIRD)	C ISDF	06	10-JAN-83				
	AIR-STD-104/2C	GRAPHICAL SYMBOLOLOGY FOR USE ON ENGINEERING DRAWINGS & ASSOCIATED DATA (CHG 2 - 21 JAN 1987) (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH, D.C. 20330-5058)	C ISDF	06	18-JUL-85				
	AIR-STD-104/4A	EQUIPMENT INDEX SYSTEMS FOR MASTER/ORIGINAL ENGINEERING DRAWINGS	C ISDF	06	23-APR-82				
	AIR-STD-104/58	DEFINITIONS FOR USE ON ENGINEERING DRAWINGS AND ASSOCIATED DATA (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF	06	30-JUL-90				
	AIR-STD-104/6C	ENGINEERING DRAWING FORMATS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH DC 20330-5058)	C ISDF	06	30-JUL-90				
	AIR-STD-104/7A	ENGINEERING DRAWING PRACTICES (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH, D.C. 20330-5058)	C ISDF	06	21-JAN-87				
	AIR-STD-104/88	ENGINEERING & ASSOCIATED DATA LISTS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH, D.C. 20330-5058)	C ISDF	06	21-JAN-87				
	AIR-STD-104/98	ABBREVIATIONS FOR USE ON ENGINEERING DRAWINGS & ASSOCIATED DATA (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH DC 20330-5058)	C ISDF	06	30-JUL-90				
	AIR-STD-104/10A	ENGINEERING DRAWING TITLES (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, D.C. 20330-5058)	C ISDF	06	21-JAN-87				
	AIR-STD-104/11C	TYPES OF ENGINEERING DRAWINGS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH, D.C. 20330-5058)	C ISDF	06	30-JUL-90				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action CPL / OIA Coordination Inchance Document Number	Document Title	Dist. Smt. FBO / Juse MCA Symbol Producing Agency Date	Custodians			
			Army	Navy	Air Force	DLA
AIR-STD-104/12A	NUMBERING, CODING & IDENTIFICATION OF ENGINEERING DRAWINGS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058)	C ISDF 06 21-JAN-87				
AIR-STD-104/13C	REVISION OF ENGINEERING DRAWINGS (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASH., D.C. 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/14C	DIRECTORY OF ENGINEERING DATA REPOSITORIES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/15C	MICROREPRODUCTION OF ENGINEERING DRAWINGS & ASSOCIATED DATA (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/16B	METRICATION (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058)	C ISDF 06 21-JAN-87				
AIR-STD-104/17C	35MM APERTURE (CARRIER AND ASSOCIATED CARDS (REQ FOR ISSUE OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058)	C ISDF 06 02-NOV-90				
AIR-STD-104/18	GUIDE FOR ELECTRICAL MAINTENANCE DIAGRAMS FOR AIRCRAFT SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDF 06 29-OCT-84				
AIR-STD-104/19A	CIRCUIT IDENTIFICATION (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/20	ELECTRICAL & ELECTRONIC DIAGRAMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 02-NOV-90				
AIR-STD-104/21	DIMENSIONING & TOLERANCING (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON D.C. 20330-5058)	C ISDF 06 02-NOV-90				
AIR-STD-104/22	CONFIGURATION MANAGEMENT DEFINITIONS AND ABBREVIATIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/23	IDENTIFICATION MARKING OF MILITARY MATERIAL (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/24	ENGINEERING AND ASSOCIATED DATA LIST (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/25C	METRICATION (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF 06 30-JUL-90				
AIR-STD-104/26	ENGINEERING DRAWING PRACTICES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF 06 30-JUL-90				
ARMP-1	NATO REQUIREMENTS FOR RELIABILITY & MAINTAINABILITY .....	C ISDO NM 01-DEC-84				
ARMP-2	GENERAL APPLICATION GUIDANCE ON THE USE OF ARMP-1 .....	C ISDO SM 01-APR-86				
ARMP-3	APPLICATION OF NATIONAL R AND M DOCUMENTS - ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATION	C ISDO 06 01-MAY-88				
ARMP-6	IN-SERVICE R & M, ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATION .....	C ISDO 06 01-MAY-88				
AQAP-1(1)	NATO REQUIREMENTS FOR AN INDUSTRIAL QUALITY CONTROL SYSTEM (EDITION NO. 3)	C ISDO 10 01-MAY-84				
AQAP-2	GUIDE FOR THE EVALUATION OF A CONTRACTORS QUALITY CONTROL SYSTEM FOR COMPLIANCE WITH AQAP-1 (EDITION NO. 3)	C ISDO 10 01-MAY-84				
AQAP-3	LIST OF SAMPLING SCHEMES USED IN NATO COUNTRIES (EDITION NO. 2) (VALIDATION DATE: 7901)	C ISDO 10 01-JAN-79				
AQAP-4	NATO INSPECTION SYSTEM REQUIREMENTS FOR INDUSTRY (EDITION NO. 2) (VALIDATION DATE: 8212)	C ISDO 10 01-JUN-76				
AQAP-5	GUIDE FOR THE EVALUATION OF A CONTRACTORS INSPECTION SYSTEM FOR COMPLIANCE WITH AQAP 4 (EDITION 2) (VALIDATION DATE: 8212)	C ISDO 10 01-MAR-76				
AQAP-6	NATO CALIBRATION SYSTEM REQUIREMENTS FOR INDUSTRY (EDITION NO. 2) .....	C ISDO 10 01-JUL-79				
AQAP-7	GUIDE FOR THE EVALUATION OF A CONTRACTORS MEASUREMENT AND CALIBRATION SYSTEM FOR COMPLIANCE WITH AQAP 6	C ISDO 10 01-OCT-78				
AQAP-8	NATO GUIDE TO THE PREPARATION OF SPECIFICATIONS FOR THE PROCUREMENT OF DEFENCE MATERIAL	C ISDO 10 01-SEP-78				
AQAP-9	NATO BASIC INSPECTION REQUIREMENTS FOR INDUSTRY (EDITION NO. 2) .....	C ISDO 10 01-MAR-76				
AQAP-10	NATO REQUIREMENTS FOR A GOVERNMENT QUALITY ASSURANCE PROGRAMS .....	C ISDO NM 01-SEP-78				
AQAP-11	NATO GUIDELINE FOR SPECIFICATION OF TECHNICAL PUBLICATION .....	C ISDO 10 01-JAN-79				
AQAP-13	NATO SOFTWARE QUALITY CONTROL SYSTEM REQUIREMENTS (EDITION NO. 1) .....	C ISDO 10 01-AUG-81				
AQAP-14	GUIDE FOR THE EVALUATION OF A CONTRACTORS SOFTWARE QUALITY CONTROL SYSTEM FOR COMPLIANCE WITH AQAP-13	C ISDO 10 01-MAY-84				
AQAP-21	TRILATERAL DESIGN AND TEST CODE FOR MILITARY BRIDGE AND GAP CROSSING EQUIPMENT (ED NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM MAT 09 B 21, WASH)	C ISDO AM 01-MAY-84				
ASTAMP-1	INTERNATIONAL INDUSTRIAL STANDARDS ADOPTED BY NATO NATIONS FOR DEFENCE PURPOSES (VOLUME 1)	C ISDO AR 01-APR-86				
ASTAMP-2	NATO GUIDE TO VARIANCES IN DRAWING PRACTICE VOLUME 1 (EDITION NO. 2) .....	C ISDO AR 01-MAR-82				
ASTAMP-5	NATO QUALITY ASSESSMENT RECOMMENDATION FOR ELECTRONIC/ELECTRICAL PARTS (VOLUME INFO)	C ISDO AR 01-APR-86				
QAP-9(1)	ENGINE HEALTH MONITORING FOR ARMY AIRCRAFT, MANUAL (ABCA) (RELEASE TO OTHER THAN DOD REQUIRES PRIOR APPROVAL OF HQ DARCOM DRCIRD)	C ISDA AM 31-JAN-84				
QAP-15	GLOSSARY OF TERMS USED IN PROOF (REL TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM, DRCDE)	C ISDA AM 15-NOV-82				
QAP-17	METALLURGICAL TERMS & DEFINITIONS, LISTING OF GLOSSARIES USED BY ARMIES (REQ OTHER THAN DOD REF TO DARCOM, DRCDE-1)	C ISDA AI 08-DEC-82				
QAP-22	MILITARY OPERATIONS IN URBAN TERRAIN - BIBLIOGRAPHY .....	C ISDA AI 20-MAR-82				
QSTAG-2	MILITARY LOAD CLASSIFICATION OF CIVIL BRIDGES BY THE RECONNAISSANCE AND CORRELATION METHODS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 2	C ISDA AM 08-MAR-79				
QSTAG-5	ABCA ARMIES LOGISTIC HANDBOOK (ABCA) .....	C ISDA AM 04-MAR-83				
QSTAG-7(1)	FINANCIAL ARRANGEMENTS IN SUPPORT OF OPERATIONS (UP TO THE YEAR 2000) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA AM 17-SEP-84				
QSTAG-13(1)	IMPRESSION REQUIREMENT FOR GROUND HOLE SERVICE EQUIPMENT (BASED ON NATO STANAG 2842) (ABCA) EDITION 2	C ISDA AM 01-MAY-85				
QSTAG-16	DESIGNATION OF ARMOR THICKNESS AND OBLIQUITY (ABCA-16), EDITION NO. 2 .....	C ISDA AM 15-DEC-75				
QSTAG-18	METRIC SYSTEM FOR THE MEASUREMENT OF WEAPON CALIBRES AND AMMUNITION AGREEMENT (ABCA-18)	C ISDA AM 24-AUG-73				
QSTAG-19	MILITARY OPERATIONS IN URBAN TERRAIN COMPUTER MODEL EVALUATION, ARMIES STANDARDIZATION PROGRAM (ABCA QUADRIPARTITE 19) (REL TO OTHER THAN DOD REQ PRI APPR OF NAVMAT 09B21)	C ISDA AM 07-FEB-83				
QSTAG-21	TRILATERAL DESIGN & TEST CODE FOR MILITARY BRIDGE & GAP CROSSING EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA AM 01-MAY-84				
QSTAG-23	SAFETY & ENVIRONMENTAL TESTS FOR LAND MINES & DEMOLITION STORES (ABCA 23) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA AM 16-SEP-83				
QSTAG-26(1)	ARTILLERY FIRE CONTROL MATRIX (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA AM 30-MAY-84				
QSTAG-28(2)	SWITCHBOARD SB-22(1)/PT .....	C ISDA AM 01-DEC-78				
QSTAG-35(1)	TELETYPewriter SET AN/PGC-1(1) (ABCA-35) .....	C ISDA AM 24-MAR-76				
QSTAG-46(1)	RIFLE, RECOILLESS, 106MM: M40A2 WITH AMMUNITION (EDITION NO. 2) .....	C ISDA AM 25-APR-85				
QSTAG-47(1)	BARGE, DECK CARGO, MONOPROPELLED, STEEL, SECTIONALIZED, MESTING, 81-FOOT, DESIGN 7001 (ABCA-47)	C ISDA AM 20-DEC-79				
QSTAG-56(1)	MORTAR, LIGHT, TOWED, 105MM, M101A1 WITH AMMUNITION AND FIRE CONTROL EQUIPMENT (ABCA-56) (EDITION NO. 2)	C ISDA AM 24-SEP-80				
QSTAG-57	MORTAR, MEDIUM, TOWED, 155MM, M114A1 WITH AMMUNITION AND FIRE CONTROL EQUIPMENT (EDITION NO. 2)	C ISDA AM 16-OCT-79				
QSTAG-59(1)	MORTAR, 81MM, M29A1, MOUNT, MORTAR, 81MM, M29A1 WITH AMMUNITION AND SIGHTUNIT M53A1, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (EDITION NO. 2)	C ISDA AM 24-APR-85				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active CPL / OMA Contribution Initiative Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians Army Navy Air Force DLA
QSTAG-62(1)	WIRE DISPENSER (MX-306 A/G) (ABCA-62) .....	C ISDA AM 24-MAR-76	
QSTAG-69(2)	TELEPHONE SET TA-43()/PT. TELEPHONE SET TA-312()/PT. AND TELEPHONE SET TA-5003/U (ABCA 69)	C ISDA AM 01-DEC-78	
QSTAG-84	DRILL RODS AND BITS FOR HAND-HELD AIR-DRIVEN ROCK DRILLS (ABCA-84), WITH AMEND. NO 1 (VALIDATION DATE: 7512)	C ISDA AM 16-NOV-59	
QSTAG-86	BARREL (TUBE) 105MM TANK GUN L.7 A.1 (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821, WASH. D.C. 20360)	C ISDA AM 23-JAN-85	
QSTAG-88(1)	FLOATING FOOTBRIDGE, ALUMINUM (ABCA-88) .....	C ISDA AM 12-AUG-80	
QSTAG-97	STANDARDIZATION OF WRENCH OPENING (INCH SERIES) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821)(EDITION NO. 4)	C ISDA AM 12-MAR-82	
QSTAG-101	STANDARDIZATION OF 2 INCH FUZE HOLES AND FUZE CONTOURS FOR ARTILLERY PROJECTILES 75MM AND LARGER IN CALIBER INCLUDING 81MM, 4. 2 INCHES AND 107MM MORTARS (VALIDATION DATE: 7611)	C ISDA AM 05-APR-66	
QSTAG-105(1)	SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES (ABCA-105) ....	C ISDA AM 22-SEP-76	
QSTAG-108(1)	LINK, CARTRIDGE, METALLIC BELT 7.62MM, M13 (ABCA-108) .....	C ISDA AM 06-DEC-77	
QSTAG-112	WATER PURIFICATION UNIT VAN BODY MOUNTED, ELECTRIC MOTOR-DRIVEN, ERDLATOR-TYPE CLARIFIER, DIATOMITE TYPE FILTERS, 1500 GPM (ABCA-112)	C ISDA AM 25-SEP-73	
QSTAG-113	SPECIFICATION FOR CE (TETRYL)-(ABCA-113) .....	C ISDA AM 25-SEP-73	
QSTAG-114	SPECIFICATION FOR PICRITE (NITROGUANIDINE)-(ABCA-114) .....	C ISDA AM 25-SEP-73	
QSTAG-115	SPECIFICATION FOR RDX (HEXOGENE)-(ABCA-115) .....	C ISDA AM 25-SEP-73	
QSTAG-116	SPECIFICATION FOR PETN (PENTHRITE)-(ABCA-116) .....	C ISDA AM 01-NOV-73	
QSTAG-117	SPECIFICATION FOR AMMONIUM NITRATE (FOR USE IN EXPLOSIVES)-(ABCA-117) .....	C ISDA AM 25-SEP-73	
QSTAG-118	SPECIFICATION FOR TNT (TOLITE) (ABCA-118) .....	C ISDA AM 25-SEP-73	
QSTAG-123	SMALL AMMS AMMUNITION (7.62MM) RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD	C ISDA AM 06-MAR-81	
QSTAG-125(1)	CHARGER FOR NATO 7.62 MM AMMUNITION (BASED ON NATO STANAG 2318) (EDITION 2) (ABCA 125) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 13-JAN-84	
QSTAG-129(1)	STANDARDIZATION OF IMPACT TESTS FOR STEEL FOR GUNS (BASED ON NATO STANAG 4020) (ABCA 129) ED. 2 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1)	C ISDA AM 02-MAY-85	
QSTAG-134	SPECIFICATION FOR DNT (DINITROTOLUENE) FOR PROPELLANTS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (EDITION 2) ABCA 134	C ISDA AM 27-JUL-81	
QSTAG-141	BOAT, BRIDGE ERECTION, INBOARD ENGINE, ALUMINUM, 27 FT. (ABCA-141) IVALIDATION DATE: 75121	C ISDA AM 23-JAN-64	
QSTAG-145	INTERCHANGEABILITY OF INFRARED EQUIPMENTS MOUNTED ON PORTABLE INFANTRY WEAPONS-SHAPE AND DIMENSIONS OF INFRARED FILTERS (ABCA-145) (VALIDATION DATE: 75121	C ISDA AM 14-MAY-64	
QSTAG-148	BORESCOPIES M1 & M3 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821, WASH. D.C. 20360)	C ISDA AM 18-DEC-84	
QSTAG-150(1)	GUN, FIELD ARTILLERY, SELF PROPELLED, 175MM, M107 WITH AMMUNITION AND ASSOCIATED STORES (ABCA 150)	C ISDA AM 24-SEP-80	
QSTAG-151	CARRIER, PERSONNEL, FULL TRACKED, ARMORED, M113A1/2 & CARRIER, COMMAND POST, LIGHT TRACKED, M577A1/2 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (EDITION NO. 2) (ABCA 151)	C ISDA AM 12-MAR-82	
QSTAG-152	PLATE, BASE, 81MM MORTAR, CON. M61 (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821, WASH. D.C. 20360)	C ISDA AM 16-APR-84	
QSTAG-157	GUN, SPOTTING, CAL. 50, M8C AND M8 AND CARTRIDGE, SPOTTER TRACER, CAL. 50, MABAI (ABCA-157)	C ISDA AM 23-SEP-66	
QSTAG-161	RADIO SETS, AM/VRC-12 SERIES (ABCA 161) W/AMDS 1, 2 AND 3 .....	C ISDA AM 01-DEC-78	
QSTAG-162	3 AND 6 HP AIR COOLED GASOLINE ENGINES (EDITION NO. 2) (ABCA-162) .....	C ISDA AM 22-FEB-77	
QSTAG-163	MILITARY ABBREVIATIONS (EDITION NO. 2) (ABCA 163) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 23-APR-81	
QSTAG-165(1)	MOVEMENTS PRINCIPLES, POLICIES, AND DUTIES (EDITION NO. 2) (ABCA-165) .....	C ISDA AM 16-MAR-78	
QSTAG-171	PROCEDURES FOR REQUESTING REPAIR & RECOVERY OF LAND MILITARY TECHNICAL EQUIPMENT (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821)	C ISDA AM 01-JUN-83	
QSTAG-180(1)	MILITARY LOAD CLASSIFICATION OF CIVIL BRIDGES BY THE RECONNAISSANCE AND CORRELATION METHODS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (EDITION NO. 2)	C ISDA AM 21-FEB-80	
QSTAG-182	BATTLEFIELD ILLUMINATION (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 182) (EDITION NO. 2)	C ISDA AM 14-NOV-80	
QSTAG-187(1)	REPORTING NUCLEAR DETONATIONS, RADIOACTIVE FALLOUT, & BIOLOGICAL & CHEMICAL ATTACKS & PREDICTING ASSOCIATED HAZARDS (BASED ON NATO STANAG 2103) (EDITION NO. 2) (ABCA 187)	C ISDA AM 31-MAY-83	
QSTAG-189	FRIENDLY NUCLEAR STRIKE WARNING (BASED ON NATO STANAG 2104) (ED. 2) REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821	C ISDA AM 26-MAR-84	
QSTAG-201	ABCA TABLE OF MEDICAL EQUIVALENTS OF MEDICAL MATERIAL (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ASBCA 201) (EDITION NO. 2)	C ISDA AM 26-MAR-81	
QSTAG-203	CABLES, COAXIAL AND TWIN CONDUCTOR, FOR RADIO FREQUENCY (ABCA-203 IVALIDATION DATE: 75121	C ISDA AM 12-JAN-68	
QSTAG-207(6)	CALCULATOR SET, RADIAC AND NUCLEAR YIELD, ABC-M28A1 (EDITION NO. 2) (ABCA-207) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD)	C ISDA AM 31-MAY-83	
QSTAG-208	HEADLAMP LIGHT UNIT FOR WHEELED TACTICAL VEHICLES (ABCA 208) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821, WASH. 20360)	C ISDA AM 09-JUL-84	
QSTAG-209(1)	DEFINITION OF WEIGHT OF A STANDARD MANPACK RADIO STATION (ABCA-209) .....	C ISDA AM 06-OCT-81	
QSTAG-212(1)	INFRARED LIGHTING EQUIPMENT FOR MILITARY VEHICLES (ABCA-212) .....	C ISDA AM 14-AUG-78	
QSTAG-213	CAMOUFLAGE STANDARDS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09821, WASH. D.C. 20360 (ABCA 213) (EDITION NO. 2)	C ISDA AM 08-MAY-85	
QSTAG-214(5)	FILTER, GAS PARTICULATE, CFM 5, 600, ABC14, 1200, ABC-M15, 2500, ABC-M16, 5000, ABC-M17, 600, ABCM14A1, 1200, ABC-M15A1, 2500, ABC-M16A1, 5000, ABC-M17A1 (ABCA-214)	C ISDA AM 06-JUN-80	
QSTAG-216(4)	CARRIER, (US), FIELD PROTECTIVE MASK, ABC M13A1 (CA) CARRIER, NBCM PROTECTIVE MASK, M14 (CIA1) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 21-NOV-78	
QSTAG-217(1)	ARTILLERY, TACTICAL TASKS & RESPONSIBILITIES FOR CONTROL OF (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD (ABCA 217) (EDITION NO. 2)	C ISDA AM 04-MAR-83	
QSTAG-218(2)	FILTER UNIT, GAS PARTICULATE, HOSPITAL, SIX MAN, 12 CFM, M7A1 RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 22-NOV-78	
QSTAG-220	ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 220 (EDITION NO. 2)	C ISDA AM 08-DEC-81	
QSTAG-221	TARGET NUMBERING SYSTEM FOR POST-1970 (ABCA-221) IVALIDATION DATE: 7611 ..	C ISDA AM 03-SEP-70	
QSTAG-222	STANDARD PROCEDURES PRIOR TO INFANTRY/ARMORED FIGHTING VEHICLE (AFV) OPERATIONS (U), (ABCA-222) (VALIDATION DATE: 7611)	C ISDA AM 03-SEP-70	
QSTAG-223(2)	DECONTAMINATION APPARATUS, POWER DRIVEN, SKID MOUNTED, MULTI PURPOSE, NONINTEGRAL, 500 GALLON, M12A1 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD)	C ISDA AM 22-NOV-78	



**NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS**

708



Action Off. / OIA Coordination Inchase Document Number	Document Title	Dist. Sym.	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	OIA
QSTAG-301	CHARACTERISTICS OF DEMOLITION ACCESSORIES TO DETERMINE THEIR OPERATIONAL INTERCHANGEABILITY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 301)	C	ISDA	AM	05-MAR-79					
QSTAG-304(1)	OPERATIONAL METEOROLOGICAL MESSAGES AND FORECASTS (ABCA 304) (RELEASE TO OTHER THAN DOD ACTIVITIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C	ISDA	AM	25-FEB-80					
QSTAG-305	TENT, FRAME TYPE, MAINTENANCE, MEDIUM, LIGHT MENTAL, EXPANDABLE (ABCA - 305) 150274	C	ISDA	AM	15-FEB-74					
QSTAG-306	FORTIFICATION FOR PARKED AIRCRAFT (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD) ABCA-306)	C	ISDA	AM	14-JUN-78					
QSTAG-307(2)	CHARACTERISTICS OF 28V DC ELECTRICAL SYSTEMS IN MILITARY VEHICLES (ABCA-307)	C	ISDA	AM	01-DEC-82					
QSTAG-309	DEFINITION OF PRESSURES FOR USE IN THE DESIGN AND PROOF OF GUNS AND AMMUNITION (ABCA-309)	C	ISDA	AM	12-APR-73					
QSTAG-310(1)	SHAKING SYSTEMS BETWEEN TOWING AND TOWED UNITS OF EQUIPMENT COMBINATIONS FOR MILITARY USE (ABCA 310)	C	ISDA	AM	30-OCT-74					
QSTAG-312	RADIO RECEIVING SET, AM/ARM-82 (ABCA-312)	C	ISDA	AM	31-JAN-75					
QSTAG-313	DIRECTION FINDER SET, AM/ARM-89	C	ISDA	AM	05-DEC-74					
QSTAG-314(3)	GENERAL PURPOSE VENTED NICKEL CADMIUM BATTERIES (ABCA-314)	C	ISDA	AM	13-MAR-84					
QSTAG-315(3)	BATTERIES, RECHARGEABLE, NICKEL CADMIUM, SEALED	C	ISDA	AM	13-MAR-84					
QSTAG-317(3)	DISPENSER, RIOT CONTROL AGENT, PORTABLE, 3 GALLON, M25A1 AND SERVICE KIT, PORTABLE, RIOT CONTROL AGENT DISPENSER, M25A (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD))	C	ISDA	AM	14-FEB-85					
QSTAG-319(4)	GRENADE HAND, RIOT, CS, M47 AND GRENADE, HAND, KOIT, RED SMOKE, M48	C	ISDA	AM	14-FEB-85					
QSTAG-322	EMERGENCY WAR SURGERY (ABCA-322)	C	ISDA	AM	19-NOV-73					
QSTAG-323(3)	WELDING SYMBOLS (ABCA-323) (WITH AMENDMENT 1)	C	ISDA	AM	29-APR-80					
QSTAG-324(3)	WELDING TERMS AND DEFINITIONS (ABCA-324) (WITH AMENDMENT 1)	C	ISDA	AM	25-AUG-80					
QSTAG-326(2)	GRAPHICAL SYMBOLS FOR USE IN DIAGRAMS FOR FLUID SYSTEMS IN ARMY VEHICLES (EXCLUDING AERONAUTIC OR GUIDED WEAPON MISSILE SYSTEM)	C	ISDA	AM	26-AUG-80					
QSTAG-327	TWELVE POINT ELECTRICAL CONNECTORS BETWEEN MILITARY VEHICLES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD)) (EDITION NO. 2) (ABCA 327)	C	ISDA	AM	23-APR-81					
QSTAG-328	SLINGING & TIEDOWN PROVISIONS FOR LIFTING & TYING DOWN MILITARY EQUIPMENT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1)	C	ISDA	AM	24-MAR-82					
QSTAG-332	STANDARD BALLISTIC METEOROLOGICAL MESSAGE (ABCA 332)	C	ISDA	AM	15-DEC-75					
QSTAG-334	PROOF TESTING OF SMALL ARMS (ABCA 334) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, DC, 20360)	C	ISDA	AM	21-NOV-83					
QSTAG-335(1)	CERTIFICATION OF INDUSTRIAL ULTRASONIC TESTING PERSONNEL (ABCA-335)	C	ISDA	AM	26-AUG-80					
QSTAG-337(1)	GLOSSARY OF AIR DEFENSE TERMS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C	ISDA	AM	31-DEC-81					
QSTAG-339	TEST PROCEDURES FOR BARIUM NITRATE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD) (ABCA 339))	C	ISDA	AM	19-AUG-81					
QSTAG-340(2)	SINGLE & MULTI LEVEL CONTINUOUS SAMPLING PROCEDURES & TABLES FOR INSPECTION BY ATTRIBUTES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 340)	C	ISDA	AM	03-SEP-82					
QSTAG-342	TEST PROCEDURES FOR MAGNESIUM POWER (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD) (ABCA 342))	C	ISDA	AM	19-AUG-81					
QSTAG-343(1)	BASIC REQUIREMENTS FOR ELECTRONIC SURVEILLANCE OF PATIENTS IN THE FIELD (ABCA 343)	C	ISDA	AM	09-AUG-76					
QSTAG-344	BASIC VOLTAGE AND CURRENT CHARACTERISTICS OF ELECTRO-MEDICAL EQUIPMENT (ABCA 344)	C	ISDA	AM	07-MAY-75					
QSTAG-345(1)	ESSENTIAL CHARACTERISTICS OF HIGH PRESSURE STEAM STERILIZERS (ABCA 345) ...	C	ISDA	AM	20-JUN-84					
QSTAG-346(1)	STANDARD LIST OF GAP CROSSING INFORMATION REQUIREMENTS WHEN GATHERING DATA BY MEANS OF AERIAL OR GROUND SURVEY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C	ISDA	AM	23-NOV-82					
QSTAG-347(1)	BATTERIES, RECHARGEABLE, LEAD ACID, VENTED (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 347))	C	ISDA	AM	13-MAR-84					
QSTAG-348(1)	BATTERIES, NON RECHARGEABLE	C	ISDA	AM	18-APR-84					
QSTAG-351	5.56MM AMMUNITION (ABCA-351)	C	ISDA	AM	13-DEC-76					
QSTAG-353	METRIC (ISO) SCREW THREADS COARSE SERIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 353) (EDITION NO. 2))	C	ISDA	AM	08-JUN-81					
QSTAG-357	MARKING OF GAS CYLINDERS (EXCLUDING MEDICAL)	C	ISDA	AM	29-NOV-84					
QSTAG-358	TEST PROCEDURES FOR DEXTRIANATED LEAD NITRIDE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 358))	C	ISDA	AM	14-JUN-78					
QSTAG-359	TEST PROCEDURES FOR BLACK POWER (ABCA-359)	C	ISDA	AM	14-JUN-78					
QSTAG-360	CLIMATIC ENVIRONMENTAL CONDITIONS AFFECTING THE DESIGN OF MILITARY MATERIEL (ABCA 360)	C	ISDA	AM	16-OCT-79					
QSTAG-361	FUNGAL CONTAMINANTS AFFECTING THE DESIGN OF MILITARY MATERIEL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 361))	C	ISDA	AM	15-JAN-81					
QSTAG-362(1)	CHEMICAL ENVIRONMENTAL CONTAMINANTS AFFECTING THE DESIGN OF MILITARY MATERIEL (ABCA 362) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C	ISDA	AM	22-SEP-83					
QSTAG-364	HANDLING & TRANSPORT SHOCK & VIBRATION CONDITIONS AFFECTING DESIGN CRITERIA (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 364))	C	ISDA	AM	25-MAR-81					
QSTAG-365(2)	THE FIRE ENVIRONMENTAL CONDITIONS AFFECTING DESIGN CRITERIA (ABCA 365) ...	C	ISDA	AM	19-SEP-84					
QSTAG-386	STANDARD FORMAT OF REQUEST FOR METEOROLOGICAL MESSAGES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 386))	C	ISDA	AM	18-JAN-80					
QSTAG-389	STANDARD TARGET ACQUISITION METEOROLOGICAL MESSAGE (ABCA) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM (DRCIRD-1))	C	ISDA	AM	10-FEB-82					
QSTAG-390	HELICOPTER, CARGO/TROOP CARRIER, CH-47 SERIES (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD) EDITION NO. 2)	C	ISDA	AM	11-DEC-80					
QSTAG-393	ROCKET & LAUNCHER 2.75 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM (DRCDE-1) (ABCA 393))	C	ISDF	AM	15-MAR-82					
QSTAG-398	ADAPTERS FOR GAS CYLINDER VALVES AND REGULATING EQUIPMENT	C	ISDA	AM	12-NOV-79					
QSTAG-399	AIRCRAFT COMMUNICATIONS RADIO SET, AM/ARC-114 SERIES	C	ISDA	AM	24-MAR-76					
QSTAG-400	AIRCRAFT COMMUNICATIONS RADIO SET, AM/ARC-115	C	ISDA	AM	24-MAR-76					
QSTAG-401	AIRCRAFT COMMUNICATIONS RADIO SET, AM/ARC-116	C	ISDA	AM	24-MAR-76					
QSTAG-402	LOW REFLECTIVE ACRYLIC LACQUER FOR ROTARY WING AIRCRAFT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 402))	C	ISDA	AM	08-MAR-79					
QSTAG-404(1)	M134 MACHINE GUN HIGH RATE 7.62MM, MINIGUN, (GAL-2B/A)	C	ISDA	AM	09-JUN-76					
QSTAG-406(2)	TRANSFUSION EQUIPMENT FOR MEDICAL USE (ABCA-406)	C	ISDA	AM	26-APR-83					
QSTAG-409	AFV RECOGNITION TRAINING PACK	C	ISDA	AM	08-NOV-76					
QSTAG-413(2)	DESCRIBING PHYSICAL CHARACTERISTICS OF STAND EQUIPMENT (ABCA 413)	C	ISDA	AM	01-JUN-77					
QSTAG-414	TUBES, UNIFORM STANDARDS FOR SPECIFYING PERFORMANCE PARAMETERS OF IMAGE INTENSIFIER (ABCA) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C	ISDA	AM	02-OCT-80					
QSTAG-415(1)	UNIFORM STANDARDS FOR SPECIFYING PERFORMANCE PARAMETERS OF THERMAL IMAGING DEVICES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 415))	C	ISDA	AM	22-MAY-84					
QSTAG-418(1)	MEDIUM GIRDED BRIDGE MEDIUM GRIDER BRIDGE SPAN JUNCTION EQUIPMENT AND MEDIUM GRIDER BRIDGE PORTABLE PIER EQUIPMENT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C	ISDA	AM	25-AUG-81					
QSTAG-423(4)	EQUATION OF MEDICAL FACILITIES IN THE FIELD (ABCA 423)	C	ISDA	AM	01-JUN-84					



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc / OMA Coordination In-house Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
QSTAG-425(2)	MASK, CHEMICAL-BIOLOGICAL, FIELD, M17A1 AND RESUSCITATION TUBE, CHEMICAL-BIOLOGICAL MASK, M1 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 08-DEC-81	
QSTAG-427(1)	IRRITANT KIT, (UK), SMOKE, CS AND (US) CAPSULE, CS (FOR RESPIRATOR TESTING) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 28-FEB-85	
QSTAG-428	HOMITZER, MEDIUM, SELF PROPELLED, 155MM, M109 WITH AMMUNITION + FIRE CONTROL EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21) EDITION NO. 2	C ISDA AM 26-MAR-84	
QSTAG-431	STANDARDIZED LIST OF ABCA PREFERRED BATTERIES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA AM 11-JAN-84	
QSTAG-432(1)	DATA TRANSMISSION CODES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM) ABCA 432	C ISDA AM 04-AUG-83	
QSTAG-433(1)	ESSENTIAL PERFORMANCE CHARACTERISTICS OF FIELD SURGICAL LIGHTS (ABCA-433)	C ISDA AM 01-JUN-84	
QSTAG-434	PATIENT & OPERATOR PROTECTION FROM FAILURE OF ELECTROMEDICAL EQUIPMENT (ABCA 434) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, DC 20360)	C ISDA AM 23-JAN-85	
QSTAG-435(1)	MEDICAL MATERIEL MANAGEMENT DURING PATIENT EVACUATION (ABCA-435) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 20-JUN-84	
QSTAG-436(1)	MINIMUM LABELLING REQUIREMENTS FOR MEDICAL MATERIAL (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABC-436	C ISDA AM 08-OCT-80	
QSTAG-438	BASIC RANGE OF ELECTRO MECHANICAL PATHOLOGY EQUIPMENT FOR USE IN THE FIELD (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD)	C ISDA AM 16-JAN-81	
QSTAG-440	ESSENTIAL CHARACTERISTICS OF ELECTRO-SURGICAL APPARATUS (ABCA 440)	C ISDA AM 20-AUG-79	
QSTAG-441	ESSENTIAL CHARACTERISTICS OF FIELD X-RAY SYSTEM	C ISDA AM 20-JUL-79	
QSTAG-442(1)	ESSENTIAL CHARACTERISTICS OF MOBILE & PORTABLE RESPIRATOR/VENTILATORS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 42)	C ISDA AM 08-NOV-82	
QSTAG-444	ESSENTIAL CHARACTERISTICS OF MECHANICAL LUNG VENTILATORS (ABCA-444) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 22-APR-85	
QSTAG-446(2)	SIMULATOR PROJECTILE AIRBURST (LIQUID CHEMICAL AGENT) L1A2 (SPAL)	C ISDA AM 22-APR-85	
QSTAG-447(2)	A TEST METHOD FOR METHOD FOR MEASURING ACOUSTICAL NOISE (RELEASE TO OTHER THAN DOD AGENCIES REQUIRE PRIOR APPROVAL OF HQ, DARCOM (DRCIRD)) (ABCA-447)	C ISDA AM 29-OCT-80	
QSTAG-449	A GLOSSARY OF TERMS USED IN SAMPLING INSPECTION (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 25-FEB-85	
QSTAG-451(1)	SHELTER SYSTEM, COLLECTIVE PROTECTION, CHEMICAL BIOLOGICAL, INFLATABLE, TRAILER TRANSPORTED, M51 (ABCA-451)	C ISDA AM 08-DEC-81	
QSTAG-454	GRENADE, DISCHARGER, SMOKE SCREENING, LBA1 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) ABCA 454	C ISDA AM 23-APR-81	
QSTAG-456(1)	GRENADE, HAND, FRAGMENTATION, DELAY, M67 AND GRENADE, HAND, PRACTICE, DELAY M69 (ABCA-456)	C ISDA AM 06-MAY-80	
QSTAG-458	DESIGN CRITERIA FOR CRASHWORTHINESS (LIGHT FIXED WING & ROTARY WING AIRCRAFT) ABCA 458 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD)	C ISDA AM 21-DEC-79	
QSTAG-460(1)	GOGGLES, NIGHT VISION AN/PVS-5 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCODE-1 (ABCA 460)	C ISDA AM 28-JUN-85	
QSTAG-461	CLOSED CIRCUIT REFUELING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 26-APR-84	
QSTAG-462	DECONTAMINATING KIT, (US) SKIN, M258 (UK) DECONTAMINATING KIT, PERSONAL (DOKP) (CA) MITT, DECONTAMINATING, CN AGENT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 12-MAR-79	
QSTAG-467	RADIO SET AN/PRC-77 (ABCA 467) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 31-JAN-79	
QSTAG-468	IMAGE INTENSIFIER TUBE ASSEMBLIES 18 MILLIMETER WAFER & 25 MILLIMETER INVERTER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, (DRCIRD)) ABCA 468	C ISDA AM 27-MAR-81	
QSTAG-470(2)	DOCUMENTATION RELATIVE TO MEDICAL EVACUATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 01-JUN-84	
QSTAG-471	SUPPLEMENTARY LABELS FOR DISPENSED MEDICINE (ABCA 471)	C ISDA AM 20-JUL-79	
QSTAG-480	INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT (BASED ONNATO STANAG 5000) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D. C. 20360)	C ISDA AM 22-APR-85	
QSTAG-481	COLOR CODE & MARKINGS FOR AMMUNITION & ITS PACKAGING (RELEASE TO OTHER THAN DOD ACTIVITIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 06-MAR-81	
QSTAG-495(2)	RIOT CONTROL & TRAINING AGENTS CS & CR	C ISDA AM 14-FEB-85	
QSTAG-496(2)	STANDARDS FOR NBC PROTECTIVE MASK & CARTRIDGE SCREW THREADS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCODE-1)	C ISDA AM 25-JUN-84	
QSTAG-499	TEST PROCEDURES FOR POTASSIUM NITRATE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 499	C ISDA AM 27-JUL-81	
QSTAG-500	TEST PROCEDURES FOR ETHYL CENTRALITE (CARBAMITE) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 500)	C ISDA AM 27-JUL-81	
QSTAG-501	CONTAMINATED OR DANGEROUS LAND AREAS, COMPLETE EQUIPMENTS, SUPPLIES & STORES, WARNING SIGNS FOR THE MARKING OF (ABCA EDITION 2) (BASED ON NATO STAG 2002)	C ISDA AM 11-MAY-82	
QSTAG-502	PATROL REPORTS BY ARMY FORCES (ABCA-502)	C ISDA AM 27-JUN-78	
QSTAG-503	BOMBING, SHELLING, MORTARING AND LOCATION REPORTS	C ISDA AM 28-SEP-79	
QSTAG-504(1)	BRIDGE CLASSIFICATION MARKINGS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 504)	C ISDA AM 12-AUG-80	
QSTAG-505	TARGET GRID PROCEDURES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 27-JUN-78	
QSTAG-506(2)	OPERATION ORDERS, WARNING ORDERS & ADMINISTRATIVE LOGISTICS ORDERS (BASED ON STANAG 2014) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCODE-1) (ABCA 506)	C ISDA AM 26-APR-83	
QSTAG-507(1)	MILITARY ROUTES & ROUTE ROAD NETWORKS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 507)	C ISDA AM 23-FEB-81	
QSTAG-508	ORDERS TO THE DEMOLITION GUARD COMMANDER & DEMOLITION FIRING PARTY COMMANDER (BASED ON NATO STANAG 2017) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCODE-1 (EDITION NO. 2)	C ISDA AM 15-MAR-82	
QSTAG-509	MILITARY SYMBOLS RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 509	C ISDA AM 05-MAR-79	
QSTAG-510	OPERATIONAL SITUATION REPORTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 15-JAN-79	
QSTAG-511	INTELLIGENCE REPORTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 05-APR-79	
QSTAG-512(2)	MARKING OF MILITARY VEHICLES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 02-MAY-83	
QSTAG-513	SYSTEM FOR FIELD WIRE LABELLING ABCA 513	C ISDA AM 23-FEB-79	
QSTAG-514	METHOD OF DESCRIBING GROUND LOCATIONS, AREAS AND BOUNDARIES	C ISDA AM 05-MAR-79	
QSTAG-515	PROFORMA FOR ARTILLERY FIRE PLAN (BASED ON NATO STANAG 2031) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPROVAL OF CHM, MAT 09B-21, WASH, D.C. 20390)	C ISDA AM 05-OCT-84	
QSTAG-517	MARKING OF HEADQUARTERS AND DUMPS RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 13-JAN-79	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active / COM Cooperation Initiative Document Number	Document Title	Dist. Syst. FSC / Area MCA Symbol Preparing Act. Date	Custodians Army Navy Air Force DLA
QSTAG-520	OPERATION ORDERS, TABLES & GRAPHS FOR ROAD MOVEMENT (BASED ON NATO STANAG 2041) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 520)	C ISDA AM 25-AUG-81	
QSTAG-523(1) QSTAG-529	PROCEDURES FOR DEALING WITH PRISONERS OF WAR (PW) ..... MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA ABCA 529 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD)	C ISDA AM 02-JUN-82 C ISDA AM 24-MAR-80	
QSTAG-530	REPORTING ENGINEERING INFORMATION IN THE FIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 530)	C ISDA AM 21-DEC-79	
QSTAG-532	MARKINGS FOR LIMPIRES AND OTHER PERSONNEL, VEHICLES AND INSTALLATIONS DURING COMBINED EXERCISES	C ISDA AM 12-NOV-79	
QSTAG-533	PRINCIPLES AND PROCEDURES FOR ESTABLISHING LIAISON ABCA 533 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD)	C ISDA AM 24-MAR-80	
QSTAG-535	MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE (ABCA 535)	C ISDA AM 12-NOV-79	
QSTAG-536(1)	MEDICAL, SURGICAL AND DENTAL INSTRUMENTS, EQUIPMENT AND SUPPLIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 536)	C ISDA AM 01-JUN-84	
QSTAG-538	RECOGNITION & IDENTIFICATION OF FORCES ON THE BATTLEFIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 538)	C ISDA AM 15-JAN-81	
QSTAG-539	REGULATIONS FOR MILITARY MOTOR VEHICLE MOVEMENT BY ROAD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA AM 02-OCT-80	
QSTAG-540	IDENTIFICATION OF MOVEMENT CONTROL & TRAFFIC CONTROL PERSONNEL & AGENCIES ABCA 540 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD)	C ISDA AM 05-FEB-80	
QSTAG-541	STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS (BASED ON NATO STANAG 2201) (ABCA 541) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 18-JUN-84	
QSTAG-542	USE OF IDENTICAL MAPS BY ABCA ARMED FORCES OPERATING ON LAND (BASED ON NATO STANAG 2205 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21) GAZETTEERS (BASED ON NATO STANAG 2213) (ABCA 545) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 18-JUN-84 C ISDA AM 29-NOV-84	
QSTAG-547	VERTICAL AERIAL CARTOGRAPHIC, PHOTOGRAPHY (BASED ON NATO STANAG 2216) (ABCA 547) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 18-JUN-84	
QSTAG-556(2)	EVALUATION & CONTROL OF LASER HAZARDS (BASED ON NATO STANAG 3606) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 16-MAY-84	
QSTAG-562	SURFACE TRANSPORTATION REQUEST AND REPLY TO SURFACE TRANSPORT REQUEST	C ISDA AM 12-DEC-79	
QSTAG-567	COMMAND AND CONTROL OF INFANTRY BATTALION ANTIARMOR WEAPONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 567)	C ISDA AM 24-MAR-80	
QSTAG-570	EMPLACING AND DEEMPLACING AT THE HIGH H'YER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 570)	C ISDA AM 24-MAR-80	
QSTAG-571(1)	PRINCIPLES GOVERNING THE DESIGN OF THE INDIVIDUAL LOAD CARRYING EQUIPMENT OF THE COMBAT SOLDIER, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA AM 07-MAY-80	
QSTAG-572	LANCE, FIELD ARTILLERY MISSILE SYSTEM W/AMMUNITION & FIRE CONTROL EQUIPMENT ABCA 572 (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM, DRCIRD)	C ISDA AM 21-DEC-79	
QSTAG-573(1)	TACTICAL HAND & ARM SIGNALS FOR THE CONTROL OF AFVS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES APPROVAL OF CHIEF OF NAVAL MATERIAL, DEPT OF NAVY, MAT 09B21, WASH DC 20360 (ABCA 573)	C ISDA AM 15-MAR-83	
QSTAG-574(2)	HELICOPTER BLADE TRACKING DEVICE (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 574)	C ISDA AM 09-NOV-83	
QSTAG-577	MACHINE GUN, CAL. .50, BROWNING M2 (ABCA 577) .....	C ISDA AM 12-NOV-79	
QSTAG-579(1)	PASSIVE VIEWER, DRIVER S NIGHT VISION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 579)	C ISDA AM 19-OCT-81	
QSTAG-580	MEDICAL REQUIREMENT FOR BLOOD & BLOOD DONORS .....	C ISDA AM 22-OCT-80	
QSTAG-581	RADAR, GROUND SURVEILLANCE, VERY SHORT RANGE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD)	C ISDA AM 05-APR-79	
QSTAG-582(1)	COMMON ELECTRICAL DEFINITIONS & TERMS ELECTRICAL POWER SUPPLIES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 582)	C ISDA AM 18-MAY-84	
QSTAG-583	QUALITY ASSURANCE PROCEDURES FOR DEMOLITION STORES, & ACCESSORIES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ, DARCOM (DRCIRD) (ABCA 583)	C ISDA AM 15-JAN-81	
QSTAG-585(2)	PROCEDURES FOR MARSHALLING HELICOPTERS IN AIRMOBILE OPERATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 585)	C ISDA AM 23-NOV-83	
QSTAG-586	PROCEDURES TO BE EMPLOYED IN THE EVENT OF DOWNED HELICOPTERS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21) ABCA 586	C ISDA AM 29-APR-83	
QSTAG-590(1)	MARKING OF MILITARY CARGO FOR INTERNATIONAL MOVEMENT BY ALL INTERNATIONAL MEANS OF SUPPORT (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD)	C ISDA AM 02-MAY-83	
QSTAG-591	BASIC MILITARY ROAD TRAFFIC REGULATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 591)	C ISDA AM 06-MAR-81	
QSTAG-592	FORECAST MOVEMENT REQUIREMENTS, RAIL, ROAD AND INLAND WATERWAYS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) ABCA 592)	C ISDA AM 21-DEC-79	
QSTAG-594	ELECTRICAL CHARACTERISTICS OF DIGITAL INTERFACE CIRCUITS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 594)	C ISDA AM 25-MAR-81	
QSTAG-595	GLOSSARY OF TELECOMMUNICATION TERMS (EDITION 2) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPROVAL OF CMM, DEPT OF THE NAVY, MAT 09B21, WASH, DC 20360) ABCA	C ISDA AM 05-OCT-84	
QSTAG-596	TEST PROCEDURES FOR TNT (TOLITE) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 596	C ISDA AM 08-DEC-81	
QSTAG-597	HANDHELD, LASER RANGEFINDER AM/GVS-5 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (ABCA 597)	C ISDA AM 25-MAR-81	
QSTAG-606	FUZE, PROXIMITY, ARTILLERY, M732 (RELEASE TO OTHER THAN DOD AGENCIES REQUIRES PRIOR APPROVAL OF HQ DARCOM (DRCIRD) (ABCA 606)	C ISDA AM 11-DEC-80	
QSTAG-608	DETECTOR KITS, CHEMICAL AGENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 03-APR-85	
QSTAG-611	TERRAIN DESCRIPTION GLOSSARY (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCODE-1 (ABCA 611)	C ISDA AM 10-FEB-82	
QSTAG-612	CERTIFICATION OF MAGNETIC PARTICLE INSPECTION PERSONNEL (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCODE-U) (ABCA 612)	C ISDA AM 10-FEB-82	
QSTAG-622	ESSENTIAL CHARACTERISTICS OF SURGICAL INSTRUMENTS (ABCA 622) .....	C ISDA AM 09-AUG-79	
QSTAG-623	STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES ABCA 623 .....	C ISDA AM 09-AUG-79	
QSTAG-624	MEDICAL DESIGN REQUIREMENTS FOR MILITARY MOTOR AMBULANCES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 23-AUG-84	
QSTAG-626	ABCA AMMIES FUZE PROOF PRACTICES FOR UNGUIDED TUBE -LAUNCHED PROJECTILES (ABCA 626) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 21-NOV-83	
QSTAG-627(1)	MATERIALS HANDLING IN THE FIELD (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) ABCA 627	C ISDA AM 15-NOV-82	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Adm. Org. / Chk. Coordination In-house Document Number	Document Title	Dist. Syst. / FSC / NCS Symbol	Preparing Act. / Date	Custodians		
				Army	Navy	Air Force / DLA
QSTAG-629(1)	TEST METHODS FOR ELASTOMETER (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 629)	C ISDA	AM 01-JUN-82			
QSTAG-633	INSPECTION AND QUALITY CONTROL REQUIREMENTS FOR INDUSTRY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360) (ABCA 633)	C ISDA	AM 03-JAN-85			
QSTAG-634	FLUORICS, GRAPHIC SYMBOLS TO BE USED ON ENGINEERING DRAWINGS AND DOCUMENTS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM, DRCIRD)	C ISDA	AM 11-DEC-80			
QSTAG-637(1)	PRINCIPLES OF MEDICAL POLICY OF MASS CASUALTY SITUATION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 637)	C ISDA	AM 27-JUL-81			
QSTAG-639(1)	CONDITIONED DEPHASE MODULATION (ABCA 639) (REL TO OTHER THAN DOD ACT PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 01-FEB-84			
QSTAG-642	CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF ITEM IDENTIFICATION (BASED ON NATO STANAG 3151) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 642)	C ISDA	AM 08-JUN-81			
QSTAG-644	RADAR SIGNAL DETECTING SET AN/APR-39(V) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 644)	C ISDA	AM 08-MAR-82			
QSTAG-645(1)	CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 24-OCT-83			
QSTAG-646	PROCEDURES USED IN ESTABLISHING BALLISTIC STANDARD AMMUNITION (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 646)	C ISDA	AM 16-JAN-81			
QSTAG-647	PROCEDURE FOR THE TRANSFER OF STANDARD INTERNAL BALLISTIC PERFORMANCE (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 647)	C ISDA	AM 31-MAR-82			
QSTAG-653	STANDARDIZATION OF WRENCH OPENINGS (SI METRIC SERIES) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 20-SEP-83			
QSTAG-655(1)	EMERGENCY WAR BURIAL PROCEDURES (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF HQ DARCOM, DRCIRD) (ABCA 655)	C ISDA	AM 02-MAY-83			
QSTAG-657(1)	GUIDE SPECIFICATIONS FOR ABCA ARMY FUELS, LUBRICANTS & ASSOCIATED PRODUCTS (BASED ON STANAG 2845) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, DC 20360)	C ISDA	AM 17-JAN-84			
QSTAG-658	COMMUNICATION AND NAVIGATIONAL FACILITIES FOR MULTINATIONAL AIRMOBILE OPERATIONS (EDITION 1) (REL TO OTHER THAN DOD ACT REQ PRI APPROVAL OF CHM DEPT OF THE NAVY, MAT 09B21, WASH, DC 20360) ABCA	C ISDA	AM 05-OCT-84			
QSTAG-660	MOVEMENT CONTROL (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 01-FEB-84			
QSTAG-665	AIRMOBILE OPERATIONS (ABCA 665)	C ISDA	AM 05-JUN-81			
QSTAG-666	WIRE STRIKE PROTECTION SYSTEM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 03-MAY-84			
QSTAG-669	AIRCRAFT RECOGNITION TRAINING (ABCA 699) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 20-JAN-84			
QSTAG-670	STANDARDIZATION OF PROOF PHILOSOPHIES & PRACTICES FOR ABCA CLMS, MONTARS, AMMUNITION & EQUIPMENT UTILIZED AT PROOF RANGES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 26-APR-84			
QSTAG-672	NIGHT VISION SIGHT, INDIVIDUAL SERVED WEAPON AN/PVS-4 (ABCA 672) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 16-SEP-83			
QSTAG-674	MESSAGE TEXT FORMATTING SYSTEM (FORMETS) (BASED ON NATO STANAG 5500) (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 674)	C ISDA	AM 30-NOV-82			
QSTAG-675	DATA INFORMATION, PRINCIPLES FOR THE AUTOMATED TRANSFER OF, BETWEEN TACTICAL COMMAND & CONTROL SYSTEMS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 675)	C ISDA	AM 10-FEB-82			
QSTAG-676	RULES FOR ACHIEVING SUB-SYSTEMS INTEROPERABILITY BETWEEN THE AUTOMATED TACTICAL COMMAND & CONTROL SYSTEMS OF ABCA ARMIES (RELEASE TO OTHER THAN DOD ACT, REQUIRES PRIOR APPROVAL OF DARCOM, DRCDE-1) (ABCA 676)	C ISDA	AM 14-APR-82			
QSTAG-677	RESUSCITATION MATERIEL FOR FIELD USE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT, WASH, D.C. 20360 (ABCA 677))	C ISDA	AM 23-JAN-85			
QSTAG-680	CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF SUPPLY CLASSIFICATION (BASED ON NATO STANAG 3150) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (ABCA 680)	C ISDA	AM 08-JUN-81			
QSTAG-681	BATTERIES, NON RECHARGEABLE, LITHIUM (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH 20360)	C ISDA	AM 11-JAN-84			
QSTAG-683	ELECTRIC POWER CONDITIONERS, GENERAL PURPOSE (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 05-JAN-84			
QSTAG-684(1)	BATTERY CHARGERS (RELEASE TO OTHER THAN DOD ACTIVITIES REQUIRES PRIOR APPROVAL OF CHIEF OF NAVAL MATERIAL DEPT OF NAVY, MAT 09B21, WASH, D.C. 20360 (ABCA 684)	C ISDA	AM 25-FEB-85			
QSTAG-691	HELICOPTER TACTICAL REFUELING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 05-JAN-84			
QSTAG-693	PRINCIPLES & CHARACTERISTICS OF INTEROPERABILITY SECURITY (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 14-FEB-84			
QSTAG-699	AIRCRAFT RECOGNITION TRAINING (ABCA 699) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH D.C. 20360)	C ISDA	AM 20-JAN-84			
QSTAG-701	AIRCRAFT GENERAL PURPOSE DISPENSER M-130 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 16-MAR-84			
QSTAG-702	HELICOPTER INFRARED HOT METAL & ENGINE PLUME SUPPRESSOR (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 09-MAR-84			
QSTAG-715	BATTLEFIELD SPECTRUM MANAGEMENT HF (1.5-30 MHz BAND) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 15-APR-85			
QSTAG-718	BATTLEFIELD SPECTRUM MANAGEMENT UHF (225-400 MHz BAND: (ABCA 718) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 22-APR-85			
QSTAG-719	BATTLEFIELD SPECTRUM MANAGEMENT TACTICAL RADIO RELAY & TROPOSPHERIC SCATTER SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 25-FEB-85			
QSTAG-721	BATTLEFIELD SPECTRUM MANAGEMENT-RADAR, POSITION NAVIGATION, TACTICAL SENSOR SYSTEMS & MULTIFUNCTION INFORMATION DISTRIBUTION SYSTEMS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 22-FEB-85			
QSTAG-724	CALIBRATION OF ULTRASONIC TEST EQUIPMENT WITH STANDARD TEST BLOCKS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 12-JUL-83			
QSTAG-726	GUN, 105MM FIELD L118 & L119 WITH ASSOCIATED AMMUNITION & FIRE CONTROL EQUIPMENT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 03-JAN-85			
QSTAG-733	TECHNICAL STANDARDS FOR SINGLE CHANNEL HIGH FREQUENCY RADIO EQUIPMENT (BASED ON NATO STANAG 4203) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, DC 20360)	C ISDA	AM 03-JAN-85			
QSTAG-742	MARKING OF HAZARDOUS AREAS & ROUTES THROUGH THEM (BASED ON NATO STANAG 2889) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 20-SEP-83			
QSTAG-764	SYSTEME INTERNATIONAL (SI) UNIT FOR COMBAT DOSIMETRY (REL TO OTHER THAN DOD ACTIVITIES REQ PRIOR APPROVAL OF CHIEF OF NAVAL MATERIAL DEPT OF NAVY, MAT 09B21, WASH D.C. 20360)	C ISDA	AM 20-MAR-84			
STANAG-4 ED. V	NATO STANDARDIZATION AGREEMENTS & ALLIED PUBLICATIONS	C ISDF	06 01-DEC-80			
STANAG-1001(1)	STANDARDIZED SYSTEM OF DESIGNATING DAYS & HOURS IN RELATION TO AN OPERATION OR EXERCISE (EDITION 6) (REL TO OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-W, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 10-JUN-91			
STANAG-1005	STANDARD SYSTEM OF VISUAL MARKINGS FOR NORTH ATLANTIC TREATY NAVAL VESSELS (EDITION NO. 5) (VALIDATION DATE: 7912)	C ISDN	NI 05-NOV-73			



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action CPL / Olt Contribution Machine	Document Number	Document Title	Dist. Sym.	FIC / Area	MCA Symbol	Preparing Act.	Date	Custodians		
								Army	Navy	AF / Force DLA
	STANAG-1006(3)	PREFERRED INCANDESCENT AND FLUORESCENT ELECTRIC LAMPS FOR LIGHTING PURPOSES ON NAVAL VESSELS OF NATO COUNTRIES (EDITION NO. 4) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMNAVSEASYS COM CODE 56222), WASHINGTON DC 20362	D	ISDM	NI	01-AUG-90				
	STANAG-1007(2)	PREFERRED ELECTRIC LAMPS FOR SIGNALLING PURPOSES ON NAVAL VESSELS OF NATO COUNTRIES (EDITION NO. 4) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA COMNAVSEASYS COM CODE 56222), WASHINGTON DC 20362 (AND 2)	D	ISDM	NI	01-AUG-90				
A	STANAG-1022 ED. 5(10)	COMBAT CHARTS, AMPHIBIOUS CHARTS AND COMBAT LANDING CHARTS	C	ISDF	06	10-FEB-93				
	STANAG-1034	ALLIED SPOTTING PROCEDURES FOR NAVAL GUNFIRE SUPPORT - ATP-4(B) (NAVY) (EDITION 7)	C	ISDM	NH	29-JUN-84				
M	STANAG-1040	ALLIED NAVAL CONTROL OF SHIPPING MANUAL ATP2 VOLUME 1 (EDITION 13)	C	ISDM	NH	29-NOV-85				
	STANAG-1050 ED. 3(2)	DISTINCTIVE COLOUR OF CLOTHING FOR FLIGHT DECK PERSONNEL	C	ISDM	NI	17-MAR-93				
	STANAG-1052	ALLIED SUBMARINE & ANTI-SUBMARINE EXERCISE MANUAL (EDITION 20) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CMM, MAT 09821)	C	ISDM	NH	07-JUN-84				
	STANAG-1057	STANDARD METHOD OF PASSING DEGAUSSING INFORMATION BETWEEN NATIONAL AUTHORITIES (WITH AMENDMENT 2 THRU 12) (VALIDATION DATE: 8206)	C	ISDM	NI	12-DEC-62				
	STANAG-1059(1)	NATIONAL DISTINGUISHING LETTERS FOR USE BY NATO FORCES (EDITION 5) (REQ OTHER THAN DOD REF TO US AMC ATTN: AMICP-A-A-N 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C	ISDA	AI	06-OCT-88				
	STANAG-1063	ALLIED NAVAL COMMUNICATIONS EXERCISES - AXP-3(B) (NAVY/AIR) (EDITION NO. 10)	C	ISDM	NH	29-NOV-84				
	STANAG-1065(1)	REPLENISHMENT AT SEA (EDITION NO. 10)	C	ISDM	NH	09-MAY-85				
	STANAG-1068	THE ALLIED MARITIME ABOVE WATER WARFARE EXERCISE MANUAL (EDITION NO 11)	C	ISDM	NH	30-NOV-84				
	STANAG-1080 ED. 2(3)	NORTH ATLANTIC TREATY ORGANIZATION FISHING PERMIT	D	ISDM	NI	29-APR-92				
	STANAG-1083(2)	YETHEMED SUBMARINE MARKER BUOYS (EDITION NO. 4)	C	ISDM	NH	03-JUN-87				
	STANAG-1084	REPLENISHMENT OF FUEL AND WATER IN HARBOUR (EDITION 4) (REQUEST OTHER THAN DOD REQUIRE PRIOR APPROVAL OF CMO OP-731 WASHINGTON, DC 20530-2000)	D	ISDM	NI	18-SEP-89				
M	STANAG-1095 ED. 5(1)	TIE-DOWN FITTINGS ON SHIPBORNE AIRCRAFT	C	ISDM	NI	02-APR-93				
A	STANAG-1100 LD. 4(3)	PROCEDURES FOR VISITS TO NATO AND NON-NATO PORTS BY NAVAL SHIPS OF NATO NATIONS	D	ISDM	NI	26-AUG-92				
	STANAG-1103(1)	EMERGENCY PUBLICATION OF NAUTICAL AND SPECIAL NAVAL CHARTS (ED 3) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058	C	ISDF	06	23-MAY-91				
A	STANAG-1110 ED. 6(7)	ALLOWABLE DETEIORATION LIMITS FOR NATO ARMED FORCES FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS	B	ISDM	NI	30-OCT-92				
	STANAG-1113(4)	GENERAL SPECIFICATIONS FOR PROJECTIONS REQUIRED FOR NAUTICAL CHARTS FOR POLAR REGIONS AND THE HIGHER LATITUDES (EDITION 3) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC, 20330-5058)	C	ISDF	06	23-OCT-90				
	STANAG-1116(2)	MINE WARFARE PILOTS - AMP-11 (EDITION 6) REL TO OTHER THAN DOD ACT REQ PRI APPR OF CMO-OP-731, WASH., DC 20350-2000	D	ISDM	SH	09-FEB-90				
	STANAG-1120(6)	CODE DESIGNATION SYSTEM FOR SPECIAL NAVAL CHARTS (EDITION 2) (REQ FOR OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC, 20330-5058)	C	ISDF	06	23-OCT-90				
	STANAG-1123	COMPILATION DATA REFERENCES ON SPECIAL NAVAL CHARTS (WITH AMENDMENTS 1, 2, 3, 4) (VALIDATION DATE: 8302)	C	ISDF	06	02-MAR-71				
	STANAG-1132(1)	TACTICAL INSTRUCTIONS AND PROCEDURES FOR THE CONDUCT OF MINE WARFARE OPERATIONS (EDITION NO. 11)	C	ISDM	NH	24-SEP-85				
	STANAG-1133	NBC DEFENCE OF MERCHANT SHIPS - AEP-3 (NAVY) (EDITION 3)	C	ISDM	NH	04-DEC-85				
	STANAG-1135(2)	INTERCHANGEABILITY CHART OF NATO STANDARDIZED FUELS, LUBRICANTS AND ASSOCIATED PRODUCTS	C	ISDM	NH	16-OCT-91				
	STANAG-1136(1)	STANDARDS FOR USE WHEN MEASURING & REPORTING RADIATED NOISE CHARACTERISTICS OF SURFACE SHIPS, SUBMARINES, HELICOPTERS, ETC., IN RELATION TO SONAR DETECTION AND TORPEDO ACQUISITION RISK (EDITION 2)	C	ISDM	NH	04-MAR-85				
	STANAG-1137(1)	HELICOPTER MINE COUNTERMEASURES MANUAL - AMP-7(B)(NAVY/AIR) (EDITION NO. 3)	C	ISDM	NH	24-APR-86				
	STANAG-1149(1)	DOCTRINE FOR AMPHIBIOUS OPERATIONS - ATP-8 (EDITION 10)	C	ISDM	NH	20-MAY-86				
	STANAG-1152	ALLIED ANTI-SUBMARINE WARFARE MANUAL - ATP-28 (ED 11)	C	ISDM	NH	21-MAY-87				
	STANAG-1154	NATO QUALIFICATIONS FOR HELICOPTER CONTROLLERS AT SEA - EDITION NO. 7 (REL TO OTHER THAN DOD MUST SEND REQUEST VIA CMO -OP-731, WASHINGTON DC 20350-2000)	C	ISDM	NI	13-DEC-90				
	STANAG-1162	VERTICAL REPLENISHMENT (VERTREP) OPERATING AREA MARKING, CLEARANCES AND LIGHTING (EDITION 4) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CMO-OP-731 WASHINGTON DC 20350-2000)	C	ISDM	NH	03-MAY-91				
	STANAG-1163	NSATO MARITIME UNIT DATA & EQUIPMENT LIST (EDITION NO. 4)	C	ISDM	SH	20-JAN-86				
	STANAG-1166(5)	STANDARD SHIP DESIGNATOR SYSTEM (ED. 4) OTHER THAN DOD REFER TO CMO-OP-731, WASHINGTON DC 20350-2000)	D	ISDM	NI	03-MAY-91				
	STANAG-1167	NATO ABOVE WATER WARFARE MANUAL (EDITION NO. 6)	C	ISDM	NH	19-APR-84				
	STANAG-1173	ALLIED MARITIME TACTICAL INSTRUCTIONS AND PROCEDURES-ATP-1(C) VOL I (NAVY-AIR) EDITION 8	C	ISDM	NH	20-DEC-85				
	STANAG-1174	ALLIED MARITIME TACTICAL SIGNAL AND MANEUVERING BOOK ATP-1(C) VOL II (NAVY AIR) EDITION 7	C	ISDM	NH	20-DEC-85				
	STANAG-1175(1)	ALLIED MARITIME VOICE REPORTING PROCEDURES APP-1(A) (NAVY/AIR) (EDITION 8)	C	ISDM	NH	22-JUN-87				
	STANAG-1180	AMPHIBIOUS OPERATIONS - SHIP-TO-SHORE MOVEMENT - ATP-36 (EDITION NO. 4)	C	ISDM	NH	18-APR-86				
	STANAG-1181	SUPPORTING ARMS IN AMPHIBIOUS OPERATIONS (EDITION NO. 5)	C	ISDM	NH	19-FEB-86				
	STANAG-1192(4)	DAMAGE TO MCM EQUIPMENT AS A RESULT OF MINE EXPLOSION (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CMO-OP-731, WASHINGTON DC 20350-2000) (ED 1)	D	ISDM	NI	08-NOV-90				
	STANAG-1194(2)	HELICOPTER OPERATIONS FROM SHIPS OTHER THAN AIRCRAFT CARRIERS - APP-2(B) (NAVY/AIR) (EDITION 3 M/SUPPL 1)	C	ISDM	NH	10-JUN-85				
	STANAG-1200(1)	PROCEDURES FOR LOGISTIC SUPPORT BETWEEN NATO NAVIES & NAVAL PORT INFORMATION - ALP-1 (D)	C	ISDM	SH	18-DEC-86				
	STANAG-1202(3)	NATO MINE COUNTERMEASURES VEHICLES AND EQUIPMENT VOLUME 1, (ED. 2) REQUEST OTHER THAN DOD REFER TO CMO-OP-731, WASHINGTON, DC 20350-2000)	D	ISDM	NI	08-FEB-90				
	STANAG-1203(1)	DEGAUSSING & ACOUSTIC RANGING INFORMATION CONCERNING NORTH ATLANTIC TREATY MINESWEEPERS & MINEHUNTERS (EDITION NO. 3)	C	ISDM	NH	21-MAR-86				
	STANAG-1212	NAVAL CONTROL OF SHIPPING - INFORMATION ON PORTS, AUTHORITIES & MCS PUBLICATIONS - AAP-8 (ED 5)	C	ISDM	NH	22-MAY-87				
	STANAG-1217	STANDARD REQUIREMENTS FOR THE NIGHT TRANSFER STATION MARKER BOX AND/OR BAND (ED 3) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA	D	ISDM	NI	02-APR-91				
	STANAG-1218 ED. 2	STANDARD RECEPTION STATION ARRANGEMENTS DESIGNED TO SUPPORT UP TO 250 KILOGRAMS (550 POUNDS) TRANSFER LOAD	C	ISDM	SH	12-NOV-91				
	STANAG-1229(1)	EVACUATION OF DIVING ACCIDENT PATIENTS (EDITION 2)	C	ISDM	NI	16-OCT-90				
A	STANAG-1233 ED. 1(2)	PROCEDURES FOR RADHAZ CONTROL IN PORTS AND TERRITORIAL SEA	C	ISDM	NI	25-AUG-92				
	STANAG-1235 ED. 2(1)	STANDARD REQUIREMENTS FOR THE USE OF DAY TRANSFER STATION MARKERS AND/OR BATS	C	ISDM	NI	06-DEC-91				
	STANAG-1236 ED. 2(3)	GLIDE SCOPE INDICATORS FOR HELICOPTER OPERATIONS FROM NATO SHIPS	D	ISDM	NI	19-MAR-92				
	STANAG-1242	ALLIED DOCTRINE OF MINE WARFARE POLICY AND PRINCIPLES - ATP-6(A) VOLUME 1 (EDITION NO 4)	C	ISDM	NH	29-MAR-85				
	STANAG-1243	ALLIED DOCTRINE OF MINE WARFARE - PLANNING AND EVALUATION OF MINE WARFARE PRINCIPLES - ATP-6(A) (NAVY/AIR) VOL 2 (EDITION NO. 4)	C	ISDM	NH	29-MAR-85				
	STANAG-1245(1)	40 MM/60 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED 2) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CMO-OP-731, WASHINGTON DC 20350-2000)	D	ISDM	NI	14-DEC-90				
	STANAG-1249(1)	THE METHOD OF DETECTION AND CONTROL OF DYSBARIC OSTEOECROSIS IN DIVERS (ED 1) (REQUEST OTHER THAN DOD REQUIRE PRIOR APPROVAL OF CMO OP-731 WASHINGTON, DC 20530-2000 )	C	ISDM	NI	06-JUN-89				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Adm Off / Chg Coordination Involvement	Document Number	Document Title	Dist. Smt FSC / Area MCA Symbol	Preparing Date	Custodians		
					Army	Navy	AF Force DLA
	STANAG-1250(4)	100 MM GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED 1) (REQUEST OTHER THAN DOD REFER TO CMO-OP-731, WASHINGTON DC 20350-2000)	D ISDN	NI 04-APR-90			
A	STANAG-1251 ED. 2(4)	SHIPBOARD HELICOPTER IN-FLIGHT REFUELLING (HIFR) OPERATING AREA MARKING, CLEARANCES AND LIGHTING	D ISDN	NI 25-AUG-92			
	STANAG-1257(2)	NATO MINE DELIVERY SYSTEMS - APP-3 (A) VOLUME 11 (EDITION NO. 2) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CMO-OP-731, WASHINGTON DC 20350-2000	C ISDN	NI 13-DEC-90			
	STANAG-1258	ALLIED MARITIME MESSAGES - APP-4 (NAVY/AIR) EDITION 2	C ISDN	NI 31-JAN-85			
	STANAG-1274(3)	SHIPBOARD HAULDOWN CABLE END FITTING FOR HELICOPTER WIRE RECOVERY ASSIST SYSTEMS (EDITION NO. 1)	C ISDN	NI 29-SEP-86			
	STANAG-1275 ED. 2(1)	MINIMUM STANDARD REQUIREMENTS FOR THE MARKING AND LIGHTING OF HELICOPTER DECK LANDING AREAS	C ISDN	NI 20-MAR-92			
M	STANAG-1277	VERTREP EQUIPMENT & PROCEDURES (EDITION NO. 1)	C ISDN	NI 12-AUG-85			
	STANAG-1278 ED. 1	STANDARD FOR THE REQUIRED LEVEL OF COEFFICIENT OF FRICTION ON FLIGHT DECKS (W/AND 1)	C ISDN	NI 11-MAR-82			
	STANAG-1280(2)	HELICOPTER IN-FLIGHT REFUELLING (HIFR) OPERATING REQUIREMENTS (EDITION NO. 2)	C ISDN	NI 30-SEP-86			
	STANAG-1286(2)	5 IN/38 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED. 1) (REQUEST OTHER THAN DOD REFER TO CMO-OP-731, WASHINGTON, DC 20350-2000	D ISDN	NI 29-MAR-90			
	STANAG-1289(5)	TOWING LINK (ED 1) OTHER THAN DOD REFER TO COMNAVSEASYS COM CODE 56M24 WASH. DC 20362	D ISDN	NI 14-FEB-89			
A	STANAG-1297 ED. 3(2)	REQUIREMENTS FOR A NATO COMMON RESCUE SEAT	C ISDN	SH 15-JAN-93			
	STANAG-1298(1)	MINIMUM REQUIREMENTS FOR THE PROVISION OF DEVICES IN THE DISTRESSED SUBMARINE TO ASSIST LOCATION BY RESCUE FORCES (ED. 2) (REQUEST OTHER THAN DOD REFER TO CMO-OP-731, WASHINGTON DC 20350-2000)	D ISDN	NI 05-MAR-90			
A	STANAG-1301 ED. 3(1)	MINIMUM CONDITIONS FOR SURVIVAL IN A DISTRESSED SUBMARINE PRIOR TO ESCAPE OR RESCUE	D ISDN	NI 22-MAR-93			
	STANAG-1307	MAXIMUM NATO NAVAL OPERATIONAL ELECTROMAGNETIC ENVIRONMENT PRODUCED BY RADIO AND RADAR (EDITION 1) REQUESTS OTHER THAN DOD MUST BE SENT VIA HQ USAF/XDXX (ISO) WASH DC 20330-5058	D ISDA	AM 15-OCT-86			
	STANAG-1310	DESIGN CRITERIA FOR REPLENISHMENT ASPECTS OF NEW CONSTRUCTION NAVAL VESSELS (ED 1) OTHER THAN DOD REFER TO CMO-OP-731 COMNAVSEASYS COM (CODE 56M24) WASHINGTON D.C. 20362	C ISDN	SH 16-OCT-89			
	STANAG-1311	NATO MARITIME EQUIPMENT CAPABILITIES & DATA (EDITION NO. 2)	C ISDN	SH 22-JAN-86			
	STANAG-1312	CHARACTERISTICS OF NATO SEA MINES - APP-13 VOLUME 11 (EDITION NO. 1)	C ISDN	SH 29-MAY-87			
	STANAG-1313	ALLIED NAVAL CONTROL OF SHIPPING MANUAL MERCHANT SHIP REPORTING & CONTROL (MERCOS) SYSTEM ATP 2 VOLUME 1 SUPP 1 (EDITION 2)	C ISDN	NI 29-NOV-85			
	STANAG-1316(1)	THE MINE WARFARE SUPPLEMENT TO NATO EXPERIMENTAL TACTICS AND AMPLIFYING TACTICAL INSTRUCTIONS (ED. 1) (REQUEST OTHER THAN DOD REFER TO CMO-OP-731, WASHINGTON, DC 20350-2000)	D ISDN	NI 07-FEB-90			
A	STANAG-1317 ED. 1(4)	NATO OCEANOGRAPHIC DATA EXCHANGE FORMAT (MODEF-1)	C ISDN	NI 21-AUG-92			
	STANAG-1318	ALLIED GUIDE TO MASTERS (EDITION NO. 2)	C ISDN	SH 19-NOV-86			
	STANAG-1319	MINIMUM REQUIREMENTS FOR MEDICAL STORES IN SUBMARINE ESCAPE COMPARTMENTS (EDITION NO. 1)	C ISDN	SH 14-APR-86			
	STANAG-1320	MINIMUM REQUIREMENTS FOR ATMOSPHERIC MONITORING EQUIPMENT LOCATED IN SUBMARINES WITH ESCAPE CAPABILITY (ED 3) OTHER THAN DOD REFER TO CMO-OP-731 WASH. DC 20350-2000	D ISDN	SH 06-FEB-89			
	STANAG-1328	STANDARD DISTANCE LINE LIGHTING (ED. 1)	C ISDN	SH 12-MAR-87			
	STANAG-1336(1)	THE NATO MULTI SERVICE ELECTRONIC WARFARE SUPPORT GROUP (MEWSG) SUPPLEMENT TO AXP-2 (EDITION 1)	C ISDN	NI 30-NOV-84			
M	STANAG-1341 ED. 1(2)	HARPOON MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES	D ISDN	NI 16-FEB-93			
	STANAG-1342 ED. 1	PG-46 TORPEDO INTERCHANGEABLE WITHIN NATO NAVAL FORCES	D ISDN	NI 26-SEP-91			
	STANAG-1343 ED. 1(2)	ASROC SYSTEM INTERCHANGEABLE WITHIN NATO NAVAL FORCES	D ISDN	NI 02-OCT-91			
	STANAG-1349(1)	STANDARD MISSILE INTERCHANGEABLE WITHIN NATO NAVAL FORCES (EDITION 1) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA (CMO-OP-731) WASHINGTON DC 20350-2000)	D ISDN	NI 09-AUG-90			
M	STANAG-1350 ED. 2(1)	100MM DECOY SYSTEM AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES ....	D ISDN	NI 01-MAR-93			
	STANAG-1359(2)	20 MM F2 GUN AMMUNITION INTERCHANGEABLE WITHIN NATO NAVAL FORCES (ED 1) REQUEST OTHER THAN DOD REFER TO CMO-OP-731 WASHINGTON DC 20350-2000)	D ISDN	NI 04-SEP-91			
M	STANAG-1368 ED. 1(5)	MINE WARFARE UTILITY MATRICES	D ISDN	NI 15-MAR-93			
A	STANAG-1382 ED. 1(1)	EMERGENCY SONAR BEACONS TO AID THE DETECTION AND LOCALIZATION OF DISTRESSED SUBMARINES AND THE HOMING ONTO THEM OF SUBMERGED RESCUE CRAFT	D ISDN	NI 10-DEC-92			
	STANAG-1384 ED. 1	NATO STANDARD REPLENISHMENT AT SEA (RAS) TELEPHONE CONNECTORS	D ISDN	NI 16-MAR-92			
A	STANAG-1385 ED. 1(2)	GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR FUEL, NAVAL DISTILLATE (F-76)	C ISDN	NI 11-JAN-93			
A	STANAG-1391 ED. 1(2)	REQUIREMENTS OF A DISTRESSED SUBMARINE FOR THE RECEIPT OF EMERGENCY LIFE SUPPORT STORES (ELSS) BY POD POSTING	D ISDN	NI 16-DEC-92			
A	STANAG-2002 ED. 7(4)	WARNING SIGNS FOR THE MARKING OF CONTAMINATED OR DANGEROUS LAND AREAS, COMPLETE EQUIPMENTS SUPPLIES AND STORES	C ISDA	AI 01-JUN-92			
M	STANAG-2003 ED. 6(5)	PATROL REPORTS	C ISDA	AI 17-NOV-92			
	STANAG-2008(4)	BOMBING, SHELING, DOCKETING, MORTARING AND LOCATION REPORTS (EDITION 6) ..	C ISDA	AM 13-MAY-88			
A	STANAG-2010 ED. 5(6)	MILITARY LOAD CLASSIFICATION MARKINGS	C ISDA	AI 02-JUL-92			
	STANAG-2011	ADJUSTMENT OF ARTILLERY FIRE (EDITION 4) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE., ALEXANDRIA VA 22333-0001)	C ISDA	AI 10-JUN-87			
	STANAG-2014	OPERATION ORDERS, WARNING ORDERS & ADMINISTRATIVE/LOGISTICS ORDERS (EDITION 7) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICCP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 14-AUG-91			
	STANAG-2017(5)	ORDERS TO THE DEMOLITION GUARD COMMANDER & DEMOLITION FIRING PARTY COMMANDER (NON NUCLEAR) (EDITION 3)	C ISDA	AM 29-APR-88			
	STANAG-2019(1)	MILITARY SYMBOLS FOR LAND BASED SYSTEMS - APP-6 (EDITION NO. 3) (REQ OTHER THAN DOD REFER TO US (AMC, ATTN: AMICCP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 20330-5058	C ISDA	AI 26-NOV-90			
	STANAG-2020(7)	OPERATIONAL SITUATION REPORTS (EDITION NO. 3) (WITH AMENDMENTS 1 THRU 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 13-FEB-86			
	STANAG-2021	MILITARY COMPUTATION OF BRIDGE, FERRY, RAFT AND VEHICLE CLASSIFICATIONS (EDITION 5) (REQ OTHER THAN DOD REFER TO US, AMC, ATTN: AMICCP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 18-SEP-90			
	STANAG-2022(1)	INTELLIGENCE REPORTS ESTS OTHER THAN DOD BE SENT VIA US AMC, ATTN: AMICCP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001	C ISDA	AM 22-APR-87			
	STANAG-2023(4)	MARKING OF MILITARY CARGO FOR INTERNATIONAL MOVEMENT BY ALL INTERNATIONAL MEAN RANSPOT (EDITION NO. 2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 03-MAR-83			
	STANAG-2025(7)	BASIC MILITARY ROAD TRAFFIC REGULATIONS (EDITION NO. 4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 31-AUG-82			
	STANAG-2026(3)	NATO TRAVEL ORDER (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICCP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 31-AUG-89			
	STANAG-2027(7)	MARKING OF MILITARY VEHICLES (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICCP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 25-APR-91			
	STANAG-2028	SYSTEM FOR FIELD CABLE OR FIELD WIRE LABELLING (EDITION NO. 4)	C ISDA	AM 14-APR-83			
	STANAG-2029(2)	METHOD OF DESCRIBING GROUND LOCATIONS, AREAS & BOUNDARIES (EDITION 7) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICCP-AA-N, EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 10-JUN-91			
	STANAG-2031(3)	PROFORMA FOR ARTILLERY FIRE PLAN (EDITION NO. 5) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 17-JUN-88			



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active GPO / OMA Classification Institute Document Number	Document Title	Dist. Sym. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DLA
STANAG-2033(1)	INTERROGATION OF PRISONERS OF WAR (PW) (EDITION NO. 4) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA	AM 07-JUN-82				
STANAG-2034(6)	LAND FORCES PROCEDURES FOR ALLIED SUPPLY TRANSACTIONS (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 04-SEP-89				
STANAG-2035(3)	SIGNING OF HEADQUARTERS & INSTALLATIONS (EDITION 5) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 18-OCT-88				
STANAG-2036(2)	LAND MINEFIELD LAYING, RECORDING, REPORTING AND REPORTING PROCEDURES (EDITION NO.3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 29-APR-88				
STANAG-2037(1)	VACCINATION OF NATO FORCES (EDITION 6) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AM 25-NOV-88				
STANAG-2040(2)	STRETCHERS, BEARING BRACKETS & ATTACHMENT SUPPORTS (EDITION NO. 5) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA	AM 30-MAY-86				
STANAG-2041(3)	OPERATION ORDERS, TABLES & GRAPHS FOR ROAD MOVEMENT (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 31-AUG-89				
STANAG-2044(4)	PROCEDURES FOR DEALING WITH PRISONERS OF WAR (PW) (EDITION NO.4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 04-AUG-80				
STANAG-2047(1)	EMERGENCY ALARMS OF HAZARD OR ATTACK (NBC & AIR ATTACK ONLY) (EDITION NO. 6) (REL TO OTHER THAN DOD REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 09-APR-86				
STANAG-2048(2)	INSECT & RODENT CONTROL, CHEMICAL METHODS OF (A MED P-3) (EDITION 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA	AM 10-SEP-86				
STANAG-2050 ED. 5(2)	STATISTICAL CLASSIFICATION OF DISEASES, INJURIES AND CAUSES OF DEATH .....	C ISDA	AI 21-OCT-91				
STANAG-2060(1)	IDENTIFICATION OF MEDICAL MATERIAL FOR FIELD MEDICAL INSTALLATIONS (ED. NO. 2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT09B21)	C ISDA	AM 19-JUN-85				
STANAG-2061(5)	PROCEDURES FOR DISPOSITION OF ALLIED PATIENTS BY MEDICAL INSTALLATION (EDITION 4) (OTHER REQUESTS REFER TO US AMC, ATTN - AMICP-AA-N, 5001 EISENHOWER AVENUE, ALEXANDRIA, VA22333-0001)	C ISDA	AM 30-JUN-88				
STANAG-2066(3)	FORMAT FOR MILITARY CORRESPONDENCE AND USE OF ABBREVIATIONS (EDITION NO. 3) WITH AMENDMENTS 1 AND 2	C ISDA	AM 29-MAY-75				
STANAG-2067	CONTROL & RETURN OF STRAGGLERS (EDITION 5) REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE., ALEXANDRIA VA 22333-0001	C ISDA	AM 10-JUN-87				
STANAG-2068(1)	EMERGENCY WAR SURGERY (ED. 4) (REQ FOR ISSUE MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-001)	C ISDA	AM 28-OCT-86				
STANAG-2070(3)	EMERGENCY WAR BURIAL PROCEDURES (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AM 12-DEC-88				
STANAG-2074(1)	TREATMENT OF EXERCISE PRISONERS OF WAR DURING NATO EXERCISES (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 10-JUN-91				
STANAG-2077	ORDER OF BATTLE (NON NATO GROUND FORCES) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)) (EDITION NO. 4)	C ISDA	AM 16-OCT-87				
STANAG-2079	REAR AREA SECURITY (EDITION 4) .....	C ISDA	AM 17-DEC-79				
STANAG-2082(1)	RELIEF OF COMBAT TROOPS (EDITION NO. 6) .....	C ISDA	AI 24-JUL-91				
STANAG-2083(2)	COMMANDERS GUIDE ON NUCLEAR RADIATION EXPOSURE OF GROUPS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 03-OCT-89				
STANAG-2084	HANDLING AND REPORTING OF CAPTURED ENEMY EQUIPMENT AND DOCUMENTS (EDITION NO. 4) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA	AM 08-JAN-79				
STANAG-2085(1)	NATO COMBINED MILITARY POLICE (EDITION NO. 3) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA	AM 06-AUG-85				
STANAG-2087(2)	MEDICAL EMPLOYMENT OF AIR TRANSPORT IN THE FORWARD AREA (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 08-DEC-89				
STANAG-2088(1)	BATTLEFIELD ILLUMINATION (EDITION 5) .....	C ISDA	AM 25-MAY-83				
STANAG-2096(4)	REPORTING ENGINEER INFORMATION IN THE FIELD (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY DARCOM (DRCIRD)	C ISDA	AM 23-APR-79				
STANAG-2097	NOMENCLATURE FOR SOVIET BLOC ARMY WEAPONS AND EQUIPMENT (EDITION 5) .....	C ISDA	AM 16-DEC-85				
STANAG-2099(4)	FIRE COORDINATION IN SUPPORT OF LAND FORCES (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 15-JUN-78				
STANAG-2100(2)	MARKINGS FOR UMPIRES AND OTHER PERSONNEL, VEHICLES AND INSTALLATIONS DURING COMBINED EXERCISES (EDITION NO. 4) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 12-FEB-76				
STANAG-2101	ESTABLISHING LIAISON (EDITION 7) (REQ OTHER THAN DOD REF TO US, AMC, ATTN, AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 07-JUN-91				
STANAG-2103(1)	REPORTING NUCLEAR DETONATIONS, BIOLOGICAL & CHEMICAL ATTACKS & PREDICTING & WARNING OF ASSOCIATED HAZARDS & HAZARD AREAS (ATP-45) (EDITION NO. 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM MAT 09B21, WASH, D.C. 20360)	C ISDA	AM 19-JUL-83				
STANAG-2104(1)	FRIENDLY NUCLEAR STRIKE WARNING (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 12-DEC-89				
STANAG-2105(2)	NATO TABLE OF MILITARY EQUIVALENTS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 26-NOV-86				
STANAG-2109(1)	POSTAL ORGANIZATION FOR THE NATO FORCES IN MARTIME (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09B21)	C ISDA	AM 06-AUG-85				
A STANAG-2111 ED. 3(5)	TARGET ANALYSIS - NUCLEAR WEAPONS .....	C ISDA	AI 28-SEP-92				
A STANAG-2112 ED. 3(4)	NBC RECONNAISSANCE .....	C ISDA	AI 28-OCT-92				
STANAG-2113(1)	DENIAL OF A UNIT'S MILITARY EQUIPMENT AND SUPPLIES TO AN ENEMY (REQ OTHER THAN DOD REFER TO US ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) (EDITION 5)	C ISDA	AI 11-JUL-91				
STANAG-2115(2)	FUEL CONSUMPTION UNIT (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 21-SEP-89				
STANAG-2116(6)	NATO CODES FOR GRADES OF MILITARY PERSONNEL/CODE OTAN DES GRADES DU PERSONNEL MILITAIRE (EDITION 4) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA VA 22333-0001)	C ISDA	AI 07-DEC-88				
STANAG-2117(1)	METHODS OF ASSESSING ENEMY LOGISTICAL MOVEMENT AND TRANSPORT CAPABILITIES (EDITION NO. 2) W/AMENDMENT 1 (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD))	C ISDA	AM 10-AUG-72				
STANAG-2121(5)	CROSS SERVICING OF MEDICAL GAS CYLINDERS (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 21-SEP-89				
STANAG-2122(5)	MEDICAL TRAINING IN FIRST AID, BASIC HYGIENE AND EMERGENCY CARE (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 10-JUN-91				
STANAG-2123(3)	OBSTACLE FOLDER (EDITION 2) REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09B21, WASH, D.C. 20360	C ISDA	AM 25-MAY-88				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active / Of Control Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Act.	Date	Custodians Army Navy Air Force DLA
STANAG-2126(1)	FIRST-AID KITS & EMERGENCY MEDICAL CARE KITS (EDITION 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09-B21, WASH, DC 20360)	C ISDA	AM	06-JUN-86	
STANAG-2127 ED. 3(1)	MEDICAL, SURGICAL AND DENTAL INSTRUMENTS, EQUIPMENT AND SUPPLIES	C ISDA	AI	24-SEP-91	
STANAG-2128 ED. 4	MEDICAL AND DENTAL SUPPLY PROCEDURES	C ISDA	AM	21-NOV-91	
STANAG-2129(1)	RECOGNITION & IDENTIFICATION OF FORCES ON THE BATTLEFIELD (EDITION NO. 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA	AM	30-JUN-86	
STANAG-2130(3)	EMPLOYMENT OF ATOMIC DEMOLITION MUNITIONS (ADM), (EDITION NO. 1), (ISSUE CONTROLLED-REQUESTS BY OTHER THAN U.S. GOVT AGENCIES MUST BE APPROVED BY DEPT OF THE ARMY)	C ISDA	AM	22-MAR-76	
STANAG-2131(3)	MULTILINGUAL PHASE BOOK FOR USE BY THE NATO MEDICAL SERVICES (EDITION NO. 3) REQ OTHER THAN DOD REF TO USATMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AM	31-AUG-88	
STANAG-2132(2)	DOCUMENTATION RELATIVE TO MEDICAL EVACUATION, TREATMENT AND CAUSE OF DEATH OF PATIENTS (EDITION NO. 2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM	17-NOV-78	
STANAG-2133(4)	VULNERABILITY ASSESSMENT OF CHEMICAL AND BIOLOGICAL HAZARDS, RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM	04-DEC-84	
STANAG-2135(4)	TECHNICAL DATA FOR HANDLING CUSTODIAL NUCLEAR WEAPONS (EDITION 3)	C ISDA	AM	05-DEC-86	
STANAG-2136(7)	MINIMUM STANDARDS OF WATER POTABILITY (EDITION NO.2) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM	05-DEC-85	
STANAG-2138(1)	TROOP TRIAL PROCEDURES - COMBAT CLOTHING AND EQUIPMENT (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) (EDITION NO. 3)	C ISDA	AM	26-FEB-79	
STANAG-2139	ATOMIC DEMOLITION MUNITIONS (ADM) OPERATIONS ORDER (EDITION NO. 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM	14-DEC-82	
STANAG-2143	EXPLOSIVE ORDNANCE RECONNAISSANCE/EXPLOSIVE ORDNANCE DISPOSAL (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI	24-JAN-91	
STANAG-2144(3)	CALL FOR FIRE PROCEDURES (ISSUE CONTROLLED-RELEASE TO OTHER DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) EDITION NO. 1	C ISDA	AM	14-OCT-77	
STANAG-2147(5)	TARGET NUMBERING SYSTEM (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	02-AUG-89	
STANAG-2149	INTELLIGENCE REQUEST (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	05-FEB-91	
STANAG-2150	NATO STANDARDS OF PROFICIENCY FOR NBC DEFENCE (EDITION NO 3)	C ISDA	AM	26-FEB-86	
STANAG-2152 ED. 5(1)	LOADING RAMPS	C ISDA	AI	17-SEP-91	
STANAG-2154 ED. 6	REGULATIONS FOR MILITARY MOTOR VEHICLE MOVEMENT BY ROAD	C ISDA	AI	19-JUN-92	
STANAG-2155(3)	ROAD MOVEMENT BID & CREDIT (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	03-FEB-89	
STANAG-2156(4)	TRANSPORT REQUEST AND REPLY TO TRANSPORT REQUEST (EDITION 2) (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM(DRCIRD)	C ISDA	AM	12-MAR-79	
STANAG-2158(1)	IDENTIFICATION OF MILITARY TRAINS (EDITION NO. 3) (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM(DRCIRD)	C ISDA	AM	18-AUG-81	
STANAG-2159(2)	IDENTIFICATION OF MOVEMENT CONTROL AND TRAFFIC CONTROL, PERSONNEL AND AGENCIES (EDITION 4) (REQ OTHER THAN DOD REFER TO US AMC ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	29-APR-91	
STANAG-2165(4)	FORECAST MOVEMENT REQUIREMENTS - RAIL, ROAD AND INLAND WATERWAYS (EDITION NO. 3) RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM	10-MAR-86	
STANAG-2166(3)	MOVEMENT & TRANSPORT DOCUMENTS USED FOR MOVEMENTS BY SHIP (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	25-JUN-84	
STANAG-2171(3)	PROCEDURE FOR MILITARY TRAINS CROSSING FRONTIERS (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	03-OCT-88	
STANAG-2173(2)	REGULATIONS FOR THE SECURITY OF MILITARY TRACKED & WHEELED VEHICLES ON RAILWAY WAGONS (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ DARCOM DRCIRD)	C ISDA	AM	23-JAN-87	
STANAG-2174(7)	MILITARY ROUTES AND ROUTE/ROAD NETWORKS (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	31-AUG-89	
STANAG-2175(2)	CLASSIFICATION AND DESIGNATION OF FLAT WAGONS SUITABLE FOR TRANSPORTING MILITARY EQUIPMENT (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI	29-JUL-91	
STANAG-2176	PROCEDURES FOR MILITARY ROAD MOVEMENT ACROSS NATIONAL FRONTIERS (ISSUED CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM	09-AUG-78	
STANAG-2201(5)	STANDARD UNIT OF VERTICAL MEASURE TO BE SHOWN ON LAND MAPS (EDITION NO. 3 W/AMND 2) (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX-ISO, WASHINGTON, D.C. 20330-5058	C ISDF	06	23-OCT-90	
STANAG-2205(3)	USE OF IDENTICAL MAPS & CHARTS (EXCLUDING NAUTICAL CHARTS) EDITION 4 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC, 20330-5058	C ISDF	06	23-OCT-90	
STANAG-2210(6)	TRIG LISTS (LISTS OF GEODETIC DATA (ED 3) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058	C ISDF	06	20-MAR-90	
STANAG-2211 ED. 5(2)	GEODETIC DATUMS, ELLIPSOIDS, GRIDS AND GRID REFERENCES	C ISDF	06	01-JUN-92	
STANAG-2213(5)	GAZETTEERS (EDITION 3)	C ISDF	06	29-OCT-90	
STANAG-2215(1)	EVALUATION OF LAND MAPS (ED 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH, DC 20330-5058)	C ISDF	06	25-OCT-90	
STANAG-2216(8)	VERTICAL AERIAL CARTOGRAPHIC PHOTOGRAPHY (EDITION NO. 3) (W/AMENDMENTS 1 AND 2) (ISSUE CONTROLLED)	C ISDF	06	23-OCT-90	
STANAG-2219(3)	MEDICAL PREVENTIVE AND PROTECTIVE MEASURES ASSOCIATED WITH MISSILE OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	21-SEP-89	
STANAG-2225(4)	TECHNICAL DATA FOR HANDLING CUSTODIAL NUCLEAR WEAPONS (EDITION NO. 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA VA 22333-0001)	C ISDA	AI	10-OCT-90	
STANAG-2251(7)	SCOPE & PRESENTATION OF MILITARY GEOGRAPHIC INFORMATION & DOCUMENTATION (MGID) EDITION NO. 5 (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASHINGTON, D.C. 20330-5058	C ISDF	06	23-OCT-91	
STANAG-2253	MILITARY GEOGRAPHIC DOCUMENTATION ON ROADS AND STRUCTURES (EDITION NO. 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM	30-JAN-82	
STANAG-2254(8)	NAVIGABLE INLAND WATERWAYS (ED. 4) (ISSUE CONTROLLED)	C ISDF	06	23-MAY-91	
STANAG-2255 ED. 4(9)	MCD - PORTS	C ISDF	06	26-MAY-92	
STANAG-2256 ED. 4(9)	MCD - INLAND HYDROGRAPHY	C ISDF	06	26-MAY-92	
STANAG-2257 ED. 4	MCD - RAILWAYS	C ISDF	06	23-FEB-93	
STANAG-2259(8)	MILITARY GEOGRAPHIC DOCUMENTATION- TERRAIN ED. 4 ( REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC 20330 5058	C ISDF	06	10-MAR-87	
STANAG-2260(2)	ELECTRIC POWER (ED 3) OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO), WASH, 20330-5058	C ISDF	06	29-MAY-87	
STANAG-2263(5)	COASTAL AREAS & LANDING BEACHES (EDITION 4) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO) WASHINGTON DC 20330-5058	C ISDF	06	06-MAY-91	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Adm. Op. / OML Coordination Initiative	Document Number	Document Title	Dist. Syst. FSC / Area	MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
	STAMAG-2269 ED. 3(3)	MDG - ENGINEER RESOURCES	C ISDF	06 26-MAY-92	
	STAMAG-2310(2)	SMALL ARMS AMMUNITION (7.62 MM) (EDITION NO. 3) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (ORCIRD)	C ISDA	AM 13-APR-82	
	STAMAG-2311(1)	PRINCIPLES GOVERNING THE DESIGN OF THE INDIVIDUAL LOAD CARRYING EQUIPMENT OF THE COMBAT SOLDIER (EDITION 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 02-APR-85	
	STAMAG-2315(4)	SYMBOL TO DENOTE THE OPERATIONAL INTERCHANGE ABILITY OF AMMUNITION & DEMOLITION ACCESSORIES (SHORT TITLE, NATO SYMBOL OF INTERCHANGEABILITY) (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 21-SEP-89	
	STAMAG-2316(4)	AMMUNITION MARKING OF (AND ITS PACKAGING) OF A CALIBRE BELOW 20 MM (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA US AMC ATTN AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) (ED 3)	C ISDA	AM 20-APR-88	
	STAMAG-2318	CHARGER FOR NATO 7.62MM AMMUNITION (EDITION NO. 2)	C ISDA	AM 12-FEB-70	
	STAMAG-2320(4)	MARK NATO DESIGN (REL TO OTHER THAN DOD SEND TO US AMC, ATTN AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) (ED 3)	C ISDA	AM 20-APR-88	
	STAMAG-2321(1)	AMMUNITION (EXCEPT AMMUNITION OF A CALIBRE BELOW 20MM) THE NATO CODE OF COLOURS FOR THE IDENTIFICATION OF (ED 4) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ DARCOM) (ORCIRD)	C ISDA	AM 31-DEC-74	
	STAMAG-2322(5)	MINIMUM MARKINGS FOR THE IDENTIFICATION OF AMMUNITION (AND ITS PACKAGING) (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 12-MAR-90	
	STAMAG-2329(2)	LINKS FOR DISINTEGRATING BELTS FOR USE WITH NATO 7.62MM CARTRIDGES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 26-AUG-91	
A	STAMAG-2333 ED. 4	PERFORMANCE AND PROTECTIVE PROPERTIES OF COMBAT CLOTHING	C ISDA	AI 12-NOV-92	
	STAMAG-2335(3)	INTERCHANGEABILITY OF COMBAT CLOTHING SIZES (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDA	AM 03-APR-84	
	STAMAG-2339(4)	SIZING MARKING FOR OPERATIONAL FOOTWEAR (ED. 1W/AMDS, 1-4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21 WASH D.C. 20360)	C ISDA	AM 17-MAY-84	
	STAMAG-2342(1)	MINIMUM ESSENTIAL MEDICAL EQUIPMENT AND SUPPLIES FOR MOTOR AMBULANCES AT ALL LEVELS (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (ORCIRD)	C ISDA	AM 22-SEP-77	
	STAMAG-2345(6)	CONTROL & EVALUATION OF EXPOSURE OF PERSONNEL TO RADIO FREQUENCY RADIATION (RELEASE TO OTHER THAN DOD AGENCIES MUST HAVE PRIOR APPROVAL FROM HQ DARCOM) (ORCIRD)	C ISDA	AM 25-JUN-86	
	STAMAG-2346(5)	STANDARD METHOD OF WRITING PRESCRIPTIONS FOR SPECTACLES (ISSUED CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (ORCIRD)	C ISDA	AM 30-MAY-86	
	STAMAG-2347(5)	MEDICAL WARNING TAG (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 21-SEP-89	
	STAMAG-2348(2)	BASIC MILITARY HOSPITAL (CLINICAL) RECORDS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 28-FEB-89	
	STAMAG-2350(1)	MORPHIA DOSAGE AND CASUALTY MARKING (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (ORCIRD)	C ISDA	AM 24-NOV-78	
	STAMAG-2351(2)	PROCEDURES FOR MARSHALLING HELICOPTERS IN MULTINATIONAL LAND OPERATIONS (EDITION NO. 2) (REL TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (ORCIRD)	C ISDA	AM 09-JUN-86	
A	STAMAG-2352 ED. 3(1)	NBC DEFENCE EQUIPMENT OPERATIONAL GUIDELINES	C ISDA	AI 28-SEP-92	
	STAMAG-2353(3)	EVALUATION OF NBC DEFENCE CAPABILITY (EDITION 2) (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (ORCIRD)	C ISDA	AM 26-JUN-80	
	STAMAG-2355(2)	PROCEDURE FOR THE EMPLOYMENT OF HELICOPTERS IN THE ANTI ARMOUR ROLE (EDITION NO. 3)	C ISDA	AM 05-AUG-85	
	STAMAG-2356	COMPARATIVE FORMATION/UNIT DESIGNATIONS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 21-MAR-91	
	STAMAG-2357	X-RAY FILM FORMAT, CASSETTES, SCREENS AND HANGERS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM) (ORCIRD)	C ISDA	AM 15-OCT-76	
	STAMAG-2358(1)	FIRST AID & HYGIENE TRAINING IN NBC OPERATIONS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 10-NOV-89	
	STAMAG-2361(3)	MINIMUM ESSENTIAL MEDICAL SUPPLY ITEMS IN THEATRES OF OPERATIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST HAVE PRIOR APPROVAL BY HQ, DARCOM, (ORCIRD)	C ISDA	AM 16-SEP-82	
	STAMAG-2363	SECURITY DOCTRINE (EDITION NO. 1) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001	C ISDA	AM 08-DEC-86	
	STAMAG-2367 ED. 2(2)	NATO GLOSSARY OF NBC TERMS AND DEFINITIONS - AMP-21	C ISDA	AI 18-DEC-91	
	STAMAG-2368	GUIDE FOR THE RESTORATION OF FACILITIES ON THE LINES OF COMMUNICATIONS, PORTS & OTHER CRITICAL INSTALLATIONS AFTER HOSTILE ACTIONS - (EDITION NO. 1)	C ISDA	AM 13-DEC-85	
M	STAMAG-2369 ED. 1(2)	IDENTIFICATION AND DISPOSAL OF SURFACE AND AIR MUNITIONS - AEDOP-2	C ISDA	AM 28-SEP-92	
	STAMAG-2370(1)	PRINCIPLES OF IMPROVISED EXPLOSIVE DEVICE DISPOSAL (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 21-SEP-89	
	STAMAG-2373 ED. 1(1)	SURVEY ACCURACY REQUIREMENTS FOR SURFACE TO SURFACE ARTILLERY	C ISDA	AI 30-DEC-91	
	STAMAG-2374(1)	METHOD OF APPLICATION OF A STANDARD MARKING SYSTEM FOR THE IDENTIFICATION OF PROPELLING CHARGES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 19-APR-91	
A	STAMAG-2386 ED. 1	CODIFICATION OF EQUIPMENT ESTABLISHING COMMON USER ITEM LISTS AND MATRICES	C ISDA	AI 14-MAY-92	
	STAMAG-2398	FRIENDLY CHEMICAL ATTACK WARNINGS (ED 1) REQUEST FOR ISSUE TO BE SENT TO US AMC, ATTN AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001	C ISDA	AI 11-APR-88	
A	STAMAG-2399 ED. 1(1)	BATTLEFIELD RECOVERY/EVACUATION OPERATIONS	C ISDA	AI 18-MAY-92	
A	STAMAG-2403 ED. 1(1)	TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING STROPS/PENDANTS	C ISDA	AI 18-FEB-92	
	STAMAG-2404	JOINT ANTI-ARMOUR OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 16-MAY-91	
	STAMAG-2406	LAND FORCES LOGISTIC DOCTRINE (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 01-MAR-91	
A	STAMAG-2410 ED. 1(1)	LIST OF NATO CIVIL/MILITARY GROUND ENGINE LUBRICATING OIL INTERCHANGEABILITY	C ISDA	AI 17-NOV-92	
	STAMAG-2411 ED. 1	SHAPE COMMENTS	C ISDA	AM 19-DEC-91	
	STAMAG-2500	NATO HANDBOOK ON THE MEDICAL ASPECTS OF NBC DEFENSIVE OPERATIONS (AMEDP-6) (EDITION NO. 2)	C ISDA	AM 10-SEP-82	
	STAMAG-2601	STANDARDIZATION OF VOLTAGE OF ELECTRICAL SYSTEMS IN TACTICAL VEHICLES (EDITION NO. 2)	C ISDA	AM 01-AUG-79	
A	STAMAG-2602 ED. 2	SPARKING PLUGS	C ISDA	AI 20-NOV-92	
	STAMAG-2604(1)	BRAKING SYSTEMS BETWEEN TRACTOR, DRAW BAR TRAILER & SEMI-TRAILER EQUIPMENT COMBINATIONS FOR MILITARY USE (EDITION NO. 3)	C ISDA	AM 27-NOV-86	
	STAMAG-2754(2)	FUELS TO BE INTRODUCED INTO & DELIVERED BY THE CENTRAL EUROPE PIPELINE SYSTEMS (EDITION 9) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 21-NOV-90	
A	STAMAG-2764 ED. 4(3)	FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NORTH EUROPEAN PIPELINE SYSTEM (NEPS)	C ISDF	06 03-MAR-93	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action CPL / Out Coordination Initiative	Document Number	Document Title	Dist. Smt. Fisc / Area MCA Symbol	Preparing Asst. Date	Custodians			
					Army	Navy	Air Force	DIA
	STANAG-2818(8)	CHARACTERISTICS OF DEMOLITION ACCESSORIES TO DETERMINE THEIR OPERATIONAL INTERCHANGEABILITY (WITH AMENDMENT 1 AND 2) (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 20-DEC-79				
	STANAG-2827(4)	MATERIALS HANDLING IN THE FIELD (EDITION NO. 2) .....	C ISDA	AM 13-MAR-87				
	STANAG-2828	MILITARY PALLETS, PACKAGES & CONTAINERS (EDITION NO. 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 16-MAR-90				
	STANAG-2829(6)	MATERIAL HANDLING EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) INCLUDES AMENDMENTS 1 THRU 6	C ISDA	AM 20-MAR-78				
	STANAG-2830(4)	MATERIAL HANDLING AIDS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 13-DEC-88				
	STANAG-2831	CLIMATIC ENVIRONMENTAL CONDITIONS AFFECTING THE DESIGN OF MATERIAL FOR USE BY NATO OTHER THAN DOD AGENCIES REQUIRES APPROVAL OF ORCES OPERATING IN A GROUND ROLE (RELEASE TO	C ISDA	AM 28-APR-77				
	STANAG-2832(1)	RESTRICTIONS FOR THE TRANSPORT OF MILITARY EQUIPMENT BY RAIL ON EUROPEAN RAILWAYS (EDITION NO. 2)	C ISDA	AM 31-AUG-82				
M	STANAG-2834 ED. 2(2)	THE OPERATION OF THE EXPLOSIVE ORDNANCE DISPOSAL TECHNICAL INFORMATION CENTRE (EODTIC)	C ISDA	AM 28-SEP-92				
	STANAG-2835(1)	RANGES OF NATO ULTRA VIOLET (UV) WHITE COLOUR FOR THE CAMOUFLAGE OF MILITARY EQUIPMENT IN SNOW ENVIRONMENTS (ISSUE CONTROLLED-RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 16-JAN-78				
	STANAG-2836(3)	REMOVABLE PAINTS FOR CAMOUFLAGE (EDITION 2). (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 06-MAY-88				
	STANAG-2845(3)	GUIDE SPECIFICATIONS FOR NATO ARMY FUELS, LUBRICANTS & ASSOCIATED PRODUCTS (ED. 2 W/AMDS 1 & 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21)	C ISDA	AM 22-APR-87				
	STANAG-2861(3)	PROCEDURES IN THE EVENT OF DOWNED HELICOPTERS (EDITION NO. 2 W/AMENDS 1 + 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH. D.C. 20360)	C ISDA	AM 06-AUG-85				
	STANAG-2863(3)	NAVIGATIONAL & COMMUNICATION CAPABILITIES FOR HELICOPTERS IN MULTI-NATIONAL LAND OPERATIONS (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 12-DEC-89				
	STANAG-2865 ED. 2(6)	RECORDING OF DATA FOR ARTILLERY SURVEY CONTROL POINTS .....	C ISDA	AM 30-DEC-91				
	STANAG-2866(5)	MEDICAL EFFECTS OF IONIZING RADIATION (EDITION 3) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 16-DEC-88				
	STANAG-2867(6)	RADIO/TELEPHONE PROCEDURES FOR THE CONDUCT OF ARTILLERY FIRE (EDITION NO. 2)	C ISDA	AM 12-MAY-86				
	STANAG-2868(6)	LAND FORCE TACTICAL DOCTRINE (EDITION 4) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AM 31-JAN-89				
	STANAG-2871(1)	FIRST-AID MATERIAL FOR CHEMICAL INJURIES (EDITION 3) (REQ TO OTHER THAN DOD REFER TO US AMC, AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA., 22333-0001)	C ISDA	AI 31-JUL-91				
	STANAG-2872(1)	MEDICAL DESIGN REQUIREMENTS FOR MILITARY MOTOR AMBULANCES (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD) EDITION NO. 2	C ISDA	AM 13-MAY-85				
	STANAG-2873	CONCEPT OF OPERATIONS OF MEDICAL SUPPORT IN NUCLEAR, BIOLOGICAL & CHEMICAL ENVIRONMENTS -AMEDP-7(A) (EDITION NO. 2)	C ISDA	AM 31-AUG-82				
	STANAG-2874	PLANNING GUIDE FOR THE ESTIMATION OF BATTLE CASUALTIES (NUCLEAR) - (AMEDP-8) (EDITION NO. 2)	C ISDA	AM 27-NOV-81				
	STANAG-2875	CALL FOR DESTRUCTION, SMOKE, ILLUMINATION AND DANGER CLOSE MISSIONS (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 27-NOV-81				
	STANAG-2879(2)	PRINCIPLES OF MEDICAL POLICY IN THE MANAGEMENT OF A MASS CASUALTY SITUATION (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 29-JAN-90				
	STANAG-2884(1)	UNDERWATER MUNITION DISPOSAL PROCEDURES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 12-FEB-90				
	STANAG-2885(3)	PROCEDURES FOR THE TREATMENT, ACCEPTABILITY AND PROVISION OF POTABLE WATER IN THE FIELD (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 27-OCT-82				
	STANAG-2887	TACTICAL TASKS AND RESPONSIBILITIES FOR CONTROL OF ARTILLERY (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 28-OCT-78				
	STANAG-2888(4)	OPERATIONAL CARRIAGE OF AMMUNITION & FUEL BY HELICOPTER (EDITION NO. 1) (REL TO OTHER THAN DOD REQ PRI APPR OF CNM, MAT 09B21, WASH. D.C. 20360)	C ISDA	AM 20-MAY-85				
	STANAG-2889(3)	MARKING OF HAZARDOUS AREAS & ROUTES THROUGH THEM (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 08-FEB-90				
	STANAG-2890	REGULATIONS FOR SAFETY IN THE TRANSPORT OF AMMUNITION & EXPLOSIVES BY MILITARY TRAIN (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 24-SEP-87				
	STANAG-2895	EXTREME CLIMATIC CONDITIONS AND DERIVED CONDITIONS FOR USE IN DEFINING DESIGN/TEST CRITERIA FOR NATO FORCES MATERIEL (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 15-FEB-90				
	STANAG-2896	WEAPON DANGER AREAS FOR HAND-HELD WEAPONS FOR USE BY NATO FORCES OPERATING IN A GROUND ROLE (REQUEST OTHER THAN DOD REFER TO U.S. ARMY SECURITY AFFAIRS COMMAND, ATTN: AMSAC-MC/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) ED- 1	C ISDA	AM 21-SEP-87				
	STANAG-2899(3)	PROTECTION OF HEARING (EDITION NO. 1) .....	C ISDA	AM 30-MAY-86				
	STANAG-2900	LASER RADIATION MEDICAL SURVEILLANCE AND EVALUATION OF OVER EXPOSURE (EDITION 2) ( REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 30-JUN-88				
	STANAG-2902(1)	CRITERIA FOR A NATO COMBAT HELMET (RELEASE TO OTHER THAN DOD AGENCIES MUST BE APPROVED BY HQ DARCOM (DRCIRD)	C ISDA	AM 28-APR-81				
	STANAG-2905(2)	BASIC VOLTAGE & CURRENT CHARACTERISTICS OF ELECTRO MEDICAL EQUIPMENT (EDITION 1)	C ISDA	AM 04-JUL-86				
	STANAG-2906(2)	ESSENTIAL PHYSICAL REQUIREMENTS & PERFORMANCE CHARACTERISTICS OF FIELD TYPE HIGH PRESSURE STEAM STERILIZERS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH. D.C. 20360) (ED. NO. 2)	C ISDA	AM 29-APR-88				
	STANAG-2907(2)	PROCEDURE FOR REPORTING & FOR INITIAL DISPOSITION OF UNSATISFACTORY MEDICAL MATERIAL & DRUGS (EDITION 2) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 24-FEB-89				
	STANAG-2908(3)	PREVENTATIVE MEASURES FOR AN OCCUPATIONAL HEALTH PROGRAMME (EDITION NO. 2)	C ISDA	AM 17-JUN-86				
	STANAG-2911	DESIGN CRITERIA FOR FRAGMENTATION PROTECTIVE BODY ARMOUR (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 25-AUG-89				
	STANAG-2914	MECHANICAL ENVIRONMENTAL CONDITIONS TO WHICH MATERIEL INTENDED FOR USE BY NATO FORCES COULD BE EXPOSED (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 12-JAN-90				
	STANAG-2916	NOSE FUZE CONTOURS AND MATCHING PROJECTILE CAVITIES FOR ARTILLERY AND MORTAR PROJECTILES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI 06-NOV-89				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action CPL / OMA Coordination Inhouse Document Number	Document Title	Dist. Smt. FSC / Area MCS Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
STANAG-2918	MEASUREMENT CRITERIA FOR MILITARY SKIS & SKIPOLES (ED. NO. 1) (REL TO OTHER THAN DOD ACTREQ PRI APPR OF CHM, MAT 09B21)	C ISDA AM 16-JUN-83				
STANAG-2926(1)	PROCEDURE FOR THE USE & HANDLING OF FREIGHT CONTAINERS FOR MILITARY SUPPLIES (EDITION 1) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AM 05-DEC-88				
STANAG-2927(2)	MARKING OF RESTRAINT EQUIPMENT FOR ROAD MOVEMENT (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 19-JUL-89				
STANAG-2928(3)	LAND FORCES AMMUNITION INTERCHANGEABILITY CATALOGUE IN WARTIME (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 22-SEP-89				
A STANAG-2929 ED. 3	AIRFIELD DAMAGE REPAIR (ADR) .....	C ISDF 06 12-OCT-92				
STANAG-2931	ORDERS FOR THE CAMOUFLAGE OF THE RED CROSS AND RED CRESCENT ON LAND IN TACTICAL OPERATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA AI 11-JUN-91				
M STANAG-2934 ED. 1(2)	ARTILLERY PROCEDURES - AARTYP-1 .....	C ISDA AM 17-NOV-92				
STANAG-2937(1)	SURVIVAL, EMERGENCY & INDIVIDUAL COMBAT RATIOMS - NUTRITIONAL VALUES & PACKAGING (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 04-SEP-89				
STANAG-2939	MEDICAL REQUIREMENTS FOR BLOOD, BLOOD DONORS & ASSOCIATED EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AM 01-AUG-87				
STANAG-2940(2)	REPORTING OF MAJOR AMMUNITION MALFUNCTIONS (EDITION NO 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 19-APR-88				
A STANAG-2941 ED. 2	GUIDELINES FOR AIR AND GROUND PERSONNEL USING COLLECTIVE PROTECTIVE STRUCTURES ON PERMANENT AIR FORCE INSTALLATIONS	C ISDA AI 19-JUN-92				
A STANAG-2943 ED. 1(2)	REGULATIONS FOR THE LATERAL OR END-ON LOADING AND UNLOADING OF WHEELED OR TRACKED MILITARY EQUIPMENT TRANSPORTED ON RAILWAY WAGONS	C ISDA AI 10-JUL-92				
A STANAG-2945 ED. 2	NATO CIVIL/MILITARY GROUND FUELS INTERCHANGEABILITY CATALOGUE - APLP-1(A) .	C ISDA AI 18-NOV-92				
STANAG-2946(1)	FORWARD AREA REFUELLING EQUIPMENT (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA AI 20-MAY-85				
STANAG-2947(2)	TECHNICAL CRITERIA FORA CLOSED CIRCUIT REFUELLING SYSTEM (EDITION NO. 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 11-JUL-89				
STANAG-2949(3)	TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING SLINGS (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 18-FEB-91				
STANAG-2950 ED. 2	TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS .....	C ISDA AI 25-SEP-91				
STANAG-2952(3)	PROCEDURE FOR PROVIDING RESTRICTED AREAS FOR NATO MILITARY AIRCRAFT WHILE USING MILITARY AIRFIELDS OF OTHER NATO NATIONS (EDITION 1) (REQ OTHER THAN DOD REF TO US AMC, AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 26-NOV-90				
STANAG-2953	METHOD OF APPLICATION OF THE NATO CODE OF COLOURS FOR THE IDENTIFICATION OF AMMUNITION (EXCEPT AMMUNITION OF A CALIBRE BELOW 20MM) (ED. NO. 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, 22333-0001)	C ISDA AI 28-FEB-90				
STANAG-2956(1)	HELICOPTER TASKING MESSAGES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 22-SEP-89				
A STANAG-2957 ED. 2(1)	INTERNATIONAL SYSTEM (IS) UNITS USED BY ARMED FORCES IN THE NUCLEAR FIELD .	C ISDA AI 28-SEP-92				
A STANAG-2961 ED. 1(6)	CLASSES OF SUPPLY OF NATO LAND FORCES .....	C ISDA AI 09-JUN-92				
STANAG-2962	CALL FOR FIRE PROCEDURE (ED. 1) .....	C ISDA AM 14-MAY-87				
A STANAG-2963 ED. 1	COORDINATION OF FIELD ARTILLERY SCATTERABLE MINES .....	C ISDA AI 28-SEP-92				
STANAG-2968	LAND FORCES CATALOGUE OF BILATERAL AGREEMENTS ON THE INTERCHANGEABILITY AND SAFE FIRING OF AMMUNITION DURING PEACETIME TRAINING EXERCISES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 27-MAR-90				
A STANAG-2970 ED. 2	AERIAL RECOVERY EQUIPMENT AND TECHNIQUES FOR HELICOPTERS .....	C ISDA AI 29-SEP-92				
STANAG-2978(1)	ESSENTIAL PERFORMANCE CHARACTERISTICS OF FIELD SURGICAL LIGHTS (EDITION 1)	C ISDA AM 13-JUN-86				
STANAG-2979(2)	ESSENTIAL CHARACTERISTICS OF ELECTRO SURGICAL APPARATUS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 13-JUN-86				
STANAG-2980	TECHNICAL CRITERIA FOR EXTERNAL CARGO CARRYING NETS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 20-OCT-83				
STANAG-2981	PREVENTION OF COLD INJURY .....	C ISDA AI 24-SEP-91				
A STANAG-2982 ED. 1(3)	GRADUATED LEVELS OF NBC THREAT AND ASSOCIATED PROTECTION (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 11-JUL-91				
STANAG-2989(4)	TRANSFER OF BARRIERS (EDITION 1) (REQ TO OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 05-JAN-90				
STANAG-2990(1)	PRINCIPLES AND PROCEDURES FOR THE EMPLOYMENT IN LAND WARFARE OF SCATTERABLE MINES WITH A LIMITED LAID LIFE (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 26-OCT-89				
STANAG-2991(1)	NATO GLOSSARY OF ENGINEER TERMS & DEFINITIONS (EDITION NO. 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 12-MAR-87				
A STANAG-2999 ED. 2	USE OF HELICOPTERS IN LAND OPERATIONS - ATP-49(A) .....	C ISDA AI 26-MAR-92				
STANAG-3052 ED. 4(5)	AERONAUTICAL BRIEFING FACILITIES .....	C ISDF 06 31-JAN-92				
STANAG-3053 ED. 5	CHARACTERISTICS OF BREATHING OXYGEN, SUPPLY PRESSURE AND HOSES .....	C ISDF 06 26-MAY-92				
STANAG-3054	CHARACTERISTICS OF COMPRESSED AIR FOR TECHNICAL PURPOSES, SUPPLY PRESSURE AND HOSES (EDITION NO. 5) (REQUEST FROM OTHER THAN DOD MUST BE SUBMITTED VIA THE PREPARING ACTIVITY HQ USAF/XOXX-ISO, WASHINGTON, DC 20330-5058)	C ISDF 06 27-SEP-89				
STANAG-3056 ED. 5(4)	MARKING OF AIRBORNE AND GROUND GAS AND CRYOGENIC FLUID CONTAINERS .....	C ISDF 06 04-MAY-92				
A STANAG-3094 ED. 1(2)	16 BIT COMPUTER INSTRUCTION SET ARCHITECTURE .....	C ISDF 06 29-JUL-92				
STANAG-3097(1)	SHORT TAKE-OFF & LANDING (STOL) AIRFIELD MARKING (EDITION NO. 1) .....	C ISDF 06 07-NOV-85				
M STANAG-3098 ED. 10	AIRCRAFT JACKING .....	C ISDF 06 28-APR-93				
A STANAG-3101 ED. 8(2)	EXCHANGE OF ACCIDENT/INCIDENT INFORMATION CONCERNING AIRCRAFT AND MISSILES	C ISDF 06 29-JUN-92				
M STANAG-3102 ED. 4(1)	FLIGHT SAFETY CO-OPERATION IN COMMON GROUND/AIR SPACE .....	C ISDF 06 29-MAR-93				
A STANAG-3104 ED. 6(4)	IDENTIFICATION OF AIRCRAFT AND MISSILE PIPELINES AND ELECTRICAL CONDUITS ..	C ISDF 06 05-FEB-93				
STANAG-3105	AIRCRAFT PRESSURE FUELLING CONNECTIONS (EDITION NO. 4) (REL TO OTHER THAN DOD ACT REQ PRIOR APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF 06 02-JUL-91				
STANAG-3109(4)	SYMBOL MARKING OF AIRCRAFT SERVICING AND SAFETY/HAZARD POINTS (EDITION 5) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058	C ISDF 06 29-MAY-91				
A STANAG-3111 ED. 1(3)	AIRFIELD MARKING TONE DOWN .....	C ISDF 06 27-JAN-93				
M STANAG-3113 ED. 6	PROVISION OF SUPPORT TO VISITING PERSONNEL, AIRCRAFT AND VEHICLES .....	C ISDF 06 07-MAY-93				
A STANAG-3114 ED. 6(7)	AEROMEDICAL TRAINING OF FLIGHT PERSONNEL .....	C ISDF 06 20-NOV-92				
M STANAG-3117 ED. 5(3)	AIRCRAFT MARSHALLING SIGNALS .....	C ISDF 06 29-MAR-93				
A STANAG-3146 ED. 1(4)	PLANNING PROCEDURES FOR TACTICAL AIR TRANSPORT OPERATIONS .....	C ISDF 06 25-NOV-92				
M STANAG-3149 ED. 7	MINIMUM QUALITY SURVEILLANCE OF PETROLEUM PRODUCTS .....	C ISDF 06 30-APR-93				
STANAG-3150(1)	CODIFICATION OF EQUIPMENT, UNIFORM SYSTEM OF SUPPLY CLASSIFICATION (EDITION 6)	C ISDF 06 05-JUL-85				
STANAG-3151(1)	CODIFICATION OF EQUIPMENT, UNIFORM SYSTEM OF ITEM IDENTIFICATION (EDITION 6)	C ISDF 06 05-JUL-85				
M STANAG-3153 ED. 7	AIRCRAFT NAVIGATION AND ANTI-COLLISION LIGHTS .....	C ISDF 06 07-MAY-93				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action Chg / Cnl Cancellation Inclusion Document Number	Document Title	Chg. Smt. FSC / Area MCA Symbol Proposing Acty.	Date	Custodians			
				Army	Navy	Air Force	DIA
STANAG-3158 ED. 4(4)	DAY MARKING OF AIRFIELD RUNWAYS AND TAXIWAYS .....	C ISDF	06 01-JUN-92				
STANAG-3178(2)	ROLLED AIR FILM & AIR FRAMING CAMERA STANDARD IMAGE FORMAT SIZES (ED 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06 26-OCT-89				
STANAG-3179	16 MM AND 35 MM ROLL FILM FOR AERIAL CAMERAS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058) (ED 6)	C ISDF	06 29-JUN-90				
A STANAG-3189 ED. 6(1)	TITLING OF AIR RECONNAISSANCE, AIR SURVEY AND AIR MAPPING IMAGERY .....	C ISDF	06 28-FEB-92				
STANAG-3198 ED. 4(2)	FUNCTIONAL REQUIREMENTS OF AIRCRAFT OXYGEN EQUIPMENT AND PRESSURE SUITS ...	C ISDF	06 27-NOV-92				
STANAG-3200 ED. 4(1)	ANTI-G SUITS .....	C ISDF	06 01-OCT-91				
STANAG-3204 ED. 4(6)	AEROMEDICAL EVACUATION .....	C ISDF	06 01-OCT-91				
STANAG-3205(3)	POINTS DESIGNATION TEMPLATE FOR AIR PHOTOGRAPHY (EDITION NO. 3) .....	C ISDF	06 11-NOV-82				
A STANAG-3208 ED. 5(1)	AIR CONDITIONING CONNECTIONS .....	C ISDF	06 03-MAR-93				
STANAG-3209 ED. 5(3)	TYRE VALVE COUPLINGS .....	C ISDF	06 31-JAN-92				
A STANAG-3212 ED. 5(3)	DIAMETERS FOR GRAVITY FILLING ORIFICES .....	C ISDF	06 03-MAR-93				
STANAG-3216 ED. 5(3)	LAYOUT OF FLIGHT DATA IN PILOTS DISPLAYS .....	C ISDF	06 21-OCT-91				
STANAG-3217(5)	OPERATION OF CONTROLS AND SWITCHES AT AIRCREW STATIONS (EDITION 5 REQUESTS OTHER THAN DOD MUST REFER TO HQ USAF/XOXX(ISO), WASH, D.C., 20330-5058	C ISDF	06 28-NOV-89				
STANAG-3218(2)	LOCATION, ACTUATION AND SHAPE OF ENGINE CONTROLS AND SWITCHES (EDITION NO. 6 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-5058)	C ISDF	06 29-NOV-89				
STANAG-3219 ED. 4	LOCATION AND GROUPING OF ELECTRICAL SWITCHES IN AIRCRAFT .....	C ISDF	06 05-MAY-92				
STANAG-3220(6)	LOCATION, ACTUATION AND SHAPE OF AIRFRAME CONTROL FOR FIXED WING AIR- CRAFT (EDITION 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, DC 20330-5058)	C ISDF	06 22-APR-91				
A STANAG-3221 ED. 6(7)	AUTOMATIC FLIGHT CONTROL SYSTEM (AFCS) IN AIRCRAFT - DESIGN STANDARDS AND LOCATION OF CONTROLS .....	C ISDF	06 29-JUL-92				
STANAG-3224(6)	AIRCRAFT STATION LIGHTING (EDITION 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH DC 20330-5058)	C ISDF	06 20-JAN-86				
STANAG-3225(7)	LOCATION, ACTUATION & SHAPE OF AIRFRAME CONTROLS FOR ROTARY WING AIRCRAFT (EDITION 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06 22-APR-91				
STANAG-3230(3)	EMERGENCY MARKINGS ON AIRCRAFT (EDITION NO. 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, D.C., 20330-5058)	C ISDF	06 28-JUL-87				
STANAG-3236	DESIGNATION SYSTEM FOR AIRCRAFT AND DESIGNATION OF HOLE CODES OF AIR- CRAFT (EDITION 8) (REQ OTHER THAN DOD REF TO US AMC, ATTN: AMCICP-AA- M, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001)	C ISDA	AI 23-JAN-91				
STANAG-3237 ED. 3(4)	APERTURE OF TERMINAL RING OR LINK OF AIRCRAFT LIFTING SLINGS .....	C ISDF	06 31-JAN-92				
STANAG-3254 ED. 3(3)	LOAD OF MATERIAL FOR TEST PURPOSES IN SUPPORT OF STANDARDIZATION, RESEARCH AND DEVELOPMENT .....	C ISDF	06 26-APR-93				
A STANAG-3258 ED. 6	POSITION OF PILOT OPERATED NAVIGATION AND RADIO CONTROLS .....	C ISDF	06 15-DEC-92				
A STANAG-3275 ED. 2(5)	METHOD OF MARKING OWN AIRCRAFT OF (SUSPECTED) ENEMY FIGHTER ATTACKS .....	C ISDF	06 28-JUL-92				
STANAG-3277(5)	AIR RECONNAISSANCE REQUEST/TASK FORM (EDITION NO. 6) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH D.C. 20330-5058)	C ISDF	06 01-JUL-87				
STANAG-3278(1)	TOWING ATTACHMENTS ON AIRCRAFT (ED. 6) (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF	06 29-MAY-91				
STANAG-3279(1)	EMERGENCY TOWING EQUIPMENT (EDITION NO. 3) .....	C ISDF	06 20-APR-82				
STANAG-3281(6)	PERSONAL LOCATOR BEACONS (EDITION NO. 6 (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH DC 20330-5058)	C ISDF	06 01-AUG-88				
STANAG-3294(5)	AIRCRAFT FUEL CAPS & FUEL CAP ACCESS COVERS (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-5058)	C ISDF	06 30-OCT-91				
STANAG-3295(4)	HORSE COLLAR/RESCUE STROP TYPE HELICOPTER MOISTING GEAR (EDITION NO. 6) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF	06 21-FEB-90				
STANAG-3296(2)	AIRCRAFT GASEOUS OXYGEN REPLENISHMENT COUPLINGS (EDITION NO. 3) .....	C ISDF	06 27-FEB-87				
A STANAG-3297 ED. 4(1)	FLAME-OUT PROCEDURES .....	C ISDF	06 13-OCT-92				
STANAG-3300(1)	STANDARDIZED AIRCRAFT ARMAMENT TERMINOLOGY (ED 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX-ISO, WASH, DC 20330-5058	C ISDF	06 13-OCT-86				
A STANAG-3302 ED. 5(5)	CONNECTORS FOR 28 VOLTS "DC" SERVICING POWER .....	C ISDF	06 03-MAR-93				
M STANAG-3303 ED. 3(4)	CONNECTORS FOR 115/200 VOLTS, 400 HERTZ, 3 PHASE, AC SERVICING POWER .....	C ISDF	06 06-MAY-93				
STANAG-3312(5)	PROFILE DIMENSIONS OF FLANGES FOR V-BAND COUPLINGS FOR PIPING & DUCTING (ED 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH, DC 20330-5058)	C ISDF	06 24-JUN-91				
STANAG-3315 ED. 7(5)	AIRCRAFT CABIN PRESSURIZING TEST CONNECTIONS .....	C ISDF	06 28-NOV-91				
A STANAG-3316 ED. 8(1)	AIRFIELD LIGHTING .....	C ISDF	06 29-JUN-92				
STANAG-3317(7)	CONNECTORS FOR 115/200 VOLTS, 400 HERTZ, 3 PHASE, AC SERVICING POWER (EDITION 5) (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF	06 31-OCT-83				
STANAG-3318 ED. 4(5)	AEROMEDICAL ASPECTS OF AIRCRAFT ACCIDENTS/INCIDENT INVESTIGATION .....	C ISDF	06 03-OCT-91				
STANAG-3319(5)	DIMENSIONS FOR CASES OF CONTROL BOXES, INSTRUMENTS & PANEL MOUNTED EQUIPMENT (EDITION 6) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06 29-JUN-90				
STANAG-3320(3)	CIRCULAR DIAL TYPE VERTICAL SPEED INDICATORS (BAROMETRIC) EDITION 6 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF	06 04-JUN-86				
STANAG-3322(5)	TURN & SLIP INDICATORS (EDITION 7) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH, DC 20330-5058)	C ISDF	06 22-APR-91				
STANAG-3323(5)	PIPE (TUBE) CONNECTIONS TO AIRCRAFT INSTRUMENTS (IMPERIAL & METRIC) (EDITION 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06 30-OCT-91				
STANAG-3327(2)	AIR TRANSPORTATION OF DANGEROUS CARGO (EDITION 2) (VALIDATION DATE: 83021)	C ISDF	06 27-FEB-75				
STANAG-3328	NATO STANDARD CONVERSION TABLES FOR METRIC, AMERICAN AND BRITISH UNITS OF MEASUREMENT, AAP-9 (EDITION 2 W/AMDS 1 THRU 4) (VALIDATION DATE: 84111)	C ISDF	06 09-AUG-71				
A STANAG-3329 ED. 6(4)	NUMERALS AND LETTERS IN AIRCREW STATIONS .....	C ISDF	06 29-JUL-92				
STANAG-3330(6)	INDICATING ACCELEROMETERS (EDITION NO. 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF	06 22-APR-91				
M STANAG-3334 ED. 3(5)	DEFUELLING OF AIRCRAFT .....	C ISDF	06 01-APR-93				
STANAG-3338(3)	MACHMETERS (EDITION 4) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09821)	C ISDF	06 14-MAR-86				
A STANAG-3339 ED. 5(1)	FUEL CONTENTS GAUGES .....	C ISDF	06 29-JUL-92				
STANAG-3341(6)	EMERGENCY CONTROL COLOUR SCHEMES (ED 3) REQUEST FOR ISSUE OTHER THAN DOD MUST REFER TO HQ USAF/XOXX(ISO), WASH, D.C. 20330-5058	C ISDF	06 28-NOV-89				
STANAG-3345 ED. 5(3)	DATA/FORMS FOR PLANNING AIR MOVEMENTS .....	C ISDF	06 27-FEB-92				
A STANAG-3346 ED. 5(1)	MARKING AND LIGHTING OF AIRFIELD OBSTRUCTIONS .....	C ISDF	06 27-JAN-93				
A STANAG-3347 ED. 5(2)	IDENTIFICATION OF AIRCRAFT ELECTRICAL CIRCUITS .....	C ISDF	06 03-MAR-93				
STANAG-3350 ED. 3(2)	ANALOGUE VIDEO STANDARD FOR AIRCRAFT SYSTEM APPLICATIONS .....	C ISDF	06 08-MAY-92				
STANAG-3359(3)	LOCATION AND ARRANGEMENT OF ENGINE DISPLAYS IN AIRCRAFT (ED 5) REQUEST FOR ISSUE OTHER THAN DOD MUST REFER TO HQ USAF/XOXX(ISO), WASH, D.C. 20330-5058	C ISDF	06 03-OCT-89				
STANAG-3366(5)	SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY FOR AIRCRAFT STORES (EDITION 2) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH, DC 20330-5058)	C ISDF	06 21-OCT-86				
STANAG-3367 ED. 1(1)	CHARACTERISTICS OF BREATHING GAS SUPPLIED BY MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS (MSOCS) AND SUPPLY EQUIPMENT .....	C ISDF	06 28-FEB-92				
STANAG-3368(5)	INTERNAL AIRCRAFT ENGINE STARTING SYSTEM (ED 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH, DC 20330-5058)	C ISDF	06 24-OCT-88				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action	Doc. / OMA Cooperation Initiative	Document Number	Document Title	Doc. Syst.	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
									Army	Navy	Air Force	DLA
A		STANAG-3370 ED. 5(1)	AIRCREW STATION WARNING, CAUTIONARY AND ADVISORY SIGNALS .....	C	ISDF	06	29-JUL-92					
M		STANAG-3372 ED. 5(3)	LOW PRESSURE AIR AND ASSOCIATED ELECTRICAL CONNECTIONS FOR AIRCRAFT ENGINE STARTING .....	C	ISDF	06	31-MAR-93					
		STANAG-3374(3)	FLIGHT INSPECTION OF NATO RADIC RADAR NAVIGATION & APPROACH AIDS, AETP-1(B) (EDITION NO. 3) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058)	C	ISDF	06	01-AUG-88					
		STANAG-3377(6)	AIR RECONNAISSANCE INTELLIGENCE REPORT FORMS (EDITION NO. 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058)	C	ISDF	06	03-SEP-88					
A		STANAG-3379 ED. 7(2)	IN-FLIGHT VISUAL SIGNALS .....	C	ISDF	06	16-DEC-92					
		STANAG-3381	PROCEDURES FOR COMPENSATION AND FORM FOR REQUEST AND RECEIPT OF SUPPORT IN THE FORM OF SUPPLIES AND SERVICES (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH. DC 20330-5058) (ED 1)	C	ISDF	06	26-OCT-89					
		STANAG-3388	AIRBORNE RADIO CONTROL UNITS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH. DC 20330-5058)	C	ISDF	06	03-MAR-89					
A		STANAG-3390 ED. 6(3)	INSPECTION STANDARDS FOR FUEL SOLUBLE CORROSION INHIBITORS/LUBRICITY IMPROVERS .....	C	ISDF	06	17-NOV-92					
A		STANAG-3400 ED. 3(4)	RESTRAINT OF CARGO IN FIXED WING AIRCRAFT .....	C	ISDF	06	25-NOV-92					
		STANAG-3408(8)	POSITION REFERENCE SYSTEM FOR AERONAUTICAL CHARTS (ED 2) OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH. DC 20330-5058	C	ISDF	06	23-MAY-91					
		STANAG-3409(5)	PROJECTIONS FOR AERONAUTICAL CHARTS (ED 3)(W/AMD 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASH. DC 20330-5058 (VALIDATION DATE: 8302)	C	ISDF	06	23-OCT-90					
		STANAG-3412 ED. 4(4)	AERONAUTICAL INFORMATION ON AERONAUTICAL CHARTS .....	C	ISDF	06	01-JUN-92					
A		STANAG-3416 ED. 4(5)	METHANOL/WATER AND DEMINERALIZED WATER REPLENISHMENT .....	C	ISDF	06	03-MAR-93					
A		STANAG-3418 ED. 2(1)	FILM CORES .....	C	ISDF	06	27-AUG-92					
		STANAG-3419	AERIAL FILM SPOOLS 70 MM, 5 INCH (126 MM) AND 9 1/2 INCH (240 MM) (EDITION NO. 3)	C	ISDF	06	02-JUL-91					
A		STANAG-3427 ED. 4(2)	COLOURS FOR THE IDENTIFICATION OF AIRDROPPED SUPPLIES .....	C	ISDF	06	23-NOV-92					
		STANAG-3428(2)	EXCHANGE OF INFORMATION ON AERIAL DELIVERY SYSTEMS (EDITION NO 4) REQUESTS OTHER THAN DOD MUST BE REFERRED TO HQ USAF/XOXX-ISO WASH. DC 20330-5058	C	ISDF	06	26-JUN-90					
		STANAG-3430	RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING (EDITION NO. 8) (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058)	C	ISDF	06	13-MAY-91					
		STANAG-3436(3)	COLOUR & MARKINGS USED TO DENOTE OPERATING RANGES OF AIRCRAFT INSTRUMENTS (EDITION NO. 4) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058)	C	ISDF	06	28-NOV-89					
A		STANAG-3441 ED. 5	DESIGN OF AIRCRAFT STORES .....	C	ISDF	06	16-SEP-92					
		STANAG-3447(2)	AERIAL REFUELING EQUIPMENT DIMENSIONAL AND FUNCTIONAL CHARACTERISTICS (EDITION 3) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058)	C	ISDF	06	24-JUN-91					
		STANAG-3451 ED. 2(3)	COMBINED SPEED INDICATOR .....	C	ISDF	06	21-OCT-91					
		STANAG-3454 ED. 4(1)	GROUND RECHARGING OF AIRCRAFT MAIN BATTERIES .....	C	ISDF	06	11-NOV-91					
		STANAG-3455	BASIC SYMBOLS FOR AIRCRAFT ELECTRICAL CIRCUITS (EDITION 3) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C	ISDF	06	19-DEC-90					
A		STANAG-3456 ED. 4(5)	AIRCRAFT ELECTRICAL SYSTEM CHARACTERISTICS .....	C	ISDF	06	03-MAR-93					
		STANAG-3457(3)	GROUND ELECTRICAL POWER SUPPLIES FOR AIRCRAFT (ED 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH. D.C. 20330-5058)	C	ISDF	06	18-SEP-90					
		STANAG-3459(3)	PRECISION, HIGH-MELTING-POINT, CARTRIDGE FUZE LINKS USED ON AIRCRAFT (EDITION 1 W/AMD 1) (VALIDATION DATE: 8302)	C	ISDF	06	09-APR-75					
		STANAG-3462(8)	AVAILABILITY OF WEIGHT & BALANCE REQUIREMENTS & LOADING CRITERIA FOR FIXED WING AIRCRAFT (ED. NO. 3) (REQ FOR OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058)	C	ISDF	06	01-AUG-89					
		STANAG-3464(4)	PROCEDURES FOR AIRCREW AND AIRLIFTED PERSONNEL IN TACTICAL AIR TRANSPORT OPERATIONS (REQUEST OTHER THAN DOD MUST REQUEST VIA HQ USAF/XOXX(ISO), WASH DC 20330-5058 (ED 3)	C	ISDF	06	09-MAR-88					
		STANAG-3465(9)	SAFETY, EMERGENCY AND SIGNALLING PROCEDURES FOR MILITARY AIR MOVEMENT - FIXED WING AIRCRAFT (ED 4) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO) WASH. DC 20330-5058	C	ISDF	06	01-AUG-89					
A		STANAG-3466 ED. 2(5)	RESPONSIBILITIES OF AIR TRANSPORT UNITS AND USER UNITS IN THE LOADING AND UNLOADING OF TRANSPORT AIRCRAFT IN TACTICAL AIR TRANSPORT OPERATIONS	C	ISDF	06	25-NOV-92					
		STANAG-3467(7)	CHARACTERISTICS OF AIR TRANSPORT (AIR LANDED) PALLETS FOR CARRIAGE INTERNALLY (ED. NO. 1) REQ FOR OTHER THAN DOD ACT REFER TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058	C	ISDF	06	18-OCT-88					
		STANAG-3468(3)	GENERAL RULES CONCERNING THE TRANSPORT OF LOADS BY HELICOPTER .....	C	ISDA	AM	05-DEC-77					
		STANAG-3469(6)	PARACHUTE EXTRACTION ASSEMBLIES & AIRCRAFT EXTRACTION PARACHUTE EJECTOR INSTALLATIONS (ED. NO. 2) (REQ FOR OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO, WASH D.C. 20330-5058)	C	ISDF	06	18-OCT-88					
		STANAG-3474(10)	TEMPORARY FLYING RESTRICTIONS DUE TO EXOGENOUS FACTORS AFFECTING AIRCREW EFFICIENCY (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C	ISDF	06	29-JUN-90					
A		STANAG-3483 ED. 3(1)	AIR RECONNAISSANCE INTELLIGENCE REPORTING NOMENCLATURE - ATP-26(A) .....	C	ISDF	06	15-DEC-92					
		STANAG-3492(5)	CLAMPS, MOUNTING (IMPERIAL & METRIC) FOR AIRCRAFT INSTRUMENTS (EDITION 5) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C	ISDF	06	22-APR-91					
A		STANAG-3497 ED. 1(3)	AEROMEDICAL TRAINING OF AIRCREW IN AIRCREW NBC EQUIPMENT AND PROCEDURES ...	C	ISDF	06	27-NOV-92					
		STANAG-3499(7)	CHARACTERISTICS OF SUPPLY EQUIPMENT FOR LIQUID OXYGEN (ED 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH. DC 20330-5058)	C	ISDF	06	27-JAN-89					
A		STANAG-3501 ED. 2(2)	PERFORMANCE OF PORTABLE FILTER-BLOWERS FOR AIRCREW NBC RESPIRATORS .....	C	ISDF	06	25-NOV-92					
		STANAG-3504	CATHODE RAY TUBE HEAD-DOWN DISPLAYS (ED 1) REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX, ISO, WASHINGTON, DC 20330-5058	C	ISDF	06	22-APR-91					
M		STANAG-3510 ED. 3(1)	THE PROVISION OF HYDRAULIC POWER FOR SERVICING AIRCRAFT HYDRAULIC SYSTEMS	C	ISDF	06	28-APR-93					
		STANAG-3514 ED. 3(7)	AIRCRAFT MAIN BATTERIES .....	C	ISDF	06	04-NOV-91					
M		STANAG-3516 ED. 3	ELECTROMAGNETIC INTERFERENCE AND TEST METHODS FOR AIRCRAFT ELECTRICAL AND ELECTRONIC EQUIPMENT .....	C	ISDF	06	10-MAY-93					
		STANAG-3518	ENVIRONMENTAL TEST METHODS (EDITION 4)(REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASHINGTON DC 20330-5058)	C	ISDF	06	19-DEC-90					
A		STANAG-3525 ED. 5(2)	DESIGN SAFETY PRINCIPLES AND GENERAL DESIGN CRITERIA FOR AIRBORNE WEAPON FUZING SYSTEMS .....	C	ISDF	06	09-FEB-93					
A		STANAG-3526 ED. 4(5)	INTERCHANGEABILITY OF NATO AIRCREW MEDICAL CATEGORIES .....	C	ISDF	06	26-NOV-92					
		STANAG-3527(5)	AIRCREW FLYING TIME AND REST PERIODS (EDITION 1 W/AMDS 1 THRU 4) (VALIDATION DATE: 8302)	C	ISDF	06	17-JUN-74					
A		STANAG-3530 ED. 4(4)	RADIO AND/OR NAVIGATIONAL AID FAILURE PROCEDURES FOR OPERATIONAL AIR TRAFFIC (OAT) FLIGHTS .....	C	ISDF	06	27-JAN-93					
M		STANAG-3531 ED. 6(2)	SAFETY INVESTIGATION AND REPORTING OF ACCIDENTS/INCIDENTS INVOLVING MILITARY AIRCRAFT AND/OR MISSILES .....	C	ISDF	06	29-MAR-93					
		STANAG-3532(5)	TRANSPORT OF TROOPS BY HELICOPTER (EDITION 5) (REL TO OTHER THAN DOD REQ APPR BY HQ DAWCOM (DHCIRD))	C	ISDA	AM	06-JUN-86					
		STANAG-3533 ED. 5	FLYING AND STATIC DISPLAYS .....	C	ISDF	06	30-JAN-92					
		STANAG-3534 ED. 4(2)	AIRFIELD PORTABLE LIGHTING .....	C	ISDF	06	03-APR-92					
		STANAG-3535(3)	HELIPORT MARKING AND LIGHTING (EDITION NO. 1) .....	C	ISDF	06	26-FEB-87					
		STANAG-3542(1)	TECHNICAL CRITERIA FOR THE TRANSPORT OF CARGO BY HELICOPTER (EDITION 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, 22333-0001)	C	ISDA	AI	01-JUL-91					



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action Opn / Chg Cancellation Insertion	Document Number	Document Title	Dist. Smt. FSC / Area	MCS Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	STANAG-3543 ED. 3(4)	AIR TRANSPORT CARGO/PASSENGER HANDLING SYSTEMS - REQUEST FOR INFORMATION ..	C ISDF	06	28-FEB-92				
	STANAG-3545(4)	CHARACTERISTICS OF BREATHABLE LIQUID OXYGEN (EDITION NO. 2) .....	C ISDF	06	10-SEP-86				
	STANAG-3546(5)	LIQUID NITROGEN CHARACTERISTICS (ED 3) REQUEST OTHER THAN DOD MUST SEND	C ISDF	06	26-APR-91				
	STANAG-3547(2)	REQUEST VIA HQ USAF/XOXX(ISO) WASHINGTON DC 20330-5058							
	STANAG-3548 ED. 2(7)	CHARACTERISTICS FO REPLENISHMENT EQUIPMENT FOR LIQUID NITROGEN OTHER THAN	C ISDF	06	22-OCT-88				
A	STANAG-3548 ED. 2(7)	DOD REFER TO HQ USAF/XOXX(ISO) WASH. DC 20330-5058	C ISDF	06	20-NOV-92				
	STANAG-3552(4)	TIE-DOWN FITTINGS ON AIR TRANSPORTED AND AIR-DROPPED EQUIPMENT AND CARGO	C ISDF	06	21-SEP-88				
	STANAG-3554(6)	CARRIED INTERNALLY BY FIXED WING AIRCRAFT	C ISDF	06	02-DEC-85				
	STANAG-3556 ED. 4	SEARCH & RESCUE - ATP-10 (C) EDITION 7 (REQ FOR ISSUE OTHER THAN DOD &	C ISDF	06	31-MAR-92				
A	STANAG-3558 ED. 3(5)	THEIR CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX-ISO WASH D.C 20330-5058	C ISDF	06	09-FEB-93				
	STANAG-3564 ED. 2(8)	STANDARD VISUAL AERODROME AND HELIPORT TRAFFIC PATTERNS AND ASSOCIATED R/T	C ISDF	06	31-JAN-92				
A	STANAG-3570 ED. 3(5)	PHASEOLOGY (EDITION NO. 2)	C ISDF	06	23-NOV-92				
	STANAG-3572(8)	AIRCRAFT STORE EJECTOR CARTRIDGES .....	C ISDF	06	26-JUN-90				
		LOCATIONS FOR AIRCRAFT ELECTRICAL CONTROL CONNECTIONS FOR AIRCRAFT STORES ..							
		RULES FOR LIVE AIR WEAPONS DEMONSTRATIONS .....							
		DROP ZONES AND EXTRACTION ZONES - CRITERIA AND MARKINGS .....							
		EXCHANGE OF INFORMATION ON TACTICAL AIR TRANSPORT OPERATIONS (ED 1)							
		REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX-ISO, WASH. DC							
		20330-5058							
A	STANAG-3575 ED. 4	AIRCRAFT STORES EJECTOR RACKS .....	C ISDF	06	15-DEC-92				
	STANAG-3576(6)	ELECTRICAL CONNECTOR FOR DISPENSERS & INTERNAL INTERVALOMETER TYPE ROCKET	C ISDF	06	20-DEC-88				
		LAUNCHERS FOR AIRCRAFT (ED 2) OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO)							
		WASH. DC 20330-5058							
M	STANAG-3583 ED. 3(1)	STANDARDS OF ACCURACY FOR DIFFERENTIAL PRESSURE GAUGES FOR AVIATION FUEL	C ISDF	06	29-APR-93				
		FILTERS AND FILTER SEPARATOR VESSELS .....							
A	STANAG-3585 ED. 2(6)	20 MM AMMUNITION FOR AIRCRAFT GUNS .....	C ISDF	06	29-JUL-92				
	STANAG-3591(12)	CRITERIA FOR MAXIMUM ELEVATION FIGURE FOR AERONAUTICAL CHARTS CED 2) OTHER	C ISDF	06	30-NOV-88				
		THAN DOD REFER TO HQ USAF/XOXX-ISO WASH. DC 20330-5058							
	STANAG-3593(9)	NUMBERING OF ENGINES & THEIR ASSOCIATED CONTROLS & DISPLAYS IN AIRCRAFT	C ISDF	06	22-APR-91				
		(EDITION NO. 3) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C.							
		20330-5058)							
	STANAG-3595 ED. 3(5)	AIRCRAFT FITTING FOR PRESSURE REPLENISHMENT OF GAS TURBINE ENGINES WITH	C ISDF	06	31-JAN-92				
		OIL .....							
	STANAG-3596 ED. 4(6)	AIR RECONNAISSANCE REQUESTING AND TARGET REPORTING GUIDE .....	C ISDF	06	02-APR-92				
	STANAG-3597(3)	HELICOPTER TACTICAL OR NON PERMANENT LANDING SITES (EDITION 5) (REL TO	C ISDA	AM	20-FEB-86				
		OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21)							
	STANAG-3599(6)	EDGE NUMBERING OF FILMS USED FOR AERIAL PHOTOGRAPHY (ED 1) OTHER THAN DOD	C ISDF	06	17-JUN-88				
		REFER TO HQ USAF/XOXX(ISO), WASH. DC 20330-5058							
	STANAG-3600(4)	TOPOGRAPHICAL LAND MAPS AND AERONAUTICAL CHARTS 1:250,000 FOR JOINT	C ISDF	06	25-OCT-90				
		OPERATIONS (ED 3) .....							
A	STANAG-3601 ED. 3(4)	CRITERIA FOR SELECTION AND MARKING OF LANDING ZONES FOR FIXED WING	C ISDF	06	23-NOV-92				
		TRANSPORT AIRCRAFT .....							
	STANAG-3605 ED. 3(1)	COMPATIBILITY OF ARMING UNITS AND EXPENDABLE AIRCRAFT STORES .....	C ISDF	06	27-FEB-92				
	STANAG-3606 ED. 5	EVALUATION AND CONTROL OF LASER HAZARDS ON MILITARY RANGES .....	C ISDA	AM	18-NOV-91				
M	STANAG-3609 ED. 2(3)	STANDARDS FOR MAINTENANCE OF FIXED AVIATION FUEL RECEIPT, STORAGE AND	C ISDF	06	28-APR-93				
		DISPENSING SYSTEMS .....							
	STANAG-3610(3)	CHARACTERISTICS OF CONDITIONED BREATHABLE AIR SUPPLIED TO AIRCRAFT ON THE	C ISDF	06	26-APR-91				
		GROUND (EDITION 1) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ							
		USAF/XOXX(ISO), WASHINGTON DC 20330-5058)							
	STANAG-3611(2)	CHARACTERISTICS OF COMPRESSED BREATHING AIR (EDITION NO. 2) (VALIDATION	C ISDF	06	28-APR-77				
		DATE: 8302) .....							
	STANAG-3614	ELECTROMAGNETIC COMPATIBILITY (EMC) OF AIRCRAFT SYSTEMS (EDITION NO. 2)	C ISDF	06	27-OCT-83				
		(REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21, WASH. D.C.							
		20360) .....							
A	STANAG-3616 ED. 1(5)	RESPONSIBILITY FOR THE DESIGN AND PROVISION OF ADAPTORS NECESSARY FOR THE	C ISDF	06	26-NOV-92				
		COMPATIBILITY OF AIR CARGO LOADING, SECURING, UNLOADING OR DROPPING							
		SYSTEMS IN FIXED WING AIRCRAFT .....							
	STANAG-3619(4)	HELIPAD MARKING (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ	C ISDF	06	29-APR-88				
		USAF/XOXX-ISO, WASH. D.C. 20330-5058)							
	STANAG-3622 ED. 3(7)	EXTERNAL VISION FROM AIRCREW STATIONS .....	C ISDF	06	21-OCT-91				
	STANAG-3624(2)	CHARACTERISTICS OF OIL-FREE COMPRESSED NITROGEN, SUPPLY PRESSURE & HOSES	C ISDF	06	19-FEB-91				
		(ED. 2) REQ TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH.							
		DC 20330-5058							
	STANAG-3625(3)	AIRCRAFT LOCKWIRE (EDITION NO. 2) .....	C ISDF	06	19-FEB-80				
	STANAG-3626(3)	CIRCULAR DIAL BAROMETRIC ALTIMETERS (IMPERIAL & METRIC) (REQ OTHER THAN	C ISDF	06	22-APR-91				
		DOD REF TO HQ USAF/XOXX-ISO WASH. DC 20330-5058)							
	STANAG-3627 ED. 3	HELICOPTER DAY AND NIGHT TACTICAL FORMATION FLYING .....	C ISDA	AM	08-OCT-91				
	STANAG-3628	HELICOPTER TACTICAL REFUELLING (EDITION NO. 5) (REL TO OTHER THAN DOD REQ	C ISDA	AM	12-JUN-85				
		PRI APPR OF CHM. MAT 09B21, WASH. D.C. 20360)							
	STANAG-3630	EMPLACING AND DEEMPLACING AT THE HIGH HOVER (EDITION NO. 2) RELEASE TO OTHER	C ISDA	AM	18-JAN-78				
		THAN DOD AGENCIES MUST BE APPROVED BY DARCOM (DRCIRD)							
A	STANAG-3632 ED. 4(1)	AIRCRAFT AND GROUND SUPPORT EQUIPMENT ELECTRICAL CONNECTIONS FOR STATIC	C ISDF	06	03-MAR-93				
		GROUNDING .....							
A	STANAG-3634 ED. 3(1)	RUNWAY FRICTION AND BRAKING CONDITIONS .....	C ISDF	06	25-SEP-92				
M	STANAG-3635 ED. 3(1)	AIRCRAFT STORES SUSPENSION UNITS WITH GRAVITY RELEASE CAPABILITY .....	C ISDF	06	29-MAR-93				
	STANAG-3636(4)	AIRSPD INDICATORS (IMPERIAL & METRIC) (EDITION 3) (REQ OTHER THAN DOD	C ISDF	06	22-APR-91				
		REF TO HQ USAF/XOXX-ISO WASH. DC 20330-5058)							
	STANAG-3637 ED. 2(10)	ATTITUDE INDICATORS (SELF-CONTAINED AND REMOTE DRIVEN) .....	C ISDF	06	27-FEB-92				
	STANAG-3639 ED. 4(1)	AIRCRAFT STATION DIMENSIONAL DESIGN FACTORS .....	C ISDF	06	29-MAR-93				
	STANAG-3640 ED. 3(8)	ATTITUDE DIRECTOR INDICATORS .....	C ISDF	06	28-FEB-92				
A	STANAG-3642 ED. 3(2)	SINGLE FREQUENCY APPROACHES .....	C ISDF	06	26-NOV-92				
	STANAG-3643(9)	COATING, REFLECTION REDUCING FOR GLASS ELEMENTS USED IN AIRCREW STATION	C ISDF	06	22-APR-91				
		DISPLAYS (EDITION 2) REQUESTS OTHER THAN DOD REFER TO: HQ USAF/XOXX(ISO),							
		WASH. DC 20330-5058							
	STANAG-3647(2)	MONUMENTS IN AIRCREW STATIONS (EDITION 3) (REQUESTS FOR ISSUE OTHER THAN	C ISDA	06	12-MAR-89				
		DOD MUST REFER TO HQ USAF/XOXX (ISO), WASHINGTON, D.C. 20330-5058							
	STANAG-3648(6)	ELECTRONICALLY AND/OR OPTICALLY GENERATED AIRCRAFT DISPLAYS FOR FIXED WING	C ISDF	06	29-JUN-90				
		AIRCRAFT (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO,							
		WASH. DC 20330-5058)							
	STANAG-3650(2)	ESSENTIAL SAR LOCATION EQUIPMENT AND ASSOCIATED CHARACTERISTICS (AIRCRAFT)	C ISDF	06	21-SEP-89				
		(EDITION NO 2) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO							
		WASH. DC 20330-5058							
A	STANAG-3652 ED. 2(1)	HELIPAD LIGHTING (VNC) .....	C ISDF	06	29-JUN-92				
A	STANAG-3659 ED. 1(7)	BONDING AND IN-FLIGHT LIGHTNING PROTECTION FOR AIRCRAFT .....	C ISDF	06	29-JUL-92				
A	STANAG-3660 ED. 2(7)	AIRCRAFT MAIN BATTERY ELECTRIC PLUG .....	C ISDF	06	31-JUL-92				
	STANAG-3662(3)	16 MM FILM CORES EDITION 1 (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM.	C ISDF	06	27-NOV-86				
		MAT 09B21, WASH D.C. 20360)							
A	STANAG-3666 ED. 1(1)	MAXIMUM SIZES FOR MAPS, AERONAUTICAL CHARTS AND OTHER GEOGRAPHIC PRODUCTS	C ISDF	06	16-SEP-92				
		(EXCLUDING NAUTICAL CHARTS) .....							
A	STANAG-3671 ED. 3(1)	EDITION DESIGNATION SYSTEM FOR LAND MAPS, AERONAUTICAL CHARTS AND MILITARY	C ISDF	06	09-FEB-93				
		GEOGRAPHIC DOCUMENTATION .....							
	STANAG-3672 ED. 1(6)	INDEXES TO SERIES OF LAND MAPS AND AERONAUTICAL CHARTS AND INDEXES TO	C ISDF	06	26-MAY-92				
		MILITARY GEOGRAPHIC INFORMATION AND DOCUMENTATION (MGID)							
	STANAG-3673 ED. 3(2)	IDENTIFICATION OF SOURCE DATA ON NAUTICAL AND SPECIAL NAVAL CHARTS .....	C ISDF	06	01-JUN-92				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action Oral / Oral Cooperation Document Number	Document Title	Dist. Sym. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DA
STANAG-3675 ED. 1(12)	SYMBOLS ON LAND MAPS, AERONAUTICAL CHARTS AND SPECIAL NAVAL CHARTS .....	C ISDF	06 01-JUN-92				
STANAG-3676(3)	MARGINAL INFORMATION ON LAND MAPS, AERONAUTICAL CHARTS & PHOTOMAPS (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058)	C ISDF	06 26-APR-91				
STANAG-3677 ED. 2(4)	STANDARD SCALES FOR LAND MAPS AND AERONAUTICAL CHARTS .....	C ISDF	06 01-JUN-92				
STANAG-3678(9)	METHOD OF ADDING THE MILITARY GRID TO NAUTICAL CHARTS IN THE NATO AREA (EDITION NO. 1) (ISSUE CONTROLLED)	C ISDF	06 25-OCT-90				
STANAG-3680(1)	NATO GLOSSARY OF TERMS AND DEFINITIONS (ENGLISH & FRENCH) - AAP-6 (EDITION NO. 4) (REQ FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO WASH D.C. 20330-5058 (VALIDATION DATE: 8302)	C ISDF	06 04-DEC-90				
A STANAG-3681 ED. 2	CRITERIA FOR PRESSURE FUELLING/DEFUELLING OF AIRCRAFT .....	C ISDF	06 05-FEB-93				
STANAG-3682 ED. 4(1)	ELECTROSTATIC SAFETY CONNECTION PROCEDURES FOR LIQUID FUEL LOADING/UNLOADING OPERATIONS DURING GROUND TRANSFER	C ISDF	06 08-APR-92				
STANAG-3684	HELIPAD LIGHTING (INC) (EDITION NO. 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHN.MAT 09821, WASH. D.C. 20360)	C ISDF	06 29-NOV-83				
STANAG-3685(1)	AIRFIELD PORTABLE MARKING (ED 2) OTHER THAN DOD REFER TO HQ USAF/XOXX(ISO) WASH. DC 20330-5058	C ISDF	06 14-JUL-89				
STANAG-3686	PLANNING PROCEDURES FOR SMALL SCALE TACTICAL AIR TRANSPORT OPERATIONS (VALIDATION DATE: 8302)	C ISDF	06 09-JUL-73				
A STANAG-3687 ED. 3(2)	CAMOUFLAGE OF AIRCRAFT .....	C ISDF	06 03-MAR-93				
STANAG-3688(2)	CHARACTERISTICS OF BREATHABLE OXYGEN SUPPLIED BY CHEMICAL SOLID GENERATORS (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (ISO) WASH. DC 20330-5058)	C ISDF	06 28-NOV-89				
STANAG-3689(5)	PLACE NAME SPELLING ON MAPS AND CHARTS (ED 2) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(ISO), WASH. DC 20330-5058	C ISDF	06 22-MAY-90				
STANAG-3691(5)	CIRCULAR DIAL TACHOMETERS (NON-SERVOED), COMPATIBLE W/TWO POLE THREE PHASE GENERATORS (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058)	C ISDF	06 29-JUN-90				
STANAG-3692 ED. 1(4)	LOCATION AND ACTUATION OF THRUST VECTOR CONTROLS FOR VSTOL AIRCRAFT OTHER THAN ROTARY WING AIRCRAFT	C ISDF	06 21-OCT-91				
A STANAG-3697 ED. 3(4)	AIRCRAFT ARRESTING SYSTEMS .....	C ISDF	06 27-JAN-93				
STANAG-3700	NATO TACTICAL AIR DOCTRINE - ATP-33(B) ED. 4 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC 20330-5058)	C ISDF	06 01-AUG-88				
M STANAG-3701 ED. 3(1)	AIRCRAFT INTERIOR COLOUR SCHEMES .....	C ISDF	06 25-MAR-93				
A STANAG-3703 ED. 6	TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (TASMO) - ATP-34(B) .....	C ISDF	06 02-MAR-93				
STANAG-3704(3)	GROUND RESOLUTION TARGETS FOR AERIAL PHOTOGRAPHY (EDITION NO. 1) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058)	C ISDF	06 29-APR-88				
A STANAG-3705 ED. 3(1)	HUMAN ENGINEERING DESIGN CRITERIA FOR CONTROLS AND DISPLAYS IN AIRCREW STATIONS	C ISDF	06 15-DEC-92				
STANAG-3710(6)	MILITARY CITY MAPS (EDITION 1) (REQ FROM OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO) WASHINGTON, D.C. 20330-5058)	C ISDF	06 04-JUN-87				
M STANAG-3711 ED. 2(1)	AIRFIELD MARKING AND LIGHTING COLOUR STANDARDS .....	C ISDF	06 29-MAR-93				
A STANAG-3712 ED. 2(5)	AIRPORT RESCUE AND FIRE-FIGHTING SERVICES - IDENTIFICATION CATEGORIES .....	C ISDF	06 29-JUN-92				
STANAG-3713 ED. 3(2)	DETERMINATION OF PARTICULATE MATTER IN AEROSPACE HYDRAULIC FLUIDS USING A PARTICLE SIZE ANALYSER	C ISDF	06 25-FEB-92				
STANAG-3714(2)	STEAMERS, WARNING (ED. 2) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH. DC 20330-5058	C ISDF	06 30-OCT-91				
STANAG-3715(8)	GENERAL SPECIFICATIONS FOR NON-SUB CONTACT CHARTS (ED 1) REQUEST OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH. DC 20330-5058	C ISDF	06 25-OCT-90				
STANAG-3716(11)	MAP SERIES NUMBERING (EDITION 1) (REQUESTS FOR ISSUE OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058)	C ISDF	06 23-MAY-91				
A STANAG-3726 ED. 4	BAIL (PORTAL) LUGS FOR THE SUSPENSION OF AIRCRAFT STORES .....	C ISDF	06 31-JUL-92				
M STANAG-3731 ED. 2(2)	BIBLIOGRAPHY ON ELECTROMAGNETIC COMPATIBILITY (EMC) .....	C ISDF	06 09-MAR-93				
STANAG-3732	RECOGNITION TRAINING (EDITION 2) (REQ OTHER THAN DOD MUST BE SENT VIA: U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MP/S, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	06 03-JUN-86				
STANAG-3736	OFFENSIVE AIR SUPPORT OPERATIONS - ATP-27(B) ED. 8 (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-ISO WASH DC 203305058)	C ISDF	06 26-APR-91				
STANAG-3738(4)	PERSONNEL PARACHUTES (EDITION NO. 2) .....	C ISDF	06 22-APR-85				
STANAG-3739(2)	COMBINED AIR TERMINAL OPERATIONS (EDITION NO. 3) .....	C ISDF	06 27-FEB-87				
M STANAG-3740 ED. 3	PROCEDURES FOR TRACING AIR TRANSPORTED BAGGAGE AND MISSING AIR TRANSPORTED CARGO	C ISDF	06 05-MAR-93				
STANAG-3741(3)	HORIZONTAL SITUATION INDICATORS (EDITION NO. 4) (REL TO OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(ISO), WASH., D.C., 20330-5058)	C ISDF	06 22-APR-91				
STANAG-3742(6)	CIRCULAR DIAL ENGINE TEMPERATURE INDICATORS (EDITION NO. 1) (REL TO OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX-ISO, WASH., D.C. 20330-5058)	C ISDF	06 29-JUN-90				
STANAG-3744 ED. 2(3)	MINIMUM REQUIREMENTS OF MEDICAL EQUIPMENT IN SEARCH AND RESCUE (SAR) AIRCRAFT	C ISDF	06 01-OCT-91				
STANAG-3745 ED. 1(7)	MEDICAL TRAINING FOR SEARCH AND RESCUE (SAR) PERSONNEL .....	C ISDF	06 02-OCT-91				
STANAG-3746 ED. 1(6)	MEDICAL FIRST AID EQUIPMENT IN AIRCRAFT .....	C ISDF	06 02-OCT-91				
M STANAG-3747 ED. 3(6)	GUIDE SPECIFICATIONS (MINIMUM QUALITY STANDARDS) FOR AVIATION TURBINE FUELS (F-34, F-35, F-40 AND F-44)	C ISDF	06 28-APR-93				
STANAG-3748 ED. 2(5)	HYDRAULIC FLUIDS, PETROLEUM (H-515 AND H-520) .....	C ISDF	06 28-NOV-91				
STANAG-3750 ED. 4(2)	REPORTING AND INVESTIGATION OF AIRMISS INCIDENTS .....	C ISDF	06 26-MAR-93				
M STANAG-3752 ED. 2(4)	WITNESS (BREAKING) WINE FOR AIRCRAFT EMERGENCY CONTROLS & EQUIPMENT .....	C ISDF	06 29-MAR-93				
A STANAG-3753 ED. 2(2)	THE TRANSPORTATION AND UTILITIES COMPATIBILITY OF MOBILE RECONNAISSANCE SUPPORT SHELTERS	C ISDF	06 27-AUG-92				
STANAG-3754(2)	AUTOMATIC DATA PROCESSING (ADP) WAR RESERVE STOCK FILE FOR MAPS AND AERONAUTICAL CHARTS (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH., DC, 20330-5058 (EDITION 2)	C ISDF	06 23-MAY-91				
A STANAG-3756 ED. 3(2)	FACILITIES AND EQUIPMENT FOR RECEIPT AND DELIVERY OF LIQUID FUELS .....	C ISDF	06 05-FEB-93				
STANAG-3758(2)	SIGNALS USED BY AIR TRAFFIC SERVICE UNITS FOR CONTROL OF PEDESTRIAN & VEHICULAR TRAFFIC IN THE MANOEUVRING AREA OF AIRFIELDS (ED. 2) (REQUEST FOR ISSUE MUST BE SENT VIA HQ USAF/XOXX-ISO WASH D.C. 20330-5058)	C ISDF	06 31-MAY-90				
STANAG-3759 ED. 4	CRITERIA FOR THE PREPARATION OF INSTRUMENT APPROACH AND DEPARTURE PROCEDURES - APATC-1	C ISDF	06 30-JAN-92				
STANAG-3764 ED. 2(1)	EXCHANGE OF IMAGERY .....	C ISDF	06 31-JAN-92				
M STANAG-3765 ED. 1(4)	PRESSURE REPLENISHMENT OF AIRCRAFT ENGINE OIL .....	C ISDF	06 29-MAR-93				
STANAG-3766 ED. 2(4)	GREASE NIPPLES .....	C ISDF	06 01-JUN-92				
STANAG-3767 ED. 1(11)	EXCHANGE OF DATA ON LOAD CAPABILITIES OF TRANSPORT AIRCRAFT .....	C ISDF	06 27-FEB-92				
A STANAG-3768 ED. 2(3)	GUIDE TO SECURITY CLASSIFICATION OF AIR RECONNAISSANCE .....	C ISDF	06 03-MAR-93				
STANAG-3769(5)	MINIMUM RESOLVED OBJECT SIZES & SCALES FOR IMAGERY INTERPRETATION (ED 1) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH DC 20330-5058	C ISDF	06 07-MAY-90				
A STANAG-3770 ED. 2(3)	AIR TRANSPORT BAGGAGE TAGS .....	C ISDF	06 23-NOV-92				
A STANAG-3771 ED. 3(1)	GROUND SECURITY MEASURES AGAINST AIRCRAFT SABOTAGE/HIJACKING .....	C ISDF	06 27-NOV-92				
A STANAG-3774 ED. 3(3)	CONTROL PROCEDURES FOR PALLETS AND ASSOCIATED RESTRAINT EQUIPMENT USED IN COMBINED AIR TRANSPORT OPERATIONS	C ISDF	06 23-NOV-92				
A STANAG-3775 ED. 3(3)	AIR MOVEMENT AND IN-TRANSIT STORAGE OF CARGO REQUIRING CONTROLLED TEMPERATURE CONDITIONS	C ISDF	06 25-NOV-92				
STANAG-3776	MARGINAL INFORMATION ON LANDMAPS, AERONAUTICAL CHARTS & PHOTOMAPS (EDITION NO. 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO, WASH. D.C. 20330-5058)	C ISDF	06 19-FEB-80				



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active / OML Doc / Issue Combination Worksheet Document Number	Document Title	Doc. Syst. FSC / Issue MCA Symbol Preparing Agency Date	Custodians		
			Army	Navy	Air Force DLA
STANAG-3777(3)	AIRDROP OF DOOR BUNDLES WITH STICKS OF PARACHUTISTS FROM FIXED WING AIRCRAFT (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH, D.C. 20360)	C ISDF 06 30-JAN-84			
STANAG-3778(3)	PERFORMANCE CRITERIA FOR HONEYCOMB PAPER USED AS EMERGENCY DISSIPATING MATERIAL (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21)	C ISDF 06 04-MAR-87			
STANAG-3781(1)	RECONNAISSANCE CROSS-SERVICING (EDITION 1)	C ISDF 06 28-JUN-88			
A STANAG-3783 ED. 2(6)	AIR WEAPONS RANGES - IDENTIFICATION OF CONTROL INSTALLATIONS AND SPECTATOR SITES DURING DAYLIGHT OPERATIONS	C ISDF 06 16-DEC-92			
A STANAG-3784 ED. 3	TECHNICAL GUIDANCE FOR THE DESIGN AND CONSTRUCTION OF AVIATION AND GROUND FUEL INSTALLATIONS ON NATO AIRFIELDS	C ISDF 06 30-NOV-92			
M STANAG-3786 ED. 3(1)	SAFETY DESIGN REQUIREMENTS AND GENERAL DESIGN GUIDANCE FOR AIRBORNE DISPENSER WEAPONS	C ISDF 06 29-APR-93			
STANAG-3791 ED. 3	INTEROPERABILITY OF NATO AIRCRAFT AND STORES - AOP-11(D)	C ISDF 06 04-OCT-91			
STANAG-3794(3)	IDENTIFICATION OF AIRCRAFT ELECTRICAL CABLES	C ISDF 06 02-FEB-87			
STANAG-3797(3)	MINIMUM QUALIFICATIONS FOR FORWARD AIR CONTROLLERS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH, DC 20330-5058)	C ISDF 06 18-DEC-89			
STANAG-3800(3)	NIGHT VISION GOGGLES LIGHTING COMPATIBILITY DESIGN CRITERIA (EDITION NO. 1) (REL TO OTHER THAN DOD & DOD CONTRACTORS MUST BE SENT VIA HQ USAF/XOXX(150) WASH., D.C. 20330-5058)	C ISDF 06 22-APR-91			
A STANAG-3802 ED. 3	SCREWDRIVER RECESSES (HIGH PERFORMANCE)	C ISDF 06 16-SEP-92			
STANAG-3805	DOCTRINE AND PROCEDURES FOR AIRSPACE CONTROL IN THE COMBAT ZONE (EDITION NO. 3) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH, DC 20330-5058	C ISDF 06 21-SEP-89			
STANAG-3806(5)	AIRCRAFT GASEOUS AIR/NITROGEN SYSTEMS REPLENISHMENT CONNECTORS (EDITION 1) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(150), WASHINGTON DC 20330-5058)	C ISDF 06 26-APR-91			
STANAG-3809 ED. 2(3)	DIGITAL TERRAIN ELEVATION DATA EXCHANGE FORMAT	C ISDF 06 01-JUN-92			
STANAG-3812(2)	RESPONSIBILITIES FOR AIRCRAFT CROSS-SERVICING GROUND CREW TRAINING (EDITION 5) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-150, WASH., DC 20330-5058)	C ISDF 06 25-JUL-91			
STANAG-3817 ED. 4(4)	STANDARD R/T PHRASEOLOGY TO BE USED FOR AIRCRAFT	C ISDF 06 31-JAN-92			
STANAG-3820 ED. 1(2)	27 MM X 145 AMMUNITION AND LINKS FOR AIRCRAFT GUNS	C ISDF 06 21-OCT-91			
A STANAG-3821 ED. 1(2)	CHAFF AND IR CARTRIDGES FOR AIRCRAFT	C ISDF 06 28-JUL-92			
STANAG-3824 ED. 2	GUIDE SPECIFICATION (MINIMUM QUALITY STANDARDS) FOR AVIATION GASOLINE (F-18)	C ISDF 06 22-OCT-91			
A STANAG-3827 ED. 2(3)	RECOMMENDED REQUIREMENTS FOR TRAINING OF AIRCREW IN HIGH SUSTAINED "G" ENVIRONMENT	C ISDF 06 23-NOV-92			
STANAG-3828 ED. 1(8)	MINIMUM REQUIREMENTS FOR AIRCREW PROTECTION AGAINST THE HAZARDS OF LASER TARGET DESIGNATORS	C ISDF 06 02-OCT-91			
STANAG-3830 ED. 1(5)	AIRCRAFT NUCLEAR FLASH BLINDNESS PROTECTION	C ISDF 06 02-OCT-91			
M STANAG-3833 ED. 2	SYMBOLS FOR USE ON MAPS OF TRAINING AREAS FOR LAND FORCES	C ISDF 06 03-MAR-93			
STANAG-3836(3)	MICROFORM (EDITION 3) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-150, WASH DC 20330-5058)	C ISDF 06 26-APR-91			
STANAG-3837(2)	AIRCRAFT STORES ELECTRICAL INTERCONNECTION SYSTEM (EDITION 2) REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA: HQ USAF/XOXX-150 WASH DC 20330-5058	C ISDF 06 23-MAY-90			
M STANAG-3838 ED. 1(6)	DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS	C ISDF 06 22-APR-93			
STANAG-3842(2)	RAIL LAUNCHED MISSILE/LAUNCHER INTERFACE FOR AIRCRAFT (EDITION 1) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-150, WASH D.C. 20330-5058)	C ISDF 06 23-MAY-90			
STANAG-3847(3)	HELICOPTER IN-FLIGHT REFUELLING (HIFR) EQUIPMENT (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX (150) WASH, DC 20330-5058)	C ISDF 06 27-JUL-89			
A STANAG-3854 ED. 2(4)	POLICIES AND PROCEDURES GOVERNING THE AIR TRANSPORTATION OF DANGEROUS CARGO	C ISDF 06 25-NOV-92			
A STANAG-3859 ED. 3	STANDARDIZED DATA LIST FOR INTEROPERABILITY STUDIES AND CERTIFICATION OF AIRCRAFT STORES	C ISDF 06 19-NOV-92			
STANAG-3861(3)	HELIPORT RESCUE & FIRE-FIGHTING SERVICES- IDENTIFICATION CATEGORIES (EDITION 2) REQ OTHER THAN DOD REF TO HQ USAF/XOXX-150, WASH., DC 20330-5058	C ISDF 06 19-DEC-90			
STANAG-3864 ED. 1(5)	THE MEASUREMENT OF PROTECTION PROVIDED TO THE RESPIRATORY TRACT AND EYES BY AIRCREW EQUIPMENT ASSEMBLIES AGAINST NBC AGENTS IN PARTICULATE, AEROSOL AND VAPOUR FORM	C ISDF 06 02-OCT-91			
STANAG-3865 ED. 2(3)	PHYSIOLOGICAL REQUIREMENTS FOR AIRCRAFT MOLECULAR SIEVE OXYGEN CONCENTRATING SYSTEMS	C ISDF 06 08-MAY-92			
STANAG-3869(4)	AIRCRAFT STATION CONTROL PANELS (ED 1) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(150), WASH DC 20330-5058	C ISDF 06 22-APR-91			
STANAG-3870(2)	EMERGENCY/ESCAPE EVALUATION LIGHTING (ED 1) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 WASH, DC 20330-5058	C ISDF 06 21-SEP-89			
STANAG-3871 ED. 1(3)	NATO GLOSSARY OF AIRCRAFT DISPLAYS AND AIRCREW STATIONS (A1) SPECIALIST TERMINOLOGY AND ABBREVIATIONS	C ISDF 06 01-JUN-92			
STANAG-3872(5)	RATE OF FUEL FLOW INDICATORS (ED. 1) (REQ FOR ISSUE FROM OTHER THAN DOD & DOD CONTRACTOR MUST BE SENT VIA HQ USAF/XOXX(150) WASH., D.C. 20330-5058)	C ISDF 06 22-APR-91			
STANAG-3873	ELECTRONIC WARFARE (EW) IN AIR OPERATIONS - ATP-44(A) (EDITION 3) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(150), WASHINGTON DC 20330-5058)	C ISDF 06 20-DEC-90			
STANAG-3879(3)	BIRDSTRIKE RISK/WARNING PROCEDURES (EUROPE) (ED 2) (REL TO OTHER THAN DOD REQ PRI APPR OF HQ USAF/XOXX (150) WASH, DC 20330-5058)	C ISDF 06 21-DEC-88			
STANAG-3880	COUNTER AIR OPERATIONS ATP-42 (EDITION 2) (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA HQ USAF/XOXX(150), WASHINGTON DC 20330-5058)	C ISDF 06 20-DEC-90			
STANAG-3881 ED. 2(2)	FUELS TO BE INTRODUCED INTO AND DELIVERED BY THE NORTH ITALIAN PIPELINE SYSTEM (NIPS)	C ISDF 06 08-APR-92			
STANAG-3884 ED. 1(3)	AIR IMAGERY INTERPRETATION ANNOTATION	C ISDF 06 31-JAN-92			
STANAG-3888(1)	FUELS TO BE DISTRIBUTED BY THE UK PIPELINE SYSTEM (UKPS) (EDITION 1) W/CORRIGENDUM DTD. 2 AUG. 1990 ISSUED CONTROLLED	C ISDF 06 31-JUL-91			
STANAG-3890(2)	ENVIRONMENTAL POLLUTION FROM PHOTOGRAPHIC EFFLUENTS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150 20330-5058)	C ISDF 06 26-OCT-89			
STANAG-3892(2)	MOVEMENT AREA FLOODLIGHTING (EDITION NO. 2) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX-150 WASH, D.C. 20330-5058)	C ISDF 06 20-FEB-89			
STANAG-3896(1)	ILLUSTRATED INFORMATION ON FIRE HAZARDS & RESCUE FEATURES FOR NATO AIRCRAFT (EDITION 2) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-150, WASH., DC 20330-5058)	C ISDF 06 19-DEC-90			
STANAG-3898(1)	AIRCRAFT STORES INTERFACE MANUAL - AOP-12 (ED 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-150, WASH, DC 20330-5058)	C ISDF 06 26-APR-91			
M STANAG-3899 ED. 2	GROUND FIT AND COMPATIBILITY CRITERIA FOR AIRCRAFT STORES	C ISDF 06 07-MAY-93			
STANAG-3900(1)	EMC OF AIRBORNE ELECTRO EXPLOSIVE SUB-SYSTEMS (EDITION NO. 1)	C ISDF 06 16-DEC-86			
STANAG-3907(1)	CROSS SERVICING OF HELICOPTERS ENGAGED IN LAND OPERATIONS (EDITION NO. 1)	C ISDF 06 27-SEP-85			
STANAG-3908(2)	STANDARDIZED AVIONICS TERMINOLOGY & ABBREVIATIONS (ED 1) OTHER THAN DOD REFER TO HQ USAF/XOXX-150 WASH, DC 20330-5058	C ISDF 06 25-OCT-88			
STANAG-3909(1)	DISCRETE SIGNAL INTERFACES (EDITION NO 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(150), WASH, DC 20330-5058)	C ISDF 06 23-NOV-90			
A STANAG-3912 ED. 1(2)	STANDARDIZATION OF A REAL-TIME HIGH ORDER COMPUTER PROGRAMMING LANGUAGE FOR AVIONICS SYSTEMS APPLICATIONS	C ISDF 06 28-OCT-92			
M STANAG-3917 ED. 2(3)	AIR CONDITIONING CONNECTIONS, GROUND HALF CONNECTORS	C ISDF 06 25-MAR-93			
STANAG-3920	HANDBOOK FOR AIR RECONNAISSANCE TASKING AND REPORTING (REQ OTHER THAN DOD REFER TO HQ USAF/XOXX(150), WASHINGTON D.C. 20330-5058 (EDITION 2)	C ISDF 06 27-SEP-90			



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action Op./Com. Coordination Inclusive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
	STANAG-3922(1)	AIR DROP SYSTEMS FOR PERSONNEL & SUPPLY/EQUIPMENT - ATP-46(A) (ED 2) REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO WASH. DC 20330-5058	C ISDF	06	26-JUN-90	
A	STANAG-3929 ED. 1(4)	EVALUATION GUIDE FOR NATO CRASH/FIRE/RESCUE SERVICES	C ISDF	06	29-JUN-92	
	STANAG-3932(2)	AIR LAUNCHED WEAPONS DESIGNED FOR READY USE STORAGE (ALL UP ROUND) REL TO OTHER THAN DOD ACT REQUIRE PRI APPR OF CHM. MAT 09B21, WASH. D.C. 20360	C ISDA	06	13-OCT-86	
	STANAG-3940	AIRCRAFT ELECTRONIC COLOUR DISPLAY SYSTEMS (ED 1) REQUESTS FOR ISSUE OTHER THAN DOD MUST BE SENT VIA HQ USAF/XOXX, ISO, WASHINGTON, DC 20330-5058	C ISDF	06	22-APR-91	
	STANAG-3943(1)	PHYSIOLOGICAL REQUIREMENTS FOR AIRCREW NBC RESPIRATORS (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21)	C ISDF	06	08-JUL-86	
A	STANAG-3946 ED. 1(3)	MAXIMUM DOSAGE OF NERVE AGENT VAPOUR TO THE EYES ACCEPTABLE FOR AIRCREW ...	C ISDF	06	20-NOV-92	
A	STANAG-3947 ED. 1(6)	GROUND HALF AIR AND ELECTRICAL CONNECTORS FOR LOW PRESSURE AIR STARTING OF AIRCRAFT ENGINES	C ISDF	06	03-MAR-93	
	STANAG-3948(3)	TOWING AND STEERING DEVICES FOR AIRCRAFT (EDITION 2) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH. DC 20330-5058)	C ISDF	06	29-MAY-91	
	STANAG-3950	HELICOPTER CREW SEAT DESIGN (ED 1) REQUESTS OTHER THAN DOD REFER TO HQ USAF/XOXX (ISO), WASHINGTON, DC 20330-5058	C ISDF	06	25-JAN-91	
	STANAG-3957 ED. 2(1)	C/ATLAS MOL FOR APPLICATION IN AVIONICS TEST SYSTEMS	C ISDF	06	21-OCT-91	
	STANAG-3961(1)	APPLICATION FORM FOR OVERFLIGHT & LANDING CLEARANCE (EDITION NO. 1) (REQ OTHER THAN DOD REF TO HQ USAF/XOXX-ISO WASH. D.C. 20330-5058)	C ISDF	06	06-APR-88	
M	STANAG-3967 ED. 1	DESIGN AND PERFORMANCE REQUIREMENTS FOR AVIATION FUEL FILTER SEPARATOR VESSELS AND COALESCE AND SEPARATOR ELEMENTS	C ISDF	06	26-MAR-93	
A	STANAG-3968 ED. 2(1)	NATO GLOSSARY OF ELECTROMAGNETIC TERMINOLOGY	C ISDF	06	16-DEC-92	
M	STANAG-3970 ED. 1(1)	CONTENT AND FORMAT OF FLIGHT INFORMATION PUBLICATION (FLIP) TERMINAL HIGH/LOW INSTRUMENT APPROACH PROCEDURES, INSTRUMENT DEPARTURE PROCEDURES, AND AERODROME DIAGRAMS/LAYOUTS	C ISDF	06	29-MAR-93	
	STANAG-3971	AIR-TO-AIR REFUELLING - ATP-56 (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX(ISO), WASH. DC 20330-5058)	C ISDF	06	20-MAR-90	
A	STANAG-3977 ED. 1(1)	MANUAL OF TECHNIQUES OF SAMPLING AND ANALYSIS OF GASES AND LIQUEFIED GASES FOR AIRCRAFT SERVICING - AEP-6	C ISDF	06	16-DEC-92	
A	STANAG-3979 ED. 1(1)	PARACHUTE EXTRACTION ASSEMBLIES	C ISDF	06	26-NOV-92	
	STANAG-3985 ED. 1(4)	PREFERRED MAGNETIC TAPE STANDARDS FOR THE EXCHANGE OF DIGITAL GEOGRAPHIC INFORMATION	C ISDF	06	01-JUN-92	
M	STANAG-3986 ED. 1(3)	DIGITAL DATA FILE TRANSMITTAL FORM FOR GEOGRAPHIC INFORMATION	C ISDF	06	26-APR-93	
A	STANAG-3988 ED. 1(2)	FUELS TO BE DISTRIBUTED BY THE UK PIPELINE SYSTEM (UKPS)	C ISDF	06	16-SEP-92	
	STANAG-3990(1)	CHARACTERISTICS OF HIGH QUALITY OIL-FREE GASEOUS NITROGEN, SUPPLY PRESSURE AND HOSES, FOR AIRCRAFT, WEAPONS AND ELECTRONIC EQUIPMENT SERVICING (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, 20330-5058) (ED 1)	C ISDF	06	26-APR-91	
	STANAG-3991(1)	DESIGN CRITERIA TO MINIMIZE GENERATION OF STATIC ELECTRICITY WITHIN AIRCRAFT FUEL SYSTEMS (EDITION 2) (REQ OTHER THAN DOD REL TO HQ USAF/XOXX-ISO, WASH. DC, 20330-5058)	C ISDF	06	26-JUL-91	
	STANAG-3992	TERRAIN ANALYSIS -AGEDP-1 (ED. NO. 1) REQ FOR OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH. D.C. 20330-5058	C ISDF	06	26-AUG-88	
	STANAG-3993(1)	AIR CONTROL TERMS AND DEFINITIONS (REQUEST FOR ISSUE OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASHINGTON, DC 20330-5058 (EDITION 1))	C ISDF	06	01-JUL-88	
A	STANAG-3994 ED. 1	APPLICATION OF HUMAN ENGINEERING TO ADVANCED AIRCREW SYSTEMS	C ISDF	06	23-OCT-91	
	STANAG-3995 ED. 1(3)	MARKING OF PORTABLE FIRE EXTINGUISHERS	C ISDF	06	29-JUN-92	
	STANAG-3998	NATO AIR TRANSPORT POLICIES AND PROCEDURES - ATP-53 (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH. DC 20330-5058)	C ISDF	06	24-NOV-89	
	STANAG-4004(1)	PNEUMATIC TYPES FOR TRANSPORT VEHICLES (EDITION 1) (VALIDATION DATE: 8212)	C ISDM	NM	03-NOV-69	
	STANAG-4006(1)	SHIELDED SPARKING PLUGS FOR 5 MM LEAD) FOR WHEELED TACTICAL VEHICLES (EDITION 1, PT 1)	C ISDM	NM	15-AUG-67	
	STANAG-4006(2)	SHIELDED IGNITION CABLES FOR WHEELED TACTICAL VEHICLES (EDITION 2, PT 2)	C ISDM	NM	15-AUG-67	
	STANAG-4007	ELECTRICAL CONNECTOR BETWEEN TRACTORS & TRAILERS (EDITION 1) (VALIDATION DATE: 7912)	C ISDM	NM	13-SEP-59	
	STANAG-4008	LAMPS FOR TACTICAL VEHICLES VALIDATED DEC 1979 (VALIDATION DATE: 7912) ....	C ISDM	NM	22-AUG-58	
	STANAG-4009(1)	FIFTH WHEEL ATTACHMENTS (EDITION 1) (PT 1 - NATO KINGPIN)	C ISDM	NM	29-AUG-67	
	STANAG-4009(2)	LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS 1) (EDITION 1, PT 2)	C ISDM	NM	25-AUG-67	
	STANAG-4009(3)	LOCATION AND HEIGHT OF FIFTH WHEEL ATTACHMENTS ON TRACTORS AND SEMI-TRAILERS (CLASS 2) (EDITION 1 PT 3) & AMDS 5, 6, 7, & CORRECTION SHEETS)	C ISDM	NM	29-AUG-67	
	STANAG-4009(4)	FIFTH WHEEL KINGPIN (FOR SEMI-TRAILERS OF A GROSS WEIGHT FROM 22 TO 72 TONS) (EDITION 1) (PT 4 & AMDS 1-5)	C ISDA	NM	29-AUG-67	
	STANAG-4012	TYPE DESIGNATION AND MARKING OF ELECTRON VALVES AND TUBES (VALIDATION DATE: 8204)	C ISDA	NM	23-SEP-63	
	STANAG-4015/1	STARTER BATTERY SPACES FOR WHEELED TACTICAL VEHICLES (EDITION NO. 2) PART 1	C ISDA	AM	09-MAR-65	
	STANAG-4015/2	SIZES & POSITIONS OF STARTER BATTERY TERMINAL POSTS FOR WHEELED TACTICAL VEHICLES - PART 2 W/AMEND 1	C ISDA	AM	11-MAR-65	
	STANAG-4019	EMERGENCY TOWING FACILITIES (EDITION 1) (VALIDATION DATE: 7912) .....	C ISDM	NM	31-DEC-57	
	STANAG-4021	SPECIFICATION FOR CE (TETRYL) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER (EDITION NO. 2) (VALIDATION DATE: 7912)	C ISDM	NM	25-SEP-62	
A	STANAG-4022 ED. 3(1)	RDX (HEXOGENE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER, SPECIFICATION FOR	C ISDA	AI	29-JUN-92	
A	STANAG-4023 ED. 3	SPECIFICATION FOR PETN (PENTHRITE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER	C ISDA	AI	29-MAY-92	
	STANAG-4024(2)	SPECIFICATION FOR AMMONIUM NITRATE (FOR USE IN EXPLOSIVES) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER (EDITION NO. 2)	C ISDA	AM	03-MAY-76	
	STANAG-4025 ED. 3	SPECIFICATION FOR TNT (TOLITE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER	C ISDA	AI	20-NOV-91	
	STANAG-4026(1)	SPECIFICATION FOR PICRITE (NITROGUINIDINE) FOR DELIVERIES FROM ONE NATO NATION TO ANOTHER (EDITION NO. 2)	C ISDA	AM	20-DEC-77	
	STANAG-4037	SPECIFICATION FOR A 40/70 AMMUNITION (EDITION 2) (VALIDATION DATE: 7912)	C ISDM	NM	23-SEP-63	
	STANAG-4038(6)	SPECIFICATION FOR A 40/70 AMMUNITION OPERATIONAL BOX (METAL) FOR NAVAL USE (EDITION 1) (VALIDATION DATE: 7912)	C ISDM	NM	25-MAY-66	
	STANAG-4040(1)	WATER PROOF ELECTRICAL CONNECTORS (EDITION 1) (VALIDATION DATE: 8204) .....	C ISDM	NM	04-SEP-69	
	STANAG-4041	SPECIFICATION FOR DNT (DINITROTOLUENE) FOR PROPELLANTS (EDITION 1) (VALIDATION DATE: 7912)	C ISDM	NM	15-AUG-60	
	STANAG-4042	RULES FOR THE CONVERSION OF UNITED STATES AERONAUTICAL DRAWINGS (AIR FRAMES) FOR COUNTRIES EMPLOYING THE METRIC SYSTEM (EDITION 1) (VALIDATION DATE: 7912)	C ISDM	NM	07-JUL-58	
	STANAG-4044	ADOPTION OF A STANDARD ATMOSPHERE (EDITION 2) (VALIDATION DATE: 8012) .....	C ISDM	NM	10-APR-69	
	STANAG-4050	SYMBOLS DESIGNATING FUNCTION OF CONTROLS IN MILITARY VEHICLES (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICCP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	19-JUN-91	
	STANAG-4061	ADOPTION OF A STANDARD BALLISTIC METEOROLOGICAL MESSAGE (EDITION 3) (VALIDATION DATE: 7901)	C SDN	NM	19-MAY-69	
	STANAG-4062	SLINGING AND TIE-DOWN FACILITIES FOR LIFTING AND TYING DOWN MILITARY EQUIPMENT FOR MOVEMENT BY LAND AND SEA (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICCP-AA-M, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	06-MAY-89	
	STANAG-4074(3)	AUXILIARY POWER UNIT CONNECTIONS FOR STARTING WHEELED TRANSPORT VEHICLES (EDITION 1)(REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM. MAT 09B21, WASH. D.C. 20360)	C ISDA	AM	18-MAY-84	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc. / OMA Coordination Institute Document Number	Document Title	Doc. Syst. FSC / Area NA Symbol Preparing Body	Date	Custodians Army Navy Air Force DLA
STANAG-4079	DESIGN OF 40/70 AMMUNITION (EDITION 1) (VALIDATION DATE: 79121) .....	C ISDN	NM 12-DEC-62	
STANAG-4081	SPECIFICATION FOR A LIGHTWEIGHT 40/70 AMMUNITION OPERATIONAL BOX (EDITION 1) (VALIDATION DATE: 79121) .....	C ISDN	NM 06-NOV-62	
STANAG-4082(1)	ADOPTION OF A STANDARD ARTILLERY COMPUTER METEOROLOGICAL MESSAGE (EDITION 1) (VALIDATION DATE: 82041) .....	C ISDN	NM 12-MAR-70	
STANAG-4090(1)	SMALL ARMS AMMUNITION (9 MM PARABELLUM) (EDITION NO 2) .....	C ISDA	AM 11-APR-86	
STANAG-4093(2)	MUTUAL ACCEPTANCE OF QUALIFICATIONS APPROVALS FOR ELECTRONIC PARTS (EDITION 3) .....	C ISDN	NM 22-DEC-82	
STANAG-4097(3)	PROCEDURES WITH RESPECT TO CHANGE ADJUSTMENT FOR VELOCITY FOR STANDARDIZED GUN AMMUNITION (EDITION 1) (VALIDATION DATE: 80121) .....	C ISDN	NM 20-SEP-67	
STANAG-4098	PROCEDURES FOR THE DETERMINATION OF PROPELLANT CHARGE TEMPERATURE CORRECTIONS (EDITION NO. 3) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH. D.C. 20360) .....	C ISDA	AM 14-MAY-84	
STANAG-4101(2)	TOWING ATTACHMENTS (EDITION 1) (VALIDATION DATE: 80121) .....	C ISDN	NM 20-SEP-67	
STANAG-4103(1)	FORMAT FOR REQUESTS FOR METEOROLOGICAL MESSAGES FOR BALLISTIC & SPECIAL PURPOSES (EDITION 2) (VALIDATION DATE: 82041) .....	C ISDN	NM 07-DEC-77	
STANAG-4106(1)	PROCEDURE FOR THE STATISTICAL COMPARISON OF EXTERNAL BALLISTIC PERFORMANCE OF SHELL - EDITION NO. 2 .....	C ISDA	AM 08-DEC-86	
STANAG-4107(2)	MUTUAL ACCEPTANCE OF GOVERNMENT QUALITY ASSURANCE (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., VA 22333-0001) .....	C ISDA	AI 17-AUG-89	
STANAG-4108(1)	ALLIED QUALITY ASSURANCE PUBLICATIONS - EDITION NO. 4 .....	C ISDA	AM 14-AUG-86	
STANAG-4110	DEFINITION OF PRESSURE TERMS AND THEIR INTER-RELATIONSHIP FOR USE IN THE DESIGN AND PROOF OF CANNONS AND AMMUNITION (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMS, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) .....	C ISDA	AI 13-JUN-91	
STANAG-4113	NATO CRUSHER GAUGE (EDITION 2) (VALIDATION DATE: 82041) .....	C ISDN	NM 20-AUG-76	
STANAG-4114	MEASUREMENT OF PROJECTILE VELOCITIES (EDITION NO. 2) (VALIDATION DATE: 83021) .....	C ISDN	NM 04-AUG-77	
STANAG-4115	DEFINITION & DETERMINATION OF BALLISTIC PROPERTIES OF GUN PROPELLANTS (EDITION 1) (VALIDATION DATE: 79011) .....	C ISDN	NM 31-MAR-70	
STANAG-4117(2)	STABILITY TEST PROCEDURES AND REQUIREMENTS FOR PROPELLANTS STABILIZED WITH DIPHYLAMINE OR ETHYL CENTRALITE OR A MIXTURE OF BOTH (EDITION NO. 2) .....	C ISDA	AM 05-JUL-77	
STANAG-4119(2)	ADOPTION OF A STANDARD CANNON ARTILLERY FIRING TABLE FORMAT .....	C ISDA	AM 26-MAY-80	
STANAG-4120	NATO ELECTRONIC PARTS RECOMMENDATIONS (AETP-2) AND NATO ELECTRONIC TECHNICAL RECOMMENDATIONS (AETP-3) .....	C ISDA	AM 15-MAR-76	
STANAG-4123(4)	METHODS TO DETERMINE AND CLASSIFY THE HAZARDS OF AMMUNITION (EDITION 2) RELEASE TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH. D.C. 20360) .....	C ISDA	AM 28-NOV-84	
STANAG-4131(1)	ADOPTION OF A STANDARD CHARACTER METEOROLOGICAL MESSAGE FORMAT (EDITION 1) (VALIDATION DATE: 82041) .....	C ISDN	NM 03-MAY-76	
A STANAG-4133 ED. 2	METHOD OF SPECIFYING ELECTRICAL POWER SUPPLIES: STANDARD TYPES OF ELECTRICAL POWER .....	C ISDA	AI 07-JUL-92	
A STANAG-4134	ELECTRICAL CHARACTERISTICS OF ROTATING 28-VOLT DC GENERATING SETS .....	C ISDA	AI 15-MAR-91	
STANAG-4135 ED. 2	ELECTRICAL CHARACTERISTICS OF ROTATING ALTERNATING CURRENT GENERATING SETS .....	C ISDA	AI 05-NOV-92	
STANAG-4139(5)	CRITERIA FOR BALANCING OF SHIPBOARD ROTATING MACHINERY (ED. 1) REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000) .....	D ISDN	SH 18-APR-90	
STANAG-4140	STANDARDIZED SYSTEM OF DESIGNATING DAYS & HOURS IN RELATION TO AN OPERATION OR EXERCISE (EDITION 6) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) .....	C ISDA	AI 29-JAN-91	
STANAG-4143(6)	SHIP/SHORE CONNECTION TERMINALS FOR 3-PHASE AC POWER (EDITION 1) (REQ OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON D.C. 20350-2000) .....	D ISDN	SH 06-MAR-90	
STANAG-4144(1)	DYNAMIC FIRING TECHNIQUES TO DETERMINE BALLISTIC DATA FOR CANNON ARTILLERY FIRING TABLES & ASSOCIATED FIRE CONTROL EQUIPMENT (ED. NO.1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH. D.C. 20360) .....	C ISDA	AM 18-MAR-85	
STANAG-4145	NUCLEAR SURVIVABILITY CRITERIA FOR ARMED FORCES MATERIEL AND INSTALLATIONS .....	C ISDA	AI 29-JAN-91	
STANAG-4146(2)	NATO NAVAL DATA HANDLING EQUIPMENTS. INTERIM STANDARD SPECIFICATIONS FOR INPUT/OUTPUT INTERFACES IN (VALIDATION DATE: 83121) .....	C ISDF	06 14-NOV-77	
A STANAG-4147 ED. 1	CHEMICAL COMPATIBILITY OF AMMUNITION COMPONENTS WITH EXPLOSIVES AND PROPELLANTS (NON NUCLEAR APPLICATIONS) .....	C ISDA	AI 01-JUN-92	
STANAG-4150(2)	SHOCK TESTING OF HEAVYWEIGHT SHIP EQUIPMENT IN FLOATING SHOCK VEHICLES (ED. 1) ( REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON, DC 20350-2000) .....	C ISDN	SH 13-MAR-90	
STANAG-4151 ED. 1(5)	INDICATING LIGHTS, STANDARD COLOURS FOR .....	D ISDN	SH 13-MAR-92	
STANAG-4153(3)	STANDARD SPECIFICATION FOR AN ASYNCHRONOUS SERIAL DATA INTERFACE FOR POINT TO POINT CONNECTIONS & FOR CONNECTION TO DATA NETWORKS IN NATO SYSTEMS (EDITION NO. 1) .....	C ISDN	NM 28-JUN-85	
STANAG-4154(2)	GENERAL CRITERIA & COMMON PROCEDURES FOR SEAKEEPING PERFORMANCE ASSESSMENT - EDITION 2 (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF COMNAVSEASYSOM (CODE 552232) WASHINGTON DC 20362) .....	D ISDN	SH 13-MAR-90	
STANAG-4155	NBC PROTECTIVE MASK & FILTER CARTRIDGE SCREW THREADS .....	C ISDA	AM 16-JUN-81	
STANAG-4156(1)	STANDARD SPECIFICATION FOR A SERIAL DATA INTERFACE FOR SYNCHRONOUS CONNECTIONS TO A DATA NETWORK (EDITION NO 1) .....	C ISDN	NM 02-SEP-85	
STANAG-4157	DEVELOPMENT OF SAFETY TEST METHODS AND PROCEDURES FOR FUZES FOR UNGUIDED TUBE LAUNCHED PROJECTILES (EDITION 1) (REQ OTHER THAN DOD REFER TO US AND, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) .....	C ISDA	AI 07-AUG-91	
STANAG-4158(1)	GUIDELINES FOR CLASSIFYING INCIDENTS FOR RELIABILITY ESTIMATION OF TRACKED & WHEELED VEHICLES (EDITION NO. 1) .....	C ISDA	AM 25-FEB-91	
A STANAG-4159 ED. 2(1)	NATO MATERIEL CONFIGURATION MANAGEMENT POLICY AND PROCEDURES FOR MULTINATIONAL JOINT PROJECTS .....	C ISDA	AI 18-MAR-92	
STANAG-4161(1)	THE OPTICAL TRANSFER FUNCTION OF IMAGING SYSTEMS .....	C ISDF	06 22-FEB-84	
STANAG-4164(1)	TEST PROCEDURES FOR ARMOUR PERFORATION TESTS OF ARMOUR DEFEATING AMMUNITION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) .....	C ISDA	AI 12-FEB-90	
STANAG-4165(2)	ALLIED MATERIAL STANDARDS PUBLICATION (ED. NO. 1) .....	C ISDF	06 04-JUL-85	
STANAG-4168(1)	CHARACTERISTICS OF HYDROGEN GENERATING EQUIPMENT (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CHM, MAT 09B21, WASH. D.C. 20360) .....	C ISDA	AM 02-SEP-85	
STANAG-4170	PRINCIPLES & METHODOLOGY FOR THE QUALIFICATION OF EXPLOSIVE MATERIALS FOR MILITARY USE (EDITION NO. 1) .....	C ISDA	AM 22-OCT-85	
STANAG-4172(4)	AMMUNITION 5.56MM (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) .....	C ISDA	AI 17-AUG-89	
STANAG-4173(1)	AMMUNITION 25 MM X 137 (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) .....	C ISDA	AI 12-FEB-90	
A STANAG-4174 ED. 1(1)	ALLIED RELIABILITY AND MAINTAINABILITY PUBLICATIONS .....	C ISDA	AI 24-FEB-92	
STANAG-4177(1)	COODIFICATION OF ITEMS OF SUPPLY - UNIFORM SYSTEM OF DATA ACQUISITION (EDITION 1) (REQ OTHER THAN DOD REFER TO US, AMC, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) .....	C ISDA	AI 06-MAR-90	
STANAG-4178	TEST PROCEDURES FOR ASSESSING THE QUALITY OF DELIVERIES OF NITRO-CELLULOSE FROM ONE NATO NATION TO ANOTHER (EDITION 1) (REQ OTHER THAN DOD REFER TO US AND, ATTN: AMCCIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA, 22333-0001) .....	C ISDA	AI 06-AUG-91	
STANAG-4183(1)	NATO METRICATION POLICY (EDITION NO. 1) .....	C ISDF	06 29-MAR-84	
STANAG-4184(2)	MICROWAVE LANDING SYSTEM (MLS) (EDITION NO. 1) .....	C ISDF	06 22-MAY-86	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc. Coordination Initiative Document Number	Document Title	Dist. Syst. FSC / Area MCS Symbol Preparing Auth. Date	Custodians Army Navy Air Force DIA
STANAG-4186	INTERIM STANDARD FOR A PARALLEL DIGITAL INTERFACE BETWEEN USER UNITS & A SHIP DISTRIBUTION NETWORK FOR VOICE COMMUNICATION (ED. 1)	C ISDN SH 19-MAR-90	
STANAG-4187(2)	FUZZING SYSTEMS - SAFETY DESIGN REQUIREMENTS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 26-OCT-90	
STANAG-4190	TEST PROCEDURES FOR MEASURING BEHIND-ARMOUR EFFECTS OF ANTI-ARMOUR AMMUNITION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 28-NOV-89	
STANAG-4193/1	TECHNICAL CHARACTERISTICS OF IFF MK XA & MK XII INTERROGATORS AND TRANSPONDERS - PART I: GENERAL DESCRIPTION OF THE SYSTEM (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333)	C ISDA AI 12-NOV-90	
STANAG-4193/3	TECHNICAL CHARACTERISTICS OF IFF MK XA & MK XII INTERROGATORS AND TRANSPONDERS - PART III: IFF INSTALLED SYSTEM CHARACTERISTICS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333)	C ISDA AI 12-NOV-90	
STANAG-4194(5) SUPPL 1C1	STANDARDIZED WAVE AND WIND ENVIRONMENTS AND SHIPBOARD REPORTING OF SEA CONDITIONS (EDITION 1) REQUEST OTHER THAN DOD REFER TO COMNAVSEASYS COM (CODE 55W3), WASHINGTON DC 20362 NOTE: ANEP-15, FAST PATR OL BOAT, ED 1 SUPPL 1 TO STANG 4154 USE WITH 4194	D ISDN SH 18-APR-90	
STANAG-4195(1)	NATO STANDARD ENGINE LABORATORY TEST FOR DIESEL AND GASOLINE ENGINES AND GAS TURBINE ENGINE (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 26-MAR-90	
STANAG-4197(2)	MODULATION & CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH TRANSMITTED OVER HF RADIO FACILITIES (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21)	C ISDA AM 26-NOV-85	
STANAG-4198(2)	PARAMETERS & CODING CHARACTERISTICS THAT MUST BE COMMON TO ASSURE INTERABILITY OF 2400 BPS LINEAR PREDICTIVE ENCODED DIGITAL SPEECH (ED. 1) (REL TO OTHER THAN DOD ACT REQ APPR OF CNM, MAT 09B21, WASH D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4199 ED. 2	CODIFICATION OF EQUIPMENT - UNIFORM SYSTEM OF EXCHANGE OF MATERIEL MANAGEMENT DATA	C ISDF 06 16-SEP-91	
STANAG-4201(1)	MARKING OF KIOT CONTROL & TRAINING CANISTERS (EDITION NO 1) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM MAT 09 B21, WASH)	C ISDA AM 04-OCT-85	
STANAG-4202(3)	TRANSMISSION ENVELOPE CHARACTERISTICS FOR HIGH RELIABILITY DATA EXCHANGE BETWEEN LAND TACTICAL DATA PROCESSING EQUIPMENT OVER SINGLE CHANNEL RADIO LINKS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CNM, MAT 09B21) (EDITION 1)	C ISDA AM 30-MAY-88	
STANAG-4203(4)	TECHNICAL STANDARDS FOR SINGLE CHANNEL HF RADIO EQUIPMENT (ED 2) .....	C ISDA AM 19-SEP-84	
STANAG-4204(4)	TECHNICAL STANDARDS FOR SINGLE CHANNEL VHF RADIO EQUIPMENT (EDITION 1 W/AMDS 1-4) (REL TO OTHER THAN DOD ACT REQ APPROVAL OF CNM, DEPT OF THE NAVY, MAT 09B21 WASH, DC 20360)	C ISDA AM 19-SEP-84	
STANAG-4205	TECHNICAL STANDARDS FOR SINGLE CHANNEL UHF RADIO EQUIPMENT (ED 2) .....	C ISDA AM 31-MAY-88	
STANAG-4206(2)	THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4207(2)	THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - MULTIPLEX GROUP FRAMING STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4208(2)	NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - SIGNALLING STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4209(2)	NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - STANDARDS FOR ANALOGUE TO DIGITAL CONVERSION OF SPEECH SIGNALS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4210(2)	LINK STANDARDS, THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4211(2)	THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY - SYSTEM CONTROL STANDARDS (EDITION NO. 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, DEPT OF THE NAVY, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4212(3)	THE NATO MULTI-CHANNEL TACTICAL DIGITAL GATEWAY RADIO RELAY LINK STANDARDS (EDITION 1) (RELEASE TO OTHER THAN DOD ACT REQ PRI APPR OF CNM, MAT 09B21, WASH, D.C. 20360)	C ISDA AM 10-DEC-85	
STANAG-4213	THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY DATA TRANSMISSION STANDARDS (ED 1) REQUEST FOR ISSUE TO BE SENT US AMC, ATTN AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001	C ISDA AM 05-APR-88	
STANAG-4214(1)	INTERNATIONAL ROUTING AND DIRECTORY FOR TACTICAL COMMUNICATIONS SYSTEMS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 10-DEC-85	
STANAG-4217	STANDARD SPECIFICATION FOR DIGITISED VIDEO DATA REPRESENTATION (ED. 1) (REQUEST OTHER THAN DOD REFER TO COMNAVSEASYS COM (SEA 05M3 WASHINGTON DC 20362)	C ISDN SH 26-JUN-90	
STANAG-4222	STANDARD SPECIFICATION FOR DIGITAL REPRESENTATION OF SHIPBOARD DATA PARAMETERS - EDITION 1 (RELEASE TO OTHER THAN DOD ACTIVITY REQUIRE PRIOR APPROVAL OF CNO-OP-731, WASHINGTON DC 20350-2000)	D ISDN SH 14-MAR-90	
STANAG-4224	SAFETY AND SUITABILITY FOR SERVICE TESTING OF ARTILLERY AND NAVAL GUN AMMUNITION - 76MM AND GREATER (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001) (EDITION 1)	C ISDA AI 12-NOV-90	
A STANAG-4234 ED. 1	ELECTROMAGNETIC RADIATION (RADIO FREQUENCY) - 200KHZ TO 40 GHZ ENVIRONMENT - AFFECTING THE DESIGN OF MATERIEL FOR USE BY NATO FORCES	C ISDA AI 07-JUL-92	
STANAG-4240	LIQUID FUEL FIRE TESTS FOR MUNITIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 06-AUG-91	
STANAG-4241	BULLET ATTACK TEST FOR MUNITIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA AI 06-AUG-91	
STANAG-4244 ED. 2	ALLIED FORCES PUBLICATIONS .....	C ISDF 06 18-NOV-91	
STANAG-4246(1)	COMMUNICATIONS EQUIPMENT HAVE QUICK UHF SECURE & JAM RESISTANT (EDITION 2)	C ISDA AM 12-APR-88	
STANAG-4249	THE NATO MULTI CHANNEL TACTICAL DIGITAL GATEWAY DATA TRANSMISSION (PACKET SWITCHING SERVICE) (ED 1) REQUEST FOR ISSUE TO BE SENT TO US AMC, ATTN AMICP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001	C ISDA AM 12-APR-88	
STANAG-4250	NATO REFERENCE MODEL FOR OPEN SYSTEMS INTERCONNECTION - OVERVIEW (EDITION NO. 1)	C ISDA AM 29-APR-86	
STANAG-4270(1)	AVIATION FUEL DESIGN PARAMETER FOR FUTURE NATO LAND BASED TURBINE POWERED MILITARY AIRCRAFT (EDITION NO. 1)	C ISDF 06 05-JUL-85	
A STANAG-4272 ED. 1	NATO STANDARD METHODS PRESERVATION .....	C ISDA AI 05-SEP-90	
STANAG-4278	METHOD OF EXPRESSING NAVIGATION ACCURACIES (EDITION NO. 2) .....	C ISDA AM 29-APR-86	
A STANAG-4279 ED. 1(1)	NATO GLOSSARY PACKAGING TERMS AND DEFINITIONS - AAP-23 .....	C ISDA AI 06-APR-92	
A STANAG-4280 ED. 1	NATO LEVELS OF REQUIREMENTS FOR PACKAGING .....	C ISDA AI 02-SEP-90	
A STANAG-4281 ED. 1	MARKING FOR SHIPMENT AND STORAGE .....	C ISDA AI 02-FEB-93	
STANAG-4286	TRANSDUCER OUTPUT (EDITION NO. 2) .....	C ISDN SH 14-MAR-90	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Active Doc / OMA Coordination Inhouse	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Date	Custodians Army Navy Air Force DIA
	STANAG-4287(2)	ELECTROLYTE FOR SUBMARINE MAIN LEAD ACID BATTERIES (ED 1) REQUEST OTHER THAN DOD MUST SEND VIA CNO (OP-731), WASHINGTON, DC 20350-2000	C ISDM	SH	07-AUG-91	
	STANAG-4291	MODULATION & CODING CHAR. THAT MUST BE COMMON TO ASSURE INTEROPERABILITY OF 2400 BPS WIRELINE MOD. FOR USE IN NARROW-BAND SECURE VOICE SYS (ED. 1) (REQ FOR ISSUE OTHER THAN DOD MUST BE SENT VIA US ARMY SEC. AFFAIRS OFC ATTN: AMSAC MP/5 5001 EHR, AVE., ALEX., VA.	C ISDA	AM	21-AUG-86	
	STANAG-4293	GUIDELINES FOR THE ACOUSTICAL ENVIRONMENT IN NATO SURFACE SHIPS (ED. 1) REQUEST OTHER THAN DOD REFER TO CNO-OP-731, WASHINGTON DC 20350-2000	D ISDM	SH	19-JUN-90	
	STANAG-4295	SIGNIFICANT DATA & TELEGRAPH SIGNALING CONDITIONS (EDITION NO. 1) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MP/5, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AM	14-JUL-86	
A	STANAG-4297 ED. 1(1)	GUIDANCE ON THE ASSESSMENT OF THE SAFETY AND SUITABILITY FOR SERVICE OF MUNITIONS FOR NATO ARMED FORCES - AOP-15	C ISDA	AI	09-JUN-92	
	STANAG-4316 ED. 1	COUNTERSURVEILLANCE REQUIREMENTS FOR FUTURE MAIN BATTLE TANKS (FMBTS) - RADAR ASPECTS	C ISDA	AI	18-NOV-91	
A	STANAG-4317 ED. 1	SPECIFICATION OF COMMON CHARACTERISTICS FOR FIRE DETECTION AND FIRE FIGHTING SYSTEMS FOR FUTURE MAIN BATTLE TANKS	C ISDA	AI	09-NOV-92	
A	STANAG-4318 ED. 1	COUNTER SURVEILLANCE REQUIREMENTS FOR MAIN BATTLE TANKS - ACOUSTIC ASPECTS	C ISDA	AI	09-NOV-92	
	STANAG-4319 ED. 1	COUNTERSURVEILLANCE REQUIREMENTS FOR FUTURE MAIN BATTLE TANKS INFRARED/THERMAL ASPECTS	C ISDA	AI	18-NOV-91	
A	STANAG-4323 ED. 1	SPECIFICATION OF CALCIUM HYPOCHLORITE USED FOR BIOLOGICAL AND CHEMICAL DECONTAMINATION	C ISDA	AI	20-NOV-92	
	STANAG-4324	ELECTROMAGNETIC RADIATION (RADIOFREQUENCY) TEST INFORMATION TO DETER- MINE THE SAFETY AND SUITABILITY FOR SERVICE OF ELECTRO-EXPLOSIVE DEVICES AND ASSOCIATED ELECTRONIC SYSTEMS IN MUNITIONS AND WEAPON SYSTEMS	C ISDA	AI	25-JUN-91	
A	STANAG-4325 ED. 1	ENVIRONMENTAL AND SAFETY TESTS FOR THE APPRAISAL OF AIR-LAUNCHED MUNITIONS	C ISDA	AI	18-MAY-92	
	STANAG-4328	GUIDELINES FOR THE ARMORED FIGHTING VEHICLES DESIGNER TO IMPROVE NUCLEAR RADIATION PROTECTION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	29-JAN-91	
A	STANAG-4329 ED. 1	NATO STANDARD BAR CODE SYMBOLOLOGY	C ISDA	AI	06-APR-92	
	STANAG-4330(2)	SPHEROID FOR USE IN MARITIME TACTICAL DATA SYSTEMS - EDITION 1 (RELEASE TO OTHER TARM DOD ACTIVITY REQUIRE PRIOR APPROVAL OF USMCEB - WASHINGTON DC 20301-5000)	D ISDM	SH	14-MAR-90	
A	STANAG-4355 ED. 1	THE MODIFIED POINT MASS TRAJECTORY MODEL	C ISDA	AI	12-FEB-92	
	STANAG-4357	ALLIED VEHICLE TESTING PUBLICATIONS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	06-AUG-91	
	STANAG-4358	MUTUAL ACCEPTANCE OF GOVERNMENT VEHICLE TEST AND EVALUATION (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	06-AUG-91	
	STANAG-4359	NATO JAMBPPK FOR SAMPLING AND IDENTIFICATION OF CHEMICAL WARFARE AGENTS (EDITION 1) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	29-JAN-91	
A	STANAG-4367 ED. 1	THERMODYNAMIC INTERIOR BALLISTIC MODEL WITH GLOBAL PARAMETERS	C ISDA	AI	12-FEB-92	
	STANAG-4389	TERMS AND DEFINITIONS COVERING SUBMARINE MAIN LEAD ACID BATTERIES (ED 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000	D ISDM	SH	26-JUL-90	
	STANAG-4390	TESTS AND REQUIREMENTS FOR SUBMARINE MAIN LEAD-ACID BATTERIES. (ED 1) REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731, WASHINGTON DC 20350-2000	D ISDM	SH	26-JUL-90	
	STANAG-4391	COOLING WATER FOR SUBMARINE MAIN LEAD ACID BATTERIES (REQUEST OTHER THAN DOD MUST SEND REQUEST VIA CNO-OP-731 WASHINGTON DC 20350-2000)	D ISDM		06-AUG-91	
N	STANAG-4435 ED. 1	ELECTROMAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, METALLIC HULL)	C ISDM	NM	02-MAR-93	
N	STANAG-4436 ED. 1	ELECTRO-MAGNETIC COMPATIBILITY TESTING PROCEDURE AND REQUIREMENTS FOR NAVAL ELECTRICAL AND ELECTRONIC EQUIPMENT (SURFACE SHIP, NON-METALLIC HULL)	C ISDM	NM	02-MAR-93	
	STANAG-5000(1)	INTEROPERABILITY OF TACTICAL DIGITAL FACSIMILE EQUIPMENT (EDITION 2) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AI	25-AUG-89	
	STANAG-5004(4)	MILITARY CHARACTER. FOR FIELD TELE. SETS (MINIMUM STD.) (ED. NO.2) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT. 09821)	C ISDA	AM	14-DEC-83	
	STANAG-5018(4)	NATO MANUAL INTERFACE BETWEEN THE MANUAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE (EDITION 1) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT. 09821)	C ISDA	AM	19-SEP-84	
	STANAG-5020(5)	INTEROPERABILITY OF AIRCRAFT UHF MULTIFREQUENCY TRANSCEIVER INSTALLATION & COMPATIBLE GROUND TRANSMITTERS & RECEIVERS (EDITION NO. 1)	C ISDF	06	25-APR-80	
	STANAG-5021	MILITARY CHARACTERISTICS FOR GROUND & SURFACE UHF DIRECTION FINDING EQUIPMENT (EDITION NO. 3) (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09821, WASH. D.C. 20360)	C ISDA	AM	18-MAR-85	
	STANAG-5034(2)	TACAN POLICY (EDITION NO. 2)	C ISDF	06	03-APR-81	
	STANAG-5036(1)	PARAMETERS & PRACTICES FOR THE USE OF THE NATO 7-BIT CODE (EDITION 3)	C ISDA	AI	19-MAR-90	
	STANAG-5037 ED. 2	FUTURE REQUIREMENTS FOR NUMBER OF MORSE OPERATORS IN NATO NAVAL SHIPS	C ISDM	NI	23-SEP-91	
	STANAG-5040	NATO AUTOMATIC AND SEMI-AUTOMATIC INTERFACES BETWEEN THE NATIONAL SWITCHED TELECOMMUNICATIONS SYSTEMS OF THE COMBAT ZONE AND BETWEEN THESE SYSTEMS AND THE NATO INTEGRATED COMMUNICATIONS SYSTEM (NIC) - PERIOD FROM 1979 TO THE 1990S (ED. 3)	C ISDA	AM	23-OCT-85	
	STANAG-5042(5)	MILITARY TELECOMMUNICATIONS - DIAGRAM SYMBOLS (REL TO OTHER THAN DOD ACT REQ PR APPR OF CHM, MAT 09821)	C ISDA	AM	08-OCT-85	
	STANAG-5045	INTEROPERABILITY CHARACTERISTICS FOR TELEPRINTERS USING THE NATO 7-BIT CODE	C ISDA	AM	23-JAN-78	
	STANAG-5046	THE NATO MILITARY COMMUNICATIONS DIRECTORY SYSTEM (EDITION 2)	C ISDA	AM	22-OCT-85	
	STANAG-5048	MINIMUM SCALE OF COMMUNICATIONS FOR THE NATO LAND FORCES-REQUIREMENTS, PRINCIPLES AND PROCEDURES (ED. 3) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	28-FEB-91	
	STANAG-5500(1)	NATO MESSAGE TEXT FORMATTING SYSTEM (FORNETS) ADATP-3 (ED. 3)	C ISDA	AM	29-JUL-86	
	STANAG-5550(2)	NATO STANDARD DATA ELEMENTS, DATA ITEMS AND CODES (EDITION NO. 1)	C ISDF	06	17-JAN-83	
	STANAG-5621(1)	STANDARDS FOR THE INTEROPERABILITY OF NATO LAND COMBAT & COMBINED OPERATIONS SYSTEMS (EDITION NO. 1) (REQUEST FOR ISSUE OTHER THAN DOD MUST BE SENT VIA U.S. ARMY SECURITY AFFAIRS OFFICE, ATTN: AMSAC-MC/5, 5001 EISENHOWER AVE., ALEXANDRIA, VA 22333-0001)	C ISDA	AM	05-JAN-87	
	STANAG-6001	LANGUAGE PROFICIENCY LEVELS	C ISDA	AM	21-OCT-76	
	STANAG-6002(3)	PRINCIPLES AND PROCEDURES FOR THE CONDUCT AND FINANCING OF TRAINING ASSISTANCE (ED 2) REQ OTHER THAN DOD ACT REF TO CNO-OP-731, WASH. DC 20530-2000	C ISDM	SH	22-FEB-89	
A	STANAG-6004 ED. 3	WEACONING, INTRUSION JAMMING AND INTERFERENCE REPORT	C ISDA	AI	13-MAR-92	
	STANAG-6005	MANPOWER POLICIES AND PROCEDURES (EDITION 5) (REQ OTHER THAN DOD REFER TO US AMC, ATTN: AMICIP-AA-N, 5001 EISENHOWER AVE., ALEXANDRIA, VA. 22333-0001)	C ISDA	AI	29-JAN-90	
A	STANAG-7005 ED. 2	EXCHANGE OF FLIGHT INFORMATION PUBLICATION (FLIP) DATA	C ISDF	06	29-JUL-92	
	STANAG-7007	SEARCH & RESCUE AVIONIC SYSTEM (SARAS) (EDITION 1) (REL TO OTHER THAN DOD REFER TO HQ USAF/XOXX-ISO WASH. DC 20330-5058)	C ISDF	06	25-MAR-88	



## ACTIVE SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action OPL / OML Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
STANAG-7008	MILITARY AVIATION RADIO TELEPHONY (R/T) CALLSIGNS (EDITION 1) (REQ FROM OTHER THAN DOD AND THEIR CONTRACTORS REQ APPR FROM HQ USAF/XOXX(ISO), WASH D.C. 20330-5058)	C ISDF 06 25-SEP-90				
STANAG-7010(1)	POSITION FOR INS SETTINGS ON AIR FIELDS (ED 1) (REL TO OTHER THAN DOD ACT REQ PRI APPR OF HQ USAF/XOXX-ISO, WASH DC 20330-5058)	C ISDF 06 22-MAY-90				
M STANAG-7012 ED. 2	MINIMUM RADIOTELEPHONY (R/T) AERODROME DEPARTURE PROCEDURES	C ISDF 06 04-OCT-91				
M STANAG-7013 ED. 1(3)	AIRCRAFT FUELLING HAZARD ZONES	C ISDF 06 29-MAR-93				
M STANAG-7016 ED. 2	GEOGRAPHIC MATERIALS, MAINTENANCE OF	C ISDF 06 30-APR-93				
M STANAG-7021 ED. 1(1)	POSITION INFORMATION GRAPHIC (PIG)	C ISDF 06 26-APR-93				
M STANAG-7023 ED. 1	AIR RECONNAISSANCE IMAGERY DATA ARCHITECTURE	C ISDF 06 30-APR-93				
M STANAG-7024 ED. 1	IMAGERY AIR RECONNAISSANCE TAPE RECORDER STANDARD	C ISDF 06 10-MAY-93				
A STANAG-7025 ED. 1(1)	AIR TRAFFIC MANAGEMENT AND CONTROL OF MINIMUM OPERATING STRIPS (MOS) OPERATIONS	C ISDF 06 17-NOV-92				
STANAG-7028 ED. 1(2)	IDENTICAL AIRCRAFT FOR CROSS-SERVICING	C ISDF 06 26-FEB-92				
STANAG-7033 ED. 1	ALLIED TACTICAL AIR MESSAGES (FORMATTED AND STRUCTURED) - APP-B	C ISDF 06 03-APR-92				
A STANAG-7049 ED. 1	PERSONAL PROTECTIVE EQUIPMENT REQUIREMENT TOGETHER WITH STANDARD OPERATING PROCEDURES FOR CFR OPERATIONS IN AN NBC ENVIRONMENT	C ISDF 06 10-FEB-93				



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt Cn / CnL Contribution Innovation	Document Number	Document Title	Doc. Syst. FSC / AIA	Doc. Symbol MCA Symbol	Preparing Act. Date	Custodian Army Navy Air Force DIA
D	AAMA101-88	ALUMINUM PRIME WINDOWS AND SLIDING GLASS DOORS, VOLUNTARY SPECIFICATIONS FOR - 27 JAN 88 USER: ER REVIEWER: 11 84 CS MI	A 5670	YD1	08-MAR-89	AR YD1 99
D	AAMA101V-86	DOORS, GLASS SLIDING, PRIME WINDOWS, POLY (VINYL CHLORIDE) (PVC) VOLUNTARY SPECIFICATIONS FOR - 1986 WITH ADDENDUM DATED 2 NOV 87 REVIEWER: 84	A 5670	YD1	21-MAR-90	ME YD1 99
D	AAMAB00-86 NOTICE 1	SEALANTS, VOLUNTARY SPECIFICATIONS AND TEST METHODS FOR REVIEWER: 84	A 5680	* YD1	02-JAN-92	ME YD1 99
D	AAMA1002.10-83 NOTICE 1	VOLUNTARY SPECIFICATION FOR ALUMINUM INSULATING STORM PRODUCTS FOR WINDOW & SLIDING GLASS DOORS - 3 JAN 83 (VALIDATION DATE: 8803) REVIEWER: 84 MC	A 5670	YD1	25-MAR-88	YD1 99
D	AAMA1102.7-77	ORDER ANSI/AAMA 1102.7-77	A 5670	YD1	08-FEB-79	ME YD1 99
D	AAMA1503.1-88	DOORS, WINDOWS, THERMAL, TRANSMITTANCE AND CONDENSATION RESISTANCE, OF GLAZED WALLED SECTIONS VOLUNTARY TEST METHOD FOR 1988 REVIEWER: 84	A 5670	YD1	21-MAR-90	ME YD1 99
	AAMI-BP22-86	BLOOD PRESSURE TRANSDUCERS, GENERAL - 1986	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-BP23-86	BLOOD PRESSURE TRANSDUCERS, INTERCHANGEABILITY AND PERFORMANCE OF RESISTIVE BRIDGE TYPE - 1986	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-RSV-81	BIER/STEAM VESSELS	A 6530	MB	20-JUN-91	MD MS 03
	AAMI-DF2-81	ORDER ANSI/AAMI DF 2	A 6530	* MB	16-DEC-82	MD MS 03
	AAMI-EC11A-84	ELECTROCARDIOGRAPHIC DEVICES, DIAGNOSTIC - 1984 (W/ANSI/AAMI-EC11 - 1982)	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-EC12-83	ELECTRODES, PREGELLED ECC DISPOSABLE - 1983	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-EC13-83	CARDIAC MONITORS, HEART RATE METERS AND ALARMS - 1983	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-ECAR-87	VENTRICULAR ARRHYTHMIA DETECTION ALGORITHMS, TESTING AND REPORTING PERFORMANCE RESULTS OF - 1987	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-ECGC-83	CONNECTORS, ECC - 1983	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-ESI-85	ELECTROMEDICAL APPARATUS, SAFE CURRENT LIMITS FOR - 1985	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-HE-88	MEDICAL DEVICES, HUMAN FACTORS ENGINEERING GUIDELINES AND PREFERRED PRACTICES FOR THE DESIGN OF - 1988	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-HF18-86	ELECTROSURGICAL DEVICES - 1986 (W/ERRATUM DTD 10/87)	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-MS4-85	STIMULATORS, NERVE, TRANSCUTANEOUS ELECTRICAL - 20 MAY 1986	A 6515	MB	28-FEB-91	MD MS 03
	AAMI-R05-81	HEMODIALYSIS SYSTEMS - 1981	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-R016-84	HEMODIALYZERS, FIRST USE - 1984 (W/ERRATA)	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-R017-84	HEMODIALYZER BLOOD TUBING - 1984	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-R0H-86	HEMODIALYZERS, REUSE OF - 1986	A 6515	MB	31-AUG-89	EA MS 99 MB
	AAMI-SCL-78	SAFE CURRENT LIMITS FOR ELECTROMEDICAL APPARATUS - 19 JAN 78	A 6530	MB	16-DIC-82	MD MS 03
	AAMI-SP10-87	SPHYGMOMANOMETERS, ELECTRONIC OR AUTOMATED, AMERICAN NATIONAL STANDARD FOR - 27 FEB. 1987	A 6515	MB	28-FEB-91	MD MS 03
	AAMI-STB-88	STERILIZERS, STEAM, HOSPITAL, AMERICAN NATIONAL STANDARD FOR - 26 SEPT. 1988	A 6530	MB	28-FEB-91	MD MS 03
	AAMI-ST19-85	INDICATORS, BIOLOGICAL, FOR SATURATED STEAM STERILIZATION PROCESSES IN HEALTH CARE FACILITIES, AMERICAN NATIONAL STANDARD FOR - 17 MAR 1986	A 6530	MB	28-FEB-91	MD MS 03
	AAMI-ST21-86	INDICATORS, BIOLOGICAL, FOR ETHYLENE OXIDE STERILIZATION PROCESSES IN HEALTH CARE FACILITIES - AMERICAN NATIONAL STANDARD FOR - 4 SEPT 1986	A 6530	MB	28-FEB-91	MD MS 03
	AAMI-ST24-87	STERILIZERS AND ETHYLENE OXIDE STERILANT SOURCES INTENDED FOR USE IN HEALTH CARE FACILITIES, AUTOMATIC, GENERAL - PURPOSE ETHYLENE OXIDE - 13 JAN 1987	A 6530	MB	20-JUN-91	MD MS 03
	AAMI-ST31-90	ELECTRON BEAM RADIATION STERILIZATION OF MEDICAL DEVICES, GUIDELINE FOR - 15 OCT 1990	A 6515	MB	30-SEP-91	MD MS 03
	AAMI-VP20-88	VASCULAR GRAFT, PROSTHESES, STANDARD FOR - 7 JUL 86	A 6515	MB	07-JUL-86	MD MS 03
	ABS-LAS3-66	BIODEGRADABILITY ABS & LAS - TEST PROCEDURE & STANDARDS - JAN 66 (VALIDATION DATE: 8402) REVIEWER: AR MD	A 7930	GL	20-FEB-67	GL SH 99
D	ACI116-90	CEMENT & CONCRETE TERMINOLOGY - 1990	A 5610	YD1	01-FEB-91	YD1
D	ACI201.1R-68R84	CONCRETE IN SERVICE, GUIDE FOR MAKING A CONDITION SURVEY OF - 1968	A 5610	YD1	11-OCT-88	YD1
D	ACI201.2R-77R82	CONCRETE, DURABLE, GUIDE TO - NOV 1986	A 5610	YD1	14-OCT-87	YD1
D L	ACI201.2-77R82 NOTICE 2	CONCRETE, DURABLE, GUIDE TO (VALIDATION DATE: 9211)	A 5610	* YD1	04-NOV-92	YD1
D	ACI207.1R-87	CONCRETE, MASS - SEPT 1987	A 5610	YD1	22-SEP-88	YD1
D	ACI207.2R-73R86	CONCRETE, MASSIVE, EFFECT OF RESTRAINT, VOLUME CHANGE, & REINFORCEMENT ON CRACKING OF - 1973 (REAPPROVED 1986)	A 5610	YD1	11-OCT-88	YD1
D	ACI207.4R-80R86	CONCRETE, MASS, COOLING & INSULATING SYSTEMS FOR	A 5610	YD1	11-OCT-88	YD1
D	ACI210R-87	CONCRETE IN HYDRAULIC STRUCTURES, EROSION OF - 1987	A 5610	YD1	11-OCT-88	YD1
D	ACI211.1-89	CONCRETE, SELECTING PROPORTIONS FOR NORMAL, HEAVYWEIGHT, AND MASS - 1989	A 5610	YD1	20-JUL-90	YD1
D L	ACI211.2-91 NOTICE 1	SELECTING PROPORTIONS FOR STRUCTURAL LIGHTWEIGHT CONCRETE, STANDARD PRACTICE FOR	A 5610	* YD1	24-APR-92	YD1
D	ACI211.3-75R87	CONCRETE, NO SLUMP, SELECTING PROPORTIONS FOR - 75 (REAPPROVED 87)	A 5610	YD1	26-APR-88	YD1
D	ACI213R-87	CONCRETE, STRUCTURAL LIGHTWEIGHT AGGREGATE, GUIDE FOR - MAY 1988	A 5610	YD1	28-JAN-91	YD1
D	ACI214-77R89	CONCRETE, EVALUATION OF STRENGTH TEST RESULTS OF - MAY 1989	A 5610	YD1	22-NOV-89	YD1
D	ACI221R-89	AGGREGATES, NORMAL WEIGHT IN CONCRETE, GUIDE FOR USE OF - 1989	A 5610	YD1	05-FEB-91	YD1
D	ACI223-90	CONCRETE, SHRINKING-COMPENSATING, USE OF - JUL 1990	A 5610	YD1	28-JAN-91	YD1
D	ACI224R-89	CONCRETE STRUCTURES, CRACKING IN, CONTROL OF - MAY 1990	A 5610	YD1	28-JAN-91	YD1
D	ACI244-88	CONCRETE STRUCTURES, CRACKING IN, CONTROL OF - MAY 1990	A 5610	YD1	28-JAN-91	YD1
D	ACI301-89	STRUCTURAL CONCRETE FOR BUILDINGS - OCT 1989	A 5610	YD1	22-NOV-89	YD1
D	ACI302.1R-89	CONCRETE FLOOR AND SLAB CONSTRUCTION - MAR 1990	A 5610	YD1	14-AUG-90	YD1
D	ACI303R-74R82	ARCHITECTURAL CONCRETE PRACTICE, GUIDE TO CAST-IN-PLACE - 1974	A 5610	YD1	05-FEB-91	YD1
D	ACI304H-89	CONCRETE, MEASURING, MIXING, TRANSPORTING AND PLACING - APR 1990	A 5610	YD1	14-AUG-90	YD1
D	ACI304.2R-71	CONCRETE, PLACING BY PUMPING METHODS - 1971	A 5610	YD1	01-FEB-91	YD1
D	ACI304.3R-89	CONCRETE, HEAVYWEIGHT: MEASURING, MIXING, TRANSPORTING, AND PLACING - 1989	A 5610	YD1	18-JUL-90	YD1
D	ACI304.4R-89	CONVEYOR, BELT, PLACING CONCRETE WITH - 89	A 5610	YD1	26-OCT-90	YD1
D	ACI304.5R-82 NOTICE 1	CONCRETE, LIGHTWEIGHT BATCHING, MIXING & JOB CONTROL OF - 1982 (VALIDATION DATE: 8903)	A 5610	YD1	30-MAR-89	YD1
D	ACI305R-89	CONCRETING HOT WEATHER - 5TH PRINTING APR 1989	A 5610	YD1	02-OCT-89	YD1
D	ACI306R-88	CONCRETING, RECOMMENDED PRACTICE FOR COLD WEATHER	A 5610	YD1	08-JUN-89	YD1
D	ACI306.1-90	CONCRETING, COLD WEATHER - JUL 1990	A 5610	YD1	01-FEB-91	YD1
D	ACI306-81R86	CONCRETE, STANDARD PRACTICE FOR CURING	A 5610	YD1	16-OCT-87	YD1
D	ACI309R-87	CONCRETE, STANDARD PRACTICE FOR CONSOLIDATION	A 5610	YD1	26-APR-89	YD1
D	ACI311.4R-89	CONCRETE INSPECTION, GUIDE FOR - 1988	A 5610	YD1	06-FEB-91	YD1
D	ACI316/318R-89	CONCRETE REINFORCED, BUILDING CODE REQUIREMENTS FOR - AUG 1989	A 5610	YD1	28-FEB-90	YD1
D	ACI336.2R-89	FOOTINGS AND MATS, COMBINED, SUGGESTED ANALYSIS AND DESIGN PROCEDURES FOR - 1988	A 5610	YD1	22-NOV-89	YD1
D	ACI346/348R-90	PIPE, CONCRETE, CAST-IN-PLACE NONREINFORCED, SPECIFICATION FOR, AND RECOMMENDATIONS FOR CAST-IN-PLACE NONREINFORCED CONCRETE PIPE - 1990	A 5610	YD1	06-FEB-91	YD1
D	ACI347R-88	CONCRETE, GUIDE TO FORMWORK FOR - APR 1989	A 5610	YD1	01-NOV-89	YD1
D	ACI503R-89	EPOXY COMPOUND WITH CONCRETE, USE OF - MAY 1990	A 5610	YD1	14-AUG-90	YD1
D L	ACI503.1-79R86	EPOXY RESIN STANDARDS	A 5640	YD1	26-MAY-89	YD1
D	ACI506R-90	SHOTCRETE, GUIDE TO - JUN 1990	A 5610	YD1	31-JAN-91	YD1
D L	ACI506.1R-84R89 NOTICE 1	SHOTCRETE, FIBER REINFORCED, STATE-OF-THE-ART REPORT ON	A 5610	* YD1	24-AUG-92	YD1
D L	ACI506.2-90	SHOTCRETE, MATERIALS, PROPORTIONING, AND APPLICATION OF - JUL 1990	A 5610	YD1	01-FEB-91	YD1
D L	ACI506.3R-82 NOTICE 2	GUIDE TO CERTIFICATION OF SHOTCRETE NOZZLEMAN (VALIDATION DATE: 9204)	A 5610	* YD1	09-APR-92	YD1
D	ACI515.1R-79R85	CONCRETE, A GUIDE TO THE USE OF WATERPROOFING, DAMPPROOFING, PROTECTIVE & DECORATIVE BARRIER SYSTEMS FOR CONCRETE - JUNE 1987	A 5610	YD1	21-SEP-88	YD1
D	ACI517.2R-87	CONCRETE, ACCELERATED CURING OF AT ATMOSPHERIC PRESSURE - STATE OF THE ART - 1987	A 5610	YD1	11-NOV-88	YD1
D	ACI544.1R-82R86	CONCRETE FIBER REINFORCED, STATE OF THE ART REPORT	A 5610	YD1	11-NOV-88	YD1



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Op. / Com. Coordination Inclusive	Document Number	Document Title	Dist. Sym. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
D	ACIS44.2R-78R83	CONCRETE, FIBER REINFORCED, PROPERTIES OF, MEASUREMENT OF - 1978 (VALIDATION DATE: 8903)	A 5610	YD1	30-MAR-89	YD1			
D	ACI-SP15-89	STRUCTURAL CONCRETE FOR BUILDINGS - 1990	A 5610	YD1	31-JAN-91	YD1			
D	ACI-SP66-88	ACI DETAILING MANUAL - 1988	A 5610	YD1	03-MAR-89	YD1			
	ADA1-80	ALLOY FOR DENTAL AMALGAM - FEB 80	A 6520	DM	10-JUL-81	MD	MS	03	
	ADA4	WAX, DENTAL INLAY CASTING - 23 SEP 83	A 6520	MB	23-SEP-83	MD	MS	03	
	ADA8-77	CEMENT, DENTAL ZINC - PHOSPHATE - 15 SEP 77	A 6520	MB	24-JAN-83	MD	MS	03	
	ADA29-75	INSTRUMENTS, HAND - NOV 75	A 6520	DM	10-JUL-81	MD	MS	03	
	ADA30-90	DENTAL ZINC OXIDE - EUGENOL CEMENTS AND ZINC OXIDE NON-EUGENOL CEMENTS, AMERICAN NATIONAL STANDARD FOR	A 6520	MB	29-MAY-92	MD	MS	03	
	AGMA218.01-82	GEAR TEETH, SPUR AND HELICAL INVOLUTE, AGMA STANDARD FOR RATING THE PITTING RESISTANCE AND BENDING STRENGTH OF - DEC 82 REVIEWER: 84 GS	A 34GP	IP	01-MAR-89	AL	SH	99	
	AGMA390.03A-80	GEAR HANDBOOK - GEAR CLASSIFICATION, MATERIALS AND MEASURING METHODS FOR BEVEL, HYPOID, FINE PITCH WORKGEARING AND RACKS ONLY AS UNASSEMBLED GEARS - MAR 80 REVIEWER: 84 GS	A 34GP	IP	01-MAR-89	AL	SH	99	
	AGMA2000A-88	GEAR CLASSIFICATION AND INSPECTION HANDBOOK-TOLERANCE AND MEASURING METHODS FOR UNASSEMBLED AND HELICAL GEARS (INCLUDING METRIC EQUIVALENTS) MARCH 1988 REVIEWER: 84 GS	A 34GP	IP	01-MAR-89	AL	SH	99	
	AGMA2001B-88	GEAR TEETH, INVOLUTE SPUR AND HELICAL, FUNDAMENTAL RATING FACTORS AND CALCULATION METHODS FOR - SEP 88 REVIEWER: 84 GS	A 34GP	IP	21-NOV-89	AL	SH	99	
D L	AGMA6019L-89	GEAR MOTORS USING SPUR, HELICAL, HERRINGBONE, STRAIGHT BEVEL, OR SPIRAL BEVEL GEARS, STANDARD FOR	A 34GP *	YD1	23-DEC-91				YD1
D	AGMA9000C-90	FLEXIBLE COUPLINGS - POTENTIAL UNBALANCE CLASSIFICATION REVIEWER: CS SH ...	A 3040 *	YD1	07-APR-92	ME			YD1 99
D	AHA-A135.4-82R88	STANDARD FOR BASIC HARDBOARD - 10 SEP 82 REAFFIRMED 11 JAN 88 REVIEWER: 84	A 5640	YD1	02-OCT-89	YD1			
	AIAA-S017-91	AERODYNAMIC DECLARATOR AND PARACHUTE DRAWINGS, STANDARD FOR REVIEWER: 11	DRPR *	GL	03-JAN-92	GL	OS	16	
	NOTICE 1	82 AR AS GS							
	A11M-MS1-88	COMPUTER-OUTPUT MICROFORMS, ALPHANUMERIC, OPERATIONAL PRACTICES FOR INSPECTION AND QUALITY CONTROL, RECOMMENDED PRACTICE FOR - 10 MAY 88 - USER: 24 CS REVIEWER: 11 13 18 19	A EDRS	16	07-AUG-89	CR	AS	16	DM
	A11M-MS23-83	SILVER-GELATIN, MICROFILM OF DOCUMENTS, FIRST GENERATION, PRACTICE FOR OPERATIONAL PROCEDURES/ INSPECTION & QUALITY CONTROL OF - 24 JAN 1983 USER: 11 70 71 79 80 DM ES GS IS MC OS SA SH	A EDRS	16	02-JUN-86	ER	AS	16	
	A11M-MS24-80R87	TEST TARGET FOR USE IN MICRORECORDING ENGINEERING GRAPHICS ON 35MM MICR OFILM - 31 MARCH 1987 USER: 24 REVIEWER: 11 13 18 19	A EDRS	16	21-AUG-89	CR	AS	16	DM
	A11M-MS26-90	CAMERAS, 35MM PLANETARY (TOP LIGHT) - PROCEDURES FOR DETERMINING ILLUMINATION UNIFORMITY OF MICROFILMING ENGINEERING DRAWINGS - 13 APR 90 REVIEWER: 11 14 18 19 AR AT CS ES GS IS MI SA SC SH TD	A EDRS	16	02-OCT-90	CR	AS	16	DM
	A11M-MS32-87	MICROGRAPHICS-MICRORECORDING OF ENGINEERING SOURCE DOCUMENTS ON 35-MM MICROFILM STANDARD FOR - 16 NOV 87 USER: 82 84 AT REVIEWER: 11 20 24 AR CR OS SH	A EDRS	16	11-MAY-88	ER	AS	16	
	A11M-MS34-90	MICROFILM, 16 MM AND 35 MM, DIMENSIONS FOR REELS USED FOR - 16 NOV 1990 REVIEWER: 19 AR AT CS ES GS IS MI SA SC SH TD	A EDRS	16	12-AUG-91	CR	AS	16	DM
	A11M-MS43-88	OPERATIONAL PROCEDURES/INSPECTION AND QUALITY CONTROL OF DUPLICATE MICROFORMS OF DOCUMENTS AND FORM COM - 11 AUG 88 USER: 24 80 CS ES GS IS REVIEWER: 11 13 18	A EDRS	16	01-AUG-89	CR	AS	16	DM
	A11M-MS46-90	MICROFILM APERTURE CARDS, 35MM DIAZO, TEST PROCEDURE FOR DUPLICATING - 13 APR 90 REVIEWER: 11 14 18 19 AR AT CS ES GS IS MI SA SC SH TD	A EDRS	16	02-OCT-90	CR	AS	16	DM
	A11M-TR2-80	MICROGRAPHICS, GLOSSARY OF - 1980 USER: 07 11 26 70 71 ES GS IS MC SA REVIEWER: DM SH	A EDRS	16	09-MAY-85	ER	AS	16	
D	AITC200-83	INSPECTION MANUAL USER: ME OS SH REVIEWER: CS	A 55GP	YD1	26-JUN-89	YD1			
D	AITC-A190.1-83	TIMBER, STRUCTURAL GLUED LAMINATED - 3 JUN 83 (VALIDATION DATE: 8903)	A 5510	YD1	30-MAR-89	YD1			
	NOTICE 1	USER: ME REVIEWER: CS OS SH							
D	AMCA99-86	STANDARDS HANDBOOK - 1986	A 4140	YD1	06-SEP-91	YD1			
D	AMCA210-85	LABORATORY METHODS OF TESTING FANS FOR RATING - 23 JUL 1985	A 4140	YD1	20-SEP-91	YD1			
D L	AMCA300-85	FANS, REVERBERANT ROOM METHOD FOR SOUND TESTING OF	A 4140	YD1	27-NOV-91	YD1			
D	AMCA500-89	LOUVERS, DAMPERS AND SHUTTERS, TEST METHOD FOR - 22 FEB 1989	A 4140	YD1	20-SEP-91	YD1			
D L	AMCA511-91	CERTIFIED RATINGS PROGRAM FOR AIR CONTROL DEVICES	A 4140 *	YD1	01-JUN-92	YD1			
	NOTICE 1								
D	AMCA801-77	FAN, POWER PLANT, SPECIFICATION GUIDELINES - 1977	A 4140	YD1	20-SEP-91	YD1			
	AMNC-78	EDITORIAL GUIDE, METRIC - JAN 78	A MISC	SH	16-JAN-78	MR	SH	11	
	ANSI-A5.50-85	TOOL, V FLANGE SHANKS FOR MACHINING CENTERS WITH AUTOMATIC TOOL CHANGERS - 1985 REVIEWER: 99 AR IS MI	A 34GP	IP	11-AUG-89	MR	AL	11	
D	ANSI-A10.6-90	DEMOLITION, OPERATIONS, SAFETY REQUIREMENTS FOR	A FACR *	YD1	11-SEP-92	CE			YD1 04
	NOTICE 1								
D	ANSI-A14.3-84	LADDERS - FIXED-SAFETY REQUIREMENTS AMS FOR 13 JAN 84	A 5440	YD1	26-JUL-89	ME			YD1 99
D	ANSI-A21.14-89	"AS, DUCTILE-IRON FITTINGS 3-INCH THROUGH 24-INCH, STANDARD FOR - 28 SEPT 89 USER: CE REVIEWER: CS SH	A 4730	YD1	09-JUL-90	ME			YD1 99
D	ANSI-A92.5-80	PLATFORMS, ELEVATING WORK, BOOM-SUPPORTED, AMERICAN NATIONAL STANDARD FOR REVIEWER: GS	A 3990 *	YD1	11-SEP-92	ME			YD1 99
D	ANSI-A112.6.1M-79	SUPPORTS FOR OFF THE FLOOR PLUMBING FIXTURES FOR PUBLIC USE - 15 NOV 79 (VALIDATION DATE: 8906) REVIEWER: CS	A 4510	YD1	05-JUN-87	ME			YD1 99
	NOTICE 1								
D	ANSI-A112.19.2M-90	PLUMBING FIXTURES, VITREOUS CHINA - 6 DEC. 1990 USER: CE REVIEWER: 84 CS ..	A 4510	YD1	01-MAR-91	YD1			99
D	ANSI-A112.19.4M-84	PORCELAIN ENAMELED FORMED STEEL PLUMBING FIXTURES - 16 AUG 84 REVIEWER: 85 CS GS ME	A 4510	YD1	29-MAY-87	ER			YD1 99
D	ANSI-A112.19.5-79	TRIM FOR WATER CLOSET BOWLS, TANKS, AND URINALS - 30 JUN 79 (VALIDATION DATE: 9102) USER: CE MC REVIEWER: CS	A 4510	YD1	15-FEB-91	ME			YD1 99
D	ANSI-A112.21.1M-80	DRAIN, FLOOR - 1 DEC 80 (VALIDATION DATE: 8711) USER: CE MC REVIEWER: CS ..	A 4510	YD1	06-NOV-87	ME			YD1 99
	NOTICE 1								
D	ANSI-A112.21.2M-83	DRAIN, ROOF, AMERICAN NATIONAL STANDARD - 31 JUL 83 (VALIDATION DATE: 8711) USER: CE MC REVIEWER: CS	A 4510	YD1	06-NOV-87	ME			YD1 99
	NOTICE 1								
D	ANSI-A112.26.2-82	PERFORMANCE REQUIREMENTS FOR WATER PRESSURE REDUCING VALVES FOR DOMESTIC WATER SUPPLY SYSTEMS - 21 DEC 82 (VALIDATION DATE: 8811) REVIEWER: CS	A 4820	YD1	25-NOV-88	ME			YD1 99
	NOTICE 1								
D	ANSI-A112.36.2M-83	CLEANOUTS - 5 MAY 83 (VALIDATION DATE: 8905) USER: CE MC REVIEWER: CS .....	A 4510	YD1	05-MAY-89	ME			YD1 99
	NOTICE 1								
D	ANSI-A115.1-82	STEEL DOOR AND STEEL FRAME PREPARATION FOR MORTISE LOCKS FOR 1-3/8" AND 1-3/4" DOORS STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 85 GS ME	A 5670	YD1	17-NOV-88	ER			YD1 99
D	ANSI-A115.2-80	STEEL DOOR AND STEEL FRAME PREPARATION FOR BORED OR CYLINDRICAL LOCKS FOR 1-3/8" AND 1-3/4" DOORS STANDARD SPECIFICATION FOR - 6 FEB 80 REVIEWER: 84 85 GS ME	A 5670	YD1	17-NOV-88	ER			YD1 99
D	ANSI-A115.4-82	STEEL DOOR AND FRAME PREPARATION FOR LEVER EXTENSION FLUSH BOLTS STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 85 GS ME	A 5670	YD1	17-NOV-88	ER			YD1 99
D	ANSI-A115.5-82	STEEL FRAME PREPARATION FOR 181 SERIES & 190 SERIES DEAD LOCK STRIKES, AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 1982 REVIEWER: 84	A 5670	YD1	17-NOV-88	ME			YD1 99
D	ANSI-A115.6-82	STEEL DOOR AND FRAME PREPARATION FOR PREASSEMBLED DOOR LOCKS STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84 85 GS ME	A 5670	YD1	17-NOV-88	ER			YD1 99
D	ANSI-A115.7-82	STEEL FRAME & STEEL DOOR PREPARATION FOR FLOOR CLOSERS, LIGHT DUTY, CENTER HUNG, SINGLE OR DOUBLE ACTING CENTER HUNG, SINGLE OR DOUBLE ACTING, OFFSET HUNG, SINGLE ACTING AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 1982 REVIEWER: 82	A 5670	YD1	17-NOV-88	ME			YD1 99
D	ANSI-A115.12-82	STEEL FRAME & STEEL DOOR PREPARATION FOR OFFSET INTERMEDIATE PIVOT AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84	A 5670	YD1	17-NOV-88	ME			YD1 99
D	ANSI-A115.13-82	STEEL FRAME & STEEL DOOR PREPARATION FOR TUBULAR DEADLOCKS AMERICAN NATIONAL STANDARD SPECIFICATION FOR - AUG 82 REVIEWER: 84	A 5670	YD1	17-NOV-88	ME			YD1 99



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / Chg Combination Machine Document Number	Document Title	Doc. Ident Fnc / Area MCA Symbol Preparing Act Date	Army Navy Air Force DLA	Custodian
D	ANSI-A115.14-82	STEEL DOORS FOR OPEN BACK STRIKES PREPARATION AMERICAN NATIONAL STANDARD SPECIFICATION - AUG 82 REVIEWER: 84	A 5670	YD1 17-NOV-88 ME YD1 99
D	ANSI-A115.15-85	STEEL FRAME & STEEL DOOR PREPARATION FOR BORED OR CYLINDRICAL LOCKS INSTALLED IN PREHUNG INSULATED AMERICAN NATIONAL STANDARD SPECIFICATIONS FOR - OCT 85 REVIEWER: 84	A 5670	YD1 17-NOV-88 ME YD1 99
D	ANSI-A115.16-80	DOUBLE TYPE LOCKS IN PREHUNG INSULATED STEEL DOORS AND STEEL FRAMES. PREPARATION FOR, STANDARD SPECIFICATION FOR - 6 FEB 80 REVIEWER: 84 85 GS ME	A 5670	YD1 17-NOV-88 ER YD1 99
D	ANSI-A115.17-80	DOUBLE TYPE LOCKS IN STANDARD 1-3/8" AND 1-3/4" STEEL DOORS AND STEEL FRAMES. PREPARATION FOR, STANDARD SPECIFICATION FOR - 9 APR 80 REVIEWER: 84 85 GS ME	A 5670	YD1 17-NOV-88 ER YD1 99
D	ANSI-A118.3-85	CHEMICAL RESISTANT, WATER CLEAMABLE TIEL SETTING AND GROUTING EPOXY AND WATER CLEAMABLE TIEL SETTING EPOXY ADHESIVE - 1985 REVIEWER: 84	A 5610	YD1 26-JUL-90 ME YD1 99
D	ANSI-A118.4-85	CEMENT MORTAR, LATEX-PORTLAND - 1985 REVIEWER: 84	A 5610	YD1 23-AUG-90 EA YD1 99
D	ANSI-A151.1-87	PHYSICAL ENDURANCE FOR STEEL DOORS AND HARDWARE ENFORCINGS, PROCEDURE AND ACCEPTANCE CRITERIA FOR - 13 NOV 87 REVIEWER: 84 85 GS ME	A 5670	YD1 26-JUL-89 ER YD1 99
D	ANSI-A161.1-90	CABINETS, KITCHEN AND VANITY, RECOMMENDED PERFORMANCE & CONSTRUCTION STANDARDS FOR USER: CE	A 7125 *	YD1 18-DEC-91 ME YD1
D	ANSI-A161.2-79R87	COUNTERTOPS, FABRICATED HIGH PRESSURE DECORATIVE LAMINATE, PERFORMANCE STANDARDS FOR USER: CE	A 7125 *	YD1 18-DEC-91 ME YD1
D	ANSI-A208.1-87	MAT-FORMED WOOD PARTICLE BOARD, STANDARD FOR - 04 NOV 87 USER: MC	A 5510	YD1 08-MAR-89 ER YD1 99
	ANSI-B4.1-67	CYLINDRICAL PARTS, PREFERRED LIMITS AND FITS FOR - 18 SEP 67 [VALIDATION DATE: 8306]	A MISC	70 04-JAN-72 AR SH 99
	ANSI-B5.1-75	BOLTS, NUTS & TONGUES, T-SLOT, THEIR - 75 [VALIDATION DATE: 8601] USER: GL	A 34GP	1P 12-DEC-78 AL SH 99
	ANSI-B5.8-72	CHUCKS & CHUCK JAWS - 1972 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR	A 34GP	1P 12-DEC-78 AL SH 99
	ANSI-B5.9-67R72	SPINDLE NOSES FOR TOOL ROOM LATHES, ENGINE LATHES, TURRET LATHES, & AUTOMATIC LATHES - 1967 [VALIDATION DATE: 8601]	A 34GP	1P 12-DEC-78 AL SH 99
	USAS-B5.9-67R72	SPINDLE NOSES FOR TOOL ROOM LATHES, ENGINE LATHES, TURRET LATHES, AND AUTOMATIC LATHES - 1967 REVIEWER: AR ME	A 34GP	1P 12-DEC-78 AL SH 99
	ANSI-B5.10-81R87	TAPERS, MACHINE, SELF HOLDING AND STEEP TAPER SERIES - 22 AMY 81 REVIEWER: 84 AR GS ME	A 34GP	1P 07-SEP-90 AL SH 99
	ANSI-B5.16-52R72	LATHES, ENGINE & TOOL ROOM, ACCURACY OF - 1952 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME	A 34GP	1P 12-DEC-78 AL SH 99
	ANSI-B5.18-72	MILLING MACHINES, SPINDLE NOSES & TOOL SHANKS FOR - 1972 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME	A 34GP	1P 12-DEC-78 AL SH 99
	ANSI-B5.35-69R75	DISCS, ABRASIVE & PLATE MOUNTED WHEELS, MACHINE MOUNTING SPECIFICATIONS FOR - 1969 USER: GL REVIEWER: AR ME	A 34GP	1P 12-DEC-78 AL SH 99
	ANSI-B5.40-77	MACHINES, HORIZONTAL BORING, SPINDLE NOSES & TOOL SHANKS FOR - 1977 [VALIDATION DATE: 8601] USER: GL REVIEWER: AR ME	A 34GP	1P 12-DEC-78 AL SH 99
	ANSI-B5.53M-82	CUTTER & TOOL GRINDING MACHINES - 1982 REVIEWER: 84	A 3415	1P 06-JAN-84 AL SH 99
	ANSI-B7.1-88	ABRASIVE WHEELS, USE, CARE & PROTECTION OF, SAFETY CODES FOR THE - 18 FEBRUARY 1988 USER: GL REVIEWER: AR ME	A 34GP	1P 22-MAY-90 AL SH 99
	ANSI-B11.1-88	MACHINE TOOLS-MECHANICAL POWER PRESSES SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, AND USE - 4 APR 88 REVIEWER: 84 AR ME	A 34GP	1P 04-APR-88 AL SH 99
	ANSI-B11.2-82	MACHINE TOOLS - HYDRAULIC PRESSES - REQUIREMENTS FOR CONSTRUCTION, CARE, & USE - 1982 REVIEWER: AR ME	A 3442	1P 02-AUG-82 AL SH 99
	ANSI-B11.3-82	MACHINE TOOLS - POWER PRESS BRACKS - SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE, USE - 1982 [VALIDATION DATE: 8903]	A 34GP	1P 21-MAR-89 AL SH 99
	ANSI-B11.4-83	SHEARS, CONSTRUCTION, CARE & USE OF, SAFETY REQUIREMENTS FOR THE - 1983 [VALIDATION DATE: 8903] REVIEWER: 84 AR ME	A 34GP	1P 21-MAR-89 AL SH 99
	ANSI-B11.5-88	IRONWORKERS, MACHINE TOOLS, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE AND USE - AMERICAN NATIONAL STANDARD FOR - 23 AUGUST 1988 USER: SM REVIEWER: 11 19 84 99 AR ME MI	A 3445	1P 27-JAN-89 ER AL 17
	ANSI-B11.6-84	LATHES, SAFETY REQUIREMENTS FOR CONSTRUCTION, CARE & USE - 1984 [VALIDATION DATE: 8910] REVIEWER: 84	A 34GP	1P 27-OCT-89 AL SH 99
	ANSI-B11.7-85	COLD HEADERS & COLD FORMERS, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF - 1985 REVIEWER: 84	A 3446	1P 21-MAY-85 AL SH 99
	ANSI-B11.8-83	MACHINES, DRILLING, MILLING & BORING, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF - 1983 [VALIDATION DATE: 8906] REVIEWER: 84 AR	A 34GP	1P 14-JUN-89 AL SH 99
	ANSI-B11.9-75R87	MACHINES, GRINDING, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE, AND USE OF - 12 DEC 78 USER: GL REVIEWER: AR ME	A 34GP	1P 22-MAY-90 AL SH 99
	ANSI-B11.10-83	SAWING MACHINES, METAL, SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF - 1983 [VALIDATION DATE: 8903] REVIEWER: 84 AR ME	A 3405	1P 07-MAR-89 AL SH 99
	ANSI-B11.11-85	CUTTING MACHINES, GEAR, SAFETY REQUIREMENTS FOR THE CONSTRUCTION CARE & USE - 1985 REVIEWER: 84	A 3414	1P 09-NOV-84 AL SH 99
	ANSI-B11.12-83	ROLL FORMING & ROLL BENDING MACHINES SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE - 1983 USER: MC REVIEWER: 84 GS	A 3441	1P 10-NOV-83 AL SH 99
	ANSI-B11.13-83	MACHINE TOOLS, SINGLE & MULTIPLE SPINDLE AUTOMATIC SCREW/BAR & CHUCKING MACHINES SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE, & USE - 1983 REVIEWER: 84 AR ME	A 3416	1P 01-MAR-84 AL SH 99
	ANSI-B11.15-84	SAFETY REQUIREMENTS FOR THE CONSTRUCTION, CARE & USE OF, TUBE & SHAPE BENDING MACHINES - 1984 [VALIDATION DATE: 8905] USER: MC REVIEWER: 84 GS	A 3441	1P 01-MAY-89 AL SH 99
D	ANSI-B16.1-75	PIPE FLANGES & FLANGED FITTINGS, CAST IRON, CLASS 25, 125, 250 & 800 - 28 MAY 77 [VALIDATION DATE: 8511] USER: AL CE MC OS REVIEWER: CS	A 4730	YD1 24-AUG-81 ME YD1 99
D	ANSI-B16.9-86	FITTINGS, FACTORY-MADE WROUGHT STEEL BUTTWELDING-15 JUNE 87 USER: CE MC OS SH REVIEWER: B2 CS ME	A 4730	YD1 24-AUG-87 AR YD1 99
D	ANSI-B16.11-80	FITTINGS, FORGED STEEL, SOCKET WELDINGS & THREADED - 15 DEC 80 [VALIDATION DATE: 9102] USER: CE MC SH REVIEWER: AR CS EA	A 4730	YD1 20-FEB-91 ME YD1 99
D	ANSI-B16.12-83	FITTINGS, DRAINAGE, CAST IRON THREADED - 29 FEB 84 [VALIDATION DATE: 8907] REVIEWER: CS	A 4730	YD1 10-JUL-89 ME YD1 99
D	ANSI-B16.14-83	FERROUS TYPE PLUGS, BUSHINGS, AND LOCK NUTS WITH PIPE THREADS, STANDARD FOR - 29 FEB 84 [VALIDATION DATE: 9102] USER: AR REVIEWER: B5 CS EA GS MC	A 4730	YD1 20-FEB-91 ER YD1 99
	ANSI-B16.18-78	FITTING, PRESSURE, CAST COPPER ALLOY SOLDER JOINT - 21 NOV 78 [VALIDATION DATE: 8512] USER: MC SH	A 4730	CS 11-JAN-80 99
D	ANSI-B16.20-73	GASKETS, RING-JOINT, AND GROOVES FOR STEEL PIPE FLANGES, STANDARD FOR [VALIDATION DATE: 9201] REVIEWER: 15 SH	A 5330 *	YD1 10-JAN-92 MR YD1 99
D	ANSI-B16.21-78	GASKETS, NONMETALLIC FLAT, FOR PIPE FLANGES, STANDARD FOR [VALIDATION DATE: 9201] USER: OS REVIEWER: B2 15 SH	A 5330 *	YD1 10-JAN-92 MR YD1 99
	ANSI-B16.23-76	FITTINGS-DMV DRAINAGE, CAST COPPER ALLOY SOLDER JOINT - 2 FEB 76 [VALIDATION DATE: 8512]	A 4730	CS 13-OCT-78 99
D	ANSI-B16.24-79	PIPE FLANGES, BRONZE & FLANGED FITTINGS, STANDARD FOR - 31 AUG 79 [VALIDATION DATE: 9102] USER: CG SH REVIEWER: CS	A 4730	YD1 20-FEB-91 ME YD1
D	ANSI-B17.2-67R78	KEYS & KEYSLOTS, WOODRUFF - 1967 [VALIDATION DATE: 8601] USER: GL YD1 REVIEWER: AR ME	A 34GP	1P 12-OCT-78 AL SH 99
	ANSI-B18.1.1-72	RIVET, SMALL SOLID - 72 (REAFFIRMED 31 AUG 1989) [VALIDATION DATE: 8308] ..	A 5320	AR 20-NOV-72 AR 99
	ANSI-B18.1.2-72	RIVET, LARGE - 72 (REAFFIRMED 31 AUG 1989) [VALIDATION DATE: 8309] ..	A 5320	AR 20-NOV-72 AR 99
D	ANSI-B18.2.1-81	BOLT, SQUARE & HEX, & SCREWS INCH SERIES - 24 JUN 81 USER: MC ME SH	A 53GP	AR 11-JAN-82 AR YD1 99
	ANSI-B18.2.2-87	NUTS, HEX & SQUARE (INCH SERIES) - 27 FEB 1987 .....	A 5310	AR 28-SEP-87 AR SH 99



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OMA Coordination Inactive Document Number	Document Title	Dist Smt FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
					Army	Navy	Air Force	DIA
ANSI-B18.2.3.1M-79	SCREW, CAP, HEX HEAD - METRIC - 26 APR 79 W/ERRATA (5/81) [VALIDATION DATE: 8504]	A 5305	AR	26-APR-79	AR	AS	99	
ANSI-B18.2.3.2M-79	SCREW, CAP, FORMED HEX HEAD-METRIC - 29 MAR 79 (W/ERRATA 12/80) [VALIDATION DATE: 8504] REVIEWER: AV ER IS MC MI NS	A 5305	AR	29-MAR-79	AR	AS	99	
ANSI-B18.2.3.3M-79	SCREW, HEAVY HEX HEAD - METRIC - 26 MAR 79 [VALIDATION DATE: 8504] .....	A 5305	AR	26-MAR-79	AR	AS	99	
ANSI-B18.2.3.4M-79	SCREW, HEX FLANGE HEAD - METRIC - 17 MAY 79 USER: AT ME REVIEWER: AV ER MI	A 5305	AR	17-MAY-79	AR	AS	99	
ANSI-B18.2.3.5M-79	BOLT, HEX - METRIC - 26 APR 79 W/ERRATA (5/81) .....	A 5306	AR	26-APR-79	AR	AS	99	
ANSI-B18.2.3.6M-79	BOLT, HEAVY HEX-METRIC - 26 APR 79 USER: ME REVIEWER: AV ER IS MC MI NS ...	A 5305	AR	26-APR-79	AR	AS	99	
ANSI-B18.2.3.7M-79	BOLT, STRUCTURAL, HEAVY HEX - METRIC - 26 APR 79 .....	A 5306	AR	26-APR-79	AR	AS	99	
ANSI-B18.2.3.8M-81R91	SCREW, LAG, HEX HEAD - METRIC - 16 JUN 81 USER: AT ME SH REVIEWER: AV ER	A 5306	AR	16-JUN-81	AR	AS	99	
ANSI-B18.2.4.1M-79	IS MC MI NS	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.2.4.2M-79	METRIC HEX NUTS, STYLE 1 - 6 DEC 79 (W/ERRATA) REVIEWER: AV ER MC MI NS ...	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.2.4.3M-79	NUT, PLAIN, HEX, STYLE 2 - METRIC - 6 DEC 1979 - W/DOD EXCEPTIONS W/ERRATA - JAN 82	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.2.4.4M-82	NUT, SLOTTED, HEX METRIC - 6 DEC 79 W/DOD EXCEPTIONS W/ERRATA - MAY 81	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.2.4.5M-79	REVIEWER: AV ER IS MC MI NS	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.2.4.6M-79	NUT, FLANGE, HEX METRIC - 21 JUN 82 USER: MC SH REVIEWER: AT CR EA ER IS	A 5310	AR	30-JUN-82	AR	AS	99	
ANSI-B18.2.4.7M-79	MI NS	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.2.4.8M-79	NUT, JAM, HEX - METRIC - 6 DEC 79 W/ERRATA - MAY 81 USER: AT ME SH	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.2.4.9M-79	REVIEWER: AV ER IS MC MI NS	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.3.2M-79	NUT, HEAVY HEX - METRIC - 6 DEC 79 (ERRATA 4/81) REVIEWER: AV ER IS MC MI	A 5310	AR	06-DEC-79	AR	AS	99	
ANSI-B18.3.3M-79	NS	A 5120	AR	30-APR-82	AR	AS	99	
ANSI-B18.3.4M-79	KEYS & BITS, HEXAGON, METRIC SERIES - 17 MAY 79 USER: SH REVIEWER: AV ER	A 5305	AR	18-JUL-79	AR	AS	99	
ANSI-B18.3.5M-79	CL IS MC ME MI NS	A 5305	AR	09-AUG-79	AR	AS	99	
ANSI-B18.3.6M-79	SCREW, SHOULDER, HEXAGON SOCKET HEAD-METRIC - 18 JUL 79 USER: AT ME OS SH	A 5305	AR	14-AUG-79	AR	AS	99	
ANSI-B18.5-78	REVIEWER: AV ER IS MC MI NS	A 5306	AR	27-AUG-79	AR	YD1	99	
ANSI-B18.5.2.1M-81	SCREW, CAP, HEXAGON, SOCKET BUTTON HEAD - METRIC - 9 AUG 1979 [VALIDATION DATE: 8504] REVIEWER: AV ER IS MC MI NS	A 5306	AR	11-JAN-82	AR	AS	99	
ANSI-B18.5.2.2M-82	SETSCREW, HEXAGON SOCKET-METRIC - 14 AUG 79 USER: AT ME OS SH REVIEWER: AV	A 5306	AR	03-NOV-82	AR	AS	99	
ANSI-B18.6.1-81R91	ER IS MI NS	A 5305	AR	06-APR-82	AR	SH	99	
ANSI-B18.6.2-72	BOLTS, ROUND HEAD (INCH SERIES) - 8 SEP 78 [VALIDATION DATE: 8203]	A 5305	AR	22-SEP-72	AR	SH	99	
ANSI-B18.6.3-72	REVIEWER: AT AV CR IS	A 5306	AR	11-JAN-82	AR	99		
ANSI-B18.6.4-81R91	BOLT, ROUND HEAD, SHORT SQUARE NECK - METRIC - 14 AUG 81 REVIEWER: AT AV	A 5306	AR	06-APR-82	AR	SH	99	
ANSI-B18.7-72	CR EA IS	A 5306	AR	03-NOV-82	AR	AS	99	
ANSI-B18.8.1-72R77	BOLT, ROUND HEAD, SQUARE NECK - METRIC - 24 AUG 82 USER: MC ME SH	A 5306	AR	06-APR-82	AR	SH	99	
ANSI-B18.9-71	REVIEWER: AT AV CR EA IS	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B18.11-61	WOOD SCREWS (INCH SERIES) USER: MC ME REVIEWER: AT AV CR EA IS .....	A 5305	AR	07-APR-71	AR	SH	99	
ANSI-B18.12-62R91	SCREW, SLOTTED HEAD CAP, SQUARE SET SCREW & SLOTTED HEADLESS SET SCREWS	A 5305	AR	07-APR-71	AR	SH	99	
ANSI-B18.13-65	1972 (REAPPROVED 83) [VALIDATION DATE: 8401] REVIEWER: AT AV MI	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B18.15-85	SCREW, MACHINE, & SCREW NUTS, MACHINE, SLOTTED & RECESSED HEAD - 72	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B18.17-68	(REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT AV MI	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B18.21.1-72	THREAD FORMING AND THREAD CUTTING TAPPING SCREWS AND METALLIC DRIVE	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B18.22M-81	SCREWS (INCH SERIES) USER: MC ME SH REVIEWER: AT AV CR EA IS	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B18.22.1-65R81	RIVETS, GENERAL PURPOSE SEMI TUBULAR RIVETS, FULL TUBULAR SPLIT AND RIVET	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B29.1-75	CAP - 72 [VALIDATION DATE: 8101] REVIEWER: AT AV MI	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B32.3-77	CLEVIS PINS & COTTER PINS - 10 MAY 72 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: 82	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B32.4M-80	BOLTS, PLON - 71 [VALIDATION DATE: 8101] REVIEWER: AT	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B32.5-77	SCREW, MINIATURE - 61 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B32.6-77	AV	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B40.1-85	FASTENERS, MECHANICAL GLOSSARY & TERMS FOR [VALIDATION DATE: 8504]	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B40.1M-79	REVIEWER: 82 AT AV	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B47.1-81	SCREW & WASHER ASSEMBLIES - 1 APR 65 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B57.1-77	SCREW & WASHER ASSEMBLIES - 1 APR 65 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B74.2-82	EYEBOLTS, FORGED - 17 JUL 85 REVIEWER: 82 AT IS MC	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B74.3-74	NUT, WING, THUMB SCREWS & WING SCREWS - 68 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: 82 AT	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B74.12-76R82	WASHER, LOCK - 72 (REAPPROVED 83) [VALIDATION DATE: 8309] REVIEWER: AT AV	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B74.13-90	ER MI OS SH	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B92.1-70	WASHER, FLAT, PLAIN - METRIC - 1981 (W/ERRATA 7/83) USER: MC ME REVIEWER:	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B92.2M-80	AT CR EA IS MI NS YD1	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B93.114M-87	WASHER, PLAIN - 20 SEP65 REVIEWER: AS AV CR EA ER	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B94.2-83R88	ROLLER CHAINS, TRANSMISSION, ATTACHMENTS & SPROCKETS, PRECISION POWER - 30	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B94.25-82	APR 75 [VALIDATION DATE: 8501]	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B107.2-78R85	METAL PRODUCTS, FLAT, PREFERRED METRIC SIZES FOR - 19 APR 77 (W/SUPL. ANSI	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B109.1-86	832.3A-78) USER: AL AR GL ME REVIEWER: 99 EC SH	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B109.2-86	METAL PRODUCTS, PREFERRED METRIC SIZES FOR ROUND, SQUARE, RECTANGLE &	A 5306	AR	07-APR-71	AR	SH	99	
ANSI-B109.3-86	HEXAGON - 1980 USER: AL ME REVIEWER: 99 EC SH	A 5306	AR	07-APR-71	AR	SH	99	
	METAL PRODUCTS, TUBULAR, OTHER THAN PIPE, PREFERRED METRIC SIZES FOR - 7	A 5306	AR	07-APR-71	AR	SH	99	
	SEP 77 USER: AL AR REVIEWER: 99 EC SH	A 5306	AR	07-APR-71	AR	SH	99	
	METAL PRODUCTS, TUBULAR, PREFERRED METRIC EQUIVALENTS OF INCH SIZES FOR,	A 5306	AR	07-APR-71	AR	SH	99	
	OTHER THAN PIPE - 12 AUG 77 USER: AL AR GL ME REVIEWER: 99 EC SH	A 5306	AR	07-APR-71	AR	SH	99	
	GAUGE - PRESSURE, INDICATING DIAL TYPE - ELASTIC ELEMENT USER: MC	A 5306	AR	07-APR-71	AR	SH	99	
	REVIEWER: AR AS AT OS SH	A 5306	AR	07-APR-71	AR	SH	99	
	GAUGE, PRESSURE INDICATING DIAL TYPE, ELASTIC ELEMENT (METRIC) - 15 JAN 79	A 5306	AR	07-APR-71	AR	SH	99	
	USER: MC REVIEWER: AR AS AT GS OS SH	A 5306	AR	07-APR-71	AR	SH	99	
	GAGE BLANKS - 23 MAR 81	A 5306	AR	07-APR-71	AR	SH	99	
	ORDER CGA-VI-77 USER: YD1	A 5306	AR	07-APR-71	AR	SH	99	
	GRINDING WHEELS, SHAPE & SIZES OF, MOUNTED WHEELS, SIZES & IDENTIFICATION	A 5306	AR	07-APR-71	AR	SH	99	
	OF, SPECIFICATION FOR - 15 APR 82 USER: GL REVIEWER: AR ME	A 5306	AR	07-APR-71	AR	SH	99	
	DIAMOND GRINDING WHEELS, HAND HONES, & MOUNTED WHEELS, SHAPE & SIZES OF,	A 5306	AR	07-APR-71	AR	SH	99	
	SPECIFICATIONS FOR - 1974 [VALIDATION DATE: 8601] REVIEWER: AR ME	A 5306	AR	07-APR-71	AR	SH	99	
	SPECIFICATIONS FOR THE SIZE OF ABRASIVE GRAIN GRINDING WHEELS, POLISHING &	A 5306	AR	07-APR-71	AR	SH	99	
	GENERAL INDUSTRIAL USES - 1976 USER: MC REVIEWER: 84 GS	A 5306	AR	07-APR-71	AR	SH	99	
	GRINDING WHEELS & OTHER BONDED ABRASIVES, MARKING FOR IDENTIFYING - 20	A 5306	AR	07-APR-71	AR	SH	99	
	MARCH 1990 USER: GL REVIEWER: AR ME	A 5306	AR	07-APR-71	AR	SH	99	
	INVOLUTE SPLINES & INSPECTION - 1970	A 5306	AR	07-APR-71	AR	SH	99	
	SPLINE, METRIC MODULE INVOLUTE - AUG 80 [VALIDATION DATE: 8809] USER: ME	A 5306	AR	07-APR-71	AR	SH	99	
	OS SH REVIEWER: AT AV OH EA YD1	A 5306	AR	07-APR-71	AR	SH	99	
	SPLINE, PART III, METRIC MODULE INVOLUTE INSPECTION - 23 MAR 84	A 5306	AR	07-APR-71	AR	SH	99	
	MACHINERY, INDUSTRIAL, PNEUMATIC FLUID POWER - SYSTEM STANDARD FOR - 15	A 5306	AR	07-APR-71	AR	SH	99	
	DEC 87 REVIEWER: 84 GS	A 5306	AR	07-APR-71	AR	SH	99	
	REAMER - 30 SEP 1983 (REAPPROVED 1988) REVIEWER: 84 AR ME	A 5306	AR	07-APR-71	AR	SH	99	
	MILLING CUTTERS & END MILLS - 1977 REVIEWER: GS	A 5306	AR	07-APR-71	AR	SH	99	
	TOOL, CUTTING, INDEXABLE INSERTS FOR - 5 MAR 1982 REVIEWER: 84 AR ME	A 5306	AR	07-APR-71	AR	SH	99	
	WRENCHES, SOCKETS, HAND (INCH SERIES) - 8 NOV 1978 REAFFIRMED 1985 USER:	A 5306	AR	07-APR-71	AR	SH	99	
	MC ME YD1 REVIEWER: 84 AS GL	A 5306	AR	07-APR-71	AR	SH	99	
	WRENCHES, SOCKET, POWER DRIVE (IMPACT) (INCH SERIES - 1 JAN 1975	A 5306	AR	07-APR-71	AR	SH	99	
	REAFFIRMED 1985 USER: MC ME YD1 REVIEWER: 84 AS GL	A 5306	AR	07-APR-71	AR	SH	99	
	GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (500 CUBIC FEET PER HOUR CAPACITY	A 5306	AR	07-APR-71	AR	SH	99	
	AND UNDER) - 9 JAN 1987	A 5306	AR	07-APR-71	AR	SH	99	
	GAS, DIAPHRAGM TYPE, DISPLACEMENT METERS (OVER 500 CUBIC FEET PER HOUR	A 5306	AR	07-APR-71	AR	SH	99	
	CAPACITY) - 9 JAN 1987	A 5306	AR	07-APR-71	AR	SH	99	
	GAS, ROTARY TYPE, DISPLACEMENT METERS - 9 JAN 1987	A 5306	AR	07-APR-71	AR	SH	99	



## ACTIVE SECTION

# NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	CPL / OMA Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
D		ANSI-C2-84	ELECTRICAL SAFETY CODE, NATIONAL - 15 JUL 83 USER: MC REVIEWER: 80 99 GS ME SH	A 5975	YD1	27-OCT-85	ER	YD1	85	
D		ANSI-C12.20-81	TRANSFORMERS, 500 KVA AND SMALLER: HIGH - VOLTAGE, 67,000 VOLTS & BELOW: LOW - VOLTAGE, 15,000 VOLTS & BELOW, REQUIREMENTS FOR OVERHEAD - TYPE DISTRIBUTION - 31 DEC 80 REVIEWER: 80 GS SH	A 6120	ME	16-JUL-85		YD1	99	
D		ANSI-C29.1-81	INSULATORS, ELECTRICAL POWER, TEST METHODS FOR - 30 OCT 81 USER: EC MC SH REVIEWER: 99 GS	A 5970	ME	09-JAN-84	ME	YD1	85	
D		ANSI-C29.2-83	INSULATORS-WET-PROCESS PORCELAIN AND TOUGHENED GLASS-SUSPENSION TYPE - 16 JUN 1982 USER: EC MC SH REVIEWER: 99 GS	A 5970	ME	25-JUN-85	ME	YD1	85	
D		ANSI-C29.3-80	INSULATORS-WET-PROCESS PORCELAIN (SPDOL TYPE) AMERICAN NATIONAL STANDARD - 31 DEC 79 USER: EC MC SH REVIEWER: 99 GS	A 5970	ME	09-JAN-84	ME	YD1	85	
D		ANSI-C29.4-84	INSULATORS-STRAIN TYPE, WET PROCESS PORCELAIN - 24 JULY 1984	A 5970	ME	25-JUN-85	ME	YD1	85	
D		ANSI-C29.5-84	INSULATOR, WET PROCESS PORCELAIN, LOW & MEDIUM VOLTAGE TYPES, AMERICAN NATIONAL STANDARD FOR - 7 AUG 84 USER: EC MC SH REVIEWER: 99 GS	A 5970	ME	25-JUN-85	ME	YD1	85	
D		ANSI-C29.6-84	INSULATOR, WET PROCESS PORCELAIN (HIGH VOLTAGE PIN TYPE) - 7 AUG 84 USER: EC MC SH REVIEWER: 99 GS	A 5970	ME	25-JUN-85	ME	YD1	85	
D		ANSI-C37.6-79 NOTICE 1	CIRCUIT BREAKER, AC HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS, PREFERRED RATINGS & RELATED REQUIRED CAPABILITIES FOR - 24 APR 79 (VALIDATION DATE: 8804) REVIEWER: 80 GS	A 6110	YD1	11-APR-88	ME	YD1	99	
D		ANSI-C37.11-79 NOTICE 1	CIRCUIT BREAKERS, HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS OR A TOTAL CURRENT BASIS, REQUIREMENTS FOR - 6 APR 79 (VALIDATION DATE: 8804) USER: SH REVIEWER: GS	A 6110	YD1	19-APR-88	ME	YD1	99	
D		ANSI-C37.16-80 NOTICE 1	CIRCUIT BREAKER, POWER & AC POWER CIRCUIT PROTECTORS, PREFERRED RATINGS & RELATED REQUIREMENTS & APPLICATION RECOMMENDATIONS FOR LOW VOLTAGE - 6 FEB 80 (VALIDATION DATE: 8805) USER: GS SH REVIEWER: 80 GS	A 6110	YD1	04-MAY-88	ME	YD1	99	
D		ANSI-C37.17-79 NOTICE 1	TRIP DEVICE, FOR AC & GENERAL PURPOSE DC LOW VOLTAGE POWER CIRCUIT BREAKER, STANDARD FOR - 9 MAY 79 (VALIDATION DATE: 8904) REVIEWER: 80 GS ME SH	A 6110	YD1	27-APR-89		YD1	99	
D		ANSI-C37.32-72	AIR SWITCH, BUS SUPPORTS, & SWITCH ACCESSORIES, AMERICAN NATIONAL STANDARD SCHEDULES OF PREFERRED RATINGS, MANUFACTURING SPECIFICATIONS & APPLICATION GUIDE FOR HIGH VOLTAGE - 4 MAY 72 REVIEWER: 80 ER GS	A 6110	YD1	30-NOV-84	ME	YD1	99	
D		ANSI-C37.42-81 NOTICE 1	DISTRIBUTION CUTOFF & FUSE LINK, SPECIFICATIONS FOR - 1981 (VALIDATION DATE: 8805)	A 5920	YD1	04-MAY-88	ME	YD1	85	
D		ANSI-C37.44-81	DISTRIBUTION OIL CUTOFFS AND FUSE LINKS, STANDARD SPECIFICATION FOR - 22 MAY 80 REVIEWER: 80 85 GS ME	A 6110	YD1	07-OCT-83	ER	YD1	99	
D		ANSI-C37.46-81	FUSE, POWER, & FUSE DISCONNECTING SWITCHES - 22 MAY 1980 REVIEWER: 80 GS	A 6110	YD1	29-MAY-87		YD1	99	
D		ANSI-C37.48-81	ELECTRICAL ANALOG INDICATING INSTRUMENTS, REQUIREMENTS FOR	A 6625	YD1	21-OCT-91		YD1		
D		ANSI-C50.10-77	MACHINE, SYNCHRONOUS, GENERAL REQUIREMENTS FOR - 4 AUG 75 REVIEWER: 80 GS	A 6115	YD1	14-JAN-85	ME	YD1	99	
D		ANSI-C50.13-89	GENERATOR, CYLINDRICAL ROTOR SYNCHRONOUS, ROTATING ELECTRICAL MACHINERY AMERICAN NATIONAL STANDARD FOR - 23 JAN 89 REVIEWER: 80 GS	A 6115	YD1	25-JUL-90	ME	YD1	99	
D		ANSI-C50.41-82 NOTICE 1	MOTORS, POLYPHASE INDUCTION, FOR POWER GENERATING STATIONS, STANDARDS FOR	A 6105	YD1	23-DEC-91		YD1		
D		ANSI-C57.12.10-77	TRANSFORMER 230 000 VOLTS & BELOW 833/958 THROUGH 8333/10 417 KVA, SINGLE PHASE, & 750/862 THROUGH 60 000/80 000/100 000 KVA, THREE PHASE, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR - 13 SEPT 76 REVIEWER: 80 GS SH	A 6120	YD1	28-JUN-86	ME	YD1	99	
D		ANSI-C57.12.20-81	TRANSFORMER, 500 KVA & SMALLER: HIGH VOLTAGE, 67,000 VOLTS & BELOW: LOW VOLTAGE, 15,000 VOLTS & BELOW, OVERHEAD TYPE DISTRIBUTION, REQUIREMENTS FOR - 31 DEC 80 REVIEWER: 80 GS SH	A 6120	YD1	16-JUL-85	ME	YD1	99	
D		ANSI-C57.12.22-80	TRANSFORMER, WITH HIGH VOLTAGE BUSHINGS: HIGH VOLTAGE 34 500 GROY/19 920 VOLTS & BELOW, 2500 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, THREE PHASE DISTRIBUTION, AMERICAN NATIONAL STANDARD REQUIREMENTS FOR - 22 OCT 79 REVIEWER: GS SH	A 6120	YD1	21-JUL-85	ME	YD1	99	
D		ANSI-C57.12.25-81	TRANSFORMER, WITH SEPARABLE INSULATED HIGH VOLTAGE CONNECTORS, HIGH VOLTAGE, 34,500 GROY/19 920 VOLTS & BELOW, LOW VOLTAGE 240/120 VOLTS, 167 KVA & SMALLER, PAD MOUNTED, COMPARTMENTAL TYPE, SELF COOLED, SINGLE PHASE DISTRIBUTION - 12 JAN 81 REVIEWER: 80 GS SH	A 6120	YD1	15-AUG-85	ME	YD1	99	
		ANSI-C73A-80	PLUGS AND RECEPTACLES, DIMENSIONS OF ATTACHMENT, FOR MARINE SHIP-TO-SHORE USE FOR SMALL CRAFT (SUPPLEMENT FOR ATTACHED ANSI C73-73) - 1980	A 6525	MB	31-AUG-89	EA	MS	99	MB
		ANSI-C78.1-78R84	LAMP, FLUORESCENT, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF - RAPID START TYPES, AMERICAN NATIONAL STANDARD FOR THE - 10 APR 78 REVIEWER: 82	A 6240	ME	25-JUN-85	ME	SH	99	
		ANSI-C78.2-78R84	LAMP, FLUORESCENT - PREHEAT-START TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF - 18 JUL 78 REVIEWER: 82	A 6240	ME	25-JUN-85	ME	SH	99	
		ANSI-C78.3-78R84	LAMP, FLUORESCENT - INSTANT START & COLD-CATHODE TYPES, DIMENSIONAL & ELECTRICAL CHARACTERISTICS OF, AMERICAN NATIONAL STANDARD FOR - 10 APR 78 REVIEWER: 84 GS	A 6240	ME	25-JUN-85	ME	SH	99	
		ANSI-C78.40-85	LAMPS, MERCURY - SPECIFICATIONS, AMERICAN NATIONAL STANDARD FOR - 25 MAY 85 USER: SH REVIEWER: 82 GS	A 6240	ME	15-DEC-86	ME		99	
D		ANSI-C78.41-87 NOTICE 2	ELECTRIC LAMPS - LOW-PRESSURE SODIUM LAMPS, AMERICAN NATIONAL STANDARD FOR (VALIDATION DATE: 9204) USER: SH REVIEWER: 82 GS	A 6240	YD1	02-APR-92		YD1	99	
A		ANSI-C78.180-72 NOTICE 1	LAMP STARTERS, FLUORESCENT, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9206)	A 6250	ME	22-JUN-92	ME	SH	99	
A		ANSI-C78.390-85 NOTICE 1	LAMPS, INCANDESCENT, MINIATURE AND SEALED BEAM, METHOD OF DESIGNATION REVIEWER: 82 AS AT AV MI	A 6240	GS	12-FEB-93	ME	SH	99	GS
D		ANSI-C78.1341-90 NOTICE 1	ELECTRIC LAMPS - 750-WATT, 120-VOLT SELF-BALLASTED MERCURY LAMPS REVIEWER: 82 GS	A 6240	YD1	01-OCT-91	ME	YD1	99	
D		ANSI-C78.1342-90 NOTICE 1	ELECTRIC LAMPS - 160-WATT 120-VOLT 887 SELF-BALLASTED MERCURY LAMPS REVIEWER: 82 GS	A 6240	YD1	01-OCT-91	ME	YD1	99	
D		ANSI-C78.1350-90	LAMPS ELECTRIC- 400- WATT 100-VOLT, S51 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS - 11 MAY 90 USER: SH REVIEWER: 82 GS	A 6240	YD1	22-FEB-91	ME	YD1	99	
D		ANSI-C78.1351-89	LAMPS, SODIUM, HIGH PRESSURE, 250 WATT, 100-VOLT S50 SINGLE-ENDED, STANDARD FOR ELECTRIC LAMPS - 26 JUL 89 USER: YD1 REVIEWER: 82	A 6240	ME	19-MAR-90	ME	SH	99	
		ANSI-C78.1352-90	LAMPS, ELECTRIC, 1000 WATT, 250-VOLT, S52 SINGLE-ENDED HIGH PRESSURE SODIUM LAMPS, STANDARD FOR - 11 MAY 90 USER: 82	A 6240	ME	24-JAN-91	ME	SH	99	
D		ANSI-C78.1353-90	LAMP ELECTRIC - 70- WATT S62 HIGH PRESSURE SODIUM LAMPS - 11 MAY 90 USER: SH REVIEWER: 82 GS	A 6240	YD1	22-FEB-91	ME	YD1	99	
D		ANSI-C78.1354-90	LAMPS ELECTRIC - 100 WATT, 55 VOLT, S54 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS - 11 MAY 90 REVIEWER: 82 GS	A 6240	YD1	22-FEB-91	ME	YD1	99	
D		ANSI-C78.1355-89	LAMPS, ELECTRIC, 150-WATT, 55-VOLT, S55 HIGH-PRESSURE SODIUM LAMPS - 20 FEB 89 REVIEWER: 82 YD1	A 6240	ME	31-JUL-90	ME	SH	99	
D		ANSI-C78.1358-88 NOTICE 2	ELECTRIC LAMPS, 35-WATT S76 SINGLE-ENDED HIGH-PRESSURE SODIUM LAMPS, AMERICAN STANDARD FOR (VALIDATION DATE: 9204) USER: SH REVIEWER: 82 GS	A 6240	YD1	07-APR-92		YD1	99	
D		ANSI-C78.1359-88	LAMPS, ELECTRIC, 50-WATT, S68 SINGLE-ENDED, HIGH-PRESSURE SODIUM LAMP - 15 SEP 1988 REVIEWER: 82 GS	A 6240	YD1	29-JUL-91	ME	YD1	99	
D		ANSI-C78.1375-90	LAMPS, ELECTRIC - 400-WATT, M59 SINGLE-ENDED METAL-HALIDE LAMPS - 21 FEB 1990 REVIEWER: GS	A 6240	YD1	05-SEP-91		YD1		
		ANSI-C78.1376-84	LAMPS, 1,000-WATT M47 METAL-HALIDE, FOR ELECTRIC LAMPS - 23 MAR 1984 REVIEWER: GS	A 6240	82	07-NOV-85	ME	SH	99	
D		ANSI-C78.1377-90 NOTICE 1	ELECTRIC LAMPS - 175-WATT, M57 SINGLE-ENDED METAL-HALIDE LAMPS USER: SH REVIEWER: 82 GS	A 6240	YD1	01-OCT-91	ME	YD1	99	
D		ANSI-C78.1378-90	LAMPS, ELECTRIC - 250-WATT, M58 SINGLE-ENDED METAL-HALIDE LAMPS - 21 FEB 1990 REVIEWER: GS	A 6240	YD1	05-SEP-91		YD1		
D		ANSI-C78.1403-89 NOTICE 1	LAMP, FCS PROJECTION, LAMPS ELECTRIC STANDARD FOR - 26 JUL 89	A 6240	ME	19-MAR-90	ME	SH	99	
D		ANSI-C78.1404-85 NOTICE 1	ELECTRIC LAMPS - DMF PROJECTION LAMP REVIEWER: AS GS	A 6240	YD1	01-OCT-91	ME	YD1	99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt GR / OMA Classification Inactive	Document Number	Document Title	Dist. Stmt. FSC / Issue MCA Symbol	Preparing Acty. Date	Custodians			
					Army	Navy	Air Force	DIA
D	ANSI-C78.1405-85 NOTICE 1	ELECTRIC LAMPS - ELM PROJECTION LAMP USER: MC REVIEWER: AS GS .....	A 6240	* YD1 01-OCT-91	ME	YD1	99	
D	ANSI-C78.1408-80 ANSI-C78.1409-85 NOTICE 2	LAMP CBA PROJECTION - 3 JUL 80 (VALIDATION DATE: 8306) .....	A 6240	B2 23-JUN-82	ME	SH	99	
	ANSI-C78.1414-82 ANSI-C78.1415-82 ANSI-C78.1416-85 NOTICE 1	LAMPS, ELECTRIC, ECL PROJECTION LAMPS REVIEWER: GS SH .....	A 6240	ME 10-NOV-87	ME	YD1	99	
D	ANSI-C80.1-83 ANSI-C80.3-83 NOTICE 2	DOM PROJECTION LAMP - 8 MAR 82 USER: AS MC SH REVIEWER: GS ME .....	A 6240	B2 12-JAN-84			99	
D	ANSI-C80.5-90 NOTICE 1	LAMP, DED PROJECTION - 8 MAR 82 USER: MC OS REVIEWER: AS GS ME .....	A 6240	B2 09-NOV-83		SH	99	
D	ANSI-C81.10-76	ELECTRIC LAMPS - FHS PROJECTION LAMP REVIEWER: B2 GS .....	A 6240	* YD1 01-OCT-91	ME	YD1	99	
D	ANSI-C80.1-83 ANSI-C80.3-83 NOTICE 2	CONDUIT, RIGID STEEL, ZINC COATED, STANDARD FOR MAR 1983 REVIEWER: 99 GS ..	A 5975	YD1 30-MAY-86	ER	YD1	85	
D	ANSI-C80.5-90 NOTICE 1	TUBING, ELECTRICAL METALLIC - ZINC COATED, STANDARD FOR (VALIDATION DATE: 9110) REVIEWER: 99 GS .....	A 5975	* YD1 09-OCT-91	ER	YD1	85	
D	ANSI-C81.10-76	CONDUIT, ALUMINUM, RIGID, AMERICAN NATIONAL STANDARD FOR REVIEWER: 99 CE ..	A 5975	* YD1 14-JUL-92	ME	YD1	85	
D L	ANSI-C82.1-85 NOTICE 1	LAMP BASES & HOLDERS, ELECTRIC, - SCREW - SHELL TYPES - 1 SEP 76 W/REV ..	A THDS	IS 07-JUN-84	AR	11	15	
D L	ANSI-C82.2-84 NOTICE 1	PAGES USER: EC OS SH YD1 REVIEWER: B2 OR GS ME MI .....	A 6240	* YD1 23-DEC-91		YD1		
D	ANSI-C82.4-85(2) ANSI-C95.3-73	LAMPS, FLUORESCENT, BALLASTS FOR - SPECIFICATIONS, STANDARD FOR .....	A 6240	* YD1 23-DEC-91		YD1		
	ANSI-C98.18M-79 ANSI-C98.19M-79 ANSI-C98.20M-79	LAMP, FLUORESCENT, BALLASTS - METHODS OF MEASUREMENT, STANDARD FOR .....	A 6250	* YD1 13-JAN-92		YD1	99	
		BALLASTS, FOR HIGH-INTENSITY-DISCHARGE, AND LOW-PRESSURE SODIUM LAMPS ..	A 6250	* YD1 13-JAN-92		YD1	99	
		(MULTIPLE SUPPLY TYPE), STANDARD FOR REVIEWER: B2 GS .....	A 6250	* YD1 13-JAN-92		YD1	99	
		RADIATION, ELECTROMAGNETIC, POTENTIALLY HAZARDOUS, AT MICROWAVE .....	A 6250	* YD1 13-JAN-92		YD1	99	
		FREQUENCIES, TECHNIQUES & INSTRUMENTATION FOR THE MEASUREMENT OF - 1973 ..	A 6250	* YD1 13-JAN-92		YD1	99	
		(VALIDATION DATE: 8204) .....	A 6250	* YD1 13-JAN-92		YD1	99	
		TAPE RECORDING, VIDEO, BASIC SYSTEM & TRANSPORT GEOMETRY PARAMETERS FOR 1 ..	A 5820	80 22-JUL-81	CR	CG	99	
		IN TYPE C HELICAL SCAM - 9 AUG 79 (VALIDATION DATE: 8306) REVIEWER: ES ..	A 5820	80 22-JUL-81	CR	CG	99	
		TAPE RECORDING, VIDEO, DIMENSIONS & LOCATION OF RECORDS FOR 1 IN TYPE C ..	A 5820	80 22-JUL-81	CR	CG	99	
		HELICAL SCAM - 09 AUG 79 (VALIDATION DATE: 8306) REVIEWER: ES .....	A 5820	80 22-JUL-81	CR	CG	99	
		TAPE RECORDING, VIDEO, FREQUENCY RESPONSE & REFERENCE LEVEL OF RECORDERS & ..	A 5820	80 22-JUL-81	CR	CG	99	
		REPRODUCERS FOR AUDIO RECORDS FOR 1 IN TYPE C HELICAL SCAM - 9 AUG 79 ..	A 5820	80 22-JUL-81	CR	CG	99	
		(VALIDATION DATE: 8306) REVIEWER: ES .....	A 5820	80 22-JUL-81	CR	CG	99	
D	ANSI-C135.7-87	ZINC-COATED SPOOL TYPE SECONDARY RACKS, AMERICAN NATIONAL STANDARD FOR - ..	A 5970	YD1 29-AUG-90		YD1		
D L	ANSI-C136.3-89 NOTICE 1	1987 .....	A 5970	YD1 29-AUG-90		YD1		
D L	ANSI-C136.13-87 NOTICE 1	ROADWAY LIGHTING EQUIPMENT - LUMINAIRE ATTACHMENTS, STANDARD FOR .....	A 6240	* YD1 23-DEC-91		YD1		
D	ANSI-H35.1-85 ANSI-H35.1M-85	ROADWAY LIGHTING - METAL BRACKETS FOR WOOD POLES, STANDARD FOR .....	A 6240	* YD1 23-DEC-91		YD1		
D	ANSI-H35.2-85 ANSI-H35.2M-85	ALUMINUM, ALLOY & TEMPER DESIGNATION SYSTEMS AMERICAN NATIONAL STANDARD ..	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	FOR - 22 OCT 85 USER: OS YD1 REVIEWER: B4 99 AL 15 SH .....	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	ALUMINUM, ALLOY AND TEMPER DESIGNATION SYSTEM AMERICAN NATIONAL STANDARD ..	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	FOR (METRIC) - 1985 .....	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR - 22 OCT 1985 USER: OS ..	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	YD1 REVIEWER: B4 99 AL 15 SH .....	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	ALUMINUM MILL PRODUCTS, DIMENSIONAL TOLERANCES FOR - 22 OCT 1985 (METRIC ..	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	USER: OS YD1 REVIEWER: B4 99 AL 15 SH .....	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	DETERMINATION OF THE CURL OF PHOTOGRAPHIC FILM USER: 11 14 18 19 AR AT CS ..	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	ES GS 15 MI SA SC SH TO .....	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	THERMOCOUPLES, TEMPERATURE MEASUREMENT - 1975 (VALIDATION DATE: 8601) ..	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	REVIEWER: AR ME .....	A 95GP	AS 15-MAR-88	MR	AS	11	
D	ANSI-H35.2M-85	DENTAL AGAR IMPRESSION MATERIAL, AMERICAN NATIONAL STANDARD FOR - 1972 ....	A 6520	IP 26-AUG-88	MD	MS	03	
D	ANSI-H35.2M-85	PALLET DEFINITIONS & TERMINOLOGY - 31 JAN 79 REVIEWER: B4 AR AS AT CS IS ..	A 6520	IP 26-AUG-88	MD	MS	03	
D	ANSI-H35.2M-85	MC ME MI MT SH .....	A 6520	IP 26-AUG-88	MD	MS	03	
D	ANSI-H35.2M-85	DRUM, UNIVERSAL STEEL, 55 GALLON (208 LITER) TIGHT HEAD (DOT-17E, UFC-RULE ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	40, HWFC-ITEM 260) 1979 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	DRUM, 55 GALLON (208 LITER) TIGHT HEAD UNIVERSAL STEEL (DOT-5B)- 1979 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	DRUM, 55 GALLON (208 LITER) FULL REMOVABLE HEAD UNIVERSAL STEEL, DOT 17H, ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	UFC RULE 40, HWFC-ITEM 260) - 1979 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	DRUM, UNIVERSAL STEEL, 16 GALLON (61 LITER) FULL REMOVABLE HEAD LUG COVER ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	(UFC RULE 40, HWFC-ITEM 260) - 1979 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	PAIL, UNIVERSAL STEEL, 5 GALLON (19 LITER) TIGHT HEAD, DOT-17E, DOT-37B60, ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	UFC RULE 40, HWFC-ITEM 260) - 1979 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	DRUM, UNIVERSAL STEEL, 16 GALLON (61 LITER) FULL REMOVABLE HEAD (UFC RULE ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	40, HWFC-ITEM 260) - 1979 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	PAIL, UNIVERSAL STEEL, 5 GALLON (19 LITER) NESTING LUG-COVER, (DOT-37AB0, ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	DOT-37A60, UFC RULE 40, HWFC-ITEM 260) - 1979 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	CAN, ROUND METAL MOTOR OIL, REQUIREMENTS FOR - 1974 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	GREASE CARTRIDGE, 201.5 X 904.5 - 1975 .....	A 4930	SA 31-MAR-81	ME	SA	99	
D	ANSI-H35.2M-85	CAN, ROUND COMPOSITE MOTOR OIL - 1976 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	VEHICLES UNIT LOAD HEIGHTS FOR PALLIATED LOADS, AMERICAN NATIONAL ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	STANDARD FOR SURFACE - 1 APR 83 REVIEWER: 43 AS AT CS GS ME MI SA ..	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	CRANE, UNDERHUNG AND MONORAIL SYSTEMS - 8 JUN 1981 .....	A 8110	SA 31-MAR-81	GL	SA	69	
D	ANSI-H35.2M-85	MACHINERY, WOODWORKING, SAFETY REQUIREMENTS FOR - 1975 (VALIDATION DATE: ..	A 3950	YD1 23-NOV-89		YD1		
D	ANSI-H35.2M-85	8601) REVIEWER: AR ME .....	A 34GP	IP 12-DEC-78	AL	SH	99	
D	ANSI-H35.2M-85	WOOD POLES, SPECIFICATIONS & DIMENSIONS FOR - 25 AUG 87 USER: SH REVIEWER: ..	A 5510	ME 10-JUL-90	ME	YD1		
D	ANSI-H35.2M-85	99 CS .....	A 5510	ME 10-JUL-90	ME	YD1		
D	ANSI-PH1.10-81	FILM, PHOTOGRAPHIC, 1 IN ROLLS, INCLUDING LE ADERS & TRAILERS FOR AERIAL & ..	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	RELATED USES, DIMENSIONS FOR UNPERFORATED & PERFORATED - 13 JUL 81 ..	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	REVIEWER: MV .....	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	FILM ROLLS, PHOTOGRAPHIC, (PLASTIC, WOOD, OR METAL) DIMENSIONS FOR CORES ..	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	FOR - 29 NOV 79 (VALIDATION DATE: 8705) REVIEWER: MV .....	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	FILM MAGAZINES, 135 SIZE, & FILM FOR 135 SIZE STILL PICTURE CAMERAS, ..	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	DIMENSIONS FOR - 28 MAY 76 REVIEWER: MV .....	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	FILM, GRAPHIC ARTS SHEETS & ROLL, DIMENSIONS FOR - 6 APR 79 REVIEWER: MV ..	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	MEDICAL RADIOGRAPHIC SHEET & ROLL FILMS - DIMENSIONS (FILM) AMERICAN ..	A 6525	MB 31-JUL-86	MD	MS	03	
D	ANSI-PH1.10-81	NATIONAL STANDARD FOR PHOTOGRAPHY - 1983 .....	A 6525	MB 31-JUL-86	MD	MS	03	
D	ANSI-PH1.10-81	FILM, ROLL, BACKING PAPER, & SPOOLS, DIMENSIONS FOR - 22 OCT 79 ..	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	REVIEWER: MV .....	A 6750	AS 04-MAY-83	ER	AS	99	
D	ANSI-PH1.10-81	PHOTOGRAPHY (FILM) SAFETY PHOTOGRAPHIC FILM - 2 NOV 82 .....	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	FILM, PHOTOGRAPHIC, FOR ARCHIVAL RECORDS, SILVER GELATIN TYPE, ON ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	CELLULOSE ESTER BASE, SPECIFICATION FOR - 24 FEB 81 USER: AR OS SH ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	REVIEWER: AT MC ME MI SA .....	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	PHOTOGRAPHY (FILM) METHODS FOR DETERMINING CURL - 7 JAN 85 - USER: 24 AL ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	CS EC ES GS REVIEWER: 11 13 18 19 AR AT MI SA SC SH TO ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	FILM, PHOTOGRAPHIC, 1 IN ROLLS FOR RECORDING INSTRUMENTS & MISCELLANEOUS ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	USES, DIMENSIONS FOR - 22 OCT 79 REVIEWER: MV .....	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	FILM, PHOTOGRAPHIC, METHOD FOR DETERMINING THE BRITTLENESS OF - 27 DEC ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	1972 (REAFFIRMED 1980 (VALIDATION DATE: 8708) REVIEWER: MV .....	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	FILMS & PAPERS, PHOTOGRAPHIC, METHODS FOR DETERMINING THE DIMENSIONAL ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	CHANGE CHARACTERISTICS OF - 8 JAN 73 .....	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	SPOOL, 16 MM 100 FT, 16MM 200 FT, 35MM 100 FT, & 70 MM 100 FT, FOR ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	RECORDING INSTRUMENTS & FOR MICROFILM & STILL PICTURES CAMERAS, ..	A 6760	AS 31-MAY-83		AS	16	
D	ANSI-PH1.10-81	DIMENSIONS FOR - 8 FEB 80 REVIEWER: MV .....	A 6760	AS 31-MAY-83		AS	16	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / OMA Coordination Inchase Document Number	Document Title	Dist. Sym. FAC / Area MCA Symbol Preparing Act.	Date	Custodians Army Navy Air Force DLA
ANSI-PH1.39-79 NOTICE 1	DIMENSIONS FOR 70MM FILM MAGAZINES & FILM FOR STILL PICTURE CAMERAS - 29	A 6750 AS	12-MAY-87	ER AS 99
ANSI-PH1.43-85	MOV 78 (VALIDATION DATE: 8705) REVIEWER: NV	A EDRS	16 09-AUG-89	CR AS 16 DM
ANSI-PH1.49-79	PHOTOGRAPHY (FILM) - PROCESSED SAFETY FILM - STORAGE - 7 AUG 85 USER: 24	A 6525 / MB	13-JUN-86	MD MS 03
ANSI-PH1.50-82	CS ES GS REVIEWER: 11 13 18 19	A 6530 MB	28-NOV-86	MD MS 03
ANSI-PH1.53-78	FILM CASSETTES, MEDICAL RADIOGRAPHIC, AMERICAN NATIONAL STANDARD	A 6760 AS	04-APR-83	CE AS 16
ANSI-PH2.2-81	SPECIFICATIONS FOR - 1979	A 6750 AS	20-FEB-84	ER AS 99
ANSI-PH2.5-79R86 NOTICE 1	SCREENS, RADIOGRAPHIC FILM CASSETTE INTENSIFYING, DIMENSIONS FOR, AMERICAN	A 6760 AS	25-AUG-87	ER AS 99
ANSI-PH2.19-86	NATIONAL STANDARD FOR - 1982	A EDRS	16 09-AUG-89	CR AS 16 DM
ANSI-PH2.34-69R77 NOTICE 1	PROCESSED PHOTOGRAPHIC FILMS, PLATES, & PAPERS, PHOTOGRAPHIC FILING	A 6750 AS	12-MAY-87	ER AS 99
ANSI-PH2.50-83	ENCLOSURES FOR STORING, REQUIREMENTS FOR - 10 APR 78	A 6525 MB	28-NOV-86	MD MS 03
ANSI-PH3.20-75	SENSITOMETRY & GRADING OF BLACK & WHITE SILVER HALIDE PHOTOGRAPHIC PAPERS	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.22-79	FOR CONTINUOUS TONE REFLECTION PRINTS - 18 JUN 81 REVIEWER: 70 NV	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.29-79	PHOTOGRAPHIC NEGATIVE MATERIALS (MONOCHROME, CONTINUOUS TONE), METHOD FOR	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.30-78R84 NOTICE 1	DETERMINING SPEED OF - 26 JUN 1979 (REAFFIRMED 1986 (VALIDATION DATE:	A 6720 AS	25-AUG-87	ER AS 99
ANSI-PH3.31-74R87 NOTICE 1	8708) REVIEWER: NV	A 6740 AS	25-AUG-87	ER AS 99
ANSI-PH3.35-77	DENSITY MEASUREMENTS - GEOMETRIC CONDITIONS FOR TRANSMISSION DENSITY -9	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.57-78	JAN 86 USER: 24 AL CS EC ES GS REVIEWER: 11 13 18 19 AR AT MI SA SC SH TD	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.63-74	PHOTOGRAPHY, AERIAL, METHODS FOR DETERMINING THE SPEEDS OF MONOCHROME	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.64-78 NOTICE 1	PHOTOGRAPHIC NEGATIVE FILMS FOR - 21 AUG 69 (VALIDATION DATE: 8705)	A 6730 AS	12-MAY-87	ER AS 99
ANSI-PH3.69-77R82 NOTICE 1	REVIEWER: NV	A 67GP AS	25-AUG-87	ER AS 99
ANSI-PH3.102-83	PHOTOGRAPHY - DIRECT-EXPOSURE MEDICAL & DENTAL RADIOGRAPHIC FILM/PROCESS	A 6760 AS	15-MAY-88	AS 99
ANSI-PH3.601-81	COMBINATIONS - DETERMINATION OF ISO SPEED & AVERAGE GRADIENT - 1983	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.607-81	LENSES, DISTANCE SCALES FOR FOCUSING CAMERA - 4 AUG 75 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.609-80	PHOTOGRAPHIC OBJECTIVE, ILLUMINANCE OVER THE FIELD OF A, METHOD FOR	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.615-80	DETERMINING THE DISTRIBUTION OF - 24 JUL 79 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.617-80	LENSES, PHOTOGRAPHIC OBJECTIVES AND PROJECTION, METHODS OF DESIGNATING AND	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.704-80R85 NOTICE 1	MEASURING APERTURES AND RELATED QUANTITIES PERTAINING TO - 19 DEC 1978	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH3.705-80	REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH4.3-86	CAMERA ACCESSORY SHOES WITH & WITHOUT ELECTRICAL CONTACTS FOR PHOTOFLASH	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH4.8-85	UNITS, DIMENSIONS FOR - 5 APR 1978 (REAFFIRMED 1984) (VALIDATION DATE:	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH4.29-75R80	8708) REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.8-72 NOTICE 1	ENLARGERS, PHOTOGRAPHIC, METHODS FOR TESTING - 21 MAR 1974 (REAFFIRMED	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.9-75	1987 (VALIDATION DATE: 8708) REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.12-73 NOTICE 1	LENSES, PHOTOGRAPHIC, METHODS OF DESIGNATING & MEASURING FOCAL LENGTHS &	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.14-73	FOCAL DISTANCES OF - 19 JUL 77 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.20-74	OPTICAL TRANSFER FUNCTION MEASUREMENT & REPORTING, GUIDE TO - 7 SEP 77	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.22-75	REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.22.8-81	LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING THE PHOTOGRAPHIC RESOLVING	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.27-75	POWER OF - 24 MAY 74 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.29-80	PROJECTOR WITH BUILT IN SMALL SCREENS, METHOD FOR TESTING OPTICAL	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.109-80	PERFORMANCE OF SLIDE & FILMSTRIP - 19 MAY 78 (VALIDATION DATE: 8705)	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.110-80	REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.139-80	EQUIPMENT, PHOTOGRAPHIC, METHOD OF MEASURING TEMPERATURE OF - 15 SEPT 1977	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.154-82	(REAFFIRMED 1982) (VALIDATION DATE: 8708) REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
ANSI-PH5.164-82	TRIPOD CONNECTIONS FOR HEAVY-DUTY OF IMPORTED CAMERAS 3/8-INCH - 16 THREAD	A 6760 70	03-MAY-85	ER AS 70
ANSI-S1.4-83	WITH ADAPTER FOR 1/4-INCH - 20 SCREW FOR PHOTOGRAPHY (CAMERAS) - 8 JUL 83	A 6760 70	03-MAY-85	ER AS 70
ANSI-S1.6-84 NOTICE 1	REVIEWER: 70 NV	A 6760 70	03-MAY-85	ER AS 70
ANSI-S1.10-66 NOTICE 1	LENSES, FOCAL LENGTH MARKINGS OF - 21 SEP 81 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
ANSI-S1.40-84	LENSES, PHOTOGRAPHIC, METHOD OF DETERMINING AND SPECIFYING THE COLOR	A 6760 70	03-MAY-85	ER AS 70
ANSI-S3.1-91 NOTICE 1	CONTRIBUTION OF - 3 FEB 1981 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
	OPTICS, PHOTOGRAPHIC, DIMENSIONS FOR RESOLUTION TEST TARGET FOR - 14 JULY	A 6760 70	03-MAY-85	ER AS 70
	1980 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
	CAMERA OBJECTIVE, STILL - PICTURE, METHOD OF TESTING VEILING GLARE OF - 13	A 6760 70	03-MAY-85	ER AS 70
	NOV 79 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
	OPTICAL ELEMENTS AND ASSEMBLIES, DEFINITIONS, METHODS OF TESTING, AND	A 6760 70	03-MAY-85	ER AS 70
	SPECIFICATIONS FOR APPEARANCE IMPERFECTIONS OF - 9 OCT 1979 REVIEWER: 99	A 6760 70	03-MAY-85	ER AS 70
	EQUIPMENT, PHOTOGRAPHIC STILL PROJECTION, PROJECTED MEDIA TEMPERATURE TEST	A 6760 70	03-MAY-85	ER AS 70
	FOR - 19 DEC 1979 (REAFFIRMED 1985) (VALIDATION DATE: 8708) REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	ILLUMINATION TESTS FOR PHOTOGRAPHIC STILL FRONT PROJECTION EQUIPMENT - 19	A 6760 70	03-MAY-85	ER AS 70
	DEC 79 REVIEWER: 70 NV	A 6760 70	03-MAY-85	ER AS 70
	PHOTOGRAPHY PROCESSING TRAYS - 2 DEC 1985 REVIEWER: 70 82 GS MC NV	A 6760 70	03-MAY-85	ER AS 70
	CHEMICALS, RESIDUAL THIOSULFATE AND OTHERS, IN FILMS, PLATES, AND PAPERS -	A 6760 70	03-MAY-85	ER AS 70
	DETERMINATION AND MEASUREMENT - 7 JAN 85 - USER: 24 AL CS EC ES GS	A 6760 70	03-MAY-85	ER AS 70
	REVIEWER: 11 13 18 19 AR AT MI SA SC SH TD	A 6760 70	03-MAY-85	ER AS 70
	FILMS, PHOTOGRAPHIC, PLATES & PAPERS, METHODS FOR MANUAL PROCESSING OF	A 6760 70	03-MAY-85	ER AS 70
	BLACK & WHITE - 5 SEP 75	A 6760 70	03-MAY-85	ER AS 70
	MICROFILM, UNITIZED, CARRIERS (APERTURE, CAMERA, COPY & IMAGE CARDS),	A 6760 70	03-MAY-85	ER AS 70
	DIMENSION FOR - 24 MAR 1971 (VALIDATION DATE: 8602) REVIEWER: AG AR AT MC	A 6760 70	03-MAY-85	ER AS 70
	ME MI OS SA SH	A 6760 70	03-MAY-85	ER AS 70
	MICROFILM - 16 DEC 69 USER: MC REVIEWER: AT AV ME MI OS SA SH	A 6760 70	03-MAY-85	ER AS 70
	MICROFILM CARRIER, THICKNESS OF BUILDUP AREA ON UNITIZED, (APERTURE,	A 6760 70	03-MAY-85	ER AS 70
	CAMERA, COPY & IMAGE CARDS), METHOD FOR MEASURING - 5 SEP 73 (VALIDATION	A 6760 70	03-MAY-85	ER AS 70
	DATE: 8602) REVIEWER: AG AR AT MC ME MI OS SA SH	A 6760 70	03-MAY-85	ER AS 70
	MICROFILM CARRIER, ADHESION OF PROTECTION SHEET TO APERTURE ADHESIVE OF	A 6760 70	03-MAY-85	ER AS 70
	UNITIZED, (APERTURE CARD), METHOD FOR DETERMINING - 5 SEP 73 (VALIDATION	A 6760 70	03-MAY-85	ER AS 70
	DATE: 8502) REVIEWER: AG AR AT MC ME MI OS SA SH	A 6760 70	03-MAY-85	ER AS 70
	RETRIEVAL SYSTEMS DOCUMENT MARK (BLIP) USED IN IMAGE MARK 1974 REVIEWER:	A 6760 70	03-MAY-85	ER AS 70
	AL AT MC ME MI MU OS SA SH YD1	A 6760 70	03-MAY-85	ER AS 70
	CASSETT, DOUBLE CORE (8-1 AXIAL), DIMENSIONS & OPERATIONAL CONSTRAINTS	A 6760 70	03-MAY-85	ER AS 70
	FOR, FOR 16MM PROCESSED MICROFILM - 16 OCT 75	A 6760 70	03-MAY-85	ER AS 70
	FILM, 16MM MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON - 28	A 6760 70	03-MAY-85	ER AS 70
	SEP 81 REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	FILM, MOTION PICTURE, DIMENSIONS OF RAW STOCK CORES FOR - 28 MAY 75	A 6760 70	03-MAY-85	ER AS 70
	REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	FILM, 35 MM MOTION PICTURE, PERFORATED BH, DIMENSIONS FOR - 23 SEP 80	A 6760 70	03-MAY-85	ER AS 70
	REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	FILM, 16 MM MOTION PICTURE, PERFORATED IR, DIMENSIONS FOR - 6 OCT	A 6760 70	03-MAY-85	ER AS 70
	80 REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	FILM, 16MM MOTION PICTURE, PERFORATED 2R, DIMENSIONS FOR - 6 OCT 80	A 6760 70	03-MAY-85	ER AS 70
	REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	FILM, 35MM MOTION PICTURE, PERFORATED KS DIMENSIONS FOR - 23 SEP 80	A 6760 70	03-MAY-85	ER AS 70
	REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	FILM, 8MM TYPES MOTION PICTURE, DIMENSIONS OF PROJECTABLE IMAGE AREA ON -	A 6760 70	03-MAY-85	ER AS 70
	11 MAY 82 REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	FILM, 8MM TYPES MOTION PICTURE, POSITION, DIMENSIONS & REPRODUCING SPEED	A 6760 70	03-MAY-85	ER AS 70
	OF MAGNETIC SOUND RECORD ON - 11 MAY 82 REVIEWER: NV	A 6760 70	03-MAY-85	ER AS 70
	METERS, SOUND LEVEL, SPECIFICATION FOR REVIEWER: AM AT MD ME OS TE YD1	A 6760 70	03-MAY-85	ER AS 70
	MEASUREMENTS, ACOUSTICAL, PREFERRED FREQUENCIES, FREQUENCY LEVELS, AND	A 6760 70	03-MAY-85	ER AS 70
	BAND NUMBER FOR USER: AL YD1 REVIEWER: 10 13 19 AR AT AV CH EA EC MC MD ME	A 6760 70	03-MAY-85	ER AS 70
	MS OS PL SH TD TE	A 6760 70	03-MAY-85	ER AS 70
	CALIBRATION OF MICROPHONES, METHOD FOR THE REVIEWER: 19 AL AT MD TE TH	A 6760 70	03-MAY-85	ER AS 70
	.....	A 6760 70	03-MAY-85	ER AS 70
	CALIBRATORS, ACOUSTICAL, SPECIFICATION FOR REVIEWER: AM AT MD ME OS TE YD1	A 6760 70	03-MAY-85	ER AS 70
	TEST ROOMS, AUDIOMETRIC, MAXIMUM PERMISSIBLE AMBIENT NOISE LEVELS FOR	A 6760 70	03-MAY-85	ER AS 70
	.....	A 6760 70	03-MAY-85	ER AS 70



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OMA Coordination Inclusive	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty	Date	Custodians			
					Army	Navy	Air Force	DIA
M	ANSI-S3.2-89 NOTICE 1	SPEECH OVER COMMUNICATION SYSTEMS, METHOD FOR MEASURING THE INTELLIGIBILITY OF USER: AL YD1 REVIEWER: 10 13 19 AR AT AV CR EA EC MC MD	A HFAC	MI 27-MAY-93	MI	AS	11	
A	ANSI-S3.5-69 NOTICE 1 ANSI-X3.2-70	ME MS OS PE SH TO TE CALCULATION OF THE ARTICULATION INDEX, METHODS FOR THE REVIEWER: 19 AL AT MD TE TM MAGNETIC INK CHARACTER RECOGNITION, PRINT SPECIFICATIONS FOR - 5 OCT 1970 [VALIDATION DATE: 8601]	A QCIC * MI	14-DEC-92	MI	AS	11	
	ANSI-X3.9-78 ANSI-X3.11-69 ANSI-X3.19-67	FORTRAN, PROGRAMMING LANGUAGE, AMERICAN NATIONAL STANDARD - 3 APR 78 ..... CARDS FOR INFORMATION PROCESSING - 1 OCT 1969 (VALIDATION DATE: 8106) ..... TAPE FOR INFORMATION INTERCHANGE, ELEVEN-SIXTEENTHS INCH PERFORATED PAPER - 3 APR 1967	A IPSC A IPSC A IPSC	02 15-NOV-78 02 01-OCT-69 02 03-APR-67	AD AD SC	OM OM OM	02 02 02	
	ANSI-X3.34-72	INFORMATION INTERCHANGE, INTERCHANGE ROLLS OF PERFORATED TAPE FOR - 9 DEC 1971 [VALIDATION DATE: 8106] REVIEWER: MC NM SA	A IPSC	02 09-DEC-71	SC	OM	02	
	ANSI-X3.37-77 ANSI-X3.52-76	LANGUAGE, PROGRAMMING, ASPT - 5 JAN 77 ..... DISK CARTRIDGE, UNRECORDED SINGLE, (FRONT LOADING 2200 BPI) GENERAL, PHYSICAL AND MAGNETIC REQUIREMENTS - 3 FEB 1976 [VALIDATION DATE: 8601]	A IPSC A IPSC	02 17-MAY-77 02 01-SEP-76	AD SC	OM OM	02 02	
	ANSI-X3.53-53R76 ANSI-X3.55-77	LANGUAGE, PROGRAMMING, PL/I - 9 AUG 76 [VALIDATION DATE: 8601] ..... TAPE CARTRIDGE, UNRECORDED MAGNETIC, FOR INFORMATION INTERCHANGE, 0.250 IN. (6.35MM), 1600 BPI (63 BPPM) PHASE ENCODED - 27 JUN 77 [VALIDATION DATE: 8601]	A IPSC A IPSC	02 14-OCT-76 02 27-OCT-77	AD AD	OM OM	02 02	
	ANSI-X3.58-77	DISK PACK, UNRECORDED ELEVEN, GENERAL, PHYSICAL & MAGNETIC REQUIREMENTS - 9 JUN 77 [VALIDATION DATE: 8601]	A IPSC	02 19-DEC-77	AD	OM	02	
	ANSI-X4.13-83	FINANCIAL SERVICES - FINANCIAL TRANSACTION CARDS AMERICAN NATIONAL STANDARD FOR - 1983	A 7530	MB 29-JUL-88	MD	MS	03	
D	ANSI-Y10.5-68	LETTER SYMBOLS FOR QUANTITIES USED IN ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING - 15 APR 68 [VALIDATION DATE: 8101] USER: MC MI YD1 REVIEWER: AV ME OS	A DRPR	AR 15-APR-68	AR	SH	11	
	ANSI-Y10.20-75 NOTICE 2	MATHEMATICAL SIGNS & SYMBOLS FOR USE IN PHYSICAL SCIENCES & TECHNOLOGY - 75 [VALIDATION DATE: 8809]	A DRPR	AR 13-SEP-88	AR	SH	11	
D	ANSI-Y14.1-80 NOTICE 1 ANSI-Y14.2M-79 ANSI-Y14.3-75 NOTICE 2	DRAWING SHEET SIZE & FORMAT - 22 DEC 80 [VALIDATION DATE: 8809] REVIEWER: 12 AT AV CR MC ME MI OS SA SH YD1 CONVENTION & LETTERING, LINE - 1979 [VALIDATION DATE: 8502] ..... MULTI AND SECTIONAL VIEW DRAWINGS - 1975 [VALIDATION DATE: 8808] .....	A DRPR A DRPR A DRPR	AR 13-SEP-88 AR 04-JAN-79 AR 23-AUG-88	AK AR	AS OS AS	16 16 16	
D	ANSI-Y14.5M-82	DIMENSIONING & TOLERANCING - 15 DEC 82 USER: DH NS REVIEWER: 11 12 99 AL AT AV CR MC MI OS SA SH YD1	A DRPR	AS 20-DEC-82	AR	AS	16	
	ANSI-Y14.6-78 ANSI-Y14.7.1-71 NOTICE 2	SCREW THREAD REPRESENTATION - 26 JUL 78 [VALIDATION DATE: 8502] ..... GEAR DRAWING STANDARDS PART 1 FOR SPUR, HELICAL, DOUBLE HELICAL & HACK - 2 FEB 71 [VALIDATION DATE: 8808]	A DRPR A DRPR	AR 26-JUL-78 AR 23-AUG-88	AR	AS OS	16 16	
D	ANSI-Y14.7.2-78	GEAR & SPLINE DRAWING STANDARDS - PART 2, BEVEL & HYPOID GEARS - 1978 (REAPPROVED 84) [VALIDATION DATE: 8502] REVIEWER: 11 AT AV CR MC ME OS SH YD1	A DRPR	AR 02-FEB-78	AR	AS	16	
D	ANSI-Y14.13M-81 NOTICE 2 ANSI-Y14.15-66R73	MECHANICAL SPRING REPRESENTATION - 30 OCT 81 [VALIDATION DATE: 8808] USER: ME YD1 REVIEWER: AS AT AV EA IS MC SH	A DRPR	AR 23-AUG-88	AR	OS	16	
D	USAS-Y14.15-66 ANSI-Y14.20M-81	ELECTRICAL & ELECTRONICS DIAGRAMS - 15 MAY 67 (ANSI Y14.15A-71) (ANSI Y14.15B-73 INFO SHTS) [VALIDATION DATE: 8502]	A DRPR	AR 15-MAY-67	AR	SH	16	
D	ANSI-Y14.26M-81	ELECTRICAL AND ELECTRONICS DIAGRAMS - 2 DEC 66 REVIEWER: AS AT MC MI YD1 .. PRODUCT DEFINITION DATA, DIGITAL REPRESENTATION FOR COMMUNICATION OF - 2) SEP 81 USER: OS REVIEWER: 16 AD AT ER ME MI	A DRPR A IPSC	EL 15-MAY-67 AR 15-JAN-82	EL AR	SH OS	16 16	
D	ANSI-Y14.26.3-75	PRODUCT DEFINITION DATA, DICTIONARY OF TERMS FOR COMPUTER AIDED PREPARATION OF (INCL ENGINEERING DRAWINGS) - 1975 [VALIDATION DATE: 8101] REVIEWER: 11 12 99 AT AV ER ME MI OS SA SH YD1	A DRPR	AR 15-AUG-75	AS	16		
	ANSI-Y14.36-78 ANSI-Y32.2-75 ANSI-Y32.4-77	SYMBOL, SURFACE TEXTURE - 1978 [VALIDATION DATE: 8502] REVIEWER: 71 82 .... ORDER IEEE 315-75 [VALIDATION DATE: 8502] ..... GRAPHIC SYMBOLS FOR PLUMBING FIXTURES FOR DIAGRAMS USED IN ARCHITECTURE & BUILDING CONSTRUCTION - 77 [VALIDATION DATE: 8601]	A DRPR A DRPR A DRPR	AR 27-JAN-78 AR 31-OCT-75 AR 16-SEP-77	AR AR AR	AS SH YD1	11 16 16	
D	ANSI-Y32.9-72 NOTICE 1	GRAPHIC SYMBOLS FOR ELECTRICAL WIRING AND LAYOUT DIAGRAMS USED IN ARCHITECTURE AND BUILDING CONSTRUCTION - 1972 [VALIDATION DATE: 8204] USER: CG EC	A DRPR	YD1 31-MAR-88	AR	YD1	16	
	ANSI-Y32.10-67	DIAGRAMS, FLUID POWER, GRAPHIC SYMBOLS FOR - 21 FEB 67 [VALIDATION DATE: 8601] REVIEWER: AT MI	A DRPR	AR 01-AUG-79	SH			
	ANSI-Y32.16-75 ANSI-Z1.1.1.2.1.3-85	ORDER IEEE 200-75 [VALIDATION DATE: 8202] ..... GUIDE FOR QUALITY CONTROL CHARTS, CONTROL CHART METHOD OF ANALYZING DATA, CONTROL CHART OF METHOD OF CONTROLLING QUALITY DURING PRODUCTION - 31 DEC 85 REVIEWER: CR	A DRPR A QCIC	AR 31-OCT-75 AR 13-MAR-89	AR AK	SH OS	16 DH	
D L	ANSI-Z8.1-90 NOTICE 1 ANSI-Z17.1-73 ANSI-Z21.13-91 NOTICE 1	COMMERCIAL LAUNDRY AND DRYCLEANING OPERATIONS - SAFETY REQUIREMENTS, AMERICAN NATIONAL STANDARD FOR NUMBERS, PREFERRED - 73 [VALIDATION DATE: 8101] .....	A 3510 A MISC A 4410 *	YD1 19-APR-93 AR 30-SEP-74 YD1 26-OCT-92	YD1 AR YD1	99 99 99		
D	ANSI-Z21.22-86 NOTICE 2	BOILERS, GAS-FIRED LOW-PRESSURE STEAM AND HOT WATER USER: CE MC REVIEWER: 84	A 4820 *	YD1 20-MAR-92	ME	YD1	99	
D	ANSI-Z21.47-90 NOTICE 1	BOILERS, HOT WATER, GAS-FIRED, LOW-PRESSURE STEAM (ALSO INCLUDES ADDENDA ANSI-Z21.13A-72) USER: CE MC SH REVIEWER: 82 CS	A 4430 *	YD1 18-SEP-91	YD1	99		
D L	ANSI-Z21.64-90 NOTICE 1	GAS-FIRED CENTRAL FURNACES USER: MC REVIEWER: 84 CS .....	A 4520 *	YD1 11-SEP-92	YD1			
D	ANSI-Z21.69-87	FURNACES, CENTRAL, DIRECT VENT, AMERICAN NATIONAL STANDARD FOR .....	A 4720	YD1 08-NOV-90	ME	YD1	99	
	ANSI-Z34.1-87 ANSI-Z34.2-87 ANSI-Z79.2-76	CONNECTORS FOR MOVABLE GAS APPLIANCES, AMERICAN NATIONAL STANDARD FOR - SECOND EDITION - 10 MARCH 1989 USER: MC SH REVIEWER: 82 CS THIRD-PARTY CERTIFICATION PROGRAM - 4 JUN 87 - REVIEWER: CR GL TM ..... SELF-CERTIFICATION BY PRODUCER OR SUPPLIER - 2 APRIL 87 - REVIEWER: CR GL TM TRACHEAL TUBE CONNECTORS AND ADAPTERS, AMERICAN NATIONAL STANDARD FOR - 19 NOV 1976	A QCIC A QCIC A 6515 /	AR 01-MAR-88 AR 01-MAR-88 MB 19-SEP-86	AL AR MD	MS MS MS	03 03 03	DH DH
	ANSI-Z79.6-75 ANSI-Z79.9-79	TUBES, BREATHING, AMERICAN NATIONAL STANDARD FOR - 11 FEB 1975 ..... HUMIDIFIERS AND NEBULIZERS FOR MEDICAL USE, AMERICAN NATIONAL STANDARD FOR - 1979	A 6515 A 6530	MB 25-APR-86 MB 30-MAY-86	MD	MS MS	03 03	
	ANSI-Z79.10-79	OXYGEN ANALYZERS FOR MONITORING PATIENT BREATHING-MIXTURES, REQUIREMENTS FOR, 19 OCT 87	A 6515	MB 19-OCT-87	MD	MS	03	
	ANSI-Z79.14-83 ANSI-Z80.1-79 ANSI-Z83.3-71 NOTICE 1	TUBES, TRACHEAL, ANESTHETIC EQUIPMENT, STANDARD FOR - 14 DEC 1982 ..... LENSES, RECOMMENDATIONS FOR PRESCRIPTION OPHTHALMIC - 21 NOV 78 ..... GAS-UTILIZATION EQUIPMENT IN LARGE BOILERS (ALSO INCLUDES ADDENDA ANSI-Z83.3A-72 AND ANSI-Z83.3B-76) USER: CE MC REVIEWER: 84 CS	A 6515 A 6540 A 4430 *	MB 20-NOV-85 MB 05-NOV-84 YD1 11-OCT-91	MD MD YD1	MS MS 99	03 03 DH	
D	ANSI-Z87.1-79	PROTECTION, EYE & FACE, PRACTICE FOR OCCUPATIONAL & EDUCATIONAL - 27 FEB 79 USER: YD1 REVIEWER: AR AS GS	A 4240	EA 12-JUL-89	EA	SH	99	
	ANSI-Z88.2-80 ANSI-Z89-86	PRACTICES FOR RESPIRATORY PROTECTION - 22 MAY 80 USER: AR REVIEWER: GS MD .. HEADWEAR, PROTECTIVE, FOR INDUSTRIAL WORKERS - REQUIREMENTS - 31 JULY 1986 REVIEWER: 84 CS SH	A 4240 A 4240	EA 11-MAR-81 YD1 26-JUL-90	EA EA	SH YD1	99 99	
D	ANSI-Z97.1-84	SAFETY GLAZING MATERIALS USED IN BUILDINGS - SAFETY PERFORMANCE SPECIFICATIONS AND METHODS OF TEST, STANDARD FOR - 19 JUL 84 REVIEWER: 84 99 GS	A 5620	YD1 03-JUL-89	ER	YD1	85	
D	ANSI-Z124.1-87 NOTICE 3	BATHTUB UNITS, PLASTIC, AMERICAN NATIONAL STANDARD FOR - NOV. 3 1987 (ADDENDUM DTD. 6 MAR. 1990 & 24 JULY 1991) USER: MC REVIEWER: 84 CS	A 4510	YD1 01-OCT-91	YD1	99		
	ANSI-Z124.2-87 NOTICE 2	SHOWER RECEPTORS AND SHOWER STALLS, PLASTIC, STANDARD FOR - 3 NOV 87 (ADDENDUM DTD. 6 MAR. 1990) USER: MC REVIEWER: 84 CS	A 4510	YD1 01-APR-91	YD1	99		
D	ANSI-Z124.3-86 NOTICE 2	PLASTIC LAVATORY, STANDARD FOR - 14 APR 1986 (ADDENDUM DTD. 6 MAR. 1990) USER: CE MC REVIEWER: CS	A 4510 /	YD1 01-APR-91	YD1	99		



**NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS**

Doc Action Doc / Onk Coordination Machine Document Number	Document Title	Doc Smt FSC / Ave MCA Symbol Preparing A Date	Custodians			
			Army	Navy	Air Force	DLA
0	ANSI-Z124.4-86 NOTICE 2	A 4510 YD1 01-APR-91	ME	YD1		
0	ANSI-Z124.5-89	A 4510 YD1 21-MAY-90		YD1	99	
0	ANSI-Z124.6-90	A 4510 YD1 15-AUG-91		YD1	99	
0	ANSI-Z129.1-82	A PACK SA 23-SEP-85	SM	SA	69	
0	ANSI-Z136.1-86	A SAFT EC 14-AUG-87		EC	99	
0	ANSI-Z236.1-73	A 6685 MB 27-SEP-89		MS		
0	ANSI-Z358.1-90	A 4510 YD1 04-FEB-91	ME	YD1	99	
0	APA-PS1-83	A 5530 ME 20-MAR-87	ME		99	
0	APA-PRP108-88	A 5530 CS 25-OCT-89			99	
0	API-BULL-1529-89	A 4720 * YD1 21-AUG-92	ME	YD1	99	
0	NOTICE 1					
0	API-BULL-2516	A 91GP * ME 09-DEC-91	ME	SH	68	
0	NOTICE 1					
0	API-BULL-2518	A 91GP * ME 09-DEC-91	ME	SH	68	
0	NOTICE 1					
0	API-PUBL-2015-91	A 5430 * YD1 22-JAN-93	ME	YD1	99	
0	NOTICE 1					
0	API-PUBL-2015A-82	A 5430 YD1 06-APR-87	ME	YD1	99	
0	API-PUBL-2015B-81	A 5430 YD1 06-APR-87	ME	YD1	99	
0	API-PUBL-2517	A 91GP * ME 09-DEC-91	ME	SH	68	
0	NOTICE 1					
0	API-PUBL-2518	A 91GP * ME 24-JAN-92	ME	SH	68	
0	NOTICE 1					
0	API-PUBL-2519	A 91GP * ME 09-DEC-91	ME	SH	68	
0	NOTICE 1					
0	API-RP2003-82	A SAFT YD1 01-JUL-88	ER	YD1	85	
0	API-SPEC-5CT-90	A 4710 YD1 25-MAY-91	ME	YD1	99	
0	API-SPEC-5L-88	A 4710 YD1 30-JAN-89	ME	YD1	99	
0	API-SPEC-5D-91	A 4710 * YD1 01-MAR-91	ME	YD1	99	
0	API-SPEC-6FA-85	A 4820 YD1 23-JUN-89	ER	YD1	85	
0	API-SPEC-6D-91	A 4820 * YD1 06-APR-92	ME	YD1		
0	NOTICE 1					
0	API-SPEC-12D-82	A 5430 YD1 26-MAY-88	ME	YD1	99	
0	API-STD-5B-88	A 4710 YD1 30-JAN-89		YD1	99	
0	API-STD-526-84	A 4820 YD1 21-JUN-89		YD1	99	
0	API-STD-527-91	A 4820 * YD1 06-APR-92	ME	YD1	99	
0	NOTICE 1					
0	API-STD-594-91	A 4820 * YD1 06-APR-92	ME	YD1	99	
0	NOTICE 1					
0	API-STD-598-90	A 4820 * YD1 06-APR-92	ME	YD1		
0	NOTICE 1					
0	API-STD-599-88	A 4820 * YD1 06-APR-92		YD1	99	
0	NOTICE 1					
0	API-STD-600-91	A 4820 * YD1 06-APR-92	ME	YD1		
0	NOTICE 1					
0	API-STD-607-85	A 4820 YD1 04-JAN-90	ME	YD1		
0	API-STD-609-91	A 4820 * YD1 26-JAN-91	ME	YD1	99	
0	NOTICE 1					
0	API-STD-610-89	A 4320 YD1 25-MAY-91	ME	YD1	99	
0	API-STD-617-82	A 4310 YD1 01-MAR-91		YD1		
0	API-STD-618-86	A 4310 YD1 01-MAR-91		YD1		
0	API-STD-619-85	A 4310 YD1 01-MAR-91		YD1		
0	API-STD-650-84	A 5430 YD1 24-APR-87	ME	YD1	99	
0	API-STD-1104-88	A THJM YD1 18-DEC-88		YD1	99	
0	API-STD-2000-82	A 5430 YD1 24-APR-87	ME	YD1	99	
0	API-STD-2550-65R84	A MD11 YD1 25-AUG-84	MP	YD1	99	
0	API-STD-2551-65	A 5430 YD1 24-APR-87	ME	YD1		
0	API-STD-2555-66	A 5430 YD1 24-APR-87	ME	YD1		
0	AR1210/240-89	A 4120 * YD1 26-JAN-91		YD1		
0	NOTICE 1					
0	AR1270-84	A 4120 YD1 15-OCT-90				
0	NOTICE 1					
0	AR1310-90	A 4130 YD1 09-AUG-90				
0	AR1320-86	A 4120 YD1 11-AUG-90				
0	AR1360-86	A 4120 YD1 11-AUG-90				
0	AR1410-87	A 4130 YD1 5-AUG-90				
0	AR1430-89	A 4130 YD1 11-AUG-90				
0	AR1440-89	A 4130 YD1 11-AUG-90				
0	AR1445-87	A 4130 YD1 11-AUG-90				
0	NOTICE 1					
0	AR1460-87	A 4130 YD1 11-AUG-90				
0	NOTICE 2					
0	AR1495-85	A 4130 YD1 11-AUG-90				
0	NOTICE 2					
0	AR1520-90	A 4130 YD1 11-AUG-90				
0	NOTICE 1					
0	AR1550-90	A 4130 YD1 11-AUG-90				
0	NOTICE 1					



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Chg / CML Continuation Revision	Document Number	Document Title	Doc. Desc. FAC / Issue MCA Symbol Proposing Act.	Date	Custodians			
					Army	Navy	Air Force	DLA
D	ARI560-82 NOTICE 2	PACKAGES, ABSORPTION WATER-CHILLING, STANDARD FOR [VALIDATION DATE: 9206]	A 4130 * YD1	19-JUN-92	NE	YD1	99	
D	ARI590-86 NOTICE 2	USER: CE MC REVIEWER: 82 GS MS	A 4130 * YD1	19-JUN-92	NE	YD1	99	
D	ARI610-89	PACKAGES, RECIPROCATING WATER-CHILLING, STANDARD FOR [VALIDATION DATE: 9206] USER: CE REVIEWER: 82 GS MC MS	A 4130	YD1 11-JUL-91	NE	YD1	99	
D	ARI850-84	CENTRAL SYSTEM HUMIDIFIERS FOR RESIDENTIAL APPLICATIONS - APR 1989	A 4480	YD1 24-SEP-91		YD1		
D	ARI1010-84 NOTICE 2	REVIEWER: GS FILTER EQUIPMENT, COMMERCIAL AND INDUSTRIAL AIR, STANDARD FOR - 1984 .....	A 4110 *	YD1 20-MAR-92	NE	YD1	99	
	ASC-C78.1410-85	DRINKING-FOUNTAINS AND SELF-CONTAINED, MECHANICALLY-REFRIGERATED	A 6240	82 15-MAY-86		SH	99	
	ASC-C78.1411-85	DRINKING-WATER COOLERS, STANDARD FOR [VALIDATION DATE: 9203] USER: CE	A 6240	82 04-MAY-86		SH	99	
	ASC-C78.1412-85	REVIEWER: 82 GS MC MS	A 6240	ME 15-DEC-86	NE			
D	ASHRAE15-78	LAMP, ELB PROJECTION - 8 FEB 85 REVIEWER: GS .....	A 4130	YD1 20-JUL-88		YD1		
D	ASHRAE20-70	LAMP, EPM PROJECTION - 8 FEB 85 USER: MC SH REVIEWER: 82 GS .....	A 4130	YD1 20-JUL-88		YD1		
D	ASHRAE52-76	REFRIGERATION MECHANICAL, SAFETY CODE FOR - 1978 USER: CE REVIEWER: GS MC	A 4130	YD1 02-JUN-88	NE	YD1	99	
D	ASHRAE68-86	CONDENSER, RATING REMOTE MECHANICAL DRAFT AIR COOLED REFRIGENT - 1986	A 4140	YD1 20-JUL-88		YD1		
D	ASHRAE116-83	USER: CE REVIEWER: GS MC MS	A 4120	YD1 20-JUL-88		YD1		
D	ASME-A39.1-87	DEVICES, AIR-CLEANING, USED IN GENERAL VENTILATION FOR REMOVING	A 5670	YD1 29-JUN-90	NE	YD1	99	
D	ASME-A112.6.1M-88 NOTICE 1	PARTICULATE MATTER, STANDARD FOR METHOD OF TESTING - FEB 76 USER: CE	A 4510 *	YD1 16-DEC-91		YD1	99	
D	ASME-A112.18.1M-89	REVIEWER: CS GS	A 4510	YD1 20-APR-90	NE	YD1	99	
D	ASME-A112.19.1M-87	SEASONAL EFFICIENCY OF UNITARY AIR CONDITIONS & HEAT PUMPS - 1983 USER: CE	A 4510	YD1 13-JAN-89	NE	YD1	99	
D	ASME-A112.19.2M-90	REVIEWER: GS MC MS	A 4510	YD1 01-MAR-91		YD1	99	
D	ASME-A112.19.3M-87	WINDOWING CLEANING, SAFETY REQUIREMENTS FOR - 4 JUN 1987 WITH ADDENDA	A 4510	YD1 13-JAN-89	NE	YD1	99	
D	ASME-A112.21.1M-91 NOTICE 1	A39.1B-89 REVIEWER: 84	A 4510 *	YD1 02-JAN-92	NE	YD1	99	
D	ASME-A112.26.1M-84 NOTICE 1	SUPPORTS FOR OFF-THE-FLOOR PLUMBING FIXTURES FOR PUBLIC USE REVIEWER: CS ..	A 4510	YD1 15-FEB-91	NE	YD1	99	
D	ASME-A112.36.2M-91 NOTICE 1	FITTINGS, PLUMBING FIXTURE - 15 NOV 1989 REVIEWER: 84 CS .....	A 4510 *	YD1 17-JUL-92	NE	YD1	99	
	ASME-B1.1-89	ENAMELED CAST IRON PLUMBING FIXTURES, AMERICAN NATIONAL STANDARD FOR - 3	A THDS	IS 20-AUG-91	AR	AS	11	
	ASME-B1.2-83 NOTICE 1	APR 87 USER: CE REVIEWER: 84 CS	A THDS	IS 21-MAR-90	AR	AS	11	
D	ASME-B1.3M-86	PLUMBING FIXTURES, VITREOUS CHIA - 6 DEC. 1990, ANTI- BACKFLOW TYPES - MAR	A THDS	IS 21-SEP-87	AR	AS	11	
	ASME-B1.5-88	1978 USER: CE REVIEWER: 84 CS MC	A THDS	IS 20-SEP-89	AR	AS	11	
	ASME-B1.7M-84 NOTICE 1	STAINLESS STEEL PLUMBING FIXTURES (DESIGNED FOR RESIDENTIAL USE) AMERICAN	A THDS	IS 12-SEP-90	AR	AS	99	IS
	ASME-B1.7-84	NATIONAL STANDARD FOR 3 APR 87 USER: MC REVIEWER: 84 CS	A THDS	IS 28-AUG-85	AR	AS	11	
	ASME-B1.8-88	FLOOR DRAINS USER: CE MC REVIEWER: CS .....	A THDS	IS 17-FEB-89	AR	AS	99	
	ASME-B1.9-73R85 NOTICE 1	ARRESTER, WATER HAMMER - 31 DEC 84 [VALIDATION DATE: 9102] USER: CE MC	A THDS	IS 31-MAY-90	AR	AS	11	
	ASME-B1.12-87	REVIEWER: CS	A THDS	AR 20-JAN-89	AR	AS	99	
D	ASME-B1.13M-83	CLEANOUTS USER: CE MC REVIEWER: CS .....	A THDS	IS 28-NOV-84	AR	AS	11	
	ASME-B1.16M-84	SCREW THREADS, UNIFIED, (UN AND UNR THREAD FORM) - 29 AUG 1989 USER: MI	A THDS *	IS 05-NOV-87	AR	AS	11	
D	ASME-B1.20.1-83 NOTICE 1	REVIEWER: 15 82 CR EA ER ME	A THDS	IS 12-OCT-89	AR	AS	11	IS
D	ASME-B1.20.3-78R91	GAGES & GAGING FOR UNIFIED INCH SCREW THREADS - 16 MAY 83 [VALIDATION	A THDS	IS 31-OCT-80	AR	AS	99	
	ASME-B1.20.5-91 NOTICE 1	DATE: 9003] USER: EC REVIEWER: AT AV GL ME	A THDS *	IS 10-JUN-92	AR	AS	11	IS
D	ASME-B1.20.7-66R83	SCREWS THREAD GAGING SYSTEMS FOR DIMENSIONAL ACCEPTABILITY - INCH AND	A 4730	YD1 22-JUN-90	NE	YD1	99	
D	ASME-B1.21M-78R91 NOTICE 1	METRIC SCREW THREAD (UN, UNR, UNJ, M AND MJ) -20 FEB 86- REVIEWER: 99 AT	A THDS	IS 22-NOV-89	AR	AS	99	
	ASME-B1.22M-85	AV EC ER ME MI OS SH YD1	A THDS *	IS 05-NOV-87	AR	AS	11	
D	ASME-B16.1-89	GAGES & GAGING FOR UNIFIED INCH SCREW THREADS - 11 JAN 88 USER: EC	A 4730	YD1 30-JUN-91	NE	YD1	99	
D	ASME-B16.3-85	REVIEWER: AT AV GL ME	A 4730	YD1 11-MAR-88	NE	YD1	99	
D	ASME-B16.4-85	SCREW THREADS, NOMENCLATURE, DEFINITIONS, AND LETTER SYMBOLS FOR - 2 NOV	A 4730	YD1 11-MAR-88	NE	YD1	99	
D	ASME-B16.5-88	1984 REVIEWER: 71 82 AT AV ER GL ME	A 4730	YD1 23-JUN-89	AR	YD1	99	
D	ASME-B16.10-86	SCREW-THREAD STANDARDS FOR FEDERAL SERVICES SECTION 1, NOMENCLATURE,	A 4820	YD1 06-JUN-89	NE	YD1	99	
D	ASME-B16.15-85	DEFINITIONS AND LETTER SYMBOLS FOR SCREW THREADS - 2 NOV 84 REVIEWER: AT	A 4730	YD1 24-MAY-88	NE	YD1		
D	ASME-B16.22-80	AV ER GL ME	A 4730	YD1 15-JUN-91		YD1	99	
D	ASME-B16.25-86	STUD ASME SCREW THREADS - 11 JAN 88 REVIEWER: EC .....	A 4730	YD1 30-MAY-89	NE	YD1		
D	ASME-B16.26-88	SCREW THREADS, BUTTRESS INCH - 22 OCT 73, W/ERRATA - FEB 79 (REAPPROVED 31	A 4730	YD1 30-MAY-89	NE	YD1		
D	ASME-B16.29-86	MAY 85 [VALIDATION DATE: 9005] USER: EC REVIEWER: 15 80 82 99 AT AV MI	A 4730	YD1 27-APR-88		YD1	99	
D	ASME-B16.32-84	THREAD CLASS - INTERFERENCE-FIT - 13 JUL 87 USER: CR REVIEWER: 15 AT AV EC	A 4730	YD1 27-APR-88	NE	YD1	99	
D L	ASME-B16.33-81 NOTICE 1	ME MI	A 4820 *	YD1 17-SEP-91		YD1		
D	ASME-B16.34-88	SCREW THREADS METRIC M PROFILE - 5 AUG 83 USER: OS REVIEWER: AT AV GL ME	A 4820	YD1 12-OCT-89	NE	YD1	99	
D L	ASME-B16.38-85 NOTICE 1	MI SH YD1	A 4820 *	YD1 16-SEP-91		YD1		
D	ASME-B16.39-86	GAGES & GAGING FOR METRIC M SCREW THREADS - 25 MAY 1984 USER: CR ER SH	A 4730	YD1 22-AUG-88	NE	YD1	99	
D L	ASME-B16.40-85 NOTICE 1	REVIEWER: 99 AT AV ME OS	A 4820 *	YD1 17-SEP-91		YD1		
D	ASME-B17.1-67 NOTICE 1	PIPE THREADS, (INCH) GENERAL PURPOSE - 4 FEB 83 [VALIDATION DATE: 8910]	A 5340 *	YD1 16-OCT-92	AR	YD1	99	
		REVIEWER: AT GL ME MI YD1						
		THREAD, DRYSEAL PIPE - 18 NOV 76 (W/DOO EXCEPTIONS) (REAPPROVED 1982)						
		[VALIDATION DATE: 8210] REVIEWER: 71 82 AT AV ER ME MI OS SH YD1						
		GAGING FOR DRYSEAL PIPE THREADS (INCH) REVIEWER: AT ME MI OS .....						
		MOSE COUPLING SCREW THREADS STANDARD FOR - 30 DEC 66 REVIEWER: 82 CS SH ...						
		METRIC SCREW THREADS - MJ PROFILE - 21 NOV 78 W/DOO EXCEPTIONS [VALIDATION						
		DATE: 8911] USER: OS REVIEWER: 71 82 AT AV ER ME MI SH YD1						
		GAGES & GAGING FOR MJ SERIES METRIC SCREW THREADS - 26 SEPT 1985 USER: CR						
		ER SH REVIEWER: 99 AT AV ME OS						
		PIPE, CAST IRON, FLANGES AND FLANGED FITTINGS - 30 JUNE 1989 USER: AL CE						
		MC OS REVIEWER: CS						
		FITTING, MALLEABLE IRON THREADED USER: CE REVIEWER: 82 CS MC ME .....						
		FITTING, CAST IRON THREADED FITTINGS, CLASSES 125, AMERICAN NATIONAL						
		STANDARD USER: CE CS MC REVIEWER: AL CS						
		PIPE FLANGE & FLANGED FITTING USER: MC OS SH REVIEWER: CS ME .....						
		VALVES, DIMENSIONS OF FACE-TO-FACE & END-TO-END STANDARD FOR 3-15-87 USER:						
		CE MC REVIEWER: CS						
		FITTING, CAST BRONZE THREADED, STANDARD FOR REVIEWER: CS SH .....						
		WROUGHT COPPER AND COPPER ALLOY SOLDER JOINT PRESSURE FITTINGS - 30 O APR						
		1989 USER: MC SH						
		END, BUTTWELDING REVIEWER: CS SH .....						
		FITTING, CAST COPPER ALLOY, FOR FLARED COPPER TUBES REVIEWER: CS .....						
		FITTING - DRY, WROUGHT COPPER & WROUGHT COPPER ALLOY SOLDER JOINT DRAINAGE						
		[VALIDATION DATE: 8511] USER: ME REVIEWER: CS						
		JOINT FITTINGS, CAST COPPER ALLOY SOLDER, FOR SOLVENT DRAINAGE SYSTEMS,						
		STANDARD SPECIFICATION FOR - 02 NOV 84 USER: CE REVIEWER: CS						
		MANUALLY OPERATED METALLIC GAS VALVES FOR USE IN GAS PIPING SYSTEMS UP TO						
		125 PSIG						
		VALVES - FLANGED, THREADED, AND WELDING END (30 NOV 88) REVIEWER: CS .....						
		LARGE METALLIC VALVES FOR GAS DISTRIBUTION (MANUALLY OPERATED, NPS 2-1/2						
		TO 12, 125 PSIG MAXIMUM)						
		PIPE UNION, MALLEABLE IRON THREADED - 31 DEC 1986 USER: AR CE MC OS						
		REVIEWER: CS						
		MANUALLY OPERATED THERMOPLASTIC GAS SHUTOFFS AND VALVES IN GAS						
		DISTRIBUTION SYSTEMS						
		KEYS AND KEYSSEATS REVIEWER: IS .....						



**NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS**

740



**NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS**

741



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Or: Cancellation Notice Document Number	Document Title	Dist. Smt. FSC / Army MCA Symbol Preparing Acty. Date	Custodians			
			Army	Navy	Air Force	DIA
ASTM-A217/A217M-89	STEEL CASTINGS, MARTENSITIC STAINLESS AND ALLOY, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR HIGH-TEMPERATURE SERVICE - 7 DEC 89 USER: SH	A MECA MR 17-JAN-90	MR 99			
D ASTM-A220-88	IRON, PEARLITIC MALLEABLE - 14 MAR 1988 USER: MI REVIEWER: AS AT ME OS SH	A MECA MR 26-OCT-88	MR YD1			
D ASTM-A220M-88	IRON, PEARLITIC MALLEABLE (METRIC) - 14 MAR 1988 USER: AS AT ME OS SH REVIEWER: MI	A MECA MR 26-OCT-88	MR YD1			
ASTM-A227/A227M-91 NOTICE 1	STEEL WIRE, COLD-DRAWN FOR MECHANICAL SPRINGS REVIEWER: AR AV IS	A 9505 * MR 02-OCT-91	MR OS 99			
ASTM-A228/A228M-91 NOTICE 1	STEEL WIRE, MUSIC SPRING QUALITY USER: AT REVIEWER: EA IS ME OS	A 9505 * MR 02-OCT-91	MR 99			
ASTM-A229/A229M-91 NOTICE 1	STEEL WIRE, OIL-TEMPERED FOR MECHANICAL SPRINGS REVIEWER: AR AV IS	A 9505 * MR 02-OCT-91	MR OS 99			
D ASTM-A234/A234M-90	PIPING FITTING OF WROUGHT CARBON STEEL AND ALLOY STEEL FOR MODERATE AND ELEVATED TEMPERATURES STANDARD SPECIFICATION FOR - 23 FEB 1990 USER: MC REVIEWER: CS SH	A 4730 YD1 09-JAN-91	MR YD1 99			
D ASTM-A239-89	IRON OR STEEL STANDARD TEST METHOD FOR LOCATING THE THINNEST SPOT IN A ZINC (GALVANIZED) COATING ON ARTICLES BY THE PREECE TEST (COPPER SULFATE DIP) - 24 FEB 89	A 95GP YD1 12-SEP-89	YD1 99			
D ASTM-A240B-92 NOTICE 1	HEAT-RESISTING, CHROMIUM AND CHROMIUM-NICKEL STAINLESS STEEL PLATE, SHEET, AND STRIP FOR PRESSURE VESSELS USER: CE ME OS REVIEWER: 99 AR ER GL IS MI SH	A 9515 * MR 16-SEP-92	MR YD1			
D ASTM-A242/A242M-89	STEEL, STRUCTURAL HIGH STRENGTH LOW ALLOY - 5 SEP 89 USER: OS SH REVIEWER: IS	A 9520 YD1 16-JAN-90	MR YD1 99			
D ASTM-A247-67R84	GRAPHITE IN IRON CASTINGS, EVALUATING THE MICROSTRUCTURE OF, STANDARD SPECIFICATION FOR - 25 AUG 67 REVIEWER: SH	A MECA YD1 31-AUG-90	MR YD1 11			
D ASTM-A252-90	WELDED AND SEAMLESS STEEL PIPE PILLS - 26 JAN 1990 USER: CG MC REVIEWER: SH	A 4710 YD1 14-AUG-91	ME YD1 99			
ASTM-A254-91	TUBING, COPPER BRAZED STEEL - 1 APR 1991 USER: MC REVIEWER: 82 AR	A 4710 CS 15-JUN-91	ME 99			CS
ASTM-A255-89	END-QUENCH TEST FOR HARDENABILITY OF STEEL - 25 AUG 89	A 95GP MR 09-NOV-89	MR AS 11			
ASTM-A262-91 NOTICE 1	DETECTING SUSCEPTIBILITY TO INTERGRANULAR ATTACK IN AUSTENITIC STAINLESS STEELS, STANDARD PRACTICES FOR USER: SH	A 95GP * MR 19-FEB-92	MR AS 11			
D ASTM-A266/A266M-88	FORGINGS, CARBON STEEL, FOR PRESSURE VESSEL COMPONENTS - 29 JAN. 1988 REVIEWER: SH	A FORG YD1 12-SEP-89	YD1 99			
D ASTM-A269A-90	TUBING FOR GENERAL SERVICE, SEAMLESS & WELDED AUSTENITIC STAINLESS STEEL - 27 JUL 1990 USER: CG MC REVIEWER: CS SH	A 4710 YD1 15-AUG-91	ME YD1 99			
D ASTM-A270A-88	TUBING, SEAMLESS & WELDED AUSTENITIC STAINLESS STEEL SANITARY USER: GL ME SH REVIEWER: CS	A 4710 YD1 19-OCT-88	YD1 99			
D ASTM-A275/A275M-90	MAGNETIC PARTICLE EXAMINATION OF STEEL FORGINGS - 27 JUL 1990 USER: YD1 ..	A NDT1 MR 14-MAY-91	MR SH 11			
D ASTM-A276A-89	BAR & SHAPE, STAINLESS & HEAT RESISTING STEEL - 25 AUG 89 USER: CE REVIEWER: 84 IS SH	A 9510 YD1 30-MAY-90	MR YD1 99			
ASTM-A283/A283M-88	STEEL PLATE, SHAPES AND BARS, LOW AND INTERMEDIATE TENSILE STRENGTH - 16 MAR 88 USER: OS SH REVIEWER: IS	A 9520 YD1 07-SEP-88	ME YD1 99			
D ASTM-A285/A285M-82R87	STEEL, CARBON PRESSURE VESSEL PLATES, LOW & INTERMEDIATE-TENSILE STRENGTH, STANDARD SPECIFICATION FOR - 30 JUL 82 REVIEWER: IS SH	A 9515 YD1 28-JAN-89	MR YD1 99			
D ASTM-A295-92 NOTICE 1	HIGH-CARBON ANTI-FRICTION BEARING STEEL USER: AR ME SH YD1 REVIEWER: AT ....	A 9640 * MR 19-OCT-92	MR OS			
ASTM-A302/A302M-90	PRESSURE VESSEL PLATES, ALLOY STEEL, MANGANESE-MOLYBDENUM & MANGANESE-MOLYBDENUM NICKEL - 28 DEC 90	A 9515 MR 06-JUN-91	MR SH			
D ASTM-A304-90	STEEL BARS, ALLOY, SUBJECT TO END-QUENCH HARDENABILITY REQUIREMENTS - 26 JAN 90 USER: YD1 REVIEWER: 99 AL ME	A 9510 MR 09-APR-90	MR SH 11			
D ASTM-A307A-92 NOTICE 1	BOLTS, AND STUDS, CARBON STEEL, 60,000 PSI TENSILE STRENGTH	A 53GP * MR 01-JUN-92	AR YD1			
D L ASTM-A308-92 NOTICE 1	STEEL, SHEET, LONG TERME (LEAD-TIN ALLOY) COATED BY THE HOT-DIP PROCESS USER: YD1 REVIEWER: IS	A 9515 * MR 30-NOV-92	MR			
D ASTM-A309-90 NOTICE 1	WEIGHT AND COMPOSITION OF COATING ON LONG TERME SHEET BY THE TRIPLE-SPOT TEST USER: 84 GL IS SA	A NFFP * MR 09-OCT-91	MR YD1 99			
D ASTM-A312/A312M-89	PIPE, STAINLESS STEEL, SEAMLESS AND WELDED AUSTENITIC, STANDARD SPECIFICATION FOR - 25 AUG 89 USER: CE REVIEWER: CS	A 4710 YD1 17-JAN-90	MR YD1			
A ASTM-A313-92 NOTICE 1	CHROMIUM-NICKEL STAINLESS AND HEAT-RESISTING STEEL SPRING WIRE REVIEWER: AR ER IS	A 9505 * MR 03-DEC-92	MR AS 99			
D ASTM-A320/A320M-88	STEEL, ALLOY, BOLTING MATERIALS FOR LOW-TEMPERATURE SERVICE - 29 APR 1988	A 5306 YD1 26-FEB-89	AR YD1 99			
ASTM-A322M-90	STEEL BARS, ALLOY, STANDARD GRADES - 26 JAN 90 REVIEWER: IS	A 9510 MR 09-APR-90	MR SH			
ASTM-A322-91 NOTICE 1	STEEL BARS, ALLOY, STANDARD GRADES REVIEWER: IS	A 9510 * MR 03-OCT-91	MR SH			
D ASTM-A325A-92 NOTICE 1	BOLTS, STEEL, HEAT-TREATED, 120/105 KSI MINIMUM TENSILE STRENGTH USER: CE REVIEWER: IS	A 5306 * AR 23-OCT-92	AR YD1 99			
D ASTM-A325M-92 NOTICE 1	BOLTS, HIGH STRENGTH FOR STRUCTURAL STEEL JOINTS (METRIC) USER: 99 CE REVIEWER: IS	A 5306 * AR 23-OCT-92	AR YD1			
D ASTM-A328-84	STEEL SHEET PILING - 28 SEPT 1984 REVIEWER: IS	A 9520 ME 17-JUN-85	ME YD1			
D ASTM-A331-90	STEEL BARS, ALLOY, COLD-FINISHED - 26 JAN 90 USER: YD1 REVIEWER: 99 AR IS ME	A 9510 MR 08-JUN-90	MR SH 11			
A ASTM-A336-84	FORGINGS, STEEL, ALLOY FOR PRESSURE & HIGH TEMPERATURE PARTS - 29 JUN 84 REVIEWER: IS	A FORG SH 20-NOV-84	MR SH 11			
D ASTM-A351/A351M-91 NOTICE 1	CASTINGS, AUSTENITIC, AUSTENITIC-FERRITIC (DUPLEX), FOR PRESSURE-CONTAINING PARTS, STANDARD SPECIFICATION FOR REVIEWER: SH	A MECA * YD1 30-OCT-92	MR YD1			
D ASTM-A352/A352M-89 NOTICE 1	STEEL CASTINGS, FERRITIC AND MARTENSITIC, FOR PRESSURE CONTAINING PARTS, SUITABLE FOR LOW-TEMPERATURE SERVICE, STANDARD SPECIFICATION FOR REVIEWER: IS MR	A MECA * YD1 12-JUN-92	MR YD1 99			
D ASTM-A354A-92 NOTICE 1	BOLTS, STUDS, AND OTHER EXTERNALLY THREADED FASTENERS, QUENCHED AND TEMPERED ALLOY STEEL	A 53GP * AR 23-OCT-92	AR YD1 99			
D ASTM-A361/A361M-85R90 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS FOR ROOFING AND SIDING, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS SH	A 9515 * YD1 21-SEP-92	MR YD1 99			
D ASTM-A366/A366M-91 NOTICE 2	STEEL, SHEET, CARBON, COLD-ROLLED, COMMERCIAL QUALITY REVIEWER: YD1	A 9515 * MR 09-OCT-91	MR SH 11			
ASTM-A370-92 NOTICE 1	MECHANICAL TESTING OF STEEL PRODUCTS REVIEWER: AT GL IS MI	A 95GP * MR 27-APR-92	MR AS 11			
D ASTM-A380-88	CLEANING & DESCALING STAINLESS STEEL PARTS, EQUIPMENT & SYSTEMS - 25 MAR 78 USER: 99 OS YD1 REVIEWER: AR AS AV GL IS MI	A NFFP MR 14-FEB-90	MR SH 11			
D ASTM-A394A-92 NOTICE 1	BOLTS, TRANSMISSION TOWER, ZINC-COATED AND BARE STEEL	A 5306 * AR 23-OCT-92	AR YD1 99			
D ASTM-A395-88	CASTING, FERRITIC DUCTILE IRON PRESSURE-RETAINING, FOR USE AT ELEVATED TEMPERATURES - 13 JUN 88 USER: AT MI REVIEWER: AR IS ME SH	A MECA YD1 16-MAY-89	MR YD1			
D ASTM-A400-68R88 NOTICE 2	STEEL BAR COMPOSITIONS ACCORDING TO SECTION, SELECTION OF - 14 NOV 1989 (VALIDATION DATE: 8803) USER: AV GL YD1 REVIEWER: AT IS ME MI OS	A 5520 MR 21-MAR-88	MR SH 11			
D ASTM-A403/A403M-89	PIPING, STAINLESS STEEL, FITTING WROUGHT AUSTENITIC, STANDARD SPECIFICATION FOR - 25 AUG 89 REVIEWER: CS SH	A 4730 YD1 09-OCT-89	ME YD1 99			
D ASTM-A416A-90	STEEL STRAND, UNCOATED SEVEN-WIRE STRESS-RELIEVED FOR PRESTRESSED CONCRETE - 27 JUL 90 USER: CE MC REVIEWER: SH	A 9505 YD1 07-DEC-90	YD1 99			
D ASTM-A421-90	WIRE, UNCOATED STRESS-RELIEVED, FOR PRESTRESSED CONCRETE - 27 APR 90 USER: MC REVIEWER: IS SH	A 9505 YD1 07-DEC-90	ME YD1 99			
D ASTM-A423/A423M-90	TUBE, STEEL, SEAMLESS & ELECTRIC WELDED LOW-ALLOY - 23 FEB 1990 USER: ME SH REVIEWER: CS	A 4710 YD1 23-AUG-91	YD1 99			
D ASTM-A424-89	PORCELAIN ENAMELING, STEEL SHEET FOR REVIEWER: IS	A 9515 YD1 18-MAY-89	MR YD1 99			
D ASTM-A428-89	IRON OR STEEL ARTICLES, STANDARD TEST METHOD FOR WEIGHT OF COATING ON ALUMINUM-COATED - 29 SEP 89 REVIEWER: 84 IS SH	A 95GP YD1 02-MAY-90	MR YD1 99			



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Doc Ident	Doc / ORL Coordination Machine	Document Number	Document Title	Doc Ident Doc / ORL MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
D		ASTM-A436-84 NOTICE 1	AUSTENITIC GRAY IRON CASTING - 27 JAN 84 [VALIDATION DATE: 8907] .....	A MECA	YD1	10-JUL-89	NR	YD1		
D		ASTM-A438-80RBS	CAST IRON, GRAY, STANDARD METHOD FOR TRANSVERSE TESTING OF - 28 MAR 90 ....	A MECA	YD1	02-MAY-90	NR	YD1 11		
D		ASTM-A444/A444M-89	CULVERT & UNDERDRAIN, STEEL SHEET, ZINC COATED (GALVANIZED) BY THE HOT DIP PROCESS FOR - 26 MAY 89 USER: MC REVIEWER: IS SH	A 9515	YD1	16-JAN-90	NR	YD1 99		
D		ASTM-A446/A446M-91 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, STRUCTURAL (PHYSICAL) QUALITY REVIEWER: IS SH	A 9515 *	YD1	30-OCT-92	NR	YD1 99		
D		ASTM-A449B-92 NOTICE 1	BOLTS AND STUDS, STEEL, QUENCHED AND TEMPERED .....	A 536P *	AR	23-OCT-92	AR	YD1 99		
D		ASTM-A450/A450M-92 NOTICE 1	CARBON, FERRITIC ALLOY, AND AUSTENITIC ALLOY STEEL TUBES, GENERAL REQUIREMENTS FOR USER: YD1 REVIEWER: CS	A 4710 *	NR	02-DEC-92	NR	SH		
D		ASTM-A463-88	STEEL SHEET, COLD-ROLLED, ALUMINUM-COATED TYPE 1 & TYPE 2, STANDARD SPECIFICATION FOR - 30 SEP 88 REVIEWER: 84 IS SH	A 9515	YD1	28-FEB-89	NR	YD1 99		
A		ASTM-A470-84	FORGINGS, VACUUM-TREATED CARBON & ALLOY STEEL, FOR TURBINE ROTORS & SHAFTS - 28 DEC 84 USER: MC REVIEWER: AR GS	A FORG	SH	24-JUN-86	NR	SH 11		
D		ASTM-A473-87	FORGING, STEEL, STAINLESS & HEAT RESISTING, STANDARD SPECIFICATION FOR USER: AT OS REVIEWER: MI SH	A FORG	YD1	30-SEP-87	NR	YD1 11		
D		ASTM-A475-89	STEEL WIRE STRAND, ZINC COATED - STANDARD SPECIFICATION FOR 24 FEB89 REVIEWER: IS SH	A 9505	YD1	10-AUG-89	NR	YD1 99		
D		ASTM-A479/A479M-91 NOTICE 1	STAINLESS AND HEAT-RESISTING STEEL BARS AND SHAPES FOR USE IN BOILERS AND OTHER PRESSURE VESSELS, STANDARD SPECIFICATION FOR USER: AT ME OS REVIEWER: IS MI SH	A 9510 *	YD1	24-JUL-92	NR	YD1		
A		ASTM-A480/A480M-92 NOTICE 1	FLAT-ROLLED, STAINLESS AND HEAT-RESISTING STEEL PLATE, SHEET, AND STRIP, GENERAL REQUIREMENTS FOR USER: GL REVIEWER: 99 AR IS OS	A 9515 *	NR	30-NOV-92	NR	SH 11		
D		ASTM-A484/A484M-92 NOTICE 1	STEEL, BARS, BILLETS AND FORGINGS, STAINLESS AND HEAT RESISTING, GENERAL REQUIREMENTS FOR USER: AR AS SH REVIEWER: 99 IS MI OS	A 9510 *	NR	26-OCT-92	NR	YD1 11		
A		ASTM-A485-92 NOTICE 1	HIGH HARDENABILITY ANTIFRICTION BEARING STEEL USER: AT MC SH REVIEWER: GL ME	A 9640 *	NR	19-OCT-92	NR	OS		
D		ASTM-A489-90	EYEBOLTS, CARBON STEEL - 23 FEB 90 .....	A 5306	AR	18-JUN-90	AR	YD1 99		
D		ASTM-A490A-92 NOTICE 1	BOLTS, STRUCTURAL, STEEL, HEAT TREATED, 150 KSI MINIMUM TENSILE STRENGTH ..	A 5306 *	AR	23-OCT-92	AR	YD1 99		
D		ASTM-A490M-92 NOTICE 1	BOLTS, STEEL, HIGH-STRENGTH, CLASSES 10.9 AND 10.9.3 FOR STRUCTURAL STEEL JOINTS (METRIC) USER: CE REVIEWER: IS	A 5306 *	AR	23-OCT-92	AR	YD1 99		
D		ASTM-A492-82 NOTICE 1	ROPE WIRE, STAINLESS & HEAT RESISTING STEEL - 30 JUL 82 [VALIDATION DATE: 8706]	A 9505	YD1	12-JUN-87	NR	YD1 99		
A L		ASTM-A493-92 NOTICE 1	STAINLESS AND HEAT-RESISTING STEEL WIRE AND WIRE RODS FOR COLD HEADING AND COLD FORGING USER: SH REVIEWER: AR IS	A 9510 *	NR	26-OCT-92	NR			
D		ASTM-A496A-90 NOTICE 1	STEEL WIRE, DEFORMED, FOR CONCRETE REINFORCEMENT, STANDARD SPECIFICATION FOR	A 9505 *	YD1	17-JUL-92	NR	YD1 99		
D		ASTM-A499-B1R88	BAR, STEEL, & SHAPES, CARBON ROLLED FROM (T) RAILS, STANDARD SPECIFICATION FOR - 31 JUL 81 (REAPPROVED 88) USER: ME REVIEWER: IS	A 9510	YD1	12-JAN-88	NR	YD1		
D		ASTM-A500-90	TUBING, STRUCTURAL, COLD FORMED WELDED & SEAMLESS CARBON STEEL, IN ROUNDS & SHAPES - 27 JULY 1990 REVIEWER: SH	A 4710	YD1	10-JUL-91	NR	YD1 99		
D		ASTM-A501-89	TUBING STEEL STRUCTURAL HOT-FORMED WELDED & SEAMLESS CARBON STANDARD SPECIFICATION FOR - 7 MAY 89 USER: OS REVIEWER: CS SH	A 4710	YD1	16-MAY-90	NR	YD1 99		
D		ASTM-A502-90	RIVETS, STRUCTURAL, STEEL - 23 FEB 90 REVIEWER: AS AV IS .....	A 5320	AR	18-JUN-90	AR	YD1 99		
D		ASTM-A505-87	STEEL, SHEET & STRIP, ALLOY, HOT-ROLLED & COLD-ROLLED, GENERAL REQUIREMENTS FOR - 31 JUL 1987 REVIEWER: 99 IS	A 9515	NR	17-MAR-88	NR	SH 11		
		ASTM-A506-91 NOTICE 2	STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, REGULAR QUALITY AND STRUCTURAL QUALITY REVIEWER: IS MI	A 9515 *	NR	10-OCT-91	NR	SH		
		ASTM-A507-91 NOTICE 2	STEEL, SHEET AND STRIP, ALLOY, HOT-ROLLED AND COLD-ROLLED, DRAWING QUALITY USER: OS REVIEWER: IS MI	A 9515 *	NR	10-OCT-91	NR	SH 11		
		ASTM-A508-84	STEEL FORGINGS, QUENCHED AND TEMPERED VACUUM-TREATED CARBON AND ALLOY, FOR PRESSURE VESSELS - 29 JUNE 84 USER: MC OS REVIEWER: IS	A FORG	SH	25-JAN-85	NR	SH		
		ASTM-A510-91 NOTICE 1	WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL, GENERAL REQUIREMENTS FOR ...	A 9505 *	NR	02-OCT-91	NR	SH		
		ASTM-A510M-91 NOTICE 1	WIRE RODS AND COARSE ROUND WIRE, CARBON STEEL (METRIC), GENERAL REQUIREMENTS FOR	A 9505 *	NR	02-OCT-91	NR	SH 11		
D		ASTM-A511-90	TUBING, MECHANICAL, SEAMLESS STAINLESS STEEL - 23 FEB 90 USER: YD1 REVIEWER: CS	A 4710	NR	12-APR-90	NR			
D		ASTM-A512-91 NOTICE 1	COLD-DRAWN BUTTWELDED CARBON STEEL MECHANICAL TUBING USER: AV GL OS YD1 REVIEWER: AR AT CS ME	A 4710 *	NR	09-MAR-92	NR	SH 11		
D		ASTM-A513-92 NOTICE 1	ELECTRIC-RESISTANCE-WELDED CARBON AND ALLOY STEEL MECHANICAL TUBING USER: AV GL OS SH YD1 REVIEWER: 82 AR AT CS ME MI	A 4710	NR	10-MAR-93	NR	99		
D		ASTM-A514/A514M-90	PLATE, HIGH-YIELD-STRENGTH, QUENCHED & TEMPERED ALLOY STEEL, SUITABLE FOR WELDING - 23 FEB 1990 USER: IS SH	A 9515	YD1	10-DEC-90	NR	YD1 99		
		ASTM-A515/A515M-90	PRESSURE VESSEL PLATES, CARBON STEEL, FOR INTERMEDIATE & HIGHER TEMPERATURE SERVICE - 28 DEC 90	A 9515	NR	06-JUN-91	NR	SH		
D		ASTM-A516/A516M-90	PRESSURE VESSEL PLATES, CARBON STEEL, FOR MODERATE - AND LOWER - TEMPERATURE SERVICE - 28 DEC 1990 USER: YD1	A 9515	NR	06-JUN-91	NR	SH		
D		ASTM-A517/A517M-90	PLATES, PRESSURE VESSEL, ALLOY STEEL, HIGH STRENGTH, QUENCHED & TEMPERED - 28 DEC 1990 REVIEWER: 11 AL AR EA IS ME SH	A 9515	NR	06-JUN-91	NR	YD1 99		
D		ASTM-A518-92 NOTICE 1	CASTINGS, IRON, HIGH-SILICON, CORROSION-RESISTANT USER: SH .....	A MECA *	YD1	30-SEP-92	NR	YD1		
		ASTM-A519-90	TUBING, SEAMLESS CARBON AND ALLOY STEEL MECHANICAL - 23 FEB 90 REVIEWER: AR AT CS MI SH	A 4710	NR	02-MAY-90	NR			
D		ASTM-A520-90	CARBON STEEL TUBULAR PRODUCTS FOR HIGH-TEMPERATURE SERVICE CONFORMING TO ISO RECOMMENDATIONS FOR BOILER CONSTRUCTION, SUPPLEMENTARY REQUIREMENTS FOR - 23 FEB 1990 REVIEWER: 82 CS SH	A 4710	YD1	15-OCT-90	NR	YD1 99		
D		ASTM-A525B-91 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, GENERAL REQUIREMENTS FOR REVIEWER: IS SH	A 9515 *	YD1	30-OCT-92	NR	YD1 99		
D		ASTM-A525M-91 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS (METRIC), GENERAL REQUIREMENTS FOR USER: MC REVIEWER: IS SH	A 9515 *	YD1	30-OCT-92	NR	YD1 99		
D		ASTM-A526/A526M-90 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, COMMERCIAL QUALITY, STANDARD SPECIFICATION FOR REVIEWER: IS	A 9515 *	YD1	21-SEP-92	CE	YD1 99		
D		ASTM-A527/A527M-90 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, LOCK-FORMING QUALITY, STANDARD SPECIFICATION FOR REVIEWER: IS SH	A 9515 *	YD1	21-SEP-92	NR	YD1 99		
D		ASTM-A528/A528M-90 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS SH	A 9515 *	YD1	21-SEP-92	NR	YD1 99		
D		ASTM-A529/A529M-89	STEEL, STRUCTURAL WITH 42 KSI (290 MPa) MINIMUM YIELD POINT (1/2 IN. (13 MM) MAXIMUM THICKNESS) STANDARD SPECIFICATION FOR - 5 SEP 89 REVIEWER: IS	A 9520	YD1	22-JAN-90	NR	YD1		
D		ASTM-A530/A530M-86	CARBON, SPECIALIZED, & ALLOY STEEL PIPE, STANDARD SPECIFICATION FOR GENERAL REQUIREMENTS FOR - 27 JUN 1986 USER: MC NR REVIEWER: 82 YD1	A 4710	SH	10-MAR-87	NR	SH 99		
D		ASTM-A532/A532M-87	CAST IRONS, ABRASION-RESISTANT, STANDARD SPECIFICATION FOR - 31 DEC 87 USER: CE REVIEWER: CS SH	A MECA	YD1	14-JUN-89	NR	YD1 99		
D		ASTM-A534-92 NOTICE 1	CARBURIZING STEELS FOR ANTI-FRICTION BEARINGS, STANDARD SPECIFICATION FOR USER: AR ME SH YD1 REVIEWER: AT	A 9640 *	NR	01-JUL-92	NR	OS 99		
		ASTM-A535-85 NOTICE 1	STEEL, BALL & ROLLER BEARING, SPECIAL QUALITY - 27 DEC 85 [VALIDATION DATE: 9006] USER: AR ME SH REVIEWER: AT	A 9640	NR	22-JUN-90	NR	OS 99		
D		ASTM-A536-84 NOTICE 2	CASTINGS, DUCTILE IRON - 15 JUN 84 [VALIDATION DATE: 9002] USER: 80 82 REVIEWER: AR	A MECA	NR	12-FEB-90	NR	YD1 99		
D		ASTM-A537/A537M-86	PLATE, PRESSURE VESSEL, HEAT TREATED, CARBON-MANGANESE-SILICON STEEL - 29 AUG 86 USER: CE OS REVIEWER: 84 SH	A 9520	YD1	22-JAN-90	NR	YD1 99		
		ASTM-A554-90	TUBING, MECHANICAL, WELDED STAINLESS STEEL - 23 FEB 90 REVIEWER: CS GS ....	A 4710	NR	08-JUN-90	NR	SH		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	Doc / OMA Corrosion Inactive	Document Number	Document Title	Dist. Smt FSC / Ave MCA Symbol	Preparing Acty Date	Custodians			
						Army	Navy	Air Force	DLA
A		ASTM-A555/A555M-92 NOTICE 1	STAINLESS AND HEAT-RESISTING STEEL WIRE AND WIRE RODS, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: AL AS IS	A 9505	* MR 19-OCT-92	MR	SH	11	
		ASTM-A561-71R85 NOTICE 1	TOOL STEEL BARS, MACROETCH TESTING OF - 25 OCT 71 REAPPROVED 1985 [VALIDATION DATE: 8803] REVIEWER: 11 AR IS OS	A 9510	* MR 21-MAR-88	MR	SH	84	
A		ASTM-A563A-92 NOTICE 1	MUTS, STEEL, CARBON AND ALLOY .....	A 5310	* AR 23-OCT-92	AR	AS	99	
D		ASTM-A563M-92 NOTICE 1	MUTS, STEEL, CARBON AND ALLOY (METRIC) USER: CE ME REVIEWER: IS .....	A 5310	* AR 23-OCT-92	AR	YD1		
A		ASTM-A565-92 NOTICE 1	MARTENSITIC STAINLESS STEEL BARS, FORGINGS, STOCK FOR HIGH-TEMPERATURE SERVICE, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS	A FORG	* SH 09-DEC-92	MR	SH		
D		ASTM-A568M-90	STEEL, CARBON & HIGH STRENGTH LOW ALLOY HOT ROLLED SHEET & COLD ROLLED SHEET, GENERAL REQUIREMENTS FOR (METRIC) - 26 JAN 1990 USER: OS REVIEWER: 99 IS YD1	A 9515	* MR 18-APR-90	MR	SH		
D		ASTM-A568/A568M-92 NOTICE 1	STEEL, SHEET, CARBON, AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED AND COLD-ROLLED, GENERAL REQUIREMENTS FOR REVIEWER: 99 IS YD1	A 9515	* MR 30-NOV-92	MR	SH		
D		ASTM-A569/A569M-91 NOTICE 2	STEEL, CARBON, (0.15 MAXIMUM, PERCENT), HOT-ROLLED SHEET AND STRIP COMMERCIAL QUALITY REVIEWER: IS MI YD1	A 9515	* MR 10-OCT-91	MR	SH		
D		ASTM-A570/A570M-92 NOTICE 1	STEEL, SHEET AND STRIP, CARBON, HOT-ROLLED, STRUCTURAL QUALITY REVIEWER: IS MI YD1	A 9515	* MR 18-SEP-92	MR	SH		
M		ASTM-A572/A572M-92 NOTICE 1	STEELS, HIGH-STRENGTH LOW ALLOY COLUMBIUM-VANADIUM, OF STRUCTURAL QUALITY REVIEWER: AR IS	A 9520	* MR 03-MAY-93	MR	YD1		
A		ASTM-A574M-92 NOTICE 1	SCREW, CAP, SOCKET-HEAD, ALLOY STEEL (METRIC) USER: MC ME MI OS SH	A 5305	* AR 23-OCT-92	AR	AS	99	
A		ASTM-A574A-92 NOTICE 1	SCREW, CAP, SOCKET-HEAD, ALLOY STEEL .....	A 5305	* AR 23-OCT-92	AR		99	
D		ASTM-A575-89	STEEL BARS, CARBON, MERCHANT QUALITY, M- GRADES - 7 DEC 89 USER: AT GL ME REVIEWER: AR IS MI YD1	A 9510	* MR 18-JAN-91	MR	SH	11	
		ASTM-A5768-90	STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY - 31 AUG 90 REVIEWER: 99 AR AS IS MI OS	A 9510	* MR 12-OCT-90	MR	SH	11	
D		ASTM-A5806-91 NOTICE 1	WIRE, STEEL, STAINLESS AND HEAT-RESISTING USER: AT OS REVIEWER: AR IS MI SH	A 9505	* YD1 04-DEC-92	MR	YD1	99	
A		ASTM-A581-92 NOTICE 1	FREE-MACHINING STAINLESS AND HEAT-RESISTING STEEL WIRE AND WIRE RODS USER: AL REVIEWER: AR IS	A 9505	* MR 02-DEC-92	MR	SH	11	
A		ASTM-A582-92 NOTICE 1	FREE-MACHINING STAINLESS AND HEAT-RESISTING STEEL BARS, HOT-ROLLED OR COLD-FINISHED USER: AR REVIEWER: IS MI OS	A 9510	* MR 10-DEC-92	MR	SH	11	
A		ASTM-A582/A582M-93 NOTICE 1	FREE-MACHINING STAINLESS AND HEAT-RESISTING STEEL BARS USER: AR REVIEWER: IS MI OS	A 9510	* MR 16-MAR-93	MR	SH	11	
D		ASTM-A588/A588M-88	STEEL, STRUCTURAL, HIGH-STRENGTH LOW-ALLOY STRUCTURAL, WITH 50 KSI (345 MPa) MINIMUM YIELD POINT TO 4 IN (100 MM) THICK - 21 JUN 88 USER: OS SH REVIEWER: IS	A 9520	* YD1 09-MAY-89	MR	YD1	99	
D		ASTM-A591-77R83	STEEL SHEET, COLD-ROLLED, ELECTROLYTIC ZINC-COATED, STANDARD SPECIFICATION FOR - 28 JAN 77 USER: AT OS SH REVIEWER: 84 AR IS MI	A 9515	* YD1 28-OCT-88		YD1	99	
D		ASTM-A591/A591M-89	STEEL SHEET, COLD-ROLLED, ELECTROLYTIC ZINC-COATED STANDARD SPECIFICATION FOR 31 MAR 89 USER: SH REVIEWER: 84 IS	A 9515	* YD1 12-SEP-89		YD1	99	
A		ASTM-A597-79 ASTM-A600A-92 NOTICE 1	TOOL STEEL, CAST - 27 JUL 79 [VALIDATION DATE: 8601] REVIEWER: AR EA OS ...	A MECA	* MR 01-OCT-79	MR			
D		ASTM-A606A-91 NOTICE 1	TOOL STEEL HIGH SPEED REVIEWER: 99 IS MI OS .....	A 9510	* MR 10-DEC-92	MR	SH	11	
D		ASTM-A607-92 NOTICE 1	STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW ALLOY, HOT ROLLED AND COLD-ROLLED, WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE REVIEWER: AR EA IS SH YD1	A 9515	* MR 16-MAR-92	MR	AS		
D		ASTM-A611-92 NOTICE 1	STEEL, SHEET AND STRIP, HIGH-STRENGTH, LOW-ALLOY, COLUMBIUM OR VANADIUM, OR BOTH, HOT-ROLLED AND COLD-ROLLED REVIEWER: IS SH	A 9515	* MR 04-NOV-92	MR	YD1	99	
D		ASTM-A615M-89	STEEL, SHEET, CARBON, COLD-ROLLED, STRUCTURAL QUALITY USER: SH REVIEWER: 84 99 IS MI	A 9515	* MR 18-SEP-92	MR	YD1	11	
D		ASTM-A615-92 NOTICE 1	BAR, DEFORMED AND PLAIN BILLET-STEEL, FOR CONCRETE REINFORCEMENT (METRIC) - 7 DEC 1989 USER: ME	A 5680	* YD1 16-MAY-90		YD1		
D		ASTM-A616/A616M-90	BAR, DEFORMED AND PLAIN BILLET-STEEL, FOR CONCRETE REINFORCEMENT, STANDARD SPECIFICATION FOR REVIEWER: 84 IS	A 9510	* YD1 29-SEP-92	ME	YD1	99	
D		ASTM-A617/A617M-90	CONCRETE, RAIL-STEEL DEFORMED AND PLAIN BARS FOR REINFORCEMENT, STANDARD SPECIFICATION FOR - 27 APR 90 USER: ME REVIEWER: 84	A 9510	* YD1 10-DEC-90	CE	YD1	99	
D		ASTM-A618-89	AXLE- STEEL DEFORMED & PLAIN BARS FOR CONCRETE REINFORCEMENT - 27 APR 90 REVIEWER: 84 IS	A 9510	* YD1 10-DEC-90	CE	YD1	99	
		ASTM-A619/A619M-91 NOTICE 1	TUBING, HOT-FORMED, WELDED AND SEAMLESS, HIGH-STRENGTH LOW-ALLOY, STRUCTURAL STANDARD SPECIFICATION FOR -17 MAY 89 REVIEWER: IS SH	A 4710	* YD1 14-SEP-89	ME	YD1	99	
L		ASTM-A620/A620M-91 NOTICE 1	STEEL, SHEET, CARBON, COLD-ROLLED, DRAWING QUALITY USER: SH REVIEWER: 99 AR IS SA	A 9515	* MR 25-OCT-91	MR		11	
		ASTM-A621/A621M-91 NOTICE 1	STEEL, SHEET, CARBON, DRAWING QUALITY, SPECIAL KILLED, COLD-ROLLED USER: ME SH REVIEWER: 99 AR IS	A 9515	* MR 29-OCT-91	MR			
		ASTM-A622/A622M-91 NOTICE 1	STEEL, SHEET AND STRIP, CARBON, COLD-ROLLED, DRAWING QUALITY USER: SH REVIEWER: 99 AR IS SA	A 9515	* MR 29-OCT-91	MR		11	
		ASTM-A623-90	STEEL, SHEET AND STRIP, CARBON, DRAWING QUALITY, SPECIAL KILLED, HOT-ROLLED REVIEWER: 99 AR IS MI	A 9515	* MR 23-OCT-91	MR	SH	11	
		ASTM-A623M-87	TIN MILL PRODUCTS, GENERAL REQUIREMENTS FOR - 29 MAY 87 USER: SH REVIEWER: 11 99 IS	A 9515	* MR 22-JUL-91	MR	SA		
		ASTM-A624-90	TIN MILL PRODUCTS, GENERAL REQUIREMENTS (METRIC) - 31 OCT 1987 REVIEWER: 99 IS	A 9515	* MR 26-APR-86	MR	SH		
		ASTM-A624M-90	TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, SINGLE REDUCED - 28 DEC 90 USER: AS REVIEWER: AR GL IS	A 9515	* MR 04-FEB-91	MR	SH	99	
		ASTM-A626-90	TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, SINGLE REDUCED - 28 FEB 1986 USER: AS REVIEWER: AR GL IS	A 9515	* MR 04-FEB-91	MR	SH	99	
		ASTM-A626M-90	TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE DOUBLE REDUCED - 28 DEC 90 USER: AS REVIEWER: AR GL	A 9515	* MR 04-FEB-91	MR	SH	99	
		ASTM-A630-91 NOTICE 1	TIN MILL PRODUCTS, ELECTROLYTIC TIN PLATE, DOUBLE REDUCED (METRIC)- 28 DEC 90 USER: AS REVIEWER: 84 GL	A 95GP	* MR 04-FEB-91	MR	SH	99	
		ASTM-A635-88	DETERMINATION OF TIN COATING WEIGHTS FOR HOT-DIP AND ELECTROLYTIC TIN PLATE REVIEWER: AR AS GL IS	A 95GP	* MR 10-FEB-92	MR	SH	99	
		ASTM-A635M-88	STEEL SHEET & STRIP, HEAVY- THICKNESS COILS, CARBON HOT- ROLLED - 27 JUL 1990 REVIEWER: 99 AR IS MI	A 9515	* MR 20-SEP-90	MR	SH		
A		ASTM-A635/A635M-92 NOTICE 1	STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED (METRIC) - 27 JUL 90 REVIEWER: 99 AR IS MI	A 9515	* MR 27-JUL-90	MR	SH		
D		ASTM-A641-92 NOTICE 1	STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED REVIEWER: 99 AR IS MI	A 9515	* MR 04-NOV-92	MR	SH		
D		ASTM-A642/A642M-90 NOTICE 1	WIRE, STEEL, CARBON, ZINC-COATED (GALVANIZED) USER: AR MC ME REVIEWER: 84 AT IS MI	A 9505	* YD1 30-OCT-92	MR	YD1	99	
D L		ASTM-A644-92 NOTICE 1	STEEL SHEET, ZINC-COATED (GALVANIZED) BY THE HOT-DIP PROCESS, DRAWING QUALITY, SPECIAL KILLED, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS SH	A 9515	* YD1 21-SEP-92	MR	YD1	99	
D		ASTM-A644-92 NOTICE 1	IRON CASTINGS, STANDARD TERMINOLOGY RELATING TO REVIEWER: 11 AR AS AT ME SH YD1	A MECA	* MR 24-JUL-92	MR			
D		ASTM-A659/A659M-92 NOTICE 1	STEEL, CARBON (0.16 MAXIMUM TO 0.25 MAXIMUM PERCENT) HOT-ROLLED SHEET AND STRIP, COMMERCIAL QUALITY USER: YD1 REVIEWER: IS	A 9515	* MR 03-DEC-92	MR		11	
		ASTM-A663/A663M-89	STEEL BARS, CARBON, MERCHANT QUALITY, MECHANICAL PROPERTIES - 7 DEC 89 REVIEWER: IS	A 9510	* MR 13-FEB-90	MR		11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active / Obsolete / Condition / Document Number	Document Title	Doc. Ident. / PRC / App. / MCA Symbol / Proposing Agency / Date	Custodians			
			Army	Navy	Air Force	DIA
D	ASTM-A666-92 NOTICE 1	AUSTENITIC STAINLESS STEEL, SHEET, STRIP, PLATE, AND FLAT BAR USER: CE ME	A 9515	NR	18-SEP-92	NR YD1 11
D	ASTM-A667/A667M-87	REVIEWER: 99 AR ER GL IS SH CYLINDERS, CENTRIFUGALLY CAST DUAL METAL (GRAY AND WHITE CAST IRON), STANDARD SPECIFICATION FOR - 30 OCT 87	A MECA	YD1	28-OCT-88	NR YD1
D	ASTM-A668-91 NOTICE 1	STEEL FORGINGS, CARBON AND ALLOY, FOR GENERAL INDUSTRIAL USE .....	A FORG	* YD1	30-SEP-92	NR YD1
D	ASTM-A673/A673M-90	STEEL, STRUCTURAL, SAMPLING PROCEDURE FOR IMPACT TESTING OF - 23 FEB 90 REVIEWER: IS SH	A 9520	YD1	10-DEC-90	NR YD1 99
A	ASTM-A675/A675M-90	BARS, STEEL, CARBON, HOT WROUGHT, SPECIAL QUALITY, MECHANICAL PROPERTIES - 26 JAN 1990 REVIEWER: IS	A 9510	NR	15-MAR-90	NR 11
D	ASTM-A681-92 NOTICE 1	TOOL STEELS ALLOY USER: GL ME SH REVIEWER: 85 AR IS MI OS .....	A 9510	* NR	26-OCT-92	NR YD1 11
D	ASTM-A682-91 NOTICE 1	STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, SPRING QUALITY, GENERAL REQUIREMENTS FOR REVIEWER: 99 AR GL IS ME MI YD1	A 9515	* NR	23-AUG-91	NR SH 11
D	ASTM-A682M-91 NOTICE 1	STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, SPRING QUALITY, GENERAL REQUIREMENTS FOR (METRIC) REVIEWER: AR GL IS ME MI YD1	A 9515	* NR	23-OCT-91	NR SH 11
A	ASTM-A684/A684M-86 NOTICE 1	STEEL, STRIP, HIGH-CARBON, COLD-ROLLED, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9206) USER: MC REVIEWER: 99 AR GL ME MI	A 9515	* NR	10-JUN-92	NR SH 11
D	ASTM-A686-92 NOTICE 1	TOOL STEEL, CARBON USER: OS SH YD1 REVIEWER: 11 BA AR IS .....	A 9510	* NR	26-OCT-92	NR 99
D	ASTM-A687-92 NOTICE 1	BOLTS AND STUDS, HIGH STRENGTH, NONHEADED, STEEL .....	A 536P	* AR	23-OCT-92	AR YD1
D	ASTM-A690/A690M-89	H-PILES & SHEET PILING, HIGH STRENGTH LOW ALLOY STEEL FOR USE IN MARINE ENVIRONMENTS - 25 AUG 1989 USER: SH REVIEWER: IS	A 9520	YD1	16-JAN-90	NR YD1 99
A L	ASTM-A693A-92 NOTICE 1	PRECIPITATION-HARDENING STAINLESS AND HEAT-RESISTING STEEL PLATE, SHEET, AND STRIP USER: CE ME OS REVIEWER: 99 AR CR ER GL IS SH	A 9515	* NR	18-SEP-92	NR
D	ASTM-A695-90	STEEL BARS, CARBON, HOT-WROUGHT, SPECIAL QUALITY, FOR FLUID POWER APPLICATIONS, STANDARD SPECIFICATION FOR - 26 JAN 90 USER: OS REVIEWER: 84 AS IS SH	A 5305	YD1	31-JUL-90	NR YD1 99
D	ASTM-A700-90	PACKAGING, MARKETING, & LOADING METHODS FOR STEEL PRODUCTS FOR DOMESTIC SHIPMENT - 26 JAN 90 REVIEWER: 84 AS IS OS SH YD1	A 95GP	NR	23-FEB-90	NR SA 11
D	ASTM-A702-89	STEEL FENCE POSTS AND ASSEMBLIES, HOT WROUGHT - 7 DEC 1989 REVIEWER: CS ...	A 5660	YD1	08-AUG-91	YD1
D	ASTM-A706/A706M-89	STEEL, LOW ALLOY, DEFORMED BARS FOR CONCRETE REINFORCEMENT - 7 DEC 1989 REVIEWER: 84	A 5680	YD1	16-MAY-90	NR YD1 99
A	ASTM-A711-92 NOTICE 1	STEEL FORGING STOCK USER: AS REVIEWER: AR .....	A 9640	* NR	19-OCT-92	NR OS 99
D	ASTM-A715-92 NOTICE 1	STEEL, SHEET, AND STRIP, HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, AND STEEL SHEET, COLD-ROLLED, HIGH-STRENGTH, LOW-ALLOY, WITH IMPROVED FORMABILITY USER: AS YD1 REVIEWER: 11 AR GL IS	A 9515	* NR	18-SEP-92	NR SH 99
D	ASTM-A733-89	PIPE NIPPLE, WELDED & SEAMLESS CARBON STEEL & AUSTENITIC STAINLESS STEEL - 17 MAY 89 USER: AR CG MC REVIEWER: CS	A 4730	YD1	31-AUG-89	NR YD1 99
D	ASTM-A739-90	STEEL BARS, ALLOY, HOT-WROUGHT, FOR ELEVATED TEMPERATURE OR PRESSURE-CONTAINING PARTS, OR BOTH, STANDARD SPECIFICATION FOR - 26 JAN 1990 REVIEWER: IS	A 5305	YD1	31-JUL-90	NR YD1 99
	ASTM-A740-79	CLOTH, HARDWARE (MOVEN OR WELDED GALVANIZED STEEL WIRE FABRIC) - 1979 (REAPPROVED 1985) (VALIDATION DATE: 8512) REVIEWER: 84	A 5335	NR	25-JUL-80	NR 99
D	ASTM-A742/A742M-86	STEEL SHEET, METALLIC COATED AND POLYMER PRECOATED FOR CORRUGATED STEEL PIPE, STANDARD SPECIFICATION FOR - 30 MAY 86 REVIEWER: 84 IS SH	A 9515	YD1	05-SEP-90	NR YD1 99
M	ASTM-A743/A743M-92 NOTICE 1	CASTINGS, IRON-CHROMIUM, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR GENERAL APPLICATION REVIEWER: OS SH	A MECA	NR	11-MAY-93	NR YD1
D	ASTM-A744/A744M-91 NOTICE 1	CASTINGS, IRON-CHROMIUM, IRON-CHROMIUM-NICKEL, CORROSION RESISTANT, FOR SEVERE SERVICE USER: OS SH	A MECA	* NR	27-AUG-92	NR YD1
D	ASTM-A746-86	PIPE, DUCTILE IRON GRAVITY SEWER STANDARD SPECIFICATION FOR - 31 OCT 86 USER: CE MC REVIEWER: CS SH	A 4710	YD1	07-JUL-89	NR YD1 99
	ASTM-A749M-90	STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW-ALLOY, HOT ROLLED GENERAL REQUIREMENTS FOR (METRIC) - 27 JUL 1990 USER: OS REVIEWER: 99 AR GL IS MI	A 9515	NR	20-SEP-90	NR SH
A	ASTM-A749/A749M-92 NOTICE 1	STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW-ALLOY, HOT-ROLLED, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 99 AR GL IS MI	A 9515	* NR	02-DEC-92	NR SH
D	ASTM-A751-90	STEEL PRODUCTS, STANDARD TEST METHODS, PRACTICES, AND TERMINOLOGY FOR CHEMICAL ANALYSIS OF STEEL PRODUCTS - 27 JUL 90 REVIEWER: 84 IS SH	A 95GP	YD1	25-JUN-91	NR YD1 99
D	ASTM-A755/A755M-89	SHEET, STEEL, ZINC COATED (GALVANIZED) BY THE HOT DIP PROCESS & COIL COATED FOR ROOFING & SIDING, GENERAL REQUIREMENTS - 29 SEP 89 USER: CE MC ME OS REVIEWER: AR IS	A 9515	YD1	30-MAY-90	NR YD1
D	ASTM-A760/A760M-90	PIPE, STEEL CORRUGATED METALLIC-COATED FOR SEWERS & DRAINS - 28 SEP 1990 USER: CE REVIEWER: 82	A 4710	YD1	07-AUG-91	NR YD1 99
D	ASTM-A762/A762M-89	PIPE, CORRUGATED STEEL, POLYMER PRECOATED FOR SEWERS AND DRAINS, STANDARD SPECIFICATION FOR - 16 JAN 89 REVIEWER: 82 CE CS	A 4710	YD1	16-JAN-90	NR YD1 99
D	ASTM-A768-91 NOTICE 1	VACUUM-TREATED 12% CHROMIUM ALLOY STEEL FORGINGS FOR TURBINE ROTORS AND SHAFTS, STANDARD SPECIFICATION FOR USER: MC YD1 REVIEWER: AR GS	A FORG	* SH	18-DEC-92	NR SH 11
D	ASTM-A770/A770M-80R90 NOTICE 1	STEEL PLATES FOR SPECIAL APPLICATIONS, THROUGH-THICKNESS TENSION TESTING OF - 28 FEB 86 (VALIDATION DATE: 9105) REVIEWER: IS	A 95GP	NR	24-MAY-91	NR 11
D	ASTM-A775/A775M-90	BAR, STEEL, REINFORCING, EPOXY-COATED - 27 APR 1990 USER: CE REVIEWER: 84	A 9515	YD1	10-DEC-90	NR YD1 99
D	ASTM-A780-80R87	COATINGS, GALVANIZED, DAMAGED HOT-DIP, STANDARD PRACTICE FOR REPAIR OF 29 SEP 80 REVIEWER: SH	A HFFP	YD1	14-JUN-89	NR YD1 11
D	ASTM-A786-81 ASTM-A788-92 NOTICE 1	PLATES, FLOOR ROLLED STEEL - 31 JUL 81 USER: AT ME REVIEWER: EA IS MI YD1	A 9515	SH	24-SEP-84	NR SH
D	ASTM-A792-89	STEEL FORGINGS, GENERAL REQUIREMENTS USER: OS REVIEWER: IS .....	A FORG	* NR	23-APR-92	NR SH
D	ASTM-A792M-85	STEEL SHEET, ALUMINUM-ZINC ALLOY-COATED BY THE HOT-DIP PROCESS, GENERAL REQUIREMENTS, STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: 84 IS SH	A 9515	YD1	16-JAN-90	NR YD1 99
	ASTM-A793-85	STEEL SHEET, ALUMINUM-ZINC ALLOY-COATED BY THE HOT DIP PROCESS, GENERAL REQUIREMENTS (METRIC) - 27 SEP 85 REVIEWER: 99 AR AS IS MI OS	A 9515	YD1	29-AUG-89	NR YD1 11
D	ASTM-A794-91 NOTICE 1	FLOOR PLATE, STAINLESSSTEEL, ROLLED, STANDARD SPECIFICATION FOR USER: MC REVIEWER: IS ME	A 9515	SH	07-APR-87	NR SH
D	ASTM-A796-90	STEEL SHEET (CARBON 0.16% MAXIMUM TO 0.25% MAXIMUM), COLD-ROLLED, COMMERCIAL QUALITY USER: AS YD1 REVIEWER: AR GL	A 9515	* NR	25-MAR-92	NR SH 99
D	ASTM-A798-88	PIPE, PIPE-ARCHES, AND ARCHES FOR STORM AND SANITARY SEWERS AND OTHER BURIED APPLICATIONS STANDARD PRACTICE FOR STRUCTURAL DESIGN OF CORRUGATED STEEL 30 MAR 90 REVIEWER: 82 CS	A 4710	YD1	06-AUG-90	NR YD1 11
D	ASTM-A805-91 NOTICE 1	TUBING, SEWR STEEL CORRUGATED INSTALLING FACTORY-MADE STANDARD PRACTICE FOR 6 OCT 88 REVIEWER: CE CS	A 4710	NR	18-SEP-90	NR YD1
D	ASTM-A806/A806M-88	STEEL, FLAT WIRE, CARBON, COLD-ROLLED USER: YD1 REVIEWER: 11 AR .....	A 9505	* NR	25-MAR-92	NR SH 99
	ASTM-A809-91 NOTICE 1	STEEL SHEET, ALUMINUM-ZINC ALLOY COATED BY THE HOT-DIP PROCESS FOR STORM SEWER AND DRAINAGE PIPE, STANDARD SPECIFICATION FOR - 31 OCT 88 REVIEWER: IS SH	A 9515	YD1	02-MAY-90	NR YD1 99
D	ASTM-A810-91 NOTICE 1	WIRE, STEEL, CARBON, ALUMINUM-COATED (ALUMINIZED) USER: MC ME REVIEWER: AR AT IS MI	A 9505	* YD1	30-AUG-92	NR YD1 99
D	ASTM-A819-90 NOTICE 1	WIRE, STEEL, CARBON, COPPERED USER: AR MC REVIEWER: AT IS ME MI .....	A 9505	* YD1	30-OCT-92	NR YD1 99
A	ASTM-A827-85 NOTICE 1	STEEL SHEET, ALUMINUM-COATED TYPE 2 FOR STORM SEWER AND DRAINAGE PIPE, STANDARD SPECIFICATION FOR REVIEWER: IS SH	A 9515	* YD1	24-JUN-92	NR YD1 99
		PLATES, CARBON STEEL, FOR FORGING AND SIMILAR APPLICATIONS, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9206)	A 9515	* NR	10-JUN-92	NR OS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Opn / Cals Coordination Machine Document Number	Document Title	Doc. Syst. FSC / AIA MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	AF	DoD
	ASTM-A829-89	PLATES, ALLOY STEEL, STRUCTURAL QUALITY, STANDARD SPECIFICATION FOR - 7 DEC 89	A 9515	MR	15-MAR-90	MR OS 11
D	ASTM-A849-89	PIPE, DRAINAGE, STEEL SEWER AND POST-COATED AND LINED CORRUGATED (BITUMINOUS OR CONCRETE) STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE REVIEWER: B2 CS	A 4710	YD1	23-JUN-89	ME YD1 99
D	ASTM-A853-85	STEEL WIRE, CARBON, FOR GENERAL USE - 21 DEC 85	A 9505	YD1	20-JUL-88	MR YD1 99
D	ASTM-A861-92	PIPE AND FITTINGS, IRON, HIGH-SILICON USER: MC REVIEWER: B2 CS SH	A 4730	YD1	30-OCT-92	ME YD1 99
D	ASTM-A907/A907M-92	STEEL, SHEET AND STRIP, HEAVY-THICKNESS COILS, CARBON, HOT-ROLLED STRUCTURAL QUALITY USER: AS YD1 REVIEWER: 11 AR	A 9515	YD1	04-NOV-92	MR SH 99
D	ASTM-A908-91	STAINLESS STEEL NEEDLE TUBING USER: AS REVIEWER: 11 MI	A 4710	YD1	25-MAR-92	MR SH 99
D	ASTM-A1965-87	OILS, DRYING UNSAPONIFIABLE MATTER IN, FATTY ACIDS & POLYMERIZED FATTY ACIDS - 26 JUN 1987 REVIEWER: 84	A 8010	MR	20-SEP-88	MR SH 99
D	ASTM-B1-85	COPPER WIRE, HARD-DRAWN - 29 NOV 1985 USER: CG MC REVIEWER: 80 99 AR 15 MI	A 6145	YD1	01-JUN-87	CR YD1 85
D	ASTM-B2-85	COPPER WIRE, MEDIUM-HARD DRAWN - 30 AUG 1985 USER: CG MC REVIEWER: 80 99 AR 15 MI	A 6145	YD1	18-MAY-87	CR YD1 85
D	ASTM-B3-74	WIRE, COPPER, SOFT OR ANNEALED - 28 JAN 74 (VALIDATION DATE: 8808) USER: CG MC MI REVIEWER: 11 99 AR AS 15 YD1	A 6145	CR	08-AUG-88	CR SH 85
D	ASTM-B6-77R83	ZINC (SLAB ZINC) - 10 NOV 77 USER: 05 ME YD1 REVIEWER: 84	A 9650	SH	01-JUN-84	MR SH 99
D	ASTM-B8-86	CONDUCTORS, COPPER, CONCENTRIC-LAY-STRANDED, MEDIUM-HARD, OR SOFT - 25 JUL 86 USER: CE REVIEWER: 80 B2 CS 15	A 6145	YD1	12-FEB-87	ME YD1 99
	ASTM-B16M-85	ROD, BAR, AND SHAPES FOR USE IN SCREW MACHINES, (FREE CUTTING BRASS (METRIC) - 22 FEB 1985 (VALIDATION DATE: 9006) USER: GL ME MI REVIEWER: AR EA 15	A 9530	MR	22-JUN-90	MR SH
A	ASTM-B16-92	FREE-CUTTING BRASS ROD, BAR AND SHAPES FOR USE IN SCREW MACHINES USER: GL ME MI REVIEWER: AR EA ER 15	A 9530	YD1	04-NOV-92	MR SH
	ASTM-B19-86	CARTRIDGE BRASS SHEET, STRIP, PLATE, BAR, AND DISKS (BLANKS) - 31 JAN 1986 (VALIDATION DATE: 9105) USER: EA GL ME REVIEWER: AR ER	A 9535	MR	23-MAY-91	MR SH
D	ASTM-B21-90	ROD, BAR, AND SHAPES, NAVAL BRASS - 23 FEB 90 USER: AV EA GL ME YD1 REVIEWER: ER	A 9530	MR	26-JUN-90	MR SH
	ASTM-B21M-90	ROD, NAVAL BRASS, BAR, AND SHAPES (METRIC) - 23 FEB 90 USER: AV EA GL ME REVIEWER: ER	A 9530	MR	26-JUN-90	MR SH
D	ASTM-B22A-89	CASTINGS, BRONZE, FOR BRIDGES AND TURNTABLES, STANDARD SPECIFICATION FOR - 30 JUN 89	A MECA	YD1	02-MAY-90	MR YD1 11
A	ASTM-B23-83R86	WHITE METAL BEARING ALLOYS (KNOWN COMMERCIALY AS "BABBITT METAL") USER: CE SH REVIEWER: 99 AR EA 15 MI	A 9650	YD1	16-SEP-92	MR 84
D	ASTM-B26/B26M-92	CASTINGS, ALUMINUM-ALLOY SAND USER: AR ME SH REVIEWER: 99 MD MI YD1	A MECA	YD1	28-OCT-92	MR 11
D	ASTM-B30-90	COPPER, BASED ALLOYS IN INGOT FORM STANDARD SPECIFICATION FOR - 27 JULY 90 USER: 99 REVIEWER: SH	A MECA	YD1	27-JUL-90	MR YD1
D	ASTM-B32-89	METAL, SOLDER, STANDARD SPECIFICATION FOR - 24 FEB 89 USER: 80 84 AT MC REVIEWER: 99 EA EC GL GS IP MI OS	A 3439	YD1	09-MAY-89	ER YD1 11
D	ASTM-B33-85	WIRE, TINNED SOFT OR ANNEALED COPPER, FOR ELECTRICAL PURPOSES USER: SH REVIEWER: 80 99	A 6145	YD1	16-AUG-85	CR YD1 85
	ASTM-B36/B36M-91	PLATE BRASS, SHEET, STRIP, AND ROLLED BAR - 22 FEB 91 USER: GL ME MI REVIEWER: EA ER 15 MC SA	A 9535	MR	01-MAY-91	MR SH
D	ASTM-B42-89	PIPE, COPPER, SEAMLESS, STANDARD SIZES, STANDARD SPECIFICATION FOR - 29 DEC 89 USER: AR MC MI REVIEWER: B2 CS	A 4710	YD1	26-MAR-90	ME YD1 99
D	ASTM-B43-90	PIPE, STANDARD SIZES, SEAMLESS RED BRASS - 26 JUL 1990 USER: 99 AR REVIEWER: CS MR	A 4710	YD1	09-AUG-91	ME YD1
	ASTM-B49-78	ROD, REDRAW, HOT ROLLED COPPER, FOR ELECTRICAL PURPOSES - 10 MAR 78 (VALIDATION DATE: 8808) USER: MC SH REVIEWER: 11 99 AR 15	A 6145	CR	08-AUG-88	CR AS 85
D	ASTM-B61-90	CASTING, STEAM OR VALVE BRONZE - 27 JULY 90	A MECA	YD1	17-SEP-90	MR YD1
D	ASTM-B62-90	BRONZE OR OUNCE METAL CASTINGS, COMPOSITION, STANDARD SPECIFICATION FOR - 27 JULY 90	A MECA	YD1	17-SEP-90	ME YD1
D	ASTM-B66A-90	BRONZE CASTINGS IN THE ROUGH FOR LOCOMOTIVE WEARING PARTS REVIEWER: SH	A MECA	YD1	04-DEC-92	MR YD1
D	ASTM-B67-88	BEARINGS, LINED, CAR AND TENDER JOURNAL - 26 FEB 1988 USER: SH REVIEWER: 15	A 3130	YD1	02-MAY-90	YD1 99
A	ASTM-B68-80	TUBE, SEAMLESS COPPER, BRIGHT ANNEALED - 3 MAR 80 USER: ME REVIEWER: CS SH	A 4710	MC	17-JUL-81	MC 99
	ASTM-B69-92	ZINC, ROLLED USER: AT REVIEWER: AR EA GL 15	A 9535	YD1	01-DEC-92	MR AS 99
D	ASTM-B75-86	TUBE, SEAMLESS COPPER, STANDARD SPECIFICATION FOR - 27 JUN 86 USER: ME MI REVIEWER: CS EA SH	A 4710	YD1	29-DEC-86	MR YD1 99
D	ASTM-B75M-86	COPPER TUBE, SEAMLESS (METRIC) - 27 JUNE 86 USER: ME MI REVIEWER: CG CS EA	A 4710	YD1	31-DEC-86	MR YD1 99
L	ASTM-B80-91	MAGNESIUM-ALLOY SAND CASTINGS - 22 FEB 1991 USER: 99 AL REVIEWER: GL MD ME	A MECA	YD1	01-MAY-91	MR AS 11
D	ASTM-B85A-92	CASTINGS, ALUMINUM-ALLOY DIE USER: AL CR ME SH REVIEWER: AR AT 15 MI YD1	A MECA	YD1	28-OCT-92	MR AS 11
	ASTM-B86-88	ZINC ALLOY DIE CASTINGS - 26 FEB 88 REVIEWER: 11 80 AR AT CR ME MI	A MECA	YD1	04-AUG-88	MR AS 99
D	ASTM-B88-92	TUBE, SEAMLESS, WATER (METRIC) USER: AV CG MC MI REVIEWER: CS EA GL ME	A 4710	YD1	04-DEC-92	MR YD1
D	ASTM-B88M-92	TUBE, SEAMLESS, WATER (METRIC) USER: AV CG MC MI REVIEWER: CS EA GL ME	A 4710	YD1	04-DEC-92	MR YD1
	ASTM-B90-87	MAGNESIUM SHEET AND PLATE, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9006) USER: AT ME REVIEWER: ER 15	A 9535	YD1	08-JUN-92	MR AS
	ASTM-B90M-90	SHEET & PLATE, MAGNESIUM-ALLOY (METRIC) - 23 FEB 90 USER: AT ME REVIEWER: ER 15	A 9535	YD1	25-JUN-90	MR AS
	ASTM-B92/B92M-89	INGOT, MAGNESIUM, AND STICK FOR REMELTING - 26 MAY 89 USER: AL	A 9650	YD1	13-JUN-90	MR SH 11
	ASTM-B93/B93M-92	MAGNESIUM ALLOYS IN INGOT FORM FOR SAND CASTINGS, PERMANENT MOLD CASTINGS, AND DIE CASTINGS USER: AL REVIEWER: 15	A 9650	YD1	12-MAY-92	MR SH 11
M	ASTM-B94-91	MAGNESIUM-ALLOY DIE CASTINGS REVIEWER: 11 99 AL AR AV GL ME MI	A MECA	YD1	19-MAY-93	MR AS 84
A	ASTM-B96-92	COPPER-SILICON ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR FOR GENERAL PURPOSES AND PRESSURE VESSELS, STANDARD SPECIFICATION FOR USER: MC OS REVIEWER: AR 15	A 9535	YD1	18-DEC-92	MR SH
A	ASTM-B98-92	COPPER-SILICON ALLOY ROD, BAR, AND SHAPES USER: EA GL ME OS REVIEWER: 99 ER 15 MC	A 9530	YD1	01-DEC-92	MR SH
	ASTM-B98M-84	ROD, BAR, & SHAPES, COPPER SILICON ALLOY (METRIC) - 27 JUL 1984 (VALIDATION DATE: 9006) USER: EA GL ME OS	A 9530	YD1	22-JUN-90	MR SH
	ASTM-B99A-86	COPPER-SILICON ALLOY WIRE FOR GENERAL PURPOSES, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9206) USER: EA GL ME REVIEWER: ER	A 9525	YD1	08-JUN-92	MR SH
	ASTM-B99M-86	COPPER-SILICON ALLOY WIRE FOR GENERAL PURPOSES (METRIC) - 28 NOV 1986 USER: EA GL ME OS SA SH REVIEWER: ER MC	A 9525	YD1	27-FEB-87	MR SH
D	ASTM-B101-83R88	LEAD COATED COPPER SHEETS - 28 NOV 83 REVIEWER: 15	A 9535	YD1	05-FEB-89	MR YD1 99
D	ASTM-B103/B103M-91	BROWN PLATE, SHEET, STRIP, AND ROLLED BAR, PHOSPHOR - 15 JUN 91 USER: YD1 REVIEWER: AR EA ER MC SA	A 9535	YD1	04-SEP-91	MR SH
	ASTM-B105-88	HARD DRAWN COPPER ALLOY WIRES FOR ELECTRICAL CONDUCTORS - 26 FEB 88	A 9540	YD1	28-FEB-91	MR AS 11
	ASTM-B107-87	MAGNESIUM-ALLOY EXTRUDED BARS, RODS, SHAPES, TUBES, AND WIRE - 27 FEB 87 USER: SA REVIEWER: 69 AR CR EA 15 MI	A 95CP	AS	05-APR-90	MR AS 11
D	ASTM-B108A-92	ALUMINUM-ALLOY PERMANENT MOLD CASTINGS, STANDARD SPECIFICATION FOR USER: AR AT ME MI OS SH REVIEWER: YD1	A MECA	YD1	26-JUN-92	MR 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / OMA Coordination Notice	Document Number	Document Title	Doc. Syst. FSC / Issue MCA Symbol Preparing Act	Date	Custodians			
					Army	Navy	Air Force	DLA
D	ASTM-B111-92 NOTICE 1	CONDENSER TUBES AND FERRULE STOCK, COPPER AND COPPER ALLOY SEAMLESS USER:	A 4710 *	YD1 04-DEC-92	ME	YD1	99	
D	ASTM-B111MA-88	OS REVIEWER: CS MC SH	A 4710	YD1 19-JAN-89	ME	YD1	99	
	ASTM-B117-90 NOTICE 1	COPPER & COPPER-ALLOY SEAMLESS CONDENSER TUBES & FERRULE STOCK (METRIC) STANDARD SPECIFICATION FOR 29 JUL 88 REVIEWER: CS MC MR SH	A 95GP *	MR 12-MAY-92	MR	AS	11	
	ASTM-B121-86 NOTICE 2	SALT SPRAY (FOG) TESTING REVIEWER: IS	A 9535	MR 23-MAY-91	MR	SH		
	ASTM-B121/B121M-91 NOTICE 1	PLATE, LEADED BRASS, SHEET, STRIP, & ROLLED BAR - 31 JAN 86 [VALIDATION DATE: 9105] USER: GL MI OS REVIEWER: AR EA ER MC SA	A 9535 *	MR 09-MAR-92	MR	SH		
D	ASTM-B122-86	LEADED BRASS PLATE, SHEET, STRIP, ROLLED BAR USER: GL ME MI REVIEWER: AR EA ER IS MC SA	A 9535	MR 06-AUG-86	MR	SH		
	ASTM-B124A-89	PLATE, SHEET, STRIP, & ROLLER BAR, COPPER NICKEL TIN ALLOY, COPPER NICKEL ZINC ALLOY (NICKEL SILVER), AND COPPER NICKEL ALLOY - 27 JUNE 1986 USER: EA GL ME MI OS YD1 REVIEWER: ER MC SA	A 9530	MR 17-APR-90	MR	SH		
D	ASTM-B127-92 NOTICE 1	COPPER & COPPER ALLOY FORGING ROD, BAR, & SHAPES - 24 FEB 1989 USER: GL ME MI OS REVIEWER: AR EA MC SA	A 9535 *	YD1 30-SEP-92	MR	YD1	99	
	ASTM-B133-92 NOTICE 1	NICKEL-COPPER ALLOY (UNS N04400) PLATE, SHEET, AND STRIP REVIEWER: AR OS SH	A 9530 *	MR 15-APR-92	MR	SH	99	
	ASTM-B133M-92 NOTICE 1	COPPER ROD, BAR, AND SHAPES, STANDARD SPECIFICATION FOR USER: EA GL ME OS REVIEWER: 84 AR CR ER IS MC SA	A 9530 *	MR 15-APR-92	MR	SH	99	
	ASTM-B134-88	COPPER ROD, BAR, AND SHAPES (METRIC), STANDARD SPECIFICATION FOR USER: EA GL ME OS REVIEWER: 84 AR CR ER IS MC SA	A 9525	MR 17-AUG-88	MR	SH		
D	ASTM-B135-89	WIRE, BRASS, - 29 JUL 1988 USER: AV GL REVIEWER: AR EA ER IS	A 4710	YD1 28-JUL-89	EA	YD1		
D	ASTM-B135M-89	TUBE SEAMLESS BRASS STANDARD SPECIFICATION FOR - 30 JUN 89 USER: 99 ME SH REVIEWER: CS	A 4710	YD1 02-AUG-89	EA	YD1		
D	ASTM-B136-84	TUBE SEAMLESS BRASS (METRIC) STANDARD SPECIFICATION FOR - 30 JUN 89 USER: 99 ME REVIEWER: CS SH	A 9535	YD1 30-AUG-84	MR	YD1		
D	ASTM-B137-89	ALUMINUM, STANDARD METHOD FOR MEASUREMENT OF STAIN RESISTANCE OF ANODIC COATINGS OF - 27 APR 84 USER: CE OS SH REVIEWER: IS	A MFFP	YD1 14-SEP-89	MR	YD1	11	
	ASTM-B138M-84 NOTICE 2	ALUMINUM, MEASUREMENT OF MASS OF COATING ON ANODICALLY COATED, STANDARD TEST METHOD FOR - 28 JULY 89 REVIEWER: SH	A 9530 *	MR 08-JUN-92	MR	SH		
A	ASTM-B138-92 NOTICE 1	MANGANESE BRONZE ROD, BAR, AND SHAPES (METRIC) [VALIDATION DATE: 9206] USER: EA GL ME REVIEWER: AR ER	A 9530 *	MR 31-AUG-92	MR	SH		
	ASTM-B139-90	ROD, MANGANESE BRONZE, BAR, AND SHAPES USER: EA GL ME REVIEWER: 99 AR AS ER IS	A 9530	MR 26-JUN-90	MR	SH		
	ASTM-B139M-90	ROD, PHOSPHOR BRONZE, BAR, AND SHAPES - 23 FEB 90 USER: EA GL ME OS REVIEWER: AR ER IS MC SA	A 9530	MR 26-JUN-90	MR	SH		
A	ASTM-B140-85	ROD, PHOSPHOR BRONZE, BAR, AND SHAPES (METRIC) - 23 FEB 1990 USER: EA GL ME MI OS REVIEWER: AR IS MC SA	A 9530	AS 31-JUL-87	MR	AS	11	
A	ASTM-B140M-85	COPPER-ZINC-LEAD (LEADED RED BRASS OR HARDWARE BRONZE) ROD, BARS, AND SHAPES - 26 JUL 1985 REVIEWER: IS	A 9530	AS 31-JUL-87	MR	AS	11	
A	ASTM-B148-82	COPPER-ZINC-LEAD (LEADED RED BRASS OR HARDWARE BRONZE) ROD, BAR, AND SHAPES (METRIC) - 26 JUL 1985 REVIEWER: IS	A MECA	SH 25-MAR-85	MR	SH	11	
A	ASTM-B150-92 NOTICE 1	CASTINGS, ALUMINUM - BRONZE SAND - 29 JAN 82	A 9530 *	MR 31-AUG-92	MR	SH		
	ASTM-B151-89	ROD, ALUMINUM BRONZE, BAR, AND SHAPES USER: EA GL ME MI REVIEWER: 99 AR AS ER IS	A 9530	MR 13-JUN-90	MR	SH		
	ASTM-B151M-89	ALLOY (NICKEL SILVER) COPPER NICKEL ZINC & COPPER NICKEL ROD & BAR - 24 FEB 89 USER: EA GL ME MI REVIEWER: ER IS	A 9530	MR 13-JUN-90	MR	AS	11	
D	ASTM-B152-92 NOTICE 1	ROD AND BAR, COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) AND COPPER-NICKEL (METRIC) - 24 FEB 1989	A 9535 *	MR 15-APR-92	MR	SH		
D	ASTM-B152M-92 NOTICE 1	COPPER SHEET, STRIP, PLATE, AND ROLLED BAR USER: GL ME MI OS REVIEWER: AR EA ER IS MC SA YD1	A 9535 *	MR 15-APR-92	MR	SH		
	ASTM-B153-91 NOTICE 1	COPPER SHEET, STRIP, PLATE, AND ROLLED BAR (METRIC) USER: GL ME MI OS REVIEWER: AR EA ER IS MC SA YD1	A 4710 *	MR 09-MAR-92	MR	SH		
A	ASTM-B154-92 NOTICE 1	PIPE AND TUBING, COPPER AND COPPER-ALLOY, EXPANSION (PIN TEST) OF REVIEWER: AT CS	A 95GP *	MR 01-JUL-92	MR	AS	99	
	ASTM-B159-86 NOTICE 1	MERCURIOUS NITRATE TEST FOR COPPER AND COPPER ALLOYS, STANDARD TEST METHOD FOR REVIEWER: 11 IS	A 9525	MR 23-MAY-91	MR	SH		
	ASTM-B159MA-86 NOTICE 1	WIRE, PHOSPHOR BRONZE - 31 JAN 86 [VALIDATION DATE: 9105] USER: EA GL ME OS REVIEWER: AR ER IS MC SA	A 9525	MR 23-MAY-91	MR	SH		
A	ASTM-B162-91 NOTICE 1	WIRE, PHOSPHOR WIRE (METRIC) - 28 NOV 1987 [VALIDATION DATE: 9105] USER: EA GL MI OS REVIEWER: AR ER IS MC SA	A 9535 *	SH 18-DEC-92	MR	SH		
D	ASTM-B163-89	NICKEL PLATE, SHEET, AND STRIP, STANDARD SPECIFICATION FOR USER: MC OS REVIEWER: AR IS	A 4710	YD1 25-OCT-89		YD1		
D	ASTM-B164-91 NOTICE 1	CONDENSER, SEAMLESS NICKEL ALLOY, AND HEAT EXCHANGER TUBES - 25 AUG 89 USER: 99 REVIEWER: CS SH	A 9530 *	YD1 17-JUL-92	MR	YD1		
D	ASTM-B165-87	ROD, BAR, AND WIRE, NICKEL-COPPER ALLOY, STANDARD SPECIFICATION FOR REVIEWER: EA IS MI SH	A 4710	YD1 20-NOV-87	ME	YD1	99	
D	ASTM-B166-90	NICKEL-COPPER ALLOY (UNS N04400) SEAMLESS PIPE AND TUBE, STANDARD SPECIFICATION FOR - 25 SEP 87	A 9530	YD1 30-MAY-90	MR	YD1		
D	ASTM-B167-90	ROD, BAR, & WIRE, NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600 & N06690) STANDARD SPECIFICATION FOR - 23 FEB 90 USER: AT SH REVIEWER: EA IS	A 4710	YD1 30-JAN-89	ME	YD1		
D	ASTM-B168-90	PIPE & TUBE, SEAMLESS, NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600 & N06601 AND N06690) STANDARD SPECIFICATION FOR - 23 FEB 90 USER: 99 REVIEWER: CS	A 9535	YD1 16-MAY-90	MR	YD1		
	ASTM-B169A-85 NOTICE 1	PLATE, SHEET, & STRIP, NICKEL-CHROMIUM-IRON ALLOYS (UNS N06600 & N06690) STANDARD SPECIFICATION FOR - 23 FEB 90 USER: AT SH REVIEWER: EA IS	A 9535	MR 20-SEP-91	MR	SH		
	ASTM-B169M-85	ALUMINUM BRONZE PLATE, SHEET, STRIP AND ROLLED BAR (REAPPROVED 91) - 26 JUL 85 [VALIDATION DATE: 9109] USER: EA GL ME OS REVIEWER: ER IS MC SA	A 9535	MR 20-FEB-86	MR	SH	99	
	ASTM-B170-82	PLATE, SHEET, STRIP, & ROLLED BAR, ALUMINUM BRONZE (METRIC) - 26 JUL 85 USER: EA GL ME OS REVIEWER: AR ER IS MC SA	A 9650	AS 10-DEC-82	AR	AS	99	
	ASTM-B172-71R80 NOTICE 2	COPPER, OXYGEN FREE ELECTROLYTIC, REFINERY SHAPES - 26 FEB 82 REVIEWER: 84 CONDUCTOR, COPPER, ROPE LAY STRANDED, HAVING BUNCH STRANDED MEMBERS, FOR ELECTRICAL CONDUCTORS - 75 APR 1971/000 EXCEPTIONS [VALIDATION DATE: 8808] USER: CG MC MI REVIEWER: 11 99 AS	A 6145	CR 08-AUG-88	CR	SH	85	
	ASTM-B173-71R80 NOTICE 2	CONDUCTOR, COPPER, ROPE LAY STRANDED, HAVING CONCENTRIC STRANDED MEMBERS, FOR ELECTRICAL CONDUCTORS - 15 APR 71 [VALIDATION DATE: 8808] USER: CG MC MI REVIEWER: 11 99 AR AS IS	A 6145	CR 08-AUG-88	CR	SH	85	
	ASTM-B174-71R76	CONDUCTOR, COPPER, BUNCH STRANDED FOR ELECTRICAL CONDUCTORS - 15 APR 71 W/000 EXCEPTIONS [VALIDATION DATE: 8808] USER: CG MC MI REVIEWER: 11 99 AR AS IS	A 6145	CR 08-AUG-88	CR	SH	85	
D	ASTM-B179A-92 NOTICE 1	ALUMINUM ALLOYS IN INGOT FORM FOR SAND CASTINGS, PERMANENT MOLD CASTINGS, AND DIE CASTINGS REVIEWER: AR IS OS SH YD1	A 9650 *	MR 01-DEC-92	MR	84		
D	ASTM-B187-92 NOTICE 1	COPPER BUS BAR, ROD, AND SHAPES USER: MC SH REVIEWER: GS	A 6150 *	YD1 04-DEC-92	ME	YD1	99	
D	ASTM-B188B-84	PIPE & TUBE, SEAMLESS COPPER BUS - 30 NOV 84 USER: MC REVIEWER: AR GS ME MI	A 6150	MR 22-AUG-85	MR			
	ASTM-B189-81	WIRE FOR ELECTRICAL PURPOSES, LEAD COATED & LEAD-ALLOY-COATED SOFT COPPER - 28 DEC 81 USER: SH REVIEWER: 80 99	A 6145	YD1 26-OCT-85	CR	YD1	85	
	ASTM-B193-87	CONDUCTOR MATERIALS, ELECTRICAL, RESISTIVITY OF - 28 AUG 87	A 95GP	MR 05-FEB-88	MR	AS	11	
	ASTM-B194-92 NOTICE 1	COPPER-BERYLLIUM ALLOY PLATE, SHEET, STRIP, AND ROLLED BAR USER: EA GL ME MI OS REVIEWER: AR ER MC SA	A 9535 *	MR 15-APR-92	MR	SH		
	ASTM-B196-90	ROD AND BAR, COPPER-BERYLLIUM ALLOY - 29 JUN 90 USER: EA GL ME REVIEWER: AR ER	A 9530	MR 22-FEB-91	MR	SH		
	ASTM-B198M-90	ROD & BAR, COPPER-BERYLLIUM ALLOY (METRIC) - 29 JUN 90 USER: EA GL MI REVIEWER: AR ER	A 9530	MR 22-FEB-91	MR	SH		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action On/Off Coordination Inactive	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
	ASTM-B1978-83 ASTM-B1974-89	WIRE, COPPER BERYLLIUM ALLOY - 28 NOV 83 USER: EA GL ME REVIEWER: AR ER ... COPPER-BERYLLIUM ALLOY WIRE (METRIC) - 30 JUN 1989 USER: EA GL ME REVIEWER: AR ER	A 9525	MP	23-JUL-84	NR	SH		
			A 9525	MR	19-APR-90	NR	SH		
A	ASTM-B199-87 NOTICE 2 ASTM-B206M-87 NOTICE 2	CASTINGS, MAGNESIUM-ALLOY PERMANENT MOLD [VALIDATION DATE: 9206] REVIEWER: IS ME COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) WIRE AND COPPER-NICKEL ALLOY WIRE (METRIC) [VALIDATION DATE: 9206] USER: AV EA GL ME OS REVIEWER: ER IS MC SA	A MECA *	MR	10-JUN-92	NR		11	
			A 9525 *	MR	10-JUN-92	NR	SH		
A	ASTM-B206-87 NOTICE 2 ASTM-B208-90 NOTICE 1	COPPER-NICKEL-ZINC ALLOY (NICKEL SILVER) WIRE AND COPPER-NICKEL ALLOY WIRE [VALIDATION DATE: 9206] USER: AV EA GL ME OS REVIEWER: ER IS MC SA CASTINGS, SAND, PERMANENT MOLD, CENTRIFUGAL, AND CONTINUOUS, PREPARING TENSION TEST SPECIMENS FOR COPPER-BASE ALLOYS FOR, STANDARD PRACTICE FOR	A 9525 *	MR	10-JUN-92	NR	SH		
D	ASTM-B209-90	SHEET AND PLATE, ALUMINUM-ALLOY, STANDARD SPECIFICATION FOR - 23 FEB 90 USER: AR MC OS SH REVIEWER: AT IS	A 9535	YD1	16-MAY-90	NR	YD1	99	
D	ASTM-B209MA-89	ALUMINUM AND ALUMINUM-ALLOY SHEET AND PLATE (METRIC) - 21 JUN 89 USER: MC OS REVIEWER: AT IS SH	A 9535	YD1	10-OCT-89	NR	YD1	99	
D	ASTM-B210-90	TUBE, ALUMINUM-ALLOY DRAWN SEAMLESS STANDARD SPECIFICATION FOR - 23 FEB 90 REVIEWER: CS SH	A 4710	YD1	16-MAY-90	NR	YD1		
D	ASTM-B210M-90	TUBE, SEAMLESS, ALUMINUM & ALUMINUM-ALLOY DRAWN (METRIC) - 23 FEB 90 REVIEWER: CS SH	A 4710	YD1	16-MAY-90	NR	YD1		
D	ASTM-B211-88	ALLOY, ALUMINUM, BAR, ROD & WIRE - 27 SEP 1988 USER: MC OS SH REVIEWER: AL AT IS	A 9530	YD1	27-SEP-88	NR	YD1	99	
D	ASTM-B211M-90	BAR, ROD & WIRE, ALUMINUM ALLOY (METRIC) - 23 FEB 90 USER: AS MC SH REVIEWER: IS	A 9530	YD1	30-MAY-90	NR	YD1	99	
	ASTM-B214-86	POWDERS, GRANULAR METAL, STANDARD TEST METHOD FOR SIEVE ANALYSIS OF - 28 FEB 1986 USER: AM SH REVIEWER: CS MD ME	A 6810	EA	02-FEB-88	EA		68	
D	ASTM-B221-88	ALUMINUM & ALUMINUM ALLOY EXTRUDED BARS, RODS, SHAPES & TUBES - 29 APR 88 REVIEWER: IS	A 9530	YD1	05-SEP-88	NR	YD1	99	
D	ASTM-B221M-89	ALUMINUM & ALUMINUM ALLOY EXTRUDED BARS, RODS, WIRE, SHAPES, & TUBES (METRIC) - 23 FEB 90 REVIEWER: IS	A 9530	YD1	16-MAY-90	NR	YD1	99	
D	ASTM-B228-88	CONDUCTOR, CONCENTRIC-LAY-STRANDED COPPER-CLAY STEEL - 26 FEB 88 REVIEWER: 80 99 IS SH	A 6145	YD1	19-APR-89	CR	YD1	85	
D	ASTM-B230-85	ALUMINUM 1350- H19 WIRE FOR ELECTRICAL PURPOSES - 30 AUG 1985 REVIEWER: 99 IS SH	A 6145	YD1	13-MAY-87	CR	YD1	85	
D	ASTM-B231-81	CONDUCTOR, ALUMINUM 1350, CONCENTRIC-LAY-STRANDED - 28 DEC 1981 REVIEWER: 80 99 SH	A 6145	YD1	12-JUL-85	CR	YD1	85	
D	ASTM-B232-86	CONDUCTOR, COATED STEEL REINFORCED (ACSR), CONCENTRIC-LAY-STRANDED ALUMINUM, STANDARD SPECIFICATION FOR - 26 DEC 86 REVIEWER: 80 99 SH	A 6145	YD1	25-JUL-90	CR	YD1	85	
A	ASTM-B236A-92 NOTICE 1	ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS) USER: AR REVIEWER: 99 AS IS ME	A 9530 *	MR	25-NOV-92	NR	OS		
A	ASTM-B236MA-92 NOTICE 1	ALUMINUM BARS FOR ELECTRICAL PURPOSES (BUS BARS) (METRIC) USER: AR ME REVIEWER: 99 AS IS	A 9530 *	MR	25-NOV-92	NR	OS		
D	ASTM-B240-87 ASTM-B241/B241M-89	ALLOYS ZINC, CASTINGS DIE, IN INGOT FORM FOR 28 JAN 88 ..... PIPE SEAMLESS, AND TUBE SEAMLESS, EXTRUDED, ALUMINUM AND ALUMINUM ALLOY STANDARD SPECIFICATION FOR - 21 JUN 89 REVIEWER: CE CS	A MECA	MR	28-JAN-88	NR	AS	99	
			A 4710	YD1	28-SEP-89	ME	YD1	99	
D	ASTM-B244-79 NOTICE 1 ASTM-B246-64R20 NOTICE 1	COATINGS, ANODIC, MEASURING THICKNESS OF, ON ALUMINUM WITH EDDY-CURRENT INSTRUMENTS - 12 FEB 79 [VALIDATION DATE: 9104] REVIEWER: YD: WIRE, COPPER, TINNED HARD DRAWN & MEDIUM HARD DRAWN, FOR ELECTRICAL PURPOSES - 31 AUG 64 [VALIDATION DATE: 8808] USER: CG MC MI REVIEWER: 11 99 AR AS IS	A MFFP	MR	30-APR-91	NR	AS	11	
			A 6145	CR	08-AUG-88	CR	SH	85	
D	ASTM-B247M-92 NOTICE 1	ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS (METRIC) USER: AT OS REVIEWER: AR SH	A FORG *	MR	10-APR-92	NR	YD1		
D	ASTM-B247A-92 NOTICE 1	ALUMINUM AND ALUMINUM-ALLOY DIE FORGINGS, HAND FORGINGS, AND ROLLED RING FORGINGS USER: AT OS REVIEWER: AR SH	A FORG *	MR	26-OCT-92	NR	YD1		
A	ASTM-B248-92 NOTICE 1	PLATE, WROUGHT COPPER AND COPPER-ALLOY, SHEET, STRIP, AND ROLLED BAR, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 99 AS IS	A 9530 *	MR	31-AUG-92	NR	SH	11	
A	ASTM-B248M-92 NOTICE 1	PLATE, WROUGHT COPPER AND COPPER-ALLOY, SHEET, STRIP AND ROLLED BAR (METRIC), GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 99 AS IS	A 9530 *	MR	31-AUG-92	NR	SH		
A	ASTM-B249-91 NOTICE 1	WROUGHT COPPER AND COPPER-ALLOY, ROD, BAR AND SHAPES, GENERAL REQUIREMENTS FOR USER: OS REVIEWER: 84 99 IS SH	A 9530 *	MR	10-OCT-91	NR	AS	11	
A	ASTM-B249M-92 NOTICE 1	ROD, WROUGHT COPPER AND COPPER-ALLOY, BAR, AND SHAPES (METRIC), GENERAL REQUIREMENTS FOR REVIEWER: 99 IS OS SH	A 9530 *	MR	31-AUG-92	NR	AS	11	
A	ASTM-B250M-88	WIRE, WROUGHT COPPER-ALLOY (METRIC) GENERAL REQUIREMENTS FOR - 29 JUL 88 USER: OS	A 9525	MR	11-APR-90	NR	SH	11	
A	ASTM-B250-92 NOTICE 1	WIRE, WROUGHT COPPER-ALLOY, GENERAL REQUIREMENTS FOR USER: 99 AS OS REVIEWER: IS	A 9525 *	MR	31-AUG-92	NR	SH	11	
D	ASTM-B251-88	TUBE, WROUGHT SEAMLESS, COPPER AND COPPER-ALLOY, GENERAL REQUIREMENTS FO R - 26 FEB 1988 USER: CG MI REVIEWER: 82 CS MR SH	A 4710	YD1	26-MAY-88	ME	YD1	99	
D	ASTM-B251M-88	COPPER & COPPER-ALLOY TUBE, WROUGHT SEAMLESS, GENERAL REQUIREMENTS FOR REVIEWER: CS SH	A 4710	YD1	26-MAY-88	ME	YD1	99	
A	ASTM-B265-89 ASTM-B271-81 ASTM-B272-83 NOTICE 3	TITANIUM AND TITANIUM ALLOY STRIP, SHEET, AND PLATE - 26 MAY 1989 ..... CASTINGS, COPPER-BASE ALLOY CENTRIFUGAL - 28 AUGUST 1981 ..... COPPER FLAT PRODUCTS WITH FINISHED (ROLLED OR DRAWN) EDGES (FLAT WIRE AND STRIP) (NEAPPROVED 91) - 27 JUL 83 [VALIDATION DATE: 9109] USER: EA GL ME REVIEWER: AR ER	A 6515	MB	01-FEB-90	MD	MS	03	
			A MECA	SH	25-MAR-85	NR	SH	11	
			A 9535	MR	20-SEP-91	NR	SH		
D	ASTM-B275-80	METAL AND ALLOYS, CERTAIN NONFERROUS, CAST AND WROUGHT, CODIFICATION OF - 26 SEP 1980 USER: GL ME REVIEWER: AT AV MI	A MISC	MR	03-JUN-81	NR	SH	11	
D	ASTM-B280A-92 NOTICE 1 ASTM-B283-91 NOTICE 1 ASTM-B286-74R79	TUBE, COPPER, SEAMLESS, FOR AIR CONDITIONING AND REFRIGERATION FIELD SERVICE USER: MC OS REVIEWER: CS GL MI SH COPPER AND COPPER-ALLOY DIE FORGINGS (HOT PRESSED) USER: AT GL ME REVIEWER: AR EA IS	A 4710 *	YD1	04-DEC-92	ME	YD1	99	
			A FORG *	MR	16-MAR-92	NR	SH		
			A 6145	CR	18-AUG-81	CR	SH	85	
D	ASTM-B298-87 ASTM-B306-88 ASTM-B308-88	CONDUCTOR, COPPER, FOR USE IN HOOKUP WIRE FOR ELECTRONIC EQUIPMENT - 29 JUL 74 USER: CG MC MI REVIEWER: 11 99 AR AS IS WIRE, COPPER, SILVER-COATED SOFT OR ANNEALED - 27 MARCH 87 ..... COPPER DRAINAGE TUBE (DWV) USER: 99 SH REVIEWER: CS	A 6145	CR	11-FEB-88	CR	SH	85	
			A 4710	YD1	26-MAY-88	NR	YD1		
			A 9540	MR	13-JUN-88	NR	OS	99	
D	ASTM-B308M-84	ALUMINUM-ALLOY 6061-T6 STANDARD STRUCTURAL SHAPES, ROLLED OR EXTRUDES (METRIC) - 24 FEB 1984 USER: ME SH REVIEWER: 84 AR	A 9540	MR	18-AUG-86	NR	OS	99	
D	ASTM-B308/B308MA-92 NOTICE 1	ALUMINUM-ALLOY 6061-T6 STANDARD STRUCTURAL SHAPES USER: ME SH YD1 REVIEWER: 11 84 AR IS	A 9540 *	MR	19-NOV-92	NR	OS	99	
D	ASTM-B313/B313MA-90 ASTM-B315-91 NOTICE 1	TUBE, ALUMINUM & ALUMINUM ALLOY ROUND WELDED - 25 MAY 1990 REVIEWER: CS ... SEAMLESS COPPER ALLOY PIPE AND TUBE USER: MC REVIEWER: 82 ME SH	A 4710	YD1	09-AUG-91	ME	YD1	99	CS
			A 4710 *	CS	20-SEP-91				
A	ASTM-B316-92 NOTICE 1	ALUMINUM AND ALUMINUM-ALLOY RIVET AND COLD-HEADING WIRE AND RODS USER: AR AT ME SH REVIEWER: 11 AS IS	A 9525 *	MR	02-APR-92	NR	OS	99	
A	ASTM-B316MA-92 NOTICE 1	ALUMINUM AND ALUMINUM-ALLOY RIVET AND COLD-HEADING WIRE AND RODS (METRIC) USER: AR AT ME SH REVIEWER: 11 AS IS	A 9525 *	MR	25-NOV-92	NR	OS	99	
D	ASTM-B317A-92 NOTICE 1	ALUMINUM-ALLOY EXTRUDED BAR, ROD, TUBE, PIPE, AND STRUCTURAL SHAPES FOR ELECTRICAL PURPOSES (BUS CONDUCTOR) USER: AR ME REVIEWER: AS IS YD1	A 9530 *	MR	25-NOV-92	NR	OS	99	
D	ASTM-B328-91 NOTICE 1	DENSITY, OIL CONTENT, AND INTERCONNECTED POROSITY OF SINTERED POWDER METAL STRUCTURAL PARTS AND OIL-IMPREGNATED BEARINGS, STANDARD TEST METHOD FOR REVIEWER: IS MC MI MR OS	A 3120	AT	22-JAN-93	AT	SH	99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	Doc. / Code	Doc. / Code	Document Title	Dist. Smt. / FSC / Arms	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DIA
			ASTM-B329-81				A 6810	EA	25-JUN-84	EA	
			ASTM-B337-83R87				A 4710	MR	15-APR-88	MR	SH
			ASTM-B338-91				A 4710	MR	04-OCT-91	MR	SH
			NOTICE 1								
D			ASTM-B339-90				A 9650	MR	13-JUN-90	MR	YD1 99
D			ASTM-B345-90				A 4710	CS	01-APR-90		99 CS
			PIPE, AND SEAMLESS, ALUMINUM AND ALUMINUM-ALLOY SEAMLESS EXTRUDED TUBE FOR GAS AND OIL TRANSMISSION AND DISTRIBUTION PIPING SYSTEM - 1 APR 90 USER: OS REVIEWER: 82 ME YD1								
D			ASTM-B345M-90				A 4710	CS	01-APR-90		99 CS
			PIPE, AND SEAMLESS, ALUMINUM AND ALUMINUM-ALLOY SEAMLESS EXTRUDED TUBE FOR GAS AND OIL TRANSMISSION AND DISTRIBUTION PIPING SYSTEM (METRIC) 1 APR 90 USER: OS REVIEWER: 82 ME YD1								
			ASTM-B355-74				A 6145	CR	08-AUG-88	CR	SH 85
			NOTICE 2								
			ASTM-B359-85				A 4710	SH	22-MAY-86	ME	SH 99
			COPPER AND COPPER-ALLOY SEAMLESS CONDENSER AND HEAT EXCHANGER TUBES WITH INTEGRAL FINS - 25 JAN 1985								
D			ASTM-B360-88				A 4710	CS	30-SEP-88	ME	99 CS
			ASTM-B361-88				A 4730	YD1	05-SEP-88	ME	YD1 99
			FITTING, FACTORY-MADE WROUGHT ALUMINUM AND ALUMINUM-ALLOY WELDING FITTINGS - 29 APR 88 REVIEWER: CS SH								
			ASTM-B363-83R87				A 4730	MR	05-OCT-84	MR	SH
			SEAMLESS & WELDED UNALLOYED TITANIUM & TITANIUM ALLOY WELDING FITTINGS - 5 OCT 84 (VALIDATION DATE: 8804) USER: AS REVIEWER: ME								
			ASTM-B368-85				A MFFP	MR	19-FEB-91	MR	11
			NOTICE 1								
M			ASTM-B369-90				A MECA	SH	10-MAY-93	MR	SH 11
			NOTICE 1								
D			ASTM-B370-88				A 9535	YD1	26-MAY-88	MR	YD1 99
			SHEET & STRIP, COPPER, FOR BUILDING CONSTRUCTION, STANDARD SPECIFICATION FOR REVIEWER: IS								
A			ASTM-B373A-92				A 9535	MR	25-NOV-92	MR	99
			NOTICE 1								
D			ASTM-B395-88				A 4710	YD1	28-JAN-89	ME	YD1 99
			U-BEND SEAMLESS COPPER & COPPER ALLOY HEAT EXCHANGER & CONDENSER TUBES, STANDARD SPECIFICATION FOR 29 JUL 88 USER: SH REVIEWER: CS								
D			ASTM-B395MA-88				A 4710	YD1	11-FEB-89	ME	YD1 99
			COPPER, U-BEND SEAMLESS, AND COPPER ALLOY HEAT EXCHANGER AND CONDENSER TUBES (METRIC), STANDARD SPECIFICATION FOR - 29 JUL 88								
D			ASTM-B397-8				A 6145	YD1	02-OCT-85	CR	YD1 85
			CONDUCTOR, CONCENTRIC-LAY-STANDARD ALUMINUM-ALLOY 5005-H19, STANDARD SPECIFICATION FOR - 25 JAN 85 REVIEWER: 80 99 15 SH								
D			ASTM-B399-86				A 6145	YD1	24-DEC-86	CR	YD1 85
			ALUMINUM-ALLOY 6201-T81 CONDUCTORS, CONCENTRIC-LAY-STANDARD - 27 JUN 1986 USER: SH REVIEWER: 80 99 15								
			ASTM-B403-90				A MECA	MR	19-OCT-90	MR	AS 11
			CASTINGS, MAGNESIUM-ALLOY INVESTMENT - 31 AUG 1990 USER: AT ME OS REVIEWER: ER IS MD								
A			ASTM-B411-92				A 9530	MR	01-DEC-92	MR	SH
			NOTICE 1								
			ASTM-B412-87				A 9525	MR	10-JUN-92	MR	SH
			NOTICE 2								
D			ASTM-B418-88				A 5340	YD1	10-MAR-89	AR	YD1 99
L			ASTM-B422-90				A 9535	MR	12-MAR-91	MR	
			COPPER-ALUMINUM-SILICON-COBALT ALLOY, COPPER-NICKEL-ALUMINUM-SILICON ALLOY, & COPPER-NICKEL-ALUMINUM-MAGNESIUM ALLOY, SHEET & STRIP - 28 SEP 1990 USER: GL ME REVIEWER: ER IS MC SA								
D			ASTM-B427-90				A MECA	YD1	31-AUG-90	MR	YD1 11
			ASTM-B428-87				A 4710	MR	21-MAR-88	MR	
			CASTINGS, GEAR BRONZE ALLOY, STANDARD SPECIFICATION FOR - 4 APR 90 USER: AT ME OS REVIEWER: ER IS MC SA								
D			ASTM-B429A-90				A 4710	YD1	19-JUN-91	ME	YD1 99
			PIPE & TUBE, ALUMINUM-ALLOY EXTRUDED, STANDARD SPECIFICATION FOR - 19 JULY 1990 REVIEWER: CS								
D			ASTM-B439				A 3110	YD1	15-NOV-85	AT	YD1 99
			BEARINGS, IRON-BASE SINTERED (OIL IMPREGNATED) - 25 MAR 83 (REAPPROVED 1989) REVIEWER: 84 15 05 SH								
			ASTM-B441-85				A 9530	MR	19-APR-90	MR	AS
			COPPER-COBALT-BERYLLIUM (UNS NO. C17500) AND COPPER-NICKEL-BERYLLIUM (UNS NO. C17510) ROD AND BAR - 26 JUL 1985 USER: AL AT ER REVIEWER: IS MI								
D			ASTM-B447-89				A 4710	YD1	24-APR-89	ME	YD1 99
			TUBE, COPPER, WELDED STANDARD SPECIFICATION FOR 24 FEB 89 USER: OS REVIEWER: CS								
			ASTM-B453-88				A 9530	MR	17-AUG-88	MR	SH
			COPPER ZINC LEAD ALLOY (LEADED BRASS) ROD - 29 JUL 1988 USER: GL ME OS REVIEWER: AR EA ER MC SA								
			ASTM-B453M-88				A 9530	MR	17-AUG-88	MR	SH
			COPPER-ZINC-LEAD ALLOY (LEADED BRASS) ROD METRIC USER: GL ME OS REVIEWER: AR EA ER MC SA								
			ASTM-B483-90				A 4710	CS	01-APR-90	ME	99
			TUBES, ALUMINUM AND ALUMINUM ALLOY DRAWN, FOR GENERAL PURPOSE APPLICATION STANDARD SPECIFICATION FOR - 1 APR 90 REVIEWER: 82 OS								
A			ASTM-B487-85				A MFFP	MR	16-FEB-91	MR	AS 11
			NOTICE 2								
			ASTM-B488-86				A MFFP	MR	20-MAY-91	MR	OS 11
			NOTICE 1								
			ASTM-B491/B491MA-90				A 4710	CS	20-AUG-90	ME	SH 99
			TUBES, ROUND, ALUMINUM AND ALUMINUM-ALLOY EXTRUDED, GENERAL-PURPOSE APPLICATIONS - 1 JUL 90 REVIEWER: 82 OS								
			ASTM-B499-88				A MFFP	MR	13-JUN-90	MR	AS 11
			METAL, MAGNETIC BASIS MEASUREMENT OF COATING THICKNESS BY THE MAGNETIC METHOD, NONMAGNETIC COATINGS ON - 26 AUG 88 USER: AT GL OS SH REVIEWER: IS								
			ASTM-B504-82				A MFFP	MR	02-JUN-89	MR	AS 11
			NOTICE 1								
D			ASTM-B505-92				A MFFP	MR	02-JUN-89	MR	AS 11
			NOTICE 1								
D			ASTM-B506-81R86				A MECA	YD1	04-DEC-92	MR	YD1
			CASTINGS, COPPER-BASE ALLOY, CONTINUOUS REVIEWER: SH								
			COPPER CLAD STAINLESS STEEL SHEET & STRIP FOR BUILDING CONSTRUCTION USER: 99 REVIEWER: AR IS								
			ASTM-B508-86				A 9535	AR	27-MAR-87	AR	AS 99
			COPPER-ALLOY STRIP FOR FLEXIBLE METAL HOSE STANDARD SPECIFICATION FOR - 31 JANUARY 1986 REVIEWER: IS MR OS SH								
			ASTM-B530-88				A MFFP	MR	14-FEB-90	MR	AS 11
			NICKLE COATING ON MAGNETIC & NONMAGNETIC SUBSTRATES ELECTRODEPOSITED MEASUREMENT OF COATING THICKNESS BY THE MAGNETIC METHOD - 26 AUG 88 USER: AT GL OS SH REVIEWER: IS								
D			ASTM-B543-89				A 4710	YD1	26-MAR-90	ME	YD1 99
			TUBE, WELDED COPPER AND COPPER-ALLOY HEAT EXCHANGE STANDARD SPECIFICATION FOR - 29 DEC 89 REVIEWER: CS SH								
D			ASTM-B543M-89				A 4710	YD1	26-MAR-90	ME	YD1 99
			TUBE, WELDED COPPER AND COPPER-ALLOY HEAT EXCHANGE STANDARD SPECIFICATION FOR - 29 DEC 89 (METRIC) REVIEWER: CS SH								
			ASTM-B545-83				A MFFP	MR	20-MAY-91	MR	OS 99
			NOTICE 1								
			ASTM-B547-90				A 4710	CS	01-JUL-90	ME	SH 99
			TIM, ELECTRODEPOSITED COATINGS OF -25 FEB 1 983 (VALIDATION DATE: 9105) REVIEWER: AR EA EC MI								
D			ASTM-B557-84				A 95GP	MR	22-JUN-90	MR	YD1 99
			NOTICE 2								
D			ASTM-B557M-84				A 95GP	MR	22-JUN-90	MR	YD1
			NOTICE 2								
D			ASTM-B564A-89				A FORG	YD1	26-MAR-90	MR	YD1
			FORGINGS, NICKEL ALLOY, STANDARD SPECIFICATION FOR - 27 OCT. 1989 REVIEWER: SH								
D			ASTM-B565-87				A 95GP	YD1	29-JAN-88	MR	YD1 99
			ALUMINUM & ALUMINUM-ALLOY RIVETS & COLD-HEADING WIRE & ROD, SHEAR TESTING OF, STANDARD METHOD FOR - 30 OCT 1987								
			ASTM-B567-91				A MFFP	MR	23-APR-92	MR	AS
			NOTICE 1								
			MEASUREMENT OF COATING THICKNESS BY THE BETA BACKSCATTER METHOD USER: 99 AT ME OS SH REVIEWER: AR GL MI								



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OMA Coordination Initiative	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
A	ASTM-B568-90 NOTICE 1 ASTM-B577-82	MEASUREMENT OF COATING THICKNESS BY X-RAY SPECTROMETRY USER: OS SH REVIEWER: 12 AR AT GL ME MI COPPER, HYDROGEN EMBRITTLEMENT OF, STANDARD TEST METHODS FOR - 25 JUN 82 REVIEWER: 84 IS	A MFFP	* MR	21-OCT-92	MR	AS		
A	ASTM-B579-73R82	ALLOY, TIN-LEAD (SOLDER PLATE) ELECTRODEPOSITED COATINGS OF - 29 MAR 73 ...	A MFFP	AS	12-APR-86	MR	AS	11	
D	ASTM-B580-79 NOTICE 1	ALUMINUM, AMODIC OXIDE COATINGS ON - 25 MAY 79 (VALIDATION DATE: 9102)	A MFFP	MR	19-FEB-91	MR		99	
D	ASTM-B584-90	USER: YD1 REVIEWER: AR AT MI CASTING, COPPER ALLOYSAND, STANDARD SPECIFICATION FOR - 4 APR 90 USER: 99	A MECA	YD1	16-MAY-90	MR	YD1		
	ASTM-B591-86	REVIEWER: SH COPPER-ZINC-TIN ALLOYSPLATE, SHEET, STRIP, AND ROLLED BAR - 31 JANUARY	A 9535	AR	25-MAR-87	AR	AS	99	
	ASTM-B593-85	1986 REVIEWER: IS MR OS SH	A 95GP	MR	11-MAR-86	MR	AS		
A	ASTM-B594-82	COPPER-ALLOY SPRING MATERIALS, BENDING FATIGUE TESTING FOR - 25 JAN 1985 ..	A NDT1	AS	22-JUL-83	MR	AS	11	
	ASTM-B597-92	ALUMINUM ALLOY WROUGHT PRODUCTS FOR AEROSPACE APPLICATIONS, ULTRASONIC INSPECTION OF - 27 AUG 82 USER: MI REVIEWER: 71 99 AV OS SH	A 95GP	* MR	27-APR-92	MR			
L	ASTM-B598-86R92 NOTICE 2 ASTM-B600-91	HEAT TREATMENT OF ALUMINUM ALLOYS USER: AR GL ME REVIEWER: AT AV ..... DETERMINING OFFSET YIELD STRENGTH IN TENSION FOR COPPER ALLOYS (VALIDATION DATE: 9206) REVIEWER: IS	A 95GP	* MR	08-JUN-92	MR	AS		
	ASTM-B601-88	TITANIUM AND TITANIUM ALLOY SURFACES, DESCALING AND CLEANING - 15 MAR 91 USER: AR REVIEWER: 99 ME	A MFFP	MR	23-MAY-91	MR	SH	11	
D	ASTM-B609-85	COPPER AND COPPER ALLOYS- WROUGHT AND CAST, TEMPER DESIGNATIONS FOR, STANDARD SPECIFICATION FOR - 25 NOV 88 REVIEWER: 84 AS IS SH	A 95GP	YD1	05-SEP-90	MR	YD1	99	
D	ASTM-B618A-92 NOTICE 2 ASTM-B624-77	WIRE, ALUMINUM 1350 ROUND, ANNEALED & INTERMEDIATE TEMPEKS, FOR ELECTRICAL PURPOSES REVIEWER: 80 99 IS ALUMINUM-ALLOY INVESTMENT CASTINGS, STANDARD SPECIFICATION FOR USER: AR AT ME MI OS SH REVIEWER: YD1	A MECA	* MR	26-JUN-92	MR		11	
A	ASTM-B632A-92	WIRE, COPPER ALLOY, HIGH STRENGTH, HIGH CONDUCTIVITY, FOR ELECTRONIC APPLICATION - 27 MAY 77	A 6145	AS	18-JAN-82	CR	AS	85	
D	ASTM-B633-78	PLATE, ALUMINUM-ALLOY ROLLED TREAD, STANDARD SPECIFICATION FOR USER: AR MC ZINC ON IRON & STEEL, ELECTRODEPOSITED COATINGS OF - 31 MAR 78 USER: EC	A 9535	* SH	16-OCT-92	MR	SH	11	
D	ASTM-B638-86	REVIEWER: AR ME MI OS YD1 COPPER & COPPER- ALLOY SOLAR HEAT ABSORBER PANELS - 27 JUN 1986 REVIEWER: 82 CS	A MFFP	SH	29-DEC-80	MR	SH	99	
D	ASTM-B640-88	COPPER-ALLOY SOLAR HEAT ABSORBER PANELS - 27 JUN 1986 REVIEWER: 82 CS	A 4710	/ YD1	07-MAY-87	ME	YD1	99	
A	ASTM-B643-92 NOTICE 1	COPPER, WELDED, & COPPER ALLOY TUBE FOR AIR CONDITIONING & REFRIGERATION SERVICE - 26 FEB 1988 REVIEWER: CS SH	A 4710	YD1	27-SEP-88	ME	YD1	99	
D	ASTM-B644-88	TUBE, SEAMLESS, COPPER-BERYLLIUM ALLOY USER: GL MI REVIEWER: 11 82 AR CS ER ME	A 4710	* MR	25-NOV-92	MR		99	
D	ASTM-B645-84 NOTICE 2	COPPER ALLOY ADDITION AGENTS - 29 JULY 1988 REVIEWER: IS OS .....	A 9630	YD1	05-SEP-88	MR	YD1		
D	ASTM-B646-87	ALLOY, ALUMINUM, PLANE STRAIN FRACTURE TOUGHNESS TESTING OF-24 FEB 1984 (VALIDATION DATE: 8907) REVIEWER: IS	A 95GP	YD1	13-JUL-89	MR	YD1	99	
D	ASTM-B660-85	ALUMINUM ALLOY, FRACTURE TOUGHNESS TESTING OF - 27 FEB 1987 .....	A 95GP	YD1	01-JUN-87	MR	YD1	99	
A	ASTM-B661-93 NOTICE 1	PACKAGING/PACKING OF ALUMINUM AND MAGNESIUM PRODUCTS STANDARD PRACTICE FOR - 26 APR 85 USER: EC MC REVIEWER: 69 AR AT EA ME SA SH YD1	A PACK	SM	30-JUN-86	AV	AS	84	DH
D	ASTM-B666-90	HEAT TREATMENT OF MAGNESIUM ALLOYS REVIEWER: 11 84 AR AV IS MI SH .....	A 95GP	* MR	16-MAR-93	MR	AS	99	
D	ASTM-B666M-90	ALUMINUM PRODUCT, IDENTIFICATION MARKING OF, STANDARD PRACTICE FOR - 23 FEB 90 REVIEWER: 11 99 AS IS MI SA	A 95GP	YD1	30-MAY-90	MR	YD1	16	
D	ASTM-B687-88	ALUMINUM PRODUCT (METRIC) IDENTIFICATION MARKING OF - 23 FEB 90 REVIEWER: 99 IS MI SH	A 95GP	YD1	19-OCT-90	MR	YD1	16	
D	ASTM-B695-85	PIPE, NIPPLES, BRASS, COPPER, & CHROMIUM-PLATED - 26 FEB 88 USER: AR CG MC REVIEWER: CS	A 4730	YD1	26-MAY-88	ME	YD1	99	
	ASTM-B732-84R89 NOTICE 1	IRON AND STEEL, COATINGS OF ZINC MECHANICALLY DEPOSITED ON, STANDARD SPECIFICATION FOR - 26 JUL 85 REVIEWER: SH	A MFFP	YD1	05-SEP-90		YD1	11	
	ASTM-B740-91	COPPER TUBING SYSTEMS, EVALUATING THE CORROSION OF SOLDER FLUXES FOR - 24 FEB 1984 (REAPPROVED 1989) (VALIDATION DATE: 9102) REVIEWER: 82 AT CS	A 4710	MR	22-FEB-91	MR	AS	11	
D	ASTM-B745/B745M-92 NOTICE 1	COPPER-NICKEL-TIN SPINDAL ALLOY STRIP - 15 JUN 91 REVIEWER: 84 IS .....	A 9535	MR	04-SEP-91	MR		99	
D	ASTM-B746/B746M-89 NOTICE 1	CORRUGATED ALUMINUM PIPE FOR SEWERS AND DRAINS, STANDARD SPECIFICATION FOR USER: CE REVIEWER: CS	A 4710	* MR	17-JUL-92	MR	YD1		
D	ASTM-B766-86	CORRUGATED ALUMINUM ALLOY STRUCTURAL PLATE FOR FIELD-BOLTED PIPE, PIPE-ARCHES, AND ARCHES, STANDARD SPECIFICATION FOR USER: CE REVIEWER: 84 IS	A 9535	* YD1	17-JUL-92		YD1	99	
D	ASTM-B770A-87	CADMIUM, ELECTRODEPOSITED COATINGS OF, STANDARD SPECIFICATION FOR - 26 SEP 86 USER: CE OS REVIEWER: 82 CS SH	A MFFP	YD1	18-NOV-88	ME	YD1	99	
	ASTM-B2852-89 NOTICE 1	COPPER-BERYLLIUM ALLOY SAND CASTINGS FOR GENERAL APPLICATIONS, STANDARD SPECIFICATION FOR - 27 NOV 87 REVIEWER: SH	A MECA	YD1	31-AUG-90	MR	YD1		
D	ASTM-C5-79R88	STYRENE-RUBBER (SR) PLASTIC DRAIN PIPE AND FITTINGS, STANDARD SPECIFICATION FOR REVIEWER: 82	A 4710	* CS	20-SEP-91	ME		99	CS
D	ASTM-C12-91 NOTICE 1	QUICKLINE FOR STRUCTURAL PURPOSE - 30 NOV 79 (REAPPROVED 1988) USER: CE ...	A 5610	YD1	08-JUN-89	EA	YD1	99	
D	ASTM-C14-92	PIPE LINES, VITRIFIED CLAY, STANDARD PRACTICE FOR INSTALLING .....	A 5630	* YD1	31-DEC-91	CE	YD1	99	
D	ASTM-C14M-92	CONCRETE SEWER, STORM DRAIN AND CULVERT PIPE, STANDARD SPECIFICATION FOR USER: CE MC	A 5630	* YD1	10-JUL-92		YD1	99	
D	ASTM-C20-83	CONCRETE SEWER, STORM DRAIN, AND CULVERT PIPE (METRIC), STANDARD SPECIFICATION FOR USER: CE MC	A 5630	* YD1	10-JUL-92		YD1	99	
	ASTM-C24-79	REFRACTORY BRICK & SHAPES, APPARENT POROSITY, WATER ABSORPTION, APPARENT SPECIFIC GRAVITY, & BULK DENSITY OF BURNED, BY BOILING WATER - 20 JUL 83 USER: CG MC REVIEWER: CS	A 9350	SH	23-SEP-85	ME	SH		
D	ASTM-C25-83	REFRACTORY MATERIALS, PYROMETRIC CONE EQUIVALENT (PCE) OF - 30 NOV 79 REVIEWER: CS MC	A 9350	SH	01-JUN-84	ME	SH		
D	ASTM-C27-84R88	LIMESTONE, QUICKLIME & HYDRATED LIME, STANDARD METHODS OF CHEMICAL ANALYSIS - 25 MAR 83 USER: CE MC YD1 REVIEWER: 84 ME	A 5610	EA	18-MAY-84	EA		99	
D	ASTM-C28-91 NOTICE 1	BRICK FIRECLAY & HIGH ALUMINA REFRACTORY - (REAPPROVED 88) USER: CE MC ....	A 5620	YD1	30-MAY-89	ME	YD1	99	
D	ASTM-C29/C29M-91 NOTICE 1	GYPSSUM PLASTERS, STANDARD SPECIFICATION FOR REVIEWER: 84 .....	A 5610	* YD1	25-OCT-91	ME	YD1	99	
D	ASTM-C31-91 NOTICE 1	UNIT WEIGHT AND VOIDS IN AGGREGATE, STANDARD TEST METHOD FOR .....	A 5610	* YD1	13-JAN-92	ME	YD1		
D	ASTM-C32-73R90	MAKING AND CURING CONCRETE TEST, STANDARD PRACTICE FOR USER: CE .....	A 5610	* YD1	13-JAN-92	ME	YD1		
D	ASTM-C33-90	BRICK, SEWER AND MANHOLE (MADE FROM CLAY OR SHALE) - 18 JUN 1973 (RE- APPROVED 1990)	A 5620	YD1	23-NOV-90	ME	YD1	99	
D	ASTM-C34-BAR90	CONCRETE AGGREGATE - 9 FEB 1990 USER: MC .....	A 5610	YD1	25-JUL-90	ME	YD1		
D	ASTM-C35A-89	TILE, WALL, STRUCTURAL CLAY LOAD-BEARING - 26 OCT 1984 .....	A 5620	YD1	20-SEP-90	ME	YD1	99	
D	ASTM-C36-91	AGGREGATE, INORGANIC, FOR USE IN GYPSSUM PLASTER - 24 NOV 1989 REVIEWER: 84	A 5610	YD1	30-MAY-90	ME	YD1	99	
D	ASTM-C37-91	WALLBOARD, GYPSSUM - 15 MAR 1991 REVIEWER: 84 .....	A 5640	YD1	15-AUG-91	ME	YD1	99	
	ASTM-C38-79	GYPSSUM LATH, STANDARD SPECIFICATION FOR USER: CE MC .....	A 5680	* YD1	07-NOV-91	ME	YD1	99	
D	ASTM-C39-86	BRICK, REFRACTORY, PANEL SPALLING TESTING - 5 NOV 79 REVIEWER: CS MC .....	A 9350	SH	01-JUN-84	ME	SH		
D	ASTM-C40-92	CONCRETE SPECIMENS, COMPRESSIVE STRENGTH OF CYLINDRICAL, STANDARD TEST METHOD FOR (VALIDATION DATE: 9204)	A 5620	* YD1	27-APR-92	ME	YD1	99	
D	ASTM-C42-90	ORGANIC IMPURITIES IN FINE AGGREGATES FOR CONCRETE STANDARD TEST METHOD FOR USER: MC REVIEWER: 84	A 5610	YD1	08-MAR-93	ME	YD1	99	
		CONCRETE, OBTAINING AND TESTING, DRILLED CORES AND SAWED BEAMS OF - 26 OCT 1990 USER: SH	A 5610	YD1	20-JUN-91	ME	YD1		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt OR / ORA Coordination Machine	Document Number	Document Title	Doc. Syst. FDC / Area	MCA Symbol	Proposing Act. Date	Custodians			
						Army	Navy	Air Force	DCA
D	ASTM-C50-86R91 NOTICE 1	LINE AND LIMESTONE PRODUCTS, SAMPLING, INSPECTION, PACKING AND MARKING OF, STANDARD METHODS OF USER: CE MC REVIEWER: SM	A 5610	* YD1	28-OCT-91	EA	YD1	99	
D	ASTM-C51-90	LINE AND LIMESTONE, STANDARD TERMINOLOGY RELATING TO - 30 MAR 1990 USER: CE MC	A 5610	YD1	14-SEP-90	NE	YD1	99	
D	ASTM-C55-85 NOTICE 2	BRICK, CONCRETE BUILDING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9204]	A 5620	* YD1	27-APR-92	NE	YD1	99	
D	ASTM-C56-91 NOTICE 1	TILE, NON-LOW-BEARING, STRUCTURAL CLAY, STANDARD SPECIFICATION FOR .....	A 5620	* YD1	16-MAR-92	NE	YD1	84	
D	ASTM-C59-91	PLASTER, GYPSUM CASTING & MOLDING - 15 MAR 1991 REVIEWER: B4 .....	A 5610	YD1	15-AUG-91	NE	YD1	99	
D	ASTM-C61-91 NOTICE 1	CEMENT, GYPSUM KEEPS, STANDARD SPECIFICATION FOR REVIEWER: B4 .....	A 5610	* YD1	26-DEC-91	NE	YD1	99	
D	ASTM-C628-91 NOTICE 1	BUILDING BRICK (SOLID MASONRY UNITS MADE FROM CLAY OR SHALE), STANDARD SPECIFICATION FOR	A 5620	* YD1	02-MAR-92	NE	YD1	99	
D	ASTM-C67A-92 NOTICE 1	TILE, BRICK AND STRUCTURAL CLAY, SAMPLING AND TESTING, STANDARD TEST METHODS OF	A 5620	* YD1	22-JAN-93	NE	YD1	99	
D	ASTM-C70-79R85	AGGREGATE, FINE, SURFACE MOISTURE IN - 27 APR 1979 USER: MC REVIEWER: B4 ..	A 5610	YD1	26-FEB-90	NE	YD1	99	
D	ASTM-C73-85R89	BRICK, CALCIUM SILICATE FACE, (SAND LIME BRICK) - 29 MAR 1985 USER: CE REVIEWER: MC	A 5620	YD1	29-JUN-90	NE	YD1		
D	ASTM-C76-90	CONCRETE, REINFORCED, CULVERT STORM DRAIN AND SEWER PIPE - 17 JUL 1990 USER: MC MC	A 5630	YD1	12-FEB-91		YD1	99	
D	ASTM-C76M-90	CONCRETE, REINFORCED, CULVERT STORM DRAIN, AND SEWER PIPE (METRIC) - 29 JUN 1990 USER: MC MC	A 5630	YD1	12-FEB-91		YD1	99	
D	ASTM-C78-84 NOTICE 1	CONCRETE FLEXURAL STRENGTH OF (USING SIMPLE BEAM WITH THIRD POINT LOADING - 1 MAR 84 [VALIDATION DATE: 8811] USER: CE MC	A 5610	YD1	25-NOV-88	NE	YD1	99	
D	ASTM-C79-91 NOTICE 1	SHEATHING BOARD, GYPSUM, STANDARD SPECIFICATION FOR .....	A 5640	* YD1	27-DEC-91	NE	YD1	99	
D	ASTM-C87-83R90	AGGREGATE, FINE, EFFECT OF ORGANIC IMPURITIES IN, ON STRENGTH OF MORTAR - 28 OCT 1983 USER: CE MC	A 5610	YD1	02-AUG-90		YD1		
D	ASTM-C88-83R90	AGGREGATE, SOUNDNESS OF, BY USE OF SODIUM SULFATE OR MAGNESIUM SULFATE - 26 OCT 1983 USER: SM	A 5610	YD1	23-NOV-90	NE	YD1		
D	ASTM-C90-90	CONCRETE MASONRY UNIT, HOLLOW LOAD-BEARING - 12 SEP 1990 USER: CE CG	A 5610	YD1	20-JUN-91		YD1	99	
D	ASTM-C91-91 NOTICE 1	CEMENT, MASONRY, STANDARD SPECIFICATION FOR .....	A 5610	* YD1	28-OCT-91	CE	YD1	99	
D	ASTM-C94A-91 NOTICE 1	CONCRETE, READY-MIX, STANDARD SPECIFICATION FOR .....	A 5610	* YD1	31-MAR-92	NE	YD1	99	
D	ASTM-C97-83R88	STONE, NATURAL BUILDING, ABSORPTION & BULK SPECIFIC GRAVITY OF 24 JUNE 1983 USER: CE MC	A 5620	YD1	21-SEP-88		YD1		
D	ASTM-C99-87	STONE, MODULUS OF RUPTURE OF NATURAL BUILDING, STANDARD TEST METHOD FOR - 25 SEP 87 USER: MC	A 5610	YD1	12-APR-88	CE	YD1	99	
D	ASTM-C109-92 NOTICE 1	MOTORS, COMPRESSIVE STRENGTH OF HYDRAULIC CEMENT, (USING 2-IN. OR 50-MM CUBE SPECIMENS), STANDARD TEST METHOD FOR	A 5610	* YD1	20-MAY-92	CE	YD1	99	
D	ASTM-C110-87	QUICKLIME, HYDRATED LIME, & LIMESTONE, PHYSICAL TESTING OF, STANDARD TEST METHOD FOR - 30 JAN 1987 USER: CE MC	A 5610	YD1	21-SEP-88	EA	YD1	99	
D	ASTM-C113-74R79	BRICK, REFRACTORY, REHEAT CHANGE OF - 28 NOV 1974 USER: MC REVIEWER: GS ...	A 9350	SH	01-JUN-84	NE	SH		
D	ASTM-C116-89	BEAM BROKEN IN FLEXURE, COMPRESSIVE STRENGTH OF CONCRETE USING PORTIONS OF - 24 NOV 1989 USER: MC REVIEWER: B4	A 5610	YD1	26-FEB-90	NE	YD1	99	
D	ASTM-C117-90	MATERIAL FINER THAN 75-UM (NO. 200) SIEVE IN MINERAL AGGREGATE BY WASHING - 26 OCT 1990 USER: CE MC	A 5610	YD1	20-JUN-91	NE	YD1	99	
D	ASTM-C119A-87	STONE, STANDARD DEFINITIONS OF TERMS RELATING TO NATURAL BUILDING - 16 NOV 1987	A 5610	YD1	30-MAR-88	NE	YD1	99	
D	ASTM-C120-85	SLATE (MODULUS OF RUPTURE, MODULUS OF ELASTICITY), FLEXURE TESTING OF - 27 DEC 1985 USER: MC REVIEWER: B4	A 5610	YD1	16-FEB-90	NE	YD1	99	
D	ASTM-C121-85	SLATE, WATER ABSORPTION OF - 27 DEC 1985 USER: MC REVIEWER: B4 .....	A 5610	YD1	16-FEB-90	NE	YD1	99	
D	ASTM-C122-76	PANEL SPALLING TESTING SUPER DUTY FIRECLAY BRICK - 27 FEB 76 USER: CE MC ..	A 9350	SH	01-JUN-84	NE	SH		
D	ASTM-C123-83R90	AGGREGATE, LIGHTWEIGHT PIECES IN - 25 MAR 1983 USER: MC REVIEWER: B4 .....	A 5610	YD1	20-JUN-91	NE	YD1	99	
D	ASTM-C125-92 NOTICE 1	CONCRETE AND CONCRETE AGGREGATES, STANDARD TERMINOLOGY RELATING TO USER: CE MC	A 5620	* YD1	21-JUL-92	NE	YD1		
D	ASTM-C126-91 NOTICE 1	CERAMIC GLAZED STRUCTURAL CLAY FACING TILE, FACING BRICK, AND SOLID MASONRY UNITS, STANDARD SPECIFICATION FOR	A 5620	* YD1	14-AUG-92	NE	YD1	99	
D	ASTM-C127-88	AGGREGATE, COARSE, STANDARD TEST METHOD FOR SPECIFIC GRAVITY & ABSORPTION OF	A 5610	YD1	10-MAR-89	NE	YD1	99	
D	ASTM-C128-88	AGGREGATE, GRAVITY & ABSORPTION OF FINE STANDARD TEST METHOD FOR SPECIFIC USER: CE MC	A 5610	YD1	15-JUN-89	NE	YD1	99	
D	ASTM-C129-85R90 NOTICE 1	CONCRETE MASONRY UNITS, NON-LOAD-BEARING, STANDARD SPECIFICATION FOR USER: CE CG MC	A 5610	* YD1	16-MAR-92		YD1	99	
D	ASTM-C131-89	AGGREGATE, COARSE, RESISTANCE TO DEGRADATION OF SMALL SIZE BY ABRASION & IMPACT IN THE LOS ANGELES MACHINE - 15 JUN 89 USER: CE MC	A 5610	YD1	11-JUL-89		YD1	99	
D	ASTM-C133A-82	BRICK REFRACTORY & SHAPES, COLD CRUSHING STRENGTH & MODULUS OF RUPTURE OF - 31 DEC 82 REVIEWER: GS MC	A 9350	SH	01-JUN-84	NE	SH		
D	ASTM-C136A-84 NOTICE 1	AGGREGATE, FINE & COARSE, SIEVE ANALYSIS OF, STANDARD METHOD FOR - 26 OCT 84 [VALIDATION DATE: 8811]	A 5610	YD1	25-NOV-88	CE	YD1		
D	ASTM-C138-81 NOTICE 2	UNIT WEIGHT, YIELD AND AIR CONTENT (GRAVIMETRIC) OF CONCRETE, STANDARD TEST METHOD FOR [VALIDATION DATE: 9204] USER: CE MC	A 5610	* YD1	27-APR-92	NE	YD1		
D	ASTM-C139-73R89	CONCRETE MASONRY UNITS FOR CONSTRUCTION OF CATCH BASINS AND MANHOLES - 27 APR 1973	A 5620	YD1	29-JUN-90	NE	YD1	99	
D	ASTM-C140-90	MASONRY UNIT, CONCRETE, SAMPLING AND TESTING - 30 MAR 1990 .....	A 5620	YD1	25-JUL-90	CE	YD1	99	
D	ASTM-C141-85R89	LIME, HYDRAULIC HYDRATED, FOR STRUCTURAL PURPOSES - 29 MAR 1985 USER: CE MC REVIEWER: B4	A 5610	YD1	28-FEB-90	NE	YD1	99	
D	ASTM-C142-78R90	CLAY LUMPS, AND FRIABLE PARTICLES IN AGGREGATES - 24 FEB 1978 USER: MC ....	A 5610	YD1	15-AUG-91	NE	YD1	99	
D	ASTM-C143A-90	CONCRETE, CEMENT, HYDRAULIC, SLUMP OF - 9 JUL 1990 USER: SM .....	A 5610	YD1	20-JUN-91	NE	YD1		
D	ASTM-C144-89	AGGREGATE, MASONRY MORTAR - 31 MAR 1989 USER: SM .....	A 5610	YD1	22-OCT-90	NE	YD1		
D	ASTM-C148-77	CONTAINER, GLASS, POLARISCOPE EXAMINATION OF - 28 JAN 77 [VALIDATION DATE: 8801] USER: AR OS SH REVIEWER: B4 99 GL GS NE MI MR SA YD1	A PACK	AS	25-JAN-88	SM	AS	69	
D	ASTM-C149-77	CONTAINER, THERMAL SHOCK TEST ON GLASS - 1977 REVIEWER: B4 GS MD .....	A 7350	GL	15-MAR-85	GL	SA	99	
D	ASTM-C150-92 NOTICE 1	CEMENT, PORTLAND, STANDARD SPECIFICATION FOR REVIEWER: CE SH .....	A 5610	* YD1	08-MAY-92		YD1	99	
D	ASTM-C156-89	CONCRETE CURING MATERIAL, WATER RETENTION BY USER: CE MC .....	A 5610	YD1	07-JUL-89	NE	YD1		
D	ASTM-C157-91 NOTICE 1	MORTAR AND CONCRETE, HARDENED HYDRAULIC-CEMENT LENGTH CHANGE OF, STANDARD TEST METHOD FOR USER: CE MC	A 5610	* YD1	15-OCT-91	NE	YD1		
D	ASTM-C159-86	BLOCK, VITRIFIED CLAY FILTER - 29 SEP 86 USER: SM .....	A 4610	YD1	13-NOV-86	NE	YD1	99	
D	ASTM-C165-83	INSULATIONS, THERMAL, STANDARD METHOD FOR MEASURING COMPRESSIVE PROPERTIES OF - 28 JAN 83 USER: MC OS SH REVIEWER: MI	A 5640	YD1	02-JUN-88	CE	YD1	99	
D	ASTM-C167-90	THERMAL INSULATION, THICKNESS AND DENSITY OF BLANKET OR BATT - 10 JAN 1989 USER: CG MC REVIEWER: B4 CE SH	A 5640	YD1	05-APR-90	NE	YD1	99	
D	ASTM-C169-80	GLASS, STANDARD METHODS FOR CHEMICAL ANALYSIS OF SODA LIME & BOROSILICATE - 31 OCT 80 USER: SM REVIEWER: GS MD NE	A 6810	EA	08-JUN-84	EA			
D	ASTM-C170-87	STONE, NATURAL BUILDING, STANDARD TEST METHOD FOR COMPRESSIVE STRENGTH OF, 26 JUN 87 REVIEWER: B4 MC	A 5610	CE	26-JUL-89	CE	YD1	99	
D	ASTM-C171-91 NOTICE 1	CONCRETE, SHEET MATERIALS FOR CURING, STANDARD SPECIFICATION FOR .....	A 5680	* YD1	31-MAR-92	CE	YD1	99	
D	ASTM-C172-90	CONCRETE, SAMPLING FRESHLY MIXED - 27 APR 1990 USER: SM .....	A 5610	YD1	03-AUG-90	NE	YD1		
D	ASTM-C173-78 NOTICE 1	CONCRETE, FRESHLY MIXED, BY THE VOLUMETRIC METHOD, AIR CONTENT OF - 27 APR 78 [VALIDATION DATE: 8811]	A 5610	YD1	25-NOV-88	NE	YD1		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / CML Coordination Inclosure Document Number	Document Title	Dist. Smt. FSC / Ave. MCA Symbol Preparing Agency Date	Custodians		
			Army	Navy	Air Force DLA
D L	ASTM-C174-87R91 NOTICE 1	CONCRETE CORES, MEASURING LENGTH OF DRILLED, STANDARD TEST METHOD FOR USER: CE MC	A 5620	* YD1	31-MAR-92 YD1
D	ASTM-C177-85	HEAT FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE GUARDED-HOT-PLATE APPARATUS, STEADY-STATE- 22 OCT 1985 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1	A 5640	AS	22-JUL-86 SM AS 69
D	ASTM-C183-88	CEMENT, HYDRAULIC, SAMPLING & ACCEPTANCE OF - 18 FEB 1988 USER: MC SH REVIEWER: 84 CE	A 5610	YD1	26-NOV-88 ME YD1 99
D	ASTM-C186-89	CEMENT, HYDRAULIC, DENSITY OF - 27 OCT 1989 USER: CE MC	A 5610	YD1	28-FEB-90 YD1
D	ASTM-C192A-90	CONCRETE, MAKING & CURING TEST SPECIMENS IN THE LABORATORY - 27 APR 1990 USER: 99 CE MC	A 5610	YD1	20-JUN-91 YD1
D	ASTM-C195-90	CEMENT, MINERAL FIBER THERMAL INSULATION - 26 JAN 1990 USER: MI REVIEWER: EA SH	A 5640	YD1	19-OCT-90 YD1 99
D	ASTM-C196-87 NOTICE 2	CEMENT, EXPANDED OR EXFOLIATED VERMICULITE THERMAL INSULATING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9207] USER: MC	A 5640	* YD1	01-JUL-92 YD1 99
D	ASTM-C203-92 NOTICE 1	THERMAL INSULATION, BREAKING LOAD AND FLEXURAL PROPERTIES OR BLOCK-TYPE, STANDARD TEST METHODS FOR USER: CG MC REVIEWER: 84 CE SH	A 5640	* YD1	09-OCT-92 ME YD1 99
D	ASTM-C206-84R88 NOTICE 2	LINE, FINISHING HYDRATED, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9207] USER: CE MC	A 5610	* YD1	06-JUL-92 EA YD1 99
D	ASTM-C207-79R88 NOTICE 2	LINE, FOR MASONRY PURPOSES, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9207] USER: CE MC REVIEWER: SH	A 5610	* YD1	06-JUL-92 EA YD1 99
D	ASTM-C208-72R88 NOTICE 1	INSULATING BOARD (CELLULOSIC FIBER), STRUCTURAL & DECORATIVE - 4 DEC 72 (REAPPROVED 1982) [VALIDATION DATE: 8803]	A 5640	YD1	31-MAR-88 ME YD1
D	ASTM-C209-92 NOTICE 1	CELLULOSIC FIBER INSULATING BOARD, STANDARD TEST METHODS FOR REVIEWER: CE MC SH	A 5640	* YD1	24-JUL-92 ME YD1
D	ASTM-C212-91 NOTICE 1	TILE, STRUCTURAL CLAY FACING, STANDARD SPECIFICATION FOR	A 5620	* YD1	31-MAR-92 YD1 99
D	ASTM-C215-85	CONCRETE SPECIMENS, FUNDAMENTAL TRANSVERSE, LONGITUDINAL, AND TORSIONAL FREQUENCIES OF - 26 APR 1985 USER: MC REVIEWER: 84	A 5610	YD1	26-FEB-90 ME YD1 99
D	ASTM-C216-92 NOTICE 1	FACING BRICK (SOLID MASONRY UNITS MADE FROM CLAY OF SHALE), STANDARD SPECIFICATION FOR	A 5620	* YD1	14-AUG-92 ME YD1
D	ASTM-C217-BSR90 ASTM-C225-73R78	SLATE, NATURAL, WEATHER RESISTANCE OF - 27 DEC 1985 USER: MC REVIEWER: 84 CONTAINERS, RESISTANCE OF GLASS TO CHEMICAL ATTACK - 1978 REVIEWER: 84 GS MD	A 5610 A 7350	YD1 GL	29-JUN-90 15-MAR-85 ME GL SA 99
D	ASTM-C226-86 NOTICE 2	FELT, ASPHALT-SATURATED ORGANIC, USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9208] USER: CL	A 5610	* YD1	21-AUG-92 YD1 99
D	ASTM-C227-90	CEMENT, AGGREGATE COMBINATIONS (MORTAR-BAN METHOD), POTENTIAL ALKALI REACTIVITY OF - 21 JUN 1990 USER: 11 CE MC	A 5610	YD1	28-JUN-91 ME YD1 99
D	ASTM-C231A-91 NOTICE 1	CONCRETE, FRESHLY MIXED, AIR CONTENT OF, BY THE PRESSURE METHOD, STANDARD TEST METHOD FOR USER: SH	A 5610	* YD1	10-JAN-92 ME YD1
D	ASTM-C232-92 NOTICE 1	CONCRETE, BLEEDING OF, STANDARD TEST METHODS FOR USER: MC REVIEWER: 84 ....	A 5610	* YD1	21-AUG-92 ME YD1 99
D	ASTM-C233-90	CONCRETE, AIR ENTRAINING ADMIXTURES FOR - 24 AUG 1990 REVIEWER: CE MC	A 5610	YD1	28-JUN-91 ME YD1
D	ASTM-C234-86	CONCRETE ON BASIS OF THE BOND DEVELOPED WITH REINFORCING STEEL, STANDARD TEST METHOD FOR COMPARING - 31 OCT 1986 USER: CE MC SH REVIEWER: 84	A 5610	YD1	29-MAR-88 ME YD1 99
D	ASTM-C236-89	STEADY-STATE THERMAL PERFORMANCE OF BUILDING ASSEMBLIES BY MEANS OF A GUARDED HOT BOX - 29 SEP 1989 USER: CE OS SH	A 5640	YD1	19-OCT-90 ME YD1
D	ASTM-C241-90	STONE, SUBJECTED TO FOOT TRAFFIC, STANDARD TEST METHOD FOR ABRASION RESISTANCE OF - 27 APR 1990	A 566P	YD1	24-SEP-91 CE YD1 11
D	ASTM-C260-86 NOTICE 2	AIR-ENTRAINING ADMIXTURES FOR CONCRETE, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9204] USER: SH	A 5610	* YD1	27-APR-92 ME YD1
D	ASTM-C267-82R90	MORTAR, GROUTS & MONOLITHIC SURFACINGS, CHEMICAL RESISTANCE OF - 31 DEC 1982 USER: CG REVIEWER: MC	A 5610	YD1	14-SEP-90 ME YD1
D	ASTM-C270-91 NOTICE 1	MORTAR FOR UNITARY MASONRY, STANDARD SPECIFICATION FOR	A 5610	* YD1	28-OCT-91 CE YD1 99
D	ASTM-C273-61R88	SHEAR PROPERTY IN FLATWISE PLANE OF FLAT SANDWICH CONSTRUCTIONS OR SANDWICH CORES - 18 SEP 61 (REAPPROVED 1988) USER: MC REVIEWER: 82	A FACR	YD1	26-SEP-88 YD1 99
D	ASTM-C286-83	ENAMEL, PORCELAIN, & CERAMIC METAL SYSTEMS -25 FEB 83 REVIEWER: 84	A MFFP	ME	12-DEC-83 ME YD1 99
D	ASTM-C289-87	AGGREGATE, (CHEMICAL METHOD), POTENTIAL REACTIVITY OF, STANDARD TEST METHOD FOR	A 5610	YD1	12-APR-88 ME YD1
D	ASTM-C293-79	FLEXURAL STRENGTH OF CONCRETE (USING SIMPLE BEAM WITH CENTER POINT LOADING) - 27 APR 79 [VALIDATION DATE: 8509]	A 5610	YD1	11-SEP-85 YD1
D	ASTM-C294-86R91	AGGREGATES, NATURAL MINERAL, STANDARD DESCRIPTIVE NOMENCLATURE FOR CONSTITUENTS OF - 28 NOV 1986 USER: MC REVIEWER: 84	A 5610	YD1	31-JUL-91 ME YD1 99
D	ASTM-C295-90 NOTICE 1	PETROGRAPHIC EXAMINATION OF AGGREGATES FOR CONCRETE, STANDARD GUIDE FOR REVIEWER: 84	A 5610	YD1	08-MAR-93 ME YD1 99
D	ASTM-C301-87	PIPE, CLAY, VITRIFIED, STANDARD METHODS OF - 30 JAN 87 USER: MC REVIEWER: 84	A 5630	YD1	15-JUL-87 YD1 99
D	ASTM-C303-90	INSULATION, THERMAL, DENSITY OF PREFORMED BLOCK-TYPE - 10 JAN 1989 USER: CG MC REVIEWER: CE SH	A 5640	YD1	09-JAN-91 ME YD1 99
D	ASTM-C307-83R88	MORTAR, CHEMICAL-RESISTANT, GROUTS, AND MONOLITHIC SURFACES, TENSILE STRENGTH OF - 30 SEPT 83 (REAPPROVED 88) USER: CE REVIEWER: MC	A 5610	YD1	26-MAY-89 ME YD1
D	ASTM-C309-91 NOTICE 1	CONCRETE, LIQUID MEMBRANE-FORMING COMPOUNDS FOR CURING, STANDARD SPECIFICATION FOR	A 5680	* YD1	10-JAN-92 ME YD1 99
D	ASTM-C315-91 NOTICE 1	LININGS, CLAY FLUE, STANDARD SPECIFICATION FOR	A 5610	* YD1	28-OCT-91 CE YD1 99
D	ASTM-C317-91 NOTICE 1	GYPSUM CONCRETE, STANDARD SPECIFICATION FOR USER: MI	A 5610	* YD1	07-NOV-91 ME YD1 99
D	ASTM-C321-83 NOTICE 1	BOND STRENGTH OF CHEMICAL-RESISTANT MORTARS, STANDARD TEST METHOD FOR	A 5610	* MI	01-NOV-91 MI 99
D	ASTM-C330-89	AGGREGATE, LIGHTWEIGHT, FOR STRUCTURAL CONCRETE - 27 OCT 1989 USER: SH ....	A 5610	YD1	02-FEB-90 ME YD1 99
D	ASTM-C331-89	CONCRETE, MASONRY UNITS, LIGHTWEIGHT AGGREGATES FOR - 27 OCT 1989	A 5610	YD1	24-AUG-90 CE YD1 99
D	ASTM-C332-87R91 NOTICE 1	CONCRETE, INSULATING, LIGHTWEIGHT AGGREGATES FOR, STANDARD SPECIFICATION FOR	A 5610	* YD1	31-MAR-92 CE YD1 99
D	ASTM-C336-71R81	GLASS BY FIBER ELONGATION, ANNEALING POINT & STRAIN POINT OF - 1981 REVIEWER: 84 GS MD	A 7350	GL	15-MAR-85 GL SA 99
D	ASTM-C338-73R83 ASTM-C347-57R78	GLASS, SOFTENING POINT OF - 1983 REVIEWER: 84 GS MD	A 7350	GL	15-MAR-85 GL SA 99
D	ASTM-C360-91 NOTICE 1	ENAMEL, WHITE PORCELAIN, REFLECTIVITY & COEFFICIENT OF - JAN 78 REVIEWER: 84	A MFFP	ME	12-DEC-83 ME YD1 99
D	ASTM-C361-92 NOTICE 1	CONCRETE, PORTLAND CEMENT, BALL PENETRATION IN FRESH, STANDARD TEST METHOD FOR USER: CE MC	A 5610	* YD1	13-JAN-92 ME YD1
D	ASTM-C361M-92 NOTICE 1	REINFORCED CONCRETE LOW-HEAD PRESSURE PIPE, STANDARD SPECIFICATION FOR USER: MC	A 5630	* YD1	24-JUL-92 YD1 99
D	ASTM-C365-57R88	REINFORCED CONCRETE LOW-HEAD PRESSURE PIPE (METRIC), STANDARD SPECIFICATION FOR USER: MC	A 5630	* YD1	27-JUL-92 YD1 99
D	ASTM-C366-80	CORE SANDWICH, FLATWISE COMPRESSIVE STRENGTH OF - 28 SEPT 1982 (REAPPROVED 1988) USER: CE	A FACR	YD1	26-SEP-88 GL YD1
A	ASTM-C366-80	CORE, SANDWICH, MEASUREMENT OF THICKNESS OF, STANDARD METHOD FOR - 1 JAN 80	A 5680	AS	16-MAY-85 AS 11
D	ASTM-C390-79R89	INSULATION, PREFORMED THERMAL LOTS, SAMPLING AND ACCEPTANCE OF, STANDARD CRITERIA FOR - 28 DEC 1979 (REAPPROVED 1989) USER: CG MC REVIEWER: 84 CE SH	A 5640	YD1	12-OCT-89 ME YD1 99
D	ASTM-C395-90	MORTAR, CHEMICAL-RESISTANT - 28 SEP 1990 USER: CE REVIEWER: MC	A 5610	* YD1	21-MAR-91 ME YD1 99
D L	ASTM-C401-91 NOTICE 1	ALUMINA AND ALUMINO-SILICATE, CASTABLE REFRACTORIES, STANDARD CLASSIFICATION OF USER: CE MC	A 5610	* YD1	24-OCT-91 YD1



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Org./Com. Coordination Initiative	Document Number	Document Title	Dist. Smt. FSC / Ave.	MCS Symbol	Preparing Act. Date	Custodians			
						Army	Navy	Air Force	DLA
D	ASTM-C403-89	CONCRETE MIXTURES TIME OF SETTING MIXTURES BY PENETRATION RESISTANCE STANDARD TEST METHOD FOR - 27 OCT 89 USER: MC REVIEWER: 84	A 5610	YD1	16-MAR-90	ME	YD1	99	
D	ASTM-C404-92 NOTICE 1	AGGREGATES FOR MASONRY GROUT, STANDARD SPECIFICATION FOR	A 5610 *	YD1	20-NOV-92	CE	YD1	99	
D	ASTM-C408-76	CONDUCTIVITY, THERMAL, BY CUT BAR APPARATUS - 24 NOV 76 REVIEWER: AR	A 5970	ER	17-OCT-79	ER	SH	85	
D	ASTM-C412-90	CONCRETE DRAIN TILE - 17 JUL 1990 USER: CE MC	A 5630	YD1	12-FEB-91		YD1	99	
D	ASTM-C412M-90	CONCRETE DRAIN TILE, (METRIC) - 29 JUN 1990 USER: CE MC	A 5630	YD1	12-FEB-91		YD1	99	
D	ASTM-C413-83R88	MORTAR, GROUTS, & MONOLITHIC SURFACINGS, ABSORPTION OF CHEMICAL RESISTANT - 28 NOV 83 (REAPPROVED 88) USER: CE MC REVIEWER: SH	A 5610	YD1	26-MAY-89	ME	YD1		
	ASTM-C414-83R88 NOTICE 1	WORKING, SETTING, AND CURING TIMES OF CHEMICALLY SETTING CHEMICAL-RESISTANT SILICATE AND SILICA MORTARS, STANDARD TEST METHODS FOR REVIEWER: 84 GS MR	A 9350	* MI	01-NOV-91	MI	SH	99	
D	ASTM-C418-90	CONCRETE, ABRASION RESISTANCE OF, BY SANDBLASTING - 26 OCT 1990 USER: CE MC	A 5610	YD1	30-MAY-91	ME	YD1		
D	ASTM-C423-90	SOUND ABSORPTION AND SOUND ABSORPTION COEFFICIENTS BY THE REVERBERATION ROOM METHOD - 23 FEB 1990 USER: 11 REVIEWER: CE MC	A 5640	YD1	29-JUN-90	ME	YD1	99	
D	ASTM-C425-91 NOTICE 1	COMPRESSION JOINTS FOR VITRIFIED CLAY PIPE AND FITTINGS, STANDARD SPECIFICATION FOR USER: MC REVIEWER: CE	A 5630 *	YD1	21-OCT-91	ME	YD1	99	
D	ASTM-C426-70R88	BLOCK, CONCRETE, DRYING SHRINKAGE OF - 27 FEB 1970 USER: CE MC	A 5620	YD1	26-SEP-89		YD1		
D	ASTM-C442-91 NOTICE 1	GYPSON BACKING BOARD AND COREBOARD, STANDARD SPECIFICATION FOR REVIEWER: 84	A 5640 *	YD1	07-NOV-91	ME	YD1	99	
D	ASTM-C443M-85	PIPE, JOINTS FOR CIRCULAR CONCRETE SEWER AND CULVERT, USING RUBBER GASKETS, STANDARD SPECIFICATION FOR - 27 DEC 85 USER: CE MC	A 5630	ME	01-JUN-88	ME	YD1		
D	ASTM-C444-90 NOTICE 1	PIPE, PERFORATED CONCRETE - 17 JUL 1990 USER: CE ME	A 5630	YD1	12-FEB-91		YD1	99	
D	ASTM-C444M-87	PIPE, PERFORATED CONCRETE, STANDARD SPECIFICATION FOR (METRIC) - 2 APR 1987 USER: CE ME	A 5630	YD1	17-NOV-88		YD1	99	
D	ASTM-C470-87	MOLDS FOR FORMING CONCRETE TEST CYLINDERS VERTICALLY, STANDARD SPECIFICATION FOR - 29 MAY 1987 USER: MC REVIEWER: 84 CE	A 5610	YD1	12-OCT-89	ME	YD1	99	
D	ASTM-C472A-90	GYPSON, GYPSON PLASTERS AND GYPSON CONCRETE, PHYSICAL TESTING OF - 31 AUG 1990 USER: CE	A 5610	YD1	09-AUG-91		YD1		
D	ASTM-C475-89	JOINT COMPOUND AND POINT TAPE FOR FINISHING GYPSON BOARD - 31 MAR 1989 REVIEWER: 84	A 5610	YD1	12-SEP-89	ME	YD1	99	
D	ASTM-C476-83 NOTICE 1	GROUT FOR REINFORCED & NONREINFORCED MASONRY - 25 MAR 83	A 5610	YD1	11-APR-88	CE	YD1	99	
D	ASTM-C478A-90	CONCRETE, PRECAST REINFORCED, MANHOLE SECTIONS - 10 SEP 1990 USER: CE MC	A 5630	YD1	12-FEB-91		YD1	99	
D	ASTM-C478M-89	MANHOLE SECTIONS (METRIC), PRECAST REINFORCED CONCRETE USER: CE MC	A 5630	YD1	13-SEP-89		YD1		
D	ASTM-C481-62R88	CONSTRUCTION, SANDWICH, LABORATORY AGING OF, STANDARD TEST METHOD FOR - 28 SEPT 1962 (REAPPROVED 88) USER: MC REVIEWER: 70 71	A 5630	YD1	26-SEP-88	ME	YD1	99	
D	ASTM-C494-90	CONCRETE, CHEMICAL ADMIXTURES FOR - 29 JUN 1991 USER: SH REVIEWER: GS	A 6850	YD1	09-AUG-91	ME	YD1		
D	ASTM-C495-91 NOTICE 1	CONCRETE, LIGHTWEIGHT INSULATING, COMPRESSIVE STRENGTH OF, STANDARD TEST METHOD FOR	A 5610 *	YD1	13-JAN-92	CE	YD1	99	
D	ASTM-C496-90	CONCRETE SPECIMENS, CYLINDRICAL, SPLITTING TENSILE STRENGTH OF - 9 FEB 1990 REVIEWER: 84	A 5610	YD1	24-AUG-90	ME	YD1	99	
D	ASTM-C497-92 NOTICE 1	CONCRETE PIPE, MANHOLE SECTIONS, FOR TILE, STANDARD TEST METHODS FOR USER: CE MC REVIEWER: 84	A 5630 *	YD1	15-MAY-92	ME	YD1	99	
D	ASTM-C497M-92 NOTICE 1	CONCRETE PIPE, MANHOLE SECTIONS, OR TILE (METRIC), STANDARD TEST METHODS FOR USER: CE MC REVIEWER: 84	A 5630 *	YD1	10-JUL-92	ME	YD1	99	
D	ASTM-C498-65R86 NOTICE 1	TILE CLAY DRAIN PERFORATED - 27 DEC 65	A 5630	YD1	04-SEP-88		YD1	99	
D	ASTM-C506B-84	CONCRETE ARCH CULVERT, STORM DRAIN, & SEWER PIPE, REINFORCED, STANDARD SPECIFICATION FOR - 28 DEC 84 USER: CE MC	A 5630	YD1	25-JUL-85		YD1		
D	ASTM-C506M-84	CONCRETE ARCH CULVERT, REINFORCED, STORM DRAIN, AND SEWER PIPE (METRIC) - 28 DEC 1984 USER: CE MC	A 5630	YD1	25-JUL-85		YD1		
D	ASTM-C507-90	CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE - 17 JUL 1990 USER: CE REVIEWER: MC	A 5630	YD1	12-FEB-91		YD1	99	
D	ASTM-C507M-90	CONCRETE, REINFORCED, ELLIPTICAL CULVERT, STORM DRAIN, AND SEWER PIPE, (METRIC) - 29 JUN 1990 USER: MC	A 5630	YD1	12-FEB-91	ME	YD1		
D	ASTM-C513-89 NOTICE 1	OBTAINING AND TESTING SPECIMENS OF HARDENED LIGHTWEIGHT, INSULATING CONCRETE, FOR COMPRESSIVE STRENGTH, STANDARD TEST METHOD FOR	A 5610 *	YD1	31-MAR-92	CE	YD1	99	
D	ASTM-C514-90	MAIIS, FOR THE APPLICATION FOR GYPSON WALLBOARD, STANDARD SPECIFICATION FOR - 18 MAY 1990 REVIEWER: IS	A 5315	YD1	02-AUG-91	EA	YD1	99	
D	ASTM-C516-80R90 NOTICE 1	INSULATION, THERMAL, LOOSE FILL, VERMICULITE, STANDARD SPECIFICATION FOR USER: CE MC ME REVIEWER: OS	A 5640 *	YD1	11-SEP-92		YD1	99	
D	ASTM-C518-85	MEASUREMENTS, STEADY-STATE HEAT FLUX MEASUREMENTS AND THERMAL TRANSMISSION PROPERTIES BY MEANS OF THE HEAT-FLOW METER APPARATUS, STANDARD TEST METHOD FOR - 22 OCT 85 USER: SH REVIEWER: 84 CE	A 5640	YD1	02-JUN-88	ME	YD1		
D	ASTM-C531-85R90 NOTICE 1	LINEAR SHRINKAGE AND COEFFICIENT OF THERMAL EXPANSION OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS, STANDARD TEST METHOD FOR USER: CE SH REVIEWER: MC	A 5610 *	YD1	09-OCT-92	ME	YD1	99	
D	ASTM-C532-88 NOTICE 1	FORMBOARD, STRUCTURAL INSULATING, (CELLULOSE FIBER), STANDARD SPECIFICATION FOR REVIEWER: CE	A 5640 *	YD1	11-SEP-92	ME	YD1		
D	ASTM-C533-85	CALCIUM SILICATE BLOCK & PIPE THERMAL INSULATION - 27 SEPT 1985 USER: CG REVIEWER: MR	A 5640	YD1	15-MAY-87	ME	YD1		
D	ASTM-C534-88	PREFORMED FLEXIBLE ELASTOMERIC CELLULAR THERMAL INSULATION IN SHEET & TUBULAR FORMS USER: CE SH REVIEWER: MC	A 5640	YD1	16-MAY-88	ME	YD1		
D	ASTM-C535-89	AGGREGATE, LARGE SIZE COARSE, RESISTANCE TO DEGRADATION OF, BY ABRASION AND IMPACT IN THE LOS ANGELES MACHINE - 28 APR, 1989 USER: 99 CE MC	A 5610	YD1	09-OCT-89		YD1		
D	ASTM-C542-82R84	GASKET, LOCK-STRIP, STANDARD SPECIFICATION FOR - 24 SEP 82 USER: CE OS SH REVIEWER: 84 GS	A 5330	YD1	10-OCT-88	AL	YD1	99	
D	ASTM-C547-77 NOTICE 1	FIBER, MINERAL, PREFORMED PIPE INSULATION - 29 JUL 77 [VALIDATION DATE: 8903]	A 5640	YD1	24-MAR-89	ME	YD1		
D	ASTM-C549-81R86	INSULATION, PERLITE LOOSE FILL - 30 OCT 1981 (REAPPROVED 1986) USER: CE MC	A 5640	YD1	15-MAY-87	ME	YD1	99	
D	ASTM-C550-81R87	BLOCK, RIGID THERMAL INSULATION, MEASURING TRUENESS AND SQUARENESS OF, STANDARD PRACTICE FOR - 27 MAR, 1981 (REAPPROVED 1987) USER: CE CG MC REVIEWER: 84 SH	A 5640	YD1	02-OCT-89	ME	YD1	99	
D	ASTM-C552-91 NOTICE 1	CELLULAR GLASS THERMAL INSULATION, STANDARD SPECIFICATION FOR USER: CG SH REVIEWER: CE	A 5640 *	YD1	18-OCT-91	ME	YD1		
D	ASTM-C553-70R77 NOTICE 1	BLANKET, MINERAL FIBER, & FELT INSULATION (INDUSTRIAL TYPE) - 29 MAY 70 [VALIDATION DATE: 8903] USER: CG REVIEWER: MC MI	A 5640	YD1	24-MAR-89	ME	YD1		
D	ASTM-C557-73R85 NOTICE 2	ADHESIVE FOR FASTENING GYPSON WALLBOARD TO WOOD FRAMING - (REAPPROVED 85) [VALIDATION DATE: 9107]	A 8040	YD1	25-JUL-91		YD1	99	
D	ASTM-C562-85	GRAPHITE MOISTURE IN A SAMPLE USER: AS OS SH REVIEWER: GL GS MD ME	A 6810	EA	16-JUL-88	EA		11	
D	ASTM-C564-88	GASKET, RUBBER, FOR CAST IRON SOIL PIPE AND FITTINGS, STANDARD SPECIFICATION FOR - 29 APR 88	A 5330	YD1	19-APR-89	CE	YD1	99	
D	ASTM-C566-89	AGGREGATE, TOTAL MOISTURE CONTENT OF BY DRYING - 27 OCT 1989 USER: MC REVIEWER: 84	A 5610	YD1	09-FEB-90	ME	YD1	99	
D	ASTM-C567-91	CONCRETE, STRUCTURAL LIGHTWEIGHT, UNIT WEIGHT OF - 15 MAR 1991 USER: SH	A 5610	YD1	31-JUL-91	ME	YD1		
D	ASTM-C568-89	STONE, LIMESTONE DIMENSION - 25 AUG 1989 USER: CE MC	A 5610	YD1	22-JUN-90		YD1		
D	ASTM-C570-72R84 NOTICE 1	OIL AND RESIN-BASE CAULKING COMPOUND FOR BUILDING CONSTRUCTION - 23 AUG 72: REAPPROVED 1984 [VALIDATION DATE: 8905] USER: CE MC	A 8030	YD1	10-MAY-89	MR	YD1		
D	ASTM-C571-81	REFRACTORIES, CARBON & CARBON CERAMIC, CHEMICAL ANALYSIS OF - 28 DEC 81 USER: CG MR	A 9350	SH	23-SEP-85	ME	SH		



## ACTIVE SECTION

# NUMERICAL LISTING

## DOD ADOPTED NON-GOVERNMENT STANDARDS

Asst. Dir. / Ombudsman / Inactive / Document Number	Document Title	Doc. Smt. / FSC / AIA Symbol / Preparing Agency / Date	Custodians / Army / Navy / Air Force / DLA
ASTM-C573-81	CHEMICAL ANALYSIS OF FIRECLAY AND HIGH-ALUMINA REFRACTORIES - 28 DEC 81	A 9350 SH 01-JUN-84 ME SH	
D ASTM-C578A-87	INSULATION, PREFORMED, CELLULAR, POLYSTYRENE, THERMAL, STANDARD SPECIFICATION FOR - 29 MAY 87	A 5640 YD1 30-JUL-87 ME YD1	
D ASTM-C579-91	COMPRESSIVE STRENGTH OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS, STANDARD TEST METHODS FOR USER: SH REVIEWER: CE MC	A 5610 * YD1 25-OCT-91 ME YD1	
D ASTM-C580-85R90	FLEXURAL STRENGTH AND MODULUS OF ELASTICITY OF CHEMICAL-RESISTANT MORTARS, GROUTS, AND MONOLITHIC SURFACINGS, STANDARD TEST METHOD FOR REVIEWER: CE MC	A 5610 * YD1 09-OCT-92 ME YD1	
D ASTM-C586-69R86	AGGREGATE, CONCRETE, POTENTIAL ALKALI REACTIVITY OF CARBONATE ROCKS (ROCK CYLINDER METHOD) - 3 OCT 1969 USER: MC REVIEWER: 84	A 5610 YD1 09-FEB-90 ME YD1 99	
D ASTM-C587-91	GYPHUM VENEER PLASTER, STANDARD SPECIFICATION FOR REVIEWER: 84 CS	A 5610 * YD1 12-NOV-91 ME YD1 99	
D ASTM-C588-91	GYPHUM BASE FOR VENEER PLASTERS, STANDARD SPECIFICATION FOR REVIEWER: 84	A 5610 * YD1 11-DEC-91 ME YD1 99	
D ASTM-C591-85	INSULATION, UNFACED PREFORMED RIGID CELLULAR POLYURETHANE THERMAL - 25 JAN 1985 REVIEWER: CE	A 5640 YD1 15-MAY-87 YD1	
D ASTM-C592-80	MINERAL FIBER BLANKET INSULATION & BLANKET TYPE PIPE INSULATION (METAL MESH COVERED) (INDUSTRIAL TYPE) - 25 NOV 80 (VALIDATION DATE: 8706) USER: CG REVIEWER: MC MI	A 5640 YD1 01-JUN-87 ME YD1	
D ASTM-C595-86	CEMENT, BLENDED HYDRAULIC - 17 JULY 1986 USER: CE SH	A 5610 YD1 15-MAY-87 ME YD1 99	
D ASTM-C610-85	INSULATION, EXPANDED PERLITE BLOCK & PIPE THERMAL - 29 MAR 1985 USER: CE MC REVIEWER: 84	A 5640 YD1 30-MAR-88 ME YD1 99	
D ASTM-C612-92	THERMAL INSULATION, MINERAL FIBER BLOCK AND BOARD, STANDARD SPECIFICATION FOR USER: CG REVIEWER: MC MI	A 5640 * YD1 09-OCT-92 ME YD1	
ASTM-C613-67R85	PHREPG, CARBON AND GRAPHITE, BY SOLVENT EXTRACTION, RESIN CONTENT OF -12 DEC 67 (VALIDATION DATE: 8803) USER: AR AS EC OS REVIEWER: AV GL MD	A CMPS MR 30-MAR-88 MR SH 99	
D L ASTM-C615-85	GRANITE BUILDING STONE, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9207) USER: CE MC	A 5610 * YD1 06-JUL-92 YD1	
D ASTM-C616-89	STONE, QUARTZ-BASED DIMENSION - 27 OCT 1989 USER: CE MC	A 5610 YD1 29-JUN-90 YD1	
D ASTM-C617-87	CONCRETE SPECIMENS, STANDARD PRACTICE FOR CAPPING - 31 DEC, 1987 USER: MC REVIEWER: 84	A 5610 YD1 22-DEC-89 ME YD1 99	
D ASTM-C618A-92	FLY ASH AND RAW OR CALCINED NATURAL POZZOLAN FOR USE AS A MINERAL ADMIXTURE IN PORTLAND CEMENT CONCRETE, STANDARD SPECIFICATION FOR USER: SH	A 5610 * YD1 21-AUG-92 ME YD1 99	
D ASTM-C629-89	STONE, SLATE DIMENSION - 27 OCT 1989 USER: CE MC	A 5610 YD1 29-JUN-90 YD1	
D ASTM-C630-91	GYPHUM BACKING BOARD, WATER-RESISTANT - 15 MAR 1991 REVIEWER: 84	A 5640 YD1 22-AUG-91 YD1 99	
ASTM-C633-79	COATING, FLAME SPRAYED, ADHESION OR COHESIVE STRENGTH OF - 28 DEC 79 USER: AS	A 8040 SH 17-JAN-83 MR SH	
D ASTM-C635-91	TILE, ACOUSTICAL AND LAY-IN PANEL CEILINGS, METAL SUSPENSION SYSTEMS FOR - 15 JUL 1991 USER: CE ME	A 5640 YD1 20-SEP-91 YD1	
D ASTM-C636-92	TILE, ACOUSTICAL AND LAY-IN PANELS, SUSPENSION SYSTEMS, INSTALLATION OF METAL CEILING, STANDARD PRACTICE FOR USER: CE MC	A 5640 * YD1 22-JAN-93 ME YD1 99	
D ASTM-C637-90	CONCRETE, RADIATION-SHIELDING, AGGREGATES FOR, STANDARD FOR USER: MC REVIEWER: 84	A 5610 YD1 08-MAR-93 ME YD1 99	
D ASTM-C638-84R90	CONCRETE, RADIATION-SHIELDING, CONSTITUENTS OF AGREGATES FOR, STANDARD DESCRIPTIVE NOMENCLATURE OF - 28 JUN 1984, REAPPROVED 1990 USER: CE MC REVIEWER: 84	A 5610 YD1 06-FEB-91 ME YD1 99	
D ASTM-C640-83	CORK BOARD AND CORK TYPE THERMAL INSULATION, SPECIFICATION FOR ADOPTED 28 JAN 83 USER: MC REVIEWER: CE	A 5640 84 06-AUG-86 ME YD1 99	
D ASTM-C641-82R91	STAINING MATERIALS IN LIGHTWEIGHT CONCRETE AGGREGATES, STANDARD TEST METHOD FOR	A 5610 * YD1 31-MAR-92 CE YD1 11	
D ASTM-C652A-91	BRICK, HOLLOW, (HOLLOW MASONRY UNITS MADE FROM CLAY OR SHALE) - 15 JUL 1991	A 5620 YD1 02-OCT-91 ME YD1 99	
D ASTM-C654-88	PIPE, POROUS CONCRETE USER: CE MC	A 5630 YD1 30-MAY-89 YD1	
D ASTM-C654M-88	PIPE, POROUS CONCRETE (METRIC) USER: CE MC	A 5630 YD1 30-MAY-89 YD1	
D ASTM-C655-91	REINFORCED CONCRETE D-LOAD CULVERT, STORM DRAIN, AND SEWER PIPE, STANDARD SPECIFICATION FOR USER: CE MC REVIEWER: 84	A 5630 * YD1 21-OCT-91 YD1 99	
D ASTM-C655M-91	REINFORCED CONCRETE D-LOAD CULVERT, STORM DRAIN, AND SEWER PIPE (METRIC), STANDARD SPECIFICATION FOR USER: CE MC REVIEWER: 84	A 5630 * YD1 21-OCT-91 YD1 99	
D ASTM-C658-92	GROUTS, CHEMICAL-RESISTANT RESIN, FOR BRICK OR TILE, STANDARD SPECIFICATION FOR USER: CE MC	A 5610 * YD1 24-AUG-92 ME YD1	
D ASTM-C663-83	PIPE, STORM DRAIN, ASBESTOS-CEMENT, STANDARD SPECIFICATION FOR - 22 MAR 83	A 5630 YD1 11-MAY-84 YD1 99	
D ASTM-C665-91	MINERAL-FIBER BLANKET THERMAL INSULATION FOR LIGHT FRAME CONSTRUCTION AND MANUFACTURED HOUSING, STANDARD SPECIFICATION FOR USER: CE MC REVIEWER: 84	A 5640 * YD1 18-OCT-91 YD1 99	
D ASTM-C666-90	CONCRETE RESISTANCE OF TO RAPID FREEZING & THAWING, STANDARD TEST METHOD FOR - 26 OCT 1990	A 5610 YD1 30-MAY-91 ME YD1 11	
D ASTM-C669-75R89	GLAZING COMPOUNDS FOR BACK BEDDING AND FACE GLAZING OF METAL SASH STANDARD SPECIFICATION FOR 31 OCT 75 REVIEWER: 84	A 8030 YD1 22-MAR-90 MR YD1 99	
D ASTM-C670A-91	PREPARING PRECISION AND BIAS STATEMENTS FOR TEST METHODS FOR CONSTRUCTION MATERIALS REVIEWER: 84 CE SH	A 5610 YD1 19-AUG-91 ME YD1 99	
D ASTM-C685-90	CONCRETE, MADE BY VOLUMETRIC BATCHING AND CONTINUOUS MIXING - 30 MAR 1990 USER: CE MC REVIEWER: 84	A 5610 YD1 02-AUG-90 ME YD1 99	
D ASTM-C700-91	CLAY PIPE, VITRIFIED, EXTRA STRENGTH, STANDARD STRENGTH, AND PERFORATED - 15 JUL 1991 REVIEWER: CE CS MC	A 5630 YD1 30-SEP-91 YD1	
D ASTM-C702-87	AGGREGATE, REDUCING FIELD SAMPLES TO TESTING SIZE - 27 MAR 1987 USER: CE MC REVIEWER: 84	A 5610 YD1 14-FEB-90 ME YD1 99	
D ASTM-C725-78R84	SIDING, FIBER, SEMIDENSE MINERAL - 28 JUL 78 (REAPPROVED 84 USER: CE REVIEWER: 99)	A 5640 YD1 26-NOV-84 YD1	
D ASTM-C726-88	ROOF INSULATION BOARD, MINERAL FIBER, STANDARD SPECIFICATION FOR - 25 OCT 88 USER: CE CG	A 5640 YD1 30-MAY-90 ME YD1 99	
D ASTM-C728-91	BOARD, THERMAL INSULATION, PERLITE, STANDARD SPECIFICATION FOR	A 5640 * YD1 11-SEP-92 ME YD1	
D ASTM-C739-88	FIBER, CELLULOSIC (WOOD-BASE) LOOSE-FILL THERMAL INSULATION - 25 OCT 88 REVIEWER: 84	A 5640 YD1 30-MAY-90 YD1 99	
D ASTM-C744-73R85	PREFACED CONCRETE AND CALCIUM SILICATE MASONRY UNITS, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9204) USER: CE REVIEWER: MC	A 5620 * YD1 27-APR-92 ME YD1 99	
D ASTM-C754-88	STEEL FRAMING MEMBERS TO RECEIVE SCREW-ATTACHED GYPHUM, INSTALLATION - 27 MAY 1988 REVIEWER: CE	A 5640 YD1 20-MAR-89 YD1	
D L ASTM-C764-91	MINERAL FIBER LOOSE-FILL THERMAL INSULATION, STANDARD SPECIFICATION FOR	A 5640 * YD1 18-OCT-91 YD1	
D L ASTM-C778-92	STANDARD SAND, STANDARD SPECIFICATION FOR	A 5610 * YD1 20-NOV-92 YD1	
D ASTM-C795-89	STEEL, AUSTENITIC STAINLESS, WICKING-TYPE THERMAL INSULATION FOR USE OVER, STANDARD SPECIFICATION FOR - 27 JAN 1989 USER: 89 CE REVIEWER: MC MI	A 5640 YD1 13-OCT-89 ME YD1 99	
D ASTM-C796A-87	AGENTS, FOMING FOR USE IN PRODUCING CELLULAR CONCRETE USING PREFORMED FOAM, STANDARD TEST METHOD FOR - 27 NOV 87 USER: 84 CE REVIEWER: MC	A 5680 YD1 26-SEP-89 ME YD1	
A ASTM-C800-75	GLASS FIBER BLANKET INSULATION (AIRCRAFT TYPE) - 28 FEB 75	A 8320 CT 16-NOV-83 AS 99 CT	
D ASTM-C811-89	CONCRETE, SURFACE PREPARATION OF, FOR APPLICATION OF CHEMICAL-RESISTANT RESIN MONOLITHIC SURFACINGS, STANDARD PRACTICE FOR - 31 MAR 89 USER: CE MC REVIEWER: 84	A 5610 YD1 16-MAR-90 ME YD1 99	
D ASTM-C822-91	TERMINOLOGY RELATING TO CONCRETE PIPE AND RELATED PRODUCTS USER: CE REVIEWER: MC	A 5630 * YD1 21-OCT-91 YD1 99	
D ASTM-C823-83R88	CONCRETE, EXAMINATION AND SAMPLING OF HARDENED IN CONSTRUCTION STANDARD PRACTICE FOR - 25 MAR 83 USER: MC REVIEWER: 84	A 5610 YD1 16-MAR-90 ME YD1 99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

ASTM / Other Organization Notice	Document Number	Document Title	Dist. Sym. FIC / Ave MCA Symbol	Preparing Agency Date	Custodians			
					Army	Navy	Air Force	DIA
D	ASTM-C827-87 NOTICE 2	CHANGE IN HEIGHT AT EARLY AGES OF CYLINDRICAL SPECIMENS FROM CEMENTITIOUS MIXTURES, STANDARD TEST METHOD FOR [VALIDATION DATE: 9204] USER: CE MC	A 5610 *	YD1 27-APR-92	ME	YD1		
D	ASTM-C834-76R85 NOTICE 2	COMPOUND, LATEX SEALING - 28 MAY 76 (REAPPROVED 86) [VALIDATION DATE: 9107] USER: CE OS SH	A 8030	YD1 25-JUL-91		YD1		
D	ASTM-C836A-89	MEMBRANE, COLD LIQUID-APPLIED ELASTOMERIC WATERPROOFING, FOR USE WITH SEPARATE WEARING COURSE, HIGH SOLIDS CONTENT - 24 NOV 1989	A 5680	YD1 19-OCT-90	CE	YD1 99		
D	ASTM-C840-88	GYPSUM BOARD, APPLICATION & FINISHING OF - 27 MAY 1988 USER: CE REVIEWER: 99 ME	A 5640	YD1 20-MAR-89		YD1		
D	ASTM-C841-90 NOTICE 1	INSTALLATION OF INTERIOR LATHING AND FURRING, STANDARD SPECIFICATION FOR USER: CE	A 5640 *	YD1 02-MAR-92	ME	YD1 99		
D	ASTM-C843-76R85 NOTICE 2	PLASTER, GYPSUM VENEER, APPLICATION OF - 30 JULY 1976 (REAPPROVED 85) [VALIDATION DATE: 9102] USER: CE	A 5640	YD1 28-FEB-91		YD1		
D	ASTM-C844-85	GYPSUM BASE, APPLICATION OF, TO RECEIVE GYPSUM VENEER PLASTER - 30 APR 1985 USER: CE	A 5640	YD1 27-AUG-85		YD1		
D	ASTM-C847-88	LATH METAL - 26 FEB 88	A 5680	YD1 26-AUG-88	ME	YD1 99		
D	ASTM-C873-85	CYLINDER, CONCRETE CAST, IN PLACE IN CYLINDRICAL HOLDS, COMPRESSIVE STRENGTH OF - 26 APR 1985 USER: CE MC REVIEWER: 84	A 5610	YD1 14-FEB-90	ME	YD1 99		
D	ASTM-C881-90	CONCRETE, EPOXY-RESIN-BASE BONDING SYSTEMS - 30 MAR 1990 USER: SH REVIEWER: CE	A 5610	YD1 12-JUL-91	ME	YD1 99		
D	ASTM-C882-91 NOTICE 1	BOND STRENGTH OF EPOXY-RESIN SYSTEMS USED WITH CONCRETE BY SLANT SHEAR, STANDARD TEST METHOD FOR REVIEWER: 84 CS	A 5610	YD1 08-MAR-93	ME	YD1 99		
D	ASTM-C883-89	CONCRETE, EFFECTIVE SHRINKAGE OF EPOXY-RESIN SYSTEMS USED WITH, STANDARD TEST METHOD FOR - 15 JUNE 1989 REVIEWER: 84	A 5610	YD1 28-SEP-89	ME	YD1 99		
D	ASTM-C884-87	CONCRETE AND AN EPOXY-RESIN OVERLAY, THERMAL COMPATIBILITY BETWEEN, STANDARD TEST METHOD FOR - 27 NOV 87 USER: 84	A 5610	YD1 05-JUN-89	ME	YD1		
D	ASTM-C913-89	CONCRETE WATER, PRECAST, AND WASTEWATER STRUCTURES - 30 JUNE 1989	A 5180	YD1 06-DEC-89	MR	YD1 99		
D	ASTM-C916-85R90	INSULATION, THERMAL, ADHESIVES FOR DUCT - 26 JUL 1985 REVIEWER: CE	A 5640	YD1 09-JAN-91	ME	YD1 99		
D	ASTM-C920-87 NOTICE 1	SEALANTS, ELASTOMERIC JOINT, STANDARD SPECIFICATION FOR	A 8030 *	YD1 02-MAR-92	MR	YD1		
D	ASTM-C921-79	INSULATION, THERMAL, JACKETING MATERIALS, STANDARD PRACTICE FOR DETERMINING THE PROPERTIES OF - 28 DEC 89 USER: 89 CE REVIEWER: M1	A 5640	YD1 09-JUN-89	ME	YD1		
D	ASTM-C923-89	STRUCTURES, PIPES AND LATERALS, RESILIENT CONNECTORS BETWEEN REINFORCED CONCRETE MANHOLE - 27 JAN 1989	A 5610	YD1 14-NOV-90		YD1		
D	ASTM-C924-89	PIPE SEWER LINES, CONCRETE, TESTING BY LOW-PRESSURE AIR TEST METHOD - 27 JAN 1989	A 5610	YD1 14-NOV-90		YD1		
D	ASTM-C931-91	GYPSUM BOARD, SOFFIT, EXTERIOR, STANDARD SPECIFICATION FOR REVIEWER: CE MC	A 5640 *	YD1 11-DEC-91	ME	YD1 99		
D	ASTM-C932-80R90	PLASTERING, EXTERIOR, SURFACE APPLIED BONDING AGENTS FOR - 28 MAR 1980 (REAPPROVED 31 AUG 1990)	A 5610	YD1 09-AUG-91	ME	YD1 99		
D	ASTM-C952-91 NOTICE 1	BOND STRENGTH OF MORTAR TO MASONRY UNITS, STANDARD TEST METHOD FOR	A 5610 *	YD1 28-OCT-91		YD1 99		
D	ASTM-C954-86 NOTICE 1	SCREWS, STEEL DRILL, FOR THE APPLICATION OF GYPSUM BOARD OR METAL PLASTER BASES TO STEEL STUDS FROM 0.033 IN. (0.84 MM) TO 0.112 IN. (2.84 MM) IN THICKNESS, STANDARD SPECIFICATION FOR REVIEWER: IS	A 5305 *	YD1 12-JUN-92	AR	YD1 99		
D	ASTM-C960-91 NOTICE 1	GYPSUM BOARD, PREDECORATED, STANDARD SPECIFICATION FOR REVIEWER: 84	A 5640 *	YD1 11-DEC-91	ME	YD1 99		
D	ASTM-C966-85	PIPE LINE, SEWER, NONPRESSURE, INSTALLING ASBESTOS-CEMENT - 27 SEP 1985	A 5610	YD1 14-NOV-90		YD1		
D	ASTM-C977-89	SOIL STABILIZATION, QUICKLINE AND HYDRATED LIME FOR - 27 OCT 1989 REVIEWER: 89 CE	A 5610	YD1 14-SEP-90	ME	YD1 99		
D	ASTM-C989-89	CONCRETE & MORTARS GROUND GRANULATED BLAST FURNACE SLAG FOR USE IN - 31 MAR 1989 REVIEWER: CE	A 5610	YD1 08-NOV-89	ME	YD1 99		
D	ASTM-C995-86	TIME OF FLOW OF FIBER-REINFORCED CONCRETE THROUGH INVERTED SLUMP CONE - 27 MAR 1986 USER: CE MC REVIEWER: 84	A 5610	YD1 30-MAY-91		YD1 99		
D	ASTM-C1002-88	SCREW, STEEL DRILL, FOR THE APPLICATION OF GYPSUM BOARD OR METAL PLASTER BASES, STANDARD SPECIFICATION FOR - 25 NOV 88 REVIEWER: 82 SH	A 5305	YD1 25-JUL-90	AR	YD1 99		
D	ASTM-C1015-84R90	INSULATION, THERMAL, CELLULOSIC AND MINERAL FIBER LOOSE-FILL, INSTALLATION OF - 30 MAY 1984	A 5640	YD1 14-NOV-90		YD1		
D	ASTM-C1017-92 NOTICE 1	CONCRETE, FLOWING, CHEMICAL ADMIXTURES FOR THE USE IN PRODUCING, STANDARD SPECIFICATION FOR USER: MC REVIEWER: 84	A 5610	YD1 08-MAR-93	ME	YD1 99		
D	ASTM-C1018-89	FLEXURAL TOUGHNESS AND FIRST-CRACK STRENGTH OF FIBER-REINFORCED CONCRETE (USING BEAM WITH THIRD-POINT LOADING) - 14 APR 1989 USER: CE MC REVIEWER: 84	A 5610	YD1 30-MAY-91	ME	YD1 99		
D	ASTM-C1036-90	GLASS, FLAT - 26 JAN 1990 USER: CE MC REVIEWER: 84	A 5620	YD1 24-AUG-90	ME	YD1 99		
D	ASTM-C1047-85R90 NOTICE 1	ACCESSORIES FOR GYPSUM WALLBOARD AND GYPSUM VENEER BASE	A 5640	YD1 20-APR-93		YD1		
D	ASTM-C1048-90	EPOXY COMPOUND WITH CONCRETE, USE OF - 26 JAN 1990 USER: CE REVIEWER: 84 MC	A 5610	YD1 24-AUG-90		YD1 99		
D	ASTM-C1053-90	PIPE, BOROSILICATE GLASS, AND FITTINGS FOR DRAIN, WASTE, AND VENT (DWV) APPLICATIONS - 17 OCT 1990 USER: MC	A 4710	YD1 25-MAY-91	ME	YD1		
D	ASTM-C1063-86	PLASTER, INSTALLATION OF LATHING AND FURRING FOR PORTLAND CEMENT-BASED, STANDARD SPECIFICATION FOR - 27 MAR 86	A 5680	YD1 17-NOV-88	ME	YD1 99		
D	ASTM-C1064-86	CONCRETE, TEMPERATURE OF FRESHLY MIXED PORTLAND CEMENT, STANDARD TEST METHOD FOR - 17 JULY 1986 USER: MC REVIEWER: 84	A 5610	YD1 21-DEC-89	ME	YD1 99		
D	ASTM-C1071-91 NOTICE 1	THERMAL AND ACOUSTICAL INSULATION (GLASS FIBER, DUCT LINING MATERIAL), STANDARD SPECIFICATION FOR USER: SH REVIEWER: 84 CE MC	A 5640 *	YD1 21-JUL-92	ME	YD1 99		
D	ASTM-C1116-89	FIBER-REINFORCED CONCRETE AND SHOTCRETE - 15 JUN 1989 - USER: CE MC REVIEWER: 84	A 5610	YD1 30-MAY-91	ME	YD1 99		
D	ASTM-C1136-92 NOTICE 1	FLEXIBLE, LOW PERMEANCE VAPOR RETARDERS FOR THERMAL INSULATION, STANDARD SPECIFICATION FOR USER: AV REVIEWER: 84 CE MC SH	A 5640 *	YD1 10-JUL-92	ME	YD1 99		
D	ASTM-D5-86 NOTICE 2	PENETRATION OF BITUMINOUS MATERIALS, STANDARD TEST METHOD FOR [VALIDATION DATE: 9203]	A 5610 *	YD1 09-MAR-92	MR	YD1 84		
D	ASTM-D13-82 NOTICE 1	TURPENTINE, SPIRITS OF STANDARD SPECIFICATION FOR - 26 MAR 82 [VALIDATION DATE: 8907] REVIEWER: GL GS MD ME	A 6810	EA 12-JUL-89	EA	SH		
D	ASTM-D16-84 NOTICE 2	PAINT, VARNISH, LACQUER AND RELATED PRODUCTS, STANDARD DEFINITIONS OF TERMS RELATING TO - 30 JULY 1982 [VALIDATION DATE: 8906] USER: AR OS SH REVIEWER: 82 MR	A 8010	YD1 21-JUN-89	ME	YD1 99		
D	ASTM-D20-83	TARS, ROAD, DISTALLATION OF, STANDARD TEST METHOD FOR - 25 MAR 83 REVIEWER: 84 CE	A 5610	YD1 06-JUN-89	ME	YD1 99		
D	ASTM-D25-91	PILES, TIMBER ROUND STANDARD SPECIFICATION FOR - 22 FEB 1991 USER: SH REVIEWER: CS	A 5510	YD1 08-AUG-91	ME	YD1 99		
M	ASTM-D29-93 NOTICE 1	LAC RESINS, SAMPLING & TESTING	A 8010	MR 11-MAY-93	MR	SH		
D	ASTM-D34-91 NOTICE 1	CHEMICAL ANALYSIS OF WHITE PIGMENTS USER: AS REVIEWER: 84	A 8010 *	MR 21-JAN-92	MR	SH 99		
D	ASTM-D41-85 NOTICE 2	ASPHALT PRIMER USED IN ROOFING, DAMPROOFING, & WATERPROOFING, STANDARD SPECIFICATION FOR - 21 OCT 85 [VALIDATION DATE: 9107] USER: CE	A 5610	YD1 25-JUL-91	ME	YD1		
D	ASTM-D43-73R88	PRIMER, CREOSOTE, USED IN ROOFING, DAMPROOFING, & WATERPROOFING, STANDARD SPECIFICATION FOR - 29 JAN 1973 (REAPPROVED 1988) USER: OS SH REVIEWER: GS	A 6810	YD1 31-JAN-89	EA	YD1		
	ASTM-D50-90	PIGMENTS, YELLOW, ORANGE, RED, & BROWN, CONTAINING IRON & MANGANESE, CHEMICAL ANALYSIS OF 25 MAY 90	A 8010	MR 21-AUG-90	MR	SH 11		
D	ASTM-D56-82	TESTER, CLOSED, FLASH POINT BY TAG - 27 AUG 1982 USER: YD1 REVIEWER: OS	A 9150	ME 13-AUG-85	ME	SH 11		
D	ASTM-D69-90 NOTICE 1	TAPES, FRICTION, STANDARD TEST METHODS FOR USER: AR MC SH REVIEWER: AT AV ER GS	A 5970 *	YD1 17-APR-92	ME	YD1 99		
D	ASTM-D70-82	BITUMINOUS MATERIALS, STANDARD TEST METHOD FOR SPECIFIC GRAVITY OF SEMI SOLID - 30 APR 82 USER: CE MC REVIEWER: AR M1 YD1	A 5610	AS 21-MAY-84	ME	AS 11		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	CPL / OIA / Coordination	Document	Document Title	Dist. Smt. / FSC / MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DIA
D		ASTM-D71-84	PITCH AND ASPHALT, SOLID, (DISPLACEMENT METHOD) STANDARD TEST METHOD FOR RELATIVE DENSITY OF - 5 JAN 1984 USER: YD1 REVIEWER: GS MD	A 6810	EA	14-AUG-85	EA			
D		ASTM-D75-87	SAMPLING AGGREGATE	A 5610	YD1	11-APR-88	YD1	99		
D		ASTM-D86-82	PETROLEUM PRODUCTS, DISTILLATION OF - 27 AUG 82	A 91GP	ME	06-APR-83	ME	AS	68	
D		ASTM-D88-81	VISCOSITY, SAYBOLT, STANDARD TEST METHOD FOR - 24 APRIL 1981 USER: YD1 REVIEWER: 68 AR GS ME	A 6810	SH	14-NOV-85	EA	SH	11	
A		ASTM-D91-81	LUBRICATING OIL PRECIPITATION NUMBER OF - 28 AUG 81 REVIEWER: 68 AR AS	A 91GP	ME	21-JUL-82	ME	SH	11	
D		ASTM-D92-78	FLASH AND FIRE POINTS BY CLEVELAND OPEN CUP - 25 AUG 78 [VALIDATION DATE: 8501] REVIEWER: YD1	A 9150	ME	28-DEC-78	ME	SH	11	
A		ASTM-D93-80	TESTER, CLOSED, FLASH POINT BY PENSKY-MARTENS - 29 AUG 1980 REVIEWER: OS	A 9150	ME	13-AUG-85	ME	SH	11	
A		ASTM-D94-80	PETROLEUM PRODUCTS, SAPONIFICATION NUMBER OF - 29 AUG 80 REVIEWER: 68 AS	A 91GP	ME	13-AUG-85	ME	SH	11	
D		ASTM-D95-83	PETROLEUM PRODUCTS & BITUMINOUS MATERIALS BY DISTILLATION, WATER IN - 25 MAR 83 REVIEWER: OS YD1	A 91GP	ME	13-AUG-85	ME	SH	11	
		ASTM-D96-73	WATER & SEDIMENT IN CRUDE OILS - 73 (REAPPROVED 84) [VALIDATION DATE: 8512] REVIEWER: MR	A 91GP	ME	20-DEC-74	ME	SH	11	
		ASTM-D97-66	POWER POINT - 20 SEP 66 (REAPPROVED 78) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS	A 91GP	ME	20-JUN-68	ME	SH	11	
D		ASTM-D98-87	CHLORIDE, CALCIUM, STANDARD SPECIFICATION FOR, 9 FEB 87	A 6810	YD1	17-NOV-88	EA	YD1	68	
D		ASTM-D116-76	CERAMIC MATERIALS VITRIFIED FOR ELECTRICAL APPLICATIONS - 25 JUN 76	A 5970	ER	09-JAN-80	ER	SH	85	
D		ASTM-D117-88	OILS OF PETROLEUM ORIGIN, STANDARD METHOD OF TESTING AND SPECIFICATIONS FOR ELECTRICAL INSULATING - 8 JAN 81 USER: SH REVIEWER: GS	A 9160	YD1	19-JUN-89	GL	YD1		
A		ASTM-D120-87(2)	GLOVES, RUBBER, INSULATING	A 8415	CT	08-OCT-91	GL	SH	99	CT
		ASTM-D126-65	LEAD CHROMATE, & CHROMIUM OXIDE GREEN, CHEMICAL ANALYSIS OF YELLOW, ORANGE & GREEN PIGMENTS CONTAINING - 31 AUG 65 (REAPPROVED 1981) [VALIDATION DATE: 8304]	A 8010	NR	01-MAY-74	NR	SH	99	
		ASTM-D127-63	PETROLEUM WAX, INCLUDING PETROLATUM DROP MELTING POINT OF - 30 SEP 63 (REAPPROVED 80) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS	A 91GP	ME	20-JUN-68	ME	SH	11	
D		ASTM-D128-83	GREASE, LUBRICATING, ANALYSIS OF - 28 JAN 83 REVIEWER: 68 AR AS YD1	A 91GP	ME	24-APR-84	ME	SH	11	
		ASTM-D129-64	PETROLEUM PRODUCTS BY THE BOMB METHOD, SULFUR IN - 31 AUG 64 (REAPPROVED 78) [VALIDATION DATE: 8512] REVIEWER: 68 AR AS	A 91GP	ME	20-JUN-68	ME	SH	11	
		ASTM-D130-83	COPPER CORROSION FROM PETROLEUM PRODUCTS BY THE COPPER STRIP TARNISH TEST, DETECTION OF - 28 OCT 83	A 9150	ME	24-APR-84	ME	SH	11	
D		ASTM-D140-88	BITUMINOUS MATERIAL, SAMPLING	A 5610	YD1	20-MAY-88	CE	YD1	99	
D		ASTM-D146-90	FELT OR WOVEN FABRIC, BITUMEN SATURATED FOR ROOFING AND WATERPROOFING, SAMPLING AND TESTING - 26 JAN 1990 USER: CE	A 5650	YD1	23-AUG-90	ME	YD1		
D		ASTM-D149-90	DIELECTRIC BREAKDOWN VOLTAGE & DIELECTRIC STRENGTH OF SOLID ELECTRICAL INSULATING MATERIALS AT COMMERCIAL POWER FREQUENCIES - 29 JUNE 90 USER: AS OS YD1 REVIEWER: 11 84 99 AV ER GS ME	A 5970	NR	29-NOV-90	NR	SH	85	
		ASTM-D150-87	A-C LOSS CHARACTERISTICS AND PERMITTIVITY (DIELECTRIC CONSTANT) OF SOLID ELECTRICAL INSULATING MATERIALS - 28 AUG 87 REVIEWER: 99 AS AT ER GS ME MI	A 9330	NR	21-SEP-89	NR	SH	11	
		ASTM-D153-84R89	PIGMENTS, STANDARD TEST METHODS FOR SPECIFIC GRAVITY OF - 26 OCT 84 (REAPPROVED 1989) [VALIDATION DATE: 9006]	A 8010	NR	22-JUN-90	NR	SH	99	
A		ASTM-D156-82	PETROLEUM PRODUCTS, SAYBOLT COLOR OF (SAYBOLT CHROMOMETER METHOD) - 27 AUG 82 REVIEWER: 68 AS	A 91GP	ME	06-APR-83	ME	SH	11	
		ASTM-D169-85	PLATE, ALUMINUM BRONZE, SHEET, STRIP AND ROLLED BAR - 22 FEB 1985 USER: EA GL ME OS REVIEWER: ER 15 MC SA	A 9535	NR	13-NOV-85	NR	SH		
D		ASTM-D173-86	BITUMEN-SATURATED COTTON FABRICS USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] USER: CE	A 5650	YD1	09-MAR-92	ME	YD1	99	
D		ASTM-D178-81	RUBBER INSULATING MATTING - 31 JULY 1981 REVIEWER: 99 GS SH	A 5970	YD1	10-AUG-86	ER	YD1	85	
		ASTM-D185-84R89	PIGMENTS, PASTES, & PAINTS, COARSE PARTICLES IN - 26 OCT 84 (REAPPROVED 1989) [VALIDATION DATE: 9006]	A 8010	NR	22-JUN-90	NR	SH	99	
		ASTM-D187-82	KEROSENE, BURNING QUALITY OF - 27 AUG 82 REVIEWER: 68 AR AS	A 91GP	ME	06-APR-83	ME	SH	11	
A		ASTM-D189-81	PETROLEUM PRODUCTS, COMRADSON CARBON RESIDUE OF - 28 AUG 81	A 9150	ME	21-JUL-82	ME	SH	11	
		ASTM-D217-82	GREASE, LUBRICATING, CONE PENETRATION OF - 27 AUG 82	A 91GP	ME	06-APR-83	ME	AS	11	
D		ASTM-D224-89	ROOFING, ASPHALT ROLL, SMOOTH SURFACED (ORGANIC FELT) USER: CE	A 5650	YD1	21-JUN-89	YD1	99		
D		ASTM-D225-86	ASPHALT SHINGLES (ORGANIC FELT) SURFACED WITH MINERAL GRANULES USER: CE MC	A 5650	YD1	22-MAR-88	ME	YD1		
D		ASTM-D226-88	FELT, ASPHALT-SATURATED ORGANIC, USED IN ROOFING & WATERPROOFING - 29 APR 88	A 5650	YD1	03-NOV-88	YD1	99		
D		ASTM-D227-89	FELT, COAL-TAR-SATURATED ORGANIC USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR USER: CE	A 5650	YD1	02-MAR-92	ME	YD1	99	
		ASTM-D229-91	RIGID SHEET AND PLATE MATERIALS USED FOR ELECTRICAL INSULATION USER: AS MI OS REVIEWER: AT GL GS MD ME	A 9330	NR	04-OCT-91	NR	SH		
		ASTM-D233-65R81	TURPENTINE, SAMPLING & TESTING - 65 (REAPPROVED 1981) [VALIDATION DATE: 9006]	A 8010	NR	27-JUN-90	NR	SH	99	
D		ASTM-D235-83	MINERAL SPIRITS (PETROLEUM SPIRITS) (HYDROCARBON DRY CLEANING SOLVENT) - 27 MAY 83 USER: AS MC REVIEWER: GL GS MD ME YD1	A 6810	EA	11-OCT-85	EA	SH		
		ASTM-D240-76	FUELS, LIQUID HYDROCARBON, HEAT OF COMBUSTION OF BY BOMB CALORIMETER - 27 AUG 76 (REAPPROVED 80) [VALIDATION DATE: 8501]	A 9150	ME	28-DEC-78	ME	SH	11	
D		ASTM-D242-85	PAVING, BITUMINOUS MIXTURES, MINERAL FILLER FOR - 22 FEB 1985 [VALIDATION DATE: 9107] USER: CE MC	A 5610	YD1	25-JUL-91	ME	YD1	99	
D		ASTM-D244-92	ASPHALTS, EMULSIFIED, STANDARD TEST METHODS FOR REVIEWER: 84	A 5610	YD1	20-NOV-92	ME	YD1	99	
D		ASTM-D249-89	ASPHALT ROLL ROOFING (ORGANIC FELT) SURFACED WITH MINERAL GRANULES	A 5650	YD1	19-JUN-89	ME	YD1	99	
D		ASTM-D2568-90	IMPACT RESISTANCE OF PLASTICS AND ELECTRICAL INSULATING MATERIALS USER: AR OS YD1 REVIEWER: AS AT AV GL GS ME MI	A 9330	NR	09-DEC-91	NR	SH	11	
D		ASTM-D257-91	MATERIALS, INSULATING, D-C RESISTANCE OR CONDUCTANCE OF - 22 FEB 1991 USER: OS SH YD1 REVIEWER: 99 AS AV ER GS ME	A 9330	NR	22-MAY-92	NR		11	
		ASTM-D268-85	SOLVENT VOLATILE & CHEMICAL INTERMEDIATES FOR USE IN PAINT & RELATED COATINGS & MATERIAL STANDARD METHODS OF SAMPLING & TESTING - 25 JAN 85 USER: MC OS SH REVIEWER: GS MD ME	A 6810	EA	06-JUN-89				
D		ASTM-D276-87	TEXTILE, IDENTIFICATION OF FIBERS IN - 31 JUL Y 1987 USER: OS SH REVIEWER: GL 15 ME SA YD1	A PACK	AS	20-JUN-88	SH	AS	99	
		ASTM-D279-87	PIGMENTS, BLEEDING OF - 29 MAY 87	A 8010	NR	28-JUL-88	NR	SH	99	
		ASTM-D280-81R87	HYGROSCOPIC MOISTURE (AND OTHER MATTER VOLATILE UNDER THE TEST CONDITIONS) IN - 30 OCT 81 REAPPROVED 1987 [VALIDATION DATE: 8803]	A 8010	NR	14-MAR-88	NR	SH	99	
		ASTM-D281-84R89	OIL ABSORPTION OF PIGMENTS BY SPATULA RUB-OUT, STANDARD TEST METHOD FOR - 31 AUG 84 (REAPPROVED 1989) [VALIDATION DATE: 9006] REVIEWER: 84	A 8010	NR	22-JUN-90	NR	SH	99	
		ASTM-D283-84	PIGMENT, CHEMICAL ANALYSIS OF DRY CUPROUS OXIDE & COPPER, STANDARD METHODS OF - 26 OCT 84 [VALIDATION DATE: 9006]	A 8010	NR	22-JUN-90	NR	SH	84	
A		ASTM-D287-82	PETROLEUM & PETROLEUM PRODUCTS, API GRAVITY OF CRUDE (HYDROMETER METHOD) - 27 AUG 82 REVIEWER: 68 AR AS OS	A 91GP	ME	13-AUG-85	ME	SH	11	
D		ASTM-D297-90	RUBBER PRODUCT CHEMICAL ANALYSIS - 26 OCT 1990 USER: AS AV GS MC OS YD1 REVIEWER: ER GL ME	A 9320	NR	25-FEB-91	NR	SH	99	
		ASTM-D304-85	N-BUTYL ALCOHOL (BUTANOL) - 25 JAN 85 USER: AS MC REVIEWER: GL GS MD ME	A 6810	EA	25-JAN-88	EA		68	
D		ASTM-D317-89	ASPHALT USED IN ROOFING - 6 SEP 1989 USER: CE	A 5610	YD1	15-NOV-89	YD1	99		
		ASTM-D323-82	PETROLEUM PRODUCTS, VAPOR PRESSURE OF (REID METHOD) - 27 AUG 82	A 91GP	ME	06-APR-83	ME	SH	11	
		ASTM-D329-81	ACETONE - 30 OCT 81 USER: AS MC OS REVIEWER: AR GL GS MD ME	A 6810	EA	15-SEP-83	EA	SH	68	
		ASTM-D341-77	PETROLEUM PRODUCTS, LIQUID, VISCOSITY - TEMPERATURE CHARTS FOR - 26 AUG 77 (REAPPROVED 82) [VALIDATION DATE: 8501]	A 9150	ME	28-DEC-78	ME	SH	11	
		ASTM-D345-80	CALCIUM CHLORIDE FOR ROADS AND STRUCTURAL APPLICATIONS - 30 MAY 80	A 6810	ME	08-MAY-89				
		ASTM-D351-71R77	BLOCK MICA & THINS, NATURAL MUSCOVITE, BASED ON VISUAL QUALITY - 19 MAR 71	A 5970	ER	09-JAN-80	ER	SH	85	
		ASTM-D358-83R88	PANELS IN WEATHERING TESTS OF COATINGS, WOOD TO BE USED ON - 28 OCT 1983 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: AS SH REVIEWER: 99 ME	A 8010	NR	22-JUN-90	NR		11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt Chg / Chg Coordination Inhouse	Document Number	Document Title	Dtd. Smt. FIC / Area	MCA Symbol Property	Date	Custodians			
						Army	Navy	Air Force	DIA
D	ASTM-D362-84	TOLUENE, INDUSTRIAL GRADE - 30 MARCH 1984 USER: AS MC YDI REVIEWER: AR GL GS MD	A 6810	EA	15-NOV-85	EA	SH	68	
D	ASTM-D371-89	ASPHALT ROLL ROOFING (ORGANIC FELT) SURFACED WITH MINERAL GRANULES, WIDE SELVAGE REVIEWER: SH	A 5650	YDI	06-JUN-89	ME	YDI		
D	ASTM-D380-87	RUBBER MOSE, STANDARD TEST METHODS FOR - 30 OCT 1987ATION, OIL-& GAS-FIRED (REFER TO MM-F-2743) USER: AT ME OS SH YDI REVIEWER: B2 AV GL GS	A 9320	MR	21-NOV-89	MR		11	
A	ASTM-D381-80	FUELS BY JET EVAPORATION, EXISTENT GUM IN - 29 AUG 80 REVIEWER: OS	A 91GP	ME	13-AUG-85	ME	SH	11	
D	ASTM-D387-86	COLOR & STRENGTH OF COLOR PIGMENTS WITH A MECHANICAL MILLER - 26 AUG 86	A 8010	MR	27-OCT-89	MR	SH	99	
D	ASTM-D390-86	COAL-TAR CREOSOTE FOR THE PRESERVATIVE TREATMENT OF PILES, POLES, & TIMBERS FOR MARINE, LAND, & FRESH WATER USE - 28 FEB 1986 USER: SH REVIEWER: 99 EA GS	A 6810	/	08-SEP-86	ME	YDI	68	
D	ASTM-D391-84 NOTICE 2	CREOSOTE-COAL TAR SOLUTION, STANDARD SPECIFICATION FOR [VALIDATION DATE: 92031 REVIEWER: GS	A 8030	* YDI	09-MAR-92	ME	YDI	68	
D	ASTM-D395-89	RUBBER PROPERTY-COMPRESSION SET - 31 MARCH 1989 REVIEWER: B2 GL IS SH YDI	A 9320	MR	07-AUG-89	MR	11	99	
D	ASTM-D396A-90	OIL, FUEL - 27 APR 1990	A 9140	ME	11-MAR-91	ME			
A L	ASTM-D409 NOTICE 1	GRINDABILITY OF COAL BY THE HARDGROVE-MACHINE METHOD, STANDARD TEST METHOD FOR	A 9110	* PS	08-FEB-93				PS
D	ASTM-D412-87 NOTICE 2	RUBBER PROPERTIES IN TENSION, STANDARD TEST METHODS FOR [VALIDATION DATE: 92061 USER: YDI REVIEWER: B2 SH	A 9320	* MR	05-JUN-92	MR		99	
D	ASTM-D413-82R88 NOTICE 2	RUBBER PROPERTY-ADHESION TO FLEXIBLE SUBSTRATE [VALIDATION DATE: 8806] REVIEWER: YDI	A 9320	MR	01-JUN-88	MR	SH	99	
D	ASTM-D418-82 NOTICE 2	FLOOR COVERING CONSTRUCTION, STANDARD METHODS OF TESTING PILE YARN - 1 SEP 1982 [VALIDATION DATE: 90021 USER: AS SH	A 7220	YDI	07-FEB-90	ME	YDI	99	
D	ASTM-D420-87 NOTICE 2	INVESTIGATING AND SAMPLING SOIL AND ROCK, STANDARD GUIDE FOR [VALIDATION DATE: 92071 USER: CG	A 5610	* YDI	06-JUL-92		YDI	99	
D	ASTM-D421-85	DRY PREPARATION OF SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS AND DETERMINATION OF SOIL CONSTANTS - 26 JUL 1985 USER: MC REVIEWER: B4	A 5610	YDI	27-FEB-90	ME	YDI	99	
D	ASTM-D422-63R72 NOTICE 2	SOILS, PARTICLE-SIZE ANALYSIS OF, STANDARD METHOD FOR - 21 NOV 63 (REAPPROVED 72) [VALIDATION DATE: 88001 USER: CE MC	A 5610	YDI	31-AUG-98		YDI		
D	ASTM-D429-81 NOTICE 2	RUBBER PROPERTY, ADHESION TO RIGIDSTRATES - 27 NOV 81 [VALIDATION DATE: 88031 USER: AS AT OS REVIEWER: 99 AV ER GL GS ME	A 9320	MR	07-MAR-88	MR	SH	11	
D	ASTM-D430-73	RUBBER DETERIORATION-DYNAMIC FATIGUE, STANDARD TEST METHODS FOR - MAR 73 REVIEWER: GS	A 9320	B2	10-SEP-84	MR		99	
A	ASTM-D434-75	YARN, RESISTANCE TO SLIPPAGE IN WOVEN FABRICS USING A STANDARD SEAM - 30 JUN 1975 [VALIDATION DATE: 86011 USER: AS CG MC REVIEWER: MD ME MI SH TE	A 83GP	CI	04-DEC-79	GL	NU		CT
	ASTM-D444-88	PIGMENT, ZINC YELLOW (ZINC CHROMATE YELLOW) CHEMICAL ANALYSIS OF - 31 OCT 88	A 8010	MR	11-APR-90	MR	SH	11	
	ASTM-D445-83	LIQUIDS, TRANSPARENT & OPAQUE, (& THE CALCULATION OF DYNAMIC VISCOSITY), KINEMATIC VISCOSITY OF - 28 OCT 83	A 95GP	ME	24-APR-84	ME	SH	11	
D	ASTM-D446-74R79 ASTM-D448-86 NOTICE 2	VISCOMETERS, GLASS CAPILLARY KINEMATIC - 30 AUG 74	A 6630	ME	07-NOV-83	ME			
D	ASTM-D449-79R83 NOTICE 1	SIZES OF AGGREGATE FOR ROAD AND BRIDGE CONSTRUCTION, STANDARD SPECIFICATION FOR [VALIDATION DATE: 92031 USER: CE MC	A 5610	* YDI	09-MAR-92	ME	YDI	99	
D	ASTM-D450-86	ASPHALT USED IN DAMPROOFING & WATERPROOFING - 27 APR 79 (REAPPROVED 83) [VALIDATION DATE: 89051 REVIEWER: CE	A 5610	YDI	10-MAY-89		YDI	99	
D	ASTM-D453-86	PITCH, COAL-TAR, ROOFING, DAMPROOFING, AND WATERPROOFING, STANDARD SPECIFICATION FOR USER: CE	A 5610	YDI	29-JAN-89		YDI		
D	ASTM-D454-88 ASTM-D460-84	ACIDS, TAR, IN CREOSOTE-COAL TAR SOLUTIONS, STANDARD TEST METHOD FOR - 28 FEB 86 USER: MR SH REVIEWER: B4 CS SH	A 8030	YDI	09-MAR-89	ME	YDI	99	
D	ASTM-D471-79R79 NOTICE 1	RUBBER-DETERIORATION BY HEAT & AIR PRESSURE USER: AT REVIEWER: GL GS ME ... SOAP & SOAP PRODUCTS, SAMPLING & CHEMICAL ANALYSIS OF, STANDARD METHODS FOR - 25 MAY 84 USER: SH REVIEWER: GL GS MD ME	A 9320	MR	27-MAY-88	MR	SH	99	
D	ASTM-D473-90	RUBBER PROPERTY, EFFECT OF LIQUIDS - 30 MAR 79 [VALIDATION DATE: 91051 USER: AT AV ME YDI REVIEWER: GS MI TE	A 6810	EA	22-APR-86	EA		68	
D	ASTM-D476-73R79 ASTM-D480-88 ASTM-D490-77R83 NOTICE 1	FORGINGES, STAINLESS AND HEAT RESISTING STEEL - 26 JAN, 1990 USER: AT OS REVIEWER: MI SH	A 9320	MR	09-MAY-91	MR	SH	11	
D	ASTM-D491-79R83 NOTICE 2	PIGMENT, TITANIUM DIOXIDE, - 29 OCT 73 USER: CG OS YDI REVIEWER: AR ME	A 8010	SH	12-AUG-81	MR	SH	99	
D	ASTM-D495-89	ALUMINUM POWDER & PASTE, SAMPLING & TESTING OF - 28 JUL 88	A 8010	MR	19-APR-90	MR	SH	84	
D	ASTM-D496-74R79 ASTM-D498-74R79	TAR - 25 MAR 77 (REAPPROVED 1983) [VALIDATION DATE: 88031	A 5610	YDI	31-MAR-88	CE	YDI	99	
D	ASTM-D501-89	ASPHALT MASTIC USED IN WATERPROOFING - 27 APR 79 (REAPPROVED 1983) [VALIDATION DATE: 91071 USER: CE OS SH	A 5610	YDI	25-JUL-91	ME	YDI		
D	ASTM-D511-88	ACETONE EXTRACTION OF PHENOLIC MOLDED OR LAMINATED - 16 SEPTEMBER 1946 USER: AS YDI REVIEWER: AR AV ER GL GS MI	A 9330	MR	29-SEP-78	MR	SH	11	
D	ASTM-D512-81	INSULATION, SOLID ELECTRICAL, HIGH VOLTAGE, LOW CURRENT, DRY ARC RESISTANCE OF - 25 NOV 1989 USER: OS YDI REVIEWER: AR AS AV ER GS ME	A 9330	MR	07-FEB-91	MR	SH	11	
D	ASTM-D515-78	SOAP, CHIP - 28 NOV 1974 [VALIDATION DATE: 85011	A 7930	GL	21-AUG-79	GL		99	
D	ASTM-D517-70R81 NOTICE 2	SOAP, POWDERED (NONALKALINE SOAP POWDER) - 28 NOV 74 [VALIDATION DATE: 85011	A 7930	GL	21-AUG-79	GL		99	
D	ASTM-D518-86	ALKALINE DETERGENTS, STANDARD METHOD OF SAMPLING & CHEMICAL ANALYSIS OF - 26 MAY 89 USER: SH REVIEWER: GS MD ME	A 6810	EA	24-AUG-90	EA		99	
D	ASTM-D522-92 NOTICE 1	WATER, CALCIUM & MAGNESIUM IN, STANDARD TEST METHODS FOR - 24 JUN 88 USER: ME SH REVIEWER: GS MD	A 6810	EA	24-AUG-90	EA			
D	ASTM-D523-89	CHLORIDE ION IN WATER, STANDARD TEST METHODS FOR	A 6810	SH	21-MAY-84	EA	SH		
D	ASTM-D524	WATER, PHOSPHORUS IN - 28 JUL 72 REVIEWER: GL GS MD ME PS	A 6810	SH	28-JAN-81	EA	SH		
D	ASTM-D525-80	PLANK, ASPHALT - 23 OCT 81 [VALIDATION DATE: 91071	A 5610	YDI	25-JUL-91	ME	YDI		
D	ASTM-D530-82R85 ASTM-D531-89	RUBBER DETERIORATION-SURFACE CRACKING (STANDARD TEST METHOD) - 27 MAR 86 .. HANDEL BEND TEST OF ATTACHED ORGANIC COATINGS, STANDARD TEST METHODS FOR USER: SH REVIEWER: YDI	A 5970	ER	19-JUN-86	ER	SH	85	
D	ASTM-D542-90	GLOSS, SPECULAR - 31 MAR 89 USER: GL YDI REVIEWER: 99 AT ER GS ME	A 8010	* MR	17-JUL-92	MR	AS	84	
D	ASTM-D543-87	PETROLEUM PRODUCTS, RANSBOTTOM MOLDED RESIDUE OF, STANDARD TEST METHOD FOR GASOLINE (INDUCTION PERIOD METHOD) OXIDATION STABILITY OF - 29 AUG 1980 USER: OS REVIEWER: 68	A 91GP	* PS	24-JAN-92				PS
D	ASTM-D545-84 NOTICE 1	TESTING HARD RUBBER PRODUCTS - 26 MAR 82 REVIEWER: GS	A 91GP	ME	15-AUG-85	ME	SH	11	
D	ASTM-D546-88	RUBBER PROPERTY-PUSEY AND JONES INDENTATION - 31 MARCH 1989 USER: OS SH REVIEWER: B2 AT IS ME	A 9320	MR	04-MAR-88	MR	SH	99	
D	ASTM-D549-74	PLASTICS, TRANSPARENT ORGANIC INDEX OF REFRACTION OF - 30 MAR 1990 USER: AS GL YDI REVIEWER: B4 AT AV GS ME	A 9320	MR	07-AUG-89	MR	SH	99	
D	ASTM-D555-84R92 NOTICE 1	PLASTIC TO CHEMICAL REAGENTS, RESISTANCE OF - 27 FEB 87 USER: AS YDI REVIEWER: AR AV ER GL GS MI	A 9330	MR	29-NOV-90	MR	SH	11	
D	ASTM-D558-82 NOTICE 2	CONCRETE CONSTRUCTION (MONEXTRUDING & RESILIENT TYPES), STANDARD METHODS OF TESTING PREFORMED EXPANSION JOINT FILLERS FOR - 1 MAR 84 [VALIDATION DATE: 89051 USER: CE	A 9330	MR	02-OCT-85	MR	SH	11	
D	ASTM-D559-89	ROAD & PAVING MATERIAL, MINERAL FILLER FOR, SIEVE ANALYSIS OF - 30 SEP 1988 USER: MC	A 5610	YDI	10-MAY-89		YDI		
D	ASTM-D565-84R92 NOTICE 1	RODIN IN PAPER & PAPERBOARD - 30 AUG 74 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YDI	A 5610	YDI	26-APR-89	CE	YDI	99	
D	ASTM-D568-82 NOTICE 2	OILS, DRYING, TESTING, STANDARD GUIDE FOR REVIEWER: ME	A 9310	AS	01-MAY-81	SM	AS	69	
D	ASTM-D569-89	SOIL CEMENT MIXTURES, MOISTURE DENSITY RELATIONS OF - 1 OCT 82 [VALIDATION DATE: 89081 USER: CE CG MC	A 8010	* MR	17-NOV-92	MR	AS		
D	ASTM-D569-89	SOIL CEMENT MIXTURES, COMPACTED, WETTING & DRYING TEST OF - 28 JUL 1989 USER: CE MC	A 5610	YDI	27-AUG-89	ME	YDI		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc CPL / OIA Coordinator Index	Document Number	Document Title	Doc. Smt. FSC / Area NAJ Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
D	ASTM-D560-89	SOIL CEMENT MIXTURES, COMPACTED, FREEZING & THAWING TESTS OF - 28 JULY 1989 USER: CE MC	A 5610	YD1	27-SEP-89	ME	YD1		
D	ASTM-D562-81R85 NOTICE 1	PAINTS, USING THE STORMER VISCOSIMETER, CONSISTENCY OF - 30 OCT 81 (REAPPROVED 1985) [VALIDATION DATE: 9006] USER: YD1	A 8010	NR	22-JUN-90	NR	SH	99	
	ASTM-D563-88	PHTHALIC ANHYDRIDE CONTENT OF ALKYD RESIN & RESIN SOLUTION STANDARD TEST METHOD FOR - 27 MAY 88	A 8010	NR	13-JAN-89	NR	SH	11	
	ASTM-D564-87R91 NOTICE 2	LIQUID PAINT DRIERS, STANDARD TEST METHODS FOR USER: AS REVIEWER: 84 .....	A 8010	*	NR	05-NOV-91	NR	SH	99
	ASTM-D565-45	OIL, MINERAL, WHITE, (LIQUID PETR), CARBONIZABLE SUBSTANCES IN - 15 SEP 45 (REAPPROVED 79) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS	A 916P	ME	20-JUN-68	ME	SH	11	
	ASTM-D566-76	GREASE, LUBRICATION, DROPPING POINT OF - 27 AUG 76 (REAPPROVED 82) [VALIDATION DATE: 8512]	A 9150	ME	28-DEC-78	ME	SH	11	
D	ASTM-D569-90	THERMOPLASTIC MOLDING MATERIALS, MEASURING THE FLOW PROPERTIES OF - 27 JULY 1990 USER: AS GL YD1 REVIEWER: 99 AV ER ME	A 9330	NR	09-APR-91	NR	SH	11	
	ASTM-D570-81 NOTICE 2	PLASTIC, WATER ABSORPTION OF - 30 OCT 81 [VALIDATION DATE: 8803] REVIEWER: 99 AR ER GL GS ME MI	A 9330	NR	30-MAR-88	NR	SH	11	
D	ASTM-D572-88	RUBBER-DETERIORATION BY HEAT & OXYGEN - 29 APR 88 USER: AT YD1 REVIEWER: AV GL GS ME	A 9320	NR	27-MAY-88	NR	SH	99	
D	ASTM-D573-88	RUBBER-DETERIORATION IN AN AIR OVEN - 29 APR 88 USER: AT YD1 REVIEWER: AV GL GS ME	A 9320	NR	27-MAY-88	NR	SH	99	
	ASTM-D579-83	GLASS FABRICS, GREIGE WOVEN - 25 FEB 1983 .....	A 9340	NR	07-AUG-87	NR			
	ASTM-D607-82	PIGMENTS, WET GROUND MICA - 25 JUNE 1982 USER: CG REVIEWER: MI NR SA .....	A 8010	SH	17-JUL-85	ME	SH	99	
	ASTM-D608-73R80	PANEL, STEEL, FOR TESTING PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS - 29 OCT 1973	A 8010	SH	24-MAY-85	ME	SH	99	
	ASTM-D610-85 NOTICE 1	STEEL SURFACES, RUSTING ON PAINTED, EVALUATING DEGREE OF, STANDARD METHOD OF - 25 OCT 85 (R89) [VALIDATION DATE: 9102]	A 8010	NR	12-FEB-91	NR	SH	84	
A	ASTM-D611-82	SOLVENTS, HYDROCARBON, ANILINE POINT AND MIXED ANILINE POINT OF PETROLEUM PRODUCTS AND - 27 AUG 1982 USER: OS REVIEWER: 68	A 9150	ME	15-AUG-85	ME	SH	11	
	ASTM-D612-45	WAX, PARAFFIN, CARBONIZABLE SUBS IN - 15 SEP 45 (REAPPROVED 83) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS	A 916P	ME	20-JUN-68	ME	SH	11	
	ASTM-D613-65	FUELS, DIESEL, IGNITION QUALITY THE CETANE METHOD - 31 AUG 65 REVIEWER: 68 AR AS	A 916P	ME	20-JUN-68	ME	SH	11	
D	ASTM-D617-84R89 NOTICE 1	SHEETS, PHENOLIC LAMINATED, PUNCHING QUALITY OF - 30 NOV 1984 (REAPPROVE D 1989) [VALIDATION DATE: 9006] USER: AS MC OS YD1 REVIEWER: AR AT ER GS MD	A 9330	NR	22-JUN-90	NR			
D	ASTM-D618-61R81 NOTICE 1	INSULATING MATERIALS, CONDITIONING & ELECTRICAL, FOR TESTING - 18 SEP 61 (REAPPROVED 1981) [VALIDATION DATE: 9006] USER: AR MI OS SH YD1 REVIEWER: AT AV GS	A 9330	NR	22-JUN-90	NR	AS	99	
D	ASTM-D621-64R88 NOTICE 1	PLASTICS UNDER LOAD, DEFORMATION OF - 31 AUG 64 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: YD1 REVIEWER: AR AS AV ER GS ME MI	A 9330	NR	22-JUN-90	NR	SH	11	
D	ASTM-D622-86R91 NOTICE 1	RUBBER HOSE FOR AUTOMOTIVE AIR & VACUUM BRAKE SYSTEM - 27 MAR 81 USER: AS OS YD1 REVIEWER: 82 AT GL GS ME	A 9320	NR	09-MAY-91	NR	SH	99	
D	ASTM-D624-86	RUBBER PROPERTY-TEAR RESISTANCE - 27 MAR 86 REVIEWER: AR AS AV GL GS ME YD1	A 9320	NR	23-APR-86	NR	SH	99	
	ASTM-D629-77	TEXTILES, QUANTITATIVE ANALYSIS OF - 3 NOV 77 REVIEWER: SH .....	A 836P	AS	01-MAY-81	AS	69		
D	ASTM-D633-87 NOTICE 2	ROAD TAR, STANDARD VOLUME CORRECTION TABLE FOR [VALIDATION DATE: 9203] USER: CE	A 5610	*	YD1	09-MAR-92	YD1	11	
D	ASTM-D635-88	PLASTICS, SELF-SUPPORTING, IN A HORIZONTAL POSITION, RATE OF BURNING AND/OR EXTENT OF TIME OF BURNING OF - 25 NOV 1988 USER: AS OS YD1 REVIEWER: 70 71 82 84 99 ER GL MI	A 9330	NR	21-SEP-89	NR	SH	11	
	ASTM-D637-90	SHEETS, FLAT TRANSPARENT PLASTIC, SURFACE IRREGULARITIES OF - 26 OCT 1990 .	A 9330	NR	22-MAY-91	NR	SH	11	
	ASTM-D638-91 NOTICE 1	TENSILE PROPERTIES OF PLASTICS USER: SH REVIEWER: AV EA GS .....	A 9330	*	NR	02-MAR-92	NR	AS	11
A	ASTM-D638MA-91 NOTICE 1	TENSILE PROPERTIES OF PLASTICS (METRIC) USER: SH REVIEWER: AV EA GS .....	A 9330	*	NR	22-OCT-92	NR	AS	11
	ASTM-D639-81R85	BATTERY CONTAINERS MADE FROM HARD RUBBER OR EQUIVALENT MATERIALS [VALIDATION DATE: 8803] USER: AS OS REVIEWER: AV GL GS ME	A 9320	NR	07-MAR-88	NR	SH	11	
D	ASTM-D642-76	CONTAINERS, SHIPPING, COMPRESSION TEST FOR - 24 SEP 76 [VALIDATION DATE: 8801] USER: AR OS SH REVIEWER: 99 GL ME MI NR SA YD1	A 9330	AS	25-JAN-88	SH	AS	69	
D	ASTM-D647-88	MATERIALS, PLASTIC MOLDING, STANDARD PRACTICE FOR DESIGN MOLDS FOR TEST SPECIMENS OF - 29 JUL 88 USER: SH REVIEWER: 84 CS GS SH	A 9530	YD1	12-JUL-89	ME	YD1	99	
D	ASTM-D648-82R88	PLASTICS, DEFLECTION TEMPERATURE OF, UNDER FLEXURAL LOAD - 30 JULY 1983 (REAPPROVED 1988) USER: GL YD1 REVIEWER: AS AV ER GS ME MI	A 9330	NR	08-DEC-89	NR	SH	11	
D	ASTM-D653-90	SOIL, ROCK, AND CONTAINED FLUIDS, STANDARD TERMINOLOGY RELATING TO - 23 OCT 1989 USER: MC REVIEWER: 84	A 5610	YD1	28-FEB-90	ME	YD1	99	
D	ASTM-D659-86	PAINTS, EXTERIOR, EVALUATING DEGREE OF CHALKING OF, STANDARD METHOD OF - 24 FEB 1986 (S/S BY ASTM-D4214-86R87) USER: YD1	A 8010	NR	02-SEP-86	NR	SH	11	
D	ASTM-D660-87	PAINT, EXTERIOR, EVALUATING DEGREE OF CHECKING OF - 19 OCT 1987 USER: YD1 REVIEWER: 84	A 8010	NR	20-SEP-88	NR	SH	99	
	ASTM-D661-86	PAINTS EXTERIOR EVALUATING DEGREE OF CRACKING OF - 29 AUG 86 USER: AS OS REVIEWER: 20 84 ME	A 8010	NR	24-FEB-88	NR	SH	99	
	ASTM-D662-44	PAINT, EXTERIOR, RESISTANCE, EVNG DEGREE OF, TO EROSION OF - 15 SEP 44 (REAPPROVED 1981) [VALIDATION DATE: 8304]	A 8010	NR	01-MAY-74	NR	SH	99	
A	ASTM-D664-81	NEUTRALIZATION NUMBER BY POTENTIOMETRIC TITRATION - 28 AUG 81 REVIEWER: 68 AR AS	A 916P	ME	21-JUL-82	ME	SH	11	
	ASTM-D665-83	RUST-PREVENTING CHARACTERISTICS OF INHIBITED MINERAL OIL IN THE PRESENCE OF WATER - 13 SEPT 1982 REVIEWER: 68 AS OS	A 916P	ME	13-JUN-85	ME	SH		
D	ASTM-D671-90	PLASTICS, FLEXURAL FATIGUE OF, BY CONSTANT AMPLITUDE OF FORCE - 26 OCT 1990 USER: AR EC MC OS REVIEWER: AS AV GL ME	A 9330	NR	29-MAY-91	NR	SH	99	
D	ASTM-D673-88	PLASTICS, MAR RESISTANCE OF - 25 MAR 1988 USER: AT GL YD1 REVIEWER: AR AS AV GS ME	A 9330	NR	28-AUG-90	NR	SH	11	
D	ASTM-D685-81R87	RUBBER - DETERIORATION BY HEATING IN AIR (TEST TUBE ENCLOSURE) - 27 MAR 81 USER: AT YD1 REVIEWER: AS AV GL GS ME	A 9320	NR	06-MAR-88	NR	SH	11	
D	ASTM-D689-79	PAPER, INTERNAL TEARING RESISTANCE OF - 5 JAN 79 REVIEWER: 99 AR GL 15 ME MI NR OS SA SH YD1	A 9310	AS	27-APR-81	SH	AS	69	
D	ASTM-D692-88	BITUMINOUS PAVING MIXTURES, COARSE AGGREGATE, STANDARD SPECIFICATION FOR - 26 FEB 88 USER: CE MC	A 5610	YD1	31-JAN-89		YD1	99	
D	ASTM-D693-84 NOTICE 2	MACADAM PAVEMENTS, CRUSHED AGGREGATE FOR - 27 APR 84 [VALIDATION DATE: 9004]	A 5610	YD1	02-APR-90	ME	YD1	99	
D	ASTM-D695-91 NOTICE 1	COMPRESSIVE PROPERTIES OF RIGID PLASTICS USER: AR OS YD1 REVIEWER: AS AT AV CR GL GS ME MI	A 9330	*	NR	02-MAR-92	NR	SH	11
D	ASTM-D695MA-91 NOTICE 1	COMPRESSIVE PROPERTIES OF RIGID PLASTICS (METRIC) USER: AR GL OS SH YD1 REVIEWER: AS AT AV GS ME MI	A 9330	*	NR	21-OCT-92	NR		11
D	ASTM-D696-91 NOTICE 1	COEFFICIENT OF LINEAR THERMAL EXPANSION OF PLASTICS BETWEEN -30 DEG. C AND 30 DEG. C USER: GL YD1 REVIEWER: AR AS AT AV CR ER GS ME MI	A 9330	*	NR	04-OCT-91	NR	SH	11
D	ASTM-D698-78	SOIL & SOIL AGGREGATE MIXTURES USING 5.5-18 (2.49 KG) RAMMER & 12 IN. (305 MM) DROP, MOISTURE DENSITY RELATIONS OF - 27 APR 78 USER: CE MC	A 5610	YD1	26-SEP-89	ME	YD1	99	
D	ASTM-D702-81	SHEETS, RODS, TUBES, AND SHAPES, STANDARD SPECIFICATION FOR CAST METHACRYLATE PLASTIC - 26 JUN 81 USER: SH REVIEWER: 84 CS GS SH	A 9330	YD1	06-JUN-89	ME	YD1	99	
	ASTM-D704-82R88 NOTICE 1	MELAMINE FORMALDEHYDE MOLDING COMPOUNDS - 30 JUL 82 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: MC SH REVIEWER: AL AR EA GL GS SH	A 9330	NR	22-JUN-90	NR			
	ASTM-D706-82R89 NOTICE 3	COMPOUNDS, CELLULOSE ACETATE MOLDING & EXTRUSION - 30 JUL 1982 (REAPPROVED 1989) [VALIDATION DATE: 9102] USER: AR AS REVIEWER: GL GS ME SH	A 9330	NR	19-FEB-91	NR			
	ASTM-D707-84 NOTICE 1	COMPOUND, MOLDING & EXTRUSION, CELLULOSE ACETATE BUTYRATE-27 JUL 84 [VALIDATION DATE: 9006] USER: OS REVIEWER: AV EA ER GS MD MI	A 9330	NR	22-JUN-90	NR	AS	11	



## NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

Index		ASTM / Doc. / Other	Document Title	Doc. Synt. / FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DIA
D		ASTM-D709-87	MATERIALS, LAMINATED THERMAL SETTING MATERIALS, STANDARD SPECIFICATION FOR - 27 FEB 87 REVIEWER: 84 GS SH	A 9330	YD1	12-JUL-89	NR	YD1	99		
A		ASTM-D710-81	SHEETS, RODS, AND TUBES, VULCANIZED FIBRE USED FOR ELECTRICAL INSULATION - 30 JAN 1981	A 5970	11	12-MAR-85	NR	AS	11		
D		ASTM-D714-87	PAINTS, BLISTERING OF, EVALUATING OF - (VALIDATION DATE: 8304) USER: 84 AS YD1	A 8010	NR	28-JUL-88	NR	SH	99		
A	L	ASTM-D720 NOTICE 1	COAL, FREE-SWELLING, INDEX OF, STANDARD TEST METHOD FOR	A 9110 *	PS	08-FEB-93					PS
		ASTM-D721-68	PETROLEUM WAXES, OIL CONTENT OF (REAPPROVED 982) (VALIDATION DATE: 8304) REVIEWER: 68 AS	A 916P	ME	03-JUN-74	ME	SH	11		
		ASTM-D724-45R71	PAPER, SURFACE METTABILITY OF (ANGLE-OF-CONTACT METHOD) 15 SEP 45	A 9310	AS	27-APR-81	SH	AS	69		
L		ASTM-D729-91 NOTICE 1	VINYLIDENE CHLORIDE MOLDING COMPOUNDS USER: GL SH REVIEWER: AR ER GS MD ME SH	A 9330 *	MR	04-OCT-91	NR				
		ASTM-D732-90	PLASTICS BY PUNCH TOOL, SHEAR STRENGTH OF, STANDARD TEST METHOD FOR - 30 MAR. 1990 USER: AS REVIEWER: AR AV ER GL GS MI	A 9330	MR	09-APR-91	NR	SH	11		
D		ASTM-D740-84	METHYL ETHYL KETONE - 27 APR 1984 REVIEWER: EA GL GS MR	A 6810	AR	09-JUL-87	AR	SH	68		
		ASTM-D746-79R87	PLASTICS AND ELASTOMERS, BRITTLENESS TEMPERATURE OF, BY IMPACT - 26 JAN. 1979 (REAPPROVED 1987) REVIEWER: 70 71 82 84 99 AS AT AV MI YD1	A 9330	MR	21-SEP-89	NR	SH	11		
		ASTM-D747-86	APPARENT BENDING MODULUS OF PLASTICS BY MEANS OF A CANTILEVER BEAM, TEST METHOD FOR - 28 SEPT 1984 REV 31 OCT 1986) REVIEWER: AR AV MR TE	A 10T1	AT	10-APR-87	AT				
		ASTM-D749-88	STEEL, STRIP, CARBON AND HIGH-STRENGTH, LOW ALLOY, HOT ROLLED, GENERAL REQUIREMENT FOR 4 APR 88 USER: OS REVIEWER: AR GL IS MI	A 9515	MR	05-APR-88	NR				
D		ASTM-D750-86 NOTICE 1	RUBBER DETERIORATION IN CARBON-ARC WEATHERING APPARATUS - 26 APR 1985 (VALIDATION DATE: 9006) USER: AT ME YD1 REVIEWER: AS AV GL	A 9320	MR	22-JUN-90	NR	SH	99		
D		ASTM-D751-89	COATED FABRICS - 28 APR 1989 REVIEWER: IS YD1	A 9320	MR	07-AUG-89	NR	SH	99		
-D		ASTM-D756-78R83 NOTICE 1	DETERMINATION OF WEIGHT & SHAPE CHANGES OF PLASTICS UNDER ACCELERATED SERVICE CONDITIONS - 28 JUL 78 (REAPPROVED 1983) USER: AV OS YD1 REVIEWER: AT ER GL GS MI	A 9330	MR	22-JUN-90	NR	SH	11		
		ASTM-D757-77 NOTICE 1	PLASTICS, RIGID, IN A HORIZONTAL, INCANDESCENCE RESISTANCE OF - 1 JUL 77 (VALIDATION DATE: 8702) USER: AS REVIEWER: 99 AR AV ER GL GS MI	A 9330	MR	10-FEB-87	NR	SH	11		
		ASTM-D772-86	PAINTS, EXTERIOR, FLAKING (SCALING), EVALUATING DEGREE OF - 29 AUG 86	A 8010	MR	24-FEB-88	NR	SH	99		
D		ASTM-D774-67R71	PAPER, BURSTING STRENGTH OF - 8 SEP 67 USER: OS SH REVIEWER: 99 AR GL ME MI MR SA YD1	A 9310	AS	30-SEP-81	SH	AS	69		
D		ASTM-D779-73	WATER RESISTANCE OF PAPER, PAPERBOARD, & OTHER SHEET MATERIALS BY THE DRY INDICATION METHOD - 27 AUG 73 USER: AR OS SH REVIEWER: 99 GL ME MI MR SA YD1	A 9310	AS	30-SEP-81	SH	AS	69		
D		ASTM-D781-68R73	PUNCTURE & STIFFNESS OF PAPERBOARD, & CORRUGATED & SOLID FIBERBOARD - 13 SEP 68 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1	A 1000	AS	01-MAY-81	SH	AS	69		
		ASTM-D782-82R87	CONTAINERS, SHIPPING, IN REVOLVING HEXAGONALDRUM, STANDARD METHOD OF - 27 AUG 82 USER: MC REVIEWER: 69 84 AR AT AV	A 1000	SH	08-JUN-88	SH	AS	99		
		ASTM-D785-89	PLASTICS AND ELECTRICAL INSULATING MATERIALS, ROCKWELL HARDNESS OF - 27 JAN 1989	A 9330	MR	28-AUG-90	NR	SH	11		
		ASTM-D787-81R88 NOTICE 3	ETHYL CELLULOSE MOLDING & EXTRUSION COMPOUNDS - 26 JUN 1981 (REAPPROVED 1988) (VALIDATION DATE: 8902) REVIEWER: AR CR EA ER GS MD	A 9330	MR	08-FEB-89	NR	SH	11		
D		ASTM-D788-83	PIPE, BLOOD DILUTING - 25 FEB 1983	A 6640 /	MB	30-MAY-86	MD	MS	03		
		ASTM-D790-91 NOTICE 1	FLEXURAL PROPERTIES OF UNREINFORCED AND REINFORCED PLASTICS AND ELECTRICAL INSULATING MATERIALS USER: AR YD1 REVIEWER: AS AT AV CR GL GS ME MI OS	A 9330 *	MR	02-MAR-92	NR	SH	11		
D		ASTM-D792-86	PLASTICS BY DISPLACEMENT, SPECIFIC GRAVITY (RELATIVE DENSITY) & DENSITY OF - 30 MAY 1986 USER: YD1	A 9330	MR	07-AUG-87	NR	SH	11		
D		ASTM-D797-92 NOTICE 1	RUBBER PROPERTY - YOUNG'S MODULUS AT NORMAL & SUBNORMAL TEMPERATURES - 29 JAN 82 (VALIDATION DATE: 8804)	A 9320	YD1	20-APR-88	NR	YD1	99		
A		ASTM-D808-81	CHLORINE IN NEW & USED PETROLEUM PRODUCTS (BOMB METHOD - 28 AUG 81) REVIEWER: 68	A 916P	ME	21-JUL-82	ME	SH	11		
D		ASTM-D811-82	OIL, LUBRICATING, CHEMICAL ANALYSIS FOR METALS IN NEW & USED - 27 AUG 82	A 916P	ME	06-APR-83	ME	SH	11		
		ASTM-D813-87	RUBBER DETERIORATION-CRACK GROWTH - 27 NOV 87 USER: 82 OS YD1 REVIEWER: 11 AR ER GL GS MD ME SH	A 9320	MR	06-JAN-89	NR	AS	99		
		ASTM-D816-82	CEMENT, RUBBER - 29 OCT 82 (VALIDATION DATE: 8806) USER: OS SA REVIEWER: AR GL ME MI	A 8040	MR	16-JUN-83	NR	SH	11		
D		ASTM-D822-86	APPARATUS, OPERATING LIGHT-AND-WATER-EXPOSURE, FOR TESTING PAINT AND RELATED COATINGS AND MATERIALS, STANDARD PRACTICE FOR - 30 MAY 86 USER: CE OS SH	A 8010	YD1	15-OCT-87		YD1			
D		ASTM-D823A-92 NOTICE 1	PRODUCING FILMS OF UNIFORM THICKNESS OF PAINT, VARNISH, AND RELATED PRODUCTS ON TEST PANELS USER: AS ME REVIEWER: 84 YD1	A 8010 *	MR	28-OCT-92	NR	SH			
D		ASTM-D828-87	PAPER AND PAPERBOARD, TENSILE BREAKING STRENGTH OF - 30 OCT 1987 REVIEWER: CE	A 5640	YD1	28-MAR-90	ME	YD1	99		
A		ASTM-D832-92 NOTICE 1	RUBBER CONDITIONING FOR LOW-TEMPERATURE TESTING USER: AV REVIEWER: 84 GL MI	A 9320 *	MR	11-SEP-92	NR	SH	99		
D		ASTM-D846-84	XYLENE, STANDARD SPECIFICATION FOR TEN DEGREE - 30 MAR 84 USER: MC ME YD1 REVIEWER: AS GL	A 6810	MR	25-JUN-84	NR	SH	68		
		ASTM-D847-91 NOTICE 1	ACIDITY OF BENZENE, TOLUENE, XYLENES, SOLVENT NAPHTHAS, AND SIMILAR INDUSTRIAL AROMATIC HYDROCARBONS	A 8010 *	MR	05-DEC-91	NR	SH	99		
		ASTM-D848-81	AROMATIC HYDROCARBONS, STANDARD TEST METHOD FOR ACID WASH COLOR OF INDUSTRIAL - 24 APR 81	A 6810	EA	14-OCT-83	EA		68		
		ASTM-D849-82	HYDROCARBONS, INDUSTRIAL AROMATIC, COPPER CORROSION OF - 29 OCT 82 USER: AS MC SH REVIEWER: GL GS MD ME	A 6810	EA	08-JUL-83	EA		68		
		ASTM-D850-86	INDUSTRIAL AROMATIC HYDROCARBONS & RELATED MATERIALS DISTILLATION OF - 30 MAY 86 USER: ME SH REVIEWER: GL GS MD	A 6810	EA	20-JUL-88	EA		68		
A		ASTM-D853-91 NOTICE 1	HYDROGEN SULFIDE AND SULFUR DIOXIDE CONTENT (QUALITATIVE) OF INDUSTRIAL AROMATIC HYDROCARBONS, STANDARD TEST METHOD FOR	A 8010 *	MR	26-JUN-92	NR	SH	99		
D		ASTM-D854-83	SOILS, SPECIFIC GRAVITY OF, STANDARD TEST METHOD FOR - 28 NOV 83 USER: CE MC REVIEWER: 84	A 5610	YD1	03-JUL-89		YD1			
		ASTM-D858-88	MANGANESE IN WATER, STANDARD TEST METHODS FOR - 19 AUG 88 USER: SH REVIEWER: GL GS MD ME	A 6810 *	EA	28-AUG-90	EA		68		
		ASTM-D859-88	WATER, SILICA IN STANDARD TEST METHOD FOR 19 AUG 88 USER: SH REVIEWER: GL GS MD ME	A 6810	EA	31-AUG-90	EA		68		
		ASTM-D865-88	RUBBER-DETERIORATION BY HEATING IN AIR (TEST TUBE ENCLOSURE) - 29 APR 88 USER: AT REVIEWER: AS AV GL GS ME	A 9320	MR	27-MAY-88	NR	SH	11		
		ASTM-D869-85R89 NOTICE 1	PAINT, SETTLING OF, EVALUATING DEGREE OF, STANDARD METHOD OF - 27 SEP 85 (REAPPROVED 1989) (VALIDATION DATE: 9102)	A 8010	MR	19-FEB-91	NR	SH	11		
D		ASTM-D872-82 NOTICE 2	SULFATION INDEX OF ROAD TAR, STANDARD TEST METHOD FOR (VALIDATION DATE: 9203)	A 5610 *	YD1	02-MAR-92	CE	YD1			
A		ASTM-D873-00	FUELS, AVIATION, OXIDATION STABILITY OF (POTENTIAL RESIDUE METHOD) - 29 AUG 1980 USER: OS	A 916P	ME	12-AUG-85	ME	SH	11		
		ASTM-D874-82	ASH, SULFATED, FROM LUBRICATING OILS & ADDITIVES - 27 AUG 82	A 9150	ME	06-APR-83	ME	SH	11		
		ASTM-D876-84	TUBING, NONRIGID VINYL CHLORIDE POLYMER, USED FOR ELECTRICAL INSULATION - 28 DEC 1984 REVIEWER: 86 AR GS MR	A 5970	MI	20-SEP-89	MI	SH	99		
D		ASTM-D877-84	LIQUIDS, INSULATING, USING DISK ELECTRODES, DIELECTRIC BREAKDOWN VOLTAGE OF - 24 FEB 84 REVIEWER: YD1	A 9150	ME	19-JUL-84	ME	SH	11		
		ASTM-D878-65	OILS, INSULATING, INORGANIC CHLORIDE SULFATES IN (REAPPROVED 81) (VALIDATION DATE: 8512) REVIEWER: 68 AR AS	A 916P	ME	20-JUN-68	ME	SH	11		
A		ASTM-D882-91 NOTICE 1	TENSILE PROPERTIES OF THIN PLASTING SHEETING USER: AS EC OS SH REVIEWER: 99 AR AV ER GL GS ME	A 9330 *	MR	21-OCT-92	NR		11		
D		ASTM-D883A-91 NOTICE 1	PLASTICS, STANDARD TERMINOLOGY RELATING TO USER: EC MI SH YD1 REVIEWER: AR AV EA GL	A 9330 *	MR	02-MAR-92	NR	AS	11		



## ACTIVE SECTION

# NUMERICAL LISTING

## DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc. Coordination Include Document Number	Document Title	Doc. Smt FSC / Issue MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
D	ASTM-D888-87 ASTM-D891-89	OXYGEN, DISSOLVED IN WATER, STANDARD TEST METHOD FOR - 4 DEC 1987 ..... GRAVITY, SPECIFIC, APPARENT, OF LIQUID INDUSTRIAL CHEMICALS - 25 AUG 1989 USER: OS	A MISC A 8010	YD1 28-OCT-88 MR 22-JUL-91	CE YD1 11 MR SM 84	
	ASTM-D892-74	OILS, LUBRICATING, FOAMING CHARACTICS OF - 30 AUG 74 (REAPPROVED 84) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS	A 91GP	ME 20-DEC-74	ME SM 11	
A	ASTM-D893-80	OILS, LUBRICATING, INSOLUBLES IN USED - 29 AUG 1980 REVIEWER: OS	A 9150	ME 13-AUG-85	ME SM 11	
D	ASTM-D895-79	PACKAGES, WATER VAPOR PERMEABILITY OF - 27 JUL 79 USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1	A PACK	AS 12-OCT-82	SM AS 69	
	ASTM-D896-90	ADHESIVE BONDS TO CHEMICAL REAGENTS, RESISTANCE TO - 31 AUG 1990 USER: OS REVIEWER: AR GL	A 8040	MR 27-FEB-91	MR AS 11	
	ASTM-D897-78 NOTICE 1	ADHESIVE BONDS, TEST FOR TENSILE PROPERTIES - 31 MAR 78 [VALIDATION DATE: 9103] REVIEWER: 11 AR GL ME	A 8040	MR 20-MAR-91	MR SM 99	
	ASTM-D898-90	ADHESIVE SOLIDS, DRIED, APPLIED PER UNIT AREA OF, TEST FOR - 30 MAR 90 USER: GL MI REVIEWER: 84 ME	A 8040	MR 15-JUN-90	MR SM 11	
	ASTM-D899-89	ADHESIVE, LIQUID, TEST FOR APPLIED WEIGHT PER UNIT AREA OF - 24 FEB 89 REVIEWER: AR GL ME MI	A 8040	MR 08-MAY-90	MR SM 11	
	ASTM-D903-49R83 NOTICE 1	ADHESIVE BONDS, TEST FOR PEEL OR STRIPPING STRENGTH OF - 01 DEC 65(REAPPROVED 1983) [VALIDATION DATE: 9006] USER: OS SA REVIEWER: 99 AR AS GL IS ME MI	A 8040	MR 22-JUN-90	MR SM 11	
	ASTM-D905-89	ADHESIVE BOND, TEST FOR STRENGTH PROPERTIES OF, IN SHEAR BY COMPRESSION LOADING - 24 FEB 89	A 8040	MR 08-MAY-90	MR AS 11	
	ASTM-D906-82 NOTICE 2	STRENGTH PROPERTIES OF ADHESIVES IN PLYWOOD TYPE CONSTRUCTION IN SHEAR BY TENSION LOADING - 30 JUL 82 USER: OS SA REVIEWER: 99 AR AS GL IS ME MI	A 8040	MR 27-OCT-88	MR SM 11	
	ASTM-D909-67	FUELS, AVIATION, KNOCK CHARACTERISTICS OF, BY THE SUPERCHARGE METHOD - 15 NOV 67	A 91GP	ME 20-JUN-68	ME SM 11	
A	ASTM-D910-83	GASOLINES, AVIATION - 25 MAR 83 REVIEWER: PS	A 9130	AS 20-MAR-85	MR AS 11	
	ASTM-D912-81	PAINTS, ANTIFOULING, COPROUS OXIDE FOR USE IN - 30 OCT 1981	A 8010	SM 17-JUL-85	MR SM 99	
	ASTM-D914-72R78 NOTICE 1	ETHYLCELLULOSE, STANDARD METHODS OF TESTING - 1 MAY 72 [VALIDATION DATE: 8907] REVIEWER: AR GL GS MD ME	A 6810	EA 12-JUL-89	EA SM	
	ASTM-D922-89	HOMOLIG VINYL CHLORIDE POLYMER TUBING - 30 JUN 1989 USER: 82 OS SM REVIEWER: 11 84 ER GL GS MD ME	A 5970	MR 07-FEB-91	MR SM 99	
	ASTM-D923-81	ELECTRICAL INSULATING LIQUIDS, SAMPLING - 31 JUL 81 USER: AS REVIEWER: EC GS	A 9160	SM 16-MAR-83	SM 68	
	ASTM-D9248-82	LIQUIDS, ELECTRICAL INSULATING, AC LOSS CHARACTERISTICS & RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) OF, STANDARD TEST METHOD FOR USER: OS REVIEWER: AR	A 9150	AS 21-MAY-84	ME AS	
A L	ASTM-D926-92 NOTICE 1	RUBBER PROPERTIES-PLASTICITY AND RECOVERY (PARALLEL PLATE METHOD) USER: AV GL MD ME REVIEWER: GS	A 9320	MR 11-SEP-92	MR	
	ASTM-D929-85 NOTICE 1	BORAX	A 6810	ME 27-JAN-92	ME SM 68	
	ASTM-D936-83	GASOLINES, OLEFIN FREE, BY SILICA GEL ABSORPTION, AROMATIC HYDROCARBONS - 28 OCT 83 REVIEWER: 68 AR AS	A 91GP	ME 24-APR-84	ME SM 11	
	ASTM-D937-77	PETROLATUM, CONE PENETRATION OF - 26 AUG 77 (REAPPROVED 82) [VALIDATION DATE: 8512]	A 9150	ME 28-DEC-78	ME SM 11	
	ASTM-D941-83	LIQUIDS BY LIPKIN BICAPILLARY PYCHOMETER, DENSITY & RELATIVE DENSITY (SPECIFIC GRAVITY) OF - 28 NOV 83 REVIEWER: 68 AR AS	A 91GP	ME 24-APR-84	ME SM 11	
	ASTM-D942-78	GREASES, LUBRICATING, OXYGEN STABILITY OF, BY THE OXYGEN BOMB METHOD - 25 AUG 78 (REAPPROVED 1984) [VALIDATION DATE: 8512]	A 9150	ME 28-DEC-78	ME SM 11	
A	ASTM-D945-92 NOTICE 1	RUBBER PROPERTIES IN COMPRESSION OR SHEAR (MECHANICAL OSCILLOGRAPHY) USER: AV REVIEWER: 84 GL MI	A 9320	MR 11-SEP-92	MR SM 99	
J	ASTM-D946-82 NOTICE 2	PENETRATION-GRADED ASPHALT CEMENT FOR USE IN PAVEMENT CONSTRUCTION, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] USER: CE	A 5610	YD1 02-MAR-92	ME YD1 99	
	ASTM-D950-82R87 NOTICE 1	ADHESIVE BONDS, TEST FOR IMPACT STRENGTH OF - 26 NOV 88 [VALIDATION DATE: 9103]	A 8040	MR 20-MAR-91	MR SM 99	
	ASTM-D953-87	PLASTICS, BEARING STRENGTH OF - 28 AUG. 1987 USER: AS EC REVIEWER: 99 AR AV ER GL GS ME	A 9330	MR 21-SEP-89	MR SM 11	
D	ASTM-D966-91 NOTICE 1	TERMINOLOGY OF PACKAGING AND DISTRIBUTION ENVIRONMENTS USER: CT DM IP SS REVIEWER: 10 AR AS AT AV CR EA GL GS MC MI YD1	A PACK	SM 25-SEP-91	SM SA 69 DM	
D	ASTM-D968-81R91 NOTICE 4	ABRASION RESISTANCE OF ORGANIC COATINGS BY THE FALLING ABRASIVE TESTER - 30 OCT 81 (REAPPROVED 91) [VALIDATION DATE: 9105] USER: YD1	A 8010	MR 07-MAY-91	MR SM 99	
	ASTM-D971-82	OIL AGAINST WATER BY THE RING METHOD, INTERFACIAL TENSION OF - 27 JUL 1982 REVIEWER: 68 AR AS OS	A 91GP	ME 06-JUN-85	ME SM	
	ASTM-D972-56	GREASES AND OILS, LUBRICATING, EVAPORATION LOSS OF - 10 SEPT 1956 (REAPPROVED 1981 [VALIDATION DATE: 8501])	A 91GP	ME 20-JUN-68	ME SM 11	
A	ASTM-D974-80	NUMBER, NEUTRALIZATION, BY COLOR-INDICATOR TITRATION - 29 AUG 1980 REVIEWER: 68 AR AS OS	A 91GP	ME 13-AUG-85	ME SM 11	
D	ASTM-D977-86 NOTICE 2	ASPHALT, EMULSIFIED, STANDARD SPECIFICATION FOR - 17 JUL 86 [VALIDATION DATE: 9107]	A 5610	YD1 25-JUL-91	ME YD1 99	
D	ASTM-D979-89	PAVING MIXTURES, SAMPLING BITUMINOUS, STANDARD METHODS FOR - 24 JUL 89 USER: CE MC	A 5610	YD1 20-OCT-89	ME YD1 99	
	ASTM-D991-89	RUBBER PROPERTY-VOLUME RESISTIVITY OF ELECTRICALLY CONDUCTIVE AND ANTISTATIC PRODUCTS- 31 MARCH 1989 USER: AR REVIEWER: AS AV GL IS	A 9320	MR 07-AUG-89	MR SM 99	
	ASTM-D992-71R78 NOTICE 1	NITRATE ION IN WATER - 22 OCT 71 [VALIDATION DATE: 8703]	A 6810	EA 06-MAR-87	EA 68	
D	ASTM-D994-71R82 NOTICE 2	CONCRETE, PREFORMED EXPANSION JOINT FILLER FOR (BITUMINOUS TYPE) - 22 NOV 1971 [VALIDATION DATE: 9107]	A 5610	YD1 25-JUL-91	YD1	
D	ASTM-D995-88	MIXTURE, PAVING, STANDARD SPECIFICATION FOR MIXING PLANTS FOR HOT-MIXED, HOT-LAID BITUMINOUS PAVING MIXTURE - 9 FEBRUARY 1988 USER: CE MC	A 5610	YD1 31-JAN-89	YD1	
D	ASTM-D996-90	PACKAGING AND DISTRIBUTION ENVIRONMENTS TERMINOLOGY OF - 30 MAR 90 USER: CT DM IP SS REVIEWER: 10 AR AS AT AV CR EA GS MC YD1	A PACK	SM 31-JUL-90	SM SA 69 DM	
	ASTM-D1002-72R83 NOTICE 1	ADHESIVES, TEST FOR STRENGTH PROPERTIES OF, IN SHEAR BY TENSION LOADING (METAL TO METAL)- 28 JUL 72 (REAPPROVED 1983) [VALIDATION DATE: 9006] USER: OS SA REVIEWER: 99 AR GL IS ME MI	A 8040	MR 22-JUN-90	MR AS 11	
	ASTM-D1003-61R88 NOTICE 3	PLASTIC, TRANSPARENT, HAZE & LUMINOUS TRANSMITTANCE OF - 18 SEP 1961 (REAPPROVED 1977) [VALIDATION DATE: 8902] REVIEWER: AR AS AT AV ER GS ME	A 9330	MR 08-FEB-89	MR SM 11	
D	ASTM-D1004-90	FILM AND SHEETING, PLASTIC, INITIAL TEAR RESISTANCE OF - 30 MAR 1990 USER: GL YD1 REVIEWER: AR AT AV GS ME	A 9330	MR 29-MAY-91	MR SM 11	
D	ASTM-D1005-84R90 NOTICE 2	FILM, DRY, THICKNESS OF ORGANIC COATINGS USING MICROMETERS, STANDARD TEST METHODS FOR MEASUREMENT OF - 31 AUG 1984 (REAPPROVED 1990) [VALIDATION DATE: 9102] USER: MC YD1 REVIEWER: 99 MD ME	A 8010	MR 19-FEB-91	MR SM	
A	ASTM-D1006-92 NOTICE 1	CONDUCTING EXTERIOR EXPOSURE TESTS OF PAINTS ON WOOD	A 8010	MR 28-OCT-92	MR SM 84	
D	ASTM-D1008-64R77	CONTAINERS, SHIPPING, WATER VAPOR PERMEABILITY OF - 1 DEC 64 USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1	A PACK	AS 01-OCT-82	SM AS 69	
	ASTM-D1013-88	NITROGEN, TOTAL, IN RESINS & PLASTICS, DETERMINING STANDARD TEST METHOD FOR - 14 JUN 84 USER: ME SM REVIEWER: GS MD	A 6810	EA 31-AUG-90	EA	
D	ASTM-D1014-83R88 NOTICE 1	PAINTS ON STEEL, CONDUCTING EXTERIOR EXPOSURE TESTS OF - 28 NOV 83 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: AS OS SM YD1 REVIEWER: ME	A 8010	MR 22-JUN-90	MR 84	
A L	ASTM-D1018 NOTICE 1	HYDROGEN IN PETROLEUM FRACTIONS, STANDARD TEST METHOD FOR	A 91GP	PS 13-JUN-92	PS	
D	ASTM-D1030-76	PAPER & PAPERBOARD, FIBER ANALYSIS - 28 MAY 76 REVIEWER: 99 AR GL IS ME MI MR OS SA SH YD1	A 9310	AS 01-MAY-81	SM AS 69	
D	ASTM-D1031-59R86	WOOD BLOCK FLOORING FOR INTERIOR USE, CREOSOTED END- GRAIN - 10 SEPT 1959 REVIEWER: CS	A 5510	YD1 15-MAY-87	ME YD1	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc. / OAS Code / Title	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
D	ASTM-D1044-90	PLASTICS, TRANSPARENT, RESISTANCE OF, TO SURFACE ABRASION - 30 MAR. 1990 USER: AS AT MI YD1 REVIEWER: 99 ER GL GS ME	A 9330	NR 09-APR-91	NR	11			
D	ASTM-D1048A-88	RUBBER INSULATING BLANKETS, STANDARD SPECIFICATION FOR - 25 MAR 88AUG 1983 REVIEWER: SH	A 5970	YD1 31-JUL-89	ER	YD1 85			
D	ASTM-D1049-83	RUBBER INSULATING COVERS - 24 JUN 1983 REVIEWER: 99 GS	A 5970	YD1 30-APR-87	ER	YD1 85			
D	ASTM-D1050-85	RUBBER INSULATING LINE HOSE - 30 AUG 1985 REVIEWER: 80 99 GS	A 5970	YD1 17-AUG-87	ER	YD1 85			
D	ASTM-D1052-85	RUBBER DETERIORATION-CUT GROWTH USING ROSS FLEXING APPARATUS, STANDARD SPECIFICATION FOR MEASURING - 29 MAR 85 REVIEWER: 84 GS	A 9320	YD1 26-JUN-89		YD1			
D	ASTM-D1053A-92 NOTICE 1	RUBBER PROPERTY-STIFFENING AT LOW TEMPERATURES: FLEXIBLE POLYMERS AND COATED FABRICS USER: AS AT MI OS YD1 REVIEWER: AR AV ER GL GS	A 9320	NR 10-MAR-93	NR	SH 99			
D	ASTM-D1055-90	LATEX FOAM, FLEXIBLE CELLULAR MATERIALS - 27 APR. 1990 USER: OS YD1 REVIEWER: 82 AR AS AT AV GL GS ME	A 9320	NR 25-FEB-91	NR	SH 11			
D	ASTM-D1056-85	SPONGE OR EXPANDED RUBBER, FLEXIBLE CELLULAR MATERIALS - 27 SEP 85 USER: AS AV MC OS YD1 REVIEWER: 82 AT GL GS ME MI	A 9320	NR 31-JAN-86	NR	SH 99			
	ASTM-D1062-78R83	BONDS, ADHESIVE, CLEAVAGE STRENGTH OF METAL - 31 MAR 78	A 8040	NR 08-JUN-88	NR	AS 11			
	ASTM-D1064-58R75 NOTICE 1	ROSIN, IRON IN STANDARD METHOD OF - 22 SEP 58 (VALIDATION DATE: 8907) REVIEWER: GL MD	A 6810	EA 13-JUL-89	EA	OS 68			
	ASTM-D1067-88	WATER, ACIDITY OR ALKALINITY OF - 19 AUG 1988 USER: 50 GL ME OS SH REVIEWER: GS MD	A 6810	EA 13-NOV-90	EA	68			
	ASTM-D1068-88	IRON IN WATER STANDARD TEST METHODS FOR - 19 AUG 88 USER: OS SH REVIEWER: GL MD ME	A 6810	EA 22-JUN-89					
D	ASTM-D1073-88	AGGREGATE, FINE, FOR BITUMINOUS PAVING MIXTURES - 26 FEB 1988 USER: CE MC	A 5610	YD1 31-JAN-89		YD1 99			
D	ASTM-D1075-88	MIXTURES, EFFECT OF WATER ON COHESION OF COMPACTED BITUMINOUS, STANDARD TEST METHOD FOR	A 5610	YD1 06-JUN-89	ME	YD1 99			
	ASTM-D1078-91	DISTILLATION RANGE OF VOLATILE ORGANIC LIQUIDS - 15 MAY 1991 USER: AS OS SH REVIEWER: 99 EA ME	A 8010	NR 22-JUL-91	NR	11			
	ASTM-D1084-88	ADHESIVES, VISCOSITY OF - 26 AUG 88 USER: OS SA REVIEWER: AR AS CS GL ME MI	A 8040	NR 08-MAY-90	NR	SH 11			
	ASTM-D1085-65	PETROLEUM & PETROLEUM PRODUCTS, GAGING - AUG 65 (REAPPROVED 84) (VALIDATION DATE: 8512) REVIEWER: 68 AR AS	A 91GP	ME 20-JUN-68	ME	SH 11			
	ASTM-D1086-64	PETROLEUM & PETROLEUM PRODUCTS, MEASURING THE TEMPERATURE OF - AUG 64 (REAPPROVED 82) (VALIDATION DATE: 8501) REVIEWER: 68 AR AS	A 91GP	ME 20-JUN-68	ME	SH 11			
A	ASTM-D1091-81	OIL & ADDITIVES PHOSPHORUS IN LUBRICATING	A 91GP	ME 21-JUL-82	ME	SH 11			
	ASTM-D1092-76	GREASES, LUBRICATING, APPARENT VISCOSITY - 27 AUG 76 (REAPPROVED 81) (VALIDATION DATE: 8512)	A 9150	ME 28-DEC-78	ME	SH 11			
	ASTM-D1094-85	FUELS, AVIATION WATER REACTION - 25 OCT 85	A 6850	ME 08-MAY-89					
D	ASTM-D1098-61R73	PAPERBOARD, CORRUGATED, STATIC BENDING TEST FOR - 1961 REVIEWER: 99 AR GL 15 ME MI MK OS SA SH YD1	A 9310	AS 27-APR-81	SM	AS 69			
	ASTM-D1119-85	ASH CONTENT OF ENGINE COOLANTS AND ANTIRUSTS - 25 JAN 1985	A 6850	ME 10-JUL-91	ME	SH 68			
	ASTM-D1120-89	BOILING POINT OF ENGINE COOLANTS - 31 MAR 1989	A 6850	ME 10-JUL-91	ME	SH 68			
	ASTM-D1121-88	RESERVE ALKALINITY OF ENGINE ANTIFREEZE, ANTIRUSTS, AND COOLANTS - 24 JUN 1988	A 6850	ME 10-JUL-91	ME	SH 68			
	ASTM-D1122A-90	SPECIFIC GRAVITY OF ENGINE COOLANTS CONCENTRATES AND ENGINE COOLANTS BY THE HYDROMETER - 27 MAR 1990	A 6850	ME 10-JUL-91	ME	SH 68			
	ASTM-D1123-79	WATER IN ENGINE COOLANT CONCENTRATE BY THE IODINE REAGENT METHOD - 27 JUL 79 USER: MC SH REVIEWER: AV	A 6850	AS 04-DEC-80	EA	AS 11			
	ASTM-D1125-82	WATER, ELECTRICAL CONDUCTIVITY & RESISTIVITY OF STANDARD TEST METHOD FOR - 29 OCT 82 REVIEWER: GL GS MD ME PS	A 6810	SH 30-MAY-90	EA	SH 68			
	ASTM-D1126-86	WATER, HARDNESS IN STANDARD TEST METHOD FOR - 29 AUG 86 REVIEWER: GL GS ME PS	A 6810	SH 30-MAY-90	EA	SH			
	ASTM-D1133-86	KALRI-BUTANOL VALUE OF HYDROCARBON SOLVENTS - 25 MAY 90	A 8010	NR 21-AUG-90	NR	SH 11			
	ASTM-D1135-86R91 NOTICE 1	PIGMENTS, BLUE, CHEMICAL ANALYSIS OF, STANDARD TEST METHODS FOR - 27 MAR 86 (VALIDATION DATE: 9105)	A 8010	NR 07-MAY-91	NR	SH 84			
D	ASTM-D1139-83 NOTICE 2	STONE, CRUSHED, CRUSHED SLAG, AND GRAVEL FOR SINGLE OR MULTIPLE BITUMINOUS SURFACE TREATMENTS - 29 APR 1983 USER: CE MC	A 5610	YD1 02-APR-90		YD1			
D	ASTM-D1140-54R71 NOTICE 2	SOILS, AMOUNT OF MATERIAL IN, FINEER THAN THE NO. 200 SIEVE - 15 SEP 54 (REAPPROVED 71) (VALIDATION DATE: 8908)	A 5610	YD1 22-SEP-77	ME	YD1 99			
	ASTM-D1141-86	WATER, OCEAN, SUBSTITUTE, STANDARD SPECIFICATION FOR - 28 FEB 1986 REVIEWER: ME	A 6810	SH 02-JUN-87	EA	SH 68			
	ASTM-D1142-63R75	FUELS, GASEOUS, WATER VAPOR CONTENT OF, BY MEASUREMENT OF DEW POINT TEMPERATURE, STANDARD METHOD OF TEST FOR - 30 SEP 63 (VALIDATION DATE: 8502)	A 6830	68 02-APR-79	AS	68			
D	ASTM-D1143-81R87	PILES UNDER STATIC AXIAL COMPRESSIVE LOAD - 2 MAR 1981 (REAPPROVED 1987) ..	A 6ACR	YD1 09-MAY-90		YD1			
	ASTM-D1146-88	LAYER, POTENTIALLY ADHESIVE, BLOCKING POINT OF - 26 AUG 1988	A 8040	NR 27-FEB-91	NR	SH 11			
D	ASTM-D1149-86	RUBBER DETERIORATION SURFACE OZONE CRACKING IN A CHAMBER (FLAT SPECIMEN) ..	A 9320	YD1 15-JUN-89	ER	YD1 85			
	ASTM-D1151-90	ADHESIVE BONDS, EFFECT OF MOISTURE AND TEMPERATURE ON - 30 MAR 90 USER: ME REVIEWER: GL	A 8040	NR 15-JUN-90	NR	AS 11			
	ASTM-D1153-87	METHYL ISOBUTYL KETONE STANDARD SPECIFICATION FOR - 29 MAY 87 USER: AR AS MC REVIEWER: GL GS MD ME	A 6810	EA 05-JUL-89	EA	68			
	ASTM-D1159-84	PETROLEUM DISTILLATES & COMMERCIAL ALIPHATIC OLEFINS BY ELECTROMETRIC TITRATION, BROMINE NUMBER OF - 26 OCT 84 REVIEWER: OS	A 9150	ME 06-JAN-86	ME	SH 11			
	ASTM-D1160-87	DISTILLATION OF PETROLEUM PRODUCTS AT REDUCED PRESSURE STANDARD TEST METHOD FOR - 29 MAY 87 USER: AR ME REVIEWER: GL GS MD	A 6810	EA 11-JUL-89	EA	SH			
D	ASTM-D1175-80	TEXTILE FABRICS, (OSCILLATORY CYLINDER & UNIFORM ABRASION METHODS), ABRASION RESISTANCE OF - 3 MAY 80 (VALIDATION DATE: 8801) USER: AR OS SH REVIEWER: 99 GL ME MI NR SA YD1	A 6ACK	AS 25-JAN-88	SM	AS 69			
	ASTM-D1176-71	SAMPLING AND RE ARONG AQUEOUS SOLUTIONS OF ENGINE COOLANTS OR ANTI- RUSTS FOR TESTING PURPOSES - 19 MAY 1971	A 6850	ME 10-JUL-91	ME	SH 68			
	ASTM-D1177-88	FREEZING POINT OF AQUEOUS ENGINE COOLANTS - 31 OCT 1988	A 6850	ME 10-JUL-91	ME	SH 68			
	ASTM-D1179-88	WATER, FLUORIDE ION IN - 19 AUG 1988 USER: 50 REVIEWER: GL GS MD ME	A 6810	EA 13-NOV-90	EA	68			
	ASTM-D1183-70R87	ADHESIVES, TEST FOR RESISTANCE OF, TO CYCLICLABORATORY AGING CONDITIONS (TENTATIVE) - 19 MAR 70 (REAPPROVED 1987) USER: GL MI REVIEWER: 99 ME	A 8040	NR 27-OCT-72	NR	AS 11			
	ASTM-D1184-89R86 NOTICE 1	ADHESIVE BONDS, TEST FOR STRENGTH OF, ON FLEXURAL LOADING - 9 MAY 69 (REAPPROVED 1986) (VALIDATION DATE: 9006) REVIEWER: 99 GL ME MI	A 8040	NR 22-JUN-90	NR	SH 11			
	ASTM-D1186-87	FILM DRY THICKNESS OF NONMAGNETIC COATING APPLIED TO A FERROUS BASE NONDESTRUCTIVE MEASUREMENT STANDARD TEST METHODS FOR - 29 MAY 87 USER: ME REVIEWER: 84	A 8010	NR 18-MAY-89	NR	SH 99			
D	ASTM-D1188-89	BITUMINOUS MIXTURES, COMPACTED, BULK SPECIFIC GRAVITY AND DENSITY OF, USING PARAFFIN-COATED SPECIMENS - 27 OCT 1989 USER: MC	A 5610	YD1 30-MAY-90	ME	YD1			
D L	ASTM-D1190-74R80 ASTM-D1193-77	CONCRETE JOINT SEALER, HOT-POURED ELASTIC TYPE, STANDARD SPECIFICATION FOR REAGENT WATER - 28 JAN 77 (REAPPROVED 1983) (VALIDATION DATE: 8512) REVIEWER: OS	A 8030 A 6810	YD1 17-SEP-91 ME 28-DEC-78		YD1 SH 11			
D	ASTM-D1194-72R87	SOIL, STATIC LOAD AND SPREAD FOOTINGS, BEARING CAPACITY OF - 13 MAR 1972 USER: MC REVIEWER: 84	A 5610	YD1 21-FEB-90	ME	YD1 99			
	ASTM-D1199-80	PIGMENTS, CALCIUM CARBONATE - 28 NOV 1980	A 8010	SH 17-JUL-85	ME	SH 99			
	ASTM-D1200-88	VISCOSITY BY FORD VISCOSITY CUP - 31 OCT 88	A 8010	NR 19-APR-90	NR	SH 99			
D	ASTM-D1203-89	PLASTICS, USING ACTIVATED CARBON METHODS, VOLATILE LOSS FROM - 24 NOV 19 89 USER: AS AV OS YD1 REVIEWER: AT GL GS ME MI	A 9330	NR 25-JUN-90	NR	SH 11			
	ASTM-D1204-84 NOTICE 1	SHEETING, NONRIGID THERMOPLASTIC, OR FILM AT ELEVATED TEMPERATURE, LINEAR DIMENSIONAL CHANGES OF - 27 JAN 84 (VALIDATION DATE: 9006) USER: TE REVIEWER: AV SH	A 9330	NR 22-JUN-90	NR	SH 11			
	ASTM-D1208-84R89 NOTICE 1	PIGMENTS, COMMON PROPERTIES OF CERTAIN - 26 OCT 84 (REAPPROVED 1989) (VALIDATION DATE: 9006)	A 8010	NR 22-JUN-90	NR	SH 99			



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Org / Com Initiative	Document Number	Document Title	Dist Smt FDC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	ASTM-D1209-84R88 NOTICE 1	LIQUIDS, (PLATINUM - COBAL SCALE), COLOR OF CLEAR - 27 APR 84 (REAPPROVED 1988) [VALIDATION DATE: 9006]	A 8010	NR	22-JUN-90	NR			
	ASTM-D1210-79R88 NOTICE 3	FINESS OF DISPERSION OF PIGMENT-VEHICLE SYSTEMS - 30 NOV. 1979 (REAPPROVED 1988) [VALIDATION DATE: 9102]	A 8010	NR	19-FEB-91	NR	SH	11	
D	ASTM-D1227-87 NOTICE 2	EMULSIFIED ASPHALT USED AS A PROTECTIVE COATING FOR ROOFING, STANDARD SPECIFICATION FOR USER: CE	A 5650	* YD1	09-MAR-92	NR	YD1	99	
	ASTM-D1229-87R92 NOTICE 2	RUBBER PROPERTY-COMPRESSION SET AT LOW TEMPERATURES, STANDARD TEST METHOD FOR [VALIDATION DATE: 9204]	A 9320	* NR	17-APR-92	NR	SH	99	
D	ASTM-D12388-90 ASTM-D1241-68R89	THERMOPLASTICS BY EXTRUSIONS PLASTOMER, FLOW RATES OF - 26 OCT 1990 ..... SOIL - AGGREGATE SUBBASE, BASE AND SURFACE COURSES, MATERIALS FOR - 13 SEP 1968 USER: CE MC	A 9330 A 5610	NR YD1	29-MAY-91 26-SEP-89	NR AS	11		YD1
	ASTM-D1242-87	PLASTIC MATERIALS, TO ABRASION RESISTANCE OF USER: AS OS REVIEWER: AV ER GL GS MI	A 9330	NR	20-SEP-88	NR	11		
D	ASTM-D1246-88 ASTM-D1248-84	WATER, BROMINE ION IN - 19 AUG 1988 USER: 50 ME SH REVIEWER: GL GS MD ..... PLASTICS POLYETHYLENE MOLDING & EXTRUSION MATERIALS STANDARD SPECIFICATION FOR REVIEWER: 84 GS SH	A 6810 A 9330	EA YD1	14-NOV-90 14-JUL-88	EA NR	68 YD1	99	
	ASTM-D1250-88 ASTM-D1252-88	PETROLEUM MEASUREMENT TABLES, STANDARD (VOLUME 8) - AUG 80 ..... WATER CHEMICAL OXYGEN DEMAND (DICHROMATE OXYGEN DEMAND) OF STANDARD TEST METHOD FOR 29 JAN 88 USER: SH REVIEWER: GL GS MD ME	A 91GP A 6810	PS EA	01-JUN-82 25-JUL-89	NR	SH	11	
	ASTM-D1253-86 NOTICE 1	CHLORINE IN WATER RESIDUAL USER: OS SH REVIEWER: GL GS MD ME	A 6810	EA	01-FEB-86	EA	68		
D	ASTM-D1259-85	SOLUTIONS, RESIN, NONVOLATILE CONTENT OF, STANDARD TEST METHODS FOR - 29 NOV 85 REVIEWER: 84 GS SH	A 8010	YD1	06-JUN-89	NR	YD1	99	
	ASTM-D1261-55	GREASE, EFFECT OF, ON COPPER - 2 SEP 55 (REAPPROVED 77) [VALIDATION DATE: 8501] REVIEWER: 68 AS	A 91GP	NR	20-JUN-68	NR	SH	11	
	ASTM-D1263-61	GREASE, AUTOMOTIVE WHEEL BEARING, LEAKAGE TENDENCIES OF - 18 SEP 61 (REAPPROVED 1981) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS	A 91GP	NR	20-JUN-68	NR	SH	11	
	ASTM-D1264-73	GREASE, LUBRICATING, WATER WASHOUT CHARACTERISTICS OF - 27 AUG 73 (REAPPROVED 82) [VALIDATION DATE: 8501]	A 91GP	NR	20-DEC-74	NR	SH	11	
	ASTM-D1266-80 ASTM-D1272-56R81 ASTM-D1275-67	PETROLEUM PRODUCTS, SULFUR IN (LAMP METHOD) - 29 AUG 1980 REVIEWER: OS .... PENTACHLOROPHENOL - 10 SEP 56 USER: AR CG MC OS REVIEWER: GL ME ..... OIL, ELECTRICAL INSULATING, CORROSIVE SULFUR IN - 24 MAY 67 (REAPPROVED 1981) [VALIDATION DATE: 8512] REVIEWER: 68 AR AS	A 91GP A 8030 A 91GP	NR NR NR	13-JUN-85 01-MAY-81 20-JUN-68	NR NR SH	11 99 11		
	ASTM-D1287-85 ASTM-D1293-84	COOLANTS, PH OF ENGINE ANTIFREEZES, ANTIRUST AND - 26 JUL 85 ..... WATER, PH OF - 26 OCT 1984 USER: AS OS REVIEWER: GL GS MD ME PS	A 6850 A 6810	NR SH	08-MAY-89 30-MAY-86	NR	SH	68	
D	ASTM-D1296-84R88 NOTICE 1	SOLVENTS AND DILUENTS, VOLATILE, STANDARD TEST METHOD FOR ODOM OF - 14 NOV 1984 (REAPPROVED 1988) [VALIDATION DATE: 9006] USER: YD1	A 8010	NR	22-JUN-90	NR	SH	99	
L	ASTM-D1298 NOTICE 1	DENSITY, RELATIVE DENSITY (SPECIAL GRAVITY), OR API GRAVITY OF CRUDE PETROLEUM AND LIQUID PETROLEUM PRODUCTS BY HYDROMETER METHOD, STANDARD TEST METHOD FOR	A 91GP	* PS	16-JAN-92				PS
	ASTM-D1301-91 ASTM-D1303-55R79 ASTM-D1306-88	CHEMICAL ANALYSIS OF WHITE LEAD PIGMENTS - 22 FEB 1991 ..... POLYMERS & COPOLYMERS, VINYL CHLORIDE, TOTAL CHLORINE IN - 12 SEP 55 ..... PHTHALIC ANHYDRIDE CONTENT OF ALKYD RESINS & ESTERS CONTAINING OTHER DIBASIC ACIDS (GRAVIMETRIC) - 27 MAY 88	A 8010 A 9330 A 8010	NR NR NR	29-APR-91 30-MAR-82 15-MAR-90	NR	SH	84 11 11	
D	ASTM-D1308-87	EFFECT OF HOUSEHOLD CHEMICALS ON CLEAR & PIGMENTED ORGANIC FINISHES - 29 MAY 1987 USER: AS ME YD1	A 8010	NR	20-SEP-88	NR	SH	11	
D	ASTM-D1310-86	LIQUIDS BY TAG OPEN-CUP APPARATUS FLASH POINT & FIRE POINT OF - 25 APR 87 USER: OS SH REVIEWER: AR GL IS MI SA YD1	A PACK	AS	20-JUN-88	SM	AS	99	
	ASTM-D1313-54	OIL, MINERAL TRANSFORMER, SLUDGE FORMATION IN, BY PRESSURE OXIDATION BOMB - SEP 54 (REAPPROVED 81) [VALIDATION DATE: 8501] REVIEWER: 68 AR AS	A 91GP	NR	20-JUN-68	NR	SH	11	
	ASTM-D1319-83	HYDROCARBON TYPES IN LIQUID PETROLEUM PRODUCTS BY FLUORESCENT INDICATOR ADSORPTION - 28 NOV 83	A 9150	NR	24-APR-84	NR	SH	11	
	ASTM-D1322-75	FUEL, AVIATION TURBINE, SMOKE POINT OF - 29 AUG 1975 (REAPPROVED 1980) [VALIDATION DATE: 8501]	A 9150	NR	28-DEC-78	NR	SH	11	
D	ASTM-D1327-86 NOTICE 2	BITUMEN-SATURATED MOVEN BURLAP FABRICS USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] REVIEWER: CE	A 5650	* YD1	10-MAR-92	YD1	99		
D	ASTM-D1330-85	GASKET, RUBBER-SHEET, STANDARD SPECIFICATION FOR - 26 APR 85	A 9320	YD1	20-NOV-87	NR	YD1	99	
D	ASTM-D1335-67R72 NOTICE 2	FLOOR COVERING, TUFT BIND OF PILE - 8 SEP 67 (REAPPROVED 72) [VALIDATE 2-90] [VALIDATION DATE: 9002]	A 7220	YD1	07-FEB-90	NR	YD1		
	ASTM-D1339-84 ASTM-D1343-68R91 NOTICE 1	WATER, SULFITE ION IN - 27 JAN 1984 USER: OS SH REVIEWER: GL GS MD ..... VISCOSITY OF CELLULOSE DERIVATIVES BY BALL-DROPO METHOD - 25 JUL 86 [VALIDATION DATE: 9105]	A 6810 A 8010	EA NR	30-AUG-85 07-MAY-91	EA	SH	84	
	ASTM-D1349-87 NOTICE 2	RUBBER-STANDARD TEMPERATURES FOR TESTING [VALIDATION DATE: 9206] USER: MC ME REVIEWER: AL AR EA GS MI	A 9320	* NR	05-JUN-92	NR	11		
A	ASTM-D1353-92 NOTICE 1	NONVOLATILE MATTER IN VOLATILE SOLVENTS FOR USE IN PAINT, VARNISH, LACQUER, RELATED PRODUCTS USER: AS OS REVIEWER: ME	A 8010	* NR	17-NOV-92	NR	SH	84	
	ASTM-D1363-88	ACETONE AND METHANOL, PERMANGATE TIME OF - 24 JUN 1988 USER: 50 OS SH REVIEWER: GL GS MD ME	A 6810	EA	14-NOV-90	EA	68		
	ASTM-D1364-90	WATER IN VOLATILE SOLVENTS (FISCHER REAGENT TITRATION METHOD) - 26 OCT 1990 USER: AS ME SH REVIEWER: AR	A 8010	NR	20-NOV-90	NR	11		
D	ASTM-D1369-84R89	BITUMINOUS SURFACE TREATMENTS, QUANTITIES OF MATERIALS FOR - 30 MAR 1984 [VALIDATION DATE: 9005] USER: MC	A 5610	YD1	30-MAY-90	NR	YD1	99	
D L	ASTM-D1394-76R91 NOTICE 3	CHEMICAL ANALYSIS OF WHITE TITANIUM PIGMENTS [VALIDATION DATE: 9201] USER: OS REVIEWER: AS CR ER YD1	A 8010	* NR	21-JAN-92	NR			
M	ASTM-D1397-93 NOTICE 2	ALKYD RESINS AND RESIN SOLUTIONS, UNSAPONIFIABLE MATTER IN	A 8010	NR	11-MAY-93	NR	SH	11	
M	ASTM-D1398-93 NOTICE 1	ALKYD RESINS AND ALKYD RESIN SOLUTIONS, FATTY ACID CONTENT OF	A 8010	NR	11-MAY-91	NR	SH	99	
	ASTM-D1401-67R77	EMULSION CHARACTERISTICS OF PETROLEUM OILS & SYNTHETIC FLUIDS - 15 NOV 67 (REAPPROVED 77) REVIEWER: AS GS	A 9150	SH	31-AUG-84	NR	SH	68	
	ASTM-D1403-83	LUBRICATING GREASE, USING ONE - QUARTER & ONE - HALF SCALE CONE EQUIPMENT, CONE PENETRATION OF - 28 OCT 83 REVIEWER: 20	A 9150	AS	22-OCT-84	NR	AS	68	
L	ASTM-D1405 NOTICE 1	FUELS AVIATION, ESTIMATION OF NET HEAT OF COMBUSTION OF, STANDARD TEST METHOD FOR	A 91GP	* PS	10-JAN-92				PS
	ASTM-D1414-90 ASTM-D1415-88	RUBBER O- RINGS REVIEWER: AR ..... RUBBER PROPERTY - INTERNATIONAL HARDNESS - 30 SEPT 1988 USER: AS MI	A 9320 A 9320	NR NR	25-FEB-91 12-APR-89	NR	SH	99 11	
	ASTM-D1416-89	RUBBER FROM SYNTHETIC SOURCES-CHEMICAL ANALYSIS - 27 OCT. 1989 USER: ME REVIEWER: AT AV EA MD	A 9320	NR	10-JAN-90	NR			
D	ASTM-D1423-88	YARNS, TWIST IN BY THE DIRECT-COUNTING METHOD STANDARD TEST METHOD FOR - 29 JUL 88 USER: AS OS SH REVIEWER: DP	A 8310	YD1	18-FEB-89	NR	YD1		
	ASTM-D1424-83	FABRIC, MOVEN, TENS RESISTANCE OF, BY FALLING PENDULUM (ELEMENDORF) APPARATUS - 25 FEB 1983	A PACK	AS	20-JUN-88	SM	AS	99	
	ASTM-D1426-89	WATER, AMMONIA NITROGEN IN - 27 JAN 1989 USER: 50 ME OS SH REVIEWER: GL GS MD	A 6810	EA	14-NOV-90	EA	68		
	ASTM-D1428-82	SODIUM & POTASSIUM IN WATER & WATER FORMED DEPOSITS BY FLAME PHOTOMETRY, STANDARD TEST METHODS FOR - 29 OCT 83 USER: OS SH REVIEWER: GL GS MD ME	A 6810	EA	13-SEP-85	EA			
D	ASTM-D1430A-91 NOTICE 1	POLYCHLOROTRIFLUOROMETHYLENE (PCTFE) PLASTICS USER: AS MS OS YD1 REVIEWER: AR EA ER GL GS MD ME	A 9330	* NR	04-OCT-91	NR	SH	11	
A L	ASTM-D1435-85 NOTICE 1	PLASTICS, OUTDOOR WEATHERING OF [VALIDATION DATE: 9210] REVIEWER: AT ER GL MD ME	A 9330	* NR	22-OCT-92	NR			
D	ASTM-D1452-80	SOIL, INVESTIGATION AND SAMPLING BY AUGER BORINGS - 12 JUN 1980 USER: MC REVIEWER: 84	A 5610	YD1	21-FEB-90	NR	YD1	99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt Chg / Cmt Coordination Inches Document Number	Document Title	Doc. Smt. FSC / Ave MCA Symbol Preparing Agency Date	Custodians Army Navy Air Force DLA
ASTM-D1456-86R91 NOTICE 1	RUBBER PROPERTY-ELONGATION AT SPECIFIC STRESS 16 OCT 87 USER: AT REVIEWER:	A 9320 MR 09-MAY-91 MR SH 11	
ASTM-D1457A-91 NOTICE 1	AV ER GL GS POLYTETRAFLUOROETHYLENE (PTFE) MOLDING AND EXTRUSION MATERIALS USER: AR AS	A 9330 * MR 04-OCT-91 MR 11	
D ASTM-D1461-85	GL MC ME OS SH REVIEWER: AV EC GS MD MIXTURES, BITUMINOUS PAVING, MOISTURE OR VOLATILE DISTILLATES IN, STANDARD	A 5610 YD1 11-NOV-88 ME YD1 99	
ASTM-D1463-81	TEST METHOD FOR - 25 OCT 1985 REVIEWER: MC		
ASTM-D1468-84	BIAXIALLY ORIENTED STYRENE PLASTICS SHEET - 26 JUN 81	A 9330 ER 13-JAN-83 ER SH	
ASTM-D1474-92 NOTICE 1	TRICRESYL PHOSPHATE, VOLATILE MATTER IN, STANDARD TEST METHOD FOR - 27 APR	A 6810 EA 20-JUN-85 EA	
D ASTM-D1475-90	1984 USER: MC OS REVIEWER: GS MD SH INDENTATION HARDNESS OR ORGANIC COATINGS	A 8010 * MR 23-APR-92 MR SH 84	
ASTM-D1476-88R92 NOTICE 1	DENSITY OF PAINT, VARNISH, LACQUER, AND RELATED PRODUCTS - 26 OCT 1990	A 8010 MR 20-NOV-90 MR SH 84	
A ASTM-D1478-80	USER: YD1 HEPTANE MISCIBILITY OF LACQUER SOLVENTS	A 8010 * MR 17-NOV-92 MR SH 99	
ASTM-D1488-86 NOTICE 1	BALL BEARING GREASES, LOW TEMPERATURE TORQUE OF, STANDARD TEST METHOD FOR	A 91GP ME 17-JUN-85 ME SH 11	
ASTM-D1489-89	- 29 AUG 1980 USER: OS REVIEWER: 68 AS		
ASTM-D1494-88	ADHESIVES, AMLACEOUS MATTER IN - 31 JAN 1986 [VALIDATION DATE: 9106]	A 8040 MR 07-JUN-91 MR SH 11	
ASTM-D1499-91 NOTICE 1	ADHESIVES, STANDARD TEST METHOD FOR NONVOLATILE CONTENT GF 28 APR 87	A 8040 MR 02-DEC-87 MR AS 99	
ASTM-D1500-82	PANEL, REINFORCED PLASTICS, DIFFUSE LIGHT TRANSMISSION FACTOR OF - 24 JUN	A 9330 MR 28-AUG-90 MR SH 99	
ASTM-D1505-85R90 NOTICE 1	1988 USER: AR AS EC MC OS REVIEWER: AV GL MD OPERATING LIGHT- AND WATER-EXPOSURE APPARATUS (CARBON-ARC TYPE) FOR	A 9330 * MR 27-FEB-92 MR 11	
ASTM-D1506-85	EXPOSURE OF PLASTICS USER: AR AS YD1 REVIEWER: GL GS		
ASTM-D1509-88	PETROLEUM PRODUCTS (ASTM COLOR SCALE) ASTM COLOR OF, STANDARD TEST METHOD	A 91GP ME 13-JUN-85 ME SH 11	
ASTM-D1512-84	FOR - 27 AUG 1982 REVIEWER: OS		
ASTM-D1525-91 NOTICE 1	DENSITY OF PLASTICS BY THE DENSITY-GRADIENT TECHNIQUE [VALIDATION DATE:	A 9330 * MR 04-OCT-91 MR SH 11	
ASTM-D1527-89	91101 USER: OS YD1 REVIEWER: AR AS AV CR GS ME CARBON BLACK - ASH CONTENT - 29 MAR 1985 REVIEWER: GL GS MD ME	A 6810 EA 30-JAN-86 EA OS 68	
ASTM-D1531-90	CARBON BLACK - HEATING LOSS - 25 MAR 88 USER: OS REVIEWER: GL GS MD ME	A 6810 EA 08-FEB-90 EA 68	
	CARBON BLACK - PH VALUE, STANDARD TEST METHODS FOR - 30 MAR 84 REVIEWER:	A 6810 EA 18-JUN-85 EA OS	
	GL GS MD		
	VISCAT SOFTENING TEMPERATURE OF PLASTICS USER: AS AT OS YD1 REVIEWER: 84	A 9330 * MR 02-MAR-92 MR SH 11	
	99 AR ER GL GS ME MI		
	PIPE, PLASTIC, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULES 40 & 80,	A 4710 YD1 09-JUN-89 ME YD1 99	
	STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC		
	RELATIVE PERMITTIVITY (DIELECTRIC CONSTANT) & DISSIPATION FACTOR OF	A PACK AS 24-SEP-90 SM AS 69	
	POLYETHYLENE BY LIQUID DISPLACEMENT PROCEDURE - MAY 90 REVIEWER: AR MI MR		
	SA		
	WATER IN INSULATING LIQUIDS (KAHL FISCHER REACTION METHOD) STANDARD TEST	A 6810 EA 11-AUG-89 EA	
	METHODS FOR - 29 JUL 88 USER: AS SH REVIEWER: GS MD ME		
	ROSIN IN VARNISHES, QUALITATIVE DETECTION OF USER: YD1	A 8010 MR 11-MAY-93 MR SH 84	
	TRANSPARENT LIQUID, COLOR OF (GARDNER COLOR SCALE) - 10 MAR 80 USER: YD1	A 8010 MR 15-MAR-90 MR SH 84	
	LIQUID, VISCOSITY OF TRANSPARENT BY BUBBLE TIME METHOD USER: YD1	A 8010 MR 11-MAY-93 MR SH 11	
	EXTRUDED ACRYLIC PLASTIC SHEET - 26 JUN 81 [VALIDATION DATE: 8903]	A 9330 YD1 20-MAR-89 MR YD1	
	VANADIUM IN NAVY SPECIAL FUEL OIL - 28 NOV 83 REVIEWER: 68 AR AS	A 91GP ME 24-APR-84 ME SH 11	
	PETROLEUM PRODUCTS (HIGH TEMPERATURE METHOD), SULFUR IN - NOV 83 REVIEWER:	A 91GP ME 24-APR-84 ME SH 11	
	68 AR AS		
	HYDROCARBONS, INDUSTRIAL AROMATIC, CALCULATION OF VOLUME & WEIGHT OF,	A 6810 EA 03-DEC-85 EA SH	
	STANDARD METHOD FOR - 25 MAR 83 USER: AS REVIEWER: GL GS MD ME		
	SOIL IN PLACE BY THE SAND-CONE METHOD, DENSITY OF - 29 JUN 1990 USER: MC	A 5610 YD1 24-SEP-91 CE YD1 99	
	REVIEWER: 71 82		
	SOIL & SOIL AGGREGATE MIXTURES USING 10 LB (4.54 KG) RAMMER & 18 IN. (457	A 5610 YD1 26-SEP-89 ME YD1 99	
	MM) DROP, MOISTURE DENSITY RELATIONS OF - 27 APR 78 USER: CE MC REVIEWER:		
	71 82		
	RESISTANCE TO PLASTIC FLOW OF BITUMINOUS MIXTURES USING MARSHALL APPARATUS	A 5610 YD1 09-FEB-90 YD1 99	
	- 18 OCT 1989		
	CELLULOSE PROPIONATE MOLDING & EXTRUSION COMPOUNDS - 30 JUL 82 (REAPPROVED	A 9330 MR 20-MAY-91 MR 11 GS	
	1989) [VALIDATION DATE: 9105] USER: GL REVIEWER: 99 MD		
	FLEXIBLE CELLULAR MATERIALS - VINYL CHLORIDE POLYMERS & COPOLYMERS (OPEN	A 9320 MR 12-FEB-91 MR SH	
	CELL FOAM) - 27 NOV 81 [VALIDATION DATE: 9102]		
	ADHESIVES, PHENOL, RESORCINOL, & MELAMINE, FILLER CONTENT OF - 31 JAN 1986	A 8040 MR 07-JUN-91 MR SH 11	
	[VALIDATION DATE: 9106]		
	HYDROGEN ION CONCENTRATION OF DRY ADHESIVE FILMS, STANDARD TEST METHOD FOR	A 8040 * MR 26-JUN-92 MR SH 11	
	SOILS, PENETRATION TEST & SPLIT - BARREL SAMPLING OF - 11 SEP 84	A 5610 YD1 30-AUG-89 YD1 99	
	[VALIDATION DATE: 8908] USER: CG		
	SOILS, THIN WALLED TUBE SAMPLING OF, STANDARD PRACTICE FOR - 17 AUG 83	A 5610 YD1 31-DEC-88 YD1 99	
	USER: CG		
	PIPE, PLASTIC, UNDER CONSTANT INTERNAL PRESSURE, TIME-TO-FAILURE OF,	A 4710 * YD1 03-AUG-92 ME YD1 99	
	STANDARD TEST METHOD FOR USER: SH REVIEWER: CS MR		
	PIPE, TUBING, PLASTIC, & FITTINGS, SHORT TIME HYDRAULIC FAILURE STANDARD	A 4710 YD1 18-DEC-88 MR YD1 11	
	TEST METHOD FOR - 25 MAR 88 USER: AS REVIEWER: AR AT CS ER GL ME SH		
	PLASTICS, ABBREVIATED TERMS RELATING TO, STANDARD TERMINOLOGY FOR USER: AS	A 9330 * MR 02-MAR-92 MR YD1 11	
	MC OS SH REVIEWER: 19 99 AR AT AV GL GS MD ME MI		
	NITROGEN DIOXIDE CONTENT OF THE ATMOSPHERE (GRIESS-SALTZMAN REACTION) - 11	A 6630 EA 28-NOV-79 EA MS 99	
	JUN 76		
	OXIDES OF NITROGEN IN GASEOUS COMBUSTION PRODUCTS (PHENOL DISULFONIC ACID	A 6810 EA 27-MAY-88 EA SH 68	
	PROCEDURES) - 29 APR 77 [VALIDATION DATE: 8805] REVIEWER: MD ME		
	ACIDITY IN VOLATILE SOLVENTS AND CHEMICAL INTERMEDIATES USED IN PAINT,	A 8010 MR 22-JUL-91 MR SH 99	
	VARNISH, LACQUER, AND RELATED PRODUCTS - 15 MAY 1991		
	ALKALINITY IN ACETONE, STANDARD TEST METHOD FOR - 27 NOV 87 USER: AS SH	A 6810 EA 16-AUG-89 EA 68	
	REVIEWER: GS MD ME		
	SOLVENT & THINNERS ESTER VALUE OF - 25 JAN 85 USER: MC OS SH REVIEWER: GL	A 6810 EA 04-AUG-88 EA 68	
	GS MD ME		
	CARBON BLACK SULFUR CONTENT STANDARD TEST METHOD FOR - 30 OCT 88 USER: OS	A 6810 EA 19-JUN-90 EA	
	REVIEWER: GL GS MD		
	PLASTICS, RIGID CELLULAR, COMPRESSIVE PROPERTIES OF - 29 JAN 73	A 9330 MR 22-JUN-90 MR SH 11	
	(REAPPROVED 1979) [VALIDATION DATE: 9006] USER: AS OS YD1 REVIEWER: AR AT		
	ER GL GS ME		
	PLASTICS, RIGID CELLULAR, APPARENT DENSITY OF, STANDARD TEST METHOD FOR -	A 9330 MR 27-JUL-84 MR 11	
	29 JUL 83 USER: AS EC OS SH YD1 REVIEWER: AR AT AV ER GL GS		
	PLASTICS, RIGID CELLULAR, TENSILE AND TENSILE ADHESION PROPERTIES OF,	A 9330 * YD1 13-JAN-92 CE YD1 99	
	STANDARD SPECIFICATION FOR [VALIDATION DATE: 9201]		
	ARSENATE, CHROMATED COPPER - 24 FEB 71 (REAPPROVED 86)	A 8030 YD1 17-AUG-87 ME YD1 99	
	RUBBER PROPERTY ABRASION RESISTANCE (MBS ABRADER) - 29 JUL 83 [VALIDATION	A 9320 MR 22-JUN-90 MR 99	
	DATE: 9006] USER: ME REVIEWER: 82 AT AV GL GS		
	MAKING AND CURING SOIL-CEMENT COMPRESSION AND FLEXURE TEST SPECIMENS IN	A 5610 YD1 27-FEB-90 ME YD1 99	
	THE LABORATORY - 23 OCT 1987 USER: MC REVIEWER: 84		
	SOIL-CEMENT CYLINDERS, COMPRESSIVE STRENGTH OF MOLDED, STANDARD TEST	A 5610 * YD1 31-OCT-91 ME YD1 99	
	METHOD FOR USER: CE MC		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	Doc. / Chg. / Revision	Document Number	Document Title	Doc. Smt. / FSC / Ane. / MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DLA
D		ASTM-D1639-90	ACID VALUE OF ORGANIC COATING MATERIALS - 26 OCT 1990 USER: AS OS SH YD1	A 8010	MR	20-NOV-90	MR		99	
D		ASTM-D1640-69R84	REVIEWER: 84 GL ME ORGANIC COATING, DRYING, CURING, OR FILM FORMATION OF AT ROOM TEMPERATURE	A 8010	AS	07-DEC-82	ME		11	
M		ASTM-D1642-93	- 3 OCT 69 USER: YD1	A 8010	MR	11-MAY-93	MR	SH	99	
D		ASTM-D1644-88	ELASTICITY OR TOUGHNESS OF VARNISHES USER: YD1 .....	A 8010	MR	19-APR-90	MR	SH	84	
		ASTM-D1646-80	VARNISHES, NON VOLATILE CONTENT OF - 31 OCT 88 USER: YD1 .....	A 9320	AT	30-MAY-80	AT			
			RUBBER FROM NATURAL OR SYNTHETIC SOURCES-VISCOSITY & VULCANIZATION							
			CHARACTERISTICS (MOONEY VISCOMETER) MAR 80 (VALIDATION DATE: 8503) USER:							
			MC ME SH REVIEWER: MI							
		ASTM-D1652-90	EPOXY CONTENT OF EPOXY RESINS .....	A 8010	* MR	13-FEB-92	MR	SH	84	
		NOTICE 1								
		ASTM-D1653A-91	WATER VAPOR TRANSMISSION OF ORGANIC COATING FILMS .....	A 8010	* MR	05-NOV-91	MR	SH	84	
		NOTICE 1								
D		ASTM-D1654A-79R84	SPECIMEN, PAINTED OR COATED, SUBJECTED TO CORROSIVE ENVIRONMENTS, STANDARD	A 8010	YD1	21-JUN-89	ME	YD1		
		NOTICE 1	EVALUATION OF - 3 DEC 79 (REAPPROVED 84) (VALIDATION DATE: 8906) USER: OS							
			SH REVIEWER: MR							
		ASTM-D1660-72	FUELS, AVIATION TURBINE, THERMAL STABILITY OF - 29 AUG 72 (REAPPROVED	A 91GP	ME	20-DEC-74	ME	SH	11	
			1982) (VALIDATION DATE: 8501)							
D		ASTM-D1664-80R85	BITUMEN AGGREGATE MIXTURE, COATING & STRIPPING OF - 31 OCT 80 (REAPPROVED	A 5610	YD1	25-JUL-91	CE	YD1	11	
		NOTICE 2	1985) (VALIDATION DATE: 9107)							
D		ASTM-D1667-76R90	VINYL CHLORIDE POLYMERS AND COPOLYMERS (CLOSED-CELL FORM), FLEXIBLE	A 9320	YD1	08-MAR-93	CE	YD1	99	
		NOTICE 1	CELLULAR MATERIALS, STANDARD SPECIFICATION FOR							
D		ASTM-D1668-86	GLASS FABRICS (WOVEN AND TREATED) FOR ROOFING AND WATERPROOFING, STANDARD	A 5650	* YD1	10-MAR-92	ME	YD1	99	
		NOTICE 2	SPECIFICATION FOR (VALIDATION DATE: 9203)							
		ASTM-D1672-66R71	POLYMERIC MATERIALS TO HIGH ENERGY RADIATION, EXPOSURE OF - 20 SEP 66	A 9330	MR	17-MAR-83	MR			
			USER: AS SH REVIEWER: AT GL GS MD ME MI							
			POLYTETRAFLUOROETHYLENE TUBING USER: AS MC REVIEWER: AT AV GL GS MD ME MI	A 9330	* MR	27-FEB-92	MR		11	
		ASTM-D1675-91	CHROMIUM IN WATER, STANDARD TEST METHODS FOR - 25 APR 86 REVIEWER: GS MD ME	A 6810	EA	31-AUG-88	EA			
		NOTICE 1	ZINC IN WATER STANDARD TEST METHOD FOR - 19 AUG 88 USER: ME SH REVIEWER:	A 6810	EA	05-SEP-90	EA			
		ASTM-D1687-86	GS MD							
D		ASTM-D1693-70R75	ENVIRONMENTAL STRESS CRACKING OF ETHYLENE PLASTICS - 22 JAN 70 (REAPPROVED	A 9330	MR	29-MAR-91	MR	SH	11	
		NOTICE 1	1980) (VALIDATION DATE: 9103) USER: AS YD1 REVIEWER: AR AT EA GL GS ME							
		ASTM-D1704-78	PARTICULATE MATTER IN THE ATMOSPHERE (OPTICAL DENSITY OF FILTERED DEPOSIT	A 6810	EA	06-MAR-87	EA	SH	68	
		NOTICE 1	- 27 JAN 78 (VALIDATION DATE: 8703) REVIEWER: GL GS MD ME							
D		ASTM-D1708-84	PLASTICS BY USE OF MICROTENSILE SPECIMENS, TENSILE PROPERTIES OF, STANDARD	A 9330	MR	22-JUN-90	MR	SH	99	
		NOTICE 1	TEST METHOD FOR - 27 JUL 84 (VALIDATION DATE: 9006) USER: AR MI OS YD1							
			REVIEWER: AS AT AV GS ME							
		ASTM-D1710A-91	POLYTETRAFLUOROETHYLENE (PTFE) BASIC SHAPES, ROD, AND HEAVY-WALLED TUBING	A 9330	* MR	11-OCT-91	MR	AS		
		NOTICE 1	USER: AR REVIEWER: AV GS MC ME MI							
		ASTM-D1718-82	ISOBUTYL ACETATE (950/0 GRADE - 31 JAN 82 REVIEWER: GS .....	A 6810	AS	10-FEB-86	AS			
		ASTM-D1719-81	ISOBUTYL ALCOHOL - 30 OCT 81 REVIEWER: GS .....	A 6810	AS	10-FEB-86	AS			
		ASTM-D1720-88	CELLULOSE NITRATE SOLUTIONS DILUTION RATIO OF ACTIVE SOLVENTS IN - 25 MAR	A 8010	MR	23-JUN-88	MR	SH	11	
			1988							
		ASTM-D1722-86	WATER MISCIBILITY OF WATER SOLUBLE SOLVENTS - 25 APR 1986 USER: MC SH	A 6810	EA	20-SEP-88	EA			
			REVIEWER: GS MD ME							
D		ASTM-D1729-89	VISUAL EVALUATION OF COLOR DIFFERENCES OF OPAQUE MATERIALS - 27 OCT 89	A 8010	EA	12-FEB-90	MR	SH	99	
			USER: YD1							
		ASTM-D1732-67R84	PREPARATION OF MAGNESIUM ALLOY SURFACES FOR PAINTING - 8 SEP 67	A 8010	MR	07-NOV-89	MR	SH		
			(REAPPROVED 1984) (VALIDATION DATE: 8911) USER: ME OS REVIEWER: AR AS ER							
D		ASTM-D1734-63R89	MAKING + PREPARING CONCRETE + MASONRY PANELS FOR TESTING PAINT FINISHES -	A 8010	MR	22-JUN-90	MR	SH		
		NOTICE 1	30 SEP 63 (REAPPROVED 1989) (VALIDATION DATE: 9006) USER: CG YD1 REVIEWER:							
			AS ER ME OS							
		ASTM-D1740-75	FUELS, AVIATION TURBINE, LUMINOMETER NUMBERS OF - 29 AUG 75 (REAPPROVED 80)	A 9150	ME	28-DEC-78	ME	SH	11	
			(VALIDATION DATE: 8501)							
		ASTM-D1742-83	OIL SEPARATION FROM LUBRICATING GREASE DURING STORAGE - 28 OCT 83	A 91GP	ME	24-APR-84	ME	SH	11	
			REVIEWER: 68 AR AS							
		ASTM-D1743-73	CREASES, LUBRICATING, RUST PREVENTIVE PROPERTIES OF - 27 AUG 73	A 91GP	ME	20-DEC-74	ME	SH	11	
			(REAPPROVED 1981) (VALIDATION DATE: 8501)							
		ASTM-D1744-83	PETROLEUM PRODUCTS, LIQUID, WATER IN, BY KARL FISCHER REAGENT - 28 NOV 83	A 91GP	ME	24-APR-84	ME	SH	11	
			REVIEWER: 68 AR AS							
D		ASTM-D1746-70R88	SHEETING, PLASTIC, TRANSPARENCY OF - 22 JAN 70 (REAPPROVED 1988)	A 9330	MR	22-JUN-90	MR	SH	11	
		NOTICE 1	(VALIDATION DATE: 9006) USER: YD1 REVIEWER: AR AS AT ER GL GS ME							
		ASTM-D1747-62R78	VISCOUS MATERIALS, REFRACTIVE INDEX OF, STANDARD TEST METHOD FOR - 28 SEP	A 9150	AS	21-MAY-84	AS			
			62 USER: MC							
		ASTM-D1748-83	RUST PROTECTION BY METAL PRESERVATIVES IN THE HUMIDITY CABINET, STANDARD	A 91GP	ME	13-JUN-85	ME	SH	11	
			TEST METHOD FOR - 29 JULY 1983 REVIEWER: OS							
D		ASTM-D1751-83	JOINT FILLER FOR CONCRETE PAVING AND STRUCTURAL CONSTRUCTION (NONEXTRUDING	A 5610	YD1	10-MAY-98	YD1			
		NOTICE 1	AND RESILIENT BITUMINOUS TYPES) PREFORMED EXPANSION FOR - 30 SEPT 1983							
			(VALIDATION DATE: 8905) USER: CE							
D		ASTM-D1752-84	JOINT FILLER, PREFORMED SPONGE RUBBER & CORK EXPANSION, FOR CONCRETE	A 5610	YD1	10-MAY-89	YD1			
		NOTICE 1	PAVING & STRUCTURAL CONSTRUCTION, STANDARD SPEC. FOR - 1 MAR 84							
			(VALIDATION DATE: 8905) USER: CE							
D		ASTM-D1763-88	RESINS, EPOXY, STANDARD SPECIFICATION FOR - 25 MAR 88 USER: 84 GS SH	A 9330	YD1	05-JUN-89	MR	YD1	11	
			REVIEWER: AR AT CS ER GL ME							
D		ASTM-D1779-65R83	ADHESIVE FOR ACOUSTICAL MATERIALS STANDARD SPECIFICATION FOR - 26 OCT 65	A 8040	YD1	26-APR-89	MR	YD1		
			USER: MC REVIEWER: AS ME							
		ASTM-D1780-72R83	ADHESIVES, METAL TO METAL, CONDUCTING CREEP TESTS OF - 28 JUL 72	A 8040	MR	22-JUN-90	MR	SH	11	
		NOTICE 1	(REAPPROVED 1983) (VALIDATION DATE: 9006) USER: OS SA REVIEWER: 99 AR AS							
			GL IS ME MI							
		ASTM-D1781-76R86	ADHESIVE, CLIMBING DRUM PEEL TEST FOR - 27 AUG 76 (REAPPROVED 1986)	A 8040	MR	22-JUN-90	MR	SH	11	
		NOTICE 1	(VALIDATION DATE: 9006)							
		ASTM-D1783-87	WATER, PHENOLIC COMPOUNDS IN STANDARD TEST METHOD FOR - 29 MAY 87	A 6810	EA	07-SEP-89	EA	68	68	
			REVIEWER: GL GS ME							
D		ASTM-D1784-81	RIGID POLY(VINYL CHLORIDE) (PVC) COMPOUNDS & CHLORINATED POLY(VINYL	A 9330	YD1	05-JUN-87	MR	YD1		
		NOTICE 1	CHLORINE) (CPVC) COMPOUNDS - 26 JUN 81 (VALIDATION DATE: 8706) USER: AS OS							
			SH REVIEWER: GS MD ME							
D		ASTM-D1785-89	PIPE, PLASTIC, POLY(VINYL CHLORIDE) (PVC) SCHEDULES 40, 80, & 120 STANDARD	A 4710	YD1	06-JUN-89	ME	YD1	99	
			SPECIFICATION FOR - 24 FEB 89							
D		ASTM-D1790-83	BRITTLENESS TEMPERATURE OF PLASTIC SHEETING BY IMPACT, STANDARD TEST	A 9330	YD1	15-JUN-89	MR	YD1	99	
			METHOD FOR - 28 NOV 83 REVIEWER: 84 GS SH							
		ASTM-D1796-83	FUEL OILS BY THE CENTRIFUGE METHOD (LABORATORY PROCEDURE), WATER &	A 91GP	ME	13-JUN-85	ME	SH	11	
			SEDIMENT IN - 25 MAR 83 REVIEWER: OS							
		ASTM-D1824-89	VISCOSITY OF PLASTISOLS AND ORGANISOLS AT LOW SHEAR RATES BY BROOKFIELD	A 4710	EA	11-SEP-89	ME		99	
			VISCOSITY APPARENT STANDARD TEST METHOD FOR 25 SEP 87 USER: SH REVIEWER:							
			82 AR CS GS MD							
		ASTM-D1831-64R88	GREASE, LUBRICATING, ROLL STABILITY - 31 AUG 64 USER: AS .....	A 9150	ME	07-DEC-83	ME		68	
A		ASTM-D1840-81	FUEL AVIATION TURBINE BY ULTRAVIOLET SPECTROPHOTOMETRY, NAPHTHALENE	A 91GP	MR	21-JUL-82	MR	AS	11	
			HYDROCARBONS IN - 28 AUG 81 REVIEWER: SH							
		ASTM-D1849-80	PACKAGE STABILITY OF PAINT - 1 AUG 80 (VALIDATION DATE: 8803) .....	A 8010	MR	14-MAR-88	MR	SH	11	
		NOTICE 2								
A L		ASTM-D1857	COAL AND COKE ASH, FUSIBILITY OF, STANDARD TEST METHOD FOR .....	A 9110	* PS	08-FEB-93				PS
		NOTICE 1								



## ACTIVE SECTION

# NUMERICAL LISTING

## DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	CPL / OAL Coordinate Notice	Document Number	Document Title	Dated	Dated FAC / Area MCA Symbol Preparing Agency	Date	Custodians			
							Army	Navy	AF Force	DLA
D		ASTM-D1861-88	PIPE, HOMOGENEOUS BITUMINIZED FIBER DRAIN AND SEWER, STANDARD SPECIFICATION FOR - 01 FEB 88 USER: CE MC	A 5630	YD1	17-NOV-88	ME	YD1		
D		ASTM-D1863-86 NOTICE 2	MINERAL AGGREGATE USED ON BUILT-UP ROOFS, STANDARD SPECIFICATION FOR [VALIDATION DATE: 9203] REVIEWER: CE MC	A 5610 *	YD1	10-MAR-92		YD1	99	
D		ASTM-D1864-89 NOTICE 1	MOISTURE IN MINERAL AGGREGATE USED ON BUILT-UP ROOFS .....	A 5610	YD1	20-APR-93	ME	YD1	99	
D		ASTM-D1869-78R89 NOTICE 1	RINGS, RUBBER, FOR ASBESTOS CEMENT PIPE - 28 APR 78 R89 [VALIDATION DATE: 9102] REVIEWER: IS SH	A 5330	YD1	14-FEB-91	MR	YD1	99	
		ASTM-D1870-91 NOTICE 1	ELEVATED TEMPERATURE AGING USING A TUBULAR OVEN USER: GS REVIEWER: AR AS	A 9320 *	MR	12-MAY-92	MR		11	
		ASTM-D1875-69R80 NOTICE 1	ADHESIVES, TEST FOR DENSITY OF, IN FLUID FORM (TENTATIVE) - 9 MAY 69 (REAPPROVED 1980) [VALIDATION DATE: 9006] USER: GL MI SH REVIEWER: 99 ME	A 8040	MR	22-JUN-90	MR	AS	11	
		ASTM-D1876-72R83 NOTICE 1	ADHESIVES, TEST FOR PEEL RESISTANCE OF, (T-PEEL TEST) (TENTATIVE) - 28 JUL 72 (REAPPROVED 1983) [VALIDATION DATE: 9102] USER: GL MI SH REVIEWER: 84 ME	A 8010	MR	04-FEB-91	MR	AS	11	
D		ASTM-D1881-86R91 ASTM-D1883-87 ASTM-D1889-88 ASTM-D1890-81	FOAMING TENDENCIES OF ENGINE COOLANTS IN GLASSWARE - 9 JUN 1986 ..... SOIL, LABORATORY COMPACTED, BEARING RATIO USER: CG ..... WATER, TURBIDITY OF - 24 JUN 1988 USER: 50 ME OS SH REVIEWER: GL GS MD ..... WATER, BETA PARTICLE RADIOACTIVITY OF, STANDARD TEST METHOD FOR - 30 OCT 81 USER: OS REVIEWER: GS MD ME	A 6850 A 5610 A 6810 A 6810	ME YD1 EA EA	10-JUL-91 09-SEP-88 14-NOV-90 27-SEP-84	ME SH EA EA	68 YD1 68 68		
		ASTM-D1894-68R78	STATIC & KINETIC COEFFICIENTS OF FRICTION OF PLASTIC FILM & SHEETING - DEC 68 REAPPROVED 20 MAR 78 [VALIDATION DATE: 8310] REVIEWER: GS MR	A 9330	AT	22-JAN-81	AT		99	
D		ASTM-D1895-89R90 ASTM-D1897-77R81	MATERIALS, PLASTIC, APPARENT DENSITY, BULK FACTOR, AND POURABILITY OF - 29 DEC 1989 (REAPPROVED 1990) USER: OS YD1 REVIEWER: AS AT AV ER GL GS ME INJECTION MOLDING TEST SPECIMENS OF THERMOPLASTIC MOLDING & EXTRUSION MATERIALS - 27 MAY 77 (REAPPROVED 81) [VALIDATION DATE: 8305] USER: AS AT MC OS REVIEWER: EA GL GS ME MI	A 9330 A 9330	MR MR	22-MAY-91 17-MAR-83	MR MR	SH SH	11 11	
		ASTM-D1898-68R85 NOTICE 1	PLASTICS, SAMPLING OF - 10 JAN 68 (REAPPROVED 1985) [VALIDATION DATE: 9006] USER: AS AT GL OS REVIEWER: AR GS ME MI	A 9330	MR	22-JUN-90	MR	SH		
A L		ASTM-D1917-92 NOTICE 1	RUBBER PROPERTY-SHRINKAGE OF RAW AND COMPOUNDED HOT-POLYMERIZE STYRENE-BUTADIENE RUBBER (SBR) USER: AT SH REVIEWER: AS GL	A 9320	MR	10-MAR-93	MR			
D		ASTM-D1921-89	MATERIALS, PLASTIC, PARTICLE SIZE (SIEVE ANALYSIS) STANDARD TEST METHODS FOR - 30 JUNE 1989 REVIEWER: 84 GS	A 9330	YD1	01-MAY-90	MR	YD1	99	
D		ASTM-D1927-81R88	SHEET PLASTIC RIGID POLY (VINYL CHLORIDE) STANDARD SPECIFICATION FOR - 26 JUN 81 USER: SH REVIEWER: 84 GS MR	A 9330	YD1	10-MAR-89		YD1	99	
		ASTM-D1928-90	TEST SHEETS AND TEST SPECIMENS, POLYETHYLENE, COMPRESSION-MOLDED, PREPARATION OF - 29 JUNE 1990 REVIEWER: AR AT EA GL GS ME	A 9330	MR	10-APR-91	MR		11	
D		ASTM-D1929A-91 NOTICE 1	IGNITION PROPERTIES OF PLASTICS USER: AS AT AV GL OS YD1 REVIEWER: 99 ER GS ME MI	A 9330 *	MR	27-FEB-92	MR	SH	11	
		ASTM-D1943-81	WATER, STANDARD TEST METHOD FOR ALPHA PARTICLE RADIOACTIVITY OF - 30 OCT 81 USER: OS REVIEWER: GS MD ME	A 6810	EA	19-NOV-84	EA			
		ASTM-D1947-83	PETROLEUM OIL & SYNTHETIC FLUID GEAR LUBRICANTS, LOAD CARRYING CAPACITY OF - 28 NOV 83	A 9150	ME	24-APR-84	ME	SH	11	
		ASTM-D1951-86R90 ASTM-D1952-86R90	OIL, DRYING, AND FATTY ACIDS, ASH IN - 26 OCT 1990 USER: OS REVIEWER: ME ... OIL, DRYING, QUANTITATIVE DETERMINATION OF BREAK IN - 26 OCT 1990 USER: OS REVIEWER: ME	A 8010 A 8010	MR MR	18-JAN-91 18-JAN-91	MR MR	SH SH	84 84	
		ASTM-D1954-86R90	OIL, LINED, RAW, FOOTS IN (VOLUMETRIC METHOD) - 26 OCT 1990 USER: OS REVIEWER: ME	A 8010	MR	18-JAN-91	MR	SH	84	
D		ASTM-D1959-85 ASTM-D1960-86R90 ASTM-D1962-85R89 NOTICE 1	ACIDS, FATTY AND DRYING OILS, LODINE VALUE OF - 31 MAY 1985 USER: YD1 ..... OIL, DRYING, LOSS ON HEATING OF - 26 OCT 1990 USER: OS REVIEWER: ME ..... OILS, DRYING, FATTY ACIDS, AND POLYMERIZED FATTY ACIDS, SAPONIFICATION VALVE OF - 31 MAY 1985 (REAPPROVED 1989) [VALIDATION DATE: 9102]	A 8010 A 8010 A 8010	MR MR MR	06-FEB-86 18-JAN-91 19-FEB-91	MR MR MR	SH SH SH	84 84 84	
		ASTM-D1964-85R89 NOTICE 1	TUNG OIL QUALITY, STANDARD TEST METHOD FOR - 31 MAY 85 (REAPPROVED 1989) [VALIDATION DATE: 9102]	A 8010	MR	19-FEB-91	MR	SH	84	
		ASTM-D1965-87R91 NOTICE 1	UNSAPOINIFIABLE MATTER IN DRYING OILS, FATTY ACIDS, AND POLYMERIZED FATTY ACIDS, STANDARD TEST METHOD FOR [VALIDATION DATE: 9201] REVIEWER: 84	A 8010 *	MR	21-JAN-92	MR	SH	99	
		ASTM-D1983-90	FATTY ACID COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY OF METHYL ESTERS - 25 MAY 1990	A 8010	MR	22-JUL-91	MR	SH	99	
D		ASTM-D2000-90	RUBBER PRODUCTS IN AUTOMOTIVE APPLICATIONS - 15 MAY 1990 USER: AS AT AV GL MC OS YD1 REVIEWER: AR ER GS	A 9320	MR	25-FEB-91	MR	SH	99	
		ASTM-D2009-65R79	COLLECTION BY FILTRATION AND DETERMINATION OF MASS, NUMBER AND OPTICAL SIZING OF ATMOSPHERIC PARTICULATES - 31 AUG 65 [VALIDATION DATE: 8703]	A 6810	EA	06-MAR-87	EA			
		ASTM-D2010-85	CANDLE, LEAD DIOXIDE, EVALUATION OF TOTAL SULFATION ACTIVITY IN THE ATMOSPHERE BY THE, STANDARD METHOD FOR - 30 AUG 1985 REVIEWER: GS MD ME	A 6810	EA	28-SEP-88	EA	SH		
A L		ASTM-D2013 NOTICE 1	PREPARING COAL SAMPLES FOR ANALYSIS, STANDARD TEST METHOD OF .....	A 9110 *	PS	08-FEB-93				PS
A L		ASTM-D2015 NOTICE 1	GROSS CALORIFIC VALUE OF COAL AND COKE BY THE ADIABATIC BOMB CALORIMETER, STANDARD TEST METHOD FOR	A 9110 *	PS	08-FEB-93				PS
		ASTM-D2022-89	CHLORINE-CONTAINING BLEACHES, SAMPLING AND CHEMICAL ANALYSIS OF STANDARD METHOD OF - 26 MAY 89 USER: SH REVIEWER: GL GS MD ME	A 6810	EA	06-SEP-90	EA		68	
D		ASTM-D2026-72R85 NOTICE 2	ASPHALT, CUT BACK, (SLOW CURING TYPE) - 29 DEC 72 (REAPPROVED 85)	A 5610	YD1	02-APR-90	ME	YD1		
D		ASTM-D2027-76R86 NOTICE 2	ASPHALT CUT BACK (MEDIUM CURING TYPE), - 9 APR 1976 (REAPPROVED 86)	A 5610	YD1	25-JUL-91	ME	YD1		
D		ASTM-D2028-76R86 NOTICE 2	ASPHALT CUT BACK (RAPID CURING TYPE), - 9 APR 1976 (REAPPROVED 86)	A 5610	YD1	25-JUL-91	ME	YD1		
		ASTM-D2036-87	WATER, STANDARD TEST METHODS FOR CYANIDES IN - 29 MAY 87 USER: SH REVIEWER: GL GS MD ME	A 6810	EA	29-SEP-89	EA		68	
D		ASTM-D2041-90	PAVING MIXTURE, BITUMINOUS, THEORETICAL MAXIMUM SPECIFIC GRAVITY OF - 8 JAN 1990 USER: MC	A 5610	YD1	23-AUG-90	ME	YD1	99	
L		ASTM-D2069 NOTICE 1	FUELS, MARINE, STANDARD SPECIFICATION FOR .....	A 9140 *	PS	28-JAN-92				PS
		ASTM-D2084-81	RUBBER PROPERTY - VULCANIZATION CHARACTERISTICS USING OSCILLATING DISK CURE METER - 27 MAR 81 [VALIDATION DATE: 8310] REVIEWER: 82	A 9320	AT	07-DEC-82	AT	SH	99	
		ASTM-D2091-88 ASTM-D2092-86	LACQUERS, PRINT RESISTANCE OF STANDARD TEST METHOD FOR - 25 MAR 88 ..... STEEL SURFACES FOR PAINTING, PREPARATION OF ZINC-COATED (GALVANIZED) - 26 SEP 86 REVIEWER: AL AR	A 8010 A MFFP	MR MR	13-JAN-89 18-JUL-91	MR MR	SH SH	99 99	
D		ASTM-D2103-86	FILM AND SHEETING, POLYETHYLENE, STANDARD SPECIFICATION FOR USER: AS GS MI OS SH REVIEWER: GL MR SH	A 9330	YD1	07-AUG-87	ME	YD1	11	
D		ASTM-D2104A-89 NOTICE 1	POLYETHYLENE (PE) PLASTIC PIPE, SCHEDULE 40, STANDARD SPECIFICATION FOR REVIEWER: 82 CS SH	A 4710 *	YD1	10-OCT-91	ME	YD1	99	
D		ASTM-D2105-85	PIPE AND TUBE, LONGITUDINAL TENSILE PROPERTIES OF REINFORCED THERMOSETTING RESIN STANDARD TEST METHOD FOR - 29 MAR 85 USER: SH REVIEWER: 82 CS	A 4710	YD1	26-JUN-89	ME	YD1	99	
		ASTM-D2106-87	SOLVENT, HALOGENATED ORGANIC, AMINE ACID ACCEPTANCE OF STANDARD TEST METHOD FOR - 27 NOV 87 REVIEWER: GL GS MD SH	A 6810	EA	12-OCT-89	EA		68	
		ASTM-D2109-85	SOLVENTS, HALOGENATED ORGANIC, & THEIR ADMIXTURES, NONVOLATILE MATTER IN - 31 MAY 1985	A 6810 *	EA	27-MAY-87	EA	SH	68	
		ASTM-D2111-85	SOLVENTS, HALOGENATED ORGANIC, & THEIR ADMIXTURES, SPECIFIC GRAVITY OF - 31 MAY 1985 REVIEWER: GS MD ME	A 6810 *	EA	01-JUN-87	EA	SH	68	
D		ASTM-D2113-83R87	DIAMOND CORE DRILLING FOR SITE INVESTIGATION - 24 JUN 1983 (REAPPROVED 1987) USER: MC REVIEWER: 84	A 5610	YD1	21-FEB-90	ME	YD1	99	
D		ASTM-D2116-81	FEP - FLUOROCARBON MOLDING & EXTRUSION MATERIALS - 26 JUN 81 USER: MC YD1 REVIEWER: AR MR	A 9330	ER	13-JAN-83	ER	SH		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / OMA Companion Inspec Document Number	Document Title	Doc. Syst. FSC / Ave MCA Symbol Preparing Act Date	Custodians Army Navy Air Force DIA
ASTM-D2117-82	POLYMERS SEMICRYSTALLINE BY THE HOT MICROSCOPY METHOD MELTING POINT - 26 NOV 82 USER: MC REVIEWER: GS MD ME	A 6810 EA 20-DEC-84 EA	
D L ASTM-D2122-90 NOTICE 1	DETERMINING DIMENSIONS OF THERMOPLASTIC PIPE AND FITTINGS USER: AL AS CE MC ME SH REVIEWER: AR AT AV ER GS YD1	A 9330 * MR 04-OCT-91 MR	
D ASTM-D2126-87	RESPONSE OF RIGID CELLULAR PLASTICS TO THERMAL & HUMID AGING - 27 FEB 1987 USER: AS OS YD1 REVIEWER: AR AT ER GL GS ME	A 9330 MR 26-SEP-88 MR SH 11	
D ASTM-D2136-84R89	FABRICS, COATED, LOW-TEMPERATURE BEND TEST, STANDARD TEST METHOD FOR - 1984 (REAPPROVED 24 FEB 89) REVIEWER: CS SH	A 9320 YD1 28-SEP-89 YD1	
ASTM-D2137-89	RUBBER PROPERTY-BRITTLENESS POINT OF FLEXIBLE POLYMERS AND COATED FABRICS - 31 MARCH 1989 USER: AS OS REVIEWER: AR AV ER IS	A 9320 MR 07-AUG-89 MR SH 99	
D ASTM-D2152-80R86	PIPE AND MOLDED FITTINGS BY ACETONE IMMERSION DEGREE OF FUSION OF EXTRUDED POLY(VINYL CHLORIDE) (PVC) STANDARD TEST METHOD FOR - 31 OCT 80 REVIEWER: B2 CS	A 4710 YD1 01-MAY-90 ME YD1 99	
ASTM-D2161-82	VISCOSITY, SAYBOLT UNIVERSAL OR TO SAYBOLT FUROL VISCOSITY, CONVERSION OF KINEMATIC VISCOSITY OF - 27 AUG 82	A 91GP ME 06-APR-83 ME SH 11	
D ASTM-D2167-84 NOTICE 2	SOIL IN PLACE BY THE RUBBER BALLOON METHOD, DENSITY & UNIT WEIGHT OF, STANDARD TEST METHOD FOR - 30 NOV 84 (VALIDATION DATE: 8908) USER: CE MC	A 5610 YD1 30-AUG-89 YD1	
D ASTM-D2168-80	SOIL COMPACTOR, LABORATORY MECHANICAL-RAMMER, CALIBRATION OF - 31 OCT 1980 USER: MC REVIEWER: B4	A 5610 YD1 27-FEB-90 ME YD1 99	
D L ASTM-D2170-92 NOTICE 1	KINEMATIC VISCOSITY OF ASPHALTS (BITUMENS), STANDARD TEST METHOD FOR USER: CE MC	A 5610 * YD1 20-NOV-92 YD1	
D L ASTM-D2171-88 NOTICE 1	ASPHALTS BY VACUUM CAPILLARY VISCOMETER, VISCOSITY OF .....	A 5610 YD1 20-APR-93 YD1	
D ASTM-D2172-88	QUANTITATIVE EXTRACTION OF BITUMEN FROM BITUMINOUS PAVING MIXTURE - REVIEWER: MC	A 5610 YD1 26-MAY-88 CE YD1 99	
D ASTM-D2178-89	ROOFING AND WATERPROOFING, ASPHALT GLASS FELT USED IN - 26 MAY 1989 REVIEWER: CE	A 5650 YD1 08-NOV-89 YD1 99	
ASTM-D2196-86	VISCOSITY, ROTATIONAL (BROOKFIELD), RHEOLOGICAL PROPERTIES OF NON-NEWTONIAN MATERIALS BY, STANDARD TEST METHOD FOR - 29 AUG 1986 USER: AS OS REVIEWER: ME	A 8010 MR 24-FEB-88 MR SH 84	
ASTM-D2197-86R91 NOTICE 1	ADHESION OF ORGANIC COATINGS, BY SCRAPE ADHESION, STANDARD TEST METHOD FOR (VALIDATION DATE: 9201)	A 8010 * MR 21-JAN-92 MR SH 84	
A ASTM-D2207-64R76	LEATHER, BURSTING STRENGTH OF BY THE BALL METHOD - 31 AUG 64 (REAPPROVED 1990) (VALIDATION DATE: 8601)	A 83GP CT 17-JUN-80 GL MU 99 CT	
A ASTM-D2208-80 NOTICE 2	BREAKING STRENGTH OF LEATHER BY THE GRAB METHOD - 26 SEP 80 (REAPPROVED 1990) (VALIDATION DATE: 8806) USER: AL MC	A 83GP CT 28-JUN-88 GL MU 99 CT	
A ASTM-D2209-80 NOTICE 2	LEATHER, TENSILE STRENGTH OF - 26 SEP 80 (REAPPROVED 1990) USER: AL AS MC	A 83GP CT 28-JUN-88 GL MU 99 CT	
D ASTM-D2216-80 NOTICE 2	SOIL, ROCK, & SOIL AGGREGATE MIXTURES, LABORATORY DETERMINATION OF WATER (MOISTURE) CONTENT OF, STANDARD TEST METHOD OF - 30 MAY 80 (VALIDATION DATE: 8908) USER: CE MC	A 5610 YD1 11-AUG-89 YD1	
D ASTM-D2217-85 NOTICE 2	SOIL SAMPLES FOR PARTICLE-SIZE ANALYSIS, WET PREPARATION OF, AND DETERMINATION OF SOIL CONSTANTS, STANDARD PRACTICE FOR - 26 JULY 85 (VALIDATION DATE: 8908) USER: CG	A 5610 YD1 30-AUG-89 YD1 99	
D ASTM-D2221-68R79	PACKAGE CUSHIONING MATERIALS, CREEP PROPERTIES OF - 18 JUN 68 USER: OS SH REVIEWER: 99 AR GL ME MI SA YD1	A PACK AS 30-SEP-81 SM AS 69	
A ASTM-D2228-83	RUBBER PROPERTY - ABRASION RESISTANCE (PICO ABRADER), STANDARD TEST METHOD FOR - 25 MAR 1983 USER: AS REVIEWER: AV GL TE	A MDT1 AT 10-APR-87 AT 11	
D ASTM-D2235-88	PIPE PLASTIC & FITTINGS ACRYLONITRILE-BUTADIENE-STYRENE SOLVENT CEMENT FOR STANDARD SPECIFICATION FOR - 31 OCT 88 REVIEWER: B2 CS SH	A 4710 YD1 06-JUN-89 ME YD1 99	
D ASTM-D2239-89	PIPE PLASTIC (SDR-PR) POLYETHYLENE (PE) BASED ON CONTROLLED INSIDE DIAMETER STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS MD	A 4710 YD1 13-JUN-89 ME YD1 99	
D ASTM-D2240-91 NOTICE 1	RUBBER PROPERTY-DUROMETER HARDNESS, STANDARD TEST METHOD FOR USER: AR AT 1H MC OS YD1 REVIEWER: 99 AS AV GL GS ME	A 9320 * MR 22-JUN-92 MR SH 11	
D ASTM-D2241-89	PIPE, POLY(VINYL CHLORIDE) (PVC) PRESSURE-RATED PIPE (SDR SERIES REVIEWER: B2 CS	A 4710 * YD1 12-JUL-89 YD1 99	
ASTM-D2243-90	FREEZE-THAW RESISTANCE OF WATER-BORNE COATINGS - 26 OCT 1990 REVIEWER: 11 B4 AS ME	A 8010 MR 04-FEB-91 MR SH 99	
D ASTM-D2244-89	COLOR COORDINATES, CALCULATION OF COLOR DIFFERENCES FROM INSTRUMENTALLY MEASURED, STANDARD METHOD FOR - 27 OCT 89 USER: YD1	A 8010 MR 06-APR-90 MR SH 11	
D ASTM-D2245-90	PAINTS, IDENTIFICATION OF OILS & OIL ACIDS IN SOLVENT-REDUCIBLE - 25 MAY 90 USER: YD1	A 8010 MR 21-AUG-90 MR SH 84	
A ASTM-D2247-92 NOTICE 1	TESTING WATER RESISTANCE OF COATINGS IN 100% RELATIVE HUMIDITY .....	A 8010 * MR 28-OCT-92 MR SH 99	
L ASTM-D2251 NOTICE 1	METAL CORROSION BY HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES, STANDARD TEST METHOD FOR	A 91GP * PS 24-JAN-92 PS	
D ASTM-D2257-89	EXTRACTABLE MATTER IN TEXTILE - 17 MAY 1989 USER: AS OS SH REVIEWER: DP ...	A 8310 YD1 23-AUG-91 ME YD1	
A ASTM-D2261-83	FABRICS, WOVEN, BY THE TONGUE (SINGLE RIP) METHOD (CONSTANT RATE OF EXTENSION TENSILE TESTING MACHINE), TEARING STRENGTH OF - 23 FEB 83 USER: CG MC ME SH REVIEWER: 03 B2 99 AS MD MI TE	A 83GP CT 22-JUN-84 GL MU 11 CT	
A ASTM-D2262-83	FABRICS, WOVEN, BY THE TONGUE (SINGLE RIP) METHOD (CONSTANT RATE OF TRAVERSE TENSILE TESTING MACHINE) 25 FEB 83, TEARING STRENGTH OF USER: CG MC ME SH REVIEWER: 03 B2 99 AS MD MI TE	A 83GP CT 22-JUN-84 GL MU 11 CT	
ASTM-D2265-78	LUBRICATING GREASE, DROPPING POINT OF, OVER WIDE TEMPERATURE RANGE - 25 AUG 78	A 9150 AS 01-MAY-81 ME AS 68	
ASTM-D2266-67	GREASE, LUBRICATING, WEAR PREVENTIVE CHARACTERISTICS OF (FOUR BALL METHOD) - 8 SEP 67 (REAPPROVED 81) (VALIDATION DATE: 8501)	A 91GP ME 20-JUN-68 ME SH 11	
ASTM-D2268-81	CHROMATOGRAPHY, CAPILLARY, ANALYSIS OF HIGH PURITY N-HEPTANE & ISOOCTANE BY - 28 AUG 81	A 9130 ME 21-JUL-82 ME SH 68	
ASTM-D2270-79	CALCULATING VISCOSITY INDEX FROM KINEMATIC VISCOSITY AT 40 AND 100 DEG. C - 31 AUG 1979 REVIEWER: OS	A 9150 ME 17-JUN-85 ME SH 11	
ASTM-D2272-67R83	OXIDATION STABILITY OF STEAM TURBINE OILS BY ROTATING BOMB, STANDORD TEST METHOD FOR - 8 SEP 67 REVIEWER: AS GS	A 9150 SH 31-AUG-84 ME SH 68	
A ASTM-D2273-81	LUBRICATING OIL TRACE SEDIMENT IN - 28 AUG 81 .....	A 91GP ME 21-JUL-82 ME SH 11	
L ASTM-D2274 NOTICE 1	FUEL OIL (ACCELERATED METHOD), OXIDATION STABILITY OF DISTILLATE, STANDARD TEST METHOD FOR	A 9140 * PS 16-JAN-92 PS	
L ASTM-D2276 NOTICE 1	FUEL, AVIATION, PARTICULATE CONTAMINANT IN, STANDARD TEST METHOD FOR .....	A 91GP * PS 24-JAN-92 PS	
D ASTM-D2277-87	SHEATHING, FIBERBOARD NAIL BASE - 27 FEB 1987 USER: CE MC .....	A 5640 YD1 28-SEP-88 ME YD1	
ASTM-D2282-89	PIPE PLASTIC (SDR-PR) ACRYLONITRILE-BUTADIENE-STYRENE (ABS) STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS	A 4710 YD1 21-JUN-89 CE YD1 99	
D ASTM-D2287-81R88	VINYL, MONORIGID, CHLORIDE POLYMER & COPOLYMER MOLDING & EXTRUSION COMPOUNDS - 26 JUNE 1981 (REAPPROVED 88) REVIEWER: B4 CS ME SH	A 9330 YD1 20-JAN-89 MR YD1 99	
ASTM-D2290-87	PLASTICS, RING OR TUBULAR, & REINFORCED PLASTICS BY SPLIT DISK METHOD, APPARENT TENSILE STRENGTH OF - 27 MAR 1987 USER: SH REVIEWER: AR AV GL GS	A 9330 MR 28-SEP-88 MR AS 11	
D ASTM-D2310-91 NOTICE 1	PIPE, MACHINE-MADE "FIBERGLASS" (CLASS-FIBER-REINFORCED THERMOSETTING-RESIN), STANDARD CLASSIFICATION FOR USER: CE MC REVIEWER: CS	A 4710 * YD1 14-AUG-92 ME YD1 99	
D ASTM-D2321-89	PIPE FOR SEWERS AND OTHER GRAVITY-FLOW APPLICATIONS, THERMOPLASTIC, UNDERGROUND INSTALLATION OF - 29 DEC 1989 USER: MC	A 5630 YD1 26-OCT-90 CE YD1	
ASTM-D2330-88	SUBSTANCES, METHYLENE BLUE ACTIVE STANDARD TEST METHOD FOR - 29 JAN 88 USER: OS SH REVIEWER: GL GS MD ME	A 6810 EA 06-NOV-89 EA	
D ASTM-D2341-81	FOAM, URETHANE, RIGID, STANDARD SPECIFICATION FOR - 26 JUNE 1981 USER: CG MC REVIEWER: B4 CE SH	A 5640 YD1 02-OCT-89 ME YD1 99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OIA Coordination Package	Document Number	Document Title	Dist. Smt. FPC / Area MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
	ASTM-D2344-84 NOTICE 1	COMPOSITES, PARALLEL FIBER, BY SHORT- BEAM METHOD, APPARENT INTERLAMINAR SHEAR STRENGTH OF - 25 MAY 1984 (REAPPROVED 1989) (VALIDATE FEB. 1991) (VALIDATION DATE: 9102) USER: AS AT REVIEWER: 99 AV ER GL MI	A 9330	NR	05-FEB-91	NR	SH	11	
	ASTM-D2350-90	PAINTS, SOLVENT-REDUCIBLE, ANTIMONY OXIDE IN WHITE PIGMENT SEPARATED FROM, - 25 MAY 90	A 8010	NR	21-AUG-90	NR	SH	84	
	ASTM-D2360-82 NOTICE 1	MONOCYCLIC AROMATIC HYDROCARBONS BY GAS CHROMATOGRAPHY, TRACE IMPURITIES IN STANDARD TEST METHOD FOR - 29 OCT 82 (VALIDATION DATE: 8907) USER: AS MC SH REVIEWER: GL GS MD ME	A 6810	EA	13-JUL-89	EA		68	
D	ASTM-D2369-87	VOLATILE CONTENT OF COATING STANDARD TEST METHOD REVIEWER: 84 YD1	A 8010	NR	20-SEP-88	NR	SH	99	
A	ASTM-D2370-92 NOTICE 1	COATINGS, ORGANIC, TENSILE PROPERTIES OF	A 8010 *	NR	28-OCT-92	NR	SH	99	
	ASTM-D2382-83	FUELS, HYDROCARBON, HEAT OF COMBUSTION OF, BY BOMB CALORIMETER HIGH PRECISION METHOD - 28 NOV 83	A 9150	ME	24-APR-84	ME	SH	11	
	ASTM-D2386-67	FUELS, AVIATION, FREEZING POINT OF - 8 SEP 67 (REAPPROVED 1977) (VALIDATION DATE: 8501) REVIEWER: 68 AR AS	A 91GP	ME	20-JUN-68	ME	SH	11	
A	ASTM-D2393-86	EPOXY RESINS AND RELATED COMPONENTS, VISCOSITY OF - 25 JULY 86	A 9330	NR	07-AUG-87	NR	AS	11	
D	ASTM-D2397-85 NOTICE 2	ASPHALT, CATIONIC EMULSIFIED, STANDARD SPECIFICATION FOR - 22 FEB 85 (VALIDATION DATE: 9107)	A 5610	YD1	25-JUL-91	CE	YD1	99	
	ASTM-D2410-82	FINISH CONTENT WOVEN GLASS FABRIC, CLEANED & AFTER FINISHED WITH CHROME COMPLEXES, FOR PLASTIC LAMINATES - 30 JUL 82 USER: AT OS SH REVIEWER: AR GS ME MI	A 9340	NR	10-NOV-83	NR			
	ASTM-D2411-89	CELLULOSE ACETATE BUTYRATE FILM AND SHEETING FOR FABRICATING AND FORMING - 27 JAN 1989 USER: AR AT GL REVIEWER: GS MD SH	A 9330	NR	29-NOV-90	NR	SH	11	
D	ASTM-D2412-87	PIPE, PLASTIC, BY PARALLEL-PLATE LOADING, DETERMINATION OF EXTERNAL LOADING STANDARD TEST METHOD FOR - 31 JUL 87 REVIEWER: 82 CS SH	A 4710	YD1	06-JUN-89	ME	YD1	99	
D	ASTM-D2417-88	PIPE, PERFORATED, LAMINATED-WALL BITUMINIZED FIBER, FOR GENERAL DEAINAGE, STANDARD SPECIFICATION FOR - 1 FEB 88	A 5630	YD1	17-NOV-88	ME	YD1	99	
D L	ASTM-D2419-91 NOTICE 1	SAND EQUIVALENT VALUE OF SOILS AND FINE AGGREGATE, STANDARD TEST METHOD FOR USER: CE REVIEWER: MC	A 5610 *	YD1	21-AUG-92		YD1		
D L	ASTM-D2436-85 NOTICE 1	FORCED-CONVECTION LABORATORY OVENS FOR ELECTRICAL INSULATION STANDARD SPECIFICATION FOR	A 5970	YD1	08-MAR-93		YD1		
	ASTM-D2440-88 NOTICE 1	OXIDATION STABILITY OF MINERAL INSULATING OIL, STANDARD TEST METHOD FOR USER: 50 REVIEWER: GS MR	A 9160 *	MI	01-NOV-91	MI	SH	68	
D	ASTM-D2444-84	PIPE AND FITTINGS BY MEANS OF TUP (FALLING WEIGHT) IMPACT RESISTANCE OF THERMOPLASTIC STANDARD TEST METHOD FOR - 27 JUL 84 USER: SH REVIEWER: 82 CS	A 4710	YD1	01-MAY-90	ME	YD1	99	
D	ASTM-D2447-89	PIPE, PLASTIC, POLYETHYLENE (PE) SCHEDULES 40, & 80 BASED ON OUTSIDE DIAMETER STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC REVIEWER: CS	A 4710	YD1	06-JUN-89	ME	YD1	99	
D	ASTM-D2464-89	PIPE, FITTINGS, THREADED POLY (VINYL CHLORIDE) (PVC) PLASTIC, SCHEDULE 80 STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC SH REVIEWER: CS	A 4730	YD1	06-JUL-89	ME	YD1	99	
D	ASTM-D2466-89	PIPE, FITTINGS, POLY(VINYL CHLORIDE) (PVC) PLASTIC, SCHEDULE 40 1 - 24 FEB 89	A 4730	YD1	17-MAY-89		YD1	99	
D	ASTM-D2467-89	PIPE, PLASTIC, FITTINGS, POLY(VINYL CHLORIDE) (PVC) SCHEDULE 80, SOCKET-TYPE STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS SH	A 4730	YD1	06-JUN-89		YD1	99	
D	ASTM-D2468-89	PIPE, PLASTIC, FITTINGS, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULE 40 STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC REVIEWER: CS	A 4730	YD1	06-JUL-89	ME	YD1	99	
D	ASTM-D2469-76 NOTICE 1	PIPE, FITTING, PLASTIC, SOCKET TYPE ACRYLONITRILE BUTADIENE STYRENE (ABS), SCHEDULE 80 1 - 27 JUL 76 (VALIDATION DATE: 8612) USER: CE MC REVIEWER: CS	A 4730	YD1	24-DEC-86	ME	YD1	99	
	ASTM-D2481-81R86	WOOD PRESERVATIVES FOR MARINE SERVICES BY MEANS OF SMALL-SIZE SPECIMENS, ACCELERATED EVALUATION, STANDARD TEST METHOD FOR - 30 OCT 81 REVIEWER: 64 CE	A 5510	CS	31-MAR-88	ME	SH	99	
D	ASTM-D2486-89 NOTICE 1	SCRUB RESISTANCE OF INTERIOR LATEX FLAT WALL PAINTS, STANDARD TEST METHOD FOR USER: CE REVIEWER: 84 SH	A 8010	YD1	29-MAR-93	ME	YD1	99	
D	ASTM-D2487-85	SOILS FOR ENGINEERING PURPOSES, CLASSIFICATION OF, STANDARD TEST METHOD FOR - 25 OCT 85 USER: CE REVIEWER: 80	A 5610	YD1	14-MAR-86		YD1	99	
D	ASTM-D2488-84	SOIL, (VISUAL-MANUAL PROCEDURES), DESCRIPTION AND IDENTIFICATION OF - 3 OCT 1984 USER: MC REVIEWER: 84	A 5610	YD1	16-FEB-90	ME	YD1	99	
A	ASTM-D2500-81	PETROLEUM OIL CLOUD POINT OF - 28 AUG 81 REVIEWER: 68	A 91GP	ME	21-JUL-82	ME	SH	11	
A	ASTM-D2503-82	HYDROCARBONS, BY THERMOELECTRIC MEASUREMENT OF VAPOR PRESSURE, TEST FOR MOLECULAR WEIGHT (RELATIVE MOLECULAR MASS) OF - 27 AUG 1982 REVIEWER: 16 AM AV SH	A 91GP	AS	24-MAR-86	ME	AS	11	
A	ASTM-D2510-83	LUBRICANTS, SOLID FILM, ADHESION OF - 25 MAR 1983 REVIEWER: OS	A 91GP	ME	13-AUG-85	ME	SH	11	
A	ASTM-D2511-83	LUBRICANTS, SOLID FILM, THERMAL SHOCK SENSITIVITY OF - 25 MAR 1983 REVIEWER: OS	A 91GP	ME	13-AUG-85	ME	SH	11	
D	ASTM-D25138-88	PIPE, TUBING & FITTINGS, THERMOPLASTIC GAS PRESSURE STANDARD SPECIFICATION FOR - 31 OCT 88 REVIEWER: CS MD	A 4710	YD1	07-JUN-89	NR	YD1	99	
D	ASTM-D2517-81R87	REINFORCED EPOXY RESIN GAS PRESSURE PIPE AND FITTINGS - 26 JUN 1981 USER: SH REVIEWER: CS MR	A 4710	YD1	16-JUN-91	ME	YD1		
	ASTM-D2520-77	INSULATING MATERIAL, SOLID ELECTRICAL AT MICROWAVE FREQUENCIES AND TEMPERATURES UP TO 1650 DEGREES C, COMPLEX PERMITTIVITY (DIELECTRIC CONSTANT) OF - 28 JAN 77 (VALIDATION DATE: 8502)	A 5970	ER	26-APR-79	ER	SH	85	
	ASTM-D2532-82	LUBRICANTS, AIRCRAFT TURBINE, VISCOSITY & VISCOSITY CHANGE AFTER STANDING AT LOW TEMPERATURE OF - 27 AUG 82	A 91GP	ME	06-APR-83	ME	SH	11	
	ASTM-D2533-82	GASOLINE, VAPOR LIQUID RATIO OF - 27 AUG 82 REVIEWER: 68 AR AS	A 91GP	ME	06-APR-83	ME	SH	11	
	ASTM-D2550-76	FUELS, AVIATION TURBINE, WATER SEPARATION CHARACTERISTICS OF - 27 AUG 76 (REAPPROVED 1985)	A 9150	ME	28-DEC-78	ME	SH	11	
D	ASTM-D2559-84R90	ADHESIVES FOR STRUCTURAL LAMINATED WOOD PRODUCTS FOR USE UNDER EXTERIOR (WET USE) EXPOSURE CONDITIONS - 24 JUN 1984 (REAPPROVED 1990) USER: CE REVIEWER: 84 MC	A 8040	YD1	12-JUL-91		YD1	99	
A L	ASTM-D2564-88 NOTICE 2	SOLVENTS CEMENTS FOR POLY(VINYL CHLORIDE) PVC PLASTIC PIPE FITTINGS, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)	A 8040 *	SH	07-JUL-92		SH		
D	ASTM-D2565-85	APPARATUS, XENON ARC-TYPE (WATER-COOLED), LIGHT-EXPOSURE, WITH AND WITHOUT WATER FOR EXPOSURE OF PLASTICS - 23 AUG 1985 USER: SH REVIEWER: 84 GZ MR	A 9330	YD1	14-JUL-88		YD1	99	
A	ASTM-D2572-91 NOTICE 1	ISOCYANATE GROUPS IN URETHANE MATERIALS OR PREPOLYMERS	A 8010 *	NR	28-OCT-92	NR	SH	11	
D	ASTM-D2573-72R78	SOIL, COHESIVE, FIELD VANE SHEAR TEST IN - 17 JAN 1972 USER: MC REVIEWER: 84	A 5610	YD1	21-FEB-90	ME	YD1	99	
	ASTM-D2579-85	CARBON IN WATER, TOTAL & ORGANIC, STANDARD TEST METHOD FOR - 4 FEB 1985 REVIEWER: GS MD ME	A 6810	EA	10-JUL-87	EA			
	ASTM-D2580-83	PHENOLS IN WATER BY GAS LIQUID CHROMATOGRAPHY, STANDARD TEST METHOD FOR - 30 SEP 83 REVIEWER: GL GS MD ME	A 6810	EA	25-JAN-85	EA		68	
D	ASTM-D2584-68R85 NOTICE 2	RESINS, CURED REINFORCED, IGNITION LOSS OF - (REAPPROVED 1985) (VALIDATE 20 MAR 1991) (VALIDATION DATE: 9105) USER: AS YD1 REVIEWER: AR ER GL ME MI	A 9330	NR	20-MAY-91	NR	SH	11	
D	ASTM-D2586-68R85	CYLINDERS, GLASS-REINFORCED PLASTIC, COMPRESSIVE STRENGTH OF - 9 SEP 1968 (REAPPROVED 1985) REVIEWER: 84 CS SH	A CHPS	YD1	20-NOV-87	ME	YD1	99	
	ASTM-D2595-70R80	LUBRICATION GREASE, EVAPORATION LOSS OF, OVER WIDE TEMPERATURE RANGE - 11 SEP 70	A 9150	AS	01-MAY-81	ME	AS	69	
	ASTM-D2596-69R80	LUBRICATING GREASE, MEASUREMENT OF EXTREME PRESSURE PROPERTIES OF, (FOUR BALL METHOD) - 1969	A 9150	AS	01-MAY-81	ME	AS	68	
D	ASTM-D2609A-90 NOTICE 1	PLASTIC INSERT FITTINGS FOR POLYETHYLENE (PE) PLASTIC PIPE REVIEWER: 82 YD1	A 4730 *	CS	15-NOV-91	ME	SH	99	CS
	ASTM-D2622-82	PETROLEUM PRODUCTS, SULFUR IN (X-RAY SPECTROGRAPHIC METHOD) 27 AUG 82	A 9150	ME	06-APR-83	ME	SH	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / Chk Coordination Machine	Document Number	Document Title	Dist. Syst. FSC / Area	MCA Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
	ASTM-D2625-83	FILM LUBRICANTS, SOLID, (FALEX METHOD) ENDURANCE (WEAR) LIFE AND LOAD-CARRYING CAPACITY OF - 25 MAR 1983 USER: 20	A 9150	AS	22-OCT-84	ME	AS	68	
D	ASTM-D2626-86 NOTICE 2	ASPHALT-SATURATED AND COATED ORGANIC FELT BASE SHEET USED IN ROOFING, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9203) USER: CE MC REVIEWER: EA	A 5650 *	YD1	02-MAR-92	ME	YD1	99	
D	ASTM-D2632-92 NOTICE 1	RUBBER PROPERTY-RESILIENCE BY VERTICAL REBOUND USER: B2 OS SM YD1	A 9320	MR	10-MAR-93	MR	SH	99	
A	ASTM-D2649-83	LUBRICANT, SOLID FILM, CORROSION CHARACTERISTICS OF, STANDARD TEST METHOD FOR - 25 MAR 83 REVIEWER: GS	A 9150	AS	16-MAY-85	ME	AS	11	
D	ASTM-D2657-90	PIPE AND FITTING, HEATJOINING POLYOLEFIN - 30 MAR 1990 USER: MC .....	A 5630	YD1	26-OCT-90	CE	YD1		
D	ASTM-D2661-91 NOTICE 1	ACRYLONITRILE-BUTADIENE-STYRENE (ABS) SCHEDULE 40 PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS, STANDARD SPECIFICATION FOR USER: CG REVIEWER: CS	A 4710 *	YD1	24-FEB-92	ME	YD1		
D	ASTM-D2662-86	POLYBUTYLENE (PB) PLASTIC PIPE (SDR-PR) BASED ON CONTROLLED INSIDE DIAMETER - 24 FEB 1989 REVIEWER: B2 CS SH	A 4710	YD1	20-SEP-91	ME	YD1	99	
D	ASTM-D2665A-89	PIPE AND FITTINGS, POLY(VINYL CHLORIDE) (PVC) PLASTIC DRAIN, WASTE, AND STANDARD SPECIFICATION FOR - 30 JUN 89 REVIEWER: CG CS	A 4710	YD1	12-SEP-89	ME	YD1		
D	ASTM-D2666-89 NOTICE 1	POLYBUTYLENE (PB) PLASTIC TUBING, STANDARD SPECIFICATION FOR REVIEWER: B2 CS SH	A 4710 *	YD1	01-OCT-91	ME	YD1	99	
	ASTM-D2670-81	LUBRICANT FLUID MEASURING WEAR PROPERTIES OF (FALEX PIN & VEE BLOCK METHOD) - 28 AUG 81 REVIEWER: AT GS ME OS	A 9150	AR	12-JUL-82	AR	AS	68	
	ASTM-D2671-89 NOTICE 1	TUBING, HEAT-SHRINKABLE, FOR ELECTRICAL USE, STANDARD TEST METHODS FOR REVIEWER: B0 AR GS MR	A 5970 *	MI	15-JAN-92	MI		99	
D	ASTM-D2672-89	PIPE USING SOLVENT CEMENT JOINTS FOR IPS PVC STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: B2 CS	A 4710	YD1	01-MAY-90	ME	YD1	99	
D	ASTM-D2680-89	SEWER PIPING, COMPOSITE, ACRYLONITRILE-BUTADIENE-STYRENE (ABS) & POLY(VINYL CHLORIDE) (PVC) REVIEWER: CS	A 4710	YD1	27-JUL-89	ME	YD1	99	
D	ASTM-D2683-88	PIPE & TUBING, SOCKET-TYPE POLYETHYLENE FITTING FOR OUTSIDE DIAMETER-CONTROLLED POLYETHYLENE USER: CE MC REVIEWER: CS	A 4730	YD1	12-JUL-89	ME	YD1	99	
D	ASTM-D2697-86	STANDARD TEST METHOD FOR VOLUME NONVOLATILE MATTER IN CLEAR OR PIGMENTED COATING/15/87 REVIEWER: MR SH	A 8010	YD1	15-OCT-87	ME	YD1		
D	ASTM-D2698-90	PAINT BY HIGH-SPEED CENTRIFUGING, DETERMINATION OF THE PIGMENT CONTENT OF SOLVENT-REDUCIBLE - 25 MAY 1990 USER: YD1	A 8010	MR	27-FEB-91	MR	SH	94	
L	ASTM-D2699 NOTICE 1	KNOCK CHARACTERISTICS OF MOTOR FUELS BY THE RESEARCH METHOD, STANDARD TEST METHOD FOR	A 91GP *	PS	24-JAN-92			PS	
L	ASTM-D2700 NOTICE 1	KNOCK CHARACTERISTICS OF MOTOR AND AVIATION FUELS BY THE MOTOR METHOD, STANDARD TEST METHOD FOR	A 91GP *	PS	24-JAN-92			PS	
	ASTM-D2702-68R74	RUBBER CHEMICALS, DETERMINATION OF INFRARED ABSORPTION CHARACTERISTICS OF - 13 SEP 68R74 (VALIDATION DATE: 8503) USER: MC ME SH REVIEWER: MI	A 9320	AT	30-MAY-80	AT			
	ASTM-D2709-82	FUEL, DISTILLATE, BY CENTRIFUGE, WATER & SEDIMENT IN - 27 AUG 82 REVIEWER: OS	A 91GP	ME	13-JUN-85	ME	SH	11	
D	ASTM-D2726-89	BITUMINOUS MIXTURES, COMPACTED, BULK SPECIFIC GRAVITY AND DENSITY OF, USING SATURATED SURFACE-DRY SPECIMENS - 27 OCT 1989 REVIEWER: CE MC	A 5610	YD1	30-MAY-90	ME	YD1		
D	ASTM-D2729-89	PIPE & FITTING, SEWER, POLY(VINYL CHLORIDE) (PVC), STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS	A 4730	YD1	27-JUL-89	ME	YD1	99	
	ASTM-D2734-70R85	PLASTICS, VOID CONTENT OF REINFORCED - 24 DEC 70 (REAPPROVED 1985) USER: AS MC MI OS SH REVIEWER: 11 AT AV GL GS	A 9330	MR	21-SEP-89	MR			
D	ASTM-D2737-89	TUBING, POLYETHYLENE (PE) PLASTIC, STANDARD SPECIFICATION FOR 24 FEB 89 REVIEWER: CS MD	A 4710	YD1	17-JUL-89	MR	YD1	99	
D	ASTM-D2740-89	TUBING, POLY(VINYL CHLORIDE) (PVC) PLASTIC 1 - 24 FEB 89 USER: CE MC REVIEWER: CS	A 4710	YD1	17-MAY-89	ME	YD1	99	
D	ASTM-D2751-89	PIPE, SEWER & FITTINGS, ACRYLONITRILE-BUTADIENE-STYRENE STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS	A 4710	YD1	07-JUL-89	ME	YD1	99	
D	ASTM-D2774-72R83	PIPING THERMOPLASTIC PRESSURE PRACTICE FOR UNDERGROUND INSTALLATION RECOMMENDED OF STANDARD REVIEWER: CS MR	A 4710	YD1	26-APR-89	ME	YD1		
	ASTM-D2800-92 NOTICE 1	PREPARATION OF METHYL ESTERS FROM OILS FOR DETERMINATION OF FATTY ACID COMPOSITION BY GAS-LIQUID CHROMATOGRAPHY REVIEWER: 84	A 8010 *	MR	23-APR-92	MR	SH	99	
D	ASTM-D2801-69R81 NOTICE 1	PAINTS BY DRAW DOWN METHOD, STANDARD TEST METHOD FOR LEVELING CHARACTERISTICS OF - 3 OCT 69 (REAPPROVED 1981) (VALIDATION DATE: 9006) REVIEWER: AS ME YD1	A 8010	MR	22-JUN-90	MR	SH	99	
	ASTM-D2804-88	GAS CHROMATOGRAPHY, PURITY OF METHYL ETHYL KETONE BY, STANDARD TEST METHOD FOR - 25 MAR 88 USER: MC SH REVIEWER: GS MD	A 6810	EA	10-SEP-90	EA		68	
	ASTM-D2820-72R78 NOTICE 1	HYDROCARBONS, C1 THRU C5, IN THE ATMOSPHERE BY GAS CHROMATOGRAPHY - 28 JUL 72 (VALIDATION DATE: 8703) REVIEWER: GS MD	A 6810	EA	06-MAR-87	EA	SH		
D	ASTM-D2822-88	CEMENT, ASPHALT ROOF, STANDARD SPECIFICATION FOR - 24 JUN 1988 USER: CE ...	A 5610	YD1	05-NOV-88	ME	YD1	99	
D	ASTM-D2823-75R81 NOTICE 2	ROOF COATING, ASPHALT - 28 NOV 75 (REAPPROVED 81) (VALIDATION DATE: 9107) USER: CE	A 5610	YD1	25-JUL-91	ME	YD1	99	
D	ASTM-D2824-85 NOTICE 2	ALUMINUM-PIGMENTED ASPHALT ROOF COATINGS - 26 APR 1985 (VALIDATION DATE: 9107) USER: CE ME	A 8030	YD1	25-JUL-91		YD1	99	
D	ASTM-D2837-90	PIPE, THERMOPLASTIC MATERIALS OBTAINING HYDROSTATIC DESIGN BASIS FOR STANDARD TEST METHOD FOR - 22 AUG 90 USER: SH REVIEWER: B2 CS	A 4710	YD1	22-AUG-90	ME	YD1	99	
D	ASTM-D2842-69R75	PLASTICS, RIGID CELLULAR, WATER ABSORPTION OF, STANDARD TEST METHOD FOR - 14 NOV 69 (REAPPROVED 1975) USER: SH REVIEWER: B2 B4 CS GS MR	A 9330	YD1	06-JUL-88	ME	YD1	99	
D	ASTM-D2843-88	PLASTICS, DENSITY OF SMOKE FROM THE BURNING OR DECOMPOSITION OF - 30 SEPT. 1988 USER: AS AT AV GL OS YD1 REVIEWER: 99 GS ME MI	A 9330	MR	29-NOV-90	MR	SH	11	
D	ASTM-D2846-90	CHLORINATED POLY(VINYL CHLORIDE) (CPVC) PLASTIC HOT AND COLD-WATER DISTRIBUTION SYSTEMS - 27 JUL 1990 USER: 99 CE ME REVIEWER: CS GL MD	A 4710	YD1	07-AUG-91	MR	YD1		
	ASTM-D2852-81	PIPE AND FITTINGS, DRAIN, STYRENE-RUBBER (SR) - 26 JUNE 1981 REVIEWER: B2	A 4710	CS	14-SEP-84	ME		99	
D	ASTM-D2855-90	PIPE & FITTINGS MAKING SOLVENT - CEMENTED JOINTS WITH POLY (VINYL CHLORIDE) (PVC) - 30 MAR 1990 USER: CE ME REVIEWER: MC	A 5630	YD1	26-OCT-90		YD1	99	
D	ASTM-D2856-87	CELLULAR PLASTIC, RIGID, STANDARD TEST METHOD FOR OPEN CELL CONTENT BY THE AIR PYCNOMETER 27 FEB 87	A 9330	YD1	23-NOV-87	ME	YD1		
D	ASTM-D2860-83	TAPE, SENSITIVE, TO FIBERBOARD AT 90 DEG ANGLE & CONSTANT STRESS, ADHESION OF PRESSURE - 30 AUG 83 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1	A PACK	AS	26-SEP-85	SM	AS	69	15
D	ASTM-D2863-87	PLASTICS, MEASURING THE MINIMUM OXYGEN CONCENTRATION TO SUPPORT CANDLE-LIKE COMBUSTION OF - 27 MAR 1987 USER: AS AT GL OS YD1 REVIEWER: 99 ER GS ME MI	A 9330	MR	05-OCT-88	MR	SH	11	
L	ASTM-D2880 NOTICE 1	FUEL OILS, GAS TURBINE, STANDARD SPECIFICATION FOR .....	A 9140 *	PS	16-JAN-92			PS	
L	ASTM-D2885 NOTICE 1	RESEARCH AND MOTOR METHOD OCTANE RATINGS USING ON-LINE ANALYZERS, STANDARD TEST METHOD FOR	A 91GP *	PS	24-JAN-92			PS	
L	ASTM-D2887 NOTICE 1	BOILING RANGE DISTRIBUTION OF PETROLEUM FRACTIONS BY GAS CHROMATOGRAPHY, STANDARD TEST METHOD FOR	A 91GP *	PS	24-JAN-92			PS	
	ASTM-D2914-78 NOTICE 1	SULFUR DIOXIDE CONTENT OF THE ATMOSPHERE (WEST GAEKE METHOD) - 18 AUG 78 (VALIDATION DATE: 8805) USER: GL REVIEWER: GS MD	A 6810	EA	27-MAY-88	EA	SH		
	ASTM-D2919-90	ADHESIVE JOINTS STRESSED IN SHEAR BY TENSION LOADING, DETERMINING DURABILITY OF - 30 MAR 90 REVIEWER: 20 B4 GL	A 8040	MR	15-JUN-90	MR	AS	99	
D	ASTM-D2922-81 NOTICE 2	SOIL & SOIL AGGREGATE, DENSITY OF, IN PLACE BY NUCLEAR METHODS (SHALLOW DEPTH) - 29 MAY 1981 (VALIDATION DATE: 8908) USER: CG	A 5610	YD1	11-AUG-89	ME	YD1	99	
	ASTM-D2934-89	SEALS, RUBBER-COMPATIBILITY WITH SERVICE FLUIDS, STANDARD PRACTICE FOR - 31 MAR 1989 USER: AL AS MC REVIEWER: AV GL GS	A 9320	MR	08-MAY-90	MR		11	
	ASTM-D2935-81	APPARENT DENSITY OF INDUSTRIAL AROMATIC HYDROCARBONS - 24 APR 81 USER: MC SH REVIEWER: AR GL GS MD ME	A 6810	EA	17-OCT-83	EA		68	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Doc. No.	Title	Doc. No.	FAC / Area	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DLA
D	ASTM-02937-83 NOTICE 2	SOIL IN PLACE BY THE DRIVE-CYLINDER METHOD, DENSITY OF - 28 NOV 83	A 5610	YD1	30-AUG-89	ME	YD1			
D	ASTM-02938-78R90 NOTICE 1	(VALIDATION DATE: 8808) USER: CE MC TESTING EMULSIFIED BITUMENS USED AS PROTECTIVE COATINGS, STANDARD METHODS	A 5610	*	YD1	16-SEP-91	ME	YD1	99	
D	ASTM-02940-89 NOTICE 1	OF USER: CE MC REVIEWER: 84 3.25-IN. OUTSIDE DIAMETER POLY (VINYL CHLORIDE) (PVC) PLASTIC DRAIN, WASTE, AND VENT PIPE AND FITTINGS, STANDARD SPECIFICATION FOR REVIEWER: B2	A 4710	*	YD1	04-OCT-91	ME	YD1	99	
D L	ASTM-02950-91 NOTICE 1	DENSITY OF BITUMINOUS CONCRETE IN PLACE BY NUCLEAR METHODS, STANDARD TEST	A 5610	*	YD1	07-AUG-92		YD1		
	ASTM-02983-80	METHOD FOR LUBRICANT, AUTOMOTIVE FLUID, MEASURED BY BROOKFIELD VISCOMETER, LOW	A 91GP	ME	13-JUN-85	ME	SH	11		
	ASTM-02989-86	TEMPERATURE VISCOSITY OF - 29 AUG 80 REVIEWER: OS ACIDITY-ALKALINITY OF HALOGENATED ORGANIC SOLVENTS AND THEIR ADMIXTURES,	A 6810	EA	17-OCT-88	EA		68		
D	ASTM-02990-91 NOTICE 1	STANDARD TEST METHOD FOR - 25 APR 86/86 REVIEWER: GS MD ME TENSILE, COMPRESSIVE, AND FLEXURAL CREEP AND CREEP-RUPTURE OF PLASTICS	A 9330	*	MR	27-FEB-92	MR	SH	11	
D	ASTM-02992-87	USER: AS YD1 REVIEWER: AR ER GL GS ME MI OBTAINING HYDROSTATIC OR PRESSURE DESIGN BASIS FOR (FIBERGLASS) (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) PIPE AND FITTINGS - 28 AUG	A 4710	YD1	18-MAY-90	ME	YD1	99		
	1987 REVIEWER: B2 CS									
D	ASTM-02995-84R89	BITUMINOUS DISTRIBUTOR, DETERMINING APPLICATION RATE OF - 30 MAR 1984	A 5610	YD1	30-MAY-90		YD1			
	USER: CE MC									
D	ASTM-02996-88	PIPE, FILAMENT-WOUND FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING	A 4710	YD1	10-MAR-89		YD1	99		
	RESIN) STANDARD SPECIFICATION FOR - 24 JUN 88 USER: 11 CE ME REVIEWER: CS									
D	ASTM-02997-90 NOTICE 1	CENTRIFUGALLY CAST "FIBERGLASS" (GLASS-FIBER-REINFORCED	A 4710	*	YD1	03-OCT-91	ME	YD1	99	
D	ASTM-03000-89 NOTICE 1	THERMOSETTING-RESIN) PIPE, STANDARD SPECIFICATION FOR REVIEWER: B2 CS SH POLYBUTYLENE (PB) PLASTIC PIPE (PB) PLASTIC PIPE (SDR-PR) BASED ON OUTSIDE	A 4710	*	YD1	07-NOV-91	ME	YD1	99	
	ASTM-03013-81R88 NOTICE 1	DIAMETER, STANDARD SPECIFICATION FOR REVIEWER: B2 CS MR SH COMPOUNDS, EPOXY MOLDING - 26 JUN 81 (REAPPROVED 1988) (VALIDATION DATE:	A 9330	MR	22-JUN-90	MR	SH	11		
	ASTM-03014-89	9006) REVIEWER: AV GS MD SH PLASTICS, RIGID THERMOSET CELLULAR, IN A VERTICAL POSITION, FLAME HEIGHT,	A 9330	MR	25-JUN-90	MR	SH	11		
		TIME OF BURNING, AND LOSS OF WEIGHT OF - 30 JUNE 1989								
D	ASTM-03017-88	SOIL & SOIL AGGREGATE, MOISTURE CONTENT OF, IN PLACE BY NUCLEAR METHODS	A 5610	YD1	09-SEP-88	ME	YD1	99		
		(SHALLOW DEPTH) USER: CG								
D	ASTM-03018-90	SHINGLE, CLASS A ASPHALT, SURFACED WITH MINERAL GRANULES - 4 APR 1990	A 5650	YD1	07-NOV-90	ME	YD1	99		
		REVIEWER: CE								
D	ASTM-03020-89	SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, POLYETHYLENE AND	A 9330	YD1	15-JUN-90	MR	YD1	99		
		ETHYLENE COPOLYMER - 30 JUNE 1989 REVIEWER: B2 GS								
D	ASTM-03029-90	SPECIMENS, FLAT RIGID PLASTIC, IMPACT RESISTANCE OF, BY MEANS OF A TUP	A 9330	MR	29-NOV-90	MR	SH	11		
		(FALLING WEIGHT - 26 OCT 1990 USER: AS OS YD1 REVIEWER: AR ER GL GS ME MI								
	ASTM-03032A-80	WIRE INSULATION, HOOKUP, STANDARD METHODS OF TESTING - 26 NOV 80	A 6145	AS	18-JAN-82	CR	AS	85		
	ASTM-03034-88	SEWER PIPE & FITTINGS TYPE PSM POLY(VINYL CHLORIDE) (PVC) - 25 MAR 1988	A 4710	YD1	27-SEP-88	MR	YD1			
		USER: ME REVIEWER: CS MD								
D	ASTM-03035-89	PIPE, POLYETHYLENE (PE) PLASTIC, (SDR-PR) BASED ON CONTROLLED OUTSIDE	A 4710	YD1	05-JUL-89	ME	YD1	99		
		DIAMETER USER: CE MC REVIEWER: CS								
	ASTM-03037-81	SURFACE AREA BLACK STANDARD METHODS OF TESTING BY NITROGEN ADSORPTION - 18	A 6810	EA	14-MAR-84	EA				
		DEC 81 USER: MC SH REVIEWER: GL GS MD ME								
	ASTM-03039-76R89	COMPOSITE, FIBER RESIN, TENSILE PROPERTIES OF - 24 FEB 1989 (REAPPROVED	A CMPS	MR	27-APR-89	MR	AS	11		
		1989)								
	ASTM-03057-80 NOTICE 1	AEROSOL PRODUCTS, MOISTURE IN - 30 MAY 80 (VALIDATION DATE: 8703) USER: GL	A 6810	EA	06-MAR-87	EA	SH	68		
	ASTM-03058-72R78 NOTICE 1	REVIEWER: GS MD ME CAN-PUNCTURING DEVICE, SIMPLE, STANDARD SPECIFICATION FOR (VALIDATION	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03061-79 NOTICE 1	DATE: 8805) REVIEWER: GL GS MD ME TIN PLATE FABRICATED AEROSOL CANS - 27 APR 79 (VALIDATION DATE: 8805)	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03064-72 NOTICE 1	USER: GL REVIEWER: GS MD AEROSOL PRODUCTS, STANDARD DEFINITIONS OF TERMS & NOMENCLATURE RELATING TO	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03065-72 NOTICE 1	- 4 DEC 72 (VALIDATION DATE: 8805) USER: GL REVIEWER: GS MD ME AEROSOL PRODUCTS, TEST FOR FLAMMABILITY OF - 4 DEC 72 (VALIDATION DATE:	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03066-79 NOTICE 1	8805) USER: GL REVIEWER: GS MD ME LABELING AEROSOL PACKAGES - 23 FEB 79 (VALIDATION DATE: 8805) USER: AR GL	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03067-72R78 NOTICE 1	REVIEWER: GS MD ME CONTAINER, AEROSOL, REPORTING LABORATORY RESULTS WHEN CHECKING - 4 DEC 72	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03068-80 NOTICE 1	(VALIDATION DATE: 8805) USER: GL REVIEWER: GS MD AEROSOL CONTAINERS, SAFE FILL OF - 30 MAY 80 (VALIDATION DATE: 8703) USER:	A 6810	EA	06-MAR-87	EA	SH	68		
	ASTM-03069-79 NOTICE 1	GL REVIEWER: GS MD AEROSOL PRODUCTS, DELIVERY RATE OF - 23 FEB 79 (VALIDATION DATE: 8805)	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03070-79 NOTICE 1	USER: GL REVIEWER: GS MD PRESSURIZED PRODUCTS, RAPID PRESSURE DETERMINATION OF STANDARD METHOD OF -	A 6810	EA	13-JUL-89	EA	SH	68		
	ASTM-03077-72R78 NOTICE 1	27 APR 79 USER: GL REVIEWER: GS MD COMPARISON OF SPRAY PATTERNS - 28 JUL 72 (VALIDATION DATE: 8805) USER: GL	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03078-84	REVIEWER: GS MD ME PACKAGES, HEAT SEALED, FLEXIBLE, STANDARD TEST METHOD FOR LEAKS IN - 30 MAR	A 6515	MB	23-JUN-89	MD	MS	03		
		84								
D	ASTM-03083-89	SHEETING, PLASTIC, FOR POND, CANAL, AND RESERVOIR LINING, FLEXIBLE	A 9330	YD1	15-JUN-90	MR	YD1	99		
		POLY(VINYL CHLORIDE) - 30 JUNE 1989 REVIEWER: B2 GS								
	ASTM-03086-79	WATER, ORGANOCHLORINE PESTICIDES IN - 30 NOV79 REVIEWER: GL GS MD ME	A 6810	EA	06-APR-83	EA		68		
	ASTM-03090-72R78 NOTICE 1	STORAGE OF AEROSOL PRODUCTS - 28 JUL 72 (VALIDATION DATE: 8805)	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03091-72R78 NOTICE 1	SAFE FILLING OF LOW PRESSURE PRESSURIZED PRODUCTS - 28 JUL 72 280181	A 6810	EA	27-MAY-88	EA	SH	68		
	ASTM-03096-84	(VALIDATION DATE: 8805) REVIEWER: GS MD PRESSURIZED PRODUCTS, LIQUID DENSITY OF, STANDARD TEST METHOD FOR - 27 JUL	A 6810	EA	13-NOV-85	EA		68		
		84 REVIEWER: GS MD								
	ASTM-03112-77 NOTICE 1	LEAD IN THE ATMOSPHERE BY COLORIMETRIC DITHIZONE PROCEDURE - 25 FEB 77	A 6630	EA	06-MAR-87	EA	MS	99		
	ASTM-03116-82	(VALIDATION DATE: 8703) REVIEWER: AR DP MD ME GASOLINE, TRACE AMOUNTS OF LEAD IN - 27 AUG 82 REVIEWER: OS	A 91GP	ME	13-JUN-85	ME	SH	11		
L	ASTM-03120 NOTICE 1	TRACE QUANTITIES OF SULFUR IN LIGHT LIQUID PETROLEUM HYDROCARBONS BY	A 91GP	* PS	24-JAN-92				PS	
	ASTM-03122-77	OXIDATIVE MICROCALORIMETRY, STANDARD TEST METHOD FOR LEAD, STANDARD TEST METHOD FOR, IN THE ATMOSPHERE BY COLORIMETRIC	A 6630	EA	31-OCT-79	EA	MS	99		
		DITHIZONE PROCEDURE - 25 FEB 77								
	ASTM-03137-81R87 NOTICE 2	RUBBER PROPERTY - HYDROLYTIC STABILITY - 27 MAR 88 (VALIDATION DATE: 8803)	A 9320	MR	07-MAR-88	MR	SH	11		
	ASTM-03138-90 NOTICE 1	USER: AS AT AV ME OS REVIEWER: GL GS SOLVENT CEMENTS FOR TRANSITION JOINTS BETWEEN	A 4710	*	YD1	23-DEC-91	ME	YD1	99	
		ACRYLONITRILE-BUTADIENE-STYRENE (ABS) AND POLY(VINYL CHLORIDE) (PVC)								
D	ASTM-03139-89	NON-PRESSURE PIPING COMPONENTS, STANDARD SPECIFICATION FOR REVIEWER: CS SH	A 4730	YD1	06-JUN-89	ME	YD1	99		
		PIPE, PLASTIC, PRESSURE JOINTS FOR USING FLEXIBLE ELASTOMERIC SEALS								
	ASTM-03147-84	STANDARD SPECIFICATION FOR - 24 FEB 89 USER: CE MC SH REVIEWER: CS	A 6850	ME	20-OCT-86	ME				
		ENGINE COOLANTS, STOP-LEAK ADDITIVES FOR - 12 APRIL 1984 USER: MC SH								
		REVIEWER: AT GS SH								
	ASTM-03159A-91 NOTICE 1	MODIFIED ETFE-FLUOROPOLYMER MOLDING AND EXTRUSION MATERIALS USER: ME OS	A 9330	* MR	15-OCT-91	MR	AS	11		
	ASTM-03162-78	REVIEWER: AV CARBON MONOXIDE IN THE ATMOSPHERE STANDARD TEST METHOD FOR (CONTINUOUS	A 5810	EA	16-MAR-84	EA		68		
		MEASUREMENT BY NON DISPERSIVE INFRARED SPECTROMETRY) - 18 AUG 78 USER: OS								
		SH REVIEWER: GS MD ME								
	ASTM-03186-73R79	ADHESIVES IN SHEAR BY TENSION LOADING (METAL\METAL), STANDARD TEST METHOD	A 8040	MR	02-DEC-87	MR	AS	99		
		FOR 1 MAR 73								
D	ASTM-03170-87R91	CHIPPING RESISTANCE OF COATING - 29 MAY 1987 USER: SH YD1	A 8010	MR	22-JUL-91	MR	AS	99		



## ACTIVE SECTION

# NUMERICAL LISTING

## DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / OMA Coordination Inhouse	Document Number	Document Title	Doc. Syst. FBI / Area MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
	ASTM-D3171-76R82	FIBER CONTENT OF RESIN-MATRIX COMPOSITES BY MATRIL DIGESTION - 15 OCTOBER 1976 (VALIDATION DATE: 8804)	A 9320	MR	04-MAR-88	MR			
A L	ASTM-D3174 NOTICE 1 ASTM-D3182-89	ASH IN THE ANALYSIS SAMPLE OF COAL AND COKE FROM COAL, STANDARD TEST METHOD FOR	A 9110	* PS	08-FEB-93				PS
	ASTM-D3183-84R92 NOTICE 2	RUBBER-MATERIALS, EQUIPMENT, AND PROCEDURES FOR MIXING STANDARD COMPOUNDS AND PREPARING STANDARD VULCANIZED SHEETS - 31 MARCH 1989 REVIEWER: IS	A 9320	MR	07-AUG-89	MR	SH	99	
D	ASTM-D3212-89	PREPARATION OF PIECES FOR TEST PURPOSES FROM PRODUCTS (VALIDATION DATE: 9204)	A 9320	* MR	17-APR-92	MR	SH	82	
	ASTM-D3227-83	PIPES, PLASTIC, DRAIN, AND SEWER, JOINTS, USING FLEXIBLE ELASTOMERIC SEALS STANDARD SPECIFICATION FOR 24 FEB 89 REVIEWER: 82 CS	A 4710	YD1	31-JUL-89	ME	YD1	99	
	ASTM-D3229-88	GASOLINE, KEROSENE, AVIATION TURBINE, AND DISTILLATE FUELS (POTENTIOMETRIC METHOD), MERCAPTAN SULFUR IN - 28 OCT 83 USER: OS SH REVIEWER: 68	A 91GP	ME	13-JUN-85	ME	AS	11	
L	ASTM-D3231 NOTICE 1	GASOLINE BY WAVELENGTH DISPERSIVE X-RAY SPECTROMETRY, LOW LEVELS OF LEAD IN - 31 OCT 1988	A 91GP	ME	08-MAY-89	ME			
L	ASTM-D3240-86 NOTICE 1	GASOLINE, PHOSPHORUS IN, STANDARD TEST METHOD FOR .....	A 9130	* PS	16-JAN-92				PS
L	ASTM-D3241 NOTICE 1	FUEL, AVIATION TURBINE, UNDISSOLVED WATER IN - 21 FEB 1986 .....	A 9130	ME	08-MAY-89	ME			
L	ASTM-D3242 NOTICE 1	FUELS, AVIATION TURBINE, (JFTOT PROCEDURE), THERMAL OXIDATION STABILITY OF, STANDARD TEST METHOD FOR	A 91GP	* PS	24-JAN-92				PS
D	ASTM-D3249-79 NOTICE 1	FUEL, AVIATION TURBINE, ACIDITY IN, STANDARD TEST METHOD FOR .....	A 91GP	* PS	24-JAN-92				PS
	ASTM-D3254-81	AIR ANALYZER PROCEDURES, GENERAL AMBIENT - 23 FEB 79 (VALIDATION DATE: 8703) REVIEWER: GS MD ME	A 6810	EA	06-MAR-87	EA	SH	68	
	ASTM-D3257-88	SHEETING, VULCANIZED RUBBER, FOR POND, CANAL, AND RESERVOIR LINING, FABRIC-REINFORCED - 24 APR 1981 REVIEWER: 82 GS	A 9320	YD1	15-JUN-90	MR	YD1	99	
D	ASTM-D3261-90 NOTICE 1	AROMATICS IN MINERAL SPIRITS BY GAS, CHROMATOGRAPHY, STANDARD TEST METHOD FOR - 1 FEB 88 USER: AS MC OS SH REVIEWER: GL GS MD ME	A 6810	EA	17-NOV-89	EA			68
	ASTM-D3266-79 NOTICE 1	PLASTIC FITTINGS FOR POLYETHYLENE (PE), PLASTIC PIPE AND TUBING, BUTT HEAT FUSION POLYETHYLENE, STANDARD SPECIFICATION FOR REVIEWER: 82 CS SH	A 4730	* YD1	05-FEB-93	ME	YD1	99	
	ASTM-D3268-85	AUTOMATED SEPARATION AND COLLECTION OF PARTICULATE - ACID GASEOUS FLUORIDE IN THE ATMOSPHERE (DOUBLE PAPER TAPE SAMPLER METHOD) - 23 FEB 79 (VALIDATION DATE: 8703)	A 6810	EA	06-MAR-87	EA	SH		
	ASTM-D3269-79 NOTICE 1	SEPARATION AND COLLECTION OF PARTICULATE AND GASEOUS FLUORIDES IN THE ATMOSPHERE (SODIUM BICARBONATE-COATED GLASS TUBE AND PARTICULATE FILTER METHOD) - 30 AUG 85 USER: AS OS REVIEWER: GS MD ME	A 6810	EA	06-MAR-87	EA	SH		
D	ASTM-D3272-76R88	ANALYSIS FOR FLUORIDE CONTENT OF ATMOSPHERE AND PLANT TISSUES (MANUAL PROCEDURES), - 23 FEB 79 (VALIDATION DATE: 8703)	A 8010	MR	07-NOV-89	MR	SH		
D	ASTM-D3273-86	VACUUM DISTILLATION OF SOLVENTS FROM SOLVENT-REDUCIBLE PAINTS FOR ANALYSIS - 29 OCT 76 (REAPPROVED 1988) USER: CG ME OS	A 8010	YD1	15-OCT-87	ME	YD1		
D	ASTM-D3274-82R88	MOLD, RESISTANCE TO GROWTH OF, ON THE SURFACE OF INTERIOR COATINGS IN AN ENVIRONMENTAL CHAMBER, STANDARD TEST METHOD FOR 15 OCT 87 USER: OS REVIEWER: MR	A 8010	YD1	21-JUN-89	ME	YD1		
D	ASTM-D3275A-91 NOTICE 1	EVALUATING DEGREE OF SURFACE DISFIGUREMENT OF PAINT FILMS BY MICROBIAL (FUNGAL OR ALGAL) GROWTH OR SOIL AND DIRT ACCUMULATION STANDARD METHOD FOR -OCT 29 82- USER: SH REVIEWER: MR	A 9330	* MR	15-OCT-91	MR	AS	11	
D	ASTM-D3278-82	E-CTFE-FLUOROPLASTIC MOLDING, EXTRUSION, AND COATING MATERIALS USER: SH REVIEWER: GS	A 6810	EA	14-JAN-86	EA			68
D	ASTM-D3280-85 NOTICE 1	FLASH POINT OF LIQUIDS BY SETAFASH CLOSED-CUP APPARATUS - 29 OCT 82 USER: AS MC SH YD1 REVIEWER: AR GL GS MD ME	A 6810	EA	23-AUG-88	EA			
D	ASTM-D3282-88	PIGMENT WHITE ZINC ANALYSIS OF USER: AS MC OS SH REVIEWER: GS MD ME .....	A 5610	YD1	16-FEB-90	ME	YD1	99	
A L	ASTM-D3286 NOTICE 1	SOIL, CLASSIFICATION OF, AND SOIL AGGREGATE MIXTURES FOR HIGHWAY CONSTRUCTION PURPOSES - 27 MAY 1988 USER: MC REVIEWER: 84	A 9110	* PS	08-FEB-93				PS
D	ASTM-D3293A-91 NOTICE 1	GROSS CALORIFIC VALUE OF COAL AND COKE BY THE ISOPERIBOL BOMB CALORIMETER, STANDARD TEST METHOD FOR	A 9330	* MR	11-OCT-91	MR			11
D	ASTM-D3295-90 NOTICE 1	PTFE RESIN MOLDED SHEET USER: AL AT EC GL MC OS YD1 REVIEWER: AR GS MD ....	A 9330	* MR	27-FEB-92	MR	SH	11	
D	ASTM-D3299-88	PTFE TUBING USER: AR TE REVIEWER: 99 AV GS ME SH .....	A 5430	YD1	17-MAR-89	ME	YD1		
	ASTM-D3307A-91 NOTICE 1	TANKS, FILAMENT-WOUND GLASS-FIBER REINFORCED THERMOSET RESIN	A 9330	* MR	15-OCT-91	MR			11
	ASTM-D3308A-91 NOTICE 1	CHEMICAL-RESISTANT STANDARD SPECIFICATION FOR - 24 JUN 88 REVIEWER: MC	A 9330	* MR	11-OCT-91	MR			11
D	ASTM-D3309A-89	PFA-FLUOROCARBON MOLDING AND EXTRUSION MATERIALS USER: AS REVIEWER: AT AV GL GS ME	A 4710	YD1	06-OCT-89	ME	YD1	99	
D	ASTM-D3320-90	PTFE RESIN SKIVED TAPE REVIEWER: AL AR AT ER GS MD .....	A 5610	YD1	07-NOV-90	ME	YD1	99	
	ASTM-D3329-84	SYSTEMS, DISTRIBUTION, POLYBUTYLENE (PB) PLASTIC HOT- AND COLD-WATER, STANDARD SPECIFICATION FOR - 30 JUN 89 REVIEWER: CS	A 6810	EA	11-FEB-87	EA			
D	ASTM-D3330-83	PITCH, EMULSIFIED COAL-TAR, (MINERAL COLLOID TYPE) - 30 MAR 1990 REVIEWER: CE	A 7510	AS	26-SEP-85	SM	AS	69	15
D	ASTM-D3330M-83	METHYL ISOBUTYL KETONE BY GAS CHROMATOGRAPHY, STANDARD TEST METHOD FOR PURITY OF - 27 APR 1984 USER: AS MC SH REVIEWER: GL GS MD ME	A 6ACK	AS	20-OCT-85	SM	AS	69	15
	ASTM-D3335A-85R91 NOTICE 2	TAPE, PRESSURE SENSITIVE TAPE AT 180 DEG ANGLE, PEEL ADHESION OF - 30 AUG 83 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1	A 8010	* MR	05-NOV-91	MR	AS		
	ASTM-D3337-74R80	TAPE, PRESSURE SENSITIVE, PEEL ADHESION OF, AT 180 DEG ANGLE (METRIC) - 30 AUG 83 REVIEWER: 99 AR GL ME MI MR OS SA SH YD1	A 9150	AS	22-OCT-84	ME	AS		68
L	ASTM-D3338 NOTICE 1	LEAD, CADMIUM, AND COBAL IN PAINT BY ATOMIC ABSORPTION SPECTROSCOPY, TEST FOR LOW CONCENTRATIONS OF (VALIDATION DATE: 9111)	A 91GP	* PS	24-JAN-92				PS
L	ASTM-D3343 NOTICE 1	GREASES, IN SMALL BEARINGS EVALUATION OF STANDARD TEST METHOD FOR - 30 AUG 74	A 91GP	* PS	24-JAN-92				PS
	ASTM-D3355-74	FUELS, AVIATION, ESTIMATION OF HEAT OF COMBUSTION OF, STANDARD TEST METHOD FOR	A CMPS	MR	16-OCT-84	MR			
	ASTM-D3368A-91 NOTICE 1	FUELS, AVIATION, ESTIMATION OF HYDROGEN CONTENT OF, STANDARD TEST METHOD FOR	A 9330	* MR	15-OCT-91	MR	AS	11	
L	ASTM-D3369A-91 NOTICE 1	FIBER CONTENT OF UNIDIRECTIONAL FIBER RESIN COMPOSITES BY ELECTRICAL RESISTIVITY, STANDARD TEST METHOD FOR - 25 OCT 74 USER: EC MI REVIEWER: AS	A 9330	* MR	27-FEB-92	MR			
	ASTM-D3372-86	FEP-FLUOROCARBON RESIN SHEET AND FILM USER: MC SH REVIEWER: 99 AR ER GL GS MD MI SH	A 6810	EA	25-SEP-87	EA			68
	ASTM-D3373-88	POLYTETRAFLUOROETHYLENE (PTFE) RESIN CAST FILM REVIEWER: AR AT EA ER GS MC MD ME TE	A 6810	EA	14-NOV-90	EA			68
	ASTM-D3374-74R80	WATER, MOLYBDENUM IN, STANDARD TEST METHOD FOR - 30 MAY 86 REVIEWER: GL GS MD ME	A 9150	AS	22-OCT-84	ME	AS		68
	ASTM-D3379-75R89	MATEN, VANADIUM IN - 19 AUG 1988 USER: 50 REVIEWER: GS MD ME .....	A CMPS	MR	27-APR-89	MR	AS	11	
D	ASTM-D3381-83 NOTICE 1	STANDARD TEST METHOD FOR EVALUATION OF GREASE IN SMALL BEARINGS - 30 AUG 74	A 5610	YD1	10-MAY-89	ME	YD1	99	
D	ASTM-D3385-88	MATERIAL, HIGH MODULUS SINGLE FILAMENT, TENSILE STRENGTH & YOUNG'S MODULUS FOR - 24 FEB 1989	A 5610	YD1	21-FEB-90	ME	YD1	99	
	ASTM-D3391-75 NOTICE 1	CEMENT, VISCOSITY CHADED ASPHALT, FOR USE IN PAVEMENT CONSTRUCTION - 12 SEP 83 (VALIDATION DATE: 8905) USER: CE	A 5970	EM	19-OCT-79	EM	SH	85	
	ASTM-D3410-87	SOIL, INFILTRATION RATE OF, IN FIELD USING DOUBLE-RING INFILTRATION METERS - 1 FEB 1988 USER: MC REVIEWER: 84	A CMPS	MR	17-FEB-88	MR	AS	11	
		TAPE, RUBBER INSULATING, FOR HIGH VOLTAGE APPLICATIONS - 18 SEP 75 .....							
		FIBER-RESIN COMPOSITES, COMPRESSIVE PROPERTIES OF UNIDIRECTIONAL OR CROSSPLY, STANDARD TEST METHOD FOR -29 MAY 1987							



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt CPL / OAS Combinational Indexing Document Number	Document Title	Doc. Syst. FBI / Ann NCA Symbol Preparing Act Date	Custodians			
			Army	Navy	AF Force	DLA
ASTM-D3413-85	LEAD (INORGANIC) IN WORKPLACE ATMOSPHERES BY ATOMIC ABSORPTION SPECTROMETRY. STANDARD TEST METHOD FOR - 20 MAR 85 REVIEWER: GS MD	A 6810 EA 22-JAN-86	EA		68	
ASTM-D3416-78 NOTICE 1	TOTAL HYDROCARBONS, METHANE, & CARBON MONOXIDE IN THE ATMOSPHERE (GAS CHROMATOGRAPHIC METHOD) - 28 JAN 78 (VALIDATION DATE: 8703) REVIEWER: GS MD ME	A 6810 EA 06-MAR-87	EA	SH	68	
ASTM-D3417-83R88 NOTICE 1	POLYMERS BY THERMAL ANALYSIS. STANDARD TEST METHOD FOR HEATS OF FUSION & CRYSTALLIZATION OF - 28 NOV 83 (REAPPROVED 1988) (VALIDATION DATE: 9006) REVIEWER: 15 AV GL MC MD ME	A 9330 MR 22-JUN-90	MR		11	
ASTM-D3418-82 NOTICE 2	POLYMERS. TRANSITION TEMPERATURES OF. BY THERMAL ANALYSIS - 29 JAN 82 (VALIDATION DATE: 8803) REVIEWER: 99 GL GS MC MD ME	A 9330 MR 30-MAR-88	MR	SH	11	
ASTM-D3422-75	TOLUENE DIISOCYANATE CONCENTRATIONS. TENTATIVE METHOD OF TEST FOR. IN WORKPLACE ATMOSPHERES - 25 APR 75 (VALIDATION DATE: 8501)	A 6630 EA 31-MAR-78	EA	MS	99	
ASTM-D3432-89	SOLUTIONS BY GAS CHROMATOGRAPHY. UNREACTED TOLUENE DIISOCYANATES IN URETHANE PREPOLYMERS AND COATING - 28 APR 89	A 8010 MR 08-SEP-89	MR	SH	99	
D ASTM-D3441-86	SOIL, DEEP, QUASI-STATIC, CONE AND FRICTION-CONE PENETRATION TESTS OF - 31 OCT 1986 USER: MC REVIEWER: 84	A 5610 YD1 21-FEB-90	ME	YD1	99	
ASTM-D3443-79	TRICHLOROTRIFLUOROETHANE, CHLORIDE IN. TENTATIVE METHOD OF TEST FOR - 1979 (VALIDATION DATE: 8502)	A 9135 68 01-FEB-79			68	
ASTM-D3446-79	TRICHLOROTRIFLUOROETHANE, WATER CONTENT OF. WITH KARL FISCHER REAGENT. TENTATIVE METHOD OF TEST FOR - 1979 (VALIDATION DATE: 8502)	A 9135 68 01-FEB-79			68	
ASTM-D3447-85 ASTM-D3449-79 NOTICE 1	TRICHLOROTRIFLUOROETHANE, PURITY OF - 31 MAY 1985	A 6850 AS 22-JUL-86	EA	AS	68	
D ASTM-D3450-90 NOTICE 1	SULFUR DIOXIDE IN WORKPLACE ATMOSPHERES (BARIUM PERCHLORATE METHOD) - 23 FEB 79 (VALIDATION DATE: 8805)	A 6630 EA 27-MAY-88	EA	MS	99	
ASTM-D3452-78R87	WASHABILITY PROPERTIES OF INTERIOR ARCHITECTURAL COATINGS. STANDARD TEST METHOD FOR USER: CE REVIEWER: 84 SH	A 8010 YD1 29-MAR-93	ME	YD1	99	
A ASTM-D3453-91 NOTICE 1	RUBBER - IDENTIFICATION BY PYROLYSIS - GAS CHROMATOGRAPHY - 28 APR 78 USER: TE REVIEWER: AV EA GS MD ME	A 9320 MR 03-MAR-88	MR			
D ASTM-D3462-87	FLEXIBLE CELLULAR MATERIALS-URETHANE FOR FURNITURE AND AUTOMOTIVE CUSHIONING, BEDDING, AND SIMILAR APPLICATIONS. STANDARD SPECIFICATION FOR USER: AT OS REVIEWER: 11 AS GL GS	A 9320 * MR 22-JUN-92	MR		99	
ASTM-D3464-75 NOTICE 1	ASPHALT SHINGLES MADE FROM GLASS FELT & SURFACED WITH MINERAL GRANULES - 17 AUG 83 REVIEWER: CE MC	A 5650 YD1 13-MAR-89	ME	YD1	99	
ASTM-D3476-79R85	DUCT, AVERAGE VELOCITY IN A. USING A THERMAL ANEMOMETER - 26 DEC 75 (VALIDATION DATE: 8703) REVIEWER: GS MD ME	A 6810 EA 06-MAR-87	EA	SH	68	
ASTM-D3479-76R82	BIS (CHLOROMETHYL) ETHER (BIS OME) IN WORKPLACE ATMOSPHERE (GAS CHROMATOGRAPHY - MASS SPECTROMETRY. STANDARD TEST METHOD FOR - 23 FEB 79 REVIEWER: AS GL GS MD ME	A 6810 EA 21-JUN-85	EA	SH		
ASTM-D3482-90	FIBER, ORIENTED, RESIN MATRIX COMPOSITES, TENSION-TENSION FATIGUE OF - 26 MAR 1976 (REAPPROVED 1982) (VALIDATION DATE: 8309) USER: AS AT MI OS REVIEWER: 99 AR ER GS ME	A CMPS MR 09-NOV-79	MR	SH	11	
ASTM-D3487-82 ASTM-D3492-83 ASTM-D3499-78R81	ADHESIVES. STANDARD PRACTICE FOR DETERMINING ELECTROLYTIC CORROSION OF COPPER BY - 30 MAR 90 USER: MI SH REVIEWER: 20 84 ME	A 8040 MR 15-JUN-90	MR	AS	99	
D ASTM-D3500-78R81	MINERAL INSULATING OIL USED IN ELECTRICAL APPARATUS - 13 JAN 82	A 9160 AR 05-MAY-82	AR	SH	11	
D ASTM-D3501-78R81	CONTRACEPTIVES (CONDOMS), RUBBER - 28 OCT 83	A 6515 MB 24-JUL-85	MD	MS	03	
ASTM-D3502-76	PLYWOOD, TOUGHNESS OF - JUL 76 (REAPPROVED 1981) USER: AL CR EC REVIEWER: 99 AR ME OS SA SH YD1	A 5530 AS 01-OCT-82	SM	AS	69	
D ASTM-D3503-76	TESTING PLYWOOD IN TENSION - 21 JUL 76 (REAPPROVED 1981) USER: AL CR EC REVIEWER: 99 AR ME OS SA SH YD1	A 5530 AS 01-OCT-82	SM	AS	69	
ASTM-D3505-84	PLYWOOD IN COMPRESSION, TESTING - 2 JUL 76 (REAPPROVED 1981) USER: AL CR EC REVIEWER: 99 AR ME OS SA SH YD1	A 5530 AS 01-OCT-82	SM	AS	69	
D ASTM-D3517-86	WOOD PRODUCTS, MOISTURE ABSORPTION OF COMPRESSED - 2 JUL 76 USER: AL AV CG CR EC MC REVIEWER: 99 AR MR OS SH	A PACK AS 01-OCT-82	SM	AS	69	
ASTM-D3518-78R82 NOTICE 1	WOOD PRODUCTS, COMPRESSED, SWELLING & RECOVERY OF. DUE TO MOISTURE ABSORPTION - 2 JUL 76 USER: AL CR EC REVIEWER: 99 AR ME MR OS SA SH YD1	A PACK AS 01-OCT-82	SM	AS	69	
ASTM-D3529/03529M-90	LIQUID CHEMICALS, PURE, DENSITY OR RELATIVE DENSITY OF. STANDARD TEST METHOD FOR - 28 SEPT 1984	A 6810 EA 02-MAR-87	EA		68	
ASTM-D3530-78R89 NOTICE 1	PIPE PRESSURE FIBERGLASS (GLASS-FIBER-REINFORCED THERMOSETTING-RESIN) STANDARD SPECIFICATION FOR 25 JUL 86 USER: 82 REVIEWER: CS SH	A 4710 YD1 15-JUN-90	ME	YD1	99	
ASTM-D3530M/03530M-90 NOTICE 1	STANDARD SPECIFICATION FOR 25 JUL 86 USER: 82 REVIEWER: CS SH	A CMPS MR 22-JUN-90	MR	SH	11	
ASTM-D3531-78R89	PLASTIC UNIDIRECTIONAL REINFORCED INFLAME SHEAR STRESS STRAIN RESPONSE OF - 9 NOV 1979 (REAPPROVED 1982) (VALIDATION DATE: 9006) REVIEWER: 99 AR ER GS ME	A CMPS MR 22-JUN-90	MR	SH	11	
ASTM-D3532-78R89 ASTM-D3539-87 NOTICE 2	POXY-MATRIX PREPREG BY MATRIX DISSOLUTION. RESIN SOLIDS CONTENT OF - 27 AUG 1990 USER: AS AT MI OS REVIEWER: 99 AR ER GS ME	A 9330 MR 06-JUN-91	MR	SH	11	
ASTM-D3544-78R89	CARBON FIBER, EPOXY PREPREG, VOLATILES CONTENT OF - 27 AUG 76 (REAPPROVED 1989) (VALIDATION DATE: 9006) REVIEWER: 99 AR ER GS ME	A 9330 MR 22-JUN-90	MR	SH	11	
ASTM-D3545-81	VOLATILES CONTENT OF EPOXY MATRIX PREPREG USER: AS AT GL MI OS REVIEWER: 99 AR ER GS ME	A 9330 * MR 23-APR-92	MR	SH	11	
D ASTM-D3550-84 ASTM-D3552-77R89 NOTICE 1	PREPREG, CARBON FIBER EPOXY, RESIN FLOW OF - 24 FEB 1989 (REAPPROVED 24 FEB 89)	A CMPS MR 27-APR-89	MR	AS	11	
ASTM-D3553-78R89	PREPREG, CARBON FIBER EPOXY, GEL TIME OF - 1976 (REAPPROVED 24 FEB 89) ....	A CMPS MR 27-APR-89	MR	AS	11	
ASTM-D3559-85	EVAPORATION RATES OF VOLATILE LIQUIDS BY SNELL THIN-FILM EVAPORIMETER. STANDARD TEST METHODS FOR (VALIDATION DATE: 9206) USER: AS REVIEWER: 84	A CMPS MR 27-APR-89	MR	AS	11	
D ASTM-D3567-85	FIBER, HIGH MODULUS, REPORTING TEST METHODS & RESULTS ON - 1976 (REAPPROVED 24 FEB 89)	A CMPS MR 27-APR-89	MR	AS	11	
ASTM-D3574-91 NOTICE 1	ALCOHOL CONTENT & PURITY OF ACETATE ESTERS BY GAS CHROMATOGRAPHY - 30 OCT 81 USER: AS MC SH REVIEWER: GL GS MD ME	A 6810 EA 19-OCT-83	EA		68	
A ASTM-D3577-91 NOTICE 1	SOIL, RING-LINED BARREL SAMPLING OF - 27 JAN 1984 USER: MC REVIEWER: 84	A 5610 YD1 16-FEB-90	ME	YD1	99	
ASTM-D3578-77R82 ASTM-D3586-85	COMPOSITES, METAL MATRIX, FIBER REINFORCED, TENSILE PROPERTIES OF - 24 FEB 77 (VALIDATION DATE: 9103) USER: OS	A CMPS MR 20-MAR-91	MR	SA		
L ASTM-D3595-91 NOTICE 1	COMPOSITE, REINFORCED METAL MATRIX, FIBER CONTENT BY DIGESTION OF - 1976 (REAPPROVED 24 FEB 89)	A CMPS MR 27-APR-89	MR	AS	11	
D ASTM-D3611-77	LEAD IN WATER, STANDARD TEST METHODS FOR - NOV 1985 USER: ME SH REVIEWER: GL GS	A 6810 68 14-OCT-86			68	
ASTM-D3621-84	PIPE AND FITTINGS, RESIN, REINFORCED THERMOSETTING (RTRP). STANDARD PRACTICE FOR DETERMINING DIMENSIONS OF - 29 NOV 85 USER: SH REVIEWER: 82 CS	A 4710 YD1 06-JUN-89	ME	YD1	99	
D ASTM-D3624A-85R91 NOTICE 1	FLEXIBLE CELLULAR MATERIALS-SLAB, BONDED, AND MOLDED URETHANE FOAMS USER: GS ME REVIEWER: AS AV GL MI	A 9320 * MR 12-MAY-92	MR		11	
ASTM-D3634-88 ASTM-D3652-83	GLOVES, SURGICAL, RUBBER, STANDARD SPECIFICATION FOR	A 6515 / MB 25-SEP-92	MD	MS	03	
	GLOVES, RUBBER EXAMINATION. STANDARD SPECIFICATION FOR - 25 APR 77	A 6515 MB 29-NOV-85	MD	MS	03	
	CHROMIUM IN WORKPLACE ATMOSPHERES (COLORIMETRIC METHOD) STANDARD TEST METHOD FOR - 20 MAR 85 USER: SH REVIEWER: GS MD	A 6810 EA 03-FEB-86	EA		68	
	POLYCHLOROTRIFLUOROETHYLENE (PCTFE) EXTRUDED PLASTIC SHEET AND FILM USER: ME REVIEWER: AR ER GL MI	A 9330 * MR 27-FEB-92	MR			
	TAPE, PRESSURE SENSITIVE, ACCELERATED AGING OF (VALIDATION DATE: 8505) REVIEWER: 99 AR GL ME MI MR OS SA SH YD1	A 7510 AS 03-SEP-80	SM	AS	69	
	ACETATE ESTERS, DETERMINATION OF WATER IN. STANDARD PRACTICE FOR - 27 APR 1984 USER: AS MC OS SH REVIEWER: GS MD ME	A 6810 EA 18-MAR-87	EA			
	LOW CONCENTRATIONS OF MERCURY IN PAINT BY ATOMIC ABSORPTION SPECTROSCOPY. STANDARD TEST METHOD FOR (REAPPROVED 1991 (E1)) USER: CE REVIEWER: 84 SH	A 8010 YD1 29-MAR-93	ME	YD1	99	
	THINCE CHLORIDE ION IN ENGINE COOLANTS - 29 JAN 1988	A 6850 ME 10-JUL-91	ME	SH	68	
	TAPES, THICKNESS OF PRESSURE-SENSITIVE AND GLUED - 10 AUG 83 REVIEWER: 99 AR GL IS ME MI MR OS SA SH	A 7510 AS 09-JAN-85	SM	AS	69	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / OMA Coordination In-house	Document Number	Document Title	Dist. Syst. FSC / Ave MCS Symbol	Preparing Agency	Date	Customers			
						Army	Navy	Air Force	DLA
	ASTM-D3652M-83	TAPES, THICKNESS OF PRESSURE - SENSITIVE AND GUMMED (METRIC) - 10 AUG 83 REVIEWER: 99 AR GL 15 ME MI MR OS SA SH	A PACK	AS	09-JAN-85	SM	AS	69	
D	ASTM-D3653-78	TAPE, PRESSURE SENSITIVE, HOLDING POWER OF LINEAL AND MULTIDIRECTIONAL FILAMENT REINFORCED - 24 FEB 78 (VALIDATION DATE: 8505) REVIEWER: 99 AR GL 15 ME MI MR OS SA SH YDI	A 7510	AS	02-OCT-80	SM	AS	69	
D	ASTM-D3654-82	TAPES, PRESSURE-SENSITIVE, HOLDING POWER OF - 27 AUG 1982 REVIEWER: AR GL ME MI MR OS SA SH YDI	A 7510	AS	30-SEP-85	SM	AS	99 15	
D	ASTM-D3654M-82	TAPES, PRESSURE SENSITIVE, HOLDING POWER OF (METRIC) - 27 AUG 82 REVIEWER: 99 AR GL ME MI MR OS SA SH YDI	A 7510	AS	30-SEP-85	SM	AS	69 15	
	ASTM-D3662-83	TAPES, BURSTING STRENGTH OF PRESSURE - SENSITIVE 10 AUG 83 REVIEWER: 99 AR GL 15 ME MI MR OS SA SH	A 7510	AS	09-JAN-85	SM	AS	69	
	ASTM-D3662M-83	TAPES, BURSTING STRENGTH OF PRESSURE-SENSITIVE (METRIC) - 10 AUG 83 REVIEWER: 99 AR GL 15 ME MI MR OS SA SH	A 7510	AS	09-JAN-85	SM	AS	69	
D	ASTM-D3666A-90	MATERIALS, BITUMINOUS PAVING, EVALUATION OF INSPECTION AND TESTING AGENCIES FOR - 30 NOV 1990 USER: CE MC REVIEWER: 84	A 5610	YDI	14-AUG-91	ME	YDI	99	
D	ASTM-D3667-85 NOTICE 1	RUBBER SEAL USED IN FLAT-PLATE SOLAR COLLECTORS - 29 MAR 1985 (VALIDATION DATE: 9004) USER: 82 MC	A 9320	YDI	02-APR-90	ME	YDI	99	
D	ASTM-D3668-78R85	SOIL LIME MIXTURE, LABORATORY COMPACTED BEARING RATIO OF STANDARD TEST METHOD FOR - 21 DEC 78 (REAPPROVED 1985) USER: CE MC REVIEWER: 84	A 5610	YDI	25-AUG-89	ME	YDI	99	
D	ASTM-D3672-86 NOTICE 2	VENTING ASPHALT-SATURATED AND COATED INORGANIC FELT BASE SHEET USED IN ROOFING, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9203) USER: MC REVIEWER: SM	A 5650 *	YDI	09-MAR-92	ME	YDI	99	
	ASTM-D3677-90	SPECTROPHOTOMETRY, INFRARED, RUBBER- IDENTIFICATION BY - 26 OCT. 1990 USER: TE REVIEWER: AV EA GS MD ME	A 9320	MR	05-FEB-91	MR			
A L	ASTM-D3699-78 ASTM-D3701 NOTICE 1	KEROSENE - 25 AUG 78 ..... HYDROGEN CONTENT OF AVIATION TURBINE FUELS BY LOW RESOLUTION NUCLEAR MAGNETIC RESONANCE SPECTROMETRY, STANDARD TEST METHOD FOR	A 9140 A 91GP *	ME PS	30-NOV-79 14-JUN-92	MR	SH	68	PS
L	ASTM-D3703 NOTICE 1	FUELS, AVIATION TURBINE, PEROXIDE NUMBER OF, STANDARD TEST METHOD FOR .....	A 91GP *	PS	24-JAN-92				PS
	ASTM-D3715-88	TAPES, PRESSURE-SENSITIVE QUALITY ASSURANCE OF - 30 SEP 88 USER: 18 SA REVIEWER: GL MC OS	A QCIC	SM	30-JUN-90	SM	AS	69	
	ASTM-D3715M-88	TAPES, PRESSURE-SENSITIVE QUALITY ASSURANCE OF (METRIC) 26 FEB 88 USER: 18 SA REVIEWER: GL MC OS	A QCIC	SM	30-JUN-90	SM	AS	69	
A	ASTM-D3725-78H92 NOTICE 1	SEMIQUANTITATIVE DETERMINATION OF FISH OIL IN DRYING OILS AND DRYING OIL FATTY ACIDS BY GAS-LIQUID CHROMATOGRAPHY REVIEWER: CG ME OS	A 8010 *	MR	17-NOV-92	MR	SH		
	ASTM-D3738-84H90 NOTICE 1	HOSPITAL SHEETING, RUBBER-COATED CLOTH - 28 SEPT 1984 (REAPPROVED 1990) INVALIDATION DATE: 90061 REVIEWER: EA GS MD ME	A 9320	MR	22-JUN-90	MR			
D	ASTM-D3740-88	SOIL & ROCK AS USED IN ENGINEERING DESIGN & CONSTRUCTION, EVALUATION OF AGENCIES ENGAGED IN THE TESTING AND/OR INSPECTION OF - 31 OCT 1988 USER: CE MC	A 5610	YDI	26-SEP-89	ME	YDI		
	ASTM-D3759-83	TAPES, PRESSURE SENSITIVE, TENSILE STRENGTH & ELONGATION OF - 10 AUG 83 REVIEWER: 99 AR GL 15 ME MI MR OS SA SH	A 7510	AS	09-JAN-85	SM	AS	69	
	ASTM-D3759M-83	TAPE, PRESSURE SENSITIVE, TENSILE STRENGTH & ELONGATION OF (METRIC) - 10 AUG 83 REVIEWER: 99 AR GL 15 ME MI MR OS SA SH	A 7510	AS	09-JAN-85	SM	AS	69	
D	ASTM-D3767-84R92 NOTICE 2	RUBBER-MEASUREMENT OF DIMENSIONS (VALIDATION DATE: 9204) USER: AS MC ME OS YDI REVIEWER: 82 AT AV ER GL GS	A 9320 *	MR	17-APR-92	MR	SH	99	
A	ASTM-D3772-80 ASTM-D3786A-80	COTS, RUBBER FINGER - 28 MAR 80 ..... KNITTED GOODS & NONWOVEN FABRICS - DIAPHRAGM BURSTING STRENGTH TESTER	A 6515 A 83GP	MB CT	24-JUL-85 11-JUL-86	MD GL	MS MU	03 99	CT
A	ASTM-D3787A-80	METHOD, HYDRAULIC BURSTING STRENGTH OF - 1 AUG 80 REVIEWER: 11 B2 KNITTED GOODS - CONSTANT - RATE-OF-TRAVERSE (CRT) BALL BURST TEST, BURSTING STRENGTH OF - 2 SEP 80 REVIEWER: 11 B2	A 83GP	CT	11-JUL-86	GL	MU	99	CT
	ASTM-D3800-79R90 NOTICE 1	FIBERS, HIGH MODULUS, DENSITY OF - 29 MAY 1979 (REAPPROVED 1990) (VALIDATION DATE: 9006) REVIEWER: GL	A 9330	MR	22-JUN-90	MR			
D	ASTM-D3811-85	TAPE PRESSURE SENSITIVE UNWIND FORCE OF - 26 JUL 85 USER: ME OS SH REVIEWER: 99 GL ML SA YDI	A PACK	AS	18-JUL-88		AS	69	
D	ASTM-D3813-79	CURLING AND TWISTING ON UNWINDING OF PRESSURE SENSITIVE TAPES - 27 JUL 79 (VALIDATION DATE: 8505) REVIEWER: 99 AR GL 15 ME MR MT OS SA SH YDI	A 7510	AS	09-DEC-80	SM	AS	69	
D	ASTM-D3815-85	TAPE PRESSURE SENSITIVE ACCELERATED AGING OF BY CARBON ARC EXPOSURE APPARATUS - 26 JUL 85 USER: AR OS SH REVIEWER: 99 GL MI MR SA YDI	A PACK	SM	18-JUL-88	SM	AS	69	
	ASTM-D3816-79	TAPE, PRESSURE SENSITIVE, WATER PENETRATION RATE OF - 31 JUL 79 (VALIDATION DATE: 8505) REVIEWER: 99 AR GL 15 ME MI MR SA	A 7510	AS	17-SEP-80	SM	AS	69	
D	ASTM-D3832-87 ASTM-D3839-89	TESTER, SETFLASH CLOSED, FLASH POINT BY - 14 DEC 1987 ..... PIPE, RESIN, FLEXIBLE REINFORCED THERMOSETTING, STANDARD PRACTICE FOR	A 91GP A 4710	ME YDI	08-MAY-89 12-JUL-89	ME	YDI	99	
D	ASTM-D3841-88	UNDERGROUND INSTALLATION OF - 27 JAN 89 REVIEWER: 82 CS PANEL, GLASS-FIBER-REINFORCED POLYESTER PLASTIC STANDARD SPECIFICATION FOR - 25 MAR 88	A 9330	YDI	27-SEP-88	MR	YDI		
D	ASTM-D3846-79R85 NOTICE 2	PLASTICS, REINFORCED, IN PLANE SHEAR STRENGTH OF - 26 OCT 1979 (REAPPROVED 1985) (VALIDATION DATE: 8803) USER: OS TE YDI	A 9330	MR	30-MAR-88	MR	SH	11	
	ASTM-D3878-87	FIBERS AND THEIR COMPOSITES, STANDARD TERMINOLOGY OF HIGH-MODULUS REINFORCING - 27 MAR 1987	A CMPS	MR	17-FEB-88	MR	AS	11	
D	ASTM-D3889-85	TAPE PRESSURE SENSITIVE ADHERENCE TO LINERBOARD OF AT LOW TEMPERATURE - 26 JUL 85 USER: AR ME OS SH REVIEWER: 99 GL MI MR SA YDI	A PACK	AS	18-JUL-88	SM	AS	69	
	ASTM-D3892-80R87	PLASTICS, PACKAGING/PACKING OF - 24 MAR 1980 - (REAPPROVED 1987) USER: OS REVIEWER: AR AS AV EA GL GS ME	A PACK	MR	23-AUG-89	MR	SH	99	
D L	ASTM-D3909-91 NOTICE 1	ASPHALT ROLL ROOFING (GLASS FELT) SURFACED WITH MINERAL GRANULES, STANDARD SPECIFICATION FOR	A 5650 *	YDI	03-AUG-92	YDI			
D	ASTM-D3910-90 NOTICE 1	DESIGN, TESTING, AND CONSTRUCTION OF SLURRY SEAL, STANDARD PRACTICES FOR USER: MC REVIEWER: 84 CE	A 5610 *	YDI	02-MAR-92	ME	YDI	99	
D	ASTM-D3924-80R91 NOTICE 1	ENVIRONMENT FOR CONDITIONING AND TESTING PAINT, VARNISH, LACQUER, AND RELATED MATERIALS, STANDARD SPECIFICATION FOR STANDARD (REAPPROVED 1991 (E1)) USER: CE REVIEWER: 84 SH	A 8010	YDI	29-MAR-93	ME	YDI	99	
D	ASTM-D3925-91 NOTICE 1	SAMPLING LIQUID PAINTS AND RELATED PIGMENTED COATINGS, STANDARD PRACTICE FOR USER: CE REVIEWER: 84 SH	A 8010	YDI	29-MAR-93	ME	YDI	99	
	ASTM-D3948-87	FUEL, AVIATION TURBINE, DETERMINING WATER SEPARATION CHARACTERISTICS OF BY PORTABLE SEPAROMETER - 2 APR 1987	A 9130	ME	08-MAY-89	ME			
D	ASTM-D3950-87	STRAPPING, PLASTIC (AND SEALS) - 27 MAR 87 USER: OS SH REVIEWER: 69 AR GL 15 MI SA YDI	A PACK	AS	20-JUN-88	SM	AS	99	
D	ASTM-D3951-90 ASTM-D3953-87	PACKAGING, COMMERCIAL - 27 JUL 1990 REVIEWER: 10 AR AS AT CR EA GS MC ME .. STEEL FLAT & SEALS STRAPPING - 31 DEC 87 USER: 70 71 BO REVIEWER: 84 99 AR GL ME MI MR OS SA SH YDI	A PACK A PACK	SM AS	21-DEC-90 21-APR-89	AM SM	SA 69	DM	
D	ASTM-D3980-92 NOTICE 1	DETERMINING VOLATILE ORGANIC COMPOUND (VOC) CONTENT OF PAINTS AND RELATED COATINGS, STANDARD PRACTICE FOR USER: CE REVIEWER: 84 SH	A 8010	YDI	29-MAR-93	ME	YDI	99	
	ASTM-D4000-90	PLASTIC, DYNAMIC MECHANICAL MEASUREMENTS ON - 29 JUNE 1990 USER: AS EC MC OS SH REVIEWER: AL AR AT AV GS ME	A 9330	MR	27-JUL-84	MR		11	
D	ASTM-D4004-88	RUBBER-DETERMINATION OF METAL CONTENT BY FLAME ATOMIC ABSORPTION - 29 APR 1988 USER: AT ME OS SH REVIEWER: 82 AV GL GS YDI	A 9320	MR	21-NOV-89	MR			
D	ASTM-D4017-90 NOTICE 1	WATER IN PAINTS AND PAINT MATERIALS BY KAHN FISHER METHOD, STANDARD TEST METHOD FOR USER: CE REVIEWER: 84 SH	A 8010	YDI	29-MAR-93	ME	YDI	99	
	ASTM-D4018-81 NOTICE 1	YARNS, STRANDS, ROVINGS & TOWS, STANDARD TEST METHODS FOR TENSILE PROPERTIES OF CONTINUOUS FILAMENT CARBON & GRAPHITE - 26 JUN 81 INVALIDATION DATE: 90061 REVIEWER: AV GL GS	A CMPS	MR	22-JUN-90	MR			
A	ASTM-D4019-81	PLASTICS BY COULOMETRY, MOISTURE IN - 26 JUN 81 USER: AS MC REVIEWER: AL AR AV GL GS	A 9330	MR	13-SEP-83	MR		11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc Chg / Del Circulation Notice	Document Number	Document Title	Doc. Brn FIC / Area	MCA Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DIA
A L	ASTM-D4020-92 NOTICE 1	ULTRA-HIGH-MOLECULAR-WEIGHT POLYETHYLENE MOLDING AND EXTRUSION MATERIALS USER: NI REVIEWER: GL GS SM	A 9330	* NR	21-OCT-92	NR			
D	ASTM-D4022-81 NOTICE 2 ASTM-D4048-81	CEMENT, COAL TAR ROOF, STANDARD SPECIFICATION FOR (VALIDATION DATE: 9203) USER: CE REVIEWER: EA LUBRICATION GREASE BY THE COPPER STRIP TARNISH TEST, DETECTION OF COPPER CORROSION FROM - 28 AUG 81 USER: AS	A 5610	* YD1	09-MAR-92	ME	YD1	99	
A L	ASTM-D4052 NOTICE 1 ASTM-D4057-81 ASTM-D4065A-90	DENSITY AND RELATIVE DENSITY OF LIQUIDS BY DIGITAL DENSITY METER, STANDARD TEST METHOD FOR PETROLEUM & PETROLEUM PRODUCTS, MANUAL SAMPLING OF 28 AUG 81 ..... PLASTICS, DETERMINING AND REPORTING DYNAMIC MECHANICAL PROPERTIES OF - 26 OCT 1990 USER: AS LC MC OS REVIEWER: AL AR AT GL GS ME	A 9150	ME	07-DEC-83	ME		68	
D	ASTM-D4066-92 NOTICE 1	NYLON INJECTION AND EXTRUSION MATERIALS (PA) USER: OS YD1 REVIEWER: 11 BA AR AV EA ER GL GS MD ME MI SM SM	A 91GP	* PS	15-JUN-92				PS
L	ASTM-D4075-87R92 NOTICE 2 ASTM-D4080-84R90	COMPOUNDING MATERIALS-FLAME ATOMIC ABSORPTION TECHNIQUE-DETERMINATION OF METALS (VALIDATION DATE: 9204) USER: OS REVIEWER: AT GL GS VAPOR-DEGREASING GRADE TRICHLOROETHYLENE - 26 OCT 1990 USER: GL REVIEWER: AS MC MD MI OS SM	A 9150	AS	22-OCT-84	ME	AS	68	
D	ASTM-D4083-83	SOIL, (VISUAL-MANUAL PROCEDURE), DESCRIPTION OF FROZEN - 25 MAR 1983 USER: MC REVIEWER: BA	A 9330	* NR	22-JUN-90	NR			
	ASTM-D4101-82R88 NOTICE 1 ASTM-D4102-82R87 NOTICE 1 ASTM-D4126-84	MATERIALS, PROPYLENE PLASTIC INJECTION AND EXTRUSION - 23 MAR 82 (REAPPR OVED 1988) (VALIDATION DATE: 9006) REVIEWER: BA 99 AR AV GL GS ME MI FIBERS, CARBON, THERMAL OXIDATIVE RESISTANCE OF - 16 OCT 1984 (REAPPROVED 1987) (VALIDATION DATE: 9006) REVIEWER: AS AV GL GS SM	A 9330	NR	22-JUN-90	NR		11	
	ASTM-D4169-86	VAPOR-DEGREASING GRADE & GENERAL SOLVENT GRADE 1, 1, 1, - TRICHLOROETHANE - 25 MAY 1984	A 6810	EA	10-MAY-91	EA	SH	68	
	ASTM-D4175-88	SHIPPING CONTAINERS & SYSTEMS, STANDARD PRACTICE FOR PERFORMANCE TESTING OF - 28 FEB 1986 REVIEWER: 43 99 AT AV CR EC MC ME MI SA	A 9330	NR	22-JUN-90	NR			
	ASTM-D4177-82 ASTM-D4181-91 NOTICE 1 ASTM-D4203-89	PETROLEUM, PETROLEUM PRODUCTS, AND LUBRICANTS, STANDARD TERMINOLOGY RELATING TO - 27 MAR 1987 REVIEWER: GS PETROLEUM & PETROLEUM PRODUCTS, AUTOMATIC SAMPLING OF 05 OCT 87 ..... ACETAL (POM) MOLDING AND EXTRUSION MATERIALS USER: AT EC MC ME OS SM	A 9150	AS	22-OCT-84	ME	AS	68	
A	ASTM-D4214-89	REVIEWER: 99 AV GL GS STYRENE ACRYLONITRILE (SAN) INJECTION AND EXTRUSION MATERIALS - 30 JUNE 1989 USER: AS LC MC SM REVIEWER: AV ER GL GS MD SM	A 9330	* NR	16-AUG-91	NR		11	
D	ASTM-D4216-87	PAINT, EXTERIOR, FILMS, EVALUATING THE DEGREE OF CHALKING OF - 30 MAR 1990 USER: GL	A 8040	NR	15-JAN-91	NR	SH	11	
D	ASTM-D4220-89	POLY(VINYL CHLORIDE), RIGID, (PVC) AND RELATED PLASTIC BUILDING PRODUCTS COMPOUNDS - 28 AUG 1987 REVIEWER: BS GS	A 9330	YD1	15-JUN-90	NR	YD1	99	
D	ASTM-D4253-83 NOTICE 1	SOIL SAMPLES, PRESERVING AND TRANSPORTING - 13 JUL 1989 USER: MC REVIEWER: BA	A 5610	YD1	29-JUN-90	ME	YD1	99	
D	ASTM-D4254-83 NOTICE 1	SOIL USING A VIBRATORY TABLE, MAXIMUM INDEX DENSITY OF - 27 MAY 83 (MUST BE USED IN CONJUNCTION WITH ASTM D4254-83) (VALIDATION DATE: 8812) USER: CE MC	A 5610	YD1	31-DEC-88	ME	YD1		
D	ASTM-D4255-83 NOTICE 1 ASTM-D4263-83R88	SOIL & CALCULATION OF RELATIVE DENSITY, MINIMUM INDEX DENSITY OF - 27 MAY 83 (MUST BE USED IN CONJUNCTION WITH ASTM D4253-83) (VALIDATION DATE: 8812) USER: CE MC LAMINATES, COMPOSITE, TESTING INPLANE SHEAR PROPERTIES OF, STANDARD GUIDE FOR - 27 MAY 83 (VALIDATION DATE: 9006) REVIEWER: AS AV GL GS SM	A 5610	YD1	01-AUG-89	ME	YD1	99	
D	ASTM-D4287-88 NOTICE 1 ASTM-D4294 NOTICE 1 ASTM-D4300-88	CONCRETE BY THE PLASTIC SHEET METHOD, INDICATING MOISTURE IN - 17 AUG 1983 (REAPPROVED 1988) USER: MC REVIEWER: BA CE HIGH-SHEAR VISCOSITY USING THE ICI CONE/PLATE VISCOMETER, STANDARD TEST METHOD FOR USER: CE REVIEWER: BA SM	A 8010	YD1	29-MAR-93	ME	YD1	99	
L	ASTM-D4306	SULFUR IN PETROLEUM PRODUCTS BY ENERGY-DISPERSIVE X-RAY FLUORESCENCE SPECTROSCOPY, STANDARD TEST METHOD FOR ADHESIVE, ABILITY OF FILMS TO SUPPORT OR RESIST THE GROWTH OF FUNGI - 26 AUG 88 REVIEWER: BA AR GL	A 91GP	* PS	16-JAN-92				PS
	ASTM-D4308 NOTICE 1 ASTM-D4317-88	FUEL, AVIATION, SAMPLE CONTAINERS FOR TESTS AFFECTED BY TRACE CONTAMINATION - 31 OCT 86 USER: AT REVIEWER: 11 BA 99 AS SM ELECTRICAL CONDUCTIVITY OF LIQUID HYDROCARBONS BY PRECISION METER, STANDARD TEST METHOD FOR ADHESIVES, EMULSION, POLYVINYL ACETATE-BASED, STANDARD SPECIFICATION FOR 29 APRIL 86 USER: OS REVIEWER: 11 BA AR AT ME	A 8040	NR	13-JAN-89	NR	AS	99	
D	ASTM-D4318-84 NOTICE 2 ASTM-D4325-91 NOTICE 1 ASTM-D4338-90 NOTICE 1 ASTM-D4339-89 ASTM-D4350-86 NOTICE 1	SOIL, LIQUID LIMIT, PLASTIC LIMIT, & PLASTICITY INDEX OF, STANDARD TEST METHOD FOR - 26 OCT 84 (VALIDATE 9-89) (VALIDATION DATE: 8909) USER: CE MC NONMETALLIC, SEMI-CONDUCTING AND ELECTRICALLY INSULATING RUBBER TAPES, STANDARD TEST METHODS FOR USER: AT OS YD1 REVIEWER: AR AS ER GL GS ME FLEXIBILITY DETERMINATION OF SUPPORTED ADHESIVE FILMS BY MANDEL BEND TEST METHOD REVIEWER: AR GL SM ADHESIVES, DETERMINATION OF THE ODOR OF - 24 FEB 1990 USER: AS ME ..... PLASTICS AND FILLERS CORROSIVITY INDEX OF STANDARD TEST METHOD FOR - 25 JULY 1986 (REAPPROVED 1990) (VALIDATION DATE: 9102) USER: AS ME YD1 REVIEWER: AR AV GL GS MI	A 5610	YD1	05-SEP-89	YD1			
D	ASTM-D4388-91 NOTICE 1 ASTM-D4397-84	NONMETALLIC, SEMI-CONDUCTING AND ELECTRICALLY INSULATING RUBBER TAPES, STANDARD SPECIFICATION FOR USER: AT OS YD1 REVIEWER: AR AS ER GL GS ME POLYETHYLENE SHEETING FOR CONSTRUCTION, INDUSTRIAL, & AGRICULTURAL APPLICATIONS STANDARD SPECIFICATION FOR - 27 JUL 84 USER: SM REVIEWER: BA GS NR	A 5970	* NR	29-OCT-91	NR	SH	99	
D	ASTM-D4427-84 ASTM-D4429-84 ASTM-D4442-84	PEAT SAMPLES BY LABORATORY TESTING - 26 OCT 1984 USER: MC REVIEWER: BA .... SOIL IN PLACE, BEARING RATIO OF - 26 OCT 1984 USER: MC REVIEWER: BA ..... WOOD AND WOOD-BASE MATERIALS, DIRECT MOISTURE CONTENT MEASUREMENT OF, STANDARD TEST METHODS FOR - DEC 84 USER: ME REVIEWER: 43 70 71 80 82 CS GL SA	A 5610	YD1	21-FEB-90	ME	YD1	99	
	ASTM-D4444-84	METERS, HAND-HELD MOISTURE, USE AND CALIBRATION OF, STANDARD TEST METHOD FOR - DEC 84 USER: ME REVIEWER: 43 70 71 80 82 CS GL SA	A 5610	YD1	21-FEB-90	ME	YD1	99	
D	ASTM-D4479-85	COATINGS, ASPHALT ROOF, ASBESTOS FREE, STANDARD SPECIFICATION FOR -14 JUN 85 USER: CE MC REVIEWER: BA GS NR	A 5510	AS	02-JUL-90	SM	AS	69	
	ASTM-D4500-89	ADHESIVES, WATER-BORNE DETERMINING GRIT, LUMPS, OR UNDISSOLVED MATTER IN - 24 FEB 89 USER: AS ME REVIEWER: AV	A 5610	YD1	16-JUN-89		YD1	99	
	ASTM-D4507-85 ASTM-D4549-85	THERMOPLASTIC POLYESTER (TPES) MATERIALS REVIEWER: AR AS GL ME MI ..... MOLDING, POLYSTYRENE, AND EXTRUSION MATERIALS - 29 NOV 85 REVIEWER: AR ER GS ME	A 8040	NR	08-MAY-90	NR	SH	11	
	ASTM-D4562-90 NOTICE 1 ASTM-D4586-86	SHEAR STRENGTH OF ADHESIVES USING PIN-AND-COLLAR SPECIMEN USER: ME REVIEWER: MD CEMENT, ASPHALT ROOF, ASBESTOS FREE, STANDARD SPECIFICATION FOR - 17 OCT 86 USER: CE MC REVIEWER: BA GS NR	A 9330	NR	23-MAY-89	NR	SH	11	
D	ASTM-D4601-86	SHEET, ASPHALT-COATED GLASS FIBER BASE, USED IN ROOFING, STANDARD SPECIFICATION FOR - 25 AUG 86 USER: MC REVIEWER: BA GS	A 9330	NR	15-JUN-89	NR	AS	11	
	ASTM-D4617-91 NOTICE 1 ASTM-D4624-86	PHENOLIC COMPOUNDS, (PF) REVIEWER: AR AS GL ME MI ..... MEASURING APPARENT VISCOSITY BY CAPILLARY VISCOMETER AT HIGH TEMPERATURE AND HIGH-SHEAR RATES - 31 AUGUST 1986	A 8030	* NR	05-DEC-91	NR	AS		
	ASTM-D4628-86	ANALYSIS OF BARIUM, CALCIUM, MAGNESIUM, AND ZINC IN UNUSED LUBRICATING OILS BY ATOMIC ABSORPTION SPECTROMETRY - 31 OCT 1986	A 5610	YD1	16-JUN-89		YD1	99	
			A 5650	YD1	16-JUN-89	ME	YD1	99	
			A 9330	* NR	15-OCT-91	NR	SH	11	
			A 9150	NR	11-JUN-91	ME	AS	68	
			A 9150	NR	11-JUN-91	ME	AS	68	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OMA Coordination Inclusive Document Number	Document Title	Dist. Smt FSC / Area MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DLA
ASTM-D4634-86	STYRENE-MALEIC ANHYDRIDE MATERIALS (S/MA) - 31 OCT 86 REVIEWER: AR AS GL ME MI	A 9330 MR 23-MAY-89	MR	SH	11	
D ASTM-D4637-87 NOTICE 1	VULCANIZED RUBBER SHEET USED IN SINGLE-PLY ROOF MEMBRANE, STANDARD SPECIFICATION FOR USER: CE MC	A 5650 * YD1 16-SEP-91	ME	YD1	99	
D ASTM-D4643-87	SOIL, WATER (MOISTURE) CONCENT OF BY MICROWAVE OVEN METHOD, DETERMINATION OF - 2 FEB 1987 USER: MC REVIEWER: 84	A 5610 YD1 21-FEB-90	ME	YD1	99	
ASTM-D4673-87 NOTICE 1	ACRYLONITRILE-BUTADIENE-STYRENE (ABS) MOLDING AND EXTRUSION MATERIALS REVIEWER: GS MD SM	A 9330 * MR 27-MAY-92	MR	SH	11	
D ASTM-D4675-87	FLAT STRAPPING MATERIALS SELECTION AND USE OF - 27 MAR 87 USER: 70 71 REVIEWER: 84 99 AR GL 15 ME MI MR OS SA SH YD1	A PACK AS 21-APR-89	SM	AS	69	
ASTM-D4683-90	MEASURING VISCOSITY AT HIGH SHEAR RATE AND HIGH TEMPERATURE BY TAPERED BEARING SIMULATOR - 27 APR 1990	A 9150 ME 11-JUN-91	ME	AS	68	
ASTM-D4684-89	DETERMINATION OF VIELD STRESS AND APPARENT VISCOSITY OF ENGINE OILS AT LOW TEMPERATURE - 27 OCT 1989	A 9150 ME 11-JUN-91	ME	AS	68	
ASTM-D4689-90	ADHESIVE, CASEIN-TYPE - 30 MAR 90 USER: 84 AL AS SH REVIEWER: AR GL .....	A 8040 MR 16-AUG-90	MR		99	
ASTM-D4690-90	ADHESIVE, UREA-FORMALDEHYDE RESIN - 30 MAR 90 USER: GL REVIEWER: 11 84 MI	A 8040 MR 16-AUG-90	MR	AS	99	
ASTM-D4701-89	METHYLENE CHLORIDE TECHNICAL STANDARD SPECIFICATION FOR - 27 OCT 89 REVIEWER: AS GS MC MD MI OS	A 6810 EA 01-JUN-90	EA	SH	68	
D ASTM-D4727-89 NOTICE 1	CONGRUATED AND SOLID FIBERBOARD SHEET STOCK (CONTAINER GRADE) AND CUT SHAPES USER: MC REVIEWER: 99 AS ME OS SM YD1	A 8135 * GL 26-SEP-91	GL	SA	69	
ASTM-D4741-87	MEASURING VISCOSITY AT HIGH TEMPERATURE AND HIGH SHEAR RATE BY TAPERED-PLUG VISCOMETER - 30 OCTOBER 1987	A 9150 ME 11-JUN-91	ME	AS	68	
A L ASTM-D4749 NOTICE 1	PERFORMING THE SIEVE ANALYSIS OF COAL AND DESIGNATING COAL SIZE, STANDARD TEST METHOD FOR	A 9110 * PS 08-FEB-93				PS
ASTM-D4783-89	ADHESIVE, RESISTANCE OF PREPARATIONS IN CONTAINER TO ATTACK BY BACTERIA, YEAST, AND FUNGI - 28 JUL 89 REVIEWER: 84 AR GL	A 8040 MR 16-AUG-90	MR	AS	99	
ASTM-D4802-88	SHEET, PLASTIC, POLY (METHYL METHACRYLATE) ACRYLIC - 25 MAR 88 USER: AS AV GL REVIEWER: AR AT GS MI	A 9330 MR 15-MAR-90	MR	SH	11	
ASTM-D4809-90	HEAT OF COMBUSTION OF LIQUID HYDROCARBON FUELS BY BOMB CALORIMETER (INTERMEDIATE PRECISION METHOD)	A 91GP * ME 04-FEB-92	ME	SH	11	
ASTM-D4814A-88 NOTICE 1	FUEL, AUTOMOTIVE SPARK-IGNITION ENGINE - 31 OCT 1988 .....	A 9130 ME 08-FEB-90	ME		68	
L ASTM-D4815-88 NOTICE 1	DETERMINATION OF C1 TO C4 ALCOHOLS AND MBE IN GASOLINE BY GAS CHROMATOGRAPHY	A 9130 * ME 16-OCT-91	ME			
ASTM-D4857-88	ENGINE, GASOLINE, TWO-STROKE-CYCLE OTHER THAN OUTBOARDS, ABILITY OF LUBRICANTS TO MINIMIZE RING STICKING AND PISTON DEPOSITS IN, DETERMINATION OF - 31 OCT 1988	A 9150 ME 06-JUL-90	ME	AS	68	
ASTM-D4858-88	ENGINE, GASOLINE, TWO-STROKE-CYCLE, TENDENCY OF LUBRICANTS TO PRO- MOTE PREIGNITION IN, DETERMINATION OF - 31 OCT 1988	A 9150 ME 06-JUL-90	ME	AS	68	
ASTM-D4859-88	ENGINE-TC, GASOLINE, TWO-STROKE-CYCLE SPARK-IGNITION, LUBRICANTS FOR - 31 OCT 1988	A 9150 ME 06-JUL-90	ME	AS	68	
ASTM-D4863-88	ENGINE LUBRICANTS, GASOLINE, LUBRICITY OF TWO-STROKE-CYCLE, DETERMINATION OF - 31 OCT 1988	A 9150 ME 06-JUL-90	ME	AS	68	
D ASTM-D4892-88	SHEET, PLASTIC, POLY (METHYL METHACRYLATE) ACRYLIC - 25 MAR. 1988 USER: AS AV GL YD1 REVIEWER: AR AT GS MI	A 9330 MR 15-MAR-90	MR	SH	11	
D ASTM-D4919-89	PACKAGING, TESTING OF HAZARDOUS MATERIALS - 10 NOV 1989 USER: AL AT DM NM REVIEWER: 11 AR CG ER GS MI SA YD1	A PACK SM 10-NOV-90	SM	AS	69	DM
ASTM-D4927-89	ELEMENTAL ANALYSIS OF LUBRICANT AND ADDITIVE COMPONENTS - BARIUM, CALCIUM, PHOSPHORUS, SULFUR, AND ZINC BY WAVELENGTH-DISPERSIVE X-RAY FLUO- RESENCE SPECTROSCOPY	A 9150 ME 11-JUN-91	ME	AS	68	
ASTM-D4951-89	DETERMINATION OF ADDITIVE ELEMENTS IN LUBRICATING OILS BY INDUCTIVELY COUPLED PLASMA ATOMIC EMISSION SPECTROMETRY - 26 MAY 1989	A 9150 ME 11-JUN-91	ME	AS	68	
ASTM-D4956-89	SHEETING, RETROREFLECTIVE, FOR TRAFFIC CONTROL - 7 JULY 1989 USER: AT MC REVIEWER: 84 GS GS	A 9390 GL 07-SEP-90	GL	AS	99	
A ASTM-D5034-90	TEXTILE FABRICS (GRAB TEST), BREAKING FORCE AND ELONGATION OF - 26 JAN 1990 USER: AT REVIEWER: 82 99 AR AS MD ME SH TE	A 83GP CT 16-MAY-91	GL	NU	11	CT
A ASTM-D5035-90	TEXTILE FABRICS (STRIP FORCE) BREAKING FORCE AND ELONGATION OF - 26 JAN 1990 USER: AT REVIEWER: 82 99 AR AS MD ME SH TE	A 83GP CT 16-MAY-91	GL	NU	11	CT
ASTM-D5040-90	ADHESIVE, ASH CONTENT OF - 30 MAR 1990 REVIEWER: AR AV GL ME MI .....	A 8040 MR 15-JAN-91	MR	SH	11	
ASTM-D5105-90	TAPES, PRESSURE SENSITIVE, USING CONCENTRATED NATURAL SUNLIGHT, STANDARD PRACTICE FOR PERFORMING ACCELERATED OUTDOOR WEATHERING OF - 27 JUL 90 USER: OS SH REVIEWER: AL MI	A PACK AS 15-FEB-91	SM	AS		
A ASTM-D5151-92 NOTICE 1	GLOVES, MEDICAL, DETECTION OF HOLES IN, STANDARD TEST METHOD FOR .....	A 6515 / MB 22-JAN-93	MD	MS	03	
ASTM-E1-85	THERMOMETERS, ASTM - 29 MAR 1985 .....	A 6685 ME 06-JAN-86	ME	SH	11	
D ASTM-E3-80	METALLOGRAPHIC SPECIMENS, PREPARATION OF (TO BE USED IN CONJUNCTION WITH ASTM E340) - 31 OCT 80 (VALIDATION DATE: 8803) USER: SH REVIEWER: AR AS 15 YD1	A 95GP MR 17-MAR-88	MR			
ASTM-E4-89	MACHINES, TESTING, LOAD VERIFICATION OF - 25 AUG 89 REVIEWER: AR 15 .....	A 95GP MR 09-NOV-89	MR			
ASTM-E6-89	METHODS OF MECHANICAL TESTING - 24 FEB 1989 USER: SH REVIEWER: 11 .....	A 95GP MR 20-JUN-90	MR	AS		
A ASTM-E7A-92 NOTICE 1	METALLOGRAPHY, STANDARD TERMINOLOGY RELATING TO REVIEWER: 15 .....	A 95GP * MR 28-OCT-92	MR	AS	11	
A ASTM-E8-92 NOTICE 1	TENSION TESTING OF METALLIC MATERIALS USER: AT GL ME REVIEWER: 15 SH .....	A 95GP MR 19-MAR-93	MR	AS	99	
A ASTM-E8M-93	TENSION TESTING OF METALLIC MATERIALS (METRIC) USER: AT GL ME REVIEWER: SH	A 95GP MR 19-MAR-93	MR	AS	99	
D ASTM-E9A-89	METALLIC MATERIALS ROCKWELL HARDNESS & ROCKWELL SUPERFICIAL HARDNESS OF - 31 MAR 1989 USER: OS REVIEWER: AR 15 YD1	A 95GP MR 20-JUN-90	MR	AS		
ASTM-E10-84 NOTICE 2	METALLIC MATERIALS, BRINELL HARDNESS OF - 27 APR 84 (VALIDATION DATE: 9006)	A 95GP MR 22-JUN-90	MR	AS	11	
D ASTM-E11-81	SIEVE, WIRE-CLOTH, FOR TESTING PURPOSES - 18 FEB 81 USER: MC MI SM REVIEWER: AS EA GL GS 15 YD1	A 6635 ME 17-APR-81	ME		99	
D ASTM-E12-70R81	SOLIDS, LIQUIDS, & GASES, DENSITY & SPECIFIC GRAVITYOF - 29 MAY 70 USER: AR AS MC OS SH YD1 REVIEWER: GL GS MD ME	A 6810 EA 25-OCT-83	EA		68	
A ASTM-E18A-92 NOTICE 1	ROCKWELL HARDNESS AND ROCKWELL SUPERFICIAL HARDNESS OF METALLIC MATERIALS USER: ME REVIEWER: AT	A 95GP * MR 19-NOV-92	MR	AS		
M ASTM-E23-93 NOTICE 1	BAR, NOTCHED, IMPACT TESTING OF METALLIC MATERIALS USER: AR GL YD1 REVIEWER: AT 15	A 95GP MR 03-MAY-93	MR	SH	11	
A ASTM-E28-92 NOTICE 1	SOFTENING POINT BY RING-AND-BALL APPARATUS .....	A 8010 * MR 17-NOV-92	MR	SH	84	
ASTM-E29-67R73	INDICATING WHICH OF PLACES OF FIGURES ARE TO BE CONSIDERED SIGNIFICANT IN SPECIFIED LIMITING VALUES - 1 NOV 67 (VALIDATION DATE: 8502)	A MISC 68 16-APR-79	AR	AS	68	
D ASTM-E30-89 NOTICE 1	CHEMICAL ANALYSIS OF STEEL, CAST IRON, OPEN-HEARTH IRON, AND WROUGHT IRON, STANDARD METHODS FOR USER: OS REVIEWER: 84 AS 15 SH	A 95GP * YD1 24-JUL-92	MR	YD1	99	
D ASTM-E34-88	ALLOYS ALUMINUM & ALUMINUM BASE, CHEMICAL ANALYSIS OF, STANDARD TEST METHODS FOR - 29 JAN 88 USER: CE OS SH REVIEWER: EA 15	A 95GP YD1 28-JAN-89	MR	YD1		
ASTM-E40-88	SLAB ZINC (SPELTER), CHEMICAL ANALYSIS OF STANDARD TEST METHOD FOR 1 JAN 88 REVIEWER: GS MD ME	A 9650 EA 28-NOV-89	EA			
ASTM-E45-87	STEEL, DETERMINING THE INCLUSION CONTENT OF 28 AUG 1987 .....	A 95GP MR 02-DEC-87	MR	AS	99	
ASTM-E50-82	METALS, APPARATUS, REAGENTS, AND SAFETY PRECAUTIONS FOR CHEMICAL ANALYSIS OF, STANDARD PRACTICES FOR - 28 MAY 1982 REVIEWER: AR GL GS MD	A 6810 EA 20-MAR-85	EA	SH	68	
D ASTM-E53A-86 NOTICE 1	CHEMICAL ANALYSIS OF COPPER, STANDARD TEST METHODS FOR USER: OS REVIEWER: 84 AS 15 SH	A 95GP * YD1 24-JUL-92	MR	YD1	99	
D ASTM-E55-91 NOTICE 1	SAMPLING WROUGHT NONFERROUS METALS AND ALLOYS FOR DETERMINATION OF CHEMICAL COMPOSITION, STANDARD PRACTICE FOR USER: OS SH REVIEWER: 84 AS 15	A 95GP * YD1 06-JUL-92	MR	YD1	99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Doc Ctrl / Code Condition Inches	Document Number	Document Title	Doc. Cont. FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
D	ASTM-E59-89 NOTICE 1	SAMPLING STEEL AND IRON FOR DETERMINATION OF CHEMICAL COMPOSITION, STANDARD METHOD OF REVIEWER: 84 AS IS	A 95GP	* YD1	30-JUN-92	MR	YD1	99	
D	ASTM-E62-89 NOTICE 1	CHEMICAL ANALYSIS OF NICKEL-COPPER ALLOYS (PHOTOMETRIC METHODS), STANDARD METHODS FOR USER: OS REVIEWER: 84 AS IS SH	A 95GP	* YD1	30-JUN-92	MR	YD1	99	
	ASTM-E70-77	PH OF AQUEOUS SOLUTIONS WITH THE GLASS ELECTRODE - 28 OCT 77 [VALIDATION DATE: 8412] REVIEWER: AR DP MD ME	A 6630	EA	26-JUL-79	EA	MS	99	
D	ASTM-E72-80 NOTICE 2	BUILDING CONSTRUCTION, STRENGTH TESTS OF PANELS FOR, STANDARD METHODS OF - 6 NOV 80 [VALIDATION DATE: 9005] USER: CE MC REVIEWER: 84	A FACR	YD1	10-MAY-90		YD1	99	
D	ASTM-E74-83	MACHINES, TESTING, VERIFYING THE LOAD INDICATION OF, CALIBRATION OF FORCE-MEASURING INSTRUMENTS FOR - 29 JUL 83	A 6670	MR	09-APR-91	MR	YD1	99	
D	ASTM-E76-88 NOTICE 1	CHEMICAL ANALYSIS OF NICKEL-COPPER ALLOYS, STANDARD METHODS FOR USER: SH REVIEWER: 84 AS IS	A 95GP	* YD1	30-JUN-92	MR	YD1	99	
	ASTM-E77-89	LIQUID-14-GLASS THERMOMETERS, INSPECTION AND VERIFICATION OF, STANDARD TEST METHOD FOR - 29 SEPT 89 REVIEWER: 30 BZ AR AS SH	A 6685	99	30-OCT-90	ME	99	GS	
A	ASTM-E83-90 NOTICE 1	VERIFICATION AND CLASSIFICATION OF EXTENSOMETERS USER: MC OS REVIEWER: 82 99 GS	A 6635	* SH	07-AUG-91	MR	SH	11	
D	ASTM-E84A-89	MATERIAL, BUILDING, SURFACE BRUNING CHARACTERISTICS OF - 6 SEP 1989 RELATING TO - 27 JAN 1989	A 56GP	YD1	20-MAR-90	ME	YD1		
D	ASTM-E88-91 NOTICE 1	SAMPLING NON-FERROUS METALS AND ALLOYS, IN CAST FORM FOR DETERMINATION OF CHEMICAL COMPOSITION, STANDARD PRACTICE FOR USER: SH REVIEWER: 84 AS	A MECA	* YD1	29-SEP-92	MR	YD1	99	
D	ASTM-E90-90	PARTITION, BUILDING, LABORATORY MEASUREMENT OF AIRBORNE SOUND TRANSMISSION LOSS OF - 27 APR 1990 REVIEWER: CE	A 5640	YD1	07-NOV-90		YD1	99	
	ASTM-E92-82R87 NOTICE 2	METALLIC MATERIALS, VICKER HARDNESS OF-30 JUL 1982 [VALIDATION DATE: 8803] REVIEWER: AT IS	A 95GP	MR	30-MAR-88	MR		11	
D	ASTM-E96-80	WATER VAPOR TRANSMISSION OF MATERIALS IN SHEET FORM- 20 SEP 66 USER: AR OS SH REVIEWER: 99 GL GS ME MI MR SA YD1	A PACK	AS	30-SEP-81	SM	AS	69	
D	ASTM-E97-82R87 NOTICE 1	OPAQUE SPECIMENS BY BROAD BAND FILTER REFLECTOMETRY, DIRECTIONAL REFLECTANCE FACTOR, 45 DEG 0 DEG OF - OCT 82 (REAPPROVED 1987) [VALIDATION DATE: 9006] USER: YD1 REVIEWER: ME	A 8010	MR	22-JUN-90	MR		11	
	ASTM-E100-81	HYDROMETERS, ASTM, STANDARD SPECIFICATION FOR - 31 JUL 81	A 6630	EA	06-MAR-85	EA		99	
D	ASTM-E108-90	COVERING, ROOF, FIRE TESTS OF - 27 APR 1990 USER: CE MC	A 5650	YD1	14-AUG-91	ME	YD1	99	
M	ASTM-E110-82R92	MATERIALS, METALLIC BY PORTABLE HARDNESS TESTERS, STANDARD TEST METHOD FOR INDENTATION HARDNESS OF REVIEWER: AS GS	A 6635	YD1	16-APR-93	GL	YD1	99	
	ASTM-E112-88	GRAIN SIZE, DETERMINING AVERAGE -26 AUG 88	A 95GP	MR	09-NOV-88	MR	AS	99	
D	ASTM-E114-90	ULTRASONIC PULSE ECHO STRAIGHT BEAM EXAMINATION BY THE CONTACT METHOD - 26 JAN 1990 REVIEWER: AT AV OS SH YD1	A NDT1	MR	14-MAY-91	MR	AS		
D	ASTM-E119-88	FIRE TEST OF BUILDING CONSTRUCTION & MATERIALS REVIEWER: CE OS SH	A FACR	YD1	14-MAR-89		YD1		
	ASTM-E120-83	TITANIUM & TITANIUM ALLOYS, CHEMICAL ANALYSIS OF - 28 OCT 83 USER: AT OS REVIEWER: AR AV MI	A 3439	AS	22-APR-85	MR	AS		
A	ASTM-E125-63R85 NOTICE 3	REFERENCE PHOTOGRAPHS FOR MAGNETIC PARTICLE INDICATIONS ON FERROUS CASTINGS [VALIDATION DATE: 9207] REVIEWER: 99 AR AT MI	A NDT1	* MR	02-JUL-92	MR	AS	11	
	ASTM-E126-88	HYDROMETERS, INSPECTION, VERIFICATION - 26 FEB 88 REVIEWER: 30 DP MD ME ...	A 6630	EA	28-NOV-89	EA		99	
D	ASTM-E136-82 NOTICE 1	VERTICAL TUBE FURNACE AT 750 DEGREES C, BEHAVIOR OF MATERIALS IN A - 26 NOV 82 [VALIDATION DATE: 8910] REVIEWER: CE OS SH	A FACR	YD1	03-OCT-89	ME	YD1		
	ASTM-E140-88	METALS, STANDARD HARDNESS CONVERSION TABLES FOR (30 SEPT 88) USER: AR GL REVIEWER: AT IS	A 95GP	MR	09-NOV-88	MR		99	
	ASTM-E142-86	RADIOGRAPHIC TESTING, CONTROLLING QUALITY, STANDARD METHOD FOR 28 FEB 86 USER: AT GL OS SH	A NDT1	MR	01-APR-88	MR	AS	11	
	ASTM-E146-83	ZIRCONIUM & ZIRCONIUM ALLOYS, CHEMICAL ANALYSIS OF - 28 OCT 83 USER: AT OS	A 3439	AS	22-APR-85	MR	AS		
D	ASTM-E152A-81 NOTICE 1	DOOR ASSEMBLIES, FIRE TESTS OF - 10 NOV 81 [VALIDATION DATE: 8705] ...	A FACR	YD1	21-MAY-87	CE	YD1	99	
D	ASTM-E154-88	RETARDERS, WATER VAPOR, USED IN CONTACT WITH EARTH UNDER CONCRETE SLABS, ON WALLS, OR AS GROUND COVER - 26 AUG, 1988	A FACR	YD1	22-NOV-89		YD1	99	
	ASTM-E155-91 NOTICE 1	RADIOGRAPHS FOR INSPECTION OF ALUMINUM AND MAGNESIUM CASTINGS, STANDARD REFERENCE REVIEWER: ME	A NDT1	* MR	23-MAR-92	MR	AS	11	
D	ASTM-E161-87 ASTM-E162-90	SIEVE PRECISION ELECTROFORMED - 29 MAY 87 ... SURFACE FLAMMABILITY OF MATERIALS USING A RADIANT HEAT ENERGY SOURCE - 26 OCT 1990 USER: AR AS OS YD1 REVIEWER: ER GL GS MI	A 6635	SM	14-DEC-88				
	ASTM-E164-90	WELDMENTS, ULTRASONIC CONTACT EXAMINATION OF - 26 OCT 1990	A NDT1	MR	02-MAY-91	MR	AS	11	
D	ASTM-E167-77R87 NOTICE 1	GONIOPHOTOMETRY OF OBJECTS & MATERIALS - 24 JUN 77 (REAPPROVED 1987) [VALIDATION DATE: 9006] REVIEWER: 99 AR AT AV ER GS ME YD1	A 9330	MR	22-JUN-90	MR	AS	11	
	ASTM-E175-82 NOTICE 2	MICROSCOPY, STANDARD DEFINITIONS OF TERMS RELATING TO - 3 MAR 1982 [VALIDATION DATE: 8803]	A 95GP	MR	17-MAR-88	MR	AS	11	
	ASTM-E186-91 NOTICE 1	RADIOGRAPHS FOR HEAVY-WALLED (2 TO 4 1/2-IN. (51 TO 114-MM)) STEEL CASTINGS STANDARD REFERENCE REVIEWER: AR AS AT MI	A NDT1	* MR	23-MAR-92	MR	SH	11	
	ASTM-E191-64R76 NOTICE 1	METALLIC COMPOUNDS, ORGANIC & ORGANIC, APPARATUS FOR MICRODETERMINATION OF CARBON & HYDROGEN IN - 1964 REVIEWER: GL GS	A 6810	EA	27-MAY-88	EA	OS	68	
	ASTM-E192-91 NOTICE 1	RADIOGRAPHS OF INVESTMENT STEEL CASTINGS OF AEROSPACE APPLICATIONS, STANDARD REFERENCE USER: SH REVIEWER: AR AT MI	A NDT1	* MR	23-MAR-92	MR	AS	11	
	ASTM-E193-64R81	STANDARD SPECIFICATION FOR MICROPIPETS - 15 JUNE 64 (REAPPROVED 1981) ...	A 6640	MB	18-SEP-89	MD	MS	03	
D	ASTM-E196-80R85 NOTICE 2	FLOOR AND FLAT ROOFS, GRAVITY LOAD TESTING OF, STANDARD PRACTICE FOR [VALIDATION DATE: 9207] USER: CE	A 5410	* YD1	01-JUL-92	GL	YD1		
	ASTM-E202-88	ETHYLENE GLYCOLS AND PROPYLENE GLYCOLS ANALYSIS STANDARD TEST METHOD FOR - 26 FEB 88 REVIEWER: GL GS MD ME SH	A 6810	EA	31-JAN-90	EA		68	
	ASTM-E203-75	WATER USING KARL FISCHER REAGENT - 25 APR 75 (REAPPROVED 81) [VALIDATION DATE: 8501]	A 9150	ME	28-DEC-78	ME	SH	11	
	ASTM-E223-88	SULFURIC ACID, ANALYSIS OF - 24 JUN 1988 USER: AR REVIEWER: GS MD ME	A 6810	EA	18-OCT-90	EA	SH	68	
	ASTM-E224-88	HYDROCHLORIC ACID, STANDARD METHODS FOR ANALYSIS OF - 24 JUN 88 REVIEWER: AR GL GS MD ME SH	A 6810	EA	18-SEP-90	EA		68	
	ASTM-E228-71R79	LINEAR THERMAL EXPANSION OF REGID SOLIDS WITH A VITREOUS SILICA DILATOMETER - 1979 REVIEWER: 84 GS MD	A 7350	GL	15-MAR-85	GL	SA	99	
D	ASTM-E243-90	TUBES, COPPER AND COPPER-ALLOY, STANDARD PRACTICE FOR ELECTROMAGNETIC (EDDY-CURRENT) TESTING OF SEAMLESS 9 FEB 90 REVIEWER: BZ CS SH	A 4710	YD1	02-MAY-90	ME	YD1	99	
	ASTM-E248-68R79	MANGANESE IN MANGANESE ORE BY THE PYROPHOSPHATE (POTENTIOMETRIC) METHOD, STANDARD TEST METHOD FOR - 13 SEP 68 USER: MC SH	A 6810	EA	28-FEB-84	EA			
A	ASTM-E252-84	FOIL & FILM, THICKNESS OF THIN, BY WEIGHING, STANDARD TEST METHOD FOR - 31 AUG 84 REVIEWER: IS	A 95GP	AS	16-MAY-85	MR	AS	11	
	ASTM-E256-88	CHLORINE IN ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION - 24 JUN 88 REVIEWER: GL GS MD ME	A 6810	EA	24-SEP-90	EA		68	
	ASTM-E257-88	ORGANIC COMPOUNDS BY SODIUM PEROXIDE BOMB IGNITION, SULFUR IN - 24 JUN 1988 USER: SH REVIEWER: GL GS MD	A 6810	EA	18-OCT-90	EA		68	
	ASTM-E258-67R72	ORGANIC MATERIALS, TOTAL NITROGEN IN, BY MODIFIED KJELDAHL METHOD 8 SEP 67 (REAPPROVED 82 [VALIDATION DATE: 8512])	A 51GP	ME	22-MAR-74	ME	SH	11	
	ASTM-E263-88	IRON, STANDARD TEST METHOD FOR MEASURING FAST-NEUTRON REACTION RATES BY - 27 MAY 88 USER: AS CG MC SH REVIEWER: 11 19 99 AR MI OS SH	A 5962	ES	10-FEB-89	ER	EC	17	MA
	ASTM-E264-87	NICKEL, STANDARD TEST METHOD FOR MEASURING FAST-NEUTRON REACTION RATES BY RADIOACTIVATION OF - 30 OCT 87 USER: AS CG MC SH REVIEWER: 11 19 99 AR MI OS SH	A 5962	EC	10-FEB-89	ER	EC	17	MA
	ASTM-E265-88	SULFUR 32, STANDARD TEST METHOD FOR MEASURING REACTION RATES AND FAST-NEUTRON FLUENCES BY RADIOACTIVATION OF - 27 MAY 88 USER: AS CG MC SH REVIEWER: 11 19 99 AR MI OS SH	A 5962	ES	10-FEB-89	ER	EC	17	
	ASTM-E270-84 NOTICE 1	LIQUID PENETRANT INSPECTION, TERMS RELATING TO - 26 OCT 84 [VALIDATION DATE: 9103] USER: AT GL SH	A NDT1	MR	20-MAR-91	MR	AS	11	



**NUMERICAL LISTING**  
**DOD ADOPTED NON-GOVERNMENT STANDARDS**

776



## NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

ASTM Spec Title / QPL Conforming Product	Document Number	Document Title	Doc. Spec FSC / Ave MCA Symbol	Proposing Agency	Date	Army	Navy	Air Force	Customer DIA
ASTM-E604-83		METALLIC MATERIALS. DYNAMIC TEAR TESTING OF - 25 MAR 83 USER: MC OS	A 95GP	SH	25-JAN-85	MR	SH		
D ASTM-E605-77R82 NOTICE 1		SPRAYED FIRE RESISTIVE MATERIAL APPLIED TO STRUCTURAL MEMBERS. THICKNESS & DENSITY OF - 29 AUG 77 (REAPPROVED 82) (VALIDATION DATE: 8903)	A 5640	YD1	24-MAR-89	CE	YD1	99	
ASTM-E619-84		PAPER PACKAGING. EVALUATING ODORS IN - 30 NOV 1984 USER: SH REVIEWER: 99	A PACK	AS	15-AUG-86	SM	AS	69	
D ASTM-E621-84 NOTICE 1		AR GL 15 ME MI MR OS SA							
D L ASTM-E648A-91 NOTICE 1		BUILDING DESIGN & CONSTRUCTION. STANDARD PRACTICE FOR THE USE OF METRIC (SI) UNITS IN - 9 JAN 84 (VALIDATION DATE: 8903)	A FACR	YD1	27-MAR-89	ME	YD1	99	
ASTM-E665-78 NOTICE 2		CRITICAL RADIANT FLUX OF FLOOR-COVERING SYSTEMS USING A RADIANT HEAT ENERGY SOURCE	A 7220 *	YD1	20-NOV-92		YD1		
ASTM-E666-78 NOTICE 2		MATERIALS EXPOSED TO X-RAY OUTPUT OF FLASH X-RAY MACHINES. DETERMINING ABSORBED DOSE VERSUS DEPTH IN - 24 NOV 78 (VALIDATION DATE: 8905) USER: 19	A 5962	ES	15-MAY-89	ER	EC	17	
ASTM-E667-86 NOTICE 1		AM AS CG MC OS REVIEWER: 11 85 99 MI SH							
ASTM-E668-78 NOTICE 2		GAMMA OR X RADIATION. ABSORBED DOSE FROM - 24 NOV 78 (VALIDATION DATE: 8905) USER: AM AS CG MC OS REVIEWER: 11 85 99 MI SH	A 59GP	ES	15-MAY-89	ER	EC	17	
ASTM-E672-85 NOTICE 1		THERMISTERS. CLINICAL. (MAXIMUM SELF REGISTERING, MERCURY-IN-GLASS) - 29 AUG 1986	A 6615	MB	22-AUG-88	MD	MS	03	
ASTM-E672-85 NOTICE 2		ELECTRONIC DEVICE. THERMOLUMINESCENCE DOSIMETRY (TLD) SYSTEMS FOR DETERMINING ABSORBED DOSE IN RADIATION HARDNESS TESTING OF - 29 DEC 78 (VALIDATION DATE: 8905) REVIEWER: MI SH	A 5962	ES	15-MAY-89	ER	EC	17	
ASTM-E691-87		STANDARD SPECIFICATION FOR DISPOSABLE GLASS MICROPIPETTS ADOPTED 25 JAN 85 .. CONDUCTING AN INTERLABORATORY STUDY TO DETERMINE THE PRECISION OF A TEST METHOD - 16 NOV 87	A 6640	MB	23-SEP-86	MD	MS	03	
D ASTM-E713-88		SCALES FOR METRIC BUILDING DRAWINGS. STANDARD GUIDE FOR SELECTION OF - 29 JULY 1988 USER: CE MC REVIEWER: 84	A QCIC	MR	06-MAR-90	MR	OS	05	
ASTM-E720-86		ELECTRONICS. SELECTION OF A SET OF NEUTRON-ACTIVATION FOILS FOR DETERMINING NEUTRON SPECTRA USED IN RADIATION-HARDNESS TESTING OF - 31 OCT 86 USER: AS CG MC SM REVIEWER: 11 19 99 AM MI OS SH	A FACR	YD1	10-JUN-91	ME	YD1	99	
ASTM-E721-85		ELECTRONICS. DETERMINING NEUTRON ENERGY SPECTRA WITH NEUTRON ACTIVATION FOILS FOR RADIATION-HARDNESS TESTING - 26 JUL 85 USER: AS CG MC SM REVIEWER: 11 19 99 AM MI OS SH	A 5962	ES	10-FEB-89	ER	EC	17	MA
ASTM-E722-85		ELECTRONICS. CHARACTERIZING NEUTRON ENERGY FLUENCE SPECTRA IN TERMS OF AN EQUIVALENT MECHANICAL NEUTRON FLUX FOR RADIATION-HARDNESS TESTING OF - 22 FEB 85 USER: AS CG MC SM REVIEWER: 11 19 99 AM MI OS SH	A 5962	ES	10-FEB-89	ER	EC	17	
ASTM-E732-80		PIPEL. DISPOSABLE PASTEUR TYP. STANDARD SPECIFICATION FOR - 2 MAR 80 .....	A 6640	MB	13-DEC-85	MD	MS	03	
D ASTM-E737-84 NOTICE 1		WINDOW. STORM REPLACEMENT WINDOWS. MULTI-GLAZING. STORM DOORS. AND REPLACEMENT DOORS. INSTALLATION OF - 24 FEB 1984 USER: CS MC REVIEWER: AR	A 5520	YD1	19-AUG-88	ME	YD1		
ASTM-E781-81 NOTICE 1		CRUCIBLE. IGNITION. LABORATORY. METAL - 27 FEB 81 (VALIDATION DATE: 8805)	A 6640	EA	27-MAY-88	EA		99	
ASTM-E787-81 NOTICE 1		PIPEL. DISPOSABLE GLASS MICRO BLOOD COLLECTION - 27 FEB 81 (VALIDATION DATE: 8805) REVIEWER: DP MB	A 4710	EA	27-MAY-88	EA	MS	99	
ASTM-E788-83 NOTICE 1		PIPEL. BLOOD DILUTING - 25 FEB 1983 .....	A 6640	MB	30-MAY-86	MD	MS	03	
ASTM-E801-85		ELECTRONIC DEVICES. STANDARD PRACTICE FOR CONTROLLING QUALITY OF RADIOGRAPHIC TESTING OF ELECTRONIC DEVICES - 31 MAY 85 USER: AS CG MC SM REVIEWER: 11 19 99 AM MI OS SH	A 5962	ES	10-FEB-89	ER	EC	17	
M L ASTM-E822-92 NOTICE 1		COVERS. SOLAR COLLECTOR. TO MAIL BY IMPACT WITH PROPELLED ICE BALLS. STANDARD PRACTICE FOR DETERMINING RESISTANCE OF	A FACR	YD1	10-MAY-93		YD1		
ASTM-E825-87		FEVER THERMOMETER. PHASE CHANGE-TYPE DISPOSAL. FOR INTERMITTENT HUMAN TEMPERATURE DETERMINATION - 27 MAR 1987	A 6515	MB	24-AUG-87	MD	MS	03	
D ASTM-E835/E835M-88		STRUCTURAL CLAY UNITS. CONCRETE MASONRY UNITS. AND CLAY FLUE LININGS. DIMENSIONAL COORDINATION OF. STANDARD GUIDE FOR - 24 JUNE 1988 USER: CE MC REVIEWER: 84	A 5962	ES	10-FEB-89	ER	EC	17	
A ASTM-E864-82		ALLOYS. ALUMINUM. TO BE ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS. SURFACE PREPARATION OF - 26 MAR 82 REVIEWER: MR	A MFFP	GL	03-NOV-83	GL		11	
ASTM-E865-82 NOTICE 1		FILM ADHESIVES. STRUCTURAL FILM. FOR HONEYCOMB SANDWICH PANELS - 26 MAR 82 (VALIDATION DATE: 8904) USER: AS REVIEWER: 84 MR	A 8040	GL	22-APR-89	GL	SA		
ASTM-E866-82 NOTICE 1		PRIMER. CORROSION INHIBITING ADHESIVE. FOR ALUMINUM ALLOYS TO BE ADHESIVELY BONDED IN HONEYCOMB SHELTER PANELS - 26 MAR 82 (VALIDATION DATE: 8904) USER: AS REVIEWER: 84 MR	A 8040	GL	22-APR-89	GL	SA	99	
ASTM-E874-82 NOTICE 1		FACINGS. ALUMINUM. TO NONMETALLIC HONEYCOMB CORE FOR SHELTER PANELS. ADHESIVE BONDING OF - 28 MAY 82 (VALIDATION DATE: 8904) USER: AS REVIEWER: 84 MR	A 8040	GL	22-APR-89	GL	SA	99	



## ACTIVE SECTION

# NUMERICAL LISTING

## DOD ADOPTED NON-GOVERNMENT STANDARDS

Active / OMA / Combination / Document Number	Document Title	Dier Smt / FSC / Ave / MCA Symbol	Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DIA
ASTM-F56-82	SHEET, STAINLESS STEEL, AND STRIP FOR SURGICAL IMPLANTS, STANDARD SPECIFICATION FOR - 26 MAR 82	A 6515	MB	28-MAR-88	MD	MS	03	
ASTM-F86-84	IMPLANTS, METALLIC SURGICAL, SURFACE PREPARATION & MARKING OF, STANDARD PRACTICE FOR - 11 SEPT 1984	A 6515	MB	24-JAN-89	MD	MS	03	
D ASTM-F104-92 NOTICE 1	NONMETALLIC GASKET MATERIALS USER; CG ME REVIEWER: 82 AR AT EA 15 MI OS SA SH	A 5330 *	MR	12-JAN-93	MR	YD1	99	
D ASTM-F119-76	FLEXIBLE BARRIER MATERIALS, CREASE PENETRATION OF - 30 JUL 76 USER: AR OS SH REVIEWER: 99 ME MI MR SA SH YD1	A 8135	AS	30-SEP-81	GL	AS	69	
D ASTM-F137-71R82 NOTICE 2	FLOORING MATERIAL, RESILIENT, FLEXIBILITY OF, WITH CYLINDRICAL MANDREL APPARATUS - 8 JAN 1971 (REAPPROVED 1982) (VALIDATE 2-90) (VALIDATION DATE: 9002) USER: CE REVIEWER: MC SH	A 7220	YD1	02-FEB-90	GL	YD1	99	
ASTM-F138-76	BAR & WIRE, STAINLESS STEEL, FOR SURGICAL IMPLANTS (SPECIAL QUALITY) - 26 MAR 76 REVIEWER: MB	A 6515	DM	29-JAN-79	MD	MS	03	
D ASTM-F141A-91	FLOOR COVERING, RESILIENT, STANDARD DEFINITIONS OF TERMS RELATING TO - 15 JUN 1991 USER: CE MC REVIEWER: MD MI SH	A 7220	YD1	24-AUG-91	GL	YD1	99	
D ASTM-F142-82R87 NOTICE 2	TILES FLOOR, STANDARD TEST METHOD FOR IDENTIFICATION OF RESILIENT (MCBURNIEY TEST) - 31 DEC 1982 (VALIDATE 2-90) (VALIDATION DATE: 9002) USER: CE MC REVIEWER: MD SH	A 7220	YD1	02-FEB-90	GL	YD1	99	
D ASTM-F146-89	GASKET MATERIALS, FLUID RESISTANCE OF - 28 JUL 89 USER: AS OS SH YD1 REVIEWER: AT AV ER 15 ME	A 5330	MR	08-SEP-89	MR	11	11	
A ASTM-F147-87 NOTICE 1	FLEXIBILITY OF NON-METALLIC GASKET MATERIALS, STANDARD TEST METHOD FOR (VALIDATION DATE: 9206)	A 5330 *	MR	12-JUN-92	MR	SH	99	
D ASTM-F150-89	FLOORING, CONDUCTIVE RESILIENT, ELECTRICAL RESISTANCE OF - 27 JAN 1985 USER: MC REVIEWER: MD MI	A 7220	YD1	18-JUL-90	GL	YD1	99	
ASTM-F152-87	GASKET MATERIALS, TENSION TESTING OF NONMETALLIC - 25 SEP 87 USER: ME REVIEWER: AT AV EL ER 15	A 5330	MR	23-SEP-88	MR	SH	99	
ASTM-F288-81 NOTICE 2	WIRE, TUNGSTEN, FOR ELECTRON DEVICES & LAMPS - 30 OCT 81 (VALIDATION DATE: 8810) REVIEWER: GL	A 6145	MR	11-OCT-88	MR			
ASTM-F306-82	PINS, FIXATION, AND WIRES - 27 AUG 1982	A 6515	MB	30-MAY-86	MD	MS	03	
ASTM-F307-73	GAS, PRESSURIZED, SAMPLING, FOR GAS ANALYSIS, STANDARD METHOD FOR - 27 NOV 73 (VALIDATION DATE: 8502)	A 6830	68	01-FEB-79			68	
ASTM-F310-70R76	AEROSPACE FLUIDS, CRYOGENIC, SAMPLING, STANDARD METHOD OF - 14 AUG 70 (VALIDATION DATE: 8502)	A 6830	68	01-FEB-79			68	
ASTM-F313-78R83	HYDRAULIC FLUIDS BY GRAVIMETRIC ANALYSIS, STANDARD TEST METHOD FOR ISOLUBLE CONTAMINATION OF - 25 AUG 78 (REAPPROVED 1983) REVIEWER: AS GS	A 9150	SH	31-AUG-84	ME	SH	68	
ASTM-F320-89	ENCLOSURES, AEROSPACE TRANSPARENT, MAIL IMPACT RESISTANT OF - 24 FEB 1989 USER: MI REVIEWER: 11	A 9330	MR	11-MAY-90	MR			
ASTM-F330-89	ENCLOSURES, AEROSPACE TRANSPARENT, BIRD IMPACT TESTING OF - 24 FEB 1990 REVIEWER: AV SH	A 9330	MR	11-MAY-90	MR			
ASTM-F339-71	PINS, CLOVERLEAF INTRAMEDULLARY - 26 NOV 1971	A 6515	MB	15-AUG-85	MD	MS	03	
D ASTM-F366-82	PINS & WIRES, FIXATION, STANDARD SPECIFICATION FOR - 27 AUG 82	A 6515	MB	30-MAY-86	MD	MS	03	
ASTM-F373-82R88	COVERING, RESILIENT FLOOR, EMBOSSED DEPTH OF - 29 JAN 1982 (RE-APPROVED 1988) USER: MC REVIEWER: MD	A 7220	YD1	16-JUL-90	GL	YD1	99	
D ASTM-F386-87	THICKNESS OF RESILIENT FLOORING MATERIALS HAVING FLAT SURFACES, STANDARD TEST METHOD FOR - 28 AUG 87 USER: MC REVIEWER: MD	A 7220	YD1	18-FEB-89	GL	YD1	99	
D ASTM-F387-87	FLOOR COVERING, RESILIENT WITH FOAM LAYER, MEASURING THICKNESS OF - 28 AUG 1987 USER: MC REVIEWER: MD	A 7220	YD1	27-FEB-89	GL	YD1	99	
D ASTM-F402-88	PIPE & FITTING, STANDARD PRACTICE FOR SAFE HANDLING OF SOLVENT CEMENTS, PRIMERS, & CLEANERS USED FOR JOINING THERMOPLASTIC 29 JUL88 REVIEWER: CS	A 4710	YD1	10-MAR-89	ME	YD1	99	
D ASTM-F405-89	TUBING AND FITTING, CORRUGATED POLYETHYLENE (PE) REVIEWER: CS	A 4730 /	YD1	27-JUL-89	CE	YD1	99	
D ASTM-F409-88	TUB AND TUBULAR FITTINGS THERMOPLASTIC ACCESSIBLE AND REPLACEABLE PLASTIC STANDARD SPECIFICATION FOR - 27 MAY 88 REVIEWER: 82 CS	A 4710	YD1	15-JUN-90	ME	YD1	99	
D ASTM-F410-87	WEAR LAYER THICKNESS OF RESILIENT FLOOR COVERINGS BY OPTICAL MEASUREMENT, STANDARD TEST METHOD FOR 28 AUG 87 USER: MC REVIEWER: MD SH	A 7220	YD1	19-FEB-89	GL	YD1	99	
D ASTM-F412B-89	PIPING SYSTEM, PLASTIC, STANDARD DEFINITIONS OF TERMS RELATING TO STANDARD SPECIFICATION FOR - 25 AUG 89 REVIEWER: 82 CS SH	A 4710	YD1	28-SEP-89	ME	YD1	99	
D ASTM-F436B-83	WASHERS HARDENED STEEL, STANDARD SPECIFICATION FOR - 25 MAR 83 USER: ER MC OS REVIEWER: AT AV 15 ME MI MS SH	A 5310	AR	16-APR-84	AR	YD1	99	
D ASTM-F436M-90	WASHERS, HARDENED STEEL (METRIC) - 23 FEB 90	A 5310	AR	18-JUN-90	AR	YD1	99	
D ASTM-F437B-89	PIPE, FITTINGS, PLASTIC, THREADED, CHLORINATED POLY(VINYL CHLORIDE) (CPVC) STANDARD SPECIFICATION FOR - 29 DEC 89 REVIEWER: 82 CS	A 4710	YD1	15-JUN-90	ME	YD1	99	
D ASTM-F438-90	PLASTIC PIPE FITTINGS, SOCKET-TYPE CHLORINATED POLY (VINYL CHLORIDE) (CPVC), SCHEDULE 40, STANDARD SPECIFICATION FOR - 30 MAR 90 REVIEWER: 82 CS	A 4730	YD1	22-JUN-90	ME	YD1	99	
D ASTM-F439-89	PIPE, FITTINGS, PLASTIC, SOCKET-TYPE CHLORINATED POLY(VINYL CHLORIDE) (CPVC) - 24 FEB 89 REVIEWER: CS MD MR	A 4730	YD1	29-MAY-89	ME	YD1	99	
D ASTM-F441-89	PIPE, PLASTIC, POLY(VINYL CHLORIDE) (CPVC) CHLORINATED, SCHEDULES 40 & 80, STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: CS	A 4710	YD1	30-MAY-89	CE	YD1	99	
D ASTM-F442-89	PLASTIC PIPE (SDR-PR), CHLORINATED POLY (VINYL CHLORIDE) (CPVC), STANDARD SPECIFICATION FOR - 24 FEB 89 REVIEWER: 82 CS	A 4710	YD1	22-JUN-90	ME	YD1	99	
D ASTM-F446-85	BARS, GRAB, AND ACCESSORIES INSTALLED IN THE BATHING AREA - 23 AUG 1985	A 4510	YD1	01-MAR-91	YD1			
ASTM-F453-76	PINS, HOOKED INTRAMEDULLARY - 11 JUNE 1976	A 6515	MB	15-AUG-85	MD	MS	03	
ASTM-F455-78	NAILS, SOLID CROSS SECTION INTRAMEDULLARY - 30 JUN 1978	A 6515	MB	15-AUG-85	MD	MS	03	
ASTM-F467B-90	NUTS, NONFERROUS FOR GENERAL USE (METRIC) - 12 SEP 90	A 5310	AR	03-MAY-91	AR	AS	99	
D ASTM-F467MB-90	NUTS, NONFERROUS FOR GENERAL USE (METRIC) - 12 SEP 90	A 5310	AR	31-MAY-91	AR	AS	99	
ASTM-F468B-90	BOLTS, HEX CAP SCREWS, AND STUDS, NONFERROUS, FOR GENERAL USE - 12 SEP 90	A 53GP	AR	03-MAY-91	AR	YD1	99	
ASTM-F468MB-90	BOLTS, NONFERROUS, HEX CAP SCREWS, AND STUDS FOR GENERAL USE (METRIC) - 12 SEP 1990	A 53GP	AR	03-MAY-91	AR	AS	99	
D ASTM-F476-84 NOTICE 2	DOOR ASSEMBLIES, SWINGING, SECURITY OF, STANDARD TEST METHOD FOR - 25 MAY 1984 (VALIDATION DATE: 8907) USER: CE REVIEWER: 15	A 5340	YD1	07-JUL-89	ME	YD1		
D ASTM-F477-76R85	ELASTOMERIC SEALS (GASKETS) FOR JOINING PLASTIC PIPE - 8 NOV 76 (REAPPROVED 81) REVIEWER: 82	A 5330	YD1	18-NOV-87	MR	YD1	99	
D ASTM-F480-90	THERMOPLASTIC WELL CASING PIPE AND COUPLINGS MADE IN STANDARD DIMENSION RATIOS (SDR), SCH 40 AND SCH 80 - 27 JUL 1990 REVIEWER: 82 CS SH	A 4710	YD1	24-SEP-91	ME	YD1	99	
A ASTM-F483-77	TOTAL IMMERSION CORROSION TEST FOR AIRCRAFT MAINTENANCE CHEMICALS - 25 MAR 77	A 6850	AS	29-DEC-86	MR	AS	11	
ASTM-F484-83 NOTICE 1	PLASTICS, ACRYLIC, IN CONTACT WITH LIQUID OR SEMI LIQUID COMPOUNDS, STRESS CRAZING OF, STANDARD TEST METHOD FOR - 30 SEP 83 (VALIDATION DATE: 9006)	A 9330	MR	22-JUN-90	MR		11	
D ASTM-F493-89	PIPE AND FITTING, PLASTIC, SOLVENT CEMENTS FOR CHLORINATED POLY(VINYL CHLORIDE) (CPVC) - 24 FEB 89 USER: CE MC REVIEWER: 84	A 8040	YD1	17-MAY-89	ME	YD1	99	
A ASTM-F502-83	AIRCRAFT, PAINTED SURFACES, EFFECTS OF CLEANING & CHEMICAL MAINTENANCE MATERIALS ON - 30 SEPT 1983 REVIEWER: GS	A 6850	AS	29-DEC-86	MR	AS	11	
D L ASTM-F510-81R87 NOTICE 1	FLOOR COVERINGS, USING AN ABRADER WITH A GRID FEED METHOD, RESISTANCE TO ABRASION OF RESILIENT, STANDARD TEST METHOD FOR	A 7220 *	YD1	09-OCT-92	YD1			
ASTM-F526-77 NOTICE 2	LINEAR ACCELERATOR PULSED RADIATION EFFECTS TESTS, DOSE MEASUREMENT FOR USE IN - 29 APR 77 (VALIDATION DATE: 8905)	A 5962	ES	15-MAY-89	EX	EC	17	
D ASTM-F536-77R88	FLOOR TILL, RESILIENT, BY DIAL GAGE METHOD, SIZE OF - 15 AUG 1977 (RE-APPROVED 1988) USER: CE CG MC REVIEWER: MD ME SH	A 7220	YD1	16-JUL-90	GL	YD1	99	
D ASTM-F537-89	FENCES, CONSTRUCTED OF WOOD AND RELATED MATERIALS DESIGN FABRICATION AND INSTALLATION OF STANDARD SPECIFICATION FOR - 28 APR 89 REVIEWER: CS	A 5660	YD1	04-JAN-90	YD1			
D ASTM-F541-90	EYEBOLTS, ALLOY STEEL - 23 FEB 90	A 5306	AR	18-JUN-90	AR	YD1	99	
ASTM-F543-82	CORTICAL BONE SCREWS, STANDARD SPECIFICATION FOR 26 NOV 82	A 6515	MB	15-AUG-85	MD	MS	03	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Admin GPO / OMB Classification Indexing Document Number	Document Title	Dist. Smt. FSC / Arms MCA Symbol Preparing Agency	Date	Army	Navy	Air Force	Custodians DIA
ASTM-F544-77R86	SCREW, CLASSIFICATION STANDARD REFERENCE CHART FOR PICTORIAL CORTICAL 28 OCT 87	A 6515	MB 15-AUG-86	MD	MS	03	
D ASTM-F552B-88	FENCING, CHAIN LINK, DEFINITIONS OF TERMS RELATING TO - 30 SEP 1988 USER: MC REVIEWER: 84 CE	A 5660	YD1 25-OCT-89	ME	YD1	99	
ASTM-F560-78	TANTALUM, UNALLOYED, FOR SURGICAL IMPLANT APPLICATIONS - 31 MAR 1978	A 6515	MB 19-SEP-86	MD	MS	03	
D ASTM-F568-92	FASTENERS, EXTERNALLY THREADED, CARBON AND ALLOY STEEL (METRIC) USER: MC	A 536P	AR 23-OCT-92	AR	AS	99	
NOTICE 1	ME OS SH YD1 REVIEWER: 11 82 AT AV CR ER IS						
D ASTM-F585-78	INSERTION OF FLEXIBLE POLYETHYLENE PIPE INTO EXISTING SEWERS - 29 JUN 78 ..	A 5630	ME 03-FEB-81	ME	YD1	99	
D ASTM-F593A-90	BOLTS, HEX CAP SCREWS, & STUDS, STAINLESS STEEL - 26 OCT 90	A 5305	AR 03-MAY-91	AR	YD1	99	
D ASTM-F594A-90	NUTS, STAINLESS STEEL - 26 OCT 90	A 5310	AR 03-MAY-91	AR	AS	99	
D ASTM-F606-90	WASHERS AND RIVETS, EXTERNALLY AND INTERNALLY THREADED FASTENERS, DETERMINING THE MECHANICAL PROPERTIES OF - 31 AUG 90	A 536P	AR 03-MAY-91	AR	YD1	99	
D ASTM-F606M-90	WASHERS, AND RIVETS, EXTERNALLY AND INTERNALLY THREADED FASTENERS, DETERMINING THE MECHANICAL PROPERTIES OF (METRIC) - 31 AUG 90	A 536P	AR 03-MAY-91	AR	YD1	99	
D ASTM-F607-90	GASKET MATERIALS TO METAL SURFACES, ADHESION OF - 31 AUG 90 USER: AS ME OS YD1 REVIEWER: AT AV EL IS	A 5330	MR 16-JAN-91	MR	SH	99	
ASTM-F623-81	CATHETER, FOLEY, STANDARD PERFORMANCE SPECIFICATION FOR - 27 MAR 1981	A 6515	MB 10-OCT-85	MD	MS	03	
ASTM-F640-79	RADIOPACITY OF PLASTICS FOR MEDICAL USE - 26 OCT 79 REVIEWER: MB	A 6515	DM 15-APR-81	MD	MS	03	
ASTM-F670-80	TANK, 5 & 10 GAL (20 & 40-L) DISPENSING - 3 JUL 80 (NOTICE 2 SH 2 JUN 82)	A 2010	SH 18-AUG-80	SH			
ASTM-F681-82	CONNECTIONS, STANDARD PRACTICE FOR USE OF BRANCH - 30 JUL 82	A 4730	SH 06-MAY-83	SH			
ASTM-F682A-82	COUPLING, SLEEVE TYPE, WROUGHT CARBON STEEL - 30 JUL 82	A 4730	SH 06-MAY-83	SH			
D ASTM-F683-89	INSULATION, THERMAL, FOR PIPING AND MACHINERY - 24 FEB 1989	A 5640	SH 22-JUN-90	ME	SH	99	
D ASTM-F696-85	GLOVES AND MITTENS, LEATHER PROTECTORS FOR RUBBER INSULATING - 27 DEC 1985 USER: ER OS SH YD1 REVIEWER: MD	A 8415	CT 07-MAY-90	GL	NU	CT	
ASTM-F704-81	BOLTING LENGTHS FOR PIPING SYSTEM FLANGED JOINTS, SELECTING - 3 0 JAN 81	A 5306	SH 10-JAN-90	SH			
NOTICE 1	INVALIDATION DATE: 90011						
ASTM-F707-82	MODULAR GAGE BOARDS - 24 SEP 82	A 6685	SH 08-AUG-83	SH	99		
ASTM-F708-81	PIPE HANGERS, RIGID, DESIGN & INSTALLATION OF - 27 FEB 81 (INVALIDATION DATE: 89011)	A 5340	SH 27-JAN-89	SH			
D ASTM-F718-85	PAINTS & COATING, SHIPBUILDERS & MARINE, PRODUCT/PROCEDURE DATA SHEET - 27 SEP 85 USER: CG MC REVIEWER: AS MR YD1	A 8010	SH 22-OCT-86	ME	SH	99	
ASTM-F721-81	GAGE PIPING ASSEMBLIES 24 APR 81	A 4730	SH 06-MAY-83	SH			
D ASTM-F726-81R86	ADSORBENTS, TESTING SOLBENT PERFORMANCE OF - 4 NOV, 1989 (REAPPROVED 1986) USER: CE REVIEWER: AS GS	A 9330	YD1 06-OCT-89	YD1			
D ASTM-F738-90	BOLTS, SCREWS, AND STUDS, STAINLESS STEEL (METRIC) - 23 FEB 90	A 536P	AR 18-JUN-90	AR	YD1	99	
D ASTM-F738MA-90	BOLTS, SCREWS AND STUDS, STAINLESS STEEL (METRIC) - 31 AUG 90	A 536P	AR 03-MAY-91	AR	YD1	99	
ASTM-F759-82	DISPENSER, BEVERAGE, HOT CHOCOLATE - 26 MAR 82	A 7320	GL 21-JAN-83	GL	SA	99	
ASTM-F765-82	CHAIN ANCHOR SHIP WILDCATS - 30 APR 82 (INVALIDATION DATE: 89081)	A 8040	SH 07-AUG-89	SH			
NOTICE 1							
ASTM-F782-82	DOORS, FURNITURE, MARINE - 30 JUL 82	A 2040	SH 24-JUN-83	SH			
ASTM-F783-82	STAPLE, HANDHAB, HANDLE, & STIRRUP RING - 30 JUL 82	A 2090	SH 24-JUN-83	SH			
ASTM-F786-82	PLATES, METALLIC BONE, STANDARD SPECIFICATION FOR - 27 AUG 82	A 6515	MB 15-AUG-87	MD	MS	03	
D ASTM-F788/F788M-82R89	BOLTS, SCREWS, AND STUDS, SURFACE DISCONTINUITIES OF INCG AND METRIC SERIES - 27 AUG 82	A 536P	AR 18-JUN-90	AR	YD1	99	
ASTM-F791-82R88	PLASTICS TRANSPARENT, STANDARD TEST METHOD FOR STRESS CRAZING OF - 27 JU ME 1984 (REAPPROVED 1988) (INVALIDATION DATE: 90061) REVIEWER: AR AV EA GL GS	A 9330	MR 22-JUN-90	MR	11		
NOTICE 1							
ASTM-F801-83R89	OPTICAL ANGULAR DEVIATION OF TRANSPARENT PARTS, STANDARD METHOD FOR MEASURING - 23 FEB 83 (REAPPROVED 1989) REVIEWER: AV GS	A 9330	MR 22-JUN-90	MR	V	11	
D ASTM-F812/F812M-83R89	NUTS, SURFACE DISCONTINUITIES OF, INCH AND METRIC SERIES - 25 MAR 83	A 5310	AR 18-JUN-90	AR	YD1	95	
ASTM-F814B-84	SMOKE, SPECIFIC OPTICAL DENSITY OF, GENERATED BY SOLID MATERIALS FOR AEROSPACE APPLICATIONS, STANDARD TEST METHOD FOR - 28 DEC 1984 (INVALIDATION DATE: 90061) REVIEWER: AV GS	A 9330	MR 22-JUN-90	MR			
NOTICE 1							
A ASTM-F835-92	SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, ALLOY STEEL USER: MC	A 5305	AR 23-OCT-92	AR	AS	99	
NOTICE 1	ME OS SH REVIEWER: 11 82 AT AV CR EA IS						
D ASTM-F835M-92	SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, ALLOY STEEL (METRIC)	A 5305	AR 23-OCT-92	AR	YD1	99	
D ASTM-F836-90	NUTS, STAINLESS STEEL (METRIC) 23 FEB 90	A 5310	AR 18-JUN-90	AR	YD1	99	
D ASTM-F836MA-90	NUTS, STAINLESS STEEL (METRIC) - 12 SEP 90	A 5310	AR 03-MAY-91	AR	YD1	99	
D ASTM-F837-90	SCREW, CAP, SOCKET HEAD, STAINLESS STEEL - 31 AUG 90	A 5305	AR 03-MAY-91	AR	YD1	99	
D ASTM-F837MA-90	SCREW, CAP, SOCKET HEAD, STAINLESS STEEL (METRIC) - 31 AUG 90	A 5305	AR 31-MAY-91	AR	YD1	99	
ASTM-F841-84	THRUSTERS, TUNNEL, PERMANENTLY INSTALLED IN MARINE VESSELS-APR 84 USER: MC	A 2010	SH 08-MAR-85	ME	SH		
D ASTM-F844-90	WASHER, STEEL, PLAIN (FLAT), UNHARDENED FOR GENERAL USE - 23 FEB 90	A 5310	AR 03-MAY-91	AR	YD1	99	
D ASTM-F857-90	DISHWASHING MACHINES, HEAT SANITIZING COMMERCIAL, STATIONARY RACK TYPES, STANDARD SPECIFICATION FOR USER: CG GS MC MS REVIEWER: 84 MD TS	A 7320	YD1 12-NOV-91	GL	YD1	99	
D ASTM-F858-90	DISHWASHING MACHINES, HEAT SANITIZING COMMERCIAL, SINGLE TANK, CONVEYOR RACK TYPE, STANDARD SPECIFICATION FOR USER: CE CG GS MC REVIEWER: 84 MD MS TS	A 7320	YD1 12-NOV-91	GL	YD1	99	
NOTICE 1							
D ASTM-F859-91	DISHWASHING MACHINES, HEAT SANITIZING COMMERCIAL, MULTIPLE TANK, CONVEYOR RACK TYPE, STANDARD SPECIFICATION FOR REVIEWER: 84 GS MC MD MS SA TS	A 7320	YD1 12-NOV-91	GL	YD1	99	
D ASTM-F860-90	HEAT SANITIZING COMMERCIAL DISHWASHING MACHINES, MULTIPLE TANK, RACKLESS CONVEYOR TYPE, STANDARD SPECIFICATION FOR USER: CE CG GS MC REVIEWER: 84 MD MS SA TS	A 7320	YD1 15-NOV-91	GL	YD1	99	
NOTICE 1							
D ASTM-F861-84R90	RACKS, COMMERCIAL DISHWASHING, STANDARD SPECIFICATION FOR REVIEWER: GS MC MD MS SA TS	A 7320	YD1 23-DEC-91	GL	YD1	99	
D ASTM-F872-84R90	FILTER UNIT, AIR CONDITIONING: VISCOUS-IMPINGEMENT TYPE, CLEANABLE - 28 FEB 1984 (REAPPROVED 1990) USER: ME SH REVIEWER: 82 CG MC	A 4130	YD1 25-JUN-91		YD1	99	
D ASTM-F879-90	SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL - 31 AUG 90	A 5305	AR 03-MAY-91	AR	YD1	99	
D ASTM-F879M-90	SCREWS, CAP, SOCKET BUTTON AND FLAT COUNTERSUNK HEAD, STAINLESS STEEL (METRIC) - 31 AUG 90	A 5305	AR 03-MAY-91	AR	YD1	99	
D ASTM-F880-86	SCREWS, SOCKET-SET, STAINLESS STEEL - 29 AUG 86	A 5305	AR 18-JUN-90	AR		99	
ASTM-F880MA-90	SCREWS, SOCKET-SET, STAINLESS STEEL (METRIC) - 31 AUG 90	A 5305	AR 03-MAY-91	AR	YD1	99	
ASTM-F882-84	INSTRUMENTS, CYROSURGICAL MEDICAL, STANDARD PERFORMANCE & SAFETY SPECIFICATION FOR - 11 SEPT 84	A 6515	MB 06-OCT-89	MD	MS	03	
D ASTM-F883-90	PADLOCKS, STANDARD PERFORMANCE SPECIFICATION FOR REVIEWER: IS	A 5340	YD1 23-JUN-92	AR	YD1	99	
NOTICE 1							
ASTM-F895-84	CYTOTOXICITY, AGAR DIFFUSION CELL CULTURE SCREENING FOR, STANDARD TEST METHOD FOR - 28 SEPT, 1984	A 6515	MB 23-JUN-89	MD	MS	03	
ASTM-F899-84	STEEL, STAINLESS, BILLET, BAR, AND WIRE FOR SURGICAL INSTRUMENTS - 28 SEPT 1984	A 6515	MB 15-OCT-85	MD	MS	03	
D ASTM-F906-89	LETTERS AND NUMERALS FOR SHIPS, STANDARD SPECIFICATION FOR USER: YD1	A 1990	SH 06-JUL-92	ME	SH		
NOTICE 1							
ASTM-F912-90	SCREWS, SET, SOCKET, ALLOY STEEL - 23 FEB 90	A 5305	AR 18-JUN-90	AR		99	
D ASTM-F912M-90	SCREWS, SET, SOCKET, ALLOY STEEL (METRIC) 23 FEB 90	A 5305	AR 18-JUN-90	AR		99	
D ASTM-F918-85	BEVERAGE DISPENSER (VISIBLE PRODUCT), NONCARBONATED MECHANICALLY REFRIGERATED, STANDARD SPECIFICATION FOR - 14 JUN 85 REVIEWER: 84 GS	A 7310	YD1 06-JUL-90	GL	YD1	99	
ASTM-F920-85	RESUSCITATORS INTENDED FOR USE WITH HUMANS, MINIMUM PERFORMANCE & SAFETY REQUIREMENTS FOR - 1985	A 6515	MB 31-JAN-89	MD	MS	03	
D ASTM-F921-85	FORCEPS, HEMOSTATIC, STANDARD DEVIATION OF TENS RELATING TO - 5 JUNE 1985	A 6515	MB 15-JAN-86	MD	MS	03	
D ASTM-F925-85R90	RESISTANCE TO CHEMICALS OF RESILIENT SHEET FLOORING, STANDARD TEST METHOD FOR	A 7220	YD1 21-SEP-92		YD1		
NOTICE 1							
D ASTM-F940-85	PROTECTIVE COATINGS (PAINT), USED IN MARINE CONSTRUCTION & SHIPBUILDING, QUALITY CONTROL RECEIPT INSPECTION PROCEDURES FOR, STANDARD PRACTICE FOR - 28 JUN 85 USER: CG MC REVIEWER: AS MR YD1	A 8010	SH 05-NOV-86	ME	SH	99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	Doc. / Com. / Information	Document Title	Doc. Ident.	FSC / Ann.	MCA Symbol	Proposed Date	Custodians			
							Army	Navy	Air Force	DLA
	ASTM-F941-85	MARINE SURFACE PREPARATION & COATING APPLICATION, INSPECTION OF, STANDARD PRACTICE FOR - 27 SEP 85 USER: CG MC REVIEWER: AS MR	A 8010	SH	05-NOV-86	ME	SH	99		
D	ASTM-F952-85	MIXING MACHINES, FOOD ELECTRIC, STANDARD SPECIFICATION FOR - 21 OCT 85 USER: SA REVIEWER: MC SH	A 9530	MR	06-JUL-90	GL	YD1	99		
D	ASTM-F957-87	GONG, SOUND SIGNALING - 25 SEP 1987 REVIEWER: GS	A 6350	YD1	12-FEB-89		YD1	99		
	ASTM-F960-86	SUCTION & DRAINAGE SYSTEMS, MEDICAL & SURGICAL - 1986	A 6515	MB	31-JAN-89	MD	MS	03		
	ASTM-F965-85	LARYNGOSCOPES, RIGID, FOR TRACHEAL INTUBATION - 29 NOV 1985	A 6515	MB	24-JUL-86	MD	MS	03		
A	ASTM-F993-86	DEVICES, VALVE LOCKING, STANDARD SPECIFICATION FOR USER: MC REVIEWER: CS	A 4810	SH	06-JUL-92	ME	SH	99		
	NOTICE 1									
	ASTM-F1014-86	FLASHLIGHTS ON VESSELS STANDARD SPECIFICATION FOR - OCT 86 1ST PRINTING REVIEWER: GS	A 6230	SH	14-MAY-90	ME	SH	99		
D	ASTM-F1023-86	DISPENSERS, POWDERED ICE TEA, STANDARD SPECIFICATION FOR - 26 SEP 86 REVIEWER: 84 MD	A 7310	YD1	09-JUL-90	GL	YD1	99		
	ASTM-F1026-86	FORCEPS, MEASUREMENTS OF HEMOSTATIC, STANDARD SPECIFICATION FOR GENERAL WORKMANSHIP & PERFORMANCE - 26 SEPT 1986	A 6515	MB	03-JUN-87	MD	MS	03		
D	ASTM-F1040-87	FILTER UNITS, AIR CONDITIONING: VISCOUS-TIPPINGEMENT AND DRY TYPES, REPLACEABLE - 30 JAN 1987 REVIEWER: EA GS	A 4130	YD1	06-MAY-91	MI	YD1			
D	ASTM-F1047-87	PANS, RYING AND BRAISING, TILTING TYPE, STANDARD SPECIFICATION FOR - 9 JUL 1987 USER: MC REVIEWER: 84 MD SA	A 7310	YD1	01-MAY-90	GL	YD1	99		
D	ASTM-F1066-87	TILE, FLOOR, VINYL COMPOSITION - 28 AUG 1987 USER: CE CG MC REVIEWER: SH	A 7220	YD1	09-JUL-90		YD1	84		
	ASTM-F1078-87	SCISSORS, SURGICAL - INSERTED BLADES, STANDARD TERMINOLOGY FOR - 25 SEPT 1987	A 6515	MB	18-JUL-88	MD	MS	03		
A	ASTM-F1079-87	SCISSORS, SURGICAL, INSERTED AND NONINSERTED, STANDARD SPECIFICATION FOR	A 6515	MB	13-NOV-92	MD	MS	03		
	NOTICE 1									
A L	ASTM-F1123-87	JOINTS, EXPANSION, NON-METALLIC, STANDARD SPECIFICATION FOR REVIEWER: CS	A 4730	SH	29-OCT-92		SH			
	NOTICE 1									
M	ASTM-F1138-92	SPRAY SHIELDS FOR MECHANICAL JOINTS, STANDARD SPECIFICATION FOR USER: MC	A 4730	SH	27-APR-93	MR	SH	99		
	NOTICE 1									
	ASTM-F1166-88	MARINE SYSTEMS, HUMAN ENGINEERING DESIGN FOR EQUIPMENT AND FACILITIES STANDARD PRACTICE	A MFAC	SH	12-DEC-89	MI	SH			
D	ASTM-F1217-90	COOKER, STEAM, STANDARD SPECIFICATION FOR USER: CG MC REVIEWER: 84 AS GS	A 7310	YD1	20-MAY-92	GL	YD1	99		
	NOTICE 1									
A	ASTM-F1242-89	TUBES, TRACHEAL, CUFFED AND UNCUFFED, STANDARD SPECIFICATION FOR	A 6515	MB	30-JAN-93	MD	MS	03		
	NOTICE 1									
	ASTM-F1267-89	METAL, EXPANDED, STEEL - 24 NOV 1989	A 5680	SH	22-JUN-90	ME	SH	99		
	ASTM-F1312-90	BRICK, INSULATING, HIGH TEMPERATURE, FIRE CLAY - 31 AUG. 1990	A 9350	SH	29-APR-91	ME	SH	99		
	ASTM-F1325-91	STAINLESS STEEL SUTURE NEEDLE HOLDERS GENERAL WORKMANSHIP REQUIREMENTS AND CORRESPONDING TEST METHODS	A 6515	MB	30-SEP-91	MD	MS	03		
	NOTICE 1									
A L	ASTM-F1332-91	USE OF SI (METRIC) UNITS IN MARITIME APPLICATIONS (COMMITTEE F-25 SUPPLEMENT TO E 380), STANDARD PRACTICE FOR	A 1990	SH	16-DEC-92		SH			
	NOTICE 1									
D	ASTM-F1344-91	TILE, RUBBER, FLOOR, STANDARD SPECIFICATION FOR USER: CE CG MC	A 7220	YD1	03-AUG-92		YD1	99		
	NOTICE 1									
	ASTM-G7A-77	NONMETALLIC MATERIALS, ATMOSPHERIC ENVIRONMENTAL EXPOSURE TESTING OF - 30 DEC 77	A 8010	AS	01-APR-80	MR	AS	11		
M	ASTM-G15-93	STANDARD TERMINOLOGY RELATING TO CORROSION AND CORROSION TESTING USER: MI REVIEWER: AL AR AT EA GL IS ME	A MFFP	MR	05-MAY-93	MR	SH			
	NOTICE 1									
D	ASTM-G21-70	POLYMERIC MATERIALS, SYNTHETIC, RECOMMENDED PRACTICE FOR DETERMINING RESISTANCE OF, TO FUNGI - 13 APR 70 (REAPPROVED 1980) [VALIDATION DATE: 83041] USER: AS OS YD1 REVIEWER: AT ER GL GS ME	A 9330	MI	21-SEP-76	MR	SH	11		
D	ASTM-G23-88	MATERIALS, NONMETALLIC, OPERATING LIGHT EXPOSURE APPARATUS (CARBON-ARC TYPE) WITH & WITHOUT WATER FOR EXPOSURE OF - 25 MAR 1988 USER: AS AT AV GL OS YD1 REVIEWER: 99 ER GS ME	A 9330	MR	22-MAR-89	MR	SH	11		
	ASTM-G26-77	OPERATING LIGHT EXPOSURE APPARATUS (XENON ARC TYPE) WITH & WITHOUT WATER FOR EXPOSURE OF NONMETALLIC MATERIALS - 28 OCT 77	A 9330	AS	25-SEP-81	MR	AS	99		
A	ASTM-G28-85	DETECTING SUSCEPTIBILITY TO INTERGRANULAR ATTACK IN WROUGHT, NICKEL-RICH, CHROMIUM-BEARING ALLOYS, STANDARD TEST METHODS OF REVIEWER: CS	A 9530	SH	25-FEB-93	ME	SH	99		
	NOTICE 1									
D	ASTM-G29-75R85	FILMS, PLASTIC, STANDARD PRACTICE FOR DETERMINING ALGAL RESISTANCE OF - 31 OCT 75 (REAPPROVED 1985) REVIEWER: 84 CS GS MD MR SH	A 9330	YD1	06-JUN-89	ME	YD1	99		
	ASTM-G34-79	EXFOLIATION CORROSION SUSCEPTIBILITY IN 2XXX AND 7XXX SERIES ALUMINUM ALLOYS (EXCO TEST) - 27 APR 79 USER: MI SH REVIEWER: IS	A 95GP	AS	11-DEC-79	MR	AS	11		
	ASTM-G38-73R79	MAKING & USING THE C-RING STRESS-CORROSION CRACKING TEST SPECIMEN - 27 SEP 73 [VALIDATION DATE: 85081] REVIEWER: IS	A 95GP	AS	10-AUG-79	MR	AS	99		
	ASTM-G43-75R80	ACIDIFIED SYNTHETIC SEA WATER (FSG) TESTING - 25 JUL 75	A 9330	MR	24-JUN-82	MR		11		
	ASTM-G47-79	ALUMINUM ALLOY PRODUCTS, HIGH STRENGTH, DETERMINING SUSCEPTIBILITY TO STRESS CORROSION CRACKING OF - 31 AUG 79 REVIEWER: IS	A 95GP	AS	25-JUL-80	MR	AS	11		
	ASTM-G53-88	MATERIALS, NONMETALLIC, OPERATING LIGHT- AND WATER-EXPOSURE APPARATUS (FLUORESCENT LW-CONDENSATION TYPE) FOR EXPOSURE OF - 29 JULY 1988 USER: AS EC ME MI REVIEWER: GS	A 9330	MR	25-JUN-90	MR		11		
	ASTM-RS466-81	TRANSMISSION, DOCUMENT FACSIMILE, PROCEDURES FOR - 3 APR 81	A SLHC	DC	03-APR-81	CR	EC	90		
	ASTM-STP310A	VAPOR DEGREASING HANDBOOK OF, - APR 76 030779 [VALIDATION DATE: 8412] REVIEWER: GL GS	A 6810	EA	03-JUL-79	EA	SH	68		
D	ASTM-STP403A-81	SOLVENT, HALOGENATED, COLD CLEANING WITH - NOV 81 USER: AT GL MR OS YD1 REVIEWER: GS	A 6810	EA	17-MAR-82	EA	SH	68		
D	ASTM-STP470B-81	THERMOCOUPLES IN TEMPERATURE MEASUREMENT, MANUAL ON THE USE OF - JUL 81 USER: AR AS REVIEWER: EA GS	A 6685	99	12-MAR-82	ME	YD1	99		
D	AMI-QSGSQCP-88	GUIDE SPECIFICATIONS AND QUALITY CERTIFICATION PROGRAM, ARCHITECTURAL WOODWORK QUALITY STANDARDS (FIFTH EDITION 1988) REVIEWER: CS	A 5510	YD1	21-FEB-91	ME	YD1	99		
	AMPA-A1-80	CREOSOTE & OIL-TYPE PRESERVATIVES, STANDARD METHODS FOR ANALYSIS 9 DEC 87	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A2-86	PRESERVATIVES, WATERBORNE, & FIRE RETARDANT FORMULATIONS, STANDARD METHODS FOR ANALYSIS OF - 1986 USER: SH	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A3-84	PENETRATION OF PRESERVATIVES & FIRE RETARDANTS, STANDARD METHODS FOR DETERMINING 9 DEC 87	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A4-80	WOOD PRESERVATIVES, STANDARD METHODS FOR - 1980 REVIEWER: 11 BA CS ME	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A5-86	PRESERVATIVES, OIL-BORNE, ANALYSIS OF, STANDARD METHODS FOR - 1986 REVIEWER: 20 BA CS ME	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A6-83	WOOD, OIL-TYPE PRESERVATIVES & WATER IN, METHOD FOR THE DETERMINATION OF - 1983 REVIEWER: 11 BA CS ME	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A7-75	WOOD, PREPARING, FOR CHEMICAL ANALYSIS, STANDARD WET ASHING PROCEDURE FOR - 1975	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A8-67	CREOSOTE OR CREOSOTE-COAL TAR SOLUTION FROM FRESHLY TREATED PILES, POLES, OR TIMBER (SQUEEZE METHOD) QUALITATIVE RECOVERY OF - 1967 REVIEWER: 20 BA CS ME	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A9-86	WOOD, TREATED, & TREATING SOLUTIONS BY X-RAY SPECTROSCOPY, STANDARD METHOD FOR ANALYSIS OF - 1986 REVIEWER: 20 BA CS ME	A 8030	MR	09-DEC-87	MR		99		
	AMPA-A11-83	TREATED WOOD & TREATING SOLUTIONS BY ATOMIC ABSORPTION SPECTROSCOPY 10 DEC 87	A 8030	MR	10-DEC-87	MR		99		
M	AMPA-C1-92	TIMBER PRODUCTS-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES, ALL USER: CE REVIEWER: AT CS SH	A 5510	YD1	30-APR-93	ME	YD1			
	NOTICE 1									
D	AMPA-C2-92	LUMBER, TIMBERS, BRIDGE TIES AND NINE TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE YD1 REVIEWER: BA	A 5510	CS	20-JAN-93	ME	SH	99	CS	
	NOTICE 1									
D	AMPA-C3-88	PILES-PRESERVATIVE TREATMENT BY PRESSURE PROCESSES STANDARD 1988 (NO SPECIFIC DATE OF ISSUE) REVIEWER: AT CS SH	A 5510	YD1	27-FEB-89	ME	YD1			
D	AMPA-C4-92	POLES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE YD1 REVIEWER: BA	A 5510	CS	20-JAN-93	ME	SH	99	CS	
	NOTICE 1									



## ACTIVE SECTION

# NUMERICAL LISTING

## DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OIA Coordination Institute	Document Number	Document Title	Diet Syst FAC / Issue MCA Symbol Preparing Body Date	Custodians			
				Army	Navy	Air Force	DIA
D	ANPA-C5-92 NOTICE 1	POSTS, FENCE - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE YD1 REVIEWER: B4	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-C6-92 NOTICE 1	CROSSTIES AND SWITCH TIES - PRESERVATIVE TREATMENT BY PRESSURE PROCESS USER: CE YD1 REVIEWER: B4	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-C7-92 NOTICE 1	WESTERN RED CEDAR, NORTHERN WHITE CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT OF INCISED POLE BUTTS BY THE THERMAL PROCESS USER: CE YD1 REVIEWER: B4	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-C8-92 NOTICE 1	WESTERN RED CEDAR AND ALASKA YELLOW CEDAR POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS USER: CE YD1 REVIEWER: B4	A 5510 * CS 20-JAN-93	ME	SH	99	CS
	ANPA-C9-90	PLYWOOD - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES - 1990 REVIEWER: B4 CE	A 5530 CS 20-NOV-90	ME	SH	99	
	ANPA-C10-91 NOTICE 1	LODGEPOLE PINE POLES - PRESERVATIVE TREATMENT BY THE FULL-LENGTH THERMAL PROCESS REVIEWER: B4 CE	A 5510 * CS 31-JAN-92	ME	SH	99	CS
	ANPA-C11-90	WOOD BLOCKS FOR FLOORS AND PLATFORMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES (1990) REVIEWER: B4 CE	A 5510 CS 20-NOV-90	ME	SH	99	CS
	ANPA-C12-90	POLES, WESTERN LARCH, - FULL LENGTH - PRESERVATIVE TREATMENT BY THERMAL PROCESS (1990) REVIEWER: B4 CE	A 5510 CS 20-NOV-90	ME	SH	99	CS
A	ANPA-C14-92 NOTICE 1	WOOD FOR HIGHWAY CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
A	ANPA-C15-92 NOTICE 1	WOOD FOR COMMERCIAL-RESIDENTIAL CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
A	ANPA-C16-92 NOTICE 1	WOOD USED ON FARMS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
A	ANPA-C17-92 NOTICE 1	PLAYGROUND EQUIPMENT TREATED WITH INORGANIC PRESERVATIVES - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-C18-92 NOTICE 1	PRESSURE TREATED MATERIAL IN MARINE CONSTRUCTION, STANDARD FOR USER: YD1 REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
	ANPA-C20-91 NOTICE 1	STRUCTURAL LUMBER - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES REVIEWER: B4 CE	A 5510 * CS 31-JAN-92	ME	SH	99	CS
A	ANPA-C22-92 NOTICE 1	LUMBER AND PLYWOOD FOR PERMANENT WOOD FOUNDATIONS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: SH REVIEWER: B4 ME	A 5510 * CS 20-JAN-93			99	CS
A	ANPA-C23-92 NOTICE 1	ROUND POLES AND POSTS USED IN BUILDING CONSTRUCTION - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE REVIEWER: B4	A 5510 * CS 20-JAN-93	ME	SH	99	CS
	ANPA-C24-86	SAWN TIMBER PILES USED FOR RESIDENTIAL & COMMERCIAL BUILDING - 1986 USER: CE REVIEWER: B4	A 5510 CS 31-MAR-88	ME	SH	99	
D	ANPA-C25-85	PRESERVATIVE TREATMENT BY PRESSURE PROCESSES - 1985 USER: MC REVIEWER: B4 CE CS SH	A 5510 YD1 29-MAY-87	ME	YD1	99	
	ANPA-C26-57	STANDARD FOR THE PRESERVATIVE TREATMENT OF CROSSARMS BY NON-PRESSURE PROCESSES, DOUGLAS FIR, WESTERN LARCH & WESTERN HEMLOCK - 1957 USER: CE REVIEWER: B4	A 5510 CS 31-MAR-88	ME	SH	99	
	ANPA-C27-91 NOTICE 1	PLYWOOD - FIRE-RETARDANT TREATMENT BY PRESSURE PROCESSES USER: CE REVIEWER: B4	A 5530 * CS 31-JAN-92	MD	SH	99	CS
D	ANPA-C28-91 NOTICE 1	PRESERVATIVE TREATMENT OF STRUCTURAL GLUED LAMINATED MEMBERS AND LAMINATIONS BEFORE GLUING OF SOUTHERN PINE, PACIFIC COAST DOUGLAS FIR, HEMLOCK AND WESTERN HEMLOCK BY THE PRESSURE PROCESSES, STANDARD FOR USER: CE YD1 REVIEWER: B4 AS	A 5510 * CS 31-JAN-92	ME	SH	99	CS
A	ANPA-C29-92 NOTICE 1	LUMBER AND PLYWOOD TO BE USED FOR THE HARVESTING, STORAGE AND TRANSPORTATION OF FOOD STUFFS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES USER: CE REVIEWER: B4	A 5510 * CS 20-JAN-93	ME	SH	99	CS
	ANPA-C30-91 NOTICE 1	LUMBER, TIMBERS AND PLYWOOD FOR COOLING TOWERS - PRESERVATIVE TREATMENT BY PRESSURE PROCESSES REVIEWER: B4 CE SH	A 5510 * CS 31-JAN-92	ME	SH	99	CS
A	ANPA-C31-91 NOTICE 1	LUMBER USED OUT OF CONTACT WITH THE GROUND AND CONTINUOUSLY PROTECTED FROM LIQUID WATER - TREATMENT BY PRESSURE PROCESSES USER: CE SH REVIEWER: B4	A 5510 * CS 10-FEB-93	ME		99	CS
D	ANPA-E1-72 NOTICE 1	LABORATORY EVALUATION TO DETERMINE RESISTANCE TO SUBTERRANEAN TERMITES, STANDARD METHOD FOR USER: YD1 REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
A	ANPA-E3-83 NOTICE 1	THE CALCULATION OF THE "PERFORMANCE INDEX" OF PRESERVATIVES IN STAKE AND POST TESTS, STANDARD PROCEDURE FOR REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
A	ANPA-E4-78 NOTICE 1	TESTING WATER REPELLENCY OF PRESSURE TREATED WOOD, STANDARD METHOD OF USER: SH REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
A	ANPA-E6-83 NOTICE 1	DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF FIRE-RETARDANT TREATED WOOD, STANDARD METHOD FOR USER: SH REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-E7-92 NOTICE 1	TESTING WOOD PRESERVATIVE BY FIELD TESTS WITH STAKES, STANDARD METHOD OF USER: YD1 REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-E8-56 NOTICE 1	FIELD TESTS WITH POSTS, STANDARD METHOD FOR USER: YD1 REVIEWER: B4 CE .....	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-E10-91 NOTICE 1	TESTING WOOD PRESERVATIVES BY LABORATORY SOIL-BLOCK CULTURES, STANDARD METHOD OF USER: YD1 REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-E11-87 NOTICE 1	DETERMINING THE LEACHABILITY OF WOOD PRESERVATIVES, STANDARD METHOD OF USER: YD1 REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
	ANPA-F1-51	CRESOTE-COAL TAR SOLUTION (UP TO 50% TAR) & COAL TAR (COKE OVEN TAR) VOLUME & SPECIFIC GRAVITY CORRECTION TABLES FOR CRESOTE/COAL TAR PRODUCTS, ROUND FOREST, STANDARD VOLUMES OF 1978 REVIEWER: B4 .....	A 8030 MR 10-DEC-87	MR		99	
	ANPA-F3-78	CRESOTE-PETROLEUM SOLUTIONS, STANDARD VOLUME CORRECTION TABLE FOR - 1951 REVIEWER: 20 B4 CS ME	A 5510 CS 31-MAR-88	ME	SH	99	
	ANPA-F4-51	SALT SOLUTIONS, PRESERVATIVE, VOLUME CORRECTION FACTORS FOR - 1951 REVIEWER: 20 B4 CS ME	A 8030 MR 10-DEC-87	MR		99	
	ANPA-F5-51	FACTORS & CORRECTION TABLES, MISCELLANEOUS CONVERSION - 1972 REVIEWER: 20 B4 CS ME	A 8030 MR 10-DEC-87	MR		99	
D	ANPA-M1-92 NOTICE 1	THE PURCHASE OF TREATED WOOD PRODUCTS, STANDARD FOR USER: CE YD1 REVIEWER: B4 SH	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-M2-91 NOTICE 1	TIMBER PRODUCTS, INSPECTION OF TREATED, STANDARD FOR USER: YD1 REVIEWER: B4 CE SH	A 5510 * CS 31-JAN-92	ME	SH	99	CS
D	ANPA-M3-92 NOTICE 1	STANDARD QUALITY CONTROL PROCEDURES FOR WOOD PRESERVING PLANTS USER: YD1 REVIEWER: B4 CE SH	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-M4-91 NOTICE 1	WOOD PRODUCTS, PRESERVATIVE-TREATED, STANDARD FOR THE CARE OF USER: CE MC REVIEWER: MR SH	A 8030 * YD1 15-MAY-92	ME	YD1	99	
D	ANPA-M5-92 NOTICE 1	GLOSSARY OF TERMS USED IN WOOD PRESERVATION USER: YD1 REVIEWER: B4 CE SH ..	A 5510 * CS 20-JAN-93	ME	SH	99	CS
D	ANPA-M6-91 NOTICE 1	BRANDS USED ON FOREST PRODUCTS USER: YD1 REVIEWER: B4 CE .....	A 5510 * CS 31-JAN-92	ME	SH	99	CS
D	ANPA-M13-92 NOTICE 1	A GUIDELINE FOR THE PHYSICAL INSPECTION OF POLES IN SERVICE USER: YD1 REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
	ANPA-M14-72	LABORATORY, CONTROLLED VELOCITY, CORROSION TESTS, STANDARD METHOD OF - 1972 USER: SH REVIEWER: B4 CE	A 5510 CS 31-MAR-88	ME	SH	99	
A	ANPA-M15-74	GUIDE TO STANDARDS FOR TESTING PLANT EFFLUENTS - 1974 .....	A 5510 CS 31-MAR-88	ME	SH	99	
	ANPA-M17-92	MISCELLANEOUS METHODS, PROCEDURES AND INFORMATION USER: SH REVIEWER: B4 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
	ANPA-M20-83	FIRE RETARDANT TREATED WOOD, STANDARD METHOD FOR DETERMINING THE EQUILIBRIUM MOISTURE CONTENT OF - 1983 USER: SH REVIEWER: B4 CE	A 5510 CS 31-MAR-88	ME	SH	99	
	ANPA-P1-78	LAND & RESH WATER FOR COAL TAR CRESOTE, STANDARD FOR 10 DEC 87 .....	A 8030 MR 10-DEC-87	MR		99	
	ANPA-P2-85	CRESOTE & CRESOTE SOLUTIONS, STANDARD FOR 10 DEC 87 .....	A 8030 MR 10-DEC-87	MR		99	
	ANPA-P3-67	OIL SOLUTION, CRESOTE-PETROLEUM, STANDARD FOR 10 DEC 87 .....	A 8030 MR 10-DEC-87	MR		99	
	ANPA-P4-86	CRESOTE, PETROLEUM OIL FOR BLENDING WITH, STANDARD FOR 10 DEC 87 .....	A 8030 MR 10-DEC-87	MR		99	
D	ANPA-P5-86	PRESERVATIVE, WATERBORNE, STANDARDS FOR - 1986 .....	A 8030 YD1 22-MAY-87	ME	YD1	99	
	ANPA-P7-85	FIELD CUTS, CRESOTE FOR BRUSH ON SPRAY TREATMENT, STANDARD FOR 10 DEC 87 ..	A 8030 MR 10-DEC-87	MR		99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OMA Coordination Inchance Document Number	Document Title	Dist. Smt. FDC / Area MCA Symbol Preparing Act.	Date	Custodians		
				Army	Navy	AF Force CPL
AWPA-P9-84	SOLVENTS & FORMULATION FOR ORGANIC PRESERVATIVE SYSTEMS, STANDARD FOR - 1984 REVIEWER: 20 BA ME	A 8030	MR 10-DEC-87	MR	99	
AWPA-P11-70	CREOSOTE-PENTACHOROPHENOL WOOD PRESERVATIVE SOLUTION, STANDARD FOR - 1970 USER: SH REVIEWER: 20 BA CS ME	A 8030	MR 10-DEC-87	MR	99	
AWPA-P12-85	CREOSOTE-COAL TAR SOLUTION TO BE USED IN THE TREATMENT OF MARINE (COASTAL WATERS) PILES AND TIMBERS, STANDARD FOR 10 DEC 87	A 8030	MR 10-DEC-87	MR	99	
AWPA-P13-85	CREOSOTE COAL TAR TO BE USED IN THE TREATMENT OF MARINE (COASTAL WATERS) PILES & TIMBERS STANDARD FOR - 10 DEC 87	A 8030	MR 10-DEC-87	MR	99	
D AWPB-CFP-88	SOFTWOOD PILING PRESSURE TREATED FOR FOUNDATION, LAND AND FRESH WATER APPLICATIONS - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 18-OCT-90	ME	YD1 99	
D AWPB-CP-88	POLE OR POSTS, PRESSURE TREATED ROUND CONSTRUCTION, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-CTP-88	POLE, PRESSURE TREATED SAWM CONSTRUCTION, QUALITY CONTROL AND IN- SPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-FDM-88	LUMBER, SOFTWOOD, TIMBER AND PLYWOOD PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE IN RESIDENTIAL AND LIGHT COMMERCIAL FOUNDATIONS, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 18-OCT-90	ME	YD1 99	
D AWPB-FP-88	POST, FENCE, PRESSURE TREATED ROUND, HALF-ROUND AND QUARTER-ROUND, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-LP2-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 28-SEP-90	ME	YD1 99	
D AWPB-LP3-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH LIGHT HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 28-SEP-90	ME	YD1 99	
D AWPB-LP4-88	LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH VOLATILE HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 14-AUG-90	ME	YD1 99	
D AWPB-LP5-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH CREOSOTE OR CREOSOTE COAL-TAR SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-LP6-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH COPPER NAPHTHENATE FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-LP7-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH HEAVY HYDROCARBON SOLVENT-PENTA SOLUTION FOR ABOVE GROUND USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-LP22-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES INSPECTION PROCEDURES FOR - 1988 FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 28-SEP-90	ME	YD1 99	
D AWPB-LP33-88	LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH LIGHT HYDROCARBON SOLVENT-PENTA SOLUTION FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 14-AUG-90	ME	YD1 99	
D AWPB-LP44-88	LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH VOLATILE HYDROCARBON SOLVENT PENTA SOLUTION FOR GROUND CONTACT USE, STANDARD FOR - 1988 USER: CE MC REVIEWER: 88 AT CS SM	A 5510	YD1 29-AUG-90	ME	YD1 99	
D AWPB-LP55-88	LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED WITH CREOSOTE OR CREOSOTE COAL-TAR SOLUTIONS FOR GROUND CONTACT USE - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 29-AUG-90	ME	YD1 99	
D AWPB-LP66-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH COPPER NAPHTHENATE FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES INSPECTION PROCEDURES FOR - 1988 FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-LP77-88	SOFTWOOD, LUMBER, TIMBER AND PLYWOOD, PRESSURE TREATED WITH HEAVY HYDROCARBON SOLVENT-PENTA SOLUTION FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
D AWPB-LST-88	SOFTWOOD NONSTRUCTURAL LANDSCAPE TIMBER PEELER CORES PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR GROUND CONTACT USE, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 18-OCT-90	ME	YD1 99	
D AWPB-MLP-88	LUMBER, SOFTWOOD, TIMBER & PLYWOOD PRESSURE TREATED FOR MARINE (SALTWATER) EXPOSURE, STANDARD FOR - 1988 USER: CE MC REVIEWER: 88 AT CS SM	A 5510	YD1 29-AUG-90	ME	YD1 99	
D AWPB-MP1-88	MARINE WATERS, MARINE PILING PRESSURE TREATED WITH WATERBORNE PRESERVATIVES AND CREOSOTE FOR USE IN, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 26-JUL-90	ME	YD1 99	
D AWPB-MP2-88	MARINE WATERS, MARINE PILING PRESSURE TREATED WITH CREOSOTE FOR USE IN, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 26-JUL-90	ME	YD1 99	
D AWPB-MP4-88	MARINE WATERS, MARINE PILING PRESSURE TREATED WITH WATERBORNE PRESERVATIVES FOR, QUALITY CONTROL AND INSPECTION PROCEDURES FOR - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 26-JUL-90	ME	YD1 99	
D AWPB-QCIP-88	QUALITY CONTROL AND INSPECTION PROCEDURES - 1988 USER: CE MC REVIEWER: AT CS SM	A 5510	YD1 10-OCT-90	ME	YD1 99	
AWA-A3.0-89	WELDING TERMS & DEFINITIONS, STANDARD - 9 FEB 89	A 74JM	MR 31-MAY-90	MR	SH 11	
AWA-A4.2-86	WELDS, METAL STAINLESS STEEL CALIBRATING MAGNETIC INSTRUMENTS TO MEASURE THE DELTA FERRITE CONTENT OF AUSTENITIC STANDARD PROCEDURES FOR - 17 JUN 85 REVIEWER: 99 AL OS	A 0C1C	SH 08-AUG-86	MR	SH 11	
D AWA-A5.1-81	ELECTRODE, ARC WELDING, COVERED CARBON STEEL - 15 AUG 81 (VALIDATION DATE: 8706)	A 3439	YD1 15-JUN-87		YD1 99	
D AWA-A5.01-87	FILLER METAL PROCUREMENT GUIDELINES REVIEWER: AR AT GL GS IP	A 3439 *	MR 24-JUL-92	MR	YD1 99	
D AWA-A5.2-88	STEEL ROD, CARBON AND LOW ALLOY, FOR OXYFUEL GAS WELDING, SPECIFICATION FOR - 3 DEC 87 USER: SH REVIEWER: GS IP	A 3439	YD1 18-MAY-89	AL	YD1 99	
D AWA-A5.3-91	ALUMINUM AND ALUMINUM ALLOY FOR SHIELDED METAL ARC WELDING REVIEWER: AR AT GL GS IP	A 3439 *	MR 24-JUL-92	MR	YD1 99	
D AWA-A5.4-81	ELECTRODE, STEEL WELDING, CHROMIUM & CHROMIUM NICKEL, CORROSION RESISTING - 8 OCT 81 (VALIDATION DATE: 8907) REVIEWER: GS SH	A 3439	YD1 19-JUL-89	AL	YD1 99	
D AWA-A5.5-81	ELECTRODE, ARC WELDING, LOW ALLOY STEEL COVERED - 24 JUL 81 REVIEWER: GS SH	A 3439	YD1 15-JUN-87	AL	YD1 99	
D AWA-A5.6-84	WELDING ELECTRODES, COVERED COPPER & COPPER ALLOY ARC - 21 SEP 83 REVIEWER: IP SH	A 3439	YD1 19-FEB-85	AL	YD1 99	
D AWA-A5.7-84	ELECTRODES, COPPER & COPPER ALLOY BARE WELDING RODS & - 20 OCT 83 REVIEWER: IP SH	A 3439	YD1 12-FEB-85	AL	YD1 99	
D AWA-A5.8-89	METALS, FILLER, FOR BRAZING, STANDARD SPECIFICATION FOR - 17 MAR 89 REVIEWER: GS SH	A 3439	YD1 12-SEP-90	AL	YD1 99	
D AWA-A5.9-81	WELDING ELECTRODE & WELDING RODS, CORROSION RESISTING CHROMIUM & CHROMIUM NICKEL STEEL BARE & COMPOSITE METAL CORED & STRANDED - 7 OCT 81 (VALIDATION DATE: 8907) REVIEWER: AS CS IP	A 3439	YD1 19-JUL-89		YD1 99	
M AWA-A5.10-92	ALUMINUM AND ALUMINUM, BARE, WELDING ELECTRODES AND RODS, SPECIFICATION FOR REVIEWER: 84 AS MR	A 3439	SH 10-MAY-93	AL	SH 99	
D AWA-A5.11-90	NICKEL AND NICKEL ALLOY WELDING ELECTRODES FOR SHIELDED METAL ARC WELDING, SPECIFICATION FOR REVIEWER: GS IP	A 3439 *	YD1 31-JUL-92	AL	YD1 99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / OAS Coordination Notice	Document Number	Document Title	Dist. Smt. FSC / Ans MCS Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
D	AMS-AS.12-80 NOTICE 2	ELECTRODE, TUNGSTEN ARC WELDING - 25 APR 80 [VALIDATION DATE: 8802] USER: YD1	A 3439	MR	25-FEB-88	MR			11
	AMS-AS.13-80 NOTICE 2	ROD & ELECTRODES, WELDING, SOLID SURFACING - 25 APR 80	A 3439	MR	23-FEB-88	MR			11
D	AMS-AS.14-89	WELDING ROD & ELECTRODE, NICKLE & NICKLE ALLOY BARE - 20 FEB 89 REVIEWER: AS IP SH	A 3439	YD1	12-SEP-90	AL	YD1		99
	AMS-AS.15-90	IRON, CAST, WELDING RODS & COVERED ELECTRODES FOR - 14 MAR 90	A 3439	MR	08-APR-91	MR			11
	AMS-AS.16-90	RODS AND ELECTRODES, TITANIUM AND TITANIUM ALLOY WELDING - 14 MAR 90	A 3439	MR	08-APR-91	MR	AS		11
	AMS-AS.17-89	ELECTRODE & FLUXES, CARBON STEEL, FOR SUBMERGED ARC WELDING - 17 MAR 89	A 3439	MR	08-APR-91	MR			11
D	AMS-AS.18-79R80 NOTICE 2	WELDING, CARBON STEEL FILLER METALS FOR GAS SHIELDED ARC - 15 JAN 79 [VALIDATION DATE: 8802] USER: YD1	A 3439	MR	25-FEB-88	MR			11
	AMS-AS.19-80 NOTICE 2	WELDING RODS & BARE ELECTRODES, MAGNESIUM ALLOY - 25 JUL 80	A 3439	MR	23-FEB-88	MR			11
	AMS-AS.20-79 NOTICE 2	ELECTRODE, CARBON STEEL, FOR FLUX CORED ARC WELDING - 16 NOV 78	A 3439	MR	23-FEB-88	MR			11
	AMS-AS.21-80 NOTICE 2	COMPOSITE SURFACING WELDING RODS & ELECTRODES - 25 APR 80	A 3439	MR	23-FEB-88	MR			11
	AMS-AS.22-80 NOTICE 2	ELECTRODE, FLUX CORED CORROSION RESISTING CHROMIUM & CHROMIUM NICKEL STEEL - 22 AUG 80	A 3439	MR	23-FEB-88	MR			11
	AMS-AS.23-80 NOTICE 2	ELECTRODE, LOW ALLOY STEEL, & FLUXES FOR SUBMERGED ARC WELDING - 7 JUL 80 [VALIDATION DATE: 8802]	A 3439	MR	25-FEB-88	MR			11
D	AMS-AS.24-79 NOTICE 1	ROD & ELECTRODE, ZIRCONIUM & ZIRCONIUM ALLOY BARE WELDING - 27 MAR 79 [VALIDATION DATE: 8706] REVIEWER: GS IP SH	A 3439	YD1	12-JUN-87	AL	YD1		99
	AMS-AS.25-79R80 NOTICE 2	STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROSLAG WELDING OF CARBON & HIGH STRENGTH - 18 FEB 77	A 3439	MR	24-JAN-83	MR			11
	AMS-AS.26-79R80 NOTICE 2	STEEL, LOW ALLOY, CONSUMABLES USED FOR ELECTROGAS WELDING OF CARBON & HIGH STRENGTH - 18 FEB 77 [VALIDATION DATE: 8802]	A 3439	MR	25-FEB-88	MR			11
D	AMS-AS.27-85	WELDING, OXYFUEL GAS, COPPER & COPPER ALLOY RODS FOR, SPECIFICATION FOR - 4 MAR 85 USER: YD1	A 3439	MR	14-APR-86	MR			11
D	AMS-AS.28-79 NOTICE 2	WELDING, GAS SHIELDED ARC, LOW ALLOY STEEL FILLER METALS FOR - 15 JAN 79 [VALIDATION DATE: 8802] USER: YD1	A 3439	MR	25-FEB-88	MR			11
	AMS-AS.29-80 NOTICE 2	ELECTRODE, LOW ALLOY STEEL, FOR FLUX CORED ARC WELDING - 15 AUG 80 [VALIDATION DATE: 8802]	A 3439	MR	25-FEB-88	MR			11
	AMS-AS.30-79 AMS-A6.1-66	INSERT, CONSUMABLE - 27 MAR 79 GAS SHIELDED ARC WELDING, SAFE PRACTICE FOR - 1966 [VALIDATION DATE: 8306] REVIEWER: GS	A 3439 A 34GP	MR 84	24-JAN-83 08-JUN-72	MR AR		SH	99
	AMS-A6.3-69	PLASMA ARC CUTTING, SAFE PRACTICES FOR - 1969 [VALIDATION DATE: 8306] REVIEWER: GS	A 34GP	84	08-JUN-72	AR		SH	99
	AMS-B3.0-41	STANDARD QUALIFICATION PROCEDURE - 1941 [VALIDATION DATE: 8306] REVIEWER: GS	A 34GP	84	08-JUN-72	AR		SH	99
	AMS-B4.0-85	WELDS, MECHANICAL TESTING OF, STANDARD METHODS FOR - 20 FEB 1985	A THJM	SH	19-JUL-91	MR	SH		11
	AMS-C1.1-66 NOTICE 1	WELDING, RESISTANCE - RECOMMENDED PRACTICES FOR - 1966 [VALIDATION DATE: 9102] USER: OS SH REVIEWER: AR AT ME	A THJM	MR	08-FEB-91	MR	AS		11
	AMS-C1.3-70 NOTICE 1	WELDING COATED LOW CARBON STEELS, RESISTANCE- RECOMMENDED PRACTICES FOR - 1970 [VALIDATION DATE: 9102] USER: OS REVIEWER: AT ME	A THJM	MR	22-FEB-91	MR	AS		11
	AMS-C2.1-73 NOTICE 1	SPRAYING, THERMAL, RECOMMENDED SAFE PRACTICES FOR - 1973	A HFFP	SH	30-JUN-83	MR	SH		11
A	AMS-C2.16-78 NOTICE 2	THERMAL SPRAY OPERATOR EQUIPMENT QUALIFICATION, GUIDE FOR - 7 NOV 77	A HFFP	SH	24-JUN-83	MR	SH		11
	AMS-C3.2-82 NOTICE 2	EVALUATING THE STRENGTH OF BRAZED JOINTS IN SHEAR, STANDARD METHOD FOR [VALIDATION DATE: 9207]	A THJM	MR	02-JUL-92	MR	AS		11
H L	AMS-C3.7-93 NOTICE 1	ALUMINUM BRAZING, SPECIFICATION FOR USER: AT REVIEWER: AR	A THJM	MR	07-MAY-93	MR			
	AMS-C5.4-84 NOTICE 1	STUD WELDING, RECOMMENDED PRACTICES FOR - 1984 REVIEWER: 84	A 3431	IP	08-MAY-90	AL	SH	99	GS
D	AMS-D1.1-90	STEEL - STRUCTURAL WELDING CODE, STANDARD FOR - 5 JAN 1990	A FACR	YD1	12-SEP-90	CE	YD1		99
D	AMS-D1.2-90	ALUMINUM - STRUCTURAL WELDING CODE, STANDARD FOR - 8 FEB 1990	A FACR	YD1	12-SEP-90	CE	YD1		04
D	AMS-D1.2A-83 NOTICE 1	ALUMINUM, COMMENTARY ON STRUCTURAL WELDING CODE - 15 JUL 83 [VALIDATION DATE: 8907] REVIEWER: GS	A FACR	YD1	21-OCT-85	AL	YD1		99
D	AMS-D1.3-90	SHEET STEEL - STRUCTURAL WELDING CODE, STANDARD FOR - 20 FEB 1989	A FACR	YD1	12-SEP-90	CE	YD1		04
D	AMS-D1.4-79 NOTICE 1	STEEL REINFORCING STRUCTURAL WELDING CODE - 1 SEP 79 [VALIDATION DATE: 8706] REVIEWER: 11 CE	A FACR	YD1	12-JUN-87	AL	YD1		99
D	AMS-D3.6-89 AMS-D10.9-69	WELDING, UNDERWATER, SPECIFICATION FOR - 31 OCT 89 STANDARD QUALIFICATION WELDING PROCESSES & WELDERS (PIPING & TUBING) - 1969 [VALIDATION DATE: 8306] REVIEWER: YD1	A THJM A 3431	YD1 84	12-SEP-90 08-JUN-72	YD1 AR		99 SH	99
D	ANMA-B300-87	HYPOCHLORITES, STANDARD FOR - 14 JUN 87 USER: ME OS REVIEWER: GS MC MD	A 6810	YD1	11-NOV-88	AL	YD1		99
D	ANMA-B301-87	CHLORINE, LIQUID, STANDARD FOR - 25 JAN 87 USER: CG ME REVIEWER: AR GS MD	A 6810	YD1	11-NOV-88	AL	YD1		99
D	ANMA-C104-85 NOTICE 2	CEMENT, MORTAR LINING FOR DUCTILE IRON PIPE AND FITTINGS FOR WATER - 31 MAY 1985 [VALIDATION DATE: 9001] USER: MC	A 5610	YD1	20-JAN-90	ME	YD1		99
D	ANMA-C105-88	ENCASEMENT, POLYETHYLENE, FOR DUCTILE-IRON PIPING FOR WATER AND OTHER LIQUIDS - 01 SEP 88 REVIEWER: 84 AR GS MD SH	A 9330	YD1	07-JUL-89	AL	YD1		99
D	ANMA-C110-87	DUCTILE IRON & GRAY IRON FITTINGS, 3 INCH THROUGH 48 INCH FOR WATER & OTHER LIQUIDS - 18 JUN 1987 USER: 99 CE REVIEWER: CS	A 4730	YD1	25-JUL-88	ME	YD1		
D	ANMA-C111-90 NOTICE 1	PIPE AND FITTINGS, DUCTILE-IRON PRESSURE, RUBBER-GASKET JOINTS FOR USER: 99 CE MC REVIEWER: CS	A 4710	*	YD1 10-MAR-92	ME	YD1		
D	ANMA-C115-88	FLANGED DUCTILE IRON PIPE WITH THREADED FLANGES - 1 SEP 1988 ANMA C-115 MUST BE USED IN CONJUNCTION WITH ANMA C-110, C-111 & C-151 USER: 99 CE MC REVIEWER: CS	A 4710	YD1	23-FEB-89	ME	YD1		
D	ANMA-C151-91 NOTICE 1	PIPE, DUCTILE-IRON, CENTRIFUGALLY CAST, FOR WATER OR OTHER LIQUIDS USER: 99 CE MC REVIEWER: CS	A 4710	*	YD1 20-NOV-92	ME	YD1		
D	ANMA-C153-88 NOTICE 1	DUCTILE-IRON COMPACT FITTINGS, 3 IN. THROUGH 16 IN., FOR WATER AND OTHER LIQUIDS REVIEWER: 82 CS SH	A 4730	*	YD1 12-FEB-93	ME	YD1		99
D	ANMA-C200-86 NOTICE 2	PIPE, STEEL WATER, 6 INCH AND LARGER, ANMA STANDARD FOR [VALIDATION DATE: 9206] USER: CE REVIEWER: CS	A 4710	*	YD1 26-MAY-92	ME	YD1		99
D	ANMA-C203-89	PIPELINES, STEEL WATER COAL-TAR PROTECTIVE COATING AND LININGS FOR ENAMEL AND TAPE - NOT APPLIED - 26 JAN 86 USER: OS CE REVIEWER: 50 CE CS EA MR MS	A 8010	YD1	29-AUG-89	ME	YD1		
D	ANMA-C205-85	CEMENT MORTAR PROTECTIVE LINING & COATING FOR STEEL WATER PIPE - 4 INCH & LARGER - SHOP APPLIED - 23 JUN 1985 USER: CE MC	A 5610	YD1	27-APR-87		YD1		99
D	ANMA-C208-88 AMS-C207-88	PIPE, STEEL, WATER, FIELD WELDING - 1 OCT 88 REVIEWER: CS STEEL PIPE FLANGES FOR WATERWORKS SERVICE-SIZES 4 INCHES THROUGH 144 INCHES - 26 JAN 1986 REVIEWER: CS	A 4710 A 4730	YD1 YD1	15-MAY-89 27-JAN-87	ME	YD1		99
D	ANMA-C208-83 NOTICE 1	DIMENSIONS FOR FABRICATED STEEL WATER PIPE FITTINGS - 30 JAN 83 [VALIDATION DATE: 8812] REVIEWER: CS	A 4730	YD1	31-DEC-88	ME	YD1		
D	ANMA-C210-84	PIPELINES, STEEL WATER EPOXY COATING SYSTEMS FOR THE INTERIOR AND EXTERIOR OF - 10 JUN 84 USER: OS MC REVIEWER: 50 CE CS EA MR MS	A 8010	YD1	29-AUG-89	ME	YD1		
D	ANMA-C213-85	EPOXY COATING, FUSION-BONDED, FOR THE INTERIOR & EXTERIOR OF STEEL WATER PIPELINES, ANMA STANDARD FOR - 27 JAN 85 USER: CE REVIEWER: MR SH	A 8010	YD1	24-DEC-86	ME	YD1		99
D	ANMA-C300-89	CONCRETE PRESSURE PIPE, REINFORCED, STEEL CYLINDER TYPE, FOR WATER & OTHER LIQUIDS, - 1 SEP 89 USER: CE MC	A 5630	YD1	21-MAR-90		YD1		
D	ANMA-C301-84 NOTICE 2	CONCRETE PRESSURE PIPE, PRESTRESSED, STEEL CYLINDER TYPE, FOR WATER AND OTHER LIQUIDS - 30 JAN 1984 [VALIDATION DATE: 9001] USER: CE MC	A 5630	YD1	29-JAN-90		YD1		
D	ANMA-C302-74 NOTICE 1	PIPE PRESSURE FOR WATER & OTHER LIQUID NONCYLINDER TYPE REINFORCED CONCRETE - 28 JAN 74 [VALIDATION DATE: 8806]	A 5630	YD1	09-JUN-87	ME	YD1		99
D	ANMA-C303-87	REINFORCED CONCRETE PRESSURE PIPE, STEEL CYLINDER TYPE, PRETENSIONED, FOR WATER & OTHER LIQUIDS - 14 JUN 1987 W/ERRATUM 1-88 USER: CE MC	A 5630	YD1	05-SEP-88		YD1		99
D	ANMA-C400-80R86	PIPE, DISTRIBUTION, ASBESTOS CEMENT, 4 THROUGH 16 INCH (100 MM THROUGH 400 MM) MPS, FOR WATER & OTHER LIQUIDS - USER: MC	A 5630	YD1	10-APR-88	ME	YD1		99



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Doc. Coordination Inclusive Document Number	Document Title	Doc. Smt. FSC / Area NAJ Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
D	ANMA-C402-89	PIPE, ASBESTOS-CEMENT TRANSMISSION AND FEEDER MAIN SIZES 18 IN. THROUGH 42 IN. (450 MM THROUGH 1050 MM) FOR POTABLE WATER AND OTHER LIQUIDS - 1 DEC 89 USER: MC	A 5630	YD1 21-MAR-90	ME	YD1 99	
D	ANMA-C403-89	PIPE, ASBESTOS-CEMENT TRANSMISSION AND FEEDER MAIN SIZES 18 IN. THROUGH 42 IN. (450 MM THROUGH 1050 MM) THE SELECTION OF - 1 NOV 89 USER: MC	A 5630	YD1 21-MAR-90		YD1	
D	ANMA-C500-86	VALVE, GATE, 3 THROUGH 48 IN. NPS. FOR WATER & SEWAGE SYSTEM REVIEWER: CS	A 4820	YD1 11-JUL-89	ME	YD1 99	
D	ANMA-C504-87	VALVES, BUTTERFLY, RUBBER-SEATED, AMERICAN WATER WORKS ASSOCIATION STANDARD FOR 18 JUN 87 REVIEWER: CS	A 4820	YD1 06-JUN-89	ME	YD1 99	
D	ANMA-C508-82	VALVES, SWING-CHECK, FOR ORDINARY WATERWORKS SERVICE, ANMA STANDARD FOR [VALIDATION DATE: 9203] REVIEWER: CS MR	A 4820 *	YD1 10-MAR-92	ME	YD1	
D	ANMA-C509-87	VALVE, GATE, RESILIENT-SEATED FOR WATER & SEWERAGE SYSTEMS - 25 JAN 1987 USER: CE MC SH REVIEWER: CS	A 4820	YD1 14-AUG-89	ME	YD1	
D	ANMA-C510-89	VALVE, DOUBLE CHECK, BACKFLOW-PREVENTION ASSEMBLY - 22 JUN 89 REVIEWER: CS	A 4820	YD1 07-AUG-91	ME	YD1 99	
D	ANMA-C511-89	REDUCED-PRESSURE PRINCIPLE BACKFLOW-PREVENTION ASSEMBLY - 22 JUN 89 REVIEWER: CS	A 4820	YD1 07-AUG-91	ME	YD1 99	
D	ANMA-C550-90	PROTECTIVE EPOXY INTERIOR COATINGS FOR VALVES AND HYDRANTS REVIEWER: 84 SH	A 8010	YD1 29-MAR-93	ME	YD1 99	
D	ANMA-C600-87	WATER MAIN, DUCTILE IRON, & THEIR APPURTENANCES, INSTALLATION OF	A 4710	YD1 20-JUN-89	CE	YD1 99	
D	ANMA-C603-78	PIPE, PRESSURE, ASBESTOS CEMENT, INSTALLATION OF - 28 JAN 78 [VALIDATION DATE: 8711] USER: MC	A 5630	YD1 23-NOV-87	ME	YD1 99	
D	ANMA-C606-81	JOINT, GROOVED & SHOULDERED TYPE - 25 JAN 81 [VALIDATION DATE: 8706] USER: MC	A 5630	YD1 08-JUN-87	ME	YD1 99	
D	ANMA-C651-87	WATER MAINS, DISINFECTING, ANMA STANDARD FOR USER: OS REVIEWER: GS MC ME	A 6840	YD1 31-JUL-87		YD1	
D	ANMA-C652-86	WATER-STORAGE FACILITIES, DISINFECTION OF, ANMA STANDARD FOR - 26 JAN 1986 USER: CS ME REVIEWER: GL GS MC	A 6840	YD1 31-JUL-87		YD1 68	
D	ANMA-C900-89	PIPE, PRESSURE, 4 IN. THROUGH 12 IN., FOR WATER, POLYVINYL CHLORIDE (PVC) - 29 JAN 89 USER: MC REVIEWER: CS	A 4710	YD1 10-OCT-89	ME	YD1 99	
D	ANMA-D100-84	TANKS, STEEL, WELDED, WATER STORAGE ANMA STANDARD FOR - 1 JAN 84 REVIEWER: 84 CS MR	A 5430	YD1 26-SEP-89	ME	YD1 99	
D	ANMA-D102-78	TANKS, STEEL WATER-STORAGE PAINTING FOR 28 JAN 78 USER: DS MC REVIEWER: 50 CE CS EA MR MS	A 8010	YD1 29-AUG-89	ME	YD1	
D	ANMA-M9-79	PIPE, PRESSURE CONCRETE - 1979 [VALIDATION DATE: 8706] USER: MC	A 5630	YD1 12-JUN-87	ME	YD1 99	
D	ANMA-M11-89	STEEL PIPE - A GUIDE FOR DESIGN AND INSTALLATION USER: CE REVIEWER: CS	A 4710 *	YD1 16-DEC-91	ME	YD1 99	
D	ANMA-M16-78	PIPE, ASBESTOS CEMENT, WORK PRACTICES FOR - 1978 [VALIDATION DATE: 8706] USER: MC	A 5630	YD1 12-JUN-87	ME	YD1 99	
D	ANMA-M23-80	PIPE, PVC - DESIGN AND INSTALLATION STANDARD MANUAL FOR - 1980 REVIEWER: 82 SH	A 4710	YD1 14-AUG-90	ME	YD1 99	
D	AZLA-DJR-89	DIRECTORY OF ACCREDITED LABORATORIES - 31 JAN 89	A 0CIC	SO 31-MAR-89			
D	BHMA-A156.1-88	BUTTS AND HINGES - 22 DEC 88 USER: MC REVIEWER: 82 IS	A 5340	YD1 31-JUL-89	AR	YD1 99	
D	BHMA-A156.2-89	LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR - 12 DEC 89 USER: MC ME REVIEWER: 82 IS	A 5340	YD1 12-JUL-90	AR	YD1 99	
D	BHMA-A156.3-89	DEVICES, EXIT, AMERICAN NATIONAL STANDARD FOR - 28 DEC 89 REVIEWER: IS	A 5340	YD1 12-JUL-90	AR	YD1 99	
D	BHMA-A156.4-86	DOOR CONTROLS - CLOSERS, AMERICAN NATIONAL STANDARD FOR [VALIDATION DATE: 9110] USER: CE MC ME SH REVIEWER: IS	A 5340 *	YD1 12-JUL-91	AR	YD1 99	
D	BHMA-A156.5-84	LOCK, AUXILIARY, AND ASSOCIATED PRODUCTS, AMERICAN NATIONAL STANDARD FOR - 20 AUG 1984 [VALIDATION DATE: 9005] USER: ME REVIEWER: IS	A 5340	YD1 10-MAY-90		YD1 99	
D	BHMA-A156.6-86	DOOR TRIM, ARCHITECTURAL, AMERICAN NATIONAL STANDARD FOR [VALIDATION DATE: 9110] USER: CE MC ME SH REVIEWER: IS	A 5340 *	YD1 04-OCT-91	AR	YD1 99	
D	BHMA-A156.7-88	TEMPLATE HINGE DIMENSIONS - 30 SEP 88 USER: ME REVIEWER: IS	A 5340	YD1 02-AUG-89	AR	YD1 99	
D	BHMA-A156.8-89	DOOR CONTROLS-OVERHEADHOLDERS, STANDARD FOR - 28 OCT 88 USER: CE REVIEWER: IS	A 5340	YD1 31-JUL-89	AR	YD1 99	
D	BHMA-A156.9-88	CABINETS HARDWARE, STANDARD FOR 30 JUN 88	A 5340	YD1 31-JUL-90	A	YD1 99	
D	BHMA-A156.10-91	DOORS, PEDESTRIAN, POWER OPERATED, AMERICAN NATIONAL STANDARD FOR REVIEWER: CS	A 5670 *	YD1 20-MAY-92	ME	YD1	
D	BHMA-A156.11-91	CABINET LOCKS, AMERICAN NATIONAL STANDARD FOR USER: ME REVIEWER: IS	A 5340 *	YD1 09-OCT-91	AR	YD1 99	
D	BHMA-A156.12-86	INTERCONNECTED LOCKS AND LATCHES, AMERICAN NATIONAL STANDARD FOR [VALIDATION DATE: 9110] USER: ME REVIEWER: IS	A 5340 *	YD1 04-OCT-91	AR	YD1 99	
D	BHMA-A156.13-87	MORTISE LOCKS & LATCHES - 31 DEC 1987 REVIEWER: IS ME	A 5340	YD1 21-JUL-88	AR	YD1 99	
D	BHMA-A156.14-91	SLIDING AND FOLDING DOOR HARDWARE, AMERICAN NATIONAL STANDARD FOR USER: CE ME REVIEWER: IS	A 5340 *	YD1 09-OCT-91	AR	YD1 99	
D	BHMA-A156.15-86	CLOSER HOLDER RELEASE DEVICES, AMERICAN NATIONAL STANDARD FOR [VALIDATION DATE: 9110] USER: CE MC SH REVIEWER: IS	A 5340 *	YD1 04-OCT-91	AR	YD1 99	
D	BHMA-A156.16-89	HARDWARE, AUXILIARY, STANDARD FOR - 25 JAN 89 USER: GL ME REVIEWER: IS	A 5340	YD1 31-JUL-89	AR	YD1 99	
D	BHMA-A156.17-87	HINGE & PIVOTS, STANDARD FOR SELF CLOSING REVIEWER: EA IS MI	A 5340	YD1 26-MAY-88	AR	YD1 99	
D	BHMA-A156.18-87	MATERIAL & FINISHED 25 NOV 1987 REVIEWER: IS MI	A 5340	YD1 20-JUL-89	AR	YD1 99	
D	BHMA-A156.19-90	POWER ASSIST AND LOW ENERGY POWER OPERATED DOORS, AMERICAN NATIONAL STANDARD FOR	A 5340 *	YD1 09-OCT-91	AR	YD1 99	
D	BHMA-A156.20-89	HINGES AND HASPS, STRAP AND TEE, AMERICAN NATIONAL STANDARD FOR - 28 DEC 89 REVIEWER: 82 IS	A 5340	YD1 12-JUL-90	AR	YD1 99	
D	BHMA-A156.21-89	THRESHOLDS, STANDARD FOR 1989 USER: CE	A 5340	YD1 30-OCT-89	AR	YD1 99	IS
D	BHMA-A156.23-91	LOCKS, ELECTROMAGNETIC, AMERICAN NATIONAL STANDARD FOR REVIEWER: IS	A 5340 *	YD1 04-NOV-91	AR	YD1	
D	BHMA-A156.24-91	LOCKS, EGRESS, DELAYED, AMERICAN NATIONAL STANDARD FOR REVIEWER: IS	A 5340 *	YD1 04-NOV-92	AR	YD1	
D	BOCA-MPC-90	THE BOCA NATIONAL PLUMBING CODE/1990 - 1990 (EIGHTH EDITION)	A 45GP	YD1 19-APR-90		YD1	
D	CGA-VI-87	GAS, COMPRESSED CYLINDER VALVE OUTLET & INLET CONNECTIONS 27 JAN 87 REVIEWER: 84 99 AV GS IS SH	A 8120	ME 21-APR-89	ME	AS 68	
D	CISPI301-90	PIPE, SOIL, HUBLESS CAST IRON, AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS - 1990 USER: CE REVIEWER: CS SH	A 4730	YD1 04-MAR-91	ME	YD1 99	
D	CISPI310-90	COUPLING FOR USE IN CONNECTION WITH HUBLESS CAST IRON SOIL PIPE AND FITTINGS FOR SANITARY AND STORM DRAIN, WASTE, AND VENT PIPING APPLICATIONS, SPECIFICATION FOR - 1990 USER: CE REVIEWER: CS SH	A 4730	YD1 04-MAR-91	ME	YD1 99	
D	CSI-MP2.1-88	MASTERFORMAT, MASTER LIST OF TITLES & NUMBERS FOR THE CONSTRUCTION INDUSTRY - OCT 1988 USER: CE	A FACR	YD1 06-OCT-88		YD1 99	
D	CSI-MP2.2-86	CONSTRUCTION SPECIFICATIONS, SECTION FORMAT THREE-PART SECTION FORMAT FOR - OCT 85 USER: CE MC	A FACR	YD1 24-FEB-86		YD1	
D	DF1791-79	HAMMER, A PILE INSPECTOR'S GUIDE TO HAMMERS - 1979 [VALIDATION DATE: 8607] REVIEWER: CE	A FACR	YD1 31-JUL-86	ME	YD1	
D	DF1792-79	FOUNDATION, PILE, INSPECTOR'S MANUAL FOR - 1979 [VALIDATION DATE: 8706] REVIEWER: CE	A FACR	YD1 24-JUL-86	ME	YD1	
D	EIA359A-88	COLOR IDENTIFICATION AND CODING, EIA STANDARD COLORS FOR - 21 NOV 1984	A 59GP	ER 10-JAN-89	ER	EC 85	
D	EIA455.2A-84	OPTIC DEVICES, FIBER, IMPACT TEST MEASUREMENTS FOR - 8 NOV 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP	CR 03-DEC-85	CR	AS 85	
D	EIA455.4A-85	FIBER OPTIC CONNECTOR/COMPONENT TEMPERATURE LIFE - 23 JULY 1985 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE	A 60GP / CR	17-SEP-86	CR	AS 85	
D	EIA455.1B-84	OPTIC COMPONENTS & ASSEMBLIES, FIBER, ACCELERATION TESTING OF - 8 NOV 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP	CR 03-DEC-85	CR	AS 85	
D	EIA455.21A-88	FIBER OPTIC, INTERCONNECTING DEVICES, MATING DURABILITY OF - 8 SEP 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS 85	
D	EIA455.22A-88	FIBER OPTIC COMPONENTS, AMBIENT LIGHT SUSCEPTIBILITY OF - 4 NOV 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS 85	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Optical Component Number	Document Title	Doc. Serv. FSC / Item MCS / Symbol Preparing Agency	Date	Custodians		
				Army	Navy	Air Force DLA
EIA455.23A-85	FIBER OPTIC COMPONENT SEALS, AIR LEAKAGE OF - 7 AUG 85 REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP	CR 14-FEB-86	CR	AS	85
EIA455.25A-85	FIBER OPTIC CABLE INTERCONNECTING DEVICES, CRUSH RESISTANCE OF - 1 JUL 85 REVIEWER: 11 17 19 80 99 EC ES MC SH TE	A 60GP	CR 14-FEB-86	CR	AS	85
EIA455.27A-86	FIBERS, MEASURING OUTSIDE (UNCOATED) DIAMETER OF OPTICAL WAVEGUIDE, METHODS FOR - 17 MAR 86 REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP	CR 30-DEC-86	CR	AS	85
EIA455.28A-86	FIBERS, OPTICAL WAVEGUIDE, METHODS FOR MEASURING TENSILE FAILURE POINT OF - 7 APR 1986 - USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE	A 60GP /	CR 15-APR-87	CR	AS	85
EIA455.29A-89	REFRACTIVE INDEX PROFILE, TRANSVERSE INTERFERENCE METHOD - 28 JUL 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE	A 60GP	CR 18-JAN-91	CR	AS	85
EIA455.30A-88	OPTICAL FIBER, MULTIMODE, INFORMATION TRANSMISSION CAPACITY, FREQUENCY DOMAIN MEASUREMENT OF - 14 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS	85
EIA455.31A-87	FIBER TENSILE PROOF TEST METHOD - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.33A-87	FIBER OPTIC CABLE TENSILE LOADING AND BENDING TEST - 21 AUG 87 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS	85
EIA455.34-85	INTERCONNECTION DEVICE INSERTION LOSS TEST - 5 APRIL 1985 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE	A 60GP	CR 14-FEB-86	CR	AS	85
EIA455.41-85	FIBER OPTIC CABLES, COMPRESSIVE LOADING RESISTANCE OF - FEB 1985 REVIEWER: 11 13 14 17 19 EC ES MC SH TE	A 60GP	CR 15-JUL-85	CR	AS	85
EIA455.42A-89	OPTICAL CROSSTALK IN FIBER OPTIC COMPONENTS - 20 OCT 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE	A 60GP	CR 18-JAN-91	CR	AS	85
EIA455.43-84	OUTPUT NEAR-FIELD RADIATION PATTERN MEASUREMENT OF OPTICAL WAVEGUIDE FIBERS - 15 DEC 1984 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE	A 60GP	CR 14-FEB-86	CR	AS	85
EIA455.45A-88	OPTICAL WAVEGUIDE FIBERS, MICROSCOPIC METHOD FOR MEASURING FIBER GEOMETRY OF - 6 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS	85
EIA455.48A-87	FIBER OPTICAL, DIAMETER MEASUREMENT OF USING LASER-BASED MEASUREMENT INSTRUMENTS - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.50A-87	FIBER, OPTICAL, SPECTRAL ATTENUATION MEASUREMENTS, LIGHT LAUNCH CONDITIONS FOR LONG-LENGTH GRADED-INDEX - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
M EIA455.51A	MULTIMODE GLASS OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY, PULSE DISTORTION MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 DI ES FSS MC MA SC SH TE	A 60GP	CR 02-JUN-93	CR	AS	85
EIA455.53-86	FIBERS, OPTICAL, ATTENUATION BY SUBSTITUTION MEASUREMENT FOR MULTIMODE GRADED-INDEX OR FIBER ASSEMBLIES USED IN LONG-HAUL COMMUNICATIONS SYSTEMS - 17 MAR. 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE	A 60GP	CR 15-APR-87	CR	AS	85
EIA455.55A-86	FIBERS OPTICAL, GEOMETRY COATING OF METHODS FOR MEASURING THE - 18 DEC 1987 - USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE	A 60GP /	CR 18-DEC-87	CR	AS	85
EIA455.57-86	FIBER OPTICAL, END PREPARATION AND EXAMINATION - 19 SEP 86 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.58-84	OPTICAL FIBERS, GRADED INDEX, CORE DIAMETER MEASUREMENT OF - 1 OCT 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP	CR 03-DEC-85	CR	AS	85
EIA455.60-89	FIBER OR CABLE LENGTH, MEASUREMENT OF, USING AN OTDR - 20 OCT 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE	A 60GP	CR 18-JAN-91	CR	AS	85
M EIA455.62A	OPTICAL FIBER MACROBEND ATTENUATION, MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP	CR 02-JUN-93	CR	AS	85
EIA455.65-87	OPTICAL FIBER FLEXURE TEST - 10 AUG 87 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS	85
EIA455.78-87	FIBERS OPTICAL, SPECTRAL-ATTENUATION OUTBACK MEASUREMENT FOR SINGLE-MODE - 21 AUG 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.80-88	FIBER, CUTOFF WAVELENGTH OF UNCABLED SINGLE-MODE, BY TRANSMITTED POWER - 6 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS	85
EIA455.81-85	OPTIC CABLE, COMPOUND FLOW (DRIP) TEST FOR FILLED FIBER - MAR 1985 REVIEWER: 11 13 14 17 19 EC MC SH TE	A 60GP	CR 15-JUL-85	CR	AS	85
EIA455.82A-87	FLUID PENETRATION TEST FOR FLUID-BLOCKED FIBER OPTIC CABLE - 24 JUL 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.83A-87	CABLE TO INTERCONNECTING DEVICE AXIAL COMPRESSIVE LOADING - 21 AUG 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.84A-88	FIBER OPTIC CABLE, JACKET SELF-ADHESION (BLOCKING TEST) FOR - 6 JUL 88 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS	85
EIA455.87A-86	FIBER OPTIC CABLE KNOT TEST - 12 MAY 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE	A 60GP	CR 15-APR-87	CR	AS	85
EIA455.88-87	FIBER OPTIC CABLE BEND TEST - 10 AUG 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC ME SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.91-85	FIBER OPTIC CABLE TWIST-BEND TEST - 12 JUNE 1985 USER: 13 14 REVIEWER: 11 17 19 90 EC ES MC SH TE	A 60GP /	CR 17-SEP-86	CR	AS	85
EIA455.94-86	FIBER OPTIC CABLE STUFFING TUB COMPRESSION - 13 AUG 1986 USER: 13 14 REVIEWER: 11 17 19 ES SD TE	A 60GP	CR 18-DEC-87	CR	AS	85
EIA455.95-86	FIBERS & CABLES, OPTICAL, ABSOLUTE OPTICAL POWER TEST FOR - 9 JUN 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE	A 60GP	CR 15-APR-87	CR	AS	85
EIA455.100A-89	GAS LEAKAGE TEST FOR GAS - BLOCKED FIBER OPTIC CABLES - 13 SEP 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE	A 60GP	CR 18-JAN-91	CR	AS	85
EIA455.102-87	WATER PRESSURE CYCLING - 13 AUGUST 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC SH	A 60GP	CR 15-DEC-88	NR	AS	
EIA455.107-89	FIBER OPTIC COMPONENTS, RETURN LOSS FOR - 25 JAN 89 USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 60GP	CR 14-FEB-91	CR	AS	85
EIA455.164-86	SCANNING FAR-FIELD, FIBER SINGLE-MODE, MEASUREMENT OF MODE FIELD DIAMETER - 18 DEC 1987 - USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE	A 60GP /	CR 18-DEC-87	CR	AS	85
EIA455.165-86	FIBER, SINGLE-MODE, MEASUREMENT OF MODE FIELD DIAMETER BY NEAR-FIELD SCANNING - 30 OCT 1986	A 60GP	CR 18-DEC-87	CR	AS	85
EIA455.166-86	FIBER, SINGLE-MODE, MEASUREMENTS OF MODE FIELD DIAMETER BY TRANSVERSE OFFSET - 30 OCT 1986 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH TE	A 60GP	CR 18-DEC-87	CR	AS	85
EIA455.167-87	MODE FIELD DIAMETER MEASUREMENT - VARIABLE APERTURE METHOD IN THE FARFIELD - 18 MAY 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC SH	A 60GP	CR 21-DEC-88	NR	AS	
EIA455.168-87	FIBERS OPTICAL, CHROMATIC DISPERSION MEASUREMENT OF MULTIMODE GRADED-INDEX AND SINGLE-MODE, BY SPECTRAL GROUP DELAY MEASUREMENT IN THE TIME DOMAIN - 18 MAY 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC SH	A 60GP	CR 21-DEC-88	NR	AS	
M EIA455.180A	SINGLE-MODE OPTICAL FIBERS BY THE PHASE-SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 DI ES FSS MC MA SC SH TE	A 60GP	CR 02-JUN-93	CR	AS	85
EIA455.170-89	CABLE CUTOFF WAVELENGTH OF SINGLE-MODE FIBER BY TRANSMITTED POWER - 3 OCT 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE	A 60GP	CR 18-JAN-91	CR	AS	85
EIA455.171-87	FIBER OPTICAL CABLE ASSEMBLIES, ATTENUATION BY SUBSTITUTION MEASUREMENT - FOR SHORT-LENGTH MULTIMODE GRADED-INDEX AND SINGLE-MODE - 24 JUN 87 USER: AT MI REVIEWER: 11 17 AR EC 15 MC SH	A 60GP	CR 21-DEC-88	NR	AS	
EIA455.174-88	FIBER OPTICAL, MODE FIELD DIAMETER OF SINGLE-MODE, BY KNIFE-EDGE SCANNING IN THE FAR FIELD - 6 JUL 88 USER: AT MI REVIEWER: 11 17 AR EC 15 MC SH	A 60GP	CR 17-MAR-89	NR	AS	
M EIA455.175A	SINGLE-MODE OPTICAL FIBERS BY THE DIFFERENTIAL PHASE SHIFT METHOD, CHROMATIC DISPERSION MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 DI ES FSS MC MA SC SH TE	A 60GP	CR 02-JUN-93	CR	AS	85
EIA455.177-89	OPTICAL FIBERS, GRADED INDEX, NUMERICAL APERTURE MEASUREMENT OF - 16 AUG 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC MI SH TE	A 60GP	CR 18-JAN-91	CR	AS	85



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action / Coordination / Inactive / Document Number	Document Title	Doc. Syst. / FSC / Ans. / MCA Symbol / Preparing Agency / Date	Custodians			
			Army	Navy	Air Force	DIA
EIA55.179-88	FIBER, CLEAVED, END FACES BY INTERFEROMETRY, INSPECTION OF - 4 FEB 88	A 60GP CR 14-FEB-91	CR	AS	85	
A EIA548-92	USER: 13 REVIEWER: 11 17 19 80 EC ES MC SH TE	A 34GP * 1P 23-SEP-92	AL	SH	99	1P
EIA520AAAA-88	32 BIT BINARY CL (BCL) AND 7 BIT ASCII CL (ACL) EXCHANGE INPUT FORMAT FOR	A 5930 BS 28-OCT-88	ER	EC	85	
EIA520AAAB-88	MUMERICALLY CONTROLLED MACHINES REVIEWER: 84 GS	A 5930 BS 05-APR-88	ER	EC	85	
EIA520AAAB-88	SWITCHES, NON SENSITIVE PUSHBUTTON SINGLE POLE CONTACTS - 5 APR 88	A 5930 BS 28-OCT-88	ER	EC	85	
EIA520A000-87	REVIEWER: 99 ES MI	A 5930 BS 17-AUG-90	EC	85		
EIA520CAAA-88	SWITCHES, PUSHBUTTON OF CERTIFIED QUALITY - 9 JUL 87 REVIEWER: 99 ES MI ...	A 5930 BS 17-AUG-90	EC	85		
EIA520CAAB-88	SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, BASIC SIZE DETAIL SPECIFICATION	A 5930 EC 17-AUG-90	EC	85		
EIA520CAAC-88	FOR - 11 AUG 88 USER: MC REVIEWER: 99 AS ES SH	A 5930 EC 17-AUG-90	EC	85		
EIA520CAAD-88	SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, MINIATURE SIZE, DETAIL	A 5930 EC 17-AUG-90	EC	85		
EIA520CA00-87	SPECIFICATION FOR - 31 AUG 88 USER: MC REVIEWER: 99 AS ES SH	A 5930 EC 17-AUG-90	EC	85		
EIA520C000-87	SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 5 A, DETAIL	A 5930 EC 17-AUG-90	EC	85		
EIA520C000-87	SPECIFICATION FOR - 30 SEP 88 USER: MC REVIEWER: 99 AS ES SH	A 5930 EC 17-AUG-90	EC	85		
EIA520C000-87	SWITCHES, SENSITIVE SINGLE BREAK CONTACTS, SUBMINIATURE SIZE, 7 A, DETAIL	A 5930 EC 17-AUG-90	EC	85		
EIA520C000-87	SPECIFICATION FOR - 7 OCT 88 USER: MC REVIEWER: 99 AS ES SH	A 5930 EC 17-AUG-90	EC	85		
EIA520C000-87	SWITCHES, SENSITIVE OF CERTIFIED QUALITY SPECIAL-USE BLANK DETAIL	A 5930 EC 17-AUG-90	EC	85		
EIA520C000-87	SPECIFICATION FOR - 15 APR 87 USER: MC REVIEWER: 99 AS ES SH	A 5930 EC 17-AUG-90	EC	85		
EIA520C000-87	SWITCHES, SENSITIVE OF CERTIFIED QUALITY - 15 APR 87 USER: MC REVIEWER: 99	A 5930 BS 28-OCT-88	ER	EC	85	
EIA520C000-87	AS ES SH	A 59GP ER 14-OCT-88	ER	EC	85	
EIA520C000-87	SWITCHES, SPECIAL-USE ELECTROMECHANICAL OF CERTIFIED QUALITY - 9 JUN 86	A 59GP ER 26-APR-89	ER	EC	85	
EIA554-88	REVIEWER: 99 ES MI	A 59GP ER 23-APR-91	ER	EC	85	
EIA557-89	ASSESSMENT OF OUTGOING NONCONFORMING LEVELS IN PARTS PER MILLION (PPM) ....	A 59GP ER 19-JUL-91	ER	EC	85	
EIA557.1-91	STATISTICAL PROCESS CONTROL SYSTEMS - 26 APRIL 1989 .....	A 59GP ER 19-JUL-91	ER	EC	85	
EIA584-91	COMPONENTS, PASSIVE, GUIDANCE FOR THE SELECTION OF CRITICAL MANUFACTURING	A 59GP ER 19-JUL-91	ER	EC	85	
EIA585-91	OPERATIONS FOR USE IN IMPLEMENTING AN SPC SYSTEM FOR - 14 JAN. 1991	A 59GP ER 19-JUL-91	ER	EC	85	
EIA587	ZERO ACCEPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY	A 59GP ER 19-JUL-91	ER	EC	85	
EIA-RS46-83	ATTRIBUTES FOR A CONTINUOUS MANUFACTURING PROCESS - 14 JUNE 1991	A 60GP CR 02-JUN-93	CR	AS	85	
EIA-RS50-83	ZERO ACCEPTANCE NUMBER SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY	A 60GP CR 27-MAR-86	CR	AS	85	
EIA-RS227A-71	ATTRIBUTES OF ISOLATED LOTS - 14 JUNE 1991	A 60GP CR 27-MAR-86	CR	AS	85	
EIA-RS232C-89	FIBER OPTIC GRAPHIC SYMBOLS USER: 13 REVIEWER: 19 90 99 D1 ES FSS MC NA SC	A 34GP 1P 09-MAR-79	AL	SH	99	
EIA-RS244B-76	SH TE	A 34GP DC 09-MAR-79	AL	SH	99	
EIA-RS267A-67R73	FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG LENGTH,	A 5965 BS 23-OCT-89	ER	SH	85	
EIA-RS274D-79	GRADED-INDEX - 15 MAY 1983 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SD SH	A 5975 SH 08-JUN-90	ER	SH	85	
EIA-RS278B-75	TE	A 34GP 1P 09-MAR-79	AL	SH	99	
EIA-RS310C-77R82	FIBER, OPTICAL, LONG LENGTH GRADED INDEX, SPECTRAL ATTENUATION	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS358B-79	MEASUREMENTS, LIGHT-LAUNCH CONDITIONS FOR - 15 FEB 1983	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS359A-88	TAPE, PERFORATED, ONE INCH - 1971 [VALIDATION DATE: 8601] USER: ME	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS385-70	REVIEWER: AR AV MI	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.1-81	DATA TERMINAL EQUIPMENT & DATA COMMUNICATION EQUIPMENT, INTERFACE BETWEEN,	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.2-80	EMPLOYING SERIAL BINARY DATA INTERCHANGE - 1969 USER: ME REVIEWER: AR AV	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.3-81	MI	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.13-84	CHARACTER CODE FOR NUMERICAL MACHINE CONTROL PERFORATED TAPE - 1976	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.14-83	[VALIDATION DATE: 8601]	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.15-83	MACHINES, NUMERICALLY CONTROLLED, AXIS & MOTION NOMENCLATURE FOR - 1967 R	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.20-83	73 USER: ME REVIEWER: AR AV MI	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.22-83	MACHINES, NUMERICALLY CONTROLLED, INTERCHANGEABLE PERFORATED TAPE VARIABLE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.32-83	BLOCK FORMAT FOR CONTOURING & CONTOURING/POSITIONING - FEB 79 [VALIDATION	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.39-83	DATE: 8601] USER: ME REVIEWER: AR AV MI	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.40-83	MOUNTING DIMENSIONS FOR LOUDSPEAKERS - 6 JAN 75 [VALIDATION DATE: 8910]	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.44-84	REVIEWER: 99	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.45-84	RACKS, PANELS, & ASSOCIATED EQUIPMENT - 28 NOV 77 USER: YD1 REVIEWER: AS	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.46-83	EC	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.47-83	SUBSET OF USA STANDARD CODE FOR INFORMATION INTERCHANGE FOR NUMERICAL	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.51-83	CONTROL PERFORATED TAPE - FEB 79 [VALIDATION DATE: 8601] USER: ME	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.53-84	REVIEWER: AR AV MI	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.55-84	COLORS FOR COLOR IDENTIFICATION AND CODING EIA STANDARD - 21 NOV 84 -	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.56-84	ADDENDUM 10 MMAY 88	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.58-84	PREFERRED VALUES - DEC 70 [VALIDATION DATE: 8502] .....	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.59-84	FIBERS, FIBER OPTICS, CABLES, TRANSDUCERS, CONNECTING & TERMINATING	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.60-84	DEVICES - 20 NOV 79 REVIEWER: 11 17 20 99 EC ES TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.61-84	FIBERS, FIBER OPTICS, CABLES, TRANSDUCERS, CONNECTING & TERMINATING	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.62-84	DEVICES - 2 FEB 80 REVIEWER: 11 17 20 99 EC ES TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.63-84	FIBERS, FIBER OPTIC, CABLES, TRANSDUCERS, CONNECTING & TERMINATING DEVICES	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.64-84	REVIEWER: 11 17 20 99 EC ES TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.65-84	OPTIC DEVICES, VISUAL & MECHANICAL INSPECTION OF FIBERS, CABLES,	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.66-84	CONNECTORS AND/OR OTHER FIBER - MAR 84 REVIEWER: 11 13 14 17 19 EC ES MC	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.67-84	SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.68-84	OPTIC SHOCK TEST, FIBER (SPECIFIED PULSE) - OCT 83 REVIEWER: 11 13 14 17	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.69-84	19 EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.70-84	IMMERSION, ALTITUDE - MAY 83 REVIEWER: 11 13 14 EC MC SH TE .....	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.71-84	OPTICAL TRANSMITTANCE, CHANGE IN, MEASUREMENT OF - 15 FEB 83 REVIEWER: 11	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.72-84	17 19 80 90 EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.73-84	LIGHT SUSCEPTIBILITY, AMBIENT - NOV 83 REVIEWER: 11 13 14 EC MC SH TE ....	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.74-84	OPTIC CIRCUIT DISCONTINUITIES, FIBER - 3 JAN 83 REVIEWER: 11 17 19 80 90	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.75-84	EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.76-84	OPTIC CABLE WICKING TEST, FIBER - JAN 83 REVIEWER: 11 13 14 17 19 EC ES MC	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.77-84	SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.78-84	CABLE, FLUID IMMERSION TEST FOR FIBRE OPTIC - AUG 83 REVIEWER: 11 13 14 EC	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.79-84	MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.80-84	PROFILE, REFRACTIVE INDEX, REFRACTED RAY METHOD - JAN 84 REVIEWER: 11 13	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.81-84	14 17 19 EC ES MC SD SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.82-84	OPTICAL WAVEGUIDE FIBERS, MICROSCOPIC METHOD FOR MEASURING FIBER GEOMETRY	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.83-84	OF - SEP 84 REVIEWER: 11 13 14 EC MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.84-84	OPTICAL FIBERS, GRADED-INDEX, SPECTRAL ATTENUATION MEASUREMENT FOR	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.85-84	LONG-LENGTH - 15 MAY 83 REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.86-84	RADIATION PATTERN MEASUREMENT, OUTPUT FAR - FIELD - SEP 83 REVIEWER: 11 13	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.87-84	14 EC MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.88-84	OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY, PULSE DISTORTION	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.89-84	MEASUREMENT OF MULTIMODE GLASS - SEP 83	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.90-84	OPTICAL WAVEGUIDE FIBER, TORSION TEST FOR - APR 84 REVIEWER: 11 13 14 17	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.91-84	19 EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.92-84	OPTICAL WAVEGUIDE COATINGS & BUFFERS, TEST METHODS FOR MEASURING RELATIVE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.93-84	ABRASION RESISTANCE OF - APR 84 REVIEWER: 11 13 14 17 19 EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.94-84	OPTIC CABLE, FIBER, JACKET SELF ADHESION (BLOCKING) TEST FOR - 21 JUN 83	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.95-84	REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.96-84	CABLE TWIST TEST, FIBER OPTIC - SEP 84 REVIEWER: 11 13 14 17 19 EC ES MC	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.97-84	SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.98-84	OPTIC CABLE, FIBER, JACKET SHRINKAGE - 15 JAN 83 REVIEWER: 11 13 14 17 19	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.99-84	EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.100-84	OPTIC CABLE, FIBER, JACKET ELONGATION & TENSILE STRENGTH - 3 JAN 83	A 60GP CR 12-AUG-82	CR	AS	85	
EIA-RS455.101-84	REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP CR 12-AUG-82	CR	AS	85	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc CPL / OAS Coordinate Notice	Document Number	Document Title	Dist. Syst. FSC / Ans MCS Symbol	Preparing Date	Custodians	Army	Navy	Air Force	DIA
	EIA-RS465.99-83	OPTIC CABLE, GAS FLAME TEST FOR SPECIAL PURPOSE FIBER - 20 MAR 83	A 60GP	CR 19-MAR-85	CR AS	85			
	EIA-RS465.100-84	REVIEWER: 11 13 14 17 19 EC ES MC SH TE OPTIC CABLES, GAS LEAKAGE TEST FOR GAS-BLOCKED FIBER - JULY 1984 REVIEWER: 17 19 ES SS	A 60GP	CR 29-JAN-85	CR AS	85			
	EIA-RS465.101-84	ACCELERATED OXYGEN AGING - FEB 1984 REVIEWER: 11 13 14 17 19 EC ES MC SH SS TE	A 60GP	CR 29-JAN-85	CR AS	85			
	EIA-RS463-79	CAPACITOR, FIXED ALUMINUM ELECTROLYTIC, FOR ALTERNATING CURRENT MOTOR STARTING, HEAVY DUTY (TYPE 1) & FOR LIGHT DUTY (TYPE 2) - OCT 79 (W/DOD EXCEPTIONS) USER: 19 AS REVIEWER: 99 ES SH	A 5910	EC 24-NOV-80	ER EC	11			
	EIA-RS465-81	DOCUMENT TRANSMISSION, GROUP 3 FACSIMILE APPARATUS FOR - 3 APR 81 (WITH ERRATUM DATED 5 MAY 82)	A SLHC	DC 03-APR-81	CR EC	90			
	EIA-RS466-81	DOCUMENT FACSIMILE TRANSMISSION - 3 APR 81 REVIEWER: NS SC	A SLHC	DC 03-APR-81	CR EC	90			
	EIA-RS469-80	CAPACITOR, CERAMIC MONOLITHIC, DESTRUCTIVE PHYSICAL ANALYSIS OF HIGH RELIABILITY - NOV 80 USER: AS REVIEWER: 19 99 ES SH	A 5910	NA 13-MAR-81					
	EIA-RS470-81	TELEPHONE INSTRUMENTS WITH LOOP SIGNALING FOR VOICEBAND APPLICATIONS -ISSUE 1 WITH ERRATA NO. 1 REVIEWER: NS SC	A SLHC	DC 12-JAN-81	CR EC	90			
	EIA-RS478-81	TELEPHONE SYSTEM (KTS) FOR VOICEBAND APPLICATIONS, MULTI-LINE KEY - JULY 81 REVIEWER: SC TT	A SLHC	DC 09-MAR-81	CR EC	90			
	EIA-RS483-81	EFFECTIVE SERIES RESISTANCE (ESR) & CAPACITANCE OF MULTILAYER CERAMIC CAPACITORS AT HIGH FREQUENCIES - DEC 1981 USER: 19 AS MC SH REVIEWER: 99 ES	A 5910	ER 01-JUN-83	ER EC	11			
	EIA-RS487-82	TELEPHONE SYSTEM, LINE CIRCUIT (CARD) FOR 1A2 GENERIC MULTI LINE KEY - AUG 82 REVIEWER: SC TT	A SLHC	DC 19-AUG-82	CR EC	90			
A	EIA-SE103-49	SPEAKERS FOR SOUND EQUIPMENT, RETNA STANDARD FOR - APR 49	A 5820	80 24-SEP-81		80			
	EIA-TIAM55A-91	FIBER OPTIC FIBERS, CABLES, TRANSDUCERS, SENSORS, CONNECTING AND TERMINATING DEVICES, AND OTHER FIBER OPTIC COMPONENTS, STANDARD TEST PROCEDURE FOR USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
A	EIA-TIAM55.16A-91	FIBER OPTIC COMPONENTS, SALT SPRAY (CORROSION), TEST FOR USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
A	EIA-TIAM55.24-91	FIBERS, SINGLE-MODE, WATER PEAK ATTENUATION, MEASUREMENT OF USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
	EIA-TIAM55.25A-89	FIBER OPTIC CABLES AND CABLE ASSEMBLIES, REPEATED IMPACT TESTING OF - 24 MAR 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE	A 60GP	CR 27-MAR-91	CR AS	85			
A	EIA-TIAM55.28B-91	FIBER, OPTICAL, MEASURING DYNAMIC TENSILE STRENGTH OF, METHOD FOR USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
A	EIA-TIAM55.30B-91	FREQUENCY DOMAIN MEASUREMENT OF MULTIMODE OPTICAL FIBER INFORMATION TRANSMISSION CAPACITY USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
	EIA-TIAM55.31B-90	FIBER, TENSILE PROOF TEST METHOD USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.32A-90	FIBER OPTIC CIRCUIT DISCONTINUITIES USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.39A-89	FIBER OPTIC CABLE WATER WICKING TEST - 17 MAY 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE	A 60GP	CR 27-MAR-91	CR AS	85			
	EIA-TIAM55.46A-90	FIBERS, OPTICAL, SPECTRAL ATTENUATION MEASUREMENT FOR LONG-LENGTH, GRADED-INDEX USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.47A-89	RADIATION PATTERN MEASUREMENT, OUTPUT FAR - FIELD - 17 MAY 89 USER: 13 14 REVIEWER: 11 17 19 EC ES MC SH TE	A 60GP	CR 27-MAR-91	CR AS	85			
	EIA-TIAM55.48B-90	FIBER, OPTICAL, FIBER CLADDING DIAMETER USING LASER-BASED INSTRUMENTS, MEASUREMENT OF USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.54A-90	FIBERS, OVERFILLED LAUNCHING CONDITIONS TO MULTIMODE, MODE SCRAMBLER, REQUIREMENTS FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.55B-90	FIBERS, OPTICAL, MEASURING COATING AND BUFFER GEOMETRY OF, END-VIEW, METHODS FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.58A-90	FIBERS, OPTICAL, GRADED-INDEX, CORE DIAMETER, MEASUREMENT OF USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.63A-90	FIBERS, OPTICAL, TORSION TEST FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
A	EIA-TIAM55.77-91	PROCEDURES TO QUALIFY A HIGHER-ORDER MODE FILTER FOR MEASUREMENTS ON SINGLE-MODE FIBER USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
	EIA-TIAM55.78A-90	FIBERS, OPTICAL, SINGLE-MODE, SPECTRAL-ATTENUATION OUTBACK, MEASUREMENT FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
A	EIA-TIAM55.127-91	SPECTRAL CHARACTERIZATION OF MULTIMODE LASER DIODES USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
	EIA-TIAM55.173-90	FIBER, OPTICAL, SIDE-VIEW METHOD, COATING GEOMETRY, MEASUREMENT FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	EIA-TIAM55.17B-90	FIBERS, OPTICAL, MECHANICALLY REMOVING COATINGS FROM, MEASUREMENTS OF STRIP FORCE, REQUIRED FOR USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
A	EIA-TIAM55.18B-91	LOW TEMPERATURE TESTING OF FIBER OPTIC COMPONENTS USER: 13 REVIEWER: 19 90 99 ES MC SC SH TE	A 60GP *	CR 09-NOV-92	CR AS	85			
	EIA-TIAM56.14-90	FIBER, OPTICAL POWER LOSS MEASUREMENTS OF INSTALLED MULTIMODE CABLE PLANT USER: 13 14 REVIEWER: 11 17 19 80 90 99 EC ES MC MI SH TE	A 60GP *	CR 14-MAY-92	CR AS	85			
	GCA101-83	INFORMATION PROCESSING SYSTEMS, PROGRAMMING LANGUAGES, TEXT INTERCHANGE & PROCESSING - 1 JUN 83 USER: 16 AD OH SH	A 1PSC	O2 10-OCT-83	MI AS	O2			
	HIMA-MD70.1-83	MEDICAL MATERIEL - LUER TAPER FITTINGS - PERFORMANCE, STANDARD FOR - 19 AUG 1983	A 6515	MB 15-NOV-85	MD MS	O3			
D	HPWA-HP-83	PLYBOARD, HARDWOOD, STANDARD FOR - 28 OCT 83 USER: MC MR REVIEWER: AS AT CS	A 5510	YD1 09-OCT-84	CE	YD1	99		
D	HPWA-LHF-87	FLOORING, LAMINATED, HARDWOOD, STANDARD FOR - 25 AUG 87 USER: CE MC REVIEWER: BA CS	A 5510	YD1 19-NOV-88	ME	YD1	99		
D	IAPMD-LPC-88	UNIFORM PLUMBING CODE - 1988	A 45GP	YD1 02-JAN-90		YD1			
D	ICEA-570.547-84	WIRE AND CABLE, WEATHER-RESISTANT, POLYOLEFIN COVERED, STANDARD FOR - 84 DEC 6 USER: AR AS GL MC REVIEWER: 90 99 IS	A 6145	YD1 30-NOV-89	CR	YD1	85		
D	IEEE32-72R78	DEVICES, NEUTRAL, GROUNDING, REQUIREMENTS FOR TECHNOLOGY, AND TEST PROCEDURE FOR - 21 MAR 72 USER: CE REVIEWER: CS GS	A 6110	YD1 25-MAR-88		YD1			
D	IEEE48-75	TERMINATION, CABLE, CURRENT, TEST PROCEDURES AND REQUIREMENTS FOR HIGH-VOLTAGE ALTERNATING - 20 DEC 74 USER: CE SH REVIEWER: 80 CS GS	A 6110	YD1 15-APR-88		YD1			
	IEEE91-84	GRAPHIC SYMBOLS FOR LOGIC FUNCTIONS - 9 MAY 1984 USER: AT MC REVIEWER: 11 15 17 AM AS AW CR MI OS	A DRPR	AR 10-MAY-84	AR	SH	13		
D L	IEEE112-91	MOTORS AND GENERATORS, POLYPHASE INDUCTION, IEEE STANDARD TEST PROCEDURE FOR	A 6105 *	YD1 22-JUN-92		YD1			
D	IEEE115-83	TERMINATION, CABLE, USER: CE REVIEWER: CS	A 6125	YD1 14-OCT-87		YD1			
D	IEEE126-59R83	ENGINE, INTERNAL COMBUSTION, GENERATOR LIMITS, SPEED GOVERNING OF, IEEE RECOMMENDED SPECIFICATION FOR - 15 JAN 59 REVIEWER: GS SH	A 6125	YD1 23-NOV-87	ER	YD1			
	IEEE145-83	ANTENNAS, DEFINITIONS OF TERMS - NOV 1983 REVIEWER: 17 85 99	A 5985	11 30-SEP-85		11			
	IEEE176-78	PIEZOELECTRICITY, IEEE STANDARD ON - 29 SEPT 1978	A 5955	SH 06-NOV-86	ER	SH	85		
D	IEEE200-75	ELECTRICAL & ELECTRONICS PARTS & EQUIPMENTS REFERENCE DESIGNATIONS FOR - 4 SEP 75 W/CORRECTION SHEET FEB 76 (VALIDATION DATE: 8808) USER: EC MC ME REVIEWER: AS AW MI OS YD1	A DRPR	AR 23-AUG-88	AR	SH	16		
D	IEEE260-78	ORDER IEEE 260-78 (VALIDATION DATE: 8310) USER: MC REVIEWER: 13 99 AS EC MI YD1	A MISC	SH 16-JUN-78	AR	SH	11		
L	IEEE288-92	METRIC PRACTICE, IEEE STANDARD FOR	A MISC *	MR 02-JUN-92		MR			
	NOTICE 1								



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OIA Coordination Machine Document Number	Document Title	Dist. Syst. FBC / Ave MCA Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
D	IEEE280-85	ELECTRICAL SCIENCE & ELECTRICAL ENGINEERING, IEEE STANDARD LETTER SYMBOLS FOR QUANTITIES USED IN - 12 DEC 84 REVIEWER: AS AT MC ME MI OS YDI	A DRPR AR 12-DEC-84	AR	SH	11	
D	IEEE315A-86	GRAPHIC SYMBOLS FOR ELECTRICAL AND ELECTRONIC DIAGRAMS (12 SEPTEMBER 1986) USER: EC MC ME MI REVIEWER: AS AV CR ER OS YDI	A DRPR AR 24-DEC-86	AR	SH	16	
D	IEEE386-85	CONNECTOR SYSTEM, SEPARABLE INSULATED, FOR POWER DISTRIBUTION SYSTEMS ABOVE 600V - 22 MAR 85	A 6150 YDI 23-NOV-87	ME	YDI		
	IEEE455-76	TELEPHONE EQUIPMENT, IEEE STANDARD TEST PROCEDURE FOR MEASURING LONGITUDINAL BALANCE OF, OPERATING IN THE VOICE BAND - 30 SEP 76	A SLHC DC 09-MAR-79	SC	EC	90	
	IEEE521-76	RADAR FREQUENCY BANDS, IEEE STANDARD LETTER DESIGNATIONS FOR - 30 NOV 76 USER: 84 REVIEWER: 11 80 AR	A 58GP 99 13-MAY-83	ER		99	
	IEEE686-82 NOTICE 1	DEFINITIONS, IEEE STANDARD RADAR - 15 OCT 82 (VALIDATION DATE: 8905) USER: 84 REVIEWER: 11 80 AR	A 58GP 99 19-MAY-89	ER		99	
	IEEE716-82	C/ATLAS TEST LANGUAGE - 18 DEC 81	A ATTS 11 07-MAY-82	CR	AS	11	
	IEEE812-84	FIBER OPTICS, IEEE STANDARD DEFINITIONS OF TERMS RELATING TO - 15 DEC 84 REVIEWER: 11 17 19 80 90 EC ES MC SH TE	A 60GP CR 03-DEC-85	CR	AS	85	
	IEEE945-84	ELECTRICAL AND ELECTRONICS, SCIENCE AND TECHNOLOGY IEEE RECOMMENDED PRACTICE FOR PREFERRED METRIC UNITS FOR USE IN - 25 SEP 84	A MISC AR 25-SEP-84	AR	SH	11	
	IEEE991-86	DIAGRAMS, IEEE STANDARD LOGIC CIRCUIT - JUN 1986 USER: AT MC REVIEWER: 11 15 17 AM AS AV CR MI OS	A DRPR AR 06-JUN-86	AR	SH	13	
D	IEEE-C37.4-79	CIRCUIT BREAKER, AC HIGH VOLTAGE, RATED ON A SYMMETRICAL CURRENT BASIS - 6 APR 79 USER: MC ME SH REVIEWER: GS	A 6110 YDI 21-JAN-86		YDI		
D	IEEE-C37.9-79	CIRCUIT BREAKER AC HIGH VOLT RATED ON A SYMMETRICAL CURRENT BASIS, STANDARD TEST PROCEDURE FOR - 15 OCT 79 - CNG NOTICE 1 DATED 22 FEB 85 REVIEWER: 80 GS	A 6110 YDI 04-DEC-84	ME	YDI	99	
D	IEEE-C37.13-81 NOTICE 1	BREAKER, CIRCUIT, LOW VOLTAGE AC POWER, USED IN ENCLOSURES - 5 FEB 80 (VALIDATION DATE: 8705) REVIEWER: 85 ES	A 5925 YDI 29-MAY-87	ER	YDI	99	
D	IEEE-C37.20-69MB2	SWITCHGEAR, ASSEMBLIES, INCLUDING METAL ENCLOSED BUS STANDARD FOR	A 6110 YDI 18-JUN-86		YDI		
D	IEEE-C37.20.1-87	SWITCHGEAR, CIRCUIT-BREAKER, LOW-VOLTAGE POWER, METAL ENCLOSED STANDARD FOR - 7 AUG 86 REVIEWER: GS	A 6110 YDI 24-MAY-89		YDI		
D	IEEE-C37.20.2-87	SWITCHGEAR, CUBICLE, METAL-CLAD AND STATION TYPE STANDARD FOR - 7 AUG 86 REVIEWER: GS	A 6110 YDI 24-MAY-89		YDI		
D	IEEE-C37.20.3-87	SWITCHGEAR, INTERRUPTER, METAL-ENCLOSED STANDARD FOR - 7 AUG 86 REVIEWER: GS	A 6110 YDI 24-MAY-89		YDI		
D	IEEE-C37.90-78	RELAY & RELAY SYSTEMS ASSOCIATED WITH ELECTRIC POWER APPARATUS - 23 JUN 78 REVIEWER: GS SH	A 6110 YDI 14-MAY-87	ME	YDI	85	
D	IEEE-C57.12.00-80	TRANSFORMER, LIQUID IMMERSED DISTRIBUTION, POWER, & REGULATING - 14 DEC 78 REVIEWER: GS MI OS SH	A 6120 YDI 10-JAN-85	ME	YDI		
D	IEEE-C57.12.01-79	TRANSFORMER, DRY-TYPED DISTRIBUTION AND POWER - 28 NOV 78 USER: GS	A 6120 YDI 11-FEB-85	ME	YDI		
D	IEEE-C57.12.90-80	TRANSFORMERS, LIQUID-IMMERSED DISTRIBUTION, POWER AND REGULATING, STANDARD SPECIFICATION FOR TEST CODE AND GUIDE FOR SHORT-CIRCUIT TESTING OF DISTRIBUTION AND POWER TRANSFORMERS - 30 OCT 79 REVIEWER: 85 GS SH	A 6120 YDI 07-JUN-85	ME	YDI	99	
D	IEEE-C57.12.91-79	TRANSFORMER, DRY TYPE DISTRIBUTION & POWER, TEST CODE FOR - 29 NOV 78 REVIEWER: 85 GS SH	A 6120 YDI 27-JAN-86		YDI		
D	IEEE-C57.13-78	TRANSFORMER, INSTRUMENT, STANDARD REQUIREMENTS FOR 30 MAR 88 REVIEWER: 99 GS SH	A 6120 YDI 16-NOV-87		YDI	85	
D	IEEE-C62.1-84	ARRESTER, SURGE, FOR AC POWER CIRCUITS, IEEE STANDARD FOR 17 DEC 84 REVIEWER: 99 ES ME	A 6110 YDI 16-NOV-87	ME	YDI	85	
D	IEEE-C62.41-80 IPC-A142 NOTICE 1	SURGE VOLTAGE, IN LOW-VOLTAGE AC POWER CIRCUITS - 19 DEC 1979	A 5998 * ER 28-MAR-92	ER	EC	85	
	IPC-CF150F-89	FINISHED FABRIC WOVEN FROM ARAMID FOR PRINTED BOARDS, SPECIFICATION FOR REVIEWER: 15 99 AR AT CR EA ME MI	A 5999 ER 01-OCT-81	ER	EC	85	
	IPC-D275 NOTICE 1	METAL, FOIL FOR PRINTED WIRING APPLICATION - 1 MAR 89 USER: AS CG MC REVIEWER: 17 AR MI OS	A 5998 * EC 30-SEP-91	ER	EC	85	
M	IPC-D3500 NOTICE 1	DESIGN STANDARD FOR RIGID PRINTED BOARDS AND RIGID PRINTED BOARD ASSEMBLIES REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 ER 30-JAN-93	ER	EC	85	
	IPC-D351-85	PRINTED BOARD DESCRIPTION IN DIGITAL FORM REVIEWER: MI MW	A 5999 ER 18-SEP-85	ER	EC	17	ES
	IPC-D352-85	ELECTRONIC DESIGN DATA DESCRIPTION FOR PRINTED WIRING BOARDS IN DIGITAL FORM JUN 85 USER: OS REVIEWER: 11 85 AR AS MI SH	A 5999 ER 18-SEP-85	ER	EC	17	ES
A	IPC-D356 NOTICE 1	PRINTED BOARD DRAWINGS IN DIGITAL FORM JUN 85 USER: OS REVIEWER: 11 85 AR AS MI SH	A 5998 * ER 06-AUG-92	ER	EC	85	
D	IPC-DW425-82	BARE BOARD ELECTRICAL TEST INFORMATION IN DIGITAL FORM REVIEWER: 99 MI MW	A 5999 17 10-SEP-82	ER	EC	17	
	IPC-EG140-88	DESIGN & END PRODUCT REQUIREMENTS FOR DISCRETE WIRING BOARDS & ASSOCIATED SPECIFICATION SHEETS REVIEWER: 85 99 ES YDI	A 5998 ER 30-APR-90	ER	EC	85	
	IPC-FC213B-86	FABRIC, FINISHED, WOVEN FORM "E" GLASS FOR PRINTED BOARDS REVIEWER: 15 17 99 AR AT CR EA ME	A 5999 EC 08-MAY-86	ER	EC	17	
	IPC-FC231B-86	DIELECTRICS, FLEXIBLE BARE, FOR USE IN FLEXIBLE PRINTED WIRING - FEB 86 USER: OS REVIEWER: 11 85 AR AS ES MI SH	A 5999 EC 08-MAY-86	ER	EC	17	
	IPC-FC232B-86	DIELECTRICS, FLEXIBLE BARE, FOR USE IN FLEXIBLE PRINTED WIRING - FEB 86 ... DIELECTRIC FILMS, ADHESIVE COATED, FOR USE AS COVER SHEETS FOR FLEXIBLE PRINTED WIRING - FEB 86 USER: OS REVIEWER: 11 85 AR AS ES MI SH	A 5999 EC 08-MAY-86	ER	EC	17	
	IPC-FC233A-86	FILMS, FLEXIBLE ADHESIVE BONDING - FEB 86 USER: OS REVIEWER: 11 85 AR AS ES MI SH	A 5999 EC 08-MAY-86	ER	EC	17	
	IPC-FC241B-86	DIELECTRICS, FLEXIBLE METAL-CLAD, FOR USE INFABRICATION OF FLEXIBLE PRINTED WIRING USER: OS REVIEWER: 11 85 AR AS ES MI SH	A 5999 EC 08-MAY-86	ER	EC	17	
	IPC-MF150/1F NOTICE 1	METAL FOIL: COPPER, STANDARD ELECTRODEPOSITED REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/2F NOTICE 1	METAL FOIL: COPPER, HIGH DUCTILITY ELECTRODEPOSITED REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/3F NOTICE 1	METAL FOIL: COPPER, HIGH TEMPERATURE ELONGATION REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/4F NOTICE 1	METAL FOIL: COPPER, ANNEALED ELECTRODEPOSITED REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/5F NOTICE 1	METAL FOIL: COPPER, AS ROLLED-WROUGHT REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/6F NOTICE 1	METAL FOIL: COPPER, LIGHT COLD ROLLED-WROUGHT REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/7F NOTICE 1	METAL FOIL: COPPER, ANNEALED-WROUGHT REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/8F NOTICE 1	METAL FOIL: COPPER, AS ROLLED-WROUGHT-LOW TEMPERATURE ANNEALABLE REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MF150/9F NOTICE 1	METAL FOIL: NICKEL, STANDARD ELECTRODEPOSITED REVIEWER: 15 99 AR AT CR EA ME MI	A 5998 * ER 04-OCT-91	ER	EC	85	
	IPC-MC349-85	DRILLERS & ROUTERS, COMPUTER NUMERICAL CONTROL FORMATTING FOR - AUG 85 USER: OS REVIEWER: 11 AR AS ES MI SH	A 5999 ER 24-OCT-85	ER	EC	85	
A	IPC-PC90 NOTICE 1	IMPLEMENTATION OF STATISTICAL PROCESS CONTROL, GENERAL REQUIREMENTS FOR REVIEWER: 13 17 AR IE MC MI TD	A 5998 * ER 18-MAY-92	ER	EC	85	
	IPC-QL653-88	FACILITIES THAT INSPECT/TEST PRINTED BOARDS, COMPONENTS, AND MATERIALS, QUALIFICATION OF - AUG 88 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998 ER 21-JUL-89	ER	EC	85	
	IPC-SMB40B-88	BOARDS, PRINTED, QUALIFICATION AND PERFORMANCE OR PERMANENT POLYMER COATING (SOLDER MASK) FOR - MAY 88 REVIEWER: 15 17 99 AR AT CR EA ME	A 5999 ER 01-MAY-88	ER	EC	85	
A	IPC-T50C-85	CIRCUIT, INTERCONNECTING & PACKAGING ELECTRONIC, TERMS & DEFINITIONS - 29 MAR 85 USER: AV DH REVIEWER: 15 17 19 26 AR CR ER MR	A SOLD AS 29-MAR-85	MI	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Oral/Oral Conductance Machine	Document Number	Document Title	Dist. Smt. FPC / Area MCA Symbol	Preparing Inst.	Date	Custodians		
						Army	Navy	Air Force DLA
A	IPC-TM650	STRIPLINE TEST FOR PERMITTIVITY AND LOSS TANGENT (DIELECTRIC CONSTANT AND DISSIPATION FACTOR) AT X-BAND REVIEWER: 99 MI	A 5998	ER	02-JUL-92	ER	EC	85
	NOTICE 1	VISUAL INSPECTION FOR DICYANDIAMIDE CRYSTALS - MAY 86 REVIEWER: 15 17 99	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.1.1.10-86	AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.1.7B-86	THREAD COUNT, GLASS FIBERS, PREPREG - JUN 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.1.9-86	SURFACE SCRATCH EXAMINATION METAL CLAD FOIL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.1.1B-86	CHEMICAL CLEANING OF METAL CLAD LAMINATE - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.4.2-86	CHEMICAL RESISTANCE OF PREPREG MATERIALS TO METHYLENE CHLORIDE - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.4.3-86	CHEMICAL RESISTANCE OF CORE MATERIALS TO METHYLENE CHLORIDE - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.7.1-86	CUPRIC CHLORIDE ETCHING METHOD - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.9B-86	FLAMMABILITY OF PRINTED WIRING MATERIALS - JUNE 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.10-86	FLAMMABILITY OF PRINTED WIRING LAMINATE - OCT 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.12A-86	GLASS FABRIC WEIGHT - OCT 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.16A-86	RESIN CONTENT OF PREPREG MATERIALS - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.16.1B-86	RESIN CONTENT OF PREPREG MATERIAL (TREATED WEIGHT) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.17B-86	RESIN FLOW OF PREPREG MATERIALS (B-STAGE) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.18A-86	RESIN GEL STROKE TIME FOR PREPREG MATERIALS - APR 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.19B-86	VOLATILE CONTENT OF PREPREG MATERIALS - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.3.32-87	FLUX INDUCED CORROSION (COPPER MIRROR METHOD) - DEC 87 REVIEWER: 84 99 MI SH	A 3439	ER	06-AUG-89	ER	EC	11
	IPC-TM650.2.3.33-87	FLUX, SILVER CHROMATE METHOD PRESENCE OF HALIDES - DEC 87 REVIEWER: 84 99 MI SH	A 3439	ER	06-AUG-89	ER	EC	
	IPC-TM650.2.3.34-87	FLUX, SOLID CONTENT - DECEMBER 1987 REVIEWER: 84 99 MI SH	A 3439	ER	06-AUG-89	ER	EC	
	IPC-TM650.2.3.35-87	FLUXES, HALIDE CONTENT - DECEMBER 1987 REVIEWER: 84 99 MI SH	A 3439	ER	06-AUG-89	ER	EC	
	IPC-TM650.2.4.4A-86	FLEXURAL YIELD STRENGTH, RIGID PRINTED LAMINATE MATERIALS (AT AMBIENT ROOM TEMPERATURE) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.4.1-86	FLEXURAL YIELD STRENGTH, RIGID PRINTED LAMINATE MATERIALS (AT ELEVATED TEMPERATURE) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.8B-86	PEEL STRENGTH: AS RECEIVED, AFTER THERMAL STRESS, AFTER PROCESS CHEMICALS - JAN 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.8.2-86	PEEL STRENGTH AT ELEVATED TEMPERATURE (HOT FLUID METHOD) - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.24B-86	GLASS TRANSITION TEMPERATURE AND Z-AXIS EXPANSION BY TMA - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.25B-87	GLASS TRANSITION TEMPERATURE - DEC 87 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.3B-84	PREPREG SCALED FLOW TESTING - JUL 84 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.39A-86	DIMENSIONAL STABILITY, GLASS REINFORCED THIN LAMINATES - FEB 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.41-86	COEFFICIENT OF LINEAR THERMAL EXPANSION OF ELECTRICAL INSULATING MATERIALS - MAR 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.4.41.1-86	COEFFICIENT OF THERMAL EXPANSION BY THE VITREOUS SILICA (QUARTZ) DILATOMETER METHOD - MAR 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.5.1B-86	ARC RESISTANCE OF PRINTED WIRING MATERIAL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.5.5.2A-87	WIRING BOARD MATERIAL - CLIP METHOD DIELECTRIC CONSTANT AND DISSIPATION FACTOR OF RAW PRINTED - DEC 87 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.5.5.3C-87	PERMITTIVITY (DIELECTRIC CONSTANT) AND LOSS TANGENT (DISSIPATION FACTOR) OF MATERIALS (TWO FLUID CELL METHOD) - DEC 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.5.6B-86	DIELECTRIC BREAKDOWN OF RIGID PRINTED WIRING MATERIAL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.5.6.2-86	ELECTRIC STRENGTH OF PRINTED WIRING MATERIAL - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.5.17.1-86	VOLUME RESISTIVITY AND SURFACE RESISTIVITY OF PRINTED WIRING LAMINATE - JUN 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.5.2B-82	FLEXIBLE PRINTED WIRING MATERIALS Q RESONANCE, - DEC 82 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.6.1C-88	WIRING MATERIALS FUNGUS RESISTANCE PRINTED - FEB 88 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.6.2.1A-86	WATER ABSORPTION, METAL CLAD PLASTIC LAMINATES - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.6.30-88	WIRING BOARDS MOISTURE AND INSULATION RESISTANCE, RIGID/FLEX AND PRINTED - NOV 88 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	IPC-TM650.2.6.3.3-88	FLUXES, MOISTURE AND SURFACE INSULATION RESISTANCE - MARCH 1988 REVIEWER: 84 99 MI SH	A 3439	ER	06-AUG-89	ER	EC	
	IPC-TM650.2.6.17-86	RESIN FLOW/NO FLOW RESIN - MAY 86 REVIEWER: 15 17 99 AR AT CR EA ME	A 5998	ER	23-AUG-89	ER	EC	85
	ISO574-83	ANGULAR 45 DEG., 0 DEG. (OR 0 DEG., 45 DEG.) OPTICAL REFLECTION MEASUREMENTS (REFLECTION DENSITY) - 3 JUL 85 REVIEWER: 70 GS MV	A 6750	AS	15-APR-88	AS	AS	99
A	ISO594/1	FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 1: GENERAL REQUIREMENTS	A 6515	MB	25-SEP-92	MD	MS	03
A	ISO594/2	FITTINGS, CONICAL WITH A 6% (LUER) TAPER FOR SYRINGES, NEEDLES AND CERTAIN OTHER MEDICAL EQUIPMENT - PART 2: LOCK FITTINGS	A 6515	MB	25-SEP-92	MD	MS	03
D	ISO3573-86	STEEL, HOT-ROLLED CARBON, SHEET OF COMMERCIAL AND DRAWING QUALITIES - 1986 SECOND EDITION REVIEWER: 11 84 AR AS GL YD1	A 9515	NR	09-AUG-88	NR	SH	99
D	ISO3574-86	STEEL, COLD REDUCED-CARBON, SHEET OF COMMERCIAL AND DRAWING QUALITIES - 1986 REVIEWER: 11 84 AR AS GL YD1	A 9515	NR	09-AUG-88	NR	SH	99
D	ISO3575-76	STEEL SHEET, CARBON, CONTINUOUS HOT-DIP ZINC-COATED, OF COMMERCIAL LOCK FORMING AND DRAWING QUALITIES - 5 MAY 75 REVIEWER: 11 AR AS YD1	A 9515	NR	29-JUN-90	NR	SH	99
D	ISO4980-86	STEEL STRIP, COLD-REDUCED CARBON, WITH A CARBON CONTENT OVER 0.25 % - 1986 REVIEWER: 11 84 AR AS GL YD1	A 9515	NR	06-AUG-88	NR	SH	99
D	ISO4995-78	STEEL SHEET, HOT-ROLLED, OF STRUCTURAL QUALITY - 1978 REVIEWER: 11 AR AS YD1	A 9515	NR	29-JUN-90	NR	SH	99
D	ISO4996-78	STEEL SHEET, HOT-ROLLED, OF HIGH YIELD STRESS STRUCTURAL QUALITY - 1978 REVIEWER: 11 AR AS YD1	A 9515	NR	29-JUN-90	NR	SH	99
D	ISO4997-78	STEEL SHEET, COLD REDUCED OF STRUCTURAL QUALITY - 29 JUL 76 REVIEWER: 11 AR AS YD1	A 9515	NR	29-JUN-90	NR	SH	99
D	ISO4998-77	STEEL SHEET, CARBON, CONTINUOUS HOT DIP ZINC COATED - 1977 REVIEWER: 11 AR AS YD1	A 9515	NR	29-JUN-90	NR	SH	99
D	ISO4999-78	STEEL SHEET, HOT-DIP TERNE (LEAD ALLOY) COATED COLD-REDUCED CARBON, CONTINUOUS, OF COMMERCIAL AND DRAWING QUALITIES - 1978 REVIEWER: 11 AR AS YD1	A 9515	NR	29-JUN-90	NR	SH	99



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action On/Off Cancellation Inactive	Document Number	Document Title	Dist. Smt. FSC / Ans MCA Symbol	Preparing Agency	Date	Custodians		
						Army	Navy	Air Force DLA
D	1S05000-80	STEEL SHEET, HOT-DIP ALUMINUM-SILICON-COATED COLD REDUCED CARBON, OF COMMERCIAL AND DRAWING QUALITIES - 1980 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S05001-80	STEEL SHEET, COLD REDUCED CARBON FOR VITREOUS ENAMELLING - 6 APR 78 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S05002-82R87	STEEL SHEET, HOT-ROLLED AND COLD-REDUCED ELECTROLYTIC ZINC-COATED CARBON, OF COMMERCIAL AND DRAWING QUALITIES - 1982 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S05950-79	STEEL SHEET, CONTINUOUS ELECTROLYTIC TIN-COATED COLD-REDUCED CARBON OF COMMERCIAL AND DRAWING QUALITIES - 6 APR 78 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S05951-80	STEEL SHEET, HOT-ROLLED OF HIGHER YIELD STRENGTH WITH IMPROVED FORMABILITY - 1980 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S05952-83	STEEL SHEET, HOT-ROLLED OF STRUCTURAL QUALITY WITH IMPROVED ATMOSPHERIC CORROSION RESISTANCE - 17 APR 80 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S05954-84	STEEL SHEET TO HARDNESS REQUIREMENTS, COLD-REDUCED CARBON - 17 AUG 83 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S06316-82R87	STEEL STRIP, HOT-ROLLED, OF STRUCTURAL QUALITY - 11 JUNE 81	A 9515	MR	29-JUN-90	MR	SH	99
D	1S06317-82R87	STEEL STRIP, HOT-ROLLED CARBON, OF COMMERCIAL AND DRAWING QUALITIES - 11 JUN 81 REVIEWER: 11 AR AS YD1	A 9515	MR	29-JUN-90	MR	SH	99
D	1S06328-82	PHOTOGRAPHIC MATERIALS, METHOD OF DETERMINATION OF ISO RESOLVING POWER FOR - 1 JUL 83 REVIEWER: 70 GS MV	A 6750	AS	15-APR-88		AS	99
D	1S06932-86	STEEL STRIP, COLD REDUCED CARBON, WITH A MAXIMUM CARBON CONTENT OF 0.25% - 1986 REVIEWER: 11 BA AR AS GL YD1	A 9515	MR	09-AUG-88	MR	SH	99
A	1S07886 NOTICE 1	SYRINGES, STERILE, HYPODERMIC, FOR SINGLE USE	A 6515	/ MB	25-SEP-92	MD	MS	03
A	1S08402-86	VOCABULARY - QUALITY - 15 JUNE 86 REVIEWER: 10 23 AS AV CR DM EC GL ME SA SH TO	A QCIC	05	06-JUN-91	AR	OS	05
A	1S08537 NOTICE 1	SYRINGES, SINGLE USE, STERILE, WITH OR WITHOUT NEEDLE, FOR INSULIN	A 6515	/ MB	25-SEP-92	MD	MS	03
D	1S08879-88	INFORMATION PROCESSING-TEXT AND OFFICE SYSTEMS-STANDARD GENERALIZED MAKEUP LANGUAGE (SGML) 15 OCT 86 REVIEWER: 01 AM DC NA MS	A MISC	CR	04-JAN-88	CR	SA	24 DH
D	1S09000-87	GUIDELINES FOR SELECTION AND USE - QUALITY MANAGEMENT AND QUALITY ASSURANCE STANDARDS - 15 MAR 87 REVIEWER: 10 23 AS AV CR DM EC GL ME SA SH TO	A QCIC	05	06-JUN-91	AR	OS	05
D	1S09001-87	SYSTEMS, QUALITY - MODEL FOR QUALITY ASSURANCE IN DESIGN/DEVELOPMENT, PRODUCTION, INSTALLATION AND SERVICING - 15 MAR 87 REVIEWER: 10 23 AS AV CR DM EC GL ME SA SH TO	A QCIC	05	06-JUN-91	AR	OS	05
D	1S09002-87	SYSTEMS, QUALITY - MODEL FOR QUALITY ASSURANCE IN PRODUCTION AND INSTALLATION - 15 MAR 87 REVIEWER: 10 23 AS AV CR DM EC GL ME SA SH TO	A QCIC	05	06-JUN-91	AR	OS	05
D	1S09003-87	SYSTEMS, QUALITY - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST - 15 MAR 87 REVIEWER: 10 23 AS AV CR DM EC GL ME SA SH TO	A QCIC	05	06-JUN-91	AR	OS	05
D	1S09004-87	GUIDELINES - QUALITY MANAGEMENT AND QUALITY SYSTEM ELEMENTS - 15 MAR 87 REVIEWER: 10 23 AS AV CR DM EC GL ME SA SH TO	A QCIC	05	06-JUN-91	AR	OS	05
D	JIC-EMP-1/EGP-1-67	ELECTRICAL STANDARDS FOR MASS PRODUCTION EQUIPMENT/ELECTRICAL STANDARDS FOR GENERAL PURPOSE MACHINE TOOLS - 1967 USER: AV REVIEWER: AR ME MI	A 34GP	1P	15-JUN-79	AL	SH	99
A	MPPA0100-85	PERMANENT MAGNET MATERIALS - APRIL 1985 USER: OS	A 5999	AR	18-SEP-85	AR		11
D	MSS-SP6-90	VALVES AND FITTINGS, CONTACT FACES OF PIPE FLANGES AND CONNECTING-END FLANGES OF, STANDARD FINISHES FOR - 1990 USER: CE MC REVIEWER: 82 CS	A 4820	YD1	29-JUN-90	ME	YD1	99
D	MSS-SP25-78R88	VALVE, FITTING, FLANGES & UNIONS, STANDARD MARKING SYSTEM FOR - 178 (REAPPROVED 88) REVIEWER: 70 CS	A 48GP	YD1	16-MAY-88	ME	YD1	99
D	MSS-SP45-82R87	CONNECTION, BY-PASS & DRAIN, STANDARD SPECIFICATION FOR - 1982 (REAPPROVED 87) USER: CE MC REVIEWER: CS	A 4730	YD1	26-APR-89	ME	YD1	99
D	MSS-SP55-85	STEEL CASTINGS FOR VALVES, FLANGES & FITTINGS & OTHER PIPING COMPONENTS (VISUAL METHOD) QUALITY STANDARD FOR - 1985	A 95GP	MR	02-JUN-87	MR		
D	MSS-SP58-88	PIPE HANGERS AND SUPPORTS - MATERIALS, DESIGN AND MANUFACTURE - 1988 USER: CE ME REVIEWER: MC	A 5340	YD1	08-AUG-91		YD1	
D	MSS-SP61-85	VALVES, STEEL PRESSURE TESTING OF (1985 EDITION) USER: CE MC REVIEWER: 82 CS	A 4820	YD1	22-JUN-89	ME	YD1	99
D	MSS-SP67-90	VALVES, BUTTERFLY - 1990 USER: CE MC REVIEWER: 84 CS	A 4820	YD1	29-JUN-90	ME	YD1	99
D	MSS-SP69-91	PIPE HANGERS AND SUPPORTS - SELECTION AND APPLICATION USER: CE ME REVIEWER: 15 MC	A 5340 *	YD1	16-OCT-91		YD1	
D	MSS-SP70-90	GATE VALVES, CAST IRON, FLANGED & THREADED ENDS - 1990 USER: MC REVIEWER: CS	A 4820	YD1	23-AUG-91	ME	YD1	99
D	MSS-SP71-90	VALVES, CAST IRON SWING CHECK, FLANGED & THREADED ENDS (1990 ED.) USER: CE MC REVIEWER: 82 CS	A 4820	YD1	23-AUG-91	ME	YD1	99
D	MSS-SP72-87	VALVES, BALL, WITH FLANGED OR BUTT-WELDING ENDS FOR GENERAL SERVICE, STANDARD PRACTICE FOR (VALIDATION DATE: 9203) REVIEWER: CS	A 4820 *	YD1	09-MAR-92	ME	YD1	99
D	MSS-SP78-87	VALVES, CAST IRON PLUG, FLANGED AND THREADED ENDS, STANDARD PRACTICE FOR REAPPROVED 1992 (VALIDATION DATE: 9203) USER: CE MC REVIEWER: 82 CS	A 4820 *	YD1	10-MAR-92		YD1	99
D	MSS-SP80-87	BRONZE GATE, GLOBE, ANGLE AND CHECK VALVES, 1987 EDITION (VALIDATION DATE: 9203) USER: CE EA SA REVIEWER: CS MC	A 4820 *	YD1	02-MAR-92	ME	YD1	99
D	MSS-SP81-81R86	VALVE, FLANGED KNIFE GATE, STAINLESS STEEL, BONNETLESS, STANDARD PRACTICE FOR - 1981 (REAPPROVED 86) USER: MC REVIEWER: CE CS	A 4820	YD1	17-NOV-88	ME	YD1	
D	MSS-SP83-87	PIPE UNIONS SOCKET WELDING & THREADED, CARBON STEEL USER: AR CE OS REVIEWER: CS	A 4730	YD1	26-APR-89	ME	YD1	99
D	MSS-SP84-90	VALVES - SOCKET WELDING AND THREADED ENDS - 1990 USER: CE MC REVIEWER: 82 CS	A 4820	YD1	29-JUN-90	ME	YD1	99
D	MSS-SP85-85	VALVE FLANGED & THREADED END, CAST IRON GLOBE AN ANGLE - 1985 (VALIDATION DATE: 9107) REVIEWER: CS	A 4820	YD1	25-JUL-91		YD1	
D	MSS-SP88-83R88	VALVE, DIAPHRAGM TYPE, STANDARD PRACTICE FOR - 1983 (REAPPROVED 88) REVIEWER: 82 CS	A 4820	YD1	16-MAY-88	ME	YD1	99
D	MSS-SP89-91	PIPE HANGERS AND SUPPORTS - FABRICATION AND INSTALLATION PRACTICES REVIEWER: 82	A 5340 *	YD1	16-OCT-91	ME	YD1	99
D	NA7-78	FASTENERS, METRIC, TITANIUM ALLOY, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATION - MARCH 1978 REVIEWER: 82 99	A 53GP	1S	15-JUL-85	AV		15
D	NA8-78	FASTENERS, METRIC, ALLOY STEEL, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATIONS - MAR 78 REVIEWER: 82 AV IS ME	A 53GP	AR	21-JAN-85	AR	AS	99
D	NA8-80	NUTS, SELF-LOCKING, 235 DEG. C, METRIC, PROCUREMENT SPECIFICATION FOR - 12 MAY 1980 REVIEWER: 82	A 5310	1S	09-SEP-85	AV		99
D	NA25-84	TORQ-SET, RECESS, DIMENSION OF RECESS, GAGE & DRIVE, METRIC - 4 APR 84 REVIEWER: 82 AV	A 53GP	1S	22-MAY-86	AR	AS	99
D	NA26-77	FASTENERS, METRIC, A-286 CRES, EXTERNALLY THREADED, 1100 MPA TENSILE, 660 MPA SHEAR, PROCUREMENT SPECIFICATION - NOV 1977 REVIEWER: 82	A 53GP	1S	15-JUL-85	AV		99 15
D	NA27THRU NA28-78	NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LUG, METRIC, LOW HEIGHT, C BORED, 1100 MPA, 235 DEG. C, 425 DEG. C - MAR 1978 REVIEWER: 82	A 5310	AR	21-JAN-85	AR	AS	99
D	NA29AND NA30-79	NUT, SELF LOCKING, SPLINE DRIVE 1250 MPA, 235 DEG.C, 425 DEG.C METRIC REVIEWER: 82	A 5310	1S	09-SEP-85	AV		99
D	NA33AND NA34-78	NUT, SELF LOCKING, HEXAGON EXTENDED WASHER, 1100 MPA, METRIC, 235 DEG.C, 425 DEG.C - MAR 78 REVIEWER: 82	A 5310	1S	09-SEP-85	AV		99
D	NA35-78	SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - JUN 78 REVIEWER: 82	A 5305	1S	08-JUL-85	AV		99
D	NA36-78	BOLT, CLOSE TOLERANCE, HEX HEAD, ALLOY STEEL, 1100 MPA METRIC - MAR 1978 REVIEWER: 82 AV IS ME	A 5306	AR	21-JAN-85	AR	AS	99
D	NA37-78	BOLT, CLOSE TOLERANCE, HEX HEAD, TITANIUM ALLOY 1100 MPA, METRIC -MARCH 1978 REVIEWER: 82	A 5306	1S	15-JUL-85	AV		99 15



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Doc / Chg Coordination Institute Document Number	Document Title	Doc. Syst. FSC / Name MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
NA40ANDMA41-78	NUT, SELF LOCKING, PLATE, TWO LUG, FIXED LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG C - DEC 78 REVIEWER: B2	A 5310	15 09-SEP-85	AV			99
NA44-79	NUT, SELF LOCKING, 425 DEG C, METRIC, PROCUREMENT SPECIFICATION FOR - NOV 79 REVIEWER: B2	A 5310	15 09-SEP-85	AV			99
NA45-79	BOLT, CLOSE TOLERANCE, HEX HEAD, A-286 CRES, 1100 MPA TENSILE, METRIC - 25 APR 79 REVIEWER: AV	A 5306	15 22-MAY-86	AR	AS		99
NA46-78	SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC - OCT 1978 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA47-78	SCREW, CLOSE TOLERANCE, PAN HEAD, TORQ-SET, TITANIUM ALLOY, 660 MPA SHEAR, METRIC - OCT 1978 REVIEWER: 99	A 5305	15 08-JUL-85	AV			11 15
NA49-81	NUT, SELF LOCKING, CASTELLATED, REDUCED HEXAGON, 600 MPA SHEAR, METRIC - JAN 81 REVIEWER: B2	A 5310	15 09-SEP-85	AV			99
NA50-81	NUT, SELF LOCKING, CASTELLATED, REDUCED HEXAGON, 1100 MPA TENSILE, METRIC - JAN 81 REVIEWER: B2	A 5310	15 09-SEP-85	AV			99
NA51-79	STEEL RIVET SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT, METRIC - MAY 79 REVIEWER: AR	A 5320	15 08-NOV-85	AV			11
NA52-79	RIVET-SOLID, UNIVERSAL HEAD, MONEL, METRIC - MAY 79 REVIEWER: AR	A 5320	15 08-NOV-85	AV			11
NA53-79	RIVET-SOLID, COUNTERSUNK 100 DEG HEAD, A286 CORROSION RESISTANT STEEL, METRIC - MAY 79 REVIEWER: AR	A 5320	15 08-NOV-85	AV			11
NA54-79	RIVET-SOLID, COUNTERSUNK 100 DEG HEAD, MONEL, METRIC - MAY 79 REVIEWER: AR	A 5320	15 08-NOV-85	AV			11
NA55-79	RIVET-SOLID, REDUCED COUNTERSUNK 100 DEG HEAD, A286 CORROSION RESISTANT STEEL, METRIC-MAY-79 REVIEWER: AR	A 5320	15 08-NOV-85	AV			11
NA56-79	RIVET-SOLID, REDUCED COUNTERSUNK 100 DEG HEAD, MONEL, METRIC - MAY 79 REVIEWER: AR	A 5320	15 08-NOV-85	AV			11
NA57-79	FASTENERS, ALLOY STEEL, EXTERNALLY THREADED, 1250 MPA, 750 MPA SHEAR, PROCUREMENT SPECIFICATION, METRIC - JUL 79 REVIEWER: B2 99	A 53GP	15 15-JUL-85	AV			11
NA58-79	BOLT, SPLINE DRIVE, CLOSE TOLERANCE, ALLOY STEEL, 1250 MPA, METRIC - JULY 1979 REVIEWER: B2	A 5306	15 15-JUL-85	AV			99 15
NA59-79	BOLT, SPLINE DRIVE, CLOSE TOLERANCE, A-286, 1250 MPA, METRIC - JULY 1979 REVIEWER: B2	A 5306	15 15-JUL-85	AV			99 15
NA60-80	SCREW, CLOSE TOLERANCE, 100 DEG, FLUSH HEAD, TORQ-SET, ALLOY STEEL, 750 MPA SHEAR, METRIC - JAN 1980 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA61-81	NUT, SELF LOCKING, SPLINE DRIVE, ALLOY STEEL 1800 MPA, 235 DEG, METRIC - OCT 81 REVIEWER: B2 99	A 5310	15 09-SEP-85	AV			11
NA62-80	BOLT, ALLOY STEEL, 1550 MPA TENSILE, SPLINE DRIVE, METRIC - MAR 80 REVIEWER: AV	A 5306	15 22-MAY-86	AR	AS		99
NA63-80	BOLT, ALLOY STEEL, 1800 MPA TENSILE, SPLINE DRIVE, METRIC - MAR 80 REVIEWER: AV	A 5306	15 22-MAY-86	AR	AS		99
NA64THRUNA66-79	NUT, THIN, WITH OPTIONAL LOCKWIRE HOLE, METRIC - OCT 79 REVIEWER: B2 99 ...	A 5310	15 09-SEP-85	AV			11
NA67-79	SCREW, DUAL WRENCHING, HEX HEAD/TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA68-79	SCREW, PAN HEAD, TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA69-79	SCREW-SOCKET HEAD CAP, FULL THREAD, A-286 CRES 1100 MPA, METRIC - DEC 1979 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA70-79	SCREW, 100 DEG, FLUSH HEAD, TORQ-SET, A-286 CRES, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA73ANDNA74-80	NUT, SELF-LOCKING, PLATE, ONE LUG, METRIC, FLOATING, LOW HEIGHT, C'BORED, 1100 MPA, 250 DEGREE C - APR 80 REVIEWER: AV 15 ME	A 5310	AR 21-JAN-85	AR	AS		11
NA77ANDNA78-80	NUT, SELF-LOCKING, PLATE, FIXED, ONE LUG REDUCED RIVET SPACING, LOW HEIGHT, C BORED 1100 MPA, METRIC 235 DEG.C, 425 DEG. C - JUNE 1980 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11
NA79ANDNA80-80	NUT, SELF-LOCKING, PLATE, FIXED, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BOARD, 1100 MPA, METRIC 235 DEG.C, 425 DEG. C - JUN 80 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11
NA81ANDNA82-80	NUT, SELF-LOCKING, PLATE, FIXED, CORNER, REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG C, 425 DEG C - JUN 80 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11
NA83ANDNA84-80	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BOARD, 1100 MPA, METRIC 235 DEG.C, 425 DEG.C - JUN 80 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11
NA85ANDNA86-80	NUT, SELF-LOCKING, PLATE, FLOATING, TWO LUG REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG. C, 425 DEG C - JUN 80 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11
NA87ANDNA88-80	NUT, SELF-LOCKING, PLATE, FLOATING, SIDE BY SIDE REDUCED RIVET SPACING, LOW HEIGHT, C'BORED, 1100 MPA, METRIC 235 DEG C, 425 DEG C - JUN 80 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11
NA89-79	SCREW, PAN HEAD, TORQ-SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC - DEC 1979 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA90-79	SCREW, PAN HEAD, TORQ-SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC - DEC 79 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99 15
NA91-79	SCREW, 100 DEG, FLUSH HEAD, TORQ SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC-DEC 79 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99
NA92-79	SCREW, 100 DEG, FLUSH HEAD, TORQ SET, TITANIUM ALLOY, FULL THREAD, 1100 MPA, METRIC - DEC 79 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99
NA93ANDNA94-80	NUT, SELF LOCKING, FLOATING, PLATE, CORNER, LOW HEIGHT, C'BORED, 1100 MPA, METRIC, 235 DEG C, 425 DEG. C - FEB 80 REVIEWER: B2 99	A 5310	15 09-SEP-85	AV			11
NA95ANDNA96-80	NUT, SELF LOCKING, PLATE, CORNER, LOW HEIGHT, C'BORED 1100 MPA, METRIC, 235 DEG. C, 425 DEG. C - FEB 80 REVIEWER: B2 99	A 5310	15 09-SEP-85	AV			11
NA113-80	SCREW, HEX HEAD/TORQ SET, TITANIUM, FULL THREAD, 1100 MPA, METRIC - NOV 80 REVIEWER: B2	A 5305	15 08-JUL-85	AV			99
NA114-80	SCREW, HEX HEAD/TORQ SET, ALLOY STEEL, FULL THREAD, 1100 MPA, METRIC - NOV 80 REVIEWER: 99	A 5305	15 08-JUL-85	AV			11
NA123-80	SCREW, CLOSE TOLERANCE, 100 DEG, REDUCED CROWN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - JUL 1980 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA124-80	SCREW, CLOSE TOLERANCE, 100 DEG REDUCED CROWN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA125-80	SCREW, CLOSE TOLERANCE, 100 DEG REDUCED CROWN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - JUL 1980 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA127-82	SCREW, CAPTIVE, 100 DEG, FLUSH HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - 5-82 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA128-82	SCREW, CAPTIVE, 100 DEG FLUSH HEAD, TORQ-SET, A-286 CRES, 660 MPASHEAR, METRIC - 5-82 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA129-82	SCREW, CAPTIVE, 100 DEG FLUSH HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA130-82	SCREW, CAPTIVE, PAN HEAD, TORQ-SET, ALLOY STEEL, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA131-82	SCREW, CAPTIVE, PAN HEAD, TORQ-SET, A-286 CRES, 660 MPA SHEAR, METRIC - MAY 1982 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11 15
NA132-82	SCREW, CAPTIVE, PAN HEAD, TORQ-SET, TITANIUM, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV	A 5305	15 27-MAY-86	AR			11
NA133-81	NUT, SELF-LOCKING, BARREL, FLOATING, 1550 MPA, METRIC - JUNE 1981 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11 15
NA134-81	RETAINER, NUT, FLOATING BARREL, METRIC - JUNE 1981 REVIEWER: AV	A 5310	15 23-MAY-86	AR			11 15



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Asstn Ops / OMA Coordination Inactive Document Number	Document Title	Dist Smt FSC / Abbr	MCA Symbol Preparing Acty Date	Custodians			
				Army	Navy	Air Force	DLA
MA140THRU MA144-81	WASHER, DIMPLED, 100 DEG., METRIC - JUNE 1981 REVIEWER: AV	A 5310	15 23-MAY-86	AR	11	15	
MA145-81	INSERT, SCREW THREAD, KEY LOCKED, INSTALLATION & REMOVAL PROCEDURE, METRIC - OCT 1981 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA146-81	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, MINIATURE, METRIC - OCT 81 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA147-81	INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL, MINIATURE, METRIC - OCT 81 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA148-81	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, LIGHTWEIGHT, METRIC - OCT 1981 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA149-81	INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL, LIGHT WEIGHT, METRIC - OCT 1981 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA150-81	INSERT, SCREW THREAD, KEY LOCKED, ALLOY STEEL, HEAVY DUTY, METRIC - OCT 1981 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA151-81	INSERT, SCREW THREAD, KEY LOCKED, A-286 CORROSION RESISTING STEEL, HEAVY DUTY, METRIC - 1981 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA152-81	BOLT, EYE, ALLOY STEEL, 1100 MPA, METRIC - DEC 1981 REVIEWER: 99	A 5306	15 15-JUL-85	AV	11	15	
MA153-81	BOLT, EYE, A-286 CRES, 1100 MPA, METRIC - DEC 81 REVIEWER: 99	A 5306	15 15-JUL-85	AV	11		
MA155-82	BOLT, CLEVIS, 660 MPA SHEAR, METRIC - MAY 82 REVIEWER: AV	A 5306	15 22-MAY-86	AR	AS	99	
MA156-82	FASTENERS, MALLE THREADED, METRIC DESIGN, PARAMETERS FOR - MAY 82 REVIEWER: AV	A 53GP	15 22-MAY-86	AR	AS	99	
MA157AND MA158-83	PIN, QUICK RELEASE, SELF RETAINING, POSITIVE LOCKING, SINGLE ACTING, (T) HANDLE, METRIC - OCT 83 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA159-84	SCREW, FAIRING WASHER, ASSEMBLY, ALLOY STEEL, TORQ-SET, FULL THREAD, 1100MPA, TENSILE, METRIC - JUL 84 REVIEWER: AV	A 5305	15 27-MAY-86	AR	11		
MA160-84	SCREW, FAIRING WASHER, ASSEMBLY, 6AL-4V TITANIUM ALLOY, TORQ-SET, FULL THREAD, 1100MPA TENSILE, METRIC - JUL 1984 REVIEWER: AV	A 5305	15 27-MAY-86	AR	11		
MA161-83	PIN, QUICK RELEASE, POSITIVE LOCKING SINGLE ACTING, METRIC, PROCUREMENT SPECIFICATION FOR - OCT 1983 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA162-83	SETScrew, HEXAGON SOCKET, CUP POINT, A286 CRES, METRIC - APR 83 REVIEWER: AV	A 5305	15 27-MAY-86	AR	11		
MA165-83	POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - JAN 1983 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA166AND MA167-83	INSERT, MOLDED-IN, CSK CLEARANCE HOLE, SANDWICH PLANEL, AL ALLOY AND CRES, METRIC - APR 1983 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA211THRU MA212-85	POST, ELECTRICAL-MECHANICAL EQUIPMENT, SWAGE TYPE, METRIC - AUG 1985 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99		
MA221THRU MA224-85	POST, ELECTRICAL-MECHANICAL EQUIPMENT, INTERNAL THREAD TYPE, METRIC - AUG 1985 REVIEWER: 82 AV	A 5340	15 14-FEB-86	AR	99	15	
MA51-78	PREFERRED METRIC UNITS FOR AEROSPACE - 21 MAR 78 REVIEWER: 01 MI SA	A MISC	AS 22-JUL-80	AV	AS	11	
MA55-73	ROD END, THREADED, ALLOY STEEL, FLASH WELDING TYPE - SEP 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5340	AS 15-SEP-78	AV	AS	11	
MA542-82	SPACER, SLEEVE - RIVET - 30 JUN 82 REVIEWER: 15	A 5365	AS 20-MAY-83	AV	AS	11	
MA543-85	SPACERS - SCREW & BOLT - 15 AUG 1985 REVIEWER: 15	A 5365	AS 11-FEB-87	AV	AS	11	
MA547-82	SPACER, SLEEVE, MON METALLIC, SCREW & BOLT - JUN 82	A 5365	AS 20-MAY-83	AV	AS	11	15
MA572-62	BUSHING, CLAMP UP, STEEL, CHROME PLATED - OCT 62 [VALIDATION DATE: 8204]	A 3120	AS 14-JUN-74	AV	AS	11	
MA573-80	BUSHING, CLAMP UP, STEEL, CHROME PLATED - OCT 1980 REVIEWER: 15	A 3120	AS 17-OCT-84	AV	AS	11	
MA574-83	BUSHING, CLAMP UP, BRONZE - 15 FEB 83 W/DOD EXCEPTIONS REVIEWER: 15	A 3120	AS 07-OCT-84	AV	AS	11	
MA575-80	BUSHING, PLAIN, PRESS FIT, STEEL - 16 OCT 1980 REVIEWER: 15	A 3120	AS 20-MAY-83	AV	AS	11	
MA576-83	BUSHING, PLAIN, PRESS FIT, COPPER & BRONZE - 7 SEP 83 W/DOD EX. REVIEWER: 15	A 3120	AS 30-JAN-84	AV	AS	11	
MA577-82	BUSHING, FLANGED, PRESS FIT, STEEL, BRONZ & COPPER - 28 MAY 82 W/DOD EXCEPTIONS REVIEWER: 15	A 3120	AS 20-MAY-83	AV	AS	11	
MA5120-63	KNOB, CONTROL, 3/4 SPHERICAL - 31 JAN 63 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5355	AS 05-DEC-80	AV	AS	11	
MA5121-63	KNOB, CONTROL, 1 INCH SPHERICAL - 31 JAN 63 REVIEWER: 15 ME	A 5355	AS 06-MAY-83	AS			
MA5123-63	KNOB, CONTROL, 1 INCH DIA. X 5/8 OVAL, PLASTIC - 31 JAN 63 REVIEWER: 82 IS ME	A 5355	AS 06-MAY-83	AS	99		
MA5170-80	CLEVIS ENGINE CONTROL ROD, ADJUSTABLE - 16 OCT 80 REVIEWER: 15 ME	A 5340	AS 06-MAY-83	AS	11		
MA5184-80	STUD, FINE THREAD - 16 OCT 80 REVIEWER: 11 82 IS ME	A 5307	AS 06-MAY-83	AS	99		
MA5186-85	SPACER, STEPPED, SWAGE TYPE - APR 1985 REVIEWER: 15	A 5365	AS 29-MAY-86	AS	11		
MA5198-61	KNOB CONTROL 1.25 SPHER, PLASTIC - 15 DEC 61 REVIEWER: 15 ME	A 5355	AS 06-MAY-83	AS	11		
MA5287-79	TERMINAL, CHAIN TO CABLE (FOR SWAGING) - 30 MAY 79 W/DOD EXCEPT. REVIEWER: 15	A 4030	AS 30-JAN-84	AS	11		
MA5288-61	TERMINAL, CHAIN TO TURNBUCKLE - DEC 61 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME	A 4330	AS 14-JUN-74	AV	AS	11	
MA5302THRU MA5310-80	CABLE ASSEMBLY SWAGED TYPE I TERMINALS - 7 NOV 80 W/DOD EXCEPT. [VALIDATION DATE: 8312] REVIEWER: 15	A 4010	AS 30-JAN-84	AS	11		
MA5312THRU MA5320-61	CABLE, ASSEMBLY SWAGED TYPE I & TYPE II TERMINALS - DEC 61 REVIEWER: 10 ME	A MISC	AS 14-JUN-74	AV	AS	11	
MA5322THRU MA5330-80	CABLE ASSEMBLY SWAGED TYPE TYPE II TERMINALS - 7 NOV 80 W/DOD EXCEPTIONS [VALIDATION DATE: 8312] REVIEWER: 15	A 4010	AS 30-JAN-84	AS	11		
MA5333THRU MA5340-81	BOLT - 100 DEG CLOSE TOLERANCE HIGH STRENGTH - 30 DEC 81 W/DOD EXCEPTIONS REVIEWER: 15	A 5305	AS 30-JAN-84	AS	11		
MA5354-73	ROD CONTROL, SOLID STEEL - OCT 73 W/DOD EX. [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5307	AS 15-SEP-78	AV	AS	11	
MA5355-64	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED THREADED ROD ENDS - DEC 64 W/DOD EXCEPTIONS (REAPPROVED OCT 82 [VALIDATION DATE: 8208] REVIEWER: 10 ER ME	A 3040	AS 14-JUN-74	AV	AS	11	
MA5356-64	TUBE ASSEMBLY, CONTROL, ALUMINUM ALLOY WITH RIVETED CLEVIS & THREADED ROD ENDS - 64 W/DOD EXCEPTIONS (REAPPROVED OCT 82) [VALIDATION DATE: 8403] REVIEWER: 10 ER ME	A 3040	AS 14-JUN-74	AV	AS	11	
MA5357-64	TUBE, CONTROL, ALUMINUM ALLOY - DEC 64 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME	A 3040	AS 14-JUN-74	AV	AS	11	
MA5358-73	TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED THREADED ROD ENDS - JUN 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 CS IS ME	A 3040	AS 15-SEP-78	AV	AS	11	
MA5359-73	TUBE ASSEMBLY, CONTROL, STEEL WITH WELDED CLEVIS & THREADED ROD ENDS - JUN 73 W/DOD EX. [VALIDATION DATE: 8403] REVIEWER: 10 CS IS ME	A 3040	AS 15-SEP-78	AV	AS	11	
MA5360-61	TUBE, CONTROL, STEEL - SEP 61 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME	A 3040	AS 14-JUN-74	AV	AS	11	
MA5361-73	TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED & THREADED ROD ENDS - JUN 73 W/DOD EX. [VALIDATION DATE: 8403] REVIEWER: CS IS	A 3040	AS 15-SEP-80	AV	AS	11	
MA5362-73	TUBE ASSEMBLY, CONTROL, STEEL WITH FLASH WELDED CLEVIS & THREADED ROD ENDS - JUN 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 CS IS ME	A 3040	AS 15-SEP-78	AV	AS	11	
MA5363THRU MA5369-64	CONTROL, ROD & TUBE ASSEMBLY, 5/16-24 UNF-3A THREAD - JAN 64 [VALIDATION DATE: 8403] REVIEWER: 10 ER ME	A MISC	AS 14-JUN-74	AS			
MA5370-64	16-24 UNF-3A THREAD, CONTROL ROD & TUBE ASSEMBLY, 5/ - JAN 64 [VALIDATION DATE: 8410] REVIEWER: 10 ER ME	A 3040	AS 14-JUN-74	AV	AS	11	
MA5397-59	CLAMP, RATCHET, ONE PIECE - 30 APR 59 [VALIDATION DATE: 8512] REVIEWER: MI	A 4730	CS 13-MAR-79	ME	SH	99	
MA5398-56	RATCHET, CLAMP, THREE PIECE - 31 OCT 1956 [VALIDATION DATE: 8512] USER: 99	A 4730	CS 11-SEP-79	AS			
MA5424-73	COUPLING TUBE FLARED FITTING, FEMALE THREAD - 15 OCT 73 [VALIDATION DATE: 8512] REVIEWER: 15	A 4730	CS 12-MAR-79	ME	SH	99	
MA5427-88	PIN - PULLEY GUARD - 17 NOV 88	A 5315	AS 09-MAR-89	AR	AS	99	
MA5428-80	BOLT, MACHINE - CROWNED HEXAGON HEAD, ADJUSTING - 14 MAY 1980 REVIEWER: 15	A 5306	AS 07-OCT-84	AS	11		
MA5463-86	NUT SPACER, PLATE PLAIN - 14 FEB 1986 REVIEWER: 15	A 5310	AS 11-FEB-87	AV	AS	11	
MA5464-88	BOLT SHEAR, CLOSE TOLERANCE - 17 NOV 88	A 5306	AS 09-MAR-89	AR	AS	99	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / OMA Coordination Institute Document Number	Document Title	Doc. Smt. FEC Area MCA Symbol Preparing Agency Date	Custodians Army Navy Air Force DLA
NAS496-88	BOLTS - INTERNAL WRENCHING - 19 SEP 88	A 5306 AS 09-MAR-89	AR AS 99
NAS498-80	BOLT, SHEAR, 95 KSI FSU - 23 JAN 80 W/DOD EXCEPTIONS REVIEWER: IS	A 5306 AS 30-JAN-84	AS 11
NAS500-73	NUT SPACER, PLATE COUNTERSUNK - MAY 73 W/DOD EXCEPTIONS (VALIDATION DATE: 84101)	A 5310 AS 15-SEP-78	AV AS 11
NAS501-68	BOLT, STABILIZED NON-MAGNETIC CORROSION RESISTANT STEEL - FEB 68 (VALIDATION DATE: 82041)	A 5306 AS 14-JUN-74	AV AS 11
NAS509-72	NUT, DRILLED JAM - SEP 72 W/DOD EXCEPTIONS (VALIDATION DATE: 82041)	A 5310 AS 14-JUN-74	AV AS 11
NAS513-61	WASHER, ROD END LOCKING - DEC 61 W/DOD EXCEPTIONS (VALIDATION DATE: 82041)	A 5310 AS 14-JUN-74	AV AS 11
NAS514-73	SCREW, MACHINE, 100 DEG. FLAT HEAD, FULL THREADED, ALLOY STEEL - NOV 73 W/DOD EX. (VALIDATION DATE: 84031) REVIEWER: 10 IS ME	A 5305 AS 15-SEP-78	AV AS 11
NAS516-76	FITTING, LUBRICATION, 1/8 INCH DRIVE, FLASH TYPE - MAR 76 W/DOD EXCEPTIONS REVIEWER: 10 CS	A 4730 AS 25-FEB-80	AV AS 11
NAS517-73	SCREW, 100 DEG. CLOSE TOLERANCE FLAT HEAD, 160,000 PSI - NOV 73 W/DOD EXCEPTIONS (VALIDATION DATE: 84031) REVIEWER: 10 IS ME	A 5305 AS 15-SEP-78	AV AS 11
NAS518-61	GAGE, 100 DEG., FLAT HEAD FLUSHNESS - DEC 61 W/DOD EXCEPTIONS (VALIDATION DATE: 82041) REVIEWER: 10 ER ME	A 5220 AS 14-JUN-74	AV AS 11
NAS519-53	GAGE, 100 DEG., FLAT HEAD STYLUS - MAR 53 W/DOD EXCEPTIONS (VALIDATION DATE: 82041) REVIEWER: 10 ME	A MISC AS 14-JUN-74	AV AS 11
NAS520-53	COUPLING, FLEXIBLE, LOW PRESSURE, 450 DEG. AIR LINE - 16 MAR 53 (VALIDATION DATE: 84041)	A 4720 CS 20-JUN-78	99
NAS521-53	COUPLING, FLEXIBLE, LOW PRESSURE - 16 MAR 53 (VALIDATION DATE: 84041)	A 4720 CS 20-JUN-78	99
NAS522-53	COUPLING, FLEXIBLE, LOW PRESSURE AIR LINE - 16 MAR 53 (VALIDATION DATE: 84041)	A 4720 CS 20-JUN-78	99
NAS526-62	GAGE, STYLUS, FLUSHNESS FOR 100 DEGREES COUNTERSUNK FLUSH FASTENERS - MAR 62 W/DOD EXCEPTIONS (VALIDATION DATE: 82041) REVIEWER: 10 ER ME	A 5220 AS 14-JUN-74	AV AS 11
NAS527-62	INSPECTION PROCEDURE FOR FLUSH FASTENERS - MAR 62 (VALIDATION DATE: 82041) REVIEWER: 10 ER ME	A 5220 AS 14-JUN-74	AV AS 11
NAS528-64	CONTROL, COLLAR ASSEMBLY, STEEL, WITH FLASH WELDED CLEVIS & THREADED ROD ENDS - JAN 64 (VALIDATION DATE: 82041) REVIEWER: 10 ER ME	A 5320 AS 14-JUN-74	AV AS 11
NAS529-80	RIVET - FLAT HEAD, HI-SHEAR, CLOSE TOLERANCE SHANK - MAR 1980 REVIEWER: 15	A 5320 AS 11-FEB-87	AV AS 11
NAS537-82	BUSHING, SLEEVE, PRESS FIT, UNDERSIZE INSIDE DIAMETER - 30 SEP 82 REVIEWER: 15	A 3120 AS 20-MAY-83	AV AS 11
NAS538-82	BUSHING, FLANGED, PRESS FIT, UNDERSIZE INSIDE DIAMETER - 30 SEP 82 W/DOD EXCEPTIONS	A 3120 AS 20-MAY-83	AV AS 11
NAS549-69	WASHER, NONMETALLIC, INSULATING ELECTRICAL - 15 SEP 69 W/DOD EXCEPTIONS REVIEWER: 15	A 5310 AS 17-OCT-84	AS 11
NAS551-81	BOLT-UNIVERSAL FITTING - 30 JUN 81 REVIEWER: 82	A 4730 CS 06-FEB-86	99
NAS553-78	ELBOW UNIVERSAL 15 DEG. 5 JUN 78 USER: AT OS REVIEWER: 15 MC ME	A 4730 B2 04-DEC-81	99
NAS557-68	GROMMET, PLASTIC, SPLIT - FEB 68 W/DOD EXCEPTIONS (VALIDATION DATE: 82041) REVIEWER: 10 ER ME MI	A 9390 AS 14-JUN-74	AV AS 11
NAS558-73	KEY, SQUARE & RECTANGULAR - 30 NOV 73 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5315 AS 05-DEC-80	AV AS 11
NAS559-79	LOCK, ROD END (KEY TYPE) - 15 NOV 79 W/DOD EXCEPTIONS REVIEWER: 10 ER IS ME	A 5340 AS 30-JAN-84	AS 11
NAS560-61	SCREW, MACHINE, NON-MAGNETIC HIGH TEMPERATURE, STRUCTURAL, 100 DEG. FLUSH HEAD - AUG 61 (VALIDATION DATE: 82041) REVIEWER: 10 ER ME	A 5305 AS 14-JUN-74	AV AS 11
NAS562-73	CAM FOLLOWER, NEEDLE BEARING, HIGH STRENGTH STUD - 31 DEC 73 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 3110 AS 05-DEC-80	AV AS 11
NAS577-83	NUT, SELF LOCKING, BARREL, FLOATING, 108 KSI FTU - 4 MAY 83 W/DOD EXCEPTIONS REVIEWER: 15	A 5310 AS 30-JAN-84	AS 11
NAS578-73	RETAINER, FLOATING BARREL NUT - MAY 73 W/DOD EXCEPTIONS (VALIDATION DATE: 84031) REVIEWER: 10 IS ME	A 5310 AS 15-SEP-78	AV AS 11
NAS583THRU NAS590-84	BOLT, 100 DEG. FLUSH HEAD, ALLOY STEEL, 160,000 PSI - 7 DEC 1984 REVIEWER: 15	A 5305 AS 29-MAY-86	AS 11
NAS591-81	COUPLING, RIGID TUBE CONNECTOR, ALUMINUM (JAN 81) USER: AR REVIEWER: 10 IS ME	A 4730 AS 05-FEB-88	AV AS 99
NAS592-78	RING-RIGID TUBE CONNECTOR, ALUMINUM - 5 JUN 78 REVIEWER: CS	A 4730 AS 03-APR-81	AV AS 11
NAS593-78	NUT, RIGID TUBE CONNECTOR, ALUMINUM - 5 JUN 78 (VALIDATION DATE: 8512) USER: 99	A 4730 CS 08-AUG-79	CS
NAS594-81	COUPLING, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL (JAN 81) USER: AR REVIEWER: 10 IS ME	A 4730 AS 05-FEB-88	AV AS 99
NAS595-78	RING RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL - 5 JUN 78 (VALIDATION DATE: 8512)	A 4730 CS 21-NOV-79	AS
NAS596-81	NUT, RIGID TUBE CONNECTOR, CORROSION RESISTANT STEEL (JAN-81) USER: AR REVIEWER: 10 IS ME	A 4730 AS 05-FEB-88	AV AS 99
NAS597-81	FITTING, RIGID TUBE CONNECTOR FLARED TUBE - JAN 81 (VALIDATION DATE: 8512) REVIEWER: CS IS ME	A 4730 AS 25-MAY-84	AV AS
NAS600THRU NAS606-74	SCREW, MACHINE, AIRCRAFT, PAN HEAD, PHILLIPS RECESS, FULL THREAD, ALLOY STEEL - APR 74 W/DOD EXCEPTIONS (VALIDATION DATE: 84031) REVIEWER: 10 IS ME	A 5305 AS 15-SEP-78	AV AS 11
NAS607-75	PIN, STRAIGHT, HEADLESS (DOMEL) - JUN 75 W/DOD EXCEPTION REVIEWER: 10 IS ME	A 5315 AS 05-DEC-80	AV AS 11
NAS617-78	PACKING, PERFORMED, STRAIGHT THREAD TUBE FITTING BOSS, SYNTHETIC LUBRICANT RESISTANT - 20 NOV 78 W/DOD EXCEPTION	A 5330 AS 30-JAN-84	AS 11 15
NAS618-58	FASTENER, RECOMMENDED SHANK, HOLE & HEAD TO SHANK FILLET RADIUS LIMITS FOR - JUN 58 W/DOD EXCEPTIONS (VALIDATION DATE: 82041)	A 5325 AS 14-JUN-74	AV AS 11
NAS620-81	WASHER, FLAT - REDUCED OUTSIDE DIAMETER - 30 JUN 81 W/DOD EXCEPTIONS REVIEWER: 15	A 5310 AS 30-JAN-84	
NAS621-73	FASTENER TITANIUM ALLOY, PROCUREMENT SPECIFICATION - DEC 73 W/DOD EXCEPTIONS (VALIDATION DATE: 84031) REVIEWER: 10 IS ME	A 5306 AS 15-SEP-78	AV 11
NAS623-88	SCREW, MACHINE, AIRCRAFT, PAN HEAD, CROSS RECESS, SHORT THREAD, 16,000 PSI ALLOY STEEL REV 7 - 8 JUL 88	A 5305 AS 09-MAR-89	AR AS 99
NAS652-81	COUPLING, RIGID TUBE BULKHEAD CONNECTOR (81) USER: AR REVIEWER: 10 IS ME	A 4730 AS 05-FEB-88	AV AS 99
NAS659-71	BEARING ROD END, EXTERNAL THREAD, SELF ALIGNING, ANTI-FRICTION - 31 MAY 71 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 3110 AS 05-DEC-80	AV AS 11
NAS661-74	BEARING, BALL AND ROLLER, ROD END, ANTI FRICTION, AIRFRAME W/DOD EXCEPTION - OCT 74 REVIEWER: 10 IS ME	A 3110 AS 05-DEC-80	AV AS 11
NAS662-74	SCREW, MACHINE, FLAT HEAD 100 DEG. PLAIN AND SELF LOCKING - APR 74 W/DOD EXCEPTIONS (VALIDATION DATE: 84031) REVIEWER: 10 IS ME	A 5305 AS 15-SEP-80	AV AS 11
NAS663THRU NAS668-70	BOLT, 100 DEG FLUSH TENSION HEAD (HI-TORQUE) RECESS, LONG THREAD TITANIUM ALLOY - SEP 70 (VALIDATION DATE: 8312) REVIEWER: 10 ME	A 5306 AS 14-JUN-74	AV AS 11
NAS671-81	NUT, PLAIN, HEXAGON - SMALL PATTERN, NONSTRUCTURAL - 8 JUN 81 W/DOD EXCEPTIONS REVIEWER: 15	A 5310 AS 17-OCT-84	AS 11
NAS673THRU NAS678-80	BOLT, CLOSE TOLERANCE - HEXAGON HEAD, TITANIUM, .190 TO .500 - 25 JUN 80 W/DOD EXCEPTIONS - REV 6 (VALIDATION DATE: 8312) REVIEWER: 15	A 5306 AS 30-JAN-84	AS 11
NAS696-74	NUT, SELF LOCKING, PLATE-ON LUG, LOW HEIGHT C BORE, REDUCED REDUCED RIVET SPACING - 16 DEC 74 W/DOD EXCEPTION REVIEWER: 10 IS ME	A 5310 AS 05-DEC-80	AV AS 11
NAS699-74	NUT, CYLINDER LOCK - APR 74 W/DOD EXCEPTION REVIEWER: 10 IS ME	A 5310 AS 06-JUN-88	AV AS 11
NOTICE 1	CAST SURFACE COMPARISON STANDARD REVIEWER: AV	A 5220 AS 30-APR-83	SA 69 DH
NAS823-80	PACKAGING INDUSTRIAL STANDARD - 30 OCT 81 USER: 70 71 80 REVIEWER: AS MC SH	A 5306 AS 30-JAN-84	AS 11 15
NAS1003THRU NAS1020-79	BOLT MACHINE, HEXAGON HEAD, NON MAGNETIC & HEAT RESISTANT - 6 AUG 79 (W/DOD EXCEPTIONS)	A 5310 AS 09-MAR-89	
NAS1023-87	NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, NON-CSK - 6 NOV 87		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active CPL / OAL Coordination Package Document Number	Document Title	Dist. Smt. FSC / Area MCS Symbol	Proposed Date	Custodians			
				Army	Navy	Air Force	DIA
NAS1025-87	NUT, SELF-LOCKING, PLATE-ONE LUG, REGULAR HEIGHT, NON-CSK - 6 NOV 87	A 5310	AS 09-MAR-89	AR	AS	99	
NAS1027-87	NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK - 6 NOV 87	A 5310	AS 09-MAR-89	AR	AS	99	
NAS1031-87	NUT, SELF-LOCKING, PLATE-TWO LUG, REGULAR HEIGHT, FLOATING - 6 NOV 87	A 5310	AS 09-MAR-89	AR	AS	99	
NAS1032-87	NUT, SELF-LOCKING, PLATE-CORNER, REGULAR HEIGHT, NON-CSK, FLOATING - 6 NOV 87	A 5310	AS 09-MAR-89	AR	AS	99	
NAS1034THRU NAS1038-87	NUT, ASSEMBLY, SELF-LOCKING, GANG CHANNEL - REGULAR HEIGHT, NON-CSK - 6 NOV 87 W/DOD EXCEPTIONS	A 5310	AS 09-MAR-89	AV	AS	99	
NAS1042-78	PIN, ROUND, SHACKLE-ANCHOR, FORGED CARBON STEEL, (FOR GROUND SUPPORT EQUIPMENT) REVIEWER: 10 IS ME	A 4030	AS 05-DEC-80	AV	AS	11	
NAS1054-72	RIVET, PROTRUDING HEAD, HIGH-SHEAR, SUP. NAS178 - DEC 72 (VALIDATION DATE: B204) REVIEWER: 10 ER ME	A 5320	AS 14-JUN-74	AV	AS	11	
NAS1055-72	RIVET, HI-SHEAR 100 DEG., FLUSH CLOSE TOLERANCE HEAD, SUP. NAS177 - DEC 72 W/DOD EXCEPTIONS (VALIDATION DATE: B204) REVIEWER: 10 ER ME	A 5320	AS 14-JUN-74	AV	AS	11	
NAS1056-82	SPACER, SLEEVE - RIVET, HIGH TEMPERATURE, NON MAGNETIC - 30 JUN 82 W/DOD EXCEPTIONS REVIEWER: TS	A 5365	AS 20-JUN-83	AV	AS	11	
NAS1057-82	SPACER, SLEEVE - SCREW AND BOLT, HIGH TEMPERATURE, NON MAGNETIC - 30 JUN 82 W/DOD EXCEPTION REVIEWER: IS	A 5365	AS 20-MAY-83	AV	AS	11	
NAS1080-88	COLLAR, SHAG LOCKING, FOR FULL TYPE & STUMP TYPE LOCK BOLTS - 8 JUL 88	A 5320	AS 09-MAR-89	AR	AS	99	
NAS1081-72	SETSCREW SELF LOCKING - DEC 72 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5305	AS 05-DEC-80	AV	AS	11	
NAS1091-88	STREAMER ASSEMBLY, WARNING - 11 APR 88	A 5345	AS 09-MAR-89	AR	AS	99	
NAS1096-73	SCREW HEXAGON HEAD, RECESSED, FULL THREAD - JUN 73 W/DOD EXCEPTION (VALIDATION DATE: B403) REVIEWER: 10 IS ME	A 5305	AS 15-SEP-78	AV	AS	11	
NAS1097-88	RIVET, SOLID, 100 DEGREE FLUSH SHEAR HEAD, ALUMINUM ALLOY, TITANIUM COLUMBIUM ALLOY - 8 JUL 88	A 5320	AS 09-MAR-89	AR	AS	99	
NAS1101-86	SCREW, MACHINE - FLAT FILLISTER HEAD, FULL THREAD TORQ SET - 15 MAY 1986 REVIEWER: IS	A 5305	AS 11-FEB-87	AV	AS	11	
NAS1102-86	SCREW, MACHINE - FLAT 100 DEGREE HEAD, FULL THREAD TORQ SET - 15 MAY 86 REVIEWER: IS	A 5305	AS 11-FEB-87	AV	AS	11	
NAS1121THRU NAS1128-88	SCREW, MACHINE - FLAT FILLISTER HEAD, CLOSE TOL, SHORT THD, TORQUE SET - 22 FEB 88	A 5305	AS 09-MAR-89	AR	AS	99	
A NAS1149	WASHER, FLAT REVIEWER 92 AV	A 5310	AS 06-AUG-92	AR	AS	99	
NOTICE 1							
NAS1161THRU NAS1168-86	SCREW, SELF-LOCKING FLAT 100 DEG HEAD, SHEAR TORQ SET 15 MAY 86	A 5305	AS 11-FEB-87	AV	AS	11	
NAS1169-83	WASHER, DIMPLED, 100 DEG - 15 JUN 83 W/DOD EXCEPTIONS REVIEWER: IS	A 5310	AS 30-JAN-84	AV	AS	11	
NAS1171THRU NAS1178-86	SCREW, SELF-LOCKING-PAN HEAD, SHEAR TORQ SET 15 MAY 86 REVIEWER: IS	A 5305	AS 11-FEB-87	AV	AS	11	
NAS1189-82	SCREW, SELF LOCKING, FLAT, 100 DEG. HEAD, FULL THREAD - 28 MAY 82 W/DOD EXCEPTIONS REVIEWER: IS	A 5305	AS 20-MAY-83	AV	AS	11	
NAS1191-86	SCREW, SELF-LOCKING - FLAT FILLISTER HEAD, FULL THREAD - 15 MAY 86 REVIEWER: IS	A 5305	AS 11-FEB-87	AV	AS	11	
NAS1193-78	LOCKING DEVICE, POSITIVE INDEX - 17 MAR 78 W/DOD EXCEPTIONS REVIEWER: IS	A 5340	AS 30-JAN-84	AS	11		
NAS1195-63	SHIM, MINIATURE ANCHOR NUT - APR 63 W/DOD EXCEPTIONS (VALIDATION DATE: B204) REVIEWER: 10 ER ME	A 5365	AS 14-JUN-74	AV	AS	11	
NAS1197-78	WASHER, 5052 ALUMINUM ALLOY - 20 NOV 78 W/DOD EXCEPTIONS REVIEWER: IS	A 5310	AS 30-JAN-84	AS	11		
NAS1198-67	RIVET, SOLID, UNIVERSAL HEAD, A286 CORROSION RESISTANT STEEL - SEP 67 (VALIDATION DATE: B204) REVIEWER: 10 ER ME	A 5320	AS 14-JUN-74	AV	AS	11	
NAS1199-67	RIVET, SOLID, 100 DEG. FLUSH HEAD, A286 CORROSION RESISTANT STEEL - SEP 67 W/DOD EXCEPTIONS (VALIDATION DATE: B204) REVIEWER: 10 ER ME	A 5320	AS 14-JUN-74	AV	AS	11	
NAS1200-78	RIVET, SOLID, 100 DEG. FLUSH SHEAR HEAD A286 CORROSION RESISTANT STEEL AND MONEL - 13 NOV 78 W/DOD EXCEPTIONS REVIEWER: IS	A 5320	AS 30-JAN-84	AS	11		
NAS1201-83	CHAIN - BEAD COMPONENTS AND ASSEMBLY - 17 JAN 83 W/DOD EXCEPTIONS REVIEWER: IS	A 4010	AS 20-MAY-83	AV	AS	11	
NAS1211-61	FITTING, TIE DOWN STRAP END - JUN 61 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5340	AS 05-DEC-80	AV	AS	11	
NAS1216-86	SCREW, PAN HEAD "I-TORQ RECESS, FULL THREAD SELF-LOCKING OPTIONAL 15 MAY 86 REVIEWER: IS	A 5305	AS 11-FEB-87	AV	AS	11	
NAS1218-85	BOLT, PAN HEAD, SELF-LOCKING OPTIONAL - 31 JAN 1985 REVIEWER: IS	A 5305	AS 29-MAY-86	AS	11		
NAS1219-77	SCREW, 100 DEG. FLUSH HEAD, HI-TORQUE RECESS REVIEWER: IS	A 5305	AS 30-JAN-84	AV	AS	11	
NAS1221-85	BOLT, 100 DEG. FLUSH HEAD, SELF-LOCKING - 31 JAN 1985 REVIEWER: IS	A 5305	AS 29-MAY-86	AS	11		
NAS1223THRU NAS1235-74	BOLT, SHEAR, HEXAGON HEAD, SELF LOCKING - MAY 74 W/DOD EXCEPTIONS (VALIDATION DATE: B403) REVIEWER: 10 IS ME	A 5306	AS 15-SEP-78	AV	AS	11	
NAS1237-69	ELBOW - UNIVERSAL 90 DEG. - FLARELESS - 30 AUG 69 (VALIDATION DATE: B512)	A 4730	CS 17-SEP-79				
NAS1240-69	TEE UNIVERSAL FLARELESS (INACTIVE FOR DESIGN AFTER 8/30/69) - 30 AUG 69 (VALIDATION DATE: B512)	A 4730	CS 21-NOV-79	AS			
NAS1252-84	WASHER - 7075 ALUMINUM ALLOY FLAT - 7 DEC 19 84 REVIEWER: IS	A 5310	AS 29-MAY-86	AS	11		
NAS1261THRU NAS1265-88	BOLT, HEX HEAD, CLOSE TOLERANCE, SHORT THREAD, TITANIUM ALLOY - 17 NOV 88	A 5306	AS 09-MAR-89	AV	AS	99	
NAS1266THRU NAS1270-88	BOLT, HEX HEAD, CLOSE TOLERANCE, TITANIUM ALLOY - 17 NOV 88	A 5306	AS 09-MAR-89	AV	AS	99	
NAS1271THRU NAS1280-82	BOLT, TWELVE POINT, EXTERNAL WRENCHING, TITANIUM ALLOY (REV-3) - 1 MAR 82 REVIEWER: IS	A 5306	AS 20-MAY-83	AV	AS	11	
NAS1281-75	HOOK SHAP, SPRING - SEP 75 REVIEWER: 10 IS ME	A 5340	AS 05-DEC-80	AV	AS	11	
NAS1297-75	BOLT, SHOULDER - HEXAGON HEAD - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: IS	A 5306	AS 30-JAN-84	AS	11		
NAS1299-75	SCREW - 100 DEG. FLAT HEAD, SHOULDER - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: IS	A 5305	AS 30-JAN-84	AS	11		
NAS1300-75	THUMBSCREW - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5305	AS 05-DEC-80	AV	AS	11	
NAS1301-75R82	SCREW, PAN HEAD, ASSEMBLED WASHERS - 15 SEP 75 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5305	AS 20-MAY-83	AV	AS	11	
NAS1303THRU NAS1320-81	BOLT, SHEAR, HEXAGON HEAD - 30 OCT 81 W/DOD EXCEPTIONS REV 10 (INACTIVE FOR NEW DESIGN AFTER OCT 30 81) REVIEWER: IS	A 5306	AS 06-JUL-83	AS	11		
NAS1321-85	RIVET, SLUG, SLEEVLESS - 31 OCT 1985 REVIEWER: IS	A 5320	AS 11-FEB-87	AV	AS	11	
NAS1329-88	NUT, BLIND RIVET FLATHEAD, INTERNAL THREAD, NON LOCKING (FREE RUNNING) OR SELF LOCKING (PREVAILING TORQUE) - 8 JUL 88	A 5310	AS 09-MAR-89	AR	AS	99	
NAS1330-88	NUT, BLIND RIVET, COUNTERSUNK HEAD, INTERNAL THREAD, NON LOCKING (FREE RUNNING) OR SELF LOCKING (PREVAILING TORQUE) - 8 JUL 88 W/DOD EXCEPTIONS	A 5310	AS 09-MAR-89	AV	AS	99	
NAS1347-59	FASTENERS, IDENTIFICATION OF - JUL 59 (VALIDATION DATE: B405) REVIEWER: IS	A 53GP	B2 15-DEC-77	AV	AS	11	
NAS1351-83	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORROSION RESISTING STEEL, UNRF-3A - 17 JAN 83 REVIEWER: IS	A 5305	AS 20-MAY-83	AV	AS	11	
NAS1352-83	SCREW, CAP, SOCKET HEAD, UNDRILLED AND DRILLED, PLAIN AND SELF LOCKING, ALLOY STEEL AND CORROSION RESISTING STEEL, UNRF-3A - 17 JAN 83 REVIEWER: IS	A 5305	AS 20-MAY-83	AS	11		
NAS1368-88	GROMMET, PLASTIC, FLIP TYPE - 17 NOV 1988 W/DOD EXCEPTION	A 5325	AS 09-MAR-89	AR	AS	99	
NAS1369-72	DUCT, AIR, FLEXIBLE AND SEMI-RIGID - 30 JUN 72 (VALIDATION DATE: B411)	A 4720	CS 11-JUL-78				
NAS1370THRU NAS1379-61	DUCT, AIR, FLEXIBLE, HELIX WIRE SUPPORTED - 15 AUG 61 (VALIDATION DATE: B411)	A 4720	CS 11-JUL-78				
NAS1382-77	FITTING, TIE DOWN STRAP END (LIGHT DUTY - 15 MAR 1977 (REAFFIRMED 4 MAY 1983) REVIEWER: IS	A 5340	AS 17-OCT-84	AS	11		
NAS1383-77	STRAP ASSEMBLY, TWO PART ADJUSTABLE - 15 MAR 77 W/DOD EXCEPTIONS	A 5340	AS 05-DEC-80	AV	AS	11	
NAS1398-84	RIVET - BLIND, PROTRUDING HEAD, LOCKED SPINDLE - 31 AUG 84 W/DOD EXCEPTIONS REVIEWER: IS	A 5320	AS 29-MAY-86	AS	11		
NAS1399-84	RIVET - BLIND, 100 DEG. FLUSH HEAD, LOCKED SPINDLE - 31 AUG 1984 REVIEWER: IS	A 5320	AS 29-MAY-86	AS	11		
NAS1400-72	RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE - DEC 72 W/DOD EXCEPTIONS (VALIDATION DATE: B403)	A 5320	AS 15-SEP-78	AV	AS	11	
NAS1401-80	WASHER, RADIUS - 7 NOV 80 W/DOD EXCEPTIONS REVIEWER: IS	A 5310	AS 30-JAN-84	AS	11		
NAS1402THRU NAS1406-81	SCREW, MACHINE, AIRCRAFT, PAN HEAD, PHILLIPS RECESS, 160,000 PSI TENSILE - 30 DEC 81 (W/DOD EXCEPTIONS)	A 5305	AS 06-JUL-83	AS	11	15	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active CPL / OLT Correspondence Machine Document Number	Document Title	Dist. Smt. Fnc / Ave MCA Symbol Preparing Act.	Date	Army Navy Air Force DLA
NAS1410-67	MUT. UNIVERSAL PORT FITTING - NOV 67 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5310	AS 15-SEP-78	AV AS 11
NAS1412-88	GASKET, SEALING, CUSTOM DESIGN - 11 APR 88	A 5330	AS 09-MAR-89	AR AS 99
NAS1413-85	PINS & COLLARS, SWAGE LOCKING - 15 AUG 1985 REVIEWER: IS	A 5320	AS 11-FEB-87	AV AS 11
NAS1414THRUNAS1422-88	PIN, SWAGE LOCKING, STEEL 100 DEG. SHEAR HEAD, STUMP TYPE - 8 JUL 1988	A 5320	AS 09-MAR-89	AR AS 99
NAS1423-72	MUT. PLAIN, HEXAGON, DRILLED JAW, THIN - SEP 72 [VALIDATION DATE: 8204] REVIEWER: 10 ME	A 5310	AS 14-JUN-74	AV AS 11
NAS1424THRUNAS1432-88	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP TYPE - 8 JUL 1988	A 5320	AS 09-MAR-89	AR AS 99
NAS1435-80	TERMINAL, STRAP, CABLE, EYE END AND FORK EYE - JULY 1980 REVIEWER: IS	A 4030	AS 17-OCT-84	AS 11
NAS1436THRUNAS1442	PIN, SWAGE LOCKING, STEEL, STANDARD & OVERSIZE, 100 DEG. SHEAR HEAD, PULL TYPE - OCT 73 W/DOD EXCEPTIONS (SEE NAS 7024 THRU 7032) [VALIDATION DATE: 8410]	A 5320	AS 14-JUN-74	AV AS 11
NAS1443-71	LOCKWASHER, BEARING, RETAINING - MAR 71 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME	A 3120	AS 14-JUN-74	AV AS 11
NAS1446THRUNAS1452	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, SHEAR, PULL TYPE (USE NAS 7034 THRU 7042) [VALIDATION DATE: 8410]	A 5320	AS 30-OCT-63	AR SH 11
NAS1453-65	EYELET, METALLIC, ELECTRICAL, PRINTED CIRCUIT BOARD, FUNNEL TYPE - DEC 65	A 5325	AS 05-DEC-80	AV AS 11
NAS1456THRUNAS1462-73	W/DOD EXCEPTIONS REVIEWER: 10 IS ME			
	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5320	AS 15-SEP-78	AV AS 11
NAS1463-60	CLIP, SPRING TENSION - W/DOD EXCEPTION - JUL 60	A 5340	AS 05-DEC-80	AV AS 11
NAS1464-82	CLIP, SPRING TENSION - 30 AUG 82 W/DOD EXCEPTIONS	A 5340	AS 20-MAY-83	AS 11
NAS1465THRUNAS1472-73	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, PROTRUDING HEAD, TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5320	AS 15-SEP-78	AV AS 11
NAS1473-81	MUT. SELF LOCKING, PLATE TWO LUG, CAP, FLOATING - 8 JUN 81 W/DOD EXCEPTIONS REVIEWER: IS	A 5310	AS 17-OCT-84	AS 11
NAS1474-81	MUT. SELF LOCKING, PLATE TWO LUG, CAP, FLOATING, REDUCED RIVET SPACING - 8 JUN 81 W/DOD EXCEPTIONS REVIEWER: IS	A 5310	AS 17-OCT-84	AS 11
NAS1475THRUNAS1482-73	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100 DEG. HEAD (MS20426), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5320	AS 15-SEP-78	AS 11
NAS1486THRUNAS1492-88	PIN, SWAGE LOCKING, STEEL, 100 DEG. HEAD (MS24694) TENSION, STUMP TYPE - 8 JUL 1988 W/DOD EXCEPTION	A 5320	AS 09-MAR-89	AR AS 99
NAS1493-71	LOCKMUT, BEARING, RETAINING - MAR 71 W/DOD EXCEPTIONS [VALIDATION DATE: 8204]	A 3120	AS 14-JUN-74	AV AS 11
NAS1496THRUNAS1502-88	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, TENSION, STUMP TYPE - 8 JUL 1988 W/DOD EXCEPTION	A 5320	AS 09-MAR-89	AR AS 99
A NAS1514-72	WELD DISCONTINUITIES, RADIOGRAPHIC STANDARD FOR CLASSIFICATION OF FUSION - 30 JUN 72 USER: AT MI 05 REVIEWER: 85 99 AR AV	A 3439	AS 22-APR-85	MR AS 11
NAS1515-83	WASHERS - PLASTIC AND SYNTHETIC RUBBER - 15 JUN 83	A 5310	AS 20-MAY-83	AV AS 11
NAS1516THRUNAS1522-73	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS24694), TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5320	AS 30-JAN-84	AV AS 11
NAS1523-77	PACKING WITH RETAINER - 15 SEP 77 W/DOD EXCEPTIONS REVIEWER: IS	A 5330	AS 30-JAN-84	AS 11
NAS1525THRUNAS1532-73	PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5320	AS 15-SEP-78	AV AS 11
NAS1535THRUNAS1542-73	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS20426) TENSION, PULL TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5320	AS 15-SEP-78	AV AS 11
NAS1546THRUNAS1552-73	PIN, SWAGE LOCKING, ALUMINUM ALLOY, 100 DEG. HEAD (MS24694), TENSION, STUMP TYPE - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5320	AS 15-SEP-78	AV AS 11
NAS1553-74	KNOB, HAND, GROUND SUPPORT EQUIPMENT - JUL 74 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5355	AS 05-DEC-80	AV AS 11
NAS1554-88	GROMMET, TEFLON - SPLIT - APRIL 88	A 5325	AS 09-MAR-89	AR AS 99
NAS1555THRUNAS1562-88	PIN, SWAGE LOCKING, ALUMINUM ALLOY, PROTRUDING HEAD, TENSION, STUMP TYPE - 8 JUL 88	A 5320	AS 09-MAR-89	AR AS 99
NAS1563-88	GAGE, PINS AND COLLAR INSPECTION, SWAGE LOCKING - 8 JUL 1988	A 5325	AS 09-MAR-89	AR AS 99
NAS1564-79	REDUCER, FLARED TUBE - 6 AUG 79 [VALIDATION DATE: 8512]	A 4730	CS 15-SEP-80	
NAS1578-83	BOLT, FLAT PAN HEAD - 15 FEB 83 W/DOD EXCEPTIONS	A 5306	AS 20-MAY-83	AV AS 11
NAS1579-71	BOLT, FLAT PAN HEAD, FULL THREAD - SEP 71 W/DOD EXCEPTIONS [VALIDATION DATE: 8205] REVIEWER: 10 ER ME	A 5306	AS 14-JUN-74	AV AS 11
NAS1580-82	BOLT, 100 DEG. FLUSH REDUCED HEAD - 28 MAY 82 REVIEWER: IS	A 5306	AS 20-MAY-83	AV AS 11
NAS1581-82	BOLT, 100 DEG. FLUSH REDUCED HEAD - 28 MAY 82 REVIEWER: IS	A 5306	AS 20-MAY-83	AV AS 11
NAS1582-71	BOLT, 100 DEG. FLUSH TENSION HEAD FULL THREAD - SEP 71 [VALIDATION DATE: 8204] REVIEWER: 10 ER ME	A 5306	AS 14-JUN-74	AV AS 11
NAS1583-63	PIN, 100 DEGREES, COUNTERSUNK HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F - FEB 63 [VALIDATION DATE: 8204] REVIEWER: 10 ER ME	A 5320	AS 14-JUN-74	AV AS 11
NAS1584-63	PIN, FLAT HEAD, HI-SHEAR RIVET, CLOSE TOLERANCE, 1200 DEGREES F - FEB 63 W/DOD EXCEPTIONS [VALIDATION DATE: 8204] REVIEWER: 10 ER ME	A 5320	AS 14-JUN-74	AV AS 11
NAS1585-63	COLLAR, HI-SHEAR RIVET, 1200 DEGREES F - FEB 63 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME	A 5320	AS 14-JUN-74	AV AS 11
NAS1587-73	WASHER, PLAIN AND COUNTERSUNK 1200 DEG - SEP 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8404] REVIEWER: 10 IS ME	A 5310	AS 15-SEP-78	AV AS 11
NAS1590-81	PIN, HI-SHEAR RIVET, 120 DEG F, PROCUREMENT SPECIFICATION FOR W/DOD EXCEPTIONS REVIEWER: IS	A 5320	AS 06-JUL-83	AS 11
NAS1598-74	WASHER SEALING - JUL 74 W/DOD EXCEPTIONS [VALIDATION DATE: 8404]	A 5310	AS 15-SEP-78	AV AS 11
NAS1603THRUNAS1610-77	BOLT, 100 DEG FLUSH HEADS, 0312 OVERSIZE, ALLOY STEEL, 160,000 PSI - 30 MAR 77 REVIEWER: IS	A 5306	AS 17-OCT-84	AS 11
NAS1635-71	SCREW, PAN HEAD, CROSS RECESSED, FULL THREAD - MAY 71 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME	A 5305	AS 14-JUN-74	AV AS 11
NAS1636-63	WASHER, KEY, DUAL TAB - JUN 63 W/DOD EXCEPTIONS [VALIDATION DATE: 8205] REVIEWER: 10 ER ME	A 5310	AS 14-JUN-74	AV AS 11
NAS1689-83	FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 (W/DOD EXCEPTIONS) REVIEWER: IS	A 5325	AS 30-JAN-84	AS 11
NAS1670-83	FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, FLUSH HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS	A 5325	AS 30-JAN-84	AS 11
NAS1671-83	FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS	A 5325	AS 30-JAN-84	AS 11
NAS1672-83	FASTENER BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, HIGH TEMPERATURE, FLUSH HEAD, SELF LOCKING - 7 SEP 83 (W/DOD EXCEPTIONS) REVIEWER: IS	A 5325	AS 30-JAN-84	AS 11
NAS1673-83	FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, PROTRUDING HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS	A 5325	AS 30-JAN-84	AS 11
NAS1674-83	FASTENER - BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, LIGHTWEIGHT, MILLABLE HEAD, SELF LOCKING - 7 SEP 83 REVIEWER: IS	A 5325	AS 17-OCT-84	AS 11
NAS1675-72	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE - JUN 72 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME	A 5325	AS 14-JUN-74	AV AS 11
NAS1677-72	STRAP, RETAINING CUSHIONED, RECTANGULAR, TWO PIECE - SEP 72 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5340	AS 05-DEC-80	AV AS 11
D NAS1686-87	RIVET, BLIND, ALUMINUM SLEEVE, MECHANICALLY LOCKED SPINDLE, BURIED - DEC 87 REVIEWER: AV MI	A 5320	IS 26-SEP-89	AR 99 15



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

ASST Cp / Cdt Coordination Initiative	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
0	NAS1687-87	RIVET, BLIND, MONEL AND INCONEL SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - DEC 87 REVIEWER: AV MI	A 5320	IS	26-SEP-89	AR	82	15	
	NAS1688-64	MOSE ASSEMBLY TETRAFLUOROETHYLENE - NOV 64 [VALIDATION DATE: 8404] .....	A 4720	CS	11-JUL-78				
	NAS1690-64	MOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARED - 1 NOV 64 [VALIDATION DATE: 8511] REVIEWER: ME	A 4720	CS	19-MAY-81				
	NAS1691-64	MOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, HIGH TEMPERATURE, HIGH PRESSURE, FLARELESS - NOV 64 [VALIDATION DATE: 8411] REVIEWER: ME	A 4720	CS	15-SEP-80				
	NAS1699-83	FASTER - BLIND, INTERNAL THREADED, EXTERNAL SLEEVE, GENERAL PURPOSE, PROTRUDING HEAD, SELF LOCKING REVIEWER: IS	A 5325	AS	30-JAN-84		AS	11	
	NAS1712-68	CLAMP, LOOP CUSHIONED, RECTANGULAR - DEC 68 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5340	AS	05-DEC-80	AV	AS	11	
	NAS1713-68	CLAMP, LOOP CUSHIONED, CENTER MOUNTING - DEC 1968 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5340	AS	05-DEC-80	AV	AS	11	
	NAS1726-82	MUT, SELF LOCKING, CAPTIVE WASHER, SHEAR TYPE, 450 DEG. F AND 800 DEG. F - 1 NOV 82 REVIEWER: IS	A 5310	AS	20-MAY-83	AV	AS	11	
	NAS1727-73	MUT, WASHER, SELF ALIGNING, 450 DEGREES F & 800 DEGREES F - SEP 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5310	AS	15-SEP-78	AV	AS	11	
	NAS1731-74	MUT, BLIND, SERRATED HEAD, SELF LOCKING, 450 DEG. F - JUL 74 W/DOD EXCEPTIONS [VALIDATION DATE: 8404] REVIEWER: 10 IS ME	A 5310	AS	15-SEP-78	AV	AS	11	
	NAS1735-89	MUT, BLIND, ELLIPTICAL HEAD, SELF-LOCKING, CLOSED END, 450 DEGREE F - 15 FEB 83 REVIEWER: 10 ER ME	A 5310	AS	30-JUN-89	AV	AS	99	
	NAS1738-78	RIVET - BLIND PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 17 APR 78 W/DOD EXCEPTIONS REVIEWER: IS	A 5320	AS	30-JAN-84		AS	11	
	NAS1739-78	RIVET - BLIND 100 DEG FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 17 APR 78 W/DOD EXCEPTIONS REVIEWER: IS	A 5320	AS	30-JAN-84		AS	11	
	NAS1740-83	RIVET, BLIND, SELF PLUGGING, MECHANICALLY LOCKED SPINDLE, BULBED - AUG 83 W/DOD EXCEPTIONS [VALIDATION DATE: 8509] REVIEWER: 10 IS ME	A 5320	AS	15-SEP-78		AS	11	
	NAS1760-76	FITTING END, FLARELESS ACORN, STANDARD DIMENSIONS FOR REVIEWER: CS .....	A 4730	AS	03-APR-68	AV	AS	11	
	NAS1761-81	ELBOW, REDUCER, 45 DEG., FLARELESS TUBE TO SWIVEL - JAN 81 .....	A 4730	CS	25-MAY-84	AV	AS		
	NAS1762-81	ELBOW REDUCER, 90 DEG., FLARELESS TUBE TO SWIVEL - 8 JUN 81 .....	A 4730	AS	25-MAY-84	AV	AS		
	NAS1763-81	TEE, REDUCER, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - 8 JUN 81 [VALIDATION DATE: 8512] REVIEWER: CS IS ME	A 4730	AS	25-MAY-84	AV	AS		
	NAS1764-81	TEE, REDUCING, FLARELESS TUBE TO SWIVEL, SWIVEL ON RUN - 8 JUN 81 .....	A 4730	AS	25-MAY-84	AV	AS		
	NAS1765-73R82	MUT, SELF ALIGNING, SELF LOCKING, PLATE - TWO LUG, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F - MAY 73 REVIEWER: IS	A 5310	AS	20-MAY-83	AV	AS	11	
	NAS1766-73R82	MUT, SELF LOCKING, PLATE - CORNER, COUNTERBORED, FLOATING, 125 KSI FTU, 450 DEG. F & 800 DEG. F - MAY 73 REVIEWER: IS	A 5310	AS	20-MAY-83	AV	AS	11	
	NAS1767-77	BOLT, CLOSE TOLERANCE, 100 DEG. REDUCED HEAD, .HI TORQUE, RECESS - W/DOD EXCEPTION - MAR 77 REVIEWER: 10 IS ME	A 5305	AS	05-DEC-80	AV	AS	11	
	NAS1768-85	RIVET-BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 11 APR 85 W/DOD EXCEPTIONS REVIEWER: IS	A 5320	AS	29-MAY-86		AS	11	
	NAS1769-85	RIVET-BLIND, 100 DEG. FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED - 11 APR 85 W/DOD EXCEPTIONS REVIEWER: IS	A 5320	AS	29-MAY-86		AS	11	
	NAS1786	POST, ELECTRICAL MECHANICAL EQUIPMENT - DEC 1974 W/DOD EXCEPTIONS .....	A 5340	AS	05-DEC-80	AV	AS	11	
	NAS1789-75	MUT, SELF LOCKING, PLATE, SIDE BY SIDE, FLOATING, LOW HEIGHT, REDUCED RIVET SPACING, C. BORED, 160 KSI, 450 DEG. F, 800 DEG. F - MAR 75 W/DOD EXCEPTIONS [VALIDATION DATE: 8403] REVIEWER: 10 IS ME	A 5310	AS	15-SEP-78	AV	AS	11	
	NAS1791-78	MUT, SELF LOCKING, PLATE TWO LUG, FLOATING VARIABLE, COUNTERBORE, REPLACEABLE MUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F - (NOV 78 REVIEWER: IS	A 5310	AS	17-OCT-84		AS	11	
	NAS1792-78	MUT, SELF LOCKING, PLATE - ONE LUG, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE MUT ELEMENT, 125 KSI FTU, 450 DEGREES F & 800 DEGREES F - NOV 78 REVIEWER: IS	A 5310	AS	17-OCT-84		AS	11	
	NAS1793-78	MUT, SELF LOCKING, PLATE CORNER, FLOATING, VARIABLE COUNTERBORE, REPLACEABLE MUT ELEMENT, 125 KSI FTU, 450 DEG F & 800 DEG F - NOV 78 REVIEWER: IS	A 5310	AS	17-OCT-84		AS	11	
	NAS1794-78	MUT, SELF LOCKING, COUNTERBORE, REPLACEABLE ELEMENT - NOV 78 REVIEWER: IS	A 5310	AS	17-OCT-84		AS	11	
	NAS1795-78	CLIP RETAINING REPLACEABLE MUT PLATE - NOV 78 REVIEWER: IS .....	A 5310	AS	17-OCT-84		AS	11	
	NAS1801-77	SCREW, HEX HEAD, PHILLIPS RECESS, FULL THREAD, ALLOY STEEL, 160,000 PSI TENSILE - W/DOD EXCEPTION - MAR 77 REVIEWER: 10 IS ME	A 5305	AS	05-DEC-80	AV	AS	11	
	NAS1802-77	SCREW, HEX HEAD, PHILLIPS RECESS, FULL THREAD, A-286 CRES, 160,000 PSI TENSILE - MAR 77 W/DOD EXCEPTIONS REVIEWER: 10 IS ME	A 5305	AS	05-DEC-80	AV	AS	11	
	NAS1803-77	MUT, PLATE, SELF LOCKING, FLOATING, SPRING LOADED W/DOD EXCEPTIONS - MAR 77	A 5310	AS	20-MAY-83	AV	AS	11	IS
	NAS1806THRUMAS1816-57	RIVET, HI-SHEAR, FLAT HEAD, INTERFERENCE FIT, TITANIUM ALLOY - SEP 57 W/DOD EXCEPTIONS [VALIDATION DATE: 8503]	A MISC	AS	14-JUN-74	AV	AS	11	
	NAS1832-81	INSERT, MOLDED IN, BLIND THREAD, SELF-LOCKING, NONSELF-LOCKING, SANDWICH PANEL - 30 OCT 81	A 5340	AS	09-MAR-89	AR	AS	99	
	NAS1833-81	INSERT, MOLDED IN, THRU THREADED, SELF LOCKING, NON SELF LOCKING, SANDWICH PANEL - 30 OCT 81	A 5340	AS	09-MAR-89	AR	AS	99	
	NAS1834-81	INSERT, MOLDED IN, CSK AND THRU CLEARANCE HOLE, SANDWICH PANEL REV 2 - 30 OCT 81	A 5340	AS	09-SEP-89	AR	AS	99	
	NAS1835-81	INSERT, MOLDED IN, BLIND THREADED, SELF LOCKING NONSELF LOCKING, FLOTING, SANDWICH PANEL - 30 OCT 81	A 5340	AS	09-MAR-89	AR	AS	99	
	NAS1836-81	INSERT, MOLDED IN, BLIND THREADED, SELF LOCKING, NONSELF-LOCKING, LIGHTWEIGHT, SANDWICH PANEL - 30 OCT 81	A 5340	AS	09-MAR-89	AR	AS	99	
	NAS1837-81	INSTALLATION TAB AND ALIGNMENT TOOL FOR NAS 1832, NAS 1833, NAS 1834, NAS 1835 AND NAS 1836 MOLDED IN INSERT - 30 OCT 1981	A 5120	AS	09-MAR-89	AR	AS	99	
	NAS1870-71	MUT, SELF LOCKING, PLATE TWO LUG, DEEP COUNTERBORE, FLOATING, 125 KSI FTU, 450 & 800 DEG. F - JUN 71 [VALIDATION DATE: 8205] REVIEWER: 10 ER ME	A 5310	AS	14-JUN-74	AV	AS	11	
	NAS1871-77	MUT ASSEMBLY, TORQUE LIMITING, 600 DEG F APPLICATION, 2500-28 UNJF-3B THREAD - 1 NOV 77 REVIEWER: IS	A 5310	AS	17-OCT-84		AS	11	
	NAS1872-75	MUT, TORQUE LIMITING 900 DEG. F APPLICATION 1/4-28 UNJF-3B THREAD - NOV 75 REVIEWER: IS	A 5310	AS	17-OCT-84		AS	11	
	NAS1873-76	INSERT, SELF-LOCKING, THERMAL, BONDED HONEYCOMB PANEL - JUNE 1976 REVIEWER: IS	A 5340	AS	17-OCT-84		AS	11	
	NAS1900-77	RIVET, BLIND - GENERAL PURPOSE, BULBED, SELF PLUGGING MECHANICALLY-LOCKED SPINDLE - NOV 77	A 5320	AS	06-MAY-83		AS	99	
	NAS1906THRUMAS1916-57	RIVET, HI-SHEAR, 100 DEG. HEAD INTERFERENCE FIT, TITANIUM ALLOY - SEP 57 W/DOD EXCEPTIONS [VALIDATION DATE: 8205]	A MISC	AS	14-JUN-74	AV	AS	11	
	NAS1922-80	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - DEC 80 .....	A 4730	AS	25-MAY-84	AV	AS		
	NAS1923-80	CLAMP, HOSE, BAND, TANGENTIAL WORM, LIGHT WEIGHT - DEC 1980 .....	A 4730	AS	25-MAY-84	AV	AS		
	NAS2005THRUMAS2012-73	BOLT, LOCK, TENSION, PROTRUDING HEAD, STANDARD AND OVERSIZED, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8404]	A 5320	AS	15-SEP-78	AV	AS	11	
	NAS2105THRUMAS2112-73	BOLT, LOCK, TENSION, 100 DEG. HEAD (MS24694), PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8404]	A 5320	AS	15-SEP-78	AV	AS	11	
	NAS2205THRUMAS2212-81	BOLT- LOCK, TENSION, PROTRUDING HEAD, STUMP TYPE, TITANIUM ALLOY - 29 DEC 1981 REVIEWER: IS	A 5320	AS	11-FEB-87	AV	AS	11	
	NAS2306THRUMAS2312-81	BOLT-LOCK, TENSION, 100 DEG HEAD (MS 24694) STUMP TYPE, TITANIUM ALLOY 29 DEC 81 REVIEWER: IS	A 5306	AS	11-FEB-87	AV	AS	11	
	NAS2406THRUMAS2412-73	BOLT LOCK, SHEAR, PROTRUDING HEAD, STANDARD AND OVERSIZE, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403]	A 5320	AS	15-SEP-78	AV	AS	11	
	NAS2506THRUMAS2512-73	BOLT, LOCK, SHEAR, 100 DEG. HEAD, STANDARD & OVER SIZE, PULL TYPE, TITANIUM ALLOY - DEC 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8403]	A 5320	AS	15-SEP-78	AV	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Org / Code Contribution Inclusive Document Number	Document Title	Doc. Ident. FAC Area MCA Symbol	Preparing Agency	Date	Custodians			
					Army	Navy	Air Force	DIA
MAS2605THRUNAS2612-88	BOLT LOCK, SHEAR, PROTRUDING HEAD STUMP-TYPE, TITANIUM ALLOY - 19 SEP 1988	A 5320	AS	09-MAR-89	AR	AS	99	
MAS2705THRUNAS2712-81	BOLT - LOCK, SHEAR, 100 DEG. HEAD, STUMP TYPE TITANIUM ALLOY - 29 DEC 1981	A 5320	AS	11-FEB-87	AV	AS	11	
MAS2852THRUNAS2860-80	BOLT, 100 DEG CROWN REDUCED HEAD, TORQ SET (R) & HI TORQUE, (R) 108 KSI	A 5306	AS	30-JAN-84		AS	11	
MAS3620-82	SHEAR - AUG 80 W/DOD EXCEPTIONS REVIEWER: IS	A 9135	68	01-JUL-84	NI	AS	68	
MAS4006-76	PROPELLANTS, NITROGEN TETROXIDE - NOV 82 USER: 14 19	A 9135	68	01-JUL-84	NI	AS	68	
MAS6203THRUNAS6220-72	ALUMINUM COATING - 15 JUN 76	A 9135	68	01-JUL-84	NI	AS	68	
MAS6303THRUNAS6320-77	BOLT, HEX HEAD, CLOSE TOLERANCE ALLOY STEEL, LONG THREAD SELF LOCKING AND	A 5306	AS	05-DEC-80	AV	AS	11	
MAS6403THRUNAS6420-80	NON LOCKING - FEB 72 (VALIDATION DATE: 8204)	A 5306	AS	05-DEC-80	AV	AS	11	
MAS6603THRUNAS6620-76	BOLT, HEX HEAD, CLOSE TOLERANCE, A-286, SHORT THREAD, SELF LOCKING AND NON	A 5306	AS	05-DEC-80	AV	AS	11	
MAS6703THRUNAS6720-76	LOCKING - W/DOD EXCEPTION - MAR 77 REVIEWER: 10 IS ME	A 5306	AS	05-DEC-80	AV	AS	11	
MAS6803THRUNAS6820-76	BOLT, HEX HEAD, CLOSE TOLERANCE, GAL-4V TITANIUM ALLOY, SELF-LOCKING AND	A 5306	AS	05-DEC-80	AV	AS	11	
MAS6925THRUNAS6932-88	NONLOCKING - 7 NOV 80	A 5306	AS	05-DEC-80	AV	AS	11	
MAS6974THRUNAS6982-88	BOLT, HEX HEAD, CLOSE TOLERANCE, ALLOY STEEL, LONG THREAD, SELF LOCKING &	A 5306	AS	05-DEC-80	AV	AS	11	
MAS6984THRUNAS6992-88	NON LOCKING - JUN 76 W/DOD EXCEPTIONS REV 3 REVIEWER: 10 IS ME	A 5306	AS	05-DEC-80	AV	AS	11	
MAS7024THRUNAS7032-84	BOLT, HEX HEAD, CLOSE TOLERANCE, A286 CRES, LONG THREADS, SELF LOCKING &	A 5306	AS	05-DEC-80	AV	AS	11	
MAS7034THRUNAS7042-73	NON LOCKING - 15 JUNE 1976 REVIEWER: IS	A 5306	AS	05-DEC-80	AV	AS	11	
MAS7100-82	BOLT, HEX HEAD, CLOSE TOLERANCE, GAL-4V TITANIUM ALLOY, LONG THREADS, SELF	A 5306	AS	05-DEC-80	AV	AS	11	
MAS7101-77	LOCKING & NON LOCKING - 30 MAR 77 REVIEWER: IS	A 5320	AS	09-MAR-89	AR	AS	99	
MAS7103THRUNAS7116-78	PIN, SWAGE LOCKING, STEEL, 100 DEGREE HEAD (MS-20426) TENSION, STUMP-TYPE	A 5320	AS	09-MAR-89	AR	AS	99	
MAS7203THRUNAS7216-78	- 8 JUL 88	A 5320	AS	09-MAR-89	AR	AS	99	
MAS8000THRUNAS8006-83	PIN, SWAGE LOCKING, A-286 CRES, 100 DEG SHEAR HEAD, STUMP-TYPE REV 2 - 8	A 5320	AS	09-MAR-89	AR	AS	99	
MAS8100THRUNAS8106-83	JUL 88	A 5320	AS	09-MAR-89	AR	AS	99	
MAS8302THRUNAS8304-84	PIN, SWAGE LOCKING, A-286 CRES, PROTRUDING HEAD, SHEAR, STUMP-TYPE - 8 JUL	A 5320	AS	09-MAR-89	AR	AS	99	
MAS9301-90	88	A 5320	AS	09-MAR-89	AR	AS	99	
MAS9302-90	PIN, SWAGE LOCKING, 108 KSI STEEL, 100 DEG. SHEAR/TENSION HEAD, PULL- TYPE	A 5320	AS	09-MAR-89	AR	AS	99	
MAS9303-90	- 4 APR 1984 W/DOD EXCEPTION	A 5320	AS	09-MAR-89	AR	AS	99	
MAS9304-90	PIN, SWAGE LOCKING, 108 KSI STEEL, PROTRUDING HEAD, SHEAR/TENSION, PULL	A 5320	AS	09-MAR-89	AR	AS	99	
MAS9305-90	TYPE - DEC 73 W/DOD EXCEPTIONS (VALIDATION DATE: 8403) REVIEWER: 10 IS ME	A 5320	AS	09-MAR-89	AR	AS	99	
MAS9306-90	RECESS, PHILLIPS, DIMENSIONS OF RECESS AND GAGES 30 JUN 82 REVIEWER: IS	A 5306	AS	11-FEB-87	AV	AS	11	
MAS9307-90	BIT, SCREWDRIVER, PHILLIPS, SPECIFICATION FOR - SEP 77 REVIEWER: IS ME	A 5120	AS	30-JUL-82	AV	AS	11	
MAS9308-90	BOLT, 100 DEG HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, ALLOY STEEL, LONG	A 5306	AS	17-OCT-84	AS	11		
MAS9309-90	THREAD, SELF-LOCKING & NONLOCKING - 4 SEP 78 REVIEWER: IS	A 5306	AS	17-OCT-84	AS	11		
MAS9310-90	BOLT, 100 DEG HEAD, PHILLIPS RECESS, CLOSE TOLERANCE, A286 CRES, LONG	A 5306	AS	17-OCT-84	AS	11		
MAS9311-90	THREAD, SELF-LOCKING & NONLOCKING - 4 SEP 78 REVIEWER: IS	A 5306	AS	17-OCT-84	AS	11		
MAS9312-90	SCREW, PAN HEAD, PHILLIPS RECESS, ALLOY STEEL FULL THREAD, SELF-LOCKING	A 5306	AS	17-OCT-84	AS	11		
MAS9313-90	AND NON-LOCKING 30 NOV 83	A 5306	AS	17-OCT-84	AS	11		
MAS9314-90	SCREW, PAN HEAD, PHILLIPS RECESS, A-286, CRES, FULL THREAD, SELF LOCKING &	A 5306	AS	17-OCT-84	AS	11		
MAS9315-90	NON LOCKING - 17 JAN 83 REVIEWER: IS	A 5306	AS	17-OCT-84	AS	11		
MAS9316-90	SCREW, MACHINE, WASHER HEAD, FULL THREAD, PHILLIPS RECESS, ALLOY STEEL -	A 5306	AS	17-OCT-84	AS	11		
MAS9317-90	15 MAY 1984 REVIEWER: IS	A 5306	AS	17-OCT-84	AS	11		
MAS9318-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLEA,	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9319-90	CLASS 1, CODE B AND E REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9320-90	RIVET, BLIND, 100 DEG FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9321-90	STYLE A, CLASS 2, CODE B AND E - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9322-90	RIVET, BLIND, 100 DEG FLUSH HEAD MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9323-90	STYLE A, CLASS 3, CODE B AND E - 13 MAR 90 REVIEWER: AV IS MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9324-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE B,	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9325-90	CLASS 1, CODE B AND E - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9326-90	RIVET, BLIND, 100 DEG, FLUSH HEAD MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9327-90	STYLE B, CLASS 2, CODE B AND E - 13 MAR 90 REVIEWER: MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9328-90	RIVET, BLIND, FLANGED DOME HEAD MECHANICALLY LOCKED SPINDLE, BULBED STYLE	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9329-90	B, CLASS 4, CODE B AND E - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9330-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLEA,	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9331-90	CLASS 1, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9332-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9333-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9334-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9335-90	B, CLASS 1, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9336-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9337-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9338-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED STYLE	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9339-90	B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9340-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9341-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9342-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9343-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9344-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9345-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9346-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9347-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9348-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9349-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9350-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9351-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9352-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9353-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9354-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9355-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9356-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9357-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9358-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9359-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9360-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9361-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9362-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9363-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9364-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9365-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9366-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9367-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9368-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9369-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9370-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9371-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9372-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9373-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9374-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9375-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9376-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9377-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9378-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9379-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9380-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9381-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9382-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9383-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9384-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9385-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9386-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9387-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9388-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9389-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9390-90	RIVET, BLIND, PROTRUDING HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9391-90	STYLE B, CLASS 2, CODE C AND M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9392-90	RIVET, BLIND, FLANGED DOME HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9393-90	STYLE B, CLASS 4, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9394-90	RIVET, BLIND, 100 DEG, FLUSH HEAD, MECHANICALLY LOCKED SPINDLE, BULBED	A 5320	15	19-MAR-90	AR	AS	99	15
MAS9395-90	STYLE A, CLASS 3, CODE M - 13 MAR 90 REVIEWER: AV MI	A 5320	15					



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Ordn. Coordination Inches Document Number	Document Title	Dist. Syst. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	AF Force DLA	
D L	MEMA-MG7-87 MEMA-OS1-89 NOTICE 1	MOTORS, CONTROL, MOTION/POSITION AND CONTROLS - 1987 REVIEWER: 84 GS ..... SHEET-STEEL OUTLET BOXES, DEVICE BOXES, COVERS, AND BOX SUPPORTS .....	A 34GP A 5975 *	IP YD1	28-FEB-89 24-SEP-91	AL SH 99 YD1
D	MEMA-P82-84	SWITCHBOARD, DEADFRONT DISTRIBUTION - 1984 REVIEWER: SH .....	A 6110	YD1	21-OCT-85	YD1
D L	MEMA-RM1-89 NOTICE 1	STEEL CONDUIT AND INTERMEDIATE METAL CONDUIT GALVANIZED RIGID POLYVINYL-CHLORIDE (PVC) EXTERNALLY COATED .....	A 5975	YD1	19-APR-93	YD1
D	MEMA-S62-81	FUSE, HIGH VOLTAGE, STANDARD FOR - 1981 USER: SH REVIEWER: GS .....	A 6110	YD1	20-OCT-85	ME YD1
D	MEMA-S63-81	CIRCUIT BREAKER, LOW VOLTAGE POWER - 1981 USER: SH REVIEWER: GS .....	A 6110	YD1	02-DEC-85	ME YD1
D	MEMA-SM23-79	TURBINE, STEAM, MECHANICAL DRIVE, COMMERCIAL - 3 DEC 1979 .....	A 2825	YD1	30-DEC-80	YD1
D	MEMA-TC2-90	TUBING (EPT) & CONDUIT (EPC-40 & EPC-80), ELECTRICAL PLASTIC - 17 JUL 1990 REVIEWER: 99 GS .....	A 5975	YD1	27-AUG-91	YD1 85
D	MEMA-TC3-90	FITTINGS, PVC FOR USE WITH RIGID PVC CONDUIT & TUBING - 5 OCT 1990 REVIEWER: 99 GS .....	A 5975	YD1	28-JUN-91	YD1 85
D	MEMA-TC6-90 NOTICE 1	PVC AND ABS PLASTIC UTILITIES DUCT FOR UNDERGROUND INSTALLATION REVIEWER: 99 GS .....	A 5975 *	YD1	31-OCT-91	ER YD1 85
D	MEMA-TC9-90	FITTINGS FOR ABS AND PVC PLASTIC UTILITIES DUCT FOR UNDERGROUND IN- STALLATION - 17 JUL 1990 USER: AR ME REVIEWER: 99 GS .....	A 5975	YD1	28-JUN-91	ER YD1 85
D L	MEMA-TC13-86 NOTICE 1	ELECTRICAL NONMETALLIC TUBING (ENT) .....	A 5975	YD1	19-APR-93	YD1
D L	MEMA-TC14-84R86 NOTICE 1	FITTINGS AND FILAMENT-WOUND REINFORCED THERMOSETTING RESIN CONDUIT .....	A 5975	YD1	19-APR-93	YD1
D	MEMA-TR1-80	TRANSFORMER, REGULATORS & REACTORS, STANDARD FOR - 1980 USER: SH REVIEWER: 80 GS .....	A 6120	YD1	10-JUL-86	ME YD1 99
D L	MEMA-VE1-91 NOTICE 1	CABLE TRAY SYSTEMS, METALLIC .....	A 5975	YD1	19-APR-93	YD1
	MEMA-WC1-63R71	WIRE & CABLE, ASBESTOS, ASBESTOS VARNISHED CLOTH AND ASBESTOS THERMOPLASTIC INSULATED - 1963 (VALIDATION DATE: 8206) .....	A 6145	85	08-JUN-72	CR 85
D	MEMA-WC5-73R87	WIRE & CABLE FOR THERMOPLASTIC-INSULATED FOR THE TRANSMISSION & DISTRIBUTION OF ELECTRICAL ENERGY (REV 13 JUL 87) USER: SH REVIEWER: 99 ER 15 .....	A 6145	YD1	25-FEB-89	CR YD1 85
	MEMA-WC7-71 NOTICE 1	WIRES AND CABLE, CROSS LINKED THERMOSETTING POLYETHYLENE INSULATED WIRE AND CABLE - MAR 72 (VALIDATION DATE: 8704) .....	A 6145	85	27-APR-87	CR 85
D	MEMA-WC8-76R87	WIRE & CABLE, FOR TRANSMISSION & DISTRIBUTION OF ELECTRICAL ENERGY, ETHYLENE-PROPYLENE-RUBBER-INSULATED STANDARD FOR THRU JUL 87 (REVISION 10) (REAPPROVED 1987) USER: SH REVIEWER: 99 IS .....	A 6145	YD1	05-JUN-89	CR YD1 85
	MEMA-WC30-74 NOTICE 1	COLOR CODING OF WIRES AND CABLES - 74 (VALIDATION DATE: 8704) .....	A 6145	85	27-APR-87	CR 85
D L	MEMA-WD1-83R89 NOTICE 1	WIRING DEVICES, GENERAL REQUIREMENTS FOR .....	A 5935 *	YD1	24-JAN-92	YD1
	MEMA-WD5-72 NOTICE 1	WIRING DEVICES, SPECIFIC PURPOSE - 72 REVIEWER: 99 .....	A 5935	85	15-MAY-88	CR 85
D L	MEMA-WD6-88 NOTICE 1	WIRING DEVICES - DIMENSIONAL REQUIREMENTS .....	A 5935 *	YD1	24-JAN-92	YD1
D	MFPA11-88	SYSTEM, COMBINED AGENT & LOW EXPANSION FOAM, STANDARD FOR 22 DEC 87 USER: CE MC ME .....	A 4210	YD1	24-MAR-89	YD1 99
D	MFPA12-85	SYSTEM, CARBON DIOXIDE EXTINGUISHING, STANDARD ON 27 DEC 84 USER: CE ME REVIEWER: MC .....	A 4210	YD1	24-MAR-89	YD1 99
D L	MFPA13-87	SYSTEM, SPRINKLER INSTALLATION OF THE, STANDARD FOR 12 FEB 87 USER: CE ME ..	A 4210	YD1	24-MAR-89	YD1
D	MFPA14-86	SYSTEM, STANDPIPE & HOSE INSTALLATION OF THE, STANDARD FOR 30 DEC 85 USER: CE ME REVIEWER: MC .....	A 4210	YD1	24-MAR-89	YD1 99
D	MFPA15-85	SYSTEM, FIXED WATER SPRAY FOR FIRE PROTECTION STANDARD FOR 27 DEC 1984 USER: CE MC ME .....	A 4210	YD1	24-MAR-89	YD1 99
D L	MFPA16-86	SYSTEM, SPRAY DELUGE FOAM-WATER SPRINKLER & FOAM-WATER, STANDARD ON 1 JUL 86 USER: CE ME REVIEWER: MC .....	A 4210	YD1	24-MAR-89	YD1
D L	MFPA17-85	SYSTEM, DRY CHEMICAL EXTINGUISHING, STANDARD ON 27 DEC 84 USER: CE ME REVIEWER: MC .....	A 4210	YD1	24-MAR-89	YD1
D	MFPA20-90 NOTICE 1	THE INSTALLATION OF CENTRIFUGAL FIRE PUMPS, STANDARD FOR REVIEWER: CS .....	A 4210 *	YD1	26-OCT-92	ME YD1 99
D L	MFPA30-90 NOTICE 1	FLAMMABLE AND COMBUSTIBLE LIQUIDS CODE .....	A 6ACR	YD1	08-MAR-93	YD1
D	MFPA31-87	EQUIPMENT, OIL BURNING, THE INSTALLATION OF - 10 DEC 86 USER: CE MC .....	A 4530	YD1	26-JUL-89	ME YD1
D L	MFPA37-90 NOTICE 1	STATIONARY COMBUSTION ENGINES AND GAS TURBINES .....	A 2835	YD1	08-MAR-93	YD1
D	MFPA54-88	CODE, NATIONAL FUEL GAS - FOURTH EDITION - 22 AUG 88 USER: CE MC REVIEWER: 99 IS .....	A 4530	YD1	27-JUN-89	CR YD1 85
D	MFPA58-89	GASES, LIQUEFIED PETROLEUM, STANDARD FOR THE STORAGE AND HANDLING OF - 1989 EDITION - 06 FEB 89 USER: CE MC .....	A 4540	YD1	17-JUL-89	YD1
A	MFPA70-93 NOTICE 1	NATIONAL ELECTRICAL CODE 1993 REVIEWER: 84 .....	A 34GP	GS	20-JAN-93	AL SH 99 GS
D L	MFPA72-90 NOTICE 1	FIRE DETECTORS, AUTOMATIC, STANDARD ON .....	A 6350 *	YD1	10-APR-92	YD1
D L	MFPA72-90 NOTICE 1	SYSTEMS, INSTALLATION, MAINTENANCE, AND USE OF PROTECTIVE SIGNALING .....	A 6350 *	YD1	24-APR-92	YD1
D	MFPA79-87	MACHINERY, INDUSTRIAL, ELECTRICAL STANDARD FOR - 10 JUN 87 REVIEWER: 84 GS ..	A 34GP	IP	30-OCT-88	CE SH 99
D	MFPA80-86	FIRE DOORS AND WINDOWS - 1 JUL 1986 REVIEWER: 84 .....	A 5680	YD1	28-SEP-89	YD1
D L	MFPA82-90 NOTICE 1	INCINERATORS, WASTE AND LINEN HANDLING SYSTEMS AND EQUIPMENT .....	A 4540 *	YD1	05-NOV-91	YD1
D	MFPA85B-89	FURNACE EXPLOSIONS IN NATURAL GAS-FIRED MULTIPLE BURNER BOILER- FURNACES, PREVENTION OF - 7 AUG. 1989 USER: CE MC REVIEWER: 84 .....	A 4430	YD1	10-AUG-90	ME YD1 99
D	MFPA85D	FURNACE EXPLOSIONS IN FUEL OIL-FIRED MULTIPLE BURNER BOILER- FURNACES, PREVENTION OF - 7 AUG. 1989 USER: CE MC REVIEWER: 84 .....	A 4430	YD1	10-AUG-90	ME YD1 99
D	MFPA85E-85	FURNACE, EXPLOSIONS, IN PULVERIZED COAL-FIRED MULTIPLE BURNER BOILER-FURNACES, PREVENTION OF 06 JUN 85 USER: CE MC REVIEWER: 84 .....	A 4430	YD1	27-JUN-89	YD1
D	MFPA85A-87	FURNACE EXPLOSIONS IN FUEL OIL - & NATURAL GAS-FIRED SINGLE BURNER BOILER-FURNACES, STANDARD FOR THE PREVENTION OF - 30 JUNE 1987 USER: CE MC REVIEWER: 84 .....	A 4410	YD1	31-JUL-89	ME YD1 99
D	MFPA86-85	FURNACES, OVENS, STANDARD FOR - 07 DEC 84 USER: CE MC REVIEWER: 84 .....	A 4430	YD1	29-JUN-89	YD1
D L	MFPA86D-79 MFPA86	FURNACE, INDUSTRIAL, USING VACUUM AS AN ATMOSPHERE - 1979 .....	A 35GP A 4140 *	IP YD1	26-NOV-79 30-SEP-91	AL SH 99 YD1
D	MFPA214-88 A MFPA325A-70	VAPOR REMOVAL FROM COOKING EQUIPMENT .....	A 4140	YD1	13-SEP-91	YD1
D	MFPA412-87 NOTICE 1	WATER-COOLING TOWERS - 2 DEC 1987 .....	A 4140	YD1	13-SEP-91	YD1
A	MFPA425A-70	FIRE PROTECTION GUIDE ON HAZARDOUS MATERIALS (MFPA-325A-68, 325-M-69, 49-69, 491N-68, 704M-69) - 69 .....	A MISC	SA	15-MAY-70	AR SA 69
D	MFPA412-87 NOTICE 1	EVALUATING AIRCRAFT RESCUE AND FIRE FIGHTING FOAM EQUIPMENT REVIEWER: 84 CS .....	A 4210	YD1	05-MAR-93	ME YD1 99
D	MFPA1901-91 NOTICE 1	PUMPER FIRE APPARATUS REVIEWER: 84 CS .....	A 4210	YD1	05-MAR-93	ME YD1 99
D	MFPA1931.1-89 NOTICE 1	DESIGN OF AND DESIGN VERIFICATION TESTS FOR FIRE DEPARTMENT GROUND LADDERS USER: 99 CE MC REVIEWER: CS .....	A 4210 *	ME	21-FEB-92	ME YD1 84
D	MFPA1961-87	FIRE HOSE - 12 FEB 1987 USER: CG MC REVIEWER: 84 .....	A 4210	YD1	05-JUL-91	AT YD1 99
D	MFPA-72.6.1 NOTICE 1	METHOD FOR VERIFYING THE FATIGUE AND ESTABLISHING THE BURST PRESSURE RATINGS OF THE PRESSURE CONTAINING ENVELOPE OF A METAL FLUID POWER COMPONENT REVIEWER: CS OS YD1 .....	A REL1 *	SH	04-NOV-92	ME SH 99



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / Chg Code Number	Document Title	Doc. Smt. FAC / Assn MCA Symbol Preparing Act.	Date	Army Navy Air Force DIA	Custodian
NFPA-T2.24.1-90	HYDRAULIC FLUID POWER-SYSTEMS STANDARD FOR STATIONARY INDUSTRIAL MACHINERY - 10 MAY 90 REVIEWER: BA	A 34GP	1P 26-JUL-90	AL SH 99	
D NFPA-T3.9.18 NOTICE 1	METHOD OF ESTABLISHING THE FLOW DEGRADATION OF FIXED DISPLACEMENT HYDRAULIC FLUID POWER PUMPS WHEN EXPOSED TO PARTICULATE CONTAMINANT REVIEWER: CS OS YDI	A 4320 *	SH 04-NOV-92	ME SH 99	
D NFPA-HDSMCS-86	WOOD CONSTRUCTION, SUPPLEMENT DESIGN VALUES, NATIONAL DESIGN SPECIFICATION FOR - JAN 86 USER: CE MC SH REVIEWER: BA CS	A 5510	YDI 11-JUL-88	YDI	
D NFPA-RB-86	RULES FOR THE MEASUREMENT & INSPECTION OF HARDWOOD & CYPRESS - 1 JAN 86 USER: YDI REVIEWER: BA CE	A 5510	CS 31-MAR-88	ME SH 99	
NMA-MS1-71	QUALITY STANDARDS FOR COMPUTER OUTPUT MICROFILM - 71 [VALIDATION DATE: 8202] REVIEWER: AG AR MC ME MI OS SA SH	A EDRS	16 30-APR-75	ER AS 16	
NMA-MS104-72	INSPECTION & QUALITY CONTROL OF FIRST GENERATION SILVER HALIDE MICROFILM - 1972 [VALIDATION DATE: 8202] REVIEWER: AG	A EDRS	16 30-APR-75	ER AS 16	
D NSF1-84	SODA FOUNTAIN AND LUNCHEONETTE EQUIPMENT - JUNE 1984 REVIEWER: BA GS MD ...	A 73GP	GL 19-FEB-85	GL YDI 99	
D NSF2-82	FOOD SERVICE EQUIPMENT - JUN 82 REVIEWER: BA GS MD	A 73GP	GL 19-FEB-85	GL YDI 99	
D NSF3-82	DISHWASHING MACHINE, COMMERCIAL SPRAY TYPE - JUN 82 USER: CG REVIEWER: GS MC MD MS SA TS	A 7320	YDI 16-AUG-85	GL YDI 99	
D NSF4-75	FOOD STORAGE EQUIPMENT, COOKING & HOT - JUN 75 REVIEWER: BA GS MD SA	A 7310	GL 19-FEB-85	GL YDI 99	
D NSF5-83	HOT WATER GENERATING AND HEAT RECOVERY EQUIPMENT [VALIDATION DATE: 9111] USER: CG REVIEWER: BA GS MC MD MS SA TS	A 7320 *	YDI 27-NOV-91	GL YDI 99	
D NSF6-82	FREEZER, DISPENSING - NOV 82 REVIEWER: 82 GS MD	A 4110	GL 19-FEB-85	GL 99	
D NSF7-83	REFRIGERATORS AND STORAGE FREEZERS, FOOD SERVICE - NOVEMBER 1983 REVIEWER: 82 GS MD	A 4110	GL 19-FEB-85	GL YDI 99	
D NSF8-80	FOOD PREPARATION EQUIPMENT, COMMERCIAL POWERED - MAY 1980 REVIEWER: BA GS MD SA	A 7320	GL 19-FEB-85	GL YDI 99	
D NSF12-77	ICE MAKING EQUIPMENT, AUTOMATIC - NOV 1977 REVIEWER: 82 GS MD SA	A 4110	GL 19-FEB-85	GL YDI 99	
D NSF14-88	PIPING, PLASTICS SYSTEM COMPONENTS AND RELATED MATERIALS STANDARD NUMBER 14 FOR - DEC 1988 REVIEWER: CS SH	A 4710	YDI 26-JUL-90	ME YDI	
D NSF18-81	DISPENSING EQUIPMENT, MANUAL, FOOD & BEVERAGE - JUN 81 REVIEWER: BA GS MD SA	A 73GP	GL 19-FEB-85	GL YDI 99	
D NSF20-85	COMMERCIAL BULK MILK DISPENSING EQUIPMENT USER: CG MC SA REVIEWER: BA GS MD MS	A 7310 *	YDI 27-NOV-91	GL YDI 99	
D NSF26-80	POT, PAN & UTENSIL WASHERS - DEC-80 USER: BA REVIEWER: GS MD	A 7320	GL 19-FEB-85	GL YDI 99	
D NSF29-82	DETERGENT/CHEMICAL FEEDERS FOR COMMERCIAL SPRAY-TYPE DISHWASHING MACHINES [VALIDATION DATE: 9111] USER: CG REVIEWER: BA GS MC MD MS SA TS	A 7320 *	YDI 27-NOV-91	GL YDI 99	
D NSF35-79	FOOD SERVICE EQUIPMENT, LAMINATED PLASTICS - NOVEMBER 1979 USER: BA REVIEWER: GS MD	A 73GP	GL 19-FEB-85	GL YDI 99	
D NSF36-81	DINNERWARE USER: BA REVIEWER: GS MD	A 7350	GL 19-FEB-85	GL YDI 99	
D NSF51-78	FOOD EQUIPMENT, PLASTIC MATERIALS AND COMPONENTS USED IN - MAY 1978 USER: BA REVIEWER: GS MD	A 73GP	GL 19-FEB-85	GL YDI 99	
D NSF61-90	COMPONENTS, DRINKING WATER SYSTEM - HEALTH EFFECT - MAY 1990	A FACR	YDI 19-SEP-90	CE YDI	
D NSF-C2-83	FOOD SERVICE, SPECIAL EQUIPMENT AND/OR DEVICES - NOV 83 USER: BA REVIEWER: GS MD	A 73GP	GL 19-FEB-85	GL YDI 99	
D NFADA-1.5.1-87	DOORS, WOOD FLUSH, STANDARD FOR - 1987 REVIEWER: 99 CS ME SH	A 5520	YDI 25-NOV-88	YDI	
D NFADA-1.5.2-87	WINDOW UNITS, WOOD - 1987 REVIEWER: BA CS	A 5520	YDI 10-JUN-89	ME YDI 99	
D NFADA-1.5.4-81	MILLWORK, WATER-REPELLENT PRESERVATIVE TREATMENT FOR JULY 1981 USER: CE YDI REVIEWER: BA SH	A 5520	CS 15-NOV-88	ME 99	
D NFADA-1.5.6-91	WOOD STILE, AND RAIL DOORS REVIEWER: BA	A 5520 *	YDI 20-NOV-92	ME YDI 99	
D NFADA-TM5-90	WOOD DOORS, THE SPLIT RESISTANCE OF STILE EDGES OF, TEST METHOD OF DETERMIN - 15 APRIL 90 REVIEWER: BA CS	A 5520	YDI 27-FEB-91	ME YDI 99	
D NFADA-TM6-88	DOORS ADHESIVE BONDS ACCELERATED AGING CONDITIONS TEST METHODS FOR DETERMINING THE PERFORMANCE OF THE (1988) REVIEWER: BA CS	A 5520	YDI 12-OCT-89	ME YDI 99	
D NFADA-TM7-90	WOOD DOORS & ASSOCIATED HARDWARE CONNECTIONS UNDER ACCELERATED OPERATING CONDITIONS, TEST METHOD TO DETERMINE THE PHYSICAL ENDURANCE OF - 15 APRIL 90 REVIEWER: BA CS	A 5520	YDI 27-FEB-91	ME YDI 99	
D NFADA-TM8-90	WOOD DOOR STILES, HINGE LOADING RESISTANCE OF, TEST METHOD TO DETERMINE - 15 APRIL 90 REVIEWER: BA CS	A 5520	YDI 27-FEB-91	ME YDI 99	
D NFADA-TM9-88	FINISHES WOOD DOOR TO DETERMINE THE PERFORMANCE OF (1988) REVIEWER: BA CS	A 5520	YDI 12-OCT-89	ME YDI 99	
D NFADA-TM10-90	SCREWDRIVING CAPACITY TEST - 15 APR 1990 REVIEWER: BA CS	A 5520	YDI 14-AUG-91	ME YDI 99	
D PD1-6101-81	TESTING AND RATING PROCEDURES FOR GREASE INTERCEPTOR WITH APPENDIX OF SIZING AND INSTALLATION DATA - 1 OCT 81 [VALIDATION DATE: 8804] USER: CE MC MS REVIEWER: GS	A 4510	YDI 15-APR-88	ME YDI 99	
D PD1-NM201-77	HAMMER ARRESTER, WATER - SEP 77 [VALIDATION DATE: 8804] REVIEWER: CS	A 4510	YDI 18-APR-88	ME YDI 99	
D RMA-IP3.3-85	V-BELT, STATIC CONDUCTIVE - 6 JUN 1985	A 3030	AT 15-FEB-90	AT	
A RMA-IP7-90	RUBBER WELDING HOSE, SPECIFICATIONS FOR REVIEWER: BA	A 34GP	GS 18-FEB-93	AL SH 99	
D RMA-IP20-87	V-BELT AND SHEAVES, CLASSICAL, SPECIFICATION FOR DRIVES USING - 23 DEC 1987	A 3030	AT 15-OCT-90	AT	
RMA16-84	WELDING EQUIPMENT STANDARDS, RESISTANCE - 30 JUN 84 [VALIDATION DATE: 9104] REVIEWER: BA GS	A 3432	1P 25-APR-91	AL SH 99	
NOTICE 2	COMPRESSIVE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD FOR REVIEWER: AV EC ME MI TE	A CHPS *	MR 17-DEC-91	MR AS	
SACMA-SRM1-88	COMPRESSION AFTER IMPACT PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD FOR REVIEWER: AV EC ME MI TE	A CHPS *	MR 17-DEC-91	MR AS 11	
NOTICE 1	OPEN-HOLE COMPRESSION PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD FOR REVIEWER: AV EC ME MI TE	A CHPS *	MR 17-DEC-91	MR AS 11	
SACMA-SRM3-88	TENSILE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD OF REVIEWER: AR AV EC ME MI TE	A CHPS *	MR 17-DEC-91	MR AS	
NOTICE 1	OPEN-HOLE TENSILE PROPERTIES OF ORIENTED FIBER-RESIN COMPOSITES, RECOMMENDED TEST METHOD OF REVIEWER: AV EC ME MI SH TE	A CHPS *	MR 17-DEC-91	MR AS 11	
SACMA-SRM100-88	COMPOSITE TEST LAMINATES, CALCULATION OF FIBER VOLUME OF, RECOMMENDED METHOD FOR REVIEWER: AV EC ME MI SH TE	A CHPS *	MR 28-JAN-92	MR AS 11	
NOTICE 1	LOT ACCEPTANCE OF CARBON FIBERS, RECOMMENDED METHOD FOR REVIEWER: AR AV EC ME MI SH TE	A CHPS *	MR 01-MAY-92	MR AS	
SACMA-SRM12-90	DETERMINATION OF MASS PER UNIT LENGTH OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR REVIEWER: AV EC ME MI SH TE	A CHPS *	MR 01-MAY-92	MR AS	
NOTICE 1	DETERMINATION OF SIZING CONTENT ON CARBON FIBERS, RECOMMENDED TEST METHOD FOR REVIEWER: AR AV EC ME MI SH TE	A CHPS *	MR 01-MAY-92	MR AS	
SACMA-SRM14-90	DETERMINATION OF DENSITY OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR USER: SH REVIEWER: AV EC ME MI TE	A CHPS *	MR 01-MAY-92	MR AS	
NOTICE 1	TOM TENSILE TESTING OF CARBON FIBERS, RECOMMENDED TEST METHOD FOR USER: SH REVIEWER: AV EC ME MI TE	A CHPS *	MR 01-MAY-92	MR AS	
SACMA-SRM16-90	DETERMINATION OF TWIST IN CARBON FIBERS, RECOMMENDED TEST METHOD FOR REVIEWER: AV EC ME MI TE	A CHPS *	MR 01-MAY-92	MR AS	
NOTICE 1	PRINTING AND APPLYING BAR CODE LABELS, RECOMMENDED PRACTICE FOR REVIEWER: AR AV EC ME MI SH TE	A CHPS *	MR 01-MAY-92	MR AS	
SACMA-SRP1-90	MACHINE EQUIPMENT AND OPERATION, STANDARD IMPULSE - NOV 72	A 4730	AS 26-MAY-89	AV AS 99	
NOTICE 1	FLUIDS, HYDRAULIC, PHYSICAL PROPERTIES OF - MAY 75 REVIEWER: 11 71	A 1650	AS 30-APR-84	AV AS 99	
SAC-AIR1362-75	STANDARD WORDS FOR TEST PARAGRAPHS FOR TUBE FITTINGS & TUBE ASSEMBLIES - 1 MAR 83 USER: MI REVIEWER: 82 99 AR CS	A 4730	AS 23-JAN-84	AV AS 11	
SAC-AIR1378A-83					



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

SAE Number	Doc Title	Doc Synt	Doc FSC / Area	Doc MCA Symbol	Doc Preparing Body	Doc Date	Doc Custodians
SAE Number	Doc Title	Doc Synt	Doc FSC / Area	Doc MCA Symbol	Doc Preparing Body	Doc Date	Doc Custodians
SAE-AIR3260-B3	IDENTIFICATION OF STANDARD UTILITY PARTS - BOLTS & NUTS - NOV 83 REVIEWER: B2 AV 15	A 53GP	AR	01-NOV-85	AR	AS	99
SAE-AIR4069	SEALING INTEGRAL FUEL TANKS	A 8030	* 11	20-DEC-91	MR	AS	11
SAE-AIR4275	JET REFERENCE FLUID STUDY FOR FUEL TANK SEALANTS	A 9150	* 11	20-DEC-91	MR	AS	11
SAE-AMS568A-74	O-RINGS, AEROSPACE SIZE, STANDARD FOR - 1 JUL 74	A 5330	11	17-MAR-89	MR	AS	11
SAE-AMS1379-B5	COMPOUND, ALKALINE RUST REMOVER, AIRCRAFT TURBINE ENGINE COMPONENTS - 1 APR 1985	A 6850	AS	14-MAR-88	AV	AS	
SAE-AMS1380-B5	SCALE CONDITIONER, ALKALINE, AIRCRAFT TURBINE ENGINE COMPONENTS - 1 APR 1985	A 6850	AS	14-MAR-88	AV	AS	
SAE-AMS1382-B5	SCALE REMOVER COMPOUND, ACIDIC, AIRCRAFT TURBINE ENGINE COMPONENTS - 1 APR 85	A 6850	AS	29-FEB-88	AV	AS	
SAE-AMS1383-B5	SCALE CONDITIONER, ALKALINE PERMANGANATE, AIRCRAFT TURBINE ENGINE COMPONENTS - APR 85 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1384-B5	ACID, INHIBITED, PHOSPHORIC, AIRCRAFT TURBINE ENGINE COMPONENTS, ROOM TEMPERATURE APPLICATION - 1 APR 85 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1385-B5	COMPOUND, CARBONACEOUS, SOIL AND PAINT REMOVER, AIRCRAFT TURBINE ENGINE COMPONENTS, ELEVATED TEMPERATURE APPLICATION 1 APR 85 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1386-B5	COMPOUND, SILICONE RUBBER REMOVER, AIRCRAFT TURBINE ENGINE COMPONENTS, ROOM TEMPERATURE APPLICATION - 1 APR 85 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1387-B5	REMOVER, ANTI-CALLING COMPOUND, AIRCRAFT TURBINE ENGINE COMPONENTS, ROOM TEMPERATURE APPLICATION - 1 APR 85 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1476-77	DEODORANT, AIRCRAFT TOILET	A 6850	AS	10-DEC-87	AS		
SAE-AMS15268-90	CLEANER FOR AIRCRAFT EXTERIOR SURFACES, WATER-MISCIBLE PRESSURE SPRAYING TYPE - 1 APRIL 1990 REVIEWER: GS	A 6850	AS	01-JUN-90	AV	AS	68
SAE-AMS1534A-88	CLEANER, AIRCRAFT, GLASS WINDOW - 1 OCT 88 - REVIEWER: GS	A 6850	AS	15-SEP-89	MR	AS	11
SAE-AMS1535A-86	CLEANER, FOR PLASTIC TRANSPARENCIES - 1 JAN 86 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1537-B5	CLEANER, ALKALINE, HOT-TANK TYPE - 1 OCT 85 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1538-B4	DIOXIDIZER, ACID, FOR MAGNESIUM ALLOYS 1 APR 84 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1546A-B5	COMPOUND, CARBON REMOVING, ORTHODICHLOROBENZENE, FOR ENGINE PARTS - 1 JAN 85 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1625A-B3	DESMUTTER, ALUMINUM, POWDERED - 1 OCT 83 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1626A-B3	DESMUTTER, ALUMINUM, LIQUID - 1 OCT 83 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1631A-B6	CARPET CLEANER, WATER EXTRACTION TYPE - 1 APR 86 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS1710A-B4	COUPLING, FULL, FLEXIBLE, VARIABLE CAVITY, THREADED TYPE WITH FERRULES - 1 JAN 1984 USER: AR AT REVIEWER: GS ME	A 4730	B2	28-OCT-88	AV	AS	99
SAE-AMS1725-B6	SKIN PROTECTIVE COMPOUND, CHEMICAL BARRIER - 1 JAN 86 USER: GL REVIEWER: GS ME	A 6850	AS	15-SEP-89	EA	AV	68
SAE-AMS2241K-B9	TITANIUM, AND TITANIUM ALLOY BARS AND WIRE TOLERANCES - CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY - 1 APR 89	A 95GP	MR	03-MAY-89	MR	AS	11
SAE-AMS2242E-B7	TOLERANCE, CORROSION & HEAT RESISTANT STEEL, IRON ALLOY, TITANIUM ALLOY, TITANIUM, & TITANIUM ALLOY SHEET, STRIP, & PLATE - 1 JAN 1987	A 95GP	MR	11-JUN-87	MR	AS	11
SAE-AMS2243G-90	TUBING, STEEL, TOLERANCES-CORROSION AND HEAT RESISTANT - 1 JAN 90	A 4710	MR	22-FEB-90	MR	AS	11
SAE-AMS2248D-B8	CHEMICAL CHECK ANALYSIS LIMITS WROUGHT CORROSION AND HEAT RESISTANT STEELS AND ALLOYS, MANAGING AND OTHER HIGHLY-ALLOYED STEELS, AND IRON ALLOYS - 1 JUL 88	A 95GP	MR	25-AUG-88	MR	AS	11
SAE-AMS2249D	CHEMICAL CHECK ANALYSIS LIMITS TITANIUM AND TITANIUM ALLOYS	A 95GP	* MR	12-MAY-92	MR	AS	11
SAE-AMS2251F-B3R90	TOLERANCES LOW ALLOY STEEL BARS	A 9515	* MR	10-OCT-91	MR	AS	11
SAE-AMS2252C-B3R90	TOLERANCES - LOW ALLOY STEEL SHEET, STRIP AND PLATE	A 9515	* MR	10-OCT-91	MR	AS	11
SAE-AMS2253E-B3	TUBING, CARBON & ALLOY STEEL, TOLERANCES - 1 JAN 83 [VALIDATION DATE: 9103]	A 4710	MR	20-MAR-91	MR	AS	11
SAE-AMS2259B-B8	STEELS, CHEMICAL CHECK ANALYSIS LIMITS WROUGHT LOW-ALLOYED AND CARBON 1 OCT 87	A 95GP	MR	25-AUG-88	MR	AS	11
SAE-AMS2269D-B8	ALLOYS, CHEMICAL CHECK ANALYSIS LIMITS WROUGHT NICKEL ALLOYS AND COBALT - 1 JUL 88	A 95GP	MR	25-AUG-88	MR	AS	11
SAE-AMS2300G-91	PREMIUM AIRCRAFT-QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE	A NDT1	* MR	17-JAN-92	MR	AS	11
SAE-AMS2301G-B4	AIRCRAFT QUALITY STEEL CLEANLINESS MAGNETIC PARTICLE INSPECTION PROCEDURE [VALIDATION DATE: 9201]	A NDT1	* MR	17-JAN-92	MR	AS	11
SAE-AMS2303B-B7	AIRCRAFT-QUALITY STEEL CLEANLINESS, MARTENSITIC CORROSION-RESISTANT STEELS, MAGNETIC PARTICLE INSPECTION PROCEDURE [VALIDATION DATE: 9207]	A NDT1	* MR	02-JUL-92	MR	AS	11
SAE-AMS2310D-92	QUALIFICATION SAMPLING AND TESTING OF STEELS - TRANSVERSE TENSILE PROPERTIES	A 95GP	* MR	13-FEB-92	MR	AS	11
SAE-AMS2315C-B9	FERRITE CONTENT FREE, DETERMINATION OF - 1 APR 89	A 95GP	MR	03-MAY-90	MR	AS	11
SAE-AMS2360B-90	ROOM TEMPERATURE TENSILE PROPERTIES OF CASTINGS	A MECA	* MR	10-OCT-91	MR	AS	11
SAE-AMS2361B-90	ELEVATED TEMPERATURE TENSILE PROPERTIES OF CASTINGS	A MECA	* MR	10-OCT-91	MR	AS	11
SAE-AMS2362A-78	CASTINGS, STRESS RUPTURE PROPERTIES OF - 15 JUL 78 [VALIDATION DATE: 9101]	A MECA	MR	16-JAN-91	MR	AS	11
SAE-AMS2370E-91	STEELS, WROUGHT PRODUCTS EXCEPT FORGINGS AND FORGING STOCK, QUALITY ASSURANCE SAMPLING OF 1 JUL 1991	A 95GP	MR	22-JUL-91	MR	AS	11
SAE-AMS2406G-B5	PLATING, CHROMIUM, HARD DEPOSIT - 1 APR 85	A MFFP	AT	17-JUL-85	AT	AS	11
SAE-AMS2409E-B2	PLATING, TIN, IMMERSION - 1 OCT 82 [VALIDATION DATE: 9104]	A MFFP	MR	29-APR-91	MR	AS	11
SAE-AMS2410G-B4	PLATING, SILVER, NICKEL STRIKE, HIGH BAKE - 1 OCT 84 [VALIDATION DATE: 9104]	A MFFP	MR	29-APR-91	MR	AS	11
SAE-AMS2412F-B3	SILVER PLATING COPPER STRIKE, LOW BAKE - 1 OCT 83 [VALIDATION DATE: 9104]	A MFFP	MR	29-APR-91	MR	AS	11
SAE-AMS2413C-B4	PLATING, SILVER & RHODIUM - 1 OCT 84 [VALIDATION DATE: 9104]	A MFFP	MR	29-APR-91	MR	AS	11
SAE-AMS2415F-91	LEAD AND INDIUM PLATING	A MFFP	* MR	10-OCT-91	MR	AS	11
SAE-AMS2416G-90	NICKEL-CADMIUM PLATING, DIFFUSED	A MFFP	* MR	10-OCT-91	MR	AS	11
SAE-AMS2417D-B2	NICKEL ZINC ALLOY PLATING - 1 APR 82 [VALIDATION DATE: 8803]	A MFFP	MR	30-MAR-88	MR	AS	11
SAE-AMS2418D-B6	PLATING, COPPER - 1 APR 86 [VALIDATION DATE: 9104]	A MFFP	MR	29-APR-91	MR		11
SAE-AMS2419A-79	PLATING, CADMIUM-TITANIUM - 15 OCT 79 [VALIDATION DATE: 8803]	A MFFP	MR	30-MAR-88	MR		11
SAE-AMS2420B-77	PLATING ALUMINUM FOR SOLDERABILITY ZINC IMMERSION PROCESS - 15 JAN 77 [VALIDATION DATE: 9104]	A MFFP	MR	29-APR-91	MR	AS	11
SAE-AMS2421B-79	PLATING MAGNESIUM FOR SOLDERABILITY ZINC IMMERSION PROCESS - 16 JUL 79 [VALIDATION DATE: 8803]	A MFFP	MR	30-MAR-88	MR	AS	11
SAE-AMS2424C-B4	PLATING, NICKEL, LOW STRESSED DEPOSIT - 1 JAN 84 [VALIDATION DATE: 9104]	A MFFP	MR	29-APR-91	MR	AS	11
SAE-AMS2425D-B9	PLATING, GOLD, FOR THERMAL CONTROL - 1 APR 88	A MFFP	MR	08-MAR-89	MR	AS	11
SAE-AMS2430J-B2	SHOT PEENING - 1 JAN 1982	A MFFP	AT	17-MAY-84	AT	AS	11
SAE-AMS2435C-B7	TUNGSTEN CARBIDE/COBALT COATING DETONATION PROCESS	A MFFP	MR	19-AUG-88	MR	AS	11
SAE-AMS2436B-B1	COATING, ALUMINUM OXIDE DETONATION DEPOSITION - 15 JAN 81 [VALIDATION DATE: 8803]	A MFFP	MR	30-MAR-88	MR	AS	11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / Chg Coordination Indexing Document Number	Document Title	Doc. Syst. FSC / Aves MCS Symbol Proposing Act Date	Custodians Army Navy Air Force DIA
SAE-AMS2465B-83 NOTICE 1	MOLYBDENUM & MOLYBDENUM ALLOYS-PACK CEMENTATION METHOD, DISILICIDE DIFFUSION COATING OF - 1 OCT 83 [VALIDATION DATE: 9104]	A MFFP MR 30-APR-91	MR AS 11
SAE-AMS24690-85	ALUMINUM & ALUMINUM ALLOYS, PROCESSING & PERFORMANCE REQUIREMENTS, HARD COATING TREATMENT OF - 1 JAN 85	A MFFP MR 30-APR-91	MR AS 11
SAE-AMS2491D-89	SURFACE TREATMENT OF POLYTETRAFLUOROETHYLENE- 1 APR 89 REVIEWER: 99 AR AV EA MI 05	A MFFP MR 27-APR-89	MR AS 11
SAE-AMS2515E-90	POLYTETRAFLUOROETHYLENE RESIN COATING LOW BUILD, 370 DEG - 400 DEG C (698 DEG - 752 DEG F) FUSION - 1 APR 90	A MFFP MR 02-MAY-90	MR AS 11
SAE-AMS2516D-90	POLYTETRAFLUOROETHYLENE RESIN COATING HIGH BUILD, 370 DEG - 400 DEG. C (370 DEG -400 DEG C (698 - 752 DEG F) FUSION - 1 APR 90	A MFFP MR 02-MAY-90	MR AS 11
SAE-AMS2601D-82	PRESSURE TESTING, 10 PSIG - 13 JUN 1940 (REV. 1 APR 1982) .....	A MDTI AT 10-APR-87	AT
SAE-AMS2602C-85	PRESSURE TESTING, 25 PSIG - 1 JAN 1942 (REV. 1 JAN 1985) .....	A MDTI AT 10-APR-87	AT
SAE-AMS2604D-82	PRESSURE TESTING, 40 PSIG - 13 JUN 1940 (REVISED ON 01 APR 1982) .....	A MDTI AT 17-FEB-87	AT
SAE-AMS2605C-85	PRESSURE TESTING, 55 PSIG - 1 JAN 1985 REVIEWER: AV GL MR .....	A MDTI AT 17-FEB-87	AT
SAE-AMS2606D-85	PRESSURE TESTING, 70 PSIG - 1 JAN 1985 REVIEWER: AV MR .....	A MDTI AT 17-FEB-87	AT
SAE-AMS2607C-85	PRESSURE TESTING, 100 PSIG - 1 JAN 1985 USER: ME REVIEWER: AV GL MR .....	A MDTI AT 17-FEB-87	AT
SAE-AMS2616B-82	PRESSURE TESTING, HYDRAULIC 200 PSIG - 15 OCT 1940 (REVISED 01 APR 1982) USER: ME	A MDTI AT 12-FEB-87	AT
SAE-AMS2620B-82	PRESSURE TESTING, HYDRAULIC 1,000 PSIG - 15 OCT 1940 (REV. 1 APR 1982) USER: GL REVIEWER: AV	A MDTI AT 10-APR-87	AT
SAE-AMS2625B-82	HYDRAULIC 2500 PSIG, PRESSURE TESTING 1APR82 USER: GL REVIEWER: AV .....	A MDTI AT 04-MAY-87	AT
SAE-AMS2631A-85	ULTRASONIC INSPECTION TITANIUM & TITANIUM ALLOY BAR & BILLET - 1 JAN 1985 ..	A MDTI MR 18-OCT-88	MR AS 11
SAE-AMS2658A-91 NOTICE 1	HANDNESS AND CONDUCTIVITY INSPECTION OF WROUGHT ALUMINUM ALLOY PARTS .....	A 95GP * MR 10-OCT-91	MR AS 11
SAE-AMS2680-81 NOTICE 2	WELDING, ELECTRON BEAM, FOR FATIGUE CRITICAL APPLICATIONS - 1 APR 81 [VALIDATION DATE: 9102]	A THJM MR 22-FEB-91	MR AS 11
SAE-AMS2681A-92 NOTICE 1	ELECTRON-BEAM WELDING .....	A THJM * MR 16-MAR-92	MR AS 11
SAE-AMS2750C-90	PYROMETRY .....	A 6685 MR 02-MAY-90	MR AS 11
SAE-AMS2755C-83 NOTICE 1	LIQUID SALT BATH NITRIDING - 1 APR 83 [VALIDATION DATE: 9104] .....	A MFFP MR 30-APR-91	MR AS 11
SAE-AMS2770D-82	ALUMINUM ALLOY PARTS WROUGHT, HEAT TREATMENT OF - 1 JUL 82 REVIEWER: AV MA	A 95GP AS 10-JAN-83	MR AS 11
SAE-AMS2801-90	TITANIUM ALLOY PARTS, HEAT TREATMENT OF - 1 JUL 90 REVIEWER: 84 99 AV MI SH	A 95GP AS 01-JUL-90	MR AS 11
SAE-AMS2808C-91 NOTICE 1	IDENTIFICATION FORGINGS .....	A FORG * MR 31-OCT-91	MR AS 11
SAE-AMS2810E-82	IDENTIFICATION & PACKAGING ELASTOMERIC PRODUCTS - 1 OCT 1982 .....	A 9320 AS 15-APR-87	MR AS 11
SAE-AMS2813D-80 NOTICE 2	WIRE, WELDING, STANDARD METHOD, PACKAGING OF [VALIDATION DATE: 9207] .....	A 3439 * MR 06-JUL-92	MR AS 11
SAE-AMS2814E NOTICE 1	WIRE, WELDING, PREMIUM QUALITY, PACKAGING AND MARKING, OF PACKAGES .....	A 3439 MR 16-MAR-93	MR AS 11
SAE-AMS2815U-86	WIRE, WELDING, IDENTIFICATION, LINE CODE SYSTEM - 1 APR 1986 .....	A 3439 MR 27-APR-87	MR AS 11
SAE-AMS2816S-86	WIRE, WELDING, IDENTIFICATION, COLOR CODE SYSTEM - 1 APR 1986 .....	A 3439 MR 27-APR-87	MR AS 11
SAE-AMS3021-79	DI-ESTER (POLYOL) RESISTANT MATERIAL, REFERENCE FLUID FOR TESTING - 16 JUL 79	A 9150 AS 02-MAR-81	ME AS 11
SAE-AMS3025-80	POLYALKYLENE GLYCOL HEAT TREAT QUENCHANT - 15 APR 80 .....	A 6810 AS 03-MAY-80	MR AS 11
SAE-AMS3040-74	MAGNETIC PARTICLES DRY METHOD INSPECTION MATERIAL - 1 MAR 74 [VALIDATION DATE: 8407] REVIEWER: GS	A 6850 AS 31-MAY-78	MR AS 11
SAE-AMS3041A-84	MAGNETIC PARTICLES, WET METHOD, OIL VEHICLE - 1 OCT 1984 REVIEWER: GS .....	A 6850 AS 30-JUN-85	MR AS 11
SAE-AMS3042A-84	MAGNETIC PARTICLES, WET METHOD, DRY POWDER - 1 OCT 84 REVIEWER: 68 GS .....	A 6850 AS 30-JUN-85	MR AS 11
SAE-AMS3043-74	MAGNETIC PARTICLES WET METHOD OIL VEHICLE AEROSOL CANNED - 1 MAR 74 [VALIDATION DATE: 8407] REVIEWER: GS	A 6850 AS 31-MAY-78	MR AS 11
SAE-AMS3044B-79	MAGNETIC PARTICLES WET METHOD FLOURESCENT DRY POWDER - 16 JUL 79 REVIEWER: GS	A 6850 AS 29-JUL-80	MR AS 11
SAE-AMS3045A-77	MAGNETIC PARTICLES WET METHOD FLOURESCENT OIL VEHICLE - 15 JUL 77 [VALIDATION DATE: 8407] REVIEWER: GS	A 6850 AS 01-JUN-78	MR AS 11
SAE-AMS3046A-77	MAGNETIC PARTICLES WET METHOD FLOURESCENT OIL VEHICLE AEROSOL PACKAGED - 15 JUL 77 [VALIDATION DATE: 8407] REVIEWER: GS	A 6850 AS 01-JUN-78	MR AS 11
SAE-AMS3054-83	OIL, LUBRICATING, LOW TEMPERATURE FOR -55 DEG. C (-65 DEG. F) SERVICE - 1 JULY 1983 REVIEWER: GS	A 9150 AS 28-SEP-84	AS 11
SAE-AMS3055-83	LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 15 - 1 JULY 1983 REVIEWER: GS	A 9150 AS 28-SEP-84	AS 11
SAE-AMS3056-83	LUBRICANT, INSTRUMENT BEARING, PETROLEUM BASE, VISCOSITY 35 - 1 JUL 83 REVIEWER: GS	A 9150 AS 28-SEP-84	AS 11
SAE-AMS3107-83	PRIMER, ADHESIVE, CORROSION INHIBITING FOR HIGH DURABILITY STRUCTURAL ADHESIVE BONDING - 1 APR 83 REVIEWER: GS	A 8040 AS 02-NOV-83	AS 11
SAE-AMS3107/1-83	PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 95 DEG. C (-65 DEG TO PLUS 200 DEG. F) - 1 APR 83 REVIEWER: GS	A 8040 AS 02-NOV-83	AS 11
SAE-AMS3107/2-83	PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 120 DEG C (-65 DEG TO PLUS 250 DEG. F) - 1 APR 83 REVIEWER: GS	A 8040 AS 07-NOV-83	AS 11
SAE-AMS3107/3-83	PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 175 DEG C (-65 DEG. TO PLUS 350 DEG. F) - 1 APR 83 REVIEWER: GS	A 8040 AS 07-NOV-83	AS 11
SAE-AMS3107/4-83	PRIMER, ADHESIVE, CORROSION INHIBITING HIGH DURABILITY EPOXY, -55 DEG. TO PLUS 215 DEG. C (-65 DEG. TO PLUS 420 DEG. F) - 1 APR 83 REVIEWER: GS	A 8040 AS 07-NOV-83	AS 11
SAE-AMS3135D-84	COATING MATERIAL, SILICONE RESIN 205 DEG C (400 DEG F) CURE .....	A 8010 AS 02-OCT-85	MR AS 11
SAE-AMS3136C-84	COATING MATERIAL, PHENOLIC RESIN - PTFE PIGMENTED 150 DEG. C (300 DEG. F) CURE - 1 JAN 1984 REVIEWER: GS	A 8030 AS 20-OCT-88	MR AS 11
SAE-AMS3151-83	COMPASS AIRCRAFT, FLUID - 1 JUL 83 REVIEWER: GS .....	A 9150 AS 28-SEP-84	AS 11
SAE-AMS3193B-85	SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM, EXTREME LOW TEMPERATURE - 1 JAN 85 REVIEWER: GS	A 9320 AS 03-JUL-85	MR AS 11
SAE-AMS3194B-85	SILICONE RUBBER SPONGE, CLOSED CELL, FIRM, EXTREME LOW TEMPERATURE - 1 JAN 1985 REVIEWER: GS	A 9320 AS 03-JUL-85	MR AS 11
SAE-AMS3195D-85	SILICONE RUBBER SPONGE, CLOSED CELL, MEDIUM REVIEWER: GS .....	A 9320 AS 03-JUL-85	MR AS 11
SAE-AMS3196D-85	SILICONE RUBBER SPONGE, CLOSED CELL, FIRM - 1 JAN 85 REVIEWER: GS .....	A 9320 AS 03-JUL-85	MR AS 11
SAE-AMS3197J-84	SPONGE, CHLOROPRENE (CR) RUBBER, SOFT - 1 JAN 84 REVIEWER: GS .....	A 9320 AS 30-APR-90	MR AS 11
SAE-AMS3198J-84	SPONGE, CHLOROPRENE (CR) RUBBER, SOFT - 1 JAN 84 REVIEWER: GS .....	A 9320 AS 30-APR-90	MR AS 11
SAE-AMS3199J-84	SPONGE, CHLOROPRENE (CR) RUBBER, FIRM - 1 JAN 84 REVIEWER: GS .....	A 9320 AS 30-APR-90	MR AS 11
SAE-AMS3200F-83	NITRILE RUBBER, PETROLEUM BASE HYDRAULIC FLUID RESISTANT, 55-65 (NBR TYPE) - 1 APR 83 REVIEWER: GS	A 9320 AS 07-OCT-83	MR AS 11
SAE-AMS3201H-83	NITRILE RUBBER, DRY HEAT RESISTANT, 35-45 (NBR TYPE) - 1 APR 83 REVIEWER: GS	A 9320 AS 07-OCT-83	MR AS 11
SAE-AMS3202H-83	NITRILE RUBBER, DRY HEAT RESISTANT, 55-65 (NBR TYPE) - 1 APR 83 .....	A 9320 AS 07-OCT-83	MR AS 11
SAE-AMS3204G-77	RUBBER SYNTHETIC LOW TEMPERATURE RESISTANT 25-35 - 15 JUL 77 [VALIDATION DATE: 8509]	A 9320 AS 06-NOV-78	MR AS 11
SAE-AMS3205H-84	SYNTHETIC RUBBER, LOW-TEMPERATURE RESISTANT, 45-55 - 1 APR 1984 .....	A 9320 AS 30-SEP-86	MR AS 11
SAE-AMS3207J-88	CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT, 25-35 - 1 JAN 88 REVIEWER: GS ..	A 9320 AS 30-APR-90	MR AS 11
SAE-AMS3208J-88	CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT, 45-55 - 1 JAN 88 REVIEWER: GS ..	A 9320 AS 30-APR-89	MR AS 11
SAE-AMS3209H-88	CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 65-75 - 1 JAN 88 REVIEWER: GS ..	A 9320 AS 30-APR-89	MR AS 11
SAE-AMS3212H-85	ACRYLONITRILE BUTADIENE (NBR) RUBBER, AROMATIC FUEL RESISTANT, 55-65 - 1 JAN 85 REVIEWER: GS	A 9320 AS 03-JUL-85	MR AS 11
SAE-AMS3215K-85	ACRYLONITRILE BUTADIENE (NBR) RUBBER, AROMATIC FUEL RESISTANT, 65-75 - 1 JAN 85 REVIEWER: GS	A 9320 AS 03-JUL-85	MR AS 11
SAE-AMS3217-83	TEST SLABS, STANDARD ELASTOMER STOCKS 1 JUL 83 REVIEWER: IS .....	A 5330 AS 28-SEP-84	AS



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc. / OMA Coordination Inclusive Document Number	Document Title	Doc. Smt FRC / Ams MCA Symbol Preparing Agency	Date	Custodian Army Navy AF Forc DIA
SAE-AMS3217/1-83	TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-H), HIGH ACRYLONITRILE, 65-75 - 1 JUL 83 REVIEWER: IS	A 5330	AS 28-SEP-84	MR AS 11
SAE-AMS3217/2-83	TEST SLABS, ACRYLONITRILE BUTADIENE (NBR-L), LOW ACRYLONITRILE, 65-75 - 1 JUL 83 REVIEWER: IS	A 5330	AS 28-SEP-84	MR AS 11
SAE-AMS3217/3-83	TEST SLABS, CHLOROPRENE (CR), 65-75 - 1 JUL 83 REVIEWER: IS	A 5330	AS 28-SEP-84	MR AS 11
SAE-AMS3217/4-83	TEST SLABS, FLUOROELASTOMER (FIRM), 65-75 - 1 JUL 83 REVIEWER: IS	A 5330	AS 28-SEP-84	MR AS 11
SAE-AMS3217/5-83	TEST SLABS, FLUOROSILICONE (FVMD), 55-65 - 1 JUL 83 REVIEWER: IS	A 5330	AS 28-SEP-84	MR AS 11
SAE-AMS3220-76	SYNTHETIC RUBBER, GENERAL PURPOSE, FLUID RESISTANT, 55-65 - JUL 76 REVIEWER: GS	A 9320	AS 01-OCT-82	MR AS 11
SAE-AMS3227-83	RUBBER HOT OIL RESISTANT, SYNTHETIC, HIGH SWELL 45-55 - 1 APR 83 REVIEWER: MI	A 9320	AS 28-JUN-85	AS
SAE-AMS3226-83	ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL & COOLANT RESISTANT, LOW SWELL, 45-55 - 1 APR 83 REVIEWER: GS	A 9320	AS 07-OCT-83	MR AS 11
SAE-AMS3227-83	ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL & COOLANT RESISTANT, LOW SWELL, 55-65 - 1 APR 83 REVIEWER: GS	A 9320	AS 07-OCT-83	MR AS 11
SAE-AMS3228-83	ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL & COOLANT RESISTANT, LOW SWELL, 65-75 - 1 APR 83 REVIEWER: GS	A 9320	AS 07-OCT-83	MR AS 11
SAE-AMS3229-83	ACRYLONITRILE BUTADIENE (NBR) RUBBER, HOT OIL RESISTANT, LOW SWELL, 75-85 - 1 APR 83 REVIEWER: GS	A 9320	AS 07-OCT-83	MR AS 11
SAE-AMS3232K-77	ASBESTOS & SYNTHETIC RUBBER SHEET, HOT OIL RESISTANT - 15 JAN 77 REVIEWER: GS	A 9320	AS 15-JUL-82	MR AS 11
SAE-AMS3237D-84	BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 34-45 - 1 JAN 84	A 9320	AS 31-AUG-88	MR AS 11
SAE-AMS3238D-84	BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT, 65-75 1 JAN 84	A 9320	AS 31-AUG-88	MR AS 11
SAE-AMS3239D-84	BUTYL (IIR) RUBBER, PHOSPHATE ESTER RESISTANT 85-95 - 1 JAN 84	A 9320	AS 31-AUG-88	MR AS 11
SAE-AMS3240M-88	CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 35-45 - 1 JAN 88 REVIEWER: GS	A 9320	AS 30-APR-89	MR AS 11
SAE-AMS3241G-88	CHLOROPRENE (CR) RUBBER, WEATHER RESISTANT 5-65 - 1 JAN 88 REVIEWER: GS	A 9320	AS 30-APR-89	MR AS 11
SAE-AMS3243C-77	CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 55-65 - 15 JUL 77 (VALIDATION DATE: 8508) REVIEWER: GS	A 9320	AS 06-NOV-78	MR AS 11
SAE-AMS3244C-77	CHLOROPRENE (CR) RUBBER, FLAME RESISTANT 65-75 - 15 JUL 77 (VALIDATION DATE: 8509) REVIEWER: GS	A 9320	AS 06-NOV-78	MR AS 11
SAE-AMS3249B-87	ETHYLENE PROPYLENE, (EPDM) RUBBER, HYDRAZINE-BASE FLUID RESISTANT 75-85 - 1 JAN 87	A 5330	AS 23-OCT-87	MR AS 11
SAE-AMS3250F-86	RUBBER, SYNTHETIC, AND CONK COMPOSITION, GENERAL PURPOSE, SOFT - 01 JAN 1986	A 9320	AS 30-SEP-86	MR AS 11
SAE-AMS3260-73	RUBBER, SYNTHETIC ETHYLENE PROPYLENE TERPOLYMER, GENERAL PURPOSE 45-55 - 15 MAY 73	A 5330	AS 14-MAY-87	MR AS 11
SAE-AMS3270M-82	CHLOROPRENE RUBBER SHEET, COTTON FABRIC REINFORCED, WEATHER RESISTANT	A 9320	AS 06-SEP-82	MR AS
SAE-AMS3273C-76	CHLOROPRENE RUBBER SHEET, NYLON FABRIC REINFORCED WATER RESISTANT - 1 JUL 76 (VALIDATION DATE: 8303)	A 9320	AS 02-FEB-77	MR AS 11
SAE-AMS3275-89	SHEET, ACRYLONITRILE BUTADIENE (NBR) RUBBER, NON-ASBESTOS FIBER, FUEL AND OIL RESISTANT - 1 OCT 89 REVIEWER: 99 IS	A 5330	AS 13-FEB-91	MR AS 11
SAE-AMS3301F-84	SILICONE RUBBER, GENERAL PURPOSE, 35-45 - 1 APR 84	A 9320	AS 30-JUN-89	MR AS 11
SAE-AMS3302F-84	SILICONE RUBBER, GENERAL PURPOSE, 55-55 - 1 APR 84 TION REVIEWER: GS	A 9320	AS 30-JUN-89	MR AS 11
SAE-AMS3303H-84	SILICONE RUBBER, GENERAL PURPOSE, 55-65 - 1 APR 84 REVIEWER: GS	A 9320	AS 30-JUN-89	MR AS 11
SAE-AMS3304F-84	SILICONE RUBBER, GENERAL PURPOSE, 65-75 - 1 JULY 84 REVIEWER: GS	A 9320	AS 30-JUN-89	MR AS 11
SAE-AMS3305G-84	SILICONE RUBBER, GENERAL PURPOSE, 75-85 - 1 APR 84	A 9320	AS 30-JUN-89	MR AS 11
SAE-AMS3315D-75	RUBBER SHEET, SILICONE GLASS FABRIC REINFORCED - 15 JUN 75 (VALIDATION DATE: 8103)	A 9320	AS 12-SEP-75	MR AS 11
SAE-AMS3320F-84	SILICONE RUBBER SHEET, GLASS CLOTH REINFORCED, HEAT AND WEATHER RESISTANT 60-80 - 1 OCT 84 REVIEWER: 84	A 9320	AS 22-APR-85	MR AS 11
SAE-AMS3320C-83	SILICONE RUBBER EXTREME LOW TEMPERATURE RESISTANT, 15-30 - 1 JAN 83 REVIEWER: GS	A 9320	AS 30-APR-89	MR AS 11
SAE-AMS3345D-83	SILICONE RUBBER, 1000 PSI (<96.9 MPa) TENSILE STRENGTH, 45-55 - 1 JULY 83 REVIEWER: GS	A 9320	AS 30-JUN-89	MR AS 11
SAE-AMS3346D-83	SILICONE RUBBER, 1000 PSI (6.9 MPa) TENSILE STRENGTH, 55-65 - 1 JULY 83 REVIEWER: GS	A 9320	AS 30-JUN-89	MR AS 11
SAE-AMS3356C-78	SILICONE, RUBBER, LUBRICATING IMPRESSION SET RESISTANT, ELECTRICAL GRADE 55-65 - 16 OCT 78 (VALIDATION DATE: 8509) REVIEWER: GS	A 9320	AS 20-FEB-79	MR AS 11
SAE-AMS3374-82	AIRCRAFT FIREWALL, SEALING COMPOUND, ONE-PART SILICONE - 1 APR 1982	A 8030	AS 29-NOV-85	MR AS 11
SAE-AMS3375-86	ADHESIVE/SEALANT, FLUOROSILICONE, AROMATIC FUEL RESISTANT, ONE-PART ROOM TEMPERATURE VULCANIZING - 1 APR 86 USER: SH REVIEWER: AT ME MI SM	A 8040	AS 10-JAN-89	MR AS 11
SAE-AMS3380C-83	MOSE, POLYTETRAFLUOROETHYLENE, TFE FLUOROCARBON RESIN, WIRE BRAID REINFORCED - 1 JULY 1983 REVIEWER: SH	A 4720	CS 07-MAY-87	CS
SAE-AMS3410G-85	FLUX, SILVER BRAZING - 1 APR 1985	A 3439	AS 27-MAR-87	MR AS 11
SAE-AMS3411B-85	FLUX, SILVER BRAZING HIGH TEMPERATURE - 1 APR 85	A 3439	AS 29-APR-89	MR AS 11
SAE-AMS3412C-87	FLUX, SILVER BRAZING - 1 APR 87 REVIEWER: IP	A 3439	AS 29-APR-89	MR AS 11
SAE-AMS3415A-85	FLUX, ALUMINUM DIP BRAZING 1030 DEG F (555 DEG C) OR LOWER LIQUIDUS - 1 APR 85 REVIEWER: ER MI	A 3439	AS 30-JUN-85	MR AS
SAE-AMS3416A-74	FLUX, ALUMINUM DIP BRAZING 1090 DEG. F (588 DEG. C) FUSION POINT - 15 DEC 74 REVIEWER: ER	A 3439	AS 30-JUN-85	MR AS
SAE-AMS3529-84	PLASTIC SHEET & FILM, VINYL COPOLYMERS, UNPLASTICIZED - 1 APR 1984	A 9330	AS 15-NOV-88	AV AS 99
SAE-AMS3568-83	FOAM SHEET, POLYETHER URETHANE (EU) ELASTOMER SHOCK ABSORBING - 1 JUL 83 REVIEWER: GS	A 9330	AS 28-SEP-84	MR AS 11
SAE-AMS3568/1-83	FOAM POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING, 5 LB/CU FT (72 KG/M3) DENSITY - 1 JUL 83 REVIEWER: GS	A 9330	AS 28-SEP-84	MR AS 11
SAE-AMS3568/2-83	FOAM POLYETHER URETHANE (EU) ELASTOMER, SHOCK ABSORBING 15 LB/CU FT (240 KG/M3) DENSITY - 1 JUL 83 REVIEWER: GS	A 9330	AS 28-SEP-84	MR AS 11
SAE-AMS3568/3-83	FOAM POLYETHER URETHANE (EU) ELASTOMER SHOCK ABSORBING 20 LB/CU FT (320 KG/M3) DENSITY - 1 JUL 83 REVIEWER: GS	A 9330	AS 28-SEP-84	MR AS 11
SAE-AMS3571A-84	RESIN, POLYETHER URETHANE (EU) CASTING FLEXIBLE, SOLID, UNFILLED - 1 JUL 84 REVIEWER: GS	A 9320	AS 25-JUN-86	MR AS 11
SAE-AMS3571/1A-84	RESIN, POLYETHER URETHANE (EU) CASTING, FLEXIBLE, SOLID, UNFILLED, 45 DUROMETER A - 1 JULY 1984 REVIEWER: GS	A 9320	AS 12-JAN-87	AS 11
SAE-AMS3571/2-76	RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 55 .A. - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS	A 9330	AS 21-DEC-77	AS 11
SAE-AMS3571/3-76	RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 65 .A. - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS	A 9330	AS 22-DEC-77	AS 11
SAE-AMS3571/4-76	RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 75 .A. - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS	A 9330	AS 21-DEC-77	AS 10
SAE-AMS3571/5-76	RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 85 .A. - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS	A 9330	AS 22-DEC-77	AS
SAE-AMS3571/6-76	RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE DUROMETER HARDNESS 95 .A. - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS MR	A 9330	AS 08-DEC-77	AS 11
SAE-AMS3571/7-76	RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 55 .D. - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS	A 9330	AS 21-DEC-77	AS 11
SAE-AMS3571/8-76	RESIN, POLYURETHANE CASTING, FLEXIBLE SOLID POLYETHER TYPE, DUROMETER HARDNESS 65 .D. - 1 JUL 76 (VALIDATION DATE: 8407)	A 9330	AS 22-DEC-77	AS 11
SAE-AMS3571/9-76	RESIN, POLYURETHANE CASTING FLEXIBLE SOLID POLYETHER TYPE DUROMETER HARDNESS 75 .D. - 1 JUL 76 (VALIDATION DATE: 8407) REVIEWER: GS	A 9330	AS 22-DEC-77	AS 11
SAE-AMS3578B-86	STEEL TUBING, WELDED, CORROSION & MODERATE HEAT RESISTANT (2CR - 8.5M) - 0.30 (C84TA) - 1.111 - 2.0CU VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 JULY 1985	A 4710	11 01-AUG-86	MR AS 11



## ACTIVE SECTION

# NUMERICAL LISTING

## DOD ADOPTED NON-GOVERNMENT STANDARDS

Active OF / OIA Compliance Index Document Number	Document Title	Doc. Smt. FSC / Age	MCA Symbol Preceding Act.	Date	Custodians Army Navy Air Force DIA
SAE-AMS3598C-86	PLASTIC, SHEET, COPPER FACED, GLASS CLOTH REINFORCED	A 9330	AS	30-SEP-86	NR AS 11
SAE-AMS3607E-87	POLYTETRAFLUOROETHYLENE - 1 JAN 86 REVIEWER: GS	A 9330	NR	31-AUG-88	AS 11
D SAE-AMS3611C-86	PLASTIC SHEET, POLYCARBONATE USER: YD1	A 9330	AS	25-APR-90	NR AS 11
SAE-AMS3613A-81	FILM, POLYESTER COPPER CLAD - 1 OCT 81 REVIEWER: GS	A 9330	AS	14-JUN-82	NR AS 11
SAE-AMS3615D-84	TUBING, PLASTIC, COTTON FABRIC REINFORCED PHENOL-FORMALDEHYDE - 1 JAN 84 REVIEWER: GS	A 9330	AS	20-SEP-85	NR AS 11
SAE-AMS3616A-85	RESIN, POLYIMIDE, LAMINATING & MOLDING, HIGH TEMPERATURE RESISTANT, 370 DEG. C (700 DEG. F), UNFILLED, ADDITION POLYMER - 1 OCT 85 REVIEWER: GS	A 9330	AS	30-DEC-85	NR AS 11
SAE-AMS3619-87	RESIN, POLYIMIDE, LAMINATING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (600 DEG. F) - 23 OCT 1987 REVIEWER: GS	A 9330	AS	28-JUN-88	NR AS 11
A SAE-AMS3623B-82	TUBING ELASTOMERIC, ELECTRICAL INSULATION, IRRADIATED POLYCHLOROPRENE, FLEXIBLE, HEAT SHRINKABLE 1.750 TO 1 SHRINK RATIO - 1 APR 82 REVIEWER: GS	A 5970	AS	28-SEP-84	NR AS 11
SAE-AMS3628C-85	PLASTIC EXTRUSIONS & MOLDINGS, POLYCARBONATE, GENERAL PURPOSE - 1 APR 1985	A 9330	AS	23-OCT-87	NR AS 11
SAE-AMS3630D-84	PLASTIC EXTRUSIONS, FLEXIBLE, POLYVINYL CHLORIDE - 1 OCT 84	A 4710	AS	06-JUN-85	NR AS 11
SAE-AMS3632C-75	TUBING, PLASTIC, ELECTRICAL INSULATION IRRADIATED POLYVINYLIDENE FLUORIDE, SEMI-RIGID, HEAT SHRINKABLE 2 TO 1 RATIO - 15 JUN 75 [VALIDATION DATE: 8104] REVIEWER: GS MI	A 5970	AS	12-SEP-75	NR AS 10
SAE-AMS3638F-84	TUBING PLASTIC, ELECTRICAL INSULATION, IRRADIATED POLYOLEFIN, PIGMENTED, FLEXIBLE, HEAT SHRINKABLE 2 TO 1 SHRINK RATIO - 1 JAN 84 REVIEWER: GS	A 5970	AS	28-SEP-84	NR AS 10
SAE-AMS3638E-88	PLASTIC TUBING, ELECTRICAL INSULATION, IRRADIATED POLYOLEFIN, PIGMENTED, SEMI-RIGID, HEAT SHRINKABLE, 2 TO 1 RATIO - 1 JULY 1988 REVIEWER: GS	A 5970	AS	20-OCT-88	NR AS 11
SAE-AMS3646A-77	POLYCHLOROTRIFLUOROETHYLENE SHEET, MOLDED, UNPLASTICIZED - 15 JUL 77 [VALIDATION DATE: 8508] USER: SH REVIEWER: GS	A 9330	AS	06-NOV-78	NR AS 11
SAE-AMS3647B-85	POLYFLUOROETHYLENE/PROPYLENE FILM & SHEET - 1 OCT 1985 REVIEWER: GS	A 9330	AS	30-SEP-86	NR AS 11
SAE-AMS3648A-77	POLYCHLOROTRIFLUOROETHYLENE TUBING, UNPLASTICIZED - 15 JUL 77 [VALIDATION DATE: 8508] REVIEWER: GS	A 9330	AS	06-NOV-78	NR AS 11
SAE-AMS3649B-77	POLYCHLOROTRIFLUOROETHYLENE FILM, UNPLASTICIZED - 15 JUL 77 [VALIDATION DATE: 8508] USER: SH REVIEWER: GS	A 9330	AS	06-NOV-78	NR AS 11
SAE-AMS3650B-85	POLYCHLOROTRIFLUOROETHYLENE (PTFE) UNPLASTICIZED - 1 JUL 85	A 9330	AS	31-AUG-88	NR AS 11
SAE-AMS3652B-86	POLYCHLOROTRIFLUOROETHYLENE FILM, NON-CRITICAL GRADE - 1 OCT 86	A 9330	AS	30-APR-89	NR AS 11
SAE-AMS3653D-85	TUBING, ELECTRICAL INSULATION, STANDARD WALL, EXTRUDED POLYTETRAFLUOROETHYLENE - 1 JULY 1985 REVIEWER: GS	A 5970	AS	20-OCT-88	NR AS 11
SAE-AMS3654B-85	TUBING, ELECTRICAL INSULATION, LIGHT WALL, EXTRUDED POLYTETRAFLUOROETHYLENE - 1 JULY 1985 REVIEWER: NR GS	A 5970	AS	20-OCT-88	NR AS 11
SAE-AMS3655A-85	TUBING, ELECTRICAL INSULATION, THIN WALL, EXTRUDED POLYTETRAFLUOROETHYLENE - 1 JULY 1985 REVIEWER: GS	A 5970	AS	20-OCT-88	NR AS 11
SAE-AMS3656D-84	POLYTETRAFLUOROETHYLENE EXTRUSIONS, NORMAL STRENGTH, AS SINTERED, RADIOGRAPHICALLY INSPECTED - 1 OCT 84 REVIEWER: GS	A 9330	AS	20-MAR-85	NR AS 11
SAE-AMS3662A-76	FILM, POLYTETRAFLUOROETHYLENE, GENERAL PURPOSE GRADE - JUL 76 REVIEWER: GS	A 5970	AS	15-JUL-82	NR AS 11
SAE-AMS3666C-85	POLYTETRAFLUOROETHYLENE (PTFE) SHEET, GLASS CLOTH REINFORCED - 1 OCT 85 REVIEWER: GS	A 9330	AS	30-SEP-86	NR AS 11
SAE-AMS3671-80	MOLDING COMPOUND, PLASTIC, MONOLAC EPOXY RESIN, SHORT GLASS FIBER REINFORCED, STRUCTURAL - 15 OCT 80	A 9330	AS	08-NOV-82	AS 11
SAE-AMS3676A-52	INSULATION, SOUND AND THERMAL RESIN-BONDED GLASS FIBER, MEDIUM FILAMENT - 15 JUN 52 [VALIDATION DATE: 8103] REVIEWER: GS	A 5970	AS	29-JAN-71	NR AS 11
SAE-AMS3679-75	INSULATION, THERMAL HIGH TEMPERATURE ALUMINA SILICA FIBER - 15 JUN 75 [VALIDATION DATE: 8407]	A 5640	AS	06-DEC-77	AS 11
SAE-AMS3680B-85	INSULATION, THERMAL, SILICA FIBER - 1 OCT 1985 REVIEWER: ME	A 5640	AS	30-DEC-86	AS 11
SAE-AMS3684A-83	RESIN, POLYIMIDE, SEALING, HIGH TEMPERATURE RESISTANT, 315 DEG. C (600 DEG. F), UNFILLED - 1 APR 83 REVIEWER: GS	A 9330	AS	07-OCT-83	NR AS 11
SAE-AMS3686-75	ADHESIVE, POLYIMIDE RESIN FILM AND PASTE HIGH TEMPERATURE RESISTANT, 315 DEG. 600 DEG. F - 15 SEP 75 [VALIDATION DATE: 8407]	A 8040	AS	05-DEC-77	NR AS 11
SAE-AMS3688A-81	ADHESIVE, FOAMING, HONEYCOMB CORE SPLICE, STRUCTURAL -67 DEG. TO +180 DEG. F (-55 DEG. TO +80 DEG. C) - 1 OCT 81	A 8040	AS	22-OCT-84	NR AS 11
SAE-AMS3689A-81	ADHESIVE, FOAMING, HONEYCOMB CORE SPLICE, STRUCTURAL -67 DEG. TO +350 DEG. F (-55 DEG. TO +175 DEG. C) 1 OCT 81	A 8040	AS	22-OCT-84	NR AS 10
SAE-AMS3696A-83	AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +85 DEG. C (-65 DEG. TO 185 DEG. F) - 1 JULY 83	A 8010	AS	05-MAR-85	AS 11
SAE-AMS3697A-83	AERODYNAMIC FAIRING COMPOUND -55 DEG. TO +150 DEG. C (-65 DEG. TO +300 DEG. F) - 1 JULY 83	A 8010	AS	05-MAR-85	AS 11
A SAE-AMS3709A-79	TILES, SYNTACTIC FOAM - 15 OCT 79 REVIEWER: GS	A 9330	AS	19-FEB-80	NR AS 11
SAE-AMS3710B-87	STRUCTURES, SANDWICH GLASS FABRIC-RESIN LOW PRESSURE MOLDED HEAT RESISTANT - 1 JUL 1987	A CMPS	AS	30-SEP-89	NR 11
SAE-AMS3720A-88	PAPER HONEYCOMB, 60 LB (25 KG) PAPER - 1 JAN 1988	A 5640	AS	10-JUN-88	NR AS 11
SAE-AMS3722A-88	PAPER HONEYCOMB, 125 LB (55 KG) PAPER - 1 JAN 1988	A CMPS	AS	10-JUN-88	NR AS 11
SAE-AMS3726-83	SHIMS, FILLED RESIN COMPOUND - 1 OCT 1983 REVIEWER: GS	A 9330	AS	28-SEP-84	NR AS 11
SAE-AMS3726/1-83	SHIMS, FILLED RESIN COMPOUND LIQUID - 1 OCT 83 REVIEWER: GS	A 9330	AS	28-SEP-84	NR AS 11
SAE-AMS3726/2-83	SHIMS, FILLED RESIN COMPOUND, PRECATALYZED SHEET - 1 OCT 83 REVIEWER: GS	A 9330	AS	28-SEP-84	NR AS 11
SAE-AMS3726/3-83	SHIMS, FILLED RESIN COMPOUND, LIQUID PRECATALYZED - 1 OCT 83 REVIEWER: GS	A 9330	AS	28-SEP-84	NR AS 11
SAE-AMS3751A-79	MICROSPHERE, HOLLOW GLASS - 15 OCT 1979 REVIEWER: GS	A 9340	AS	19-FEB-80	NR AS 11
SAE-AMS3756-83	MOLDING, POLYTETRAFLUOROETHYLENE GLASS FIBER FILLED 75-PTFE RESIN, 25 GLASS, AS SINTERED - 1 OCT 1983 REVIEWER: GS	A 9330	AS	28-SEP-84	NR AS 11
SAE-AMS3792-83	TAPE, LOW MODULUS ARAMID - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3792/2-83	TAPE, LOW MODULUS ARAMID, 2(50), 1,000 (4,450) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3792/3-83	TAPE, LOW MODULUS ARAMID, 2(50), 3000 (13,345) BREAKING STRENGTH REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3792/12-83	WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 9,000 (40,000) BREAKING STRENGTH, SPECIAL WEAVE - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/1-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT 5/8 (16) WIDE, 1000 (4,450) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/2-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT 5/8 (16) WIDE, 2,000 (8,895) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/3-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1 (25) WIDE, 3,000 (13,345) BREAKING STRENGTH 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/4-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1 (25) WIDE, 4,000 (17,790) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/5-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1 (25) WIDE, 5,000 (22,000) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/6-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/16 (27), WIDE, 6,000 (26,690) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/7-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/16 (27) WIDE, 7,000 (31,135) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/8-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/16 (27) WIDE, 8,000 (35,585) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/9-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8 (28) WIDE, 9,000 (40,030) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/10-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8 (28) WIDE, 10,000 (44,480) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11
SAE-AMS3797/11-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8 (28) WIDE, 11,000 (48,930) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	NR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Spec / Code Configuration Inches Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol Preceding Assy.	Date	Custodians Army Navy Air Force DIA
SAE-AMS3797/12-83	WEBBING, NYLON, INTEGRAL LOCKING SLOT, 1-1/8(28) WIDE, 12.000 (53,380) BREAKING STRENGTH - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798-83	WEBBING, LOW MODULUS ARAMID - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/1-83	WEBBING, LOW MODULUS ARAMID, 9/16 (14) WIDE, 500 (2,225) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/2-83	WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 600 (2,670) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/3-83	WEBBING, LOW MODULUS ARAMID, 3/4 (19) WIDE, 600 (2,670) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/4-83	WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 5,500 (24,465) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/5-83	WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 3,600 (16,000) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/6-83	WEBBING, LOW MODULUS ARAMID, 3-1/32 (77) WIDE, 9,000 (40,000) BREAKING STRENGTH DOUBLE PLAIN WEAVE WITH BINDER - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/7-83	WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 8,700 (38,700) BREAKING STRENGTH, DOUBLE PLAIN WEAVE WITH BINDER - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/8-83	WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 1,200 (5,340) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/9-83	WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 6,500 (28,900) BREAKING STRENGTH, HERRINGBONE TWILL, RESIN TREATED - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/10-83	WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 6,000 (26,700) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/11-83	WEBBING, LOW MODULUS ARAMID, 1-3/4 (44) WIDE, 10,000 (44,500) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 1983 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/12-83	WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 9000 (40,000) BREAKING STRENGTH, SPECIAL WEAVE - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/13-83	WEBBING, LOW MODULUS ARAMID, 1-23/32 (44) WIDE, 7,300 (32,500) BREAKING STRENGTH-1 OCT83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/14-83	WEBBING, LOW MODULUS ARAMID, 1-1/4 (32) WIDE, 800 (3,560) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/15-83	WEBBING, LOW MODULUS ARAMID, 1 (25) WIDE, 2,500 (11,100) BREAKING STRENGTH, HERRINGBONE TWILL - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3798/16-83	WEBBING, LOW MODULUS ARAMID, 1-1/2 (38) WIDE, 1,700 (7,550) BREAKING STRENGTH, SPECIAL WEAVE - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3799-83	WEBBING, TUBULAR, LOW MODULUS ARAMID-54 - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3799/1-83	WEBBING, TUBULAR, LOW MODULUS ARAMID, 9/16 (14) WIDE, 1400 (6225M) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3799/2-83	WEBBING, TUBULAR, LOW MODULUS ARAMID, 3/4 (19) WIDE, 2300 (10,230M) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3799/3-83	WEBBING, TUBULAR, LOW MODULUS ARAMID, 1 (25) WIDE, 4,000 (17,800M) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3799/4-83	WEBBING, TUBULAR, LOW MODULUS ARAMID, 3/316 (80) WIDE, 2250 (10,000) BREAKING STRENGTH - 1 OCT 83 REVIEWER: DP	A 8305	AS	28-SEP-84	MR AS 11
SAE-AMS3801-84	CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS - 1 APR 84 REVIEWER: CT	A 8305	AS	30-APR-86	GL AS 11
SAE-AMS3801/1-84	CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS, 4.7 (160) WEIGHT, TWILL - 1 APR 84 REVIEWER: CT	A 8305	AS	30-APR-86	GL AS 11
SAE-AMS3801/2-84	CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS, 6.5 (220) WEIGHT, SPECIAL WEAVE - 1 APR 84 REVIEWER: CT	A 8305	AS	30-APR-86	GL AS 11
SAE-AMS3801/3-84	CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 12.0 (400) WEIGHT, SPECIAL WEAVE - 1 APR 84 REVIEWER: CT	A 8305	AS	30-APR-86	GL AS 11
SAE-AMS3801/4-84	CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 7.0 (250) WEIGHT, PLAIN WEAVE REVIEWER: CT	A 8305	AS	30-APR-86	GL AS 11
SAE-AMS3801/5-84	CLOTH, PARACHUTE, META-ARAMID, LOW MODULUS 18.0 (600) WEIGHT, BASKET WEAVE, RESIN TREATED - 1 APR 84	A 8305	AS	30-APR-86	GL AS 11
SAE-AMS3808-83	TAPE, ADHESIVE, PRESSURE SENSITIVE MASKING - 1 OCT 83	A 7510	AS	28-SEP-84	MR AS 11
SAE-AMS3821A-84	CLOTH, TYPE E GLASS, B STAGE EPOXY-RESIN-IMPREGNATED 7781 STYLE FABRIC, FLAME RESISTANT - 1 JAN 1984 REVIEWER: CT	A CMPS	AS	13-JAN-86	AS 11
SAE-AMS3823C-85	CLOTH, GLASS, STYLE 7781, CHROME-SILANE FINISH - 1 APR 1985 REVIEWER: CT	A CMPS	AS	30-SEP-89	AS 11
SAE-AMS3824A-84	GLASS, CLOTH, FINISHED FOR RESIN LAMINATES REVIEWER: CT	A CMPS	AS	20-NOV-85	AS 11
SAE-AMS3827-73	CLOTH-TYPE "E" GLASS, "B" STAGE POLYESTER RESIN IMPREGNATED, 181 STYLE FABRIC, SELF-EXTINGUISHING - 1 DEC 1973	A 8305	YD1	21-DEC-87	*R YD1 11
SAE-AMS3832A-79	GLASS ROVING, TYPE S GLASS, EPOXY RESIN IMPREGNATED - 16 JUL 1979 REVIEWER: GS	A CMPS	AS	29-JUL-80	MR AS 11
SAE-AMS3837A-79	CLOTH, TYPE .S, GLASS, 181 STYLE FABRIC, FINISH NO. HTS-904 - 16 JUL 79 [VALIDATION DATE: 8511]	A CMPS	AS	29-JUL-80	MR AS 11
SAE-AMS3846A-83	CLOTH, QUARTZ, FINISHED FOR RESIN LAMINATES - 1 APR 83 REVIEWER: CT	A CMPS	AS	29-DEC-83	MR AS 11
SAE-AMS3847A-83	CLOTH, QUARTZ, .B, STAGE POLYIMIDE RESIN IMPREGNATED, STYLE 581 FABRIC, 315 DEG. C (600 DEG. F) - 1 APR 83 [VALIDATION DATE: 8411] REVIEWER: GS	A CMPS	AS	07-OCT-83	MR AS 11
SAE-AMS3865C	FILAMENTS, BORON TUNGSTEN, SUBSTRATE, CONTINUOUS REVIEWER: 84 99	A 9330	* 11	09-JUN-93	11
SAE-AMS3867B	BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED REVIEWER: 84 99 GS	A 9330	* 11	11-FEB-93	11
SAE-AMS3867/1B	BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E374(TYPE B0.102-E191) REVIEWER: 84 99 GS	A 9330	* 11	11-FEB-93	11
SAE-AMS3867/2B	BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E374(TYPE B0.142-E190) REVIEWER: 84 99 GS	A 9330	* 11	11-FEB-93	11
SAE-AMS3867/3B	BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E374 (TYPE B0.203-E190) REVIEWER: 84 99 GS	A 9330	* 11	11-FEB-93	11
SAE-AMS3867/4A	BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B4.0-E180 (TYPE B0.102-E82) REVIEWER: 84 99 GS	A 9330	* 11	11-FEB-93	11
SAE-AMS3867/5A	BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B5.6-E180 (TYPE B0.142-E82) REVIEWER: 84 99 GS	A 9330	* 11	11-FEB-93	11
SAE-AMS3867/6A	BORON FILAMENT TAPE, EPOXY-RESIN-IMPREGNATED TYPE B8.0-E180 (TYPE B0.203-E82) USER: GS REVIEWER: 84 99	A 9330	* 11	11-FEB-93	11
SAE-AMS3870C-84	MOLDINGS AND EXTRUSIONS, CERAMIC, DENSE, ULTRA-HIGH ALUMINA (99% Al2O3) REVIEWER: ME	A 5680	AS	20-MAY-85	MR AS 11
SAE-AMS3880B-84	CERAMIC, CRYSTALLIZED GLASS - 1 OCT 84 REVIEWER: GS	A 9340	AS	20-MAR-85	MR AS 11
SAE-AMS3890-70	YARN, GRAPHITE NON STRUCTURAL - 2 PLY 720 FILAMENTS - 1 MAY 70 [VALIDATION DATE: 84071] REVIEWER: GS	A 9330	AS	14-DEC-77	MR AS 11
SAE-AMS3892A-84	CARBON (GRAPHITE) FIBER TOW AND YARN - FOR STRUCTURAL COMPOSITES 1 JUL 84	A CMPS	AS	30-APR-89	MR AS 11
SAE-AMS3892/1A-84	TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 400 (2760) TENSILE STRENGTH, 33 (228) TENSILE MODULUS - 1 JUL 1984	A CMPS	NR	30-APR-89	MR AS 11
SAE-AMS3892/2A-84	TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 300 (2070) TENSILE STRENGTH, 50 (345) TENSILE MODULUS - 1 JUL 1984	A CMPS	NR	30-APR-89	MR AS 11
SAE-AMS3892/3A-84	TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 400 (2760) TENSILE STRENGTH, 40 (275) TENSILE MODULUS - 1 JUL 1984	A CMPS	NR	30-APR-89	MR AS 11
SAE-AMS3892/4A-84	TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 300 (2070) TENSILE STRENGTH, 75 (517) TENSILE MODULUS - 1 JUL 1984	A CMPS	NR	30-APR-89	MR AS 11
SAE-AMS3892/5-73	CARBON (GRAPHITE) FIBER FOR STRUCTURAL COMPOSITES, GF 220 (1517) TS 70,000,000 (483) TENSILE, MOD - 15 MAY 73 [VALIDATION DATE: 84071]	A CMPS	AS	13-DEC-77	MR AS 11
SAE-AMS3892/6-84	TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF 325 (2250) TENSILE STRENGTH, 57 (395) TENSILE MODULUS - 1 JUL 1984	A CMPS	NR	02-DEC-88	MR AS 11
SAE-AMS3892/7-84	TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, GF (0X) 400 (2760) TENSILE STRENGTH, 33 (228) TENSILE MODULUS - 1 JUL 1984	A CMPS	AS	02-DEC-88	MR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adm. Gp. / OMA Classification Inclusive	Document Number	Document Title	Dist. Smt. FSC / Abs.	MCA Symbol Preparing Act.	Date	Custodians Army Navy Air Force DIA
SAE-AMS3892/8-B4		TOW OR YARN, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, G# (OX) 400 (2760) TENSILE STRENGTH, 40 (275) TENSILE MODULUS - 1 JUL 1984	A CHPS	AS	02-DEC-88	NR AS 11
SAE-AMS3892/9A-B7		TOW, CARBON (GRAPHITE) FIBERS - FOR STRUCTURAL COMPOSITES, 500 (3445) TENSILE STRENGTH, 33,000,000 (221) TENSILE MODULUS - 1 JUL 1987	A CHPS	AS	02-DEC-88	NR AS 11
SAE-AMS3892/10-B6		TOW, CARBON (GRAPHITE) FIBER - FOR STRUCTURAL COMPOSITES, 550 (3790) TENSILE STRENGTH, 38,000,000 (262) TENSILE MODULUS - 1 OCT 1986	A CHPS	AS	02-DEC-88	NR AS 11
SAE-AMS3894C-B3		CARBON (GRAPHITE) FIBER TAPE & SHEET, EPOXY RESIN IMPREGNATED - 1 APR 83 REVIEWER: GS	A CHPS	AS	02-NOV-83	NR AS 11
SAE-AMS3894/1A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 175 (350)	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/2A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 20,000,000 (138) MODULUS, 175 (350) - 1 APR 1983	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/3A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 19,000,000 (131) MODULUS, 80 (180) - 1 APR 1983	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/4A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 80 (180) - 1 APR 83	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/5A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 110,000 (758) TENSILE, 27,000,000 (186) MODULUS, 80 (180) - 1 APR 1983	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/6A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 150,000 (1034) TENSILE, 15,000,000 (103) MODULUS, 175 (350) - 1 APR 1983	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/7A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED, G 90,000 (620) TENSILE, 40,000,000 (275) MODULUS, 80 (180) - 1 APR 1983	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/8A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 80 (180) - 1 APR 1983	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/9A-B3		CARBON (GRAPHITE) FIBER TAPE AND SHEET, EPOXY RESIN IMPREGNATED G 70,000 (483) TENSILE, 36,000,000 (248) MODULUS, 175 (350) - 1 APR 1983	A 9330	AS	02-NOV-83	NR AS 11
SAE-AMS3894/10-B3		CARBON (GRAPHITE) FIBER TAPE & SHEET, EPOXY RESIN IMPREGNATED, G 200,000 (1450) TENSILE, 20,000,000 (138) MODULUS, 80 (175) - 1 APR 83 REVIEWER: GS	A CHPS	AS	02-NOV-83	NR AS 11
SAE-AMS3894/11-B3		CARBON (GRAPHITE) FIBER TAPE & SHEET, EPOXY RESIN IMPREGNATED, G 200,000 (1380) TENSILE, 18,000,000 (124) MODULUS, 80 (180) - 1 APR 83 REVIEWER: GS	A CHPS	AS	02-NOV-83	NR AS 11
SAE-AMS3898A-B5		TAPE, COMPOSITE, INTERLEAF CARRIER MATERIAL, 1 JAN 85	A CHPS	AS	29-APR-85	AS 11
SAE-AMS3898/1A-B5		TAPE, POLYETHYLENE FILM, COMPOSITE, UNPERFORATED, INTERLEAF CARRIER MATERIAL, 0.0018 IN. (0.046MM)	A CHPS	AS	29-APR-85	AS 11
SAE-AMS3898/2A-B5		TAPE, COMPOSITE POLYETHYLENE COATED PAPER, UNPERFORATED, INTERLEAF CARRIER MATERIAL, 0.0035 IN. (0.089 MM)	A CHPS	AS	29-APR-85	AS 11
SAE-AMS3898/3A-B5		TAPE, COMPOSITE INTERLEAF CARRIER MATERIAL, PAPER, 0.004 IN. (0.10MM), PERFORATED 1 JAN 85	A CHPS	AS	29-APR-85	AS 11
SAE-AMS3898/4A-B5		TAPE, COMPOSITE, INTERLEAF CARRIER MATERIAL, POLYETHYLENE COATED PAPER, PERFORATED, 0.0035 IN. (0.089 MM) - 1 JAN 85	A CHPS	AS	29-APR-85	AS 11
SAE-AMS3898/5A-B5		YARN AND ROVING, ORGANIC FIBER (PARA-ARAMID, HIGH MODULUS - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901A-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 18,000,000 (125) TENSILE MODULUS, 195 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/1A-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 17,500,000 (120) TENSILE MODULUS, 380 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/2A-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 1140 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/3A-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 1420 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/4A-B5		FIBER, ROVING, ORGANIC (PARA-ARAMID), HIGH MODULUS OR 450,000,000 (3100) TENSILE STRENGTH, 17,500,000 (120) TENSILE MODULUS, 7,100 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/5A-B5		FIBER, ROVING, ORGANIC (PARA-ARAMID) HIGH MODULUS OR 500,000 (3450) TENSILE STRENGTH, 17,500,000 (120) TENSILE MODULUS, 4560 DENIER 0.6% FINISH - 1 JAN 85 REVIEWER: CT GL	A B310	AS	30-JAN-86	NR AS 11
SAE-AMS3901/6A-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 2130 DENIER, 0.6% FINISH - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/7-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 18,000,000 (125) TENSILE MODULUS, 195 DENIER, 1.2% FINISH - 1 JAN 1985 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/8-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 17,500,000 (120) TENSILE MODULUS, 380 DENIER, 1.20% FINISH - 1 JAN 85 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/9-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 1140 DENIER, 1.2 O/O FINISH - 1 JAN 85 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/10-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 1420 DENIER, 1.2 O/O FINISH - 1 JAN 85 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/11-B5		YARN, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS OY 390,000 (2690) TENSILE STRENGTH, 16,500,000 (115) TENSILE MODULUS, 2130 DENIER, 1.2 O/O FINISH - 1 JAN 85 REVIEWER: CT GL	A CHPS	AS	30-JAN-86	NR AS 11
SAE-AMS3901/12-B5		CLOTH, ORGANIC FIBER, HIGH MODULUS, FOR STRUCTURAL COMPOSITES - 15 JAN 77 (VALIDATION DATE: 8407)	A CHPS	AS	09-DEC-77	AS 11
SAE-AMS3902A-77		CLOTH, ORGANIC FIBER (PARA-ARAMID), HIGH MODULUS EPOXY RESIN IMPREGNATED - 1 OCT 1985	A CHPS	AS	20-NOV-85	NR AS 11
SAE-AMS3903A-B5		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120, 175(350) - 1 JAN 1988 USER: 45 REVIEWER: CT	A CHPS	AS	30-SEP-89	NR AS 11
SAE-AMS3903/1A-B8		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181, 175(350) - 1 JAN 1988	A CHPS	AS	30-SEP-89	NR AS 11
SAE-AMS3903/2A-B8		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281, 175(350) - 1 JAN 1988	A CHPS	AS	30-SEP-89	NR AS
SAE-AMS3903/3A-B8		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328, 175(350) - 1 JAN 1988	A CHPS	AS	30-SEP-89	NR AS
SAE-AMS3903/4A-B8		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 120, 80(180) -	A CHPS	AS	30-SEP-89	NR AS
SAE-AMS3903/5A-B8		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 181, 80(180) - 1 JAN 1988 USER: 45 REVIEWER: CT	A CHPS	AS	30-SEP-89	NR AS 11
SAE-AMS3903/6A-B8		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 281, 80(180) - 1 JAN 1988	A CHPS	AS	30-SEP-89	NR AS
SAE-AMS3903/7A-B8		CLOTH, ORGANIC FIBER, HIGH MODULUS EPOXY RESIN IMPREGNATED, OC STYLE 328, 80(180) - 1 JAN 1988	A CHPS	AS	30-SEP-89	NR AS
SAE-AMS3903/8A-B8		GLASS TAPE AND FLAT SHEET, NON-WOVEN CLOTH, EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP - 1 APR 1986	A CHPS	AS	30-SEP-89	NR AS 11
SAE-AMS3906A-B6		GLASS, NON-WOVEN FIBER TAPE AND FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR HAND AND MACHINE LAYUP, GL-1-36-120(250) - 1 APR 1986	A CHPS	AS	30-SEP-89	NR AS



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Opn / Com Coordination Initiative	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	SAE-AMS3906/2A-86	GLASS FIBER NON WOVEN TAPE & FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR H	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/3A-86	AND MACHINE LAYUP GL-111-36-120(250) - 1 APR 1986 REVIEWER: GS	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/4A-86	GLASS FIBER NON WOVEN TAPE & FLAT SHEET EPOXY RESIN IMPREGNATED, FOR HAND	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/5A-86	AND MACHINE LAYUP, GL-1-26-150(300) - 1 APR 1986	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/6A-86	GLASS FIBER NON WOVEN TAPE & FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR HA	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/7A-86	ND AND MACHINE LAYUP, GL-111-26-150(300) - 1 APR 1986	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/8A-86	GLASS, NON-WOVEN FIBER TAPE AND FLAT SHEET, EPOXY RESIN IMPREGNATED, HAND	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/9A-86	AND MACHINE LAYUP, GL-1-36-95(200) - 1 APR 1986	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3906/10A-86	GLASS, NON-WOVEN FIBER TAPE AND FLAT SHEET, EPOXY RESIN IMPREGNATED, FOR	A CMPS	AS	30-SEP-89	MR	AS		
	SAE-AMS3911C-86	HAND AND MACHINE LAYUP, GL-111-33-95(200) - 1 APR. 198688	A 9330	AS	21-OCT-86	MR	AS	11	
	SAE-AMS3912A-85	SHEET, PLASTIC, POLYCARBONATE, GENERAL PURPOSE - 1 JAN 86 REVIEWER: GS	A CMPS	AS	27-AUG-85	MR	AS	11	
	SAE-AMS4000E-76	RADOMES, FOAM SANDWICH, POLYIMIDE/QUARTZ CLOTH CONSTRUCTION - JUL 85	A 9535	AS	26-JAN-77	MR	AS	11	
	SAE-AMS4009-74	ALUMINUM SHEET AND PLATE (1060-0) - 1 JUL 76	A 9535	AS	01-APR-85	MR	AS	11	
	SAE-AMS4010A-77	ALUMINUM ALLOY FOIL 1.0MG-0.651-0.30CU-0.20CR (6061-0) - 1 MAR 74	A 9535	AS	02-JUL-79	MR	AS	11	
	SAE-AMS4012D-79	FOIL, ALUMINUM ALLOY 1.2MM-0.12 CU (3003-H18) - 15 JAN 77 [VALIDATION	A 9535	AS	29-JUL-80	MR	AS	11	
	SAE-AMS4018B-69	DATE: 8508]	A 9535	AS	29-JAN-71	MR	AS	11	
	SAE-AMS4021D-77	ALUMINUM, SHEET, LAMINATED, EDGE BONDED - 16 JULY 1979 REVIEWER: IS	A 9535	AS	14-JUL-81	MR	AS	11	
	SAE-AMS4022E-77	ALUMINUM ALLOY, SHEET AND PLATE 3.5MG - 0.25CR (554-01) - 1 MAY 69	A 9535	AS	02-JUL-79	MR	AS	11	
	SAE-AMS4023E-77	[VALIDATION DATE: 8203]	A 9535	AS	02-JUL-79	MR	AS	11	
	SAE-AMS4029F-79	ALUMINUM ALLOY SHEET & PLATE, ALCLAD 1.0 MG-0.60S1 - 0.28 CU - 0.20 CR	A 9535	AS	30-JUN-85	MR	AS	11	
	SAE-AMS4050A-77	(ALCLAD 6061-0) - 15 JAN 77	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4064A-79	ALUMINUM ALLOY SHEET AND PLATE ALCLAD, 1.0 MG-0.60 S1-0.28 CU-0.20 CR.	A 9535	AS	30-JUN-85	MR	AS	11	
	SAE-AMS4081C	(ALCLAD 6061-74 SHEET, -T4S1 PLATE) - 15 JAN 77 [VALIDATION DATE: 8508]	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4083J	REVIEWER: IS	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4084B-85	ALUMINUM ALLOY SHEET & PLATE, ALCLAD, 1.0 MG-0.60 S1-0.28 CU-0.20 CR.	A 9535	AS	15-SEP-86	MR	AS	11	
	SAE-AMS4085A-78	(ALCLAD 6061-76 SHEET, -T6S1 PLATE) - 15 JAN 77 [VALIDATION DATE: 8508]	A 9535	AS	20-FEB-79	MR	AS	11	
	SAE-AMS4089A-78	REVIEWER: IS	A 9535	AS	13-AUG-82	MR	AS	11	
	SAE-AMS4090A-78	SHEET AND PLATE, ALUMINUM ALLOY, 4.5CU - 0.85S1 - 0.80MM - 0.50MG (2014-	A 9535	AS	13-AUG-82	MR	AS	11	
	SAE-AMS4100-79	-T6 SHEET, T6S1 PLATE) - 16 JULY 1979	A 9535	AS	13-AUG-82	MR	AS	11	
	SAE-AMS4107A-77	ALUMINUM ALLOY, PLATE, 6.22M - 2.3CU - 2.2MG - 0.12ZR - (7050-T736S1) 15	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4108A-77	JUL 77 REVIEWER: IS	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4109A-81	ALUMINUM ALLOY, SHEET, CLAD TWO SIDES, 1.25 MM - 0.12 CU NO. 12-0 BRAZING	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4111B-84	SHEET) - 16 JULY 1979	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4125C-85	ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG - 0.60S1 -	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4126A-83	0.28CU - 0.20CR (6061 - T4) SOLUTION HEAT TREATED AND NATURALLY AGED USER:	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4127F-87	MG REVIEWER: 70 82 99 AV 15 MI	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4130J-85	ALUMINUM ALLOY TUBING, HYDRAULIC, SEAMLESS, DRAWN, ROUND 1.0MG-0	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4131B-86	.60S1-0.28CU-0.20CR (6061 - T6) SOLUTION AND PRECIPITATION HEAT TREATED	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4132C-85	REVIEWER: 70 82 99 AV 15 MI	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4133B-83	ALUMINUM ALLOY, SHEET, 5.72M-2.2MG-1.6CU-0.22CR (7475-T61) SOLUTION &	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4134C-84	PRECIPITATION HEAT TREATED - 1 OCT 85 REVIEWER: IS	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4140F-85	ALUMINUM ALLOY, SHEET, 5.72M - 2.2MG - 1.6CU - 0.22CR (7475-T61) - 16 OCT	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4141C-82	78 [VALIDATION DATE: 8508] REVIEWER: IS	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4143B-84	ALUMINUM ALLOY PLATE 5.72M-2.2MG-1.6CU-0.22CR - 16 OCT 78	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4144C-85	ALUMINUM ALLOY PLATE 5.72M-2.2MG-1.6CU-0.22CR - 16 OCT 78	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4146C-84	ALUMINUM ALLOY SHEET ALCLAD 5.72M-2.2MG-1.6CU-0.22CR - 16 JUL 79 REVIEWER:	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4147A-78	IS	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4148B-87	ALUMINUM ALLOY, DIE FORGINGS, 6.22M - 2.2MG - 2.3CU - 0.12ZR (7050-T736) -	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4149A-81	15 JAN 77 [VALIDATION DATE: 8509] REVIEWER: SM	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4157A-8C	ALUMINUM ALLOY, FORGINGS, HAND 6.22M - 2.3CU - 2.2MG - 0.12ZR	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4159-74	(7050-T736S2) - 15 JAN 77 [VALIDATION DATE: 8509] REVIEWER: SM	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4162A-77	ALUMINUM ALLOY HAND FORGINGS 5.62M-2.5MG -1.6 CU - 0.24 CR (7175-T736) - 4	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4163A-77	JAN 81	A 9535	AS	15-JAN-79	MR	AS	11	
	SAE-AMS4174-76	ALUMINUM ALLOY, FORGINGS, 7.72M-2.5MG-1.5CU-0.16CR (7049-T73) SOLUTION &	A 9535	AS	15-JAN-79	MR	AS	11	
		PRECIPITATION HEAT TREATED - 1 JUL 84	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY FORGINGS, 0.90 S1-0.62 MG-0.25 CR (6151-T6), SOLUT.ON AND	A 9535	AS	15-JAN-79	MR	AS	11	
		PRECIPITATION HEAT TREATED - 1 JUL 85	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY FORGINGS, 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T6) SOLUTION	A 9535	AS	15-JAN-79	MR	AS	11	
		AND PRECIPITATION HEAT TREATED - 1 JAN 83	A 9535	AS	15-JAN-79	MR	AS	11	
		FORGINGS, ALUMINUM ALLOY, 1.0 MG-0.60 S1-0.28 CU-0.20 CR (6061-T6)	A 9535	AS	15-JAN-79	MR	AS	11	
		SOLUTION AND PRECIPITATION HEAT TREATED - 1 JAN 87	A 9535	AS	15-JAN-79	MR	AS	11	
		FORGINGS, ALUMINUM ALLOY DIE, 4.4 CU-0.85 S1-0.80 MM (2025-T6), SOLUTION	A 9535	AS	15-JAN-79	MR	AS	11	
		AND PRECIPITATION HEAT TREATED - 1 JUL 85	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY FORGINGS 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T74), SOLUTION	A 9535	AS	15-JAN-79	MR	AS	11	
		AND PRECIPITATION HEAT TREATED - 1 APR 86	A 9535	AS	15-JAN-79	MR	AS	11	
		FORGINGS, ALUMINUM ALLOY, 2.3 CU-1.6 MG-1.1 FE-1.0 MI-0.18 S1 0.07T1	A 9535	AS	15-JAN-79	MR	AS	11	
		(2618-T61), SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 85	A 9535	AS	15-JAN-79	MR	AS	11	
		FORGINGS, ALUMINUM ALLOY, 4.5 CU-0.85 S1-0.80 MM-0.5 MG (2014-T6), SOLUTION	A 9535	AS	15-JAN-79	MR	AS	11	
		AND PRECIPITATION HEAT TREATED - 1 JAN 83	A 9535	AS	15-JAN-79	MR	AS	11	
		FORGINGS, ALUMINUM ALLOY DIE, 4.4 CU-0.85 S1-0.80 MM-0.50 MG (2014-T4),	A 9535	AS	15-JAN-79	MR	AS	11	
		SOLUTION HEAT TREATED - 1 JAN 84	A 9535	AS	15-JAN-79	MR	AS	11	
		FORGINGS, ALUMINUM ALLOY DIE 4.0 CU-2.0 MI-0.68 MG, SOLUTION AND	A 9535	AS	15-JAN-79	MR	AS	11	
		PRECIPITATION HEAT TREATED - 1 JUL 85	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY DIE FORGINGS, 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T73),	A 9535	AS	15-JAN-79	MR	AS	11	
		SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 82	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY FORGINGS, 6.3 CU-0.3 MM-0.18 ZR-0.1 V-0.06 TI (2219-T6),	A 9535	AS	15-JAN-79	MR	AS	11	
		SOLUTION AND PRECIPITATION - 1 JUL 84	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY AND FORGINGS AND RINGS 6.3 CU-0.3 MM-0.18 ZR 0.10 V-0.06	A 9535	AS	15-JAN-79	MR	AS	11	
		TI (2219-T8S1), SOLUTION HEAT TREATED, STRESS RELIEF COMPRESSED AND	A 9535	AS	15-JAN-79	MR	AS	11	
		PRECIPITATION HEAT TREATED - 1 JUL 85	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY FORGINGS 1.0 MG-0.60 S1-0.28 CU 0.20 CR (6061-T4), SOLUTION	A 9535	AS	15-JAN-79	MR	AS	11	
		HEAT TREATED AND NATURALLY AGED - 1 JUL 84	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY, FORGINGS, 5.62M - 2.5MG - 1.6CU - 0.23CR (7075-T73S2) - 15	A 9535	AS	15-JAN-79	MR	AS	11	
		APR 78 USER: SM	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY DIE FORGINGS 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7175-T66),	A 9535	AS	15-JAN-79	MR	AS	11	
		SOLUTION AND PRECIPITATION HEAT TREATED - 1 JAN 87	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY FORGINGS, 5.6 ZN- 2.5 MG - 1.6 CU - 0.23 CR (7175-T736)	A 9535	AS	15-JAN-79	MR	AS	11	
		SOLUTION & PRECIPITATION HEAT TREATED - 1 OCT 81 [VALIDATION DATE: 8509]	A 9535	AS	15-JAN-79	MR	AS	11	
		USER: SM	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY EXTRUSIONS, 7.72M - 2.4MG - 1.6CU - 0.16CR (7049-T73S11)	A 9535	AS	15-JAN-79	MR	AS	11	
		SOLUTION HEAT TREATED, STRESS RELIEVED, & PRECIPITATION HEAT TREATED - 1	A 9535	AS	15-JAN-79	MR	AS	11	
		JULY 1982 REVIEWER: IS	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY, EXTRUSIONS, 7.72M - 2.45MG - 1.55CU - 1.6CR (7049-T76S11)	A 9535	AS	15-JAN-79	MR	AS	11	
		- 15 DEC 74 [VALIDATION DATE: 8509] REVIEWER: IS	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY EXTRUSIONS, 6.3CU - 0.30MM - 0.18ZR - 0.10V - 0.06TI	A 9535	AS	15-JAN-79	MR	AS	11	
		(2219-T8S11), SOLUTION TREATED, STRESS RELIEF STRETCHED, PRECIPITATION	A 9535	AS	15-JAN-79	MR	AS	11	
		HEAT TREATED - 15 JAN 77 [VALIDATION DATE: 8508]	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY EXTRUSIONS, 6.3 CU - 0.30 MM-0.18 ZR-0.10V-0.06 TI	A 9535	AS	15-JAN-79	MR	AS	11	
		(2219-T3S11), SOLUTION HEAT TREATED & STRESS RELIEVED BY STRETCHING - 15	A 9535	AS	15-JAN-79	MR	AS	11	
		JAN 77 [VALIDATION DATE: 8508]	A 9535	AS	15-JAN-79	MR	AS	11	
		ALUMINUM ALLOY RINGS, FLASH WELDED, 5.6 ZN-2.5 MG-1.6 CU-0.26 CR,	A 9535	AS	15-JAN-79	MR	AS	11	
		(7075-T73) - 15 JAN 76 REVIEWER: IS	A 9535	AS	15-JAN-79	MR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt CPL / CML Classification Inactive Document Number	Document Title	Doc. Syst. FSC / Ase MCA Symbol Preparing Act Date	Custodians Army Navy Air Force DIA
SAE-AMS4179A-82	ALUMINUM ALLOY, FORGINGS HAND, 5.62M-2.5 MG-1.6 CU-0.24 CR (7175-T73652) - 1 JUL 82	A FORG AS 06-SEP-82	NR AS 10
SAE-AMS4182C-81	ALUMINUM ALLOY, WIRE, 5.0 MG - 0.12 MN - 0.12 CR (5056-0) ANNEALED - 16 JULY 1981	A 9525 AS 30-JUN-85	NI AS
SAE-AMS4186-74	ALUMINUM ALLOY, BARS & RODS, ROLLED, DRAWN OR COLD FINISHED 5.62M-2.5MG-1.6CU-0.26CR (7075-F) - 1 JUN 74 REVIEWER: IS	A 9530 AS 13-AUG-82	NR AS 11
SAE-AMS4188-79	ALUMINUM ALLOY WELDING, WIRE, - 15 OCT 79 REVIEWER: IS	A 9525 AS 13-AUG-82	NR AS 11
SAE-AMS4188/1-79	ALUMINUM ALLOY, WELDING, WIRE, 4.5 CU-0.70MG-0.30MN-0.25MG-0.25TI (A201.0) - 15 OCT 79 REVIEWER: IP	A 3439 AS 28-SEP-83	NR AS 11
SAE-AMS4188/2-79	ALUMINUM ALLOY, WELDING, WIRE, 4.6 CU-0.35MN-0.25MG-0.22TI (A206.0) - 15 OCT 79 REVIEWER: IP	A 3439 AS 28-SEP-83	NR AS 11
SAE-AMS4188/3-79	ALUMINUM ALLOY, WELDING, WIRE, 5.0SI-1.2CU-0.50MG (C355.0) - 15 OCT 79 REVIEWER: IP	A 3439 AS 28-SEP-83	NR AS 11
SAE-AMS4188/4-79	ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.30 MG (A356.0) - 15 OCT 79 REVIEWER: IP	A 3439 AS 28-SEP-83	NR AS 11
SAE-AMS4188/5-79	ALUMINUM ALLOY, WELDING, WIRE, 7.0SI-0.52MG (357.0) - 15 OCT 79 REVIEWER: IP	A 3439 AS 28-SEP-83	NR AS 11
SAE-AMS4190C-78	ALUMINUM ALLOY, WELDING, WIRE, 5.2SI (4043) - 15 JUL 78	A 3439 AS 08-NOV-82	NR AS 11
SAE-AMS4200-78	ALUMINUM ALLOY, PLATE, 7.72M-2.4MG-1.6CU-0.16CR (7049-T7351) - 15 JAN 78 REVIEWER: IS	A 9535 AS 13-AUG-82	NR AS 11
SAE-AMS4201-80	ALUMINUM ALLOY, PLATE, 6.22M - 2.3CU - 2.2MG - 0.122R (7050-T7651) - 15 JAN 80 REVIEWER: IS	A 9535 AS 06-SEP-82	NR AS 11
SAE-AMS4202A-81	ALUMINUM ALLOY, PLATE, 5.72M - 2.2MG - 1.6CU - 0.22CR (7475-T7351) - 1 JUL 81 REVIEWER: IS	A 9535 AS 06-SEP-82	NR AS 11
SAE-AMS4203-82	ALUMINUM ALLOY PLATE 6.22M-1.8CU-2.4MG-0.132R (7010-T7351) SOLUTION HEAT TREATED, STRESS RELIEVED & PRECIPITATION HEAT TREATED - 1 JUL 82	A 9535 AS 01-JUN-83	NR AS 11
SAE-AMS4204-82	ALUMINUM ALLOY PLATE 6.22M-1.8CU-2.4MG-0.132R (7010-T7651) REVIEWER: IS	A 9535 AS 01-JUN-83	NR AS 11
SAE-AMS4205-82	ALUMINUM ALLOY PLATE 6.22M-1.8CU-2.4MG-0.132R (7010-T73651) SOLUTION HEAT TREATED, STRESS RELIEVED & HEAT TREATED - 1 JUL 82 USER: IS	A 9535 AS 01-JUN-83	NR AS 11
SAE-AMS4207-82	ALUMINUM ALLOY SHEET, ALCLAD 5.72M-2.2MG-1.6CU-0.22CR (7457-T61) SOLUTION & PRECIPITATION HEAT TREATED - 1 JUL 82 REVIEWER: IS	A 9535 AS 01-JUN-83	NR AS 11
SAE-AMS4229B-82	ALUMINUM ALLOY, CASTING, HIGH STRENGTH 4.5CU-0.70MG-0.30MN-0.25MG-0.25TI (A201.0-T7) SOLUTION HEAT TREATED & OVERAGED - 1 JUL 82	A MECA AS 30-DEC-82	NR AS 11
SAE-AMS4233-86	WIRE, WELDING, ALUMINUM ALLOY, 4.5CU-0.70MG-0.30MN-0.25MG-0.25TI FOR WELDING 201 TYPE ALLOYS - 1 OCT 86 REVIEWER: IP	A 3439 AS 29-APR-88	NR AS 11
SAE-AMS4235-80	ALUMINUM ALLOY, CASTING, PREMIUM GRADE 4.6CU-0.35MN-0.25MG-0.22TI (A206.0-T71) SOLUTION & PRECIPITATION HEAT TREATED - 15 APR 80	A MECA AS 06-OCT-82	NR AS 11
SAE-AMS4236-80	ALUMINUM ALLOY, CASTING, PREMIUM GRADE, 4.6CU - 0.35MN - 0.25MG - 0.22TI (A206.0-T4) SOLUTION HEAT TREATED & NATURALLY AGED - 15 JUL 80	A MECA AS 03-SEP-82	NR AS 11
SAE-AMS4244-87	WELDING WIRE ALUMINUM ALLOY 4.6CU-0.35MN-0.25MG-0.22TI FOR WELDING 206 TYPE ALLOYS - 1 JAN 1987 REVIEWER: IP	A 3439 AS 29-APR-88	NR AS 11
SAE-AMS4245-86	WIRE, WELDING ALUMINUM ALLOY, 5.0SI-1.2CU-0.50MG FOR WELDING 355 TYPE ALLOYS - 1 OCTOBER 1986 REVIEWER: IP	A 3439 AS 29-APR-88	NR AS 11
SAE-AMS4246-86	WIRE, WELDING, ALUMINUM ALLOY 7.0SI-0.52MG-1.0CT 86 REVIEWER: IP	A 3439 AS 29-APR-88	NR AS 11
SAE-AMS4247-87	ALUMINUM ALLOY HAND FORGINGS 7.7 ZN-2.4 MG-1.6 CU-0.16 CR (7049-T7352), SOLUTION HEAT TREATED, STRESS RELIEVED BY COMPRESSION, AND PRECIPITATION HEAT TREATED - 1 JAN 87	A FORG AS 25-APR-88	NR AS 11
SAE-AMS4248-87	RINGS, AND FORGINGS, HAND, ALUMINUM ALLOY, 1.0 MG-0.60 SI-0.28 CU-0.20 CR (6061-T652), SOLUTION HEAT TREATED, STRESS RELIEF COMPRESSION, AND PRECIPITATION HEAT TREATED - 1 JAN 87	A FORG AS 25-APR-88	NR AS 11
SAE-AMS4261C-84	ALUMINUM ALLOY, CASTING, INVESTMENT 7.0 SI - 0.32 MG (356.0-T51)	A MECA AS 02-APR-85	NR AS 11
SAE-AMS4300A-85	PRECIPITATION HEAT TREATED - 1 JAN 1984	A CHPS AS 04-MAR-88	NR AS 11
SAE-AMS4301A-85	ALUMINUM BORON COMPOSITE SHEET 50 V/O 5.68, 6061-0 FOR DIFFUSION BONDING - 1 APR 85 REVIEWER: GS	A CHPS AS 04-MAR-88	NR AS 11
SAE-AMS4301A-85	BORON-ALUMINUM COMPOSITE SHEET 50 V/O 5.68, 2024-0 FOR DIFFUSION BONDING 1 1 APR 1985	A CHPS AS 04-MAR-88	NR AS 11
SAE-AMS4310A-83	ALUMINUM ALLOY RINGS, ROLLED OR FORGED 5.6 ZN-2.5 MG-1.6 CU-0.23 CR (7075-T651, 7075-T652), SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED AND PRECIPITATION HEAT TREATED - 1 JAN 83	A FORG AS 25-APR-88	NR AS 11
SAE-AMS4311-76	ALUMINUM ALLOY RINGS, ROLLED OR FORGED 5.6 ZN-2.5 MG-1.6 CU-0.26 CR, MECHANICALLY STRESS RELIEVED - 1 JUL 76	A 5365 AS 13-AUG-82	NR AS 11
SAE-AMS4312-77	RINGS, ALUMINUM ALLOY, ROLLED OR FORGED 1.0 MG-0.6 SI-0.28 CU-0.20 CR (6061-T651, 6061-T652), MECHANICALLY STRESS RELIEVED - 15 JAN 77	A FORG AS 25-APR-88	NR AS 11
SAE-AMS4313-77	RINGS, ALUMINUM ALLOY, ROLLED OR FORGED 6.3 CU-0.30 MN-0.18 ZR-0.10V-0.60 TI (2219-T351, 2219-T352) - 15 JAN 77	A FORG AS 25-APR-88	NR AS 11
SAE-AMS4314B-87	RINGS, ALUMINUM ALLOY, ROLLED OR FORGED 4.5 CU-0.85 SI-0.80 MN 0.50MG (2014-T651, 2014-T652), SOLUTION HEAT TREATED, MECHANICALLY STRESS RELIEVED AND PRECIPITATION HEAT TREATED 1 JAN 87	A FORG AS 25-APR-88	NR AS 11
SAE-AMS4320-81	ALUMINUM ALLOY, FORGING, 7.72M-2.5MG-1.5CU-0.16CR (7149-T73 SOLUTION & PRECIPITATION HEAT TREATED - 1 JUL 81)	A FORG AS 06-SEP-82	NR AS 11
SAE-AMS4321-87	FORGINGS, ALUMINUM ALLOY 7.7 ZN-2.5 MG-1.5 CU-0.16 CR (7049-01), HIGH TEMPERATURE ANNEALED 1 JAN 87	A FORG AS 25-APR-88	NR AS 11
SAE-AMS4340A-80	ALUMINUM ALLOY, EXTRUSIONS 6.2 ZN-2.3 CU-2.2 MG-0.122R (7050-T7651) - 15 JUL 80 REVIEWER: IS	A 9525 AS 13-AUG-82	NR AS 11
SAE-AMS4341-78	ALUMINUM ALLOY, EXTRUSIONS 6.22M - 2.3CU - 2.2MG - 0.122R (7050-T7351) - 15 APR 78 (VALIDATION DATE: 8508) REVIEWER: IS	A 9525 AS 15-JAN-79	NR AS 11
SAE-AMS4342-78	ALUMINUM ALLOY, EXTRUSIONS 6.22M - 2.3CU - 2.2MG - 0.122R (7050-T73651) - 15 APR 78 (VALIDATION DATE: 8508) REVIEWER: IS	A 9525 AS 15-JAN-79	NR AS 11
SAE-AMS4343-80	ALUMINUM ALLOY, EXTRUSIONS 7.7 ZN-2.4 MG-1.6 CU-0.16CR (7149-T7351) - 15 JAN 80 REVIEWER: IS	A 9525 AS 13-AUG-82	NR AS 11
SAE-AMS4363C-78	MAGNESIUM ALLOY, FORGINGS, 2.0TH - 0.70MN (M21A-T5) - 15 JAN 78 (VALIDATION DATE: 8508) REVIEWER: SH	A FORG AS 06-NOV-78	NR AS 11
SAE-AMS4375G-78	MAGNESIUM ALLOY, SHEET & PLATE, 3.0AI - 1.02N (AZ31B-0) - 15 JUL 78 REVIEWER: IS	A 9535 AS 16-MAY-83	AS 11
SAE-AMS4376D-78	MAGNESIUM ALLOY PLATE 3.0AI - 1.02N (AZ31B-H26) - 15 JUL 78 REVIEWER: IS	A 9535 AS 16-MAY-83	AS 11
SAE-AMS4377E-78	MAGNESIUM ALLOY, SHEET & PLATE, 3.0AI-1.02N (AZ31B-H24) - 15 JUL 78 REVIEWER: IS	A 9535 AS 16-MAY-83	AS 11
SAE-AMS4386A-68	MAGNESIUM ALLOY, SHEET & PLATE, 14L1 - 1.25AI (LA 141A - T7) - 1 MAY 68 (VALIDATION DATE: 8104)	A 9535 AS 29-JAN-71	NR AS 11
SAE-AMS4388C-83	MAGNESIUM ALLOY, EXTRUSIONS 3.0TH-1.5MM (HM31A-F), AS EXTRUDED, - 1 JUL 83	A 9540 AS 05-MAR-85	NR AS 11
SAE-AMS4389E	MAGNESIUM ALLOY EXTRUSIONS 3.0TH - 1.5MM (HM31A-T5) PRECIPITATION HEAT TREATED - 1 APR 85 REVIEWER: IP	A 9530 AS 05-MAR-92	AS 11
SAE-AMS4395D-86	NOTICE 1 MAGNESIUM ALLOY, WELDING, WIRE, 9.0AI-2.0 ZN (AZ92A) - 1 OCT 86 REVIEWER: IP	A 3439 AS 29-APR-88	NR AS 11
SAE-AMS4625F-89	TUBING, AND RODS, PHOSPHOR BRONZE BARS - OCT 89 USER: ME OS REVIEWER: 82	A 4710 AS 10-APR-90	NR 11
SAE-AMS4651A-78	COPPER BERYLLIUM ALLOY, BARS & RODS, 98 CU-1.9 BE (CDA 172) HARD TEMPER - 15 APR 78 (VALIDATION DATE: 8508) REVIEWER: IS	A 9530 AS 06-NOV-78	NR AS 11
SAE-AMS4740A-85	COPPER POWDER, 99.0 MIN CU AS FABRICATED - 1 APR 85 REVIEWER: IP	A 3439 AS 29-APR-88	NR AS 11
SAE-AMS4750C-88	SOLDER, TIN-LEAD, 45SN-55PB - 1 OCT 88 USER: ME REVIEWER: 70 71 79 82 84	A 3439 AS 28-SEP-90	NR AS 11
SAE-AMS4755A-52	AV EN MC MI SM		
SAE-AMS4756-53	SOLDER, LEAD-SILVER, 94PB - 5.SAG - 15 JUN 52 REVIEWER: IP	A 3439 AS 25-APR-86	NR AS 11
	SOLDER, 97.5 PB-1.5 AG - 1 SN - 1 DEC 53 REVIEWER: IP	A 3439 AS 25-APR-86	AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action / Chg. Coordination Institute Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
					Army	Navy	AF Force	DLA
SAE-AMS4764B-84	BRAZING FILLER, METAL, COPPER 52.5CU-38MN-9.5NI 1616 DEG-1700 DEG F (880 DEG-925 DEG C) SOLIDUS RANGE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4765B-84	BRAZING FILLER, METAL, SILVER 56AG-42CU-2.0NI 1420 DEG-1640 DEG F (770 DEG - 895 DEG C) SOLIDUS-LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4766D-84	BRAZING FILLER, METAL, SILVER 85 AG-15MN 1760 DEGREE-970 DEGREE C) SOLIDUS-LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4767C-84	BRAZING FILLER, METAL, SILVER 92.5AG-7.2CU-0.22LI 1435 DEG.-1635 DEG.F (780 DEG-890 DEG C) SOLIDUS-LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4770G-84	BRAZING FILLER, METAL, SILVER 50 AG-18CD-16.5 ZN 15.5 CU 1160 DEG. F - 1175 DEG. F (625 DEG. C - 635 DEG. C) SOLIDUS LIQUIDUS RANGE - 15 JUL 78 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4772D-74	BRAZING FILLER, METAL, SILVER 54AG - 40CU - 5.0ZN - 1.0NI 1325 - 1575 F MELT. RANGE - 1 JUN 74 (VALIDATION DATE: 8104) REVIEWER: GS	A 3439	AS	15-JUL-75	MR	AS	11	
SAE-AMS4773A-66	BRAZING ALLOY, SILVER, 60AG - 30CU - 10SN - 15 MAX 66 (VALIDATION DATE: 8104) REVIEWER: GS MI	A 3439	AS	29-JAN-71	MR	AS	11	
SAE-AMS4774A-66	BRAZING ALLOY, SILVER, 63AG - 28.5CU - 6.0SN - 2.5NI - 15 MAR 66 (VALIDATION DATE: 8104) REVIEWER: GS	A 3439	AS	29-JAN-71	MR	AS	11	
SAE-AMS4775C-81	BRAZING FILLER, METAL, NICKEL 73 NI-4.5 SI-14CR-3.1B-4.5 FE 1790 DEG. F - 1970 DEG. F (975 DEG. C - 1075 DEG C) SOLIDUS LIQUIDUS RANGE REVIEWER: IP	A 3439	AS	08-NOV-82	MR	AS	11	
SAE-AMS4776C-88	BRAZING FILLER METAL, NICKEL, 73NI-4.5SI-14CR-3.1B-4.5FE (LOW CARBON) 1790 DEG F SOLIDUS-LIQUIDUS RANGE - 1 JUL 88 USER: ME REVIEWER: 70 71 79 82 84 AV EA MC MI SH	A 3439	AS	28-SEP-90	MR	AS	11	
SAE-AMS4777C-88	BRAZING FILLER METAL, NICKEL, 82NI-4.5SI-7.0CR-3.1B-3.0FE 1780 DEG - 1830 DEG F SOLIDUS-LIQUIDUS RANGE - 1 JUL 88 USER: ME REVIEWER: 70 71 79 82 84 AV EA MC MI SH	A 3439	AS	28-SEP-90	MR	AS	11	
SAE-AMS4778D-89	BRAZING FILLER METAL, NICKEL, 92NI-4.5SI-3.1B 1800 DEG - 1900 DEG F SOLIDUS-LIQUIDUS RANGE - 1 JUL 89 USER: ME REVIEWER: 70 71 79 82 84 AV EA MC MI SH	A 3439	AS	28-SEP-90	MR	AS	11	
SAE-AMS4780B-85	BRAZING FILLER METAL, MANGANESE 66MN-16NI-16CO-0.80B 1770 DEG. -1875 DEG. F (965 DEG. - 1025 DEG. C) SOLIDUS-LIQUIDUS RANGE - 1 APR 85 REVIEWER: GS	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4782B-85	BRAZING FILLER, METAL, NICKEL, 71NI-10SI-19CR, 1975 DEG.-2075 DEG.F (1080 DEG.-1135 DEG.C) SOLIDUS-LIQUIDUS RANGE - 1 OCT 1985 REVIEWER: IP	A 3439	AS	16-MAY-86	MR	AS	11	
SAE-AMS4783B-85	BRAZING FILLER, METAL, HIGH TEMPERATURE 50CO - 8.0SI - 19CR - 17NI - 4.0W - 0.80B 2050 DEG. - 2100 DEG.F (1120 DEG. - 1150 DEG.C) SOLIDUS-LIQUIDUS RANGE - 1 JULY 1985 REVIEWER: IP	A 3439	AS	26-OCT-85	MR	AS	11	
SAE-AMS4784B-84	BRAZING FILLER, METAL, HIGH TEMPERATURE 50 AL-25 PD - 25 NI 2015 DEG. 2050 DEG. F (1100 DEG. 1120 DEG. C) SOLIDUS LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4785B-84	BRAZING FILLER, METAL, HIGH TEMPERATURE 30 AL - 34PD - 36 NI 2070 DEG 2130 DEG F (1135 DEG. 1165 DEG. C) SOLIDUS LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4786B-84	BRAZIN FILLER, METAL, HIGH TEMPERATURE 70AL-8.0PD-22NI 1845 DEG. F - 1915 DEG. F (1005 DEG. C - 1045 DEG. C) SOLIDUS LIQUIDUS RANGE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4787B-84	BRAZING FILLER, METAL, HIGH TEMPERATURE 82 AL-18NI 1740 DEG. F, (950 DEG. C) SOLIDUS-LIQUIDUS TEMPERATURE - 1 JAN 84 REVIEWER: IP	A 3439	AS	29-APR-88	MR	AS	11	
SAE-AMS4890A-60	COPPER BERYLLIUM ALLOY, CASTINGS, INVESTMENTS 2BE - 0.4CO - 0.32SI - 30 JUN 60 (VALIDATION DATE: 8104) REVIEWER: MI	A MECA	AS	29-JAN-71	MR	AS	11	
SAE-AMS4921F-85	TITANIUM, BARS, FORGINGS, AND RINGS, ANNEALED, 70,000 PSI (485MPA) YIELD STRENGTH - 1 JULY 1985	A 9530	AS	30-DEC-85	MR	AS	11	
SAE-AMS4928K-84	TITANIUM ALLOY, BARS, FORGINGS, & RINGS 6AL-4V ANNEALED, 120,000 PSI (825 MPA) YIELD STRENGTH - 1 OCT 84	A 9530	AS	30-JUN-85	MR	AS	11	
SAE-AMS4935C-75	EXTRUSIONS AND FLASH WELDED RINGS 6AL - 4V ANNEALED - 15 JUN 75 (VALIDATION DATE: 8104)	A 9540	AS	12-SEP-75	MR	AS	11	
SAE-AMS4941B-56	TUBING TITANIUM, WELDED, ANNEALED, 40,000 PSI (276 MPA) YIELD STRENGTH - 1 JUL 56 REVIEWER: ME	A 4710	B2	01-OCT-82			99	
SAE-AMS4942C-84	TITANIUM, TUBING, SEAMLESS, ANNEALED, 40,000PSI (275 MPA) YIELD STRENGTH - 1 APR 1984	A 4710	AS	30-DEC-85	MR	AS	11	
SAE-AMS4944C-85	TITANIUM ALLOY, TUBING, SEAMLESS, HYDRAULIC 3.0AL-2.5V COLD WORKED, STRESS RELIEVED - 1 JAN 85	A 4710	AS	02-OCT-85	MR	AS	11	
SAE-AMS4951E-84	TITANIUM, WELDING, WIRE, COMMERCIAL PURE - 1 OCT 84 REVIEWER: IP	A 3439	AS	02-OCT-85	MR	AS	11	
SAE-AMS4956C-90	TITANIUM ALLOY WELDING WIRE 6AL - 4V, EXTRA LOW INTERSTITIAL ENVIRONMENT CONTROLLED PACKAGING - 1 APR 90 REVIEWER: 84 GS	A 3439	IP	10-JUL-91	AL	SH	99	
SAE-AMS4965E-85	TITANIUM ALLOY, BARS, FORGINGS, & RINGS, 6.0 AL-4.0 V, SOLUTION & PRECIPITATION HEAT TREATED - 1 APR 85	A 9530	AS	30-DEC-85	MR	AS	11	
SAE-AMS4976C-85	TITANIUM ALLOY, FORGINGS, 6.0AL - 2.0SN - 4.0ZR - 2.0MO SOLUTION AND PRECIPITATION HEAT TREATED - 1 JULY 1985 REVIEWER: OS	A FORG	AS	26-OCT-85	MR	AS	11	
SAE-AMS4982A-86	TITANIUM ALLOY WIRE, 44.5CB - 1 JAN 1986	A 9530	AS	25-JUN-87	MR	AS	11	
SAE-AMS5027A-78	STEEL WIRE, WELDING 1.05CR - 0.55NI - 1.0MO - 0.70V (0.26 - 0.32C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING - 15 APR 78	A 3439	11	27-FEB-81	MR	AS	11	
SAE-AMS5028B-87	WIRE, STEEL WELDING 1.05CR - 0.55NI - 1.0 MO - 0.07V (0.34 - 0.40C)VACUUM MELTED, ENVIRONMENT-CONTROLLED PACKAGING - 1 OCT 87	A 3439	11	17-MAR-89	MR	AS	11	
SAE-AMS5050J-89	TUBING, STEEL, SEAMLESS 0.15 CARBON MAXIMUM ANNEALED - 1 JUL 89	A 4710	11	15-AUG-90	MR	AS	11	
SAE-AMS5075E-88	TUBING, STEEL SEAMLESS 0.22 - 0.28C (SAE 1025) COLD DRAWN & STRESS RELIEVED - 1 OCT 88	A 4710	11	17-MAR-89	MR	AS	11	
SAE-AMS5077E-89	TUBING, STEEL, WELDED (0.22 - 0.28C (SAE 1025) NORMALIZED OF STRESS RELIEVED 1 JUL 89	A 4710	11	15-AUG-90	MR	AS	11	
SAE-AMS5115G-90	WIRE, CARBON STEEL 0.60 - 0.75 HARDEN AND TEMPERED - 1 JAN 90	A 9505	11	15-AUG-90	MR	AS	11	
SAE-AMS5121G-90	SHEET AND STRIP, STEEL (0.90 - 1.04C) (SAE 1095)	A 9515	11	20-DEC-91	MR	AS	11	
SAE-AMS5122G-90	STEEL STRIP (0.90 - 1.04C) (SAE 1095) HARD TEMPER	A 9515	11	20-DEC-91	MR	AS	11	
SAE-AMS5132F-81	STEEL BARS 0.90 - 1.30C - 1 OCT 81 (VALIDATION DATE: 8304)	A 9510	11	01-OCT-82	MR	AS	11	
SAE-AMS5221D-90	ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55AL SOLUTION HEAT TREATED ...	A 9515	11	20-DEC-91	MR	AS	11	
SAE-AMS5223D-88	ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55AL SOLUTION HEAT TREATED, COLD ROLLED, 10 PER CENT REDUCTION - 1 OCT 88	A 9510	11	17-MAR-89	MR	AS	11	
SAE-AMS5225D-88	ALLOY STRIP 49FE - 5.3CR - 42NI - 2.5TI - 0.55AL SOLUTION HEATED TO 0/0 REDUCTION - 1 OCT 88	A 9515	11	17-MAR-89	MR	AS	11	
SAE-AMS5328C-87	CASTINGS, STEEL, INVESTMENT, 0.80CR - 1.8NI - 0.35MO (0.28 - 0.36C) (SAE 4300 MODIFIED) ANNEALED - 1 OCTOBER 1987	A MECA	11	01-OCT-87	MR	AS	11	
SAE-AMS5329D-87	CASTINGS, SAND, 0.80CR-1.8NI - 0.35MO (0.28 - 0.36C) (SAE 4330 MODIFIED) ANNEALED - 1 OCTOBER 1987	A MECA	11	17-MAR-89	MR	AS	11	
SAE-AMS5330C-87	STEEL, CASTINGS, INVESTMENT, 0.80 CR - 1.8NI - 0.35MO (0.38 - 0.46C) (SAE 4340 MODIFIED) ANNEALED - 1 OCT 87	A MECA	11	17-MAR-89	MR	AS	11	
SAE-AMS5331E-87	CASTINGS, STEEL, SAND, 0.28 CR - 1.8NI - 0.35MO (0.38 - 0.46C) (SAE 4340) NORMALIZED AND TEMPERED - 1 OCTOBER 1987	A MECA	11	01-OCT-87	MR	AS	11	
SAE-AMS5334D-85	STEEL CASTINGS, INVESTMENT 0.50CR - 0.55NI - 0.20MO (0.25 - 0.35C) NORMALIZED & TEMPERED - 1 JAN 1985 (VALIDATION DATE: 9108)	A MECA	11	16-AUG-91	MR	AS	11	
SAE-AMS5335C-76	STEEL CASTINGS, SAND 0.65CR - 0.75NI - 0.20MO (0.25 - 0.33C) (SAE 8630 MODIFIED) - 1 JUL 76	A MECA	11	27-FEB-81	MR	AS	11	
SAE-AMS5336C-82	STEEL CASTINGS, INVESTMENT 0.95CR - 0.20MO (0.25 - 0.35C) NORMALIZED - 1 APR 82	A MECA	11	01-OCT-82	MR	AS	11	
SAE-AMS5338C-82	CASTING, STEEL, INVESTMENT 0.95CR - 0.20MO (0.35 - 0.45C) NORMALIZED - 1 OCT 82 (VALIDATION DATE: 8B11)	A MECA	11	04-NOV-88	MR	AS	11	
SAE-AMS5339C-82	STEEL CASTINGS, SAND 0.80CR - 1.8NI - 0.35MO (0.28 - 0.36C) ANNEAL 1 OCT 82	A MECA	11	01-SEP-83	MR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopted OR / ON Coordination Inclusive Document Number	Document Title	Dist. Smt. FSC / Ams MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DA
SAE-AMS5340B-82 NOTICE 1	CASTING, STEEL, INVESTMENT CORROSION RESISTANT 14 CR - 4.25NI - 2.25NI - 2.25MO - 0.25(CB&TA) 3.25CU SOLUTION HEAT TREATED - 1 OCT 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5342C-89	STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 16CR - 4.1NI - 0.28 (CB&TA) - 3.2CU HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED 130,000 PSI (896 MPa) TENSILE STRENGTH - 1 OCT 89	A 3439 11 15-AUG-90	MR	AS	11	
SAE-AMS5343C-89	STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 16CR - 4.0NI - 0.28 (CB&TA) - 3.1CU HOMOGENIZATION, SOLUTION, AND PRECIPITATION HEAT TREATED 150,000 PSI (1035 MPa) TENSILE STRENGTH - 1 OCT 1989	A MECA 11 01-OCT-90	MR	AS	11	
SAE-AMS5344C-89	STEEL CASTINGS, INVESTMENT, CORROSION RESISTANT 16CR - 4.1NI - 0.28 (CB&TA) - 3.2CU SOLUTION & PRECIPITATION HEAT TREATED 180,000 PSI (1240 MPa) TENSILE STRENGTH - 1 OCT 89	A MECA 11 15-AUG-90	MR	AS	11	
SAE-AMS5347-78	CASTINGS, STEEL, INVESTMENT, CORROSION RESISTANT, 15CR - 4.6NI - 0.22 (CB & TA) - 2.8CU SOLUTION AND PRECIPITATION HEAT TREATED 150,000 PSI (1034 MPa) TENSILE STRENGTH 16 OCT 78	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5349A-77	CASTINGS, STEEL INVESTMENT CORROSION RESISTANT 13CR - 0.25S - 15 JAN 77 (INVALIDATION DATE: 8305)	A MECA 11 08-JUL-77	MR	AS	11	
SAE-AMS5350G-87	CASTINGS, STEEL INVESTMENT, CORROSION AND MODERATE HEAT RESISTANT, 12.5CR (SAE 51410) HARDENED AND TEMPERED - 1 JUL 87	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5351D-81	CASTINGS, STEEL, SAND, CORROSION & MODERATE HEAT RESISTANT, 13CR - 1 APR 81	A MECA 11 30-OCT-81	MR	AS	11	
SAE-AMS5352C-82 NOTICE 1	CASTING, STEEL, INVESTMENT CORROSION RESISTANT 17CR - 0.55MO (0.95 - 1.20C) ANNEALED - 1 OCT 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5354D-82 NOTICE 1	CASTING, STEEL, INVESTMENT CORROSION & MODERATE HEAT RESISTANT 13CR - 2.0NI - 3.0W HARDENED & TEMPERED - 1 OCT 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5355D-85	CASTINGS, INVESTMENT, CORROSION RESISTANT, 16 CR - 4.1NI - 0.28 (CB & T9) - 3.2 CU, SOLUTION HEAT TREATED - 1 JUL 85	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5359B-81	STEEL CASTINGS, SAND, CORROSION & HEAT RESISTANT 15CR - 4.0NI - 2.3MO - 0.08M, SOLUTION HEAT TREATED - 1 OCT 81	A MECA 11 01-OCT-82	MR	AS	11	
SAE-AMS5360D-82 NOTICE 1	CASTINGS, STEEL INVESTMENT, CORROSION & HEAT RESISTANT 17CR - 13NI - 1.9MO SOLUTION HEAT TREATED - 1 OCT 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5362G-85 NOTICE 1	STEEL CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 19CR - 12NI - 1.0 (CB&TA) SOLUTION HEAT TREATED - 1 JUL 85 (INVALIDATION DATE: 9108)	A MECA 11 16-AUG-91	MR	AS	11	
SAE-AMS5363D-87	STEEL CASTINGS, SAND AND CENTRIFUGAL, CORROSION AND HEAT RESISTANT 18.5CR - 10.5NI - 0.90(CB&TA) SOLUTION HEAT TREATED - 1 JUL 87	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5365C-82 NOTICE 1	CASTINGS, STEEL, SAND, CORROSION & HEAT RESISTANT 24.5CR - 20.5NI, SOLUTION HEAT TREATED (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5366C-82 NOTICE 1	CASTINGS, STEEL INVESTMENT, CORROSION & HEAT RESISTANT 25CR - 20NI (CX20) AS CAST - 1 OCT 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5368B-82	CASTINGS, STEEL INVESTMENT, CORROSION RESISTANT 15CR - 4.0NI - 2.3MO - 0.09M SOLUTION HEAT TREATED - 1 OCT 82 (INVALIDATION DATE: 8405)	A MECA 11 01-SEP-83	MR	AS	11	
SAE-AMS5370A-77	CASTINGS, STEEL INVESTMENT, CORROSION AND HEAT RESISTANT 19CR - 9.5NI - 15 JAN 77 (INVALIDATION DATE: 8305)	A MECA 11 08-JUL-77	MR	AS	11	
SAE-AMS5375D-82	CASTINGS, ALLOY INVESTMENT, CORROSION AND HEAT RESISTANT 65.5CO - 25CR - 1.8NI - 5.0W AS CAST - 1 OCT 82	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5380E-86	ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 50.5CO - 26CR - 1.5NI - 6.0MO AS CAST 1 JAN 1986	A MECA 11 01-AUG-86	MR	AS	11	
SAE-AMS5382G-82 NOTICE 1	ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 54CO - 25.5CR - 10.5NI - 7.5W - 1 JAN 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5383C-88	CASTINGS, ALLOY, INVESTMENT, CORROSION AND HEAT RESISTANT, 52.5NI - 19CR - 3.0MO - 5.1 (CB & TA) - 0.91TI - 6.0AI - 18 FE VACUUM MELTED HOMOGENIZATION AND SOLUTION HEAT TREATED - 1 JUL 88	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5384C-85	ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 53NI - 18CR - 18CO - 4.0MO - 2.9TI - 2.9AI - 0.068 VACUUM-MELTED, VACUUM-CAST, SOLUTION & PRECIPITATION HEAT TREATED - 1 APR 1985	A MECA 11 01-AUG-86	MR	AS	11	
SAE-AMS5385F-86 NOTICE 1	ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT 62CO - 27CR - 2.8NI - 5.5MO AS CAST 1 JAN 1986 (INVALIDATION DATE: 9108)	A MECA 11 16-AUG-91	MR	AS	11	
SAE-AMS5387B-87	CASTINGS, ALLOY, INVESTMENT, CORROSION AND HEAT RESISTANT 60 CO - 29CR - 4.5W AS CAST - 1 OCT 87	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5388E-95 NOTICE 1	ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 53.5NI - 53.5NI - 16.5CR - 17MO - 4.5W - 5.8FE - 0.40V AS CAST - 1 JULY 1985 (INVALIDATION DATE: 9108)	A MECA 11 16-AUG-91	MR	AS	11	
SAE-AMS5390B-78	CASTING, ALLOY, INVESTMENT, CORROSION AND HEAT RESISTANT 47.5NI - 33 CR - 1.5CO - 9MO - 0.60W - 18.5FE - 16 OCT 1978	A MECA 11 31-MAR-80	MR	AS	11	
SAE-AMS5391B-76	CASTING, ALLOY INVESTMENT, 73NI 13CR 4.5MO 0.75TI 6AI 2.3(CB PLUS TA) 0.10ZR 0.0108 VACUUM MELTED - 15 JAN 76 (INVALIDATION DATE: 8305)	A MECA 11 25-MAR-77	MR	AS	11	
SAE-AMS5395A-77	CASTINGS, ALLOY FROM DUCTILE, SAND CORROSION RESISTANT 22NI (2.5 - 3.0C) - 15 JAN 77 (INVALIDATION DATE: 8305)	A MECA 11 08-JUL-77	MR	AS	11	
SAE-AMS5396A-77	CASTINGS, ALLOY INVESTMENT CORROSION AND HEAT RESISTANT 61.5NI - 28MO - 5.5FE - 0.40V - 15 JAN 77 (INVALIDATION DATE: 8305)	A MECA 11 08-JUL-77	MR	AS	11	
SAE-AMS5397B-85	ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 50NI - 9.5CR - 15CO - 3.0MO - 4.8TI - 5.5AI - 0.015B - 0.95V - 0.06ZR VACUUM-MELTED, VACUUM CAST AS CAST - 1 APR 1985	A MECA 11 01-AUG-86	MR	AS	11	
SAE-AMS5398D-89	STEEL CASTINGS, SAND & CENTRIFUGAL, CORROSION RESISTANT 16CR - 4.1NI - 0.22 (CB&TA) - 2.8CU SOLUTION HEAT TREATED - 1 OCT 1989	A MECA 11 15-AUG-90	MR	AS	11	
SAE-AMS5399A-77	CASTINGS, ALLOY INVESTMENT CORROSION AND HEAT RESISTANT 52NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AI - 0.068 VACUUM MELTED VACUUM CAST, SOLUTION TREATED - 15 JAN 77 (INVALIDATION DATE: 8305)	A MECA 11 08-JUL-77	MR	AS	11	
SAE-AMS5401-88	ALLOY CASTINGS, INVESTMENT, CORROSION AND HEAT RESISTANT - 1 JAN 88	A MECA 11 17-MAR-89	MR	AS	11	
SAE-AMS5404-83 NOTICE 1	ALLOY CASTINGS, INVESTMENT, CORROSION & HEAT RESISTANT 59NI - 12.6CR - 9.0CO - 1.9MO - 4.7W - 4.0TI - 4.2TA - 3.4AI - 0.015 - 0.10ZR - 0.90HF VACUUM MELTED, VACUUM CAST SOLUTION & PRECIPITATION HEAT TREATED - 1 JAN 83 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5405-83 NOTICE 1	CASTINGS, ALLOY INVESTMENT, CORROSION & HEAT RESISTANT 64NI - 8.0CR - 10CO - 6.0W - 1.0TI - 4.2TA - 6.0AI - 0.015B - 0.08ZR VACUUM MELTED, VACUUM CAST AS CAST - 1 OCT 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5406-83 NOTICE 1	CASTINGS, ALLOY INVESTMENT, CORROSION & HEAT RESISTANT 63NI - 8.0CR - 10CO - 6.0MO - 1.0TI - 4.2TA - 6.0AI - 0.015B - 0.03ZR - 1.2HF VACUUM MELTED, VACUUM CAST AS CAST - 1 JAN 83 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5407-82 NOTICE 1	CASTINGS, ALLOY INVESTMENT, CORROSION & HEAT RESISTANT 60NI - 9.0CR - 10CO - 12.5W - 1.0CB - 2.0TI - 5.0AI - 0.015B - 0.06ZR VACUUM MELTED, VACUUM CAST AS CAST - 1 OCT 82 (INVALIDATION DATE: 8811)	A MECA 11 04-NOV-88	MR	AS	11	
SAE-AMS5408-85 NOTICE 1	ALLOY CASTINGS, CENTRIFUGAL, CORROSION & HEAT RESISTANT 64NI - 16CR - 15MO - 0.30AI - 0.05LA SOLUTION HEAT TREATED - 1 APR 1985 (INVALIDATION DATE: 9108)	A MECA 11 16-AUG-91	MR	AS	11	
SAE-AMS5412	STEEL CASTINGS, VACUUM MELTED, INVESTMENT CORROSION RESISTANT 13CR - 8.0NI - 2.2MO - 1.1AI 195,000 PSI (1344 MPa) TENSILE STRENGTH (CONDITION H1000) HOMOGENIZED, SOLUTION, AND PRECIPITATION HEAT TREATED	A MECA * 11 20-DEC-91	MR	AS	11	
SAE-AMS5504J-91	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 12.5CH (SAE 51410) ANNEALED	A 9515 * 11 20-DEC-91	MR	AS	11	
SAE-AMS5505C-87	STEEL SHEET, STRIP, AND MODERATE HEAT RESISTANT 12CR (SAE 51410 MODIFIED) FERRITE CONTROLLED, ANNEALED - 1 OCT 87	A 9515 11 17-MAR-89	MR	AS	11	
SAE-AMS5506E	STEEL, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 13CR (0.30 - 0.40C) (SAE 51420) ANNEALED	A 9515 * 11 20-DEC-91	MR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / Chg Correlation Inspec Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Proposing Acty Date	Custodians Army Navy Air Force DIA
SAE-AKS5507E-90	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT, 17CR - 13NI - 2.5MO (SAE 30316L) SOLUTION HEAT TREATED - 1 JAN 1990	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5508C-81	STEEL SHEET, STRIP & PLATE CORROSION & MODERATE HEAT RESISTANT, 13CR - 2.0NI - 3.0W - 15 JAN 81	A 9515 11 30-OCT-81	MR AS 11
SAE-AKS5509-60 NOTICE 1	SHEET AND STRIP, ALLOY CORROSION AND HEAT RESISTANT 15CR - 45NI - 4W - 4MO - 3TI - 1 AI CONSUMABLE ELECTRODE VACUUM MELTED - 15 JAN 60 (VALIDATION DATE: 8803)	A 9515 11 04-MAR-88	MR AS 11
SAE-AKS5510W-83	STEEL SHEET, STRIP, & PLATE, CORROSION & HEAT RESISTANT 18CR - 10.5NI - 0.40TI - SOLUTION HEAT TREATED (SAE 30321) - 1 APR 83	A 9515 11 01-SEP-83	MR AS 11
SAE-AKS5511F-90	STEEL SHEET, STRIP, & PLATE, CORROSION RESISTANT, 19CR - 9.5NI (304L) SOLUTION HEAT TREATED - 1 JAN 1990	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5512F-78	STEEL SHEET, STRIP & PLATE CORROSION & HEAT RESISTANT 18CR-10.5NI- (CB+TA) (SAE 30347) - 15 JAN 78	A 9515 11 01-OCT-82	MR AS 11
SAE-AKS5513E	SHEET, STRIP, AND PLATE, CORROSION RESISTANT STEEL 19CR - 9.2 NI (SAE 30304) SOLUTION HEAT TREATED	A 9515 * 11 20-DEC-91	MR AS 11
SAE-AKS5514E	STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 18VT - 11.5NI (SAE 30305) SOLUTION HEAT TREATED	A 9515 * 11 20-DEC-91	MR AS 11
SAE-AKS5516K	STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED	A 9515 * 11 20-DEC-91	MR AS 11
SAE-AKS5517H-90	STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - BNI (SAE 30301) COLD ROLLED, 125,000 PSI (862 MPA) TENSILE STRENGTH - 1 OCT 1989	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5518G-90	STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - BNI (SAE 30301) COLD ROLLED, 150,000 PSI (1034 MPA) TENSILE STRENGTH - 1 JAN 1990	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5519J-90	STEEL SHEET AND STRIP, CORROSION RESISTANT 18CR - BNI (SAE 30301) COLD ROLLED, 185,000 PSI (1276 MPA) TENSILE STRENGTH - 1 JAN 1990	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5520Q-90	STEEL SHEET, STRIP, FOIL, AND PLATE, CORROSION AND MODERATE HEAT RESISTANT 15CR - 7.1NI - 2.5MO - 1.1AI SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 JAN 1990	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5521F-88	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 25CR - 20NI (SAE 30310S) DEEPDRAWING AND SPINNING, SOLUTION HEAT TREATED 1 OCT 88	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5523D-88	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 23CR - 13.5NI (SAE 30309S) SOLUTION HEAT TREATED - 1 OCT 88	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5524G	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 18CR - 13NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED	A 9515 * 11 20-DEC-91	MR AS 11
SAE-AKS5525F-89	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2MO - 2.1TI - 0.006B - 0.30V 1800 DEG F. (982 DEG C.) SOLUTION HEAT TREATED - 1 JUL 1989	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5526G-89	SHEET, STRIP, AND PLATE, ALLOY, CORROSION AND HEAT RESISTANT 19.5CR - 9.5NI - 1.4MO - 1.4W - 0.42(CB+TA) - 0.22TI SOLUTION HEAT TREATED - 1 OCT 1989	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5528E-88	STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 17CR - 7.1NI - 1.1AI SOLUTION HEAT TREATED - 1 OCT 88	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5530F-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 58NI - 15.5CR - 16MO - 3.8W - 5.5FE SOLUTION HEAT TREATED - 1 JAN 88	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5532E-89	SHEET, STRIP, AND PLATE, ALLOY, CORROSION AND HEAT RESISTANT 30FE - 21CR - 20NI - 2.0CO - 3.0P - 2.5W - 1.0 (CB+TA) - 0.15W SOLUTION HEAT TREATED - 1 APR 1989	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5536K-87	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FC SOLUTION HEAT TREATED - 1 OCT 87	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5537F	ALLOY SHEET, STRIP, AND FOIL, CORROSION AND HEAT RESISTANT 52CO - 20CR - 10NI - 15W SOLUTION HEAT TREATED	A 9515 * 11 20-DEC-91	MR AS 11
SAE-AKS5540K-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 74NI - 15.5CR - 8.0FE ANNEALED	A 9535 11 17-MAR-89	MR
SAE-AKS5542K-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95(CB & TA) - 2.5TI - 0.70AI - 7.0FE ANNEALED - 1 OCT 88	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5543A-79 NOTICE 1	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 13.5CR - 26NI - 1.75MO - 3.0TI - 0.07B VACUUM MELTED, SOLUTION HEAT TREATED - 16 JUL 1979 (VALIDATION DATE: 8803)	A 9515 11 04-MAR-88	MR AS 11
SAE-AKS5544G	ALLOY, CORROSION AND HEAT RESISTANT, SHEET, STRIP, AND PLATE 57NI - 19CR - 13.5CO - 4.2MO - 3.0TI - 1.4AI - 0.5ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED	A 9515 * 11 20-DEC-91	MR AS 11
SAE-AKS5545B-85	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 54NI - 11CO - 9.8MO - 3.2TI - 1.5AI - 0.006B VACUUM INDUCTION AND CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED PRECIPITATION HEAT TREATABLE ADOPTED 1 JAN 85	A 9515 11 01-AUG-86	MR AS 11
SAE-AKS5546C	STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.10W COLD ROLLED, TEMPERED	A 9515 * 11 20-DEC-91	MR AS 11
SAE-AKS5547D-81	STEEL SHEET & STRIP, CORROSION & MODERATE HEAT RESISTANT, 15.5CR - 4.5NI - 2.9MO - 0.10W SOLUTION HEAT TREATED - 1 APR 81	A 9515 11 30-OCT-81	MR AS 11
SAE-AKS5548J-89	STEEL SHEET, STRIP, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.1.1N 1850 DEG - 1975 DEG F. (1010 DEG - 1079 DEG C.) ANNEALED - 1 OCT 1989	A 9515 11 15-AUG-90	MR AS 11
SAE-AKS5549D-81	PLATE, STEEL, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5NI - 2.9 MO - 0.10W SOLUTION HEAT TREATED - APR 81	A 9515 11 30-OCT-81	MR AS 11
SAE-AKS5550D-88	ALLOY SHEET AND STRIP, CORROSION AND HEAT RESISTANT 80NI - 15.5CR - 0.62TI - 3.25AI ANNEALED - 1 JAN 88	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5551A-60 NOTICE 1	ALLOY SHEET & STRIP, CORROSION & HEAT RESISTANT 55NI - 19CR - 10CO - 10MO - 2.5TI - 1.0AI - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED - 15 OCT 79 (VALIDATION DATE: 8803)	A 9515 11 04-MAR-88	MR AS 11
SAE-AKS5552D-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 46FE - 20.5CR - 32NI - 1.1TI - 1 JUL 88	A 9515 11 17-MAR-89	MR AS 11
SAE-AKS5554B-88	TUBING STEEL, SEAMLESS, CORROSION AND MODERATE HEAT RESISTANT 16. CR - 4.5NI - 2.9MO - 0.10W ANNEALED - 1 JUL 88	A 4710 11 17-MAR-89	MR AS 11
SAE-AKS5558D-89	TUBING, STEEL, WELDED, CORROSION AND HEAT RESISTANT 18CR - 10.5NI - 0.70 (CB+TA) (SAE 1025) THIN WALL SOLUTION TREATED - 1 JAN 89	A 4710 11 15-AUG-90	MR AS 11
SAE-AKS5559F-89	TUBING, STEEL, WELDED, CORROSION & HEAT RESISTANT 18CR - 10.5NI - 0.40TI (SAE 30321) THIN WALL SOLUTION HEAT TREATED - 1 OCT 89	A 4710 11 15-AUG-90	MR AS 11
SAE-AKS5561B-90	TUBING, STEEL, WELDED & DRAWN, CORROSION & HEAT RESISTANT 9.0MN - 20CR - 6.5NI - 0.28W HIGH PRESSURE HYDRAULIC - 1 JAN 90	A 4710 11 15-AUG-90	MR AS 11
SAE-AKS5562B-89	TUBING, STEEL, SEAMLESS, CORROSION & HEAT RESISTANT 9.0MN - 20CR - 6.5NI - 0.28W SOLUTION HEAT TREATED 1 JUL 89	A 4710 11 15-AUG-90	MR AS 11
SAE-AKS5566H-86	STEEL TUBING, SEAMLESS, OR WELDED, CORROSION RESISTANT, 19CR-10NI (SAE 30304), HIGH PRESSURE MYRAJLIC, COLD DRAWN REVIEWER: 82	A 4710 / CS 07-MAY-87	CS
SAE-AKS5568-88	TUBING STEEL, WELDED, CORROSION AND MODERATE HEAT RESISTANT 17CR - 7.1NI - 1.1AI SOLUTION HEAT TREATED PRECIPITATION-HARDENABLE - 1 JAN 88	A 4710 11 17-MAR-89	MR AS 11
SAE-AKS5572F-88	TUBING STEEL, SEAMLESS, CORROSION AND HEAT RESISTANT 25CR - 20NI (SAE 3010S) SOLUTION HEAT TREATED - 1 JUL 88	A 4710 11 17-MAR-89	MR AS 11
SAE-AKS5578C	STEEL TUBING, WELDED, CORROSION AND HEAT RESISTANT 12CR - 8.5NI - 0.30 (CB+TA) - 1.1TI - 2.0 CU VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE	A 4710 * 11 20-DEC-91	MR AS 11
SAE-AKS5580C-88	TUBING ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 74NI - 15.5CR - 8.0FE ANNEALED - 1 OCT 88	A 4710 11 17-MAR-89	MR AS 11
SAE-AKS5581B-85	TUBING ALLOY, SEAMLESS OR WELDED, CORROSION AND HEAT RESISTANT, 62NI - 21.5CR - 9.0MO - 3.7(CB + TA) ANNEALED - 1 APR 85	A 4710 11 17-MAR-89	MR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active CPL/OLA Correspondence Notice Document Number	Document Title	Doc. Smt. FSC/ASAC MCA Symbol Preparing Acty. Date	Custodians Army Navy Air Force OLA
SAE-AWS5582B-87	TUBING ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95 (CB + TA) - 2.571 - 0.79AI - 7.0FE ANNEALED - 1 JUL 87	A 4710 11 10-MAR-89	NR AS 11
SAE-AWS5583B-89	TUBING, ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95 (CB+TA) - 2.671 - 0.70AI - 7.0FE SOLUTION HEAT TREATED 1 OCT 89	A 4710 11 15-AUG-90	NR AS 11
SAE-AWS5588D	ALLOY TUBING, SEAMLESS, CORROSION AND HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.2MD - 2.971 - 1.4AI - 0.08ZR - 0.006B CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED, ANNEALED	A 4710 * 11 20-DEC-91	NR AS 11
SAE-AWS5587C-80 NOTICE 1	TUBING, ALLOY, SEAMLESS, CORROSION & HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MD - 0.6OM - 18.5FE - 15 OCT 80 (VALIDATION DATE: 8803)	A 4710 11 04-MAR-88	NR AS 11
SAE-AWS5588D-89	TUBING, ALLOY, WELDED AND DRAWN, CORROSION & HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MD - 0.6OM - 18.5FE SOLUTION HEAT TREATED - 1 JUL 89	A 4710 11 15-AUG-90	NR AS 11
SAE-AWS5589B-87	TUBING ALLOY, SEAMLESS 52.5NI - 19CR - 3.0MD - 5.1 (CB + TA) - 0.90TI - 0.50AI 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG F (955 DEG C) SOLUTION HEAT TREATED - 1 JUL 87	A 4710 11 01-JUL-87	NR AS 11
SAE-AWS5590B-87	TUBING ALLOY, SEAMLESS, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MD - 5.1 (CB + TA) - 0.90TI - 0.50AI - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG F (1065 DEG C) SOLUTION HEAT TREATED - 1 OCT 87	A 4710 11 17-MAR-89	NR AS 11
SAE-AWS5591F-81	STEEL TUBING, SEAMLESS, CORROSION & MODERATE HEAT RESISTANT 12.5CR (SAE 51410) (15 JAN 81)	A 4710 11 30-OCT-81	NR AS 11
SAE-AWS5594-64 NOTICE 1	STEEL PLATE, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5NI - 2.9MD - 0.1M EQUALIZED & OVERTEMPERED - 31 JAN 64 (VALIDATION DATE: 8803)	A 9515 11 04-MAR-88	NR AS 11
SAE-AWS5595D-89	STEEL SHEET, STRIP AND PLATE, CORROSION RESISTANT, 9.0MN - 20CR - 6.5NI - 0.2BN SOLUTION HEAT TREATED - 1 JUL 1989	A 9515 11 15-AUG-90	NR AS 11
SAE-AWS5596D-81	ALLOY SHEET, STRIP, & PLATE, CORROSION & HEAT RESISTANT 52.5NI - 19CR - 3.0MD - 5.1(CB & TA) - 0.90TI - 0.50AI - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG.F (955 DEG.C) SOLUTION HEAT TREATED - 1 APR 81	A 9515 11 30-OCT-81	NR AS 11
SAE-AWS5597C-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MD - 5.1 (CB AND TA) - 0.90TI - 0.50AI - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG.F (1067 DEG C) SOLUTION HEAT TREATED - 1 JUL 88	A 9515 11 17-MAR-89	NR AS 11
SAE-AWS5598B-87	ALLOY SHEET, STRIP, AND PLATE, CORROSION & HEAT RESISTANT 72NI - 15.5CR - 0.95(CB AND TA) - 2.571 - 0.70AI - 7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 OCT 1987	A 9515 11 17-MAR-89	NR AS 11
SAE-AWS5599D-87	ALLOY SHEET, STRIP, AND PLATE, CORROSION & HEAT RESISTANT 62NI - 21.5CW - 9.0MD - 3.7(CB AND TA) ANNEALED - 1 OCT. 1987	A 9515 11 17-MAR-89	NR AS 11
SAE-AWS5601B-78 NOTICE 1	STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT, 14.5CR-8.2NI-2.5MD-1.1AI, SOLUTION HEAT TREATED - 15 JAN 78 (VALIDATION DATE: 8803)	A 9515 11 04-MAR-88	NR AS 11
SAE-AWS5603B-78	STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT, 15CR-8.4NI-2.2MD-1.1AI, VACUUM INDUCTION MELTED, SOLUTION HEAT TREATED - 15 JAN 78	A 9515 11 31-AUG-78	NR AS 11
SAE-AWS5604C-88	STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 16.5CR - 4.0NI - 4.0CU - 0.30 (CB + TA) 1 OCT. 1988	A 9515 11 17-MAR-89	NR AS 11
SAE-AWS5608B-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION + HEAT RESISTANT 40CO - 22CR - 22NI - 14.5W - 0.77LA SOLUTION HEAT TREATED - 1 APR 88	A 9515 11 17-MAR-89	NR AS 11
SAE-AWS5609A-79	STEEL BARS, FORGINGS, TUBING, AND RINGS, CORROSION AND MODERATE HEAT RESISTANT 12CR - 0.12CB (SAE 51410 MODIFIED) FERRITE CONTROLLED - 16 JUL 1979	A 9510 11 31-MAR-80	NR AS 11
SAE-AWS5610L-89	BAR, STEEL, AND FORGINGS, CORROSION & MODERATE HEAT RESISTANT 12CR - LOW CARBON (SAE 51416, 51416SE) FREE MACHINING - 1 OCT 88	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5612E-89	BAR, STEEL, WIRE, FORGINGS, TUBING, AND RINGS, CORROSION & MODERATE HEAT RESISTANT 12CR, (SAE 51410, MODIFIED) FERRITE CONTROLLED, ANNEALED - 1 OCT 89	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5616G-82	STEEL BARS, FORGINGS, TUBING & RINGS, CORROSION & MODERATE HEAT RESISTANT 13CR - 2.0NI - 30W, ANNEALED - 1 JUL 82 (VALIDATION DATE: 8305)	A 9510 11 01-OCT-82	NR AS 11
SAE-AWS5617G	STEEL BARS, WIRE, AND FORGINGS, CORROSION RESISTANT 12CR - 8.5NI - 1.2TI - 2.0CU VACUUM INDUCTION PLUS VACUUM CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE	A 9510 * 11 20-DEC-91	NR AS 11
SAE-AWS5620E-89	BAR, STEEL, AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 13CR (0.30 - 0.40C) (SAE 51420F) FREE-MACHINING - 1 APR 89	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5629D	STEEL, CORROSION RESISTANT, BARS, FORGINGS, RINGS, AND EXTRUSIONS 13CR - 8.0NI - 2.2MD - 1.1AI VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE	A 9510 * 11 20-DEC-91	NR AS 11
SAE-AWS5630F-87	STEEL BARS & FORGINGS, CORROSION RESISTANT 17CR - 0.52MD (0.95 - 1.20C) (SAE 51440C) 1 JUL 87	A 9510 11 17-MAR-89	NR AS 11
SAE-AWS5632F-89	BAR, STEEL, AND FORGINGS, CORROSION RESISTANT 17CR - 0.05MD (0.95 - 1.20C) (SAE 51440F) FREE-MACHINING - 1 APR 89	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5635B-81	STEEL BARS & FORGINGS, CORROSION RESISTANT 18CR - 9NI (303PB) FREE MACHINING - 15 JAN 81	A 9510 11 30-OCT-81	NR AS 11
SAE-AWS5636D-87	STEEL BARS, CORROSION RESISTANT 18CR - 9.0NI (SAE 30302) SOLUTION HEAT TREATED & COLD DRAWN 100,000 PSI (690 MPa) TENSILE STRENGTH - 1 OCT 87	A 9510 11 17-MAR-89	NR AS 11
SAE-AWS5638D-89	BAR, STEEL, AND FORGINGS, CORROSION RESISTANT 0.14S - 18CR - 9.5NI - 0.50MD - 0.80AI FREE-MACHINING; SWAGING OR UPSETTING SOLUTION HEAT TREATED 1 JUL 89	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5640P-90	BAR, WIRE, AND FORGINGS, CORROSION RESISTANT 18CR - 9.0NI (SAE 30303, 30303SE, 30303MD) FREE-MACHINING - 1 JAN 90	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5644C-74 NOTICE 1	BARS & FORGINGS, STEEL, CORROSION RESISTANT 17CR - 7NI - 1AI - 30 JAN 74 (VALIDATION DATE: 8803) REVIEWER: MI	A 9510 11 04-MAR-88	NR AS 11
SAE-AWS5647F-89	BAR, STEEL, FORGINGS, TUBING, & RINGS, CORROSION RESISTANT 19CR - 9.5NI (SAE 304L), SOLUTION HEAT TREATED - 1 JAN 89	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5653C-89	BAR, STEEL, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTANT 17CR - 12NI - 2.5MD, (SAE 30316L) SOLUTION HEAT TREATED - 1 JAN 89	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5655C-89	BAR, STEEL, AND FORGINGS, CORROSION AND MODERATE HEAT RESISTANT 12.5CR - 0.75NI - 1.0MD - 1.0W - 0.24V HARDENED AND TEMPERED - 1 JUL 89	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5656A-78 NOTICE 1	BAR, STEEL FORGINGS & RINGS, CORROSION RESISTANT 9.0MN - 20CR - 6.5NI - 0.27W - 15 APR 78 (VALIDATION DATE: 8803)	A 9510 11 04-MAR-88	NR AS 11
SAE-AWS5657-60 NOTICE 1	STEEL, CORROSION & MODERATE HEAT RESISTANT 15CR - 7.1NI - 2.5MD - 1.1AI - 30 JUN 60 (VALIDATION DATE: 8803) REVIEWER: MI	A 9510 11 04-MAR-88	NR AS 11
SAE-AWS5658-76	BARS, FORGINGS, & RINGS, 15CR 5NI 4CU - 1 JUL 76 (VALIDATION DATE: 8305) ...	A 9510 11 25-MAR-77	NR AS 11
SAE-AWS5659G-90	BAR, FORGINGS, AND RINGS, AND EXTRUSIONS CORROSION RESISTANT 15CR 0.45NI - 0.30 (CB+TA) - 3.5CU CONSUMABLE ELECTRODE MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 JAN 90	A 9510 11 15-AUG-90	NR AS 11
SAE-AWS5660G-88	ALLOY BARS & FORGINGS, CORROSION & HEAT RESISTANT 42.5NI - 12.5CR - 6.0MD - 2.7TI - 34FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION, & PRECIPITATION HEAT TREATED - 1 APR 88	A 9510 11 17-MAR-89	NR AS 11
SAE-AWS5661D-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 42.5NI - 12.5CR - 5.8MD - 2.9TI - 0.015B - 35FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION, STABILIZATION AND PRECIPITATION HEAT TREATED 1 APR 89	A 9510 11 15-AUG-90	NR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / Orl Coordination Package	Document Number	Document Title	Doc. Smt. FSC / Area	MCS Symbol	Preparing Acty	Date	Custodians		
							Army	Navy	Al Force DLA
	SAE-AMS5662F-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1 (CB+TA) - 0.90TI - 0.50AI - 18FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1775 DEG. F (968 DEG. C) SOLUTION HEAT TREATED - 1 JAN 89	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5663G-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT, 52.5NI - 19CR - 3.0MO - 5.1 (CB+TA) - 0.90TI - 0.50AI - 19FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1750 DEG F (968 DEG.C) SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 89	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5664C	ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 52.5NI - 19CR - 3.0MO - 5.1(CB+TA) - 0.90TI - 0.50AL - 19FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1950 DEG. F (1066 DEG. C) SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE	A 9510	* 11	20-DEC-91	MR	AS	11	
	SAE-AMS5665J-81	ALLOY BARS, FORGINGS & RINGS, CORROSION & HEAT RESISTANT 74NI - 15.5CR - 8.0FE - 1 APR 81	A 9530	11	01-OCT-82	MR	AS	11	
	SAE-AMS5666B-81	ALLOY BAR, FORGINGS & RINGS, CORROSION & HEAT RESISTANT, 62NI - 21.5CR - 9.0MO - 3.65(CB & TA) - 15 JAN 81	A 9510	11	30-OCT-81	MR	AS	11	
	SAE-AMS5667J	ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95(CB+TA) - 2.5TI - 0.70AL - 7.0FE EQUALIZED, PRECIPITATION HARDENABLE	A 9510	* 11	20-DEC-91	MR	AS	11	
	SAE-AMS5668G-87	ALLOY BARS, FORGINGS & RINGS, CORROSION & HEAT RESISTANT 72NI - 15.5CR - 7.0FE - 2.5TI - 1.0(CB & TA) - 0.70AL 2100 DEG F (1095 DEG C) SOLUTION & PRECIPITATION HEAT TREATED - 1 OCT 87	A 9510	11	17-MAR-89	MR	AS	11	
	SAE-AMS5671E-89	BAR, ALLOY, FORGINGS, AND RING, CORROSION AND HEAT RESISTANT 72NI - 15.5CR - 0.95(CB+TA) - 2.5TI - 0.70AI - 7.0FE CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTER 1800 DEG. F (982 DEG C) SOLUTION HEAT TREATED - 1 JUL 89	A 3439	11	15-AUG-90	MR	AS	11	
	SAE-AMS5672B-87	STEEL WIRE, CORROSION RESISTANT 11.8CR - 8.5NI - 0.30(CB & TA) - 1.1TI - 2.0CU PRECIPITATION HARDENABLE, SPRING TEMPER - 1 OCT 87	A 9505	11	17-MAR-89	MR	AS	11	
	SAE-AMS5673D-82	WIRE, STEEL, CORROSION RESISTANT 17CR - 7.1NI - 1.1AI PRECIPITATION HARDENABLE, SPRING TEMPER - 1 JUL 82	A 9505	11	01-OCT-82	MR	AS	11	
	SAE-AMS5675C-87	WIRE, ALLOY WELDING, CORROSION AND HEAT RESISTANT 70NI - 2.4MN - 15.5CR - 3.0TI - 7.0FE - 1 OCT 87	A 3439	11	17-MAR-89	MR	AS	11	
	SAE-AMS5676C-89	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 80 NI - 20 CR - 1 APR 89	A 3439	11	15-AUG-90	MR	AS	11	
	SAE-AMS5678B-87	STEEL WIRE, CORROSION RESISTANT 17CR - 7.1NI - 1/1AI PRECIPITATION - HARDENABLE, SPRING TEMPER - 1 OCT 87 USER: CE REVIEWER: EA 15	A 9505	11	17-MAR-89	MR	AS		
	SAE-AMS5679D-81	ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 73NI - 15.5CR - 2.2 (CB + TA) - 8.0FE - 1 JUL 81	A 3439	11	01-OCT-82	MR	AS	11	
	SAE-AMS5680F-88	WIRE, STEEL WELDING, CORROSION AND HEAT RESISTANT 18.5CR - 11NI - 0.40 (CB & TA) (SAE 30347) 1 APR 88	A 3439	11	17-MAR-89	MR	AS	11	
	SAE-AMS5683E-90	WIRE, ALLOY WELDING, CORROSION AND HEAT RESISTANT - 1 APR 90 REVIEWER: BA GS	A 3439	1P	12-JUL-91	AL	SH	99	
	SAE-AMS5687J-89	WIRE, ALLOY, CORROSION & HEAT RESISTANT 74NI - 15.5CR - 8.0FE ANNEALED - 1 JUL 89	A 9505	11	15-AUG-90	MR	AS	11	
	SAE-AMS5690J-88	WIRE, STEEL WELDING, CORROSION AND HEAT RESISTANT 17CR - 12NI - 2.5MO (SAE 30316) SOLUTION HEAT TREATED - 1 JAN 88	A 9505	11	17-MAR-89	MR	AS	11	
	SAE-AMS5692A-88	WIRE, STEEL WELDING, CORROSION AND HEAT RESISTANT 19CR - 12.5NI - 2.50MO - 1 APR 88	A 3439	11	17-MAR-89	MR	AS	11	
	SAE-AMS5693A-88	STEEL WIRE, CORROSION RESISTANT 18CR-9.0NI (SAE 30302) CRYOGENICALLY PRODUCED, HIGH TENILE STRENGTH 1 APR 88	A 9505	11	10-MAR-89	MR	AS	11	
	SAE-AMS5694F-89	STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 27CR - 21.5NI - 1 JAN 90	A 3439	11	15-AUG-90	MR	AS	11	
	SAE-AMS5698E-90	WIRE, ALLOY, CORROSION AND HEAT RESISTANT, 72NI-15.5CR - 0.95 (CB+TA) - 2.5TI - 0.70AI - 7.0FE NO. 1 TEMPER PRECIPITATION HARDENABLE 1 OCT 89	A 9505	11	15-AUG-90	MR	AS	11	
	SAE-AMS5699E-89	WIRE, ALLOY, CORROSION AND HEAT RESISTANT, 72NI-15.5CR - 0.95 (CB+TA) - 2.5TI - 0.70AI - 7.0FE SPRING TEMPER, PRECIPITATION HARDENABLE - 1 OCT 89	A 9505	11	15-AUG-90	MR	AS	11	
	SAE-AMS5701B-88	ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 41.5NI - 16CR - 37FE - 2.9CB - 1.8TI CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1800 DEGREE F (980DEGC) SOLUTION HEAT TREATED - 1 JAN 88	A 9535	11	17-MAR-89	MR			
	SAE-AMS5704D-88	ALLOY FORGINGS, CORROSION AND HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AI - 0.052R - 0.0068 CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 DEG. - 1900 DEG F (995 DEG - 1040 DEG C) SOLUTION, STABILIZATION, AND PRECIPITATION HEAT TREATED 1APR88	A FORG	11	17-MAR-89	MR	AS	11	
	SAE-AMS5706H-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AI - 0.0068 - 0.052R CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1825 DEG - 1900 DEG F SOLUTION HEAT TREATED - 1 JUL 89	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5707G-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AI - 0.052R - 0.0068, 1825 DEG - 1900 DEG F (996DEG - 1038 DEG C) SOLUTION STABILIZATION, AND PRECIPITATION HEAT TREATED - 1 JAN 89	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5708F	ALLOY BARS, FORGINGS AND RINGS, CORROSION AND HEAT RESISTANT 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AI CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1975 DEG. F (1079 DEG. C) SOLUTION HEAT TREATED	A 9510	* 11	20-DEC-91	MR	AS	11	
	SAE-AMS5709E-88	ALLOY BARS & FORGINGS, CORROSION & HEAT RESISTANT 58NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI 1.4AI - 0.052R - 0.0068 CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1975 DEG F (1079 DEG C) SOLUTION, STABILIZATION & PRECIPITATION HEAT TREATED - 1 JUL 88	A 9510	11	17-MAR-89	MR	AS	11	
	SAE-AMS5712F-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AI - 0.0068 VACUUM MELTED, SOLUTION HEAT TREATED - 1 JUL 89	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5713F-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 53NI - 19CR - 11CO - 9.8MO - 3.2TI - 1.6AI - 0.0068 VACUUM MELTED, SOLUTION & PRECIPITATION HEAT TREATED - 1 JUL 89 985	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5716E-90	BAR, ALLOY, WIRE, FORGINGS, AND RINGS, HEAT RESISTANT 44FE - 18.5CR - 35.5NI - 1.1SI SOLUTION HEAT TREATED - 1 JAN 90	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5717E-82	ALLOY BARS, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 45.5NI - 25.5CR - 3.2CO - 3.2MO - 3.2W - 18.5FE, SOLUTION HEAT TREATED - 1 JAN 82 (VALIDATION DATE: 8305)	A 9510	11	01-OCT-82	MR	AS	11	
	SAE-AMS5718-70	BARS STEEL, FORGINGS, TUBING, & RINGS, CORROSION RESISTANT 11.8CR - 2.5NI - 1.8MO - 0.33V (0.08 - 0.15C) - 1 NOV 70 (VALIDATION DATE: 8104)	A 9510	11	15-NOV-74	MR	AS	11	
	SAE-AMS5719B-90	STEEL BARS, WIRE, FORGINGS, TUBING, RINGS, AND EXTRUSIONS, CORROSION RESISTANT 11.8CR - 2.5NI - 1.8MO - 0.33V (0.08 - 0.15C) ANNEALED, CONSUMABLE ELECTRODE VACUUM MELTED	A 9510	* 11	20-DEC-91	MR	AS	11	
	SAE-AMS5731H-89	STEEL BARS, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2MO - 2.1TI - 0.0068 - 0.30V SOLUTION HEAT TREATED - 1 JUL 89	A 9510	11	15-AUG-90	MR	AS	11	
	SAE-AMS5732F-89	STEEL BAR WIRE, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTA 15 CR - 25.5 NI - 1.2 MO - 2.1TI - 0.0068 - 0.30V CONSUMABLE ELECTRODE MELTED, 1800 DEG F (982 DEG C) SOLUTION AND PRECIPITATION HEAT TREATED - 1 OCT 89	A 3439	11	15-AUG-90	MR	AS	11	
	SAE-AMS5733D-66 NOTIC 1	BARS STEEL & FORGINGS, CORROSION & HEAT RESISTANT 13.5CR - 26NI - 3MO - 1.8TI - 15 MAR 66 (VALIDATION DATE: 8803)	A 9510	11	01-MAR-88	MR	AS	11	
	SAE-AMS5734F-89	STEEL BARS, FORGINGS, TUBING, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2 MO - 2.1TI - 0.0068 - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG F (899 DEG C) SOLUTION AND HEAT TREATED - 1 JUL 89	A 9510	11	15-AUG-90	MR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adm Cty / OIA Coordination Involvement	Document Number	Document Title	Dial Smt FSC Area MCA Symbol	Preparing Date	Custodians Army Navy Air Force DIA
	SAE-AMSS737L-89	STEEL BARS, WIRE FORGINGS, AND TUBING, CORROSION AND HEAT RESISTANT 15CR - 25.5NI - 1.2MO - 2.1TI - 0.0068 - 0.30V CONSUMABLE ELECTRODE MELTED, 1650 DEG F (899 DEG C) SOLUTION AND HEAT TREATED - 1 JUL 89	A 9510	11 15-AUG-90	NR AS 11
	SAE-AMSS739B-81	STEEL BARS, FORGINGS, & RINGS, CORROSION & MODERATE HEAT RESISTANT, 14.5CR - 6.5NI - 0.72TI SOLUTION HEAT TREATED & MARAGED, 180,000 PSI (1241 MPA) TENSILE STRENGTH - 1 APR 81	A 9510	11 30-OCT-81	NR AS 11
	SAE-AMSS740B-81	BAR, FORGINGS, & RINGS, STEEL, CORROSION & MODERATE HEAT RESISTANT, 14.5CR - 6.5NI-0.72TI SOLUTION HEAT TREATED & MARAGED, 155,000 PSI (1069MPA) TENSILE STRENGTH - 1 APR 81	A 9510	11 30-OCT-81	NR AS 11
	SAE-AMSS741D-66 NOTICE 1	BARS & FORGINGS, STEEL, CORROSION & HEAT RESISTANT 13.5CR - 26NI - 1.75MO - 3TI CONSUMABLE ELECTRODE VACUUM MELTED - 15 MAR 66 [VALIDATION DATE: 8803] REVIEWER: GS	A 3439	11 04-MAR-88	NR AS 11
	SAE-AMSS743L-81	STEEL BARS & FORGINGS, CORROSION & MODERATE HEAT RESISTANT, 1K.5CR - 4.5NI - 2.9MO - 0.10W SOLUTION HEAT TREATED, SUB ZERO COOLED, EQUALIZED, & OVER TEMPER - 1 APR 81	A 9510	11 30-OCT-81	NR AS 11
	SAE-AMSS744C-87	STEEL BARS & FORGINGS, CORROSION & MODERATE HEAT TREATED, 170,000 PSI (1170 MPA) TENSILE STRENGTH - 1 JUL 87	A 9510	11 17-MAR-89	NR AS 11
	SAE-AMSS745B-81	STEEL BAR & FORGING CORROSION & MODERATE HEAT RESISTANT 16.5CR 2.9MO010W EQUALIZED & OVER TEMPERED 1 APR 81	A 9510	11 30-OCT-81	NR AS 11
	SAE-AMSS746L-89	ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 15CR - 45 NI - 4.1 MO - 4.1W - 3.0TI - 1.0AI - 31FE CONSUMABLE ELECTRODE VACUUM MELTED, SOLUTION AND PRECIPITATION HEAT TREATED - 1 JUL 89	A 9510	11 15-AUG-90	NR AS 11
	SAE-AMSS748-69 NOTICE 1	BARS STEEL, FORGINGS, & RINGS, CORROSION RESISTANT 14CR - 13.5CO - 5.0MO - 0.50NI - 0.20V PREMIUM QUALITY, CONSUMABLE ELECTRODE MELTED - 1 NOV 69 [VALIDATION DATE: 8803]	A 3439	11 04-MAR-88	NR AS 11
	SAE-AMSS749A-81	STEEL BARS, FORGINGS, & TUBING, CORROSION RESISTANT 14.5CR - 4.0MO - 1.2V - (1.10-1.20C) PREMIUM QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED - 1 APR 81	A 9510	11 30-OCT-81	NR AS 11
	SAE-AMSS750B-74 NOTICE 1	BARS ALLOY, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT NICKEL BASE - 15.5CR - 16MO - 4W - 6FE SOLUTION TREATED - [VALIDATION DATE: 8803]	A 9510	11 15-MAR-88	NR AS 11
	SAE-AMSS751D-82	BARS, ALLOY, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 54NI - 17.5CR - 16.5CO - 4.0MO - 2.9TI - 2.9AI - 0.0068 SOLUTION, STABILIZATION, & PRECIPITATION TREATED CONSUMABLE ELEC. OR VAC. IND. MELTED - 1 JAN 82 [VALIDATION DATE: 1101]	A 3439	11 14-NOV-88	NR AS 11
	SAE-AMSS753B-82	BAR, ALLOY, & FORGINGS, CORROSION & HEAT RESISTANT 55NI - 17.5CR - 16.5CO-4.0MO - 2.9TI - 2.9AI - 0.0068 VACUUM MELTED, SOLUTION HEAT TREATED - 1 OCT 82 [VALIDATION DATE: 8405]	A 9510	11 01-SEP-83	NR AS 11
	SAE-AMSS754J-90	ALLOY BARS, FORGINGS & RINGS, CORROSION & HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE, SOLUTION HEAT TREATED - 1 JAN 1990	A 9510	11 15-AUG-90	NR AS 11
	SAE-AMSS755D-88	ALLOY BARS, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 64NI - 5.0CR - 24.5MO - 5.5FE SOLUTION HEAT TREATED - 1 JAN 88	A 9510	11 17-MAR-89	NR AS 11
	SAE-AMSS756B-77	BAR, ALLOY, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 54 NI - 19CR - 10CO - 10MO - 2.6TI - 1.0AI - 0.0068 VACUUM MELTED, SOLUTION TREATED - 15 JUL 77	A 9510	11 27-FEB-81	NR AS 11
	SAE-AMSS757B-77 NOTICE 1	ALLOY BAR, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 54NI - 19CR - 10CO - 10MO - 2.6TI - 1.0AI - 0.0068 VACUUM MELTED, SOLUTION & PRECIPITATION TREATED - 15 JUL 77 [VALIDATION DATE: 8803]	A 9510	11 15-MAR-88	NR AS 11
	SAE-AMSS758E-90	BAR, ALLOY, CORROSION RESISTANT 20CR - 35NI - 35CO - 10 MO VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED FOR WORK STRENGTHENING - 1 JAN 90	A 9530	11 15-AUG-90	NR AS 11
	SAE-AMSS759F-80	BAR, ALLOY, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 52CO - 20CR - 10NI - 15W - 15 JAN 80	A 9510	11 27-FEB-81	NR AS 11
	SAE-AMSS761A-81 NOTICE 1	STEEL BARS, FORGINGS, & RINGS, CORROSION RESISTANT 15CR - 20CO - 2.8MO SOLUTION HEAT TREATED - 1 APR 81 [VALIDATION DATE: 8803]	A 9510	11 15-MAR-88	NR AS 11
	SAE-AMSS763B-87	STEEL BARS, FORGINGS, & TUBING, & RINGS, CORROSION RESISTANT 15CR - 6.5NI - 0.75MO - 0.50 (CB + TA) - 1.5CU SOLUTION HEAT TREATED 1 OCT 87	A 9510	11 17-MAR-89	NR AS 11
	SAE-AMSS764A-76	BARS, FORGINGS, EXTRUSIONS, & RINGS - 22CR 12.5NI 5WM 2.2MO 0.20CB 0.30W 0.20V - 15 JAN 76 [VALIDATION DATE: 8405]	A 9510	11 25-MAR-77	NR AS 11
	SAE-AMSS766B-88	ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 21CR - 32.5NI - 0.38TI - 0.83AI - 45FE SOLUTION HEAT TREATED - 1 JAN 88	A 9510	11 17-MAR-89	NR AS 11
	SAE-AMSS768H-88	ALLOY BARS, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0(CB + TA) - 0.15N - 31FE SOLUTION & PRECIPITATION HEAT TREATED 1 JULY 88	A 9510	11 17-MAR-89	NR AS 11
	SAE-AMSS769D-87	ALLOY BARS, FORGINGS, & RINGS, CORROSION & HEAT RESISTANT 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0(CB + TA) - 0.15N - 32FE SOLUTION HEAT TREATED 1 OCT 87	A 9510	11 17-MAR-89	NR AS 11
	SAE-AMSS771C-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 74NI - 7.0CR - 16.5MO, SOLUTION HEAT TREATED - 1 JAN 89	A 9530	11 15-AUG-90	NR AS 11
	SAE-AMSS772B-89	BAR, ALLOY, FORGINGS AND RINGS, CORROSION & HEAT RESISTANT 40CO - 22CR - 22NI - 14.5W - 0.07LA SOLUTION HEAT TREATED 1 JAN 89	A 9530	11 15-AUG-90	NR AS 11
	SAE-AMSS774C-87	WIRE, STEEL WELDING, CORROSION AND MODERATE HEAT RESISTANT 16.5CR - 4.5NI - 2.9MO - 0.10W - 1 OCT 87	A 3439	11 17-MAR-89	NR AS 11
	SAE-AMSS775C-90	WELDING ELECTRODES, COVERED, CORROSION AND HEAT RESISTANT STEEL 16.5CR - 4.5NI - 2.9MO - 0.10W	A 3439	11 20-DEC-91	NR AS 11
	SAE-AMSS776C-87	WIRE, STEEL WELDING, CORROSION AND MODERATE HEAT RESISTANT 12.5CR (SAE 51410) - 1 OCT 87	A 3439	11 17-MAR-89	NR AS 11
	SAE-AMSS777C-88	STEEL WELDING ELECTRODES, COVERED, CORROSION RESISTANT 12.5CR - 1 JUL 88 ...	A 3439	11 17-MAR-89	NR AS 11
	SAE-AMSS778C-87	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 72W - 15.5CR - 1.0(CB+TA) - 2.4TI - 0.70AI - 7.0FE - 1 OCT 87	A 3439	11 17-MAR-89	NR AS 11
	SAE-AMSS779A-80	ALLOY WELDING ELECTRODES, COVERED, CORROSION & HEAT RESISTANT 75NI - 5CR - 1.5(CB PLUS TA) - 1.9TI - 0.55A - 5.5FE - 15 APR 80	A 3439	11 27-FEB-81	NR AS 11
	SAE-AMSS780B-86	WIRE, STEEL WELDING, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5 NI - 2.9MO - 0.10W ANNEALED - 1 JAN 86	A 9505	11 01-AUG-86	NR AS 11
	SAE-AMSS781B-86	STEEL WELDING ELECTRODES, COVERED, CORROSION & MODERATE HEAT RESISTANT 15.5CR - 4.5NI - 2.9MO - 0.10W - 1 JULY 1985	A 3439	11 01-AUG-86	NR AS 11
	SAE-AMSS784A-81	WIRE, STEEL WELDING, CORROSION & HEAT RESISTANT 29CR - 9.5NI - 15 JAN 81	A 3439	11 01-OCT-82	NR AS 11
	SAE-AMSS785C-79	STEEL WELDING ELECTRODES, COVERED, CORROSION & HEAT RESISTANT 28.5CR - 9.5NI - 16 JUL 79	A 3439	11 01-OCT-82	NR AS 11
	SAE-AMSS786B-79	ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 62.5NI - 5.0CR - 24.5MO - 5.5FE - 16 JUL 79	A 3439	11 01-OCT-82	NR AS 11
	SAE-AMSS788A-76	COATING ALLOY - COBALT BASE 62CO 28CR 4.5W - 15 JAN 76 [VALIDATION DATE: 8405]	A MFFP	11 25-MAR-77	NR AS 11
	SAE-AMSS789B-87	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 54CO - 25.5CR - 10.5NI - 7.5W - 1 OCT 87	A 3439	11 17-MAR-89	NR AS 11
	SAE-AMSS790A-90	STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 20CR - 10NI - 0.75(CB+TA) HIGH FERRITE GRADE - 1 JAN 90	A 3439	11 15-AUG-90	NR AS 11
	SAE-AMSS791D-86	POWDER, PLASMA SPRAY 56.5CO - 25.5CR - 10.5NI - 7.5W - 1 JAN 86	A 8030	11 01-AUG-86	NR AS 11
	SAE-AMSS793-86	POWDER, PLASMA SPRAY 95NI - 5AI - 1 JAN 86	A 8030	11 01-AUG-86	NR AS 11
	SAE-AMSS794C-87	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 31FE - 21CR - 20NI - 20CO - 3.0MO - 2.5W - 1.0(CB+TA) - 0.15W ANNEALED - 1 OCT 87	A 3439	11 17-MAR-89	NR AS 11
	SAE-AMSS796A-80	ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 52CO - 20CR - 10NI - 15W - 15 OCT 80	A 3439	11 01-OCT-82	NR AS 11
	SAE-AMSS798D	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 47.5NI - 22CR - 1.5CO - 9.0MO - 0.60W - 18.5FE	A 3439	11 20-DEC-91	NR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adopt Org / Code Contribution Inches Document Number	Document Title	Dist. Smt FSC / Ave MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
SAE-AMS799C-86	ALLOY WELDING ELECTRODES, COVERED, CORROSION & HEAT RESISTANT 48Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe - 1 JAN 1986	A 3439 11 01-AUG-86	MR	AS	11	
SAE-AMS800B-79	WIRE, ALLOY WELDING, CORROSION & HEAT RESISTANT 54Ni - 19Cr - 11Co - 10Mo - 3.2Ti - 1.5Al - 0.0068 VACUUM MELTED - 15 OCT 79	A 3439 11 27-FEB-81	MR	AS	11	
SAE-AMS801B-86	ALLOY WELDING WIRE, CORROSION & HEAT RESISTANT 39Co - 22Cr - 22Ni - 14.5W - 0.07LA - 1 JAN 1986	A 3439 11 01-AUG-86	MR	AS	11	
N SAE-AMS802A NOTICE 1	IRON-NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 41Fe - 37.5Ni - 14Co - 4.8(Cr + Ta) - 1.5Ti VACUUM MELTED, LOW EXPANSION	A 3439 MR 23-APR-93	MR	AS	11	
A SAE-AMS804E-93 NOTICE 1	STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 15Cr - 25.5Ni - 1.3Mo - 2.2Ti - 0.0068 - 0.30V	A 3439 MR 16-MAR-93	MR	AS	11	
SAE-AMS805E-90	STEEL WELDING WIRE, CORROSION AND HEAT RESISTANT 15Cr - 25.5Ni - 1.2Mo - 2.2Ti - 0.0048 - 0.30V VACUUM INDUCTION MELTED ENVIRONMENT CONTROLLED PACKAGING - 1 JAN 90	A 3439 11 15-AUG-90	MR	AS	11	
SAE-AMS809	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 52Co - 20Cr - 20Ni - 7.5TA VACUUM MELTED	A 3439 * 11 20-DEC-91	MR	AS	11	
SAE-AMS813B-80 NOTICE 1	WIRE, STEEL WELDING, CORROSION & MODERATE HEAT RESISTANT, 14.5Cr - 7.1Ni - 2.4Mo - 1.0Al - 15 OCT 80 (VALIDATION DATE: 8803)	A 3439 11 15-MAR-88	MR	AS	11	
SAE-AMS817B-80	WIRE, STEEL WELDING, CORROSION & MODERATE HEAT RESISTANT 13Cr - 2Ni - 3W - 15 OCT 80	A 3439 11 30-OCT-81	MR	AS	11	
SAE-AMS821B-80	WIRE, STEEL WELDING, CORROSION RESISTANT 12 Cr (SAE 51410 MODIFIED)	A 3439 11 30-OCT-81	MR	AS	11	
N SAE-AMS822B NOTICE 1	FERRITE CONTROL GRADE - 15 OCT 80	A 3439 MR 23-APR-93	MR	AS	11	
SAE-AMS825C-79	STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.8Cr - 2.8Ni - 1.6Co - 1.8Mo - 0.32V VACUUM INDUCTION MELTED	A 3439 11 31-MAR-80	MR	AS	11	
N SAE-AMS827D NOTICE 1	STEEL WELDING WIRE, CORROSION RESISTANT 16.5Cr - 4.8Ni - 0.22 (CB PLUS TA) 3.6Co	A 3439 MR 23-APR-93	MR	AS	11	
N SAE-AMS828E NOTICE 1	STEEL, CORROSION RESISTANT, COVERED WELDING ELECTRODES .....	A 3439 MR 23-APR-93	MR	AS	11	
SAE-AMS830	NICKEL ALLOY, CORROSION AND HEAT RESISTANT, WELDING WIRE 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 3.1Ti - 1.4Al - 0.0068 VACUUM INDUCTION MELTED, SOLUTION HEAT TREATED	A 3439 * 11 20-DEC-91	MR	AS	11	
SAE-AMS831	WELDING WIRE, CORROSION AND HEAT RESISTANT ALLOY 12.5Cr - 42.5Ni - 6.0Mo - 2.7Ti - 0.015B - 35Fe	A 3439 * 11 20-DEC-91	MR	AS	11	
SAE-AMS832D-91	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78TA 0.30Al - 0.05Zr - 0.05LA - 0.20W	A 3439 * 11 20-DEC-91	MR	AS	11	
SAE-AMS836	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 52.5Ni - 19Cr - 3.0Mo - 5.1(CB+TA) - 0.90Ti - 0.50Al - 18Fe CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED	A 3439 * 11 20-DEC-91	MR	AS	11	
SAE-AMS837D	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 72Ni - 20Cr - 3Mn - 2.5Cb	A 3439 * 11 20-DEC-91	MR	AS	11	
SAE-AMS840B-86	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 62Ni - 21.5Cr - 9.0Mo - 3.7(CB+TA)	A 3439 11 15-AUG-90	MR	AS	11	
SAE-AMS844D-90	STEEL WELDING WIRE, CORROSION AND MODERATE HEAT RESISTANT 13Cr - 8.0Ni - 2.3Mo - 1.1Al VACUUM MELTED - 1 APR 86	A 9530 11 15-AUG-90	MR	AS	11	
SAE-AMS845D-90	BAR, ALLOY, CORROSION RESISTANT 20Cr - 35Ni - 35Co - 10Mo VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED AND WORK STRENGTHENED 1 JAN 90	A 9530 11 15-AUG-90	MR	AS	11	
SAE-AMS846-83	BAR, ALLOY, CORROSION RESISTANT 20Cr - 35Ni - 35Co - 10Mo VACUUM INDUCTION PLUS CONSUMABLE ELECTRODE VACUUM MELTED SOLUTION HEAT TREATED WORK STRENGTHENED AND AGED 1 JAN 90	A 9510 11 01-SEP-83	MR	AS	11	
SAE-AMS850A-80	BAR & FORGINGS, ALLOY, CORROSION & HEAT RESISTANT 53Ni - 15Cr - 18.5Co - 5.0Mo - 3.2Ti - 4.2Al - 0.03B DOUBLE VACUUM MELTED SOLUTION, STABILIZATION, & PRECIPITATION HEAT TREATED - 1 APR 83	A 9520 11 27-FEB-81	MR	AS	11	
SAE-AMS854	STEEL, CORROSION & HEAT RESISTANT, HONEYCOMB CORE, RESISTANCE WELDED, SQUARE - 15 JUL 80	A 9510 * 11 20-DEC-91	MR	AS	11	
SAE-AMS855A-81	ALLOY BARS, FORGINGS AND RINGS CORROSION AND HEAT RESISTANT 61Ni - 20.5Cr - 8.5Mo - 3.4Cb - 1.3Ti - 5.0Fe CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED	A 59GP 11 30-OCT-81	MR	AS	11	
SAE-AMS856A-81	ALLOY POWDER, CORROSION & HEAT RESISTANT 59.5Ni - 12Cr - 10Co - 3.0Mo - 6.0W - 3.0Ti - 1.5TA - 4.5Al - 0.015B - 0.10Zr (0.30 - 0.35C) - 01 JUL 81	A 95GP 11 01-OCT-82	MR	AS	11	
SAE-AMS857-90	ALLOY BILLETS & PREFORMS CORROSION & HEAT RESISTANT 59.5Ni - 12Cr - 10Co - 3.0Mo - 6.0W - 3.0Ti - 1.5TA - 4.5Al - 0.015B - 0.10Zr (0.30 - 0.35C), POWER METALLURGY PRODUCT - 1 OCT 81	A 9510 11 15-AUG-90	MR	AS	11	
SAE-AMS860A-79	STEEL BARS AND WIRE, CORROSION RESISTANT 19Cr - 10Ni - (SAE 30304) HIGH YIELD STRENGTH SOLUTION HEAT TREATED AND COLD WORKED - 1 JAN. 1990	A 9515 11 31-MAR-80	MR	AS	11	
SAE-AMS861-72 NOTICE 1	SHEET, STRIP, & PLATE, CORROSION & MODERATE HEAT RES. 12Cr-8.5Ni-0.30(CB + TA) - 1.1Ti-2.0Cu CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 1525 DEG. F (830 DEG. C) SOLUTION HEAT TREATED - 15 JAN 79	A 9515 11 15-MAR-88	MR	AS	11	
SAE-AMS862D	SHEET, STRIP, AND PLATE, CORROSION RESISTANT 15Cr - 4.5Ni - 0.30(CB+TA) - 3.5Cu CONSUMABLE ELECTRODE REMELTED, SOLUTION HEAT TREATED PRECIPITATION HARDENABLE	A 9515 * 11 20-DEC-91	MR	AS	11	
SAE-AMS863B-88	STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 15Cr - 6.5Ni - 0.75Mo - 0.6(CB + TA) - 1.5Cu SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 OCT 1988	A 9515 11 17-MAR-89	MR	AS	11	
SAE-AMS866G-89	WIRE, STEEL, FLAT, CORROSION RESISTANT 18Cr - 9.0Ni (SAE 30302) SPRING TEMPER - 1 JUL 89	A 4710 11 15-AUG-90	MR	AS	11	
SAE-AMS869	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 62Ni - 21.5Cr - 9.0Mo - 3.7(CB+TA) SOLUTION HEAT TREATED	A 9515 * 11 20-DEC-91	MR	AS	11	
SAE-AMS871B-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 21Cr - 32.5Ni - 0.38Ti - 0.38Al - 45Fe SOLUTION HEAT TREATED - 1 JAN 88	A 9515 11 17-MAR-89	MR	AS	11	
SAE-AMS873B-88	ALLOY SHEET, STRIP, AND PLATE, CORROSION & HEAT RESISTANT 65Ni - 15.8Cr - 15.2Mo - 0.30Al - 0.5LA CONSUMABLE ELECTRODE MELTED, SOLUTION HEAT TREATED - 1 JAN 88	A 9515 11 17-MAR-89	MR	AS	11	
SAE-AMS878-90	SHEET, STRIP AND PLATE, ALLOY, CORROSION AND HEAT RESISTANT 59Ni - 22Cr - 2Mo - 14W - 0.35Al - 0.03LA SOLUTION HEAT TREATED - 1 JAN 1990	A 9515 11 15-AUG-90	MR	AS	11	
SAE-AMS879	SHEET, STRIP, AND FOIL, CORROSION AND HEAT RESISTANT ALLOY 62Ni - 21.5Cr - 9.0Mo - 3.7(CB+TA) COLD ROLLED AND ANNEALED	A 9515 * 11 20-DEC-91	MR	AS	11	
SAE-AMS881A-81	FORGINGS, ALLOY, CORROSION & HEAT RESISTANT 59.5Ni - 12Cr - 10Co - 3.0Mo - 6.0W - 3.0Ti - 1.5TA - 4.5Al - 0.015B - 0.10Zr (0.30 - 0.35C), SOLUTION, STABILIZED, & PRECIPITATION HEAT TREATED - 1 OCT 81 (VALIDATION DATE: 8305)	A FORG 11 01-OCT-82	MR	AS	11	
SAE-AMS887-90	ALLOY BARS, FORGINGS, AND RINGS CORROSION AND HEAT RESISTANT 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED ANNEALED - 1 JAN 90	A 9510 11 15-AUG-90	MR	AS	11	
SAE-AMS888	ALLOY PLATE, CORROSION AND HEAT RESISTANT 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al ANNEALED	A 9515 * 11 20-DEC-91	MR	AS	11	
SAE-AMS889-90	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al CONSUMABLE ELECTRODE FOR VACUUM INDUCTION MELTED ANNEALED - 1 JAN 1990	A 9515 11 15-AUG-90	MR	AS	11	
SAE-AMS900A-89	STEEL BARS, FORGINGS, & TUBING, CORROSION RESISTANT 14Cr - 2.1Mo - 0.30Cb - 1.0V(1.05 - 1.15C), PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS, DOUBLE VACUUM MELTED - 1 JAN 1989	A 9510 11 15-AUG-90	MR	AS	11	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Qty / Qnt Coordination Notice	Document Number	Document Title	Dist. Sym FDC / Area MCA Symbol Preparing Act	Date	Army Navy Air Force DIA
	SAE-AMS6257	STEEL BARS, FORGINGS, AND TUBING 1.651 - 0.82CR - 1.8M1 - 0.40MD - 0.08V (0.40 - 0.44C) CONSUMABLE ELECTRODE VACUUM REMELTED NORMALIZED AND TAMPERED	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6260L	STEEL BARS, FORGINGS, AND TUBING 1/2CR - 3.2M1 - 0.12MD - (0.07 - 0.13C) (SAE 9310)	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6265G-89	STEEL BARS, FORGINGS, & TUBING 1.2CR - 3.25M1 - 0.12MD (0.07 - 0.13C) (SAE 9310), PREMIUM AIRCRAFT QUALITY, VACUUM CONSUMABLE ELECTRODE REMELTED - 1 JULY 1989	A 9510	11 15-AUG-90	MR AS 11
	SAE-AMS6267C-88	STEEL BARS, FORGINGS, & TUBING 1.2CR - 3.25M1 - 0.12MD (0.07 - 0.13C) SAE 9310 1 JUL 88	A 9510	11 10-MAR-89	MR AS 11
	SAE-AMS6274L-91	STEEL BARS, FORGINGS, AND TUBING 0.50CR - 0.55M1 - 0.20MD (0.18 - 0.23C) ..	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6276F-88	STEEL BARS, FORGINGS, & TUBING 0.50CR - 0.55M1 - 0.20MD (0.18-0.23C) (SAE 8620) CONSUMABLE ELECTRODE VACUUM MELTED 1 JULY 88	A 9510 *	11 17-MAR-89	MR AS 11
	SAE-AMS6277D-88	STEEL BARS, FORGINGS, & TUBING 0.50CR - 0.55M1 - 0.20MD (0.18 - 0.23C) (SAE 8620) VACUUM ARC OR ELECTROSLAG REMELTED 1 JULY 88	A 9510	11 17-MAR-89	MR AS 11
	SAE-AMS6278A	STEEL BARS, FORGINGS, AND TUBING 4.1CR - 3.4M1 - 4.2MD - 1.2V (0.11 - 0.15C) PREMIUM AIRCRAFT-QUALITY FOR BEARING APPLICATIONS DOUBLE VACUUM MELTED	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6280H	STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55M1 - 0.20MD - (0.28 - 0.33C) (SAE 8630)	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6282G-89	TUBING, STEEL, MECHANICAL - 0.50CR - 0.55M1 - 0.25MD (0.33 - 0.38C) (SAE 8735) 1 OCT 89	A 4710	11 15-AUG-90	MR AS 11
	SAE-AMS6290E-79	BAR & FORGING, STEEL, CARBURIZING 1.8M1 - 0.25MD (0.11 - 0.17C) (SAE 4615)	A 9510	11 01-SEP-83	MR AS 11
	SAE-AMS6292E-80	BAR & FORGINGS, STEEL, CARBURIZING 1.8M1 - 0.25MD (0.15 - 0.20C) (SAE 4617) - 15 OCT 80)	A 9510	11 01-SEP-83	MR AS 11
	SAE-AMS6294F-85	STEEL BARS AND FORGINGS, CARBURIZING 1.8M1 - 0.25MD (0.17 - 0.22C) (SAE 4620 - 1 OCT 1985)	A 9510	11 01-AUG-86	MR AS 11
	SAE-AMS6299C-85	STEEL BARS, FORGINGS AND TUBING 0.50CR - 1.8M1 - 0.25MD (0.17 - 0.23C) (SAE 4320H) - 1 JULY 1985	A 9510	11 01-AUG-86	MR AS 11
	SAE-AMS6300C-89	STEEL BARS & FORGINGS 0.25MD (0.35 - 0.40C) (SAE 4037) - 1 JAN. 1989 .....	A 9510	11 15-AUG-90	MR AS 11
	SAE-AMS6302E-88	STEEL BARS, FORGINGS, & TUBING, LOW-ALLOY, HEAT-RESISTANT 0.65S1 - 1.25CR - 0.50MD - 0.25V (0.28 - 0.33C) 1 APRIL 88	A 9510	11 17-MAR-89	MR AS 11
	SAE-AMS6303C-79	STEEL BARS AND FORGINGS, LOW ALLOY, HEAT RESISTANT 0.65S1 - 1.25CR - 0.50MD - 0.85V (0.25 - 0.30C) - 16 JUL 79	A 9510	11 31-MAR-80	MR AS 11
	SAE-AMS6304G-88	STEEL BARS, FORGINGS, & TUBING, LOW-ALLOY, HEAT RESISTANT 0.95CR - 0.55MD - 0.30V (0.40 - 0.50C) 1 OCT 88	A 9510	11 17-MAR-89	MR AS 11
	SAE-AMS6305B	STEEL BARS, FORGINGS, AND TUBING, LOW-ALLOY, HEAT RESISTANT 0.95CR - 0.55MD - 0.30V (0.40 - 0.50C) VACUUM ARC MELTED	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6320K-90	STEEL BARS, FORGINGS, AND RINGS 0.50CR - 0.55M1 - 0.25MD (0.33 - 0.38C) (SAE 8735) - 1 JAN. 1990	A 9510	11 15-AUG-90	MR AS 11
	SAE-AMS6321B-74	BARS, FORGINGS, MECH. TUBING - 0.43CR - 0.30M1 - 0.12MD - 0.003 (0.38 - 0.43C) 81840 - 1 JUN 74 (VALIDATION DATE: 8104)	A 9510	11 15-JUL-75	MR AS 11
	SAE-AMS6322K-87	STEEL BARS, FORGINGS, AND RINGS 0.50 CR - 0.55 M1 - 0.25 MD (0.38 - 0.43C) (SAE 8740) - 1 JAN 87 USER: AT MU OS REVIEWER: 84 AR AV MI	A 9510	11 22-JAN-91	MR AS 11
	SAE-AMS6323F-79	STEEL TUBING, MECHANICAL 0.50CR - 0.55M1 - 0.25MD (0.38 - 0.43C) (SAE 8740) - 16 JUL 79	A 4710	11 31-MAR-80	MR AS 11
	SAE-AMS6325F-88	STEEL BARS, FORGINGS, 0.50 CR - 0.55 M1 - 0.25 MD (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 105,000 PSI (724 MPA) TENSILE STRENGTH USER: AT MU OS REVIEWER: 84 AR AV MI	A 9510	11 22-JAN-91	MR AS 11
	SAE-AMS6327G-88	STEEL BARS, FORGINGS, 0.50 CR - 0.55 M1 - 0.25 MD (0.38 - 0.43C) (SAE 8740) HEAT TREATED, 125,000 PSI (862 MPA) TENSILE STRENGTH - 1 OCT 88 USER: AT MU OS REVIEWER: 84 AR AV MI	A 9510	11 22-JAN-91	MR AS 11
	SAE-AMS6350H	STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MD (0.28 - 0.33C) (SAE 4130) ...	A 9515 *	11 20-DEC-91	MR AS 11
	SAE-AMS6351E	STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MD (0.28 - 0.33C) (SAE 4130) SPHEROIDIZED	A 9515 *	11 20-DEC-91	MR AS 11
	SAE-AMS6352F	STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MD (0.33 - 0.38C) (SAE 4135) ...	A 9515 *	11 20-DEC-91	MR AS 11
	SAE-AMS6354D	STEEL SHEET, STRIP, AND PLATE 0.75S1 - 0.62CR - 0.20MD - 0.10ZR - (0.10 - 0.17C)	A 9515 *	11 20-DEC-91	MR AS 11
	SAE-AMS6358E-81	STEEL SHEET, STRIP & PLATE 0.50CR 0.55M1 - 0.25MD (0.38 - 0.43C) (SEA 8740) - 1 OCT 81	A 9515	11 01-OCT-82	MR AS 11
	SAE-AMS6359D-80	SHEET, STEEL, STRIP, & PLATE, 0.80CR - 1.8M1 - 0.25MD (0.38 - 0.43C) (SAE 4340) - 15 JUL 80	A 9515	11 27-FEB-81	MR AS 11
	SAE-AMS6370K	STEEL BARS, FORGINGS, AND RINGS 0.95CR - 0.20MD (0.28 - 0.33C) (SAE 4130) .	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6371G-88	TUBING STEEL MECHANICAL 0.95CR - 0.20MD (0.28 - 0.33C) (SAE 4130) - 1 OCT 88	A 4710	11 17-MAR-89	MR AS 11
	SAE-AMS6372H	STEEL TUBING, MECHANICAL 0.95CR - 0.20MD (0.33 - 0.38C) (SAE 4135) .....	A 4710 *	11 20-DEC-91	MR AS 11
	SAE-AMS6374A	STEEL TUBING, SEAM-FREE, ROUND 0.95CR - 0.20MD (0.28 - 0.33C) (SAE 4130)	A 4710 *	11 20-DEC-91	MR AS 11
	SAE-AMS6378D-89	95,000 PSI (655 MPa) TENSILE STRENGTH BARS, STEEL, 1.0CR - 0.20MD - 0.015TE (0.39 - 0.48C) DIE DRAWN, 130,000 PSI (895MPa) YIELD STRENGTH FREE MACHINING (4142H MODIFIED) - 1 OCT 1989	A 9510	11 15-AUG-90	MR AS 11
	SAE-AMS6379A-74	STEEL 0.95CR - 0.2MD (0.40 - 0.53C) (SAE 4140 MODIFIED) DIE DRAWN & TEMPERED, 165,000 PSI YIELD - 30 JUN 74 (VALIDATION DATE: 88031)	A 9510	11 15-MAR-88	MR AS 11
	SAE-AMS6381E	STEEL TUBING, MECHANICAL 0.95CR - 0.20MD (0.38 - 0.43C) (SAE 4140) .....	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6385E	STEEL SHEET, STRIP, AND PLATE, LOW ALLOY, HEAT RESISTANT 0.65S1 - 1.25CR - 0.50MD - 0.25V (0.27 - 0.33C)	A 9515 *	11 20-DEC-91	MR AS 11
	SAE-AMS6386B-74	SHEET STEEL & PLATE LOW ALLOY, HEAT TREATED 90,000 PSI (621 MPA) & 100,000 PSI (690 MPA) YIELD STRENGTH - 15 DEC 74	A 9515	11 15-MAR-88	MR AS 11
	SAE-AMS6390C-89	TUBING, STEEL, MECHANICAL - 0.95CR - 0.20MD - (0.38 - 0.43C) (SAE 4140) 1 APR 89	A 4710	11 15-AUG-90	MR AS 11
	SAE-AMS6395D	STEEL SHEET, STRIP, AND PLATE 0.95CR - 0.20MD (0.38 - 0.43C) (SAE 4140) ...	A 9515 *	11 20-DEC-91	MR AS 11
	SAE-AMS6396B-87	STEEL SHEET, STRIP, AND PLATE 0.80CR - 1.8M1 - 0.25MD (0.49 - 0.55C)	A 9515	11 17-MAR-89	MR AS 11
	SAE-AMS6406C-80	SHEET, STEEL, STRIP, & PLATE 1.6S1 - 2.1CR - 0.58MD - 0.05V (0.41 - 0.46C) - 15 JAN 80 (VALIDATION DATE: 88031)	A 9515	11 15-MAR-88	MR AS 11
	SAE-AMS6408-89	BARS, STEEL AND FORGINGS, HOTWORK, TOOL 5.2CR - 1.5MD - 1.0V (0.35 - 0.45C) ELECTROSLAG REMELTED (ESR) OR CONSUMABLE ELECTRODE VACUUM ARC REMELTED (VAR) ANNEALED - 1 JAN 1989	A 9510	11 15-AUG-90	MR AS 11
	SAE-AMS6411D	STEEL BARS, FORGINGS, AND TUBING 0.88CR - 1.8M1 - 0.42MD - 0.08V (0.28 - 0.33C) CONSUMABLE ELECTRODE REMELTED	A 9510 *	11 20-DEC-91	MR AS 11
	SAE-AMS6414E-85	STEEL BARS, FORGINGS, & TUBING 0.80CR - 1.8M1 - 0.25MD (0.38 - 0.43C) (SAE 4340) VACUUM CONSUMABLE ELECTRODE REMELTED - 1 JAN 1985	A 9510	11 22-AUG-86	MR AS 11
A	SAE-AMS6416B-81	STEEL BARS, FORGINGS, & TUBING 1.6S1 - 0.82CR - 1.8M1 - 0.40MD - 0.07V (0.41-0.46C) [VALIDATION DATE: 88031]	A 9510	11 15-MAR-88	MR AS 11
A	SAE-AMS6417C-85	STEEL BARS, FORGINGS, AND TUBING 1.6S1 - 0.82CR - 1.8M1 - 0.40MD - 0.08V (0.38 - 0.43C) CONSUMABLE ELECTRODE REMELTED - 1 APR 1985	A 9510	11 01-AUG-86	MR AS 11
	SAE-AMS6419C-89	BARS, STEEL, FORGINGS, AND TUBING 1.6S1 - 0.82CR - 1.8M1 - 0.40MD - 0.08V (0.40 - 0.45C), CONSUMABLE ELECTRODE VACUUM REMELTED - 1 JAN 1989	A 9510	11 15-AUG-90	MR AS 11
A	SAE-AMS6422F-89	BARS, STEEL, FORGINGS AND TUBING 0.80CR - 0.85 M1 - 0.20MD - 0.003B - 0.04V (0.38 - 0.43C) MODIFIED 98B40) - 1OCT 1989	A 9510	11 15-AUG-90	MR AS 11
A	SAE-AMS6424A-80	STEEL BAR, FORGINGS, & TUBING 0.80CR - 1.8M1 - 0.25MD (0.49 - 0.55C) - 15 JAN 80	A 9510	11 27-FEB-81	MR AS 11
	SAE-AMS6425-89	BARS, STEEL, FORGINGS AND TUBING, 1.4M1 - 1.5S1 - 0.30CR - 1.8M1 - 0.40MD - (0.23 - 0.28C) CONSUMABLE ELECTRODE REMELTED - 1 JULY 1989	A 9510	11 15-AUG-90	MR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Adm CPL / OMI Coordination Inhouse	Document Number	Document Title	Dat. Syst. FSC / AIA MCA Symbol	Proposed Date	Custodians Army Navy Air Force DLA
	SAE-AMS6426D-90	STEEL BARS, FORGINGS, AND TUBING, 0.75S1 - 1.0CR - 0.58MO (0.80 - 0.90C), CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN 1990	A 9510 11	15-AUG-90	NR AS 11
A	SAE-AMS6427F-79	BAR, STEEL, FORGING, & TUBING 0.88CR - 1.8M1 - 0.42MO - 0.08V (0.28 - 0.33C) 15 OCT 79	A 9510 11	27-FEB-81	NR AS 11
A	SAE-AMS6428C-80	STEEL BAR, FORGINGS, & TUBING 0.80CR - 1.8M1 - 0.35MO - 0.20V (0.32 - 0.38C) - 15 APR 80	A 9510 11	27-FEB-81	NR AS 11
	SAE-AMS6429D	STEEL BARS, FORGINGS, TUBING, AND RINGS 0.78CR - 1.8M1 - 0.35MO - 0.20V (0.33 - 0.38C) CONSUMABLE ELECTRODE VACUUM MELTED	A 9510 *	20-DEC-91	NR AS 11
	SAE-AMS6430D-89	BARS, STEEL, FORGINGS, TUBING, AND RINGS 0.75M1 - 0.78CR - 1.8M1 - 0.35MO - 0.20V (0.32 - 0.38C) (4335 MODIFIED) - 1 OCT. 1989	A 9510 11	15-AUG-90	NR AS 11
	SAE-AMS6431M	STEEL BARS, FORGINGS, AND TUBING 1.05CR - 0.55M1 - 1.0MO - 0.11V (0.45 - 0.50) CONSUMABLE ELECTRODE VACUUM MELTED	A 9510 *	20-DEC-91	NR AS 11
A	SAE-AMS6432A-73 NOTICE 2	BARS STEEL, FORGINGS, & TUBING 1.05 CR - 0.55M1 - 1.0MO - 0.11V (0.43 - 0.49C) - 15 MAY 73 (VALIDATION DATE: 8104)	A 9510 11	15-JUL-75	NR AS 11
	SAE-AMS6433D-89	SHEET, STEEL, STRIP, & PLATE 0.75M1 - 0.80CR - 1.8M1 - 0.35MO - 0.20V (0.33-0.38C) - 1 APR 1989	A 9515 11	15-AUG-90	NR AS 11
	SAE-AMS6434D-89	STEEL SHEET, STRIP & PLATE 0.78CR - 1.8M1 - 0.35MO - 0.20V (0.33 - 0.38C) - 1 OCT 1989	A 9515 11	15-AUG-90	NR AS 11
A	SAE-AMS6435B-77	STEEL SHEET, STRIP, & PLATE 0.78CR - 1.8M1 - 0.35MO - 0.20V (0.33 - 0.RODE MELTED, ANNEALED - 15 JAN 77 38C) PREMIUM QUALITY, CONSUMABLE ELECT (VALIDATION DATE: 8405)	A 9515 11	08-JUL-77	NR AS 11
	SAE-AMS6436A-69 NOTICE 1	STEEL SHEET, STRIP & PLATE, LOW ALLOY HEAT RESISTANT 0.65S1 - 1.25CR - 0.5MO - 0.85V (0.20 - 0.25C) - 1 MAY 69 (VALIDATION DATE: 8803)	A 9515 11	15-MAR-88	NR AS 11
	SAE-AMS6438D	STEEL SHEET, STRIP, AND PLATE 1.05CR - 0.55M1 - 1.0MO - 0.12V (0.45 - 0.50C) CONSUMABLE ELECTRODE VACUUM MELTED	A 9515 *	20-DEC-91	NR AS 11
	SAE-AMS6440J-88	STEEL BARS, FORGINGS, & TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) FOR BEARING APPLICATIONS 1 OCT 88	A 9510 11	17-MAR-89	NR AS 11
A	SAE-AMS6441G-81	STEEL TUBING, MECHANICAL 1.45CR (0.98 - 1.10C) (SAE 52100) FOR BEARINGAPPLICATIONS - 1 OCT 81	A 4710 11	01-OCT-82	NR AS 11
	SAE-AMS6443E-88	STEEL BARS, FORGINGS, & TUBING 1.0CR (0.98 - 1.10C) (SAE 51100) CONSUMABLE ELECTRODE VACUUM MELTED 1 OCT 88	A 9510 11	17-MAR-89	NR AS 11
A	SAE-AMS6444G-85	STEEL BARS, FORGINGS, AND TUBING 1.45CR (0.98 - 1.10C) (SAE 52100) PREMIUM AIRCRAFT-QUALITY, CONSUMABLE ELECTRODE VACUUM MELTED - 1 JULY 1985	A 9510 11	01-AUG-86	NR AS 11
	SAE-AMS6445E-89	STEEL BARS, FORGINGS, AND TUBING 1.05CR - 1.1M1 (0.92 - 1.02C) (MODIFIED 51100) CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN. 1989	A 9510 11	15-AUG-90	NR AS 11
	SAE-AMS6446C-88	STEEL BARS, FORGINGS, & TUBING 1.0CR (0.98 - 1.10C) (SAE 51100) ELECTROSLAG REMELTED 1 OCT 88	A 9510 11	17-MAR-89	NR AS 11
A	SAE-AMS6447B-72	BARS, FORGINGS, & TUBING STEEL 1.45CR (0.95 - 1.10C) (SAE 52100) PREMIUM QUALITY - 15 NOV 72 (VALIDATION DATE: 8104)	A 9510 11	15-JUL-75	NR AS 11
	SAE-AMS6449C-88	STEEL BARS, FORGINGS, & TUBING 1.0CR (0.98 - 1.10C) (SAE 51100) FOR BEARING APPLICATIONS 1 OCT 88	A 9510 11	17-MAR-89	NR AS 11
	SAE-AMS6453	WIRE, STEEL WELDING 0.30CR - 1.8M1 - 0.40MO - (0.23 - 0.28C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING	A 3439 *	20-DEC-91	NR AS 11
	SAE-AMS6454A-85	SHEET, STRIP, & PLATE, STEEL, 1.8M1 - 0.80CR - 0.25MO (0.38 - 0.43C) (SAE 4340) PREMIUM AIRCRAFT-QUALITY, CONSUMABLE ELECTRODE MELTED - 1 JUL 85	A 9515 11	01-AUG-86	NR AS 11
	SAE-AMS6455F-88	STEEL SHEET, STRIP, AND PLATE 0.95 CR - 0.22V (0.48 - 0.53C) (SAE 6150) - 1 JUL 88	A 9515 11	17-MAR-89	NR AS 11
A	SAE-AMS6458F-88 NOTICE 1	STEEL WIRE, WELDING 0.65S1 - 1.25CR - 0.50MO - 0.30V (0.28 - 0.33C) VACUUM MELTED - 1 JAN 88	A 3439 11	17-MAR-89	NR AS 11
A	SAE-AMS6459A-85	STEEL WELDING WIRE 1.0MO - 0.12V (0.18 - 0.23C) VACUUM INDUCTION MELTED - 1 JULY 1985	A 3439 11	01-AUG-86	NR AS 11
	SAE-AMS6460D-90	WIRE, STEEL WELDING 0.75S1 - 0.62CR - 0.20MO - 0.10ZR (0.10 - 0.17C) - 1 JAN 90	A 3439 11	15-AUG-90	NR AS 11
	SAE-AMS6463B-90	WIRE, STEEL WELDING 18.5M1 - 8.5CO - 5.2MO - 0.72TI - 0.10AI VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING - 1 JAN 90	A 3439 11	15-AUG-90	NR AS 11
	SAE-AMS6465B-90	WIRE, STEEL WELDING 2.0CR - 10M1 - 8.0CO - 1.0MO - 0.02AI - 0.06V (0.10 - 0.14C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING	A 3439 11	01-JAN-90	NR AS 11
	SAE-AMS6466D-87 SAE-AMS6473	STEEL WELDING WIRE, CORROSION RESISTANT 5.25CR - 0.55MO - 1 OCT 87 ..... WIRE, STEEL WELDING 0.88CR - 1.8M1 - 1.6CO - 0.42MO - 0.08V - (0.28 - 0.33C) (SAE 4330V) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING	A 3439 11 A 3439 *	17-MAR-89 20-DEC-91	NR AS 11 NR AS 11
A	SAE-AMS6475D-75	BARS, FORGINGS & TUBING, NITRIDING - 1.1CR 3.5M1 0.25MO 1.25AI (0.21-0.26C) - 15 JUN 75 (VALIDATION DATE: 8405)	A 9510 11	25-MAR-77	NR AS 11
	SAE-AMS6476-88	STEEL BARS, FORGINGS, & TUBING, 0.50CR - 0.12MO (0.89 - 1.01C) FOR BEARING APPLICATIONS 1 APRIL 88	A 9510 11	17-MAR-89	NR AS 11
	SAE-AMS6477-88	STEEL BARS, FORGINGS, & TUBING, 0.80CR (0.90 - 1.03C) FOR BEARING APPLICATIONS 1 APR 88	A 9510 11	17-MAR-89	NR AS 11
	SAE-AMS6485F-89	BARS, STEEL, AND FORGINGS, 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) - 1 JULY 1989	A 9510 11	15-AUG-90	NR AS 11
	SAE-AMS6487F-90	BARS, STEEL, AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) (H-11) CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN. 1990	A 9510 11	15-AUG-90	NR AS 11
A	SAE-AMS6488D-85	STEEL BARS AND FORGINGS 5.0CR - 1.3MO - 0.50V (0.38 - 0.43C) PREMIUM AIRCRAFT-QUALITY - 1 JAN 1985	A 9510 11	01-AUG-86	NR AS 11
	SAE-AMS6490D-89	BARS, STEEL, FORGINGS, AND TUBING 4.0CR - 4.2MO - 1.0V - (0.77 - 0.85C) PREMIUM AIRCRAFT QUALITY FOR BEARING APPLICATIONS CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN 1989	A 9510 11	15-AUG-90	NR AS 11
A	SAE-AMS6491-76	BARS FOR 25 & TUBING - 4.1CR 4.2MO 1.0V (0.80-0.85C) PREMIUM BEARING QUALITY DOUBLE VACUUM MELTED - 15 JAN 76 (VALIDATION DATE: 8305)	A 9510 11	01-APR-77	NR AS 11
	SAE-AMS651B-86	SHEET STEEL, STRIP, AND PLATE, MARAGING 19M1 - 30.MO - 1.4TI - 0.10AI DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED (ADOPTED 1 JAN 86)	A 9515 NR	01-AUG-86	AS 11
A	SAE-AMS6519-86	STEEL BARS, FORGINGS, TUBING, AND RINGS, MARAGING 19M1 - 3.0MO - 1.4TI - 0.10AI DOUBLE VACUUM MELTED, ANNEALED - 1 JAN 1985	A 9510 11	01-AUG-86	NR AS 11
	SAE-AMS6522A-89	PLATE, STEEL 2.0CR - 10M1 - 14CO - 1.0MO (0.13 - 0.17C) VACUUM MELTED, NORMALIZED, AND OVERAGED - 1 APR 1989	A 9515 11	15-AUG-90	NR AS 11
	SAE-AMS6523C-88	STEEL SHEET, STRIP, AND PLATE 0.75CR - 9.0M1 - 4.5 O - 1.0MO - 0.09V (0.17 - 0.23C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED - 1 OCT. 1988	A 9515 11	17-MAR-89	NR AS 11
A	SAE-AMS6524B-85	SHEET STEEL, STRIP, AND PLATE 1.0CR - 7.5M1 - 4.5CO - 1.0MO - 0.09V (0.29 - 0.29 - 0.29 - 0.34C) VACUUM CONSUMABLE ELECTRODE MELTED, ANNEALED (ADOPTED) APR 85	A 9515 11	01-AUG-86	NR AS 11
	SAE-AMS6525A-89	BARS, STEEL, FORGINGS, TUBING, AND RINGS, 0.75CR - 9.0M1 - 4.5CO - 1.0MO - 0.09V (0.17 - 0.23C) CONSUMABLE ELECTRODE VACUUM MELTED - 1 JAN. 1989	A 9510 11	15-AUG-90	NR AS 11
	SAE-AMS6526C-89	STEEL BARS, FORGINGS, TUBING, & RINGS, 1.0CR - 7.5M1 - 4.5CO - 1.0MO - 0.09V - (0.29-0.34C), CONSUMABLE ELECTRODE VACUUM MELTED ANNEALED - 1 JAN 1989	A 9510 11	15-AUG-90	NR AS 11
	SAE-AMS652B-87	STEEL BARS, 0.95CR - 0.20MO (0.28 - 0.33C) (SAE 4130) SPECIAL AIRCRAFT QUALITY CLEANLINESS NORMALIZED - 1 APR 87	A 9510 11	17-MAR-89	NR AS 11
	SAE-AMS6529-87	STEEL BARS 0.95CR - 0.20MO (0.38 - 0.43C) (SAE 4140) SPECIAL AIRCRAFT QUALITY CLEANLINESS NORMALIZED - 1 APR 87	A 9510 11	17-MAR-89	NR AS 11
A	SAE-AMS6530C-82	STEEL TUBING, SEAMLESS 0.50CR - 0.55M1 - 0.20MO (0.28 - 0.33C) (SAE 8630) - 1 APR 82	A 4710 11	01-OCT-82	NR AS 11
	SAE-AMS6533	WIRE, STEEL WELDING 2.0CR - 10M1 - 14CO - 1.0MO - (0.13 - 0.17C) VACUUM MELTED, ENVIRONMENT CONTROLLED PACKAGING	A 3439 *	20-DEC-91	NR AS 11
A	SAE-AMS6543A-86	STEEL BARS & FORGINGS, MARAGING 2.0CR - 10M1 - 8.0CO - 1.0MO (0.10 - 0.14C) DOUBLE VACUUM MELTED, SOLUTION HEAT TREATED - 1 JAN 1986	A 9510 11	01-AUG-86	NR AS 11



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

A	SAE-AMS	Doc. No. / QPL / Coordination / Document Number	Document Title	Doc. Smt. / FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
								Army	Navy	Air Force	DIA
A	SAE-AMS6544-75		PLATE - 2.0CR 1CM1 8.0CD 1.0MD (0.10 - 0.14C), PREMIUM QUALITY, VAC. - 15 SEP 75 [VALIDATION DATE: 8305]	A 9515	11	25-JUL-77	NR	AS	11		
A	SAE-AMS7228G-85		RIVET, STEEL, CORROSION RESISTANT 18CR - 9MI SOLUTION HEAT TREATED - 1 OCT 85	A 5320	11	01-AUG-86	NR	AS	11		
A	SAE-AMS7229F-86		RIVET, STEEL, CORROSION & HEAT RESISTANT 18CR - 10.5MI - (CB+TA) SOLUTION HEAT TREATED - 1 JAN 86	A 5320	11	01-AUG-86	NR	AS	11		
	SAE-AMS7232G-87		ALLOY RIVETS, CORROSION AND HEAT RESISTANT 74MI - 15. CR - 8.0FE - 1 OCT 87	A 5320	11	17-MAR-89	NR	AS	11		
	SAE-AMS7233C-81		RIVETS, SOLID, ALLOY, CORROSION RESISTANT 67MI - 31CU - 1 APR 81 [VALIDATION DATE: 8803]	A 5320	11	15-MAR-88	NR	AS	11		
A	SAE-AMS7235B-79		RIVETS, STEEL, CORROSION & HEAT RESISTANT 15CR - 26MI - 1.3MD - 2.1TI - 0.30V 1650 DEG. F (900 DEG. C) SOLUTION HEAT TREATED & PARTIALLY PRECIPITATION HEAT TREATED - 15 OCT 79	A 5320	11	27-FEB-81	NR	AS	11		
A	SAE-AMS7236B-79		RIVETS, ALLOY, CORROSION & HEAT RESISTANT 52CD - 20CR - 10MI - 15W - 15 OCT 79	A 5320	11	27-FEB-81	NR	AS	11		
A	SAE-AMS7237A-83		RIVETS, ALLOY, CORROSION & HEAT RESISTANT 47.5MI - 22CR - 1.5CD - 9.0MD - 0.60W - 18.5FE SOLUTION HEAT TREATED 1 APR 83	A 5320	11	01-SEP-83	NR	AS	11		
A	SAE-AMS7238-86		ALLOY PM SHAPES, CORROSION, WEAR, & HEAT RESISTANT 56CD - 30CR - 8.25W (1.10 - 1.90C) - 1 JAN 86	A 3120	11	01-AUG-86	NR	AS	11		
A	SAE-AMS7239-86		ALLOY PM SHAPES, CORROSION, WEAR, & HEAT RESISTANT 60CD - 29CR - 4.5W (0.90 - 1.40C) - 1 JAN 86	A 3120	11	01-AUG-86	NR	AS	11		
	SAE-AMS7258B		RINGS, SEALING, BUTADIENE-ACRYLONITRILE (NBR) RUBBER FUEL RESISTANT, LOW SHRINKAGE 65 - 75	A 5330 *	11	20-DEC-91	NR	AS	11		
	SAE-AMS7259A		RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH TEMPERATURE-FLUID RESISTANT VERY-LOW COMPRESSION SET 85-95	A 5330 *	11	20-DEC-91	NR	AS	11		
	SAE-AMS7261A-89		RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE - FLUID RESISTANT - 1 OCT 89	A 5330	11	15-AUG-90	NR	AS	11		
	SAE-AMS7261/1C-89		RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE - FLUID RESISTANT 65-75 - 1 OCT 89	A 5330	11	15-AUG-90	NR	AS	11		
	SAE-AMS7261/2C-89		RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE - FLUID RESISTANT - 75 - 85	A 5330	11	15-AUG-90	NR	AS	11		
	SAE-AMS7261/3B-89		RINGS, SEALING, PHOSPHONITRILIC (FZ) FLUOROELASTOMER HIGH-TEMPERATURE - FLUID RESISTANT 85-95 - 1 OCT 89	A 5330	11	15-AUG-90	NR	AS	11		
	SAE-AMS7276C		RINGS, SEALING, FLUOROCARBON (FKM) RUBBER HIGH-TEMPERATURE-FLUID RESISTANT VERY-LOW COMPRESSION SET 70-80	A 5330 *	11	20-DEC-91	NR	AS	11		
	SAE-AMS7284		RINGS, SEALING, PHOSPHONITRILIC FLUOROELASTOMER (FZ) AVIATION FUEL RESISTANT	A 5330 *	11	20-DEC-91	NR	AS	11		
	SAE-AMS7284/1		RINGS, SEALING, PHOSPHONITRILIC FLUOROELASTOMER (FZ) AVIATION FUEL RESISTANT 65 - 75 SHORE A	A 5330 *	11	20-DEC-91	NR	AS	11		
	SAE-AMS7284/2		RINGS, SEALING, PHOSPHONITRILIC FLUOROELASTOMER (FZ) AVIATION FUEL RESISTANT 75 - 85 SHORE A	A 5330 *	11	20-DEC-91	NR	AS	11		
A	SAE-AMS7301D-79		STEEL SPRINGS, HIGHLY STRESSED 0.95CR - 0.2V (0.48 - 0.53C) (SAE 6150) - 15 OCT 79	A 5360	11	27-FEB-81	NR	AS	11		
A	SAE-AMS7325E-86		RING, SEALING, TUBULAR METAL, CORROSION & HEAT RESISTANT STEEL	A 5365	11	01-AUG-86	NR	AS	11		
	SAE-AMS7458E-79		STUDS, STEEL, LOW ALLOY, HEAT RESISTANT NORMALIZED AND TEMPERED, ROLL THREADED 135,000 PSI (931 M PA) TENSILE STRENGTH - 16 JUL 79 [VALIDATION DATE: 8803]	A 5307	11	15-MAR-88	NR	AS	11		
	SAE-AMS7459C-80		BOLTS & SCREWS, STEEL, LOW ALLOY HEAT RESISTANT 195,000 PSI (1,345 MPA) TENSILE STRENGTH HARDENED & TEMPERED, ROLL THREADED - 15 JAN 80 [VALIDATION DATE: 8803]	A 5306	11	15-MAR-88	NR	AS	11		
	SAE-AMS7469B-80		BOLTS & SCREWS, NICKEL ALLOY, CORROSION & HEAT RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED 2050 DEG. F. (1120 DEG. C) SOLUTION & 1650 DEG. F. (900 DEG. C) PRECIPITATION HEAT TREATMENT - 15 APR 80 [VALIDATION DATE: 8803]	A 5306	11	15-MAR-88	NR	AS	11		
	SAE-AMS7470F-70		BOLTS & SCREWS, STEEL, CORROSION & MODERATE HEAT RESISTANT - HEAT TREATED, ROLL THREADED - 1 NOV 70 [VALIDATION DATE: 8803]	A 5306	11	15-MAR-88	NR	AS	11		
	SAE-AMS7471E-80		BOLTS & SCREWS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED 1950 DEG. F (1065 DEG. C) SOLUTION HEAT TREATMENT - 15 OCT 79 [VALIDATION DATE: 8803]	A 536P	11	15-MAR-88	NR	AS	11		
	SAE-AMS7472H-70		BOLTS & SCREWS, STEEL, CORROSION RESISTANT ROLL THREADED - 1 NOV 70 [VALIDATION DATE: 8803]	A 5306	11	15-MAR-88	NR	AS	11		
	SAE-AMS7473C-70		BOLTS & SCREWS - ROLL THREADED - NOV 70 [VALIDATION DATE: 8104]	A 5306	11	15-NOV-74	NR	AS	11		
	SAE-AMS7474A-70		BOLTS & SCREWS, STEEL, CORROSION RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED - 1 NOV 70 [VALIDATION DATE: 8803]	A 5306	11	15-MAR-88	NR	AS	11		
	SAE-AMS7477B-70		BOLTS & SCREWS, STEEL, CORROSION & HEAT RESISTANT UPSET HEADED, HEAT TREATED, ROLL THREADED 1800 F (982.2C) SOLUTION A PRECIPITATION HEAT TREATED - 1 NOV 70 [VALIDATION DATE: 8803]	A 5306	11	15-MAR-88	NR	AS	11		
	SAE-AMS7478G-70		BOLTS & SCREWS, STEEL, CORROSION & HEAT RESISTANT HEAT TREATED, ROLL THREADED - 1800 F (982.2C) SOLUTION & PRECIPITATION HEAT TREATED - 1 NOV 70 [VALIDATION DATE: 8803]	A 5306	11	15-MAR-88	NR	AS	11		
	SAE-AMS7479C-70		BOLTS & SCREWS, STEEL, CORROSION & HEAT RESISTANT HEAT TREATED, ROLL THREADED - 1650 F (898.9C) SOLUTION & PRECIPITATION HEAT TREATED - 1 NOV 70 [VALIDATION DATE: 8205]	A 5306	11	15-NOV-74	NR	AS	11		
	SAE-AMS7481A-63		STUDS, STEEL, CORROSION & HEAT RESISTANT HEAT TREATED, ROLL THREADED - 15 JAN 63 [VALIDATION DATE: 8803]	A 5307	11	15-MAR-88	NR	AS	11		
	SAE-AMS7488D-77		RINGS, FLASH WELDED ALUMINUM & ALUMINUM ALLOYS - 15 JUL 77 [VALIDATION DATE: 8803]	A 5365	11	15-MAR-88	NR	AS	11		
	SAE-AMS7490H		RINGS, FLASH WELDED CORROSION AND HEAT RESISTANT AUSTENITIC STEELS AND AUSTENITIC-TYPE ALLOYS OR PRECIPITATION HARDENABLE ALLOYS	A 5330 *	11	20-DEC-91	NR	AS	11		
	SAE-AMS7493H-80		RINGS, FLASH WELDED LOW AUSTENITIC CORROSION RESISTANT STEELS - 15 JUL 80 [VALIDATION DATE: 8803]	A 5365	11	15-MAR-88	NR	AS	11		
	SAE-AMS7496H		RINGS, FLASH WELDED CARBON AND LOW-ALLOY STEELS	A 5365 *	11	20-DEC-91	NR	AS	11		
	SAE-AMS7498J-88		RINGS, FLASH WELDED TITANIUM ALLOYS - 1 OCT 88	A 5365	11	17-MAR-89	NR	AS	11		
	SAE-AMS7510A-88		MAGNETS, RARE-EARTH/COBALT, PERMANENT POWDER-METALLURGY PRODUCT - 1 JUL 88	A 5999	11	17-MAR-89	NR	AS	11		
	SAE-AMS7510/1A-88		MAGNETS, RARE-EARTH/COBALT, 33/67 - 15 (119)250 - 1 JUL 88	A 5999	11	17-MAR-89	NR	AS	11		
	SAE-AMS7510/2A-88		MAGNETS, RARE-EARTH/COBALT, PERMANENT SAMARIUM-COBALT, 33/67 - 18 (143) 250 1 JUL 88	A 5999	11	17-MAR-89	NR	AS	11		
	SAE-AMS7701B-88		ALLOY SHEET AND STRIP, MAGNETIC, NICKEL-IRON ALLOY ANNEALED - 1 JUL 88 USER: CE REVIEWER: EA 15	A 9535	11	17-MAR-89	NR	AS			
	SAE-AMS7702B-88		ALLOY SHEET AND STRIP, MAGNETIC, NICKEL-IRON ALLOY 1/2 HARD - 1 JUL 88 USER: CE REVIEWER: EA 15	A 9535	11	17-MAR-89	NR	AS			
	SAE-AMS7705B-88		ALLOY BARS AND FORGINGS, MAGNETIC, NICKEL-IRON ALLOY - 1 JAN 88 USER: CE REVIEWER: EA 15	A 9535	11	17-MAR-89	NR	AS			
	SAE-AMS7706A-74		IRON, COMMERCIAL PURE HOT ROLLED, ANNEALED - 30 JUN 74 [VALIDATION DATE: 8803] REVIEWER: MI	A 9510	11	15-MAR-88	NR	AS	11		
	SAE-AMS7707A-87		IRON, COMMERCIAL PURE HOT ROLLED, UNANNEALED - 1 JUL 87	A 9510	11	17-MAR-89	NR	AS	11		
	SAE-AMS7711B-84		STEEL SHEET & STRIP, FLAT ROLLED, ELECTRICAL, NON-ORIENTED 2.65 (SI-A1) TYPE 47S188 OR TYPE 64S213, SEMI-PROCESSED - 1 APR 1984	A 9515	11	15-AUG-90	NR	AS	11		
	SAE-AMS7712B-84		STEEL SHEET & STRIP, FLAT ROLLED, ELECTRICAL, NON-ORIENTED 3.0 (SI-A1) TYPE 47S178 OR TYPE 64S194, SEMI-PROCESSED - 1 APR 1984	A 9515	11	15-AUG-90	NR	AS	11		
	SAE-AMS7715-57		STEEL, FLAT ROLLED ELECTRICAL 4.25SI AISI TYPE M-15, SEMI-PROCESSED - 15 SEP 57 [VALIDATION DATE: 8803]	A 9515	11	15-MAR-88	NR	AS	11		
A	SAE-AMS7717A-79		SHEET & STRIP - MAGNETIC ALLOY, 50MI - 50FE, FORMING GRADE - 15 OCT 79	A 9535	11	30-OCT-81	NR	AS	11		
	SAE-AMS7718C-89		BAR, MAGNETIC ALLOY, TUBING, AND FORGINGS 50MI - 50FE - 1 JUL 1989	A 9535	11	15-AUG-90	NR	AS	11		



**NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS**

818



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Asst Op / Coll Coordinator Index	Document Number	Document Title	Doc. Smt. F&C Area	MCA Symbol Preparing Body	Date	Custodians Army Navy Air Force DIA
	SAE-AS622-84	HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 45 DEG., HEAVYWEIGHT - JUL 84 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS623-84	HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, STRAIGHT TO 90 DEG., HEAVYWEIGHT - JUL 84 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS624-84	HOSE ASSEMBLY, 3000 PSI, TFE, FLARELESS, 45 DEG. TO 45 DEG., HEAVYWEIGHT - JUL 84 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS625-84	HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 45 DEG. TO 90 DEG., HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS626-84	HOSE ASSEMBLY, 3,000 PSI, TFE, FLARELESS, 90 DEG. TO 90 DEG., HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS627-84	HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO STRAIGHT, HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS628-84	HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO 45 DEG., HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS629-84	HOSE ASSEMBLY, 3,000 PSI, TFE, FLARED, STRAIGHT TO 90 DEG., HEAVYWEIGHT - JULY 1984 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
A	SAE-AS6810-82	GAS TURBINE ENGINE STEADY STATE PERFORMANCE PRESENTATION FOR DIGITAL COMPUTER PROGRAMS - 1 OCT 82	A 2840	11	27-JUL-83	MR AS 11
	SAE-AS6838-80	CONNECTIONS, FLUID, INSTALLATION PROCEDURES & TORQUES FOR - 15 JAN 80	A 4730	99	01-MAR-82	AS 99
	SAE-AS686A-80	TUBE, PILOTED RING SEAL, SWIVEL CONNECTION ASSEMBLY - 1 APR 80 REVIEWER: CS	A 4730	99	01-MAR-82	AS 99
	SAE-AS870C-74	WRENCHING CONFIGURATION, DOUBLE HEXAGON (12 POINT), FOR THREADED FASTENERS - 15 MAY 74 [VALIDATION DATE: 8304] REVIEWER: 15	A 53GP	99	30-AUG-77	AV AS 99
	SAE-AS896A-83	NIPPLE, FLARELESS TUBE TO MALE PIPE - 1 JAN 1983 USER: AR AT REVIEWER: 11 CS ME MI	A 4730	82	28-OCT-88	AV AS 99
	SAE-AS897A-83	ELBOW, 90 DEG., FLARELESS TUBE TO MALE PIPE - 1 JAN 1983 USER: AR AT REVIEWER: 11 CS ME MI	A 4730	82	28-OCT-88	AV AS 99
	SAE-AS9540-88	WRENCH, HAND TWELVE POINT HIGH STRENGTH, THIN WALL - 1 FEB 1988	A 5120	AV	31-MAY-88	AV
	SAE-AS970A-69	DRIVE ACCESSORY, 8,000 BC ROUND, QAD, DESIGN STANDARD FOR - 1 OCT 69	A 6150	AS	01-NOV-85	AS
	SAE-AS971A-69	DRIVE ACCESSORY, 10,000 BC ROUND, QAD, DESIGN STANDARD FOR - 1 OCT 69	A 6150	AS	01-NOV-85	AS
	SAE-AS972B-77	DRIVES & FLANGES, ACCESSORY, SPLINE DETAILS - 1 JULY 1977	A 6150	AS	01-NOV-85	AS
	SAE-AS1001C-87	TEE, REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS TUBE 2 FEB 1987	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1002C-87	TEE, REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS TUBE 2 FEB 87	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1003C-87	TEE, REDUCER, BULKHEAD ON RUN, FLARELESS TUBE - 2 FEB. 1987 REVIEWER: 82 CS	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1004B-81	ELBOW, 90 DEG., REDUCER FLARELESS TUBE - 15 JAN 81 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1005C-85	TEE, REDUCER, FLARELESS TUBE - 1 MAR 1985 USER: 11 REVIEWER: 82 CS ME MI	A 4730	AS	21-OCT-87	AV AS 99
	SAE-AS1006C-87	CROSS, REDUCER, FLARELESS TUBE 2 FEB 87 REVIEWER: 82 CS	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1007C-87	UNION, REDUCER, BULKHEAD, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1008C-87	ELBOW, 90 DEG., REDUCER, BULKHEAD, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1009D-87	TEE, REDUCER, BULKHEAD ON SIDE, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1010C-87	ELBOW, 45 DEG., REDUCER, FLARELESS TUBE - 2 FEB 1987 REVIEWER: 82 CS	A 4730	AS	16-AUG-87	AV AS 99
	SAE-AS1031B-83	TEE, REDUCER, BULKHEAD ON RUN, INTERNALLY THREADED SIDE PORT, FLARED TUBE - 4 APR 83 REVIEWER: 11 82 AR 15	A 4730	AS	03-FEB-84	AV AS 99
	SAE-AS1032B-83	TEE, REDUCER-BULKHEAD & INTERNALLY THREADED PORT ON RUN, FLARED TUBE - 4 APR 1983 USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1033B-83	TEE, REDUCER, BULKHEAD ON RUN, FLARED TUBE - 4 APR 83 USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1034B-83	ELBOW, 90 DEG., REDUCER, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1035B-83	TEE, REDUCER, FLARED TUBE - 4 APR 83 USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1036B-83	REDUCER, CROSS, FLARED TUBE - 4 APR 83 USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1037B-83	REDUCER, UNION, BULKHEAD, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1038B-83	REDUCER, ELBOW, 90 DEG., BULKHEAD, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1039B-83	REDUCER, TEE, BULKHEAD ON SIDE, FLARED TUBE - 4 APR 83 W/DOD EXCEPTIONS USER: 11 REVIEWER: 82 CS ME	A 4730	AS	20-JUL-84	AV AS 99
	SAE-AS1040B-83	ELBOW, 45 DEG., REDUCER, FLARED TUBE - 4 APR 83 REVIEWER: 82 AR 15	A 4730	AS	03-FEB-84	AV AS 99
	SAE-AS1043C-80	LOCKWIRE HOLE, STANDARD DIMENSION - 1 JAN 80 [VALIDATION DATE: 8306]	A 4730	82	04-DEC-81	99
	SAE-AS1055B-78R84	HOSE, FLEXIBLE, TUBE ASSEMBLIES, COILS, FITTINGS & SIMILAR SYSTEM COMPONENTS, FIRE TESTING OF - 1 MAR 1978 REVIEWER: 99 AV CS MI	A 4720	11	20-JUN-86	ME AS 11
	SAE-AS1072B-84	SLEEVE, HOSE ASSEMBLY, FIRE PROTECTION - 1 APR 1984 REVIEWER: AV CS MI	A 4720	99	20-JUN-86	ME AS 99
	SAE-AS1073-68	SLEEVE, HOSE ASSEMBLY, HEAT SHRINKABLE - JUN 68 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4720	AS	15-SEP-78	AV AS 11
	SAE-AS1132B-76	BOLTS & SCREWS, EXTERNAL WRENCHING, UNIFIED THREAD 1/2 INCH SERIES - DESIGN PARAMETERS FOR - 2 FEB 76 [VALIDATION DATE: 8405] REVIEWER: 15	A 53GP	99	15-SEP-78	AV 99
	SAE-AS1182A-89	AIRCRAFT- QUALITY AND PREMIUM AIRCRAFT- QUALITY STEEL BARS AND MECHANICAL TUBING, STANDARD MACHINING ALLOWANCE - 1 OCT 1989	A 9510	11	15-AUG-90	MR AS 11
A	SAE-AS1241A-83	FIRE RESISTANT PHOSPHATE ESTER HYDRAULIC FLUID FOR AIRCRAFT - 1 MAR 83	A 9150	11	01-SEP-83	MR AS 11
	SAE-AS1290-75	AIRCRAFT HYDRAULIC & PNEUMATIC SYSTEMS, GRAPHIC SYMBOLS FOR - JUL 75 REVIEWER: 11 71	A 1650	AS	30-APR-84	AV AS 99
	SAE-AS1291-73	HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, TFF OR FEP - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4720	AS	15-SEP-78	AV AS 11
	SAE-AS1292-73	HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, BUTYRATE COIL - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4720	AS	15-SEP-78	AV AS 11
	SAE-AS1293-73	HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, TFE COIL - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4720	AS	15-SEP-78	AV AS 11
	SAE-AS1294-73	HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, NYLON COIL - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4720	AS	15-SEP-78	AV AS 11
	SAE-AS1295-73	HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, NEOPRENE RUBBER - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4720	AS	15-SEP-78	AV AS 11
	SAE-AS1296-73	HOSE ASSEMBLY, SLEEVE, CHAFE GUARD, HEAVY WALL, TFE - MAY 73 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4720	AS	15-SEP-78	AV AS 11
	SAE-AS1299A-80	ADAPTER, BOSS CONNECTION RING LOCKED TO FLARELESS TUBE - JUN 1980 REVIEWER: 82 99 CS ME	A 4730	AS	20-JUL-84	AV AS 11
	SAE-AS1300-75	BOSS- RING LOCKED FLUID CONNECTION TYPE, STANDARD DIMENSIONS FOR - AUG. 1975 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4730	AS	15-SEP-78	AV AS 11
	SAE-AS1301-75	ADAPTER- RING LOCKED TO FLARELESS TUBE, BOSS CONNECTION DESIGN, [INSTALLATION AND REMOVAL OF - AUG. 1975 W/DOD EXCEPTIONS [VALIDATION DATE: 8407] REVIEWER: 10 CS 15 ME	A 4730	AS	15-SEP-78	AV AS 11
	SAE-AS1310-75	FASTENER, TORQUE, FOR THREADED APPLICATIONS, DEFINITIONS OF - 15 JAN 75 [VALIDATION DATE: 8304]	A 53GP	99	30-AUG-77	AV AS 99
	SAE-AS1339B-83	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 400 DEG. F, 3,000 PSI HYDRAULIC, LIGHTWEIGHT - JULY 1983 REVIEWER: 99 AV CS MI	A 4720	82	20-JUN-86	ME AS 82
	SAE-AS1376B-85	WRENCH PADS, FLUID FITTING, ALTERNATE MACHINED SHAPES OF, DESIGN STD FOR (THIS IS A DESIGN STD, NOT TO BE USED AS A PART NO.-DEC 85 USER: 05	A 4730	82	17-JAN-86	ME AS 99
	SAE-AS1687-87	RIVET, BLIND, MONEL AND INCONEL SLEEVE, MECHANICALLY LOCKED SPINDLE, BULBED - DEC 87 REVIEWER: AV MI	A 5320	82	03-JUL-89	AR 99



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action On/Off Condition Inactive Document Number	Document Title	Dist Smt FSC Area MCA Symbol Preceding Acct	Date	Custodians			
				Army	Navy	Air Force	DLA
SAE-AS1708A-85	FITTING END, FLARED, FEMALE, STANDARD DIMENSIONS FOR - 1 NOV 85 REVIEWER: CS	A 4730	82	13-FEB-87	ME	AS	99
SAE-AS1711A-84	COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE ENDS, ENVELOPE DIMENSIONS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI	A 4730	82	28-OCT-88	AV	AS	99
SAE-AS1712A-84	COUPLING SUB-ASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME	A 4730	82	28-OCT-88	AV	AS	99
SAE-AS1713A-84	HALF COUPLING SUB-ASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI	A 4730	82	28-OCT-88	AV	AS	99
SAE-AS1714A-84	MUT ASSEMBLY, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI	A 4730	82	28-OCT-88	AV	AS	99
SAE-AS1715A-84	WASHER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS - 1 JAN 1984 USER: AR AT REVIEWER: CS ME MI	A 4730	82	28-OCT-88	AV	AS	99
SAE-AS1716-82	COUPLING, FERRULE, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TUBE END - MAY 82 REVIEWER: CS	A 4730	82	19-JUL-83	AV		99
SAE-AS1717-82	COUPLING, RETAINER, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS - MAY 82 REVIEWER: CS	A 4730	82	19-JUL-83	AV		99
SAE-AS1718-82	TUBE END, COUPLING BODY, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE - MAY 1982 REVIEWER: CS	A 4730	82	19-JUL-83	AV		99
SAE-AS1719-82	COUPLING HALF, FITTING END, FLEXIBLE, VARIABLE CAVITY THREADED, FERRULE TYPE - MAY 1982 REVIEWER: CS	A 4730	82	19-JUL-83	AV		99
SAE-AS1720-82	COUPLING, FERRULE END, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE - MAY 1982 REVIEWER: CS	A 4730	82	19-JUL-83	AV		99
SAE-AS1790C-86	MUT-SWIVEL WIRED-ON, LIGHTWEIGHT - JULY 1986	A 4730	AS	20-JAN-87	AV	AS	99
SAE-AS1791A-88	WIRE, RETAINER TUBE COUPLING MUT - 1 FEB 88 USER: AT MC REVIEWER: 71 82 AR CS MI	A 4730	AS	30-SEP-89	AV	AS	99
SAE-AS1792-83	MUT COUPLING, LIGHTWEIGHT, FLARELESS - MAR 83 USER: MI REVIEWER: 82 CS	A 4730	AS	25-OCT-84	AV	AS	99
SAE-AS18148	TERMINOLOGY FOR TITANIUM MICROSTRUCTURES	A 950P	11	20-DEC-91	MR	AS	11
SAE-AS1895A-88	COUPLING ASSEMBLY, V-RETAINER, HIGH PRESSURE, HIGH TEMPERATURE, PNEUMATIC TUBE - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/1A-88	COUPLING, TYPE I (STANDARD PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/2A-88	FLANGE, MALE, SEAM WELD, TYPE I (STANDARD PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/3A-88	FLANGE, FEMALE, SEAM WELD, TYPE I (STANDARD PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/4A-88	COUPLING, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/5A-88	FLANGE, MALE, SEAM WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/6A-88	FLANGE, FEMALE, SEAM WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/7A-88	SEAL, TYPE I & II (STANDARD AND LOW PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/8A-88	FLANGE, MALE, BUTT WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/9A-88	FLANGE, FEMALE, BUTT WELD, TYPE II (LOW PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-90		AS	99
SAE-AS1895/10-88	FLANGE, MALE, BUTT WELD, TYPE I (STANDARD PROFILE) REVIEWER: IS	A 5340	82	15-SEP-89		AS	99
SAE-AS1895/11A-88	FLANGE, FEMALE, BUTT WELD, (STANDARD PROFILE) - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-89		AS	99
SAE-AS1895/12A-88	FLANGE END, MALE, TYPE I (STANDARD PROFILE) DESIGN STANDARD REVIEWER: IS	A 5340	82	15-SEP-89		AS	99
SAE-AS1895/13A-88	FLANGE END, FEMALE, TYPE I (STANDARD PROFILE) DESIGN STANDARD REVIEWER: IS	A 5340	82	15-SEP-89		AS	99
SAE-AS1895/14A-88	FLANGE END, MALE, TYPE II (LOW PROFILE) DESIGN STANDARD - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-89		AS	99
SAE-AS1895/15A-88	FLANGE END, FEMALE, TYPE II (LOW PROFILE) DESIGN STANDARD - FEB 88 REVIEWER: IS	A 5340	82	15-SEP-89		AS	99
L SAE-AS1960-86	COUPLING ASSEMBLY, V-BAND, SHEET METAL FLANGE, PNEUMATIC TUBE REVIEWER: IS	A 5340	82	26-AUG-91		99	
L SAE-AS1960/1-86	COUPLING, SHEET METAL, 40 DEG. V-BAND, STANDARD LATCH REVIEWER: IS	A 5340	82	26-AUG-91		99	
L SAE-AS1960/2-86	COUPLING, SHEET METAL, 40 DEG. V-BAND, QUICK RELEASE (OPTIONAL SAFETY) LATCH REVIEWER: IS	A 5340	82	26-AUG-91		99	
L SAE-AS1960/3-86	FLANGE, SHEET METAL REVIEWER: IS	A 5340	82	26-AUG-91		99	
L SAE-AS1960/4-86	FLANGE END, DESIGN STANDARD REVIEWER: IS	A 5340	82	26-AUG-91		99	
SAE-AS1986-88	ADAPTER PORT CONNECTION RING LOCKED TO FLARED TUBE END - 18 JUL 1988 REVIEWER: CS	A 4730	82	21-DEC-88		99	
SAE-AS1990-90	ALUMINUM ALLOY TEMPER - 1 JAN 90	A 950P	11	15-AUG-90	MR	AS	11
SAE-AS3174-76	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .190-32 UNJF-3A - 15 MAR 76 REVIEWER: IS	A 5306	99	11-JUL-84	AV	AS	99
SAE-AS3175-76	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .250-28 UNJF-3A - 15 MAR 76 REVIEWER: IS	A 5306	99	11-JUL-84	AV	AS	99
SAE-AS3176-76	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .3125-24 UNJF-3A - 15 MAR 76 REVIEWER: IS	A 5306	99	11-JUL-84	AV	AS	99
SAE-AS3177-76	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 5643, .375-24 UNJF-3A - 15 MAR 76 REVIEWER: IS	A 5306	99	11-JUL-84	AV	AS	99
A SAE-AS3208-76R82	PACKING, PREFORMED - AMS 7276 SEAL - 16 FEB 76	A 5330	11	01-SEP-83	MR	AS	11
A SAE-AS3209-76R82	PACKING, PREFORMED - AMS 7276 O-RING - 16 FEB 76	A 5330	11	01-SEP-83	MR	AS	11
SAE-AS3233-80	BOLT, TEE HEAD-AMS 5708, CHAMFERED, .2500-28 UNJF-3A - 1 JUL 80 REVIEWER: IS	A 5306	99	11-JUL-84		AS	99
SAE-AS3234-80	BOLT, TEE HEAD-AMS 5708, CHAMFERED, .3125-24 UNJF-3A - 1 JUL 80 REVIEWER: IS	A 5306	99	11-JUL-84		AS	99
SAE-AS3235-80	BOLT, TEE HEAD - AMS 5708, CHAMFERED .3750-24 UNJF-3A - 1 JUL 80 REVIEWER: IS	A 5306	99	11-JUL-84		AS	99
SAE-AS3291A-88	MUT, SELF LOCKING, DOUBLE HEXAGON, AMS 5709 - 25 JAN 88 REVIEWER: 11 AV SH	A 5310	AR	03-JUL-89	AR	AS	99
SAE-AS3303-85	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .190-32 UNJF-3A 8-85 REVIEWER: AR IS	A 5306	82	03-AUG-87	AV	AS	99
SAE-AS3307-85	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .250-28 UNJF-3A 8-85 REVIEWER: AR IS	A 5306	82	03-AUG-87	AV	AS	99
SAE-AS3308-85	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .3125 UNJF-3A 8-85 REVIEWER: AR IS	A 5306	82	03-AUG-87	AV	AS	99
D SAE-AS3309-85	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS 5708, .375-24 UNJF-3A - 8/85 REVIEWER: AR	A 5306	15	03-AUG-87	AV	AS	99
SAE-AS3401-85	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .250-28 AUG 1985	A 5306	82	03-AUG-87	AV	AS	99
D SAE-AS3403-85	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS 5708, .375 -24 UNJF-3A - AUG 1985	A 5306	15	03-AUG-87	AV	AS	99 15
D SAE-AS3404-85	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .190-32 UNJF-3A - AUGUST 1985	A 5306	15	03-AUG-87	AV	AS	99 15
D SAE-AS3406-85	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .3125-24 UNJF-3A - AUGUST 85	A 5306	15	03-AUG-87	AV	AS	99 15
D SAE-AS3407-87	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS 5708, .375-24 UNJF-3A - AUGUST 85	A 5306	15	03-AUG-87	AV	AS	99 15
L SAE-AS4059-88	FLUID, HYDRAULIC, AEROSPACE-CLEANLINESS CLASSIFICATION FOR - 14 JUNE 1988 USER: MC REVIEWER: 71 CS MI	A 1650	AS	31-AUG-90	AV	AS	99
SAE-AS4099-88	ADAPTER, PORT CONNECTION RING LOCKED TO FLARELESS TUBE END - FEB 88 USER: AT MC REVIEWER: 82 AR CS MI SH	A 4730	AS	12-APR-89	AV	AS	99
SAE-AS4167-88	WRENCHES: FLARE MUT, CROWFOOT, 12-POINT NON-DISTORTING - SEPT. 1988	A 5120	AV	24-JAN-90	AV		
SAE-AS4194	SURFACE PREPARATION FOR STRUCTURAL ADHESIVE BONDING TITANIUM ALLOY PARTS	A 9515	11	20-DEC-91	MR	AS	11
A SAE-AS7456	STUDS, STEEL, LOW ALLOY, HEAT TREATED, ROLL THREADED REVIEWER: 82 AV SH	A 5307	AR	03-JUL-92	AR	AS	99
A SAE-AS7466	BOLTS AND SCREWS, NICKEL ALLOY, CORROSION HEAT RESISTANT, FORGED HEAD, ROLL THREADED, FATIGUE RATED REVIEWER: 82 AV SH	A 5306	AR	03-JUL-92	AR	AS	99



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / CMA Correspondence Machine Document Number	Document Title	Dist. Sym. FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
A SAE-AS7467 NOTICE 1	BOLTS AND SCREWS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT, FORGED HEAD, ROLL THREADED, STRESS-RUPTURE RATED REVIEWER: B2 AV SH	A 5306 * AR 03-JUL-92	AR	AS	99	
A SAE-AS7468 NOTICE 1	BOLTS AND SCREWS, COBALT-CHROMIUM-NICKEL ALLOY, CORROSION RESISTANT FORGED HEAD, ROLL THREADED AFTER AGING, FATIGUE RATED REVIEWER: B2 AV SH	A 5306 * AR 03-JUL-92	AR	AS	99	
A SAE-AS7471 NOTICE 1	BOLTS AND SCREWS, NICKEL ALLOY, CORROSION AND HEAT RESISTANT FORGED HEAD, HEAT TREATED, ROLL THREADED 1950 DEG. F SOLUTION HEAT TREATMENT REVIEWER: B2 AV SH	A 5306 * AR 03-JUL-92	AR	AS	99	
A SAE-AS7472 NOTICE 1	BOLTS AND SCREWS, STEEL, CORROSION RESISTANT 125 000 PSI TENSILE STRENGTH ROLL THREADED REVIEWER: B2 AV SH	A 5306 * AR 03-JUL-92	AR	AS	99	
A SAE-AS7475 NOTICE 1	BOLTS AND SCREWS, WORK-STRENGTHENED ALLOY, CORROSION AND HEAT RESISTANT FORGED HEAD, ROLL THREADED AFTER AGING REVIEWER: B2 AV SH	A 5306 * AR 03-JUL-92	AR	AS	99	
A SAE-AS7478 NOTICE 1	BOLTS AND SCREWS, STEEL, CORROSION AND HEAT RESISTANT, 1800 DEG. F SOLUTION HEAT TREATED, PRECIPITATION HEAT TREATED AFTER ROLL THREADED REVIEWER: B2 AV SH	A 5306 * AR 03-JUL-92	AR	AS	99	
A SAE-AS7479 NOTICE 1	BOLTS AND SCREWS, STEEL, CORROSION AND HEAT RESISTANT, 1650 DEG. F SOLUTION HEAT TREATED, PRECIPITATION HEAT TREATED BEFORE ROLL THREADED REVIEWER: B2 AV SH	A 5306 * AR 03-JUL-92	AR	AS	99	
A SAE-AS7482 NOTICE 1	STUDS, STEEL, CORROSION AND HEAT RESISTANT 1800 DEG. F SOLUTION HEAT TREATED PRECIPITATION HEAT TREATED BEFORE ROLL THREADED REVIEWER: B2 AV SH	A 5307 * AR 03-JUL-92	AR	AS	99	
SAE-J20E-74 NOTICE 1	HOSE, COOLANT SYSTEM (VALIDATION DATE: 8701) USER: SA .....	A 4720 CS 14-JAN-87		SH		
SAE-J29-72	PLASTIC MATERIAL FOR USE IN HOUSINGS OF MOTOR VEHICLE LIGHTING DEVICES - JAN 72 (VALIDATION DATE: 8310) REVIEWER: GS	A 9330 AT 19-NOV-82	AT			
D SAE-J88-B0R85	MACHINERY, EARTHMOVING, SOUND MEASUREMENT - EXTERIOR - SEPT 1980 (REAFFIRMED MAR 1985 REVIEWER: AT MC MD MI)	A HFAC ME 18-SEP-85	ME	YD1		
SAE-J110C-78	RADIAL LIP, TESTING OF - NOV 78 .....	A 5330 AT 30-SEP-81	AT	99		
D SAE-J155-78	TRUCK, LIGHT DUTY, SERVICE BRAKE SYSTEM PERFORMANCE REQUIREMENTS - 1 NOV 78 (VALIDATION DATE: 8310) REVIEWER: YD1	A 2530 AT 30-SEP-81	AT	99		
D SAE-J160-80	BRAKE LININGS, SWELL, GROWTH, & DIMENSIONAL STABILITY OF - 1 JUN 80 (VALIDATION DATE: 8310) REVIEWER: YD1	A 2530 AT 30-SEP-81	AT	99		
SAE-J163-74 NOTICE 1	WIRING, LOW TENSION & CABLE TERMINALS & SPLICE CLIPS - 1 JAN 74 (VALIDATION DATE: 9004)	A 5940 AT 04-APR-90	AT	99		
SAE-J164-82	RADIATOR CAPS AND FILLER NECKS - MAR 82 .....	A 2930 AT 10-JUL-90	AT			
SAE-J184-87 NOTICE 1	QUALIFYING A SOUND DATA ACQUISITION SYSTEM REVIEWER: 19 AL AT MD TE TM ....	A HFAC * MI 14-DEC-92	MI	AS	11	
SAE-J185-88	CONSTRUCTION AND INDUSTRIAL EQUIPMENT, ACCESS SYSTEMS FOR - JUN 1988 .....	A 6640 AT 15-JUN-91	AT	99		
L SAE-J186-82	LAMPS TURN SIGNAL SUPPLEMENTAL HIGH MOUNTED STOP FOR USE ON VEHICLE LESS THAN 2032 MM IN OVERALL WIDTH AND (NOV 82)	A 6220 AT 20-OCT-89	AT			
D SAE-J198-71 NOTICE 1	WINDSHIELD WIPER SYSTEMS, TRUCKS, BUSES, & MULTIPURPOSE VEHICLES - JAN 71 (VALIDATED 4 APR 90) (VALIDATION DATE: 9004)	A 2540 AT 04-APR-90	AT	YD1	99	
L SAE-J222-86	LAMPS PARKING (FRONT POSITION LAMPS) (MARCH 1986) .....	A 6220 AT 20-OCT-89	AT			
D SAE-J245-71	ENGINE RATING CODE - SPARK IGNITION - APR 71 (VALIDATION DATE: 8310) REVIEWER: CS	A 2805 AT 27-APR-81	AT	YD1	99	
A SAE-J246-92 NOTICE 1	FITTINGS, TUBE, SPHERICAL AND FLANGED SLEEVE (COMPRESSION) USER: ER REVIEWER: B2 AT CS GL MC ME	A 4730 * AR 10-NOV-92	AR	AS	99	
D SAE-J267-83	WHEELS/ RIMS- TRUCKS- TEST PROCEDURES & PERFORMANCE REQUIREMENTS REVIEWER: 84	A 2530 AT 12-FEB-87	AT	YD1	99	
D SAE-J276-86 NOTICE 1	STEERING FRAME LOCK FOR ARTICULATED LOADERS AND TRACTORS REVIEWER: IS .....	A 5340 * YD1 10-JUL-92	AR	YD1	99	
D SAE-J318-70	TRUCKS, TRUCK TRACTORS, & TRAILERS, AIR BRAKE GLADHAND SERVICE (CONTROL) & EMERGENCY (SUPPLY) LINE COUPLERS - NOV 70 (REAPPROVED OCT 1983) (VALIDATION DATE: 8310) REVIEWER: YD1	A 2530 AT 30-SEP-81	AT	99		
D SAE-J350-88	ENGINE, MEDIUM SIZE, SPARK ARRESTER TEST PROCEDURE - OCT 88 .....	A 2990 AT 20-APR-91	AT	YD1	99	
SAE-J366-87	TRUCKS AND BUSES, HEAVY, EXTERIOR SOUND LEVEL FOR - FEB 87 .....	A 6625 AT 20-APR-91	AT			
D SAE-J379A-72 NOTICE 1	BRAKE LINING, GOGAN HARDNESS - MAY 72 (VALIDATION DATE: 9010) REVIEWER: YD1	A 2530 AT 04-APR-90	AT	99		
D SAE-J380-71 NOTICE 1	BRAKE LINING, SPECIFIC GRAVITY OF - 1 AUG 71 (VALIDATION DATE: 9004) REVIEWER: YD1	A 2530 AT 04-APR-90	AT	99		
D SAE-J381-84	TRUCK, BUSES AND MULTIPURPOSE VEHICLES, WINDSHIELD DEFROSTING SYSTEMS TEST PROCEDURE - JUN 1984 REVIEWER: CS	A 2540 AT 15-JUN-91	AT	YD1	99	
SAE-J382-71	TRUCK, BUS & MULTIPURPOSE VEHICLES - WINDSHIELD DEFROSTING SYSTEMS PERFORMANCE REQUIREMENTS - JAN 71 (VALIDATION DATE: 8310) REVIEWER: CS	A 2540 AT 01-MAR-81	AT			
SAE-J404J-77	CHEMICAL COMPOSITIONS OF SAE ALLOY STEELS - NOV 77 (VALIDATION DATE: 8310) REVIEWER: MR	A 9630 AT 15-NOV-80	AT	OS	99	
D SAE-J439A-77 NOTICE 1	TOOLS, SINTERED CARBIDE, STANDARD SPECIFICATION FOR REVIEWER: IS .....	A 9510 * YD1 12-JUN-92	MR	YD1	99	
D SAE-J512 NOTICE 1	AUTOMOTIVE TUBE FITTINGS USER: SH YD1 REVIEWER: B2 AT .....	A 4730 * CS 30-SEP-91	ME	99	CS	
D SAE-J513F-76	REFRIGERATION TUBE FITTINGS - 1976 (VALIDATION DATE: 8501) USER: YD1 .....	A 4730 CS 12-MAR-79		99		
SAE-J514-80	TUBE, FITTING, HYDRAULIC - APRIL 1980 (VALIDATION DATE: 8512) REVIEWER: .....	A 4730 CS 28-JUN-85		99	CS	
D SAE-J516-87	FITTINGS, HOSE, HYDRAULIC - JUN 87 .....	A 4730 ME 01-JUN-90	ME	YD1		
D SAE-J517-89	HYDRAULIC HOSE - MAY 89 .....	A 4720 ME 01-JUN-90	ME	YD1	99	
SAE-J518C	HYDRAULIC FLANGED TUBE, PIPE & HOSE CONNECTIONS, 4 - BOLT SPLIT FLANGE TYPE - MAY 72 (VALIDATION DATE: 8512) USER: CS ME SH	A 4730 AT 23-DEC-80	AT	99		
SAE-J531A-73	AUTOMOTIVE PIPE, FILLER, AND DRAIN PLUGS - DEC 73 (VALIDATION DATE: 8512) USER: MC REVIEWER: CS SH	A 4730 AT 29-AUG-80	AT			
L SAE-J532-81	DRAIN, AND PLUGS, AUTOMOTIVE STRAIGHT THREAD FILLER - JAN 81 .....	A 5365 AT 22-JUN-90	AT			
L SAE-J534-81	FITTINGS, LUBRICATION - JAN 1981 USER: ME .....	A 4730 CS 26-MAR-86			CS	
SAE-J536B-71	CLAMPS, HOSE - MAR 71 (VALIDATION DATE: 8501) .....	A 4730 CS 01-MAY-79	ME	SH	99	
SAE-J537J-78	STORAGE BATTERIES - JUN 78 (VALIDATION DATE: 8310) .....	A 6140 AT 01-APR-81	AT	AS	99	
SAE-J551E-77	LIMITS & METHODS OF MEASUREMENT OF RADIO INTERFERENCE CHARACTERISTICS OF VEHICLES & DEVICES (20-1000 MHz) - JUN 77 (VALIDATION DATE: 8310) REVIEWER: OF ES	A EMCS AT 26-FEB-81	AT	EC	99	
D SAE-J553C-72	CIRCUIT BREAKERS, SAE RECOMMENDED PRACTICE - NOV 1951 (REVISED MAY 1972) USER: BO AL REVIEWER: CS YD1	A 5925 AT 29-APR-87	AT	99		
D L SAE-J560B-74	CONNECTOR, SEVEN-CONDUCTOR ELECTRICAL, FOR TRUCK-TRAILER JUMPER CABLE, SAE STANDARD - SEP 74 USER: YD1	A 2920 AT 04-MAY-87	AT			
L SAE-J564C-71	HEADLAMP BEAM SWITCHING (JUNE 1971, EDITORIAL CHGS 1977) .....	A 6220 AT 20-OCT-89	AT			
L SAE-J565-89	HEADLAMP, SEMIAUTOMATIC, BEAM SWITCHING DEVICES - JUNE 1989 .....	A 6220 AT 04-APR-90	AT			
D SAE-J575-83	MOTOR VEHICLE LIGHTING DEVICES & COMPONENTS, TEST FOR - JUL 83 REVIEWER: B2 GS	A 6220 AT 06-SEP-85	AT	YD1	99	
SAE-J576-86	LENSES AND REFLECTORS OF MOTOR VEHICLE LIGHTING DEVICES, PLASTIC MATERIALS FOR USE IN OPTICAL PARTS SUCH AS - SEPT. 1986	A 9330 AT 20-APR-91	AT			
SAE-J578-88	COLOR SPECIFICATION - MAY 1988 .....	A 6220 AT 21-JUN-90	AT			
L SAE-J579-84	HEADLAMP UNITS SEALED BEAM MOTOR VEHICLES FOR (DEC 84) .....	A 6220 AT 20-OCT-89	AT			
L SAE-J580-86	HEADLAMP SEALED BEAM ASSEMBLY (DEC 1986) .....	A 6220 AT 20-OCT-89	AT			
L SAE-J585-86	LAMPS TAIL (REAR POSITION LAMPS) (MARCH 86) .....	A 6220 AT 20-OCT-89	AT			
L SAE-J586-84	LAMPS STOP MOTOR VEHICLES USE ON LESS THAN 2032 MM IN OVERALL WIDTH (FEB 84)	A 6220 AT 20-OCT-89	AT			
L SAE-J588-84	LAMPS TURN SIGNAL MOTOR VEHICLES FOR USE ON LESS THAN 2032 MM IN OVERALL WIDTH (NOV 84)	A 6220 AT 20-OCT-89	AT			
SAE-J589B-71	SWITCH, TURN SIGNAL - JUN 1971 .....	A 6220 AT 21-JUN-90	AT			
L SAE-J590-86	FLASHERS TURN SIGNAL (JULY 1986) .....	A 6220 AT 20-OCT-89	AT			
SAE-J592	LAMPS, CLEARANCE, SIDEMARKER & IDENTIFICATION - JAN 84 .....	A 6220 AT 20-AUG-90	AT			



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	Doc. / Chg.	Coordination	Machine	Document Number	Document Title	Dist. Smt.	FSC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
											Army	Navy	Air Force	DLA
L	SAE-J593-87				LAMPS BACKUP (REVERSING LAMPS) (JUNE 1987) .....	A 6220	AT	20-OCT-89	AT					
L	SAE-J594-89				REFLECTORS, REFLEX - MAY 1989 .....	A 6220	AT	04-APR-90	AT					
	SAE-J595B-72				FLASHING WARNING LAMPS FOR AUTHORIZED EMERGENCY, MAINTENANCE & SERVICE VEHICLES - MAY 72 (VALIDATION DATE: 8310) REVIEWER: GS .....	A 6220	AT	19-NOV-82	AT		99			
D	SAE-J598-80				MACHINERY, CONSTRUCTION & INDUSTRIAL, SEALED LIGHTING UNITS FOR - APR 1980 USER: YD1 REVIEWER: B2 .....	A 6220	ME	23-AUG-85	ME		99			
	SAE-J636-87				V-BELT AND PULLEYS - FEB 1987 .....	A 3030	AT	15-FEB-90	AT					
D	SAE-J661A-67				BRAKE LINING QUALITY CONTROL TEST PROCEDURE - APR 67 (VALIDATION DATE: 8310) USER: 99 YD1 REVIEWER: CS .....	A 2530	AT	21-SEP-79	AT					
D	SAE-J663B-68				RIVETS FOR BRAKE LININGS & BOLTS FOR BRAKE BLOCKS - JUL 68 (VALIDATED 4 APR 90) (VALIDATION DATE: 9004) REVIEWER: YD1 .....	A 2530	AT	04-APR-90	AT		99			
	NOTICE 1				REAR WHEEL SPLASH & STONE THROW PROTECTION - JAN 69 (VALIDATION DATE: 8310) .....	A 2540	AT	30-SEP-81	AT		99			
D	SAE-J683A-77				TIRE CHAIN CLEARANCE - TRUCKS, BUSES, & COMBINATIONS OF VEHICLES - 1 MAY 77 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2320	AT	30-SEP-81	AT		99			
	SAE-J684F-78				TRAILER COUPLINGS, HITCHES & SAFETY CHAINS - AUTOMOTIVE TYPE - MAY 78 (VALIDATION DATE: 8310) .....	A 2540	AT	30-SEP-81	AT		99			
D	SAE-J688-63				TRUCK ABILITY PREDICTION PROCEDURE - 1 JUN 63 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2320	AT	30-SEP-81	AT		99			
D	SAE-J695B-78				MOTOR VEHICLES - TURNING ABILITY & OFF TRACKING - 1 DEC 78 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2320	AT	30-SEP-81	AT		99			
D	SAE-J697A-74				CHAIN, SAFETY, OF FULL TRAILERS OR CONVERTER DOLLIES - MAR 74 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2330	AT	30-SEP-81	AT		99			
D	SAE-J700B-70				FIFTH WHEEL KINGPIN, COMMERCIAL TRAILERS & SEMITRAILERS - JAN 70 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2510	AT	30-SEP-81	AT		99			
	SAE-J701A-68				TRUCK TRACTOR SEMITRACTOR INTERCHANGE COUPLING DIMENSIONS - JUL 68 (VALIDATION DATE: 8310) .....	A 2540	AT	30-SEP-81	AT		99			
D	SAE-J702B-76				TRUCK TRACTOR & TRUCK TRAILER, BRAKE & ELECTRICAL CONNECTION LOCATIONS - OCT 76 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2330	AT	30-SEP-81	AT		99			
D	SAE-J704B-78				TRUCK TRANSMISSION MOUNTED POWER TAKE OFFS, OPENINGS FOR SIX & EIGHT BOLT - APR 78 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2520	AT	30-SEP-81	AT		99			
	SAE-J706A-70				WINCHES, RATING OF - APR 70 (REAPPROVED OCT 83 (VALIDATION DATE: 8310) REVIEWER: ME .....	A 3950	AT	30-SEP-81	AT	SH	99			
	SAE-J726-87				AIR CLEANER TEST CODE - JUN 1987 .....	A 2940	AT	15-JUN-91	AT	SH	99			
D	SAE-J741B-75				SCRAPER, DUMPER BODY & TRAILER BODY - CAPACITY RATINGS - 1 JUN 75 (REAPPROVED OCT 83) (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2330	AT	30-SEP-81	AT		99			
	SAE-J753-82				MACHINERY, CONSTRUCTION & INDUSTRIAL, LUBRICATION CHART, SAE RECOMMENDED PRACTICE - DEC 1958 (REV. 6/82) .....	A 9150	AT	04-MAY-87	AT					
D	SAE-J786A-78				BRAKE SYSTEM ROAD TEST CODE, TRUCK, BUS, & COMBINATION OF VEHICLES - MAR 78 (REAPPROVED OCT 83) (VALIDATION DATE: 9004) REVIEWER: YD1 .....	A 2530	AT	04-APR-90	AT		99			
	NOTICE 1				IGNITION AND DIESEL SPARK ENGINE TEST CODE - MAR 73 .....	A 2990	AT	30-SEP-81	AT		99			
D	SAE-J816B-73				BRAKE SYSTEM ROAD TEST CODE - PASSENGER CAR & LIGHT DUTY TRUCK - 1 MAR 73 (REAPPROVED OCT 83) (VALIDATION DATE: 9004) REVIEWER: YD1 .....	A 2530	AT	04-APR-90	AT		99			
	SAE-J843D-73				NONMETALLIC AIR BRAKE SYSTEM TUBING (JUNE 1990) USER: ME .....	A 4720	AT	16-OCT-90	AT		99			
	NOTICE 1				LAMP, 360 DEGREE WARNING, FOR AUTHORIZED EMERGENCY, MAINTENANCE AND SERVICE VEHICLES - JAN 84 .....	A 6220	AT	16-OCT-90	AT					
L	SAE-J844-90				CONDUCTORS AND CONNECTORS, FLUID, CODING SYSTEMS FOR IDENTIFICATION OF - JUN 1989 .....	A 4730	AT	01-JUN-91	AT					
	SAE-J845-84				TOW BAR EYE, FULL TRAILER - JUN 63 (REAPPROVED OCT 83) (VALIDATION DATE: 8310) .....	A 2540	AT	30-SEP-81	AT		99			
	SAE-J846-89				KINGPIN, FIFTH WHEEL - HEAVY DUTY, COMMERCIAL TRAILERS & SEMITRAILERS - JUL 66 (REAPPROVED OCT 83 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2510	AT	30-SEP-81	AT		99			
D	SAE-J848A-66				TRAILERS, DOUBLE, AND MULTI AXLE TRAILERS, CONNECTION & ACCESSORY LOCATIONS FOR TOWING - JAN. 1970 (REVISED OCT 83 (VALIDATION DATE: 8310) CAPS AND NECKS, FILLER, LARGE SIZE RADIATOR .....	A 2540	AT	30-SEP-81	AT		99			
	SAE-J849B-70				TRAILER AXLE ALIGNMENT - 1 JAN 69 (REAPPROVED OCT 83) (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2930	AT	10-JUL-90	AT		99			
D	SAE-J868-86				WINDSHIELD WIPER SYSTEMS, PASSENGER CAR - NOV 73 (REAPPROVED OCT 83) (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2310	AT	30-SEP-81	AT		99			
	SAE-J875-69				SWITCH, HAZARD WARNING SIGNAL - OCT 88 .....	A 6220	AT	04-APR-90	AT					
D	SAE-J903C-73				MEASUREMENT, SOUND, - EARTHMOVING - OPERATOR - SINGULAR TYPE - JUNE 1986 REVIEWER: AS .....	A HFAC	YD1	06-MAY-91	MI	YD1				
L	SAE-J910-88				MACHINES, OFF ROAD, MINIMUM SERVICE ACCESS DIMENSIONS FOR - OCT 84 USER: YD1 REVIEWER: AT GL MD MI .....	A HFAC	ME	16-DEC-85	ME	MC				
D	SAE-J919-86				FILTRATION, HYDRAULIC POWER CIRCUIT, INFORMATION REPORT - MAR 1986 REVIEWER: 84 CS SH .....	A 4330	YD1	25-MAY-91	ME	YD1	99			
D	SAE-J937B-78				CAR, PASSENGER, SERVICE BRAKE SYSTEM PERFORMANCE REQUIREMENTS - 1 NOV 78 (REAPPROVED OCT 83) (VALIDATION DATE: 9004) REVIEWER: YD1 .....	A 2530	AT	04-APR-90	AT		99			
D	SAE-J942B-72(2)				WINDSHIELD WASHER SYSTEM, PASSENGER CAR REVIEWER: CS .....	A 2540	*	YD1	11-SEP-92	AR	YD1	99		
L	SAE-J945-87				FLASHER SIGNAL VEHICULAR HAZARD WARNING (JUNE 87) .....	A 6220	AT	20-OCT-89	AT					
D	SAE-J950-85				GRADEABILITY TEST CODE - OCT 1985 REVIEWER: YD1 .....	A 2320	AT	15-JUN-91	AT		99			
A	SAE-J986-88				SOUND LEVEL FOR PASSENGER CARS AND LIGHT TRUCKS REVIEWER: 19 AL AT MD TE TH .....	A HFAC	* MI	14-DEC-92	MI	AS	11			
	NOTICE 1				BRAKE SYSTEM PERFORMANCE REQUIREMENTS, TRUCK, BUS & COMBINATION OF VEHICLES - MAR 78 (REAPPROVED OCT 83 (VALIDATION DATE: 8310) REVIEWER: YD1 .....	A 2530	AT	30-SEP-81	AT		99			
D	SAE-J992B-78				CRANE STRUCTURES, CANTILEVERED BOOM, METHOD OF TEST - OCT 1980 .....	A 3950	AT	01-OCT-90	AT		99			
A	SAE-J1063-80				ENGINE SOUND LEVEL MEASUREMENT PROCEDURE REVIEWER: 19 AL AT MD TE TH .....	A HFAC	* MI	14-DEC-92	MI	AS	11			
	SAE-J1074-87				AUTOMOBILE, TRUCK, TRUCK-TRACTOR, TRAILER, & MOTOR COACH WIRING, SAE RECOMMENDED PRACTICE - JUNE 1980 (REVISED OCT 1981) REVIEWER: CS YD1 .....	A 2920	AT	21-MAY-87	AT					
D	SAE-J1292-81				ENGINE POWER TEST CODE-SPARK IGNITION & DIESEL - JUN 83 .....	A 2990	AT	18-MAY-84	AT		99			
A L	SAE-J1349-83				HEADLAMPS, MOTOR VEHICLE, PERFORMANCE REQUIREMENTS FOR REVIEWER: 82 GS .....	A 6240	* AT	28-SEP-92	AT					
	SAE-J1383				BRAKE HOSE ASSEMBLIES, HYDRAULIC, FOR USE WITH NON PETROLEUM BASE HYDRAULIC FLUIDS - JAN 78 (REAPPROVED OCT 83) (VALIDATION DATE: 8310) .....	A 4720	AT	30-SEP-81	AT					
	NOTICE 1				AUTOMOTIVE AIR BRAKE HOSE & HOSE ASSEMBLIES - 1 JUL 76 .....	A 4720	ME	29-SEP-81	ME		99			
	SAE-J1401A-78				PNEUMATIC SYSTEMS FOR SURFACE-EFFECT AND HYDROFOIL CRAFT, BLEED-AIR - NOV 1984 .....	A GDRQ	SH	24-JUL-85	ME	SH				
	SAE-J1402C-76				PORT, BOSS, THREAD O-RING, STRAIGHT, SPECIFICATION FOR REVIEWER: AS MR YD1 .....	A 4730	* SH	20-AUG-92	ME	SH	99			
D	SAE-J1559-84				GENERAL ENVIRONMENTAL CONSIDERATIONS FOR MARINE VEHICLES USER: MC .....	A ENVR	* SH	17-JUN-91	ME	SH				
	SAE-J1926-88				VEHICLE, MARINE, HYDRAULIC FLUIDS FOR - 21 FEB 1989 USER: 11 CE MC .....	A 9150	SH	11-SEP-89	ME	ME	99			
	SAE-J1926B-90				REVIEWER: GS SA .....	A 9150	SH	24-JUN-86	MF	SH				
	NOTICE 1				VEHICLES, SUBMERSIBLE, HYDRAULIC SYSTEMS FOR, DESIGN GUIDE FOR - SEP 85 USER: OS REVIEWER: GS .....	A 1990	SH	01-APR-85	ME	SH				
	SAE-J1945A-85				VEHICLES, ADVANCED MARINE SURFACE, HYDRAULIC SYSTEM DESIGN CRITERIA FOR - JUL 84 USER: MC .....	A 4320	SH	26-FEB-90	ME	SH	84			
	SAE-J1946A-84				DESIGN AND SPECIFICATION GUIDE FOR HYDRAULIC PUMPS USED ON ADVANCED SURFACE CRAFT AND SUBMERSIBLE VEHICLES - 16 AUG 1989 USER: MC REVIEWER: 99 CS SA .....	A GDRQ	SH	24-JUL-85	ME	SH				
	SAE-J1954A-90				PNEUMATIC SYSTEMS, BLEED-AIR, FOR SURFACE-EFFECT & HYDROFOIL CRAFT - NOV 1984 USER: MC .....	A HFAC	SH	14-MAR-88	ME	SH				
	SAE-J1955-84				VEHICLES, MARINE, NOISE CONTROL IN FLUID POWER SYSTEMS OF USER: MC .....									
	SAE-J1962A-86													



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	Doc. / Code	Coordination	Document	Document	Doc. Smt.	FSC / Area	MCA Symbol	Preparing	Date	Custodians			
										Army	Navy	Air Force	DIA
D	SAE-HIR1694-82		NOTICE 1	MATERIALS FOR FLUID SYSTEMS OF MARINE VEHICLES - 30 DEC 82 (VALIDATION DATE: 89101) USER: MC ME REVIEWER: 15	A 95GP	SH	03-OCT-89	NR	SH				
	SAE-HIR4544		NOTICE 1	MARINE VEHICLE HYDRAULIC SYSTEMS AND COMPONENTS, SPECIFICATIONS AND STANDARDS FOR USER: CG CS MC REVIEWER: YDI	A 4810	*	SH	08-JUL-92	ME	SH	99		
	SAE-HRP4382		NOTICE 1	CONCRETE, STRUCTURAL LIGHTWEIGHT, UNIT WEIGHT OF - 15 MAR 1991	A DRPR		SH	06-AUG-91	ME	SH			
	SAE-HSJ1086-89			UNIFIED NUMBERING SYSTEM, METALS & ALLOYS IN THE-FIFTH EDITION - JUN 89 USER: AR OS REVIEWER: 84 15 SH	A 95GP		NR	13-SEP-89	NR		99		
	SAE-HSJ1086-86			METALS & ALLOYS IN THE UNIFIED NUMBERING SYSTEM - APR 1986 (SAE HS J1086-86 - ASTM D556C - A JOINT PUBLICATION) USER: AR OS REVIEWER: 84 15 SH	A 95GP		NR	16-JUL-87	NR		99		
	SAE-MA1520-87			FASTENERS, NJ EXTERNALLY THREADED, AREAS FOR CALCULATING STRESS OR LOAD VALUES FOR (METRIC - 1 JUL 87 REVIEWER: AV	A 53GP		IS	17-OCT-88	AR		99		
	SAE-MA1547A-89			WRENCHES, TWELVE SPLINE, METRIC - NOV. 1989	A 5120		AV	24-JAN-90	AV				
	SAE-MA1565-81			INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, PROCUREMENT SPECIFICATIONS FOR - 31 AUG 81 REVIEWER: 82 AV 15	A 5340		AR	16-JAN-85	AR	AS	11		
	SAE-MA1567-80			INSERTS, SCREW THREAD, HELICAL COIL, METRIC SERIES, STANDARD ASSEMBLY DIMENSIONS FOR - JULY 1980 REVIEWER: 82 AV 15	A 5340		AR	16-JAN-85	AR	AS	11		
	SAE-MA1568-87			NUT, SELF LOCKING - UNS S66286, 425 DEG. C & 658 DEG. C, 1100 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC - JULY 1987	A 5310		IS	25-AUG-88	AV		99		
	SAE-MA1573-88			NUT, SELF-LOCKING-STEEL, CLASS 1100 MPA/235 DEGREE C, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC - 26 AUG 88 REVIEWER: AV SH	A 5310		IS	12-JUL-89	AR	AS	99		
	SAE-MA1784-87			SPACER & WASHER, PROCUREMENT SPECIFICATION FOR (METRIC) JUL 87 REVIEWER: 82	A 53GP		IS	20-OCT-88	AV		99		
	SAE-MA1806			SPRING CLIPS AND CUSHIONS SELECTION FOR METAL TUBE SUPPORT, METRIC REVIEWER: 82 AV	A 5340	*	IS	11-OCT-91	AR		99	IS	
	SAE-MA1937-85			NUT, HEX, FREE RUNNING, PROCUREMENT SPECIFICATION FOR, METRIC - DEC 1985 REVIEWER: AR	A 5310	/	IS	05-DEC-86	AV		99		
	SAE-MA1943A-90			NUTS, SELF LOCKING, UNS M07001, 730 DEG C, 1100 MPA AND 1210MPA, PROCUREMENT SPECIFICATION FOR, METRIC - 17 AUG 90	A 5310		IS	16-AUG-91	AV		99		
	SAE-MA2007-83			HOSE ASSEMBLY, TETRAFLUOROETHYLENE, LIGHTWEIGHT, 204 DEG. C 21,000 KPA HYDRAULIC, METRIC JULY 1983	A 4720		AV	15-JUN-87	AV				
	SAE-MA2010-87			PACKING, PREFORMED O-RING SEAL, STANDARD SIZES & SIZE CODES, METRIC - JULY 1987	A 5330		IS	17-OCT-88	AV		99		
	SAE-MA2025-86			TUBE, FLARELESS, UNION	A 4730		AV	15-JUN-87	AV				
	SAE-MA2035-86			PLUG, FLARELESS TUBE - MAR 1986	A 4730		AV	15-JUN-87	AV				
	SAE-MA2036-86			CAP ASSEMBLY, PRESSURE SEAL, FLARELESS TUBE FITTING - MAR 1986	A 4730		AV	15-JUN-87	AV				
	SAE-MA2037-86			BUSHING, SCREW THREAD EXPANDER FLARELESS TUBE CONNECTION - MAR 1986	A 4730		AV	15-JUN-87	AV				
	SAE-MA2038-86			TUBE, REDUCER FLARELESS, UNION	A 4730		AV	15-JUN-87	AV				
	SAE-MA2039-86			PLUG, MJ THREAD, O - RING SEAL, AMS 5640 - JAN 1986	A 5340		AV	15-JUN-87	AV				
	SAE-MA2040-86			NUT, SLEEVE COUPLING FLARELESS	A 4730		AV	15-JUN-87	AV				
	SAE-MA2043-86			TUBE, UNION, FLARELESSBULKHEAD AND UNIVERSAL	A 4730		AV	15-JUN-87	AV				
	SAE-MA2046-86			ADAPTER, FLARELESS METRIC TO INCH	A 4730		AV	15-JUN-87	AV				
	SAE-MA2047-86			NUT, SWIVEL, WIRED ON	A 4730		AV	15-JUN-87	AV				
	SAE-MA2058-86			UNION, REDUCER, BULKHEAD FLARELESS TUBE - MAR 1986	A 4730		AV	15-JUN-87	AV				
	SAE-MA2080-89			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG COME, STRAIGHT TO STRAIGHT, LIGHTWEIGHT, METRIC 30 JAN 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2081-89			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG COME, STRAIGHT TO 45-DEG, LIGHTWEIGHT, METRIC - 30 JAN 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2082-89			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG COME, STRAIGHT TO 90-DEG, LIGHTWEIGHT, METRIC - 30 JAN 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2083-89			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG COME, 45-DEG TO 45 DEG, LIGHTWEIGHT, METRIC - 30 JAN 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2084-89			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG COME, 45-DEG TO 90 DEG, LIGHTWEIGHT, METRIC - 30 JAN 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2085-89			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 DEG C, 21,000 KPA, 60-DEG COME, 90-DEG TO 90 DEG, LIGHTWEIGHT, METRIC - 30 JAN 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2086-86			HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO STRAIGHT, METRIC - JAN 1986	A 4720		AV	15-JUN-87	AV				
	SAE-MA2087-86			HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 45 DEG, METRIC - JAN 1986	A 4720		AV	15-JUN-87	AV				
	SAE-MA2088-86			HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 90 DEG, METRIC - JAN 1986	A 4720		AV	15-JUN-87	AV				
	SAE-MA2089-86			HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 45 DEG. TO 45 DEG, METRIC - JAN 1986	A 4720		AV	15-JUN-87	AV				
	SAE-MA2090-86			HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 45 DEG. TO 90 DEG, METRIC - JAN 1986	A 4720		AV	15-JUN-87	AV				
	SAE-MA2091-86			HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS 90 DEG. TO 90 DEG, METRIC - JAN 1986	A 4720		AV	15-JUN-87	AV				
	SAE-MA2093-88			FITTING END, DIMENSIONS, FLUID SYSTEMS PORT CONNECTION, METRIC - 10 FEB 88	A 4720		AV	17-OCT-90	AV				
	SAE-MA2100-89			HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, HIGH TEMPERATURE, METRIC - 20 OCT 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2101-89			HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED STRAIGHT FITTING ENDS, METRIC - 20 OCT 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2102-89			HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED STRAIGHT 45 DEG FITTING ENDS, METRIC - 20 OCT 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2103-89			HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED STRAIGHT 90 DEG FITTING ENDS, METRIC - 20 OCT 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2104-89			HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, 45 DEG TO 45 DEG FITTING ENDS, METRIC - 20 OCT 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2105-89			HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, 45 DEG TO 90 DEG FITTING ENDS, METRIC - 29 OCT 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2106-89			HOSE ASSEMBLIES, METAL MEDIUM PRESSURE, FLARELESS, WELDED, 90 DEG TO 90 DEG FITTING ENDS, METRIC - 29 OCT 89	A 4720		AV	17-OCT-90	AV				
	SAE-MA2170-90			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC - OCT 1990	A 4720		AV	17-OCT-90	AV				
	SAE-MA2171-90			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 45 DEG., METRIC - OCT 1990	A 4720		AV	17-OCT-90	AV				
	SAE-MA2172-90			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, CRES REINFORCED, 204 DEG. C., 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 90 DEG., METRIC - OCT 1990	A 4720		AV	17-OCT-90	AV				
	SAE-MA2176			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	A 4720	/	AV	23-MAR-93	AV				
	SAE-MA2177			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 45 DEG., METRIC	A 4720		AV	23-MAR-93	AV				
	SAE-MA2178			HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 DEG. C, 10 500 KPA, BEAM SEAL, STRAIGHT TO 90 DEG., METRIC	A 4720		AV	23-MAR-93	AV				
	SAE-MA2515-86			RING-BACK-UP, PORT CONNECTION, AMS3660 METRIC REVIEWER: 99 AR	A 5330		IS	16-JUN-87	AV	AS	11		
	SAE-MA2521-90			NUT-HEX, PORT FITTING CONNECTOR, AMS-5639, MJ THREAD, METRIC - 1 AUG 86 REVIEWER: AV SH	A 5310		IS	19-DEC-90	AR	AS	99	IS	
	SAE-MA2536			GASKET, METAL C-RING, FACE SEAL, INTERNAL PRESSURE, UNS M07750 SILVER PLATED, METRIC REVIEWER: 82 AS AV	A 5330	*	IS	03-JUL-92	NR	SH	99	IS	
	SAE-MA2537-90			GROOVE DESIGN, METAL C-RING GASKET, FACE TYPE, INTERNAL PRESSURE, METRIC - 8 SEP 90 REVIEWER: AR OS	A 5310		IS	22-MAR-91	NR	SH			
	SAE-MA3259-81			PIN COTTER, CRES AMS 7211, METRIC SERIES - 15 JAN 81 REVIEWER: 15	A 5315		99	11-JUL-84		AS	11		



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Doc / ONA Coordination Machine Document Number	Document Title	Doc. Sym. FSC / Area MCA Symbol Preparing Agency	Date	Custodians Army Navy Air Force DIA
SAE-MA3266-87	NUT, SELF-LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - JULY 1987	A 5310	15 17-OCT-88	AV 99
SAE-MA3279-85	SCREW THREAD, INSERT, HELICAL COIL, METRIC SERIES FREE RUNNING, CRES - 1 MAR 1985 REVIEWER: 82 AV 15	A 5340	AR 16-APR-85	AR AS 11
SAE-MA3286-87	BOLT, MACHINE, HEX HEAD - PD SHANK - MJ THREAD, AMS5731, METRIC - 1 JULY 87 REVIEWER: 82 AS	A 5306	15 31-MAY-89	AR OS 99
SAE-MA3287-87	BOLT, MACHINE-SPLINED, EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 5731, METRIC - AUG 1987 REVIEWER: 82 AR	A 5306	15 25-AUG-88	AV 99
SAE-MA3288-85	NUT, PLAIN, HEX - UNS S66286, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3289-87	BOLT, MACHINE - HEX HEAD - PD SHANK, MJ THREAD, AMS 6322, CADMIUM PLATE, METRIC - DEC 87 REVIEWER: 82 AV SH	A 5306	15 24-APR-89	AR AS 99
SAE-MA3294 NOTICE 1	CLIP-SPRING, TENSION, OUTER 5.5MM BOLT HOLE, AMS 5525, METRIC REVIEWER: 82 AV	A 5340 *	15 11-OCT-91	AR 99 15
SAE-MA3295-90	CLIP - SPRING, TENSION, INNER 5.5 MM BOLT HOLE, AMS 5525, METRIC - 15 NOV 90 REVIEWER: 82 AV	A 5340	15 03-MAY-91	AR 99
SAE-MA3296-90	CUSHION - TUBE CLAMP SUPPORT, PTEE, METRIC - 15 NOV 90 REVIEWER: 82 AV ....	A 5340	15 03-MAY-91	AR 99
SAE-MA3302-85	NUT, PLAIN, HEX - UNS 87400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3329THRU MA3331-85	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES REVIEWER: 82 AV 15	A 5340	AR 23-MAY-85	AR AS 11
SAE-MA3338-87	BOLT, MACHINE - HEX HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC - 1 FEB 87 REVIEWER: 82 AV SH	A 5306	15 19-MAY-89	AR AS 99
SAE-MA3339-87	BOLT, MACHINE-SPLINE, EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 6322, CADMIUM PLATED, METRIC - AUG 1987 REVIEWER: 82 AR	A 5306	15 25-AUG-88	AV 99
SAE-MA33408 NOTICE 1	BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 5662, METRIC REVIEWER: 82 AV	A 5306	15 01-MAR-93	AR AS 99 15
SAE-MA3341-87	BOLT, MACHINE - SPLINE EXTENDED WASHER, FULL SHANK, LONG, THREAD, AMS 5731, METRIC - 1 JUN 87 REVIEWER: 82 AV SH	A 5306	15 19-MAY-89	AR AS 99
SAE-MA3342-87	BOLT, MACHINE - SPLINE EXTENDED WASHER, FULL SHANK, DRILLED, LONG THREAD, AMS 5731, METRIC - 1 JUNE 87 REVIEWER: 82 AV SH	A 5306	15 19-MAY-89	AR AS 99
SAE-MA3343-87	BOLT, MACHINE-SPLINE DRIVE EXTENDED WASHER HEAD, FULL SHANK, LONG THREAD, AMS5662, METRIC - JULY 1987 REVIEWER: 82 SH	A 5306	15 15-SEP-88	AR 99
SAE-MA3344-85	NUT, PLAIN, HEX - THIN, UNS S66286, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3347-87	BOLT, MACHINE - HEX HEAD - FULL SHANK, LONG THREAD, ASM 5731, METRIC DEC 87 REVIEWER: 82 AV SH	A 5306	15 24-APR-89	AR AS 99
SAE-MA3349-87	NUT, SELF LOCKING - REDUCED HEX DRIVE, UNS S66286, SILVER PLATED MJ THREAD, METRIC - MAY	A 5310	15 25-AUG-88	AV 15
SAE-MA3350-85	NUT, CASTELLATED, HEX - UNS S66286 MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3351-87	NUT, SPLINE DRIVE-EXTENDED WASHER, CUPWASHER LOCK, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - JUL 87 REVIEWER: 11 SH	A 5310	15 17-OCT-88	AR 99 15
SAE-MA3352-87	PACKING, PREFORMED O-RING SEAL, AMS 7276, METRIC - MAR 1987 REVIEWER: 82 AV	A 5330	15 17-OCT-88	AR 99
SAE-MA3353-87	NUT, SELF LOCKING-SPLINE DRIVE, EXTENDED WASHER, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - 1 JULY 87 REVIEWER: 11 AV SH	A 5310	15 19-MAY-89	AR AS 99
SAE-MA3354-85	NUT, PLAIN HEX - THIN, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3365-87	BOLT, MACHINE - HEX HEAD - DRILLED, FULL SHANK, LONG THREAD, AMS 5731, METRIC - DEC 87 REVIEWER: 82 AV SH	A 5306	15 24-APR-89	AR AS 99
SAE-MA3366-90	BOLT, MACHINE-SPLINE DRIVE EXTENDED WASHER, DRILLED HEAD, FULL SHANK, LONG THREAD, AMS 5662, METRIC - 1 JUL 87 REVIEWER: AV SH	A 5306	15 19-DEC-90	AR AS 99 15
SAE-MA3368-87	BOLT, MACHINE - SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, DRILLED, AMS 5662, METRIC - DEC 87 REVIEWER: 82 AV	A 5306	15 12-MAY-89	AR AS 99
SAE-MA3369-87	BOLT, MACHINE - HEX HEAD - DRILLED, PD SHANK, LONG THREAD, AMS 5662, METRIC - 1 FEB 87 REVIEWER: 82 AV SH	A 5306	15 19-MAY-89	AR AS 99
SAE-MA3371 NOTICE 1	BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, DRILLED, PD SHANK, LONG THREAD, AMS 5708, METRIC REVIEWER: 82 AV	A 5306	15 01-MAR-93	AR AS 99 15
SAE-MA3374-86	BOLTS & SCREWS, UNS S66286 650 DEG. C, 900 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC - FEB 86 REVIEWER: 82 99 AR	A 53GP	15 31-OCT-86	AV 11
SAE-MA3376A-86	BOLTS & SCREWS, UNS G87400 860 MPA, MJ THREAD, PROCUREMENT SPECIFICATION FOR, METRIC - FEB 86 REVIEWER: 82 99 AR	A 53GP	15 31-OCT-86	AV 11
SAE-MA3377-86	BOLTS & SCREWS, UNS, M07718, STRESS-RUPTURE & FATIGUE RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC AUG 1986 REVIEWER: 99 AR	A 53GP	15 22-JUN-87	AV AS 11
SAE-MA3378-87	BOLTS & SCREWS, USM M07001, 760 DEG C, 1210 MPA, 1065 DEG C, SOLUTION HEAT TREATMENT, PROCUREMENT SPECIFICATION FOR (METRIC) JUL 87 REVIEWER: 82	A 53GP	15 20-OCT-88	AV 99
SAE-MA3393 NOTICE 1	CLIP-SPRING, TENSION, OUTER 6.7MM BOLT HOLE, AMS 5525, METRIC REVIEWER: 82 AV	A 5340 *	15 11-OCT-91	AR 99 15
SAE-MA3394 NOTICE 1	CLIP-SPRING, TENSION, INNER 6.7MM BOLT HOLE, AMS 5525, METRIC REVIEWER: 82 AV	A 5340 *	15 11-OCT-91	AR 99 15
SAE-MA3398-87	BOLT, MACHINE - HEX HEAD - DRILLED, PD SHANK, LONG THREAD, AMS 5731, METRIC - 1 JULY 87 REVIEWER: 82 AV SH	A 5306	15 19-MAY-89	AR AS 99
SAE-MA3399-90	CLAMP-TUBE SUPPORT, SPRING CLIP AND PTEE CUSHION, PROCUREMENT SPECIFICATION FOR - 9 AUG 90 REVIEWER: 82 AV	A 5340	15 22-MAR-91	AR 99
SAE-MA3421-85	NUT, PLAIN HEX - DRD, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3422-85	NUT, PLAIN HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC - D REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3423-85	NUT, PLAIN HEX - DRD, UNS S66286, SILVER PLATE, MJ THREAD, METRIC REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3424-85	NUT, PLAIN HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - DEC 1985 REVIEWER: 99 AR	A 5310	15 16-JUN-86	
SAE-MA3425-85	NUT, CASTELLATED, HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - DEC 1985 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11 15
SAE-MA3426-85	NUT, CASTELLATED, HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC - DEC 1985 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11 15
SAE-MA3427-86	NUT, CASTELLATED, HEX, THIN UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC - FEB 1986 REVIEWER: 99 AR	A 5310	15 21-JAN-87	AV AS 11
SAE-MA3428-85	NUT, CASTELLATED, HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC - DEC 85 REVIEWER: 99 AR	A 5310	15 16-JUN-86	AV AS 11
SAE-MA3429-87	NUT, SELF LOCKING, SPLINE DRIVE, EXTENDED WASHER, UNS M07001, SILVER PLATE, MJ THREAD, METRIC - JULY 1987 REVIEWER: 11 SH	A 5310	15 15-SEP-88	AR 99 15
SAE-MA3433-89	NUT, SELF LOCKING-SHANK, UNS M070001, SILVER PLATE, MJ THREAD, METRIC - 1 NOV 89 REVIEWER: 82 AV	A 5310	15 31-MAY-90	AR AS 99
SAE-MA3434-87	PACKING, PREFORMED O-RING SEAL, AMS 7273, METRIC - JULY 1987 .....	A 5330	15 17-OCT-88	AR 99 15
SAE-MA3437-87	SPACER, SLEEVE - FOR 5MM BOLT, AMS4901 OR AMS4921, (METRIC) AUG 87) REVIEWER: 82	A 5365	15 20-OCT-88	AV 99
SAE-MA3438-87	SPACER, SLEEVE - FOR 6MM BOLT, AMS4901 OR AMS4921, (METRIC) AUG 87) REVIEWER: 82	A 5365	15 20-OCT-88	AV 99
SAE-MA3439-89	O-RING GROOVE DESIGN FOR PACKING PREFORMED, ELASTOMERIC O-RING SEALS, STATIC, AXIAL COMPRESSION, METRIC - 1 NOV 89 REVIEWER: 82 AV	A 5310	15 31-MAY-90	AR AS 99
SAE-MA3442-87	PACKING, PREFORMED O-RING SEAL, AMS 7267, METRIC - MAR 1987 REVIEWER: 82 AV	A 5330	15 17-OCT-88	AR 99 15



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active OR / ON Continued Machine Document Number	Document Title	Dist. Stmt. FAC / Ave MCA Symbol Preparing Act. Date	Custodians Army Navy Air Force DIA
SAE-NA3444-90	MUT, SELF LOCKING - SPLINE DRIVE, CAPTIVE WASHER, UNS-566286, SILVER PLATE, M3 THREAD, METRIC - 14 FEB 90 REVIEWER: B2 AV SH	A 5310 1S 19-DEC-90 AR AS 99 1S	
SAE-NA3445-88	PACKING, PREFORMED, O-RING SEAL, FLUOROCARBON(MIL-R-83485 TYPE 1), METRIC - 1 SEP 88 REVIEWER: 99	A 5330 1S 12-JUL-89 NR SH 11	
SAE-NA3446-90	BOLT, MACHINE - TEE HEAD, CHAMFERED, CLOSE TOL FULL SHANK, AMS-5708, METRIC - 14 FEB 90 REVIEWER: AV SH	A 5306 1S 19-DEC-90 AR AS 99 1S	
A SAE-NA3448 NOTICE 1	BOLT, SPLINE DRIVE SPECIAL EXTENDED WASHER HEAD, REDUCED HEAD, PD SHANK, AMS 5708, METRIC REVIEWER: B2 AV	A 5306 1S 01-MAR-93 AR AS 99 1S	
SAE-NA3453-90	WASHER, FLAT, AMS-5525, METRIC ER LOCKED, UNS 566286, SILVER PLATED, M3 THREAD, METRIC - 12 OCT 90 REVIEWER: B2 AV	A 5310 1S 22-MAR-91 AR SH 99	
A SAE-NA3476 NOTICE 1	BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC REVIEWER: B2 AV	A 5306 1S 01-MAR-93 AR AS 99 1S	
SAE-NA3477-90	BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, AMS-5662, METRIC - 14 FEB 90 REVIEWER: AV SH	A 5306 1S 19-DEC-90 AR AS 99 1S	
SAE-NA4016-87	RING, RETAINING-EXTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC - 15 SEP 87 REVIEWER: B2	A 5365 1S 31-MAY-89 AR AS 99	
SAE-NA4017-87	RING, RETAINING - INTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY, CRES, METRIC - 1 SEP 87 REVIEWER: B2 AS	A 5365 1S 12-JUL-89 AR OS 99	
SAE-NA4018-87	PIN, STRAIGHT, HEADLESS, AMS 5688, METRIC - 1 SEP 87 REVIEWER: B2 OS .....	A 5315 1S 12-JUL-89 AR AS 99	
SAE-NA4019-87	PIN, STRAIGHT, HEADLESS, AMS 5732 METRIC - 1 SEP 87 REVIEWER: B2 OS .....	A 5315 1S 12-JUL-89 AR AS 99	
SAE-NA4020-87	RING, RETAINING, EXTERNAL, TAPERED, TYPE 1, CLASS 2, AMS 5520, METRIC - 1 SEP 87 REVIEWER: B2 AS	A 5365 1S 12-MAY-89 AR OS 99	
SAE-NA4021-87	RING, RETAINING, INTERNAL, TAPERED, TYPE 1, CLASS 1, AMS 5520, METRIC - 1 SEP 87 REVIEWER: B2	A 5365 1S 12-MAY-89 AR AS 99	
SAE-NA4029-87	RING, RETAINING, INTERNAL, BEVELED, TAPERED, TYPE 11, CLASS 1, AMS 5520, METRIC - 1 SEP 87 REVIEWER: B2 AS	A 5365 1S 12-MAY-89 AR OS 99	
SAE-NA4030-87	RING, RETAINING, EXTERNAL, REINFORCED, E-RING, TYPE 1, CLASS 3, AMS 5520, METRIC - 1 SEP 87 REVIEWER: B2 AS	A 5365 1S 12-MAY-89 AR OS 99	
SAE-NA4035-88	RINGS, RETAINING - SPIRAL WOUND, UNIFORM SECTION, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC - 9 JUNE 88 REVIEWER: B2 AS	A 5365 1S 31-MAY-89 AR OS 99	
SAE-NA4036-88	RINGS, RETAINING - TAPERED WIDTH, UNIFORM THICKNESS, CORROSION RESISTANT, PROCUREMENT SPECIFICATION FOR, METRIC - 9 JUNE 88 REVIEWER: B2 AS	A 5365 1S 31-MAY-89 AR OS 99	
A SAE-NA4037-87 SAE-NA4038 NOTICE 1	WASHER, KEY 90 DEG LOCKING CRES, AMS 5510, METRIC - AUG 87 REVIEWER: B2 ...	A 5310 1S 17-OCT-88 AV AS 99 1S	
SAE-NA4039-87	WASHER, KEY - 180 DEG. LOCKING, CRES, AMS 5510, METRIC REVIEWER: B2 AV SH	A 5310 1S 03-JUL-92 AR AS 99 1S	
A SAE-NA4040 NOTICE 1	WASHER, KEY - 270 DEG. LOCKING CRES, AMS 5510, METRIC - AUG 87 REVIEWER: B2 AV	A 5310 1S 25-AUG-88 AR 99 1S	
SAE-NA4044-90	WASHER, KEY - DUAL LOCKING POSITIONS CRES, AMS 5510, METRIC REVIEWER: B2 AV SH	A 5310 1S 03-JUL-92 AR AS 99 1S	
SAE-NA4045-89	MUT, SPANNER-END SLOTS, CUPWASHER LOCKED, UNS 566286, SILVER PLATED, M3 THREAD, METRIC - 12 OCT 90 REVIEWER: B2 AV	A 5310 1S 22-MAR-91 AR 99	
SAE-NA4070-88	WASHER, CUP, LOCK-SPANNER MUT AMS 5646, METRIC - 22 MAY 89 REVIEWER: AR SH	A 5310 1S 16-FEB-90 AV AS 99	
A SAE-NA4147 NOTICE 1	PINS, PROCUREMENT SPECIFICATION FOR, METRIC - 20 APR 88 REVIEWER: B2 OS ...	A 5315 1S 12-JUL-89 AR AS 99	
SAE-NA4177-90	BOLT, SPLINE DRIVE EXTENDED WASHER, REDUCED SHANK, AMS 5662, METRIC REVIEWER: B2 AV	A 5306 1S 01-MAR-93 AR AS 99 1S	
A SAE-NA4187 NOTICE 1	MUT, SELF LOCKING - HEX EXTENDED WASHER UNS M0700L, SILVER PLATE, M3 THREAD, METRIC - 14 FEB 90 REVIEWER: B2 AV SH	A 5310 1S 19-DEC-90 AR AS 99 1S	
SAE-NA4241A-89	BOLT, MACHINE, SPLINE DRIVE, SPECIAL EXTENDED WASHER, REDUCED HEAD, PD SHANK, AMS 5662, METRIC REVIEWER: B2 AV	A 5306 1S 01-MAR-93 AR AS 99 1S	
A SAE-NA4242A-87	TITANIUM, AND TITANIUM ALLOY BARS AND WIRE TOLERANCES, CORROSION AND HEAT RESISTANT STEEL, IRON ALLOY, METRIC - 1 APR 89	A 95GP NR 03-MAY-89 NR AS 11	
SAE-NA4243B-90	STEEL, CORROSION AND HEAT RESISTANT, TOLERANCES, METRIC, IRON ALLOY, TITANIUM, AND TITANIUM ALLOY SHEET, STRIP, AND PLATE	A 95GP NR 11-JUN-87 NR AS 11	
SAE-NA4251-83R90 NOTICE 2	TUBING, TOLERANCES, METRIC, CORROSION & HEAT RESISTANT STEEL - 1 JAN 90 ...	A 4710 NR 22-FEB-90 NR AS 11	
SAE-NA4252-83R90 NOTICE 2	TOLERANCES, METRIC LOW-ALLOY STEEL BARS [VALIDATION DATE: 9110] .....	A 9515 1S 10-OCT-91 NR AS 11	
SAE-NA4253-83R90	TOLERANCES, METRIC LOW-ALLOY STEEL SHEET, STRIP AND PLATE [VALIDATION DATE: 9110]	A 9515 1S 10-OCT-91 NR AS 11	
A SAE-NA4300A-92 NOTICE 1	TOLERANCES, METRIC - CARBON AND ALLOY STEEL TUBING [VALIDATION DATE: 9110]	A 4710 1S 31-OCT-91 NR AS 11	
A SAE-NA4303-87	PREMIUM AIRCRAFT-QUALITY STEEL CLEAINESS MAGNETIC PARTICLE INSPECTION PROCEDURE METRIC (SI) MEASUREMENT	A MDT1 1S 12-JUN-92 NR AS 11	
SAE-NA4536-87	STEELS, MARTENSITIC CORROSION-RESISTANT, AIRCRAFT-QUALITY STEEL CLEAINESS, MAGNETIC PARTICLE INSPECTION PROCEDURE, METRIC (SI) MEASUREMENT - 1 JAN 87	A MDT1 NR 11-JUN-87 NR AS 11	
SAE-NA4598-87	ALLOY SHEET, & PLATE, CORROSION & HEAT RESISTANT, 47.5NI - 22 CR - 1.5CO - 9.0MO - 0.60W - 18.5FE SOLUTION HEATRETTED - 1 OCT 87 REVIEWER: B4 GS	A 9515 11 17-MAR-89 AL AS 99	
SAE-NA4599-87	ALLOY SHEET, STRIP, AND PLATE, CORROSION & HEAT RESISTANT, 72NI - 15.5CR - 0.95(CB AND TA) - 2.5TI - 0.04AI - 7.0FE, CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED SOLUTION HEAT TREATED, PRECIPITATION HARDENABLE - 1 OCT 87	A 9515 11 17-MAR-89 NR AS 11	
SAE-NA4599-87	ALLOY SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT, 62NI - 21.5CR - 9.0MO - 3.7(CB AND TA) ANNEALED - 1 OCT. 1987	A 9515 11 17-MAR-89 NR AS 11	
SAE-NA4706A-89	BAR, ALLOY, FORGINGS, AND RINGS, CORROSION & HEAT RESISTANT 57NI - 19.5CR - 13.5CO - 4.3MO - 3.0TI - 1.4AI - 0.0068 - 0.05ZR, CONSUMABLE ELECTRODE OR VACUUM INDUCTION MELTED 995 DEG - 1040 DEG C SOLUTION HEAT TREATED - 1 JUL 89 87	A 9510 11 15-AUG-90 NR AS 11	
A SAE-NA4822 NOTICE 1	STEEL, CORROSION AND HEAT RESISTANT, WELDING WIRE 11.BCR - 2.8NI - 1.6CO - 1.8MO - 0.32V VACUUM INDUCTION MELTED	A 3439 NR 23-APR-93 NR AS 11	
SAE-NA4830A-88	STEEL BARS, FORGINGS & TUBING, LOW ALLOY, HEAT RESISTANT, 0.95CR - 0.55MO - 0.30V (0.40 - 0.50C) - 1 JAN 88	A 9510 11 17-MAR-89 NR AS 11	
SAE-NA4753-83	FASTENERS ON PROPULSION EQUIPMENT, METRIC, HOLE SIZES, RECOMMENDED FOR - NOV 1983 REVIEWER: B2 AV 1S	A 53GP AR 01-NOV-85 AR AS 99	
SAE-NA43440-90	O-RING GROOVE DESIGN FOR PACKING PREFORMED, ELASTOMERIC O-RING SEALS, STATIC RADIAL SQUEEZE, METRIC - 5 MAR 90 REVIEWER: AV SH	A 5330 1S 19-DEC-90 AR AS 1S	
D SAMA-AJ1.1-74	RECOMMENDED PRACTICE FOR GLASS PH & REFERENCE ELECTRODES - 74 REVIEWER: MD ME YD1	A 6640 EA 23-DEC-74 EA MS 99	
D SAMA-LA2.1B-78 SD1100-85	SIZES FOR LABORATORY GLASSWARE - 74 .....	A 6640 EA 01-MAY-78 EA MS 99	
D SD1105-87	STEEL DOOR & FRAME, RECOMMENDED SPECIFICATIONS STANDARD - 7 JAN 1985 USER: CE REVIEWER: 99	A 5670 YD1 20-JUL-87 ME YD1	
D SD1107-84	FRAMES, STEEL, RECOMMENDED ERECTION INSTRUCTIONS FOR - SEP 1987 REVIEWER: B4	A 5670 YD1 06-JUL-89 YD1	
D SD1111A-86	DOORS, STEEL, HARDWARE ON (REINFORCEMENT-APPLICATION) 1984 REVIEWER: B4 ...	A 5670 YD1 27-JUN-89 YD1	
D SD1111B-86	DOORS, STEEL, FRAMES, DETAILS, RECOMMENDED STANDARD - SEP 1986 USER: CE REVIEWER: 99	A 5670 YD1 31-AUG-88 YD1	
D SD1111C-86	DOORS, DUTCH, RECOMMENDED STANDARD - SEP 1986 USER: CE REVIEWER: 99 .....	A 5670 YD1 31-AUG-88 YD1	
D SD1111D-86	DOORS, STEEL, STANDARD, RECOMMENDED LOUVER DETAILS FOR - SEP 1986 USER: CE REVIEWER: 99	A 5670 YD1 31-AUG-88 YD1	
D SD1111E-86	DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED DOOR, FRAME AND HARDWARE SCHEDULE FOR - SEP 1986 USER: CE REVIEWER: 99	A 5670 YD1 31-AUG-88 YD1	
D SD1111F-86	DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED WEATHERSTRIPPING FOR - SEP 1986 USER: CE REVIEWER: 99	A 5670 YD1 31-AUG-88 YD1	
D SD1111G-86	DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED COMPLETED OPENING ANCHORS - SEP 1986 USER: CE REVIEWER: 99	A 5670 YD1 31-AUG-88 YD1	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OML Coordination Inhouse	Document Number	Document Title	Dist. Smt. FSC / Ase	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
0	SD1111G-87	DOORS AND FRAMES, STANDARD, STEEL, RECOMMENDED STANDARD PREPARATION FOR DOUBLE TYPE (INTERCONNECTED) LOCKS ON - JUL 1987 USER: CE REVIEWER: 99	A 5670	YD1 31-AUG-88		YD1			
0	SD1113-79 NOTICE 1	DOOR, STEEL, & FRAME ASSEMBLIES, APPARENT THERMAL PERFORMANCE OF, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR - 1979 [VALIDATION DATE: 8804] USER: CE	A 5670	YD1 11-APR-88	NE	YD1			
0	SD1114-79 NOTICE 1	DOOR & FRAME ASSEMBLIES, STEEL, TEST PROCEDURE & ACCEPTANCE CRITERIA FOR ACOUSTICAL PERFORMANCE FOR - 1979 [VALIDATION DATE: 8804] USER: CE	A 5670	YD1 11-APR-88	NE	YD1			
0	SD1116-79 NOTICE 1	DOOR & FRAME ASSEMBLIES, STEEL, STANDARD TEST PROCEDURE & ACCEPTANCE CRITERIA FOR RATE OF AIR FLOW THROUGH CLOSED - 1979 [VALIDATION DATE: 8804] USER: CE	A 5670	YD1 11-APR-88	NE	YD1			
0	SD1119-83	DOOR FRAME AND FRAME ANCHOR, STEEL, PERFORMANCE TEST PROCEDURES FOR - 18 NOV 83 USER: CE	A 5670	YD1 11-APR-88	NE	YD1			
0	SES2-84	STANDARDIZATION THE ECONOMICS OF - 1984 - USER: AT CE EL MC MI OS YD1 REVIEWER: AV IS	A SDMP	SO 09-DEC-89	AR		99		
0	SFSA3-81 NOTICE 2	STEEL CASTINGS HANDBOOK, TOLERANCES, SUPPLEMENT 3 - APRIL 81 [VALIDATION DATE: 8808]	A MECA	MR 31-AUG-88	MR				
0	SSPC-PA1-82 NOTICE 1	PAINT APPLICATION SPECIFICATION NO. 1, SHOP, FIELD & MAINTENANCE PAINTING - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS	A 8010	YD1 03-AUG-88	NE	YD1 11			
0	SSPC-PA2-82 NOTICE 1	PAINT APPLICATION SPECIFICATION NO. 2, MEASUREMENT OF DRY PAINT THICKNESS WITH MAGNETIC GAGES - 1 NOV 82 [VALIDATION DATE: 8808] USER: CE REVIEWER: MD MR MS	A 8010	YD1 03-AUG-88	NE	YD1 11			
0	SSPC-PA3-82	GUIDE TO SAFETY IN PAINT APPLICATION PAINT APPLICATION GUIDE NO. 3 - 1 NOV 82 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SSPC-PA4-82	GUIDE TO MAINTENANCE REPAINTING WITH OIL BASED OR ALKYD PAINTING SYSTEMS PAINT APPLICATION GUIDE NO. 4 - 1 NOV 82 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SSPC-PAINT5-82	PAINT SPECIFICATION NO. 5, ZINC DUST, ZINC OXIDE, AND PHENOLIC VARNISH PAINT USER: AR CE MC OS SH REVIEWER: MD MR MS	A 8010	YD1 17-JUL-89	NE	YD1 11			
0	SSPC-PAINT8-82 NOTICE 1	PAINT SPECIFICATION NO. 8, ALUMINUM VINYL PAINT - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS	A 8010	YD1 17-AUG-88	NE	YD1 11			
0	SSPC-PAINT9-82	PAINT SPECIFICATION NO. 9, WHITE (OR COLORED) VINYL PAINT - 1 NOV 82 USER: AR CE MC OS REVIEWER: MD MR MS	A 8010	YD1 21-JUN-83	NE	YD1 11			
0	SSPC-PAINT11-82	PAINT SPECIFICATION NO. 11, RED IRON OXIDE, ZINC CHROMATE, RAW LINSEED OIL & ALKYD PRIMER - 1 NOV 82 USER: AR CE MC OS REVIEWER: MD MR MS	A 8010	YD1 17-JUL-89	NE	YD1 11			
0	SSPC-PAINT15-82	PAINT SPECIFICATION NO. 15, STEEL JOIST SHOP PAINT TYPE 1, RED OXIDE PAINT TYPE 11, ASPHALT COATING - 1 NOV 82 USER: CE MC OS SH REVIEWER: MD MR MS	A 8010	YD1 17-JUL-89	NE	YD1 11			
0	SSPC-PAINT16-82 NOTICE 2	PAINT SPECIFICATION NO. 16, COAL TAR EPOXY-POLYAMIDE BLACK (OR DARK RED) PAINT - 1 NOV 82 [VALIDATION DATE: 8806] USER: CE MC OS REVIEWER: MD MR MS	A 8010	YD1 21-JUN-89	NE	YD1 11			
0	SSPC-PAINT20-82 NOTICE 1	PAINT SPECIFICATION NO. 20, ZINC-RICH PRIMERS (TYPE 1, INORGANIC & TYPE 11 ORGANIC) 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS	A 8010	YD1 16-AUG-88	NE	YD1 11			
0	SSPC-PAINT22-82	EPOXY-POLYAMIDE PAINTS (PRIMER, INTERMEDIATE, AND TOPCOATED) PAINT SPECIFICATION NO. 22 - 1 NOV 82 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SSPC-PAINT27-82	BASIC ZINC CHROMATE-VINYL BUTYRAL WASH PRIMER PAINT SPECIFICATION NO. 27 - 1 NOV 82 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SSPC-PAINT101-82 NOTICE 1	PAINT SPECIFICATION NO. 101, ALUMINUM ALKYD PAINT, LEAFING (TYPE 1) AND NON-LEAFING (TYPE 11) - 01 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS	A 8010	YD1 15-AUG-88	NE	YD1 11			
0	SSPC-PS1.09-82 NOTICE 1	THREE-COAT OIL BASE ZINC OXIDE PAINTING SYSTEM (WITHOUT LEAD OR CHROMATE PIGMENT) USER: CE REVIEWER: 84 MC SH	A 8010	YD1 29-MAR-93	NE	YD1 99			
0	SSPC-PS4.01-82	PAINTING SYSTEM SPECIFICATION NO. 4.02, FOUR-COAT VINYL PAINTING SYSTEM (FOR FRESH WATER, CHEMICAL, & CORROSIVE ATMOSPHERES) - 1 NOV 82 USER: CE MC OS REVIEWER: MD MR MS	A 8010	YD1 21-JUN-83	NE	YD1 11			
0	SSPC-PS10.01-82	PAINTING SYSTEM SPECIFICATION NO. 10.01, HOT APPLIED COAL TAR ENAMEL PAINTING SYSTEM - 1 NOV 82 USER: CE MC OS REVIEWER: MD MR MS	A 8010	YD1 21-JUN-83	NE	YD1 11			
0	SSPC-PS11.01-82	PAINTING SYSTEM BLACK (OR DARK RED) COAL TAR EPOXY-POLYAMIDE PAINTING SYSTEM SPECIFICATION NO. 11.01 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SSPC-PS12.01-82	PAINTING SYSTEM ONE-COAT ZINC-RICH PAINTING SYSTEM SPECIFICATION NO. 12.01 - 1 NOV 82 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SSPC-PS13.01-82	PAINTING SYSTEM SPECIFICATION NO. 13.01, EPOXY-POLYAMIDE PAINTING SYSTEM - 1 NOV 82 USER: AR CE MC OS SH REVIEWER: MD MR MS	A 8010	YD1 17-JUL-89	NE	YD1 11			
0	SSPC-PS14.01-82	PAINTING SYSTEM SPECIFICATION NO. 14.01, STEEL JOIST SHOP PAINTING SYSTEM - 1 NOV 82 USER: CE MC OS REVIEWER: MD MR MS	A 8010	YD1 17-JUL-89	NE	YD1 11			
0	SSPC-SP1-82	SOLVENT CLEANING SURFACE PREPARATION SPECIFICATION NO. 1 - 1 NOV 82 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SSPC-SP2-89	TOOL HAND, CLEANING SURFACE PREPARATION SPECIFICATION NO. 2 - 1 SEP 89 USER: 50 AR CE MC MR OS REVIEWER: 84 99 SH	A 8010	YD1 01-APR-90	NE	YD1 11			
0	SSPC-SP3-82 NOTICE 1	POWER TOOL CLEANING, SURFACE PREPARATION SPECIFICATION NO. 3 - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS SH REVIEWER: MD MR MS	A 8010	YD1 16-AUG-88	NE	YD1 11			
0	SSPC-SP5-85	WHITE METAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 5 - 01 MAR 85 USER: AR CE MC OS REVIEWER: MR MS SH	A 8010	YD1 03-AUG-87	NE	YD1 11			
0	SSPC-SP6-85	COMMERCIAL BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 6 - 01 MAR 85 USER: CE MC OS REVIEWER: MR MS	A 8010	YD1 03-AUG-87	NE	YD1 11			
0	SSPC-SP7-85	BRUSH-OFF BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 7 - 01 MAR 85 USER: AR CE MC OS SH REVIEWER: MR MS	A 8010	YD1 03-AUG-87	NE	YD1 11			
0	SSPC-SP8-82 NOTICE 1	SURFACE PREPARATION SPECIFICATION NO. 8, PICKLING - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS SH REVIEWER: MD MR MS	A 8010	YD1 16-AUG-88	NE	YD1 11			
0	SSPC-SP10-85	NEAR-WHITE BLAST CLEANING, SURFACE PREPARATION SPECIFICATION NO. 10 - 1 MAR 1985 USER: AR CE MC OS REVIEWER: MR MS	A 8010	YD1 03-AUG-87	NE	YD1 11			
0	SSPC-SP11-87	TOOL, POWER, CLEANING TO BARE METAL SURFACE PREPARATION SPECIFICATION NO. 11-87T - 1 SEP 89 (EDITORIAL CHANGES) USER: CE MC REVIEWER: 84 99 AS OS SH	A 5610	YD1 10-OCT-89	NE	YD1 91			
0	SSPC-SPCOM-82 NOTICE 1	SURFACE PREPARATION COMMENTARY - 1 NOV 82 [VALIDATION DATE: 8808] USER: AR CE MC OS REVIEWER: MD MR MS	A 8010	YD1 16-AUG-88	NE	YD1 11			
0	SSPC-VIS1-89	VISUAL STANDARD FOR ABRASIVE BLAST CLEANED STEEL (STANDARD REFERENCE PHOTOGRAPHS) GUIDE TO SSPC-VIS 1-89 - 1 SEP 89 USER: MC OS REVIEWER: SH	A 8010	YD1 30-AUG-89		YD1			
0	SSPC-VIS2-82	GUIDE TO STANDARD METHOD OF EVALUATING DEGREE OF RUSTING ON PAINTED STEEL SURFACES GUIDE TO VISULE STANDARD NO. 2 - 1 NOV 82 USER: MC OS REVIEWER: CS SH	A 8010	YD1 30-AUG-89	NE	YD1			
0	SW1-SM-89	WINDOW, STEEL - JUN 1989 REVIEWER: 84 CS	A 5670	YD1 07-AUG-89		YD1			
0	TRA-YB-72	TIRE & RIM ASSOCIATION, YEAR BOOK 1972 - 72 [VALIDATION DATE: 8306] .....	A 2610	84 08-AUG-72	AT	YD1 99			
0	UL1-85(4)	FLEXIBLE METAL CONDUIT, STANDARD FOR SAFETY, (EIGHTH EDITION) REVIEWER: 85 GS ME	A 5975	ME 05-FEB-93	ER	YD1 99			
0	UL3-84	WIRING, ELECTRIC, FLEXIBLE NONMETALLIC TUBING FOR, STANDARD FOR -EIGHT EDITION - 25 JAN 80 USER: MC REVIEWER: 99 EC GS	A 5975	ME 25-JUN-85	ME	85			
0	UL4-86	CABLE ARMORED STANDARD FOR SAFETY, THIRTEENTH EDITION, 09 APR 86 REVIEWER: 99 IS	A 6145	YD1 14-JUN-89		YD1 85			
0	UL5-85R90	METAL, SURFACE, RACEWAYS AND FITTING, STANDARD FOR - 19 JUL 1985 TENTH EDITION (REVISED PAGES 3 MAY 1990 AND 20 SEP 1993) REVIEWER: 99 GS ME SH	A 5975	YD1 28-JAN-91	ER	YD1 85			
0	UL6-81(2)	CONDUIT, RIGID METAL, SAFETY, STANDARD FOR USER: CE MC REVIEWER: 99 GS ME	A 5975	YD1 18-JUN-92	ER	YD1 85			
0	UL9-79R87	WINDOW ASSEMBLIES, STANDARD FOR FIRE TEST FOR, FOURTH EDITION, 14 MAY 87 REVIEWER: 84 99 IS	A 5670	YD1 27-JUN-89		YD1 85			
0	UL10A-80 NOTICE 1	DOOR, FIRE, TIM CLAD, STANDARD FOR - EIGHTEENTH EDITION, FIRST IMPRESSION - 15 FEB 80 [VALIDATION DATE: 8808] USER: CE MC REVIEWER: 04 84	A 5670	YD1 20-AUG-88		YD1 99			
0	UL10B-87	DOOR ASSEMBLIES, STANDARD FOR SAFETY FIRE TESTS OF, SEVENTH EDITION, 11 AUG 87 REVIEWER: 84 99 IS	A 5670	YD1 06-JUL-89		YD1 85			



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action CPL / OIA Conducting Inspection	Document Number	Document Title	DOD Smt FAC / Area MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DIA
D	UL148-84 NOTICE 1	DOOR, SLIDING HARDWARE FOR STANDARD HORIZONTALLY MOUNTED TIM - CLAD FIRE - 4 JAN 79 (SIXTH EDITION, SECOND IMPRESSION, AS REVISED TO 10 FEB 84 [VALIDATION DATE: 8808] USER: CE MC REVIEWER: 04 84	A 5670	YD1	02-AUG-88		YD1	99	
D	UL14C-79R84	DOOR, FIRE, SWINGING HARDWARE FOR STANDARD TIM CLAD, MOUNTED SINGLY & IN PAIRS (FIFTH EDITION - 4 JAN 79 (REAPPROVED 1984) USER: CE MC REVIEWER: 04 84	A 5670	YD1	03-JUL-89		YD1	99	
D	UL19-92 NOTICE 1	LINED FIRE HOSE AND HOSE ASSEMBLIES, STANDARD FOR (TENTH EDITION) REVIEWER: CS	A 4210 *	YD1	17-FEB-93	ME	YD1		
D	UL20-86	SWITCHES, SNAP, GENERAL USE, STANDARD FOR - TENTH EDITION 12 JUN 86 USER: AT SH REVIEWER: 80	A 5930	YD1	23-FEB-89	ME	YD1	11	
D	UL33-87	HEAT RESPONSIVE LINKS, FIRE PROTECTION SERVICE, STANDARD FOR SAFETY FIFTH EDITION - 18 NOV 87	A 4210	YD1	03-JUL-89	ME	YD1	99	
D L	UL38-87 NOTICE 1	BOXES, MANUALLY ACTUATED SIGNALING, FOR USE WITH FIRE-PROTECTIVE SIGNALING SYSTEMS, STANDARD FOR	A 6350 *	YD1	09-APR-92		YD1		
D	UL44-91 NOTICE 1	RUBBER-INSULATED WIRES AND CABLES, STANDARD FOR USER: SH REVIEWER: 99 IS ..	A 6145 *	YD1	15-NOV-91		YD1	85	
D	UL45-91(2)	TOOLS, PORTABLE ELECTRIC REVIEWER: 84 SH .....	A 5130 *	YD1	17-JUL-92	GL	YD1	99	
D	UL50-88(2)	CABINETS AND BOXES, SAFETY, STANDARD FOR REVIEWER: 80 ER GS .....	A 5975 *	YD1	11-JUN-92	ME	YD1	99	
D	UL58-88R90 NOTICE 1	STEEL UNDERGROUND TANKS FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS, STANDARD FOR	A 5430 *	YD1	02-JAN-92	ME	YD1	99	
D	UL62-91 NOTICE 1	FLEXIBLE CORD AND FIXTURE WIRE, STANDARD FOR REVIEWER: 99 GS IS SH .....	A 6145 *	YD1	02-APR-92		YD1	85	
D	UL67-88	PANELBOARD, STANDARD FOR, (10TH ED) - 12 OCT 88 (WITH REVISION PAGES DATED THRU 14 NOV 89) REVIEWER: 80 ER GS SH	A 6110	YD1	18-JUN-90	ME	YD1	99	
	UL73-72	APPLIANCES, MOTOR OPERATED, STANDARD FOR - 20 JAN 72 [VALIDATION DATE: 8201] REVIEWER: MD	A 73GP	GL	11-MAY-76	GL		99	
D	UL80-91 NOTICE 1	TANKS, STEEL INSIDE, FOR OIL-BURNER FUEL, STANDARD FOR .....	A 5430 *	YD1	02-JAN-92	ME	YD1	99	
D	UL83-91	WIRES AND CABLES, THERMOPLASTIC-INSULATED, STANDARD FOR REVIEWER: 99 IS ME	A 6145 *	YD1	02-JAN-92	CR	YD1	85	
D	UL87-90	PETROLIUM PRODUCTS, POWER-OPERATED DISPENSING DEVICES FOR - 24 SEP 1990 REVIEWER: 82 CS	A 4930	YD1	11-MAR-91	ER	YD1	99	
	UL94-85	TESTS FOR FLAMMABILITY OF PLASTIC MATERIALS FOR PARTS IN DEVICES AND APPLIANCES - 3 MAR 88	A 9330	MR	16-JUN-88	MR	AS		
D	UL98-87	SWITCHES, ENCLOSED AND DEAD FRONT, STANDARD FOR - ELEVENTH EDITION - 13 JANUARY 1987 REVIEWER: EC ES	A 5930	YD1	25-JUN-90	ER	YD1		
D L	UL103-89 NOTICE 1	CHIMNEYS, FACTORY-BUILT, RESIDENTIAL TYPE AND BUILDING HEATING APPLIANCE ..	A 4520 *	YD1	16-SEP-91		YD1		
D	UL109-78	TUBE FITTINGS FOR FLAMMABLE AND COMBUSTIBLE FLUIDS, REFRIGERATION SERVICE, AND MARINE USE - 5 MAY 1978 REVIEWER: 84	A 4730	YD1	14-AUG-91	ME	YD1	99	
	UL114-70	OFFICE APPLIANCES & BUSINESS EQUIPMENT, ELECTRIC - 9 OCT 70 [VALIDATION DATE: 8201] REVIEWER: MD	A 74GP	GL	11-MAY-76	GL		99	
	UL123-86	TORCHES, OXY-FUEL GAS - 14 OCT 1986 REVIEWER: 84 GS .....	A 34GP	IP	26-SEP-88	AL	SH	99	
D	UL130-81	ELECTRIC HEATING PADS - 30 NOV 81 [VALIDATION DATE: 8810]	A 6530	MB	31-OCT-88	MD	MS	03	
	UL142-87	TANKS, STEEL ABOVEGROUND FOR FLAMMABLE AND COMBUSTIBLE LIQUIDS - 14 SEP 87 ED 6 AS REVISED TO 15 SEP 87 USER: AR REVIEWER: 84 GS	A 5430	YD1	11-AUG-89	ER	YD1	11	
D	UL147-84	TORCHES, LP & MPS-GAS- 12 JULY 1984 REVIEWER: 84 GS .....	A 34GP	IP	26-SEP-88	AL	SH	99	
D	UL197-74	STANDARD FOR COMMERCIAL ELECTRIC COOKING APPLIANCES - 8 NOV 74 [VALIDATION DATE: 8201] USER: CE MC SA REVIEWER: MD	A 7310	GL	28-JAN-76	GL	YD1	99	
D	UL198C-86(2)	FUSES, HIGH-INTERRUPTING-CAPACITY, CURRENT-LIMITING TYPES, STANDARD SPECIFICATION FOR USER: AR REVIEWER: 99 AT ES	A 5920 *	YD1	09-MAR-92	ER	YD1	85	
D	UL198E-88	CLASS R FUSE - FOURTH EDITION USER: AR REVIEWER: 99 AT ES .....	A 5920	YD1	20-JAN-89	ER	YD1	85	
D	UL198H-88	FUSES, CLASS T, STANDARD FOR - 13 JUL 1988, FOURTH EDITION, AS RE-VISED TO 22 JUN 1990	A 5920	YD1	21-JUN-91	ER	YD1	85	
D	UL207-75	REFRIGERANT CONTAINING COMPONENTS & ACCESSORIES, NONELECTRIC - 5 MAY 75 [VALIDATION DATE: 8201]	A 4110	GL	30-APR-76	GL	YD1		
D	UL209-87 NOTICE 1	SAFETY, CELLULAR METAL FLOOR "ACEWAYS AND FITTINGS, STANDARD FOR REVIEWER: 99 GS	A 5975 *	YD1	18-JUN-92	ER	YD1	85	
D	UL236-82	COUPLINGS FOR FIRE HOSE (SIXTH EDITION) - 30 JULY 82 USER: AR MC REVIEWER: CS SH	A 4210	YD1	21-MAY-90	ME	YD1		
D	UL246-82 NOTICE 1	HYDRANTS FOR FIRE-PROTECTION SERVICE, STANDARD FOR REVIEWER: 84 CS .....	A 4210 *	YD1	30-MAR-92	ME	YD1	99	
	UL250-76	HOUSEHOLD REFRIGERATORS & FREEZERS - 27 DEC 73 [VALIDATION DATE: 8201] ....	A 4110	GL	23-MAR-76	GL		99	
D	UL252-84	REGULATORS, COMPRESSED GAS - JUN 84 REVIEWER: 84 GS .....	A 34GP	IP	12-SEP-89	AL	AL	99	
	UL262-88	GATE VALVES FOR FIRE PROTECTION SERVICE, STANDARD FOR - SIXTH EDITION - 29 NOV 88 USER: CE ER MC REVIEWER: 11 82 CS MI	A 4820	YD1	10-AUG-89	AR	YD1	99	
D	UL296-89 NOTICE 1	OIL BURNERS, STANDARD FOR REVIEWER: 84 .....	A 4530 *	YD1	27-JAN-92		YD1	99	
D	UL298-91 NOTICE 1	LAMPS, PORTABLE ELECTRIC HAND, STANDARD FOR USER: MC REVIEWER: 82 GS MI ...	A 6230 *	YD1	02-JUN-92	ME	YD1	99	
D	UL299-90 NOTICE 1	FIRE EXTINGUISHERS, DRY CHEMICAL, STANDARD FOR REVIEWER: 84 CS .....	A 4210 *	YD1	30-MAR-92	ME	YD1	99	
D	UL303-74	REFRIGERATION & AIR CONDITIONING CONDENSING & COMPRESSOR UNITS - 12 AUG 74 [VALIDATION DATE: 8201]	A 4110	GL	23-MAR-76	GL	YD1	99	
D	UL312-88(2)	CHECK VALVES FOR FIRE-PROTECTION SERVICE, STANDARD FOR USER: CE MC REVIEWER: CS	A 4820 *	YD1	16-DEC-91	ME	YD1	99	
D	UL325-85R88	DOOR, DRAPERY, GATE, LOUVER, AND WINDOW OPERATORS AND SYSTEMS REVIEWER: 82	A 5340 *	YD1	21-JAN-92		YD1	99	
D	UL353-89 NOTICE 1	LIMIT CONTROLS, STANDARD FOR USER: CE REVIEWER: 84 .....	A 4530 *	YD1	27-JAN-92		YD1	99	
D	UL360-86	CONDUIT, STEEL, LIQUID-TIGHT FLEXIBLE - 18 AUG 1986 (THIRD EDITION) (REVISED PAGES 20 FEB 1990) REVIEWER: 99 GS ME	A 5975	YD1	10-APR-90	ER	YD1	85	
D	UL372-76	STANDARD FOR PRIMARY SAFETY CONTROLS FOR GAS & OIL FIRED APPLIANCES - SEP 75 [VALIDATION DATE: 8201]	A 7310	GL	11-MAY-76	GL	YD1	99	
D L	UL412-80 NOTICE 1	COOLERS, REFRIGERATION UNIT, STANDARD FOR .....	A 4110 *	YD1	09-APR-92		YD1		
D	UL414-86(2)	METER SOCKETS, STANDARD FOR .....	A 5935 *	YD1	20-MAR-92	CR	YD1	85	
D L	UL427-89 NOTICE 1	REFRIGERATING UNITS, STANDARD FOR .....	A 4110 *	YD1	09-APR-92		YD1		
D	UL429-82	VALVES, ELECTRICALLY OPERATED, STANDARD FOR, THIRD EDITION - 29 NOV 88 USER: CE MC REVIEWER: 82 CS	A 4820	YD1	10-AUG-89		YD1		
D	UL437-86 NOTICE 1	LOCK, KEY, STANDARD FOR - FIFTH EDITION - 3 FEB 1986 [VALIDATION DATE: 9102] USER: SH REVIEWER: 82	A 5340	YD1	11-FEB-91		YD1	99	
D L	UL441-86 NOTICE 1	GAS VENTS .....	A 4520 *	YD1	16-SEP-91		YD1		
D L	UL465-84 NOTICE 1	AIR CONDITIONERS, CENTRAL COOLING, STANDARD FOR USER: CE MC .....	A 4120 *	YD1	27-JAN-92		YD1		
D	UL467-84	GROUNDING & BONDING EQUIPMENT - SIXTH EDITION - 22 NOV 84 REVIEWER: GS ....	A 5975	YD1	31-MAR-88	ER	YD1	85	
D	UL471-75	COMMERCIAL REFRIGERATION & FREEZERS - 15 SEP 75 [VALIDATION DATE: 8201] REVIEWER: CE GS MC MD SA	A 4110	GL	23-MAR-76	GL	YD1	99	
D	UL486A-91 NOTICE 1	WIRE CONNECTORS AND SOLDERING LUGS FOR USE WITH COPPER CONDUCTORS, STANDARD FOR REVIEWER: 99 GS ME	A 5940 *	YD1	16-DEC-91	ER	YD1	85	
D	UL486B-91(2)	CONNECTORS, WIRE, FOR USE WITH ALUMINUM CONDUCTORS, STANDARD FOR REVIEWER: 85 GS ME	A 5940 *	YD1	22-JUN-92	ER	YD1		
D	UL486C-91 NOTICE 1	CONNECTORS, SPLICING WIRE, STANDARD FOR REVIEWER: 99 GS .....	A 5940 *	YD1	28-JAN-92		YD1	85	



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Active Cntr / Code Inclusion Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Act. Date	Custodians			
			Army	Navy	Air Force	DLA
D	UL489-91(3)	MOLDED-CASE CIRCUIT BREAKERS AND CIRCUIT-BREAKER ENCLOSURES, STANDARD FOR USER: MC REVIEWER: 99 ES ME SH	A 5925	* YD1	22-JUN-92	ER YD1 85
D	UL496-87 NOTICE 2	LAMP HOLDERS, EDISON-BASE, STANDARD FOR [VALIDATION DATE: 9203] USER: AR MC REVIEWER: 85 GS	A 6250	* YD1	11-MAR-92	ME YD1 99
D	UL498-91 NOTICE 1	PLUGS AND RECEPTACLES, ATTACHMENT, STANDARD FOR REVIEWER: EC	A 5935	* YD1	09-MAR-92	YD1 85
D L	UL499-87 UL506-89 NOTICE 1	APPLIANCES, ELECTRIC HEATING - 21 DEC 87 REVIEWER: 84 GS	A 346P	IP	12-SEP-89	AL AL 99
D L	UL507-91 NOTICE 1	TRANSFORMERS, SPECIALITY, STANDARD FOR	A 6120	* YD1	09-APR-92	YD1
D	UL508-89 NOTICE 1	FANS, ELECTRIC, STANDARD FOR, (SEVENTH EDITION)	A 4140	* YD1	05-FEB-93	YD1
D	UL510-77R82 UL511-79	INDUSTRIAL CONTROL EQUIPMENT, STANDARD FOR REVIEWER: 99 ES	A 596P	* YD1	10-APR-92	ER YD1 85
D L	UL512-87 NOTICE 1	INSULATING TAPE - 8 OCT 77 (REAPPROVED 1982) REVIEWER: YD1	A 5970	ER	16-MAR-82	ER SH 85
D	UL514B-89(2)	CLEAT, KNOBS & TUBES, STANDARD FOR PORCELAIN-FIFTH EDITION - 25 MAY 79 USER: EC MC SH REVIEWER: 99 GS	A 5970	ME	25-JUN-85	ME 85
D	UL514A-83	FUSE HOLDERS, STANDARD FOR	A 5920	* YD1	10-APR-92	YD1
D	UL514C-88	CONDUIT AND OUTLET BOXES, FITTINGS FOR, SAFETY, STANDARD FOR USER: MC REVIEWER: 99 GS	A 5975	* YD1	11-JUN-92	ER YD1 85
D	UL542-85(2)	BOX, METALLIC OUTLET, STANDARD FOR - SEVENTH EDITION - 01 DEC 83 (N/CNG NOTICE 6) USER: MC REVIEWER: 65 ME MI	A 5975	YD1	23-MAY-90	ER YD1 85
D	UL559-85 NOTICE 1	BOX, NONMETALLIC OUTLET, FLUSH DEVICE BOXES, & COVERS - SECOND EDITION USER: MC MI REVIEWER: GS	A 5975	YD1	25-APR-89	ER YD1 85
D L	UL561-86(2)	LAMP HOLDERS, STARTERS, AND STARTER HOLDERS FOR FLUORESCENT LAMPS, STANDARD FOR USER: AR MC REVIEWER: 82 GS	A 6250	* YD1	12-MAR-92	ME YD1 99
D L	UL580-88 NOTICE 1	HEAT PUMPS STANDARD FOR USER: CE MC REVIEWER: 84	A 4120	* YD1	27-JAN-92	ME YD1 99
D L	UL586-90 NOTICE 1	MACHINES, FLOOR-FINISHING REVIEWER: 84	A 7910	* YD1	22-MAY-92	YD1 99
D	UL621-86 NOTICE 1	TESTS FOR UPLIFT RESISTANCE OF ROOF ASSEMBLIES	A 5650	* YD1	13-SEP-91	YD1
D	UL634-90	HIGH-EFFICIENCY, PARTICULATE, AIR FILTER UNITS, STANDARD FOR	A 4460	* YD1	30-SEP-91	YD1
D L	UL636-87 NOTICE 1	ICE CREAM MAKERS, STANDARD FOR REVIEWER: 50 84	A 7310	* YD1	25-FEB-92	GL YD1 99
D	UL651-81	CONNECTOR AND SWITCHES FOR USE WITH BURGLAR-ALARM SYSTEMS - 16 JUL 1991 SIXTH EDITION	A 6350	YD1	16-JUL-91	YD1
D	UL651A-81	ALARM UNITS AND SYSTEMS, HOLDUP, STANDARD FOR	A 6350	* YD1	09-APR-92	YD1
D	UL664-74 NOTICE 1	CONDUIT, SCHEDULE 40 & 80 RIGID PVC, FOURTH EDITION REVIEWER: 99 GS	A 5975	YD1	29-OCT-88	ER YD1 85
D	UL674-89	CONDUIT & HOPE CONDUIT, TYPE EB & A RIGID PVC, STANDARD FOR - FIRST EDITION - 11 MAY 81 REVIEWER: 99 GS	A 5975	YD1	30-SEP-88	ER YD1 85
D L	UL681-91 NOTICE 1	STANDARD FOR SAFETY COMMERCIAL DRY CLEANING MACHINES (CLASS IV) - 1 MAR 74 (VALIDATION DATE: 8906) USER: SH YD1 REVIEWER: MD	A 3510	GL	10-FEB-76	GL 99
D	UL687-87	MOTOR & GENERATOR, ELECTRIC, FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS - 23 JUN 89 (ED 2) USER: AR REVIEWER: AS GS ME	A 6105	YD1	05-SEP-89	ER YD1 11
D L	UL705-84 NOTICE 1	INSTALLATION AND CLASSIFICATION OF MERCANTILE AND BANK BURGLAR-ALARM SYSTEMS, STANDARD FOR	A 6350	* YD1	02-JAN-92	YD1
D L	UL710-90 NOTICE 1	SAFES, BURGLARY RESISTANT - 4 SEPT. 1987 (TENTH EDITION) REVIEWER: SH	A 7110	YD1	10-AUG-89	ME YD1 99
D	UL711-90 NOTICE 1	VENTILATORS, POWER, STANDARD FOR (FOURTH EDITION)	A 4140	* YD1	05-FEB-93	YD1
D	UL719-85	EXHAUST HOODS FOR COMMERCIAL COOKING EQUIPMENT, STANDARD FOR	A 4140	* YD1	09-OCT-92	YD1
D	UL726-90 NOTICE 1	FIRE EXTINGUISHERS, RATING AND FIRE TESTING OF, STANDARD FOR REVIEWER: CS	A 4210	* YD1	30-MAR-92	ME YD1
D	UL746A-87	CABLE, NONMETALLIC SHEATHED, STANDARD FOR - NINTH EDITION - 19 AUG 85 USER: SH REVIEWER: IS	A 6145	YD1	21-JUL-89	CR YD1
D	UL746B-86	OIL-FIRED BOILER ASSEMBLIES, STANDARD FOR USER: CE MC REVIEWER: 84	A 4410	* YD1	02-APR-92	YD1 99
D	UL746C-87	POLYMERIC MATERIALS - SHORT TERM PROPERTY EVALUATIONS 29- SEPT 19 87 (SECOND EDITION)	A 9330	MR	03-NOV-88	MR AS 11
D	UL746D-87	POLYMERIC MATERIALS - LONG TERM PROPERTY EVALUATIONS - 19 SEPT 1987 (SECOND EDITION)	A 9330	MR	03-NOV-88	MR AS 11
D	UL746E-87	POLYMERIC MATERIALS - USE IN ELECTRICAL EQUIPMENT EVALUATIONS - 28 SEPT 1987 (SECOND EDITION)	A 9330	MR	03-NOV-88	MR AS 11
D	UL768-84 NOTICE 2	POLYMERIC MATERIALS - FABRICATED PARTS - 12 MAY 1983 (FOURTH EDITION)	A 9330	MR	03-NOV-88	MR AS 11
D	UL773-87 NOTICE 2	POLYMERIC MATERIALS - INDUSTRIAL LAMINATES, FILAMENT WOUND TUBING, VULCANIZED FIBER, & MATERIALS USED IN PRINTED WIRING BOARDS - 18 NOV 1985 (FIRST ED.)	A 9330	MR	03-NOV-88	MR AS 11
D	UL773A-89	LOCK, COMBINATION, STANDARD FOR - 14 JUN 84 (FIFTH EDITION) [VALIDATION DATE: 8907] REVIEWER: 82	A 5340	YD1	03-JUL-89	YD1 99
D	UL778-91 NOTICE 1	PHOTOCONTROLS, PLUG-IN, LOCKING TYPE, STANDARD FOR [VALIDATION DATE: 9203] REVIEWER: GS	A 6210	* YD1	10-MAR-92	ER YD1 85
D	UL783-79	PHOTOELECTRIC SWITCHES FOR LIGHTING, STANDARD FOR NONINDUSTRIAL -THIRD EDITION USER: 99 ES	A 6210	YD1	13-JUN-89	ER YD1 85
D	UL786-83	PUMPS, WATER, MOTOR-OPERATED, STANDARD FOR REVIEWER: 84 CS SH	A 4320	* YD1	20-JAN-92	ME YD1 99
D	UL789-87 NOTICE 1	ELECTRONIC FLASHLIGHTS FOR USE IN HAZARDOUS LOCATIONS, CLASS I, GROUPS C & D - 16 APR 79 USER: CG ER REVIEWER: GS	A 6230	82	13-DEC-83	99
D	UL790-83 NOTICE 1	SAFE, KEY LOCKED (CLASS K1) STANDARD FOR - FOURTH EDITION - 17 JUN 83	A 7110	YD1	23-JUL-85	YD1 99
D	UL795-73 NOTICE 1	INDICATOR POSTS, FOR FIRE PROTECTION SERVICE, STANDARD FOR REVIEWER: CS	A 4210	* YD1	30-MAR-92	ME YD1
D	UL797-77 NOTICE 1	FIRE RESISTANCE OF ROOF COVERING MATERIALS, STANDARD FOR TESTS FOR - 5 OCT 83 (FIFTH EDITION, FIRST IMPRESSION) [VALIDATION DATE: 8903] USER: CE REVIEWER: MC	A 5650	YD1	21-MAR-89	ME YD1
D	UL842-80	GAS HEATING EQUIPMENT, COMMERCIAL-INDUSTRIAL, STANDARD FOR REVIEWER: 84	A 4520	* YD1	27-JAN-92	YD1 99
D	UL844-84	TUBING, ELECTRICAL METALLIC - 19 AUG 77 (VALIDATION DATE: 8803)	A 5975	85	25-MAR-88	
D L	UL845-91 NOTICE 1	VALVE, SAFETY FOR FLAMMABLE FLUIDS, STANDARD FOR, SIXTH EDITION - 14 SEP 87 USER: CE MC REVIEWER: 82 CS	A 4820	YD1	08-AUG-89	YD1
D	UL854-87	LIGHTING FIXTURE, ELECTRIC, FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS, STANDARD FOR - NINTH EDITION - 29 NOV 84 REVIEWER: 82 DM GS MD MS	A 6210	YD1	16-JUN-89	ME YD1 99
D L	UL857-90 NOTICE 1	MOTOR CONTROL CENTERS, STANDARD FOR SAFETY	A 5975	YD1	20-APR-93	YD1
D	UL858-74	CABLES, SERVICE-ENTRANCE STANDARD FOR - 9 FEB 87 SEVENTH EDITION (REVISION PAGES DATED 2 FEB 90) REVIEWER: GS	A 6150	YD1	27-MAR-90	YD1 85
D L	UL864-91 NOTICE 1	BUSWAYS AND ASSOCIATED FITTINGS, (TENTH EDITION)	A 5975	YD1	20-APR-93	YD1
D L	UL867-89(2)	STANDARD FOR HOUSEHOLD ELECTRIC RANGES - 7 AUG 74 (VALIDATION DATE: 8303) REVIEWER: MD	A 7310	GL	09-NOV-76	GL YD1 99
D		CONTROL UNITS FOR FIRE-PROTECTIVE, SIGNALING SYSTEMS, STANDARD FOR	A 6530	* YD1	01-APR-92	YD1
D L		AIR CLEANERS, ELECTROSTATIC, SAFETY, STANDARD FOR	A 4460	* YD1	11-JUN-92	YD1



## ACTIVE SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action	CPL / OMA Code	Machine	Document Number	Document Title	Dist. Smt. FSC / Area	MCA Symbol	Preparing Acty.	Date	Custodians			
									Army	Navy	Air Force	DIA
D			UL869-89	EQUIPMENT SERVICE STANDARD FOR - SEVENTH EDITION - 15 JUN 89 (REVISION PAGES DATED 14 MAR 90) USER: 80 GS SH	A 6110	YD1	12-APR-90		YD1	85		
D			UL869A-87(2)	SERVICE EQUIPMENT, REFERENCE STANDARD FOR USER: SH REVIEWER: 80 GS	A 6110 *	YD1	12-MAR-92		YD1	99		
D			UL870-85	WIREWAY, AUXILIARY GUTTERS, AND ASSOCIATED FITTINGS - FIFTH EDITION - 17 JUN 85 REVIEWER: 99 GS	A 5975	YD1	11-JUL-89	ER	YD1	85		
D			UL873-88	TEMPERATURE-INDICATING AND -REGULATING EQUIPMENT, STANDARD FOR USER: CE MC REVIEWER: 84 GS	A 4130 *	YD1	27-JAN-92		YD1	99		
D			NOTICE 1 UL884-87	UNDERFLOOR RACEWAYS & FITTINGS - EIGHTH EDITION 24 DEC 1987 (REVISED PAGES DTD 23 MAY 1990) (CHANGE NOTICE 3) REVIEWER: 99 GS ME	A 5975	YD1	25-JUN-90	ER	YD1	85		
D L			UL886-91	OUTLET BOXES AND FITTINGS FOR USE IN HAZARDOUS (CLASSIFIED) LOCATION - 19 JUN 1991	A 5975	YD1	20-SEP-91		YD1			
D			UL891-84(5)	SWITCHBOARDS, DEAD-FRONT, STANDARD FOR USER: SH REVIEWER: 80 GS	A 6110 *	YD1	23-DEC-91	ME	YD1	99		
D			UL894-86	SWITCHES FOR USE IN HAZARDOUS LOCATIONS, CLASS 1, GROUPS A B C & D & CLASS 11, GROUPS E F & G - SIXTH EDITION USER: AT SH	A 5930	YD1	18-FEB-89	ME	YD1	11		
D			UL921-73	COMMERCIAL ELECTRIC DISHWASHERS - 19 APR 73 (INVALIDATION DATE: 8201) USER: CE MC REVIEWER: MD SA	A 7320	GL	07-MAY-76	GL	YD1	99		
D			UL923-90	APPLIANCES, MICROWAVE COOKING, SAFETY, STANDARD FOR REVIEWER: 84	A 7310 *	YD1	18-JUN-92	GL	YD1	99		
D			NOTICE 1 UL924-90	EMERGENCY LIGHTING AND POWER EQUIPMENT, STANDARD FOR REVIEWER: GS SH	A 6210 *	YD1	31-JAN-92	ME	YD1	99		
D			NOTICE 1 UL935-84(5)	BALLASTS, FLUORESCENT-LAMP, STANDARD FOR USER: MC MS REVIEWER: 80 GS MD	A 6250 *	YD1	01-APR-92	ME	YD1	99		
D			UL943-85	INTERRUPTER, GROUND-FAULT CIRCUIT - STANDARD FOR SAFETY - 11 SEP 85 - SECOND EDITION, (REVISED PAGES 23 MAY 1990) USER: OS REVIEWER: ES	A 6110	YD1	24-JUL-91	ER	YD1	85		
D L			NOTICE 2 UL977-84	FUSED POWER-CIRCUIT DEVICES, STANDARD FOR	A 5920 *	YD1	01-APR-92		YD1			
D L			NOTICE 1 UL984-91	MOTOR-COMPRESSORS, HERMETIC REFRIGERANT, STANDARD FOR	A 4310 *	YD1	13-JAN-92		YD1			
D L			NOTICE 1 UL987-72	STANDARD FOR STATIONARY & FIXED ELECTRIC TOOLS - 1 AUG 72 (INVALIDATION DATE: 8201)	A 5130	GL	20-MAY-76	GL	SH	99		
D			UL997-81R85	ROOF COVERING MATERIALS, WIND RESISTANCE OF PREPARED, STANDARD FOR INVALIDATION DATE: 92031 USER: CE REVIEWER: MC	A 5650 *	YD1	09-MAR-92	ME	YD1			
D			NOTICE 2 UL1008-89	SWITCHES, SAFETY AUTOMATIC TRANSFER STANDARD FOR - FOURTH EDITION - 15 MAR 89 REVIEWER: 80 GS	A 6110	YD1	19-JUN-89	ME	YD1	99		
D L			UL1025-80	HEATER, ELECTRIC, AIR, STANDARD FOR (INVALIDATION DATE: 92031) REVIEWER: CS	A 4520 *	YD1	10-MAR-92		YD1			
D			NOTICE 1 UL1029-86(3)	LAMP, BALLASTS, HIGH-INTENSITY-DISCHARGE, STANDARD FOR REVIEWER: 82 GS SH	A 6250 *	YD1	10-APR-92	ME	YD1	99		
D L			UL1030-91	SHEATHED HEATING ELEMENTS, STANDARD FOR	A 4540 *	YD1	02-JAN-92		YD1			
D L			NOTICE 1 UL1034-87	LOCKING MECHANISMS, ELECTRIC, BURGLARY RESISTANT, STANDARD FOR	A 6350 *	YD1	01-JUL-92		YD1			
D			NOTICE 1 UL1042-87	ELECTRIC BASEBOARD HEATING EQUIPMENT, STANDARD FOR REVIEWER: 84 CS	A 4520 *	YD1	10-MAR-92		YD1	99		
D L			NOTICE 1 UL1053-88	GROUND-FAULT SENSING AND RELAYING EQUIPMENT, STANDARD FOR	A 5925 *	YD1	10-APR-92		YD1			
D L			NOTICE 4 UL1076-88	ALARM UNITS AND SYSTEMS, BURGLAR, PROPRIETARY, STANDARD FOR	A 6350 *	YD1	09-APR-92		YD1			
D			NOTICE 1 UL1082-72	HOUSEHOLD ELECTRIC COFFEE MAKERS & BREWING TYPE APPLIANCES - 15 DEC 72 INVALIDATION DATE: 82011 REVIEWER: GS	A 7320	GL	05-FEB-76	GL	YD1	99		
D			UL1093-90	HYDRANTS FOR FIRE-PROTECTION SERVICE, STANDARD FOR REVIEWER: 84 CS	A 4210 *	YD1	30-MAR-92	ME	YD1	99		
D			NOTICE 1 UL1096-86	ELECTRICAL CENTRAL AIR HEATING EQUIPMENT, STANDARD FOR USER: CE MC REVIEWER: 84	A 4520 *	YD1	27-JAN-92	ME	YD1	99		
D			NOTICE 1 UL1206-79	WASHING EQUIPMENT, ELECTRIC, COMMERCIAL STANDARD FOR - SECOND EDITION - 30 AUG 79 (REV DEC 88)	A 3510	YD1	14-JUN-89		YD1			
D			UL1236-92	BATTERIES, BATTERY CHARGERS FOR CHARGING ENGINE-STARTER, STANDARD FOR USER: CE REVIEWER: AT SH	A 6130 *	YD1	18-SEP-92	ER	YD1	99		
D			NOTICE 1 UL1242-83(4)	CONDUIT, METAL, INTERMEDIATE, SAFETY, STANDARD FOR, (FIRST EDITION) REVIEWER: 99 GS	A 5975	YD1	05-FEB-93	ME	YD1	85		
D			UL1256-85	FIRE TEST OF ROOF DECK CONSTRUCTIONS, STANDARD FOR, FIRST EDITION - 23 JAN 85 USER: CE MC REVIEWER: 84	A 566P	YD1	10-AUG-89		YD1			
D			UL1283-84(2)	FILTERS, ELECTROMAGNETIC INTERFERENCE, STANDARD FOR	A 5915 *	YD1	22-JUN-92	ER	YD1	85		
D			UL1316-83R87	GLASS-FIBER-REINFORCED PLASTIC UNDERGROUND STORAGE TANKS FOR PETROLEUM PRODUCTS, STANDARD FOR	A 5430 *	YD1	02-JAN-92	ME	YD1	99		
D			NOTICE 1 UL1559-87	EQUIPMENT, INSECT CONTROL, ELECTROCUTION TYPE (ED, 2) - 3 APR 1987 USER: 50 REVIEWER: 84	A 3740	CS	25-FEB-89	MD		99		
D L			UL1569-83	CABLES, METAL-CLAD, STANDARD FOR	A 6145 *	YD1	01-APR-92		YD1			
D			NOTICE 1 UL1570-88(3)	LIGHTING FIXTURES, FLUORESCENT, STANDARD FOR REVIEWER: 84 GS SH	A 6210 *	YD1	31-JAN-92	ME	YD1	99		
D			UL1571-91(2)	LIGHTING FIXTURES, INCANDESCENT, STANDARD FOR REVIEWER: 84 GS SH	A 6210 *	YD1	01-APR-92	ME	YD1	99		
D			UL1572-91	LIGHTING FIXTURES, HIGH INTENSITY DISCHARGE, STANDARD FOR REVIEWER: 82 GS SH	A 6210 *	YD1	10-FEB-92	ME	YD1	99		
D			NOTICE 1 UL1995-90	HEATING AND COOLING EQUIPMENT, STANDARD FOR USER: CE MC REVIEWER: 84	A 4520 *	YD1	09-MAR-92	ME	YD1	99		
D			NOTICE 1 WMPA-WLGR-91	WMPA WESTERN LUMBER GRADING RULES - 91, WITH SUPPLEMENT 1 USER: SH REVIEWER: 84 CE	A 5510 *	CS	10-FEB-93	ME	YD1	99	CS	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Off / OMA Coordination Initiative	Document Number	Document Title	Dist. Syst. FSC / Area MCA Symbol	Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-V-2/31A	VALVE, CYLINDER, GAS, NITROGEN, OIL-FREE, 3/4 INCH INLET CONNECTION, TYPE 05-581-1, 2,200 PSI SERVICE PRESSURE (MIL-V-2/118) USER: YD1 REVIEWER: BS	A 8120	ME	12-MAR-62	ME	SH	68	
	MIL-V-2/36A	VALVE, CYLINDER, GAS, NITROGEN, OIL-PUMPED, 3/4 INCH INLET CONNECTION, TYPE 05-591-4, 2,200 PSI SERVICE PRESSURE (USE MIL-V-2/268) USER: YD1	A 8120	ME	12-MAR-62	ME	SH	68	
Q	MIL-M-68	METERS, ELECTRICAL INDICATING, PANEL TYPE (2-1/2) INCH AND (3-1/2) INCH GENERAL SPECIFICATION FOR (USE MIL-M-10304) USER: GL MC REVIEWER: AR YD1	A 6625	EL	09-JAN-60	EL	SH	11	
	MIL-B-18/9C	BATTERY, DRY, BA-30 (NO S/S DOCUMENT) USER: AV MC ME YD1 REVIEWER: AR EA	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/19C	MI							
	MIL-B-18/20C	BATTERIES, NON RECHARGEABLE, DRY, BA-41 USER: MC ME YD1 REVIEWER: MI	A 6135	ER	28-OCT-83	ER	SH	99	
	MIL-B-18/28C	BATTERY, DRY, BA-42 (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: AR MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/33D	BATTERY, DRY, BA-58 (NO S/S DOCUMENT) USER: MC ME YD1	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/35C	BATTERY, DRY, BA-70 (NO S/S DOCUMENT) USER: AR MC YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/39C	BATTERY, DRY, BA-202/UF (NO S/S DOCUMENT) USER: AR MC YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/44C	BATTERY, DRY, BA-206/U (NO S/S DOCUMENT) USER: AR MC YD1 REVIEWER: MI	A 6135	ER	28-OCT-83	ER	SH	99	
	MIL-B-18/47B	BATTERIES, NON RECHARGEABLE, DRY, BA-211/U USER: AR MC YD1 REVIEWER: MI	A 6135	ER	28-OCT-83	ER	SH	99	
	MIL-B-18/49D	BATTERY, DRY, BA-218/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/52D	BATTERY, DRY, BA-221/U (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: AR MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/54B	BATTERY, DRY, BA-225/U (NO S/S DOCUMENT) USER: MC YD1	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/56B	BATTERY, DRY, BA-227/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/58D	BATTERY, DRY, BA-244/U USER: AV ES ME YD1 REVIEWER: MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/59D	BATTERY, DRY, BA-407/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/60D	BATTERY, DRY, BA-408/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/65D	BATTERY, DRY, BA-417/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/100D	BATTERY, DRY, BA-422/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/101C	BATTERY, DRY, BA-423/U (NO S/S DOCUMENT) USER: AV ES ME YD1 REVIEWER: AS	A 6135	ER	28-OCT-83	ER	SH	99	
	MIL-B-18/104D	MC MI SA							
	MIL-B-18/113A	BATTERY, DRY, BA-1015A/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/115D	BATTERY, DRY, BA-1014/U REVIEWER: AR MC SA YD1	A 6135	EL	04-NOV-60	EL	SH	85	
	MIL-B-18/116A	BATTERY, DRY, BA-1051/U (NO S/S DOCUMENT) USER: MC ME YD1 REVIEWER: MI	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/120B	BATTERY, DRY, SA-1053/U REVIEWER: AR MC SA YD1	A 6135	EL	04-NOV-60	EL	SH	85	
	MIL-B-18/121A	BATTERY, DRY, BA-1208/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/121A	BATTERY, DRY, BA-43 USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/121A	BATTERY, DRY, BA-304/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/203A	BATTERY, DRY, BA-308/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/205A	BATTERY, DRY, BA-317/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/209C	BATTERY, DRY, BA-334/U (NO S/S DOCUMENT) USER: MC ME YD1	A 6135	ER	28-AUG-92	ER	SH	99	
	MIL-B-18/210B	BATTERIES, NON RECHARGEABLE, DRY, BA-335 USER: MC ME YD1	A 6135	ER	28-OCT-83	ER	SH	99	
	MIL-B-18/212A	BATTERY, DRY, BA-462/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/214A	BATTERY, DRY, BA-464/U USER: AV ES ME YD1 REVIEWER: AS MC SA	A 6135	EL	06-MAY-65	EL	SH	99	
	MIL-B-18/216B	BATTERIES, NON RECHARGEABLE, DRY, BA 1003/U USER: MC ME YD1	A 6135	ER	28-OCT-83	ER	SH	99	
	MIL-B-18/221B	BATTERIES, NON RECHARGEABLE, DRY, BA-1313/U USER: MC ME YD1	A 6135	ER	28-OCT-83	ER	SH	99	
L	MIL-B-18/244C	BATTERY, DRY, BA-386/PRC-25 (NO S/S DOCUMENT) USER: ES ME	A 6135	ER	28-AUG-92	ER			
	MIL-B-18/247B	BATTERY, DRY, BA-1210/U (NO S/S DOCUMENT) USER: MC ME YD1	A 6135	ER	28-AUG-92	ER	SH	99	
L	MIL-B-18/252A	BATTERY, DRY, BA-801/PRC (NO S/S DOCUMENT) USER: ME	A 6135	ER	28-AUG-92	ER			
L	MIL-B-18/263A	BATTERY, DRY, BA-805/U (NO S/S DOCUMENT) USER: ME	A 6135	ER	28-AUG-92	ER			
L	MIL-B-18/264	BATTERY, DRY, BA-1010/U (NO S/S DOCUMENT) USER: AV ME	A 6135	ER	28-AUG-92	ER			
	MIL-B-18/274A	BATTERY, DRY, BA-1098/U (NO S/S DOCUMENT) USER: SH	A 6135	ER	28-AUG-92	ER		99	
	JAN-E-30A	EXTINGUISHERS, FIRE, WATER, DEMOUNTABLE, WESTABLE, PUMPTYPE, 4-GALLON (C)CANCELED, USE O-E-940, TYPE III() USER: MC	A 4210		28-DEC-59		YD1		
	MIL-F-326(1)	FILM, PHOTOGRAPHIC, AERIAL, BLACK AND WHITE (NO S/S DOCUMENT) USER: AV MC	A 6750	70	24-FEB-93	ER	AS	70	
	MIL-M-59C(1)	REVIEWER: 11							
L	MIL-P-66A	MATS, LANDING, PIERCED PLANK TYPE (USE MIL-M-52738) REVIEWER: BS	A 5680	ME	16-MAR-61	ME	YD1	84	
	MIL-P-77C	PLYWOOD, FLAT-PANEL (NO S/S DOCUMENT) REVIEWER: AR AS MC ME OS QM SH YD1	A 5530	CE	27-DEC-49	CE			
		PLASTIC SHEET AND PLASTIC ROD, THERMOSETTING, CAST (USE L-P-516) USER: AS	A 9330	SH	04-APR-58	MR	SH	11	
	MIL-P-79C(2)	YD1 REVIEWER: AR EL MI							
	JAN-P-100(1)	PLASTIC RODS AND TUBES, THERMOSETTING, LAMINATED (S/S BY MIL-1-24768/8,	A 9330	SH	25-FEB-92	ER	SH	11	
	JAN-P-108(5)	MIL-1-24768/10, MIL-1-24768/11, MIL-1-24768/12, MIL-1-24768/13,							
		MIL-1-24768/14 & MIL-1-24768/16) USER: AR ME OS YD1 REVIEWER: 69 MR	A 81GP	SA	15-MAR-54	MO	SA	69	
		PACKAGING AND PACKING FOR OVERSEAS SHIPMENT, GENERAL SPECIFICATION (USE MIL							
		STD 1186 FOR REFERENCE USER: MS REVIEWER: 43 AR GL MC MI SH	A 8115		07-MAR-56	GL	SA		
		PACKAGING AND PACKING FOR OVERSEAS SHIPMENT---BOXES, FIBERBOARD (V-BOARD							
		AND W-BOARD), EXTERIOR AND INTERIOR (USE PPP-B-636) USER: 26 MS REVIEWER:							
		MC YD1							
	MIL-C-132B	CRATE, WOOD, OPEN, MAXIMUM CAPACITY 2,500 POUNDS (S/S BY PPP-C-650) USER:	A 8115	MO	10-DEC-57		SA	69	
	MIL-A-148E	26 AR REVIEWER: EL GL MC SH MC YD1							
	JAN-D-164	ALUMINUM FOIL (USE QQ-A-1876) USER: MC MO SA YD1 REVIEWER: 71 AR AT DS GS	A 9535	MR	07-JUL-67	MR	AS	84	
	JAN-D-185	IS MI SL							
	MIL-D-195B	DISTILLATION-UNITS, SKID-MOUNTED, THERMO-COMPRESSION-TYPE, 3,000 GALLONS	A 4620	MO	23-DEC-44	MO	YD1		
	MIL-S-207B(1)	PER DAY (S/S BY MIL---156918)							
	MIL-B-208D	DISTILLATION-UNITS, SKID-OR TRAILER-MOUNTED, THERMO-COMPRESSION-TYPE, 1,200	A 4620	MO	23-DEC-44	MO	YD1		
		GALLONS PER DAY (S/S BY MIL-D-156918)							
		DRUMS, STEEL, CALCIUM CARBIDE (100-POUND CAPACITY) (NO S/S DOCUMENT) USER:	A 8110	ME	16-NOV-89	ME	SA	69	
		GL OS YD1 REVIEWER: GS							
		SULFURIC ACID, ELECTROLYTE, PACKAGING, PACKING AND MARKING FOR SHIPMENT	A 6810	EA	03-NOV-65	EA	SH	68	
		AND STORAGE OF (S/S BY O-S-801C) USER: MC ME SA REVIEWER: GS SH YD1							
		BATTERY, STORAGE, LEAD ACID, AUTOMOTIVE AND NAVY PORTABLE (EXCEPT	A PACK	YD1	15-JUN-88	AT	YD1	82	
		AIRCRAFT), PACKAGING AND PACKING OF (S/S BY PPP-B-140) USER: EC MC ME							
		REVIEWER: CR EL SA SH SH							
	MIL-E-212E	EXTINGUISHER, FIRE, WATER, BACK PACK, 5 GALLON USER: CG MC REVIEWER: CL CS	A 4210	ME	04-DEC-85	ME	YD1	99	
	MIL-G-252C	GL MO							
	MIL-F-254B(1)	GOGGLES, VARIABLE-DENSITY (FOR LOOKOUTS) USER: 67 CG SH YD1 REVIEWER: CT	A 8465	GL	10-JUN-66	GL	SA	11	
		MO MS							
		FILTER/SEPARATORS, LIQUID FUEL, STEEL OR ALUMINUM (S/S BY MIL-F-52667,	A 4330	ME	15-DEC-70	ME	YD1	11	
		MIL-F-52556, MIL-F-52666, AND MIL-F-52694) USER: MI REVIEWER: CS GL							



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adopt OR / OR Cancellation Machine	Document Number	Document Title	Dist. Stmt. FSC / Area	MCA Symbol Preparing Act.	Date	Custodians			
						Army	Navy	Air Force	DLA
Q	JAN-C-266	CHARGES, FIRE-EXTINGUISHER (FOAM, MECHANICAL), TYPE 5 (USE O-F-555) REVIEWER: YD1	A 4210	SH	21-OCT-48	SH	11		
	MIL-P-274A	PAINT, LIQUID-VEHICLE-DETECTOR MS (NO S/S DOCUMENT)	A 6665	EA	11-APR-89	EA	YD1	99	
	JAN-M-277(1)	HOLDER, FOR TOILET ACCESSORIES (SHIPBOARD)	A 4510	SH	16-APR-51	YD1			
	MIL-I-2858	IMPREGNATE, UNSTABILIZED (CC2) AND STABILIZED (XXCC3) (NO S/S DOCUMENT) USER: 45 YD1 REVIEWER: CT GS	A 6850	EA	14-APR-89	EA	SA		
	JAN-D-310	DETECTOR KIT, CHEMICAL AGENT, MBI USER: 26	A 6665	AR	31-DEC-48	EA	YD1	82	
L	MIL-S-330A	STICK, CRUISER, TIMBER (NO S/S DOCUMENT) REVIEWER: YD1	A 5120	CE	18-MAY-60	CE			
	NOTICE 1								
	MIL-B-3348	BOILER-FEEDWATER-TREATMENT, MATERIALS AND EQUIPMENT (FOR THEATER OF OPERATIONS, SATIARY USE)	A 6630	ME	04-SEP-53	ME	YD1		
Q	JAN-F-360	FUSE, BLASTING, TIME USER: MC REVIEWER: YD1	A 1375	AR	28-JUN-46	AR	SH		
L	JAN-C-367	CLOTH, FUZE (NO S/S DOCUMENT)	A 8305	AR	06-JUL-92	AR			
	NOTICE 1								
L	JAN-C-367(11)	CLOTH, FUZE (NO S/S DOCUMENT)	A 8305	AR	06-JUL-92	AR			
	NOTICE 1								
	MIL-E-377B(1)	ELEVATORS, AGGREGATE, ENCLOSED-BUCKET (S/S BY MIL-L-52329)	A 3910	ME	30-APR-65	ME	YD1	84	
	NOTICE 1								
	MIL-D-393A	DRIER, AGGREGATE, SINGLE-DRUM, DIESEL DRIVEN (USE MIL-M-52329)	A 3895	MD	04-JAN-51	MD	YD1		
Q	MIL-A-397B	ADHESIVE, ROOM-TEMPERATURE AND INTERMEDIATE-TEMPERATURE SETTING RESIN (PHENOL, RESORCINOL, AND MELAMINE BASE) (USE MIL-A-22397 OR MIL-A-46051) USER: EL YD1 REVIEWER: SA	A 8040	SH	12-APR-61	MR	11		
	MIL-B-4008	BOILER, STEAM, HIGH-PRESSURE, VERTICAL, SKIDMOUNTED, 150-PSI, 60-HP. USER: GL MC REVIEWER: 69 MC YD1	A 4410	MD	20-JUN-60	MD	SA		
	MIL-L-4030	LOADERS, BUCKET-TYPE (NO S/S DOCUMENT) USER: CE MC REVIEWER: CS MI	A 3805	ME	16-OCT-90	ME	YD1		
L	MIL-W-406C	WELL POINTS, DRIVE TYPE REVIEWER: CS	A 3820	YD1	28-APR-88	YD1			
	MIL-S-416D	STRAINER, WELL, WATER, WIRE-WOUND (NO S/S DOCUMENT) REVIEWER: CE CS	A 4730	ME	21-NOV-90	ME	YD1	99	
	NOTICE 1								
	JAN-D-428(3)	DRILL, PORTABLE, PNEUMATIC, WOOD BORING REVIEWER: GL MC	A 5130	ME	29-JUN-53	ME	YD1		
	MIL-S-437D(1)	SAM, BAND, WOODWORKING (USE MIL-S-80095) USER: CE REVIEWER: YD1	A 3270	1P	13-OCT-70	ME	SH	84	
	MIL-J-4490	JACKET, FIRE HOSE (2-1/2 INCH) REVIEWER: CS SS	A 4210	ME	19-FEB-85	ME	YD1	99	
	MIL-B-452(1)	BOILER-PLANT-EQUIPMENT, FOR THEATERS OF OPERATIONS	A 446P	ME	30-MAR-49	ME	YD1	11	
	MIL-E-468C(1)	EXTINGUISHER, FIRE, CARBON DIOXIDE (PORTABLE, PERMANENT SHUTOFF, HAND AND WHEELED TYPES), SUPERSEDED BY O-E-910C	A 4210	ME	07-DEC-61	ME	YD1	84	
	MIL-W-470A	WRENCH, GAS-CYLINDER VALVE AND MANIFOLD BOWING & MUT	A 5120	ME	20-JUN-60	ME	YD1	84	
	JAN-M-471	MAINTAINABILITY VERIFICATION/DEMONSTRATION/EVALUATION (INT NOTICE 2 DTD 8 DEC 78) USER: GL MC	A 5180	YD1	23-MAY-47	WC	YD1		
	JAN-T-473(1)	TESTING EQUIPMENT, LABORATORY, (FOR SOIL, ASPHALT, AND CONCRETE) USER: EL MR REVIEWER: AR	A 6630	YD1	21-JUN-51	MD	YD1		
	MIL-G-477B	GRINDING MACHINE, ROCK BIT (SH-MOTOR-DRIVEN) REVIEWER: GS	A 3415	ME	13-SEP-60	ME	YD1		
	MIL-P-478A	PIPING EQUIPMENT, ASPHALT PLANT (USE MIL-M-52329 OR MIL-P-52388)	A 3895	MD	03-APR-52	MD	YD1		
	MIL-F-482A	FIRE ENGINE, CHEMICAL, FOAM TYPE REVIEWER: GL	A 4210	MD	19-MAY-61	MD	YD1	11	
	MIL-C-490A(1)	CLEANING AND PREPARATION OF FERROUS AND ZINC COATED SURFACES FOR ORGANIC PROTECTIVE COATINGS USER: MC REVIEWER: EL YD1	A 6850	MR	11-MAR-57	MR	SH	11	
	MIL-F-493A	FIRE ENGINES, CHEMICAL, SODALACID TYPE REVIEWER: GL	A 4210	MD	03-APR-61	MD	YD1	11	
	MIL-D-497A	DITCHING MACHINES, WHEEL-TYPE, CRAWLER-MOUNTED USER: MC REVIEWER: EL	A 3805	YD1	05-APR-61	MD	YD1		
	MIL-S-505A	SEMITRAILER, TANK, (STEEL, 1,500 GALLON, WATER) (CANCELED) ( )	A 4930	YD1	06-JUN-59	YD1	82		
	MIL-C-506C(2)	CARBON, ACTIVATED, POWDERED USER: MC REVIEWER: EA GS MD	A 6810	ME	27-MAR-87	ME	YD1	68	
	JAN-G-515	GROC, INSULATING, GRANULAR, CALCINED USER: EL	A 5956	10	12-OCT-64	SH			
	JAN-C-526	COMPRESSORS, PISTON-RING, BAND TYPE USER: MC REVIEWER: GL	A 5120	WC	20-NOV-47	WC	YD1		
Q	JAN-G-534(2)	PACKING, COIL-FORM, STUFFING-TUBE AND TERMINAL-TUBE (FOR ELECTRIC CABLES) SUPERSEDED BY MIL-P-16685C USER: YD1 REVIEWER: SA	A 5330	SH	01-JAN-62				
	MIL-W-535A	WATER QUALITY CONTROL SET RECONNAISSANCE AND ROUTINE CONTROL (USE MIL-W-52874) USER: 26 AS EL GL MC MR REVIEWER: EA	A 6630	ME	18-FEB-60	ME	YD1		
	MIL-S-546C	SPREADER, SAND	A 3830	ME	26-JUN-64	ME	YD1	84	
	MIL-C-559B	CRANE, TRACTOR TOWED, (NONREVOLVING, WHEELED, PNEUMATIC TIRED) USER: MC REVIEWER: EL GL	A 3810	ME	14-APR-59	ME	YD1		
	MIL-H-563A	HAMMERS, PILEDRIVER, AIR OR STEAM DRIVEN, DOUBLE-ACTING (NO S/S DOCUMENT) USER: 26	A 3895	ME	28-AUG-64	ME	YD1	84	
	JAN-D-570	DISTILLATION UNIT DIESEL DRIVEN, SKID MOUNTED, THERMOCOMPRESSION TYPE 300 GALLONS PER HOUR (USE MIL-D-15691)	A 4629	YD1	27-FEB-48	MD	YD1	85	
	JAN-G-578	GRADERS, ROAD, TOWED-TYPE, LEANING WHEEL	A 5860	YD1	02-FEB-48	MD	YD1	84	
	MIL-P-598B	PLOW, MOLDBOARD, TOWED TYPE, FOUR 14-INCH BOTTOMS, REVIEWER: BS CS	A 3710	ME	20-JUL-60	ME	YD1	84	
	JAN-P-599	PACKAGING AND PACKING FOR OVERSEAS SHIPMENT OF ELEVATORS, AGGREGATE, ENCLOSED-BUCKET, CHAIN-DRIVEN USER: 26 REVIEWER: SA	A 8135	MD	04-APR-69	MD	YD1		
	MIL-F-610A	FURNACE, OIL FIRED, FOR DRILL STEEL USER: MC REVIEWER: GS	A 3424	ME	16-SEP-60	ME	YD1		
	JAN-E-611	ELEMENTS, CHEMICAL, EXCEPT ACS CHEMICALS USER: MC REVIEWER: EL GL MC	A 3820	69	10-MAY-60	MD	YD1	69	
	JAN-P-620	PACKAGING AND PACKING FOR OVERSEAS SHIPMENT OF STEAM LOCOMOTIVES REVIEWER: BS	A 2210	MD	20-AUG-48	MD	YD1	84	
	JAN-P-629	PRIMER, OIL-TYPE, FOR WOOD (FOR USE WITH CAMOUFLAGE PAINT) USER: 26 MC MR SA	A 8010	YD1	23-JUL-48	YD1			
L	MIL-D-633F	DITCHING MACHINES, BOOM TYPE; CRAWLER-MOUNTED, GED AND DED (S/S BY OO-D-2747) USER: CE ME REVIEWER: CS	A 3805	YD1	17-JUL-91	YD1			
	JAN-D-640	DERRICK, STIFFLEG REVIEWER: CS EL GL	A 3950	YD1	05-NOV-48	ME	YD1	84	
	JAN-P-697(1)	PAINT, INSIDE, LIGHTGRAY, FIRE-RESISTANT USER: 26 MR SA YD1	A 8010	SH	25-JUL-60	MR	SH	69	
	DOD-E-698C(1)	ENAMEL, ALKYL, DECK, BLACK (FORMULA NO. 24) (METRIC) (S/S BY DOD-E-24635 & FED-STD-595) REVIEWER: ME SA YD1	A 8010	SH	18-NOV-91	MR	SH	99	
	NOTICE 1								
	DOD-E-699D(1)	ENAMEL, EXTERIOR, DECK, GRAY (FORMULA NO. 20) (METRIC) (S/S BY DOD-E-24635 & FED-STD-595) REVIEWER: 84 ME YD1	A 8010	SH	18-NOV-91	MR	SH	99	
	NOTICE 1								
	DOD-E-700A(1)	ENAMEL, DECK, INTERIOR, GRAY (FORMULA NO. 20L) (METRIC) (S/S BY DOD-E-24635 & FED-STD-595) USER: MC OS YD1 REVIEWER: 84	A 8010	SH	18-NOV-91	MR	SH	99	
	NOTICE 1								
	JAN-P-701(1)	PREFERRED AND GUIDANCE LISTS OF SEMICONDUCTOR DEVICES (NOTICE 1) SH( USER: 26 MR SA YD1	A 8010	SH	25-JUL-60	SH	69		
	JAN-P-702(1)	PAINT, INSIDE, WHITE, SEMI-GLOSS, FIRE-RETARDANT USER: 26 MR SA YD1	A 8010	SH	25-JUL-60	SH	69		
	MIL-A-708B	ALIDADE, SURVEYING, TELESCOPIC (USE GGG-A-440A) USER: AR MI REVIEWER: MC	A 6675	ME	25-APR-62	ME	YD1	67	
	MIL-T-712A(1)	TRUCK, 2 1/2-TON, 6 X 6, SERIES M44 AND M133 VALIDATED SEP 1966 USER: GL YD1 REVIEWER: EL	A 2320	AT	03-MAR-67	AT	MC	84	
	JAN-F-730	FIRE-RESISTANT-CLOTH, COTTON USER: AR EL YD1 REVIEWER: CT MR SA	A 8305	GL	04-MAR-61	GL	WP	11	
	MIL-L-741D	LEADS, ELECTRICAL, ARC-WELDING (S/S BY J-L-2744) REVIEWER: 80 OR ER GS	A 6150	YD1	20-JUN-91	ME	YD1	99	
	MIL-H-754	HAMMER, PNEUMATIC, RIVETING USER: 26 MC REVIEWER: GL MC	A 5130	MD	01-FEB-60	MD	YD1	69	
	MIL-C-759B	CLIMOMETERS, ELEVATION AND DEPRESSION, SURVEYING (USE MIL-L-52336) REVIEWER: GL	A 6675	MD	18-DEC-58	MD	YD1	67	
	MIL-I-787A	INSULATOR, STANDOFF, PORCELAIN, WITH GALVANIZED WOOD SCREW USER: EL GL MC REVIEWER: 11 80 AR	A 5970	MD	15-APR-52	MD	YD1	85	
	MIL-I-789A(1)	INSULATOR, CLEAT, PORCELAIN, GLAZED OR UNGLAZED 28WIRE USER: EL GL REVIEWER: 11 80 AR	A 5970	MD	12-OCT-56	MD	YD1	85	
	MIL-I-790B	INSULATOR, ELECTRIC, PORCELAIN (USE MH-I-435) REVIEWER: 80 AR AS EC EL MI SA	A 5970	ME	05-FEB-62	ME	YD1	85	
	MIL-H-795A	HOLDER, SHEET METAL, HOLE AND EDGE GRIP (USE GGG-H-575) USER: SA MC YD1 REVIEWER: GL	A 5120	AS	12-JAN-62	MD	WP	69	
	JAN-R-800	REPAIR-KIT, WIRE-ROPE USER: EL REVIEWER: GL	A 4010	WC	30-JUN-49	WC	YD1		
	MIL-S-830G(2)	SLEEPING BAG, M-1949 USER: 45 CG MC YD1 REVIEWER: CT	A 8465	B2	16-JUN-83	MD	YD1	99	
	MIL-G-858	GRAY IRON ALLOY CASTINGS, (SCALE RESISTING) USE ASTM A319 OR ASTM A436 ( ...	A MECA	YD1	18-JUL-69	MR	YD1		



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On / On Coordination Inchase Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty. Date	Army Navy Air Force DLA	Custodians
MIL-H-865D	HOLDER, ELECTRODE, SHIELDED METAL, ARC WELDING (REPLACED BY A-A-51161) USER: AS MC OS WV YDI REVIEWER: GS	A 3439 IP 27-APR-88 AR SH 99		
L MIL-H-877B	MAT, BLASTING, ROPE	A 1375 YDI 17-SEP-64 YDI		
L MIL-H-894C	NICKEL-COPPER ALLOY BARS, PLATES, AND OTHER WROUGHT FORMS (S/S BY QQ-H-281) REVIEWER: YDI	A 9525 SH 21-JAN-57 SH		
L MIL-C-895A	COMMERCIAL BRASS BARS, PLATES, RODS, SHAPES, SHEETS, STRIPS, FLAT WIRE AND FORSINGS (NAVY) (USE QQ-B-613 OR QQ-B-626 AS APPLICABLE) REVIEWER: YDI	A 9530 SH 20-MAR-61		
MIL-F-8988(1)	FOG GENERATORS, INSECTICIDAL, THERMAL AEROSOL TYPE (USE MIL-S-52185) USER: AR MC	A 3740 MD 18-FEB-59 MD YDI 84		
Q MIL-A-927A	ADHESIVE, SYNTHETIC RESIN (FOR PHENOLIC LAMINATES) USER: YDI REVIEWER: EL GL	A 8040 WP 16-SEP-52 MR WP 11		
MIL-H-929B	HOOK, COAT AND MAT (USE FF-H-111) USER: 26 REVIEWER: GL SA WC	A 5340 YDI 16-NOV-59 MD YDI 82		
Q MIL-T-940B	THERMOMETER, INDICATING, CAPILLARY TUBE AND BULB, STEAM SERVICE AND BULB, MERCURY ACTUATED (USE MIL-T-19646) USER: EL MC MI YDI	A 6685 SH 29-NOV-55 ME SH 11		
MIL-T-966A	IGNITER, BLASTING FUSE USER: MC REVIEWER: MU YDI	A 1390 AR 01-APR-71 AR		
L MIL-C-967	CAP, BLASTING, ELECTRIC AND FUSE (USE X-C-51A)	A 1375 YDI 19-SEP-49 YDI		
MIL-G-1008G	GLOVES, CLOTH, COTTON, WORK, MEN'S AND WOMEN'S (S/S BY A-A-1665) USER: OS YDI REVIEWER: MD	A 8415 MU 26-MAR-90 GL MU 82		
MIL-W-1053G	WHISTLE, BALL, PLASTIC (S/S BY A-A-55106) USER: 45 REVIEWER: B2 MC MD	A 8465 CT 08-MAR-93 GL MU 99 CT		
MIL-B-1070E	BREAD, WHITE, ENRICHED, CANNED (NO S/S DOCUMENT) REVIEWER: MC MD MS SS TS	A 8920 GL 24-JUN-92 GL SA 50		
QL JAN-T-1084	TAPS, DIES, TAP-WRENCHES, AND DIESTOCKS (USE GGG-T-60, GGG-D-296, GGG-W-680, GGG-T-330 AND GGG-T-581) USER: MC YDI	A 5136 11 04-MAY-58 11		
MIL-C-1086E	GASKET MATERIAL, SYNTHETIC RUBBER (FOR BOLTED STEEL TANKS) (S/S BY MIL-R-6855) USER: AT AV REVIEWER: 11 B2 BS EA	A 5330 ME 08-OCT-92 ME YDI 99		
NOTICE 1 JAN-T-1088	FILES AND RASPS, HAND (USE GGG-F-325 AND GGG-T-331 AS APPLICABLE) USER: EL MC YDI REVIEWER: GL WC	A 8110 SH 31-MAR-50		
MIL-H-1097A(1)	HEATER, IMMERSION, ELECTRIC, RING TYPE (USE MIL-H-10249)	A 4540 69 12-AUG-54 EL YDI 69		
MIL-T-1108A	TENT, FIRE, WATER, WEATHER, AND MILDEW-RESISTANT, WALL, LARGE, O.D. REVIEWER: CT	A 8340 30-MAR-51 YDI 67		
MIL-T-1109A	TENT, FIRE, WATER, WEATHER, AND MILDEW-RESISTANT, WALL, SMALL, O.D. REVIEWER: CT	A 8340 12-APR-51 YDI 67		
MIL-L-1118A	LACQUER, CLEAR, BRUSHING, AND THINNER (USE TT-L-26 AND TT-T-266) USER: 26 EL MS REVIEWER: GL MR SA YDI	A 8010 SH 12-OCT-59		
JAN-C-1119	CHUCKS, DRILL (USE GGG-C-350) USER: MC YDI	A 6515 SH 03-MAY-61 84		
JAN-C-1126	CYLINDERS, COMPRESS-AIR, HELIUM, HYDROGEN, NITROGEN, OR OXYGEN, NON-SHATTERABLE USER: AR GL MS REVIEWER: SA WC YDI	A 8120 SH 14-OCT-49		
JAN-R-1127	RIVETS, BELT, COPPER, AND BURRS, COPPER (S/S BY MIL-R-2583A) USER: GL YDI REVIEWER: SA	A 5320 SH 16-JUN-49 WC		
MIL-F-1128B	FILTER UNIT, WATER PURIFICATION, FRAME MOUNTED, DIATOMITE, 15 GPM USER: 26	A 4610 MD 16-AUG-57 MD YDI 69		
L JAN-F-1131	FUSE-INDICATORS, LAMP-TYPE USER: YDI REVIEWER: AR EL MI	A 5920 SH 16-JUN-49 SH		
Q MIL-V-1137A(1)	VARNISH, ELECTRICAL-INSULATING (FOR ELECTRO-MOTIVE EQUIPMENT) (S/S BY MIL-1-24092) USER: MC REVIEWER: AR GL YDI	A 5970 MD 10-APR-53 EL 11		
MIL-W-1138A	WELDING MACHINE, ARC, DIRECT-CURRENT VARIABLE-VOLTAGE, GASOLINE ENGINE DRIVEN (USE MIL-W-80037) REVIEWER: BS EL GL YDI	A 3431 SH 24-JUN-55 WC SH 84		
MIL-H-1142A(2)	HOSE, RUBBER, CUTTING, AND WELDING, FUEL, GASES, OXYGEN AND AIR (USE ZZ-H-461) USER: AR AS SH REVIEWER: CS	A 4720 YDI 19-APR-61 ME YDI		
L MIL-P-1144D	PIPE, CORROSION-RESISTANT, STAINLESS STEEL, SEAMLESS OR WELDED (FUTURE ACQUISITION USE MIL-P-24691/3) REVIEWER: CS EA MI YDI	A 4710 SH 23-SEP-87 SH		
MIL-R-1166	RIVETS FOR SHEET-METAL WORKS (USE FF-R-556A) USER: GL YDI REVIEWER: SA	A 5320 SH 02-JAN-60 WC		
MIL-V-1174B(1)	VARNISH, SPAR, WATER RESISTING (FORMULA NO. 80), (USE TT-V-119) USER: ME REVIEWER: MI YDI	A 8010 SH 27-FEB-68 SH 84		
MIL-F-1181	FITTINGS, PIPE, BRONZE, (THREADED) USE WW-P-460 USER: AR REVIEWER: SH WC	A 4730 YDI 12-SEP-49 MD YDI		
MIL-F-1184	FITTINGS, PIPE, BRASS OR BRONZE (THREADED) 125-POUND (USE WW-P-460) USER: AR REVIEWER: SH WC	A 4730 YDI 12-SEP-49 YDI		
MIL-V-1187C	VALVE, ANGLE, AND VALVES, GLOBE BRONZE, THREADED 300 POUND WSP RATING (USE MSS SP-80) USER: GL MC MI REVIEWER: CS	A 4820 YDI 29-SEP-76 ME YDI 99		
MIL-B-1190	BAGS, PAPER, SHIPPING, MULTIWALL (FOR PORTLAND CEMENT) (USE UU-S-48) USER: MC REVIEWER: EL WC YDI	A 8105 SA 07-JUN-58		
MIL-V-1202C	VALVES ANGLE & VALVES GLOBE BRONZE (S/S BY MSS SP-80) USER: CG MC REVIEWER: CS SA	A 4820 YDI 08-FEB-78 YDI 93		
MIL-H-1209B	HOOK, SCREW USER: MC SH REVIEWER: IS	A 5340 YDI 05-FEB-64 GL YDI 82		
L MIL-C-1210B	CYLINDERS, COMPRESSED GAS, NONSHATTERABLE, SIZES 15 TO 50 POUND CARBON DIOXIDE CAPACITY, EMPTY (USE FEDERAL SPECIFICATION RR-C-901) REVIEWER: MC YDI	A 8120 SH 14-OCT-55		
MIL-F-1224D	FITTINGS, TUBE, BRASS OR BRONZE, 45 DEGREE FLARED USER: 45 CE MC YDI REVIEWER: 11 AR CS CT EA MD MI	A 4730 ME 10-MAR-87 ME 99		
MIL-P-1227A	PRIMER AND ENAMEL (ASPHALT) USER: MR YDI REVIEWER: SA	A 5610 SH 15-APR-52 93		
L MIL-R-1229C	RUBBER SHEET PACKING, SOLID, WIRE CLOTH INSERTED, SYMBOL 2354 USER: OS REVIEWER: GS YDI	A 5330 SH 06-JUL-87 SH		
MIL-G-1248	GAGES, CARPENTERS AND MACHINISTS (USE GGG-17, GGG-G-31 OR GGG-C-105) USER: MC YDI REVIEWER: GL	A 5210 SH 05-DEC-61 WC SH		
MIL-M-1250	MACHINE, SHEET METAL WORKING USER: GL REVIEWER: YDI	A MFFP SH 27-JUL-49 SH 84		
MIL-B-1252(1)	BRUSHES, WIRE, ROTARY, CUP, AND RADIAL (DISC) (S/S BY MIL-B-19888B) USER: WC	A 5130 GL 24-APR-51 GL YDI		
MIL-C-1258D(1)	CUPS, OIL, LUBRICATING, AND OILERS, SELF-FEEDING (S/S BY GGG-C-2794) USER: ER MC REVIEWER: 11 CS MI	A 4730 YDI 10-APR-92 AR YDI 99		
MIL-E-1264C	ENAMEL, SHIP, EXTERIOR, ALKYD, WHITE (FORMULA NO. 6) (USE FED SPEC TT-L-490) USER: AS EL MR YDI REVIEWER: BS IS SA	A 8010 SH 07-DEC-60 ME SH 84		
MIL-F-1369A	FILTER, SAFELIGHTS, PHOTOGRAPHIC (USE MIL-F-9329) USER: MI SA YDI REVIEWER: MC SH	A 6740 EL 30-JUL-62 EL AS 70		
MIL-P-1382A(1)	POT, FIRE, GASOLINE (USE GGG-P-596) USER: MC WC YDI REVIEWER: GL	A 5120 SH 13-FEB-59		
MIL-P-1384	PACKING, SYNTHETIC-RUBBER, CLOTH-INSERTION (SYMBOL 2353) (USE MH-P-151) USER: SA YDI REVIEWER: WC	A 5330 SH 12-SEP-49		
MIL-C-1415A	CAN, FRICTION TOP (SMALL PARTS AND GRAPHITE GREASE), EMPTY, FOR RANGE, OUTFIT, FIELD, GASOLINE M-1937 USER: MC MI REVIEWER: MS	A 7240 GL 24-AUG-55 GL YDI		
MIL-C-1428D	CASE, GASOLINE BURNER STOVE (USE MIL-S-10736) USER: SA REVIEWER: BS GS MC MD	A 7310 GL 07-APR-66 GL YDI 84		
MIL-B-1434C(1)	BINDINGS, SKI, CROSS-COUNTRY USER: YDI REVIEWER: CT MC	A 8465 GL 28-DEC-59 GL SA		
MIL-A-1435Q	AUTOMOBILE, AMBULANCE, METROPOLITAN REVIEWER: 03 BS MC MD	A 2310 AT 15-AUG-75 AT YDI 99		
MIL-C-1458C	COMB, DOG (NO S/S DOCUMENT) USER: MC MD REVIEWER: CS	A 3770 84 10-MAY-93 GL 99		
NOTICE 1 MIL-C-1471A(1)	CABINET AND CRADLE, COOK POT (FOR RANGE, FIELD, M-1937) USER: MC	A 7310 GL 11-JAN-55 GL YDI 67		
MIL-P-1487B	POLES, SKI USER: YDI REVIEWER: CT MC	A 8465 GL 08-DEC-55 GL SA 67		
MIL-S-1491D	SOAPBOX, PLASTIC (NO S/S DOCUMENT) USER: MC MD	A 8530 GL 22-MAR-93 GL SA 99		
NOTICE 1 MIL-L-1594L(1)	LANTERN, GASOLINE, LEADED OR NONLEADED FUEL, WITH CASE (S/S BY A-A-52078) USER: MC REVIEWER: GS	A 6260 GL 14-DEC-92 GL 99		
MIL-H-1597B(1)	HEATER, IMMERSION, LIQUID FUEL FIRED, FOR CANS, CORRUGATED (S/S BY MIL-H-43540) USER: MC	A 4540 GL 18-FEB-65 GL YDI 69		
MIL-S-1610	SHACKLES, HOG, LENGTH (OVERALL) 42 INCHES USER: 26	A 7320 GL 01-MAR-62 GL YDI		
L MIL-R-1670E(2)	ROPE, TENT - LAY (S/S BY A-A-50057) USER: YDI REVIEWER: IS MD ME	A 4020 GL 06-DEC-89 GL		
MIL-S-1779C	SKIS USER: YDI REVIEWER: CT	A 8465 GL 20-NOV-58 GL MC 67		



## NUMERICAL LISTING MILITARY SPECIFICATIONS

[illegible]



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Arden Op/Chk Combination Inches Document Number	Document Title	Dist. Serv. FSC / Ans MCA Symbol Preparing Agency Date	Custodians Army Navy Air Force DLA
L MIL-I-003190/4	INSULATION SLEEVING, ELECTRICAL, FLEXIBLE, COATED CLASS 155, TYPE A, CATEGORY C USER: ME REVIEWER: EC MI	A 5970 SH 30-MAY-86	SH 11
MIL-C-3193(1)	CAR, RAILWAY, MAINTENANCE (GASOLINE, MULTI-GAUGE, 8-WHEEL, 4-WHEEL, FOREIGN SERVICE) (USE MIL-R-10651) REVIEWER: BS	A 2230 MD 02-APR-53	MD YD1 84
L MIL-F-3201	FORDING KITS FOR COMBAT AND TRANSPORT VEHICLES USER: MC YD1	A 5420 MC 16-MAY-50	MC YD1 84
MIL-D-3209C	DISTILLATION UNITS, WATER, THERMOCOMPRESSION-TYPE, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: CS SM WV	A PACK ME C JAN-90	ME YD1 84
MIL-G-3210A	GRIP, CABLE, JAW (USE RRG6691) USER: MC YD1 REVIEWER: GL	A 5120 SH 21-FEB-56	EL 69
MIL-R-3215	RAILWAY CAR, REFRIGERATOR (DISASSEMBLED), 561/2-INCH GAGE, 40-TON, 8-WHEEL, FOREIGN SERVICE, REVIEWER: BS	A 2220 MD 21-APR-53	MD YD1 84
MIL-T-3229B	TRACTORS, WHEELED, INDUSTRIAL, PNEUMATIC-TIRED, GASOLINE AND DIESEL-ENGINE-DRIVEN (S/S BY KKK-T-642) USER: MC	A 2420 ME 21-DEC-88	ME YD1 84
MIL-L-3246	LOCOMOTIVE, DIESEL-ELECTRIC, 561/2-INCH GAGE, 45-TON, 0-4-4-0 WHEEL, DUAL ENGINE REVIEWER: EL	A 2210 MD 22-JUN-53	MD YD1
MIL-C-3254C(1)	COATING-SYSTEM, BRIDGING, STRIPPABLE SPRAYABLE USER: AT MC OS YD1 REVIEWER: AR EA MD MI	A 8030 MR 01-FEB-82	MR AS 99
MIL-T-3283A	TOOL KIT, PLUMBERS USER: MC MC YD1 REVIEWER: BS	A 5180 GL 15-FEB-65	GL SH 84
MIL-R-3287	REEL, TELEPHONE WIRE PAYOUT, BARROW-MOUNTED (USE MIL-R-11019) USER: 17 80 REVIEWER: 82	A 5835 EL 08-SEP-50	EL YD1
MIL-F-3296D	FORGES, FURNACES AND OVENS (EXCLUSIVE OF SPACE HEATING AND COOKING), PACKAGING OF (NO S/S DOCUMENT) USER: MC REVIEWER: SH SM	A 4430 ME 08-JAN-90	ME YD1 99
MIL-W-3314A	WIRE, IRON OR STEEL, GALVANIZED (NO S/S DOCUMENT) REVIEWER: IS	A 6145 CR 25-FEB-91	CR YD1 69
NOTICE 1			
MIL-P-3320F(1)	PAINTING & MARKING, FREIGHT & MAINTENANCE CARS S/S BY MIL-P-53044 REVIEWER: GS OS	A 2220 ME 31-AUG-84	ME YD1 99
MIL-P-3321F	PAINTING & MARKING, RAILWAY MOTIVE POWER & WORK EQUIPMENT (S/S BY MIL-P-53044) USER: 26 MC	A 2210 ME 31-AUG-84	ME YD1
MIL-B-3323	BAR, 7-1/2 INCH, DOUBLE EYE FOR TENTAGE USER: YD1 REVIEWER: CT MC	A 8340 GL 12-JAN-64	GL SA
MIL-P-3345	TRAILERS, SEMITRAILERS, AND TRAILER DOLLIES, PACKAGING OF REVIEWER: MC	A 2330 69 06-FEB-60	MD YD1 69
L MIL-W-3357C(1)	WRENCH, TRACK, GASOLINE OR DIESEL ENGINE, PORTABLE (NO S/S DOCUMENT)	A 2230 ME 22-MAR-93	ME
NOTICE 1			
MIL-R-3360A	ROD, STADIA (12-FOOT, FOLDING) SUPERSEDED BY GG-R-550C REVIEWER: MC	A 6675 MD 23-MAY-58	MD YD1 67
MIL-F-3361B	FILTER UNIT, WATER PURIFICATION, KNAPSACK TYPE, 1/4 GPM REVIEWER: CS MC MD MI MS	A 4610 YD1 15-FEB-67	YD1 99
MIL-P-3362A	PAVERS, CONCRETE, SELF-PROPELLED GASOLINE- OR DIESEL-ENGINE-DRIVEN, CHAMBER-MOUNTED, 34 CUBIC FOOT CAPACITY REVIEWER: EL	A 3895 YD1 27-NOV-51	MD YD1
MIL-R-3378B	ROD, LEVEL, PHILADELPHIA (USE GG-R-1506) REVIEWER: GS MC	A 6675 ME 20-JUN-71	ME YD1 82
MIL-C-3379B	GAUZE, ABSORBENT, STERILE, COMPRESSED (S/S BY A-A-54855)	A 6510 MB 30-APR-93	MD MS 03
NOTICE 1			
MIL-L-3384(1)	LIGHT, SIGNAL, SURVEYING, ELECTRIC (REFLECTOR DIAMETER APPROXIMATELY 2 INCHES) WITH CASE AND STRAP (S/S BY MIL-L-52430) REVIEWER: EL MC	A 6675 MD 12-MAY-58	MD YD1 67
MIL-D-3396	DUCK, COTTON, SINGLE AND PLYED FILLING YARNS (PLAT) USER: MR YD1 REVIEWER: CT MC	A 8305 GL 09-JAN-53	GL SA
MIL-F-3398A	FINISHER, CONCRETE, FORM-RIDING (20- TO 25-FOOT WIDTH, WITH OR WITHOUT VIBRATOR) USER: MC REVIEWER: EL	A 3895 YD1 06-NOV-61	MD YD1
MIL-D-3400	DOLLY, SEMITRAILER CONVERTER, 2 DUAL TIRE WHEELS REVIEWER: MC	A 2330 BA 30-JAN-51	MD YD1 84
MIL-P-3414	PLASTIC-MATERIAL, MOLDING; RIGID THERMOPLASTIC, CELLULOSE ACETATE BUTYRATE; FOR USE IN ELECTRONIC, COMMUNICATIONS, AND ALLIED ELECTRICAL EQUIPMENT (S/S BY L-P-349)	A 9330 MR 03-JUN-57	MR AS 11
MIL-S-3419B	SHOP EQUIPMENT, CARTOGRAPHIC INSTRUMENT REPAIR, FIELD MAINTENANCE, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: GS SM	A 6675 ME 07-JUL-89	ME YD1
MIL-S-3422A	SURVEYING SET, PRECISE TRAVERSING, SET 11, PACKAGING OF REVIEWER: GS	A 6675 ME 01-MAY-59	ME YD1 82
MIL-R-3423D	ROOFING FELT: IN ROLLS, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: CS SM	A 5650 ME 08-JAN-90	ME YD1 99
NOTICE 1			
MIL-S-3425B	SURVEYING SET, PRECISE LEVELING; FOR SPIRIT LEVELING OF SECOND-ORDER ACCURACY, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: GS	A 6675 ME 07-AUG-89	ME YD1 82
NOTICE 1			
MIL-A-3427A(1)	AMMETER AND SHUNT, AUTOMOTIVE REVIEWER: AR	A 6625 AT 01-MAR-60	AT YD1
NOTICE 1			
MIL-P-3435	TRUCK CHASSIS, MOTORIZED, PACKAGING OF USER: 26 GL REVIEWER: MC	A 2320 MD 01-JUN-60	MD YD1 69
MIL-T-3440	TANKS, WOOD, STAVE (WATER-STORAGE, ERECTION TYPE)	A 5430 MD 09-APR-53	MD YD1 69
MIL-T-3444A	TOOL KIT, PIPEFITTER S, SET 1, PACKAGING OF	A 5180 ME 16-JUL-59	ME YD1 84
MIL-T-3445B	TOOL KIT, ENGINEER SQUAD PACKAGING OF USER: MC SH REVIEWER: SM	A 5180 ME 28-JUN-68	ME YD1 84
MIL-T-3446A	TOOL KIT, PIPEFITTER S, SET 2, PACKAGING OF USER: MC SH REVIEWER: SM	A 5180 ME 16-JUL-59	ME YD1 84
MIL-W-3448D	WALLBOARD, PACKAGING OF (NO S/S DOCUMENT) REVIEWER: SM	A 5640 ME 08-JAN-90	ME YD1 99
NOTICE 1			
MIL-F-3456(3)	FILTER, WATER, PORTABLE, DIATOMITE, 50 CPM USER: 26 MC YD1	A 4610 MD 07-APR-55	MD MS 69
MIL-C-3458D	CABLE, TELEPHONE (NO 19, 22, & 24 AWG, PAPER OR PULP INSULATED, LEAD-COVERED) (NO 19 & 22 AWG, PAPER OR PULP INSULATED, LEAD COVERED TAPE-ARMORED) USER: MC REVIEWER: IS	A 6145 CR 19-NOV-84	CR YD1 85
MIL-P-3466	PACKAGING OF PIPE, WOOD, MACHINE-BANDED, INSERTED-JOINT, AND PIPE, BITUMINIZED FIBER, FOR OVERSEAS SHIPMENT (USE SS-P-1540) [VALIDATION DATE: 8601] USER: 26 REVIEWER: SA	A 81GP ME 04-MAY-51	ME YD1 69
MIL-D-3467C	DIVIDERS, DRAFTING, PROPORTIONAL USER: MC YD1 REVIEWER: GS	A 6675 ME 07-DEC-87	ME 99
MIL-S-3470D	SPLINE AND WEIGHTS SET USER: YD1 REVIEWER: GS	A 6675 ME 06-NOV-86	ME 99
MIL-R-3472A(1)	ROOF COATING, ASPHALT BASE EMULSION (USE ASTM D1227) USER: CE	A 5650 YD1 06-NOV-72	ME YD1 99
MIL-L-3480	ELECTROMAGNET, ROAD (FOR USE WITH 58KW, 120VOLT, DC, GENERATOR SET AND FOR MOUNTING ON 2 1/2 TON, LXL CARGO TRUCK)	A 3830 MD 06-MAR-61	YD1
MIL-C-3486B(1)	COUPLINGS AND COUPLING HALVES-QUICK DISCONNECT, AIR HOSE, BOWES TYPE (S/S BY A-A-50431) USER: YD1 REVIEWER: AR CS	A 4730 SH 29-MAR-89	ME SH 69
L MIL-H-3496D	HOOKS, BOAT (BALL POINT) (S/S BY A-A-52303)	A 2040 ME 07-OCT-92	ME
NOTICE 1			
MIL-T-3515	TRAY, SILVER BATH, (TILTING TYPE, MET PLATE, STAINLESS STEEL, 28-BY 36-INCH), REVIEWER: EL	A 6740 MD 11-JUN-51	MD YD1
MIL-R-3518D	RAIL, TEE, RAILWAY (USE ASTM A1)	A 2250 ME 27-SEP-77	ME YD1 99
MIL-S-3531A	SHARPENING MACHINE, DRILL STEEL, PNEUMATIC REVIEWER: SH	A 3449 ME 27-DEC-57	ME YD1
MIL-T-3532A	TRUCK, MAINTENANCE, LIGHT USER: GL REVIEWER: EL MC	A 2320 MD 03-JAN-61	MD YD1 87
MIL-C-3544	CURVE, DRAFTING (FOR MECHANICAL ENGINEERS) (PLASTIC, SET OF 10) (USE GG-C-871) USER: EL REVIEWER: GL	A 6675 MD 03-OCT-51	MD YD1 67
MIL-H-3551B	HARROW, SPIKE TOOTH (4 SECTION) REVIEWER: CS	A 3710 ME 23-MAR-76	ME YD1 99
MIL-W-3561A	WRINGER, FABRIC (ROLLER TYPE) HAND AND ELECTRIC REVIEWER: GS	A 3510 GL 21-JUL-66	YD1
MIL-R-3567A	RECONDITIONING OF DRUMS, METAL, 55-GALLON AND CANS, GASOLINE, MILITARY, 5-GALLON (USE PPP-G-732) USER: 26 AS MC YD1	A 8110 SA 21-JUL-53	GL SA 69
MIL-T-3603A	TOOL KIT, PIONEER, ENGINEER COMBAT PLATFORM, SET NO. 3, PACKAGING OF REVIEWER: SM	A 5180 ME 29-OCT-59	ME YD1 84
MIL-L-3605A	LINER, TENT, SQUAD, WITH SCREEN REVIEWER: CT	A 8340 27-OCT-52	YD1
MIL-A-3612	AIR CONDITIONER (SELF-CONTAINED, AIR-COOLED, TRAILER-MOUNTED, 22,000 BTU/HR APPROX., ELECTRIC-MOTOR-DRIVEN)	A 4120 YD1 18-FEB-59	MD YD1
L MIL-B-3621C	BLANKET, DOG (NO S/S DOCUMENT)	A 3770 BA 10-MAY-93	BA
NOTICE 1			
L MIL-F-3622A	FLAME-RESISTANT COMPOUND, FABRIC (COLORLESS, EMULSIFIABLE) USER: YD1 REVIEWER: MI	A 8030 MD 12-FEB-58	MD
L MIL-F-3623	FILTER ELEMENTS, LUBRICATING OIL, ENGINE, (LARGE) (NO S/S DOCUMENT) USER: SA REVIEWER: 99 AV CS MI	A 2940 SH 17-DEC-90	SH
MIL-C-3625	CURVE, RAILROAD (SET OF 30) (USE GG-C-871) [VALIDATION DATE: 8601]	A 6675 MD 13-JAN-60	MD YD1



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Item Qty / Cbk Configuration Package Document Number	Document Title	Doc. Smt. PAC / Area MCA Symbol Preparing Agency Date	Custodian Army Navy Air Force DIA
MIL-B-36300	BATCHING PLANT, AGGREGATE, MOBILE, THREE-COMPARTMENT, 60-TON CAPACITY (NO S/S DOCUMENT) USER: CE REVIEWER: BA ME	A 3895 YD1 05-MAR-91	YD1 99
MIL-C-3635C(1)	COMPASSES, DRAFTING, BEAM (S/S BY A-A-50203) USER: MC YD1 REVIEWER: GS ....	A 6675 ME 01-SEP-88	ME 99
MIL-P-3641A	PUMPING AND HYPOCHLORINATION UNIT, FRAME MOUNTED, GASOLINE ENGINE-DRIVEN, 50-GPM USER: 26	A 4610 MD 03-JUN-58	MD YD1 69
MIL-C-3648	CLAMP, TEST TUBE (S/S BY A-A-51116) USER: CR MR .....	A 6640 MB 20-JUL-92	MD MS 03
NOTICE 1	CRUCIBLE, FILTERING, LABORATORY, GOOCH, LOW FORM, FRITTED, 30 ML. (S/S BY A-A-54740)	A 6640 MB 01-NOV-92	MD MS 03
MIL-C-3659A	INSULATORS, PIN (LINE GLASS) (USE MIL-I-23264/24A) REVIEWER: BS .....	A 5970 EL 02-JUN-60	EL YD1 11
NOTICE 1	SHAKING APPARATUS, LABORATORY (ROTATING TYPE) (NO S/S DOCUMENT) .....	A 6640 MB 09-NOV-92	MD MS
MIL-I-3676A(1)	SHAKING MACHINE, LABORATORY (ROTATING TYPE) (NO S/S DOCUMENT) .....	A 6640 MB 09-NOV-92	ME YD1 99
MIL-S-3678	GENERATING AND CHARGING PLANT, LIQUID CARBON DIOXIDE, PORTABLE, 300 POUND PER HOUR CAPACITY HOUR C REVIEWER: ER GS	A 3655 ME 04-JUN-84	ME YD1 99
NOTICE 1	PACKAGING OF HARDWARE, BUILDERS AND POLE LINE (S/S BY MIL-P-14527C) USER: AR MC ME SH REVIEWER: BS GL IS SH YD1	A PACK SA 15-JAN-52	EL SA 82
MIL-S-003678A(11)	MASK, CHEEK PROTECTOR, ARCTIC USER: SA REVIEWER: CT GL MC .....	A 8405 YD1 21-MAY-53	YD1
MIL-G-3681D	RAILWAY CAR, TANK, CHLORINE, ICC-105A500-M, 561/2-INCH GAGE, 11,000-GALLON, 8-WHEEL, DOMESTIC SERVICE USER: 26 REVIEWER: GL	A 2220 MD 17-JUN-54	MD YD1 87
MIL-P-3682	REPRODUCTION EQUIPMENT, TOPOGRAPHIC, TRUCK-MOUNTED, PACKAGING OF USER: MC .	A 3610 ME 04-FEB-59	ME YD1
MIL-M-3704	PACKAGING OF DRAFTING EQUIPMENT, AND DRAFTING, ARTIST, OFFICE, AND	A 816P MD 07-APR-55	MD YD1 67
MIL-R-3710	REPRODUCTION SUPPLIES, OVERSEAS SHIPMENT USER: MC SH REVIEWER: SA	A 4720 AR 27-MAR-53	MD YD1
MIL-R-3719A	HOSE, SULFURIC ACID RESISTANT (THERMOPLASTIC) .....	A 2220 MD 21-JUN-54	MD YD1
MIL-H-3726(1)	RAILWAY CAR, TANK, ANHYDROUS HYDROGEN FLUORIDE ICC-105A500-M, 561/2-INCH GAGE, 11,000-GALLON, 8-WHEEL, DOMESTIC SERVICE REVIEWER: GL	A 2220 MD 17-JUN-54	MD YD1
MIL-H-3730	RAILWAY CAR, TANK, PROPANE GAS OR ANHYDROUS AMMONIA, ICC-105A300-M, 561/2-INCH GAGE, 11,000-GALLON, 8-WHEEL, DOMESTIC SERVICE REVIEWER: GL	A 2220 MD 14-FEB-61	MD YD1
MIL-R-3736	RAILWAY CAR, HOPPER, 561/2-INCH GAGE, 50 TON 8 WHEEL DOMESTIC SERVICE, USER: 26 REVIEWER: GL	A 8330 GL 25-MAR-57	GL YD1 84
MIL-R-3750A	LEATHER, CATTLEHIDE, CHROME TANNED, STRAP, PAD, AND REINFORCEMENT (USE MIL-L-40069 OR KK-L-162) USER: AS AT EL MC MI MR MS REVIEWER: B2 CT	A 7360 GL 17-MAY-52	GL YD1
MIL-L-3754A	PACKAGING AND PACKING OF RANGE, FIELD, M-1937, A PACK AND B PACK USER: MC .	A 6675 ME 07-MAY-68	ME YD1 82
MIL-P-3758	LEVEL, SURVEYING, MOUNTED TYPE, DUMPSY STYLE (S/S BY GG-L-1680) (VALIDATION DATE: 8601) USER: CE REVIEWER: GS MC MI	A 5340 YD1 26-JAN-88	YD1 99
MIL-L-3768B	HANGER & TRACK SETS, HORIZONTAL SLIDING DOOR-(FUTURE PROCUREMENT - REFER TO BMA A156.14) USER: CE REVIEWER: IS	A 3895 YD1 12-SEP-72	ME YD1
MIL-H-3780C	ROLLER, MOTORIZED, 3 WHEEL, 10 TO 12 TON, GASOLINE OR DIESEL ENGINE DRIVEN USER: MC	A 2590 GL 31-MAY-55	GL 84
MIL-R-3781D	JACK, LEVELING, TRAILER USER: MC YD1 .....	A 8020 ME 05-OCT-60	ME SH 84
MIL-J-3790(1)	BRUSHES, ARTIST S (SIGN WRITING) (USE H-B-1188) USER: MC SA YD1 REVIEWER: BS	A 3820 MD 10-JUN-60	MD 69
MIL-B-3792A	HAMMER, PNEUMATIC, DRILL, PNEUMATIC, DRIFTER, DRILL, PNEUMATIC, SINKER USER: 26 MC WC YD1 REVIEWER: GL	A 5330 YD1 12-FEB-65	NR YD1 82
MIL-M-3810	GASKET, SYNTHETIC RUBBER, REINFORCED (FOR DRYDOCK CAISSONS) REVIEWER: IS MI	A 9905 ME 11-JUN-58	ME YD1 84
MIL-G-3820A	STAKE, WOOD, ROAD DELINEATOR, RETOREREFLECTING USER: MC REVIEWER: GL .....	A 6625 EL 05-JAN-62	EL SH 11
MIL-S-3821A	METERS, ELECTRICAL INDICATING, BASIC (SEALED, PANEL MOUNTING TYPE, 11/2-INCH), AND SCALEPLATES USER: MC REVIEWER: AR YD1	A 2540 MD 12-NOV-52	MD YD1 84
MIL-M-3829	WINTERIZATION-KITS, ARCTIC (INCLUDING EQUIPMENT AND ACCESSORIES), FOR MILITARY VEHICLES AND EQUIPMENT USER: GL MC SA	A 8030 SH 25-NOV-52	69
MIL-P-3840	PAINT, CAMOUFLAGE, BITUMINOUS-EMULSION ADHESIVE USER: MR YD1 REVIEWER: AR MC	A 6145 CR 21-FEB-73	CR SH 17
MIL-C-3849/1C	CORD, ELECTRICAL (TINSEL) CLASS SBL, STYRENE BUTADIENE RUBBER (SBR) INSULATED, POLYAMIDE BRAIDED USER: MC MS SA REVIEWER: BS IS YD1	A 6145 CR 21-FEB-73	CR SH 17
MIL-C-3849/2C	CORD, ELECTRICAL (TINSEL) CLASS NBL, NATURAL RUBBER INSULATED, POLYAMIDE BRAIDED USER: MC MS SA REVIEWER: BS YD1	A 6145 CR 21-FEB-73	CR SH 17
MIL-C-3849/5C	CORD, ELECTRICAL (TINSEL) CLASS NML, NATURAL RUBBER INSULATED AND JACKETED USER: MC MS SA REVIEWER: BS IS YD1	A 6145 CR 21-FEB-73	CR SH 17
MIL-C-3849/8C	CORD, ELECTRICAL (TINSEL) CLASS PP, POLYVINYL CHLORIDE (PVC) INSULATED & JACKETED USER: MC MS SA REVIEWER: BS IS YD1	A 6145 CR 21-FEB-73	CR SH 17
MIL-C-3849/9C	CORD, ELECTRICAL (TINSEL) CLASS NSL, NATURAL RUBBER INSULATED, STYRENE BUTADIENE RUBBER JACKETED USER: MC MS SA REVIEWER: BS IS YD1	A 6145 CR 21-FEB-73	CR SH 17
MIL-P-3852C	PAIRS, BAKING AND ROASTING; CORROSION-RESISTING STEEL AND CARBON STEEL (NO S/S DOCUMENT) USER: 67 MC MS YD1 REVIEWER: MD	A 7330 GL 26-MAR-91	GL SA 84
MIL-P-3863	PACKAGING OF CHEMICALS, LIQUID (USE PPP-C-300) REVIEWER: SA YD1 .....	A 6800 SH 04-FEB-53	SH
MIL-G-3882A	GUNS, FLUID, DIRECT DELIVERY USER: 26 GL MC REVIEWER: SH .....	A 4930 MC 07-MAR-60	MC YD1 82
MIL-R-3907A	RESURFACER, COMMUTATOR USER: ME .....	A 4940 YD1 25-JAN-67	YD1 99
MIL-L-3921A(1)	LUBRICANT, MOLD, TIRE, SILICONE BASE EMULSION (S/S BY A-A-52443) REVIEWER: EA	A 2640 AT 24-MAR-93	AT
NOTICE 1	CALKING COMPOUND USER: GL SA YD1 .....	A 8030 MR 10-AUG-54	MR 69
MIL-C-3923	COMPRESSORS, RECIPROCATING, ROTARY AND DIAPHRAGM POWER DRIVEN, AIR, (PAINT SPRAY TYPE) (NO S/S DOCUMENT) USER: MC REVIEWER: B4 CE CS	A 4310 YD1 20-APR-93	YD1 99
MIL-C-3925H	SEALING COMPOUND, THREAD, POLYMERIZING ROOM TEMPERATURE (S/S BY MIL-S-46163 AND MIL-S-22473) USER: MC YD1 REVIEWER: EA IS	A 8030 MR 06-FEB-73	MR OS
NOTICE 1	BUSSES, MOTOR, BODY-ON-CHASSIS, 4X2 REVIEWER: EL MC .....	A 2310 MD 28-DEC-54	MD YD1 87
MIL-B-3940	NONFERROUS PRODUCTS (OTHER THAN ALUMINUM, MAGNESIUM, COPPER, OR THEIR ALLOYS), PACKAGING AND PACKING OF (NO S/S DOCUMENT) USER: SH YD1 REVIEWER: AR AS IS MR OS SH	A PACK ME 09-JAN-90	ME SA 99
MIL-H-3944D	GREASE GUNS, HAND, PUSH OPERATED (USE MIL-G-3859) USER: AT CS WC REVIEWER: AS OS YD1	A 4930 ME 22-OCT-65	ME 82
MIL-G-3957A	STRAP, RETAINING (USE FF-S-760) USER: 26 YD1 REVIEWER: MI .....	A 5340 WC 21-DEC-61	WC WP 69
MIL-S-3960A	BOLTS & NUTS, TRACK (USE ANSI B18.10 REVIEWER: IS SA .....	A 5306 YD1 12-JUL-84	ME YD1 99
MIL-B-3964A	CLOTH, COTTON DUCK, COTTON WARP AND RAYON FILLING (ARMY AND NUMBERED) USER: YD1 REVIEWER: 11 67 BS CT MD	A 8305 GL 21-JUN-62	GL SA 82
MIL-C-3966A	BRUSH, CLEANING, PIPE AND FAUCET (USE H-B-001138) USER: 26 MC YD1 REVIEWER: MC	A 7920 GL 28-SEP-56	GL SA 84
MIL-B-3978	BOXES, TOOL, MACHINISTS (S/S BY FED SPEC GGG-T-555) USER: 26 GL YD1 .....	A 5140 SH 23-OCT-56	WC 69
MIL-B-3980	BOX, TOOL, MECHANICS (USE GGG-T-558) USER: 26 GL MC YD1 .....	A 5140 SH 11-APR-58	WC 69
MIL-H-3981(1)	HARDWARE (FASTENERS AND RELATED ITEMS), PACKAGING AND PACKING FOR SHIPMENT AND STORAGE OF (USE PPP-H-1581) USER: EC MC REVIEWER: AS AT AV IS ME MI SA SH YD1	A PACK WC 06-MAY-69	WC OS 82
MIL-H-3982C(1)	TAPE, ASBESTOS (USE H4-T-1782) REVIEWER: GL MI MR .....	A 5640 ME 01-APR-74	ME YD1 84
MIL-T-4117A(1)	STEEL SHEET AND STRIP, FLAT, ALUMINUM COATED LOW CARBON (S/S BY SAE-A45036 AND ASTM-A463-B5) USER: AT ME REVIEWER: IS MI YD1	A 9515 11 25-AUG-89	NR AS 11
MIL-S-4174B	NOZZLE, FUEL AND OIL SERVICING (USE MIL-W-26978) USER: GL MC REVIEWER: SH YD1	A 4930 82 13-NOV-59	WC AS 82
NOTICE 3	FASTENER, METAL, NUT-SLEEVE ASSEMBLY REVIEWER: IS .....	A 5325 82 19-MAR-64	GL YD1 82
MIL-F-4209B	GREASE GUN, HAND, HIGH PRESSURE (USE MIL-G-3805) USER: GL MC REVIEWER: SH	A 4930 82 29-MAY-56	WC YD1 82
MIL-G-4237B	HOSE, RUBBER, OIL SUCTION, WIRE REINFORCED (USE MIL-H-4441) REVIEWER: YD1 .	A 4720 11 21-JUL-53	MD 11
MIL-H-4443A	MICROFILMING REQUIREMENTS FOR ENGINEERING DRAWINGS AND ASSOCIATED DATA (S/S BY MIL-H-8857)ASG( USER: BO REVIEWER: 83	A GPG7 10 16-AUG-56	10
MIL-H-4488A	FINGERS, MECHANICAL AND RETIEVING TOOL, MAGNETIC (USE GGG-F-3808) USER: YD1 REVIEWER: GL	A 5120 SH 22-AUG-56	WC 69



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adm Op / Cdr Coordination Indicate	Document Number	Document Title	Dist. Smt PCC / Issue	NCA Symbol Preparing Act	Date	Custodian Army Navy Air Force DLA
L	MIL-T-45888 MIL-P-4672E(1) NOTICE 1 MIL-P-4745C MIL-M-4803D	TESTER, HEADLIGHT BEAM, PORTABLE ..... PAPER, PHOTOGRAPHIC, BLACK AND WHITE, SENSITIZED (NO S/S DOCUMENT) REVIEWER: GS PLATE, MARKING, BLANK USER: MI .....	A 4910 A 6750	YD1 70	13-DEC-67 24-FEB-93	YD1 ER AS 99
L	MIL-D-4806C(1) MIL-D-4825A(1) MIL-D-4826C(1) NOTICE 2 MIL-D-4827D(4) NOTICE 2 MIL-S-4880G NOTICE 1	MOTOR-GENERATOR, 400 HZ PRECISE OUTPUT GENERAL REQUIREMENTS FOR (FUTURE PROCUREMENT, SEE MIL-5-87233) REVIEWER: 99 AV DISTRIBUTION BOX, RUNWAY LIGHTING, 5000 VOLT 20 AMPERE, TYPE M&I USER: AV REVIEWER: GS YD1 DEVELOPER, PHOTOGRAPHIC, MEDIUM CONTRAST, ARMED FORCES DEVELOPER NO. 2 (USE MIL-D-4824D) USER: AV MI YD1 REVIEWER: 11 MC DEVELOPER, PHOTOGRAPHIC, LOW CONTRAST ARMED FORCES DEVELOPER NO. 3 (NO S/S DOCUMENT) USER: AV MI SH REVIEWER: MC DEVELOPER, PHOTOGRAPHIC, PAPER, ARMED FORCES DEVELOPER NO. 25 (NO S/S DOCUMENT) REVIEWER: GS SWEEPER, MAGNET, SELF-PROPELLED (NO S/S DOCUMENT) .....	A 6110 A 6750 A 6750 A 6750 A 6750 A 3825	80 70 70 70 70 YD1	06-JUL-84 12-JUL-67 24-FEB-93 24-FEB-93 26-MAR-93	ME AS 99 EL AS 70 ER AS 99 99 ME YD1
QL	MIL-C-4921A(4) MIL-P-4971A(1) NOTICE 1 MIL-I-5133C(2) NOTICE 1 MIL-F-5182B MIL-C-5191B(4) NOTICE 2 MIL-A-5433B	CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING (ASG) REVIEWER: 11 IS MI YD1 ... PANEL, CONTROL TRANSFER, AIRFIELD LIGHTING, TYPE MB-1 (NO S/S DOCUMENT) REVIEWER: 11 GS YD1 INDICATOR, ATTITUDE, TYPE J-B (NO S/S DOCUMENT) .....	A 6145 A 6210	AS AS	14-JUL-67 01-OCT-92	AS AS 99
L	MIL-F-5182B MIL-C-5191B(4) NOTICE 2 MIL-A-5433B	FILLER AND BLEEDER, HYDRAULIC SYSTEMS, TYPE C-1 REVIEWER: AS YD1 .....	A 4910 A 6610	82 71	06-DEC-54 15-AUG-92	MC AS 99
	MIL-P-5466	ADHESIVE, APPLICATION OF ROOM-TEMPERATURE AND INTERMEDIATE-TEMPERATURE-SETTING RESIN (PHENOL, RESORCINOL, AND MELAMINE BASE) USER: AT MC OS YD1 REVIEWER: AR GL IS MD PLATES, LOCATION AND ATTACHMENT OF IDENTIFICATION AND MODIFICATION (S/S BY MIL&B6651)	A		04-JAN-60	10
QL	MIL-G-5678C(1) NOTICE 2 MIL-K-6046A(1) MIL-C-6166C NOTICE 1 MIL-R-6365B(1)	GAGE, PRESSURE, DIAL INDICATING, MANIFOLD PRESSURE (NO S/S DOCUMENT) .....	A 6620	AS	30-SEP-92	AS
Q	MIL-K-6046A(1) MIL-C-6166C NOTICE 1 MIL-R-6365B(1)	KEYER, BEACON LIGHT, CODE AND PERIODIC, TYPE D-1 REVIEWER: GS YD1 .....	A 6210 A 5995	82 AS	15-JAN-62 15-JAN-93	AS 99 CR AS 85
L	MIL-M-6874 NOTICE 5 MIL-P-6883A	CORD, HEADSET-MICROPHONE, CX-1301/AR (NO S/S DOCUMENT) USER: MI REVIEWER: 99 GS REGULATOR, CONSTANT CURRENT, RUNWAY LIGHTING, 240V PRIMARY 40M, TYPE C-1 REVIEWER: GS YD1 METAL SPRAYING, PROCESS FOR (NO S/S DOCUMENT) .....	A 6110 A MFFP	80 AS	02-OCT-85 15-JAN-93	ME AS 99 AS
Q	MIL-T-7333A NOTICE 2 MIL-D-7388C(1)	PAINT, BLENDED-TYPE, COAL-TAR-PITCH BASE, BITUMINOUS USER: 26 SH REVIEWER: AR YD1 TRAILER, GENERATOR, SET, 4-WHEEL, 2-WHEEL STEERABLE, TYPE D-1 (SUPERSEDED BY MIL-C-46722) USER: GL REVIEWER: 26 BO EL YD1 DISPENSING PUMP, HAND DRIVEN, TYPE D-16A (PUMP, FUEL TRANSFER, HAND OPERATED, TYPE D-16A) (USE XX-D-385C) USER: CS SA REVIEWER: MC CHROMIUM PLATING, POROUS CHANNEL TYPE, AIRCRAFT ENGINE CYLINDERS, GENERAL SPECIFICATIONS FOR (NO S/S DOCUMENT) FLUX, WELDING, CORROSION AND HEAT RESISTANT ALLOY USER: B4 AT EL OS YD1 REVIEWER: GL PHOTOGRAPHS, SUPPLY CATALOG AND IDENTIFICATION, GENERAL SPECIFICATION FOR (S/S BY MIL&B5474)	A 8010 A 2330 A 4930 A 95GP A 3439 A 7610	AS AT ME 82 AS 10-SEP-60	31-DEC-64 05-MAR-53 02-NOV-66 19-MAR-93 26-JAN-61	MR AS 84 MO WP 84 ME YD1 99 MC AS 11
L	MIL-C-7460A NOTICE 1 MIL-F-7516B	RADIAC SET, WRAP AROUND COUNTER, TYPE A&2 REVIEWER: YD1 .....	A 6665	EL	05-JAN-55	EL 82
L	MIL-R-7568A MIL-Q-7640A MIL-R-7751A MIL-G-7817(1) NOTICE 3 MIL-H-7938A NOTICE 2 MIL-P-8296B MIL-I-8404A(1) NOTICE 1 MIL-F-8508A	QUALITY CONTROL OF CHEMICALS ..... REMOVER, PAINT AND VARNISH (SILICATE TYPE) USER: YD1 REVIEWER: MR SA ..... GAGE, FUEL QUANTITY, CAPACITOR TYPE, UNCOMPENSATED, GENERAL SPECIFICATION FOR (S/S BY MIL-G-2698B) MOSE, RUBBER, FLAME-RESISTANT (NO S/S DOCUMENT) USER: AT REVIEWER: CS .....	A 6800 A 8010 A 6680	AF AS AS	08-MAY-51 25-SEP-58 30-SEP-92	10 AS 99 AV AS
L	MIL-P-7520A MIL-R-7568A MIL-Q-7640A MIL-R-7751A MIL-G-7817(1) NOTICE 3 MIL-H-7938A NOTICE 2 MIL-P-8296B MIL-I-8404A(1) NOTICE 1 MIL-F-8508A	PLYWOOD, OVERLAID REVIEWER: 26 EL GL MR YD1 .....	A 4720	82	28-DEC-92	AS 99
L	MIL-I-8404A(1) NOTICE 1 MIL-F-8508A	INDICATOR, PRESSURE, SINGLE, 0 TO 35 PSI FUEL PRESSURE TYPE C-33 (NO S/S DOCUMENT) REVIEWER: 71 FILTER-SEPARATORS, AVIATION AND MOTOR FUEL, NONAIRBORNE, GENERAL SPECIFICATION FOR PERFORMANCE AND TEST METHODS (USE MIL-F-8901) REVIEWER: SH DRAWINGS AND DATA LISTS, PREPARATION OF FOR SPECIAL SUPPORT EQUIPMENT (FOR AERONAUTICAL AND ASSOCIATED EQUIPMENT) (S/S BY MIL&B70327) REVIEWER: 26 MC INSTALLATIONS: AIRCRAFT ARMOR (NO S/S DOCUMENT) .....	A 5530 A 6620 A 2940	69 AS YD1	01-JUN-56 30-SEP-92 14-MAR-61	MO SH 69 AS GL YD1 11
Q	MIL-D-8513 MIL-I-8675 NOTICE 2 MIL-M-8729B MIL-G-8798(2) NOTICE 2 MIL-M-8857(1) MIL-F-8953(1) MIL-D-9063B(1) NOTICE 1 MIL-R-9673B(2) MIL-M-9852 MIL-P-9855A MIL-B-9862 MIL-D-9863 MIL-M-9866 MIL-S-9867A MIL-F-9882B MIL-F-9892C(2) MIL-C-9940A NOTICE 1 MIL-G-9942B MIL-I-9966C MIL-R-9975 NOTICE 1 MIL-P-10040B MIL-U-10048A(4)	FILTER, COLORED, AIRPORT MARKER LIGHT GENERAL SPECIFICATION FOR REVIEWER: GS YD1 DESEALANT, INTEGRAL FUEL AND OIL TANKS (S/S BY MIL-R-81294) REVIEWER: 99 .. RADIATION LIMITS, MICROWAVE AND X-RADIATION GENERATED BY GROUND ELECTRONIC EQUIPMENT (AS RELATED TO PERSONNEL SAFETY) USER: EC REVIEWER: 71 82 MI MASTER NEGATIVE MICROFILM ON SILVER HALIDE PRINT FILM, (REPRODUCTION THEREOF) (USE MIL-M-9868) PRESCREENING DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS (USE MIL-S-38711 OR MIL-P-84000) USER: 83 REVIEWER: 80 BINDER, LOOSE LEAF, FABRIC HINGE, FIVE RING .....	A 4920 A 9340 A MISC A 6680 A 7670 A 6210 A 8030 A 6665 A 7670 A 7610 A MISC A MISC A EDMS A MISC A MISC A MISC A 4940 A 6685 A 4540 A 3655	03-JUN-60 AS 10 10 11 82 AS 10 15-SEP-61 11-FEB-59 29-AUG-60 10 10 10 16 10 10 18-JUL-73 15-MAR-91 GL 84 82	AS 17-AUG-92 21-JUN-65 30-SEP-92 03-APR-59 21-SEP-83 04-SEP-92 15-SEP-61 11-FEB-59 29-AUG-60 21-SEP-60 21-SEP-60 01-SEP-74 13-MAR-61 28-FEB-71 18-JUL-73 15-MAR-91 GL YD1 YD1 99 99	
L	MIL-I-9966C MIL-R-9975 NOTICE 1 MIL-P-10040B MIL-U-10048A(4)	RECHARGING UNIT, CARBON DIOXIDE, PUMPING METHOD (NO S/S DOCUMENT) .....	A 2330	GL	10-FEB-60	MO YD1 87
L	MIL-U-10048A(4)	PREPARATION FOR DELIVERY OR EXTENDED STORAGE OF SEMI-TRAILERS, 2-WHEEL, 7-1/2 AND 10-TON REFRIGERATOR (FOR OVERSEAS SHIPMENT AND EXTENDED STORAGE) REVIEWER: MC UNIT, FIRE, SIMPLIFIED, CONVERTED TYPE (FOR RANGE, FIELD, M-1937) (USE MIL-B-40098) REVIEWER: 45 85 GS MC MD	A 7310	GL	10-AUG-67	GL YD1 84



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Item CPL / OMA Contribution Income	Document Number	Document Title	Doc. Smt. FAC / Area	MCJ Symbol Proposed Act.	Date	Army	Navy	AF Force	Custodian DLA
	MIL-T-10086H	TANKS, LIQUID STORAGE, METAL: VERTICAL, BOLTED (NO S/S DOCUMENT) USER: MC	A 5430	ME	29-NOV-90	ME	YD1		
	NOTICE 1	REVIEWER: MD							
L	MIL-R-10087B	REPAIR KIT, GAS MASK, M3 USER: MC MI YD1 REVIEWER: AR	A 4240	EA	2F-AUG-53	EA			
	MIL-F-10089G(3)	FURNITURE, COMPOSITE METAL AND WOOD REVIEWER: MD	A 7105	GL	04-AUG-71	GL	YD1	99	
	MIL-T-10082A	TABLE, QUARTERS, KITCHEN, METAL, ENAMEL TOP (USE MIL-T-40112) USER: YD1	A 7105	BA	15-NOV-52	GL		84	
	MIL-B-10154/1A	BATTERY, PRIMARY, WATER-ACTIVATED (DUNK-TYPE), BA-253/U (USE MIL-B-10154)	A 6135	SH	01-JAN-63	EL		88	
	USER: AR MC MS YD1 REVIEWER: 13								
	MIL-B-10154/2	BATTERY, PRIMARY, WATER-ACTIVATED (DUNK-TYPE), BA-259/AM (USE MIL-B-10154)	A 6135	SH	01-JAN-63	EL		88	
	USER: AR MC MS YD1 REVIEWER: 13								
L	MIL-C-10173B	CHAMBER, CABLE TERMINAL (TELEPHONE) USER: MC YD1	A 5805	BO	26-MAY-70			80	
	MIL-Q-10194D	Q-METER TS-617( )/U (NO S/S DOCUMENT) REVIEWER: AT AV CR ME MI	A 6625	BE	25-OCT-92		SH	99	
	NOTICE 1								
	MIL-T-10204B(1)	TRUCK, 3/4 TON, 4 X 4, M37B1 SERIES USER: YD1 REVIEWER: EL	A 2320	AT	14-MAY-68	AT	MC	99	
	MIL-M-10225B	MOTOR-DRIVEN BLOWER AND SEPARATE HOOD (USE FLD-SPEC- S-F-571) REVIEWER: GS	A 3424	ME	22-MAY-58	ME	YD1	84	
	MC								
	MIL-H-10249B(1)	HEATER, IMMERSION (SUPERSEDES MIL-H-1097A) REVIEWER: CS MC YD1	A 4540	EL	01-JUN-64	EL	AS	84	
	MIL-B-10255A	BRIDLE RINGS 1 -73, PF-74, PF-75 AND PF-76 USER: AR MC	A 5975	EL	18-JUN-51	EL	YD1	88	
	MIL-R-10265D(1)	REGULATOR, ENGINE GENERATOR: 28 VOLT, DIRECT CURRENT, VIBRATING TYPE USER:	A 2920	AT	09-SEP-87	AT	YD1		
	MC REVIEWER: CS EA ME								
	MIL-C-10266A(1)	CABLE ASSEMBLY, POWER, ELECTRICAL, (2-CONDUCTOR, NO. 10 AWG, 50 FOOT, WITH	A 5995	ME	01-SEP-54	ME	YD1		
	CONNECTORS) (USE MIL-C-52286) REVIEWER: AV EL GS								
	MIL-D-10271H	DRILLING MACHINE, WELL, ROTARY: 1,500-FOOT (NO S/S DOCUMENT) USER: MC	A 3820	ME	11-OCT-90	ME	YD1		
	REVIEWER: AT								
	MIL-A-10298A(1)	ADAPTER, POWER CABLE, 2-CONDUCTOR USER: EL REVIEWER: AR ES	A 5935	ME	20-FEB-56	ME	YD1		
	MIL-P-10310A	PACKAGING OF INSPECTION GAGES (USE MIL-G-10944) USER: MC YD1 REVIEWER: EL	A 5220	AR	14-APR-54	AR	SA		
	MI SH								
	MIL-C-10316C	CLOTH, ASBESTOS (S/S BY SS-C-1783) USER: MC	A 5640	ME	07-SEP-72	ME	YD1	84	
	MIL-S-10333A	SET, GAS, TOXIC, MI USER: YD1 REVIEWER: BE AS OS	A 6665	EA	27-MAY-53	EA	MS		
	MIL-T-10357E	TEST SET, DISTRIBUTION CAM DWELL AND ENGINE RPM (USE MIL-T-4556B) USER: CS	A 4910	AL	03-SEP-63	MC	YD1	82	
	EL REVIEWER: SH								
	MIL-S-10379A(1)	SUPPRESSION, RADIO INTERFERENCE, GENERAL REQUIREMENTS FOR VEHICLES (AND	A 2920	EL	23-JUL-52	EL	YD1		
	NOTICE 3	VEHICULAR SUBASSEMBLIES) (SEE MIL-STD-461) USER: AR GL MC							
	MIL-P-10406G	PUMPS, AUTOMOTIVE FUEL DISPENSING, (SERVICE STATION) (S/S BY ULB7 AND MBS	A 4930	ME	03-SEP-92	ME	YD1		
	NOTICE 1	MOBK 44) USER: CE MC REVIEWER: CS							
	MIL-R-10409A	REEL, CABLE (STIEL) REVIEWER: GS MC	A 8130	EL	27-JUN-51	EL	YD1		
	MIL-V-10411C	VALVES, COUPLING (2 1/2 - AND 4-INCH I.P.S.)	A 4820	MO	17-MAY-52	MO	YD1	69	
	MIL-W-10434C	WINDOW, OBSERVATION (SEE MIL-B-22191) USER: ER MC YD1 REVIEWER: GS OS	A 9330	AS	06-MAY-68	AS	99		
	MIL-D-10454A	DIAPHANEOUS EARTH (FOR USE IN CHEMICAL MANUFACTURE) (S/S BY MIL-D 20550A)	A 9390	EA	28-MAY-51	EA	YD1		
	USER: MR REVIEWER: SH								
	MIL-B-10456A	BENTONITE (WYOMING-TYPE) REVIEWER: MR	A 9390	EA	03-SEP-52	EA	YD1		
	MIL-R-10497A(1)	RAILWAY CAR, TANK, ACETIC ANHYDRIDE, AAR-201A35-W, 56 1/2-INCH GAGE,	A 2220	MO	18-JUN-54	MO	YD1	87	
	8,000-GALLON, 8-WHEEL, DOMESTIC SERVICE USER: 26 REVIEWER: GL								
	MIL-F-10507A(2)	FLOODLIGHTING EQUIPMENT, SET NO. 2 CONSTRUCTION, PORTABLE USER: GL	A 6230	ME	02-NOV-53	ME	YD1		
	REVIEWER: GS MC								
	MIL-T-10570A	TRAILER, CARGO, 3/4 TON, 2W, M101 TRAILER, CHASSIS, 3/4 TON, 2W, XM116	A 2330	WP	24-OCT-52	MO		84	
	(USE MIL-T-10579 AND MIL-C-45150) USER: EL GL YD1 REVIEWER: MC								
L	MIL-D-10573B	Duplicating Machine, SPIRIT PROCESS (MAP REPRODUCTION, HAND OPERATED,	A 3610	MO	20-JUN-60	MO			
	22-1/2 BY 29-INCH, WITH CHEST) USER: EL MC YD1 REVIEWER: 69 GL								
	MIL-R-10651E(1)	RAILWAY MOTOR CARS, MAINTENANCE 36-, 39-3/8-, 42-, 56-1/2-, 60-, 63-, & 66	A 2230	ME	30-AUG-84	ME	YD1	99	
	INCH GAGES, 8-HAN, 4 WHEEL, DOMESTIC & FOREIGN SERVICE (S/S BY A-A-5021B)								
L	MIL-H-10661A	MASK, GAS, OPTICAL, LIGHTWEIGHT, M2-10A1-6 USER: MC MI YD1 REVIEWER: AR	A 4240	EA	27-MAY-53	EA			
L	MIL-H-10666A	MASK, GAS, SERVICE, LIGHTWEIGHT, M3-10A1-6 USER: MC MI YD1 REVIEWER: AR	A 4240	EA	07-AUG-51	EA			
	MIL-T-10695	TRUCK, BOLSTER-BODY, 21-1/2-TON, 6 X 6 USER: MC MI YD1 REVIEWER: AR	A 2320	YD1	09-JUN-50	MO	YD1	84	
	MIL-W-10700B	WIRE ROPE AND WIRE ROPE FITTINGS, PACKAGING OF (USE MIL-STD-163) USER: MC	A 3600	PA	06-DEC-61	ME	YD1	84	
	REVIEWER: AS 15 OS SA SH								
	MIL-H-10747F(1)	MATTRESS, PNEUMATIC (USE MIL-H-4396B) USER: GS REVIEWER: CT MD YD1	A 8465	GL	10-OCT-73	GL	SA	99	
	MIL-T-10748A	TOOL SET, REPAIR, GAS MASK, UNIVERSAL, MB USER: 26 GL MC REVIEWER: AR	A 5180	EA	05-OCT-53	EA	YD1	69	
L	MIL-S-10773C	SHOE, SAFETY, OIL-RESISTANT SOLE, MILDEW RESISTANT (USE MIL-S-41821) USER:	A 8430	GL	31-DEC-59	GL			
	YD1 REVIEWER: 11 CT								
	MIL-P-10813E	PLANETABLES, SURVEYING, WITH TRIPOD AND CARRYING CASE (USE A-A-52001 FOR	A 6675	ME	01-APR-87	ME	YD1	99	
	PROCUREMENT USER: GS MC REVIEWER: GS								
	MIL-F-10814A	FUNNELS, WITH AND WITHOUT STRAINERS USER: 26 MC MC REVIEWER: MS	A 7240	GL	05-FEB-53	GL	YD1	69	
	MIL-C-10820B	CABLE, TELEPHONE (M-108-B) USER: AR MC	A 6145	EL	12-JUN-58	EL	YD1	17	
	MIL-W-10828D	WEBBING, TEXTILE, WOVEN, LOW FLOURATION (S/S BY MIL-W-43638) USER: BE YD1	A 8305	GL	28-MAR-68	GL	SA	11	
	REVIEWER: 45 BE CT MC								
	MIL-C-10883C	COT, FOLDING, CANVAS USER: MC	A 7105	GL	31-DEC-59	GL	YD1		
	MIL-B-10890B	BATH UNIT, TRAILER MOUNTED, SKID TYPE, 24-SHOWERHEAD USER: 26	A 4510	GL	29-JUL-57	GL	YD1	69	
	MIL-S-10899C(1)	SEMITRAILERS, 12 TON, 4-WHEEL, M126A1, M127A1, M128A1, M129A1, M131A2,	A 2330	MO	24-OCT-61	MO	MC	84	
	M269A1 AND M270A1 USER: YD1								
	MIL-S-10900B	SEMITRAILER, CARGO, 6 TON, 2W, M118A1, SEMITRAILER, VAN, CARGO, 6 TON, 2W,	A 2330	MO	07-MAY-65	MO	YD1	84	
	M119A1, CHASSIS, SEMITRAILER, 6 TON, 2W, M117A1 (USE MIL-C-45314,								
	MIL-S-46733 AND MIL-62034)								
	MIL-C-10928F	CANDY AND CHOCOLATE CONFECTIONS (NO S/S DOCUMENT) REVIEWER: MC MD MS SS TS	A 8925	GL	22-APR-93	GL	SA	50	
	MIL-R-10931C	REFRIGERATOR, MECHANICAL, COMMERCIAL, REACH-IN, SELF-CONTAINED REVIEWER:	A 4110	GL	31-AUG-53	GL	YD1		
	69 EL MC								
L	MIL-B-10955/40C	BADGE, QUALIFICATION, AVIATION: AVIATOR/ASTRONAUT, ARMY (NO S/S DOCUMENT)	A 8455	1H	27-JUL-92	1H			
	NOTICE 1	REVIEWER: CT							
L	MIL-B-10955/41B	BADGE, QUALIFICATION, AVIATION, SENIOR AVIATOR/ASTRONAUT, ARMY (NO S/S	A 8455	1H	27-JUL-92	1H			
	DOCUMENT) REVIEWER: CT								
L	MIL-B-10955/42C	BADGE, QUALIFICATION, AVIATION, MASTER AVIATOR/ASTRONAUT, ARMY (NO S/S	A 8455	1H	27-JUL-92	1H			
	DOCUMENT) REVIEWER: CT								
	MIL-P-10963A	PACKAGING OF PUMPS, DIAPHRAGM TYPE, MANUALLY OPERATES, OVERSEAS SHIPMENT	A 436P	ME	08-AUG-51	ME	YD1		
	USER: MC REVIEWER: AR SA SH								
L	MIL-R-10985A	REEL, AUTOMATIC TAKE UP, EXTENSION CABLE, 24-VOLT, D.C. (NO S/S DOCUMENT)	A 6150	AR	10-SEP-92	AR			
	NOTICE 3								
	MIL-C-10993A(1)	CABLE, TELEPHONE (CABLE MC-251 AND MC-253, 19 AWG., BUNA S INSULATED, LEAD	A 6145	EL	02-JAN-58	EL	YD1	80	
	COVERED AND ARMORED) (USE J-C-112) USER: AR MC REVIEWER: BE								
	MIL-H-11049F	HEATER, DUCT TYPE, PORTABLE, GASOLINE 250,000 BTU/H USER: MC REVIEWER: CS	A 4520	ME	10-MAY-83	ME	YD1	99	
	GL MD MS								
	MIL-T-11061B	TRAILER, CARGO (K-38-)( ) USER: GL REVIEWER: MC	A 2330	EL	01-JUL-55	EL	YD1	87	
	MIL-S-11070B	SULFUR STICK (AMMONIA LEAK DETECTOR) USER: 26 REVIEWER: AR	A 6665	ME	31-MAR-58	ME	YD1	82	
	MIL-C-11085D	CONVEYOR, BELT: (FLAT, SKID-MOUNTED, ELECTRIC-MOTOR-DRIVEN, 24-INCH-WIDE	A 3910	ME	11-FEB-92	ME	SA	84	
	NOTICE 1	BELT, 50-FOOT-LONG FRAME; CAPACITY, 25 POUNDS PER FOOT, 75 TONS PER HOUR)							
	(NO S/S DOCUMENT) USER: MC SH YD1 REVIEWER: CS								
	MIL-S-11086D	STRAP, HOSE AND LADDER (S/S BY A-A-50228) USER: AS SA REVIEWER: CS YD1	A 4210	ME	08-JUL-87	ME		99	
	MIL-C-11097B	CABLE, TELEPHONE (W-50-A) (NO S/S DOCUMENT) USER: MC MI REVIEWER: IS SA	A 6145	CR	16-JUL-91	CR	YD1	85	
	NOTICE 1								
L	MIL-G-11127B(1)	GENERATOR, HYDROGEN (HYDROGEN GENERATOR ML-303( )/TH) (NO S/S DOCUMENT)	A 3655	ER	26-MAR-93	ER			
	NOTICE 1								
	MIL-V-11152B(1)	VALVE, WATER MIXING, HAND OPERATED, THERMOSTATIC, TEMPERATURE-REGULATING	A 4510	ME	21-FEB-68	ME	YD1	84	
	(USE W-V-541/7) REVIEWER: CS								
	MIL-B-0011180E	BATTERIES, STORAGE, LEAD ACID	A 6140	AT	28-JUN-83	AT	YD1	99	
L	MIL-V-11201E	VALVES, SAFETY RELIEF, ANGLE, BRASS OR BRONZE, EXTRA HEAVY, FOR GASOLINE	A 4820	ME	08-JAN-90	ME			
	SERVICE (NO S/S DOCUMENT) USER: AT CE MC YD1 REVIEWER: CS								



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Index Chg / Canceled Inches Document Number	Document Title	Dkt. Smt. FSC / Ams MCA Symbol	Preparing Date	Custodians			
				Army	Navy	AF Force	DLA
MIL-H-112198	HEATER, SPACE, NON-ELECTRIC (MAGAZINE TYPE, COAL-FIRED, 50,000 BTU PER HOUR)	A 4520	ME 03-JUN-58	ME	YD1	84	
MIL-A-112260(1)	APRON, CONSTRUCTION WORKER S (USE FED SPEC DDD-A-1466A) USER: CE REVIEWER: BS CT ND SA	A 8415	GL 07-MAR-68	GL	YD1	82	
MIL-B-112318	BAG, WATER CARRYING, 2-GALLON, CANVAS REVIEWER: CT	A 8465	GL 21-APR-61	GL	YD1	67	
MIL-S-112568	SCALE, PLOTTING, TRIANGULAR, BOXWOOD, 12-INCH-LENGTH, GENERAL PURPOSE (USE GG-S-161/7) REVIEWER: AR GL MC	A 6675	MD 26-JUL-60	MD	YD1	67	
MIL-C-112600	CLAMP, HANDLE, STEEL TAPE (S/S BY A-A-52010) USER: GL MC REVIEWER: AR	A 5210	ME 12-JUN-92	ME	YD1	99	
NOTICE 3							
MIL-H-11270A	HEATER CONVERSION UNIT, COAL OR OIL BURNING, SPACE HEATING, FOR 55-GALLON DRUM	A 4520	27-JAN-53	MD	YD1		
Q MIL-E-11275E	ENGINE, GASOLINE, INDUSTRIAL TYPE, GENERAL SPECIFICATION FOR USER: AS AT MC SS REVIEWER: AV CS EA EL	A 2805	ME 09-DEC-70	ME	YD1	99	
Q MIL-E-11276D	ENGINE, DIESEL, INDUSTRIAL, MEDIUM-AND HIGH-SPEED, GENERAL SPECIFICATION FOR USER: MC REVIEWER: AT CS	A 2815	ME 01-JUN-71	ME	YD1	99	
MIL-E-11278B(1)	ENGINE, GASOLINE OR DIESEL, INDUSTRIAL TYPE, METHODS OF TEST USER: GL MC SA REVIEWER: EL	A 2805	MD 17-APR-59	MD	YD1	82	
MIL-M-11282C	NUMBERING KIT (LAUNDRY MARKING PINS) REVIEWER: GS MC	A 3510	GL 16-MAR-73	GL	YD1	45	
MIL-U-11307D(2)	URN, COFFEE, TWIN, STEAM-, GAS-, OR ELECTRIC, WITH STAND (USE MIL-U-43263) USER: OS REVIEWER: CE GS MC ND MS	A 7310	GL 22-SEP-66	GL	YD1	84	
MIL-M-11383A	MAT, LANDING (STEEL, WELDED WIRE FABRIC TYPE, 87-INCH BY 77-FEET, 3-FOOT ROLL)	A 5680	MD 31-JUL-52	MD	YD1	11	
MIL-W-11421B	WATER PURIFICATION EQUIPMENT SET, DIATOMITE FILTER, 3000 GAL PER HR, SET 4, PACKAGING OF USER: 26 MC	A 4610	MD 13-AUG-58	MD	YD1	69	
MIL-R-11461C(2)	MOD. GROUND (WITH ATTACHMENTS) (USE W-R-550A) REVIEWER: BS EA MI	A 5975	ME 12-JUL-63	ME	YD1	88	
MIL-M-11495C	METER, DETERGENT CONCENTRATION FOR DISH WASHING MACHINE USER: CE MS REVIEWER: GS MD	A 6680	GL 05-MAR-86	GL	YD1		
MIL-K-11509	KIT, CABLE REPAIR, WITH VULCANIZER	A 4940	MD 15-MAY-51	MD	YD1	82	
L MIL-S-11515A	SEALING TAPE, WOOD-TO-METAL AND METAL-TO-METAL SURFACES, ASPHALT BASE, COTTON BACKED, WATERPROOF USER: SA YD1 REVIEWER: MR	A 8030	MD 15-JUL-52	MD			
MIL-I-11519C(2)	INTRENCHING TOOL, HAND (USE MIL-I-43684) USER: YD1 REVIEWER: BS	A 5120	GL 14-JAN-66	GL	MC	84	
MIL-C-11569D	CLAMPS, HOSE, WATER, UNIVERSAL 3/8- TO 1-INCH AND 1- TO 3-INCH (S/S BY SAE-J536 OR MW-C-440) USER: AR REVIEWER: CS	A 4730	ME 10-JUN-92	ME		99	
NOTICE 2							
MIL-M-11571C	MANIFOLD, CYLINDER CHARGING, HYDROGEN GAS REVIEWER: GS	A 8120	ME 20-MAR-69	ME	YD1		
MIL-R-11572D	ROLLER, TOWED, PNEUMATIC-TIRED, AIRBORNE USER: CE MC	A 3895	ME 13-OCT-87	ME	YD1		
MIL-S-11578D	SHAKING MACHINE, TESTING SIEVE, LABORATORY, PORTABLE, HAND OPERATED, CAPACITY 6 FULL HEIGHT OR 13 HALF HEIGHT 8 INCH STANDARD SIEVES USER: GL REVIEWER: GS	A 6635	ME 20-JUN-88	ME	YD1	99	
MIL-F-11584A	FORMING MACHINE, INSULATION, HAND-OPERATED, CAPACITY 8-INCH WIDE	A 4210	YD1 01-MAR-52	MD	YD1	84	
MIL-H-11665D	HOOK, CHOKER, FOR FERRULED WIRE ROPE (NO S/S DOCUMENT) REVIEWER: SA	A 4030	ME 07-OCT-91	ME	YD1		
NOTICE 1							
MIL-T-11674F	TRIPOD, SURVEYING, FOR RANGE POLE (S/S BY A-A-52049) USER: MC REVIEWER: GS	A 6675	ME 16-JAN-92	ME	YD1		
Q MIL-I-11683A	INTERFERENCE SUPPRESSION, RADIO, REQUIREMENTS FOR ENGINE GENERATORS AND MISCELLANEOUS ENGINES (SUPERSEDES 783004 AND 7183214) USER: AR REVIEWER: MC MI YD1	A 5895	WP 19-JAN-53	WP	11		
MIL-G-11711B	GAGE, PRESSURE, DIAL INDICATING, WITH METAL CASE, 2 1/2 INCH DIAL, FOR CHLORO-FLUORO HYDROCARBON GASES (S/S BY GG-G-76) REVIEWER: GL SH	A 6685	MD 02-MAR-61	MD	YD1	67	
MIL-F-11714A	FLOODLIGHTS, ELECTRICAL, CIRCULAR, UTILITY TYPE, PROOF, WITH OR WITHOUT LENS USER: GL REVIEWER: MC	A 6230	MD 23-JUN-54	MD	YD1		
L MIL-B-11722B	BROMOPHENOL BLUE SOLUTION; INDICATOR, 3.0 TO 4.6 PH RANGE (NO S/S DOCUMENT)	A 6810	ME 12-AUG-92	ME			
NOTICE 1							
MIL-C-11728A	COMPOUND, CORROSION-INHIBITING AND LUBRICATING, FOR GAS CYLINDER CAP THREADS USER: YD1 REVIEWER: AR MR MS	A 8030	MD 06-FEB-61	MD	SH		
MIL-E-11735B	EXTINGUISHER, FIRE, FOAM, CHEMICAL, HAND PORTABLE, 2-1/2 GALLON (USE O-E-925A USER: EL MC REVIEWER: GL	A 4210	MD 08-MAY-58	MD	YD1	84	
L MIL-C-11736A	ALIGNING TOOL, TREADWAY (NO SUPERSEDING DOCUMENT) USER: YD1 REVIEWER: GL	A 5120	MD 24-JUL-52	MD			
Q MIL-S-11744A	SPEEDOMETER-TACHOMETER, ELECTRIC, WATERPROOF (USE MIL-S-10215) USER: MC	A 6680	MD 01-JAN-60	MD	YD1	11	
MIL-C-11760D	CLAMPS, HOSE, PNEUMATIC, FOR UNIVERSAL COUPLINGS (S/S BY SAE-J536) USER: AT CE MC MI REVIEWER: AR CS	A 4730	ME 25-JUN-91	ME	YD1	99	
NOTICE 1							
MIL-T-11799A	TRESTLE, 60-TON, FOR BRIDGE, FLOATING PNEUMATIC FLOAT, CLASS 60, STEEL SUPERSTRUCTURE USER: YD1	A 5420	MD 05-AUG-52	MD	MC		
MIL-C-11821A	CURTAIN, GASPROOF, MI USER: 26 MC MS REVIEWER: MI	A 4240	AR 13-JUL-53	AR	YD1	84	
MIL-R-11828B(1)	RAILWAY CAR, FLAT, 56&1/2 INCH GAGE, 100 TON, 12 WHEEL, DOMESTIC PASSENGER TRAIN SERVICE	A 2220	AR 04-MAR-63	AR	YD1	84	
L MIL-S-11846D	SUPPORT, OVERHEAD-BRACING, FOR PORTABLE PANEL BRIDGE (BAILEY-TYPE) (NO S/S DOCUMENT)	A 5420	ME 11-MAR-93	ME			
NOTICE 1							
MIL-P-11858D	PILING, SHEET STEEL; INTERLOCKING (S/S BY ASTM A328 USER: CE	A 9520	ME 17-NOV-83	ME	YD1	99	
MIL-B-11864A	BRIDGE-MODEL KIT, TRAINING AID, WIDENED STEEL TREADWAY BRIDGE USER: MC	A 6910	MD 03-SEP-52	MD	YD1		
MIL-I-11894A	INSTRUMENTS, DRAWING, IN SETS USER: AR EL REVIEWER: GL MC	A 6675	MD 24-MAR-53	MD	YD1	67	
MIL-R-11899E	ROTARY MOWER ATTACHMENTS, TRACTOR-MOUNTING, PTO DRIVEN USER: CE	A 3750	ME 04-APR-72	ME	YD1	99	
MIL-T-11966C(1)	TRUCK, FLATBED, 2 1/2 TON, 6 X 6, FOR PIPELINE CONSTRUCTION (USE MIL-T-46780)	A 2320	AT 09-AUG-62	AT	YD1		
MIL-S-11980B	SWEPEPS, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, RIDER-OPERATED (USE OO-S-872) USER: MC REVIEWER: 11 EL SH	A 3825	YD1 25-NOV-59	MD	YD1	84	
MIL-C-12013A	CONTAINER, DUAL, DANC SOLUTION REVIEWER: MI	A 4230	EA 29-APR-54	EA	YD1		
MIL-S-12034D	SAW, CIRCULAR, TABLE-TYPE; WOODWORKING, SKID-MOUNTED, GASOLINE-ENGINE-DRIVEN, 20-INCH BLADE (NO S/S DOCUMENT) REVIEWER: GS	A 3220	ME 16-AUG-90	ME	YD1		
MIL-C-12104B(1)	CYLINDER, COMPRESSED GAS, BROMOTRIFLUOROMETHANE (HALON 1301) USER: AR GL REVIEWER: SA MC	A 8120	MD 24-JAN-62	MD	YD1		
MIL-M-12110A	WATER SOFTENING UNIT, ZEOLITE-TYPE, GRAVITY FLOW	A 4610	MD 22-JAN-53	MD	YD1	69	
MIL-C-12122B	CLIMBER, TREE AND POLE, STEEL INTERCHANGEABLE GAFF W/WYLOX-NEOPRENE COATED ST (S/S BY RR-C-430A) REVIEWER: BA AR EL MC SA	A 4240	ME 22-AUG-62	ME	YD1		
L MIL-I-12123D	INSECT REPELLENT, CLOTHING APPLICATION (FORMULA M-1960) (NO S/S DOCUMENT) USER: MC MI MS YD1 REVIEWER: EA GS MD SH	A 6840	GL 21-DEC-89	GL			
MIL-O-12143C	OVEN, THERMALDRYING OILBURNING, COREBANKING USER: MC SH	A 4430	ME 30-AUG-72	ME	YD1	99	
MIL-M-12154A(1)	MOWER, PILE DRIVER, AIR-STEAM DRIVEN, 10,000 LB, SINGLE-ACTING	A 3895	MD 24-OCT-55	MD	YD1	87	
MIL-T-12171T(1)	TRUCK, COMMERCIAL, 5,000 TO 10,000 POUNDS GVW, 4X4 (S/S BY KKK-T-645) REVIEWER: EL MC	A 2320	AT 15-NOV-78	AT	YD1	99	
MIL-M-12200A	HOOK BLOCK, CRANE OR CRANE-SHOVEL (S/S BY FED SPEC GGG-B-485) USER: EL MC REVIEWER: AR MC	A 3940	MD 10-AUG-53	MD	YD1	87	
MIL-K-12215E	KITS, RE-ERECTION; FOR TANKS, LIQUID STORAGE, METAL; VERTICAL, BOLTED (NO S/S DOCUMENT) USER: CE SH REVIEWER: BZ MD	A 5430	ME 29-NOV-90	ME	YD1	99	
L MIL-T-12220C	TRESTLE, RAILWAY; STEEL UNIT, LIGHT STANDARD (L-TYPE) (NO S/S DOCUMENT) ..	A 5420	ME 02-NOV-92	ME			
NOTICE 1							
MIL-T-12229C	TRACTOR, FULL TRACKED, LOW SPEED DIESEL ENGINE DRIVEN (MODIFIED COMMERCIAL DESIGN) (USE KKK-T-631) REVIEWER: AT MC	A 2410	ME 30-JUN-65	ME	YD1	99	
MIL-T-12260B(1)	TANK, FABRIC, COLLAPSIBLE, 10,000 GALLON, PETROLEUM (USE MIL-T-52573) .....	A 5430	ME 04-MAR-66	ME	YD1	85	
Q MIL-R-12294A(2)	REMOVER, PAINT AND VARNISH (ALKALI-ORGANIC-SOLVENT TYPE) USE TT-R-243 USER: 26 REVIEWER: MR	A 8010	MD 30-DEC-55	MD	YD1		
MIL-C-12315A	CONNECTIONS, HOSE, FIRE AND WATER (USE MIL-C-52404) USER: MC REVIEWER: 11 GL	A 4210	MD 12-MAR-56	MD	YD1	84	
MIL-M-12336B	MAGNESITE, REFRACTORY, COIL-PATCHING AND COIL-LINING REVIEWER: BS MR	A 9350	YD1 22-AUG-61	GL	YD1	84	
L MIL-S-12348A	SUPPRESSION, RADIO INTERFERENCE GENERAL REQUIREMENTS FOR RAILWAY ROLLING STOCK, AND MAINTENANCE OF WAY EQUIPMENT (USE MIL-STD-461) REVIEWER: YD1	A MISC	EL 06-AUG-58	EL			



## NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Qty / Unit Coordination Inches	Document Number	Document Title	Dist. Cont. FSC / Ave	NAES Symbol	Preparing Act Date	Army	Navy	Air Force	Customs DCA
	MIL-P-12390E	PREFLUSHING MACHINE, DISH (S/S BY A-A-50187) USER: CE REVIEWER: 45 GS MD ..	A 7320	GL	11-FEB-91	GL	YD1	84	
	MIL-H-12456A(1)	HEATER, WATER, PORTABLE, MI .....	A 4520	EA	06-APR-55	EA	YD1		
	MIL-S-125058	STEEL, STRUCTURAL, HIGHSTRENGTH, LOWALLOY, SHAPES, PLATES, AND BARS FOR WELDED, RIVETED, AND BOLTED STRUCTURES USER: AR REVIEWER: EA IS MI	A 9520	MR	08-APR-70	MR	YD1	99	
	MIL-C-125938	CRANE, TRACTOR MOUNTING, REVOLVING, FOR CRANER TRACTORS REVIEWER: 11 EL ..	A 3830	ME	09-SEP-60	ME	YD1	84	
	MIL-D-12594F(2)	OVEN, BAKING AND ROASTING, DECK AND OVENS, BAKING, DECK, ELECTRIC USER: CE REVIEWER: GS MC MD SA	A 7310	GL	13-FEB-80	GL	YD1	99	
	MIL-S-12610D	SPOTLIGHT, 12-VOLT, DIRECT-CURRENT (NO S/S DOCUMENT) USER: ER SH REVIEWER: GS	A 6230	GL	20-JAN-93	GL		82	
	MIL-P-12620E	PUMP, CENTRIFUGAL: PETROLEUM-PIPELINE, DIESEL-ENGINE-DRIVEN, SKID-MOUNTED: 2-STAGE, 6-INCH, 500 GPM AT 555-FOOT HEAD TO 1,400-GPM AT 275-FOOT HEAD (NO S/S DOCUMENT) REVIEWER: 84	A 4320	ME	25-JUN-92	ME		99	
L	MIL-M-12624C(1)	MICROPHONE, RIBBON (MICROPHONE T-23()) (NO S/S DOCUMENT) .....	A 5895	CR	05-APR-93	CR			
	MIL-S-12651F	SPRAYERS, PACKAGING OF (NO S/S DOCUMENT) USER: MC REVIEWER: GS SM .....	A 3600	ME	09-JAN-90	ME	YD1	69	
	MIL-C-12678C	COMPRESSOR, ROTARY, POWER-DRIVEN, GASOLINE ENGINE, AIR USER: GL MC REVIEWER: 11 BS EL MC	A 4310	ME	16-NOV-62	ME	YD1	84	
	MIL-M-12740B	MINIFIELD MARKING SET, PACKAGING OF USER: GL MC SM YD1 .....	A 9905	ME	25-JUN-86	ME		99	
	MIL-P-12742C(2)	PRIMER COATING: PHENOLIC, WATER IMPERMEABLE (USE TT-P-636 UR TT-P-1757) REVIEWER: AR EA MR	A 8010	ME	12-DEC-83	ME	YD1	11	
	MIL-F-12784B	FLUX, SOLDERING (STEARINE COMPOUND IC-3) (NO S/S DOCUMENT) USER: MI OS REVIEWER: 99 AR GS IP	A 3439	ER	01-JUN-91	ER	MC	11	
	MIL-B-12941B(1)	BASIC ISSUE ITEMS FOR MILITARY VEHICLES, CARRIAGES AND EQUIPMENT: PREPARATION FOR SHIPMENT AND STORAGE OF (S/S BY MIL-V-62038) USER: MC SM REVIEWER: AR GL MI SM	A 3600	AT	10-JUL-92	AT	YD1	84	
	MIL-T-13014C	TEST SET, OHMMETER-CONTINUITY LIGHT USER: SH REVIEWER: AS SM .....	A 6625	MC	06-APR-66	MC	YD1	82	
	MIL-T-13057C	THERMOMETERS, SELF-INDICATING, LIQUID-IN-GLASS (FOR PRECISION LEVEL ROD) (NO S/S DOCUMENT) REVIEWER: GS	A 6685	ME	03-JAN-92	ME	YD1	99	
	MIL-T-13089E	TESTER, ENGINE DISTRIBUTOR REVIEWER: ME .....	A 4910	AL	19-APR-85	AL	YD1	99	
	MIL-T-13117B	TOOL KIT, SHEET METAL WORKER'S, HAND, PACKAGING OF REVIEWER: BS SM .....	A 5180	ME	05-FEB-62	ME	YD1	84	
	MIL-C-13150B	CABLE TELEPHONE (NO. 22 AWG, LEAD COVERED) USE MIL-C-3458D USER: AR MC REVIEWER: BS	A 6145	EL	09-MAR-61	EL	YD1	88	
L	MIL-B-13164A	BRIDGE, FIXED, STEEL, HIGHWAY, SEMIPERMANENT, 90-FOOT TRUSS SPAN (NO S/S DOCUMENT)	A 5420	ME	04-NOV-92	ME			
	MIL-A-13170E	ALTIMETER, SURVEYING, 4,500 METERS, 2 METER DIVISIONS USER: YD1 REVIEWER: GS	A 6675	ME	28-JUL-83	ME	MC	99	
	MIL-G-13184A	GENERATOR, HYDROGEN ML-486()UM USER: WC .....	A 3665	EL	01-OCT-56	EL	YD1	13	
	MIL-E-13191B(1)	ELECTRODE, WELDING, COVERED, BRONZE, FOR GENERAL USE (USE AWS AS.6) USER: MC OS SH REVIEWER: GS	A 3439	AR	26-MAR-84	AR	YD1	99	
	MIL-P-13218C(2)	PUMP, BUCKET, LUBRICATION, HAND-OPERATED (S/S BY A-A-50202) .....	A 4930	ME	21-NOV-90	ME	YD1	99	
	MIL-C-13223A	CHAMBER, CABLE TERMINAL (TELEPHONE, UNPROTECTED) USER: MC REVIEWER: 80 BS ..	A 5805	EL	27-DEC-54	EL	YD1	17	
	MIL-C-13294C(3)	CABLE, TELEPHONE, ELECTRICAL (INFANTRY FIELD WIRE, TWISTED PAIR, WIRE WD-1/TT AND WD-14/TT USER: 17 AT AV MC REVIEWER: EA IS MI	A 6145	CR	21-JUL-87	CR	YD1	85	
	MIL-P-13380D	PUMPS, CENTRIFUGAL, MULTISTAGE VERTICAL, ELECTRIC-MOTOR-DRIVEN (FOR LIQUID HYDROCARBON FUELS) (NO S/S DOCUMENT)	A 4320	ME	25-JUL-90	ME	YD1		
	MIL-B-13506C	BEARING, SLEEVE (STEEL-BACKED) (S/S BY A-A-52401) USER: MI REVIEWER: 84 EA IS MC SH	A 3120	AT	10-JUL-92	AT	OS	11	
L	MIL-T-13513B	TERMINALS, LUG: AND SPLICES, CONDUCTOR (ELECTRICAL, SOLDERLESS, FOR AUTOMOTIVE USE) (DUAL DIMENSIONS) (S/S BY A-A-52416) REVIEWER: AR EA GS MI	A 5940	AT	07-DEC-92	AT			
L	MIL-M-13574A	MOTOR, INDUCTION, A-C, 208 VOLT, 1-1/2 H.P., 3 PHASE, 60-CYCLE (NO S/S DOCUMENT)	A 6105	AR	10-SEP-92	AR			
L	MIL-T-13584C	TREAD RUBBER: FOR RECAPPING PNEUMATIC TIRES AND SOLID RUBBER TIRES, FOR INDUSTRIAL AND TRACK LAYING VEHICLES: PACKAGING AND PACKING OF (NO S/S DOCUMENT) REVIEWER: CS	A 3600	AT	24-FEB-93	AT			
	MIL-V-13612E	VALVES, RELIEF, PRESSURE & TEMPERATURE (FOR HOT WATER SUPPLY SYSTEMS) (FUTURE PROCUREMENT USE ANSI-Z21.22) USER: MC SH REVIEWER: CE CS	A 4820	YD1	15-JUL-87	ME	YD1		
	MIL-D-13638A	DYNAMITE (AMMONIA, AMMONIA-GELATIN, AND GELATIN TYPES, PACKAGING OF USER: MC	A 1375	AR	23-APR-56	AR	YD1		
L	MIL-T-13652A	TRAILER, MACHINE GUN MOUNT, M20 MOUNT, TRAILER MULTIPLE CAL. .50 MACHINE GUN, M55 (NO S/S DOCUMENT) USER: AT	A 2330	AR	10-SEP-92	AR			
	MIL-L-13744A	LOCOMOTIVE, DIESEL ELECTRIC, 56 1/2, 60, 63, AND 66 IN. GAGES, 60 TON, 0-4-0 WHEEL, DOMESTIC AND FOREIGN SERVICE (USE MIL-L-52731) REVIEWER: EL	A 2210	ME	09-APR-62	ME	YD1	84	
	MIL-R-13754C	ROOFING FELT, LAMINATED, ASPHALTIC MEMBRANE, WIRE-MESH-REINFORCED (USE SS-R-1785) USER: AR	A 5660	ME	18-MAY-66	ME	YD1	84	
	MIL-P-13818B	PAPERBOARD, REFLECTORIZED (RETRO-REFLECTIVE) (USE MIL-S-2580C) USER: MC REVIEWER: SA	A 9310	GL	27-JUN-62	GL	YD1	84	
	MIL-C-13832D	CLUTCH REBUILDER, MOTOR VEHICLE, UNIVERSAL TYPE USER: AT MC REVIEWER: SM ..	A 4910	AL	20-DEC-72	AL	YD1	99	
L	MIL-B-13840B(1)	BAG, TOOL, SATCHEL, M-1921, (EMPTY) (USE MIL-B-4364B) REVIEWER: YD1 .....	A 5140	GL	06-MAR-67	GL			
	MIL-H-13859C(2)	MOWING UNIT, CYLINDRICAL BORE, PORTABLE (FOR CYLINDER CORRECTION ) SUPERSEDED BY MIL-C-82069A( USER: CE EL MC REVIEWER: SH MC	A 5130	GL	24-NOV-71	GL	YD1	84	
	MIL-A-13883B(1)	ADHESIVE, SYNTHETIC-RUBBER (HOT OR COLD BONDING) USE MM-A-189 USER: MC REVIEWER: AR GL	A 8040	MR	02-JUL-64	MR	YD1	11	
	MIL-C-13909C	CONDUIT, METAL, FLEXIBLE: ELECTRICAL SHIELDED (S/S BY A-A-52440) REVIEWER: 80 AR	A 5975	AT	10-MAR-93	AT	AS	85	
Q	MIL-M-13910B(2)	HYDRAULIC FLUID, POLAR TYPE AUTOMOTIVE BRAKE, ALL WEATHER (S/S BY MIL-B-46176) USER: MC REVIEWER: AT GS ME MI OS SA MC YD1	A 9150	MR	04-AUG-69	MR	AS	68	
L	MIL-C-13959B	CAMERA SET, STILL PICTURE KS-7( ) (NO S/S DOCUMENT) .....	A 6720	CR	29-NOV-90	CR			
	MIL-D-13978A	DECONTAMINATING APPARATUS, PORTABLE, 38GALLON, M1 USER: MC .....	A 4230	EA	31-MAR-67	EA	YD1	84	
L	MIL-B-13994D(2)	BOAT, BRIDGE ERECTION, INBOARD ENGINE: ALUMINUM, 27-FOOT (S/S BY MIL-B-53003)	A 1940	ME	03-MOV-92	ME			
ML	MIL-P-14118(1)	PLASTIC: CELLULOSE-ACETATE, SHEETS AND FILM (S/S BY L-P-504) .....	A 9330	AR	30-JUL-62	AR			
L	MIL-J-14158E(1)	JACK, RAILWAY TRACK, GASOLINE- OR DIESEL-ENGINE-DRIVEN, RAILROAD, WHEEL-MOUNTED (NO S/S DOCUMENT)	A 2230	ME	22-MAR-93	ME			
	MIL-T-14159B	TABLE, DRAWING, TRACING, DRAFTING, DRAWING AND SCRIBING, (USE GG-T-35B) REVIEWER: GS MC	A 6675	ME	07-JAN-64	ME	YD1	82	
	MIL-B-14199B	BUILDING, PREFABRICATED, PANELIZED, WOOD(1 ROOM WITH VESTIBULE, ARCTIC CLIMATE, 48 FT LONG, 20 FT WIDE, WITH ACCESSORIES, REVIEWER: CG	A 5410	ME	04-DEC-61	ME	YD1	99	
Q	MIL-C-14201A	CORROSION PREVENTIVE, SOFT-FILM, COLD APPLICATION (USE MIL-C-16173) USER: MC YD1 REVIEWER: MI	A 8030	MR	23-APR-56	MR		11	
	MIL-S-14231C(1)	SEALING COMPOUND, JOINT, TWO COMPONENT, FOR BOLTED ALUMINUM OR STEEL PETROLEUM-STORAGE TANKS (NO S/S DOCUMENT) USER: MC REVIEWER: 11 IS MR	A 8030	ME	29-APR-91	ME	YD1	84	
	MIL-P-14233B	POLL, LINE CONSTRUCTION, WOOD, TREATED, WOODEN LINE POLES, POLE STUBS, AND ANCHOR LOGS (USE MM-P-371C) USER: CG MC REVIEWER: CE CS EL	A 5510	ME	18-JUL-68	ME	YD1	84	
L	MIL-M-14305A(1)	MOTOR GENERATORS PU-20( )/U AND PU-33( )/U (NO S/S DOCUMENT) .....	A 6125	ER	11-FEB-93	ER			
	MIL-P-14321E	PUMP, CENTRIFUGAL: FOR PETROLEUM PRODUCTS, DIESEL-ENGINE-DRIVEN, SELF PRIMING, SKID-MOUNTED, SINGLE STAGE: 6-INCH, GROOVED ADAPTERS: 245 GPM AT 205 FEET HEAD TO 1120 GPM AT 100 FEET HEAD (S/S BY MIL-P-53051) REVIEWER: 84 CS	A 4320	ME	30-OCT-92	ME		99	
	MIL-P-14323C	TRAILER, RETRIEVER, SINGLE-TRUCK TYPE REVIEWER: MC .....	A 2330	ME	06-JUN-66	ME	YD1		



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action On/Off/Cancel Coordination In/Out/Out Document Number	Document Title	Dist. Smt. FSC / Area MCS Symbol Preparing Agency	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-T-14398J	TANKS, FABRIC, COLLAPSIBLE: WATER, NYLON, RUBBER-COATED (S/S BY MIL-T-53048) USER: MC REVIEWER: 82 CS MD	A 5430	ME 11-FEB-91	ME	YD1	99	
L MIL-P-14401B	PAOS, CUSHIONING: PERSONNEL-PROTECTION, VEHICULAR (S/S BY A-A-52430) REVIEWER: CS	A 2590	AT 15-FEB-93	AT			
MIL-H-14435D	HITCHES, SNOWFLOW, FRONT-OF-VEHICLE MOUNTING (NO S/S DOCUMENT) USER: AT	A 3830	ME 20-SEP-91	ME		84	
MIL-S-14444B	YD1						
MIL-C-14510A	SIGN, REFLECTORIZED, TRAFFIC CONTROL USER: AT REVIEWER: CE ME	A 9905	GL 13-DEC-67	GL	YD1	84	
MIL-I-14511C(1)	CONVEYOR, DRAG, COAL, TRUCK LOADER, SELF-PROPELLED, POWER-DRIVEN (USE MIL-C-12584) REVIEWER: BS	A 3910	MD 11-OCT-60	MD	YD1	84	
NOTICE 1	INSULATION SHEET, CELLULAR, PLASTIC: THERMAL (S/S BY A-A-52404) USER: AV	A 5640	AT 20-JUL-92	AT		99	
MIL-M-14555A	ME REVIEWER: 84 AR MI MR						
MIL-G-14562D(1)	MOUNTER AND DEMOUNTER, PNEUMATIC TIRE (14-INCH THROUGH 16-INCH RIM DIAMETERS) USER: MC	A 4910	WC 31-OCT-58	WC	YD1	82	
NOTICE 1	GUN, FLUSHING, RADIATOR AND ENGINE BLOCK (S/S BY A-A-50311) USER: MC	A 4910	AL 28-AUG-92	AL	YD1	99	
MIL-C-14573B	REVIEWER: 82 CS						
MIL-I-14603B	CLEANING AND FLUSHING MACHINE, AUTOMOTIVE COOLING SYSTEM USER: MC YD1	A 4910	AL 02-FEB-61	WC		82	
NOTICE 1	INVERTER, VIBRATOR PP-1703(J)/U (NO S/S DOCUMENT)	A 6125	ER 11-FEB-93	ER			
MIL-F-14619C	GRINDING MACHINE, PISTON USER: AT REVIEWER: ME SH	A 4910	AL 27-AUG-70	AL	YD1	99	
MIL-P-14636/7	PLAQUE, WALL, THE ADJUTANT GENERAL CENTER/RESERVE COMPONENTS PERSONNEL AND ADMINISTRATION CENTER (NO S/S DOCUMENT) REVIEWER: CT GL	A 9905	IM 11-OCT-60	IM			
NOTICE 1	CHANGE PROPELLING, M80 FOR 8 INCH MONTZER, M2 CANNON (NO S/S DOCUMENT) ...	A 1110	AR 06-JUL-92	AR			
MIL-C-14700A(2)	FIM ASSEMBLY (NO S/S DOCUMENT)	A 1115	AR 06-JUL-92	AR			
NOTICE 2							
MIL-F-14986A	PLUGS, ELECTRICAL FOR LOCKING DEVICES XM77, XM85 AND XM86 (NO S/S DOCUMENT)	A 1115	AR 06-JUL-92	AR			
NOTICE 2							
MIL-P-14990A	PAPER, SHEATHING, FIRE RESISTENT AND WATER REPELLENT (USE UU-B-790) USER: MC REVIEWER: YD1	A 5640	SH 28-DEC-51	MD	SH		
MIL-P-15006A	DECONTAMINATING APPARATUS, POWER DRIVEN TRAILER MOUNTED, 200 GALLON CAPACITY	A 4230	YD1 01-MAY-61	YD1			
L MIL-D-15007B	LUBRICATING OIL, GENERAL PURPOSE (USE MIL-L-17672 AND MIL-L-17331) USER: AS MC ME OS YD1 REVIEWER: MI PS	A 9150	SH 22-AUG-66	MR	SH	11	
MIL-L-15016B(1)	LUBRICATING OIL, HYDRAULIC (USE MIL-L-17672) USER: EL MC YD1 REVIEWER: GL	A 9150	SH 05-DEC-63	MR	SH	11	
Q MIL-L-15017A(2)	SA						
Q MIL-L-15018B	LUBRICATING OIL, MINERAL, CYLINDER (USE FED SPEC WV-L-1071) USER: AS MC	A 9150	SH 03-APR-62	MR	SH	68	
MIL-P-15024/12	YD1 REVIEWER: GL PS SA						
MIL-P-15035C(4)	PLATE, IDENTIFICATION, ENGINE OVERHAUL DATA (NO S/S DOCUMENT) USER: AT GL	A 9905	ME 04-MAY-89	ME	YD1	84	
NOTICE 1	GS MC REVIEWER: MI						
MIL-F-15077E	PLASTIC SHEET: LAMINATED, THERMOSETTING, COTTON-FABRIC-BASE, PHENOLIC-RESIN (S/S BY MIL-I-24768/13, MIL-I-24768/14, MIL-I-24768/15 AND MIL-I-24768/16) USER: ME OS YD1 REVIEWER: 84 85 99 AR AS EA EC GL GS MI MR	A 9330	SH 25-FEB-92	ER	SH	11	
MIL-S-15083B(1)	FURNITURE, METAL, DORMITORY REVIEWER: MD MS	A 7105	YD1 25-NOV-83	GL	YD1	99	
MIL-I-15091C	STEEL CASTINGS (S/S BY MIL-C-24707/1, ASTM-A757, ASTM-A216 AND ASTM-A487) USER: CS ME REVIEWER: AS MI OS YD1	A MECA	SH 27-JAN-89	SH			
MIL-B-15093A	INSULATION FELT, THERMAL, ASBESTOS FIBER (USE MIL-I-2781, 2819, 16411, 22023, 22344, AND 23128) USER: AT MR REVIEWER: AS OS YD1	A 5640	SH 03-JUL-62	MD	SH		
MIL-E-15128C	BAR, DRUM UPENDING USER: YD1	A 5120	GL 09-MAR-53	GL		69	
MIL-E-15130C	ENAMEL, SHIP, EXTERIOR, ALKYL, NAVY BLUE (FORMULA NO. 5NB) USER: 26 MR YD1 REVIEWER: SA	A 8010	SH 07-DEC-60	MD	SH		
MIL-E-15145C(2)	ENAMEL, SHIP, EXTERIOR, ALKYL, HAZE GRAY, NO. 27, FORMULA NO. 5H (USE TT-E-490) USER: MR YD1 REVIEWER: SA	A 8010	SH 07-DEC-60	SH		99	
MIL-P-15147C(3)	ENAMEL, ZINC DUST PIGMENTED, FRESH WATER TANK PROTECTIVE, FORMULA NO. 102 (NO S/S DOCUMENT) USER: CG ME YD1 REVIEWER: EC	A 8010	SH 17-JAN-90	CE	SH		
QL MIL-P-15159B(1)	PRIMER AND ENAMEL, COAL TAR (USE SSPC-PS 10.01 AND ANMA C203) USER: MR	A 8010	YD1 20-JAN-84	ME	YD1	99	
MIL-F-15160/70	PRESERVATIVE COATING, CANVAS (NAVY) (S/S BY TT-P-595) USER: OS REVIEWER: AS MC YD1	A 8030	SH 29-APR-65	SH			
NOTICE 1	FUSES: INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F70 (NO S/S DOCUMENT) USER: 19 AT CG MC ME REVIEWER: 17 99 AR AS ES MI OS YD1	A 5920	SH 29-OCT-90	ER	SH	85	
MIL-T-15164C	THERMOMETER, SELF INDICATING, LIQUID IN GLASS, INDUSTRIAL (NAVY) USE GG-T-321 2 REVIEWER: SA YD1	A 6685	SH 29-OCT-62				
L MIL-C-15167B	CORROSION PREVENTIVE COMPOUND, PETROLATUM, PIGMENTED, HOT APPLICATION (S/S BY MIL-C-11796) REVIEWER: OS YD1	A 8030	SH 22-SEP-59	SH			
MIL-V-15196B	VERMICULITE, EXPANDED (PIGMENT) (S/S BY MH-I-585B) USER: 26 MR MS	A 5610	SH 03-MAY-62	MD	SH	84	
L MIL-A-15373B	REVIEWER: BS IS SA YD1						
NOTICE 1	ANNUNCIATORS, NAVAL SHIPBOARD (S/S BY UL1069)	A 6350	SH 10-DEC-92	SH			
MIL-T-15442J(5)	TRUCKS, LIFT, FORK, GASOLINE, PNEUMATIC RUBBER TIRES (S/S BY MIL-T-21870) USER: MC REVIEWER: YD1	A 3930	SA 01-APR-65	GL	SA	84	
MIL-T-15442/1	TRUCK, LIFT, FORK, GASOLINE, PNEUMATIC RUBBER TIRES (S/S BY MIL-T-21870) USER: YD1 REVIEWER: CS	A 3930	SA 22-MAR-65	ME	SA	99	
MIL-C-15467F	CRANES, CRANLER MOUNTED, COMMERCIAL, DED (S/S BY OO-C-2764) USER: MC	A 3810	YD1 03-JUN-91	YD1		99	
L MIL-B-15592A	REVIEWER: 84 CS						
L MIL-B-15593A	BURNER, VAPORIZING POT TYPE WITH MOTOR BLOWER, FOR OIL BURNING GALLEY RANGES (FOR SHIPBOARD USE) VALIDATED JUL 1964 REVIEWER: YD1	A 4530	SH 17-MAY-52	SH			
MIL-L-15596G(1)	BURNER, HORIZONTAL ROTARY, FOR OIL BURNING GALLEY RANGES AND BAKE OVENS	A 4530	YD1 17-JAN-52	YD1			
NOTICE 1	USER: MC						
L MIL-E-15597E	LOCKS, COMBINATION FOR GENERAL SERVICES ADMINISTRATION APPROVED SECURITY CONTAINERS, VAULT DOORS, AND SAFE LOCKERS (S/S BY FF-L-2740 AND UL768) USER: CE MC SH REVIEWER: AR GL IS	A 5340	YD1 05-MAY-93	ME	YD1	99	
NOTICE 1	ELECTRODES, WELDING, COVERED, COATED ALUMINUM AND ALUMINUM ALLOY (S/S BY AWS-A5.3-91, AND AWS-A5.01-87) REVIEWER: AR AT GL GS IP ME	A 3439	MR 24-JUL-92	MR			
Q MIL-E-15599C(5)	ELECTRODE, WELDING, COVERED, LOW- AND MEDIUM-CARBON STEEL USER: AT YD1 REVIEWER: AS CG MI	A 3439	SH 28-MAR-66	MC	SH	11	
MIL-S-15619D	SWEEPERS, ROTARY, SELF-PROPELLED, STREET TYPE	A 3825	02-MAR-60	YD1	11		
MIL-A-15708B	ANCHORS, MARINE, FLUKED, LIGHT WEIGHT TYPE, PRESSED & FORGED STEEL & FABRICATED STEEL PLATE (USE DOD-A-15707) USER: YD1	A 2040	SH 16-MAY-84	SH			
MIL-M-15721A	NICKEL-CHROMIUM ALLOY BARS AND RODS (BOILER REFRACTORY ANCHOR BOLTS) (USE MIL-B-15382) USER: GL YD1 REVIEWER: AS SA	A 9530	SH 28-DEC-51	MR			
L MIL-F-15733/29A(1)	FILTERS, RADIO FREQUENCY INTERFERENCE, STYLE FL81 (NO S/S DOCUMENT)	A 5915	BS 29-DEC-92			11	
NOTICE 2							
Q MIL-W-15759A	WELDING MACHINE, ARC (DIRECT-CURRENT, VARIABLE VOLTAGE) SUPERSEDED BY MIL-W-80019 USER: GL REVIEWER: BS EL YD1	A 3431	SH 27-SEP-61	MC	SH	84	
MIL-W-15760B	WELDING MACHINES, ARC (CONSTANT VOLTAGE) (S/S BY MIL-W-80116) USER: GL	A 3431	SH 31-JUL-52	MC	SH	82	
L MIL-S-15766B(1)	REVIEWER: EL YD1						
NOTICE 1	STERILIZERS, SURGICAL DRESSING: STERILIZERS, INSTRUMENT; AND STERILIZERS, WATER (NAVAL SHIPBOARD) (S/S BY A-A-54689)	A 6530	MB 15-DEC-92				
MIL-C-15899A	COMBS, GAINING USER: YD1 REVIEWER: GL	A 5120	SH 07-MAR-52	SH		69	
L MIL-B-15910A	BUILDING, PREFABRICATED, PANELIZED, EMERGENCY MOBILIZATION UNIT (A), WOOD, 20 BY 48 FT. REVIEWER: 69	A 5410	YD1 12-NOV-61	YD1			
MIL-P-15929C	PRIMER COATING, SHIPBOARD, VINYL-RED LEAD (FORMULA NO. 119 (S/S BYMIL-P-24441 & MIL-P-15930) USER: YD1 REVIEWER: ME SA	A 8010	SH 14-AUG-85	MR	SH	99	
MIL-B-15949B(1)	BUILDING, PREFABRICATED, READY-CUT, MAGAZINE, STEEL ARCH, 16FT. SPAN (EXTENSIBLE) (USE MIL-B-16041)	A 5410	YD1 29-MAY-53	MD	YD1		



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Off / On Cancellation Notice	Document Number	Document Title	Doc. Smt. FAC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
Q	MIL-W-15964A(1)	WHEEL, ABRASIVE, AND HONES, HAND (DIAMOND IMPREGNATED) USER: AV MC SA YD1 REVIEWER: BS IS	A 5345	SH	20-MAR-53	WC	SH			
L	MIL-B-15969A(1)	BUILDING, PREFABRICATED, METAL, ARCH RIB, 20 FT. X 48 FT., NORTHERN TYPE (USE MIL-B-22637)	A 5410	YD1	07-DEC-60		YD1			
L	MIL-R-15996	REFRIGERATOR, COOLERS, PREFABRICATED, SECTIONAL, WALK-IN TYPE, 675 AND 6800CU. FT. CAPACITY, (WITHOUT REFRIGERATOR UNIT) (S/S BY MIL-R-10932)	A 4110	YD1	10-JUL-56		YD1			
L	MIL-R-15997A	REFRIGERATING UNIT, ELECTRIC OR GASOLINE ENGINE, PLUG-IN TYPE FOR PREFABRICATED SECTIONAL, WALK-IN TYPE REFRIGERATED COOLERS AND WAREHOUSES (S/S BY MIL-R-13312)	A 4110	YD1	08-MAY-58		YD1			
	MIL-P-16018B(1)	PACKAGING OF SWITCHBOARDS, CONTROLLERS AND MOTOR STARTERS (OVER 40 POUNDS) (S/S BY MIL-E-17555E) USER: MC REVIEWER: EL SA YD1	A 6100	SH	24-JUL-60	MD				
	MIL-I-16022B	INSULATION FELT, THERMAL, FIBROUS GLASS, FLEXIBLE (USE MIL-I-22023A) USER: MC MR REVIEWER: SH	A 5640	YD1	01-MAY-61	MD	YD1			
	MIL-I-16042E NOTICE 1	ICE CREAM FREEZERS, POWER OPERATED, MECHANICALLY REFRIGERATED: ICE CREAM CABINETS, MECHANICALLY REFRIGERATED: AND ICE CREAM PLANTS (S/S BY OO-1-2795) USER: MC MS REVIEWER: GS	A 4110	YD1	31-AUG-92		YD1	99		
L	MIL-S-16043B	SODA FOUNTAINS REVIEWER: GS	A 4110	YD1	06-NOV-72		YD1			
L	MIL-T-16044A	TRACK, DOLLY, MINE ASSEMBLY	A 1045	YD1	03-NOV-59		YD1			
L	MIL-T-16066	TUMBLER, DRYING, LAUNDRY, OIL FIRED, 40 POUND CAPACITY	A 3510	YD1	14-JUN-60		YD1			
	MIL-B-16071B(1)	BUILDING, PREFABRICATED, READY-CUT, METAL, RIGID FRAME, 40 BY 100 FEET (S/S BY MIL-B-28536) REVIEWER: BS CS MC	A 5410	YD1	30-JUL-64	MD	YD1	84		
	MIL-C-16074A	CRANE, LOCOMOTIVE, DIESEL-ELECTRIC, (25-TON, 56-1/2 INCH GAUGE) USER: 26	A 2230	YD1	12-MAR-56		YD1	87		
	MIL-F-16082D	FAN, VENTILATING, PROPELLER, ELECTRIC SPRAY BOOTH EXHAUST USER: MC REVIEWER: EL GS	A 4140	YD1	08-JUL-68	ME	YD1	99		
	MIL-P-16108E	PONTOON, STEEL, SECTIONAL, T, SERIES, INCLUDING FITTINGS AND TOOLS (FOR COUPLING INTO FLOATING VESSELS)	A 2040	YD1	08-OCT-64	MD	YD1			
L	MIL-S-16113C	STEEL PLATE, HIGH TENSILE (HT), MULL & STRUCTURAL (USE MIL-S-2269B) REVIEWER: AS IS MI YD1	A 9515	SH	25-MAR-66		SH			
	MIL-F-16136B	FLUXE, WELDING (FOR COPPER BASE AND COPPER NICKEL ALLOYS AND CAST IRON USER: AT MC YD1 REVIEWER: 99 EA GS	A 3439	SH	07-JUL-64	AR	SH	11		
Q	MIL-F-16143A(3)	FLOATS, LIFE (BALSA-WOOD) USER: YD1	A 4220	SH	05-DEC-61	MD	SH	11		
	MIL-B-16182B	BRICK, INSULATING, HIGH TEMPERATURE, DIATOMACEOUS SILICA REVIEWER: GS ME YD1	A 9350	SH	16-JUL-58		SH			
	MIL-I-16202B	INTERFERENCE MEASURING SET AN/URM-106 AND AN/URM-6 ( ) USER: AK AS GL MC YD1 REVIEWER: 11 SH	A 6625	EC	15-JUN-64	EL	EC	82		
L	MIL-C-16247B	COUPLING, CLAMP, PIPE, BOLTED (FOR PLAIN END PIPE)	A 4730	YD1	05-AUG-70		YD1			
	MIL-M-16253B	MANOMETER, VERTICAL TUBE, BOILER FRONT REVIEWER: GS YD1	A 6685	SH	30-NOV-84	MD	SH			
	MIL-F-16269A	FAN, EXHAUST, ELECTRIC, PORTABLE REVIEWER: EL GL	A 4140	YD1	25-AUG-52		YD1	82		
	MIL-G-16270D	GENERATOR, ACETYLENE, PORTABLE USER: CE REVIEWER: GS	A 3655	YD1	23-DEC-83	ME	YD1	99		
	MIL-V-16271F NOTICE 1	VALVES, TANK FLOAT, ANGLE AND GLOBE PATTERN (S/S BY A-A-50541) USER: CE REVIEWER: 82 CS	A 4820	YD1	22-JAN-93	ME	YD1	99		
L	MIL-H-16272E(1)	HEATER, FLUID, INDUSTRIAL, FUEL OIL, 350 G.P.M.	A 4420	YD1	26-APR-63		YD1			
L	MIL-S-16273B	STRAINER ASSEMBLY, DIESEL FUEL OIL, SCRAPER STYLE, 160 GPM	A 4330	YD1	30-SEP-60		YD1			
	MIL-E-16276A	EXTRACTOR, PILE USER: 26	A 3895	YD1	13-MAY-53	MD	YD1	87		
L	MIL-F-16277B	FILTER/SEPARATOR, WATER AND SOLID AVIATION FUEL ( ) CANCELED ( )	A	YD1	27-MAR-60		YD1			
L	MIL-C-16278G NOTICE 1	COOLING TOWERS, LIQUID (S/S BY F-C-2791)	A 4130	YD1	20-MAR-92		YD1			
	MIL-V-16289C	VULCANIZING MOLD, TIRE, ELECTRICALLY HEATED, FOR SECTIONAL TIRE CASING REPAIR USER: MC SH	A 4910	AL	03-NOV-65	WC	YD1	99		
	MIL-S-16293G(1)	STRAINERS, SEDIMENT: PIPELINE, WATER, AIR, GAS, OIL OR STEAM (S/S BY WM-S-2739) USER: CE CG MC REVIEWER: CS	A 4730	YD1	25-OCT-89	MC	YD1	99		
	MIL-S-16297A NOTICE 2	STAND, SHELF, CORROSION-RESISTING STEEL (S/S BY A-A-54758)	A 6530	MB	25-MAR-93	MD	MS	03		
Q	MIL-M-16299A	MORTAR, REFRACTORY, (HIGH TEMPERATURE, HEAT SETTING) (USE MH-M-622) USER: MR REVIEWER: SH	A 9350	YD1	12-JUL-60	MD	YD1			
L	MIL-V-16302	VALVE, STOP, DIAPHRAGM TYPE, FLANGED (FOR DISTILLED BATTERY WATER) (NO S/S DOCUMENT)	A 4820	YD1	05-OCT-59		YD1			
Q	MIL-S-16373B	SUBGRADER, FORM-RIDING (20-TO 25-FOOT WIDTH) REVIEWER: EL	A 3895	YD1	12-JUL-60	MD	YD1			
L	MIL-T-16391B(1)	TIP, OXYGEN CUTTING (USE MS 15013) USER: MC ME REVIEWER: GS YD1	A 3433	SH	28-APR-72	AL	SH	99		
L	MIL-E-16400H(1)	ELECTRONIC, INTERIOR COMMUNICATION AND NAVIGATION EQUIPMENT, NAVAL SHIP AND SHORE: GENERAL SPECIFICATION FOR (S/S BY MIL-STD-2036) USER: MC MI YD1 REVIEWER: AS EC GS	A 6840	SH	06-JUN-61			67		
	MIL-I-16424A	INSECTICIDE, CHLORDANE (CONCENTRATE, WATER EMULSIFIABLE) (USE O-1-515) USER: MC REVIEWER: AR YD1	A 4940	YD1	01-NOV-67		YD1	99		
	MIL-C-16452C	CHAIR, AERIAL, CABLE USER: ME	A 3940	YD1	20-JAN-66	MD	YD1			
	MIL-B-16453B	BLOCK, TACKLE, WIRE ROPE, SNATCH (USE MIL-B-11837B) USER: CE REVIEWER: GL IS	A 4330	YD1	22-AUG-61	ME	YD1	84		
	MIL-F-16454B	FILTER, FLUID, PRESSURE (DIESEL FUEL, 160 GPM) REVIEWER: AS	A MECA	WP	10-OCT-52	MR				
	MIL-Z-16460A	ZINC BASE ALLOY, SAND CASTINGS (GL SA YD1 REVIEWER: SH)	A 6625	SH	10-MAY-91	CR	SH	11		
	MIL-O-16485C(4)	OMMETERS, INSULATION RESISTANCE-INDICATING, PORTABLE (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: MI	A 8010	SH	09-MAY-61	MD	SH	84		
	MIL-E-16501B	ENAMEL, EXTERIOR, GRAY, NO. 37 (VINYL-ALKYD) (FORMULA NO. 122-37) USER: 26 AS EL MR YD1 REVIEWER: 15 SA	A 8010	SH	24-APR-61	MD	SH	84		
	MIL-E-16502B	ENAMEL, EXTERIOR, GRAY, NO. 46 (VINYL-ALKYD TYPE) (FORMULA NO. 122-46) USER: 26 AS EL MR YD1 REVIEWER: 15 SA	A 3930	YD1	21-JUN-56		YD1			
L	MIL-C-16523(1)	CRANE, CARGO INDUSTRIAL, 5-TON CAPACITY (S/S BY MIL-T-15451)	A 3950	YD1	11-JUN-97	ME	YD1	99		
	MIL-C-16536C NOTICE 1	CRANE, OVERHEAD TRAVELING, ELECTRIC, 5-TON CAPACITY: AND RUNWAY CONDUCTOR SYSTEM COMPONENTS (S/S BY ANSI-MH27.1) REVIEWER: 84 CS	A 3432	WP	23-OCT-56	WC	WP	84		
	MIL-W-16559A(1)	WELDING MACHINES, METAL-ARC, INERT GAS, ALTERNATING CURRENT (FOR MANUAL OPERATION) (VALIDATION DATE: 8506) USER: GL REVIEWER: EL YD1	A 5410	YD1	31-AUG-51		YD1			
L	MIL-B-16606	BUILDING, PREFABRICATED, METAL ARCH RIB, 40 X 100 FEET REVIEWER: 69	A 7310	YD1	01-JAN-63		YD1			
L	MIL-U-16612A	URN, COFFEE, THREE-UNIT BATTERY TYPE (S/S BY MIL-U-21444A)	A 4520	ME	17-SEP-71	ME	YD1	99		
L	MIL-H-16633D	HEATER, WATER, GAS (USE W-H-196) REVIEWER: CE CS MC	A 8120	SH	01-JUN-61					
L	MIL-C-16638B	CYLINDERS, NONLIQUEFIED COMPRESSED GAS, NONSHATTERABLE (USE MIL-C-22491) REVIEWER: MC YD1	A 6515	MB	21-MAY-93	MD	MS	03		
	MIL-T-16652 NOTICE 1	TOURNIQUET, PNEUMATIC (S/S BY A-A-54866)	A 6515	MB	16-JUL-92	MD	MS	03		
	MIL-C-16671B NOTICE 1	CRUTCH, ALUMINUM, CANE TYPE, ADJUSTABLE (S/S BY A-A-54658)	A 7105	YD1	24-JUN-63	GL	YD1	99		
L	MIL-W-16675B(1)	WARDROBE (STEEL, WAVE STANDARD) USER: MC	A 4610	YD1	02-MAR-92		YD1			
	MIL-W-16676E NOTICE 2	WATER PURIFICATION UNIT, FRAME MOUNTED DIATOMITE TYPE, 25 GPM (NO S/S DOCUMENT) USER: CG MC	A 4940	SH	20-SEP-63	MD	SH			
	MIL-H-16711C	HOSE ASSEMBLY, PLASTIC PAINT SPRAYING, ELECTRIC-HEATING USER: MD MS SA REVIEWER: AS CS GL YD1	A 3460	SH	24-FEB-61	WC	SH	84		
Q	MIL-W-16714A	WHEELS, ABRASIVE, SHAGGING (USE GGG-W-290) USER: EL GL MC YD1 REVIEWER: 69 BS	A 3439	SH	28-MAR-60	WC	SH	11		
Q	MIL-E-16715B(4)	ELECTRODE, WELDING, COVERED (AUSTENITIC CHROME-NICKEL STEEL, FOR CORROSIVE AND HIGH TEMPERATURE SERVICES) (S/S BY MIL-E-22200/2A) USER: 26 84 MC YD1 REVIEWER: GL	A 4140	YD1	04-AUG-53	MD	YD1	82		
	MIL-F-16717A	FAN, CENTRIFUGAL, MULTI-BLADE UNDER 3000 CFM USER: 26 MC REVIEWER: EL GL MI	A 6210	YD1	11-APR-60		YD1			
L	MIL-B-16719	BEACON, HOUSE AND TOWER	A 4820	YD1	10-JUL-90	ME	YD1			
	MIL-V-16720E	VALVES, FOOT, BRASS, AND POLYVINYL CHLORIDE (FOR LIGHT OIL AND WATER) (S/S BY A-A-50498) USER: MC REVIEWER: CS GL SH								



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Or / OMA Cancellation Notice Document Number	Document Title	Doc. Syst. FSC / Area	MCA Symbol Preparing Act.	Date	Custodian			
					Army	Navy	Air Force	DLA
MIL-V-16721D	VALVES, FOOT, LOW PRESSURE, CAST-IRON (FOR WATER) (S/S BY A-A-50498) USER: CE MC OS REVIEWER: CS	A 4820	YD1 10-JUL-90	ME	YD1 99			
L MIL-V-16722A	VALVE, PRESSURE REGULATING, AIR, 1/4-INCH	A 4820	YD1 28-FEB-55		YD1			
L MIL-F-16723E	FAIRLEADS AND ROLLERS (FOR PONTOON ASSEMBLIES) (NO S/S DOCUMENT) USER: ME	A 2040	YD1 19-MAR-93		YD1			
L MIL-L-16724	LINE, HAWD, AERIAL	A 3940	YD1 15-OCT-51		YD1			
L MIL-A-16726C	ADAPTER, PIPE, FLANGED TO THREAD (USE ANSI B16.5, ANSI B16.24 AND MW-N-351) REVIEWER: AR CS	A 4730	YD1 07-FEB-77	ME	YD1 99			
MIL-A-16728A	ADAPTER, PIPE, BRASS, FLANGED TO THREADED (USE MIL-A-16726B) USER: MC REVIEWER: MC	A 4730	YD1 31-DEC-52	NO	YD1 69			
MIL-A-16729A	ADAPTERS, TEE, 12 INCH, BLACK STEEL PIPE REVIEWER: MC	A 4730	YD1 02-JAN-53	NO	YD1 69			
MIL-A-16730A	ADAPTERS, PIPE, BLACK STEEL, FLANG'D 90 DEGREE ELBOW (S/S BY MIL-F-3268B) USER: 26 REVIEWER: MC	A 4730	YD1 07-MAY-60	NO	YD1 69			
MIL-A-16731A	ADAPTERS, REDUCING, PIPE, BLACK STEEL, FLANGED TO BUTT-WELDING (S/S BY MIL-F-3268B) USER: 26 REVIEWER: MC	A 4730	YD1 07-MAY-60	NO	YD1 69			
L MIL-V-16734	VALVE, WATER MIXING (CANCELED, USE MIL-V-11152A())	A	YD1 14-JAN-60		YD1			
L MIL-F-16735A	FITTING, PIPE RAPID-ACTION-COUPPLING, 6-INCH USER: SH REVIEWER: MC	A 4730	YD1 14-JUL-55	ME	YD1 69			
L MIL-P-16780A	PANEL, CONTROL (FOR DIRECT-CURRENT ELECTRIC-ARC WELDING OUTLETS, CONSTANT-POTENTIAL SYSTEM) USER: AR REVIEWER: EL YD1	A 6110	SH 18-JUN-52					
L MIL-P-16790B(1)	PUBLIC ADDRESS SET, TYPE AM/VIQ-7 (S/S BY EIA-SE-101-A AND EIA-SE-104) ....	A 5830	SH 15-APR-93		SH			
L MIL-C-16915D	CHAME, RAILWAY, DIESEL-ELECTRIC, 40-TON CAPACITY (56-1/2-INCH GAGE) (NO S/S DOCUMENT) REVIEWER: 99	A 2230	YD1 31-MAR-92	ME	YD1 84			
L MIL-T-16992B	TUBE, ALUMINUM-BRASS ARSENICAL (COPPER ALLOY NO. 687), CONDENSER AND HEAT EXCHANGER USER: MI REVIEWER: MR YD1	A 4710	SH 05-AUG-62	NO	SH			
MIL-F-17004C	FLASHLIGHT (EXPLOSIONPROOF) (USE MIL-F-3747) USER: AS MC OS YD1 REVIEWER: EL GS MC	A 6230	SH 08-MAY-62		SH 82			
L MIL-T-17011A(1)	TUBES, COPPER, CONDENSER AND HEAT EXCHANGER REVIEWER: SH	A 4710	YD1 26-JAN-53	NO	YD1			
L MIL-S-17041G	SNOW REMOVAL UNITS, SELF PROPELLED, DIESEL ENGINE DRIVEN, 40 TONS PER MINUTE CAPACITY (S/S BY OO-S-2779) USER: CE REVIEWER: 84 AT	A 3825	YD1 30-JAN-92	ME	YD1 99			
L MIL-A-17053E	AUDIO ENTERTAINMENT SYSTEM EQUIPMENT, SHIPBOARD (S/S BY A-A-50601) .....	A 5830	SH 14-JAN-93		SH			
L MIL-B-17062	BUILDING, PREFABRICATED, METAL, LEAM-TO TYPE, FOR 40 FEET BY 100 FEET ARCH RIB BUILDING REVIEWER: 69	A 5410	YD1 26-FEB-51		YD1			
MIL-A-17076C	ANGLED DOZER AND BULLDOZER, EARTHMOVING, CABLE AND HYDRAULIC OPERATED, FOR CRAWLER TRACTORS USER: CS MC	A 3830	ME 09-DEC-85	ME	YD1 99			
MIL-W-17077C	WINCH, DRUM, VEHICLE MOUNTING FOR TRACTORS USER: AT MC REVIEWER: CS	A 3830	ME 05-APR-67	ME	YD1 99			
L MIL-P-17078C(1)	POWER CONTROL UNITS, TRACTOR MOUNTING, CABLE AND USER: MC REVIEWER: CS	A 3830	ME 26-MAY-83	ME	YD1 99			
L MIL-F-17104E	FURNACES, WARM AIR AND HEATERS, UNIT, FORCED AIR CIRCULATION, OIL- AND GAS-FIRE (S/S BY MW-F-2743) REVIEWER: CE CS MC	A 4520	YD1 13-DEC-89	ME	YD1 99			
QL MIL-C-17106A	CLOTH, COTTON, DUCK, FIRE, WATER, MILDEW, AND WEATHER RESISTANT (USE COT-C-428A) REVIEWER: CT SA YD1	A 8305	SH 16-FEB-56					
L MIL-C-17112A	COPPER-NICKEL-ZINC ALLOY (NICKEL-SILVER); CASTINGS (NO S/S DOCUMENT) USER: ME YD1	A MECA	OS 27-JUN-91		OS			
L MIL-W-17121E	WATER SOFTNER UNIT, ZEOLITE PRESSURE TYPE (SEE MCA S-100-B1) USER: CS	A 4610	YD1 15-JAN-86	ME	YD1 99			
L MIL-W-17123	WATER SOFTENING EQUIPMENT COLD PROCESS (S/S BY MIL-W-17122A) .....	A 4610	YD1 15-MAY-61		YD1			
L MIL-F-17132B	FLOOR PLATE, ALUMINUM ALLOY (6061) ROLLED (SEE ANSI/ASTM B632) USER: ME YD1 REVIEWER: EA 15 MI SA	A 9535	SH 15-FEB-61	MR	SH			
MIL-E-17133A	ENAMEL, CREAM, GLOSS (FORMULA NO. MSTS-1) USER: 26 SA YD1	A 8010	SH 02-OCT-52					
MIL-E-17137A	ENAMEL, RED, GLOSS (FORMULA NO. MSTS-4) (USE TT-E-489) USER: 26 SA YD1	A 8010	SH 25-SEP-52					
MIL-E-17138A	ENAMEL, MEDIUM BLUE, GLOSS (FORMULA NO. MSTS-5) (USE TT-E-489) USER: 26 SA YD1	A 8010	SH 25-SEP-52					
MIL-E-17139A	ENAMEL, JADE GREEN, GLOSS (FORMULA NO. MSTS-6) (USE TT-E-489) USER: 26 SA YD1	A 8010	SH 19-SEP-52					
MIL-E-17140A	ENAMEL, MARINE GREEN, SEMIGLOSS (FORMULA NO. MSTS-7) USER: 26 AS SA YD1 REVIEWER: 15 MR	A 8010	SH 25-SEP-52					
MIL-U-17148C	UNDERCUTTER, ARMATURE MICA, ELECTRICALLY OPERATED USER: AT ME REVIEWER: EL YD1	A 4940	SH 27-JAN-69	AR	SH 99			
MIL-E-17152A	ENAMEL, DARK OAK, GLOSS (FORMULA NO. MSTS-14) (USE TT-E-489) USER: 26 SA YD1 REVIEWER: MR	A 8010	SH 24-NOV-52					
L MIL-T-17168A	TUBE AND PIPE, WROUGHT IRON, WELDED (NAVY) REVIEWER: YD1	A 4710	SH 22-MAR-55					
L MIL-B-17173	BUILDING, PREFABRICATED, METAL, GOTHIC RIB, 20 FEET BY 48 FEET, NORTHERN TYPE (US) (S/S BY MIL-B-22637)	A 5410	YD1 07-DEC-60		YD1			
MIL-V-17203B	VALVE, PREHEATING, GASEOUS PRODUCTS USER: AV CE CG MC	A 4820	YD1 07-DEC-66	ME	YD1 99			
L MIL-A-17204D	ADAPTERS, S.W. OR REDUCING, PIPE THREAD TO HOSE THREAD (S/S BY A-A-2622) L CG REVIEWER: CS OS	A 4210	YD1 08-JUL-91	ME	YD1 99			
MIL-I-17214B	INDICATOR, PERFORMANCE: LOW-HU (GO-NO GO) (S/S BY ASTM-A342) REVIEWER: GS	A 6635	SH 20-AUG-92	ME	SH			
L MIL-B-17218B	BUOY, MARKER, 42-INCH DIAMETER (S/S BY MIL-B-16115B)	A 2050	YD1 03-APR-61		YD1			
L MIL-B-17219B	BUOYS, MOORING, TELEPHONE TYPE (S/S BY MIL-B-16115B) .....	A 2050	YD1 03-APR-61		YD1			
L MIL-T-17220D	TOWER, SEARCHLIGHT FOR PONTOON BARGE GATE VESSEL	A 5445	YD1 16-APR-64		YD1			
L MIL-H-17225B(1)	HEATER, VENTILATION, DUCT TYPE, STEAM AND HOT WATER USER: MC REVIEWER: CS	A 4520	YD1 23-MAR-70	ME	YD1 99			
L MIL-G-17232B	GRILLES, REGISTERS AND DIFFUSERS, METAL USER: MC REVIEWER: CE	A 4520	YD1 26-SEP-66	ME	YD1 99			
MIL-S-17243D	STONE, COMMUTATOR SURFACING (NO S/S DOCUMENT) USER: ER ME REVIEWER: 84 IS	A 5345	YD1 12-DEC-90	AR	YD1 99			
MIL-R-17252B	RUBBER, CELLULAR (BONDED SHREDDED) REVIEWER: EL GL YD1	A 9320	SH 23-APR-59	MR	SH			
MIL-P-17257C	PADLOCK, COMBINATION, SECURITY (MANIPULATION RESISTANT) (USE FF-P-110) USER: AR AS REVIEWER: MC SA SH MC	A 5340	GL 13-DEC-65	GL	YD1 82			
MIL-F-17278C	FEEDER, CHEMICAL SOLUTION, WATER PURIFICATION, FULLY AUTOMATIC, MANUALLY ADJUSTED	A 4610	YD1 20-FEB-75		YD1 99			
MIL-F-17298B	FLASHING, METAL, PREFABRICATED METAL BUILDING FLUES USER: MC	A 5670	YD1 14-NOV-67	ME	YD1 99			
L MIL-T-17320A(1)	TOWER, AIRPORT CONTROL, 50 FEET HIGH REVIEWER: 69	A 5450	YD1 15-JAN-56	NO	YD1 11			
L MIL-U-17336C	URINAL, STATIONARY, TROUGH TYPE USER: CE REVIEWER: CS	A 5410	YD1 14-MAR-78		YD1 99			
L MIL-B-17347B	BUILDING, PREFABRICATED, PANELIZED, WOOD, 20 BY 48 FEET, (EMERGENCY MOBILIZATION UNIT .B.)	A 5410	YD1 17-JUN-63		YD1			
MIL-A-17357B	ALUMINUM ALLOY 5154 (A545) PLATES AND SHEETS (USE MIL-A-2159B) USER: EL GL MC YD1	A 9535	SH 20-MAR-61	MR	SH 11			
MIL-L-17374C	LUMBER, HARDWOOD, STRESS GRADE, PHILIPPINE REVIEWER: CS	A 5510	YD1 22-JUL-65	NO	YD1 84			
L MIL-C-17375A	CHAMBER, AIR-LOCK, PORTABLE, WOOD (FOR PERSONNEL SHELTERS)	A 5410	YD1 09-MAY-62		YD1			
L MIL-B-17380A	BEARING, ROLLER, THRUST (S/S BY A-A-52414) USER: SH REVIEWER: 84 AR IS MI	A 3110	AT 09-MAR-93	AT	OS 99			
L MIL-R-17387	NONMAGNETIC INSPECTION PROCEDURE FOR WROUGHT AUSTENITIC STEEL (S/S BY MIL-STD-288)	A NDT1	SH 30-SEP-56	MR	SH 11			
L MIL-R-17392A	RAMP, LOADING, VEHICLE, PONTOON (USE MIL-P-1610B)	A 1945	YD1 08-DEC-55		YD1			
L MIL-R-17393	RAMP, LOADING, CAUSEWAY, PONTOON (USE MIL-P-1610B)	A 1945	YD1 22-MAR-55		YD1			
L MIL-D-17394	DECK-ATTACHMENTS, PONTOON VESSEL (USE MIL-P-1610B)	A 2040	YD1 28-OCT-52		YD1			
L MIL-D-17395	DECK ACCESSORIES, PONTOON VESSELS (USE MIL-P-1610B)	A 2040	YD1 24-FEB-55		YD1			
L MIL-W-17396	WOOD FITTINGS, PONTOON ASSEMBLY (USE MIL-P-1610B)	A 2040	YD1 28-OCT-52		YD1			
L MIL-B-17397D	BITTS, CLEATS, AND CHOCKS (NO S/S DOCUMENT)	A 2040	YD1 10-AUG-89	MR	YD1			
L MIL-J-17398	JOINING TOOLS, PONTOON (USE MIL-P-1610B)	A 2040	YD1 28-OCT-52		YD1			
L MIL-B-17399	BARGE FITTINGS, PONTOON (USE MIL-P-1610B)	A 2040	YD1 02-FEB-56		YD1			
L MIL-B-17400A	BARGE FITTINGS, PONTOON	A 2040	YD1 08-DEC-55		YD1			
L MIL-W-17401	WARPING-YUG-FITTINGS, PONTOON (USE MIL-P-1610B)	A 2040	YD1 01-DEC-55		YD1			
L MIL-C-17402B	CAUSEWAY FITTINGS, PONTOON (USE MIL-P-1610B)	A 2040	YD1 28-NOV-56		YD1			
L MIL-F-17403	FENDERS AND RAMPS, DRY DOCK PONTOON (USE MIL-P-1610B)	A 2040	YD1 28-OCT-52		YD1			
L MIL-S-17404	STABILIZER-FITTINGS, DRY DOCK PONTOON (USE MIL-P-1610B)	A 2040	YD1 28-OCT-52		YD1			



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Aeronautics / Ordnance / Miscellaneous / Document Number	Document Title	Dist. Smt. FSC / Aves. MCA Symbol	Preparing Act. Date	Custodians			
				Army	Navy	Air Force	DLA
L MIL-L-17405	LIFTING AND LASHING GEAR, PONTOON ASSEMBLY (LST SIDE CARRY) (USE MIL-P-16108)	A 2040	YD1 28-OCT-52	YD1			
L MIL-M-17407A	WHEEL HOUSE, PROTECTIVE PONTOON BARGE	A 2040	YD1 30-MAY-61	YD1			
L MIL-M-17430	HEAT SAWING MACHINES, ELECTRIC (SHORE USE) (USE MIL-S-40601)	A 7320	YD1 21-JAN-55	YD1			
L MIL-B-17451B	BUILDING, PREFABRICATED, READY-CUT, HANGER, METAL, RIGID FRAME, GABLE	A 5410	YD1 03-DEC-67	YD1			
L MIL-B-17459A	REVIEWER: 99						
L MIL-D-17461A	BUILDING, PREFABRICATED, STEEL, 20 X 48 (USE MIL-B-22637)	A 5410	YD1 12-SEP-60	YD1			
L MIL-B-17470B(2)	ORGANS, MUSICAL, ELECTRONIC	A 7710	YD1 15-JUL-53	YD1			
L MIL-B-17511A	BRUSH, WIRE, TUBE (USE MIL-B-43665) USER: MC SA YD1 REVIEWER: MD	A 7920	GL 25-OCT-74	GL			
L MIL-B-17512	BRASS, MARINE, CASTING (S/S BY QQ-B-621) REVIEWER: OS YD1	A 9540	SH 23-NOV-59	SH			
L MIL-C-17516A	BRASS, CASTINGS (NAVY) REVIEWER: YD1	A MECA	SH 20-JUN-53				
L MIL-S-175310	COPPER-SILICON ALLOY ROD, WIRE, SHAPES, FORGINGS, AND FLAT PRODUCTS (FLAT	A 9525	SH 04-DEC-61				
DOD-P-17545D	WIRE, STRIP, SHEET, BAR, AND PLATE) (USE QQ-C-591) USER: YD1						
L MIL-P-17558A	SCRAPER, BAKERS (S/S BY A-A-52068) USER: CS MC YD1	A 7330	GL 15-JAN-91	GL	SA	84	
L MIL-P-17570	PRIMER COATING, ALKYL-RED LEAD TYPE, FORMULA NO. 116 AND FORMULA NO. 116D	A 8010	SH 14-AUG-85	MR	SH	99	
L MIL-P-17572A	(METRIC) (S/S BY TT-P-645) USER: YD1 REVIEWER: ME						
L MIL-D-17573	PUMP, RECIPROCATING, STEAM DRIVEN, WATER, GENERAL SERVICE OR BOILER FEED	A 4320	YD1 10-JUL-63	YD1			
L MIL-B-17583	(USE MIL-P-17552)						
L MIL-T-17585C	PUMP, CENTRIFUGAL, SALT WATER, SKID BASE MOUNTED GASOLINE ENGINE DRIVEN,	A 4320	YD1 20-MAR-53	YD1			
L MIL-P-17597D	500 G.P.M. AT 250 FOOT HEAD						
L MIL-G-17598	PUMP, AIRLIFT	A 4320	YD1 01-NOV-63	YD1			
L MIL-R-17604C	DOUGH PROOFING BOX, BAKER'S, RACK TYPE, STEAM HEATED	A 7320	YD1 20-MAR-53	YD1			
L MIL-P-17607A	BLOCK, TACKLE, FALL, STEEL 1-1/8 IN. DIAMETER WIRE ROPE CAPACITY, 100 TONS	A 3940	YD1 10-OCT-61	YD1			
L MIL-S-17622A	WORKING LOAD						
L MIL-S-17635A	THERMOMETER, RECORDING, CAPILLARY TUBE AND BULB, AND RESISTANCE REVIEWER:	A 6685	YD1 16-MAY-88	YD1			
L MIL-T-17637B	CS						
L MIL-R-17657C(1)	PUMP AND HEATER, FUEL OIL (S/S BY XX-P-2801) USER: CG MD REVIEWER: CS	A 4320	YD1 28-AUG-92	ME	YD1	99	
L MIL-C-17661B	NOTICE 1						
L MIL-P-17664B	GAGE, PRESSURE, DIAL INDICATING, STEEL DRUM TIGHTNESS TESTING	A 6685	YD1 07-APR-53	YD1			
L MIL-B-17668(1)	RECORDING EQUIPMENT, CARBON-DIOXIDE, AUTOMATIC (REFER TO MIL-M-29190A)	A 6630	YD1 16-JUN-81	YD1			
L MIL-D-17740	PUMPING UNIT, CONDENSATE, HEATING, VERTICAL, SLUMP-PUMP WITH RECEIVER (S/S	A 4320	YD1 06-JUL-55	YD1			
L MIL-B-17675B(2)	BY MIL-P-17749B)						
L MIL-H-17678B	SMOKE DENSITY MEASURING EQUIPMENT, INDICATING AND RECORDING, SHORE USE	A 6635	YD1 26-FEB-64	YD1			
L MIL-L-17681B	(S/S BY MIL-M-29190) USER: GL REVIEWER: CS						
L MIL-F-17683	SEPARATORS AND PURIFIERS, STEAM, PIPELINE AND RECEIVER	A 4730	YD1 14-FEB-64	YD1			
L MIL-G-17684A	TORCHES, WELDING, HAND, MILITARY STANDARD USER: AS MC OS SH REVIEWER: GL	A 3432	YD1 15-JUL-57	WC	YD1		
L MIL-E-17686(1)	CS						
L MIL-F-17687A	RAINCOAT, MAN'S (FOUL WEATHER) (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: CT	A 8405	NU 20-MAR-91	NU			
L MIL-G-17688A	CONDENSER, REFRIGERATION 3 TONS TO 150 TONS CAPACITY REVIEWER: CS	A 4130	YD1 13-JUN-73	YD1			
L MIL-H-17689A	PROTECTOR, PACKING LIST (USE PPP-P-700) REVIEWER: SH YD1	A 8105	SA 24-JUN-57				
L MIL-I-17690(1)	BRASS CASTING, COMMERCIAL (S/S BY QQ-B-621) REVIEWER: OS YD1	A MISC	SH 23-NOV-59	SH			
L MIL-J-17691A	BAKING & COOKING & ROASTING EQUIPMENT, ELECTRIC (SHORE TYPE)	A 7310	YD1 23-JUN-53	YD1	67		
L MIL-K-17692A	DRILLING MACHINE, UPRIGHT BACK-GEARED, FIXED HEAD, 21-INCH SWING,	A 3413	YD1 19-MAR-74	YD1			
L MIL-L-17693A	1-1/2-INCH DRILL REVIEWER: GS MC						
L MIL-M-17694A	BREATHING APPARATUS, OXYGEN GENERATING (S/S BY MIL-B-24692) USER: MC ME	A 4240	SH 26-OCT-87	MR	SH	99	
L MIL-N-17695A	YD1 REVIEWER: EA GS MD MS						
L MIL-O-17696(1)	HOLDERS, ELECTRICAL CONTACT BRUSH USER: YD1	A 5977	SH 05-JUL-60	MD	SH		
L MIL-P-17697A	INDICATOR, LIQUID LEVEL, FOR BOLTED STEEL TANK REVIEWER: GS	A 6680	YD1 04-JAN-55	YD1			
L MIL-Q-17698A	LAUNDRIES, SKID MOUNTED, 75 AND 150 POUNDS (DRY WEIGHT) PER HOUR REVIEWER:	A 3510	YD1 13-MAR-68	YD1			
L MIL-R-17699A	CS						
L MIL-S-17700A	FILTER, CHEMICAL TYPE, OIL FROM CONDENSATE (S/S BY MIL-F-17559A)	A 4330	YD1 01-JAN-63	YD1			
L MIL-T-17701A	SEPARATOR-FILTERS, FLUID, GRAVITY-TYPE (LUBRICATING OIL)	A 4330	YD1 30-SEP-63	YD1			
L MIL-U-17702A	FLOODLIGHT, ELECTRIC, 500 WATT, NOMINAL 120 VOLT REVIEWER: GS	A 6230	YD1 31-OCT-72	YD1			
L MIL-V-17703A	COOLER, PROCESS-WATER ELECTRIC REVIEWER: GS	A 4110	YD1 27-DEC-63	YD1			
L MIL-W-17704A	PURIFIERS, CENTRIFUGAL LUBRICATING OIL	A 4330	YD1 01-JUL-63	YD1			
L MIL-X-17705A	BALLS, CONCRETE SINKER (S/S BY MIL-C-18295C)	A 2050	YD1 09-FEB-61	YD1			
L MIL-Y-17706A	FAN, VENTILATING, PROPELLER, EXHAUST, LIGHT PROOF 450 C.F.M.	A 4140	YD1 19-JAN-56	YD1			
L MIL-Z-17707A	COMPRESSOR, ROTARY, AIR GASOLINE-ENGINE-DRIVEN, 100 C.F.M. AT 15 P.S.I.G.	A 4310	YD1 12-AUG-53	YD1			
L MIL-AA-17708A	FLOODLIGHT SET, ELECTRIC, SELF-CONTAINED, TRAILER MOUNTED, WITH SIX	A 6230	YD1 19-OCT-60	YD1			
L MIL-AB-17709A	500-WATT FLOODLIGHTS						
L MIL-AC-17710A	FAN, VANEAXIAL, PORTABLE, SPARK RESISTANT, 500 C.F.M. AT 2-1/2 INCH STATIC	A 4450	YD1 07-SEP-53	YD1			
L MIL-AD-17711A	PRESSURE						
L MIL-AE-17712A	PUMP UNIT, ROTARY, POWER-DRIVEN, FUEL OIL, SKID BASE MOUNTED (NO S/S	A 4320	YD1 11-SEP-92	YD1			
L MIL-AF-17713A	DOCUMENT)						
L MIL-AG-17714A	ELBOW, PIPE WITH UNION TAILPIECE, NON-THROTTLING TYPE, FOR GRAVITY-FLOW	A 4730	YD1 10-MAR-70	ME	YD1		
L MIL-AH-17715A	HOT WATER RADIATORS						
L MIL-AI-17716A	NOZZLE, SPRAY, WATER COOLING	A 4730	YD1 10-JUL-63	YD1			
L MIL-AJ-17717A	SCREENS, WATER, TRAVELING	A 4610	YD1 21-SEP-53	YD1			
L MIL-AK-17718A	GOVERNOR, PUMP, DIFFERENTIAL PRESSURE REGULATING	A 4320	YD1 17-OCT-61	YD1			
L MIL-AL-17719A	ELECTRODE, CUTTING, TUBULAR, STEEL, COVERED USER: AT YD1 REVIEWER: GS	A 3439	SH 03-FEB-88	AR	SH	99	
L MIL-AM-17720A	HEATERS, WATER, STEAM-HOT WATER HEATED, STORAGE-TYPE (USE MIL-H-12322B)	A 4410	YD1 25-SEP-53	YD1			
L MIL-AN-17721A	DISPENSER, BEVERAGE AND LIQUID FOOD, VACUUM, PORTABLE (USE MIL-J-23049)	A 7350	YD1 04-DEC-53	YD1			
L MIL-AO-17722A	GAGES, DIAL INDICATING, FURNACE DRAFT (S/S REFER TO ANSI B40.1-85)	A 6685	YD1 16-MAY-88	YD1			
L MIL-AP-17723A	REVIEWER: GS						
L MIL-AQ-17724A	FILTER, AIR, ELECTRIC MOTOR OR AIR OPERATED, VISCOUS IMPINGEMENT TYPE SELF	A 4330	YD1 21-JUL-72	YD1			
L MIL-AR-17725A	CLEANING						
L MIL-AS-17726A	SNOWPLOWS, TRUCK-MOUNTED: DISPLACEMENT TYPE, 36,000 GVWR, 4 BY 4 (S/S BY	A 3825	YD1 24-FEB-92	ME	YD1		
L MIL-AT-17727A	KKK-S-2777)						
L MIL-AU-17728A	CONCRETE PIPE FORM SETS	A 5630	YD1 02-NOV-53	YD1			
L MIL-AV-17729A	TESTER, FLEXURAL STRENGTH, CONCRETE BEAM (PORTABLE) USER: CG REVIEWER: GS	A 6635	YD1 09-MAY-83	ME	YD1	99	
L MIL-AW-17730A	PADLOCKS AND PADLOCK SETS, LOW SECURITY, KEY OPERATED, REGULAR (OPEN)	A 5340	YD1 15-JUN-91	GL	YD1	99	
L MIL-AX-17731A	SHACKLE (S/S BY A-A-1927) REVIEWER: IS						
L MIL-AY-17732A	SINK, BATTERY SERVICE, ACID AND ALKALI RESISTANT REVIEWER: CS	A 4510	YD1 06-MAY-69	ME	YD1	84	
L MIL-AZ-17733A	GAGE, VACUUM, MERCURY COLUMN (NO S/S DOCUMENT) REVIEWER: GS	A 6685	YD1 31-AUG-88	YD1			
L MIL-BA-17734A	VALVE, SHOWER, SELF-CLOSING USER: CG REVIEWER: CS MC	A 4510	YD1 22-MAY-78	ME	YD1	99	
L MIL-BB-17735A	LAPPING AND GRINDING COMPOUND (FOR CHROMIUM-COBALT HARD-FACED SEATS AND	A 5350	YD1 26-OCT-62	WC	YD1		
L MIL-BC-17736A	DISKS) (USE SS-L-1682) USER: AV SH REVIEWER: AS IS						
L MIL-BD-17737A	CUTTING ATTACHMENT, COMMERCIAL WELDING TORCH (USE MIL-C-18116) REVIEWER:	A 3432	SH 31-JAN-55	SH			
L MIL-BE-17738A	AS GS MC OS YD1						
L MIL-BF-17739A	STEEL STRIP AND FLAT BAR, CARBON AND ALLOY (FOR SPRINGS) (NAVY) REVIEWER:	A 9515	WP 05-NOV-54				
L MIL-BG-17740A	MI MS SH YD1						
L MIL-BH-17741A	BRUSH, ARTIST REVIEWER: YD1	A 8020	SH 01-JUL-54				
L MIL-BI-17742A	BUILDING ADDITION, PREFABRICATED, READY CUT PARACHUTE DRYING LOFT, 32-FEET	A 5410	YD1 16-JUN-55	YD1			
L MIL-BJ-17743A	HIGH REVIEWER: 69						
L MIL-BK-17744A	LUBRICATOR, MECHANICAL FORCED FEED, SIGHT TYPE REVIEWER: MI	A 4930	YD1 12-NOV-54	YD1			
L MIL-BL-17745A	HAMMER, PILE DRIVER, AIR-STEAM DRIVEN, 26,000 FOOT-POUNDS, SINGLE ACTING	A 3895	YD1 06-MAY-54	YD1	87		
L MIL-BM-17746A	FITTING, PIPE, BUTT WELDING, FERROUS METAL (USE ANSI B16.9 & ANSI B16.28)	A 4730	YD1 17-FEB-77	ME	YD1	99	
L MIL-BN-17747A	USER: AR CE REVIEWER: CS EA MI						
L MIL-BO-17748A	VALVE, PRESSURE REGULATING, PILOT OPERATED, STEAM (S/S BY MIL-V-16733B)	A 4820	YD1 12-MAY-54	YD1			
L MIL-BP-17749A	RADIATOR, HEATING, STEAM & HOT WATER, CAST IRON (USE MIL-H-18551) USER: CE	A 4520	YD1 04-JAN-84	ME	YD1	99	
L MIL-BQ-17750A	MC						
L MIL-BR-17751A	TOP, GALLEY TABLE USER: GL REVIEWER: GS	A 7320	YD1 29-OCT-63	YD1			
L MIL-BS-17752A	TORCHES, WELDING: AND TORCHES, CUTTING-HAND, COMMERCIAL, OXYACETYLENE AND	A 3433	IP 18-SEP-84	SH			1P
L MIL-BT-17753A	OXYHYDROGEN GASES (S/S BY MIL-T-13880) REVIEWER: GS MC YD1						



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Off / On Coordinate Increase Document Number	Document Title	Doc. Ident. FSC / Item MCA Symbol Preparing Agency	Date	Custodians		
				Army	Navy	Air Force DLA
L MIL-I-180798 NOTICE 1	INSTALLATION OF ANGLE OF ATTACK AND SIDESLIP SYSTEMS (NO S/S DOCUMENT) ....	A 6610 AS	25-NOV-92	AS		
L MIL-T-18086C MIL-T-18112A	TRANSMISSION, MECHANICAL AND GEARCASE MOTORS ..... TRAPS, STEAM, BUCKET, FLOAT, IMPULSE AND RETURN, AND AIR VENTS, FLOAT AND THERMOSTATIC (USE WW-T-696) REVIEWER: WC	A 3010 A 4730	YD1 04-MAY-83 YD1 24-APR-57	YD1 MO	YD1 69	
L MIL-V-18114A MIL-C-18116A MIL-T-18118D MIL-G-18120B	VALVE, ATMOSPHERIC EXHAUST AND BACK PRESSURE ..... CUTTING ATTACHMENT, MILITARY STANDARD WELDING TORCH USER: MC REVIEWER: GS TRANSMISSION, MECHANICAL, VARIABLE SPEED USER: ME REVIEWER: MC GATE, BLAST (FOR LOW PRESSURE, 4-INCH WATER GAGE, SHEET METAL PIPE SYSTEMS (S/S BY A-A-50468) REVIEWER: CS	A 4820 A 3433 A 3010 A 4460	YD1 17-OCT-66 YD1 31-JAN-57 YD1 27-JUN-83 YD1 20-DEC-83	YD1 WC YD1 84 YD1 99		
L MIL-P-18124 MIL-C-18143D(1) MIL-L-18145C MIL-V-18146B MIL-W-18153A MIL-C-18155A MIL-T-18166C	PANEL, ARMOR, STEEL ENCASED AGGREGATE AND BINDER ..... TABLE, DINING, METAL (WITH FOUR BRACKET SEATS) USER: GL LOUVER, METAL, EXHAUST OPENING-GRAVITY CLOSING TYPE ..... VALVE, PRESSURE REGULATING, WATER (S/S BY ANSI A112.26.2-82) REVIEWER: CS WOODWORKER, UNIVERSAL REVIEWER: GL SH COOLER UNIT, AIR DUCT TYPE, ELECTRIC GENERATOR WINDING REVIEWER: GS THREADING MACHINE, PIPE & BOLT, PORTABLE, ELECTRIC (USE MIL-D-29225) USER: CG MC REVIEWER: GS IP SH	A 9515 A 7105 A 5670 A 4820 A 3220 A 4130 A 3450	YD1 09-JUL-54 YD1 03-NOV-58 YD1 27-JUN-75 YD1 25-NOV-83 YD1 08-JUN-55 YD1 27-FEB-57 YD1 27-JAN-84	YD1 YD1 YD1 YD1 MO YD1 YD1 99		
MIL-P-18174B(1) MIL-P-18177C(2) NOTICE 1 L MIL-P-18178A L MIL-U-18181C	PIPE FITTING, STEEL, THREADED 2000, 3000, & 6000 POUND, WOG USE ANSI B16.11 USER: CE MC REVIEWER: 99 AR CS EA PLASTIC SHEET, LAMINATED, THERMOSETTING, GLASS FIBER BASE, EPOXY-RESIN (S/S BY MIL-I-24768/2 AND MIL-I-24768/3) REVIEWER: EA EC GS ME MI PIPE BENDS, FABRICATED (FOR SHORE USE) USER: CG MI UNION, PIPE, FLANGED, IRON (125, 250, AND 300 PSI WORKING STEAM PRESSURE) USER: AR CE MC REVIEWER: 99	A 4730 A 9330 A 4730 A 4730	YD1 11-DEC-72 SH 25-FEB-92 YD1 28-NOV-67 YD1 03-NOV-78	ME ER YD1 YD1	YD1 11	SH 11
L MIL-U-18183C L MIL-S-18190A MIL-E-18193B(1) L MIL-A-18204A NOTICE 1 L MIL-P-18217A MIL-A-18218B NOTICE 1 L MIL-T-18219B L MIL-M-18220	UNION, PIPE, FLANGED, STEEL USER: CE OS SMOOTHING IRONS, ASPHALT, AND HEATER, ASPHALT TOOL (USE MIL-S-28565) ..... ELECTRODES, WELDING, CARBON STEEL AND ALLOY STEEL, BARE, COILED (S/S BY MIL-E-23765/1 AND MIL-E-23765/4) USER: AS AT ME OS YD1 REVIEWER: EA GS AMMETERS, DIRECT-CURRENT, SPLIT-CORE, PORTABLE (NO S/S DOCUMENT) ..... PYROMETER, INDICATING ANALYZERS, FLUE-GAS, ORSAT-TYPE, PORTABLE (S/S BY A-A-50504) USER: B2	A 4730 A 5120 A 3439 A 6625 A 6685 A 6630	YD1 27-OCT-78 YD1 23-AUG-63 SH 15-SEP-89 SH 19-AUG-92 YD1 29-APR-63 YD1 28-FEB-92	ME YD1 AR SH	YD1 YD1 99	
L MIL-T-18219B L MIL-M-18220	TRANSMISSION, HYDRAULIC, VARIABLE SPEED (100 TO 14,000 INPUT HORSEPOWER) .. METER, POSITIVE GRAVITATIONAL TYPE, COMPENSATE, WATER (S/S BY MIL-M-18244A)	A 3010 A 6680	YD1 02-MAY-83 YD1 01-JAN-63	YD1 YD1		
L MIL-M-18221C L MIL-S-18245 L MIL-T-18246C MIL-S-18247A	METERS, FLOW RATE INDICATING (NO S/S DOCUMENT) REVIEWER: GS SAW, POWER, HACK, GRAVITY FEED, 6-INCH CAPACITY (USE OO-S-240) ..... TURBINE, STEAM, MECHANICAL DRIVE, COMMERCIAL (USE NEMA SH 23-1979) ..... STUD, PLAIN, STEEL, GENERAL - PURPOSE (FF-S-1362) USER: AV YD1 REVIEWER: B4 GL 15	A 6680 A 3419 A 2825 A 5307	YD1 08-DEC-88 YD1 11-OCT-54 YD1 30-JUL-71 WC 30-JUL-64	YD1 YD1 YD1 WC AS	YD1 99	82
MIL-U-18250A(1) L MIL-G-18293B L MIL-V-18311A L MIL-S-18347A L MIL-M-18348 L MIL-F-18350B L MIL-P-18358	UNION, PIPE, STEEL OR MALLEABLE IRON, THREADED PIPE CONNECTIONS, 300 POUND WP (S/S BY ANSI B16.39) USER: CE CG MC REVIEWER: AR CS OS GAGE, PRESSURE, RECORDING REVIEWER: GS VALVE, PLUG, BOILER BLOWOFF, STRAIGHTWAY TYPE (USE MIL&V-18406) ..... SOUND MEASURING SET, MK 4 METER, GAS, BELLONIS TYPE (S/S BY MIL-M-18294A) ..... FAN, CENTRIFUGAL, (1 TO 3 PSI DISCHARGE PRESSURES) REVIEWER: GS PAINT, CAMOUFLAGE, RESIN-OIL-EMULSION-TYPE AND RESIN-EMULSION-TYPE, PASTE (NO S/S DOCUMENT)	A 4730 A 6685 A 4820 A 6625 A 6680 A 4140 A 115C	YD1 16-APR-84 YD1 28-JUN-74 YD1 08-FEB-57 SH 28-MAY-56 YD1 01-JAN-63 YD1 25-AUG-72 YD1 09-FEB-60	ME YD1 YD1 YD1 YD1 YD1	YD1 99	
L MIL-F-18359 L MIL-T-18361D L MIL-D-18403A L MIL-V-18406B L MIL-V-18408A L MIL-R-18409C L MIL-S-18411	FANS, CENTRIFUGAL, 1 TO 6 PSIG DISCHARGE PRESSURE ..... TRAP, GREASE, WASTE WATER (UP TO 50 G P.M.) USER: CG MC REVIEWER: CS MS DESUPERHEATER SYSTEMS, WATER EVAPORATION TYPE ..... VALVE, BLOW OFF, BOILER VALVE, RADIATOR, PACKLESS STEAM, LOW-PRESSURE USER: 26 RENOVATOR, LAWN, POWER AND TOWED USER: MC STEEL BARS, CARBON, COLD FINISHED, FREE MACHINING (USE QQ-S-637) REVIEWER: MI SH YD1	A 4450 A 4510 A 4420 A 4820 A 4820 A 3750 A 9510	YD1 21-DEC-54 YD1 22-SEP-78 YD1 30-SEP-75 YD1 27-SEP-85 YD1 31-DEC-57 YD1 21-OCT-74 WP 08-JUN-55	YD1 MO YD1 YD1 MO MO	YD1 99	YD1 99
L MIL-G-18413A L MIL-M-18420B L MIL-D-18429A L MIL-V-18434B L MIL-E-18435C L MIL-R-18440B L MIL-V-18447C L MIL-C-18457A	GUARD, ANCHOR CHAIN (RUBBING CASTINGS) (USE MIL-C-18295) ..... METER, WATTHOUR AND AUXILIARY APPARATUS REVIEWER: CG MC SA DEMOUNTABLE-MOUNTED, PNEUMATIC TIRE (S/S BY MIL-M-45083B) ..... VALVE, GATE GLOBE, & ANGLE, STEEL (USE ANSI B16.34) USER: ME REVIEWER: CS EXHAUST HEAD, PIPE (S/S BY A-A-50494) USER: CE REGULATORS FOR DAMPERS, LOUVERS, AND VALVES ..... VALVE, STOP CHECK, NONRETURN, AUTOMATIC CLEANER, PIPELINE, AIR PRESSURE, AND CLEANING KITS, PIPELINE, AIR PRESSURE USER: YD1	A 4030 A 6625 A 4910 A 4820 A 4730 A 5680 A 4820 A 4940	YD1 03-FEB-56 YD1 22-AUG-73 YD1 22-SEP-63 YD1 02-MAY-83 YD1 10-APR-90 YD1 07-JUN-60 YD1 21-APR-75 SH 29-JUL-86	YD1 YD1 YD1 YD1 YD1 YD1 YD1 SH 99		
L MIL-C-18466C	CRUSHING AND SCREENING PLANT, MOBILE, AGGREGATE, 300 TONS PER HOUR CAPACITY	A 3820	YD1 23-JAN-84	YD1		
L MIL-T-18470B MIL-T-18479C NOTICE 1 L MIL-E-18481A L MIL-V-18489 L MIL-V-18500B MIL-P-18501A	TANK, LIQUID STORAGE, METAL (NONPORTABLE WATER ONLY) REVIEWER: B2 TRUCK, REFUSE COLLECTION; COMPACTION TYPE, SIDE LOADING, 16 CUBIC YARD (NO S/S DOCUMENT) REVIEWER: B4 EJECTION ASSEMBLY, AIR (STEAM JET) ..... VALVE, PRESSURE REGULATING, DIFFERENTIAL CONTROL ..... VALVES, REDUCING, COMPRESSED GAS (NO S/S DOCUMENT) ..... PIPE AND FITTINGS, STEEL, LIGHTWEIGHT, SPIRAL AND LONGITUDINAL WELDED SEAM USER: CE	A 5430 A 2320 A 4320 A 4820 A 6680 A 4730	YD1 28-DEC-64 YD1 30-DEC-92 YD1 04-AUG-72 YD1 02-MAY-55 YD1 16-FEB-89 YD1 16-NOV-67	YD1 AT YD1 YD1 YD1 ME	YD1 99	YD1 99
L MIL-F-18523C NOTICE 2 L MIL-V-18559A MIL-T-18560B MIL-B-18561A MIL-W-18574C	FANS, CENTRIFUGAL, DRAFT, FORCED AND INDUCED (S/S BY W-F-2793) REVIEWER: GS VALVE, RADIATOR, HEATING PACKED STEM (USE WW-V-160) USER: MI SH TANK, EXPANSION, HOT WATER HEATING SYSTEM ..... BLAST CLEANING MACHINE (USE MIL-B-45022A) USER: MC REVIEWER: SH WINCH, DRUM, GASOLINE ENGINE DRIVEN, 5,500 POUND LINE PULL AT 100 FEET PER MINUTE	A 4140 A 4520 A 4520 A 4940 A 3950	YD1 02-JUL-92 YD1 24-MAR-61 YD1 13-AUG-74 YD1 06-JUL-60 YD1 27-JAN-67	YD1 MO YD1 WC YD1 84	YD1	YD1 84
L MIL-H-18592 L MIL-L-18603D	HARROWS, DISK, 2-GANG AND 4-GANG ..... LOADERS, SCOOP TYPE, COMMERCIAL, WHEELED, DIESEL-ENGINE-DRIVEN (FRONT END LOADER), (USE KKK-L-1542) REVIEWER: MC	A 3710 A 3805	YD1 30-OCT-60 YD1 27-MAR-69	YD1 YD1		
L MIL-S-18635 MIL-T-18642D L MIL-S-18643B	SIREN, INTERNAL COMBUSTION ENGINE OPERATED, 125 DECIBEL OUTPUT ..... TRACTOR, WALKING, POWER DRIVEN, WHEEL MOUNTED REVIEWER: CS SPRAY OUTFIT, PAINT-GASOLINE ENGINE DRIVEN-HAND TRUCK MOUNTED (TRAILER AND WHEELBARROW TYPES) USER: CE CG EL ME REVIEWER: MC	A 6350 A 3750 A 4940	YD1 01-SEP-60 YD1 08-DEC-69 YD1 30-JAN-70	YD1 YD1 84 YD1		
L MIL-E-18658A	ENTRANCE, SIDE, DOOR AND FRAME, WOOD, FOR 20 BY 48 FT ARCH RIB BUILDING REVIEWER: 69	A 5410	YD1 19-JUL-57	YD1		
L MIL-L-18684B	LOADER, SCOOP TYPE, FULL TRACKED, DIESEL-ENGINE-DRIVEN, COMMERCIAL (USE KKK-L-1086)	A 3805	YD1 06-APR-65	YD1		
L MIL-L-18686C	LATHE, ENGINE, LIGHT DUTY, 14-INCH MINIMUM SWING (USE MIL-L-23400 OR MIL-L-23250) REVIEWER: GS	A 3416	YD1 08-AUG-67	YD1		
L MIL-B-18695A	BOLTS AND NUTS, PLOW, POLE LINE, HOOK, AND SHOULDER (S/S BY MIL-H-55053A) REVIEWER: MC SA SH	A 5306	YD1 09-MAY-57	YD1		
MIL-M-18721C L MIL-P-18724A Q MIL-M-18745C(2)	MAGNET, LIFTING, ELECTRIC 20,000 AND 38,000 POUNDS REVIEWER: CS PULLER, RATCHET-LEVER, CABLE TYPE, HAND OPERATED, 3000 POUND CAPACITY ..... HAMMER, HAND, NONSPARKING AND NON-MAGNETIC USER: YD1	A 3815 A 5120 A 5120	YD1 20-JUN-75 YD1 23-DEC-57 SH 16-APR-76	ME YD1 GL SH	YD1 99 YD1 99	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action CPL / OMA Coordination Inactive	Document Number	Document Title	Dist Smt FSC / Area	MCS Symbol Preparing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
	MIL-G-18763E	GROUTING MACHINES (MUD JACKS) PNEUMATIC-TIRED (NO S/S DOCUMENT) REVIEWER: 84	A 3895	YD1	31-JUL-89		YD1	99	
	MIL-B-18799B	BULBS, FLUSH, WATER CLOSET TANK USER: CE CG REVIEWER: 69	A 4510	YD1	18-APR-77	ME	YD1	99	
L	MIL-F-18806A	FORM PULLER, CONCRETE PAVING	A 3895	YD1	19-JUL-60		YD1		
	MIL-R-18818A	RODS, WELDING, ALUMINUM BRONZE, SURFACING, INERT-GAS TUNGSTEN-ARC PROCESS (USE MIL-R-19631) USER: 84 AT MC YD1 REVIEWER: GL GS SH	A 3439	OS	31-JAN-57	MC	OS	11	
L	MIL-V-18826C	VALVE, GLOBE AND ANGLE, CAST IRON REVIEWER: CS	A 4820	YD1	16-MAR-86		YD1		
L	MIL-V-18827A	VALVE, GATE, BRONZE, 300 PSI	A 4820	YD1	15-DEC-71		YD1		
L	MIL-T-18829	TUB, LAUNDRY, STATIONARY	A 4510	YD1	31-MAY-55		YD1		
L	MIL-L-18838B	LANTERN, ELECTRIC, HAND, GENERAL PURPOSE (USE W-L-200)	A 6230	YD1	25-FEB-66		YD1		
L	MIL-B-18839A	BURNER, WEED, TRAILER MOUNTED	A 3825	YD1	14-SEP-60		YD1	84	
L	MIL-P-18844	PIPE LINING, CEMENT MORTAR	A 5630	YD1	03-JUN-55		YD1		
L	MIL-D-18845	DRILL, ELECTRIC, ANGLE-MOUNTED CHUCK, 1/4 INCH CAPACITY IN STEEL (USE W-D-661)	A 5130	YD1	03-JUN-55		YD1		
L	MIL-C-18857B	COMPRESSOR UNIT, RECIPROCATING, ELECTRIC MOTOR DRIVEN, REFRIGERANT (3 TONS TO 100 TONS) REVIEWER: GS	A 4130	YD1	07-NOV-72		YD1		
L	MIL-B-18864	BENDER, ELECTRICAL CONDUIT, HAND, PORTABLE (USE GGG-B-175)	A 5120	YD1	08-JUN-55		YD1		
	MIL-C-18868C	CLEANING GUN, WATER, PRESSURE JET USER: AR CG	A 4940	YD1	23-MAY-86		YD1		
	MIL-C-18869B(1)	CABLE, POWER, ELECTRICAL, RUBBER INSULATED, LEAD SHEATHED, HIGH VOLTAGE (USE MIL-C-28661)	A 6145	YD1	23-APR-71	EL	YD1	80	
	MIL-M-18874	MICROFILMING ENGINEERING DRAWINGS AND RELATED DATA, REQUIREMENTS FOR (S/S BY MIL-M-8857)	A EDRS	11	01-NOV-58		OS	10	
L	MIL-E-18886	EXTENDER, BOOSTER, DEPTH CHARGE, MARK 6 MOD 2 (NO S/S DOCUMENT)	A 1360	OS	15-OCT-92		OS		
L	MIL-P-18887	PISTOL, DEPTH CHARGE, MARK 6 MOD 2 (NO S/S DOCUMENT)	A 1360	OS	15-OCT-92		OS		
L	MIL-A-18889	ARBOR, DEPTH CHARGE, MK 7 MOD 3 (NO S/S DOCUMENT)	A 1360	OS	15-OCT-92		OS		
	MIL-F-18899A	FUSE, PLUG, TIME-DELAY ELEMENT TYPE, 1-30 AMPERES 125 VOLTS (WITH AF NOTICE 1), DATED 13 AUG, 1962 (USE W-F-791D AND W-F-870C) USER: MC REVIEWER: 85 MI	A 5920	YD1	02-JUN-60	MO	YD1		
	MIL-C-18913B(1)	CABLE, POWER, ELECTRICAL, PAPER INSULATED, LEAD-SHEATHED, 15,000 VOLTS (USE MIL-C-28661) REVIEWER: IS	A 6145	YD1	23-APR-71	EL	YD1		
	MIL-F-18915C	FUSE LINKS, ELECTRICAL, UNIVERSAL, ENCLOSED & OPEN TYPE DISTRIBUTION CUTOUTS (SEE ANSI C 37.42-1981) USER: CE REVIEWER: 99 ES	A 5920	YD1	17-MAY-73	ME	YD1	85	
L	MIL-T-18929B	TABLE, WELDING REVIEWER: GS	A 3436	YD1	26-JAN-68		YD1		
	MIL-F-18930A(2)	FITTINGS, PLUMBING, MISCELLANEOUS (USE WM-P-541) USER: MC REVIEWER: CS MS	A 4510	YD1	09-MAY-73	ME	YD1	99	
	MIL-T-18931A	TANK, LIQUID STORAGE, METAL 275 GALLON CAPACITY, (FUEL OIL) (S/S BY MIL-T-462)	A 5430	YD1	09-AUG-61		YD1	69	
L	MIL-C-18932	COND, ELECTRICAL, HEATER TYPE (CANCELED, USE J-C-90)	A	YD1	03-FEB-60		YD1		
L	MIL-C-18959A	CABLE, POWER, ELECTRICAL, PORTABLE NEOPRENE JACKETED, 600 VOLTS	A 6145	YD1	16-MAR-60		YD1		
L	MIL-W-18960	WIRE, ELECTRICAL, ASBESTOS-INSULATED AND THERMOPLASTIC-INSULATED (USE J-W-850 AND J-C-90)	A 6145	YD1	25-JAN-60		YD1		
L	MIL-C-18961A	CABLE, SPECIAL PURPOSE, ELECTRICAL AND WIRE, ELECTRICAL, SHOT FIRING (USE J-C-118)	A 6145	YD1	10-AUG-61		YD1		
L	MIL-C-18962A	CABLE, POWER, ELECTRICAL, DIRECT BURIAL, NEOPRENE JACKETED, 600 VOLTS (USE J-C-30)	A 6145	YD1	16-FEB-60		YD1		
L	MIL-C-18964A	CABLE, SPECIAL PURPOSE, ELECTRICAL, VICE ENTRANCE, ARMORED (USE J-C-30)	A 6145	YD1	15-AUG-61		YD1		
L	MIL-B-18966C	BLOCK MAKING PLANT, CONCRETE (NO S/S DOCUMENT) REVIEWER: GS	A 3630	YD1	17-MAR-89		YD1		
L	MIL-O-18968(2)	OVENS, BAKING, DECK, GASOLINE-KEROSENE-OIL BURNING, AND OIL BURNING (USE MIL-O-2478)	A 7310	YD1	19-OCT-55		YD1		
	MIL-F-18993	FILTERS, AIR-CONDITIONING, VISCOUS-IMPEDIMENT TYPE, CLEANABLE (S/S BY F-F-300)	A 4130	YD1	26-NOV-57	ME	YD1	99	
L	MIL-F-18999C	FELT, PIPE LINE, ASBESTOS, GLASS FIBER REINFORCED, COAL TAR SATURATED	A 5640	YD1	15-JAN-75		YD1		
	MIL-S-19009B	SWITCH, THERMOSTATIC ROOM HEATING, AIR CONDITIONING, CONTROLS USER: CE MC REVIEWER: ES	A 5930	YD1	01-MAY-74	ME	YD1		
	MIL-S-19010A	SWITCH, PUSH, LOW VOLTAGE, MOMENTARY CONTACT USER: CE SH REVIEWER: ES SA	A 5930	YD1	18-SEP-61	ME	YD1		
	MIL-S-19015B	SINK, (GALVANIZED) WASHROOM, FREESTANDING, WOOD FRAME SUPPORTED USER: CG REVIEWER: CE CS MS	A 4510	YD1	12-JAN-79	ME	YD1	99	
L	MIL-W-19016B	WASHER, PLUMBING	A 5310	YD1	04-JUN-76		YD1		
	MIL-F-19017B	FITTING, PLUMBING, WATER CLOSET USER: CE MS REVIEWER: CG CS MC	A 4510	YD1	31-OCT-78	ME	YD1	99	
L	MIL-B-19031A	BELL, ELECTRICAL, LOW VOLTAGE, BUZZER, ELECTRICAL, LOW VOLTAGE (USE W-B-820)	A 6350	YD1	20-FEB-61		YD1		
L	MIL-T-19036	TEST SET, BATTERY (USE GG-T-200)	A 6625	YD1	09-AUG-55		YD1		
	MIL-L-19037B	LAMP HOLDERS FOR INCANDESCENT & FLUORESCENT LAMPS & GUARD, INCANDESCENT USER: ME REVIEWER: GS	A 6250	YD1	08-JUN-84	AT	YD1	99	
L	MIL-D-19040	DISPENSER, DRINKING WATER, MECHANICALLY COOLED, TUMBLER FILLING AND STORAGE TYPE (USE OO-C-566)	A 4110	YD1	09-AUG-55		YD1		
L	MIL-S-19058	STORAGE BATTERY ACCESSORIES (USE J-L-231)	A 6140	YD1	09-MAY-61		YD1		
L	MIL-C-19059A	CLAMPS, ELECTRICAL (USE MIL-C-82078 AND MIL-C-82079)	A 5935	YD1	12-SEP-61		YD1		
L	MIL-F-19060	FIXTURES, LIGHTING, INCANDESCENT LAMP, INDUSTRIAL, AND GLOBES ELECTRIC LIGHT (USE W-F-412)	A 6210	YD1	17-AUG-55		YD1		
	MIL-A-19070A	ALUMINUM ALLOY PLATE AND SHEET, 5086 (K186) USER: AR GL MC YD1 REVIEWER: EL	A 9535	SH	27-NOV-57	MR	SH	11	
L	MIL-M-19082C	HANGER, LIGHTING FIXTURE REVIEWER: GS	A 6210	YD1	27-FEB-76		YD1		
	MIL-D-19090C	DYNAMOMETER, RUN IN, HYDRAULIC, 300 AND 500 HORSEPOWER (S/S BY MIL-D-45561B) USER: MC ME SH REVIEWER: EL	A 4910	YD1	15-OCT-68	AL	YD1	99	
L	MIL-P-19095	PLASTIC SHEET, CORRUGATED, TRANSLUCENT, GLAZING (USE L-P-505)	A 9330	YD1	12-NOV-60		YD1		
	MIL-S-19106C	SCREWDRIIVER, RATCHET, RIGHT ANGLE OFFSET, RIGHT AND LEFT HAND TURNING (USE GGG-S-1408) USER: CE MC YD1 REVIEWER: MI	A 5120	GL	03-OCT-69	GL	SH	84	
	MIL-S-19114D	SINKS, SULLERY SERVICE AND DRAINBOARDS (S/S WM-S-2811) USER: CG MC REVIEWER: 84 CS	A 4510	YD1	16-APR-93		YD1	99	
L	MIL-G-19120B	GRINDING MACHINES, SAW TOOTH, HAND OPERATED, ELECTRIC MOTOR DRIVEN REVIEWER: GS	A 3415	YD1	21-APR-77		YD1		
	MIL-P-19161A(1)	PLASTIC SHEET, LAMINATED, GLASS CLOTH POLYTETRAFLUOROETHYLENE RESIN (S/S BY MIL-I-2476B/77)	A 9330	SH	25-FEB-92	MR	SH	11	
	MIL-R-19169B	RETOOTHING MACHINE, HANDSAW USER: 84 MC REVIEWER: GS	A 3405	YD1	26-MAY-76	AL	YD1	99	
L	MIL-S-19170(1)	SCALE, WEIGHING, COMMERCIAL, SOIL, 36 POUND CAPACITY	A 6670	YD1	28-DEC-55		YD1		
L	MIL-M-19178	MACHINE, KEY DUPLICATING (USE OO-K-200)	A 3419	YD1	20-JUN-60		YD1		
L	MIL-I-19210C	IGNITER, TORPEDO, MARK 6 MOD 4 (NO S/S DOCUMENT)	A 1365	OS	31-MAR-93		OS		
L	MIL-C-19219D(1)	CURTAINS, DOORWAY, DARKROOM (NO S/S DOCUMENT)	A 7230	YD1	10-AUG-92		YD1		
L	MIL-F-19220	FRAME, BLUEPRINT, FOR SOLAR PRINTING	A 3610	YD1	01-DEC-55		YD1		
L	MIL-B-19235C	BONDING COMPOUNDS, CONCRETE (REMETTABLE) (USE ASTM C932-80)	A 5610	YD1	19-JAN-79		YD1		
L	MIL-S-19236	SPLICE, CONDUCTOR, TELEPHONE AND AUTOMOTIVE WIRING	A 5940	YD1	27-NOV-60		YD1		
L	MIL-T-19237(2)	TRUCKS AND TRUCK TRACTORS, COMMERCIAL, GASOLINE ENGINE, 4X2, 1 1/2-TON, 2-TON, 2 1/2-TON, AND 3-TON (S/S BY MIL-T-45339)	A 2320	YD1	01-OCT-59		YD1		
	MIL-M-19253C	HOOKS, HOIST, REGULAR & SAFETY (FUTURE PROCUREMENT-REFER TO A-A-50469 & A-A-50472) REVIEWER: AR IS	A 4030	YD1	30-SEP-87		YD1	99	
	MIL-I-19254C	INSULATION BLANKETS, ELECTRICAL, 20,000 VOLTS RATING, WITH EYELETS (USE ASTM 10480-77) REVIEWER: 99 ER GS	A 5970	YD1	15-NOV-74		YD1	85	
Q	MIL-P-19290F	PLIERS, NONSPARKING AND NONMAGNETIC USER: CE MC ME YD1 REVIEWER: AR AS OS	A 5110	SH	01-DEC-70	GL	SH	99	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Order / Canceled Coordination Notice Document Number	Document Title	Dist. Sym. FSC / Ave MCA Symbol	Preparing Agency Date	Custodians		
				Army	Navy	Air Force DLA
L MIL-H-19320	HOOKS, GUY, HANGERS, CABLE, AND STEPS, POLE (USE MIL-H-55053 OR MIL-S-3960)	A 5975	YD1 04-MAR-61	YD1		
L MIL-T-19324	TENT, PONTOON BARGE TYPE, CLOTH, COTTON DUCK REVIEWER: CT	A 8340	YD1 20-JAN-56	YD1		
L MIL-R-19349C	REELING MACHINES, CABLE, HAND	A 3895	YD1 23-SEP-83	YD1		
L MIL-T-19350(1)	TRUCKS AND TRUCK-TRACTORS, COMMERCIAL, GASOLINE-ENGINE, 6X4, 5-TON, 10-TON, 15-TON, AND 20-TON (S/S BY MIL-T-45341)	A 2320	YD1 01-OCT-59	YD1		
L MIL-F-19351D	FUSE CUTOUTS, PRIMARY (SEE ANSI C 37.42-1981 REVIEWER: 99 ES)	A 5920	YD1 30-JAN-81	ER YD1 85		
L MIL-H-19352D	HANGER, CABLE REVIEWER: GS	A 5975	YD1 05-APR-85	ER YD1 85		
L MIL-L-19355E	LUBRICATING AND SERVICING UNIT, POWER-OPERATED PORTABLE, INDUSTRIAL TYPE (S/S BY DD-L-2738)	A 4930	YD1 12-SEP-91	YD1		
L MIL-C-19386A	CUTTING TOOL, SINGLE POINT (CARBIDE TIPPED AND SOLID CARBIDE) REVIEWER: GS	A 3455	YD1 23-SEP-66	YD1		
L MIL-P-19388	PLATE, SURFACE (BENCH) (USE GGG-P-463)	A 3460	YD1 24-FEB-56	YD1		
L MIL-T-19389	TAPE, MEASURING (USE GGG-T-106) USER: 85	A 5210	YD1 28-FEB-56	YD1		
L MIL-S-19410	SURVEYING EQUIPMENT, MISCELLANEOUS (USE MIL-A-20383 AND MIL-P-20192) USER: CS REVIEWER: GS	A 6675	YD1 05-MAR-56	YD1		
L MIL-S-19423D	SCALE, BEAM INDICATING: METRIC SYSTEM; COUNTER-MOUNTED (S/S BY A-A-50503) USER: MS REVIEWER: 82 GS ME	A 6670	YD1 21-MAY-93	GL YD1 99		
L MIL-C-19433	CONDUCTOR ASSEMBLY, ELECTRICAL (S/S BY MIL-C-16536A)	A 3950	YD1 21-MAR-56	YD1		
L MIL-H-19440(1)	HEATING UNIT, BOOSTER, TIRE REPAIR	A 4910	YD1 26-APR-56	YD1		
L MIL-T-19441	TRESTLE, MOTOR VEHICLE MAINTENANCE	A 4910	YD1 28-MAR-56	YD1		
L MIL-D-19446A	DRIER: INFRARED, LAMP AND OVEN TYPE (USE MIL-D-52277A) USER: MC REVIEWER: SH	A 4440	YD1 17-JUL-61	MD YD1 99		
L MIL-T-19447	THERMOMETER, SELF-INDICATING, LIQUID-IN-GLASS AND BIMETALLIC	A 6685	YD1 02-APR-56	YD1		
L MIL-H-19462	HAMMER, HAND, AUTOMOTIVE	A 5120	YD1 10-APR-56	YD1		
L MIL-C-19482(3)	CARRIER, STORAGE BATTERY, HAND (USE GGG-C-1968) USER: ME	A 5120	YD1 21-MAR-72	GL YD1 99		
L MIL-W-19486	WELDING MACHINE, ARC (DIRECT CURRENT, VARIABLE VOLTAGE, GASOLINE OR DIESEL ENGINE DRIVEN) (USE MIL-W-80037)	A 3432	YD1 11-MAY-56	YD1		
L MIL-T-19492A	TOASTER, ELECTRIC, CONVEYOR 540 SLICES PER HOUR	A 7310	YD1 07-AUG-57	YD1		
L MIL-F-19495	FAN, CIRCULATING, INSECT REPELLING (USE W-F-101)	A 4140	YD1 10-SEP-61	YD1		
L MIL-K-19497	KETTLES, STEAM-JACKETED, TILT-TYPE CORROSION-RESISTING STEEL, STEAM-HEATED (USE RH-K-195)	A 7310	YD1 25-JUN-61	YD1		
L MIL-T-195348	TERMINAL BOARDS AND JUNCTION BOXES, TELEPHONE COMMUNICATION TYPE REVIEWER: GS	A 5940	YD1 27-AUG-73	YD1		
QL MIL-B-195648	BEDDING COMPOUND, THERMAL INSULATION PIPE COVERING REVIEWER: YD1	A 5640	SH 04-DEC-84	SH		
L MIL-S-19571	SAW, BAND, METAL CUTTING (USE MIL-S-13908)	A 3419	YD1 08-JAN-59	YD1		
L MIL-P-19573A	PUMP, CENTRIFUGAL, PERIPHERAL TYPE, ELECTRIC-MOTOR AND GASOLINE ENGINE DRIVEN REVIEWER: CS	A 4320	YD1 08-SEP-64	YD1		
L MIL-M-19590C(4)	MARKING OF COMMODITIES AND CONTAINERS TO INDICATE RADIOACTIVE MATERIAL (USE MIL-STD-1458) USER: OS WC REVIEWER: AS EL ES MD MI SA SH SM	A PACK	AR 02-SEP-70	AR EC 10		
L MIL-M-19592	MANOMETER, U-TUBE (SUPERSEDED BY MIL-M-55023A)	A 6685	YD1 03-FEB-63	YD1		
L MIL-L-19609A	LIGHT, BEACON, MARINE, ELECTRIC	A 6220	YD1 20-SEP-61	YD1		
L MIL-S-19622/58	STUFFING TUBE, NYLON: BODY, STRAIGHT (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/6A	STUFFING TUBE, NYLON: BODY, 90 DEGREES (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/7B	STUFFING TUBE, NYLON: BODY, NPT (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/8A	STUFFING TUBE, NYLON: BODY, "Y" TYPE (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/9A	STUFFING TUBE, NYLON: LOCKNUT, STRAIGHT BODY (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/10B	STUFFING TUBE, NYLON: CAP (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/11G	STUFFING TUBE, NYLON: WASHER, NONMETALLIC SLIP (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/12F	STUFFING TUBE, NYLON: WASHER, NONMETALLIC RETAINER (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/13E	STUFFING TUBE, NYLON: BUSHING, NEOPRENE (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-S-19622/15A	STUFFING TUBE, NYLON: LOCKNUT, 90 DEGREES (NO S/S DOCUMENT)	A 5975	SH 11-DEC-92	SH		
L MIL-G-19629A	GAGE, WHEEL ALIGNMENT, PORTABLE (S/S BY MIL-A-21962) USER: CE MC REVIEWER: WC	A 5210	YD1 31-AUG-66	GL YD1 99		
L MIL-B-19681	BORING MACHINE, CAM AND MAIN BEARING, PORTABLE (USE MIL-B-14154)	A 4910	YD1 06-MAR-61	YD1		
L MIL-I-19689C	INSIGNIA, OFFICER CANDIDATE AND PLATOON LEADERS CLASS (NO S/S DOCUMENT)	A 8455	CT 14-DEC-92	CT		
L MIL-F-19695	FILTERS, AIR CONDITIONING, VISCOUS IMPINGEMENT TYPE, REPLACEABLE (S/S BY F-F-310)	A 4130	YD1 29-NOV-57	YD1		
L MIL-S-19697B	STEEL, TOOL, COPPER ALLOY, NON TEMPERING (USE ASTM A681) USER: MI REVIEWER: IS	A 9510	YD1 27-JAN-67	MR YD1 99		
L MIL-T-197530	TRUCK, FIRE FIGHTING, AIRCRAFT, RESCUE, WATER AND FOAM, 400-GALLON WATER CAPACITY, MB-5 USER: MC	A 4210	YD1 28-SEP-72	YD1		
Q MIL-W-19762D(1)	WRENCH, PIPE, NONSPARKING AND NONMAGNETIC USER: CE MC YD1 REVIEWER: AR ME	A 5120	SH 08-FEB-67	GL SH 99		
L MIL-D-19771	DEGREASER	A 4940	YD1 10-JAN-57	YD1		
L MIL-A-19778B(1)	ANALYZER SET, ENGINE, PORTABLE (FOR 6-, 12-, 24-, AND 32 VOLT	A 4910	YD1 08-SEP-71	YD1		
L MIL-F-19791	FILING MACHINES, BAND METAL CUTTING (NO S/S DOCUMENT)	A 3419	YD1 11-JUL-66	YD1		
L MIL-M-19799	MOLDING MACHINE, MEAT-FISH (USE MIL-M-40163)	A 7320	YD1 08-APR-61	YD1		
L MIL-G-19825	GRINDING MACHINE, PISTON (S/S BY MIL-G-14618)	A 4910	YD1 07-FEB-57	YD1		
L MIL-G-19826F	GENERATOR SETS, DIESEL ENGINE, ALTERNATING CURRENT, FOR FACILITIES CONSTRUCTION: 10 KW THROUGH 1000 KW (NOT STOCKED) (S/S BY CC-G-2745)	A 6115	YD1 19-APR-93	YD1		
L MIL-P-19827	PIKE POLE, 10-AND 14-FOOT (S/S BY MIL-P-43116A)	A 5120	YD1 07-FEB-57	YD1		
L MIL-D-19845	DOUGH FORMING MACHINE, COOKIE	A 7320	YD1 19-FEB-57	YD1		
L MIL-D-19846A	DOUGH ROLLING MACHINE, PIE (S/S BY MIL-D-2467C)	A 7320	YD1 01-JUL-63	YD1		
L MIL-C-19848	CONTROLLER, RATE-OF-FLOW, LIQUID REVIEWER: GS	A 6680	YD1 20-FEB-57	YD1		
L MIL-A-19854A	ANALYZER SET, ENGINE, ELECTRICAL AND COMBUSTION SYSTEM, KNOCK DOWN PORTABLE TYPE (6, 12 AND 24 VOLTS) (USE MIL-A-9947, MIL-A-19778 OR MIL-A-45031) REVIEWER: SH	A 4910	YD1 09-APR-58	MC YD1 82		
L MIL-L-19868C	LABEL, PRESSURE SENSITIVE ADHESIVE (FOR HAZARDOUS INDUSTRIAL CHEMICALS AND MATERIALS) USER: MC ME OS YD1 REVIEWER: AR AS GS SH SM WC	A 7690	SA 01-JUL-68	GL SA 84		
L MIL-W-19872A(1)	WASHING MACHINES, POT AND PAN, COMMERCIAL (INCLUDING ACCESSORY EQUIPMENT) (USE DD-W-1307) USER: CG SA REVIEWER: BS MC MD MS	A 7320	YD1 28-JAN-65	GL YD1 84		
L MIL-T-19873	TESTER, BRAKE, MOTOR VEHICLE (SERVICE MOUNTING DRIVE-ON TYPE) (S/S BY MIL-T-45816A)	A 4910	YD1 12-MAR-57	YD1		
L MIL-C-19876D	CHARGER, BATTERY, AUTOMOTIVE, METALLIC RECTIFIER TYPE (SHORE USE) (USE UL 1236) USER: CE REVIEWER: AT GS ME SM	A 6130	YD1 18-JUL-75	ER YD1 99		
L MIL-V-19884A	VEGETABLE CUTTING AND SLICING MACHINE, ELECTRIC (USE DD-V-205) REVIEWER: EL	A 7320	YD1 22-AUG-58	GL YD1 67		
L MIL-L-19891B	LIGHT: ANGLE OF APPROACH, TYPE AA-1 (NO S/S DOCUMENT)	A 6210	AS 25-SEP-92	AS		
L MIL-I-19898	INDICATOR, SIGHT, LIQUID FLOW (SIGHT GLASS) (125 PSI) REVIEWER: GS	A 6680	YD1 15-APR-57	YD1		
L MIL-T-19899	TANK, WATER TEST REVIEWER: 69	A 5430	YD1 18-APR-57	YD1		
L MIL-S-19901	SPOOL PIECES (FOR SUBMARINE FUEL LOADING LINE) (S/S BY MIL-F-32688)	A 4730	YD1 12-OCT-60	YD1		
L MIL-A-19903	ASPHALT, PETROLEUM, ROOF COATING COMPOUND ASBESTOS FIBERED, ALUMINUM PIGMENTED	A 5610	YD1 18-FEB-62	YD1		



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off / O&A Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Ave	MCS Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DLA
L	MIL-T-19905	TRUCK, DOLLY, TIMBER, SINGLE ROLLER .....	A 3920	YD1	24-APR-57		YD1		
L	MIL-K-19909	KIT, CLEANING, UNIVERSAL, DIESEL ENGINE NOZZLES AND INJECTORS .....	A 5180	YD1	29-APR-57		YD1		
L	MIL-S-19912	STAND, MAINTENANCE, AUTOMOTIVE ENGINE (S/S BY MIL-S-45004B) .....	A 4910	YD1	09-SEP-61		YD1		
L	MIL-S-19913	SEMI-TRAILERS, STAKE, VAN, REFRIGERATOR, COMMERCIAL TYPES, 12-TON 2-WHEEL, 20-TON 4-WHEEL (USE MIL-S-45384 AND MIL-S-45344) .....	A 2330	YD1	01-MAY-57		YD1		
L	MIL-H-19920	MOWING MACHINE, HORIZONTAL (S/S BY MIL-H-80009) .....	A 3419	YD1	09-MAY-57		YD1		
L	MIL-B-19923B(1)	BOXSPRING, UPHOLSTERED, WITH HAND TIED COIL SPRINGS (US AA-B-260) REVIEWER: CT .....	A 7210	YD1	15-NOV-67		YD1		
L	MIL-H-19925D	MOISTS, WIRE ROPE, ELECTRIC POWERED (S/S BY ANSI/ASME HST-4M) .....	A 3950	YD1	22-FEB-91		YD1		
L	MIL-W-19926	WIRE FABRIC, STEEL WELDED (FOR REINFORCEMENT) (USE RR-W-375) .....	A 5335	YD1	16-MAY-57		YD1		
Q	MIL-W-19928A	WRENCH, BOX, AND OPEN-END, FIXED, NONSPARKING AND NONMAGNETIC USER: AR CE MC YD1 REVIEWER: ME .....	A 5120	SH	15-FEB-67	GL	SH	99	
L	MIL-T-19929	TOOL KIT, SERVICE, REFRIGERATION UNIT .....	A 5180	YD1	20-MAY-57		YD1		
L	MIL-H-19930	MOWING UNIT, CYLINDRICAL BORE, PORTABLE (S/S BY MIL-H-13859B) .....	A 5130	YD1	21-MAY-57		YD1		
L	MIL-B-19942	BOX, FOOD HANDLING, ALUMINUM (USE MIL-F-43392) .....	A 7320	YD1	04-JUN-57		YD1		
L	MIL-T-19976C	TAMPER, COMPACTION, SOIL TESTING .....	A 6635	YD1	07-NOV-78		YD1		
L	MIL-R-19979	RACK, DIPPING (MESS-GEAR) (USE MIL-R-21759) .....	A 7330	YD1	17-JUN-57		YD1		
L	MIL-H-19985A	HARDWARE KIT, FIRE DOOR, AUTOMATIC CLOSING .....	A 5340	YD1	04-JUN-71		YD1		
L	MIL-G-19988B	GENERATOR SET, GASOLINE ENGINE, 500 WATT (FOR CHARGING BATTERIES), USE MIL-STD-633 REVIEWER: GS .....	A 6115	YD1	29-MAY-67		YD1	80	
L	MIL-B-19989	BRACE MACHINES, SHEET METAL, HAND OPERATED .....	A 3441	YD1	28-JUN-57		YD1		
	MIL-V-20062	VALVES, COMPOSITION, ANGLE AND GLOBE, FLARED-END (200 POUNDS WORKING PRESSURE, 425 DEG. F. MAXIMUM TEMPERATURE) (FOR 1/4 TO 1/2 INCH O.D. COPPER TUBING) REVIEWER: YD1 .....	A 4820	SH	02-OCT-51	MO	SH		
	MIL-V-20063A	VALVE, PLUG, LUBRICANT SEALED USER: 26 REVIEWER: YD1 .....	A 4820	SH	13-SEP-54	MO	SH	69	
	MIL-C-20071	COMPOUND, POLISHING USER: YD1 REVIEWER: GL .....	A 7930	SH	06-SEP-51			69	
	MIL-F-20077	FELT, ASBESTOS, ROLL (USE MIL-P-52350) USER: AS MR OS REVIEWER: YD1 .....	A 5640	SH	06-SEP-51	MO	SH		
Q	MIL-P-20087	PAINT, HEAT-RESISTING (USE TT-P-28A) USER: 26 EL YD1 REVIEWER: MR SA .....	A 8010	SH	06-AUG-60			11	
L	MIL-F-20138C	FLOOR PLATE, CORROSION RESISTANT STEEL, ROLLED REVIEWER: IS YD1 .....	A 9515	SH	07-APR-87		SH		
	MIL-T-20141	TUBING, STEEL (RAIL CARBON) STRUCTURAL (USE QQ-T-830) REVIEWER: SH .....	A 4720	YD1	28-SEP-51		YD1		
	MIL-S-20145	STEEL, INGOTS USER: GL YD1 .....	A 9640	SH	28-SEP-51	MR	SH		
	MIL-I-20149	IRON, WROUGHT, SHEET, BLACK AND ZINC COATED (GALVANIZED), USER: GL SA REVIEWER: YD1 .....	A 9515	SH	20-APR-60	MR			
	MIL-S-20150	STEEL, CORROSION-RESISTING, CASTINGS (FOR BOILER FEED PUMP CASTINGS) USER: GL YD1 .....	A 9640	SH	28-SEP-51	MR			
L	MIL-B-20151A	BRASS PLATE, ROLLED (ADMIRALTY METAL) (NAVY) REVIEWER: YD1 .....	A 9535	SH	05-SEP-61				
	MIL-S-20166B	STEEL STRUCTURAL SHAPES, WELDABLE MEDIUM CARBON AND HIGH TENSILE, HULL AND STRUCTURAL (USE MIL-S-22698) USER: CG MC YD1 REVIEWER: IS MI WV TRANSITS, ENGINEERS, NIGHTILLUMINATED, WITH ACCESSORIES AND TRIPDS REVIEWER: GL MC .....	A 9520	SH	26-APR-73	MR	SH	99	
	MIL-T-20196A	TRIANGLE, DRAFTING, STEEL, OPEN CENTER (USE GS-T-671/4) REVIEWER: GL MC ... CLEANING COMPOUND, SOLVENT, GREASE REMOVAL, HEAVY DUTY (USE O-C-1824) USER: AS MC OS YD1 REVIEWER: GS MR PS SH .....	A 6675	MO	28-JUL-55	MO	YD1	67	
L	MIL-T-20198A(1)	LACQUER, STRIPPABLE, SPRAY OR DIP (FOR PACKAGING) USER: 26 EL REVIEWER: GL MR SA YD1 .....	A 6675	MO	25-AUG-61	MO	YD1	67	
	MIL-C-20207C	BUSHINGS, PIPE (FOR SHIPBOARD) (USE WM-P-471) REVIEWER: MC .....	A 6850	SH	01-JUL-55	SH			
	MIL-L-20209	GASKET MATERIAL, WOOL FELT, IMPREGNATED, ADHESIVE, PRESSURE-SENSITIVE (S/S BY JJ-N-765 AND MIL-I-24391) USER: AT ME REVIEWER: IS CLOTH, CARTRIDGE, RAYON (NO S/S DOCUMENT) REVIEWER: CT .....	A 8010	SH	30-OCT-51				
	MIL-B-20235	SCALE, PLOTTING, AND SCALES, DRAFTING BOXWOOD, FLAT USER: YD1 REVIEWER: GL ARROW SETS, SURVEYING (S/S BY A-A-52046) USER: MC REVIEWER: GS .....	A 4730	CT	05-NOV-51				
	MIL-G-20241D(1)	LEVEL, SURVEYING, LOCATORS, HAND TYPE (USE GS-L-261) REVIEWER: MC .....	A 5330	CT	07-OCT-89	MR	SH	CT	
L	MIL-C-20300	LATHE, ENGINE, MOTOR DRIVER, LIGHT DUTY, 16 AND 18 INCH (USE MIL-L-17966) USER: YD1 REVIEWER: GS .....	A 8305	AR	01-APR-89	AR			
	MIL-S-20379B	HANDLE, CHEST (SURFACE) USER: 26 YD1 REVIEWER: GL SA MC .....	A 6675	MO	26-JUL-60	MO	MC	67	
	MIL-A-20383D	LIGHT, SIGNAL, SURVEYING, ELECTRIC, WITH CASE AND STRAP (5-INCH REFLECTOR) (S/S BY MIL-L-52430) REVIEWER: MC .....	A 6675	ME	15-JAN-92	ME	YD1	99	
	MIL-L-20388A	PLANKMETER, POLAR, COMPENSATING, WITH CASE (S/S BY A-A-50215) USER: ER YD1 REVIEWER: GS .....	A 6675	MO	14-MAY-58	MO	YD1	67	
	MIL-W-20622	PLUG, EXPANSION (S/S BY A-A-52420) USER: AR AV MC ME REVIEWER: BZ IS .....	A 6810	IP	21-JAN-52	YD1			
	MIL-L-20662C	ALUMINUM PRODUCTS, PREPARATION FOR STORAGE AND SHIPMENT OF USER: GL MC REVIEWER: MR SH .....	A 3416	SH	04-NOV-66	MC	SH	84	
	MIL-P-20664C	GROMMET, RUBBER, SPLIT, GENERAL PURPOSE (USE MIL-G-3036) USER: AT ME OS YD1 REVIEWER: AV MI .....	A 5340	AT	13-JAN-93	AT	AS	99	
	MIL-P-20691C	LIGHT, IGNITION (MAGNETO) (NO S/S DOCUMENT) .....	A 5325	WC	21-AUG-67	MC	SH	82	
	MIL-A-20695	FILTER ELEMENTS, FLUID, PRESSURE, OIL, FULL FLOW (S/S BY F-F-351) USER: MC REVIEWER: GL SH .....	A 4910	AL	20-APR-90	AL	YD1	99	
Q	MIL-F-20707	SYNCHROS, 400 HZ, SIZE 15 (NO S/S DOCUMENT) REVIEWER: AV ER ME MI .....	A 2940	AT	30-DEC-57	MO	YD1	82	
L	MIL-S-20708/93B	SYNCHROS, 400 HZ, SIZE 16 (NO S/S DOCUMENT) .....	A 5990	AR	18-DEC-92	AR			
L	MIL-S-20708/95B	SYNCHRO, TRANSMITTER, TYPE 26W-05CX4A (NO S/S DOCUMENT) USER: AV MC MI REVIEWER: 11 17 99 EC ER ES ME OS .....	A 5990	AR	18-DEC-92	AR	AS	85	
	MIL-S-20708/135A(3)	SYNCHRO, TRANSFORMER, TYPE 26W-05CT4A (NO S/S DOCUMENT) USER: AV MC MI REVIEWER: 11 17 99 EC ER ES ME OS .....	A 5990	AR	18-DEC-92	AR	AS	85	
	MIL-S-20708/136A(3)	SYNCHRO, DIFFERENTIAL TRANSMITTER, TYPE 26W-05CDX4A (NO S/S DOCUMENT) USER: AV MC MI REVIEWER: 11 17 99 EC ER ES ME OS .....	A 5990	AR	18-DEC-92	AR	AS	85	
	MIL-S-20708/137A(3)	SYNCHRO CONTROL TRANSFORMER, TYPE 26W-23CT4A (10539690) (NO S/S DOCUMENT) .....	A 5990	AR	18-DEC-92	AR			
L	MIL-S-20708/142(1)	SIFTER, FLOUR, HAND (USE OO-S-355) .....	A 7330	YD1	24-JUL-57		YD1		
L	MIL-S-21030	AIR CONDITIONERS, ROOM TYPE, 4,000 TO 33,000 B.T.U. PER HOUR (USE OO-A-003728) REVIEWER: GS .....	A 4120	YD1	25-SEP-68		YD1		
L	MIL-A-21047B(1)	GENERATOR SETS, GASOLINE ENGINE OR DIESEL ENGINE, BRUSH OR BRUSHLESS EXCITER, SKIDMOUNTED, ALTERNATING CURRENT, 5 KW THROUGH 100 KW (USE MILAG226533, 28534, 28541, AND 28542) REVIEWER: BO .....	A 6115	YD1	02-JUN-66		YD1		
	MIL-S-21081A	SEMITRAILERS, LOW BED, COMMERCIAL (S/S BY MIL-S-45158) .....	A 2330	YD1	09-FEB-61		YD1		
L	MIL-R-21089A	REFRIGERATOR, MECHANICAL, COMMERCIAL, FOR BOTTLED BEVERAGES REVIEWER: GS ..	A 4110	YD1	22-DEC-67		YD1		
L	MIL-C-21074C	CLEANER, STEAM, PRESSURE JET (NAVY) .....	A 4940	YD1	24-APR-72	WC	YD1		
L	MIL-T-21076	TESTER, DIESEL FUEL INJECTION NOZZLE (S/S BY MIL-T-45049A) .....	A 4910	YD1	13-SEP-57		YD1		
L	MIL-T-21080B	TRESTLES, HOIST, PORTABLE (SHOP TYPE), (USE MIL-G-28673) USER: ME REVIEWER: CS .....	A 3950	YD1	22-JAN-65		YD1	84	
L	MIL-T-21092C	TRAP, AIR AND WATER, BALL FLOAT (150 PSIG WORKING PRESSURE) (S/S BY WM-T-696) .....	A 4730	YD1	14-AUG-86		YD1		
	MIL-P-21105C(2)	PLASTIC, SHEET, ACRYLIC, HEAT RESISTANT, UTILITY GRADE (SUPERSEDED BY L-P-3918) USER: AV REVIEWER: GS GL MI OS YD1 .....	A 9330	AS	18-JUN-68	ME	AS	11	
Q	MIL-S-21111C(1)	SCREWDRIVERS, FLAT TIP, OFFSET, AND CROSSTIPNONSPARKING AND NONMAGNETIC USER: MC ME YD1 REVIEWER: GS .....	A 5120	SH	15-JAN-71	GL	SH	99	
L	MIL-S-21126A	STOKER, COAL, MECHANICAL 10 TO 1200 POUNDS PER HOUR .....	A 4530	YD1	17-APR-59		YD1		



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adm Ops / COM Circulation Inches	Document Number	Document Title	Dist. Smt. FSC / Ave	MCA Symbol Preparing Acty	Date	Army	Navy	Air Force	Customs CLA
L	MIL-I-21142	INSULATOR, STRAIN, ELECTRIC (USE MIL-C-16536 AND MIL-I-790) .....	A 5970	YD1	07-NOV-57	YD1			
L	MIL-W-21149	WELDING ACCESSORY KIT, ELECTRIC REVIEWER: GS .....	A 3439	YD1	12-NOV-57	YD1			
L	MIL-K-21153B	KEEL BLOCKS AND BILGE BLOCKS, LAMINATED WOOD (USE TT-W-571) .....	A 1950	YD1	15-NOV-62	YD1			
L	MIL-M-21188A	MIRROR ASSEMBLY, CONCAVE GROUND GLASS, OPTICAL LANDING SYSTEM (NO S/S DOCUMENT) REVIEWER: GS YD1 .....	A 6220	AS	13-JAN-89	AS			
L	MIL-D-21201F NOTICE 1	DRILL, PNEUMATIC DRIFTER, SELF-PROPELLED, CRAWLER MOUNTED (TRACK DRILL) (S/S BY DD-D-2776) REVIEWER: 84 AT CS MC .....	A 3820	YD1	12-NOV-92	ME	YD1	99	
L	MIL-S-21213A(1) NOTICE 1	SHUFFLEBOARD PUMP UNIT, CENTRIFUGAL, VERTICAL SUMP, ELECTRICAL MOTOR DRIVEN, AUTOMATIC, WET-PISTON TYPE (S/S BY MIL-P-21251) .....	A 7830 A 4320	YD1 YD1	26-OCT-60 02-JAN-92	GL YD1	YD1	69	
L	MIL-M-21236A NOTICE 1	MIRROR, GLASS, HARDWOOD FRAMED USER: GL .....	A 7105	YD1	30-JAN-69	YD1			
L	MIL-A-21261A	AIR CONDITIONER, SELF-CONTAINED SPACE TYPES, WATER-, AIR-, OR EVAPORATIVE-COOLED (USE DD-A-373) USER: CG MC MI REVIEWER: GL .....	A 4120	YD1	28-MAY-62	MO	YD1	82	
L	MIL-P-21264	PIPE, DRAINAGE, ZINC-BITUMINOUS COATED, CORRUGATED IRON OR STEEL, UNPAVED AND PAVED (USE WW-P-405) .....	A 4710	YD1	19-JAN-72	YD1			
L	MIL-T-21274C	TRUCK, LIFT, PLATFORM, 6 X 4, 9-TON CAPACITY, GED, TYPE MC-2 (USE MIL-T-62145) .....	A 2320	YD1	31-DEC-70	YD1			
L	MIL-L-21276 NOTICE 1	LUMBER, HARDWOOD, ANGELIQUE REVIEWER: BS CS YD1 .....	A 5510	SH	29-SEP-62	MO	AS	84	
L	MIL-S-21277A NOTICE 1	SWITCHES, LIQUID LEVEL, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) .....	A 6680	AS	30-SEP-92	AS			
L	MIL-G-21281A	GASES, FUEL, LIQUEFIED PETROLEUM (BUTANE, PROPANE, MIXTURES) (USE BB-G-110) .....	A 6820	YD1	02-JUL-59	YD1			
L	MIL-R-21335B(5) NOTICE 2	RELAY, POLARIZED, SENSITIVE, DIRECT CURRENT (NO S/S DOCUMENT) .....	A 1350	OS	26-JUN-92	OS			
L	MIL-W-21350	WRENCHES, RIM MUT (LUG), BUNG, AND LINEMAN S (USE GGC-W-644) .....	A 5120	YD1	10-SEP-61	YD1			
L	MIL-S-21409A	SWITCH, ROTARY, PYROMETER REVIEWER: ES .....	A 5930	YD1	15-OCT-64	YD1			
L	MIL-U-21444A	URNS, COFFEE, COMMERCIAL SINGLE, TWIN, AND BATTERY (USE MIL-U-43263) REVIEWER: GS .....	A 7310	YD1	22-JAN-63	YD1			
L	MIL-C-21473A	CABLE CONNECTORS, TELEPHONE, SHIP TO SHORE USER: MC REVIEWER: MI .....	A 5805	YD1	27-APR-65	EL	YD1		
L	MIL-C-21474A	CONNECTOR PLUG, TELEPHONE CABLE, MARINE REVIEWER: ES .....	A 5935	YD1	24-FEB-65	YD1			
L	MIL-G-21651	GUN, AIRCRAFT, 20 MM MARK 12 MOD 0 AND MOD 3 .....	A 4910	YD1	11-JUL-63	YD1			
L	MIL-C-21656A	CARRIAGES, MARINE RAILWAY 62-TON, COMPANION HAUL UP AND TRANSFER .....	A 2220	YD1	22-OCT-63	YD1			
L	MIL-T-21669(2) NOTICE 2	TEST SET MARK 25 MOD 1 (NO S/S DOCUMENT) .....	A 6625	OS	15-OCT-92	OS			
L	MIL-A-21672 NOTICE 1	ARMING CELL MARK 2 MODS 1 AND 2 (NO S/S DOCUMENT) .....	A 1350	OS	15-OCT-92	OS			
L	MIL-C-21678(2) NOTICE 2	CD-8 MOD 0 MECHANISM (NO S/S DOCUMENT) .....	A 1350	OS	15-OCT-92	OS			
L	MIL-W-21682B	WASHING MACHINE, HOUSEHOLD LAUNDRY, POWER OPERATED (USE DD-W-860) USER: MC DRYING TUMBLER, HOUSEHOLD LAUNDRY, ELECTRIC (USE DD-W-860) .....	A 3510 A 3510	84 YD1	24-JUN-63 04-JAN-60	GL GL	YD1	67	
L	MIL-D-21683A	COUPLING, ELECTROMAGNETIC REVIEWER: GS .....	A 6105	YD1	18-MAR-60	ME	YD1		
L	MIL-C-21696A	LIGHT, RUNWAY IDENTIFICATION REVIEWER: GS YD1 .....	A 6210	AS	12-NOV-58	AS			
L	MIL-L-21703	VIBRATORS, CONCRETE, ELECTRIC-MOTOR-DRIVEN (S/S BY A-A-50539) .....	A 3895	YD1	26-OCT-92	ME	YD1		
L	MIL-V-21731D NOTICE 1	TRUCK, FIREFIGHTING: AIRCRAFT & PERSONNEL RESCUE, WATER & FOAM DISPENSING, 1,000-GALLON WATER CAPACITY (NO S/S DOCUMENT) .....	A 4210	YD1	11-FEB-89	ME	YD1		
L	MIL-P-21769A	PLUGS, FUSIBLE, REFRIGERANT-12 (NO S/S DOCUMENT) USER: MD REVIEWER: IS ....	A 5340	GL	11-FEB-91	GL	YD1	82	
L	MIL-B-21827B	BOX, CONSOLIDATION (USE MIL-B-43666) USER: AS EC MC SH YD1 REVIEWER: GS ME SH .....	A 8115	SA	28-FEB-69	GL	SA	69	
L	MIL-T-21865	TRUCKS, LIFT, FORK, DIESEL PNEUMATIC RUBBER TIRES (NAVY) (USE MIL-T-21868) USER: AS SH YD1 .....	A 3930	SA	17-AUG-62	SA			
L	MIL-P-21873	PROVISIONING, INITIAL SUPPORT, GENERAL REQUIREMENTS FOR (USE MIL-STD-1375) USER: AS OS SH YD1 .....	A MISC	SA	10-MAY-68	SA			
L	MIL-T-21900F	TRUCK, TANK: AIRCRAFT LUBRICATING OIL DISPENSING 500 GALLON, 4 BY 2 (S/S BY MIL-T-29246) USER: MC .....	A 2320	YD1	08-DEC-88	YD1			
L	MIL-A-21907B	ARRESTER, SURGE (USE IEEE C62.11-81) REVIEWER: 99 ME .....	A 5920	YD1	26-SEP-83	YD1	85		
L	MIL-G-21912A(1)	GENERATOR SET, DIESEL ENGINE, BRUSHLESS, SEMITRAILER MOUNTED, ALTERNATING CURRENT, 500 TO 1000 KW, 2400/4160V VOLTS, 3 PHASE, 60 CYCLES (USE MIL-STD-633) REVIEWER: EL GS .....	A 6115	YD1	13-AUG-65	MO	YD1	80	
L	MIL-C-21934B	CABINET, DOUGH PROOFING USER: GL REVIEWER: GS .....	A 7320	YD1	28-JUL-77	GL	YD1		
L	MIL-A-21962A	ALIGNMENT SERVICE UNIT, MOTOR VEHICLE USER: AT MC .....	A 4910	YD1	22-OCT-76	GL	YD1		
L	MIL-P-21968	PUMP UNIT, CENTRIFUGAL, DEEP-Well, MULTI-STAGE, TURBINE-TYPE, GASOLINE-ENGINE-DRIVEN, 200 G.P.M. AT 165-FOOT HEAD .....	A 4320	YD1	27-FEB-59	YD1			
L	MIL-C-21976B	CHILLER UNIT, LIQUID, PACKAGED ELECTRIC MOTOR DRIVEN, 50 TONS AND ABOVE REVIEWER: GS .....	A 4130	YD1	19-AUG-74	YD1			
L	MIL-J-21978B	JUNCTION BOXES, SURFACE, CABINET TYPE, HINGED COVER (USE UL50) USER: MC REVIEWER: 99 GS .....	A 5975	YD1	07-NOV-72	ER	YD1	85	
L	MIL-E-21990A	EVAPORATOR, FORCED CIRCULATION, FREE DELIVERY, REFRIGERATION, HALOCARBONS REVIEWER: GS .....	A 4130	YD1	28-JUN-74	YD1			
L	MIL-C-22008A	CONDENSER, EVAPORATIVE, REFRIGERANT 1 TON TO 100 TONS REVIEWER: GS .....	A 4130	YD1	05-JUN-74	YD1			
L	MIL-C-22013	CABINET, BREAD AND PASTRY (USE MIL-C-43305 AND MIL-C-40617) .....	A 7320	YD1	13-APR-59	YD1			
L	MIL-C-22014A	CHILLER UNITS, LIQUID, PACKAGED, ELECTRIC MOTOR-DRIVEN WITH RECIPROCATING COMPRESSORS 10 TONS TO 150 TONS REVIEWER: GS .....	A 4130	YD1	18-JAN-73	YD1			
L	MIL-C-22015A	CONDENSER, REMOTE AIR COOLED REVIEWER: GS .....	A 4130	YD1	23-JAN-73	YD1			
L	MIL-F-22018	FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, HOUSEHOLD TYPE (8 CU. FT. TO 25 CU. FT.) (USE AA-F-700) .....	A 4110	YD1	16-APR-59	YD1			
L	MIL-M-22060	MOF, ROOFER S, COTTON .....	A 7920	YD1	05-JUN-59	GL	YD1	69	
L	MIL-P-22096B(1)	PLASTIC, POLYAMIDE (NYLON) FLEXIBLE MOLDING & EXTRUSION MATERIAL (SEE ASTM D4066-82) USER: SH YD1 REVIEWER: 69 AR GS MI MR OS .....	A 9330	ER	28-JUN-79	ER	AS	11	
L	MIL-W-22122	WINCH, DRUM, POWER OPERATED, FOR PONTOON BARGE MOUNTING (USE MIL-W-18574B) PUMP, ROTARY, ELECTRIC-MOTOR DRIVEN, FIXED BASE (NO. 2 FUEL OIL, 26 G.P.H. AT 30 P.S.I.G.) REVIEWER: CS .....	A 3950 A 4320	YD1 YD1	13-JUL-59 21-JUL-72	YD1			
L	MIL-C-22137B(2)	CRANES, OVERHEAD TRAVELING, OVERHUNG BRIDGE AND TROLLEY, ELECTRICAL POWERED .....	A 3950	YD1	27-JUN-83	YD1			
L	MIL-C-22171A	CRANE, TRUCK, AIRPLANE CRASH, DIESEL-ELECTRIC, TYPE HS-60, 60,000-POUND CAPACITY, 25 FOOT CLEAR OUTREACH, NAVAL SHIPBOARD .....	A 3950	YD1	14-OCT-66	YD1			
L	MIL-E-22200/6C(1)	ELECTRODES, WELDING, MINERAL COVERED, LOW HYDROGEN, MEDIUM AND HIGH TENSILE STEEL (S/S BY MIL-E-22200/1 AND MIL-E-22200/10) USER: AT MC ME REVIEWER: GS MR OS YD1 .....	A 3439	SH	07-AUG-89	AR	SH	99	
L	MIL-E-22200/7B(1)	ELECTRODES, WELDING, COVERED, MOLYBDENUM ALLOY STEEL APPLICATION (S/S BY AMS-AS-5) USER: GS YD1 REVIEWER: 99 AT GS .....	A 3439	SH	31-JAN-90	SH	11		
L	MIL-C-22201A	CHAIN ASSEMBLY, SINGLE LEG (WITH ATTACHMENTS) USER: MI SA REVIEWER: WC ....	A 4010	YD1	01-AUG-61	MO	YD1	69	
L	MIL-B-22205B	BAG, TRANSPARENT, FLEXIBLE, MEAT SEALABLE FOR PACKAGING APPLICATIONS (USE MIL-B-117) USER: AV MI REVIEWER: AT EC YD1 .....	A 8105	AS	21-JUN-66	AS			
L	MIL-L-22250 NOTICE 1	LOUDSPEAKER-MICROPHONE, (MEGAPHONE, ELECTRONIC PORTABLE) (S/S BY A-A-50603) .....	A 5830	SH	11-FEB-93	SH			
L	MIL-L-22252B NOTICE 1	LIGHT, MARKER, RUNWAY CIRCLING (NO S/S DOCUMENT) REVIEWER: 11 GS YD1 .....	A 6210	AS	01-OCT-92	AS	99		
L	MIL-T-22254B	TRUCK, TANK, AIRCRAFT REFUELING UNIT, 5000 GALLON, AV GAS OR JET FUEL JP-4 AND JP-5, 4X2, GASOLINE-ENGINE-DRIVEN, TYPE RF-50 (USE MIL-T-38245) .....	A 2320	YD1	16-DEC-66	YD1			
L	MIL-C-22255	CRANE, OVERHEAD TRAVELING, MANUAL TRAVEL WITH ELECTRIC HOIST AND RUNWAY - 2-TON CAPACITY .....	A 3950	YD1	10-NOV-59	YD1			
L	MIL-A-22268A	AIR WASHER UNITS, 1500 C.F.M. TO 150,000 C.F.M. REVIEWER: GS .....	A 4130	YD1	05-JUN-74	YD1			
L	MIL-C-22271A	COOLER, AIR (CENTRAL STATION AIR HANDLING UNITS) REVIEWER: GS .....	A 4120	YD1	14-FEB-75	YD1			



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Op. / OMA Contribution Number	Document Title	Dist. Smt. FSC / Area MCS Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
MIL-A-22286A	AIR CONDITIONER WITH REMOTE CONDENSING UNITS OR REMOTE AIR-COOLED CONDENSER UNITS (S/S BY 00-A-374 USER: CG MC MI REVIEWER: GL	A 4120 YDI 13-JUN-62 MO	YDI 82
MIL-H-22297A	HOSE ASSEMBLY, RUBBER, 4-INCH ID. WITH QUICK-ACTING COUPLINGS, ADAPTERS, AND FILLER ELBOWS (USE MIL-H-370 AND MIL-C-27487) USER: MC SH REVIEWER: GL	A 4720 ME 09-OCT-62 ME	YDI
MIL-B-22301	BAG, COTTON DUCK, FOR COLLAPSIBLE FABRIC FUEL STORAGE TANKS AND HOSE MANIFOLDS (USE MIL-C-52186) REVIEWER: 69 SH	A 5430 ME 04-JAN-60 ME	YDI
L MIL-T-22306C	TRUCK, FIXED PLATFORM, POWERED, AIRFIELD MAINTENANCE AND LINE SERVICE, GED, 4 BY 2 REVIEWER: AT	A 1740 YDI 08-APR-68	YDI
MIL-T-22333A	TRUCK, BOMB SERVICE, CARGO BODY, 16,000 POUNDS GVW, 4 BY 4, GASOLINE-ENGINE-DRIVEN, M3-3A (USE MIL-T-81098) REVIEWER: AS	A 2320 YDI 01-JAN-71 AT	YDI 84
L MIL-S-22341	SHEEPERS, ROTARY, SELF-PROPELLED, INDUSTRIAL, WALKER TYPE (USE DO-S-872) ..	A 3825 YDI 02-FEB-60	YDI
MIL-D-223658	DECONTAMINATING AGENT, ETHYLENE OXIDE (IN 12 OUNCE DISPENSER, AEROSOL TYPE, M-10) USER: MC REVIEWER: GS	A 6850 YDI 20-DEC-74 EA	YDI
MIL-R-22368D	REPAIR KIT AND REPAIR KIT COMPONENTS, FOR COLLAPSIBLE FABRIC TANKS AND BOATS (S/S BY MIL-R-52255) USER: MC REVIEWER: CS GL	A 5430 ME 20-DEC-88 ME	YDI
L MIL-C-22442/288(1)	CABLE ASSEMBLY, RADIO FREQUENCY (AIRCRAFT AUDIO), CX-13128/A (S/S BY MIL-C-22442/19)	A 5995 AS 09-APR-93	AS
L MIL-R-22471	REFRIGERATORS AND REFRIGERATOR-FREEZERS, ELECTRIC, SELF-CONTAINED (DOMESTIC) (USE AA-R-211)	A 4110 YDI 25-APR-60	YDI
L MIL-L-224848	LOADER, BUCKET TYPE, CONVERTIBLE, SELF FEEDING, SELF PROPELLED, WHEEL MOUNTED	A 3805 YDI 25-MAY-72	YDI
MIL-S-22515A	SWEeper, ROTARY, SELF-PROPELLED, INDUSTRIAL TYPE, 1-3/4 CUBIC YARD MINIMUM HOPPER CAPACITY (USE DO-S-873) REVIEWER: 11 84 EL SH	A 3825 YDI 11-APR-62 MO	YDI
L MIL-D-22538	DITCHING MACHINE, LADDER TYPE, WHEEL MOUNTED, 4-FOOT DEPTH OF CUT (USE MIL-D-82024)	A 3805 YDI 22-JUN-60	YDI
L MIL-D-22545A(2)	DISPENSER, BULK MILK, MANUALLY-OPERATED, REFRIGERATED, AND CONTAINER, MILK, MULTISERVICE (ASL FED SPEC 00-R-450)	A 4110 YDI 17-OCT-62	YDI
L MIL-H-22547C	HEAT PUMPS, HEATING AND COOLING (UNITARY) (8,400 TO 300,000 BTU)(S/S BY A-A-50502)	A 4120 YDI 15-DEC-92	YDI
L MIL-A-22575B	ANCHOR, MARINE, FLUKED (STOCKLESS), & STABILIZERS (S/S BY DOD-A-24581) REVIEWER: SH	A 2040 YDI 28-MAY-76	YDI
L MIL-C-22599	CRESOSOTE - COAL TAR SOLUTION FOR MARINE USE (USE MIL-P-23613) .....	A 6810 YDI 10-AUG-60	YDI
L MIL-L-22626(1)	LUMBER, HARDWOOD, ALDOBE (EK1), STRESS GRADE AND STANDARD GRADE REVIEWER: CS	A 5510 YDI 21-APR-66	YDI
L MIL-M-22632	MANIFOLD, GAS CYLINDER, PORTABLE, SELF-SUPPORTING, 5-CYLINDER CAPACITY ....	A 8120 YDI 08-SEP-60	YDI
L MIL-P-22634A	PIPE AND PIPEFITTINGS, POLYETHYLENE FOR LOW-PRESSURE WASTE AND DRAINAGE SYSTEMS	A 4710 YDI 11-FEB-66	YDI
MIL-B-22637A	BUILDINGS, PREFABRICATED, READY CUT, METAL ROUND ARCH ROOF WITH VERTICAL WALLS AND BARREL ARCH RIB, NORTHERN, 20 BY 48 FT USER: CG MC REVIEWER: CS	A 5410 ME 05-JUN-64 ME	YDI 99
MIL-E-226808	ENGINE, GASOLINE, COMMERCIAL, INDUSTRIAL TYPE, 10 BRAKE HORSEPOWER AND ABOVE, GENERAL SPECIFICATION USER: MC	A 2805 YDI 12-MAY-72	YDI 99
L MIL-T-22691E	TRACTOR, WHEELED, HIGH-SPEED, LOW CENTER OF GRAVITY, DED (NO S/S DOCUMENT)	A 2420 YDI 24-JAN-91	YDI
L MIL-F-22709A	FENCING, WIRE, ALUMINUM ALLOY, CHAIN LINK AND ACCESSORIES (USE RR-F-191) ..	A 5660 YDI 28-APR-61	YDI
L MIL-E-22733(1)	EXTINGUISHER, FIRE DRY-CHEMICAL, PORTABLE (USE O-E-915) .....	A 4210 YDI 30-JUN-61	YDI
L MIL-C-22744E	CONCRETE SPRAYING MACHINE, MIX ELEVATOR TYPE UNIT, TRAILER MOUNTED (S/S BY DO-C-2818)	A 3895 YDI 26-MAR-93	YDI
MIL-P-22748A(1)	PLASTIC, POLYETHYLENE AND COPOLYMERS, HIGH DENSITY, MOLDING AND EXTRUSION MATERIAL (USE L-P-390C) USER: MC REVIEWER: AR MI MR YDI	A 9330 EL 01-APR-66 EL	SH 11
MIL-C-22751D(1)	COATING SYSTEM, EPOXY-POLYAMIDE, CHEMICAL AND SOLVENT RESISTANT; PROCESS FOR APPLICATION OF (NO S/S DOCUMENT) USER: AV CG MC YDI REVIEWER: ER MI OS SH	A 8010 AS 11-APR-90 ME	AS
L MIL-M-22773C	MITTENS, EXTREME COLD WEATHER, IMPERMEABLE (S/S BY MIL-M-87033) USER: 45 CG YDI REVIEWER: CT	A 8415 MU 08-MAY-89	MU
MIL-D-22776C	OVERALLS, WET WEATHER (S/S BY MIL-T-87099) USER: CG MC YDI .....	A 8405 CT 04-FEB-92	SA 99 CT
MIL-A-22789C	ANKLET, WOMEN'S: COTTON (S/S BY A-A-50015) REVIEWER: 99 MD .....	A 8445 CT 02-APR-93 GL	MU 11 CT
MIL-V-228548	VALVES, ANGLE, SHUT-OFF, PACKED, RECEIVER, REFRIGERANT-12 (NO S/S DOCUMENT) USER: CG MC REVIEWER: GS	A 4810 82 16-FEB-93 GL	YDI 82
MIL-V-22862C	VALVES, COMPRESSOR SERVICE, REFRIGERANT-12 (NO S/S DOCUMENT) REVIEWER: CS GS ME	A 4820 GL 13-JUL-90 GL	YDI 82
L MIL-E-228648	EMULSIFIER, OIL SLICK REVIEWER: GS SH	A 6850 YDI 23-JUL-73	YDI
MIL-R-22870D	ROLLERS, MOTORIZED, PNEUMATIC-TIRED (S/S BY DO-R-2780) .....	A 3895 YDI 05-JUN-92 ME	YDI
MIL-S-22880A	SCYTHE, POWERED, HAND CARRIED REVIEWER: CS EL .....	A 3750 YDI 26-APR-63 MO	YDI 84
L MIL-T-22884	TANK, LIQUID STORAGE, METAL, HORIZONTAL, WELDED, WRESTABLE .....	A 5430 YDI 28-APR-61	YDI
L MIL-T-22893	TAMPING MACHINE, FORM, CONCRETE PAVING, 8 INCHES TO 12 INCHES .....	A 3895 YDI 08-MAY-61	YDI
MIL-E-22901F	EXCAVATOR, MULTIPURPOSE, TRUCK MOUNTED, TWO CABS (S/S BY KKK-E-2808) USER: MC REVIEWER: 84	A 3805 YDI 30-DEC-92 AT	YDI 99
L MIL-D-22917	DRUM, (FLOTATION) RUBBERIZED FABRIC, COLLAPSIBLE, 55-GALLON (USE MIL-B-23459)	A 8110 YDI 01-JAN-63	YDI
L MIL-S-22989	STRIKE-OFF, CONCRETE PAVING, FORM-RIDING (20- TO 25-FOOT WIDTH) .....	A 3895 YDI 18-AUG-61	YDI
L MIL-H-22995A	HELMET SHELL ASSEMBLIES, PILOT'S PROTECTIVE, APH-6 SERIES (NO S/S DOCUMENT)	A 8475 AS 31-AUG-92	AS
L MIL-T-22998	TANK, LIQUID STORAGE, METAL, VERTICAL, BOLTED, 25-BARREL CAPACITY (1,050 GALLONS)	A 5430 YDI 05-SEP-61	YDI
L MIL-F-23022A	FLOODLIGHT SET, ELECTRIC, SELF-CONTAINED, SKID MOUNTED, WITH TWO 750 WATT FLOODLIGHTS (USE MIL-F-29161) REVIEWER: GS	A 6230 YDI 21-JAN-66	YDI
L MIL-F-23093	FURNITURE, PORCH, TUBULAR ALUMINUM (LEG TYPE) .....	A 7105 YDI 16-NOV-61	YDI
L MIL-T-23095	TRACTORS, WHEELED, INDUSTRIAL, 4 BY 2, PNEUMATIC TIRED, DIESEL-ENGINE-DRIVEN	A 2420 YDI 20-NOV-61	YDI
MIL-V-231358	VALVE, SAFETY RELIEF, REFRIGERANT-12 USER: CE MC REVIEWER: GS ME .....	A 4130 GL 07-MAR-85 GL	YDI
MIL-A-23144E	ROLLER, TOWED, OPEN-FACE TYPE, TWO DRUM (S/S BY DO-R-2783) USER: MC REVIEWER: 84	A 3895 YDI 15-MAY-92	YDI 99
L MIL-T-23153C	TABLE, FOLDING, STEEL TUBE (ADVANCE BASE) (S/S BY AA-T-2753) REVIEWER: GL	A 7105 YDI 12-NOV-91	YDI
MIL-S-23168D	SPREADER, AGGREGATE, SELF-PROPELLED, PNEUMATIC-TIRED, DED (NO S/S DOCUMENT) REVIEWER: 84	A 3895 YDI 23-MAY-90	YDI 99
MIL-B-23170A	BOILER, STEAM, HIGH PRESSURE WATER TUBE, PACKAGED TYPE, (5,000 TO 50,000 POUNDS PER HOUR FIRED BY COAL, OIL, GAS OR COMBINATION OIL/GAS) (S/S BY MIL-B-17095) USER: CE	A 4410 YDI 08-JUL-91 ME	YDI 99
L MIL-F-23179A	FURNITURE, KITCHEN AND DINETTE, TUBULAR METAL USER: GL .....	A 7105 YDI 01-SEP-70	YDI
MIL-V-23181B	VALVE: WATER REGULATING, REFRIGERANT-12 REVIEWER: GS .....	A 4130 GL 25-JAN-85 GL	YDI
MIL-A-23187A	HEATER-PLAHER, BITUMINOUS, SELF-PROPELLED, PNEUMATIC-TIRED .....	A 3895 YDI 27-FEB-63	YDI 84
MIL-V-23218	VALVE, CHECK, REFRIGERANT-12 (NO S/S DOCUMENT) USER: CE MC REVIEWER: CS MD	A 4130 GL 10-DEC-90 GL	YDI 99
L MIL-F-23239(3)	FURNITURE, STEEL FRAME, LAMINATED PLASTIC SURFACED PANEL TYPE FOR BOQ S USER: GL	A 7105 YDI 19-JUL-63	YDI
L MIL-G-23240A	GENERATOR SET, DIESEL ENGINE, TRAILER MOUNTED, 5 KILOWATTS, 120/208 VOLTS, ALTERNATING CURRENT, WITH FLOODLIGHTS (USE MIL-F-29161) REVIEWER: GS	A 6230 YDI 18-AUG-66	YDI
MIL-F-23243A	FORMING MACHINES, SHEET METAL, ROTARY, MANUALLY OPERATED (S/S BY A-A-51159, A-A-51164, A-A-51168, A-A-51170 AND A-A-51172) REVIEWER: GS YDI	A 3441 1P 21-AUG-89 AL	SH 99 1P



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Code / Cancellation Notice Document Number	Document Title	Doc. Smt. FSC / Issue MCA Symbol Preparing Act.	Date	Army	Navy	Air Force	Custodian DLA
MIL-F-23246A	FORMING MACHINES, SHEET METAL, BAR FOLDING MACHINE, AND GROOVING MACHINES, HAND OPERATED, BENCH TYPE (S/S BY A-A-51160 AND A-A-51169) REVIEWER: GS YD1	A 3441	1P 21-AUG-89	AR	SH	99	IP
MIL-S-23247B	SWEEPER, ROTARY, SELF-PROPELLED, BLOWER TYPE, PAVED SURFACE CLEANING USER: CE EL	A 3825	YD1 16-AUG-73	ME	YD1	99	
MIL-D-23248(1)	DISTRIBUTOR, BITUMINOUS MATERIAL TANK TYPE, TRAILER MOUNTED, 1,250 GALLON (S/S BY MIL-D-575)	A 3895	YD1 15-OCT-62		YD1	87	
MIL-B-23272B(2) NOTICE 1	BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM (S/S BY A-A-52417) REVIEWER: CR	A 6140	AT 07-JAN-93	AT		99	
MIL-B-23272/1B NOTICE 1	BATTERY, STORAGE: ALKALINE, NICKEL-CADMIUM, BB-634/U, 12-VOLT, 70 AMP HR CAPACITY (S/S BY A-A-52417) REVIEWER: ER	A 6140	AT 07-JAN-93	AT		80	
L MIL-P-23274	PUBLIC ADDRESS SET, 50 AND 100 WATT (S/S BY MIL-P-28659)	A 5830	YD1 27-APR-62		YD1		
L MIL-K-23283	KIT, ROOF STRENGTHENING, FOR ARCTIC BUILDING	A 5410	YD1 08-MAY-62		YD1		
L MIL-P-23290	PIPE AND PIPE FITTINGS, IRON, SAWAM LINED (USE MIL-P-22561)	A 4710	YD1 16-MAY-62		YD1		
L MIL-C-23291B	CONTROL, PRESSURE, REFRIGERANT-12, WITH HIGH PRESSURE CUTOFF USER: MC REVIEWER: GS ME	A 4130	GL 16-APR-84	GL	YD1	99	
L MIL-F-23294A	FURNITURE, WOOD, DINING ROOM USER: GL	A 7105	YD1 30-SEP-70		YD1		
L MIL-C-23303	CLOSURE, HINGED	A 4730	YD1 22-MAY-62		YD1		
L MIL-S-23309D	SNOW REMOVAL UNIT, WALKING, POWER DRIVEN REVIEWER: CS	A 3825	YD1 14-MAR-84		YD1		
L MIL-W-23318B	VALVE, REGULATING, FLUID PRESSURE, EVAPORATOR, REFRIGERANT-12 USER: MC ME SM REVIEWER: CE GS	A 4820	GL 07-MAR-85	GL	YD1	99	
L MIL-V-23319B	VIBRATOR, CONCRETE, GASOLINE-ENGINE-DRIVEN (NO S/S DOCUMENT)	A 3895	YD1 12-MAY-89		YD1		
L MIL-T-23349	TRUCK, STAKE, VERTICAL LIFT BODY, COMMERCIAL, 6 BY 4, 29,500 LBS. GVW (USE MIL-T-38710)	A 2320	YD1 25-JUN-62		YD1		
L MIL-W-23350	WELDING MACHINES, ARC, DIRECT CURRENT TRANSFORMER-RECTIFIER TYPE (S/S BY MIL-W-80043)	A 3431	YD1 26-JUN-62		YD1		
L MIL-D-23358(1)	OVENS, HEAVY DUTY REVOLVING TRAY ELECTRICALLY-FIRED AND INDIRECT GAS-FIRED (USE S-D-860)	A 7310	YD1 31-JUL-62		YD1		
L MIL-C-23396	CHAIR, STACKING, ALUMINUM FRAME, UPHOLSTERED	A 7105	YD1 31-JUL-62		YD1		
L MIL-C-23411A	CORROSION PREVENTIVE COMPOUNDS, CLEAR (S/S BY MIL-C-81309) REVIEWER: EA MI SM	A 8030	YD1 18-FEB-71		YD1		
L MIL-F-23415A	FURNITURE, WOOD, BEDROOM FOR FAMILY QUARTERS USER: GL	A 7105	YD1 10-APR-69		YD1		
L MIL-B-23418	BORING AND TURNING MACHINE, VERTICAL, LIGHT DUTY, 36-INCH	A 3411	YD1 30-AUG-62		YD1		
L MIL-F-23432	FURNITURE, UPHOLSTERED, LIVING ROOM, FOR FAMILY QUARTERS USER: GL	A 7105	YD1 12-SEP-62		YD1		
L MIL-S-23436A	SPRAYER, EMULSION, CONCRETE CURING, DRUM MOUNTED	A 3895	YD1 11-MAY-72	ME	YD1	84	
L MIL-S-23446B	SPREADER, AGGREGATE, PUSH-TYPE, TRACTOR MOUNTED REVIEWER: CS	A 3830	YD1 07-DEC-70		YD1	84	
L MIL-D-23451	DITCHING MACHINE, CONCRETE PAVING FORM	A 3805	YD1 01-OCT-62		YD1		
L MIL-F-23458	FURNITURE, WOOD, LIVING ROOM TABLES, DESKS, AND BOOKCASES USER: GL	A 7105	YD1 08-OCT-62		YD1		
L MIL-M-23462B	POWER, LAMM, POWER, SELF-PROPELLED, FLAIL ACTION, WALKING TYPE	A 3750	99 22-AUG-69	ME	YD1	99	
L MIL-P-23469/38 NOTICE 1	PIW-RIVET, GROOVED, BRAZIER, TRUSS AND FLUSH HEAD: STRAIGHT SHANK, WIDE GRIP RANGE, MULTIPLE LOCKING GROOVES, ALUMINUM ALLOY AND CARBON STEEL (NO S/S DOCUMENT)	A 5320	SH 22-DEC-92		SH		
L MIL-T-23475A	TRUCK, TORPEDO HANDLING, GASOLINE-ENGINE-DRIVEN AND DIESEL-ENGINE-DRIVEN, 6 BY 4, COMMERCIAL (USE MIL-C-81175)	A 2320	AT 23-SEP-63	AT	YD1		
L MIL-C-23510B	CONCRETE MIXING-SPRAYING-SANDBLASTING MACHINE, WET MIX TYPE, GASOLINE-ENGINE-POWERED, TRAILER MOUNTED USER: CS	A 3895	YD1 26-AUG-74		YD1		
L MIL-G-23515(1)	GREASE, CHASSIS LUBRICANT, AUTOMOTIVE (WITH MOLYBDENUM DISULFIDE)	A 9150	YD1 11-JUL-63		YD1		
L MIL-P-23529	PONTOON STRUCTURE, SEGMENTED, CYLINDRICAL (RUSH ROLL)	A 1945	YD1 03-DEC-62		YD1		
L MIL-L-23531(1)	LATHE, ENGINE, TOOLMAKERS, 10 INCH, LIGHT DUTY (USE MIL-L-80007) REVIEWER: YD1	A 3416	SH 05-JUN-63	MC	SH	84	
L MIL-T-23568A(1)	TRUCK, STAKE, AIRFIELD, ELEVATING PLATFORM, 4,000 POUND CAPACITY, TYPE TEP-40 (USE MIL-T-28625)	A 1740	YD1 27-JUN-67		YD1		
L MIL-D-23570A	DISHWASHING MACHINE, COMMERCIAL, (RACKLESS, CONVEYOR) (USE FED SPEC OO-D-1388) USER: CG REVIEWER: BS EL GS MC MD SA	A 7320	YD1 01-OCT-64	GL	YD1	84	
L MIL-C-23571A	CONDUIT AND CONDUIT FITTINGS, PLASTIC, RIGID (USE W-C-1094A)	A 5975	YD1 08-NOV-68		YD1		
L MIL-S-23572	SERVICING PLATFORMS, TRUCK- AND TRACTOR-MOUNTED (USE MIL-T-45398, 62035 AND 62142)	A 4940	YD1 22-JAN-63		YD1		
L MIL-T-23576	TABLE, HOT-FOOD (COMMERCIAL, HEAVY DUTY, ELECTRICALLY HEATED)	A 7310	YD1 25-JAN-63		YD1		
L MIL-I-23578C	INSULATION HOSE, ELECTRICAL & INSULATION HOODS INSULATOR (S/S BY ASTM D1049 & D1050) REVIEWER: 99 GS	A 5970	YD1 20-MAY-83	ER	YD1	85	
L MIL-K-23579	KETTLE, HEATING, BITUMEN, TRAILER-MOUNTED, 80-GALLON CAPACITY	A 3895	YD1 28-JAN-63		YD1		
L MIL-H-23580A	HIGHWAY FLARE KIT (USE RR-R-1185)	A 6260	YD1 24-AUG-66		YD1		
L MIL-T-23585	TERMINAL BOX, MARINE, TELEPHONE	A 5940	YD1 01-FEB-63		YD1		
L MIL-C-23602	CABLE REEL MARK 1 MOD 1 (FOR FIRE CONTROL SYSTEM MARK 101) (NO S/S DOCUMENT)	A 1290	OS 31-MAR-93		OS		
L MIL-R-23606	RESPIRATOR, AIR FILTERING, DUST, MIST, AND METALLIC FUME DISPERSOIDS NOT SIGNIFICANTLY MORE TOXIC THAN LEAD (USE GGG-M-125)	A 4240	YD1 05-MAR-63		YD1		
L MIL-D-23607B	DISCONNECT SWITCHES, AIR, OUTDOOR (7.2 KV TO 34.5 KV)	A 5930	YD1 22-MAY-85		YD1		
L MIL-G-23608C	GENERATOR SET, UNINTERRUPTIBLE POWER, COUPLED INERTIA SYSTEM, ALTERNATING CURRENT, SHORE USE, 10 KW THROUGH 200 KW REVIEWER: GS	A 6115	YD1 07-AUG-68		YD1		
L MIL-C-23609A	CUT OFF MACHINE, BAND, HORIZONTAL, 1 AND 2 HP (USE MIL-S-23847B) USER: CG MC SM REVIEWER: GS YD1	A 3405	1P 05-NOV-70	WC	SH	84	
L MIL-S-23610	SAM, VERTICAL BAND, METAL, MEDIUM DUTY (S/S BY MIL-S-13908B) USER: CG REVIEWER: BS	A 3419	YD1 18-MAR-63	WC	YD1	84	
L MIL-V-23611	VALVE, BALL	A 4820	YD1 19-MAR-63		YD1		
L MIL-P-23613C	PILES, WOOD, PRESSURE TREATED, MARINE, DOUGLAS FIR & SOUTHERN PINE (S/S BY ASTM D25 W/MPA C1, C3, & MPB MP1, MP2 & MP4 REVIEWER: CS	A 5510	YD1 27-SEP-85		YD1		
L MIL-S-23620A	SWEEPER, LAMM, VACUUM TYPE, SELF-PROPELLED, 36-INCH PATH USER: GL REVIEWER: CS	A 3750	YD1 22-JUN-64		YD1		
L MIL-G-23621B NOTICE 1	GUARD, SPLASH, WHEEL (S/S BY A-A-52402) USER: MC REVIEWER: SS	A 2540	AT 10-JUL-92		AT		
L MIL-B-23674	BUILDING KIT, PREFABRICATED, STEEL, (FOR INCREASING HEIGHT OF 40 BY 100 FOOT RIGID FRAME BUILDING)	A 5410	YD1 15-APR-63		YD1		
L MIL-T-23682(1)	TRANSFORMER, POWER, ISOLATION REVIEWER: ES MI YD1	A 5950	AS 04-JUN-64		AS		
L MIL-B-23681	BUILDING ADDITION, PREFABRICATED, READY-CUT, METAL, FOR 40 BY 100 FOOT RIGID FRAME BUILDING	A 5410	YD1 18-APR-63		YD1		
L MIL-P-23694E NOTICE 1	PAN, FRYING AND BRAISING, ELECTRIC TILTING TYPE (S/S BY ASTM-F1047) USER: CE REVIEWER: 84 GS MC MD MS SA	A 7310	YD1 02-OCT-91	GL	YD1	99	
L MIL-P-23748A	TANK, FUEL STORAGE, 10,000-GALLON CAPACITY (WHEELMOUNTED)	A 5430	YD1 08-DEC-69		YD1		
L MIL-C-23749	CONDUITS, VITRIFIED CLAY	A 5975	YD1 29-MAY-63		YD1		
L MIL-S-23769C	SEALS, SECURITY (S/S BY FF-S-2738) USER: 99 MC ME SH REVIEWER: DS IS SA	A 5340	YD1 26-JUN-90	AR	YD1		
L MIL-T-23770	TRAILERS, TILTING PLATFORM, COMMERCIAL (S/S BY MIL-T-46738)	A 2330	YD1 24-JUN-63		YD1		
L MIL-R-23785	REEL, SUBMARINE TELEPHONE CABLE REVIEWER: GS	A 5995	YD1 02-JUL-63		YD1		
L MIL-T-23787B	TRUCK, BULK FOOD SERVICE, HEATED (ELECTRICALLY), TABLE TYPE USER: OS REVIEWER: GS MC MD MS SA	A 7310	GL 31-DEC-70	GL	YD1	99	
L MIL-D-23838	DECKHOUSE FOUNDATION, PONTOON BARGE GATE VESSEL	A 5410	YD1 23-AUG-63		YD1		
L MIL-S-23847B(1)	SAM, BAND, CUT OFF, HORIZONTAL, MANUAL AND AUTOMATIC (USE MIL-S-45814) USER: MC REVIEWER: GS YD1	A 3405	1P 19-MAR-74	AL	SH	99	
L MIL-B-23867	BOILER, STEAM, HIGH-PRESSURE PACKAGED TYPE (FOR FLOATING DRYDOCKS)	A 4410	YD1 12-SEP-63		YD1		
L MIL-S-23868C	SWEEPER, ROTARY, SELF PROPELLED INDUSTRIAL, HEAVY DUTY, DED (USE FED SPEC OO-S-8700)	A 3825	YD1 28-MAY-70		YD1		
L MIL-C-23877C	CRANES, HYDRAULIC, WHEEL MOUNTED, 4 X 4, 4-WHEEL STEER (S/S BY MIL-C-81175) REVIEWER: 84 MC MR	A 3810	YD1 05-NOV-84		YD1	99	
L MIL-R-23897	REEL, AMPHIBIOUS FUELING HOSE	A 2040	YD1 24-OCT-63		YD1		



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adopt OR / ONL Cancellation Machine Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Army Navy Air Force DIA
L MIL-G-23898	GENERATOR SET, DIESEL ENGINE, 10KW 125 VOLTS, DIRECT CURRENT (SEE MIL-STD-633) REVIEWER: GS	A 6115	YD1 24-OCT-63	YD1
MIL-T-23907D NOTICE 1	TONING AND DISCHARGE ASSEMBLIES, AMPHIBIOUS FUEL LINE (NO S/S DOCUMENT) REVIEWER: AT CS	A 3835	YD1 10-APR-92	ME YD1
MIL-M-23908(1)	MILLING MACHINE, VERTICAL, KNEE TYPE, HEAVY DUTY (USE MIL-M-80051, MIL-M-80058 AND MIL-M-80059) USER: MC REVIEWER: BS YD1	A 3417	IP 01-APR-65	MC SH 84
MIL-T-239168	TOWER, SIGNAL, PORTABLE, STEEL, SECTIONALIZED USER: MC	A 5445	YD1 11-DEC-78	YD1 99
MIL-O-23936	OVEN, BAKING AND ROASTING, DECK, OVEN, BAKING, DECK, ELECTRIC AND GAS-FIRED (USE MIL-F-82039)	A 7310	YD1 18-NOV-63	YD1
MIL-R-239540(1) NOTICE 1	REFUSE CONTAINERS, HOISTING UNIT: TILT-OVER, FOR FRONT LOADING COMPACTION TYPE TRUCKS (S/S BY DD-R-2741) REVIEWER: GS	A 3990	YD1 21-SEP-92	ME YD1
MIL-I-23972C	INSULATOR ASSEMBLIES, RACK, SECONDARY (S/S BY AMSI-C135.7-1987) REVIEWER: GS	A 5970	YD1 23-MAY-90	YD1
MIL-B-23990C NOTICE 1	BLOCKS, TACKLE, WIRE ROPE, EXTRA HEAVY DUTY (NO S/S DOCUMENT) USER: MC REVIEWER: BA IS SH	A 3940	YD1 05-JUL-91	ME YD1 99
MIL-T-239938	TRUCK, HAND, TWO-WHEELED, DRUM HANDLING USER: MC REVIEWER: GS	A 3920	YD1 17-APR-70	ME YD1 84
MIL-B-23997A	BOILER, HIGH TEMPERATURE WATER GENERATORS, PACKAGED TYPE (ABOVE 5,000,000 BTU/H INPUT CAPACITY) REVIEWER: CS	A 4620	YD1 10-SEP-86	YD1
MIL-B-24001A	BROILER, ELECTRIC AND GAS REVIEWER: O3 GS NO MS	A 7310	YD1 12-DEC-66	GL YD1 99
MIL-R-24006	RODS, GROUND, COPPER-CLAD STEEL, GALVANIZED STEEL, AND COPPER (USE M-R-550)	A 5975	YD1 16-JAN-64	YD1
MIL-B-24009 MIL-S-24019C	BRUSHCUTTER, SICKLEBAR, SELF-PROPELLED SNOWBLOW, TRUCK MOUNTING, ONE WAY, 8 FOOT CLEARING SWATH (FOR 27,000 POUND GEM TRUCKS)	A 3895 A 3830	YD1 21-JAN-64 YD1 18-JAN-85	YD1 ME YD1 99
MIL-R-24039C NOTICE 1	RACK AND CYLINDER FOR MECHANICAL DISHWASHING MACHINE USER: MS REVIEWER: GS MC NO SA	A 7320	SH 16-MAY-88	GL YD1 99
MIL-C-24143	CHLORINATOR, POTABLE WATER (NAVAL SHIPBOARD USE) USER: YD1	A 4610	SH 04-SEP-86	SH
MIL-S-24214A	SHACKLES, STEEL, GENERAL PURPOSE REGULAR AND HIGH STRENGTH (S/S BY RR-C-271) USER: ME REVIEWER: IS YD1	A 4030	SH 10-OCT-90	SH
MIL-C-24237 MIL-S-24273	COUPLING, QUICK-DISCONNECT FOR ABRASIVE BLASTING HOSE USER: AS SH	A 4730	YD1 03-JUN-66	NO YD1
MIL-S-24602(1) NOTICE 2	STAND, PORTABLE ELECTRIC DRILL, ELECTROMAGNETIC, UNIVERSAL USER: MC YD1	A 5130	SH 02-DEC-66	GL SH 99
DOD-C-24676 NOTICE 1	SUPPRESSORS, VOLTAGE-SURGE; SELENIUM TYPE (NO S/S DOCUMENT)	A 6130	SH 15-APR-93	SH
DOD-M-24680(1) NOTICE 1	COPPER-NICKEL ALLOY BAR, ROD AND FORGED SHAPES, HIGH STRENGTH (METRIC) (NO S/S DOCUMENT) REVIEWER: AH EA GL ME	A 4085	SH 09-DEC-92	MR SH 11
MIL-O-24905B NOTICE 1	METRIC MACHINERY/EQUIPMENT GENERAL REQUIREMENTS FOR (NO S/S DOCUMENT) USER: IP REVIEWER: AS AT EC GS ME MI OS SA YD1	A 4150	SH 17-DEC-90	SH DH
MIL-O-24906B NOTICE 1	OVERCOAT, MAN'S, REEFER (COAST GUARD) (NO S/S DOCUMENT) REVIEWER: CG	A 8405	CT 16-JUN-92	CT
MIL-C-24924 NOTICE 1	OVERCOAT, WOMAN'S, REEFER (COAST GUARD) (NO S/S DOCUMENT) REVIEWER: CG	A 8410	CT 16-JUN-92	CT
MIL-S-24928 NOTICE 1	CAP, MAN'S UTILITY (NO S/S DOCUMENT)	A 8405	CT 01-DEC-92	CT
MIL-T-24944 NOTICE 1	SHIRT, MAN'S, SHORT SLEEVE, POLYESTER/COTTON (DURABLE PRESS) (NO S/S DOCUMENT) REVIEWER: CG	A 8405	CT 14-JUL-92	CT
MIL-C-25343 MIL-P-25716D NOTICE 1	TROUSERS, FLIGHT DECK, CREWMEN'S (NO S/S DOCUMENT)	A 8415	CT 04-SEP-92	CT
MIL-B-25820B(1) MIL-B-25846B(1) NOTICE 2	CERTIFICATION OF PENETRANT INSPECTION PERSONNEL (S/S BY MIL-STD-410) PARACHUTE SYSTEM, HEAVY DUTY, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) REVIEWER: 11 15	A 6850 A 6800	10 03-JUN-55 79 26-MAR-93	10 79
MIL-T-25849A NOTICE 2	BOMB, LOADING PRACTICE BDU-6/E AND BDU-35/E (NO S/S DOCUMENT) REVIEWER: 15	A 1105	79 31-MAR-93	79
MIL-C-26007C(2) NOTICE 2	BOMB, PRACTICE, PROFILE BDU-8/B (NO S/S DOCUMENT)	A 1105	79 26-MAR-93	79
MIL-T-26038A MIL-O-26085	TEST SET, ARMAMENT WIRING SYSTEM, SPECIAL WEAPON AM/BM-BA (NO S/S DOCUMENT) REVIEWER: 15	A 1190	79 25-MAR-93	79
MIL-B-26241B(1)	CHAMBER, DECOMPRESSION, ALTITUDE TRAINING, 20 MAN (NO S/S DOCUMENT) REVIEWER: O3 11	A 6930	70 24-FEB-93	70
MIL-L-26311B(1)	TAILGATE, HYDRAULIC LIFTING, VEHICULAR USER: MC REVIEWER: AT	A 3830	84 11-FEB-65	YD1 99
MIL-M-26511C	DRAWINGS AND DATA LISTS, AIR FORCE/CONTRACTORS AFCON, ASSEMBLY TYPE GROUND SUPPORT EQUIPMENT, PREPARATION OF REVIEWER: 80 CT	A 8315	11 28-JAN-61	10
MIL-M-26511/1	BOX, DEMOUNTABLE, ASSEMBLED WITH FASTENERS OTHER THAN NAILS AND SCREWS USER: 70 79 EL NO YD1 REVIEWER: 10 BA ME SH MC	A 8115	69 25-JUN-68	GL AS 69
MIL-M-26511/2	LIGHTING SYSTEM, AIRPORT APPROACH, CONDENSER DISCHARGE SEQUENCE FLASHING, GENERAL REQUIREMENTS FOR (NO S/S DOCUMENT) REVIEWER: GS YD1	A 6210	AS 13-JAN-89	AS 99
MIL-M-26511/3	MUTRUMMERS AND SCREWDRIERS, PNEUMATIC POWERED, TORQUE CONTROLLED, PRECISION ACCURACY, GENERAL SPECIFICATION FOR (USE GGG-M-1907) REVIEWER: AV GL MC	A 5130	99 29-JUN-73	YD1 99
MIL-L-26598A(4) NOTICE 1	MUTRUMMER AND SCREWDRIER, PISTOL GRIP, STRAIGHT HEAD, TYPE I USER: SH REVIEWER: AS AV GL MC	A 5130	99 29-JUN-73	YD1 99
MIL-F-26615C NOTICE 2	MUTRUMMER AND SCREWDRIERS, STRAIGHT HANDLE, STRAIGHT HEAD, TYPE 11 USER: SH	A 5130	99 29-JUN-73	YD1 99
MIL-R-26627D(1)	MUTRUMMER AND SCREWDRIER, PISTOL GRIP, STRAIGHT HEAD, TYPE 111 USER: SH REVIEWER: AS AV GL MC	A 5130	99 29-JUN-73	YD1 99
MIL-P-26692(1) MIL-O-26715D(1)	LANTERN, ELECTRIC, LEU-2/E (NO S/S DOCUMENT)	A 6230	82 07-AUG-92	99
MIL-S-26799(1) MIL-M-26881A(1)	FIXING BATH, CONVENTIONAL PHOTOGRAPHIC, ACID HARDENING (NO S/S DOCUMENT) REVIEWER: GS	A 6750	70 24-FEB-93	ER AS 99
MIL-B-26994E NOTICE 1	REGULATOR, AIRPORT LIGHTING RGU-3/F, RGU-4/F, RGU-5/F, AND RGU-11/F REVIEWER: GS YD1	A 6110	99 09-JAN-69	AS 99
MIL-C-27001A NOTICE 2	PLASTIC TUBE AND TUBING, POLYETHYLENE REVIEWER: AR GL NO MI SH YD1	A 9330	MR 09-JAN-61	MR AS 11
MIL-A-27042A(1) NOTICE 2	DISSCRIPTIVE IDENTIFICATION DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS REVIEWER: 79	A 6150	10 10-DEC-64	10
MIL-D-27043A(1) NOTICE 2	SUPPLY TEST SUPPORT TABLE, PREPARATION OF	A 6680	16 06-JUN-56	16
MIL-B-27044C(1) NOTICE 2	METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, AIRCRAFT FUEL, 600 GPM (USE MIL-M-28519) REVIEWER: GS	A 4910	AL 31-MAR-93	AL
MIL-B-27049(1) NOTICE 2	BALANCER, VEHICLE WHEEL, ON-VEHICLE TYPE (NO S/S DOCUMENT) USER: AT	A 4910	AL 31-MAR-93	AL
MIL-C-27072/90 NOTICE 2	CRADLE, BOMB HANDLING MHU-19/E (NO S/S DOCUMENT)	A 1190	79 26-MAR-93	79
MIL-C-27072/91 NOTICE 2	CONTROL-MONITOR DOLU-9/A (NO S/S DOCUMENT) REVIEWER: 15	A 1190	79 31-MAR-93	79
	ADAPTER, TEST MX-3413/GMM-4 (NO S/S DOCUMENT) REVIEWER: 15	A 1190	79 31-MAR-93	79
	DUMMY WARHEAD, BOMB MDU-9/E (NO S/S DOCUMENT) REVIEWER: 15	A 1115	79 31-MAR-93	79
	BOMB, PRACTICE BDU-12/B (NO S/S DOCUMENT) REVIEWER: 15	A 1105	79 31-MAR-93	79
	BOMB, LOADING PRACTICE BDU-15/E BOMB, LOADING PRACTICE BDU-16/E (NO S/S DOCUMENT) REVIEWER: 15	A 1105	79 31-MAR-93	79
	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93	85
	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 4, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93	85



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / Osk Coordination Machine Document Number	Document Title	Doc. Syst. FDC / Ams MCA Symbol Preparing Inst.	Date	Custodians		
				Army	Navy	Air Force DLA
L MIL-C-27072/93 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE 1, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/96 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE 1, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/99 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE II, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/101 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE II, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/103 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IX, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/104 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 1, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/105 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/106 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 5, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/107 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE II, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/109 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/112 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IX, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/114 NOTICE 2	CABLE, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE I, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/120 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IX, STYLE 6, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/122 NOTICE 2	CABLE, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, 1 CONDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/125 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 1, 1 CONDUCTOR, SILVERED SHIELD (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/126 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE IV, STYLE 5 TAPE, 1 CO NDUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-C-27072/127 NOTICE 2	CABLES, SPECIAL PURPOSE, ELECTRICAL, SHIELDED: TYPE V, STYLE 5 TAPE, 1 CON DUCTOR (S/S BY MIL-C-55021/2) REVIEWER: 99 ES 15	A 6145	85 10-MAR-93			85
L MIL-M-273860 NOTICE 1	MANIFOLD ASSEMBLIES, HOSE-LINE: FUELING: 4-INCH, QUICK-COUPLING TYPE (NO S/S DOCUMENT) USER: CE MC YDI REVIEWER: CS	A 4730	ME 09-APR-92 ME			99
L MIL-M-27508(2) NOTICE 1	HOSE ASSEMBLY, RUBBER GSK-6732H-1 (MIL-M-26521) REVIEWER: AR AV CS ME ....	A 4720	99 03-JUL-78		YDI	99
L MIL-D-27525(2) NOTICE 1	OVERCOAT, SURVIVAL, ARCTIC SRU-6/P (NO S/S DOCUMENT) USER: AS REVIEWER: 11	A 8415	CT 22-APR-91		82 CT	
L MIL-T-27557(2) NOTICE 1	TRAILER, DUMMY BOMB MMU-47/E (NO S/S DOCUMENT) REVIEWER: 15 .....	A 1190	79 31-MAR-93			79
L MIL-D-27559(1) NOTICE 2	DUMMY WARHEAD, MISSILE MDU-B/A (NO S/S DOCUMENT) REVIEWER: 15 .....	A 1115	79 31-MAR-93			79
L MIL-M-27579E NOTICE 1	MANUALS, TECHNICAL: AIRCROW, NUCLEAR WEAPON (BOMB) DELIVERY, MULTIMODE, PREPARATION OF (S/S BY MIL-M-38384) REVIEWER: 01 10	A TMSS	16 01-APR-93			16
L MIL-S-276248 NOTICE 1	SWITCH, TOGGLE, EXPLOSION PROOF (USE UL 20 8AL 894) USER: MC REVIEWER: 85 ES	A 5930	YDI 05-FEB-82 AT	YDI	11	
L MIL-M-276578(1) NOTICE 1	WEBBING, TEXTILE, WOVEN NYLON, FOR DECELERATION (S/S BY AMS 3718) USER: 45 REVIEWER: 99	A 8305	CT 03-JUN-88		11 CT	
OL MIL-G-27693A(3) NOTICE 1	GYROSCOPE, DISPLACEMENT SBU-6/A, ROLL AND PITCH (NO S/S DOCUMENT) .....	A 6615	AV 16-JUL-92 AV			
L MIL-I-27709A(4) NOTICE 1	INDICATOR, ALTITUDE, ARU-14/A, REMOTE (NO S/S DOCUMENT) .....	A 6610	71 10-MAR-93			99
L MIL-P-28500 NOTICE 1	PUMPS, CENTRIFUGAL, GASOLINE-ENGINE-DRIVEN, SELF-PRIMING, LIGHTWEIGHT (S/S BY MIL-P-17861C)	A 4320	YDI 27-FEB-67			YDI
L MIL-M-28502A NOTICE 1	WELDING KIT, OXY-ACETYLENE, POWDER WELD, METAL OVERLAY REVIEWER: GS .....	A 3433	YDI 21-MAY-84			YDI
L MIL-D-28503 NOTICE 1	DEGREASER, ULTRASONIC, WITH VAPOR RINSE .....	A 4940	YDI 03-OCT-67			YDI
L MIL-P-28504 NOTICE 1	PREFLUSHING MACHINE (FOR 55-GALLON DRUMS) .....	A 4940	YDI 05-OCT-67			YDI
L MIL-F-28505 NOTICE 1	FLUSH, RINSE, AND STEAMING MACHINE (FOR 55-GALLON DRUMS) .....	A 4940	YDI 06-OCT-67			YDI
L MIL-S-28506 NOTICE 1	SIPHON UNIT (FOR 55-GALLON DRUMS) .....	A 4940	YDI 09-OCT-67			YDI
L MIL-C-28507 NOTICE 1	CHAINER, AUTOMATIC FEED (FOR 55-GALLON DRUMS) .....	A 4940	YDI 09-OCT-67			YDI
L MIL-S-28508 NOTICE 1	STRIPPER-BUFFING MACHINE, AUTOMATIC (FOR 55-GALLON DRUMS) .....	A 4940	YDI 10-OCT-67			YDI
L MIL-C-28509 NOTICE 1	CHIME RESEALER, AUTOMATIC (FOR 55-GALLON DRUMS) .....	A 4940	YDI 11-OCT-67			YDI
L MIL-L-28510 NOTICE 1	LEAK DETECTOR (FOR 55-GALLON DRUMS) .....	A 4940	YDI 13-OCT-67			YDI
L MIL-P-28511 NOTICE 1	PREHEATER, PAINT SPRAY BOOTH (FOR 55-GALLON DRUMS) .....	A 4940	YDI 16-OCT-67			YDI
L MIL-B-28512 NOTICE 1	BOOTH, SPRAYING, PAINT (FOR 55-GALLON DRUMS) .....	A 4940	YDI 16-OCT-67			YDI
L MIL-V-28513 NOTICE 1	VALVE, TANK FILLING, AUTOMATIC (FOR TANKS, FABRIC, COLLAPSIBLE) .....	A 4820	YDI 08-NOV-67			YDI
L MIL-B-28514A NOTICE 1	BOOTH, SPRAYING, PAINT (WITH EXHAUST SYSTEM) (NO S/S DOCUMENT) REVIEWER: CS MI	A 4940	YDI 11-NOV-88			YDI
L MIL-C-28515B NOTICE 1	COFFEE MAKERS, PERCOLATOR: ELECTRIC (S/S BY A-A-50496 AND A-A-50354) USER: CE CG GS MC REVIEWER: 84 MC NS SA	A 7310	YDI 31-OCT-91 GL	YDI		99
L MIL-S-28516A NOTICE 1	SHEARING MACHINE, METAL SLITTING, ROTARY, (POWER AND HAND OPERATED) REVIEWER: GS	A 3445	YDI 05-MAY-83			YDI
L MIL-F-28518 NOTICE 1	FLUSH AND STEAM RINSE MACHINE (FOR 5-GALLON CANS) .....	A 4940	YDI 05-MAR-68			YDI
L MIL-M-28519A NOTICE 1	METER, VOLUMETRIC, POSITIVE DISPLACEMENT, LIQUID, AIRCRAFT FUEL, 600 GPM (S/S BY GG-M-2742)	A 6680	YDI 30-SEP-91			YDI
L MIL-S-28521 NOTICE 1	SAM, CUTOFF, WOODWORKING REVIEWER: GS .....	A 3220	YDI 28-JUN-68			YDI
L MIL-C-28522A NOTICE 1	COUPLING ADAPTER, QUICK DISCONNECT (S/S BY MIL-C-27487) .....	A 4730	YDI 08-DEC-78			YDI
L MIL-B-28524 NOTICE 1	BUFFING MACHINE (FLOOR MOUNTED, ELECTRIC) .....	A 4940	YDI 28-OCT-68			YDI
L MIL-T-28525(1) NOTICE 1	TRAILER, VAN, MOBILE BASE RECOVERY TRAINER .....	A 2330	YDI 28-JUN-67			YDI
L MIL-S-28526A NOTICE 1	SPRAYER, INSECTICIDE: TRAILER-MOUNTED, GASOLINE-ENGINE-DRIVEN, 10 GPM CAPACITY (S/S BY MIL-S-82068C) USER: MC REVIEWER: CS	A 3740	YDI 15-FEB-85			YDI
L MIL-C-28527D NOTICE 1	CENTRAL MIX PLANT, CONCRETE, MOBILE, 150 CUBIC YARDS PER HOUR CAPACITY (S/S BY OO-C-2817)	A 3895	YDI 07-APR-93 ME	YDI		
L MIL-C-28529A NOTICE 1	CRANE, WHEEL MOUNTED, HYDRAULIC OPERATED, DED, WITH PUSHER PLATE .....	A 1730	YDI 28-MAR-73			YDI
L MIL-C-28530B NOTICE 1	CRANE, TRACTOR TOWED, LANDING CRAFT RETRIEVER (NO S/S DOCUMENT) .....	A 3920	YDI 08-DEC-88			YDI
L MIL-D-28531C NOTICE 1	DISTRIBUTORS, WATER, TANK TYPE: TRUCK MOUNTED, FRONT AND REAR SPRAYBARS, COMMERCIAL (S/S BY JCK-D-2778)	A 3825	YDI 23-MAR-92			YDI
L MIL-T-28533D NOTICE 1	TRUCKS, TIRE SERVICING, 10,000 POUNDS GROSS VEHICLE WEIGHT, 4 BY 2 AND 4 X 4 REVIEWER: GS	A 6115	YDI 19-AUG-88			YDI
L MIL-G-28534(2) NOTICE 1	GENERATOR SET, DIESEL ENGINE, SKID MOUNTED OR TRAILER MOUNTED, ALTERNATING CURRENT, 15KW THROUGH 100KW (USE MIL-STD-633) REVIEWER: GS	A 6115	YDI 09-DEC-69			YDI
L MIL-K-28535A(1) NOTICE 1	KETTLE, HEATING, BITUMEN, RUBBERIZED JOINT SEALER, DOUBLE JACKETED, TRAILER MOUNTED (S/S BY MIL-K-4877)	A 3895	YDI 29-OCT-74			YDI 99
L MIL-S-28537 NOTICE 1	SEMITRAILER, TANK, AIRCRAFT REFUELER, 5,000-GALLON CAPACITY, GASOLINE AND JET FUEL	A 1740	YDI 27-JUL-67			YDI
L MIL-M-28538B NOTICE 1	MOISTS, WIRE ROPE OR CHAIN, AIR MOTOR POWERED WITH TROLLEY (S/S BY ASME-HST-5M AND ASTM-HST-6)	A 3950	YDI 01-DEC-89			YDI
L MIL-D-28539B NOTICE 1	DISTRIBUTOR, WATER, TANK TYPE, TACTICAL TRUCK MOUNTED, 2,000-GALLON CAPACITY (S/S BY MIL-D-82531)	A 3825	YDI 26-APR-85			YDI
L MIL-S-28540A NOTICE 1	SPRUBBING MACHINE, PAVEMENT, TRACTOR MOUNTED .....	A 3825	YDI 28-MAR-73			YDI
L MIL-G-28541 NOTICE 1	GENERATOR SET, GASOLINE ENGINE, SKID MOUNTED OR TRAILER MOUNTED, ALTERNATING CURRENT, 5 KW (USE MIL-STD-633) REVIEWER: GS	A 6115	YDI 10-OCT-67			YDI
L MIL-G-28542(1) NOTICE 1	GENERATOR SET, GASOLINE ENGINE, SKID MOUNTED OR TRAILER MOUNTED, ALTERNATING CURRENT, 10KW AND 15KW (SEE MIL-STD-633) REVIEWER: GS	A 6115	YDI 30-DEC-69			YDI



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Adm Off Code Change Notice Document Number	Document Title	Doc. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodian			
			Army	Navy	Air Force	DLA
L MIL-B-28543A	BUILDING, PREFABRICATED, READY-CUT, METAL, RIGID FRAME, HANGAR, 160-FOOT WIDTH BY 110-FOOT DEPTH	A 5410	YD1	13-JAN-84		YD1
L MIL-T-28544	TRUCK, TANK, PORTABLE WATER, 2,200 GALLON CAPACITY, 34,500 POUND GVW (S/S BY MIL-T-4534(J))	A 2320	YD1	02-NOV-67		YD1
L MIL-T-28545	TRUCK, PANEL, ELECTRONICS INSTRUMENTATION TESTING	A 2320	YD1	09-FEB-68		YD1
L MIL-C-28546A(2)	CRANE, OVERHEAD TRAVELING, UNDERHUNG, ELECTRIC POWERED (NO S/S DOCUMENT)	A 3950	YD1	28-FEB-91		YD1
L MIL-W-28547B	WINCHES, DRUM, HAND-OPERATED, SAFETY TYPE, FOR PONTOON BARGES (S/S BY DD-W-2803) REVIEWER: CS	A 3950	YD1	23-NOV-92		YD1
L MIL-T-28548	TRAILER, VAN, PREVENTIVE DENTISTRY UNIT	A 2330	YD1	18-JUL-68		YD1
L MIL-T-28549	TRUCK, TANK, SEWAGE COLLECTION, WITH SLUDGE PUMP	A 2320	YD1	04-OCT-68		YD1
L MIL-T-28551	TRACTOR, WHEELED, INDUSTRIAL, 4 X 4, DED, WITH HYDRAULIC SCRAPER CONTROLS (FOR USE WITH 14 CU YD HYDRAULIC SCRAPER)	A 2420	YD1	13-DEC-68		YD1
L MIL-C-28552A	CURING MACHINE, CONCRETE, WHEEL MOUNTED, SELFPROPELLED	A 3895	YD1	06-APR-76		YD1
L MIL-R-28555A	ROLLER, TOWED, VIBRATING	A 3895	YD1	10-FEB-76		YD1
L MIL-S-28556	SPREADER, LOOSE MATERIAL, DRY CEMENT	A 3895	YD1	02-MAY-69		YD1
L MIL-B-28558A	BUILDING, PREFABRICATED, READY-CUT, STEEL, TRUSSLESS ARCH; AIRCRAFT SHELTER, 58 FT DIAMETER BY 80 FT LONG	A 5410	YD1	30-JUN-76		YD1
L MIL-F-28559	FILTER/SEPARATOR, LIQUID FUEL, 600 GPM CAPACITY, SKID MOUNTED (S/S BY MIL-F-526948)	A 4930	YD1	15-SEP-69		YD1
L MIL-C-28560	CLEANER, VACUUM, TRAILER MOUNTED, LEAF COLLECTOR	A 3825	YD1	18-NOV-69		YD1
L MIL-L-28563A	LOADER, SCOP TYPE, 4-WHEEL DRIVE, ARTICULATED, 4-1/2, 5-1/2, AND 10 CUBIC YARD CAPACITIES, DED (FRONT END LOADERS) (USE KKK-L-1542)	A 3805	YD1	19-JUN-70		YD1
L MIL-C-28564B	CRANES, HYDRAULIC, TRUCK MTD (S/S BY DD-C-2763) USER: MC REVIEWER: CS	A 3810	YD1	17-JUN-91		YD1
L MIL-S-28565A	SMOOTHING IRONS, ASPHALT, SELF-HEATING, 1,1,1,2,2,2-HEPTACHLORO-3,3,4,4,5,5-HEPTAFLUORO-2,2-DIMETHYL-2,2-DIPHOSPHORANE GAS FIRED USER: GL	A 5120	YD1	19-SEP-83		YD1
L MIL-R-28568B(1)	RIG, DRILL, ROTARY AND TOP HEAD TYPE, MUD CIRCULATION (NO S/S DOCUMENT)	A 3820	YD1	16-DEC-91		YD1
L MIL-S-28569	SUBGRADER, SELF-PROPELLED, AUTOMATIC STEERING, DED	A 3895	YD1	13-FEB-70		YD1
L MIL-F-28570B	FUEL SERVICING UNIT, AIRCRAFT, TRAILER MOUNTED, 600 GPM, AIR TRANSPORTABLE (NO S/S DOCUMENT)	A 4930	YD1	23-MAY-90		YD1
L MIL-R-28572A	HEEL, FUELING HOSE, AMPHIBIOUS, 6-INCH	A 2040	YD1	31-DEC-86		YD1
L MIL-D-28573	DISPENSER, INSECTICIDE (DICHLOXYDOS VAPOR) REVIEWER: CS	A 3740	YD1	27-APR-70		YD1
L MIL-F-28575	FURNITURE, WOOD, OCCASIONAL TABLES, DESKS, AND BOOKCASES FOR BACHELOR QUARTERS USER: GL	A 7105	YD1	29-MAR-68		YD1
L MIL-P-28579(1)	PLASTIC COMPOUND, EPOXY-POLYAMIDE, MARINE SPLASH ZONE APPLICATION REVIEWER: GS	A 9330	YD1	01-FEB-77		YD1
L MIL-Q-28585	CHILLER, RESISTANCE TO GROUND TESTING, PORTABLE	A 6625	YD1	05-DEC-68		YD1
L MIL-P-28586	PUMP, CENTRIFUGAL, ELECTRIC-MOTOR-DRIVEN (FOR DISTILLED AND FRESH WATER)	A 4320	YD1	03-JAN-69		YD1
L MIL-W-28587	WELDING MACHINE, BAND SAW BLADE, BENCH TYPE REVIEWER: GS	A 3432	YD1	20-JAN-69		YD1
L MIL-H-28588A(1)	HEATER, STEAM- OR HOT-WATER-HEATED (COMPACT OR QUICK RECOVERY TYPE)	A 4520	YD1	14-MAR-84		YD1
L MIL-P-28589	PUMP, CENTRIFUGAL, PORTABLE, SELF-PRIMING, GASOLINE-ENGINE-DRIVEN (NONCLOGGING, TRASH HANDLING, CONTRACTOR TYPE) (S/S BY MIL-P-17861)	A 4320	YD1	18-AUG-69		YD1
L MIL-L-28590	LEVELS, SURVEYING, SELF LEVELING (USE MIL-L-52918) REVIEWER: GS	A 6675	YD1	16-SEP-69		YD1
L MIL-R-28591	REFRIGERATOR, MECHANICAL, HOUSEHOLD (COMPACT) (S/S BY AA-R-2116) USER: CE	A 4110	YD1	18-FEB-70	GL	YD1 82
L MIL-T-28592	TEST KIT, DIESEL ENGINE	A 4910	YD1	10-JUN-70		YD1
L MIL-R-28593(1)	REFRIGERATOR, PREFABRICATED, -30 DEG. F. (MINE BATTERY STORAGE) REVIEWER: GS	A 4110	YD1	02-JUN-71		YD1
L MIL-P-28595	PUMP, SUBMERSIBLE, ELECTRIC-MOTOR-DRIVEN (WITH TRAILER AND GENERATOR SET)	A 4320	YD1	29-APR-71		YD1
L MIL-C-28597B(1)	CLEANER, WATER BLAST, HIGH PRESSURE, TRAILER-MOUNTED, DED (NO S/S DOCUMENT) REVIEWER: GS	A 4940	YD1	30-APR-90		YD1
L MIL-C-28598	CAP. FLUX, CYLINDRICAL (S/S BY A-A-50464) USER: CE MC REVIEWER: CS ME	A 4520	YD1	07-MAY-83	GL	YD1 99
L MIL-S-28600A(1)	SORBENTS, FLOATING (FOR OIL SPILL REMOVAL) (S/S BY A-A-1280, A-A-1281, AND A-A-1282) REVIEWER: GS	A 9330	YD1	22-NOV-89		YD1
L MIL-P-28601A	PRESS. HYDRAULIC, PORTABLE, 500 TON, GASOLINE ENGINE DRIVEN, WITH DIES FOR SWAGING (USE MIL-P-52554) REVIEWER: GS	A 3446	YD1	31-OCT-79		YD1
L MIL-F-28602A(1)	FLASHING, ROOF VENT, ADJUSTABLE USER: CG MC	A 5670	YD1	20-MAR-79	ME	YD1 99
L MIL-P-28603B	PANS, FRYING AND BRAISING, GAS TILTING TYPE (S/S BY ASTM-F1047) USER: CE	A 7310	YD1	02-OCT-91	GL	YD1 99
L MIL-C-28605A	CLEANER, JET SPRAY REVIEWER: CS MS SA	A 4940	YD1	24-AUG-87		YD1
L MIL-D-28606	DYNAMITE, NITROGLYCERIN, GELATIN	A 1375	YD1	31-AUG-72		YD1
L MIL-P-28607	PUMP, SUBMERSIBLE	A 4320	YD1	18-AUG-72		YD1
L MIL-M-28608	WELDER, HOSE USER: CG MC	A 4730	YD1	18-JAN-73	ME	YD1
L MIL-C-28609A	CLEANER, STEAM, PRESSURE JET (WITH HIGH-PRESSURE, HYDRAULIC WASH REVIEWER: AR)	A 4940	YD1	24-AUG-84		YD1
L MIL-S-28610	SAW, CONCRETE, TANDEN BLADE, 25 FOOT CUT	A 3895	YD1	27-AUG-70		YD1
L MIL-C-28613A(3)	CRANES, OVERHEAD TRAVELING, ELECTRIC POWERED, 25-TON CAPACITY OR LESS (NO S/S DOCUMENT)	A 3950	YD1	28-FEB-91		YD1
L MIL-C-28614C	CRANES, HYDRAULIC, FULL REVOLVING, WHEEL MOUNTED, 4 BY 4, DED (S/S BY DD-C-2774)	A 3810	YD1	22-OCT-91		YD1
L MIL-T-28615	TRUCK, MULTISTOP DELIVERY, WINDOW SERVICE, FOOD, FORWARD CONTROL, 4 BY 2	A 2320	YD1	16-APR-71		YD1
L MIL-C-28616	CRANE, SHOVEL, CRANER MOUNTED COMMERCIAL, DED (MIL-C-15467) USER: MC	A 3810	YD1	30-APR-71		YD1 99
L MIL-B-28617C	BOOMS, FLOATING BARRIER, OIL (FOR HARBOR USE) (S/S BY A-B-2787)	A 1945	YD1	10-JUL-92		YD1
L MIL-S-28618B	SCRAPER, EARTHMOVING, 21 CUBIC YARD REVIEWER: CS	A 3805	YD1	06-JUL-88		YD1
L MIL-L-28620	LAMP, BED, CLAMP ON, FLEXIBLE ARM	A 6230	YD1	12-AUG-71		YD1
L MIL-D-28621B	DRILLING MACHINE, WELL, ROTARY, HELICOPTER TRANSPORTABLE (NO S/S DOCUMENT)	A 3820	YD1	08-DEC-88		YD1
L MIL-C-28622	CRANE, HYDRAULIC, WHEEL MOUNTED, 4 BY 4, FULL REVOLVING, 45-TON CAPACITY, DED (USE MIL-C-28614)	A 3810	YD1	30-SEP-71		YD1
L MIL-A-28624B	AUGER, EARTH, PORTABLE; HAND-HELD TWO-MAN, GASOLINE-ENGINE-DRIVEN (S/S BY DD-A-2775)	A 3820	YD1	02-DEC-91		YD1
L MIL-T-28625B	TRUCK, STAKE; AIRCRAFT CARGO LOADER, HYDRAULIC LIFT, 4,000-POUND PAYLOAD (S/S BY MIL-T-62145)	A 2320	YD1	08-MAR-90		YD1
L MIL-D-28626	DISTRIBUTOR, WATER, TANK TYPE, SEMITRAILER MOUNTED, 8,000 GALLON CAPACITY	A 3825	YD1	30-DEC-71		YD1
L MIL-C-28629	CRANE, HYDRAULIC, WHEEL MOUNTED, 4 X 4, FULL REVOLVING, (SHIPBOARD AIRCRAFT CRASH SALVAGE)	A 1730	YD1	29-FEB-72		YD1
L MIL-G-28630	GENERATOR SET, DIESEL ENGINE, 500 KW, 50/60 HERTZ, TACTICAL, UTILITY USER: EL REVIEWER: 99 CE GS	A 6115	YD1	10-MAY-73	ME	YD1 11
L MIL-S-28631	SEMITRAILER, TANK, 5,000 GALLON CAPACITY CORROSIVE LIQUIDS (USE MIL-S-62183)	A 2330	YD1	07-APR-72		YD1
L MIL-S-28632D	SCRAPER-TRACTOR; EARTH MOVING, HYDRAULIC OPERATED, 14 CUBIC YARD MINIMUM TRUCK CAPACITY, DED (S/S BY DD-S-2771)	A 3805	YD1	14-SEP-92		YD1
L MIL-T-28634	TRACTOR, WHEELED, 14 HORSEPOWER	A 2420	YD1	25-APR-72		YD1
L MIL-D-28637A	DESK, FLAT TOP WITH BOOKSHELF USER: GL	A 7105	YD1	26-JUL-84		YD1 99
L MIL-C-28638(1)	CHEST OF DRAWERS, THREE DRAWER USER: GL	A 7105	YD1	22-FEB-71		YD1
L MIL-P-28640	POLYSULFIDE LATEX, MD-6	A 8010	YD1	14-JUL-88		YD1
L MIL-P-28641	PRIMER COATING, VINYL CHLORIDE-ACETATE COPOLYMER, HIGH-BUILD (FOR STEEL AND MASONRY) (S/S BY MIL-P-24441 AND MIL-C-85285)	A 8010	YD1	05-SEP-89		YD1
L MIL-P-28642	PAINT (TOPCOAT), VINYL CHLORIDE-ACETATE COPOLYMER, HIGH-BUILD (FOR STEEL AND MASONRY) (S/S BY MIL-P-24441 AND MIL-C-85285)	A 8010	YD1	05-SEP-89		YD1
L MIL-P-28643(1)	PAINT, LATEX BASE, HIGH PERFORMANCE, INTERIOR, FLAT, WHITE AND TINTS (USE TT-P-002119)	A 8010	YD1	29-APR-80	MR	YD1



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Item	Doc. Title	Doc. No.	FAC / Area	MCA Symbol	Preparing Agency	Date	Custodians			
							Army	Navy	Air Force	DIA
L	MIL-M-28651A	MANUALS, TECHNICAL: REAL PROPERTY FACILITIES (NO S/S DOCUMENT) .....	A THSS	YD1	16-FEB-89	YD1				
L	MIL-I-28652	INCINERATOR, PATHOLOGICAL WASTE, GAS FIRED, 250 POUNDS PER HOUR NOMINAL CAPACITY	A 4540	YD1	29-NOV-72	YD1				
L	MIL-P-28655B	PUMP, CONCRETE PLACING, 60 CUBIC YARDS PER HOUR MINIMUM OUTPUT CAPACITY, TRAILER MOUNTED, DED (NO S/S DOCUMENT)	A 3895	YD1	05-MAR-91	YD1				
L	MIL-M-28656	MOIST, STRADDLE TRUCK TYPE, SELF-PROPELLED, BOAT HANDLING .....	A 3950	YD1	20-SEP-72	YD1				
L	MIL-P-28659A(2)	PUBLIC ADDRESS SET, SOLID STATE, 100 WATT (USE A-A 50491) .....	A 5830	YD1	29-APR-88	YD1				
L	MIL-C-28661A	CABLE, POWER, ELECTRICAL, HIGH VOLTAGE USER: AT AV REVIEWER: AR MI .....	A 6145	YD1	14-SEP-87	CR YD1	85			
L	MIL-C-28662C	CONVEYOR, BELT, PORTABLE, DED, GED, OR EMD (S/S BY DD-C-2804) .....	A 3910	YD1	29-MAR-93	YD1				
L	MIL-R-28664	REVEITEMT KIT, PREFABRICATED MODULAR TYPE, CORRUGATED PANELS, BOLTED (S/S BY MIL-R-28653A)	A 5450	YD1	12-AUG-74	YD1				
L	MIL-M-28666D	RAFT, WASTE OIL (DONUT) (NO S/S DOCUMENT) .....	A 1945	YD1	10-JUL-92	YD1				
L	MIL-S-28667	SWITCHGEAR, POWER OUTDOOR TYPE, FUSE & SWITCH METAL ENCLOSED, SKID MOUNTED, 2400/4160 VOLTS, AC (USE IEEE C 37.20.) REVIEWER: GS	A 6110	YD1	27-SEP-73	YD1				
L	MIL-G-28668	GENERATOR SET, DIESEL ENGINE, 1500 KW, 50/60 HERTZ, PRIME, UTILITY REVIEWER: 99 CE GS	A 6115	YD1	29-JAN-74	ME YD1	11			
L	MIL-M-28669A	WASHING AND SCREENING PLANT, AGGREGATE AND SAND, ELECTRIC MOTOR DRIVEN, TRAILER MOUNTED, 300 TONS PER HOUR	A 3820	YD1	10-OCT-85	YD1				
L	MIL-M-28671	MIXER, ROTARY TILLER, SELF PROPELLED, WHEEL MOUNTED, SOIL STABILIZATION, DED	A 3895	YD1	18-APR-74	YD1	99			
L	MIL-A-28672B	AUGER MACHINES, PIPE AND SEWER CLEANER: GASOLINE-ENGINE-DRIVEN, TRAILER MOUNTED (S/S BY A-A-50501) REVIEWER: CS	A 4940	YD1	18-JUN-91	YD1				
L	MIL-C-28676	COMPRESSOR UNIT, RECIPROCATING HIGH PRESSURE (FOR DIVING APPARATUS) .....	A 4310	YD1	27-JUN-73	YD1				
L	MIL-A-28677	ADAPTER, PNEUMATIC TIRE VALVE, LIQUID .....	A 2640	YD1	10-SEP-73	YD1				
L	MIL-S-28678A(1)	STRAINER, STEAM, BRONZE BODY, 250 PSI, SILVER BRAZED SOCKET CONNECTION (USE MIL-F-1183)	A 4730	YD1	24-FEB-84	ME YD1				
L	MIL-P-28680A	PIPE, DOWNSPOUT, ELBOW, PIPE, EAVETROUGH AND EAVETROUGH FITTINGS USER: CE CG	A 5670	YD1	31-JUL-79	ME YD1	99			
L	MIL-C-28754/1	CONNECTOR, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONNECTOR, PLUG, ELECTRICAL, RACK AND PANEL, TYPES I AND II USER: AR MI YD1 REVIEWER: 11 99 AS ES MC OS	A 5935	NW	13-AUG-71	CR NW	85			
L	MIL-C-28754/1(11)	CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONNECTOR, PLUG, ELECTRICAL, RACK AND PANEL, TYPES I AND II (NO S/S DOCUMENT)	A 5935	NW	30-APR-79	NW				
L	MIL-C-28754/2A	CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP BLADE, AND INSULATOR BUSHINGS 0.200 GRID (FOR USE WITH TYPE I CONNECTORS) (NO S/S DOCUMENT) USER: AR MI REVIEWER: 11 99 AS ES MC OS	A 5935	NW	13-DEC-82	CR NW	85			
L	MIL-C-28754/2A(11)	CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP BLADE, AND INSULATOR BUSHINGS 0.200 GRID (FOR USE WITH TYPE I CONNECTORS) (NO S/S DOCUMENT)	A 5935	NW	30-APR-79	NW				
L	MIL-C-28754/3A	CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP-BLADE (FOR USE WITH TYPE II CONNECTORS) USER: AR MI REVIEWER: 11 99 AS ES MC OS	A 5935	NW	13-DEC-82	CR NW	85			
L	MIL-C-28754/3A(11)	CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP-BLADE (FOR USE WITH TYPE II CONNECTORS) USER: AR MI REVIEWER: 11 99 AS ES MC OS	A 5935	NW	30-APR-79	NW				
L	MIL-C-28754/4	CONNECTOR, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS STANDOFF KEY (FOR TYPE III CONNECTORS) 0.200 GRID USER: AR MI REVIEWER: 11 99 AS ES MC OS	A 5935	NW	13-AUG-71	CR NW	85			
L	MIL-C-28754/4(11)	CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS STANDOFF KEY (FOR TYPE III CONNECTORS) 0.200 GRID (NO S/S DOCUMENT)	A 5935	NW	30-APR-79	NW				
L	MIL-C-28754/5	CONNECTOR, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP-BLADE (FOR USE WITH TYPE II CONNECTORS) USER: AR MI REVIEWER: 11 99 AS ES MC OS	A 5935	NW	13-AUG-71	CR NW	85			
L	MIL-C-28754/5(11)	CONNECTORS, ELECTRICAL, REMOVABLE CONTACTS, (RACK AND PANEL, AND BASE PLATE) AND COMPONENT PARTS CONTACTS, CRIMP-BLADE (FOR USE WITH TYPE II CONNECTORS) (NO S/S DOCUMENT)	A 5935	NW	30-APR-79	NW				
L	MIL-C-28754/26A	CONNECTORS, ELECTRICAL, MODULAR, EXTRACTOR, MODULE, SINGLE SPAN, STYLES I AND II (NO S/S DOCUMENT) USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW	07-SEP-90	CR NW	85			
L	MIL-C-28754/27A	CONNECTORS, ELECTRICAL, MODULAR, EXTRACTOR, MODULE, DOUBLE SPAN, STYLE I (NO S/S DOCUMENT) USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW	07-SEP-90	CR NW	85			
L	MIL-C-28754/28A	CONNECTORS, ELECTRICAL, MODULAR INTERFACE AND COMPONENT PARTS (HOLDER, MODULE EXTRACTOR) (NO S/S DOCUMENT)	A 5935	NW	07-SEP-90	CR NW	85			
L	MIL-C-28754/29B	CONNECTOR, ELECTRICAL, MODULAR, CONTACT, TYPE V USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW	30-APR-79	CR NW	85			
L	MIL-C-28754/30B	CONNECTOR, ELECTRICAL, MODULAR, CONNECTOR ASSEMBLY, TYPE V, 30, 40, AND 60 PIN, ONE PIECE BLOCK USER: AR AS MI REVIEWER: 11 17 99 ES MC	A 5935	NW	30-APR-79	CR NW	85			
L	MIL-M-28787/13	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM NETWORK, RESISTOR, INDEPENDENT, POWER KEY CODE FPD	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/15	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FUSE, POWER, KEY CODE PPH ...	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/25	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM RECTIFIER, HIGH CURRENT, POWER, KEY CODE HPJ	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/26	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FUSE, POWER, KEY CODE GPH ...	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/35	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM RESISTOR, POWER, KEY CODE EPL	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/36	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FUSE, POWER, KEY CODE YKT ...	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/37A	MODULES, STANDARD ELECTRONIC FUSE, POWER, KEY CODE YQM .....	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/43	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM POWER SUPPLY, REGULATED, PROGRAMMABLE, KEY CODE GPF	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/50	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DRIVER, INTERFACE, DIGITAL, KEY CODE QDG	A MISC	NW	28-FEB-77	NW				
L	MIL-M-28787/52	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM AMPLIFIER, AUDIO, AMPLIFIER, KEY CODE AEN	A 5963	NW	08-NOV-73	NW				
L	MIL-M-28787/56	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM AMPLIFIER, D.C. ANALOG, KEY CODE JAD	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/63	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DETECTOR, VOLTAGE, THRESHOLD, POWER, KEY CODE QPG	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/107	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DRIVER, AUDIO OUTPUT, ANALOG, KEY CODE GPJ	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/108	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM DETECTOR, VOLTAGE LEVELS, ANALOG, KEY CODE PHF	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/131A	MODULE, STANDARD ELECTRONIC TRANSFORMER, OUTPUT, POWER, KEY CODE RPM .....	A 5963	NW	28-JUL-81	NW				
L	MIL-M-28787/134A	MODULE, STANDARD ELECTRONIC NETWORK, MISCELLANEOUS, POWER, KEY CODE QPK ...	A 5963	NW	11-APR-83	NW				



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adm Off / OMA Coordination Package	Document Number	Document Title	Dat. Syst. FAC / Area	MAA Symbol Preparing Acty	Date	Custodians Army Navy Air Force DLA
L	MIL-M-28787/138 NOTICE 1	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM TRANSFORMER, CALIBRATION, ANALOG, KEY CODE VTY	A 5963	NM	29-JUL-74	NM
L	MIL-M-28787/139A NOTICE 1	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM TRANSFORMER, SIGNAL, ANALOG, KEY CODE RTR	A 5963	NM	11-APR-83	NM
L	MIL-M-28787/148 NOTICE 1	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM INVERTER, DIGITAL, KEY CODE RDR	A 5963	NM	13-MAY-74	NM
L	MIL-M-28787/149 NOTICE 1	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM FLIPFLOP, J&K, DIGITAL, KEY CODE SDY	A 5963	NM	13-MAY-74	NM
L	MIL-M-28787/151 NOTICE 1	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM GATE, NAND, EXPANDABLE, DIGITAL, KEY CODE ZDZ	A 5963	NM	13-JUN-74	NM
L	MIL-M-28787/165 NOTICE 1	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM COUNTER, UP/DOWN, BCD, PRESETTABLE, DIGITAL, KEY CODE ADD	A 5963	NM	01-MAR-74	NM
L	MIL-M-28787/195A NOTICE 1	MODULES, STANDARD ELECTRONIC CONVERTER, RMS TO DC, ANALOG, KEY CODE FLC ...	A 5963	NM	20-APR-84	NM
L	MIL-M-28787/217 NOTICE 1	MODULE, ELECTRONIC, STANDARD HARDWARE PROGRAM REGULATOR, SERIES, ANALOG, KEY CODE HPK	A 5963	NM	13-MAY-74	NM
L	MIL-C-28876/16	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, PIN TERMINUS (FUTURE ACQUISITIONS-REFER TO MIL-T-29504/1) USER: OS YDI REVIEWER: MC SH	A 6060	EC	26-AUG-87	EC
L	MIL-C-28876/17	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, SOCKET TERMINUS (FUTURE ACQUISITION-REFER TO MIL-T-29504/2) USER: OS YDI REVIEWER: MC SH	A 6060	EC	26-AUG-87	EC
L	MIL-C-28876/18	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, DUMMY TERMINUS (FUTURE ACQUISITIONS-REFER TO MIL-T-29504/3) USER: OS YDI REVIEWER: MC SH	A 6060	EC	26-AUG-87	EC
L	MIL-C-28876/19	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, INSPECTION TOOL (REFER TO MIL-I-81969/46) USER: OS YDI REVIEWER: MC SH	A 5120	EC	03-FEB-87	EC
L	MIL-C-28876/20	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, REMOVAL TOOL (REFER TO MIL-I-81969/47) USER: OS YDI REVIEWER: MC SH	A 5120	EC	03-FEB-87	EC
L	MIL-C-28876/22	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, FIXTURE ASSEMBLY, POLISHING TOOL (S/S BYMIL-T-83523/6) USER: OS YDI REVIEWER: MC SH	A 5120	EC	09-JAN-86	EC
L	MIL-C-28876/23	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, INSTALLATION TOOL, RETAINING BAND (S/S BYMIL-T-83523/5) USER: OS YDI REVIEWER: MC SH	A 5120	EC	09-JAN-86	EC
L	MIL-C-28876/24	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, ADAPTER KIT TORQUEWRENCH, BACKSHELL STRAIN RELIEF (S/S BY MIL-T-83523/7) USER: OS YDI REVIEWER: MC SH	A 5120	EC	09-JAN-86	EC
L	MIL-C-28876/25	CONNECTORS, FIBER OPTIC, ENVIRONMENT RESISTING, WRENCH SPANNER, STRAIN RELIEF AND NON-STRAIN RELIEF (S/S BY MIL-T-83523/8) USER: OS YDI REVIEWER: MC SH	A 5120	EC	09-JAN-86	EC
	MIL-R-28894 SUPPL 1CL, NOTICE 1	RELAYS, HYBRID OR SOLID STATE, SENSORS, ESTABLISHED RELIABILITY GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/1(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), VERTICAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/2(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), HORIZONTAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/3(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), INVERTED MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/4(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), HORIZONTAL MOUNT WITH CONNECTOR TERMINATION (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/5(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 3PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), VERTICAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/6(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 3PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), HORIZONTAL MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/7(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE I, CLASS B, (HYBRID AC POWER MONITORING SENSOR), 3PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED), INVERTED MOUNT (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/8 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE II, CLASS B, (HYBRID DC VOLTAGE SENSOR), 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/9 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE II, CLASS B, (HYBRID DC VOLTAGE SENSOR), 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/10 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC UNDERVOLTAGE SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/11 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC UNDERVOLTAGE SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/12 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC OVERVOLTAGE SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AS OS SH	A 5945	BS	08-APR-93	ER EC BS
	MIL-R-28894/13 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE III (AC OVERVOLTAGE SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/14(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE IV (UNDER/OVER FREQUENCY SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/15(1) NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE IV (UNDER/OVER FREQUENCY SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-MAR-93	ER EC BS
	MIL-R-28894/16 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE V (AC PHASE SEQUENCE SENSOR), CLASS B, 2PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
	MIL-R-28894/17 NOTICE 1	RELAYS, HYBRID, SENSORS, ESTABLISHED RELIABILITY, TYPE V (AC PHASE SEQUENCE SENSOR), CLASS B, 4PDT, LOW LEVEL TO 10 AMPERES, HERMETICALLY SEALED (POTTED) (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	BS	08-APR-93	ER EC BS
	MIL-R-28894/18 NOTICE 1	RELAYS, SOLID STATE, SENSORS, ESTABLISHED RELIABILITY, TYPE II (DC UNDERVOLTAGE SENSORS), CLASS C, SPST (NO), HERMETICALLY SEALED (POTTED), PLUG-IN TERMINALS (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-APR-93	ER EC BS
	MIL-R-28894/19 NOTICE 1	RELAY, SOLID STATE, SENSORS, ESTABLISHED RELIABILITY, TYPE II (DC VOLTAGE SENSOR), CLASS C, SPST (NO), 250 MILLIAMPERES, HERMETICALLY SEALED (POTTED), PLUG-IN TERMINALS (NO S/S DOCUMENT) REVIEWER: AV OS SH	A 5945	EC	08-MAR-93	ER EC BS
L	MIL-S-289398	SCRAPER, TRACTOR, EARTH MOVING, WHEEL-MOUNTED, DIESEL ENGINE DRIVEN, SELF PROPELLED, HYDRAULIC OPERATED, 15 TO 16 CUBIC YARD CAPACITY REVIEWER: YDI	A 3806	MC	18-JAN-72	MC
L	MIL-C-29148 NOTICE 1	CLOTH, DOUBLE - PLAIN WEAVE, COTTON, WHITE (NO S/S DOCUMENT) .....	A 8305	CT	21-JAN-92	MU CT
L	MIL-L-29151(1)	LOCK AND LOCK SETS, EXTERIOR, ORDNANCE, HIGH SECURITY REVIEWER: SH .....	A 5340	YDI	30-NOV-87	YDI
L	MIL-C-29153A	COMPACTOR, SANITARY LANDFILL, SELF-PROPELLED, COMMERCIAL (NO S/S DOCUMENT)	A 3895	YDI	30-APR-90	YDI
	MIL-B-29154	BUILDINGS, PORTABLE, SKID MOUNTED (SHOWERS AND TOILETS COMBINATION) REVIEWER: CE	A 5410	YDI	24-SEP-76	ME YDI



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action On / (Date) Cancellation Notice	Document Number	Document Title	Dist. Smt. FSC / Ans MCS Symbol	Preparing Acty Date	Custodians Army Navy Air Force DIA
L	MIL-D-29155(1)	OIL SPILL RETRIEVAL SYSTEM, SMALL, INNER HARBOR .....	A 1945	YD1 01-OCT-87	YD1
L	MIL-S-29156	SPRAYER MULCHER, SLURRY SPRAYING, SKID MOUNTED, 1,000 TO 1,300 GALLON .....	A 3710	YD1 12-NOV-75	YD1
L	MIL-M-29160A	MIXING PLANT, ASPHALT, BATCH TYPE, PORTABLE, ELECTRIC-MOTOR-DRIVEN, 50 TON PER HOUR CAPACITY (NO S/S DOCUMENT)	A 3895	YD1 31-AUG-88	YD1
L	MIL-L-29162	LOADER, SCOOP TYPE, FOUR-WHEEL HYDROSTATIC DRIVE, SKID STEER, 1-1/8 CU YD MIN CAPACITY, DED	A 3805	YD1 01-APR-76	YD1
L	MIL-M-29164A	MATTRESS, BED, INMERSPRING (COMMERCIAL) (USE V-M-96) USER: 45 .....	A 7210	YD1 22-MAY-78	YD1
L	MIL-B-29165A	BUILDINGS, PREFABRICATED, PANELIZED: WOOD, ONE-ROOM, ARCTIC CLIMATE (NO S/S DOCUMENT)	A 5410	YD1 28-OCT-88	YD1
L	MIL-F-29166A	FIRE ALARM SYSTEM, LOCAL, ELECTRIC SUPERVISED NONCODED TYPE .....	A 6350	YD1 16-NOV-87	YD1
L	MIL-S-29167	STARTING-BATTERY CHARGING UNIT, GASOLINE ENGINE, 12 AND 24 VOLTS, DIRECT CURRENT	A 6115	YD1 10-DEC-76	YD1
L	MIL-C-29168A	CLEANING SYSTEM, PRESSURE, WATER (FOR OIL CONTAINMENT BOOMS) .....	A 4940	YD1 26-SEP-86	YD1
L	MIL-C-29169A	CONDUIT, AND CONDUIT FITTINGS, METAL, RIGID, POLYVINYL CHLORIDE (PVC) COATED USER: MC ME REVIEWER: GS	A 5975	YD1 12-MAY-88	ER YD1 85
L	MIL-D-29173	DOCUMENTATION, TECHNICAL, CIVIL ENGINEERING EQUIPMENT .....	A THSS	YD1 15-JUL-77	YD1
L	MIL-S-29174B	SWEeper, MAGNETIC, ROAD, WHEEL MOUNTED, TOWED, PERMANENT MAGNET, 96 INCH (S/S BY OO-S-2797) USER: MC REVIEWER: 84 CS	A 3830	YD1 13-NOV-92	YD1 99
L	NOTICE 1	SWITCH, THERMOSTATIC, LOW VOLTAGE, .....	A 5930	YD1 11-APR-86	CE YD1
L	MIL-S-29175	NOM-(SETBACK/SETUP),TEMPERATURELIMITING: HEATING, COOLING, AND HEATING-COOLING			
L	MIL-F-29177A	FILTER, AIR-EXTENDED AREA, INITIAL INSTALLATION (S/S BY F-F-2790 USER: ME REVIEWER: GS	A 4130	YD1 17-JAN-91	YD1 99
L	NOTICE 1	TRACTOR, WHEELED, LANDMARD GARDEN TYPE .....	A 2420	YD1 12-MAY-88	YD1
L	MIL-T-29178A	HASP, HIGH SECURITY, SHROUDED MK 2 MOD 9 USING HIGH AND MEDIUM SECURITY PADLOCK STYLE 1 (S/S BY MIL-H-29181)	A 5340	YD1 08-APR-88	YD1
L	MIL-H-29181/1	HASP, HIGH SECURITY, SHROUDED MK 2 MOD 9 USING HIGH SECURITY PADLOCK STYLE 2 (S/S BY MIL-H-29181)	A 5340	YD1 08-APR-88	YD1
L	MIL-P-29183/10	PANELBOARD, POWER DISTRIBUTION PORTABLE, WEATHERPROOF, TYPE 1, CLASS 1, CONFIGURATION 1: 208/120 VOLT, 10 KILOWATTS WITHOUT MAIN BREAKER, WITH FEED THROUGH CONNECTOR (NO S/S DOCUMENT) REVIEWER: MS	A 6110	YD1 16-JUN-89	YD1
L	MIL-P-29183/11	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 3: 208Y/120 VOLT, 30 KILOWATT (NO S/S DOCUMENT)	A 6110	YD1 16-JUN-89	YD1
L	MIL-P-29183/12B	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 4: 208Y/120 VOLT, 200 KILOWATTS (NO S/S DOCUMENT)	A 6110	YD1 16-JUN-89	YD1
L	MIL-P-29183/13	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 5: 208Y/120 VOLT, 100 KILOWATT (200 KILOWATTS WITH PARALLEL INPUTS) (NO S/S DOCUMENT)	A 6110	YD1 16-JUN-89	YD1
L	MIL-P-29183/14	PANELBOARD, POWER DISTRIBUTION, PORTABLE, WEATHERPROOF TYPE 1, CLASS 1, CONFIGURATION 6: 208Y/120 VOLT, 100 KILOWATT (200 KILOWATTS WITH PARALLEL INPUTS) (NO S/S DOCUMENT)	A 6110	YD1 16-JUN-89	YD1
L	MIL-B-29186(1)	BARRIER SYSTEM: FLOATING, OIL AND DEBRIS CONTAINMENT (FOR PERMANENT INSTALLATION) (S/S BY A-B-2787)	A 1945	YD1 17-JUL-92	YD1
L	NOTICE 1	TRUCK, FIREFIGHTING: 100 FOOT REAR MOUNT AERIAL LADDER 6 BY 4, DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT)	A 4210	YD1 12-NOV-82	YD1
L	MIL-T-29187B	TRACTOR, WHEELED, 16 HORSEPOWER, HYDROSTATIC DRIVE (NO S/S DOCUMENT) .....	A 2420	YD1 12-MAY-88	YD1
L	MIL-T-29188A	AERATOR, MECHANICAL (SEWAGE TREATMENT) .....	A 4630	YD1 08-NOV-78	YD1
L	MIL-A-29189	VALVE, FLUSH (FLUSHMETER), WATER CLOSET, URINAL, AND SERVICE SINK (S/S BY ASSE 1037) REVIEWER: CS	A 4510	YD1 08-AUG-91	ME YD1 99
L	MIL-V-29193	CLEANER, VACUUM, SELF-PROPELLED, 4 X 2 HIGH SPEED, RUNWAY SWEEPING (S/S BY OO-S-2796)	A 3825	YD1 22-FEB-93	YD1
L	MIL-C-29195A	MONITOR, CARBON MONOXIDE, CONTINUOUS AND ALARM (FOR BREATHING AIR SYSTEMS) (NO S/S DOCUMENT) USER: OS REVIEWER: AS MS SH	A 6665	YD1 29-JUN-92	YD1
L	NOTICE 1	WATER PRESSURE SYSTEMS, TANKLESS TYPE, CONSTANT PRESSURE AUTOMATICALLY CONTROLLED SKID MOUNTED, END	A 4320	YD1 22-NOV-85	YD1
L	MIL-D-29200	DIFFUSED AIR, COMPONENTS (SEWAGE TREATMENT) .....	A 4630	YD1 02-APR-80	YD1
L	MIL-S-29201A	SWEeper, STREET VACUUM, SELF PROPELLED, DED, 4 CUBIC YARD EFFECTIVE MINIMUM CAPACITY (S/S BY OO-S-2762)	A 3825	YD1 10-DEC-92	YD1
L	NOTICE 1	TELEVISION INSPECTION & PIPE SEAL SYSTEM, SANITARY & STORM SEWERS, TRUCK MOUNTED	A 4630	YD1 16-OCT-87	YD1
L	MIL-H-29209	HEATER, WATER, POTABLE LIQUID FUEL COMMERCIAL (OIL FIRED STORAGE TYPE OVER 200,000 BTU/H INPUT)	A 4410	YD1 14-OCT-87	YD1
L	NOTICE 1	TRUCK, MAINTENANCE: POWER LINE INSULATOR WASHER, 34,000 POUNDS G.W., DED OR GED, 4 BY 2 (NO S/S DOCUMENT)	A 2320	YD1 22-JAN-91	YD1
L	MIL-T-29211A	HYDRAULIC JACK SYSTEM, ELEVATED CAUSEWAY; HYDRAULIC COMPONENTS AND SHELTER PROVISIONS (NO S/S DOCUMENT)	A 1945	YD1 28-OCT-88	YD1
L	MIL-H-29214	SEMITRAILER, BULK CEMENT HAULER, COMMERCIAL (NO S/S DOCUMENT) .....	A 2330	YD1 29-NOV-91	YD1
L	MIL-S-29215A	SEMITRAILER, BOTTOM DUMP, 18 CUBIC YARD MINIMUM CAPACITY (S/S BY KCK-S-2806)	A 2330	YD1 16-OCT-92	YD1
L	NOTICE 1	TRAILER, SEMITRACTOR, END DUMP, 22 CUBIC YARD CAPACITY, DED REVIEWER: CS ..	A 3805	YD1 06-JUL-88	YD1
L	MIL-T-29220	DRIVE, POWER, PORTABLE: FOR PIPE AND BOLT THREADING, ELECTRIC (WITH ACCESSORIES) (S/S BY GCG-D-2782) USER: MC REVIEWER: 84 CS	A 3450	YD1 11-JUN-91	YD1 99
L	MIL-D-29225	RAILROAD TIE INSERTER AND EXTRACTOR, WHEEL MOUNTED, SELF-PROPELLED, DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT)	A 2230	YD1 08-MAR-90	YD1
L	MIL-R-29230	PROPELLING UNIT, OUTBOARD, DED (NO S/S DOCUMENT) .....	A 2010	YD1 15-OCT-91	YD1
L	MIL-P-29232	TRACTOR, WHEELED, WITH TELESCOPIC BOOM MOUNTED MOWER, DED (NO S/S DOCUMENT)	A 2420	YD1 15-OCT-90	YD1
L	MIL-T-29235	EXPLOSIVES: BLASTING AGENT, SLURRY, WITH BOOSTERS, MILITARY CONSTRUCTION (NO S/S DOCUMENT) USER: MC REVIEWER: OS	A 1375	YD1 18-DEC-90	CE YD1 99
L	MIL-E-29236	TRUCK, FIREFIGHTING: PUMPER TANKER, 3,500 GALLON WATER CAPACITY DIESEL ENGINE DRIVE, 76,000 POUNDS G.W. 6 BY 6 (NO S/S DOCUMENT)	A 4210	YD1 23-MAY-90	YD1
L	MIL-P-29238	PUMP UNIT, WATER CIRCULATION, ELECTRIC MOTOR DRIVEN SKID BASED MOUNTED (NO S/S DOCUMENT)	A 4320	YD1 08-MAR-90	YD1
L	NOTICE 1	EXCAVATORS, CRANER MOUNTED, COMMERCIAL, DED, HYDRAULICALLY OPERATED (S/S BY OO-E-2772)	A 3805	YD1 22-MAY-92	YD1
L	MIL-E-29239A	EPOXY RESIN SYSTEMS FOR CONCRETE REPAIR (S/S BY ASTM-C881) .....	A 5610	YD1 11-JAN-90	YD1
L	NOTICE 1	TRUCK, AIRCRAFT LUBRICATING OIL DISPENSING UNIT 200 GALLON, SELF-CONTAINED, SKID MOUNTED, 4 BY 2 (NO S/S DOCUMENT)	A 2320	YD1 18-MAR-91	YD1
L	MIL-A-29247	AUGER, EARTH, TRUCK-MOUNTED, 4 BY 4, DIESEL ENGINE DRIVEN, 28,000 LB MINIMUM G.W., WITH POLE SETTER AND WIRE REEL (S/S BY KCK-A-2809)	A 3820	YD1 23-APR-93	YD1
L	MIL-E-29249	EXCAVATOR, MULTIPURPOSE, WHEEL-UNDERCARRIAGE, DIESEL-ENGINE-DRIVEN (S/S BY KCK-E-2810) REVIEWER: 84	A 3805	YD1 08-MAR-93	AT YD1 99
L	NOTICE 1	CHOCOLATE FLAVORED SIRUP: BEVERAGE, AND TOPPING (COLD) (NO S/S DOCUMENT)	A 8925	GL 14-SEP-92	GL SA 45
L	MIL-C-35041B	REVIEWER: 03 MC MD MS SS	A 8935	GL 24-JUN-92	GL SA 45
L	NOTICE 2	SOUP, INSTANT, CREAM OF POTATO AND CREAM OF ONION (NO S/S DOCUMENT)	A 8910	GL 11-MAR-93	GL SA 50
L	MIL-S-35056B	REVIEWER: MC MD SS			
L	NOTICE 1	CHEESE, MOZZARELLA AND PROVOLONE, NATURAL (NO S/S DOCUMENT) REVIEWER: MC MD MS SS	A 6505	MB 01-APR-93	MD MS 03
L	MIL-H-36006	HYPODERMIC INJECTION TUBE, MORPHINE (NO S/S DOCUMENT) .....	A 6540	MB 05-JAN-93	MD MS 03
L	NOTICE 1	PAD, POLISHING, OPHTHALMIC LENS, ROUND, 4 INCH, 100S (NO S/S DOCUMENT) ....			
L	MIL-P-36034				
L	NOTICE 1				



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adm. / OR / Coordination Machine	Document Number	Document Title	Dist. Smt. FBC / Area MCA Symbol Preparing Act.	Date	Custodians Army Navy Air Force DLA
	MIL-F-360538 NOTICE 1	FORCEPS, SUTURE CLIP, APPLYING AND REMOVING, MICHEL, 11-18 MM .....	A 6515	MB 15-MAY-93	MD MS 03
	MIL-S-36057A NOTICE 1	SCISSORS, GENERAL SURGICAL, MAYO (S/S BY A-A-54842) .....	A 6515	MB 30-APR-93	MD MS 03
	MIL-S-36061A NOTICE 1	SCISSORS, BANDAGE, ANGULAR, LISTER (S/S BY A-A-54513) .....	A 6515	MB 03-JUL-92	MD MS 03
	MIL-C-360668 NOTICE 1	CHLOROQUINE AND PRIMAQUINE PHOSPHATES TABLETS (NO S/S DOCUMENT) .....	A 6505	MB 17-JUL-92	MD MS 03
L	MIL-B-36076 NOTICE 1	BAG, SOILED CLOTHES, SELF-CLOSING, ROPELESS (NO S/S DOCUMENT) .....	A 8465	MB 22-JAN-93	
L	MIL-B-00360768 NOTICE 1	BAG, SOILED CLOTHES, SELF-CLOSING, ROPELESS (NO S/S DOCUMENT) REVIEWER: CT	A 8465	MB 22-JAN-93	
	MIL-N-361248 NOTICE 1	NEEDLES, HYPODERMIC, DISPOSABLE (S/S BY A-A-54733) .....	A 6515	MB 25-MAR-93	MD MS 03
L	MIL-N-36129 NOTICE 2	NEBULIZER, MEDICINAL, PLASTIC (NO S/S DOCUMENT) .....	A 6515	MB 15-DEC-92	
L	MIL-S-36132 NOTICE 1	SPLINT ATTACHMENT, LEG, PEARSON (NO S/S DOCUMENT) .....	A 6515	MB 05-FEB-93	
	MIL-T-36145A NOTICE 1	TUBE, ENDOTRACHEAL, MAGILL (NO S/S DOCUMENT) .....	A 6515	MB 30-SEP-92	MD MS 03
	MIL-T-36153A NOTICE 1	TEST TUBE, HEMATOOCRIT DETERMINATION, WINTROBE, DISPOSABLE (S/S BY	A 6640	MB 18-SEP-92	MD MS 03
	MIL-R-36171C NOTICE 1	RESTRAINT SET, WRIST AND ANKLE (S/S BY A-A-54461) .....	A 6530	MB 17-AUG-92	MD MS 03
	MIL-T-36184A NOTICE 2	TUNING FORK SET (S/S BY A-A-54862) .....	A 6515	MB 15-MAY-93	MD MS 03
	MIL-L-36189 NOTICE 1	LIGHT, SURGICAL, BRACKET, PORTABLE, BATTERY OPERATED (NO S/S DOCUMENT) ....	A 6530	MB 17-AUG-92	MD MS 03
	MIL-N-362148 NOTICE 2	NEEDLES, HYPODERMIC, SPINAL ANESTHESIA, DISPOSABLE (NO S/S DOCUMENT) .....	A 6515	MB 25-MAR-93	MD MS 03
	MIL-I-36246 NOTICE 2	INDICATOR, CLINICAL CHART HOLDER, METAL, 12S (S/S BY A-A-54861) .....	A 6530	MB 30-APR-93	MD MS 03
	MIL-I-36307C NOTICE 1	INFUSION SET, SCALP VEIN, DISPOSABLE TYPE (NO S/S DOCUMENT) .....	A 6515	MB 12-FEB-93	MD MS 03
L	MIL-O-36312 NOTICE 1	OBJECT DISKS, MICROTOME (NO S/S DOCUMENT) .....	A 6640	MB 02-NOV-92	
	MIL-M-36319A(1) NOTICE 1	NEEDLES, HYPODERMIC, CARTRIDGE TYPE, DISPOSABLE (S/S BY A-A-54664) .....	A 6515	MB 18-DEC-92	MD MS 03
	MIL-D-363420 NOTICE 1	DETECTOR KIT, WATER, AUTOMOTIVE AND AVIATION FUELS, CAPSULE INDICATOR (NO	A 6640	MB 15-JUN-92	MD MS 03
	MIL-T-36347 NOTICE 1	TEST BRIDGE (S/S BY A-A-54774) .....	A 6630	MB 05-FEB-93	MD MS 03
L	MIL-T-0036347A(11) NOTICE 1	TEST BRIDGE (S/S BY A-A-54774) .....	A 6630	MB 05-FEB-93	
	MIL-T-36349A NOTICE 1	THERMOMETER, SELF-INDICATING, BIMETALLIC, DIAL, 8-1/2 INCH (S/S BY	A 6685	MB 27-JUL-92	MD MS 03
L	MIL-C-36350 NOTICE 1	CISTERNA (NO S/S DOCUMENT) .....	A 6640	MB 07-AUG-92	
	MIL-B-36361 NOTICE 1	BURET, OXYGEN (NO S/S DOCUMENT) .....	A 6640	MB 04-SEP-92	MD MS 03
	MIL-S-36362 NOTICE 2	STETHOSCOPE, DELEE HILLIS (NO S/S DOCUMENT) .....	A 6515	MB 09-MAR-93	MD MS 03
	MIL-W-36369A NOTICE 1	WIRE FABRIC (S/S BY A-A-54726) .....	A 5335	MB 16-NOV-92	MD MS 03
	MIL-C-36373 NOTICE 1	CABINET, CASSETTE TRANSFER, WALL MOUNTED (NO S/S DOCUMENT) USER: YD1 .....	A 6525	MB 30-SEP-88	MD MS 03
	MIL-W-363768 NOTICE 1	HOLDERS, MICROPOROUS FILTERING DISK (NO S/S DOCUMENT) .....	A 6640	MB 04-SEP-92	MD MS 03
	MIL-T-36381 NOTICE 1	TUBE, CAPILLARY, BLOOD SAMPLE, GLASS, 0.8 MM INSIDE DIAMETER, 90 MM LONG	A 6640	MB 19-OCT-92	MD MS 03
	MIL-V-36402 NOTICE 1	(NO S/S DOCUMENT) VISCOSIMETER TUBE, UNIVERSAL (S/S BY A-A-54806) .....	A 6630	MB 22-FEB-93	MD MS 03
L	MIL-C-36404 NOTICE 1	CORROSION TEST STRIP, COPPER, 3 BY 1/2 INCH (S/S BY A-A-54723) .....	A 6640	MB 02-NOV-92	
	MIL-B-364088 NOTICE 1	BOX, PATHOLOGICAL SPECIMEN SHIPPING, INSULATED, PLASTIC (S/S BY A-A-54674)	A 8115	MB 27-JUL-92	MD MS 03
	MIL-C-36417 NOTICE 1	CELLS, SALINITY INDICATOR (NO S/S DOCUMENT) .....	A 6630	MB 18-SEP-92	MD MS 03
	MIL-T-36424 NOTICE 1	TANK, STORAGE DISTILLING (NO S/S DOCUMENT) .....	A 6640	MB 27-JUL-92	MD MS 03
	MIL-S-364568 NOTICE 1	SCISSORS, ORAL SURGICAL (S/S BY A-A-54817) .....	A 6520	MB 15-APR-93	MD MS 03
L	MIL-V-36457 NOTICE 1	VACUUM PUMP, ROTARY, POWER DRIVEN, SMALL (S/S BY A-A-54712) .....	A 4310	MB 18-SEP-92	
L	MIL-S-36471 NOTICE 1	DISK, COLOR STANDARDS, ANTI-ICING ADDITIVE (S/S BY A-A-54727) .....	A 6630	MB 09-NOV-92	
	MIL-N-36482 NOTICE 2	RUBBER TYPE SET, ALPHABETICAL (NO S/S DOCUMENT) .....	A 7520	MB 08-JAN-93	MD MS 03
	MIL-S-36500A NOTICE 3	STERILIZER, SURGICAL INSTRUMENT AND DRESSING, PRESSURE, EXTERNALLY HEATED	A 6530	MB 05-FEB-93	MD MS 03
	MIL-B-36502 NOTICE 1	(S/S BY A-A-54735) BOTTLE, STOPPER, PLASTIC, ROUND (NO S/S DOCUMENT) .....	A 6530	MB 27-JUL-92	MD MS 03
	MIL-S-36508 NOTICE 2	SUTURE CLIP KIT, AUTOMATIC (S/S BY A-A-54854) .....	A 6515	MB 30-APR-93	MD MS 03
	MIL-T-0036527 NOTICE 1	THERMOMETER, SELF INDICATING, LIQUID IN GLASS, FILM PROCESSING (NO S/S	A 6515	MB 30-JAN-93	MD MS 03
	MIL-S-36532 NOTICE 2	DOCUMENT) SYRINGE, CARTRIDGE, THUMB REST HANDLE (S/S BY A-A-51990) .....	A 6515	MB 09-NOV-92	MD MS 03
	MIL-N-36546 NOTICE 2	NEEDLES, HYPODERMIC, SPINAL PUNCTURE (S/S BY A-A-54808) .....	A 6515	MB 02-APR-93	MD MS 03
	MIL-R-36557C NOTICE 1	REGULATOR, PRESSURE, MEDICAL GAS ADMINISTRATION APPARATUS (NO S/S	A 6680	MB 19-JUN-92	MD MS 03
	MIL-P-36577A NOTICE 1	DOCUMENT) PLUGGER, AMALGAM, DENTAL (MARKLEY) (S/S BY A-A-54686) .....	A 6520	MB 20-JUL-92	MD MS 03
	MIL-C-36584 NOTICE 1	COATING PLASTIC, DENTURE MODEL (NO S/S DOCUMENT) .....	A 6520	MB 05-JAN-93	MD MS 03
	MIL-S-36588A NOTICE 2	STETHOSCOPE, COMBINATION TYPE, LIGHTWEIGHT (S/S BY A-A-54772) .....	A 6515	MB 26-FEB-93	MD MS 03
L	MIL-B-0036603 NOTICE 1	BLOCK, EMBEDDING, PLASTIC, THREE SECTION (NO S/S DOCUMENT) .....	A 6640	MB 15-JUN-92	
	MIL-E-36607(1) NOTICE 1	EXTRACTOR-IMPACTOR-DRIVER, HIP BONE NAIL, JEWETT (NO S/S DOCUMENT) .....	A 6515	MB 05-MAR-93	MD MS 03
L	MIL-C-36611 NOTICE 1	CUVETTE, SPECTROPHOTOMETER (NO S/S DOCUMENT) .....	A 6640	MB 07-AUG-92	
	MIL-T-36612(2) NOTICE 1	TUBE, STOMACH, SURGICAL, PLASTIC RADIOPAQUE, LEVIN (S/S BY A-A-51961) .....	A 6515	MB 09-NOV-92	MD MS 03
	MIL-D-36622 NOTICE 1	DISH, BIOLOGICAL PREPARATION (STENDER DESIGN) (S/S BY A-A-54751) .....	A 6640	MB 02-NOV-92	MD MS 03



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Off / Omb Coordination Machine	Document Number	Document Title	Dist. Syst. Proc / Area MCA Symbol	Preparing Date	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-P-366378	PIPETTING MACHINE, SEMI-AUTOMATIC (S/S BY A-A-54738) .....	A 6640	MB	02-NOV-92	MD	MS	OS	
	NOTICE 1								
	MIL-S-36663	SYRINGE, ANTERIOR CHAMBER IRRIGATING, GLASS NOZZLE (NO S/S DOCUMENT) .....	A 6515	MB	09-MAR-93	MD	MS	OS	
	NOTICE 1								
	MIL-N-36667	NOZZLE, AUTOMATIC, JET HYPODERMIC INJECTION APPARATUS (NO S/S DOCUMENT) ...	A 6515	MB	30-JAN-93	MD	MS	OS	
	NOTICE 2								
	MIL-C-36676(1)	CUTTER, BONE PIN, 18 INCH (S/S BY A-A-54800) .....	A 6515	MB	30-APR-93	MD	MS	OS	
	NOTICE 2								
	MIL-G-36683	GAGE, FRUIT AND VEGETABLE SIZING (S/S BY A-A-54720) .....	A 6695	MB	07-AUG-92	MD	MS	OS	
	NOTICE 1								
	MIL-T-366928	TUBE, DUODENAL, SURGICAL, RADIOPAQUE, CANTOR, 16 FR. (NO S/S DOCUMENT) ....	A 6515	MB	30-SEP-92	MD	MS	OS	
	NOTICE 1								
	MIL-S-36703(2)	SAW, BONE CUTTING, AUTOPSY, STRYKER, 110 VOLT, AC-DC (S/S BY A-A-54841) ...	A 6515	MB	30-APR-93	MD	MS	OS	
	NOTICE 2								
	MIL-P-36709	PAPER, GLASSINE, WEIGHING (S/S BY A-A-54763) .....	A 8135	MB	06-JAN-93	MD	MS	OS	
	NOTICE 1								
	MIL-A-36718	ADAPTER, UNIVERSAL, ENDOTRACHEAL ANESTHESIA SET, 15MM. (NO S/S DOCUMENT) ..	A 6515	MB	25-MAY-93	MD	MS	OS	
	NOTICE 1								
L	MIL-G-36721	GAGE, COMPOUND PRESSURE-VACUUM, DIAL INDICATING (S/S BY A-A-54698) .....	A 6685	MB	27-JUL-92				
	NOTICE 2								
	MIL-G-36724A	GLOVE, PATIENT EXAMINING AND TREATMENT, RUBBER LATEX, STERILE (NO S/S DOCUMENT) .....	A 6515	MB	25-MAR-93	MD	MS	OS	
	NOTICE 1								
	MIL-P-36728B	PAPER, BIBULOUS AND LENS, 4 BY 6 INCHES, 12S (S/S BY A-A-54731) .....	A 6640	MB	18-SEP-92	MD	MS	OS	
	NOTICE 1								
L	MIL-F-36748	FUNNEL, COMMON, LABORATORY POLYETHYLENE, OUTSIDE RIBBED (S/S BY A-A-54705)	A 6640	MB	18-SEP-92	MD	MS	OS	
	MIL-G-36752A	GAGE, FOOD BLEMISH, VETERINARY (S/S BY A-A-54776) .....	A 6695	MB	02-DEC-92				
	NOTICE 1								
	MIL-C-36774	CANNULA, TRACHEOTOMY, NYLON (NO S/S DOCUMENT) .....	A 6515	MB	30-JAN-93	MD	MS	OS	
	NOTICE 1								
	MIL-F-36779(1)	FORCEPS, TISSUE, JUDD-ALLIS, STRAIGHT, 7-1/2 INCH (S/S BY A-A-54784) .....	A 6515	MB	25-MAR-93	MD	MS	OS	
	NOTICE 2								
	MIL-I-36789	INDICATOR, STERILIZATION (S/S BY A-A-54526) .....	A 6530	MB	17-AUG-92	MD	MS	OS	
	NOTICE 2								
	MIL-G-36805	GRADUATE, LIQUID, LABORATORY, POLYPROPYLENE (S/S BY A-A-54733) .....	A 6640	MB	02-NOV-92	MD	MS	OS	
	NOTICE 1								
L	MIL-G-36805(11)	GRADUATE, LIQUID, LABORATORY, PLASTIC (S/S BY A-A-54733) .....	A 6640	MB	02-NOV-92				
	NOTICE 1								
	MIL-T-36812B	TEST KIT, RESERVE ALKALINITY, ANTIFREEZE (S/S BY A-A-51401) .....	A 6630	MB	07-AUG-92	EA	MS	99	
	NOTICE 3								
	MIL-T-36815D	TUBE, BIOLOGICAL CULTURE SAMPLING, WITH TRANSPORT MEDIA (S/S BY A-A-50978)	A 6550	MB	19-OCT-92	MD	MS	OS	
	MIL-R-36837	RACK, TEST TUBE, LABORATORY, POLYPROPYLENE (S/S BY A-A-54766) .....	A 6640	MB	18-DEC-92	MD	MS	OS	
	NOTICE 1								
	MIL-R-0036837A	RACK, TEST TUBE, LABORATORY, POLYPROPYLENE (S/S BY A-A-54766) .....	A 6640	MB	18-DEC-92	MD	MS	OS	
	NOTICE 1								
	MIL-V-36845	VISCOSIMETER, SAYBOLT; WITHOUT VISCOSITY TUBES (NO S/S DOCUMENT) .....	A 6630	MB	19-OCT-92	MD	MS	OS	
	NOTICE 2								
L	MIL-V-36845(11)	VISCOSIMETER, SAYBOLT; WITHOUT VISCOSITY TUBES (NO S/S DOCUMENT) .....	A 6630	MB	19-OCT-92				
	NOTICE 2								
	MIL-D-36847	DRAIN, SURGICAL, RUBBER, WHISTLE TIP, RIGHT ANGLE, 13 INCHES LONG, 3 1/2 INCH LEG (S/S BY A-A-54673) .....	A 6515	MB	21-AUG-92	MD	MS	OS	
	NOTICE 1								
	MIL-C-36858A	CLIVETTE, SPECTROPHOTOMETER (NO S/S DOCUMENT) .....	A 6640	MB	09-NOV-92	MD	MS	OS	
	NOTICE 1								
	MIL-P-36863(2)	PAD, SANITARY, HEAVY (S/S BY A-A-54856) .....	A 6510	MB	30-APR-93	MD	MS	OS	
	NOTICE 1								
	MIL-R-36869	ROLL, COTTON TAPE, RADIOPAQUE (S/S BY A-A-54593) .....	A 6510	MB	14-AUG-92	MD	MS	OS	
	NOTICE 1								
L	MIL-B-36882	BAG, FOOD SAMPLE, POLYETHYLENE, DISPOSABLE (NO S/S DOCUMENT) .....	A 6695	MB	02-NOV-92				
	NOTICE 1								
	MIL-G-36889	GLOVES, SURGEONS' (NO S/S DOCUMENT) .....	A 6515	MB	08-JAN-93	MD	MS	OS	
	NOTICE 1								
	MIL-B-36893A	BROCHOSCOPE, FIBER OPTIC, HOLINGER (S/S BY A-A-53072) .....	A 6515	MB	15-APR-93	MD	MS	OS	
	NOTICE 2								
	MIL-N-36930(1)	NEEDLE, BIOPSY, DISPOSABLE (S/S BY A-A-54827) .....	A 6515	MB	14-MAY-93	MD	MS	OS	
	NOTICE 2								
	MIL-F-36935(1)	FORCEPS, PLACENTA, KELLY, 12 INCH (NO S/S DOCUMENT) .....	A 6515	MB	05-JAN-93	MD	MS	OS	
	NOTICE 1								
	MIL-N-36958	MANOMETER, SPINAL FLUID, WATER TYPE, DISPOSABLE (S/S BY A-A-54786) .....	A 6515	MB	08-JAN-93	MD	MS	OS	
	NOTICE 1								
	MIL-D-37005A	DISK, FILTERING, MICROPOROUS, HYDROSOL TYPE, 47 MM. DIAMETER, 100S (S/S BY A-A-54752) .....	A 6640	MB	02-NOV-92	MD	MS	OS	
	NOTICE 1								
	MIL-S-37014	SUCTION APPARATUS, SURGICAL (S/S BY A-A-51366) .....	A 6515	MB	30-SEP-92	MD	MS	OS	
	NOTICE 1								
	MIL-C-37065	CANNULA, UTERINE, CORROSION-RESISTING STEEL (NO S/S DOCUMENT) .....	A 6515	MB	05-JAN-93	MD	MS	OS	
	NOTICE 2								
	MIL-S-37072	SYRINGE, HYPODERMIC, DISPOSABLE, ALLERGY (S/S BY A-A-54696) .....	A 6515	MB	09-NOV-92	MD	MS	OS	
	NOTICE 1								
	MIL-S-37080A	SLIPPERS, CONVALESCENT PATIENT'S, POLYURETHANE FOAM, DISPOSABLE (S/S BY A-A-54642) .....	A 6532	MB	15-DEC-92	MD	MS	OS	
	NOTICE 1								
	MIL-E-37081	EXTRACTOR AND LANCET, COMEDO, SAALFELD (S/S BY A-A-54402) .....	A 6515	MB	16-JUL-92	MD	MS	OS	
	NOTICE 2								
	MIL-M-37090	WATER BATH, ELECTRIC, PRECISION, 6 RACK, 115 VOLT, 50-60 HZ, AC (S/S BY A-A-54721) .....	A 6640	MB	18-SEP-92	MD	MS	OS	
	NOTICE 1								
	MIL-F-37101	FILTER UNIT, INTRAVENOUS SOLUTION (NO S/S DOCUMENT)) .....	A 6515	MB	22-MAR-93	MD	MS	OS	
	NOTICE 2								
	MIL-F-37102	FORCEPS, TISSUE, TWEEZERS TYPE (S/S BY A-A-54805) .....	A 6515	MB	29-JAN-93	MD	MS	OS	
	NOTICE 2								
	MIL-C-37107	CLIFF, SPHYGMOMETER, CONDUCTIVE (NO S/S DOCUMENT) .....	A 6515	MB	22-JUN-92	MD	MS	OS	
	NOTICE 1								
	MIL-S-37119	STOPCOCK, SURGICAL SYRINGE, ONE WAY (S/S BY A-A-54714) .....	A 6515	MB	28-AUG-92	MD	MS	OS	
	NOTICE 1								
	MIL-S-37122	STOPCOCK, SURGICAL SYRINGE, THREE WAY, AYER (S/S BY A-A-54713) .....	A 6515	MB	28-AUG-92	MD	MS	OS	
	NOTICE 1								
	MIL-S-37128	SUTURE, NONABSORBABLE, SURGICAL, SILK, UNPAID, WITHOUT NEEDLE (NO S/S DOCUMENT) .....	A 6515	MB	18-DEC-92	MD	MS	OS	
	NOTICE 1								
	MIL-P-37147B	PENTAZOCINE HYDROCHLORIDE TABLETS, NF (S/S BY A-A-54648) .....	A 6505	MB	28-SEP-92	MD	MS	OS	
	NOTICE 2								
	MIL-P-37149A	PROPOXYPHENE NAPSYLATE AND ACETAMINOPHEN TABLETS (S/S BY A-A-54787) .....	A 6505	MB	29-JAN-93	MD	MS	OS	
	NOTICE 2								
	MIL-S-37174	STOPCOCK, INTRAVENOUS THERAPY, 3-WAY, PLASTIC, DISPOSABLE (S/S BY A-A-54785) .....	A 6515	MB	23-JAN-93	MD	MS	OS	
	NOTICE 1								
	MIL-C-37178A	CHLORPROPAMIDE TABLETS, USP (S/S BY A-A-54595) .....	A 6505	MB	14-AUG-92	MD	MS	OS	
	NOTICE 2								
	MIL-I-37200A	INHALER, MEDICAMENT, PLASTIC (S/S BY A-A-54671) .....	A 6515	MB	16-JUL-92	MD	MS	OS	
	NOTICE 2								



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Asst. Dir. / Coord. / Inspect. / Document Number	Document Title	Doc. Smt. / FSC Area / MCA Symbol / Preparing Act. / Date	Custodians / Army / Navy / Air Force / DLA
MIL-M-37217 NOTICE 1	METER, SALINITY INDICATING, ELECTRIC, FLUSH MOUNTING RECTANGULAR (NO S/S DOCUMENT)	A 6630 MB 15-JUN-92	MS
MIL-S-37227 NOTICE 1	SPIROMETER, PORTABLE, 5.0 LITER (NO S/S DOCUMENT)	A 6515 MB 27-JUL-92	MD MS 03
MIL-C-37233(1) NOTICE 1	CRUTCH, ADJUSTABLE, WOOD (YOUTH AND CHILD) (S/S BY A-A-30071)	A 6515 MB 17-SEP-92	MD MS 03
MIL-M-37255A NOTICE 2	MUMPS VIRUS VACCINE, LIVE, U.S.P. (S/S BY A-A-54730)	A 6505 MB 04-SEP-92	MD MS 03
MIL-P-37269A NOTICE 1	PHENYLEPHRINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP, VISCIOUS (NO S/S DOCUMENT)	A 6505 MB 17-JUL-92	MD MS 03
MIL-Q-37280 NOTICE 2	QUINIDINE GLUCONATE TABLETS (S/S BY A-A-54745)	A 6505 MB 30-SEP-92	MD MS 03
MIL-G-37302 NOTICE 1	GOWN, HOSPITAL, NONWOVEN FABRIC, DISPOSABLE, UNIVERSAL SIZE (NO S/S DOCUMENT)	A 6532 MB 05-MAR-93	MD MS 03
MIL-P-37319 NOTICE 2	PENTAERYTHRITOL TETRANITRATE TABLETS, MODIFIED (NO S/S DOCUMENT)	A 6505 MB 01-NOV-92	MD MS 03
MIL-M-37346A NOTICE 2	METHYLERGONOMIDE MALEATE INJECTION, NF (S/S BY A-A-54644)	A 6505 MB 14-AUG-92	MD MS 03
MIL-S-37352A NOTICE 2	SMALLPOX VACCINE, USP (NO S/S DOCUMENT)	A 6505 MB 17-JUL-92	MD MS 03
MIL-M-37363 NOTICE 1	MICONAZOLE NITRATE CREAM, VAGINAL (S/S BY A-A-54744)	A 6505 MB 26-MAR-93	MD MS 03
MIL-S-37364B NOTICE 2	SODIUM NITROPRUSSIDE, STERILE, USP (S/S BY A-A-54822)	A 6505 MB 26-MAR-93	MD MS 03
MIL-P-37386 NOTICE 2	PENICILLIN V POTASSIUM TABLETS, U.S.P. (S/S BY A-A-54501)	A 6505 MB 14-AUG-92	MD MS 03
MIL-P-37391 NOTICE 2	PSEUDOPHEDRINE HYDROCHLORIDE TABLETS, N.F. (S/S BY A-A-54729)	A 6505 MB 30-SEP-92	MD MS 03
MIL-S-37414 NOTICE 2	STAMMUS FLUORIDE, U.S.P. (NO S/S DOCUMENT)	A 6505 MB 17-JUL-92	MD MS 03
MIL-P-37424A NOTICE 2	PENICILLIN G POTASSIUM FOR INJECTION, USP (S/S BY A-A-54724)	A 6505 MB 01-NOV-92	MD MS 03
MIL-S-37434 NOTICE 1	STOPCOCK, INTRAVENOUS THERAPY, 3 WAY, PLASTIC (S/S BY A-A-54746)	A 6515 MB 25-SEP-92	MD MS 03
MIL-C-37441A NOTICE 2	CEPHRADINE CAPSULES (S/S BY A-A-54594)	A 6505 MB 14-AUG-92	MD MS 03
MIL-M-37448 NOTICE 1	METER, SALINITY INDICATING, ELECTRIC (NO S/S DOCUMENT)	A 6630 MB 19-OCT-92	EA MS 99
MIL-M-37461 NOTICE 1	MEPERIDINE HYDROCHLORIDE TABLETS, USP (S/S BY A-A-54542)	A 6505 MB 14-AUG-92	MD MS 03
MIL-T-37470 NOTICE 2	TUBERCULIN, USP, PURIFIED PROTEIN DERIVATIVE (S/S BY A-A-54760, A-A-54760/1, A-A-54760/2, A-A-54760/3)	A 6505 MB 16-APR-93	MD MS 03
MIL-M-37471 NOTICE 2	MEDROXYPROGESTERONE ACETATE TABLETS, USP (S/S BY A-A-53284)	A 6505 MB 30-SEP-92	MD MS 03
MIL-P-37477 NOTICE 2	PROCAINAMIDE HYDROCHLORIDE CAPSULES, USP (S/S BY A-A-54743)	A 6505 MB 30-SEP-92	MD MS 03
MIL-S-37486A NOTICE 2	SODIUM CHLORIDE IRRIGATION, USP (S/S BY A-A-54797)	A 6505 MB 29-JAN-93	MD MS 03
MIL-S-37489 NOTICE 2	SODA LIME, USP (S/S BY A-A-54799)	A 6505 MB 29-JAN-93	MD MS 03
MIL-P-37496 NOTICE 1	PHENYLEPHRINE HYDROCHLORIDE NASAL SOLUTION, USP (NO S/S DOCUMENT)	A 6505 MB 17-JUL-92	MD MS 03
MIL-D-37504 NOTICE 1	DIBUCAINE, DINTMENT, NF (S/S BY A-A-54176)	A 6505 MB 17-JUL-92	MD MS 03
MIL-A-37515A NOTICE 2	AMINOPHYLLINE TABLETS, USP (S/S BY A-A-53762)	A 6505 MB 17-JUL-92	MD MS 03
MIL-D-37524 NOTICE 2	DEMINERALIZER, WATER, ION EXCHANGE, HAND OPERATED (S/S BY A-A-54687 AND A-A-54703)	A 4610 MB 20-JUL-92	MD MS 03
MIL-D-37531 NOTICE 2	DEXAMETHASONE SODIUM PHOSPHATE INJECTION, U.S.P. (S/S BY A-A-54654)	A 6505 MB 14-AUG-92	
MIL-M-37533 NOTICE 2	METRONIDAZOLE TABLETS, USP (S/S BY A-A-54702)	A 6505 MB 30-SEP-92	MD MS 03
MIL-P-37535 NOTICE 2	PROPOXYPHENE HYDROCHLORIDE CAPSULES, USP (S/S BY A-A-54728)	A 6505 MB 30-SEP-92	MD MS 03
MIL-M-37540A NOTICE 1	WATER FOR IRRIGATION, STERILE, USP (S/S BY A-A-53367A)	A 6505 MB 26-FEB-93	MD MS 03
MIL-S-37545 NOTICE 1	SCISSORS, GENERAL SURGICAL, STRAIGHT, 7 INCH (S/S BY A-A-54843)	A 6515 MB 30-APR-93	MD MS 03
MIL-S-37546 NOTICE 1	SCISSORS, GENERAL SURGICAL, STRAIGHT, 5-1/2 INCHES LONG (S/S BY A-A-54843)	A 6515 MB 30-APR-93	MD MS 03
MIL-M-37553 NOTICE 1	MASK, OXYGEN, PLASTIC, DISPOSABLE, ORONASAL (S/S BY A-A-54814)	A 6515 MB 15-APR-93	MD MS 03
MIL-P-37557 NOTICE 2	PENICILLIN G PROCAINE SUSPENSION, STERILE, USP (S/S BY A-A-54722)	A 6505 MB 01-NOV-92	MD MS 03
MIL-P-37563 NOTICE 2	PROCHLORPERAZINE MALEATE TABLETS, USP (S/S BY A-A-54701)	A 6505 MB 30-SEP-92	MD MS 03
MIL-T-37594 NOTICE 1	THERMOMETER, SELF INDICATING, LIQUID IN GLASS, INCUBATOR, 0 DEG. TO 70 DEG. C (S/S BY A-A-54697)	A 6685 MB 27-JUL-92	MD MS 03
MIL-M-37604 NOTICE 1	WRIGHT'S STAIN (S/S BY A-A-51548)	A 6505 MB 17-JUL-92	
MIL-P-37609 NOTICE 2	PENTOBARBITAL SODIUM INJECTION, USP (S/S BY A-A-54645)	A 6505 MB 14-AUG-92	MD MS 03
MIL-P-37612 NOTICE 2	PENICILLIN G BENZATHINE AND PENICILLIN G PROCAINE SUSPENSION, STERILE (S/S BY A-A-54641)	A 6505 MB 28-SEP-92	
MIL-M-37636 NOTICE 2	MICONAZOLE NITRATE CREAM, TOPICAL (S/S BY A-A-54744)	A 6505 MB 30-SEP-92	MD MS 03
MIL-P-37643 NOTICE 2	PROBENECID TABLETS, USP (S/S BY A-A-54742)	A 6505 MB 30-SEP-92	MD MS 03
MIL-M-37646 NOTICE 2	NITROFURANTOIN ORAL SUSPENSION, USP (S/S BY A-A-54700)	A 6505 MB 30-SEP-92	MD MS 03
MIL-P-37657 NOTICE 1	PROPANTHELINE BROMIDE TABLETS, USP (S/S BY A-A-54788)	A 6505 MB 29-JAN-93	MD MS 03
MIL-M-37682 NOTICE 2	MILK OF MAGNESIA, USP (S/S BY A-A-51924)	A 6505 MB 13-NOV-92	MD MS 03
MIL-M-37672 NOTICE 2	METHYLPHENIDATE HYDROCHLORIDE TABLETS, USP (S/S BY A-A-54750)	A 6505 MB 18-OCT-92	MD MS 03
MIL-P-37673 NOTICE 2	PROMETHAZINE HYDROCHLORIDE TABLETS, USP (NO S/S DOCUMENT)	A 6505 MB 17-JUL-92	MD MS 03
MIL-T-37680 NOTICE 2	THIOPENTAL SODIUM FOR INJECTION, USP (NO S/S DOCUMENT)	A 6505 MB 30-APR-93	MD MS 03
MIL-L-37704 NOTICE 1	LIGHT, HEAD, DIAGNOSTIC, LEMPERT-STORZ (S/S BY A-A-54771)	A 6515 MB 26-FEB-93	MD MS 03
MIL-F-37706 NOTICE 1	FILTER UNIT, CONTAMINATION ANALYSIS, GRAVIMETRIC (S/S BY A-A-54734)	A 6630 MB 02-NOV-92	EA MS 99
MIL-P-37748 NOTICE 1	PSYCHROMETER, SLING (S/S BY A-A-54695)	A 6685 MB 27-JUL-92	MD MS 03



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action Chg / Cancellation Coordinate Inches Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
MIL-B-37749 NOTICE 2	BOX, PATHOLOGICAL SPECIMEN, SHIPPING (S/S BY A-A-54836) .....	A 8115	MB 14-MAY-93	MD	MS	03	
MIL-I-37761A NOTICE 2	INFLUENZA VIRUS VACCINE, USP, GENERAL SPECIFICATION FOR (S/S A-A-54803) ...	A 6505	MB 26-MAR-93	MD	MS	03	
MIL-P-37762 NOTICE 2	PHENYTOIN SODIUM INJECTION (S/S BY A-A-53114) .....	A 6505	MB 28-SEP-92	MD	MS	03	
MIL-P-37769 NOTICE 2	PROTAMINE SULFATE INJECTION, USP (S/S BY A-A-54789) .....	A 6505	MB 29-JAN-93	MD	MS	03	
MIL-R-37770A NOTICE 1	RESIN, ACRYLIC, DENTAL, FIBERED, DENTURE BASE MATERIAL (S/S BY A-A-54813) .	A 6520	MB 25-MAR-93	MD	MS	03	
MIL-M-37788 NOTICE 1	METHYL SALICYLATE, USP (S/S BY A-A-54770) .....	A 6505	MB 27-NOV-92	MD	MS	03	
MIL-S-37795 NOTICE 2	SODIUM BICARBONATE INJECTION, USP (S/S BY A-A-54821) .....	A 6505	MB 26-MAR-93	MD	MS	03	
MIL-C-37802A NOTICE 2	CEPHAPIRIN SODIUM, STERILE (S/S BY A-A-54183) .....	A 6505	MB 30-SEP-92	MD	MS	03	
MIL-Q-37808 NOTICE 2	QUINIDINE SULFATE TABLETS, MODIFIED (S/S BY A-A-54790) .....	A 6505	MB 29-JAN-93	MD	MS	03	
L MIL-M-37830 NOTICE 1	MULTIVITAMIN AND SODIUM FLUORIDE SOLUTION (NO S/S DOCUMENT) .....	A 6505	MB 17-JUL-92				
MIL-L-37831 NOTICE 1	LEVOTHYROXINE SODIUM TABLETS, USP (NO S/S DOCUMENT) .....	A 6505	MB 17-JUL-92	MD	MS	03	
MIL-A-37842 NOTICE 2	ANESTHESIA KIT, LARYNGOTRACHEAL, DISPOSABLE (S/S BY A-A-54672) .....	A 6515	MB 16-JUL-92	MD	MS	03	
MIL-S-37849 NOTICE 2	SODIUM FLUORIDE SOLUTION, USP (S/S BY A-A-51497) .....	A 6505	MB 30-SEP-92	MD	MS	03	
MIL-S-37972 NOTICE 1	SURGICAL KIT, ORTHOPEDIC (NO S/S DOCUMENT) .....	A 6515	MB 22-MAR-93	MD	MS	03	
MIL-F-37985 NOTICE 1	FORCEPS, TENDON-DILATION, DOUBLE-ACTION (S/S BY A-A-51829) .....	A 6515	MB 29-JAN-93	MD	MS	03	
L MIL-F-38008D(2) NOTICE 1	FILTER ELEMENT, FLUID PRESSURE MXU-234/E (NO S/S DOCUMENT) .....	A 4330	84 25-MAY-93				84
QL MIL-P-38019A(2) NOTICE 2	PARACHUTE SYSTEM, SPECIAL WEAPONS, 12.5 FT. A/B2BK-1 (NO S/S DOCUMENT) REVIEWER: 11 15	A MUOR	79 31-AUG-92				79
QL MIL-L-38200B(2) NOTICE 1	LIFE PRESERVER, UNDERARM, ADULT LPU-5/P (S/S BY A-A-50652) .....	A 4220	82 27-JAN-93				99
L MIL-C-38226B NOTICE 1	CONTAINERS, POLYURETHANE, RIGID OR FLEXIBLE FOR PACKAGING SMALL ENGINES (NO S/S DOCUMENT) REVIEWER: 71	A 8115	69 15-APR-93				69
L MIL-M-38310B(2) NOTICE 1	MASS PROPERTIES CONTROL REQUIREMENTS FOR MISSILE AND SPACE VEHICLES (S/S BY MIL-STD-1811)	A 1810	19 04-SEP-92				19
L MIL-R-38435B(2) NOTICE 1	RECORDING SET, SIGNAL DATA A/A24U-6 (NO S/S DOCUMENT) REVIEWER: 11 .....	A 6610	71 15-MAR-93				99
L MIL-P-38465(2) NOTICE 2	PARACHUTE SYSTEM, SPECIAL WEAPONS, A/B2BK-4, 17 FT (NO S/S DOCUMENT) REVIEWER: 11 15 17	A MUOR	79 31-AUG-92				79
L MIL-C-38474 NOTICE 1	COMPUTER, STALL WARNING CPU-B1/A (NO S/S DOCUMENT) REVIEWER: 11 71 84 .....	A 6340	82 07-AUG-92				99
L MIL-S-38711A NOTICE 1	SCREENING DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS (USE MIL-P-84000A) REVIEWER: 26	A MISC	10 01-JAN-66				10
L MIL-T-38722A(1) NOTICE 1	TAPE, ELECTRONIC DATA PROCESSING, (MAGNETIC OXIDE COATED, 1/2 INCH) RCA TYPES 381/382 TAPE STATIONS	A 7440	10 09-NOV-66				10
L MIL-T-38723A(1) NOTICE 1	TAPE, ELECTRONIC DATA PROCESSING (MAGNETIC OXIDE COATED, 1/2 INCH) .....	A 7440	10 09-NOV-66				10
MIL-B-38740 NOTICE 1	BREATHING APPARATUS, SELF CONTAINED (ESCAPE TYPE) USER: MC .....	A 4240	84 24-JUN-65	AR	YD1	84	
MIL-P-38785 NOTICE 1	PROVISIONING, PHASED (USE MILSTD-1517) REVIEWER: MC .....	A MISC	10 02-JAN-68	MI	SA	10	
MIL-M-38789A(1) NOTICE 1	MANUALS, TECHNICAL, OVERHAUL INSTRUCTIONS AND OVERHAUL INSTRUCTIONS WITH ILLUSTRATED PARTS BREAKDOWN (FOR VARIOUS EQUIPMENT AND ACCESSORIES) (S/S BY MIL-M-87929 AND MIL-M-81928) USER: 70 71 80 82 84 CG YD1 REVIEWER: 01 10 11 19 MC	A THSS	16 28-MAR-92		AS	16	
L MIL-B-38951A NOTICE 2	BOMB, LOADING PRACTICE BDU-32/E (NO S/S DOCUMENT) REVIEWER: 15 .....	A 1105	79 26-MAR-93				79
L MIL-T-38961 NOTICE 2	TRUCK, HAND, BOMB MHU-67/E (NO S/S DOCUMENT) REVIEWER: 15 .....	A 1190	79 26-MAR-93				79
L MIL-C-38966(1) NOTICE 2	CONTROL-MONITOR DCU-117/A (NO S/S DOCUMENT) REVIEWER: 15 .....	A 1190	79 31-MAR-93				79
L MIL-C-38967(1) NOTICE 2	CONTROL-MONITOR DCU-121/A (NO S/S DOCUMENT) REVIEWER: 15 .....	A 1190	79 30-MAR-93				79
L MIL-M-38968(1) NOTICE 2	MOTOR, DIRECT CURRENT FOR CONTROL-MONITORS DCU-116/A, DCU-117/A, AND DCU-121/A (NO S/S DOCUMENT) REVIEWER: 15	A 1190	79 31-MAR-93				79
L MIL-C-39006/26 NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (MONOSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR75 (S/S BY MIL-C-39006/22)	A 5910	85 04-FEB-93				11
L MIL-C-39006/27 NOTICE 1	CAPACITORS, FIXED, ELECTROLYTIC (MONOSOLID ELECTROLYTE), TANTALUM, (POLARIZED, SINTERED SLUG), 85 DEG. C (VOLTAGE DERATED TO 125 DEG. C), ESTABLISHED RELIABILITY, STYLE CLR76 (S/S BY MIL-C-39006/25)	A 5910	85 04-FEB-93				11
MIL-C-39010/11 NOTICE 1	COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI	A 5950	ER 17-NOV-92	ER	EC	85	
MIL-C-39010/12 NOTICE 1	COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETIC SHIELDED (FERRITE CORE-FERRITE SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI	A 5950	ER 17-NOV-92	ER	EC	85	
MIL-C-39010/13 NOTICE 1	COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (IRON CORE-IRON SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI	A 5950	ER 17-NOV-92	ER	EC	85	
MIL-C-39010/14 NOTICE 1	COILS, FIXED, RADIOFREQUENCY, MOLDED, MICRO-MINIATURE, MAGNETICALLY SHIELDED (FERRITE CORE-FERRITE SLEEVE), ESTABLISHED RELIABILITY (NO S/S DOCUMENT) USER: 19 AS CG MC ME SH REVIEWER: 11 99 AR ES MI	A 5950	ER 17-NOV-92	ER	EC	85	
MIL-Q-39021/38 NOTICE 1	OVEN, CRYSTAL (+75 DEG. C, +85 DEG. C) (NO S/S DOCUMENT) USER: 17 AS CG OS REVIEWER: 11 19 85 ES SH	A 5955	ER 25-FEB-93	ER	EC	84	
MIL-C-39024/7 NOTICE 1	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING, 16 TEST POINTS, (END MOUNTING) 0.200 INCH CONTACT SPACING USER: 14 19 AR AS CG MC MI OS YD1 REVIEWER: 11 17 99 ES ME	A 5935	EC 25-APR-67	CR	EC	85	
MIL-C-39024/8 NOTICE 1	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING, 5 TEST POINTS, (END MOUNTING) 0.150 INCH CONTACT SPACING USER: 14 19 AR AS CG MC MI OS YD1 REVIEWER: 11 17 99 ES ME	A 5935	EC 25-APR-67	CR	EC	85	
MIL-C-39024/9 NOTICE 1	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PRINTED WIRING, 6 OR 8 TEST POINTS, (END MOUNTING) 0.156 INCH CONTACT SPACING USER: 14 19 AS CG MC MI YD1 REVIEWER: 11 17 99 ES ME	A 5935	EC 25-APR-67	CR	EC	85	
MIL-C-39024/16 NOTICE 1	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PANEL TYPE, SINGLE TEST POINT, SUBMINIATURE (SNAP IN CONTACT), LOW VOLTAGE USER: 14 19 AS CG MC MI OS YD1 REVIEWER: 11 17 99 AR ES ME	A 5935	EC 20-DEC-71	CR	EC	85	
MIL-C-39024/17 NOTICE 1	CONNECTOR, ELECTRICAL, TEST POINT TYPE, PANEL TYPE, SINGLE TEST POINT, (THREADED), HIGH VOLTAGE (INACTIVE 20 DEC 1971) USER: 14 19 AR AS CG MC MI OS YD1 REVIEWER: 11 17 99 ES ME	A 5935	EC 20-DEC-71	CR	EC	85	
MIL-I-40025A NOTICE 1	INSECTICIDE, MALATHION, EMULSIFIABLE CONCENTRATE USER: MC REVIEWER: AR MD YD1	A 6840	GL 22-SEP-61	GL	SH	67	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action  
OFL / OMA  
Coordination  
Institute  
Document  
Number

Document  
Title

Dist. Smt  
FSC / Area  
MCA Symbol  
Proposed Act  
Date

Custodians  
Army  
Navy  
Air Force  
DLA

MIL-F-40067A	FURNITURE, DAYROOM, KNOTTY PINE USER: MD	A 7105	GL	27-JUN-61	GL	YD1	
MIL-C-40076B(3)	CAN, RADIATOR FILLING, 3 GALLON (USE MIL-C-43522) USER: CE MC	A 7240	GL	26-FEB-70	GL	YD1	84
MIL-D-40078A(2)	DISPENSING PUMPS, HAND DRIVEN, FOR PETROLEUM PRODUCTS, 12 GPM CAPACITY (USE XX-0-385C) USER: 11 CE CS MC MI SH	A 4930	ME	23-MAR-66	ME	YD1	82
MIL-T-40086B	TROUSERS, VESICANT GAS, PROTECTIVE (USE MIL-L-43579) USER: MC YD1	A 8415	GL	19-MAR-64	GL	SA	82
MIL-P-40105A	PAPER, KRAFT, BANCROFTED, EXTENSIBLE USER: MI REVIEWER: MR YD1	A 8135	GL	01-MAY-62	GL	SA	69
MIL-M-40163C	MOLDING MACHINES, MEAT-FISH (S/S BY A-A-50050) REVIEWER: MC MD SA	A 7320	GL	14-DEC-92	GL	YD1	84
NOTICE 1							
MIL-H-40604B	HOOK, MEAT HANGING, WITH TROLLEY REVIEWER: GS MC MD	A 7320	GL	30-JUN-70	GL	YD1	99
MIL-D-40609	DOUGH MIXING MACHINE, PORTABLE, GASOLINE ENGINE DRIVEN, WITH EXCHANGEABLE ELECTRIC MOTOR USER: EL MC REVIEWER: MD MS SA	A 7320	GL	22-SEP-61	GL	YD1	
MIL-F-40613B	FOOD SERVICE EQUIPMENT FOR COMMISSARIES USER: YD1 REVIEWER: GS MD	A 7320	GL	12-MAR-68	GL		84
MIL-C-40617C(2)	CABINETS, DELIVERY AND STORAGE, PASTRY; AND TRUCK DOLLY, PASTRY CABINETS (S/S BY A-A-50190) USER: MC YD1 REVIEWER: GS MD	A 7320	GL	29-MAR-91	GL	SA	99
MIL-D-40621C	OVEN, BAKING AND ROASTING, DECK, AND OVENS, BAKING, DECK, GAS USER: MC SA	A 7310	GL	06-JUN-75	GL	YD1	99
MIL-C-40630A	COVER, REPAIR SHOPS, TRAILER MOUNTED USER: AT MC YD1 REVIEWER: BS CS GS MD	A 3530	GL	08-FEB-67	GL		84
MIL-B-40637A	BAG, TOOL, SACHEL, BG 44 (USE MIL-B-43663) USER: AT EL REVIEWER: BS MD	A 5140	GL	11-AUG-67	GL		84
MIL-C-41808B(1)	CLOTH, DUCK, COTTON, FIRE, WATER, WEATHER, AND MILDEW RESISTANT, LIGHT DRY FINISH USER: AS SH REVIEWER: B2 CT MC MD MR YD1	A 8305	GL	27-MAR-68	GL	SA	11
MIL-R-42010A	RETRACTOR, NERVE ROOT (HOLSHER) (S/S BY A-A-54815)	A 6515	MB	26-FEB-93	MD	MS	03
NOTICE 1							
MIL-M-42013A	NEEDLE, HYPODERMIC, BLOOD COLLECTING (S/S BY A-A-54844)	A 6515	MB	14-MAY-93	MD	MS	03
NOTICE 1							
MIL-P-42051	PUNCH AND DISK, DENTAL RUBBER DAM (S/S BY A-A-54089)	A 6520	MB	15-APR-93	MD	MS	03
NOTICE 1							
MIL-W-43156B	WASHER-EXTRACTORS, DRY CLEANING, FOR USE WITH 100 DEGREE F FLASH POINT PETROLEUM-BASE SOLVENT (USE MIL-D-43164) USER: CE REVIEWER: 45 EL GS MD	A 3510	GL	17-OCT-69	GL	YD1	84
MIL-D-43164C	DRY CLEANING UNITS, SINGLE BATH, COLD TYPE, FULLY AUTOMATIC, FOR SYNTHETIC SOLVENT (S/S BY A-A-50047) USER: CE REVIEWER: 45 GS MD	A 3510	GL	10-FEB-93	GL		99
NOTICE 1							
MIL-C-4319B	CLOTH, FLANNEL, NYLON (USE MIL-F-43310) USER: YD1 REVIEWER: CT MD	A 8305	GL	14-FEB-64	GL	SA	67
MIL-S-43215C	STAND, RACK, DRINKING TUMBLER USER: MC REVIEWER: GS MD MS	A 7320	GL	06-JAN-77	GL	YD1	99
MIL-B-43254B	BRUSH, ANIMAL GROOMING (NO S/S DOCUMENT) REVIEWER: MD	A 3770	BA	10-MAY-93	GL		84
NOTICE 1							
MIL-C-43258B	CORD, FIBROUS, LINEN (PLUMB-BOB USE) (S/S BY A-A-52070) USER: MC ME YD1	A 4020	GL	05-NOV-90	GL		99
MIL-G-43264	REVIEWER: IS						
MIL-G-43270	GREASE GUNS, HAND, SCREW-OPERATED (8-OUNCE CAPACITY) (USE MIL-G-3859)	A 4930	ME	17-SEP-64	ME	YD1	82
MIL-C-43305A	USER: CS MC						
MIL-R-43321A	GREASE GUN, PNEUMATIC, 1 POUND CAPACITY USER: CG MC SM REVIEWER: CS	A 4930	ME	24-SEP-64	ME	YD1	82
MIL-M-43324A	CABINET, STORAGE, BREAD, MOBILE USER: SA SM REVIEWER: GS MC MD	A 7320	GL	27-DEC-68	GL	YD1	99
MIL-T-43340	RACK, DOUGHNUT, 10 BASKETS, WITH CASTER USER: MC REVIEWER: GS MD MS	A 7320	GL	04-NOV-68	GL	YD1	99
MIL-D-43345B	MEASURE, LIQUID, GRADUATED, CORROSION-RESISTING STEEL (USE RR-K-260) USER: CG MC REVIEWER: BS MD	A 7240	GL	31-JAN-69	GL	YD1	84
NOTICE 1							
MIL-F-43356(3)	TOWEL, PAPER, INDUSTRIAL (USE UU-1-595) USER: CG MC YD1	A 7920	GL	14-JUN-65	GL	SA	84
MIL-R-43364B	OILERS, SELF-FEEDING (NO S/S DOCUMENT) REVIEWER: CS	A 4930	ME	11-DEC-90	ME	YD1	99
MIL-R-43373B	GLASS, X-RAY PROTECTIVE USER: EL MR YD1 REVIEWER: GS MD	A 9340	GL	19-JUL-65	GL	SH	99
MIL-G-43376A	FRAME, RUCKSACK, RIVETED, AND SELF, CARGO SUPPORT, LIGHTWEIGHT (USE MIL-F-43834) USER: YD1 REVIEWER: CT MC	A 8465	GL	28-MAY-68	GL	SA	82
MIL-S-43384A	REFRIGERATOR, MECHANICAL, COMMERCIAL, SELF-CONTAINED, FOR FOOD RACK, PAN RACK AND MOBILE FOOD RACKS (VALIDATION DATE: 8303) USER: MS REVIEWER: GS MD	A 4110	GL	10-JAN-84	GL	YD1	99
MIL-C-43390C	RUCKSACK, LIGHTWEIGHT USER: MC YD1 REVIEWER: CT MD	A 8465	GL	16-NOV-72	GL	SA	82
NOTICE 2							
MIL-F-43408C(1)	GREASING MACHINE, BREAD PAN, SPRAY TYPE USER: CG YD1 REVIEWER: GS MD	A 7320	GL	29-JAN-86	GL	SA	99
MIL-G-43411D	SNAPHOOK, 1 INCH, FIXED LOOP, RIVETED SPRING CLOSURE (USE MIL-S-43770) USER: AT MC MC REVIEWER: IS	A 5340	GL	29-JAN-86	GL	YD1	82
MIL-C-43412A	CLIPPER, HAIR, AND BLADE SETS (SMALL ANIMAL) (S/S BY A-A-54598) REVIEWER: CS MD	A 3770	MB	30-SEP-92	GL		99
MIL-T-43417(1)	FROZEN FOOD CABINETS, MECHANICALLY REFRIGERATED, COMMERCIAL, SELF-CONTAINED (S/S BY A-A-50138) USER: CE REVIEWER: GS MC MD SA	A 4110	GL	21-OCT-88	GL	YD1	99
MIL-C-43421	GLOVES, BARBED TAPE - WIRE HANDLERS (S/S BY A-A-50054) USER: MC YD1	A 8415	GL	13-MAR-90	GL	NU	99
MIL-C-43424A(1)	REVIEWER: CT MD						
NOTICE 1							
MIL-B-43426	CASES, TENT COMPONENT KIT USER: 45 AT YD1 REVIEWER: CT MD	A 8340	GL	30-SEP-70	GL	NU	99
MIL-F-43439	TABLE, DINING, 4-PLACE (USE MIL-T-11416, MIL-T-11843, MIL-T-12474, MIL-T-43463) USER: MC REVIEWER: MD	A 7105	GL	30-OCT-68	GL	YD1	84
MIL-D-43442C	CRAMPONS, MOUNTAIN USER: YD1 REVIEWER: CT MC	A 8465	GL	29-MAR-66	GL	SA	82
MIL-C-43460B	CLOTHING, COMBAT TYPE, CONTOUR PACKAGING AND PACKING OF (NO S/S DOCUMENT) USER: MC REVIEWER: SM	A 8465	CT	12-AUG-91	GL	SA	82
NOTICE 1							
MIL-C-43467(2)	BALANCE, SCALE, AND ACCESSORIES, PACKAGING AND PACKING OF (USE PPP-B-1122) USER: MC SA REVIEWER: SH SM	A 6670	GL	28-APR-66	GL	YD1	82
MIL-S-43485	MISSAL, ALTAR, LATIN/ENGLISH REVIEWER: GS	A 9925	CT	22-JUN-66	GL	PL	28
MIL-R-43493B(1)	DOLLY, FOOD HANDLING EQUIPMENT (DISHWASHING RACKS) (FUTURE PROCUREMENT REFER TO A-A-50107) REVIEWER: 84 GS MC MD	A 7320	GL	21-MAY-87	GL	YD1	99
NOTICE 1							
MIL-C-43495/1	COATINGS, LUSTERLESS, FOR HELMETS AND LINERS (NO S/S DOCUMENT) USER: MC	A 8010	ME	25-JUN-92	ME		99
MIL-C-43507B	REVIEWER: GL MD MR						
NOTICE 1							
MIL-P-43520	CANDLE BURNER, AND CANDLELIGHTER AND SNUFFER (S/S BY A-A-50173 AND A-A-50174) USER: YD1 REVIEWER: GS	A 9925	GL	26-MAR-91	GL	PL	28
MIL-C-43521	SLING, CARRYING, BAG AND CASE, 19 3/4 INCHES LONG USER: AR MC YD1	A 8465	GL	06-MAR-67	GL	SA	11
MIL-F-43523	REVIEWER: B2 BS CT EL						
MIL-S-43526D	RACKS, FOOD SERVICE TRAY REFER TO A-A-50126 REVIEWER: MD	A 7320	GL	18-MAY-88	GL	YD1	
NOTICE 1							
MIL-V-43535(1)	CASE, MERCHANDISE DISPLAY, EXHIBIT	A 7195	GL	01-MAY-67	GL	YD1	84
MIL-B-43542B	COAT, WOMAN'S, WOOL, FIELD (NO S/S DOCUMENT) REVIEWER: B2 CT MD	A 8410	GL	30-DEC-92	GL		99
NOTICE 1							
MIL-K-43546(1)	PAIS, UTILITY, PLASTIC (S/S BY FED SPEC L-P65C) USER: ME REVIEWER: MD	A 7240	GL	08-AUG-67	GL	YD1	99
MIL-D-43551A	CONTAINER, UTILITY, PLASTIC USER: MC REVIEWER: BS AR MD ME	A 7240	GL	04-AUG-67	GL	YD1	84
NOTICE 1							
MIL-M-43576A	FUNNEL, PLASTIC (USE L-F-1593) REVIEWER: MC MD	A 7240	GL	01-AUG-67	GL	YD1	84
NOTICE 1							
MIL-H-43577E	SLACKS, UTILITY, WOMEN'S, WOOL, FIELD (S/S BY MIL-T-43497) REVIEWER: B2 99	A 8410	GL	30-DEC-92	GL		11
MIL-D-43593B(1)	CT MD						
NOTICE 1							
MIL-C-43599	VASES, ECCLESIASTICAL (S/S BY A-A-50149) USER: YD1 REVIEWER: GS	A 9525	BA	26-MAR-91	GL	PL	28
	BOOT, DOG (NO S/S DOCUMENT) REVIEWER: CS MD	A 3770	BA	10-MAY-93	GL		84
	KIT, FOOD, DISPOSABLE REVIEWER: MD	A 7360	GL	12-DEC-67	GL	YD1	84
	DISPENSER, CONDIMENTS, COUNTERTOP REVIEWER: GS MC MD	A 7320	GL	18-MAY-88	GL	YD1	99
	MANTLE, ILLUMINATING (GASOLINE LANTERN) (S/S BY A-A-52079) USER: CG MC ME	A 6260	GL	14-DEC-92	GL		99
	REVIEWER: B2 GS MD						
	HATS, SUN, HOT WEATHER (S/S BY MIL-H-44105) USER: 45 REVIEWER: B2 MC MD MS	A 8415	CT	29-JUN-92	GL	NU	99
	DISPENSER, ICE, SELF-LEVELING, MOBILE; AND DISPENSER, ICE, AUTOMATIC DISPENSING HEAD, MOBILE (S/S BY A-A-50147 OR A-A-50189) USER: MS REVIEWER: MC MD	A 7320	GL	05-NOV-90	GL	YD1	99
	CASTER, FOR INSTITUTIONAL DUTY USER: MC ME REVIEWER: MD	A 5340	GL	25-SEP-68	GL	YD1	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adm. / Cnl. / GPO / Code / Classification / Document Number	Document Title	Dist. Smt. / FSC / Ave. / MCA Symbol / Procuring Agency / Date	Custodians / Army / Navy / Air Force / CIA
MIL-C-43605A	CLOTH, DUCK, COTTON WARP AND RAYON FILLING, LIGHTWEIGHT, FOR SHELTER HALF TENTS USER: YDI REVIEWER: CT MD	A 8305 GL 19-JUL-73	GL MU 99
MIL-M-43614	MEAT CUTTING MACHINE, ELECTRIC. FROZEN MEAT BLOCKS USER: MC REVIEWER: GS MD	A 7320 GL 19-DEC-68	GL YDI 99
MIL-R-43643(1)	REFRIGERATOR, PREFABRICATED, COMMISSARY (USE MIL-R-43900 USER: CE SA REVIEWER: GS MC MD ME MS	A 4110 GL 02-FEB-70	GL YDI 99
MIL-M-43662	WASHER-EXTRACTOR, LAUNDRY, COMMERCIAL, 10-12 POUND CAPACITY (MAXIMUM), (USE OO-M-860) USER: MC REVIEWER: 45 GS	A 3510 GL 19-AUG-69	GL YDI 99
MIL-D-43679D	OVENS, BAKING AND ROASTING, FORCED CONVECTION, GAS (S/S BY A-A-50042) REVIEWER: 84 MC MD TS	A 7310 GL 28-JUN-89	GL YDI 99
MIL-C-43683A	CARRIER, INTRENCHING TOOL, HAND, FOLDING, LIGHTWEIGHT USER: YDI REVIEWER: 82 CT MC MD MI	A 8465 GL 29-SEP-72	GL SA 11
MIL-D-43691	DISPENSER, BUTTER, SELF CONTAINED, THERMOELECTRICALLY REFRIGERATED REVIEWER: 45 MC MD SA	A 7320 GL 18-FEB-70	GL YDI 84
MIL-R-43697	RACK, PASTRY BAKER S, MOBILE REVIEWER: GS MC MD	A 7320 GL 31-MAR-70	GL YDI 99
MIL-D-43715A(1)	DISPENSER, HOT CHOCOLATE (SEE ASTM F 759) USER: MC REVIEWER: MD	A 7310 GL 04-MAR-83	GL YDI 99
MIL-S-43721	SLICING, BAGGING, AND TYING ASSEMBLIES, BREAD USER: CE REVIEWER: GS MC MD	A 7320 GL 05-MAR-86	GL YDI 99
MIL-S-43730	SUSPENSERS, FIELD PACK, COMBAT, M-1967 USER: YDI REVIEWER: 82 CT MD	A 8465 GL 31-DEC-70	GL SA 11
MIL-C-43731A	CARRIER, SLEEPING EQUIPMENT, M-1967 USER: YDI REVIEWER: CT MD	A 8465 GL 29-DEC-72	GL SA
MIL-F-43733(1)	FIELD PACK, COMBAT, M-1967 USER: YDI REVIEWER: CT MD	A 8465 GL 09-NOV-72	GL SA 82
MIL-S-43735(1)	SHOE, COMFORT, MAN S, OG-106 USER: 45 YDI REVIEWER: CT MC MD	A 8430 GL 06-MAY-83	GL MU 11
MIL-D-43752(1)	DISHWASHING MACHINE, SINGLE TANK, STATIONARY RACK, SPRAY-TYPE, GAS HEATED USER: CE MC REVIEWER: GS MS	A 7320 GL 26-FEB-74	GL YDI 99
MIL-D-43807A	DISPENSER, FREEZE-DRIED COFFEE (S/S BY A-A-50049) USER: SA YDI REVIEWER: GS MD	A 7310 GL 28-JUN-89	GL 99
MIL-R-43814	RACK, MOBILE, BAKERY PRODUCTS AND MEAT, WITH SHELVES USER: CE SA REVIEWER: GS MD	A 7320 GL 22-APR-86	GL YDI 99
MIL-D-43815	OVEN, BAKING AND ROASTING, ROLL THROUGH, CONVECTION, ELECTRIC REVIEWER: GS	A 7310 GL 31-MAY-83	GL YDI 99
MIL-D-43816	OVEN, BAKING AND ROASTING, ROLL-THROUGH, CONVECTION, GAS USER: CE SA	A 7310 YDI 25-MAY-84	GL YDI 99
MIL-C-43847A	CLOTH, OXFORD, COTTON WARP AND COTTON AND NYLON BLEND FILLING, FOR TENT MOUNTAIN, TWO MAN (NO S/S DOCUMENT) REVIEWER: 82 MD	A 8305 CT 14-SEP-89	GL MU 99 CT
NOTICE 1	TRUCK, FOOD SERVICE, ELECTRICALLY HEATED D USER: MC REVIEWER: GS MD MS SS	A 7320 GL 13-OCT-83	GL YDI 99
MIL-T-43848(1)	GRILL, CONVEYOR, HAMBURG PATTY, ELECTRIC REVIEWER: GS	A 7310 GL 10-JAN-84	GL YDI 99
MIL-G-43850	FOOD CONTAINER, INSULATED, DISPOSABLE USER: CG REVIEWER: MC MD MS YDI	A 7330 GL 23-MAY-88	GL SA 99
MIL-F-43851	BROILER, ELECTRIC, COUNTER TYPE USER: CE MC SA REVIEWER: GS MD	A 7310 GL 14-AUG-86	GL YDI 99
MIL-B-43881	OVEN, PIZZA, COUNTER TOP, GAS USER: MC REVIEWER: GS MD MS SA	A 7310 GL 18-MAR-76	GL YDI 99
MIL-D-43882B	TOASTER-GRILL, SANDWICH, ELECTRIC USER: MC REVIEWER: GS MD MS SA	A 7310 GL 26-MAR-74	GL YDI 99
MIL-T-43885	TRUCK, FOOD SERVING, HOT AND COLD USER: MC REVIEWER: GS MD MS	A 7320 GL 12-OCT-83	GL YDI 99
MIL-T-43886	EXTRACTOR, CITRUS FRUIT JUICE, ELECTRIC REVIEWER: GS MC MD MS SA	A 7320 GL 21-MAR-74	GL YDI 99
MIL-E-43887	BROILER, INFRARED, GAS, COUNTER TYPE USER: CE MC SA REVIEWER: GS MD	A 7310 GL 02-JUN-86	GL YDI 99
MIL-B-43888	CABINET, FOOD CARRYING, ELECTRICALLY HEATED WITH OR WITHOUT DOLLY REVIEWER: GS MD SA	A 7310 GL 18-MAY-88	GL YDI 84
MIL-C-43889	DOUGHNUT AND PANCAKE FORMING MACHINE, HAND OPERATED REVIEWER: GS	A 7320 GL 08-AUG-86	GL YDI 99
NOTICE 1	HASP, HIGH SECURITY PADLOCKS STYLE 1 (USE MIL H 43905B) USER: AR AS CG ER	A 5340 ME 22-FEB-85	ME YDI 99
MIL-D-43890	REVIEWER: 01 IS NP OS SH		
MIL-H-43905/1A	HASP, HIGH SECURITY PADLOCKS STYLE 2 (USE MIL H 43905B) USER: AR AS CG ER	A 5340 ME 22-FEB-85	ME YDI 99
MIL-H-43905/2A	REVIEWER: 01 IS NP OS SH		
MIL-H-43905/3A	HASP, HIGH SECURITY PADLOCKS STYLE 3 (USE MIL H 43905B) USER: AR CG ER MC	A 5340 ME 22-FEB-85	ME YDI 99
MIL-H-43905/4A	REVIEWER: 01 IS NP OS SH		
MIL-H-43905/5A	HASP, HIGH SECURITY PADLOCKS, STYLE 4 (USE MIL H 43905B) USER: AS CG ER	A 5340 ME 22-FEB-85	ME YDI 99
MIL-H-43905/6A	REVIEWER: 01 IS NP OS SH		
MIL-H-43905/7	HASP, HIGH SECURITY PADLOCKS, STYLE 5 (S/S BY MIL-H-43905B) USER: AR AS CG ER MC REVIEWER: 01 OS SH	A 5340 ME 22-FEB-85	ME YDI 99
MIL-H-43905/8	REVIEWER: 01 NP OS SH		
MIL-H-43905/9	HASP, HIGH SECURITY PADLOCKS - STYLE 6 (S/S BY MIL-H-43905B) USER: AR CG MC REVIEWER: 01 NP OS SH	A 5340 ME 22-FEB-85	ME YDI 99
L	REVIEWER: 01 IS NP OS SH		
MIL-C-43921	HASP, HIGH SECURITY PADLOCKS - STYLE 7 (S/S BY MIL-H-43905B) USER: AR AS CG ER REVIEWER: 01 IS NP OS SH	A 5340 ME 22-FEB-85	ME YDI 99
NOTICE 1	REVIEWER: IS NP OS		
MIL-D-43953(1)	HASP, HIGH SECURITY PADLOCKS - STYLE 8 (S/S BY MIL-H-43905B) USER: AS CG MC REVIEWER: IS NP OS	A 5340 ME 22-FEB-85	ME YDI 99
MIL-D-43969	REVIEWER: IS NP OS SH		
MIL-H-43980	HASP, HIGH SECURITY PADLOCKS - STYLE 9 (S/S BY MIL-H-43905B) USER: AS MC REVIEWER: IS NP OS SH	A 5340 ME 22-FEB-85	ME YDI 99
MIL-G-44227A	CLOTH, COTTON, TWILL (REFER TO MIL-C-43892)	A 8305 CT 06-JUL-87	GL CT
NOTICE 1	DISPENSER, BUTTER, SELF CONTAINED, EUTECTIC (S/S BY A-A-50006) USER: MC SA REVIEWER: MD	A 7320 GL 28-JUN-89	GL YDI 99
MIL-S-44283	DISPENSERS, BREAD, SELF-LEVELING, DROP-IN (S/S BY A-A-50034) USER: SA	A 7320 GL 29-JUN-89	GL YDI 99
NOTICE 1	HANDCART, GROCERY, CARRY-OUT REVIEWER: YDI	A 7290 GL 10-OCT-86	GL YDI 99
MIL-P-44336	GRAVY WITH BEEF SWISS STEAK, THERMOSTABILIZED, TRAY PACK (NO S/S DOCUMENT) REVIEWER: MC MD SS TS	A 8940 GL 24-JUN-92	GL SA 50
MIL-S-45017A	SOUP, INSTANT, REDUCED SODIUM, CHICKEN NOODLE (NO S/S DOCUMENT) REVIEWER: MC MD SS TS	A 8935 GL 15-DEC-92	GL
MIL-R-45026A	PACKAGING OF SPECIAL OPERATIONS FORCES MOUNTAINEERING EQUIPMENT (SOFME) SET (S/S BY MIL-C-44380)	A PACK CT 08-AUG-90	GL CT
MIL-A-45031	STRAIGHTENER, MOTOR VEHICLE AXLE AND HOUSING	A 4910 AL 18-JAN-60	MC YDI 82
MIL-T-45032B	ROLLER, TIRE TREAD, POWER-OPERATED	A 4910 AL 19-AUG-60	MC YDI 82
MIL-V-45039A	ANALYZER TEST SETS, VEHICLE ENGINE, 6-, 12-, AND 24-VOLT D.C. REVIEWER: SH	A 4910 AL 27-JAN-58	MC YDI 82
MIL-P-45046A	TANK, MIXING, CORROSIVE-MATERIAL, WOOD, LEAD-LINED USER: MC	A 4940 AL 26-JUL-61	MC YDI 82
MIL-B-45048C	VULCANIZING MOLD, TIRE, FULL CIRCLE (SIZES 12.00 BY 24 THROUGH 30.00 BY 33 TIRES)	A 4910 AL 15-MAR-61	MC YDI 82
MIL-P-45050A(1)	PUMPS, LUBRICANT TRANSFER, HIGH- AND LOW-PRESSURE, WITH DRUM COVER ASSEMBLY	A 4930 GL 22-JUL-59	GL YDI 82
MIL-D-45084C(1)	BORING MACHINE, CONNECTING ROD AND PISTON BEARING (REFER TO MIL-H-45583) USER: MC	A 4910 AL 06-FEB-84	AL YDI 99
MIL-C-45167C	PUMPING UNIT, PRESSURE-LUBRICATING, DRUM MOUNTING, AIR-OPERATED (S/S BY GGG-L-795C)	A 4930 ME 18-NOV-60	ME YDI 82
NOTICE 1	DEMOUNTER, PNEUMATIC TIRE, PORTABLE (SIZES 7.00 BY 16 THROUGH 14.00 BY 24) S/S BY MIL-B-45993 USER: MC REVIEWER: CS MC	A 4910 AL 07-FEB-85	AL YDI 99
MIL-A-45168Q	CAPS, RADIATOR: PRESSURE RELIEVING (S/S BY A-A-52424)	A 2930 AT 02-FEB-93	AT 99
MIL-H-45189B	AUTOMOBILES, SEDANS AND STATION WAGONS (S/S BY KKK-A-811 AND KKK-A-850) REVIEWER: 85 EL MC	A 2310 AT 15-AUG-75	AT YDI 99
MIL-L-45199B	MOWING UNIT SET, CYLINDRICAL BORE, PORTABLE (USE MIL-C-82069A) USER: MC REVIEWER: MC	A 5130 YDI 02-MAR-67	GL YDI 84
MIL-P-45215C	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, (HIGH OUTPUT DIESEL) (USE MIL-L-2104C) USER: AT OS REVIEWER: MP PS MC YDI	A 9150 NR 28-JUN-68	NR SH 68
MIL-C-45314B	PLASTIC SHEET, TRANSPARENT, FOR SKIN PACKAGING USER: AT CG MC ME YDI	A 8135 SH 19-SEP-74	SH AS 69
MIL-L-45325E	REVIEWER: 99 GL MI OS		
NOTICE 1	CHASSIS, SEMITRAILER, 6 TON AND 12 TON MILITARY DESIGN USER: YDI	A 2330 AT 07-AUG-68	AT MC 84
MIL-B-45326C	LIGHT, WARNING, VEHICULAR: ROTATING UNIT, 14 AND 28 VOLT DC (S/S BY A-A-52418) USER: MC SH REVIEWER: 82 GS ME	A 6220 AT 11-JAN-93	AT YDI 99
NOTICE 1	BOOT, DUST AND MOISTURE SEAL: HYDRAULIC BRAKE CYLINDER, SYNTHETIC RUBBER (S/S BY A-A-52410) REVIEWER: CS MI	A 2530 AT 09-FEB-93	AT



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Army Cntr / COM Comptech Inspec Document Number	Document Title	Doc. Symb. FSC / Ass MCA Symbol Preceding Ass.	Date	Army Navy Air Force DLA	Custodians
MIL-T-45338R(1)	TRUCK, COMMERCIAL, 3,800 TO 10,000 POUNDS G.W., 4X2 (S/S BY KKK-T-723 REVIEWER: EL MC	A 2320	AT 15-NOV-78	AT	YD1 99
MIL-T-45339T	TRUCK, & TRUCK TRACTORS, COMMERCIAL, GASOLINE & DIESEL ENGINE DRIVEN, 14,000 TO 21,000 POUNDS G.W., 4X2 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: EL MC	A 2320	AT 15-NOV-78	AT	YD1 99
MIL-T-45340T	TRUCK AND TRUCK TRACTORS, COMMERCIAL, GASOLINE & DIESEL ENGINE DRIVEN, 24,000 TO 32,000 POUNDS G.W., 4X2 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: BS EL MC	A 2320	AT 15-JAN-79	AT	YD1 99
MIL-T-45341T	TRUCK & TRUCK TRACTORS, COMMERCIAL, DIESEL & GASOLINE ENGINE DRIVEN, 34,500 TO 64,000 POUNDS G.W., 6X4 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION REVIEWER: EL MC	A 2320	AT 15-JAN-79	AT	YD1 99
MIL-T-45350R(1)	TRUCK, UTILITY, COMMERCIAL, 3,200 TO 6,000 POUNDS G.W., 4X2 AND 4X4 (S/S BY KKK-T-645 AND FED STD 292) REVIEWER: EL MC	A 2320	AT 15-NOV-78	AT	YD1 99
MIL-T-45354T	TRUCK, & TRUCK TRACTORS, COMMERCIAL GASOLINE & DIESEL ENGINE DRIVEN, 16,000 TO 34,000 POUNDS G.W., 4X4 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: BS EL MC	A 2320	AT 15-FEB-79	AT	YD1 99
MIL-V-45363 SUPPL 1C1	VALVE CAP, VALVE CORE, VALVE SPUD, AND VALVE PNEUMATIC TIRE, REPAIR AND REPLACEMENT, FOR GROUND VEHICLES (USE 22-V-25) REVIEWER: 11	A 2640	MD 23-MAR-61	MD	YD1 84
MIL-A-45365H	AUTOMOBILES, SEDAN, EXECUTIVE (S/S BY KKK-A-811) REVIEWER: BS EL MC	A 2310	AT 15-AUG-74	AT	YD1 99
MIL-T-45366R(1)	TRUCK, COMPACT, COMMERCIAL, 5,200 TO 7,600 POUNDS G.W., 4 X 2 (USE KKK-T-723) REVIEWER: BS EL MC	A 2320	AT 15-NOV-78	AT	YD1 99
MIL-B-45368R	BUSES, MOTOR, SCHOOL WITH HIGH HEADROOM, 20, 28, 36, 44, 58 PASSENGER, 2 WHEEL DRIVE (USE KKK-B-1579) REVIEWER: MC	A 2310	AT 18-APR-83	AT	YD1 99
MIL-B-45370	BUS, MOTOR, COMMERCIAL, CITY TRANSIT, 45 PASSENGER, 4X2	A 2310	MD 15-AUG-61	MD	YD1 84
MIL-B-45372T	BUS, MOTOR, INTERCITY, 41 PASSENGER, 4X2 (S/S BY MIL-B-45371) REVIEWER: CR EL MC	A 2310	AT 29-APR-83	AT	YD1 99
MIL-S-45384G NOTICE 1	SEMITRAILERS, STAKE: COMMERCIAL (S/S BY KKK-S-2769) USER: MC	A 2330	YD1 30-APR-92	AT	YD1 99
MIL-T-45386E NOTICE 1	TRAILERS, BOLSTER, COMMERCIAL, POLE TYPE, 2 TO 20 TONS (S/S BY KKK-S-2768) USER: MC REVIEWER: MI	A 2330	YD1 14-AUG-91	AT	YD1 99
MIL-T-45392B	TRAILER, TANK, GENERAL PURPOSE, 500 GALLON, 2 AND 4 WHEEL, COMMERCIAL USER: MC	A 2330	AT 24-OCT-83	AT	YD1
MIL-T-45398H	TRUCKS, MAINTENANCE: WITH 30 TO 60 FT. MULTI-POSITION AERIAL PLATFORM, 15,000 TO 32,000 PDS G.W., 4X2 & 4X4, COMMERCIAL (S/S BY MIL-T-62518 REVIEWER: BA	A 2320	AT 15-FEB-86	AT	YD1 99
MIL-T-45568G NOTICE 1	TEST SET, TACHOMETER DWELL (NO S/S DOCUMENT) USER: AT REVIEWER: B2 ME	A 4910	AL 04-MAR-91	AL	YD1 99
L MIL-S-45571B NOTICE 1	SHEARING MACHINE, THROATLESS, HAND LEVER (S/S BY A-A-50312) USER: ME REVIEWER: GS	A 3445	AL 31-AUG-92	AL	
MIL-L-45591A	LIGHT, IGNITION TIMING: WITH INTEGRAL TIMING ADVANCE INDICATOR AND TACHOMETER USER: AT REVIEWER: CS	A 4910	AL 10-JUN-85	AL	YD1 99
L MIL-L-45594(2) NOTICE 2	LINK, CARTRIDGE, 20MM: M24 (NO S/S DOCUMENT)	A 1305	AR 02-OCT-92	AR	
MIL-O-45801F	OSCILLOSCOPE, ENGINE IGNITION ANALYZING, PORTABLE (NO S/S DOCUMENT) USER: AT REVIEWER: B2 MC	A 4910	AL 11-OCT-89	AL	YD1 99
MIL-T-45816A	TESTER, BRAKE, MOTOR VEHICLE, HEAVY DUTY, HYDRAULIC, UNIVERSAL	A 4910	AL 16-MAY-62	WC	YD1 82
MIL-C-45833C	CHUCKS, INDEPENDENT JAW (S/S BY A-A-51149) USER: MC YD1 REVIEWER: AS GS	A 3460	IP 26-MAR-86	AL	SH 99
MIL-S-45835A	SHEARING MACHINE, METAL SQUARING, FOOT OPERATED, GAP TYPE (USE MIL-S-23244A) USER: YD1 REVIEWER: BS	A 3445	WC 31-AUG-61	WC	SH 84
MIL-B-45857C NOTICE 1	BORING MACHINE, CAM AND MAIN BEARINGS (STATIONARY) (NO S/S DOCUMENT) USER: MC REVIEWER: B2	A 4910	AL 12-FEB-90	AL	YD1 99
L MIL-D-45867 NOTICE 2	DESTRUCTOR, WARHEAD, SINGLE POINT, TRAINING MISEL, LESS SAFING AND ARMING DEVICE (NO S/S DOCUMENT)	A 1135	AR 06-JUL-92	AR	
L MIL-S-45869 NOTICE 2	SWITCH, PRESSURE, FOR T4016 (T310) TEST SET (NO S/S DOCUMENT)	A 1190	AR 06-JUL-92	AR	
L MIL-A-45870 NOTICE 2	ALIGNMENT DEVICE, CARTRIDGE TO ATOMIC WARHEAD: H4168 (NO S/S DOCUMENT)	A 1190	AR 06-JUL-92	AR	
L MIL-M-45874 NOTICE 2	MOVEMENT ASSEMBLIES, TA AND TB, FOR M75 AK SURFACE-TO-SURFACE PLUG (NO S/S DOCUMENT)	A 1190	AR 06-JUL-92	AR	
L MIL-S-45879 NOTICE 2	STATIC TUBE - SELF ALIGNING M - 74 TRAINER (NO S/S DOCUMENT)	A 1135	AR 06-JUL-92	AR	
L MIL-T-45880 NOTICE 2	TEST SET, BARDSWITCH, T4016A (T310), PACKAGE 1 OF 2 (NO S/S DOCUMENT)	A 1135	AR 06-JUL-92	AR	
L MIL-L-45884 NOTICE 2	LANCE HANDLING EQUIPMENT (NO S/S DOCUMENT)	A 1190	AR 06-JUL-92	AR	
L MIL-R-45949A(1) NOTICE 1	REPAIR KIT, PUNCTURE, PNEUMATIC TIRE (S/S BY A-A-52442) USER: GL REVIEWER: ME SM	A 2640	AT 24-MAR-93	AT	
MIL-G-46012	GREASE, RAILROAD JOURNAL, ROLLER BEARING USER: SA REVIEWER: GL	A 9150	NR 22-JUN-65	NR	YD1 68
L MIL-E-46065B(1) NOTICE 2	ELECTRICAL CONTACT ALLOYS, PRECIOUS METALS (GOLD, SILVER, PALLADIUM, PLATINUM, AND IRIIDIUM) (S/S BY ASTM-B522, ASTM-B541, ASTM-B685, ASTM-B540, ASTM-B683, AND ASTM-B684) REVIEWER: AR ER	A 9545	NR 21-DEC-92	NR	
L MIL-P-46093A	PRIMER COATING, SYNTHETIC (FOR BRAKE DRUMS) REVIEWER: MI SM	A 8010	ME 03-NOV-87	ME	YD1
L MIL-U-46126 NOTICE 2	URANIUM ALLOY FOR BODY SECTION CENTER OF AMMUNITION COMPONENTS (NO S/S DOCUMENT) REVIEWER: AR	A 1395	ME 27-AUG-92	NR	
L MIL-T-46715E NOTICE 1	TRAILER, PIPE: FUEL LINE 25 TON (NO S/S DOCUMENT) REVIEWER: AT	A 2330	YD1 30-APR-90		YD1
MIL-B-46730W NOTICE 1	BUSES, MOTOR: WITH HIGH HEADROOM, 20 AND 28 PASSENGER, 4X4 (NO S/S DOCUMENT)	A 2310	AT 22-MAY-90	AT	YD1 99
MIL-T-46731P	TRUCK AND TRUCK TRACTORS, COMMERCIAL, GASOLINE & DIESEL ENGINE DRIVEN, 36,000 TO 60,000 POUNDS G.W., 6X6 (SEE NOTICE 1 FOR SUPERSEDING INFORMATION) REVIEWER: BS EL MC	A 2320	AT 15-APR-79	AT	YD1 99
MIL-T-46732B	TRAILER, TANK, POTABLE WATER, 400 AND 500 GALLON, 2-WHEEL, COMMERCIAL	A 2330	AT 24-OCT-83	AT	YD1 99
MIL-S-46733A	SEMITRAILER, STAKE, 6-TON, 2-WHEEL, M118A1 SEMITRAILER, STAKE, 12-TON, 4-WHEEL, M127A1 AND M127A1C (USE MIL-S-62034) USER: EL SH YD1	A 2330	AT 23-NOV-62	AT	MC 84
MIL-T-46738F NOTICE 1	TRAILERS, TILT DECK: COMMERCIAL (S/S BY KKK-S-2766) USER: MC ME	A 2330	YD1 02-DEC-91	AT	YD1 99
MIL-W-46740	WHEEL, FUEL CELL REVIEWER: YD1	A 2530	ME 06-DEC-62	ME	84
L MIL-T-46755B NOTICE 2	TIRES, PNEUMATIC AND TIRES, SEMIPNEUMATIC: INSTALLED ON VEHICLES, PREPARATION FOR STORAGE OF (NO S/S DOCUMENT) REVIEWER: MC SM	A 2540	AT 10-NOV-92	AT	
L MIL-M-46792/2C NOTICE 1	HEATER, VEHICULAR COMPARTMENT: MULTIFUEL BURNING, 24 VOLT DC CAPACITY 30,000 BTU PER HOUR (S/S BY MIL-M-62550/3)	A 2540	AT 12-MAR-93	AT	
L MIL-M-46792/3 NOTICE 1	HEATER, VEHICULAR COMPARTMENT: MULTIFUEL BURNING, 24 VOLT DC CAPACITY 60,000 BTU PER HOUR (S/S BY MIL-M-62550/1)	A 2540	AT 24-MAR-93	AT	
L MIL-C-46817B NOTICE 1	CONVERTER, AZIMUTH DATA (NO S/S DOCUMENT)	A 1430	MI 03-SEP-92	MI	
L MIL-I-46838B(1) NOTICE 1	INSULATING COMPOUND, ELECTRICAL, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING (S/S BY A-A-56023) USER: ME REVIEWER: AR GS	A 5970	MI 17-MAR-93	MI	
MIL-G-47034A NOTICE 1	GLASS, FILTER, COLORED (S/S BY A-A-52407) USER: MI REVIEWER: B4 GS	A 9340	AT 15-SEP-92	AT	AS 99
L MIL-C-47113B NOTICE 1	COMPOUND, HEAT SINK, SILICONE AND/OR NON-SILICONE (S/S BY A-A-56022)	A 6850	MI 02-OCT-92	MI	
L MIL-V-47307 NOTICE 1	VALVE, COUNTERBALANCE - RELIEF (NO S/S DOCUMENT) REVIEWER: CS	A 4820	MI 16-APR-93	MI	
L MIL-V-47322 SUPPL 1C1, NOTICE 2	VALVE, SELECTOR, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)	A 4820	MI 01-JUL-92	MI	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Off / On / Cancellation Notice	Document Number	Document Title	Doc. Ident. FSC / Aves	MCA Symbol	Preparing Act.	Date	Custodians			
							Army	Navy	Air Force	DLA
L	MIL-V-47322/1 NOTICE 2	VALVE, SELECTOR, MANUALLY OPERATED (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-V-47322/2 NOTICE 2	VALVE, SELECTOR, THREE-WAY, PILOT OPERATED (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-V-47322/3 NOTICE 2	VALVE, SELECTOR, MANUALLY OPERATED, STOMABLE HANDLE (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-V-47322/4 NOTICE 2	VALVE, SELECTOR, BASE, MOUNTING (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-V-47322/5 NOTICE 2	VALVE, SELECTOR, SOLENOID OPERATED (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-V-47322/6 NOTICE 2	VALVE, SELECTOR, BALL (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-V-47322/7 NOTICE 2	VALVE, SELECTOR, SOLENOID OPERATED (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-V-47322/8 NOTICE 2	VALVE, SELECTOR (NO S/S DOCUMENT) .....	A 4820	MI	01-JUL-92	MI				
L	MIL-W-48105 NOTICE 1	WASHER (NO S/S DOCUMENT) .....	A 5310	AR	09-APR-93	AR				
L	MIL-P-48194 NOTICE 2	PROPELLANT CHARGE NUCLEAR COMPONENT (NO S/S DOCUMENT) .....	A 1145	AR	06-JUL-92	AR				
L	MIL-P-48210 NOTICE 2	PINION AND BUSHING ASSEMBLY (NO S/S DOCUMENT) .....	A 1110	AR	06-JUL-92	AR				
L	MIL-L-48216 NOTICE 2	LATCH ASSEMBLY (MODIFIED) (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-B-48304(2) NOTICE 2	BATTERY, THERMAL, M17 (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-F-48306(1) NOTICE 2	FUZE, IMPACT, ATOMIC WEAPON: M1139 (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-X-48399 NOTICE 1	X-RAY ASSEMBLY, LIGHT WEIGHT ASSEMBLING AND PACKING (NO S/S DOCUMENT) .....	A 6635	AR	04-NOV-92	AR				
L	MIL-C-48524 NOTICE 2	CASE ASSEMBLY: "A" SECTION (NO S/S DOCUMENT) .....	A 1115	AR	06-JUL-92	AR				
L	MIL-B-48531(1) NOTICE 2	BATTERY THERMAL, M16 (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-H-48533 NOTICE 2	RELAY, MINATURE 6 PDT (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-S-48536 NOTICE 2	STATIC TUBE CONTAINER M-483 (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-M-48537 NOTICE 2	MOUNT, RESILIENT, FOR THE M5 BAROSWITCH (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-C-48539 NOTICE 2	CABLE ASSEMBLIES W15-F, W16-F, W17-F AND W18-F (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-T-48540 NOTICE 2	TEST PLUGS, ELECTRICAL, FOR XM75E1 (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-B-48777A NOTICE 2	BLOCK, BREECH, TRAINING, FOR PROJECTILE TRAINING, 8 INCH (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-B-48778A NOTICE 2	BASE PLUG, TRAINING, METAL PARTS (NO S/S DOCUMENT) .....	A 1110	AR	06-JUL-92	AR				
L	MIL-I-48799A NOTICE 2	IGNITER, INERT, TRAINING FOR PROJECTILE TRAINING, 8 INCH (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-T-48812 NOTICE 2	INSTRUCTOR'S CONTROL PANEL ASSEMBLY (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-T-48818 NOTICE 2	TEST SET, FINAL ASSEMBLY: T4014A (PACKAGE 1 OF 2) AND AUXILIARIES (PACKAGE 2 OF 2) (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-P-48819 NOTICE 2	PLUGS, ELECTRICAL, TRAINING, FOR M74 WARHEAD SECTION (NO S/S DOCUMENT) ....	A 1190	AR	06-JUL-92	AR				
L	MIL-W-48820 NOTICE 2	WARHEAD SECTION, TRAINING: M74, PACKING AND HANDLING (NO S/S DOCUMENT) ...	A 1115	AR	06-JUL-92	AR				
L	MIL-P-48821 NOTICE 2	PLUG, ELECTRICAL, SURFACE TO SURFACE, FOR M75E1 ADAPTION KIT (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-A-48822 NOTICE 2	ADAPTER, CONNECTOR: W5F-1 AND CABLE ASSEMBLY: W6F-1 (NO S/S DOCUMENT) ...	A 1135	AR	06-JUL-92	AR				
L	MIL-A-48826 NOTICE 2	ACTUATOR, EXPLOSIVE LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-D-48828 NOTICE 2	DESTRUCTOR, WARHEAD, SINGLE POINT, M13, M13E1 AND M14: SUBASSEMBLIES OR METAL PARTS (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-W-48829 NOTICE 2	WARHEAD SECTION ASSEMBLY MIKE HERCULES TRAINER M-74 (NO S/S DOCUMENT) .....	A 1115	AR	06-JUL-92	AR				
L	MIL-C-48830 NOTICE 2	CLAMP ADAPTER, CABLE TO CONNECTOR (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-H-48831 NOTICE 2	MOSE SECTION ASSEMBLY MIKE HERCULES TRAINER M74 (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-C-48832 NOTICE 2	CARTRIDGE ASSEMBLY & INSTRUCTOR'S CONTROL PANEL ASSEMBLY MIKE HERCULES TRAINER M-74 (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-C-48833 NOTICE 2	CIRCUIT, BAROSWITCH, GATING AND MONITORING, T-2034 (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-B-48834 NOTICE 2	BAROSWITCH SIMULATOR ASSEMBLY (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-D-48835 NOTICE 2	DESTRUCTORS, WARHEAD, SINGLE POINT, XM13, M13, AND M14 LESS M30A1 SAFING AND ARMING DEVICE (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-S-48837 NOTICE 2	SPARES, SAFETY ALLOWANCE, FOR T4016 (T310) BAROSWITCH TEST SET (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-W-48843 NOTICE 2	WIRING HARNESS, RELAY ASSEMBLY, TRAINING, FOR M109E1 (NO S/S DOCUMENT) ....	A 1135	AR	06-JUL-92	AR				
L	MIL-R-48846 NOTICE 2	RELAYS, APPATURE, TRAINING, FOR M75 ADAPTION KIT (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-T-48849 NOTICE 2	TRAINING PLUGS, ELECTRICAL, FOR M109E1 (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-S-49028 NOTICE 2	SHELTER, ELECTRICAL EQUIPMENT S-538( )/TSQ-84 (NO S/S DOCUMENT) .....	A 5410	CR	17-DEC-92	CR				
L	MIL-S-49433/1 NOTICE 1	SURFACE ACOUSTIC WAVE DEVICES, BANDPASS FILTER (NO S/S DOCUMENT) USER: MI REVIEWER: AV	A 5915	ER	04-FEB-93	ER				
L	MIL-P-50088A NOTICE 1	PURIFIER, AIR, M2A1 (NO S/S DOCUMENT) .....	A 4240	EA	19-FEB-93	EA				
L	MIL-W-50222(2) NOTICE 2	WRENCH, SPANNER: M-4194A (NO S/S DOCUMENT) .....	A 1190	AR	06-JUL-92	AR				
L	MIL-S-50389 NOTICE 2	SETTING MECHANISM ASSEMBLY (TRAINING) (NO S/S DOCUMENT) .....	A NUOR	AR	06-JUL-92	AR				
L	MIL-R-50431A(3) NOTICE 1	ROCKET, ME, 66PM, ANTITANK, M72A2, W/COUPLER OR M72A3, LOADING, ASSEMBLING AND PACKING (NO S/S DOCUMENT) REVIEWER: AR	A 1340	MI	01-MAR-93	MI				
L	MIL-C-50709 NOTICE 1	COPPER-BASE SINTERED BARS (OIL IMPREGNATED) (S/S BY ASTM-B328) .....	A 9530	AR	13-AUG-92	AR				99
L	MIL-I-50711 NOTICE 1	IRON-BASE SINTERED METAL BARS (OIL IMPREGNATED) (S/S BY ASTM-B328) USER: ME MI REVIEWER: MH	A 9510	AR	13-AUG-92	AR				99
L	MIL-W-50717A NOTICE 1	WATCH, WRIST, SUBMERSIBLE & NAVIGATION (S/S BY MIL-W-87967) USER: EC MC SA YDI REVIEWER: GS ME MI	A 6645	B2	31-DEC-84	AR	SM			99



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Doc / OMA Combination Machine	Document Number	Document Title	Doc. Smt. FSC / Area	MCA Symbol	Preparing Act	Date	Custodians			
							Army	Navy	AF Force	DLA
L	MIL-P-50834 NOTICE 2	PLUG, BASE, TRAINING, ATOMIC PROJECTILE (NO S/S DOCUMENT) .....	A 1110	AR	06-JUL-92	AR				
L	MIL-C-50835 NOTICE 2	CABLES W1-F, W2-F, W3-F, W4-F, W7-F, W8-F, W12-F AND W13-F (NO S/S DOCUMENT) .....	A 1135	AR	06-JUL-92	AR				
L	MIL-D-50836(1) NOTICE 2	DISC, CASE SUPPORT, TRAINING (NO S/S DOCUMENT) .....	A 1110	AR	06-JUL-92	AR				
	MIL-M-51075A	MIXING UNIT, IMPREGATING MATERIAL, SKID MOUNTED USER: MC REVIEWER: GS MD .....	A 4230	YD1	04-MAR-69	EA	YD1	99		
	MIL-C-51126B	CALCULATOR SET, NUCLEAR, ABC-M28 REVIEWER: AS YD1 .....	A 6665	EA	29-JUN-67	EA	SH	82		
	MIL-M-51151A	HERBICIDE, FENURON REVIEWER: GS MD .....	A 6840	EA	27-MAY-64	EA	YD1	68		
	DOD-M-51152C	HERBICIDE, DIURON (METRIC) (NO S/S DOCUMENT) REVIEWER: GS MD .....	A 6840	EA	05-APR-69	EA	YD1	68		
	MIL-M-51153B	HERBICIDE, MONURON USER: SM REVIEWER: GS .....	A 6840	EA	02-APR-71	EA	YD1	68		
	MIL-I-51319A	INSECTICIDE, PYRETHRIN, SPACE SPRAY, SYNERGIZED PYRETHRINS (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: GL GS MD .....	A 6840	EA	16-JAN-90	EA		68		
L	MIL-R-51344B NOTICE 2	ROCKET, INCENDIARY, 66MM, TPA, 4-ROUND CLIP, M74 OR M74A1 (NO S/S DOCUMENT) REVIEWER: EA .....	A 1340	NI	15-JUL-92	NI				
	MIL-M-52016C	MELTER, ICE AND SNOW, DIRECT FIRED: LIQUID FUEL, WICK-TYPE, BASE-MOUNTED, 25 GALLON PER HOUR (NO S/S DOCUMENT) REVIEWER: CS MC MD .....	A 4610	ME	21-NOV-90	ME	YD1	99		
	MIL-W-52027B	WATER PURIFICATION UNITS, ELECTRIC-MOTOR-DRIVEN, ERDLATOR-TYPE CLARIFIER, DIATOMITE-TYPE FILTERS, 1,500-GPM AND 3,000 GPM (USE MIL-W-52482, 52492 OR 52500) USER: MC REVIEWER: BS EL .....	A 4610	ME	13-JUL-62	ME	YD1	84		
	MIL-S-52028C	SWITCH, VEHICULAR IGNITION: WATERPROOF, STARTER AND MAGNETO, WITH DEGASSER CONTROL USER: MC ME REVIEWER: 99 ES .....	A 5930	AT	27-JAN-88	AT		85		
	MIL-P-52029D	PUMPING ASSEMBLIES, DEEP-WELL, GASOLINE-ENGINE DRIVEN: HELICAL-ROTOR AND TURBINE TYPES (NO S/S DOCUMENT) REVIEWER: CS .....	A 4320	ME	09-NOV-88	ME	YD1			
	MIL-T-52045A	TRACTOR, WHEELED, INDUSTRIAL, PNEUMATIC TIRED, DIESEL-ENGINE-DRIVEN, .....	A 2420	ME	03-JUN-63	ME	YD1			
	MIL-S-52066C	SPRAYER, INSECTICIDE, PUSH-CART MOUNTED, GASOLINE ENGINE DRIVEN, MIST TYPE, 30 GPM USER: MC REVIEWER: CE EA MD MS .....	A 3740	ME	02-NOV-72	ME	YD1	99		
	MIL-R-52067A	RERAILER, RAILWAY .....	A 2250	YD1	04-NOV-70	ME	YD1	99		
	MIL-H-52081A	HEATER, SPACE, ELECTRIC (LOCKERS AND CLOTHING CLOSETS) REVIEWER: CS .....	A 4520	YD1	15-OCT-73	YD1	99			
	MIL-M-52107C	MANIFOLD, FUEL, BULK TRANSFER, QUICK DISCONNECT CAM-LOCKING CONNECTIONS (USE MIL-M-82002) REVIEWER: CE CS .....	A 4730	ME	02-JUL-69	ME	YD1	82		
	MIL-M-52110F(1) NOTICE 1	NOZZLES, FUEL AND OIL SERVICING, NON-AUTOMATIC SHUTOFF AND NOZZLES, FUEL SERVICING, AUTOMATIC SHUTOFF (S/S BY A-A-52030) USER: CE CG MC REVIEWER: AV CS .....	A 4930	ME	20-DEC-91	ME	YD1			
	MIL-M-52111A(2)	NOZZLE FUEL SERVICING, NON-AUTOMATIC, ALUMINUM (S/S BY MIL-M-52110) USER: CG MI SM REVIEWER: MC .....	A 4930	GL	04-NOV-64	GL	YD1			
	MIL-W-52116D	WATER PURIFICATION UNITS, ELECTRIC MOTOR DRIVEN, ERDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, 600 GALLONS PER HOUR REVIEWER: EL MC MD .....	A 4610	99	11-NOV-71		YD1	99		
	MIL-S-52119A	SURVEYING INSTRUMENT, ELECTRONIC/OPTICAL, DISTANCE MEASURING, 30&KILOMETER RANGE USER: MC REVIEWER: GS .....	A 6675	ME	15-MAY-62	ME	YD1	82		
	MIL-C-52130A	CHAIN, DETACHABLE LINK, POWER TRANSMISSION AND CONVEYOR, AND ATTACHMENTS (STEEL) USER: MC SM .....	A 3020	ME	26-JUL-67	ME	YD1	82		
	MIL-S-52133A	STOPS, RAILWAY CAR .....	A 2250	YD1	10-APR-72	ME	YD1	99		
L	MIL-G-52140A	GENERATOR SET, GASOLINE ENGINE, 1.5 KW, DIRECT CURRENT, AIR COOLED, PORTABLE, TUBULAR FRAME, SHOCK-MOUNTED (USE MIL-G-52283A) REVIEWER: MC YD1 .....	A 6115	MD	21-AUG-62	MD				
	MIL-C-52145B	CHAIN, SILENT, 60 DEGREE INVERTED TOOTH, POWER TRANSMISSION USER: EL MC SM .....	A 3020	ME	11-MAR-75	ME	YD1	99		
	MIL-C-52151A	CRANES, WHEEL MOUNTED, FULL REVOLVING, GASOLINE, DIESEL, OR DIESEL-ELECTRIC POWERED USER: CE REVIEWER: SM .....	A 3810	YD1	30-SEP-66	ME	YD1	84		
L	MIL-F-52158C	FENCING, WIRE AND WOODEN PICKET AND SUPPORTING POSTS, METAL (S/S BY ASTM-F537 & ASTM-A702) REVIEWER: CS .....	A 5660	YD1	01-MAR-89		YD1			
	MIL-F-52170A	FINISHING MACHINE, CONCRETE PAVING, FORM-RIDING, LONGITUDINAL-FLOAT (20- TO 24-FOOT WIDTH) REVIEWER: EL .....	A 3895	YD1	03-JUL-62	MD	YD1			
	MIL-E-52171(1)	ETHYLENE OXIDE, TECHNICAL (NO S/S DOCUMENT) REVIEWER: GS .....	A 6830	EA	13-APR-89	EA	YD1			
	MIL-A-52174B NOTICE 2	ALUMINUM ALLOY DUCT SHEET (S/S BY ASTM-B209, ASTM-B209M, ANSI-H35.2, AND ANSI-H35.2M) USER: 11 AT GL YD1 REVIEWER: AR IS .....	A 9535	MR	04-MAR-92	MR		84		
	MIL-C-52178A(1)	CURING MACHINE, CONCRETE, FORM RIDING (20- TO 25-FOOT WIDTH) USER: CS MC ..	A 3895	YD1	16-SEP-63	MD	YD1			
	MIL-S-52185D	SPRAYER, INSECTICIDE, SKID MOUNTED, FOG, GASOLINE ENGINE DRIVEN, 40 GPM USER: CE CG REVIEWER: CS EA GL MC MD MS .....	A 3740	ME	20-MAY-76	ME	YD1	99		
	MIL-C-52197	CRANE-SHOVEL, CRAWLER MOUNTED, HIGH SPEED TRAVEL, DIESEL-ENGINE-DRIVEN ....	A 3810	84	27-OCT-61	MD	YD1			
	MIL-T-52198C	TAGLINES, CRANE AND CRANE-SHOVEL, SPRING-LOADED, REEL TYPE (S/S BY A-A-52015) USER: CE REVIEWER: CS .....	A 3815	ME	09-JAN-90	ME	YD1	99		
L	MIL-B-52216B NOTICE 1	BRIDGE, FIXED: LINE OF COMMUNICATION, HIGHWAY AND RAILWAY, COMPONENTS (NO S/S DOCUMENT) REVIEWER: MC .....	A 5420	ME	07-OCT-92	ME				
	MIL-M-52219A	MEMBRANE SURFACING, FABRIC, AND PREFABRICATED PANEL WITH COVER, FOR AIRFIELDS AND ROADS .....	A 5680	ME	13-FEB-64	ME	YD1	84		
	MIL-C-52223B	CHAIN, ROLLER, POWER TRANSMISSION, OFFSET SIDEBARS, SINGLE PITCH USER: CS MI .....	A 3020	ME	11-MAR-75	ME	YD1	99		
	MIL-M-52230A	HEATER, DUCT-TYPE, PORTABLE, 150,000 BTU/HR USER: CE MC REVIEWER: GL MI ...	A 4520	ME	12-DEC-67	ME	YD1	84		
	MIL-A-52247A	ADHESIVE, PAPER LABEL WATER RESISTANT (USE MPM-A-179) USER: EL MC MI SM REVIEWER: AR SA YD1 .....	A 8040	MR	18-JUN-63	MR	WP	69		
	MIL-T-52248	TRACTOR, FULL-TRACKED, LOWSPEED, DIESEL-ENGINE-DRIVEN, MEDIUM-DRAWBAR&PULL, LOW-GROUND-APRESSURE .....	A 2410	ME	26-SEP-62	ME	YD1			
	MIL-T-52249	TRACTOR, FULL TRACKED, LOW SPEED, LOW GROUND PRESSURE, DIESEL-ENGINE-DRIVEN, HEAVY DRAWBAR PULL REVIEWER: EL .....	A 2410	ME	28-SEP-62	ME	YD1	84		
	MIL-G-52282B	GENERATOR SET, GASOLINE-ENGINE-DRIVEN, 1.5-KW, ALTERNATING CURRENT, AIR-COOLED, PORTABLE, TUBULAR-FRAME, SHOCK-MOUNTED (USE MIL-G-52732) USER: AR MI REVIEWER: EL GS MC .....	A 6115	ME	23-MAY-68	ME	YD1	80		
	MIL-G-52283B	GENERATOR SET, GASOLINE-ENGINE-DRIVEN, 1.5-KW, DIRECT-CURRENT, AIR-COOLED, PORTABLE, TUBULAR-FRAME, SHOCK-MOUNTED (USE MIL-G-52732) USER: MI REVIEWER: CS EL GS .....	A 6115	ME	01-OCT-72	ME	YD1	80		
L	MIL-T-52289C NOTICE 1	TRACK SHIFTERS, RAILWAY, GASOLINE- OR DIESEL-ENGINE-DRIVEN (NO S/S DOCUMENT) .....	A 2230	ME	22-MAR-93	ME				
	MIL-B-52309B	BLANKET, FIRE: WOOL, WITH CASE (FUTURE PROCUREMENT USE A-A-50230) USER: MC REVIEWER: CS MD .....	A 4210	ME	01-JUL-87	ME	YD1	99		
L	MIL-P-52324	PAINT, OIL, ALKYL, EXTERIOR, WHITE & LIGHT TINTS (SEE TT-P-102D) .....	A 8010	YD1	26-SEP-63		YD1			
	MIL-L-52336	LEVEL, SURVEYING, ABNEY (USE GG-L-2608) REVIEWER: MC .....	A 6675	ME	22-NOV-63	ME	YD1	82		
L	MIL-K-52338B NOTICE 1	KEEPR ASSEMBLY: CABLEWAY, MEDIUM (NO S/S DOCUMENT) REVIEWER: CS .....	A 5420	ME	30-JUN-92	ME				
	MIL-P-52350	PAPER, ASBESTOS (S/S BY MM-P-1784) .....	A 5640	ME	14-FEB-64	ME	YD1	84		
	MIL-B-52361A	BACKHOE, CRANE-SHOVEL, 3/4-CUBIC-YARD USER: CE MC REVIEWER: 84 .....	A 3815	ME	13-JAN-70	ME	YD1			
L	MIL-T-52369B NOTICE 1	TOWER ASSEMBLY: CABLEWAY, MEDIUM (NO S/S DOCUMENT) REVIEWER: CS .....	A 5420	ME	30-JUN-92	ME				
	MIL-H-52382	HEATER, SPACE, COAL FIRED (CANNON STOVE TYPE) USER: MC REVIEWER: BS .....	A 4520	ME	26-AUG-64	ME	YD1	84		
	MIL-C-52400	CHAIN, LEAF USER: GL MC .....	A 3020	ME	20-NOV-64	ME	YD1	82		
	MIL-S-52403	SPROCKET WHEELS FOR POWER TRANSMISSION AND CONVEYING CHAINS USER: EL MC REVIEWER: MI .....	A 3020	ME	13-JAN-65	ME	YD1	99		
	MIL-P-52415B(3)	PAIL, RUBBER OR PLASTIC, GRADUATED (S/S BY FED SPEC L-P-65) REVIEWER: GL YD1 .....	A 7240	ME	11-AUG-71	ME		99		
	MIL-C-52433	CHAIN, ROLLER, HARDENED STEEL BUSHING, STRAIGHT SIDEBAR, CONVEYING AND ATTACHMENT .....	A 3020	ME	13-MAY-65	ME	YD1	82		
	MIL-C-52436	CHAIN, ROLLERLESS HARDENED STEEL BUSHINGS, STRAIGHT SIDEBARS, CONVEYING, AND ATTACHMENTS USER: MC .....	A 3020	ME	22-JUL-65	ME	YD1	82		
	MIL-C-52442	CHAIN, COMBINATION, CAST PEARLITIC MALLEABLE IRON LINKS, STEEL SIDEBARS, CONVEYING, AND ATTACHMENTS USER: GL .....	A 3020	ME	20-JUL-65	ME	YD1	82		



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action CPL / Olt Coordination Institute Document Number	Document Title	Doc. Syst. FAC / Inst MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
MIL-C-52454	CHAIN, PINTLE, CAST PEARLITIC MALLEABLE IRON LINKS, POWER TRANSMISSION AND CONVEYING, AND ATTACHMENTS USER: MC REVIEWER: GL	A 3020 ME 10-SEP-65 ME	YD1 82
MIL-G-52458A	GENERATOR SET, GASOLINE ENGINE DRIVEN, 0.5 KW, DC, AIR-COOLED, PORTABLE, TUBULAR-FRAME, SHOCK-MOUNTED (USE MIL-G-52732/3) USER: MI REVIEWER: CS EL GS	A 6115 ME 06-MAY-68 ME	YD1 80
L MIL-P-52474B NOTICE 1	PUMP, CENTRIFUGAL, WATER, DIESEL-ENGINE-DRIVEN, 4-INCH, 600 GPM AT 50 FEET TOTAL HEAD (NO S/S DOCUMENT) USER: MC	A 4320 ME 25-JUN-92 ME	
L MIL-H-52444B	HOSE, RUBBER; OIL SUCTION, WIRE-REINFORCED (S/S BY A-A-52413) REVIEWER: CS	A 4720 AT 18-JAN-93 AT	
L MIL-P-52565D NOTICE 1	PUMP, CENTRIFUGAL; SELF-PRIMING, DIESEL-ENGINE-DRIVEN, WHEEL MOUNTED, 6-INCH, 1500 GPM AT 60 FOOT HEAD (NO S/S DOCUMENT)	A 4320 ME 07-OCT-92 ME	
MIL-T-52573D	TANK, FABRIC, COLLAPSIBLE, 10,000 GALLON, PETROLEUM (USE MIL-T-52983) REVIEWER: 99 CS MC	A 5430 ME 01-SEP-78 ME	YD1 11
MIL-T-52583(1)	TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, GENERAL SPECIFICATION FOR USER: MC REVIEWER: AT	A 2610 ME 21-JUL-87 ME	YD1
MIL-T-52583/1(1)	TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, 18.00-25, 12 PR, SAND, AMPHIBIOUS USER: CS MC REVIEWER: AT	A 2610 ME 21-JUL-87 ME	YD1
MIL-T-52583/2	TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, 24.00-29, 16 PR, SAND, AMPHIBIOUS USER: CS MC REVIEWER: AT CS	A 2610 ME 21-JUL-87 ME	YD1 99
MIL-T-52583/3	TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, 36.00-41, 48 PR, EARTHMOVER, AMPHIBIOUS USER: CS MC REVIEWER: AT CS	A 2610 ME 21-JUL-87 ME	YD1 99
MIL-T-52583/4	TIRE, PNEUMATIC, LARGE SIZE, OFF THE ROAD, SPECIAL, WIDEBASE 23-21 ML USER: CS	A 2610 ME 21-JUL-87 ME	YD1
L MIL-B-52589C NOTICE 1	BOOM, CENTERPOLE, BOLTED TANK ERECTION (NO S/S DOCUMENT) REVIEWER: AT CS ..	A 3950 ME 30-JUN-92 ME	
L MIL-M-52590B NOTICE 1	MUFFLERS, EXHAUST, INTERNAL COMBUSTION ENGINE, GENERAL PURPOSE (NO S/S DOCUMENT) USER: CE	A 2990 ME 12-MAR-93 ME	
L MIL-G-52595C NOTICE 1	GIN POLE, BOLTED TANK ERECTION (NO S/S DOCUMENT) REVIEWER: AT CS .....	A 3950 ME 30-JUN-92 ME	
L MIL-H-52597 NOTICE 1	HEATER, SPACE, ELECTRIC, RADIANT USER: MC REVIEWER: CE .....	A 4520 ME 09-JAN-68 ME	YD1 84
L MIL-C-52614B NOTICE 1	CHAIN, BRIDGE ERECTION (NO S/S DOCUMENT) REVIEWER: CS .....	A 3950 ME 23-FEB-93 ME	
MIL-S-52615A	SINK, WASHROOM, SULLERY, AND SERVICE, FLAT RIM, WESTABLE (USE WW-P-541/5) USER: EL GL YD1 REVIEWER: CE CS MD	A 4510 ME 21-APR-75 ME	99
MIL-A-52628B	ANCHOR, PROPELLANT EMBEDDED (NO S/S DOCUMENT) REVIEWER: CS .....	A 3835 ME 28-FEB-89 ME	YD1
L MIL-A-52670A(1)	AIR-CONDITIONING COMPONENT: FAN-COIL ROOM UNITS (NO S/S DOCUMENT) USER: CE	A 4130 YD1 17-MAR-89 ME	YD1
L MIL-C-52707D NOTICE 1	COVER, FOXHOLE, OVERHEAD PROTECTION (NO S/S DOCUMENT) REVIEWER: GS .....	A 4240 ME 30-NOV-92 ME	
MIL-M-52750	HORN, ELECTRICAL AND FLUID OPERATED USER: AT MC YD1 REVIEWER: GS .....	A 6350 ME 14-MAR-73 ME	SH
MIL-C-52753	CHARGING SYSTEM, ALTERNATOR AND VOLTAGE REGULATOR, ENGINE ACCESSORY, 28 VOLT, 35 AMPERE USER: AT MC YD1 REVIEWER: OS	A 2920 ME 22-MAR-73 ME	82
MIL-T-52754	TESTER, DENSITY, & MOISTURE (SOIL & ASPHALT), NUCLEAR METHOD (USE GG-T-2025 OR MIL-T-52814) USER: GL REVIEWER: GS MC	A 6635 ME 27-MAR-73 ME	YD1
MIL-T-52766A	TANK, FABRIC, COLLAPSIBLE, 50,000 GALLON, PETROLEUM (S/S BY MIL-T-52983) REVIEWER: CS MC	A 5430 ME 07-SEP-77 ME	YD1 99
L MIL-C-52774A(2) NOTICE 1	CRADLE, 27 FOOT BRIDGE ERECTION BOAT (S/S BY MIL-B-53003) .....	A 5420 ME 07-OCT-92 ME	
MIL-B-52775B	BARBED TAPES, OBSTACLE, GENERAL PURPOSE AND BARBED TAPE, FENCE TOPPING (S/S BY MIL-B-52489D) USER: MC	A 5660 ME 09-APR-86 ME	YD1
MIL-T-52777A NOTICE 1	TANKS, STORAGE, UNDERGROUND, GLASS FIBER REINFORCED PLASTIC (S/S BY ASTM-D4021) USER: AT AV CE REVIEWER: CS	A 5430 ME 09-DEC-91 ME	YD1 99
L MIL-S-52848A	SURVEYING INSTRUMENT, DISTANCE MEASURING, MEDIUM RANGE, INFRARED (USE MIL-S-53046) USER: YD1 REVIEWER: GS	A 6675 ME 26-OCT-84 ME	
L MIL-C-52870A NOTICE 1	CONVEYOR, FLAT BELT, PORTABLE, GASOLINE-ENGINE DRIVEN (NO S/S DOCUMENT) USER: CE REVIEWER: CS	A 3910 ME 11-FEB-93 ME	
MIL-M-52892 NOTICE 1	MEMBRANE SET, HEAVY DUTY, AIRFIELD SURFACING, PACKAGING OF (NO S/S DOCUMENT)	A 5680 ME 09-JAN-90 ME	YD1 84
MIL-B-52919A	BELTS, V: INDUSTRIAL DRIVE, NARROW TYPE (S/S BY A-A-52422) USER: AR ER MC	A 3030 AT 12-JAN-93 AT	99
MIL-T-52944A NOTICE 1	TRUCK, FIREFIGHTING; DRY CHEMICAL AND AFF, 4 BY 4, COMMERCIAL (NO S/S DOCUMENT)	A 4210 ME 05-JAN-93 ME	99
L MIL-T-52944A(11) NOTICE 1	TRUCK, FIREFIGHTING; DRY CHEMICAL AND AFF, 4 BY 4, COMMERCIAL (NO S/S DOCUMENT)	A 4210 ME 05-JAN-93 ME	
MIL-D-52975 NOTICE 1	DRAWING BOARD, ILLUMINATED, PORTABLE (S/S BY A-A-52031) USER: YD1	A 6675 ME 25-FEB-92 ME	99
MIL-S-53018 NOTICE 1	SEALER, WELD-THROUGH FOR OVERLAPPING SURFACES (NO S/S DOCUMENT) .....	A 8010 ME 12-OCT-90 ME	YD1
MIL-P-53032 NOTICE 1	PRIMER COATING, WATER REDUCIBLE, EPOXY ESTER-LATEX TYPE, LEAD AND CHROMATE FREE (NO S/S DOCUMENT) USER: AT REVIEWER: MR	A 8010 ME 25-JUN-92 ME	YD1
L DOD-B-53061 NOTICE 1	BELTS, V: POLYURETHANE (NO S/S DOCUMENT) REVIEWER: B2 .....	A 3030 AT 18-MAR-93 AT	YD1 99
L MIL-H-53062(2) NOTICE 1	HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, COLLAPSIBLE 6 INCH FOR POL SERVICE (S/S BY MIL-H-0053073)	A 4720 ME 07-OCT-92 ME	
MIL-F-54000A	FUMIGATION KIT, PORTABLE REVIEWER: CE CS MC MD MS .....	A 3740 ME 06-FEB-67 ME	YD1
MIL-P-54005B	PUMP, CENTRIFUGAL, FOR WATER, 1-INCH ELECTRIC-MOTOR-DRIVEN, 10-GPM AT 80-FOOT TOTAL HEAD	A 4320 ME 14-DEC-72 ME	YD1
MIL-P-55010A	PLASTIC SHEET, POLYETHYLENE TEREPHTHALATE (S/S BY A-A-56021) USER: CG ER GL MC REVIEWER: GS MD MR	A 9330 MI 17-JUL-91 MI	YD1 99
MIL-M-55392A	NICKEL-CARBON, PONDUS, ELECTRODEPOSITED, FOR CAMOUFLAGE (NO S/S DOCUMENT) REVIEWER: AR OR EC MR YD1	A MFP ER 11-FEB-89 ER	SH 11
MIL-P-55624/1	PROTECTOR, ELECTRICAL, COMMUNICATION CIRCUITS FUSED, WITHOUT COVER, STYLE P1 (USE MIL-P-55624/4) USER: AT MC MC REVIEWER: 11 80 ES MI SG	A 5920 EL 15-NOV-71 EL	YD1 85
MIL-P-55624/2A	PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS FUSED, WITH COVERS, STYLE P2 (USE MIL-P-55624/4) USER: AT MC ME REVIEWER: 11 80 AR ES MI SG	A 5920 EL 20-MAR-74 EL	YD1 85
MIL-P-55624/5 NOTICE 1	PROTECTORS, ELECTRICAL COMMUNICATIONS CIRCUITS, ARRESTER ASSEMBLY, CARBON BLOCK, TYPE A1 (NO S/S DOCUMENT) USER: AT MC REVIEWER: 11 99 EC ES MI	A 5920 ER 30-JAN-91 ER	YD1 80
MIL-P-55624/6 NOTICE 1	PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, ARRESTER ASSEMBLY, CARBON DISC, FAIL SAFE (FS), TYPE A2 (NO S/S DOCUMENT) USER: AR AT MC REVIEWER: 11 99 EC ES MI	A 5920 ER 30-JAN-91 ER	YD1 80
MIL-P-55624/7 NOTICE 1	PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, ARRESTER ASSEMBLY, GAS TUBE, FAIL SAFE (FS), TYPE A3 (NO S/S DOCUMENT) USER: AR AT MC REVIEWER: 11 99 EC ES MI	A 5920 ER 30-JAN-91 ER	YD1 80
MIL-P-55624/8 NOTICE 1	PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, ARRESTER ASSEMBLY, GAS TUBE, TYPE A4 (NO S/S DOCUMENT) USER: AR AT MC REVIEWER: 11 99 EC ES MI	A 5920 ER 30-JAN-91 ER	YD1 80
MIL-P-55624/9 NOTICE 1	PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS FUSE, CLASS F1 (NO S/S DOCUMENT) REVIEWER: 11 99 EC ES MI	A 5920 ER 30-JAN-91 ER	YD1 80
MIL-P-55624/10 NOTICE 1	PROTECTORS, ELECTRICAL COMMUNICATION CIRCUITS, FUSE, CLASS F2 (NO S/S DOCUMENT) USER: AT MC REVIEWER: 11 99 AR EC ES MI	A 5920 ER 30-JAN-91 ER	YD1 80
MIL-P-55624/11B	PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS ARRESTER ASSEMBLY, GAS TUBE, 3 ELECTRODE, TYPE A5 USER: AT MC ME REVIEWER: 99 EC ES	A 5920 ER 26-JUN-87 ER	YD1 85
MIL-P-55624/12B	PROTECTOR, ELECTRICAL COMMUNICATION CIRCUITS, FAIL SAFE SHORT, WITH SPARK GAP, AIR GAP BACKUP, COVER USER: AT MC ME SH REVIEWER: 11 AR ES MI	A 5920 ER 26-JUN-87 ER	YD1 85
L MIL-S-55694A NOTICE 2	SMELTER, ELECTRICAL EQUIPMENT S-391( )/TC-30 (NO S/S DOCUMENT) .....	A 5410 CR 17-DEC-92 CR	
MIL-L-58009B	LOCOMOTIVES, DIESEL & ELECTRIC & ASSOCIATED EQUIPMENT, INSPECTION & TESTING OF USER: YD1	A 2210 ME 19-MAY-75 ME	99



**NUMERICAL LISTING  
MILITARY SPECIFICATIONS**

867



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Item Qty / Cals. Coordination Notice Document Number	Document Title	Dist. Smt. FSC Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
L MIL-S-81039A NOTICE 1	SWITCH, HYDROSTATIC, MARK 110 MOD 0 (NO S/S DOCUMENT) REVIEWER: MI	A 1350 OS 15-OCT-92	OS			
L MIL-C-81175D	CRANES, HYDRAULIC, WHEEL MOUNTED, 4 X 4, FULL REVOLVING, 15-TON CAPACITY, RED (S/S BY MIL-C-28614) REVIEWER: CS	A 3810 YDI 01-JUL-88	YDI			
L MIL-T-81189(1)	TRANSFORMER, POWER ISOLATION, MULTIPLE CIRCUIT, AIRPORT LIGHTING REVIEWER: ES MI YDI	A 5950 AS 09-FEB-67	AS			
Q MIL-B-813748	BARRIER MATERIAL, GREASEPROOF, WATERPROOF, FLEXIBLE, HIGH STRENGTH USER: AV EC MC REVIEWER: 99 AR EL GL GS OS SA SM YDI	A 8135 AS 21-JUN-71	ME AS 69			
L MIL-I-81400 NOTICE 1	INSTRUMENTS, AIRCRAFT, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)	A 6610 AS 30-SEP-92	AS			
Q MIL-P-81598A	PLASTIC SHEETS, FLEXIBLE, WEATHER RESISTANT, HEAT SEALABLE, FOR OUTDOOR STORAGE USE USER: MC MI OS YDI REVIEWER: 99 ME SM	A 8135 AS 30-NOV-83	GL AS 69			
L MIL-F-81739 NOTICE 1	FUZE FLARE MK 364 MOD 0 (NO S/S DOCUMENT)	A 1370 AS 15-JAN-93	AS			
L MIL-B-81847A	BAG, FLEXIBLE, ELECTROSTATIC FREE WATERVAPORPROOF, HEAT SEALABLE (USE MIL-B-117 USER: GS EL YDI REVIEWER: 99 OS SM)	A 8105 AS 08-JUN-73	GL AS 69			
MIL-S-82003C	SNOW PLOW, TRUCK MOUNTED, WITH ROLLER BLADE 50,000 POUND GAW, 4 X 4 (S/S BY MIL-S-17794) USER: AV REVIEWER: CE	A 3825 YDI 28-MAR-86	ME YDI			
L MIL-G-82004	GENERATOR SET, GASOLINE ENGINE, TRAILER MOUNTED, 7-1/2 KW, 54 VOLTS, DIRECT CURRENT	A 6115 YDI 23-JUN-64	YDI			
L MIL-F-82005	FOG GENERATOR, BACTERIOLOGICAL DECONTAMINATION, PORTABLE	A 4230 YDI 26-JUN-64	YDI			
L MIL-T-820068	TOOL ROOM, PORTABLE (USE MIL-S-28633)	A 5410 YDI 15-SEP-69	YDI			
L MIL-S-82007C	SNOW REMOVAL UNIT, SELF PROPELLED, DIESEL ENGINE DRIVEN, 448000 LB. GVM (S/S BY MIL-S-17041)	A 3825 YDI 26-JAN-85	YDI			
L MIL-T-820098 NOTICE 1	TONGS, MATERIAL LIFTING, PIPE (S/S BY GGG-T-2761) REVIEWER: IS	A 3940 YDI 05-JUN-91	YDI			
L MIL-B-82010A	BUCKET, ORANGE PEEL	A 3815 YDI 08-JUN-70	YDI			
L MIL-T-82011B	TRUCK, MAINTENANCE, POWER LINE INSULATOR WASHER, 28,000 POUNDS GVM, 4 BY 4 TRAILER, HOSE AND TANK, AIRBORNE REVIEWER: GS	A 2320 99 30-NOV-84	AT YDI 84			
L MIL-T-82012B	PLATFORM, PIPELINE LAUNCHING AND RETRIEVING: SUBMARINE FUEL LINES (NO S/S DOCUMENT) REVIEWER: CS	A 3920 YDI 19-AUG-83	YDI			
L MIL-P-82013C	GENERATOR SET, UNINTERRUPTIBLE POWER, UNCOUPLED INERTIA SYSTEM, ALTERNATING CURRENT, SHORE USE, 10 KW THROUGH 200 KW REVIEWER: GS	A 3835 YDI 15-AUG-88	ME YDI			
L MIL-G-82014	WASHING AND SCREENING PLANT, AGGREGATE, ELECTRIC-MOTOR-DRIVEN, TRAILER MOUNTED, 75 TONS PER HOUR (USE MIL-W-52125)	A 6115 YDI 29-MAR-65	YDI			
L MIL-W-82016	GENERATOR SET, GASOLINE ENGINE, TUBULAR FRAME MOUNTED, 1.5 KW, 120 VOLTS, SINGLE PHASE, 1.0 POWER FACTOR, ALTERNATING CURRENT, 60 CYCLES (SEE MIL-STD-633) REVIEWER: GS	A 3820 YDI 01-JUN-65	YDI			
L MIL-G-82018	FLOODLIGHT SET, ELECTRIC, SELF-CONTAINED, TRAILER MOUNTED, WITH SIX 500-WATT FLOODLIGHTS (USE MIL-F-29161) USER: MC REVIEWER: GS	A 6115 YDI 03-JUN-65	YDI			
L MIL-F-82019	MONORAIL TRACK BEAM SYSTEMS FOR TROLLEY SUSPENDED HOISTS (S/S BY ANSI-M42.1-81)	A 6230 YDI 24-JUN-65	YDI			
L MIL-M-820218 NOTICE 1	PROPELLING UNIT, OUTBOARD, DIESEL-ENGINE-DRIVEN, 40 BY 28 PROPELLER (4,200 LB THRUST AT 528 RPM) (USE MIL-P-15916C)	A 3950 YDI 12-NOV-91	YDI			
L MIL-P-82022(1)	MAGNET SHEEPER, ROAD, WHEEL MOUNTED, 96 INCH DITCHING MACHINE, LADDER TYPE 5-1/2 FOOT DEPTH, CRAWLER MOUNTED, DED (USE MIL-D-633) USER: MC	A 2010 YDI 03-MAR-66	YDI			
L MIL-M-82023(2)	SAW, HORIZONTAL BAND, METAL CUT OFF, LIGHT DUTY (S/S BY MIL-S-45814A)	A 3830 YDI 03-JUL-74	YDI 99			
L MIL-D-82024A	VALVES, DIAPHRAGM, STOP(S/S BY MSS SP-88)	A 3805 YDI 24-MAY-68	ME YDI 84			
L MIL-S-82025	COOKER, STREAM, VEGETABLE (SPEED) (USE FED SPEC S-C-1474) REVIEWER: BS GS MC MD MS	A 3419 YDI 08-JUL-64	YDI			
L MIL-V-82026A	HEATER, WATER, OIL- OR GASOLINE-FIRED, SKID-MOUNTED (USE MIL-W-29209)	A 4820 YDI 16-NOV-84	YDI			
L MIL-C-82027A	STAPLER, BOOK AND PAMPHLET, PEDESTAL-MOUNTED USER: EL SM REVIEWER: BS GS	A 7310 YDI 17-FEB-67	GL YDI 84			
L MIL-W-82028	ICE-MAKING MACHINE, CUBE AND CRUSHED (USE MIL-I-11867) REVIEWER: GS	A 4520 YDI 30-SEP-64	YDI			
L MIL-S-82029	DISPENSER, CREAM, LIQUID USER: GS MC REVIEWER: GS MC MD MS SA	A 3610 GL 13-OCT-64	GL YDI 84			
L MIL-I-82030A	PANTRY UNIT (NO S/S DOCUMENT) REVIEWER: MD MS	A 4110 YDI 17-MAR-71	YDI			
L MIL-D-82031A	TRUCK, BULK FOOD SERVICE, HEATED (ELECTRICALLY), CABINET TYPE (USE MIL-T-82045A) USER: OS SA REVIEWER: GS MC MD MS	A 7310 YDI 06-SEP-74	GL YDI 99			
L MIL-P-82032A	DAMPER, PRESSURE FLUID (FOR WATER-HAMMER)	A 7310 YDI 28-DEC-64	GL YDI 84			
L MIL-T-82034	GRINDING MACHINE, ROCK BIT, DRY GRIND REVIEWER: GS	A 4730 YDI 24-MAR-65	YDI			
L MIL-D-82036	FOOD PREPARATION CENTER, MODULAR CONSTRUCTION, ELECTRIC AND GAS, STAND-MOUNTED USER: CE REVIEWER: GS MC MD MS	A 3415 YDI 28-FEB-75	YDI			
L MIL-G-82038A	COMPOSING STICK, COPY LINE, PHOTOLITHOGRAPHIC REVIEWER: BS GS	A 7310 YDI 08-APR-71	GL YDI 99			
L MIL-F-82039(1)	PUMP, CENTRIFUGAL, GASOLINE ENGINE DRIVEN (125 G.P.M. AT 231 FOOT HEAD) ... OILERS, AIRLINE (S/S BY A-A-50492)	A 3610 GL 21-APR-65	GL YDI 84			
L MIL-C-82040	CABINET, REFRIGERATED, SELF CONTAINED, MOBILE USER: GS REVIEWER: GS MD	A 4320 YDI 05-MAY-65	YDI			
L MIL-P-82041	SPRAY OUTFIT, PAINT (AIRLESS, RECIRCULATION TYPE, ELECTRICALLY HEATED)	A 4930 YDI 23-MAY-90	YDI			
L MIL-D-82042C NOTICE 1	TRUCK, FOOD SERVICE, ELECTRIC HEATED, CABINET TYPE, MOBILE USER: OS REVIEWER: 11 GS MC MD	A 4110 YDI 30-SEP-75	GL YDI 99			
L MIL-C-82043A	DISPENSER, TABLEWARE, FIXED SHELF REVIEWER: MC MD	A 4940 YDI 07-JUL-65	YDI			
L MIL-S-82044	FORCE, OIL BURNING, BLACKSMITH TYPE, SELF CONTAINED (NO S/S DOCUMENT) REVIEWER: GS	A 7320 GL 10-NOV-83	GL YDI 99			
L MIL-T-82045A	WATER FILTRATION AND PURIFICATION UNIT, DIATOMACEOUS EARTH TYPE	A 7320 GL 30-JUL-86	GL YDI 99			
L MIL-D-82046(1)	INHIBITOR, CORROSION, BASIC MAGNESIUM SULFONATE (FOR USE WITH LUBRICATING) REVIEWER: GS	A 3424 YDI 15-AUG-88	YDI			
L MIL-F-82048B	COATING COMPOUND, WATERPROOFING, MINERAL-FILLED, SOLVENT-TYPE, ASPHALT-BASE	A 4610 YDI 06-JUN-72	YDI			
L MIL-W-82050A	CHAIR, FOLDING, STEEL, FOR FIELD OFFICE USE	A 6850 YDI 23-MAR-64	YDI			
L MIL-I-82051	PIPE AND FITTINGS ASBESTOS REINFORCED THERMOSETTING PLASTIC	A 8010 YDI 18-JUL-72	YDI			
L MIL-C-82052A	FURNITURE, WOOD FRAME, LAMINATED PLASTIC-SURFACED PANEL-TYPE FOR BOQ S USER: GL	A 7105 YDI 05-MAY-65	YDI			
L MIL-P-82053	PIPE AND PIPE FITTINGS, PLASTIC, FOR DRAIN, WASTE, AND VENT SERVICE (USE ASTM D 2661 AND ASTM D 2665)	A 4710 YDI 07-JAN-66	YDI			
L MIL-F-82054	FURNITURE, SOFAS, SETTEES, AND EASY CHAIRS FOR BACHELOR QUARTERS USER: GL	A 7105 YDI 10-MAY-68	YDI			
L MIL-T-82055(1)	FOG GENERATOR, INSECTICIDAL, THERMAL AEROSOL TYPE PORTABLE (HAND CARRIED) USER: CS	A 4710 YDI 27-MAY-69	YDI			
L MIL-P-82056(1)	SEMITRAILER, MOBILE DENTAL UNIT	A 7105 YDI 22-MAR-68	YDI			
L MIL-F-82059	DISTRIBUTOR, WATER, TANK-TYPE, SEMITRAILER MOUNTED, 4,000-GALLON	A 3740 YDI 31-OCT-66	YDI			
L MIL-F-82060	TRACTOR, FULL-TRACKED, COMMERCIAL, LOW SPEED, DIESEL-ENGINE-DRIVEN, WITH HYDRAULIC SCRAPER AND DOZER CONTROLS	A 2330 YDI 06-MAR-84	YDI			
L MIL-W-82065A	WINCH, 2 DRUM AND 3 DRUM, DIESEL ENGINE DRIVEN, THREE STAGE TORQUE CONVERTER TYPE (USE MIL-W-29158)	A 3825 YDI 02-JUL-84	YDI			
L MIL-T-82066	TRACTOR, WHEELED, INDUSTRIAL, DIESEL-ENGINE-DRIVEN, 4X4, 4-WHEEL INDEPENDENT STEER, (FOR USE WITH 18-CUBIC YARD STRUCK CAPACITY SCRAPER)	A 2410 YDI 23-JAN-67	YDI			
L MIL-S-82067	SCRAPER, TOWED, 18 CUBIC YARD, 4-WHEEL, 6-LINE, HYDRAULIC SYSTEM	A 3950 YDI 16-AUG-68	YDI			
L MIL-C-82069C NOTICE 1	CYLINDER RECONDITIONING AND CORRECTION EQUIPMENT: PORTABLE (S/S BY GGG-C-2773) USER: ME REVIEWER: BA	A 2420 YDI 14-SEP-65	YDI			
L MIL-T-82070B	TIRE IRON, TIRE AND RIM SERVICING USER: GL	A 3805 YDI 14-JEP-65	YDI			
L MIL-B-82071(2)	BUILDING, PREFABRICATED, READY-CUT, METAL, GOTHIC ARCH RIB, 20 BY 48 FEET	A 5110 YDI 12-MAR-92	GL YDI 99			
L MIL-B-82072	BUILDING, PREFABRICATED, READY-CUT, METAL RIGID FRAME, CABLE ROOF, 20 BY 48 FT	A 5120 YDI 21-SEP-83	YDI 99			
L MIL-T-82073D NOTICE 1	TRUCKS, LUBRICATING AND FUEL SERVICING 4 BY 2 AND 4 BY 4 (S/S BY KKK-T-2807) USER: MC	A 5410 YDI 06-DEC-65	YDI			
		A 5410 YDI 06-DEC-65	YDI			
		A 2320 YDI 12-NOV-92	AT YDI			



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Action Chg / CMA Coordination Incls	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Act	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-G-82074	GENERATOR SET, DIESEL ENGINE, BRUSHLESS, SKID-MOUNTED, ALTERNATING CURRENT, 500 KW, 2400/4160V VOLTS, 3-PHASE, 60-CYCLE (SEE MIL-STD-633) REVIEWER: GS	A 6115	YD1	27-DEC-65	YD1			
L	MIL-C-820758	CAMEL AND SEPARATOR, MARINE (FOR SUBMARINE BERTHING) (S/S BY NAVFAC STANDARD SPECIFICATION NFSS C46)	A 1945	YD1	31-DEC-88	YD1			
L	MIL-S-82076C	SEMITRAILER, FLAT BED, COMMERCIAL, TELESCOPING TYPE BODY USER: ME	A 2330	YD1	24-DEC-86	AT	YD1		
L	MIL-T-82077B	FILTER, LOAD, CRANE-MOIST ATTACHMENT, ADJUSTABLE SLING TYPE	A 3950	YD1	03-JUL-86		YD1		
L	MIL-C-82079	CLAMP, ELECTRICAL, NONCONDUCTIVE (USE MIL-H-55053)	A 5975	YD1	10-JUN-66		YD1		
L	MIL-S-82081	SEMITRAILER, LOW BED, 35 TON (CONVERTIBLE TO FLAT BED)	A 2330	YD1	11-JUL-66		YD1		
L	MIL-S-82082	SCRAPER, EARTHMOVING, TOWED, HYDRAULICALLY OPERATED, 14-CUBIC YARD STRUCK CAPACITY, 6-LINE HYDRAULIC SYSTEM	A 3805	YD1	20-JUL-66		YD1		
L	MIL-T-82083	TANK, FABRIC, COLLAPSIBLE, PILLOW TYPE, 50,000-GALLON CAPACITY, PETROLEUM STORAGE (USE MIL-T-52766)	A 5430	YD1	12-SEP-66		YD1		
L	MIL-S-82084A	SUBSTATION, POWER UNIT-TYPE	A 6120	YD1	15-AUG-78		YD1		
L	MIL-D-82085B	DOUGH MIXING MACHINE, CONTINUOUS (WITH LIQUID SPONGE BLENDING AND FERMENTATION USER: GL REVIEWER: GS)	A 7320	YD1	06-JUL-88		YD1		
L	MIL-C-82086C NOTICE 1	COMPRESSOR, AIR, DIESEL-ENGINE-DRIVEN, PORTABLE, WHEEL-MOUNTED (S/S BY XX-C-2812) USER: MC	A 4310	YD1	23-APR-93		YD1	99	
L	MIL-R-82087	RECONSTITUTOR, MILK USER: GL REVIEWER: GS	A 7320	YD1	13-JUN-66		YD1		
L	MIL-K-82088(1)	KITCHEN UNITS, COMPACT USER: GL REVIEWER: GS	A 7320	YD1	15-DEC-71		YD1		
L	MIL-W-82098B	WELDING MACHINE, ARC, DIRECT CURRENT, CONSTANT CURRENT CONSTANT VOLTAGE, GED (WITH ACCESSORIES FOR STICK ELECTRODE & WIRE FEED WELDING) (USE MIL-W-80037C) REVIEWER: GS	A 3431	YD1	26-APR-79		YD1		
L	MIL-P-82090A MIL-D-82091	PIPE, COUPLING, STEEL (BUTTRESS THREAD) REVIEWER: CS	A 4710	YD1	06-AUG-84		YD1		
L	MIL-C-82092A	OVEN, HIGH SPEED MICROWAVE ELECTRIC (USE S-0-1425) USER: CG MS REVIEWER: GS MD	A 7310	YD1	21-NOV-66	GL	YD1	84	
L	MIL-B-82093	COMPRESSOR, RECIPROCATING, POWER DRIVEN, TRACTOR MOUNTED (160 CFM AT 100 PSI) USER: MC	A 4310	YD1	16-SEP-86		YD1		
L	MIL-H-82094A	BORING MACHINE, CONNECTING ROD AND PISTON (PIN END AND PIN HOLES)	A 4910	YD1	02-DEC-66		YD1		
L	MIL-R-82095	HONING MACHINE, HORIZONTAL, SINGLE SPINDLE, WET TYPE, ELECTRIC MOTOR DRIVEN	A 4910	YD1	30-SEP-70		YD1		
L	MIL-T-82097B(1) NOTICE 1	ROLLER, MOTORIZED, TANDEM, 3-AXLE, DED, 13 TO 20 TONS	A 3895	YD1	19-JAN-67		YD1		
L	MIL-F-82098C	TONG SET, POWERED, SKID-MOUNTED (NO S/S DOCUMENT)	A 3835	YD1	20-JAN-92		YD1		
L	MIL-W-82099(1)	FINISHING MACHINE, CONCRETE-PAVING, SLIP-FORM, FULL TRACKED (NO S/S DOCUMENT) REVIEWER: AT	A 3895	YD1	15-AUG-88	ME	YD1		
L	MIL-B-82179A NOTICE 2	WIRE ROPE AND CHAIN ASSEMBLIES AND FITTINGS, FOR .P. SERIES PONTON SIDE CARRY AND LAUNCHING EQUIPMENT (USE MIL-L-28654) REVIEWER: IS	A 4010	YD1	30-AUG-67		YD1		
L	MIL-P-82277C NOTICE 1	BATH UNIT, TRAILER MOUNTED REVIEWER: YD1	A 4510	MC	04-MAR-83	MC			
L	MIL-S-82593 NOTICE 2	PARKA, WET-WEATHER (S/S BY MIL-P-87098) REVIEWER: MC MD	A 8405	CT	04-FEB-92	GL	SA	99	CT
L	MIL-C-82621(1) NOTICE 1	SIGNAL DATA CONVERTER MK 72 SERIES (NO S/S DOCUMENT)	A 1220	OS	20-MAY-92		OS		
L	MIL-C-82622A NOTICE 1	CABLE, ELECTRIC, MISSILE, 54-CONDUCTOR (NO S/S DOCUMENT)	A 1355	OS	31-MAR-93		OS		
L	MIL-A-82769 NOTICE 1	CABLE, MISSILE CONTROL, TORPEDO TUBE, MK 8 MOD 0 AND MK 9 MOD 0 (NO S/S DOCUMENT)	A 1355	OS	31-MAR-93		OS		
L	MIL-T-82770 NOTICE 1	ASSEMBLY, AFT CLOSURE, SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-T-82771 NOTICE 1	INLET, THROAT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-A-82772 NOTICE 1	INSULATION, CLOSURE, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-S-82773 NOTICE 1	ASSEMBLY, AFT CLOSURE, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-G-82775 NOTICE 1	SUPPORT, THROAT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-I-82776 NOTICE 1	GRAPHITE CLOTH PHENOLIC COMPONENTS, MOLDED AND CURED IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-I-82777 NOTICE 1	INSULATOR, EXIT COME IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-E-82778 NOTICE 1	INSULATION, INSERT IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-R-82779 NOTICE 1	EXIT COME ASSEMBLY, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-T-82780 NOTICE 1	RING, EXIT, AFT IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-I-82781 NOTICE 1	INSULATION, CLOSURE, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-L-82782 NOTICE 1	INLET, THROAT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-R-82784 NOTICE 1	LINER, AFT, IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-A-82785 NOTICE 1	ROD, PLASTIC (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-T-82786 NOTICE 1	ADHESIVE, TWO PART, HIGH STRENGTH (NO S/S DOCUMENT)	A 8040	OS	11-FEB-93		OS		
L	MIL-I-82787 NOTICE 1	TAPE, CARBON CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-L-82788 NOTICE 1	IGNITER ASSEMBLY, ROCKET MOTOR MK 104 (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-B-82789 NOTICE 1	LINER, FORMULATION OF (UF-2155) (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-P-82790 NOTICE 1	BROADGOODS, SILICA CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-B-82792 NOTICE 1	PROPELLANT GRAIN, RADIOGRAPHIC INSPECTION OF IN-PROCESS REQUIREMENTS FOR (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-S-82793 NOTICE 1	BROADGOODS, CARBON CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-C-82794 NOTICE 1	SEALANT, UF 3195 (NO S/S DOCUMENT)	A 8030	OS	11-FEB-93		OS		
L	MIL-F-82795 NOTICE 1	CURING AGENT, POLYAMIDE LIQUID RESIN (NO S/S DOCUMENT)	A 6810	OS	11-FEB-93		OS		
L	MIL-T-82796 NOTICE 1	FLOATS, PULP, ASBESTOS (NO S/S DOCUMENT)	A 1340	OS	11-FEB-93		OS		
L	MIL-P-82797 NOTICE 1	TRIMESOYL 1-(2-ETHYL) AZIRIDINE (NO S/S DOCUMENT)	A 6810	OS	11-FEB-93		OS		
L	MIL-G-82798 NOTICE 1	PRIMER FOR THERMAL BARRIER MATERIAL AND HIGH-TEMPERATURE SEALANTS (NO S/S DOCUMENT)	A 8040	OS	11-FEB-93		OS		
L	MIL-I-82799 NOTICE 1	GREASE, CALCIUM (NO S/S DOCUMENT)	A 9150	OS	11-FEB-93		OS		
L	MIL-T-82799 NOTICE 1	INSULATION SLEEVING, ELECTRICAL, HEAT-SHRINKABLE (NO S/S DOCUMENT)	A 5970	OS	11-FEB-93		OS		



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Adm Off / OMA Coordination Package	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preceding Assy	Date	Custodians			
						Army	Navy	Air Force	DIA
L	MIL-B-82800 NOTICE 1	BROADGOODS, GRAPHITE CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) .....	A 1340	OS	11-FEB-93	OS			
L	MIL-A-82801 NOTICE 1	ALUMINUM, SPHERICAL (13-MICROMETERS) (NO S/S DOCUMENT) .....	A 6810	OS	11-FEB-93	OS			
L	MIL-A-82802 NOTICE 1	ADHESIVE AND SEALANT (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-E-82803 NOTICE 1	EXPLOSIVE, THIN LAYER (NO S/S DOCUMENT) .....	A 1376	OS	25-FEB-93	OS			
L	MIL-R-82804 NOTICE 1	RESIN, EPOXY, LIQUID (NO S/S DOCUMENT) .....	A 8030	OS	25-FEB-93	OS			
L	MIL-C-82805 NOTICE 1	COMPOUND, SILICONE RUBBER, HIGH STRENGTH, TWO-PART (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-T-82806 NOTICE 1	TAPE, SILICA CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-V-82808 NOTICE 1	VARNISH, PHENOLIC (NO S/S DOCUMENT) .....	A 8010	OS	25-FEB-93	OS			
L	MIL-P-82809 NOTICE 1	POLYMER, LIQUID, HYDROXYL TERMINATED POLYBUTADIENE, WITH ANTIOXIDANT (NO S/S DOCUMENT) .....	A 6810	OS	25-FEB-93	OS			
L	MIL-P-82810 NOTICE 1	POLYTETRAFLUOROETHYLENE (PTFE) (NO S/S DOCUMENT) .....	A 9330	OS	25-FEB-93	OS			
L	MIL-C-82811 NOTICE 1	COMPOUND, MOLD RELEASE, LIQUID (NO S/S DOCUMENT) .....	A 8030	OS	25-FEB-93	OS			
L	MIL-I-82812(1) NOTICE 1	IGNITION STRANDS (NO S/S DOCUMENT) .....	A 1376	OS	25-FEB-93	OS			
L	MIL-C-82813 NOTICE 1	CURING AGENT, ISOPHORONE DIISOCYANATE (NO S/S DOCUMENT) .....	A 6810	OS	25-FEB-93	OS			
L	MIL-G-82814 NOTICE 1	GRAPHITE REINFORCEMENT (NO S/S DOCUMENT) .....	A 9330	OS	25-FEB-93	OS			
L	MIL-P-82816 NOTICE 1	PRIMER, ADHESIVE (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-R-82817 NOTICE 1	REINFORCEMENT, CARBON (NO S/S DOCUMENT) .....	A 9330	OS	25-FEB-93	OS			
L	MIL-I-82819 NOTICE 1	INSULATION, THERMAL, POLYISOPRENE, SILICA AND ASBESTOS FILLED (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-G-82820 NOTICE 1	OCTADECYL ISOCYANATE (NO S/S DOCUMENT) .....	A 6810	OS	25-FEB-93	OS			
L	MIL-A-82821 NOTICE 1	ALUMINUM, SPHERICAL (60-MICROMETERS) (NO S/S DOCUMENT) .....	A 6810	OS	25-FEB-93	OS			
L	MIL-C-82822 NOTICE 1	CATALYST, BURNRATE (NO S/S DOCUMENT) .....	A 6810	OS	25-FEB-93	OS			
L	MIL-P-82823 NOTICE 1	PRIMER, ADHESIVE, CHLORINATED RUBBER BASE (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-T-82825 NOTICE 1	TRIPHENYLBISMUTH (NO S/S DOCUMENT) .....	A 1376	OS	25-FEB-93	OS			
L	MIL-I-82826 NOTICE 1	IGNITER ASSEMBLY (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-C-82827 NOTICE 1	COMPOUND, ANTIOXIDANT (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-R-82828 NOTICE 1	REINFORCEMENT, SILICA (NO S/S DOCUMENT) .....	A 9340	OS	25-FEB-93	OS			
L	MIL-C-82829 NOTICE 1	CARBON BLACK (NO S/S DOCUMENT) .....	A 6810	OS	25-FEB-93	OS			
L	MIL-A-82830 NOTICE 1	AMMONIUM PERCHLORATE, CONDITIONED (WITH REDUCED ALKALI METAL CONTENT) (NO S/S DOCUMENT) .....	A 6810	OS	25-FEB-93	OS			
L	MIL-T-82831 NOTICE 1	TACKIFIER, EPDM (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-A-82832 NOTICE 1	ADHESIVE, EPOXY RESIN, STRUCTURAL BONDING (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-T-82833 NOTICE 1	TUNGSTEN, THORIATED, TWO PERCENT, FORGED AND CLIPPED (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-A-82834 NOTICE 1	ADHESIVE, PASTE, ONE PART (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-T-82835 NOTICE 1	TAPE, FOAM (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-A-82836 NOTICE 1	ADHESIVE, EPOXY RESIN, STRUCTURAL BONDING, NON-ASBESTOS (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-T-82839 NOTICE 1	TAPE, CARBON CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-T-82840 NOTICE 1	TAPE, SILICA CLOTH, PHENOLIC-PREIMPREGNATED (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-G-82841 NOTICE 1	GRAPHITE, ATJS (NO S/S DOCUMENT) .....	A 9620	OS	25-FEB-93	OS			
L	MIL-A-82843 NOTICE 1	ADHESIVE, ELEVATED TEMPERATURE CURING (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-R-82844 NOTICE 1	RUBBER, POLYISOPRENE (NON-ASBESTOS) (NO S/S DOCUMENT) .....	A 9320	OS	25-FEB-93	OS			
L	MIL-A-82845 NOTICE 1	ADHESIVE, PASTE, ONE-PART, NON-ASBESTOS (NO S/S DOCUMENT) .....	A 8040	OS	25-FEB-93	OS			
L	MIL-T-82846 NOTICE 1	THREAD, SPICING, NYLON (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-I-82847 NOTICE 1	IGNITION COMPOUND, MAGNESIUM-POLYTETRAFLUOROETHYLENE (NO S/S DOCUMENT) .....	A 1337	OS	25-FEB-93	OS			
L	MIL-S-82849 NOTICE 1	SWITCH, ARM ENABLE, ROCKET MOTOR MK 104 (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-S-82850 NOTICE 1	SPRING, BELLEVILLE WASHER, ARM/ENABLE SWITCH (NO S/S DOCUMENT) .....	A 1340	OS	25-FEB-93	OS			
L	MIL-T-82856 NOTICE 1	TUNGSTEN, THORIATED, TWO PERCENT, FORGED (NO S/S DOCUMENT) .....	A 9620	OS	25-FEB-93	OS			
L	MIL-S-82858 NOTICE 1	SILICONE DIOXIDE, MICROFINE (NO S/S DOCUMENT) .....	A 9620	OS	25-FEB-93	OS			
	MIL-F-83002C	FILLER, ROTARY SWEEPER BRUSH, FOR SWEEPER, ROTARY, TONED (A/M32U-5 AND A/M32U-5A) USER: CE REVIEWER: CS	A 3825	BA	24-APR-84	AT	YD1	99	
	MIL-T-83043A	T-SHIRT, ATHLETE'S, AIR FORCE (NO S/S DOCUMENT) REVIEWER: B2	A 8405	CT	25-SEP-92		11	CT	
L	MIL-I-83117B NOTICE 1	INDICATORS, ANGLE OF ATTACK (NO S/S DOCUMENT) .....	A 6610	71	15-MAR-93		11		
L	MIL-E-83252(2) NOTICE 3	EMERGENCY OXYGEN SUPPLY, CHLORATE CANDLE, AIRCRAFT CRU-74/P (NO S/S DOCUMENT) .....	A 1660	71	09-OCT-92		99		
L	MIL-P-83255 NOTICE 2	PARACHUTE SYSTEM, SPECIAL WEAPONS, A/B28K-5, 23 FT (NO S/S DOCUMENT) .....	A NUOR	79	13-AUG-92		79		
	MIL-G-83312(1)	GENERATOR SET, DIESEL ENGINE EML-31/U AND EML-32/U, 10 KW, 60 AND 400 HERTZ (USE MIL-STD 633) USER: OS REVIEWER: BO AS	A 6115	11	23-JUL-71	ME	YD1	11	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY SPECIFICATIONS

Doc Ctrl / Cmt Coordination Inclusion Document Number	Document Title	Doc Ctrl FSC / Ave MCA Symbol Preparing Acty Date	Anty Army Navy Air Force DLA	Custodians
L MIL-B-83369 NOTICE 2	BORON FILAMENT REINFORCEMENT, CONTINUOUS, EPOXY RESIN IMPREGATED (S/S BY SAE-AMS3867, SAE-AMS3867/1, SAE-AMS3867/2, SAE-AMS3867/3, SAE-AMS3867/4, SAE-AMS3867/5, AND SAE-AMS3867/6) REVIEWER: 84 99	A 9330 11 11-FEB-93		11
MIL-C-83400A	CORE MATERIAL FOR METAL SANDWICH PANELS FOR SHELTER CONSTRUCTION (POLYURETHANE FOAM REVIEWER: 99 CS ME	A 5410 11 03-JUN-88	YD1	11
L MIL-C-83439/5A NOTICE 2	CAPACITORS, FIXED, FEED THROUGH, ELECTROMAGNETIC INTERFERENCE SUPPRESSION, DC (HERMETICALLY SEALED IN METAL CASES) (NO S/S DOCUMENT) REVIEWER: 99 ES	A 5910 85 06-OCT-92		85
L MIL-T-83460(3) NOTICE 1	TRANSDUCER, MOTIONAL PICKUP TRU-164/A (NO S/S DOCUMENT) ..... A 6610 71 10-MAR-93	A 6610 71 10-MAR-93		71
MIL-T-83507/14A	TOOL KITS, ELECTRICAL CONNECTORS, CONTACTS, AND CONNECTORS, AND CABLE ACCESSORIES: TOOL KIT, GENERAL PURPOSE, (AIR NITROGEN HEAT CLIM) (S/S BY MIL-M-83521/5) USER: 19 AT MC ME SH YDI REVIEWER: 11 17 99 AR AV EC ES MI OS	A 5180 85 05-FEB-86	AS	85
MIL-T-83508 SUPPL 1C1	TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, GENERAL SPECIFICATION FOR USER: 19 AT MC YDI REVIEWER: 11 12 17 99 AR AV EC ES GL MI OS SH	A 5120 85 22-JUN-83	CR AS	85
MIL-T-83508/1	TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 2, FOR WRAPPING USER: 19 AT MC YDI REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5120 85 22-JUN-83	CR AS	85
MIL-T-83508/2	TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 2, FOR WRAPPING USER: 19 MC ME YDI REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5130 85 22-JUN-83	CR AS	85
MIL-T-83508/3	TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 2, FOR WRAPPING USER: 19 AT MC YDI REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5120 85 22-JUN-83	CR AS	85
MIL-T-83508/4	TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 1, FOR WRAPPING USER: 19 MC ME YDI REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5130 85 20-JUN-83	CR AS	85
MIL-T-83508/5	TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPE 1, FOR WRAPPING USER: 19 AT MC YDI REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5120 85 20-JUN-83	CR AS	85
MIL-T-83508/11	TOOL, SOLDERLESS WRAP, HAND OR POWER ACTUATED, WIRE TERMINATION, TYPES 5, FOR UNWRAPPING USER: 19 AT MC YDI REVIEWER: 11 17 99 AR AV EC ES GL MI OS SH	A 5120 85 20-JUN-83	CR AS	85
L MIL-G-837508 NOTICE 1	GENERATING AND CHARGING PLANT, 5 TON PER DAY CAPACITY, SKID MOUNTED (NO S/S DOCUMENT) REVIEWER: 15	A 3655 82 16-NOV-92		99
L MIL-D-83753(1) NOTICE 2	DISPENSER, BOMB, TYPE SUU-21/A (NO S/S DOCUMENT) REVIEWER: 15	A 1105 79 31-MAR-93		79
MIL-W-83891(1) NOTICE 2	WATER SUPPLY KIT, PUMP-FILTER, TYPE FM-176A (NO S/S DOCUMENT) USER: MC REVIEWER: AS	A 6780 70 24-FEB-93	AS	99
L MIL-F-83897A NOTICE 2	FILM, OSCILLOGRAPH/INSTRUMENT RECORDING BLACK AND WHITE (NO S/S DOCUMENT) REVIEWER: GS	A 6750 70 24-FEB-93		99
MIL-T-83926A(1)	TIRES PNEUMATIC, SPECIAL PURPOSE (FOD) (SEE MIL-T-12459) USER: MC REVIEWER: AS	A 2610 84 07-JUL-71	AT YD1	84
MIL-E-83932	EDGE AND TRIMMER, LAWN, POWER	A 3/50 84 27-JAN-69	ME YD1	84
L MIL-D-83934B NOTICE 1	DRYER, AIR, LOW PRESSURE (NO S/S DOCUMENT)	A 4440 84 07-MAY-93		99
L MIL-D-83952(1)	DEHUMIDIFIER, SPACE, MECHANICAL REFRIGERATED, SELF CONTAINED, CASTER MOUNTED (S/S BY A-A-50746) USER: YDI	A 4440 84 27-JAN-89		99
MIL-G-83989(1)	GAGE, HEIGHT, ELECTRONIC INDICATING (NO S/S DOCUMENT) REVIEWER: MC OS	A 5210 84 01-AUG-90	GL YD1	99
MIL-P-84000C(2)	PROVISIONING SCREENING DATA TO BE FURNISHED BY GOVERNMENT SUPPLIERS USER: AV CG MC REVIEWER: EC MI TH	A MISC DM 29-JUN-73	SM SA	10
L MIL-H-87072A NOTICE 1	HANDBAG, WOMAN'S, SYNTHETIC (NO S/S DOCUMENT) USER: CG MC	A 8445 CT 26-OCT-92		CT
L MIL-C-87094	CLOTH, TWILL, COTTON, FLAME RESISTANT TREATED USER: OS SH REVIEWER: 99 CT GL YDI	A 8305 MJ 26-MAR-85	MJ	
MIL-S-87096(2) NOTICE 1	SHOULDER BOARDS AND SLEEVE INSIGNIA (COAST GUARD) (S/S BY CG/PD 1-92) USER: CG	A 8405 CT 17-APR-92	MJ	CT
L MIL-F-87154(1) NOTICE 1	FUEL SYSTEMS, GENERAL SPECIFICATION FOR (S/S BY AFGS-87154) (CONTROLLED DISTRIBUTION)	A 2915 11 01-JUL-92		11
L MIL-E-87219(1) NOTICE 1	ELECTRICAL POWER SYSTEMS, AIRCRAFT (CONTROLLED DISTRIBUTION) (S/S BY AFGS-87219)	D 616P 11 30-MAR-93		11
L MIL-R-87245 NOTICE 1	RADIO COMMUNICATION SYSTEM/SUBSYSTEM, AIRBORNE (CONTROLLED DISTRIBUTION) (NO S/S DOCUMENT)	A 5821 11 30-SEP-92		11
MIL-C-87248 NOTICE 1	CAP, CAMOUFLAGE PATTERN (BASEBALL STYLE) (NO S/S DOCUMENT) USER: 45 REVIEWER: 82 99	A 8415 CT 13-JAN-92	GL	11 CT
MIL-W-87967 NOTICE 1	WATCH, WRIST: DIGITAL (NO S/S DOCUMENT) USER: CG ER ME HN REVIEWER: AS GS OS	A 6645 82 15-MAY-93	AR SM	99
MIL-P-87968/3 NOTICE 1	PIN-RIVET, THREADED, TYPE V (100 DEG. FLUSH MS24694 TENSION HEAD), CLASS 1 (7075 ALUMINUM, 45 KSI FSU AND 75 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/7 NOTICE 1	PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 3 (ALLOY STEEL, 95 KSI FSU AND 160-180 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/8 NOTICE 1	PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 3 (ALLOY STEEL, 95 KSI FSU AND 160-180 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/11 NOTICE 1	PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 2 (6AL-4V TITANIUM, 95 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/12 NOTICE 1	PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 2 (6AL-4V TITANIUM, 95 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/13 NOTICE 1	PIN-RIVET, THREADED, TYPE VI (100 DEG. FLUSH MS20426 SHEAR HEAD) CLASS 2 (6AL-4V TITANIUM, 95 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/14 NOTICE 1	PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 4 (A-286 HIGH TEMPERATURE ALLOY, 95-115 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/17 NOTICE 1	PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 4 (A-286 HIGH TEMPERATURE ALLOY, 95-115 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/18 NOTICE 1	PIN-RIVET, THREADED, TYPE IV (100 DEG. FLUSH MS20426 SHEAR HEAD), CLASS 4 (A-286 HIGH TEMPERATURE ALLOY, 95-115 KSI FSU AND 160 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/19 NOTICE 1	PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-200 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/20 NOTICE 1	PIN-RIVET, THREADED, TYPE IV (100 DEG. FLUSH MS20426 SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-200 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/21 NOTICE 1	PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 5 (ALLOY STEEL, 108 KSI FSU AND 180-120 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99
MIL-P-87968/25 NOTICE 1	PIN-RIVET, THREADED, TYPE III (100 DEG. FLUSH CROWN SHEAR HEAD), CLASS 6 (PH13-8 NO CORROSION RESISTANT STEEL, 125 KSI FSU AND 220 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320 82 31-AUG-92	AV AS	99



CANCELED SECTION

NUMERICAL LISTING  
MILITARY SPECIFICATIONS

Action CPL / OAL Coordination Package Document Number	Document Title	Dist. SMT FSC / Area MCA Symbol Preparing Acty Date				Custodians			
		Army	Navy	Air Force	DLA	Army	Navy	Air Force	DLA
MIL-P-87988/27 NOTICE 1	PIN-RIVET, THREADED, TYPE IV (100 DEG. FLUSH MS20406 SHEAR HEAD, CLASS 6 (PH13-8 NO CORROSION RESISTANT STEEL, 125 KSI FSU AND 220 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320	82	31-AUG-92	AV AS 99				
MIL-P-87988/28 NOTICE 1	PIN-RIVET, THREADED, TYPE II (100 DEG. FLUSH REDUCED SHEAR HEAD), CLASS 6 (PH13-8 NO CORROSION RESISTANT STEEL, 125 KSI FSU AND 220 KSI FTU) (NO S/S DOCUMENT) REVIEWER: GL IS	A 5320	82	31-AUG-92	AV AS 99				
L MIL-V-87991 NOTICE 1	VAN, MULTI-PURPOSE MORTUARY SERVICE, COMMERCIAL (NO S/S DOCUMENT) .....	A 2320	84	20-APR-93					99



# CANCELED SECTION

# NUMERICAL LISTING MS DRAWINGS

Action Qty / Date Cancellation Notice Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty.	Date	Custodians			
				Army	Navy	Air Force	DLA
MS3057E NOTICE 1 MS3152E NOTICE 1 MS3153C NOTICE 1 MS3154C NOTICE 1 MS3317A	CLAMPS, CABLE, ELECTRICAL CONNECTOR (S/S BY MIL-C-85049/1, /2, /41 AND /42) USER: AT AV MC ME SH REVIEWER: AR EC MI OS STRAIN RELIEF, STRAIGHT, FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/53) USER: AV REVIEWER: 11 17 AR EC MI SH STRAIN RELIEF, 45 DEG. FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/54) USER: AV REVIEWER: 11 17 AR EC ES MI SH STRAIN RELIEF, 90 DEG. FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/55) USER: AV REVIEWER: 17 22 AR EC ES MI SH GAGE, IN-SERVICE INSPECTION, FOR MS 3316 TERMINAL CRIMPING TOOL USER: MC SH YDI REVIEWER: OS	A 5935 A 5935 A 5935 A 5935 A 5220	AS AS AS AS AS	28-OCT-92 28-OCT-92 28-OCT-92 28-OCT-92 18-JUN-68	CR CR CR CR CR	AS AS AS AS AS	85 85 85 85 99
MS3416E NOTICE 1 MS3417E NOTICE 1 MS3418E NOTICE 1 MS3888B NOTICE 1 MS13803C	BACKSHELLS, STRAIGHT, FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/31 AND /60) REVIEWER: EC CLAMPS, STRAIN RELIEF, STRAIGHT, FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/52) REVIEWER: EC CLAMPS, STRAIN RELIEF, 90 DEG., FOR ELECTRIC CONNECTORS (S/S BY MIL-C-85049/51) REVIEWER: EC PACKING, PREFORMED, AMS 7278, O-RING (S/S BY MIL-R-83248/1) USER: ME REVIEWER: 1S REGULATOR, ENGINE GENERATOR (VOLTAGE AND CURRENT 28-VOLT, 40-AMP) REVIEWER: CS REGULATOR, ENGINE GENERATOR (VOLTAGE AND CURRENT 28 VOLT, 18 AMP) USER: MC REVIEWER: CS	A 5935 A 5935 A 5935 A 5330 A 2920 A 2920	AS AS AS B2 ME ME	28-OCT-92 28-OCT-92 28-OCT-92 01-OCT-92 29-JAN-67 29-JUN-67	CR CR CR AV ME ME	AS AS AS AS YDI YDI	85 85 85 82 YDI YDI
MS13805C MS13822B	ARMATURE, GENERATOR (ENGINE ACCESSORY, 28 VOLT, 18 AMP) USER: MC REVIEWER: CS	A 2920 A 2920	ME ME	29-JUN-67 29-JUN-65	ME ME	YDI YDI	YDI YDI
MS13827 MS13832 MS13833 MS13837B	BEARING, SLEEVE, ENGINE, FLANGED, 1-9/16 INCH X 1-1/2 INCH USER: GL SA .... BEARING, SLEEVE, ENGINE, PLAIN, 1-3/8 INCH X 1-5/16 INCH USER: GL SA ..... BEARING, SLEEVE, ENGINE, PLAIN, 1-3/8 INCH X 7/8 INCH USER: GL SA ..... BEARING, SLEEVE, ENGINE, PLAIN, 1-7/16 INCH X 1 INCH USER: SA REVIEWER: AT YDI	A 2805 A 2805 A 2805 A 2805	MO MO MO ME	24-OCT-55 24-OCT-55 24-OCT-55 15-DEC-65	MO MO MO ME	YDI YDI YDI 87	87 87 87 99
MS13847 MS13848B	PISTON, INTERNAL COMBUSTION ENGINE, 2-1/2 INCH X 1-7/8 INCH USER: GL SA ... PISTON, INTERNAL COMBUSTION ENGINE, 2-1/4 INCH X 2-1/4 INCH USER: GL MC SA YDI REVIEWER: AT	A 2805 A 2805	B2 B2	24-OCT-55 15-DEC-65	MO ME	YDI 82	82 82
L MS13960 MS14035B	PISTON, C.I., 3 INCH X 3 1/2 INCH USER: GL SA YDI REVIEWER: AT ..... BIT, INSTALLING TOOL, CONTACT, ELECTRICAL CONNECTION, BIT, REMOVAL TOOL, CONTACT, ELECTRICAL CONNECTION USER: MI YDI REVIEWER: 11 AS ES MC OS	A 2805 A 5120	B2 EC	19-JUN-52 26-JAN-84	CR CH	EC EC	17 17
MS14036B	BIT, INSTALLING TOOL, CONTACT, ELECTRICAL CONNECTION USER: AR GL MI YDI REVIEWER: 11 AS MC OS	A 5120	EC	26-JAN-84	CH	EC	17
MS14300B	TUBE, COPPER, SEAMLESS (FOR USE WITH SOLDER FLARED OR COMPRESSION TYPE FITTINGS) USER: MC REVIEWER: 99 CS SH	A 4710	YDI	19-JUN-85	ME	YDI	11
MS14301A	PIPE, STEEL (SEAMLESS AND SEALED) (FOR ORDINARY USE) USE ASTM A120 USER: CE MC REVIEWER: AR CS	A 4710	YDI	09-SEP-74	ME	YDI	99
MS15008B	TORCH, CUTTING, MILITARY STANDARD, ASSEMBLY OF USER: MC OS SH REVIEWER: EL GS	A 3433	YDI	15-SEP-71	AL	YDI	99
MS15009B MS15010A MS15013C	TORCH, CUTTING, MILITARY STANDARD, DETAILS OF USER: MC SH REVIEWER: EL GS WRENCH FOR MILITARY STANDARD CUTTING TORCH USER: EL MC YDI REVIEWER: GL ... TIP FOR MILITARY STANDARD CUTTING TORCH (NO S/S DOCUMENT) USER: EL MC SH REVIEWER: GS	A 3433 A 5120 A 3433	YDI SH YDI	15-SEP-71 15-APR-53 11-FEB-89	AR AR AR	YDI YDI YDI	99 99 99
MS15218	SCREWDRIIVER, FLAT TIP, CABINET STRAIGHT SIDES, PLASTIC HANDLE, PLAIN USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15219	SCREWDRIIVER, FLAT TIP, COMMON, FLARED SIDES, PLASTIC HANDLE, DESIGN A, SHAPE A USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15220A	SCREWDRIIVER, FLAT TIP, EXTRA HEAVY DUTY, STEEL HANDLE WITH WOOD INSERTS USER: EL MC YDI REVIEWER: GL	A 5120	SH	01-NOV-56	WC	SH	69
MS15221 MS15222	SCREWDRIIVER, FLAT TIP, CLOSE QUARTER USER: EL MC YDI REVIEWER: GL ..... SCREWDRIIVER, FLAT TIP, COMMON, FLARED SIDES WITH SCREW-HOLDER, EXTERNAL GRIPPING USER: EL MC YDI REVIEWER: GL	A 5120 A 5120	SH SH	02-JUL-53 02-JUL-53	WC WC	SH SH	69 69
MS15223	SCREWDRIIVER, SCREW-HOLDING, SCREW SLOT GRIPPING, PLASTIC HANDLE USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15224	SCREWDRIIVER, CROSS TIP, STRAIGHT, PHILLIPS, PLASTIC HANDLE USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15225A MS15226	SCREWDRIIVER, RATCHET, COMMON, STRAIGHT USER: EL MC YDI REVIEWER: WC ..... SCREWDRIIVER, RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YDI REVIEWER: GL	A 5120 A 5120	SH SH	01-AUG-61 02-JUL-53	GL WC	SH SH	69 69
MS15227	SCREWDRIIVER, DOUBLE OFFSET, SINGLE FLAT TIP EACH END USER: EL MC YDI REVIEWER: GL MC	A 5120	SH	02-JUL-53	SH		69
MS15228	SCREWDRIIVER, DOUBLE OFFSET PHILLIPS CROSS TIP EACH END USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15229	SCREWDRIIVER, FOUR WAY OFFSET, DOUBLE FLAT TIPS EACH END USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15230	SCREWDRIIVER, JEWELERS, SWIVEL KNOB, INTERCHANGEABLE BLADES USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15231	SCREWDRIIVER, JEWELERS, NONMETALLIC HANDLE, NONREMOVABLE BLADE USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15232	SCREWDRIIVER, FLAT TIP, POCKET, REMOVABLE BLADE USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15233 MS15234 MS15235A	SCREWDRIIVER, FLAT TIP, POCKET CLIP USER: EL MC YDI REVIEWER: GL ..... SCREWDRIIVER, SPARK PLUG TESTING USER: EL MC YDI REVIEWER: GL ..... SCREWDRIIVER, CROSS TIP, STRAIGHT, REED AND PRINCE, PLASTIC HANDLE USER: EL MC YDI REVIEWER: WC	A 5120 A 5120 A 5120	SH SH SH	02-JUL-53 02-JUL-53 01-AUG-61	WC WC GL	SH SH SH	69 69 69
MS15236	SCREWDRIIVER, DOUBLE OFFSET, REED AND PRINCE CROSS TIP EACH END USER: EL MC YDI REVIEWER: GL	A 5120	SH	02-JUL-53	WC	SH	69
MS15249A	FUSE, CARTRIDGE, FERRULE CONTACT, STYLE F60 (USE MIL-F-15160/60) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15250A	FUSE, CART. JGE, FERRULE CONTACT, STYLE F61 (USE MIL-F-15160/61) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15251A	FUSE, CART. DGE, FERRULE CONTACT, STYLE F62 (USE MIL-F-15160/62) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15252A	FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F63 (USE MIL-F-15160/63) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15253A	FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F64 (USE MIL-F-15160/64) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15254A	FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F65 (USE MIL-F-15160/65) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15255A	FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F66 (USE MIL-F-15160/66) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15256A	FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F67 (USE MIL-F-15160/67) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15257A	FUSE, CARTRIDGE, FERRULE CONTACT, STYLE F70 (USE MIL-F-15160/70) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15258A	FUSE, CARTRIDGE, KNIFE BLADE CONTACT, STYLE F71 (USE MIL-F-15160/71) USER: BS MC YDI REVIEWER: AR	A 5920	SH	15-APR-53	EL		11
MS15278A MS15303A	WISE, WOODWORKER'S QUICK ACTING USER: EL MC WC YDI REVIEWER: GL ..... DIE, METAL STAMPING, HAND, INSPECTION AND ACCEPTANCE, DEPARTMENT OF DEFENSE	A 5120 A 5136	SH SH	07-APR-58 21-MAY-54	SH WC	69 10	69 10



# CANCELED SECTION

# NUMERICAL LISTING MS DRAWINGS

Action OR / ONL Coordination Machine	Document Number	Document Title	Dist. Syst. FSC / Area MCA Symbol	Preparing Date	Custodian			
					Army	Navy	Air Force	DLA
	MS15305A	SQUARE, COMBINATION, WITH CENTER HEAD AND PROTRACTOR (USE GGG-S-656) USER: 26 MC YD1 REVIEWER: GL	A 5210	SH 29-AUG-55	WC	SH	85	
	MS15306B	SQUARE, CARPENTER S SOLID STEEL (AFTER 31 MARCH 1967 USE GGG-S-656, TYPE 11) USER: 26 BS MC YD1 REVIEWER: GL	A 5210	SH 07-APR-59	WC	SH		
	MS15307	SQUARE, DOUBLE, WITH INTERCHANGEABLE BLADES USER: 26 YD1 REVIEWER: GL	A 5210	SH 18-DEC-52	WC	SH	85	
	MS15308	SQUARE, THIN STEEL USER: 26 YD1 REVIEWER: GL	A 5210	SH 18-DEC-52	WC	SH	85	
	MS15309	SQUARE, TRY, CARPENTERS (USE GGG-S-656, TYPE 111) USER: 26 YD1 REVIEWER: GL	A 5210	SH 18-DEC-52	WC	SH	84	
	MS15310A	SQUARE, TRY, MACHINIST S (USE GGG-S-656) USER: 26 MC YD1 REVIEWER: GL	A 5210	SH 29-AUG-55	WC	SH	85	
	MS15370	SQUARE, COMBINATION TRY AND MITER, CARPENTERS (USE GGG-S-656, TYPE 1) USER: 26 YD1 REVIEWER: GL	A 5210	SH 18-DEC-52	WC	SH	84	
	MS15432	SCREWDRIVER, FLAT TIP, COMMON, FLARED SIDES, PLASTIC HANDLE, DESIGN A, SHAPE B USER: EL MC YD1 REVIEWER: GL	A 5120	SH 02-JUL-53	WC	SH	69	
	MS15433	SCREWDRIVER, FLAT TIP, COMMON, FLARED SIDES, PLASTIC HANDLE, DESIGN B, SHAPE B USER: EL MC YD1 REVIEWER: GL	A 5120	SH 02-JUL-53	WC	SH	69	
	MS15434	SCREWDRIVER, SCREW-HOLDING SCREW SLOT GRIPPING, METAL HANDLE USER: EL MC YD1 REVIEWER: GL	A 5120	SH 02-JUL-53	WC	SH	69	
	MS15435	BIT, SCREWDRIVER, CROSS POINT, REED AND PRINCE FOR RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YD1 REVIEWER: GL	A 5120	SH 02-JUL-53	WC	SH	69	
	MS15436	BIT, SCREWDRIVER, CROSS POINT, PHILLIPS FOR RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YD1 REVIEWER: GL	A 5120	SH 02-JUL-53	WC	SH	69	
	MS15437	BIT, SCREWDRIVER, FLAT TIP, FOR RATCHET, DOUBLE SPIRAL, AUTOMATIC RETURN USER: EL MC YD1 REVIEWER: GL	A 5120	SH 02-JUL-53	WC	SH	69	
	MS15450	SCREWDRIVER, FLAT TIP, CABINET, STRAIGHT SIDES, PLASTIC HANDLE, BOLSTER, FORGED USER: EL MC YD1 REVIEWER: GL	A 5120	SH 02-JUL-53	WC	SH	69	
	MS15474A	DIE, LUMBER STAMPING HAMMER, DOUBLE-FACED, INSPECTION AND ACCEPTANCE, DOD (USE MIL-I-19709)	A 5110	01-JAN-57			10	
	MS15527C	STAND, BIBLE AND MISSAL, CHAPLAINS KIT, CHRISTIAN, FOR FIELD (NON-COMBAT) USE REVIEWER: 26	A 9925	GL 02-NOV-64	GL	PE	10	
	MS15589G	LAMP, FLUORESCENT, T-12, MEDIUM BIPIN (SEE REV H) USER: YD1 REVIEWER: GS MI	A 6240	SH 31-MAY-68	ME	SH	99	
L	MS15592B	LAMP, INCANDESCENT, PS-25, MEDIUM SCREW USER: YD1 REVIEWER: GS MI	A 6240	SH 23-JUL-84		SH		
L	MS15596B	LAMP, INCANDESCENT, G-30, MEDIUM SCREW USER: YD1 REVIEWER: GS MI	A 6240	SH 23-JUL-84		SH		
L	MS15599C	LAMP, INCANDESCENT, PS-40, MEDIUM SCREW USER: YD1 REVIEWER: GS MI	A 6240	SH 23-JUL-84		SH		
L	MS15600C	LAMP, INCANDESCENT, A-21, MEDIUM SCREW, CLEAR FINISH USER: YD1 REVIEWER: GS MI	A 6240	SH 23-JUL-84		SH		
L	MS15605D	LAMP, INCANDESCENT, T-20, MEDIUM BIPOST, CLEAR FINISH USER: YD1 REVIEWER: GS MI	A 6240	SH 23-JUL-84		SH		
	MS15627A	FILES, HAND, BARRETTE (SWISS PATTERN) USER: 26 YD1 REVIEWER: GL	A 5110	SH 05-JUL-56	WC	SH		
	MS15628A	FILE, HAND, CROCHET (SWISS PATTERN) USER: 26 MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH		
	MS15629A	FILES, HAND, CROSSING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15630A	FILES, HAND, EQUALING (SWISS PATTERN) USER: 26 MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH		
	MS15631A	FILES, HAND, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15632A	FILES, HAND, (SWISS PATTERN) USER: YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15633A	FILES, HAND, JOINT (SWISS PATTERN) USER: 26 MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH		
	MS15634A	FILES, HAND, KNIFE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15635	FILES, HAND, PILLAR (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15636A	FILES, HAND, PIPPIN (SWISS PATTERN) USER: YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH		
	MS15637A	FILES, HAND, ROUND, STRAIGHT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH		
	MS15638	FILES, HAND, ROUND, TAPER (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 26-AUG-56	WC	SH		
	MS15640A	FILE, SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15641A	FILES, HAND, THREE-SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15642A	FILES, HAND, WARDING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15643A	FILES, HAND, NEEDLE, ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15644A	FILES, HAND, NEEDLE, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15646A	FILES, HAND, NEEDLE, CROSSING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 01-AUG-56	WC	SH	69	
	MS15647A	FILES, HAND, NEEDLE, KNIFE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15648A	FILES, HAND, NEEDLE, FLAT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15649A	FILES, HAND, NEEDLE, SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15652A	FILES, HAND, NEEDLE, EQUALING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15653A	FILES, HAND, NEEDLE, SLITTING (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15654A	FILES, HAND, NEEDLE, MARKING, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15656A	FILES, HAND, DIE SINKERS, ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15657A	FILES, HAND, DIE SINKERS, PIPPIN OR OVAL ONE SHARP EDGE (SWISS PATTERN) USER: MC YD1 REVIEWER: WC	A 5110	SH 15-JUN-61	GL	SH	69	
	MS15658	FILES, HAND, DIE SINKERS, THREE-SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15659A	FILES, HAND, DIE SINKER, OVAL (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15660A	FILES, HAND, DIE SINKERS, KNIFE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15661A	FILES, HAND, DIE SINKERS, FLAT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15662A	FILES, HAND, DIE SINKERS, AURIFORM (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15663A	FILES, HAND, DIE SINKERS, SQUARE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15664B	FILES, HAND, DIE SINKERS, FLAT, ONE SAFE EDGE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 26-SEP-58	WC	SH	69	
	MS15665A	FILES, HAND, DIE SINKERS, HALF-ROUND (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15666A	FILES, HAND, DIE SINKERS, CROCHET (SWISS PATTERN) USER: MC YD1 REVIEWER: 69 GL	A 5110	SH 14-JUN-56	WC	SH		
	MS15667A	FILES, HAND, DIE SINKERS, LOZENGE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 14-JUN-56	WC	SH	69	
	MS15668	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 1 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15669	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 2 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15670	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 3 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15671	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, SHAPE NO. 4 (SWISS PATTERNS) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15672	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 5 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15673	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 6 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15674	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 7 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15675	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 8 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15676	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 9 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15677	FILES, HAND, DIE SINKERS RIFFLERS, REGULAR, NO. 10 SHAPE (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
	MS15678	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 11, SHAPE, (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	



# CANCELED SECTION

# NUMERICAL LISTING MS DRAWINGS

Action Copy / Omit Cancellation Inches Document Number	Document Title	Dist. Smt. FSC / Ave MCA Symbol Preparing Act.	Date	Custodians			
				Army	Navy	Air Force	DIA
MS15679	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 12 SHAPE (SWISS PATTERN)	A 5110	SH 23-AUG-56	WC	SH	69	
MS15680	FILES, HAND, DIE SINKERS RIFFLERS, REGULAR, NO. 13 SHAPE (SWISS PATTERN)	A 5110	SH 23-AUG-56	WC	SH	69	
MS15681	FILES, HAND, DIE SINKERS RIFFLERS, REGULAR, NO. 14, SHAPE, (SWISS PATTERN)	A 5110	SH 23-AUG-56	WC	SH	69	
MS15682	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 15 SHAPE (SWISS PATTERN)	A 5110	SH 23-AUG-56	WC	SH	69	
MS15683	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 16 SHAPE (SWISS PATTERN)	A 5110	SH 23-AUG-56	WC	SH	69	
MS15684	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 17 SHAPE (SWISS PATTERN)	A 5110	SH 23-AUG-56	WC	SH	69	
MS15685	FILES, HAND, DIE SINKERS RIFFLERS REGULAR, NO. 18, SHAPE (SWISS PATTERN)	A 5110	SH 23-AUG-56	WC	SH	69	
MS15686	FILES, HAND, CONTACT POINT (SWISS PATTERN) USER: MC YD1 REVIEWER: GL	A 5110	SH 23-AUG-56	WC	SH	69	
MS15692B	CUTTER, MILLING, METAL SLITTING SAW, PLAIN (USE GGG-C-755) USER: GL MC YD1	A 3455	SH 29-MAR-63	WC	SH	84	
MS15697A	CUTTER, MILLING, ANGLE, SINGLE, THREADED HOLE USER: MC SH YD1 REVIEWER: GS	A 3455	WC 09-APR-57	WC		99	
MS15712A	CUTTER, MILLING, END, DOUBLE-END, TWO-FLUTE, STRAIGHT-SHANK USER: MC SH	A 3455	WC 09-APR-57	WC		99	
MS15713A	CUTTER, MILLING, END, DOUBLE-END, MULTIPLE-FLUTE, STRAIGHT-SHANK USER: MC	A 3455	AL 09-APR-57	AL		99	
MS15768	AUGER, WATER CLOSET, HAND USER: MC YD1 REVIEWER: 69 GL	A 5120	SH 11-JUN-56	MO	SH		
MS15769	AUGER, PIPE AND SEWER, HAND, FLEXIBLE, COIL SPRING, SLIDING CRANK HANDLE	A 5120	SH 11-JUN-56	MO	SH		
MS15770	USER: MC YD1 REVIEWER: 69 GL						
MS15770	AUGER, PIPE AND SEWER, HAND, TOP SNAKE, HEAVY DUTY USER: MC YD1 REVIEWER:	A 5120	SH 11-JUN-56	MO	SH	69	
MS15774	GL						
MS15774	SQUARE DRIVE END STANDARDS, HAND TYPE (MALE AND LE ) (FOR USE WITH	A 5120	SH 14-DEC-55	WC	SH	69	
MS15775	SQUARE DRIVE END STANDARDS, POWER TYPE (MALE AND FEMALE) (FOR USE WITH	A 3460	SH 07-MAR-55	WC	SH		
MS15775	SQUARE DRIVE SOCKET WRENCHES AND ATTACHMENTS) (USE GGG-W-660) USER: GL MC						
MS15777B	YD1						
MS15777B	HANDLE, SCREWDRIIVER BIT, PLASTIC, WITH CLUTCH DRIVE USER: EL MC MC YD1	A 5120	SH 24-OCT-62	GL	SH	69	
MS15778	BITS, SCREWDRIIVER, PHILLIPS CROSS TIP, FOR CLUTCH DRIVE HANDLE USER: EL MC	A 5120	SH 24-OCT-62	GL	SH	69	
MS15779B	MC YD1						
MS15779B	BITS, SCREWDRIIVER, CABINET TYPE TIP, FOR CLUTCH DRIVE HANDLE USER: EL MC	A 5120	SH 24-OCT-62	GL	SH	69	
MS15780B	MC YD1						
MS15791	EXTENSION, SCREWDRIIVER BIT, FOR CLUTCH DRIVE HANDLE USER: EL MC MC YD1	A 5120	SH 24-OCT-62	GL	SH	69	
MS15812A	BEVEL, SLIDING T, WOOD HANDLE (USE GGG-B-211) USER: BS MC YD1 REVIEWER: GL	A 5210	SH 12-JUN-56	MC	SH		
MS15812A	BEVEL, SHIP CARPENTER S (USE GGG-B-211) USER: YD1 REVIEWER: GL	A 5210	SH 12-JUN-56	MC	SH		
MS15824A	SCREWDRIIVER, FLAT TIP-CROSS TIP, CLOSE QUARTER USER: EL MC YD1 REVIEWER:	A 5120	SH 23-SEP-55	SH			
MS15824A	GL MC						
MS15834A	STUDS, (BOLT-STUDS), CONTINUOUS THREAD, B7A AND B14 ALLOY STEEL, HIGH	A 5307	SH 28-FEB-57	WC	SH		
MS15834A	TEMPERATURE SERVICE, 875 F, MAXIMUM (USE MS 16187) USER: MC YD1 REVIEWER:						
MS15834A	GL						
MS15989A	TORCH, WELDING, MILITARY STANDARD, ASSEMBLY AND DETAILS OF USER: AS EL MC	A 3433	YD1 15-JUL-57	WC	YD1		
MS16007A	OS REVIEWER: GL GS SH						
MS16007A	STUD, PLAIN, STEEL, REDUCED BODY, GENERAL PURPOSE (USE MS1864) USER: MC	A 5307	WC 24-SEP-64	WC	SH	82	
MS16023	YD1 REVIEWER: IS						
MS16023	CUTTING ATTACHMENT, MILITARY STANDARD WELDING TORCH USER: EL MC OS	A 3433	YD1 12-OCT-56	WC	YD1	84	
MS16023	REVIEWER: GS						
MS16105B	SCREWDRIIVERS, SCREW HOLDING, SCREW SLOT GRIPPING, SLIDING ACTION, PLASTIC	A 5120	SH 29-FEB-56	WC	SH	69	
MS16105B	HANDLE USER: EL MC YD1 REVIEWER: GL						
MS16110B	LAMPS, INCANDESCENT, G-9, BAYONET CANDELABRA, DOUBLE CONTACT (S/S BY	A 6240	SH 31-JUL-92	SH			
MS16111D	A-A-50600)						
MS16121	LABEL, VOLATILE CORROSION INHIBITOR USER: 26 MC SA REVIEWER: AR GS SH	A 7690	YD1 22-SEP-76	GL	YD1	99	
MS16130	COUPLER, UNIVERSAL 14 AND 18 CU YD SCRAPER USER: CE REVIEWER: AT	A 3805	YD1 21-JAN-76	ME	YD1	99	
MS16131	PLATES, IDENTIFICATION, BLANK, VEHICLE (USE RS 90495) USER: GL MC	A 2540	YD1 30-AUG-57	MO	YD1	84	
MS16131	BLOCK, DOLLY, SHEET METALWORKING GENERAL PURPOSE, HIGH CROWN USER: MC YD1	A 5120	SH 25-JUL-56	WC	SH		
MS16131	REVIEWER: GL						
MS16131	BLOCK, DOLLY, SHEET METALWORKING, GENERAL PURPOSE, LOW CROWN USER: MC YD1	A 5120	SH 25-JUL-56	WC	SH	69	
MS16131	REVIEWER: GL						
MS16131	BLOCK, DOLLY, SHEET METALWORKING GENERAL PURPOSE, ANVIL USER: MC YD1	A 5120	SH 25-JUL-56	WC	SH		
MS16131	REVIEWER: GL						
MS16131	BLOCK, DOLLY, SHEET METALWORKING, GENERAL PURPOSE, RAIL USER: MC YD1	A 5120	SH 25-JUL-56	WC	SH		
MS16131	REVIEWER: 69 GL						
MS16131	BLOCK, DOLLY, SHEET METALWORKING, WHEEL USER: MC YD1 REVIEWER: GL	A 5120	SH 25-JUL-56	WC	SH		
MS16131	BLOCK, DOLLY, SHEET METALWORKING, TOE USER: MC YD1 REVIEWER: GL	A 5120	SH 25-JUL-56	WC	SH		
MS16131	BLOCK, DOLLY, SHEET METALWORKING, BODY USER: MC YD1 REVIEWER: GL	A 5120	SH 25-JUL-56	WC	SH		
MS16131	BLOCK, DOLLY, SHEET METALWORKING, SHRINKING, WITH TRENCHING GROOVES USER:	A 5120	SH 25-JUL-56	WC	SH		
MS16131	MC YD1 REVIEWER: 69 GL						
MS16139	BLOCK, DOLLY, SHEET METALWORKING, FENDER USER: MC YD1 REVIEWER: GL	A 5120	SH 25-JUL-56	WC	SH	69	
MS16140	BLOCK, DOLLY, SHEET METALWORKING, ROUGHING USER: MC YD1 REVIEWER: GL	A 5120	SH 25-JUL-56	WC	SH	69	
MS16141	BLOCK, DOLLY, SHEET, METALWORKING, THIN, HIGH CROW USER: MC YD1 REVIEWER:	A 5120	SH 25-JUL-56	WC	SH		
MS16143	GL						
MS16143	FUEL OILS USER: 26 MC MR REVIEWER: YD1	A 9140	SH 27-JAN-61	MO		67	
MS16145	WRENCH, SPANNER, ADJUSTABLE COMBINATION, HYDRANT AND SPANNER USER: MC YD1	A 5120	SH 16-NOV-56	WC	SH		
MS16146A	REVIEWER: 69 GL						
MS16147A	WRENCHES, SPANNER, ADJUSTABLE FACE TYPE USER: MC YD1 REVIEWER: GL	A 5120	SH 22-AUG-57	WC	SH	69	
MS16148	WRENCHES, SPANNER, ADJUSTABLE HOOK TYPE, FIXED PIVOT POINT USER: MC YD1	A 5120	SH 22-AUG-57	WC	SH	69	
MS16149	REVIEWER: GL						
MS16149	WRENCH, SPANNER, ADJUSTABLE HOOK TYPE, SLIDING JAW, HEAVY DUTY USER: MC	A 5120	SH 16-NOV-56	WC	SH	69	
MS16150	YD1 REVIEWER: GL						
MS16150	WRENCH, SPANNER, ADJUSTABLE HOOK TYPE, VARIABLE PIVOT POINT USER: MC YD1	A 5120	SH 15-NOV-56	WC	SH	69	
MS16150	REVIEWER: GL						
MS16150	WRENCH, SPANNER, HOSE COUPLING TYPE, DOUBLE EYE USER: MC YD1 REVIEWER: 69	A 5120	SH 15-NOV-56	WC	SH		
MS16151	GL						
MS16151	WRENCHES, SPANNER, NONADJUSTABLE FACE TYPE, TWO-PIN USER: MC YD1 REVIEWER:	A 5120	SH 29-NOV-56	WC	SH		
MS16152	69 GL						
MS16153A	WRENCH, SPANNER, UNIVERSAL HOSE COUPLING USER: MC YD1 REVIEWER: 69 GL	A 5120	SH 16-NOV-56	WC	SH		
MS16180	WRENCHES, SPANNER, PIN TYPE, HARDENED AND TEMPERED STEEL USER: MC YD1	A 5120	SH 15-DEC-58	SH		00	
MS16180	REVIEWER: 69 GL MC						
MS16180	WRENCHES, PIPE, HEAVY-DUTY, DROP-FORGED STEEL OR CAST MALLEABLE IRON OR	A 5120	SH 06-DEC-56	WC	SH		
MS16181	STEEL USER: EL MC YD1 REVIEWER: 69 GL						
MS16181	WRENCHES, PIPE, HEAVY DUTY, FORGED ALUMINUM ALLOY USER: EL MC YD1	A 5120	SH 06-DEC-56	WC	SH		
MS16182	REVIEWER: 69 GL						
MS16182	WRENCHES, PIPE, CHAIN USER: EL MC YD1 REVIEWER: 69 GL	A 5120	SH 06-DEC-56	WC	SH		
MS16183	WRENCHES, PIPE, STRAP USER: EL MC YD1 REVIEWER: 69 GL	A 5120	SH 06-DEC-56	WC	SH		
MS16184	WRENCHES, PIPE, ANGLE STYLE USER: EL MC YD1 REVIEWER: 69 GL	A 5120	SH 06-DEC-56	WC	SH		
MS16185	WRENCH, BASIN USER: EL MC YD1 REVIEWER: 69 GL	A 5120	SH 06-DEC-56	WC	SH		
MS16194	LIGHT, BED (ALL STEEL)	A 6230	YD1 02-AUG-57	YD1			
MS16230	BOLT, LAG, SQUARE HEAD, SILICON BRONZE, GIMLET POINT USER: MC YD1	A 5306	SH 19-APR-57	WC	SH	69	
MS16231	REVIEWER: GL						
MS16231	BOLT, LAG, SQUARE HEAD, CARBON STEEL UNCOATED, GIMLET POINT USER: MC YD1	A 5306	SH 19-APR-57	WC	SH	69	
MS16231	REVIEWER: GL						



CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / OIA Correspondence Inmate Document Number	Document Title	Dist. Smt. FAC / Area MCA Symbol Preparing Act.	Date	Army Navy Air Force DLA	Customers
MS16232	BOLT, LAG, SQUARE HEAD, CARBON STEEL ZINC OR CADMIUM COATED, GIMLET POINT USER: MC YDI REVIEWER: GL	A 5306	SH 19-APR-57	WC SH 69	
MS16233	BOLT, LAG, SQUARE HEAD, CORROSION RESISTING STEEL, GIMLET POINT USER: YDI REVIEWER: GL	A 5306	SH 19-APR-57	WC SH 69	
MS16262	BLADE, POWER HACKSAW, HIGH SPEED STEEL, SINGLE, ALL HARD, WELDED COMPOSITE, HIGH SPEED EDGE (USE GGG-B-451) USER: GL MC YDI	A 3455	SH 22-JUL-57	WC SH 84	
MS16263	BLADES, HAND HACKSAW, HIGH-SPEED STEEL, ALL-HARD, FLEXIBLE BACK USER: EL MC YDI REVIEWER: GL	A 5110	SH 22-JUL-57	WC SH 69	
MS162840	JACK, DOLLY TYPE, HYDRAULIC USER: EL REVIEWER: GL	A 4910	MC 27-APR-69	WC YDI 82	
MS16506A	SHEARS, METAL CUTTING, HAND, COMBINATION USER: EL REVIEWER: 69 GL	A 5110	SH 23-JUN-59	WC SH 10	
MS16508A	SHEARS, BENCH, HAND, METAL CUTTING, COMPOUND LEVER USER: EL REVIEWER: 69 GL	A 5110	SH 23-JUN-59	WC SH 10	
MS16509A	SHEARS, METAL CUTTING, HAND, COMPOUND LEVER, ALLOY STEEL BLADES USER: EL REVIEWER: 69 GL	A 5110	SH 23-JUN-59	WC SH 10	
MS16510A	SHEARS, BENCH, HAND, METAL CUTTING, SINGLE LEVER USER: EL REVIEWER: 69 GL	A 5110	SH 23-JUN-59	WC SH 10	
MS16511A	SHEARS, METAL CUTTING, HAND, STRAIGHT CUT, INLAID BLADES USER: EL REVIEWER: 69 GL	A 5110	SH 23-JUN-59	WC SH 10	
MS16534A	DIE SET, METAL STAMPING, HAND, STEEL, HEAVY DUTY, LETTER AND NUMERAL	A 11GP	SH 08-JAN-85	SH 10	
MS16680A	INSULATOR, BUSHING, SPARK PLUG CABLE ELBOW (OTHER THAN AIRCRAFT) (NO S/S DOCUMENT) USER: MC ME YDI REVIEWER: 99 GS	A 5970	AT 10-JUL-82	AT 85	
MS16790A	HOOKS, GUY, HEAVY (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: IS	A 4030	ER 29-NOV-91	ER YDI 99	
MS16792A	GUY ATTACHMENT, PLATE USER: MC REVIEWER: GL MC	A 4030	EL 22-SEP-58	EL YDI 69	
MS16793A	STRAND CONNECTOR (POLE LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: GL IS	A 4030	ER 29-NOV-91	ER YDI 99	
MS16794A	HOOKS, GUY, HEAVY, TWO HOLE (POLE LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR GL IS	A 4030	ER 29-NOV-91	ER YDI 99	
MS16795A	SLEEVE, SERVING (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL	A 4030	ER 29-NOV-91	ER YDI 69	
MS16797	GUY ATTACHMENT, (WITH THIMBLE) USER: MC YDI REVIEWER: EL IS MC	A 4030	B2 18-JUL-58	B2	
MS16798A	GUY ATTACHMENT, ANGLE (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL	A 4030	ER 29-NOV-91	ER YDI 99	
MS16799A	PROTECTOR, POLE (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR GL IS	A 4030	ER 29-NOV-91	ER YDI 99	
MS16800A	GUY ATTACHMENT (STORM) (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL	A 4030	ER 29-NOV-91	ER YDI 99	
MS16801A	GUY ATTACHMENT (OVAL EYE) (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL	A 4030	ER 29-NOV-91	ER YDI	
MS16802A	GUY ATTACHMENT, STRAND EYE (POLE LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR GL IS	A 4030	ER 29-NOV-91	ER YDI 99	
MS16803A	GUY ATTACHMENT (OVAL EYE) LONG (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL	A 4030	ER 29-NOV-91	ER YDI	
MS16804A	CLIP, WIRE ROPE (NO S/S DOCUMENT) USER: MC REVIEWER: AR GL	A 4030	ER 29-NOV-91	ER YDI	
MS16805A	THIMBLE, ROPE (NO S/S DOCUMENT) USER: MC REVIEWER: 69 AR GL MI	A 4030	ER 29-NOV-91	ER YDI	
MS16834	MOMERS, LAMM, POWER, SUPPLY LIMITATION OF	A 3750	YDI 30-JAN-85	YDI	
MS16849	ADZ, CARPENTERS, FULL HEAD (USE GGG-A-151) USER: MC YDI	A 5110	SH 10-JUN-59	SH 69	
MS16851	ADZ, SHIP CARPENTERS, SPUR HEAD, PLAIN BIT (USE GGG-A-151) USER: YDI	A 5110	SH 10-JUN-59	SH	
MS16888	CUTTERS, BOLT, RIGID HEAD, WITH ADJUSTING LEVERS, CLIPPER CUT (CLOSE CUTTING) REVIEWER: 69	A 5110	23-JUN-59	WC 10	
MS16889	CUTTERS, BOLT, RIGID HEAD, WITH ADJUSTING LEVERS, ANGULAR CUT, (FLUSH CUTTING) REVIEWER: 69	A 5110	23-JUN-59	WC 10	
MS16970	METER, TIME TOTALIZING, ELECTRIC, 4 VOLTS TO 130 VOLTS, DIRECT CURRENT (USE MIL-M-3971/1) USER: AS MC SH REVIEWER: EL GL YDI	A 6645	AR 26-JUL-65	AR SA 82	
MS16971	METER, TIME TOTALIZING, ELECTRIC, 120 VOLTS, 60 CYCLES, ALTERNATING CURRENT (USE MIL-M-3971/2) USER: AS MC SH REVIEWER: EL GL YDI	A 6645	AR 26-JUL-65	AR SA 82	
MS16972	METER, TIME TOTALIZING, ELECTRIC, 120 VOLTS, 400 CYCLES, ALTERNATING CURRENT (USE MIL-M-3971/2) USER: AS MC SH REVIEWER: EL GL YDI	A 6645	AR 26-JUL-65	AR SA 82	
MS17065	DRILL, MASONRY, HAND, STAR TYPE REVIEWER: 69	A 5110	SH 25-JAN-60	SH 10	
MS17066	DRILL, MASONRY, HAND, TWIST FLUTE REVIEWER: 69	A 5110	SH 25-JAN-60	SH 10	
MS17067	HOLDER, MASONRY DRILL, HAND, RUBBER GRIP REVIEWER: 69	A 5110	SH 25-JAN-60	SH 10	
MS17068	CHISELS, CAPE, HAND, NORMAL AND HEAVY DUTY REVIEWER: 69	A 5110	SH 25-JAN-60	SH 10	
MS17069	CHISELS, DIAMOND POINT, HAND, NORMAL AND HEAVY DUTY REVIEWER: 69	A 5110	SH 25-JAN-60	SH 10	
MS17070	CHISELS, COLD, HAND, REGULAR AND LONG LENGTH REVIEWER: 69	A 5110	SH 22-JAN-60	SH 10	
MS17071	CHISEL, RIVET BUSTER, HAND REVIEWER: 69	A 5110	SH 22-JAN-60	SH 10	
MS17072	CHISELS, ROUND NOSE, HAND, HALF, NORMAL DUTY REVIEWER: 69	A 5110	SH 22-JAN-60	SH 10	
MS17073	CHISELS, ROUND NOSE, HAND, FULL REVIEWER: 69	A 5110	SH 22-JAN-60	SH 10	
MS17074	CHISEL, SIDE-CUTTING, HAND REVIEWER: 69	A 5110	SH 22-JAN-60	SH 10	
MS17075	SPLITTING TOOL, BUSHING, HAND REVIEWER: 69	A 5110	SH 22-JAN-60	SH 10	
MS17085	GAS, FUEL	A 6830	YDI 24-JUL-59	YDI 68	
MS17087	SHOVEL, HAND, SQUARE POINT, SNOW, D-HANDLE REVIEWER: 69	A 5120	SH 12-OCT-59	SH 10	
MS17088A	SHOVEL, HAND, ROUND POINT, D-HANDLE, OPEN BACK, GENERAL PURPOSE REVIEWER: 69	A 5120	SH 19-FEB-60	SH 10	
MS17100B	RECTIFIER, SEMICONDUCTOR DEVICE: 28 VOLT - 100 AMPERE (NO S/S DOCUMENT) USER: MC ME YDI REVIEWER: ER	A 6130	AT 07-APR-93	AT 80	
MS17103A	BEARING, ROLLER, THRUST, GROUND, SINGLE DIRECTION, INCH SIZE, FLAT RACE SURFACE, RIGID OR FLAT SEAT TYPE, WITH RETAINER (S/S BY A-A-52414) USER: MC ME REVIEWER: AR	A 3110	AT 09-MAR-93	AT YDI 84	
MS17109	CUTTER, CIRCLE, BLOCK, MOVABLE PIVOTING, WITHOUT EXTENSIONS REVIEWER: 69	A 5110	SH 15-JAN-60	SH 10	
MS17111	CUTTER, CIRCLE, CENTER PIVOTING, RECTANGULAR CROSSBEAM REVIEWER: 69	A 5110	SH 15-JAN-60	SH 10	
MS17112	CUTTER, CIRCLE, BLOCK, MOVABLE PIVOTING WITH EXTENSIONS REVIEWER: 69	A 5110	SH 15-JAN-60	SH 10	
MS17113	CUTTER, CIRCLE, END PIVOTING, NONADJUSTABLE PIVOT HOLDER REVIEWER: 69	A 5110	SH 15-JAN-60	SH 10	
MS17116	BROACHES AND BROACH SETS, JEWELER S, CUTTING, FIVE CORNERED REVIEWER: 69	A 5110	SH 22-JAN-60	SH 10	
MS17164	LAMP INCANDESCENT, PAR-46 12 VOLT HEADLAMP 2 CONTACT LUGS (USE M-L-50) USER: YDI REVIEWER: GS MI	A 6240	ME 20-JUN-60	ME AS	
MS17168	REEL, SOUNDING LEADLINE	A 6605	YDI 02-JUN-60	YDI	
MS17202A	DISH, FOOD SERVING PICKLE OR CELERY (OFFICERS MESSES) (USE M-C-301) USER: CG MC REVIEWER: MD MS YDI	A 7350	GL 11-MAR-74	GL SA	
MS17220C	FUSE TEST PANEL, PORTABLE, 117 VAC, 3 AMP (SYM 2465) (NO S/S DOCUMENT)	A 5920	SH 07-MAY-93	SH	
MS17415B	VALVE, SAFETY RELIEF, REFRIGERANT-12 USER: MC REVIEWER: GS	A 4130	GL 04-FEB-85	GL YDI 99	
MS17819A	WASHER, STARTER PLASTIC (ANTI-RATTLE) (S/S BY MIL-F-16377) REVIEWER: GS	A 6210	SH 25-APR-93	SH	
MS17843C	CONTROL, PRESSURE, REFRIGERANT-12 - WITH HIGH PRESSURE CUT OUT USER: CE MC REVIEWER: GS MD ME	A 4130	GL 16-APR-84	GL YDI 82	
MS17854C	VALVE, PRESSURE REGULATING, EVAPORATOR, REFRIGERANT-12 USER: MC REVIEWER: CE GS ME	A 4820	GL 14-FEB-85	GL YDI 99	
MS17997	LAMP, INCANDESCENT, S&11, DOUBLE CONTACT, BAYONET CANDELABRA BASE USER: EL YDI REVIEWER: GS	A 6240	ME 26-OCT-62	ME AS 99	
MS18005	LAMP, INCANDESCENT-SEALED, BEAM, PAR 46 SPOT LAMP, 2 SCREW TERMINAL TYPE (S/S BY A-A-52409) REVIEWER: GS	A 6240	AT 03-NOV-92	AT SH	
MS18006	LAMP, INCANDESCENT-SEALED, BEAM, PAR 46 FLOOD LAMP, 2 SCREW TERMINAL TYPE (S/S BY A-A-52409) REVIEWER: GS	A 6240	AT 03-NOV-92	AT SH	



## CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Admin Off / OMA Coordination Inhouse	Document Number	Document Title	Dist. Smt. PDC / Area	MSA Symbol Preparing Army	Date	Custodians Army Navy Air Force DLA
	MS18007	LAMP, INCANDESCENT-SEALED BEAM, PAR 56, SPOT LAMP, 2 SCREW TERMINAL TYPE	A 6240	AT	03-NOV-92	AT SH
	NOTICE 1	(S/S BY A-A-52409) REVIEWER: GS				
	MS180088	LAMP, INCANDESCENT-SEALED BEAM, PAR 56, HEADLAMP, 3 CABLE TYPE (S/S BY	A 6240	AT	03-NOV-92	AT SH
	NOTICE 2	A-A-52409) REVIEWER: GS				
	MS180090	LAMP, INCANDESCENT-SEALED BEAM, PAR 56, HEADLAMP, 12 VOLT, 3 CONTACT LUG	A 6240	AT	17-JUL-92	AT 99
	NOTICE 1	TYPE (S/S BY A-A-52400) USER: SH YDI REVIEWER: GS				
	MS18010A	LAMP, INCANDESCENT-SEALED BEAM, PAR 56, HEADLAMP, 24 VOLT, 3 CONTACT LUG	A 6240	AT	03-NOV-92	AT SH 99
	NOTICE 1	TYPE (S/S BY A-A-52409) REVIEWER: GS				
	MS20070	BOLT EYE, (LAG SCREW THREAD) USER: MC YDI REVIEWER: IS WC	A 5306	B2	18-JUL-58	EL SA 82
	MS20071	BOLT, EYE, DOUBLE ARMING (FOR POLELINE USE) USER: 26 MC YDI REVIEWER: GL	A 5306	EL	18-JUL-58	EL SA 69
		WC				
	MS20072	BOLT, EYE, OVAL USER: 26 MC REVIEWER: GL SA WC	A 5306	EL	18-JUL-58	EL YDI 69
	MS21302	NUT, EYE (OVAL) USER: 26 MC REVIEWER: GL SA WC	A 5310	EL	18-JUL-59	EL YDI 69
	MS21305	WASHER, CUSHION, HOUND USER: 26 MC REVIEWER: GL SA WC	A 5310	EL	18-JUL-59	YDI 69
	MS21309A	STAPLE, GROUND WIRE (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: AR IS	A 5315	ER	29-NOV-91	ER YDI 99
	NOTICE 1	ME SA				
	MS21310A	BOLT, HOOK, SUPPORT DRIVE FETTER THREAD (POLE LINE) (NO S/S DOCUMENT) .....	A 5340	ER	19-NOV-91	ER YDI 99
	NOTICE 1					
	MS21336A	PLUGS, PIPE, IRON OR STEEL .....	A 4730	WC	25-APR-62	WC YDI 69
	MS21337A	PLUGS, PIPE, ALUMINUM .....	A 4730	WC	25-APR-62	WC YDI 69
	MS21338A	PLUGS, PIPE, MAGNETIC, ALUMINUM .....	A 4730	WC	25-APR-62	WC YDI 69
	MS21339A	PLUGS, PIPE, MAGNETIC, IRON OR STEEL .....	A 4730	WC	25-APR-62	WC YDI 69
	DS21445A	PLUG, EXPANSION, TAPERED METRIC (NO S/S DOCUMENT) REVIEWER: AT AV EA ER IS	A 5340	11	18-DEC-87	YDI 11
	MS23007A	PANEL ASSEMBLIES, AIRPORT LIGHTING CONTROL (NO S/S DOCUMENT) REVIEWER: 11	A 6210	AS	18-DEC-92	AS 82
	NOTICE 1	BS				
	MS24201B	ADAPTER LOADER .....	A 4930	ME	01-JUL-70	ME YDI 82
	MS24202A	VALVE-LOADER USER: AS MC REVIEWER: WC	A 4930	ME	11-DEC-59	ME YDI 82
	MS24506E	CIRCUIT BREAKER - AIRCRAFT, NOM TRIP-FREE, PUSH PULL, 5 TO 50 AMP, TYPE 1	A 5925	BS	27-OCT-92	85
	NOTICE 2	(NO S/S DOCUMENT)				
	MS24520A	MENDER, HOSE (LOW PRESSURE) (S/S BY A-A-52403) USER: AV MC OS REVIEWER: AR	A 4730	AT	21-JAN-93	AT AS 69
	NOTICE 1	CS ME				
	MS24521B	TEE, HOSE (LOW PRESSURE) (S/S BY A-A-52405) USER: AV MC OS REVIEWER: AR CS	A 4730	AT	30-NOV-92	AT AS 99
	NOTICE 1	MI				
	MS24631B	APPROXIMATE HOLE SIZES FOR TYPE-A HARDENED THREAD FORMING TAPPING SCREWS ..	A 5305	WC	09-AUG-69	WC YDI 82
	MS24689B	NUT, PLAIN, HEXAGON, TRACK (USE ANSI B 18.10) REVIEWER: IS	A 5310	YDI	20-APR-84	ME YDI 99
	MS25200	LIGHT, APPROACH, CARRIER AIRCRAFT, TRICOLOR FILTER TYPE (NO S/S DOCUMENT) ..	A 6210	AS	01-OCT-92	AS
	NOTICE 1					
	MS25232D	LAMP, INCANDESCENT, SINGLE CONTACT BAYONET CANDELABRA BASE, S-8 BULB (S/S	A 6240	AS	01-FEB-93	AV AS 99
	NOTICE 1	BY MIL-L-6363/12)				
	MS25235D	LAMP, INCANDESCENT, SINGLE-CONTACT BAYONET CANDELABRA BASE, S-11 BULB (S/S	A 6240	AS	01-FEB-93	AV AS 99
	NOTICE 1	BY MIL-L-6363/13) REVIEWER: ME				
	MS25237D	LAMP, INCANDESCENT, SINGLE CONTACT MIDGET FLANGED BASE (T-1-3/4 BULB) (S/S	A 6240	AS	01-FEB-93	ME AS 99
	NOTICE 1	BY MIL-L-6363/8) USER: MC REVIEWER: 11 AR AV EC ER SH				
	MS25238A	LAMP, INCANDESCENT, SINGLE CONTACT BAYONET CANDELABRA BASE, G-5 BULB TYPE	A 6240	AS	01-FEB-93	ME AS 82
	NOTICE 1	1 (S/S BY MIL-L-6363/10)				
	MS26507A	INDICATOR CARD, DESICCANT RELATIVE HUMIDITY (8% PLUS OR MINUS 5%) USER: EA	A 6685	B2	24-MAR-55	YDI 82
		MC REVIEWER: AS GL				
	MS26580B	COVER, AIRPORT MARKER LIGHT BASE, BLANK REVIEWER: GS YDI	A 6210	B2	24-MAR-82	AS 99
	MS27001	ADAPTER, CONNECTOR-DUPLEX WALL RECEPTACLE, 125 VOLTS, 2 POLE, 2 WIRE	A 5935	ME	30-AUG-60	ME YDI 85
		(PARALLEL) TO 2 POLE, 3 WIRE, GROUNDING TYPE USER: MC REVIEWER: 11 80 ES				
	MS27002	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-MIDGET	A 5935	ME	30-AUG-60	ME YDI 85
		LOCKING TYPE, 2 POLE, 2 WIRE, 10 AMPERE, 250 VOLTS, 15 AMPERE, 125 VOLTS				
		(USE W-C-596, STYLE B) REVIEWER: 80 AR ES				
	MS27003	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-MIDGET	A 5935	ME	30-AUG-60	ME YDI 85
		LOCKING TYPE, 2 POLE, 2 WIRE, 10 AMPERE, 250 VOLTS, 15 AMPERE, 125 VOLTS				
		(USE W-C-596, STYLE C) USER: MC REVIEWER: 11 17 80 ES				
	MS27004	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-LOCKING	A 5935	ME	30-AUG-60	ME YDI 85
		TYPE, 3 POLE, 3 WIRE, 15 AMPERE, 125 VOLTS, 10 AMPERE, 250 VOLTS (USE				
		W-C-596, STYLE G) USER: MC REVIEWER: 11 17 80 ES				
	MS27005	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE,	A 5935	ME	30-AUG-60	ME YDI 85
		3 WIRE, 10 AMPERE, 250 VOLTS 15 AMPERE, 125 VOLTS (USER: MC REVIEWER: 11				
		17 80 ES				
	MS27006	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-MIDGET	A 5935	ME	30-AUG-60	ME YDI 85
		LOCKING TYPE, 3 POLE, 3 WIRE, 10 AMPERE, 250 VOLTS, 15 AMPERE, 125 VOLTS				
		(USE W-C-596, STYLE F) USER: MC REVIEWER: 11 17 80 ES				
	MS27007	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 2 POLE,	A 5935	ME	30-AUG-60	ME YDI 85
		3 WIRE, GROUNDING TYPE, 15 AMPERE, 250 VOLTS (USE W-C-596, STYLE H) USER:				
		MC REVIEWER: 11 17 80 ES				
	MS27008	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 2 POLE,	A 5935	ME	30-AUG-60	ME YDI 85
		2 WIRE, 20 AMPERES, 250 VOLTS (USE W-C-596, STYLE K) USER: MC REVIEWER: 11				
		17 80 ES				
	MS27009	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE,	A 5935	ME	30-AUG-60	ME YDI 85
		3 WIRE, 20 AMPERE, 250 VOLTS (USE W-C-596, STYLE L) USER: MC REVIEWER: 11				
		17 80 ES				
	MS27010	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-LOCKING	A 5935	ME	30-AUG-60	ME YDI 85
		TYPE, 3 POLE, 3 WIRE, 20 AMPERE, 250 VOLTS, 10 AMPERE, 600 VOLTS (A-C				
		ONLY) (USE W-C-596, STYLE M) USER: MC REVIEWER: 17 80 ES				
	MS27011	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 4 POLE,	A 5935	ME	30-AUG-60	ME YDI 85
		4 WIRE, 20 AMPERE, 250 VOLTS (USE W-C-596, STYLE N) USER: MC REVIEWER: 11				
		17 80 ES				
	MS27012	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL-LOCKING	A 5935	ME	30-AUG-60	ME YDI 85
		TYPE, 4 POLE, 4 WIRE, 20 AMPERE, 250 VOLTS, 10 AMPERE, 600 VOLTS (A-C				
		ONLY) (USE W-C-596, STYLE P) USER: MC REVIEWER: 11 17 80 ES				
	MS27013A	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 2 POLE, 2	A 5935	ME	30-AUG-60	ME YDI 85
		WIRE, 30 AMPERE, 250 VOLTS (USE W-C-596/31 & W-C-596/32) USER: MC				
		REVIEWER: 11 17 99 ES				
	MS27014A	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE, 3	A 5935	ME	30-AUG-60	ME YDI 85
		WIRE, 30 AMPERE, 250 VOLTS (USE W-C-596/33 & W-C-596/34) USER: MC				
		REVIEWER: 11 17 99 ES				
	MS27015A	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 3 POLE, 3	A 5935	ME	30-AUG-60	ME YDI 85
		WIRE, 50 AMPERE, 250 VOLTS (USE W-C-596/36 & W-C-596/37) USER: MC REVIEWER:				
		11 99 ES				
	MS27016A	CONNECTOR, PLUG, ELECTRICAL AND CONNECTOR, RECEPTACLE, ELECTRICAL, 4 POLE, 4	A 5935	ME	30-AUG-60	ME YDI 85
		WIRE, 60 AMPERE, 250 VOLTS (USE W-C-596/38 & W-C-596/39) USER: MC				
		REVIEWER: 11 17 99 ES				
	MS27051B	WASHER, SLOTTED USER: EL MC YDI REVIEWER: IS	A 5310	WC	01-NOV-66	WC 99
	MS2725B	LABEL, MORIS, MARKING FOR SHIPMENT OF	A 8135	69	05-MAR-65	69
	MS27264D	TIMER, FIRE CONTROL, BOMBING, DUAL (NO S/S DOCUMENT) REVIEWER: GS	A 6645	B2	05-JUL-89	99
	MS27281	CASTER, RIGID AND SWIVEL, PRECISION, SPRING MOUNTED, PNEUMATIC TIRED USER:	A 5340	99	03-SEP-65	AR YDI 99
		11 CE REVIEWER: GL IS				
	MS27957	HINGE, BUTT-NARROW AND BROAD, TEMPLATE, HARDWARE, BUILDER S, COMMERCIAL,	A 5340	WC	24-FEB-61	WC YDI 82
		ALUMINUM SE MIL-H-1237 (REVIEWER: IS SH				
	MS27959	HINGE, BUTT-NARROW AND BROAD, WITHOUT HOLES HARDWARE, BUILDER S,	A 5340	WC	24-FEB-61	WC YDI 82
		COMMERCIAL, ALUMINUM (USE MIL-H-1237) REVIEWER: IS				



CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Adopt CPL / Code Combination Inches Document Number	Document Title	Doc. Smt. FSC / Ave MCA Symbol Preparing Act.	Date	Custodians Army Navy Air Force DLA
MS27967	HASP, HINGED SAFETY, WITH FIXED STAPLE, HARDWARE, BUILDER, S.	A 5340	WC 24-FEB-61	WC YD1 82
MS27987	MISCELLANEOUS, STEEL USER: ME REVIEWER: IS	A 4730	CE 26-JUL-61	CE YD1 82
MS27988	COUPLING, STRAIGHT, HOSE TO HOSE, INTERVAL (NPSH) SWIVEL, ROCKER LUG, TO EXTERNAL (NPSH)	A 4730	ME 26-JUL-61	ME YD1 82
MS27989	SIAMSE CONNECTION, PIPE TO HOSE, EXTERNAL (NPT) SINGLE END, TO INTERNAL (NPSH) SIAMSE SWIVEL ENDS, ROCKER LUG (USE MIL-C-52404) USER: GL MD REVIEWER: 69	A 4730	ME 26-JUL-61	ME YD1 82
MS28003C	COUPLING, HOSE, (WATER), DOUBLE INTERNAL, SWIVEL, ROCKER LUG, FOR USE WITH 1 1/2 INCH WATER HOSE (USE MIL-C-52404) USER: GL MD	A 6610	AS 30-SEP-92	AV AS 71
MS33657G	INDICATOR, POSITION, FLAPS, 2-INCH SIZE, 28-VOLT DC (NO S/S DOCUMENT) .....	A 4730	B2 06-JAN-93	AR AS 99
MS35002D	FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARED TUBE CONNECTION (S/S BY SAE-AS4396) USER: ME REVIEWER: CS MI	A 6140	AT 03-MAY-93	AT YD1 99
MS35004A	BATTERY, STORAGE-FOR GASOLINE OPERATED INDUSTRIAL TRUCKS AND TRACTORS (NO S/S DOCUMENT) USER: MC REVIEWER: AS ER GS	A 6140	ME 16-MAR-55	ME YD1 99
MS35005A	BATTERY, STORAGE CAR LIGHTING AND AIR CONDITIONING USER: AS MC REVIEWER: AT ER GS	A 6140	ME 16-MAR-55	ME YD1 99
MS35255A	BATTERY, STORAGE INDUSTRIAL, LOCOMOTIVE AND MARINE USER: AS MC REVIEWER: AT ER GS	A 5340	ER 19-NOV-91	ER YD1 99
MS35256A	BRACE, CORNER, BOX, LARGE, 1 QUARTER-ROUND AND 2 CUT FLANGES, 3 MOUNTING HOLES (NO S/S DOCUMENT)	A 5340	ER 19-NOV-91	ER YD1 99
MS35258A	BRACE, CORNER, BOX, SMALL, 1 QUARTER ROUND AND 2 CUT FLANGES, 3 MOUNTING HOLES (NO S/S DOCUMENT)	A 5340	ER 19-NOV-91	ER YD1 99
MS35259A	BRACE, CORNER, BOX, SMALL, 2 QUARTER-ELLIPSE FLANGES, 2 MOUNTING HOLES (NO S/S DOCUMENT) REVIEWER: IS	A 5340	ER 19-NOV-91	ER YD1 99
MS35260A	BRACE, CORNER, BOX, 3 QUARTER-ROUND FLANGES, 6 MOUNTING HOLES (NO S/S DOCUMENT) REVIEWER: IS	A 5340	ER 19-NOV-91	ER YD1 99
MS35261A	BRACE, CORNER, BOX, 1 QUARTER-ROUND AND 2 CUT FLANGES, 4 MOUNTING HOLES (NO S/S DOCUMENT) REVIEWER: IS	A 5340	ER 19-NOV-91	ER YD1 99
MS35289	BRACE, CORNER, BOX, 2 QUARTER-ELLIPSE FLANGES, 4 MOUNTING HOLES (NO S/S DOCUMENT) REVIEWER: IS MI	A 5305	WC 04-MAR-54	WC SH 69
MS35290	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PLAIN FINISH, UNC-2A USER: MC MI YD1 REVIEWER: GL SA	A 5305	WP 04-MAR-54	WC 69
MS35291	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PLAIN FINISH, UNF-2A USER: MC MI YD1 REVIEWER: GL SA SH	A 5305	WC 04-MAR-54	WC SH 11
MS35292	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, CADMIUM OR ZINC FINISH, UNC-2A USER: MC MI YD1 REVIEWER: 69 GL SA	A 5305	WC 04-MAR-54	WC SH 11
MS35293	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, CADMIUM OR ZINC FINISH, UNF-2A USER: MC MI YD1 REVIEWER: 69 GL SA	A 5305	WC 04-MAR-54	WC SH 69
MS35294	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PHOSPHATE FINISH, UNC-2A USER: MC YD1 REVIEWER: GL SA	A 5305	WC 04-MAR-54	WC SH 69
MS35354	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), LOW CARBON STEEL, PHOSPHATE FINISH, UNF-2A USER: MC YD1 REVIEWER: GL SA	A 5305	WC 24-JAN-55	WC SH
MS35386C	BOLT, MACHINE, SQUARE HEAD, (UNFINISHED), STEEL, UNCOATED, UNC-2A (S/S BY MS-35355A) USER: MC YD1 REVIEWER: AR GL	A 5315	ME 28-SEP-67	ME YD1
MS35388E	PIN, LOCK (USE MIL-R-52243) REVIEWER: IS	A 2610	AT 07-MAR-68	AT YD1 84
MS35389D	TIRE, PNEUMATIC, PASSENGER CAR, LIGHT TRUCK, TRUCK AND BUS REVIEWER: ME	A 2610	AT 17-FEB-67	AT YD1 84
MS35390	TIRE, PNEUMATIC, INDUSTRIAL STRAIGHT SIDE, TRACTOR REAR AND TRACTOR FRONT REVIEWER: ME	A 2610	AT 17-FEB-67	AT YD1 84
MS35391	TIRE, PNEUMATIC, LOW PLATFORM TRAILER, EARTHMOVER, GRADER, AND AMPHIBIOUS VEHICLE REVIEWER: ME	A 2610	AT 17-FEB-67	AT YD1 84
MS35392D	TIRE, PNEUMATIC, BICYCLE, MOTORCYCLE, AND MOTOR SCOOTER REVIEWER: ME	A 2610	AT 17-FEB-67	AT YD1 84
MS35393C	INNER TUBE, PNEUMATIC TIRE REVIEWER: ME	A 2630	AT 09-FEB-67	AT YD1 84
MS35400A	TIRE, SOLID RUBBER-STANDARD AND CUSHION, INDUSTRIAL, USER: AS MC REVIEWER: ME	A 2250	ME 15-JUL-59	ME YD1 84
MS35413C	RAIL, TEE, RAILWAY REVIEWER: BS	A 6210	SH 03-JUL-75	AR SH 11
MS35414B	LIGHT, INDICATOR WITH PLAIN SHORT SCREW CAP (S/S BY MIL-L-3661) USER: AS AT EL MC YD1 REVIEWER: GL GS MI	A 6210	WC 05-FEB-64	WC SH 11
MS35415B	LIGHT, INDICATOR WITH PLAIN SHORT SCREW CAP AND BUILT-IN RESISTOR USER: EL MC YD1 REVIEWER: GL	A 6210	WC 05-FEB-64	WC SH 11
MS35424B	LIGHT, MARKER, CLEARANCE-BLACKOUT, 24 VOLT (S/S BY MIL-L-3976/2) USER: AS ME REVIEWER: 84 BS GS MI	A 6220	AT 16-JUN-92	AT MC 99
MS35464	LIGHT, TRACK, SQUARE SHANK, RAILROAD USER: MC	A 2250	ME 31-MAR-55	ME YD1 84
MS35472A	TIE PLATE, RAILWAY	A 2250	ME 08-MAR-61	ME YD1 84
MS35473B	JOINT BAR, RAIL	A 2250	ME 25-APR-60	ME YD1 84
MS35474C	BOLT, OVAL WICK, TRACK (USE ANSI B18.10) REVIEWER: AR IS SA	A 5306	YD1 12-JUL-84	ME YD1 99
MS35475C	NUT, PLAIN, SQUARE, TRACK (USE ANSI B18.10) REVIEWER: AR IS MI SA	A 5310	YD1 20-APR-84	ME YD1 99
MS35490A	GROMMET, RUBBER-SPLIT, GENERAL PURPOSE (USE, MS35489) USER: AR EL MC ME YD1 REVIEWER: AT IS MI	A 5325	WC 07-MAY-68	WC AS 82
MS35648A	PLUG, EXPANSION: PLAIN (S/S BY A-A-52420) USER: CR MC ME REVIEWER: AR AV GL IS MI	A 5340	AT 13-JAN-93	AT AS 99
MS35660A	ADAPTER, CYLINDER VALVE, BRASS, CLASS 300-510, ACETYLENE, 300 PSI WORKING PRESSURE (USE MIL-A-16288/16)	A 8120	ME 05-SEP-68	ME YD1 68
MS35661A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, CLASS 510-300, ACETYLENE, 300 PSI WORKING PRESSURE (USE MIL-A-16288/17)	A 8120	ME 05-SEP-68	ME YD1 68
MS35662	ADAPTER, CYLINDER VALVE, BRASS, CLASS 550-590, AIR, ARGON, NITROGEN, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC	A 8120	ME 12-MAR-57	ME YD1 68
MS35663	ADAPTER, CYLINDER VALVE, BRASS, CLASS 590-650, AIR, ARGON, NITROGEN, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: GL MC MS SH REVIEWER: WC	A 8120	ME 12-MAR-57	ME YD1 68
MS35666	ADAPTER, CYLINDER VALVE, BRASS, CLASS 350-590, HELIUM, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC	A 8120	ME 12-MAR-57	ME YD1 68
MS35667	ADAPTER, CYLINDER VALVE, BRASS, CLASS 590-350, HELIUM, OIL PUMPED, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC	A 8120	ME 12-MAR-57	ME YD1 68
MS35668	ADAPTER, CYLINDER VALVE, BRASS, CLASS 320-540, MEDICAL OXYGEN, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC	A 8120	ME 12-MAR-57	ME YD1 68
MS35669	ADAPTER, CYLINDER VALVE, BRASS, CLASS 540-320, MEDICAL OXYGEN, 2200 PSI WORKING PRESSURE USER: AS GL MC MS SH REVIEWER: WC	A 8120	ME 12-MAR-57	ME YD1 68
MS35747	HOLDER, SPRING, AIR BRAKE HOSE COUPLING USER: GL MC	A 2530	MD 03-MAY-56	MD YD1 84
MS35749	SPRING, HELICAL, COMPRESSION, AIR BRAKE HOSE COUPLING USER: GL MC	A 2530	MD 03-MAY-56	MD YD1 84
MS35750	PLUNGER, AIR BRAKE HOSE COUPLING USER: GL MC	A 2530	MD 03-MAY-56	MD YD1 84
MS35752A	BOLT, SQUARE WICK, TRUSS HEAD, (STEP) STEEL, CADMIUM OR ZINC PLATED, UNC-2A (SEE MS 35751) USER: AT MC YD1 REVIEWER: IS ME MI	A 5306	WC 13-SEP-66	WC 82
MS35753A	BOLT, SQUARE WICK, FLAT HEAD, (ELEVATOR) STEEL, CADMIUM OR ZINC PLATED, UNC-2A (USE MS35754) USER: AT MC ME OS YD1 REVIEWER: IS	A 5306	WC 13-SEP-66	WC 82
MS35755C	CUP, OIL, LUBRICATING, BALL VALVE (DRIVE), STRAIGHT (USE MIL-C-1258D) USER: MC SH REVIEWER: 99 CS GL MI	A 4730	YD1 08-OCT-76	AR YD1 11
MS35771C	BEARING, SLEEVE: PLAIN, BRONZE (S/S BY FF-B-195) USER: MC YD1 REVIEWER: AR AV IS ME MI	A 3120	AT 04-MAY-93	AT AS 11
MS35772C	BEARING, SLEEVE: FLANGED, COPPER ALLOY (S/S BY FF-B-195) USER: AR MC REVIEWER: IS	A 3120	AT 04-MAY-93	AT 99
MS35786A	COCK, DRAIN, GROUND KEY, LONG SHANK, 125 PSI STEAM PRESSURE (USE MS35785) USER: MC MS YD1 REVIEWER: GL MI	A 4820	WC 23-MAR-66	WC SH 82



## CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action On / On Cancellation Inactive	Document Number	Document Title	Dist. Smt. FSC / Ane MCA Symbol	Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DLA
	MS35796A NOTICE 1	BOLT, THIMBLE EYE (STRAIGHT), HOT GALVANIZED (POLE-LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR IS	A 4030	ER	29-NOV-91	ER	YD1	99	
	MS35797A NOTICE 1	BOLT, THIMBLE EYE (BENT) HOT GALVANIZED (POLE-LINE) (NO S/S DOCUMENT) USER: MC ME REVIEWER: AR GL	A 4030	ER	29-NOV-91	ER	YD1	99	
	MS35800	BOLT, LAG, GIMLET POINT HOT GALVANIZED (POLE-LINE) (USE MS 16992) USER: 26 MC REVIEWER: GL SA SH MC	A 5306	EL	19-NOV-56	EL	YD1	69	
L	MS35832A	DIAGRAM, EQUIPMENT, COMPOSITE, RAILWAY 36, 39-3/8 AND 42 IN. GAGES, FOREIGN SERVICE USER: YD1 REVIEWER: MT	A 2220	ME	21-MAR-84	ME			
L	MS35833B	DIAGRAM, EQUIPMENT, COMPOSITE, RAILWAY 56 1/2 (1435), 60 (1524), 63 (1600) AND 66 (1676) IN. (MM) GAGES, FOREIGN SERVICE USER: MC YD1 REVIEWER: MT	A 2220	ME	24-MAY-83	ME			
	MS358400 NOTICE 1	CAP, FILLER OPENING: RADIATOR, 7 PSI PRESSURE, 2 1/2 INCH (S/S BY A-A-52424) USER: CR MC REVIEWER: CS ME	A 2930	AT	02-FEB-93	AT		99	
	MS35858	DIAGRAM, EQUIPMENT, COMPOSITE, RAILWAY, FREIGHT 56-1/2 IN. GAGE, DOMESTIC SERVICE USER: YD1 REVIEWER: MT	A 2220	ME	28-MAY-57	ME		84	
	MS35879	MAGNETOS, IGNITION: DISTRIBUTOR (VERTICAL) TYPE FOR INDUSTRIAL ENGINES (LIMITING OVERALL DIMENSIONS) (NO S/S DOCUMENT) REVIEWER: AT CS	A 2920	ME	20-DEC-88	ME	YD1	99	
	MS35884	CORES, RADIATORS, ENGINE COOLING, INDUSTRIAL (NO S/S DOCUMENT) USER: MC REVIEWER: AT CS	A 2930	ME	28-APR-89	ME	YD1		
	MS35908C NOTICE 1	SPARK PLUG: SHIELDED, 14MM, 1 INCH WELL (OTHER THAN AIRCRAFT) (NO S/S DOCUMENT) USER: MC REVIEWER: ME	A 2920	AT	23-MAR-93	AT	YD1	99	
	MS35911C NOTICE 1	SPARK PLUG: SHIELDED, 18MM, 1 INCH WELL (OTHER THAN AIRCRAFT) (NO S/S DOCUMENT) USER: MC REVIEWER: CS ME	A 2920	AT	23-MAR-93	AT	YD1	99	
	MS35943B NOTICE 1	CYLINDER, GRADUATED, LABORATORY WITH POUROUT LID (NO S/S DOCUMENT) USER: ME PS REVIEWER: B2 MI	A 6640	EA	10-MAY-93	EA	MS	99	
	MS35944C NOTICE 1	RING, LABORATORY APPARATUS SUPPORT, CLOSED TYPE W/INTEGRAL CLAMP (NO S/S DOCUMENT) USER: ME MI SM REVIEWER: B2 DP MD	A 6640	EA	25-MAY-93	EA	MS	99	
	MS35946C NOTICE 1	RING, LABORATORY APPARATUS SUPPORT, OPEN TYPE W/INTEGRAL CLAMP (NO S/S DOCUMENT) USER: ME MI SM REVIEWER: B2 DP MD	A 6640	EA	25-MAY-93	EA	MS	99	
	MS35947B NOTICE 1	CYLINDER, GRADUATED, LABORATORY WITH STOPPED MOUTH (NO S/S DOCUMENT) USER: ME PS REVIEWER: B2 MI	A 6640	EA	10-MAY-93	EA	MC	99	
	MS35948C	FUNNEL, SEPARATORY, PEAR-SHAPED (NO S/S DOCUMENT) USER: DM MD REVIEWER: B2 AS ME OS YD1	A 6640	EA	18-JUN-91	EA	MS	99	
	MS35949C	FUNNEL, SEPARATORY, CYLINDRICALLY-SHAPE (NO S/S DOCUMENT) USER: DM MD REVIEWER: B2 AS ME OS YD1	A 6640	EA	18-JUN-91	EA	MS	99	
	MS35951A NOTICE 2	CYLINDER, GRADUATED, LABORATORY, 1130 ML AND 1205 ML GRADUATIONS AND MARKINGS (BOROSILICATE GLASS) (NO S/S DOCUMENT) USER: ME PS REVIEWER: B2 MI	A 6640	EA	10-MAY-93	EA	MS	99	
	MS35956B NOTICE 1	GRADUATE, LIQUID, LABORATORY GLASS, CONICAL (NO S/S DOCUMENT) USER: ME PS REVIEWER: B2 MI YD1	A 6640	EA	10-MAY-93	EA	MS	99	
	MS35978B NOTICE 1	BULB, DROPPING PIPET (NO S/S DOCUMENT) USER: DM MD MS REVIEWER: B2 AS ME ..	A 6640	EA	10-MAY-93	EA	MS	99	
	MS35983B NOTICE 1	PIPET, BLOOD CHEMISTRY (NO S/S DOCUMENT) REVIEWER: B2 MD ME OS YD1 .....	A 6640	EA	10-MAY-93	EA	MS	99	
	MS35985B NOTICE 1	PIPET, VOLUMETRIC (NO S/S DOCUMENT) REVIEWER: MD ME YD1 .....	A 6640	EA	10-MAY-93	EA	MS	99	
	MS35986C NOTICE 1	PIPET, VOLUMETRIC, MICRO KIRK DESIGN (NO S/S DOCUMENT) REVIEWER: ME YD1 ...	A 6640	EA	09-OCT-91	EA	MS	82	
	MS35997C NOTICE 1	CYLINDER, UNGRADUATED, LABORATORY (NO S/S DOCUMENT) REVIEWER: AS MD ME OS YD1	A 6640	EA	10-MAY-93	EA	MS	99	
	MS36001C NOTICE 1	CLAMP, LABORATORY SUPPORT ROD (NO S/S DOCUMENT) REVIEWER: O3 ME .....	A 6640	EA	25-MAY-93	EA	MS	99	
	MS36005B NOTICE 1	CLAMP, RUBBER TUBING, SHUTOFF PINCHCOCK TYPE, DAY DESIGN (NO S/S DOCUMENT) USER: O3 ME REVIEWER: AS MD	A 6640	EA	25-MAY-93	EA	MS	99	
	MS36009B NOTICE 1	CLAMP, TEST TUBE, STOODARD TYPE W/FINGER GRIPS (NO S/S DOCUMENT) USER: O3 ME REVIEWER: AS MD	A 6640	EA	25-MAY-93	EA	MS	99	
	MS36012C NOTICE 1	CLAMP, UTILITY, LABORATORY EXTENSION (NO S/S DOCUMENT) USER: O3 ME REVIEWER: AS MD	A 6640	EA	25-MAY-93	EA	MS	99	
	MS36054B	FLASK, BOILING FLAT BOTTOM (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36055C	FLASK, BOILING ROUND BOTTOM (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36057D MS36058C	FLASK, DEWAR (NO S/S DOCUMENT) USER: DM MC MD REVIEWER: B2 AS ME YD1 .....	A 6640	EA	10-JUN-91	EA	MS	99	
	MS36059B	FLASK, DISTILLING, GENERAL PURPOSE (NO S/S DOCUMENT) USER: DM MC MD REVIEWER: B2 AS ME OS YD1	A 6640	EA	10-JUN-91	EA	MS	99	
	MS36061B	FLASK, DISTILLING ENGLER, SAYBOLT, CHURCH, AND HEMPEL DESIGNS (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36062B	FLASK, DISTILLING THREE NECK (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36062B	FLASK, ERLLENMEYER BEADED OR TOOLED RIM (NO S/S DOCUMENT) USER: MC ME REVIEWER: AS MD OS PS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36063B	FLASK, ERLLENMEYER W/GROUND JOINT (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36064D	FLASK, ERLLENMEYER, WITH PENNYHEAD STOPPER (NO S/S DOCUMENT) USER: DM MC MD REVIEWER: B2 AS ME YD1	A 6640	EA	10-JUN-91	EA	MS	99	
	MS36065B	FLASK, ERLLENMEYER, IODINE DETERMINATION (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36066B MS36067B	FLASK, FILTERING (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1 ..	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36068B MS36122	FLASK, KJELDAHL LONG NECK (NO S/S DOCUMENT) USER: MC ME PS REVIEWER: AS MD OS YD1	A 6640	EA	10-JUN-91	EA	MS	82	
	MS36126	FLASK, VOLUMETRIC (NO S/S DOCUMENT) USER: ME PS REVIEWER: AS MD OS YD1 ....	A 6640	EA	18-JUN-91	EA	MS	82	
	MS36128	IRON COMPOUNDS ACS AND ANALYZED REAGENT INORGANIC (USE MIL-STD 1218 OR 1222) USER: AS MC YD1 REVIEWER: AR DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36129	LEAD COMPOUND: ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD 1218 OR 1222) USER: AS MC YD1 REVIEWER: AR DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36130	MAGNESIUM COMPOUND, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 OR 1222) USER: AS MC YD1 REVIEWER: AR DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36132	MANGANESE COMPOUNDS, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36134	MERCURY COMPOUNDS, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36141	NICKEL COMPOUNDS, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD-1218 OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36154A	PHOSPHORUS COMPOUND, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD 1218 OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36165A NOTICE 2	STRONTIUM COMPOUND, ACS AND ANALYZED REAGENT, INORGANIC (USE MIL-STD 1218 OR 1222) USER: AS MC YD1 REVIEWER: DM GL MR	A 6810	EA	30-JUN-61	EA	SH	68	
	MS36175A NOTICE 2	OVER, LABORATORY, FORCED AIR, MECHANICAL CONVENTION (NO S/S DOCUMENT) USER: DM MD REVIEWER: B2 AS ME YD1	A 6640	EA	23-OCT-91	EA	MS	99	
	MS36176A NOTICE 2	TUBE, CENTRIFUGE, OIL TYPE (NO S/S DOCUMENT) USER: CR ME .....	A 6640	EA	10-MAY-93	EA	MS		
	MS36177A NOTICE 2	TUBE, CENTRIFUGE UNGRADUATED, CONICAL BOTTOM (NO S/S DOCUMENT) .....	A 6640	EA	10-MAY-93	EA		99	
		TUBE, CENTRIFUGE GRADUATED, CONICAL BOTTOM (NO S/S DOCUMENT) USER: ME .....	A 6640	EA	10-MAY-93	EA	MS		
		TUBE, DRYING LABORATORY U-TUBE, SCHMARTZ TYPE (NO S/S DOCUMENT) USER: ME ..	A 6640	EA	10-MAY-93	EA	MS		



# CANCELED SECTION

# NUMERICAL LISTING MS DRAWINGS

Action OR / ON Coordination Inclusive	Document Number	Document Title	Dist. Spmt FSC / Area	MCA Symbol	Preparing Act Date	Custodians			
						Army	Navy	Air Force	DLA
L	MS36181A	TUBE, DRYING, LABORATORY STRAIGHT, ONE BULB (NO S/S DOCUMENT) USER: ME ....	A 6640	EA	10-MAY-93	EA			
	NOTICE 2								
	MS36185	TEST TUBE KAHN TYPE (NO S/S DOCUMENT) USER: ME .....	A 6640	EA	10-MAY-93	EA	99		
	NOTICE 2								
	MS36189A	TUBE, CENTRIFUGE UNGRADED, WITH POUR-OUT LIP (NO S/S DOCUMENT) USER: ME	A 6640	EA	10-MAY-93	EA	MS		
	MS36190A	TEST TUBE WITH SIDE ARM (NO S/S DOCUMENT) USER: ME .....	A 6640	EA	10-MAY-93	EA	MS		
	NOTICE 2								
	MS36191A	TEST TUBE WITH PENNYHEAD STOPPER (NO S/S DOCUMENT) USER: ME .....	A 6640	EA	10-MAY-93	EA	MS		
	NOTICE 2								
	MS36219	SODIUM BISMUTHATE, ACS (USE MIL-STD 1218) USER: AS MC YDI REVIEWER: DM GL	A 6810	EA	30-JUN-61	EA	SH	68	
		MR							
	MS36225	SODIUM COMPOUND OF NITROGEN, ACS (USE MIL-STD 1218) USER: AS MC YDI	A 6810	EA	30-JUN-61	EA	SH	68	
		REVIEWER: DM GL MR							
	MS36226	SODIUM PEROXIDE, ANHYDROUS, ACS (USE MIL-STD-1218) USER: AS MC YDI	A 6810	EA	30-JUN-61	EA	SH	68	
		REVIEWER: DM GL MR							
	MS36227	SODIUM COMPOUNDS OF PHOSPHOROUS, ACS AND ANALYZED REAGENT, INORGANIC (USE	A 6810	EA	30-JUN-61	EA	SH	68	
		MIL-STD-1218 OR 1222) USER: AS MC YDI REVIEWER: DM GL MR							
	MS36229	SODIUM METHASILICATE, MONOHYDRATE, ANALYZED REAGENT (USE MIL-STD-1222)	A 6810	EA	30-JUN-61	EA	SH	68	
		USER: AS MC YDI REVIEWER: DM GL MR							
	MS36231	SODIUM TUNGSTATE, DIHYDRATE, ACS (USE MIL-STD-1218) USER: AS MC YDI	A 6810	EA	30-JUN-61	EA	SH	68	
		REVIEWER: DM GL MR							
	MS36245A	FUNNEL, SEPARATOR, GLOBE-SHAPED (NO S/S DOCUMENT) USER: DM MD REVIEWER:	A 6640	EA	18-JUN-91	EA	MS	99	
		B2 AS ME OS YDI							
	MS36323B	KNIFE, MICROTOME (NO S/S DOCUMENT) REVIEWER: AS MD ME YDI .....	A 6640	EA	20-SEP-88	EA	MS	99	
	MS36355B	OVEN, LABORATORY, RADIANT/GRAVITY CONVECTION (NO S/S DOCUMENT) USER: DM MD	A 6640	EA	23-OCT-91	EA	MS	99	
		REVIEWER: B2 AS ME YDI							
	MS36404A	CLIMBER SET, TREE AND POLE (USE MIL-STD 1433) USER: MC .....	A 4240	EA	22-JUL-65	EA	YDI	84	
	MS36520B	ANALYZER, HYDROGEN PORTABLE USER: EL REVIEWER: ME .....	A 6630	EA	26-JUL-86	EA	YDI	99	
	MS36527A	ANALYZER, RECORDER, DISSOLVED OXYGEN .....	A 6630	EA	11-JAN-84	EA	YDI	99	
	MS36540A	HYDROMETER, GRADUATED SCALE API GRAVITY (W/O THERMOMETER) USER: AV CG ME	A 6640	EA	11-JUL-86	EA	MS	99	
		YDI							
	MS36541A	HYDROMETER, GRADUATED SCALE SPECIFIC GRAVITY USER: AV CG ME YDI .....	A 6640	EA	11-JUL-86	EA	MS	99	
	MS36542A	HYDROMETER SET, GRADUATED SCALE USER: AV CG ME OS YDI .....	A 6630	EA	11-JUL-86	EA	MS	99	
	MS36568A	WASH BOTTLE, LABORATORY GLASS, INSULATED USER: MC ME PS REVIEWER: MI YDI ..	A 6640	EA	26-OCT-83	EA	MS	99	
	MS36569	FLASK, DISTILLING CLAUSEN DESIGN USER: MC ME PS REVIEWER: MD YDI .....	A 6640	EA	26-OCT-83	EA	MS	99	
	MS36576A	FILLER, PIPE REVIEWER: MD ME YDI .....	A 6640	EA	26-OCT-83	EA	MS	99	
	MS39001A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	ME	18-NOV-68	ME	YDI	11	
		BRITISH OXYGEN VALVE (USE MIL-A-16288/1) USER: MC							
	MS39004A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	ME	22-APR-69	ME	YDI	68	
		DUTCH OXYGEN VALVE (USE MIL-A-16288/4) USER: MI REVIEWER: AR SH							
	MS39005A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	ME	10-DEC-68	ME	YDI	68	
		GERMAN OXYGEN VALVE (USE MIL-A-16288/5)							
	MS39006A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	EC	02-JAN-69	ME	YDI	68	
		BRITISH ACETYLENE VALVE (USE MIL-A-16288/6) USER: MI REVIEWER: AR SH							
	MS39007A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	ME	22-APR-69	ME	YDI	68	
		DUTCH ACETYLENE VALVE (USE MIL-A-16288/7) USER: MI REVIEWER: AR							
	MS39008A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	ME	07-JAN-69	ME	YDI	68	
		GERMAN ACETYLENE VALVE (USE MIL-A-16288/8) USER: MI REVIEWER: AR SH							
	MS39010A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	ME	11-NOV-68	ME	YDI	68	
		FRENCH HYDROGEN VALVE (USE MIL-A-16288/10) USER: MI SH REVIEWER: AR							
	MS39011A	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, U.S. REGULATOR TO	A 8120	ME	11-NOV-68	ME	YDI	68	
		GERMAN AND DUTCH HYDROGEN VALVES (USE MIL-A-16288/11) USER: MI SH							
		REVIEWER: AR							
	MS39012A	YORK, COMPRESSED GAS CYLINDER (USE MIL-A-16288/12) USER: MI .....	A 8120	ME	01-NOV-68	ME	YDI	11	
	MS39017	FERRULE, ELECTRICAL CONDUIT: SPARK PLUG CABLE ELBOW (OTHER THAN AIRCRAFT)	A 5975	AT	16-SEP-92	AT			
	NOTICE 1	(NO S/S DOCUMENT) USER: MC ME REVIEWER: AR ER GS							
	MS39023	LADDER, STRAIGHT, MANHOLE USER: MC REVIEWER: BS YDI .....	A 5440	EL	18-JUL-58	EL		69	
	MS39025	BRACKET, INSULATOR TRANSPOSITION, CROSSARM USER: GL MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39028	ADAPTER, THIMBLE LEAD THREAD USER: GL MC .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39029	BRACE, CROSSARM, WOOD USER: GL MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39032A	CLAMP, CABLE SUSPENSION (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER:	A 5975	ER	23-DEC-91	ER	YDI	82	
	NOTICE 1	99 GS							
	MS39033	HANGER, WIRE STRAND (ONE HOLE) USER: GL MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39034	BRACE, CROSSARM, VERTICAL USER: GL MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39035	BRACKET, INSULATOR (TRANSPOSITION, SPAN) USER: GL MC .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39036	HANGER, WIRESTRAND GRADE CLAMP (POL LINE) USER: GL MC .....	A 5975	EL	18-JUL-58	EL	YDI	82	
	MS39037A	STRAND CONNECTOR, POLE (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER: 99	A 5975	ER	23-DEC-91	ER	YDI	82	
	NOTICE 1	GS							
	MS39038A	STRAP, SUPPORT WIRE STRAND HANGER (POLE LINE) (NO S/S DOCUMENT) USER: MC	A 5975	ER	23-DEC-91	ER	YDI	82	
	NOTICE 1	REVIEWER: 99 GS							
	MS39039	GUY ATTACHMENT, STRAP USER: MC REVIEWER: 80 .....	A 5975	EL	18-JUL-58	EL	YDI	85	
	MS39042A	PIN, INSULATOR LEAD THREAD (POLE LINE) (NO S/S DOCUMENT) USER: MC	A 5975	ER	23-DEC-91	ER	YDI	82	
	NOTICE 1	REVIEWER: 99 GS							
	MS39043A	BRACKET, INSULATOR, STEEL (POLE LINE) (NO S/S DOCUMENT) USER: MC REVIEWER:	A 5975	ER	23-DEC-91	ER	YDI	82	
	NOTICE 1	99 GS							
	MS39044	BRACE, CROSSARM, VERTICAL COMMUNICATIONS TYPE USER: GL MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39047A	STEP, POLE, DETACHABLE (NO S/S DOCUMENT) USER: MC REVIEWER: 99 GS .....	A 5975	ER	23-DEC-91	ER	YDI	82	
	NOTICE 1								
	MS39048	BRACKET, INSULATOR, TRANSPOSITION (PHANTOM CIRCUIT) USER: MC REVIEWER: BS ..	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39050	BRACKET, INSULATOR, TRANSPOSITION USER: MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39052	BRACKET, INSULATOR (DEAD END) USER: MC .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39053	HANGER, WIRE STRAND HOT DIP GALVANIZED USER: GL MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI	69	
	MS39054	BRACE, CROSSARM, SIDE (WITHOUT STEP) USER: MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI		
	MS39055	PIN, INSULATOR, SEPARABLE TIP USER: MC REVIEWER: BS .....	A 5975	EL	18-JUL-58	EL	YDI		
	MS39082B	EXTINGUISHER, FIRE, WATER BACK PACK, PUMP-TYPE, HAND, 5 GAL. USER: AT CS ..	A 4210	CE	30-DEC-60	ME	YDI	84	
	MS39083A	EXTINGUISHER, FIRE, WATER PUMP TYPE, HAND, 2 1/2 GAL., CYLINDRICAL USER:	A 4210	ME	15-SEP-59	ME	YDI	84	
		AT CS							
	MS39102A	PLATE, RAIL, MARINE AND SPECIAL RAILWAY .....	A 2250	YDI	16-NOV-64	MD	YDI	99	
	MS39106	NOZZLE, FIRE HOSE, WATER, THROW HANDLE SHUT OFF TYPE, PLAIN, W/REMOVABLE	A 4210	ME	14-APR-60	ME	YDI		
		TIP, USER: AT MC							
	MS39115C	TRESTLE, DRAWING BOARD (23 X 31 INCH DRAWING BOARD) (S/S BY A-A-52301)	A 6675	ME	08-APR-92	ME	YDI	99	
	NOTICE 1	USER: MC REVIEWER: B2 GS							
	MS39116C	TRESTLE, DRAWING BOARD (31 X 42 INCH DRAWING BOARD) (S/S BY A-A-52301)	A 6675	ME	08-APR-92	ME	YDI	99	
	NOTICE 1	USER: MC REVIEWER: B2 GS							
	MS39117C	TRESTLE, DRAWING BOARD (36 X 48 INCH DRAWING BOARD) (S/S BY A-A-52301)	A 6675	ME	08-APR-92	ME	YDI	99	
	NOTICE 1	USER: MC REVIEWER: B2 GS							
	MS39118D	TRESTLE, DRAWING BOARD (38 X 48, 43-1/2 X 60-72-84, 60 X 120 INCH DRAWING	A 6675	ME	08-APR-92	ME	YDI	99	
	NOTICE 1	BOARDS) (S/S BY A-A-52301) USER: MC REVIEWER: B2 GS							
	MS39122	VALVE, AIR VENTING, STEAM (FOR MAINS) (USE MIL-V-18499) .....	A 4520	YDI	20-DEC-60	ME	YDI	99	
	MS39123C	DRAWING BOARDS-DESK TYPE 1-11-111 (S/S BY A-A-52301) USER: MC YDI	A 6675	ME	08-APR-92	ME		99	
	NOTICE 1	REVIEWER: GS							
	MS39124D	DRAWING BOARDS TYPE 11-111-IV (S/S BY A-A-52301) USER: MC REVIEWER: B2 AR	A 6675	ME	08-APR-92	ME	YDI	99	
	NOTICE 1	GS							
	MS39129B	WIRE FABRIC & INSECT SCREENING USER: MC REVIEWER: AR IS MD MS .....	A 5335	ME	01-MAR-67	ME	YDI	82	



CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / OMA Coordination Inches	Document Number	Document Title	Dist. Smt FSC / Area	MCA Symbol Preparing Asst	Date	Custodians			
						Army	Navy	Air Force	DIA
	MS39138	REDUCER, HOSE, INTERNAL (NH) TO EXTERNAL (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39139	REDUCER, HOSE, INTERNAL SWIVEL (NH) TO INTERNAL SWIVEL END (NH), ROCKER LUG, FOR USE WITH FIRE HOSE USER: AT CS MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39140	REDUCER, HOSE, INTERNAL (NH) LONG HANDLE SWIVEL TO INTERNAL (NH) LONG HANDLE SWIVEL, 4FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39141	REDUCER, HOSE, INTERNAL (NH) LONG HANDLE TO INTERNAL (NH) SWIVEL, ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39142	REDUCER, HOSE, ADAPTER TYPE, INTERNAL (NH) TO EXTERNAL (NPSH) ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39143	REDUCER, HOSE, ADAPTER TYPE EXTERNAL (NH) TO INTERNAL SWIVEL END (NPSH), ROCKER LUG, FOR USE WITH FIRE HOSE USER: AT CS MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39144	ADAPTER, STRAIGHT, REDUCER TYPE, PIPE TO HOSE, EXTERNAL (NPT) TO EXTERNAL (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39145	ADAPTER, STRAIGHT, PIPE TO HOSE, EXTERNAL (NPT) TO EXTERNAL (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39147	ELBOW, HOSE, 45 DEG, ROCKER LUG, 2-1/2 INCH SWIVEL INTERNAL THD (NH) TO 2-1/2 INCH RIGID EXTERNAL THD (NH) (USE MIL-C-52404) USER: AT MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39148	SIAMASE CONNECTION, FIRE HOSE, GATED TYPE, SINGLE END, INTERNAL SWIVEL CONNECTION (NH) TO TWO EXTERNAL OUTLET CONNECTIONS (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS MC REVIEWER: YD1	A 4210	ME	15-JUN-61	ME	SH	84	
	MS39149	SIAMASE CONNECTION, FIRE HOSE, GATED TYPE, EXTERNAL CONNECTION (NH) TO TWO INTERNAL SWIVEL OUTLET CONNECTIONS (NH), ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39150	SIAMASE CONNECTION, FIRE HOSE, GATED TYPE, SINGLE EXTERNAL INLET (NH), TO THREE INTERNAL SWIVEL OUTLETS (NH), ROCKER LUG, FOR USE WITH FIRE HOSE USER: AT CS MC	A 4210	ME	15-JUN-61	ME	YD1	84	
	MS39151	SIAMASE CONNECTION, FIRE HOSE, GATED TYPE, SINGLE INTERNAL SWIVEL INLET, TOT THREE EXTERNAL OUTLETS, ROCKER LUG, FOR USE WITH FIRE HOSE (USE MIL-C-52404) USER: AT CS MC	A 4210	ME	15-JUN-61	ME	YD1	84	
L	MS39158E	ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, 45 DEG, FLARE TYPE, AUTOMOTIVE (S/S BY SAE J512) USER: AV GL OS YD1 REVIEWER: AT CS MC MI	A 4730	AR	05-JAN-87	AR			
L	MS39159E	ADAPTER, STRAIGHT, PIPE TO TUBE, FEMALE PIPE END, 45 DEG, FLARE TYPE, AUTOMOTIVE (S/S BY SAE J512) USER: AV GL OS YD1 REVIEWER: AT CS MC MI	A 4730	AR	05-JAN-87	AR			
L	MS39179E	ADAPTER, STRAIGHT, PIPE TO TUBE, MALE PIPE END, FOR AIR LINES SPHERICAL SLEEVE (S/S BY SAE J246) USER: AT CG MC ME REVIEWER: CS	A 4730	MI	10-DEC-92	MI			
	NOTICE 1	FLANGE ATTACHMENT COMPRESSED GAS CYLINDER, SPUD (USE MIL-C-17376/2) USER: MI YD1 REVIEWER: AR	A 8120	ME	08-JAN-69	ME	SH	68	
	MS39217A	FLANGE ATTACHMENT, COMPRESSED GAS CYLINDER, NECK RING (USE MIL-C-17376/3) USER: MI YD1 REVIEWER: AR	A 8120	ME	08-JAN-69	ME	SH	68	
	MS39218A	CYLINDER, COMPRESSED GAS, ICC SPECIFICATION 4AA480, AMMONIA USER: CE MC MI YD1 REVIEWER: EA	A 8120	ME	21-JAN-69	ME	SH	68	
	MS39219A	CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA (USE RRC-901/1) USER: MC MI YD1 REVIEWER: GS	A 8120	ME	01-DEC-69	ME	SH	68	
	MS39224A	CYLINDER, COMPRESSED GAS CARBON DIOXIDE, DOT SPECIFICATION 3AA 2015 (USE RR-C-901/2) USER: MC MI YD1 REVIEWER: EA GS	A 8120	ME	04-FEB-69	ME	SH	68	
	MS39225A	CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 3AA2015, MEDICAL GASES (USE RR-C-901/3) USER: AV MC MI YD1 REVIEWER: 11 AS GS OS	A 8120	ME	30-OCT-69	ME	SH	68	
	MS39226B	CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 8 OR BAL FOR ACETYLENE (USE MIL-C-3701) USER: MC YD1	A 8120	ME	23-JAN-69	ME	SH	68	
	MS39227A	CYLINDER, COMPRESSED GAS, ICC SPECIFICATION 4BA (USE RR C 910/1) USER: MC MI YD1 REVIEWER: GS	A 8120	ME	21-NOV-69	ME	SH	68	
	MS39228B	CYLINDER, COMPRESSED GAS, DOT SPECIFICATION 4BA240, 4BM240, & 4E240, FOR LIQUIFIED PETROLEUM (USE RR C 910/2) USER: MC MI YD1 REVIEWER: GS	A 8120	ME	21-FEB-73	ME	SH	68	
	MS39229B	CYLINDER, COMPRESSED GAS, CHLORINE, DOT SPECIFICATION 3AA480 OR 3AAA480 (USE MIL-C-11732/1) USER: YD1 REVIEWER: GS	A 8120	ME	27-JAN-69	ME	SH	68	
	MS39234A	TACHOMETER, ELECTRICAL REVIEWER: EL SH	A 6680	ME	23-AUG-63	ME	YD1		
	MS39235	TRANSMITTER, ELECTRICAL, FLANGE MOUNTED	A 6680	ME	23-AUG-63	ME	YD1		
	MS39236	TRANSMITTER, ELECTRICAL, SCREW MOUNTED	A 6680	ME	23-AUG-63	ME	YD1		
	MS39237	DRILL ROD, ROCK DRILL FOR DRIFTER DRILLS (S/S BY MS 39329) USER: CS	A 3820	ME	14-JAN-64	ME	YD1	84	
	MS39244	BIT, STAR, ROCK DRILL FOR DRIFTER DRILLS (S/S BY MS 39330) USER: CS	A 3820	ME	14-JAN-64	ME	YD1	84	
	MS39245	REVIEWER: MC							
	MS39248A	REGULATOR, ALTERNATOR, 28-VOLT, 35-AMPERES USER: AT EL MC YD1	A 2920	ME	18-JUL-73	ME	82		
	MS39249A	ALTERNATOR, 28-VOLT, 35-AMPERE USER: AT MC YD1	A 2920	ME	13-JUL-73	ME	82		
	MS39250A	REGULATOR, ALTERNATOR, 28-VOLT, 35 AMPERES, FOR USE WITH SELF-LOAD LIMITING ALTERNATORS USER: AT MC YD1 REVIEWER: EL	A 2920	ME	13-JUL-73	ME	82		
	MS39251A	ALTERNATOR, 28-VOLT, 35-AMPERE, DOUBLE, FLANGE MOUNTING USER: AT CS MC YD1	A 2920	ME	18-JUL-73	ME	82		
	MS39252A	REGULATOR, ALTERNATOR, 28-VOLT, 35-AMPERE USER: AT MC YD1 REVIEWER: CS	A 2920	ME	03-AUG-73	ME	82		
	MS39253A	ALTERNATOR, 28 VOLT, 35 AMPERE, SINGLE MOUNTING FLANGE USER: AT MC YD1 REVIEWER: EL	A 2920	ME	03-AUG-73	ME	82		
	MS39257B	BELT, "V": INDUSTRIAL (MULTIPLE DRIVE) "C" AND "22C" CROSS SECTION (S/S BY A-A-52160) USER: MC REVIEWER: AV CS	A 3030	AT	24-FEB-93	AT	YD1	99	
	NOTICE 2	TIE, RAILROAD, WOOD, CROSS AND SWITCH REVIEWER: CE CS	A 5510	ME	01-NOV-66	ME	YD1	84	
	MS39268B	MAGNETO, IGNITION, ASSEMBLY-REPLACEMENT TYPE, FLANGE-MOUNTED, 2-CYLINDER, FOR INDUSTRIAL ENGINES USER: MC	A 2920	ME	27-AUG-65	ME	YD1		
L	MS39270	MAGNETO, IGNITION, ASSEMBLY-REPLACEMENT TYPE, 4-CYLINDER, FLANGE MOUNTED, FOR INDUSTRIAL ENGINES USER: MC YD1	A 2920	ME	27-AUG-65	ME			
	MS39271	MAGNETO, IGNITION ASSEMBLY, REPLACEMENT TYPE, FLANGE MOUNTED, 6 CYLINDER, FOR INDUSTRIAL ENGINES USER: MC	A 2920	ME	27-AUG-65	ME	YD1		
	MS39272	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, HELIUM, CLASS 580-550, 2,500 PSI SERVICE PRESSURE USER: AS YD1 REVIEWER: AR	A 8120	ME	24-NOV-65	ME	SH	11	
	MS39273	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, HELIUM, CLASS 350-580, 2,500 PSI SERVICE PRESSURE USER: AS YD1 REVIEWER: AR	A 8120	ME	24-NOV-65	ME	SH	11	
	MS39274	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, ACETYLENE, CLASS 510-520, 300 PSI SERVICE PRESSURE (USE MIL-A-16288/18) USER: AS YD1 REVIEWER: AR	A 8120	ME	24-NOV-65	ME	SH	11	
	MS39275	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, ACETYLENE, CLASS 510-520, 300 PSI SERVICE PRESSURE (USE MIL-A-16288/20) USER: AS YD1 REVIEWER: AR	A 8120	ME	24-NOV-65	ME	SH	11	
	MS39276	ADAPTER, COMPRESSED GAS CYLINDER VALVE CONNECTIONS, BRASS, NITROGEN, CLASS 580-550, 2,500 PSI SERVICE PRESSURE USER: AS YD1 REVIEWER: AR	A 8120	ME	24-NOV-65	ME	SH	11	
	MS39277A	BELTS, "V": INDUSTRIAL (NARROW TYPE), "3V" AND "9H" SECTIONAL DESIGNATION (S/S BY A-A-52422) USER: AR CG MC MI REVIEWER: CS MI	A 3030	AT	12-JAN-93	AT	99		
	NOTICE 2	BELTS, "V": INDUSTRIAL (NARROW TYPE), "5V" AND "15H" SECTIONAL DESIGNATION (S/S BY A-A-52422) REVIEWER: CS	A 3030	AT	12-JAN-93	AT	99		
	MS39278A	BELTS, "V": INDUSTRIAL (NARROW TYPE), "5V" AND "15H" SECTIONAL DESIGNATION (S/S BY A-A-52422) REVIEWER: CS	A 3030	AT	12-JAN-93	AT	99		
	NOTICE 2	BELTS, "V": INDUSTRIAL (NARROW TYPE), "5V" AND "15H" SECTIONAL DESIGNATION (S/S BY A-A-52422) REVIEWER: CS	A 3030	AT	12-JAN-93	AT	99		
	MS39279A	SHANK, RIPPER, REAR MOUNTED: FOR MILITARY SIZE 4 AND 5 TRACTORS (NO S/S DOCUMENT) USER: MC YD1	A 3830	ME	14-NOV-88	ME			
L	MS39303	TOOTH, SURFACE RIPPING: FOR RIPPER, REAR MOUNTED: FOR MILITARY SIZE 4 AND 5 TRACTORS (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: CS	A 3830	ME	28-FEB-89	ME			
L	MS39304	CUTTING EDGE, BOWL, SCRAPER, 7-1/2 CUBIC YARD USER: MC YD1	A 3805	ME	15-AUG-68	ME	99		
L	MS39328	TOOTH, SURFACE RIPPING, BACK-RIP (NO S/S DOCUMENT) USER: CE MC YD1	A 3830	ME	14-NOV-88	ME			
L	MS39333	RING SET, PISTON USER: MC YD1 REVIEWER: AT AV	A 2805	ME	02-JAN-74	ME	99		
	MS39351B								



CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Doc / QPL / OAL / Coordination / Revision / Document Number	Document Title	Doc / SSM / FOC / AOA / MCA Symbol / Preparing Act / Date	Customer	Army	Navy	Air Force	DLA
MS490038	Y CONNECTION, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE-FEMALE-FLANGE, TYPE XIV (S/S BY MS27023, MS27027 AND MS39336) USER: AV MC SH REVIEWER: CS GL	A 4730 ME 23-JAN-89 ME	YD1 82				
MS490050	PLUG, PIPE HEADLESS, ALUMINUM, IRON OR STEEL (USE WM-P-471) USER: EL MC REVIEWER: AS AT AV CS ME OS	A 4730 YD1 28-SEP-73 AR	YD1 99				
MS51062E NOTICE 2	CAP, FILLER OPENING: RADIATOR, PRESSURE, 7 PSI ASSEMBLY (S/S BY A-A-52424) USER: MC REVIEWER: CS ME	A 2930 AT 02-FEB-93 AT	99				
MS510640	PULLEY, GROOVE, ENGINE ACCESSORY DRIVE BELTS (S/S BY SAE J6368) USER: 11 MC MI SH YD1 REVIEWER: AT	A 3020 ME 14-MAY-75 ME	99				
MS51093A	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT, HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A) SUPERSEDED BY MS-51095( USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51094A	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A (S/S BY MS-51096) USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51097A	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALLOY STEEL, GRADE 8, CADMIUM PLATED, UNC-2A (S/S BY MS-18154) USER: MC MI YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51098A	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALLOY STEEL, GRADE 8, CADMIUM PLATED, UNF-2A (S/S BY MS-18153) USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51101	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALUMINUM ALLOY, ANODIZED, UNC-2A USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51102	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), HEAD DRILLED FOR LOCKING WIRE, ALUMINUM ALLOY, ANODIZED, UNF-2A USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51103A	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNC-2A (S/S BY MS-51105) USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51104A	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, STEEL, GRADE 5, CADMIUM PLATED, UNF-2A (SUPERSEDED BY MS-51106) USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51111	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALUMINUM ALLOY, ANODIZED, UNC-2A USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51112	SCREW, CAP, HEXAGON HEAD (FINISHED HEXAGON BOLT), SHANK DRILLED FOR COTTER PIN, ALUMINUM ALLOY, ANODIZED, UNF-2A USER: MC YD1 REVIEWER: GL	A 5305 WC 16-JUL-58	SH 69				
MS51304	FLYWHEEL HOUSING, INDUSTRIAL ENGINE USER: AT EL MC REVIEWER: 11	A 2990 CE 07-MAY-59 CE	YD1 82				
MS51305A	MOUNTING, FOOT, INDUSTRIAL ENGINE, FRONT AND REAR USER: MC REVIEWER: B2	A 2990 ME 05-MAY-65 ME	YD1 11				
MS51306	FLYWHEEL FOR OVER CENTER CLUTCHES INDUSTRIAL ENGINE USER: AT EL MC SH REVIEWER: 11	A 2990 CE 07-MAY-59 ME	YD1 82				
MS51310B	GENERATOR, ENGINE ACCESSORY - 28 VOLT AC - 3 PHASE, 3 KVA (NO S/S DOCUMENT) USER: MC REVIEWER: CS	A 2920 AT 18-APR-90 AT	YD1 82				
MS51317D NOTICE 1	LIGHT, WARNING, VEHICULAR, ROTATING, DC (S/S BY A-A-52418) .....	A 6220 AT 11-JAN-93 AT	99				
MS51325A	CARTRIDGE, ENGINE STARTING (ENGINE COLD-STARTING AID) (NO S/S DOCUMENT) USER: AT MC REVIEWER: CS	A 2910 YD1 06-SEP-91 ME	YD1 82				
L MS51328C	CONNECTING LINK, RIGID, STRAIGHT USER: YD1 .....	A 2530 AT 17-JUL-72 AT					
L MS51331D NOTICE 2	GUARD, SPLASH, WHEEL (S/S BY A-A-52402) USER: MC ME REVIEWER: CS MI .....	A 2540 AT 10-JUL-92 AT					
L MS51337F	COUPLER, DRAMBAR, RING: HEAVY DUTY, 120,000 LB GVM (S/S BY A-A-52464) USER: MC YD1 REVIEWER: CS	A 2540 AT 28-APR-93 AT					
L MS51338F	COUPLER, DRAMBAR, RING: LIGHT DUTY, 60,000 LB GVM (S/S BY A-A-52464) USER: MC YD1 REVIEWER: CS	A 2540 AT 28-APR-93 AT					
L MS51339H NOTICE 1	COUPLER, DRAMBAR, RING: OFFSET (TAPER SHANK), 60,000 LB GVM (S/S BY A-A-52464) USER: ME YD1 REVIEWER: CS MC	A 2540 AT 28-APR-93 AT					
MS51356B	REGULATOR, ENGINE GENERATOR& 24 VOLT D. C. 25AMPS. USER: EL MC YD1	A 2920 AT 11-APR-66 AT	11				
MS51357C	VALVE, PNEUMATIC TIRE, INNER TUBE, RUBBER-COVERED STEM AND BASE, STD. BORE, VEHICULAR USER: MC ME MI	A 2640 AT 01-JUL-71 AT	YD1 84				
MS51358C	VALVE, PNEUMATIC TIRE, INNER TUBE, RUBBER BASE, METAL STEM, W/BODY THDS, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI	A 2640 AT 01-JUL-71 AT	YD1 84				
MS51359C	VALVE, PNEUMATIC TIRE, INNER TUBE& RUBBER BASE, METAL STEM, W/BODY THDS, STD. BORE, BENT 86 DEG., VEHICULAR USER: ME MI	A 2640 AT 12-AUG-71 AT	YD1 84				
MS51360C	VALVE, PNEUMATIC TIRE, INNER TUBE& RUBBER BASE, METAL STEM, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI	A 2640 AT 01-JUL-71 AT	YD1 99				
MS51361	VALVE, PNEUMATIC TIRE-RUBBER BASE, METAL STEM, STANDARD BORE, BENT 40 DEGREE, VEHICULAR	A 2640 MD 23-MAR-61 MD	YD1 11				
MS51362B	VALVE, PNEUMATIC TIRE, INNER TUBE& RUBBER BASE, METAL STEM, STD. BORE, BENT 90 DEG., VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51363C	VALVE, PNEUMATIC TIRE, INNER TUBE, AIR-WATER, RUBBER-COVERED STEM AND BASE, STD. BORE, VEHICULAR (USE ZZ-V-25) USER: ME MI	A 2640 AT 01-JUL-71 AT	YD1 84				
MS51364B	VALVE, PNEUMATIC TIRE, INNER TUBE-AIR WATER, RUBBER BASE METAL STEM, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51365A	VALVE, PNEUMATIC TIRE, INNER TUBE& REPAIR, SCREW ON, STD. BORE, STRAIGHT, VEHICULAR USER: MC	A 2640 AT 28-JUN-63 AT	YD1 84				
MS51366C	VALVE, PNEUMATIC TIRE, INNER TUBE, REPAIR, SCREW-ON, STD. BORE, BENT 86 DEG., VEHICULAR USER: ME MI	A 2640 AT 12-AUG-71 AT	YD1 84				
MS51367B	VALVE, PNEUMATIC TIRE, TUBELESS, SNAP-IN, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51368B	VALVE, PNEUMATIC TIRE& TUBELESS, CLAMP& IN, TRUCK, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51369B	VALVE, PNEUMATIC TIRE& TUBELESS, CLAMP& IN, TRUCK, STD. BORE, BENT, VEHICULAR USER: MC ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51370B	VALVE, PNEUMATIC TIRE& AIR& WATER, TUBELESS, CLAMP& IN, OFF THE ROAD, LARGE BORE, STRAIGHT, VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51371B	VALVE, PNEUMATIC TIRE& AIR& WATER, TUBELESS, CLAMP& IN, OFF THE ROAD, LARGE BORE, BENT, VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51372B	VALVE, PNEUMATIC TIRE, AIR-WATER, TUBELESS, CLAMP-IN, OFF-THE-ROAD, STD. BORE, STRAIGHT, VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51373B	VALVE, PNEUMATIC TIRE, AIR-WATER, TUBELESS, CLAMP-IN, OFF-THE-ROAD, STD. BORE, BENT, VEHICULAR USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 84				
MS51374C	SPLD, VALVE, PNEUMATIC TIRE, LARGE BORE, STRAIGHT, VEHICULAR (INNER TUBE TYPE AND TUBELESS TYPE) USER: ME MI	A 2640 AT 07-SEP-71 AT	YD1 99				
MS51375B	CAP, TIRE VALVE, STANDARD BORE (USE ZZ-V-25) USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 99				
MS51376B	CAP, TIRE VALVE, LARGE BORE (USE ZZ-V-25) USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 99				
MS51377C	VALVE CORE, PNEUMATIC TIRE, STANDARD BORE USER: AS AV ME REVIEWER: CS	A 2640 AT 05-MAY-69 AT	YD1 99				
MS51378B	VALVE CORE, PNEUMATIC TIRE, LARGE BORE (USE ZZ-V-25) USER: ME MI	A 2640 AT 12-APR-67 AT	YD1 99				
MS51390A	CHASSIS, TRUCK, 3/4 TON, 4X4, 112 INCH WHEELBASE, MILITARY DESIGN, M 53 B1 USER: YD1	A 2320 AT 09-JUN-67 AT	MC 99				
MS51826C	HOOK, HOIST OR SLING, DIRECT EYE (NO S/S DOCUMENT) USER: AT AV MC OS SH YD1 REVIEWER: GL 15 ME	A 4030 AR 04-MAY-88 AR	82				
MS51827B	HOOK, CHAB, DIRECT EYE (NO S/S DOCUMENT) USER: AT AV MC OS SH YD1 REVIEWER: ER 15 ME	A 4030 AR 04-MAY-88 AR	82				
MS51828A	SHAPHOOK, FIXED LOOP (USE MIL-S-43770) .....	A 5340 GL 31-MAY-62 GL	YD1 82				
MS51847B	BUSHING, PIPE, SHOULDER (USE MS 14315) USER: AT MC MI REVIEWER: CS GL ME	A 4730 YD1 28-NOV-73 AR	YD1 99				
MS51884	PLUG, PIPE SQUARE HEAD, ALUMINUM, IRON OR STEEL (USE WM-P-471) USER: MC MI REVIEWER: AS AT CS GL ME OS	A 4730 YD1 28-SEP-73 AR	YD1 99				



CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Addn Chg / Cancellation Coordinate Institute Document Number	Document Title	Dist. Smt. FSC / Issue	MCA Symbol Preparing Acty	Date	Custodians			
					Army	Navy	Air Force	DLA
MSS1885	PLUG, PIPE, BAR OR SLOTTED, ALUMINUM, IRON OR STEEL (USE WM-P-471) USER:	A 4730	YD1	28-SEP-73	AR	YD1	99	
MSS1886A	AV MC MI REVIEWER: AS AT CS GL OS	A 4730	YD1	28-SEP-73	AR	YD1	99	
MSS1887A	LOCKNUT, CAST IRON, MALLEABLE IRON OR STEEL (USE WM-P-471) USER: MC MI OS	A 4730	YD1	28-SEP-73	AR	YD1	99	
MSS1983E	REVIEWER: AS AT CS GL ME	A 4730	YD1	28-SEP-73	AR	YD1	99	
NOTICE 1	BUSHING, PIPE ALUMINUM, IRON OR STEEL (USE WM-P-471) USER: AV MC MI	A 5310	AT	12-FEB-93	AT		11	
MSS1984F	REVIEWER: AS CS GL ME OS	A 5310	AT	21-SEP-92	AT			
NOTICE 1	NUT, PLAIN, SINGLE BALL SEAT, HEXAGON WHEEL MOUNTING-3/4 AND 1-1/8 INCH	A 2330	AT	21-SEP-90	AT		84	
MSS2109B	(S/S BY A-A-52427) USER: ME REVIEWER: B2 ER 15 MI	A 2330	AT	31-DEC-86	AT	MC	99	
NOTICE 1	NUT, PLAIN, CONE SEAT, HEXAGON WHEEL MOUNTING, 1/2 INCH (NO S/S	A 2640	AT	18-APR-90	AT	YD1	84	
MSS2111B	DOCUMENT) USER: AR ME REVIEWER: IS	A 5340	AT	06-AUG-92	AT	YD1	99	
MSS2123	TRAILER, TANK, POTABLE WATER, 1-1/2 TON, 2 WHEEL, MILITARY DESIGN, M625	A 2320	AT	20-JUL-90	AT			
MSS2150	(NO S/S DOCUMENT) USER: MC ME YD1	A 2920	ME	07-DEC-72	ME		82	
NOTICE 2	TRAILER, FLATBED, 3/4 TON, 2 WHEEL, MILITARY DESIGN, M 762 USER: ME	A 2990	ME	21-JUN-62	ME		10	
MSS2181A	REVIEWER: YD1	A 2540	AT	17-MAR-93	AT		84	
NOTICE 2	PATCH, PNEUMATIC TIRE REPAIR: CHEMICAL CURED NYLON AND VULCANIZING FLUID	A 2540	AT	17-MAR-93	AT	YD1	99	
MSS3010C	(NO S/S DOCUMENT) REVIEWER: CS	A 2990	AT	18-JAN-93	AT			
MSS3014	CLAMP, LOOP, MUFFLER (S/S BY A-A-52406) .....	A 2530	AT	20-JUL-92	AT			
MSS3017A	TRUCK, CARGO: 5 TON, 6X6, M813 (NO S/S DOCUMENT) USER: YD1 .....	A 2530	AT	18-FEB-93	AT			
NOTICE 2	STARTER, ENGINE, ELECTRICAL, 24 VOLT, D.C., 5 1/8 INCH FRAME DIAMETER,	A 2530	AT	17-SEP-92	AT		99	
MSS3018A	SOLENOID ACTUATED, LIGHT DUTY, SHORT AND LONG FRAME (USE MIL-S-3785) USER:	A 2320	AT	18-MAR-64	AT	MC	11	
NOTICE 2	MC YD1 REVIEWER: B5 BS AT	A 2640	AT	12-AUG-71	AT	YD1	99	
MSS3041B	MUFFLER, EXHAUST, INDUSTRIAL ENGINE, SIDE INLET USER: AS EL MC SA YD1	A 2640	AT	03-JAN-72	AT	YD1	99	
NOTICE 1	REVIEWER: AR GL OS	A 2640	AT	11-MAY-67	AT	YD1	99	
MSS3061A(1)	MOTOR, WINDSHIELD WIPER, PNEUMATIC, UNIVERSAL (S/S BY A-A-52441) USER: ME	A 2320	AT	15-MAY-64	AT	MC		
NOTICE 1	VALVE, PRESSURE REGULATING, WINDSHIELD WIPER AIR MOTOR CONTROL (S/S BY	A 2640	AT	12-AUG-71	AT	YD1	99	
MSS3067B	A-A-52441) USER: ME	A 2640	AT	03-JAN-72	AT	YD1	99	
NOTICE 1	CLAMP ASSEMBLY - EXHAUST MUFFLER AND TAILPIPE (S/S BY A-A-52415) .....	A 2530	AT	20-JUL-92	AT			
MSS3068C	CABLE AND CONDUIT ASSEMBLY, PARKING BRAKE-STRAIGHT TYPE, EYE AND THREADED	A 2530	AT	18-FEB-93	AT			
NOTICE 1	FITTINGS (NO S/S DOCUMENT)	A 2530	AT	17-SEP-92	AT		99	
MSS3070	EVAPORATOR, ALCOHOL - AIR BRAKE SYSTEM (S/S BY A-A-52431) .....	A 2530	AT	18-MAR-64	AT	MC	11	
MSS3071	NUT, CAP, DUAL WHEEL MOUNTING (S/S BY A-A-57174) USER: AR ME REVIEWER: CS	A 2320	AT	15-MAY-64	AT	MC		
MSS3072	MI	A 2320	AT	15-MAY-64	AT	MC		
MSS3082B	TRUCK, VAN, SHOP 2-1/2 TON, 6X6, M 109A1 (USE MSS00085) USER: MI YD1	A 2640	AT	12-AUG-71	AT	YD1	99	
MSS3083B	REVIEWER: B4	A 2640	AT	03-JAN-72	AT	YD1	99	
MSS3084A	TRUCK, CARGO, 2 1/2 TON, 6X6, 154 IN. WHEEL BASE, M35 (USE MS 500016)	A 2640	AT	11-MAY-67	AT	YD1	99	
MSS3087	USER: YD1	A 2320	AT	08-FEB-66	AT	MC		
MSS3097	TRUCK, CARGO, 2 1/2 TON, 6X6, 190 IN. WHEEL BASE, M36 (USE MS 500080) USER:	A 2320	AT	15-MAY-64	AT	MC		
MSS3045B	YD1 REVIEWER: EL	A 2640	AT	12-AUG-71	AT	YD1	99	
MSS3200C	VALVE ASSEMBLY, PNEUMATIC TIRE, TUBE TYPE, LARGE BORE, BENT, VEHICULAR(USE	A 2640	AT	03-JAN-72	AT	YD1	99	
MSS3202B	ZZ-V-25) USER: MC ME MI	A 2640	AT	11-MAY-67	AT	YD1	99	
MSS66604	VALVE ASSEMBLY, PNEUMATIC TIRE- TUBELESS, CLAMP-IN, LARGE BORE, BENT,	A 2640	AT	08-FEB-66	AT	MC		
MSS66668	VEHICULAR USER: MC ME MI	A 2640	AT	11-MAY-67	AT	YD1	99	
MSS66675	VALVE STEM PNEUMATIC TIRE LARGE BORE, BENT, VEHICULAR USER: MC ME MI .....	A 2320	AT	08-FEB-66	AT	MC		
MSS66682	TRUCK, CARGO, 5 TON, 6X6, 179 INCH WHEELBASE, M54 (USE MIL-T-740) USER:	A 2320	AT	15-MAY-64	AT	MC		
MSS66683	YD1	A 2330	AT	10-JUN-65	AT	MC	84	
MSS66684	SEMITRAILER, STAKE, 12 TON, 4 WHEEL, M127A1C (USE MS 500099) USER: 11 YD1	A 9905	ME	24-JUL-67	ME	YD1	99	
MSS66686	PLATE, IDENTIFICATION MISCELLANEOUS (S/S BY MIL-P-15024/6) USER: GL MC	A 9905	ME	12-JAN-70	ME	YD1	84	
MSS66691	REVIEWER: AT	A 9905	ME	24-JUL-67	ME	YD1	84	
MSS66692	PLATE, IDENTIFICATION, GENERATORS AND CONVERTERS USER: GS MC REVIEWER: EL	A 9905	ME	24-JUL-67	ME	YD1	84	
MSS66693	MI	A 9905	ME	24-JUL-67	ME	YD1	84	
MSS66698	PLATE, IDENTIFICATION-INTERNAL COMBUSTION ENGINE OVERHAUL DATA (USE	A 8455	1H	08-MAY-61	1H		11	
MS70111	MIL-P-15024/12) USER: GL GS MC REVIEWER: EL MI	A 8455	1H	29-JUN-61	1H	PE	11	
MS75033	INSIGNIA, BRANCH OF SERVICE, BRISTOL, CHAPLAIN, JEWISH FAITH, AIR FORCE	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7003	(USE MIL-I-3575/15) REVIEWER: CT	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, ASIATIC-PACIFIC CAMPAIGN A, AF, MC, N (USE MIL-M-3946/11) REVIEWER:	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	BS CT MC	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, EUROPEAN AFRICAN-MIDDLE EASTERN CAMPAIGN A, AF, MC, N (USE	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MIL-M-3946/15) REVIEWER: BS CT MC	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, AMERICAN CAMPAIGN A, AF, N, MC (USE MIL-M-3946/1) REVIEWER: BS CT	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MC	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, GOOD CONDUCT (A, AF) (USE MIL-M-3946/19) USER: BS REVIEWER: CT .....	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, ARMY OF OCCUPATION WORLD WAR 2 (A, AF) (USE MIL-M-3946/9) USER: BS	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	REVIEWER: CT	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, VICTORY WORLD WAR 2 (A, MC, AF, N) (USE MIL-M-3946/42) REVIEWER: BS	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	CT MC	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, UNITED NATIONS (AS) (USE MIL-M-3946/40) REVIEWER: BS CT MC .....	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, KOREAN SERVICE (A, MC, AF, N) (USE MIL-M-3946/25) REVIEWER: BS CT	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MC	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, AMERICAN DEFENSE SERVICE (A, A.F., N., M.C., C.G.) (USE	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MIL-M-3946/2) REVIEWER: BS CT MC	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, NATIONAL DEFENSE SERVICE (A, M.C., A.F., N.) (USE MIL-M-3946/29)	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	REVIEWER: BS CT MC	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	MEDAL, HUMANE ACTION (A, A.F., N., C.C.) (USE MIL-M-3946/23) REVIEWER: BS	A 8455	1H	29-JUN-61	1H	PE	11	
MSB7011	CT MC	A 5340	GL	24-JAN-68	GL	YD1	82	
MSB7011	SHAPHOOKS, SIDE RETAINING (USE MIL-S-43770) USER: AR AT AV CG MC ME PE SA	A 6140	ER	04-JAN-93	ER			
MSB7011	REVIEWER: MC	A 2240	MD	26-JUN-61	MD	YD1	84	
MSB7011	BATTERY, STORAGE BB-417( )/U (S/S BY MIL-B-55130/4) REVIEWER: GS .....	A 2240	ME	23-OCT-63	ME			
MSB7011	FREIGHT CAR WHEEL MOUNTING, FOREIGN SERVICE, CAST IRON CHILLED CAR WHEELS	A 5920	SH	22-JUN-53	EL		11	
MSB7011	REVIEWER: BS	A 5920	SH	22-JUN-53	EL		11	
MSB7011	COLOR IDENTIFICATION MARKING OF PIPING SYSTEMS IN THE INTERIOR OF	A 5920	SH	22-JUN-53	EL		11	
MSB7011	LOCOMOTIVES AND RAILWAY PASSENGER CARS USER: YD1	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F01 (USE MIL-F-15160/1) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F02 (USE MIL-F-15160/02) USER: MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F03 (USE MIL-F-15160/03) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F04 USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F05 (USE MIL-F-15160/05) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F06 (USE MIL-F-15160/06) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F07 (USE MIL-F-15160/07) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F08 USER: MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F09 (USE MIL-F-15160/09) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F11 (USE MIL-F-15160/11) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F14 (USE MIL-F-15160/14) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F15 (USE MIL-F-15160/15) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F16 (USE MIL-F-15160/16) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F19 (USE MIL-F-15160/19) USER: BS MC YD1 .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F20 (USE MIL-F-15160/20) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F21 USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	
MSB7011	FUSES, STYLE F22 (USE MIL-F-15160/22) USER: BS MC YD1 REVIEWER: AR .....	A 5920	SH	22-JUN-53	EL		11	



CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action Off / OMA Coordination Institute Document Number	Document Title	Dist. Syst. FAC / Ams MCA Symbol Preparing Agency	Date	Customers			
				Army	Navy	Air Force	DA
MS90094A	FUSES, STYLE F27 (USE MIL-F-15160/27) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90095A	FUSES, STYLE F28 (USE MIL-F-15160/28) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90096A	FUSES, STYLE F29 (USE MIL-F-15160/29) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90097A	FUSES, STYLE F30 (USE MIL-F-15160/30) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90098A	FUSES, STYLE F36 (USE MIL-F-15160/36) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90099A	FUSES, STYLE F37 (USE MIL-F-15160/37) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90100A	FUSES, STYLE F38 (USE MIL-F-15160/38) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90101A	FUSES, STYLE F39 (USE MIL-F-15160/39) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90102A	FUSES, STYLE F40 USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90103A	FUSES, STYLE F40 (USE MIL-F-15160/50) USER: 85 MC YDI REVIEWER: AR	A 5920	SH 22-JUN-53	EL			11
MS90104A	FUSES, STYLE F51 (USE MIL-F-15160/51) USER: 85 MC YDI	A 5920	SH 22-JUN-53	EL			11
MS90109B	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-255/U (CLASS 6V-SBM-15AH, NAVY) USE MIL-B-15072/4 USER: GL REVIEWER: YDI	A 6140	SH 16-NOV-61	EL	SH		
MS90110A	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-256/U (CLASS 6V-SBM-100AH, NAVY) USE MIL-B-15072/5 USER: GL MC REVIEWER: YDI	A 6140	SH 16-NOV-61	EL	SH		
MS90111B	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-257/U (CLASS 6V-SBM-130AH, NAVY) USE MIL-B-15072/6 USER: GL MC REVIEWER: YDI	A 6140	SH 08-APR-64	EL	SH		
MS90112A	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-258/U (CLASS 6V-SBM-200AH, NAVY) USE MIL-B-15072/7 USER: GL MC REVIEWER: YDI	A 6140	SH 16-NOV-61	EL	SH		
MS90114A	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-259/U (CLASS 6V-SBM-300AH, NAVY) USE MIL-B-15072/8 USER: GL MC REVIEWER: YDI	A 6140	SH 16-NOV-61	EL	SH		
MS90228B	SHELL, ELECTRICAL CONNECTOR, SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 99 AR ES	A 5935	EC 09-JUN-92	OR	EC	85	
NOTICE 1	BUSHING, PART OF SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 AS	A 5935	EC 09-JUN-92	OR	EC	85	
MS90230	ES	A 5935	EC 09-JUN-92	OR	EC	85	
NOTICE 1	BODY, PART OF SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 AS ES	A 5935	EC 09-JUN-92	OR	EC	85	
MS90234A	CONTACT, PART OF R.F. COAXIAL CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99	A 5935	EC 09-JUN-92	OR	EC	85	
NOTICE 1	AS ES	A 5935	EC 09-JUN-92	OR	EC	85	
MS90254	BODY, PART OF SERIES MN CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 ES	A 5935	EC 09-JUN-92	OR	EC	85	
NOTICE 1	BODY, PART OF SERIES C CONNECTORS (NO S/S DOCUMENT) REVIEWER: 11 99 AS ES	A 5935	EC 09-JUN-92	OR	EC	85	
MS90258	LAMPHOLDER, BRACKET MOUNTING WITH SOLDERING TERMINALS, STYLES LM1B, LM2D, AND LM27 (USE MIL-L-3661) USER: EL GL MC YDI	A 6250	SH 01-JAN-63	MC			11
NOTICE 1	TOOL, CRIMP, HAND, FOR MS18206 AND MS18266 SHIELDED CONTACTS (USE MIL-C-22520/5) USER: GL SH YDI REVIEWER: EC OS	A 5120	AS 13-FEB-70	EL	AS		
MS90268A	GAGE, IN SERV'Y INSPECTION, FOR MS 90487 SHIELDED CONTACT CRIMPING TOOL USER: MC YDI REVIEWER: AR AV ES GL MC OS	A 5220	AS 17-FEB-70	EL	AS		
NOTICE 1	PIN, INSULATION LAG SCREW TYPE, LEAD INSULATION THREAD (USE MIL-H-55053) REVIEWER: GS	A 5975	YDI 16-MAY-73	YDI			
MS90282A	PLATE, IDENTIFICATION, BLANK, MECHANICAL EQUIPMENT REVIEWER: MC	A 2590	YDI 18-NOV-64	YDI	99		
MS9047A	ROPE TYPE THREAD FORM FOR DRILL RODS, COUPLINGS, BITS, AND SHANKS FOR DRIFTER DRILLS REVIEWER: GS	A THDS	YDI 29-AUG-73	MC	YDI	99	
MS9048B	SHANK, ROCK DRILL ROD, FOR DRIFTER DRILLS	A 3820	YDI 29-AUG-73	MC	YDI	84	
MS90494A	CLAMP, DEAD END STRAIN REVIEWER: GS	A 5975	YDI 21-JAN-76	YDI			
MS90495	FLANGES, CAST IRON (CLASS 125 AND 250) AND BRONZE (150 AND 300 LB) (USE MW-F-406)	A 4730	YDI 28-NOV-72	MC	YDI	99	
MS90496B	UNION, PIPE, STEEL OR MALLEABLE IRON, THREADED CONNECTION (USE MW-U-531) USER: CL MC MC	A 4730	YDI 27-FEB-73	MC	YDI	82	
MS90497B	CONTACT, ELECTRICAL, PIN, CIRCUIT BREAKING, INSERTABLE (CLASS L) (USE MIL-C-39029/48) USER: 14 19 AT AV CG MC MC REVIEWER: 17 99 AR AS ES MI OS	A 5935	EC 06-MAY-75	EL	EC	11	
MS90498B	YDI	A 5935	EC 06-MAY-75	EL	EC	11	
MS90520	CONTACT, ELECTRICAL, SOCKET, CIRCUIT BREAKING, INSERTABLE (CLASS L) (USE MIL-C-39029/49) USER: 19 AT AV CG MC MC REVIEWER: 17 85 99 AR AS ES MI OS	A 5935	EC 06-MAY-75	EL	EC	11	
MS90521A	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB-49 (USE W-B-00131) USER: AS MC REVIEWER: EL YDI	A 6140	AT 02-NOV-65	AT	SH	80	
MS905590	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-53 USER: AS MC SH REVIEWER: ER GS	A 6140	AT 02-NOV-65	AT	YDI	99	
MS90901B	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-252/U (CLASS 6V-SBM-50AH, NAVY) USE MIL-B-15072/1 USER: GL MC REVIEWER: YDI	A 6140	SH 16-NOV-61	EL	SH		
MS90903B	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-253/U (CLASS 6V-SBM-205AH, NAVY) USE MIL-B-15072/2 USER: GL MC REVIEWER: YDI	A 6140	SH 16-NOV-61	EL	SH		
MS90905A	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-254/U (CLASS 2V-SBP-20AH, NAVY) USE MIL-B-15072/3 REVIEWER: YDI	A 6140	SH 16-NOV-61	EL	SH		
MS90906A	INSULATOR, PIN (LIME GLASS), STYLE DP (USE MIL-I-23264/24A)	A 5970	EL 14-JAN-52	EL	YDI	11	
MS90907B	INSULATOR, PIN (LIME GLASS), STYLE EXCHANGE (USE MIL-I-23264/24A)	A 5970	EL 14-JAN-52	EL	YDI	11	
MS91083	INSULATOR, PIN (LIME GLASS), STYLE TW (USE MIL-I-23264/24A)	A 5970	EL 14-JAN-52	EL	YDI	11	
MS91084	ADAPTER, BATTERY TERMINAL (USE MS 75004) USER: MC YDI REVIEWER: BS EL GL MI	A 5940	AT 11-JUN-64	AT	SH	82	
MS91085	CONNECTOR, RECEPTACLE, ELECTRICAL (POWER, TWO-WIRE, POLARIZED, TWISTLOCKING TYPE), TYPE U101F USER: MC REVIEWER: 80 AR YDI	A 5935	EL 02-NOV-55	EL		85	
MS91164B	CONNECTOR, PLUG, ELECTRICAL (POWER, TWO-WIRE, POLARIZED, TWISTLOCKING TYPE), TYPE U102M (S/S BY MIL-C-3767/2) USER: MC REVIEWER: 80 YDI	A 5935	EL 25-JAN-55	EL		85	
MS91184	CONNECTOR, PLUG, ELECTRICAL (POWER, NONPOLARIZED, PARALLEL-BLADED), TYPE U120M (S/S BY MIL-C-3767/3) USER: MC REVIEWER: SH YDI	A 5935	EL 25-JAN-55	EL	EC	11	
MS91185	CONNECTOR, PLUG, ELECTRICAL (POWER, THREE-WIRE, GROUNDING TYPE), TYPE U121M USER: MC REVIEWER: AR SH YDI	A 5935	EL 25-JAN-55	EL	EC	11	
MS91310A	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-46 (NO S/S DOCUMENT) USER: ER MC REVIEWER: GL	A 6140	AT 25-MAR-93	AT			
MS91311A	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-50 (NO S/S DOCUMENT) USER: GL MC REVIEWER: ER	A 6140	AT 25-MAR-92	AT			
MS91312	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-55 (USE MS-35001) USER: MC REVIEWER: YDI	A 6140	EL 18-JUL-56	EL	SH	11	
MS91313A	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-57 (USE MS 35001) USER: AS AT MC REVIEWER: YDI	A 6140	EL 01-JAN-64	EL	SH	80	
MS91316	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-221/U (USE MS-35001) USER: MC REVIEWER: 11 YDI	A 6140	EL 18-JUL-56	EL	SH		
MS91317	BATTERY, STORAGE, LEAD-ACID, PORTABLE, BB-223/U (USE MS-35001) USER: MC REVIEWER: 11 YDI	A 6140	EL 18-JUL-56	EL	SH		
MS91318C	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 236/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 11 80 ER GS	A 6140	AT 18-APR-90	AT	YDI	99	
MS91319C	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 237/U (NO S/S DOCUMENT) USER: MC REVIEWER: 11 80 ER GS	A 6140	AT 18-APR-90	AT	YDI	99	
MS91320C	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 238/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS	A 6140	AT 18-APR-90	AT	YDI	99	
MS91321C	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 239/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS	A 6140	AT 18-APR-90	AT	YDI	99	
MS91322C	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 240/U (NO S/S DOCUMENT) USER: AS MC REVIEWER: 80 ER GS	A 6140	AT 18-APR-90	AT	YDI	99	
MS91323C	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 241/U (NO S/S DOCUMENT) USER: AS GL MC REVIEWER: 80 ER GS	A 6140	AT 18-APR-90	AT	YDI	99	



## CANCELED SECTION

NUMERICAL LISTING  
MS DRAWINGS

Action CPL / OAL Coordination Initiate	Document Number	Document Title	Dist Smt FSC / Area	MCA Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MS91324C	BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 242/U (NO S/S DOCUMENT) USER: MC	A 6140	AT	18-APR-90	AT	YD1	99	
	MS91325C	REVIEWER: 11 AS BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 243/U (NO S/S DOCUMENT) USER: MC	A 6140	AT	18-APR-90	AT	YD1	99	
	MS91326C	REVIEWER: 80 ER GS BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 246/U (NO S/S DOCUMENT) USER: AS	A 6140	AT	18-APR-90	AT	YD1	99	
	MS91327A	MC REVIEWER: 80 ER GS BATTERY, STORAGE, LEAD-ACID PORTABLE, BB 247/U (NO S/S DOCUMENT) USER: AS	A 6140	AT	18-APR-90	AT	YD1	99	
	MS91328	MC REVIEWER: 80 ER GS BATTERY, STORAGE, LEAD-ACID PORTABLE, LOW-TEMPERATURE, BB-2049/U (USE	A 6140	EL	18-JUL-56	EL	SH	11	
	MS91329	MS-90901) USER: MC REVIEWER: YD1 BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2055/U (USE MS	A 6140	EL	18-JUL-56	EL	SH	11	
	MS91330	35001) USER: MC REVIEWER: YD1 BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2057/U (USE	A 6140	EL	18-JUL-56	EL	SH	11	
	MS91331	MS-35001) USER: MC REVIEWER: YD1 BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2221/U (USE	A 6140	EL	18-JUL-56	EL	SH	11	
	MS91332	MS-35001) USER: MC REVIEWER: YD1 BATTERY, STORAGE, LEAD-ACID, PORTABLE, LOW-TEMPERATURE, BB-2223/U (USE	A 6140	EL	18-JUL-56	EL	SH	11	
	MS91418C	MS-35001) USER: MC REVIEWER: YD1 MOUNTS, VIBRATION, CUP-TYPE, CLASSES A & B, COARSE THREAD (FOR USE WITH	A 5348		24-MAY-60	EL	YD1		
	MS91427	ELECTRONIC EQUIPMENT IN AIRCRAFT) RESISTORS, VARIABLE (WIREFORM, POWER-TYPE) STYLE RP10, 25 WATTS (USE	A 5340	SH	29-JAN-52		SH	11	
	MS91872C	MIL-R-22/3) USER: YD1 REVIEWER: MC FILLER CAP, BATTERY (SUBMERSIBLE TYPE) (S/S BY MS52149) USER: AS MC	A 6140	AT	17-JAN-91	AT	YD1		
L	MS500000	REVIEWER: 80 ER GS TRUCK, CARGO, 10 TON, 6X6, 181-1/2 INCH WHEELBASE, M125 (S/S BY MS 500094)	A 2320	AT	03-AUG-65	AT			
	MS500008	USER: YD1 TRUCK, TRACTOR, 5 TON, 6X6, M52 (USE MIL-T-740) USER: ME YD1 .....	A 2320	AT	04-OCT-65	AT	MC	84	
	MS500009A	TRUCK, AMBULANCE, 3/4 TON, 4 X 4, 126 INCH WHEEL BASE, M4381 USER: YD1 REVIEWER: MD	A 2310	AT	18-OCT-65	AT	MC	99	
	MS500021B	ARM ASSEMBLY, REARVIEW MIRROR USER: AR YD1 REVIEWER: CS .....	A 2540	AT	31-AUG-76	AT	MC	99	
	MS500024	TRAILER, TANK, WATER, 1-1/2 TON, 2 WHEEL, M149 (USE MS 52108) USER: 11 YD1 REVIEWER: MD MS	A 2330	AT	10-DEC-65	AT	MC	84	
	MS500027B	TRAILER, MAINTENANCE, TELEPHONE CABLE SPLICER, 1/4-TON, 2 WHEEL, M367 USER: 11 YD1	A 2330	AT	31-DEC-86	AT			
	MS500046B	COCK, PLUG AIR SUPPLY, VEHICULAR, AIR BRAKE SYSTEM (S/S BY A-A-52448) USER: MC REVIEWER: 99	A 2530	AT	07-MAY-93	AT	YD1		
	MS500047A	TOWBAR, MOTOR VEHICLE: UNIVERSAL V-TYPE (NO S/S DOCUMENT) USER: MC REVIEWER: AT	A 4910	AL	30-JAN-85	AL	YD1	99	
	MS500064	TRAILER, BOLSTER, POLE HAULING, 3-1/2 TON, 2 WHEEL, M271 (USE MIL-T-62073) USER: 11 MC YD1 REVIEWER: EL GL	A 2330	AT	01-AUG-66	AT		84	
	MS500084	TRUCK, CARGO, 5 TON, 6X6, 215 INCH WHEELBASE, MILITARY DESIGN, M55A2 USER: YD1	A 2320	AT	27-OCT-67	AT	MC	99	
	MS500085B	TRUCK, VAN: SHOP TYPE, MILITARY MODEL, M109A3 2-1/2 TON, 6X6, 154 INCH WHEELBASE (NO S/S DOCUMENT) USER: YD1 REVIEWER: 84	A 2320	AT	17-JUL-90	AT		99	
	MS500086B	TRUCK, CARGO, 5 TON, 6X6, 179 INCH WHEELBASE, MILITARY DESIGN, M54A2 (NO S/S DOCUMENT) USER: YD1	A 2320	AT	28-SEP-90	AT	MC	84	
	MS500087B	BEARING, ROLLER, NEEDLE, ASSEMBLY (THIN OUTER RACE) USER: AR GL MC YD1 REVIEWER: 99 AV 15 ME MI	A 3110	AT	12-OCT-82	AT	OS	11	



# CANCELED SECTION

# NUMERICAL LISTING MILITARY STANDARDS

Adm CPL / OLC Condition Income Document Number	Document Title	Dist. Smt FSC / Issue MCA Symbol Preparing Act Date	Custodians			
			Army	Navy	Air Force	DLA
MIL-STD-18	GENERAL DRAWING PRACTICE USER: AR GL MC MS REVIEWER: 26 BO 83 YD1 .....	A DRPR EL 09-JUL-63	EL SH 10			
MIL-STD-20	ENGINEERING DRAWINGS SIZES AND FORMATS (S/S BY DOD-STD-100) USER: GL MC	A DRPR AV 01-NOV-66	AV SH			
MIL-STD-9A	REVIEWER: AR CR OS YD1					
NOTICE 1	SCREW THREAD CONVENTIONS AND METHODS OF SPECIFYING (S/S BY ANSI Y14.6)	A DRPR AR 26-MAY-60	AR AS 11			
MIL-STD-15A	USER: ES MC SH YD1 REVIEWER: 26 EL ER GL MI					
	ELECTRICAL AND ELECTRONIC SYMBOLS (S/S BY MIL-STD 15/1A, 15/2, AND 15/3)	A 7610 SH 18-JUL-55		10		
MIL-STD-16C	USER: MC MS YD1 REVIEWER: 26 EL MC					
	ELECTRONICAL AND ELECTRONIC REFERENCE DESIGNATIONS (USE ASA Y.32.16-1965)	A 7610 EL 04-DEC-61	EL SH 11			
MIL-STD-188(1)	USER: MS YD1 REVIEWER: 26 AR MC					
MIL-STD-20	STRUCTURAL SYMBOLS USER: OS SH REVIEWER: 11 17 AR AS .....	A DRPR YD1 26-JUN-73	ME YD1 16			
NOTICE 1	WELDING TERMS AND DEFINITIONS (USE AWS A3.0-69 USER: GL REVIEWER: 11 17 BS	A THJM MR 14-DEC-49	MR 10			
MIL-STD-23A	AR EL SH					
	NONDESTRUCTIVE TESTING SYMBOLS (USE AWS A2.2-58) USER: GL MC REVIEWER: 26	A 7610 SH 25-AUG-52	MO 10			
MIL-STD-248	AR MC					
	REVISION OF DRAWINGS (USE MIL STD 100) USER: GL MC REVIEWER: 26 AR EL MI	A DRPR MO 28-JUN-63	MO WP 10			
MIL-STD-27A	YD1					
	DESIGNATIONS FOR ELECTRIC POWER SWITCHGEAR DEVICES & INDUSTRIAL CONTROL	A MISC YD1 18-APR-63	ME YD1 16			
MIL-STD-28	DEVICES (USE ANSI C37.20) USER: 83 MC REVIEWER: 11 17 AR AS EL ER MI OS					
	DRAWING TITLES, APPROVED METHOD FOR ASSIGNMENT OF USER: GL SH REVIEWER: 80	A 7650 10 15-JUL-58	AR WP 10			
MIL-STD-30A	EL MI MU					
	ASSOCIATED LISTS - LIST OF MATERIAL, DATA LIST, INDEX LIST (USE MIL-STD	A DRPR AR 01-JUN-60		10		
MIL-STD-123A	100 USER: 80 REVIEWER: 26 83 EL GL MU					
	COLOR IDENTIFICATION MARKING OF COVERED ARC-WELDING ELECTRODES USER: 84 AT	A 3432 SH 09-MAY-57	MC SH 11			
MIL-STD-137C(1)	YD1					
MIL-STD-140B(1)	MATERIAL HANDLING EQUIPMENT USER: AR YD1 REVIEWER: MC SH .....	A 39GP SA 25-JUN-63	ME SA 11			
NOTICE 2	PROCEDURE FOR DETERMINING NORMAL LOSS EXPECTANCIES FOR PETROLEUM LIQUIDS	A 9130 ME 11-MAR-92	ME SH 68			
	(S/S BY API-BULL-2516, API-BULL-2517, API-BULL-2518 AND SPI-BULL-2519)					
MIL-STD-143B	USER: AS CE MC YD1 REVIEWER: AM MI PS					
	STANDARDS & SPECIFICATIONS, ORDER OF PRECEDENCE FOR THE SELECTION OF	A MISC SD 01-OCT-87	AR AS 11			
	(REPLACED BY MIL-STD-970 USER: AT REVIEWER: 79 99 AV CS DH EC ER ES GL GS					
MIL-STD-166	MI OS SA SH YD1					
	VISUAL INSPECTION GUIDE FOR RUBBER HOSE (USE FED-STD 162) USER: AR AS AT	A 4720 SH 22-JUN-54	MO SH 82			
MIL-STD-179E	REVIEWER: YD1					
MIL-STD-179/1	CRANE AND CRANE SHOVELS, SELF POWERED, TYPES AND CAPACITIES REVIEWER: MC ..	A 3810 ME 16-MAR-72	ME YD1 99			
MIL-STD-179/3	CRANE AND CRANE SHOVELS, SELF-POWERED, TYPES AND CAPACITIES REVIEWER: 11 ...	A 3810 ME 24-MAR-66	ME YD1 84			
	POWER-EXCAVATOR CRANE-SHOVELS - SECTION 3, BOOM JIB, CRANE, 15 FOOT FOR	A 3815 ME 23-APR-59	ME YD1 84			
MIL-STD-179/4	3/4 CU RD CRANE-SHOVELS (USE MIL-B-52207)					
	POWER-EXCAVATOR CRANE-SHOVELS - SECTION 4, TEETH, BUCKET AND DIPPER,	A 3815 ME 30-OCT-59	ME YD1 84			
MIL-STD-179/5	FOR ALL C IES OF MIL-STD-179A, SECTION 1 (USE MIL 76) USER: CS					
	POWER-EXCAVATOR CRANE-SHOVELS SECTION V BUCKET, DRAGLINE 3/4 CUBIC YARD	A 3815 ME 30-JUN-61	ME YD1 84			
MIL-STD-179/6	WITH HARDWARE (USE MIL-B-16029)					
	POWER EXCAVATOR CRANE SHOVELS SECTION VI BACKHOE, CRANE SHOVEL 3/4 CUBIC	A 3815 ME 30-JUN-61	ME YD1 84			
MIL-STD-179/7	YARD (USE MIL-B-52361)					
	POWER EXCAVATOR CRANE-SHOVELS SECTION 7 SHOVEL-FRONT, CRANE SHOVEL 3/4	A 3815 ME 30-JUN-61	MO YD1 85			
MIL-STD-179/8	CUBIC YARD					
	POWER-EXCAVATOR CRANE-SHOVELS SECTION 8 OF 8 SECTIONS STANDARD PILE-DRIVER	A 3815 ME 17-MAR-65	ME YD1 84			
MIL-STD-181	LEAD WITH CATWALK (USE MIL-P-11025) USER: MC					
	PREPARATION FOR SHIPMENT AND STORAGE OF ASSEMBLIES, SUB-ASSEMBLIES AND	A PACK SA 07-JUN-55				
	SPARE PARTS FOR WAREHOUSE MATERIALS HANDLING EQUIPMENT (S/S BY					
MIL-STD-182	MIL-P-14232) USER: GL MC YD1 REVIEWER: EL SH MC					
	CONTINUOUS IDENTIFICATION MARKING OF NICKEL AND NICKEL BASE ALLOYS	A 7610 69 19-NOV-60	MC WP 10			
MIL-STD-183A	(CANCELLED, USE FEDERAL STD. 182) USER: MS YD1 REVIEWER: SH					
	CONTINUOUS IDENTIFICATION MARKING OF IRON AND STEEL PRODUCTS (USE	A 7610 69 03-FEB-60	MC WP 10			
MIL-STD-184	FED-STD-183) USER: MC MS YD1 REVIEWER: SH					
	IDENTIFICATION MARKING OF ALUMINUM, MAGNESIUM, AND TITANIUM (USE	A 7610 10 19-NOV-59	MC SH 10			
MIL-STD-185	FED-STD-184) USER: MC REVIEWER: 26 EL SA					
	CONTINUOUS IDENTIFICATION MARKING OF COPPER AND COPPER BASE ALLOYS USER:	A MISC 69 18-JUL-57	OR WP 10			
MIL-STD-188/120	MC REVIEWER: 26 EL SA SH					
	MILITARY COMMUNICATION SYSTEM STANDARDS TERMS & DEFINITIONS (S/S BY FED	A SLHC SC 15-MAY-76	CR EC 90			
MIL-STD-188-203-2	STD 1037) REVIEWER: 01 11 13 71 99 AS CE CG DC MC ME OS TT YD1					
NOTICE 1	SUBSYSTEM DESIGN AND ENGINEERING STANDARDS FOR TACTICAL DIGITAL	A TCTS CR 04-NOV-92	CR EC 90			
	INFORMATION LINK (TADIL) B (S/S BY MIL-STD-188/212) REVIEWER: 02 AS MC MI					
MIL-STD-188-317	MC OM SC YD1					
	SUBSYSTEM DESIGN AND ENGINEERING STANDARDS AND EQUIPMENT TECHNICAL DESIGN	A SLHC DC 10-OCT-86	SC EC 90			
MIL-STD-204A	STANDARDS FOR HIGH FREQUENCY RADIO REVIEWER: 01 11 AS CG CR MC ME OS YD1					
MIL-STD-208A	THICKNESS OF SHEET AND STRIP METALS USER: MI YD1 REVIEWER: SH .....	A MISC AS 05-JUL-62	AR AS 11			
MIL-STD-218-1	PART NUMBERING FOR MILITARY STANDARDS USER: GL MI MI YD1 REVIEWER: SH ....	A 7610 WP 09-DEC-55	MC 11			
	TECHNICAL MANUALS PART 1 & GENERAL OUTLINE FOR TECHNICAL MANUALS USER: MC	A TMSS TM 21-DEC-54	SH SH 16			
	MS YD1					
L MIL-STD-242M	ELECTRONIC EQUIPMENT PARTS SELECTED STANDARDS CRYSTALS, DELAY LINES,	A 59GP EC 29-MAR-93	EC			
NOTICE 2	COILS, AND TRANSFORMERS (S/S BY MIL-STD-683, MIL-STD-1837, MIL-STD-1286)					
L MIL-STD-251A	USER: MC REVIEWER: AS OS SH					
	POWER OUTPUT RATINGS FOR ELECTRIC GENERATORS (NO S/S DOCUMENT) USER: MC MS	A 6115 ME 30-SEP-75	ME			
MIL-STD-281A(1)	REVIEWER: 80 EL GS YD1					
	AUTOMOBILES, TRUCKS, TRUCK-TRACTORS, TRAILERS AND TRAILER DOLLIES:	A PACK AT 22-JUN-89	AT YD1 99			
	PRESERVATION AND PACKAGING OF (S/S BY MIL-V-62038) USER: ME OS REVIEWER:					
MIL-STD-283	GL MC MI SH					
	LETTER SYMBOLS FOR ELECTRICAL AND ELECTRONIC QUANTITIES (USE USAS	A 7610 EL 08-JUN-56	EL SH 11			
MIL-STD-307A	Y10.5-1968) USER: AS MC OS YD1 REVIEWER: ES MC					
	JETTISON (AIRCRAFT SAFE DROP) TEST FOR USE IN DEVELOPMENT OF FUZES (S/S BY	A 1390 AR 17-NOV-58	AR 11			
MIL-STD-369	MIL-STD-331) REVIEWER: MC YD1					
NOTICE 1	GLOSSARY OF TERMS AND DEFINITIONS FOR RADIOGRAPHIC TESTING (S/S BY	A MDTI MR 02-JUL-92	MR AS 11			
MIL-STD-371	ASTM-E1316) USER: MI REVIEWER: 24 71 80 82 84 99 AR AT AV EA ME					
NOTICE 1	GLOSSARY OF TERMS AND DEFINITIONS FOR ULTRASONIC TESTING PROCEDURES (S/S	A MDTI MR 02-JUL-92	MR AS 11			
MIL-STD-414(1)	BY ASTM-E1316) USER: AL AT OS TE REVIEWER: 82 99 AR AV EA MI SH					
NOTICE 1	SAMPLING PROCEDURE AND TABLE FOR INSPECTION BY VARIABLES FOR PERCENT	A QCIC OS 23-SEP-88	AR OS 10			
MIL-STD-418C	DEFECTIVE					
	MECHANICAL TEST FOR WELDED JOINTS (USE ANSI/AWS B4.0) USER: AS MI OS YD1	A THJM SH 15-JUN-72	MR SH 11			
MIL-STD-421B	REVIEWER: AR					
	CHAIN, ROLLER, POWER TRANSMISSION AND CONVEYOR, FLAT LINK PLATES, MASSE	A 3020 ME 11-MAR-75	ME YD1			
MIL-STD-422	PITCH SINGLE AND MULTIPLE STRAND, CONNECTING LINKS AND ATTACHMENT LINKS					
	(SEE ANSI B29.1) USER: AT MI SH REVIEWER: CS	A 3020 SH 31-DEC-57	SH 69			
MIL-STD-423B	CHAIN, ROLLER, POWER TRANSMISSION, FLAT LINK PLATES, DOUBLE PITCH, SINGLE					
	STRAND AND CONNECTING LINKS, STEEL (USE MIL-STD-423) USER: 26 MC YD1	A 3020 ME 14-MAR-75	ME YD1 99			
MIL-STD-424C	REVIEWER: GL					
	CHAIN, ROLLER, CONVEYOR, STANDARD AND LARGE ROLLERS, FLAT LINK PLATES,					
MIL-STD-425B	DOUBLE PITCH, SINGLE STRAND, CONNECTING LINKS AND ATTACHMENT LINKS USER:	A 3020 ME 11-MAR-75	ME YD1 99			
MIL-STD-431D	CE SH REVIEWER: CS	A 4310 YD1 22-JUL-91	ME YD1 99			
NOTICE 1	CHAIN, ROLLER, POWER TRANSMISSION OFFSET SIDEBARS, SINGLE PITCH USER: CS					
	MC SH					
	CHAIN, SILENT, 60 DEGREES INVERTED TOOTH, POWER TRANSMISSION USER: MC SH ..					
	COMPRESSORS: CONSTRUCTION, PAINT SPRAY, AND GARAGE; CLASSIFICATION OF					
	TYPES, CLASSES, STYLES, GROUPS, AND CAPACITIES (NO S/S DOCUMENT) USER: CG					
	REVIEWER: AV CE MC					



# CANCELED SECTION

# NUMERICAL LISTING MILITARY STANDARDS

Army Navy Air Force DIA	Document Title	Document Number	Date FSC / Aves MCA Symbol Preparing Act	Date	Army	Navy	Air Force	DIA
	MIL-STD-435B(1)	RAILWAY CARS, FLAT, DOMESTIC AND FOREIGN SERVICE USER: MT REVIEWER: AS ....	A 2220	ME 20-SEP-74	ME	YD1		
	MIL-STD-443A	RATING CONDITIONS FOR THE DESIGN OF REFRIGERATION AND AIR CONDITIONING	A MISC	ME 06-MAY-59	ME	YD1	82	
	MIL-STD-447	FIELD EQUIPMENT REVIEWER: 17	A MISC	10 29-MAY-59	MO	10		
	MIL-STD-480B	DEFINITIONS OF INTERCHANGEABLE SUBSTITUTE AND REPLACEMENT ITEMS (S/S BY	A CHAN	AS 17-JUL-92	AR	AS	10	
	NOTICE 1	MIL-STD-4721B) USER: MI REVIEWER: 26						
	MIL-STD-481B	CONFIGURATION CONTROL - ENGINEERING CHANGES, DEVIATIONS AND WAIVERS (S/S	A CHAN	AS 17-JUL-92	AR	AS	10	
	NOTICE 1	BY MIL-STD-973) USER: 19 CE CG MR TE REVIEWER: 11 26 AL AM AT AV CR DH EA						
	MIL-STD-482A	EC ER GL MC MD ME MI MM OS SC SH SM TH YD1	A CHAN	OS 17-JUL-92	AR	OS	10	
	NOTICE 1	CONFIGURATION CONTROL - ENGINEERING CHANGES (SHORT FORM), DEVIATIONS AND						
	MIL-STD-483A	WAIVERS (S/S BY MIL-STD-973) USER: 19 CE CG MR TE YD1 REVIEWER: 11 26 AL	A CHAN	10 17-JUL-92		10		
	NOTICE 1	AM AT AV CR DH EA EC ER GL MC MD ME MI MM OS SC SH SM TH						
	MIL-STD-607	CONFIGURATION STATUS ACCOUNTING DATA ELEMENTS AND RELATED FEATURES (S/S BY	A 4240	EA 22-JAN-90	EA	YD1	84	
	MIL-STD-609A	MIL-STD-973) REVIEWER: AS AV CR EC MD MI SH TO YD1	A 4240	EA 10-APR-90	EA	YD1	84	
		CONFIGURATION MANAGEMENT PRACTICES FOR SYSTEMS, EQUIPMENT, MUNITIONS, AND						
		COMPUTER PROGRAMS (S/S BY MIL-STD-973) REVIEWER: 11 13 15 17 19 26						
		GAS MASK (S/S BY MIL-STD-1422) USER: MC SH REVIEWER: GS						
		RESPIRATORS, AIR FILTERING (S/S BY MIL-R-17729 AND A-A-1633) USER: AS AT						
		MC ME SA SH REVIEWER: GS						
		TURNOUT, RAILWAY, WITH BOLTED RIGID FROG	A 2250	ME 22-OCT-58	ME	YD1		
		EXTINGUISHERS, FIRE, MONOBROMOTRIFLUOROMETHANE, PORTABLE, HAND AND WHEELED	A 4210	ME 13-JAN-61	ME	YD1		
		TYPES, CAPACITIES AND CYLINDER DIMENSIONS USER: MC REVIEWER: MI						
		CHAIN, DETACHABLE LINK, POWER TRANSMISSION AND CONVEYOR, AND ATTACHMENTS,	A 3020	ME 21-NOV-67	ME	YD1	82	
		STEEL USER: CE						
		CHAIN, LEAF AND CLEAVES	A 3020	ME 23-MAR-60	ME	YD1	79	
		CRANE, LOCOMOTIVE, DIESEL-ELECTRIC AND DIESEL-MECHANICAL, LOCOMOTIVE AND	A 2230	ME 11-FEB-75	ME		99	
		WRECKING, DOMESTIC AND FOREIGN SERVICE USER: YD1						
		CHAIN, PINTLE, CAST PEARLITIC MALLEABLE IRON LINKS, POWER TRANSMISSION &	A 3020	ME 23-AUG-65	ME	YD1	82	
		CONVEYING, ATTACHMENTS USER: AS CG EL OS SH REVIEWER: GL						
		CHAIN, COMBINATION, CAST PEARLITIC MALLEABLE IRON LINKS, STEEL SIDEBARS,	A 3020	ME 23-AUG-65	ME	YD1	82	
		CONVEYING AND ATTACHMENTS USER: EL MC SH						
		FORMULA FOR PUMPS, POSITIVE DISPLACEMENT, METHOD OF RATING USER: AR EA EL	A 4320	ME 13-NOV-63	ME	YD1	99	
		SH						
		DISTRIBUTOR, BITUMINOUS MATERIAL, TANK AND TANKLESS TYPE USER: MC	A 3895	ME 28-JUL-83	ME	YD1	99	
		TRACTORS, WHEELED, INDUSTRIAL DIESEL- AND GASOLINE-ENGINE-DRIVEN (FOR	A 2420	ME 11-DEC-90	ME	YD1	99	
		TACTICAL OPERATIONS) (NO S/S DOCUMENT) USER: MC REVIEWER: 84						
		TRUCK AND TRUCK-TRACTORS, COMMERCIAL, GASOLINE ENGINE DRIVEN, 3200 POUNDS	A 2320	AT 23-MAY-67	AT		99	
		TO 32,000 POUNDS GVW, 4X2, STANDARD MODELS AND SPECIAL EQUIPMENT						
		REQUIREMENTS REVIEWER: MC YD1						
		ALUMINUM AND MAGNESIUM PRODUCTS PREPARATION FOR SHIPMENT AND STORAGE USER:	A PACK	84 25-SEP-86	AV	AS	84	DH
		EC MC REVIEWER: 69 AR AT EA ME SA SH SM YD1						
		VISUAL INSPECTION GUIDE FOR FOOTWEAR UPPER LEATHER USER: AS CG YD1	A 8330	SA 19-OCT-71		SA	11	
		REVIEWER: 82 CT MC						
		BATTERY, DRY USER: 11 REVIEWER: AR AS MC MI YD1	A 6135	ER 11-SEP-64	ER	SH	99	
		RAILWAY CAR HOPPER DOMESTIC SERVICE	A 2220	ME 30-JAN-61	ME	YD1	84	
		LOCOMOTIVE, ROAD AND SWITCHER, DOMESTIC AND FOREIGN SERVICE	A 2210	ME 10-MAR-75	ME	YD1	99	
		MOWERS, GANG, AND TRACTOR MOUNTING MOWER ATTACHMENTS (CUTTING SWATH OVER 3	A 3720	YD1 07-JUN-62		YD1		
		FT.) (USE MSS-3750-1)						
		CRANE-SHOVELS	A 3810	YD1 05-AUG-59		YD1		
		MOWER, LAMM, POWERED, WALKING TYPE (USE MSS-3750-1)	A 3750	YD1 07-JUN-62		YD1		
		MARKER, TRAFFIC LINE	A 3825	YD1 20-OCT-59		YD1	84	
		SWEEEPING EQUIPMENT (USE MSS-3825-2)	A 3825	YD1 30-NOV-60	MO	YD1	84	
		BURNER, WEED (S/S BY MSS-3825-5)	A 3825	YD1 20-OCT-59		YD1	84	
		DISTRIBUTORS, WATER, TANK AND TANKLESS TYPE (S/S BY MSS-3825-3) USER: 26	A 3825	YD1 20-OCT-59		YD1	84	
		GRADER, ROAD, MOTORIZED	A 3805	YD1 13-JUN-60		YD1		
		TRUCKS AND TRUCK-TRACTORS COMMERCIAL (USE MIL-STD-641, MIL-STD-1229 AND	A 2320	YD1 28-MAY-62		YD1		
		MIL-STD-1230)						
		TRACTOR, FULL TRACKED, LOW SPEED	A 2410	YD1 01-JAN-63		YD1		
		LOADER, SCOOP TYPE, WHEELED	A 3805	YD1 14-NOV-60		YD1		
		REFUSE CONTAINER, HOISTING UNIT (USE MSS-3990-1)	A 3990	YD1 15-DEC-60		YD1	87	
		SNOW REMOVAL UNITS, SELF-PROPELLED AND SNOWPLOWS, TRUCK-MOUNTED (S/S BY	A 3825	YD1 05-JAN-61	MO	YD1	11	
		MSS-3825-1) USER: SH						
		TRACTORS, WHEELED, INDUSTRIAL AND AGRICULTURAL, GASOLINE ENGINE POWERED ...	A 2420	YD1 17-MAY-61		YD1		
		WALLBOARD (BUILDING BOARD) INTERIOR FINISHING (GYPSUM BOARD,	A 5640	YD1 20-APR-67		YD1		
		ASBESTOS-CEMENT BOARD)						
		PREPARATION AND SUBMISSION OF DATA FOR APPROVAL OF NONSTANDARD PARTS (SEE	A 59GP	EC 29-AUG-69	EL	EC	10	
		MIL-STD-965) USER: AS MC YD1 REVIEWER: 11 13 16 17 99 AR AV ME MI SA SH						
		ROOFING, ROLL, ASPHALT-PREPARED, MINERAL SURFACED (NAVY) REVIEWER: SA	A 5650	YD1 17-AUG-61		YD1		
		LABELS CONTAINING SYMBOLS FOR PACKAGES AND CONTAINERS FOR HAZARDOUS	A 7690	SA 20-JAN-67	GL	SA	84	
		INDUSTRIAL CHEMICALS AND MATERIALS (USE MIL-STD-1341) USER: OS SH						
		REVIEWER: 69 AR AS GS YD1						
		LOADERS, SCOOP TYPE, FULL TRACKED, DIESEL-ENGINE-DRIVEN	A 3805	YD1 27-APR-62		YD1	84	
		ATTACHMENT & ACCESSORIES FOR DRILLING & TAPPING MACHINES (SEE MIL-STD 979)	A 3413	1P 05-APR-71	AL	SH	99	
		USER: AS AV MC ME MI REVIEWER: GS YD1						
		ATTACHMENT & ACCESSORIES FOR MIBBLING, PUNCHING, & SHEARING MACHINES,	A 3445	1P 30-JUN-71	AR	SH	99	
		METALWORKING (SEE MIL-STD 979) USER: AS AV MC ME YD1 REVIEWER: GS						
		ATTACHMENTS & ACCESSORIES FOR BENDING & FORMING MACHINES (USE MIL STD 979)	A 3441	1P 16-AUG-71	AR	SH	99	
		USER: AV MC ME WV REVIEWER: AS GS OS YD1						
		ATTACHMENT & ACCESSORIES FOR MECHANICAL PRESSES, POWER DRIVEN (USE MIL-STD	A 3443	1P 22-SEP-71		SH	99	
		979) USER: AS AV MC ME YD1 REVIEWER: GS						
		ATTACHMENT & ACCESSORIES FOR MACHINING CENTERS (SEE MIL-STD 979) USER: MC	A 3408	1P 05-DEC-73	AL	SH	99	
		YD1 REVIEWER: GS						
		ATTACHMENT & ACCESSORIES FOR HYDRAULIC & PNEUMATIC PRESSES, POWER DRIVEN	A 3442	1P 13-OCT-71		SH	99	
		(USE MIL STD 979) USER: AS MC ME YD1 REVIEWER: AR GS MI						
		ATTACHMENT & ACCESSORIES FOR ELECTRIC ARC WELDING EQUIPMENT (SEE MIL-STD	A 3431	1P 13-OCT-71	ME	SH	99	
		979) USER: AT AV MC REVIEWER: AR GS YD1						
		ATTACHMENT & ACCESSORIES FOR SAWING & FILING MACHINES (USE MIL-STD 979)	A 3405	1P 05-DEC-73	AL	SH	99	
		USER: AV CG MC REVIEWER: AS GS ME MI YD1						
		ATTACHMENT & ACCESSORIES FOR MISCELLANEOUS SECONDARY METAL FORMING &	A 3449	1P 25-OCT-71		SH	99	
		CUTTING MACHINES (USE MIL-STD 979) REVIEWER: AR GS YD1						
		ATTACHMENT & ACCESSORIES FOR ELECTROPLATING, COATING, & ANODIZING	A 3426	1P 28-OCT-71	AL	SH	99	
		EQUIPMENT (SEE MIL-STD 979) USER: AS AV EL MC YD1 REVIEWER: GS						
		ATTACHMENT & ACCESSORIES FOR BROACHING MACHINES (USE MIL-STD 979) USER: CG	A 3412	1P 27-AUG-73		SH	99	
		YD1 REVIEWER: GS MI						
		ATTACHMENT & ACCESSORIES FOR HEAT CUTTING & METALLIZING EQUIPMENT (SEE	A 3433	1P 08-NOV-71	AL	SH	99	
		MIL-STD 979) USER: CG MC ME REVIEWER: AS GS YD1						
		ATTACHMENT & ACCESSORIES FOR ELECTRIC RESISTANCE WELDING EQUIPMENT (USE	A 3432	1P 08-NOV-71	AR	SH	99	
		MIL-STD 979) USER: AV CG MC YD1 REVIEWER: GS						
		ATTACHMENT & ACCESSORIES FOR ELECTRICAL & ULTRASONIC EROSION MACHINES (USE	A 3410	1P 05-DEC-73	AL	SH	99	
		MIL-STD 979) USER: CG MC REVIEWER: AS GS OS YD1						
		ATTACHMENT & ACCESSORIES FOR MISCELLANEOUS MACHINE TOOLS (USE MIL-STD 979)	A 3419	1P 22-JAN-74	AL	SH	99	
		USER: AV MC ME REVIEWER: GS YD1						
		ATTACHMENT & ACCESSORIES & PLANERS & SHAPERS (SEE MIL-STD 979) USER: AV CG	A 3418	1P 22-JAN-74	AR	SH	99	
		MC REVIEWER: AS GS YD1						



## NUMERICAL LISTING MILITARY STANDARDS

Action OFL / Onk Coordination Machine	Document Number	Document Title	Dist. Smt FSC / Area	MCS Symbol Preparing Acty	Date	Custodians			
						Army	Navy	Air Force	DIA
	MIL-STD-979 NOTICE 1	ATTACHMENTS AND ACCESSORIES FOR INDUSTRIAL PLANT EQUIPMENT (NO S/S DOCUMENT) USER: AT AV MC REVIEWER: AR GS ME MI OS YDI	A 3220	IP	18-JAN-89	AL	SH	99	IP
	MIL-STD-1178	STANDARD SAFETY DEVICES FOR ADMINISTRATIVE AUTOMOTIVE VEHICLES REVIEWER: 03 MC	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1178-1	ANCHORAGE FOR SEAT BELT ASSEMBLIES FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1178-2	PADDDED INSTRUMENT PANEL AND VISORS FOR AUTOMOTIVE VEHICLES REVIEWER: MC ...	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1178-3	INSTRUMENT PANEL INSTRUMENTS AND CONTROL DEVICES FOR AUTOMOTIVE VEHICLES REVIEWER: MC	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1178-4	DUAL OPERATION OF HYDRAULIC SERVICE BRAKE SYSTEM FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1178-5	SAFETY DOOR LATCHES AND HINGES FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC ....	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1178-6	ANCHORAGE OF SEATS FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC .....	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1178-7	REARVIEW MIRRORS FOR AUTOMOTIVE VEHICLES REVIEWER: 03 MC .....	A 2310	AT	15-AUG-70	AT	YDI	99	
	MIL-STD-1218 NOTICE 1	ACS CHEMICALS (NO S/S DOCUMENT) USER: AS MC OS YDI REVIEWER: GS ME MI .....	A 6810	EA	09-NOV-90	EA	SH	68	
	MIL-STD-1222 NOTICE 1	INORGANIC SALTS AND COMPOUNDS, ANALYZED REAGENT AND REAGENT GRADE (NO S/S DOCUMENT) USER: MC ME YDI REVIEWER: MI	A 6810	EA	20-SEP-91	EA		68	
	MIL-STD-1224 NOTICE 2	VISUAL INSPECTION GUIDE FOR PNEUMATIC TIRES (MONAIRCRAFT) (NO S/S DOCUMENT) USER: MC	A 2610	AT	09-FEB-93	AT		84	
	MIL-STD-1225	ENGINE, GASOLINE, INDUSTRIAL, AIR COOLED, MILITARY STANDARD 1/2 TO 20 HP, DIMENSIONS AND PERFORMANCE CHARACTERISTICS USER: AT REVIEWER: AR EL GL	A 2805	ME	18-JAN-61	ME	YDI	85	
	MIL-STD-1228	MAINTAINABILITY CRITERIA FOR TANK-AUTOMOTIVE MATERIAL (S/S BY MIL-STD-470) USER: YDI	A 2310	AT	27-SEP-62	AR	MC		
	MIL-STD-1262 NOTICE 1	DEGRADATION TESTS FOR FUELS AND FUEL CONTAINER COATINGS (TEST PROCEDURE) (NO S/S DOCUMENT) REVIEWER: 85 SH	A 8010	ME	25-JUN-92	ME	YDI	11	
L	MIL-STD-1273	VEHICLE, WHEELED, DEFINITION OF TERM RELATED TO .....	A 2330	AT	24-JUL-63	AT	YDI	84	
	MIL-STD-1320-110(1) NOTICE 3	TRUCKLOADING STANDARD ARM MISSILE AGM-78 IN CONTAINERS MK 372 MOD 4 & 6 OR CMU-183/E (NO S/S DOCUMENT)	A 8140	OS	20-MAY-92	AT	OS		
L	MIL-STD-1320-195 NOTICE 2	TRUCKLOADING SIMULATOR ACTUATION UNDERWATER MINE MK 61 & MODS IN PLANTING RACK MK 62 MOD 0 IN CONTAINER MK 628 MOD 0 (NO S/S DOCUMENT)	A 8140	OS	15-OCT-92		OS		
L	MIL-STD-1320-197(1) NOTICE 2	TRUCKLOADING HARPOON MISSILE RGM-BAA-2 (TARTAR) OR RGM-BAA-2 (CAP/CAN) IN CONTAINER MK 632 MOD 0 (NO S/S DOCUMENT)	A 8140	OS	20-MAY-92		OS		
L	MIL-STD-1320-199	TRUCKLOADING TORPEDO, DUMPHY MK 14/16 EJECT MK 16 FITMENT (NO S/S DOCUMENT)	A 8140	OS	31-MAR-93		OS		
L	MIL-STD-1320-229A NOTICE 1	TRUCKLOADING STANDARD MISSILE BOOSTER IN SHIPPING AND STORAGE CONTAINER, MK 686 (NO S/S DOCUMENT)	A 8140	OS	20-MAY-92		OS		
	MIL-STD-1341A	SYMBOL FOR PACKAGES AND CONTAINERS FOR HAZARDOUS INDUSTRIAL CHEMICALS AND MATERIALS (SEE FED-STD 313) USER: MC ME REVIEWER: AS MI MS OS SH SM	A PACK	SA	18-AUG-70	GL	SA	69	
	MIL-STD-1349 NOTICE 1	VISUAL EXAMINATION OF MASK BLANKS (NO S/S DOCUMENT) .....	A 1660	AS	04-SEP-92	AV	AS		
	MIL-STD-1393B NOTICE 1	PROVISIONS FOR EVALUATING QUALITY OF COATED FABRIC RAINCOATS (NO S/S DOCUMENT) REVIEWER: MC	A 8405	CT	22-JUL-92	GL	MU	CT	
L	MIL-STD-1399-101(1)	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 101 COOLING WATER FOR SUPPORT OF ELECTRONIC EQUIPMENT (S/S BY DOD-STD-1399-532) USER: YDI REVIEWER: AS EC OS	A MISC	SH	01-AUG-78		SH		
L	MIL-STD-1399-103 NOTICE 1	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 103 ELECTRIC POWER, ALTERNATING CURRENT USER: YDI REVIEWER: AS EC OS	A MISC	SH	01-DEC-70		SH		
L	MIL-STD-1399-104A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 104 POTABLE WATER SERVICE USER: YDI	A MISC	SH	05-JUL-73		SH		
	MIL-STD-1399-108A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 108 SEWAGE/WASTE DISPOSAL FOR SURFACE SHIPS (S/S BY MIL-STD-1399, SECTION 593 - PART 1) USER: CG REVIEWER: MS YDI	A MISC	SH	01-AUG-78		SH		
L	MIL-STD-1399-201	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 201 COMPARTMENT AMBIENT CONDITIONS FOR SUPPORT OF ELECTRONIC EQUIPMENT (S/S BY MIL-STD-1399, SECTION 204) USER: YDI REVIEWER: AS MC OS	A MISC	SH	27-NOV-74		SH		
L	MIL-STD-1399-501A	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 501 NOMENCLATURE, ELECTRONIC AND WEAPONS CONTROL FUNCTIONS (NO S/S DOCUMENT) USER: YDI REVIEWER: EC OS	A 1990	SH	08-FEB-91		SH		
L	MIL-STD-1399-701	INTERFACE STANDARD FOR SHIPBOARD SYSTEMS SECTION 701 SHIP SPEED DATA TRANSMISSION (S/S BY MIL-STD-1399, SECTION 702) USER: YDI REVIEWER: EC OS	A MISC	SH	20-NOV-74		SH		
	MIL-STD-1403	PUMP, CENTRIFUGAL, METHOD OF RATING USER: AR CE MC REVIEWER: AV GL SH .....	A 4320	ME	09-JUN-67	ME	YDI		
	MIL-STD-1404A	SCRAPERS, EARTHMOVING, TOWED, HYDRAULIC-OPERATED (NO S/S DOCUMENT) USER: CE MC REVIEWER: CS	A 3805	ME	21-JUN-87	ME	YDI	84	
	MIL-STD-1405	INTERNATIONAL DISTINCTIVE SIGNS AND EMBLEMS USER: GL MC MS REVIEWER: MD ...	A 9905	ME	23-SEP-68	ME	YDI	99	
	MIL-STD-1406	RETROREFLECTIVITY TEST TECHNIQUE: GL MR .....	A MISC	ME	30-OCT-68	ME	YDI	99	
	MIL-STD-1409	RAILWAY MOTOR CARS, MAINTENANCE, DOMESTIC AND FOREIGN SERVICE .....	A 2230	ME	19-APR-74	ME	YDI	99	
	MIL-STD-1426	MISCELLANEOUS COMPOUNDS (NO S/S DOCUMENT) USER: AT AV MC OS REVIEWER: GS MD ME MI	A 6850	EA	22-AUG-90	EA	YDI	68	
	MIL-STD-1430	SPECTACLES, INDUSTRIAL (SEE A-A-1995 & AMSI-Z-87.1-79) USER: MC OS REVIEWER: AS GS MD YDI	A 4240	EA	19-JUN-86	EA	SH	99	
	MIL-STD-1432	HERBICIDES REVIEWER: GS .....	A 6840	EA	06-NOV-87	EA	YDI	68	
	MIL-STD-1436	ORGANIC CHEMICAL COMPOUNDS, LIQUID, TECHNICAL GRADE (NO S/S DOCUMENT) USER: AS AT MC ME REVIEWER: AR MD MI	A 6810	EA	26-FEB-92	EA	YDI	68	
	MIL-STD-1438A NOTICE 1	INDICATORS, ORGANIC, REAGENT GRADE (NO S/S DOCUMENT) USER: GL MC MI OS YDI REVIEWER: MD ME	A 6810	EA	20-SEP-91	EA	SH	68	
	MIL-STD-1444	MISCELLANEOUS INORGANIC COMPOUNDS (NO S/S DOCUMENT) USER: MI REVIEWER: AS GS MC ME	A 6810	EA	08-FEB-89	EA	YDI		
	MIL-STD-1456A NOTICE 1	CONFIGURATION MANAGEMENT PLAN (S/S BY MIL-STD-973) USER: 11 13 14 17 18 GL ME REVIEWER: 01 10 20 AS AT AV ER MC MI OM OS SA SH TO YDI	A CMAN	AR	17-JUL-92	AR	EC	19	DM
	MIL-STD-1458(2) NOTICE 3	RADIOACTIVE MATERIALS, MARKING & LABELING OF ITEMS, PACKAGES & SHIPPING CONTAINERS FOR IDENTIFICATION IN USE, STORAGE & TRANSPORTATION (S/S BY MIL STD 129) USER: MC REVIEWER: CR EC EL ES MD MI MS SH	A PACK	SM	09-JUL-80	AR	YDI	69	
	MIL-STD-1486B(1)	IN-TRANSIT FUMIGATION OF FREIGHT CARS (FUTURE REFERENCE USE AFPMB TECH. INFO MEMORANDUM 111, DTD FEB 1987) USER: SH SS REVIEWER: 03 CE EA GS MD MS	A 6840	GL	18-AUG-87	GL	YDI	68	
	MIL-STD-1517 NOTICE 1	PHASED PROVISIONING (S/S BY MIL-STD-1388/1 AND MIL-STD-1388/2) REVIEWER: MC	A MISC	16	08-FEB-93	MI	SA	16	
	MIL-STD-1552A NOTICE 1	PROVISIONING TECHNICAL DOCUMENTATION, UNIFORM DOD REQUIREMENTS FOR (S/S BY MIL-STD-1388-2A) REVIEWER: DM MC MS	A MISC	16	20-JUL-84	TM	SA	16	
	MIL-STD-1614A	PROVISIONS FOR EVALUATING QUALITY OF CLOTH TYPE MOODS (NO S/S DOCUMENT) USER: AS CG OS YDI REVIEWER: 99 CT SH	A 8415	MU	13-MAR-90		MU	11	
L	MIL-STD-1649 NOTICE 1	FILM, MOTION PICTURE, SUPER 8MM, LABORATORY PREPARATION OF (NO S/S DOCUMENT) USER: CG TO REVIEWER: MC	A 6770	AS	19-OCT-92		AS		
L	DOD-STD-1690 NOTICE 2	MARITIME METRIC PRACTICE GUIDE (S/S BY ASTM-F1332) .....	A MISC	SH	15-DEC-92		SH		
L	MIL-STD-1692	UNDERWATER WELDING REQUIREMENTS FOR NAVAL FACILITIES (USE AWS D 3.6.) .....	A THJM	YDI	05-APR-85		YDI		
L	MIL-STD-1851A	FILM SLIDE, PROJECTION, PHOTOGRAPHIC, 2 INCH X 2 INCH (SEE FED STD 365) USER: TO YDI REVIEWER: GS	A 6750	EL	07-NOV-74	EL	AS	99	
L	MIL-STD-1867A	SHAFTS, STEEL SAE 5140, 5145, AND 5150 HEAT TREATMENT OF (NO S/S DOCUMENT)	A 9510	AT	09-FEB-93	AT			
L	MIL-STD-1870A NOTICE 1	GRAIN SIZE, CAST TURBINE BLADES, ACCEPTANCE CRITERIA FOR (METRIC) (NO S/S DOCUMENT)	A 2835	AT	09-FEB-93	AT			
L	MIL-STD-1876A NOTICE 1	NITRIDING, GASEOUS ATMOSPHERE PROCESSING FOR (NO S/S DOCUMENT) .....	A MFP	AT	17-FEB-93	AT			
L	MIL-STD-1877B NOTICE 1	BRAZING, NICKEL, HIGH TEMPERATURE VACUUM (METRIC) (NO S/S DOCUMENT) .....	A THJM	AT	17-FEB-93	AT			
L	MIL-STD-1878A NOTICE 1	CARBURIZING, GASEOUS ATMOSPHERE, PROCESS FOR (NO S/S DOCUMENT) .....	A MFP	AT	19-MAR-93	AT			



# CANCELED SECTION

# NUMERICAL LISTING MILITARY STANDARDS

Action OPR / OML Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acti. Date			Custodians			
		Army	Navy	Air Force	DLA			
L MIL-STD-1880A NOTICE 2	CYLINDERS, RINGS AND SHROUDS, TURBINE, CAST, ACCEPTANCE CRITERIA FOR (METRIC) (NO S/S DOCUMENT)	A 2835	AT	09-FEB-93	AT			
L MIL-STD-1881(1) NOTICE 2	BRAZING SILVER, GENERAL PROCESS FOR (NO S/S DOCUMENT) .....	A THJM	AT	17-FEB-93	AT			
L MIL-STD-1892 NOTICE 1	WELDING, ARC AND OXYFUEL GAS, PROCESS AND REQUIREMENTS FOR (NO S/S DOCUMENT)	A THJM	AT	17-FEB-93	AT			
L MIL-STD-1896 NOTICE 1	JOINTS, BRAZED, INSPECTION OF (NO S/S DOCUMENT) .....	A NDTI	AT	17-FEB-93	AT			
MIL-STD-1949A(2) NOTICE 3	INSPECTION, MAGNETIC PARTICLE (S/S BY ASTM-E1444) USER: 71 AL AT ME OS TE REVIEWER: 24 70 80 82 84 99 AR AV EA MI SH	A NDTI	MR	20-APR-93	MR	AS	11	
MIL-STD-2073	DOD MATERIEL, PROCEDURES FOR DEVELOPMENT AND APPLICATION OF PACKAGING REQUIREMENTS (S/S BY MIL-STD-2073-1A) REVIEWER: 10 11 13 18 19 AT AV CS EC EL ES GL GS IP MC ME OS PS YD1	A PACK	AS	16-JUL-84	SM	AS	69	DH
L MIL-STD-2103 NOTICE 1	WELDING, ELECTRON BEAM REQUIREMENTS FOR (NO S/S DOCUMENT) .....	A THJM	OS	25-FEB-93	OS			
L MIL-STD-2104 NOTICE 1	WELDING, TUNGSTEN ARC, GAS, MANUAL (GTAW-MA) REQUIREMENTS FOR (NO S/S DOCUMENT)	A THJM	OS	25-FEB-93	OS			



CANCELED SECTION

NUMERICAL LISTING  
COMMERCIAL ITEM DESCRIPTIONS

Admin Off / OMA Condition Inmate	Document Number	Document Title	Dist. Smt. FBC / Area MC / Symbol Preparing Agency	Date	Custodian Army Navy Air Force DLA
	A-A-257	WORKSUIT, CHEMICAL RESISTANT USER: YD1	A 8405 #	20-JUN-83	
	A-A-953	BALLAST, EMERGENCY LIGHT, FLUORESCENT (NO S/S DOCUMENT)	A 6250 # FSS	28-JUN-90	
	A-A-1000	STAY, FENCE (S/S BY ASTM-A641)	A 5660 # YD1	18-APR-88	YD1 CS
	A-A-1035A	WIRE FABRIC, (HARDWARE) (S/S BY ASTM-A740) REVIEWER: IS	A 5335 # ME	04-FEB-93	ME YD1 99
	A-A-1191	STRAP, RETAINING (NO S/S DOCUMENT) USER: CR MC MI REVIEWER: 99 AR IS SH	A 5340 # AR	04-MAR-93	AR YD1 99
	A-A-1661	YD1 ENVELOPE, PACKING LIST (FLAT) (NO S/S DOCUMENT) USER: MC YD1 REVIEWER: 99	A 8105 # GL	11-DEC-90	GL 69
	A-A-1704	AR ROOFING FELT (ASPHALT SATURATED) (USE ASTM D 226) USER: CE MC	A 5650 # ME	20-FEB-85	ME YD1 99
	A-A-1705	ROOFING FELT (ASBESTOS, ASPHALT SATURATED) (NO S/S DOCUMENT)	A 5650 # FSS	21-FEB-85	
	A-A-1707	ROOFING FELT (SMOOTH SURFACED ASPHALT) (S/S BY ASTM-D224) USER: MC	A 5650 # ME	22-FEB-85	ME YD1 99
	A-A-1838	REVIEWER: CE HOSE, NON METALLIC (FIRE, SINGLE JACKET) (S/S BY A-A-2245) USER: CG MC	A 4210 # ME	15-JAN-85	ME YD1 99
	A-A-1839	REVIEWER: CS SH HOSE, NON-METALLIC (FIRE, SINGLE-JACKET) S/S BY A-A-2245 USER: CG MC	A 4210 # ME	15-JAN-85	ME YD1 99
	A-A-1921	REVIEWER: CS SH SHINGLE, ASBESTOS CEMENT (USE ASTM C 223) USER: CE REVIEWER: 85	A 5650 #	22-FEB-85	ME YD1 99
	A-A-1951	PADLOCK (HIGH SECURITY) (REFER TO MIL-L-29151 AND ASTM F883) USER: CR ER	A 5340 # IS	19-JUN-87	GL YD1 99
	A-A-1961	REVIEWER: MC NAIL (ROOFING COMPOSITION) (S/S BY FF-M-105) USER: AS ME REVIEWER: GS IS	A 5315 # AR	10-JUL-91	AR YD1 99
	A-A-1980	MC POT, COOKING, 16 QUART, STAINLESS STEEL (S/S BY A-A-389) USER: SM YD1	A 7350 # GL	06-FEB-91	GL SA 99
	A-A-2007	REVIEWER: MC MD MS ROOFING FELT (ASPHALT, MINERAL SURFACED) (S/S BY ASTM-D249)	A 5650 # FSS	22-FEB-85	
	A-A-2050	AIR CONDITIONER (REMOTE CONDENSING UNIT, SINGLE PHASE) (S/S BY DD-A-374)	A 4120 # ME	16-MAR-88	ME YD1 99
	A-A-2159	USER: CE ER MC HOSE ASSEMBLY, NONMETALLIC (FIRE, RUBBER COVERED RELAY SUPPLY (S/S BY	A 4210 # ME	04-OCT-83	ME YD1 99
	A-A-2231	A-A-2156 USER: CG MC REVIEWER: CS SH			
	A-A-2232	TAPE, PRESSURE SENSITIVE ADHESIVE (DUCT) (NO S/S DOCUMENT) USER: YD1	A 5640 # FSS	23-APR-90	
	A-A-2233	TAPE, PRESSURE SENSITIVE ADHESIVE (DUCT) (NO S/S DOCUMENT) USER: YD1	A 5640 # FSS	23-APR-90	
	A-A-2234	GRILL, CHARCOAL (FIRE RING WITH HINGED GRILL TOP) (NO S/S DOCUMENT) USER:	A 7310 # GL	09-OCT-90	GL YD1 99
	A-A-2234	MC MS REVIEWER: GS MD SA GRILL, CHARCOAL (PEDESTAL MOUNTED) (NO S/S DOCUMENT) USER: MC MS REVIEWER:	A 7310 # GL	09-OCT-90	GL YD1 99
	A-A-2273	GS MD SA BAG, PAPER GROCER'S (WET STRENGTH) (NO S/S DOCUMENT) USER: 14	A 8105 # 19	11-DEC-90	19
L	A-A-2273(11)	BAG, PAPER GROCER'S (WET STRENGTH) (NO S/S DOCUMENT)	A 8105 # 19	11-DEC-90	19
L	A-A-20088	SUPP MIXES, LOW-SODIUM, BEEF- AND CHICKEN-FLAVORED (NO S/S DOCUMENT)	A 8935 # FSS	10-JUL-92	
	A-A-20106	CAKE ROLL, FRESH OR CHILLED, JELLY OR CREAM-FILLED (NO S/S DOCUMENT)	A 8920 # FSS	28-JUN-91	
	A-A-20168	RICE, MILLED, ENRICHED (NO S/S DOCUMENT)	A 8920 # FSS	10-JUL-92	
	A-A-30042B	FOOTWEAR COVERS, OPERATING ROOM (DISPOSABLE) (NO S/S DOCUMENT)	A 6532 # MB	08-JAN-93	MD MS 03
	A-A-30050D	STANDS, INTRAVENOUS-IRRIGATION CONTAINER (NO S/S DOCUMENT)	A 6530 # MB	03-AUG-92	MD MS 03
	A-A-30053B	CUP, DENTURE (NO S/S DOCUMENT)	A 6530 # OSS	08-JAN-93	
	A-A-30063A(11)	BOX, SETUP (NO S/S DOCUMENT)	A 8115 # FSS	15-JUL-92	
	A-A-30098	BOX, SETUP (NO S/S DOCUMENT)	A 8115 # FSS	15-JUL-92	
	A-A-0030113	MASK, SURGICAL (NO S/S DOCUMENT)	A 6515 # OSS	08-JAN-93	
	A-A-0030120	BANDAGE, ELASTIC (ADHESIVE) (S/S BY A-A-53401)	A 6510 # FSS	15-JUL-92	
	A-A-0030123	SPONGE, SURGICAL	A 6510 # MB	08-JAN-93	MD MS 03
	A-A-0030124	KNIFE, GENERAL SURGICAL (NO S/S DOCUMENT)	A 6515 # MB	15-JUL-92	MD MS 03
	A-A-0030126	LUMBAR PUNCTURE KIT (S/S BY A-A-54404)	A 6515 # MB	18-SEP-92	MD MS 03
	A-A-0030128	PLUG, CATHETER (NO S/S DOCUMENT)	A 6515 # MB	15-JUL-92	MD MS 03
	A-A-0030141	DRESSING, WET (NO S/S DOCUMENT)	A 6510 # MB	08-JAN-93	MD MS 03
	A-A-0030141	APRON, PROTECTIVE, EXAMINATION AND TREATMENT (NO S/S DOCUMENT)	A 6532 # MB	03-AUG-92	MD MS 03
	A-A-50002	INSECTICIDE, DIAZINON, EMULSIFIABLE CONCENTRATE (NO S/S DOCUMENT)	A 6840 # GL	16-MAR-89	GL YD1 68
	A-A-50051	HEAT SLICING MACHINES, ELECTRIC (FUTURE PROCUREMENTS - MAKE UNDER	A 7320 # GL	12-JAN-87	GL YD1 99
	A-A-50058	A-A-50088) USER: CG MC REVIEWER: GS MD MS SA PUNCHING MACHINE, PAPER, ELECTRIC MOTOR DRIVEN (NO S/S DOCUMENT) REVIEWER:	A 3610 # GL	19-FEB-93	GL 99
	A-A-50124	BA OVENS, BAKING AND ROASTING, CONVECTION, ENERGY EFFICIENT, GAS (S/S BY	A 7310 # GL	15-JAN-91	GL YD1 99
	A-A-50205	A-A-50042)			
	A-A-50291	SPLINE & WEIGHTS SET USER: YD1 REVIEWER: B2 GS BRAZING ALLOYS, ALUMINUM AND MAGNESIUM, FILLER METAL (S/S BY AWS-AS.8)	A 6675 # ME	06-NOV-86	ME 99
	A-A-50361	USER: GS REVIEWER: 11 AR AS EA IP ME SD YD1	A 3439 # MR	31-JUL-91	MR 99
L	A-A-50376	SUIT, RADIOACTIVE CONTAMINANTS PROTECTIVE (VINYL) (S/S BY A-A-50363 AND	A 8415 # CT	31-MAR-92	MU CT
L	A-A-50376	A-A-50364) REVIEWER: SH BELT, MILITARY POLICE (WHITE) (S/S BY MIL-B-21154 AND MIL-F-411)	A 8465 # CT	01-JUL-92	MU CT
	A-A-50482	DISPLAY CASE, MECHANICALLY REFRIGERATED, BAKERY, COUNTER (NO S/S DOCUMENT)	A 4110 # YD1	14-FEB-92	GL YD1
	A-A-50483	REVIEWER: GS MD TS DISPLAY CASE, NONREFRIGERATED, BAKERY, COUNTER AND UPRIGHT TYPE (NO S/S	A 7310 # YD1	14-FEB-92	GL YD1
	A-A-50484	DOCUMENT) REVIEWER: GS MD TS BONE DUST REMOVING MACHINE, WITH NYLON BRUSHES (NO S/S DOCUMENT) REVIEWER:	A 7320 # YD1	14-FEB-92	GL YD1
	A-A-50487	GS MD TS DISPLAY CASE, MECHANICALLY REFRIGERATED, MERCHANDISER, VERTICAL, MEDIUM	A 4110 # YD1	14-FEB-92	GL YD1
	A-A-50488	TEMPERATURE (NO S/S DOCUMENT) REVIEWER: GS MD TS DISPLAY CASE, MECHANICALLY REFRIGERATED, REACH-IN MERCHANDISERS, GLASS	A 4110 # YD1	14-FEB-92	GL YD1
	A-A-50489	DOOR, LOW AND MEDIUM TEMPERATURE (NO S/S DOCUMENT) REVIEWER: GS MD TS			
	A-A-50490	TRUCK, CAGE, SECURITY, STEEL (NO S/S DOCUMENT) REVIEWER: GS MD TS	A 3920 # YD1	30-DEC-92	GL YD1
	A-A-50491	SAM, CIRCULAR, PORTABLE, ELECTRIC, MEAT CUTTING, 8-INCH BLADE (NO S/S	A 7320 # YD1	14-FEB-92	GL YD1
	A-A-50768	DOCUMENT) REVIEWER: GS MD TS PUBLIC ADDRESS SET, SOLID STATE, 100 WATT (NO S/S DOCUMENT)	A 5830 # YD1	10-MAY-93	YD1
	A-A-50769	WORKSTATION, VIDEO DISPLAY TERMINAL REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50770	WORD PROCESSING EQUIPMENT, PORTABLE REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50771	WORKSTATION, EXECUTIVE, NONPRINTING REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50772	PRINTER, DRAFT QUALITY REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50773	PRINTER, LETTER QUALITY REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50774	PRINTER, DRAFT/CORRESPONDENCE QUALITY REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50775	READER, PORTABLE PAGE REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50776	NETWORK, LOCAL AREA (BROADBAND) REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50777	USAF LINSS COMMERCIAL ITEM DESCRIPTION MODEM, AUTO DIAL (1200 BAUD)	A 7435 # 10	01-DEC-86	10
	A-A-50778	REVIEWER: 84 99 USAF LINSS COMMERCIAL ITEM DESCRIPTION MODEM, AUTO ANSWER (RACK MOUNT)	A 7435 # 10	01-DEC-86	10
	A-A-50779	REVIEWER: 84 99 USAF LINSS COMMERCIAL ITEM DESCRIPTION MODEM, AUTO DIAL (RACK MOUNT)	A 7435 # 10	01-DEC-86	10
	A-A-50780	REVIEWER: 84 99 USAF LINSS COMMERCIAL ITEM DESCRIPTION RECORDER, VOICE, PORTABLE REVIEWER:	A 7435 # 10	01-DEC-86	10
	A-A-50781	84 99 USAF LINSS COMMERCIAL ITEM DESCRIPTION RECORDING SYSTEM, CENTRALIZED	A 7435 # 10	01-DEC-86	10
	A-A-50785	REVIEWER: 84 99 USAF LINSS COMMERCIAL ITEM DESCRIPTION READER, MICROFICHE, PORTABLE	A 7435 # 10	01-DEC-86	10
	A-A-50786	(BATTERY POWERED) REVIEWER: 84 99 TYPEWRITER, ELECTRONIC REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50787	WORD PROCESSING EQUIPMENT, STAND ALONE REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10
	A-A-50787	WORD PROCESSING EQUIPMENT, SHARED LOGIC REVIEWER: 84 99	A 7435 # 10	01-DEC-86	10



## NUMERICAL LISTING COMMERCIAL ITEM DESCRIPTIONS

891



CANCELED SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Adm. / OMA  
Coordination  
Machine  
Document  
Number

Document  
Title

Dist. Smt.  
FSC / Area  
MCS Symbol  
Preparing Acty  
Date

Custodians  
Army  
Navy  
Air Force  
DIA

C-F-151A	FEATHERS USER: YDI REVIEWER: CT	A 8320 / GL	08-FEB-43	GL	SA	67
C-C-800(1)	CUTTING OIL, BASE, SULFURIZED LARD OIL (USE VV-C-850A) USER: MC YDI REVIEWER: GS PS SA	A 9150 * MR	02-APR-57	MR	AS	68
F-F-3008	FILTER, AIR CONDITIONING: VISCOUS IMPINGEMENT AND DRY TYPES, CLEANABLE (S/S BY ASTM-F872) USER: ME REVIEWER: CG MC SH	A 4130 / YDI	08-NOV-91	YDI		99
F-F-3108	FILTER, AIR CONDITIONING: VISCOUS-IMPINGEMENT AND DRY MEDIA, REPLACEABLE (S/S BY A-A-1419) REVIEWER: EA GS	A 4130 / YDI	21-NOV-91	MI	YDI	99
NOTICE 1						
M-B-160	BRUSH, CLEANING, CHASSIS (S/S BY M-B-1818) USER: 26 MC YDI REVIEWER: MC ...	A 7920 / GL	13-APR-48	GL		69
M-B-204	BRUSHES, DUST, DRAFTSMEN S USER: 26 MC YDI REVIEWER: MC	A 7920 / GL	27-FEB-47	GL	SA	69
M-B-250A	BRUSH, FLOOR POLISHING, WEIGHTED USER: 26 REVIEWER: GL YDI	A 7910 / SH	06-FEB-59	ME		84
M-B-271	BRUSH, GARAGE, FIBER (S/S BY H-B-270) USER: 26 MC YDI	A 7920 * GL	07-MAR-33	GL		84
M-B-321A	BRUSH, HAIR, MILITARY USER: 26 YDI	A 8530 / SH	01-APR-55			
M-B-328	BRUSH, HAND-SCRUB (S/S BY M-B-1490)	A 8020 / GL	20-JUL-43	GL	YDI	84
M-B-541C	BRUSH, SCRUB, FLOOR, HAND (USE H-B-1490) USER: 26 GL MC SA YDI	A 7920 %	02-OCT-62			
M-B-551C	BRUSH, SCRUB, (HOUSEHOLD) (S/S BY H-B-1490) USER: 26 GL MC SA YDI	A 7920 %	23-JUN-60			
M-B-636A(1)	BRUSH, STIPPLING, WALL USER: SA YDI	A 8020 * BA	01-APR-55			84
J-C-71E(1)	CABLE, POWER, ELECTRICAL, (ARMORED INCLUDING LEAD-COVERED TYPES AND ARMORED CORD) (S/S BY J-C-30) USER: GL MC MI REVIEWER: BS EL	A 6145 / MD	28-SEP-64	MD	YDI	80
J-C-86(2)	CABLE, CORD, AND WIRE, ELECTRIC, FLEXIBLE, COTTON-COVERED (GENERAL SERVICE) (S/S BY FED SPEC J-C-580A) USER: AR GL	A 6145 / EL	22-AUG-45	EL	YDI	11
J-C-90A	CABLE, POWER, ELECTRICAL (FLEXIBLE CORD AND FIXTURE, ELECTRICAL ) SUPERSEDED BY J-C-580A (USER: AR GL	A 6145 / EL	07-JUL-59	EL	YDI	17
J-C-948(1)	CABLE AND WIRE, POWER, ELECTRICAL, NONMETALLIC-SHEATHED (S/S BY J-C-30) USER: AR GL MC	A 6145 / YDI	27-NOV-63	EL	YDI	17
J-C-98	CABLE AND WIRE, INSULATED, METHODS OF SAMPLING AND TESTING (S/S BY FED STD 228) USER: AS GL MC OS YDI REVIEWER: BS AR AT MI	A 6145 / EL	11-SEP-51	EL	SH	17
J-C-103E(2)	CABLE, POWER, ELECTRICAL (RUBBER-INSULATED, GENERAL PURPOSE) AND WIRE, ELECTRICAL (RUBBER-INSULATED, GENERAL PURPOSE) (S/S BY J-C-30) USER: MI REVIEWER: BS	A 6145 / EL	14-FEB-64	EL	YDI	17
J-C-112	CABLE, TELEPHONE (TWISTED PAIRS, DIRECT BURIAL) USER: MC MI REVIEWER: IS ..	A 6145 * EL	05-JAN-66	EL	YDI	
J-C-115A(2)	CABLE AND WIRE, POWER, ELECTRICAL, (SERVICE-ENTRANCE AND SERVICE-DROP) (S/S BY J-C-30) USER: MC REVIEWER: 17 SA	A 6145 / EL	23-MAR-64	EL	YDI	80
J-C-118A	CABLE, SPECIAL PURPOSE, ELECTRICAL, AND WIRE ELECTRICAL, SHOT FIRING (USE J-C-30) USER: 17 AR MC MI REVIEWER: ES IS	A 6145 / YDI	18-AUG-65	EL	YDI	85
J-C-129C(3)	CABLE AND WIRE, THERMOPLASTIC-INSULATED BUILDING-TYPE (0 TO 600-VOLT SERVICE) (S/S BY J-C-30) USER: AR GL REVIEWER: EL	A 6145 / MD	03-DEC-64	MD	YDI	17
J-C-138B(2)	CABLE AND WIRE, POWER, ELECTRICAL, VARNISHED-CLOTH-INSULATED, (0- TO 5 ) SUPERSEDED BY J-C-30 (USER: MI REVIEWER: BS	A 6145 / EL	14-APR-64	EL	YDI	17
J-C-231	CABLE-UNITS, BATTERY AND STARTER (S/S BY J-L-231) USER: AR GL REVIEWER: EL	A 6145 / YDI	03-MAY-61		YDI	
L-B-74	BAG; WET-DRESSING (S/S BY A-A-5476A)	A 6515 / MB	25-MAR-93	MD	MC	03
NOTICE 1						
L-S-137(1)	SCREENING, PLASTIC COATED FIBROUS GLASS, INSECT (S/S BY FED SPEC L-S-125) REVIEWER: CT	A 8305 / GL	18-FEB-55	GL	YDI	69
L-S-139A	SCREENING, NONMETALLIC, INSECT, (POLYVINYLIDENE CHLORIDE) (S/S BY FED SPEC L-S-125) USER: YDI REVIEWER: CT	A 8305 / GL	17-AUG-60	GL		67
L-C-169	CELLULOSE ACETATE PLASTIC SHEETS (S/S BY L-P-504) USER: MS REVIEWER: EL GL SH	A 9330 / MR	23-MAR-61		YDI	11
L-P-310	PHENOLIC MOLDED PLASTICS (S/S BY L-P-1125) USER: AR AS GL MS	A 9330 / MR	15-JAN-52		YDI	11
L-P-349C	PLASTIC MOLDING AND EXTRUSION MATERIAL, CELLULOSE ACETATE BUTYRATE (S/S BY ASTM-D707) USER: SH YDI REVIEWER: EA ER GS ME MI OS	A 9330 / CR	19-DEC-89	CR	AS	
L-P-365	PLASTICS, CELLULOSE NITRATE (PYROXYLIN), SHEETS, RODS AND TUBES USER: AR MS REVIEWER: SH	A 9330 / MR	09-MAY-49		YDI	11
L-P-393A(2)	PLASTIC MOLDING MATERIAL POLYCARBONATE, INJECTION AND EXTRUSION (S/S BY ASTM-D3935) USER: MC YDI REVIEWER: AR AS EA GS ME MI MR	A 9330 / CR	29-JUN-88	CR	SH	11
L-P-501	PLASTIC POLYVINYLIDENE CHLORIDE (SARAM) MOLDED (USE L-P-1041) USER: AR MS REVIEWER: AS EL GL SH	A 9330 / MR	09-MAY-49	MR	YDI	11
L-P-505	PLASTIC PANELS, CORRUGATED, TRANSLUCENT, GLAZING USER: MI	A 9330 / YDI	04-FEB-74	MR	YDI	11
L-M-520(3)	MOLDING PLASTIC, POLYSTYRENE USER: GL MS REVIEWER: AR EL YDI	A 9330 / MR	11-AUG-60		SH	11
L-M-525(4)	MOLDING PLASTIC, POLYSTYRENE, MODIFIED USER: GL REVIEWER: EL YDI	A 9330 / MR	11-AUG-60		SH	11
L-E-00530B(2)	ENVELOPE, TRANSPARENT (S/S BY A-A-2790)	A 7510 # FSS	25-JUN-92			
L-U-671	UREAU MOLDED PLASTIC (S/S BY L-P-401A) USER: MS	A 9330 / MR	10-JAN-52		YDI	11
L-C-740A	CONDUIT AND FITTINGS, PLASTIC (S/S BY W-C-1094) USER: MC	A 5975 * EL	26-SEP-62	EL	YDI	85
L-B-001190	BOTTLE, SCREW CAP (MEDICAMENT CONTAINER/DISPENSER FOR FIELD KIT/ASSEMBLIES) (S/S BY A-A-53342) REVIEWER: 03 MD MS	A 6530 / MB	22-MAR-93			
NOTICE 1						
L-F-1546A	FITTINGS, PLASTIC PIPE (ADAPTERS, COUPLINGS, ELBOWS, AND TEES FOR POLYETHYLENE PIPE) USE ASTM D2609 USER: 99 ME YDI	A 4730 * CS	18-SEP-73			
O-P-998(1)	INSECTICIDE, PARADICHLOROBENZENE (S/S BY A-A-52287) USER: ER REVIEWER: AR GS MR YDI	A 6840 / EA	04-OCT-91	EA	AS	
O-M-190	HERBICIDE, AMITROLE REVIEWER: GS	A 6840 * YDI	08-AUG-63		YDI	
O-M-201A	HERBICIDE, DMPA (O-12, 4 DICHLOROPHENYL O-METHYL ISOPROPYLPHOSPHORAMIDOTHIOATE) USER: MC SM REVIEWER: GS MD MS	A 6840 / YDI	01-JUL-65	AR	YDI	68
O-M-205D	HERBICIDE, DALAPON (NO S/S DOCUMENT) REVIEWER: GS	A 6840 * 68	01-FEB-90		YDI	68
O-M-207B	HERBICIDE, SIMAZINE (S/S BY A-A-829) REVIEWER: MD	A 6840 / GL	15-DEC-88	GL	YDI	68
O-F-241D	FERTILIZER, MIXED, COMMERCIAL (S/S BY A-A-1909) USER: YDI	A 8720 * FSS	09-OCT-90			
O-F-361(1)	EXTINGUISHER, FIRE, FOAM (S/S BY O-E-925A) USER: MC REVIEWER: 84 GL MI	A 4210 / MD	27-DEC-58		YDI	11
O-F-00368	EXTINGUISHER, FIRE, WATER, (HAND, PORTABLE, PUMP-TANK-TYPE) SUPERSEDED BY O-E-940	A 4210 * YDI	26-JAN-59		YDI	11
O-F-380A(1)	FIRE-EXTINGUISHING-LIQUID, CARBON-TETRACHLORIDE BASE USER: AR EL MC REVIEWER: MI	A 6810 / MD	09-JUN-45		YDI	11
O-A-491E	AMMONIUM CHLORIDE, TECHNICAL (S/S BY A-A-52092) USER: SM REVIEWER: AR	A 6810 / GL	20-JAN-93	GL		68
O-R-501D	RODENTICIDE, CALCIUM CYANIDE REVIEWER: GL YDI	A 6840 * GS	02-NOV-70	AR	MC	68
O-M-504	RODENTICIDE, SODIUM MONOFLUORACETATE USER: MC YDI	A 6840 * GS	09-APR-56	EA	SH	68
O-F-506C	FLUX, SOLDERING: PASTE AND LIQUID (S/S BY A-A-51145) USER: AT MC YDI REVIEWER: EA GS MI	A 3439 / AR	09-JAN-87	AR		84
O-I-507D	INSECTICIDE, ALLETHRIN OR PYRETHRIN, (AEROSOL) (NO S/S DOCUMENT) USER: MC REVIEWER: GL GS MD MS YDI	A 6840 / EA	23-JAN-90	EA	SH	68
O-I-518A	INSECTICIDE, CHLORDANE AND INSECTICIDE, DIELDRIN LIQUID, RESIDUAL, ROACH AND ANT CONTROL USER: 68 MC REVIEWER: GL GS	A 6840 % YDI	26-APR-57		YDI	
O-I-527B	INSECTICIDE, DIELDRIN, EMULSIFIABLE CONCENTRATE USER: SM REVIEWER: EA GS MD ME YDI	A 6840 / GL	15-OCT-68	GL	SH	68
O-A-548D	ANTIFREEZE/Coolant, ENGINE: ETHYLENE GLYCOL, INHIBITED, CONCENTRATED (S/S BY A-A-870)	A 6850 * ME	12-DEC-91	ME	YDI	68 GS
NOTICE 1						
O-F-555F(2)	FOAM LIQUID, FIRE EXTINGUISHING, MECHANICAL (S/S BY MIL-F-24385) USER: CE REVIEWER: CS EA MD YDI	A 4210 / SH	12-JUL-90	ME	SH	99
O-I-558F(1)	INSECTICIDE, DOT EMULSIFIABLE CONCENTRATE REVIEWER: GL GS YDI	A 6840 * SH	12-AUG-64	AR	SH	68
O-I-600D(2)	ETHYL ALCOHOL (ETHANOL): DENATURED ALCOHOL: PROPRIETARY SOLVENTS AND SPECIAL INDUSTRIAL SOLVENTS (NO S/S DOCUMENTS) USER: GL MC REVIEWER: 68 AR GS MD MI SH SM	A 6505 / MB	26-MAR-93			
O-M-69E	HYDROCHLORIC ACID, TECHNICAL (S/S BY ASTM-E-1146) USER: AS MC REVIEWER: AR GS MD MR	A 6810 / EA	03-FEB-93	EA	SH	68
O-I-910E	EXTINGUISHER, FIRE, CARBON DIOXIDE (S/S BY A-A-11068) USER: MC REVIEWER: CS EA MI OS	A 4210 * MR	30-APR-85	ME	YDI	99
O-F-915F	EXTINGUISHER, FIRE, DRY CHEMICAL (HAND PORTABLE) S/S BY A-A-393 USER: MC REVIEWER: CS EA OS	A 4210 * ME	28-MAR-84	ME	YDI	



## NUMERICAL LISTING FEDERAL SPECIFICATIONS

[illegible]



CANCELED SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Admin Off / O&A Coordination Machine	Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol	Proposing Agency	Date	Custodians			
						Army	Navy	Air Force	DLA
	W-C-596/198	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/81) USER: AV MC ME MI SH REVIEWER: AS AT EC	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/21C	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, CABLE OUTLET, LOCKING, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/83A) USER: AV MC MI SH REVIEWER: 11 99 AS EC ME	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/22B	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/64B OR W-C-596/65B) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/24C	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, CABLE OUTLET, GENERAL GRADE, 2 POLE, 2 WIRE, 20 AMPS, 250 VOLTS, 50/60 HERTZ (USE W-C-596/67B USER: AV MC ME SH REVIEWER: 11 99 AS EC MI)	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/25B NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/28B NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/31B	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 2 POLE, 2 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS EC MI	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	
	W-C-596/32B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 2 POLE, 2 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 80 99 AS AT EC MI	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	
	W-C-596/38C NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 4 POLE, 4 WIRE, 60 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 11 99 AS AT EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/47B NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/48B NOTICE 1	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/49B NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, MIDGET LOCKING, 3 POLE, 3 WIRE, 15 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/50B NOTICE 1	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, MIDGET LOCKING CABLE CONNECTING, 3 POLE, 3 WIRE, 15 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/51B	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	
	W-C-596/52B NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/53B NOTICE 1	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GENERAL GRADE, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/54B	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (S/S BY W-C-596/120) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/55B NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 3 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 10 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/56B	CONNECTOR, RECEPTACLE, ELECTRICAL, SPECIFIC PURPOSE, SINGLE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (S/S BY W-C-596/136) REVIEWER: 19 99 AS EC MI	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/57B NOTICE 1	CONNECTOR, PLUG, ELECTRICAL, SPECIFIC PURPOSE, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/58B	CONNECTOR, CABLE OUTLET, ELECTRICAL, SPECIFIC PURPOSE, CABLE CONNECTING, GENERAL GRADE, LOCKING, 4 POLE, 4 WIRE, 20 AMPERES, 3 PHASE WYE, 120/208 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	
	W-C-596/62B	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GENERAL GRADE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 125/250 VOLTS, 50/60 HERTZ (S/S BY MIL-C-22992E) USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/63B	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GENERAL GRADE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 125/250 VOLTS, 50/60 HERTZ (USE MIL-C-22992E USER: 11 AV MC ME SH REVIEWER: 19 99 AS MI)	A 5935 / ES	14-MAY-85	CR	YD1	85	ES	
	W-C-596/71B NOTICE 1	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, DUPLEX, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS AC, 50/60 HERTZ (NO S/S DOCUMENT) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/72A	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLT AC (S/S BY W-C-596/71) USER: AV MC MI SH REVIEWER: 99 AS AT EC	A 5935 / ES	24-MAY-76	CR	YD1	85	ES	
	W-C-596/75B NOTICE 2	CONNECTOR, PLUG, ELECTRICAL, MIDGET LOCKING, SPECIFIC PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY DESC DWG 87203) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	12-JUN-92	CR	YD1	85	ES	
	W-C-596/76B NOTICE 2	CONNECTOR, CABLE OUTLET, ELECTRICAL, MIDGET LOCKING, SPECIFIC PURPOSE, GENERAL GRADE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY DESC DWG 87204) USER: 11 AV MC ME SH REVIEWER: 19 99 AS EC MI	A 5935 / ES	12-JUN-92	CR	YD1	85	ES	
	W-C-596/748A	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: 99 AS EC MI	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	
	W-C-596/147 NOTICE 2	CONNECTOR, MALE INLET, ELECTRICAL, SPECIFIC PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (S/S BY DESC DWG 87205) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	12-JUN-92	CR	YD1	85	ES	
	W-C-596/160	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 15 AMPERES, 125 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	
	W-C-596/162	CONNECTORS, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 125 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME MI SH REVIEWER: AS EC	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	
	W-C-596/164A NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	10-JUN-92	CR	YD1	85	ES	
	W-C-596/166	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES	17-OCT-88	CR	YD1	85	ES	



CANCELED SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Adm. / Chg. / Coordination / Inclusive / Document Number	Document Title	Dist. Serv. / FNC / Ave. / NCA Symbol / Preparing Agency / Date	Custodians / Army / Navy / Air Force / DLA
W-C-596/168 NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 10-JUN-92	CR YD1 85 ES
W-C-596/170	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/172	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/174	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 50 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/176	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/178	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 30 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/180	CONNECTOR, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/182	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/183	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 2 POLE, 3 WIRE, 20 AMPERES, 277 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT)	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/184A NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 10-JUN-92	CR YD1 85 ES
W-C-596/186	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/187	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/188A NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 10-JUN-92	CR YD1 85 ES
W-C-596/190	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/191	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/193	CONNECTOR, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/194	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/195	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 125/250 VOLTS, 50/60 HERTZ (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/197	CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/198	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/199	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 60 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/201	CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/202	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/203	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 50 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/204	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/206	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/207	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 30 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/208 NOTICE 1	CONNECTORS, RECEPTACLE, ELECTRICAL, GENERAL PURPOSE, SINGLE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 10-JUN-92	CR YD1 85 ES
W-C-596/209	CONNECTORS, PLUG, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/210	CONNECTOR, CABLE OUTLET, ELECTRICAL, GENERAL PURPOSE, CABLE CONNECTING, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-C-596/211	CONNECTOR, MALE INLET, ELECTRICAL, GENERAL PURPOSE, GROUNDING, 3 POLE, 4 WIRE, 20 AMPERES, 250 VOLTS, 50/60 HERTZ, 3-PHASE (NO S/S DOCUMENT) USER: AV MC ME SH REVIEWER: AS EC MI	A 5935 / ES 17-OCT-88	CR YD1 85 ES
W-G-671(2)	GRINDER, VALVE SEAT, ENGINE (MOTOR VEHICLE) USER: 26 MC .....	A 5130 / MC 07-OCT-52	YD1 69
W-I-681A(2)	IRON, SOLDERING, ELECTRIC (S/S BY W-S-570A) USER: MC YD1 REVIEWER: EL GL ..	A 3432 / SH 21-APR-61	MC 84
W-F-791E	FUSE, CARTRIDGE AND PLUG USER: AS AT MC OS REVIEWER: 99 ME .....	A 5920 / ES 06-MAR-72	EL YD1 85 ES
W-F-791/1(1)	FUSE, PLUG, EDISON-BASE, INSTANTANEOUS (DETAIL SPECIFICATION) USER: AS AT MC OS REVIEWER: 99 ME .....	A 5920 / ES 16-JUL-73	EL YD1 85 ES
W-F-791/2(1)	FUSE, PLUG, EDISON-BASE, TIME DELAY (DETAIL SPECIFICATION) USER: AS AT MC OS REVIEWER: 99 ME .....	A 5920 / ES 16-JUL-73	EL YD1 85 ES
W-F-791/3(1)	FUSE, PLUG, TAMPER PROOF, TIME DELAY (DETAIL SPECIFICATION) USER: AS AT MC OS REVIEWER: 99 ME .....	A 5920 / ES 20-JUL-73	EL YD1 85 ES
W-O-806(1)	OUTLET-BODIES: IRON (CAST OR MALLEABLE), CADMIUM OR ZINC-COATED, WITH COVERS AND ACCESSORIES (FOR SHORE USE) (S/S BY W-C-586) USER: AR GL .....	A 5975 / YD1 28-JUL-52	ME YD1 99
W-F-831	FUSES: PLUG, NONRENEWABLE (S/S BY W-F-791) .....	A 5920 / ES 25-JAN-57	CR YD1 85 ES



# CANCELED SECTION

# NUMERICAL LISTING FEDERAL SPECIFICATIONS

Action Org / Chg Coordination Inhouse	Document Number	Document Title	Dist Smt FSC / Area MCA Symbol	Preparing Date	Custodians			
					Army	Navy	Air Force	DLA
	W-S-8908	SWITCH, SNAP, MISCELLANEOUS USER: CE ME YD1	A 5930 / ES	31-MAY-68	EL	AS	11	ES
	W-S-893C	SWITCH, TOGGLE, AND MOUNTING STRAP (INTERCHANGEABLE) REVIEWER: CE ES MI	A 5930 * YD1	02-APR-64	ME	YD1	11	
	W-S-896/1(1)	SWITCH, TOGGLE AND LOCK, FLUSH MOUNTED (AC-DC, T, RATED) (DETAIL SPECIFICATION)	A 5930 / ES	28-DEC-77	AT	YD1	85	ES
Q	W-T-1604A	TAPE, PERFORATOR TYPE, POLYESTER BASE (NO S/S DOCUMENT) REVIEWER: 70	A 7045 * ER	27-JAN-87	ER	AS	84	
	W-F-1726 SUPPL 1C1	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/61) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/1	FUSES, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) S/S BY W-F-1726/1 USER: AS AT OS REVIEWER: AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/2	FUSES, CARTRIDGE, CLASS H, NONRENEWABLE, 250VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/57) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/3	FUSES, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/58) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/4(1)	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/59)	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/5	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/60) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/6	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 250 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/61) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/7	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/62) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/8	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/63) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/9(1)	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/64) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/10	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/65) REVIEWER: 99	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/11(1)	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1726/11) USER: 11 AS AT OS REVIEWER: AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/12	FUSE, CARTRIDGE, CLASS H, NONRENEWABLE, 600 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1726/12) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/13	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/56) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/14	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/57) USER: 11 AS AT OS REVIEWER: 99 AR MC ME MI SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/15	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) S/S BY W-F-1814/58) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/16	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION (S/S BY W-F-1814/59) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/17	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1726/17) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/18	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 250 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/19	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/62) REVIEWER: 99	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/20	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/63) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/21	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/64) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/22	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/65) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/23	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/66) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1726/24	FUSE, CARTRIDGE, CLASS H, RENEWABLE, 600 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/67) USER: 11 AS OS REVIEWER: 99 MC SH	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/11	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 0 - 30 AMPERES - S/S BY W-F-1814/56 USER: AR OS REVIEWER: 99 AT ME	A 5920 / ES	15-JUL-85		YD1	85	ES
	W-F-1814/12	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 31 - 60 AMPERES (S/S BY W-F-1814/57) USER: OS REVIEWER: 80 AT ME	A 5920 / ES	15-JUL-85		YD1	85	
	W-F-1814/13	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/58) USER: OS REVIEWER: 80 AT ME	A 5920 / ES	15-JUL-85		YD1	85	
	W-F-1814/14	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 101 - 200 AMPERES (S/S BY W-F-1814/59) USER: OS REVIEWER: 80 AT ME	A 5920 / ES	15-JUL-85		YD1	85	
	W-F-1814/15	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 201 - 400 AMPERES (S/S BY W-F-1814/60) USER: OS REVIEWER: 80 AT ME	A 5920 / ES	15-JUL-85		YD1	85	
	W-F-1814/16	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 250 VOLTS, 401 - 600 AMPERES (S/S BY W-F-1814/61) USER: OS REVIEWER: 80 AT ME	A 5920 / ES	15-JUL-85		YD1	85	
	W-F-1814/17	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 0 - 30 AMPERES (S/S BY W-F-1814/62) USER: OS REVIEWER: 80 AT ME	A 5920 / ES	15-JUL-85		YD1	85	
	W-F-1814/18	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 31 - 60 AMPERES (S/S BY W-F-1814/63) USER: AR OS REVIEWER: 99 AT ME	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/19	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/64) USER: OS REVIEWER: 80 AT ME	A 5920 / ES	15-JUL-85	CR	YD1	85	
	W-F-1814/20	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 101 - 200 AMPERES, (S/S BY W-F-1814/65) USER: AR OS REVIEWER: 99 AT ME	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/21	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 201 - 400 AMPERES, (S/S BY W-F-1814/66) USER: AR OS REVIEWER: 99 AT ME	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/22	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K9 (NONCURRENT - LIMITING) 600 VOLTS, 401 - 600 AMPERES, (S/S BY W-F-1814/67) USER: AR OS REVIEWER: 99 AT ME	A 5920 / ES	15-JUL-85	ER	YD1	85	ES



# CANCELED SECTION

# NUMERICAL LISTING FEDERAL SPECIFICATIONS

Action Qty / Q&A Coordination Package	Document Number	Document Title	Dist. Smt. F&C / Area MCA Symbol Preparing Assy	Date	Army	Navy	Air Force	Custodians DLA
	W-F-1814/23	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 0 - 30 AMPERES (S/S BY W-F-1814/56) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/24	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 31 - 60 AMPERES (S/S BY W-F-1814/57) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/25	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/58) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/26	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 100 - 200 AMPERES (S/S BY W-F-1814/59) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/27	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 201 - 400 AMPERES (S/S BY W-F-1814/60) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/28	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT - LIMITING) 250 VOLTS, 401 - 600 AMPERES (S/S BY W-F-1814/61) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/29	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/62) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/30	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/63) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/31	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/64) USER: OS REVIEWER: 80 AT	A 5920 / ES	15-JUL-85	CH	YD1	85	
	W-F-1814/32	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 101-200 AMPERES USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/33	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 201-400 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/66) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/34	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K5 (NONCURRENT-LIMITING) 600 VOLTS, 401-600 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/67) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/35	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 0-30 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/56) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/36	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 31-60 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/57) USER: OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/37	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 61-100 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/58) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/38	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT-LIMITING) 250 VOLTS, 101-200 AMPERES (DETAIL SPECIFICATION) (S/S BY W-F-1814/59) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/39	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 250 VOLTS, 201 - 400 AMPERES (S/S BY W-F-1814/60) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/40	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 250 VOLTS, 401 - 600 AMPERES (S/S BY W-F-1814/61) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/41	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 0 - 30 AMPERES (S/S BY W-F-1814/62) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/42	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 31 - 60 AMPERES (S/S BY W-F-1814/63) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/43	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 61 - 100 AMPERES (S/S BY W-F-1814/64) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/44	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 101 - 200 AMPERES (S/S BY W-F-1814/65) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/45	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 201 - 400 AMPERES (S/S BY W-F-1814/66) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-1814/46	FUSE, CARTRIDGE, HIGH INTERRUPTING CAPACITY, CLASS K1 (NONCURRENT - LIMITING) 600 VOLTS, 401 - 600 AMPERES (S/S BY W-F-1814/67) USER: AR OS REVIEWER: 99 AT	A 5920 / ES	15-JUL-85	ER	YD1	85	ES
	W-F-2190/1 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55161) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/2 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/3 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55163) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/4 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/5 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/6 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55166) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/7 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55167) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/8 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (NO S/S DOCUMENT) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/9 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55169) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/10 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55170) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	W-F-2190/11 NOTICE 2	FILTER, RADIO FREQUENCY INTERFERENCE (S/S BY A-A-55171) USER: 19 AS AT AV MC ME OS YD1 REVIEWER: 17 99 AR MI SH	A 5915 / ES	09-APR-93	ER	EC	85	ES
	Y-B-910(2)	BANANAS, FRESH REVIEWER: MC MD SS	A 8915 * GL	10-JUL-92	GL	SA	50	
	AA-C-23	CABINETS, FILING, INSULATED, FIRE RESISTING USER: 26 REVIEWER: YD1	A 7110 / GL	21-JUN-61	GL	SA	69	
	AA-M-128(2)	WARDROBE, WOOD, EXECUTIVE OFFICE USER: MC YD1	A 7105 / GL	05-SEP-52	GL		69	
	AA-R-190	REFRIGERATOR, MECHANICAL, BIOLOGICALS	A 4110 * GL	22-APR-68	GL	YD1	99	
	AA-D-201A	DESKS, WOOD, GENERAL OFFICE (NO S/S DOCUMENT)	A 7110 * GL	15-JUN-90	GL	YD1	99	
	AA-B-250A(1)	BEDSPRING, (PLATFORM TOP TYPE) USER: MC	A 7105 * GL	11-APR-62	GL	YD1	99	
	AA-L-00300/3A	LIBRARY FURNITURE, CABINETS, CARD CATALOG (DETAILED SPECIFICATION) USER: GL	A 7195 * YD1	07-JAN-72		YD1		
	AA-L-00300/6(3)	LIBRARY FURNITURE, DESK, PEDESTAL, CHAIRING (DETAILED SPECIFICATION) USER: GL	A 7195 * YD1	07-JAN-72		YD1		



# CANCELED SECTION

# NUMERICAL LISTING FEDERAL SPECIFICATIONS

Action On/Off Cancellation Inclusion	Document Number	Document Title	Doc. Smt. FSC / Area NAJ Symbol	Preparing Agency	Date	Custodian Army Navy Air Force DIA
	AA-L-00300/7(2)	LIBRARY FURNITURE, RACKS, DISPLAY, MAGAZINE, AND NEWSPAPER (DETAILED SPECIFICATION) USER: GL	A 7195 %	07-JAN-72		YD1
	AA-L-00300/9(2)	LIBRARY FURNITURE, STANDS, ATLAS, AND DICTIONARY (DETAILED SPECIFICATION) USER: GL	A 7195 % YD1	03-NOV-70		YD1
	AA-L-00300/10(2)	LIBRARY FURNITURE, STOOL, STEP (DETAILED SPECIFICATION) USER: GL	A 7195 %	07-JAN-72		YD1
	AA-L-00300/12A(2)	LIBRARY FURNITURE, CHAIRS AND SETTEES, UPHOLSTERED (DETAILED SPECIFICATION) USER: GL	A 7195 %	07-JAN-72		YD1
	AA-C-311B(1)	CHAIRS, WOOD, GENERAL OFFICE (NO S/S DOCUMENT)	A 7110 % GL	15-JUN-90	GL	YD1 99
	AA-M-570A(1)	HOUSEHOLD FURNITURE, LIVING ROOM, WOOD, UPHOLSTERED (NO S/S DOCUMENT)	A 7105 % GL	22-MAR-90	GL	YD1 99
	AA-M-00580A	HOUSEHOLD FURNITURE, RATTAN, DINING ROOM, LIVING ROOM AND RECREATION ROOM USER: GL YD1	A 7105 %	10-MAR-72		
	AA-M-00590	HOUSEHOLD FURNITURE, TUBULAR, COMPOSITE STEEL AND WOOD USER: GL YD1	A 7105 %	26-SEP-58		
	AA-M-625E	HOUSEHOLD FURNITURE, WOOD, TRADITIONAL STYLE (S/S BY AA-M-001895) 010878	A 7105 % GL	19-JAN-68	GL	YD1 99
	AA-D-001413(3)	DAVENPORT, CONVERTIBLE, WITH STORAGE COMPARTMENT USER: GL YD1	A 7105 %	06-NOV-75		
	AA-B-1976/4	BULLETIN BOARDS: WOOD FRAME (NO S/S DOCUMENT) USER: YD1	A 7195 / GL	20-JUN-89	GL	84
	AA-B-1976/5	BULLETIN BOARD: WOOD FRAME, GLASS ENCLOSED (NO S/S DOCUMENT) USER: YD1	A 7195 / GL	20-JUN-89	GL	84
	AA-B-1976/6	BULLETIN BOARD: WOOD FRAME, PLYWOOD (NO S/S DOCUMENT) USER: YD1	A 7195 / GL	20-JUN-89	GL	84
	BB-F-671A	FREON GAS, COMPRESSED (CHLOROFLUORO HYDROCARBONS) (S/S BY BB-F-1421) USER: AS MC MS REVIEWER: AR OS MC YD1	A 6830 / SH	03-JUL-52	MD SH	68
	CC-M-636C	MOTOR, ALTERNATING-CURRENT, (FRACTIONAL HORSEPOWER) (USE CC-M-1807) (USER: AR AS MC OS REVIEWER: 80 EA EL MI SH)	A 6105 % ME	11-JAN-63	ME	YD1 11
	CC-M-641D	MOTOR, ALTERNATING CURRENT, (INTEGRAL HORSEPOWER, 200 HP AND SMALLER) (USE CC-M-1807) USER: AS MC OS REVIEWER: 79 80 EA EL GS MI SH	A 6105 % YD1	01-SEP-64	ME	YD1 11
	DD-W-131C	WATCH GLASS, LABORATORY (S/S BY A-A-53746 & A-A-53921)	A 6640 / MB	02-NOV-92	MD MS	03
	DD-C-311(1)	CHIMNEYS AND GLOBES (LAMP AND LANTERN), GLASS USER: 26 MC YD1 REVIEWER: AR	A 6640 / EA	28-OCT-44	EA	88
	DD-C-451D	GLASS, FLOAT OR PLATE, SHEET, FIGURED (PLAT. FOR GLAZING, MIRRORS AND OTHER USES) USER: MC REVIEWER: CE	A 5620 % ME	13-AUG-86	ME	YD1 84
	DD-A-460A	ADAPTER, LUER NEEDLE, GLASS (NO S/S DOCUMENT)	A 6515 / MB	12-FEB-93	MD MS	03
	DD-C-491C	GLASS, LIQUID SIGHT INDICATOR, FLAT USER: SH REVIEWER: GS	A 6680 / YD1	08-JUL-76	ME	YD1
	DD-V-581A	VOLUMETRIC APPARATUS, GLASS USER: 85 YD1 REVIEWER: AR	A 6640 / EA	22-SEP-53	EA	MS
	DD-B-583	BOTTLE, INFUSION, KELLY, 700CC. (NO S/S DOCUMENT)	A 6515 / MB	12-FEB-93	MD MS	03
	DD-T-733	TUBE, HYPODERMIC NEEDLE PROTECTING (NO S/S DOCUMENT)	A 6515 / MB	02-APR-93	MD MS	03
	FF-T-77C	TAG AND HOLDER, KEY (NO S/S DOCUMENT)	A 9905 / YD1	04-SEP-90	YD1	
	FF-M-101(2)	MAILS, SPIKES, STAPLES, AND TACKS (S/S BY FF-M-103, FF-M-105, FF-S-611 AND FF-S-606) USER: AS AV CE MC ME MI SH SS REVIEWER: EA GS IS OS SA	A 5315 / AR	29-AUG-56	AR	YD1 82
	FF-P-101F	PADLOCKS (S/S BY A-A-1928, A-A-1930, A-A-1927, MIL-S-23769) USER: CG MC REVIEWER: 82 AR IS	A 5340 / YD1	28-MAY-90	YD1	99
	FF-M-103C	MAIL (SMALL) AND TACK, CUT (SEE FF-M-105 AND FF-T-1813) USER: MC ME MI SH REVIEWER: SA	A 5315 / MC	24-JUL-64	AV	YD1 82
	FF-S-103A	SETSCREWS (S/S BY FF-S-200 AND FF-S-210) USER: MC MI YD1 REVIEWER: 11 GL	A 5305 / MC	08-APR-60	SH	69
	FF-M-116E	HINGES, HARDWARE, BUILDERS (S/S BY MULTIPLE ANSI S & CIDS) USER: ME REVIEWER: EA IS MI	A 5340 / AR	03-APR-86	AR	YD1 99
	FF-M-121D	HARDWARE, BUILDER'S: DOOR CLOSERS (S/S BY FF-M-121D) USER: MC ME REVIEWER: 82 SH	A 5340 # YD1	15-JAN-88	AR	YD1 99
	FF-M-136(1)	HARDWARE AND FITTINGS FOR LAVATORY-PARTITIONS AND ENCLOSURES (USE FF-M-00118 OR FF-M-116C) USER: GL SA REVIEWER: IS MC	A 5340 % YD1	28-OCT-47		YD1 82
	FF-D-399H	DISPENSERS, SOAP (S/S BY A-A-2703)	A 4510 % YD1	25-MAR-91	YD1	84
	FF-M-556(2)	STEEL WOOL (S/S BY FF-S-740A) USER: 26 MC YD1 REVIEWER: 85 SH	A 5350 / MC	05-JAN-49	SA	69
	FF-S-740A	STEEL WOOL (S/S BY FF-M-1825) USER: AV REVIEWER: IS MI	A 5350 % NR	08-OCT-65	NR	YD1 84
	FF-M-1819	HARDWARE, BUILDER'S: AUXILIARY LOCKS (S/S BY A-A-1932) REVIEWER: IS	A 5340 / YD1	28-DEC-90	AR	YD1 82
	FF-M-1825A	WOOL AND GAUZE, METALLIC (S/S BY A-A-1043)	A 5350 / NR	27-AUG-92	NR	
	GG-G-76E(1)	GAGES, PRESSURE AND VACUUM, DIAL INDICATING (FOR AIR-STREAM, OIL, WATER, AMMONIA, CHLORO FLUORO HYDROCARBON GASES AND COMPRESSED GASES) (S/S BY ANSI 40.1 1985) USER: ME	A 6685 # YD1	10-MAR-88		YD1 99
	GG-B-95E	BAND AND BAND SET, MATRIX, DENTAL, TOFFLEMIRE (S/S BY A-A-54675)	A 6520 / MB	21-AUG-92	MD MS	03
	GG-M-101B	WASHERS, BEDPAN AND URINAL (NO S/S DOCUMENT) USER: YD1	A 6530 / MB	31-JAN-91	MD MS	03
	GG-M-00114B(2)	MARKER, TUBE TYPE, FELT TIP, (CAPILLARY-ACTION) (S/S BY A-A-2758)	A 7520 # FSS	13-JUL-92		YD1 03
	GG-C-123	CANNULA, EYE, CYCLODIALYSIS (CASTROVIEJO), 10 MM. (NO S/S DOCUMENT)	A 6515 / MB	15-MAR-92	MD MS	03
	GG-C-136B	CATHETERS, URETHRAL, (X-RAY, GRADUATED) (NO S/S DOCUMENT)	A 6515 / MB	09-MAR-93	MD MS	03
	GG-P-136B	PEN, RULING, DRAFTSMAN'S: SPRING BLADE TYPE: FLAT HANDLED, 6 INCH (NO S/S DOCUMENT) REVIEWER: GS	A 6675 / ME	20-FEB-80	ME	YD1
	GG-B-146A	BATH, WHIRLPOOL, CRN. (S/S BY A-A-51362A AND A-A-51623A) USER: YD1	A 6530 / MB	31-JAN-91	MD MS	03
	GG-B-00146B	BATH, WHIRLPOOL, CORROSION-RESISTING STEEL (S/S BY A-A-51362A AND A-A-51623A) REVIEWER: YD1	A 6530 / MB	31-JAN-91	MD MS	03
	GG-M-181D	MEASURING MAP (S/S BY A-A-52003) USER: MC REVIEWER: GS	A 6675 / ME	15-APR-88	ME	YD1 99
	GG-M-191	MEASURING DEVICES, LIQUID (RETAIL TYPE)	A 7240 / YD1	27-OCT-53	YD1	69
	GG-L-256E(1)	LETTERING SETS AND ACCESSORIES (S/S BY A-A-52304) USER: AR MC YD1 REVIEWER: GS	A 6675 / ME	15-MAY-92	ME	99
	GG-L-260E	LEVEL, SURVEYING: ABNEY TYPE (S/S BY A-A-52025) USER: CE MC	A 6675 / ME	07-FEB-91	ME	YD1
	GG-L-261D	LEVELS, SURVEYING: LOCATIONS, HAND-TYPE (S/S BY A-A-52299) REVIEWER: 82 GS	A 6675 / ME	29-JAN-92	ME	YD1 99
	GG-T-321D(2)	THERMOMETERS, SELF-INDICATING, LIQUID-IN-GLASS FOR MACHINERY AND PIPING SYSTEMS (NO S/S DOCUMENT) USER: ME REVIEWER: GS YD1	A 6685 # FSS	11-OCT-90		YD1 03
	GG-T-336B	THERMOMETERS, SELF-INDICATING, LIQUID-IN-GLASS (LABORATORY) (NO S/S DOCUMENT)	A 6685 / YD1	11-OCT-90	MD	YD1 03
	GG-C-411	CLAMPS AND CLAMP-HOLDERS, LABORATORY USER: 85 EL MC NR YD1 REVIEWER: AR	A 6640 / EA	23-NOV-51	EA	MS
	GG-T-446E	ILLUMINATOR, X-RAY FILM (S/S BY A-A-51091 AND A-A-51092) USER: YD1	A 6525 #	30-JAN-91	MD	MS 03
	GG-C-466D(1)	CLOCKS, WALL (SYNCHRONOUS MOTOR) (S/S BY A-A-1509) REVIEWER: YD1	A 6645 #	13-MAY-88		
	GG-T-521	INDICATOR, STERILIZATION, (TABLET IN TUBE) (S/S BY A-A-54707)	A 6530 / MB	31-JUL-92	MD	MS 03
	GG-I-00521B	INDICATOR, STERILIZATION (S/S BY A-A-54707)	A 6530 / MB	31-JUL-92		
	GG-C-531B(1)	COFFEE-MAKER SET, VACUUM (GAS OR ELECTRIC) (USE W-C-500, W-M-640 AND BR-C-1039) USER: MD MS REVIEWER: EL GS SH YD1	A 7310 / SA	20-FEB-64	GL SA	84
	GG-C-550B	COMPASS, DRAFTING, PIVOT, DROP SPRING BOW, PEN & PENCIL, WITH CASE (S/S BY A-A-50201) REVIEWER: GS	A 6675 / ME	12-MAY-88	ME	YD1
	GG-S-571	SOUNDS, URETHRAL (CURVED, LEFT) (NO S/S DOCUMENT)	A 6515 / MB	03-MAY-93	MD MS	03
	GG-S-00571A	SOUNDS, URETHRAL (CURVED, LEFT) (NO S/S DOCUMENT)	A 6515 / MB	03-MAY-93	MD MS	03
	GG-M-582	HOLDER, PATIENT'S BED-TRAY CARD (S/S BY MIL-H-42077)	A 6530 / MB	30-SEP-92	MD MS	03
	GG-M-00582A	HOLDER, PATIENT'S BED TRAY CARD (S/S BY MIL-H-42077)	A 6530 / MB	30-SEP-92	MD MS	03
	GG-M-584	HOLDER, HOSPITAL BED PATIENT IDENTIFICATION CARD (S/S BY MIL-H-42076)	A 6530 / MB	30-SEP-92	MD MS	03



## NUMERICAL LISTING FEDERAL SPECIFICATIONS

Doc. Title	Doc. No.	Doc. Date	Doc. Rev.	Doc. Status	Doc. Type	Doc. Category	Doc. Subcategory	Doc. Description	Doc. Remarks	Doc. Location	Doc. Custodian
GC-H-00584A NOTICE 1 GG-F-5998 NOTICE 1 GG-D-6000(1) NOTICE 1 GG-S-621C NOTICE 1 GG-D-6350 NOTICE 1 GG-S-6368(1) NOTICE 1 GG-T-00673	HOLDER, HOSPITAL BED PATIENT IDENTIFICATION CARD (S/S BY MIL-H-42076) ..... FORCEPS, DRESSING, (DENTAL) (S/S BY A-A-54732) ..... DRAFTING INSTRUMENT SETS: AND DRAFTING INSTRUMENTS (S/S BY A-A-52034) USER: MC YDI REVIEWER: B2 GS SPLINT, WOOD (S/S BY A-A-51553) ..... DRAWING BOARD AND DRAWING BOARD TRESTLES (S/S BY A-A-52301) USER: GL MC YDI REVIEWER: B2 GS SPLINT, WIRE, LADDER (S/S BY A-A-54471) ..... TRIANGLES, DRAFTING, ADJUSTABLE: (PLASTIC) (S/S BY GG-T-671) USER: CG GL MC YDI REVIEWER: GS T-SQUARE, PLASTIC, WOOD, AND WOOD AND PLASTIC REVIEWER: GS ..... BURNER, BUNSEN, LABORATORY USER: 26 EL MC MR YDI REVIEWER: AR ..... EVACUATOR, BLADDER AND SYRINGE, BLADDER, EVACUATING (NO S/S DOCUMENT) ..... CURVES, DRAFTING, REGULAR AND IRREGULAR: CURVE SETS, DRAFTING, REGULAR AND IRREGULAR, (S/S BY A-A-50213) USER: ER MC REVIEWER: GS CURVES, FRENCH (IRREGULAR), SET OR INDIVIDUAL (FOR PROCUREMENT USE A-A-50213, IN LIEU OF THE CANCELED SPEC) USER: ER MC REVIEWER: GS CURVES, MECHANICAL ENGINEERS (IRREGULAR), SET (FOR PROCUREMENT USE-A-A-50213, IN LIEU OF THE CANCELED SPEC) USER: ER MC REVIEWER: GS CURVES, RAILROAD (REGULAR), SET OR INDIVIDUAL (FOR PROCUREMENT USE-A-A-50213, IN LIEU OF THE CANCELED SPEC) USER: ER MC REVIEWER: GS CURVES, SHIP (IRREGULAR) SET OR INDIVIDUAL (S/S BY A-A-50213) USER: ER MC REVIEWER: GS SYRINGE, LUER, (ALL-GLASS) (S/S BY A-A-54840) ..... HYDROMETER, SYRINGE, ANTIFREEZE USER: 26 MC MR REVIEWER: AR EL SH YDI ..... HYDROMETER, SYRINGE, BATTERY (SUPERSEDED BY GG-T-258A) USER: 26 MC REVIEWER: AR EL MR ROADS, LEVEL: PHILADELPHIA (S/S BY A-A-50210) USER: MC REVIEWER: GS ..... SCISSORS, COLLAR AND CROWN (S/S BY A-A-54503) ..... TESTER, DENSITY AND MOISTURE (SOIL AND ASPHALT), NUCLEAR METHOD (NO S/S DOCUMENT) REVIEWER: ME CATHETER, CARDIOVASCULAR (FLOW DIRECTED, THERMODILUTION) (S/S BY A-A-54829) CATHETER, CARDIOVASCULAR (THERMODILUTION, WITH BALLOON, RADIOPAQUE) (S/S BY A-A-54829) TAPE, PIPE COATING, COAL TAR, HOT APPLIED, AND PRIMER ..... PACKING, ASBESTOS, VALVE-STEM USER: AT AV YDI REVIEWER: IS ..... PACKING, FIBER, HMRD, SHEET USER: AT AV YDI REVIEWER: AR IS ..... BARRIER MATERIAL VAPOR (FOR PIPE, DUCT AND EQUIPMENT THERMAL INSULATION) (S/S BY ASTM-C1136) TAPE, FRICTION (S/S BY HH-1-510A) USER: 26 AR MC YDI ..... TAPE, RUBBER (NATURAL AND SYNTHETIC), INSULATING (USE HH-1-553) USER: MC YDI REVIEWER: 11 BO AR PACKING, JUTE, TWISTED USER: AT REVIEWER: YDI ..... CEMENT, INSULATION, THERMAL, MINERAL-WOOL (S/S BY SS-C-160) USER: 26 ..... CEMENT, SILICA (S/S BY FED SPEC HH-M-630A) ..... FELT, ASBESTOS, ASPHALT-SATURATED AND ASPHALT-COATED, FOR BUILT-UP ROOF (S/S BY HH-R-590) USER: 26 FELT, ASBESTOS, ASPHALT-SATURATED, UNCOATED, FOR FLASHINGS, ROOFING AND WATERPROOFING (S/S BY HH-R-590) USER: 26 FELT, ASPHALT-SATURATED (FOR) FLASHINGS, ROOFING, AND WATERPROOFING USER: 26 FELT, COAL-TAR-SATURATED, FOR ROOFING AND WATERPROOFING (SUPERSEDED BY HH-R-595) USER: 26 SH MILLBOARD, ASBESTOS (NO S/S DOCUMENT) ..... PIPE COVERING, CORK, MOLDED (S/S BY HH-1-557) USER: 26 ..... PIPE COVERING: MINERAL-WOOL (MOLDED-TYPE AND BLANKET-TYPE FOR HEATED PIPES) (S/S BY HH-1-552) MITTENS, CLOTH, ASBESTOS (LEATHER REINFORCED) (NO S/S DOCUMENT) USER: 45 YDI REVIEWER: CT CLAY, FIRE, GROUND (S/S BY HH-M-622C) USER: MR REVIEWER: AR ..... CLOTH, GLASS, COATED, (FOR MEMBRANE WATERPROOFING AND BUILT-UP ROOFING ) USE ASTM D1668( INSULATION TAPE, ELECTRICAL, FRICTION (S/S A-A-2094) USER: AR AT OS REVIEWER: AS OS ME INSULATION BLANKETS, THERMAL (MINERAL FIBER, FOR AMBIENT TEMPERATURES) (S/S BY ASTM-C665) REVIEWER: CE INSULATION BOARD, THERMAL, (BUILDING BOARD, HIGH-STRENGTH, SHEATING) (USE LLL-I-535A REVIEWER: BS COMPOUND, PLUMBING-FIXTURE-SETTING USER: MR REVIEWER: 99 EA SA ..... INSULATION FELT, THERMAL, MINERAL WOOL (FOR LOW TEMPERATURES) (S/S BY HH-1-558A) USER: 26 AT GL REVIEWER: AS MR OS INSULATION, THERMAL AND ACOUSTICAL (MINERAL FIBER, DUCT LINING MATERIAL) (USE INSTEAD ASTM-C 1071) USER: SH REVIEWER: CE MC INSULATION SLEEVING, THERMAL (URETHANE USER: AS CE ..... INSULATION PIPE COVERING, THERMAL, AND INSULATION BLANKET, THERMAL, PIPE COVERING (S/S BY HH-1-558A) USER: 26 INSULATION, THERMAL, MAGNESIA, BLOCK, PIPE AND TUBING REVIEWER: EA ..... INSULATION, PIPE, VALVE AND FITTING COVERING, THERMAL, CORK ..... CORK, COMPRESSED (CORDBOARD) (FOR THERMAL INSULATION) (S/S BY HH-1-KS25 ) USER: 26 INSULATION BLOCK AND SLEEVING, THERMAL (ASBESTOS-FOR TEMPERATURES UP TO 1200 DEG. INSULATION, THERMAL, MINERAL WOOL, BLOCK OR BOARD AND PIPE INSULATION (MOLDED TYPE) (S/S BY HH-1-557A) INSULATION, MINERAL-WOOL, BLANKET, FELT, AND INDUSTRIAL-BATT (FOR HEATED SURFACES) (S/S BY HH-1-558) USER: 26 REVIEWER: AS MR OS INSULATION, MINERAL-WOOL, BLOCK AND BOARD (FOR HEATED SURFACES) (S/S BY HH-1-558A) USER: 26 REVIEWER: AS MR OS INSULATION, PIPE, LAMINATED FELT (FOR TEMPERATURES BETWEEN 40 DEG. AND 212 DEG. F.) INSULATION, THERMAL, POLYSTYRENE, EXPANDED ..... COTTON-FABRIC, WOVEN, ASPHALT-SATURATED (S/S BY SS-C-450) USER: YDI ..... INSULATION, THERMAL (VERMICULITE) USE ASTM C 516 USER: CE MC ME REVIEWER: OS BRICKS, REFRACTORY: FIRE CLAY (NO S/S DOCUMENT) REVIEWER: GS ..... INSULATION SLEEVING, THERMAL (PIPE AND TUBE COVERING)	A 6530 / MB A 6520 / MB A 6675 / ME A 6515 / MB A 6675 / ME A 6515 / MB A 6675 # FSS A 6675 * ME A 6640 / EA A 6515 / MB A 6675 / ME A 6675 / ME A 6675 / ME A 6675 / ME A 6675 / ME A 6515 / MB A 6630 / EA A 6630 / MC A 6675 / ME A 6520 / MB A 6635 % FSS A 6515 / MB A 6515 / MB A 8030 * ME A 5330 * SH A 5330 * SH A 5640 * YDI A 5970 / SH A 5970 / EL A 5330 % A 5640 / YDI A 9350 / YDI A 5650 / YDI A 5650 / MD A 5650 / MD A 5650 / MD A 5650 / MD A 5640 / YDI A 5640 / YDI A 5640 / ME A 5640 * YDI A 5640 / MD A 5640 * YDI A 5640 * ME A 5640 * MD A 8030 * YDI A 5640 / MD A 5640 / YDI A 5640 / YDI A 5640 * ME A 5640 / ME A 5640 * ME A 5640 / YDI A 5640 / YDI A 5640 / YDI A 5640 * ME A 5640 / YDI A 5									



CANCELED SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Asst. Dir. / Dir. / Coord. / Insp. / Document Number	Document Title	Dir. / Supt. / FSC / Area / MCA Symbol / Preparing Acty. / Date	Custodians
Army	Navy	Air Force	DIA
MM-1-1751/1	INSULATION SLEEVING, THERMAL (PIPE AND TUBE COVERING) MINERAL FIBER, INDUSTRIAL TYPE REVIEWER: AS CE SH	A 5640 * ME 23-JUL-73	ME YD1 99
MM-1-1751/2	INSULATION SLEEVING, THERMAL, (FLEXIBLE UNICELLULAR PIPE COVERING) USER: AS REVIEWER: CE CG SH	A 5640 * ME 27-JUL-73	ME YD1 99
MM-1-1751/3A	INSULATION SLEEVING, THERMAL, PIPE COVERING (CELLULAR GLASS) REVIEWER: CE	A 5640 / ME 04-AUG-80	ME YD1 99
MM-1-1751/4	INSULATING SLEEVING, THERMAL, PIPE COVERING (URETHANE) REVIEWER: CE	A 5640 * ME 06-AUG-73	ME YD1 99
MM-1-1751/5	INSULATION SLEEVING, THERMAL, PIPE COVERING (CALCIUM SILICATE, FOR TEMPERATURES UP TO 1500 DEG. F) USER: CG REVIEWER: SH	A 5640 * ME 07-AUG-73	ME YD1 99
MM-1-1972/6	INSULATION BOARD, THERMAL, POLYURETHANE OR POLYISOCYANURATE FACE WITH MINERAL FIBERBOARD ON ONE SIDE OF THE FOAM AND GLASS MAT ON THE OTHER SIDE OF THE FOAM (NO S/S DOCUMENT) REVIEWER: CE	A 5640 / YD1 20-SEP-85	ME YD1 99
JJ-M-171C	NET, INSECT (S/S BY A-A-54688)	A 6640 / MB 07-AUG-92	MD MS 03
Q JJ-B-185A(3)	BELT, SEAT, PASSENGER TYPE, AUTOMOTIVE REVIEWER: CS	A 2540 * AT 08-JUL-63	AT YD1 84
JJ-S-746A	STOCKINET, SURGICAL (S/S BY A-A-54602)	A 6510 / MB 14-AUG-92	MD MS 03
KK-L-231A	LEATHER, PACKING, CHROME-VEGETABLE-TANNED (S/S BY KK-L-164) USER: GL YD1	A 8330 / CT 08-NOV-49	SA 11 CT
KK-G-470	GLOVES, LEATHER, GAUNTLET, LINESMEN S AND WELDERS (S/S BY FEDERAL SPECIFICATION KK-G-4766 AND FEDERAL SPECIFICATION KK-G-4866) REVIEWER: CT MC SA SH	A 8415 / GL 16-MAY-50	GL YD1
KK-G-486E	GLOVES, WELDER'S, LEATHER GAUNTLET (S/S BY A-A-50022) USER: 45 CG MC MS SH	A 8415 / GL 09-APR-90	GL MU 99
NN-P-515A	PLYWOOD, CONTAINER GRADE (USE NN-P-530) USER: MI REVIEWER: AR	A 5530 / ME 12-MAR-59	ME YD1 69
NN-P-530E(2)	PLYWOOD, FLAT PANEL (S/S BY A-A-55057) USER: MC OS SH SS REVIEWER: AR EA GL MI SH	A 5530 / CS 25-MAR-91	ME YD1 CS
NN-B-621B	BOXES, WOOD, MAILED AND LOCK-CORNER (S/S BY PPP-B-621) USER: OS SH	A 8115 # FSS 24-JUL-56	
OO-P-0030	REVIEWER: 43 B4 99 AR MD MI MI YD1	A 4130 * YD1 23-NOV-65	YD1
OO-M-52(3)	PAD, FILTER, AIR COOLER (WETTED TYPE) REVIEWER: GS	A 7320 * YD1 10-APR-52	GL YD1
OO-M-66	MACHINES, MEAT-AND-VEGETABLE-CUTTING, ELECTRICALLY OPERATED USER: MC SH	A 7320 / GL 25-AUG-47	GL YD1
OO-S-120	REVIEWER: EL	A 7320 / GL 12-APR-57	GL YD1
OO-L-127	MACHINES, SLICING, BREAD USER: MC REVIEWER: EL SH	A 3416 / SH 12-AUG-54	WC SH 84
OO-M-251C	SAW, BAND, MEAT CUTTING USER: MC REVIEWER: EL	A 3460 / IP 03-SEP-86	AL YD1 99 IP
OO-S-271	LATHE, ENGINE, TOOLROOM, FLOOR MOUNTED, 12, 14 AND 16 INCH MATED SWING, GEARED HEAD DRIVE USER: GL MC YD1 REVIEWER: EL GS	A 3419 / BA 29-JAN-51	SH 84
OO-F-440C	MANDRILLS, MACHINE, SOLID AND EXPANSION (S/S BY A-A-51129) USER: ME	A 5130 * GL 21-OCT-70	GL SH 99
OO-I-520A	REVIEWER: GS	A 3510 / GL 20-OCT-77	GL YD1 99
OO-S-550B	SHAPER, METALWORKING, HORIZONTAL (BENCH TYPE) USER: GL MC YD1 REVIEWER: EL	A 3460 / IP 24-JUN-86	AL YD1 99 IP
OO-C-566C	CS MC	A 4110 * 28-JUL-64	GL YD1 99
OO-D-00506(3)	FLEXIBLE-SHAFT MACHINE, ELECTRIC (BUFFING AND GRINDING, PORTABLE, FLOOR STAND) USER: AV CG EL MC ME YD1	A 4110 * GL 18-FEB-87	GL YD1 99
OO-M-581A	IMKING PAD, LAUNDRY MARKING MACHINE USER: MC SA REVIEWER: 45 GS	A 3460 * IP 06-JUN-85	AL 99
OO-F-589B	SOCKET, TAPER-SHANK TOOL (MACHINE) (S/S BY A-A-51132) USER: AV MC ME	A 3441 / IP 30-JAN-86	AL SH 99
OO-P-6360(3)	REVIEWER: GS	A 3444 / IP 10-AUG-87	AL SH 99
OO-B-670(2)	DISPENSER, DRINKING WATER, MECHANICALLY COOLED USER: MC SH YD1	A 7320 / GL 07-MAR-86	GL YD1 84
OO-D-676A	DISPENSER, DRINKING WATER, MECHANICALLY COOLED (S/S BY A-A-1151, A-A-1152, A-A-1153 AND A-A-1154) REVIEWER: GS	A 3413 / IP 28-AUG-53	WC SH 84
OO-M-681A	HOLDERS, CUTTING TOOL, ENGINE LATHE, SHAPER AND PLANNER (S/S BY A-A-50965, A-A-51127, A-A-51131, A-A-51136, A-A-51133, A-A-51137 & A-A-51139) USER: MC REVIEWER: GS YD1	A 3750 / ME 30-AUG-55	ME YD1
OO-D-00750B	FORMING MACHINE, SHEET METAL, SLIP ROLL, HAND OPERATED (S/S BY A-A-50962) USER: MC YD1 REVIEWER: GS	A 3510 / GL 23-JUN-69	GL YD1 84
OO-T-760A	PRESS, ARBOR, HAND OPERATED (S/S BY MIL-P-80261) USER: AS AV MC ME WV	A 3510 * YD1 24-SEP-68	GL YD1
OO-B-770	REVIEWER: GS YD1	A 3510 / GL 11-JAN-65	GL YD1 69
OO-B-791(2)	BREAD SLICING MACHINE, HAND AND ELECTRIC OPERATED, SINGLE ROTATING KNIFE AND ELECTRIC OPERATED MULTIPLE KNIFE (USE MIL-B-43866) USER: AV REVIEWER: MD SH	A 3419 / WC 28-SEP-55	WP 84
OO-E-976A	DRILLING MACHINE, UPRIGHT, BENCH MOUNTED (USE MIL-D-80038 AND MIL-D-80039) USER: MC YD1 REVIEWER: EL GS	A 3419 / SH 28-AUG-53	AR SH 99
OO-B-1620(1)	MOVER, LAWN, POWER (USE OO-M-1243, OR OO-M-1688, OR OO-M-1689)	A 7320 / GL 19-FEB-68	GL YD1 84
OO-D-171B	DRYCLEANING EQUIPMENT, MISCELLANEOUS, FOR USE WITH 100 DEGREES F, FLASHPOINT PETROLEUM-BASE SOLVENT USER: SH REVIEWER: GS MD	A 4140 * ME 16-MAY-88	ME YD1 99
OO-M-30	DRYING TUMBLER, LAUNDRY, COMMERCIAL REVIEWER: GS	A 7320 / GL 10-JUL-89	GL YD1 84
OO-M-35	TUMBLER, DRYING AND SHAKEOUT, LAUNDRY, COMMERCIAL (S/S BY OO-D-1297) USER: SH REVIEWER: EL MC MD	A 9535 / MR 23-OCT-57	MR SH 69
OO-M-38B	BUFFER AND GRINDER, FLEXIBLE SHAFT, ELECTRIC, PORTABLE, FLOOR STAND (SEE OO-F-440A) REVIEWER: BS YD1	A 9540 / MR 23-OCT-57	SH 69
OO-M-80	BUFFING-GRINDING-POLISHING MACHINES (BENCH AND PEDESTAL, ELECTRIC) USER: MC YD1 REVIEWER: EL GS	A MECA / MR 19-MAY-93	MR AS 84
QQ-B-101C(1)	EXTRACTOR, CITRUS FRUIT JUICE, ELECTRIC (USE MIL-E-43887) USER: MS	A 9535 / SH 30-DEC-55	MR 11
QQ-T-181	BLOWER, AIR BARRIER	A 5680 / MD 07-OCT-49	YD1 69
QQ-A-245(1)	DISPENSER, DETERGENT AND RINSE ADDITIVE, CENTRAL SYSTEM LIQUID TYPE FOR COMMERCIAL DISHWASHING MACHINES (NO S/S DOCUMENT)	A 9515 / MR 24-OCT-52	SH
QQ-A-250/17E	NAVAL BRASS, PLATE, ROLLED BAR, SHEET AND STRIP (S/S BY QQ-B-639) USER: EL GL MC YD1	A 95GP / AM 30-JAN-57	AM SH
QQ-A-255A(1)	NAVAL BRASS, RODS, BARS, WIRE, SHAPES AND FORGINGS AND FLAT PRODUCTS WITH FINISHED EDGES (S/S BY QQ-B-637) USER: GL MC YD1 REVIEWER: EL	A 9535 / AS 01-MAR-71	MR AS 11
QQ-A-266A	MAGNESIUM ALLOY DIE CASTINGS (AZ91A) (S/S BY ASTM-B94) REVIEWER: AR AV GL ME MI	A 9535 / WP 07-MAR-58	MR 11
QQ-A-267A	MANGANESE BRONZE BARS, PLATES, RODS, SHEETS, STRIPS, FLAT WIRE, FORGINGS, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS (S/S BY QQ-B-728) USER: GL YD1 REVIEWER: EL	A 9530 / 11 20-JUN-60	MR WP 11
QQ-A-268A(1)	BASE, METAL, (FOR) PLASTER AND STUCCO CONSTRUCTION (S/S BY QQ-I-101A) USER: 26	A 9530 / 11 01-JAN-63	MR WP 11
QQ-A-274A	TERME PLATES (FOR MANUFACTURING PURPOSES) (USE QQ-T-191) USER: AR GL MC SA REVIEWER: YD1	A 9525 / 11 22-NOV-60	WP 11
QQ-A-277A(1)	ALUMINUM AND ALUMINUM ALLOY WROUGHT PRODUCTS, TOLERANCES FOR (S/S BY FED-STD-245) REVIEWER: AS MC OS SA YD1	A 9530 / SH 01-JAN-63	MR SH
QQ-A-282A	ALUMINUM ALLOY 7079, PLATE AND SHEET USER: EL MC ME OS REVIEWER: IS MI WC YD1	A 9530 / 11 01-JAN-63	MR WP 11
	ALUMINUM ALLOY PLATES AND SHEETS ALCLAD 2014 (R301,CLAD 145) (S/S BY QQ-A-250/3) USER: GL YD1 REVIEWER: EL SH	A 9525 / 11 22-OCT-62	MR WP 11
	ALUMINUM ALLOY BARS, RODS, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 2014 USER: SA YD1 REVIEWER: SH		
	ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED 2024 (S/S BY QQ-A-200/3A) USER: AR GL SA YD1 REVIEWER: EL SH		
	ALUMINUM ALLOY BAR, ROD AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 2024 (S/S BY QQ-A-225/6A) USER: AR GL YD1 REVIEWER: EL SA SH		
	ALUMINUM ALLOY BAR, ROD, SHAPES, EXTRUDED 6063 (S/S BY QQ-A-200/9A) USER: GL YD1 REVIEWER: EL		
	ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED 7075 (S/S BY QQ-A-200/11A) USER: GL SA YD1 REVIEWER: EL SH		
	ALUMINUM ALLOY BAR, ROD, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 7075 (S/S BY QQ-A-225/9A) USER: GL SA YD1 REVIEWER: EL SH		



CANCELED SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Adm Ctrl / Cancellation Invoice Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preceding Assy Date	Custodians Army Navy Air Force DLA
QQ-A-287B	ALUMINUM ALLOY PLATE AND SHEET, ALCLAD 7075 SUPERSEDED BY QQ-A-250/138(	A 9535 / WP 01-JAN-63	MO WP 11
L QQ-M-301C	USER: EL GL SH REVIEWER: MR YDI NICKEL ALLOYING ADDITIVE (OR FOR REMELTING) (NO S/S DOCUMENT) REVIEWER: MR	A 9630 * B4 03-JAN-92	84
QQ-A-315B	OS ALUMINUM ALLOY BAR, ROD AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 5052	A 9525 / 11 20-JUN-60	MR WP 11
QQ-A-325B	(S/S BY QQ-A-225/7A) USER: AR GL SA YDI REVIEWER: EL SH	A 9525 / 11 20-JUN-60	MR WP 11
QQ-P-330	ALUMINUM ALLOY BAR, ROD, WIRE, AND SPECIAL SHAPES, ROLLED, DRAWN, OR COLD FINISHED, 6061 (S/S BY QQ-A-225/BA) USER: AR GL YDI REVIEWER: EL SA SH	A 9500 / SH 05-JUL-61	OR 69
QQ-W-339	PHOSPHOR BRONZE BARS, PLATES, RODS, SHEETS, STRIPS, FLAT WIRE, AND		
QQ-W-348(1)	STRUCTURAL AND SPECIAL SHAPED SECTIONS (S/S BY QQ-B-750) USER: 26 AR GL MC		
QQ-A-356D	YDI REVIEWER: EL	A 9525 / MR 19-MAY-60	WP 69
QQ-A-357A	WIRE, COPPER, MEDIUM-HARD DRAWN USER: 26 AR GL SA YDI REVIEWER: EL SH ..... WIRE, FISH (FOR ELECTRICIANS AND PLUMBERS USE) SUPERSEDED BY QQ-T-40 AND	A 5120 / GL 03-AUG-53	CL 69
QQ-A-371F	GCG-A-821( USER: 26 YDI	A 9525 / 11 27-MAY-60	MR WP 11
QQ-T-371C	ALUMINUM ALLOY BARS, RODS AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 3003	A 9530 / 11 01-JAN-63	MR WP 11
QQ-T-390A(11)	(S/S BY QQ-A-225B) USER: AR GL SA YDI REVIEWER: EL SH	A 9650 / Pz 16-SEP-92	MR SH 84
QQ-W-409A	ALUMINUM ALLOY BAR, ROD AND SHAPES, EXTRUDED 3003 (S/S BY QQ-A-200/1A)	A 9650 # FSS 01-APR-90	MR
QQ-A-411D	USER: GL SA YDI REVIEWER: EL SH	A 9505 / YDI 19-JAN-60	MR YDI
QQ-W-423B	ALUMINUM ALLOY INGOT (FOR REMELTING) (S/S BY ASTM-B179) USER: GL YDI REVIEWER: 26 AR AS	A 9525 / 11 01-JAN-63	MR WP 11
QQ-A-435B(3)	TIN, PIG (S/S BY ASTM-B339) USER: YDI REVIEWER: 85 AR MI .....	A 9505 # 21-MAY-85	MR
QQ-W-461H	TIN ALLOYS INGOTS AND CASTINGS AMS LEAD ALLOY INGOTS AND CASTINGS (ANTIFRICTION METAL) FOR BEARING APPLICATIONS (S/S BY ASTM-B23)	A 9535 * MR 20-APR-72	MR YDI
QQ-C-465A	WIRE, STEEL, CARBON, (FOR COLD HEADING AND COLD FORGING) (S/S BY QQ-W-405B) USER: 26 GL MI SA	A 9505 / MR 13-DEC-88	MR YDI 99
QQ-W-470B	ALUMINUM ALLOY BAR, ROD AND WIRE, ROLLED, DRAWN, OR COLD FINISHED, 1100	A 9525 / MR 10-MAR-88	MR AS 11
QQ-C-533B	(S/S BY QQ-A-225/1A) USER: AR GL YDI REVIEWER: EL SA SH		
QQ-A-561D	WIRE, STEEL, CORROSION-RESISTING (S/S BY ASTM A313 AND ASTM A580) USER: 85	A 9535 / MR 10-MAR-92	MR AS 11
QQ-T-570C	REVIEWER: 84 AS MI SH YDI	A 9535 / SH 01-JAN-63	GL SH 11
QQ-R-571C	ALUMINUM ALLOY SHEET, PAINTED (FOR EXTERIOR USE) REVIEWER: CE IS MI .....	A 9510 / MR 17-JUN-87	MR YDI 99
QQ-C-576B(1)	WIRE, STEEL, CARBON (ROUND, BARE, AND COATED) (S/S BY ASTM-A853, ASTM-A818, ASTM-A641 AND ASTM-A809) USER: MC ME	A 3439 / IP 14-JUN-90	AR AS 84 IP
QQ-T-580C	COPPER-ALUMINUM ALLOYS (ALUMINUM BRONZE) (COPPER ALLOY NUMBERS 606, 614, 630, AND 642); ROD, FLAT PRODUCTS WITH FINISHED EDGES (FLAT WIRE, STRIP, AND BAR), SHAPES, AND FORGINGS (S/S BY ASTM-B124, ASTM-B150, ASTM-B169, AND ASTM-B283) USER: ME OS REVIEWER: AK IS MI SH	A 9530 / SH 20-MAR-91	MR SH 69
QQ-A-591F	WIRE, STEEL, CARBON, SPRING, MUSIC (S/S BY ASTM A228) USER: AT MI YDI REVIEWER: AS EA IS ME OS	A 9505 / 84 21-MAY-85	MR 69
QQ-A-596E	COPPER-BERYLLIUM ALLOY STRIP (COPPER ALLOY NUMBERS 170 AND 172) (S/S BY ASTM-B194) USER: AV EC REVIEWER: 84 AR AT ER IS MI SH	A 9535 / MR 10-MAR-92	MR AS 11
QQ-B-613D	ALUMINUM ALLOY PLATE AND SHEET, 1100 (S/S BY QQ-A-250/18) USER: MC YDI REVIEWER: EL	A 9535 / SH 01-JAN-63	GL SH 11
QQ-B-621C	TOOL STEEL, ALLOY (S/S BY ASTM-A681) USER: GL MC OS REVIEWER: 11 AR EA IS MI SH WV	A 9510 / MR 17-JUN-87	MR YDI 99
QQ-S-624C(1)	RODS, WELDING, COPPER AND NICKEL ALLOYS (S/S BY A-A-51157, A-A-51158, AND A-A-51173) USER: AT MC MD YDI REVIEWER: GS MI MR	A 3439 / IP 14-JUN-90	AR AS 84 IP
QQ-S-634A(1)	COPPER FLAT PRODUCTS WITH SLIT, SLIT AND EDGE-ROLLED, SHEARED, SAWED OR MACHINED EDGES, (PLATE, BAR, SHEET, AND STRIP) (S/S BY ASTM-B152) USER: YDI REVIEWER: MI OS	A 9530 / SH 20-MAR-91	MR SH 69
QQ-B-636B	TOOL STEEL, CARBON AND CARBON-VANADIUM (S/S BY ASTM A686) USER: GL MC REVIEWER: 85 AR IS MI WV YDI	A 9510 / MR 30-MAY-85	MR SH 99
L QQ-B-638	ALUMINUM ALLOY DIE CASTINGS (S/S BY APPROPRIATE PORTIONS OF THE DOCUMENT ASTM-B85, ASTM-B26, ASTM-B108 & SAE-J452, SAE-J453, SAE-AMS4290, SAE-AMS4291) USER: SH REVIEWER: AR CR ME OS	A MECA / MR 28-OCT-92	MR AS 99
QQ-B-650C	ALUMINUM ALLOY PERMANENT AND SEMIPERMANENT MOLD CASTINGS (S/S BY ASTM-B108) USER: ME OS REVIEWER: EA MI	A MECA / MR 25-NOV-92	MR SH 99
QQ-I-652C	BRASS, LEADED AND NONLEADED; FLAT PRODUCTS (PLATE, BAR, SHEET, AND STRIP)	A 9530 / MR 23-JAN-91	MR SH 84
QQ-I-653A	(S/S BY ASTM-B36 AND ASTM-B121) USER: MC ME YDI REVIEWER: AS IS MI	A MECA / MR 29-APR-66	MR YDI 69
QQ-B-655C	BRASS, CASTINGS, LEADED YELLOW (S/S BY QQ-C-390) USER: 11 EL SH REVIEWER: AS MI OS	A 9510 / MR 06-DEC-71	MR SH
QQ-I-666D	STEEL BAR, ALLOY, HOT ROLLED AND COLD FINISHED, (GENERAL PURPOSE) (USE ASTMA 304, A322/A331) USER: AT OS YDI REVIEWER: EA IS ME MI WV	A 9510 / MR 06-DEC-71	MR YDI 11
QQ-B-675B	STEEL, BAR, CARBON, COLD-FINISHED, (STANDARD QUALITY) (USE ASTMA 108)		
QQ-S-681F	USER: ME MI REVIEWER: AT EA IS WV	A 9540 % FSS 23-OCT-57	
QQ-I-686C	BRASS, NAVAL, LEADED AND NON-LEADED; RODS, BARS, SHAPES, AND FORGINGS (S/S BY QQ-M-35) REVIEWER: AS OS SA SH YDI	A 9540 / SH 23-OCT-57	SH
QQ-I-716(3)	BRASS, NAVAL, LEADED AND NON-LEADED; PLATE, ROLLED BAR, SHEET, AND STRIP (S/S BY QQ-M-30 & QQ-M-35) REVIEWER: AS OS SA YDI	A 3439 / MR 14-APR-93	MR SH 11
QQ-S-741D	BRAZING ALLOYS, COPPER, COPPER-ZINC, AND COPPER-PHOSPHORUS (S/S BY AWS A5.01-B7 AND AWS A5.8-92) USER: ME REVIEWER: AR AT MD MI	A MECA * MR 20-MAY-70	MR YDI 99
QQ-B-750(2)	IRON CASTING, GRAY (USE ASTM A48) USER: AT REVIEWER: AR EA IS ME MI .....	A MECA / MR 28-JUL-69	MR YDI 99
QQ-S-781H(2)	IRON CASTING, GRAY, AUTOMOTIVE REVIEWER: EA ME MC .....	A 3439 * MR 15-AUG-89	MR SH 11
QQ-C-806A(1)	BRAZING ALLOYS, ALUMINUM AND MAGNESIUM, FILLER METAL (S/S BY AWS-A5.8) USER: AT MC YDI REVIEWER: 99 AR AS EA GS MI OS	A MECA * YDI 28-JAN-69	MR YDI 99
QQ-T-830A(1)	IRON, MALLEABLE, FERRITIC, FOR CASTINGS (USE ASTM-A-47) USER: CG MC REVIEWER: EA ME	A 9650 / MR 23-JAN-91	MR OS 84
RR-R-15	BRONZE, ALUMINUM: INGOTS (S/S BY ASTM-B30) USER: YDI .....	A MECA / MR 20-MAY-85	MR SH
RR-N-0015A	STEEL CASTINGS (S/S BY ASTM A27 AND ASTM A148) USER: MI YDI REVIEWER: AT EA ME	A 9510 / MR 27-SEP-63	MR YDI 84
RR-P-548(3)	IRON, WROUGHT, BAR, SINGLE AND DOUBLE REFINED USER: GL REVIEWER: 85 / S IS SA SH	A 9515 / MR 27-MAY-60	SH 69
RR-P-76	IRON AND STEEL, SHEET, ZINC-COATED (GALVANIZED), (S/S BY QQ-S-775A) USER: 26 AR GL SA REVIEWER: YDI	A 9510 / ME 13-MAR-87	ME YDI 11
RR-C-87	STEEL, CARBON: STRUCTURAL SHAPES: PLATES; AND BARS (S/S BY ASTM-A36/A36P) USER: AT CE MC REVIEWER: 99 IS MR SH	A 9525 / SH 10-OCT-90	MR SH 69
RR-I-100	BRONZE, PHOSPHOR: BAR, PLATE, ROD, SHEET, STRIP, FLATWIRE, AND STRUCTURAL AND SPECIAL SHAPED SECTIONS (S/S BY ASTM-B139) REVIEWER: YDI	A 8135 / GL 20-SEP-90	GL SA 69
RR-S-141A	STRAPPING, STEEL, AND SEALS (S/S BY ASTM-D3953-87) USER: MC SH REVIEWER: EA GS OS SH SS YDI	A 4710 / MR 03-FEB-53	YDI 82
	CULVERT AND UNDERDRAIN, CORRUGATED IRON OR STEEL, ZINC COATED (S/S BY WW-P-405A)	A 4710 / MR 13-DEC-61	MR 11
	TUBE, STEEL, CARBON, MECHANICAL, SEAMLESS AND WELDED (USE ASTM-A13 AND ASTMA19) USER: AT MI YDI REVIEWER: AV CS ME SH	A 6530 / MB 30-SEP-92	MD MS 03
	RACK, UTENSIL (FOR SIX URINALS AND THREE BEDPANS) (NO S/S DOCUMENT) .....	A 6530 / MB 30-SEP-92	MD MS 03
	RACK, DRYING, BEDPAN AND URINAL (NO S/S DOCUMENT) .....	A 7330 / GL 16-JAN-90	GL SA 99
	PANS, ALUMINUM ALLOY (S/S BY A-A-386, A-A-387, A-A-388, A-A-389 AND A-A-390) USER: CG MC YDI REVIEWER: MD	A 7290 / GL 15-AUG-35	GL YDI
	PANS, DUST (S/S BY FED SPEC WH-D-800) USER: MC .....	A 4930 / YDI 26-MAY-55	GL YDI 69
	CAMS, OIL (TYPEPUMPER) (S/S BY GCG-O-591E) USER: 26 MC REVIEWER: MC .....	A 7320 * GL 23-OCT-56	GL YDI 84
	ICE CHAM FREEZERS, HAND- AND POWER-OPERATED, ICE REFRIGERATED REVIEWER: BS EL GS	A 5335 / MD 22-JUL-59	MD YDI 69
	SOMETHING, WIRE, INSECT (S/S BY RR-W-366) .....		



# CANCELED SECTION

# NUMERICAL LISTING FEDERAL SPECIFICATIONS

Action On/Off Coordination In/Out Document Number	Document Title	Dist. Syst. FSC / Ave MCA Symbol Preparing Agency Date	Custodian Army Navy Air Force DIA
RR-F-183(4)	FENCE-POSTS, GATES, AND ACCESSORIES REVIEWER: CS	A 5660 / ME 04-MAY-62	ME YD1 84
RR-F-221/1A	FENCING WIRE (BARBED WIRE) (S/S BY ASTM-A121 AND ASTM-A585) USER: CE CG MC ME	A 5660 * YD1 18-APR-88	YD1 CS
RR-F-221/2A	FENCING WIRE (WOVEN WIRE AND NETTING, FABRIC) (S/S BY ASTM-A116, ASTM-A390 AND ASTM-A584) USER: CE CG MC ME	A 5660 * YD1 18-APR-88	YD1 CS
RR-F-221/3A	FENCE POST: AND ACCESSORIES (S/S BY ASTM-A702) USER: CE CG MC ME	A 5660 * YD1 18-APR-88	YD1 CS
RR-K-260C(1)	KITCHEN AND FOOD SERVING UTENSILS (ALUMINUM) (S/S BY A-A-468, A-A-1751, A-A-1752, A-A-1753, A-A-1754, A-A-1755 AND A-A-1826) USER: YD1 REVIEWER: 45 MC MD MS	A 7330 / GL 16-JAN-90	GL SA 99
RR-E-3008	EGG BEATERS (S/S BY A-A-454) USER: CG MC	A 7330 * GL 05-APR-90	GL YD1 99
RR-S-345C	SIFTER, FLOUR, HAND (S/S BY A-A-467) REVIEWER: 45 MC MD YD1	A 7330 / GL 06-NOV-89	GL 84
RR-W-360A	WIRE FABRIC, INDUSTRIAL (TYPE 1 AND TYPE 111 S/S BY A-A-1037; TYPES 11, 1V, V OR VI S/S BY ASTM-E437) USER: AT AV MC ME MI OS REVIEWER: EA	A 5335 / AR 05-JAN-89	AR YD1 99
RR-W-370B	WIRE FABRIC, STEEL, HOT-DIPPED GALVANIZED (S/S BY A-A-1035 OR ASTM-A740)	A 5335 / ME 05-JAN-89	ME YD1 99
RR-W-375A(1)	WIRE FABRIC, STEEL, WELDED (FOR REINFORCING CONCRETE) (S/S BY A-A-2211)	A 5335 / YD1 17-OCT-88	YD1 99
RR-O-376(1)	OILER, HAND (SUPERSEDED BY GGG-O-591E) USER: 26 GL MC REVIEWER: WC YD1	A 4930 / SH 30-APR-53	SH 87
RR-T-421A	TILE, WALL, SHEET IRON OR STEEL, PORCELAIN-ENAMELED USER: 26 MC	A 5620 / ME 30-MAR-49	ME YD1
RR-D-450C	DISHPANS, CORROSION-RESISTING STEEL (S/S BY A-A-2597) USER: YD1 REVIEWER: MC MD	A 7330 / GL 01-AUG-90	GL SA 84
RR-H-450B	HOLDER, CARD-LABEL: POST OFFICE MAILING RACK (NO S/S DOCUMENT)	A 9905 / YD1 16-JUL-90	YD1 99
RR-T-475	FLOODLIGHT (ACETYLENE, PORTABLE) USER: WC REVIEWER: GL	A 6260 / MD 09-JUL-54	YD1 85
RR-R-571A	ROPE, WIRE, (USE RR-W-410A OR RR-W-420 AS APPLICABLE) USER: EL REVIEWER: GL SH	A 4010 / YD1 19-APR-60	WC YD1 11
RR-B-600E(1)	BOTTLES, VACUUM (S/S BY A-A-2573) USER: YD1 REVIEWER: MC MD MS	A 7330 / GL 29-AUG-88	GL SA 84
RR-C-633A	CRADLE, HOSPITAL BED CLOTHING (S/S BY MIL-C-4207B)	A 6530 / MB 15-DEC-92	MD MS 03
RR-C-00633B	CRADLE, HOSPITAL BED CLOTHING (S/S BY MIL-C-4207B)	A 6530 / MB 15-DEC-92	MD MS 03
RR-T-661	TREADS, SAFETY, METALLIC (S/S BY RR-T-650) USER: 26	A 5670 / YD1 20-JAN-36	YD1 69
RR-U-695A(1)	URN, COFFEE, TWIN, STEAM, GAS, OR ELECTRIC-HEATED, WITH STAND	A 7310 / GL 22-OCT-64	GL YD1 84
RR-S-700A	STAND, TRASH AND GARBAGE CAN USER: GL	A 7240 * 84 28-NOV-79	YD1 99
RR-B-771A(2)	BUCKETS, METAL, GALVANIZED (S/S BY RR-P-35) USER: 26 MC	A 7240 / GL 19-JUL-45	GL YD1 69
RR-T-791	TUBING, FLEXIBLE, ALUMINUM ALLOY (SEE WW-1-816) (RENUMBERED WW-1-816)	A 4720 / YD1 06-MAR-51	YD1
RR-W-1817A	WARNING DEVICE, HIGHWAY, TRIANGULAR, REFLECTIVE (S/S BY A-A-2128) USER: AT ME REVIEWER: MC	A 9905 * GL 20-AUG-90	GL YD1 99
SS-M-51	MATERIALS, (FOR) CUSHION COURSE, BRICK, STONE-BLOCK, OR WOOD-BLOCK PAVEMENTS (SAND, SLAG, LIMESTONE, SCREENING, ETC.)	A 5610 / MD 23-JUN-31	YD1 11
SS-W-51A	WALLBOARD, GYPSUM USER: 26	A 5640 / MD 20-MAY-52	YD1 69
SS-S-110A	SCREEN, WINDOW, METAL (ALUMINUM TUBULAR FRAME, AND TENSION) REVIEWER: EA	A 5670 * ME 02-OCT-64	ME YD1 99
SS-A-111(1)	ACOUSTIC-MATERIALS (FOR) PLASTIC APPLICATION (S/S BY SS-S-111) USER: 26 MR	A 5640 / YD1 07-JAN-43	YD1 69
SS-S-111C	SOUND CONTROLLING MATERIALS (TROWEL & SPRAY APPLICATIONS (ASTM E1042-85 COVERS REQUIREMENT) USER: CE	A 5610 / YD1 21-JAN-86	YD1
SS-A-118B(3)	ACOUSTICAL UNITS, PREFABRICATED (S/S BY SS-S-118A) REVIEWER: BS CS	A 5640 * MD 18-DEC-58	YD1 84
SS-S-118B	SOUND CONTROLLING (ACOUSTICAL) TILES AND PANELS (S/S BY ASTM-E1264)	A 5640 * YD1 07-NOV-89	ME YD1 85
SS-S-158A(1)	SEALING COMPOUND, COLD-APPLICATION READY-MIXED LIQUEFIER TYPE, FOR JOINTS IN CONCRETE (USE SS-S-156) REVIEWER: MR	A 8030 * ME 14-MAR-72	ME YD1 84
SS-S-159B	SEALING COMPOUND, COLD-APPLICATION MASTIC MULTIPLE COMPONENT TYPE-FOR JOINTS IN CONCRETE USER: MC SA REVIEWER: MR	A 8030 * ME 28-AUG-58	ME YD1 84
SS-S-164(4)	SEALER, HOT POURED TYPE, FOR JOINTS IN CONCRETE (USE SS-S-1401) REVIEWER: CS IS	A 8030 / ME 18-AUG-64	ME YD1 99
SS-P-166D(17)	PENCILS, LEAD (S/S BY A-A-2757, A-A-2769, A-A-2770, A-A-2771, A-A-2772, AND A-A-2773)	A 7510 # FSS 02-MAR-92	
SS-S-171	SEALER, MINERAL-FILLED ASPHALT, FOR JOINTS IN CONCRETE (USE FED SPEC SS-S-1041A) USER: SA REVIEWER: BS AS IS MR	A 8030 / YD1 04-DEC-51	YD1 84
SS-C-181E(1)	CEMENT MASONRY (USE SS-C-1960/1)	A 5610 / YD1 18-OCT-65	ME YD1 84
SS-C-185A(1)	CEMENT NATURAL, (FOR USE AS A BLEND WITH PORTLAND CEMENT), USE SS-C-1960/2	A 5610 / YD1 18-OCT-65	ME YD1 84
SS-C-192G(3)	CEMENT, PORTLAND (USE SS-C-1960/3) USER: CE MC REVIEWER: EA	A 5610 / YD1 10-NOV-71	ME YD1 84
SS-C-197E(1)	CEMENT, PORTLAND, BLAST FURNACE SLAG (USE SS-C-1960)	A 5610 / YD1 18-OCT-65	ME YD1 84
SS-P-201D(2)	PENCIL, NONMECHANICAL, COLORED LEAD (S/S BY A-A-2755, A-A-2774, A-A-2775, AND A-A-2776)	A 7520 # FSS 02-MAR-92	
SS-C-208C(1)	CEMENT, PORTLAND POZZOLAN (USE SS-C-1960) USER: MC	A 5610 / YD1 18-OCT-65	ME YD1 84
SS-C-218D(1)	CEMENT, SLAG (USE SS-C-1960)	A 5610 / YD1 18-OCT-65	ME YD1 84
SS-S-276(3)	SHEATHING BOARD, GYPSUM USER: 26	A 5640 / MD 31-MAR-59	YD1 69
SS-S-283A	SHEETS, FLAT, ASBESTOS CEMENT (S/S BY SS-B-755) USER: 26 MR	A 5640 / YD1 20-JUL-54	MD YD1 69
SS-S-291D	SHINGLES: ASBESTOS-CEMENT, (ROOFING) (S/S BY ASTM-C222) USER: CE REVIEWER: BS	A 5650 / ME 18-NOV-85	ME YD1 84
SS-S-295A	SHINGLE, ASPHALT (MINERAL SURFACED, UNIFORM THICKNESS, CLASS B FIRE RATING) USER: CE	A 5650 * YD1 07-DEC-66	ME YD1 99
SS-S-298B	SHINGLES, ORGANIC FIBER, ASPHALT (MINERAL-SURFACED) (THICK-BUTT)	A 5650 / ME 26-NOV-62	ME YD1 99
SS-S-300B	SHINGLES, ORGANIC FIBER, ASPHALT (MINERAL SURFACED) (UNIFORM THICKNESS)	A 5650 * ME 26-NOV-62	ME YD1 99
SS-T-306B(1)	TILE, FLOOR, ASPHALT (S/S BY SS-T-312) USER: 26	A 5620 / YD1 08-JAN-53	YD1 69
SS-T-307	TILE, ASPHALT, GREASE RESISTANT	A 7220 / YD1 01-OCT-51	YD1
SS-T-308B	TILE, FLOOR, WALL, AND TRIM UNITS, CERAMIC	A 5620 / MD 16-NOV-59	ME YD1
SS-T-310	TILE, DRAIN, CLAY (S/S BY SS-P-1229A) REVIEWER: BS	A 5630 / MD 30-JUL-42	YD1 84
SS-T-316C	TILE, PARTITION, GYPSUM	A 5620 * ME 17-FEB-69	ME YD1 99
SS-T-321(1)	TILE, STRUCTURAL, CLAY FLOOR (USE ASTM C57) REVIEWER: BS	A 5620 / ME 01-JAN-36	ME YD1 84
SS-T-341A	TILE, STRUCTURAL, CLAY, LOAD-BEARING, WALL (USE ASTM C34) USER: 26	A 5620 / ME 21-JAN-43	ME YD1
SS-P-345A	PIPE, BITUMINIZED-FIBER, (SEWER, LAMINATED-WALL, AND FITTINGS) (S/S BY SS-P-001540) REVIEWER: BS	A 5630 * ME 11-JUL-63	ME YD1 84
SS-M-351	MINERAL FILLER, (FOR) SHEET ASPHALT OR ASPHALTIC CONCRETE PAVEMENTS (PORTLAND CEMENT, LIMESTONE DUST AND DOLOMITE DUST)	A 5610 / ME 23-JUN-31	ME YD1 11
SS-P-351D	PIPE AND COUPLINGS, ASBESTOS CEMENT PRESSURE (USE ASTM C296)	A 5640 * ME 03-JAN-74	ME YD1 84
SS-Q-351	QUICKLINE, FOR STRUCTURAL PURPOSES (USE ASTM C5)	A 5610 / ME 19-AUG-30	ME YD1
SS-T-351A	TILE, STRUCTURAL, CLAY, NON LOAD BEARING (USE ASTM C56) REVIEWER: BS	A 5620 / ME 21-JUN-43	ME YD1 84
SS-P-356	PIPE, BITUMINIZED-FIBER, SEWER, AND FITTINGS FOR SAME (S/S BY SS-P-001540) REVIEWER: BS CS	A 5630 / ME 06-APR-55	ME YD1 84
SS-P-358A	PIPE, BITUMINIZED FIBER, (PERFORATED DRAINAGE) AND FITTINGS FOR SAME (S/S BY SS-P-001540) REVIEWER: CS	A 5630 * YD1 24-FEB-60	YD1
SS-L-361(1)	LIME, HYDRAULIC, HYDRATED (USE ASTM C141) USER: OS REVIEWER: BS AS	A 5610 / MD 04-APR-39	YD1 84
SS-P-372A	PIPE, CONCRETE (NONREINFORCED, CAST-IN-PLACE)	A 5630 * ME 11-JAN-66	ME YD1 84
SS-P-385A(1)	PIPE, STEEL, (CEMENT-MORTAR LINING AND REINFORCED CEMENT-MORTAR COATING)	A 4710 * ME 27-FEB-68	ME YD1 99
SS-R-406C(1)	ROAD & PAVING MATERIALS, METHODS OF SAMPLING & TESTING	A 5610 / ME 14-SEP-71	ME YD1 99
SS-P-431A(1)	PLASTER-BOARD, GYPSUM	A 5640 / MD 13-MAY-52	YD1 11
SS-S-439	SLABS, ROOFING, PRECAST, GYPSUM (S/S BY SS-T-315A)	A 5620 / MD 20-JUN-49	YD1 84
SS-S-445A	SLAG, STONE AND GRAVEL, CRUSHED (FOR BITUMINOUS PAVING MIXTURES) (S/S BY ASTM-D692, ASTM-D693 AND ASTM-D1139)	A 5610 * YD1 18-DEC-85	YD1
SS-R-511	ROOFING, ASPHALT AND ASBESTOS-PREPARED, MINERAL-SURFACED (S/S BY SS-R-630) USER: 26	A 5650 / MD 01-MAR-61	YD1 69
SS-R-521	ROOFING AND SHINGLES, ASPHALT-PREPARED, MINERAL-SURFACED (S/S BY SS-S-300 AND SS-R-630) USER: 26	A 5650 / YD1 01-MAR-61	MD YD1 69
SS-P-570	POZZOLAN, FOR USE IN PORTLAND CEMENT CONCRETE (USE SS-C-1960/5)	A 9620 / YD1 18-APR-69	ME YD1 84
SS-C-608(1)	COMPOUNDS, JOINTING, SULFUR (FOR BELL-AND-SPIGOT CAST-IRON PIPE) USER: SA YD1	A 8030 * MR 08-JAN-47	MR 84
SS-C-618A	CONCRETE, READY-MIXED (USE ASTM C 94)	A 5610 * YD1 12-OCT-59	YD1



CANCELED SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Doc. OPL / OML Cancellation Inclusive Document Number	Document Title	Dist. SSM FSC / Area MCA Symbol Preparing Agency Date	Army Navy Air Force DLA	Custodians
SS-R-6208	ROOFING FELT, GLASS FIBER, ASPHALT COATED, (FOR FLASHING AND ROOFING) USER: CE	A 5650 / YD1 11-MAY-70	ME	YD1 99
SS-P-680	PRIMING-MATERIAL, FATTY ACID PITCH BASE, BRUSHING AND SPRAYING CONSISTENCY (FOR CONCRETE, MASONRY, AND OTHER MINERAL SURFACES) USER: YD1	A 8030 * MR 06-MAR-56	MR	
SS-A-696	ASPHALT, PETROLEUM, TYPE PAF-1-25, FOR JOINT FILLER (SQUEEGEE OR POURING METHOD) REVIEWER: 11	A 5610 / CE 17-JUN-37	CE	YD1 84
SS-S-721C	STONE, ARCHITECTURAL, CAST REVIEWER: YD1	A 5610 % 19-DEC-85		
SS-C-731A(2)	CRUSHED-STONE, CRUSHED-GRAVEL, AND CRUSHED-SLAG, (FOR) BITUMINOUS-CONCRETE BASE OR SURFACE-COURSE (S/S BY SS-S-445) USER: 26	A 5610 / MO 15-NOV-48		YD1 69
SS-C-736A(2)	CRUSHED-STONE AND CRUSHED-SLAG, FOR BITUMINOUS-MACADAM BASE OR SURFACE-COURSE (S/S BY SS-S-445) USER: 26	A 5610 / MO 15-NOV-48		YD1 69
SS-C-741A(2)	CRUSHED STONE, CRUSHED SLAG, AND GRAVEL, FOR BITUMINOUS SURFACE TREATMENT (S/S BY SS-S-445) USER: 26	A 5610 / MO 15-NOV-48		YD1 69
SS-C-743	CRUSHED STONE, CRUSHED SLAG, AND GRAVEL, (FOR) RAILROAD BALLAST (S/S BY SS-S-449) USER: 26	A 5610 / MO 14-OCT-42		YD1 69
SS-C-744A	CRUSHED STONE, CRUSHED SLAG, AND GRAVEL, (FOR) SEWAGE TRICKING FILTER MEDIA (SUPERSEDED BY SS-S-448) USER: 26	A 5610 / MO 15-DEC-49		YD1 69
SS-C-746A(2)	CRUSHED STONE AND CRUSHED SLAG, FOR WATER-BOUND BASE OR WEARING COURSE (S/S BY SS-S-445) USER: 26	A 5610 / MO 15-NOV-48		YD1 84
SS-B-750B	BUILDING BOARD, ASBESTOS-CEMENT, CORRUGATED (S/S BY SS-B-755A) USER: 26 ...	A 5640 / MO 23-NOV-60		YD1 69
SS-R-1785	ROOFING FELT, LAMINATED, ASPHALTIC MEMBRANE, WIRE MESH REINFORCED	A 5650 * ME 05-OCT-72	ME	YD1 99
SS-C-1960/48	CEMENT, HYDRAULIC, BLEND (USE ASTM C 595)	A 5610 / YD1 05-FEB-85	CE	YD1 95
TT-P-18	PAINT, ALKYL RESIN-EMULSION, EXTERIOR, PASTE, TINTS AND WHITE USER: EL SA YD1 REVIEWER: AS GL	A 8010 / 69 02-JUL-47		69
TT-P-22	PAINT, COLD-WATER, EXTERIOR, POWDER (WITH MIXING LIQUID) USER: SA YD1	A 8010 / SH 30-AUG-43		69
TT-P-23A(1)	PAINT, COLD-WATER, INTERIOR, LIGHT-TINTS AND WHITE USER: SA YD1	A 8010 / SH 02-AUG-51		69
TT-P-51E	PAINT, OIL, INTERIOR, FLAT, WHITE AND TINTS (USE FED S-TT-P-47) USER: GL MC REVIEWER: 85 IS MR SA YD1	A 8010 / SH 13-MAR-62	ME	SH 84
TT-P-56B	PRIMER COATING (PRIMER-SEALER) PIGMENTED OIL, PLASTER AND WALLBOARD (S/S BY TT-S-179) USER: GL MC REVIEWER: MR YD1	A 8010 / SH 23-FEB-54		69
TT-P-57B(1)	PAINT, ZINC YELLOW-IRON OXIDE-BASE, READY-MIXED USER: MC MI OS SA REVIEWER: AS MR YD1	A 8010 * ME 26-FEB-74	ME	SH 99
TT-L-70B	LAMPBLACK, DRY (PAINT-PIGMENT) (SUPERSEDED BY TT-P-350A) USER: EL YD1 REVIEWER: MR SA	A 8010 / SH 08-FEB-54		SH 69
TT-P-88A(1)	PAINT, RESIN-BASE EMULSION, INTERIOR, PASTE, WHITE AND TINTS USER: MR YD1 REVIEWER: SA	A 8010 / SH 02-AUG-51		69
TT-V-91B(1)	VARNISH, SHELLAC USER: 26 EL MC MR REVIEWER: GL YD1	A 8010 / SH 11-SEP-51		SH 69
TT-P-105A(2)	PAINT, OIL, CHALK RESISTANT, LEAD FREE, EXTERIOR, READY MIXED, WHITE AND TINTS (S/S BY TT-P-102)	A 8010 * MR 23-JUN-77	MR	YD1 99
TT-O-121B	OCHER, YELLOW, DRY (PAINT-PIGMENT) USER: EL MR MS YD1 REVIEWER: GL SA	A 8010 / SH 19-NOV-52		SH 69
TT-L-132	LITHOGRAPHIC PLATE ASPHALTUM SOLUTION (N. S/S DOCUMENT)	A 6850 # FSS 06-MAR-92		
TT-P-143B(4)	PAINT, VARNISH, LACQUER, AND RELATED MATERIALS, PACKAGING, PACKING, AND MARKING OF (S/S BY PPP-P-1892) USER: 26 AT EL MC REVIEWER: GL IS MR SA SH YD1	A 6850 # FSS 06-MAR-92		
TT-Y-216B	YELLOW-IRON-OXIDE, HYDRATED, SYNTHETIC, DRY (PAINT-PIGMENT) USER: GL MC YD1 REVIEWER: MR SA	A 8010 / MO 19-NOV-52		SH 69
TT-V-226	VENETIAN-RED, DRY (PAINT-PIGMENT) USER: EL MC YD1 REVIEWER: MR SA	A 8010 / SH 02-AUG-51		SH 69
TT-Z-301A	ZINC OXIDE, DRY AND PASTE-IN-OIL (S/S BY TT-P-463A) USER: 26 GL MC YD1 REVIEWER: MR	A 8010 / SH 03-MAR-61		SH 69
TT-F-320	FILLER, CRACK AND SEAM (FOR WOOD, METAL, OR CONCRETE AND CEMENT MORTAR) USER: 26 SA REVIEWER: MR	A 8010 / ME 01-FEB-56	ME	YD1
L TT-P-320D	PIGMENT, ALUMINUM: POWDER AND PASTE, FOR PAINT (S/S BY A-A-341) USER: ME REVIEWER: EA OS YD1	A 8010 * AS 15-JUL-91		AS
TT-S-346(1)	SIENNA, BURNT AND RAW, DRY (PAINT&PIGMENTS) USER: YD1 REVIEWER: SA	A 8010 / SH 03-JUN-60		69
TT-O-356A	OIL, FLATTING AND MIXING (FOR THINNING WHITE-LEAD-PASTE AND SIMILAR PASTE POINTS) USER: MC MR SA YD1	A 8010 / SH 30-AUG-43		69
TT-O-364	OIL, LINSEED, BOILED (FOR USE IN ORGANIC COATINGS) USER: 26 MC MR REVIEWER: SA YD1	A 8010 / SH 12-APR-60		69
TT-O-369	OIL, LINSEED, RAW (FOR USE IN ORGANIC COATINGS) USER: 26 MC MR REVIEWER: SA YD1	A 8010 / SH 11-APR-60		69
TT-T-425A	TITANIUM-DIOXIDE, DRY (PAINT-PIGMENT) (S/S BY TT-P-442) USER: GL YD1 REVIEWER: MR SA	A 8010 / SH 09-JAN-52		69
TT-A-468A(1)	ALUMINUM-PIGMENT, POWDER AND PASTE, FOR PAINT USER: EL REVIEWER: GL MR SA YD1	A 8010 / SH 02-AUG-51		SH 69
TT-C-520B	COATING COMPOUND, BITUMINOUS, SOLVENT TYPE, UNDERBODY (FOR MOTOR VEHICLES)(S/S BY MIL-C-62218) USER: YD1	A 8030 / MR 05-OCT-88	MR	84
TT-W-538B	WOOD PRESERVATIVE, CHROMATED ZINC ARSENATE MIXTURE USER: AT	A 8030 / MO 03-AUG-61	MO	YD1 84
TT-I-549A	INK: RED, WRITING (S/S BY A-A-2749)	A 7510 # FSS 02-MAR-92		
TT-I-00549C	INK, WRITING, COLORED (NON-PERMANENT) (S/S BY A-A-2749) USER: GL	A 7510 # FSS 02-MAR-92		
TT-W-556B	WOOD PRESERVATIVE, COAL-TAR-CREOSOTE USER: EL REVIEWER: AR GL	A 6810 / MO 01-FEB-55		YD1 69
TT-W-562B	WOOD PRESERVATIVE, COPPERIZED CHROMATED ZINC CHLORIDE MIXTURE USER: AS AT OS REVIEWER: CS	A 8030 / MO 10-AUG-61	MO	YD1 84
TT-A-566B	ANTIMONY OXIDE, DRY (PAINT PIGMENT) (S/S BY TT-P-325A) USER: EL YD1 REVIEWER: MR SA	A 8010 / SH 12-SEP-52		69
TT-W-566B	WOOD-PRESERVATIVE, CREOSOTE-COAL-TAR SOLUTION USER: EL REVIEWER: AR GL	A 8030 / MO 03-NOV-54		YD1 69
TT-S-600	SOYBEAN OIL (FOR USE IN ORGANIC COATINGS) USER: 26 REVIEWER: GS YD1	A 8010 * MR 16-APR-57	MR	68
TT-P-6150(3)	PRIMER COATING: BASIC LEAD CHROMATE READY MIXED (NO S/S DOCUMENT) USER: ME YD1	A 8010 # FSS 07-FEB-91		
TT-P-618E	PRIMER COATING, STYRENE/BUTADIENE-ZINC CHROMATE USER: ME	A 8010 * MR 08-MAR-77	MR	YD1 99
TT-P-636D	PRIMER COATING, ALKYL, WOOD AND FERROUS METAL (S/S BY TT-P-664, MIL-P-53030) USER: AT MC REVIEWER: OS MI	A 8010 / ME 01-SEP-88	ME	YD1 84
TT-P-652A	PRIMER, COATING, SHELLAC-PIGMENTED, (WHITE) LUSTERLESS	A 8010 * YD1 31-DEC-64		YD1
TT-P-659C(1)	PRIMER COATING AND SURFACE: SYNTHETIC, TINTS AND WHITE, (FOR METAL AND WOOD SURFACES) (S/S BY TT-P-662) USER: AT MC MI REVIEWER: AR GL MO	A 8010 / ME 13-NOV-91	ME	YD1 84
NOTICE 2	STAIN, OPAQUE, WOOD, EXTERIOR, OIL USER: MR SA REVIEWER: GL	A 8010 / YD1 17-FEB-45		YD1 69
TT-S-706	RUBBING COMPOUND (FOR LACQUERED SURFACES) USER: AS AT MC ME OS YD1 REVIEWER: 99 IS MR SH	A 5350 * AR 12-NOV-68	AR	
TT-R-771B(1)	PUTTY AND ELASTIC-COMPOUND, (FOR) METAL-SASH-GLAZING (S/S BY TT-G-410E) REVIEWER: GL IS YD1	A 8030 * MR 25-JUL-43		SA 84
TT-P-781A	TURPENTINE, GUM SPIRITS, STEAM DISTILLED, SULFATE WOOD, AND DESTRUCTIVELY DISTILLED USER: MC YD1	A 8010 * ME 16-JUL-79	ME	99
TT-T-801C	SURFACER, LIQUID, SANDING, SYNTHETIC (ALKYL) BASE, (FOR METAL AND WOOD SURFACES) (USE TT-P-659B AND TT-P-662A) USER: 26 GL MC	A 8010 / MR 30-DEC-58	MR	YD1
Q TT-S-810A	TAPE, CORRECTION (S/S BY A-A-2705)	A 7510 % FSS 01-JUL-92		
UJ-T-0085A(1)	WALLBOARD, COMPOSITION (S/S BY LLL-B-1188) USER: 26 MC	A 5640 / ME 13-MAY-52	ME	YD1 84
UJ-W-101A(1)	TAPE, SEALING, STERILIZATION INDICATOR (S/S BY A-A-54589)	A 6530 / MB 17-AUG-92	MB	MS 03
UJ-T-118B	PAPER, BUILDING, WATERPROOFED (S/S BY UJ-B-790) USER: 26	A 5640 / YD1 09-SEP-54		YD1 69
UJ-P-147B	PAPER, CARBON, DUPLICATING MACHINE, SPIRIT-PROCESS (S/S BY A-A-1225) USER: GL	A 7530 % FSS 18-NOV-92		
UJ-P-150B(2)	PAPER, DUPLICATING, MASTER, SPIRIT-PROCESS (NO S/S DOCUMENT)	A 7530 % FSS 03-FEB-92		
UJ-P-233B	PAPER, DUPLICATING, MASTER, SPIRIT-PROCESS (NO S/S DOCUMENT)	A 7530 # FSS 03-FEB-92		
UJ-P-233B(12)	PAPER, CONCRETE CURING, WATERPROOFED (KRAFT) (S/S BY UJ-B-790) USER: 26 MC MR REVIEWER: SA	A 8135 / GL 12-SEP-50	GL	YD1 69
UJ-P-264A				



CANCELED SECTION

NUMERICAL LISTING  
FEDERAL SPECIFICATIONS

Spec / OMA Code / Revision Inch / Document Number	Document Title	Dist. Smt. FSC / Ane MCA Symbol Preparing Act Date	Custodians Army Navy Air Force DIA
UL-P-271D	PAPER, WRAPPING, WATERPROOFED KRAFT (S/S BY PPP-B-1055) USER: AT MC MR OS	A 8135 / 69 16-AUG-63 GL SA 69	
UL-P-286C(1)	YD1 REVIEWER: AR AS EL SH	A 8135 / 69 03-SEP-54	
UL-P-288J	PAPER, KRAFT, WRAPPING USER: YD1	A 7530 / FSS 29-DEC-92	
UL-P-670D	PAPER, LEDGER, UNRULED USER: GL	A 7350 / GL 03-NOV-89 GL SA 84	
UL-P-680A(1)	PLATES, PAPER, RECTANGULAR AND ROUND (S/S BY A-A-1504) USER: YD1 REVIEWER: MD MS		
VV-G-768(2)	PORTFOLIO, DOUBLE-POCKET, PRESENTATION (S/S BY A-A-2660) USER: YD1	A 7510 / FSS 21-NOV-90	
VV-G-109A	GASOLINE, AUTOMOTIVE (S/S BY VV-G-1690B) REVIEWER: AT GS ME MI PS YD1	A 9130 / MR 30-MAY-74 MR SH 11	
VV-P-121A	GASOLINE, UNLEADED USER: AT REVIEWER: GS PS SA YD1	A 9130 / MR 17-SEP-65 MR AS 11	
VV-K-211D(4)	PARAFIN WAX (S/S BY VV-W-95)	A 9160 / YD1 19-AUG-53 EA YD1	
VV-P-216C	KEROSENE (USE ASTM D3699) USER: MC REVIEWER: DS EA GS ME PS YD1	A 9140 / SH 23-AUG-77 GL SH 68	
NOTICE 1	PENETRATING OIL (FOR LOOSENING FROZEN METALLIC PARTS) (S/S BY A-A-50493)	A 9150 / YD1 10-JUL-91 ME YD1 68	
VV-O-471	USER: GL MC REVIEWER: AR AV GS MS PS SA SH		
VV-O-526	OIL, LUBRICATING, CAR AND LOCOMOTIVE-ENGINE (S/S BY VV-L-822) USER: 26	A 9150 / YD1 12-JAN-45 MR YD1 67	
VV-B-680C	REVIEWER: GL SA SH		
VV-L-751D	OIL, LUBRICATING, MACHINE USER: 26 MC YD1 REVIEWER: GL SA	A 9150 / SH 04-NOV-43 MR SH 67	
NOTICE 1	BRAKE FLUID, AUTOMOTIVE (S/S BY SAE-J1703) USER: MC OS REVIEWER: AT GS MI	A 9150 / ME 05-MAY-89 ME YD1 68	
VV-L-820C	PS SA		
VV-L-822	LUBRICATING OIL: CHAIN, WIRE-ROPE, AND EXPOSED-GEAR (S/S BY MIL-L-2105 AND	A 9150 / ME 21-MAR-90 ME YD1 68	
VV-H-910A(1)	MIL-G-18458) USER: AT AV MC REVIEWER: GS MD MI PS SA SH	A 9150 / ME 09-SEP-88 ME SH 11	
VV-G-1690C	LUBRICATING OIL, GENERAL PURPOSE (LIGHT) (S/S BY VV-L-800) USER: AS MC OS		
VV-W-588	YD1 REVIEWER: MI PS	A 9150 * MR 05-SEP-62 MR YD1 68	
VV-W-151A	LUBRICATING OIL, RAILWAY CAR AND LOCOMOTIVE REVIEWER: GS PS	A 9150 / MR 02-APR-64 MR YD1 11	
VV-W-160B	HYDRAULIC FLUID, NON-PETROLEUM BASE, AUTOMOTIVE USER: 26 MC MI REVIEWER:		
VV-H-171E(1)	GL SA SH	A 9130 / ME 26-MAY-89 ME YD1 68	
VV-P-360B	GASOLINE, AUTOMOTIVE, LEADED OR UNLEADED (S/S BY ASTM-D439) USER: AR AT MC		
VV-P-00380A	REVIEWER: AS MD PS SA	A 4820 / YD1 07-NOV-84 ME YD1 82	
VV-P-405B(1)	VALVE, GATE, CAST IRON: THREADED & FLANGED (FOR LAND USE) (S/S BY MSS		
VV-F-406D	SP-70) USER: CE MC REVIEWER: SH	A 4520 / YD1 12-APR-66 YD1 99	
VV-P-406D(1)	VALVE, AIR VENTING STEAM, THERMOSTATIC (GRAVITY STEAM HEATING SYSTEMS)		
VV-P-441C(2)	USER: MC	A 4520 / YD1 19-APR-90 ME YD1 99	
VV-P-541/1B(1)	VALVES, RADIATOR, HEATING (PACKED AND PACKLESS) (S/S BY A-A-50456 AND		
VV-P-541/2B(1)	A-A-50457) USER: CE REVIEWER: 84 CS	A 5340 / YD1 05-JAN-89 YD1 99	
VV-C-563A	HANGERS & SUPPORTS, PIPE (FOR CIVIL AGENCIES S/S BY A-A-1192; FOR DOD S/S		
VV-C-623A	BY MSS-SP-58, MSS-SP-69, NFPA11, NFPA12, NFPA13, NFPA14, NFPA15, NFPA16 &		
VV-T-731C	NFPA17)	A 4710 * YD1 02-JUL-68 YD1	
VV-T-783C(1)	PIPE, CAST IRON, PRESSURE, (FOR GAS, WATER OR OTHER LIQUIDS) (USE ASTM		
VV-T-816(2)	A377) USER: MC	A 4710 * CS 07-MAY-64 MD YD1 69	
VV-D-190BA	PIPE AND FITTINGS, PLASTIC, RIGID (STYRENE RUBBER, DRAIN AND SEWER) (S/S		
VV-D-190BA	BY L-P-001221)	A 4710 * 99 15-FEB-89 ME YD1 99	
VV-H-1911A	PIPE, CORRUGATED (IRON OR STEEL, ZINC COATED) (S/S BY ASTM-A760,		
VV-S-1913A	ASTM-A761, ASTM-A761M, ASTM-A762, ASTM-A762M & ASTM-A849)	A 4730 / YD1 23-MAR-90 ME YD1 99	
VV-V-001916	FLANGES, CAST-IRON (CLASSES 125 AND 250) AND BRONZE (CLASSES 150 AND 300)		
ZZ-B-71B	(S/S BY ANSI-B16.1 AND ANSI-B16.24) USER: CG MC REVIEWER: CS	A 4710 / YD1 01-JUL-83 ME YD1 99	
ZZ-B-190C(1)	PIPE, STEEL (SEAMLESS AND WELDED) S/S BY ASTM A 120 USER: AR CG MC		
ZZ-B-190/1A	REVIEWER: CE CS EA MI	A 4710 / B2 31-JUL-68 ME YD1 82	
ZZ-B-190/2A	PIPE, WROUGHT IRON, (WELDED, BLACK OR ZINC COATED) (USE WW-P-406C) USER:		
ZZ-B-190/3A	AR MC MR REVIEWER: CS	A 4510 / YD1 10-DEC-92 ME YD1 99	
ZZ-B-190/4A	PLUMBING FIXTURES (WATER CLOSETS) (S/S BY ASME-A112.19.2M) USER: CE MC MS		
ZZ-B-190/5A	REVIEWER: CS	A 4510 / YD1 10-DEC-92 ME YD1 99	
ZZ-B-190/6A	PLUMBING FIXTURES (URINALS) (S/S BY ASME-A112.19.2M) USER: CE MC MS		
ZZ-B-206B(1)	REVIEWER: CS	A 5975 / BS 25-JAN-82 BS	
ZZ-B-220B	CONDUIT, METAL, RIGID, ELECTRICAL, THIN WALL STEEL TYPE (ELECTRICAL		
ZZ-T-301A	METALLIC TUBING), STRAIGHT LENGTHS, ELBOW, & BENDS (USE ANSI/A 797) USER:		
ZZ-T-401C	ER REVIEWER: 99 EA YD1	A 4730 / MD 14-NOV-50 MD YD1 69	
ZZ-S-451A	COUPLINGS, MOSE, GARDEN AND WATER (SUPERSEDED BY WW-C-624) REVIEWER: MC ..		
ZZ-F-461A	TUBE, STEEL AND OPEN HEARTH IRON, SEAMLESS AND WELDED, BOILER USE (USE		
ZZ-F-46B	ASTM A178 AND ASTM A192) REVIEWER: CS MI MR YD1	A 4710 / SH 04-APR-56	
ZZ-M-471A(3)	TUBE, ALUMINUM ALLOY, ROUND, SQUARE, RECTANGULAR AND OTHER SHAPES, DRAWN,		
ZZ-H-499B(1)	SEAMLESS, 1100 (S/S BY WW-T-700/1B) USER: 26 AR REVIEWER: MR		
ZZ-H-515(1)	TUBING, FLEXIBLE, ALUMINUM ALLOY (S/S BY WW-H-1053) USER: AT REVIEWER: AS		
ZZ-B-530C(1)	SH	A 4720 / YD1 16-JAN-61 YD1 11	
ZZ-H-541C	DISPENSER, TOILET PAPER, CABINET (S/S BY A-A-2668) REVIEWER: CS		
ZZ-M-611A(1)	DISPENSER, PAPER TOWEL (S/S BY A-A-2380) USER: CE MC YD1 REVIEWER: CG CS ..		
ZZ-T-651	HOLDER, TOILET PAPER (SINGLE ROLL) (S/S BY A-A-2524) USER: CS	A 4510 * YD1 26-APR-90 ME YD1 99	
ZZ-T-831D(1)	SHOWER HEAD, BALL JOINT (INTEGRAL FLOW CONTROL) (S/S BY A-A-240) USER: MC ..		
AAA-S-79A	VALVE FLUSH: GUIDE ARM; LIFT RODS; AND TRIP LEVER ASSEMBLY: (WATER CLOSET		
	TANK) (LAND USE) (S/S A-A-2820)	A 4510 * YD1 26-APR-91 YD1 99	
	BAGS; POLYTIZER (NO S/S DOCUMENT)	A 4510 # FSS 08-MAR-93	
		A 6515 / MB 12-FEB-93 MD MS 03	
	BELTS, V: ENGINE ACCESSORY DRIVE; MINUS 40 DEG. F., GENERAL SPECIFICATION		
	FOR (S/S BY A-A-52155) USER: AR AT AV MC SH REVIEWER: CS	A 3030 / AT 11-FEB-93 AT YD1 99	
	BELTS, V: ENGINE ACCESSORY DRIVE (0.380 INCH NOMINAL WIDTH) (S/S BY		
	A-A-52155) USER: AR AV MC SH REVIEWER: CS	A 3030 / AT 11-FEB-93 AT YD1 99	
	BELTS, V: ENGINE ACCESSORY DRIVE (0.500 INCH NOMINAL WIDTH) (S/S BY		
	A-A-52155) USER: AR AV MC SH REVIEWER: CS	A 3030 / AT 11-FEB-93 AT YD1 99	
	BELTS, V: ENGINE ACCESSORY DRIVE (1.176 INCH NOMINAL WIDTH) (S/S BY		
	A-A-52155) USER: AR AV MC SH REVIEWER: CS	A 3030 / AT 11-FEB-93 AT YD1 99	
	BELTS, V: ENGINE ACCESSORY DRIVE (3/4 INCH NOMINAL WIDTH) (S/S BY		
	A-A-52155) USER: AV ER MC SH REVIEWER: CS	A 3030 / AT 11-FEB-93 AT YD1 99	
	BELTS, V: ENGINE ACCESSORY DRIVE (7/8 INCH NOMINAL WIDTH) (S/S BY		
	A-A-52155) USER: AR AT AV MC SH REVIEWER: CS	A 3030 / AT 11-FEB-93 AT YD1 99	
	BELTS, V: ENGINE ACCESSORY DRIVE (1 INCH NOMINAL WIDTH) (S/S BY		
	A-A-52155) USER: AR AT AV MC SH REVIEWER: CS	A 3030 / AT 11-FEB-93 AT YD1 99	
	BELTING, FLAT, CONVEYOR, RUBBER (SEE MIL-B-52761) REVIEWER: CS	A 3030 * ME 26-OCT-66 ME YD1 99	
	BELTING, V, ADJUSTABLE LINK	A 3030 / YD1 20-MAY-68 ME YD1 99	
	TILE, FLOOR, RUBBER USER: 26	A 7220 / YD1 22-JAN-48 YD1 69	
	TIRE, PNEUMATIC, INNER TUBE, PNEUMATIC TIRE, (BICYCLE) REVIEWER: AT	A 2610 / YD1 11-AUG-61 YD1 84	
	SLEEVES, DREDGING (S/S BY ZZ-H-515)	A 4720 / YD1 16-APR-46 YD1	
	FLOOR-COVERING, RUBBER, SHEET USER: 26	A 7220 / MD 29-APR-48 YD1 69	
	FLOOR-COVERING, SAFETY, RUBBER USER: 26	A 7220 / MD 21-APR-48 YD1	
	MOSE, GASOLINE, SYNTHETIC-RUBBER WIRE-STIFFENED USER: AR MC REVIEWER: AS	A 4720 / YD1 31-JUL-53 ME YD1 11	
	AT OS		
	MOSE, PNEUMATIC, WRAPPED (S/S BY ZZ-H-500) USER: AR REVIEWER: SH	A 4720 / YD1 30-SEP-53 YD1 11	
	MOSE, RUBBER (SLEEVES, DREDGING) USER: CE MC	A 4720 / YD1 04-APR-69 ME YD1 99	
	BOOTS, KNEE AND HIP, (RUBBER) (S/S BY A-A-50063) USER: 45 CG MC YD1	A 8430 / GL 09-APR-90 GL SA 99	
	REVIEWER: MD		
	MOSE, RUBBER, STEAM (SEE MIL-H-28596) USER: CE REVIEWER: CS	A 4720 * ME 22-AUG-67 ME YD1 82	
	MOSE, WATER, WRAPPED (USE ZZ-H-601B) USER: AT MC REVIEWER: CS SH	A 4210 / YD1 29-AUG-57 MD YD1 11	
	TREADS, SAFETY, RUBBER (S/S BY NR-T-650) REVIEWER: 69 SH	A 7225 / GL 29-APR-48 GL YD1 11	
	TUBING, RUBBER AND PLASTIC (S/S BY A-A-52047) USER: MS REVIEWER: AR AS AV	A 4720 / ME 30-APR-93 ME YD1 11	
	CS EA MD MI OS		
	SCALE, BEAM INDICATING (AND SCALES, DIAL AND BEAM INDICATING, MOTOR-TRUCK,		
	BUILT-IN AND SELF-CONTAINED) USER: GS	A 6670 / YD1 28-JAN-66 GL YD1 82	



# CANCELED SECTION

# NUMERICAL LISTING FEDERAL SPECIFICATIONS

Action On / Date Cancellation Notice	Document Number	Document Title	Dist Smt FSC / Area MCA Symbol Preparing Act	Date	Army Navy Air Force DLA	Custodians
	AAA-S-101A	SCALES, RAILWAY-TRACK, KNIFE-EDGE	A 6670 / YD1	12-JUN-42	GL	YD1 87
	AAA-S-118D	SCALE, BEAM INDICATING (PORTABLE-PLATFORM, FLOOR TYPE) (NO S/S DOCUMENT)	A 6670 / GL	28-JUN-88	GL	YD1 99
	NOTICE 1	USER: MC REVIEWER: GS				
	AAA-S-121D(2)	SCALES, (WEIGHING: GENERAL SPECIFICATIONS FOR) (NO S/S DOCUMENT) USER: MC	A 6670 / GL	28-JUN-88	GL	YD1 99
		MS REVIEWER: ME SH				
	AAA-S-133D(1)	SCALE, BEAM INDICATING, AND SCALES, SPRING (SUSPENSION MOUNTED) (S/S BY	A 6670 / GL	18-APR-88	GL	YD1 99
		A-A-50062) USER: ME REVIEWER: EA GS MI MS				
	CCC-M-51D	MADDING, COTTON, SURGICAL (S/S BY A-A-54748)	A 6510 / MB	01-NOV-92	MD	MS 03
	NOTICE 1					
	CCC-C-41B	CLOTH, COATED, UPHOLSTERY (VINYL RESIN BASE) (FOR TYPE 1 USE CCC-A-700B)	A 8305 / SH	29-AUG-60		11
		USER: MR YD1 REVIEWER: CT GL MC SA				
	CCC-C-525D	CLOTH, CURTAIN, MODACRYLIC WARP AND SARAN FILLING (NO S/S DOCUMENT)	A 8305 / CT	22-JAN-92		CT
	CCC-D-761(2)	DUCK, COTTON, PILED-FILLING YARN AND SINGLE-YARN (FLAT-DUCK) USER: AR EL	A 8305 / SA	20-OCT-60	GL	SA
		MR YD1 REVIEWER: CT MC				
	CCC-B-811(3)	BURLAP, JUTE USER: SA YD1 REVIEWER: CT	A 8305 / GL	14-JAN-48	GL	MC
	DDD-P-46D	PACK, GAUZE, ABDOMINAL (S/S BY A-A-54555)	A 6510 / MB	14-AUG-92	MD	MS 03
	NOTICE 1					
	DDD-C-61C	CARPET AND RUG, VELVET, PLAIN AND TWISTED PILE AND UNICUT PILE (S/S BY	A 7220 / YD1	03-AUG-56		YD1
		DDD-C-95)				
	DDD-C-71A(1)	CARPET AND RUG, WILTON (S/S BY DDD-C-95)	A 7220 / YD1	26-MAY-57		YD1
	DDD-M-148	MAT, COTTON (FOR CONCRETE CURING) USER: YD1	A 8305 / %	01-JAN-43		
	DDD-S-251D	SHADE, ROLLER, WINDOW; ROLLER, SLAT, CORD, AND ACCESSORIES (NO S/S	A 7230 / GL	12-SEP-90	GL	YD1 69
		DOCUMENT) USER: CE ME				
	DDD-L-416	LINING, CARPET USER: 26	A 7220 / YD1	26-AUG-36		YD1 69
	DDD-R-751	RUG, AMERICAN ORIENTAL, WASHED	A 7220 / YD1	26-MAY-43		YD1
	GGG-S-61A(1)	SAWS USER: MC YD1 REVIEWER: EL GL	A 5100 / SH	07-JUL-55		69
	GGG-V-191D	"V" BLOCKS AND CLAMPS (S/S BY A-A-51150) USER: AT AV MC ME YD1 REVIEWER:	A 3460 / IP	21-APR-87	AL	99 IP
		GS				
	GGG-S-271A	SPOKESHAVE USER: EL MC YD1	A 5110 / %	03-NOV-53	GL	SH 99
	GGG-W-290C	WHEELS, ABRASIVE, SNAGGING (S/S BY ANSI-B7.1, ANSI-B74.2, ANSI-B74.12 AND	A 5345 / YD1	17-OCT-91	AL	YD1 99
		ANSI-B74.13) USER: MC ME REVIEWER: BA DM GL GS				
	GGG-C-350B	CHUCKS, DRILL; ARBORS, ADAPTERS AND KEYS, DRILL CHUCK (S/S BY A-A-50966,	A 3460 / IP	28-AUG-87	AL	YD1 99
		A-A-50968, A-A-50969, A-A-50970, A-A-51124, A-A-51140) USER: AV MC SH				
		REVIEWER: GS				
	GGG-P-351A	PIPE-THREADS, TAPER (AMERICAN-NATIONAL) USER: AR GL REVIEWER: MU SH	A 7650 / MO	24-JAN-44		YD1 11
	GGG-B-445A	BLADE, CIRCULAR SAW, WOODWORKING (TUNGSTEN CARBIDE TIPPED, GENERAL	A 3230 / SH	10-OCT-90	ME	SH 84
		PURPOSE) (NO S/S DOCUMENT) USER: YD1 REVIEWER: GS				
	GGG-G-521E	GOGGLES, INDUSTRIAL, RESILIENT FRAME (S/S BY A-A-1110) USER: MC OS SH	A 4240 / YD1	01-DEC-92	EA	YD1 99
		REVIEWER: GS MD SM				
	GGG-B-550B	BLOWTORCH, ALCOHOL AND GASOLINE, HAND USER: 99 AS GL MC OS MC YD1	A 5120 / %	06-MAY-64		GL 99
	GGG-T-551	TOOL KIT, CROSSCUT SAW REFITTING USER: WC YD1	A 5180 / GL	14-JAN-55	GL	SH 99
	GGG-C-571A	COPPERS (IRONS), SOLDERING (S/S BY GGG-S-595A) USER: 26 MC YD1 REVIEWER:	A 3432 / SH	28-JUN-61	WC	84
		GL				
	GGG-M-631B(5)	WRENCHES, ADJUSTABLE: OPEN-END, AUTO AND MONKEY (S/S BY A-A-2344,	A 5120 / GL	05-JAN-88	GL	SH 99
		A-A-2345, A-A-2346 AND A-A-2347) USER: YD1				
	GGG-D-641A	DRIFTS: DRILL (S/S BY A-A-2545) USER: AR YD1	A 5120 / GL	24-OCT-89	GL	SH 99
	GGG-T-669C	TRIMMER, TREE, POLE-MOUNTED REVIEWER: CS	A 3750 / YD1	01-MAY-64		YD1 99
	GGG-S-751A	STICK, PACKING USER: YD1	A 5120 / SH	12-JUN-53	GL	SH 84
	GGG-A-825A	AUGER MACHINE, PIPE AND SEWER, POWER OPERATED (NO S/S DOCUMENT) REVIEWER:	A 4940 / AR	09-JUL-90	AR	YD1 82
		CS				
	GGG-S-1309A	STAPLER, BAG, HAND OPERATED (STAPLER, BOX AND STAPLER, GENERAL USE) (AND	A 3540 / GL	25-SEP-72	GL	SA 99
		STAPLES USER: CG MC YD1 REVIEWER: GS ME SM				
	HHH-V-1867(1)	VEGETABLES, FRESH, TABLE READY (READY-TO-USE) (GENERAL SPECIFICATION)	A 8915 / GL	10-JUL-92	GL	SA 50
		REVIEWER: MC MD MS SS				
	HHH-V-1867/2	CARROTS, FRESH, READY-TO-USE REVIEWER: MC MD MS SS	A 8915 / GL	10-JUL-92	GL	SA 50
	HHH-V-1867/4	ONIONS, DRY, READY-TO-USE REVIEWER: MC MD MS SS	A 8915 / GL	10-JUL-92	GL	SA 50
	HHH-V-1867/5	ONIONS, GREEN, FRESH, READY-TO-USE REVIEWER: MC MD MS SS	A 8915 / GL	10-JUL-92	GL	SA 50
	JJJ-B-87	BALL, GAUZE (S/S BY A-A-54749)	A 6510 / MB	01-NOV-92	MD	MS 03
	NOTICE 1					
	JJJ-B-0087A	BALL, GAUZE (S/S BY A-A-54749)	A 6510 / MB	01-NOV-92	MD	MS 03
	NOTICE 1					
	JJJ-L-821A	LITHOGRAPHIC PLATE PRESERVING GUM (NO S/S DOCUMENT)	A 6850 / FSS	06-MAR-92		
	KKK-T-00640A	TRACTOR, WHEELED, AGRICULTURAL, GASOLINE-ENGINE DRIVEN, DIESEL-ENGINE	A 2420 / MD	14-JUN-62	MD	YD1
		DRIVEN, TRACTOR-FUEL-ENGINE DRIVEN, OR LP-GAS-ENGINE DRIVEN				
	KKK-T-716A	TRUCKS, GASOLINE ENGINE, FOUR WHEELS-TWO-REAR-WHEEL DRIVE, G.V.W. 4,200	A 2320 / MD	30-AUG-48		84
		POUNDS (USE KKK-T-00723) USER: 26 GL YD1 REVIEWER: EL				
	KKK-T-719	TRUCKS, GASOLINE ENGINE, FOUR WHEELS, TWO-REAR-WHEEL DRIVE, G.V.W. 6,400	A 2320 / MD	29-JAN-51		MC 11
		POUNDS (USE KKK-T-00723) USER: GL YD1 REVIEWER: EL				
	LLL-M-35	HARDBOARD, FIBROUS-FELTED (FIBERBOARD) (S/S BY LLL-B-810A) USER: 26 MC MR	A 8135 / GL	21-DEC-55	GL	SA 69
		YD1 REVIEWER: AR				
	LLL-M-006D	HARDBOARD PANELS, PREFINISHED (S/S BY LLL-B-805)	A 5640 / MD	14-MAY-59	MD	YD1
	LLL-C-96	CARPET, CORK (NO SUPERSEDING ITEM) USER: 26	A 7220 / YD1	02-MAY-39		YD1 69
	LLL-F-321B(1)	FIBERBOARD, INSULATING USER: 26	A 5640 / MD	17-DEC-42	MD	YD1 69
	LLL-L-351B(1)	LINOLEUM, BATTLESHIP (S/S BY LLL-F-1238) USER: 26 MC REVIEWER: 85 YD1	A 7220 / SH	28-JUN-54	MD	SH 84
	LLL-L-367(3)	LINOLEUM, PLAIN, JASPE AND MARBLEIZED (S/S BY LLL-F-1238) USER: 26 MC	A 7220 / YD1	23-NOV-51		YD1 84
		REVIEWER: 85				
	LLL-T-431B	TILE, CORK	A 7220 / YD1	22-OCT-59		YD1
	LLL-F-471(1)	FLOOR-COVERINGS, FELT BACKED (S/S BY LLL-F-1238) USER: 26 REVIEWER: 85	A 7220 / YD1	26-JUN-43		YD1 84
	LLL-I-533	INSULATION (REDWOOD-BARK, SHREDDED) (S/S BY HH-I-515A) USER: 26	A 5640 / 69	21-APR-43		YD1 69
	LLL-D-581D(1)	DOOR, WOOD, (EXTERIOR AND INTERIOR) USER: 26 YD1 REVIEWER: CS	A 5520 / ME	11-JAN-71	ME	99
	LLL-S-710M	STEPLADDERS, WOOD (S/S BY UL112)	A 5440 / YD1	11-APR-91	ME	YD1 99
	LLL-B-805	BUILDING BOARD, HARD PRESSED, VEGETABLE FIBER, PREFINISHED HARDBOARD	A 5640 / ME	28-JUN-63	ME	YD1 84
		PANELS				
	LLL-B-810B	BUILDING BOARD, (HARDBOARD) HARD PRESSED, VEGETABLE FIBER (S/S BY	A 5640 / YD1	26-JAN-90		YD1
		ANSI-A135.4)				
	LLL-F-1238A	FLOOR COVERING, LINOLEUM (NO S/S DOCUMENT)	A 7220 / YD1	27-FEB-89	GL	YD1 84
	HHH-A-125D	ADHESIVE, CASEIN-TYPE, WATER AND MOLD RESISTANT (S/S BY ASTM-B4689-90)	A 8040 / MR	03-OCT-91	MR	YD1 84
	NOTICE 1	USER: ER ME MI SH REVIEWER: 99 AL AR AS EA GL MD				
	HHH-A-131A	ADHESIVE, GLASS-TO-METAL (FOR BONDING OF OPTICAL ELEMENTS) (S/S BY	A 8040 / AR	14-NOV-85	AR	11
		MIL-A-48611) USER: YD1 REVIEWER: MI				
	HHH-A-193C	ADHESIVE, VINYL ACETATE RESIN EMULSION (S/S BY HHH-A-180C CLASS B) USER:	A 8040 / MR	26-OCT-67	MR	YD1
		EL ME REVIEWER: AR MI				
	HHH-B-350B	BINDER, ADHESIVE, EPOXY RESIN, FLEXIBLE REVIEWER: MD YD1	A 5610 / ME	11-MAR-73	ME	99
	HHH-G-650B	GROUT, ADHESIVE, EPOXY RESIN, FLEXIBLE, FILLED USER: YD1 REVIEWER: MD	A 5610 / ME	13-FEB-73	ME	99
	HHH-C-25B	CASSEROLE, LABORATORY, PORCELAIN (S/S BY A-A-54739) REVIEWER: EA	A 6640 / MB	01-NOV-92	MD	MS 03
	NOTICE 1					
	HHH-D-340A	DISH, EVAPORATING, NONMETALLIC (NO S/S DOCUMENT)	A 6640 / MB	10-MAY-93	MD	MS 99
	NOTICE 1					
	HHH-S-450B	SLIDE, MICROSCOPE (NO S/S DOCUMENT) REVIEWER: MI	A 6640 / MB	12-MAY-93	MD	MS 99
	NOTICE 1					
	HHH-T-58D	TONGS, LABORATORY (S/S BY A-A-51358)	A 6640 / MB	22-MAR-93	MD	MS 03
	NOTICE 1					
	HHH-C-68D	CRUCIBLES, FILTERING AND IGNITION, AND COVERS, LABORATORY (S/S BY	A 6640 / MB	22-MAR-93		
	NOTICE 1	A-A-51686)				



# CANCELED SECTION

# NUMERICAL LISTING FEDERAL SPECIFICATIONS

Action CPL / OIA Coordination Package Document Number	Document Title	Dist. SMT FSC / Area MCA Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DIA
NNN-C-688 NOTICE 1	CRUCIBLE, IGNITION, LABORATORY, METAL (NO S/S DOCUMENT) .....	A 6640 / MB 22-MAR-93				
L NNN-S-00750A NOTICE 1	STAND, LABORATORY APPARATUS SUPPORT (S/S BY A-A-51211) .....	A 6640 / MB 02-NOV-92				
NNN-T-785B NOTICE 2	TUBE, CENTRIFUGE (PLASTIC) (NO S/S DOCUMENT) USER: MI SM REVIEWER: DP MD ..	A 6640 / MB 19-MAY-93	AR	MS		
NNN-B-00789A NOTICE 1	BURET, STRAIGHT, PRECISION (S/S BY A-A-51246) .....	A 6640 / MB 02-NOV-92	AR	MS	67	
L NNN-B-001194 NOTICE 1	BOTTLES: DROPPER, AND DROPPING TK (S/S BY A-A-51374) REVIEWER: 03 B2 AR	A 6640 / MB 26-MAR-93				
NNN-D-001290 NOTICE 1	DESICCATORS, LABORATORY AND DESICCATOR PLATES (NO S/S DOCUMENT) .....	A 6640 / MB 02-APR-93	MD	MS	03	DM
NNN-T-001476A(2) NOTICE 1	TEST TUBE (GLASS, DISPOSABLE) (S/S BY A-A-53657) .....	A 6640 / MB 14-MAY-93				
NNN-P-1482A NOTICE 1	PIPET, SEROLOGICAL, SAMPLI HEMOGLOBIN (NO S/S DOCUMENT) REVIEWER: DM .....	A 6640 / MB 19-MAY-93	MD	MS	03	DM
NNN-P-001482B(11) NOTICE 1	PIPET, SEROLOGICAL, SAMPLI, DILUTING, HEMOGLOBINOMETER, 0.02 ML. ....	A 6640 / MB 19-MAY-93	MD	MS	03	
NNN-F-1486B NOTICE 1	FILLER, PIPET, RUBBER (S/S BY A-A-51803) .....	A 6640 / MB 14-MAY-93	MD	MS	03	
PPP-C-268(1) NOTICE 1	CANNED BAKED, CANNED STEAMED, AND CANNED STEAMED AND RETORTED SUBSISTENCE	A 8920 / GL 10-AUG-92	GL	SA	45	
PPP-B-35C	ITEMS, PACKAGING AND PACKING OF (NO S/S DOCUMENT) REVIEWER: MC MD SM SS	A 8105 / GL 27-MAR-91	GL	SA	69	
PPP-T-0075	BAGS, TEXTILE, SHIPPING, BURLAP, COTTON, AND WATERPROOF LAMINATED (S/S BY	A 8135 * GL 28-FEB-80	GL	AS	69	
PPP-C-301A	A-A-881) USER: MC MD ME SS YD1 REVIEWER: 99 CR EA SH	A 8135 * GL 28-MAR-83	EA	SH	68	
L PPP-L-540C(2)	TAPE, PRESERVATION AND SEALING (NO S/S DOCUMENT) USER: 70 CE MC MI OS	A 8105 * GL 24-MAR-92	GL			
	REVIEWER: 71 B0 B2 B4 AR EA ME SA YD1					
PPP-B-575	CHEMICALS, DRY AND PASTE - PACKAGING AND PACKING OF (S/S BY PPP-C-2020)					
PPP-B-645	USER: YD1 REVIEWER: AS GS MD ME SA SM					
PPP-P-700C	ENVELOPES: WATER-RESISTANT FOR PACKING LIST AND SHIPPING DOCUMENTS (S/S					
PPP-D-715	BY A-A-1659, A-A-1660, AND A-A-1658) USER: 71 MC ME SH YD1 REVIEWER: 69 AR					
PPP-S-760B	MI OS					
PPP-P-1010	BOX, PAPER&OVERLAD VENEER (STRAP&AROUND TYPE) USER: 26 MS REVIEWER: EL MC					
PPP-B-1122(2)	YD1					
PPP-T-1150B	BOXES, FOLDING, FIBERBOARD, HEAVY DUTY USER: 26 AR REVIEWER: EL MC SM MC					
PPP-D-1152B	YD1					
PPP-E-1533B(1)	PHOTECTOR, PACKING LIST (S/S BY A-A-1907) USER: AS MC OS SH YD1 REVIEWER:					
PPP-B-1803	99 AR OS SM					
PPP-S-1927A	DRUMS, FIBER, WITH RECESSED ENDS USER: AR EL YD1 REVIEWER: SH MC .....					
	STRAPPING, NONMETALLIC (AND CONNECTORS) (S/S BY ASTM-D3950-87) USER: MC SC					
	SH YD1 REVIEWER: DS EA ME					
	PACKAGING, PACKING, AND MARKING, BENCHES, BINS, CABINETS, AND WORKTABLES,					
	GENERAL SPECIFICATION FOR (USE MIL-B-45977) REVIEWER: SM					
	BALANCES, SCALES, AND ACCESSORIES, PACKAGING AND PACKING OF (NO S/S					
	DOCUMENT) USER: MC MD ME REVIEWER: GS SM					
	TOOLS AND TOOL ACCESSORIES FOR POWER DRIVEN, METAL AND WOODWORKING,					
	MACHINERY, PACKAGING AND PACKING OF (S/S BY PPP-P-40) USER: SH REVIEWER:					
	ME SM					
	DRUM SHIPPING: STEEL, 55-GALLON (24 AND 21 GAGE REINFORCED) (NO S/S					
	DOCUMENT) USER: YD1 REVIEWER: 68 GS MD SH SM					
	ENVELOPES, PACKAGING, CUSHIONED (S/S BY A-A-286) USER: AS MI MS OS YD1					
	REVIEWER: MC					
	BRUSH, ARTISTS, MARKERS, AND PAINTERS, PACKAGING AND PACKING OF USER: AR					
	MC ME SM					
	SACK, SHIPPING, PAPER (REINFORCED) (S/S BY A-A-157) .....					



# CANCELED SECTION

# NUMERICAL LISTING FEDERAL STANDARDS

Adm Ops / Com Proc Inspec Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Acty. Date	Custodians			
			Army	Navy	Air Force	DIA
FED-STD-2	COAL, PENNSYLVANIA ANTHRACITE REVIEWER: SA	A 9110 * ME 21-NOV-50	ME	YD1	68	
FED-STD-220	COSTUME, WEARING APPAREL, WOOD, (GENERAL OFFICE) REVIEWER: BS	A 7195 * GL 02-APR-65	GL	YD1	84	
FED-STD-248	MIRROR, GLASS (FRAMED) USER: 26 MC	A 7105 * GL 22-APR-58	GL	YD1	84	
FED-STD-30	CHAIR, BENT WOOD	A 7105 / GL 02-SEP-53	GL	YD1	69	
FED-STD-31	CUSTOMERS, METAL, GENERAL OFFICE (S/S BY FED STD 106A)	A 7195 / GL 02-SEP-53	GL	YD1	69	
FED-STD-358	BOOKCASE, WOOD (EXECUTIVE OFFICE) (S/S BY FED-STD 241) USER: 26 YD1	A 7110 / GL 03-SEP-57	GL	SA	69	
FED-STD-378	CABINET, TELEPHONE, WOOD, EXECUTIVE OFFICE, (S/S BY FED-STD 241) USER: 26 YD1	A 7110 % 26-AUG-57				
FED-STD-418	DESK, FLAT TOP AND TYPEWRITER, WOOD, (EXECUTIVE OFFICE) (S/S BY FED-STD 241) USER: 26 YD1	A 7110 % 26-AUG-57				
FED-STD-448	WARDROBE, WOOD, (EXECUTIVE OFFICE)	A 7105 / GL 03-SEP-59	GL	YD1	69	
FED-STD-89	COLOR CODE FOR GAS MASK CANISTER IDENTIFICATION USER: 26	A MISC / AR 25-JAN-57	AR	YD1	99	
FED-STD-90	RUBBERS, SYNTHETIC, SPECIFICATION LIMITS, SAMPLING, AND TESTING USER: MC MS YD1 REVIEWER: AR GL MJ	A 7650 / SH 12-APR-56		SH		
FED-STD-146A NOTICE 2	TOLERANCES FOR COPPER AND COPPER BASE ALLOY MILL PRODUCTS (S/S BY SAE-AMS2221, SAE-AMS2221, SAE-AMS2222, SAE-AMS2222, SAE-AMS2223, SAE-AMS2223, SAE-AMS2224 AND SAE-AMS2224) USER: AT AV CR YD1 REVIEWER: AR AS IS MD MI	A 95GP / MR 26-JUN-92	MR	SH	84	
FED-STD-163A	CABLE, POWER, ELECTRICAL, (RUBBER-INSULATED, GENERAL PURPOSE) AND WIRE, ELECTRICAL, (RUBBER-INSULATED, GENERAL PURPOSE) (S/S BY FED STD 242A)	A 6145 * EL 26-JUL-63	EL	YD1	80	
FED-STD-247C	FROZEN, FOOD CABINETS, MECHANICALLY REFRIGERATED, HOUSEHOLD USER: CE CG MC REVIEWER: ME	A 4110 * GL 22-MAR-76	GL	YD1		
FED-STD-248A	REFRIGERATOR, MECHANICAL, HOUSEHOLD, (ELECTRICAL, SELF-CONTAINED) USER: CE CG MC REVIEWER: ME	A 4110 * GL 24-JUN-68	GL	YD1		
FED-STD-263A	TUBE FITTINGS, COPPER AND COPPER ALLOY, WROUGHT OR CAST SOLDER ENDS USER: MC MI MC YD1	A 4730 * ME 01-MAY-73	ME		99	
FED-STD-278	RANGE, ELECTRIC, DOMESTIC	A 7310 * GL 13-DEC-68	GL	YD1	99	
FED-STD-345	TIRE, PNEUMATIC, VEHICULAR (HIGHWAY LIGHT TRUCK) USER: CE REVIEWER: AR YD1	A 2610 * AT 15-MAR-72	AT			
FED-STD-356C	COMMERCIAL PACKAGING OF SUPPLIES AND EQUIPMENT (INCORPORATED INTO MIL STD 1188) USER: MC REVIEWER: 11 16 99 AR ES GL ME MI MR	A PACK / SH 22-APR-77	SH		69	DM
FED-STD-406A(1) NOTICE 1	PLASTICS: METHODS OF TESTING (S/S BY - SEE CANCELLATION NOTICE FOR RECOMMENDED SUPERSEDING ASTM TEST METHODS) USER: AS MC ME MS OS YD1 REVIEWER: 18 AV EA EL ES GS MI	A 9330 / MR 21-AUG-90	MR	SH	11	
FED-STD-626	GLASSWARE: METHODS OF SAMPLING AND TESTING REVIEWER: EA	A 7350 * GL 30-SEP-92	GL	AS	99	







CANCELED SECTION

NUMERICAL LISTING  
MILITARY HANDBOOKS

Admin Op. / OMA Classification Inclusive Document Number	Document Title	Dist. Sym. FSC / Area MCA Symbol Preparing Acty Date				Custodians			
		Army	Navy	Air Force	DLA				
MIL-HDBK-10	CROSS INDEX OF CHEMICALLY EQUIVALENT SPECIFICATIONS AND IDENTIFICATION CODE (FERROUS AND NONFERROUS ALLOYS) (HANDBOOK H-1) USER: 11 MC YDI REVIEWER: IS	A MISC	B4	22-JUN-70	MR	SH	B4		
L MIL-HDBK-106	MULTI-LEVEL CONTINUOUS SAMPLING PROCEDURES AND TABLE FOR INSPECTION BY ATTRIBUTES (HANDBOOK H-106) USER: ES	A QCIC	10	16-SEP-86			10		
MIL-HDBK-107	INSPECTION & QUALITY CONTROL SINGLE LEVEL CONTINUOUS SAMPLING PROCEDURES & TABLES FOR INSPECTION BY ATTRIBUTES (SEE MIL STD 1235) USER: ES	A QCIC	AR	11-FEB-83	AR		10		
MIL-HDBK-110	CHAINS, POWER TRANSMISSION AND CONVEYING, APPLICATION, INSTALLATION AND MAINTENANCE REVIEWER: CS	A 3020	ME	02-JAN-82	ME	YDI	99		
MIL-HDBK-207	DESIGN APPLICATION HANDBOOK FOR 1/2 HP MILITARY STANDARD ENGINE (MODEL 1A03) USER: AT REVIEWER: CS	A 2805	ME	20-FEB-59	ME	YDI	82		
MIL-HDBK-208	DESIGN APPLICATION HANDBOOK FOR 1-1/2 HP MILITARY STANDARD ENGINE (MODEL 1A08) (USE MIL-STD-1226)	A 2805	MD	30-SEP-58	MD	YDI	85		
MIL-HDBK-209	DESIGN APPLICATION HANDBOOK FOR 3 HP MILITARY STANDARD ENGINE (MODEL 2A016) (USE MIL-STD-1227)	A 2805	MD	20-FEB-59	MD	YDI	85		
L MIL-HDBK-222/1	DATA LIST, AUTHORIZED PART 1, INSTRUCTIONS (USE TD-3) REVIEWER: AS EC SA SH YDI	A DRPR	OS	17-JAN-69		OS			
L MIL-HDBK-222/2	DATA LIST, AUTHORIZED PART 2, DATA ITEM DESCRIPTIONS (USE TD-3) REVIEWER: AS EC SA SH YDI	A DRPR	OS	17-JAN-69		OS			
L MIL-HDBK-222/3	DATA LIST, AUTHORIZED PART 3, DATA ITEM REQUIREMENTS (USE TD-3) REVIEWER: AS EC SA SH YDI	A DRPR	OS	17-JAN-69		OS			
L MIL-HDBK-222/4	DATA LIST, AUTHORIZED PART 4, INDEX (USE TD-3) REVIEWER: AS EC SA SH YDI	A DRPR	OS	17-JAN-69		OS			
L MIL-HDBK-226	DESIGN DISCLOSURE FOR SYSTEMS AND EQUIPMENT (NO S/S DOCUMENT) USER: MC REVIEWER: AS EC OS YDI	A GDRQ	SH	11-JUL-88		SH			
L MIL-HDBK-277	FIBER OPTIC CHECKOUT PROCEDURE FOR MILITARY APPLICATIONS (NO S/S DOCUMENT) USER: CG MC REVIEWER: AS EC	A 60GP	SH	31-MAR-93		SH			
L MIL-HDBK-278	SYSTEM DESIGN GUIDE FOR APPLYING FIBER OPTIC TECHNOLOGY TO SHIPBOARD SYSTEMS (NO S/S DOCUMENT) USER: CG MC REVIEWER: AS EC	A 60GP	SH	31-MAR-93		SH			
L DOD-HDBK-282	FIBER OPTIC CABLE INSTALLATION PROCEDURES (NO S/S DOCUMENT) USER: CG MC REVIEWER: AS EC ES	A 6015	SH	31-MAR-93		SH			
L MIL-HDBK-414/1	TECHNICAL CONTROL FACILITIES AND EQUIPMENT FOR LONG HAUL COMMUNICATIONS VOLUME 1 OF 2 VOLUMES (NO S/S DOCUMENT) REVIEWER: OI 11 13 17 80 89 AS ER YDI	A SLHC	90	23-SEP-88	SC	EC	90		
MIL-HDBK-600	GUIDELINES FOR IDENTIFICATION, MARKING, LABELING, STORAGE, AND TRANSPORTATION OF RADIOACTIVE COMMODITIES (S/S BY DOD 6050.5-L, DOD HAZARDOUS MATERIALS INFORMATION SYSTEM (HMIS)) USER: 80 CG ME OS SM REVIEWER: OS AS AV EA MC SA	A 59GP	ES	26-APR-90	ER	YDI	85	ES	
MIL-HDBK-681	STANDARDIZED INDUSTRIAL GASOLINE ENGINE ABOVE 20 BHP REVIEWER: CS	A 2805	ME	20-FEB-64	ME	YDI	11		
MIL-HDBK-7588	SPECIAL HANDLING DATA/CERTIFICATION FOR SHIPMENTS VIA MILITARY AIRCRAFT USER: AS AT AV EC MC ME YDI REVIEWER: AR MI OS	A PACK	SM	15-AUG-76	SM	SA		DH	
L MIL-HDBK-1010/1	COST ENGINEERING: POLICY AND PROCEDURES (NO S/S DOCUMENT)	A FACR	YD2	12-SEP-90		YD2			
L MIL-HDBK-1025/3	CARGO HANDLING FACILITIES (NO S/S DOCUMENT)	A FACR	YD2	12-SEP-90		YD2			
L MIL-HDBK-1025/5	FERRY TERMINALS AND SMALL CRAFT BERTHING FACILITIES (NO S/S DOCUMENT)	A FACR	YD2	12-SEP-90		YD2			



CANCELED SECTION

NUMERICAL LISTING  
MILITARY AND ANA BULLETINS

Action Ordn / OMA Coordination Institute Document Number	Document Title	Dist. Stmt. FSC / Area MCA Symbol Preparing Acty Date				Custodians			
						Army	Navy	Air Force	DIA
ANA-BUL-400X	AIRBORNE ELECTRONIC AND ASSOCIATED EQUIPMENT, APPLICABLE DOCUMENTS (NO S/S	A MISC	AS	01-MAR-93	CR	AS	11		
NOTICE 1	DOCUMENT)								
MIL-BUL-400	AIRBORNE ELECTRONIC AND ASSOCIATED EQUIPMENT, APPLICABLE DOCUMENTS (NO S/S	A MISC	AS	01-FEB-93	CR	AS	11		
NOTICE 2	DOCUMENT)								
ANA-BUL-419A	O RING TYPE PACKINGS, GASKETS, AND SEALS, IDENTIFICATION OF .....	A MISC		09-SEP-55			10		
ANA-BUL-438	AGE CONTROLS OF AGE-SENSITIVE ELASTOMERIC ITEMS .....	A 9320	10	15-FEB-65		AS	10		
L MIL-BUL-553/1	LIST OF GENERAL DESIGN DRAWINGS (STANDARD AND TYPE) APPROVED BY THE NAVAL	A 20GP	SH	16-DEC-92		SH			
NOTICE 1	SEA SYSTEMS COMMAND PART I NUMERICAL LISTING (NO S/S DOCUMENT)								
L MIL-BUL-553/2	LIST OF GENERAL DESIGN DRAWINGS (STANDARD AND TYPE) APPROVED BY THE NAVAL	A 20GP	SH	16-DEC-92		SH			
NOTICE 1	SEA SYSTEMS COMMAND PART II ALPHABETICAL LISTING (NO S/S DOCUMENT)								
L MIL-BUL-553/3	LIST OF GENERAL DESIGN DRAWINGS (STANDARD AND TYPE) APPROVED BY THE NAVAL	A 20GP	SH	16-DEC-92		SH			
NOTICE 1	SEA SYSTEMS COMMAND PART III LISTING OF CANCELLED DRAWINGS (NUMERIC) (NO								
	S/S DOCUMENT)								



CANCELED SECTION

NUMERICAL LISTING  
GUIDE SPECIFICATIONS

Action CPL / OML Coordination Inches Document Number	Document Title	Dist. SMTL FAC / Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
L MFGS-01401B NOTICE 1	CONTRACTOR INSPECTION SYSTEM (S/S BY MFGS-01400B) .....	A FACR YD3 30-OCT-91	YD3
L MFGS-05311A NOTICE 1	STEEL ROOF DECKING (S/S BY MFGS-05310) .....	A FACR YD3 02-OCT-91	YD3
L MFGS-05313C NOTICE 1	STEEL FLOOR DECKS (S/S BY MFGS-05310) .....	A FACR YD3 02-OCT-91	YD3
L MFGS-07222B NOTICE 1	TAPERED ROOF INSULATION (S/S BY MFGS-07220C) .....	A FACR YD3 02-OCT-91	YD3
MFGS-15501B	HEATING, VENTILATING, AND COOLING SYSTEMS (REFER TO MFGS-L-15501) .....	A FACR YD3 22-APR-91	CE YD3 04
MFGS-15711F	HOT WATER HEATING SYSTEM (REFER TO MFGS-15511) .....	A FACR YD3 01-JUL-91	CE YD3 04
L MFGS-15813C NOTICE 1	WAIVING AIR HEATING SYSTEMS (S/S BY MFGS-15621) .....	A FACR YD3 02-OCT-91	YD3



CANCELED SECTION

NUMERICAL LISTING  
AIR FORCE - NAVY AERONAUTICAL STANDARDS

Action Orl / Orl Coordination Inactive Document Number	Document Title	Dist. Stmt. FSC / Area MCA Symbol Preparing Acty Date	Custodians Army Navy Air Force DLA
AM771 REV 4 AM122576THRUAM122600 REV 2	COCK - SCREW TYPE DRAIN (S/S BY MS 35782) ..... WASHER-PLAIN, STEEL (USE MS9320) .....	A 4820 10 08-APR-53 A 5310 15 05-AUG-64	69 15



CANCELED SECTION

NUMERICAL LISTING  
INTERNATIONAL STANDARDIZATION DOCUMENTS

Action Op. / OMI Coordination Inactive Document Number	Document Title	Diet. Smt. FSC / Area MCA Symbol Preparing Acty Date				Custodians			
		Army	Navy	Air Force	DIA				
AIR-STD-30/3	PHYSICAL INTERCHANGE OF DIGITAL DATA .....	A ISDF	06	06-APR-93					
STANAG-1296 ED. 2	EMERGENCY SONAR BEACONS TO AID THE DETECTION AND LOCALIZATION OF DISTRESSED SUBMARINES (S/S BY STANAG-1384)	C ISDN	MM	17-SEP-92					
STANAG-1299 ED. 2	EMERGENCY SONAR BEACONS TO AID THE LOCALIZATION AND HOMING ON TO DISTRESSED SUBMARINES BY SUBMERGED RESCUE CRAFT (S/S BY STANAG-1384)	C ISDN	SH	17-SEP-92					
STANAG-3231 ED. 2	ADEN AND DEFA 30 MM GUN BARREL CHAMBERS FOR AIRCRAFT (NO S/S DOCUMENT) ....	C ISDF	06	25-AUG-92					
STANAG-3557 ED. 1(1)	STANDARD NATO SAFETY TESTS FOR AIRBORNE PYROTECHNIC STORES FOR FIXED WING AIRCRAFT AND HELICOPTERS (NO S/S DOCUMENT)	C ISDF	06	29-JUN-92					
STANAG-3690 ED. 2	MAXIMUM TRIMMED PAPER SIZE OF MAPS FOR USE IN THE FIELD (NO S/S DOCUMENT) .	C ISDF	06	04-MAY-92					
STANAG-3721 ED. 3	AUTOMATIC DATA PROCESSING (ADP) MASTER FILE FOR LAND MAPS AND AERONAUTICAL CHARTS (NO S/S DOCUMENT)	C ISDF	06	04-MAY-92					
STANAG-3811 ED. 1	RUNWAY FRICTION STANDARDS (NO S/S DOCUMENT) .....	C ISDF	06	13-MAY-92					
STANAG-3982 ED. 1	MESSAGES SUPPLEMENT TO ATP-27 - OFFENSIVE AIR SUPPORT OPERATIONS (NO S/S DOCUMENT)	C ISDF	06	16-SEP-92					
STANAG-3983 ED. 1	MESSAGES SUPPLEMENT TO ATP-34 - TACTICAL AIR SUPPORT FOR MARITIME OPERATIONS (NO S/S DOCUMENT)	C ISDF	06	16-SEP-92					
STANAG-4148 ED. 1	STANDARD METHOD TO BE USED IN SPECIFYING AND EVALUATING PERFORMANCE ACCURACIES OF AIRBORNE DOPPLER GROUND VELOCITIES SENSORS (NO S/S DOCUMENT)	C ISDF	06	29-JUN-92					
STANAG-4196 ED. 1	CHARACTERISTICS FOR AN AIRCRAFT INERTIAL NAVIGATION SYSTEM (NO S/S DOCUMENT)	C ISDF	06	29-JUN-92					
STANAG-4218 ED. 1	ACCELEROMETER TEST PROCEDURE FOR AN AIRCRAFT INERTIAL NAVIGATION SYSTEM (NO S/S DOCUMENT)	C ISDF	06	29-JUN-92					
STANAG-4219 ED. 1	SYSTEM TEST PROCEDURE FOR AN AIRCRAFT INERTIAL NAVIGATION SYSTEM (NO S/S DOCUMENT)	C ISDF	06	29-JUN-92					
STANAG-4220 ED. 1(1)	SPECIFICATION FORMAT GUIDE AND TEST PROCEDURE FOR SINGLE-AXIS LASER GYROSCOPES (NO S/S DOCUMENT)	C ISDF	06	29-JUN-92					
STANAG-4331 ED. 1	THE SPECIFICATION FOR EVALUATION OF THE ACCURACY OF AIRBORNE HYBRID NAVIGATION SYSTEMS (NO S/S DOCUMENT)	C ISDF	06	29-JUN-92					



# CANCELED SECTION

# NUMERICAL LISTING DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Org / Com Coordination Initiative Document Number	Document Title	Dist Smt FSC / Area MCS / Symbol Preparing Acty Date	Custodians			
			Army	Navy	Air Force	DLA
AISC-HDBK-72 ANSI-B5.51M-79 ANSI-P44.20-58R70	AMERICAN INSTITUTE OF STEEL CONSTRUCTION HANDBOOK - 72 ..... PREFERRED SI UNITS FOR MACHINE TOOLS - 1979 USER: MC YD1 REVIEWER: 84 ..... FILM, PLATES AND PAPERS, PHOTOGRAPHIC FILLING ENCLOSURES FOR STORING PROCESSED PHOTOGRAPHIC, REQUIREMENTS FOR - 01 DEC 58 (S/S BY ANSI PHI.53-78)	A MISC 99 03-AUG-72 A 34GP 1P 13-JUN-89 A EDMS YD1 04-APR-83	YD1 99 AL SH 99 MR YD1 11			
ANSI-X3.10-66	FORTRAM, BASIC - 7 MAR 66 (USE FIPS 69 W/ANSI X 3.9-78) REVIEWER: MC NM SA YD1	A 1PSC 02 01-MAY-83	AD OM 02			
USAS-Y32.2 API-STD-593-B1 NOTICE 2 AR1210-81 NOTICE 2 AR1240-81 NOTICE 2 AR1630-82 NOTICE 2 ASME-4-71 ASME-7-71 ASME-PTC4.1-64 ASTM-A319-71R85 NOTICE 1 ASTM-A441/A441M-85	ELECTRICAL & ELECTRONICS DIAGRAMS, GRAPHIC SYMBOLS FOR (S/S BY IEEE-315) .. VALVES, DUCTILE IRON PLUG, FLANGED ENDS (NO S/S DOCUMENT) USER: CE MC REVIEWER: 82 CS UNITARY AIR-CONDITIONING EQUIPMENT, STANDARD FOR (S/S BY AR1210/140) ..... UNITARY HEAT PUMP EQUIPMENT, AIR-SOURCE, STANDARD FOR (S/S BY AR1210/240) USER: CE MC REVIEWER: GS HUMIDIFIERS, SELECTION, INSTALLATION, AND SERVICING OF, STANDARD FOR (NO S/S DOCUMENT) USER: ME REVIEWER: 82 GS MC MS BOILER & PRESSURE VESSEL, SECTION IV - 1971 REVIEWER: ME ..... BOILER & PRESSURE VESSEL, SECTION VIII OF DIV. 1 - 1971 REVIEWER: ME ..... GENERATING UNITS, STEAM, POWER TEST CODES - 1964 ..... GRAY IRON CASTINGS FOR ELEVATED TEMPERATURES FOR NON-PRESSURE CONTAINING PARTS, STANDARD SPECIFICATION FOR (S/S BY ASTM-A436) STEEL, HIGH-STRENGTH LOW-ALLOY STRUCTURAL MANGANESE VANADIUM - 26 JULY 1985 REVIEWER: AL AR EA 15 SH	A DRPR SH 03-APR-71 A 4820 * YD1 09-APR-92 A 4120 * YD1 22-APR-92 A 4120 * YD1 22-APR-92 A 4130 YD1 05-FEB-93 A 4520 99 08-AUG-72 A 4520 99 08-AUG-72 A 4520 99 08-AUG-72 A MECA * YD1 12-JUN-92 A 9520 MR 15-OCT-90	ER SH 10 YD1 99 ME YD1 ME YD1 99 ME YD1 99 YD1 99 YD1 99 YD1 99 MR YD1 MR YD1 11			
ASTM-A608-79	TUBING, CENTRIFUGALLY CAST IRON CHROMIUM HIGH ALLOY FOR PRESSURE APPLICATION AT HIGH TEMPERATURES - 27 JUL 79	A 4710 YD1 20-MAY-87	MR YD1 11			
ASTM-B284-79R84	SOLDER, ROSIN FLUX CORE - 26 JAN 79 (REAPPROVED 84 USER: AT ES GS MC ME REVIEWER: CR EA EC MI OS	A 3439 YD1 30-APR-90	EM YD1 99			
ASTM-B416-69R86 ASTM-B486-74R85	CONCENTRIC LAY STANDARD ALUMINUM CLAD STEEL CONDUCTORS - 19 SEP 69 ..... PAST, SOLDER, STANDARD SPECIFICATION FOR - 27 DEC 74 REVIEWER: 99 CR EA EC MI OS	A 6145 YD1 22-AUG-86 A 3439 YD1 30-APR-90	MR YD1 11 ER YD1 11			
ASTM-B586-86 ASTM-C52-54R77 ASTM-C145-85	WELDED, COPPER ALLOY WATER TUBE REVIEWER: 99 TILE ON BLOCK, PARTITION, GYPSON, STANDARD SPECIFICATION FOR - 15 SEP 54 .. SOLID LOAD-BEARING CONCRETE MASONRY UNITS, STANDARD SPECIFICATION FOR (NO S/S DOCUMENTS)	A 4710 YD1 05-SEP-86 A 5620 YD1 11-MAR-83 A 5620 * YD1 22-JAN-93	CR YD1 85 MR YD1 11 YD1			
ASTM-C220-88 NOTICE 1 ASTM-C221-88 NOTICE 1 ASTM-C222-78 ASTM-C223-78 ASTM-C296-83 NOTICE 2	SHEETS, FLAT ASBESTOS-CEMENT, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) USER: CE SHEETS, CORRUGATED ASBESTOS-CEMENT, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) USER: CE SHINGLES, ROOFING, ASBESTOS-CEMENT - 28 JUL 78 ..... SIDING, ASBESTOS-CEMENT - 28 JUL 78 ..... CEMENT ASBESTOS PRESSURE PIPE - 25 MAR 83 .....	A 5640 * YD1 03-JAN-92 A 5640 * YD1 03-JAN-92 A 5640 YD1 11-MAR-83 A 5640 YD1 11-MAR-83 A 5630 YD1 10-OCT-89	YD1 95 YD1 99 MR YD1 11 MR YD1 11 ME YD1 99			
L ASTM-C428-81R85 NOTICE 2 L ASTM-C459-88 NOTICE 1 ASTM-C508-83 NOTICE 2 ASTM-C541-83 NOTICE 2 ASTM-C594-74	PIPE, SEWER, ASBESTOS-CEMENT NONPRESSURE, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) DOCUMENT EXISTS ONLY AS A REFERENCE IN DATA BASE ..... PIPE, ASBESTOS CEMENT UNDERDRAIN PIPE - 25 MAR 83 ..... PIPE, ASBESTOS-CEMENT, LININGS FOR, STANDARD SPECIFICATION FOR - 30 SEP 83 USER: CE PIPE, COMPRESSION COUPLINGS FOR VITRIFIED CLAY PLAIN END (USE ASTM C424-77) PIPE, SEWER, ASBESTOS CEMENT NONPRESSURE SMALL DIAMETER - 77 (USE ASTM C428) PANELS, INSULATING, ASBESTOS CEMENT PLASTIC FOAM CORE - 28 JUL 78 (REAPPROVED 1983) USER: CE REVIEWER: 99 PIPE, TRANSMISSION, ASBESTOS CEMENT - 30 OCT 81 ..... ASBESTOS CEMENT SHEETS FOR BULKHEADING - 28 JULY 1978 (REAPPROVED 1984) USER: CE REVIEWER: 99 ASPHALT-SATURATED ASBESTOS FELT, USED IN ROOFING AND WATERPROOFING, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT) SOILS, LIQUID LIMIT OF - 20 SEPT 66 (S/S BY ASTM D4318-84) USER: CE MC .... SOILS, PLASTIC LIMIT & PLASTICITY INDEX OF - 19 SEP 59 (S/S BY ASTM D4318-84) USER: CE CG GASOLINE AUTOMOTIVE - 28 OCT 83 (REPLACED BY ASTM-D-4814) .....	A 5630 * YD1 12-NOV-92 A 5640 YD1 28-MAY-93 A 5630 YD1 08-OCT-89 A 5630 YD1 10-OCT-89 A 5630 YD1 23-FEB-76 A 5630 YD1 06-FEB-78 A 5640 YD1 05-SEP-88 A 5630 YD1 25-MAY-84 A 5640 YD1 03-OCT-89 A 5650 * YD1 06-APR-92 A 5610 YD1 10-SEP-85 A 5610 YD1 10-SEP-85 A 9130 ME 12-JUL-90	YD1 YD1 YD1 99 YD1 99 YD1 99 YD1 YD1 YD1 99 YD1 YD1 99 YD1 99 YD1 68			
ASTM-C644-77	PAPER & PAPERBOARD, THICKNESS OF - 8 SEP 67 USER: AR OS SH REVIEWER: 99 GL ME MI MR SA YD1	A PACK AS 30-SEP-81	SM AS 69			
ASTM-C659-78	INSULATING MATERIALS, MOLDED ELECTRICAL, TENSILE STRENGTH OF - 28 DEC 1984 USER: AS MC OS YD1 REVIEWER: AR AT ER MD	A 9330 MR 03-MAY-91	MR SH 11			
ASTM-C668-81 ASTM-C744-78R84 NOTICE 2 ASTM-D250-88 NOTICE 2 ASTM-D423-66R72 ASTM-D424-59R71	POLYSTYRENE MOLDING & EXTRUSION MATERIALS - 26 JUN 81 ..... PLASTICS CONTAINING CHLORINE, SHORT TIME STABILITY AT ELEVATED TEMPERATURES OF - 1949 USER: AS YD1 REVIEWER: AR ER GL GS ME MI PILE FLOOR COVERINGS, RESISTANCE OF, TO ATTACK BY BLACK CARPET BEETLE LARVAE - 3 OCT 1969 USER: SH POLY (VINYL CHLORIDE) POLYMERS & COPOLYMERS USED FOR SURFACE COATINGS, TOTAL CHLORINE IN - 30 SEP 52 USER: CG OS YD1 REVIEWER: AS ER ME PLASTIC, SHEET, WARPAGE OF - 10 SEP 56 (USE FED STD 406A) USER: AS OS YD1 REVIEWER: AT ER GL GS ME MI RUBBER PROPERTY EVALUATING RETRACTION AT LOW TEMPERATURE (TR TEST) REVIEWER: MC PLASTIC, CORRUGATED REINFORCED, TRANSVERSE LOAD OF, PANELS - 19 SEP 60 USER: AS GL YD1 REVIEWER: AR AT AV GS THERMAL STABILITY OF U.S. NAVY SPECIAL FUEL OIL, STANDARD METHOD OF TEST FOR COATINGS, ELONGATION OF ATTACHED ORGANIC, WITH CYLINDRICAL MANDREL APPARATUS - 27 SEPT 1985 USER: YD1 CREOSOTE PETROLEUM SOLUTION - 30 SEP 63 ..... WOOD, MOISTURE CONTENT OF - 29 APR 74 USER: AR OS SH REVIEWER: 99 CS GL ME MI MR SA YD1	A 9330 MR 28-JUL-88 A 9330 MR 15-JAN-86 A 7220 YD1 20-JUN-83 A 8010 MR 06-NOV-84 A 9330 MR 21-SEP-76 A FACR YD1 28-JUN-87 A 9330 MR 24-AUG-84 A 91GP SH 10-MAY-93 A 8010 MR 27-FEB-91 A 8030 YD1 06-NOV-81 A 5510 AS 22-MAY-90	MR SH 11 MR SH 11 ME YD1 99 MR SH MR SH 11 YD1 99 MR SH 11 SH MR SH 84 YD1 99 SM AS 69			
ASTM-D1116-69	SOILS, STANDARD TEST METHOD FOR RELATIVE DENSITY OF COMENSIOMLESS - 19 SEP 69 (S/S BY ASTM D4253-83 & D4254-83	A 5610 YD1 27-JAN-84	ME YD1 99			
ASTM-D1156-52R74	PEATS, MOSSES, HUMUS, AND RELATED PRODUCTS, STANDARD CLASSIFICATION OF (NO S/S DOCUMENT)	A 8720 * YD1 14-JAN-92	CE YD1 11			
ASTM-D1181-56R71	ASPHALT ROOF COATINGS, ALUMINUM PIGMENTED (S/S BY ASTM D2824-82) ..... AIRFIELD PAVEMENTS, PORTLAND CEMENT CONCRETE, SAWABLE TYPE, NONBITUMINOUS INSERTS FOR CONTRACTION JOINTS IN - 8 JAN 71 USER: CE MC SEWER PIPE & FITTINGS, TYPE PSP POLY (VINYL CHLORIDE) (PVC) - 29 MAR 1985 (REFER TO ASTM D3034) REVIEWER: CS SHINGLES, ASPHALT, WIND RESISTANCE OF - 27 NOV 81 (REAPPROVED 1986) ..... VULCANIZED RUBBER SHEETING FOR POND, CANAL, AND RESERVOIR LINING, STANDARD SPECIFICATION FOR (NO S/S DOCUMENT)	A 8030 YD1 30-MAR-84 A 5610 YD1 30-NOV-87 A 4710 / YD1 20-AUG-90 A 5650 YD1 24-MAY-87 A 9320 * YD1 15-MAY-92	YD1 99 ME YD1 99 ME YD1 99 ME YD1 99 CL YD1 99			
ASTM-D1329-79	PIPE, PLASTIC DRAIN, PERFORATED STYRENE RUBBER (SR) - 26 JUN 81 ..... ADHESION BY TAPE TEST, MEASURING - 27 OCT 78 USER: ME YD1 REVIEWER: GS ....	A 4710 YD1 20-AUG-90 A 6810 68 01-JUN-89	ME YD1 99 EA SH 68			
ASTM-D1502-60						
ASTM-D1561-64 NOTICE 2 ASTM-D1737-85 NOTICE 1 ASTM-D1858-63R76 ASTM-D2016-74						
ASTM-D2049-69						
ASTM-D2607-69 NOTICE 2 ASTM-D2825-76 ASTM-D2828-71R81						
ASTM-D3033-85						
ASTM-D3161-81 ASTM-D3253-81 NOTICE 2 ASTM-D3298-81 ASTM-D3359-78						



CANCELED SECTION

NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS

Action Op. / Chg. Coordination Inactive Document Number	Document Title	Dist. Smt. FSC / Area MCA Symbol Preparing Agency Date	Custodians			
			Army	Navy	Air Force	DIA
ASTM-D3370-76	WATER, SAMPLING - 27 AUG 76 REVIEWER: GL GS ME YD1	A 6810 68 01-JUN-89	EA	SH	68	
ASTM-D3378A-82	ROOFING, ASPHALT SATURATED & COATED ASBESTOS FELT BASE SHEET USED IN - 25 JUN 82	A 5650 YD1 25-AUG-83	ME	YD1	99	
ASTM-D3812-79	TAPE, PRESSURE SENSITIVE, IMPACT RESISTANCE OF - 27 JUL 79 USER: AR OS SH REVIEWER: 99 GL ME MI MR SA YD1	A PACK AS 12-MAY-81	SM	AS	69	
ASTM-E94A-84	RADIOGRAPHIC TESTING, STANDARD GUIDE FOR -26 OCT 1984 (REPLACED BY MIL-STD-4530C) USER: MI OS REVIEWER: AR AS AT SH	A MDT1 MR 29-JUN-90	MR	YD1	15	
NOTICE 2	MORTAR, STANDARD TEST METHOD FORBOND STRENGTH OF, TO MASONRY UNITS - 11 JUN 76	A 5620 YD1 22-APR-83		YD1	99	
ASTM-E149-76	GONIOPHOTOMETRY OF TRANSMITTINGS & MATERIALS - 30 SEP 63 (USE ASTM E167-63(70)) USER: AS YD1 REVIEWER: 99 AR AT AV ER GS ME	A 9330 MR 05-MAR-75	MR	SH	11	
ASTM-E166-63R70	PLATE & SCREENS, INDUSTRIAL PERFORATED (SQUARE OPENING SERIES) 31 OCT 80 USER: GL MC MI SM REVIEWER: AS EA GS IS	A 6635 YD1 23-SEP-83	ME	YD1	99	
ASTM-E454-80	PLATE & SCREENS, INDUSTRIAL PERFORATED (ROUND OPENING SERIES) - 31 OCT 80 REVIEWER: AS EA GL GS IS MC MI SM	A 6635 YD1 19-SEP-83	ME	YD1	99	
ASTM-E674-80	GASKET MATERIALS, CORROSIVE AND ADHESIVE EFFECTS OF, ON METAL SURFACES - 18 JUL 69 (USE ASTM F607) USER: AS ME OS YD1 REVIEWER: AT AV IS	A 5330 MR 28-JUL-77	MR	SH	99	
ASTM-F64-69R75	EVALUATING WOOD PRESERVATIVES BY FIELD TESTS WITH STAKES, STANDARD METHOD OF (S/S BY AMPA-E7) USER: YD1 REVIEWER: 84 CE	A 5510 * CS 20-JAN-93	ME	SH	99	CS
AMPA-M7-90	WOOD TESTING PRESERVATIVES BY LABORATORY SOIL-BLOCK CULTURES, STANDARD METHOD OF (S/S BY AMPA-E10)	A 5510 * CS 20-JAN-93				CS
NOTICE 2	WOOD PRESERVATIVES DETERMINING THE LEACHABILITY OF, STANDARD METHOD (S/S BY AMPA-E11)	A 5510 * CS 20-JAN-93				CS
AMPA-M10-77	LABORATORY EVALUATION TO DETERMINE RESISTANCE TO SUBTERRANEAN TERMITES, STANDARD METHOD FOR (S/S BY AMPA-E1)	A 5510 * CS 20-JAN-93				CS
NOTICE 2	THE CALCULATION OF THE "PERFORMANCE INDEX" OF PRESERVATIVES IN STAKE AND POST TESTS, STANDARD PROCEDURE FOR (S/S BY AMPA-E3)	A 5510 * CS 20-JAN-93				CS
AMPA-M12-72	WATER TESTING REPELLENCY OF PRESSURE TREATED WOOD, STANDARD METHOD OF (S/S BY AMPA-E4)	A 5510 * CS 20-JAN-93				CS
NOTICE 2	CAST IRON PIPE, CENTRIFUGALLY CAST IN METAL MOLDS, FOR WATER OR OTHER LIQUIDS - 9 MAY 80 USER: 99 CE MC REVIEWER: CS	A 4710 YD1 05-AUG-83	ME	YD1		
AMPA-M16-83	BACKFLOW PREVENTION DEVICES-REDUCED PRESSURE PRINCIPLE AND DOUBLE CHECK VALVE TYPES, AMMA STANDARD FOR (NO S/S DOCUMENT) REVIEWER: CS	A 4820 * YD1 12-SEP-91	ME	YD1	99	
NOTICE 2	CONNECTOR CABLE FOR AUDIO FACILITIES FOR RADIO BROADCASTING - JUN 70	A 5995 YD1 29-MAY-87	CE	YD1	99	
AMPA-M18-78	AMPLIFIERS FOR SOUND EQUIPMENT, RETMA STANDARD FOR - JULY 1949	A 5895 YD1 25-OCT-84	CR	YD1	99	
NOTICE 2	AMPLIFIERS FOR SOUND EQUIPMENT, RETMA STANDARD FOR ENGINEERING SPECIFICATIONS FOR - MAY 1949	A 5895 YD1 31-OCT-84	CR	YD1	99	
AMMA-C106-80	DIMENSIONS OF OPTICAL FIBERS (NO S/S DOCUMENT) USER: MC REVIEWER: 06 11 17 20 99 AI MI SH	A 6010 * CR 03-NOV-92	CR	AS	85	
AMMA-CS06-78	BITUMINOUS FIBER DUCT FOR UNDERGROUND INSTALLATION - 12 FEB 1979	A 5975 YD1 29-MAY-87	ER	YD1	85	
EIA-RS297A-70	SYSTEMS FOR GUARD'S TOUR, FIRE ALARM, AND SUPERVISORY SERVICE, THE INSTALLATION, MAINTENANCE, AND USE OF LOCAL PROTECTIVE SIGNALING, STANDARD FOR (S/S BY NFPA72-90) REVIEWER: B2	A 6350 * YD1 24-APR-92		YD1	99	
EIA-SE101A-49	SYSTEMS, AUXILIARY PROTECTIVE SIGNALING, FOR FIRE ALARM SERVICE, STANDARD FOR (S/S BY NFPA72-90) REVIEWER: B2 GS	A 8040 AS 16-APR-84		AS	11	
EIA-SE104-49	PRIMER, ADHESIVE, CORROSION INHIBITING, MINUS 55 DEG. TO PLUS 95OC (MINUS 67 DEG. TO 20 DEG. F) 1 MAR 74 (S/S BY AMS 3107-83 & AMS 3107/1-83)	A 9320 AS 25-JAN-88	MR	AS	11	
IEC693	RUBBER COMPOUND, ROOM TEMPERATURE VULCANIZING, 15,000 CENTIPOISES VISCOSITY DUROMETER 35 - 55 - 15 FEB 65 REVIEWER: GS MI	A 9320 AS 25-JAN-88	MR	AS	11	
NOTICE 2	RUBBER COMPOUND, SILICONE ROOM TEMPERATURE VULCANIZING, 50,000 CENTIPOISES VISCOSITY DUROMETER 30 - 45 - 30	A 9530 AS 20-OCT-88	MR	AS	11	
MEMA-BC1-79	POLYTETRAFLUOROETHYLENE - 15 MAR 66	A 9330 AS 19-APR-85	MR	AS	11	
NFPA72A-87	FABRIC, WIRE REINFORCED ASBESTOSPOLYTETRAFLUOROETHYLENE IMPREGNATED, SINTERED - 15 JAN 76 REVIEWER: GS	A 9330 AS 19-APR-85	MR	AS	11	
NOTICE 2	ASBESTOS FABRIC POLYTETRAFLUOROETHYLENE IMPREGNATED, SINTERED - 15 JAN 76 REVIEWER: GS MI	A 9330 AS 19-APR-85	MR	AS	11	
NFPA72B-86	ASBESTOS POLYTETRAFLUOROETHYLENE SHEET FIBER REINFORCED - 15 JAN 76 REVIEWER: GS	A 9330 AS 19-APR-85	MR	AS	11	
NOTICE 2						
SAE-AMS3106-74						
SAE-AMS3362A-65						
SAE-AMS3363B-74						
SAE-AMS3651C-78						
SAE-AMS3839A-76						
SAE-AMS3840A-76						
SAE-AMS3842A-76						



**CANCELED SECTION**

**NUMERICAL LISTING  
DOD ADOPTED NON-GOVERNMENT STANDARDS**

Action Off. / OAL Coordination Inquiry Document Number	Document Title	Dist. SMT FSC / Area MCA Symbol Preparing Agency Date	Custodians Army Navy Air Force DLA
---	-------------------	---	--